

LOG NO: 0823	RD.
ACTION:	
FILE NO:	

GEOCHEMICAL REPORT
on the
LIKELY 1, 2, 3 and 4 GROUPS

EASY #1, EASY #4, EASY #5, EASY #6, DUG,
EASY 7, JUNE, TY, JUN 10, JUN 11, ROSE 2, LAKE 1,
ROSE 3, ROSE 4 FR, EYL, AST 1, NOB #1,
MARK FRACTION, GAP, HEP FRACTION, CAT, AND DOG CLAIMS

LIKELY, B.C. AREA

SUB-RECORDER
RECEIVED
AUG 18 1989
M.R. # _____ \$ _____
VANCOUVER, B.C.

Cariboo Mining Division, British Columbia
N.T.S. 93-A/12E and 93-A/11W

FILMED

Latitude 52°37' North
Longitude 121°34' West

Operator: CORONA CORPORATION
1440 - 800 West Pender Street
Vancouver, B.C.
V6C 2V6

Owner: CORONA CORPORATION
1440 - 800 West Pender Street
Vancouver, B.C.
V6C 2V6

Author: CHRISTOPHER L. McATEE. M.Sc.

18, 989

GEOLOGICAL BRANCH
ASSESSMENT REPORT

Vancouver, British Columbia
Canada

August 18, 1989

SUB-RECORDER
RECEIVED

AUG 18 1989

FILE # _____ \$ _____
VANCOUVER, B.C.

TABLE OF CONTENTS

	Page
SUMMARY	1
INTRODUCTION	2
Location, Access, and Physiography	2
Property Ownership	2
Property History	4
EXPLORATION PROCEDURE	5
REGIONAL GEOLOGY	6
PROPERTY GEOLOGY	6
Spanish Mountain - CAT Claim	6
Fisher and Grogan Creeks - EASY 5 and JUN 10 Claims	7
Gold Creek	7
Poquette Lake Area - EASY 1, 4, 6, and TY Claims	8
JUNE, DUG, ROSE 3, and AST 1 Claims	8
GEOCHEMICAL RESULTS	8
Spanish Mountain - CAT and DOG Claims	8
Fisher and Grogan Creeks	9
Gold Creek	9
Poquette Lake Area	10
JUNE, DUG, ROSE 3, AST 1 and HEP FR Claims	11
CONCLUSIONS AND RECOMMENDATIONS	12
QUALIFICATIONS	14
REFERENCES	15
ITEMIZED COST STATEMENT	
LIKELY GROUP 1	
LIKELY 2 GROUP	
LIKELY 3 GROUP	
LIKELY 4 GROUP	
HEP FR	

TABLE OF CONTENTS Contd.

ILLUSTRATIONS

<u>Figure</u>		<u>Following Page</u>
1	Location Map	2
2	Claim Map	2
3	Gold Creek Roadside Exposure Plan	7
4	Sample Location Map - Sheet 1	In Pocket
5	" " " " 1A	"
6	" " " " 2	"
7	" " " " 3	"
8	" " " " 4	"
9	" " " " 5	"
10	" " " " 6	"

APPENDICES

APPENDIX I	Assay Results
APPENDIX II	Select Assay Values, Rock Types, Mineralization

SUMMARY


The LIKELY 1, 2, 3, and 4 claim groups, which are located north, northwest, and southeast of Likely, B.C., comprise 265 units.


The property is underlain by Triassic basalts, basaltic flows, argillites, and phyllites which have been intruded by dykes and small stocks of felsite and diorite.

Work carried out on the property in 1989 included prospecting, gridding, rock and soil sampling, and a limited amount of geologic mapping.

On the CAT and DOG claims several narrow quartz veins returned anomalous gold values. Altered diorite and tuffs on Fisher Creek assayed 2.21 g/t and 4.10 g/t gold respectively.

The Gold Creek roadside section averaged 3.43 g/t gold across 6.2 metres, and a 450 by 3100 metre gold soil anomaly was reconfirmed southwest of Poquette Lake. Follow up work is recommended.




 **CORONA CORPORATION**


**LIKELY PROJECT
LOCATION MAP**

DATE: Aug./1989

SCALE:

DRAWING No. FIG. 1



		
LIKELY PROJECT CLAIM MAP LIKELY 1,2,3,4 CLAIM GROUPS		
PREPARED BY: M.K.	SCALE: 1:50,000	PROJECT NO: 1056
NTS: 93A/11W,12E	DATE: AUG. 1989	MAP NO: FIG. 2

INTRODUCTION

LOCATION, ACCESS AND PHYSIOGRAPHY

The LIKELY 1, 2, 3, and 4 claim groups lie to the north, northwest, and southeast of the Village of Likely, B.C., which is located at 52°37' North Latitude and 121°34' West Longitude (Figure 1 and 2).

The area is accessible from Highway 97 at 150 Mile House by 75 km of all weather road to Likely. Numerous logging roads, which vary from good two-wheel drive roads to overgrown walking paths, provide access to all parts of the property.

The area is composed of low plateaus, canyons, and rounded hills with elevations from 700 m on the Quesnel River to 1,433 m above sea level on Spanish Mountain. Rock outcrop is confined to the creek and river bottoms, canyons, and roadcuts.

PROPERTY OWNERSHIP

All the claims of the LIKELY 1, 2, 3, and 4 claim groups are owned by Corona Corporation of Vancouver, British Columbia, with details as follows:

<u>CLAIM NAME</u>	<u>UNITS</u>	<u>RECORD NO.</u>	<u>EXPIRY DATE</u>
HEP FR	1	6309	June 29, 1989

LIKELY GROUP 1

DUG	12	999	May 22, 1989
EASY 7	20	1007	May 23, 1989
JUNE	20	1050	June 28, 1989
ROSE 4 FR	<u>1</u>	4197	Dec. 15, 1989
	53		

<u>CLAIM NAME</u>	<u>UNITS</u>	<u>RECORD NO.</u>	<u>EXPIRY DATE</u>
<u>LIKELY 2 GROUP</u>			
ROSE 2	12	3992	Aug 24, 1989
EASY 7	20	1007	May 23, 1989
EASY 6	20	923	Dec. 7, 1989
TY	20	1051	June 29, 1989
MARK FR	1	6183	June 22, 1989
EASY #1	20	877	Nov 2, 1989
EASY #5	<u>6</u>	881	Nov 2, 1989
	99		
<u>LIKELY 3 GROUP</u>			
EJL	2	4592	Nov 25, 1989
LAKE 1	8	3994	Aug 24, 1989
JUN 10	18	1798	July 7, 1989
JUN 11	18	1799	July 7, 1989
DOG	18	7156	Oct 17, 1989
CAT	6	7155	Oct 17, 1989
GAP	<u>2</u>	6302	July 26, 1989
	72		
<u>LIKELY 4 GROUP</u>			
JUNE	20	1050	June 28, 1989
ROSE 3	15	4196	Dec. 15, 1989
AST 1	20	5101	Sept 6, 1989
EASY #4	20	880	Nov. 2, 1989
NOB #1	6	5389	Nov. 12, 1989
DUG	12	999	May 22, 1989
ROSE 4 FR	<u>1</u>	4197	Dec. 15, 1989
	94		

Geochemical work was filed on the LIKELY GROUP 1 claims (DUG, EASY 7, JUNE, and ROSE 4 Fr) on May 23, 1989. The EASY #1, EASY 6, EASY 7, TY, ROSE 2 and MARK FRACTION claims were grouped as the EASY 1 GROUP on June 21, 1989. On July 6, 1989 the EASY #5, JUNE 10, JUN 11, LAKE 1, EJL, GAP, CAT and DOG claims were grouped as the LIKELY 3 GROUP. These groups have since been changed to the above groupings.

PROPERTY HISTORY

Small scale placer operations have been worked in this area since the 1860's and gold-bearing quartz veins were discovered on the northeast side of Spanish Mountain in 1933. There have also been reports of hard rock exploration on Cedar Creek and Gold Creek in the early days.

The famous Bullion Mine, which yielded approximately 59,700 ounces of gold, operated from 1894 to 1905, with intermittent small scale activity from 1933 to the present.

Exploration in the area since the early 1960's has resulted in the discovery of Placer-Dome's QR gold deposit between lower Maude Creek and Slide Mountain, and Imperial Metals' Cariboo Bell porphyry copper-gold deposit on Mount Polley.

Prospector R.E. Mickle began acquiring claims in the Likely area in 1977. These claims, which are now under option to Corona Corporation as the Likely project, are subject to underlying agreements with Mr. Mickle.

Listed below is a summary of exploration work performed by various companies from 1978 until the present time.

- 1978 - Silver Standard Mines - Soil geochemistry, 4 diamond drill holes - Gold Creek.
- 1979, 1981 - Aquarius Resources Ltd. - Geochemical surveys and trenching - Peso claims.
- 1981 - Carolin Mines. - Aquarius Resources Ltd. - Airborne EM and magnetometer survey, 3 geochemical grids.
- 1982 - Carolin Mines - Aquarius Resources Ltd. - Minor trenching.
- 1984 - Mt. Calvery Resources - Carolin Mines Ltd. - Comprehensive program of line cutting, grid establishment, and geochemical soil survey, backhoe trenching.
- 1987 - Dome Exploration (Canada) Ltd - Carolin Mines Ltd. - 1,356 m of percussion drilling in 28 holes, limited trenching.

EXPLORATION PROCEDURE

Field work was carried out from May 5 to May 19, 1989 on the LIKELY GROUP 1 claims by geologists Mark Tindall and Rodney Arnold.

On the LIKELY 2, 3 and 4 GROUP claims, field work was carried out from June 6 to July 13, 1989 by geologists Chris McAtee and Steve Robertson, assistant Jonathon Cowan, and prospector Bob Mickle. Mark Tindall, senior project geologist, supervised the project.

Prospecting, rock sampling, soil sampling, and a limited amount of geological mapping were carried out on the claims.

The Mt. Calvary Resources grid was re-established in areas of interest on the LIKELY 1, 2, 3 and 4 claim groups. Intermediate lines were also established in some areas. On the CAT claim a new grid was established (Figure 4). Contour soil traverses were run along many of the creeks, Poquette Lake, and sections of the Quesnel and Cariboo Rivers.

In all, 162 rock samples and 1,102 soil samples were taken. Soil samples were taken at a minimum depth of 20 cms, generally in the B-horizon. The soil samples were dried and sieved and the -80 mesh fraction was analyzed by Eco Tech Laboratories of Kamloops, B.C. using their 30 element I.C.P. package. The samples were also analyzed for gold using Eco Tech's geochemical gold-fire assay-A.A. finish technique.

Rock samples were dry crushed and pulverized and a -140 mesh split was analyzed for gold plus 30 elements using the above mentioned technique. Nine rock samples from Gold Creek were analyzed using Metallic Gold technique which 'averages' the plus and minus 140 mesh fractions. Assay results are presented as Appendix I and plotted on Figures 4 to 10.

REGIONAL GEOLOGY

Regionally, the northwesterly trending Lower Mesozoic Quesnel Terrane is in fault contact with the Precambrian to Lower Paleozoic Omineca Crystalline Belt to the east. To the west, the probable southern extension of the Pinchi Fault places the Quesnel Belt against Cache Creek Group rocks.

The Quesnel Belt rocks have been intruded by dykes, sills and small stocks of diorite, syenite and felsite.

PROPERTY GEOLOGY

The property lies on the eastern boundary of the Quesnel Belt, which in this area consists of Upper Triassic coarse grained augite and augite-olivine basalt and monolithic flow breccia with minor greywacke, mudstone, and conglomerate. This volcanic sequence is underlain by Triassic metasediments comprising argillites, slates, quartzites and phyllites.

Spanish Mountain - CAT Claim

The main rock type on Spanish Mountain is a dark grey, fine grained phyllite which is interbedded with impure quartzite horizons of varying thickness and extent.

Gold is associated with both short gash and massive quartz veins. On the CAT claim short 1 to 10 cm, 20 cm, 66 cm and 90 cm gash quartz veins have been found. These veins strike northeast-southwest with westerly to vertical dips and are generally barren of sulphides. An equal number strike northwest-southeast and dip northeast to vertical. Galena and tetrahedrite? were observed in some cases.

Pyrite occurs as cubic and prismatic aggregates which commonly weather out to produce a fine honeycomb (aerobar) texture which sometimes carries gold. This feature is particularly evident at the vein contacts

and extends into the wallrock for a few centimetres, especially if the wallrock is argillaceous. Pyrite cubes up to 3 cm in diameter give the rocks a mottled appearance, especially the quartzites.

In the phyllites, pyrite also forms small pods and stringers. A gold foil coating the insides of weathered pyrite cavities can sometimes be observed associated with quartz veins, and gold can often be panned from the quartz. A mariposite-like green mineral occurs in scattered patches, especially noticeable in the lighter coloured rocks.


Fisher and Grogan Creeks - EASY 5 and JUN 10 Claims

The main rock unit is a vesicular basalt with minor tuffs. Up to several percent disseminated sulphides are present with pyrrhotite vesicle fillings and chalcopyrite fairly common. A mafic diorite stock was mapped on Fisher and Grogan Creeks.

Gold Creek

Gold Creek has received considerable attention in the past by way of closely spaced geochemical sampling and a series of four diamond drill holes (Godfrey, 1980). The steep roadside exposure near the mouth of Gold Creek consists of fine grained volcanic flows which are in contact with an angular volcanic talus deposit.

At this exposure, irregular, closely spaced, hematite stained, criss-crossing alteration zones are typically from 2 to 10 cms wide, but locally up to 25, 50 and 100 cms wide. The rock in these zones is thoroughly decomposed and is commonly accompanied by quartz veins from 2 to 5 cm wide in vertical or steeply dipping shear zones (Figure 3).



LEGEND

- Q quartz
- carb carbonate
- py pyrite
- chalco chalcopryite
- sil silicified
- Cu copper
- ~ fault
- ~ QV in shear
- qv quartz vein

Sample No.	Width metres	Au grams/ton
74451	2.0	0.110
74452	1.5	0.330
74453	0.58	2.030
74454	0.50	4.550
74455	0.70	0.680
74456	2.20	2.240
74457	2.20	10.06
74458	1.52	0.120
74459	2.20	1.930

Poquette Lake Area - EASY 1, 4, 6 and TY Claims

The dominant rock type in this area is vesicular basalt with minor agglomerate, tuff, andesite, and argillite. A narrow felsic dyke was mapped near the EASY 1 - EASY 4 boundary and a poorly exposed magnetic diorite stock outcrops south-southwest of Poquette Lake on the EASY 1 claim.

JUNE, DUG, ROSE 3, and AST 1 Claims

On the JUNE and DUG claims mafic volcanics, tuffs, and vesicular basalts outcrop on the south side of the Cariboo River and at the LK showings. Rose Gulch exposes a series of rusty argillites and phyllites. Basalt, basalt porphyry, and andesites are exposed along a road on the north shore of the Quesnel River west of Likely, on the AST 1 claim. Altered basalts with quartz-calcite stringers outcrop on the DUG claim.

GEOCHEMICAL RESULTS

Spanish Mountain - CAT and DOG Claims

Gold in soils range from a low of less than 5 ppb to a high of 1350 ppb (Figure 4). These anomalous soil values are spot highs and are probably related to short 8 to 20 cm wide gash quartz veins and associated honeycomb structures which sometimes carry gold.

A rusty 10 cm wide vuggy quartz vein containing pyrite, galena, and tetrahedrite? in a siliceous rhyolitic tuff (#74468) assayed 1.15 g/t and 29.2 ppm Ag (Figure 4). All other rocks sampled on the CAT claim show low precious metal values. On the DOG claim a rusty 9 cm wide quartz vein (#74493-3) with well developed honeycomb structure and sheared galena returned 8.13 g/tonne gold and 17.0 ppm Ag. Several small flakes of gold were panned from this thin quartz vein.

Fisher and Grogan Creeks

Several new rock cuts exposed by placer miners in the lower Fisher Creek area have given interesting results.

Gold in soils range from less than 5 ppb to 850 ppb. The high values are spot highs (Figure 7).

A 30 cm wide massive sulphide zone on Fisher Creek assayed 4.19 and 4.01 g/t Au, and 2120 and 1072 ppm Cu (#74007 and 74492-1, respectively). Up to 20% massive pyrite with pods of chalcopyrite occur in silicified tuffs and basalts. The silicification and related sulphides occur at the intersection of two steeply dipping shears which strike east-west and north-south. Twenty metres downstream a 55 cm wide zone of fractured quartz veins in silicified tuff returned 735 ppb Au and 3332 ppm As (#74493-4).

A heavily weathered altered zone of soft mafic greenish diorite is exposed near the placer mining operation on lower Fisher Creek. Two grab samples of this material which contain pyrrhotite and chalcopyrite assayed 2280 and 2140 ppb Au, 1.6 and 27.0 ppm Ag, 478 and 4802 ppm Cu, and 890 and 850 ppm As, respectively (89L-CR-9 and 12). A 25 m x 50 m soils grid returned low precious metal values (FISH grid).

Gold Creek

A sketch map and gold assay results from the Gold Creek exposure are presented as Figure 3. Sample #74457, which was chip sampled east of the shallow dipping 032° fault halfway up the rock face, assayed 10.06 g/t (0.293 opt) gold, 3.0 ppm Ag, and 1365 ppm As across 2.2 metres. Three 7 to 25 cm wide quartz vein systems are included in this section. Sample #74456 to the west of this fault returned 2.24 g/t Au, 11.6 ppm Ag, and 1490 ppm As across 2.2 metres. A 58 cm wide shear zone, which includes numerous 1 to 3 cm vuggy quartz veins and coarse pyrite and chalcopyrite,

assayed 2.03 g/t Au, and 3.8 ppm Ag (#74453). The adjacent silicified volcanic wallrock which contains 1 to 2% coarse pyrite, returned 4.55 g/t Au across 50 cm (#74454).

Overall, the Gold Creek section averages 3.43 g/t (0.100 opt) gold across 6.2 metres.

Poquette Lake Area

Outcrops are scarce in this gently sloping upland area which is heavily masked by overburden. Schmidt (1984) found three strong arsenic soil anomalies in the Murderer Creek area and area southwest of Poquette Lake.

Gold in soils range from <5 ppb to a high of 480 ppb. Several weak (>50 ppb) gold soil anomalies have been outlined in the area 600 metres southeast of the mouth of Gold Creek to the pond at the head of Murderer Creek. These extend from L359N to L390N (3100 metres) and are from 300 to 650 metres wide (Figure 7 and 8). Schmidt (1984) suggested that a weakly mineralized horizon at the contact between volcanic tuffs and underlying pyritic argillites may be the cause of the Au-As soil anomalies.

Rocks sampled in the Poquette Lake area returned low values for Au, Ag, Cu, and As (Figure 7 and 8, Appendix II). Pyrite and pyrrhotite occur as vesicle fillings, disseminations, and as thin fracture fillings. Also observed were 1 to 5 cm quartz veinlets and honeycomb (aerobar) texture in soft 6 x 13 mm areas near fracture/shear planes. Maximum values of 90 to 130 ppb Au and 516 to 933 ppm Cu were returned for altered pyritic basalts, argillites, and diorites.

JUNE, DUG, ROSE 3, AST 1, and HEP FR Claims

This area is also heavily masked by overburden. On the JUNE claim outcrops are confined to the south bank of the Cariboo River and the LK showings area where overburden is thin.

The LK showings consist of a series of closely spaced trenches which expose rusty, silicified, bleached basalts with 1 to 10 mm wide quartz veinlets. Anomalous gold values (320 to 2150 ppb) were returned for all but three of the rocks assayed (89LMR-001 & 002, 89LCR-001 to 008, Figure 9, Appendix I). Silicified vesicular basalts with chalcopyrite, disseminated pyrite, 2 mm quartz veinlets and carbonate clots assayed 2150 and 1720 ppb Au (89LMR-002 and 89LCR-008, same trench).

Soil lines run across the LK showings returned gold values of 40 to 70 ppb Au and several spot high Cu and Zn values (Figure 9, Appendix I).

On the JUNE claim several small trenches were examined 2 kms northeast of Quesnel Forks on the south side of the Cariboo River. Tuffs, argillites, and phyllites with thin quartz veinlets, disseminated pyrite, and unaltered quartz-carbonate breccias gave low precious metal values. Two strong shear zones which gave low values were also sampled (Figure 9, and Appendix I). A 1400 metre contour soil traverse was run along the south bank of the Cariboo River (Figure 9). A weak gold-copper-silver anomaly is found at 8+50 to 9+50E and spot high gold values are found at 6+50E and 12+50E.

Six soil lines were run on the southwest DUG and southeast JUNE claims (Figure 9). Background gold values in this area are 15 to 20 ppb which is abnormally high. A weak gold soil anomaly measuring 250 x 500 metres is found in the central portion of the grid. Several other gold anomalies are found near the 60+00W baseline and in the eastern part of the grid.

Two contour soil traverses run along Rose Gulch on the ROSE 3 claim returned low gold values (Figure 9).

On the AST 1 claim a 2100 metre soil line was established north of the Quesnel River, and a 1500 metre contour soil traverse was run along the steep south bank of the river (Figure 10).

Several spot high gold soil values were found 1.7 kms northwest of Likely near line 392N, 74W. Rock sample #74461, an epidote altered basalt porphyry in a strong fault zone, assayed 165 ppb gold (Figure 10).

The BM soil traverse run south of the Quesnel River shows a gold-arsenic anomaly from 0+466 to 0+555 metres east. These samples were taken on or near bedrock which was not sampled.

Soil samples take on the HEP FRACTION show low precious metal values.

CONCLUSIONS AND RECOMMENDATIONS

The 1989 program on the LIKELY 1, 2,3, and 4 GROUPS was successful. On the CAT and DOG claims several narrow quartz veins assayed 1.15 and 8.13 g/tonne gold. Also, several gold spot highs occur in soils on the CAT grid.

Results obtained on Fisher Creek are the most promising on the Likely project. Two rock samples from an altered mafic diorite zone averaged 2.21 g/t (0.064 opt) gold and a narrow massive sulphide zone near a diorite/tuff contact averages 4.10 g/t (0.120 opt) Au and 1596 ppm Cu.

Rock samples from lower Gold Creek returned high gold values as expected. A shear zone with 8 to 25 cm wide quartz veins assayed 10.06 g/t (0.293 opt) gold across 2.2 metres. Overall, the Gold Creek section averages 3.43 g/t (0.100 opt) across 6.2 metres.

A 450 by 3,100 metre gold soil anomaly has been outlined south and southwest of Poquette Lake. Rocks sampled from this area returned low precious metal values.

Nine mineralized basalts from the LK showings on the JUNE claim averaged 0.415 g/t Au with highs of 2.15 and 1.72 g/tonne Au. Rocks exposed 2 kms northeast of Quesnel Forks on the JUNE claim returned low precious metal values. A contour soil traverse in the same area shows several weak gold anomalies.

On the AST 1 claim, anomalous gold values are found in rocks and soils 1.7 kms northwest of Likely. Also, a gold-arsenic soil anomaly occurs 2.5 kms west of Likely.

A weak gold anomaly was found in soils on the DUG claim, and two contour soil traverses on Rose Gulch returned low precious metal values.

Recommendations for further work include:

1. Ground check anomalous soils and rocks on the CAT claims. Prospect, grid, rock and soil sample on the south part of the DOG claim.
2. Detailed soil survey over the diorite intrusive and contact area on Fisher Creek - EASY 5 claim. Trench anomalous areas.
3. Rock sample fault/shear zone roadcut between line 366N and 370N above Potter's Sawmill - EASY 1 claim.
4. Rock sample AST line, 1+50 to 4+00E - AST 1 claim.
5. Rock sample bedrock near soil anomaly - BM line, 0+420 to 0+665E - AST 1 claim.
6. Rock sample bedrock near soil anomalies - J, JL line - JUNE claim.

STATEMENT OF QUALIFICATIONS

I, CHRISTOPHER L. McATEE, certify that:

1. I am a mineral exploration geologist.
2. I am a graduate of Brock University, St. Catharines, Ontario with a degree in Geological Sciences (M.Sc., 1977), and a graduate of Wright State University, Dayton, Ohio, with a degree in Geology (B.Sc., 1972).
3. I have spent the past ten years in mineral exploration and development in Canada and the United States.
4. I personally examined the property and directed the geochemical program conducted by Corona Corporation in 1989.

⋮
⋮
⋮


Christopher L. McAtee, M.Sc.
Geologist

Dated at Vancouver, B.C. this 18th day of August, 1989.

REFERENCES

- Bailey, D. (1988) Geology of the Hydraulic Map Area - N.T.S. 93-A/12. B.C. Ministry of Energy, Mines and Petroleum Resources. Preliminary Map No. 67, 1:50,000.
- Bailey, D.G. (1988) Geology of the Central Quesnel Belt, Hydraulic, South-Central British Columbia. B.C. MEMPR, Geological Fieldwork, 1987, Paper 1988-1.
- Cochrane, D.R. (1979) Geochemical Assessment Report on the Likely Group (Peso, Peso B and Peso E mineral claims) on behalf of Aquarius Resources Ltd., November 26, 1979.
- Godfrey, J.D. (1980) A Survey of the Mineral Prospects in the Likely District. Aquarius Resources Ltd. and Carolin Mines Ltd. Private Report. March 19, 1980. 74 pp.
- Goodall, G.N. and Fox P.E. (1987) Percussion Drilling Report on the Carolin Option - Cat, Wren, Dug and Easy Groups. Dec. 10, 1987.
- Richardson, Paul W. (1983) Geological, Geophysical, Geochemical, Evaluation Report on part of the Likely Project. Sept. 30, 1983.
- Schmidt, A.J. (1984) Geochemical Assessment Report on the Cariboo-Likely Project. Oct. 5, 1984, Vol. 1 and 2.

ITEMIZED COST STATEMENT

LIKELY GROUP 1

SALARIES

Project Geologist	6 days @ \$280/day	\$ 1,680.00
Geologist	9 days @ \$240/day	2,160.00

FOOD 324.00

LODGING 214.00

TRANSPORTATION

Truck Rental/Fuel 264.50

ANALYTICAL - ECO TECH LABORATORIES

Rock Samples	9 @ \$17.00	153.00
Soil Samples	239 @ \$14.50	3,465.50

FREIGHT ! 20.00

SUPPLIES 119.00

Total \$ 8,400.00

ITEMIZED COST STATEMENT

LIKELY 2 GROUP

SALARIES

Senior Project Geologist	2 days @ \$280/day	560.00
Project Geologist	14 days @ \$224/day	3,136.00
Geologist	11 days @ \$175/day	1,925.00
Assistant	9 days @ \$154/day	1,386.00
Prospector	1 day @ \$175/day	<u>175.00</u>
		\$ 7,182.00

FOOD & LODGING

36 man days @ \$38/day	1,368.00
Mobilization/Demobilization/Travel	164.00

TRANSPORTATION

Commercial Airlines	98.00
Truck Rental/Fuel	1,602.00

ANALYTICAL - ECO TECH LABORATORIES

Rock Samples	60 @ \$17.00	1,020.00
" "	9 @ \$41.00	369.00
Soil Samples	374 @ \$14.50	5,423.00

FREIGHT 125.00

SUPPLIES, FIELD COSTS 1,339.00

DRAFTING, REPORT PREPARATION, TYPING 4,168.00

Total \$ 22,858.00
=====

ITEMIZED COST STATEMENT

LIKELY 3 GROUP

SALARIES

Senior Project Geologist	1 day @ \$280/day	\$ 280.00
Project Geologist	10 days @ \$224/day	2,240.00
Geologist	9 days @ \$175/day	1,575.00
Assistant	10 days @ \$154/day	1,540.00
Prospector	1 days @ \$175/day	<u>175.00</u>
		5,810.00

FOOD & LODGING

31 man days @ \$38/day	1,178.00
Mobilization/Demobilization/Travel	164.00

TRANSPORTATION

Commercial Airlines	98.00
Truck Rental/Fuel	1,373.00

ANALYTICAL - ECO TECH LABORATORIES

Rock Samples 52 @ \$17.00	884.00
Soil Samples 233 @ \$14.50	3,378.50

FREIGHT 107.00

SUPPLIES, FIELD COSTS 1,229.00

DRAFTING, REPORT PREPARATION, TYPING 2,611.00

Total \$ 16,832.50

ITEMIZED COST STATEMENT

LIKELY 4 GROUP

SALARIES

Senior Project Geologist	1 day @ \$280/day	\$ 280.00
Project Geologist	9 days @ \$224/day	2,016.00
Geologist	9 days @ \$175/day	1,575.00
Assistant	5 days @ \$154/day	770.00
Prospector	4 days @ \$175/day	<u>700.00</u>
		5,341.00

FOOD & LODGING

28 man days @ \$38/day	1,064.00
Mobilization/Demobilization/Travel	164.00

TRANSPORTATION

Commercial Airlines	:	98.00
Truck Rental/Fuel	!	1,098.00

ANALYTICAL - ECO TECH LABORATORIES

Rock Samples 32 @ \$17.00	544.00
Soil Samples 256 @ \$14.50	3,712.00

FREIGHT 87.00

SUPPLIES, FIELD COSTS 1,097.00

DRAFTING, REPORT PREPARATION, TYPING 3,436.00

Total \$16,641.00

ITEMIZED COST STATEMENT

HEP FRACTION

SALARIES

1 Assistant 1/2 day @ \$175/day \$ 87.50

ANALYTICAL - ECO TECH LABORATORIES

Soil Samples 3 @ \$14.50 43.50


TRANSPORTATION, SUPPLIES, LODGINGS, MEALS

23.00

Total \$ 154.00

APPENDIX I
ASSAY RESULTS

⋮
⋮
⋮



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

MAY 18, 1989

CERTIFICATE OF ANALYSIS ETK 89-222


Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM


SAMPLE IDENTIFICATION: 9 ROCK SAMPLES RECEIVED MAY 15, 1989
PROJECT NO. 1056 - P.O.# 8595
SHIPMENT #1

ET#	Description	Au (g/t)	Au (oz/t)
222 - 1	RAR 89 1	.03	.001
222 - 2	RAR 89 2	.51	.015
222 - 3	89 L MR 001	1.72	.050
222 - 4	89 L MR 002	.39	.011
222 - 5	89 L MR 003	<.03	<.001
222 - 6	89 L MR 004	<.03	<.001
222 - 7	89 L MR 005	<.03	<.001
222 - 8	89 L MR 006	<.03	<.001
222 - 9	89 L MR 007	<.03	<.001

NOTE: < = LESS THAN


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
VANCOUVER, B.C.
Attention: MARK TINDALL
SC89/MGM1056



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JUNE 29, 1989

CERTIFICATE OF ANALYSIS ETK 89-298

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6


Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 17 ROCK SAMPLES RECEIVED JUNE 14, 1989

PROJECT NO. 1056 - P.O.#89-0027

ET#	#	Description	AU (ppb)	AU (g/t)	AU (oz/t)
=====					
298 -	1	4901	60		
298 -	2	4902	340		
298 -	3	4903	500		
298 -	4	4904	125		
298 -	5	4905	320		
298 -	6	4906	35		
298 -	7	4907	30		
298 -	8	4908	> 1000	2.15	.063
298 -	9	4909	> 1000	2.14	.062
298 -	10	4910	75		
298 -	11	4911	60		
298 -	12	4912	> 1000	2.28	.066
298 -	13	4913	110		
298 -	14	4914	60		
298 -	15	4915	55		
298 -	16	4916	35		
298 -	17	4917	25		

NOTE: > = MORE THAN


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1NO
ATTENTION: C. McATEE
SC89/MGM1056
FAX: TONY RANSOM



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JUNE 22, 1989


CERTIFICATE OF ANALYSIS ETK 89-318

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 33 ROCK SAMPLES RECEIVED JUNE 19, 1989
PROJECT NO. 1056 - P.O.#

ET#	Description	Au (ppb)
318 - 1	89 L SR 100	60
318 - 2	89 L SR 101	40
318 - 3	89 L SR 102	10
318 - 4	89 L SR 103	5
318 - 5	89 L SR 104	30
318 - 6	89 L SR 105	10
318 - 7	89 L SR 106	40
318 - 8	89 L SR 107	70
318 - 9	89 L SR 108	10
318 - 10	89 L SR 109	5
318 - 11	89 L SR 110	45
318 - 12	89 L SR 111	<5
318 - 13	89 L SR 112	<5
318 - 14	89 L SR 113	<5
318 - 15	89 L SR 114	<5
318 - 16	89 L SR 115	5
318 - 17	89 L SR 116	<5
318 - 18	89 L SR 117	<5
318 - 19	89 L SR 118	10
318 - 20	89 L SR 119	5
318 - 21	89 L SR 120	10
318 - 22	89 L SR 121	5
318 - 23	89 L SR 122	5
318 - 24	89 L SR 123	5
318 - 25	89 L SR 124	10



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation - ETK89-318

June 22, 1989


ET#	Description	Au (ppb)
318 - 26	89 L SR 74001	<5
318 - 27	89 L SR 74002	80
318 - 28	89 L SR 74003	115
318 - 29	89 L SR 74004	35
318 - 30	89 L SR 74401	30
318 - 31	89 L SR 74402	220
318 - 32	89 L SR 74403	50
318 - 33	89 L SR 74404	20

NOTE: < = LESS THAN

ler


ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1NO
ATTENTION: C. McATEE
SCB9/MGM1056
FAX: TONY RANSOM



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 5, 1989

CERTIFICATE OF ANALYSIS ETK 89-349

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM


SAMPLE IDENTIFICATION: 21 ROCK SAMPLES RECEIVED JUNE 26, 1989
PROJECT NO. 1056 - P.O.#89-0051
SHIPMENT # 5

ET#	Description	Au (ppb)	Au (g/t)	Au (oz/t)
349 - 1	74005	<5		
349 - 2	74006	15		
349 - 3	74007	>1000	4.19	.122
349 - 4	74008	110		
349 - 5	74009	10		
349 - 6	74010	15		
349 - 7	74011	10		
349 - 8	74405	<5		
349 - 9	74406	65		
349 - 10	74407	115		
349 - 11	74408	30		
349 - 12	74409	50		
349 - 13	74410	105		
349 - 14	74411	15		
349 - 15	74412	45		
349 - 16	74413	<5		
349 - 17	74414	10		
349 - 18	74415	5		
349 - 19	74416	5		
349 - 20	74417	105		
349 - 21	74418	10		

NOTE: < = less than
> = greater than

ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer

cc: Corona Corporation
Morehead Lake Resort
Likely, B.C.
VOL 1ND
ATTENTION: C. McATEE
SC89/MEM1056
FAX: Tony Ransom



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 5, 1989

CERTIFICATE OF ANALYSIS ET# 89-374


Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 32 ROCK SAMPLES RECEIVED JUNE 28, 1989

PROJECT NO. 1056 - P.O.# 89-0051
SHIPMENT #6 -ICP TO FOLLOW-

ET#	Description	Au (ppb)
374 - 1	74012	80
374 - 2	74013	75
374 - 3	74014	10
374 - 4	74015	300
374 - 5	74016	10
374 - 6	74017	5
374 - 7	74018	5
374 - 8	74019	10
374 - 9	74020	5
374 - 10	74021	10
374 - 11	74022	15
374 - 12	74023	20
374 - 13	74024	10
374 - 14	74419	5
374 - 15	74420	5
374 - 16	74421	10
374 - 17	74422	10
374 - 18	74423	5
374 - 19	74424	5
374 - 20	74425	10
374 - 21	74426	10
374 - 22	74427	5
374 - 23	74428	10
374 - 24	74429	10
374 - 25	74430	15
374 - 26	74431	20
374 - 27	74432	35
374 - 28	74433	20
374 - 29	74434	15
374 - 30	74435	5




ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

Corona Corporation

ET#	Description	Au (ppb)
374 - 31	74436	90
374 - 32	74437	25


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1NO
ATTENTION: C. McATEE
SC89/MGM1056
FAX: TONY RANSOM



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 11, 1989

CERTIFICATE OF ANALYSIS ETK 89-391

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: CHRIS McATEE

SAMPLE IDENTIFICATION: 21 ROCK SAMPLES RECEIVED JULY 4, 1989
PROJECT NO. 1056 - P.O.# TO FOLLOW
SHIPMENT #7


ET#	Description	Au (g/t)
391 - 1	74438	.09
391 - 2	74439	.09
391 - 3	74440	.09
391 - 4	74441	.12
391 - 5	74442	.11
391 - 6	74443	.07
391 - 7	74444	.12
391 - 8	74445	.13
391 - 9	74446	.08
391 - 10	74447	.12
391 - 11	74448	.32
391 - 12	74449	.28
391 - 13	74450	.11
391 - 14	74451	.11 *
391 - 15	74452	.33 *
391 - 16	74453	2.03 *
391 - 17	74454	4.55 *
391 - 18	74455	.68 *
391 - 19	74456	2.24 *
391 - 20	74457	10.06 *
391 - 21	74458	.12 *
391 - 22	74459	1.93 *

* SAMPLES SCREENED AND METALLICS ASSAYED


ECO-TECH LABORATORIES LTD.

Doug Howard
B.C. Certified Assayer

cc: Chris McAtee
Morehead Resort
Likely, B.C.
VOL 1N0




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

METALLIC CALCULATION

SAMPLE NUMBER	-140 VALUE	+140 VALUE	CALCULATED VALUE
391-14	.11	.1557026	.112274
391-15	.33	.2593286	.3264061
391-16	1.97	27.33051	2.031229
391-17	2.76	90.84444	4.552602
391-18	.4	11.56069	.6825906
391-19	2	41.00467	2.238282
391-20	4	254.2731	10.06448
391-21	.12	.0694904	.1166681
391-22	1.6	6.339136	1.926606



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 19, 1989

CERTIFICATE OF ANALYSIS ETK 89-425

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6


Attention: TONY RANSOM


SAMPLE IDENTIFICATION: 29 ROCK SAMPLES RECEIVED JULY 10, 1989
----- PROJECT NO. 1056 - P.O. NO.: 89-0078
SHIPMENT #8A

ET#	Description	Au (ppb)	Au (g/t)
425 - 1	74025	110	
425 - 2	74460	5	
425 - 3	74461	165	
425 - 4	74462	85	
425 - 5	74463	15	
425 - 6	74464	10	
425 - 7	74465	5	
425 - 8	74466	10	
425 - 9	74467	165	
425 - 10	74468	>1000	1.15
425 - 11	74469	10	
425 - 12	74470	20	
425 - 13	74471	200	
425 - 14	74472	135	
425 - 15	74473	235	
425 - 16	74474	25	
425 - 17	74475	10	
425 - 18	74476	20	
425 - 19	74477	5	
425 - 20	74478	10	
425 - 21	74479	5	
425 - 22	74480	10	
425 - 23	74481	15	
425 - 24	74482	30	
425 - 25	74483	15	
425 - 26	74484	10	
425 - 27	74485	5	
425 - 28	74486	10	
425 - 29	74487	15	

NOTE: < = LESS THAN
> = GREATER THAN

cc: C. McAtee
Williams Lake
via Greyhound
SC89/MAS3


ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 25, 1989

CERTIFICATE OF ANALYSIS ETK 89-448

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM


SAMPLE IDENTIFICATION: 9 ROCK SAMPLES RECEIVED JULY 17, 1989
----- PROJECT NO. 1056
SHIPMENT #9


ET#	Description	Au (ppb)	Au (g/t)
448 - 1	74488	50	
448 - 2	74489	20	
448 - 3	74490	30	
448 - 4	74491	175	
448 - 5	74492 - 1	>1000	4.01
448 - 6	74492 - 2	170	
448 - 7	74493 - 3	>1000	8.13 *
448 - 8	74493 - 4	735	
448 - 9	74494	25	

#1 NO TAG (RUSTY COLORED)
#2 TAG SAID 92- PLASTIC BAG SAID 93
#3 TAG & BAG SAID 93
#4 NO TAG- RUSTY COLORED BAG SAID 93

CC: C. MCATEE
WILLIAMS LAKE
VIA GREYHOUND

SC89/MASS


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

METALLIC CALCULATION

SAMPLE NUMBER	-140 VALUE	+140 VALUE	CALCULATED VALUE
448-7	6.57	1283.133	8.130452



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

MAY 23, 1989


CERTIFICATE OF ANALYSIS ETK 89-224

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 81 SOIL SAMPLES RECEIVED MAY 15, 1989
PROJECT NO. 1056 - P.O.# 8595
SHIPMENT #1

Description	Au (ppb)
B.L. 60 W 432 + 25W	35
B.L. 60 W 432 + 50W	15
B.L. 60 W 432 + 75W	15
B.L. 60 W 433 + 25W	<5
B.L. 60 W 433 + 50W	15
B.L. 60 W 433 + 75W	30
B.L. 60 W 434 + 25W	25
B.L. 60 W 434 + 50W	25
B.L. 60 W 434 + 75W	15
B.L. 60 W 435 + 00W	10
B.L. 60 W 435 + 25W	15
B.L. 60 W 435 + 50W	10
B.L. 60 W 435 + 75W	15
B.L. 60 W 436 + 25W	10
B.L. 60 W 436 + 50W	5
B.L. 60 W 436 + 75W	15
B.L. 60 W 437 + 25W	15
B.L. 60 W 437 + 50W	30
B.L. 60 W 437 + 75W	25
L 432 N 51 + 50W	5
L 432 N 51 + 75W	25
L 432 N 52 + 00W	5
L 432 N 52 + 25W	80
L 432 N 52 + 50W	10
L 432 N 52 + 75W	15
L 432 N 53 + 00W	30
L 432 N 53 + 25W	40
L 432 N 53 + 50W	20
L 432 N 53 + 75W	15
L 432 N 55 + 25W	35




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

MAY 23, 1989

Description	Au (ppb)
L 432 N 55 + 50W	30
L 432 N 55 + 75W	30
L 432 N 56 + 00W	15
L 432 N 56 + 25W	10
L 432 N 56 + 50W	40
L 432 N 56 + 75W	35
L 432 N 57 + 00W	25
L 432 N 57 + 25W	35
L 432 N 57 + 50W	35
L 432 N 57 + 75W	40
L 432 N 58 + 00W	40
L 432 N 58 + 25W	15
L 432 N 58 + 50W	30
L 432 N 58 + 75W	40
L 432 N 59 + 00W	10
L 432 N 59 + 25W	10
L 432 N 59 + 50W	35
L 432 N 59 + 75W	25
L 432 N 60 + 00W	25
L 436 N 51 + 75W	25
L 436 N 52 + 00W	10
L 436 N 52 + 25W	20
L 436 N 52 + 50W	340
L 436 N 52 + 75W	25
L 436 N 53 + 00W	10
L 436 N 53 + 25W	25
L 436 N 53 + 50W	25
L 436 N 53 + 75W	10
L 436 N 54 + 00W	25
L 436 N 54 + 25W	20
L 436 N 54 + 50W	45
L 436 N 54 + 75W	20
L 436 N 55 + 00W	15
L 436 N 55 + 25W	35
L 436 N 55 + 50W	15
L 436 N 55 + 75W	30
L 436 N 56 + 50W	55
L 436 N 56 + 75W	10
L 436 N 57 + 00W	15
L 436 N 57 + 25W	20
L 436 N 57 + 50W	5
L 436 N 57 + 75W	10
L 436 N 58 + 00W	15
L 436 N 58 + 25W	30
L 436 N 58 + 50W	10



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


MAY 23, 1989

Description	Au (ppb)
L 436 N 58 + 75W	5
L 436 N 59 + 00W	15
L 436 N 59 + 25W	10
L 436 N 59 + 50W	15
L 436 N 59 + 75W	10
L 436 N 60 + 00W	10

NOTE: < = LESS THAN

ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
VANCOUVER, B.C.
Attention: MARK TINDALL
SC89/MGM1056
FAX: MARK TINDALL



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

MAY 23, 1989

CERTIFICATE OF ANALYSIS ETK 89-225


Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 77 SOIL SAMPLES RECEIVED MAY 15, 1989

PROJECT NO. 1056 - P.O.# 8595
SHIPMENT #1

ET#	Description	Au (ppb)
225 - 1	L 433 N 51 + 00W	10
225 - 2	L 433 N 51 + 50W	70
225 - 3	L 433 N 51 + 75W	20
225 - 4	L 433 N 52 + 00W	15
225 - 5	L 433 N 52 + 25W	20
225 - 6	L 433 N 52 + 50W	25
225 - 7	L 433 N 52 + 75W	10
225 - 8	L 433 N 53 + 00W	15
225 - 9	L 433 N 53 + 25W	15
225 - 10	L 433 N 53 + 50W	20
225 - 11	L 433 N 53 + 75W	20
225 - 12	L 433 N 54 + 00W	65
225 - 13	L 433 N 54 + 25W	55
225 - 14	L 433 N 54 + 50W	25
225 - 15	L 433 N 54 + 75W	80
225 - 16	L 433 N 55 + 00W	60
225 - 17	L 433 N 55 + 25W	25
225 - 18	L 433 N 55 + 50W	35
225 - 19	L 433 N 55 + 75W	45
225 - 20	L 433 N 56 + 00W	60
225 - 21	L 433 N 56 + 25W	55
225 - 22	L 433 N 56 + 50W	50
225 - 23	L 433 N 56 + 75W	25
225 - 24	L 433 N 57 + 00W	20
225 - 25	L 433 N 57 + 25W	25
225 - 26	L 433 N 57 + 50W	20
225 - 27	L 433 N 57 + 75W	35
225 - 28	L 433 N 58 + 00W	30
225 - 29	L 433 N 58 + 25W	35
225 - 30	L 433 N 58 + 50W	10




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

MAY 23, 1989

ET#	Description	Au (ppb)
225 - 31	L 433 N 58 + 75W	40
225 - 32	L 433 N 59 + 00W	35
225 - 33	L 433 N 59 + 25W	35
225 - 34	L 433 N 59 + 50W	20
225 - 35	L 433 N 59 + 75W	40
225 - 36	L 433 N 60 + 00W	65
225 - 37	L 434 N 50 + 00W	25
225 - 38	L 434 N 50 + 25W	35
225 - 39	L 434 N 50 + 50W	20
225 - 40	L 434 N 50 + 75W	15
225 - 41	L 434 N 51 + 00W	25
225 - 42	L 434 N 51 + 25W	45
225 - 43	L 434 N 51 + 50W	20
225 - 44	L 434 N 52 + 75W	25
225 - 45	L 434 N 52 + 00W	15
225 - 46	L 434 N 52 + 25W	15
225 - 47	L 434 N 52 + 50W	15
225 - 48	L 434 N 52 + 75W	20
225 - 49	L 434 N 53 + 00W	15
225 - 50	L 434 N 53 + 25W	20
225 - 51	L 434 N 53 + 50W	20
225 - 52	L 434 N 53 + 75W	15
225 - 53	L 434 N 54 + 00W	75
225 - 54	L 434 N 54 + 25W	25
225 - 55	L 434 N 54 + 50W	15
225 - 56	L 434 N 54 + 75W	35
225 - 57	L 434 N 55 + 00W	70
225 - 58	L 434 N 55 + 25W	15
225 - 59	L 434 N 55 + 50W	25
225 - 60	L 434 N 55 + 75W	15
225 - 61	L 434 N 56 + 00W	45
225 - 62	L 434 N 56 + 25W	20
225 - 63	L 434 N 56 + 50W	30
225 - 64	L 434 N 56 + 75W	40
225 - 65	L 434 N 57 + 00W	15
225 - 66	L 434 N 57 + 25W	20
225 - 67	L 434 N 57 + 50W	30
225 - 68	L 434 N 57 + 75W	15
225 - 69	L 434 N 58 + 00W	15
225 - 70	L 434 N 58 + 25W	15
225 - 71	L 434 N 58 + 50W	20
225 - 72	L 434 N 58 + 75W	25
225 - 73	L 434 N 59 + 00W	30
225 - 74	L 434 N 59 + 25W	35
225 - 75	L 434 N 59 + 50W	50



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

MAY 23, 1989


ET#	Description	Au (ppb)
225 - 76	L 434 N 59 + 75W	55
225 - 77	L 434 N 60 + 00W	40

NOTE: < = LESS THAN



ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
VANCOUVER, B.C.
Attention: MARK TINDALL
SC89/MGM1056
FAX: MARK TINDALL



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

MAY 18, 1989

CERTIFICATE OF ANALYSIS ETK 89-223


Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 81 SOIL SAMPLES RECEIVED MAY 15, 1989

PROJECT NO. 1056 - P.O.# 8595
SHIPMENT #1

ET#	Description	Au (ppb)
223 - 1	L 437 N 50 + 00W	65
223 - 2	L 437 N 50 + 25W	25
223 - 3	L 437 N 50 + 50W	20
223 - 4	L 437 N 50 + 75W	15
223 - 5	L 437 N 51 + 00W	15
223 - 6	L 437 N 51 + 25W	15
223 - 7	L 437 N 51 + 50W	15
223 - 8	L 437 N 51 + 75W	10
223 - 9	L 437 N 52 + 00W	25
223 - 10	L 437 N 52 + 25W	25
223 - 11	L 437 N 52 + 50W	25
223 - 12	L 437 N 52 + 75W	15
223 - 13	L 437 N 53 + 00W	10
223 - 14	L 437 N 53 + 25W	15
223 - 15	L 437 N 53 + 50W	10
223 - 16	L 437 N 53 + 75W	10
223 - 17	L 437 N 54 + 00W	15
223 - 18	L 437 N 54 + 25W	30
223 - 19	L 437 N 54 + 50W	25
223 - 20	L 437 N 54 + 75W	20
223 - 21	L 437 N 55 + 00W	15
223 - 22	L 437 N 55 + 25W	35
223 - 23	L 437 N 55 + 50W	25
223 - 24	L 437 N 55 + 75W	35
223 - 25	L 437 N 56 + 00W	25
223 - 26	L 437 N 56 + 25W	20
223 - 27	L 437 N 56 + 50W	55
223 - 28	L 437 N 56 + 75W	25
223 - 29	L 437 N 57 + 00W	20
223 - 30	L 437 N 57 + 25W	30



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

MAY 18, 1989

ET#	Description	Au (ppb)
223 - 31	L 437 N 57 + 50W	20
223 - 32	L 437 N 57 + 75W	35
223 - 33	L 437 N 58 + 00W	5
223 - 34	L 437 N 58 + 25W	35
223 - 35	L 437 N 58 + 50W	5
223 - 36	L 437 N 58 + 75W	25
223 - 37	L 437 N 59 + 00W	20
223 - 38	L 437 N 59 + 25W	35
223 - 39	L 437 N 59 + 50W	55
223 - 40	L 437 N 59 + 75W	15
223 - 41	L 437 N 60 + 00W	5
223 - 42	L 438 N 50 + 00W	25
223 - 43	L 438 N 50 + 25W	10
223 - 44	L 438 N 50 + 50W	10
223 - 45	L 438 N 50 + 75W	5
223 - 46	L 438 N 51 + 00W	20
223 - 47	L 438 N 51 + 25W	30
223 - 48	L 438 N 51 + 50W	25
223 - 49	L 438 N 51 + 75W	15
223 - 50	L 438 N 52 + 00W	15
223 - 51	L 438 N 52 + 25W	20
223 - 52	L 438 N 53 + 75W	10
223 - 53	L 438 N 53 + 00W	10
223 - 54	L 438 N 53 + 25W	20
223 - 55	L 438 N 53 + 50W	10
223 - 56	L 438 N 53 + 75W	10
223 - 57	L 438 N 54 + 00W	5
223 - 58	L 438 N 54 + 25W	25
223 - 59	L 438 N 54 + 50W	15
223 - 60	L 438 N 54 + 75W	15
223 - 61	L 438 N 55 + 00W	20
223 - 62	L 438 N 55 + 25W	5
223 - 63	L 438 N 55 + 50W	60
223 - 64	L 438 N 55 + 75W	15
223 - 65	L 438 N 56 + 00W	5
223 - 66	L 438 N 56 + 25W	10
223 - 67	L 438 N 56 + 50W	10
223 - 68	L 438 N 56 + 75W	30
223 - 69	L 438 N 57 + 00W	10
223 - 70	L 438 N 57 + 25W	10
223 - 71	L 438 N 57 + 50W	15
223 - 72	L 438 N 57 + 75W	10
223 - 73	L 438 N 58 + 00W	15
223 - 74	L 438 N 58 + 25W	5
223 - 75	L 438 N 58 + 50W	15



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Corona Corporation

MAY 18, 1989

ET#	Description	Au (ppb)
223 - 76	L 438 N 58 + 75W	15
223 - 77	L 438 N 59 + 00W	5
223 - 78	L 438 N 59 + 25W	5
223 - 79	L 438 N 59 + 50W	10
223 - 80	L 438 N 59 + 75W	20
223 - 81	L 438 N 60 + 00W	10

ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
VANCOUVER, B.C.
Attention: MARK TINDALL
SC89/MGM1056
FAX: MARK TINDALL



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JUNE 29, 1989

CERTIFICATE OF ANALYSIS ETK 89-297


Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 224 SOIL SAMPLES RECEIVED JUNE 13, 1989

PROJECT NO. 1056 - P.O.# 8595

ET#	Description	AU (ppb)
297 - 1	E 6 2	20
297 - 2	E 6 3	5
297 - 3	E 6 4	<5
297 - 4	E 6 5	10
297 - 5	E 6 6	10
297 - 6	E 6 7	<5
297 - 7	E 6 8	<5
297 - 8	E 6 9	<5
297 - 9	E 6 10	60
297 - 10	E 6 11	<5
297 - 11	E 6 12	5
297 - 12	E 6 13	<5
297 - 13	E 6 14	5
297 - 14	E 6 16	5
297 - 15	E 6 17	5
297 - 16	E 6 18	15
297 - 17	E 6 19	10
297 - 18	E 6 20	<5
297 - 19	E 6 21	5
297 - 20	E 6 22	<5
297 - 21	E 6 23	5
297 - 22	E 6 24	15
297 - 23	E 6 25	5
297 - 24	E 6 26	<5
297 - 25	E 6 27	<5
297 - 26	E 6 28	15
297 - 27	E 6 29	10
297 - 28	E 6 30	15
297 - 29	E 6 31	10
297 - 30	E 6 32	5



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JUNE 29, 1989

ET#	Description	AU (ppb)
297 - 31	E 6 33	10
297 - 32	E 6 34	5
297 - 33	E 6 35	25
297 - 34	E 6 36	<5
297 - 35	E 6 37	15
297 - 36	E 6 38	10
297 - 37	E 6 39	15
297 - 38	E 6 40	5
297 - 39	E 6 41	50
297 - 40	E 6 42	15
297 - 41	E 6 43	10
297 - 42	E 6 44	10
297 - 43	E 6 45	15
297 - 44	L 445 60 + 00 W	5
297 - 45	L 445 60 + 25 W	10
297 - 46	L 445 60 + 50 W	15
297 - 47	L 445 60 + 75 W	5
297 - 48	L 445 61 + 00 W	<5
297 - 49	L 445 61 + 25 W	10
297 - 50	L 445 61 + 50 W	5
297 - 51	L 445 61 + 75 W	35
297 - 52	L 445 62 + 00 W	<5
297 - 53	L 445 62 + 25 W	10
297 - 54	L 445 62 + 50 W	5
297 - 55	L 445 62 + 75 W	10
297 - 56	L 445 63 + 00 W	5
297 - 57	L 445 63 + 25 W	25
297 - 58	L 445 63 + 50 W	10
297 - 59	L 445 63 + 75 W	25
297 - 60	L 445 64 + 00 W	20
297 - 61	L 445 64 + 25 W	10
297 - 62	L 445 64 + 50 W	5
297 - 63	L 445 64 + 75 W	5
297 - 64	L 445 65 + 00 W	35
297 - 65	L 446 60 + 00 W	15
297 - 66	L 446 60 + 25 W	20
297 - 67	L 446 60 + 50 W	5
297 - 68	L 446 60 + 75 W	<5
297 - 69	L 446 61 + 00 W	5
297 - 70	L 446 61 + 25 W	20
297 - 71	L 446 61 + 50 W	70
297 - 72	L 446 61 + 75 W	15
297 - 73	L 446 62 + 00 W	10
297 - 74	L 446 62 + 25 W	10
297 - 75	L 446 63 + 00 W	5



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JUNE 29, 1989

ET#	Description	AU (ppb)
297 - 76	L 446 63 + 25 W	15
297 - 77	L 446 63 + 50 W	25
297 - 78	L 446 63 + 75 W	10
297 - 79	L 446 64 + 00 W	15
297 - 80	L 446 64 + 25 W	50
297 - 81	L 446 64 + 50 W	70
297 - 82	L 446 64 + 75 W	<5
297 - 83	L 446 65 + 00 W	5
297 - 84	L 447 61 + 50 W	<5
297 - 85	L 447 61 + 75 W	10
297 - 86	L 447 62 + 00 W	15
297 - 87	L 447 62 + 25 W	<5
297 - 88	L 447 62 + 50 W	<5
297 - 89	L 447 62 + 75 W	10
297 - 90	L 447 63 + 00 W	<5
297 - 91	L 447 63 + 25 W	<5
297 - 92	L 447 63 + 50 W	20
297 - 93	L 447 63 + 75 W	35
297 - 94	L 447 64 + 00 W	40
297 - 95	L 447 64 + 25 W	15
297 - 96	L 447 64 + 50 W	40
297 - 97	L 447 64 + 75 W	5
297 - 98	L 447 65 + 00 W	5
297 - 99	L 447 65 + 25 W	<5
297 - 100	L 447 65 + 50 W	<5
297 - 101	L 447 65 + 75 W	15
297 - 102	L 447 66 + 00 W	5
297 - 103	L 447 66 + 25 W	10
297 - 104	L 447 66 + 50 W	5
297 - 105	L 448 61 + 50 W	35
297 - 106	L 448 61 + 75 W	15
297 - 107	L 448 62 + 00 W	10
297 - 108	L 448 62 + 25 W	5
297 - 109	L 448 62 + 50 W	10
297 - 110	L 448 62 + 75 W	10
297 - 111	L 448 63 + 00 W	15
297 - 112	L 448 63 + 25 W	<5
297 - 113	L 448 63 + 50 W	50
297 - 114	L 448 63 + 75 W	10
297 - 115	L 448 64 + 00 W	<5
297 - 116	L 448 65 + 00 W	15
297 - 117	L 448 65 + 25 W	15
297 - 118	L 448 65 + 50 W	45
297 - 119	L 448 65 + 75 W	15
297 - 120	L 448 66 + 00 W	<5



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

Corona Corporation

JUNE 29, 1989

ET#	Description	AU (ppb)
297 - 121	L 448 66 + 25 W	<5
297 - 122	L 448 66 + 50 W	<5
297 - 123	T 0	20
297 - 124	T 1	5
297 - 125	T 2	10
297 - 126	T 3	15
297 - 127	T 4	5
297 - 128	T 5	10
297 - 129	T 6	<5
297 - 130	T 7	15
297 - 131	T 8	5
297 - 132	T 9	35
297 - 133	T 10	15
297 - 134	T 11	<5
297 - 135	T 12	5
297 - 136	T 13	10
297 - 137	T 14	15
297 - 138	T 15	5
297 - 139	T 16	<5
297 - 140	T 17	<5
297 - 141	T 18	5
297 - 142	T 19	40
297 - 143	T 20	40
297 - 144	T 21	45
297 - 145	T 22	20
297 - 146	T 23	15
297 - 147	T 24	10
297 - 148	T 25	5
297 - 149	T 26	20
297 - 150	T 27	15
297 - 151	T 28	10
297 - 152	T 29	5
297 - 153	T 30	<5
297 - 154	T 31	5
297 - 155	T 32	<5
297 - 156	T 33	365
297 - 157	T 34	5
297 - 158	T 35	5
297 - 159	T 36	15
297 - 160	T 37	5
297 - 161	T 38	20
297 - 162	T 39	85
297 - 163	T 40	5
297 - 164	T 41	5
297 - 165	T 42.5	10



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JUNE 29, 1989

ET#	Description	AU (ppb)
297 - 166	T 43	5
297 - 167	T 44	<5
297 - 168	T 45	<5
297 - 169	TY J 0	10
297 - 170	TY J 1	5
297 - 171	TY J 2	10
297 - 172	TY J 3	5
297 - 173	TY J 4	<5
297 - 174	TY J 5	<5
297 - 175	TY J 6	<5
297 - 176	TY J 7	<5
297 - 177	TY J 8	20
297 - 178	TY J 9	5
297 - 179	TY J 10	10
297 - 180	TY J 11	<5
297 - 181	TY J 12	<5
297 - 182	TY J 13	10
297 - 183	TY J 14	<5
297 - 184	TY J 15	<5
297 - 185	TY J 16	10
297 - 186	TY J 17	5
297 - 187	TY J 18	15
297 - 188	TY J 19	15
297 - 189	TY J 20	5
297 - 190	TY J 22	10
297 - 191	TY J 23	5
297 - 192	TY J 24	<5
297 - 193	TY J 25	<5
297 - 194	TY J 26	<5
297 - 195	TY J 27	5
297 - 196	TY J 28	5
297 - 197	TY J 29	15
297 - 198	TY J 30	<5
297 - 199	TY J 31	<5
297 - 200	TY J 32	10
297 - 201	TY J 33	<5
297 - 202	TY J 34	<5
297 - 203	TY J 35	<5
297 - 204	TY J 36	10
297 - 205	TY J 37	<5
297 - 206	TY J 38	<5
297 - 207	TY J 39	5
297 - 208	TY J 40	<5
297 - 209	TY J 41	5
297 - 210	TY J 42	5



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING


10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


JUNE 29, 1989

ET#	Description	AU (ppb)
297 - 211	TY J 43	5
297 - 212	TY J 44	<5
297 - 213	TY J 45	10
297 - 214	TY J 46	5
297 - 215	TY J 47	15
297 - 216	TY J 48	5
297 - 217	TY J 49	5
297 - 218	TY J 51	5
297 - 219	TYE 6 1	10
297 - 220	TYE 6 2	5
297 - 221	TYE 6 3	<5
297 - 222	TYE 6 4	5
297 - 223	TYE 6 5	<5
297 - 224	TYE 6 6	<5

NOTE: < = LESS THAN


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1NO
ATTENTION: C. McATEE
SC89/MGM1056
FAX: TONY RANSOM



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

JUNE 27, 1989


CERTIFICATE OF ANALYSIS ETK 89-319

Corona Corporation
1440, 500 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 126 501L SAMPLES RECEIVED JUNE 19, 1989
PROJECT NO. 1056 - P.D.#89-0040

ET#	Description	AL (ppb)
319 - 1	GC 1	<5
319 - 2	GC 2	<5
319 - 3	GC 3	25
319 - 4	GC 4	10
319 - 5	GC 5	25
319 - 6	GC 6	10
319 - 7	GC 7	30
319 - 8	GC 8	<5
319 - 9	GC 9	<5
319 - 10	GC 10	15
319 - 11	GC 11	10
319 - 12	GC 12	20
319 - 12	GC 13	30
319 - 14	GC 14	10
319 - 15	GC 15	<5
319 - 16	GC 16	<5
319 - 17	GC 17	20
319 - 18	GC 18	5
319 - 19	GC 19	850
319 - 20	GC 20	35
319 - 21	GC 21	30
319 - 22	GC 22	20
319 - 23	GC 23	10
319 - 24	GC 24	<5
319 - 25	GC 25	<5
319 - 26	GC 26	5
319 - 27	GC 27	<5
319 - 28	GC 28	10
319 - 29	GC 29	245
319 - 30	GC 30	10



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

June 27, 1989

ET#	Description	Au (ppb)
319 - 31	GC 31	<5
319 - 32	GC 32	35
319 - 33	GC 33	60
319 - 34	H 2 25	25
319 - 35	H 2 50	20
319 - 36	H 2 100	10
319 - 37	H 2 150	<5
319 - 38	H 2 175	5
319 - 39	H 2 200	10
319 - 40	H 2 225	<5
319 - 41	H 2 275	<5
319 - 42	H 2 300	15
319 - 43	H 2 325	30
319 - 44	H 2 350	40
319 - 45	H 2 375	<5
319 - 46	H 2 400	55
319 - 47	H 4 0	<5
319 - 48	H 4 25	5
319 - 49	H 4 50	10
319 - 50	H 4 75	<5
319 - 51	H 4 100	5
319 - 52	H 4 125	<5
319 - 53	H 4 150	<5
319 - 54	H 4 175	5
319 - 55	H 4 200	<5
319 - 56	H 4 225	<5
319 - 57	H 4 250	<5
319 - 58	H 4 275	<5
319 - 59	H 4 300	<5
319 - 60	H 4 325	<5
319 - 61	H 4 350	5
319 - 62	H 4 375	<5
319 - 63	H 4 400	<5
319 - 64	L 337N 57 + 00W	<5
319 - 65	L 337N 57 + 50W	<5
319 - 66	L 337N 58 + 00W	<5
319 - 67	L 337N 58 + 50W	45
319 - 68	L 337N 59 + 00W	<5
319 - 69	L 337N 59 + 50W	<5
319 - 70	L 337N 60 + 00W	<5
319 - 71	L 337N 60 + 50W	<5
319 - 72	L 337N 61 + 00W	5
319 - 73	L 337N 61 + 50W	<5
319 - 74	L 337N 62 + 00W	<5
319 - 75	L 337N 62 + 50W	<5



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

June 27, 1989

ET#	Description	Au (ppb)
319 - 76	L 337N 63 + 00W	<5
319 - 77	L 337N 63 + 50W	10
319 - 78	L 337N 64 + 00W	<5
319 - 79	L 337N 64 + 50W	<5
319 - 80	L 337N 65 + 00W	15
319 - 81	L 337N 65 + 50W	15
319 - 82	L 337N 66 + 00W	15
319 - 83	L 337N 66 + 50W	<5
319 - 84	L 337N 67 + 00W	20
319 - 85	L 337N 67 + 50W	45
319 - 86	L 337N 68 + 00W	25
319 - 87	L 337N 68 + 50W	350
319 - 88	L 337N 69 + 00W	40
319 - 89	L 337N 69 + 50W	<5
319 - 90	L 337N 70 + 00W	15
319 - 91	L 337N 70 + 50W	5
319 - 92	L 337N 71 + 00W	<5
319 - 93	L 337N 71 + 65W	<5
319 - 94	L 337N 72 + 00W	10
319 - 95	L 337N 72 + 50W	25
319 - 96	L 337N 73 + 00W	<5
319 - 97	L 337N 73 + 13W	5
319 - 98	L 343N 59 + 50W	20
319 - 99	L 343N 60 + 00W	5
319 - 100	L 343N 60 + 50W	5
319 - 101	L 343N 61 + 00W	25
319 - 102	L 343N 61 + 50W	40
319 - 103	L 343N 62 + 00W	95
319 - 104	L 343N 62 + 50W	20
319 - 105	L 343N 63 + 00W	15
319 - 106	L 345N 60 + 00W	<5
319 - 107	L 345N 60 + 50W	5
319 - 108	L 345N 61 + 00W	<5
319 - 109	L 345N 61 + 50W	15
319 - 110	L 345N 62 + 00W	20
319 - 111	L 345N 62 + 50W	<5
319 - 112	L 345N 63 + 00W	<5
319 - 113	L 345N 63 + 50W	5
319 - 114	L 345N 64 + 00W	<5
319 - 115	L 345N 64 + 50W	<5
319 - 116	L 345N 65 + 00W	5
319 - 117	L 345N 65 + 50W	<5
319 - 118	L 345N 66 + 00W	5
319 - 119	L 345N 66 + 50W	10
319 - 120	L 345N 67 + 00W	10



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Corona Corporation


June 27, 1989

ET#	Description	Au (ppb)
319 - 121	L 345N 67 + 50W	<5
319 - 122	L 345N 68 + 00W	5
319 - 123	L 345N 68 + 50W	15
319 - 124	L 345N 69 + 00W	5
319 - 125	L 345N 69 + 50W	<5
319 - 126	L 345N 70 + 00W	<5

NOTE: < = LESS THAN

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1N0
ATTENTION: C. McATEE
SC89/MGM1056
FAX: TONY RANSOM


ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 5, 1989


CERTIFICATE OF ANALYSIS ETK 89-375

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 80 SOIL SAMPLES RECEIVED JUNE 28, 1989
PROJECT NO. 1056 - P.O.# 89-0051
SHIPMENT #6 -ICP TO FOLLOW-

ET#	Description	AU (ppb)
375 - 1	M 0	65
375 - 2	M 1	30
375 - 3	M 2	5
375 - 4	M 3	30
375 - 5	M 4	15
375 - 6	M 5	30
375 - 7	M 6	15
375 - 8	M 7	20
375 - 9	M 8	10
375 - 10	M 11	25
375 - 11	M 14	10
375 - 12	M 15	70
375 - 13	M 19	10
375 - 14	M 20	5
375 - 15	M 21	15
375 - 16	M 22	250
375 - 17	M 23	85
375 - 18	M 24	20
375 - 19	M 25	40
375 - 20	M 26	10
375 - 21	M 27	20
375 - 22	M 28	10
375 - 23	M 29	45
375 - 24	M 30	5
375 - 25	M 31	5
375 - 26	M 32	15
375 - 27	M 33	10
375 - 28	M 34	15
375 - 29	M 35	10
375 - 30	M 36	40



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JULY 5, 1989

ET#	Description	Au (ppb)
375 - 31	L 382N 41+ 00W	70
375 - 32	L 382N 41+ 50W	35
375 - 33	L 382N 42+ 00W	20
375 - 34	L 382N 43+ 00W	25
375 - 35	L 382N 43+ 50W	15
375 - 36	L 382N 44+ 00W	40
375 - 37	L 382N 44+ 50W	15
375 - 38	L 382N 45+ 00W	20
375 - 39	L 382N 45+ 50W	20
375 - 40	L 382N 46+ 00W	20
375 - 41	L 382N 46+ 50W	10
375 - 42	L 382N 47+ 00W	10
375 - 43	L 382N 47+ 50W	10
375 - 44	L 382N 48+ 00W	20
375 - 45	L 382N 48+ 50W	20
375 - 46	L 382N 49+ 00W	45
375 - 47	L 382N 49+ 50W	35
375 - 48	L 382N 50+ 00W	90
375 - 49	L 382N 50+ 50W	30
375 - 50	L 382N 51+ 00W	15
375 - 51	L 382N 51+ 50W	25
375 - 52	L 382N 52+ 00W	30
375 - 53	L 386N 38+ 50W	30
375 - 54	L 386N 39+ 00W	15
375 - 55	L 386N 39+ 50W	15
375 - 56	L 386N 40+ 00W	10
375 - 57	L 386N 40+ 50W	20
375 - 58	L 386N 41+ 00W	10
375 - 59	L 386N 42+ 50W	60
375 - 60	L 386N 43+ 00W	10
375 - 61	L 386N 43+ 50W	25
375 - 62	L 386N 44+ 00W	55
375 - 63	L 386N 44+ 50W	60
375 - 64	L 386N 45+ 00W	40
375 - 65	L 386N 45+ 50W	35
375 - 66	L 386N 46+ 00W	25
375 - 67	L 386N 46+ 50W	50
375 - 68	L 386N 47+ 00W	35
375 - 69	L 386N 47+ 50W	55
375 - 70	L 386N 48+ 00W	40
375 - 71	L 386N 48+ 50W	10
375 - 72	L 386N 49+ 00W	70
375 - 73	L 386N 49+ 50W	35
375 - 74	L 386N 50+ 00W	30
375 - 75	L 386N 50+ 50W	15



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557


Corona Corporation

ET#	Description	Au (ppb)
375 - 76	L 386N 51+ 00W	15
375 - 77	L 386N 52+ 00W	10
375 - 78	L 386N 52+ 50W	5
375 - 79	L 386N 53+ 00W	20
375 - 80	L 386N 53+ 50W	5

NOTE: < = LESS THAN

ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1N0
ATTENTION: C. McATEE
SC89/MGM1056
FAX: TONY RANSOM



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 10, 1989


CERTIFICATE OF ANALYSIS ETK 89-392

Corona Corporation
 1440, 800 West Pender Street
 VANCOUVER, B.C.
 V6C 2V6

Attention: C. McATEE

SAMPLE IDENTIFICATION: 132 SOIL SAMPLES RECEIVED JULY 4, 1989
 ----- PROJECT NO. 1056 - P.O.# -----
 SHIPMENT #7

ET#	Description	Au (ppb)
392 - 1	1 - 7 89 - 1	15
392 - 2	1 - 7 89 - 1	10
392 - 3	1 - 7 89 - 1	10
392 - 4	1 - 7 89 - 1	15
392 - 5	L 359 N 42 + 00 W	55
392 - 6	L 359 N 42 + 50 W	30
392 - 7	L 359 N 43 + 00 W	20
392 - 8	L 359 N 43 + 50 W	60
392 - 9	L 359 N 44 + 00 W	75
392 - 10	L 359 N 44 + 50 W	30
392 - 11	L 359 N 45 + 00 W	45
392 - 12	L 359 N 45 + 50 W	445
392 - 13	L 359 N 46 + 00 W	90
392 - 14	L 359 N 46 + 50 W	30
392 - 15	L 359 N 47 + 00 W	70
392 - 16	L 359 N 47 + 50 W	30
392 - 17	L 359 N 48 + 00 W	35
392 - 18	L 359 N 48 + 50 W	60
392 - 19	L 360.5 N 50 + 00 W	110
392 - 20	L 361 N 75 + 75 W	40
392 - 21	L 361 N 45 + 00 W	30
392 - 22	L 361 N 45 + 50 W	35
392 - 23	L 361 N 46 + 00 W	35
392 - 24	L 361 N 46 + 50 W	50
392 - 25	L 361 N 47 + 00 W	25
392 - 26	L 361 N 47 + 50 W	45
392 - 27	L 361 N 48 + 00 W	170
392 - 28	L 361 N 48 + 50 W	135
392 - 29	L 361 N 49 + 00 W	170
392 - 30	L 361 N 50 + 12 W	35



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

Corona Corporation

JULY 10, 1989

ET#	Description	Au (ppb)
392 - 31	L 365 N 47 + 00 W	115
392 - 32	L 365 N 47 + 50 W	200
392 - 33	L 365 N 48 + 00 W	10
392 - 34	L 365 N 48 + 50 W	60
392 - 35	L 365 N 49 + 00 W	40
392 - 36	L 365 N 49 + 50 W	70
392 - 37	L 365 N 50 + 00 W	35
392 - 38	L 365 N 50 + 50 W	20
392 - 39	L 365 N 51 + 00 W	45
392 - 40	L 365 N 51 + 50 W	30
392 - 41	L 365 N 52 + 00 W	65
392 - 42	L 365 N 52 + 50 W	50
392 - 43	L 365 N 53 + 00 W	20
392 - 44	L 365 N 53 + 50 W	25
392 - 45	L 365 N 54 + 00 W	30
392 - 46	L 365 N 54 + 50 W	25
392 - 47	L 365 N 55 + 00 W	15
392 - 48	L 365 N 55 + 50 W	25
392 - 49	L 365 N 56 + 00 W	20
392 - 50	L 365 N 56 + 50 W	15
392 - 51	L 365 N 57 + 00 W	15
392 - 52	L 365 N 57 + 50 W	10
392 - 53	L 369 N 42 + 50 W	50
392 - 54	L 369 N 43 + 00 W	80
392 - 55	L 369 N 43 + 50 W	<5
392 - 56	L 369 N 44 + 00 W	15
392 - 57	L 369 N 44 + 50 W	<5
392 - 58	L 369 N 45 + 00 W	<5
392 - 59	L 369 N 45 + 50 W	<5
392 - 60	L 369 N 46 + 00 W	5
392 - 61	L 369 N 46 + 50 W	<5
392 - 62	L 369 N 47 + 00 W	<5
392 - 63	L 369 N 47 + 50 W	40
392 - 64	L 369 N 48 + 00 W	10
392 - 65	L 369 N 48 + 50 W	<5
392 - 66	L 369 N 49 + 00 W	<5
392 - 67	L 369 N 49 + 50 W	15
392 - 68	L 369 N 50 + 00 W	<5
392 - 69	L 369 N 50 + 50 W	45
392 - 70	L 369 N 51 + 00 W	<5
392 - 71	L 369 N 51 + 50 W	<5
392 - 72	L 369 N 52 + 00 W	<5
392 - 73	L 369 N 52 + 50 W	5
392 - 74	L 369 N 53 + 00 W	15
392 - 75	L 369 N 53 + 50 W	<5




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
 10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

Corona Corporation

JULY 10, 1989

ET#	Description	AU (ppb)
392 - 76	L 369 N 54 + 00 W	10
392 - 77	L 369 N 54 + 50 W	<5
392 - 78	L 369 N 55 + 00 W	<5
392 - 79	L 369 N 55 + 50 W	<5
392 - 80	L 369 N 56 + 00 W	<5
392 - 81	L 372 N 41 + 00 W	<5
392 - 82	L 372 N 41 + 50 W	5
392 - 83	L 372 N 42 + 00 W	25
392 - 84	L 372 N 43 + 00 W	110
392 - 85	L 372 N 43 + 50 W	5
392 - 86	L 372 N 44 + 00 W	10
392 - 87	L 372 N 44 + 50 W	20
392 - 88	L 372 N 45 + 00 W	15
392 - 89	L 372 N 45 + 50 W	35
392 - 90	L 372 N 46 + 00 W	480
392 - 91	L 372 N 46 + 50 W	100
392 - 92	L 372 N 47 + 00 W	25
392 - 93	L 372 N 47 + 50 W	90
392 - 94	L 372 N 48 + 50 W	25
392 - 95	L 372 N 49 + 00 W	60
392 - 96	L 372 N 49 + 50 W	15
392 - 97	L 372 N 50 + 00 W	40
392 - 98	L 372 N 50 + 50 W	55
392 - 99	L 372 N 51 + 00 W	80
392 - 100	L 372 N 51 + 50 W	90
392 - 101	L 373 N 52 + 00 W	10
392 - 102	L 373 N 52 + 50 W	40
392 - 103	L 373 N 53 + 00 W	30
392 - 104	L 377 N 39 + 00 W	20
392 - 105	L 377 N 39 + 50 W	15
392 - 106	L 377 N 40 + 00 W	5
392 - 107	L 377 N 40 + 50 W	5
392 - 108	L 377 N 41 + 00 W	10
392 - 109	L 377 N 41 + 50 W	15
392 - 110	L 377 N 42 + 00 W	<5
392 - 111	L 377 N 42 + 50 W	30
392 - 112	L 377 N 43 + 00 W	35
392 - 113	L 377 N 43 + 50 W	<5
392 - 114	L 377 N 44 + 00 W	15
392 - 115	L 377 N 44 + 50 W	20
392 - 116	L 377 N 45 + 00 W	5
392 - 117	L 377 N 45 + 50 W	30
392 - 118	L 377 N 46 + 00 W	50
392 - 119	L 377 N 46 + 50 W	45
392 - 120	L 377 N 47 + 00 W	120



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


JULY 10, 1989

ET#	Description	Au (ppb)
392 - 121	L 377 N 47 + 50 W	45
392 - 122	L 377 N 48 + 00 W	25
392 - 123	L 377 N 48 + 50 W	70
392 - 124	L 377 N 49 + 00 W	25
392 - 125	L 377 N 49 + 50 W	190
392 - 126	L 377 N 50 + 00 W	15
392 - 127	L 377 N 50 + 50 W	30
392 - 128	L 377 N 51 + 00 W	15
392 - 129	L 377 N 51 + 50 W	45
392 - 130	L 377 N 52 + 00 W	15
392 - 131	L 377 N 52 + 50 W	20
392 - 132	L 377 N 53 + 00 W	10

Frank J. Pezzotti For

ECO-TECH LABORATORIES LTD.
Frank J. Pezzotti, A.Sc.T.
B.C. Certified Assayer

CC: CHRIS McATEE
VIA GREYHOUND WILLIAMS LAKE
HOLD FOR PICKUP
SC89/1056-2



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 24, 1989


CERTIFICATE OF ANALYSIS ETK 89-449

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 79 SOIL SAMPLES RECEIVED JULY 17, 1989
PROJECT NO. 1056
SHIPMENT #9

ET#	Description	Au (ppb)
449 - 1	FISH 49+ 25W 50+ 00N	<5
449 - 2	FISH 45+ 50W 48+ 50N	<5
449 - 3	FISH 45+ 50W 48+ 75N	<5
449 - 4	FISH 45+ 50W 49+ 00N	25
449 - 5	FISH 45+ 50W 49+ 25N	<5
449 - 6	FISH 45+ 50W 49+ 50N	50
449 - 7	FISH 45+ 50W 49+ 75N	20
449 - 8	FISH 45+ 50W 50+ 00N	<5
449 - 9	FISH 49+ 75W 50+ 00N	50
449 - 10	FISH 50+ 00W 48+ 50N	<5
449 - 11	FISH 50+ 00W 48+ 75N	<5
449 - 12	FISH 50+ 00W 49+ 00N	<5
449 - 13	FISH 50+ 00W 49+ 25N	<5
449 - 14	FISH 50+ 00W 49+ 50N	55
449 - 15	FISH 50+ 00W 49+ 75N	45
449 - 16	FISH 50+ 00W 50+ 00N	20
449 - 17	FISH 50+ 25W 50+ 00N	<5
449 - 18	FISH 50+ 50W 48+ 50N	<5
449 - 19	FISH 50+ 50W 48+ 75N	<5
449 - 20	FISH 50+ 50W 49+ 00N	<5
449 - 21	FISH 50+ 50W 49+ 25N	<5
449 - 22	FISH 50+ 50W 49+ 50N	5
449 - 23	FISH 50+ 50W 49+ 75N	<5
449 - 24	FISH 50+ 50W 50+ 00NB	<5
449 - 25	BM 0+955M EAST	<5
449 - 26	CAT 2+ 00S 0+ 50E	35
449 - 27	CAT 2+ 00S 1+ 00E	5
449 - 28	CAT 2+ 00S 1+ 50E	5
449 - 29	CAT 2+ 00S 2+ 00E	130
449 - 30	CAT 2+ 00S 2+ 50E	<5



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 7, 1989


CERTIFICATE OF ANALYSIS ETK 89-345

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 104 SOIL SAMPLES RECEIVED JUNE 23, 1989
PROJECT NO. 1056 - P.O.#89-0041
SHIPMENT #4 (CAT GRID)

ET#	Description	Au (ppb)
345 - 1	F - 0	20
345 - 2	F - 1	<5
345 - 3	F - 2	<5
345 - 4	F - 3	<5
345 - 5	F - 4	<5
345 - 6	F - 5	<5
345 - 7	F - 6	<5
345 - 8	F - 7	<5
345 - 9	F - 8	10
345 - 10	F - 9	<5
345 - 11	F - 10	10
345 - 12	F - 11	5
345 - 13	F - 12	<5
345 - 14	F - 13	50
345 - 15	F - 14	15
345 - 16	F - 15	10
345 - 17	F - 16	40
345 - 18	F - 17	<5
345 - 19	F - 18	<5
345 - 20	F - 19	5
345 - 21	B L 0 + 00 S CAT GRID	<5
345 - 22	B L 0 + 50 S	90
345 - 23	B L 1 + 00 S	25
345 - 24	B L 1 + 50 S	<5
345 - 25	B L 2 + 00 S	95
345 - 26	B L 2 + 50 S	<5
345 - 27	B L 3 + 00 S	15
345 - 28	B L 3 + 50 S	10
345 - 29	B L 4 + 00 S	5
345 - 30	B L 4 + 50 S	<5




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
 10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JULY 7, 1989

ET#	Description	CAT GRID	Au (ppb)
345 - 31	B L 5 + 00 S		<5
345 - 32	B L 5 + 50 S		<5
345 - 33	B L 6 + 00 S		10
345 - 34	B L 6 + 50 S		<5
345 - 35	B L 7 + 00 S		<5
345 - 36	B L 7 + 50 S		<5
345 - 37	B L 8 + 00 S		<5
345 - 38	B L 8 + 50 S		<5
345 - 39	B L 9 + 00 S		5
345 - 40	B L 9 + 50 S		25
345 - 41	B L 10 + 00 S		10
345 - 42	B L 10 + 50 S		20
345 - 43	B L 11 + 00 S		5
345 - 44	B L 11 + 50 S		10
345 - 45	B L 12 + 00 S		<5
345 - 46	B L 12 + 50 S		5
345 - 47	B L 13 + 00 S		40
345 - 48	B L 13 + 50 S		10
345 - 49	B L 14 + 00 S		30
345 - 50	B L 14 + 50 S		5
345 - 51	B L 15 + 00 S		20
345 - 52	1 + 00 S 0 + 50 E		10
345 - 53	1 + 00 S 1 + 00 E		<5
345 - 54	1 + 00 S 1 + 50 E		5
345 - 55	1 + 00 S 2 + 00 E		35
345 - 56	1 + 00 S 2 + 25 E		<5
345 - 57	3 + 00 S 0 + 50 E		<5
345 - 58	3 + 00 S 1 + 00 E		30
345 - 59	3 + 00 S 1 + 50 E		5
345 - 60	3 + 00 S 2 + 00 E		<5
345 - 61	3 + 00 S 2 + 50 E		<5
345 - 62	3 + 00 S 3 + 00 E		40
345 - 63	3 + 00 S 3 + 50 E		40
345 - 64	3 + 00 S 4 + 00 E		10
345 - 65	3 + 00 S 4 + 50 E		85
345 - 66	5 + 00 S 0 + 50 E		5
345 - 67	5 + 00 S 1 + 00 E		10
345 - 68	5 + 00 S 1 + 50 E		10
345 - 69	5 + 00 S 2 + 00 E		<5
345 - 70	5 + 00 S 2 + 50 E		<5
345 - 71	5 + 00 S 3 + 00 E		<5
345 - 72	5 + 00 S 3 + 50 E		<5
345 - 73	5 + 00 S 4 + 00 E		<5
345 - 74	5 + 00 S 4 + 50 E		15
345 - 75	5 + 00 S 5 + 00 E		<5



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


JULY 7, 1989

ET#	Description	CAT GRID	AlI (ppb)
345 - 76	5 + 00 S	5 + 50 E	<5
345 - 77	5 + 00 S	6 + 00 E	<5
345 - 78	5 + 00 S	6 + 50 E	<5
345 - 79	7 + 00 S	0 + 50 E	<5
345 - 80	7 + 00 S	1 + 00 E	55
345 - 81	7 + 00 S	1 + 50 E	<5
345 - 82	7 + 00 S	2 + 00 E	150
345 - 83	7 + 00 S	2 + 50 E	<5
345 - 84	7 + 00 S	3 + 00 E	<5
345 - 85	7 + 00 S	3 + 50 E	<5
345 - 86	7 + 00 S	4 + 00 E	<5
345 - 87	7 + 00 S	4 + 50 E	5
345 - 88	7 + 00 S	5 + 00 E	20
345 - 89	7 + 00 S	5 + 50 E	<5
345 - 90	7 + 00 S	6 + 00 E	145
345 - 91	7 + 00 S	6 + 50 E	<5
345 - 92	9 + 00 S	0 + 50 E	5
345 - 93	9 + 00 S	1 + 00 E	10
345 - 94	9 + 00 S	1 + 50 E	<5
345 - 95	9 + 00 S	2 + 00 E	<5
345 - 96	9 + 00 S	2 + 50 E	<5
345 - 97	9 + 00 S	3 + 00 E	<5
345 - 98	9 + 00 S	3 + 50 E	<5
345 - 99	9 + 00 S	4 + 00 E	<5
345 - 100	9 + 00 S	4 + 50 E	<5
345 - 101	9 + 00 S	5 + 00 E	<5
345 - 102	9 + 00 S	5 + 50 E	<5
345 - 103	9 + 00 S	6 + 00 E	<5
345 - 104	9 + 00 S	7 + 50 E	<5

NOTE: < = LESS THAN

ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1N0
ATTENTION: C. McATEE
SC89/MGM1056
FAX: MARK TINDALL




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

ET#	Description	Au (ppb)
449 - 31	CAT 2+ 00S 3+ 00E	50
449 - 32	CAT 2+ 00S 3+ 50E	30
449 - 33	CAT 4+ 00S 0+ 50E	<5
449 - 34	CAT 4+ 00S 1+ 00E	<5
449 - 35	CAT 4+ 00S 1+ 50E	10
449 - 36	CAT 4+ 00S 2+ 00E	75
449 - 37	CAT 4+ 00S 2+ 50E	15
449 - 38	CAT 4+ 00S 3+ 00E	10
449 - 39	CAT 4+ 00S 3+ 50E	10
449 - 40	CAT 4+ 00S 4+ 00E	20
449 - 41	CAT 4+ 00S 4+ 50E	10
449 - 42	CAT 4+ 00S 5+ 00E	10
449 - 43	CAT 4+ 00S 5+ 50E	20
449 - 44	CAT 6+ 00S 0+ 50E	15
449 - 45	CAT 6+ 00S 1+ 00E	5
449 - 46	CAT 6+ 00S 1+ 50E	5
449 - 47	CAT 6+ 00S 2+ 00E	<5
449 - 48	CAT 6+ 00S 2+ 50E	<5
449 - 49	CAT 6+ 00S 3+ 00E	5
449 - 50	CAT 6+ 00S 3+ 50E	<5
449 - 51	CAT 6+ 00S 4+ 00E	10
449 - 52	CAT 6+ 00S 4+ 50E	<5
449 - 53	CAT 6+ 00S 5+ 00E	<5
449 - 54	CAT 6+ 00S 5+ 50E	60
449 - 55	CAT 6+ 00S 6+ 00E	15
449 - 56	CAT 6+ 00S 6+ 50E	<5
449 - 57	CAT 8+ 00S 0+ 50E	0
449 - 58	CAT 8+ 00S 1+ 00E	10
449 - 59	CAT 8+ 00S 1+ 50E	<5
449 - 60	CAT 8+ 00S 2+ 00E	220
449 - 61	CAT 8+ 00S 2+ 50E	<5
449 - 62	CAT 8+ 00S 3+ 00E	5
449 - 63	CAT 8+ 00S 3+ 50E	5
449 - 64	CAT 8+ 00S 4+ 00E	5
449 - 65	CAT 8+ 00S 4+ 50E	<5
449 - 66	CAT 8+ 00S 5+ 00E	<5
449 - 67	CAT 8+ 00S 5+ 50E	5
449 - 68	CAT 8+ 00S 6+ 00E	5
449 - 69	CAT 10+ 00S 0+ 50E	<5
449 - 70	CAT 10+ 00S 1+ 00E	<5
449 - 71	CAT 10+ 00S 1+ 50E	5
449 - 72	CAT 10+ 00S 2+ 00E	1350
449 - 73	CAT 10+ 00S 3+ 00E	10
449 - 74	CAT 10+ 00S 3+ 50E	5
449 - 75	CAT 10+ 00S 4+ 00E	5




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


ET#	Description	Au (ppb)
449 - 76	CAT 10+ 00S 4+ 50E	5
449 - 77	CAT 10+ 00S 5+ 00E	5
449 - 78	CAT 10+ 00S 5+ 50E	<5
449 - 79	CAT 10+ 00S 6+ 00E	130

NOTE: < = LESS THAN


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

CC: CHRIS MCATEE
C/O WILLIAMS LAKE
VIA GREYHOUND

SCB9/MAS3



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (804) 573-5700 Fax 573-4557

JULY 7, 1989


CERTIFICATE OF ANALYSIS ETK 89-350

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 44 SOILS SAMPLES RECEIVED JUNE 26, 1989
PROJECT NO. 1056 - P.O.#89-0051
SHIPMENT NO.: 5 (CAT GRID)

ET#	Description	CAT GRID	Au (ppb)
350 - 1	11 + 00 S	0 + 50 E	170
350 - 2	11 + 00 S	1 + 00 E	25
350 - 3	11 + 00 S	1 + 50 E	30
350 - 4	11 + 00 S	2 + 00 E	20
350 - 5	11 + 00 S	2 + 50 E	5
350 - 6	11 + 00 S	3 + 00 E	15
350 - 7	11 + 00 S	3 + 50 E	5
350 - 8	11 + 00 S	4 + 00 E	15
350 - 9	11 + 00 S	4 + 25 E	<5
350 - 10	11 + 00 S	4 + 50 E	10
350 - 11	11 + 00 S	5 + 00 E	5
350 - 12	11 + 00 S	5 + 50 E	<5
350 - 13	11 + 00 S	6 + 00 E	<5
350 - 14	12 + 00 S	4 + 37 E	<5
350 - 15	13 + 00 S	0 + 50 E	<5
350 - 16	13 + 00 S	1 + 00 E	80
350 - 17	13 + 00 S	1 + 50 E	<5
350 - 18	13 + 00 S	2 + 00 E	15
350 - 19	13 + 00 S	2 + 50 E	<5
350 - 20	13 + 00 S	3 + 00 E	<5
350 - 21	13 + 00 S	3 + 50 E	5
350 - 22	13 + 00 S	4 + 00 E	5
350 - 23	13 + 00 S	4 + 50 E	10
350 - 24	13 + 00 S	5 + 00 E	<5
350 - 25	13 + 00 S	5 + 50 E	<5
350 - 26	13 + 00 S	6 + 00 E	<5
350 - 27	14 + 00 S	0 + 50 E	<5
350 - 28	14 + 00 S	1 + 00 E	<5
350 - 29	14 + 00 S	1 + 50 E	15
350 - 30	14 + 00 S	2 + 00 E	<5



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING


10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


JULY 7, 1989

ET#	Description	CAT	GRID	Au (ppb)
350 - 31	14 + 00 S	2 + 50	E	<5
350 - 32	14 + 00 S	3 + 50	E	<5
350 - 33	14 + 00 S	4 + 00	E	10
350 - 34	14 + 00 S	4 + 50	E	<5
350 - 35	14 + 00 S	5 + 00	E	65
350 - 36	14 + 00 S	5 + 50	E	10
350 - 37	15 + 00 S	0 + 50	E	<5
350 - 38	15 + 00 S	1 + 00	E	95
350 - 39	15 + 00 S	1 + 50	E	<5
350 - 40	15 + 00 S	2 + 00	E	<5
350 - 41	15 + 00 S	2 + 50	E	<5
350 - 42	15 + 00 S	3 + 00	E	30
350 - 43	15 + 00 S	3 + 50	E	5
350 - 44	15 + 00 S	4 + 00	E	10

NOTE: < = LESS THAN


ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. Certified Assayer

cc: Corona Corporation
MOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 1NO
ATTENTION: C. McATEE
SC89/MGM1056
FAX: MARK TINDALL



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

JULY 19, 1989


CERTIFICATE OF ANALYSIS ETK 89-426

Corona Corporation
1440, 800 West Pender Street
VANCOUVER, B.C.
V6C 2V6

Attention: TONY RANSOM

SAMPLE IDENTIFICATION: 176 SOILS SAMPLES RECEIVED JULY 10, 1989
PROJECT NO. 1056 - P.O. NO.: 89-0078
SHIPMENT #8 A

ET#	Description	Au (ppb)
426 - 1	J 0 + 00 E	5
426 - 2	J 0 + 50 E	5
426 - 3	JL 1 + 00 E	15
426 - 4	JL 1 + 00 E	30
426 - 5	JL 1 + 50 E	5
426 - 6	JL 2 + 00 E	5
426 - 7	JL 2 + 50 E	5
426 - 8	JL 3 + 00 E	35
426 - 9	JL 3 + 50 E	15
426 - 10	JL 4 + 50 E	25
426 - 11	JL 5 + 00 E	10
426 - 12	JL 5 + 50 E	5
426 - 13	JL 6 + 00 E	35
426 - 14	JL 6 + 50 E	120
426 - 15	JL 7 + 00 E	10
426 - 16	JL 7 + 50 E	35
426 - 17	JL 8 + 00 E	60
426 - 18	JL 8 + 50 E	150
426 - 19	JL 9 + 00 E	75
426 - 20	JL 9 + 50 E	25
426 - 21	JL 10 + 00 E	80
426 - 22	JL 10 + 50 E	5
426 - 23	JL 11 + 00 E	10
426 - 24	JL 11 + 50 E	15
426 - 25	JL 12 + 00 E	25
426 - 26	JL 12 + 50 E	230
426 - 27	JL 13 + 00 E	5
426 - 28	JL 13 + 50 E	5
426 - 29	JL 14 + 00 E	10
426 - 30	ROSE 0 + 00 E	25



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JULY 19, 1989

ET#	Description	Au (ppb)
426 - 31	ROSE 0 + 50 W	10
426 - 32	ROSE 0 + 100 W	15
426 - 33	ROSE 0 + 105 WND	5
426 - 34	ROSE 0 + 150 W	10
426 - 35	ROSE 0 + 200 W	5
426 - 36	ROSE 0 + 250 W	5
426 - 37	ROSE 0 + 300 W	10
426 - 38	ROSE 0 + 350 W	5
426 - 39	ROSE 0 + 400 W	<5
426 - 40	ROSE 0 + 450 W	5
426 - 41	ROSE 0 + 500 W	10
426 - 42	ROSE 0 + 550 W	<5
426 - 43	ROSE 0 + 600 W	5
426 - 44	ROSE 0 + 650 W	<5
426 - 45	ROSE 0 + 700 W	5
426 - 46	ROSE 0 + 750 W	<5
426 - 47	ROSE 0 + 800 W	<5
426 - 48	ROSE 0 + 850 W	5
426 - 49	ROSE 0 + 900 W	<5
426 - 50	ROSE 0 + 950 W	<5
426 - 51	ROSE 0 + 1000 W	<5
426 - 52	BM 0 + 00 W	<5
426 - 53	BM 0 + 100 W	<5
426 - 54	BM 0 + 237 E	<5
426 - 55	BM 0 + 269 M +EAST	<5
426 - 56	BM 0 + 310 M +EAST	<5
426 - 57	BM 0 + 410 ME	<5
426 - 58	BM 0 + 420 M EAST	15
426 - 59	BM 0 + 466 M E	610
426 - 60	BM 0 + 555 E	85
426 - 61	BM 0 + 655 E	<5
426 - 62	BM 0 + 765 EAST	5
426 - 63	BM 0 + 856 E	<5
426 - 64	BM 0 + 1056 E A	<5
426 - 65	BM 0 + 1176 ME	5
426 - 66	BM 0 + 1280 E	<5
426 - 67	BM 0 + 1380 ME	<5
426 - 68	BM 0 + 1400 E	<5
426 - 69	BM 0 + 1500 E	<5
426 - 70	AST 0 + 00 W	<5
426 - 71	AST 0 + 50 W	15
426 - 72	AST 1 + 00 W	15
426 - 73	AST 1 + 50 W	40
426 - 74	AST 2 + 00 W	5
426 - 75	AST 2 + 50 W	140



ECO-TECH LABORATORIES LTD.


ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JULY 19, 1989

ET#	Description	Au (ppb)
426 - 76	AST 3 + 00 W	75
426 - 77	AST 3 + 50 W	110
426 - 78	AST 4 + 00 W	50
426 - 79	AST 4 + 50 W	15
426 - 80	AST 5 + 00 W	20
426 - 81	AST 5 + 50 W	40
426 - 82	AST 6 + 00 W	30
426 - 83	AST 6 + 50 W	<5
426 - 84	AST 7 + 00 W	10
426 - 85	AST 7 + 50 W	15
426 - 86	AST 8 + 00 W	NO FINES
426 - 87	AST 8 + 50 W	<5
426 - 88	AST 9 + 00 W	5
426 - 89	AST 9 + 50 W	NO SAMPLE
426 - 90	AST 10 + 50 W	NO FINES
426 - 91	AST 11 + 00 W	NO FINES
426 - 92	AST 11 + 50 W	5
426 - 93	AST 12 + 00 W	<5
426 - 94	AST 12 + 50 W	<5
426 - 95	AST 13 + 00 W	5
426 - 96	AST 13 + 50 W	5
426 - 97	AST 14 + 00 W	<5
426 - 98	AST 14 + 50 W	<5
426 - 99	AST 15 + 00 W	5
426 - 100	AST 15 + 50 W	<5
426 - 101	AST 16 + 00 W	<5
426 - 102	AST 16 + 50 W	10
426 - 103	AST 17 + 00 W	5
426 - 104	AST 17 + 50 W	<5
426 - 105	AST 18 + 00 W	<5
426 - 106	AST 18 + 50 W	<5
426 - 107	AST 19 + 00 W	5
426 - 108	AST 20 + 00 W	<5
426 - 109	AST 20 + 50 W	<5
426 - 110	AST 21 + 00 W	<5
426 - 111	RC 0 + 00 E	<5
426 - 112	RC 0 + 50 E	<5
426 - 113	RC 1 + 00 E	<5
426 - 114	RC 1 + 50 E	<5
426 - 115	RC 2 + 00 E	845
426 - 116	RC 2 + 50 E	70
426 - 117	RC 3 + 50 E	25
426 - 118	RC 4 + 00 E	<5
426 - 119	RC 4 + 50 E	15
426 - 120	RC 5 + 00 E	500




ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING
10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation

JULY 19, 1989

ET#	Description	Au (ppb)
426 - 121	RC 5 + 50 E	<5
426 - 122	RC 6 + 00 E	5
426 - 123	RC 6 + 50 E	10
426 - 124	RC 7 + 00 E	20
426 - 125	RC 7 + 50 E	<5
426 - 126	RC 8 + 00 E	10
426 - 127	RC 8 + 50 E	<5
426 - 128	RC 9 + 00 E	<5
426 - 129	RC 9 + 50 E	<5
426 - 130	RC 10 + 00 E	10
426 - 131	RC 10 + 50 E	5
426 - 132	RC 11 + 00 E	<5
426 - 133	RC 11 + 50 E	<5
426 - 134	RC 12 + 00 E	<5
426 - 135	RC 12 + 50 E	10
426 - 136	RC 13 + 00 E	<5
426 - 137	L 365 N 39 + 00 W	5
426 - 138	L 365 N 39 + 50 W	<5
426 - 139	L 365 N 40 + 00 W	5
426 - 140	L 365 N 40 + 50 W	5
426 - 141	L 365 N 41 + 00 W	170
426 - 142	L 365 N 41 + 50 W	<5
426 - 143	L 365 N 42 + 00 W	5
426 - 144	L 365 N 42 + 50 W	5
426 - 145	L 365 N 43 + 00 W	15
426 - 146	L 365 N 43 + 50 W	10
426 - 147	L 365 N 44 + 00 W	50
426 - 148	L 365 N 44 + 50 W	30
426 - 149	L 365 N 45 + 00 W	20
426 - 150	L 385 N 38 + 00 W	10
426 - 151	L 385 N 38 + 50 W	10
426 - 152	L 385 N 39 + 00 W	20
426 - 153	L 385 N 39 + 50 W	25
426 - 154	L 385 N 40 + 00 W	<5
426 - 155	L 385 N 40 + 50 W	<5
426 - 156	L 385 N 41 + 00 W	5
426 - 157	L 385 N 41 + 50 W	<5
426 - 158	L 385 N 42 + 00 W	10
426 - 159	L 385 N 42 + 50 W	20
426 - 160	L 385 N 43 + 00 W	5
426 - 161	L 385 N 43 + 50 W	5
426 - 162	L 385 N 44 + 00 W	20
426 - 163	L 385 N 44 + 50 W	<5
426 - 164	L 385 N 45 + 00 W	25
426 - 165	L 385 N 45 + 50 W	15



ECO-TECH LABORATORIES LTD.

ASSAYING - ENVIRONMENTAL TESTING

10041 East Trans Canada Hwy., Kamloops, B.C. V2C 2J3 (604) 573-5700 Fax 573-4557

Corona Corporation


JULY 19, 1989

ET#	Description	Au (ppb)
426 - 166	L 385 N 46 + 00 W	20
426 - 167	L 385 N 46 + 50 W	10
426 - 168	L 385 N 47 + 00 W	75
426 - 169	L 385 N 47 + 50 W	10
426 - 170	L 385 N 18 + 00 W	10
426 - 171	L 385 N 18 + 50 W	25
426 - 172	L 385 N 19 + 00 W	60
426 - 173	L 385 N 19 + 50 W	30
426 - 174	L 385 N 50 + 00 W	10
426 - 175	L 385 N 50 + 50 W	35
426 - 176	L 385 N 51 + 00 W	10

NOTE: < = LESS THAN

cc: C. Mcatee
Williams Lake
via Greyhound

SC89/MAS3


ECO-TECH LABORATORIES LTD.
Doug Howard
B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-222A

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RAMSON

JUNE 1, 1989


PROJECT # 1056 - P.D.# B595 - SHIPMENT #1
 9 ROCK SAMPLES RECEIVED MAY 15, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
222 A-	1 RAR 89 - 1	.2	.84	120	<2	75	<5	8.85	4	14	26	102	3.14	.18	<10	.69	527	2	.09	10	470	20	5	<20	264	<.01	<10	20	<10	6	79
222 A-	2 RAR 89 - 2	.7	.78	115	<2	55	<5	4.57	4	19	43	89	5.92	.28	<10	1.35	675	7	.07	20	660	20	10	<20	134	<.01	<10	35	<10	8	169
222 A-	3 B9L-MR-001	.9	1.35	10	2	45	<5	4.53	1	32	64	134	5.71	.30	10	1.50	828	3	.06	22	1720	10	15	<20	262	<.01	<10	97	<10	15	74
222 A-	4 B9L-MR-002	.4	.80	20	6	80	<5	7.02	1	26	35	150	4.68	.44	<10	2.25	662	4	.03	13	1560	6	20	<20	446	<.01	<10	43	<10	15	72
222 A-	5 B9L-MR-003	<0.1	.74	10	<2	30	<5	7.59	1	39	44	57	7.51	.11	<10	3.60	605	5	.05	36	1070	6	10	<20	68	<.01	<10	94	<10	10	53
222 A-	6 B9L-MR-004	<0.1	.85	40	<2	35	<5	6.73	1	33	28	123	5.88	.35	<10	2.75	658	5	.05	21	1150	8	20	<20	230	<.01	<10	52	<10	11	43
222 A-	7 B9L-MR-005	<0.1	2.95	85	<2	25	<5	.52	5	22	55	179	5.52	.04	<10	2.07	400	5	.08	24	440	14	15	<20	29	.09	<10	257	<10	7	192
222 A-	8 B9L-MR-006	<0.1	.49	30	4	30	<5	5.29	1	22	71	63	4.63	.19	<10	.92	773	5	.03	14	1100	4	10	<20	66	<.01	<10	27	<10	12	58
222 A-	9 B9L-MR-007	.9	.95	50	2	45	<5	8.24	2	35	29	108	5.19	.60	<10	2.50	820	3	.03	23	980	10	20	<20	378	<.01	<10	37	<10	12	57

NOTE: < = LESS THAN

CC: MARK TINDALL
 VCR
 FAX: VCR


 ECO-TECH LABORATORIES LTD.
 FRANK J. PEZZOTTI
 B.C. CERTIFIED ASSAYER

5089/1056

ECD-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-298A

10041 EAST TRANS CANADA HWY.
KAMLOOOPS, B.C. V2C 2T3
PHONE - 604-573-5700
FAX - 604-573-4557

1440, 800 WEST PENDER STREET
VANCOUVER, B.C. V6C 2V6
ATTENTION: TONY RAMSON

JUNE 22, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

PROJECT #1056 P.O. #89-0027


PAGE 1

17 ROCK SAMPLES RECEIVED JUNE 13, 1989

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TJ(%)	U	V	W	Y	ZN	
298 A-	1 B9L-CR	1	.2	1.75	20	<2	60	<5	6.74	1	37	88	103	5.34	.12	<10	2.27	1220	4	.05	26	1390	16	10	<20	219	.15	<10	160	<10	14	72
298 A-	2 B9L-CR	2	.2	1.24	15	<2	130	<5	7.60	1	29	63	113	5.43	.13	10	2.23	1238	3	.05	27	1440	12	10	<20	213	.08	<10	126	<10	12	68
298 A-	3 B9L-CR	3	.2	.93	20	<2	45	<5	6.94	1	29	57	100	5.02	.11	10	2.01	985	5	.04	24	1680	14	10	<20	192	.03	<10	140	<10	13	67
298 A-	4 B9L-CR	4	.2	2.09	20	<2	95	<5	5.36	1	36	78	120	6.18	.11	<10	2.37	1003	4	.05	26	1590	6	15	<20	187	.16	<10	194	<10	12	80
298 A-	5 B9L-CR	5	.2	1.36	25	<2	130	<5	5.29	1	33	67	121	5.49	.11	10	1.85	1128	4	.05	25	1950	8	25	<20	181	.08	<10	137	<10	12	76
298 A-	6 B9L-CR	6	.2	2.39	15	<2	150	<5	4.98	1	33	73	104	5.24	.05	10	1.92	961	5	.06	26	1430	10	15	<20	88	.23	<10	219	<10	12	77
298 A-	7 B9L-CR	7	.2	1.90	25	46	40	<5	6.54	1	28	38	113	5.27	.13	10	1.34	1202	3	.04	25	1510	6	10	<20	116	.02	<10	105	<10	15	77
298 A-	8 B9L-CR	8	.6	1.20	15	<2	35	<5	6.90	<1	26	61	126	4.85	.14	<10	1.91	1193	4	.05	21	1330	12	5	<20	339	.02	<10	74	<10	12	56
298 A-	9 B9L-CR	9	27.0	2.16	850	<2	55	<5	.74	22	104	38	4802	10.02	.15	10	1.35	1721	39	.02	24	3180	186	100	<20	41	.01	30	133	<10	14	191
298 A-	10 B9L-CR	10	.4	2.09	30	<2	40	<5	.90	1	26	27	397	5.25	.16	10	1.50	1025	5	.06	7	1930	6	10	<20	33	.06	10	125	<10	14	47
298 A-	11 B9L-CR	11	2.8	3.10	35	<2	55	<5	1.61	2	36	55	726	6.84	.10	<10	2.65	1355	16	.07	16	1660	14	20	<20	53	.16	10	182	<10	9	120
298 A-	12 B9L-CR	12	1.6	1.98	890	<2	45	<5	1.26	21	25	15	478	6.71	.14	10	.96	872	24	.05	5	1570	1122	35	<20	50	<.01	20	82	<10	14	146
298 A-	13 B9L-CR	13	.2	.86	45	<2	30	<5	.67	1	10	98	110	1.96	.09	<10	.48	351	8	.06	9	380	50	5	<20	40	.09	<10	22	<10	7	49
298 A-	14 B9L-CR	14	.2	.23	1805	<2	65	<5	8.36	44	6	97	25	2.81	.07	<10	.18	995	4	.04	6	340	10	5	<20	248	<.01	<10	16	<10	10	46
298 A-	15 B9L-CR	15	<.2	.66	75	<2	100	<5	5.96	2	20	27	57	4.34	.07	<10	1.01	1068	6	.05	13	610	18	5	<20	133	<.01	<10	55	<10	10	69
298 A-	16 B9L-CR	16	<.2	.60	15	<2	15	<5	6.72	<1	4	129	8	1.48	.04	<10	.43	779	10	.04	6	210	4	<5	<20	121	<.01	<10	11	<10	5	20
298 A-	17 B9L-CR	17	<.2	.08	20	<2	10	<5	3.18	10	6	195	17	.75	.02	<10	.03	771	8	.04	19	140	98	<5	<20	20	<.01	<10	7	<10	2	190

NOTE: < = LESS THAN

CC: CHRIS MCATEE
C/O MOOREHEAD LAKE RESORT
LIKELY, B.C.
VOL 110



ECD-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

SC89/MASZ

Eco-Tech Laboratories Ltd.
 10041 E. Trans Canada Hwy.
 Kamloops, B.C.
 V2C 2J3
 July 24, 1989

CORONA CORPORATION
 #1440, 800 West Pender Street
 Vancouver, B.C.
 V6C 2V6

ATTN: ~~Tony Ranson~~ Mark Findall
 Project: 1050

CERTIFICATE OF ANALYSIS ETK 89-318A
 33 Rock Samples, received June 19/89

All values in PPM unless otherwise reported

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
318.1	89L SR 100	<.2	1.44	114	8	14	< 5	3.11	< 1	25	106	94	3.49	0.06	15	1.45	456	2	<.01	50	1026	20	32	< 20	198	0.02	< 10	71	< 10	< 1	55
318.2	89L SR 101	<.2	1.26	748	9	< 5	< 5	6.36	< 1	19	72	260	2.63	0.06	11	1.25	444	< 1	<.01	24	780	21	39	< 20	292	0.02	< 10	48	< 10	< 1	49
318.3	89L SR 102	<.2	1.55	8	9	11	< 5	0.62	< 1	24	78	183	4.14	0.04	16	1.60	330	< 1	0.02	38	1055	23	36	< 20	14	0.04	< 10	79	< 10	< 1	35
318.4	89L SR 103	<.2	1.53	< 5	9	8	< 5	0.94	< 1	28	58	157	3.56	0.04	14	1.37	358	< 1	0.01	26	1063	24	27	< 20	28	0.04	< 10	75	< 10	< 1	35
318.5	89L SR 104	<.2	1.50	6	9	17	< 5	0.77	< 1	22	52	131	2.92	0.07	12	1.35	318	< 1	0.01	29	961	26	23	< 20	19	0.04	< 10	58	< 10	< 1	37
318.6	89L SR 105	<.2	1.43	114	9	19	< 5	0.67	< 1	41	111	282	4.49	0.07	18	1.52	303	< 1	0.02	39	1169	21	33	< 20	17	0.03	< 10	93	< 10	< 1	35
318.7	89L SR 106	<.2	1.18	624	9	15	< 5	3.65	< 1	35	58	169	4.05	0.12	18	1.58	712	< 1	0.01	32	1027	14	60	< 20	365	0.02	< 10	63	< 10	< 1	29
318.8	89L SR 107	<.2	2.43	111	9	26	< 5	0.42	< 1	48	114	140	6.40	0.06	26	2.26	744	1	<.01	39	854	34	57	< 20	17	0.03	11	125	< 10	< 1	57
318.9	89L SR 108	<.2	1.75	34	11	15	< 5	0.55	< 1	39	85	298	5.49	0.06	22	1.71	498	< 1	<.01	37	901	24	48	< 20	10	0.03	< 10	119	< 10	< 1	33
318.10	89L SR 109	<.2	0.86	60	10	20	< 5	7.05	< 1	29	58	133	3.35	0.11	15	2.06	735	< 1	<.01	34	761	12	38	< 20	414	<.01	< 10	54	< 10	< 1	48
318.11	89L SR 110	<.2	2.06	13	10	13	< 5	1.90	< 1	27	40	110	4.51	0.04	17	1.84	605	< 1	0.03	23	1047	28	39	< 20	52	0.03	< 10	96	< 10	< 1	52
318.12	89L SR 111	<.2	2.21	7	8	< 5	5	6.79	< 1	22	160	49	3.86	0.05	18	2.46	932	< 1	<.01	77	875	31	44	< 20	176	<.01	< 10	97	< 10	< 1	45
318.13	89L SR 112	<.2	1.47	7	9	7	< 5	0.68	< 1	21	92	87	2.49	0.04	13	1.39	397	< 1	0.03	26	786	30	25	< 20	19	0.05	< 10	65	< 10	1	39
318.14	89L SR 113	<.2	1.70	8	10	18	7	1.00	< 1	21	40	103	3.61	0.05	16	1.51	508	< 1	0.02	21	1077	28	30	< 20	28	0.03	< 10	98	< 10	< 1	47
318.15	89L SR 114	<.2	1.29	11	10	6	< 5	1.12	< 1	51	43	198	3.39	0.04	13	1.24	386	< 1	0.02	24	1128	23	27	< 20	24	0.02	< 10	65	< 10	< 1	53
318.16	89L SR 115	<.2	2.35	9	9	10	< 5	0.92	< 1	39	54	76	4.44	0.02	17	2.21	699	< 1	0.01	27	1156	40	31	< 20	21	0.02	< 10	117	< 10	< 1	119
318.17	89L SR 116	<.2	1.61	6	10	40	6	0.92	< 1	27	38	102	4.97	0.12	18	0.94	542	< 1	0.01	19	552	20	30	< 20	24	0.05	< 10	176	< 10	< 1	27
318.18	89L SR 117	<.2	0.87	7	8	15	< 5	1.05	< 1	< 1	26	2	0.16	0.11	< 10	0.04	38	2	0.01	< 1	92	17	< 5	< 20	47	<.01	< 10	3	< 10	< 1	2
318.19	89L SR 118	<.2	1.18	< 5	9	20	< 5	7.32	< 1	13	19	205	3.08	0.11	19	1.08	862	< 1	<.01	7	1401	14	24	< 20	433	<.01	< 10	58	< 10	5	26
318.20	89L SR 119	<.2	1.54	< 5	10	20	< 5	1.44	< 1	16	29	33	3.58	0.08	18	1.09	468	< 1	0.01	3	1789	24	25	< 20	28	0.03	< 10	95	< 10	3	22

CORONA CORPORATION
 ETK 89-318A
 Page 2
 July 24, 1989

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
318.21	89L SR 120	<.2	1.33	< 5	9	22	< 5	1.98	< 1	14	30	45	3.28	0.08	16	0.96	397	< 1	0.02	5	1591	21	26	< 20	42	0.03	< 10	97	< 10	2	22
318.22	89L SR 121	<.2	1.49	< 5	10	231	< 5	0.98	< 1	22	20	136	4.40	0.09	21	1.29	530	< 1	0.02	9	1590	23	29	< 20	61	0.04	< 10	138	< 10	2	34
318.23	89L SR 122	<.2	2.21	8	11	71	6	1.66	< 1	29	23	98	5.30	0.11	22	1.30	406	< 1	0.03	12	2072	28	35	< 20	76	0.06	< 10	185	< 10	< 1	28
318.24	89L SR 123	<.2	2.10	6	11	100	< 5	1.25	< 1	28	25	142	5.50	0.20	24	1.09	376	< 1	0.03	12	1926	26	32	< 20	57	0.06	< 10	192	< 10	< 1	31
318.25	89L SR 124	<.2	2.60	13	11	62	6	2.65	< 1	36	181	128	6.48	0.13	27	2.37	780	< 1	0.02	38	1206	30	46	< 20	118	0.07	< 10	210	< 10	< 1	70
318.26	74001	<.2	1.38	49	9	34	< 5	1.84	< 1	20	80	63	3.06	0.05	13	1.58	391	< 1	0.01	48	687	23	31	< 20	36	0.02	< 10	54	< 10	< 1	30
318.27	74002	3.6	0.61	1878	8	68	< 5	3.27	< 1	37	57	133	6.98	0.15	28	1.10	1137	1	<.01	44	1293	8	69	< 20	189	<.01	< 10	46	< 10	4	46
318.28	74003	0.2	0.09	887	11	12	6	3.18	< 1	5	176	8	2.10	0.02	< 10	1.16	633	12	<.01	11	418	5	26	< 20	321	<.01	< 10	8	< 10	< 1	14
318.29	74004	1.5	0.21	1269	9	31	5	7.59	< 1	20	23	68	5.29	0.16	22	2.51	1007	< 1	<.01	24	1042	< 2	63	< 20	503	<.01	< 10	16	< 10	< 1	29
318.30	74401	<.2	0.21	78	9	24	< 5	4.86	< 1	24	116	23	4.13	0.03	15	1.34	1413	6	<.01	61	201	310	37	< 20	348	<.01	< 10	22	< 10	< 1	674
318.31	74402	3.2	0.23	98	9	28	< 5	2.49	8	24	91	32	4.36	0.65	16	0.49	1064	5	<.01	67	357	1733	26	< 20	142	<.01	< 10	18	< 10	< 1	450
318.32	74403	1.0	0.32	86	10	48	< 5	0.17	3	26	119	32	4.04	0.04	15	0.15	1286	9	<.01	69	557	184	19	< 20	22	<.01	< 10	16	< 10	< 1	217
318.33	74404	<.2	1.57	83	8	80	< 5	0.88	< 1	30	111	165	4.90	0.10	22	1.29	537	1	0.01	32	1286	32	34	< 20	26	0.01	< 10	111	< 10	1	46

NOTE: < = Less than

Douglas Howard
 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-349A

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RANSOM

AUGUST 3, 1989

PROJECT # 1056 SHIPMENT # 5
 21 ROCK SAMPLES RECEIVED JUNE 20, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SR	SN	SR	TI(%)	U	V	W	Y	ZN
349 - 1	74005	.2	2.35	20	<2	40	<5	.48	<1	22	71	60	5.53	.11	10	1.88	994	<1	.06	21	1410	14	10	<20	16	.03	10	183	<10	12	107
349 - 2	74006	.2	1.83	5	<2	35	<5	1.90	<1	29	168	93	4.01	.07	<10	2.13	437	3	.05	93	1440	8	15	<20	37	.09	20	150	<10	5	51
349 - 3	74007	1.2	2.72	25	<2	10	<5	1.18	<1	265	72	2120	11.13	.03	<10	1.65	1129	9	.03	55	1800	16	20	<20	20	.03	10	229	<10	6	104
349 - 4	74008	.2	.33	205	6	45	<5	.62	<1	11	87	26	3.52	.14	<10	.07	805	9	.06	10	900	10	10	<20	26	<.01	<10	13	<10	10	23
349 - 5	74009	.6	.38	1175	<2	30	<5	3.44	<1	58	192	63	4.94	.05	<10	2.42	1910	6	.05	667	1210	16	5	<20	133	<.01	10	23	<10	5	105
349 - 6	74010	1.4	.18	2295	<2	40	<5	4.41	<1	79	198	148	4.99	.03	<10	2.52	2491	13	.04	1225	560	60	10	<20	212	<.01	10	8	<10	3	88
349 - 7	74011	.4	.10	60	<2	90	<5	.07	<1	4	248	25	1.35	<.01	<10	.02	892	14	.04	19	290	42	<5	<20	6	<.01	10	4	<10	2	27
349 - 8	74405	.2	.02	15	<2	5	<5	.02	<1	2	211	4	.69	<.01	<10	<.01	161	19	.04	11	110	8	<5	<20	3	<.01	<10	3	<10	<1	33
349 - 9	74406	1.4	.26	350	<2	140	<5	1.78	<1	7	82	33	3.85	.07	<10	.86	2955	10	.04	71	420	26	5	<20	85	<.01	10	11	<10	8	153
349 - 10	74407	1.4	.30	145	<2	95	<5	.10	1	18	88	69	5.54	.07	<10	.01	968	21	.04	74	790	26	5	<20	13	<.01	<10	7	<10	6	220
349 - 11	74408	.6	.05	25	<2	25	<5	.03	<1	4	177	46	1.43	.02	<10	<.01	270	17	.03	20	160	10	<5	<20	5	<.01	10	3	<10	1	78
349 - 12	74409	1.0	.15	45	<2	65	<5	.07	<1	11	136	40	2.64	.05	<10	<.01	1140	27	.04	28	350	22	<5	<20	13	<.01	<10	11	<10	2	136
349 - 13	74410	.6	.13	45	<2	35	<5	.03	<1	6	47	44	2.95	.05	<10	<.01	276	17	.03	39	350	16	<5	<20	5	<.01	10	6	<10	2	103
349 - 14	74411	.6	.44	195	<2	80	<5	4.44	<1	17	83	45	4.51	.06	<10	1.87	1588	7	.05	138	1230	18	5	<20	231	<.01	20	11	<10	6	65
349 - 15	74412	1.8	.23	255	<2	190	<5	.22	<1	24	91	101	3.97	.07	<10	.05	4864	7	.03	63	440	70	5	<20	36	<.01	20	13	<10	4	104
349 - 16	74413	.8	.31	115	<2	50	<5	4.12	<1	43	55	56	6.13	.03	<10	1.47	2234	5	.06	66	1330	18	5	<20	101	<.01	20	25	<10	10	94
349 - 17	74414	.8	.27	115	<2	75	<5	2.30	<1	26	75	84	4.50	.05	<10	.78	1146	5	.06	50	880	32	<5	<20	57	<.01	10	14	<10	5	94
349 - 18	74415	.2	.21	45	<2	85	<5	.03	<1	11	66	41	3.62	.05	<10	<.01	2320	5	.05	28	350	22	<5	<20	5	<.01	10	4	<10	1	98
349 - 19	74416	.6	.34	200	<2	75	<5	4.93	<1	21	46	52	5.17	.06	<10	1.44	2586	2	.05	153	2540	16	5	<20	140	<.01	<10	10	<10	7	145
349 - 20	74417	.6	.61	75	<2	70	<5	.17	<1	16	213	30	3.24	.04	<10	.09	2394	20	.05	66	840	22	5	<20	14	<.01	10	13	<10	4	86
349 - 21	74418	.2	.17	25	<2	50	<5	.06	<1	6	219	5	1.74	.02	<10	.01	652	14	.04	15	370	14	<5	<20	7	<.01	<10	11	<10	1	26

NOTE: < = LESS THAN

CC: CHRIS MCATEE, LIKELY
 VCR
 FAX: VCR

Douglas Howard
 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

SC89/1056

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-374A

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RAMSON

SHIPMENT #6
 PROJECT # 1056 - P.O.# 89-0051
 32 ROCK SAMPLES RECEIVED JUNE 28, 1989

JULY 27, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED
 PAGE 1

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	Ni	P	PB	SB	SN	SR	Ti(Z)	U	V	W	Y	ZN
374 - 1	74012	2.0	.51	190	<2	70	<5	.15	<1	26	129	118	4.84	.06	10	.28	1800	24	.03	50	350	46	5	<20	15	<.01	10	14	10	4	94
374 - 2	74013	2.4	.32	410	<2	40	<5	.14	<1	55	120	201	8.94	.05	<10	.06	525	42	.03	115	540	48	15	<20	12	<.01	<10	34	10	3	194
374 - 3	74014	15.8	.07	15	<2	205	<5	.85	<1	5	177	21	1.78	.02	<10	.12	>10000	10	.03	15	390	20	10	<20	219	<.01	30	28	<10	3	27
374 - 4	74015	2.6	.22	60	<2	85	<5	.17	<1	27	302	66	3.42	.01	<10	.06	3877	24	.03	53	360	42	5	20	17	<.01	20	20	<10	4	49
374 - 5	74016	3.0	.27	35	<2	80	<5	.46	<1	16	92	46	5.56	.02	10	.03	>10000	6	.04	57	490	18	5	<20	28	<.01	30	11	<10	6	88
374 - 6	74017	.2	.16	20	<2	60	<5	.41	<1	14	349	46	1.15	.01	<10	.01	1890	26	.03	39	1580	20	<5	<20	61	<.01	<10	12	<10	7	30
374 - 7	74018	2.2	.26	25	<2	115	<5	2.32	<1	13	142	51	5.21	.03	10	.38	>10000	11	.04	41	1660	36	5	<20	81	<.01	30	21	10	11	162
374 - 8	74019	.4	2.15	15	<2	25	<5	1.49	<1	38	163	41	4.74	.01	10	2.62	1094	5	.04	121	1100	14	5	<20	15	.07	<10	123	10	4	62
374 - 9	74020	1.2	.82	30	<2	95	<5	4.10	<1	22	85	53	5.27	.08	10	.70	1695	6	.04	83	1270	16	<5	<20	30	<.01	20	19	20	6	102
374 - 10	74021	.2	2.01	25	<2	35	<5	2.09	<1	37	162	98	4.85	.04	<10	2.67	783	3	.04	136	1360	12	5	<20	52	.05	20	129	10	6	49
374 - 11	74022	.4	.72	45	<2	40	<5	1.20	<1	21	54	110	5.86	.09	10	1.50	617	6	.03	48	1770	16	10	<20	51	<.01	<10	111	10	9	124
374 - 12	74023	1.2	.16	380	<2	40	<5	3.35	<1	21	15	154	5.95	.08	10	1.34	659	<1	.04	19	1000	22	20	<20	174	<.01	<10	30	<10	7	37
374 - 13	74024	.2	1.52	15	<2	55	<5	.37	<1	9	75	102	6.14	.11	10	1.36	272	4	.06	31	1330	16	5	<20	10	<.01	20	157	<10	8	37
374 - 14	74419	.4	.13	15	<2	20	<5	.07	<1	6	153	6	1.91	.01	<10	.05	807	12	.03	14	300	12	<5	<20	6	<.01	<10	12	<10	3	22
374 - 15	74420	.2	.08	15	<2	40	<5	.02	<1	4	164	4	.96	.02	<10	.02	329	11	.02	10	100	10	<5	<20	2	<.01	<10	8	<10	1	9
374 - 16	74421	.6	.61	145	<2	95	<5	.21	<1	49	80	3	3.86	.07	10	.17	2244	4	.03	107	1590	18	5	<20	16	<.01	20	39	20	9	107
374 - 17	74422	.4	.10	35	<2	45	<5	.64	<1	9	238	5	2.62	.03	<10	.14	1149	15	.03	25	420	12	<5	<20	24	<.01	<10	14	<10	3	21
374 - 18	74423	.6	.13	25	<2	35	<5	.82	<1	8	74	19	1.90	.04	<10	.31	609	9	.05	21	270	10	<5	<20	25	<.01	<10	10	<10	3	15
374 - 19	74424	.4	.08	55	<2	20	<5	.02	<1	6	64	33	1.50	.01	<10	.01	315	4	.04	19	140	12	<5	<20	2	<.01	<10	9	<10	1	14
374 - 20	74425	.4	.80	40	<2	60	<5	2.62	<1	29	54	9	7.13	.03	10	1.62	2041	6	.06	13	2040	16	10	<20	56	<.01	30	53	10	13	76
374 - 21	74426	.2	1.49	25	<2	65	<5	6.89	<1	23	85	11	6.28	.01	10	1.65	2114	5	.03	13	1810	26	10	<20	76	<.01	30	91	10	14	65
374 - 22	74427	.4	.15	10	<2	65	<5	.10	<1	9	146	3	2.21	.01	<10	.05	1048	11	.03	6	300	14	5	<20	4	<.01	30	11	<10	3	38
374 - 23	74428	.4	.35	40	<2	90	<5	.08	<1	9	64	57	3.11	.03	10	.08	1069	5	.03	28	450	36	<5	<20	5	<.01	30	10	10	3	39
374 - 24	74429	<.2	.42	20	<2	75	<5	.09	<1	7	29	38	1.71	.01	<10	.10	560	2	.03	12	300	18	5	20	5	<.01	30	10	<10	3	22
374 - 25	74430	.4	.40	25	<2	60	<5	.15	<1	15	183	11	3.42	.02	<10	.09	1190	9	.03	11	670	22	5	<20	9	<.01	30	20	<10	8	31
374 - 26	74431	.4	.35	25	<2	80	<5	.30	<1	17	177	7	5.23	.03	<10	.09	1866	14	.04	10	1200	16	5	<20	14	<.01	30	19	10	11	42

PAGE 2


ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
374 - 27	74432	.6	.23	65	<2	145	<5	1.16	<1	21	115	2	3.51	.06	<10	.44	2667	5	.03	43	470	22	5	<20	48	<.01	80	7	<10	4	83
374 - 28	74433	<.2	.22	25	<2	60	<5	3.16	<1	16	26	25	4.13	.03	<10	.61	1144	1	.05	17	940	24	5	<20	73	<.01	90	10	<10	5	82
374 - 29	74434	.2	2.55	5	<2	40	<5	1.84	<1	19	53	120	4.37	.04	<10	1.62	564	3	.06	25	1630	20	10	<20	23	.10	80	120	10	5	83
374 - 30	74435	1.0	4.55	40	<2	15	<5	.42	<1	58	504	591	10.58	.05	<10	5.59	726	3	.03	110	1380	24	20	<20	9	.12	80	227	10	8	74
374 - 31	74436	2.2	2.84	15	<2	25	<5	2.82	<1	45	130	672	6.69	.05	<10	2.26	742	6	.03	49	1590	66	10	<20	58	.07	40	150	160	7	2566
374 - 32	74437	.6	2.020	40	<2	15	<5	1.22	<1	32	120	138	5.31	.04	<10	1.76	568	<1	.05	44	1290	44	10	<20	16	.07	30	112	20	5	108

NOTE: < = LESS THAN

CC: C. MCATTEE, LIKELY

FAX: MARK TINDALL

SC89/1056



ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-391A

10041 EAST TRANS CANADA HWY.
KAMLOOPS, B.C. V2C 2J3
PHONE - 604-573-5700
FAX - 604-573-4557

1440, 800 WEST PENDER STREET
VANCOUVER, B.C. V6C 2V6
ATTENTION: TONY RANSOM MARK TINDALL

AUGUST 2, 1989


PROJECT # 1056 - P.O.# 8595 - SHIPMENT #7
22 ROCK SAMPLES RECEIVED JULY 4, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	P	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
391 A- 1	74438	.8	.39	160	<2	65	<5	5.22	<1	38	36	105	7.58	.10	10	2.28	1524	4	.05	47	1330	24	10	<20	301	<.01	30	50	<10	12	95
391 A- 2	74439	.2	1.70	55	<2	115	<5	2.82	<1	27	89	62	5.80	.14	10	1.32	1161	7	.06	20	940	8	15	<20	79	<.01	20	116	<10	12	88
391 A- 3	74440	.4	1.48	25	10	60	<5	1.46	<1	11	50	45	4.77	.10	10	1.08	564	5	.06	1	1530	10	10	<20	46	.09	20	123	<10	10	26
391 A- 4	74441	.8	.59	140	4	50	<5	5.92	<1	42	41	516	6.34	.14	10	.75	1554	10	.05	41	1430	16	20	<20	196	<.01	20	47	<10	12	76
391 A- 5	74442	.4	2.41	225	4	45	<5	5.17	<1	52	173	278	6.56	.10	<10	2.35	865	6	.05	64	1560	12	15	<20	285	.09	30	214	<10	8	66
391 A- 6	74443	1.0	2.54	15	10	20	<5	3.02	<1	53	68	933	6.79	.04	10	1.15	346	7	.05	39	1570	8	15	<20	41	.12	<10	128	10	6	40
391 A- 7	74444	.8	2.24	30	16	20	<5	3.73	<1	45	79	323	6.37	.06	10	1.63	759	7	.03	49	1370	2	15	<20	86	.18	<10	214	<10	10	99
391 A- 8	74445	.4	.28	10	12	30	<5	5.89	<1	32	24	18	3.82	.08	20	2.69	888	4	.05	85	1230	12	15	<20	194	<.01	<10	11	<10	11	36
391 A- 9	74446	.4	.41	200	6	75	<5	2.51	<1	12	38	48	3.02	.11	<10	.80	1238	6	.04	110	1550	16	5	<20	95	<.01	<10	8	<10	5	108
391 A- 10	74447	.6	.99	30	10	70	<5	3.41	<1	23	56	51	5.57	.13	10	1.24	1591	5	.03	19	1420	10	20	<20	222	<.01	30	75	<10	11	105
391 A- 11	74448	.6	.70	2310	<2	60	<5	7.17	<1	29	38	60	6.82	.08	<10	.85	1581	7	.05	10	1100	22	10	<20	610	<.01	20	27	<10	12	87
391 A- 12	74449	1.0	.45	265	<2	65	<5	3.97	<1	20	98	88	5.21	.09	<10	.74	1205	9	.03	11	1180	24	10	<20	215	<.01	20	17	<10	9	97
391 A- 13	74450	.2	.03	20	<2	30	<5	6.08	<1	21	29	18	3.06	.01	<10	2.60	723	4	.06	69	1030	16	5	<20	4	<.01	<10	8	<10	13	29
391 A- 14	74451	.8	.33	360	2	40	<5	5.92	<1	23	65	117	5.98	.05	<10	.40	1205	5	.04	11	1020	22	10	<20	155	<.01	20	23	<10	8	83
391 A- 15	74452	1.2	.50	135	2	45	<5	5.85	<1	27	33	131	7.17	.07	<10	.61	1384	7	.04	7	1330	22	10	<20	191	<.01	10	27	<10	9	112
391 A- 16	74453	3.8	.29	780	2	35	<5	4.50	<1	22	163	133	5.70	.09	<10	.21	1057	12	.04	12	1050	26	5	<20	120	<.01	10	16	<10	8	74
391 A- 17	74454	1.0	.33	640	<2	45	<5	4.96	<1	25	87	160	6.31	.12	<10	.63	1185	5	.05	8	1020	18	15	<20	171	<.01	20	18	<10	8	140
391 A- 18	74455	.6	.40	315	6	55	<5	5.44	<1	27	54	142	6.64	.13	10	.34	1270	5	.04	7	1290	20	10	<20	165	<.01	20	19	<10	8	77
391 A- 19	74456	11.6	.29	1490	2	45	<5	5.30	<1	20	97	211	5.73	.10	<10	.27	1081	8	.05	7	1020	30	30	<20	198	<.01	20	15	<10	8	99
391 A- 20	74457	3.0	.73	1365	6	40	<5	4.89	<1	29	90	144	6.69	.09	<10	.50	1233	7	.04	9	1140	28	10	<20	185	.01	30	32	<10	9	114
391 A- 21	74458	.6	2.22	120	4	55	<5	4.02	<1	34	41	145	7.07	.04	10	1.60	1401	5	.05	10	1480	12	20	<20	140	.11	30	126	<10	11	103
391 A- 22	74459	3.2	.48	970	<2	45	<5	4.62	<1	26	133	173	6.88	.09	<10	.21	1254	6	.05	11	1320	22	15	<20	203	<.01	30	21	<10	9	145

NOTE: < = LESS THAN

CC: MARK TINDALL
VCR
FAX: VCR



ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

SC89/1056#2

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-425A

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RANSON

AUGUST 10, 1989

PROJECT # 1056 - P.O. # 8595 - SHIPMENT #8A
 29 ROCK SAMPLES RECEIVED JULY 10, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SM	SR	TI(Z)	U	V	W	Y	ZN
425 A- 1	74025	.4	.20	1180	<2	50	<5	7.72	<1	26	44	58	5.64	.13	<10	2.21	1439	4	.05	22	1200	10	25	<20	355	<.01	60	25	<10	15	75
425 A- 2	74460	.4	.70	50	<2	25	<5	3.28	<1	33	38	58	6.13	.09	<10	1.22	1239	4	.11	23	960	10	5	<20	103	<.01	40	65	<10	10	84
425 A- 3	74461	.2	1.86	10	<2	25	<5	1.23	<1	18	24	27	4.52	.07	<10	.81	242	3	.08	4	1210	8	10	<20	156	.12	20	138	<10	4	16
425 A- 4	74462	.2	2.75	20	<2	5	<5	1.75	<1	33	20	30	6.64	.03	<10	.74	338	<1	.05	4	1290	12	10	<20	63	.09	20	143	<10	3	22
425 A- 5	74463	.2	2.15	15	<2	5	<5	1.72	<1	34	37	<1	4.37	.03	<10	1.01	392	2	.06	6	1060	10	10	<20	69	.07	60	142	<10	4	18
425 A- 6	74464	.2	.83	10	<2	5	<5	1.12	<1	55	25	437	4.51	.07	<10	.36	133	3	.07	14	1990	12	5	<20	23	.03	40	60	<10	5	17
425 A- 7	74465	.4	1.64	5	<2	30	<5	.93	<1	39	71	382	5.03	.11	<10	1.32	449	5	.08	25	1580	8	5	<20	40	.11	50	199	<10	6	64
425 A- 8	74466	.4	1.18	175	<2	40	<5	.59	<1	31	84	138	8.89	.12	10	.55	730	9	.05	56	1400	18	15	<20	64	<.01	50	203	<10	13	123
425 A- 9	74467	2.0	.43	100	<2	65	<5	.06	<1	10	83	60	5.45	.05	<10	.02	530	45	.04	33	520	66	5	<20	13	<.01	30	64	<10	7	120
425 A- 10	74468	29.2	.09	95	<2	<5	<5	.01	<1	2	120	21	1.63	.02	<10	<.01	109	12	.04	10	150	350	10	<20	3	<.01	<10	6	<10	1	83
425 A- 11	74469	.8	.38	70	<2	30	<5	4.82	<1	29	29	72	6.18	.05	<10	1.64	1195	4	.08	11	930	24	10	<20	129	<.01	50	38	<10	8	91
425 A- 12	74470	.8	.11	155	<2	10	<5	7.03	<1	13	106	20	2.61	.03	<10	1.42	733	7	.05	47	350	24	5	<20	773	<.01	20	19	<10	4	51
425 A- 13	74471	.4	.19	105	<2	40	<5	1.40	<1	17	84	42	5.42	.09	<10	.13	771	4	.05	20	540	30	<5	<20	27	<.01	70	11	<10	5	124
425 A- 14	74472	.2	.23	60	<2	50	<5	4.31	<1	22	25	33	5.65	.16	10	1.11	1224	1	.08	3	770	12	5	<20	98	<.01	40	15	<10	7	76
425 A- 15	74473	.4	.27	165	<2	20	<5	10.43	<1	14	23	35	2.54	.05	<10	.54	569	1	.05	16	420	10	<5	<20	462	<.01	40	17	<10	5	41
425 A- 16	74474	.4	1.72	45	<2	15	<5	1.99	<1	42	139	203	6.33	.06	<10	1.34	640	3	.06	50	1430	12	5	<20	66	.06	30	193	<10	4	47
425 A- 17	74475	.2	1.79	5	<2	15	<5	.98	<1	33	78	78	4.27	.05	<10	1.92	544	3	.08	55	1090	10	5	<20	18	.11	30	91	<10	5	78
425 A- 18	74476	1.0	.42	315	<2	35	<5	1.92	<1	36	38	218	5.91	.21	10	.63	1141	1	.06	11	1710	20	25	<20	130	<.01	40	31	<10	11	73
425 A- 19	74477	.4	2.36	10	<2	20	<5	5.07	<1	51	112	29	7.98	.07	<10	3.64	987	1	.06	43	1190	18	15	<20	83	<.01	70	309	<10	8	60
425 A- 20	74478	.4	1.73	10	<2	60	<5	4.86	<1	28	50	324	6.13	.07	<10	3.16	1286	1	.05	26	850	14	5	<20	97	<.01	70	194	<10	7	60
425 A- 21	74479	.8	.44	65	<2	30	<5	8.38	<1	28	49	125	5.47	.13	<10	3.17	944	10	.04	42	1240	15	35	<20	259	<.01	10	46	<10	11	43
425 A- 22	74480	.8	.14	15	<2	20	<5	3.24	<1	6	131	32	1.95	.06	<10	.70	465	13	.04	7	560	18	25	<20	104	<.01	40	11	<10	5	22
425 A- 23	74481	.4	.42	15	<2	85	<5	4.84	<1	17	32	8	5.62	.17	10	.49	777	4	.04	16	1850	10	25	<20	84	<.01	60	20	<10	11	36
425 A- 24	74482	.8	.28	115	<2	45	<5	8.24	<1	36	62	185	5.87	.11	10	2.31	1314	7	.04	47	1430	42	90	<20	273	<.01	30	32	10	14	214
425 A- 25	74483	1.2	.18	160	<2	25	<5	11.40	<1	38	93	58	5.57	.09	<10	4.53	1631	9	.04	84	800	84	40	<20	460	<.01	30	41	10	10	147

PAGE 2

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
425 A- 26	74484	.6	.24	45	<2	15	<5	7.41	<1	20	65	27	4.29	.10	<10	2.36	1125	7	.04	21	1300	18	15	<20	338	<.01	60	21	<10	9	75
425 A- 27	74485	.4	.36	<5	<2	10	<5	6.32	<1	69	109	64	10.41	.08	<10	3.75	941	8	.05	117	1400	12	15	<20	87	<.01	60	98	<10	8	42
425 A- 28	74486	.8	.21	15	<2	10	<5	5.47	<1	34	35	49	6.51	.10	<10	2.29	931	8	.04	24	1630	12	10	<20	89	<.01	60	22	<10	11	50
425 A- 29	74487	.8	.27	5	<2	15	<5	3.90	<1	61	23	17	8.87	.11	<10	1.47	698	8	.04	20	1590	10	15	<20	80	<.01	50	21	<10	13	42

NOTE: < = LESS THAN

CC: MARK TINDALL
VCR
FAX: VCR

Douglas Howard
ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

SC89/105613

Eco-Tech Laboratories Ltd.
 10041 E. Trans Canada Hwy.
 Kamloops, B.C.
 V2C 2J3
 July 25, 1989

CORONA CORPORATION
 #1440, 800 West Pender St.
 Vancouver, B.C.
 V6C 2V6
 ATTN: ~~Berret Johnson~~ Mark Tindall
 PROJECT: 1054


CERTIFICATE OF ANALYSIS ETK 89-448A
 9 Rock Samples, received July 17/89

All values in PPM unless otherwise reported

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
448.1	74488	< 2	1.44	< 5	9	36	8	1.91	< 1	12	27	53	4.81	0.06	16	0.96	505	< 1	0.02	2	1347	22	28	< 20	56	0.04	< 10	92	< 10	4	32
448.2	74489	< 2	1.16	< 5	7	11	< 5	2.02	< 1	15	41	95	3.27	0.02	< 10	1.01	546	1	< 0.01	3	845	8	22	< 20	61	0.02	< 10	27	< 10	< 1	31
448.3	74490	< 2	2.17	< 5	8	52	6	1.04	< 1	24	38	101	7.23	0.09	16	1.46	520	< 1	0.02	15	1186	3	31	< 20	80	0.08	< 10	154	< 10	1	30
448.4	74491	< 2	1.03	1344	6	90	< 5	0.79	40	21	56	125	7.43	0.09	18	0.56	600	12	< 0.01	42	1055	< 2	53	< 20	60	< 0.01	< 10	83	< 10	3	89
448.5	A74492-1	< 2	2.14	7	7	31	< 5	0.77	1	95	48	1072	> 15.00	0.02	37	1.05	678	< 1	< 0.01	34	1006	< 2	63	< 20	12	0.03	11	118	< 10	< 1	33
448.6	B74492-2	< 2	0.10	52	6	21	< 5	0.05	2	7	119	26	2.17	0.03	< 10	0.01	593	7	< 0.01	17	286	36	8	< 20	4	< 0.01	< 10	3	< 10	< 1	26
448.7	A74493-3	17.0	0.11	62	7	7	< 5	0.05	2	7	171	65	2.33	< 0.01	< 10	0.04	549	10	< 0.01	17	74	4782	13	< 20	< 1	< 0.01	< 10	6	< 10	< 1	67
448.8	B74493-4	2.3	0.13	3332	7	14	< 5	3.33	97	13	132	51	4.24	0.05	< 10	0.66	629	7	< 0.01	33	502	43	35	< 20	225	< 0.01	< 10	11	< 10	< 1	15
448.9	74494	< 2	0.44	69	7	15	< 5	0.60	2	7	59	38	3.08	0.08	13	0.17	318	3	0.01	4	548	10	20	< 20	18	< 0.01	< 10	13	< 10	3	11

NOTE: > = Greater than
 < = Less than

A74492 = No Tag (Rusty colored)
 B74492 = Tag said 92, Plastic Bag said 93
 A74493 = Tag and Bag said 93
 B74493 = No Tag (Rusty colored, Bag said 93)



 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

ECO-TECH LABORATORIES LTD.

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

CORONA CORPORATION - ETK 89-224A

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RANSOM



JUNE 5, 1989

PROJECT # 1056 - P.O.# 8595 - SHIPMENT #1
 B1 SOIL SAMPLES RECEIVED MAY 15, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED
 PAGE 1

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
224 - 1	B.L. 60 W 432 + 25W	.1	2.77	70	8	80	<5	.41	2	25	76	88	5.07	.06	10	.90	349	5	.03	42	740	14	15	<20	24	.09	20	130	<10	4	109
224 - 2	B.L. 60 W 432 + 50W	<0.1	4.01	75	4	245	<5	1.19	4	34	133	306	7.19	.11	20	.90	3841	6	.04	91	890	22	25	<20	62	.14	<10	142	<10	29	156
224 - 3	B.L. 60 W 432 + 75W	2.3	1.84	35	6	60	<5	.52	2	20	52	45	3.74	.05	10	.74	476	3	.03	25	1150	8	10	<20	23	.10	10	99	<10	4	100
224 - 4	B.L. 60 W 433 + 25W	.2	2.33	50	8	65	<5	.54	2	24	67	90	4.60	.05	10	1.14	472	4	.03	40	1180	12	15	<20	21	.12	<10	125	<10	6	79
224 - 5	B.L. 60 W 433 + 50W	<0.1	2.17	50	8	70	<5	.44	2	25	68	81	4.45	.05	<10	1.15	468	3	.03	37	1210	8	5	<20	17	.11	20	124	<10	4	85
224 - 6	B.L. 60 W 433 + 75W	<0.1	2.46	45	6	80	<5	.48	2	29	72	82	4.31	.05	10	1.03	783	2	.03	32	1370	10	10	<20	20	.10	20	128	<10	4	111
224 - 7	B.L. 60 W 434 + 25W	<0.1	2.81	40	6	55	<5	.36	2	26	73	63	4.56	.04	10	1.01	283	2	.03	39	810	10	5	<20	18	.11	<10	125	<10	4	88
224 - 8	B.L. 60 W 434 + 50W	.3	1.88	35	4	50	<5	.42	2	22	51	32	3.86	.05	10	.64	449	3	.03	20	2040	10	5	<20	18	.09	<10	122	<10	3	87
224 - 9	B.L. 60 W 434 + 75W	.1	2.53	35	6	55	<5	.39	2	25	72	65	4.50	.06	10	.97	385	2	.03	36	910	8	10	<20	18	.10	<10	120	<10	6	87
224 - 10	B.L. 60 W 435 + 00W	.3	2.20	45	4	85	<5	.49	1	28	70	67	4.52	.06	10	1.10	731	1	.03	36	1020	10	10	<20	23	.10	<10	113	<10	5	77
224 - 11	B.L. 60 W 435 + 25W	.2	1.73	20	4	105	<5	.56	1	23	47	33	3.68	.07	<10	.71	986	2	.04	21	1400	12	10	<20	22	.09	<10	106	<10	3	74
224 - 12	B.L. 60 W 435 + 50W	.3	2.67	30	4	75	<5	.47	1	25	70	49	4.98	.07	10	.94	289	4	.03	38	1340	12	10	<20	21	.11	<10	131	<10	4	87
224 - 13	B.L. 60 W 435 + 75W	.4	2.06	30	5	55	<5	.60	2	22	65	55	4.03	.06	10	1.08	352	2	.03	36	870	14	5	<20	22	.10	<10	108	<10	5	73
224 - 14	B.L. 60 W 436 + 25W	.5	2.33	25	2	75	<5	.43	1	20	68	56	4.00	.05	10	.96	494	3	.03	31	590	10	5	<20	20	.08	<10	116	<10	8	69
224 - 15	B.L. 60 W 436 + 50W	.7	2.27	25	4	65	<5	.37	1	25	67	56	4.15	.05	10	1.08	328	2	.02	32	730	10	5	<20	16	.09	<10	113	<10	4	79
224 - 16	B.L. 60 W 436 + 75W	.5	2.16	30	2	65	<5	.44	1	21	69	63	3.89	.06	10	.95	449	2	.03	31	740	10	5	<20	18	.09	<10	98	<10	5	71
224 - 17	B.L. 60 W 437 + 25W	.3	1.98	30	4	60	<5	.41	1	22	61	61	4.29	.05	10	.96	371	1	.03	32	830	12	5	<20	18	.08	<10	100	<10	4	65
224 - 18	B.L. 60 W 437 + 50W	.4	1.96	25	4	40	5	.28	1	19	56	54	3.98	.03	10	.80	261	2	.03	32	650	10	<5	<20	14	.08	<10	91	<10	4	71
224 - 19	B.L. 60 W 437 + 75W	.5	1.79	30	6	55	<5	.48	1	20	59	55	3.65	.04	10	.96	467	1	.03	30	810	10	5	<20	20	.08	<10	87	<10	6	62
224 - 20	L 432 W 51 + 50W	.5	1.49	25	<2	45	<5	.66	1	12	35	19	2.61	.03	10	.46	158	2	.02	18	330	10	<5	<20	33	.05	<10	52	<10	4	58
224 - 21	L 432 W 51 + 75W	1	1.89	70	2	45	5	.85	3	19	50	34	3.50	.03	10	.53	242	3	.03	28	330	12	<5	<20	37	.05	<10	58	<10	8	59
224 - 22	L 432 W 52 + 00W	.7	1.54	25	2	60	<5	.32	1	14	37	24	2.52	.05	10	.55	561	1	.02	21	500	10	<5	<20	19	.05	<10	46	<10	5	103
224 - 23	L 432 W 52 + 25W	.6	1.49	40	2	100	<5	.63	1	20	41	38	3.22	.05	10	.58	2050	1	.02	27	890	12	<5	<20	34	.06	<10	53	<10	8	154
224 - 24	L 432 W 52 + 50W	.7	1.91	50	2	70	<5	.42	1	20	51	37	3.96	.04	10	.77	501	3	.02	33	630	10	<5	<20	23	.07	<10	71	<10	4	118
224 - 25	L 432 W 52 + 75W	.4	2.44	65	6	140	5	.96	3	26	62	82	4.54	.09	10	.79	1995	5	.02	46	1020	16	<5	<20	52	.07	<10	81	<10	14	143
224 - 26	L 432 W 53 + 00W	1.1	2.98	95	4	175	5	.94	4	35	82	101	5.86	.11	10	1.09	2483	5	.02	63	730	20	<5	<20	53	.07	<10	97	<10	16	141


PAGE 2

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
224 - 27	L 432 N 53 + 25W	1.4	1.85	55	6	100	<5	.65	3	24	60	71	3.98	.06	10	.98	862	3	.03	37	400	14	10	<20	35	.07	<10	79	<10	8	109
224 - 28	L 432 N 53 + 50W	.6	1.66	45	8	105	5	.81	2	20	52	53	3.76	.10	10	.87	965	2	.03	34	580	12	15	<20	39	.08	10	78	<10	6	119
224 - 29	L 432 N 53 + 75W	.3	1.67	35	6	115	5	.99	2	21	64	88	3.62	.06	10	.81	922	3	.02	39	560	12	10	<20	48	.05	<10	72	<10	11	84
224 - 30	L 432 N 55 + 25W	.5	1.57	65	6	110	5	1.16	3	23	68	115	4.26	.09	10	.71	941	2	.02	43	800	16	15	<20	44	.04	10	76	<10	20	93
224 - 31	L 432 N 55 + 50W	.7	1.48	95	4	110	<5	.92	4	32	66	108	5.03	.05	10	.86	1536	2	.02	47	770	20	15	<20	38	.05	<10	85	<10	14	115
224 - 32	L 432 N 55 + 75W	.5	1.71	70	6	120	<5	1.00	3	35	83	103	5.34	.07	10	.98	1622	2	.02	43	760	18	15	<20	41	.05	10	95	<10	12	117
224 - 33	L 432 N 56 + 00W	.6	2.19	60	6	140	<5	1.39	3	34	96	123	5.86	.07	10	.97	898	3	.02	46	640	16	15	<20	52	.05	<10	112	<10	10	106
224 - 34	L 432 N 56 + 25W	.5	.91	30	2	35	<5	.31	2	13	35	28	3.28	.05	10	.31	182	1	.02	18	550	10	10	<20	20	.05	10	104	<10	2	60
224 - 35	L 432 N 56 + 50W	.3	2.82	65	8	140	<5	.91	3	30	102	141	5.66	.11	10	1.27	1857	3	.02	66	980	20	20	<20	40	.05	10	116	<10	25	131
224 - 36	L 432 N 56 + 75W	1.1	1.72	60	6	75	<5	.73	3	26	71	70	4.31	.06	10	.88	868	2	.01	37	760	16	15	<20	29	.06	10	95	<10	8	97
224 - 37	L 432 N 57 + 00W	.4	1.65	60	6	75	<5	.73	2	25	69	82	4.58	.04	<10	.94	872	2	.02	36	520	16	15	<20	29	.07	10	100	<10	7	100
224 - 38	L 432 N 57 + 25W	.2	2.42	65	4	130	<5	1.02	3	28	97	123	5.26	.07	10	.97	1318	3	.01	52	640	18	20	<20	41	.09	10	120	<10	15	126
224 - 39	L 432 N 57 + 50W	1	1.70	50	8	75	<5	.84	2	20	64	58	4.59	.05	10	.83	396	3	.01	32	1490	14	10	<20	38	.06	10	111	<10	3	102
224 - 40	L 432 N 57 + 75W	<0.1	1.06	45	6	115	<5	.48	2	19	64	27	3.36	.06	<10	.42	837	3	.02	23	1010	12	5	<20	24	.08	10	110	<10	3	88
224 - 41	L 432 N 58 + 00W	.1	1.66	70	6	75	<5	.40	3	20	67	65	5.14	.07	<10	.75	306	4	.02	26	1400	14	10	<20	20	.08	10	162	<10	3	66
224 - 42	L 432 N 58 + 25W	.1	1.70	55	2	65	<5	.52	2	24	62	45	4.28	.07	10	.84	396	5	.02	33	1040	10	15	<20	23	.07	20	111	<10	3	102
224 - 43	L 432 N 58 + 50W	<0.1	1.64	25	6	70	<5	.39	1	24	61	474	4.12	.05	<10	.78	776	3	.02	25	1150	10	15	<20	19	.10	20	121	<10	3	89
224 - 44	L 432 N 58 + 75W	.1	1.95	35	4	75	<5	.48	2	26	70	63	4.78	.06	<10	.95	577	2	.02	31	1630	12	15	<20	22	.08	20	147	<10	3	90
224 - 45	L 432 N 59 + 00W	<0.1	1.01	20	2	45	<5	.24	1	11	31	20	2.78	.03	<10	.30	218	2	.05	13	920	10	5	<20	14	.10	10	102	<10	2	56
224 - 46	L 432 N 59 + 25W	<0.1	2.09	35	4	80	<5	.79	1	26	72	66	4.58	.03	<10	.96	702	3	.05	30	750	12	10	<20	33	.11	<10	133	<10	6	78
224 - 47	L 432 N 59 + 50W	.2	2.54	60	6	80	<5	.51	2	27	78	84	4.70	.04	10	.96	423	2	.05	40	960	14	10	<20	25	.10	20	137	<10	4	111
224 - 48	L 432 N 59 + 75W	.3	2.51	45	4	65	<5	.43	2	27	63	74	4.81	.03	<10	1.03	416	4	.05	33	750	12	10	<20	20	.10	10	143	<10	3	93
224 - 49	L 432 N 60 + 00W	.1	2.66	60	4	115	<5	.89	2	28	74	68	5.12	.05	10	.93	424	4	.05	38	660	18	15	<20	35	.10	<10	125	<10	7	120
224 - 50	L 436 N 52 + 75W	.4	.27	40	<2	<5	<5	<.01	1	14	32	35	2.44	.04	10	.41	672	2	.03	22	270	12	5	<20	2	.05	<10	45	<10	7	85
224 - 51	L 436 N 52 + 00W	.1	1.19	55	<2	60	<5	.31	1	13	30	25	3.05	.05	10	.39	375	1	.03	18	1040	14	10	<20	18	.05	<10	63	<10	3	121
224 - 52	L 436 N 52 + 25W	<0.1	1.12	50	<2	50	<5	.31	1	12	31	34	2.91	.04	10	.37	362	1	.03	18	810	12	10	<20	20	.04	<10	58	<10	3	82
224 - 53	L 436 N 52 + 50W	<0.1	1.56	55	<2	60	<5	.36	1	16	40	47	2.92	.04	10	.54	318	2	.03	32	490	14	10	<20	19	.05	<10	49	<10	5	91
224 - 54	L 436 N 52 + 75W	.2	1.16	45	<2	50	<5	.28	1	10	32	27	2.55	.03	10	.47	205	1	.03	17	340	10	10	<20	17	.05	<10	53	<10	2	81
224 - 55	L 436 N 53 + 00W	<0.1	1.15	45	<2	45	<5	.28	1	12	35	28	2.90	.04	10	.51	225	2	.03	19	380	10	10	<20	17	.06	<10	58	<10	2	81
224 - 56	L 436 N 53 + 25W	<0.1	1.08	50	<2	40	<5	.38	1	15	31	53	2.77	.04	10	.55	539	2	.03	22	650	12	5	<20	21	.06	<10	50	<10	7	64
224 - 57	L 436 N 53 + 50W	<0.1	1.39	40	<2	50	<5	.28	1	14	41	25	3.41	.05	10	.52	253	3	.03	19	1050	12	10	<20	18	.06	<10	78	<10	2	93
224 - 58	L 436 N 53 + 75W	.1	1.47	35	<2	55	<5	.35	1	14	43	36	2.80	.04	10	.64	266	3	.03	22	260	10	5	<20	20	.05	<10	61	<10	4	88
224 - 59	L 436 N 54 + 00W	.3	1.51	40	<2	85	<5	.61	1	20	52	85	3.23	.05	10	.75	700	2	.03	31	320	14	10	<20	36	.05	<10	62	<10	8	83
224 - 60	L 436 N 54 + 25W	.4	2.05	90	<2	110	<5	.71	2	27	78	81	4.51	.06	10	.91	737	<1	.04	50	17	12	25	<20	47	.06	<10	77	<10	12	99
224 - 61	L 436 N 54 + 50W	.6	1.90	35	6	90	<5	.64	2	21	58	67	3.73	.06	10	.73	582	3	.04	34	410	12	10	<20	41	.06	<10	75	<10	9	120
224 - 62	L 436 N 54 + 75W	.5	1.47	40	4	65	<5	.56	2	15	46	50	3.42	.05	10	.55	279	3	.03	25	360	10	5	<20	38	.06	10	73	<10	5	97
224 - 63	L 436 N 55 + 00W	.3	1.46	45	6	75	<5	.67	2	21	53	62	3.26	.05	10	.73	598	1	.04	30	510	12	5	<20	38	.06	<10	66	<10	7	76

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
224 - 64	L 436 N 55 + 25W	.4	1.76	40	4	85	<5	.69	2	23	58	71	3.71	.06	10	.63	1112	1	.03	30	380	12	5	<20	40	.05	<10	77	<10	10	74
224 - 65	L 436 N 55 + 50W	.7	2.23	60	2	110	<5	1.03	2	29	79	123	4.93	.07	10	.84	1223	3	.03	46	440	16	10	<20	65	.06	10	93	<10	15	99
224 - 66	L 436 N 55 + 75W	1.1	2.05	50	<2	135	<5	2.11	2	23	65	129	3.88	.04	10	.66	2192	4	.03	51	1100	12	10	<20	104	.02	<10	62	<10	40	73
224 - 67	L 436 N 56 + 50W	2.1	3.22	75	2	230	<5	2.01	3	35	99	196	5.51	.11	20	.97	4220	4	.04	73	1260	18	20	<20	87	.04	<10	99	<10	46	131
224 - 68	L 436 N 56 + 75W	.3	1.13	35	2	55	<5	.70	1	22	45	65	3.46	.05	10	.55	822	2	.03	28	690	10	10	<20	28	.05	10	71	<10	7	73
224 - 69	L 436 N 57 + 00W	.6	1.63	40	2	65	<5	.45	2	21	59	49	4.77	.06	10	.51	471	3	.03	24	920	12	10	<20	22	.07	10	105	<10	4	123
224 - 70	L 436 N 57 + 25W	.4	1.46	40	<2	80	<5	.49	2	27	50	59	3.39	.03	10	.50	875	2	.03	25	1180	12	10	<20	25	.05	<10	80	<10	6	95
224 - 71	L 436 N 57 + 50W	.3	1.81	40	4	65	<5	.33	2	21	55	60	3.47	.05	10	.69	915	2	.03	33	820	10	15	<20	17	.06	<10	73	<10	8	112
224 - 72	L 436 N 57 + 75W	.4	1.12	25	2	90	<5	.51	1	16	38	34	2.74	.05	10	.48	739	2	.03	19	1130	10	5	<20	23	.05	<10	62	<10	3	81
224 - 73	L 436 N 58 + 00W	.3	1.41	30	2	80	<5	.49	1	16	42	35	3.12	.05	10	.53	504	1	.03	25	1190	10	10	<20	21	.05	<10	68	<10	4	85
224 - 74	L 436 N 58 + 25W	.4	1.98	45	2	85	<5	.38	2	21	58	48	3.89	.04	10	.77	310	3	.03	33	810	12	15	<20	18	.07	<10	92	<10	4	112
224 - 75	L 436 N 58 + 50W	.2	2.20	65	2	85	<5	.37	2	30	79	84	5.63	.06	10	.79	989	4	.03	51	930	12	15	<20	21	.05	10	144	<10	8	122
224 - 76	L 436 N 58 + 75W	.5	1.07	30	2	35	<5	.24	1	11	37	29	3.26	.05	10	.43	162	3	.03	17	1010	10	5	<20	14	.08	<10	89	<10	3	68
224 - 77	L 436 N 59 + 00W	.1	1.91	40	<2	65	<5	.51	1	27	64	60	4.01	.05	10	.96	527	4	.03	32	790	10	10	<20	21	.08	<10	103	<10	5	93
224 - 78	L 436 N 59 + 25W	<0.1	1.49	25	<2	90	<5	.43	1	17	50	36	3.31	.04	10	.54	775	2	.03	21	830	12	10	<20	20	.07	10	100	<10	3	89
224 - 79	L 436 N 59 + 50W	<0.1	2.09	35	2	70	<5	.49	1	20	61	55	4.57	.04	10	.94	337	3	.03	29	1630	12	10	<20	19	.08	<10	118	<10	4	87
224 - 80	L 436 N 59 + 75W	.2	2.02	35	2	60	<5	.37	1	24	59	58	4.08	.03	10	.92	303	3	.03	32	740	10	15	<20	16	.09	10	106	<10	4	89
224 - 81	L 436 N 60 + 00W	.1	2.23	30	4	60	<5	.44	1	20	61	65	4.41	.05	10	.89	341	2	.03	30	780	10	10	<20	18	.11	10	121	<10	4	86

NOTE: < = LESS THAN


 ECO-TECH LABORATORIES LTD.
 FRANK J. PEZZOTTI
 B.C. Certified Assayer


cc: Corona Corporation
 VANCOUVER, B.C.
 Attention: MARK TINDALL
 SC89/NGM1056
 FAX: MARK TINDALL

ECO-TECH LABORATORIES LTD.

10041 EAST TRANS CANADA HWY.
KAMLOOPS, B.C. V2C 2J3
PHONE - 604-573-5700
FAX - 604-573-4557

CORONA CORPORATION - ETK 89-225A

1440, 800 WEST PENDER STREET
VANCOUVER, B.C. V6C 2V6
ATTENTION: TONY RAMSON



MAY 30, 1989

PROJECT # 1056 - P.O. # 8595 - SHIPMENT #1
77 SOIL SAMPLES RECEIVED MAY 15, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED
PAGE 1

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
225 - 1	L 433 N 51+ 00W	.2	1.75	30	<2	140	<5	.69	2	19	71	14	3.71	.03	<10	.99	200	3	.04	27	180	10	<5	<20	35	.01	<10	84	<10	8	97
225 - 2	L 433 N 51+ 50W	.6	1.39	30	<2	55	<5	.85	2	15	36	36	2.56	.02	10	.56	276	4	.04	28	380	14	5	<20	39	.04	<10	52	<10	8	63
225 - 3	L 433 N 51+ 75W	.2	.60	20	<2	25	<5	.15	1	12	19	15	2.23	.02	<10	.27	445	3	.04	10	270	8	5	<20	9	.03	<10	50	<10	1	50
225 - 4	L 433 N 52+ 00W	.6	1.41	50	<2	50	<5	.18	2	11	37	25	3.33	.03	<10	.48	175	3	.04	26	920	10	10	<20	9	.03	<10	53	<10	3	138
225 - 5	L 433 N 52+ 25W	.2	.96	40	<2	50	<5	.28	1	11	26	26	2.69	.02	<10	.38	155	2	.04	16	800	10	5	<20	14	.03	<10	57	<10	3	69
225 - 6	L 433 N 52+ 50W	.4	1.15	30	<2	50	<5	.26	1	12	29	27	2.39	.03	10	.45	470	2	.04	16	330	8	5	<20	14	.02	<10	51	<10	3	68
225 - 7	L 433 N 52+ 75W	<.2	.82	10	<2	40	<5	.28	<1	9	21	13	1.89	.02	<10	.35	149	<1	.03	12	360	8	5	<20	14	.03	<10	38	<10	2	82
225 - 8	L 433 N 53+ 00W	.2	1.53	60	<2	70	<5	.38	2	14	48	46	4.47	.03	<10	.67	266	3	.04	25	2030	12	5	<20	18	.04	<10	82	<10	3	91
225 - 9	L 433 N 53+ 25W	<.2	1.61	40	<2	70	<5	.44	2	21	51	34	3.93	.03	<10	.80	339	2	.04	32	970	10	10	<20	21	.04	<10	66	<10	3	128
225 - 10	L 433 N 53+ 50W	<.2	1.41	55	<2	45	<5	.50	2	13	42	27	3.00	.03	<10	.58	185	1	.03	21	970	10	10	<20	27	.04	<10	88	<10	2	108
225 - 11	L 433 N 53+ 75W	<.2	1.64	30	<2	70	<5	.38	2	20	53	42	3.58	.04	<10	.80	353	2	.03	31	490	12	10	<20	20	.03	<10	62	<10	4	84
225 - 12	L 433 N 54+ 00W	<.2	1.27	60	<2	70	<5	.55	2	21	51	72	3.74	.05	10	.96	702	2	.04	36	920	14	10	<20	26	.04	<10	60	<10	10	87
225 - 13	L 433 N 54+ 25W	<.2	1.70	40	<2	90	<5	.66	2	26	66	67	4.21	.05	<10	.97	665	2	.03	42	840	16	15	<20	31	.03	<10	69	<10	9	104
225 - 14	L 433 N 54+ 50W	<.2	1.01	35	<2	70	<5	.48	2	19	42	32	3.52	.04	<10	.37	555	5	.04	19	890	12	10	<20	25	.02	<10	65	<10	2	85
225 - 15	L 433 N 54+ 75W	.2	1.36	70	<2	80	<5	1.88	3	30	55	86	4.52	.06	10	1.00	784	2	.03	43	1000	18	15	<20	43	.04	<10	69	<10	10	99
225 - 16	L 433 N 55+ 00W	.2	1.68	75	<2	90	<5	.56	2	24	62	54	4.23	.04	<10	.87	412	2	.03	40	760	12	10	<20	26	.03	<10	71	<10	5	97
225 - 17	L 433 N 55+ 25W	<.2	1.16	35	<2	90	<5	.33	2	18	46	31	3.69	.04	<10	.55	390	2	.03	23	810	10	10	<20	17	.03	<10	71	<10	2	87
225 - 18	L 433 N 55+ 50W	<.2	1.18	60	<2	50	<5	.18	2	15	43	47	3.85	.03	<10	.61	221	2	.04	27	940	10	10	<20	9	.02	<10	61	<10	2	80
225 - 19	L 433 N 55+ 75W	.2	.98	40	<2	50	<5	.21	2	16	45	46	3.56	.04	<10	.57	172	4	.03	24	1120	12	15	<20	10	.02	<10	59	<10	2	75
225 - 20	L 433 N 56+ 00W	<.2	1.18	30	<2	35	<5	.32	1	17	50	40	3.85	.04	<10	.67	199	2	.03	24	1030	8	10	<20	15	.03	<10	84	<10	2	82
225 - 21	L 433 N 56+ 25W	<.2	1.32	45	<2	35	<5	.37	2	20	57	67	3.97	.06	<10	.95	385	3	.03	32	900	12	10	<20	16	.04	<10	72	<10	3	82
225 - 22	L 433 N 56+ 50W	.2	1.41	40	<2	50	<5	.38	1	21	59	61	4.09	.05	<10	.86	688	3	.03	32	1110	12	10	<20	18	.03	10	70	<10	3	87
225 - 23	L 433 N 56+ 75W	.2	1.79	55	<2	40	<5	.21	2	19	69	70	4.42	.03	<10	1.07	293	2	.03	37	1460	14	15	<20	11	.03	10	75	<10	3	86
225 - 24	L 433 N 57+ 00W	.2	1.40	75	<2	75	<5	.23	2	15	49	33	4.27	.04	<10	.51	239	<1	.03	19	2240	12	10	<20	12	.04	<10	95	<10	2	83
225 - 25	L 433 N 57+ 25W	<.2	1.04	20	<2	85	<5	.25	1	18	37	25	2.86	.05	<10	.43	762	2	.02	16	1080	12	<10	<20	12	.02	<10	54	<10	2	78
225 - 26	L 433 N 57+ 50W	<.2	1.50	35	<2	60	<5	.32	1	20	56	53	4.17	.04	<10	.83	433	4	.04	24	1460	12	10	<20	12	.04	<10	83	<10	2	77

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-225A

PAGE 2


ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	NG(Z)	NN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
225 - 27	L 433 N 57+ 75W	<.2	1.63	45	<2	60	<5	.44	1	27	39	42	4.75	.04	<10	.54	286	5	.04	23	1250	14	15	<20	19	.01	<10	97	<10	2	96
225 - 28	L 433 N 58+ 00W	1.4	4.42	100	<2	240	<5	1.44	4	43	136	220	8.97	.10	20	1.36	1010	8	.04	80	1160	26	20	<20	65	.07	<10	138	<10	38	240
225 - 29	L 433 N 58+ 25W	<.2	1.85	65	<2	60	<5	.52	2	25	52	64	5.31	.05	<10	.68	469	3	.03	29	990	14	10	<20	22	.03	<10	110	<10	2	90
225 - 30	L 433 N 58+ 50W	<.2	1.56	30	<2	95	<5	.41	1	19	23	37	4.36	.04	<10	.63	468	2	.03	23	1480	10	<5	<20	21	.03	<10	51	<10	2	129
225 - 31	L 433 N 58+ 75W	.4	2.25	50	<2	100	<5	.94	3	28	54	152	5.24	.05	10	.92	1230	2	.03	42	450	14	10	<20	41	.06	<10	78	<10	20	103
225 - 32	L 433 N 59+ 00W	.4	1.71	30	<2	90	<5	1.71	2	20	52	76	4.54	.03	<10	.44	370	2	.03	23	570	14	5	<20	64	.06	<10	69	<10	7	76
225 - 33	L 433 N 59+ 25W	.2	1.95	50	<2	100	<5	1.32	2	28	75	109	4.31	.06	<10	1.07	944	3	.04	40	840	12	5	<20	48	.08	<10	96	<10	13	78
225 - 34	L 433 N 59+ 50W	.8	3.33	55	4	140	<5	.98	2	33	86	110	6.61	.06	<10	.92	483	5	.04	58	840	16	15	<20	43	.08	<10	91	<10	11	136
225 - 35	L 433 N 59+ 75W	.8	2.42	45	<2	135	<5	.75	2	28	65	131	4.99	.06	10	.90	2140	5	.04	48	710	16	15	<20	33	.07	<10	98	<10	23	89
225 - 36	L 433 N 60+ 00W	<.2	1.87	35	<2	90	<5	.51	2	18	47	39	4.19	.05	<10	.95	391	2	.04	31	1000	10	5	<20	18	.07	<10	70	<10	2	115
225 - 37	L 434 N 50+ 00W	.4	2.15	80	<2	115	<5	.74	3	28	47	68	4.64	.04	10	.70	1510	7	.04	43	600	20	10	<20	43	.04	<10	52	<10	13	164
225 - 38	L 434 N 50+ 25W	.2	1.62	40	<2	55	<5	.54	2	14	38	36	3.03	.03	<10	.62	216	4	.04	33	540	12	5	<20	29	.03	<10	32	<10	6	84
225 - 39	L 434 N 50+ 50W	.4	.77	15	<2	45	<5	.85	(1	7	20	32	1.01	.01	<10	.31	144	1	.03	15	890	4	5	<20	41	.01	<10	17	<10	7	37
225 - 40	L 434 N 50+ 75W	<.2	1.63	70	<2	30	<5	.34	2	20	37	30	3.19	.02	<10	.55	202	1	.03	30	430	10	10	<20	16	.03	<10	42	<10	3	70
225 - 41	L 434 N 51+ 00W	<.2	1.63	85	<2	45	<5	.35	3	16	40	33	3.75	.01	<10	.50	217	2	.03	27	330	12	10	<20	23	.04	<10	51	<10	5	74
225 - 42	L 434 N 51+ 25W	<.2	1.32	65	<2	50	<5	.29	2	11	33	33	3.74	.01	<10	.39	139	3	.03	20	380	10	10	<20	20	.04	10	82	<10	3	60
225 - 43	L 434 N 51+ 50W	.2	1.31	75	<2	60	<5	.51	2	18	38	43	3.46	.02	<10	.57	491	2	.03	31	880	12	5	<20	29	.03	<10	50	<10	5	89
225 - 44	L 434 N 52+ 75W	<.2	1.55	70	<2	50	<5	.21	2	17	38	51	3.34	.02	10	.57	232	2	.03	38	640	10	10	<20	14	.03	<10	49	<10	6	80
225 - 45	L 434 N 52+ 00W	.2	1.63	70	<2	75	<5	.53	2	22	42	46	3.74	.03	<10	.58	697	3	.02	33	590	12	5	<20	32	.04	<10	66	<10	5	95
225 - 46	L 434 N 52+ 25W	<.2	1.59	40	<2	55	<5	.19	2	15	39	32	3.55	.01	<10	.60	210	2	.03	30	540	10	10	<20	13	.03	<10	46	<10	3	103
225 - 47	L 434 N 52+ 50W	.2	1.67	55	<2	75	<5	.53	2	16	41	31	3.56	.03	<10	.63	318	5	.03	31	410	12	5	<20	31	.03	<10	44	<10	3	75
225 - 48	L 434 N 52+ 75W	.2	1.57	70	<2	75	<5	.47	2	16	50	54	3.80	.02	<10	.60	239	3	.03	33	340	12	10	<20	28	.04	<10	65	<10	7	76
225 - 49	L 434 N 53+ 00W	.2	1.78	65	<2	75	<5	.48	2	18	50	39	4.16	.03	<10	.66	296	3	.03	29	390	12	10	<20	30	.04	<10	78	<10	4	92
225 - 50	L 434 N 53+ 25W	.4	1.99	75	<2	105	<5	.84	3	26	62	77	4.73	.05	10	.89	898	3	.03	44	520	14	10	<20	46	.04	<10	75	<10	10	95
225 - 51	L 434 N 53+ 50W	<.2	1.97	55	<2	90	<5	.72	3	19	58	59	4.39	.03	<10	.81	371	3	.03	30	420	12	10	<20	43	.03	<10	78	<10	5	97
225 - 52	L 434 N 53+ 75W	<.2	1.76	55	<2	65	<5	.28	2	19	60	58	4.71	.03	<10	.57	308	2	.03	30	360	12	10	<20	17	.04	<10	94	<10	5	125
225 - 53	L 434 N 54+ 00W	.4	1.41	50	<2	65	<5	.59	2	20	56	55	3.51	.03	10	.89	583	4	.03	32	830	12	10	<20	27	.04	<10	63	<10	10	74
225 - 54	L 434 N 54+ 25W	.6	2.59	75	<2	165	<5	1.13	3	34	91	126	5.98	.07	10	.86	1070	5	.03	63	850	16	25	<20	69	.04	<10	89	<10	18	175
225 - 55	L 434 N 54+ 50W	<.2	1.65	50	<2	75	<5	.49	2	21	60	56	4.21	.03	<10	.85	377	4	.03	39	470	14	15	<20	28	.03	<10	67	<10	7	83
225 - 56	L 434 N 54+ 75W	.2	1.49	70	<2	95	<5	.69	2	29	64	71	4.29	.05	<10	.84	174	2	.03	42	830	12	15	<20	34	.03	<10	73	<10	11	88
225 - 57	L 434 N 55+ 00W	.6	2.00	85	<2	135	<5	.78	3	30	84	92	4.96	.03	10	1.01	1580	2	.03	49	750	12	20	<20	42	.03	<10	83	<10	20	107
225 - 58	L 434 N 55+ 25W	.2	1.20	40	<2	70	<5	.25	1	13	50	34	3.93	.03	<10	.52	286	2	.03	24	440	8	5	<20	14	.04	<10	82	<10	2	82
225 - 59	L 434 N 55+ 50W	<.2	1.13	45	<2	60	<5	.27	2	15	43	37	3.22	.03	<10	.60	272	2	.03	24	870	8	5	<20	13	.03	<10	60	<10	4	66
225 - 60	L 434 N 55+ 75W	.2	.92	45	<2	40	<5	.22	1	14	40	33	2.96	.04	<10	.50	365	1	.03	20	740	6	5	<20	10	.03	<10	59	<10	3	65
225 - 61	L 434 N 56+ 00W	.2	.93	25	<2	55	<5	.26	1	16	40	28	3.62	.04	<10	.47	203	4	.03	20	680	8	5	<20	14	.04	<10	71	<10	2	86
225 - 62	L 434 N 56+ 25W	.2	.87	25	<2	100	<5	.50	1	16	34	29	2.81	.05	<10	.46	681	1	.03	16	1040	8	5	<20	24	.03	<10	59	<10	2	85
225 - 63	L 434 N 56+ 50W	<.2	1.55	70	<2	50	<5	.30	2	25	64	89	4.40	.04	10	.98	605	2	.03	41	730	12	10	<20	14	.04	<10	70	<10	9	84

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CO	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	NH	NO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
225 - 64	L 434 N 56+ 75W	.2	.88	30	<2	65	<5	.29	1	13	35	29	3.24	.02	<10	.35	403	1	.03	15	1320	8	5	<20	14	.03	<10	69	<10	2	67
225 - 65	L 434 N 57+ 00W	.2	.99	30	<2	55	<5	.31	2	13	40	24	3.29	.03	<10	.51	628	1	.03	18	810	8	5	<20	14	.03	10	64	<10	2	81
225 - 66	L 434 N 57+ 25W	.2	1.31	50	<2	45	<5	.26	2	18	52	62	3.76	.04	10	.81	474	1	.03	32	790	12	10	<20	13	.04	<10	66	<10	5	86
225 - 67	L 434 N 57+ 50W	.2	1.64	40	<2	70	<5	.30	2	21	57	54	4.22	.04	<10	.84	358	<1	.03	35	1110	8	10	<20	12	.04	10	78	<10	3	92
225 - 68	L 434 N 57+ 75W	.2	.98	20	<2	105	<5	.41	1	15	36	28	3.16	.06	<10	.44	618	<1	.03	16	1040	8	5	<20	18	.03	<10	67	<10	2	74
225 - 69	L 434 N 58+ 00W	.2	1.63	40	<2	65	<5	.29	1	21	67	57	4.35	.03	<10	.96	287	<1	.03	34	1150	12	10	<20	12	.04	<10	98	<10	3	81
225 - 70	L 434 N 58+ 25W	.2	1.82	45	<2	70	<5	.36	1	24	72	78	4.69	.04	<10	1.00	429	<1	.02	33	960	12	15	<20	13	.04	10	108	<10	4	94
225 - 71	L 434 N 58+ 50W	1.2	3.73	60	<2	190	<5	.82	3	41	141	217	7.35	.08	30	1.56	2450	<1	.03	77	1710	24	20	<20	43	.04	<10	151	<10	40	173
225 - 72	L 434 N 58+ 75W	<.2	.96	45	<2	100	<5	.41	1	19	59	26	3.54	.03	<10	.42	605	2	.03	18	1090	10	10	<20	18	.06	<10	91	<10	2	90
225 - 73	L 434 N 59+ 00W	<.2	1.48	30	<2	100	<5	.39	1	21	55	38	4.35	.04	<10	.70	456	<1	.03	23	1580	2	10	<20	18	.05	<10	103	<10	2	105
225 - 74	L 434 N 59+ 25W	.2	1.95	35	<2	60	<5	.34	1	27	71	78	4.82	.03	<10	1.15	476	<1	.03	38	860	16	15	<20	14	.07	<10	110	<10	5	100
225 - 75	L 434 N 59+ 50W	.2	1.99	35	<2	55	<5	.40	1	27	73	84	4.69	.04	<10	1.22	557	2	.03	36	660	14	15	<20	16	.08	10	112	<10	5	86
225 - 76	L 434 N 59+ 75W	.4	2.29	35	<2	70	<5	.41	1	31	74	81	4.82	.03	<10	1.38	443	<1	.03	40	920	10	20	<20	15	.09	<10	126	<10	4	76
225 - 77	L 434 N 60+ 00W	.2	1.52	70	<2	50	<5	.30	2	26	63	49	4.71	.02	10	.97	210	<1	.03	39	760	10	10	<20	14	.04	<10	76	<10	9	82

NOTE: < = LESS THAN

cc: Corona Corporation
 VANCOUVER, B.C.
 ATTENTION: Mark Tindall
 SC88/HGH1056
 FAI: Mark Tindall


 ECO-TECH LABORATORIES LTD.
 Frank J. Pezzotti, A.Sc.T.
 B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.

10041 EAST TRANS CANADA HWY.
 KANLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

CORONA CORPORATION - ETK 89-223A

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2Y6
 ATTENTION: TONY RAMSON

NAH

Whely

PROJECT # 1056 - P.O. # 8595 - SHIPMENT #1
 81 SOIL SAMPLES RECEIVED MAY 15, 1989

JUNE 2, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
223A - 1	L 437 M 50+ 00W	.2	1.21	55	<2	45	<5	.48	2	15	32	40	2.78	.05	10	.61	394	2	.05	28	590	16	5	<20	27	.03	<10	39	<10	6	69
223A - 2	L 437 M 50+ 25W	.3	1.38	65	<2	60	<5	.50	2	15	41	39	2.93	.05	10	.62	382	3	.05	29	450	16	10	<20	28	.03	<10	49	<10	6	65
223A - 3	L 437 M 50+ 50W	.7	2.45	35	<2	125	<5	.93	2	26	67	129	4.29	.05	10	.69	1921	4	.06	53	750	22	15	<20	63	.04	<10	67	<10	12	63
223A - 4	L 437 M 50+ 75W	.6	1.51	60	<2	80	<5	1.07	2	13	42	87	3.22	.04	10	.60	787	2	.04	34	1100	18	15	<20	61	.03	<10	52	<10	14	76
223A - 5	L 437 M 51+ 00W	.5	1.75	80	<2	70	<5	.67	2	16	44	59	3.88	.05	10	.56	426	3	.05	33	640	20	10	<20	40	.04	<10	58	<10	11	83
223A - 6	L 437 M 51+ 25W	.2	1.28	50	<2	50	<5	.37	2	11	32	31	2.84	.04	10	.49	244	2	.05	20	340	16	15	<20	20	.04	<10	49	<10	5	67
223A - 7	L 437 M 51+ 50W	.2	1.42	60	<2	45	<5	.30	2	16	37	35	4.01	.03	10	.48	243	3	.05	25	380	20	20	<20	18	.05	<10	62	<10	3	81
223A - 8	L 437 M 51+ 75W	<0.1	1.33	50	<2	30	<5	.23	2	10	36	19	3.54	.03	10	.38	164	2	.05	15	400	18	10	<20	12	.06	<10	72	<10	2	75
223A - 9	L 437 M 52+ 00W	.4	1.31	60	<2	45	<5	.47	2	16	38	43	2.96	.04	10	.55	449	1	.05	26	700	20	10	<20	24	.04	<10	47	<10	8	69
223A - 10	L 437 M 52+ 25W	<0.1	1.07	60	<2	40	<5	.38	2	13	32	43	3.08	.04	<10	.46	330	2	.05	26	890	18	10	<20	21	.04	<10	53	<10	3	78
223A - 11	L 437 M 52+ 50W	<0.1	1.49	95	<2	40	<5	.28	3	17	37	55	3.40	.04	<10	.55	398	2	.05	37	920	22	20	<20	14	.04	10	56	<10	5	73
223A - 12	L 437 M 52+ 75W	<0.1	1.24	65	<2	40	<5	.26	2	11	38	37	3.19	.04	10	.52	216	2	.05	24	530	18	20	<20	14	.04	<10	54	<10	3	64
223A - 13	L 437 M 53+ 00W	<0.1	.94	35	<2	40	<5	.34	1	8	25	28	2.46	.03	10	.34	149	1	.05	15	290	16	20	<20	23	.04	<10	52	<10	3	45
223A - 14	L 437 M 53+ 25W	.2	1.13	40	<2	50	<5	.31	2	13	34	35	2.59	.04	10	.52	513	<1	.05	24	410	18	20	<20	16	.04	<10	47	<10	5	65
223A - 15	L 437 M 53+ 50W	.2	1.29	50	<2	60	<5	.42	2	14	39	39	3.09	.04	10	.58	362	<1	.05	24	520	20	35	<20	21	.03	<10	56	<10	5	97
223A - 16	L 437 M 53+ 75W	.5	1.94	55	<2	95	<5	.59	2	21	61	63	3.89	.06	10	.86	961	2	.05	40	520	24	45	<20	32	.05	<10	73	<10	10	95
223A - 17	L 437 M 54+ 00W	.1	1.25	30	<2	50	<5	.42	1	18	42	33	2.73	.04	10	.67	441	1	.05	24	240	20	25	<20	22	.05	<10	56	<10	4	67
223A - 18	L 437 M 54+ 25W	1.1	2.27	80	<2	130	<5	.93	3	24	91	188	5.17	.08	10	.91	935	2	.05	59	840	24	60	<20	53	.05	<10	97	<10	18	117
223A - 19	L 437 M 54+ 50W	.6	2.03	60	<2	130	<5	.72	2	25	68	121	4.39	.08	10	.87	863	2	.05	51	500	20	10	<20	38	.05	10	78	<10	12	114
223A - 20	L 437 M 54+ 75W	.3	1.32	40	<2	60	<5	.45	1	15	47	47	3.02	.05	10	.79	492	1	.05	27	560	16	5	<20	22	.06	<10	58	<10	7	62
223A - 21	L 437 M 55+ 00W	.5	1.68	55	<2	100	<5	.59	2	22	54	90	3.83	.07	10	.82	726	3	.06	41	550	18	10	<20	30	.05	<10	67	<10	11	86
223A - 22	L 437 M 55+ 25W	1	2.09	65	<2	125	<5	.83	2	24	77	158	4.67	.08	10	.89	720	4	.06	53	610	18	15	<20	40	.04	<10	90	<10	20	96
223A - 23	L 437 M 55+ 50W	.4	1.57	45	<2	65	<5	.42	2	20	53	72	3.65	.05	10	.67	546	2	.05	34	420	12	10	<20	20	.05	<10	75	<10	10	77
223A - 24	L 437 M 55+ 75W	.7	1.45	40	<2	65	<5	.51	2	21	49	68	3.36	.05	10	.82	447	2	.05	35	460	12	10	<20	23	.04	<10	64	<10	11	68
223A - 25	L 437 M 56+ 00W	.8	1.51	50	<2	70	<5	.64	2	24	51	72	4.13	.06	10	.75	631	2	.05	36	490	14	15	<20	31	.03	<10	75	<10	15	99
223A - 26	L 437 M 56+ 25W	.6	1.80	45	<2	80	<5	.61	2	24	57	74	3.88	.06	10	.91	845	1	.05	41	480	22	10	<20	30	.06	<10	76	<10	15	86

PAGE 2

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
223A - 27	L 437 N 56+ 50W	1.1	3.17	85	<2	190	<5	.95	3	40	112	151	5.95	.08	30	1.13	3193	3	.05	94	750	24	20	<20	47	.04	<10	124	<10	46	99
223A - 28	L 437 N 56+ 75W	.3	1.73	45	<2	90	<5	.56	2	30	58	80	3.80	.04	10	.75	1495	2	.05	40	520	18	10	<20	26	.03	<10	77	<10	17	59
223A - 29	L 437 N 57+ 00W	.1	1.63	50	<2	60	<5	.28	2	20	57	73	3.88	.05	10	.81	712	2	.05	33	490	16	15	<20	15	.04	<10	80	<10	12	81
223A - 30	L 437 N 57+ 25W	.4	1.85	50	<2	75	<5	.34	2	18	65	90	3.93	.06	10	.82	580	3	.05	38	680	16	10	<20	16	.04	<10	80	<10	13	81
223A - 31	L 437 N 57+ 50W	.3	1.90	60	<2	75	<5	.30	2	22	59	71	4.12	.05	10	.81	806	2	.05	38	560	18	15	<20	16	.04	<10	81	<10	8	79
223A - 32	L 437 N 57+ 75W	.2	1.46	40	<2	60	<5	.31	1	20	44	56	3.14	.05	10	.69	645	2	.05	30	670	16	10	<20	14	.04	<10	63	<10	6	67
223A - 33	L 437 N 58+ 00W	<0.1	1.27	30	<2	65	<5	.30	1	13	38	39	2.94	.04	10	.66	368	1	.05	23	1020	12	5	<20	14	.04	<10	60	<10	4	70
223A - 34	L 437 N 58+ 25W	<0.1	1.34	30	<2	45	<5	.31	1	14	40	53	2.77	.04	10	.67	406	2	.05	27	660	14	10	<20	14	.04	<10	55	<10	8	58
223A - 35	L 437 N 58+ 50W	.3	1.19	25	<2	50	<5	.26	1	12	33	32	2.62	.04	10	.53	327	2	.05	21	420	12	5	<20	12	.04	<10	57	<10	5	66
223A - 36	L 437 N 58+ 75W	.2	1.47	30	<2	55	<5	.28	1	15	40	45	2.91	.04	10	.57	368	1	.05	23	600	14	10	<20	13	.03	<10	67	<10	7	67
223A - 37	L 437 N 59+ 00W	.1	1.90	40	<2	50	<5	.34	1	20	57	73	3.40	.05	10	.84	810	1	.05	33	650	16	10	<20	16	.04	<10	78	<10	8	68
223A - 38	L 437 N 59+ 25W	.1	1.41	30	<2	40	<5	.30	1	16	50	61	3.07	.04	10	.71	374	1	.05	29	620	12	10	<20	13	.05	<10	68	<10	5	57
223A - 39	L 437 N 59+ 50W	<0.1	.85	40	4	40	<5	.37	1	9	24	23	2.67	.04	10	.30	181	3	.04	16	630	8	<5	<20	16	.07	10	78	<10	2	47
223A - 40	L 437 N 59+ 75W	.2	1.56	60	4	50	<5	.55	2	16	27	49	3.22	.05	10	.68	510	3	.04	18	970	12	5	<20	22	.06	<10	73	<10	4	74
223A - 41	L 437 N 60+ 00W	.2	1.79	20	2	65	<5	.61	2	17	32	36	3.07	.04	<10	.55	359	3	.04	18	600	6	5	<20	21	.06	<10	84	<10	3	70
223A - 42	L 438 N 50+ 00W	.1	1.73	90	2	95	<5	.34	3	15	24	55	2.93	.03	10	.58	295	3	.04	45	430	10	<5	<20	17	.04	<10	40	<10	4	63
223A - 43	L 438 N 50+ 25W	.2	1.32	40	2	50	<5	.39	2	10	18	39	2.62	.04	10	.48	299	2	.04	30	510	8	<5	<20	19	.04	<10	46	<10	3	60
223A - 44	L 438 N 50+ 50W	.1	1.64	40	2	70	<5	.23	1	15	40	41	2.84	.03	10	.48	225	2	.04	27	440	8	5	<20	13	.04	<10	54	<10	3	78
223A - 45	L 438 N 50+ 75W	.2	1.46	35	4	40	<5	.38	1	13	62	21	3.44	.03	<10	.86	204	3	.04	28	540	6	5	<20	18	.06	<10	74	<10	2	77
223A - 46	L 438 N 51+ 00W	.3	1.35	75	8	50	<5	.29	2	16	40	30	3.39	.03	10	.65	197	3	.05	25	670	8	5	<20	14	.05	<10	64	<10	3	54
223A - 47	L 438 N 51+ 25W	.5	2.35	170	8	80	<5	.39	4	25	58	54	5.33	.04	<10	.65	247	4	.04	46	830	12	10	<20	22	.08	<10	92	<10	5	67
223A - 48	L 438 N 51+ 50W	.2	1.39	100	10	60	<5	.31	3	19	37	55	3.47	.03	<10	.66	312	4	.04	43	840	10	10	<20	14	.05	<10	52	<10	4	65
223A - 49	L 438 N 51+ 75W	.2	1.35	75	4	75	<5	.27	2	15	34	32	3.15	.03	10	.48	250	2	.04	27	1880	8	10	<20	12	.04	<10	53	<10	4	68
223A - 50	L 438 N 52+ 00W	<0.1	1.99	60	8	105	<5	.24	2	23	47	52	4.09	.03	10	.79	255	3	.05	52	1210	12	10	<20	13	.03	<10	61	<10	4	90
223A - 51	L 438 N 52+ 25W	.2	1.43	90	12	65	<5	.48	3	23	45	42	3.61	.05	10	.80	504	3	.05	43	960	10	10	<20	23	.06	<10	56	<10	8	65
223A - 52	L 438 N 53+ 75W	.3	1.80	85	6	115	<5	.93	3	21	45	59	3.78	.04	10	.75	761	4	.04	67	640	16	10	<20	45	.04	<10	58	<10	8	92
223A - 53	L 438 N 53+ 00W	.4	1.92	120	8	110	<5	.87	4	20	36	88	4.56	.06	10	.85	709	3	.04	56	800	18	10	<20	47	.04	<10	64	<10	13	88
223A - 54	L 438 N 53+ 25W	.1	1.36	95	10	60	<5	.50	3	19	45	45	3.42	.04	10	.81	457	3	.05	43	860	12	5	<20	25	.06	<10	51	<10	8	55
223A - 55	L 438 N 53+ 50W	<0.1	1.51	85	10	70	<5	.48	3	21	44	47	3.73	.04	10	.86	586	3	.04	39	330	10	5	<20	24	.05	<10	44	<10	9	68
223A - 56	L 438 N 53+ 75W	.5	1.70	85	6	85	<5	.65	3	16	35	63	4.47	.05	10	.74	476	2	.05	51	760	12	15	<20	34	.05	<10	53	<10	11	88
223A - 57	L 438 N 54+ 00W	.4	1.82	80	8	80	<5	.58	2	23	56	56	4.05	.05	10	.88	444	3	.04	53	810	12	15	<20	29	.05	<10	56	<10	7	85
223A - 58	L 438 N 54+ 25W	.3	1.14	50	4	75	<5	.42	2	14	26	35	3.20	.05	<10	.38	335	2	.04	25	1050	12	10	<20	25	.04	<10	53	<10	4	78
223A - 59	L 438 N 54+ 50W	.1	1.63	60	10	65	<5	.36	2	20	36	45	3.99	.06	10	.92	353	2	.06	38	900	8	5	<20	20	.07	<10	65	<10	5	89
223A - 60	L 438 N 54+ 75W	.3	1.48	55	6	65	<5	.39	2	18	49	47	3.57	.05	10	.85	425	3	.05	48	780	8	10	<20	20	.04	<10	58	<10	6	58
223A - 61	L 438 N 55+ 00W	.2	1.35	50	6	65	<5	.28	2	15	44	26	3.43	.05	<10	1.72	265	2	.04	42	920	8	10	<20	15	.05	<10	62	<10	3	62
223A - 62	L 438 N 55+ 25W	.5	1.05	40	6	50	<5	.42	2	13	43	31	3.42	.04	10	.55	267	3	.04	71	1120	6	10	<20	20	.05	<10	60	<10	3	47
223A - 63	L 438 N 55+ 50W	.3	1.41	35	<2	95	<5	.50	1	23	54	55	3.58	.06	10	.78	609	2	.04	71	790	10	10	<20	24	.04	<10	71	<10	6	73

ECO-TECH LABORATORIES LTD.


CORONA CORPORATION - ETK 89-223A

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BT	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
223A - 64	L 438 N 55+ 75W	.5	1.93	35	<2	85	<5	.22	2	24	67	58	4.08	.04	10	.74	530	3	.04	40	690	10	15	<20	12	.04	<10	85	<10	7	68
223A - 65	L 438 N 56+ 00W	.2	1.41	20	<2	50	<5	.26	1	15	45	27	3.50	.04	10	.52	182	1	.04	44	560	8	25	<20	16	.04	<10	82	<10	3	57
223A - 66	L 438 N 56+ 25W	.1	1.46	30	<2	90	<5	.43	1	19	49	45	3.86	.05	10	.68	715	<1	.04	54	660	8	15	<20	23	.04	<10	65	<10	5	73
223A - 67	L 438 N 56+ 50W	<0.1	.80	25	<2	40	<5	.22	1	16	40	26	3.08	.04	<10	.30	357	2	.05	56	500	8	10	<20	14	.04	<10	62	<10	2	44
223A - 68	L 438 N 56+ 75W	.2	1.54	25	<2	55	<5	.39	2	20	58	41	4.19	.05	<10	.75	338	2	.04	31	1720	12	25	<20	17	.05	<10	86	<10	3	79
223A - 69	L 438 N 57+ 00W	.1	1.16	15	<2	50	<5	.22	1	17	43	55	3.81	.05	10	.42	365	<1	.04	23	1000	8	15	<20	12	.04	<10	76	<10	3	57
223A - 70	L 438 N 57+ 25W	.1	1.41	15	<2	45	<5	.23	1	19	46	37	3.70	.04	10	.52	264	<1	.04	43	710	8	35	<20	12	.04	<10	76	<10	3	59
223A - 71	L 438 N 57+ 50W	.2	1.50	15	<2	65	<5	.36	1	19	53	44	3.78	.06	10	.59	427	<1	.04	33	1120	10	120	<20	18	.04	<10	74	<10	4	93
223A - 72	L 438 N 57+ 75W	<0.1	1.36	10	<2	55	<5	.23	3	12	38	28	3.04	.03	10	.57	217	<1	.04	24	590	4	105	<20	10	.04	<10	66	<10	2	68
223A - 73	L 438 N 58+ 00W	.1	1.62	20	<2	55	<5	.27	4	17	50	43	3.43	.05	10	.60	324	<1	.04	32	740	8	65	<20	13	.05	<10	71	<10	4	59
223A - 74	L 438 N 58+ 25W	.3	1.21	<5	<2	60	<5	.21	4	13	33	25	2.85	.04	10	.34	365	<1	.04	17	680	8	50	<20	10	.04	<10	65	<10	3	53
223A - 75	L 438 N 58+ 50W	.1	1.37	10	<2	40	<5	.19	5	13	36	47	3.23	.03	10	.53	206	<1	.04	34	620	10	120	<20	9	.05	<10	50	<10	4	65
223A - 76	L 438 N 58+ 75W	.2	1.46	10	<2	55	<5	.28	3	16	46	33	3.07	.04	10	.63	295	<1	.04	27	540	8	85	<20	13	.05	<10	63	<10	4	59
223A - 77	L 438 N 59+ 00W	.2	1.21	35	<2	60	<5	.33	2	11	39	25	3.25	.03	<10	.45	189	3	.04	18	1200	8	10	<20	15	.04	<10	82	<10	2	76
223A - 78	L 438 N 59+ 25W	<0.1	1.51	25	<2	45	<5	.22	1	14	46	35	3.18	.03	10	.68	256	2	.04	25	440	6	10	<20	10	.04	<10	70	<10	3	64
223A - 79	L 438 N 59+ 50W	.1	1.85	25	<2	65	<5	.39	1	16	59	58	2.89	.06	10	.76	476	1	.04	31	550	18	10	<20	17	.04	<10	71	<10	8	72
223A - 80	L 438 N 59+ 75W	.2	1.60	25	<2	65	<5	.37	1	19	51	50	3.03	.06	10	.74	793	3	.04	27	650	10	10	<20	17	.04	<10	71	<10	6	76
223A - 81	L 438 N 60+ 00W	.2	1.96	25	<2	80	<5	.37	1	18	65	58	3.51	.07	10	.76	711	2	.04	30	760	10	10	<20	18	.04	<10	87	<10	6	102

NOTE: < = LESS THAN

CC: MARK TINDALL
VCR
FAX: VCR


ECO-TECH LABORATORIES LTD.
FRANK J. PEZZOTTI
B.C. CERTIFIED ASSAYER

SC89/1056

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-297A

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C.
 ATTENTION: TONY RANSON



JULY 6, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

PAGE 1

224 SOIL SAMPLES RECEIVED JUNE 13, 1989
 PROJECT: #1056 - P.O.# 8595

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
297 - 1	E 6 2	.6	.79	20	<2	100	<5	.56	1	8	16	12	1.55	.04	<10	.29	864	3	.05	12	530	4	<5	<20	33	.03	<10	36	<10	2	71
297 - 2	E 6 3	.2	1.18	30	<2	60	<5	.15	1	6	28	13	2.49	.03	10	.41	131	4	.04	18	400	6	5	<20	14	.02	<10	51	<10	2	58
297 - 3	E 6 4	.2	1.61	60	<2	60	<5	.16	2	18	30	45	3.87	.03	10	.49	260	6	.04	31	410	10	5	<20	13	.03	<10	60	<10	3	115
297 - 4	E 6 5	.2	1.50	50	<2	80	<5	.36	1	12	27	25	2.99	.04	10	.60	263	5	.04	22	400	6	5	<20	21	.02	<10	58	<10	3	85
297 - 5	E 6 6	.2	1.72	35	<2	75	<5	.24	2	10	25	13	2.64	.03	<10	.57	199	3	.04	16	400	6	5	<20	17	.02	<10	64	<10	2	83
297 - 6	E 6 7	.8	.87	20	<2	125	<5	1.41	1	12	22	20	2.24	.06	<10	.40	3615	4	.04	17	720	6	5	<20	76	.03	<10	38	<10	2	115
297 - 7	E 6 8	.6	1.20	20	<2	100	<5	.92	1	11	21	17	2.14	.06	<10	.55	1303	3	.04	16	510	6	5	<20	54	.04	<10	41	<10	2	201
297 - 8	E 6 9	.2	1.18	20	<2	80	<5	.66	1	11	21	14	2.07	.05	<10	.39	477	3	.04	14	450	4	<5	<20	41	.04	<10	45	<10	3	143
297 - 9	E 6 10	.2	1.58	45	<2	90	<5	.23	1	12	32	20	2.96	.04	<10	.60	270	4	.04	27	720	8	<5	<20	18	.04	<10	51	<10	3	112
297 - 10	E 6 11	<.2	1.34	25	<2	120	<5	.34	1	8	21	12	2.12	.04	<10	.45	262	3	.04	15	540	6	<5	<20	25	.03	<10	46	<10	3	90
297 - 11	E 6 12	.2	1.45	30	<2	95	<5	.30	1	9	23	16	2.47	.03	<10	.45	183	4	.04	13	580	8	5	<20	22	.04	<10	62	<10	2	84
297 - 12	E 6 13	<.2	1.30	30	<2	50	<5	.22	1	5	17	11	1.94	.03	<10	.47	173	4	.04	10	330	4	5	<20	16	.04	10	50	<10	2	63
297 - 13	E 6 14	.2	1.47	30	<2	60	<5	.24	1	9	23	28	2.66	.04	<10	.60	302	3	.04	19	480	4	15	<20	17	.05	10	45	<10	2	66
297 - 14	E 6 16	.4	1.22	50	<2	60	<5	.31	2	15	19	51	2.97	.05	<10	.68	538	2	.04	22	700	4	5	<20	22	.05	<10	38	<10	4	113
297 - 15	E 6 17	.2	1.08	25	<2	75	<5	.42	1	7	18	18	2.60	.05	<10	.51	403	4	.04	12	480	4	10	<20	27	.05	10	43	<10	2	104
297 - 16	E 6 18	.4	.87	25	<2	95	<5	.90	2	7	17	22	2.01	.06	<10	.48	930	4	.04	15	670	6	5	<20	41	.04	<10	29	<10	2	116
297 - 17	E 6 19	.2	1.77	45	<2	75	<5	.29	2	15	33	41	3.28	.05	10	.73	427	3	.04	35	270	10	10	<20	19	.06	<10	48	<10	5	133
297 - 18	E 6 20	.4	1.28	35	<2	80	<5	.94	2	14	28	36	2.79	.05	<10	.61	668	4	.04	35	290	10	10	<20	45	.05	<10	40	<10	4	170
297 - 19	E 6 21	.2	.88	45	<2	50	<5	.42	1	7	22	36	2.36	.05	<10	.43	328	3	.04	17	540	4	5	<20	22	.04	<10	36	<10	2	86
297 - 20	E 6 22	.2	1.23	30	<2	45	<5	.32	1	8	22	21	2.66	.05	<10	.58	269	3	.04	14	340	6	5	<20	21	.05	<10	40	<10	2	113
297 - 21	E 6 23	.6	.96	35	<2	105	<5	.38	2	9	21	25	2.20	.05	<10	.45	759	2	.04	18	680	6	<5	<20	22	.03	10	31	<10	2	111
297 - 22	E 6 24	.4	1.20	30	<2	70	<5	.37	1	9	25	24	2.64	.05	<10	.63	588	2	.04	20	820	8	10	<20	22	.04	<10	36	<10	3	120
297 - 23	E 6 25	.2	1.15	40	<2	60	<5	.32	1	10	23	38	2.89	.05	<10	.63	348	4	.04	20	1020	6	5	<20	22	.05	10	37	<10	3	91
297 - 24	E 6 26	.4	1.20	15	<2	65	<5	.44	1	8	24	15	1.87	.05	<10	.49	427	3	.04	18	270	6	5	<20	27	.05	<10	36	<10	3	144
297 - 25	E 6 27	.4	1.13	30	<2	45	<5	.27	1	8	24	25	2.46	.05	<10	.55	321	4	.04	17	550	2	5	<20	16	.05	<10	37	<10	3	82
297 - 26	E 6 28	.2	1.12	30	<2	45	<5	.24	1	6	21	15	1.90	.04	<10	.38	147	2	.04	15	490	2	5	<20	17	.04	<10	38	<10	2	85

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-297A

PAGE 2

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CE	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
297 - 27	E 6 29	.4	.93	25	<2	65	<5	.31	1	7	23	20	2.16	.05	<10	.41	237	2	.04	15	670	4	5	<20	20	.06	<10	40	<10	2	82
297 - 28	E 6 30	<.2	.98	25	<2	55	<5	.42	1	8	29	11	2.00	.06	<10	.46	326	1	.04	17	660	4	5	<20	24	.05	<10	42	<10	2	112
297 - 29	E 6 31	.2	1.42	50	<2	45	<5	.27	1	12	30	48	3.08	.06	<10	.70	351	3	.04	34	470	6	10	<20	20	.08	10	38	<10	3	74
297 - 30	E 6 32	.2	1.78	60	<2	150	<5	.1	2	17	37	40	3.97	.06	10	.70	331	5	.05	43	1130	8	15	<20	22	.06	30	48	<10	5	101
297 - 31	E 6 33	.2	1.30	30	<2	80	<5	.02	1	16	25	16	2.57	.06	10	.41	1197	3	.05	21	580	10	10	<20	45	.06	40	48	<10	5	122
297 - 32	E 6 34	.2	.92	15	<2	70	<5	.37	1	5	17	6	1.62	.04	10	.31	187	3	.05	10	340	6	5	<20	21	.07	20	36	<10	3	45
297 - 33	E 6 35	.2	.44	15	<2	70	<5	.59	<1	5	20	7	.85	.03	10	.09	480	1	.05	4	290	2	5	<20	33	.06	50	26	<10	2	44
297 - 34	E 6 36	<.2	1.73	60	<2	50	<5	.32	1	16	33	42	3.80	.06	10	.73	351	8	.05	31	560	10	10	<20	23	.05	20	53	<10	4	94
297 - 35	E 6 37	<.2	1.43	45	<2	90	<5	.32	1	10	34	19	3.10	.05	10	.59	414	5	.05	24	920	8	10	<20	23	.05	30	51	<10	4	120
297 - 36	E 6 38	<.2	1.19	35	<2	65	<5	.41	1	8	26	8	2.31	.05	10	.43	233	2	.04	15	1350	8	10	<20	24	.07	30	46	<10	3	97
297 - 37	E 6 39	<.2	1.09	45	<2	50	<5	.34	1	6	21	8	2.14	.03	10	.31	133	3	.04	10	650	8	5	20	21	.04	40	56	<10	3	51
297 - 38	E 6 40	.2	2.07	60	<2	150	<5	.55	2	16	51	25	3.78	.04	10	.64	369	3	.05	46	610	12	15	20	34	.06	30	69	<10	4	133
297 - 39	E 6 41	.4	4.46	40	<2	70	<5	1.84	1	59	1101	29	5.49	.03	<10	6.18	1311	10	.04	465	1560	8	30	<20	60	.22	50	157	<10	5	174
297 - 40	E 6 42	.4	3.08	30	4	65	<5	1.98	1	50	634	20	3.89	.03	<10	3.23	1447	5	.05	274	1360	6	20	<20	43	.24	40	118	<10	6	137
297 - 41	E 6 43	.6	1.54	130	<2	155	<5	1.22	4	24	42	44	5.47	.07	<10	.42	1562	5	.05	30	1500	10	20	<20	84	.01	30	148	<10	3	107
297 - 42	E 6 44	1.0	2.94	65	<2	60	<5	.37	2	27	189	40	5.46	.05	20	2.14	773	7	.05	43	1320	8	25	20	24	.03	30	140	10	3	223
297 - 43	E 6 45	.6	1.35	65	<2	60	<5	.46	2	15	35	39	3.36	.05	10	.58	655	4	.04	33	980	8	10	<20	24	.04	20	63	<10	4	132
297 - 44	L 445 60+ 00W	.4	1.01	30	<2	135	<5	.85	1	15	34	37	3.12	.07	<10	.37	1181	1	.04	17	1070	12	100	<20	31	.04	<10	87	<10	3	85
297 - 45	L 445 60+ 25W	<.2	1.94	35	<2	95	<5	.64	1	26	69	126	4.84	.05	<10	1.06	720	3	.04	30	1280	14	160	20	18	.07	<10	144	<10	4	87
297 - 46	L 445 60+ 50W	.2	1.73	50	<2	60	<5	.45	1	24	62	86	3.74	.06	<10	.88	491	2	.04	35	690	14	130	<20	16	.07	<10	89	<10	4	73
297 - 47	L 445 60+ 75W	.4	1.38	30	<2	90	<5	.67	1	19	45	33	2.95	.04	<10	.62	494	3	.04	23	1130	14	95	<20	22	.07	<10	79	<10	3	115
297 - 48	L 445 61+ 00W	.2	1.73	40	<2	55	<5	.37	1	20	55	60	3.43	.04	<10	.80	296	3	.04	33	520	2	120	<20	13	.07	<10	86	<10	3	73
297 - 49	L 445 61+ 25W	.4	1.17	25	<2	75	<5	.34	1	17	36	21	2.80	.04	<10	.44	442	2	.04	17	870	8	80	<20	12	.06	<10	77	<10	2	83
297 - 50	L 445 61+ 50W	.2	1.42	30	<2	60	<5	.55	1	15	41	29	2.60	.05	<10	.48	262	2	.04	22	690	8	95	<20	19	.06	<10	69	<10	3	88
297 - 51	L 445 61+ 75W	<.2	1.37	30	<2	90	<5	.37	1	12	39	21	2.76	.05	<10	.45	221	2	.04	25	670	4	95	<20	17	.05	<10	68	<10	2	110
297 - 52	L 445 62+ 00W	.2	1.44	40	<2	85	<5	.56	1	16	40	24	2.95	.05	<10	.59	329	1	.04	25	1340	6	110	<20	19	.06	<10	67	<10	3	109
297 - 53	L 445 62+ 25W	.4	1.69	25	<2	130	<5	.46	<1	19	67	30	3.51	.06	<10	.65	775	<1	.05	23	1710	10	120	<20	17	.08	<10	106	<10	3	114
297 - 54	L 445 62+ 50W	<.2	1.26	25	<2	55	<5	.36	1	13	32	11	2.45	.04	<10	.34	243	1	.04	14	1250	6	75	<20	14	.06	<10	66	<10	2	82
297 - 55	L 445 62+ 75W	.2	1.45	40	<2	50	<5	.36	1	16	40	28	2.65	.05	<10	.51	184	2	.04	27	570	8	95	<20	13	.07	<10	70	<10	3	68
297 - 56	L 445 63+ 00W	.4	1.65	40	<2	80	<5	.30	1	17	44	20	3.33	.04	10	.48	346	3	.04	29	1020	10	5	<20	14	.07	<10	88	<10	3	81
297 - 57	L 445 63+ 25W	.6	1.78	30	<2	55	<5	.38	1	18	47	25	3.25	.04	10	.53	185	3	.04	35	1220	8	10	<20	19	.07	<10	74	<10	4	83
297 - 58	L 445 63+ 50W	.4	1.93	40	<2	50	<5	.37	1	17	49	35	3.70	.05	10	.67	231	3	.04	39	1360	10	10	<20	17	.06	10	81	<10	4	104
297 - 59	L 445 63+ 75W	.4	1.64	45	<2	45	<5	.46	2	18	46	61	3.20	.04	10	.71	293	2	.04	43	720	6	5	<20	20	.08	<10	80	<10	4	73
297 - 60	L 445 64+ 00W	.4	1.84	45	<2	90	<5	.42	2	21	51	42	3.69	.05	10	.67	566	3	.04	42	1130	8	5	<20	18	.09	<10	90	<10	5	100
297 - 61	L 445 64+ 25W	.4	2.01	45	<2	70	<5	.43	1	19	50	30	3.72	.04	10	.66	294	5	.04	42	1440	6	10	<20	19	.07	<10	80	<10	4	100
297 - 62	L 445 64+ 50W	.2	1.33	35	<2	35	<5	.31	1	12	43	22	3.57	.05	10	.48	174	4	.04	30	440	12	5	<20	15	.06	<10	68	<10	2	66
297 - 63	L 445 64+ 75W	.4	1.17	30	<2	95	<5	.54	1	15	35	25	2.76	.04	10	.48	832	3	.04	24	1190	6	5	<20	24	.07	<10	60	<10	4	100

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CD	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZM		
297 - 64	L 445	65+	00W	.2	1.59	35	<2	55	<5	.53	1	18	44	34	3.13	.05	10	.72	447	4	.04	35	590	4	5	<20	26	.08	<10	70	<10	5	83
297 - 65	L 446	60+	00W	<.2	1.39	45	<2	70	<5	.56	1	15	50	46	4.12	.06	<10	.63	352	2	.04	29	1360	10	80	<20	19	.03	10	73	<10	3	85
297 - 66	L 446	60+	25W	.2	1.13	40	<2	90	<5	.60	1	17	46	42	3.44	.05	<10	.57	864	3	.04	27	960	14	75	<20	21	.03	10	69	<10	4	82
297 - 67	L 446	60+	50W	<.2	1.17	30	<2	70	<5	.33	1	15	34	35	3.27	.05	<10	.57	326	2	.04	23	890	14	65	<20	13	.04	<10	62	<10	3	89
297 - 68	L 446	60+	75W	<.2	.68	30	<2	50	<5	.25	1	16	24	76	4.27	.04	<10	.26	270	1	.04	25	890	12	45	<20	11	.02	10	80	<10	3	69
297 - 69	L 446	61+	00W	<.2	.82	20	<2	95	<5	.42	1	13	35	21	2.27	.05	<10	.37	495	2	.04	15	750	10	45	<20	15	.05	10	47	<10	2	68
297 - 70	L 446	61+	25W	<.2	1.35	40	<2	95	<5	.56	1	15	38	44	3.59	.04	<10	.60	356	3	.05	26	1100	14	80	<20	17	.05	<10	69	<10	3	79
297 - 71	L 446	61+	50W	<.2	1.76	40	<2	190	<5	1.08	1	21	44	96	5.82	.09	<10	.67	933	4	.04	23	1560	14	110	<20	40	.01	<10	121	<10	4	79
297 - 72	L 446	61+	75W	<.2	1.59	50	<2	65	<5	.43	1	13	38	68	4.07	.05	<10	.78	295	3	.04	32	950	14	85	<20	16	.05	<10	90	<10	3	71
297 - 73	L 446	62+	00W	<.2	2.29	55	<2	75	<5	.49	2	26	68	64	6.34	.06	<10	.83	399	4	.04	45	1600	20	115	<20	19	.09	<10	121	<10	4	163
297 - 74	L 446	62+	25W	<.2	1.80	60	<2	55	<5	.48	2	24	56	56	5.03	.04	<10	.77	406	3	.04	37	550	18	100	<20	19	.07	<10	97	<10	3	89
297 - 75	L 446	63+	00W	<.2	1.78	55	<2	90	<5	1.46	2	21	61	101	4.42	.05	<10	.77	475	2	.04	41	450	16	95	<20	51	.06	<10	84	<10	12	71
297 - 76	L 446	63+	25W	.2	1.64	60	<2	85	<5	.90	2	22	58	53	4.39	.05	<10	.84	472	2	.04	35	350	16	80	<20	36	.06	10	78	<10	5	73
297 - 77	L 446	63+	50W	<.2	1.22	25	<2	115	<5	.78	1	14	36	28	3.18	.05	<10	.53	1115	3	.04	21	1510	12	70	<20	32	.06	<10	64	<10	3	116
297 - 78	L 446	63+	75W	.2	1.54	25	<2	130	<5	.66	1	16	39	38	2.80	.07	<10	.60	637	1	.04	19	1470	6	110	<20	24	.07	<10	80	<10	3	155
297 - 79	L 446	64+	00W	.4	1.89	25	<2	145	<5	.79	1	20	39	40	3.60	.07	<10	.49	749	1	.04	20	1920	12	130	<20	27	.08	<10	108	<10	3	164
297 - 80	L 446	64+	25W	<.2	1.14	20	<2	115	<5	.60	1	17	35	23	2.41	.06	<10	.49	984	<1	.04	18	1000	10	75	<20	21	.06	<10	75	<10	2	72
297 - 81	L 446	64+	50W	.2	1.45	15	<2	200	<5	.84	1	18	45	26	3.00	.07	<10	.55	759	2	.04	21	1040	10	105	<20	31	.06	<10	89	<10	3	92
297 - 82	L 446	64+	75W	<.2	1.35	25	<2	85	<5	.39	1	11	34	19	2.60	.04	<10	.48	167	1	.04	20	900	6	85	<20	16	.05	<10	68	<10	3	64
297 - 83	L 446	65+	00W	<.2	1.26	20	<2	45	<5	.37	1	18	41	44	2.66	.04	<10	.61	282	3	.04	26	400	8	80	<20	15	.06	<10	67	<10	4	62
297 - 84	L 447	61+	50W	<.2	1.30	20	<2	620	<5	.42	1	13	34	23	2.73	.03	<10	.51	560	4	.04	19	980	14	10	<20	18	.05	<10	68	<10	2	68
297 - 85	L 447	61+	75W	<.2	1.71	55	<2	530	<5	.37	1	20	53	74	3.45	.04	<10	.75	384	3	.04	36	570	10	15	<20	15	.05	<10	75	<10	3	58
297 - 86	L 447	62+	00W	<.2	1.62	25	<2	835	<5	.44	1	17	34	73	4.22	.08	<10	.47	338	3	.04	20	860	8	20	<20	19	.01	<10	83	<10	3	61
297 - 87	L 447	62+	25W	<.2	1.56	25	<2	275	<5	.41	1	15	43	30	2.97	.04	<10	.66	291	4	.04	25	620	10	10	<20	18	.06	<10	75	<10	2	61
297 - 88	L 447	62+	50W	.2	1.83	45	<2	330	<5	.45	2	23	52	46	3.88	.05	<10	.67	424	4	.04	32	1000	14	10	<20	21	.06	10	92	<10	3	70
297 - 89	L 447	62+	75W	<.2	2.24	50	<2	495	<5	.46	2	21	53	43	4.75	.03	10	.53	231	4	.04	31	700	12	15	<20	26	.06	<10	118	<10	3	75
297 - 90	L 447	63+	00W	1.0	1.07	15	<2	920	<5	3.50	1	9	46	145	1.21	.01	<10	.40	705	3	.05	25	1060	8	5	<20	186	.03	<10	28	<10	12	34
297 - 91	L 447	63+	25W	.4	1.45	20	<2	370	<5	.39	1	12	35	15	2.75	.04	<10	.41	189	3	.04	16	700	10	5	<20	18	.06	<10	66	<10	2	81
297 - 92	L 447	63+	50W	<.2	2.00	45	<2	470	<5	.46	1	20	51	56	3.88	.04	10	.84	508	3	.04	29	1670	8	10	<20	20	.07	<10	97	<10	4	95
297 - 93	L 447	63+	75W	.2	1.65	35	<2	255	<5	.53	1	22	49	87	3.87	.04	10	.86	673	3	.04	30	620	12	10	<20	20	.09	<10	96	<10	8	57
297 - 94	L 447	64+	00W	<.2	1.23	15	<2	580	<5	.49	1	15	35	23	2.74	.04	<10	.49	640	4	.04	18	780	10	10	<20	21	.06	<10	69	<10	2	76
297 - 95	L 447	64+	25W	.2	1.45	20	<2	855	<5	.56	1	18	41	21	3.08	.06	<10	.44	1928	4	.04	21	1450	12	5	<20	25	.05	<10	80	<10	3	98
297 - 96	L 447	64+	50W	.2	1.49	20	<2	1100	<5	.62	1	19	38	33	3.20	.05	<10	.69	1679	5	.04	18	830	10	10	<20	33	.04	10	91	<10	3	72
297 - 97	L 447	64+	75W	<.2	1.44	25	<2	425	<5	.35	1	16	40	28	3.02	.05	10	.58	477	4	.04	25	1100	12	10	<20	15	.06	<10	70	<10	3	79
297 - 98	L 447	65+	00W	<.2	1.05	25	<2	55	<5	.43	1	14	36	31	2.75	.04	<10	.57	300	2	.04	19	710	6	60	<20	14	.06	<10	60	<10	3	48
297 - 99	L 447	65+	25W	.2	.87	20	<2	125	<5	.56	1	13	27	12	2.23	.06	<10	.29	1013	2	.04	11	1040	8	55	<20	23	.05	<10	57	<10	2	74
297 - 100	L 447	65+	50W	<.2	1.30	30	<2	75	<5	.37	1	12	35	16	3.16	.04	<10	.46	185	2	.04	19	1050	8	85	<20	14	.06	10	70	<10	2	73

PAGE 4

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN		
297 - 101	L 447	65+	75W	<.2	1.27	25	<2	65	<5	.39	1	15	36	22	3.19	.05	<10	.52	275	1	.04	23	1220	10	85	<20	14	.07	<10	65	<10	3	73
297 - 102	L 447	66+	00W	<.2	1.35	30	<2	70	<5	.41	<1	14	36	26	3.17	.04	<10	.50	471	2	.04	25	1120	12	80	<20	15	.06	<10	62	<10	3	72
297 - 103	L 447	66+	25W	<.2	1.42	45	<2	50	<5	.46	1	15	45	43	3.36	.04	<10	.66	282	3	.04	32	790	14	95	<20	17	.06	10	68	<10	4	75
297 - 104	L 447	66+	50W	.2	1.05	25	<2	70	<5	.49	1	13	35	17	2.73	.05	<10	.48	324	1	.04	21	1270	10	60	<20	20	.07	10	56	<10	3	76
297 - 105	L 448	61+	50W	.2	1.35	20	<2	180	<5	.41	1	14	34	37	3.28	.05	10	.50	443	1	.04	19	1190	6	10	<20	17	.04	<10	72	<10	3	113
297 - 106	L 448	61+	75W	.2	1.42	30	<2	75	<5	.37	1	16	45	60	3.66	.04	10	.73	388	4	.04	27	700	6	10	<20	14	.07	10	86	<10	4	81
297 - 107	L 448	62+	00W	<.2	1.33	20	<2	110	<5	.50	1	13	32	23	2.61	.05	10	.46	465	2	.04	15	1100	6	5	<20	20	.05	10	73	<10	3	83
297 - 108	L 448	62+	25W	.6	1.06	20	<2	185	<5	.82	1	18	27	26	2.43	.07	<10	.33	1895	2	.04	11	1050	12	10	<20	33	.05	<10	79	<10	3	74
297 - 109	L 448	62+	50W	.4	1.34	30	<2	75	<5	.61	1	17	43	43	3.38	.05	<10	.60	674	2	.04	23	890	14	10	<20	24	.07	<10	85	<10	3	81
297 - 110	L 448	62+	75W	.2	1.27	26	<2	90	<5	.37	1	18	36	22	3.13	.05	10	.51	530	3	.05	19	1070	14	5	<20	16	.06	<10	84	<10	2	86
297 - 111	L 448	63+	00W	.2	1.75	35	<2	60	<5	.32	1	21	49	43	4.10	.03	<10	.75	259	2	.04	28	920	8	10	<20	13	.07	<10	108	<10	3	90
297 - 112	L 448	63+	25W	<.2	.78	25	<2	50	<5	.42	1	10	23	21	2.15	.03	<10	.24	183	2	.05	11	410	8	5	<20	19	.06	10	72	<10	2	37
297 - 113	L 448	63+	50W	.2	1.68	45	<2	70	<5	.34	1	19	48	48	4.11	.03	10	.80	350	2	.04	30	1270	8	15	<20	15	.08	<10	101	<10	4	79
297 - 114	L 448	63+	75W	.2	1.42	30	<2	50	<5	.34	1	16	40	28	3.29	.03	<10	.62	263	2	.05	21	430	10	10	<20	14	.07	10	91	<10	3	84
297 - 115	L 448	64+	00W	.2	1.17	35	<2	60	<5	.57	1	20	37	26	3.43	.04	<10	.47	538	2	.04	18	380	12	10	<20	26	.07	10	98	<10	2	80
297 - 116	L 448	65+	00W	.2	1.03	20	<2	115	<5	.40	1	18	36	24	3.19	.05	10	.33	832	<1	.04	18	1280	10	10	<20	18	.08	<10	83	<10	2	111
297 - 117	L 448	65+	25W	.2	1.08	25	<2	65	<5	.46	1	16	35	33	3.28	.03	<10	.46	396	2	.04	18	1140	10	10	<20	18	.05	10	92	<10	3	73
297 - 118	L 448	65+	50W	.2	1.64	35	<2	60	<5	.41	2	20	52	78	4.09	.05	10	.86	381	1	.05	35	930	12	10	<20	16	.08	<10	106	<10	4	63
297 - 119	L 448	65+	75W	.4	1.10	20	<2	225	<5	.46	1	19	34	30	3.66	.04	<10	.37	2153	1	.04	14	1790	10	10	<20	30	.08	10	98	<10	3	119
297 - 120	L 448	66+	00W	<.2	1.48	20	<2	70	<5	.31	1	13	38	30	3.28	.04	10	.63	237	2	.04	25	1250	8	5	<20	15	.07	<10	80	<10	3	74
297 - 121	L 448	66+	25W	.2	1.14	20	<2	65	<5	.36	<1	13	32	22	2.76	.04	10	.45	419	2	.04	19	710	10	10	<20	15	.06	<10	75	<10	2	65
297 - 122	L 448	66+	50W	.2	.72	15	<2	65	<5	.34	1	11	25	16	1.92	.04	<10	.24	452	<1	.05	10	710	8	5	<20	19	.05	10	65	<10	2	46
297 - 123	T 0			.4	1.27	45	8	80	<5	.42	1	26	39	101	6.03	.04	20	.60	1091	4	.04	48	910	26	5	<20	23	.06	<10	36	<10	11	137
297 - 124	T 1			<.2	1.29	35	<2	100	<5	.50	2	15	33	55	4.24	.05	20	.49	576	5	.04	41	680	18	5	<20	31	.05	<10	42	<10	8	133
297 - 125	T 2			.2	1.22	35	<2	90	<5	.27	2	13	29	56	4.68	.04	10	.42	481	5	.04	28	610	16	5	<20	20	.05	<10	48	<10	3	128
297 - 126	T 3			.4	.77	25	<2	90	<5	.51	2	8	20	28	2.90	.03	10	.24	640	4	.04	16	660	12	5	<20	24	.05	<10	37	<10	3	69
297 - 127	T 4			.2	1.30	25	<2	80	<5	.31	1	10	32	25	4.36	.05	10	.36	336	5	.04	22	1320	34	10	<20	19	.05	20	49	<10	3	118
297 - 128	T 5			.2	1.47	45	<2	120	<5	.76	2	23	36	70	5.32	.06	10	.63	1744	6	.04	44	1200	28	5	<20	37	.05	10	42	<10	6	174
297 - 129	T 6			<.2	.69	25	<2	40	<5	.32	1	5	22	22	2.40	.04	10	.27	184	3	.04	17	430	6	5	<20	17	.05	10	43	<10	3	44
297 - 130	T 7			.2	1.14	35	<2	120	<5	.75	2	14	31	45	3.74	.05	10	.47	855	6	.04	29	810	18	5	<20	34	.04	<10	41	<10	4	116
297 - 131	T 8			<.2	1.31	35	<2	70	<5	.51	1	7	32	38	3.54	.04	10	.43	210	5	.04	26	430	12	10	<20	22	.05	<10	53	<10	3	82
297 - 132	T 9			<.2	1.61	110	<2	90	<5	.40	4	15	40	45	5.73	.06	10	.51	449	6	.04	40	580	30	10	20	22	.05	<10	52	<10	4	131
297 - 133	T 10			.2	1.39	35	<2	140	<5	.74	2	12	43	44	3.78	.06	10	.61	833	3	.04	33	760	14	5	<20	34	.05	<10	46	<10	4	122
297 - 134	T 11			.2	1.34	45	<2	110	<5	.54	2	16	52	43	4.07	.05	10	.54	883	3	.03	33	770	14	<5	<20	30	.06	10	51	<10	4	103
297 - 135	T 12			.2	1.38	15	<2	125	<5	.61	1	8	77	17	1.84	.04	<10	.57	282	1	.04	28	430	14	5	20	29	.03	<10	48	<10	3	68
297 - 136	T 13			<.2	.70	10	<2	50	<5	.29	1	6	18	15	1.23	.03	<10	.19	192	3	.04	11	270	8	<5	20	16	.03	<10	26	<10	2	52

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-297A

PAGE 5

ETK#	DESCRIPTIONS	AS	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
297 - 137	T 14	.6	1.54	35	<2	85	<5	.54	1	12	33	36	2.82	.05	<10	.41	362	4	.04	33	270	14	10	20	29	.03	<10	40	<10	6	115
297 - 138	T 15	.4	.12	10	<2	80	<5	3.78	2	9	3	42	1.66	.01	<10	.15	991	1	.04	17	590	6	<5	<20	138	<.01	<10	8	<10	2	66
297 - 139	T 16	.4	.18	<5	<2	45	<5	4.13	2	2	3	13	.30	.03	<10	.10	97	2	.05	6	590	2	<5	<20	168	<.01	<10	4	<10	1	98
297 - 140	T 17	.2	1.03	25	<2	35	<5	.21	1	8	32	21	2.56	.04	<10	.38	179	4	.04	18	220	8	10	40	14	.04	10	46	<10	2	70
297 - 141	T 18	.2	.73	15	<2	75	<5	.58	1	7	22	23	2.12	.05	<10	.33	670	4	.04	14	660	6	5	40	23	.05	<10	33	<10	2	79
297 - 142	T 19	.2	.53	10	<2	45	<5	.31	1	5	15	8	1.24	.04	<10	.12	135	2	.04	6	360	4	5	40	23	.04	10	29	<10	2	43
297 - 143	T 20	.4	1.49	30	<2	125	<5	.95	1	12	38	23	2.35	.04	<10	.43	610	3	.04	19	460	8	10	40	52	.04	<10	62	<10	4	75
297 - 144	T 21	.2	1.48	30	<2	70	<5	.22	1	13	49	27	3.07	.04	<10	.65	395	3	.04	23	1710	8	10	40	16	.04	<10	55	<10	3	97
297 - 145	T 22	.4	1.36	25	<2	85	<5	.43	1	10	49	33	2.84	.05	<10	.74	420	5	.04	26	1290	6	10	60	23	.06	<10	49	<10	3	89
297 - 146	T 23	.2	.77	10	<2	65	<5	.40	1	5	18	7	.95	.03	<10	.22	169	2	.04	8	300	2	5	40	25	.04	<10	28	<10	2	34
297 - 147	T 24	.2	1.81	25	<2	70	<5	.36	1	15	68	34	2.88	.05	<10	.85	333	4	.04	33	390	10	15	60	22	.06	<10	55	<10	4	84
297 - 148	T 25	.4	1.69	30	<2	100	<5	.28	1	14	38	33	2.97	.05	<10	.79	401	5	.04	23	410	8	10	40	19	.04	10	53	<10	3	77
297 - 149	T 26	.2	1.14	30	<2	85	<5	.24	1	10	36	29	2.58	.04	<10	.56	446	4	.04	22	320	8	10	40	16	.05	<10	42	<10	3	64
297 - 150	T 27	.2	1.36	35	<2	130	<5	.83	1	17	33	38	2.94	.06	<10	.59	830	5	.04	27	360	16	10	40	37	.05	10	42	<10	4	85
297 - 151	T 28	.4	2.36	45	<2	185	<5	1.20	2	18	28	54	3.24	.10	<10	.77	990	3	.04	23	920	10	15	<20	38	.01	<10	54	<10	7	109
297 - 152	T 29	.2	2.89	40	<2	95	<5	.88	2	17	25	129	5.36	.08	<10	.73	372	4	.04	16	980	6	15	<20	35	<.01	10	94	<10	5	95
297 - 153	T 30	.2	2.07	45	<2	130	<5	.73	2	24	43	44	4.37	.07	<10	.88	983	4	.05	36	910	6	15	<20	32	<.01	<10	72	<10	2	103
297 - 154	T 31	.2	1.63	55	<2	140	<5	.51	2	21	27	67	3.61	.05	<10	.72	1162	3	.04	27	850	6	15	20	24	.03	<10	56	<10	3	117
297 - 155	T 32	.2	1.27	45	<2	85	<5	.70	1	16	27	49	3.15	.06	<10	.63	623	4	.05	27	610	12	10	40	33	.04	<10	44	<10	3	92
297 - 156	T 33	.4	1.53	100	<2	150	<5	.98	3	24	14	54	4.40	.07	<10	.40	1728	4	.05	21	1160	14	15	<20	51	<.01	<10	49	<10	5	122
297 - 157	T 34	.2	1.80	75	<2	100	<5	.77	2	18	25	54	3.92	.06	<10	.65	554	2	.04	21	700	6	10	<20	40	.01	<10	55	<10	3	106
297 - 158	T 35	.4	1.91	90	<2	115	<5	.93	2	20	16	47	4.30	.08	<10	.56	791	3	.04	19	570	6	20	<20	39	<.01	<10	69	<10	2	86
297 - 159	T 36	<.2	.97	35	<2	85	<5	.53	1	13	20	24	2.55	.07	<10	.35	473	2	.04	19	580	8	5	20	25	.03	<10	38	<10	3	81
297 - 160	T 37	<.2	1.30	50	<2	80	<5	.38	2	12	21	42	3.03	.06	<10	.50	443	2	.04	22	780	8	10	20	20	.02	<10	44	<10	2	105
297 - 161	T 38	.2	1.00	30	<2	70	<5	.47	1	10	17	23	2.36	.06	<10	.41	545	2	.04	15	790	8	5	20	23	.02	<10	34	<10	2	89
297 - 162	T 39	.6	1.63	115	<2	120	<5	.28	3	17	19	53	4.15	.07	<10	.33	783	1	.04	20	1160	8	10	<20	20	.01	<10	57	<10	2	142
297 - 163	T 40	1.0	.71	25	<2	110	<5	1.14	2	8	15	17	1.49	.06	<10	.31	850	2	.04	14	730	6	5	20	43	.03	<10	28	<10	2	80
297 - 164	T 41	<.2	.93	35	<2	80	<5	.43	1	7	16	19	2.03	.05	<10	.33	389	2	.04	12	720	6	5	20	20	.03	<10	37	<10	2	71
297 - 165	T 42.5	.8	1.21	25	<2	90	<5	.18	1	9	23	21	2.09	.04	<10	.40	261	2	.04	22	660	8	5	20	13	.03	<10	29	<10	2	124
297 - 166	T 43	.4	1.11	35	<2	95	<5	.32	1	10	24	35	2.51	.05	<10	.43	494	4	.04	26	900	12	10	20	20	.04	<10	32	<10	3	108
297 - 167	T 44	.2	1.68	40	<2	75	<5	.31	1	14	30	53	3.33	.06	<10	.73	505	3	.04	30	720	12	10	60	22	.06	<10	45	<10	5	116
297 - 168	T 45	.4	1.31	35	<2	105	<5	.47	1	12	25	36	2.76	.06	<10	.58	690	4	.04	22	710	12	15	60	28	.06	<10	43	<10	4	92
297 - 169	TY J 0	.6	1.40	35	<2	65	<5	.1	1	17	35	49	3.08	.07	10	.54	820	3	.04	22	470	12	5	<20	61	.05	10	53	<10	10	155
297 - 170	TY J 1	2.0	2.67	70	<2	190	<5	2.17	3	29	66	135	4.61	.07	20	.71	1096	5	.05	57	910	24	20	<20	118	.04	30	63	<10	26	172

PAGE 6

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
297 - 171	TY J 2	.2	2.45	75	<2	100	<5	1.03	1	18	65	44	4.87	.06	10	.97	412	7	.05	41	670	16	25	<20	61	.05	<10	85	<10	7	187
297 - 172	TY J 3	.2	1.88	50	<2	90	<5	.66	3	26	54	69	4.22	.06	10	1.03	814	6	.05	50	700	14	10	<20	46	.08	<10	52	<10	11	119
297 - 173	TY J 4	2.2	1.56	65	<2	370	<5	9.50	7	26	40	128	3.68	.06	10	.62	7188	7	.05	52	2990	18	10	<20	384	.04	20	40	<10	18	174
297 - 174	TY J 5	.4	.24	15	<2	60	<5	5.55	1	1	2	83	.31	.01	10	.19	120	1	.05	17	350	6	5	<20	229	<.01	<10	3	<10	15	45
297 - 175	TY J 6	.6	.89	45	<2	170	<5	3.99	2	13	24	102	2.04	.02	<10	.47	5129	4	.04	31	950	10	15	<20	177	.01	30	28	<10	9	112
297 - 176	TY J 7	.4	1.90	105	<2	75	<5	1.14	3	39	62	116	5.75	.06	10	1.17	1722	8	.05	60	1450	26	15	<20	65	.08	20	67	<10	16	163
297 - 177	TY J 8	.2	1.59	50	<2	60	<5	1.19	3	14	33	44	5.08	.04	<10	.53	185	6	.04	22	540	14	15	<20	100	.04	<10	106	<10	5	200
297 - 178	TY J 9	.8	1.39	65	<2	120	<5	3.69	3	28	45	88	4.13	.06	10	.71	1859	6	.05	40	1210	16	10	<20	172	.02	30	44	<10	12	185
297 - 179	TY J 10	3.0	2.60	80	<2	200	<5	1.49	4	27	81	162	6.06	.10	20	.80	1944	11	.05	81	970	28	30	<20	89	.04	10	65	<10	25	265
297 - 180	TY J 11	1.4	2.34	115	2	210	<5	2.29	6	34	88	91	6.43	.08	10	.86	2948	5	.05	67	1890	30	20	<20	160	.03	40	59	<10	17	261
297 - 181	TY J 12	.6	2.03	55	<2	90	<5	1.05	2	27	105	61	4.75	.06	10	1.05	929	7	.05	57	960	18	25	<20	64	.06	<10	64	<10	13	164
297 - 182	TY J 13	2.6	1.88	60	<2	190	<5	4.12	4	26	84	189	4.55	.03	20	.58	5322	7	.04	63	1970	28	10	<20	231	.01	10	36	<10	29	89
297 - 183	TY J 14	.2	.19	20	24	50	<5	4.82	2	4	20	30	.49	.03	<10	.33	691	2	.05	17	910	8	5	<20	224	<.01	<10	7	<10	3	147
297 - 184	TY J 15	.4	.32	15	10	40	<5	4.28	4	5	10	22	1.03	.03	<10	.32	462	5	.06	11	720	6	<5	20	181	.01	30	8	<10	3	205
297 - 185	TY J 16	5.0	2.36	40	2	200	<5	3.20	7	32	62	103	5.46	.08	10	.80	2509	7	.05	59	1250	24	15	<20	197	.04	20	48	<10	20	451
297 - 186	TY J 17	.6	1.70	50	<2	90	<5	1.33	2	20	45	54	4.56	.06	10	.65	972	5	.05	36	630	32	20	<20	79	.02	<10	46	<10	7	184
297 - 187	TY J 18	.4	.08	5	18	50	<5	5.92	3	2	2	26	.14	.04	<10	.19	683	2	.05	11	690	8	5	<20	211	<.01	20	2	<10	1	132
297 - 188	TY J 19	1.0	1.22	25	<2	100	<5	3.21	3	21	38	69	3.52	.05	<10	.50	931	2	.05	38	1350	20	10	<20	134	.02	30	24	<10	10	170
297 - 189	TY J 20	3.6	1.42	95	<2	150	<5	5.71	6	32	25	180	4.54	.03	10	.38	4739	5	.05	95	2420	26	15	<20	249	.01	20	22	<10	27	164
297 - 190	TY J 22	.4	2.03	30	<2	140	<5	1.09	4	25	48	88	4.40	.06	10	.64	1315	5	.05	49	880	24	15	<20	61	.04	20	42	<10	13	297
297 - 191	TY J 23	.6	1.58	<5	<2	100	<5	1.19	2	23	42	76	3.92	.07	10	.65	1196	22	.05	51	790	22	15	<20	61	.04	10	36	<10	10	119
297 - 192	TY J 24	1.0	1.31	30	<2	100	<5	4.41	4	15	19	103	2.34	.01	<10	.23	2201	5	.05	39	780	12	10	<20	185	.02	<10	16	<10	9	94
297 - 193	TY J 25	.4	.10	<5	<2	30	<5	4.21	1	1	1	10	.12	.02	<10	.12	37	<1	.05	8	240	2	5	<20	117	<.01	30	2	<10	2	29
297 - 194	TY J 26	.8	1.52	20	<2	130	<5	2.56	3	20	29	76	4.45	.05	10	.39	1395	4	.04	36	1120	16	5	<20	93	.02	20	36	<10	10	116
297 - 195	TY J 27	.4	1.91	30	<2	130	<5	.77	1	20	39	33	3.63	.05	10	.65	1131	5	.05	32	320	18	20	<20	39	.03	20	60	<10	7	76
297 - 196	TY J 28	<.2	.67	5	<2	70	<5	.18	1	3	14	3	.86	.03	10	.18	67	1	.05	8	200	4	<5	<20	13	.03	10	20	<10	2	28
297 - 197	TY J 29	.2	.27	15	<2	30	<5	.31	<1	2	6	3	.32	.02	10	.07	31	2	.05	3	90	6	5	<20	14	.03	<10	14	<10	2	11
297 - 198	TY J 30	.4	1.10	25	<2	100	<5	.59	<1	8	28	23	2.05	.04	10	.31	341	3	.04	25	500	12	10	<20	33	.03	<10	32	<10	7	67
297 - 199	TY J 31	.4	.50	20	<2	40	<5	.29	<1	3	14	4	.77	.04	10	.12	79	3	.05	7	260	4	5	<20	16	.03	<10	25	<10	2	25
297 - 200	TY J 32	.4	1.70	35	<2	70	<5	.24	1	9	35	25	3.68	.05	20	.46	200	4	.05	24	1860	14	15	<20	14	.04	30	48	<10	5	107
297 - 201	TY J 33	<.2	.93	20	<2	60	<5	.16	1	4	20	7	1.81	.03	10	.19	176	3	.04	10	330	8	10	<20	12	.05	<10	43	<10	3	59
297 - 202	TY J 34	.8	1.66	35	<2	140	<5	1.44	2	17	32	61	3.61	.05	20	.31	1020	4	.04	47	600	18	20	<20	59	.04	<10	53	<10	17	127

ECO-TECH LABORATORIES LTD.


CORONA CORPORATION - ETK 89-297A

PAGE 7

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
297 - 203	TY J 35	1.2	1.33	40	<2	120	<5	3.59	3	22	31	116	4.19	.02	10	.25	1393	5	.05	66	1110	26	20	<20	134	.02	<10	31	<10	27	131
297 - 204	TY J 36	<.2	.92	20	<2	50	<5	.30	1	6	24	11	2.40	.03	10	.23	176	4	.04	15	660	8	5	<20	18	.06	10	54	<10	3	59
297 - 205	TY J 37	.2	1.66	40	<2	110	<5	.19	1	11	35	49	4.46	.04	10	.42	261	6	.04	49	1280	14	25	<20	12	.05	<10	47	<10	4	114
297 - 206	TY J 38	.2	.84	5	<2	80	<5	.28	1	5	14	7	1.21	.04	20	.19	115	2	.05	10	300	6	<5	<20	16	.05	20	31	<10	3	36
297 - 207	TY J 39	<.2	1.10	25	<2	90	<5	.16	<1	8	28	13	2.80	.03	20	.34	180	4	.04	19	1040	8	10	<20	13	.04	<10	51	<10	4	78
297 - 208	TY J 40	<.2	.84	20	<2	80	<5	.22	<1	8	20	16	2.44	.03	20	.21	573	5	.05	16	1150	10	10	<20	14	.05	<10	43	<10	3	77
297 - 209	TY J 41	1.2	1.88	55	<2	100	<5	.60	1	18	40	49	3.78	.04	20	.50	413	6	.04	50	570	14	25	<20	34	.06	<10	55	<10	11	125
297 - 210	TY J 42	<.2	.71	20	<2	50	<5	.32	1	6	23	9	2.35	.04	10	.24	213	3	.04	13	420	10	5	<20	18	.07	10	43	<10	3	52
297 - 211	TY J 43	.4	1.21	35	<2	90	<5	.36	1	11	53	21	3.49	.05	10	.32	223	4	.05	26	1050	10	5	<20	22	.06	20	65	<10	3	84
297 - 212	TY J 44	.2	1.10	20	<2	60	<5	.34	1	10	24	29	2.42	.04	20	.44	235	2	.05	31	510	14	5	<20	19	.04	20	26	<10	6	57
297 - 213	TY J 45	5.0	5.18	90	<2	470	<5	1.99	5	36	97	296	8.50	.23	60	.84	1953	8	.05	190	1300	44	25	<20	108	.05	20	89	<10	56	228
297 - 214	TY J 46	.4	.88	25	<2	50	<5	.36	2	12	21	31	3.07	.04	10	.24	214	5	.05	27	440	10	5	<20	20	.05	20	37	<10	3	88
297 - 215	TY J 47	<.2	.55	15	<2	50	<5	.42	<1	4	15	11	1.44	.02	10	.15	405	6	.04	13	410	8	10	<20	19	.05	<10	31	<10	3	41
297 - 216	TY J 48	.4	.31	10	<2	30	<5	.24	<1	4	8	9	.90	.04	10	.07	116	1	.05	8	250	8	<5	<20	11	.04	30	19	<10	2	27
297 - 217	TY J 49	.2	.96	35	<2	70	<5	.49	1	13	28	41	3.09	.04	20	.44	358	5	.04	38	1030	16	15	<20	24	.04	<10	32	<10	10	88
297 - 218	TY J 51	.2	1.03	35	<2	80	<5	.49	1	7	27	22	2.94	.04	10	.38	419	5	.04	17	810	8	5	<20	22	.05	<10	43	<10	3	61
297 - 219	TYE 6 1	.4	2.29	85	<2	255	<5	1.21	2	35	18	109	5.17	.07	<10	.88	1445	4	.05	24	1910	16	15	<20	78	.04	<10	87	<10	6	133
297 - 220	TYE 6 2	.4	3.28	100	<2	60	<5	.81	3	49	46	210	6.55	.06	<10	2.36	794	6	.04	39	2180	8	20	<20	45	.09	<10	125	<10	5	168
297 - 221	TYE 6 3	.8	2.76	45	<2	3520	<5	1.43	2	44	25	75	4.26	.11	<10	.86	5478	3	.04	18	5050	22	15	<20	227	.04	<10	63	<10	11	246
297 - 222	TYE 6 4	.8	2.90	40	<2	2360	<5	.87	2	43	37	77	4.28	.05	<10	1.02	5177	3	.04	24	3100	18	15	<20	112	.04	<10	82	<10	7	173
297 - 223	TYE 6 5	.4	2.77	55	<2	1185	<5	.89	2	31	23	86	4.18	.07	<10	.87	1354	2	.05	19	1770	14	15	<20	92	.06	<10	90	<10	7	123
297 - 224	TYE 6 6	.4	1.00	30	<2	650	<5	.92	1	10	22	25	2.33	.05	<10	.42	1235	4	.04	15	820	10	5	<20	51	.02	<10	33	<10	2	73

NOTE: < = LESS THAN

CC: CORONA CORPORATION
 MOREHEAD LAKE RESORT
 LIKELY, B.C.
 VOL 1NO
 ATTENTION: C. MACATEE
 SE89/MGM1056
 FAX: TONY RANSON


 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. Certified Assayer

ECO-TECH LABORATORIES LTD.

10041 EAST TRANS CANADA HWY.
 KAMLOOPS, B.C. V2C 2J3
 PHONE - 604-573-5700
 FAX - 604-573-4557

CORONA CORPORATION - ETK 89-319A

1440, 800 WEST PENDER STREET
 VANCOUVER, B.C. V6C 2V6
 ATTENTION: TONY RANSON

JULY 14, 1989

PROJECT # 1056 - P.O.# SHIPMENT #3
 126 SOIL SAMPLES RECEIVED JUNE 19, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

PAGE 1

ETK#	DESCRIPTIONS	AG	AL(I)	AS	B	BA	BI	CA(I)	CD	CO	CR	CU	FE(I)	K(I)	LA	MG(I)	MN	MO	NA(I)	NI	P	PB	SB	SN	SR	TI(I)	U	V	W	Y	ZN
319 - 1	L 343N 61+ 00W	.2	.75	25	<2	30	<5	.19	1	8	23	17	2.14	.01	<10	.35	222	2	.05	15	460	8	5	<20	7	.02	20	38	<10	1	55
319 - 2	L 343N 63+ 00W	.4	.64	20	<2	25	<5	.21	1	6	23	18	1.63	.02	<10	.20	86	1	.04	9	370	6	5	<20	10	.05	10	54	<10	1	47
319 - 3	L 343N 61+ 50W	.4	.44	30	<2	50	<5	.49	1	6	16	10	1.64	.02	<10	.16	498	2	.04	10	630	6	5	<20	17	.02	20	34	<10	1	59
319 - 4	L 343N 62+ 50W	1.4	1.68	130	<2	175	<5	1.33	5	26	59	93	4.77	.05	10	.90	4292	5	.04	64	1000	12	10	<20	66	.03	30	70	<10	16	115
319 - 5	L 343N 60+ 50W	.4	.72	50	<2	50	<5	.34	2	8	21	16	2.06	.02	<10	.32	439	3	.04	14	830	6	5	<20	12	.03	10	40	<10	1	57
319 - 6	L 343N 62+ 00W	.6	1.05	35	<2	75	<5	.30	1	12	34	24	2.77	.02	<10	.43	657	2	.03	26	830	8	5	<20	16	.03	10	56	<10	2	90
319 - 7	L 343N 59+ 50W	.4	.64	15	<2	55	<5	.35	1	6	16	16	1.52	.03	<10	.27	420	2	.05	13	570	4	5	<20	13	.03	10	27	<10	2	53
319 - 8	L 343N 60+ 00W	.2	1.30	25	<2	40	<5	.23	1	11	33	29	2.98	.02	<10	.60	265	3	.04	26	530	6	5	<20	7	.04	30	50	<10	2	75
319 - 9	L 337N 71+ 00W	.2	1.54	30	<2	60	<5	.59	1	19	42	23	3.16	.04	<10	.69	592	2	.04	30	1470	8	5	<20	21	.06	10	69	<10	2	135
319 - 10	L 337N 69+ 50W	.4	3.91	65	<2	20	<5	.61	2	54	356	88	5.68	.02	<10	4.09	744	2	.04	204	1820	14	15	20	51	.10	10	155	<10	3	179
319 - 11	L 337N 65+ 50W	.2	.89	40	<2	45	<5	.38	2	10	30	19	1.90	.02	<10	.37	311	1	.04	17	740	6	5	<20	16	.03	10	51	<10	1	54
319 - 12	L 337N 59+ 50W	.4	1.35	15	<2	95	<5	.21	1	12	36	28	2.49	.03	<10	.52	740	3	.04	29	820	6	5	<20	10	.02	20	41	<10	3	124
319 - 13	L 337N 66+ 00W	<.2	1.14	30	<2	30	<5	.37	1	10	43	14	2.44	.02	<10	.51	212	2	.04	18	780	6	5	<20	12	.04	20	64	<10	1	63
319 - 14	L 337N 70+ 50W	<.2	1.66	50	<2	40	<5	.70	2	25	60	81	3.56	.05	<10	1.03	632	3	.04	37	890	12	10	<20	28	.08	<10	86	<10	6	95
319 - 15	L 337N 73+ 00W	.2	1.55	60	<2	40	<5	.59	2	17	58	83	3.48	.04	<10	.90	406	2	.04	40	530	8	5	<20	21	.07	20	79	<10	9	76
319 - 16	L 337N 70+ 00W	.4	2.64	30	<2	35	<5	.88	2	50	116	189	6.11	.03	<10	2.62	1514	4	.05	43	1220	12	10	<20	39	.07	10	173	<10	5	170
319 - 17	L 337N 68+ 50W	<.2	3.95	155	<2	50	<5	1.06	5	64	211	235	6.45	.03	<10	3.33	960	5	.06	105	1230	10	15	<20	37	.09	30	182	<10	3	220
319 - 18	L 337N 72+ 00W	.2	1.90	30	<2	55	<5	.51	1	17	48	23	3.48	.04	<10	.76	322	3	.04	37	2060	10	5	<20	17	.06	10	70	<10	2	174
319 - 19	L 337N 68+ 00W	.2	1.41	50	<2	45	<5	.82	2	21	40	37	3.18	.03	<10	.64	927	2	.14	27	760	6	5	<20	36	.05	10	82	<10	1	109
319 - 20	L 337N 72+ 50W	.2	1.64	35	<2	60	<5	.55	2	17	47	34	3.20	.05	<10	.91	486	3	.04	33	1320	10	5	<20	17	.06	10	66	<10	3	102
319 - 21	L 337N 67+ 50W	.2	1.58	110	<2	45	<5	.47	3	17	46	58	3.48	.02	<10	.78	268	2	.04	31	520	10	5	<20	22	.03	10	79	<10	2	65
319 - 22	L 337N 71+ 65W	.2	1.56	50	<2	55	<5	.68	2	13	48	62	3.06	.05	<10	.82	706	2	.04	31	1120	10	5	<20	26	.07	20	68	<10	3	92
319 - 23	L 337N 69+ 00W	1.6	2.87	765	<2	40	<5	1.13	22	43	65	301	5.41	.05	10	1.51	934	5	.06	54	1660	24	25	20	58	.04	10	157	<10	10	175
319 - 24	L 337N 67+ 00W	.4	1.65	65	<2	35	<5	.48	2	18	55	102	3.18	.03	<10	1.02	384	2	.05	39	470	10	5	<20	27	.07	20	72	<10	5	61
319 - 25	L 337N 73+ 13W	.4	1.26	30	<2	50	<5	.62	1	13	37	24	2.40	.06	<10	.66	440	2	.04	25	720	6	5	<20	23	.05	10	52	<10	2	74
319 - 26	L 337N 64+ 00W	.4	1.92	55	<2	75	<5	.38	2	14	45	54	3.38	.03	<10	.80	312	3	.04	33	730	6	5	<20	12	.05	10	68	<10	3	80

PAGE 2

ETK#	DESCRIPTIONS	AG	AL(I)	AS	B	BA	BI	CA(I)	CD	CO	CR	CU	FE(I)	K(I)	LA	MG(I)	MN	MO	NA(I)	NJ	P	PB	SB	SN	SR	T(I)	U	V	W	Y	ZN
319 - 27	L 337N 64+ 50W	.4	1.39	45	<2	60	<5	.26	2	13	34	34	2.86	.03	<10	.56	365	2	.04	25	700	8	5	<20	12	.04	<10	59	<10	2	102
319 - 28	L 337N 66+ 50W	.4	1.83	80	<2	50	<5	.41	2	20	57	41	3.52	.03	<10	.84	336	3	.04	41	1420	8	10	<20	24	.04	10	75	<10	2	81
319 - 29	L 337N 61+ 50W	.8	.86	40	<2	85	<5	.38	2	12	22	22	2.74	.03	<10	.35	997	3	.04	18	930	10	5	<20	13	.03	10	44	<10	2	100
319 - 30	L 337N 63+ 50W	2.8	3.14	90	<2	200	<5	2.85	3	13	73	194	4.06	.05	20	.82	509	4	.04	84	1060	14	15	<20	101	.03	<10	63	<10	34	115
319 - 31	L 337N 61+ 00W	.6	1.36	40	<2	65	<5	.30	1	13	33	40	3.05	.02	<10	.58	272	2	.04	33	600	8	5	<20	10	.03	20	48	<10	3	88
319 - 32	L 337N 62+ 00W	.4	.63	15	<2	55	<5	.47	1	7	17	10	1.69	.04	<10	.33	706	2	.04	12	520	6	<5	<20	17	.04	20	34	<10	2	72
319 - 33	L 337N 62+ 50W	.2	.93	15	<2	60	<5	.27	1	5	21	13	2.13	.02	<10	.34	180	2	.04	14	700	6	<5	<20	9	.02	10	42	<10	2	75
319 - 34	L 337N 60+ 50W	.4	1.19	65	<2	75	<5	.28	2	12	27	41	3.26	.02	<10	.52	479	3	.04	28	850	6	5	<20	10	.03	20	46	<10	2	101
319 - 35	L 337N 60+ 00W	.6	.53	25	<2	50	<5	.70	1	6	17	15	1.57	.02	<10	.19	244	2	.04	10	320	6	<5	<20	27	.04	<10	42	<10	2	47
319 - 36	L 337N 65+ 00W	.4	1.37	70	<2	65	<5	.42	2	10	37	28	2.91	.03	<10	.51	512	2	.04	22	1010	8	5	<20	17	.02	10	63	<10	2	103
319 - 37	L 337N 58+ 50W	.4	1.31	35	<2	75	<5	.98	1	13	35	38	2.63	.05	<10	.65	555	2	.04	30	550	8	<5	<20	30	.04	10	44	<10	5	87
319 - 38	L 337N 58+ 00W	.6	1.26	35	<2	90	<5	.81	2	14	35	49	2.84	.03	<10	.59	636	3	.04	32	460	10	5	<20	29	.03	10	53	<10	7	115
319 - 39	L 337N 57+ 50W	INSUFFICIENT SAMPLE																													
319 - 40	L 337N 57+ 00W	.6	1.53	30	<2	130	<5	.91	2	16	38	49	3.15	.04	10	.52	1023	3	.04	34	860	10	10	<20	29	.03	<10	53	<10	9	140
319 - 41	L 337N 63+ 00W	1.0	.56	255	<2	55	<5	.21	7	5	17	26	2.02	.02	<10	.07	82	3	.04	9	580	10	10	<20	14	.02	10	48	<10	1	53
319 - 42	L 337N 59+ 00W	.4	1.30	35	<2	55	<5	.32	1	15	37	33	2.93	.03	<10	.66	531	3	.05	29	250	8	10	<20	12	.06	<10	54	<10	4	79
319 - 43	L 345N 67+ 00W	.4	1.93	65	<2	35	<5	.75	2	25	61	101	3.46	.05	<10	.99	440	3	.04	42	550	10	15	<20	33	.08	<10	86	<10	3	88
319 - 44	L 345N 67+ 50W	.4	1.33	60	<2	60	<5	.67	2	17	44	23	3.00	.04	<10	.55	840	4	.04	28	1370	8	10	<20	26	.06	10	66	<10	2	121
319 - 45	L 345N 68+ 00W	.4	1.36	35	<2	45	<5	.55	1	12	41	26	2.74	.03	<10	.59	458	2	.05	25	1190	8	10	<20	21	.06	10	62	<10	2	100
319 - 46	L 345N 68+ 50W	.4	1.45	40	<2	75	<5	.63	1	19	55	47	3.07	.04	<10	.82	979	2	.04	33	960	8	10	<20	21	.08	10	69	<10	3	114
319 - 47	L 345N 69+ 00W	.2	1.18	35	<2	50	<5	.48	1	14	41	37	2.72	.04	<10	.63	550	3	.04	29	470	10	5	<20	16	.06	<10	61	<10	2	97
319 - 48	L 345N 69+ 50W	.4	1.40	45	<2	60	<5	.82	2	17	47	47	3.04	.05	<10	.68	764	3	.04	34	700	14	10	<20	28	.06	10	64	<10	5	96
319 - 49	L 345N 70+ 00W	.8	1.55	50	<2	60	<5	1.69	2	20	86	112	3.15	.05	10	.75	534	4	.05	42	610	14	15	<20	54	.05	<10	72	<10	12	87
319 - 50	L 345N 64+ 00W	.6	1.39	40	<2	50	<5	.47	1	17	44	25	2.84	.04	<10	.61	1079	2	.04	26	970	8	10	<20	22	.07	<10	64	<10	2	96
319 - 51	L 345N 63+ 50W	.2	1.47	30	<2	45	<5	.48	1	15	38	24	2.92	.03	<10	.58	390	2	.04	26	1150	6	10	<20	27	.05	10	62	<10	2	88
319 - 52	L 345N 64+ 50W	.2	1.47	70	<2	45	<5	.61	2	21	52	60	3.00	.06	<10	.77	791	1	.04	37	610	12	10	<20	26	.07	<10	69	<10	3	83
319 - 53	L 345N 65+ 00W	.4	1.28	55	<2	35	<5	.56	2	13	43	31	3.23	.07	<10	.58	357	2	.04	26	970	6	10	<20	19	.08	10	71	<10	2	74
319 - 54	L 345N 65+ 50W	.4	1.45	40	<2	60	<5	.79	1	19	46	39	2.87	.05	<10	.71	809	1	.04	31	670	8	10	<20	29	.07	<10	64	<10	2	82
319 - 55	L 345N 66+ 00W	.2	1.47	35	<2	35	<5	.53	1	17	41	34	3.05	.05	<10	.69	522	2	.04	30	850	8	10	<20	17	.07	10	68	<10	2	82
319 - 56	L 345N 66+ 50W	.4	1.36	35	<2	50	<5	.64	1	19	41	50	2.82	.04	<10	.67	982	2	.04	30	960	8	10	<20	22	.06	10	61	<10	2	77
319 - 57	L 345N 60+ 00W	.2	1.03	25	<2	55	<5	.34	1	9	29	18	2.63	.03	<10	.40	367	2	.04	20	950	8	5	<20	11	.05	20	49	<10	1	93
319 - 58	L 345N 60+ 50W	.4	.69	20	<2	50	<5	.34	1	7	18	14	1.88	.02	<10	.20	396	2	.04	11	550	10	5	<20	13	.05	10	48	<10	1	59
319 - 59	L 345N 61+ 00W	.4	1.16	35	<2	35	<5	.37	1	10	37	25	3.11	.03	<10	.44	245	3	.04	22	670	8	5	<20	14	.05	20	66	<10	2	61
319 - 60	L 345N 61+ 50W	<.2	.98	30	<2	55	<5	.50	1	11	30	23	2.80	.03	<10	.47	398	3	.04	20	630	8	5	<20	17	.03	20	52	<10	2	66
319 - 61	L 345N 62+ 00W	.8	1.93	55	<2	100	<5	1.33	2	21	46	69	3.63	.02	10	.73	937	4	.04	36	450	12	10	<20	49	.05	30	65	<10	11	125
319 - 62	L 345N 62+ 50W	<.2	1.08	35	<2	50	<5	.36	1	12	26	27	2.79	.03	<10	.51	278	3	.04	21	600	10	5	<20	12	.03	10	50	<10	2	75
319 - 63	L 345N 63+ 00W	<.2	.72	45	<2	50	<5	.51	2	7	24	18	2.37	.03	<10	.28	196	2	.04	12	1070	8	5	<20	23	.04	10	58	<10	2	62

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BT	CA(Z)	CD	CD	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SH	SR	T(Z)	U	V	W	Y	ZN	
319 - 64	6C	1	.2	1.46	45	<2	50	<5	.39	1	15	43	38	3.26	.03	<10	.82	397	3	.05	33	640	12	5	<20	13	.06	10	57	<10	4	100
319 - 65	6C	2	<.2	1.42	75	<2	90	<5	.30	3	13	36	38	3.62	.02	<10	.57	275	4	.04	23	1100	12	5	<20	13	.03	<10	78	<10	2	147
319 - 66	6C	3	.2	1.29	75	<2	110	<5	.64	3	14	35	29	3.51	.03	<10	.55	859	3	.04	22	1400	20	5	<20	23	.03	10	66	<10	2	181
319 - 67	6C	4	.4	1.32	50	<2	85	<5	.65	2	16	41	33	3.19	.02	<10	.79	581	2	.04	25	690	8	5	<20	22	.04	10	55	<10	3	111
319 - 68	6C	5	.2	1.77	90	<2	80	<5	.34	3	14	39	52	4.41	.02	<10	.60	250	2	.04	33	1990	14	10	<20	12	.04	10	91	<10	3	126
319 - 69	6C	6	.2	1.04	45	<2	65	<5	.36	2	8	29	21	2.61	.02	<10	.40	230	3	.04	19	850	10	5	<20	14	.04	20	57	<10	2	82
319 - 70	6C	7	.2	1.75	95	<2	70	<5	.52	3	18	45	69	3.72	.03	<10	.83	419	4	.04	38	930	12	10	<20	19	.05	10	71	<10	5	99
319 - 71	6C	8	.6	2.13	95	<2	145	<5	.36	3	20	50	55	4.43	.03	<10	.78	376	3	.04	44	2030	16	10	<20	14	.04	30	79	<10	4	232
319 - 72	6C	9	.2	1.63	90	<2	100	<5	.55	3	15	43	58	4.02	.03	<10	.73	601	3	.04	32	1400	10	5	<20	21	.04	<10	77	<10	3	132
319 - 73	6C	10	.2	2.57	105	<2	50	<5	.46	3	31	61	144	4.52	.03	<10	1.08	421	3	.04	60	1000	12	15	<20	29	.05	10	98	<10	4	96
319 - 74	6C	11	.2	1.50	50	<2	70	<5	.55	2	18	41	44	3.28	.04	<10	.56	825	3	.04	27	1320	10	5	<20	23	.04	10	77	<10	2	121
319 - 75	6C	12	<.2	2.24	115	<2	70	<5	.49	4	23	55	107	5.15	.03	<10	.99	325	4	.04	52	1250	12	10	<20	34	.04	20	115	<10	3	148
319 - 76	6C	13	.2	1.98	80	<2	85	<5	.35	3	19	55	38	4.29	.03	<10	.73	322	3	.03	34	2490	12	10	<20	20	.05	20	95	<10	2	141
319 - 77	6C	14	.6	1.18	30	<2	60	<5	.31	1	8	34	13	2.41	.03	<10	.39	166	2	.03	15	980	10	5	<20	14	.06	<10	68	<10	1	101
319 - 78	6C	15	.6	1.58	70	<2	50	<5	.31	2	16	46	31	3.62	.02	<10	.65	319	2	.03	29	1480	12	15	<20	17	.05	<10	91	<10	1	118
319 - 79	6C	16	.6	1.95	115	<2	100	<5	.54	3	23	61	79	4.17	.02	<10	.89	1165	4	.03	42	1310	12	15	<20	28	.03	<10	105	<10	2	117
319 - 80	6C	17	.6	2.26	90	<2	70	<5	.46	2	24	63	51	4.20	.03	<10	.80	482	3	.04	38	2180	8	15	20	23	.05	<10	116	<10	2	196
319 - 81	6C	18	.6	2.53	75	<2	125	<5	.63	2	24	35	156	5.22	.05	<10	1.29	603	5	.03	34	1250	12	20	<20	38	.02	<10	132	<10	3	89
319 - 82	6C	19	.4	1.81	340	<2	85	<5	.44	7	18	47	76	5.04	.03	<10	.77	363	3	.03	35	1640	14	15	<20	37	.03	10	108	<10	2	109
319 - 83	6C	20	.4	1.88	115	<2	65	<5	.69	3	24	58	97	3.90	.05	<10	.93	671	3	.03	39	920	12	10	<20	54	.05	<10	101	<10	3	79
319 - 84	6C	21	.4	1.53	85	<2	55	<5	.38	1	19	43	44	3.25	.04	<10	.83	297	3	.03	27	730	8	10	<20	37	.03	<10	75	<10	2	75
319 - 85	6C	22	.4	1.85	105	<2	60	<5	.60	2	23	65	82	3.91	.03	<10	1.05	505	2	.03	43	460	12	15	<20	67	.05	<10	106	<10	2	77
319 - 86	6C	23	.6	2.13	225	<2	110	<5	.82	4	27	33	118	4.44	.09	<10	1.15	1003	4	.04	29	1020	12	15	<20	121	.09	<10	129	<10	2	100
319 - 87	6C	24	.4	1.27	50	<2	40	<5	.38	1	16	38	45	2.88	.05	<10	.63	357	2	.03	26	680	10	10	<20	24	.06	<10	60	<10	2	67
319 - 88	6C	25	.4	1.99	80	<2	70	<5	.60	2	22	60	90	3.83	.05	<10	1.02	423	4	.03	42	800	10	15	<20	47	.06	<10	113	<10	2	78
319 - 89	6C	26	.6	1.43	45	<2	65	<5	.56	1	17	40	22	2.65	.03	<10	.56	933	2	.03	27	690	8	10	<20	22	.04	<10	66	<10	2	75
319 - 90	6C	27	.4	.82	25	<2	55	<5	.40	1	8	24	14	1.75	.02	<10	.35	344	2	.03	14	660	6	5	<20	13	.03	<10	50	<10	1	43
319 - 91	6C	28	.4	.76	20	<2	55	<5	.44	1	9	22	10	1.65	.02	<10	.33	315	1	.03	13	260	10	5	<20	15	.05	<10	49	<10	1	53
319 - 92	6C	29	.6	2.33	125	<2	165	<5	1.18	3	20	18	95	4.76	.06	<10	.77	786	3	.03	21	990	25	15	20	130	.08	<10	171	<10	3	175
319 - 93	6C	30	.4	1.86	200	<2	80	<5	1.52	4	28	30	142	4.51	.04	10	.79	930	2	.03	30	1310	38	20	<20	72	.03	<10	109	<10	7	78
319 - 94	6C	31	.4	1.27	155	<2	60	<5	.57	3	13	38	35	2.91	.04	<10	.50	362	4	.03	24	750	12	10	<20	24	.05	<10	70	<10	3	80
319 - 95	6C	32	.6	1.59	135	<2	115	<5	2.13	3	24	50	159	4.29	.06	10	1.29	1549	3	.04	44	1470	18	15	<20	94	.04	<10	113	<10	11	146
319 - 96	6C	33	1.0	2.28	170	<2	145	<5	1.80	4	37	51	214	5.68	.08	10	1.65	2200	6	.04	46	1900	46	20	<20	88	.07	10	153	<10	17	109
319 - 97	H 2	25	4.8	1.22	45	<2	260	<5	3.34	5	15	25	94	3.40	.06	10	.33	3806	9	.03	72	1490	22	<5	<20	105	.01	20	25	<10	17	206
319 - 98	H 2	50	1.8	1.08	50	<2	100	<5	.57	3	19	23	62	3.95	.05	10	.37	1278	10	.03	56	630	24	5	<20	25	.01	10	26	<10	10	203
319 - 99	H 2	100	1.0	.61	35	<2	80	<5	2.30	2	10	11	24	2.38	.06	<10	.23	1868	7	.03	23	550	18	5	<20	96	.01	20	15	<10	3	123
319 - 100	H 2	150	.2	.14	<5	<2	<5	<5	.25	1	3	5	9	.43	.02	<10	.16	356	4	.03	8	580	8	<5	<20	130	<.01	110	6	<10	1	42

ECO-TECH LABORATORIES LTD.


CORONA CORPORATION - ETK 89-319A

PAGE 4

ETK#	DESCRIPTIONS	AS	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SH	SR	TI(Z)	U	V	W	Y	ZN
319 - 101	H 2 175	1.0	.70	35	<2	60	<5	1.25	2	12	15	29	2.66	.03	<10	.22	720	6	.03	30	520	16	10	<20	60	.01	10	20	<10	3	135
319 - 102	H 2 200	.8	.63	30	<2	70	<5	.48	1	12	13	29	2.59	.03	<10	.22	350	6	.03	29	520	14	5	<20	24	.01	10	20	<10	2	138
319 - 103	H 2 225	.8	.62	30	<2	50	<5	.76	2	11	14	31	2.65	.04	<10	.24	414	8	.03	28	500	12	5	<20	31	.01	10	21	<10	5	138
319 - 104	H 2 275	.4	.07	5	<2	25	<5	2.86	2	1	2	10	.25	.01	<10	.09	260	2	.03	6	280	8	<5	<20	108	<.01	10	2	<10	1	66
319 - 105	H 2 300	.4	.71	45	<2	45	<5	.13	1	12	20	50	3.42	.03	10	.32	359	9	.03	48	370	16	10	<20	7	.01	20	22	<10	7	157
319 - 106	H 2 325	1.2	.71	40	<2	100	<5	.46	2	14	18	47	3.17	.03	10	.22	892	8	.03	47	570	20	10	<20	18	.01	20	23	<10	8	178
319 - 107	H 2 350	1.4	.80	60	<2	65	<5	.28	2	18	21	66	4.13	.03	<10	.30	612	12	.03	59	580	22	10	<20	13	.01	10	25	<10	7	186
319 - 108	H 2 375	1.0	.64	35	<2	10	<5	.35	2	12	17	36	3.09	.03	<10	.21	356	8	.03	37	600	16	5	<20	14	.01	20	21	<10	3	145
319 - 109	H 2 400	.6	.78	60	<2	65	<5	.09	2	14	20	60	3.77	.02	<10	.27	351	13	.03	51	480	18	10	<20	6	.01	10	22	<10	3	187
319 - 110	H 4 0	.4	.87	35	<2	50	<5	.07	1	11	24	31	3.31	.02	<10	.35	300	5	.03	34	920	14	15	<20	7	.01	20	28	<10	2	124
319 - 111	H 4 25	.6	.91	25	<2	85	<5	.07	1	11	29	26	3.20	.02	<10	.37	437	7	.03	29	1020	14	10	<20	5	.01	10	31	<10	2	126
319 - 112	H 4 50	.4	.92	50	<2	55	<5	.03	1	14	31	60	3.55	.03	<10	.49	461	8	.03	55	490	16	10	<20	4	.02	30	29	<10	4	148
319 - 113	H 4 75	.4	.95	35	<2	90	<5	.05	1	11	34	39	3.30	.02	<10	.49	338	8	.03	41	940	14	10	<20	5	.01	20	32	<10	2	149
319 - 114	H 4 100	.4	.56	25	<2	45	<5	.14	1	7	21	19	2.16	.02	<10	.26	312	6	.03	23	560	10	5	<20	7	.01	10	25	<10	1	75
319 - 115	H 4 125	.4	.66	20	<2	50	<5	.10	1	10	26	22	2.58	.03	<10	.45	289	4	.03	29	550	8	<5	<20	7	.01	<10	26	<10	2	102
319 - 116	H 4 150	.6	.82	30	<2	50	<5	.11	1	10	26	33	3.38	.03	<10	.56	292	6	.03	21	1000	10	5	<20	8	.02	<10	37	<10	2	98
319 - 117	H 4 175	.4	.58	20	<2	60	<5	.14	1	7	20	16	2.40	.03	<10	.42	377	3	.03	18	590	10	<5	<20	7	.01	<10	29	<10	1	95
319 - 118	H 4 200	.4	.68	40	<2	35	<5	.15	1	10	22	27	3.28	.03	<10	.53	378	6	.04	25	580	10	5	<20	10	.02	10	35	<10	2	109
319 - 119	H 4 225	.2	.66	20	<2	45	<5	.19	1	8	21	20	2.75	.03	<10	.49	265	3	.04	18	450	12	5	<20	12	.02	<10	37	<10	2	86
319 - 120	H 4 250	.6	.59	25	<2	45	<5	.18	1	9	24	24	2.81	.02	<10	.45	311	6	.03	23	440	10	5	<20	12	.02	<10	35	<10	2	85
319 - 121	H 4 275	.4	.50	25	<2	75	<5	.20	1	8	21	18	2.44	.03	<10	.33	522	4	.03	18	700	14	5	<20	15	.01	<10	32	<10	1	76
319 - 122	H 4 300	.4	.74	25	<2	65	<5	.13	1	8	23	29	3.21	.02	<10	.54	362	4	.03	22	1150	10	5	<20	8	.01	<10	35	<10	2	94
319 - 123	H 4 325	.4	.38	20	<2	60	<5	.16	<1	4	18	10	1.90	.03	<10	.21	320	3	.03	14	770	8	5	<20	8	.02	<10	27	<10	1	57
319 - 124	H 4 350	.4	.33	5	<2	90	<5	.18	<1	5	11	6	1.16	.03	<10	.19	377	1	.03	6	550	6	<5	<20	11	.03	<10	20	<10	1	45
319 - 125	H 4 375	.6	.79	15	<2	105	<5	.14	1	9	30	22	2.94	.03	<10	.49	358	3	.03	20	950	10	5	<20	9	.01	<10	38	<10	2	108
319 - 126	H 4 400	.2	.77	15	<2	65	<5	.12	1	8	40	20	2.76	.02	<10	.49	242	3	.03	19	980	12	5	<20	9	.02	<10	39	<10	2	81

NOTE: < = LESS THAN

CC: MARK TINDALL
VCR
FAX: VCR
SC89/1056



ECO-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

Eco-Tech Laboratories Ltd.
 10041 E. Trans Canada Hwy.
 Kamloops, B.C.
 V2C 2J2
 July 27, 1989

CORONA CORPORATION
 #1440, 800 West Pender St.
 Vancouver, B.C.
 V6C 2V6
 ATTN: ~~Barrel Johnson~~ MARK TINDALL
 PROJECT: 1056

CERTIFICATE OF ANALYSIS ETK 89-345A
 104 Soil Samples, received June 23/89

All values in PPM unless otherwise reported

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
345.1	F-0	0.4	0.93	40	3	45	< 5	0.11	< 1	9	23	37	2.44	0.04	< 10	0.40	288	< 1	< 0.01	19	670	22	10	< 20	8	0.02	16	29	< 10	< 1	78
345.2	F-1	0.3	0.38	21	3	50	< 5	0.25	< 1	5	11	9	1.17	0.02	< 10	0.14	297	< 1	< 0.01	6	763	13	7	< 20	12	0.02	< 10	17	< 10	< 1	37
345.3	F-2	0.6	0.97	43	4	42	< 5	0.07	< 1	10	22	35	2.48	0.03	< 10	0.40	217	< 1	< 0.01	22	321	22	10	< 20	7	0.02	22	27	< 10	< 1	48
345.4	F-3	0.3	0.86	40	3	53	< 5	0.08	< 1	8	18	24	2.39	0.02	< 10	0.29	176	< 1	< 0.01	15	865	20	12	< 20	5	0.01	15	30	< 10	< 1	46
345.5	F-4	0.5	0.95	46	4	41	< 5	0.17	< 1	12	31	49	2.76	0.03	< 10	0.52	392	< 1	< 0.01	24	514	22	11	< 20	15	0.02	11	34	< 10	< 1	53
345.6	F-5	0.4	0.89	47	4	53	< 5	0.23	< 1	13	25	36	2.58	0.03	< 10	0.41	674	< 1	< 0.01	21	643	21	11	< 20	14	0.02	< 10	32	< 10	< 1	58
345.7	F-6	0.5	0.92	50	3	53	5	0.33	< 1	9	25	20	2.70	0.04	< 10	0.35	279	< 1	< 0.01	16	1411	19	14	< 20	19	0.02	12	39	< 10	< 1	54
345.8	F-7	0.4	0.81	45	3	48	< 5	0.18	< 1	9	22	32	2.48	0.04	< 10	0.35	302	< 1	< 0.01	16	1537	19	14	< 20	13	0.02	19	31	< 10	< 1	49
345.9	F-8	< 2	1.38	79	3	70	< 5	0.19	< 1	17	32	65	3.38	0.03	< 10	0.50	636	< 1	< 0.01	24	1839	26	15	< 20	16	0.02	11	53	< 10	< 1	77
345.10	F-9	0.2	0.61	34	3	60	< 5	0.47	< 1	12	25	16	1.79	0.03	< 10	0.23	880	6	< 0.01	37	619	21	14	< 20	23	0.02	11	32	< 10	< 1	54
345.11	F-10	0.5	1.01	58	3	46	< 5	0.32	< 1	12	26	24	2.79	0.03	< 10	0.33	486	< 1	< 0.01	18	1453	22	6	< 20	20	0.02	20	41	< 10	< 1	55
345.12	F-11	0.5	0.72	52	3	40	< 5	0.32	< 1	9	20	36	2.31	0.04	< 10	0.33	375	< 1	< 0.01	16	961	17	10	< 20	23	0.02	12	28	< 10	< 1	56
345.13	F-12	< 2	1.15	69	3	46	< 5	0.18	< 1	12	28	45	2.60	0.02	< 10	0.50	352	< 1	< 0.01	20	417	23	14	< 20	15	0.02	10	44	< 10	< 1	41
345.14	F-13	0.2	0.67	69	3	79	< 5	0.29	< 1	12	20	35	2.87	0.03	< 10	0.23	1219	1	< 0.01	18	862	18	11	< 20	16	0.03	12	41	< 10	< 1	61
345.15	F-14	0.4	0.72	59	4	42	< 5	0.30	< 1	14	20	47	2.63	0.06	< 10	0.37	701	< 1	< 0.01	22	669	20	11	< 20	16	0.01	< 10	25	< 10	< 1	62
345.16	F-15	0.6	1.20	105	3	43	< 5	0.14	< 1	14	33	51	2.85	0.04	< 10	0.52	255	< 1	< 0.01	24	768	25	10	< 20	17	0.02	22	47	< 10	< 1	61
345.17	F-16	< 2	0.73	70	3	26	< 5	0.18	< 1	8	15	48	2.44	0.02	< 10	0.30	224	< 1	< 0.01	15	503	18	14	< 20	11	0.01	< 10	28	< 10	< 1	45
345.18	F-18	< 2	2.81	69	4	45	< 5	0.45	< 1	32	91	76	5.70	0.04	< 10	2.61	855	< 1	< 0.01	35	1340	38	37	< 20	26	0.05	21	153	< 10	< 1	85
345.19	F-19	< 2	1.59	58	3	75	< 5	0.42	< 1	22	59	48	3.74	0.05	< 10	1.16	910	< 1	< 0.01	26	566	29	18	< 20	24	0.06	21	92	< 10	< 1	89
345.20	F-20	0.4	1.89	50	< 2	119	< 5	0.72	< 1	20	23	48	3.36	0.05	< 10	0.58	1404	< 1	< 0.01	17	1653	31	20	< 20	66	0.03	10	96	< 10	< 1	193

Eco-Tech Laboratories Ltd.
10041 E. Trans Canada Hwy.
Kamloops, B.C.
V2C 2J3
August 1, 1989

CORONA CORPORATION
#1440, 800 West Pender St.
Vancouver, B.C.
V6C 2V6
ATTN: Darrel Johnson

CERTIFICATE OF ANALYSIS ETK 89-449A
79 Soil Samples, received July 17/89
Project # 1056

All values in PPM unless otherwise reported

FISH GRID

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
449.1	49+25W50+00N	<.2	0.93	23	6	70	9	0.36	< 1	10	20	15	2.04	0.03	< 10	0.33	640	1	<.01	15	711	19	16	< 20	15	0.04	< 10	38	< 10	< 1	67
449.2	45+50W48+50N	0.4	1.36	68	7	53	< 5	0.59	2	17	29	66	3.71	0.04	21	0.49	764	< 1	<.01	32	395	25	28	< 20	35	0.03	< 10	40	< 10	7	83
449.3	45+50W48+75N	<.2	1.40	49	7	40	< 5	0.19	1	13	28	42	3.21	0.04	14	0.51	336	< 1	<.01	33	736	28	20	< 20	7	0.04	< 10	43	< 10	< 1	83
449.4	45+50W49+00N	<.2	1.16	40	7	32	< 5	0.25	1	13	29	55	2.96	0.04	16	0.58	421	< 1	<.01	26	318	23	24	< 20	10	0.05	< 10	43	< 10	1	57
449.5	45+50W49+25N	<.2	1.01	25	12	41	5	0.30	< 1	13	23	20	2.51	0.05	12	0.43	586	< 1	<.01	23	707	20	20	< 20	14	0.04	< 10	35	< 10	< 1	90
449.6	45+50W49+50N	0.6	1.54	168	13	88	< 5	0.67	5	24	42	100	4.18	0.08	21	0.69	1270	< 1	<.01	48	673	31	35	< 20	44	0.04	< 10	51	< 10	8	90
449.7	45+50W49+75N	<.2	1.23	64	14	30	< 5	0.28	2	14	29	77	3.13	0.04	17	0.59	341	< 1	<.01	28	415	24	26	< 20	11	0.05	< 10	39	< 10	< 1	64
449.8	45+50W50+00N	<.2	1.34	27	14	58	6	0.20	< 1	12	25	30	2.56	0.04	16	0.40	236	< 1	<.01	31	714	27	16	< 20	15	0.03	< 10	25	< 10	1	65
449.9	49+75W50+00N	0.8	1.29	58	14	49	< 5	0.35	2	15	34	95	3.50	0.04	19	0.59	418	< 1	<.01	31	342	25	20	< 20	21	0.05	< 10	44	< 10	6	67
449.10	50+00W48+50N	0.4	0.78	14	7	61	< 5	0.29	< 1	9	18	12	1.91	0.04	10	0.28	498	< 1	<.01	11	618	17	8	< 20	15	0.03	< 10	32	< 10	< 1	68
449.11	50+00W48+75N	<.2	1.07	28	7	51	< 5	0.25	1	12	24	35	2.69	0.04	14	0.47	564	< 1	<.01	24	493	22	19	< 20	11	0.04	< 10	37	< 10	< 1	72
449.12	50+00W49+00N	<.2	1.15	35	7	33	< 5	0.22	1	13	32	37	2.66	0.04	16	0.50	384	< 1	<.01	27	670	22	18	< 20	13	0.03	< 10	39	< 10	< 1	84
449.13	50+00W49+25N	0.2	1.31	81	7	42	< 5	0.30	3	17	31	92	3.35	0.03	14	0.64	480	< 1	<.01	24	411	23	25	< 20	18	0.04	< 10	60	< 10	< 1	75
449.14	50+00W49+50N	1.3	1.54	80	8	66	< 5	0.62	2	42	45	567	5.75	0.05	24	1.06	1248	< 1	<.01	42	993	28	42	< 20	80	0.06	< 10	88	< 10	7	85
449.15	50+00W49+75N	<.2	1.32	40	9	125	< 5	0.78	1	22	21	120	4.19	0.09	16	0.78	1229	< 1	<.01	20	2080	30	27	< 20	132	0.05	< 10	98	< 10	< 1	142
449.16	50+00W50+00N	<.2	2.18	28	11	55	8	0.46	< 1	26	59	65	4.52	0.08	15	1.33	848	< 1	<.01	26	1028	31	38	< 20	29	0.08	< 10	111	< 10	< 1	142
449.17	50+25W50+00N	<.2	2.14	22	10	54	12	0.69	< 1	25	86	25	3.69	0.05	12	1.30	768	< 1	<.01	34	1623	40	32	< 20	32	0.08	< 10	86	< 10	< 1	131
449.18	50+50W48+50N	<.2	1.69	73	10	88	< 5	0.77	2	22	46	90	3.84	0.07	16	0.72	1238	< 1	<.01	29	1488	31	25	< 20	45	0.05	< 10	72	< 10	< 1	102
449.19	50+50W48+75N	<.2	2.40	15	12	83	16	0.67	< 1	34	105	45	4.28	0.04	14	1.70	1353	< 1	<.01	40	1129	40	37	< 20	30	0.15	< 10	107	< 10	< 1	125
449.20	50+50W49+00N	<.2	2.63	21	12	98	15	0.97	< 1	35	110	74	4.83	0.10	16	2.59	1236	< 1	<.01	51	1052	40	45	< 20	68	0.13	< 10	131	< 10	< 1	97

CDROMA CORPORATION
 ETX 89-449A
 Page 2
 August 1, 1983

ETX	DESCRIPTION	Aq	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
449.21	50+50W49+25N	<.2	2.87	32	10	42	8	0.90	< 1	50	132	150	5.32	0.04	19	2.51	720	< 1	<.01	81	822	43	47	< 20	35	0.11	< 10	150	< 10	< 1	56
449.22	50+50W49+50N	<.2	2.49	33	9	59	13	0.63	< 1	28	92	75	4.52	0.06	15	2.33	780	< 1	<.01	41	1106	47	42	< 20	29	0.15	< 10	128	< 10	1	83
449.23	50+50W49+75N	<.2	3.11	27	6	107	11	0.61	< 1	31	84	100	5.24	0.03	17	2.44	632	< 1	<.01	37	1062	70	45	< 20	100	0.15	< 10	135	< 10	< 1	101
449.24	50+50W50+00N	<.2	1.56	27	6	69	8	0.65	1	19	49	18	3.21	0.06	12	0.71	890	< 1	<.01	20	2221	31	26	< 20	36	0.07	< 10	63	< 10	< 1	140
449.25	BMO+95SMEAST	<.2	2.59	20	10	39	11	1.09	< 1	17	39	55	3.69	0.07	13	0.67	437	< 1	<.01	10	3625	43	22	< 20	47	0.11	< 10	82	< 10	< 1	53
449.26	2+00S 0+50E	0.4	0.61	53	5	62	< 5	0.07	2	10	8	28	3.38	0.02	15	0.10	462	< 1	<.01	19	646	15	17	< 20	3	<.01	< 10	27	< 10	< 1	65
449.27	2+00S 1+00E	0.3	0.34	20	6	31	5	0.14	< 1	5	8	25	2.15	0.02	12	0.06	375	1	<.01	13	328	15	9	< 20	8	0.01	< 10	26	< 10	< 1	65
449.28	2+00S 1+50E	1.4	0.66	59	5	89	< 5	0.08	2	9	12	58	2.88	0.03	14	0.10	622	3	<.01	32	439	25	12	< 20	10	<.01	< 10	34	< 10	< 1	76
449.29	2+00S 2+00E	2.1	0.87	32	6	67	< 5	0.12	< 1	8	20	35	2.49	0.04	11	0.30	791	1	<.01	23	576	69	16	< 20	7	<.01	< 10	36	< 10	< 1	100
449.30	2+00S 2+50E	1.4	0.45	< 5	4	129	< 5	0.13	< 1	5	6	9	1.55	0.03	< 10	0.04	4166	< 1	<.01	5	414	21	9	< 20	4	<.01	< 10	18	< 10	< 1	58
449.31	2+00S 3+00E	2.0	0.66	32	< 2	155	5	0.51	1	5	6	20	1.86	0.03	11	0.16	1638	< 1	<.01	12	385	22	11	< 20	37	<.01	< 10	19	< 10	< 1	48
449.32	2+00S 3+50E	<.2	0.54	21	3	64	< 5	0.07	< 1	4	6	23	1.86	0.01	10	0.07	375	< 1	<.01	10	324	17	12	< 20	2	<.01	< 10	26	< 10	< 1	50
449.33	4+00S 0+50E	1.2	0.69	57	3	43	10	0.12	2	17	10	20	4.90	0.01	16	0.10	1007	< 1	<.01	25	1520	7	24	< 20	11	<.01	< 10	31	< 10	< 1	60
449.34	4+00S 1+00E	0.5	0.38	13	4	19	< 5	0.03	< 1	3	6	10	1.19	0.01	< 10	0.03	119	< 1	<.01	7	231	12	6	< 20	< 1	<.01	< 10	23	< 10	< 1	41
449.35	4+00S 1+50E	0.5	0.32	36	5	21	< 5	0.05	1	4	4	21	1.70	0.02	16	0.04	110	< 1	<.01	7	302	11	10	< 20	1	<.01	< 10	22	< 10	< 1	56
449.36	4+00S 2+00E	0.9	1.50	71	6	79	8	0.05	2	15	24	53	4.43	0.03	17	0.39	593	3	<.01	36	761	35	22	< 20	6	0.01	< 10	33	< 10	< 1	109
449.37	4+00S 2+50E	0.2	1.26	23	9	98	< 5	0.38	< 1	16	40	50	3.18	0.03	15	0.69	1152	2	<.01	40	436	28	21	< 20	16	<.01	< 10	42	< 10	< 1	119
449.38	4+00S 3+00E	0.4	0.68	16	4	76	< 5	0.10	< 1	6	15	19	1.96	0.02	10	0.21	298	< 1	<.01	14	379	19	14	< 20	4	<.01	< 10	38	< 10	< 1	51
449.39	4+00S 3+50E	0.2	0.92	28	5	75	< 5	0.04	< 1	9	15	37	3.10	0.02	13	0.23	489	< 1	<.01	17	522	24	17	< 20	4	<.01	< 10	43	< 10	< 1	71
449.40	4+00S 4+00E	<.2	0.70	37	5	126	< 5	0.19	1	12	13	35	2.60	0.02	12	0.18	1762	< 1	<.01	23	702	23	17	< 20	3	<.01	< 10	29	< 10	< 1	72

FISH GRID

CAT GRID

CORONA CORPORATION
 ETK 89-449A
 Page 3
 August 1, 1989

CAT GRID

ETK	DESCRIPTION	Ag	AlZ	As	B	Ba	Bi	CaZ	Cd	Co	Cr	Cu	FeZ	KI	La	MgZ	Mn	Mo	NaZ	Na	P	Pb	Sb	Sn	Sr	TiZ	U	V	W	Y	Zn
449.41	4+00S 4+50E	0.3	1.00	34	5	101	< 5	0.08	1	9	17	40	3.42	0.03	13	0.25	649	3	<.01	22	385	13	17	< 20	9	<.01	< 10	35	< 10	< 1	81
449.42	4+00S 5+00E	0.2	0.34	32	8	40	< 5	0.04	< 1	7	11	65	3.36	0.03	14	0.05	977	2	<.01	19	1061	11	13	< 20	5	0.01	< 10	36	< 10	< 1	57
449.43	4+00S 5+50E	0.7	0.62	27	5	72	< 5	0.22	1	5	12	38	3.76	0.03	13	0.11	413	< 1	<.01	14	1487	13	13	< 20	16	0.01	< 10	37	< 10	< 1	48
449.44	6+00S 0+50E	0.7	0.86	15	5	65	< 5	0.06	< 1	6	10	20	2.15	0.03	11	0.26	960	< 1	<.01	13	530	13	10	< 20	5	<.01	< 10	21	< 10	< 1	64
449.45	6+00S 1+00E	1.2	1.74	28	3	132	< 5	0.10	< 1	5	7	27	3.24	0.02	< 10	0.58	211	< 1	<.01	10	602	22	23	< 20	7	<.01	< 10	15	< 10	< 1	52
449.46	6+00S 1+50E	2.0	0.46	30	5	35	< 5	0.05	< 1	5	11	23	2.24	0.03	11	0.09	564	1	<.01	15	530	6	11	< 20	4	<.01	< 10	22	< 10	< 1	57
449.47	6+00S 2+00E	0.4	0.53	28	5	51	< 5	0.12	< 1	6	10	28	2.69	0.03	12	0.11	792	3	<.01	19	423	6	13	< 20	7	0.01	< 10	25	< 10	< 1	73
449.48	6+00S 2+50E	0.7	0.69	23	3	150	< 5	0.12	< 1	7	6	29	2.12	0.03	< 10	0.07	1853	< 1	<.01	9	567	13	8	< 20	6	<.01	< 10	15	< 10	< 1	70
449.49	6+00S 3+00E	0.3	0.46	30	3	40	6	0.07	< 1	5	8	18	2.72	0.02	11	0.08	356	1	<.01	13	376	< 2	10	< 20	5	<.01	< 10	25	< 10	< 1	61
449.50	5+00S 3+50E	1.7	1.19	261	< 2	179	7	0.37	8	25	51	30	5.35	0.05	13	0.45	3170	< 1	<.01	173	1152	24	29	< 20	30	<.01	< 10	33	< 10	< 1	162
449.51	6+00S 4+00E	0.2	1.08	41	5	82	< 5	0.04	1	8	20	38	3.33	0.03	13	0.27	434	2	<.01	25	531	13	15	< 20	4	<.01	< 10	33	< 10	< 1	80
449.52	6+00S 4+50E	0.7	1.33	28	5	138	< 5	0.05	< 1	11	28	40	4.36	0.04	14	0.39	1657	1	<.01	26	777	20	19	< 20	6	0.01	14	50	< 10	< 1	144
449.53	6+00S 5+00E	0.7	0.69	40	4	109	< 5	0.08	1	11	11	29	3.62	0.03	12	0.12	1964	< 1	<.01	16	622	11	14	< 20	8	<.01	< 10	36	< 10	< 1	73
449.54	6+00S 5+50E	0.4	0.69	39	6	57	< 5	0.04	1	7	8	47	3.20	0.03	13	0.19	575	< 1	<.01	16	577	13	10	< 20	2	<.01	< 10	23	< 10	< 1	61
449.55	6+00S 6+00E	1.3	1.39	41	7	121	< 5	0.04	1	11	18	88	4.02	0.04	15	0.35	1559	< 1	<.01	36	634	26	20	< 20	3	<.01	< 10	33	< 10	< 1	87
449.56	6+00S 6+50E	<.2	1.18	23	6	96	< 5	0.18	< 1	12	14	25	3.94	0.03	14	0.50	836	< 1	<.01	15	945	14	26	< 20	9	0.03	< 10	66	< 10	< 1	62
449.57	8+00S 0+50E	0.3	1.13	118	4	88	< 5	0.03	3	16	9	52	3.62	0.03	12	0.18	278	1	<.01	47	527	16	16	< 20	5	<.01	< 10	15	< 10	< 1	98
449.58	8+00S 1+00E	0.6	0.57	12	4	68	< 5	0.05	< 1	7	8	17	2.15	0.04	13	0.12	3098	< 1	<.01	8	441	12	10	< 20	4	0.01	< 10	21	< 10	< 1	51
449.59	8+00S 1+50E	1.1	0.35	18	7	106	< 5	0.07	< 1	5	4	22	2.30	0.04	11	0.04	2934	2	<.01	8	498	17	13	< 20	7	<.01	< 10	13	< 10	< 1	49
449.60	8+00S 2+00E	<.2	1.28	32	5	195	< 5	0.32	1	14	17	40	2.46	0.04	17	0.32	1319	1	<.01	35	354	43	14	< 20	23	<.01	< 10	28	< 10	< 1	115

CORONA CORPORATION
 ETK 89-449A
 Page 4
 August 1, 1969

CAT GRID

ETK	DESCRIPTION	Ag	AlZ	As	B	Ba	Bi	CaZ	Cd	Co	Cr	Cu	FeZ	KZ	La	MgZ	Mn	Mo	NaZ	Ni	P	Pb	Sb	Sn	Sr	TiZ	U	V	W	Y	Zn
449.61	8+00S 2+50E	<.2	0.49	184	3	89	9	0.06	7	12	20	12	4.21	0.02	22	0.05	1197	< 1	<.01	86	741	15	22	< 20	5	<.01	< 10	21	< 10	< 1	57
449.62	8+00S 3+00E	<.2	0.60	18	7	37	9	0.04	< 1	5	12	21	2.09	0.03	18	0.15	372	3	<.01	19	449	22	10	< 20	5	0.01	< 10	32	< 10	< 1	63
449.63	8+00S 3+50E	<.2	1.54	67	10	81	15	0.05	3	14	36	62	3.97	0.05	26	0.50	317	5	<.01	46	544	40	34	< 20	3	0.01	< 10	37	< 10	< 1	111
449.64	8+00S 4+00E	<.2	0.78	11	9	47	5	0.03	< 1	4	14	20	1.58	0.02	17	0.18	154	2	<.01	14	417	26	12	< 20	2	0.01	< 10	35	< 10	< 1	54
449.65	8+00S 4+50E	<.2	0.78	82	6	165	19	0.36	3	34	23	33	5.42	0.04	28	0.21	1991	< 1	<.01	63	1035	20	29	< 20	21	<.01	< 10	31	< 10	1	75
449.66	8+00S 5+00E	<.2	1.09	27	7	81	9	0.03	2	9	31	30	2.78	0.03	22	0.43	254	2	<.01	25	392	33	14	< 20	8	0.01	15	60	< 10	< 1	68
449.67	8+00S 5+50E	<.2	3.36	17	5	225	< 5	0.16	< 1	35	22	43	6.65	0.03	40	1.78	1552	< 1	<.01	22	1166	62	32	< 20	16	<.01	< 10	138	< 10	< 1	92
449.68	8+00S 6+00E	<.2	0.95	19	10	118	8	0.22	< 1	12	30	18	2.74	0.04	20	0.53	1129	< 1	<.01	21	769	32	25	< 20	9	0.08	< 10	76	< 10	< 1	68
449.69	10+00S 0+50E	<.2	0.34	62	6	26	7	0.03	2	12	4	24	2.76	0.03	22	0.02	513	4	<.01	24	277	25	16	< 20	6	0.01	< 10	20	< 10	< 1	60
449.70	10+00S 1+00E	<.2	0.31	47	6	34	14	0.08	1	10	3	29	2.17	0.03	18	0.02	423	< 1	<.01	23	278	30	5	< 20	1	<.01	< 10	14	< 10	< 1	49
449.71	10+00S 1+50E	<.2	0.45	13	5	41	< 5	0.04	< 1	4	4	11	1.46	0.02	12	0.03	851	< 1	<.01	6	215	23	< 5	< 20	4	0.01	< 10	15	< 10	< 1	34
449.72	10+00S 2+00E	<.2	0.50	64	6	39	< 5	0.03	3	8	5	28	3.58	0.02	21	0.04	152	27	<.01	25	987	24	8	< 20	6	<.01	< 10	16	< 10	< 1	83
449.73	10+00S 3+00E	<.2	1.04	30	6	62	7	0.03	1	7	16	30	2.45	0.04	20	0.23	416	3	<.01	24	833	36	8	< 20	9	<.01	< 10	30	< 10	< 1	85
449.74	10+00S 3+50E	<.2	0.89	32	5	54	10	0.02	1	6	13	20	2.47	0.04	18	0.13	419	3	<.01	18	552	33	14	< 20	6	<.01	< 10	34	< 10	< 1	54
449.75	10+00S 4+00E	<.2	0.61	21	5	99	8	0.11	1	8	10	21	2.36	0.03	16	0.11	321	2	<.01	16	650	33	11	< 20	7	<.01	< 10	32	< 10	< 1	78
449.76	10+00S 4+50E	<.2	1.47	39	9	122	< 5	0.19	2	13	38	59	3.48	0.06	26	0.56	933	5	<.01	48	602	44	26	< 20	14	<.01	< 10	42	< 10	3	117
449.77	10+00S 5+00E	<.2	1.17	38	8	210	< 5	0.39	2	14	27	61	3.05	0.06	23	0.29	1357	3	<.01	41	819	39	22	< 20	24	<.01	< 10	45	< 10	4	106
449.78	10+00S 5+50E	<.2	1.37	16	6	62	18	0.04	< 1	7	27	18	2.53	0.03	19	0.23	438	1	<.01	15	573	40	21	< 20	4	0.01	< 10	54	< 10	< 1	74
449.79	10+00S 6+00E	<.2	1.77	105	3	102	< 5	0.07	4	24	28	68	4.93	0.05	27	0.29	1072	1	<.01	77	1005	42	39	< 20	5	<.01	< 10	39	< 10	< 1	159

NOTE: < = Less than

Douglas Howard
 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

CORDNA CORPORATION
 ETK 89-345A
 Page 2
 July 27, 1989

CAT GRID

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bz	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
345.21	BL 0+00 S	0.7	0.22	25	3	109	< 5	0.28	< 1	5	4	14	1.19	0.03	< 10	0.05	1405	< 1	< .01	6	351	34	< 5	< 20	18	0.01	14	12	< 10	< 1	45
345.22	BL 0+50 S	0.7	0.68	187	< 2	56	< 5	0.05	< 1	21	12	77	3.72	0.02	< 10	0.21	886	< 1	< .01	65	442	35	12	< 20	7	< .01	28	16	< 10	< 1	145
345.23	BL 1+00 S	0.4	0.37	41	< 2	58	< 5	0.07	< 1	5	6	10	2.04	0.01	< 10	0.04	832	< 1	< .01	10	346	16	8	< 20	4	< .01	< 10	17	< 10	< 1	38
345.24	BL 1+50 S	1.2	0.57	62	< 2	57	< 5	0.11	< 1	9	10	46	3.86	0.03	< 10	0.14	1712	< 1	< .01	21	842	15	8	< 20	13	< .01	27	13	< 10	2	76
345.25	BL 2+00 S	1.4	0.59	113	3	74	< 5	0.14	< 1	23	7	62	3.60	0.03	< 10	0.14	1795	< 1	< .01	41	659	35	11	< 20	12	< .01	28	7	< 10	< 1	91
345.26	BL 2+50 S	0.6	0.40	127	2	44	< 5	0.11	< 1	7	6	18	2.68	0.02	< 10	0.06	617	< 1	< .01	31	620	16	7	< 20	6	< .01	< 10	12	< 10	< 1	49
345.27	BL 3+00 S	0.5	0.38	81	< 2	34	< 5	0.02	< 1	5	5	10	1.94	0.01	< 10	0.04	219	< 1	< .01	25	392	13	5	< 20	3	< .01	< 10	13	< 10	< 1	30
345.28	BL 3+50 S	< .2	0.56	33	7	30	< 5	0.06	< 1	6	9	25	1.91	0.03	12	0.12	287	7	< .01	15	421	48	9	< 20	6	0.01	< 10	22	< 10	< 1	49
345.29	BL 4+00 S	0.5	0.30	24	3	51	< 5	0.05	< 1	5	4	12	1.36	0.02	< 10	0.05	1011	< 1	< .01	8	433	15	< 5	< 20	2	< .01	10	10	< 10	< 1	36
345.30	BL 4+50 S	0.6	0.29	22	2	49	< 5	0.02	< 1	3	3	10	1.20	0.02	< 10	0.03	400	< 1	< .01	5	305	17	< 5	< 20	1	< .01	11	7	< 10	< 1	23
345.31	BL 5+00 S	0.7	0.32	26	3	35	< 5	0.10	< 1	4	4	22	1.43	0.02	< 10	0.08	585	< 1	< .01	8	343	17	< 5	< 20	7	< .01	13	12	< 10	< 1	33
345.32	BL 5+50 S	1.1	0.44	15	2	57	< 5	0.06	< 1	4	5	22	1.23	0.02	< 10	0.13	683	< 1	< .01	6	282	20	< 5	< 20	8	< .01	29	10	< 10	< 1	33
345.33	BL 6+00 S	1.1	0.28	16	2	68	< 5	0.03	< 1	5	3	17	1.37	0.02	< 10	0.03	1986	< 1	< .01	4	415	19	< 5	< 20	5	< .01	25	10	< 10	< 1	28
345.34	BL 6+50 S	0.9	0.36	22	3	102	< 5	0.02	< 1	5	2	18	1.34	0.02	< 10	0.06	535	< 1	< .01	7	236	17	< 5	< 20	5	< .01	17	5	< 10	< 1	32
345.35	BL 7+00 S	1.6	0.47	22	2	149	< 5	0.15	< 1	13	6	12	1.60	0.05	< 10	0.12	6554	< 1	< .01	8	684	27	< 5	< 20	9	0.01	30	14	< 10	< 1	59
345.36	BL 7+50 S	0.4	0.22	69	3	68	< 5	0.19	< 1	13	3	74	2.06	0.02	< 10	0.03	1863	< 1	< .01	22	410	20	8	< 20	8	< .01	< 10	11	< 10	< 1	63
345.37	BL 8+00 S	0.9	0.18	25	3	85	< 5	0.08	< 1	5	3	13	1.98	0.02	< 10	0.02	2437	< 1	< .01	7	285	18	6	< 20	8	< .01	17	11	< 10	< 1	40
345.38	BL 8+50 S	0.6	0.18	38	3	76	< 5	0.12	< 1	7	3	44	2.17	0.01	< 10	0.03	3202	1	< .01	14	264	22	7	< 20	7	< .01	17	10	< 10	< 1	50
345.39	BL 9+00 S	0.9	0.22	60	2	87	< 5	0.12	< 1	12	4	41	2.80	0.03	< 10	0.03	6757	< 1	< .01	19	434	27	7	< 20	11	< .01	30	20	< 10	< 1	61
345.40	BL 9+50 S	1.1	0.26	38	3	121	< 5	0.11	< 1	9	4	38	2.95	0.02	< 10	0.03	6001	< 1	< .01	13	406	19	13	< 20	9	< .01	28	15	< 10	< 1	55

CAT GRID

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
345.41	BL 10+00S	1.1	0.28	72	3	24	< 5	0.28	< 1	24	5	80	4.09	0.03	< 10	0.05	12921	2	<.01	34	458	47	18	< 20	15	0.02	30	24	< 10	< 1	96
345.42	BL 10+50S	0.4	0.37	30	2	52	< 5	0.14	< 1	8	5	23	2.40	0.01	< 10	0.06	1691	3	<.01	12	246	17	9	< 20	6	0.01	< 10	18	< 10	< 1	42
345.43	BL 11+00S	0.4	0.30	43	2	72	< 5	0.08	< 1	9	5	23	2.62	0.01	< 10	0.04	1824	i	<.01	21	409	12	11	< 20	5	<.01	11	12	< 10	< 1	52
345.44	BL 11+50S	<.2	0.36	39	2	54	< 5	0.06	< 1	7	6	14	2.01	0.01	< 10	0.06	584	< 1	<.01	12	169	9	8	< 20	< 1	<.01	< 10	13	< 10	< 1	34
345.45	BL 12+00S	<.2	0.41	20	3	60	< 5	0.14	< 1	8	6	8	1.69	0.02	< 10	0.06	955	< 1	<.01	7	428	13	6	< 20	5	<.01	< 10	15	< 10	< 1	50
345.46	BL 12+50S	0.4	0.54	29	3	68	< 5	0.14	< 1	5	9	16	2.00	0.02	< 10	0.18	689	< 1	<.01	8	497	13	< 5	< 20	9	0.01	12	25	< 10	< 1	36
345.47	BL 13+00S	0.5	0.38	43	3	39	< 5	0.04	< 1	7	9	30	2.38	0.02	< 10	0.14	559	< 1	<.01	21	505	14	8	< 20	4	<.01	< 10	15	< 10	< 1	52
345.48	BL 13+50S	0.4	0.57	33	3	65	< 5	0.11	< 1	9	12	35	2.57	0.02	< 10	0.19	1071	2	<.01	18	491	16	13	< 20	9	<.01	21	18	< 10	< 1	58
345.49	BL 14+00S	<.2	0.64	47	3	59	< 5	0.01	< 1	7	10	44	2.89	<.01	< 10	0.23	375	2	<.01	20	363	14	14	< 20	< 1	<.01	< 10	18	< 10	< 1	55
345.50	BL 14+50S	<.2	0.37	23	< 2	40	< 5	0.23	< 1	4	5	12	1.61	0.01	< 10	0.07	133	< 1	<.01	10	219	16	9	< 20	14	<.01	< 10	13	< 10	< 1	37
345.51	BL 15+00S	<.2	0.68	29	3	33	< 5	0.06	< 1	6	15	18	2.40	0.01	< 10	0.24	132	< 1	<.01	11	610	18	16	< 20	3	0.01	< 10	24	< 10	< 1	40
345.52	1+00S 0+50E	1.1	0.62	47	2	93	< 5	0.58	< 1	11	10	43	2.73	0.02	< 10	0.18	1469	< 1	<.01	24	230	21	14	< 20	38	<.01	< 10	13	< 10	2	60
345.53	1+00S 1+00E	0.8	0.46	45	2	75	< 5	0.35	< 1	8	10	22	2.27	0.02	< 10	0.13	1353	< 1	<.01	13	268	14	12	< 20	23	0.01	< 10	21	< 10	< 1	53
345.54	1+00S 1+50E	<.2	0.85	41	3	50	< 5	0.01	< 1	8	21	42	3.26	0.01	< 10	0.28	193	3	<.01	25	580	17	15	< 20	1	<.01	< 10	30	< 10	< 1	80
345.55	1+00S 2+00E	<.2	0.51	66	3	47	< 5	0.05	< 1	6	8	32	2.56	0.01	< 10	0.09	173	< 1	<.01	16	313	12	11	< 20	< 1	<.01	< 10	22	< 10	< 1	51
345.56	1+00S 2+25E	0.3	0.38	35	< 2	78	< 5	0.14	< 1	6	4	13	1.94	0.01	< 10	0.07	190	< 1	<.01	10	153	14	9	< 20	5	<.01	< 10	16	< 10	< 1	34
345.57	3+00S 0+50E	0.7	0.39	182	3	31	< 5	0.03	< 1	10	23	23	3.46	0.02	< 10	0.12	653	< 1	<.01	114	659	7	13	< 20	2	<.01	< 10	13	< 10	< 1	71
345.58	3+00S 1+00E	0.8	0.26	49	3	22	< 5	0.03	< 1	5	3	21	2.14	0.01	< 10	0.02	297	< 1	<.01	12	289	11	8	< 20	3	<.01	< 10	15	< 10	< 1	48
345.59	3+00S 1+50E	<.2	0.43	36	3	33	< 5	0.04	< 1	6	10	22	2.45	<.01	< 10	0.10	344	2	<.01	16	412	12	10	< 20	< 1	0.02	< 10	25	< 10	< 1	58
345.60	3+00S 2+00E	<.2	0.87	46	2	70	< 5	0.04	< 1	8	24	37	3.47	<.01	< 10	0.29	163	3	<.01	23	248	16	19	< 20	< 1	<.01	< 10	45	< 10	< 1	79

CAT GRID

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ta	U	V	W	Y	Zn
345.61	3+00S 2+50E	0.6	0.26	23	3	24	< 5	0.05	< 1	3	3	10	1.99	0.02	< 10	0.02	273	< 1	< .01	7	268	10	9	< 20	< 1	< .01	< 10	14	< 10	< 1	30
345.62	3+00S 3+00E	< .2	0.59	33	< 2	48	< 5	0.07	< 1	6	9	17	2.73	< .01	< 10	0.15	273	< 1	< .01	12	398	14	10	< 20	< 1	< .01	< 10	33	< 10	< 1	41
345.63	3+00S 3+50E	< .2	0.56	44	2	62	< 5	0.01	< 1	9	6	27	3.57	< .01	< 10	0.09	623	< 1	< .01	11	517	11	12	< 20	< 1	< .01	< 10	34	< 10	< 1	42
345.64	3+00S 4+00E	< .2	0.42	35	3	66	< 5	0.06	< 1	6	6	25	2.54	0.01	< 10	0.05	967	< 1	< .01	11	401	18	9	< 20	< 1	< .01	< 10	24	< 10	< 1	36
345.65	3+00S 4+50E	0.6	0.88	59	2	136	< 5	0.05	< 1	10	11	42	3.75	0.02	< 10	0.16	976	< 1	< .01	27	424	22	13	< 20	4	< .01	< 10	24	< 10	< 1	56
345.66	5+00S 0+50E	0.3	0.27	32	2	21	< 5	0.03	< 1	6	3	31	2.06	0.02	< 10	0.02	467	< 1	< .01	9	326	13	11	< 20	< 1	< .01	< 10	14	< 10	< 1	32
345.67	5+00S 1+00E	1.1	0.45	42	3	30	< 5	0.01	< 1	5	8	20	2.37	0.01	< 10	0.08	213	< 1	< .01	13	404	15	9	< 20	1	< .01	< 10	16	< 10	< 1	44
345.68	5+00S 1+50E	< .2	0.54	51	3	30	< 5	0.02	< 1	6	3	32	3.06	0.01	< 10	0.10	193	2	< .01	22	406	14	14	< 20	< 1	< .01	< 10	24	< 10	< 1	71
345.69	5+00S 2+00E	0.3	0.58	66	< 2	63	< 5	0.06	< 1	7	4	30	3.60	0.01	< 10	0.06	231	< 1	< .01	17	627	11	12	< 20	< 1	< .01	< 10	13	< 10	< 1	71
345.70	5+00S 2+50E	< .2	0.63	61	2	44	< 5	0.02	< 1	8	10	51	2.99	0.02	< 10	0.10	204	2	< .01	23	418	18	10	< 20	< 1	< .01	< 10	11	< 10	< 1	74
345.71	5+00S 3+00E	0.5	1.01	51	2	69	< 5	0.04	< 1	9	23	35	3.20	0.02	< 10	0.22	181	2	< .01	24	371	29	18	< 20	3	< .01	< 10	32	< 10	< 1	65
345.72	5+00S 3+50E	1.2	0.54	20	< 2	54	< 5	0.04	< 1	6	13	22	2.64	< .01	< 10	0.19	221	< 1	< .01	10	501	18	< 5	< 20	7	< .01	24	39	< 10	< 1	44
345.73	5+00S 4+00E	0.4	0.42	75	2	77	< 5	0.03	< 1	10	10	22	3.57	0.01	< 10	0.05	1651	< 1	< .01	17	551	16	12	< 20	< 1	< .01	< 10	23	< 10	< 1	52
345.74	5+00S 4+50E	0.5	0.61	66	< 2	78	< 5	0.88	< 1	18	16	38	3.49	0.02	< 10	0.22	1130	< 1	< .01	21	535	31	18	< 20	44	< .01	< 10	25	< 10	< 1	66
345.75	5+00S 5+00E	< .2	0.57	39	3	66	< 5	0.47	< 1	10	9	40	3.07	< .01	< 10	0.19	1071	< 1	< .01	14	434	24	14	< 20	21	< .01	< 10	16	< 10	< 1	53
345.76	5+00S 5+50E	0.3	0.23	32	3	46	< 5	0.44	< 1	5	7	40	2.26	0.01	< 10	0.10	321	< 1	< .01	14	347	21	10	< 20	22	0.01	< 10	30	< 10	< 1	38
345.77	5+00S 6+00E	0.4	0.45	34	3	67	< 5	0.08	< 1	7	8	25	2.75	0.01	< 10	0.11	968	< 1	< .01	11	449	19	13	< 20	2	< .01	< 10	25	< 10	< 1	49
345.78	5+00S 6+50E	0.3	0.44	36	3	49	< 5	0.09	< 1	7	8	35	2.50	< .01	< 10	0.15	763	< 1	< .01	18	431	26	7	< 20	2	< .01	19	19	< 10	< 1	60
345.79	7+00S 0+50E	1.1	0.50	67	3	109	< 5	0.88	< 1	7	4	43	2.57	0.02	< 10	0.06	361	< 1	< .01	22	362	16	11	< 20	3	< .01	< 10	9	< 10	< 1	54
345.80	7+00S 1+00E	0.4	0.72	91	< 2	65	< 5	0.04	< 1	7	6	18	3.72	0.01	< 10	0.09	473	< 1	< .01	18	1047	2	12	< 20	5	< .01	29	8	< 10	< 1	59

CAT GRID

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
345.81	7+00S 1+50E	0.4	0.26	18	< 2	33	< 5	0.03	< 1	4	3	12	1.91	0.01	< 10	0.03	1836	< 1	< 0.01	7	356	5	< 5	< 20	3	< 0.01	19	10	< 10	< 1	31
345.82	7+00S 2+00E	0.9	0.78	279	< 2	60	< 5	0.05	< 1	18	9	70	7.83	0.02	< 10	0.09	672	< 1	< 0.01	65	1629	4	21	< 20	8	< 0.01	30	13	< 10	< 1	112
345.83	7+00S 2+50E	0.3	0.58	38	< 2	99	< 5	0.03	< 1	6	5	45	2.36	0.01	< 10	0.05	1135	< 1	< 0.01	13	319	13	8	< 20	3	< 0.01	13	12	< 10	< 1	50
345.84	7+00S 3+00E	< 2	0.50	36	< 2	78	< 5	0.02	< 1	7	6	11	2.38	< 0.01	< 10	0.02	663	< 1	< 0.01	8	293	9	10	< 20	< 1	< 0.01	< 10	19	< 10	< 1	46
345.85	7+00S 3+50E	0.4	0.41	47	3	102	< 5	0.09	< 1	9	10	35	2.75	0.03	< 10	0.11	2266	< 1	< 0.01	18	896	8	13	< 20	2	< 0.01	16	16	< 10	< 1	71
345.86	7+00S 4+00E	0.4	0.85	49	2	62	< 5	0.02	< 1	10	20	46	3.83	0.02	< 10	0.26	323	2	< 0.01	26	898	9	16	< 20	4	< 0.01	21	37	< 10	< 1	80
345.87	7+00S 4+50E	0.3	1.52	32	7	156	12	0.09	< 1	16	36	38	3.78	0.05	18	0.45	1194	2	< 0.01	31	658	33	23	< 20	10	0.01	< 10	67	< 10	< 1	102
345.88	7+00S 5+00E	1.8	0.48	35	2	45	< 5	0.03	< 1	7	7	31	2.38	0.02	< 10	0.08	1472	< 1	< 0.01	10	550	14	7	< 20	< 1	< 0.01	< 10	23	< 10	< 1	38
345.89	7+00S 5+50E	0.7	0.43	45	2	105	< 5	0.14	< 1	17	4	23	4.62	0.02	< 10	0.08	1233	< 1	< 0.01	7	1128	< 2	12	< 20	7	< 0.01	18	29	< 10	< 1	60
345.90	7+00S 6+00E	< 2	0.93	28	3	95	< 5	0.09	< 1	10	36	24	2.43	0.03	< 10	0.60	871	< 1	< 0.01	22	503	16	10	< 20	7	0.05	11	40	< 10	< 1	45
345.91	7+00S 6+50E	0.7	0.47	78	< 2	85	< 5	0.04	< 1	14	5	41	2.81	0.03	< 10	0.04	2852	< 1	< 0.01	21	439	17	8	< 20	5	< 0.01	18	12	< 10	< 1	71
345.92	9+00S 0+50E	< 2	0.36	45	3	61	< 5	0.02	< 1	9	4	27	3.44	0.02	< 10	0.05	2028	< 1	< 0.01	9	528	5	11	< 20	< 1	< 0.01	< 10	9	< 10	< 1	68
345.93	9+00S 1+00E	< 2	0.57	91	< 2	51	< 5	0.01	< 1	10	7	66	3.42	< 0.01	< 10	0.09	641	7	< 0.01	19	386	10	6	< 20	< 1	< 0.01	< 10	15	< 10	< 1	63
345.94	9+00S 1+50E	< 2	0.26	32	2	34	< 5	0.02	< 1	8	3	18	1.74	0.01	< 10	0.02	487	< 1	< 0.01	15	243	6	< 5	< 20	< 1	< 0.01	< 10	11	< 10	< 1	40
345.95	9+00S 2+00E	< 2	0.40	30	2	44	< 5	0.03	< 1	5	4	19	2.43	0.02	< 10	0.02	585	< 1	< 0.01	10	414	7	9	< 20	2	0.01	< 10	20	< 10	< 1	39
345.96	9+00S 2+50E	< 2	0.76	40	2	45	< 5	0.02	< 1	7	10	31	2.82	0.02	< 10	0.12	279	3	< 0.01	22	850	11	7	< 20	3	< 0.01	< 10	21	< 10	< 1	76
345.97	9+00S 3+00E	< 2	0.54	37	2	29	< 5	0.02	< 1	6	8	29	2.73	0.01	< 10	0.10	225	2	< 0.01	18	698	14	13	< 20	< 1	< 0.01	< 10	23	< 10	< 1	60
345.98	9+00S 3+50E	< 2	0.64	48	3	77	< 5	0.02	< 1	9	15	40	2.83	0.02	< 10	0.18	283	5	< 0.01	27	457	10	8	< 20	3	< 0.01	< 10	20	< 10	< 1	84
345.99	9+00S 4+00E	0.6	0.68	79	< 2	76	< 5	0.17	< 1	25	10	47	5.03	0.04	< 10	0.21	1218	3	< 0.01	25	1022	5	17	< 20	11	< 0.01	30	25	< 10	< 1	69
345.100	9+00S 4+50E	1.0	1.38	71	< 2	80	6	0.03	< 1	21	10	33	4.19	0.02	< 10	0.24	302	< 1	< 0.01	15	977	14	16	< 20	6	< 0.01	< 10	28	< 10	< 1	87

CORDNA CORPORATION
 ETK 89-345A
 Page 6
 July 27, 1989

CAT GRID

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
345.101	9+00S 5+00E	<.2	0.83	39	< 2	50	< 5	0.00	< 1	13	10	22	3.21	0.02	< 10	0.39	847	< 1	<.01	10	839	9	14	< 20	5	<.01	12	55	< 10	< 1	44
345.102	9+00S 5+50E	0.4	0.79	37	< 2	53	< 5	0.03	< 1	7	16	29	2.91	0.01	< 10	0.18	230	< 1	<.01	15	610	18	9	< 20	4	<.01	< 10	42	< 10	< 1	45
345.103	9+00S 6+00E	<.2	1.20	50	2	144	< 5	0.19	< 1	18	19	62	3.59	0.03	< 10	0.22	2250	< 1	<.01	31	455	22	18	< 20	19	<.01	18	30	< 10	3	71
345.104	9+00S 7+50E	<.2	0.71	39	2	73	< 5	0.07	< 1	9	14	34	3.28	0.02	< 10	0.18	680	< 1	<.01	18	815	14	10	< 20	1	<.01	< 10	43	< 10	< 1	53

NOTE: < = Less than

Douglas Howard
 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

Eco-Tech Laboratories Ltd.
 10041 E. Trans Canada Hwy.
 Kamloops, B.C.
 V2C 2J3
 July 20, 1989

CRT GRID

PROJECT: 1051
 ATTN: TONY HANSON-FLOOR 7, 1051

CORONA CORPORATION
 #1440, 800 WEST PENDER STREET
 VANCOUVER, B.C.
 V6C 2V6

CERTIFICATE OF ANALYSIS ETK B9-350A
 44 Soil Samples, received June 26, 1989

All values in PPM unless otherwise reported

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	CaZ	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Nai	Ni	P	Pb	Sb	Sn	St	Ti	U	V	M	Y	Zn
350.1	11+005 0+50E	0.5	0.42	57	3	69	< 5	0.08	< 1	7	5	25	3.03	0.03	< 10	0.03	882	19	< 0.01	15	346	32	13	< 20	14	< 0.01	< 10	20	< 1	55	
350.2	11+005 1+00E	0.5	0.46	10	3	73	< 5	0.88	< 1	4	4	15	1.36	0.03	< 10	0.02	1215	< 1	< 0.01	6	193	20	< 5	6	< 0.01	< 10	13	< 1	32		
350.3	11+005 1+50E	0.3	0.59	50	4	46	< 5	0.02	< 1	7	9	58	3.09	0.03	< 10	0.09	230	9	< 0.01	18	696	23	9	< 20	3	< 0.01	< 10	23	81		
350.4	11+005 2+00E	0.3	0.77	13	3	44	< 5	0.04	< 1	8	8	28	2.44	0.03	< 10	0.28	284	< 1	< 0.01	15	436	9	9	< 20	3	< 0.01	< 10	29	54		
350.5	11+005 2+50E	0.7	0.75	< 5	3	142	< 5	0.05	< 1	7	15	27	1.66	0.04	< 10	0.13	874	< 1	< 0.01	8	469	26	6	< 20	3	< 0.01	< 10	16	62		
350.6	11+005 3+00E	0.2	0.66	< 5	3	42	< 5	0.03	< 1	7	15	21	1.94	0.02	< 10	0.20	822	1	< 0.01	15	447	21	6	< 20	2	0.01	< 10	27	54		
350.7	11+005 3+50E	1.2	0.54	16	3	73	< 5	0.07	< 1	9	11	22	2.81	0.02	< 10	0.08	531	< 1	< 0.01	17	722	13	8	< 20	7	< 0.01	< 10	19	46		
350.8	11+005 4+00E	1.5	0.46	11	4	38	< 5	0.08	< 1	6	8	29	2.06	0.02	< 10	0.09	307	2	< 0.01	18	459	17	17	< 20	6	< 0.01	< 10	31	59		
350.9	11+005 4+25E	0.6	0.93	61	2	100	< 5	0.05	< 1	22	21	40	5.27	0.03	< 10	0.24	1017	< 1	< 0.01	35	1068	12	16	< 20	6	< 0.01	< 10	36	81		
350.10	11+005 4+50E	0.4	1.04	36	4	70	< 5	0.03	< 1	11	21	45	3.49	0.02	< 10	0.24	310	4	< 0.01	35	540	25	9	< 20	4	< 0.01	< 10	37	103		
350.11	11+005 5+00E	1.7	1.56	31	4	196	< 5	0.81	< 1	21	40	80	3.58	0.06	< 10	0.62	2313	3	< 0.01	59	838	35	16	< 20	62	< 0.01	< 10	32	129		
350.12	11+005 5+50E	1.3	1.32	28	4	125	< 5	0.55	< 1	21	35	71	3.40	0.05	< 10	0.62	1531	2	< 0.01	51	633	31	15	< 20	44	< 0.01	< 10	2	111		
350.13	11+005 6+00E	1.8	0.87	99	3	121	< 5	0.28	< 1	2	33	83	6.15	0.04	< 10	0.29	1711	1	< 0.01	43	1312	16	17	< 20	20	< 0.01	< 10	42	144		
350.14	12+005 4+37E	0.3	0.47	19	4	31	< 5	0.05	< 1	6	8	32	2.49	0.02	< 10	0.07	204	4	< 0.01	22	436	19	7	< 20	5	< 0.01	< 10	33	69		
350.15	13+005 0+50E	0.2	0.84	21	4	52	< 5	0.04	< 1	10	18	42	3.05	0.03	< 10	0.30	520	< 1	< 0.01	28	701	24	8	< 20	4	< 0.01	< 10	26	75		
350.16	13+005 1+00E	1.1	0.37	24	4	68	< 5	0.16	< 1	8	6	47	2.52	0.04	< 10	0.06	1127	< 1	< 0.01	26	675	28	8	< 20	9	< 0.01	< 10	18	58		
350.17	13+005 1+50E	< 2	0.20	14	5	80	< 5	0.15	< 1	6	2	23	0.83	0.02	< 10	0.02	1233	< 1	< 0.01	12	198	20	11	< 20	36	< 0.01	< 10	24	51		
350.18	13+005 2+00E	0.9	1.45	16	2	133	< 5	0.51	< 1	16	20	81	2.98	0.06	< 10	0.38	1687	< 1	< 0.01	34	345	52	11	< 20	36	< 0.01	< 10	4	86		
350.19	13+005 2+50E	0.2	1.01	< 5	3	156	< 5	0.25	< 1	11	11	18	1.98	0.06	< 10	0.27	2007	< 1	< 0.01	12	452	36	8	< 20	13	0.01	< 10	25	81		
350.20	13+005 3+00E	1.1	1.17	B	3	106	< 5	0.35	< 1	11	16	25	2.56	0.03	< 10	0.35	676	< 1	< 0.01	17	380	33	10	< 20	23	< 0.01	< 10	28	54		

CAT GRID

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaZ	Cd	Co	Cr	Cu	FeZ	KI	La	MgZ	Mn	Mo	NaZ	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
350.21	13+00S 3+50E	0.2	0.93	5	3	46	< 5	0.03	< 1	6	22	17	2.31	0.02	< 10	0.24	496	2	<.01	15	511	29	9	< 20	< 1	<.01	< 10	34	< 10	< 1	53
350.22	13+00S 4+00E	<.2	1.01	13	3	51	< 5	0.03	< 1	8	23	36	3.20	0.02	< 10	0.30	237	2	<.01	24	862	22	11	< 20	3	<.01	< 10	43	< 10	< 1	85
350.23	13+00S 4+50E	0.2	0.65	17	3	32	< 5	0.04	< 1	6	9	35	2.75	0.02	< 10	0.12	281	2	<.01	23	627	17	10	< 20	< 1	<.01	< 10	22	< 10	< 1	79
350.24	13+00S 5+00E	0.8	0.73	41	4	55	< 5	0.23	< 1	10	16	50	3.62	0.04	11	0.20	312	5	<.01	35	788	19	13	< 20	16	<.01	< 10	30	< 10	< 1	100
350.25	13+00S 5+50E	0.6	0.70	40	3	67	< 5	0.43	< 1	17	23	48	3.65	0.03	< 10	0.23	692	4	<.01	33	519	17	18	< 20	26	0.01	< 10	36	< 10	< 1	95
350.26	13+00S 6+00E	1.0	1.03	24	4	140	< 5	0.57	< 1	16	26	52	3.14	0.04	< 10	0.33	1477	4	<.01	40	717	27	12	< 20	25	<.01	< 10	37	< 10	< 1	107
350.27	14+00S 0+50E	0.4	0.89	< 5	3	76	< 5	0.17	< 1	11	15	20	2.21	0.02	< 10	0.30	516	< 1	<.01	17	476	27	7	< 20	11	<.01	< 10	29	< 10	< 1	85
350.28	14+00S 1+00E	<.2	0.63	< 5	3	40	< 5	0.06	< 1	6	11	17	2.03	0.02	< 10	0.09	402	1	<.01	11	318	22	7	< 20	< 1	0.01	< 10	34	< 10	< 1	40
350.29	14+00S 1+50E	<.2	0.34	10	3	37	< 5	0.05	< 1	8	3	19	1.65	0.01	< 10	0.02	629	2	<.01	18	216	20	< 5	< 20	2	<.01	< 10	16	< 10	< 1	38
350.30	14+00S 2+00E	<.2	0.47	19	3	55	< 5	0.05	< 1	7	5	17	1.83	0.02	< 10	0.04	873	3	<.01	10	295	26	6	< 20	2	<.01	< 10	22	< 10	< 1	37
350.31	14+00S 2+50E	0.2	0.28	< 5	3	39	< 5	0.03	< 1	4	2	8	1.44	0.02	< 10	0.02	516	< 1	<.01	4	287	16	< 5	< 20	< 1	<.01	< 10	5	< 10	< 1	42
350.32	14+00S 3+50E	0.5	0.78	< 5	< 2	67	< 5	0.07	< 1	5	8	18	2.05	0.03	10	0.11	132	< 1	<.01	12	287	34	5	< 20	4	<.01	< 10	16	< 10	< 1	57
350.33	14+00S 4+00E	0.6	0.80	22	3	63	< 5	0.06	< 1	12	25	32	3.36	0.01	< 10	0.20	371	< 1	<.01	26	712	20	9	< 20	2	<.01	< 10	34	< 10	< 1	58
350.34	14+00S 4+50E	0.6	0.43	< 5	4	64	< 5	0.03	< 1	5	8	16	1.47	0.02	< 10	0.07	1109	1	<.01	11	381	22	< 5	< 20	< 1	0.01	< 10	20	< 10	< 1	42
350.35	14+00S 5+00E	0.4	0.62	110	4	60	< 5	0.07	2	18	10	78	5.35	0.04	10	0.14	555	4	<.01	36	1358	21	23	< 20	4	<.01	< 10	21	< 10	< 1	146
350.36	14+00S 5+50E	0.6	0.61	66	3	100	< 5	0.13	1	10	10	56	3.87	0.02	< 10	0.06	265	6	<.01	35	775	24	13	< 20	7	<.01	< 10	32	< 10	< 1	95
350.37	15+00S 0+50E	<.2	1.12	10	3	65	< 5	0.10	< 1	9	21	36	2.97	0.02	< 10	0.45	505	< 1	<.01	20	1147	31	13	< 20	3	0.01	< 10	37	< 10	< 1	77
350.38	15+00S 1+00E	0.3	1.12	29	4	69	< 5	0.03	< 1	12	21	57	3.54	0.02	< 10	0.50	623	2	<.01	33	650	32	9	< 20	2	<.01	< 10	31	< 10	< 1	80
350.39	15+00S 1+50E	0.8	1.04	< 5	3	160	< 5	0.13	< 1	9	13	24	2.11	0.03	< 10	0.23	2756	< 1	<.01	13	560	34	7	< 20	7	<.01	< 10	27	< 10	< 1	70
350.40	15+00S 2+00E	3.3	1.15	10	4	94	< 5	0.30	< 1	12	19	41	2.57	0.03	11	0.32	1390	< 1	<.01	38	281	36	9	< 20	22	0.02	< 10	24	< 10	4	82

CORONA CORPORATION
 ETX 89-350A
 Page 3
 July 20, 1989

CAT GRID

ETK	DESCRIPTION	Ag	AlZ	As	B	Ba	Bi	CaZ	Cd	Co	Cr	Cu	FeZ	KZ	La	MgZ	Mn	Mo	NaZ	Ni	P	Pb	Sb	Sn	Sr	TiZ	U	V	W	Y	Zn
350.41	15+00S 2+50E	<.2	0.42	< 5	2	50	< 5	0.06	< 1	5	4	16	1.48	0.01	< 10	0.03	426	< 1	<.01	9	219	22	< 5	< 20	2	<.01	< 10	14	< 10	< 1	34
350.42	15+00S 3+00E	0.4	1.01	20	2	92	< 5	0.08	< 1	7	13	22	2.83	0.03	< 10	0.21	384	4	<.01	15	676	31	9	< 20	4	<.01	< 10	31	< 10	< 1	59
350.43	15+00S 3+50E	<.2	1.28	< 5	2	177	< 5	0.28	< 1	7	9	13	1.78	0.03	13	0.29	345	< 1	<.01	9	390	38	< 5	< 20	14	<.01	< 10	26	< 10	2	51
350.44	15+00S 4+00E	0.3	1.11	< 5	3	108	< 5	0.12	< 1	6	12	15	2.30	0.03	< 10	0.32	458	< 1	<.01	8	725	32	9	< 20	5	<.01	< 10	32	< 10	< 1	50

NOTE: < = Less than

Douglas Howard
 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-426A

10041 EAST TRANS CANADA HWY.
KAMLOOPS, B.C. V2C 2J3
PHONE - 604-573-5700
FAX - 604-573-4557

1440, 800 WEST PENDER STRETT
VANCOUVER, B.C. V6C 2V6
ATTENTION: TONY RANSON

AUGUST 14, 1989

PROJECT # 1056 - P.O.# 8595 - SHIPMENT #8A
176 SBIL SAMPLES RECEIVED JULY 10, 1989

VALUES IN PPM UNLESS OTHERWISE REPORTED

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SW	SR	TI(Z)	U	V	W	Y	ZN
426 A-	1 J 0+ 00 E	.6	.88	30	<2	50	<5	.22	<1	8	27	22	3.19	.05	<10	.34	191	5	.03	22	2050	18	10	<20	16	.02	30	36	<10	3	86
426 A-	2 J 0+ 50 E	.4	1.55	35	<2	55	<5	.31	<1	21	71	51	4.40	.05	10	.87	310	4	.04	43	1440	14	15	<20	16	.04	50	75	10	3	115
426 A-	3 JL 1+ 00 E	.8	1.01	40	<2	130	<5	.38	<1	23	48	88	4.29	.05	<10	.62	1178	5	.04	38	1700	24	10	<20	20	.02	20	55	<10	6	218
426 A-	4 JL 1+ 00 E	.4	.98	25	<2	50	<5	.21	<1	10	35	32	2.71	.04	10	.50	410	3	.04	28	660	14	10	<20	11	.02	40	39	<10	4	86
426 A-	5 JL 1+ 50 E	.6	.79	25	<2	50	<5	.24	<1	8	25	23	2.49	.04	10	.42	315	4	.04	26	1090	16	5	<20	13	.02	10	28	<10	3	71
426 A-	6 JL 2+ 00 E	.6	.76	30	<2	45	<5	.20	<1	10	28	33	2.50	.04	<10	.40	347	4	.03	30	740	14	5	<20	11	.02	30	24	<10	4	70
426 A-	7 JL 2+ 50 E	.6	.76	30	<2	50	<5	.29	<1	11	25	35	2.54	.04	10	.40	568	2	.04	32	770	18	5	<20	14	.02	10	25	<10	6	71
426 A-	8 JL 3+ 00 E	.8	.93	35	<2	90	<5	.26	<1	15	33	44	3.11	.05	10	.49	614	4	.05	34	840	20	5	<20	17	.02	40	30	<10	7	101
426 A-	9 JL 3+ 50 E	.8	.97	40	<2	120	<5	.31	<1	28	47	71	4.30	.05	<10	.59	1703	5	.04	32	1950	28	10	<20	17	.02	40	55	10	5	185
426 A-	10 JL 4+ 50 E	.6	.92	30	<2	85	<5	.48	<1	19	38	74	3.50	.05	10	.50	967	3	.05	37	1170	18	5	<20	19	.02	60	39	<10	8	107
426 A-	11 JL 5+ 00 E	1.0	.89	20	<2	45	<5	.26	<1	18	28	28	3.27	.03	10	.44	797	4	.04	31	1180	24	5	<20	14	.01	40	26	<10	5	95
426 A-	12 JL 5+ 50 E	1.0	.78	20	<2	75	<5	.60	<1	16	30	45	3.13	.04	10	.38	1181	1	.03	34	940	26	5	<20	59	.01	30	25	<10	6	118
426 A-	13 JL 6+ 00 E	1.2	.93	40	<2	135	<5	.49	<1	23	44	69	4.54	.07	10	.57	1366	<1	.05	33	1720	40	10	<20	27	.02	20	56	<10	9	164
426 A-	14 JL 6+ 50 E	1.4	.91	60	<2	95	<5	.48	<1	32	55	144	6.85	.03	10	.47	1239	3	.05	42	1950	40	30	<20	22	.01	40	71	10	8	261
426 A-	15 JL 7+ 00 E	.8	.98	45	<2	55	<5	.52	<1	26	38	90	4.57	.06	10	.56	1142	3	.04	57	1650	30	5	<20	27	.02	10	36	<10	15	150
426 A-	16 JL 7+ 50 E	.6	.89	45	<2	85	<5	.52	<1	30	40	109	5.34	.06	10	.57	1246	7	.04	53	1540	30	15	<20	26	.02	60	47	<10	12	153
426 A-	17 JL 8+ 00 E	1.0	1.10	50	<2	90	<5	.93	<1	26	41	128	5.30	.06	10	.73	1043	2	.05	44	1230	30	10	<20	27	.02	20	62	<10	11	173
426 A-	18 JL 8+ 50 E	1.6	1.14	45	<2	70	<5	.63	<1	26	52	97	4.98	.06	<10	.85	1263	3	.04	44	1340	28	10	<20	24	.02	50	70	10	10	145
426 A-	19 JL 9+ 00 E	1.4	.69	55	<2	140	<5	3.76	<1	40	33	174	7.20	.04	10	.51	1497	2	.05	44	1180	106	60	<20	64	.01	<10	46	10	12	211
426 A-	20 JL 9+ 50 E	1.2	.96	40	<2	155	<5	1.34	<1	52	41	286	10.17	.05	10	.66	1433	2	.04	50	1640	20	30	<20	42	<.01	70	85	<10	17	107
426 A-	21 JL 10+ 00 E	1.0	.96	60	<2	155	<5	.64	<1	55	51	123	9.00	.03	10	.66	1576	4	.04	62	1590	28	35	<20	29	.01	20	128	<10	15	120
426 A-	22 JL 10+ 50 E	1.2	.65	60	<2	170	<5	.53	<1	51	26	164	8.91	.03	10	.19	1199	5	.04	47	1130	28	35	<20	28	<.01	<10	51	10	12	107
426 A-	23 JL 11+ 00 E	.8	.47	45	<2	125	<5	.32	<1	32	23	75	4.76	.03	<10	.16	1085	10	.04	36	1150	30	<5	<20	19	.02	10	44	<10	3	139
426 A-	24 JL 11+ 50 E	.8	1.11	65	<2	75	<5	.33	<1	29	52	109	6.24	.04	<10	.53	738	4	.04	44	1100	42	30	<20	17	.02	30	70	<10	7	126
426 A-	25 JL 12+ 00 E	.8	1.05	55	<2	130	<5	.51	<1	26	53	81	4.87	.05	10	.66	1035	2	.04	41	1010	26	10	<20	27	.02	70	62	<10	9	118
426 A-	26 JL 12+ 50 E	2.2	.21	100	<2	185	<5	2.36	<1	75	24	217	10.09	.05	<10	.98	1469	3	.04	67	1420	30	95	<20	151	<.01	50	33	<10	10	132

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK B9-426A

PAGE 2

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CB	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN
426 A- 27	JL 13+ 00 E	1.0	1.15	25	<2	75	<5	.32	<1	18	41	45	3.73	.09	10	.63	716	3	.04	39	820	24	10	<20	19	.02	60	38	<10	6	101
426 A- 28	JL 13+ 50 E	.8	1.17	25	<2	70	<5	.45	<1	16	33	37	3.71	.09	10	.65	676	3	.04	37	1240	22	5	<20	28	.02	20	42	<10	6	106
426 A- 29	JL 14+ 00 E	1.0	.85	110	<2	45	<5	2.08	<1	26	42	82	4.02	.06	10	.74	962	3	.05	52	1010	28	5	<20	67	.03	20	48	<10	7	104
426 A- 30	ROSE 0+ 00 E	.8	1.32	50	<2	80	<5	2.25	<1	20	40	68	3.40	.07	<10	.93	907	3	.05	40	950	16	10	<20	77	.08	60	60	<10	9	95
426 A- 31	ROSE 0+ 50 W	.8	1.32	55	<2	75	<5	.72	<1	18	43	47	3.25	.05	<10	.68	831	1	.05	36	840	16	5	<20	37	.05	40	58	<10	8	80
426 A- 32	ROSE 0+ 100 W	1.4	1.31	70	<2	75	<5	.67	<1	23	46	58	3.87	.04	10	.73	1248	5	.05	35	1180	18	10	<20	34	.05	30	64	<10	8	95
426 A- 33	ROSE 0+ 105 WEND	1.0	2.51	25	<2	150	<5	.35	<1	63	46	81	5.81	.05	<10	1.00	630	8	.04	107	820	62	20	<20	27	<.01	70	43	10	7	236
426 A- 34	ROSE 0+ 150 W	1.0	1.12	35	<2	60	<5	.70	<1	20	42	54	2.79	.05	<10	.73	655	3	.04	35	920	14	10	<20	30	.04	60	57	<10	9	75
426 A- 35	ROSE 0+ 200 W	.6	.87	25	<2	65	<5	1.66	<1	18	34	43	2.86	.05	<10	.84	577	2	.04	34	870	16	5	<20	61	.05	80	55	<10	8	75
426 A- 36	ROSE 0+ 250 W	.6	.61	190	<2	75	<5	.67	<1	30	33	68	7.88	.05	10	.37	911	4	.04	48	920	18	45	<20	38	.02	20	120	<10	22	130
426 A- 37	ROSE 0+ 300 W	1.0	.73	55	<2	90	<5	.96	<1	52	46	97	7.70	.05	10	.37	2069	4	.05	84	1110	22	15	<20	46	.01	30	165	10	39	169
426 A- 38	ROSE 0+ 350 W	.4	1.39	25	<2	105	<5	.45	<1	19	48	40	4.19	.04	<10	.58	885	2	.05	29	770	16	15	<20	28	.04	40	122	10	6	93
426 A- 39	ROSE 0+ 400 W	.4	1.63	40	<2	145	<5	.67	<1	56	67	103	6.92	.09	90	.77	1361	6	.06	71	940	34	15	<20	33	.02	30	147	10	59	208
426 A- 40	ROSE 0+ 450 W	1.0	1.16	45	<2	115	<5	2.43	<1	48	63	99	9.27	.05	30	.96	1254	13	.06	83	1110	26	15	<20	59	.01	50	149	10	29	183
426 A- 41	ROSE 0+ 500 W	1.0	2.00	50	<2	115	<5	1.01	<1	59	72	106	6.82	.05	10	1.56	1962	3	.04	67	1370	36	15	<20	64	<.01	50	205	<10	23	168
426 A- 42	ROSE 0+ 550 W	.6	2.14	30	<2	170	<5	1.58	<1	43	93	122	6.05	.04	30	1.61	1315	<1	.04	51	1340	26	15	<20	79	.01	30	185	<10	33	173
426 A- 43	ROSE 0+ 600 W	.2	1.60	25	<2	160	<5	.84	<1	26	61	73	4.37	.06	10	.83	810	3	.07	45	1000	20	5	<20	67	.02	20	112	<10	11	115
426 A- 44	ROSE 0+ 650 W	.2	1.96	25	<2	145	<5	.73	<1	38	58	92	5.09	.06	<10	.87	671	2	.05	60	1000	24	15	<20	63	.01	20	112	<10	11	139
426 A- 45	ROSE 0+ 700 W	.4	1.20	90	<2	80	<5	.75	<1	28	45	91	5.05	.06	10	.70	1305	1	.05	42	990	22	5	<20	39	.04	20	111	<10	13	112
426 A- 46	ROSE 0+ 750 W	.6	1.66	20	<2	250	<5	1.85	<1	42	47	80	4.54	.06	<10	.80	820	4	.05	59	830	38	10	<20	73	<.01	60	74	<10	9	154
426 A- 47	ROSE 0+ 800 W	.6	1.74	10	<2	365	<5	1.12	<1	44	45	66	5.15	.05	<10	.94	870	1	.04	80	1470	26	5	<20	73	<.01	20	63	<10	18	144
426 A- 48	ROSE 0+ 850 W	.4	1.30	30	<2	85	<5	.71	<1	26	54	55	3.82	.07	<10	.92	720	4	.05	45	1030	8	10	<20	48	.06	30	74	<10	8	72
426 A- 49	ROSE 0+ 900 W	.4	2.61	20	<2	300	<5	.79	<1	41	88	93	5.89	.06	<10	1.14	430	4	.05	65	1570	16	15	<20	104	<.01	30	86	<10	11	117
426 A- 50	ROSE 0+ 950 W	.6	2.11	5	<2	195	<5	.41	<1	36	50	110	4.84	.07	<10	.86	322	2	.05	60	810	12	15	<20	76	<.01	30	62	<10	7	124
426 A- 51	ROSE 0+ 1000 W	.4	2.03	5	<2	145	<5	1.20	<1	36	44	52	5.05	.05	<10	1.07	417	2	.05	63	1310	18	15	<20	134	<.01	50	47	<10	12	115
426 A- 52	BM 0+ 00 W	.2	1.33	10	<2	55	<5	.61	<1	19	40	32	3.07	.04	<10	.61	744	1	.06	23	1250	8	5	<20	35	.08	70	74	<10	5	58
426 A- 53	BM 0+ 100 W	.6	1.59	15	<2	65	<5	.31	<1	15	40	30	3.41	.04	<10	.53	295	2	.05	28	1190	6	5	<20	19	.07	80	81	<10	4	45
426 A- 54	BM 0+ 237 E	.6	2.59	15	<2	45	<5	1.03	<1	48	107	280	6.53	.05	10	3.54	1677	5	.05	22	2010	8	15	<20	46	.17	50	183	<10	10	88
426 A- 55	BM 0+ 269 N+ EAST	.6	2.10	5	<2	35	<5	1.57	<1	36	80	570	5.49	.08	10	1.61	996	3	.06	24	930	8	10	<20	105	.18	40	136	<10	11	63
426 A- 56	BM 0+ 310 N+ EAST	.4	2.78	10	<2	65	<5	1.51	<1	15	31	89	2.67	.16	<10	.48	1141	4	.06	14	2100	4	10	<20	162	.09	40	69	<10	6	57
426 A- 57	BM 0+ 410 NE	.2	2.74	15	<2	50	<5	1.37	<1	18	36	117	3.21	.13	<10	.70	812	5	.13	17	1500	6	15	<20	113	.11	10	78	<10	7	43
426 A- 58	BM 0+ 420 N+ EAST	.4	3.52	25	<2	25	<5	1.49	<1	28	36	112	4.98	.05	<10	1.13	953	3	.11	26	2380	8	20	<20	54	.07	80	155	<10	6	56
426 A- 59	BM 0+ 466 NE	.2	2.93	845	<2	110	<5	.47	<1	56	81	160	7.19	.03	<10	1.36	716	8	.06	77	860	4	20	<20	143	.06	70	319	<10	5	58
426 A- 60	BM 0+ 535 E	1.0	1.51	90	<2	55	<5	2.12	<1	77	108	352	6.71	.03	10	1.30	2505	5	.05	63	1350	14	15	<20	35	.01	30	173	<10	21	69
426 A- 61	BM 0+ 655 E	.8	2.56	30	<2	165	<5	1.41	<1	18	40	60	4.61	.06	<10	.66	757	4	.05	15	3780	12	15	<20	85	.05	30	112	<10	6	171
426 A- 62	BM 0+ 765 EAST	.2	2.44	10	<2	115	<5	1.31	<1	22	41	61	3.68	.07	<10	.58	974	3	.05	10	7650	8	10	<20	85	.11	20	71	<10	4	94
426 A- 63	BM 0+ 856 E	.4	3.73	10	<2	60	<5	1.34	<1	17	45	148	2.81	.13	20	.39	800	1	.06	11	4880	8	10	<20	123	.07	60	54	<10	19	35

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-426A

PAGE 3

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
426 A- 64	BN 0+ 1056 EA	.2	1.23	10	<2	120	<5	1.01	<1	7	33	69	2.04	.07	<10	.18	550	1	.11	5	2780	8	5	<20	156	.04	40	50	<10	3	81
426 A- 65	BN 0+ 1176 ME	.4	4.61	15	<2	45	<5	1.18	<1	27	46	69	5.35	.08	<10	1.02	517	2	.06	22	8610	8	20	<20	136	.10	50	133	<10	7	67
426 A- 66	BN 0+ 1280 E	.2	1.92	30	<2	65	<5	.78	<1	27	54	77	5.63	.05	10	.94	591	2	.05	41	1670	18	15	<20	46	.05	<10	136	<10	5	94
426 A- 67	BN 0+ 1380 ME	.2	2.44	25	<2	50	<5	.95	<1	27	53	82	4.51	.06	<10	1.15	904	3	.05	32	1360	10	15	<20	63	.10	20	135	<10	9	62
426 A- 68	BN 0+ 1400 E	.6	3.21	15	<2	65	<5	2.75	<1	21	78	203	5.08	.04	10	.93	1314	5	.06	40	2680	12	15	<20	58	.09	20	134	10	14	129
426 A- 69	BN 0+ 1500 E	.2	2.24	20	<2	70	<5	.63	<1	21	47	52	4.22	.05	<10	.89	525	6	.05	35	3440	12	5	<20	44	.09	20	103	<10	4	109
426 A- 70	AST 0+ 00 W	.4	3.04	15	<2	515	<5	1.10	<1	28	22	57	6.52	.04	<10	1.06	916	7	.05	19	6480	10	15	<20	106	.07	40	145	<10	3	188
426 A- 71	AST 0+ 50 W	.4	3.90	25	<2	90	<5	.88	<1	33	44	81	6.20	.07	<10	1.49	959	5	.04	63	1960	14	25	<20	110	.08	<10	153	10	4	98
426 A- 72	AST 1+ 00 W	.4	2.02	15	<2	80	<5	.56	<1	21	27	66	3.38	.05	<10	.59	803	5	.05	18	1680	16	10	<20	65	.04	30	77	<10	3	93
426 A- 73	AST 1+ 50 W	.6	2.00	15	<2	90	<5	.71	<1	16	14	30	6.01	.04	<10	.65	884	4	.05	8	2100	18	10	<20	58	.07	10	127	<10	3	144
426 A- 74	AST 2+ 00 W	.6	2.79	20	<2	175	<5	1.46	<1	21	45	65	3.52	.08	<10	.75	1481	3	.05	35	2950	14	15	<20	177	.03	20	67	10	9	93
426 A- 75	AST 2+ 50 W	.6	2.70	15	<2	50	<5	1.02	<1	37	37	253	4.51	.03	<10	1.17	637	4	.05	26	1740	14	10	<20	150	.07	30	124	<10	3	76
426 A- 76	AST 3+ 00 W	.8	3.27	15	<2	65	<5	1.05	<1	55	39	167	4.53	.05	<10	1.15	830	5	.05	18	2890	28	15	<20	148	.06	10	108	<10	3	131
426 A- 77	AST 3+ 50 W	.6	3.77	15	<2	95	<5	.85	<1	53	30	138	5.00	.05	<10	.98	1012	5	.05	23	4120	18	20	<20	193	.06	50	100	<10	3	81
426 A- 78	AST 4+ 00 W	<.2	2.33	10	<2	120	<5	.99	<1	39	20	81	4.80	.06	<10	.76	946	5	.05	25	4970	18	15	<20	121	.07	70	83	<10	3	105
426 A- 79	AST 4+ 50 W	.4	2.42	20	<2	125	<5	.72	<1	27	39	96	4.20	.07	<10	.89	702	1	.05	36	3780	10	15	<20	86	.06	20	88	10	3	107
426 A- 80	AST 5+ 00 W	.4	2.55	10	<2	55	<5	.98	<1	20	18	46	4.33	.06	<10	.76	592	4	.05	14	3480	14	15	<20	102	.05	40	101	10	3	93
426 A- 81	AST 5+ 50 W	.6	2.69	10	<2	100	<5	1.00	<1	19	43	53	3.80	.06	<10	.66	780	6	.05	28	4430	18	10	<20	105	.05	90	77	10	3	93
426 A- 82	AST 6+ 00 W	.4	2.99	10	<2	105	<5	.82	<1	21	40	82	3.75	.06	<10	.78	839	5	.05	39	3600	16	15	<20	168	.06	30	71	10	4	123
426 A- 83	AST 6+ 50 W	.4	3.75	15	<2	275	<5	.85	<1	62	174	53	4.91	.05	<10	4.03	839	4	.05	462	2890	19	15	<20	59	.17	60	106	10	2	133
426 A- 84	AST 7+ 00 W	.2	3.50	5	<2	230	<5	1.23	<1	56	193	108	4.73	.10	<10	5.50	828	6	.05	518	1750	18	15	<20	164	.19	10	124	<10	3	68
426 A- 85	AST 7+ 50 W	.4	3.70	15	<2	140	<5	1.50	<1	17	29	32	3.69	.12	<10	1.13	1132	5	.05	25	6210	18	20	<20	222	.06	40	57	10	4	168
426 A- 86	AST 8+ 00 W	.4	2.86	15	<2	135	<5	1.61	<1	19	15	52	3.38	.10	<10	1.01	1685	1	.07	10	2680	22	10	<20	917	.05	50	83	<10	4	132
426 A- 87	AST 8+ 50 W	.2	5.17	45	<2	160	<5	1.90	<1	32	64	52	4.47	.21	<10	.92	579	3	.07	48	2320	14	20	<20	1732	.07	20	88	<10	4	304
426 A- 88	AST 9+ 00 W	.4	3.47	65	<2	65	<5	.85	<1	36	107	74	4.88	.06	<10	1.77	825	6	.06	94	2650	18	10	<20	375	.08	20	136	10	4	301
426 A- 89	AST 9+ 50 W	.2	2.39	25	<2	45	<5	.56	<1	16	57	37	4.56	.09	10	1.17	719	11	.05	68	2600	6	10	<20	144	.03	10	95	<10	5	195
426 A- 90	AST 10+ 50 W	.4	3.65	20	<2	95	<5	1.61	<1	27	70	45	5.44	.08	<10	1.93	2058	3	.06	40	2620	20	20	<20	1137	.04	40	196	10	5	220
426 A- 91	AST 11+ 00 W	<.2	2.88	40	<2	85	<5	.61	<1	29	89	54	4.40	.12	<10	1.58	752	2	.07	102	1940	20	10	<20	296	.08	20	120	10	3	174
426 A- 92	AST 11+ 50 W	.4	2.44	25	<2	285	<5	.72	<1	29	71	34	3.79	.12	<10	1.25	1701	2	.06	86	4070	16	10	<20	420	.08	20	78	<10	3	246
426 A- 93	AST 12+ 00 W	.2	2.53	35	<2	105	<5	.48	<1	27	89	54	4.15	.09	<10	1.38	538	4	.05	83	2060	18	10	<20	322	.07	20	104	10	2	114
426 A- 94	AST 12+ 50 W	.4	2.39	65	<2	110	<5	.39	<1	24	66	36	5.35	.08	<10	.96	406	3	.05	53	4340	16	10	<20	166	.06	<10	99	<10	3	204
426 A- 95	AST 13+ 00 W	.2	.94	65	<2	130	<5	.42	<1	18	30	31	3.84	.07	<10	.39	1655	<1	.06	21	1160	16	5	<20	100	.03	20	51	<10	3	162
426 A- 96	AST 13+ 50 W	.2	1.18	190	<2	115	<5	.40	<1	21	34	32	4.17	.06	<10	.48	1265	2	.05	22	1610	16	5	<20	111	.03	20	66	<10	3	151
426 A- 97	AST 14+ 00 W	<.2	1.02	25	<2	75	<5	.38	<1	14	33	17	2.40	.04	<10	.44	426	2	.05	22	920	14	<5	<20	96	.04	10	54	<10	1	89
426 A- 98	AST 14+ 50 W	.4	.92	20	<2	105	<5	.40	<1	16	34	9	2.53	.05	<10	.32	1428	3	.05	16	950	14	5	<20	85	.03	<10	54	<10	2	105
426 A- 99	AST 15+ 00 W	.4	1.86	20	<2	90	<5	.34	<1	27	63	25	3.40	.06	<10	.97	821	2	.05	47	2100	14	10	<20	139	.06	10	75	<10	3	166
426 A- 100	AST 15+ 50 W	.2	2.18	20	<2	235	<5	.98	<1	26	64	32	3.79	.05	<10	.96	1333	2	.05	60	4990	12	5	<20	486	.06	30	79	<10	2	283

PAGE 4

ETK#	DESCRIPTIONS	AG	AL(Z)	AS	B	BA	BI	CA(Z)	CD	CO	CR	CU	FE(Z)	K(Z)	LA	MG(Z)	MN	MO	NA(Z)	NI	P	PB	SB	SN	SR	TI(Z)	U	V	W	Y	ZN
426 A- 101	AST 16+ 00 W	.2	2.08	25	<2	105	<5	.67	<1	25	57	38	4.25	.05	<10	.80	914	5	.05	41	3530	14	10	<20	309	.08	<10	114	<10	3	201
426 A- 102	AST 16+ 50 W	.2	3.01	10	<2	90	<5	.66	<1	33	126	31	4.60	.13	<10	2.50	657	2	.05	130	2340	16	15	<20	301	.11	10	105	10	2	210
426 A- 103	AST 17+ 00 W	<.2	2.85	70	<2	115	<5	.48	<1	32	118	65	7.19	.09	<10	1.68	670	9	.05	117	2200	12	20	<20	687	.10	30	258	<10	6	202
426 A- 104	AST 17+ 50 W	.4	2.47	15	<2	215	<5	.44	<1	24	100	20	4.76	.05	<10	1.31	1178	4	.05	64	4910	18	15	<20	277	.06	40	141	10	3	256
426 A- 105	AST 18+ 00 W	.2	2.74	15	<2	180	<5	.50	<1	24	135	28	4.88	.09	<10	1.74	632	7	.05	103	3520	14	15	<20	365	.05	<10	177	10	3	285
426 A- 106	AST 18+ 50 W	.6	3.82	5	<2	250	<5	1.22	<1	32	74	34	4.45	.09	<10	1.85	2027	5	.05	98	1470	14	20	<20	281	.22	40	106	<10	4	169
426 A- 107	AST 19+ 00 W	.4	3.78	5	<2	230	<5	1.15	<1	30	69	29	4.29	.09	<10	2.06	1987	5	.06	95	1390	12	15	<20	265	.21	10	110	10	5	146
426 A- 108	AST 20+ 00 W	.4	.93	10	<2	70	<5	.60	<1	14	13	32	3.94	.06	10	.29	957	1	.05	22	950	14	10	<20	47	<.01	40	14	<10	8	111
426 A- 109	AST 20+ 50 W	.2	2.16	10	<2	105	<5	.74	<1	20	44	23	3.61	.07	<10	.80	553	6	.05	29	1700	14	10	<20	186	.15	20	124	10	3	202
426 A- 110	AST 21+ 00 W	.6	2.16	20	<2	120	<5	.68	<1	19	86	60	4.29	.09	<10	1.27	552	2	.05	55	1310	16	5	<20	256	.09	40	145	<10	4	146
426 A- 111	RC 0+ 00 E	.4	2.77	25	<2	155	<5	.91	<1	26	54	42	5.25	.04	<10	.96	988	4	.05	39	4220	14	15	<20	191	.12	40	127	<10	5	186
426 A- 112	RC 0+ 50 E	.6	.38	60	<2	75	<5	.22	<1	17	33	63	3.99	.06	<10	.08	346	5	.05	30	550	16	15	<20	31	<.01	30	91	<10	5	97
426 A- 113	RC 1+ 00 E	.6	.65	70	<2	85	<5	.60	<1	29	48	99	6.47	.11	<10	.26	977	3	.05	64	1010	20	25	<20	32	.01	40	127	<10	19	132
426 A- 114	RC 1+ 50 E	.6	2.39	15	<2	390	<5	3.51	<1	81	143	118	6.49	.06	<10	1.99	1667	4	.05	138	1250	14	20	<20	61	.01	20	107	<10	14	101
426 A- 115	RC 2+ 00 E	.4	.22	125	<2	80	<5	5.11	<1	34	32	76	5.69	.05	<10	.41	1370	4	.05	63	1260	18	35	<20	88	<.01	60	83	<10	19	115
426 A- 116	RC 2+ 50 E	.4	1.05	45	<2	45	<5	1.63	<1	21	40	53	3.26	.05	<10	.86	672	2	.05	38	940	14	10	<20	73	.06	20	63	<10	7	77
426 A- 117	RC 3+ 50 E	.4	1.00	45	<2	55	<5	1.52	<1	17	41	48	3.20	.04	<10	.86	653	1	.05	35	870	16	5	<20	47	.06	40	63	<10	8	65
426 A- 118	RC 4+ 00 E	.4	.91	50	<2	40	<5	1.44	<1	20	35	58	3.14	.06	<10	.67	718	2	.05	37	930	14	10	<20	46	.05	30	56	<10	7	73
426 A- 119	RC 4+ 50 E	1.0	.14	15	<2	65	<5	.41	<1	16	43	19	3.08	.04	<10	.66	491	2	.05	31	490	14	5	<20	11	.01	50	59	<10	5	68
426 A- 120	RC 5+ 00 E	.4	1.09	25	<2	45	<5	.82	<1	15	40	44	2.95	.07	<10	.69	402	2	.05	32	480	18	5	<20	28	.06	30	61	<10	8	58
426 A- 121	RC 5+ 50 E	.2	1.19	55	<2	70	<5	1.08	<1	20	43	58	3.64	.04	<10	.85	919	3	.05	42	910	12	10	<20	49	.06	40	69	<10	9	91
426 A- 122	RC 6+ 00 E	<.2	1.08	15	<2	55	<5	.24	<1	12	30	16	2.46	.03	<10	.54	354	2	.05	24	460	14	5	<20	18	.05	40	55	<10	2	51
426 A- 123	RC 6+ 50 E	.2	.95	30	<2	30	<5	.27	<1	13	40	34	2.44	.03	<10	.62	370	2	.04	24	310	12	5	<20	18	.05	30	55	<10	4	47
426 A- 124	RC 7+ 00 E	.2	.86	20	<2	35	<5	.22	<1	6	25	12	2.11	.03	<10	.35	155	2	.08	16	630	10	5	<20	14	.04	<10	59	<10	2	37
426 A- 125	RC 7+ 50 E	.2	1.17	20	<2	50	<5	.39	<1	10	36	23	2.68	.05	<10	.51	267	3	.05	25	870	10	5	<20	22	.04	50	62	<10	2	63
426 A- 126	RC 8+ 00 E	.4	1.28	30	<2	70	<5	.27	<1	14	41	31	3.22	.04	<10	.57	293	2	.05	27	1130	18	5	<20	17	.04	20	76	<10	2	58
426 A- 127	RC 8+ 50 E	.4	1.29	25	<2	55	<5	.34	<1	10	32	18	2.70	.04	<10	.47	350	3	.04	21	850	8	5	<20	20	.03	10	68	<10	2	54
426 A- 128	RC 9+ 00 E	.2	1.01	15	<2	95	<5	.18	<1	8	27	15	2.30	.03	<10	.42	209	2	.04	15	750	8	5	<20	12	.03	20	60	<10	2	53
426 A- 129	RC 9+ 50 E	.2	1.02	20	<2	35	<5	.32	<1	15	37	34	2.55	.04	10	.58	337	3	.02	25	490	10	5	<20	21	.07	20	57	<10	8	48
426 A- 130	RC 10+ 00 E	.4	.95	20	<2	40	<5	.27	<1	12	31	18	2.82	.04	<10	.45	284	3	.04	18	400	10	5	<20	16	.06	30	75	<10	2	51
426 A- 131	RC 10+ 50 E	<.2	.88	20	<2	50	<5	.21	<1	10	31	16	2.78	.03	<10	.36	385	3	.03	17	1100	8	5	<20	14	.03	30	61	<10	2	55
426 A- 132	RC 11+ 00 E	.4	.91	10	<2	60	<5	.21	<1	9	26	6	2.56	.03	<10	.33	372	1	.04	15	1170	12	5	<20	14	.04	30	51	<10	2	58
426 A- 133	RC 11+ 50 E	.2	.73	15	<2	50	<5	.16	<1	4	21	8	1.80	.03	<10	.24	118	2	.03	12	860	10	5	<20	12	.02	10	43	<10	1	36
426 A- 134	RC 12+ 00 E	.4	1.28	25	<2	35	<5	.28	<1	11	35	22	2.76	.02	<10	.52	182	1	.04	26	1380	12	5	<20	15	.04	<10	56	<10	3	49
426 A- 135	RC 12+ 50 E	.6	1.40	25	<2	75	<5	.45	<1	11	44	24	2.76	.03	<10	.51	1004	3	.04	19	410	12	5	<20	23	.04	20	66	<10	5	45
426 A- 136	RC 13+ 00 E	.2	.91	10	<2	65	<5	.14	<1	6	23	6	1.89	.03	<10	.28	231	1	.03	10	1830	10	5	<20	9	.04	10	37	<10	2	62

ECO-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-426A

PAGE 5

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SN	SR	TI(%)	U	V	W	Y	ZN		
426 A- 137	L 365N 39+	00	W	.2	.97	15	<2	55	<5	.09	<1	7	23	17	2.62	.03	<10	.48	266	3	.04	19	710	12	5	<20	8	.01	10	33	<10	2	76
426 A- 138	L 365N 39+	50	W	.2	.85	15	<2	50	<5	.12	<1	9	19	7	1.93	.03	<10	.40	250	2	.03	12	320	10	5	<20	10	.02	30	31	<10	1	70
426 A- 139	L 365N 40+	00	W	.4	.91	30	<2	125	<5	.68	<1	15	26	22	2.75	.07	<10	.50	1726	3	.04	20	970	16	5	<20	34	.01	30	32	<10	2	84
426 A- 140	L 365N 40+	50	W	.4	1.29	35	<2	65	<5	.25	<1	18	38	64	3.81	.06	<10	.75	555	5	.03	32	560	18	5	<20	15	.02	<10	37	<10	6	89
426 A- 141	L 365N 41+	00	W	.4	1.25	295	<2	85	<5	.56	<1	27	24	89	4.17	.05	10	.57	1479	5	.04	34	850	24	10	<20	39	.02	30	36	<10	18	126
426 A- 142	L 365N 41+	50	W	.4	.98	25	<2	75	<5	.18	<1	12	31	22	2.82	.04	<10	.55	543	4	.03	20	640	16	10	<20	13	.01	20	34	<10	1	76
426 A- 143	L 365N 42+	00	W	.2	.88	35	<2	55	<5	.39	<1	16	25	48	3.25	.05	10	.54	721	4	.04	32	560	24	10	<20	20	.02	10	31	<10	5	97
426 A- 144	L 365N 42+	50	W	<.2	.95	30	<2	65	<5	.29	<1	13	31	34	2.94	.06	<10	.48	762	4	.03	30	480	18	<5	<20	14	.02	30	30	<10	3	77
426 A- 145	L 365N 43+	00	W	<.2	.94	35	<2	25	<5	.12	<1	12	27	51	3.05	.05	<10	.48	349	6	.03	30	230	20	5	<20	8	.02	30	29	<10	4	78
426 A- 146	L 365N 43+	50	W	.2	.87	40	<2	65	<5	.23	<1	12	24	30	2.73	.05	10	.38	716	4	.03	24	730	18	5	<20	13	.01	40	26	<10	3	85
426 A- 147	L 365N 44+	00	W	1.0	.81	275	<2	30	<5	.52	<1	23	3	137	8.71	.03	10	.23	691	12	.03	21	1070	26	15	<20	22	<.01	40	14	<10	35	157
426 A- 148	L 365N 44+	50	W	.2	.97	200	<2	150	<5	.59	<1	14	11	31	4.36	.05	10	.18	1950	3	.03	16	1590	20	5	<20	34	.01	20	24	<10	6	167
426 A- 149	L 365N 45+	00	W	.2	1.00	195	<2	50	<5	.18	<1	17	15	90	5.62	.04	10	.24	493	7	.03	29	1450	16	15	<20	11	.01	10	28	<10	5	165
426 A- 150	L 385N 38+	00	W	<.2	1.15	45	<2	65	<5	.17	<1	13	29	46	3.15	.04	10	.58	729	5	.03	32	640	14	5	<20	11	.04	20	40	<10	4	94
426 A- 151	L 385N 38+	50	W	.2	1.12	30	<2	65	<5	.44	<1	11	29	37	2.71	.04	<10	.47	330	4	.03	26	600	16	10	<20	22	.02	40	37	<10	4	99
426 A- 152	L 385N 39+	00	W	.6	.98	50	<2	40	<5	.53	<1	12	27	47	3.17	.02	<10	.41	317	7	.03	30	390	18	10	<20	28	.02	30	49	<10	3	111
426 A- 153	L 385N 39+	50	W	<.2	.74	25	<2	50	<5	.39	<1	9	21	19	2.07	.03	<10	.36	368	2	.04	15	610	12	5	<20	18	.02	50	32	<10	2	87
426 A- 154	L 385N 40+	00	W	<.2	.95	40	<2	55	<5	.37	<1	9	26	30	2.73	.03	<10	.43	262	1	.04	20	550	14	5	<20	20	.01	40	39	<10	2	79
426 A- 155	L 385N 40+	50	W	.6	.79	35	<2	120	<5	.13	<1	8	22	22	2.46	.03	<10	.35	942	3	.02	18	930	12	5	<20	9	.01	20	38	<10	2	116
426 A- 156	L 385N 41+	00	W	.6	.69	30	<2	40	<5	.20	<1	8	20	17	1.82	.03	<10	.32	259	2	.02	14	490	10	5	<20	14	.02	20	26	<10	3	64
426 A- 157	L 385N 41+	50	W	.4	1.09	45	<2	65	<5	.23	<1	12	28	26	2.50	.03	<10	.35	394	4	.02	22	330	14	5	<20	17	.01	40	41	<10	3	90
426 A- 158	L 385N 42+	00	W	1.2	1.39	110	<2	70	<5	.58	<1	17	42	64	3.66	.05	<10	.65	920	6	.02	39	610	16	<5	<20	40	.01	40	44	<10	9	97
426 A- 159	L 385N 42+	50	W	.6	1.69	140	<2	75	<5	1.28	<1	16	53	94	3.99	.04	<10	.79	1022	4	.04	45	920	18	10	<20	58	.02	30	53	<10	7	116
426 A- 160	L 385N 43+	00	W	.4	1.84	215	<2	85	<5	1.09	<1	25	62	110	4.39	.04	10	.74	925	4	.04	46	500	18	10	<20	50	.02	30	66	<10	8	110
426 A- 161	L 385N 43+	50	W	.2	1.89	160	<2	65	<5	1.01	<1	23	62	46	4.10	.03	<10	.81	464	6	.03	42	260	14	15	<20	46	.02	20	69	<10	4	91
426 A- 162	L 385N 44+	00	W	.2	1.25	85	<2	40	<5	.39	<1	14	44	51	2.76	.04	<10	.72	344	1	.03	30	520	14	5	<20	26	.04	20	52	10	6	48
426 A- 163	L 385N 44+	50	W	.8	2.07	175	<2	50	<5	1.27	<1	27	61	82	4.79	.03	<10	.73	536	3	.03	40	600	16	15	<20	64	.04	20	94	<10	7	125
426 A- 164	L 385N 45+	00	W	.6	1.72	160	<2	65	<5	.68	<1	27	63	106	4.33	.07	<10	.98	896	4	.03	45	910	20	10	<20	45	.04	<10	82	<10	9	104
426 A- 165	L 385N 45+	50	W	.4	.86	65	<2	30	<5	.57	<1	9	30	25	3.11	.04	<10	.30	200	4	.04	15	740	14	5	<20	31	.07	<10	95	<10	2	70
426 A- 166	L 385N 46+	00	W	.4	1.92	95	<2	80	<5	.36	<1	19	53	59	4.63	.04	<10	.78	596	3	.03	27	1840	16	15	<20	33	.04	20	99	<10	3	113
426 A- 167	L 385N 46+	50	W	.4	2.41	105	<2	60	<5	.18	<1	25	59	88	5.12	.06	<10	.90	414	4	.04	45	1040	16	15	<20	22	.04	<10	101	10	4	155
426 A- 168	L 385N 47+	00	W	.4	.87	50	<2	30	<5	.22	<1	9	27	20	2.57	.04	<10	.34	187	2	.02	13	1180	10	5	<20	14	.04	<10	64	10	2	71
426 A- 169	L 385N 47+	50	W	.2	1.67	100	<2	55	<5	.25	<1	16	46	43	4.30	.03	<10	.77	300	4	.02	24	2000	16	5	<20	17	.04	<10	103	10	3	92
426 A- 170	L 385N 18+	00	W	.2	1.44	65	<2	50	<5	.32	<1	14	44	37	3.16	.04	<10	.81	383	2	.02	25	970	14	10	<20	24	.03	<10	70	<10	3	81

ECD-TECH LABORATORIES LTD.

CORONA CORPORATION - ETK 89-426A


PAGE 6

ETK#	DESCRIPTIONS	AG	AL(%)	AS	B	BA	BI	CA(%)	CD	CO	CR	CU	FE(%)	K(%)	LA	MG(%)	MN	MO	NA(%)	NI	P	PB	SB	SM	SR	TI(%)	U	V	W	Y	ZN		
426 A- 171	L 385M 18+	50	W	.6	1.15	45	<2	40	<5	.21	<1	14	36	28	2.88	.04	<10	.62	528	2	.04	21	710	14	5	<20	15	.04	20	62	<10	3	88
426 A- 172	L 385M 19+	90	W	.4	1.56	80	<2	70	<5	.26	<1	15	44	54	3.83	.04	<10	.70	411	3	.04	27	1110	16	5	<20	18	.03	40	74	10	3	103
426 A- 173	L 385M 19+	50	W	.4	1.56	95	<2	40	<5	.21	<1	16	51	76	3.67	.05	<10	1.04	466	3	.03	34	510	18	5	<20	16	.03	<10	71	<10	3	93
426 A- 174	L 385M 50+	90	W	.4	1.21	45	<2	40	<5	.24	<1	11	31	22	2.96	.04	<10	.44	284	2	.02	15	1250	14	5	<20	14	.03	<10	71	<10	2	74
426 A- 175	L 385M 50+	50	W	.6	1.07	60	<2	55	<5	.60	<1	26	69	71	3.76	.04	10	1.26	860	1	.03	40	590	22	10	<20	43	.05	<10	72	<10	10	114
426 A- 176	L 385M 51+	90	W	.4	1.35	40	<2	70	<5	.21	<1	12	44	33	3.14	.03	<10	.58	471	1	.03	25	680	20	5	<20	18	.02	20	63	10	4	111

NOTE: < = LESS THAN

CC: MARK TINDALL
VCR
FAX: VCR

SC89/1056/4


ECD-TECH LABORATORIES LTD.
DOUG HOWARD
B.C. CERTIFIED ASSAYER

Eco-Tech Laboratories Ltd.
 10041 E. Trans Canada Hwy.
 Kamloops, B.C.
 V2C 2J3
 July 25, 1989

CORDWA CORPORATION
 81440, 800 West Pender Street
 Vancouver, B.C.
 V6C 2V6

ATTN: ~~Barret Johnson~~ Mark Tindall
 PROJECT: 1050

CERTIFICATE OF ANALYSIS ETK 89-375A
 80 Soil Samples, received June 26/89

All values in PPM unless otherwise reported

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
375.1	M 0	0.6	0.56	28	3	38	< 5	0.13	< 1	5	17	9	1.58	0.02	< 10	0.22	111	2	< 0.01	8	228	9	8	< 20	12	0.02	< 10	28	< 10	< 1	44
375.2	M 1	0.5	1.10	73	4	57	< 5	0.22	2	17	30	54	3.47	0.03	< 10	0.52	473	1	< 0.01	26	474	18	15	< 20	13	0.01	< 10	40	< 10	< 1	68
375.3	M 2	0.8	0.62	45	3	46	9	0.21	1	8	17	17	2.13	0.03	< 10	0.24	452	< 1	< 0.01	10	341	10	15	< 20	15	0.03	< 10	33	< 10	< 1	49
375.4	M 3	1.0	1.18	159	2	47	< 5	0.23	4	15	34	53	3.84	0.02	< 10	0.56	315	< 1	< 0.01	27	550	19	23	< 20	12	0.01	< 10	44	< 10	< 1	62
375.5	M 4	1.3	0.89	109	3	75	< 5	0.22	3	16	30	41	3.25	0.04	< 10	0.49	747	< 1	< 0.01	18	687	16	19	< 20	20	0.01	22	43	< 10	< 1	71
375.6	M 5	0.8	0.72	102	3	82	5	0.64	3	15	26	40	3.04	0.03	< 10	0.36	882	< 1	< 0.01	19	566	12	21	< 20	36	0.02	< 10	40	< 10	< 1	101
375.7	M 6	1.2	1.15	170	3	104	< 5	0.82	5	21	37	61	4.17	0.03	14	0.59	2921	< 1	< 0.01	30	658	18	30	< 20	41	< 0.01	< 10	44	< 10	7	70
375.8	M 7	0.6	1.31	103	2	60	< 5	0.45	3	18	37	48	3.83	0.03	11	0.56	499	< 1	< 0.01	30	300	21	26	< 20	28	0.01	< 10	46	< 10	< 1	85
375.9	M 8	0.5	1.06	107	2	53	< 5	0.34	3	14	31	58	3.33	0.04	10	0.45	381	< 1	< 0.01	24	331	19	20	< 20	22	0.02	< 10	45	< 10	3	72
375.10	M 11	0.6	0.94	82	3	67	< 5	1.29	2	17	30	45	3.03	0.02	< 10	0.52	828	< 1	< 0.01	19	834	14	22	< 20	54	< 0.01	< 10	40	< 10	4	63
375.11	M 14	0.5	1.39	66	< 2	86	6	0.93	2	13	52	23	2.50	0.02	< 10	0.71	238	< 1	< 0.01	19	555	24	24	< 20	37	< 0.01	< 10	41	< 10	4	45
375.12	M 15	0.5	1.28	78	2	59	< 5	0.07	2	18	34	47	3.22	0.02	< 10	0.54	339	< 1	< 0.01	26	116	24	18	< 20	6	0.02	< 10	40	< 10	1	54
375.13	M 19	1.0	1.41	118	< 2	105	< 5	0.74	3	19	48	54	4.02	0.04	14	0.66	591	< 1	< 0.01	30	347	23	25	< 20	38	0.01	< 10	45	< 10	4	84
375.14	M 20	0.8	1.11	101	< 2	73	< 5	0.62	3	16	32	30	3.18	0.05	< 10	0.46	712	< 1	< 0.01	20	256	19	19	< 20	37	0.02	15	33	< 10	1	113
375.15	M 21	1.1	1.05	112	2	63	< 5	0.70	3	18	27	71	3.06	0.04	11	0.49	819	< 1	< 0.01	30	297	20	23	< 20	37	0.02	14	34	< 10	6	81
375.16	M 22	0.6	1.14	580	2	54	< 5	0.43	15	26	38	102	4.59	0.04	14	0.64	769	< 1	< 0.01	34	601	19	38	< 20	23	0.01	< 10	46	< 10	3	75
375.17	M 23	0.6	1.00	232	3	56	< 5	0.79	6	21	30	58	3.52	0.04	< 10	0.54	802	< 1	< 0.01	26	595	16	25	< 20	39	0.01	< 10	39	< 10	1	86
375.18	M 24	0.7	1.14	208	3	67	< 5	0.48	6	21	34	55	3.51	0.05	11	0.54	1038	< 1	< 0.01	28	517	21	21	< 20	27	< 0.01	< 10	37	< 10	2	85
375.19	M 25	0.8	0.93	120	3	45	< 5	0.15	3	14	24	44	2.75	0.02	< 10	0.46	395	< 1	< 0.01	20	526	19	23	< 20	12	< 0.01	< 10	28	< 10	< 1	56
375.20	M 26	< 2	0.91	152	3	46	< 5	0.24	4	14	23	35	2.84	0.03	< 10	0.43	470	< 1	< 0.01	18	324	19	21	< 20	12	0.01	< 10	31	< 10	1	52

CORONA CORPORATION
 ETK 89-375A
 Page 2
 July 25, 1989

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaI	Co	Co	Cr	Cu	FeZ	KZ	La	MgZ	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiZ	U	V	W	Y	Zn
375.21	M 27	0.8	1.08	110	3	47	< 5	0.27	3	14	25	39	2.92	0.04	< 10	0.49	482	< 1	< .01	19	574	22	18	< 20	20	< .01	16	30	< 10	< 1	63
375.22	M 28	< .2	0.87	35	3	36	6	0.09	< 1	9	19	19	2.60	0.02	< 10	0.39	207	< 1	< .01	13	658	18	16	< 20	7	0.02	< 10	33	< 10	< 1	51
375.23	M 29	0.3	0.74	26	3	49	< 5	0.24	< 1	7	18	21	2.35	0.02	< 10	0.37	247	< 1	< .01	12	724	14	20	< 20	12	0.02	< 10	31	< 10	< 1	49
375.24	M 30	0.4	0.73	35	2	44	< 5	0.12	1	10	17	29	2.45	0.03	< 10	0.36	476	< 1	< .01	14	427	17	15	< 20	10	0.01	11	27	< 10	< 1	55
375.25	M 31	< .2	0.86	45	4	39	< 5	0.15	1	15	21	41	2.81	0.02	< 10	0.47	589	< 1	< .01	18	509	20	21	< 20	5	0.01	< 10	27	< 10	< 1	56
375.26	M 32	0.6	0.78	33	3	36	< 5	0.12	< 1	9	17	29	2.45	0.01	< 10	0.36	239	< 1	< .01	12	225	17	16	< 20	10	0.02	19	31	< 10	< 1	47
375.27	M 33	0.5	0.89	44	4	44	< 5	0.27	< 1	18	25	48	2.93	0.04	< 10	0.52	636	< 1	< .01	21	596	21	15	< 20	16	< .01	11	29	< 10	< 1	71
375.28	M 34	0.3	0.99	49	4	50	< 5	0.31	1	20	23	65	3.22	0.04	13	0.59	806	< 1	< .01	29	611	23	19	< 20	17	0.01	< 10	29	< 10	5	62
375.29	M 35	< .2	0.95	42	4	37	< 5	0.18	1	16	23	46	2.90	0.03	< 10	0.48	497	< 1	< .01	20	554	23	18	< 20	11	< .01	< 10	27	< 10	< 1	56
375.30	M 36	0.4	1.06	130	3	65	< 5	0.44	4	28	32	72	3.95	0.05	14	0.53	900	< 1	< .01	37	641	23	27	< 20	28	0.02	< 10	41	< 10	5	69
375.31	L382M 41+00W	0.2	0.85	67	3	34	6	0.35	2	11	24	34	3.10	0.01	< 10	0.36	245	2	< .01	19	326	17	21	< 20	18	0.02	< 10	37	< 10	< 1	68
375.32	L382M 41+50W	1.1	1.08	47	< 2	66	< 5	0.49	1	9	26	29	2.38	0.03	< 10	0.42	542	< 1	< .01	19	307	22	20	< 20	25	0.02	< 10	28	< 10	1	101
375.33	L382M 42+00W	0.8	0.96	50	3	49	< 5	0.60	2	11	28	37	2.48	0.03	< 10	0.48	586	< 1	< .01	20	317	20	22	< 20	30	0.01	11	30	< 10	< 1	52
375.34	L382M 43+00W	0.4	1.14	150	< 2	51	< 5	0.50	4	19	40	58	3.33	0.03	< 10	0.60	516	< 1	< .01	25	294	21	23	< 20	28	0.01	< 10	45	< 10	< 1	65
375.35	L382M 43+50W	1.5	1.43	201	< 2	69	< 5	0.73	6	31	49	86	4.35	0.04	13	0.64	1240	< 1	< .01	34	286	27	29	< 20	43	0.01	19	56	< 10	< 1	88
375.36	L382M 44+00W	1.1	1.71	229	2	52	< 5	1.72	6	36	88	161	5.64	0.04	18	0.50	731	< 1	< .01	32	722	29	25	< 20	84	0.02	< 10	114	< 10	5	59
375.37	L382M 44+50W	< .2	1.04	99	< 2	40	5	1.08	3	19	44	42	3.04	0.03	< 10	0.48	627	< 1	< .01	18	230	17	19	< 20	49	0.02	< 10	65	< 10	< 1	49
375.38	L382M 45+00W	0.2	1.46	82	< 2	45	6	0.29	2	19	49	54	3.65	0.04	< 10	0.84	552	< 1	< .01	24	954	27	26	< 20	22	0.02	< 10	65	< 10	< 1	92
375.39	L382M 45+50W	< .2	1.46	99	2	41	< 5	0.18	3	19	45	66	3.79	0.03	< 10	0.78	403	< 1	< .01	25	1296	26	33	< 20	17	0.02	< 10	66	< 10	< 1	85
375.40	L382M 46+00W	< .2	0.87	33	2	42	< 5	0.17	< 1	11	26	21	2.45	0.04	< 10	0.39	327	< 1	< .01	13	870	18	11	< 20	17	0.03	< 10	51	< 10	< 1	66

CORONA CORPORATION
 ETK 89-375A
 Page 3
 July 25, 1989

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
375.41	L382N 46+50W	0.6	0.69	21	3	42	9	0.23	< 1	9	20	19	2.32	0.03	< 10	0.30	226	3	<.01	10	730	7	12	< 20	22	0.02	30	37	< 10	< 1	55
375.42	L382N 47+00W	<.2	0.58	18	3	35	7	0.20	< 1	7	15	16	1.82	0.03	< 10	0.28	247	< 1	<.01	9	477	< 2	10	< 20	16	0.02	< 10	31	< 10	< 1	35
375.43	L382N 47+50W	<.2	0.51	16	3	43	< 5	0.16	< 1	8	17	12	1.88	0.03	< 10	0.18	1185	< 1	<.01	6	495	3	11	< 20	16	0.03	14	35	< 10	< 1	28
375.44	L382N 48+00W	0.8	0.94	48	3	60	< 5	0.19	1	11	21	32	3.11	0.03	< 10	0.39	442	< 1	<.01	11	851	6	20	< 20	17	0.02	21	43	< 10	< 1	67
375.45	L382N 48+50W	0.3	1.25	51	3	50	7	0.22	1	14	34	42	4.06	0.04	< 10	0.63	625	< 1	<.01	19	1014	8	23	< 20	17	0.02	22	56	< 10	< 1	76
375.46	L382N 49+00W	0.9	1.01	60	3	61	< 5	0.27	2	11	25	34	3.50	0.04	< 10	0.42	664	< 1	<.01	16	834	8	14	< 20	18	0.01	28	39	< 10	< 1	72
375.47	L382N 49+50W	1.0	1.32	52	3	42	< 5	0.29	1	14	36	49	3.98	0.04	< 10	0.70	368	< 1	<.01	22	658	12	16	< 20	23	0.02	28	52	< 10	< 1	65
375.48	L382N 50+00W	0.3	1.03	39	3	41	7	0.23	1	11	29	28	3.38	0.03	< 10	0.46	397	< 1	<.01	16	489	7	18	< 20	14	0.02	30	46	< 10	< 1	64
375.49	L382N 50+50W	<.2	1.33	52	3	38	7	0.27	2	17	39	53	4.27	0.03	< 10	0.71	347	< 1	<.01	25	514	16	27	< 20	18	0.01	18	54	< 10	< 1	81
375.50	L382N 51+00W	<.2	1.46	44	2	36	< 5	0.16	1	15	48	42	4.46	0.02	< 10	0.69	224	< 1	<.01	25	769	17	23	< 20	14	0.03	28	60	< 10	< 1	85
375.51	L382N 51+50W	<.2	1.06	25	2	31	9	0.19	< 1	13	38	25	3.42	0.02	< 10	0.59	207	< 1	<.01	19	610	11	16	< 20	12	0.04	30	54	< 10	< 1	55
375.52	L382N 52+00W	0.6	1.19	22	< 2	33	9	0.13	< 1	13	38	25	4.12	0.03	< 10	0.62	237	< 1	<.01	20	392	12	16	< 20	13	0.03	29	68	< 10	< 1	59
375.53	L386N 38+50W	0.4	0.83	20	3	58	< 5	0.06	< 1	7	19	18	2.84	0.03	< 10	0.32	211	1	<.01	14	474	9	15	< 20	8	0.01	27	28	< 10	< 1	68
375.54	L386N 39+00W	0.6	0.75	22	3	56	< 5	0.09	< 1	7	17	24	2.76	0.03	< 10	0.30	190	2	<.01	15	654	8	12	< 20	8	<.01	23	25	< 10	< 1	64
375.55	L386N 39+50W	0.7	0.97	37	4	79	11	0.12	1	9	23	33	3.47	0.02	< 10	0.39	250	2	<.01	22	684	7	18	< 20	8	<.01	30	30	< 10	< 1	78
375.56	L386N 40+00W	0.8	0.68	23	2	48	< 5	0.08	< 1	6	15	17	2.41	0.03	< 10	0.23	154	< 1	<.01	13	727	6	12	< 20	10	<.01	29	23	< 10	< 1	50
375.57	L386N 40+50W	0.7	0.78	49	3	45	8	0.07	2	10	19	40	3.45	0.03	< 10	0.31	244	1	<.01	21	597	6	15	< 20	9	<.01	29	23	< 10	< 1	74
375.58	L386N 41+00W	0.7	0.77	13	4	38	< 5	0.23	< 1	5	27	9	2.00	0.01	< 10	0.36	118	< 1	<.01	13	284	10	10	< 20	13	<.01	26	24	< 10	< 1	64
375.59	L386N 42+50W	0.8	1.26	95	3	58	9	0.36	3	18	32	51	4.23	0.03	< 10	0.50	508	< 1	<.01	27	285	12	19	< 20	22	0.01	28	38	< 10	3	58
375.60	L386N 43+00W	0.6	1.16	109	2	64	< 5	0.35	3	15	30	46	3.99	0.03	< 10	0.48	506	< 1	<.01	26	348	11	22	< 20	21	<.01	21	35	< 10	< 1	76

CORONA CORPORATION


ETK 89-375A

Page 4

July 25, 1989

ETK	DESCRIPTION	Ag	Al2	As	B	Ba	Bi	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
375.61	L386N 43+50W	1.0	1.35	140	2	72	7	0.44	4	17	41	57	4.29	0.03	< 10	0.58	579	< 1	<.01	28	378	12	22	< 20	28	<.01	26	44	< 10	2	71
375.62	L386N 44+00W	0.8	1.53	152	2	77	< 5	0.51	4	20	48	94	4.95	0.03	12	0.66	1024	< 1	<.01	39	359	13	28	< 20	32	0.01	22	49	< 10	5	64
375.63	L386N 44+50W	0.8	1.14	79	4	39	< 5	0.70	2	12	40	52	3.55	0.02	< 10	0.59	311	< 1	<.01	22	332	10	25	< 20	37	0.01	25	41	< 10	< 1	52
375.64	L386N 45+00W	0.8	1.90	153	< 2	60	< 5	0.47	4	32	50	112	5.92	0.03	11	0.66	704	< 1	<.01	43	531	21	32	< 20	35	0.02	20	63	< 10	2	179
375.65	L386N 45+50W	0.5	1.48	122	3	48	< 5	0.16	4	19	41	72	5.14	0.04	< 10	0.49	380	< 1	<.01	25	708	14	26	< 20	22	0.02	30	67	< 10	< 1	113
375.66	L386N 46+00W	0.4	1.38	85	3	43	< 5	0.24	2	15	39	68	4.99	0.04	< 10	0.66	356	< 1	<.01	20	725	12	29	< 20	22	0.02	27	68	< 10	< 1	76
375.67	L386N 46+50W	0.4	1.78	75	< 2	59	7	0.20	2	19	39	74	5.50	0.04	< 10	0.72	351	< 1	<.01	26	779	15	27	< 20	29	0.02	29	79	< 10	< 1	75
375.68	L386N 47+00W	0.4	1.75	62	3	55	7	0.18	2	19	38	73	4.99	0.03	< 10	0.84	391	< 1	<.01	27	643	18	27	< 20	25	0.02	21	66	< 10	< 1	63
375.69	L386N 47+50W	0.7	1.54	61	2	62	7	0.28	2	17	35	57	5.01	0.03	< 10	0.72	595	< 1	<.01	22	1213	13	32	< 20	25	0.02	23	73	< 10	< 1	68
375.70	L386N 48+00W	0.7	1.15	50	3	42	< 5	0.21	2	13	27	43	3.59	0.03	< 10	0.52	351	< 1	<.01	17	528	12	19	< 20	18	0.02	21	51	< 10	< 1	61
375.71	L386N 48+50W	<.2	1.08	53	< 2	39	21	0.14	2	12	27	32	4.00	0.02	< 10	0.39	301	< 1	<.01	15	1004	9	19	< 20	12	0.02	< 10	59	< 10	< 1	62
375.72	L386N 49+00W	1.0	0.98	25	< 2	42	< 5	0.09	< 1	10	27	26	3.71	0.03	< 10	0.36	211	< 1	<.01	10	937	10	< 5	< 20	21	0.02	29	52	< 10	< 1	54
375.73	L386N 49+50W	2.0	1.15	< 5	< 2	52	< 5	0.11	< 1	11	35	40	4.09	0.03	< 10	0.45	249	< 1	<.01	3	792	15	< 5	< 20	33	0.01	30	53	< 10	< 1	58
375.74	L386N 50+00W	1.3	1.80	130	4	86	< 5	0.39	4	18	52	118	5.27	0.06	13	0.77	921	< 1	<.01	41	463	22	60	< 20	31	0.01	19	56	< 10	3	91
375.75	L386N 50+50W	1.7	0.98	32	< 2	57	< 5	0.17	< 1	12	29	45	3.19	0.04	< 10	0.47	451	< 1	<.01	15	424	16	< 5	< 20	26	0.01	25	38	< 10	< 1	53
375.76	L386N 51+00W	2.0	0.90	35	< 2	55	< 5	0.16	1	9	27	34	3.28	0.03	< 10	0.41	187	< 1	<.01	13	269	14	12	< 20	29	0.02	30	45	< 10	< 1	48
375.77	L386N 52+00W	2.5	0.55	< 5	< 2	47	< 5	0.19	< 1	7	18	21	1.95	0.04	< 10	0.22	130	< 1	<.01	2	69	13	< 5	< 20	37	0.01	26	29	< 10	< 1	28
375.78	L386N 52+50W	0.6	0.85	43	3	58	< 5	0.36	2	9	24	36	2.42	0.03	< 10	0.27	773	< 1	<.01	13	335	9	28	< 20	21	0.02	25	36	< 10	5	45
375.79	L386N 53+00W	0.3	0.96	< 5	< 2	55	44	0.23	< 1	13	31	32	2.99	0.01	< 10	0.47	639	1	<.01	13	682	11	< 5	< 20	11	0.03	20	44	< 10	2	46
375.80	L386N 53+50W	1.2	1.30	34	< 2	48	< 5	0.42	2	11	41	44	3.25	0.02	< 10	0.66	299	< 1	<.01	24	398	15	22	< 20	19	0.02	23	50	< 10	< 1	43

NOTE: < = Less than


 ECO-TECH LABORATORIES LTD.
 DOUG HOWARD
 B.C. CERTIFIED ASSAYER

Eco-Tech Laboratories Ltd.
10041 E. Trans Canada Hwy.
Kamloops, B.C.
V2C 2J3
July 26, 1989

CORONA CORPORATION
81440, 800 West Pender St.
Vancouver, B.C.
V6C 2V6

CERTIFICATE OF ANALYSIS ETX 89-392A
132 Soil Samples, received July 4/89

All values in PPM unless otherwise reported

ATTN: ~~Donna Johnson~~ Mark Tinda
Project: 1054

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
392.1	1-789-1	0.5	0.99	< 5	6	35	< 5	0.14	< 1	10	29	24	2.25	0.04	14	0.49	275	< 1	< .01	24	481	32	17	< 20	12	0.03	< 10	31	< 10	2	47
392.2	1-789-2	0.4	0.68	< 5	5	37	< 5	0.15	< 1	8	24	16	2.12	0.02	10	0.40	212	< 1	< .01	19	602	26	12	< 20	9	0.02	< 10	33	< 10	< 1	51
392.3	1-789-3	< .2	0.64	< 5	5	38	< 5	0.12	< 1	4	17	10	1.41	0.01	< 10	0.29	173	< 1	< .01	13	524	25	8	< 20	5	0.02	< 10	22	< 10	< 1	43
392.4	1-789-4	0.7	0.78	< 5	4	31	< 5	0.12	< 1	5	19	12	1.46	0.02	< 10	0.35	174	< 1	< .01	14	339	28	11	< 20	9	0.02	< 10	23	< 10	< 1	43
392.5	L359N 42+00W	1.1	0.89	< 5	4	84	< 5	0.61	< 1	15	21	51	3.26	0.04	15	0.31	1232	1	< .01	35	434	42	16	< 20	34	0.01	< 10	22	< 10	3	83
392.6	L359N 42+50W	0.6	0.67	< 5	3	41	< 5	0.20	< 1	8	14	25	2.54	0.02	10	0.23	277	< 1	< .01	29	357	27	17	< 20	14	0.01	< 10	19	< 10	< 1	71
392.7	L359N 43+00W	0.2	0.76	< 5	4	45	< 5	0.22	< 1	11	17	33	2.70	0.03	11	0.32	480	< 1	< .01	23	313	39	15	< 20	14	0.01	< 10	21	< 10	< 1	78
392.8	L359N 43+50W	0.5	1.07	33	3	66	< 5	0.20	< 1	11	18	36	3.33	0.02	13	0.29	374	< 1	< .01	23	280	46	18	< 20	13	0.01	< 10	28	< 10	< 1	96
392.9	L359N 44+00W	1.0	1.12	103	4	83	< 5	0.34	2	20	22	79	4.18	0.05	19	0.46	1477	< 1	< .01	38	588	33	20	< 20	24	0.01	13	30	< 10	4	79
392.10	L359N 44+50W	0.3	1.02	33	3	44	< 5	0.12	< 1	8	18	44	3.38	0.03	13	0.38	306	< 1	< .01	23	332	41	15	< 20	9	0.01	< 10	28	< 10	< 1	70
392.11	L359N 45+00W	1.8	1.50	86	3	101	< 5	0.52	1	14	26	81	4.47	0.05	20	0.44	851	< 1	< .01	38	426	54	22	< 20	39	0.01	11	32	< 10	3	82
392.12	L359N 45+50W	0.8	0.50	35	3	46	< 5	0.10	< 1	8	9	21	2.98	0.02	11	0.17	414	< 1	< .01	13	652	21	14	< 20	7	0.01	< 10	25	< 10	< 1	60
392.13	L359N 46+00W	0.4	0.74	98	3	38	< 5	0.05	2	9	10	41	3.38	0.02	12	0.24	322	< 1	< .01	19	730	28	17	< 20	4	< .01	< 10	21	< 10	< 1	63
392.14	L359N 46+50W	0.7	0.78	< 5	4	65	< 5	0.06	< 1	8	13	26	2.87	0.02	11	0.28	743	< 1	< .01	19	806	32	17	< 20	4	< .01	< 10	24	< 10	< 1	67
392.15	L359N 47+00W	0.6	0.55	< 5	4	35	< 5	0.07	< 1	4	9	23	2.21	0.02	< 10	0.22	247	< 1	< .01	12	439	25	12	< 20	8	< .01	11	20	< 10	< 1	50
392.16	L359N 47+50W	0.6	0.78	< 5	3	64	< 5	0.07	< 1	10	13	29	2.77	0.02	11	0.28	514	< 1	< .01	15	653	31	13	< 20	8	< .01	18	24	< 10	< 1	68
392.17	L359N 48+00W	0.4	0.81	36	< 2	58	< 5	0.21	< 1	11	12	31	3.05	0.02	11	0.18	327	< 1	< .01	15	1111	34	15	< 20	13	0.01	< 10	29	< 10	< 1	62
392.18	L359N 48+50W	1.0	0.75	< 5	3	57	< 5	0.12	< 1	6	14	22	2.19	0.02	10	0.26	726	< 1	< .01	16	328	26	13	< 20	8	< .01	< 10	19	< 10	< 1	50
392.19	360.5N50+00W	1.0	0.92	167	4	54	< 5	0.39	3	20	25	101	5.26	0.04	21	0.46	996	< 1	< .01	36	769	30	27	< 20	20	0.01	< 10	39	< 10	3	99
392.20	L361N 44+75W	0.9	0.98	20	3	62	< 5	0.26	< 1	15	20	47	3.25	0.03	14	0.39	1263	< 1	< .01	28	439	36	17	< 20	17	0.01	< 10	28	< 10	2	90

CORONA CORPORATION
 ETX 89-392A
 Page 2
 July 26, 1989

ETX	DESCRIPTION	Ag	AlI	As	B	Ba	Ri	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
392.21	L361N 45+00M	1.1	0.73	12	4	110	< 5	0.46	< 1	9	13	33	2.79	0.03	10	0.24	2361	< 1	<.01	16	700	25	11	< 20	27	0.01	< 10	25	< 10	< 1	73
392.22	L361N 45+50M	1.8	1.57	82	2	122	< 5	0.58	1	13	29	96	4.22	0.06	28	0.51	1304	< 1	<.01	44	569	40	22	< 20	41	0.01	11	33	< 10	14	79
392.23	L361N 46+00M	0.3	0.84	< 5	4	40	< 5	0.06	< 1	7	14	38	2.94	0.02	12	0.38	248	< 1	<.01	20	398	23	17	< 20	6	<.01	< 10	25	< 10	< 1	55
392.24	L361N 46+50M	1.3	0.81	9	3	63	< 5	0.34	< 1	10	14	43	2.72	0.03	17	0.24	1366	< 1	<.01	20	484	26	17	< 20	20	0.01	< 10	24	< 10	7	73
392.25	L361N 47+00M	0.3	0.44	< 5	2	36	< 5	0.14	< 1	4	9	10	1.79	0.02	< 10	0.16	524	< 1	<.01	9	521	21	11	< 20	8	0.02	< 10	22	< 10	< 1	42
392.26	L361N 47+50M	0.2	0.56	< 5	3	35	< 5	0.11	< 1	5	9	19	2.31	0.02	< 10	0.22	492	< 1	<.01	14	447	20	12	< 20	10	<.01	< 10	17	< 10	< 1	62
392.27	L361N 48+00M	0.9	0.81	175	3	49	< 5	0.16	4	17	22	138	5.44	0.03	21	0.34	714	1	<.01	37	730	29	26	< 20	14	<.01	18	32	< 10	2	113
392.28	L361N 48+50M	1.5	0.91	112	4	59	< 5	0.19	3	16	21	95	4.49	0.04	18	0.39	756	3	<.01	38	719	31	26	< 20	16	0.01	17	31	< 10	2	122
392.29	L361N 49+00M	0.4	0.84	26	5	47	< 5	0.12	< 1	11	17	53	3.23	0.03	14	0.36	604	< 1	<.01	26	521	28	21	< 20	9	0.02	10	25	< 10	< 1	71
392.30	L361N 50+12M	0.3	0.75	< 5	4	50	< 5	0.18	< 1	8	16	37	2.71	0.03	12	0.35	448	1	<.01	21	235	26	14	< 20	10	0.01	< 10	22	< 10	< 1	50
392.31	L365N 47+00M	1.4	0.76	296	4	55	< 5	2.42	7	18	14	133	4.31	0.04	18	0.42	1017	< 1	<.01	24	778	21	44	< 20	97	<.01	< 10	27	< 10	3	67
392.32	L365N 47+50M	0.6	0.90	294	4	88	< 5	0.57	6	26	20	93	5.43	0.03	21	0.40	1420	< 1	<.01	36	1108	25	37	< 20	48	<.01	10	32	< 10	4	111
392.33	L365N 48+00M	0.3	0.56	76	2	72	< 5	0.24	2	4	5	19	1.82	0.04	< 10	0.15	613	< 1	<.01	5	1102	21	16	< 20	21	<.01	< 10	17	< 10	< 1	70
392.34	L365N 48+50M	0.4	0.61	396	3	50	< 5	0.20	9	4	6	43	2.47	0.05	12	0.15	305	< 1	<.01	7	1150	20	20	< 20	20	<.01	< 10	16	< 10	< 1	38
392.35	L365N 49+00M	0.5	0.45	183	3	74	< 5	0.20	4	4	3	45	1.81	0.06	< 10	0.10	427	< 1	<.01	5	691	20	23	< 20	25	<.01	< 10	10	< 10	< 1	28
392.36	L365N 49+50M	1.1	0.75	412	3	39	< 5	0.37	9	10	12	145	3.94	0.07	16	0.17	321	< 1	<.01	12	339	21	48	< 20	32	<.01	< 10	20	< 10	< 1	22
392.37	L365N 50+00M	0.4	0.54	518	3	36	< 5	0.25	12	4	6	24	2.26	0.06	11	0.16	312	< 1	<.01	9	231	26	17	< 20	26	<.01	< 10	14	< 10	< 1	28
392.38	L365N 50+50M	0.5	0.46	127	3	29	< 5	0.14	3	3	5	21	1.78	0.04	< 10	0.17	166	< 1	<.01	8	210	19	13	< 20	15	<.01	12	15	< 10	< 1	23
392.39	L365N 51+00M	< 2	0.72	132	< 2	57	< 5	0.23	3	6	10	29	2.43	0.04	< 10	0.22	216	< 1	<.01	11	513	24	19	< 20	21	<.01	< 10	25	< 10	< 1	42
392.40	L365N 51+50M	0.5	0.70	19	< 2	73	< 5	0.19	< 1	4	9	13	1.71	0.05	< 10	0.19	340	< 1	<.01	7	809	21	12	< 20	22	<.01	< 10	19	< 10	< 1	80

CORONA CORPORATION
 ETK 89-332A
 Page 3
 July 26, 1989

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bi	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
392.41	L365M 52+00W	0.4	0.76	< 5	3	67	< 5	0.25	< 1	7	13	21	2.22	0.03	< 10	0.27	578	< 1	< .01	13	688	20	13	< 20	14	0.01	< 10	22	< 10	< 1	63
392.42	L365M 52+50W	0.7	1.05	115	4	68	< 5	0.49	2	17	24	66	3.56	0.05	16	0.48	1018	< 1	< .01	30	557	29	19	< 20	30	0.01	< 10	32	< 10	2	74
392.43	L365M 53+00W	1.0	1.17	114	6	72	< 5	1.50	3	18	27	79	3.35	0.04	16	0.57	909	< 1	< .01	28	541	24	21	< 20	82	0.01	< 10	38	< 10	3	95
392.44	L365M 53+50W	0.5	1.84	787	4	57	< 5	0.61	17	39	75	235	5.94	0.04	24	1.39	1086	< 1	< .01	61	932	33	46	< 20	37	0.01	< 10	95	< 10	4	67
392.45	L365M 54+00W	< 2	0.91	65	3	41	< 5	0.31	1	10	30	36	2.84	0.04	11	0.43	346	< 1	< .01	21	683	21	21	< 20	23	0.02	< 10	50	< 10	< 1	48
392.46	L365M 54+50W	0.4	1.35	91	3	76	< 5	0.46	1	16	42	81	3.22	0.05	11	0.70	1205	< 1	< .01	28	628	28	23	< 20	38	0.02	< 10	66	< 10	< 1	60
392.47	L365M 55+00W	0.5	2.13	239	< 2	70	< 5	0.28	4	20	70	112	4.61	0.03	16	1.22	342	< 1	< .01	51	1334	36	32	< 20	45	0.01	17	83	< 10	< 1	61
392.48	L365M 55+50W	0.3	1.09	43	4	57	< 5	0.33	< 1	11	22	45	3.09	0.04	12	0.49	499	< 1	< .01	19	919	22	22	< 20	29	0.01	< 10	44	< 10	< 1	85
392.49	L365M 56+00W	< 2	1.34	76	4	56	7	0.19	3	13	27	38	4.03	0.04	11	0.49	442	1	< .01	18	676	12	23	< 20	17	0.01	13	48	< 10	< 1	65
392.50	L365M 56+50W	< 2	1.99	142	4	48	< 5	0.13	4	21	39	105	5.59	0.04	14	0.77	339	< 1	< .01	33	372	21	34	< 20	15	0.01	< 10	60	< 10	< 1	58
392.51	L365M 57+00W	< 2	1.21	140	4	61	< 5	0.22	4	17	29	61	4.51	0.05	11	0.42	916	< 1	0.01	20	1352	10	20	< 20	20	0.01	< 10	50	< 10	< 1	59
392.52	L365M 57+50W	< 2	1.16	103	3	52	6	0.20	4	16	29	52	4.88	0.04	12	0.38	549	< 1	< .01	20	974	10	18	< 20	17	0.02	11	51	< 10	< 1	99
392.53	L365M 42+50W	0.3	2.70	407	2	67	5	0.19	13	31	46	118	8.54	0.04	21	0.57	362	< 1	< .01	47	1085	21	39	< 20	27	0.02	18	81	< 10	< 1	123
392.54	L365M 43+00W	< 2	1.04	87	4	60	6	0.33	3	14	22	46	3.84	0.04	10	0.36	856	< 1	< .01	17	680	9	22	< 20	21	0.02	12	38	< 10	< 1	59
392.55	L365M 43+50W	< 2	1.19	107	2	55	< 5	0.16	4	15	25	35	4.94	0.03	12	0.34	359	< 1	< .01	15	1388	8	20	< 20	15	0.01	14	60	< 10	< 1	72
392.56	L365M 44+00W	< 2	0.89	57	2	44	< 5	0.34	2	10	18	21	3.56	0.05	< 10	0.23	418	< 1	< .01	9	532	7	13	< 20	20	0.01	11	41	< 10	< 1	54
392.57	L365M 44+50W	< 2	0.95	73	4	41	< 5	0.21	2	10	24	25	3.62	0.03	< 10	0.36	302	< 1	< .01	16	505	8	14	< 20	14	0.02	< 10	37	< 10	< 1	53
392.58	L365M 45+00W	< 2	1.16	81	4	51	7	0.13	2	12	26	32	4.11	0.04	12	0.40	372	< 1	< .01	22	638	12	18	< 20	10	0.02	< 10	38	< 10	< 1	65
392.59	L365M 45+50W	< 2	1.35	76	4	55	< 5	0.20	2	12	27	44	4.25	0.04	12	0.48	460	< 1	< .01	24	681	14	17	< 20	17	0.02	< 10	40	< 10	< 1	72
392.60	L365M 46+00W	0.3	1.62	91	3	136	< 5	0.24	3	16	37	54	4.85	0.06	13	0.52	812	< 1	< .01	25	1778	17	18	< 20	102	0.03	13	57	< 10	< 1	112

CORONA CORPORATION
 ETK 89-392A
 Page 4
 July 26, 1989

ETK	DESCRIPTION	Ag	AlI	As	B	Ba	Bz	CaI	Cd	Co	Cr	Cu	FeI	KI	La	MgI	Mn	Mo	NaI	Ni	P	Pb	Sb	Sn	Sr	TiI	U	V	W	Y	Zn
392.61	L369N 46+50W	<.2	1.16	93	3	50	< 5	0.16	3	12	26	53	4.27	0.03	12	0.46	328	< 1	<.01	23	386	12	18	< 20	12	0.02	< 10	41	< 10	< 1	57
392.62	L369N 47+00W	<.2	1.37	63	2	54	< 5	0.27	2	13	30	30	4.76	0.04	12	0.41	334	< 1	<.01	21	485	14	23	< 20	20	0.02	13	45	< 10	< 1	74
392.63	L369N 47+50W	<.2	1.40	99	3	57	6	0.21	4	14	28	41	4.52	0.04	13	0.42	538	< 1	<.01	23	615	16	26	< 20	18	0.02	< 10	45	< 10	< 1	98
392.64	L369N 48+00W	<.2	0.93	24	3	41	< 5	0.15	< 1	9	17	13	3.25	0.03	< 10	0.37	283	< 1	<.01	11	550	11	15	< 20	8	0.01	< 10	41	< 10	< 1	58
392.65	L369N 48+50W	0.3	1.15	35	4	74	< 5	0.48	2	16	26	43	4.53	0.03	13	0.41	1612	< 1	<.01	28	424	17	18	< 20	24	<.01	< 10	30	< 10	< 1	111
392.66	L369N 49+00W	0.3	1.10	26	3	78	< 5	0.45	2	10	19	21	3.80	0.04	10	0.25	410	< 1	<.01	17	342	15	14	< 20	24	0.02	< 10	39	< 10	< 1	76
392.67	L369N 49+50W	<.2	1.22	34	3	67	< 5	0.13	2	14	25	35	4.30	0.03	13	0.43	479	< 1	<.01	24	371	17	16	< 20	8	0.01	13	30	< 10	< 1	70
392.68	L369N 50+00W	<.2	0.95	53	4	52	< 5	0.07	2	9	21	31	3.69	0.02	< 10	0.36	212	< 1	<.01	16	457	14	16	< 20	6	<.01	< 10	33	< 10	< 1	54
392.69	L369N 50+50W	<.2	1.04	133	3	87	6	0.16	4	11	26	42	4.61	0.03	12	0.36	315	< 1	<.01	16	1318	9	23	< 20	9	0.01	< 10	49	< 10	< 1	56
392.70	L369N 51+00W	<.2	1.24	84	4	59	< 5	0.07	3	11	27	36	4.00	0.03	11	0.47	288	< 1	<.01	23	750	14	14	< 20	7	0.01	< 10	35	< 10	< 1	63
392.71	L369N 51+50W	<.2	0.96	52	4	48	< 5	0.18	2	9	27	27	3.62	0.03	< 10	0.39	255	< 1	<.01	17	858	9	17	< 20	11	0.01	< 10	39	< 10	< 1	58
392.72	L369N 52+00W	<.2	1.17	93	3	52	< 5	0.10	3	13	38	41	3.80	0.03	< 10	0.51	260	< 1	<.01	21	968	11	18	< 20	13	0.01	< 10	46	< 10	< 1	50
392.73	L369N 52+50W	<.2	1.31	122	3	51	< 5	0.22	4	14	43	31	4.31	0.04	11	0.54	272	< 1	<.01	23	897	12	21	< 20	17	0.02	< 10	53	< 10	< 1	89
392.74	L369N 53+00W	<.2	1.81	165	3	54	< 5	0.19	5	18	49	62	5.48	0.04	13	0.67	349	< 1	<.01	33	1245	16	25	< 20	16	0.01	< 10	62	< 10	< 1	84
392.75	L369N 53+50W	0.3	1.43	86	< 2	63	6	0.19	3	14	39	29	4.66	0.04	12	0.51	227	< 1	<.01	18	1868	15	20	< 20	20	0.02	18	57	< 10	< 1	72
392.76	L369N 54+00W	<.2	1.38	72	2	46	10	0.21	3	16	52	45	5.12	0.04	12	0.62	466	< 1	<.01	41	1280	14	24	< 20	22	0.02	< 10	58	< 10	< 1	72
392.77	L369N 54+50W	<.2	1.77	227	3	45	< 5	0.25	7	37	46	152	6.98	0.05	16	0.70	370	< 1	<.01	26	753	11	39	< 20	22	<.01	< 10	72	< 10	< 1	47
392.78	L369N 55+00W	<.2	1.57	99	2	57	8	0.13	3	14	32	53	5.61	0.04	14	0.57	260	< 1	<.01	19	859	15	25	< 20	16	0.01	< 10	58	< 10	< 1	90
392.79	L369N 55+50W	<.2	1.42	84	3	68	8	0.19	3	15	29	42	4.52	0.05	11	0.48	501	< 1	<.01	18	1465	16	21	< 20	15	0.01	13	47	< 10	< 1	94
392.80	L369N 56+00W	0.2	0.82	44	4	83	< 5	0.41	2	13	22	24	3.34	0.05	< 10	0.32	1329	< 1	<.01	13	987	8	16	< 20	32	0.02	< 10	33	< 10	< 1	98

CORONA CORPORATION
 ETK 89-392A
 Page 5
 July 26, 1989

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	KI	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
392.81	L372N 41+00M	<.2	0.75	69	3	96	< 5	0.21	3	8	13	22	2.65	0.05	< 10	0.22	576	< 1	<.01	8	766	13	14	< 20	26	<.01	< 10	24	< 10	< 1	78
392.82	L372N 41+50M	<.2	0.75	136	3	163	< 5	0.54	5	13	13	41	3.69	0.06	< 10	0.23	1778	< 1	<.01	11	772	19	22	< 20	45	<.01	< 10	31	< 10	< 1	97
392.83	L372N 42+00M	<.2	0.92	70	2	92	6	0.24	2	9	15	27	3.07	0.05	< 10	0.29	431	< 1	<.01	10	747	16	15	< 20	28	<.01	< 10	30	< 10	< 1	84
392.84	L372N 43+00M	<.2	0.91	86	2	100	< 5	0.13	3	10	15	26	3.07	0.04	< 10	0.22	882	< 1	<.01	9	588	15	12	< 20	26	<.01	< 10	34	< 10	< 1	69
392.85	L372N 43+50M	<.2	1.05	179	2	87	< 5	0.34	5	12	19	56	4.45	0.06	12	0.30	433	< 1	<.01	13	836	14	23	< 20	43	<.01	14	42	< 10	< 1	81
392.86	L372N 44+00M	<.2	2.08	128	2	66	7	0.21	4	21	42	80	5.91	0.05	15	0.81	464	< 1	<.01	31	724	25	31	< 20	45	0.02	14	76	< 10	< 1	121
392.87	L372N 44+50M	<.2	2.13	156	3	57	< 5	0.18	5	21	49	71	6.13	0.04	17	0.95	502	< 1	<.01	29	1106	21	35	< 20	37	0.01	12	66	< 10	< 1	310
392.88	L372N 45+00M	<.2	2.63	< 5	3	94	< 5	0.34	< 1	26	62	32	4.80	0.08	12	1.14	952	< 1	<.01	37	1526	33	29	< 20	209	0.03	11	64	< 10	< 1	216
392.89	L372N 45+50M	<.2	1.88	73	2	61	< 5	0.25	3	24	43	78	5.67	0.05	14	0.74	772	< 1	<.01	27	2426	26	29	< 20	40	0.02	< 10	66	< 10	< 1	225
392.90	L372N 46+00M	0.3	1.30	20	4	56	< 5	0.32	1	15	33	22	3.42	0.06	< 10	0.51	690	< 1	<.01	15	1358	19	16	< 20	32	0.02	15	41	< 10	< 1	199
392.91	L372N 46+50M	<.2	1.58	11	3	36	7	0.21	< 1	14	69	37	4.39	0.05	14	0.92	425	< 1	<.01	38	353	24	33	< 20	17	<.01	< 10	46	< 10	< 1	119
392.92	L372N 47+00M	<.2	3.14	9	5	35	13	0.44	< 1	33	126	77	6.54	0.03	17	2.93	686	< 1	<.01	70	363	37	47	< 20	19	0.11	11	105	< 10	2	115
392.93	L372N 47+50M	0.9	1.51	163	4	175	< 5	1.42	6	32	33	178	7.15	0.06	25	0.73	630	6	<.01	42	557	10	40	< 20	58	<.01	< 10	65	< 10	6	178
392.94	L372N 48+50M	0.5	1.87	678	3	131	< 5	1.20	20	34	52	196	8.00	0.09	23	0.96	765	< 1	<.01	79	482	4	52	< 20	89	<.01	10	70	< 10	5	69
392.95	L372N 49+00M	<.2	1.67	736	4	78	< 5	0.42	22	25	47	136	6.65	0.06	19	0.80	337	< 1	<.01	49	293	10	40	< 20	69	0.01	< 10	60	< 10	1	68
392.96	L372N 49+50M	<.2	0.76	103	4	51	< 5	0.18	3	9	19	26	3.11	0.04	< 10	0.30	288	< 1	<.01	18	346	7	12	< 20	11	<.01	< 10	30	< 10	< 1	40
392.97	L372N 50+00M	<.2	0.92	135	5	45	9	0.09	4	11	22	27	2.80	0.03	12	0.39	196	3	<.01	22	456	21	20	< 20	10	<.01	< 10	33	< 10	< 1	47
392.98	L372N 50+50M	<.2	0.48	32	6	72	< 5	0.32	< 1	7	12	8	1.50	0.06	< 10	0.19	857	< 1	<.01	9	475	21	12	< 20	17	0.02	< 10	22	< 10	< 1	42
392.99	L372N 51+00M	<.2	1.06	87	4	75	< 5	0.25	3	16	26	46	3.09	0.07	12	0.54	967	< 1	<.01	26	982	42	18	< 20	26	0.01	< 10	45	< 10	< 1	71
392.100	L372N 51+50M	<.2	1.19	100	5	37	< 5	0.10	3	14	31	66	3.56	0.05	17	0.61	460	< 1	<.01	31	439	30	22	< 20	8	0.03	< 10	38	< 10	< 1	64

CORONA CORPORATION
 ETK 89-392A
 Page 6
 July 26, 1989

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
392.101	L373N 52+00W	0.5	0.74	35	4	77	< 5	0.17	1	8	16	10	1.92	0.04	< 10	0.22	638	< 1	< .01	11	1040	22	11	< 20	15	0.01	< 10	24	< 10	< 1	57
392.102	L373N 52+50W	< .2	0.68	39	3	48	< 5	0.14	1	8	14	13	1.91	0.04	< 10	0.28	410	< 1	< .01	12	520	19	14	< 20	10	0.01	< 10	22	< 10	< 1	47
392.103	L373N 53+00W	0.4	0.88	63	5	46	< 5	0.13	2	8	19	31	2.44	0.04	12	0.38	264	< 1	< .01	17	513	23	16	< 20	13	0.01	< 10	29	< 10	< 1	46
392.104	L377N 39+00W	< .2	0.56	14	5	47	< 5	0.20	< 1	5	13	7	1.49	0.04	< 10	0.24	235	< 1	< .01	9	555	19	10	< 20	14	0.01	< 10	20	< 10	< 1	39
392.105	L377N 39+50W	0.3	0.77	30	4	55	5	0.16	< 1	7	17	13	1.99	0.05	< 10	0.26	274	< 1	< .01	13	623	23	14	< 20	14	0.01	< 10	25	< 10	< 1	60
392.106	L377N 40+00W	< .2	0.89	51	4	44	< 5	0.13	2	9	23	24	2.62	0.04	12	0.41	245	< 1	< .01	18	507	24	16	< 20	10	0.01	< 10	33	< 10	< 1	58
392.107	L377N 40+50W	0.7	0.92	46	5	34	9	0.36	1	12	29	20	2.60	0.04	11	0.44	541	< 1	< .01	19	362	25	20	< 20	20	0.02	< 10	31	< 10	< 1	63
392.108	L377N 41+00W	< .2	1.20	47	4	41	6	0.27	2	14	32	25	3.13	0.03	14	0.51	330	< 1	< .01	22	283	30	21	< 20	18	0.02	< 10	34	< 10	< 1	65
392.109	L377N 41+50W	< .2	0.95	39	4	47	7	0.23	1	11	23	23	2.65	0.03	13	0.37	507	< 1	< .01	18	344	27	18	< 20	12	0.02	< 10	29	< 10	< 1	69
392.110	L377N 42+00W	< .2	0.98	61	4	37	7	0.19	2	12	23	32	2.93	0.04	13	0.44	238	< 1	< .01	19	466	26	19	< 20	11	0.01	< 10	37	< 10	< 1	62
392.111	L377N 42+50W	< .2	0.79	37	6	58	< 5	0.48	2	12	21	22	2.39	0.05	10	0.37	618	< 1	< .01	16	733	20	17	< 20	26	0.02	< 10	30	< 10	< 1	87
392.112	L377N 43+00W	0.3	0.72	32	3	73	< 5	0.16	< 1	10	15	18	2.06	0.04	< 10	0.22	503	< 1	< .01	10	819	25	14	< 20	15	< .01	< 10	27	< 10	< 1	62
392.113	L377N 43+50W	< .2	0.87	37	4	46	5	0.13	1	11	23	25	2.42	0.03	11	0.40	335	< 1	< .01	18	541	27	14	< 20	14	0.01	< 10	32	< 10	< 1	60
392.114	L377N 44+00W	< .2	0.81	44	3	44	6	0.21	1	11	20	18	2.27	0.04	< 10	0.36	704	< 1	< .01	13	649	24	15	< 20	13	0.02	< 10	37	< 10	< 1	58
392.115	L377N 44+50W	< .2	1.04	85	4	47	7	0.15	3	14	28	38	3.44	0.04	14	0.50	397	< 1	< .01	23	974	25	25	< 20	14	0.02	< 10	48	< 10	< 1	75
392.116	L377N 45+00W	< .2	1.31	75	4	42	< 5	0.11	2	17	33	47	3.24	0.04	13	0.59	522	< 1	< .01	26	1013	33	24	< 20	15	0.02	< 10	46	< 10	< 1	116
392.117	L377N 45+50W	< .2	0.88	60	4	88	< 5	0.18	2	16	28	22	2.27	0.04	< 10	0.43	2215	< 1	< .01	16	926	30	15	< 20	22	0.02	< 10	34	< 10	< 1	115
392.118	L377N 46+00W	< .2	0.95	29	3	45	6	0.29	1	11	25	17	2.10	0.03	< 10	0.46	468	< 1	< .01	16	677	32	13	< 20	23	0.02	< 10	34	< 10	< 1	65
392.119	L377N 46+50W	< .2	1.44	39	5	41	5	0.15	1	16	51	35	3.15	0.04	12	0.97	322	< 1	< .01	32	787	36	27	< 20	14	0.03	< 10	60	< 10	< 1	101
392.120	L377N 47+00W	0.6	1.45	59	4	62	7	0.26	2	22	53	42	3.37	0.04	13	0.89	951	< 1	< .01	24	1493	45	25	< 20	29	0.03	15	67	< 10	< 1	219

CORONA CORPORATION


ETK 89-392A

Page 7

July 26, 1989

ETK	DESCRIPTION	Ag	Al	As	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Sn	Sr	Ti	U	V	W	Y	Zn
392.121	L377N 47+50W	<.2	1.01	98	4	63	< 5	0.42	4	14	31	29	2.65	0.05	11	0.43	1193	5	<.01	37	915	25	20	< 20	28	0.01	< 10	40	< 10	< 1	100
392.122	L377N 48+00W	<.2	0.79	46	4	66	< 5	0.58	3	15	20	20	2.26	0.05	< 10	0.38	1529	< 1	<.01	13	807	23	16	< 20	32	0.01	< 10	35	< 10	< 1	88
392.123	L377N 48+50W	<.2	0.89	54	4	61	< 5	0.16	2	12	23	21	2.56	0.04	11	0.33	391	< 1	<.01	12	1381	21	18	< 20	13	0.02	< 10	41	< 10	< 1	67
392.124	L377N 49+00W	0.2	1.09	47	3	54	< 5	0.19	1	14	29	26	2.43	0.04	10	0.55	902	< 1	<.01	15	1163	27	14	< 20	19	0.01	< 10	40	< 10	< 1	90
392.125	L377N 49+50W	<.2	1.37	108	4	44	< 5	0.28	3	15	41	52	3.52	0.04	14	0.69	383	< 1	<.01	23	1034	29	24	< 20	28	0.02	< 10	64	< 10	< 1	90
392.126	L377N 50+00W	<.2	1.04	70	4	29	7	0.18	2	9	26	19	2.65	0.02	11	0.42	198	< 1	<.01	15	638	26	17	< 20	10	0.02	< 10	50	< 10	< 1	65
392.127	L377N 50+50W	<.2	0.99	59	3	38	< 5	0.17	2	11	31	19	2.55	0.03	11	0.42	377	< 1	<.01	13	712	24	15	< 20	14	0.02	< 10	47	< 10	< 1	62
392.128	L377N 51+00W	0.3	1.07	51	4	45	6	0.34	2	12	31	30	2.89	0.04	11	0.50	336	< 1	<.01	16	1010	28	16	< 20	24	0.02	< 10	51	< 10	< 1	73
392.129	L377N 51+50W	<.2	1.25	70	5	35	< 5	0.13	2	15	38	53	3.60	0.03	14	0.73	324	< 1	<.01	22	947	30	25	< 20	12	0.02	< 10	56	< 10	< 1	59
392.130	L377N 52+00W	<.2	0.97	39	4	53	7	0.25	1	11	28	29	2.44	0.03	12	0.49	697	< 1	<.01	19	511	27	20	< 20	12	0.02	< 10	34	< 10	< 1	73
392.131	L377N 52+50W	0.4	0.85	29	5	91	< 5	0.27	1	14	31	23	2.27	0.04	< 10	0.52	1821	< 1	<.01	15	908	29	13	< 20	18	0.02	15	39	< 10	< 1	77
392.132	L377N 53+00W	<.2	1.29	34	4	65	11	0.21	1	16	54	29	3.49	0.03	13	0.74	500	< 1	<.01	25	869	36	26	< 20	11	0.02	< 10	58	< 10	< 1	108

NOTE: < = Less than



ECO-TECH LABORATORIES LTD.

DOUG HOWARD

B.C. CERTIFIED ASSAYER

APPENDIX II SELECT ASSAY VALUES, ROCK TYPES, MINERALIZATION

1
2
3

LIKELY PROJECT

ASSAY #	MATERIAL SAMPLED	SAMPLE TYPE	HOST ROCK	MINERALIZATION	AU ppb	AG ppm	CU ppm	AS ppm
---------	------------------	-------------	-----------	----------------	--------	--------	--------	--------

LK SHOWINGS

89L-MR-001	Silic., QV	G	BAS	Chalco, 1% py	1720	0.9	134	10
89L-CR-8	Silic., QV	G	BAS	Chalco, 1% py	2150	0.6	126	15

AST 1

74461		G	BAS	Py, Po?, Ep. Alt	165	0.2	27	10
-------	--	---	-----	------------------	-----	-----	----	----

SPANISH MOUNTAIN

74014	QV-8cm	G	ARG	--	10	15.8	21	15
74015	QV	G	ARG	Up to 10% Py	300	2.6	66	60
74468	QV-10cm	G	RHY. TUFF	Galena, Tetrahed?	1150	29.2	21	95
74493-3	QV-9cm	G	PHYL	Galena	8130	17.0	65	62

FISHER-GROGAN CREEK AREA

89L-CR-9	Altd mafic diorite	G	-	Chalco, Po, Magn	2140	27.0	4802	850
CR-12	"	G	-	--	2280	1.6	478	890
74007	Silic shear	G	TUFF	Chalco, Py	4190	1.2	2120	25
74492-1	" "	G	"	"	4012	<.2	1072	7
74491	Fract Zone	G	TUFF	Py	175	<.2	125	1344
74493-4	QV-20cm	G	TUFF	Arseno?	735	2.3	51	3332

GOLD CREEK


CHIP

74448	Shear zone	2.56m	VOLC.	--	320	0.6	60	2310
74451	QV, Bx	2.0	"	Py, Chalco	110	0.8	117	360
74452	Sil. rock	1.5	"	1% Py	330	1.2	131	135
74453	Shear zone	.58	"	Py, Chalco	2030	3.8	133	780
74454	Silic zone	.5	"	1-2% Py	4550	1.0	160	640
74455	" "	.7	"	Py	680	0.6	142	315
74456	Shear zone							
	QV-3cm	2.2	"	2% Py, Cu	2240	11.6	211	1490
74457	Shear zone							
	QV-8 - 25cm	2.2	"	Py	10060	3.0	144	1365
74458	Silic volc,							
	grnst dyke	1.52	"	--	120	0.6	145	120
74459	QV 2-5cm	2.2	"	--	1930	3.2	173	970

ASSAY #	MATERIAL SAMPLED	SAMPLE TYPE	HOST ROCK	MINERALIZATION	AU ppb	AG ppm	CU ppm	AS ppm
<u>POQUETTE RIVER AREA</u>								
89L-CR-14	Shear, QV-5cm	G	PHYL	Py	60	0.2	25	1805
74436	Fract. zone	G	BAS	Py, Po, Ep. alt.	90	2.2	2566	ppm Zn
74441	Alt'd diorite	G	--	1% Sulph.	120	0.8	516	225
74443	Silic. ARG	G	ARG	2% Po/Py, Malach.	70	1.0	933	15

Abbreviations

SILIC	-	Silicified	CHALCO	-	Chalcopyrite
QV	-	Quartz Veinlets	PY	-	Pyrite
QV	-	Quartz Vein	PO	-	Pyrrhotite
ARG	-	Argillite	EP	-	Epidote
PHYL	-	Phyllite	ARSENO	-	Arsenopyrite
BAS	-	Basalt	MAGN	-	Magnetite
PORPH	-	Porphyry	TETRAHED	-	Tetrahedrite
G	-	Grab			




Legend

- Au-ppb
- Sp-pb-Au
- No Sample
- SOIL SAMPLE LOCATION (LINE)
- ROCK SAMPLE LOCATION (TRAVERSE)
- Sample No - Au-ppb
- PERCUSSION DRILL HOLE - Dome Explorer 1987
- CLAIM POST
- ROAD
- TRENCH
- OUTCROP
- CONTACT
- QUARTZ VEIN, Strike / Dip
- FAULT, SHEAR
- Basalt
- Diorite
- Greenstone
- Tuff

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,989

<p>MAP SHEET INDEX</p>	<p>MAP SCALE</p> <p>0 100 200 300m</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>REV</th> <th>DATE</th> <th>MADE BY</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td>1</td><td></td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td><td></td></tr> </tbody> </table>	REV	DATE	MADE BY	DESCRIPTION	1				2				3				4				5				<p>CORONA CORPORATION</p>	<p>LIKELY PROJECT</p> <p>SAMPLE LOCATION MAP</p>
REV	DATE	MADE BY	DESCRIPTION																									
1																												
2																												
3																												
4																												
5																												
<p>DATE: JUN / 1988</p> <p>DRAWN BY: m.k.</p> <p>CHECKED: _____</p> <p>APPROVED: _____</p>		<p>OFFICE: _____</p> <p>DEPARTMENT: _____</p>		<p>MAP INDEX NUMBER: SHEET 1</p> <p>SCALE: 1:5000</p> <p>DRAWING NUMBER: Fig. 4</p>																								



Legend

- Au - ppb
- < 5ppb - Au
- No Sample
- 20 - Au - ppb
- 74481 - 20
- PERCUSSION DRILL HOLE - Dome Explor. 1987
- CLAIM POST
- ROAD
- TRENCH
- OUTCROP
- CONTACT
- QUARTZ VEIN, Strike / Dip
- FAULT, SHEAR
- B Basalt
- D Diorite
- G Greenstone
- T Tuff

GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,989

<p>MAP SHEET INDEX</p>	<p>MAP SCALE</p> <p>NTS</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>No.</th> <th>Date</th> <th>MADE BY</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	No.	Date	MADE BY	DESCRIPTION																					<p>CORONA CORPORATION</p> <p>OFFICE: _____ DEPARTMENT: _____</p>	<p>LIKELY PROJECT</p> <p>SAMPLE LOCATION MAP</p>
No.	Date	MADE BY	DESCRIPTION																									
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>DATE</th> <th>DRAWN BY</th> <th>CHECKED</th> <th>APPROVED</th> </tr> </thead> <tbody> <tr> <td>JUN / 1989</td> <td>m.k.</td> <td> </td> <td> </td> </tr> </tbody> </table>	DATE	DRAWN BY	CHECKED	APPROVED	JUN / 1989	m.k.			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>MAP INDEX NUMBER</th> <th>SCALE</th> <th>DRAWING NUMBER</th> </tr> </thead> <tbody> <tr> <td>SHEET 1a</td> <td>1:5000</td> <td>Fig. 5</td> </tr> </tbody> </table>	MAP INDEX NUMBER	SCALE	DRAWING NUMBER	SHEET 1a	1:5000	Fig. 5											
DATE	DRAWN BY	CHECKED	APPROVED																									
JUN / 1989	m.k.																											
MAP INDEX NUMBER	SCALE	DRAWING NUMBER																										
SHEET 1a	1:5000	Fig. 5																										




Legend

- Au-ppb
 5ppb-Au
 No Sample
- SOIL SAMPLE LOCATION (LINE)
 SOIL SAMPLE LOCATION (TRAVERSE)
- ROCK SAMPLE LOCATION
 Sample No - Au-ppb
- PERCUSSION DRILL HOLE - Dome Explor. 1987
- CLAIM POST
- ROAD
- TRENCH
- OUTCROP
- CONTACT
- QUARTZ VEIN, Strike / Dip
- FAULT, SHEAR
- Basalt (B)
- Diorite (D)
- Greenstone (G)
- Tuff (T)

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**
18,989



MAP SHEET INDEX 	MAP SCALE 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>No</th> <th>Date</th> <th>MADE BY</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr><td>1</td><td></td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td><td></td></tr> </tbody> </table>	No	Date	MADE BY	DESCRIPTION	1				2				3				4					LIKELY PROJECT SAMPLE LOCATION MAP	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>DATE</th> <th>DRAWN BY</th> <th>CHECKED</th> <th>APPROVED</th> <th>OFFICE</th> <th>DEPARTMENT</th> <th>MAP INDEX NUMBER</th> <th>SCALE</th> <th>DRAWING NUMBER</th> </tr> </thead> <tbody> <tr> <td>JUN / 1988</td> <td>m.k.</td> <td></td> <td></td> <td></td> <td></td> <td>SHEET 2</td> <td>1:5000</td> <td>Fig. 6</td> </tr> </tbody> </table>	DATE	DRAWN BY	CHECKED	APPROVED	OFFICE	DEPARTMENT	MAP INDEX NUMBER	SCALE	DRAWING NUMBER	JUN / 1988	m.k.					SHEET 2	1:5000	Fig. 6
No	Date	MADE BY	DESCRIPTION																																								
1																																											
2																																											
3																																											
4																																											
DATE	DRAWN BY	CHECKED	APPROVED	OFFICE	DEPARTMENT	MAP INDEX NUMBER	SCALE	DRAWING NUMBER																																			
JUN / 1988	m.k.					SHEET 2	1:5000	Fig. 6																																			



GEOLOGICAL BRANCH
ASSESSMENT REPORT

18,989

MAP SHEET INDEX




NO.	DATE	MADE BY	DESCRIPTION
1			
2			
3			
4			
5			

DATE	DRAWN BY	CHECKED	APPROVED
JUN/1989	m. k.		

CORONA CORPORATION

LIKELY PROJECT SAMPLE LOCATION MAP		
MAP NO. NUMBER	SCALE	DRAWING NUMBER
SHEET 3	1:5000	Fig. 7




Legend

- Au-ppb
- ±5ppb Au
- No Sample
- 50 — NS
- 20 — Au-ppb
- X
- △ 74481-20
- Percussion Drill Hole - Dome Explor 1987
- CLAIM POST
- ROAD
- TRENCH
- OUTCROP
- CONTACT
- 60° QUARTZ VEIN, Strike / Dip
- FAULT, SHEAR
- B Basalt
- D Diorite
- G Greenstone
- T Tuff

GEOLOGICAL BRANCH
ASSESSMENT REPORT



18,989

<p>MAP SHEET INDEX</p>	<p>MAP SCALE</p> <p>0 100 200 300 m</p> <p>NTS</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>NO</th> <th>DATE</th> <th>MADE BY</th> <th>DESCRIPTION</th> </tr> <tr> <td>1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> </tr> </table>	NO	DATE	MADE BY	DESCRIPTION	1				2				3				4				<p style="text-align: center;">CORONA CORPORATION</p> <p style="text-align: center;">OFFICE DEPARTMENT</p>	<p style="text-align: center;">LIKELY PROJECT</p> <p style="text-align: center;">SAMPLE LOCATION MAP</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>MAP INDEX NUMBER</th> <th>SCALE</th> <th>DRAWING NUMBER</th> </tr> <tr> <td style="text-align: center;">SHEET 5</td> <td style="text-align: center;">1:5000</td> <td style="text-align: center;">Fig. 9</td> </tr> </table>	MAP INDEX NUMBER	SCALE	DRAWING NUMBER	SHEET 5	1:5000	Fig. 9
NO	DATE	MADE BY	DESCRIPTION																											
1																														
2																														
3																														
4																														
MAP INDEX NUMBER	SCALE	DRAWING NUMBER																												
SHEET 5	1:5000	Fig. 9																												
<p>DATE: JUN. / 1989 DRAWN BY: m. k. CHECKED: APPROVED:</p>																														



WAL 4874

MAP SHEET INDEX



NO	DATE	MADE BY	DESCRIPTION
1			
2			
3			
4			
5			

DATE	DRAWN BY	CHECKED	APPROVED
JUN. / 1989	m. k.		

CORONA CORPORATION

OFFICE: _____ DEPARTMENT: _____

MAP INDEX NUMBER	SCALE	DRAWING NUMBER
SHEET 6	1:5000	Fig 10