

LOG NO:	0914	PD
ACTION:		
FILE NO:		

GEOCHEMICAL REPORT ON THE
MOTHERLODE GREYHOUND PROPERTY

Greenwood Mining Division
NTS 82E/2
Latitude 49° 06' N Longitude 118° 43' W

SUB-RECODER	for
RECEIVED	CORONA CORPORATION
Sept - 8 1989	#1440-800 West Pender Street
	Vancouver, BC V6C 2V6
	FILMED

GEOLOGICAL BRANCH
AGGREGATE REPORT

19,046

J. David Gaunt
Project Geologist
Corona Corporation
05Sept89

TABLE OF CONTENTS

SUMMARY AND RECOMMENDATIONS	(i)
1.0 Introduction	
1.1 Locations and Access	1
1.2 Physiography	1
1.3 Land Holdings	1
1.4 History	2
1.5 1989 Work Summary	3
2.0 Soil Survey	
2.1 Sampling Procedure	4
2.2 Results and Interpretation	5
3.0 Recommendations	5
4.0 Budget Estimate	6
Statement of Expenditures	
Statement of Qualifications	
References	

Figures

Figure #1	
Location Map	following summary
Figure #2	
Index Map 1"=800'	in pocket
Figure #3	
Posted Gold Values 1"=400'	in pocket

Appendices

Appendix I

Analytical Results

(i)

SUMMARY AND RECOMMENDATIONS

The Motherlode-Greyhound property is located in the Greenwood Mining Division at 118°43' west longitude and 49°06' north latitude.

Between 03Jun89 and 11Jun89 a soil sampling program was conducted over the entire Motherlode-Greyhound property. In total 2285 samples were retrieved. The survey outlined 6 anomalous areas of which 3 were determined to be legitimate and worthy of further investigation.

Initial investigation should consist of detailed mapping and sampling. Attention should also be paid to determining what, if any, effect local topography has had on the positioning of the anomalies.

Subsequent to surface investigation a program of trenching should be undertaken. Integration of map data, topographical data and soil geochemical data should provide the means to determine areas of high potential.

If sufficient encouragement is obtained from the first two stages of investigation, a 3000' drilling program is proposed to determine the orientation and persistence of mineralization.

Cost of the above program is estimated at \$C113 020.



CORONA CORPORATION

**MOTHERLOAD - GREYHOUND PROJECT
LOCATION MAP**

DATE: OCT. / 1987

SCALE:

DRAWING No. Fig.

1.0 INTRODUCTION

1.1 Location and Access

The Motherlode property is located 2km northwest of Greenwood in south-central BC and is centered on 118°43' west longitude and 49°06' north latitude on NTS map sheet 82E/2.

Access to the property is by the Deadwood Creek gravel road which departs from Highway #3 approximately 100 meters south of Greenwood. Several good gravel, ranch and mine roads criss-cross the property.

1.2 Physiography

Elevations range from 2800 ft. at Deadwood Flat on the south end of the property to 3800 ft. on the north. Topography can be described as rolling with a few steep slopes. Vegetation thickness is moderate to sparse with the dominant species being pine and, in the lowlands, alder.

1.3 Land Holdings

The Motherlode-Greyhound property is located in the Greenwood Mining Division and consists of four mineral leases, two reverted Crown grants, 13 Crown grants and 18 located mineral claims. The claim group covers about 437 hectares and is owned by Corona Corporation of Vancouver, BC. A complete list of claims is given below.

CROWN GRANTED MINERAL CLAIMS

LOT #	Name	AREA (HA)	CERTIFICATE OF TITLE
602	Great Hope	17.52	10016D
704	Motherlode	8.36	7355
788	Sunset	8.17	7351
789	Crown Silver	7.61	7352
916	Sunflower	6.68	7349
927	Primrose	11.19	7350
928	COD	19.94	7347
1014	Greyhound	20.90	7356
1221	Ten Brock	4.59	7353
1254	Offspring Fr.	1.19	7346
1255	St. Lawrence	14.07	7346
1283	Don Julio Fr.	0.41	7354
1470	Florence Fr.	1.75	7348

MINERAL LEASES

LEASE #	LOT #	NAME	AREA(HA)	DATE OF LEASE	EXPIRY DATE
M-122	1243	Peacock	19.51	31Jan63	31Jan94
M-294	895	Gold Bug	21.56	26Oct67	26Oct2018
	2321				
M-306	884	Plutonia	18.08	06Feb68	06Feb2019
M-315	832	SF Fr.	37.23	03Jun68	03Jun2019
	2945	Hill Fr.			

REVERTED CROWN GRANTS

CLAIM	LOT #	AREA(HA)	RECORD #	RECORD DATE	EXPIRY DATE
Butte City	1230	19.36	36746K	17Aug73	17Aug97
Toronto	1013	4.26	36747K	17Aug73	17Aug97

LOCATED MINERAL CLAIMS

CLAIM	# UNITS	RECORD #	RECORD DATE	EXPIRY DATE
Birthday Fr.	1	14997 R	12Dec56	12Dec97
Hardscrabble Fr.	1	19473 A	27Jan64	27Jan97
NM 1	1	21994 K	20Aug65	20Aug97
NM 6 Fr.	1	21998 K	20Aug65	20Aug97
Ragma Rock Fr.	1	22451 A	28Jan66	28Jan97
Hound 1 Fr.	1	22643 B	11Feb66	11Feb97
MT 1 Fr.	1	26823 B	08Feb68	08Feb97
MT 2	1	26833 B	08Feb68	08Feb97
MT 3	1	26834 B	08Feb68	08Feb97
MT 4 Fr.	1	27036 (0)	05Mar68	05Mar97
MT 16 Fr.	1	27281 D	25Apr68	25Apr97
Hound	2	2129 (4)	15Apr80	15Apr97
Peli	4	5180 (6)	13Jun88	13Jun97
New Giant	16	5209 (7)	08Jly88	08Jly97
New Giant Fr.	1	5212 (7)	08Jly88	08Jly97
West Giant Fr.	1	5213 (7)	08Jly89	08Jly97
Giant Fraction #1	1	5210 (7)	08Jly88	08Jly97
Giant Fraction #2	1	5211 (7)	08Jly88	08Jly97

1.4 History

Mascot Mines and Petroleum Limited, a precursor of Mascot Gold Mines Limited, acquired the Motherlode-Greyhound property and related mill and equipment in August, 1973. The intention of Mascot was to test the potential of the Motherlode and Greyhound pits where previous operators had outlined and estimated 400,000 tons of copper-gold mineralization.

Mascot conducted an exploration program from August, 1973 to August, 1974 which consisted of compilation of old data, magnetometer and geochemical surveys as well as diamond and reverse circulation drilling. Several areas both on and adjoining the property were tested.

Results from the 1973-74 program generated a reserve estimate of 496,000 tons grading 0.78% copper in the proven and probable categories or 816,000 tons grading 0.65% copper in seven zones with no allowance for dilution. Recommendations for additional drilling were made but were never undertaken.

In 1988 Mascot systematically sampled both the Motherlode and Greyhound tailings ponds to determine if they contained economic amounts of gold. Assay results were too low to justify any kind of recovery program. Also in 1988 a picketed grid was installed over the entire property.

1.5 1989 Work Summary

A corporate merger between Mascot Gold Mines Ltd. and four closely related companies resulted in a new company, Corona Corporation, acquiring the Motherlode-Greyhound property. In the early summer of 1989 a soil geochemical survey was conducted covering the entire 1988 grid. In total 2285 B horizon samples were retrieved by 4 Corona employees between 03Jun89 and 11Jun89.

2.0 SOIL GEOCHEMICAL SURVEY

2.1 Sampling Procedure

On the Motherlode property the B horizon was targeted for sampling as it was felt to be the most likely to reflect subsurface enrichment. Subangular to angular rock fragments in a grey to reddish grey brown matrix are indicative of a residual B soil horizon in this area.

Samples were retrieved at a 100' spacing along the established grid. The depth at which the B horizon was encountered ranged from 0.5 to 2.0 feet. At each station a small pit was dug using either a spade or grubhoe and a 150-250 gram sample was placed in a Kraft paper bag. A sample number reflecting the grid coordinates of the sample site was then printed on the bag. Samples were air dried for several days before shipping to Acme Analytical in Vancouver.

2.2 Results and Interpretation

Given the long history of the Motherlode deposit it was not surprising to encounter frequent evidence of old buildings and development. These old workings were often the source of elevated metal values in the soil survey.

Anomalous areas on the property have been labelled 1 through 5 for purposes of discussion.

Area 1: This large anomaly strikes northeast for roughly 1000' and contains the highest values obtained during the survey (up to 2710ppb). The area is located a good distance from old tailings and is considered legitimate. This anomaly represents the best exploration bet on the property.

Area 2: A smaller, weaker anomaly than area 1 (up to 760 ppb) but it is located away from old infrastructure and hence warrents surface follow up.

Area 3: This small, weak anomaly (up to 126 ppb) may be culturally influenced and should be field checked

Area 4-6: Elevated values in these three areas are almost certainly due to the influence of old workings, tailings and/or roads.

3.0 RECOMMENDATIONS

A three stage program is proposed to fully test the anomalies generated from the soil sampling program. Initially anomalous areas 1 to 3 should be mapped at a scale of 1"=100'. This information should provide a more detailed picture of the local geology and structure. During the mapping program an effort should be made to determine how the topography and drainage may have affected the location of the soil anomalies.

Subsequent to the surface investigation, a program of trenching should be undertaken. Good road access to the property makes this technique a natural next step in the program. Accurate positioning of trench locations will be obtained by integrating information regarding the local geology, topography and soil results. Sampling and detailed mapping at a scale of 1"=10' of all trenches should be performed.

If sufficient encouragement is obtained from stages 1 and 2 a program consisting of 3000' of diamond drilling is anticipated to determine the subsurface extent of mineralization.

Cost of the above program is estimated at \$C113 020.

4.0 BUDGET ESTIMATE**Stage 1**

Salaries - Geologist - 10 days @ \$215/day	\$ 2 150
Analytical - 50 rocks @ \$15/sample	\$ 750
Vehicle Rental + Maintenance	\$ 400
Room and Board - 10 mandays @ \$26/manday	\$ 260
	<u>\$ 3 560</u>

Stage 2

Salaries - Geologist - 15 days @ \$215/day	\$ 3 225
Backhoe rental - 25 hours @ \$100/hr	\$ 2 500
Compressor rental - 5 days @ \$75/day	\$ 375
Analytical - 50 rocks @ \$15/sample	\$ 750
Vehicle Rental + Maintenance	\$ 600
Room and Board - 15 mandays @ \$26/manday	\$ 390
	<u>\$ 7 840</u>

Stage 3

Salaries - Geologist - 20 days @ \$215/day	\$ 4 300
Splitter - 20 days @ \$150/day	\$ 3 000
Diamond Drilling - 3000 ft. @ \$25/foot	\$75 000
Analytical - 200 core @ \$15/sample	\$ 3 000
Vehicle Rental + Maintenance	\$ 800
Room and Board - 40 mandays @ \$26/manday	\$ 520
	<u>\$98 020</u>

Report Writing	<u>\$ 5 000</u>
SUBTOTAL	<u>\$103 020</u>
Contingency	<u>\$ 10 000</u>
Total Stages 1 through 3	<u>\$113 020</u>

STATEMENT OF EXPENDITURES

WAGES

	<u># days</u>	<u>rate/day</u>	<u>dates</u>	<u>total</u>
D. Gaunt	9	\$ 215	03-11Jun	\$ 1,935
B. Johnson	8	\$ 215	04-11Jun	\$ 1,720
P. Jones	8	\$ 215	04-11Jun	\$ 1,720
K. Oishi	9	\$ 165	03-11Jun	\$ 1,485
			Total Wages	\$ 6,860

ACCOMODATION

All Employees	36	\$ 25.50	03-11Jun	\$ 867
				\$ 867

FOOD

All Employees			03-11Jun	\$ 980
				\$ 980

TRANSPORTATION

Truck Rental (2), Gas			03-11Jun	\$ 698
				\$ 698

ASSAYING

<u># samples</u>	<u>cost source</u>	<u>cost/sample</u>	<u>total</u>
2285	ICP + Au + prep shipping	\$ 10.57	\$24,154.65
			\$ 215.35
			\$24,370.00
		TOTAL EXPENDITURES	\$33 775.00

STATEMENT OF QUALIFICATIONS

I, David Gaunt, B.Sc., Geology, of #203-2274 York St., Vancouver, BC state as follows:

1. That I graduated from Acadia University in 1985 with a B.Sc. in Geology.
2. That I have prospected and actively pursued geology prior to my graduation and have practised my profession since 1985 as follows:

1986-1989 Project Geologist
 Mascot Gold Mines Limited
 Vancouver, BC

1985-1986 Geologist
 Royex Gold Mines Limited
 Toronto, ON

3. That I am currently employed as a project geologist with Corona Corporation, #1440-800 West Pender St, Vancouver BC.
4. That I am the author of this report which is based on property reports and on-site investigations.
5. That I was on-site in June 1989 to conduct the exploration program.
6. That this report may be used for the development of the property, provided that no portion may be used out of context in such a manner as to convey meanings different from that set out in the whole.
7. Consent is hereby given to Corona Corporation to reproduce this report or any or any part of it for the purposes of development of the property, or facts relating to the raising of funds by way of a prospectus and/or statement of material facts.

Dated at Vancouver, BC, 05Sept89.



David Gaunt, B.Sc.

REFERENCES

Shear, H.H. 1974; Report of Work on the Motherlode-Greyhound Property, Greenwood, BC 1973/1974; Internal Company Report.

Tindall, M. 1987; Report on the Gold Potential of the Motherlode-Greyhound Property; Internal company report.

APPENDIX I

ANALYTICAL RESULTS

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-1 HCl-HNO3-H₂O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NN FB SR CA P LA CR HG BA TI B V AND LIXIVIATED FOR HA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOIL -80 Mesh Au* ANALYSIS BY ACID LEACH/AA FROM 10 GR SAMPLE.

DATE RECEIVED: JUN 13 1989 DATE REPORT MAILED: June 20/89 SIGNED BY C. L. L. Y. D. TOYE, C. LIZONG, J. WANG; CERTIFIED B.C. ASSAYERS

CORONA CORPORATION PROJECT 1031 File # 89-1483 Page 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2+00N 1+00E	1	146	18	89	.2	24	3.18	4	2	2	94
L2+00N 2+00E	1	96	8	54	.1	17	2.54	8	2	1	15
L2+00N 3+00E	1	47	6	58	.3	12	1.92	9	2	1	30
L2+00N 4+00E	1	58	9	71	.3	18	2.31	11	2	1	5
L2+00N 5+00E	1	246	10	80	.1	48	3.83	11	2	1	12
L2+00N 6+00E	1	75	12	85	.3	25	3.19	7	2	1	4
L2+00N 7+00E	2	221	12	103	.1	48	3.80	14	2	1	7
L2+00N 8+00E	1	30	7	77	.1	11	1.61	8	2	1	2
L2+00S 65+00W	1	217	20	343	.1	51	3.97	15	2	1	34
L2+00S 64+00W	1	41	9	135	.1	16	2.08	15	2	1	4
L2+00S 63+00W	1	22	13	134	.1	15	2.20	21	2	1	8
L2+00S 62+00W	1	27	14	171	.1	19	2.37	28	2	1	6
L2+00S 61+00W	1	31	18	148	.2	20	2.59	153	2	1	33
L2+00S 60+00W	1	25	11	207	.2	18	2.39	54	2	1	4
L2+00S 59+00W	1	38	13	178	.1	28	2.46	49	2	1	3
L2+00S 58+00W	1	27	19	409	.3	22	1.72	34	2	1	7
L2+00S 57+00W	1	27	10	128	.3	19	1.75	60	2	1	12
L2+00S 56+00W	1	26	11	86	.2	13	2.11	16	2	1	6
L2+00S 55+00W	1	28	9	61	.3	9	1.62	10	2	1	2
L2+00S 54+00W	1	58	10	86	.2	10	2.13	10	2	1	99
L2+00S 53+00W	1	31	8	54	.3	8	1.66	9	2	1	33
L2+00S 52+00W	1	57	11	131	.1	16	2.63	25	2	1	19
L2+00S 51+00W	1	54	9	117	.3	14	1.85	10	2	1	5
L2+00S 50+00W	1	52	10	132	.1	15	1.86	10	2	1	13
L2+00S 49+00W	1	85	8	156	.2	16	1.89	13	2	1	15
L2+00S 48+00W	1	112	8	83	.1	12	1.67	14	2	1	18
L2+00S 47+00W	1	31	7	112	.3	7	1.10	13	2	1	1
L2+00S 46+00W	1	68	9	132	.1	12	1.78	12	2	1	36
L2+00S 45+00W	1	138	16	125	.4	29	3.36	67	2	3	18
L2+00S 19+00W	1	38	6	72	.3	13	2.20	11	2	1	15
L2+00S 18+00W	1	45	9	86	.3	11	2.18	8	2	1	13
L2+00S 17+00W	1	23	9	98	.3	11	1.87	9	2	1	1
L2+00S 16+00W	1	46	10	89	.2	15	2.51	17	2	1	4
L2+00S 15+00W	1	23	8	67	.2	10	1.67	15	2	1	1
L2+00S 14+00W	1	21	7	92	.3	11	2.06	11	2	1	7
L2+00S 13+00W	1	18	8	60	.1	10	1.92	9	2	1	63
L2+00S 12+00W	1	20	8	88	.1	11	1.98	10	2	1	1
STD C/AU-S	17	60	41	132	6.6	73	4.08	40	18	11	52

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 2

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2+00S 11+00W	1	23	8	132	.2	11	1.58	31	2	1	30
L2+00S 10+00W	1	92	12	116	.1	15	1.98	37	3	2	14
L2+00S 9+00W	1	108	15	176	.2	15	2.08	29	2	2	37
L2+00S 8+00W	1	53	27	337	.1	34	2.16	75	2	1	15
L2+00S 7+00W	1	70	12	158	.1	32	1.78	48	3	2	9
L2+00S 6+00W	1	44	8	99	.1	16	1.71	18	2	1	6
L2+00S 5+00W	1	34	9	81	.1	10	1.67	14	2	1	162
L2+00S 4+00W	1	45	12	180	.3	20	1.92	46	2	1	10
L2+00S 3+00W	1	43	11	126	.1	15	2.05	32	2	1	18
L2+00S 2+00W	1	104	13	88	.2	13	2.11	14	2	2	83
L2+00S 1+00W	1	57	14	93	.1	12	2.13	16	2	2	7
L4+00S 63+00W	1	31	11	83	.1	10	1.95	12	2	1	9
L4+00S 62+00W	1	32	13	123	.2	11	1.92	15	2	1	7
L4+00S 60+00W	1	50	31	106	.1	14	2.17	13	2	2	4
L4+00S 59+00W	1	29	12	100	.2	12	1.99	10	2	1	3
L4+00S 58+00W	1	31	11	100	.2	11	1.91	17	2	1	10
L4+00S 57+00W	1	17	12	97	.2	11	1.90	12	2	1	1
L4+00S 56+00W	1	16	8	97	.2	9	1.63	23	2	1	3
L4+00S 55+00W	1	13	8	89	.3	11	1.79	11	2	2	2
L4+00S 54+00W	1	13	7	84	.2	8	1.79	14	2	1	1
L4+00S 53+00W	5	24	35	161	.1	11	1.95	32	2	2	2
L4+00S 52+00W	1	28	15	190	.1	22	1.65	20	2	1	3
L4+00S 51+00W	1	71	14	92	.1	20	2.37	20	2	1	35
L4+00S 50+00W	1	21	10	131	.1	15	1.62	15	2	1	3
L4+00S 49+00W	1	45	12	134	.2	19	1.84	20	2	2	5
L4+00S 48+00W	1	19	7	98	.2	9	2.05	7	2	1	1
L4+00S 47+00W	1	17	6	77	.1	9	1.59	11	2	1	37
L4+00S 46+00W	1	29	10	116	.1	11	1.77	20	3	1	38
L4+00S 45+00W	1	39	15	138	.3	17	2.06	36	2	1	2
L4+00S 44+00W	1	24	13	97	.1	14	2.05	17	2	1	2
L4+00S 20+00W	1	27	11	147	.2	40	1.82	16	2	1	3
L4+00S 19+00W	1	31	9	97	.2	14	1.78	27	2	2	18
L4+00S 18+00W	1	58	11	97	.1	15	2.30	16	2	1	10
L4+00S 17+00W	1	24	7	99	.3	8	1.63	7	2	1	29
L4+00S 16+00W	1	32	18	223	.2	29	2.43	33	2	1	7
L4+00S 15+00W	1	14	9	101	.1	12	1.48	13	2	1	1
STD C/AU-S	18	62	37	132	6.6	73	3.73	43	14	12	49

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 3

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L4+00S 14+00W	1	31	9	83	.1	8	2.02	12	2	1	4
L4+00S 13+00W	1	21	11	60	.2	11	2.15	6	2	1	1
L4+00S 12+00W	1	49	7	44	.1	7	1.08	7	2	1	1
L4+00S 11+00W	1	34	9	94	.2	14	2.05	16	3	1	8
L4+00S 10+00W	1	20	10	82	.1	10	1.90	21	2	1	3
L4+00S 9+00W	1	30	11	69	.1	12	1.56	21	2	1	10
L4+00S 8+00W	1	42	15	128	.3	11	1.65	35	3	1	10
L4+00S 7+00W	1	20	7	62	.1	3	1.24	20	2	1	168
L4+00S 6+00W	1	37	9	84	.2	12	1.68	45	2	1	60
L4+00S 5+00W	1	35	10	103	.1	13	2.05	8	2	1	4
L4+00S 4+00W	1	19	8	135	.1	6	1.24	15	2	1	16
L4+00S 3+00W	1	30	8	74	.2	16	1.78	12	2	1	4
L4+00S 2+00W	1	42	7	70	.1	24	2.46	16	2	1	77
L4+00S 1+00W	1	45	11	103	.2	25	2.13	16	2	1	19
L4+00S 16+00E	1	16	12	95	.2	8	1.88	11	3	1	1
L4+00S 17+00E	1	20	14	98	.1	9	2.06	13	2	1	1
L4+00S 18+00E	1	30	16	103	.2	10	2.03	37	3	1	5
L4+00S 19+00E	1	69	15	62	.2	18	3.06	17	3	1	12
L4+00S 20+00E	1	29	14	90	.2	9	1.96	21	2	1	13
L4+00S 21+00E	1	23	18	98	.1	8	2.08	14	2	1	1
L4+00S 22+00E	1	23	18	110	.1	9	2.21	7	3	1	5
L4+00S 23+00E	1	24	11	57	.1	9	2.03	14	2	1	1
L4+00S 24+00E	1	22	9	39	.1	8	2.14	12	2	1	1
L4+00S 25+00E	1	20	14	67	.2	12	1.86	22	2	1	1
L4+00S 26+00E	1	32	17	77	.1	19	2.00	13	3	1	2
L4+00S 27+00E	1	25	13	95	.2	16	1.93	38	3	1	2
L4+00S 28+00E	1	21	13	77	.1	12	2.17	10	2	1	1
L6+00S 66+00W	1	17	13	105	.1	12	2.36	11	2	1	3
L6+00S 65+00W	1	25	12	76	.1	11	2.12	14	2	1	1
L6+00S 64+00W	1	16	9	76	.2	10	1.78	9	3	1	10
L6+00S 63+00W	1	17	10	107	.1	10	1.64	14	2	1	1
L6+00S 62+00W	1	17	12	56	.1	9	1.99	11	2	1	2
L6+00S 61+00W	1	38	11	86	.2	18	2.29	28	2	1	14
L6+00S 60+00W	1	186	24	170	.3	12	1.98	25	3	1	202
L6+00S 59+00W	1	40	8	69	.1	23	1.79	10	2	1	16
L6+00S 58+00W	1	51	12	82	.2	16	2.06	9	2	1	5
STD C/AU-S	18	61	36	132	7.2	72	4.07	43	15	11	49

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 4

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L6+00S 57+00W	1	117	13	94	.4	19	2.29	14	2	1	61
L6+00S 56+00W	1	219	11	128	.4	15	2.03	14	2	1	9
L6+00S 55+00W	1	49	11	108	.3	13	1.75	13	2	1	4
L6+00S 54+00W	1	58	10	100	.4	12	1.92	10	2	1	14
L6+00S 53+00W	1	44	11	87	.5	12	1.91	10	2	1	3
L6+00S 52+00W	1	31	10	100	.5	16	2.33	9	2	1	2
L6+00S 51+00W	1	34	13	90	.4	13	1.90	8	2	1	21
L6+00S 21+00W	1	78	12	117	.2	12	1.74	19	2	1	152
L6+00S 20+00W	1	38	11	69	.5	17	2.88	7	2	1	10
L6+00S 19+00W	1	29	10	84	.2	12	2.02	17	2	1	2
L6+00S 18+00W	1	19	8	70	.1	9	1.57	9	2	1	1
L6+00S 17+00W	1	21	9	88	.1	9	1.57	12	2	1	1
L6+00S 16+00W	1	23	9	84	.4	10	1.55	16	2	1	3
L6+00S 15+00W	1	33	18	126	.1	11	1.36	9	2	1	3
L6+00S 14+00W	1	31	12	66	.3	8	1.81	18	2	1	5
L6+00S 13+00W	1	71	11	71	.5	26	2.69	25	3	1	16
L6+00S 12+00W	1	53	10	102	.5	26	1.97	28	2	1	6
L6+00S 11+00W	1	39	7	113	.1	20	2.05	29	2	1	8
L6+00S 10+00W	1	49	8	118	.5	19	1.86	59	2	1	9
L6+00S 9+00W	1	41	9	103	.4	16	2.16	77	2	1	30
L6+00S 8+00W	1	49	14	143	.4	16	2.31	89	2	1	48
L6+00S 7+00W	1	43	13	88	.4	17	2.33	30	3	1	11
L6+00S 6+00W	1	79	10	109	.4	24	3.08	95	2	1	32
L6+00S 5+00W	1	43	11	73	.4	18	2.16	42	2	1	33
L6+00S 4+00W	1	42	9	97	.5	17	1.83	188	2	1	24
L6+00S 3+00W	1	44	11	69	.4	21	2.04	83	2	1	35
L6+00S 2+00W	1	16	7	66	.2	15	1.42	30	2	1	15
L6+00S 1+00W	1	37	9	94	.4	28	2.88	61	2	1	27
L8+00S 66+00W	1	22	14	118	.3	17	2.50	11	2	1	2
L8+00S 65+00W	1	14	7	111	.1	10	1.57	11	2	1	2
L8+00S 64+00W	1	15	10	95	.5	11	1.82	18	2	1	2
L8+00S 63+00W	1	21	10	106	.4	11	2.00	11	2	1	1
L8+00S 62+00W	1	22	10	120	.4	12	1.75	12	2	1	2
L8+00S 61+00W	1	42	9	97	.3	25	2.87	22	2	1	7
L8+00S 60+00W	1	87	13	79	.2	24	2.85	12	2	1	1
L8+00S 59+00W	1	48	9	107	.4	24	2.20	16	3	1	1
STD C/AU-S	17	63	39	132	7.1	73	4.01	42	15	12	51

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 5

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L8+00S 58+00W	1	48	19	116	.3	64	2.37	19	2	1	4
L8+00S 57+00W	1	88	12	148	.3	23	2.35	14	2	1	8
L8+00S 56+00W	1	39	12	150	.3	20	2.21	17	2	1	13
L8+00S 55+00W	1	29	15	246	.3	11	1.87	19	3	1	3
L8+00S 54+00W	1	38	21	97	.1	16	2.37	15	3	1	4
L8+00S 53+00W	1	33	14	72	.1	11	1.83	12	3	1	7
L8+00S 52+00W	1	44	12	94	.2	12	1.85	28	2	1	6
L8+00S 43+00W	1	38	11	89	.4	14	1.79	22	3	1	5
L8+00S 41+00W	1	31	12	41	.3	4	1.24	47	2	2	6
L8+00S 40+00W	1	52	17	133	.5	21	2.92	106	2	1	3
L8+00S 39+00W	1	29	9	271	.2	19	1.66	15	2	1	3
L8+00S 38+00W	1	43	16	131	.4	17	1.94	21	2	1	4
L8+00S 37+00W	1	36	7	62	.1	7	1.27	7	2	1	2
L8+00S 36+00W	1	29	8	57	.4	14	3.04	9	3	1	1
L8+00S 35+00W	1	548	22	130	.5	14	2.28	17	2	1	40
L8-00S 30+00W	1	39	7	79	.2	7	1.35	8	2	1	4
L8+00S 39+00W	1	55	13	100	.4	15	2.56	10	3	1	13
L8+00S 21+00W	1	41	7	65	.2	11	1.65	13	2	1	134
L8+00S 20+00W	1	28	8	73	.1	11	2.06	15	2	1	15
L8+00S 19+00W	1	27	14	75	.4	16	3.01	8	2	1	6
L8+00S 18+00W	1	21	10	70	.2	12	1.77	11	2	1	2
L8+00S 17+00W	1	21	7	87	.1	10	1.66	10	2	1	3
L8+00S 16+00W	1	25	13	94	.3	13	2.13	16	2	1	3
L8+00S 15+00W	1	47	38	162	.3	17	2.63	17	3	1	10
L8+00S 14+00W	1	22	8	107	.3	9	2.07	15	3	1	4
L8+00S 13+00W	1	19	8	77	.3	10	1.74	20	2	1	11
L8+00S 12+00W	1	28	11	96	.3	16	2.43	25	3	1	4
L8+00S 11+00W	1	21	8	72	.2	13	1.71	23	2	1	2
L8+00S 10+00W	1	35	9	95	.3	20	1.81	30	2	1	17
L8+00S 9+00W	1	45	13	83	.3	21	2.13	28	2	1	1
L8+00S 8+00W	1	26	9	97	.3	19	2.60	30	3	2	13
L8+00S 7+00W	1	27	8	81	.3	13	1.85	29	2	1	10
L8+00S 6+00W	1	39	10	150	.3	19	1.89	40	3	1	17
L8+00S 5+00W	1	27	8	68	.1	13	1.82	28	2	1	13
L8+00S 4+00W	1	33	12	111	.3	24	2.68	71	2	1	59
L8+00S 3+00W	1	31	11	99	.3	22	2.55	19	2	1	7
STD C/AU-S	18	61	38	132	7.2	73	4.09	41	14	11	52

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 6

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L8+00S 2+00W	1	40	11	127	.4	24	2.09	66	2	1	4
L3+00S 1+00W	1	43	15	95	.4	25	2.71	28	2	1	9
L10+00S 53+00W	1	26	13	69	.2	14	2.28	14	2	1	1
L10+00S 62+00W	1	24	11	89	.1	14	2.31	10	2	1	1
L10+00S 51+00W	1	27	11	70	.1	27	2.54	7	2	1	1
L10+00S 60+00W	1	44	24	136	.2	38	3.20	17	2	1	3
L10+00S 59+00W	1	35	20	124	.1	25	3.01	13	2	1	1
L10+00S 58+00W	1	34	15	103	.1	29	2.99	17	2	1	1
L10+00S 57+00W	1	27	15	245	.3	19	2.27	17	3	1	2
L10+00S 56+00W	1	31	16	108	.2	16	2.24	14	2	1	2
L10+00S 55+00W	1	18	27	101	.1	7	2.32	10	2	1	3
L10+00S 54+00W	1	42	8	130	.2	24	2.24	12	2	1	1
L10+00S 53+00W	1	84	15	156	.3	64	5.15	30	3	1	1
L10+00S 41+00W	1	43	11	137	.4	9	1.70	55	3	1	41
L10+00S 40+00W	2	34	11	120	.5	22	2.31	46	2	1	8
L10+00S 39+00W	1	20	8	97	.2	12	2.06	9	2	1	2
L10+00S 38+00W	1	25	8	108	.2	9	1.56	12	2	1	2
L10+00S 37+00W	1	695	24	89	.1	14	2.44	16	2	1	80
L10+00S 36+00W	2	147	20	74	.1	11	1.29	14	2	1	14
L10+00S 35+00W	1	58	17	54	.2	11	2.45	7	2	1	2
L10+00S 34+00W	1	305	22	88	.4	19	3.49	13	2	1	69
L10+00S 33+00W	1	584	147	193	.3	14	2.87	12	2	1	59
L10+00S 32+00W	1	78	14	97	.3	12	2.22	7	2	1	5
L10+00S 31+00W	1	91	43	108	.3	12	2.18	8	2	1	10
L10+00S 30+00W	1	41	9	68	.1	7	1.42	6	2	1	7
L10+00S 29+00W	1	61	9	78	.2	9	1.83	7	2	1	13
L10+00S 28+00W	1	145	9	62	.2	15	3.43	12	2	1	12
L10+00S 27+00W	1	40	5	64	.1	8	1.46	7	2	1	11
L10+00S 26+00W	1	105	8	88	.1	7	1.60	8	2	1	19
L10+00S 25+00W	1	60	9---	75	.3	11	1.96	12	2	1	8
L10+00S 21+00W	1	580	8	82	.2	13	2.58	18	2	1	35
L10+00S 20+00W	1	51	7	75	.1	13	2.54	10	2	1	7
L10+00S 19+00W	1	34	7	93	.2	16	2.56	9	2	1	2
L10+00S 18+00W	1	45	9	101	.2	10	1.77	11	2	1	6
L10+00S 17+00W	1	32	7	84	.2	9	1.54	15	2	1	5
L10+00S 16+00W	1	34	8	83	.1	11	1.79	13	2	1	7
STD C/AU-S	18	59	38	132	7.1	73	4.17	35	16	11	49

CORONA CORPORATION PROJECT 1031 FILE # 89-1483

Page 7

SAMPLE=	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L10+00S 15+00W	1	42	11	94	.2	13	1.92	14	2	1	13
L10+00S 14+00W	1	32	3	59	.1	11	1.82	10	2	1	8
L10+00S 13+00W	1	35	9	84	.2	15	2.52	19	2	1	10
L12+00S 60+00W	1	30	14	108	.1	27	2.91	16	2	1	3
L12+00S 59+00W	1	48	20	146	.1	25	3.21	20	2	1	12
L12+00S 58+00W	1	40	20	146	.1	24	3.10	16	2	1	21
L12+00S 57+00W	1	29	15	87	.1	14	2.29	12	2	1	6
L12+00S 56+00W	1	39	16	116	.1	22	2.76	16	2	1	9
L12+00S 55+00W	1	25	5	93	.1	6	1.08	8	2	1	3
L12+00S 54+00W	1	56	21	96	.1	21	2.78	32	2	1	8
STD C/AU-S	17	61	37	132	7.1	71	4.19	42	15	11	50

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3:1:2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN Fe Cr Ca P La Cr XG Ba Ti B V AND LIMITED FOR HA K AND AL. Au DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: Soil -80 Mesh Au* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: JUN 12 1989 DATE REPORT MAILED: June 20/89 SIGNED BY... C.L. D.TOLE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

CORONA CORPORATION File # 89-1451 Page 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
LON 0+00	1	200	12	74	.1	22	4.25	4	2	1	31
LON 1+00E	1	93	8	61	.1	11	3.56	5	2	1	82
LON 2+00E	1	60	16	108	.1	12	2.49	8	2	1	21
LON 3+00E	1	42	11	65	.1	5	1.88	6	2	1	21
LON 4+00E	1	88	15	89	.3	10	2.44	3	2	1	23
LON 5+00E	1	91	14	87	.1	11	3.06	5	2	1	250
LON 6+00E	1	139	15	81	.3	14	3.09	16	2	1	9
LON 7+00E	1	109	9	71	.2	11	2.73	6	2	1	4
LON 8+00E	1	177	14	74	.3	29	3.74	8	2	1	13
LON 9+00E	1	91	12	82	.1	16	2.48	6	2	1	9
LON 10+00E	1	44	13	52	.1	8	2.47	4	2	1	3
L2S 22+00W	1	38	8	82	.2	12	1.93	6	2	1	5
L2S 21+00W	1	60	76	233	.2	11	2.11	7	2	1	31
L2S 20+00W	1	63	26	170	.4	18	2.26	12	2	1	27
L2S 0+00	1	154	14	186	.3	14	3.87	12	2	1	119
L2S 1+00E	1	24	8	61	.1	6	1.64	4	2	1	31
L2S 2+00E	1	28	7	81	.1	8	1.78	9	2	1	26
L2S 3+00E	1	27	10	81	.1	5	1.90	8	2	1	1
L2S 4+00E	1	38	9	71	.1	9	1.98	9	2	1	1
L2S 5+00E	1	29	4	61	.1	5	1.38	9	2	1	3
L2S 6+00E	1	31	9	60	.1	7	2.01	4	2	1	1
L2S 7+00E	1	74	8	77	.1	11	2.05	7	2	1	3
L2S 8+00E	1	72	8	81	.4	13	2.29	12	3	1	1
L2S 9+00E	1	62	8	81	.2	10	1.91	10	2	1	1
L2S 10+00E	1	41	13	77	.2	15	3.05	3	2	1	1
L2S 11+00E	1	31	15	69	.2	8	2.68	5	2	1	1
L2S 12+00E	1	21	14	126	.1	6	1.84	4	2	1	1
L2S 13+00E	1	22	13	93	.2	9	2.00	9	2	1	1
L2S 14+00E	1	42	17	84	.1	12	2.91	12	3	1	1
L2S 15+00E	1	28	14	51	.1	7	2.46	5	2	1	1
L2S 16+00E	1	19	9	69	.2	7	1.92	7	2	1	1
L2S 17+00E	1	43	19	80	.1	9	3.03	12	2	1	4
L2S 18+00E	1	25	13	106	.1	8	2.22	10	2	1	5
L2S 19+00E	1	25	9	92	.2	7	1.83	7	2	1	1
L2S 20+00E	1	24	14	97	.1	7	2.11	6	2	1	1
L2S 21+00E	1	27	18	137	.1	6	2.00	18	2	1	1
STD C/AU-S	17	62	38	132	7.1	69	3.99	38	18	11	51

CORONA CORPORATION FILE # 89-1451

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2S 22+00E	1	26	15	96	.1	7	2.11	22	2	1	8
L2S 23+00E	1	33	13	87	.1	12	2.08	16	2	1	1
L2S 24+00E	1	23	8	69	.1	12	1.95	26	2	1	1
L2S 25+00E	1	24	13	101	.1	12	1.52	16	2	1	2
L2S 26+00E	1	30	11	124	.1	8	1.44	31	2	1	5
L2S 27+00E	1	29	12	88	.1	17	2.31	10	2	1	3
L2S 28+00E	1	24	11	71	.3	10	2.07	18	2	1	1
L4S 0+00	2	36	12	95	.1	13	2.30	45	2	1	23
L4S 1+00E	1	37	8	68	.1	12	1.99	14	2	1	17
L4S 2+00E	1	54	9	95	.1	19	2.10	16	2	1	23
L4S 3+00E	1	23	7	84	.1	9	1.72	12	2	1	7
L4S 4+00E	1	18	8	58	.2	7	1.75	9	2	1	4
L4S 5+00E	1	16	7	63	.1	7	1.78	6	2	1	1
L4S 6+00E	1	26	8	50	.1	9	1.97	8	2	1	4
L4S 7+00E	1	75	8	120	.1	27	2.46	16	2	1	19
L4S 8+00E	1	72	11	101	.2	20	2.13	7	3	1	24
L4S 9+00E	1	36	9	49	.1	11	2.88	4	2	1	8
L4S 10+00E	1	25	8	86	.1	7	1.73	10	2	1	4
L6S 0+00	1	45	11	110	.1	16	1.90	49	2	1	5
L6S 1+00E	2	53	14	130	.2	23	1.98	118	2	1	15
L6S 2+00E	1	41	7	111	.3	20	1.62	56	2	1	11
L6S 3+00E	1	107	12	114	.3	19	2.06	30	2	1	19
L6S 4+00E	1	69	27	125	.1	12	2.44	23	2	1	24
L6S 5+00E	1	111	11	165	.3	30	4.06	66	2	1	580
L6S 6+00E	1	62	61	222	.4	18	3.17	45	2	1	145
L6S 7+00E	1	70	24	218	.1	23	4.10	20	2	1	103
L6S 8+00E	1	271	58	261	.4	60	7.35	43	2	1	78
L6S 9+00E	6	595	40	261	1.2	112	8.17	121	2	1	410
L6S 10+00E	1	106	12	306	.3	37	2.24	23	2	1	26
L6S 11+00E	1	94	30	274	.1	22	2.47	25	2	1	75
L6S 12+00E	2	132	39	220	.2	24	3.12	16	2	1	30
L6S 14+00E	2	93	20	185	.1	25	2.22	7	2	1	1
L6S 15+00E	1	31	13	99	.2	13	2.60	5	3	1	3
L6S 16+00E	1	26	16	94	.1	9	2.11	6	2	1	2
L6S 17+00E	1	20	13	87	.1	6	1.79	11	2	1	1
L6S 18+00E	1	23	8	82	.1	7	1.74	9	2	1	3
STD C/AU-S	17	63	39	132	7.0	73	4.00	35	19	11	51

CORONA CORPORATION FILE # 89-1451

Page 3

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L6S 19+00E	1	28	13	56	.1	7	2.35	2	2	1	3
L6S 20+00E	1	23	18	71	.1	10	2.08	7	2	1	5
L6S 21+00E	1	22	13	86	.1	10	2.13	9	2	1	3
L6S 22+00E	1	25	14	89	.1	25	2.52	10	2	1	3
L6S 23+00E	1	24	14	78	.1	14	2.34	13	2	1	2
L6S 24+00E	1	21	11	79	.1	11	2.09	5	2	1	3
L6S 25+00E	1	24	11	73	.1	8	2.24	5	2	1	1
L6S 26+00E	1	31	13	81	.1	12	2.10	13	2	1	3
L6S 27+00E	1	38	12	124	.1	68	3.29	15	2	1	1
L6S 28+00E	1	28	10	82	.1	16	2.03	11	2	1	2
L8S 0+00	1	34	10	111	.3	19	2.30	22	2	1	11
L8S 1+00E	1	31	10	122	.2	20	1.31	50	2	1	25
L8S 2+00E	1	110	63	280	.2	24	2.73	88	2	1	645
L8S 3+00E	2	214	32	227	.5	37	4.00	65	2	1	154
L8S 5+00E	1	42	16	107	.1	36	3.78	39	2	1	129
L8S 6+00E	3	600	12	195	2.8	105	7.62	160	2	1	320
L8S 7+00E	2	270	24	238	.7	70	5.99	122	2	1	290
L8S 8+00E	1	87	7	111	.3	23	2.38	45	2	1	60
L8S 10+00E	1	32	10	183	.3	12	1.57	25	2	1	33
L8S 11+00E	1	30	10	94	.1	20	1.84	13	2	1	5
L8S 12+00E	1	84	19	93	.2	18	2.79	14	2	1	9
L8S 15+00E	1	26	13	108	.1	12	2.28	3	2	1	2
L8S 16+00E	1	12	6	72	.1	6	1.06	12	2	1	4
L8S 17+00E	1	41	10	98	.1	11	1.99	16	2	1	3
L8S 18+00E	1	23	10	65	.1	7	1.94	11	2	1	2
L8S 19+00E	1	41	19	76	.2	10	2.27	28	2	1	5
L8S 20+00E	1	56	12	87	.1	18	2.55	23	2	1	35
L8S 21+00E	1	20	8	44	.1	5	2.09	4	2	2	45
L8S 22+00E	1	23	14	88	.1	16	2.09	17	2	1	1
L8S 23+00E	1	28	17	114	.3	33	2.64	20	2	1	1
L8S 24+00E	1	22	12	96	.1	33	2.21	13	2	1	1
L8S 25+00E	1	45	14	143	.1	58	2.81	22	2	1	1
L8S 26+00E	2	33	13	87	.1	19	2.62	15	2	1	2
L8S 27+00E	1	31	11	90	.2	19	2.45	19	2	1	1
L8S 28+00E	1	56	22	167	.6	11	1.46	44	2	1	10
L10S 11+75W	1	58	14	117	.3	29	2.08	98	2	1	12
STD C/AU-S	18	61	38	132	6.6	70	3.99	38	14	12	52

CORONA CORPORATION FILE # 89-1451

Page 4

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L10S 11+00W	1	37	10	110	.1	21	1.87	45	2	1	20
L10S 10+00W	2	45	12	111	.1	26	2.83	65	2	1	35
L10S 9+00W	1	38	7	78	.1	19	2.22	32	2	1	21
L10S 8+00W	1	34	10	73	.1	15	2.02	32	2	1	10
L10S 7+00W	1	30	11	85	.1	16	1.86	39	2	1	12
L10S 6+00W	1	31	8	130	.2	16	1.95	42	2	1	22
L10S 5+00W	1	26	9	105	.1	17	1.95	42	2	1	13
L10S 4+00W	3	83	15	192	.4	40	4.13	378	2	1	41
L10S 3+00W	2	62	16	135	.4	41	4.53	126	2	1	26
L10S 2+00W	1	74	14	102	.2	28	3.37	178	2	1	28
L10S 1+00W	1	50	11	109	.1	20	2.34	96	2	1	240
L10S 0+00C	2	45	14	82	.2	15	1.93	181	2	1	26
L10S 1+00E	4	63	10	172	.6	27	2.41	128	2	1	9
L10S 2+00E	1	23	6	78	.1	12	1.39	42	2	1	23
L10S 3+00E	1	145	108	424	.9	45	3.04	184	2	1	129
L10S 4+00E	1	144	13	523	.4	30	3.34	389	2	1	93
L10S 5+00E	2	184	13	171	.4	36	4.32	300	2	1	210
L10S 6+00E	1	128	10	379	.2	63	4.11	373	2	1	54
L10S 7+00E	1	204	6	377	.7	81	5.38	278	3	1	168
L10S 8+00E	1	75	5	145	.3	26	1.92	84	2	1	31
L10S 10+00E	1	69	9	182	.2	32	2.49	81	2	1	73
L10S 11+00E	1	41	9	201	.1	22	2.21	43	2	1	34
L10S 12+00E	1	49	17	106	.2	16	2.26	21	2	1	18
L10S 14+00E	1	30	10	91	.4	12	2.09	16	2	1	1
L10S 15+00E	1	27	9	57	.1	8	1.30	14	2	1	1
L10S 16+00E	1	24	9	61	.1	9	1.86	7	2	1	1
L10S 17+00E	1	25	9	65	.2	10	2.08	16	2	1	1
L10S 18+00E	1	38	11	84	.1	36	2.97	16	2	1	6
L10S 19+00E	1	27	9	55	.1	11	2.20	10	2	1	3
L10S 20+00E	1	42	13	88	.2	41	2.94	10	2	1	15
L10S 21+00E	1	29	10	63	.2	16	2.26	10	3	1	2
L10S 22+00E	1	32	8	90	.1	20	2.24	16	2	1	3
L10S 23+00E	1	29	16	278	.2	16	1.84	16	2	1	1
L10S 24+00E	1	33	11	80	.2	17	2.50	23	3	1	1
L10S 24+00E A	1	36	10	97	.1	26	2.63	15	2	1	1
L10S 25+00E	1	31	11	96	.2	14	1.65	29	2	1	1
STD C/AU-S	18	63	36	132	7.1	73	3.97	39	16	12	49

CORONA CORPORATION FILE # 89-1451

Page 5

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	--Zn-- PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L10S 26+00E	1	29	12	63	.3	15	2.12	22	2	1	2
L10S 27+00E	1	27	12	61	.3	12	1.86	22	2	1	1
L10S 28+00E	1	47	25	104	.5	13	1.96	41	3	1	1
L12S 40+00W	1	21	7	105	.3	7	1.37	22	2	1	5
L12S 39+00W	1	30	17	135	.3	16	2.28	41	2	1	30
L12S 38+00W	1	19	10	96	.3	12	2.17	12	2	1	12
L12S 37+00W	1	79	14	96	.2	26	2.78	44	2	1	198
L12S 36+00W	1	74	10	82	.4	21	2.85	31	3	1	49
L12S 35+00W	1	134	19	101	.5	15	3.58	8	2	1	1
L12S 34+00W	1	23	6	112	.5	7	1.50	15	2	1	1
L12S 33+00W	1	329	14	73	.5	14	5.03	17	3	2	129
L12S 32+00W	1	83	10	70	.3	9	1.90	7	2	1	9
L12S 31+00W	1	259	14	95	.4	21	4.43	10	2	1	214
L12S 30+00W	1	131	20	120	.4	12	2.60	11	2	1	34
L12S 29+00W	1	27	7	81	.2	8	1.66	12	2	1	10
L12S 28+00W	9	287	17	102	.8	26	3.21	18	2	2	44
L12S 27+00W	1	47	11	91	.3	11	2.57	8	2	1	12
L12S 26+00W	1	111	14	92	.3	14	2.91	9	2	1	19
L12S 25+00W	1	41	13	85	.5	10	1.94	9	2	1	8
L12S 24+00W	1	132	11	93	.4	15	2.83	12	2	1	20
L12S 23+50W	4	461	18	190	1.0	57	3.69	90	2	1	113
L12S 20+00W	1	97	12	91	.4	14	2.08	23	2	1	31
L12S 19+00W	1	40	13	97	.4	11	1.95	18	2	1	10
L12S 18+00W	1	28	22	122	.4	15	2.43	19	3	1	9
L12S 17+00W	1	31	11	112	.4	13	2.17	13	2	1	6
L12S 16+00W	1	29	9	77	.2	8	1.71	18	2	1	7
L12S 15+00W	1	23	5	55	.2	7	1.81	12	2	1	4
L12S 14+00W	1	24	9	68	.3	10	2.18	19	2	1	12
L12S 13+00W	1	35	6	102	.4	15	2.18	56	2	1	19
L12S 12+00W	1	34	13	116	.3	12	1.73	38	2	1	7
L12S 11+00W	1	38	9	134	.6	15	1.87	26	2	1	12
L12S 10+00W	1	45	13	140	.2	26	2.69	65	2	1	3
L12S 9+00W	1	39	14	91	.3	20	3.01	35	2	1	23
L12S 8+00W	1	27	6	95	.2	13	2.06	26	2	1	17
L12S 7+00W	1	30	11	108	.2	16	2.19	49	2	1	9
L12S 6+00W	1	40	14	158	.3	20	2.97	65	2	1	25
STD C/AU-S	17	60	39	132	7.1	69	3.99	41	19	11	48

CORONA CORPORATION FILE # 89-1451

Page 6

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L12S 5+00W	1	51	18	147	.3	27	2.84	79	2	1	8
L12S 4+00W	1	37	9	143	.3	21	2.41	44	2	1	5
L12S 3+00W	1	40	10	145	.3	20	2.58	35	2	1	17
L12S 2+00W	1	54	12	133	.2	44	3.39	25	2	1	2
L12S 1+00W	1	52	12	123	.1	22	2.68	29	2	1	5
L12S 0+00	1	51	25	167	.4	33	3.08	49	2	1	3
L12S 1+00E	3	61	28	158.	.3	43	3.39	57	2	1	4
L12S 2+00E	3	64	116	401	.4	57	3.43	271	2	1	30
L12S 3+00E	2	337	24	123	1.8	39	8.85	421	2	1	2710
L12S 4+00E	1	134	13	75	1.5	23	3.96	94	2	1	1880
L12S 5+00E	1	133	22	110	.4	46	3.94	161	2	1	250
L12S 7+00E	1	107	19	169	.3	53	4.22	298	2	1	64
L12S 8+00E	1	65	20	190	.1	36	3.52	97	2	1	76
L12S 10+00E	1	31	7	90	.1	16	1.85	37	2	1	33
L12S 11+00E	1	25	8	71	.1	8	2.15	10	2	1	2
L12S 12+00E	1	20	8	69	.1	6	1.85	7	2	1	1
L12S 13+00E	1	21	10	77	.1	8	2.23	5	2	1	2
L12S 14+00E	1	26	12	82	.2	11	2.23	7	2	1	2
L12S 15+00E	1	27	14	92	.1	13	2.15	10	2	1	16
L12S 16+00E	1	30	13	75	.1	7	2.14	14	2	1	2
L12S 17+00E	1	32	13	62	.1	9	2.12	10	2	1	4
L12S 18+00E	1	27	12	62	.2	6	1.83	14	2	1	1
L12S 19+00E	1	21	15	60	.1	11	2.38	4	2	1	1
L12S 20+00E	1	33	16	59	.1	13	2.02	11	2	1	3
L12S 21+00E	1	93	15	86	.4	21	2.02	20	2	1	2
L12S 23+00E	1	34	33	259	.2	9	1.89	8	2	1	1
L12S 24+00E	1	26	14	80	.4	8	1.87	14	2	1	1
L12S 26+00E	1	43	13	89	.3	18	2.51	16	2	1	2
L12S 27+00E	1	28	10	56	.1	12	2.06	15	2	1	1
L12S 28+00E	1	44	23	138	1.3	27	2.46	56	2	1	3
L14S 39+00W	2	38	14	128	.6	21	2.76	168	2	1	18
L14S 38+00W	1	23	11	90	.1	11	1.52	15	2	1	3
L14S 37+00W	1	14	9	70	.1	13	1.99	7	2	1	5
L14S 36+00W	1	29	8	104	.1	8	1.75	8	2	1	5
L14S 35+00W	1	29	9	85	.1	10	2.10	6	2	1	1
L14S 34+00W	1	60	11	84	.1	12	2.09	15	2	1	14
STD C/AU-S	17	62	39	132	7.1	69	3.99	38	18	11	47

CORONA CORPORATION FILE # 89-1451

Page 7

SAMPLE#	MO	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L14S 33+00W	1	55	12	90	.1	11	2.52	5	2	1	18
L14S 32+00W	1	16	5	54	.1	3	.87	5	2	1	3
L14S 31+00W	1	46	12	48	.2	10	1.96	3	2	2	10
L14S 30+00W	1	20	6	65	.2	9	1.55	2	2	1	1
L14S 29+00W	2	240	16	86	.2	19	3.47	12	2	1	33
L14S 28+00W	1	39	15	106	.2	17	2.39	11	2	1	1
L14S 27+00W	1	40	7	78	.3	12	2.01	13	2	2	1
L14S 26+00W	1	29	7	82	.2	10	1.81	5	2	1	9
L14S 25+00W	1	38	11	104	.3	18	3.04	5	2	1	23
L14S 24+00W	1	31	9	109	.3	14	2.15	7	2	1	2
L14S 23+00W	1	109	11	106	.1	12	1.72	14	2	1	18
L14S 22+00W	1	42	12	191	.1	14	2.06	9	2	1	43
L14S 21+00W	1	36	19	238	.3	17	2.93	14	2	1	24
L14S 20+00W	1	51	20	230	.2	16	2.40	20	2	1	42
L14S 19+00W	1	30	18	88	.3	14	2.55	15	2	1	2
L14S 18+00W	1	56	17	138	.4	21	2.74	21	2	1	24
L14S 17+00W	1	26	12	132	.1	14	2.13	12	2	1	2
L14S 16+00W	1	22	8	..-83.	.2	11	2.22	9	3	1	13
L14S 15+00W	1	20	9	78	.1	9	1.98	13	2	1	1
L14S 14+00W	1	19	6	79	.1	9	2.10	10	2	1	9
L14S 13+00W	1	33	11	102	.2	23	1.83	33	2	1	5
L14S 12+00W	1	35	12	102	.1	27	2.88	61	2	1	18
L14S 11+00W	1	38	12	112	.3	19	2.43	38	2	1	6
L14S 10+50W	1	40	15	135	.1	23	2.66	32	2	1	2
L14S 9+00W	1	32	16	148	.1	24	3.21	40	2	1	13
L14S 8+00W	1	29	12	99	.1	17	2.21	35	2	1	7
L14S 7+00W	1	55	12	107	.3	20	2.23	39	2	1	10
L14S 6+00W	1	36	14	123	.3	18	2.09	44	2	1	7
L14S 5+00W	2	46	39	229	.4	29	2.69	146	2	1	6
L14S 4+00W	1	55	31	155	.2	29	3.13	133	2	1	14
L14S 3+00W	3	48	36	212	.2	28	3.14	71	2	1	39
L14S 2+00W	3	64	51	219	.4	50	4.11	91	2	1	5
L14S 1+00W	1	62	30	164	.3	39	3.65	85	2	1	8
L14S 0+00	2	64	84	318	.5	41	3.19	288	2	1	42
L14S 1+00E	3	99	208	487	1.8	48	3.04	211	2	1	9
L14S 2+00E	3	119	74	281	.4	81	3.65	116	2	1	790
STD C/AU-S	18	63	44	132	7.1	73	3.97	36	16	11	49

CORONA CORPORATION FILE # 89-1451

Page 8

SAMPLE#	MO	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L14S 3+00E	1	77	27	120	.3	32	3.47	49	2	1	69
L14S 4+00E	1	101	14	108	.3	66	4.85	45	2	1	77
L14S 5+00E	1	91	20	120	.7	53	4.30	79	7	1	56
L14S 6+00E	1	102	34	128	.3	41	4.24	61	2	1	142
L14S 9+00E	1	63	15	146	.2	19	2.25	37	2	1	22
L14S 10+00E	1	25	10	61	.2	4	2.60	8	2	1	1
L14S 12+00E	1	30	13	71	.2	7	2.18	16	2	1	1
L14S 13+00E	1	31	13	145	.1	7	1.82	22	2	1	4
L14S 14+00E	1	54	6	69	.3	8	.32	4	2	1	1
L14S 15+00E	1	15	11	68	.3	8	2.02	6	3	1	1
L14S 16+00E	1	41	15	85	.3	20	2.60	14	2	1	3
L16S 38+00W	1	13	6	80	.1	8	1.48	6	2	1	1
L16S 37+00W	1	18	5	106	.1	11	2.13	7	2	1	2
L16S 36+00W	1	27	9	113	.1	12	1.83	18	2	1	10
L16S 35+00W	1	22	7	88	.1	6	1.18	14	2	1	2
L16S 34+00W	1	37	6	97	.1	14	1.98	14	2	1	2
L16S 33+00W	1	29	9	72	.1	11	2.60	7	2	1	66
L16S 32+00W	1	38	7	171	.1	10	1.86	8	4	1	5
L16S 31+00W	1	69	6	92	.1	12	1.98	7	2	1	24
L16S 30+00W	1	27	5	119	.1	12	2.12	6	2	1	4
L16S 29+00W	1	23	8	98	.1	12	1.81	3	2	1	1
L16S 28+00W	1	46	8	87	.1	10	1.63	17	2	1	3
L16S 27+00W	1	45	10	87	.1	9	1.89	11	2	1	8
L16S 26+00W	1	32	6	81	.2	12	2.15	9	3	1	15
L16S 25+00W	1	27	10	86	.1	14	2.88	5	2	1	14
L16S 24+00W	1	234	15	202	.4	54	4.32	27	2	1	27
L16S 23+00W	27	3963	71	200	5.3	209	12.10	123	5	2	650
L16S 22+00W	1	98	17	152	.2	20	2.98	31	2	1	2
L16S 21+00W	1	72	9	169	.2	22	2.07	38	2	1	14
L16S 20+00W	1	50	10	118	.1	18	2.01	24	2	1	20
L16S 19+00W	1	24	8	89	.1	10	1.86	18	3	1	5
L16S 18+00W	1	36	10	124	.1	15	1.84	25	2	1	25
L16S 17+00W	1	37	10	102	.1	17	2.24	37	2	1	14
L16S 16+00W	1	27	8	94	.2	10	1.70	21	4	1	7
L16S 15+00W	1	16	7	82	.1	9	1.96	11	2	1	4
L16S 13+60W	1	45	7	62	.1	13	2.93	39	2	1	11
STD C/AU-S	18	60	38	132	7.1	72	3.88	36	16	11	53

CORONA CORPORATION FILE # 89-1451

Page 9

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L16S 13+00W	1	32	11	131	.1	14	2.30	40	2	1	4
L16S 12+00W	1	51	17	216	.1	24	2.97	75	2	1	11
L16S 11+00W	1	47	10	179	.1	21	2.53	57	2	1	32
L16S 10+00W	1	52	11	145	.2	20	2.79	60	2	1	8
L16S 9+00W	1	60	12	145	.1	19	2.64	73	2	1	13
L16S 8+00W	1	36	8	110	.1	14	2.13	29	2	1	2
L16S 7+00W	1	91	22	175	.2	24	3.03	91	2	1	14
L16S 5+50W	1	47	29	152	.3	17	2.77	70	2	1	30
L16S 5+00W	1	46	13	141	.1	18	2.72	47	2	1	16
L16S 4+00W	1	39	13	135	.1	14	2.42	40	2	1	10
L16S 3+00W	1	74	26	129	.2	24	3.16	78	2	1	18
L16S 2+00W	1	119	29	194	.4	33	3.02	69	2	1	40
L16S 1+00W	2	107	30	157	.2	32	2.99	100	2	1	54
L16S 0+00	2	163	38	207	.5	45	3.82	141	2	1	50
L16S 1+00E	1	74	37	184	.3	38	3.16	83	2	1	55
L16S 2+00E	1	65	90	282	.3	31	3.51	66	2	1	10
L16S 3+00E	1	56	23	130	.5	34	3.58	92	2	1	22
L16S 4+00E	1	83	46	187	.5	63	5.08	212	2	1	24
L16S 8+00E	1	40	16	115	.1	13	2.25	21	2	1	8
L16S 9+00E	1	26	14	69	.1	8	2.56	8	2	1	4
L16S 10+00E	1	28	17	81	.4	6	2.40	15	2	1	1
L16S 11+00E	2	82	1585	720	43.3	2	4.92	1322	2	1	420
L16S 12+00E	1	24	19	88	.6	8	1.94	21	2	1	5
L16S 13+00E	1	25	12	89	.1	10	1.99	9	2	1	2
L16S 14+00E	1	26	11	75	.2	10	2.46	5	2	1	2
L16S 15+00E	1	32	7	65	.3	14	1.95	7	2	1	1
L16S 16+00E	1	25	7	62	.2	4	1.57	12	2	2	2
L18S 37+00W	1	21	9	98	.1	9	1.98	11	2	1	1
L18S 36+00W	1	17	7	93	.2	8	1.63	9	2	1	8
L18S 35+00W	1	22	10	106	.2	9	1.91	12	2	1	6
L18S 34+00W	1	20	8	110	.1	9	1.62	14	2	1	7
L18S 33+00W	1	27	12	100	.1	10	1.92	6	2	1	3
L18S 32+00W	1	71	7	86	.2	12	2.38	7	2	1	9
L18S 31+00W	1	77	10	86	.5	13	2.76	6	2	1	27
L18S 30+00W	1	53	5	64	.1	7	1.64	10	2	1	17
L18S 29+00W	1	84	6	56	.2	10	1.94	8	2	1	13
STD C/AU-S	17	63	41	132	7.1	73	4.01	37	14	12	51

CORONA CORPORATION FILE # 89-1451

Page 10

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L18S 28+30W	1	341	5	47	.1	8	2.18	2	2	2	45
L18S 27+00W	1	23	6	56	.1	9	2.09	2	2	1	2
L18S 26+00W	1	22	2	92	.1	9	1.93	8	2	1	8
L18S 25+00W	1	15	7	75	.1	5	1.85	6	2	1	1
L18S 24+00W	1	27	3	72	.1	12	2.70	8	2	1	14
L18S 23+00W	1	30	3	111	.1	10	2.08	10	2	1	6
L18S 22+00W	1	28	8	82	.1	10	2.19	8	2	1	4
L18S 21+00W	1	41	6	136	.1	25	3.01	56	2	1	1
L18S 20+00W	1	34	9	117	.1	21	2.36	32	2	1	18
L18S 19+00W	1	47	6	83	.2	61	3.20	31	2	1	13
L18S 18+00W	1	52	12	136	.4	33	3.23	141	2	1	17
L18S 17+00W	1	32	7	102	.1	15	2.41	21	2	1	2
L18S 16+00W	1	54	8	92	.1	16	2.77	43	2	1	9
L18S 15+00W	1	25	6	79	.1	11	2.23	15	2	1	5
L18S 14+00W	1	80	6	74	.1	17	2.95	24	2	1	23
L18S 12+70W	1	34	12	111	.2	23	2.03	78	2	1	8
L18S 12+00W	1	37	7	108	.1	21	2.04	69	2	1	13
L18S 11+00W	1	45	15	152	.2	25	1.99	133	2	1	26
L18S 10+00W	1	34	13	166	.1	22	2.06	56	2	1	12
L18S 9+00W	1	34	17	163	.1	32	2.16	44	2	1	7
L18S 8+00W	1	41	17	119	.1	18	2.42	63	2	1	9
L18S 7+20W	1	33	17	150	.2	14	1.74	27	2	1	4
L18S 6+00W	1	48	26	139	.1	23	2.77	66	2	1	15
L18S 5+00W	1	36	38	207	.1	24	2.27	50	2	1	3
L18S 4+00W	1	50	16	162	.4	20	2.20	75	2	1	22
L18S 3+00W	1	72	20	150	.3	23	2.61	64	2	1	86
L18S 2+00W	1	54	13	127	.2	18	2.34	56	2	1	18
L18S 1+00W	1	60	17	171	.2	19	2.30	50	2	1	47
L18S 0+00	2	102	22	136	.1	22	2.57	58	2	1	60
L18S 1+00E	1	46	29	136	.1	16	2.03	25	2	1	48
L18S 4+00E	2	70	24	159	.1	26	2.44	46	2	1	21
L18S 5+00E	1	78	19	204	.3	25	2.40	49	2	1	29
L18S 6+00E	1	55	12	181	.1	27	2.37	24	2	1	27
L18S 7+00E	1	33	8	92	.2	12	2.30	16	2	1	27
L18S 8+00E	1	28	9	86	.2	10	2.42	5	2	1	3
L18S 10+00E	1	30	8	116	.2	7	2.65	12	2	1	5
STD C/AU-S	18	60	37	131	7.0	71	3.90	37	17	12	50

CORONA CORPORATION FILE # 89-1451

Page 11

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L18S 11+00E	1	20	8	72	.2	7	1.85	13	2	1	1
L18S 12+00E	1	21	13	76	.1	8	2.07	7	2	1	8
L18S 13+00E	1	26	21	99	.1	7	2.00	17	2	1	2
L18S 14+00E	1	18	10	80	.1	7	2.00	14	2	1	1
L18S 15+00E	1	17	9	89	.1	3	1.80	9	2	1	2
L18S 16+00E	1	17	14	51	.3	8	2.01	3	2	1	6
L20S 36+00W	1	16	11	96	.2	8	1.44	10	2	1	2
L20S 35+00W	1	15	6	81	.1	7	1.26	6	2	1	4
L20S 34+00W	1	25	12	100	.1	11	1.66	11	2	1	6
L20S 33+00W	1	22	11	116	.1	10	1.61	14	2	1	1
L20S 32+00W	1	19	10	57	.1	9	2.09	5	2	1	19
L20S 31+00W	1	13	7	93	.1	4	1.07	8	2	1	5
L20S 30+00W	1	960	14	76	.6	22	4.93	31	2	1	118
L20S 29+00W	1	105	12	130	.2	12	2.30	11	2	1	31
L20S 28+00W	1	119	9	93	.1	11	2.08	9	2	1	30
L20S 27+00W	1	64	12	68	.1	10	1.69	6	2	1	39
L20S 26+00W	1	25	9	71	.1	4	1.02	12	2	1	7
L20S 25+00W	1	23	5	72	.3	7	1.21	8	2	1	1
L20S 24+00W	1	27	6	78	.1	7	1.33	10	2	1	5
L20S 23+00W	1	42	9	108	.2	13	2.10	18	2	1	12
L20S 22+00W	1	22	6	74	.2	6	1.40	20	2	1	5
L20S 21+00W	1	22	6	104	.2	12	1.64	17	2	1	3
L20S 20+00W	1	28	9	79	.1	12	2.06	23	2	1	8
L20S 19+00W	1	43	14	105	.1	21	2.74	49	2	1	28
L20S 18+00W	1	36	10	91	.3	16	2.20	29	2	1	12
L20S 17+00W	1	29	9	70	.1	12	1.92	17	2	1	19
L20S 16+00W	1	33	10	111	.1	18	2.23	21	2	1	17
L20S 15+00W	1	37	10	365	.2	20	2.33	21	2	1	12
L20S 14+00W	1	24	9	93	.1	13	2.40	27	2	1	10
L20S 13+00W	1	27	8	75	.1	13	1.83	27	2	1	25
L20S 12+00W	1	32	15	97	.5	15	2.20	31	3	1	60
L20S 11+00W	1	34	14	105	.1	21	1.74	39	2	1	68
L20S 10+00W	1	36	13	89	.1	16	1.64	50	2	1	5
L20S 9+00W	1	26	17	150	.4	19	2.05	54	4	1	6
L20S 8+00W	1	65	31	169	.2	34	2.88	73	3	1	16
L20S 7+00W	1	83	39	186	.4	41	3.59	97	4	1	27
STD C/AU-S	18	62	39	132	7.1	73	4.04	39	15	12	50

CORONA CORPORATION FILE # 89-1451

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L20S 6+00W	1	47	149	471	.5	25	2.21	60	2	1	20
L20S 5+00W	1	67	68	257	.9	31	3.12	127	4	1	39
L20S 4+00W	1	73	22	174	.5	22	2.67	77	2	1	19
L20S 3+00W	1	51	15	150	.4	15	2.09	43	2	1	21
L20S 2+00W	1	73	19	131	.1	21	3.20	71	2	1	13
L20S 1+00W	1	122	15	99	.3	37	4.08	248	2	1	61
L20S 8+00E	1	46	15	111	.2	11	2.24	13	2	1	92
L20S 9+00E	1	24	11	76	.2	8	2.03	5	2	1	4
L20S 10+00E	1	21	15	77	.1	8	1.93	9	2	1	5
L22S 34+00W	1	28	12	92	.2	12	1.95	12	2	1	8
L22S 33+00W	1	22	11	84	.5	9	1.68	4	6	1	6
L22S 32+00W	1	19	12	101	.1	10	1.91	3	2	1	7
L22S 31+00W	1	28	12	132	.3	12	2.06	9	2	1	1
L22S 30+00W	1	45	8	151	.3	9	1.76	7	2	1	6
L22S 29+00W	1	32	13	117	.3	9	1.88	5	2	1	10
L22S 28+00W	1	26	13	68	.3	8	2.31	2	3	2	7
L22S 27+00W	1	45	8	65	.1	11	2.46	5	2	1	10
L22S 26+00W	1	45	13	108	.1	10	1.84	6	2	1	4
L22S 25+00W	1	24	10	119	.3	9	1.86	9	2	1	7
L22S 24+00W	1	34	12	97	.1	9	1.78	12	2	1	23
L22S 23+00W	59	7458	36	147	4.1	83	6.45	75	7	1	114
L22S 22+00W	1	74	10	130	.1	10	1.98	13	2	1	6
L22S 21+00W	1	23	9	92	.1	11	2.12	14	2	1	7
L22S 20+00W	1	22	7	114	.1	11	2.17	14	2	1	11
L22S 19+00W	1	19	8	103	.1	9	1.98	8	2	1	5
L22S 18+00W	1	18	4	88	.3	9	2.16	15	2	1	15
L22S 17+00W	1	35	11	101	.1	16	2.20	19	2	1	3
L22S 16+00W	1	28	8	108	.1	10	1.88	15	2	1	5
L22S 15+00W	1	42	6	74	.1	12	2.43	26	2	1	6
L22S 14+00W	1	27	16	147	.1	14	2.35	41	2	1	9
L22S 13+00W	1	37	9	100	.1	13	2.21	54	2	1	15
L22S 12+00W	1	37	14	124	.2	15	2.14	35	2	1	51
L22S 11+00W	1	29	12	103	.1	12	1.73	43	2	1	6
L22S 10+00W	1	61	21	145	.1	19	2.78	57	2	1	29
L22S 9+00W	1	44	22	164	.3	20	2.82	56	2	1	27
L22S 8+00W	2	151	215	423	.8	34	4.12	175	2	1	43
STD C/AU-S	18	59	38	133	7.1	68	3.92	37	16	12	51

CORONA CORPORATION FILE # 89-1451

Page 13

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L22S 7+00W	1	67	48	225	.6	29	3.16	102	2	1	10
L22S 6+00W	1	34	17	113	.2	14	2.31	35	2	1	4
L22S 5+00W	1	57	22	177	.1	18	2.27	44	2	1	17
L22S 4+00W	1	38	16	147	.1	17	2.31	52	3	1	18
L22S 3+00W	1	61	16	86	.2	18	2.78	53	2	1	21
L22S 2+00W	1	33	10	116	.1	11	1.97	24	2	1	9
L22S 1+00W	1	40	10	119	.1	13	1.96	36	2	1	2
L22S 0+00	1	47	14	130	.1	14	2.01	37	2	1	15
L22S 1+00E	1	32	13	125	.1	11	1.94	39	2	1	21
L22S 2+00E	1	32	12	83	.1	13	2.08	17	2	1	12
L22S 3+00E	1	34	12	82	.1	13	2.04	22	2	1	27
L22S 4+00E	1	40	11	95	.1	16	2.40	31	2	1	21
L22S 5+00E	1	26	11	90	.1	11	2.00	12	2	1	5
L22S 7+00E	23	1138	33	140	2.1	49	5.61	43	2	1	132
L22S 9+00E	1	26	12	74	.1	10	1.82	21	2	1	1
L23S 10+00E	1	27	16	84	.1	12	2.04	17	2	1	2
L24S 30+00W	1	28	11	101	.1	15	2.36	9	2	1	3
L24S 29+00W	1	32	10	135	.3	14	2.29	9	2	2	25
L24S 28+00W	1	39	11	126	.2	17	2.75	8	2	1	13
L24S 27+00W	1	163	12	62	.1	21	3.12	20	2	1	23
L24S 26+00W	1	46	13	111	.1	10	1.74	12	2	1	7
L24S 24+50W	1	25	10	80	.1	10	2.11	10	2	1	48
L24S 24+00W	4	140	13	134	.3	19	2.52	14	2	1	6
L24S 23+00W	1	32	12	94	.1	11	2.03	25	2	1	2
L24S 22+00W	1	24	8	94	.1	11	1.59	17	2	1	4
L24S 21+00W	1	24	6	82	.1	11	1.74	21	2	1	5
L24S 20+00W	1	41	15	128	.2	20	2.72	24	2	1	7
L24S 19+00W	1	43	9	122	.1	15	2.06	19	2	1	7
L24S 18+00W	1	48	11	103	.1	14	2.15	16	2	1	11
L24S 17+00W	1	45	19	115	.1	14	2.00	31	2	1	3
L24S 16+00W	1	28	13	151	.1	15	2.19	24	2	1	16
L24S 15+00W	52	592	81	236	2.6	218	11.63	109	2	1	98
L24S 13+60W	1	67	20	115	.1	22	2.87	36	2	2	31
L24S 13+00W	1	27	12	92	.1	11	1.99	32	2	1	62
L24S 12+00W	1	34	15	121	.1	17	2.09	56	2	1	40
L24S 11+00W	1	37	17	107	.1	17	2.03	64	2	1	20
STD C/AU-S	18	62	39	132	6.7	73	3.99	39	14	12	53

CORONA CORPORATION FILE # 89-1451

Page 14

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L24S 10+00W	1	44	21	121	.2	21	2.58	75	2	1	37
L24S 9+00W	1	46	17	105	.1	21	2.89	49	3	1	9
L24S 8+00W	1	58	15	102	.2	19	2.75	55	2	1	18
L24S 7+00W	1	35	13	100	.1	16	2.48	40	2	1	14
L24S 6+00W	1	26	8	90	.2	12	2.20	27	2	1	13
L24S 5+00W	1	54	17	117	.1	18	2.55	45	2	1	18
L24S 4+00W	1	32	13	101	.2	14	2.06	27	2	1	8
L24S 3+00W	1	43	13	78	.2	18	2.83	41	3	1	12
L24S 2+00W	1	23	8	80	.2	10	1.94	21	2	1	9
L24S 1+00W	1	28	9	85	.1	12	1.77	21	2	1	20
L24S 0+00	1	39	14	85	.1	12	2.01	21	2	1	7
L24S 1+00E	1	27	11	97	.1	13	2.00	31	2	1	30
L24S 2+00E	1	30	12	89	.1	15	2.35	16	2	1	8
L24S 3+00E	1	37	19	91	.1	14	2.26	30	3	1	14
L24S 4+00E	1	45	12	107	.1	16	2.33	31	2	1	19
L24S 5+00E	1	36	12	92	.1	14	2.47	42	2	1	6
L24S 7+00E	1	38	11	71	.1	13	2.46	16	2	1	7
L24S 8+00E	1	28	10	70	.2	12	2.40	19	2	1	7
L24S 9+00E	1	28	9	68	.2	11	2.26	12	2	1	4
L24S 10+00E	1	30	12	75	.1	10	2.15	20	2	1	4
L24S 11+00E	1	26	11	95	.1	11	2.08	14	2	1	3
L26S 30+00W	1	15	7	104	.2	9	1.90	9	2	1	1
L26S 29+00W	1	20	9	73	.1	11	2.52	3	2	1	6
L26S 28+00W	1	33	9	91	.1	15	2.55	7	2	1	2
L26S 27+00W	1	31	6	100	.1	10	1.97	9	2	1	1
L26S 26+00W	1	25	9	67	.2	9	1.95	3	2	1	2
L26S 25+00W	1	103	9	80	.2	12	2.23	9	3	2	21
L26S 24+00W	4	115	11	102	.2	15	2.12	16	2	1	13
L26S 23+00W	1	44	11	162	.1	21	2.28	19	2	1	5
L26S 22+00W	1	40	16	177	.1	24	2.60	28	2	1	8
L26S 21+00W	1	41	18	193	.2	25	2.59	37	2	1	10
L26S 20+00W	1	44	31	194	.4	26	2.71	28	3	1	33
L26S 19+00W	1	53	10	104	.1	14	2.27	19	2	1	9
L26S 18+00W	1	48	16	147	.1	19	2.48	42	2	1	126
L26S 17+00W	1	44	4	76	.2	9	1.26	17	2	1	10
L26S 16+00W	1	39	12	161	.2	18	2.28	19	2	1	7
STD C/AU-S	18	60	36	132	6.5	73	4.02	42	14	12	49

CORONA CORPORATION FILE # 89-1451

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L26S 15+00W	40	729	34	150	.2	99	7.32	77	2	3	1
L26S 14+00W	1	52	6	41	.2	8	1.65	37	2	1	8
L26S 13+00W	1	26	11	92	.1	12	2.10	30	2	1	12
L26S 12+00W	1	37	12	99	.3	13	2.03	44	2	1	14
L26S 11+00W	1	25	13	89	.1	11	1.89	48	2	1	5
L26S 10+00W	1	24	7	87	.1	12	1.87	34	2	1	5
L26S 9+00W	1	30	11	119	.1	13	2.12	27	2	1	5
L26S 8+00W	1	26	11	93	.1	11	2.00	34	2	1	5
L26S 7+40W	1	28	11	80	.1	12	2.18	30	2	1	10
L26S 5+00W	1	45	12	91	.1	15	2.56	35	2	1	6
L26S 4+00W	1	29	12	85	.1	13	2.51	29	2	1	26
L26S 3+00W	1	16	6	78**	.2	6	1.61	19	2	1	9
L26S 2+00W	1	22	7	69	.1	9	2.07	18	2	1	12
L26S 1+00W	1	27	8	91	.2	12	1.96	28	2	1	21
L26S 0+00	1	31	14	171	.1	13	2.03	32	2	1	11
L26S 1+00E	1	30	12	119	.1	12	2.29	29	2	1	5
L26S 2+00E	1	62	33	99	.2	14	2.20	49	2	1	69
L26S 3+00E	1	41	13	116	.1	14	2.07	31	2	1	10
L26S 6+00E	1	27	10	71	.1	8	1.93	27	2	1	7
L26S 7+00E	1	26	9	70	.1	11	2.05	13	2	1	5
L26S 8+00E	1	32	10	73	.1	10	2.07	17	2	1	3
L26S 9+00E	1	25	11	80	.1	9	2.17	19	2	1	4
L26S 10+00E	1	28	9	75	.2	10	2.09	16	2	1	9
L26S 11+00E	1	29	13	86	.2	10	2.06	22	2	1	9
L26S 12+00E	1	26	12	100	.1	10	2.13	13	2	1	9
L26S 13+00E	1	27	9	87	.2	7	1.70	25	2	1	4
L26S 14+00E	1	18	12	68	.2	6	1.73	14	2	1	1
L26S 15+00E	1	22	13	68	.1	7	2.19	21	2	1	1
L26S 16+00E	1	28	10	54	.1	5	1.28	11	2	1	1
L26S 17+00E	1	25	8	67	.1	10	2.14	7	2	1	1
L26S 18+00E	1	26	10	72	.2	12	2.24	9	2	1	1
L26S 19+00E	1	22	9	62	.1	10	1.85	11	2	1	1
L26S 20+00E	1	22	13	100	.1	6	2.07	26	2	1	1
L26S 21+00E	1	17	10	70	.1	9	2.36	6	2	1	1
L26S 22+00E	1	21	8	58	.1	9	2.36	10	2	2	1
L26S 23+00E	1	19	8	51	.2	8	2.07	12	2	1	1
STD C/AU-S	18	61	37	132	6.7	70	4.10	38	14	12	42

CORONA CORPORATION FILE # 89-1451

Page 16

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L28S 24+00E	1	18	15	50	.1	9	2.23	10	2	1	2
L28S 30+00W	1	18	13	80	.1	10	2.42	7	2	1	4
L28S 29+00W	1	23	11	111	.1	13	2.36	7	2	1	34
L28S 28+00W	1	16	12	72	.1	8	1.92	5	2	1	2
L28S 27+00W	1	17	10	65	.1	8	2.10	5	2	1	4
L28S 26+00W	1	22	11	70	.1	8	2.07	6	2	1	7
L28S 25+00W	1	34	8	49	.1	7	1.50	9	2	1	4
L28S 24+00W	1	24	8	66	.1	7	1.35	6	2	1	4
L28S 23+00W	1	58	11	84	.1	9	1.52	14	2	1	5
L28S 22+00W	1	37	18	70	.1	13	2.93	18	2	1	28
L28S 21+00W	1	29	13	68	.1	6	1.17	24	2	1	5
L28S 20+00W	1	34	18	126	.1	16	2.42	21	2	1	31
L28S 18+00W	1	67	13	103	.1	16	2.21	19	2	1	18
L28S 17+00W	1	18	7	62	.1	7	1.32	17	2	1	3
L28S 16+00W	1	17	5	58	.1	6	1.43	11	2	1	1
L28S 15+00W	1	57	8	83	.1	9	.71	7	2	1	3
L28S 14+00W	1	32	8	77	.1	10	1.74	21	2	1	8
L28S 13+00W	1	25	9	61	.1	8	1.79	23	2	1	3
L28S 12+00W	1	28	13	74	.1	12	2.14	43	2	1	26
L28S 11+00W	1	28	12	67	.1	10	2.09	31	2	1	6
L28S 10+00W	1	33	10	61	.2	12	2.34	22	2	2	14
L28S 9+00W	1	41	14	--99-	.1	15	2.45	24	2	2	82
L28S 8+00W	1	20	9	96	.1	9	1.51	22	2	1	10
L28S 6+50W	1	47	23	127	.1	25	3.18	79	2	1	26
L28S 6+00W	1	21	12	68	.1	9	1.44	27	2	1	10
L28S 5+00W	1	34	12	96	.1	13	2.15	44	2	1	143
L28S 4+00W	1	35	11	77	.1	10	2.29	17	2	1	10
L28S 3+00W	1	37	15	78	.1	15	2.42	44	2	1	11
L28S 2+00W	1	40	19	99	.1	17	2.59	42	2	1	26
L28S 1+00W	1	26	11	76	.6	11	2.06	17	2	1	7
L28S 0+00	1	29	13	80	.1	11	2.02	20	2	1	10
L28S 2+00E	3	122	24	93	.2	15	2.66	34	2	1	20
L28S 3+00E	3	107	25	96	.1	19	3.69	42	2	2	26
L28S 5+00E	1	33	11	84	.1	11	2.05	21	2	1	4
L28S 6+00E	1	26	11	70	.1	10	2.20	17	2	1	8
L28S 7+00E	1	25	11	61	.1	9	2.03	22	2	1	2
STD C/AU-S	17	63	39	131	6.9	71	4.14	39	15	13	48

CORONA CORPORATION FILE # 89-1451

Page 17

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L28S 8+00E	1	30	17	77	.1	8	1.74	22	2	1	28
L28S 9+00E	1	36	14	78	.3	11	2.20	22	2	1	12
L28S 10+00E	3	67	16	76	.5	18	2.45	30	2	1	43
L28S 11+00E	1	26	13	82	.1	12	2.09	12	2	1	17
L28S 12+00E	1	24	12	60	.1	10	2.32	8	2	1	8
L28S 13+00E	1	35	19	84	.1	5	1.64	22	2	1	7
L28S 14+00E	1	46	27	100	.2	7	1.93	23	2	1	8
L28S 15+00E	1	30	16	76	.1	5	1.79	29	2	1	13
L28S 16+00E	1	21	8	37	.2	11	1.18	6	2	1	10
L28S 17+00E	1	23	12	73	.1	11	1.98	13	2	1	39
L28S 18+00E	1	20	10	77	.1	10	1.80	11	2	1	4
L28S 19+00E	1	26	12	140	.1	2	.70	5	2	1	2
L28S 20+00E	1	16	14	55	.2	8	2.17	9	2	1	2
L28S 21+00E	1	20	8	59	.1	3	1.07	16	2	1	2
L28S 22+00E	1	37	15	72	.1	6	1.58	36	2	1	5
L28S 23+00E	1	20	12	52	.2	9	2.05	12	2	1	3
L28S 24+00E	1	19	14	60	.2	9	2.20	11	2	2	1
L30S 30+00W	1	16	8	63	.1	7	1.50	6	2	1	4
L30S 29+00W	1	25	13	88	.2	13	2.42	11	2	1	12
L30S 28+00W	1	15	9	68	.1	5	1.16	12	2	1	2
L30S 27+00W	1	25	12	84	.1	10	1.64	9	2	1	8
L30S 26+00W	1	20	10	62	.1	6	1.34	11	2	1	5
L30S 25+00W	1	50	10	103	.3	12	1.83	14	2	1	23
L30S 24+00W	1	39	15	82	.1	14	2.25	5	2	1	7
L30S 23+00W	1	36	22	82	.2	11	1.81	15	2	1	44
L30S 22+00W	1	49	15	104	.2	11	1.93	20	2	1	48
L30S 21+00W	1	40	14	115	.1	11	1.62	23	2	1	29
L30S 20+00W	1	359	17	104	.5	18	2.38	29	2	1	64
L30S 19+00W	1	41	13	93	.2	11	1.78	19	2	1	49
L30S 18+00W	1	31	12	99	.2	13	2.01	16	2	1	12
L30S 17+00W	1	33	12	79	.1	9	1.82	11	2	1	6
L30S 16+00W	1	40	15	100	.2	15	1.98	55	3	1	21
L30S 15+00W	1	59	19	125	.2	19	2.26	87	2	1	67
L30S 14+00W	1	31	10	62	.2	9	1.55	17	2	1	24
L30S 13+00W	1	39	16	69	.1	13	1.96	36	2	1	9
L30S 12+00W	1	27	13	79	.1	12	1.71	42	2	1	14
STD C/AU-S	18	61	41	132	6.7	73	3.83	42	15	13	47

CORONA CORPORATION FILE # 89-1451

Page 18

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L30S 11+00W	1	23	9	90	.2	11	1.70	37	2	1	10
L30S 10+00W	1	35	11	93	.2	14	2.13	39	2	1	36
L30S 9+00W	1	76	21	127	.3	15	2.24	66	2	1	22
L30S 8+00W	1	35	13	78	.3	12	1.79	36	2	1	27
L30S 5+00W	1	41	14	77	.2	12	2.13	36	2	1	54
L30S 5+00W	1	51	12	58	.3	14	2.65	43	2	1	800
L30S 4+00W	1	45	17	137	.1	18	2.01	53	2	1	48
L30S 3+00W	1	43	15	91	.3	18	2.50	46	2	1	25
L30S 2+00W	1	39	14	78	.1	15	2.40	26	2	1	34
L30S 1+00W	1	27	12	75	.2	9	1.94	19	2	1	14
L30S 0+00	1	73	21	113	.1	14	2.28	32	2	1	21
L30S 1+00E	1	80	11	79	.2	24	4.78	43	2	2	42
L30S 2+00E	1	53	17	75	.1	16	2.52	28	2	1	48
L30S 4+00E	1	27	9	81	.1	11	2.02	18	2	1	32
L30S 5+00E	1	23	9	66	.2	9	1.84	13	2	1	8
L30S 6+00E	1	30	9	59	.1	10	2.10	16	2	1	7
L30S 7+00E	1	25	11	69	.2	9	2.03	26	2	1	11
L30S 8+00E	1	31	9	65	.2	11	2.25	14	2	1	16
L30S 10+00E	1	31	10	84	.1	12	2.37	15	2	1	7
L30S 11+00E	1	29	10	62	.1	11	2.21	12	2	1	25
L30S 13+00E	1	23	10	72	.3	12	2.14	8	2	1	9
L30S 14+00E	1	36	4	37	.2	5	.84	3	2	1	1
L30S 15+00E	1	24	12	67	.3	11	2.07	14	2	2	3
L30S 16+00E	1	20	19	69	.2	7	1.96	10	2	1	3
L30S 17+00E	1	21	10	61	.2	4	1.26	22	2	1	1
L30S 18+00E	1	17	8	58	.2	8	1.88	12	2	1	1
L30S 19+00E	1	22	10	62	.2	13	1.68	13	2	1	1
L30S 20+00E	1	25	9	101	.2	8	1.83	15	2	1	9
L30S 21+00E	1	22	11	52	.2	10	2.05	17	2	1	4
L30S 22+00E	1	21	9	46	.1	9	2.03	10	2	1	9
L30S 23+00E	1	16	14	57	.1	6	1.49	5	2	1	2
L30S 24+00E	1	20	9	55	.1	6	1.49	19	2	1	2
L32S 9+00W	1	27	12	102	.2	11	1.57	33	2	1	21
L32S 8+00W	1	35	13	118	.2	15	2.22	47	2	1	32
L32S 7+00W	1	30	11	86	.2	12	2.17	22	2	1	21
L32S 6+00W	1	29	10	87	.1	11	1.92	22	2	1	5
STD C/AU-S	18	61	36	132	7.2	70	4.02	40	17	11	49

... -.

CORONA CORPORATION FILE = 89-1451

Page 19

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	SD PPM	W PPM	Au* PPB
L32S 5+00W	1	24	11	83	.1	12	1.87	22	2	1	140
L32S 4+00W	1	69	33	190	.1	31	2.75	83	2	1	64
L32S 3+00W	1	70	15	72	.2	21	2.75	67	3	1	75
L32S 2+00W	1	44	14	76	.1	13	2.03	31	2	1	22
L32S 1+00W	19	589	28	118	.9	40	5.07	42	2	1	172
L32S 0+00	10	415	54	184	.8	27	3.41	50	2	2	75
L32S 1+00E	6	109	122	583	1.3	25	3.30	70	2	1	94
L32S 2+00E	1	188	80	217	1.5	29	3.48	95	2	1	35
L32S 3+00E	1	35	14	91	.1	12	1.90	30	2	1	24
L32S 4+00E	1	39	14	73	.1	14	2.26	21	2	1	16
L32S 5+00E	1	23	9	72	.2	10	1.90	13	2	1	13
L32S 6+00E	1	24	9	64	.2	10	2.02	15	2	1	6
L32S 7+00E	1	47	13	53	.1	13	2.44	27	2	1	32
L32S 8+00E	1	25	14	64	.1	11	2.20	15	2	1	20
L32S 9+00E	1	17	8	53	.1	6	1.45	19	2	1	6
L32S 10+00E	1	23	9	64	.1	9	1.88	20	2	1	13
L32S 12+00E	1	27	15	89	.1	13	2.15	11	2	1	21
L32S 13+00E	1	37	12	96	.1	14	2.22	21	2	1	13
L32S 14+00E	1	18	14	57	.1	9	2.18	8	2	1	6
L32S 15+00E	1	27	14	66	.2	9	2.14	19	2	1	6
L32S 16+00E	1	24	12	63	.1	5	1.60	20	2	1	4
L32S 17+00E	1	18	8	46	.1	9	1.53	14	2	1	1
L32S 18+00E	1	44	16	77	.1	14	1.66	35	2	1	21
L32S 19+00E	1	28	12	73	.1	17	1.82	22	2	1	5
L32S 20+00E	1	18	8	57	.1	19	1.89	15	2	1	2
L32S 22+00E	1	15	7	52	.1	12	1.59	10	2	1	4
L32S 23+00E	1	27	11	82	.1	3	.82	17	2	1	6
L32S 24+00E	1	15	9	53	.1	16	1.95	10	2	1	4
L34S 6+00W	1	34	12	89	.1	13	1.88	25	2	1	10
L34S 5+00W	1	51	14	100	.1	15	2.23	33	2	1	11
L34S 5+00E	1	165	20	74	.2	21	2.96	49	2	1	51
L34S 6+00E	2	339	86	267	1.1	27	3.14	52	3	1	110
L34S 7+00E	1	28	7	61	.1	10	1.94	19	2	1	19
L34S 8+00E	1	30	10	87	.1	12	1.89	23	2	1	20
L34S 9+00E	1	29	8	60	.1	10	1.81	17	2	1	6
L34S 10+00E	1	31	10	63	.1	12	1.99	17	3	1	10
STD C/AU-S	18	63	36	132	6.7	72	3.96	38	14	12	49

CORONA CORPORATION FILE # 89-1451

Page 20

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L34S 11+00E	1	42	12	56	.1	14	2.39	12	2	1	53
L34S 13+00E	1	32	16	106	.3	15	2.26	12	2	2	17
L34S 14+00E	1	27	14	97	.2	12	2.07	22	2	1	9
L34S 15+00E	1	32	10	61	.2	12	2.22	15	2	1	17
L34S 16+00E	1	30	11	82	.3	14	1.84	15	2	1	2
L34S 18+00E	1	18	9	76	.1	12	1.64	14	2	1	4
L34S 19+00E	1	23	10	74	.3	14	1.87	13	2	1	3
L34S 20+00E	1	19	10	57	.2	14	1.88	11	2	1	3
L34S 21+00E	1	18	8	48	.1	11	1.49	24	2	1	1
L34S 22+00E	1	20	10	66	.1	22	2.04	13	2	1	3
L34S 23+00E	1	17	9	43	.2	8	1.81	7	2	1	1
L34S 24+00E	1	19	9	48	.2	8	1.70	7	2	1	1
L36S 5+00E	1	79	17	67	.1	26	3.41	66	2	2	60
L36S 6+00E	1	78	13	70	.3	14	2.45	30	2	1	40
L36S 7+00E	1	24	9	66	.1	9	1.67	16	2	1	11
L36S 8+00E	1	24	10	61	.1	7	1.80	32	2	1	3
L36S 9+00E	1	30	12	75	.2	11	2.01	23	2	1	14
L36S 12+00E	1	25	11	65	.1	10	2.05	27	2	1	6
L36S 13+00E	1	26	12	71	.1	12	2.20	16	2	1	17
L36S 14+00E	1	31	11	58	.2	11	1.71	12	2	1	4
L36S 15+00E	1	19	9	62	.2	10	1.85	12	2	1	11
L36S 16+00E	1	31	12	112	.3	14	2.23	10	3	1	6
L36S 17+00E	1	22	15	96	.2	15	2.03	13	2	1	1
L36S 18+00E	1	22	12	77	.1	19	2.07	17	2	1	8
L36S 19+00E	1	20	10	74	.1	17	1.92	9	2	1	3
L36S 20+00E	1	19	10	71	.1	14	1.85	19	3	1	1
L36S 21+00E	1	18	8	65	.1	9	1.52	11	2	1	1
L36S 22+00E	1	22	13	46	.2	8	1.74	15	2	1	2
L36S 23+00E	1	17	10	50	.2	8	1.75	5	2	1	1
L36S 24+00E	1	14	10	37	.1	7	1.69	12	2	2	1
L38S 5+00E	3	144	19	85	.3	26	3.36	39	2	1	32
L38S 6+00E	1	26	12	68	.2	10	1.92	25	2	1	11
L38S 7+00E	1	23	10	64	.2	10	2.01	14	3	1	3
L38S 8+00E	1	27	13	86	.1	11	2.09	10	2	1	16
L38S 11+00E	1	24	12	94	.2	11	1.82	14	2	1	2
L38S 12+00E	1	29	11	86	.1	11	1.92	23	2	1	4
STD C/AU-S	18	59	39	132	7.1	72	3.88	40	14	12	48

CORONA CORPORATION FILE # 89-1451

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L38S 13+00E	1	32	10	66	.1	11	2.00	11	2	1	270 ←
L38S 14+00E	1	32	11	67	.1	13	2.01	14	2	1	6
L38S 15+00E	1	34	13	75	.1	13	1.83	19	2	1	1
L38S 16+00E	1	22	13	87	.2	12	1.79	16	2	1	1
L38S 17+00E	1	24	15	72	.1	11	1.89	18	3	1	2
L38S 18+00E	1	20	11	92	.3	19	2.20	12	3	1	1
L38S 19+00E	1	21	7	88	.2	10	1.66	16	2	1	1
L38S 20+00E	1	30	12	75	.1	15	1.99	15	2	1	2
L38S 22+00E	1	17	9	50	.2	10	1.95	14	2	2	1
L38S 23+00E	1	22	8	56	.2	11	2.05	17	3	1	1
L38S 24+00E	1	19	8	52	.2	9	1.64	17	2	1	1
L40S 0+00	2	673	24	85	.7	33	4.08	22	2	1	142 ←
L40S 1+40E	2	146	16	86	.2	40	4.66	23	2	1	26
L40S 2+00E	2	210	24	95	.3	27	3.32	25	2	1	7
L40S 3+00E	1	78	16	78	.3	17	2.71	23	2	1	30
L40S 4+00E	3	124	37	128	.4	29	3.87	73	2	1	16
L40S 5+00E	1	55	22	95	.1	20	2.73	37	2	1	53
L40S 6+00E	3	20	11	104	.2	11	1.79	21	2	1	6
L40S 11+00E	1	32	13	112	.2	15	2.32	19	2	1	16
L40S 12+00E	1	18	10	85	.1	12	1.77	24	2	1	1
L40S 13+00E	1	24	12	77	.2	16	2.02	26	2	1	7
L40S 14+00E	1	32	11	79	.3	16	2.15	11	2	2	2
L40S 15+00E	1	33	13	89	.3	14	2.17	16	2	1	1
L40S 16+00E	1	39	12	75	.1	18	2.21	20	2	1	1
L40S 17+00E	1	48	9	53	.2	16	1.75	9	3	1	3
L40S 18+00E	1	18	10	74	.1	17	1.93	10	3	1	1
L40S 19+00E	1	18	10	86	.1	18	2.08	8	2	1	2
L40S 20+00E	1	19	10	62	.2	16	1.99	12	2	1	1
L40S 21+00E	1	20	7	64	.1	13	2.00	9	2	1	1
L40S 22+00E	1	21	7	68	.1	11	1.96	10	2	1	1
L40S 23+00E	1	22	8	61	.2	12	1.91	17	2	1	1
L40S 24+00E	1	19	12	52	.1	10	1.91	13	2	1	1
L42S 1+00E	1	338	28	141	.3	28	3.39	19	2	1	5
L42S 1+70E	4	630	30	106	.8	40	4.95	24	2	1	31
L42S 3+00E	1	393	28	108	.3	25	3.93	23	2	2	21
L42S 3+60E	1	91	17	91	.2	16	2.59	21	2	1	11
STD C/AU-S	18	60	37	132	7.1	72	3.97	44	17	11	49

CORONA CORPORATION FILE # 89-1451

Page 32

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L42S 5+00E	1	47	22	90	.2	13	2.32	35	2	1	33
L42S 10+00E	1	28	17	96	.2	12	2.16	17	2	1	14
L42S 11+00E	1	40	39	89	.1	13	1.98	12	2	1	16
L42S 12+00E	1	40	14	102	.2	16	2.03	16	2	1	3
L42S 16+00E	1	31	17	85	.1	13	1.55	21	2	1	6
L42S 17+00E	1	20	10	61	.1	11	1.58	16	2	1	1
L42S 18+00E	1	23	15	84	.2	11	1.80	12	2	1	2
L42S 19+00E	1	22	11	73	.1	12	1.97	12	2	1	45
L42S 20+00E	1	16	10	59	.1	11	1.97	9	2	1	1
L42S 21+00E	1	22	16	67	.1	8	1.88	17	2	1	2
L42S 22+00E	1	25	16	53	.1	6	1.74	18	2	1	5
L42S 23+00E	1	40	24	85	.1	6	2.06	34	2	1	7
L42S 24+00E	1	23	13	61	.1	6	1.77	14	2	1	4
L44S 16+00E	1	16	11	61	.1	11	1.53	9	2	1	1
L44S 17+00E	1	20	11	91	.1	15	1.98	12	2	1	12
L44S 18+00E	1	31	12	70	.2	9	2.06	16	2	1	3
L44S 19+00E	1	26	12	58	.1	9	1.94	9	2	1	2
L44S 20+00E	1	19	11	63	.1	10	1.89	7	2	1	21
L44S 21+00E	1	33	11	77	.1	10	1.75	27	2	1	4
L44S 22+00E	1	18	11	52	.1	8	2.25	14	2	1	15
L44S 23+00E	1	31	15	52	.1	9	1.89	19	2	1	7
L44S 24+00E	1	21	11	63	.2	9	1.93	16	2	1	2
L46S 17+00E	1	33	13	66	.1	10	2.13	12	2	1	21
L46S 18+00E	1	23	9	54	.1	7	1.48	18	2	1	4
L46S 19+00E	1	17	8	44	.1	5	1.40	12	2	1	2
L46S 20+00E	1	22	10	58	.1	7	1.56	25	2	1	4
L46S 21+00E	1	19	8	45	.1	7	1.62	15	2	1	3
L46S 22+00E	1	16	8	37	.1	7	1.73	5	2	1	3
L46S 23+00E	1	20	9	46	.1	9	1.87	19	2	2	3
L46S 24+00E	1	22	11	66	.1	8	1.55	16	2	1	1
L48S 11+00E	1	30	12	69	.1	13	2.16	20	2	1	3
L48S 14+00E	1	43	17	94	.2	20	2.88	12	2	2	3
L48S 15+00E	1	22	13	82	.1	11	2.27	13	2	1	13
L48S 16+00E	1	21	12	69	.1	10	1.96	10	2	1	12
L48S 17+00E	1	21	11	57	.2	8	1.71	11	2	1	2
L48S 18+00E	1	18	8	56	.1	9	1.78	12	2	1	1
STD C/AU-S	17	61	41	132	6.8	70	4.05	39	17	11	47

CORONA CORPORATION FILE # 89-1451

Page 23

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L48S 19+00E	1	13	6	40	.1	6	1.36	13	2	1	1
L48S 20+00E	1	27	9	60	.3	9	1.85	13	2	1	1
L48S 21+00E	1	33	9	70	.1	7	1.66	35	2	1	1
L48S 22+00E	1	30	9	111	.2	4	1.27	20	2	1	2
L48S 23+00E	1	24	9	70	.3	9	2.00	15	2	1	1
L48S 24+00E	1	41	8	58	.1	4	1.17	19	2	1	5
L50S 13+00E	1	24	8	61	.1	9	1.53	8	2	1	1
L50S 14+00E	1	27	7	91	.1	11	1.89	15	2	1	1
L50S 15+00E	1	19	8	64	.1	8	1.87	9	2	1	1
L50S 16+00E	1	33	14	70	.4	9	2.02	24	3	1	2
L50S 17+00E	1	24	8	56	.1	8	1.85	8	2	1	4
L50S 18+00E	1	28	7	54	.1	8	1.80	18	2	1	2
L50S 19+00E	1	20	7	78	.3	7	1.80	9	2	1	1
L50S 20+00E	1	24	6	66	.3	10	2.00	14	2	1	6
L50S 21+00E	1	26	11	80	.3	12	2.22	14	2	1	1
L50S 22+00E	1	22	7	58	.3	10	1.97	6	2	1	3
L50S 23+00E	1	24	6	72	.3	12	1.90	8	2	1	2
L50S 24+00E	1	24	6	74	.1	12	1.82	12	2	1	1
L52S 13+00E	1	32	9	82	.4	14	2.34	11	3	1	9
L52S 14+00E	1	28	11	76	.3	11	2.14	20	2	1	1
L52S 15+00E	1	19	8	56	.3	7	1.70	6	2	1	1
L52S 16+00E	1	29	8	53	.3	8	1.92	15	2	1	3
L52S 17+00E	1	28	13	62	.4	8	1.96	10	2	1	3
L52S 18+00E	1	16	5	54	.3	6	1.71	7	2	1	1
L52S 19+00E	1	21	8	70	.4	8	1.92	13	2	1	48
L52S 20+00E	1	40	8	64	.1	10	1.93	24	2	1	2
L52S 21+00E	1	19	8	51	.2	8	1.76	12	2	2	20
L52S 22+00E	1	30	10	64	.4	10	1.91	12	4	1	3
L52S 23+00E	1	23	7	62	.1	9	1.69	15	2	1	5
L52S 24+00E	1	29	9	61	.4	10	1.86	17	3	1	11
L54S 13+00E	1	32	9	76	.1	16	2.21	9	2	1	1
L54S 14+00E	1	34	12	84	.3	12	2.00	14	3	1	2
L54S 15+00E	1	26	11	63	.3	9	2.42	11	2	2	8
L54S 16+00E	1	24	8	73	.3	6	1.70	17	3	2	2
L54S 17+00E	1	30	12	75	.4	8	1.96	17	2	1	7
L54S 18+00E	1	27	11	80	.4	9	2.00	14	3	2	3
STD C/AU-S	18	63	37	132	6.7	71	4.02	38	15	12	53

CORONA CORPORATION FILE # 89-1451

SAMPLE#	No PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L54S 19+00E	1	27	12	69	.1	11	2.02	23	2	2	1
L54S 20+00E	1	30	17	70	.1	10	2.02	20	2	1	1
L54S 21+00E	1	20	14	65	.1	12	2.30	13	2	2	1
L54S 22+00E	1	25	14	88	.1	10	2.00	24	2	1	2
L54S 23+00E	1	20	13	62	.1	10	2.20	13	2	2	2
L54S 24+00E	1	25	14	50	.1	9	1.94	20	2	1	3
L56S 10+00E	1	39	15	81	.2	13	2.17	21	2	1	34
L56S 11+00E	1	37	15	77	.3	16	3.14	17	2	1	3
L56S 12+00E	1	28	11	69	.2	11	2.07	15	2	1	2
L56S 13+00E	1	47	13	66	.1	14	2.34	19	2	1	6
L56S 13+70E	1	26	12	55	.1	9	1.99	25	2	1	2
L56S 15+00E	1	22	14	59	.1	12	2.97	10	2	2	2
L56S 16+00E	1	17	14	55	.1	8	2.41	9	2	2	1
L56S 17+00E	1	33	21	93	.1	8	1.80	21	2	2	3
L56S 18+00E	1	27	12	97	.3	9	2.12	14	2	1	1
L56S 19+00E	1	25	14	78	.1	12	2.41	8	2	1	1
L56S 20+00E	1	26	11	63	.1	10	2.27	27	2	1	3
L56S 21+00E	1	20	12	69	.3	10	2.25	19	2	1	3
L56S 22+00E	1	24	14	66	.1	11	2.18	17	2	2	3
L56S 23+00E	1	28	12	103	.3	6	1.45	43	2	1	2
L58S 12+00E	1	40	11	64	.1	11	2.36	16	2	1	5
L58S 13+00E	1	28	11	54	.3	10	2.38	25	2	1	4
L58S 14+00E	1	23	11	73	.1	13	2.48	18	2	2	3
L58S 15+00E	1	31	12	84	.3	12	2.10	15	2	1	4
L58S 16+00E	1	34	15	71	.1	10	2.26	19	2	2	2
L58S 17+00E	1	29	11	66	.2	8	1.61	12	2	1	2
L58S 18+00E	1	31	13	67	.1	10	2.20	22	2	1	3
L58S 19+00E	1	20	7	63	.3	9	1.99	18	2	1	11
L58S 20+00E	1	21	8	64	.3	9	2.15	8	2	1	2
L58S 21+00E	1	22	10	64	.3	9	2.07	13	2	1	2
L58S 22+00E	1	30	15	70	.1	9	1.96	21	2	1	1
L58S 23+00E	1	26	14	69	.1	11	2.24	13	2	1	2
L58S 24+00E	1	29	12	68	.1	11	2.06	12	2	1	2
STD C/AU-S	18	60	39	132	6.8	70	3.98	42	14	11	52

GEOCHEMICAL ANALYSIS CERTIFICATE

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR NH4+, SR, CA, P, LA, CR, KG, BA, TI, B, V AND LIMITED FOR NA, K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.
 - SAMPLE TYPE: SOIL - BOXSH - AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: JUN 12 1989 DATE REPORT MAILED: June 20/89 SIGNED BY C. L. F. D. TATE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

CORONA CORPORATION File # 89-1450 Page 1

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L40N 10+00W	1	14	5	79	.2	7	2.03	2	2	1	2
L40N 9+00W	1	17	9	73	.1	7	1.98	2	2	1	1
L40N 8+00W	1	18	7	76	.2	12	2.16	5	2	1	1
L40N 7+00W	1	34	15	234	.2	11	1.84	12	2	1	37
L40N 6+00W	1	22	6	87	.2	11	1.98	6	2	1	5
L40N 5+00W	1	17	5	61	.1	11	2.12	5	2	1	1
L40N 4+00W	1	16	9	70	.1	7	1.90	6	2	1	1
L40N 3+00W	1	40	18	349	.3	32	3.34	21	2	1	3
L40N 2+00W	1	26	13	99	.3	18	2.54	7	2	1	1
L40N 1+00W	1	54	13	106	.4	41	3.92	8	2	1	4
L40N 0+00	1	37	11	76	.1	23	2.56	15	2	1	1
L40N 1+00E	1	42	9	60	.1	16	2.57	4	2	1	3
L40N 2+00E	1	26	5	49	.1	11	1.89	6	2	1	1
L40N 3+00E	1	19	11	55	.1	8	1.98	6	2	1	1
L40N 4+00E	1	29	28	247	.3	13	2.13	10	2	1	2
L40N 5+00E	1	26	26	254	.1	18	1.89	11	2	1	1
L40N 6+00E	1	34	14	147	.2	26	2.42	9	2	1	1
L40N 7+00E	1	42	24	208	.2	28	2.65	14	2	1	3
L40N 8+00E	1	59	74	221	.6	21	2.40	13	2	1	3
L40N 9+00E	1	61	72	297	.3	23	2.81	16	2	1	3
L40N 10+00E	1	56	97	299	.5	29	2.73	12	2	1	2
L40N 11+00E	1	18	14	120	.1	10	1.26	7	2	1	1
L40N 12+00E	1	32	10	140	.1	12	1.84	12	2	1	2
L40N 13+00E	1	27	12	94	.1	12	2.22	12	2	1	1
L38N 11+00W	1	20	7	83	.1	10	2.25	4	2	1	15
L38N 10+00W	1	21	9	104	.1	10	2.58	5	2	1	3
L38N 9+00W	1	20	12	131	.3	8	2.23	6	2	1	3
L38N 8+00W	1	26	10	148	.3	13	2.60	9	2	1	3
L38N 7+00W	1	22	9	72	.1	9	2.02	4	2	1	2
L38N 6+00W	1	18	9	77	.1	8	2.27	7	2	1	1
L38N 5+00W	1	18	10	70	.1	6	1.97	9	2	1	1
L38N 4+00W	1	26	17	107	.8	15	2.01	6	2	1	6
L38N 3+00W	1	22	7	70	.2	14	2.27	5	2	1	1
L38N 2+00W	1	22	17	174	.1	16	2.21	7	2	1	3
L38N 1+00W	1	22	4	65	.1	13	1.31	2	2	1	3
L38N 0+00	1	47	17	278	.2	40	3.06	17	2	1	4
STD C/AU-S	18	62	36	132	7.1	72	3.92	39	17	11	53

CORONA CORPORATION FILE # 89-1450

Page 2

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L38N 1+00E	1	44	12	102	.1	20	1.95	6	2	1	9
L38N 2+00E	1	32	13	124	.1	20	2.11	13	2	1	2
L38N 3+00E	1	18	9	74	.1	6	1.23	18	2	1	2
L38N 4+00E	1	41	28	178	.2	23	3.20	7	2	1	2
L38N 5+00E	1	110	60	420	.5	47	3.92	13	2	1	7
L38N 6+00E	1	21	13	85	.2	13	1.37	12	2	1	2
L38N 7+00E	1	50	25	194	.4	5	.74	8	2	1	1
L38N 8+00E	1	36	25	184	.2	18	2.23	8	2	1	26
L38N 9+00E	1	31	26	166	.2	43	2.93	7	2	1	3
L38N 10+00E	1	49	82	479	.9	34	2.05	14	2	1	6
L38N 11+00E	1	68	34	204	.3	19	2.01	30	2	1	9
L38N 12+00E	1	32	15	103	.1	18	2.46	6	2	2	19
L38N 13+00E	1	30	12	91	.1	12	2.35	4	2	1	2
L36N 12+00W	1	18	14	75	.1	8	2.34	2	2	1	2
L36N 11+00W	1	28	22	126	.3	9	2.03	27	2	1	3
L36N 10+00W	1	31	48	253	.4	12	2.20	8	2	1	3
L36N 9+00W	1	27	13	115	.1	11	1.95	10	2	1	3
L36N 8+00W	1	23	12	94	.2	15	1.92	6	2	1	5
L36N 7+00W	1	22	17	162	.2	18	2.09	8	2	1	24
L36N 6+00W	1	59	21	123	.3	13	1.77	14	2	1	10
L36N 5+00W	1	14	10	110	.1	7	1.51	6	2	1	6
L36N 4+00W	1	16	21	257	.3	16	1.73	14	2	1	3
L36N 3+00W	1	13	14	179	.1	14	1.72	7	2	1	2
L36N 2+00W	1	24	16	130	.2	22	2.35	18	2	1	1
L36N 1+00W	1	65	16	190	.4	63	4.02	16	2	2	4
L36N 0+00	1	28	11	102	.1	24	2.73	13	2	1	3
L36N 1+00E	1	138	13	143	.3	56	3.85	9	2	2	6
L36N 2+00E	1	41	10	92	.1	35	2.51	8	2	2	7
L36N 3+00E	1	50	11	94	.1	42	3.12	9	2	1	5
L36N 4+00E	1	51	16	98	.1	31	2.59	17	2	1	7
L36N 5+00E	1	197	31	218	.3	48	3.73	42	2	1	18
L36N 6+00E	1	77	56	247	.3	41	3.78	24	2	1	3
L36N 7+00E	1	164	71	923	.7	66	4.36	29	2	1	8
L36N 8+00E	1	73	24	161	.3	64	3.68	34	2	1	3
L36N 9+00E	1	101	24	150	.2	49	3.30	15	2	2	8
L36N 10+00E	1	61	18	124	.3	44	3.07	15	2	1	2
STD C/AU-S	18	62	43	132	7.2	72	4.13	38	14	13	48

CORONA CORPORATION FILE # 89-1450

Page 3

SAMPLE#	MO	Cu PPM	Pb PPM	Zn. PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L36N 11+00E	1	54	38	176	.1	44	2.66	6	2	1	1
L36N 12+00E	1	46	18	143	.3	36	3.41	6	2	1	1
L36N 13+00E	1	28	8	110	.1	16	2.04	6	2	1	2
L34N 13+00W	1	24	18	162	.1	20	2.64	2	2	1	1
L34N 12+00W	1	24	12	80	.1	12	2.72	2	2	1	3
L34N 11+00W	1	20	12	90	.1	11	2.12	2	2	1	1
L34N 10+00W	1	19	9	92	.1	12	2.01	8	2	1	3
L34N 9+00W	1	26	16	106	.1	8	1.81	3	2	1	2
L34N 8+00W	1	38	12	123	.1	26	2.85	2	2	1	1
L34N 7+00W	1	29	21	146	.1	15	2.27	4	2	1	1
L34N 6+00W	1	13	10	60	.1	6	1.77	2	2	1	1
L34N 5+00W	1	12	9	49	.1	7	1.99	6	2	1	1
L34N 4+00W	1	69	9	54	.2	10	1.63	6	2	1	9
L34N 3+00W	1	21	11	112	.1	18	2.06	4	2	1	1
L34N 2+00W	1	37	14	153	.1	32	3.23	11	2	1	1
L34N 1+00W	1	37	13	110	.1	31	2.57	7	2	1	1
L34N 0+00	1	57	8	113	.1	29	2.59	6	3	1	1
L34N 1+00E	1	40	14	129	.1	30	2.75	12	2	1	1
L34N 2+00E	1	38	13	146	.1	33	2.67	4	2	1	1
L34N 3+00E	1	28	13	107	.1	27	2.25	7	2	1	1
L34N 5+00E	1	16	6	41	.1	3	.80	4	2	1	1
L34N 6+00E	1	13	5	53	.1	7	.96	2	2	1	1
L34N 7+00E	1	21	7	82	.1	14	1.37	2	2	1	1
L34N 8+00E	1	87	17	168	.1	59	3.81	11	2	1	1
L34N 9+00E	1	89	42	310	.2	47	3.36	43	3	1	4
L34N 10+00E	1	52	29	185	.2	49	3.69	11	2	1	3
L34N 11+00E	1	32	17	148	.3	46	3.31	4	2	1	1
L34N 12+00E	1	27	13	144	.1	31	2.09	8	2	1	1
L34N 13+00E	1	26	8	79	.1	9	1.64	8	2	1	1
L32N 14+00W	1	46	17	129	.2	20	2.50	7	2	1	2
L32N 13+00W	1	22	15	74	.2	11	2.48	2	3	1	1
L32N 12+00W	1	34	19	91	.1	17	2.34	11	2	1	1
L32N 11+00W	1	21	3	52	.1	10	1.71	2	2	1	4
L32N 10+00W	1	31	9	135	.3	13	2.11	2	4	1	3
L32N 9+00W	1	47	13	125	.2	31	3.02	8	2	1	3
L32N 8+00W	1	43	45	241	.1	38	2.87	18	2	1	1
STD C/AU-S	17	62	40	132	7.1	73	4.11	41	18	12	49

CORONA CORPORATION FILE # 89-1450

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L32N 7+00W	1	30	14	173	.1	20	1.93	4	2	1	7
L32N 6+00W	1	25	9	102	.1	17	2.04	2	2	1	1
L32N 5+00W	1	26	6	114	.1	35	3.19	4	2	1	5
L32N 4+00W	1	22	8	83	.1	17	2.09	4	2	1	1
L32N 3+00W	1	25	11	100	.1	25	2.86	2	2	1	1
L32N 2+00W	1	24	10	88	.1	16	2.33	2	2	1	1
L32N 1+00W	1	79	25	194	.2	33	2.78	5	2	1	1
L32N 0+00	1	26	11	93	.1	26	2.81	4	2	1	1
L32N 1+00E	1	22	16	115--	.3	26	2.76	4	3	1	1
L32N 2+00E	1	47	28	147	.2	42	3.44	13	2	1	1
L32N 6+00E	1	15	12	203	.1	29	2.14	3	2	1	1
L32N 7+00E	1	10	6	101	.1	7	.95	2	2	1	1
L32N 8+00E	1	17	8	128	.1	13	1.65	10	2	1	2
L32N 8+75E	1	50	18	150	.2	21	2.78	4	2	1	5
L32N 10+00E	1	92	11	175	.5	28	2.43	9	2	1	6
L32N 11+00E	1	43	9	120	.1	39	2.77	9	2	1	1
L32N 12+00E	1	35	8	134	.1	22	1.71	5	2	1	5
L32N 13+00E	1	32	10	170	.4	23	1.79	14	3	1	1
L30N 14+00W	1	42	13	98	.2	34	3.86	2	2	1	4
L30N 13+00W	1	39	13	75	.1	32	3.12	19	2	1	1
L30N 12+00W	1	70	11	81	.2	31	3.25	8	2	1	5
L30N 11+00W	1	27	12	86	.1	14	2.60	7	2	1	26
L30N 10+00W	1	35	31	186	.3	45	3.50	11	2	1	2
L30N 9+00W	1	29	15	129	.1	21	2.48	7	2	1	1
L30N 8+00W	1	14	7	72	.1	8	1.51	14	2	1	1
L30N 7+00W	1	65	15	158	.1	42	3.25	11	2	1	21
L30N 6+00W	1	22	10	94	.1	25	2.27	2	2	1	1
L30N 5+00W	1	21	8	108	.1	27	2.81	2	2	1	1
L30N 4+00W	1	24	10	110	.1	26	2.62	7	2	1	1
L30N 3+00W	1	89	12	115	.1	27	2.79	12	2	1	1
L30N 2+00W	1	25	9	80	.1	20	2.35	2	2	1	1
L30N 1+00W	1	28	16	123	.2	23	2.78	2	2	1	1
L30N 0+00	1	31	21	125	.1	29	3.13	8	2	1	1
L30N 1+00E	1	24	12	108	.1	29	3.10	5	2	1	1
L30N 1+75E	1	47	32	207	.1	19	2.64	7	2	1	1
L30N 4+00E	1	18	16	280	.1	6	1.18	6	2	1	5
STD C/AU-S	18	62	38	132	7.0	72	3.96	38	17	11	51

CORONA CORPORATION FILE # 89-1450

Page 5

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L30N 5+00E	1	27	41	257	.5	9	2.08	9	2	1	6
L30N 6+00E	1	17	15	112	.1	2	1.24	5	2	1	2
L30N 8+00E	1	8	14	208	.1	5	1.44	4	2	1	2
L30N 9+00E	1	10	11	91	.1	14	2.12	2	2	1	2
L30N 10+00E	1	14	13	161	.1	11	1.59	8	2	1	2
L30N 11+00E	1	18	16	92	.2	14	1.41	12	2	1	19
L30N 12+00E	1	31	8	90	.1	14	2.32	9	2	1	2
L30N 13+00E	1	36	9	78	.1	16	1.99	5	2	1	4
L28N 15+00W	1	26	9	96	.1	9	2.39	6	2	1	1
L28N 14+00W	1	40	12	101	.1	26	3.42	9	2	1	13
L28N 13+00W	1	54	10	99	.1	44	3.94	12	2	1	38
L28N 12+00W	1	44	10	76	.1	24	3.23	4	2	1	1
L28N 11+00W	1	52	17	151	.1	31	2.83	10	2	1	7
L28N 10+00W	1	44	18	158	.1	37	3.55	12	2	1	5
L28N 9+00W	1	59	20	150	.1	39	3.52	10	2	1	1
L28N 8+00W	1	57	9	109	.1	26	2.96	13	2	1	2
L28N 7+00W	1	61	15	101	.1	34	3.18	16	2	1	1
L28N 6+00W	1	84	10	99	.1	39	3.44	4	2	1	1
L28N 5+00W	1	25	13	107	.1	35	3.35	10	2	1	4
L28N 4+00W	1	18	10	... 75	.1	21	2.99	2	2	1	2
L28N 3+00W	1	130	19	154	.2	37	2.86	12	2	1	1
L28N 2+00W	1	43	21	144	.1	32	3.09	9	2	1	6
L28N 1+00W	1	19	11	76	.1	25	2.73	24	2	1	3
L28N 0+00	1	16	7	102	.1	7	1.77	5	2	2	2
L28N 1+00E	1	29	24	182	.1	10	3.03	5	2	1	1
L28N 2+00E	1	32	25	215	.1	23	2.60	8	2	1	1
L28N 3+00E	2	37	41	180	.2	20	2.59	47	2	1	1
L28N 4+00E	1	16	27	127	.2	12	2.10	14	2	1	1
L28N 5+00E	1	19	25	127	.3	12	1.94	14	2	1	3
L28N 6+00E	1	17	37	83	.1	8	1.71	8	2	2	2
L28N 7+00E	1	13	17	62	.2	4	.97	4	2	1	1
L28N 8+00E	1	11	14	69	.1	2	.80	3	2	1	1
L28N 9+00E	1	10	7	52	.1	6	1.26	5	2	2	1
L28N 10+30E	1	15	7	113	.1	11	1.62	9	2	1	3
L28N 11+00E	1	23	7	121	.1	16	1.98	8	2	1	1
L28N 12+00E	1	26	5	115	.1	13	1.96	6	2	1	1
STD C/AU-S	17	62	40	132	7.1	70	4.05	40	16	11	48

CORONA CORPORATION FILE # 89-1450

Page 6

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L28N 13+00E	1	21	13	132	.1	14	1.97	7	2	1	1
L26N 17+00W	1	28	12	117	.1	12	2.13	8	2	1	7
L26N 16+00W	1	16	7	86	.1	8	1.92	5	2	1	1
L26N 15+00W	1	19	6	58	.1	10	2.07	3	2	1	1
L26N 14+00W	1	17	5	61	.1	8	1.70	5	2	1	1
L26N 13+00W	1	25	6	70	.1	11	2.32	8	2	1	1
L26N 12+00W	1	20	3	64	.1	6	1.69	4	2	1	1
L26N 11+00W	1	24	7	64	.1	11	1.99	7	2	1	1
L26N 10+00W	1	28	7	68	.1	13	1.91	6	2	1	1
L26N 9+00W	1	27	4	64	.2	13	2.14	4	2	1	1
L26N 8+00W	1	29	11	82	.1	14	2.63	3	2	1	2
L26N 7+00W	1	30	11	139	.1	19	2.60	6	2	1	13
L26N 6+00W	1	38	6	83	.2	27	2.20	4	2	1	2
L26N 5+00W	1	52	15	114	.1	54	3.97	9	2	1	3
L26N 4+00W	1	33	21	140	.1	56	3.73	8	2	1	1
L26N 3+00W	1	19	15	102	.1	54	3.54	9	2	1	2
L26N 2+00W	1	22	10	94	.1	35	2.88	5	2	1	1
L26N 1+00W	1	38	26	118	.2	9	2.24	11	2	1	9
L26N 0+00	1	44	155	356	1.7	31	3.19	12	2	1	2
L26N 1+00E	1	31	50	248	6.4	27	3.49	13	2	1	2
L26N 2+00E	1	16	19	141	.8	18	2.71	7	3	2	2
L26N 3+00E	1	18	21	118	.4	8	1.34	11	2	1	2
L26N 4+00E	1	14	21	111	.5	10	1.64	11	2	1	1
L26N 5+00E	1	15	27	137	.3	12	2.11	8	2	1	1
L26N 6+00E	1	18	20	89	.1	6	1.04	4	2	1	1
L26N 7+00E	1	9	14	67	.1	3	1.10	2	2	1	1
L26N 8+00E	1	20	13	78	.1	6	1.15	6	2	1	4
L26N 9+00E	1	9	11	54	.1	4	1.26	2	2	1	1
L26N 10+00E	1	18	10	71	.1	8	1.17	12	2	1	1
L26N 11+00E	1	24	14	131	.1	16	2.04	7	2	1	1
L26N 12+00E	1	23	9	109	.1	11	1.63	5	2	1	1
L26N 13+00E	1	25	9	112	.1	11	1.75	9	2	1	1
L24N 16+00W	1	24	18	261	.2	15	2.80	11	2	1	1
L24N 15+00W	1	35	40	274	.2	17	2.55	12	2	1	1
L24N 14+00W	1	28	19	109	.1	16	2.33	8	2	1	1
L24N 13+00W	1	16	5	39	.1	8	2.22	2	2	2	1
STD C/AU-S	17	62	42	132	6.6	72	4.16	42	19	11	51

CORONA CORPORATION FILE # 89-1450

Page 7

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L24N 12+00W	1	15	9	46	.1	9	2.46	2	2	1	2
L24N 11+00W	1	19	13	70	.1	9	2.02	4	2	1	1
L24N 10+00W	1	17	9	68	.1	6	1.97	2	2	1	1
L24N 9+00W	1	16	6	49	.1	7	1.83	2	2	1	1
L24N 8+00W	1	19	11	59	.1	8	2.11	5	2	1	1
L24N 7+00W	1	17	10	60	.1	7	1.81	5	2	1	1
L24N 6+00W	1	24	12	113	.1	15	1.60	8	2	1	1
L24N 5+00W	1	27	9	71	.1	28	2.14	2	2	1	1
L24N 4+00W	1	67	23	134	.3	17	3.70	7	2	1	1
L24N 3+00W	1	70	23	154	.2	9	3.47	9	2	1	1
L24N 2+00W	1	27	14	149	.1	12	2.04	4	2	1	1
L24N 1+00W	1	25	17	155	.1	16	1.90	5	2	1	1
L24N 0+00	1	19	13	145	.1	15	1.80	4	2	1	1
L24N 1+00E	1	19	28	226	.4	9	1.78	14	3	1	1
L24N 2+00E	1	19	33	389	1.1	12	2.04	15	3	1	2
L24N 3+00E	1	15	35	290	2.2	11	2.40	17	2	2	1
L24N 4+00E	1	18	16	95	.2	3	.91	2	2	2	3
L24N 5+00E	1	17	21	71	.2	2	.89	4	2	2	7
L24N 6+00E	1	17	16	64	.1	5	1.21	5	2	1	6
L24N 7+00E	1	18	23	100	.1	6	1.42	7	2	1	2
L24N 8+00E	1	34	33	143	.2	9	2.41	11	2	1	3
L24N 9+00E	1	20	14	116	.1	3	1.12	3	2	1	1
L24N 10+00E	1	16	15	90	.2	8	1.52	2	2	1	1
L24N 11+00E	1	37	19	99	.3	9	3.73	7	2	1	1
L24N 12+00E	1	20	8	92	.1	7	1.72	7	2	1	1
L24N 13+00E	1	18	11	63	.4	11	1.53	4	2	1	1
L22N 17+00W	1	18	10	103	.1	8	1.68	7	2	1	6
L22N 16+00W	1	19	10	111	.1	8	1.93	6	2	1	1
L22N 15+00W	1	22	11	149	.1	11	2.06	6	2	1	1
L22N 14+00W	1	20	4	55	.1	9	2.15	5	2	2	1
L22N 13+00W	1	19	9	68	.1	10	1.82	2	2	1	1
L22N 12+00W	1	26	8	72	.1	7	1.86	3	2	1	1
L22N 11+00W	1	16	5	51	.1	5	1.77	7	2	1	1
L22N 10+00W	1	15	6	52	.1	5	1.78	6	2	1	1
L22N 9+00W	1	21	9	80	.1	14	2.07	3	2	1	1
L22N 8+00W	1	25	9	102	.1	33	2.57	4	2	1	4
STD C/AU-S	17	62	42	132	7.1	72	4.01	38	15	12	49

CORONA CORPORATION FILE # 89-1450

Page 8

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L22N 7+00W	1	20	12	125	.1	13	2.26	5	2	1	2
L22N 6+00W	1	30	10	116	.1	16	1.93	6	2	1	2
L22N 5+00W	1	25	21	151	.1	20	1.81	6	2	1	2
L22N 4+00W	1	36	108	451	.3	27	2.64	4	2	1	1
L22N 3+00W	1	42	150	525	.5	26	3.22	6	2	1	3
L22N 2+00W	1	26	33	209	.1	23	2.66	3	2	1	1
L22N 1+00W	1	21	22	169	.1	15	2.25	9	2	1	1
L22N 0+00	1	19	25	219	.3	12	2.20	7	2	1	1
L22N 1+00E	1	18	20	196	.5	12	2.60	8	4	1	1
L22N 2+00E	1	9	9	82	.1	3	.77	2	2	1	1
L22N 3+00E	1	11	15	179	.1	4	1.29	3	2	2	2
L22N 4+00E	1	18	19	89	.4	9	1.80	7	2	1	4
L22N 5+00E	1	14	24	126	.3	17	2.80	4	2	1	1
L22N 6+00E	1	18	14	77	.2	7	1.37	10	2	1	1
L22N 7+00E	1	13	9	100	.1	4	1.40	4	2	1	1
L22N 8+00E	1	17	14	79	.1	5	1.36	4	2	1	1
L22N 9+00E	1	15	10	80	.1	8	1.33	7	2	1	1
L22N 10+00E	1	18	9	68	.1	10	1.48	6	2	1	1
L22N 11+00E	1	26	13	110	.1	13	2.16	7	2	1	1
L22N 12+00E	1	21	19	157	.1	10	1.87	12	2	1	2
L22N 13+00E	1	23	15	98	.1	10	1.50	9	2	1	1
L22N 14+00E	1	21	11	97	.3	12	2.06	4	2	1	1
L22N 15+00E	1	24	3	56	.1	7	1.33	15	2	1	1
L22N 16+00E	1	19	6	47	.1	5	1.68	12	2	1	1
L20N 48+00W	1	16	13	75	.1	10	2.19	3	2	1	1
L20N 47+00W	1	12	10	61	.1	7	1.83	2	2	1	1
L20N 46+00W	1	14	14	65	.1	9	2.34	6	2	1	1
L20N 45+00W	1	28	11	109	.2	15	2.22	4	2	1	1
L20N 44+00W	1	28	12	85	.1	26	3.20	6	2	1	1
L20N 43+00W	1	38	17	100	.1	23	2.72	9	2	1	1
L20N 42+00W	1	44	22	108	.4	26	3.16	11	3	1	7
L20N 18+00W	1	20	7	75	.1	9	2.02	7	2	1	1
L20N 17+00W	1	15	6	71	.1	8	1.61	5	2	1	1
L20N 16+00W	1	39	8	76	.1	25	2.37	10	2	1	2
L20N 15+00W	1	25	9	56	.1	11	2.38	9	2	1	3
L20N 14+00W	1	24	12	75	.1	13	2.31	4	2	1	3
STD C/AU-S	17	63	39	132	7.1	76	3.97	38	16	12	49

CORONA CORPORATION FILE # 89-1450

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2ON 13+00W	1	20	8	115	.1	14	2.39	5	2	1	2
L2ON 12+00W	1	26	35	121	.1	11	2.45	13	2	1	1
L2ON 11+00W	1	16	7	64	.2	7	1.75	10	2	1	2
L2ON 10+00W	1	14	9	63	.1	7	1.94	3	2	1	2
L2ON 9+00W	1	21	5	55	.1	11	2.18	5	2	1	1
L2ON 8+00W	1	14	5	47	.1	12	1.47	2	2	2	2
L2ON 7+00W	1	27	19	101	.1	7	1.72	7	2	1	2
L2ON 6+00W	1	33	20	92	.1	15	2.35	9	2	1	1
L2ON 5+00W	1	19	9	97	.1	11	1.62	8	2	1	3
L2ON 4+00W	1	23	18	150	.1	12	2.23	12	2	1	14
L2ON 3+00W	1	35	22	205	.5	19	2.76	21	2	1	10
L2ON 2+00W	1	21	17	152	.3	13	2.17	13	2	1	3
L2ON 1+00W	1	17	17	129	.1	9	1.60	17	2	1	2
L2ON 0+00	1	11	13	111	.1	8	1.60	5	2	1	1
L2ON 1+00E	1	19	15	140	.1	13	2.24	8	2	1	3
L2ON 2+00E	1	13	13	128	.2	7	1.56	5	2	1	1
L2ON 3+00E	1	22	25	117	.1	8	1.26	13	2	1	1
L2ON 4+00E	1	15	9	88	.1	7	1.47	5	2	1	5
L2ON 5+00E	1	32	13	67	.1	12	2.02	2	2	1	3
L2ON 6+00E	1	79	13	63	.1	11	2.90	4	2	1	3
L2ON 7+00E	1	14	6	65	.1	4	1.50	6	2	1	1
L2ON 8+00E	1	19	7	79	.1	5	1.61	18	2	1	2
L2ON 9+00E	1	33	15	109	.2	4	1.57	15	2	1	4
L2ON 10+00E	1	34	7	61	.1	6	2.61	10	2	1	2
L2ON 11+00E	1	26	10	65	.1	7	1.81	12	2	1	1
L2ON 12+00E	1	23	6	100	.1	11	1.51	16	2	1	1
L2ON 13+00E	1	32	4	32	.1	7	1.46	9	2	2	1
L2ON 15+00E	1	13	7	23	.1	4	1.76	2	2	1	1
L2ON 16+00E	1	11	5	36	.1	4	1.19	2	2	2	2
L2ON 17+00E	1	20	6	49	.1	6	1.65	2	2	1	1
L2ON 54+00E	1	23	9	59	.2	155	1.60	22	2	1	1
L2ON 55+00E	1	27	8	60	.1	33	1.81	15	2	1	2
L2ON 56+00E	1	36	10	66	.3	30	1.95	23	2	2	3
L2ON 57+00E	1	118	14	87	.1	36	2.41	42	2	1	8
L2ON 58+00E	1	39	12	62	.1	478	1.86	44	2	1	5
L2ON 59+00E	1	52	10	67	.3	185	1.84	40	2	1	29
STD C/AU-S	17	62	40	132	7.1	72	3.97	38	17	11	49

CORONA CORPORATION FILE # 89-1450

Page 10

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L18N 62+00W	1	16	9	66	.1	9	1.97	4	2	1	1
L18N 61+00W	1	11	7	64	.1	7	2.17	2	2	1	1
L18N 60+00W	1	13	13	63	.1	7	2.53	2	2	1	1
L18N 59+00W	1	11	8	55	.1	8	2.13	2	2	1	2
L18N 58+00W	1	12	11	55	.1	8	1.87	2	2	1	1
L18N 57+00W	1	21	13	133	.1	5	2.05	13	2	1	1
L18N 56+00W	1	15	14	87	.1	13	2.21	2	2	1	3
L18N 55+00W	1	19	14	65	.1	10	1.95	6	2	1	1
L18N 54+00W	1	14	10	81	.1	10	2.27	2	2	1	6
L18N 53+00W	1	21	11	77	.1	11	2.03	2	2	1	1
L18N 52+00W	1	17	12	122	.1	10	2.33	5	2	1	1
L18N 51+00W	1	13	8	68	.1	9	2.15	2	2	1	1
L18N 50+00W	1	14	9	73	.1	8	1.70	2	2	1	1
L18N 49+00W	1	17	7	102	.1	8	1.85	2	2	1	3
L18N 48+00W	1	13	8	57	.1	12	2.03	2	2	1	3
L18N 47+00W	1	23	15	90	.1	17	2.24	3	2	1	6
L18N 46+00W	1	19	11	66	.1	13	2.45	2	2	1	1
L18N 45+00W	1	18	14	70	.1	15	2.52	5	2	1	1
L18N 44+00W	1	57	15	160	.2	32	3.02	12	2	1	4
L18N 43+00W	1	34	13	95	.1	28	2.94	5	2	1	2
L18N 42+00W	1	64	16	106	.1	29	3.15	14	2	1	1
L18N 41+00W	1	30	17	126	.1	26	2.71	8	2	1	1
L18N 40+00W	1	47	6	153	.1	18	1.96	8	2	1	13
L18N 39+00W	1	27	12	98	.1	22	2.58	9	2	1	3
L18N 38+00W	1	23	11	74	.1	15	2.10	3	2	1	3
L18N 37+00W	1	27	11	91	.1	21	2.06	9	2	1	2
L18N 13+00W	1	21	5	49	.2	9	1.81	7	2	1	1
L18N 12+00W	1	23	9	73	.2	10	1.98	7	3	1	1
L18N 11+00W	1	19	8	44	.1	10	1.81	4	2	1	1
L18N 10+00W	1	19	5	64	.1	10	1.81	6	2	1	1
L18N 9+00W	1	19	5	57	.1	8	1.66	6	2	1	1
L18N 8+00W	1	16	5	54	.1	9	1.37	6	2	1	3
L18N 7+00W	1	24	8	59	.1	10	1.99	12	2	1	1
L18N 6+00W	1	26	3	89	.1	18	1.89	7	2	1	1
L18N 5+00W	1	29	11	115	.1	21	2.21	8	2	1	1
L18N 4+00W	1	47	25	306	.4	21	3.20	18	3	1	1
STD C/AU-S	18	62	37	132	7.1	73	4.03	35	14	11	52

CORONA CORPORATION FILE # 89-1450

Page 11

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L18N 3+00W	1	102	219	804	1.4	78	3.90	14	3	1	7
L18N 2+00W	1	44	28	145	.2	21	1.93	9	2	1	1
L18N 1+00W	1	24	32	206	.6	13	2.39	11	3	1	4
L18N 0+00	1	21	21	69	.1	5	1.35	15	2	1	1
L18N 1+00E	1	21	14	87	.2	9	1.94	12	2	1	2
L18N 2+00E	1	17	13	86	.3	11	2.28	12	2	1	1
L18N 3+00E	1	18	8	66	.3	11	1.93	11	2	1	1
L18N 4+00E	1	17	12	104	.1	12	1.97	7	2	1	1
L18N 5+00E	1	26	12	58	.2	9	2.10	4	2	1	1
L18N 6+00E	1	30	11	47	.2	11	2.74	6	2	2	1
L18N 7+00E	1	29	10	69	.1	9	2.13	5	2	1	1
L18N 8+00E	1	18	11	68	.1	10	1.99	6	2	1	1
L18N 9+00E	1	45	5	46	.1	4	1.34	2	2	1	15
L18N 10+00E	1	25	10	52	.1	6	2.38	9	2	1	1
L18N 11+00E	1	18	13	98	.1	5	1.41	12	2	1	1
L18N 12+00E	1	27	12	130	.1	10	1.79	15	2	1	1
L18N 13+00E	1	18	12	63	.1	9	1.74	3	2	1	1
L18N 14+00E	1	17	5	51	.1	3	1.03	23	2	1	1
L18N 15+00E	1	22	14	69	.1	4	1.69	13	2	1	3
L18N 16+00E	1	36	11	62	.1	5	1.83	9	2	1	2
L18N 17+00E	1	15	5	34	.1	1	.86	9	2	1	1
L18N 18+00E	1	23	8	58	.1	6	1.71	5	2	1	2
L18N 52+00E	1	47	15	80	.1	27	1.66	32	2	1	3
L18N 53+00E	1	38	27	135	.3	66	2.30	18	2	1	11
L18N 54+00E	1	22	10	45	.1	25	2.09	4	2	1	2
L18N 55+00E	1	44	19	99	.4	54	2.43	4	2	1	1
L18N 56+00E	1	52	16	94	.4	75	2.31	9	2	1	2
L18N 57+00E	1	133	15	210	.2	265	3.47	9	3	1	4
L18N 58+00E	1	121	12	115	.2	244	4.56	14	2	1	1
L18N 59+00E	1	83	258	781	1.2	116	2.44	56	2	1	2
L18N 60+00E	1	79	21	245	.1	686	1.66	14	2	1	1
L18N 61+00E	1	52	21	140	.1	280	2.23	5	2	1	2
L16N 62+00W	1	17	15	69	.3	11	2.50	6	2	1	1
L16N 61+00W	1	13	9	71	.1	7	2.14	2	2	1	1
L16N 60+00W	1	13	13	83	.2	7	2.15	2	3	1	1
L16N 59+00W	1	23	12	84	.1	8	3.27	3	2	1	1
STD C/AU-S	17	62	42	132	7.1	73	4.00	37	14	11	49

CORONA CORPORATION FILE # 89-1450

Page 12

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L16N 58+00W	1	17	12	96	.1	7	2.34	2	2	1	6
L16N 57+00W	1	22	14	118	.2	17	2.60	9	2	1	4
L16N 56+00W	1	57	18	135	.1	23	2.63	18	2	1	5
L16N 55+00W	1	21	17	117	.2	15	2.51	10	2	2	6
L16N 54+00W	1	23	12	143	.3	21	2.87	11	2	1	13
L16N 53+00W	1	19	14	154	.1	14	2.32	15	2	1	2
L16N 52+00W	1	14	21	278	.3	10	2.25	8	2	1	5
L16N 50+00W	1	14	11	94	.2	9	1.71	6	2	1	1
L16N 49+00W	1	15	12	64	.2	10	2.03	3	2	1	1
L16N 48+00W	1	22	10	56	.2	10	2.02	6	2	1	5
L16N 47+00W	1	14	9	58	.1	9	1.82	4	2	1	3
L16N 46+00W	1	12	12	69	.1	10	2.16	3	2	1	3
L16N 45+00W	1	15	11	86	.1	11	2.51	5	2	1	3
L16N 43+00W	1	31	14	133	.2	26	2.59	12	2	1	6
L16N 42+00W	1	32	9	112	.2	18	1.80	10	2	1	5
L16N 41+00W	1	31	13	141	.2	25	2.35	12	2	1	4
L16N 40+00W	1	26	11	111	.3	22	2.59	7	2	1	4
L16N 39+00W	1	32	11	115	.2	21	2.46	9	2	1	4
L16N 38+00W	1	17	7	68	.1	11	1.57	4	2	1	3
L16N 37+00W	1	18	10	56	.1	10	1.42	3	2	1	2
L16N 8+00W	1	15	8	79	.1	8	1.46	8	2	1	1
L16N 7+00W	1	18	10	60	.2	14	2.16	9	2	1	1
L16N 6+00W	1	27	24	179	.2	21	2.22	16	2	1	1
L16N 5+00W	1	49	7	136	.1	50	3.03	14	2	1	3
L16N 4+00W	1	54	16	118	.1	35	3.30	23	2	1	10
L16N 3+00W	1	27	20	128	.1	18	2.25	10	2	1	5
L16N 2+00W	1	22	13	119	.1	15	2.12	9	2	1	3
L16N 1+00W	1	49	22	202	.2	34	2.60	10	2	1	2
L16N 0+00	1	30	23	132	.1	19	2.61	17	2	1	2
L16N 1+00E	1	22	31	82	.1	7	1.33	12	2	1	3
L16N 2+00E	1	35	32	124	.2	12	2.32	11	2	1	6
L16N 3+00E	1	22	11	97	.1	10	1.69	16	2	1	5
L16N 4+00E	1	36	14	100	.1	19	2.10	12	2	1	1
L16N 5+00E	1	17	8	80	.1	9	1.29	16	2	1	1
L16N 6+00E	1	31	31	213	.3	33	2.15	6	2	1	2
L16N 7+00E	1	17	11	74	.2	11	1.91	8	2	1	1
STD C/AU-S	18	62	37	132	6.7	73	4.10	41	15	12	49

CORONA CORPORATION FILE # 89-1450

Page 13

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L16N 8+00E	1	9	18	149	.2	12	2.51	8	5	2	1
L16N 9+00E	1	13	10	80	.1	5	2.11	5	2	1	1
L16N 10+00E	1	13	9	93	.1	6	2.02	7	2	1	1
L16N 11+00E	1	15	12	77	.1	8	2.04	7	2	1	1
L16N 12+00E	1	24	13	80	.1	12	1.91	7	2	1	1
L16N 13+00E	1	19	8	59	.2	8	1.54	6	2	1	1
L16N 14+00E	1	34	6	54	.1	3	1.01	10	2	1	1
L16N 15+00E	1	16	9	67	.1	6	1.63	7	2	1	1
L16N 16+00E	1	20	12	57	.1	6	1.87	9	2	1	6
L16N 17+00E	1	21	10	50	.1	7	2.04	4	2	1	1
L16N 18+00E	1	25	9	57	.1	8	1.92	4	2	1	1
L16N 19+00E	1	24	9	56	.2	7	1.83	7	2	1	2
L16N 49+00E	1	31	10	75	.2	41	2.17	22	2	1	1
L16N 50+00E	1	30	6	49	.1	24	1.52	20	2	1	1
L16N 51+00E	1	30	9	64	.2	58	1.69	19	2	1	11
L16N 52+00E	1	45	176	405	.9	37	2.59	15	2	1	2
L16N 53+00E	1	50	21	97	.1	71	1.78	25	2	1	6
L16N 54+00E	1	31	19	103	.1	39	1.54	18	2	1	1
L16N 55+00E	1	36	14	74	.2	57	2.33	8	2	1	7
L16N 56+00E	1	85	17	66	.1	28	1.68	44	2	1	53
L16N 57+00E	1	64	12	81	.1	91	2.67	32	2	1	7
L16N 58+00E	1	148	19	104	.3	96	3.33	56	2	1	11
L16N 59+00E	1	86	43	394	.7	255	3.41	21	3	1	3
L16N 60+00E	1	71	73	343	.9	58	1.99	39	2	1	7
L16N 61+00E	1	34	15	81	.1	32	1.62	40	2	1	5
L16N 62+00E	1	27	35	169	.1	78	1.64	27	2	1	1
L16N 63+00E	1	56	14	86	.1	32	1.58	31	2	1	2
L16N 64+00E	1	55	12	80	.1	67	1.54	51	2	1	5
L14N 62+00W	1	16	16	140	.1	13	2.12	9	2	1	1
L14N 61+00W	1	10	11	75	.1	7	1.98	3	2	1	1
L14N 60+00W	1	20	15	79	.1	7	2.41	4	2	1	1
L14N 59+00W	1	28	15	136	.1	14	3.02	19	2	1	2
L14N 58+00W	1	13	11	97	.1	10	3.03	6	2	1	4
L14N 57+00W	1	25	8	86	.2	16	2.07	10	2	1	2
L14N 56+00W	1	64	17	113	.2	25	2.27	24	2	1	6
L14N 55+00W	1	21	15	84	.1	11	2.45	9	2	2	4
STD C/AU-S	18	62	39	132	6.8	73	4.00	42	15	12	49

CORONA CORPORATION FILE # 89-1450

Page 14

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L14N 54+00W	1	13	12	103	.1	10	2.27	4	2	1	1
L14N 53+00W	1	14	17	134	.1	11	2.05	3	2	1	3
L14N 52+00W	1	20	31	290	.2	11	2.02	12	2	1	2
L14N 51+00W	1	34	34	277	.1	18	2.26	22	2	1	2
L14N 50+00W	1	20	17	198	.1	13	2.06	10	2	1	1
L14N 49+00W	1	19	12	87	.1	9	1.81	3	2	1	1
L14N 48+00W	1	14	12	68	.1	10	2.06	7	2	1	2
L14N 47+00W	1	18	10	72	.1	12	2.04	6	2	1	1
L14N 46+00W	1	21	10	92	.2	14	1.91	5	2	1	1
L14N 45+00W	1	17	11	77	.1	14	2.09	3	2	1	3
L14N 44+00W	1	17	12	110	.2	15	2.00	9	2	1	4
L14N 43+00W	1	26	14	129	.1	21	2.19	5	2	1	1
L14N 42+00W	1	26	10	139	.1	25	2.53	11	2	1	1
L14N 41+00W	1	27	9	115	.2	16	2.07	9	2	1	7
L14N 40+00W	1	27	12	114	.1	22	2.49	10	2	1	2
L14N 39+00W	1	28	12	110	.2	19	2.15	12	2	1	2
L14N 38+00W	1	29	13	92	.1	20	1.98	4	2	1	3
L14N 7+00W	1	41	18	114	.1	26	2.63	30	2	1	15
L14N 6+00W	1	23	15	127	.2	19	2.04	17	2	1	7
L14N 5+00W	1	23	32	292	.2	17	1.87	20	3	1	1
L14N 4+00W	1	44	17	252	.1	19	2.00	9	2	1	4
L14N 3+00W	1	20	8	98	.1	12	1.69	5	2	1	1
L14N 2+00W	1	17	6	95	.1	12	1.62	4	2	1	1
L14N 1+00W	1	33	9	90	.1	24	2.34	5	2	1	2
L14N 0+00	1	54	11	119	.1	31	2.60	10	2	1	2
L14N 1+00E	1	31	24	106	.1	18	2.63	17	2	1	1
L14N 2+00E	1	20	17	88	.1	28	2.33	13	2	1	2
L14N 3+00E	1	14	9	34	.1	10	1.79	7	2	1	4
L14N 4+00E	1	28	9	67	.1	17	2.02	13	2	1	2
L14N 5+00E	1	23	8	77	.1	16	1.80	8	2	1	1
L14N 6+00E	1	54	24	149	.1	22	1.94	13	2	1	4
L14N 7+00E	1	12	10	41	.1	7	1.68	4	2	1	1
L14N 8+00E	1	12	5	52	.1	8	1.57	7	2	1	3
L14N 9+00E	1	34	9	74	.2	10	1.51	2	2	1	3
L14N 10+00E	1	21	6	88	.1	13	1.76	11	2	1	1
L14N 11+00E	1	14	8	85	.1	13	1.98	7	2	1	1
STD C/AU-S	18	62	37	132	6.7	75	4.15	42	15	12	50

CORONA CORPORATION FILE # 89-1450

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L14N 12+00E	1	17	10	100	.1	10	1.78	8	2	1	1
L14N 13+00E	1	21	14	84	.2	7	2.24	5	2	1	1
L14N 14+00E	1	21	10	70	.1	7	1.62	7	2	1	1
L14N 15+00E	1	21	5	51	.1	7	1.79	3	2	1	1
L14N 16+00E	1	21	8	56	.1	7	1.74	2	2	1	1
L14N 17+00E	1	20	8	50	.1	6	1.68	2	2	1	1
L14N 18+00E	1	23	11	67	.1	3	1.39	12	2	1	2
L14N 19+00E	1	20	11	47	.1	5	1.53	6	2	1	1
L14N 20+00E	1	20	9	35	.1	6	1.42	8	2	1	2
L14N 30+00E	1	18	9	68	.2	6	1.99	4	2	1	1
L14N 31+00E	1	29	9	79	.1	6	1.62	14	2	1	8
L14N 32+00E	1	16	10	89	.1	5	1.44	6	2	1	1
L14N 33+00E	1	18	15	94	.1	5	1.53	4	2	1	1
L14N 34+00E	1	23	16	106	.1	6	1.84	12	2	1	2
L14N 35+00E	1	15	9	62	.1	5	1.84	11	2	1	2
L14N 36+00E	1	22	11	76	.2	6	1.69	10	2	1	2
L14N 37+00E	1	25	11	53	.1	6	1.54	20	2	1	2
L14N 38+00E	1	17	10	57	.2	8	1.40	5	2	1	1
L14N 39+00E	1	21	11	59	.2	11	1.94	2	2	1	1
L14N 40+00E	1	23	14	91	.2	36	1.95	10	2	1	3
L14N 41+00E	1	19	12	84	.1	16	1.43	3	2	1	2
L14N 42+00E	1	28	7	138	.2	39	1.62	13	2	1	1
L14N 43+00E	1	32	10	83	.1	28	1.63	15	2	1	1
L14N 44+00E	1	44	9	110	.2	50	2.33	10	2	1	4
L14N 45+00E	1	47	14	78	.1	7	1.14	33	2	1	10
L14N 46+00E	1	45	11	92	.1	14	1.61	36	2	1	4
L14N 47+00E	1	30	13	71	.1	18	1.78	15	2	1	3
L14N 48+00E	1	44	10	76	.1	34	1.96	30	2	1	3
L14N 49+00E	1	53	15	83	.2	26	1.74	29	2	2	4
L14N 50+00E	1	89	19	58	.2	6	.96	77	2	1	8
L14N 51+00E	1	36	10	118	.2	34	1.47	72	2	1	2
L14N 52+00E	1	35	19	110	.1	59	2.22	26	2	1	1
L14N 53+00E	1	44	15	82	.1	18	1.67	21	2	1	4
L14N 54+00E	1	53	14	91	.1	12	1.56	27	2	1	6
L14N 55+00E	1	107	21	98	.3	39	2.28	144	2	1	11
L14N 56+00E	1	42	112	358	.1	158	1.60	98	2	1	1
STD C/AU-S	18	62	38	132	7.1	72	4.06	36	16	11	49

CORONA CORPORATION FILE # 89-1450

Page 16

SAMPLE #	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L14N 57+00E	1	75	51	235	.5	87	2.31	84	2	1	3
L14N 58+00E	1	34	165	751	.6	104	2.46	27	2	1	1
L14N 59+00E	1	57	63	243	.5	103	2.53	68	2	1	2
L14N 60+00E	1	42	19	122	.2	68	2.00	45	2	1	1
L14N 61+00E	1	203	16	166	.5	189	3.03	41	2	1	1
L14N 62+00E	2	216	12	151	.5	302	5.37	13	2	2	1
L14N 63+00E	1	58	26	151	.4	102	2.54	11	2	1	1
L14N 64+00E	1	54	10	76	.1	79	1.83	23	2	1	2
L14N 65+00E	1	36	8	52	.2	19	1.55	13	2	1	3
L14N 66+00E	1	83	12	73	.3	102	2.01	67	2	1	7
L12N 62+00W	1	39	8	101	.2	37	1.70	21	2	1	1
L12N 61+00W	1	11	7	106	.1	6	1.31	5	2	1	1
L12N 60+00W	1	10	6	60	.1	4	1.17	10	2	1	1
L12N 59+00W	1	13	8	97	.2	8	1.52	8	2	1	1
L12N 58+00W	1	13	12	94	.2	8	2.06	9	2	1	2
L12N 57+00W	1	16	14	124	.2	12	1.90	7	2	1	4
L12N 56+00W	1	10	12	82	.1	6	1.97	3	2	1	1
L12N 55+00W	1	10	11	78	.1	6	2.35	4	2	1	1
L12N 54+00W	1	12	12	83	.1	9	2.61	5	2	1	1
L12N 53+00W	1	17	10	112	.2	8	2.06	3	2	1	1
L12N 52+00W	1	68	97	723	.3	15	3.30	11	2	1	5
L12N 51+00W	1	42	50	490	.4	15	2.79	10	2	1	31
L12N 50+00W	1	64	25	204	.2	15	2.81	29	2	1	69
L12N 49+00W	1	18	11	95	.3	10	2.12	8	2	2	1
L12N 48+00W	1	17	10	94	.2	9	1.83	5	2	1	1
L12N 47+00W	1	19	10	97	.2	10	1.81	8	2	1	1
L12N 46+00W	1	39	13	66	.2	12	2.52	5	2	1	1
L12N 45+00W	1	25	17	154	.4	20	2.40	11	2	2	12
L12N 44+00W	1	32	11	134	.2	24	2.50	5	2	1	3
L12N 43+00W	1	24	10	102	.3	19	2.29	8	2	2	1
L12N 42+00W	1	32	12	104	.3	18	2.46	8	2	1	8
L12N 41+00W	1	22	9	91	.2	12	1.72	11	2	1	3
L12N 40+00W	1	28	10	112	.3	17	2.44	8	2	1	2
L12N 39+00W	1	48	13	113	.2	24	3.11	11	2	1	11
L12N 38+00W	1	30	12	92	.3	20	2.90	8	2	2	1
L12N 7+00W	1	39	132	304	.7	27	2.55	81	2	1	7
STD C/AU-S	18	57	44	132	7.1	71	3.85	39	15	12	47

CORONA CORPORATION FILE # 89-1450

Page 17

SAMPLE #	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L12N 6+00W	1	26	46	188	.1	24	2.47	38	2	2	2
L12N 5+00W	1	22	17	192	.2	17	2.16	17	2	1	2
L12N 4+00W	1	22	36	325	.1	16	2.33	11	2	1	1
L12N 3+00W	1	19	17	92	.2	13	2.62	9	2	1	2
L12N 2+00W	1	14	10	69	.2	9	1.69	7	2	1	2
L12N 1+00W	1	13	11	55	.1	11	2.01	6	2	1	1
L12N 0+00	1	40	21	165	.2	19	1.97	33	2	1	3
L12N 1+00E	1	61	16	137	.2	34	2.22	35	2	1	2
L12N 2+00E	1	36	15	89	.1	27	2.28	31	2	1	2
L12N 3+00E	1	23	11	91	.1	8	1.29	20	2	1	1
L12N 4+00E	1	24	14	63	.2	14	2.24	12	2	1	1
L12N 5+00E	1	19	12	78	.2	11	2.01	9	2	1	1
L12N 6+00E	1	19	14	160	.2	31	2.41	14	2	1	2
L12N 7+00E	1	12	10	69	.1	9	1.80	6	2	1	1
L12N 8+00E	1	15	8	49	.1	6	1.64	5	2	1	2
L12N 9+00E	1	13	9	48	.1	5	1.07	18	2	1	1
L12N 10+00E	1	11	8	84	.1	9	1.62	7	2	1	1
L12N 11+00E	1	15	13	101	.1	11	2.23	7	2	1	6
L12N 12+00E	1	16	11	64	.1	11	1.96	3	2	1	2
L12N 13+00E	1	20	22	70	.2	9	1.75	23	3	1	1
L12N 14+00E	1	25	13	92	.1	11	2.17	10	2	1	1
L12N 15+00E	1	17	12	74	.1	8	1.93	14	2	1	1
L12N 16+00E	1	20	10	55	.1	8	1.88	8	2	1	1
L12N 17+00E	1	23	9	55	.1	7	1.89	5	2	1	2
L12N 18+00E	1	20	8	50	.1	7	1.77	9	2	1	1
L12N 19+00E	1	18	10	54	.1	7	1.87	4	2	2	3
L12N 20+00E	1	21	10	56	.1	7	1.96	8	2	1	2
L12N 21+00E	1	19	10	49	.1	6	1.86	4	2	1	2
L12N 22+00E	1	22	10	61	.1	7	1.89	7	2	1	4
L12N 23+00E	1	18	13	84	.1	6	1.92	2	2	1	2
L12N 24+00E	1	21	8	65	.1	6	1.83	16	2	1	4
L12N 25+00E	1	21	11	53	.1	7	1.95	10	2	1	17
L12N 26+00E	1	15	11	45	.1	6	1.92	6	2	1	2
L12N 27+00E	1	19	9	60	.1	7	1.82	11	2	1	2
L12N 28+00E	1	43	21	243	.3	7	1.57	17	2	1	3
L12N 29+00E	1	22	12	79	.1	6	1.91	8	2	1	5
STD C/AU-S	18	60	39	132	7.1	73	4.05	42	17	11	50

CORONA CORPORATION FILE # 89-1450

Page 18

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L12N 30+00E	1	35	17	79	.2	7	2.66	8	2	1	5
L12N 31+00E	1	15	12	59	.1	6	2.02	13	2	1	2
L12N 32+00E	1	23	11	64	.1	7	1.95	10	2	1	2
L12N 33+00E	1	18	10	56	.1	6	1.74	11	2	1	1
L12N 34+00E	1	22	14	104	.1	6	1.76	8	2	1	1
L12N 35+00E	1	24	14	90	.1	11	1.57	19	2	1	1
L12N 36+00E	1	22	13	115	.1	10	1.70	24	2	1	2
L12N 37+00E	1	26	12	68	.1	8	1.41	36	2	1	4
L12N 38+00E	1	29	13	102	.1	10	1.56	35	2	1	1
L12N 39+00E	1	55	21	106	.1	18	1.81	54	2	1	3
L12N 40+00E	1	22	12	85	.1	10	1.47	12	2	1	5
L12N 41+00E	1	66	17	124	.2	59	2.86	48	2	1	5
L12N 42+00E	1	42	14	136	.1	64	2.19	23	2	3	1
L12N 43+00E	1	34	14	106	.2	37	2.40	14	3	2	1
L12N 44+00E	1	36	20	124	.1	28	2.12	27	2	1	1
L12N 45+00E	1	35	12	95	.1	34	2.10	26	2	1	1
L12N 46+00E	1	30	14	82	.1	87	2.42	17	2	1	1
L12N 47+00E	1	37	10	80	.1	62	2.08	20	2	1	1
L12N 48+00E	1	36	11	64	.1	64	1.98	19	2	1	1
L12N 49+00E	1	56	12	71	.1	82	1.79	45	2	1	1
L12N 50+00E	1	67	9	82	.1	12	1.27	88	2	1	1
L12N 51+00E	1	40	12	90	.1	24	1.28	51	2	1	1
L12N 52+00E	1	29	12	125	.1	27	1.76	33	2	1	1
L12N 53+00E	1	117	36	173	.5	69	2.31	90	2	1	6
L12N 54+00E	1	49	12	82	.3	282	2.11	109	2	2	1
L12N 55+00E	1	49	18	74	.2	79	2.06	102	2	1	17
L12N 56+00E	1	37	16	62	.1	52	2.18	35	2	1	1
L12N 57+00E	1	33	31	129	.2	103	2.68	87	2	1	2
L12N 58+00E	1	40	42	151	1.0	148	2.98	57	2	1	1
L12N 59+00E	1	39	38	161	.3	53	1.83	37	3	1	1
L12N 60+00E	1	54	21	103	.2	20	1.20	70	2	1	3
L12N 61+00E	1	40	13	78	.2	42	1.61	77	4	2	1
L12N 62+00E	1	59	16	94	.1	201	2.59	29	2	1	1
L12N 63+00E	1	34	25	135	.3	109	2.19	51	2	1	1
L12N 64+00E	1	46	17	99	.2	65	2.06	26	2	2	1
L12N 65+00E	1	81	18	77	.3	10	1.61	118	2	1	7
STD C/AU-S	17	62	39	132	6.8	71	3.84	42	17	12	50

CORONA CORPORATION FILE # 89-1450

Page 19

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L12N 66+00E	1	52	31	162	.3	95	2.15	28	2	1	1
L12N 67+00E	1	31	11	62	.1	23	1.35	25	2	1	5
L12N 68+00E	1	38	12	76	.1	11	1.10	47	2	1	2
L10N 62+00W	1	11	10	57	.1	8	1.86	5	2	1	1
L10N 61+00W	1	16	9	92	.1	10	1.71	5	2	1	1
L10N 60+00W	1	15	10	74	.1	8	1.66	5	2	1	2
L10N 59+00W	1	14	10	69	.1	6	1.78	5	2	1	1
L10N 58+00W	1	21	10	102	.1	7	1.46	6	2	1	2
L10N 57+00W	1	22	11	116	.1	10	1.80	6	2	1	1
L10N 56+00W	1	21	13	74	.1	11	1.97	7	2	1	1
L10N 55+00W	1	15	12	88	.1	8	1.79	4	2	1	1
L10N 54+00W	1	16	10	85.	.1	9	1.80	9	2	1	1
L10N 53+00W	1	16	11	77	.1	11	1.90	4	2	1	1
L10N 52+00W	1	18	9	84	.1	9	1.55	5	2	1	1
L10N 51+00W	1	17	13	83	.1	9	1.55	7	2	1	1
L10N 50+00W	1	18	9	94	.1	9	1.62	7	2	1	1
L10N 49+00W	1	41	10	88	.2	10	2.00	7	2	1	18
L10N 48+00W	1	19	13	110	.1	10	1.82	13	2	1	1
L10N 46+00W	1	14	10	72	.1	8	1.40	2	2	1	1
L10N 44+00W	1	33	12	107	.2	19	2.12	11	2	1	4
L10N 43+00W	1	18	9	88	.1	13	2.02	6	2	1	3
L10N 42+00W	1	29	10	58	.1	10	1.58	7	2	1	1
L10N 41+00W	1	31	7	67	.1	10	1.56	10	2	1	1
L10N 40+00W	1	22	12	65	.2	14	2.66	5	2	1	2
L10N 39+00W	1	20	8	66	.1	8	1.51	8	2	1	1
L10N 38+00W	1	23	9	73	.1	15	2.44	7	2	1	1
L10N 37+00W	1	29	10	79	.1	22	2.80	5	2	1	1
L10N 36+00W	1	34	16	227	.1	17	2.36	6	2	1	19
L10N 35+00W	1	277	18	90	.1	12	2.07	8	2	2	37
L10N 34+00W	1	90	16	70	.1	10	1.99	6	2	2	12
L10N 33+00W	1	31	13	81	.1	10	2.00	3	2	1	1
L10N 32+00W	1	17	25	137	.1	10	2.02	6	2	1	1
L10N 8+00W	1	18	18	143	.2	13	1.98	12	2	1	1
L10N 7+00W	1	17	10	109	.1	5	1.09	9	2	1	1
L10N 6+00W	1	18	24	131	.2	16	2.13	18	2	2	1
L10N 5+00W	1	17	16	116	.1	14	2.06	16	2	1	1
L10N 4+00W	1	25	18	168	.1	23	2.67	14	2	1	1
STD C/AU-S	18	62	38	132	6.6	72	3.94	38	15	12	53

CORONA CORPORATION FILE # 89-1450

Page 20

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L10N 3+00W	1	13	15	143	.1	12	2.11	10	2	1	2
L10N 2+00W	1	23	12	96	.2	15	2.41	10	2	1	2
L10N 1+00W	1	14	10	125	.1	9	1.45	10	2	1	1
L10N 0+00	1	18	21	170	.2	17	2.00	18	2	2	3
L10N 1+00E	1	22	21	103	.1	10	1.51	19	2	1	4
L10N 2+00E	1	19	13	80	.1	16	2.19	13	2	2	3
L10N 3+00E	1	31	15	95	.2	23	2.47	13	2	2	1
L10N 4+00E	1	20	13	67	.1	19	2.20	9	2	1	1
L10N 5+00E	1	103	17	106	.1	20	2.05	10	2	2	1
L10N 6+00E	1	37	11	79	.2	13	1.92	7	2	1	1
L10N 7+00E	1	17	9	65	.1	8	1.50	8	2	1	1
L10N 8+00E	1	14	8	61	.1	7	1.60	5	2	1	1
L10N 9+00E	1	20	22	152	.2	10	2.06	9	2	1	5
L10N 10+00E	1	21	23	175	.4	9	.91	10	2	1	1
L10N 11+00E	1	16	20	289	.2	9	1.61	9	2	1	1
L10N 13+00E	1	20	24	107	.2	9	2.08	11	2	1	1
L10N 14+00E	1	12	9	87	.1	9	1.35	24	2	1	1
L10N 15+00E	1	18	9	71	.1	8	1.46	19	2	1	1
L10N 16+00E	1	19	24	104	.1	12	1.91	11	2	1	1
L10N 17+00E	1	22	23	90	.1	12	1.99	9	2	1	1
L10N 18+00E	1	15	12	73	.1	7	1.62	8	2	1	1
L10N 19+00E	1	18	10	54	.1	7	1.59	4	2	1	1
L10N 20+00E	1	20	11	63	.1	7	1.83	6	2	1	1
L10N 21+00E	1	21	11	58	.1	7	1.74	8	2	1	1
L10N 22+00E	1	27	17	78	.1	6	1.63	13	2	1	2
L10N 23+00E	1	18	7	67	.1	6	1.60	7	2	1	1
L10N 24+00E	1	19	9	76	.1	7	1.72	5	2	1	2
L10N 25+00E	1	22	9	54	.1	13	1.92	12	2	1	2
L10N 26+00E	1	20	8	52	.1	6	1.81	11	2	1	1
L10N 27+00E	1	15	6	39	.1	5	1.44	24	2	1	1
L10N 28+00E	1	23	9	45	.2	7	1.95	9	2	2	2
L10N 29+00E	1	19	10	37	.1	5	1.84	11	2	2	1
L10N 30+00E	1	29	12	45	.1	6	2.25	5	2	1	4
L10N 31+00E	1	18	15	83	.1	9	2.32	10	2	1	1
L10N 32+00E	1	21	10	87	.1	20	2.00	12	2	1	1
L10N 33+00E	1	35	11	60	.1	8	1.35	13	2	1	1
STD C/AU-S	18	61	38	132	6.6	72	4.01	42	15	11	49

CORONA CORPORATION FILE # 89-1450

Page 21

SAMPLE #	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L10N 34+00E	1	23	13	67	.1	5	1.86	13	2	1	1
L10N 35+00E	1	26	10	59	.1	3	1.76	18	2	1	2
L10N 36+00E	1	25	12	71	.1	6	1.81	20	2	1	1
L10N 37+00E	1	25	14	84	.1	25	2.18	19	2	1	1
L10N 38+00E	1	21	11	81	.1	34	2.05	8	2	1	1
L10N 39+00E	1	40	12	102	.2	71	2.68	17	2	1	5
L10N 40+00E	1	24	11	96	.1	38	2.35	13	2	1	1
L10N 41+00E	1	36	10	104	.1	43	2.56	21	2	2	1
L10N 42+00E	1	73	18	236	.1	119	3.71	56	2	1	2
L10N 43+00E	1	27	16	118	.1	25	1.92	22	2	1	62
L10N 44+00E	1	35	17	147	.2	32	2.59	11	2	1	1
L10N 45+00E	1	48	12	109	.1	24	1.83	53	2	1	4
L10N 46+00E	1	35	11	75	.1	44	2.39	22	2	1	2
L10N 47+00E	1	38	10	83	.1	24	1.65	29	2	1	4
L10N 48+00E	1	24	13	79	.1	54	2.49	6	2	1	1
L10N 49+00E	1	41	17	83	.1	52	2.50	25	2	1	5
L10N 51+00E	1	44	14	81	.2	35	1.69	45	2	1	4
L10N 52+00E	1	60	13	72	.1	43	1.47	70	2	1	5
L10N 53+00E	1	29	12	59	.1	80	2.59	10	2	1	2
L10N 54+00E	1	32	14	61	.1	41	2.28	30	2	1	5
L10N 55+00E	1	35	9	64	.1	34	2.21	38	2	2	9
L10N 56+00E	1	48	15	87	.1	39	2.68	39	2	1	5
L10N 57+00E	1	98	30	116	.3	78	2.99	76	2	2	17
L10N 58+00E	1	40	29	98	.2	51	2.76	21	2	1	4
L10N 59+00E	1	48	24	99	.1	56	2.97	12	2	1	1
L10N 60+00E	1	55	22	113	.2	106	2.69	54	2	1	2
L10N 61+00E	1	29	12	89	.1	74	2.88	30	2	1	4
L10N 62+00E	1	47	16	83	.1	62	2.47	41	2	1	2
L10N 63+00E	1	106	16	76	.1	48	2.13	44	2	1	4
L10N 64+00E	1	39	9	68	.2	128	2.26	25	2	1	1
L10N 65+00E	1	66	15	71	.2	101	2.29	33	2	2	9
L10N 66+00E	1	126	17	97	.3	29	2.68	66	2	2	29
L8N 62+00W	1	22	12	105	.1	13	1.77	9	2	1	1
L8N 61+00W	1	17	13	127	.1	13	2.01	6	2	1	1
L8N 60+00W	1	17	11	71	.1	11	1.91	7	2	1	1
*** ***											
L8N 59+00W	1	20	12	95	.2	14	2.59	5	2	1	1
STD C/AU-S	18	61	38	132	7.2	73	3.92	41	14	12	48

CORONA CORPORATION FILE # 89-1450

Page 22

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L8N 58+00W	1	17	11	91	.3	13	2.46	5	2	1	4
L8N 57+00W	1	13	9	73	.2	11	2.43	5	2	1	4
L8N 56+00W	1	15	7	130	.2	11	1.83	4	2	1	1
L8N 55+00W	1	17	12	142	.2	13	2.24	6	2	1	1
L8N 54+00W	1	23	13	88	.2	13	2.64	6	2	1	52
L8N 53+00W	1	19	14	111	.1	12	2.15	6	2	1	2
L8N 52+00W	1	21	12	93	.3	13	2.59	5	2	2	1
L8N 51+00W	1	23	10	93	.1	14	2.57	9	2	1	1
L8N 50+00W	1	24	10	129	.1	10	2.21	6	2	1	1
L8N 49+00W	1	20	10	104	.2	12	2.36	2	2	1	1
L8N 48+00W	1	21	6	73	.2	9	1.58	7	2	1	2
L8N 47+00W	1	20	10	102	.1	12	1.91	10	2	1	3
L8N 46+00W	1	22	11	94	.2	11	1.85	5	2	1	3
L8N 45+00W	1	31	10	105	.2	12	2.01	8	2	1	3
L8N 44+00W	1	26	10	77	.3	11	2.37	6	2	1	2
L8N 43+00W	1	22	11	69	.2	10	2.37	6	2	1	3
L8N 42+00W	1	35	8	64	.3	9	2.26	6	2	1	4
L8N 41+00W	1	62	10	66	.1	11	2.18	7	2	1	20
L8N 40+00W	1	30	15	88	.1	17	2.87	8	2	1	2
L8N 39+00W	1	22	10	79	.3	14	2.51	9	2	1	2
L8N 38+00W	1	45	12	127	.1	19	3.30	14	2	1	10
L8N 37+00W	1	68	11	173	.1	22	3.03	11	2	2	49
L8N 36+00W	1	289	9	210	.1	11	1.75	11	2	1	56
L8N 35+00W	1	544	16	237	.3	15	2.90	15	2	2	87
L8N 34+00W	1	571	12	898	.5	13	2.50	24	2	1	480
L8N 33+00W	1	222	14	278	.1	14	2.71	8	2	2	27
L8N 30+00W	1	82	6	66	.2	15	2.65	6	2	1	19
L8N 29+00W	1	45	6	94	.2	12	1.81	12	2	1	3
L8N 28+00W	1	23	11	86	.2	18	2.68	7	2	1	3
L8N 27+00W	1	52	11	105	.2	20	2.57	12	2	1	4
L8N 26+00W	1	27	7	68	.1	14	2.23	14	2	1	1
L8N 25+00W	1	34	10	98	.2	14	1.90	16	2	1	3
L8N 24+00W	1	22	6	63	.2	5	2.11	9	2	1	1
L8N 23+00W	1	93	10	66	.2	27	3.45	13	2	1	10
L8N 22+00W	1	22	8	57	.3	12	3.17	4	2	1	2
L8N 21+00W	1	17	8	43	.1	11	2.34	7	2	2	4
STD C/AU-S	18	62	39	132	6.7	73	4.20	37	15	11	52

CORONA CORPORATION FILE # 89-1450

Page 23

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L8N 20+00W	1	19	8	39	.1	10	2.24	5	2	1	1
L8N 19+00W	1	15	7	37	.1	9	2.20	6	2	1	5
L8N 8+00W	1	33	20	97	.1	27	2.95	16	2	1	6
L8N 7+00W	1	80	16	182	.1	36	2.40	36	2	1	21
L8N 6+00W	1	48	18	138	.1	46	2.72	20	2	1	3
L8N 5+00W	1	28	37	315	.2	22	2.60	19	2	1	1
L8N 4+00W	1	20	12	106	.1	14	2.34	12	2	1	13
L8N 3+00W	1	15	10	114	.1	14	2.39	5	2	1	2
L8N 2+00W	1	16	6	117	.1	14	2.37	10	2	1	1
L8N 1+00W	1	26	8	126	.1	15	1.97	31	2	1	1
L8N 0+00	1	62	9	118	.2	38	2.48	27	2	1	2
L8N 1+00E	1	64	22	108	.2	36	3.50	37	2	1	61
L8N 2+00E	1	66	90	307	.3	25	2.73	38	2	1	10
L8N 3+00E	1	35	20	116	.1	23	2.37	10	2	1	4
L8N 4+00E	1	88	22	120	.2	18	2.29	32	2	1	3
L8N 5+00E	1	25	8	111	.2	16	2.26	6	2	1	2
L8N 6+00E	1	32	9	102	.1	34	4.01	2	2	1	1
L8N 7+00E	1	21	9	72	.1	11	2.11	6	2	1	1
L8N 8+00E	1	24	15	144	7.4	19	3.16	4	2	1	2
L8N 9+00E	1	13	16	242	.2	9	1.90	10	2	1	3
L8N 10+00E	2	27	31	583	.5	14	2.84	15	2	1	9
L8N 11+00E	1	35	32	779	1.0	9	1.29	12	2	1	4
L8N 12+00E	1	11	8	239	.1	4	.76	5	2	1	2
L8N 15+00E	1	28	74	335	.1	29	3.25	12	2	1	2
L8N 16+00E	1	12	51	177	.2	11	1.94	5	2	1	1
L8N 17+00E	1	14	24	108	.1	11	1.69	12	2	1	1
L8N 18+00E	1	27	35	151	.1	27	2.51	9	2	1	1
L8N 19+00E	1	27	21	193	.2	42	2.56	14	2	1	1
L8N 20+00E	1	39	22	129	.4	23	2.27	6	2	1	1
L8N 21+00E	1	233	253	723	.7	21	2.72	20	2	1	2
L8N 22+00E	1	73	54	239	.3	17	2.63	24	2	1	3
L8N 23+00E	1	24	13	66	.1	10	1.97	14	2	1	3
L8N 24+00E	1	20	10	70	.1	11	2.06	13	2	1	2
L8N 25+00E	1	21	10	66	.1	8	1.95	10	2	1	1
L8N 26+00E	1	22	7	61	.3	8	2.07	4	2	1	1
L8N 27+00E	1	21	7	37	.1	7	1.82	13	2	2	1
STD C/AU-S	18	57	39	132	7.1	73	3.98	39	15	12	50

CORONA CORPORATION FILE # 89-1450

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L8N 28+00E	1	28	4	64	.1	9	1.85	21	2	1	22
L8N 29+00E	1	21	6	64	.2	8	1.67	37	2	2	1
L8N 30+00E	1	23	10	80	.2	8	1.75	6	2	1	1
L8N 31+00E	1	25	9	64	.1	10	1.97	8	2	1	1
L8N 32+00E	1	14	11	63	.1	8	2.20	4	2	1	6
L8N 33+00E	1	14	4	57	.2	6	1.44	9	2	1	1
L8N 34+00E	1	18	11	85	.1	7	1.67	7	2	1	1
L8N 35+00E	1	17	11	94	.2	8	1.67	5	2	1	1
L8N 36+00E	1	21	6	90	.2	9	1.64	13	2	1	1
L8N 37+00E	1	21	10	100	.1	10	1.80	10	2	1	1
L8N 38+00E	1	35	11	111	.1	20	1.81	22	2	2	2
L8N 39+00E	1	51	5	152	.2	80	2.53	19	2	1	2
L8N 40+00E	1	26	9	96	.1	28	2.02	27	2	1	1
L8N 41+00E	1	46	8	106	.1	27	1.92	40	2	1	6
L8N 42+00E	1	55	9	123	.3	42	2.44	26	2	2	1
L8N 43+00E	1	82	22	167	.2	47	2.21	54	2	1	6
L8N 44+00E	1	51	5	161	.1	68	2.34	92	2	1	1
L8N 45+00E	1	37	7	128	.1	34	2.16	46	2	1	4
L8N 46+00E	1	23	12	75	.1	26	2.34	7	2	1	1
L8N 47+00E	1	22	13	89	.1	29	2.09	10	2	1	1
L8N 48+00E	1	18	8	69	.1	41	2.31	6	2	3	1
L8N 49+00E	1	55	8	51	.1	11	.89	19	2	1	8
L8N 50+00E	1	39	5	86	.1	53	1.71	26	2	1	1
L8N 51+00E	1	38	7	79	.1	64	2.09	17	2	1	1
L8N 52+00E	1	28	15	83	.1	62	2.74	5	2	1	1
L8N 53+00E	1	77	14	85	.1	41	2.23	65	2	1	6
L8N 54+00E	1	39	6	63	.1	30	2.20	10	2	1	1
L8N 55+00E	1	104	17	115	.3	50	2.08	89	2	1	13
L8N 56+00E	1	44	12	73	.1	46	2.22	46	2	2	2
L8N 57+00E	1	42	14	94	.1	57	2.50	32	2	1	8
L7+80N 1+50E	1	889	199	233	13.2	.6	36.29	513	10	10	671
L6N 62+00W	1	44	20	107	.5	9	3.18	22	2	1	1
L6N 61+00W	1	19	8	96	.1	13	1.90	11	2	1	1
L6N 60+00W	1	18	6	98	.1	14	1.92	9	2	2	12
L6N 59+00W	1	25	5	101	.1	15	2.08	8	2	2	4
L6N 58+00W	1	21	9	109	.1	13	1.74	12	2	2	2
STD C/AU-S	17	61	38	132	7.1	72	4.09	38	14	12	48

CORONA CORPORATION FILE # 89-1450

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	AU* PPB
L6N 57+00W	1	17	7	100	.1	11	1.58	5	2	1	1
L6N 56+00W	1	17	6	80	.1	9	1.63	2	2	1	1
L6N 55+00W	1	13	7	45	.1	6	1.40	3	2	1	1
L6N 54+00W	1	21	13	142	.2	18	1.79	3	2	1	3
L6N 53+00W	1	26	11	82	.1	45	1.76	4	2	1	3
L6N 52+00W	1	14	10	78	.2	7	1.68	3	2	1	1
L6N 51+00W	1	15	4	61	.1	4	1.10	2	2	1	1
L6N 50+00W	1	21	8	65	.1	4	1.05	3	2	1	2
L6N 49+00W	1	17	8	76	.1	10	2.20	2	2	1	1
L6N 48+00W	1	22	12	80	.1	9	2.17	2	2	1	3
L6N 47+00W	1	17	7	81	.1	8	1.85	2	2	1	1
L6N 38+00W	1	146	12	130	.2	13	1.96	6	2	1	76
L6N 37+00W	1	132	8	363	.1	11	1.60	4	2	1	44
L6N 36+00W	1	1539	9	109	1.0	20	3.70	25	2	1	590
L6N 35+00W	1	3054	15	137	1.8	29	4.81	67	2	1	870
L6N 30+00W	1	567	8	60	.5	15	2.41	31	2	1	64
L6N 29+00W	1	46	5	51	.1	12	1.74	4	2	1	7
L6N 28+00W	1	36	8	49	.1	20	2.66	7	2	1	4
L6N 27+00W	1	21	10	50	.1	13	1.79	8	2	1	1
L6N 26+00W	1	33	8	116	.1	17	1.46	11	2	1	1
L6N 25+00W	1	26	9	89	.1	20	1.77	15	2	1	2
L6N 24+00W	1	53	6	100	.1	17	2.13	7	3	1	2
L6N 23+00W	1	42	11	98	.1	15	1.92	13	2	1	1
L6N 22+00W	1	23	11	72	.1	8	1.92	5	2	1	14
L6N 21+00W	1	10	6	66	.2	5	1.46	4	2	1	1
L6N 20+00W	1	308	9	96	.1	32	1.85	4	2	1	4
L6N 19+00W	1	83	11	84	.1	20	2.19	13	2	2	8
L6N 18+00W	1	52	11	85	.1	18	2.24	4	2	1	4
L6N 17+00W	1	36	7	87	.2	17	1.92	4	2	1	2
L6N 16+00W	1	21	10	122	.1	14	1.62	8	2	1	1
L6N 15+00W	1	43	8	91	.1	20	2.27	10	2	2	6
L6N 8+00W	1	26	19	190	.3	15	1.93	7	2	1	2
L6N 7+00W	1	60	27	248	.3	24	2.76	16	2	1	6
L6N 6+00W	1	44	33	260	.1	27	2.09	14	2	1	2
L6N 5+00W	1	20	9	125	.1	16	2.28	6	3	1	1
L6N 4+00W	1	16	14	86	.1	11	1.88	5	2	2	1
STD C/AU-S	18	61	41	132	6.7	73	4.11	42	14	12	47

CORONA CORPORATION FILE # 89-1450

Page 26

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	AU* PPB
L6N 3+00W	1	26	11	235*	.2	14	1.79	10	2	1	6
L6N 2+00W	1	22	16	375	.4	18	2.24	36	2	1	16
L6N 1+00W	1	167	9	75	.3	38	3.01	31	2	1	60
L6N 0+00	1	201	9	124	.5	38	4.37	24	2	2	30
L6N 1+00E	1	229	15	93	.6	48	4.06	34	2	1	46
L6N 2+00E	1	35	11	79	.3	19	2.11	8	2	2	20
L6N 3+00E	1	54	13	106	.2	16	2.51	9	2	1	10
L6N 5+00E	1	27	12	139	.4	22	2.21	11	2	1	1
L6N 6+00E	1	18	12	279	.1	11	1.59	8	2	1	1
L6N 7+00E	1	18	15	248	.1	7	1.83	5	2	1	1
L6N 8+00E	1	21	15	299	.2	11	2.59	7	2	1	1
L6N 9+00E	1	12	11	330	.1	7	1.17	6	2	1	1
L6N 10+00E	1	19	29	949	1.0	8	1.82	23	2	1	15
L6N 11+00E	1	24	23	526	.3	10	2.44	18	2	1	11
L6N 12+00E	1	28	24	318	.2	21	2.74	27	2	1	2
L6N 13+50E	1	63	15	461	.4	28	1.74	24	2	1	10
L6N 15+00E	1	24	6	64	.6	23	1.19	7	2	1	1
L6N 16+00E	1	24	8	106	.2	24	2.47	6	2	1	1
L6N 17+00E	1	20	2	67	.2	17	1.08	9	2	2	1
L6N 18+00E	1	22	9	107	.2	23	2.40	5	2	1	1
L6N 19+00E	1	36	17	185	.1	32	2.69	9	2	1	1
L6N 20+00E	1	35	60	220	.1	23	1.91	7	2	1	1
L6N 21+00E	1	26	14	109	.2	11	1.94	7	2	1	3
L6N 22+00E	1	20	6	70	.1	9	1.66	8	2	1	1
L6N 23+00E	1	21	3	57	.1	7	1.92	5	2	1	1
L6N 24+00E	1	26	7	65	.2	8	1.87	6	2	1	2
L6N 25+00E	1	21	7	63	.3	9	1.72	9	2	1	1
L6N 26+00E	1	22	3	54	.1	7	1.61	18	2	2	1
L6N 27+00E	1	20	5	56	.2	8	1.69	8	2	1	2
L6N 28+00E	1	26	7	64	.1	13	2.17	10	2	1	4
L6N 29+00E	1	28	5	59	.1	7	1.91	12	2	1	6
L6N 30+00E	1	25	10	60	.1	8	1.79	10	2	1	3
L6N 31+00E	1	26	9	90	.2	34	3.04	10	2	1	1
L6N 32+00E	1	20	7	51	.1	7	2.10	7	2	1	1
L6N 33+00E	1	13	7	42	.1	5	1.83	5	2	1	4
L6N 34+00E	1	13	5	44	.1	4	1.58	7	2	1	1
STD C/AU-S	17	61	41	132	6.6	71	4.07	44	14	11	51

CORONA CORPORATION FILE # 89-1450

Page 27

SAMPLE=	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L6N 35+00E	1	18	8	42	.1	4	1.41	6	2	3	3
L6N 36+00E	1	12	4	45	.1	4	1.37	8	2	2	1
L6N 37+00E	1	27	10	92	.2	22	2.11	11	2	1	1
L6N 38+00E	1	33	13	95	.1	19	2.02	18	2	1	2
L6N 39+00E	1	33	9	94	.1	29	2.04	6	2	2	1
L6N 40+00E	1	32	12	115	.1	20	2.07	20	2	1	3
L6N 41+00E	1	47	12	49	.1	11	1.24	22	2	1	3
L6N 42+00E	1	42	15	98	.1	45	1.87	18	2	1	1
L6N 43+00E	1	68	16	162	.2	68	2.43	40	2	1	3
L6N 44+00E	1	39	13	127	.1	33	2.29	16	2	1	12
L6N 45+00E	1	73	20	121	.2	19	1.66	70	2	1	41
L6N 46+00E	1	37	9	--75--	.2	42	2.20	26	2	1	1
L6N 47+00E	1	44	13	88	.1	51	2.57	21	2	1	5
L6N 48+00E	1	47	12	78	.1	61	2.32	33	2	1	3
L6N 49+00E	1	121	17	104	.4	71	2.70	88	2	1	9
L6N 50+00E	1	98	73	218	.4	39	2.23	33	2	1	10
L6N 51+00E	1	52	7	84	.1	106	3.15	41	2	1	1
L6N 52+00E	1	80	10	85	.1	90	2.69	21	2	1	1
L6N 53+00E	1	83	7	70	.1	44	2.95	23	2	1	3
L6N 54+00E	2	172	13	81	.3	32	4.81	36	2	1	13
L6N 55+00E	1	61	5	77	.1	18	2.99	87	2	1	1
L6N 56+00E	1	79	21	95	.2	97	3.48	37	2	1	10
L6N 57+00E	1	198	22	98	.5	325	3.20	72	2	1	20
L6N 58+00E	1	73	14	90	.1	62	2.21	39	2	1	6
L6N 59+00E	1	75	25	108	.1	65	2.76	45	2	1	10
L6N 60+00E	1	74	17	86	.1	64	2.70	32	2	1	4
L6N 61+00E	1	88	25	120	.1	45	2.84	65	2	2	10
L6N 62+00E	1	37	11	62	.1	92	2.32	10	2	3	1
L4N 62+00W	1	18	10	74	.1	15	1.93	3	2	1	3
L4N 61+00W	1	51	2	101	.1	40	2.51	6	2	1	11
L4N 60+00W	1	34	7	75	.1	28	2.19	6	2	1	18
L4N 59+00W	1	23	3	103	.1	12	2.04	5	2	1	1
L4N 58+00W	1	20	5	94	.1	12	2.39	4	2	1	1
L4N 57+00W	1	13	5	77	.1	8	2.12	2	2	1	1
L4N 56+00W	1	16	8	129	.1	11	1.68	5	2	1	2
L4N 55+00W	1	17	5	87	.1	12	1.66	4	2	1	1
STD C/AU-S	17	60	38	132	7.1	74	4.05	39	18	12	52

CORONA CORPORATION FILE # 89-1450

Page 28

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L4N 54+00W	1	11	5	82	.2	6	1.34	4	2	1	2
L4N 53+00W	1	11	6	85	.2	8	1.95	2	2	1	2
L4N 52+00W	1	19	9	124	.1	6	1.56	4	2	1	12
L4N 51+00W	1	15	10	136	.1	6	1.40	6	2	1	3
L4N 30+00W	1	1122	11	53	.6	17	3.46	10	2	1	91
L4N 29+00W	1	672	5	71	.3	12	2.35	16	2	3	29
L4N 25+00W	1	86	10	85	.2	14	2.11	10	2	1	6
L4N 24+00W	1	38	4	52	.1	12	1.57	6	2	1	1
L4N 23+00W	1	26	6	63	.2	9	1.97	7	2	1	6
L4N 22+00W	1	18	5	74	.1	7	1.49	5	2	1	3
L4N 21+00W	1	32	12	76	.1	9	1.60	13	2	1	3
L4N 20+00W	1	21	7	75	.1	11	1.61	10	2	1	1
L4N 19+00W	1	24	8	75	.1	11	1.89	9	2	1	2
L4N 18+00W	1	24	12	83	.1	11	1.99	8	2	1	1
L4N 17+00W	1	21	8	62	.2	11	1.89	6	2	1	4
L4N 16+00W	1	20	8	105	.1	13	2.04	11	2	1	3
L4N 15+00W	1	20	12	114	.1	11	1.70	11	2	1	1
L4N 9+00W	1	18	8	96	.2	11	1.96	7	2	1	1
L4N 8+00W	1	20	15	119	.1	13	2.14	8	2	1	2
L4N 7+00W	1	35	21	180	.2	18	2.17	11	2	1	2
L4N 6+00W	1	17	9	97	.2	11	1.91	7	2	1	1
L4N 5+00W	1	16	11	130	.2	13	2.01	4	2	1	1
L4N 4+00W	1	136	22	260--	.3	20	2.03	29	2	1	1
L4N 3+00W	1	18	13	112	.2	11	2.03	7	2	1	1
L4N 2+00W	1	102	11	85	.3	24	2.14	5	2	1	1
L4N 1+00W	1	104	7	81	.1	35	3.68	7	2	1	3
L4N 0+00	1	76	8	75	.1	29	2.88	7	2	1	2
L4N 1+00E	1	158	20	78	.2	33	3.15	11	2	1	17
L4N 2+00E	1	159	11	82	.1	39	2.92	9	2	1	4
L4N 3+00E	1	93	18	88	.1	28	3.01	12	2	1	4
L4N 4+00E	1	108	39	184	.4	25	3.81	15	2	1	62
L4N 5+00E	1	138	40	170	.6	26	2.67	10	2	1	81
L4N 6+00E	1	27	82	1044	.2	7	1.50	14	2	1	11
L4N 7+00E	1	42	89	652	.5	14	2.72	10	2	1	16
L4N 8+00E	2	34	46	712	.3	14	2.87	18	2	1	41
L4N 9+00E	1	41	24	767	.3	11	1.65	20	2	1	1
STD C/AU-S	17	61	39	132	7.2	73	4.19	39	14	12	49

CORONA CORPORATION FILE # 89-1450

Page 29

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	AU* PPB
L4N 10+00E	1	42	21	308	.2	17	2.65	2	2	1	8
L4N 11+00E	1	81	19	204	.1	38	3.59	28	2	1	49
L4N 13+00E	1	51	45	235	.3	20	1.70	17	2	1	11
L4N 14+00E	1	493	284	1185	3.9	96	6.19	88	3	1	64
L4N 15+00E	1	91	16	191	1.2	66	5.66	18	4	1	13
L4N 16+00E	1	49	44	206	1.3	33	2.43	13	2	2	6
L4N 17+00E	1	47	23	130	.3	29	2.66	7	2	1	4
L4N 18+00E	1	60	15	105	.1	47	1.71	25	2	1	14
L4N 19+00E	1	28	12	114	.1	13	1.89	9	2	1	63
L4N 20+00E	1	40	12	116	.2	26	2.58	26	2	1	2
L4N 21+00E	1	26	13	73	.1	7	1.93	9	2	1	1
L4N 22+00E	1	19	8	68	.1	7	1.69	2	2	1	1
L4N 23+00E	1	26	12	72	.1	8	2.11	3	2	1	1
L4N 24+00E	1	42	7	66	.1	18	2.91	10	2	1	1
L4N 25+00E	1	24	16	128	.1	34	2.73	51	2	1	1
L4N 26+00E	1	24	11	68	.1	11	2.24	6	2	1	1
L4N 27+00E	1	23	11	69	.1	26	2.62	3	2	2	1
L4N 28+00E	1	25	13	66	.1	15	2.31	7	2	1	1
L4N 29+00E	1	22	6	68	.1	10	2.03	5	2	1	1
L4N 30+00E	1	24	10	73	.1	18	2.24	11	2	2	1
L4N 31+00E	1	25	13	78	.1	18	2.47	22	2	1	1
L4N 32+00E	1	15	7	62	.1	7	2.17	2	2	1	13
L4N 33+00E	1	19	11	88	.1	9	2.13	8	2	1	14
L4N 34+00E	1	17	11	76	.1	8	1.80	7	2	1	1
L4N 35+00E	1	20	13	94	.1	10	1.80	9	2	1	1
L4N 36+00E	1	22	19	130	.1	10	2.01	9	2	1	1
L4N 37+00E	1	25	12	84	.1	7	1.65	25	2	1	1
L4N 38+00E	1	18	8	66	.1	9	2.02	5	2	1	1
L4N 39+00E	1	34	18	156	.1	28	2.37	23	2	2	1
L4N 40+00E	1	31	16	126	.2	30	2.26	12	2	1	2
L4N 41+00E	1	11	6	47	.2	9	1.79	3	2	1	1
L4N 42+00E	1	35	9	85	.1	10	1.47	35	2	1	2
L4N 54+00E	1	101	17	94	.3	27	2.06	49	2	1	8
L4N 55+00E	1	62	15	..79**	.1	34	2.21	31	2	1	10
L4N 56+00E	1	83	21	81	.3	40	2.95	50	2	1	5
L4N 57+00E	1	69	19	93	.1	44	2.35	25	2	1	10
STD C/AU-S	18	59	44	132	7.1	70	4.08	41	15	12	51

CORONA CORPORATION FILE # 89-1450

Page 30

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L4N 58+00E	1	63	26	92	.2	65	2.56	25	2	1	6
L4N 59+00E	1	74	26	106	.5	67	2.36	37	3	1	4
L4N 60+00E	1	152	27	121	.5	120	4.10	58	3	1	43
L4N 61+00E	1	101	19	68	.3	102	2.77	95	3	1	32
L3+50N 26+00W	1	94	7	86	.2	16	2.15	18	3	1	22
L3+00N 28+00W	1	61	4	73	.2	16	1.86	7	2	1	27
L3+00N 27+00W	1	106	12	81	.1	13	1.60	11	2	1	6
L2N 62+00W	1	15	15	58	.1	6	1.54	9	2	1	1
L2N 61+00W	1	43	10	58	.3	16	2.26	9	2	1	3
L2N 60+00W	1	46	7	70	.3	23	2.31	8	2	1	14
L2N 59+00W	1	34	7	84	.2	18	1.46	9	2	1	9
L2N 58+00W	1	44	9	79	.3	19	2.19	5	2	1	17
L2N 57+00W	1	181	7	95	.4	43	4.64	15	2	1	87
L2N 56+00W	1	45	15	82	.1	19	1.59	4	2	1	4
L2N 55+00W	1	14	7	66	.1	8	1.53	3	2	1	4
L2N 54+00W	1	15	10	104	.2	12	1.79	4	2	1	4
L2N 53+00W	1	56	8	79	.1	14	1.76	7	2	1	1
L2N 52+00W	1	20	5	75	.1	8	1.39	7	2	1	1
L2N 51+00W	1	16	6	74	.1	8	1.30	9	2	1	3
L2N 50+00W	1	18	11	90	.3	11	1.53	5	2	1	1
L2N 49+00W	1	19	10	88	.1	8	1.40	6	2	1	1
L2N 48+00W	1	32	9	112	.1	11	1.68	9	2	1	2
L2N 47+00W	1	28	7	106	.2	13	1.64	7	2	1	1
L2N 30+00W	1	191	10	67	.1	16	2.34	12	2	1	4
L2N 29+00W	1	104	9	98	.1	21	2.50	15	2	1	13
L2N 28+00W	1	164	14	86	.3	13	2.24	9	2	1	15
L2N 27+00W	1	123	9	101	.2	18	2.98	13	2	1	11
L2N 26+00W	1	30	9	64	.2	11	2.26	6	2	1	3
L2N 25+00W	1	104	11	82	.1	15	2.05	11	2	1	8
L2N 24+00W	1	65	8	104	.1	12	1.95	11	2	1	4
L2N 23+00W	1	38	11	78	.1	13	2.26	7	2	1	2
L2N 22+00W	1	23	9	58	.1	9	1.63	7	2	1	2
L2N 21+00W	1	18	10	54	.1	8	1.49	7	2	1	1
L2N 20+00W	1	21	7	74	.2	8	1.58	13	2	2	1
L2N 19+00W	1	19	8	96	.1	10	1.85	6	2	1	1
L2N 18+00W	1	20	8	74	.1	9	1.92	8	2	1	1
STD C/AU-S	18	59	39	132	7.2	69	3.97	42	14	12	51

CORONA CORPORATION FILE # 89-1450

Page 31

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2N 17+00W	1	17	7	74	.1	11	1.65	11	2	1	4
L2N 16+00W	1	40	15	136	.3	16	2.08	9	2	1	8
L2N 15+00W	1	18	7	86	.3	10	1.42	12	2	1	1
L2N 14+00W	1	24	9	95	.1	12	1.85	7	2	1	2
L2N 13+00W	1	19	5	91	.1	12	1.56	10	2	1	2
L2N 12+00W	1	26	12	118	.1	15	2.12	6	2	1	2
L2N 11+00W	1	17	8	92	.1	10	1.71	8	2	1	1
L2N 10+00W	1	20	4	91	.2	11	1.73	11	2	1	1
L2N 9+00W	1	20	5	72	.1	10	2.11	5	2	1	2
L2N 8+00W	1	17	7	91	.1	8	1.44	8	2	2	2
L2N 7+00W	1	18	8	101	.3	10	1.41	16	2	1	1
L2N 6+00W	1	19	11	76	.1	10	1.50	13	2	1	1
L2N 5+00W	1	20	9	89	.1	12	1.91	9	2	1	2
L2N 4+00W	1	18	5	116	.2	11	1.39	8	2	1	1
L2N 3+00W	1	18	8	60	.1	11	1.71	7	2	1	1
L2N 2+00W	1	57	9	109	.1	9	1.80	10	2	1	43
L2N 1+00W	1	92	11	56	.1	14	1.87	10	2	1	32
L2N 0+00	1	72	4	75	.2	16	1.90	14	2	1	14
L2N 12+00E	1	15	6	82	.1	8	1.49	5	2	1	1
L2N 13+00E	1	15	5	71	.1	10	2.20	5	2	1	1
L2N 14+00E	1	19	11	82	.2	14	1.98	5	2	1	1
L2N 15+00E	1	21	12	78	.1	31	2.33	6	2	1	1
L2N 16+00E	1	44	14	138	.2	28	2.37	8	2	1	6
L2N 17+00E	1	61	17	109	.2	35	3.30	18	2	1	4
L2N 18+00E	1	31	7	89	.1	12	2.38	13	3	1	1
L2N 19+00E	1	24	12	72	.1	8	2.26	5	2	1	1
L2N 20+00E	1	22	11	88	.1	10	2.01	6	2	1	1
L2N 21+00E	1	22	13	74	.1	7	1.76	5	2	1	37
L2N 22+00E	1	20	11	82	.1	8	1.75	6	2	1	11
L2N 23+00E	1	26	9	78	.1	12	1.88	16	2	1	1
L2N 24+00E	1	29	11	80	.1	11	1.90	24	2	1	4
L2N 25+00E	1	19	10	69	.1	11	2.21	15	2	1	1
L2N 26+00E	1	21	14	82	.1	14	2.36	12	2	1	7
L2N 27+00E	1	21	10	79	.2	10	1.80	35	2	1	7
L2N 28+00E	1	20	11	73	.1	11	2.11	21	2	1	1
L2N 29+00E	1	34	8	101	.1	42	2.24	27	2	1	1
STD C/AU-S	18	62	37	132	7.1	72	4.09	39	16	13	53

CORONA CORPORATION FILE # 89-1450

Page 32

SAMPLE#	MO PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
L2N 30+00E	1	23	10	89	.3	19	2.20	21	2	1	2
L2N 31+00E	1	30	8	83	.1	14	2.17	8	2	1	1
L2N 32+00E	1	23	5	62	.1	8	1.58	6	2	3	1
L2N 33+00E	1	18	7	86	.2	8	1.94	9	2	1	1
L2N 34+00E	1	24	5	83	.1	10	1.98	7	2	1	1
L2N 35+00E	1	21	11	105	.1	8	1.83	9	2	1	1
L2N 36+00E	1	22	17	141	.2	9	1.95	9	2	1	1
L2N 37+00E	1	29	20	132	.1	11	2.08	21	2	1	1
L2N 38+00E	1	32	10	107	.1	24	2.30	9	2	1	1
L2N 39+00E	1	24	11	74	.2	20	2.31	13	2	1	1
L2N 40+00E	1	39	16	117	.3	59	2.44	16	2	1	1
L2N 41+00E	1	25	26	130	.6	31	2.58	56	2	1	1
L2N 42+00E	1	19	8	75	.2	16	2.11	12	2	1	1
L2N 54+00E	1	74	23	142	.1	64	3.02	36	2	1	2
L2N 55+00E	1	79	16	90	.2	60	3.08	48	2	1	5
L2N 56+00E	1	71	19	92	.3	52	2.86	40	2	1	11
L2N 57+00E	1	41	15	91	.1	44	2.21	25	2	1	2
L2N 58+00E	1	51	20	91	.1	57	2.66	24	2	1	2
L2N 59+00E	1	90	14	112	.4	80	3.21	44	2	1	4
LON 63+00W	2	42	21	101	.1	27	2.82	63	2	1	4
LON 62+00W	2	50	13	75	.1	18	1.98	68	2	1	5
LON 61+00W	3	48	46	248	.3	19	2.13	193	2	1	7
LON 60+00W	2	33	7	174	.2	23	1.91	148	2	1	13
LON 59+00W	2	56	3	94	.1	26	2.57	24	2	1	28
LON 58+00W	3	47	12	113	.1	19	2.40	38	2	1	760
LON 57+00W	1	33	32	204	.4	29	2.17	148	2	1	8
LON 56+00W	1	24	12	125	.1	15	1.60	18	2	1	14
LON 55+00W	1	34	6	72	.1	10	1.98	9	2	1	5
LON 54+00W	1	35	12	79	.1	10	2.02	7	2	1	2
LON 53+00W	1	25	12	107	.3	8	1.40	40	2	1	1
LON 52+00W	1	30	10	160	.2	19	2.12	95	2	1	7
LON 51+00W	1	77	12	151	.1	20	2.36	49	2	1	9
LON 50+00W	1	86	8	138	.1	23	2.54	27	2	1	118
LON 49+00W	1	22	6	99	.1	10	1.29	20	2	1	1
LON 48+00W	1	24	6	90	.2	7	1.12	10	2	1	1
LON 47+00W	1	25	10	91	.1	11	1.48	18	2	1	1
STD C/AU-S	17	59	37	132	7.1	72	4.04	39	15	13	52

CORONA CORPORATION FILE # 89-1450


Page 33


SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	Au* PPB
LON 24+00W	2	711	11	62	1.1	19	7.68	77	3	10	97
LON 23+00W	1	57	14	118	.4	13	2.33	10	2	1	8
LON 22+00W	1	20	10	73	.2	12	1.70	5	2	1	1
LON 21+00W	1	37	10	71	.1	13	2.10	9	2	1	7
LON 20+00W	1	37	17	126	.2	11	2.00	11	2	1	7
LON 19+00W	1	116	586	195	.5	14	3.25	14	2	1	89
LON 18+00W	1	108	13	108	.1	16	2.42	20	2	1	24
LON 17+00W	1	66	11	75	.1	14	2.04	5	2	1	5
LON 16+00W	1	22	12	94	.2	13	2.02	5	3	1	2
LON 15+00W	1	51	14	100	.2	18	2.59	8	2	1	4
LON 14+00W	1	27	11	93	.1	15	2.07	8	2	1	3
LON 13+00W	1	21	8	125	.1	13	1.64	8	2	1	10
LON 12+00W	1	17	15	122	.3	11	1.95	7	2	1	2
LON 11+00W	1	17	13	114	.1	10	1.86	5	2	1	9
LON 10+00W	1	17	12	101	.1	10	1.91	7	2	1	2
LON 9+00W	1	13	8	67	.1	7	1.44	9	2	2	1
LON 8+00W	1	61	8	42	.3	7	1.18	6	2	1	2
LON 7+00W	1	118	10	60	.2	9	1.07	8	2	1	3
LON 6+00W	1	91	8	72	.5	9	1.24	10	2	1	2
LON 5+00W	1	13	5	81	.1	7	1.59	8	2	1	1
LON 4+00W	1	28	7	96	.1	12	1.78	7	2	1	26
LON 3+00W	1	90	12	114	.2	21	2.70	6	2	1	61
LON 2+00W	1	26	9	98	.2	5	1.53	10	2	1	9
LON 1+00W	1	13	7	101	.2	4	.93	6	2	2	2
LON 11+00E	1	44	19	98	.1	15	2.82	6	2	1	2
LON 12+00E	1	31	17	109	.1	9	1.63	20	2	1	1
LON 13+00E	1	21	12	74	.1	7	1.91	7	2	1	2
LON 14+00E	1	20	12	72	.2	10	2.02	3	2	1	1
LON 15+00E	1	27	20	100	.1	10	2.18	9	2	1	2
LON 16+00E	1	13	13	77	.1	7	1.67	3	2	1	3
LON 17+00E	1	16	12	99	.1	7	1.40	11	2	1	1
LON 18+00E	1	18	15	76	.1	6	2.13	6	2	1	1
LON 19+00E	1	15	11	85	.1	7	1.68	9	2	1	1
LON 20+00E	1	16	14	73	.1	6	1.72	5	2	1	1
LON 21+00E	1	21	13	63	.1	5	1.91	10	2	1	3
LON 22+00E	1	41	28	203	.1	5	1.59	10	2	1	6
STD C/AU-S	18	61	42	132	7.2	73	4.21	38	17	12	50

CORONA CORPORATION FILE # 89-1450

Page 34

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Fe %	As PPM	Sb PPM	W PPM	AU* PPB
LON 23+00E	1	19	11	85	.2	8	1.66	16	2	1	4
LON 24+00E	1	41	22	100	.1	9	1.41	37	2	1	5
LON 25+00E	1	26	11	75	.1	13	2.07	19	2	1	5
LON 26+00E	1	25	13	69	.4	14	2.00	20	2	1	1
LON 27+00E	1	26	15	61	.1	8	1.72	25	2	1	4
LON 28+00E	1	19	8	64	.2	8	1.40	35	2	1	3
LON 29+00E	1	24	6	65	.1	10	1.92	14	2	1	1
LON 30+00E	1	36	16	116	.4	10	1.59	29	2	1	5
STD C/AU-S	18	63	39	133	6.6	70	3.99	40	15	11	51





19,046

CORONA CORPORATION
MOTHERLOAD GREYHOUND PROJECT
POSTED Au VALUES

PREPARED BY: D.G.	SCALE: 1" = 400'	PROJECT NO: 1031
N.M. 82E / 2	DATE: SEPT. / 1989	MAP NO: 3