

LOG NO	1102	#1
SECTION		
FILE #		

ASSESSMENT REPORT
ON THE
KING 1-4, CONSOAT AND NAT
MINERAL CLAIMS
FOR
CORPTECH INDUSTRIES INC.

SKEENA MINING DIVISION

LATITUDE 56°28'N
LONGITUDE 130°33'W

UNUK RIVER AREA
BRITISH COLUMBIA

FILMED

J. Chapman, F.G.A.C.
B. Dewonck, F.G.A.C.

October 27, 1989

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

19,262

SUMMARY

The King-Consoat property consists of the King 1-4, Consoat and Nat mineral claims, totalling 62 units, which are located in the Skeena Mining Division. The claims are situated some 25 km west of the Sulphurets area, where Newhawk Gold Mines Ltd. and partners are developing several gold-silver deposits, and 20 km southwest of the Calpine Resources Inc./Stikine Resources Ltd. Eskay Creek gold property. The property straddles King Creek, which flows 5 km easterly into Harrymel Creek which in turn flows southerly into the Unuk River. The NTS map reference for the area is 104B/7E and 10E. Access is by helicopter.

This report describes a program of grid establishment, geological mapping, and geochemical soil and rock sampling carried out from July 6 to July 28, 1989. Crews were mobilized to the Calpine camp July 4, from which they travelled to the property by helicopter on a daily basis.

The work program succeeded in integrating previous geological mapping done as part of different programs on different parts of the current claim grouping. The northern portion of the property is underlain by Stuhini Group (Upper Triassic) dacitic volcanics and sediments while the southern portion features Hazelton Group (Lower Jurassic) andesitic volcanics and sediments. Also prominent in the southern area is what is interpreted to be a fault-emplaced diorite with later hornblende diorite dykes appearing both here and in the Triassic rocks to the north.

Mineralization in the form of pyrite, malachite-azurite, chalcopyrite and bornite occurs within altered, gossanous portions of the diorite (Val Zone) as well as within local shears in the Triassic volcanics (Plateau Zone and Gossan Creek).

Both rock and soil geochemistry demonstrate a copper-gold association. A total of 447 soil and 147 rock samples were collected and 8.225 line kilometres of grid were established to July 28, 1989.




TABLE OF CONTENTS

Summary	
Introduction	1
Claim Description	2
Location and Access	2
Physiography and Vegetation	3
History and Previous Work	3
Property Exploration History	6
Regional Geology	7
Property Geology	10
Structure	11
Property Geochemistry and Mineralization	13
Plateau Zone	13
Val Zone	14
Conclusions	16
Statement of Costs	
Certificates of Qualifications	
B. Dewonck, F.G.A.C.	
J. Chapman, F.G.A.C.	
Bibliography	

LIST OF FIGURES

Figure 1	Location Map	Following Summary
Figure 2	Claim Map	Following Page 2
Figure 3	Regional Geology Map	Following Page 7
Figure 4	Property Geology	In Pocket
Figure 5	Rock and Contour Soil Line Locations, Sample Numbers	In Pocket
Figure 6	Rock and Contour Soil Lines, Gold and Copper Values	In Pocket
Figure 7	Val Zone Grid, Soil Geochemistry (Gold)	In Pocket
Figure 8	Val Zone Grid, Soil Geochemistry (Copper)	In Pocket

LIST OF TABLES

Table 1	List of Claims	Page 2
---------	----------------	--------

LIST OF APPENDICES

Appendix I	Certificates of Analysis
------------	--------------------------

INTRODUCTION

This report summarizes exploration work completed in July, 1989 on the King-Consoat Project, Skeena Mining Division. The property is located 20 km southwest of the Eskay Creek discovery of Calpine Resources Inc./Stikine Resources Ltd., on the north side of the Unuk River and is accessible by helicopter only.

Information contained in this report was acquired through execution and supervision of the work program by OreQuest Consultants Ltd. and from references cited in the bibliography.

Mapping was concentrated on the area north of King Creek, the Plateau Zone, and in the south central area of the property, on the Val Zone. Mapping in the Val Zone area was conducted to enhance and further delineate known zones of mineralization and to provide clarification and control of lithology and structure. Work on the Consoat claim was confined to the Plateau Zone due to ease of access and outcrop exposure. Here the intention has been to reinterpret lithology and to possibly extend favourable mineralization, north from the head of Gossan Creek.

A total of 447 soil samples were collected to July 28, 1989 from both the Val Zone Grid, on contour soil lines north and south of the grid and on contour lines on the Plateau Zone. Additionally 147 rock samples, both chip and grab, have been taken from all portions of the property to further define the style of mineralization.

by Mattouk mainly from B
horizon near surface

CLAIM DESCRIPTION

The King-Consoat property comprises 6 claims, totalling 62 units, situated within the Skeena Mining Division. The owner of record for all the claims is Crest Resources Ltd. Pertinent claim information as of the date of this report is summarized below (expiry dates reflect assessment credit applied for with this report):

TABLE 1
LIST OF CLAIMS


Claim Name	Record Number	Number of Units	Record Date	Expiry Date
King 1	5454	8	July 28, 1986	July 28, 1994
King 2	5455	8	July 28, 1986	July 28, 1994
King 3	5456	8	July 28, 1986	July 28, 1994
King 4	5457	8	July 28, 1986	July 28, 1994
Consoat	6044	20	April 6, 1987	April 6, 1994
Nat	6308	10	July 31, 1987	July 31, 1994

Only the legal corner posts for the King claims were found during the work program. Figure 2 shows the location of the King claims as noted on the ground while the Consoat and Nat claims appear as plotted on government claim maps.

LOCATION AND ACCESS

The property is centrally situated between the very active Iskut River and Sulphurets gold camps in northwestern British Columbia, latitude 56°28'N and longitude 130°33'W (NTS map reference 104B/7E and 10E). The claims straddle King Creek, which drains into Harrymel Creek 5 kilometers to the southeast.

Access is by helicopter only, either from the Bronson Creek airstrip 35 kilometers to the northwest or from the Calpine Resources Inc./Stikine Resources



OREQUEST



CORPTECH INDUSTRIES INC.


**Figure 2
KING-CONSOAT PROJECT**

CLAIM MAP

Skeena Mining Division
British Columbia
NTS 104B/7E, 10E

October 1989

XY3



Ltd. camp at Eskay Creek 20 km to the northeast. Frequent scheduled and charter service from Smithers, 330 kilometers to the southeast, is available to the Bronson airstrip. The Johnny Mountain airstrip 35 kilometers northwest is also serviced regularly from Terrace. The property itself lies some 80 kilometers northwest of Stewart, 25 kilometers west of Brucejack Lake, where Newhawk Gold Mines Ltd. is preparing a deposit for production.

PHYSIOGRAPHY AND VEGETATION

The steep-sided, east-west King Creek valley cuts through the middle of the claims and deeply incised, steep-walled creeks drain into King Creek from north and south. The precipitous nature of the terrain makes traversing difficult to impossible along some of the valley walls. The northern and southern portions of the narrow claim block overly relatively subdued, broad ridgetops which are much more easily traversed.

Relief varies from 470 to 1,620 metres above sea level with valley slopes featuring dense growths of slide alder, devils club, willows and mature conifers. Treeline occurs at 1,200 metres where intertwined stunted spruce separate the sub-alpine from the alpine grasses.

Snowfall in the area is heavy, often lasting well into July.

HISTORY AND PREVIOUS WORK

The Stewart-Iskut area has been mined actively since the early 1900's and is one of the most prolific mining districts in British Columbia (Grove, 1971). A brief summary of activity on surrounding properties is included here.

Grove (1986) classifies the mineralization in the Stewart-Iskut area into three categories: fissure veins and replacement veins, massive sulphide deposits and porphyry deposits.

More recent exploration and development activity has focused on vein and fissure vein gold mineralization in the northern part of the Stewart Complex, the Iskut River area, where several new discoveries have been made, namely the Skyline Johnny Mountain Mine, the Prime Resources Corporation/Cominco Ltd., Snip deposit, the various deposits under development by Newhawk and its partners in the Sulphurets area, the Magna Ventures Doc property and recent discoveries by Calpine Resources Incorporated and Stikine Resources Ltd. at Eskay Creek.

Mineralization has been known and worked sporadically on Johnny Mountain since 1907. In 1980 Skyline Explorations staked the property, which is located 35 km northwest of the King Consoat project. Since 1981 various exploration programs have been conducted for high grade gold and polymetallic massive sulphides. In 1986, drilling and underground work on the Stonehouse Zone outlined gold, silver and copper mineralization. Present reserves at Johnny Mountain (Northern Miner, Aug. 21, 1989) are 876,000 tons grading 0.55 oz/t gold and 1.00 oz/t silver.

Mineralization on the jointly held ground of Cominco Ltd. and Prime Resources Corporation (formerly Delaware Resources Corp.) was discovered in 1965 but was not developed until recently. Gold occurs in quartz veins within a shear zone. Proven and probable reserves at the Snip Deposit are 1,691,000 tonnes grading 0.834 oz/t gold (Prime Resources, 1989). The deposit lies approximately 35 km northwest of the King Consoat property.

The Sulphurets Creek area, about 25 km east of the King Consoat property, incorporates a wide variety of gold mineralization. In the Brucejack Lake area, the West Zone is reported to contain 854,072 tons of proven and probable ore grading 0.354 oz/t gold and 22.94 oz/t silver (Northern Miner Handbook, 1989-90) in a structurally controlled quartz vein stockwork. Recent results include 84.6 ft of 7.5 oz/t gold (GCNL August 16, 1989) from the West Zone underground drilling. The Snowfield Zone and Sulphurets Lake Gold Zone are bulk tonnage low grade deposits containing 7.7 million tons of 0.075 oz/t gold and 20 million tons of 0.08 oz/t gold respectively (GCNL Aug. 24, 1989).

The Magna Ventures Doc deposit hosts 470,000 tons grading 0.27 oz/t gold and 1.31 oz/t silver. Mineralization occurs in quartz veins 2 m wide and 170 long hosted by a shear zone cutting Upper Triassic Stuhini Group volcanics. This property has been optioned by Echo Bay Mines and is located approximately 17 km southeast of the King Consoat project.

The most recently discovered gold mineralization occurs on the Calpine Resources Incorporated/Stikine Resources Ltd., Eskay Creek property 20 km northeast of the King Consoat project. The current drilling program on the "21 zone" has outlined a mineralized body over 1300 m long that is open along strike in both directions and at depth. Mineralization occurs at the contact between sulphide rich, silicified, felsic breccias (Mt. Dilworth Formation) and argillaceous sediments which are in turn overlain by intermediate volcanics. The stratabound nature of the Eskay Creek deposit has been described as a volcanic epithermal type deposit with its mineral composition and host rock association similar to the deposits in the Carlin district of Nevada (Northern Miner, August 28, 1989).

Drilling in the 21 Zone this season has returned spectacular results, including hole CA89-109 which assayed 0.875 oz/t gold over 682 feet. Earlier this season, after drilling approximately 69 holes, Stikine released an open pitable reserve figure of 3 million tons of .25 oz/ton gold. To date over 140 holes have been drilled, including hole 109, which indicate that the actual tonnage could triple and the grade could substantially increase. Further work is in progress with two drills currently working on the property.

PROPERTY EXPLORATION HISTORY

The present property configuration encompasses several older claims which were explored at different times by different workers, resulting in "patchwork" exploration.

In the mid 1970's, Great Plains Development Co. of Canada conducted geological and geochemical soil and rock sampling surveys on what is now the central portion of the King Claims (Poloni, 1987). They identified a copper - gold anomalous zone associated with a fault emplaced diorite body where mineralization is related to quartz stockwork veining. Limited induced - polarization surveys are reported to indicate a higher total sulphide content to the south, however no data is available to the authors. Dupont of Canada Exploration and Placer Development Limited also conducted similar surveys but on what is now the north central portion of the Consoat claim (Gareau, 1983). Again, copper - gold anomalies were defined in association with disseminated and fracture - filling pyrite and lesser scattered chalcopyrite in intrusive and volcanic rocks.


Assessment work performed in July of 1987 (Adamson, 1987) consisted of limited soil, silt and rock sampling on the north side of King Creek. Several soil samples produced highly anomalous gold values. Results of a trenching program carried out in September, 1987 (Adamson, personal comm.) are not documented.

The most recent ground work was conducted by Cominco Ltd. in the summer of 1988, whose efforts were concentrated on the areas below treeline in the King Creek Valley (Wescott, 1988). The program consisted of geochemical soil and rock sampling and geological mapping of major outcrops. Results of this work defined copper - gold anomalies on both sides of King Creek, apparently related to the zones previously defined. Earlier this summer airborne magnetic, electromagnetic and VLF-EM surveys were flown by Aerodat over an area which includes the subject property (Mallo & Dvorak, 1989). A weak, north-northeast trending EM anomaly can be traced through the King claims, coinciding with the fault-emplaced gossanous diorite.



Exploration data up to this point presents a rather disjointed picture of the property, particularly in terms of lithological correlation. Mapping during the 1989 field program was intended to provide a correlation between the north and south portions of the property.

REGIONAL GEOLOGY

The area is underlain by the Stewart Complex (Grove 1971, 1986). The Stewart Complex encompasses Late Palaeozoic and Mesozoic rocks, confined by the Coast Plutonic Complex to the west, the Bowser Basin to the east, Alice Arm to the south and the Iskut River to the north (Figure 3).



Regional Geology from Alldrick, 1989



REQUEST

CORPTECH INDUSTRIES INC.

Figure 3
KING-CONSOAT PROJECT
REGIONAL GEOLOGY
 British Columbia
 NTS 104B/7E, 10E

PERIOD	FORMATION	GROUP
M. Jur	Astman	BOWSER LAKE
190 Ma	Salmon River	SPATSIZI
	Mount Dinworth	
L. Jur	Betty Creek	HAZELTON
210 Ma	Uruck River	STUHNI
U. Tr.		

9 Km

The oldest units in the Stewart Complex are Upper Triassic epiclastic volcanics, marbles, sandstones and siltstones. These, in turn, are overlain by sedimentary and volcanic rocks of the Upper Triassic to Middle Jurassic Hazelton Group. In the Unuk River area, the Hazelton Group had been subdivided (Alldrick et al, 1989) into the Lower Jurassic Unuk River, Betty Creek and Mt. Dilworth Formations, and the Middle Jurassic Salmon River Formation. Upper Jurassic sedimentary rocks were identified as the Nass Formation by Grove (Grove, 1986) and included by him in the Hazelton Group. More recently the Salmon River Formation has been included in the Spatzizi Group (Alldrick, 1989). This underlies the Ashman Formation which is part of the Bowser Group (Alldrick, 1989). Both the Salmon River and Ashman Formations occur in the Middle Jurassic.

The Unuk River Formation was deposited during Upper Triassic to Lower Jurassic times and marks a period of submergence (marine sedimentation) followed by emergence marked by volcanoclastic rocks. These rocks include arkosic and lithic wackes, siltstones, conglomerates, tuffites and green and grey intermediate to mafic volcanics.

Unuk River rocks outcrop along a broad north northwesterly trending belt from Alice Arm to the Iskut River.

Subsequent to deposition of the Unuk River Formation, a period of erosion and deformation occurred followed by deposition of the Betty Creek Formation volcanics and marine sediments. Betty Creek rocks are characterized by red and green volcanoclastic agglomerates with intercalated andesitic flows, pillow lavas, chert and minor carbonate lenses.

The Mt. Dilworth Formation was deposited during a period of explosive felsic volcanic activity. Massive to bedded airfall tuffs and welded ash flow tuff characterize this formation.

The Salmon River Formation comprises thin bedded, alternating siltstones and mudstones with minor limestone. The overlying Ashman Formation is characterized by turbidites and wackes with lesser intraformational conglomerates and marked by a basal chert pebble conglomerate.

These stratified rocks were intruded by alkali feldspar granites, monzonites and plagioclase porphyries during the Jurassic, and by felsic dykes in Tertiary times; these are thought to be important to mineralization in this area.

Major structural features of the Stewart Complex include the western boundary contact with the Coast Intrusive Complex. The northern boundary is at the Iskut River where extensive deformation has thrust Palaeozoic strata south across Middle Jurassic and older units. Younger faulting has also occurred throughout the Iskut area. A line of Quaternary volcanic flows marks the southern limit of the complex and the Meziadin Hinge defines the eastern border.

Doubly plunging, northwesterly-trending synclinal folds of Salmon River and underlying Betty Creek Formations dominate the structural setting of the area. These folds are locally disrupted by small scale east-overthrusts (Tippy Lake, Knipple Lake) on strikes parallel to the major fold axes. Cross-axis steep wrench faults and major northwest faults locally overturn beds.

PROPERTY GEOLOGY

According to regional mapping conducted by Grove (Grove, 1986) the north portion of the King claims and the Consoat claim is underlain by members of the Upper Triassic Takla Group in fault contact with the southern map area which is underlain by rocks of the Lower Jurassic Unuk River Formation. This distinction has been noted in this phase of exploration by a distinct change in the nature of the volcanics and character of the sediments between the north and south portion of the main area of the property (Figure 4). Recent work (Alldrick et al, 1988, 1989) includes Upper Triassic rocks within the Stuhini Group as opposed to the Takla Group, as previously known.

Triassic volcanics are dacitic in composition and predominantly fine grained ash tuffs but they are accompanied by lesser amounts of coarse ash, crystal tuffs, and fine grained, discretely laminated resedimented volcanics or volcanic siltstones. It should be noted that Westcott (1988) considered the volcanic siltstones to be a separate unit. In this report that distinction has been removed and they have been included with the volcanics. Sediments are composed of well indurated mudstones and argillites, and closely interbedded sandstone/siltstone-argillites. The former occur as massive lenticular bodies intercalated with the volcanics. Sediments are calcareous, dark gray, and exhibit mm to cm scale banding.

Lower Jurassic Unuk River Formation volcanics exposed south of King Creek on the property consist of fine to coarse ash tuffs, lithic and crystal tuffs, and lithic lapilli tuffs of andesitic composition with occasional discretely laminated volcanic siltstones. Welded tuffs were noted in several locations.

Sediments consist of well defined planar laminated sandstones, argillites and thin limestones. Occasional grit to pebble conglomerates were located consisting of 75% lithic and 25% volcanic fragments, as generally well rounded and sorted clasts. Dark gray sandstones occur individually or interbedded with argillites. Argillites also occur as thin interbeds with limestone or as massive discontinuous lenses within the volcanics.

Two subsequent phases of intrusion have occurred in both the Jurassic and Triassic rocks as diorite and later hornblende diorite plugs and dykes in the south and central areas.

Structure

Within the Upper Triassic Stuhini rocks primary structures consist of igneous layering or mineral lineations in crystal tuffs. In the sediments, structure is limited to planar lamination in sorted, massive units. Although some load structures were observed in float no outcrop exposures were located so no younging determinations could be made. Occasional distortion of units is thought to be due to slumping. The thinness of the units and lack of lateral continuity lead to either very detailed mapping or a certain degree of correlation. It is in consequence of this that the lithology in the map area has been somewhat grossly, though not unreasonably, divided into primarily volcanics and primarily sediments. Grading has been observed within the tuffs of the Lower Jurassic Unuk River Formation however both normal and reverse grading have been noted.

Primary structure has been determined from bedding and fine scale planar laminations of units and to a lesser extent from primary igneous layering. In the

latter case no subsequent structural rotation of determining elements is thought to have occurred. No difference was observed in data collected from the north and south although apparently an angular unconformity exists. All measurements determined have been plotted on a single equal area projection net and grouped. Lithology is defined as trending 010°E and dipping 80°W .

In total approximately fifty structural determinations have been collected from joint sets, 's' lineations or slickensides. This information was plotted on an equal area net projection. More information is needed to effectively manipulate and contour the data, however groupings of pole projections can and have been made which, combined with some objective bias produce two fault sets at $020/80\text{W}$ and $160/80\text{W}$ with conjugate faulting at $080/80\text{N}$ and $100/50\text{N}$ respectively. The lineations indicate near horizontal movement in S_2 and are not determined in S_1 .

Dioritic intrusion is thought to accompany this first set of structures in both main and conjugate faults. The later hornblende diorite intrusive dyke accompanies this latter episode of faulting, but is confined to a $060/80\text{W}$ orientation. The significance of the first event of faulting is the intrusive emplacement and accompanying mineralization. Significance of the second event is not so much the emplacement of a second, unrelated intrusive phase but in offsetting what may be a continuous mineralized zone. Offsetting inferred from data and topographic lineaments occurs twice: immediately north of the Val Zone, and again along King Creek.

PROPERTY GEOCHEMISTRY AND MINERALIZATION

Mineralization observed thus far has been mostly confined to the intrusive diorite in the south and dacitic volcanics and volcanic siltstones in the north. In both instances the emplacement of copper-gold mineralization is thought to be fault controlled and associated with the first structural event noted. Subsequent faulting could conveniently account for apparent offsetting. Associated with mineralization on the southern portion of the property (Val Zone) is a broad alteration zone with possible sulphide zonation. The surficial expression of mineralization in the Plateau Zone occurs as narrow, localized showings but related to a parallel structural trend. In both areas a copper-gold correlation is evident which is reflected both in outcrop and soil geochemical results.

Three contour soil sample lines were established on the south side of King Creek. The extent of these lines was constrained by the precipitous drainages dissecting this slope. Anomalous soil values up to greater than 1000 ppb gold were noted in this area. Copper values were also anomalous with up to 860 ppm in soils. A general north-northeast trend to the anomaly is also evident in this area.

Plateau Zone

Initially mineralization noted north of King Creek was confined to the volcanics with disseminated and massive pyrite occurring parallel to jointing. Sampling focused on the trend up Gossan Creek and over the saddle through these consistently pyritic volcanics, however initial results were discouraging. Additional prospecting located copper mineralization primarily as malachite staining with minor chalcopyrite and sphalerite on the north facing slope leading down to Consoat Creek. This area is located two hundred metres northwest of 0+00 on the

Plateau baseline at the precipitous limit of outcrop on the Consoat claim. Further prospecting located additional localized malachite staining, above and south of the initial location. These samples are associated with a narrow northeast trending shear zone. Respectively, grab samples have returned values of 0.615, 0.127 and 0.054 oz/t gold from these two areas. Reconnaissance sampling also produced a grab sample assaying 0.052 oz/t gold (Figures 5 and 6).

Mineralization here, as in the southern area, is thought to be fault controlled, and likely an expression of the same system, however, with a notable change in host lithology. Although mineralization has been noted over 250 m beyond the head of Gossan Creek, malachite and chalcopyrite are limited and localized in their occurrence.

Val Zone

In the south central portion of the property sampling outside the diorite, in low percent pyritic sandstone, volcanics or higher percent pyritic argillite, has consistently returned low values in gold and copper (Figures 5 and 6).

Within the diorite, mineralization is associated with sulphide zonation. Relatively unaltered diorite to the east contains low percent ubiquitous pyrite, is occasionally magnetic and locally gossanous due to the weathering of ferromagnesian minerals. Along the margins of the continuous gossanous zone, pyrite occurs in greater quantities, consistently around 5-7 volume percent. This has come to be referred to as the 'pyritic halo'. Central to the diorite and trending 030/40°NW is a zone of 1-2% pyrite and sporadic copper mineralization in the form

of chalcopyrite, bornite and most commonly malachite-azurite staining. Some chrysocolla has been noted.

Alteration in the diorite is primarily pervasive silicification, with occasional hairline quartz veinlets developed parallel to jointing. Also minor chlorite-sericite-quartz is developed parallel to joint surfaces. In unaltered diorite some randomly pygmoidal epidote alteration is apparent.

The most common copper expression is as malachite staining which has been detected with reasonable continuity from 1+50N to 7+00S and sporadically south to, and beyond property limits.

Geochemical results correlate precisely with this trend. Soil results are frequently impressive, up to 0.030 oz/t gold, and often surpass those in the intensely altered and weathered rock (Figures 7 and 8).

A coincident gold-copper anomaly exists between L11+50S and L2+00N. This elongate zone of greater than 200 ppb gold is up to 100 m wide and generally follows the western contact of the diorite. Spot highs of up to 0.030 oz/t gold were returned from soil samples within this zone. The copper contours outline a broader anomaly reflecting the greater mobility of this element with respect to gold, and are generally higher on the northern portion of the grid area. Rock sampling on the Val Zone has not been as productive as the soil work. This is likely due to the intensely leached and altered nature of the diorite which is exposed at surface. Grab samples of up to 0.183 oz/t gold from the current program have been located

however the maximum values received in chip samples are reported as 0.054 oz/t gold and 0.033 oz/t gold over 10.7 m and 1.0 m respectively (Poloni, 1987).

The sample locations and geochemical values shown on the maps accompanying this report show rock samples collected to July 28, 1989. Soil sample data includes values for some samples collected after this date, for the sake of completeness, however no expenses related to these additional samples are included in the statement of costs.

Rock samples were collected and tagged in plastic bags and soil samples were collected in kraft paper bags. All samples were shipped by helicopter to Bell II on the Stewart-Cassiar Highway, trucked to Smithers and flown to the Richmond sample preparation facilities of TSL Laboratories. Gold values were determined by fire assay preparation with an AA finish in TSL's Saskatoon facilities while multi element ICP analyses were completed in their Toronto lab.

CONCLUSIONS

Geochemical sampling of rocks and soils has outlined an area of anomalous gold and copper values trending north northeast across the claim block. This anomaly follows a major north northeast trending fault zone. Two significant areas of mineralization were outlined: the Val Zone on the south central portion of the claims and the Plateau zone at the northern end.

On the Val Zone, a 550 m long and 50 m wide coincident copper-gold anomaly is located within a dioritic intrusion. This anomaly contains soil values up to 0.030 oz/t gold and 2000 ppm copper, and rock results of 0.183 oz/t gold. Outcrop exposed

at surface is mostly intensely weathered and altered which would account for the generally weaker geochemical response in the rocks. Alteration consists of sericitization and silicification.

The Plateau Zone mineralization is hosted by volcanics of the Upper Triassic Stuhini Group. Copper-gold anomalies are found associated with the same north northeast trending structure which appears to be responsible for the Val Zone mineralization. Values of 260 ppb gold and 1400 ppm copper in soils, and 0.615 oz/t gold, >50,000 ppm copper in rocks have been received from this area. Anomalous values have been located over an area of 700 m north-south by 200 m east-west.


STATEMENT OF COSTS

Mob/Demob (prorated from Iskut Project)		\$ 3,490.59
Wages:		
G. Cavey (Consulting Geologist)	2 days @ \$450/day	\$ 900.00
B. Dewonck (")	3 days @ \$400/day	1200.00
J. Chapman (")	.75 days @ \$400/day	300.00
W. Raven (Geologist)	5 days @ \$380/day	1900.00
V. Van Damme (")	19 days @ \$300/day	5700.00
A. Walus (")	2 days @ \$300/day	600.00
D. Pickston (Prospector)	8.25 days @ \$300/day	2475.00
F. Brodie (Field Assistant)	9 days @ \$250/day	2250.00
C. Birarda (")	8 days @ \$250/day	2000.00
A. Linley (")	7 days @ \$250/day	1750.00
R. Mackie (")	4.33 days @ \$250/day	1080.50
S. Conley (")	1 day @ \$250/day	250.00
		<u>\$20405.50</u> \$20,405.50
Administration (accounting, secretarial, etc.)		\$ 1,437.88
Helicopter Costs (Northern Mountain Helicopters)		11,033.38
Camp Costs (prorated construction costs; food and support @ \$75/manday)		11,141.96
Analytical Costs (TSL Laboratories)		9,462.60
Equipment Costs (prorated from Iskut Project)		2,430.06
Freight, Communications (prorated from Iskut Project)		2,302.67
Report Costs (partial)		<u>1,946.46</u>
Total		<u>\$63,651.10</u>

CERTIFICATE of QUALIFICATIONS

I, Jim Chapman, of 580 West 17th Avenue, Vancouver, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1976) and hold a BSc. degree in geology.
2. I am presently employed as a consulting geologist with OreQuest Consultants Ltd. of 306-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies since graduation.
4. I am a Professional Geologist with the Association of Professional Engineers, Geologists and Geophysicists of Alberta.
5. I am a Fellow of the Geological Association of Canada.
6. The information contained in this report was obtained from a review of data listed in the bibliography, a property examination and knowledge of the area.
7. I have no interest, direct or indirect in the securities of Corptech Industries Inc.
8. I consent to and authorize the use of the attached report and my name in the Company's Prospectus, Statement of Material Facts or other public document.



The image shows a handwritten signature in black ink, which appears to read 'Jim Chapman'. The signature is written over a circular professional seal. The seal contains the text 'GEOLOGICAL ASSOCIATION OF CANADA' around the top inner edge and 'FELLOW' at the bottom. The seal is partially obscured by the signature.


Jim Chapman
Consulting Geologist

DATED at Vancouver, British Columbia, this 27th day of October, 1989.

CERTIFICATE of QUALIFICATIONS

I, Bernard Dewonck, of 11931 Dunford Road, Richmond, British Columbia hereby certify:

1. I am a graduate of the University of British Columbia (1974) and hold a BSc. degree in geology.
2. I am an independent consulting geologist retained by OreQuest Consultants Ltd. of 306-595 Howe Street, Vancouver, British Columbia.
3. I have been employed in my profession by various mining companies since graduation.
4. I am a Fellow of the Geological Association of Canada.
5. I am a member of the Canadian Institute of Mining and Metallurgy.
6. This report is based on work carried out by OreQuest Consultants Ltd., a review of information listed in the Bibliography and visits to the property in October, 1988 and July, 1989.
7. Neither OreQuest Consultants Ltd. nor myself have or expect to receive direct or indirect interest in the property or in the securities of Corpotech Industries Inc.
8. I consent to and authorize the use of the attached report and my name in the Companies' Prospectus, Statements of Material Facts or other public document.



DATED at Vancouver, British Columbia, this 27th day of October, 1989.

BIBLIOGRAPHY

ADAMSON, R.S.

1987: Assessment Report on a Reconnaissance Geochemical Survey of the Consoat and King Claims, Skeena Mining Division, British Columbia.

ALLDRICK, D.J.

1989: Volcanic Centres in the Stewart Complex in Geological Fieldwork, 1988, Paper 1989-1, British Columbia Ministry of Energy, Mines and Petroleum Resources.

ALLDRICK, D.J., BRITTON, J.M.

1988: Geology and Mineral Deposits of the Sulphurets Area, BCMEMPR Open File Map 1988-4.

ALLDRICK, D.J., BRITTON, J.M., WEBSTER, I.C.L., RUSSELL, C.W.P.

1989: Geology and Mineral Deposits of the Unuk Area, BCMEMPR Open File Map 1989-10.

ALLDRICK, D.J., DROWN, T.J., GROVE, E.W., KRUCHKOWSKI, E.R., NICHOLAS, R.F.

1989: Iskut-Sulphurets Gold, Northern Miner Magazine, Jan. 1989, p-46.

DEWONCK, B.

1988: Report on the King-Consoat Claims for Corptech Industries Incorporated, NTS 104B/7E, Latitude 56°28'N Longitude 130°38'W, December 15, 1988.

EQUITY PRESERVATION CORP.

Stewart-Sulphurets-Iskut, Map Handbook

GAREAU, M.B.

1983: Geochemical Assessment Report on the Cole Claims, Skeena Mining Division, B.C. for Placer Development Ltd.

GEOLOGICAL SURVEY OF CANADA

1979: Map No. 1418 A: Iskut River.

GEOLOGICAL SURVEY OF CANADA, BRITISH COLUMBIA MINISTRY OF ENERGY MINES AND PETROLEUM RESOURCES

1988: National Geochemical Reconnaissance, 1:250,000 Map Series, Iskut River, British Columbia (NTS 104B), GSC Open file 1645, MEMPR, BC, RGS 18.

GEORGE CROSS NEWSLETTER (GCNL)

No. 157, August 16, 1989.

GROVE, E.W.

1971: Geology and Mineral Deposits of the Stewart area, B.C., British Columbia Dept. of Mines and Petroleum Resources, Bulletin No. 58.

1986: Geology and Mineral Deposits of the Unuk River - Salmon River - Anyox Area, B.C., Ministry of Energy, Mines and Petroleum Resources, Bulletin 63.

MALLO, D.W., DVORAK, Z.

1989: Assessment Report on the King-Consoat Property Airborne Geophysical Program B.C.M.E.M.P.R. A.R. July 23, 1989.

MEMPR

a: Revised Mineral Inventory Map 104B (MI).

b: Revised Mineral Inventory Map 103P (MI).

NORTHERN MINER

1988: Vol. 74, No. 31, October 10, p.p. 1 and 27.

1988: Vol. 74, No. 32, October 17, p. 20.

1988: Calpine Results Verify Potential, Vol 74, No. 41, p-1, December 19, 1988.

1989: Iskut River Road Study in Progress, Vol 74, No. 50, p-28, February 20, 1989.

1989: Johnny Mountain Turnaround, Vol 75, No. 24, p-1, August 21, 1989

1989: Calpine Hole Kick Starts VSE, Vol 75, No. 25, p-1, August 28, 1989.

POLONI, J.R.

1987: Report on the Consoat Mineral Claim, Skeena Mining Division, British Columbia.

1987: Report on the King 1-4 Mineral Claims, Skeena Mining Division, B.C. for Crest Resources Ltd.

PRIME RESOURCES CORPORATION

1989: Galore Creek - Iskut River - Eskay Creek Areas, The Prime Group of Companies (Claim Holdings Map).

SOUTHER, J.G., BREW, D.A., OKULITCH, A.V.

1979: GSC Map 1418A, Iskut River.

WESCOTT, M.G.

1988: Assessment Report on Geological and Geochemical Work on the King 1-4 and Consoat Mineral Claims, Skeena Mining Division, B.C. for Cominco Ltd.

APPENDIX I
CERTIFICATES OF ANALYSIS



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6830 ✓

SAMPLE(S) OF ROCK

INVOICE #: 11575
P.O.: R-1074

V.P. Daove
Project Corptech

	Au ppb
15401	40
15402	110
15403	180
15404	270
15405	35
15406	120
15407	10
15408	30
15409	20
15410	120
15411	<5
15412	110
15413	220
15414	130
15415	120
15416	90
15417	65
15418	85
15419	120
15420	45

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: Orequest Consultants

Jul 25/89

SIGNED

Bernie Duma



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : 5 - 6030

T.S.L. File No. :

T.S.L. Invoice No. : 11757

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1074

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
15401	6600	35	20	62	< 1	15	760	< 1	31	3	130	23000	10
15402	35000	200	30	16	8	< 5	980	4	19	190	1300	210000	46
15403	4200	75	120	77	< 1	15	340	< 1	35	16	160	57000	10
15404	15000	110	130	46	< 1	10	1300	< 1	21	6	530	73000	22
15405	19000	60	< 5	70	< 1	5	11000	1	15	7	45	47000	8
15406	9900	45	10	91	< 1	10	1800	< 1	13	8	150	33000	16
15407	32000	45	35	70	< 1	5	9900	< 1	10	17	37	50000	17
15408	30000	95	210	100	< 1	5	500	< 1	8	1	25	91000	20
15409	30000	70	< 5	50	< 1	20	2600	1	12	13	33	59000	16
15410	14000	40	25	75	< 1	5	3900	< 1	13	8	330	28000	10
15411	14000	95	95	60	< 1	10	9200	< 1	8	7	71	45000	16
15412	13000	25	610	55	< 1	5	10000	< 1	59	20	2500	29000	12
15413	5100	55	530	92	< 1	5	1900	< 1	14	8	330	30000	34
15414	15000	40	65	41	< 1	5	3300	< 1	12	12	1400	23000	6
15415	12000	25	45	23	< 1	10	8300	< 1	11	14	1500	23000	8
15416	14000	25	< 5	29	< 1	15	11000	< 1	10	13	3500	20000	6
15417	8000	95	85	100	< 1	5	740	< 1	15	2	1100	60000	16
15418	11000	85	45	230	< 1	20	1300	1	6	1	690	61000	12
15419	8000	55	< 5	150	< 1	5	24000	1	6	12	2700	30000	6
15420	3100	65	< 5	100	< 1	5	850	1	3	3	190	46000	12

DATE : AUG-23-1984

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1833

FAX : (306) 242 - 4717

J.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IZDISZEK, J. FOSTER

PROJECT: CORPTECH

R-1074

ALL RESULTS IN PPM

T.S.L. REPORT No. : 8 - 6830

T.S.L. File No. :

T.S.L. Invoice No. : 11757

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Br	Th	Sr	Ti
15401	4300	420	4	3	330	500	1	2	430	5	20	< 10	52
15402	5900	540	4	5	920	500	3	< 1	50	5	140	< 10	100
15403	970	56	110	3	1000	1000	1	2	450	7	10	< 10	62
15404	5400	370	6	< 1	1100	400	4	< 1	240	5	30	< 10	710
15405	6700	650	< 2	< 1	1100	800	3	< 1	340	160	30	10	64
15406	5400	130	4	< 1	1200	1300	1	< 1	300	17	30	< 10	300
15407	10000	1500	2	1	2000	600	10	< 1	210	27	20	10	77
15408	9600	660	2	1	2000	700	6	< 1	120	8	30	10	35
15409	10000	1000	< 2	4	1700	500	5	< 1	210	7	20	10	57
15410	7500	220	26	< 1	2200	900	3	< 1	220	19	20	10	310
15411	4800	400	6	4	1600	1300	3	1	90	200	20	10	31
15412	5600	700	< 2	23	2000	700	6	5	410	57	10	< 10	200
15413	1900	96	0	< 1	1500	1200	1	4	300	17	30	< 10	160
15414	6200	320	< 2	< 1	1500	600	3	2	410	12	30	10	120
15415	6000	290	2	< 1	2100	1000	4	2	530	29	20	< 10	46
15416	6500	440	< 2	< 1	1800	900	4	6	500	41	20	10	22
15417	4200	120	8	< 1	1300	800	1	< 1	290	8	30	10	570
15418	4200	170	6	< 1	1800	1100	3	< 1	310	13	40	< 10	480
15419	4600	510	< 2	< 1	1500	1200	5	2	340	170	30	10	57
15420	1200	40	20	< 1	730	1400	< 1	< 1	540	21	20	< 10	130

DATE : AUG-23-1985

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET

VANCOUVER, B.C.

V6C 2X6

ATTN: C. 102152EK. J. FOSTER

PROJECT: DORPTECH

R-107A

ALL RESULTS IN PPM

T.S.L. REPORT No. : S - 6830

T.S.L. File No. :

T.S.L. Invoice No. : 11757

SAMPLE #	W	V	Y	Zn	Zr	Bi
15401	< 10	12	3	41	14	< 5
15402	< 10	110	5	42	160	340
15403	< 10	35	1	7	35	10
15404	< 10	300	6	18	52	30
15405	< 10	63	10	90	30	10
15406	< 10	50	6	11	70	20
15407	< 10	220	13	47	43	55
15408	< 10	170	4	20	53	15
15409	< 10	140	6	39	39	5
15410	< 10	41	14	13	20	45
15411	< 10	39	9	63	20	25
15412	< 10	97	20	43	20	25
15413	< 10	42	5	10	22	5
15414	< 10	32	11	25	17	10
15415	< 10	90	21	17	16	30
15416	< 10	84	24	42	12	< 5
15417	< 10	120	0	14	43	20
15418	< 10	120	0	16	42	< 5
15419	< 10	60	15	44	25	< 5
15420	< 10	34	3	7	25	15

DATE : AUG-20-1999

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6829

SAMPLE(S) OF Rock

INVOICE #: 11584
P.O.: R-1073

V.P. Daove
Project Corptech

	Au ppb	Au ozt
15421	70	
15422	20	
15423	55	
15424	30	
15425	45	
15426	150	
15427	15	
15428	30	
15429	15	
15430	25	
15431	350	
15432	170	
15433	35	
15434	25	
15435	<5	
15436	230	
15437	20	
15438	260	
15439	>1000	.153
15440	750	

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: Orequest Consultants

Jul 25/89

SIGNED

Bunnie Duan



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1833

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 800 WEST HASTINGS STREET

VANCOUVER, B.C.

V&C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT CORPTECH

R-1073

T.S.L. REPORT No. : S - 6829

T.S.L. File No. :

T.S.L. Invoice No. : 11756

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
15421	4100	80	5	59	< 1	5	1200	1	5	7	120	54000	60
15422	11000	70	140	40	< 1	5	11000	< 1	12	9	30	44000	34
15423	3200	45	45	110	< 1	5	1000	< 1	9	8	280	33000	8
15424	15000	35	45	71	< 1	5	10000	< 1	9	9	54	31000	8
15425	13000	45	5	110	< 1	10	14000	< 1	14	10	160	25000	12
15426	7500	15	65	170	< 1	5	8000	< 1	16	4	370	11000	2
15427	12000	65	190	81	< 1	5	1400	< 1	3	2	86	47000	42
15428	20000	50	50	86	< 1	5	13000	< 1	4	4	25	38000	22
15429	7000	75	5	160	< 1	10	830	< 1	3	1	14	55000	10
15430	9300	80	80	82	1	10	1800	< 1	3	1	36	54000	32
15431	2600	60	35	140	< 1	5	400	< 1	5	2	76	45000	20
15432	2800	70	20	82	< 1	10	1500	1	5	7	140	48000	14
15433	8100	45	< 5	67	< 1	10	1600	< 1	18	9	160	31000	8
15434	9200	40	15	85	< 1	10	28000	< 1	7	10	74	23000	42
15435	10000	65	130	150	< 1	10	2600	< 1	14	2	260	47000	14
15436	5600	75	120	250	< 1	10	490	< 1	< 1	2	33	51000	36
15437	14000	45	15	72	< 1	< 5	9900	1	5	17	99	36000	8
15438	19000	35	25	61	< 1	5	29000	1	29	22	2200	32000	2
15439	8700	30	< 5	73	< 1	10	5100	< 1	17	8	5500	23000	16
15440	6300	55	20	140	< 1	15	1000	< 1	2	6	400	39000	10

DATE : AUG-23-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6829

T.S.L. File No. :

T.S.L. Invoice No. : 11756

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1073

ALL RESULTS IN PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Tb	Sn	Ti
15421	2300	89	2	< 1	1600	800	4	< 1	260	6	20	10	16
15422	7700	650	< 2	1	1200	700	3	3	140	100	10	< 10	16
15423	1500	42	4	< 1	900	1300	1	1	270	12	20	< 10	25
15424	5700	720	< 2	< 1	1300	1300	3	< 1	220	27	20	20	140
15425	6800	630	< 2	< 1	1600	900	3	2	260	24	20	10	99
15426	4500	290	< 2	< 1	850	500	1	1	190	21	10	< 10	100
15427	5100	290	2	< 1	1500	500	4	< 1	250	7	20	10	66
15428	7500	1200	< 2	1	1300	500	5	1	190	24	10	< 10	29
15429	5000	150	110	< 1	1500	2100	3	< 1	300	15	30	10	49
15430	5000	210	32	< 1	1900	1300	1	< 1	290	11	30	< 10	31
15431	550	28	20	< 1	1400	1800	1	< 1	550	27	20	< 10	390
15432	690	49	16	< 1	1400	1200	< 1	1	240	8	40	< 10	51
15433	4000	180	4	4	800	500	1	3	270	10	10	< 10	590
15434	3000	700	< 2	< 1	800	1000	1	2	290	60	20	20	47
15435	5600	310	4	< 1	1600	1300	4	2	440	21	30	< 10	410
15436	1900	65	2	< 1	740	1100	1	5	490	19	30	< 10	620
15437	5700	600	< 2	< 1	1700	500	4	< 1	270	25	30	< 10	740
15438	7500	960	8	21	1100	200	5	4	210	55	20	10	230
15439	4000	490	< 2	3	900	500	3	15	190	12	20	< 10	50
15440	1800	160	16	1	1200	900	1	< 1	220	8	30	< 10	110

DATE : AUG-23-1984

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6829

T.S.L. File No. :

T.S.L. Invoice No. : 11756

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1073

ALL RESULTS IN PPM

SAMPLE #	H	V	Y	Zn	Zr	Bi
15421	< 10	41	4	30	36	30
15422	< 10	48	9	39	27	20
15423	< 10	32	3	6	21	25
15424	< 10	130	14	39	21	25
15425	< 10	96	16	15	14	25
15426	< 10	51	10	15	6	< 5
15427	< 10	120	5	52	29	20
15428	< 10	120	13	78	28	35
15429	< 10	100	4	15	37	20
15430	< 10	58	8	24	36	5
15431	< 10	42	3	6	28	15
15432	< 10	22	4	8	27	5
15433	< 10	54	5	12	31	45
15434	< 10	54	13	16	17	< 5
15435	< 10	100	5	20	32	5
15436	< 10	49	3	17	31	40
15437	< 10	120	9	21	35	25
15438	< 10	130	14	53	23	< 5
15439	< 10	75	8	49	14	< 5
15440	< 10	50	5	11	25	20

DATE : AUG-23-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6828

SAMPLE(S) OF Rock

INVOICE #: 11583
P.O.: R-1072

V.P. Van Daove
Project Corptech

	Au ppb	Au ozt
15441	>1000	.059
15442	110	
15443	35	
15444	25	
15445	95	
15446	80	
15447	65	
15448	25	
15449	50	
15450	230	
15451	110	
15452	45	
15453	290	
15454	180	
15455	130	
15456	190	
15457	330	
15458	60	

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: Orequest Consultants

Jul 25/89

SIGNED



T S L LABORATORIES

2 - 302 - 48TH STREET EAST SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 806 WEST HASTINGS STREET

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

T.S.L. REPORT No. : S - 6628

T.S.L. File No. :

T.S.L. Invoice No. : 11753

PROJECT CORPTECH R-1072

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	Bi	B	Ca	Cd	Cr	Co	Cu	Fe
15441	31000	30	35	28	< 1	15	20	12000	1	5	10	6500	51000
15442	5600	65	35	62	< 1	30	10	1300	1	8	3	140	45000
15443	24000	85	< 5	30	< 1	10	15	3000	1	9	16	46	86000
15444	36000	80	90	34	< 1	5	5	5000	< 1	4	13	920	79000
15445	10000	50	55	93	< 1	25	10	1700	1	11	12	230	38000
15446	8400	40	20	130	< 1	20	10	1700	< 1	12	7	210	27000
15447	9300	50	35	140	< 1	20	10	5000	1	13	6	440	36000
15448	6000	40	10	62	< 1	30	10	1500	< 1	20	9	260	30000
15449	9000	50	10	71	< 1	20	15	1600	< 1	21	9	470	37000
15450	21000	45	< 5	47	< 1	< 5	5	9100	1	9	24	2600	38000
15451	14000	45	20	66	< 1	40	10	36000	< 1	17	12	1800	30000
15452	14000	40	90	90	1	25	10	3600	< 1	4	12	370	37000
15453	25000	60	75	160	< 1	30	5	27000	< 1	3	17	5600	48000
15454	24000	65	65	80	< 1	35	15	12000	< 1	7	40	2400	53000
15455	10000	45	< 5	130	< 1	25	10	4100	< 1	4	13	740	33000
15456	9500	45	5	160	< 1	25	10	4200	< 1	11	12	1300	30000
15457	22000	50	< 5	70	< 1	10	5	25000	1	14	20	4900	38000
15458	2000	30	25	62	< 1	< 5	10	1200	1	29	6	200	21000

DATE : AUG-16-1969

SIGNED :

Bernie Dean

T S L LABORATORIES

2 - 302 - 48TH STREET EAST SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6828
T.S.L. File No. :
T.S.L. Invoice No. : 11753

ATTN: C. IDZISZEK, J. FOSTER

PROJECT CORPTECH

R-1072

ALL RESULTS IN PPM

SAMPLE #	Pb	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Tb	Sn
15441	4	9700	980	250	< 1	1800	400	9	9	350	38	20	30
15442	12	2200	62	6	< 1	2000	800	3	< 1	520	12	20	10
15443	22	9500	520	6	< 1	1700	400	6	< 1	360	13	40	< 10
15444	12	10000	950	66	< 1	1600	< 100	10	< 1	350	19	30	20
15445	12	4000	310	6	< 1	1000	1400	1	< 1	290	7	20	< 10
15446	12	3200	220	24	< 1	1300	2700	1	1	390	7	20	< 10
15447	16	4300	270	8	< 1	1500	1600	1	2	180	17	30	< 10
15448	8	2500	87	6	< 1	1200	1100	1	1	220	6	20	< 10
15449	20	3900	130	10	< 1	1100	1200	1	1	300	8	30	< 10
15450	12	8700	530	< 2	7	1800	500	6	1	520	27	20	< 10
15451	8	7200	700	< 2	< 1	1600	400	10	3	450	64	20	< 10
15452	12	4600	280	2	< 1	1600	1400	3	1	250	11	20	< 10
15453	8	8000	1000	2	< 1	3200	900	6	5	210	42	20	20
15454	8	8300	680	4	< 1	1800	700	6	2	280	38	30	20
15455	8	6800	210	12	< 1	1900	1200	3	2	430	16	30	< 10
15456	14	4200	180	10	4	2000	1500	1	5	340	13	20	< 10
15457	6	8100	950	< 2	1	2000	1000	8	8	260	72	30	20
15458	10	610	30	22	< 1	830	1300	< 1	2	300	8	20	< 10

DATE : AUG-16-1984

SIGNED :

Bernie Dunn

T S L LABORATORIES

2 - 302 - 48TH STREET EAST SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 800 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6828

T.S.L. File No. :

T.S.L. Invoice No. : 11753

ATTN: C. IDZISZEK, J. FOSTER

PROJECT CORPTECH

R-1072

ALL RESULTS IN PPM

SAMPLE #	Ti	W	V	Y	Zn	Zr
15441	53	< 10	160	29	77	35
15442	87	< 10	61	4	18	25
15443	75	< 10	150	16	53	59
15444	86	10	200	23	54	58
15445	19	< 10	57	5	18	25
15446	84	< 10	83	6	7	20
15447	440	< 10	64	9	12	23
15448	39	< 10	55	4	7	19
15449	38	< 10	71	9	13	21
15450	930	< 10	170	13	41	27
15451	250	< 10	140	14	24	24
15452	400	< 10	97	9	21	25
15453	160	< 10	190	24	57	31
15454	89	< 10	170	11	53	32
15455	62	< 10	86	14	22	21
15456	31	< 10	50	9	18	19
15457	230	< 10	120	15	57	25
15458	30	< 10	16	3	4	12

DATE : AUG-16-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6926

SAMPLE(S) OF Rock

INVOICE #: 11686
P.O.: R-1100

V.P.V.D.
Project CORPTECH

	Au ppb
15458	Not Rec'd
15459	20
15460	20
15461	30
15462	15
15463	30
15464	40
15465	10
15466	5
15467	<5
15468	<5
15469	5
15470	<5
15471	5
15472	10
15473	5
15474	5
15475	10
15476	810
15477	10

} 1.0m chip samples

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 10/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6926

SAMPLE(S) OF Rock

INVOICE #: 11686
P.O.: R-1100

V.P.V.D.
Project CORPTECH

	Au ppb
15478	10
15479	10

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 10/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1100

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6926

T.S.L. File No. :

T.S.L. Invoice No. : 11841

SAMPLE #	Al	Si	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fc	Pb
15459	770	< 5	30	160	< 1	< 5	17000	< 1	34	2	84	13000	30
15460	37000	15	20	200	< 1	< 5	14000	< 1	150	28	84	41000	10
15461	17000	< 5	35	93	< 1	< 5	18000	< 1	20	20	900	38000	18
15462	19000	25	20	100	< 1	< 5	31000	< 1	66	24	72	39000	12
15463	15000	< 5	65	160	< 1	< 5	20000	< 1	8	10	73	30000	8
15464	4500	< 5	15	210	< 1	< 5	1000	< 1	7	2	150	30000	22
15465	2500	< 5	20	110	< 1	< 5	27000	< 1	5	11	60	32000	16
15466	14000	30	80	150	< 1	< 5	42000	1	65	21	64	38000	130
15467	15000	< 5	45	170	< 1	< 5	19000	< 1	18	10	34	33000	6
15468	2000	< 5	< 5	62	< 1	< 5	49000	< 1	4	6	7	33000	< 2
15469	2200	5	< 5	170	< 1	< 5	27000	< 1	4	5	4	26000	60
15470	16000	< 5	< 5	60	< 1	< 5	11000	< 1	10	6	27	26000	12
15471	19000	< 5	35	94	< 1	< 5	27000	< 1	37	9	63	24000	16
15472	26000	5	< 5	180	< 1	< 5	16000	< 1	49	12	34	35000	2
15473	14000	< 5	< 5	66	< 1	< 5	9600	< 1	6	8	9	27000	2
15474	24000	< 5	35	179	< 1	< 5	4300	< 1	48	11	64	30000	22
15475	18000	< 5	20	140	< 1	< 5	12000	< 1	10	8	31	27000	46
15476	3200	< 5	80	110	< 1	< 5	1100	< 1	8	2	82	29000	32
15477	7100	< 5	10	210	< 1	< 5	28000	< 1	6	7	4	23000	18
15478	4500	< 5	10	130	< 1	< 5	27000	< 1	4	11	8	29000	10
15479	21000	< 5	5	210	< 1	< 5	6500	< 1	51	14	19	30000	18

DATE : AUG-24-1989

SIGNED :

Bernie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6926

T.S.L. File No. :

T.S.L. Invoice No. : 11841

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1100

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
15459	300	230	< 2	2	190	300	< 1	< 1	50	54	< 10	< 10	21
15460	8000	690	2	70	630	1100	12	< 1	1100	56	< 10	10	100
15461	5400	460	6	6	800	760	6	< 1	200	42	< 10	< 10	300
15462	7000	790	2	50	830	1300	10	< 1	50	73	20	< 10	20
15463	4700	630	< 2	4	1100	1000	2	< 1	170	44	< 10	< 10	37
15464	1600	47	2	< 2	1100	900	1	< 1	140	5	10	< 10	20
15465	4000	1000	< 2	< 2	1200	900	6	< 1	170	72	< 10	< 10	6
15466	7300	1100	< 2	36	470	1900	18	< 1	530	120	10	< 10	47
15467	5000	1200	< 2	2	1500	1400	5	< 1	250	52	< 10	10	22
15468	4700	1000	< 2	< 2	900	1200	4	< 1	40	160	< 10	< 10	< 1
15469	3100	1300	< 2	2	800	1000	3	< 1	150	30	< 10	10	2
15470	4500	1100	< 2	< 2	930	760	2	< 1	230	30	10	< 10	790
15471	5700	500	< 2	16	1200	640	4	< 1	170	42	< 10	< 10	610
15472	7000	770	4	10	1500	300	0	< 1	100	42	20	< 10	1500
15473	4100	950	< 2	< 2	860	500	2	< 1	210	23	< 10	< 10	90
15474	6400	670	< 2	16	1100	800	4	< 1	160	12	< 10	< 10	56
15475	5100	950	< 2	2	930	1000	2	< 1	290	30	< 10	< 10	240
15476	460	180	2	< 2	000	660	2	< 1	160	5	< 10	< 10	13
15477	3200	1600	< 2	2	1000	2300	3	< 1	220	57	< 10	< 10	9
15478	4100	1500	< 2	< 2	1300	2100	6	< 1	90	53	< 10	< 10	9
15479	6200	830	< 2	18	690	640	7	< 1	400	21	< 10	< 10	510

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2Y6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1100

ALL RESULTS PPM

T.S.L. REPORT No. : S - 8926

T.S.L. File No. :

T.S.L. Invoice No. : 11041

SAMPLE #	N	V	Y	Zn	Zr	Bi
15459	< 10	3	3	7	2	< 5
15460	< 10	120	9	61	8	10
15461	< 10	140	12	25	3	5
15462	< 10	65	11	48	6	10
15463	< 10	73	9	35	3	< 5
15464	< 10	25	2	6	2	< 5
15465	< 10	23	10	79	6	< 5
15466	< 10	60	11	330	18	5
15467	10	51	14	89	5	< 5
15468	< 10	11	9	32	5	10
15469	< 10	7	8	28	5	< 5
15470	< 10	74	8	86	11	< 5
15471	< 10	81	7	100	6	< 5
15472	< 10	97	10	73	11	10
15473	10	83	7	73	4	< 5
15474	< 10	77	8	160	5	< 5
15475	< 10	87	8	260	8	< 5
15476	< 10	6	4	22	8	< 5
15477	< 10	7	12	85	4	< 5
15478	< 10	14	13	60	6	< 5
15479	< 10	83	9	88	5	< 5

DATE : AUG-24-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6945

SAMPLE(S) OF Rock

INVOICE #: 11682
P.O.: 2257/R-1115

Project CORPTECH

	Au ppb
15480	160
15481	150
15482	25
15483	10
15484	150
15485	70
15486	20
15487	150
15488 -	55
15489 -	25
15490 -	15
15491 -	<5
15492 -	25
15493 -	35
15494 -	<5
15495 -	<5
15496 -	45
15497 -	65
15498 -	25
15499 -	20

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 09/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6945

SAMPLE(S) OF Rock

INVOICE #: 11682
P.O.: 2257/R-1115

Project CORPTECH

	Au ppb
15500 ✓	90

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 09/89

SIGNED

Bernie Duns



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2257/R-1115

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6945

T.S.L. File No. :

T.S.L. Invoice No. : 11844

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
15480	16000	< 5	30	73	< 1	< 5	2000	< 1	51	27	710	57000	18
15481	2600	< 5	15	110	< 1	< 5	390	3	81	3	2100	13000	20
15482	1600	< 5	40	94	< 1	< 5	6900	< 1	45	2	40	8200	2
15483	7700	< 5	< 5	210	< 1	< 5	8900	< 1	22	3	59	15000	2
15484	8000	< 5	90	70	< 1	< 5	1600	< 1	13	11	180	56000	26
15485	15000	< 5	35	33	< 1	< 5	10000	< 1	30	2	160	17000	6
15486	13000	< 5	20	40	< 1	< 5	12000	< 1	36	15	930	25000	< 2
15487	15000	< 5	40	100	< 1	< 5	4200	< 1	16	9	120	33000	14
15488	16000	< 5	30	36	< 1	< 5	2500	< 1	21	13	260	31000	< 2
15489	10000	< 5	60	41	< 1	< 5	7200	< 1	10	10	340	22000	10
15490	4000	< 5	20	71	< 1	< 5	1300	< 1	23	3	230	9900	12
15491	16000	< 5	< 5	170	< 1	< 5	7100	< 1	20	10	110	22000	< 2
15492	13000	< 5	< 5	130	< 1	< 5	7900	< 1	13	7	500	25000	< 2
15493	14000	< 5	10	100	< 1	< 5	6600	< 1	11	6	430	25000	< 2
15494	10000	< 5	20	100	< 1	< 5	4700	< 1	17	2	29	16000	12
15495	24000	30	35	190	< 1	< 5	5700	< 1	33	11	54	33000	10
15496	12000	< 5	30	94	< 1	< 5	2600	< 1	34	13	530	42000	14
15497	6500	< 5	< 5	21	< 1	< 5	1000	< 1	53	14	570	33000	12
15498	14000	< 5	10	95	< 1	< 5	7400	< 1	11	0	520	24000	6
15499	4600	< 5	< 5	110	< 1	< 5	3600	< 1	21	4	16	25000	10
15500	5900	< 5	25	110	< 1	< 5	640	< 1	52	< 1	63	50000	< 2

DATE : 006-14-1989

SIGNED :

Bunnie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2257/R-1115

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6945

T.S.L. File No. :

T.S.L. Invoice No. : 11844

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
15480	5900	240	6	52	990	840	4	< 1	150	6	< 10	< 10	680
15481	1500	130	< 2	4	250	440	1	< 1	90	4	< 10	< 10	110
15482	440	71	6	2	2800	960	1	< 1	60	18	< 10	< 10	73
15483	2400	360	< 2	4	660	320	2	< 1	180	26	< 10	< 10	82
15484	3300	180	4	< 2	970	820	2	< 1	180	6	< 10	< 10	150
15485	4200	150	12	4	890	240	2	< 1	360	8	< 10	< 10	760
15486	5200	300	2	26	790	180	4	< 1	240	16	< 10	< 10	790
15487	5300	380	< 2	2	880	360	4	< 1	260	9	10	< 10	940
15488	4200	170	< 2	18	730	320	2	< 1	380	12	< 10	< 10	1180
15489	3500	180	2	14	840	260	1	< 1	280	6	< 10	< 10	1180
15490	1700	110	2	4	240	540	1	< 1	190	4	10	< 10	140
15491	4900	240	< 2	12	810	560	2	< 1	1000	39	10	< 10	1600
15492	4700	490	< 2	6	910	440	4	< 1	250	29	10	< 10	740
15493	5200	470	< 2	2	1120	360	5	< 1	240	15	10	< 10	860
15494	4400	290	< 2	2	1200	440	2	< 1	380	20	< 10	< 10	900
15495	6800	590	2	14	870	480	6	< 1	390	15	< 10	< 10	1500
15496	5800	280	6	18	1200	380	4	< 1	230	9	< 10	< 10	1500
15497	3100	240	< 2	44	390	40	1	< 1	150	5	< 10	< 10	620
15498	4600	320	< 2	< 2	1200	260	2	< 1	150	15	< 10	< 10	740
15499	2700	87	< 2	2	890	640	1	< 1	340	14	10	< 10	1600
15500	4200	96	6	< 2	1180	260	2	< 1	120	3	< 10	< 10	2800

DATE : 008-24-1989

SIGNED :

Bernie Duro

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6945
 T.S.L. File No. :
 T.S.L. Invoice No. : 11844

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2257/R-1115

ALL RESULTS PPM

SAMPLE #	N	V	Y	Zn	Zr	Bi
15480	< 10	66	5	120	5	15
15481	< 10	21	2	180	2	< 5
15482	< 10	4	15	9	2	< 5
15483	< 10	44	9	28	3	10
15484	< 10	65	5	32	12	< 5
15485	< 10	41	4	13	6	< 5
15486	< 10	110	5	29	8	< 5
15487	10	82	5	23	12	< 5
15488	< 10	59	3	21	6	< 5
15489	< 10	42	4	11	6	< 5
15490	< 10	22	3	12	3	5
15491	< 10	68	5	20	6	< 5
15492	< 10	130	6	35	10	< 5
15493	< 10	130	6	36	12	< 5
15494	< 10	120	6	26	7	10
15495	< 10	110	6	44	12	< 5
15496	< 10	77	7	25	6	< 5
15497	< 10	35	5	21	5	< 5
15498	< 10	59	5	32	9	< 5
15499	< 10	57	7	8	22	5
15500	< 10	140	2	11	10	< 5

DATE : AUG-24-1989

SIGNED :

Bernie Duna



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6925

SAMPLE(S) OF Rock

INVOICE #: 11678
P.O.: R-1099

Val. V.
Project CORPTECH (King-cons)

PLATEAU ZONE

	Au ppb	Au ozt
15901 -	20	
15902 -	270	
15903 -	>1000	.052
15904 ✓	50	
15905 ✓	350	
15906 -	80	
15907 -	40	

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 09/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 1 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2Y6

T.S.L. REPORT No. : S - 6925

T.S.L. File No. :

T.S.L. Invoice No. : 11840

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH (KING CONS) R-1059

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
15901	24000	50	< 5	210	< 1	< 5	24000	< 1	52	12	99	35000	78
15902	17000	< 5	< 5	120	< 1	< 5	3700	< 1	54	10	230	49000	18
15903	23000	5	460	47	< 1	< 5	1800	< 1	41	36	690	91000	44
15904	13000	< 5	150	97	< 1	< 5	17000	< 1	83	29	770	46000	54
15905	6400	< 5	75	55	< 1	< 5	4500	1	18	14	920	33000	6
15906	6400	< 5	< 5	180	< 1	< 5	4600	< 1	26	9	460	41200	10
15907	580	< 5	< 5	23	1	< 5	460	< 1	14	5	41	120000	44

DATE : NOV-27-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2Y6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH (KING-CONS) R-1099

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6925

T.S.L. File No. :

T.S.L. Invoice No. : 11840

SAMPLE #	Hg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Ti	Sn	Zn
15901	6300	660	4	16	760	1200	7	< 1	380	63	10	< 10	900
15902	5800	300	4	14	820	860	7	< 1	320	15	< 10	< 10	2000
15903	6300	410	2	10	830	360	4	< 1	< 10	4	< 10	< 10	1100
15904	4700	380	4	44	2100	1900	6	< 1	80	34	< 10	< 10	960
15905	3100	120	2	4	1000	1000	3	< 1	240	11	< 10	< 10	820
15906	3300	120	8	8	1000	1200	5	< 1	400	18	< 10	< 10	1600
15907	600	14	20	< 2	200	320	< 1	< 1	10	2	< 10	< 10	310

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 608 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

T.S.L. REPORT No. : S - 6925

T.S.L. File No. :

T.S.L. Invoice No. : 11840

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH (KING-CONS) R-1099

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
15901	< 10	130	5	74	10	< 5
15902	< 10	130	6	28	14	< 5
15903	< 10	140	4	46	3	30
15904	< 10	140	10	55	11	10
15905	< 10	81	6	29	6	< 5
15906	< 10	98	7	25	11	< 5
15907	< 10	7	3	49	< 1	50

DATE : AUG-24-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6944

SAMPLE(S) OF Rock

INVOICE #: 11683
P.O.: 2257/R-1116

PLATEAU ZONE

Project CORPTECH

	Au ppb
45001 -	35
45002 -	110
45003 -	20
45004 -	50
45005 -	5
45006 -	65
45007 -	5
45008 -	<5
45009 -	30
45010 -	65
45011 -	40
45012 -	45
45013 -	10
45014 -	10
45015 -	30
45016 -	10
45017 -	<5
45018 -	25
45019 -	60
45020 -	260

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 09/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IOZISZEK, J. FOSTER

PROJECT: CORPTECH

2257/R-1116

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6944

T.S.L. File No. :

T.S.L. Invoice No. : 11843

SAMPLE #	Al	Sb	As	Ba	Be	B	Ce	Cd	Cr	Co	Cu	Fe	Pb
45001	8700	< 5	< 5	140	< 1	< 5	6200	< 1	19	7	280	19000	12
45002	10000	< 5	< 5	36	< 1	< 5	14000	< 1	14	2	210	10000	< 2
45003	13000	< 5	25	190	< 1	< 5	2400	< 1	22	2	180	35000	< 2
45004	8800	< 5	20	37	< 1	< 5	5600	< 1	24	1	130	31000	2
45005	12000	< 5	< 5	26	< 1	< 5	4200	< 1	31	< 1	130	12000	12
45006	8500	< 5	25	44	< 1	< 5	1600	< 1	12	1	89	33000	2
45007	26000	10	< 5	21	< 1	< 5	23000	< 1	64	16	12	37000	12
45008	23000	< 5	30	130	< 1	< 5	9300	< 1	31	9	44	24000	8
45009	9100	< 5	< 5	66	< 1	< 5	6000	< 1	26	6	240	19000	12
45010	14000	< 5	10	56	< 1	< 5	8300	< 1	7	9	190	26000	2
45011	10000	< 5	50	63	< 1	< 5	3700	< 1	31	5	320	31000	10
45012	14000	< 5	< 5	130	< 1	< 5	2600	< 1	17	14	220	61000	14
45013	11000	< 5	30	120	< 1	< 5	1700	< 1	33	8	260	32000	10
45014	12000	< 5	25	88	< 1	< 5	4900	< 1	28	9	240	23000	4
45015	2600	< 5	5	110	< 1	< 5	3600	< 1	23	< 1	33	15000	< 2
45016	13000	< 5	< 5	170	< 1	< 5	7300	1	20	6	210	16000	6
45017	16000	< 5	15	110	< 1	< 5	8400	< 1	14	8	99	30000	2
45018	11000	< 5	< 5	84	< 1	< 5	4400	< 1	31	11	130	30000	< 2
45019	9300	< 5	< 5	42	< 1	< 5	9900	< 1	10	10	200	20000	10
45020	14000	< 5	30	71	< 1	< 5	10000	< 1	22	8	440	17000	6

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 200 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2Y6

T.S.L. REPORT No. : S - 6944

T.S.L. File No. :

T.S.L. Invoice No. : 11043

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2257/R-1116

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
45001	3500	120	2	< 2	1300	640	1	< 1	630	40	10	< 10	1100
45002	1300	62	< 2	2	1100	140	1	< 1	220	7	< 10	< 10	1000
45003	4900	130	< 2	4	940	460	6	< 1	290	7	< 10	< 10	2400
45004	3400	100	96	2	990	220	2	< 1	220	4	< 10	< 10	3300
45005	5600	540	< 2	8	1600	60	5	< 1	420	6	< 10	< 10	1000
45006	3900	160	< 2	2	1000	200	3	< 1	270	4	< 10	< 10	2100
45007	7100	810	2	4	1100	100	6	< 1	170	36	< 10	< 10	1700
45008	5200	260	< 2	12	890	460	2	< 1	1600	59	< 10	< 10	1500
45009	2300	79	< 2	10	990	300	1	< 1	980	33	< 10	< 10	1400
45010	4300	160	< 2	< 2	1300	180	3	< 1	290	21	< 10	< 10	850
45011	4500	170	< 2	14	1100	300	3	< 1	380	14	< 10	< 10	1600
45012	4100	240	4	2	1300	720	6	< 1	170	10	< 10	< 10	1300
45013	4500	250	< 2	8	560	340	4	< 1	140	7	< 10	< 10	700
45014	4000	100	< 2	32	900	320	2	< 1	460	14	< 10	< 10	1700
45015	1800	33	< 2	< 2	890	380	3	< 1	410	6	< 10	< 10	3500
45016	3100	88	< 2	10	860	480	1	< 1	1700	44	< 10	< 10	1900
45017	4300	230	< 2	< 2	1000	520	2	< 1	340	24	10	< 10	900
45018	3800	160	< 2	10	1300	340	3	< 1	420	15	< 10	< 10	1100
45019	2600	67	6	2	1300	220	1	< 1	380	16	< 10	< 10	700
45020	4100	130	6	10	760	380	2	< 1	670	16	< 10	< 10	1900

Bernie Dunn

T S L LABORATORIES

2-382-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6944

T.S.L. File No. :

T.S.L. Invoice No. : 11843

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: COMPTech 2257/R-1116

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
45001	< 10	49	6	9	13	< 5
45002	< 10	25	5	6	6	< 5
45003	< 10	110	5	19	13	10
45004	< 10	88	7	12	14	< 5
45005	< 10	100	9	17	9	< 5
45006	< 10	81	4	10	7	< 5
45007	< 10	100	9	74	9	5
45008	< 10	91	4	25	5	< 5
45009	< 10	39	5	7	6	10
45010	< 10	67	6	13	12	< 5
45011	< 10	75	6	10	10	< 5
45012	< 10	140	6	22	16	10
45013	< 10	58	6	46	7	< 5
45014	< 10	69	7	14	10	< 5
45015	< 10	64	8	4	14	10
45016	< 10	39	6	10	8	10
45017	< 10	61	7	12	15	< 5
45018	< 10	68	6	10	10	< 5
45019	< 10	41	6	6	5	10
45020	< 10	63	5	10	9	< 5

DATE : AUG-24-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6946

SAMPLE(S) OF Rock

INVOICE #: 11687
P.O.: 2257/R-1114

PLATEAU ZONE

Project CORPTECH

	Au ppb	Au ozt
45021 -	320	
45022 -	260	
45023 -	270	
45024 -	60	
45025 -	190	
45026	10	
45027	130	
45028 -	330	
45029 -	>1000	.054
45030 -	120	
45031 -	120	
45032 -	270	
45033 -	150	
45034 -	410	
45035 -	300	
45036	Not Rec'd	
15808 -	110	
15809	190	
15810 -	>1000	.615/.593
15811 -	>1000	.127

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 10/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6946

SAMPLE(S) OF Rock

INVOICE #: 11687
P.O.: 2257/R-1114

Project CORPTECH

	Au
	ppb
15812	240

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 10/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6946
 T.S.L. File No. :
 T.S.L. Invoice No. : 11922

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 225779-1114 ALL RESULTS PPM

SAMPLE #	Al	Si	As	Ba	Bi	B	Ca	Co	Cr	Cu	Du	Fe	Pb
45021	10000	< 5	230	13	< 1	< 5	520	24	36	30	2900	61000	66
45022	6000	< 5	10	26	< 1	< 5	7100	1	71	37	1700	40000	26
45023	8100	< 5	40	120	< 1	< 5	19000	1	47	14	1600	30000	9
45024	17000	< 5	5	120	< 1	< 5	4000	< 1	46	10	540	20000	4
45025	9000	< 5	< 5	55	< 1	< 5	5000	< 1	16	10	600	26000	12
45026	13000	< 5	< 5	120	< 1	< 5	3100	< 1	56	9	200	40000	10
45027	11000	< 5	20	97	< 1	< 5	5100	< 1	46	9	320	39000	< 2
45028	7000	< 5	15	72	< 1	< 5	8000	< 1	31	13	250	47000	< 2
45029	11000	< 5	5	64	< 1	< 5	8500	< 1	52	20	470	63000	14
45030	14000	< 5	15	90	< 1	< 5	2200	< 1	21	27	470	50000	10
45031	20000	< 5	20	75	< 1	< 5	3000	2	66	50	1600	51000	20
45032	21000	< 5	35	50	< 1	< 5	2000	< 1	63	40	1700	73000	10
45033	23000	< 5	45	130	< 1	< 5	4700	< 1	55	10	250	40000	6
45034	17000	< 5	100	20	< 1	< 5	2000	< 1	65	14	190	50000	4
45035	5500	< 5	30	160	< 1	< 5	910	< 1	57	1	140	50000	20
15000	5500	< 5	< 5	40	< 1	< 5	6400	< 1	56	4	26	41000	4
15009	7000	< 5	45	80	< 1	< 5	12000	< 1	40	15	1100	53000	12
15010	2000	4200	830	64	< 1	< 5	3300	140	< 1	6	9200	40000	2000
15011	14000	130	240	42	< 1	< 5	810	44	27	30	50000	94000	200
15012	22000	10	< 5	26	< 1	< 5	2300	3	56	45	1500	91000	36

Bernie Dunn

T S I LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 906 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6946
 T.S.L. File No. :
 T.S.L. Invoice No. : 11922

ATTN: C. LOZIEREK, J. FOSTER PROJECT: CORFTECH 2257/6-1114 ALL RESULTS FPH

SAMPLE #	Hg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
45021	5800	690	2	36	570	860	5	3	70	70	10	< 10	69
45022	2400	170	6	14	1700	460	1	< 1	60	33	< 10	< 10	87
45023	4400	360	< 2	30	790	340	3	< 1	180	27	< 10	< 10	770
45024	4400	360	2	20	710	160	4	< 1	170	14	< 10	< 10	890
45025	3200	100	2	12	760	300	1	< 1	350	15	< 10	< 10	1200
45026	6200	330	0	14	1300	260	4	< 1	190	11	< 10	< 10	1500
45027	4300	240	14	10	900	160	5	< 1	240	14	< 10	< 10	1200
45028	1500	420	0	14	400	100	1	< 1	40	10	< 10	< 10	160
45029	2300	460	14	20	1200	100	2	< 1	20	11	< 10	< 10	400
45030	4300	400	4	6	730	240	3	< 1	190	12	< 10	< 10	920
45031	6100	620	0	32	740	320	9	< 1	190	0	< 10	< 10	1100
45032	6500	310	16	54	890	200	4	< 1	160	0	< 10	< 10	1700
45033	6500	340	4	12	840	1000	9	< 1	620	24	< 10	< 10	2300
45034	5900	730	6	20	970	520	9	< 1	60	6	< 10	< 10	7500
45035	2900	140	24	6	1000	540	6	< 1	110	13	< 10	< 10	1300
15000	3500	160	0	4	700	200	3	< 1	390	9	< 10	< 10	1400
15009	4100	260	6	50	1100	200	4	< 1	90	12	< 10	< 10	1000
15010	710	200	6	0	490	220	2	9	130	0	< 10	< 10	230
15011	5600	840	6	24	650	140	7	5	< 10	7	< 10	< 10	140
15012	5500	430	14	42	900	340	4	< 1	50	4	< 10	< 10	1100

Bonnie Durr

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion


PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 600 WEST HASTINGS ST.
 VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6946
 T.S.L. File No. :
 T.S.L. Invoice No. : 11922

V6C 2X6
 ATTN: C. IODZISZEK, J. FOSTER PROJECT: CORPTECH 2257/R-1114 ALL RESULTS PPM

SAMPLE #	N	V	Y	Zn	Zr	Bi
45021	10	110	7	1300	1	60
45022	10	41	6	110	4	5
45023	< 10	79	8	130	6	5
45024	< 10	95	5	30	7	< 5
45025	< 10	37	3	11	6	< 5
45026	< 10	120	6	20	6	5
45027	< 10	200	4	22	10	< 5
45028	< 10	52	3	20	3	5
45029	< 10	78	5	26	10	25
45030	< 10	77	6	20	10	10
45031	10	140	7	150	11	20
45032	< 10	120	7	36	14	25
45033	< 10	160	6	65	13	10
45034	< 10	100	6	31	17	25
45035	< 10	470	5	20	15	< 5
15008	< 10	140	4	13	6	10
15009	< 10	80	8	47	9	25
15010	< 10	49	3	17000	3	160
15011	< 10	150	7	3400	3	60
15012	< 10	110	6	100	0	10

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6918

SAMPLE(S) OF Soil

INVOICE #: 11670
P.O.: 2258/R-1070

V. Van Damme
Project CORP TECH

PLATEAU ZONE

	Au ppb
L1050 0+00E	15
L1050 0+25E	80
L1050 0+50E	10
L1050 0+75E	110
L1050 1+00E	20
L1050 1+25E	75
L1050 1+50E	50
L1050 1+75E	15
L1050 2+00E	10
L1050 2+50E	15
L1050 2+75E	10
L1050 3+00E	5
L1050 3+25E	15
LN3500 S0+00	60
LN3500 S0+50W	100
LN3500 S0+75W	20
LN3500 S1+00W	90
LN3500 S1+25W	40
LN3500 S1+50W	Insuff.
LN3500 S1+75W	Insuff.


COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 08/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6918

SAMPLE(S) OF Soil

INVOICE #: 11670
P.O.: 2258/R-1070

V. Van Damme
Project CORP TECH

	Au ppb
LN3500 S2+00W	310
LN3500 S2+25W	210
L3000N 1+75E	45
L3000N 1+50E	90
L3000N 1+25E	Insuff.
L3000N 1+00E	120
L3000N 0+75E	330
L3000N 0+50E	95
L3000N 0+25E	310
L3000N 0+00W	220
L3000N 0+25W	Insuff.
L3000N 0+50W	230
L3000N 0+75W	710
L3000N 1+00W	>1000
L3000N 1+25W	Insuff.
L3000N 1+50W	Insuff.
L3250N 1+50W	Insuff.
L3250N 1+25W	180
L3250N 1+00W	Insuff.
L3250N 0+75W	Insuff.

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 08/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6918

SAMPLE(S) OF Soil

INVOICE #: 11670
P.O.: 2258/R-1070

V. Van Damme
Project CORP TECH

	Au ppb
L3250N 0+50W	Insuff.
L3250N 0+25W	110
L3250N 0+00	Insuff.
L3250N 0+25E	Insuff.
L3250N 0+50E	40
L3250N 0+75E	75
L3250N 1+00E	30
L36 4+00E	5
L36 3+75E	10
L36 3+50E	10
L36 3+25E	5
L36 3+00E	5
L36 2+75E	25
L36 2+50E	15
L36 2+25E	15
L36 2+00E	40
L36 1+75E	30
L36 1+50E	30
L36 1+25E	40
L36 1+00E	70

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 08/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6918

SAMPLE(S) OF Soil

INVOICE #: 11670
P.O.: 2258/R-1070

V. Van Damme
Project CORP TECH

	Au ppb
L1250A 0+00E	120
L1250A 0+25E	20
L1250A 0+50E	20
L1250A 0+75E	15
L1250A 1+00E	15
L1250A 1+25E	15
L1250A 1+50E	25
L1250A 1+75E	55
L1250A 2+00E	60
L1250A 2+25E	25
L1250A 2+50E	160
L1250A 2+75E	180
L1250A 3+00E	110
L1250A 3+25E	30
L1250A 3+50E	40
L1250A 3+75E	240
L1250A 4+00E	15
L1250A 4+25E	70
L1250A 4+50E	20
L1250A 4+75E	75

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 08/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6918

SAMPLE(S) OF Soil

INVOICE #: 11670
P.O.: 2258/R-1070

V. Van Damme
Project CORP TECH

	Au ppb
L1250A 5+00E	25
L1250A 5+25E	20
L1250A 5+50E	70
L1250A 5+75E	45
L1250A 6+00E	180
L1250A 6+25E	260
L1250A 6+50E	160

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 08/89

SIGNED



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10-808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : 9 - 5918
 T.S.L. File No. :
 T.S.L. Invoice No. : 11839

ATTN: C. IUZISZEK, J. FOSTER

PROJECT: CORPTECH 2258/R-1070

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Pb	Be	B	Ca	Cd	Cr	Co	Cu	Fu	Pb
L1050 0+00E	29000	< 5	30	100	< 1	< 5	1500	< 1	24	2	65	34000	10
L1050 0+25E	19000	< 5	30	70	< 1	5	1000	< 1	39	< 1	170	19000	10
L1050 0+50E	52000	5	60	110	1	5	2100	< 1	22	11	70	46000	20
L1050 0+75E	18000	< 5	30	65	< 1	< 5	1700	< 1	41	14	860	67000	10
L1050 1+00E	38000	< 5	30	80	1	< 5	1200	< 1	29	2	66	35000	22
L1050 1+25E	28000	5	130	140	< 1	< 5	800	< 1	45	20	280	44000	26
L1050 1+50E	17000	5	140	210	< 1	< 5	1900	19	40	30	300	47000	66
L1050 1+75E	43000	< 5	75	100	1	< 5	1100	< 1	35	11	110	47000	34
L1050 2+00E	40000	< 5	< 5	90	< 1	< 5	1300	< 1	45	6	65	43000	16
L1050 2+50E	14000	20	50	100	< 1	< 5	3400	< 1	30	29	160	43000	30
L1050 2+75E	26000	20	< 5	190	< 1	< 5	910	< 1	39	16	120	35000	22
L1050 3+00E	17000	< 5	50	180	< 1	< 5	3300	< 1	26	23	140	40000	30
L1050 3+25E	21000	< 5	40	210	1	< 5	1400	< 1	33	32	140	44000	34
LN3500 00+50W	36000	< 5	40	87	< 1	< 5	760	< 1	31	6	100	44000	20
LN3500 00+75W	32000	< 5	15	64	< 1	< 5	3500	< 1	17	6	51	25000	14
LN3500 01+00W	20000	20	55	130	< 1	< 5	8100	< 1	17	8	46	33000	16
LN3500 01+25W	41000	< 5	45	85	1	< 5	2500	< 1	24	7	61	35000	10
LN3000 1+00E	20000	< 5	50	87	< 1	< 5	3300	< 1	20	2	130	34000	14
LN3000 0+75E	17000	< 5	10	160	< 1	< 5	1200	< 1	32	6	310	60000	24
LN3000 0+25E	13000	< 5	< 5	45	< 1	5	940	< 1	28	2	230	30000	4
LN3250N 0+50E	18000	< 5	50	130	< 1	< 5	2000	< 1	17	1	53	45000	16
LN3250N 0+75E	24000	< 5	60	70	< 1	< 5	740	< 1	38	< 1	110	50000	34
LN3250N 1+00E	27000	< 5	< 5	60	< 1	< 5	1000	< 1	40	1	50	52000	10
L36 4+00 E	30000	< 5	< 5	66	< 1	< 5	850	< 1	26	2	44	30000	14
L36 3+75 E	23000	< 5	15	94	< 1	< 5	1400	< 1	25	3	41	30000	22
L36 3+50 E	10000	< 5	< 5	74	< 1	< 5	1000	< 1	26	1	26	35000	10
L36 3+25 E	20000	< 5	< 5	55	< 1	< 5	820	< 1	24	2	21	41000	6
L36 3+00 E	47000	< 5	< 5	120	< 1	< 5	2200	< 1	36	11	39	34000	12
L36 2+50 E	33000	< 5	20	150	< 1	< 5	1300	< 1	36	14	190	41000	24
L36 2+25 E	30000	< 5	20	140	< 1	< 5	1200	< 1	22	6	54	30000	6

Bernie Dunn

T.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10-006 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2Y6

ATTN: C. IZSISZEK, J. FOSTER

PROJECT: CGRPTech

2258/R-1070

ALL RESULTS FPK

T.S.L. REPORT No. : S - 6918

T.S.L. File No. :

T.S.L. Invoice No. : 11839

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Zn	Ti
L1050 0+00E	2600	150	< 2	10	550	320	4	< 1	300	16	< 10	< 10	3600
L1050 0+25E	1600	73	2	6	410	260	3	< 1	190	8	< 10	< 10	1900
L1050 0+50E	3500	330	< 2	10	930	620	10	< 1	640	23	< 10	< 10	3000
L1050 0+75E	3700	900	22	10	1200	540	6	< 1	410	13	< 10	< 10	1400
L1050 1+00E	2000	300	2	10	710	320	3	< 1	250	10	< 10	< 10	1000
L1050 1+25E	4300	1500	4	40	1300	600	7	< 1	230	10	< 10	< 10	1500
L1050 1+50E	4500	4000	6	130	1500	520	4	< 1	60	11	< 10	< 10	150
L1050 1+75E	3700	1300	< 2	10	710	480	4	< 1	220	7	< 10	< 10	2700
L1050 2+00E	3300	540	< 2	14	720	520	6	< 1	400	12	< 10	< 10	3000
L1050 2+50E	3300	1200	4	40	1300	400	5	< 1	150	16	< 10	< 10	740
L1050 2+75E	5100	1400	4	36	860	440	3	< 1	70	7	< 10	< 10	600
L1050 3+00E	4900	1400	2	30	1640	440	5	< 1	140	17	< 10	< 10	160
L1050 3+25E	4100	3000	4	40	1300	520	1	< 1	70	9	< 10	< 10	110
LN3500 50+50W	3100	390	6	10	730	400	3	< 1	240	7	< 10	< 10	1200
LN3500 50+75W	3800	230	< 2	0	690	980	5	< 1	1700	39	< 10	< 10	3000
LN3500 51+00W	5200	400	< 2	0	720	2500	6	< 1	2700	84	< 10	< 10	3500
LN3500 51+25W	3500	170	< 2	6	1000	760	9	< 1	1000	29	< 10	< 10	3500
L3000N 1+00E	4000	230	6	6	890	900	3	< 1	1520	35	< 10	< 10	1100
L3000N 0+75E	3000	500	12	10	1600	320	4	< 1	240	15	< 10	< 10	1000
L3000N 0+25E	1500	00	14	6	1200	140	1	< 1	60	4	< 10	< 10	200
L3250N 0+50E	3000	200	2	4	590	500	2	< 1	650	26	< 10	< 10	3000
L3250N 0+75E	2500	150	4	0	690	260	7	< 1	120	0	< 10	< 10	3000
L3250N 1+00E	2700	170	< 2	4	460	300	4	< 1	240	12	< 10	< 10	3500
L36 4+00 E	2700	310	< 2	6	1100	500	3	< 1	310	10	< 10	< 10	3000
L36 3+75 E	3000	690	< 2	6	650	620	1	< 1	510	17	< 10	< 10	2600
L36 3+50 E	1000	350	< 2	4	600	440	1	< 1	290	13	< 10	< 10	3200
L36 3+25 E	2700	190	< 2	6	540	500	2	< 1	260	6	< 10	< 10	3000
L36 3+00 E	4000	900	< 2	16	900	700	4	< 1	990	21	< 10	< 10	3000
L36 2+50 E	4000	900	< 2	14	1100	660	6	< 1	360	14	< 10	< 10	3500
L36 2+25 E	2000	640	< 2	6	660	320	3	< 1	270	13	< 10	< 10	3000

DATE : 006-2E-1994

SIGNED :

Bernie Dunn

T S L

LABORATORIES
2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6P4TELEPHONE : (306) 931 - 1033
FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10-808 WEST HASTINGS ST.

VANCOUVER, B.C.

MSD 2X6

T.S.L. REPORT No. : S - 6918

T.S.L. File No. :

T.S.L. Invoice No. : 11839

ATTN: C. IODASZEK, J. FOSTER

PROJECT: DORPTECH

2256/R-1070

ALL RESULTS ppm

SAMPLE #	N	V	Y	Zn	Zr	Bi
L1050 0+00E	< 10	90	6	57	47	< 5
L1050 0+25E	< 10	60	9	32	10	5
L1050 0+50E	< 10	110	14	60	61	< 5
L1050 0+75E	< 10	120	10	53	7	25
L1050 1+00E	< 10	55	9	59	34	< 5
L1050 1+25E	< 10	80	15	170	10	< 5
L1050 1+50E	< 10	70	27	860	3	< 5
L1050 1+75E	< 10	54	16	130	72	< 5
L1050 2+00E	< 10	96	12	78	28	< 5
L1050 2+00E	< 10	76	17	310	4	< 5
L1050 2+25E	< 10	54	10	180	2	< 5
L1050 2+50E	< 10	67	16	180	3	5
L1050 2+75E	< 10	63	18	210	2	< 5
L3000 0+00M	< 10	78	8	73	10	5
L3000 0+25M	< 10	69	6	62	42	< 5
L3000 0+50M	< 10	95	9	79	30	5
L3000 0+75M	< 10	130	7	73	65	10
L3000N 1+00E	< 10	96	5	53	11	< 5
L3000N 0+75E	10	120	6	62	4	10
L3000N 0+25E	10	93	3	26	3	< 5
L3250N 0+50E	< 10	150	4	62	17	< 5
L3250N 0+75E	< 10	130	4	55	34	< 5
L3250N 1+00E	< 10	140	6	56	32	5
L36 4+00 E	< 10	110	5	62	36	< 5
L36 3+75 E	< 10	90	4	63	13	< 5
L36 3+50 E	< 10	87	4	51	25	< 5
L36 3+25 E	< 10	110	4	53	46	10
L36 3+00 E	< 10	80	14	92	51	5
L36 2+50 E	< 10	100	10	93	19	5
L36 2+25 E	< 10	110	5	56	27	5

DATE : AUG-26-1995

SIGNED :

Denise Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10-805 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : 5 - 6912
 T.S.L. File No. :
 T.S.L. Invoice No. : 11839

ATTN: C. DZISZEK, J. FOSTER

PROJECT: LOBTECH

2258/F-1070

ALL RESULTS FROM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Co	Cr	Cu	Cd	Fa	Hg
L36 2+00 E	30000	< 5	60	69	< 1	< 5	490	< 1	50	1	99	50000	28
L36 1+75 E	34000	< 5	75	170	< 1	< 5	750	< 1	47	10	120	43000	24
L36 1+50 E	38000	< 5	45	120	< 1	< 5	1400	< 1	31	5	140	37000	20
L36 1+25 E	33000	< 5	85	160	< 1	< 5	1900	< 1	48	15	200	42000	26
L36 1+00 E	37000	< 5	50	150	< 1	< 5	1700	< 1	24	12	120	41000	16
L1250A 0+00E	22000	< 5	70	160	< 1	< 5	1100	< 1	19	0	44	44000	22
L1250A 0+25E	35000	< 5	< 5	110	< 1	< 5	930	< 1	21	5	46	41200	20
L1250A 0+50E	37000	< 5	40	140	< 1	< 5	1000	< 1	30	12	39	44000	14
L1250A 0+75E	39000	< 5	50	150	< 1	< 5	760	< 1	36	21	55	40000	14
L1250A 1+00E	35000	< 5	80	190	< 1	< 5	1100	< 1	20	14	84	47000	22
L1250A 1+25E	45000	< 5	< 5	150	< 1	< 5	1400	< 1	24	16	43	43000	16
L1250A 1+50E	34000	< 5	30	130	< 1	< 5	2600	< 1	25	29	60	43000	16
L1250A 1+75E	30000	< 5	< 5	110	< 1	< 5	2500	< 1	29	17	110	41000	30
L1250A 2+00E	32000	< 5	30	98	< 1	< 5	620	< 1	34	20	46	45000	20
L1250A 2+25E	42000	< 5	50	100	< 1	< 5	1100	< 1	41	5	33	41200	8
L1250A 2+50E	26000	< 5	45	110	< 1	< 5	1000	< 1	27	2	87	31000	30
L1250A 2+75E	21000	< 5	40	200	< 1	< 5	600	< 1	30	17	89	56000	28
L1250A 3+00E	41000	< 5	35	110	< 1	< 5	790	< 1	37	12	74	45000	30
L1250A 3+25E	31000	< 5	55	120	< 1	< 5	1500	< 1	25	5	37	41000	22
L1250A 3+50E	40000	< 5	65	160	< 1	< 5	750	< 1	34	32	200	33000	14
L1250A 3+75E	35000	< 5	35	140	< 1	< 5	2500	< 1	31	17	210	53000	42
L1250A 4+00E	31000	< 5	10	150	< 1	< 5	900	< 1	18	< 1	25	40000	12
L1250A 4+25E	11000	< 5	< 5	120	< 1	< 5	760	< 1	25	< 1	69	40000	20
L1250A 4+50E	35000	< 5	< 5	57	< 1	< 5	570	< 1	30	3	43	47000	16
L1250A 4+75E	38000	< 5	45	100	< 1	< 5	2000	< 1	34	8	320	53000	26
L1250A 5+00E	44000	< 5	35	140	< 1	< 5	1900	< 1	20	13	69	40000	18
L1250A 5+25E	42000	< 5	< 5	150	< 1	< 5	2600	< 1	16	20	59	41000	18
L1250A 5+50E	24000	< 5	25	140	< 1	< 5	1600	< 1	18	2	130	42000	16
L1250A 5+75E	37000	< 5	5	160	< 1	< 5	1500	< 1	12	14	300	45000	10
L1250A 6+00E	34000	< 5	20	64	< 1	< 5	1000	< 1	38	31	410	70000	30

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10-808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IGZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-107P

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6918

T.S.L. File No. :

T.S.L. Invoice No. : 11839

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sr	Ti
L36 2+00 E	2400	600	< 2	8	670	500	4	< 1	230	5	< 10	< 10	3000
L36 1+75 E	4200	930	2	18	1100	700	5	< 1	200	8	< 10	< 10	2300
L36 1+50 E	3400	470	< 2	12	1100	500	6	< 1	420	15	< 10	< 10	3000
L36 1+25 E	4600	1100	4	20	850	820	4	< 1	740	19	< 10	< 10	2500
L36 1+00 E	2800	740	< 2	6	660	660	6	< 1	500	19	< 10	< 10	3000
L1250A 0+00E	2500	820	4	6	530	560	1	< 1	270	13	< 10	< 10	2300
L1250A 0+25E	5000	820	< 2	10	550	360	3	< 1	200	9	< 10	< 10	3000
L1250A 0+50E	2900	1100	< 2	8	630	620	4	< 1	690	20	< 10	< 10	3000
L1250A 0+75E	3600	1600	< 2	12	930	460	5	< 1	200	8	< 10	< 10	2600
L1250A 1+00E	3100	850	< 2	8	800	320	3	< 1	240	12	< 10	< 10	2900
L1250A 1+25E	3200	1000	< 2	6	630	440	5	< 1	300	14	< 10	< 10	3000
L1250A 1+50E	3200	1600	< 2	12	1200	360	2	< 1	210	12	< 10	< 10	2500
L1250A 1+75E	3000	970	4	6	500	440	3	< 1	360	10	< 10	< 10	3000
L1250A 2+00E	2300	1120	< 2	4	610	520	3	< 1	200	10	< 10	< 10	3000
L1250A 2+25E	2900	500	< 2	4	610	420	4	< 1	310	12	< 10	< 10	3000
L1250A 2+50E	1100	150	< 1	2	920	600	1	< 1	300	12	< 10	< 10	2300
L1250A 2+75E	3900	2100	2	10	1100	360	2	< 1	190	11	< 10	< 10	3000
L1250A 3+00E	3000	1600	< 2	12	700	520	5	< 1	300	2	< 10	< 10	3000
L1250A 3+25E	2200	240	< 2	4	610	340	2	< 1	230	14	< 10	< 10	3000
L1250A 3+50E	4200	1400	2	42	310	540	4	< 1	110	7	< 10	10	3000
L1250A 3+75E	4500	900	< 2	30	900	500	5	< 1	770	21	< 10	< 10	2000
L1250A 4+00E	1700	330	< 2	4	350	260	2	< 1	160	13	< 10	< 10	3000
L1250A 4+25E	1200	140	2	2	1700	200	1	< 1	190	12	< 10	< 10	3600
L1250A 4+50E	1300	500	< 2	4	400	260	2	< 1	00	6	< 10	< 10	3000
L1250A 4+75E	3600	640	< 2	14	870	560	5	< 1	750	19	< 10	< 10	3000
L1250A 5+00E	3000	630	< 2	6	660	400	6	< 1	590	17	< 10	< 10	3000
L1250A 5+25E	3300	600	< 2	6	800	1000	6	< 1	1100	27	< 10	< 10	3000
L1250A 5+50E	2000	270	6	6	620	420	2	< 1	500	18	< 10	< 10	3000
L1250A 5+75E	3200	750	2	6	960	320	4	< 1	330	16	< 10	< 10	3000
L1250A 6+00E	5000	1000	22	32	1500	200	7	< 1	240	9	10	< 10	2900

DATE : AUG-26-1989

SIGNER :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10-608 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6918

T.S.L. File No. :

T.S.L. Invoice No. : 11839

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2250/R-1070

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Ba
L36 2+00 E	10	110	10	99	41	< 5
L36 1+75 E	< 10	85	12	110	20	< 5
L36 1+50 E	< 10	96	13	85	32	< 5
L36 1+25 E	10	99	10	120	22	< 5
L36 1+00 E	< 10	100	13	83	31	5
L1250A 0+00E	< 10	92	5	100	9	< 5
L1250A 0+25E	< 10	94	7	88	25	< 5
L1250A 0+50E	< 10	110	13	85	27	5
L1250A 0+75E	< 10	92	22	130	21	5
L1250A 1+00E	< 10	92	7	83	19	< 5
L1250A 1+25E	< 10	110	10	83	33	< 5
L1250A 1+50E	< 10	100	7	110	9	< 5
L1250A 1+75E	< 10	95	5	110	14	< 5
L1250A 2+00E	< 10	110	9	74	35	< 5
L1250A 2+25E	< 10	100	8	78	40	< 5
L1250A 2+50E	< 10	95	5	110	19	< 5
L1250A 2+75E	< 10	160	4	110	5	< 5
L1250A 3+00E	< 10	110	14	120	24	< 5
L1250A 3+25E	< 10	110	5	51	32	5
L1250A 3+50E	< 10	65	10	160	5	< 5
L1250A 3+75E	< 10	93	10	100	16	< 5
L1250A 4+00E	< 10	110	4	49	25	5
L1250A 4+25E	< 10	150	2	33	13	< 5
L1250A 4+50E	10	110	4	50	38	< 5
L1250A 4+75E	< 10	150	8	71	31	< 5
L1250A 5+00E	< 10	110	14	76	37	< 5
L1250A 5+25E	< 10	96	12	57	39	5
L1250A 5+50E	< 10	110	5	50	21	< 5
L1250A 5+75E	< 10	110	5	61	20	10
L1250A 6+00E	< 10	150	13	78	11	15

DATE : AUG-26-1999

SIGNED :

Bernie Dunn

T.S.L. LABORATORIES

2-302-45TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931-1073

FAX : (306) 242-4717

I.C.A.P. PLASMA SCAN

Aqua-regia digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10-500 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IWIZIEK, J. FOSTER

PROJECT: CORPTECH

2250/A-1070

ALL RESULTS ppm

T.S.L. REPORT No. : S - 5476

T.S.L. File No. :

T.S.L. Invoice No. : 11834

SAMPLE #	Al	Sb	As	Ba	Bi	B	Ca	Co	Cr	Cu	Fe	Pb	
L1250A 6+25A	22000	< 5	45	50	< 1	< 5	2600	< 1	28	38	1400	91000	22
L1250A 6+50E	27000	< 5	15	52	< 1	< 5	2400	< 1	18	11	450	60000	18

DATE : AUG-28-1989

SIGNED :

Bernie Owen

T S L LABORATORIES

2-322-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10-808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2256/R-1070

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6918

T.S.L. File No. :

T.S.L. Invoice No. : 11839

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L12500 6+25E	4300	720	20	32	2600	640	6	< 1	1100	25	< 10	< 10	2900
L12500 6+50E	5300	580	5	2	2100	420	7	< 1	330	18	10	< 10	2100

DATE : 005-28-1999

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10-808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2Y6

T.S.L. REPORT No. : S - 6916

T.S.L. File No. :

T.S.L. Invoice No. : 11839

ATTN: C. IOZYSZEK, J. FOSTER

PROJECT: CORPTECH 2258/R-1070

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bj
L1250A 6+23E	< 10	150	7	54	11	20
L1250A 6+50E	< 10	140	9	70	16	20

DATE : AUG-28-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6957 /

SAMPLE(S) OF Soil

INVOICE #: 11689
P.O.: 2258/R-1110

Val. V.
Project CORPTECK(King-Cons.)

PLATEAU ZONE

REMARKS: Sample designation reads "Line AL 3500' NORTH OF KING CREEK"

	Au ppb
L-AL3500'N/KC/0+00W	230
L-AL3500'N/KC/0+25W	180
L-AL3500'N/KC/0+50W	180
L-AL3500'N/KC/0+75W	260
L-AL3500'N/KC/1+00W	30
L-AL3500'N/KC/1+25W	80
L-AL3500'N/KC/1+50W	75
L-AL3500'N/KC/1+75W	20
L-AL3500'N/KC/2+00W	20
L-AL3500'N/KC/2+25W	20
L-AL3500'N/KC/2+50W	30
L-AL3500'N/KC/2+75W	90
L-AL3500'N/KC/3+00W	40
L-AL3500'N/KC/3+25W	230
L-AL3500'N/KC/3+50W	25

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 10/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6957
 T.S.L. File No. :
 T.S.L. Invoice No. : 11846

ATTN: C. IZDISZEK, J. FOSTER PROJECT: CORPTECH (King-Cons.) 22567R-1110 ALL RESULTS PPM

SAMPLE #	Al	Si	As	Se	Sc	B	Ca	Co	Cr	Cu	Zn	Fe	Pb
L-AL3500,N-KC-0+00W	25000	< 5	60	100	< 1	< 5	9400	< 1	100	20	98	40000	30
L-AL3500,N-KC-0+25W	16000	< 5	40	130	< 1	< 5	4500	< 1	52	8	52	31000	4
L-AL3500,N-KC-0+50W	33000	5	65	200	< 1	< 5	4700	< 1	87	27	180	47000	20
L-AL3500,N-KC-0+75W	26000	5	50	200	< 1	< 5	4000	< 1	330	18	180	33000	10
L-AL3500,N-KC-1+00W	22000	< 5	10	120	< 1	< 5	670	< 1	19	3	46	30000	6
L-AL3500,N-KC-1+25W	27000	< 5	5	210	< 1	< 5	3600	< 1	62	22	110	55000	22
L-AL3500,N-KC-1+50W	42000	< 5	25	210	< 1	< 5	12000	4	130	30	250	31000	21
L-AL3500,N-KC-1+75W	10000	< 5	35	57	< 1	< 5	890	< 1	46	1	50	22000	13
L-AL3500,N-KC-2+00W	19000	< 5	60	80	< 1	< 5	1100	< 1	39	2	49	47000	47
L-AL3500,N-KC-2+25W	21000	< 5	50	170	< 1	< 5	490	< 1	22	2	45	30000	16
L-AL3500,N-KC-2+50W	32000	< 5	45	61	< 1	< 5	360	< 1	38	3	50	41000	24
L-AL3500,N-KC-2+75W	16000	< 5	5	130	< 1	< 5	2700	< 1	80	9	62	33000	24
L-AL3500,N-KC-3+00W	37000	< 5	< 5	160	< 1	< 5	2500	< 1	35	10	69	46000	26
L-AL3500,N-KC-3+25W	37000	5	110	210	< 1	< 5	1200	< 1	29	16	90	45000	45
L-AL3500,N-KC-3+50W	20000	< 5	60	120	< 1	< 5	650	< 1	25	4	29	41000	16

DATE : AUG-29-1985

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.F. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6957

T.S.L. File No. :

T.S.L. Invoice No. : 11846

ATTN: D. DZIBZEK, J. FOSTER PROJECT: CORPTECH (King-Cons.) 2258/R-1110 ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L-AL3500,N-KC-0+00W	5900	1100	< 2	74	920	2600	5	< 1	2600	96	< 10	< 10	3800
L-AL3500,N-KC-0+25W	4100	480	< 2	24	920	960	2	< 1	1800	51	< 10	< 10	3400
L-AL3500,N-KC-0+50W	4200	1600	2	44	1000	540	3	< 1	410	48	< 10	< 10	1700
L-AL3500,N-KC-0+75W	4100	1100	4	130	1100	720	2	< 1	530	45	< 10	< 10	1600
L-AL3500,N-KC-1+00W	1100	630	< 2	4	500	160	1	< 1	60	18	< 10	< 10	2300
L-AL3500,N-KC-1+25W	2500	1200	4	30	1000	300	1	< 1	110	41	< 10	< 10	750
L-AL3500,N-KC-1+50W	4300	2900	4	180	930	760	3	< 1	90	83	< 10	10	210
L-AL3500,N-KC-1+75W	1000	110	< 2	12	670	200	< 1	< 1	110	7	< 10	< 10	760
L-AL3500,N-KC-2+00W	3100	740	2	14	530	260	1	< 1	140	9	< 10	< 10	3500
L-AL3500,N-KC-2+25W	1300	240	< 2	6	520	160	1	< 1	60	11	< 10	< 10	1900
L-AL3500,N-KC-2+50W	3300	570	4	8	770	300	2	< 1	60	5	< 10	< 10	1200
L-AL3500,N-KC-2+75W	3700	690	< 2	42	880	600	3	< 1	240	33	< 10	< 10	3100
L-AL3500,N-KC-3+00W	3900	1100	< 2	10	950	820	4	< 1	940	27	< 10	< 10	3500
L-AL3500,N-KC-3+25W	3500	1400	< 2	8	1100	380	3	< 1	140	14	< 10	< 10	3200
L-AL3500,N-KC-3+50W	1900	830	4	8	730	240	1	< 1	130	9	< 10	< 10	3300

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 902 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6957
 T.S.L. File No. :
 T.S.L. Invoice No. : 11846

ATTN: D. 10215251 J. FOSTER PROJECT: COMPRECH (King-Cons.) 225878-1110 ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L-AL3500, N-KC-0+00W	< 10	100	9	89	12	10
L-AL3500, N-KC-0+25W	< 10	92	5	52	15	< 5
L-AL3500, N-KC-0+50W	< 10	100	10	110	4	< 5
L-AL3500, N-KC-0+75W	< 10	77	9	87	7	< 5
L-AL3500, N-KC-1+00W	< 10	67	4	35	16	5
L-AL3500, N-KC-1+25W	< 10	69	11	57	3	< 5
L-AL3500, N-KC-1+50W	< 10	47	10	450	1	10
L-AL3500, N-KC-1+75W	< 10	40	7	50	3	< 5
L-AL3500, N-KC-2+00W	< 10	110	4	62	19	< 5
L-AL3500, N-KC-2+25W	< 10	91	3	37	12	< 5
L-AL3500, N-KC-2+50W	< 10	60	7	82	13	5
L-AL3500, N-KC-2+75W	< 10	81	5	120	20	< 5
L-AL3500, N-KC-3+00W	< 10	100	14	120	34	5
L-AL3500, N-KC-3+25W	< 10	86	15	140	17	5
L-AL3500, N-KC-3+50W	< 10	110	7	72	20	5

SIGNED : Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7125 /

SAMPLE(S) OF Soils

INVOICE #: 11900
P.O.: 2258/R-1179

V. Van Damme
Project CORPTECH

	Au ppb
AL3500-0+25W	75
AL3500-1+50W	110
AL3500-1+75W	75
AL3500-2+50W	380
AL3500-2+75W	45
AL3500-3+00W	20
AL3500-3+25W	15
AL3500-3+50W	35
AL3000-0+00	120
AL3000-0+50W	140
AL3000-0+75W	150
AL3000-1+00W	180
AL3000-1+25W	200
AL3000-0+25E	460
AL3250-0+00	160
AL3250-0+25W	55
AL3250-0+50W	<5
AL3250-0+75W	65
AL3250-1+00W	25
AL3250-1+25W	Not Rec'd

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Duns





TSL LABORATORIES

DIV. BURGEMER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7125

SAMPLE(S) OF Soils

INVOICE #: 11900
P.O.: 2258/R-1179

V. Van Damme
Project CORPTECH

	Au ppb
AL3250-1+50W	65
AL3250-1+75W	110
AL3250-2+00W	60
AL3250-2+25W	140

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10-800 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7125
 T.S.L. File No. :
 T.S.L. Invoice No. : 12366

ATTN: C. IDZIDZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1179 ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
AL3500- 0+25 W	28000	< 5	30	84	3	20	2000	< 1	45	20	460	52000	40
AL3500- 1+50 W	42000	< 5	65	110	6	25	3300	< 1	25	23	190	49000	42
AL3500- 1+75 W	39000	< 5	100	99	6	25	2500	< 1	20	15	74	47000	56
AL3500- 2+50 W	15000	10	610	100	2	30	1900	2	6	25	200	66000	280
AL3500- 2+75 W	40000	5	10	80	8	20	1200	2	27	14	45	44000	62
AL3500- 3+00 W	38000	< 5	10	96	5	20	1200	1	36	19	45	45000	64
AL3500- 3+25 W	37000	< 5	75	80	4	20	1300	< 1	34	14	32	34000	80
AL3500- 3+50 W	37000	< 5	5	63	5	15	1200	1	31	15	36	37000	64
AL3000- 0+00	30000	< 5	70	49	2	25	2100	< 1	95	8	190	46000	32
AL3000- 0+50 W	28000	< 5	75	50	2	25	1200	< 1	160	11	180	63000	46
AL3000- 0+75 W	30000	< 5	130	51	4	15	1600	1	94	10	120	45000	36
AL3000- 1+00 W	25000	< 5	140	65	4	20	1800	1	39	21	70	50000	54
AL3000- 1+25 W	22000	< 5	160	80	3	30	1000	< 1	34	11	67	64000	60
AL3000- 0+25 E	17000	< 5	< 5	27	< 1	20	1800	2	110	0	240	49000	32
AL3250- 0+00	32000	< 5	35	53	4	20	1900	< 1	100	15	200	48000	42
AL3250- 0+25 W	18000	< 5	10	48	0	25	630	1	49	12	67	63000	36
AL3250- 0+50 W	21000	< 5	50	62	7	20	1600	< 1	24	16	36	41000	26
AL3250- 0+75 W	31000	< 5	110	58	3	20	950	< 1	97	11	180	59000	50
AL3250- 1+00 W	44000	< 5	< 5	85	6	20	1200	< 1	29	15	76	47000	36
AL3250- 1+50 W	39000	< 5	30	64	2	25	830	< 1	98	10	250	48000	52
AL3250- 1+75 W	27000	< 5	70	49	6	20	1100	1	31	12	110	52000	40
AL3250- 2+00 W	44000	< 5	80	89	3	20	800	< 1	67	18	78	45000	44
AL3250- 2+25 W	20000	< 5	220	140	2	15	1100	< 1	47	10	48	41000	46

Bernice Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2K6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

S.A.O.: 2258/R-1179

ALL RESULTS PPM

T.S.L. REPORT No. : S - 7125

T.S.L. File No. :

T.S.L. Invoice No. : 12366

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
AL3500- 0+25 W	4800	690	4	28	1700	800	8	< 1	670	18	< 10	< 10	3600
AL3500- 1+50 W	4800	610	< 2	12	1800	1300	9	< 1	1300	37	< 10	< 10	3700
AL3500- 1+75 W	4800	260	< 2	18	1000	840	6	< 1	1000	24	< 10	< 10	3700
AL3500- 2+50 W	3300	3900	2	40	1600	600	5	8	100	13	< 10	< 10	750
AL3500- 2+75 W	3200	310	< 2	12	680	380	6	< 1	360	11	< 10	< 10	3700
AL3500- 3+00 W	4100	1600	< 2	20	1000	560	6	< 1	380	9	< 10	< 10	3700
AL3500- 3+25 W	3500	520	< 2	18	840	420	5	< 1	310	11	< 10	< 10	3700
AL3500- 3+50 W	3600	770	2	14	1300	540	5	< 1	370	11	< 10	< 10	3700
AL3000- 0+00	2800	150	4	30	1000	180	3	< 1	170	11	< 10	< 10	2700
AL3000- 0+50 W	4700	240	2	64	1000	280	5	< 1	300	11	< 10	< 10	3700
AL3000- 0+75 W	3800	760	4	36	1000	460	4	< 1	510	15	< 10	< 10	3700
AL3000- 1+00 W	3800	740	2	14	710	580	4	< 1	750	19	< 10	< 10	3700
AL3000- 1+25 W	2000	220	2	8	730	340	4	< 1	280	16	< 10	< 10	3700
AL3000- 0+25 E	2600	210	12	30	1300	120	2	< 1	100	7	< 10	< 10	1500
AL3250- 0+00	3600	250	< 2	42	2000	740	6	< 1	600	14	< 10	< 10	3700
AL3250- 0+25 W	1800	160	2	10	840	260	3	< 1	180	8	< 10	< 10	3700
AL3250- 0+50 W	3200	240	< 2	12	770	440	3	< 1	520	16	< 10	< 10	3700
AL3250- 0+75 W	3600	250	< 2	34	760	180	4	< 1	130	8	< 10	< 10	3700
AL3250- 1+00 W	3400	270	< 2	10	990	440	7	< 1	470	13	< 10	< 10	3700
AL3250- 1+50 W	3400	330	2	34	1200	240	4	< 1	180	4	< 10	< 10	2900
AL3250- 1+75 W	2900	190	< 2	6	910	420	4	< 1	350	11	< 10	< 10	3700
AL3250- 2+00 W	4400	600	< 2	30	740	260	5	< 1	160	6	< 10	< 10	3700
AL3250- 2+25 W	2800	440	< 2	24	660	580	3	< 1	350	15	< 10	< 10	2500

DATE : OCT-11-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 7125

T.S.L. File No. :

T.S.L. Invoice No. : 12366


ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH S.A.G.: 2258/R-1179 ALL RESULTS FPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
AL3500- 0+25 W	< 10	120	13	70	31	< 5
AL3500- 1+50 W	< 10	140	16	79	40	< 5
AL3500- 1+75 W	< 10	110	9	59	65	20
AL3500- 2+50 W	20	46	21	570	27	< 5
AL3500- 2+75 W	< 10	110	10	81	54	10
AL3500- 3+00 W	< 10	87	14	120	33	< 5
AL3500- 3+25 W	< 10	92	8	120	21	< 5
AL3500- 3+50 W	< 10	100	10	100	34	< 5
AL3000- 0+00	< 10	110	5	28	28	< 5
AL3000- 0+50 W	< 10	170	6	40	40	< 5
AL3000- 0+75 W	< 10	120	8	54	27	< 5
AL3000- 1+00 W	< 10	120	8	65	32	< 5
AL3000- 1+25 W	< 10	150	8	65	53	< 5
AL3000- 0+25 E	10	130	4	29	19	< 5
AL3250- 0+00	< 10	130	8	58	27	25
AL3250- 0+25 W	< 10	200	3	47	39	< 5
AL3250- 0+50 W	< 10	120	4	45	51	< 5
AL3250- 0+75 W	< 10	160	7	49	52	< 5
AL3250- 1+00 W	< 10	130	9	54	68	10
AL3250- 1+50 W	< 10	110	8	48	76	20
AL3250- 1+75 W	< 10	130	6	47	51	< 5
AL3250- 2+00 W	< 10	120	11	87	35	< 5
AL3250- 2+25 W	< 10	80	6	62	33	< 5

DATE : 001-11-1987

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7281

INVOICE #: 12080
P.O.: R-1263

SAMPLE(S) OF Soils

PLATEAU ZONE BASELINE

Project CORPTECH

	Au ppb
CTL36-0+00	210
CTL36-0+25W	75
CTL36-0+50W	130
CTL36-0+75W	160
CTL36-1+00W	150
CTL36-1+25W	80
CTL36-1+50W	25
CTL36-1+75W	15
CTL36-2+00W	60
CTL36-2+25W	50
CTL36-2+50W	10
CTL36-0+25E	40
CTL36-0+50E	25
CTL36-0+75E	75

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Sep 18/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR, BOX 10-808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7281
 T.S.L. File No. :
 T.S.L. Invoice No. : 12467

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH R-1263

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
CTL36- 0+00	32000	< 5	< 5	38	< 1	5	1400	1	23	18	300	56000	20
CTL36- 0+25 W	36000	< 5	95	30	< 1	5	1800	< 1	21	17	310	52000	16
CTL36- 0+50 W	29000	< 5	70	43	< 1	10	4700	1	21	25	400	57000	18
CTL36- 0+75 W	28000	< 5	15	20	< 1	< 5	2200	< 1	24	83	940	110000	34
CTL36- 1+00 W	25000	< 5	55	25	< 1	< 5	2500	2	17	24	500	67000	18
CTL36- 1+25 W	31000	< 5	60	36	< 1	< 5	2200	1	29	25	370	65000	20
CTL36- 1+50 W	45000	< 5	15	61	< 1	< 5	1800	< 1	17	29	89	45000	4
CTL36- 1+75 W	60000	< 5	10	27	1	10	340	2	29	12	140	57000	20
CTL36- 2+00 W	35000	< 5	< 5	31	< 1	5	2000	< 1	110	12	190	42000	20
CTL36- 2+25 W	42000	< 5	< 5	27	< 1	10	710	1	39	10	55	43000	18
CTL36- 2+50 W	52000	< 5	< 5	84	2	< 5	540	2	27	12	42	43000	32
CTL36- 0+25 E	34000	< 5	10	31	< 1	5	2600	1	47	23	400	60000	16
CTL36- 0+50 E	31000	< 5	20	63	1	< 5	1700	3	35	21	260	46000	770
CTL36- 0+75 E	40000	< 5	< 5	50	1	< 5	790	< 1	23	20	130	45000	50

DATE : OCT-19-1989

SIGNED :

Bernie Dean

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR, BOX 10-808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7281
 T.S.L. File No. :
 T.S.L. Invoice No. : 12467

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH R-1263

ALL RESULTS PPM

SAMPLE #	Hg	Mn	Mo	Ni	Nb	P	K	Sc	Ag	Na	Sr	Th	Sn
CTL36- 0+00	3900	470	20	10	< 10	1500	440	7	< 1	290	14	< 10	< 10
CTL36- 0+25 W	4600	380	24	16	20	1800	540	7	< 1	440	14	< 10	< 10
CTL36- 0+50 W	5900	870	24	16	< 10	1700	1300	7	< 1	2200	46	< 10	10
CTL36- 0+75 W	5100	2100	98	34	< 10	3500	480	9	< 1	660	16	20	< 10
CTL36- 1+00 W	5200	830	38	12	< 10	2300	440	6	< 1	550	16	10	10
CTL36- 1+25 W	5400	1100	36	14	< 10	2300	640	8	< 1	720	17	< 10	10
CTL36- 1+50 W	3800	810	12	18	30	1400	720	8	< 1	580	16	< 10	< 10
CTL36- 1+75 W	1300	560	8	18	10	930	480	4	< 1	250	3	< 10	10
CTL36- 2+00 W	3800	350	20	50	< 10	1200	660	5	< 1	800	18	< 10	20
CTL36- 2+25 W	1700	170	< 2	14	20	830	260	6	< 1	180	7	< 10	< 10
CTL36- 2+50 W	2100	930	6	16	< 10	750	580	5	< 1	290	5	< 10	20
CTL36- 0+25 E	4600	770	32	32	< 10	2300	380	7	< 1	180	9	< 10	20
CTL36- 0+50 E	4900	1200	10	26	< 10	1500	760	7	< 1	550	15	< 10	< 10
CTL36- 0+75 E	3000	860	< 2	16	< 10	950	420	5	< 1	280	8	< 10	10

DATE : OCT-19-1989

SIGNED :

Bernie Duan

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
TELEPHONE : (306) 931 - 1033
FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
10TH FLOOR, BOX 10-008 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 7281
T.S.L. File No. :
T.S.L. Invoice No. : 12467

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH R-1263

ALL RESULTS PPM

SAMPLE #	Ti	W	V	Y	Zn	Zr	Bi
CTL36- 0+00	3000	< 10	100	11	82	22	< 5
CTL36- 0+25 W	4400	< 10	110	8	62	32	< 5
CTL36- 0+50 W	3600	< 10	120	11	71	21	< 5
CTL36- 0+75 W	2400	< 10	130	9	51	30	75
CTL36- 1+00 W	1800	< 10	130	9	51	17	< 5
CTL36- 1+25 W	2800	< 10	130	13	77	18	< 5
CTL36- 1+50 W	6500	< 10	110	15	64	45	< 5
CTL36- 1+75 W	2900	< 10	58	22	56	110	< 5
CTL36- 2+00 W	4200	< 10	100	13	64	32	< 5
CTL36- 2+25 W	4400	< 10	120	15	37	42	< 5
CTL36- 2+50 W	3000	< 10	77	24	93	120	< 5
CTL36- 0+25 E	2000	< 10	120	9	61	13	< 5
CTL36- 0+50 E	2100	< 10	95	16	100	11	< 5
CTL36- 0+75 E	3600	< 10	86	13	74	32	< 5

DATE : OCT-19-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6863

SAMPLE(S) OF Soil

INVOICE #: 11610
P.O.: 2258/R-1066

V. Van Damme
Project Corp Tech

	Au ppb
L12+50S-100E	10
L12+50S-0875E	<5
L12+50S-075E	<5
L12+50S-062.5E	25
L12+50S-050E	<5
L12+50S-032.5E	20
L12+50S-025E	160
L12+50S-012.5E	90
L12+50S-0+00	120
L12+50S-012.5W	40
L12+50S-025W	45
L12+50S-037.2W	45
L12+50S-062.5W	20
L12+50S-075W	10
L12+50S-112.5W	60
L12+50S-125W	30
L12+50S-137.5W	20
L12+50S-150W	25
L12+50S-162.5W	40
L12+50S-175W	35

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 28/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6863

SAMPLE(S) OF Soil

INVOICE #: 11610
P.O.: 2258/R-1066

V. Van Damme
Project Corp Tech

	Au ppb
L12+50S-187.5W	20
L12+50S-200W	15
L14+00S-2+12.5W	5
L14+00S-2+25W	10
L14+00S-2+00W	140
L14+00S-1+87.5W	10
L14+00S-1+75W	50
L14+00S-1+62.5W	5
L14+00S-1+37.5W	15
L14+00S-1+25W	20
L14+00S-1+1.25W	30
L14+00S-1+00W	10
L14+00S-S87.5W	15
L14+00S-S50W	25
L14+00S-S37.5W	75
L14+00S-S25W	15
L14+00S-S12.5W	20
L14+00S-S0+00W	150
L14+00S-S12.5E	45
L14+00S-S25E	45

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 28/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6863

SAMPLE(S) OF Soil

INVOICE #: 11610
P.O.: 2258/R-1066

V. Van Damme
Project Corp Tech

	Au ppb
L14+00S-S37.5E	10
L14+00S-S50E	5
L14+00S-S62.5E	<5
L14+00S-S75E	<5
L14+00S-S87.5E	10
L14+00S-S1+00E	5
L15+00S-6+00W	5
L15+00S-5+75W	<5
L15+00S-5+50W	<5
L15+00S-5+25W	<5
L15+00S-5+00W	<5
L15+00S-4+75W	5
L15+00S-4+50W	20
L15+00S-4+25W	5
L15+00S-4+00W	5
L15+00S-3+75W	30
L15+00S-3+50W	<5
L15+00S-3+25W	10
L15+00S-3+00W	15
L15+00S-2+75W	10

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 28/89

SIGNED Dennis Piljich





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6863

SAMPLE(S) OF Soil

INVOICE #: 11610
P.O.: 2258/R-1066

V. Van Damme
Project Corp Tech

	Au ppb
L15+00S-2+50W	10
L15+00S-2+25W	15
L15+00S-2+00W	25
L15+00S-1+75W	15
L15+00S-1+50W	15
L15+00S-1+25W	20
L15+00S-1+00W	35
L15+00S-0+75W	15
L15+00S-0+50W	45
L15+00S-0+25W	20
L15+00S-0+00W	15
L15+00S-0+25E	10
L15+00S-0+50E	5
L15+00S-0+75E	15
L15+00S-1+00E	<5
L15+00S-1+25E	5
L15+00S-1+50E	<5
L15+00S-1+75E	5
L15+00S-2+00E	<5
L15+00S-2+25E	<5

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 28/89

SIGNED





TSL LABORATORIES

DIV BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6863

SAMPLE(S) OF Soil

INVOICE #: 11610
P.O.: 2258/R-1066

V. Van Damme
Project Corp Tech

	Au ppb
L15+00S-2+50E	<5
L15+00S-2+75E	<5
L15+00S-3+00E	<5
L15+00S-3+25E	<5
L15+00S-3+50E	<5
L15+00S-3+75E	<5

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 28/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6881

SAMPLE(S) OF Soils

INVOICE #: 11627
P.O.: 2258/R-1067

V. Van Damme
Project Corp Tech

	Au ppb
L2+00S-S2+00W	<5
L2+00S-S1+67W	<5
L2+00S-S1+50W	<5
L2+00S-S1+37W	10
L2+00S-S1+25W	10
L2+00S-S1+12W	30
L2+00S-S1+00W	280
L2+00S-S0+87W	110
L2+00S-S0+75W	160
L2+00S-S0+67W	150
L2+00S-S0+37W	280
L2+00S-S0+25W	110
L2+00S-S0+12W	220
L2+00S-S0+00	50
L2+00S-S0+12E	200
L2+00S-S0+25E	70
L2+00S-S0+62E	70
L2+00S-S0+75E	50
L2+00S-S1+00E	240
L2+00S-S1+12E	10

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 31/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6881

SAMPLE(S) OF Soils

INVOICE #: 11627
P.O.: 2258/R-1067

V. Van Damme
Project Corp Tech

	Au ppb
L2+00S-S1+25E	10
L2+00S-S1+37E	90
L2+00S-S1+50E	20
L2+00S-S1+62E	10
L2+00S-S1+75E	10
L2+00S-S1+87E	<5
L2+00S-S2+00E	<5
L4+00S-2+00E	<5
L4+00S-1+87.5E	<5
L4+00S-1+75E	<5
L4+00S-1+62.5E	<5
L4+00S-1+50E	<5
L4+00S-1+25E	60
L4+00S-1+12.5E	170
L4+00S-1+00E	<5
L4+00S-0+87.5E	10
L4+00S-0+75E	10
L4+00S-0+62.5E	<5
L4+00S-0+50E	10
L4+00S-0+37.5E	70

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 31/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6881

SAMPLE(S) OF Soils

INVOICE #: 11627
P.O.: 2258/R-1067

V. Van Damme
Project Corp Tech

	Au ppb
L4+00S-0+25E	80
L4+00S-0+12.5E	50
L4+00S-0+12.5W	50
L4+00S-0+25W	100
L4+00S-0+37.5W	80
L4+00S-0+50W	140
L4+00S-0+87.5W	190
L4+00S-1+00W	150
L4+00S-1+12.5W	320
L4+00S-1+25W	280
L4+00S-1+37.5W	140
L4+00S-1+50W	200
L4+00S-1+62.5W	500
L4+00S-1+75W	180
L4+00S-1+87.5W	100
L9+00S-0+75E	100
L9+00S-0+62.5E	20
L9+00S-0+50E	10
L9+00S-0+37.5E	10
L9+00S-0+25E	20

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 31/89

SIGNED



For enquiries on this report, please contact Customer Service Department.
Samples, Pulps and Rejects discarded two months from the date of this report.



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6881

SAMPLE(S) OF Soils

INVOICE #: 11627
P.O.: 2258/R-1067

V. Van Damme
Project Corp Tech

	Au ppb
L9+00S-0+12.5E	10
L9+00S-1+62.5W	70
L9+00S-1+75W	220
L9+00S-1+87.5W	120
L9+00S-2+00W	240
L9+00S-2+12.5W	30
L9+00S-2+25W	50
L11+00S-2+25W	190
L11+00S-2+12.5W	160
L11+00S-2+00W	160
L11+00S-1+87.5W	300
L11+00S-1+75W	160
L11+00S-1+62.5W	70
L11+00S-1+50W	80
L11+00S-1+37.5W	40
L11+00S-1+25W	<5
L11+00S-1+12.5W	10
L11+00S-1+00W	10
L11+00S-0+87.5W	<5
L11+00S-0+75W	10

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 31/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6881

SAMPLE(S) OF Soils

INVOICE #: 11627
P.O.: 2258/R-1067

V. Van Damme
Project Corp Tech

	Au ppb
L11+00S-0+62.5W	90
L11+00S-0+50W	280
L11+00S-0+37.5W	300
L11+00S-0+12.5W	240
L11+00S-0+00W	50
L11+00S-0+12.5E	60
L11+00S-0+37.5E	30
L11+00S-0+50E	20
L11+00S-0+62.5E	220
L11+00S-0+75E	<5
L11+00S-S0+87.5	70
L11+00S-S1+00	20

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Jul 31/89

SIGNED



T S C LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7X 6A4
 TELEPHONE : (306) 931-1833
 FAX : (306) 242-4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6881
 T.S.L. File No. :
 T.S.L. Invoice No. : 11834

ATTN: C. IUZISZEK, J. FOSTER PROJECT: COMPTON 2256/1067

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L2+005 S2+00K	11000	20	120	59	1	< 5	1100	< 1	56	15	38	37000	30
L2+005 S1+67W	11000	20	120	150	< 1	< 5	3000	2	46	21	56	36000	36
L2+005 S1+50W	11000	20	110	140	1	< 5	1900	< 1	29	17	31	34000	6
L2+005 S1+37K	11000	15	120	130	< 1	< 5	1300	1	27	12	37	34000	20
L2+005 S1+25W	11000	15	130	130	< 1	< 5	1100	< 1	35	15	39	37000	22
L2+005 S1+12W	11000	25	95	160	< 1	< 5	740	< 1	93	14	60	35000	52
L2+005 S1+00W	12000	15	< 5	68	< 1	< 5	2800	3	610	27	330	59200	16
L2+005 S0+67W	11000	15	< 5	95	< 1	< 3	1700	< 1	160	10	310	36000	26
L2+005 S0+75W	12000	15	140	97	< 1	< 5	2500	< 1	190	29	310	83000	28
L2+005 S0+67W	12000	15	50	81	< 1	< 5	2500	< 1	330	10	340	50000	12
L2+005 S0+37W	12000	< 5	150	110	< 1	< 5	940	< 1	140	26	330	31000	24
L2+005 S0+25W	12000	15	35	64	< 1	< 5	1600	< 1	170	32	330	74000	12
L2+005 S0+12W	11000	25	85	110	< 1	< 5	1200	< 1	50	13	350	43000	20
L2+005 S0+00	10000	25	70	120	1	< 5	2400	1	39	20	230	39000	24
L2+005 S0+12E	11000	20	75	150	< 1	< 5	3400	< 1	320	21	340	40000	24
L2+005 S0+25E	11000	25	120	82	2	< 5	550	< 1	37	0	350	37000	34
L2+005 S0+62E	12000	< 5	< 5	57	1	< 5	2000	2	39	25	330	62000	30
L2+005 S0+75E	11000	25	130	170	1	< 5	3400	2	29	27	280	48000	32
L2+005 S1+00E	10000	20	40	86	1	< 5	2000	< 1	33	13	65	35000	20
L2+005 S1+12E	10000	25	100	130	1	< 5	2700	< 1	25	22	26	34000	30
L2+005 S1+25E	12000	15	< 5	66	< 1	< 5	1400	3	36	10	27	29000	6
L2+005 S1+37E	11000	20	100	150	< 1	< 5	1800	< 1	160	27	340	36000	26
L2+005 S1+50E	11000	30	120	200	< 1	< 5	4100	< 1	130	27	350	39000	42
L2+005 S1+52E	11000	25	90	200	< 1	< 5	2100	< 1	89	22	120	32000	30
L2+005 S1+75E	11000	25	100	150	< 1	< 5	2100	2	41	24	71	38000	20
L2+005 S1+07E	11000	25	80	140	< 1	< 5	2000	< 1	44	27	39	38000	26
L2+005 S2+00E	11000	20	130	150	1	< 5	1900	< 1	22	14	16	33000	22
L4+005 2+00E	11000	20	20	160	< 1	< 5	1700	1	31	22	72	60000	6
L4+005 1+67.5E	11000	20	90	140	< 1	< 5	1700	< 1	37	23	68	42000	30
L4+005 1+75E	11000	25	95	130	< 1	< 5	3000	< 1	29	25	89	40000	24

DATE : 606-29-1984

SIGNED :

Denise Dean

T S L LABORATORIES

2-362-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6861
 T.S.L. File No. :
 T.S.L. Invoice No. : 11834

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2256/R-1067 ALL RESULTS IN PPM

SAMPLE #	Kg	Mg	Ca	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L2+005 S2+00W	4000	1200	< 2	23	670	600	4	< 1	440	7	< 10	< 10	2200
L2+005 S1+67W	4500	710	< 2	18	610	1100	5	< 1	1500	31	< 10	< 10	4000
L2+005 S1+50W	3300	610	< 2	12	560	500	3	< 1	570	17	< 10	< 10	4000
L2+005 S1+37W	3300	470	< 2	8	550	300	3	< 1	340	12	< 10	< 10	4000
L2+005 S1+25W	3400	1000	< 2	11	570	300	2	< 1	240	10	10	< 10	3900
L2+005 S1+12W	4400	1700	< 2	31	520	500	2	< 1	100	6	< 10	< 10	1400
L2+005 S1-00W	2400	1500	34	250	2200	1100	4	< 1	160	7	< 10	< 10	510
L2+005 S0+87W	2700	450	4	65	910	400	2	< 1	330	14	< 10	< 10	2400
L2+005 S0+75W	4900	1700	36	63	1800	500	7	< 1	160	7	< 10	< 10	1400
L2+005 S0+67W	4900	990	26	150	1700	500	5	< 1	490	13	< 10	< 10	1500
L2+005 S0+37W	3500	1600	56	60	1900	600	4	< 1	350	9	< 10	< 10	570
L2+005 S0+25W	4900	1000	60	60	2400	700	10	< 1	140	5	20	10	210
L2+005 S0+12W	3600	570	2	11	820	300	3	< 1	200	7	< 10	< 10	1000
L2+005 S0+00	3400	690	< 2	15	1000	600	6	< 1	760	23	< 10	< 10	4000
L2+005 S0+12E	4500	710	< 2	120	1400	1500	6	< 1	1000	26	10	< 10	4000
L2+005 S0+25E	3300	420	2	15	560	600	3	< 1	340	5	< 10	10	1300
L2+005 S0+62E	4200	760	20	12	1600	600	8	< 1	770	15	< 10	< 10	2200
L2+005 S0+75E	4700	1300	< 2	12	1200	1200	8	< 1	1300	31	< 10	< 10	4000
L2+005 S1+90E	3200	190	< 2	5	670	700	5	< 1	770	18	< 10	< 10	4000
L2+005 S1+12E	3000	570	< 2	11	600	300	5	< 1	1100	26	< 10	< 10	4000
L2+005 S1+25E	2200	170	< 2	9	620	600	1	< 1	490	17	< 10	< 10	4000
L2+005 S1+37E	5100	1100	< 2	85	960	900	4	< 1	330	13	10	10	700
L2+005 S1+50E	5200	1300	< 2	67	1000	1500	6	< 1	1700	36	10	< 10	2700
L2+005 S1+62E	5400	1000	< 2	64	890	800	5	< 1	330	15	< 10	< 10	1100
L2+005 S1+75E	5300	1100	< 2	27	1200	600	5	< 1	670	19	10	< 10	3200
L2+005 S1+87E	4100	1500	< 2	16	850	500	4	< 1	500	17	< 10	< 10	4000
L2+005 S2+00E	3000	480	< 2	6	480	500	3	< 1	480	19	< 10	< 10	4000
L4+005 2400E	4300	1600	< 2	33	700	600	2	< 1	250	14	< 10	< 10	2100
L4+005 1+87, 5E	4000	1700	< 2	27	1100	700	4	< 1	550	15	< 10	< 10	2500
L4+005 1+75E	5500	920	< 2	22	1000	1300	6	< 1	1000	37	< 10	< 10	4000

DATE : 008-04-1995

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IZSISZEK, J. FOSTER

PROJECT: CORPTECH

2256/R-1067

ALL RESULTS IN PPM

T.S.L. REPORT No. : 5 - 6031

T.S.L. File No. :

T.S.L. Invoice No. : 11834

SAMPLE #	W	V	Y	Zn	Zr	Bi
L2+008 S2+00W	< 10	53	16	110	39	< 5
L2+008 S1+67W	< 10	89	0	100	22	< 5
L2+008 S1+50W	< 10	95	5	71	29	< 5
L2+008 S1+37W	< 10	91	5	100	22	< 5
L2+008 S1+25W	< 10	95	4	85	19	5
L2+008 S1+12W	< 10	84	7	200	6	< 5
L2+008 S1+00W	< 10	98	13	38	< 1	5
L2+008 S0+87W	< 10	99	5	58	10	< 5
L2+008 S0+75W	< 10	150	16	72	0	85
L2+008 S0+67W	< 10	120	9	59	4	20
L2+008 S0+37W	< 10	50	34	52	2	< 5
L2+008 S0+25W	< 10	110	35	51	5	10
L2+008 S0+12W	< 10	110	8	67	7	10
L2+008 S0+00	< 10	110	10	89	21	5
L2+008 S0+12E	< 10	110	16	70	16	20
L2+008 S0+25E	< 10	49	26	95	30	< 5
L2+008 S0+62E	< 10	96	11	59	8	45
L2+008 S0+75E	< 10	110	17	80	23	20
L2+008 S1+00E	< 10	91	7	64	48	< 5
L2+008 S1+12E	< 10	95	0	81	37	< 5
L2+008 S1+25E	< 10	86	3	49	22	< 5
L2+008 S1+37E	< 10	74	11	110	8	35
L2+008 S1+50E	< 10	86	14	120	11	< 5
L2+008 S1+62E	< 10	84	13	150	6	< 5
L2+008 S1+75E	10	90	11	160	8	< 5
L2+008 S1+87E	< 10	120	9	120	19	30
L2+008 S2+00E	< 10	91	4	100	36	25
L4+008 2+00E	< 10	82	9	150	7	< 5
L4+008 1+87.5E	< 10	87	11	140	7	< 5
L4+008 1+75E	< 10	88	11	120	15	25

DATE : AUG-29-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 505 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6881

T.S.L. File No. :

T.S.L. Invoice No. : 11834

ATTN: D. TUZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/5-1067

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L4+005 1+62.5E	11000	20	180	120	1	< 5	1900	3	26	16	47	36000	36
L4+005 1+50E	11000	25	160	120	1	< 5	1100	< 1	33	10	41	37000	34
L4+005 1+25E	11000	20	150	120	< 1	< 5	1300	< 1	30	16	150	44000	32
L4+005 1+12.5E	12000	15	65	170	< 1	< 5	920	< 1	25	10	68	36000	4
L4+005 1+00E	10000	25	150	160	2	< 5	3200	< 1	25	23	25	35000	24
L4+005 0+87.5E	12000	20	< 5	50	1	< 5	1600	< 1	36	14	28	42000	4
L4+005 0+75E	11000	15	130	94	1	< 5	1700	1	35	15	170	35000	26
L4+005 0+62.5E	11000	20	110	91	2	< 5	1600	< 1	24	14	23	44000	20
L4+005 0+50E	12000	15	< 5	40	3	< 5	1100	2	59	13	30	47000	2
L4+005 0+37.5E	12000	30	15	170	1	< 5	1900	1	230	37	340	75000	44
L4+005 0+25E	12000	25	110	100	< 1	< 5	900	< 1	66	35	340	61000	26
L4+005 0+12.5E	12000	25	30	110	< 1	< 5	1500	< 1	350	33	310	56000	20
L4+005 0+12.5W	11000	30	100	150	< 1	< 5	2600	< 1	59	21	90	33000	34
L4+005 0+25W	11000	20	120	100	< 1	< 5	1400	< 1	41	16	170	51000	34
L4+005 0+37.5W	11000	25	130	160	1	< 5	1500	< 1	44	13	210	42000	34
L4+005 0+00W	11000	20	80	120	< 1	< 5	4100	< 1	30	27	340	56000	24
L4+005 0+87.5W	12000	20	25	100	< 1	< 5	2200	2	47	22	340	51000	4
L4+005 1+00W	12000	25	< 5	85	< 1	< 5	2700	< 1	290	21	350	43000	< 2
L4+005 1+12.5W	12000	25	60	96	< 1	< 5	1400	< 1	66	23	340	52000	24
L4+005 1+25W	12000	15	75	190	< 1	< 5	830	< 1	27	16	340	55000	42
L4+005 1+37.5W	11000	20	65	110	1	< 5	570	3	29	9	340	54000	26
L4+005 1+50W	12000	< 5	< 5	210	1	< 5	1200	< 1	34	26	330	77000	20
L4+005 1+62.5W	11000	25	120	100	< 1	< 5	1900	< 1	30	12	340	51000	26
L4+005 1+75W	11000	20	140	41	1	< 5	770	3	26	0	250	40000	32
L4+005 1+67.5W	12000	< 5	55	47	< 1	< 5	460	2	15	26	340	72000	10
L9+005 0+75E	12000	20	130	130	< 1	< 5	1600	2	110	21	350	40000	22
L9+005 0+62.5E	11000	25	110	91	1	< 5	1300	< 1	32	15	50	36000	22
L9+005 0+50E	10000	20	140	110	1	< 5	2100	1	24	14	52	34000	36
L9+005 0+37.5E	11000	20	< 5	66	< 1	< 5	1200	< 1	27	10	30	29000	16
L9+005 0+25E	12000	15	25	66	< 1	< 5	1100	< 1	10	10	37	35000	12

DATE : AUG 19 1999

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6861

T.S.L. File No. :

T.S.L. Invoice No. : 11834

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1067

ALL RESULTS IN PPM

SAMPLE #	Mo	Nb	Ni	P	K	Sc	Ag	Na	Sr	Tb	Sr	Ti	
L4+008 1+02.0E	3400	570	< 2	12	640	700	5	< 1	830	19	< 10	< 10	4000
L4+008 1+50E	3600	860	< 2	14	700	600	3	< 1	410	6	< 10	< 10	2500
L4+008 1+25E	3900	870	< 2	13	1000	600	4	< 1	450	13	< 10	< 10	3100
L4+008 1+12.5E	2500	380	< 2	5	510	300	2	< 1	180	10	< 10	< 10	2100
L4+008 1+00E	3700	560	< 2	12	610	1100	6	< 1	1400	31	10	< 10	4000
L4+008 0+07.5E	4300	220	< 2	18	430	100	2	< 1	200	2	< 10	< 10	4000
L4+008 0+75E	3400	660	< 2	27	460	300	3	< 1	350	13	< 10	< 10	4000
L4+008 0+62.5E	4100	210	< 2	11	700	1200	6	< 1	1000	32	< 10	< 10	4000
L4+008 0+50E	2700	130	< 2	13	570	500	2	< 1	230	7	< 10	< 10	4000
L4+008 0+37.5E	3700	1100	22	90	1000	200	4	< 1	700	17	20	< 10	1400
L4+008 0+25E	3300	1500	10	23	900	400	3	< 1	310	6	< 10	< 10	1300
L4+008 0+12.5E	4100	1200	24	210	1100	700	4	< 1	310	10	< 10	< 10	1100
L4+008 0+12.5W	4900	440	< 2	29	1000	1000	7	< 1	970	26	< 10	< 10	4000
L4+008 0+25W	4000	1100	22	8	1200	500	4	< 1	370	11	< 10	< 10	2400
L4+008 0+37.5W	4000	700	2	20	1400	400	2	< 1	110	10	< 10	10	300
L4+008 0+50W	5300	1200	22	15	1200	1200	6	< 1	2100	30	< 10	< 10	2600
L4+008 0+07.5W	4500	1300	26	15	1600	700	4	< 1	670	19	10	< 10	1200
L4+008 1+00W	4400	1100	8	110	1300	800	4	< 1	960	20	10	< 10	1100
L4+008 1+12.5W	4300	1700	28	28	1700	500	4	< 1	170	5	10	< 10	950
L4+008 1+25W	3700	1300	30	9	1200	500	3	< 1	100	5	< 10	< 10	1500
L4+008 1+37.5W	3300	770	32	10	790	400	3	< 1	160	6	10	< 10	1900
L4+008 1+50W	1900	2100	56	15	2600	400	8	< 1	190	9	< 10	< 10	320
L4+008 1+62.5W	4100	540	110	15	1400	600	6	< 1	670	16	< 10	< 10	4000
L4+008 1+75W	1800	340	34	4	520	500	2	< 1	420	6	< 10	< 10	2800
L4+008 1+07.5W	5100	1900	110	5	2300	300	8	< 1	140	4	< 10	10	340
L9+008 0+75E	4700	1600	2	47	900	600	4	< 1	230	10	< 10	< 10	1400
L9+008 0+62.5E	2800	350	< 2	2	510	500	7	< 1	460	12	< 10	< 10	4000
L9+008 0+50E	3200	340	< 2	5	570	500	4	< 1	670	22	< 10	< 10	4000
L9+008 0+37.5E	1700	170	< 2	8	550	400	1	< 1	310	13	< 10	< 10	4000
L9+008 0+25E	1900	330	< 2	5	310	300	1	< 1	270	11	< 10	< 10	4000

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

J.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 900 WEST HASTINGS ST.
 VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6881
 T.S.L. File No. :
 T.S.L. Invoice No. : 11834

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1067

ALL RESULTS IN PPM

SAMPLE #	W	V	Y	Zr	Zr	Bi
L4+005 1+62.5E < 10	82	15	110	31	< 5	
L4+005 1+50E < 10	53	11	110	29	< 5	
L4+005 1+25E < 10	88	9	82	14	15	
L4+005 1+12.5E < 10	100	3	78	4	5	
L4+005 1+00E < 10	110	9	76	39	< 5	
L4+005 0+87.5E < 10	130	4	100	30	< 5	
L4+005 0+75E < 10	100	5	71	29	< 5	
L4+005 0+62.5E < 10	110	6	43	53	25	
L4+005 0+50E < 10	160	3	100	45	15	
L4+005 0+37.5E < 10	84	15	130	5	5	
L4+005 0+25E < 10	71	13	69	8	< 5	
L4+005 0+12.5E < 10	92	12	78	6	20	
L4+005 0+12.5W < 10	88	14	110	18	< 5	
L4+005 0+25W < 10	100	10	91	11	30	
L4+005 0+37.5W < 10	75	7	100	6	< 5	
L4+005 0+50W < 10	100	11	72	9	15	
L4+005 0+67.5W < 10	94	12	57	7	< 5	
L4+005 1+00W < 10	87	10	81	2	20	
L4+005 1+12.5W < 10	85	17	68	6	< 5	
L4+005 1+25W < 10	77	16	84	6	< 5	
L4+005 1+37.5W < 10	100	13	67	9	< 5	
L4+005 1+50W < 10	62	33	39	12	< 5	
L4+005 1+62.5W < 10	97	11	59	23	25	
L4+005 1+75W < 10	83	10	53	30	5	
L4+005 1+87.5W < 10	82	12	61	8	10	
L9+005 0+75E < 10	82	9	96	7	30	
L9+005 0+62.5E < 10	110	11	81	33	< 5	
L9+005 0+50E < 10	86	5	130	44	35	
L9+005 0+37.5E < 10	100	2	65	20	10	
L9+005 0+25E < 10	100	3	69	26	10	

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-40TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2Y6

T.S.L. REPORT No. : 8 - 6881

T.S.L. File No. :

T.S.L. Invoice No. : 11834

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

225E/R-1067

ALL RESULTS IN PPM

SAMPLE #	AI	Sb	As	Ba	Be	B	Ca	Cr	Cu	Co	Cd /	Fe	Pb
L9+005 0+12.5E 11000	25	85	35	2	< 5	480	1	14	6	57	38000	40	
L9+005 1+62.5W 12000	20	40	100	< 1	< 5	1300	< 1	50	8	170	41000	< 2	
L9+005 1+75W 12000	< 5	230	60	< 1	< 5	1600	< 1	21	12	340	72000	18	
L9+005 1+87.5W 12000	20	100	79	< 1	< 5	3000	< 1	27	11	46	39000	20	
L9+005 2+00W 11000	20	300	150	< 1	< 5	1400	1	33	13	54	43000	44	
L9+005 2+12.5W 12000	< 5	110	150	< 1	< 5	910	< 1	62	36	110	63000	36	
L9+005 2+25W 11000	15	120	130	< 1	< 5	1900	< 1	33	14	43	37000	32	
L11+005 2+00W 12000	10	360	66	1	< 5	670	4	57	31	190	53000	40	
L11+005 2+12.5W 12000	25	210	79	< 1	< 5	290	< 1	61	42	170	75000	16	
L11+005 2+00W 12000	15	240	210	1	< 5	1900	< 1	47	22	190	77000	50	
L11+005 1+87.5W 11000	15	40	76	< 1	< 5	1300	< 1	61	24	340	61000	24	
L11+005 1+75W 12000	20	35	100	< 1	< 5	340	< 1	55	17	320	61000	32	
L11+005 1+62.5W 12000	25	35	95	< 1	< 5	910	< 1	59	16	320	54000	24	
L11+005 1+50W 12000	25	35	110	< 1	< 5	1200	1	110	14	340	57000	32	
L11+005 1+37.5W 11000	25	170	94	< 1	< 5	1400	1	60	16	120	48000	26	
L11+005 1+25W 11000	30	150	100	1	< 5	1800	< 1	20	15	40	35000	28	
L11+005 1+12.5W 9900	55	220	42	< 1	< 5	3000	1	71	21	46	39000	32	
L11+005 1+00W 11000	20	110	91	1	< 5	2800	2	46	13	45	39000	30	
L11+005 0+87.5W 11000	20	100	91	< 1	< 5	4800	< 1	35	16	42	35000	20	
L11+005 0+75W 11000	20	15	33	1	< 5	2400	1	58	16	46	42000	8	
L11+005 0+62.5W 11000	20	60	40	< 1	< 5	1200	< 1	36	4	81	31000	14	
L11+005 0+50W 11000	15	110	80	1	< 5	2300	< 1	22	12	210	40000	24	
L11+005 0+37.5W 10000	15	200	49	3	< 5	350	4	36	12	320	40000	40	
L11+005 0+12.5W 12000	< 5	240	89	1	< 5	1500	3	23	12	310	61000	26	
L11+005 0+00W 11000	< 5	240	98	< 1	< 5	1900	< 1	22	23	310	59000	24	
L11+005 0+12.5E 11000	< 5	200	69	< 1	< 5	1600	2	27	10	320	54000	28	
L11+005 0+37.5E 12000	20	5	67	< 1	< 5	3500	< 1	34	10	170	31000	16	
L11+005 0+50E 11000	20	110	53	< 1	< 5	1400	4	39	9	100	32000	24	
L11+005 0+62.5E 12000	20	55	110	< 1	< 5	1500	< 1	130	25	170	60000	16	
L11+005 0+75E 11000	15	80	39	< 1	< 5	1800	2	59	22	65	39000	24	

DATE : AUG-19-1989

SIGNED :

Bennie Dunn

T.S.L. LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931-1833
 FAX : (306) 242-4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 605 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : 8 - 6881
 T.S.L. File No. :
 T.S.L. Invoice No. : 11834

ATTN: C. INZISZEK, J. FOSTER

PROJECT: CORPTECH 2256/R-1067

ALL RESULTS IN PPM

SAMPLE #	Mo	Mn	Pb	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L9+005 0+12.5E	1600	1100	2	5	360	700	2	< 1	560	2	< 10	< 10	1400
L9+005 1+62.5W	1700	380	2	15	800	400	1	< 1	210	10	< 10	< 10	1200
L9+005 1+75W	1800	760	52	6	1600	400	3	< 1	180	7	< 10	10	600
L9+005 1+27.5W	3500	340	< 2	7	600	700	3	< 1	960	27	< 10	< 10	3000
L9+005 2+00W	2700	680	< 2	9	590	500	3	< 1	310	12	< 10	< 10	1600
L9+005 1+17.5W	4500	2200	24	27	1100	600	10	< 1	150	7	< 10	10	750
L9+005 0+25W	2900	640	< 2	12	660	500	5	< 1	470	18	< 10	< 10	7500
L11+005 1+15W	4700	1700	21	46	1700	400	9	< 1	120	4	90	10	190
L11+005 2+10.5W	5200	1900	26	36	3200	400	11	< 1	110	3	20	10	110
L11+005 1-20W	3800	2800	42	19	3300	600	5	< 1	90	5	30	10	34
L11+005 1+27.5W	3000	1100	74	24	2500	600	6	< 1	250	6	< 10	< 10	190
L11+005 1+75W	4600	1700	30	16	2000	400	4	< 1	80	3	< 10	10	120
L11+005 1+62.5W	4700	1500	32	19	1700	600	4	< 1	260	7	< 10	< 10	320
L11+005 1-50W	4300	1500	32	39	1900	700	4	< 1	150	6	< 10	10	280
L11+005 1+37.5W	4900	1500	< 2	32	1100	700	4	< 1	290	10	10	< 10	1600
L11+005 1+75W	2400	420	< 2	6	650	600	4	< 1	640	17	< 10	< 10	4000
L11+005 1+12.5W	4900	860	< 2	26	970	600	5	< 1	1000	21	10	< 10	4000
L11+005 1-00W	3700	260	< 2	14	660	1000	5	< 1	1400	28	< 10	< 10	4000
L11+005 0+07.5W	4600	420	< 2	16	810	1500	5	< 1	2500	44	< 10	< 10	4000
L11+005 0+75W	5100	350	< 2	27	700	400	4	< 1	550	13	< 10	< 10	4000
L11+005 0+62.5W	2400	140	< 2	11	560	200	2	< 1	220	7	< 10	< 10	2000
L11+005 0+50W	3200	160	< 2	3	740	900	6	< 1	1100	23	< 10	< 10	4000
L11+005 0+37.5W	660	780	18	5	620	400	3	< 1	240	3	< 10	10	1100
L11+005 0+12.5W	3700	1600	32	9	1700	600	7	< 1	290	7	< 10	< 10	1300
L11+005 0+00W	4300	1500	32	6	1900	700	6	< 1	450	12	10	< 10	2400
L11+005 0+12.5E	4500	1200	26	12	1600	600	7	< 1	430	12	10	< 10	3000
L11+005 0+37.5E	4100	320	2	11	690	1000	2	< 1	1600	34	< 10	< 10	2400
L11+005 0+50E	2000	130	< 2	3	470	400	4	< 1	380	10	< 10	< 10	4000
L11+005 0+62.5E	1700	2000	6	79	1100	600	1	< 1	380	16	< 10	< 10	600
L11+005 0+75E	4400	680	< 2	18	420	500	4	< 1	590	13	< 10	< 10	4000

Bernie Duro

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1067

ALL RESULTS IN PPM

T.S.L. REPORT No. : S - 6881

T.S.L. File No. :

T.S.L. Invoice No. : 11834

SAMPLE #		K	V	Y	Zn	Zr	Pb
L9+005	0+12.5E	< 10	17	13	64	180	10
L9+005	1+62.5W	< 10	53	4	66	6	< 5
L9+005	1+75W	< 10	26	9	58	4	5
L9+005	1+87.5W	< 10	84	7	82	15	< 5
L9+005	2+00W	10	76	10	100	7	< 5
L9+005	2+12.5W	< 10	84	15	140	6	5
L9+005	2+25W	< 10	93	11	97	20	< 5
L11+005	2+25W	< 10	65	19	110	3	20
L11+005	2+12.5W	< 10	84	8	74	12	35
L11+005	2+00W	< 10	43	30	240	12	< 5
L11+005	1+87.5W	< 10	25	11	60	7	25
L11+005	1+75W	10	52	11	110	2	15
L11+005	1+62.5W	< 10	47	9	95	4	< 5
L11+005	1+50W	10	51	11	96	3	5
L11+005	1+37.5W	10	27	9	110	13	< 5
L11+005	1+25W	< 10	89	6	71	36	< 5
L11+005	1+12.5W	< 10	110	6	71	26	< 5
L11+005	1+00W	< 10	87	6	48	46	5
L11+005	0+87.5W	< 10	85	6	60	27	< 5
L11+005	0+75W	< 10	110	5	43	48	30
L11+005	0+62.5W	< 10	74	5	34	16	10
L11+005	0+50W	< 10	100	7	43	46	< 5
L11+005	0+37.5W	10	35	60	81	75	< 5
L11+005	0+12.5W	< 10	71	43	99	21	70
L11+005	0+00W	< 10	91	30	85	19	65
L11+005	0+12.5E	< 10	97	22	69	21	< 5
L11+005	0+37.5E	< 10	79	5	46	9	< 5
L11+005	0+50E	< 10	110	7	47	27	< 5
L11+005	0+62.5E	< 10	53	8	150	3	< 5
L11+005	0+75E	< 10	110	6	61	23	10

DATE : AUG-29-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 806 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2K6

T.S.L. REPORT No. : S - 6821
T.S.L. File No. :
T.S.L. Invoice No. : 11834

ATTN: C. IDZISZEK, J. FOSTER PROJECT: COMPTON 2258/R-1067 ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Pb	Se
111+008 60+87.5	11000	25	110	59	< 1	< 5	1100	< 1	45	14	170	35000	36
111+008 91+00	11000	25	75	55	< 1	< 5	1300	< 1	32	12	60	40000	24

DATE : APR-29-1994

SIGNED : *Bernie Dunn*

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1633

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2Y6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1067

ALL RESULTS IN PPM

T.S.L. REPORT No. : S - 6881

T.S.L. File No. :

T.S.L. Invoice No. : 11834

SAMPLE #	Mg	Mn	Na	Ni	P	K	Sc	Ag	Na	Sr	Th	Co	Ti
L11+005 50+07.3	4000	450	< 2	19	670	400	5	< 1	220	8	< 10	< 10	2200
L11+005 51+00	3000	270	< 2	11	770	400	4	< 1	270	10	< 10	< 10	4000

DATE : AUG-24-1994

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 18 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6881

T.S.L. File No. :

T.S.L. Invoice No. : 11834

V&C 2Y6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1067

ALL RESULTS IN PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L11+005 50+67.5	< 10	76	9	85	27	< 5
L11+005 S1+20	10	97	5	81	45	< 5

DATE : 408-24-1984

SIGNED : Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6897

INVOICE #: 11645
P.O.: R-1068

SAMPLE(S) OF Soil

W. Raven
Project CORPTECH

	Au ppb
L5+50S 2+00W	75
L5+50S 1+87.5W	140
L5+50S 1+75W	110
L5+50S 1+62.5W	110
L5+50S 1+50W	420
L5+50S 1+37.5W	200
L5+50S 1+25W	100
L5+50S 1+12.5W	140
L5+50S 1+00W	160
L5+50S 0+87.5W	180
L5+50S 0+75W	110
L5+50S 0+62.5W	140
L5+50S 0+50W	130
L5+50S 0+37.5W	350
L5+50S 0+25W	80
L5+50S 0+12.5W	10
L5+50S 0+12.5E	35
L5+50S 0+25E	90
L5+50S 0+37.5E	25
L5+50S 0+50E	10

COPIES TO: B. Dewonck, J. Chapman
INVOICE TO: OreQuest Consultants

Aug 02/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6897

SAMPLE(S) OF Soil

INVOICE #: 11645
P.O.: R-1068

W. Raven
Project CORPTECH

	Au ppb
L5+50S 0+62.5E	Insuff.
L5+50S 0+75E	10
L5+50S 0+87.5E	<5
L5+50S 1+00E	<5
L5+50S 1+12.5E	5
L5+50S 1+25E	<5
L5+50S 1+37.5E	<5
L5+50S 1+50E	5
L5+50S 1+62.5E	<5
L5+50S 1+75E	5
L5+50S 2+00E	Insuff.
L7+00S 2+50W	110
L7+00S 2+37.5W	260
L7+00S 2+25W	330
L7+00S 2+12.5W	200
L7+00S 2+00W	460
L7+00S 1+87.5W	270
L7+00S 1+75W	200
L7+00S 1+62.5W	170
L7+00S 1+50W	150

COPIES TO: B. Dewonck, J. Chapman
INVOICE TO: OreQuest Consultants

Aug 02/89

SIGNED Dennis Pilipuk





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6897

SAMPLE(S) OF Soil

INVOICE #: 11645
P.O.: R-1068

W. Raven
Project CORPTECH

	Au ppb
L7+00S 1+25W	40
L7+00S 1+12.5W	10
L7+00S 1+00W	25
L7+00S 0+87.5W	15
L7+00S 0+75W	40
L7+00S 0+62.5W	120
L7+00S 0+50W	75
L7+00S 0+37.5W	90
L7+00S 0+25W	40
L7+00S 0+12E	10
L7+00S 0+25E	60
L7+00S 0+37.5E	25
BLINE	5
L7+00S 0+75E	65
L7+00S 0+87.5E	25
L7+00S 1+00E	5
L7+00S S1+12.5E	Insuff.
L7+00S 1+25E	5
L7+00S 1+37.5E	5
L7+00S 1+50E	<5

COPIES TO: B. Dewonck, J. Chapman
INVOICE TO: OreQuest Consultants

Aug 02/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6897

SAMPLE(S) OF Soil


INVOICE #: 11645
P.O.: R-1068

W. Raven
Project CORPTECH

	Au ppb
L7+00S 1+75E	<5
L7+00S 1+87.5E	<5
L7+00S 2+00E	5
L9+00S 0+00	95
L9+00S 0+12.5W	690
L9+00S 0+25W	5
L9+00S 0+37.5W	5
L9+00S 0+50W	40
L9+00S 0+62.5W	260
L9+00S 0+75W	190
L9+00S 0+87.5W	260
L9+00S 1+00W	25
L9+00S 1+12.5W	20
L9+00S 1+25W	25
L9+00S 1+37.5W	230
L9+00S 1+50W	30
L7+00S 0+12.5W	5

COPIES TO: B. Dewonck, J. Chapman
INVOICE TO: OreQuest Consultants

Aug 02/89

SIGNED 



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6897
 T.S.L. File No. :
 T.S.L. Invoice No. : 11812

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1060

ALL RESULTS IN PPB

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu ✓	Fe	Pb
L5+50S 2+00W	12000	15	85	53	< 1	15	710	< 1	19	10	26	30000	10
L5+50S 1+87.5W	11000	15	120	63	< 1	5	820	< 1	20	15	99	59000	34
L5+50S 1+75W	12000	< 5	120	51	< 1	10	170	< 1	15	16	150	66000	26
L5+50S 1+62.5W	10000	20	100	120	< 1	15	2500	< 1	35	20	130	46000	24
L5+50S 1+50W	12000	< 5	5	140	< 1	< 5	940	< 1	21	10	340	69000	18
L5+50S 1+37.5W	11000	25	30	210	< 1	< 5	1000	< 1	26	10	350	53000	18
L5+50S 1+25W	11000	20	95	160	< 1	5	1000	< 1	32	17	330	49000	20
L5+50S 1+12.5W	11000	20	75	92	< 1	5	1000	< 1	30	17	350	52000	20
L5+50S 1+00W	12000	20	45	100	< 1	< 5	1700	< 1	23	17	340	52000	16
L5+50S 0+87.5W	12000	25	80	62	< 1	< 5	470	< 1	25	11	330	57000	26
L5+50S 0+75W	11000	25	40	85	< 1	< 5	1400	1	31	15	340	51000	20
L5+50S 0+62.5W	11000	15	85	67	< 1	< 5	1500	1	27	10	340	54000	26
L5+50S 0+50W	12000	20	20	75	< 1	< 5	1800	< 1	110	17	350	50000	18
L5+50S 0+37.5W	12000	< 5	15	93	< 1	< 5	1200	< 1	39	37	330	74000	16
L5+50S 0+25W	11000	25	90	140	< 1	< 5	960	2	25	15	150	54000	20
L5+50S 0+12.5W	11000	20	150	110	5	< 5	590	2	10	2	61	34000	42
L5+50S 0+12.5E	10000	25	140	150	1	< 5	2300	< 1	32	22	99	43000	28
L5+50S 0+25E	11000	30	50	150	< 1	< 5	2300	< 1	07	23	230	54000	18
L5+50S 0+37.5E	12000	20	25	110	< 1	< 5	1500	< 1	36	11	43	40000	< 2
L5+50S 0+50E	11000	20	65	130	< 1	< 5	1200	< 1	28	13	59	43000	10
L5+50S 0+62.5E	12000	20	15	68	1	< 5	3600	< 1	42	15	20	37000	10
L5+50S 0+75E	10000	25	95	140	< 1	< 5	3700	< 1	43	23	110	44000	26
L5+50S 0+87.5E	10000	20	150	120	2	< 5	2500	< 1	30	21	24	36000	28
L5+50S 1+00E	12000	20	15	64	2	< 5	2700	1	35	14	26	30000	8
L5+50S 1+12.5E	10000	20	160	110	2	< 5	2400	1	24	14	18	33000	24
L5+50S 1+25E	12000	20	25	110	1	< 5	2200	< 1	47	13	39	32000	16
L5+50S 1+37.5E	10000	20	120	94	1	< 5	2000	1	26	16	25	35000	30
L5+50S 1+50E	10000	20	130	110	2	< 5	2400	< 1	31	21	24	35000	22
L5+50S 1+62.5E	12000	15	70	96	< 1	< 5	1500	< 1	150	13	45	36000	6
L5+50S 1+75E	10000	20	150	190	< 1	< 5	2700	< 1	30	25	51	43000	28

DATE : AUG-24-1989

SIGNED :

Bernie Duna

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.

T.S.L. REPORT No. : 6 - 6897

T.S.L. File No. :

T.S.L. Invoice No. : 11812

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

ALL RESULTS IN PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L5+50S 2+00W	2900	510	< 2	3	670	400	3	1	240	7	10	< 10	3400
L5+50S 1+07.5W	4400	990	44	8	1100	400	5	2	200	7	< 10	< 10	2400
L5+50S 1+75W	4800	2500	74	4	1900	300	2	3	130	2	< 10	< 10	340
L5+50S 1+62.5W	3800	810	16	17	970	500	5	1	600	19	< 10	< 10	4000
L5+50S 1+50W	3200	700	52	9	2100	700	3	2	290	8	< 10	< 10	1400
L5+50S 1+37.5W	3300	960	46	10	800	500	3	2	350	13	< 10	< 10	1400
L5+50S 1+25W	3900	700	26	8	820	600	7	1	570	16	< 10	< 10	3900
L5+50S 1+12.5W	4000	1300	24	11	3000	600	4	1	330	10	< 10	< 10	1900
L5+50S 1+00W	4900	1200	14	12	1400	600	5	1	500	12	10	< 10	1400
L5+50S 0+07.5W	3800	1200	24	9	1100	500	4	1	220	5	< 10	< 10	1000
L5+50S 0+75W	4900	830	22	12	1300	600	6	< 1	400	11	< 10	< 10	2500
L5+50S 0+62.5W	4400	1200	26	10	1500	600	6	< 1	510	12	< 10	< 10	2200
L5+50S 0+50W	4600	1100	22	46	1400	700	5	1	500	13	< 10	< 10	1900
L5+50S 0+37.5W	4300	1900	32	44	2000	600	7	< 1	500	11	< 10	< 10	1200
L5+50S 0+25W	3600	950	26	10	1000	400	1	1	200	9	< 10	10	600
L5+50S 0+12.5W	650	340	2	6	350	500	2	1	540	4	10	< 10	1100
L5+50S 0+12.5E	3600	900	14	7	910	600	5	< 1	750	22	< 10	< 10	4000
L5+50S 0+25E	4900	1400	26	45	900	600	3	< 1	300	16	10	< 10	2000
L5+50S 0+37.5E	2500	460	< 2	14	690	400	2	< 1	310	15	< 10	< 10	4000
L5+50S 0+50E	2000	1100	< 2	9	600	400	2	< 1	200	11	< 10	< 10	4000
L5+50S 0+62.5E	4300	200	< 2	12	510	1200	3	< 1	1900	40	10	< 10	4000
L5+50S 0+75E	4600	1200	< 2	22	740	400	4	< 1	660	25	< 10	< 10	4000
L5+50S 0+07.5E	3600	610	< 2	9	650	600	5	< 1	870	21	< 10	< 10	4000
L5+50S 1+00E	3000	370	< 2	10	670	1000	3	< 1	1200	27	< 10	< 10	4000
L5+50S 1+12.5E	3300	360	< 2	10	750	700	4	< 1	970	24	< 10	< 10	4000
L5+50S 1+25E	3100	300	< 2	14	620	700	3	< 1	930	24	< 10	< 10	4000
L5+50S 1+37.5E	3600	240	< 2	8	650	600	5	< 1	730	22	< 10	< 10	4000
L5+50S 1+50E	3500	750	< 2	8	600	600	5	< 1	790	22	10	< 10	4000
L5+50S 1+62.5E	3600	810	< 2	62	610	700	2	< 1	450	12	< 10	< 10	3400
L5+50S 1+75E	4000	1900	< 2	12	910	1000	7	< 1	730	23	< 10	< 10	4000

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6897

T.S.L. File No. :

T.S.L. Invoice No. : 11812

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1068

ALL RESULTS IN PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L5+50S 2+00W < 10	90	5	55	11	< 5	
L5+50S 1+87.5W < 10	91	9	75	11	25	
L5+50S 1+75W < 10	67	13	69	4	55	
L5+50S 1+62.5W < 10	94	9	63	14	5	
L5+50S 1+50W < 10	86	7	36	8	40	
L5+50S 1+37.5W < 10	100	8	44	8	< 5	
L5+50S 1+25W < 10	120	16	66	12	10	
L5+50S 1+12.5W < 10	100	10	62	7	25	
L5+50S 1+00W < 10	100	10	61	5	< 5	
L5+50S 0+87.5W < 10	75	13	64	9	< 5	
L5+50S 0+75W < 10	110	11	68	12	10	
L5+50S 0+62.5W < 10	95	12	73	11	30	
L5+50S 0+50W < 10	93	12	70	11	< 5	
L5+50S 0+37.5W < 10	94	27	56	9	< 5	
L5+50S 0+25W < 10	140	8	60	1	< 5	
L5+50S 0+12.5W < 10	11	21	71	130	< 5	
L5+50S 0+12.5E < 10	110	11	82	17	5	
L5+50S 0+25E < 10	95	7	98	5	25	
L5+50S 0+37.5E < 10	99	4	59	23	< 5	
L5+50S 0+50E < 10	110	4	80	12	< 5	
L5+50S 0+62.5E < 10	93	5	63	22	< 5	
L5+50S 0+75E < 10	100	11	69	12	10	
L5+50S 0+87.5E < 10	120	8	77	24	< 5	
L5+50S 1+00E < 10	110	4	76	25	< 5	
L5+50S 1+12.5E < 10	89	5	55	39	< 5	
L5+50S 1+25E < 10	20	99	4	72	22	10
L5+50S 1+37.5E < 10	84	6	75	53	5	
L5+50S 1+50E < 10	110	7	69	28	< 5	
L5+50S 1+62.5E < 10	80	6	68	21	< 5	
L5+50S 1+75E < 10	100	17	110	11	< 5	

DATE : AUG-24-1985

SIGNED :

Bernie Ouan

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS STREET
VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6897

T.S.L. File No. :

T.S.L. Invoice No. : 11812

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1068

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L5+50S 2+00E	12000	15	45	55	< 1	< 5	1000	< 1	24	11	29	31000	16
L7+00S 2+50W	11000	25	550	55	< 1	< 5	1500	< 1	30	14	220	50000	30
L7+00S 2+37.5W	11000	20	630	89	< 1	< 5	2300	1	25	19	170	43000	160
L7+00S 2+25W	12000	< 5	720	68	< 1	< 5	510	3	18	15	340	65000	110
L7+00S 2+12.5W	11000	30	520	72	< 1	< 5	2000	< 1	29	15	220	53000	150
L7+00S 2+00W	11000	20	530	85	< 1	< 5	950	< 1	22	21	230	69000	160
L7+00S 1+87.5W	11000	20	160	110	1	< 5	1100	1	28	15	59	53000	44
L7+00S 1+75W	11000	20	210	90	1	< 5	1500	< 1	22	20	76	46000	70
L7+00S 1+62.5W	12000	20	170	91	< 1	< 5	2900	< 1	30	12	160	44000	40
L7+00S 1+50W	11000	25	150	99	< 1	< 5	3100	1	31	14	260	46000	46
L7+00S 1+25W	11000	20	85	75	< 1	< 5	1200	1	18	13	140	41000	12
L7+00S 1+12.5W	11000	20	75	120	3	< 5	2000	< 1	34	15	47	38000	28
L7+00S 1+00W	10000	20	160	69	1	< 5	2800	< 1	40	20	78	41000	28
L7+00S 0+87.5W	11000	20	70	62	1	< 5	2300	1	24	12	52	39000	10
L7+00S 0+75W	12000	20	35	61	< 1	< 5	1400	1	30	11	68	40000	4
L7+00S 0+62.5W	12000	20	120	77	< 1	< 5	870	< 1	28	9	280	57000	78
L7+00S 0+50W	11000	15	100	100	< 1	< 5	1400	< 1	34	16	160	41000	30
L7+00S 0+37.5W	11000	15	140	100	< 1	< 5	2300	< 1	35	16	220	41000	32
L7+00S 0+25W	11000	25	90	110	1	< 5	670	1	41	12	170	42000	20
L7+00S 0+12E	10000	20	140	61	2	< 5	630	< 1	25	8	76	37000	36
L7+00S 0+25E	12000	25	130	110	< 1	< 5	1100	< 1	54	23	160	39000	16
L7+00S 0+37.5E	11000	25	190	170	< 1	< 5	1200	< 1	73	12	150	42000	24
BLINE	9800	25	240	120	2	< 5	3200	< 1	41	26	74	37000	32
L7+00S 0+75E	12000	20	80	130	< 1	< 5	1300	1	42	21	260	40000	24
L7+00S 0+87.5E	11000	25	75	95	< 1	< 5	1300	2	35	23	140	38000	30
L7+00S 1+00E	11000	25	170	140	< 1	< 5	2100	2	46	19	120	39000	38
L7+00S 0+12.5E	11000	15	45	64	< 1	< 5	1800	< 1	25	11	35	36000	2
L7+00S 1+25E	11000	20	80	97	< 1	< 5	1300	< 1	19	14	44	32000	4
L7+00S 1+37.5E	12000	15	40	57	< 1	< 5	490	< 1	59	24	46	49000	12
L7+00S 1+50E	11000	20	120	65	< 1	< 5	1300	1	32	12	22	36000	18

DATE : AUG-24-1989

SIGNED : *Bernie Duro*

T S L LABORATORIES

2-382-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1833

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 806 WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1068

ALL RESULTS IN PPM

T.S.L. REPORT No. : S - 6897

T.S.L. File No. :

T.S.L. Invoice No. : 11812

SAMPLE #	Hg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L5+50S 2+00E	1900	400	< 2	4	650	600	2	< 1	320	11	< 10	< 10	3400
L7+00S 2+50W	4500	940	< 2	12	1100	500	5	< 1	400	10	< 10	< 10	2600
L7+00S 2+37.5W	4200	950	< 2	7	860	800	4	< 1	910	20	< 10	< 10	2700
L7+00S 2+25W	3200	1900	20	3	1600	500	4	< 1	170	5	< 10	< 10	1000
L7+00S 2+12.5W	4300	1300	14	7	1300	700	5	< 1	680	16	< 10	< 10	3100
L7+00S 2+00W	3500	1800	20	3	1900	700	7	< 1	390	9	< 10	< 10	2700
L7+00S 1+87.5W	3700	1100	16	11	1100	600	5	< 1	430	10	< 10	< 10	2200
L7+00S 1+75W	4000	1300	12	11	1200	600	7	< 1	610	15	< 10	< 10	4000
L7+00S 1+62.5W	5000	460	< 2	11	1000	1200	5	< 1	1300	27	< 10	< 10	2500
L7+00S 1+50W	4700	870	< 2	11	1200	1100	6	< 1	1400	28	10	< 10	3000
L7+00S 1+25W	3600	570	< 2	8	770	400	4	< 1	330	11	< 10	< 10	4000
L7+00S 1+12.5W	4000	290	< 2	11	700	1700	5	< 1	610	17	10	< 10	4000
L7+00S 1+00W	3900	570	< 2	17	720	600	6	< 1	710	19	< 10	< 10	4000
L7+00S 0+87.5W	3200	300	< 2	9	950	900	4	< 1	940	22	< 10	< 10	4000
L7+00S 0+75W	2900	390	< 2	8	880	600	3	< 1	390	11	< 10	< 10	4000
L7+00S 0+62.5W	3800	770	36	26	1400	500	2	< 1	200	6	< 10	< 10	820
L7+00S 0+50W	3700	670	< 2	14	1000	600	5	< 1	440	13	< 10	< 10	3800
L7+00S 0+37.5W	4300	520	< 2	14	1100	1000	6	< 1	1100	23	< 10	< 10	3700
L7+00S 0+25W	3400	1100	< 2	14	880	600	3	< 1	230	7	10	< 10	1500
L7+00S 0+12E	2800	910	8	9	420	700	2	< 1	420	3	10	10	1400
L7+00S 0+25E	5200	1200	2	25	720	500	4	< 1	130	9	< 10	< 10	870
L7+00S 0+37.5E	5400	670	2	31	560	600	3	< 1	100	11	< 10	10	630
BLINE	3900	610	< 2	13	740	800	8	< 1	1100	25	< 10	< 10	4000
L7+00S 0+75E	4700	1300	2	23	1300	700	5	< 1	190	9	< 10	< 10	1400
L7+00S 0+87.5E	4100	1400	< 2	17	870	600	4	< 1	390	11	< 10	< 10	2500
L7+00S 1+00E	4000	840	14	26	910	500	5	< 1	410	14	< 10	< 10	3800
L7+00SS1+12.5E	2900	190	< 2	6	660	700	3	< 1	700	10	< 10	< 10	4000
L7+00S 1+25E	2700	360	< 2	7	740	500	4	< 1	460	14	< 10	< 10	4000
L7+00S 1+37.5E	2200	1900	< 2	10	650	600	3	< 1	220	6	< 10	< 10	4000
L7+00S 1+50E	2600	260	< 2	5	520	300	4	< 1	310	11	< 10	< 10	4000

DATE : AUG-24-1989

SIGNED :

Bernie Duns

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.R. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 888 WEST HASTINGS ST.
 VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6897
 T.S.L. File No. :
 T.S.L. Invoice No. : 11812

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1068

ALL RESULTS IN PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L5+50S 2+00E	< 10	79	10	100	10	10
L7+00S 2+50W	< 10	79	8	68	10	10
L7+00S 2+37.5W	< 10	81	8	140	10	30
L7+00S 2+25W	< 10	64	13	100	4	25
L7+00S 2+12.5W	< 10	94	11	170	7	30
L7+00S 2+00W	< 10	86	15	370	9	95
L7+00S 1+67.5W	< 10	71	14	190	17	5
L7+00S 1+75W	< 10	96	12	130	19	20
L7+00S 1+62.5W	10	88	8	100	9	25
L7+00S 1+50W	< 10	100	14	100	15	5
L7+00S 1+25W	10	100	8	75	13	< 5
L7+00S 1+12.5W	< 10	130	5	74	63	< 5
L7+00S 1+00W	< 10	110	9	71	20	< 5
L7+00S 0+87.5W	< 10	97	5	60	36	< 5
L7+00S 0+75W	< 10	92	4	64	16	< 5
L7+00S 0+62.5W	< 10	92	9	120	1	< 5
L7+00S 0+50W	< 10	86	10	93	10	< 5
L7+00S 0+37.5W	< 10	90	14	96	10	< 5
L7+00S 0+25W	10	82	11	140	4	< 5
L7+00S 0+12E	< 10	34	16	110	110	25
L7+00S 0+25E	10	82	9	110	5	< 5
L7+00S 0+37.5E	< 10	88	6	110	1	5
BLINE	10	110	15	82	24	< 5
L7+00S 0+75E	< 10	95	15	140	6	15
L7+00S 0+67.5E	< 10	85	9	130	8	< 5
L7+00S 1+00E	< 10	110	20	260	9	35
L7+00SS1+12.5E	10	110	5	76	21	< 5
L7+00S 1+25E	< 10	87	7	110	14	35
L7+00S 1+37.5E	< 10	140	4	110	16	25
L7+00S 1+50E	< 10	96	5	69	21	< 5

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN 57K 6A4
 TELEPHONE : (306) 931 - 1833
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6897
 T.S.L. File No. :
 T.S.L. Invoice No. : 11812

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

R-1068

ALL RESULTS IN PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L7+00S 1+75E	10000	20	150	97	1	< 5	1700	< 1	38	19	33	36000	30
L7+00S 1+87.5E	11000	20	110	100	< 1	< 5	2200	2	44	20	59	30000	24
L7+00S 2+00E	12000	20	55	210	< 1	< 5	2000	2	64	18	94	30000	< 2
L7+00S 0+00	12000	20	35	100	< 1	< 5	2000	< 1	44	16	240	30000	10
L9+00S 0+12.5W	12000	25	90	210	< 1	< 5	1700	< 1	60	22	350	41000	6
L9+00S 0+25W	10000	25	190	89	2	< 5	2000	< 1	20	17	45	30000	30
L9+00S 0+37.5W	10000	15	150	83	1	< 5	2300	< 1	21	13	54	34000	26
L9+00S 0+50W	12000	20	20	71	< 1	< 5	2300	1	70	17	340	30000	16
L9+00S 0+62.5W	12000	20	< 5	61	< 1	< 5	920	< 1	13	16	340	60000	10
L9+00S 0+75W	12000	25	20	57	< 1	< 5	600	3	41	17	340	61000	4
L9+00S 0+87.5W	12000	15	30	60	< 1	< 5	800	2	23	30	330	75000	16
L9+00S 1+00W	11000	20	100	150	< 1	< 5	1500	< 1	26	15	77	40000	14
L9+00S 1+12.5W	11000	15	110	94	< 1	< 5	1800	< 1	27	17	66	41000	28
L9+00S 1+25W	11000	15	110	72	< 1	< 5	1300	1	26	11	95	44000	24
L9+00S 1+37.5W	12000	15	80	66	< 1	< 5	530	3	24	12	330	91000	24
L9+00S 1+50W	12000	20	60	69	< 1	< 5	3900	1	26	12	71	40000	10
L7+00S 0+12.5W	10000	20	90	120	2	< 5	3200	< 1	21	25	49	35000	24

DATE : 0106-24-1989

SIGNED :

Bernie Duro

T.S.L. LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
VANCOUVER, B.C.

T.S.L. REPORT No. : S - 6897

T.S.L. File No. :

T.S.L. Invoice No. : 11812

V6C 2X6

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTech

R-1068

ALL RESULTS IN PPM

SAMPLE #	Kg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L7+00S 1+75E	2900	540	< 2	6	550	400	5	< 1	370	12	< 10	< 10	4000
L7+00S 1+87.5E	4400	770	< 2	19	940	600	5	< 1	590	19	< 10	< 10	4000
L7+00S 2+00E	3900	2000	2	48	850	400	3	< 1	200	14	< 10	< 10	1500
L9+00S 0+00	4600	820	< 2	23	990	600	4	< 1	190	16	< 10	< 10	790
L9+00S 0+12.5W	5400	1100	4	33	1000	700	7	< 1	120	11	< 10	< 10	1000
L9+00S 0+25W	3700	400	< 2	4	940	900	0	< 1	1200	24	< 10	< 10	4200
L9+00S 0+37.5W	3300	230	< 2	7	830	600	5	< 1	870	24	10	< 10	4000
L9+00S 0+50W	4300	900	26	20	1000	900	5	< 1	910	21	10	< 10	2300
L9+00S 0+62.5W	4000	920	40	4	1900	600	6	< 1	260	7	< 10	< 10	1100
L9+00S 0+75W	3500	1100	50	15	2100	600	5	< 1	110	4	< 10	< 10	780
L9+00S 0+87.5W	3000	1400	52	14	2300	400	6	< 1	110	4	< 10	< 10	980
L9+00S 1+00W	2800	630	< 2	9	720	400	3	< 1	400	14	< 10	< 10	4000
L9+00S 1+12.5W	3700	590	< 2	12	740	600	5	< 1	650	16	< 10	< 10	4000
L9+00S 1+25W	3400	390	< 2	12	800	500	3	< 1	420	12	< 10	< 10	4000
L9+00S 1+37.5W	3700	870	36	2	2000	500	6	< 1	150	5	< 10	< 10	1400
L9+00S 1+50W	4000	300	< 2	7	900	1300	3	< 1	2100	40	< 10	< 10	4000
L7+00S 0+12.5W	3600	660	< 2	3	780	1000	7	< 1	1500	33	< 10	< 10	4000

DATE : AUG-24-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 8897
 T.S.L. File No. :
 T.S.L. Invoice No. : 11812


ATTN: C.IDZISZEK, J. FOSTER PROJECT: CORPTECH R-1068 ALL RESULTS IN PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L7+00S 1+75E	< 10	110	6	67	29	< 5
L7+00S 1+87.5E	< 10	100	9	110	14	< 5
L7+00S 2+00E	< 10	82	19	230	< 1	< 5
L9+00S 0+00	< 10	71	10	100	4	< 5
L9+00S 0+12.5W	< 10	87	20	100	10	< 5
L9+00S 0+25W	< 10	94	6	44	43	< 5
L9+00S 0+37.5W	< 10	93	5	59	33	30
L9+00S 0+50W	< 10	81	7	63	7	< 5
L9+00S 0+62.5W	< 10	83	8	37	7	< 5
L9+00S 0+75W	< 10	82	8	61	2	25
L4+00S 0+87.5W	< 10	96	16	57	3	< 5
L9+00S 1+00W	< 10	100	4	60	22	< 5
L9+00S 1+12.5W	< 10	110	7	77	17	< 5
L9+00S 1+25W	< 10	110	5	140	19	< 5
L9+00S 1+37.5W	< 10	110	6	53	8	55
L9+00S 1+50W	10	100	5	65	14	< 5
L7+00S 0+12.5W	< 10	93	9	64	36	< 5

DATE : AUG-24-1989

SIGNED :

Bernie Dunn



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

SAMPLE(S) OF Soils

INVOICE #: 11651
P.O.: 2258/R-1069

V. Van Damme
Project Corp Tech

	Au ppb
L5+50N-S2+00W	15
L5+50N-S1+87W	35
L5+50N-S1+75W	20
L5+50N-S1+62W	20
L5+50N-S1+50W	25
L5+50N-S1+37W	10
L5+50N-S1+25W	60
L5+50N-S1+12W	30
L5+50N-S0+87W	25
L5+50N-S0+12W	60
L5+50N-S0+00	<5
L5+50N-O+12.5E	5
L5+50N-O+25E	<5
L5+50N-O+37.5E	40
L5+50N-O+50E	<5
L5+50N-O+75E	5
L5+50N-O+87.5E	5
L5+50N-1+00E	10
L5+50N-1+12.5E	Insuff.
L5+50N-1+25E	Insuff.

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

INVOICE #: 11651
P.O.: 2258/R-1069

SAMPLE(S) OF Soils

V. Van Damme
Project Corp Tech

	Au ppb
L5+50N-1+35.5E	10
L5+50N-1+50E	Insuff.
L5+50N-1+62.5E	Insuff.
L5+50N-1+75E	<5
L5+50N-1+87.5E	<5
L3+50N-S1+25E	<5
L3+50N-S1+12E	Insuff.
L3+50N-S1+00E	Insuff.
L3+50N-S0+87E	Insuff.
L3+50N-S0+75E	Insuff.
L3+50N-S0+62E	Insuff.
L3+50N-S0+50E	10
L3+50N-S0+37E	5
L3+50N-S0+25E	15
L3+50N-S0+12E	45
L3+50N-0+0	5
L3+50N-0+12.5W	40
L3+50N-0+25W	190
L3+50N-0+37.5W	90
L3+50N-0+50W	110

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED *Dennis Piljich*





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

SAMPLE(S) OF Soils

INVOICE #: 11651
P.O.: 2258/R-1069

V. Van Damme
Project Corp Tech

	Au ppb
L3+50N-0+62.5W	100
L3+50N-0+75	220
L3+50N-1+50	10
L1+50N-S3+00E	<5
L1+50N-S2+87E	<5
L1+50N-S2+75E	<5
L1+50N-S2+62E	<5
L1+50N-S2+50E	<5
L1+50N-S2+37E	<5
L1+50N-S2+25E	<5
L1+50N-S2+12E	Insuff.
L1+50N-S2+00E	30
L1+50N-S1+87E	INsuff.
L1+50N-S1+75E	<5
L1+50N-S1+62E	10
L1+50N-S1+25E	270
L1+50N-S1+12E	40
L1+50N-S1+00E	250
L1+50N-S0+87E	200
L1+50N-S0+75E	50

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED *Dennis Poljak*





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

SAMPLE(S) OF Soils

INVOICE #: 11651
P.O.: 2258/R-1069

V. Van Damme
Project Corp Tech

	Au ppb
L1+50N-S0+62E	55
L1+50N-S0+50E	75
L1+50N-S0+37E	40
L1+50N-S0+25E	90
L1+50N-S0+12E	110
L1+50N-S0+00	Insuff.
L1+50N-S0+12W	10
L1+50N-S0+25W	5
L1+50N-S0+37W	55
L1+50N-S0+50W	150
L1+50N-S0+87W	15
L1+50N-S1+00W	5
L1+50N-S1+12W	<5
L1+50N-S1+25W	<5
L1+50N-S1+37W	5
L1+50N-S1+50W	10
L0+00N-2+50W	5
L0+00N-2+37.5W	<5
L0+00N-2+25W	5
L0+00N-2+00W	<5

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED





TSL LABORATORIES

DIV. BURGEMER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

SAMPLE(S) OF Soils

INVOICE #: 11651
P.O.: 2258/R-1069

V. Van Damme
Project Corp Tech

	Au ppb
LO+00N-1+87.5W	25
LO+00N-1+75W	5
LO+00N-1+62.5W	15
LO+00N-1+50W	5
LO+00N-1+25W	5
LO+00N-1+12.5W	20
LO+00N-1+00W	15
LO+00N-0+00BL	230
LO+00N-0+12.5E	60
LO+00N-0+25E	40
LO+00N-0+37.5E	10
LO+00N-0+50E	200
LO+00N-0+62.5E	10
LO+00N-0+75E	5
LO+00N-0+87.5E	80
LO+00N-1+00E	<5
LO+00N-1+12.5E	130
LO+00N-1+37.5E	85
LO+00N-1+50E	5
LO+00N-1+62.5E	40

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S6905

SAMPLE(S) OF Soils

INVOICE #: 11651
P.O.: 2258/R-1069

V. Van Damme
Project Corp Tech

	Au ppb
LO+00N-1+75E	15
LO+00N-2+12.5E	<5
LO+00N-2+25E	<5
LO+00N-2+37.5E	<5
L1+50N-50+75W	10

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants-Vancouver

Aug 03/89

SIGNED



T S L LABORATORIES

2-382-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2K6

T.S.L. REPORT No. : S - 6705
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH 2258/R-1069

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
00+00N 0+37.5E	36000	10	< 5	160	1	< 5	1800	< 1	16	21	47	36000	10
00+00N 0+50E	33000	5	< 5	73	< 1	< 5	1500	< 1	33	13	670	48000	14
00+00N 0+62.5E	19000	5	10	50	< 1	< 5	1300	< 1	38	11	77	45000	14
00+00N 0+75E	35000	10	< 5	98	1	< 5	2500	< 1	20	18	61	38000	18
00+00N 0+87.5E	18000	5	20	55	< 1	5	830	< 1	20	5	120	31000	22
00+00N 1+00E	34000	5	35	37	1	< 5	470	< 1	17	3	66	34000	20
00+00N 1+12.5E	24000	5	65	110	< 1	< 5	620	< 1	27	6	210	54000	24
00+00N 1+37.5E	26000	5	< 5	150	< 1	< 5	1800	< 1	31	19	680	42000	18
00+00N 1+50E	43000	5	< 5	87	< 1	< 5	2100	< 1	40	24	68	34000	10
00+00N 1+62.5E	15000	5	10	150	2	< 5	350	< 1	36	13	150	27000	16
00+00N 1+75E	25000	5	< 5	120	< 1	< 5	1500	< 1	37	17	91	35000	21
00+00N 2+12.5E	18000	15	< 5	210	< 1	< 5	1400	< 1	16	10	87	47000	12
00+00N 2+25E	34000	10	< 5	68	< 1	< 5	1400	< 1	28	15	33	34000	12
00+00N 2+37.5E	27000	10	10	130	< 1	< 5	2400	< 1	26	38	39	41000	15
00+00N 2+50E	26000	10	15	130	< 1	< 5	5700	< 1	20	13	59	40000	17

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.F. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : 5 - 8905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2256/R-1069 ALL RESULTS PPM

SAMPLE #	Mg	Mo	NO	P	S	SO	Ag	As	Bi	Th	Sr	Ti	
L0-00N 0+37.5E	3000	510	< 2	6	790	620	3	< 1	610	17	< 10	< 10	4300
L0-00N 0+50E	3200	910	34	10	610	660	3	< 1	330	10	< 10	< 10	2600
L0-00N 0+62.5E	2500	300	4	12	660	500	3	< 1	290	9	< 10	< 10	4300
L0-00N 0+75E	3100	330	< 2	4	780	380	6	< 1	1100	23	< 10	< 10	4300
L0+00N 0+87.5E	2100	170	6	4	660	340	2	< 1	210	7	< 10	< 10	2400
L0-00N 1+00E	1500	370	14	2	440	300	2	< 1	460	3	10	10	3000
L0-00N 1+12.5E	2700	410	24	10	1400	560	1	< 1	150	6	< 10	< 10	1000
L0-00N 1+37.5E	4100	1000	22	10	880	360	0	< 1	310	16	< 10	< 10	3600
L0-00N 1+50E	3100	640	< 2	12	660	340	6	< 1	970	17	< 10	< 10	4300
L0+00N 1+62.5E	4100	840	2	24	510	340	4	< 1	60	0	< 10	< 10	540
L0-00N 1+75E	4600	870	2	26	1000	600	4	< 1	450	13	< 10	< 10	2600
L0+00N 2+12.5E	5100	1200	4	30	1300	340	4	< 1	110	8	< 10	< 10	140
L0+00N 2+25E	2800	340	2	8	750	440	5	< 1	470	13	< 10	< 10	4300
L0+00N 2+37.5E	6300	1400	< 2	14	970	1000	7	< 1	2700	30	< 10	< 10	4300
L1+50N 50+75N	5100	1600	2	12	200	340	4	< 1	2400	54	< 10	< 10	3+00

Senie Durr

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2258/R-1069 ALL RESULTS PPM

SAMPLE #	W	V	Y	Zr	Zr	Bi
L0+00N 0437.5E < 10	100	9	68	22	< 5	
L0+00N 0450E < 10	71	11	73	20	< 5	
L0+00N 0462.5E < 10	110	4	45	19	< 5	
L0+00N 0475E < 10	97	6	46	43	< 5	
L0+00N 0487.5E < 10	77	5	46	9	5	
L0+00N 1400E < 10	10	11	62	140	20	
L0+00N 1412.5E < 10	67	7	50	1	35	
L0+00N 1427.5E < 10	76	14	65	18	50	
L0+00N 1450E < 10	110	9	63	22	< 5	
L0+00N 1462.5E < 10	45	31	130	2	30	
L0+00N 1475E < 10	66	17	130	15	< 5	
L0+00N 2412.5E < 10	56	14	150	2	40	
L0+00N 2425E < 10	68	10	83	30	< 5	
L0+00N 2437.5E < 10	70	13	100	13	40	
L1+00N 00+70W < 10	64	11	140	7	35	

DATE : AUG-27-1989

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 608 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11935

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1069

ALL RESULTS PPM

SAMPLE #	Al	Bb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	✓ Fe	Pb
L1+50N 80+62E	26000	5	65	150	< 1	< 5	1800	< 1	37	27	680	56000	26
L1+50N 80+50E	26000	5	100	120	< 1	< 5	1700	< 1	73	24	660	50000	26
L1+50N 80-37E	29000	10	35	150	< 1	< 5	3000	< 1	24	22	270	49000	29
L1+50N 80+25E	31000	10	< 5	200	< 1	< 5	2100	< 1	35	21	150	45000	40
L1+50N 80+12E	27000	10	65	160	< 1	< 5	1200	< 1	49	20	160	41000	16
L1+50N 80+00	24000	15	30	150	< 1	< 5	9000	< 1	22	25	75	35000	12
L1+50N 80+12W	24000	5	20	500	< 1	< 5	2200	< 1	25	14	45	36000	19
L1+50N 80+25W	17000	5	20	140	< 1	< 5	1500	< 1	21	12	45	29000	16
L1+50N 80-37W	31000	5	< 5	140	< 1	< 5	1900	< 1	44	19	100	44000	17
L1+50N 80+50W	26000	5	40	140	< 1	< 5	1500	< 1	30	19	270	46000	24
L1+50N 80+57W	13000	< 5	40	74	< 1	< 5	2700	< 1	14	12	61	30000	16
L1+50N 81+20W	26000	< 5	< 5	64	< 1	< 5	1200	< 1	23	16	40	31000	< 2
L1+50N 81+12W	19000	< 5	25	82	< 1	< 5	670	< 1	30	8	54	30000	16
L1+50N 81+20W	19000	< 5	10	110	< 1	< 5	2100	< 1	21	12	31	39000	8
L1+50N 81+37W	22000	5	5	87	< 1	< 5	4200	< 1	11	13	36	29000	16
L1+50N 81+50W	19000	< 5	40	120	< 1	< 5	950	< 1	20	9	33	41000	40
L0+00N 2+50W	34000	5	< 5	81	< 1	< 5	690	< 1	47	13	43	41000	24
L0+00N 2+37.5W	39000	5	< 5	110	< 1	< 5	1900	< 1	42	17	34	35000	2
L0+00N 2+25W	26000	10	15	130	< 1	< 5	3500	< 1	35	21	47	30000	20
L0+00N 2+00W	18000	5	25	50	< 1	< 5	1500	< 1	45	11	41	30000	30
L0+00N 1+67.5W	30000	15	< 5	150	< 1	< 5	550	< 1	52	24	110	39000	60
L0+00N 1+75W	25000	10	30	100	< 1	< 5	1100	< 1	52	21	65	37000	16
L0+00N 1+62.5W	25000	20	5	80	< 1	< 5	2400	< 1	87	22	89	36000	20
L0+00N 1+50W	27000	15	15	130	< 1	< 5	1300	< 1	110	27	110	44000	16
L0+00N 1+25W	32000	5	< 5	140	< 1	< 5	2200	< 1	33	16	38	33000	20
L0+00N 1+12.5W	31000	5	50	130	< 1	< 5	1500	< 1	20	16	40	30000	30
L0+00N 1+00W	33000	5	50	130	< 1	< 5	1300	< 1	27	16	53	32000	40
L0+00N 0+00BL	10000	< 5	30	76	< 1	< 5	1700	< 1	110	37	660	64000	40
L0+00N 0+12.5E	36000	< 5	< 5	50	< 1	< 5	1800	< 1	34	19	130	40000	10
L0+00N 0+25E	19000	10	30	170	< 1	< 5	1500	< 1	50	17	160	34000	20

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6
 ATTN: G. IDZISZEK, J. FOSTER

T.S.L. REPORT No. : S - 5905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ALL RESULTS PPM

SAMPLE #	Pb	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sr	Ti
L1+50N 80+62E	4800	1600	24	16	1700	740	6	< 1	400	13	< 10	< 10	1600
L1+50N 80+50E	4800	1600	22	12	1700	820	6	< 1	500	14	< 10	< 10	1700
L1+50N 80+37E	4600	1200	22	14	1600	1200	7	< 1	1100	26	< 10	< 10	4100
L1+50N 80+25E	4700	1100	22	26	1300	1000	7	< 1	600	21	< 10	< 10	4300
L1+50N 80+12E	4900	1000	4	30	870	620	5	< 1	230	12	< 10	< 10	1600
L1+50N 80+00	4400	1100	< 2	18	800	1400	5	< 1	3200	82	10	10	4200
L1+50N 80-12W	3700	2000	< 2	18	800	100	5	< 1	280	14	< 10	< 10	1600
L1+50N 80+25W	2100	870	4	6	610	420	1	< 1	740	14	< 10	< 10	3200
L1+50N 80+37W	2900	590	36	17	440	340	5	< 1	190	17	< 10	< 10	3300
L1+50N 80+30W	4620	100	16	22	1100	500	5	< 1	190	10	< 10	< 10	1400
L1+50N 80+07W	3400	240	< 2	4	440	820	2	< 1	1320	27	< 10	< 10	3300
L1+50N 81+00W	2500	350	2	4	270	320	2	< 1	350	11	< 10	< 10	4100
L1+50N 81+12W	3000	460	2	10	610	420	1	< 1	120	8	< 10	< 10	830
L1+50N 81+25W	1600	700	< 2	2	510	480	2	< 1	550	10	< 10	< 10	1600
L1+50N 81+37W	3700	330	2	6	640	100	3	< 1	2100	43	< 10	< 10	4000
L1+50N 81+50W	2800	800	2	6	800	420	1	< 1	120	11	< 10	< 10	1100
L0+00N 2+50N	3500	460	16	14	560	320	3	< 1	130	6	< 10	10	2600
L0+00N 2+37.5W	3000	370	< 2	16	500	140	5	< 1	450	15	< 10	< 10	4300
L0+00N 2+25W	5500	1200	4	18	840	1200	5	< 1	1700	36	< 10	< 10	3500
L0+00N 2+00W	4100	420	4	6	490	920	3	< 1	360	15	< 10	< 10	3100
L0+00N 1+87.5W	5800	2300	< 2	56	1020	460	8	< 1	90	6	< 10	< 10	960
L0+00N 1+75W	5900	1700	4	20	1000	560	6	< 1	420	11	< 10	< 10	1900
L0+00N 1+62.5W	6300	1600	2	22	950	760	6	< 1	1120	23	< 10	10	1800
L0+00N 1+50W	6700	2100	< 2	30	1100	360	12	< 1	160	12	< 10	< 10	530
L0+00N 1+25W	3600	520	< 2	10	650	760	6	< 1	870	21	< 10	< 10	4300
L0+00N 1+12.5W	3800	1120	< 2	12	910	560	4	< 1	530	14	< 10	< 10	2300
L0+00N 1+00W	3500	620	4	10	1200	620	7	< 1	440	14	< 10	< 10	4300
L0+00N K+00BL	3900	1300	56	48	2300	620	6	< 1	190	7	< 10	< 10	1000
L0+00N 0+12.5E	3500	520	24	12	870	440	5	< 1	630	14	10	< 10	4300
L0+00N 0+25E	5300	920	2	26	980	500	5	< 1	140	11	< 10	< 10	760

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931-1033
 FAX : (306) 242-4717

I.C.A.P. PLASMA SCAN

Aqua-Regio Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 6905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2250/R-1069 ALL RESULTS PPM

SAMPLE #	W	V	Y	Z ₁	Z ₂	FI
L1+50N 80+02E	< 10	86	16	67	< 1	35
L1+50N 80+50E	< 10	88	14	77	4	20
L1+50N 80+37E	< 10	93	15	75	10	40
L1+50N 80+25E	< 10	85	19	130	14	35
L1+50N 80+12E	< 10	81	14	150	3	15
L1+50N 80+00E	< 10	73	11	140	13	< 5
L1+50N 80+12W	< 10	70	13	220	2	< 5
L1+50N 80+25W	< 10	84	4	80	11	15
L1+50N 80+37W	< 10	100	8	72	6	10
L1+50N 80+50W	< 10	75	10	110	4	< 5
L1+50N 80+00W	< 10	76	5	63	6	20
L1+50N 81+00W	< 10	78	4	71	10	30
L1+50N 81+12W	< 10	71	5	110	< 1	15
L1+50N 81+25W	< 10	80	4	69	8	< 5
L1+50N 81+37W	< 10	74	5	58	16	25
L1+50N 81+50W	2W	81	4	130	< 1	< 5
L0+00N 2+50W	< 10	87	8	71	10	< 5
L0+00N 2+77.5W	< 10	100	10	70	28	< 5
L0+00N 2+25W	< 10	77	10	130	10	< 5
L0+00N 2+00W	< 10	100	4	68	11	< 5
L0+00N 1+07.5W	10	66	19	330	4	20
L0+00N 1+75W	< 10	84	9	99	1	< 5
L0+00N 1+62.5W	< 10	52	9	130	6	< 5
L0+00N 1+50W	< 10	95	14	150	8	40
L0+00N 1+25W	< 10	83	13	87	16	10
L0+00N 1+12.5W	< 10	84	11	200	5	5
L0+00N 1+00W	< 10	82	10	180	9	< 5
L0+00N 0+00E	< 10	62	19	58	2	30
L0+00N 0+12.5E	< 10	80	12	56	26	< 5
L0+00N 0+20E	< 10	73	11	110	4	< 5

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6925

T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1069

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Co	Cr	Cu	Fe	Pb	
L3+50N S0+62E	22000	15	< 5	130	< 1	< 5	11000	< 1	16	26	44	38000	6
L3+50N S0+50E	19000	5	15	110	< 1	< 5	2200	< 1	30	6	66	28000	22
L3+50N S0+37E	26000	5	10	110	< 1	< 5	1200	< 1	33	12	56	33000	6
L3+50N S0+25E	31000	5	10	140	< 1	< 5	1400	< 1	36	20	80	32000	20
L3+50N S0+12E	27000	15	5	170	< 1	< 5	2700	< 1	63	22	180	41000	24
L3+50N S0+0	38000	10	< 5	160	1	< 5	2100	< 1	30	23	53	39000	10
L3+50N S0+12.5W	39000	5	10	130	< 1	5	1600	< 1	37	10	110	41000	15
L3+50N S0+25W	33000	5	15	120	< 1	< 5	1600	< 1	37	21	70	42000	10
L3+50N S0+37.5W	30000	5	20	120	< 1	< 5	2400	< 1	36	21	70	43000	10
L3+50N S0+50W	37000	5	15	140	< 1	< 5	1300	< 1	36	17	69	45000	16
L3+50N S0+62.5W	22000	10	15	75	< 1	< 5	760	< 1	35	18	69	43000	20
L3+50N S0+75	15000	< 5	60	50	< 1	< 5	1500	< 1	14	31	66	63000	42
L3+50N 1+50	23000	5	< 5	200	< 1	< 5	3500	< 1	25	14	47	31000	54
L1+50N S1+00E	28000	< 5	< 5	120	< 1	< 5	960	< 1	25	11	17	32000	1
L1+50N S2+07E	46000	5	25	52	1	< 5	1400	< 1	29	11	11	34000	4
L1+50N S2+75E	26000	5	< 5	210	< 1	< 5	810	< 1	39	10	84	44000	24
L1+50N S2+62E	33000	< 5	15	40	1	5	300	< 1	14	5	29	30000	20
L1+50N S2+50E	43000	5	20	65	< 1	< 5	2700	< 1	40	16	50	32000	< 2
L1+50N S2+37E	25000	10	5	170	< 1	< 5	910	< 1	49	11	51	40000	10
L1+50N S2+25E	24000	5	< 5	97	< 1	5	1100	< 1	20	4	31	33000	4
L1+50N S2+12E	12000	< 5	< 5	98	< 1	5	950	< 1	15	10	14	30000	20
L1+50N S2+00E	14000	< 5	< 5	99	< 1	< 5	860	< 1	15	11	16	30000	24
L1+50N S1+07E	5000	< 5	10	200	< 1	5	540	< 1	14	6	14	19000	14
L1+50N S1+75E	17000	5	< 5	110	< 1	< 5	730	< 1	19	12	24	35000	20
L1+50N S1+62E	24000	15	< 5	210	< 1	< 5	1200	< 1	36	23	99	41000	12
L1+50N S1+25E	16000	< 5	60	150	< 1	< 5	310	< 1	9	29	65	31000	40
L1+50N S1+12E	15000	10	< 5	71	< 1	< 5	640	< 1	17	16	87	32000	24
L1+50N S1+00E	28000	< 5	75	120	< 1	< 5	1400	< 1	13	36	67	30000	42
L1+50N S0+07E	27000	< 5	5	200	< 1	< 5	1500	< 1	33	24	68	34000	36
L1+50N S0+75E	26000	< 5	< 5	140	< 1	< 5	2400	< 1	10	20	68	30000	26

DATE : AUG-29-1985

SIGNED :

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 18 - 508 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2V6

T.S.L. REPORT No. : 3 - 6905
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: G. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2258/R-1065 ALL RESULTS PPM

SAMPLE #	Mg	K	Ca	Na	P	S	Cl	Ag	Na	Br	Th	Sn	Tl
L3+50N 80+82E	6500	850	< 2	14	780	2700	6	< 1	2900	93	< 10	< 10	4300
L3+50N 80+50E	4300	250	2	10	650	480	3	< 1	450	15	< 10	< 10	1900
L3+50N 80+37E	3500	390	2	12	520	360	3	< 1	230	9	< 10	< 10	2500
L3+50N 80+25E	4100	710	4	22	860	620	5	< 1	370	13	< 10	< 10	3200
L3+50N 80+12E	5600	1000	4	42	860	1000	6	< 1	910	32	< 10	< 10	1700
L3+50N 0+0	4000	600	< 2	14	1000	1100	5	< 1	920	24	< 10	< 10	4300
L3+50N 0+12.5W	4000	810	22	12	1200	660	6	< 1	730	17	< 10	< 10	4300
L3+50N 0+20W	4300	790	22	10	1200	740	5	< 1	590	17	< 10	< 10	3100
L3+50N 0+37.5W	4500	650	25	16	890	690	5	< 1	690	23	< 10	< 10	3700
L3+50N 0+50W	4000	570	20	12	1200	560	4	< 1	480	13	< 10	< 10	3200
L3+50N 0+62.5W	4200	690	26	16	1200	580	3	< 1	230	6	< 10	< 10	290
L3+50N 0+75	3900	1100	46	8	2100	620	5	< 1	510	11	< 10	< 10	710
L3+50N 1+50	4900	850	2	14	1100	980	5	< 1	980	26	< 10	< 10	3000
L1+50N S3+80E	2500	370	< 2	6	550	220	2	< 1	210	8	< 10	< 10	4300
L1+50N S2+97E	3400	350	< 2	8	760	580	4	< 1	600	14	< 10	< 10	4300
L1+50N S0+75E	3700	480	2	20	720	460	2	< 1	330	9	< 10	< 10	1100
L1+50N S2+62E	1200	320	4	2	640	680	2	< 1	460	3	< 10	< 10	1800
L1+50N S2+50E	3700	470	< 2	16	440	190	3	< 1	420	16	< 10	< 10	4300
L1+50N S2+37E	3700	730	< 2	16	810	570	2	< 1	190	8	< 10	< 10	1100
L1+50N S2+25E	3000	110	2	6	530	340	2	< 1	160	11	< 10	< 10	4000
L1+50N S2+12E	1400	210	< 2	2	670	260	1	< 1	190	11	< 10	< 10	4300
L1+50N S2+00E	1700	210	< 2	4	510	260	1	< 1	210	10	< 10	< 10	4300
L1+50N S1+87E	620	340	< 2	4	420	180	1	< 1	100	10	< 10	< 10	3100
L1+50N S1+75E	1600	560	2	6	470	240	1	< 1	160	7	< 10	< 10	4300
L1+50N S1+62E	4900	2000	< 2	26	1200	580	3	< 1	300	10	< 10	< 10	1500
L1+50N S1+50E	2900	1400	10	4	1900	640	4	< 1	80	3	< 10	< 10	300
L1+50N S1+12E	2200	950	4	4	420	400	2	< 1	300	10	< 10	< 10	4300
L1+50N S1+00E	3900	2300	42	2	1800	560	5	< 1	260	8	< 10	< 10	840
L1+50N S0+87E	4600	2400	34	16	1700	600	6	< 1	470	12	< 10	< 10	1600
L1+50N S0+75E	4200	1000	30	12	1000	860	4	< 1	240	7	< 10	< 10	170

DATE : AUG-24-1984

SIGNED :

Bernie Duan

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Acqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 828 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 6905

T.S.L. File No. :

T.S.L. Invoice No. : 11835

ATTN: C. IBZISZEK, J. FOSTER

PROJECT: CURPTECH

2258/H-1069

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L3+50N 80+62E	< 10	92	10	140	14	< 5
L3+50N 80+50E	< 10	84	6	95	5	15
L3+50N 80+37E	< 10	76	8	79	6	40
L3+50N 80+25E	< 10	84	15	130	10	< 5
L3+50N 80+12E	< 10	100	13	130	5	< 5
L3+50N 0+0	< 10	90	15	110	20	< 5
L3+50N 0+12.5W	< 10	94	16	120	22	< 5
L3+50N 0+25W	< 10	100	11	94	4	< 5
L3+50N 0+37.5W	< 10	94	10	70	4	< 5
L3+50N 0+50W	< 10	85	10	60	1	30
L3+50N 0+62.5W	< 10	85	10	64	2	< 5
L3+50N 0+75	< 10	49	12	42	< 1	30
L3+50N 1+50	< 10	66	13	100	10	< 5
L1+50N 82+00E	< 10	90	3	60	22	5
L1+50N 82+87E	10	86	6	46	53	< 5
L1+50N 82+75E	< 10	75	7	140	4	5
L1+50N 82+62E	< 10	20	15	65	46	20
L1+50N 82+50E	10	85	9	46	19	10
L1+50N 82+37E	< 10	110	10	110	< 1	< 5
L1+50N 82+25E	< 10	76	7	37	27	25
L1+50N 82+12E	< 10	96	3	49	17	< 5
L1+50N 82+00E	< 10	110	3	46	22	5
L1+50N 81+67E	< 10	120	1	49	3	< 5
L1+50N 81+75E	< 10	120	3	62	12	15
L1+50N 81+62E	< 10	94	15	170	< 1	< 5
L1+50N 81+25E	< 10	46	19	53	< 1	90
L1+50N 81+12E	< 10	90	4	40	14	5
L1+50N 81+00E	< 10	66	17	60	< 1	140
L1+50N 80+87E	< 10	83	24	91	1	30
L1+50N 80+75E	< 10	86	14	67	< 1	55

DATE : 006-25-1989

SIGNED :

Bernie Dunn

T.S.L. LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : 5 - 6985

T.S.L. File No. :

T.S.L. Invoice No. : 11835

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH

2258/R-1069

ALL RESULTS PPM

SAMPLE #	Al	Bb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L5+50N 82+00W	24000	5	< 5	87	< 1	< 5	2500	< 1	27	15	29	31000	18
L5+50N 81+87W	32000	5	40	58	< 1	< 5	1200	< 1	30	12	42	23000	26
L5+50N 81+75W	42000	< 5	< 5	87	1	< 5	2200	< 1	52	25	36	35000	17
L5+50N 81+62W	15000	5	65	52	< 1	5	1200	1	32	9	35	21000	29
L5+50N 81+50W	23000	< 5	30	56	< 1	5	1800	< 1	90	9	62	29000	16
L5+50N 81+37W	30000	5	< 5	38	< 1	< 5	400	< 1	25	6	52	35000	10
L5+50N 81+25W	28000	10	5	62	< 1	< 5	1000	< 1	31	10	65	30000	18
L5+50N 81+12W	30000	5	40	110	< 1	< 5	1300	1	35	12	97	29000	24
L5+50N 80+87W	25000	10	20	170	< 1	< 5	1400	< 1	46	23	94	36000	26
L5+50N 80+12W	20000	10	30	110	< 1	< 5	500	< 1	31	28	210	65000	42
L5+50N 80+00	25000	< 5	5	64	< 1	< 5	1200	< 1	15	11	36	31000	4
L5+50N 80+12.5E	24000	< 5	< 5	99	< 1	< 5	1400	< 1	17	15	29	33000	< 2
L5+50N 80+25E	14000	< 5	< 5	77	< 1	5	1300	1	21	14	28	32000	20
L5+50N 80+37.5E	21000	10	75	210	< 1	< 5	1200	< 1	39	14	690	35000	6
L5+50N 80+50E	12000	< 5	5	100	< 1	< 5	1400	1	24	12	36	29000	20
L5+50N 80+75E	24000	10	< 5	160	< 1	< 5	1400	< 1	38	31	84	45000	12
L5+50N 80+87.5E	19000	10	20	170	< 1	< 5	2400	< 1	34	23	130	39000	10
L5+50N 1+20E	12000	5	50	130	< 1	5	1300	< 1	29	6	61	30000	20
L5+50N 1+12.5E	8700	5	< 5	130	< 1	5	1500	1	16	7	36	20000	10
L5+50N 1+25E	5900	< 5	< 5	75	< 1	20	7400	1	12	9	37	30000	10
L5+50N 1+35.5E	22000	10	< 5	210	< 1	< 5	3100	< 1	43	37	190	41000	32
L5+50N 1+50E	11000	< 5	< 5	96	< 1	5	3400	< 1	6	12	26	23000	6
L5+50N 1+62.5E	20000	< 5	< 5	110	< 1	10	1700	< 1	17	11	36	25000	16
L5+50N 1+75E	31200	< 5	5	94	< 1	5	1900	< 1	33	13	40	34000	6
L5+50N 1+87.5E	24000	10	< 5	120	< 1	< 5	1700	< 1	25	23	82	35000	24
L3+50N 81+25E	19000	10	< 5	200	< 1	5	12000	< 1	24	11	120	34000	14
L3+50N 81+12E	22000	10	< 5	150	< 1	5	6500	< 1	39	38	160	40000	16
L3+50N 81+00E	9900	5	< 5	120	< 1	< 5	11000	1	21	20	90	21000	10
L3+50N 80+87E	15000	5	< 5	140	< 1	25	9100	1	26	25	120	33000	22
L3+50N 80+75E	17000	5	< 5	130	< 1	< 5	8700	< 1	14	22	44	28000	14

Bernie Dunn

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.

10TH FLOOR, BOX 10 - 808 - WEST HASTINGS ST.

VANCOUVER, B.C.

V6C 2K6

ATTN: G. INZIEZEN, G. FOSTER

PROJECT: CLAPTECH

2258/R-1069

ALL RESULTS PPM

T.S.L. REPORT No. : S - 6985

T.S.L. File No. :

T.S.L. Invoice No. : 11835

SAMPLE #	Kc	Mn	Mo	Ni	P	K	Sc	As	Na	Sr	Tb	Sr	Ti
L5+50N 50+00W	4300	630	< 2	12	560	940	5	< 1	1300	26	< 10	< 10	3500
L5+50N 51+07W	2900	180	< 2	8	670	440	5	< 1	430	12	< 10	< 10	4300
L5+50N 51+75W	3400	420	< 2	10	610	500	7	< 1	640	16	< 10	< 10	4300
L5+50N 51+62W	1700	93	< 2	4	440	320	2	< 1	360	12	< 10	< 10	4700
L5+50N 51+30W	3100	230	4	24	660	660	2	< 1	710	17	< 10	< 10	2700
L5+50N 51+37W	1200	130	3	4	610	440	3	< 1	290	4	< 10	< 10	2100
L5+50N 51+25W	3100	280	2	6	910	460	3	< 1	290	8	10	< 10	3500
L5+50N 51+12W	3100	230	4	8	560	460	4	< 1	380	11	< 10	< 10	3700
L5+50N 50+57E	5100	590	2	28	670	660	6	< 1	620	27	< 10	< 10	2300
L5+50N 50+12W	4800	3100	24	20	1700	520	4	< 1	210	6	< 10	10	970
L5+50N 50+00	2500	400	2	2	820	360	2	< 1	310	11	< 10	< 10	3700
L5+50N 0+13.5E	2800	520	< 2	6	950	520	3	< 1	470	14	< 10	< 10	4300
L5+50N 0+20E	2800	260	< 2	6	460	460	2	< 1	310	13	< 10	< 10	4300
L5+50N 0+37.5E	3600	1000	< 2	32	760	680	6	< 1	130	9	< 10	< 10	1000
L5+50N 0+50E	2600	310	2	8	490	380	2	< 1	190	12	< 10	< 10	3700
L5+50N 0+75E	3000	1600	2	26	1000	440	4	< 1	170	8	< 10	< 10	670
L5+50N 0+87.5E	5800	1100	< 2	26	1100	420	4	< 1	240	12	< 10	< 10	490
L5+50N 1+00E	4200	250	2	10	520	320	2	< 1	110	5	< 10	< 10	620
L5+50N 1+12.5E	2000	640	2	8	560	300	1	< 1	150	10	< 10	< 10	1300
L5+50N 1+25E	1900	920	< 2	8	550	300	< 1	< 1	150	22	< 10	< 10	160
L5+50N 1+35.5E	4100	4500	2	24	1200	560	3	< 1	90	15	< 10	< 10	420
L5+50N 1+50E	3400	370	2	8	630	860	2	< 1	1400	32	< 10	< 10	2200
L5+50N 1+62.5E	2300	370	2	6	730	500	2	< 1	400	16	< 10	< 10	3700
L5+50N 1+75E	2400	240	2	6	620	400	4	< 1	480	16	< 10	< 10	4300
L5+50N 1+87.5E	3800	1500	2	8	810	500	3	< 1	310	13	< 10	< 10	3100
L3+50N 51+25E	5100	2700	2	24	860	780	4	< 1	1200	50	< 10	< 10	1900
L3+50N 51+12E	5100	2600	2	42	1100	740	5	< 1	940	36	< 10	< 10	1600
L3+50N 51+00E	2900	1500	2	16	1000	360	1	< 1	260	35	< 10	< 10	530
L3+50N 50+07E	4600	1700	< 2	22	1100	560	2	< 1	310	30	< 10	< 10	1000
L3+50N 50+75E	4500	1100	< 2	12	730	1400	3	< 1	2200	62	< 10	< 10	2400

DATE : 06-29-1985

SIGNED :

Bernie Duro

T.S.L. LABORATORIES

2-382-48TH STREET, SASKATON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1833
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATIONS LTD.
 10TH FLOOR, BOX 10 - 888 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 6985
 T.S.L. File No. :
 T.S.L. Invoice No. : 11835

ATTN: C. DZISZEK, J. FOSTER PROJECT: CORPTECH 2258/R-1869 ALL RESULTS PPM

SAMPLE #	H	V	Y	Zn	Pb	Bi
L5+50N S2+80W	< 10	72	10	98	12	< 5
L5+50N S1+87W	< 10	87	12	100	22	15
L5+50N S1+75W	< 10	110	13	69	30	< 5
L5+50N S1+62W	< 10	80	4	81	21	18
L5+50N S1+50W	< 10	76	6	70	11	25
L5+50N S1+37W	< 10	57	11	67	24	25
L5+50N S1+25W	< 10	83	8	83	21	10
L5+50N S1+12W	< 10	74	14	130	25	10
L5+50N S0+87W	< 10	64	12	140	12	< 5
L5+50N S0+12W	< 10	68	14	160	6	40
L5+50N S0+00	< 10	73	4	66	17	20
L5+50N 0+12.5E	< 10	88	4	59	21	20
L5+50N 0+25E	< 10	86	3	45	34	< 5
L5+50N 0+37.5E	< 10	77	17	130	8	< 5
L5+50N 0+50E	< 10	80	4	65	16	25
L5+50N 0+75E	< 10	73	16	140	2	20
L5+50N 0+87.5E	< 10	91	14	150	1	< 5
L5+50N 1+00E	< 10	77	6	97	1	25
L5+50N 1+12.5E	< 10	78	4	100	2	20
L5+50N 1+25E	< 10	31	9	180	< 1	< 5
L5+50N 1+37.5E	< 10	83	42	210	< 1	50
L5+50N 1+50E	< 10	55	5	90	7	15
L5+50N 1+62.5E	< 10	76	6	97	11	20
L5+50N 1+75E	< 10	85	8	75	18	10
L5+50N 1+87.5E	< 10	93	12	150	7	< 5
L3+50N S1+25E	< 10	79	18	190	6	25
L3+50N S1+12E	10	97	23	230	< 1	5
L3+50N S1+00E	< 10	43	13	140	2	25
L3+50N S0+87E	< 10	76	15	210	< 1	< 5
L3+50N S0+75E	< 10	71	7	160	6	30

DATE : AUG-29-1985

SIGNED :

Bernie Owen



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7123

INVOICE #: 11881
P.O.: 2258/R-1200

SAMPLE(S) OF Soils

V. Van Damme
Project CORPTECH

	Au ppb	Au ozt
L4+00S-2+12.5W	25	
L4+00S-2+25W	10	
L4+00S-2+37.5W	10	
L4+00S-2+50W	20	
L4+00S-2+62.5W	20	
L4+00S-2+75W	20	
L4+00S-2+87.5W	20	
L4+00S-3+00W	20	
L5+50S-2+12.5W	200	
L5+50S-2+25W	>1000	.030
L5+50S-2+37.5W	690	
L5+50S-2+50W	550	
L5+50S-2+75W	25	
L5+50S-2+87.5W	10	
L5+50S-3+00W	15	
L5+50N-0+25W	20	
L5+50N-0+50W	50	
L5+50N-0+62.5W	40	
L5+50N-0+75W	5	
L5+50N-1+00W	35	

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7123

SAMPLE(S) OF Soils

INVOICE #: 11881
P.O.: 2258/R-1200

V. Van Damme
Project CORPTECH

	Au ppb
L11+00S-2+75W	65
L11+00S-3+00W	15
L12+50S-2+25W	20
L12+50S-2+50W	30
L12+50S-2+75W	20
L12+50S-3+00W	10
L7+00S-2+37.5W	10
L7+00S-2+62.5W	40
L7+00S-2+75W	15
L7+00S-4+25W	15
L0+00-0+12.5W	40
L0+00-0+62.5W	100
L0+00-0+87.5W	40
L3+50N-0+67.5E	<5
L3+50N-0+75E	140
L3+50N-1+00E	10
L3+50N-0+87.5E	25
L3+50N-1+12.5E	25
L3+50N-1+37.5E	55
L3+50N-1+50E	20

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Dunn



For enquiries on this report, please contact Customer Service Department.
Samples, Pulps and Rejects discarded two months from the date of this report.



TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7123

SAMPLE(S) OF Soils

INVOICE #: 11881
P.O.: 2258/R-1200

V. Van Damme
Project CORPTECH

	Au ppb
L3+50N-1+62.5E	15
L3+50N-1+75E	20
L3+50N-0+65.5AE	90
L3+50N-1+00W	50
L3+50N-1+25W	<5
L3+50N-1+50W	25
L3+50N-1+62.5W	260
L3+50N-1+75W	80
L3+50N-1+87.5W	20
L3+50N-2+00W	15
L5+50N-1+12.5E	<5
L5+50N-1+25E	5
L5+50N-1+50E	5
L5+50N-1+67.5E	<5

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.

10TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7123
 T.S.L. File No. :
 T.S.L. Invoice No. : 12369

ATTN: G. IDZISZEK, J. FOSTER

PROJECT: CORPTECH 2258/R-1200

ALL RESULTS PPM

SAMPLE #	Al	Si	As	Ka	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L4+00S-2+12.5W	26000	< 5	60	160	1	< 5	3600	< 1	20	32	220	45000	36
L4+00S-2+25W	43000	< 5	< 5	180	4	5	4200	< 1	27	26	49	43000	18
L4+00S-2+37.5W	29000	< 5	45	120	1	< 5	770	< 1	56	14	41	44000	32
L4+00S-2+50W	29000	< 5	25	180	1	< 5	5600	< 1	38	27	110	44000	26
L4+00S-2+62.5W	31000	< 5	25	200	1	< 5	5500	1	44	29	120	46000	24
L4+00S-2+75W	31000	< 5	10	200	1	< 5	5300	< 1	89	31	140	49000	22
L4+00S-2+87.5W	30000	< 5	18	200	1	< 5	4900	< 1	45	31	120	47000	22
L4+00S-3+00W	30000	< 5	50	200	1	< 5	5400	1	74	28	120	48000	24
L5+50S-2+12.5W	36000	< 5	< 5	130	3	< 5	1200	< 1	26	30	130	67000	22
L5+50S-2+25W	22000	< 5	290	55	< 1	< 5	280	3	10	13	200	110000	44
L5+50S-2+37.5W	23000	< 5	110	160	< 1	< 5	310	2	14	47	190	91000	46
L5+50S-2+50W	21000	< 5	20	200	1	< 5	530	1	15	23	140	80000	44
L5+50S-2+75W	25000	10	120	200	2	< 5	6200	3	16	27	94	45000	25
L5+50S-2+87.5W	24000	5	110	200	2	< 5	7700	2	10	28	75	43000	20
L5+50S-3+00W	23000	10	140	200	2	< 5	5700	2	16	26	87	42000	18
L5+50N-0+25W	41000	< 5	25	180	3	< 5	4300	2	31	30	93	48000	24
L5+50N-0+50W	40000	< 5	25	180	3	< 5	2200	< 1	66	20	170	42000	26
L5+50N-0+62.5W	42000	< 5	< 5	150	3	< 5	2500	2	52	22	130	40000	38
L5+50N-0+75W	34000	< 5	< 5	110	4	< 5	500	< 1	20	18	60	67000	36
L5+50N-1+00W	41000	< 5	130	180	3	< 5	2900	4	67	24	150	46000	50
L11+00S-2+75W	37000	< 5	< 5	130	3	< 5	1400	1	39	27	41	45000	18
L11+00S-3+00W	38000	< 5	40	180	3	< 5	2400	1	38	25	84	46000	32
L12+50S-2+25W	30000	< 5	60	100	3	< 5	1400	2	20	18	77	57000	22
L12+50S-2+50W	34000	< 5	60	96	2	< 5	1300	2	36	30	94	56000	32
L12+50S-2+75W	15000	< 5	15	160	1	< 5	3000	< 1	71	14	33	41000	18
L12+50S-3+00W	18000	5	20	140	< 1	< 5	2200	3	88	21	58	45000	44
L7+00S-2+37.5W	17000	< 5	35	200	< 1	< 5	13000	< 1	36	28	94	48000	22
L7+00S-2+62.5W	41000	< 5	35	170	3	< 5	3400	< 1	42	28	100	58000	32
L7+00S-2+75W	27000	5	60	140	< 1	< 5	990	2	73	25	140	56000	74
L7+00S-4+25W	27000	< 5	35	170	2	< 5	2400	3	27	32	160	45000	44

DATE : OCT-12-1989

SIGNED :

Bernie Dean

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
10TH FLOOR, BOX 10 - 806 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2Y6

T.S.L. REPORT No. : S - 7123

T.S.L. File No. :

T.S.L. Invoice No. : 12369

ATTN: C. IDZISEK, J. FOSTER PROJECT: CORPTECH 2250/R-1200

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L0+00-0+12.5W	40000	< 5	< 5	150	4	< 5	4300	< 1	23	26	330	47000	20
L0+00-0+67.5W	21000	10	20	200	< 1	< 5	5100	2	91	44	1600	76000	30
L0+00-0+07.5W	45000	< 5	15	170	4	< 5	6600	< 1	24	28	86	45000	27
L3+50N-0+75E	12000	< 5	15	50	2	< 5	1500	< 1	180	23	2400	54000	32
L3+50N-0+87.5E	24000	< 5	< 5	150	1	< 5	9000	3	59	34	250	48000	32
L3+50N-1+12.5E	28000	< 5	20	160	1	< 5	8100	1	53	32	210	52000	26
L3+50N-1+37.5E	21000	< 5	< 5	200	1	< 5	4800	5	20	36	350	85000	310
L3+50N-1+50E	29000	< 5	10	200	2	< 5	6500	2	54	38	220	56000	30
L3+50N-1+62.5E	33000	< 5	< 5	100	1	< 5	3600	1	45	40	170	51000	22
L3+50N-1+75E	33000	< 5	< 5	130	1	< 5	3300	2	43	45	250	56000	30
L3+50N-0+65.50E	16000	< 5	35	54	1	< 5	2300	< 1	64	30	1100	70000	40
L3+50N-1+00W	33000	< 5	45	200	2	< 5	2000	1	63	26	120	46000	38
L3+50N-1+50W	31000	< 5	45	190	2	< 5	5100	< 1	29	22	53	44000	72
L3+50N-1+62.5W	24000	5	110	200	1	< 5	2200	5	16	22	36	60000	08
L3+50N-1+75W	18000	< 5	< 5	95	1	< 5	1800	1	4	11	76	140000	40
L3+50N-1+87.5W	36000	< 5	< 5	190	3	< 5	2900	1	32	23	41	48000	80
L3+50N-2+00W	42000	< 5	35	120	3	< 5	1800	< 1	32	21	44	46000	66
L5+50N-1+12.5E	36000	< 5	15	140	3	< 5	2300	< 1	25	18	57	43000	12
L5+50N-1+50E	33000	< 5	< 5	79	3	< 5	2200	1	48	18	30	44000	12
L5+50N-1+67.5E	52000	< 5	< 5	99	4	< 5	2800	< 1	31	22	50	50000	20

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
10TH FLOOR, BOX 10 - 800 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : 5 - 7123
T.S.L. File No. :
T.S.L. Invoice No. : 12369

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CURPTECH 2258/R-1200

ALL RESULTS PPM

SAMPLE #	Hg	Mn	Mo	Ni	Nb	P	K	Sc	Ag	Na	Sr	Th	Sr
L4+00S-2+12.5W	6500	3500	6	14	< 10	1200	460	5	1	40	35	20	10
L4+00S-2+25W	4500	910	< 2	14	< 10	1200	1600	9	< 1	1800	40	< 10	< 10
L4+00S-2+37.5W	3100	1300	< 2	24	< 10	450	500	4	< 1	140	8	< 10	< 10
L4+00S-2+50W	6200	2200	< 2	20	< 10	910	900	11	< 1	1300	42	20	< 10
L4+00S-2+62.5W	6400	2700	< 2	32	< 10	1100	860	13	< 1	930	38	10	< 10
L4+00S-2+75W	6400	2800	< 2	50	< 10	1000	900	13	< 1	300	30	< 10	< 10
L4+00S-2+87.5W	6500	2400	< 2	32	< 10	1100	800	12	< 1	670	32	10	< 10
L4+00S-3+00W	6400	2400	< 2	46	< 10	1100	840	12	< 1	630	35	< 10	< 10
L5+50S-2+12.5W	4400	1300	2	16	< 10	1100	440	6	< 1	320	12	< 10	< 10
L5+50S-2+25W	5400	1800	10	4	< 10	2400	340	7	1	40	3	10	10
L5+50S-2+37.5W	4900	3600	8	6	< 10	3200	400	10	1	140	7	30	10
L5+50S-2+50W	4500	1700	2	12	< 10	2300	960	7	< 1	280	11	20	< 10
L5+50S-2+75W	5200	2200	< 2	24	< 10	1200	1500	6	< 1	2400	77	10	< 10
L5+50S-2+87.5W	5000	1800	< 2	24	< 10	320	1900	2	< 1	3100	94	10	< 10
L5+50S-3+00W	5000	2200	6	26	< 10	1000	1300	6	< 1	2000	70	< 10	< 10
L5+50N-0+25W	4900	1200	< 2	20	< 10	1500	1800	9	< 1	1900	47	< 10	< 10
L5+50N-0+50W	4500	500	< 2	42	< 10	1200	860	8	< 1	750	23	< 10	< 10
L5+50N-0+62.5W	4300	550	< 2	32	< 10	1000	620	9	< 1	820	25	< 10	< 10
L5+50N-0+75W	2800	1200	2	20	< 10	590	640	3	< 1	360	6	< 10	< 10
L5+50N-1+00W	4000	930	< 2	30	< 10	1400	840	8	< 1	730	26	10	< 10
L11+00S-2+75W	3700	1400	< 2	18	< 10	720	460	5	< 1	420	15	< 10	< 10
L11+00S-3+00W	4400	2100	< 2	26	< 10	1300	900	9	< 1	480	32	< 10	< 10
L12+50S-2+25W	3700	600	< 2	8	< 10	900	460	4	< 1	440	18	< 10	< 10
L12+50S-2+50W	3500	2600	< 2	8	< 10	1200	640	4	< 1	420	15	< 10	< 10
L12+50S-2+75W	2500	1500	2	20	< 10	1000	580	2	< 1	200	29	< 10	< 10
L12+50S-3+00W	3900	1300	8	44	< 10	900	620	6	< 1	100	19	< 10	< 10
L7+00S-2+37.5W	3400	2300	< 2	24	< 10	1300	500	1	< 1	110	39	< 10	10
L7+00S-2+62.5W	5200	1500	< 2	22	< 10	1500	1500	10	< 1	1400	37	< 10	< 10
L7+00S-2+75W	6400	3600	6	30	< 10	1400	340	7	< 1	110	8	10	< 10
L7+00S-4+25W	4700	3300	8	24	< 10	1200	1000	7	< 1	430	27	< 10	< 10

DATE: OCT-12-1984

SIGNED :

Bernie Dean

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR, BOX 10 - 806 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7123
 T.S.L. File No. :
 T.S.L. Invoice No. : 12369

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2258/R-1200

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	Nb	P	K	Sc	Ag	Na	Sr	Th	Sn
L0+00-0+12.5W	4600	680	< 2	12	< 10	1300	1700	10	< 1	2200	50	10	< 10
L0+00-0+62.5W	4300	1200	36	26	< 10	2100	500	8	< 1	520	49	10	< 10
L0+00-0+87.5W	4500	840	< 2	14	< 10	1300	2400	10	< 1	3000	76	10	< 10
L3+50N-0+75E	3200	840	20	66	< 10	1800	700	2	1	110	5	10	< 10
L3+50N-0+87.5E	5100	2300	6	56	< 10	1200	460	4	< 1	110	41	< 10	< 10
L3+50N-1+12.5E	5500	2100	< 2	64	< 10	1200	700	6	< 1	910	44	< 10	< 10
L3+50N-1+37.5E	3900	3600	2	26	< 10	1400	840	5	1	90	22	20	10
L3+50N-1+50E	5200	2600	< 2	66	< 10	1300	240	7	< 1	100	30	< 10	< 10
L3+50N-1+62.5E	4900	2900	< 2	67	< 10	1200	350	5	< 1	100	15	10	< 10
L3+50N-1+75E	5400	3300	< 2	54	< 10	1200	560	8	< 1	210	20	20	< 10
L3+50N-0+65.5AE	3100	870	36	30	< 10	2300	620	5	1	110	7	10	< 10
L3+50N-1+00W	5700	1600	< 2	48	< 10	1400	900	10	< 1	550	21	< 10	< 10
L3+50N-1+50W	5300	1200	< 2	24	< 10	1200	1400	7	< 1	2300	49	< 10	< 10
L3+50N-1+62.5W	4400	2200	8	6	< 10	1400	740	4	< 1	200	12	< 10	< 10
L3+50N-1+75W	3100	2700	8	12	< 10	690	320	5	< 1	110	27	10	< 10
L3+50N-1+87.5W	5000	1900	< 2	26	< 10	930	900	7	< 1	1300	26	10	< 10
L3+50N-2+00W	4500	1100	< 2	22	< 10	630	760	6	< 1	660	17	< 10	< 10
L5+50N-1+12.5E	2800	480	< 2	12	< 10	570	300	3	< 1	330	16	< 10	< 10
L5+50N-1+50E	4400	290	< 2	26	< 10	510	240	4	< 1	330	15	< 10	< 10
L5+50N-1+67.5E	4100	350	< 2	10	< 10	1000	920	6	< 1	1300	30	10	< 10

Bernie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1833
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR, BOX 18 - 808 WEST HASTINGS ST.
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7123
 T.S.L. File No. :
 T.S.L. Invoice No. : 12369

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH 2258/R-1200

ALL RESULTS PPM

SAMPLE #	Ti	W	V	Y	Zn	Zr	Bi
L4+00S-2+12.5W	130	< 10	72	16	110	4	< 5
L4+00S-2+25W	3500	< 10	120	16	100	34	< 5
L4+00S-2+37.5W	2700	< 10	100	9	71	11	< 5
L4+00S-2+50W	2000	< 10	130	18	99	13	5
L4+00S-2+62.5W	1600	< 10	140	19	99	17	25
L4+00S-2+75W	1300	< 10	140	20	100	16	30
L4+00S-2+87.5W	1500	< 10	140	16	96	15	5
L4+00S-3+00W	1300	< 10	140	19	100	12	20
L5+50S-2+12.5W	3500	< 10	140	11	64	14	35
L5+50S-2+25W	330	< 10	120	8	250	27	20
L5+50S-2+37.5W	450	< 10	140	8	140	21	35
L5+50S-2+50W	1100	< 10	120	7	100	14	45
L5+50S-2+75W	3100	< 10	95	17	130	13	< 5
L5+50S-2+87.5W	3600	< 10	90	15	110	14	10
L5+50S-3+00W	2600	< 10	81	17	130	13	10
L5+50N-0+25W	3500	< 10	130	19	150	31	25
L5+50N-0+50W	3600	< 10	120	23	150	19	5
L5+50N-0+62.5W	3600	< 10	130	21	150	18	< 5
L5+50N-0+75W	3200	< 10	57	33	140	45	15
L5+50N-1+00W	3600	< 10	100	21	170	29	5
L11+00S-2+25W	3600	< 10	130	9	120	17	< 5
L11+00S-3+00W	3600	< 10	110	21	130	16	< 5
L12+50S-2+25W	3600	< 10	130	7	57	26	30
L12+50S-2+50W	3600	< 10	130	12	110	12	< 5
L12+50S-2+75W	2100	< 10	110	6	65	3	< 5
L12+50S-3+00W	360	< 10	94	15	450	7	10
L7+00S-2+37.5W	400	< 10	150	11	160	2	5
L7+00S-2+62.5W	3600	< 10	130	17	110	25	40
L7+00S-2+75W	500	< 10	110	17	80	7	15
L7+00S-4+25W	1900	< 10	87	20	170	6	< 5

DATE : 01-11-1989

SIGNATURE :

Bernie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
TELEPHONE : (306) 931 - 1033
FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
18TH FLOOR, BOX 10 - 808 WEST HASTINGS ST.
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 7123
T.S.L. File No. :
T.S.L. Invoice No. : 12369

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH 2258/R-1200

ALL RESULTS PPM

SAMPLE #	Ti	W	V	Y	Zn	Zr	Bi
L0+00-0+12.5W	3500	< 10	130	18	64	35	10
L0+00-0+62.5W	1500	< 10	240	25	82	19	30
L0+00-0+87.5W	3500	< 10	120	19	100	36	5
L3+50N-0+75E	130	< 10	43	23	41	9	10
L3+50N-0+87.5E	1300	< 10	130	35	260	6	< 5
L3+50N-1+12.5E	2500	< 10	130	37	240	11	< 5
L3+50N-1+37.5E	470	< 10	110	55	540	18	45
L3+50N-1+50E	2500	< 10	130	37	250	11	45
L3+50N-1+62.5E	1600	< 10	120	25	190	6	< 5
L3+50N-1+75E	1400	< 10	120	30	200	7	10
L3+50N-0+65.5AE	290	< 10	52	13	30	14	30
L3+50N-1+00W	3200	< 10	110	20	160	16	< 5
L3+50N-1+50W	3600	< 10	91	18	190	14	15
L3+50N-1+62.5W	1000	< 10	56	20	150	4	40
L3+50N-1+75W	1200	< 10	46	54	1500	34	15
L3+50N-1+87.5W	3600	< 10	88	21	220	40	40
L3+50N-2+00W	3600	< 10	92	19	150	49	< 5
L5+50N-1+12.5E	3600	< 10	110	9	90	37	10
L5+50N-1+50E	3600	< 10	140	7	42	33	5
L5+50N-1+67.5E	3500	< 10	140	14	42	72	35

DATE: OCT-12-1989

SIGNED:

Bernie Dunn



TSL LABORATORIES

DIV BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7142

SAMPLE(S) OF Soils

INVOICE #: 11901
P.O.: 2258/R-1199

V. Van Damme
Project CORPTECH King Consoat

	Au ppb
L4+75S-0+00	40
L4+75S-0+12.5E	70
L4+75S-0+25E	35
L4+75S-0+37.5E	330
L4+75S-0+50E	140
L4+75S-0+12.5W	140
L4+75S-0+25W	110
L4+75S-0+37.5W	200
L4+75S-0+50W	370
L4+75S-0+62.5W	120
L4+75S-0+75W	180
L4+75S-0+87.5W	190
L4+75S-1+00W	120
L4+75S-1+12.5W	170
L4+75S-1+25W	460
L4+75S-1+37.5W	370
L4+75S-1+50W	180
L4+75S-1+62.5W	220
L4+75S-1+75W	60
L4+75S-1+87.5W	140

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Duma





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7142

INVOICE #: 11901
P.O.: 2258/R-1199

SAMPLE(S) OF Soils

V. Van Damme
Project CORPTECH King Consoat

	Au ppb
L4+75S-2+00W	40
L4+75S-2+12.5W	110
L4+75S-2+25W	35
L4+75S-2+50W	5
L4+75S-2+62.5W	5
L4+75S-2+75W	10
L4+75S-2+87.5W	5
L4+75S-3+00W	5
L1+00S-0+00	50
L1+00S-0+12.5E	35
L1+00S-0+25E	35
L1+00S-0+37.5E	45
L1+00S-0+50E	170
L1+00S-0+62.5E	40
L1+00S-0+75E	60
L1+00S-0+87.5E	120
L1+00S-1+00E	20
L1+00S-1+12.5E	80
L1+00S-1+25E	160
L1+00S-1+37.5E	240

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Dunn





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7142

SAMPLE(S) OF Soils

INVOICE #: 11901
P.O.: 2258/R-1199

V. Van Damme
Project CORPTECH King Consoat

	Au ppb
L1+00S-1+50E	5
L1+00S-0+12.5W	190
L1+00S-0+25W	70
L1+00S-0+50W	65
L1+00S-0+62.5W	140
L1+00S-0+75W	170
L1+00S-0+87.5W	35
L1+00S-1+00W	60
L1+00S-1+12.5W	35
L1+00S-1+25W	35
L1+00S-1+37.5W	50
L1+00S-1+50W	<5
L1+00S-1+62.5W	<5
L1+00S-1+75W	<5
L1+00S-1+87.5W	<5
L1+00S-2+00W	<5
L3+00S-0+12.5E	65
L3+00S-0+25E	60
L3+00S-0+37.5E	<5
L3+00S-0+50E	5


COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Owen





TSL LABORATORIES

DIV. BURGNER TECHNICAL ENTERPRISES LIMITED

2 - 302 - 48th STREET, EAST
SASKATOON, SASKATCHEWAN
S7K 6A4

☎ (306) 931-1033 FAX: (306) 242-4717

CERTIFICATE OF ANALYSIS

SAMPLE(S) FROM Prime Exploration Ltd.
10th Floor-Box 10, 808 West Hastings
Vancouver, B.C.
V6C 2X6

REPORT No.
S7142

SAMPLE(S) OF Soils

INVOICE #: 11901
P.O.: 2258/R-1199

V. Van Damme
Project CORPTECH King Consoat

	Au ppb
L3+00S-0+62.5E	<5
L3+00S-0+75E	60
L3+00S-0+87.5E	15
L3+00S-1+00E	5
L3+00S-0+00	50
L3+00S-0+12.5W	85
L3+00S-0+25W	40
L3+00S-0+37.5W	60
L3+00S-0+50W	40
L3+00S-0+62.5W	45
L3+00S-0+75W	80
L3+00S-0+87.5W	70
L3+00S-1+00W	420
L3+00S-1+12.5W	35
L3+00S-1+25W	45
L3+00S-1+37.5W	60
L3+00S-1+50W	60
L3+00S-1+62.5W	40
L3+00S-1+75W	40

COPIES TO: C. Idziszek, J. Foster
INVOICE TO: OreQuest Consultants

Aug 30/89

SIGNED

Bernie Dunn



T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 800 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : S - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: C. IDZISZEK, J. FOSTER

PROJECT: CORPTECH S.A.U.:2256/R-1199

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L3+005-0+62.5E	31000	< 5	5	74	1	< 5	1900	< 1	53	21	60	42000	12
L3+005-0+75E	33000	< 5	15	160	1	< 5	1100	< 1	23	22	230	66000	50
L3+005-0+67.5E	23000	< 5	40	150	1	< 5	900	< 1	28	13	150	65000	30
L3+005-1+00E	28000	< 5	< 5	190	1	< 5	2000	< 1	73	19	85	51000	20
L3+005-0+00	30000	< 5	10	130	2	< 5	1000	< 1	28	31	360	51000	22
L3+005-0+12.5W	32000	< 5	< 5	140	1	< 5	2300	< 1	24	27	550	32000	18
L3+005-0+25W	25000	< 5	10	200	< 1	< 5	2000	< 1	52	23	240	46000	24
L3+005-0+37.5W	29000	< 5	35	130	3	< 5	700	< 1	36	13	230	47000	22
L3+005-0+50W	33000	< 5	< 5	150	2	< 5	3000	< 1	36	20	270	40000	18
L3+005-0+62.5W	28000	< 5	10	130	2	< 5	2000	1	34	18	270	42000	34
L3+005-0+75W	32000	< 5	40	160	2	< 5	2200	< 1	35	23	530	51000	32
L3+005-0+87.5W	28000	< 5	80	160	1	< 5	1500	< 1	30	22	390	54000	44
L3+005-1+00W	22000	< 5	25	180	1	< 5	1900	< 1	23	25	400	60000	62
L3+005-1+12.5W	33000	< 5	35	190	2	< 5	1500	< 1	41	21	170	54000	30
L3+005-1+25W	35000	< 5	20	190	3	< 5	2200	< 1	35	21	240	47000	40
L3+005-1+37.5W	32000	< 5	15	130	1	< 5	2400	< 1	45	25	230	48000	34
L3+005-1+50W	32000	< 5	25	170	2	< 5	2000	< 1	39	23	190	49000	56
L3+005-1+62.5W	31000	< 5	65	160	1	< 5	1400	< 1	50	22	130	43000	50
L3+005-1+75W	32000	< 5	40	100	1	< 5	1400	< 1	36	17	110	42000	32

DATE : SEP-19-1989

SIENP : Bernie Dean

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 808 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2Y6

T.S.L. REPORT No. : 3 - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: G. IDZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L3+005-0+62.5E	4000	870	< 2	38	600	660	5	< 1	550	14	< 10	< 10	3500
L3+005-0+75E	3300	910	< 2	12	990	420	5	< 1	190	9	< 10	< 10	2300
L3+005-0+7.5E	3000	750	< 2	10	1100	420	4	< 1	290	10	< 10	< 10	3100
L3+005-1+00E	3300	490	< 2	14	700	240	6	< 1	210	11	< 10	< 10	3500
L3+005-0+00	3700	1600	< 2	12	1200	500	6	< 1	450	13	< 10	< 10	3500
L3+005-2+12.5W	4200	650	< 2	14	1700	900	8	< 1	750	22	< 10	< 10	3500
L3+005-0+25W	5400	1300	< 2	50	1200	700	7	< 1	190	15	< 10	< 10	1400
L3+005-0+37.5W	4100	800	2	20	1100	600	4	< 1	310	9	< 10	< 10	1700
L3+005-2+50W	4700	450	< 2	34	1200	1100	8	< 1	1100	28	< 10	< 10	3500
L3+005-0+52.5W	4900	870	< 2	20	1200	1000	6	< 1	1000	26	< 10	< 10	3000
L3+005-0+75W	4500	1700	< 2	16	1600	800	7	< 1	510	21	< 10	< 10	3200
L3+005-0+87.5W	4800	1600	< 2	34	1700	900	8	< 1	510	15	< 10	< 10	2300
L3+005-1+00W	4800	3700	2	12	2100	700	8	< 1	170	9	20	< 10	640
L3+005-1+12.5W	5100	1400	< 2	36	1300	800	8	< 1	290	15	20	< 10	2400
L3+005-1+25W	4600	1200	< 2	18	1300	1100	8	< 1	760	23	< 10	< 10	3500
L3+005-1+37.5W	5200	1700	< 2	34	1500	940	8	< 1	930	24	20	< 10	3400
L3+005-1+50W	5000	2100	< 2	24	1400	1000	9	< 1	770	20	< 10	< 10	3500
L3+005-1+62.5W	5100	1800	< 2	38	1200	720	7	< 1	230	15	< 10	< 10	2100
L3+005-1+75W	4300	840	< 2	16	1300	600	6	< 1	450	14	< 10	< 10	3500

Bernie Dean

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
TELEPHONE : (306) 931 - 1033
FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
10TH FLOOR-BOX 10, 808 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 7142
T.S.L. File No. :
T.S.L. Invoice No. : 12085

ATTN: C. IJZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L3+00S-0+62.5E	< 10	100	6	63	24	< 5
L3+00S-0+75E	< 10	83	10	79	7	< 5
L3+00S-0+67.5E	< 10	110	6	63	3	< 5
L3+00S-1+00E	< 10	100	14	71	19	< 5
L3+00S-0+00	< 10	120	14	100	6	< 5
L3+00S-0+12.5W	< 10	110	16	73	8	< 5
L3+00S-0+25W	< 10	97	18	120	6	5
L3+00S-0+37.5W	< 10	67	24	110	11	< 5
L3+00S-0+50W	< 10	95	18	94	16	5
L3+00S-0+62.5W	< 10	85	18	130	12	< 5
L3+00S-0+75W	< 10	110	26	140	10	< 5
L3+00S-0+87.5W	< 10	94	21	150	13	5
L3+00S-1+00W	< 10	97	33	120	5	< 5
L3+00S-1+12.5W	< 10	99	30	210	12	< 5
L3+00S-1+25W	< 10	110	21	160	19	5
L3+00S-1+37.5W	< 10	110	16	160	8	< 5
L3+00S-1+50W	< 10	110	18	200	6	< 5
L3+00S-1+62.5W	< 10	86	15	210	6	5
L3+00S-1+75W	< 10	100	9	87	9	< 5

DATE : SEP-19-1989

SIGNED :

Bernie Orens

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4

TELEPHONE : (306) 931 - 1033

FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
10TH FLOOR-BOX 10, 800 WEST HASTINGS STREET
VANCOUVER, B.C.
V6C 2X6

T.S.L. REPORT No. : S - 7142

T.S.L. File No. :

T.S.L. Invoice No. : 12085

ATTN: C. IJZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2250/R-1199

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ce	Cd	Cr	Co	Cu	Fe	Pb
L1+00S-0+25E	36000	< 5	20	73	2	< 5	1600	< 1	120	23	550	66000	30
L1+00S-0+37.5E	32000	< 5	< 5	75	2	< 5	1300	< 1	27	11	310	50000	24
L1+00S-0+50E	23000	< 5	< 5	110	1	< 5	3200	< 1	48	32	1300	81000	36
L1+00S-0+62.5E	33000	< 5	10	200	3	< 5	2000	1	56	30	320	53000	22
L1+00S-0+75E	36000	< 5	< 5	90	1	< 5	1600	< 1	45	19	520	52000	14
L1+00S-0+87.5E	32000	< 5	5	100	1	< 5	2900	< 1	160	14	500	45000	12
L1+00S-1+00E	43000	< 5	< 5	60	3	< 5	610	< 1	30	4	130	43000	32
L1+00S-1+12.5E	37000	< 5	< 5	110	2	< 5	1800	< 1	32	15	360	50000	14
L1+00S-1+25E	32000	< 5	< 5	120	1	< 5	1600	< 1	36	21	760	53000	28
L1+00S-1+37.5E	36000	< 5	< 5	110	1	< 5	2000	< 1	26	22	810	57000	28
L1+00S-1+50E	36000	< 5	< 5	190	3	< 5	3700	< 1	19	21	250	41000	12
L1+00S-0+12.5W	26000	< 5	5	90	< 1	< 5	1700	< 1	22	43	1400	71000	32
L1+00S-0+25W	32000	< 5	< 5	200	2	< 5	4200	< 1	24	27	680	54000	22
L1+00S-0+30W	24000	< 5	< 5	130	1	< 5	5300	< 1	16	25	500	37000	20
L1+00S-0+62.5W	26000	< 5	20	120	2	< 5	1100	< 1	20	40	440	24000	42
L1+00S-0+75W	19000	< 5	80	190	< 1	< 5	1700	< 1	15	37	650	64000	28
L1+00S-0+87.5W	25000	< 5	45	200	2	< 5	2600	< 1	23	33	160	47000	30
L1+00S-1+00W	31000	< 5	< 5	170	2	< 5	4100	1	42	27	100	46000	54
L1+00S-1+12.5W	27000	5	55	180	1	< 5	2000	< 1	53	27	110	46000	74
L1+00S-1+25W	29000	< 5	15	150	1	< 5	2900	1	52	22	79	44000	68
L1+00S-1+37.5W	24000	20	60	210	< 1	< 5	1900	2	26	19	70	41000	130
L1+00S-1+50W	28000	< 5	10	160	1	< 5	8700	< 1	46	27	62	43000	16
L1+00S-1+62.5W	26000	5	< 5	160	< 1	< 5	1800	< 1	110	30	91	47000	24
L1+00S-1+75W	33000	< 5	30	95	< 1	< 5	1300	< 1	94	21	63	47000	24
L1+00S-1+87.5W	30000	< 5	< 5	71	1	< 5	1300	< 1	45	11	55	34000	50
L1+00S-2+00W	39000	< 5	< 5	150	2	< 5	2600	< 1	27	25	30	41000	14
L3+00S-0+12.5E	36000	< 5	5	100	< 1	< 5	1100	< 1	24	24	420	64000	30
L3+00S-0+25E	24000	< 5	20	83	< 1	< 5	1400	< 1	25	24	410	65000	14
L3+00S-0+37.5E	45000	< 5	< 5	160	2	< 5	2600	< 1	43	27	80	41000	10
L3+00S-0+50E	21000	< 5	35	71	1	< 5	900	< 1	81	14	92	49000	18

DATE : SEP-19-1989

SIGNATURE :

Bernie Dunn

T.S.L. LABORATORIES

2-302-46TH STREET, SASKATON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 888 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : 5 - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: C. IZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L1+005-0+25E	4600	1000	< 2	56	960	660	5	< 1	350	8	< 10	< 10	2400
L1+005-0+37.5E	3100	460	4	10	810	560	3	< 1	460	10	< 10	< 10	1900
L1+005-0+50E	3200	970	< 2	32	2200	1300	7	< 1	1300	27	< 10	< 10	1900
L1+005-0+62.5E	5100	1600	< 2	46	1400	1200	8	< 1	740	20	20	< 10	3500
L1+005-0+75E	3700	550	< 2	14	1400	600	6	< 1	400	12	< 10	< 10	3500
L1+005-0+87.5E	4600	390	4	70	1500	820	4	< 1	570	17	< 10	< 10	2900
L1+005-1+00E	1300	260	< 2	8	600	560	3	< 1	440	5	< 10	< 10	1900
L1+005-1+12.5E	6000	380	< 2	12	900	660	6	< 1	450	14	< 10	< 10	3500
L1+005-1+25E	4400	840	< 2	32	1400	740	6	< 1	430	13	< 10	< 10	3300
L1+005-1+37.5E	4400	810	< 2	12	1700	760	8	< 1	440	14	< 10	< 10	3200
L1+005-1+50E	3500	520	< 2	12	860	1300	7	< 1	1500	37	< 10	< 10	3500
L1+005-2+12.5W	4400	1800	6	26	2500	840	8	< 1	620	15	10	< 10	2200
L1+005-0+25W	4700	780	< 2	14	1600	1700	9	< 1	1800	43	10	< 10	3500
L1+005-0+50W	5300	820	< 2	12	1600	1800	7	< 1	2700	53	30	< 10	3500
L1+005-0+62.5	4200	2200	4	26	2700	1000	8	< 1	500	13	40	< 10	2500
L1+005-0+75W	3700	3200	4	20	1600	860	5	< 1	810	19	< 10	< 10	1000
L1+005-0+87.5W	4800	4200	< 2	24	1500	1300	7	< 1	1200	27	< 10	< 10	2400
L1+005-1+00W	5500	1700	< 2	34	1500	1600	9	< 1	1800	41	< 10	< 10	3500
L1+005-1+12.5W	5900	2200	< 2	38	1300	880	8	< 1	610	20	10	< 10	1800
L1+005-1+25W	5900	1700	< 2	34	1200	1100	8	< 1	1200	30	30	< 10	2500
L1+005-1+37.5W	5300	2200	< 2	18	1400	660	7	< 1	250	13	< 10	< 10	760
L1+005-1+50W	6600	1400	< 2	20	940	2600	8	< 1	3300	86	< 10	< 10	3500
L1+005-1+62.5W	6900	2600	< 2	36	1300	340	10	< 1	190	12	< 10	< 10	630
L1+005-1+75W	5300	1200	< 2	20	1000	380	6	< 1	280	9	< 10	< 10	2600
L1+005-1+87.5W	4200	500	< 2	8	870	560	4	< 1	320	12	< 10	< 10	3000
L1+005-2+00W	3500	630	< 2	10	780	980	8	< 1	1200	25	< 10	< 10	3500
L3+005-0+12.5E	2600	860	< 2	8	1300	380	3	< 1	150	7	< 10	< 10	1100
L3+005-0+25E	3400	870	2	10	1500	380	3	< 1	140	7	< 10	< 10	1300
L3+005-0+37.5E	3500	640	< 2	14	740	540	9	< 1	640	20	< 10	< 10	3500
L3+005-0+50E	4000	360	< 2	40	800	680	4	< 1	250	8	< 10	< 10	3500

DATE : SEP-15-1989

S1640 :

Bernie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 508 WESTINGS STREET
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12885

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L1+00S-0+25E	< 10	100	16	74	37	< 5
L1+00S-0+37.5E	< 10	82	12	72	14	5
L1+00S-0+50E	< 10	61	16	71	10	< 5
L1+00S-0+62.5E	< 10	110	25	140	12	< 5
L1+00S-0+75E	< 10	140	10	61	15	< 5
L1+00S-0+87.5E	< 10	84	8	51	7	< 5
L1+00S-1+00E	< 10	36	12	62	64	5
L1+00S-1+12.5E	< 10	99	13	68	18	< 5
L1+00S-1+25E	< 10	95	13	75	13	< 5
L1+00S-1+37.5E	< 10	110	9	70	10	20
L1+00S-1+50E	< 10	91	11	68	29	< 5
L1+00S-0+12.5W	< 10	120	20	58	4	< 5
L1+00S-0+25W	< 10	110	19	69	26	< 5
L1+00S-0+50W	< 10	100	16	70	11	< 5
L1+00S-0+62.5W	< 10	100	17	68	7	< 5
L1+00S-0+75W	< 10	62	11	50	1	< 5
L1+00S-0+87.5W	< 10	77	22	110	13	15
L1+00S-1+00W	< 10	100	18	190	10	10
L1+00S-1+12.5W	< 10	96	15	190	6	15
L1+00S-1+25W	< 10	100	15	230	7	< 5
L1+00S-1+37.5W	< 10	74	18	390	2	< 5
L1+00S-1+50W	< 10	110	9	110	13	< 5
L1+00S-1+62.5W	< 10	150	13	140	4	< 5
L1+00S-1+75W	< 10	140	9	96	4	< 5
L1+00S-1+87.5W	< 10	90	7	110	5	< 5
L1+00S-2+00W	< 10	110	12	73	29	5
L3+00S-0+12.5E	< 10	96	10	68	< 1	< 5
L3+00S-0+22E	< 10	100	8	54	< 1	< 5
L3+00S-0+37.5E	< 10	120	14	86	20	5
L3+00S-0+50E	< 10	140	5	71	19	< 5

DATE : SEP-19-1989

SIGNED :

Bernie Dero

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 808 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 714²
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: C. IJZIGZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	Al	Sb	As	Ba	Be	B	Ca	Cd	Cr	Co	Cu	Fe	Pb
L4+75S-0+00	31000	< 5	25	130	< 1	< 5	3400	1	130	23	230	61000	24
L4+75S-0+12.5E	33000	< 5	< 5	170	1	< 5	4700	< 1	190	28	140	63000	36
L4+75S-0+25E	23000	10	25	130	< 1	< 5	1800	1	16	26	190	80000	48
L4+75S-0+37.5E	28000	5	< 5	150	1	< 5	1200	< 1	17	37	290	94000	34
L4+75S-0+50E	32000	< 5	< 5	200	3	< 5	3100	1	19	40	210	76000	38
L4+75S-0+12.5W	26000	< 5	< 5	76	< 1	< 5	1800	< 1	54	20	300	90000	30
L4+75S-0+25W	31000	< 5	< 5	110	1	< 5	1700	< 1	83	21	200	65000	24
L4+75S-0+37.5W	21000	< 5	10	44	< 1	< 5	1400	< 1	73	41	1900	130000	16
L4+75S-0+50W	28000	< 5	10	150	1	< 5	1600	1	54	47	1200	89000	170
L4+75S-2+62.5W	20000	5	20	180	< 1	< 5	4900	< 1	110	26	670	58000	24
L4+75S-0+75W	23000	< 5	15	120	< 1	< 5	2500	< 1	140	22	590	59000	22
L4+75S-0+87.5W	21000	< 5	20	95	< 1	< 5	1500	< 1	97	21	730	58000	18
L4+75S-1+00W	24000	< 5	35	200	< 1	5	1000	< 1	52	21	360	51000	68
L4+75S-1+12.5W	21000	< 5	< 5	170	< 1	< 5	1900	< 1	73	18	760	62000	36
L4+75S-1+25W	18000	< 5	15	49	< 1	< 5	700	< 1	120	15	2000	94000	18
L4+75S-1+37.5W	34000	< 5	< 5	67	< 1	< 5	2100	< 1	35	30	950	78000	18
L4+75S-1+50W	35000	< 5	< 5	100	2	< 5	1900	< 1	100	23	360	53000	16
L4+75S-1+62.5W	29000	< 5	< 5	110	2	< 5	1900	< 1	180	19	350	56000	22
L4+75S-1+75W	26000	< 5	5	120	< 1	< 5	730	1	45	3	130	45000	24
L4+75S-1+87.5W	27000	< 5	10	70	< 1	< 5	3200	< 1	120	19	410	56000	36
L4+75S-2+00W	28000	< 5	< 5	34	< 1	< 5	830	< 1	59	11	520	86000	24
L4+75S-2+12.5W	22000	< 5	10	67	< 1	< 5	390	< 1	18	19	320	110000	32
L4+75S-2+25W	17000	140	260	66	< 1	< 5	130	< 1	20	15	480	120000	40
L4+75S-2+50W	24000	< 5	45	170	1	< 5	3500	< 1	70	31	84	47000	40
L4+75S-2+62.5W	37000	< 5	35	170	2	< 5	1600	< 1	53	15	52	44000	32
L4+75S-2+75W	27000	40	40	180	1	< 5	1600	1	64	16	69	39000	34
L4+75S-2+87.5W	22000	25	120	210	< 1	< 5	3700	1	47	20	86	43000	18
L4+75S-3+00W	13000	5	160	200	2	< 5	3000	2	22	15	65	36000	8
L1+00S-0+00	29000	< 5	25	120	1	< 5	2600	< 1	60	14	270	41000	14
L1+00S-0+12.5E	39000	< 5	30	130	2	< 5	2100	< 1	40	17	200	46000	16

DATE : SEP-19-1989

STAMPED :

Bernie Dunn

T S L LABORATORIES

2-302-46TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 806 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : 5 - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: C. INDISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199

ALL RESULTS PPM

SAMPLE #	Mg	Mn	Mo	Ni	P	K	Sc	Ag	Na	Sr	Th	Sn	Ti
L4+75S-0+00	5800	1200	< 2	64	1700	1200	6	< 1	990	28	10	< 10	2100
L4+75S-0+12.5E	5200	1400	< 2	94	1800	2000	9	< 1	2200	47	< 10	< 10	3500
L4+75S-0+25E	4700	1500	< 2	18	2100	740	6	< 1	420	16	30	10	1100
L4+75S-0+37.5E	4400	2300	< 2	16	1600	540	9	< 1	350	11	20	< 10	1400
L4+75S-0+50E	4500	1800	< 2	18	1300	1200	11	< 1	1100	30	20	< 10	3500
L4+75S-0+12.5W	4400	1200	< 2	34	2500	520	5	< 1	240	10	20	10	1100
L4+75S-0+25W	4300	1100	< 2	44	1400	660	5	< 1	370	12	< 10	< 10	2400
L4+75S-0+37.5W	4400	1200	< 2	26	2500	280	10	< 1	40	6	10	< 10	670
L4+75S-0+50W	4600	2500	< 2	30	2300	560	9	< 1	100	13	30	< 10	620
L4+75S-0+62.5W	5400	1500	4	56	1500	1200	7	< 1	1500	41	< 10	< 10	1500
L4+75S-0+75W	4900	1300	< 2	60	1800	800	7	< 1	720	19	< 10	< 10	2000
L4+75S-0+87.5W	4700	1200	4	52	2000	680	6	< 1	320	9	< 10	< 10	1400
L4+75S-1+00W	5200	2000	2	36	1600	700	7	< 1	150	8	< 10	< 10	750
L4+75S-1+12.5W	5000	1200	2	36	3000	680	6	< 1	160	10	< 10	< 10	530
L4+75S-1+25W	4200	720	6	46	2900	440	5	1	120	3	< 10	< 10	260
L4+75S-1+37.5W	4400	1700	2	32	1900	360	12	< 1	470	14	< 10	< 10	3500
L4+75S-1+50W	3400	730	< 2	46	1500	880	8	< 1	650	17	< 10	< 10	3500
L4+75S-1+62.5W	3500	870	< 2	80	2000	960	6	< 1	540	15	< 10	< 10	3500
L4+75S-1+75W	2000	200	4	12	1100	500	2	< 1	160	7	< 10	< 10	1200
L4+75S-1+87.5W	2300	870	4	54	2500	700	2	< 1	250	10	< 10	10	510
L4+75S-2+00W	5000	1200	2	36	1700	400	5	< 1	50	3	< 10	< 10	60
L4+75S-2+12.5W	5400	1800	12	10	3900	880	14	< 1	140	5	10	< 10	850
L4+75S-2+25W	4700	1900	38	0	2000	500	13	< 1	30	10	20	10	150
L4+75S-2+50W	5400	2100	2	42	1300	1600	6	< 1	1000	37	< 10	< 10	990
L4+75S-2+62.5W	4800	750	< 2	36	1000	700	6	< 1	500	17	< 10	< 10	2700
L4+75S-2+75W	5600	1200	< 2	50	1100	780	6	< 1	110	17	< 10	< 10	1100
L4+75S-2+87.5W	5400	1700	2	38	1200	1100	6	< 1	450	41	< 10	< 10	1100
L4+75S-3+00W	3100	1600	< 2	22	1100	1400	7	< 1	210	42	< 10	< 10	1300
L1+00S-0+00	4200	390	< 2	22	1100	900	5	< 1	740	24	< 10	< 10	3500
L1+00S-0+12.5E	3300	370	< 2	16	830	500	7	< 1	540	20	< 10	< 10	3500

DATE : SEP-19-1985

SIGNED :

Bernie Owen

T S L LABORATORIES

2-302-48TH STREET, SASKATOON, SASKATCHEWAN S7K 6A4
 TELEPHONE : (306) 931 - 1033
 FAX : (306) 242 - 4717

I.C.A.P. PLASMA SCAN

Aqua-Regia Digestion

PRIME EXPLORATION LTD.
 10TH FLOOR-BOX 10, 808 WEST HASTINGS STREET
 VANCOUVER, B.C.
 V6C 2X6

T.S.L. REPORT No. : S - 7142
 T.S.L. File No. :
 T.S.L. Invoice No. : 12085

ATTN: C. IDZISZEK, J. FOSTER PROJECT: CORPTECH S.A.O.: 2258/R-1199


ALL RESULTS PPM

SAMPLE #	W	V	Y	Zn	Zr	Bi
L4+75S-0+00	< 10	120	11	88	< 1	< 5
L4+75S-0+12.5E	< 10	120	15	71	19	< 5
L4+75S-0+25E	< 10	120	12	75	< 1	< 5
L4+75S-0+37.5E	< 10	120	25	59	< 1	< 5
L4+75S-0+50E	< 10	110	30	66	11	< 5
L4+75S-0+12.5W	< 10	90	11	44	< 1	< 5
L4+75S-0+25W	< 10	100	13	69	10	< 5
L4+75S-0+37.5W	< 10	120	16	48	9	15
L4+75S-0+50W	< 10	120	33	97	< 1	< 5
L4+75S-0+62.5W	< 10	100	18	100	3	< 5
L4+75S-0+75W	< 10	130	14	63	4	< 5
L4+75S-0+87.5W	< 10	120	9	44	3	15
L4+75S-1+00W	< 10	84	14	190	2	< 5
L4+75S-1+12.5W	< 10	100	13	88	3	< 5
L4+75S-1+25W	< 10	160	9	37	< 1	< 5
L4+75S-1+37.5W	< 10	170	12	40	8	< 5
L4+75S-1+50W	< 10	120	12	54	14	< 5
L4+75S-1+62.5W	< 10	110	9	46	10	< 5
L4+75S-1+75W	< 10	80	7	41	< 1	< 5
L4+75S-1+87.5W	< 10	50	12	47	2	< 5
L4+75S-2+00W	< 10	74	13	53	< 1	< 5
L4+75S-2+12.5W	< 10	130	6	57	< 1	5W
L4+75S-2+25W	< 10	130	13	64	< 1	< 5
L4+75S-2+50W	< 10	70	15	98	1	< 5
L4+75S-2+62.5W	< 10	80	19	120	14	< 5
L4+75S-2+75W	< 10	79	15	130	4	< 5
L4+75S-2+87.5W	< 10	90	14	110	1	< 5
L4+75S-3+00W	< 10	47	16	110	2	< 5
L1+00S-0+00	< 10	96	10	66	8	5
L1+00S-0+12.5E	< 10	110	12	71	20	< 5

DATE : SEP-19-1989

SIGNED :

Bernie Dunn



WITNESSED LCP NAT

LCP KING 1-4

L 5+50N
L 3+50N
L 1+50N
L 0+00
L 1+00S
L 2+00S
L 3+00S
L 4+00S
L 4+75S
L 5+50S
L 7+00S
L 9+00S
L 11+00S
L 12+00S
L 14+00S

GEOLOGICAL BRANCH ASSESSMENT REPORT

19,262

INTRUSIVES

- 5a diorite
- 5b hornblende diorite

UNUK RIVER FORMATION - Jurassic

- 4 sediments undifferentiated
- 4a arenite
- 4b siltstone
- 4c argillite
- 4d limestone
- 3 andealte undifferentiated
- 3a ash tuff
- 3b crystal tuff
- 3c lithic tuff
- 3d lapilli tuff

LÉGEN



STUHINI GROUP - Triassic

- 2 sediments undifferentiated
- 2a arenite
- 2b siltstone
- 2c argillite
- 2d limestone
- 1 dacite undifferentiated
- 1a ash tuff
- 1b crystal tuff
- 1c lapilli tuff
- 1d volcanic siltstone

SYMBOLS


- geological contact
- fault
- outcrop
- trench

Elevation contours in feet




OREQUEST
CORPTECH INDUSTRIES INC.

Figure 4
KING-CONSOAT PROJECT
PROPERTY GEOLOGY
British Columbia
NTS 104B/7E.10E
October 1989




WITNESSED LCP NAT

KING CREEK



GEOLOGICAL BRANCH ASSESSMENT REPORT

19,262



OREQUEST

CORPTECH INDUSTRIES INC.

Figure 6 KING-CONSOAT PROJECT ROCK and CONTOUR SOIL LINES, GOLD and COPPER VALUES


British Columbia NTS 104B/7E.10E


October 1989

XY3

LEGEND


- 120 ▲ Rock sample location and Au ppb unless noted in oz/ton
 - (500) Cu ppm
 - 110 ● Soil sample location and Au ppb
 - (500) Cu ppm
- Elevation contours in feet





Contour intervals: 100 ppb
200 ppb

NS Not sampled



1920

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**



OREQUEST



CORPTECH INDUSTRIES INC.

Figure 7
KING-CONSOAT PROJECT
VAL ZONE GRID
SOIL GEOCHEMISTRY (GOLD)

British Columbia
NTS 104B/7E, 10E


October 1989

XY3



Contour intervals: 300 ppm
600 ppm
900 ppm

NS Not sampled



19,200
 GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 FELI

OREQUEST

CORPTECH INDUSTRIES INC.

Figure 8
 KING-CONSOAT PROJECT
 VAL ZONE GRID
 SOIL GEOCHEMISTRY (COPPER)

British Columbia
 NTS 104B/7E.10E

October 1989 XY3