

RAM EXPLORATIONS LTD.

LOG NO: 1123	RD.
ACTION:	
FILE NO:	

GEOLOGICAL AND GEOPHYSICAL REPORT

DORLON CLAIM GROUP

HPH PROJECT

NANAIMO MINING DIVISION

NORTHERN VANCOUVER ISLAND

LOG NO: May 15/91	RD.
ACTION: Date received back from amendment	
FILE NO:	

Location:

Longitude: 127° 45' 50" W
Latitude: 50° 41' 30" N
NTS: 92L12W

**SUB-RECORDER
RECEIVED**

NOV 17 1989

M.R. # \$
VANCOUVER, B.C.

Mineral Claims

Cliff, Record No.2769
JLJ #1, Record No.2730
JLJ #2, Record No.2731
JLJ #3, Record No.2732
JLJ #4, Record No.2733

Owner: Hisway Resources Ltd.

Operator: Silver Drake Resources Ltd.

Reported By: C. von Einsiedel, B. Sc.

Submitted: November 17, 1989

CLIFF RECORDS BRANCH

1989 NOV 17 8

TABLE OF CONTENTS

	Page
INTRODUCTORY NOTE	1
 SECTION 1 - PROPERTY DESCRIPTION	
1.0 Property Location, Access, Ownership	2
1.1 Geology and Exploration Model	3
 SECTION 2 - DESCRIPTION OF GEOPHYSICAL SURVEY	
2.0 Geophysical Survey Description	4
2.1 Survey Results	5
 REFERENCES	 6
CERTIFICATE	6
STATEMENT OF COSTS	7

LIST OF FIGURES

Figure 1.0	Location Plan; 1:50,000	2
Figure 2.0	HPH - Dorlon Geology East 1/2	enclosed
Figure 3.0	HPH - Dorlon Grid Locations East 1/2	enclosed
Figure 4.0	HPH - Dorlon Total Field Magnetism East 1/2	enclosed
Figure 5.0	HPH - Dorlon VLF-EM In Phase Contour Plan East 1/2	enclosed

INTRODUCTORY NOTE

During 1986/87 Hisway Resources Ltd. assembled a large claim area along the Nawhitti River Valley some 25 km. west of Port Hardy on northern Vancouver Island. Geologically this area consists of block faulted sedimentary and volcanic rocks which have been intruded by various phases of Jurassic Age felsic intrusives.

To date, surface exploration by various operators has identified more than 15 separate areas which exhibit potentially economic mineralization. These occurrences are roughly alligned along an east-west trend (termed the Nawhitti Mineral Belt) and include disseminated to massive, silver, lead and zinc sulfides (gold bearing in some locations) localized along breccia zones, dyke contacts and bedding planes within limestone units and skarn type chalcopyrite (copper) - magnetite mineralization localized along contacts with altered intrusive rocks. It is important to note that large areas along this trend are covered by swamp or heavy overburden and have never been explored.

In 1988 Hisway Resources entered a joint venture agreement with Silver Drake Resources Ltd. on that part of the claim group referred to as the Dornon area. In a report dated February 15, 1988 M. Magrum, P.Eng summarized previous exploration data for the subject claim area and recommended that additional exploration be carried out.

The Dornon claims are located at the eastern end of the Nawhitti belt and cover a complexly faulted, west striking sequence of volcanics and carbonates intruded by a small dioritic stock and cross-cutting felsic dikes. Wide spaced geochemical and magnetic surveys carried out by Giant Explorations (circa 1960 to 1972) identified two principal areas of interest. The first consists of a 400 meter x 200 meter area which exhibits elevated zinc and lead concentrations in soils. Test pits excavated by previous operators in the central and eastern parts of this anomaly identified narrow zones of fault and/or bedding plane controlled massive sphalerite mineralization which exhibits unusually high gold concentrations.

Preliminary magnetics surveys carried out by Giant Explorations also identified an area termed Anomaly "C" which shows an extremely high magnetic response. Shallow test pits and short drill holes completed in the area of Anomaly "C" showed that the magnetic response resulted from contact related pyrite, chalcopyrite, magnetite mineralization.

The objectives of the current exploration program were to identify the signature of local mineralization if any and evaluate areas of dense underbrush and/or heavy overburden within the claim area. The following survey work was completed between April 1 and August 18, 1989.

- (i) detailed geological mapping at a scale of 1:2,500 for the HPH claim area
- (ii) 14.6 kilometers of cut line
- (iii) 10.1 kilometers of geophysical survey

This report includes geological maps, grid location plans and contoured magnetics and VLF-EM data for the Dornon claim area.

Additional work including geochemical surveys, skid road construction, trenching and drilling are currently in progress. Results will be submitted for assessment purposes in a later report.

SECTION 1 - PROPERTY DESCRIPTION

1.0 Property Location, Access, Ownership

The Dorlon claims consists of two contiguous groups, termed Dorlon West and Dorlon East, separated by approximately 300 meters. Dorlon West consists of one located claim (Cliff) comprising 4 claim units which covers two, narrow fractional claims (JLJ 1 and JLJ 2). Dorlon East consists of 8 Two Post mineral claims (Kains 1 to 8) which partially overstate two fractional claims (JLJ 3 and JLJ 4). Collectively, the claims cover an area roughly 3 kilometers long and 1 kilometer wide which straddles the Nahwitti River Valley approximately 25 kilometers west of Port Hardy.

Access to the claim area is via government maintained, all weather road from Port Hardy. As part of the present program several skid roads were constructed to provide access to various showings within the claim area. The location of these roads is shown in the accompanying 1:2,500 scale topographic / geological map figure no.2.0.

Line cutting and geophysical surveys referred to herein were completed in the central part of the Dorlon West group of claims.

Title to the Dorlon West claims is recorded in the name of Hisway Resources Ltd. as shown on Mineral Title Reference Map No.s 92L12E and 92L12W, Nanaimo Mining Division. Expiry dates are as follows.

<u>Claim Name</u>	<u>Record No.</u>	<u>Expiry</u>
Cliff	2769	August 19, 1992
JLJ #1	2730	April 29, 1992
JLJ #2	2731	April 29, 1992
JLJ #3	2732	April 29, 1992
JLJ #4	2733	April 29, 1992

Location Plan




FIGURE NO.1 CLAIM AND LOCATION MAP

Scale 1:50,000

Note: Bold line denotes subject claim group.

1.1 Geology and Exploration Model

The geology of the Nawhitti Lake area was recently summarized by Sutherland (1966) as follows: The project area is underlain by a sequence of sedimentary and volcanic rocks belonging to the Triassic Aged Vancouver Group which is subdivided into the Karmutsen Group, the Quatsino Formation and the Bonanza Group. Only the presence of the Quatsino limestone as a marker horizon makes this subdivision possible, since the Karmutsen and Bonanza Groups are formed mostly of identical andesites. The Quatsino evidently marks a short cessation of volcanic activity, with the limestone accumulating in a fairly shallow marine environment.

This sequence has been deformed and later intruded by numerous small Jurassic Aged, dioritic stocks belonging to the Island Intrusive Complex. Other intrusives of rhyolitic to trachyte composition (termed "felsite dykes") have been observed however age relationships are uncertain.

The Karmutsen Group borders the northern part of the map area. In the area covered by the survey, all outcrops are of a hard, brittle, dark greenish-grey, very fine grained rock. It is normally strongly fractured and sheared, with the fractures being coated and partly healed by calcite and minor chlorite. Pyrite is very commonly disseminated within the fractures and often throughout the rock. Indistinct glassy plagioclase phenocrysts are common. For mapping the rock was classified as andesite.

The Quatsino limestone is typically a light to dark grey, fine to medium grained, soft crystalline rock. The dark color is probably derived from very fine grained argillaceous and carbonaceous impurities. The limestone is usually massive, but indistinct color banding is visible in many places. In a few areas, small volcanic bombs and argillite fragments contained in the massive limestone provide evidence of occasional explosive volcanic activity during the relatively quiet Quatsino depositional period.

The true thickness of the limestone was not measured because of structural complications, primarily faulting. The outcrop pattern indicates that it is not less than 200 feet or more than 700 feet thick.

The Bonanza Group is made up of two units; a relatively thin (50 - 100 feet) lower member, and a very thick, massive upper member. The top of the group is not exposed.

The lower member is composed of thin bedded argillites and limestones with intercalated thin rhyolite and trachyte flows / dykes ?. The contact of the Bonanza Group and the Quatsino limestone is often rather arbitrarily placed, since the massive limestone of the Quatsino Formation grades over 30 or 40 feet to the thin bedded limestone of the Bonanza Group. The upper and lower contacts of the Quatsino Formation are believed to be important controls on the localization of mineralization.

Many of the observed mineral occurrences on the Dorlon claims occur within the Quatsino Limestone typically along breccia and silicified zones often associated with felsite and/or highly altered andesite dykes and sills of rhyodacite and dacite composition. There is no consistent orientation to the dykes in relation to the general limestone bedding, and can range from conformable to cross-cutting.

The dyke rock is often highly sausseritized or epidotized especially when it also contains massive magnetite-pyrrhotite-pyrite mineralization. The massive magnetite-sulphide mineralization occurs at or near the contact of the dyke to Quatsino Formation limestone. The mineralization is pod-like and does not extend into or replace the limestone beyond the dyke contact. Any limestone rock in the vicinity is generally deformed sub-parallel to the dyke rock. The contact zone is silicified at intervals in irregular fashion either parallel to the dyke contact, parallel to bedding or along northwest or southeast oriented steeply dipping fractures.

Between 1966 and 1972 Giant Explorations conducted a systematic geochemical and geophysical evaluation of the Bonanza / Quatsino contact. In the area of the Dorlon Claims soil geochemical surveys identified an area 400 meters long x 200 meters wide which exhibits elevated zinc and lead concentrations in soils. Anomaly threshold was determined to be 100 to 200 ppm (zinc) however many sites within the anomaly returned analytical results of over 1,000 ppm. This zone is approximately co-incident with an area of elevated magnetic response possibly indicating the presence of near surface intrusive rocks. Survey plans are reproduced in the 1988 report by Magrum.

Surface prospecting and trenching within the Dorlon claim area (Giant Explorations 1966-72) indicate two principal types of mineralization. These include several narrow zones of zinc-gold mineralization (termed the Zinc Vein, Dorlon, Shaft and Nose Showings) and a variety of skarn type magnetite - chalcopyrite - pyrite mineralization.

The Nose Showing is located in the north eastern part of the Dorlon West claims and consists of a 0.25 to 0.75 meter wide, flat lying zone of massive sphalerite mineralization localized along a bedding plane in massive limestone. Close spaced sampling of the exposed mineralization established that this mineralization is gold bearing (sample assay values ranged from 0.10 to 0.50 oz/ton gold) and that epidote-chlorite alteration assemblages are associated with mineralization. For details regarding these results the reader is referred to the 1988 report by Magrum.

The Zinc Vein and Dorlon Showings reportedly comprise a series of narrow, vertical sphalerite stringers (0.25 to 0.50 meters in width) which have been traced over a strike length of roughly 30 meters. As a follow-up program, Giant Explorations drilled two short holes both of which intersected narrow zones of sphalerite mineralization. The location of these trenches has not yet been established however previous operators data suggests that they are within the area of the Dorlon geochemical anomaly (central part of claim area). Sample assays published by Giant are included in the 1988 report by Magrum.

The Shaft Showing is located approximately 50 meters east of the Dorlon West claim boundary and consists of a near vertical lens of massive sphalerite mineralization localized within a silicified breccia zone in bedded limestone close to a contact with a mottled, siliceous intrusive or felsite dike. Sample assays published by Giant are included in the Magrum, 1988 report.

The second type of mineralization is observed in several shallow trenches roughly 100 meters south of the Nawhitti near the eastern border of the Dorlon West claims. Trenching and drilling were completed to test a magnetic anomaly which is interpreted as the signature of the magnetite mineralization. This mineralization was occurs along the contact with a highly altered intrusive and was originally thought to be of limited extent however, magnetic surveys completed during 1989 suggest several other possible sites. For additional information regarding this mineralization the reader is referred to Giant Explorations technical data (circa 1966 - 1972).

SECTION 2 - GEOPHYSICAL SURVEYS

2.0 Geophysical Survey Description

Ground magnetic and electromagnetic surveys were carried out on the Dorlon grid using a Scintrex IGS-2 Integrated Magnetometer and V.L.F. Electromagnetometer. A preliminary interpretation of this data is included as contoured plans (figure no.4 and 5.).

Readings were taken at 10 meter intervals along north south cut lines spaced 25 to 50 meters apart. A total of 14.6 line-kilometers were surveyed.

The magnetometer measures the earth's total magnetic field strength to an accuracy of 0.1 gammas. The Scintrex instrument includes a base recorder which records diurnal variation at 5 second intervals and applies appropriate corrections to data sets prior to preparation of contour plans or profiles.

The V.L.F. electromagnetometer acts as a receiver and utilizes primary electromagnetic fields generated by the United States Navy V.L.F. marine communications systems. These transmitters induce electric currents in conductive bodies thousands of miles away. Induced current produce secondary magnetic fields which can be detected at surface through deviations of the normal V.L.F. field. The Scintrex instrument measures the dip angle of the secondary field induced in a conductor.

For maximum coupling, a transmitter station located in the same direction as the geological strike and/or the strike of possible conductors is selected since the direction of the horizontal electromagnetic field is perpendicular to the direction of the transmitting station. In this case, the transmitter at Seattle, Washington (24.8 kHz transmission frequency) was utilized.

2.1 Survey Results

Preliminary data plots for the Dorlon West grid were plotted on the same topographic base used for the geological plan. Contoured total field magnetic data is shown in figure no.4. Contoured VLF-EM in phase data is shown in figure no.5.

Data plots show several important features.

1. Areas of high magnetic response (more than 1,000 gammas above background) occur in at least 4 separate locations immediately south of the Nawhitti River. The area of highest response was identified by Giant Explorations resulting in the discovery of significant magnetite - chalcopyrite mineralization. Similar nearby responses are interpreted as additional areas of this type of mineralization.
2. In the area of the Dorlon Showings (central and eastern part of the survey grid) several east - west magnetic lineaments and a distinct northwest striking feature have been defined. These are interpreted as structural breaks or fault zones which may be associated with mineralization.
3. VLF-EM data reflects the northeast striking feature indicated by the magnetic data and shows several irregularities along this zone. Although further work is required it is interpreted that these conductors represent abrupt lithologic changes and/or fault zones.

In summary preliminary survey results show that local geologic features have distinct geophysical signatures. The majority of the Dorlon claim area is covered by dense underbrush and therefore mapping by geophysical survey may be the only effective method for accurate mapping of local geological structure.

It is recommended that the grid area be extended to the north across the Nawhitti River and to the east across the Shaft Showing and the JLJ 3 and 4 claims. Provision should be made for an additional 10 kilometers of survey grid.

REFERENCES

The following maps, publications and reports were used in the compilation of this report.

Christopher, P.A., 1988. Report on the HPH Property. Hisway Resources Ltd. corporate files.

Candy, C.E., 1989. Report on Induced Polarization, VLF-EM and Magnetometer Surveys, HPH Claims, Nanaimo Mining Division. Frontier Geoscience. Hisway Resources Ltd. corporate files.

Enaudi et al, 1981, Skarn Deposits, Economic Geology; Seventy-Fifth Anniversary Volume.

Giant Explorations Ltd. Prospectus dated February 1, 1966. Report on the Nawhitti Lake Property, R.H.D. Philp, 1965, P. Eng.

Magrum, M., 1988. Summary Report and Proposed Exploration Program - Dorton Project. Silver Drake Resources Ltd. corporate files.

Rote, I.R. (1972) Geochemical and Geophysical Report on the Silva 2 Group, Nawhitti Lake, Assessment Report No. 3954. Giant Explorations Ltd.

Sutherland, R. (1966) Report on Reconnaissance Exploration in the Nawhitti Lake Area, Vancouver Island. Assessment Report No. 870. Giant Explorations Ltd.


Geological Survey of Canada Reference Map No. 1552A. Geology of the Alert Bay / Cape Scott.

CERTIFICATE

I, Carl A. von Einsiedel of the City of Vancouver, in the Province of British Columbia, certify that:

1. I am a consulting geologist with offices located at 210 - 470 Granville Street, Vancouver, B.C.
2. I am a graduate of Carleton University in Ontario in Geological Sciences with a degree of BSc.
3. I have been employed in the field of mineral exploration since 1980.
4. This report is based on: results of several personal examinations of the subject property; published technical data; results of geophysical surveys carried out under my supervision; and results of extensive research regarding local mineral deposits.
5. I have no interest, either directly or indirectly, in the properties or securities of Silver Drake Resources Ltd.
6. I consent to the use of this report in a Prospectus, Statement of Material Facts or Qualifying Report for submittal to the Superintendent of Brokers or the Vancouver Stock Exchange.

Dated this 17th day of November, 1989 at Vancouver, British Columbia.



Carl A. von Einsiedel, BSc.
Consulting Geologist

STATEMENT OF COSTS

Project: Dorlon Grid

Period: April 1, 1989 to August 18, 1989

Note: This statement does not include camp construction, road construction or drilling costs

Supervisory / Geological Personnel

Geological

-A.S. Greene 5 man days @ \$350 plus \$300 travel allowance \$ 2,050.00
-C. von Einsiedel 10 man days @ \$250 2,500.00

Supervisory

-B. von Einsiedel 5 man days @ \$200 1,000.00

Travel expense and accommodation

1,388.00

Vehicle rental

-4x4 crew cab 30 days charged @ \$65 per diem 1,950.00

Contract Linecutting Services - Dorlon Grid

Subcontract to Exploration Services Inc.

-labour, mobilization and equipment expense 16,786.00

-crew accommodation 54 man days charged @ \$45 2,430.00

Geophysical Survey - Dorlon Grid

Geophysical survey equipment

-Scintrex Model IGS2 Integrated Mag. / VLF-EM \$750 start-up fee plus 15 days @ \$195.00 per day 3,675.00

-Toshiba laptop computer / plotter 15 days @ \$45 per day 675.00

Consumables (assorted) survey instrument, wire pickets, flagging, hip chain thread etc. 250.00

Field survey technician

-B. von Einsiedel 12 man days @ \$250.00 3,000.00

Data reduction and computer plotting (preliminary only)

-B. von Einsiedel 3 days @ \$250 750.00

-data plotting 430.00

Report Preparation

Geologist

-C. von Einsiedel 2 days @ \$250 500.00

Drafting, secretarial

-37.5 hours @ \$22.00 per hour 660.00

TOTAL COST APPLIED FOR ASSESSMENT CREDIT: \$ 38,044.00

APPENDIX 1

- raw VLF EM data.
Seattle 24.8 KHz.
- raw magnetometer data
base reading 58,000

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
 VLF #2 24.8kHz
 Line: 7800.E Grid: 1. Job: 1. Date: 89/06/10 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
6035.N	-2		-4		67.80		1	17:05:39	
6040.N	-1		-5		67.90		1	17:04:58	
6050.N	-12		-7		68.90		1	17:03:09	
6060.N	-10		-7		69.90		1	17:02:01	
6070.N	-6		-9		72.80		1	17:00:49	
6075.N	-6		-9		86.40		2	16:59:51	
6080.N	-2		-10		69.40		1	16:58:57	
6085.N	-6		-10		69.10		1	16:58:17	
6090.N	-7		-11		69.40		1	16:57:33	
6100.N	-10		-13		68.20		1	16:56:32	
6110.N	-3		-13		66.50		1	16:55:30	
6120.N	-5		-14		64.80		1	16:54:25	
6130.N	-3		-13		62.70		1	16:53:19	
6140.N	4		-13		62.30		1	16:52:22	
6150.N	5		-13		61.80		1	16:51:16	
6160.N	11		-13		61.80		1	16:49:55	
6170.N	14		-13		61.30		1	16:48:38	
6180.N	15		-13		61.90		1	16:47:31	
6190.N	22		-12		62.10		1	16:46:29	
6200.N	27		-12		64.00		1	16:45:27	
6210.N	28		-12		67.10		1	16:44:27	
6220.N	29		-14		70.60		1	16:43:35	
6230.N	28		-16		73.70		1	16:42:25	
6240.N	27		-17		75.10		1	16:41:31	
6250.N	25		-18		79.40		1	16:40:19	
6260.N	26		-18		81.90		1	16:39:25	
6270.N	24		-18		81.50		2	16:38:19	
6280.N	19		-17		85.90		1	16:37:24	
6290.N	13		-18		86.70		2	16:36:26	

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
 VLF #2 24.8kHz
 Line: 7825.E Grid: 1. Job: 1. Date: 89/06/10 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
5860.N	-16		-18		65.50		3	14:57:47	
5870.N	-12		-15		65.10		1	14:56:47	
5880.N	-11		-12		67.20		1	14:54:44	
5890.N	-13		-9		66.50		5	14:52:09	
5900.N	-7		-8		68.90		2	14:50:34	
5910.N	-7		-9		68.60		1	14:49:13	
5920.N	-8		-9		68.00		1	14:48:03	
5930.N	0		-9		64.60		1	14:46:55	
5945.N	-10		-9		67.30		1	14:45:05	
5950.N	-4		-9		66.90		1	14:42:21	
5960.N	-6		-9		66.50		2	14:40:49	
5970.N	-0		-9		63.70		2	14:39:59	
5980.N	3		-8		61.30		2	14:36:27	
5980.N	-3		-8		65.80		1	14:37:03	
5990.N	-6		-8		66.40		1	14:38:32	

6000.N	-2	-6	66.30	1	14:34:12
6010.N	4	-5	63.90	2	14:32:57
6020.N	6	-4	64.00	2	14:31:32
6030.N	5	-0	65.90	2	14:16:02
6040.N	12	0	70.50	1	13:41:49
6045.N	13	-2	70.40	1	13:41:02
6050.N	4	-7	74.80	2	13:39:53
6055.N	-2	-8	74.40	2	13:38:44
6060.N	-3	-8	72.90	1	13:37:23
6065.N	-10	-7	70.50	2	13:36:20
6070.N	-16	-15	69.00	1	13:35:25
6075.N	-8	-16	67.50	3	13:34:11
6080.N	1	-17	64.30	1	13:32:10
6085.N	-6	-16	66.00	1	13:31:18
6090.N	-3	-17	66.30	1	13:30:28
6100.N	-1	-14	64.20	1	13:29:23
6105.N	8	-15	60.10	1	13:28:32
6110.N	10	-14	60.10	1	13:26:57
6110.N	10	-15	58.20	3	13:27:45
6115.N	-0	-14	63.20	2	13:26:09
6120.N	-2	-13	63.60	1	13:25:20
6130.N	2	-13	62.00	2	13:24:09
6140.N	3	-13	61.80	1	13:23:05
6150.N	9	-13	60.20	2	13:21:08
6160.N	5	-13	59.70	1	13:18:57
6170.N	16	-10	59.30	2	13:17:41
6180.N	15	-9	60.10	1	13:16:19
6190.N	24	-9	64.70	1	13:15:08
6200.N	22	-15	65.70	1	13:13:40
6205.N	23	-15	65.70	1	13:13:10
6210.N	13	-17	62.50	1	13:12:27
6220.N	15	-18	66.60	1	13:11:24
6230.N	28	-15	75.90	1	13:10:12
6240.N	23	-15	78.50	1	13:09:08
6245.N	17	-16	78.90	1	13:08:34
6250.N	26	-15	81.90	2	13:07:43
6260.N	18	-14	86.70	1	13:06:09
6270.N	12	-14	86.80	1	13:05:10
6280.N	11	-14	87.80	1	13:03:54
6290.N	15	-14	84.60	1	13:01:42

SCINTREX V2.0 VLF M-Fld R1.6

VLF #2 24.8KHz

Ser No:503238.

Line: 7775.E Grid: 1. Job: 1. Date: 89/06/12 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
6030.N	S		-6		61.70		2	13:17:12	

6030.N	2	6	63.70	1	13:17:00
6040.N	-11	-9	63.60	1	13:15:40
6045.N	-9	-8	63.50	1	13:15:06
6050.N	-13	-7	65.30	1	13:14:21
6060.N	-0	-4	64.40	1	13:13:06
6065.N	-10	-4	62.70	1	13:12:00
6070.N	2	-2	67.50	1	13:10:57
6080.N	-0	-7	69.20	1	13:08:04
6085.N	4	-6	70.00	1	13:07:25
6090.N	1	-8	69.10	1	13:06:44
6100.N	-1	-9	68.60	1	13:05:34
6110.N	1	-10	66.90	1	13:03:53
6110.N	-1	-11	66.00	1	13:04:09
6120.N	-13	-11	66.00	1	13:02:54
6130.N	-8	-12	61.80	1	13:01:46
6140.N	10	-11	59.40	1	13:00:50
6150.N	-2	-13	59.90	1	12:58:35
6160.N	6	-11	58.70	2	12:57:20
6170.N	14	-11	57.80	1	12:55:45
6175.N	17	-11	57.40	1	12:54:59
6180.N	17	-10	57.80	1	12:54:16
6190.N	9	-12	59.40	1	12:53:11
6195.N	11	-12	60.70	2	12:52:33
6200.N	15	-13	62.90	1	12:51:27
6210.N	24	-13	65.40	1	12:50:08
6220.N	17	-14	65.40	1	12:49:04
6230.N	22	-15	68.00	1	12:47:55
6240.N	25	-15	72.00	1	12:46:45
6250.N	26	-16	71.40	1	12:45:43
6260.N	25	-16	77.50	2	12:44:46
6270.N	23	-15	81.20	1	12:43:31
6275.N	22	-16	82.70	1	12:42:42
6280.N	18	-17	83.60	1	12:42:00

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
VLF #2 24.8KHz
Line: 7800.E Grid: 1. Job: 1. Date: 89/06/12 Operator: 1.

Station	Vert	IP	Vert Q	Hor Fld	Dur.	Time	Information
5470.N	-35	-15	80.60	1	11:25:17		
5480.N	-45	-16	72.60	1	11:23:19		
5490.N	-31	-12	75.00	1	11:21:36		
5500.N	-24	-8	75.50	1	11:19:39		
5510.N	-20	-5	77.00	1	11:18:13		
5520.N	-17	-4	78.40	1	11:16:19		
5530.N	-16	-2	80.30	1	11:13:36		
5540.N	-10	-2	85.00	1	11:12:02		
5550.N	-15	-6	85.10	1	11:09:45		
5560.N	-18	-6	80.90	1	11:07:39		
5570.N	-18	-4	82.50	1	11:05:58		
5580.N	-20	-3	83.00	1	11:04:12		
5590.N	-22	-4	83.90	1	11:03:04		
5600.N	-18	-3	85.60	1	11:01:54		
5610.N	-22	-6	83.10	2	10:53:42		
5620.N	-22	-11	82.70	1	10:51:08		
5630.N	-19	-9	80.10	1	10:49:18		
5640.N	-24	-5	76.80	1	10:48:04		
5650.N	-16	-0	80.10	2	10:46:22		
5660.N	-24	-2	80.90	2	10:44:46		
5670.N	-19	-1	80.60	1	10:43:30		
5680.N	-12	2	82.20	1	10:41:14		
5690.N	-14	1	82.90	2	10:39:45		
5700.N	-19	-0	84.40	2	10:38:19		
5710.N	-23	-6	87.00	1	10:36:19		
5720.N	-23	-9	82.30	1	10:34:11		

5730.N	-20	-9	81.20	1	10:32:20
5740.N	-27	-9	83.80	1	10:30:44
5750.N	-35	-14	81.90	1	10:29:26
5760.N	-39	-20	73.00	1	10:28:05
5770.N	-39	-25	69.20	1	10:26:49
5780.N	-43	-32	65.00	2	10:25:34
5790.N	-35	-36	63.40	2	10:24:10
5810.N	-32	-32	61.40	1	09:54:20
5820.N	-32	-30	60.70	1	09:51:40
5830.N	-22	-29	60.50	1	09:49:43
5840.N	-18	-27	59.30	1	09:48:00
5850.N	-20	-23	59.80	1	09:44:08
5860.N	-14	-19	60.40	1	09:42:26
5870.N	-9	-14	61.90	1	09:33:28
5880.N	-12	-13	61.90	1	09:31:54
5890.N	-8	-10	62.50	1	09:30:35
5900.N	-9	-9	64.00	1	09:28:55
5910.N	-5	-9	64.70	2	09:27:30
5920.N	-7	-8	65.40	1	09:26:16
5930.N	-14	-11	65.50	2	09:24:39
5940.N	-5	-10	65.30	1	09:22:55
5950.N	-4	-9	63.90	2	09:19:14
5960.N	-7	-9	65.60	1	09:17:49
5970.N	-6	-8	63.10	2	09:16:37
5980.N	-4	-6	64.00	1	09:15:16
5990.N	-6	-5	63.40	1	09:14:06
6000.N	-8	-5	64.60	1	09:13:06
6010.N	-9	-6	63.30	2	09:11:22
6020.N	-8	-5	63.50	1	09:09:57
6030.N	-3	-4	63.20	2	09:08:27
6035.N	-3	-5	63.30	2	09:07:08

SCINTREX V2.0 VLF M-Fld R1.6

VLF #2 24.8KHz

Ser No:503238.

Line: 7750.E Grid: 1. Job: 1. Date: 89/06/13 Operator: 1.

Station	Vert	IF	Vert	Q	Hor	Fld	Dur.	Time	Information
6020.N	-12		-5		67.30		3	13:54:03	
6030.N	-3		-5		66.50		1	13:52:57	
6035.N	-7		-5		66.80		2	13:51:57	
6040.N	-16		-5		64.60		2	13:50:56	
6045.N	-9		-4		65.20		5	13:49:52	
6050.N	0		-4		64.90		1	13:47:46	
6060.N	-4		-3		65.60		1	13:46:34	
6065.N	-2		-1		66.00		2	13:45:54	
6070.N	-6		-2		65.70		1	13:45:08	
6075.N	0		-1		67.70		2	13:44:15	

6080.N	3	-1	68.80	1	13:42:06
6080.N	4	-1	69.40	1	13:43:14
6090.N	-4	-4	70.60	2	13:40:08
6100.N	-6	-7	72.00	1	13:38:44
6110.N	-7	-7	70.20	2	13:37:43
6120.N	-12	-8	68.40	1	13:36:32
6130.N	-5	-8	66.50	1	13:35:37
6140.N	-6	-9	64.70	1	13:34:39
6150.N	-6	-11	61.90	1	13:33:14
6155.N	-3	-11	60.90	1	13:32:15
6160.N	-2	-11	59.40	1	13:31:18
6165.N	-11	-10	56.90	2	13:30:22
6170.N	-1	-9	58.30	1	13:29:17
6175.N	7	-9	57.50	1	13:28:06
6180.N	9	-9	57.90	1	13:27:03
6185.N	7	-9	58.20	1	13:26:17
6190.N	8	-9	59.30	1	13:24:59
6200.N	7	-10	59.60	2	13:23:50
6205.N	10	-12	59.50	1	13:23:07
6210.N	10	-11	60.40	2	13:22:22
6220.N	21	-12	62.40	1	13:21:21
6225.N	21	-13	63.10	1	13:20:45
6230.N	16	-14	63.30	1	13:19:55
6240.N	21	-13	65.40	1	13:18:49
6250.N	19	-15	66.40	1	13:17:42
6260.N	21	-16	67.20	4	13:15:58
6270.N	25	-15	69.40	1	13:14:25
6280.N	24	-15	72.50	1	13:13:05
6290.N	15	-17	72.70	1	13:08:03

SCINTREX V2.0 VLF M-Fld R1.6

VLF #2 24.8KHz

Ser No:503238.

Line: 7775.E Grid: 1. Job: 1. Date: 89/06/13 Operator: 1.

Station	Vert	IP	Vert Q	Hor Fld	Dur.	Time	Information
5870.N	-10	-12	67.10	1	12:06:55		
5880.N	-5	-10	67.70	2	12:05:23		
5890.N	-7	-7	69.90	1	12:03:42		
5900.N	-8	-7	71.50	1	12:02:01		
5910.N	-5	-7	73.40	2	12:00:28		
5920.N	-1	-5	73.60	1	11:57:53		
5920.N	-5	-5	74.70	1	11:58:35		
5930.N	-9	-8	75.90	1	11:56:29		
5940.N	-0	-10	69.40	1	11:55:06		
5950.N	-6	-8	72.00	1	11:44:21		
5960.N	-6	-8	71.20	2	11:42:51		
5970.N	-11	-7	70.50	2	11:41:11		
5980.N	-11	-5	69.30	1	11:39:47		
5990.N	-12	-4	68.20	1	11:38:37		
6000.N	-8	-4	69.60	1	11:37:25		
6010.N	-8	-5	69.50	1	11:36:15		
6020.N	-6	-5	68.90	2	11:34:50		
6030.N	-0	-5	62.20	6	11:33:41		

SCINTREX V2.0 VLF M-Fld R1.6

VLF #2 24.8kHz

Ser No:503238.

Line: 7725.E Grid: 1. Job: 1. Date: 89/06/14 Operator: 1.

Station	Vert	IP	Vert Q	Hor Fld	Dur.	Time	Information
6030.N	-3		-5	56.90	1	16:10:42	
6040.N	-3		-3	56.30	1	16:09:43	
6045.N	-3		-2	55.60	2	16:09:06	
6050.N	-2		-2	53.90	1	16:08:29	
6055.N	0		-1	55.80	1	16:07:58	
6060.N	0		-1	55.70	1	16:07:23	
6065.N	0		-0	56.50	1	16:06:53	
6070.N	-3		0	57.90	1	16:06:05	
6075.N	-1		1	57.90	1	16:05:33	
6080.N	8		2	57.50	1	16:04:59	
6090.N	2		-0	61.20	1	16:04:07	
6095.N	-0		-2	61.80	1	16:03:39	
6100.N	-2		-2	62.50	1	16:03:01	
6105.N	-2		-3	61.10	1	16:02:31	
6110.N	-0		-3	62.30	1	16:02:03	
6115.N	-7		-5	62.40	1	16:01:34	
6120.N	-0		-5	61.70	2	16:00:29	
6130.N	-12		-7	62.20	1	15:59:17	
6140.N	-16		-8	59.30	1	15:58:31	
6145.N	-13		-8	59.10	1	15:58:03	
6150.N	-8		-9	57.40	1	15:57:25	
6155.N	-13		-9	56.20	2	15:56:52	
6160.N	-8		-8	54.70	1	15:56:07	
6170.N	4		-8	52.80	1	15:54:43	
6180.N	11		-4	53.30	1	15:53:37	
6190.N	8		-6	62.70	1	15:45:15	
6200.N	14		-8	65.30	1	15:44:10	
6210.N	10		-9	68.10	5	15:43:13	
6220.N	14		-10	70.50	1	15:42:05	
6230.N	16		-11	71.60	2	15:40:57	
6240.N	20		-12	74.50	3	15:40:00	
6250.N	18		-13	77.10	1	15:39:11	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #2 24.8kHz

Ser No:503238.

Line: 7750.E Grid: 1. Job: 1. Date: 89/06/14 Operator: 1.

Station	Vert	IP	Vert Q	Hor Fld	Dur.	Time	Information
5460.N	-19		-11	84.90	1	12:20:46	
5470.N	-36		-14	81.50	1	12:18:58	
5480.N	-29		-15	82.10	1	12:15:08	
5490.N	-33		-12	78.80	1	12:12:46	
5500.N	-26		-10	77.40	1	12:10:34	
5510.N	-16		-6	77.80	2	12:09:06	
5520.N	-12		-3	79.10	2	12:07:38	
5530.N	-17		-2	81.70	1	12:06:53	
5540.N	-10		-3	82.00	2	12:05:20	
5550.N	-17		-6	82.50	1	12:03:49	
5560.N	-21		-7	79.10	1	11:59:05	
5570.N	-22		-7	78.40	2	11:58:07	
5580.N	-18		-6	79.50	1	11:56:49	
5590.N	-15		-6	78.80	1	11:55:12	
5600.N	-13		-6	79.00	1	11:53:30	
5610.N	-12		-4	79.20	1	11:51:40	
5620.N	-13		-3	79.80	2	11:38:13	

5630.N	-20	-9	76.80	1	11:38:41
5640.N	-22	-9	79.20	6	11:35:36
5650.N	-25	-8	75.80	2	11:33:14
5660.N	-26	-10	75.00	1	11:32:14
5670.N	-28	-9	72.10	2	11:30:31
5670.N	-24	-8	73.30	1	11:31:02
5680.N	-16	-4	71.50	1	11:29:15
5690.N	-17	-0	75.00	1	11:27:51
5700.N	-21	1	73.40	2	11:25:45
5710.N	-24	-0	75.30	1	11:23:56
5720.N	-23	0	78.30	1	11:21:56
5720.N	-22	-0	77.60	2	11:22:51
5730.N	-23	-1	73.50	1	11:20:50
5740.N	-27	-4	81.90	1	11:19:13
5750.N	-23	-7	81.40	1	11:18:15
5760.N	-22	-11	80.50	1	11:16:36
5760.N	-28	-11	79.30	1	11:17:11
5770.N	-30	-14	77.90	2	11:14:43
5780.N	-23	-19	74.40	1	11:12:15
5790.N	-29	-24	72.10	1	11:08:51
5800.N	-33	-29	69.60	1	11:05:42
5800.N	-31	-29	70.10	2	11:06:25
5810.N	-25	-30	68.30	1	11:03:31
5820.N	-36	-29	64.90	1	11:00:44
5830.N	-27	-29	63.80	1	10:56:53
5840.N	-22	-23	65.10	1	10:54:10
5850.N	-15	-20	66.00	2	10:51:25
5860.N	-15	-20	64.30	1	10:49:30
5870.N	-10	-15	64.90	2	10:46:25
5880.N	-12	-12	64.30	2	10:40:26
5890.N	-3	-8	67.20	2	10:38:43
5900.N	-3	-5	68.80	2	10:36:59
5900.N	-3	-5	69.90	1	10:37:25
5910.N	2	-4	70.20	1	10:35:25
5920.N	-1	-3	71.00	2	10:33:54
5930.N	0	-4	71.60	2	10:32:20
5940.N	-15	-8	70.60	1	10:30:00
5940.N	-9	-7	72.30	1	10:30:40
5950.N	-5	-9	67.70	1	10:25:57
5960.N	-9	-8	66.90	1	10:24:12
5970.N	-11	-7	65.30	1	10:22:36
5980.N	-9	-5	64.20	1	10:21:02
5990.N	-17	-4	64.30	1	10:20:00
6000.N	-7	-5	64.00	2	10:18:59
6010.N	-10	-5	63.90	1	10:17:33
6020.N	-7	-6	61.40	3	10:16:15
6030.N	-6	-6	59.80	1	10:14:27

5990.N	-7	-3	75.40	2	11:32:30
6000.N	-13	-4	73.60	6	11:31:34
6010.N	-15	-6	71.60	1	11:30:35
6020.N	-11	-7	68.00	2	11:29:27
6025.N	-6	-5	65.50	2	10:56:48
6030.N	-10	-5	66.60	1	10:55:48
6035.N	-15	-4	64.70	1	10:55:09
6040.N	-8	-2	64.40	1	10:54:25
6050.N	-6	-1	64.20	1	10:53:25
6055.N	-9	-0	63.60	2	10:52:43
6060.N	-4	0	64.10	2	10:51:57
6065.N	4	0	63.90	1	10:51:25
6070.N	-0	1	65.20	2	10:50:34
6075.N	-0	1	65.70	1	10:49:51
6080.N	-7	0	65.50	2	10:49:11
6090.N	4	0	68.10	3	10:47:40
6090.N	2	0	68.10	3	10:48:02
6100.N	-2	-1	71.80	1	10:45:49
6100.N	-4	-1	69.90	2	10:46:28
6110.N	-3	-4	69.70	2	10:38:08
6115.N	4	-4	66.70	3	10:37:38
6120.N	-0	-5	68.30	2	10:36:46
6130.N	-11	-8	66.10	2	10:34:41
6135.N	-13	-8	63.90	1	10:33:52
6140.N	-23	-8	60.30	2	10:32:50
6150.N	-13	-7	60.00	2	10:31:39
6155.N	-13	-7	59.00	1	10:30:57
6160.N	-16	-7	57.60	1	10:30:12
6165.N	-10	-6	55.80	1	10:29:33
6170.N	-13	-7	55.20	1	10:28:47
6175.N	-4	-7	54.20	2	10:28:06
6180.N	-4	-6	54.20	1	10:26:44
6180.N	-5	-7	53.40	1	10:27:20
6185.N	4	-6	53.90	2	10:26:05
6190.N	1	-7	54.20	1	10:25:21
6195.N	6	-7	54.00	2	10:24:40
6200.N	15	-6	52.80	1	10:23:55
6210.N	7	-7	55.90	1	10:22:50
6220.N	8	-9	57.00	1	10:21:52
6230.N	11	-10	57.90	2	10:20:49
6240.N	13	-11	59.40	2	10:19:45
6250.N	14	-12	61.00	1	10:18:28
6260.N	13	-14	61.70	1	10:17:13
6270.N	14	-15	61.80	1	10:16:04

SCINTREX V2.0

VLF M-Flid R1.6

VLF #2 24.8KHz

Ser No:503238.

Line: 7725.E Grid:

1.

Job:

1.

Date: 89/06/16 Operator:

1.

Station	Vert	IP	Vert	Q	Hor	Flid	Dur.	Time	Information
5895.N		-0		-5		62.10	1	09:33:29	
5900.N		4		-4		61.20	2	09:31:32	
5910.N		5		-3		64.30	1	09:30:07	
5915.N		5		-3		65.80	1	09:28:08	
5920.N		2		-2		67.00	1	09:27:21	
5970.N		1		-7		73.10	1	09:25:00	

5850.N	0	0	0.00	0	11:28:01
5900.N	0	0	0.00	0	11:16:44
5940.N	0	0	0.00	0	11:10:28
5950.N	17	5	6.94	1	10:55:11
5960.N	12	4	6.90	2	10:54:08
5970.N	17	5	6.82	1	10:53:07
5980.N	18	7	6.73	1	10:52:05
5990.N	13	4	6.80	1	10:50:58
6000.N	7	1	6.81	1	10:49:40
6010.N	13	3	6.75	1	10:48:37
6020.N	1	-0	6.35	1	10:47:31
6030.N	8	1	6.51	0	10:46:21
6040.N	5	-0	6.49	2	10:45:09
6050.N	9	2	6.53	2	10:43:52
6060.N	3	2	6.15	1	10:35:10
6070.N	6	3	6.06	1	10:34:05
6080.N	6	3	6.06	0	10:32:16
6090.N	0	2	5.72	1	10:30:54
6100.N	13	6	5.75	1	10:29:37
6110.N	4	1	5.84	2	10:28:28
6120.N	6	4	5.93	1	10:27:26
6130.N	0	0	5.79	1	10:26:16
6140.N	5	2	5.73	1	10:24:48
6150.N	6	2	5.51	2	10:23:14
6160.N	-0	0	5.63	1	10:21:57
6170.N	-2	-0	5.73	1	10:20:59
6180.N	2	1	5.72	1	10:19:56
6190.N	-7	-0	5.65	1	10:18:53
6200.N	2	3	5.66	1	10:17:33
6210.N	-2	2	5.67	1	10:16:29
6215.N	-3	-0	5.65	1	10:15:24
6220.N	-0	1	5.60	4	10:13:50
6230.N	10	3	5.59	1	10:11:44
6240.N	15	3	5.25	2	10:10:03

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7950.E Grid: 1. Job: 1. Date: 89/05/30 Operator: 1.

Station Vert IP Vert Q Hor Fld Dur. Time Information

5850.N	18	3	17.50	1	12:49:42
5860.N	30	6	17.30	2	12:47:07
5870.N	24	7	17.60	2	12:45:05
5880.N	20	8	17.20	1	12:43:38
5885.N	15	8	17.00	2	12:42:53
5890.N	24	8	16.90	1	12:41:40
5900.N	23	8	16.30	2	12:39:55
5910.N	24	8	15.50	1	12:38:25
5920.N	16	6	14.40	2	12:36:52
5930.N	22	6	14.30	1	12:35:10
5940.N	20	5	14.20	1	12:33:15
5950.N	14	4	15.10	2	12:22:11
5960.N	17	6	14.60	2	12:20:38
5970.N	15	5	14.50	2	12:18:51
5980.N	14	2	14.50	2	12:16:59
6000.N	11	1	13.10	1	12:13:16
6010.N	14	0	12.70	1	12:11:58
6020.N	14	1	12.60	2	12:10:43
6030.N	15	2	12.40	2	12:09:26
6040.N	14	1	11.70	1	12:08:26
6050.N	13	4	10.60	1	12:07:10
6060.N	17	5	8.65	1	12:05:35
6070.N	10	2	8.53	1	12:04:33
6080.N	15	5	8.13	1	12:02:32
6090.N	26	9	6.86	1	12:01:21

6110.N	17	4	7.45	1	11:58:18
6120.N	11	2	7.80	1	11:56:31
6130.N	3	0	8.05	1	11:55:21
6140.N	0	0	7.83	2	11:54:12
6150.N	1	-0	7.81	1	11:52:28

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7951.E Grid: 1. Job: 1. Date: 89/05/30 Operator: 1.

Station	Vert	IP	Vert @	Hor Fld	Dur.	Time	Information
5650.N	7		-0	12.30	1	13:51:04	
5655.N	9		0	13.50	2	13:49:48	
5660.N	9		-0	13.20	1	13:49:05	
5670.N	19		3	13.90	1	13:47:05	
5680.N	39		7	11.60	2	13:43:39	
5690.N	22		0	12.90	1	13:40:54	
5700.N	24		0	12.70	2	13:39:06	
5710.N	24		1	13.00	1	13:37:34	
5720.N	22		-0	13.90	1	13:35:17	
5730.N	24		0	14.20	1	13:33:37	
5740.N	27		0	13.90	1	13:31:55	
5750.N	23		3	14.10	2	13:28:56	
5760.N	27		5	14.20	1	13:27:35	
5770.N	23		4	13.80	1	13:25:47	
5775.N	23		3	13.60	1	13:24:27	
5780.N	22		1	12.90	1	13:23:37	
5790.N	29		3	13.60	1	13:21:50	
5800.N	23		1	13.60	1	13:19:20	
5810.N	27		1	13.50	1	13:17:37	
5820.N	27		1	13.60	1	13:15:48	
5830.N	28		3	14.00	1	13:14:17	
5835.N	20		1	14.20	2	13:12:56	
5840.N	23		3	14.30	2	13:11:51	
5850.N	23		2	14.50	1	13:09:00	
5860.N	13		1	13.40	1	13:07:35	
5870.N	24		5	14.10	1	13:05:59	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7952.E Grid: 1. Job: 1. Date: 89/05/31 Operator: 1.

Station	Vert	IP	Vert @	Hor Fld	Dur.	Time	Information
6270.N	0		0	0.00	0	16:06:20	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 8000.E Grid: 1. Job: 1. Date: 89/05/29 Operator: 1.

5570.N	16	9	13.60	1	15:25:26
5580.N	26	12	12.90	1	15:21:36
5590.N	7	7	13.90	1	15:18:39
5600.N	21	9	13.10	1	15:16:18
5610.N	12	7	13.30	1	15:13:52
5620.N	15	7	13.00	1	15:11:23
5630.N	17	6	12.90	1	15:09:41
5640.N	12	3	13.30	1	15:06:25
5650.N	7	-4	13.90	1	14:55:23
5660.N	6	-4	14.60	2	14:53:10
5670.N	19	-1	14.70	1	14:50:23
5680.N	9	-1	15.10	1	14:48:59
5690.N	15	-1	15.20	1	14:47:28
5700.N	22	1	15.10	1	14:45:19
5710.N	23	0	15.20	3	14:43:28
5720.N	25	2	15.00	1	14:41:41
5730.N	33	4	14.40	1	14:39:39
5740.N	30	4	14.40	1	14:37:46
5750.N	32	4	14.00	1	14:36:09
5760.N	28	1	13.70	1	14:34:36
5770.N	28	1	13.20	1	14:32:50
5780.N	20	4	12.80	1	14:19:29
5790.N	21	4	13.00	1	14:17:55
5800.N	29	7	12.50	1	14:16:12
5810.N	26	6	12.70	1	14:14:24
5820.N	18	5	12.50	2	14:12:30
5830.N	22	5	12.60	1	14:09:39
5840.N	18	3	12.70	2	14:06:31
5850.N	16	3	12.80	1	14:04:15
5860.N	13	1	12.70	1	14:02:35
5870.N	12	4	12.80	1	13:59:47
5880.N	18	6	12.80	1	13:57:51
5890.N	15	6	12.80	1	13:55:51
5900.N	19	8	12.40	1	13:53:39
5910.N	15	7	12.10	8	13:51:20
5920.N	14	6	12.10	1	13:49:03
5930.N	16	6	12.20	1	13:47:03
5940.N	15	6	11.90	1	13:45:41
5950.N	16	4	11.90	1	13:32:47
5950.N	13	4	11.80	2	13:33:34
5960.N	6	2	11.40	2	13:30:26
5960.N	7	2	11.30	1	13:31:17
5970.N	7	2	11.20	2	13:28:11
5970.N	19	5	11.30	1	13:29:04
5980.N	2	0	10.90	2	13:25:44
5980.N	11	2	11.60	1	13:26:21
5980.N	13	3	11.50	2	13:26:47
5990.N	5	1	10.80	1	13:23:52
5990.N	4	1	10.80	1	13:24:30
6000.N	6	0	10.90	1	13:21:29
6000.N	5	0	10.70	2	13:22:44
6010.N	10	0	10.90	2	13:19:11
6010.N	10	0	11.00	1	13:19:56
6020.N	12	1	11.10	2	13:17:05
6020.N	9	1	10.80	1	13:17:48
6030.N	13	1	11.10	1	13:14:55
6030.N	11	1	10.90	2	13:15:40
6040.N	16	4	10.80	1	13:13:31
6050.N	11	2	10.50	3	13:11:23
6050.N	11	2	10.40	1	13:12:08
6060.N	10	1	10.50	2	13:09:40
6060.N	10	1	10.50	3	13:10:22
6070.N	8	0	10.50	1	13:07:17
6070.N	10	0	10.40	2	13:08:30
6080.N	8	0	10.50	2	13:04:58

6040.N	9	11	11.00	0	13:15:54
6050.N	17	12	10.90	1	13:14:35
6060.N	7	11	10.60	1	13:13:23
6065.N	14	9	10.60	1	13:12:15
6070.N	20	11	10.40	1	13:11:25
6080.N	4	7	10.70	2	13:08:18
6085.N	9	7	11.00	1	13:07:37
6090.N	15	8	11.10	1	13:06:57
6100.N	10	8	11.30	1	13:05:46
6110.N	21	10	11.00	1	13:04:24
6110.N	16	9	11.20	1	13:04:45
6120.N	2	7	10.80	1	13:03:07
6130.N	1	5	11.10	1	13:01:58
6140.N	7	6	11.40	1	13:01:02
6150.N	7	8	11.20	1	12:58:53
6160.N	12	7	10.80	1	12:57:35
6170.N	18	9	10.30	1	12:56:02
6175.N	7	7	10.50	1	12:55:14
6180.N	7	6	10.60	1	12:54:29
6190.N	-3	6	10.60	1	12:53:24
6195.N	-5	5	10.60	0	12:52:45
6200.N	-3	7	10.80	1	12:51:40
6210.N	-2	6	11.00	2	12:50:30
6220.N	-13	5	11.20	1	12:49:17
6230.N	-6	7	11.60	1	12:48:07
6240.N	-6	8	11.90	1	12:46:57
6250.N	-7	8	12.00	1	12:45:57
6260.N	-5	9	11.60	1	12:45:00
6270.N	-3	9	12.10	1	12:43:45
6275.N	-3	8	12.60	1	12:42:56
6280.N	-0	9	12.70	2	12:42:13

SCINTREX V2.0 VLF M-Flid R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7800.E Grid: 1. Job: 1. Date: 89/06/12 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Flid	Dur.	Time	Information
5470.N	0	5	11.90	1	11:25:30				
5480.N	-2	3	11.30	1	11:23:32				
5490.N	13	4	11.10	0	11:21:50				
5500.N	7	1	11.30	1	11:19:54				
5510.N	7	-0	11.60	1	11:18:26				
5520.N	6	-0	11.80	1	11:16:30				
5530.N	12	-0	11.80	1	11:13:48				
5540.N	12	0	12.20	0	11:12:14				
5550.N	19	3	12.10	1	11:10:00				
5560.N	25	5	11.50	0	11:07:53				
5570.N	26	4	11.10	1	11:06:14				
5580.N	22	1	11.00	1	11:04:26				
5590.N	21	2	10.90	0	11:03:15				
5600.N	29	4	10.70	1	11:02:10				
5610.N	25	2	9.75	2	10:53:59				
5620.N	27	1	9.61	1	10:51:22				
5630.N	27	0	9.43	1	10:49:53				
5640.N	17	-2	9.42	1	10:48:17				
5650.N	23	-5	9.46	1	10:46:36				
5660.N	25	-2	9.65	1	10:45:02				
5670.N	33	-0	9.64	1	10:43:44				
5680.N	35	1	9.36	1	10:41:28				
5690.N	35	0	9.20	1	10:39:59				
5700.N	32	0	9.22	1	10:38:32				
5710.N	32	4	9.40	1	10:36:33				
5720.N	36	5	9.01	2	10:34:28				
5730.N	31	3	9.15	1	10:32:40				

5740.N	32	8	9.31	1	10:29:44
5750.N	37	9	9.26	1	10:28:20
5770.N	39	12	9.38	2	10:27:05
5780.N	39	14	9.18	1	10:25:51
5790.N	38	14	9.16	1	10:24:28
5810.N	34	15	5.72	2	09:54:41
5820.N	30	14	5.64	1	09:51:56
5830.N	28	11	5.33	1	09:50:00
5840.N	28	12	5.55	1	09:48:17
5850.N	24	9	5.15	2	09:44:46
5860.N	31	13	5.51	1	09:42:39
5870.N	21	7	5.36	1	09:33:41
5880.N	24	8	5.56	1	09:32:12
5890.N	26	9	5.37	1	09:30:53
5900.N	24	7	5.49	1	09:29:08
5910.N	20	6	5.44	2	09:27:48
5920.N	22	6	5.51	1	09:26:31
5930.N	11	4	5.29	1	09:24:56
5940.N	22	10	5.45	1	09:23:11
5940.N	24	11	5.42	2	09:23:34
5950.N	15	5	5.53	2	09:19:31
5960.N	18	7	5.43	1	09:18:09
5970.N	18	8	5.38	2	09:16:52
5980.N	14	7	5.26	2	09:15:29
5990.N	19	8	5.31	1	09:14:21
6000.N	13	5	5.45	1	09:13:20
6010.N	12	6	5.42	2	09:11:39
6020.N	11	5	5.53	1	09:10:13
6030.N	15	8	5.70	1	09:08:41
6035.N	15	9	5.88	2	09:07:36

SCINTREX V2.0 VLF M-Flid R1.6

VLF #3 23.4KHz

Ser No:503238.

Line: 7750.E Grid: 1. Job: 1. Date: 89/06/13 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Flid	Dur.	Time	Information
6020.N	22		14		11.60		1	13:54:16	
6030.N	28		16		11.10		1	13:53:08	
6035.N	16		14		11.20		2	13:52:11	
6040.N	9		12		11.00		5	13:51:16	
6045.N	15		12		11.00		14	13:50:20	
6050.N	4		11		10.80		2	13:47:59	
6050.N	19		13		10.90		2	13:48:41	
6060.N	16		12		10.90		3	13:46:53	
6065.N	14		11		11.00		1	13:46:08	
6070.N	12		10		11.10		1	13:45:24	
6075.N	19		12		10.80		1	13:44:37	
6080.N	11		10		11.30		1	13:43:30	
6090.N	6		10		11.80		1	13:40:24	
6100.N	18		12		11.70		1	13:38:56	
6110.N	11		10		12.30		1	13:37:57	

6120.N	7	10	12.20	1	13:30:40
6130.N	12	9	12.20	2	13:35:49
6140.N	9	9	12.20	1	13:34:53
6150.N	7	10	12.00	1	13:33:28
6155.N	12	11	11.70	1	13:32:35
6160.N	9	10	11.80	1	13:31:32
6165.N	3	8	11.70	2	13:30:42
6170.N	2	8	11.80	6	13:29:35
6175.N	-5	6	11.50	1	13:28:21
6175.N	3	8	11.70	1	13:28:47
6180.N	2	7	11.80	1	13:27:24
6185.N	-0	6	11.90	1	13:26:31
6190.N	-0	4	11.70	1	13:25:34
6200.N	-14	3	12.00	1	13:24:03
6205.N	-11	4	12.40	1	13:23:21
6210.N	-11	3	12.70	1	13:22:38
6220.N	-2	6	13.10	1	13:21:32
6225.N	1	6	13.10	1	13:20:56
6230.N	1	7	13.20	5	13:20:16
6240.N	-5	6	13.70	2	13:19:05
6250.N	-7	6	13.90	1	13:17:59
6260.N	-5	7	14.40	1	13:16:30
6270.N	0	7	14.40	1	13:14:43
6280.N	1	7	14.60	1	13:13:23
6290.N	0	8	15.10	1	13:08:35

SCINTREY V2.0 VLF M-Flid R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7775.E Grid: i. Job: 1. Date: 89/06/13 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Flid	Dur.	Time	Information
5870.N	24		9		8.80	1	12:07:17		
5880.N	27		10		9.18	1	12:05:45		
5890.N	24		7		9.05	1	12:04:17		
5900.N	16		5		9.03	2	12:02:16		
5910.N	16		7		9.16	1	12:00:43		
5920.N	15		5		9.12	1	11:58:08		
5930.N	17		7		9.09	1	11:56:47		
5940.N	20		8		8.89	1	11:55:25		
5950.N	21		9		8.63	1	11:44:34		
5960.N	18		8		8.63	1	11:43:10		
5970.N	14		6		8.84	1	11:41:35		
5980.N	11		4		8.82	1	11:40:00		
5990.N	7		3		8.79	1	11:38:53		
6000.N	10		5		9.01	1	11:37:43		
6010.N	14		8		9.12	2	11:36:31		
6020.N	11		7		9.17	1	11:35:08		
6030.N	21		11		8.66	2	11:34:01		

SDINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4KHz

Ser No:503238.

Line: 7750.E Grid: 1. Job: 1. Date: 89/06/14 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
5780.N		45	27			4.91	2	11:13:18	
5790.N		45	25			10.40	1	11:09:06	
5800.N		35	20			11.10	2	11:05:59	
5800.N		33	19			11.10	1	11:06:39	
5810.N		28	16			11.00	1	11:03:49	
5820.N		22	15			10.30	3	11:01:04	
5830.N		28	15			11.00	2	10:57:16	
5840.N		26	13			10.30	2	10:54:29	
5850.N		32	13			10.70	1	10:51:42	
5860.N		26	11			10.80	4	10:49:53	
5870.N		24	9			10.60	1	10:46:45	
5870.N		20	8			10.60	1	10:47:16	
5880.N		16	3			8.45	2	10:40:43	
5890.N		22	8			8.91	1	10:38:56	
5900.N		21	7			8.63	1	10:37:39	
5910.N		27	9			8.24	1	10:35:40	
5920.N		17	7			8.27	1	10:34:14	
5930.N		17	6			8.88	1	10:32:35	
5940.N		13	9			8.80	1	10:30:19	
5940.N		17	9			8.81	1	10:30:55	
5950.N		16	7			9.08	1	10:26:34	
5960.N		14	7			9.05	4	10:24:32	
5970.N		11	5			9.19	1	10:22:55	
5980.N		16	7			9.17	2	10:21:24	
5990.N		11	6			9.58	1	10:20:15	
6000.N		16	9			9.76	1	10:19:15	
6010.N		17	11			9.94	2	10:17:48	
6020.N		20	14			9.70	3	10:16:32	
6030.N		18	14			9.74	3	10:15:21	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4KHz

Ser No:503238.

Line: 7650.E Grid: 1. Job: 1. Date: 89/06/16 Operator: 1.

Station	Vert	IF	Vert	Q	Hor	Fld	Dur.	Time	Information
6020.N		9	12		10.60		0	14:38:22	
6025.N		8	13		10.90		1	14:37:42	
6030.N		6	15		10.80		1	14:37:04	
6040.N		1	13		10.40		1	14:35:52	
6045.N		5	13		10.50		2	14:35:10	
6050.N		8	14		10.30		1	14:34:25	
6055.N		4	13		10.20		1	14:33:44	
6060.N		3	13		10.40		1	14:33:05	
6065.N		1	13		10.50		2	14:32:22	
6070.N		1	12		10.40		1	14:31:31	
6075.N		-4	11		10.20		2	14:30:34	
6080.N		-3	10		10.40		1	14:29:51	
6090.N		-2	10		10.60		1	14:28:47	
6100.N		-5	9		10.70		1	14:27:33	
6105.N		-9	9		10.50		1	14:26:44	
6110.N		-6	11		10.80		1	14:25:34	
6120.N		-1	13		11.10		2	14:23:59	
6125.N		-0	14		11.20		1	14:23:16	
6130.N		0	14		11.20		1	14:22:01	
6140.N		-2	13		11.10		1	14:20:51	
6150.N		-3	13		10.80		1	14:18:45	
6160.N		-7	9		10.90		2	14:17:08	
6170.N		-8	9		11.20		2	14:16:08	
6175.N		-6	10		11.40		1	14:15:29	
6180.N		1	10		11.50		1	14:14:38	
6185.N		-3	9		11.70		2	14:13:52	
6190.N		-6	9		11.60		1	14:13:02	
6195.N		1	11		11.70		2	14:12:14	
6200.N		0	10		12.00		1	14:11:30	
6210.N		-0	10		11.80		1	14:10:18	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4KHz

Ser No:503238.

Line: 7700.E Grid: 1. Job: 1. Date: 89/06/16 Operator: 1.

Station	Vert	IF	Vert	Q	Hor	Fld	Dur.	Time	Information
5500.N		20	5		14.30		2	13:13:06	
5510.N		27	5		13.90		1	13:11:56	
5520.N		21	2		14.10		1	13:10:41	
5530.N		28	1		14.30		1	13:09:14	
5540.N		21	1		14.70		1	13:07:57	
5550.N		21	0		14.60		1	13:06:50	
5560.N		24	-0		14.70		1	13:05:23	
5570.N		24	1		14.90		2	13:04:03	
5580.N		29	1		14.90		1	13:02:45	
5590.N		27	3		14.90		3	13:01:26	
5600.N		22	2		14.80		1	13:00:18	
5610.N		26	1		14.80		2	12:58:53	
5620.N		25	0		14.60		1	12:57:16	
5630.N		21	-0		15.10		1	12:55:06	
5640.N		20	-1		15.20		2	12:52:59	
5650.N		29	0		15.20		1	12:51:05	
5660.N		28	1		15.10		2	12:49:34	
5670.N		22	0		15.50		1	12:48:07	

5690.N	27	0	15.90	4	12:45:42
5700.N	26	3	16.10	0	12:44:15
5710.N	31	3	15.70	1	12:42:37
5720.N	32	0	15.50	1	12:41:12
5730.N	30	-1	15.20	2	12:39:54
5740.N	38	-0	14.90	3	12:37:04
5750.N	39	5	14.40	1	12:24:31
5750.N	34	1	15.10	3	12:25:55
5770.N	34	5	14.10	1	12:22:48
5780.N	37	8	13.80	2	12:21:30
5790.N	38	12	13.80	1	12:19:31
5800.N	38	17	13.10	1	12:17:53
5810.N	42	24	12.50	1	12:16:29
5820.N	30	24	12.20	1	12:14:41
5830.N	38	25	11.80	1	12:12:52
5840.N	32	20	11.70	1	12:09:59
5850.N	31	17	11.20	1	12:07:15
5860.N	33	17	11.20	2	12:00:00
5870.N	27	14	10.50	3	11:57:48
5880.N	22	13	9.38	1	11:56:01
5890.N	23	12	8.96	2	11:53:57
5900.N	20	9	9.14	1	11:52:06
5910.N	19	7	9.09	2	11:50:28
5920.N	14	4	9.28	3	11:48:55
5930.N	16	6	9.03	1	11:42:38
5940.N	18	11	8.44	1	11:41:01
5950.N	15	9	8.32	1	11:38:00
5960.N	5	7	8.04	2	11:36:37
5970.N	19	11	8.06	2	11:35:38
5980.N	15	9	8.24	1	11:34:01
5990.N	13	9	8.37	1	11:32:42
6000.N	9	10	8.36	2	11:31:49
6010.N	13	14	8.43	3	11:30:49
6020.N	12	16	8.18	1	11:29:41
6030.N	18	15	7.83	1	10:56:15
6040.N	9	13	7.97	1	10:54:37
6050.N	4	12	7.95	2	10:53:41
6055.N	8	13	7.96	1	10:52:57
6060.N	3	12	8.14	1	10:52:12
6070.N	-1	9	8.16	1	10:50:47
6075.N	9	12	8.18	3	10:50:06
6080.N	-5	9	8.11	2	10:49:25
6090.N	6	13	8.29	1	10:48:18
6100.N	-2	11	8.38	2	10:46:05
6100.N	4	12	8.39	1	10:46:43
6110.N	6	13	9.02	2	10:38:23
6120.N	10	13	9.00	3	10:37:04
6130.N	7	14	9.34	2	10:35:11
6135.N	5	13	9.46	1	10:34:05
6140.N	-0	13	9.05	2	10:33:11
6150.N	0	10	9.93	3	10:31:55
6155.N	3	12	9.98	2	10:31:11
6160.N	2	10	10.10	1	10:30:28
6165.N	0	9	10.20	1	10:29:47
6170.N	-5	8	10.50	1	10:29:01
6175.N	-8	7	10.60	1	10:28:18
6180.N	-7	6	11.00	1	10:26:59
6180.N	-5	8	10.80	1	10:27:33
6185.N	-7	6	11.20	1	10:26:19
6190.N	-2	8	11.50	1	10:25:33
6195.N	-7	7	11.70	1	10:24:54
6200.N	-10	8	12.00	1	10:24:09
6210.N	0	10	12.30	1	10:23:03
6220.N	-0	10	12.60	1	10:22:05
6230.N	-3	10	13.00	1	10:21:08

6250.N	1	12	13.50	1	10:18:41
6260.N	-4	11	14.10	1	10:17:26
6270.N	0	14	13.40	1	10:16:17

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
 VLF #3 23.4KHz
 Line: 7725.E Grid: 1. Job: 1. Date: 89/06/16 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
5895.N	15		7		4.64		2	09:33:45	
5900.N	32		14		4.66		1	09:31:48	
5910.N	28		12		4.74		1	09:30:20	
5915.N	26		13		4.69		2	09:28:21	
5920.N	20		10		4.90		1	09:27:36	
5930.N	20		8		5.10		1	09:25:29	
5935.N	19		10		5.11		1	09:23:52	
5940.N	24		11		5.00		1	09:23:13	
5950.N	17		11		5.12		1	09:21:03	
5960.N	11		6		5.18		1	09:17:57	
5970.N	12		8		5.14		1	09:16:42	
5980.N	19		11		5.11		1	09:15:16	
5990.N	18		11		5.18		1	09:14:03	
6000.N	20		15		5.05		5	09:13:04	
6010.N	21		17		5.20		1	09:12:01	
6020.N	13		12		5.16		2	09:10:29	
6025.N	13		15		5.16		1	09:08:15	
6030.N	13		16		5.18		2	09:07:30	

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
 VLF #3 23.4KHz
 Line: 7600.E Grid: 1. Job: 1. Date: 89/06/19 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
6010.N	6		9		10.40		2	14:21:33	
6020.N	1		11		10.60		2	14:20:23	
6025.N	4		11		10.70		2	14:19:43	
6030.N	4		11		10.60		2	14:18:58	
6035.N	3		11		10.70		2	14:18:20	
6040.N	1		12		10.90		2	14:17:34	
6050.N	7		14		10.60		1	14:16:17	
6055.N	1		12		10.60		1	14:15:40	
6060.N	-6		11		10.80		1	14:14:59	
6070.N	-4		12		10.70		1	14:13:38	
6075.N	-7		10		10.80		1	14:12:56	
6080.N	-9		8		10.70		1	14:12:08	
6090.N	-5		9		11.00		1	14:11:12	
6095.N	-7		8		11.00		1	14:10:30	
6100.N	-7		8		11.20		2	14:09:51	
6105.N	-5		9		11.40		1	14:09:07	
6110.N	-9		9		11.60		1	14:08:26	
6115.N	-3		10		11.40		2	14:07:47	

6125.N	-5	11	11.70	1	14:08:18
6130.N	-0	12	11.50	1	14:05:28
6135.N	-1	12	11.90	2	14:04:47
6140.N	-2	11	11.70	1	14:03:30
6145.N	-3	10	11.80	1	14:02:28
6150.N	0	10	11.60	1	14:01:37

SCINTREX V2.0 VLF M-Fld R1.6 Ser No:503238.
 VLF #3 23.4KHz Line: 7650.E Grid: 1. Job: 1. Date: 89/06/19 Operator: 1.

Station	Vert	IF	Vert	Q	Hor	Fld	Dur.	Time	Information
5860.N	22		13			9.77	1	13:11:04	
5870.N	21		13			9.93	1	13:08:04	
5880.N	18		12			9.94	2	13:06:25	
5890.N	14		9			9.92	1	13:04:52	
5900.N	18		10			9.91	1	13:02:59	
5910.N	16		10			9.86	2	12:56:51	
5920.N	16		10			9.87	2	12:55:22	
5930.N	15		9			10.20	1	12:53:44	
5940.N	12		9			10.30	2	12:52:36	
5950.N	12		9			10.40	1	12:50:02	
5955.N	9		9			10.40	2	12:49:10	
5960.N	14		10			10.50	1	12:48:18	
5970.N	11		10			10.50	1	12:47:17	
5980.N	12		11			10.70	1	12:46:14	
5990.N	10		12			10.80	1	12:45:06	
6000.N	17		12			10.50	1	12:43:45	
6010.N	13		13			10.80	4	12:42:45	
6020.N	6		12			10.90	1	12:41:31	
6025.N	9		14			10.90	1	12:40:50	
6030.N	14		13			10.60	1	12:40:13	

E

5810.N	9		20			8.32	2	13:10:34	
5820.N	21		27			8.45	1	13:06:55	
5830.N	15		25			8.56	1	13:03:01	
5840.N	10		19			8.84	1	12:59:30	
5850.N	11		17			9.08	1	12:57:08	
5860.N	11		16			8.52	1	12:55:02	
5870.N	7		16			8.60	1	12:52:32	
5880.N	16		19			8.35	2	12:50:04	
5890.N	13		17			8.10	1	12:46:27	
5900.N	6		14			8.14	1	12:44:15	
5910.N	0		12			7.87	1	12:42:04	
5920.N	1		8			8.00	1	12:40:04	
5930.N	-5		5			8.42	1	12:37:57	
5940.N	7		12			8.48	2	12:36:36	
5950.N	5		11			8.54	1	12:33:28	

VLF #3 23.4kHz

Ser No:503238.

Line: 7600.E Grid: 1. Job: 1. Date: 89/07/01 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
5950.N		3		9	8.15		2	12:58:15	
5960.N		1		7	8.11		2	12:56:39	
5970.N		5		7	8.36		1	12:55:24	
5975.N		6		8	8.38		1	12:54:47	
5980.N		5		7	8.22		1	12:53:43	
5990.N		4		8	8.43		2	12:52:29	
6000.N		5		8	8.08		2	12:51:24	
6010.N		3		7	8.26		1	12:50:17	
6020.N		4		11	8.78		1	12:48:12	
6020.N		7		13	8.16		1	12:49:00	

SCINTREX V2.0 VLF M-Fld R1.6

VLF #3 23.4kHz

Ser No:503238.

Line: 7600.E Grid: 1. Job: 1. Date: 89/07/02 Operator: 1.

Station	Vert	IP	Vert	Q	Hor	Fld	Dur.	Time	Information
5530.N		23		5	15.70		1	14:40:20	
5540.N		21		1	12.50		2	15:04:59	
5550.N		17		0	12.80		2	15:08:15	
5560.N		13		-2	13.10		1	15:09:20	
5570.N		18		-0	13.80		2	15:11:24	
5580.N		25		1	13.70		1	15:13:08	
5590.N		28		4	13.10		1	15:14:22	
5600.N		33		5	12.90		0	15:16:12	
5610.N		26		5	12.90		1	15:17:41	
5620.N		28		5	12.60		1	15:19:29	
5630.N		26		5	12.50		2	15:20:46	
5640.N		31		6	12.40		2	15:23:19	
5640.N		29		8	12.30		1	15:26:54	
5650.N		33		10	12.30		1	15:28:52	
5660.N		35		13	11.50		2	15:30:05	
5670.N		32		13	12.10		2	15:31:04	
5680.N		37		12	11.90		2	15:32:46	
5690.N		43		27	11.60		1	15:33:57	
5700.N		40		18	11.20		1	15:35:56	
5710.N		31		16	11.00		1	15:38:13	
5710.N		39		17	10.80		1	15:40:41	
5730.N		46		24	9.79		2	15:42:05	
5740.N		38		23	10.10		1	15:43:28	
5750.N		39		23	10.00		1	15:45:11	
5760.N		35		24	9.62		2	15:46:36	
5770.N		35		20	9.83		1	15:48:09	
5780.N		41		32	9.54		2	15:50:25	
5790.N		20		24	9.47		2	15:53:01	
5800.N		24		28	9.28		2	15:55:50	
5810.N		23		28	9.06		3	15:57:51	
5820.N		23		30	9.03		2	16:00:08	
5830.N		16		23	9.21		1	16:02:00	
5840.N		15		19	9.10		1	16:05:23	
5850.N		14		16	8.84		2	16:09:22	
5860.N		6		12	8.23		2	16:11:55	
5870.N		9		13	8.25		1	16:16:39	
5880.N		8		12	8.21		1	16:19:24	
5890.N		8		0	8.51		1	16:23:02	
5900.N		6		0	8.20		2	16:25:08	
5910.N		5		11	8.35		1	16:26:55	
5920.N		5		11	8.11		3	16:28:07	
5930.N		-1		8	8.22		1	16:29:42	
5940.N		9		0	8.43		3	16:31:05	
5950.N		8		0	8.55		2	16:32:22	

SCINTREX V2.0

Magnetometer R1.8

Base Field: 57000.

*Uncorrected Data

Ser No:503238.

Line: 8000.E

Grid:

1.

Job:

1.

Date: 89/06/07

Operator:

1.

Station	Mag	Flt	Change	Time	Information
5705.N	57657.9			17:17:41	
5710.N	57614.3		-43.6	17:16:35	
5720.N	57688.4		74.1	17:18:21	
5725.N	57593.1		-95.3	17:19:05	
5730.N	57660.3		67.2	17:19:27	
5735.N	57595.5		-64.8	17:19:51	
5740.N	57561.8		-33.7	17:20:14	
5745.N	57581.1		19.3	17:20:36	
5750.N	57570.5		-2.6	17:20:58	
5755.N	57620.0		41.5	17:21:18	
5760.N	57620.9		0.9	17:22:03	
5765.N	57630.7		9.8	17:22:25	
5770.N	57588.6		-42.1	17:22:44	
5775.N	57676.8		88.2	17:23:00	
5780.N	57695.9		19.1	17:23:21	
5785.N	57612.1		-83.8	17:23:37	
5790.N	57604.2		-7.9	17:23:59	
5795.N	57636.4		32.2	17:24:16	
5800.N	57581.3		-55.1	17:24:33	
5805.N	57508.7		-72.6	17:25:01	
5810.N	57647.2		138.5	17:25:21	
5815.N	57690.1		42.9	17:25:40	
5820.N	57691.8		1.7	17:25:53	
5825.N	57641.3		-50.5	17:26:07	
5830.N	57595.3		-46.0	17:26:22	
5835.N	57576.3		-19.0	17:26:47	
5840.N	57615.3		39.0	17:27:04	
5845.N	57651.9		36.6	17:27:22	
5850.N	57665.7		13.8	17:27:38	
5855.N	57683.8		18.1	17:28:00	
5860.N	57712.4		28.6	17:28:18	
5865.N	57719.0		6.6	17:28:35	
5870.N	57713.9		-5.1	17:28:54	
5875.N	57720.1		6.2	17:29:12	
5880.N	57726.4		6.3	17:29:33	
5885.N	57763.3		36.9	17:29:53	
5890.N	57794.8		31.5	17:30:11	
5895.N	57833.5		38.7	17:30:36	
5900.N	57825.7		-7.8	17:30:59	
5905.N	57793.6		-32.1	17:31:19	
5910.N	57804.1		10.5	17:31:36	
5915.N	57797.5		-6.6	17:31:58	
5920.N	57818.8		21.3	17:32:34	
5925.N	57829.4		10.6	17:32:56	
5930.N	57852.0		22.6	17:33:22	
5935.N	57894.8		42.8	17:33:39	
5940.N	57891.3		-3.5	17:33:57	
5945.N	57932.2		40.9	17:34:17	
5950.N	57959.9		27.7	17:34:37	
5955.N	57963.9		4.0	17:35:02	
5960.N	57966.9		3.0	17:35:25	
5965.N	58008.9		42.0	17:35:48	
5970.N	58039.9		31.0	17:36:04	
5975.N	58052.5		12.6	17:36:22	
5980.N	58070.2		17.7	17:36:37	
5985.N	58117.6		47.4	17:37:01	
5990.N	58173.4		55.8	17:37:24	
5995.N	58216.7		43.3	17:37:43	

6005.N	58335.1	71.1	17:38:34
6010.N	58398.3	63.2	17:38:52
6015.N	58482.8	84.5	17:39:09
6020.N	58575.3	92.5	17:39:24
6025.N	58745.0	169.7	17:39:51
6030.N	58919.6	173.6	17:40:21
6035.N	59081.2	162.6	17:40:44
6040.N	59314.0	232.8	17:41:04
6040.N	59313.8	-0.2	17:41:14
6045.N	59049.2	-264.6	17:41:37
6045.N	59048.1	-1.1	17:41:52
6050.N	58869.3	-178.8	17:42:16
6055.N	58805.3	-64.0	17:42:32
6060.N	58669.8	-135.5	17:42:46
6065.N	58386.5	-283.3	17:43:02
6070.N	58061.0	-325.5	17:43:15
6075.N	57888.5	-172.5	17:43:33
6080.N	57736.5	-152.0	17:43:55
6085.N	58122.7	386.2	17:44:16
6090.N	58352.3	229.6	17:44:36

SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7800.E Grid: 1. Job: 1. Date: 89/06/10 Operator: 1.

Station	Mag Fld	Change	Time	Information
6035.N	58776.6		17:05:24	
6040.N	59145.4	368.8	17:04:45	
6045.N	59130.6	-14.8	17:03:45	
6045.N	59127.7	-2.9	17:03:54	
6050.N	58588.5	-539.2	17:02:55	
6055.N	57960.9	-627.6	17:02:31	
6060.N	57819.6	-141.3	17:01:43	
6065.N	57986.0	166.4	17:01:23	
6070.N	58066.9	80.9	17:00:31	
6075.N	58503.8	436.9	16:59:30	
6080.N	58945.9	442.1	16:58:36	
6080.N	58931.2	-14.7	16:58:44	
6085.N	58218.1	-713.1	16:58:00	
6090.N	58054.6	-163.5	16:57:19	
6095.N	57626.3	-428.3	16:57:03	
6100.N	57256.7	-369.6	16:56:20	
6105.N	57365.9	109.2	16:55:59	
6110.N	57445.9	80.0	16:55:15	
6115.N	57323.8	-122.1	16:54:57	
6120.N	57620.1	296.3	16:54:14	
6125.N	57705.6	85.5	16:53:54	
6130.N	58068.7	363.1	16:53:06	
6135.N	58387.6	318.9	16:52:46	
6140.N	58590.2	202.6	16:52:08	
6145.N	58760.1	169.9	16:51:50	
6150.N	58839.7	79.6	16:51:04	
6155.N	58879.2	39.5	16:50:42	
6155.N	58879.2	-1.0	16:50:49	

6165.N	58854.0	26.0	16:49:06
6165.N	58833.8	-20.2	16:49:20
6170.N	58824.5	-9.3	16:48:26
6175.N	58777.5	-47.0	16:48:06
6180.N	58794.6	17.1	16:47:18
6185.N	58810.0	15.4	16:46:57
6190.N	58857.1	47.1	16:46:17
6195.N	58803.6	-53.5	16:45:58
6200.N	58798.4	-5.2	16:45:14
6205.N	58749.0	-49.4	16:44:57
6210.N	58662.5	-86.5	16:44:14
6215.N	58583.9	-78.6	16:44:01
6220.N	58351.4	-232.5	16:43:21
6225.N	58109.1	-242.3	16:43:01
6230.N	57873.1	-236.0	16:42:09
6235.N	57678.6	-194.5	16:41:56
6240.N	57479.7	-198.9	16:41:15
6245.N	57322.1	-157.6	16:40:56
6250.N	57263.6	-58.5	16:40:06
6255.N	57251.3	-12.3	16:39:51
6260.N	57156.2	-95.1	16:39:10
6265.N	57103.2	-53.0	16:38:52
6270.N	57116.4	13.2	16:38:05
6275.N	57074.0	-42.4	16:37:51
6280.N	57054.0	-20.0	16:37:10
6285.N	56998.0	-56.0	16:36:54
6290.N	57027.0	29.0	16:36:12

SCINTREX V2.0

Magnetometer R1.8

Base Field: 57000.

*=Uncorrected Data

Ser No:503238.

Line: 7925.E Grid: 1. Job: 1. Date: 89/06/10 Operator: 1.

Station	Mag Fld	Change	Time	Information
5860.N	57676.7		14:57:32	
5870.N	57595.6	-81.1	14:56:32	
5880.N	57484.1	-111.5	14:54:28	
5890.N	57268.4	-215.7	14:51:28	
5900.N	57338.5	70.1	14:50:17	
5910.N	57409.8	71.3	14:49:00	
5920.N	57434.7	24.9	14:47:51	
5930.N	57522.2	87.5	14:46:40	
5945.N	57554.2	32.0	14:44:51	
5950.N	57615.9	61.7	14:42:02	
5955.N	57633.7	17.8	14:41:39	
5960.N	57675.9	42.2	14:40:36	
5970.N	57677.2	1.3	14:39:33	
5975.N	57653.1	-24.1	14:39:15	
5980.N	57716.9	63.8	14:36:09	
5980.N	57676.2	-40.7	14:38:19	
5985.N	57744.1	67.9	14:35:50	
5985.N	57703.4	-40.7	14:38:02	
5990.N	57774.7	71.3	14:35:03	
5995.N	57779.6	4.9	14:34:48	
6000.N	57883.5	103.9	14:33:58	
6005.N	57958.1	74.6	14:33:36	
6010.N	58074.2	116.1	14:32:40	
6015.N	58166.5	92.3	14:32:08	
6020.N	58416.7	250.2	14:31:17	
6025.N	58726.4	309.7	14:30:52	
6030.N	59086.5	360.1	14:15:17	
6035.N	58725.2	-361.3	14:14:22	
6035.N	59387.6	662.4	14:14:31	
6035.N	59434.9	47.3	14:14:38	
6040.N	60510.8	1075.9	13:41:32	

6045.N	60618.7	793.7	13:40:40
6045.N	60417.9	-200.8	13:40:48
6050.N	57069.9	-3348.0	13:39:23
6050.N	57452.3	382.4	13:39:31
6050.N	57136.7	-315.6	13:39:38
6055.N	56522.9	-613.8	13:38:27
6060.N	56714.4	191.5	13:36:56
6060.N	56349.2	-365.2	13:37:07
6065.N	56576.0	226.8	13:35:55
6065.N	55319.7	-1256.3	13:36:03
6070.N	56579.7	1260.0	13:34:48
6070.N	55407.0	-1172.7	13:34:58
6070.N	56240.8	833.8	13:35:10
6075.N	58000.8	1760.0	13:33:06
6075.N	59753.2	1752.4	13:33:16
6075.N	58112.4	-1640.8	13:33:27
6075.N	59759.3	1646.9	13:33:36
6080.N	58328.7	-1430.6	13:31:57
6085.N	58064.6	-264.1	13:31:04
6090.N	57985.9	-76.7	13:30:13
6095.N	58072.3	86.4	13:29:56
6100.N	58245.9	173.6	13:29:09
6105.N	58026.0	-219.9	13:28:16
6110.N	57921.0	-105.0	13:26:41
6110.N	57924.0	3.0	13:27:27
6115.N	57931.0	7.0	13:25:50
6120.N	57158.6	-772.4	13:25:06
6125.N	57613.8	455.2	13:24:36
6125.N	57615.2	1.4	13:24:45
6130.N	58126.5	511.3	13:23:56
6135.N	58350.3	223.8	13:23:37
6140.N	58281.0	-69.3	13:22:50
6145.N	58419.9	138.9	13:22:22
6150.N	58516.0	96.1	13:20:55
6155.N	58543.0	27.0	13:20:07
6160.N	58606.5	63.5	13:18:43
6165.N	58634.6	28.1	13:18:23
6170.N	58625.8	-8.8	13:17:27
6175.N	58662.0	36.2	13:17:00
6180.N	58759.1	97.1	13:16:04
6185.N	58763.2	4.1	13:15:37
6190.N	58752.3	-10.9	13:14:39
6195.N	58745.2	-7.1	13:14:13
6200.N	58667.6	-77.6	13:13:27
6205.N	58593.4	-74.2	13:12:55
6210.N	58405.1	-188.3	13:12:13
6215.N	58183.5	-221.6	13:11:54
6220.N	57915.6	-267.9	13:11:10
6225.N	57622.1	-293.5	13:10:55
6230.N	57508.7	-113.4	13:09:57
6235.N	57340.7	-168.0	13:09:40
6240.N	57210.6	-130.1	13:08:56
6245.N	57204.2	-6.4	13:08:20
6250.N	57141.8	-62.4	13:07:16
6255.N	57111.5	-30.3	13:06:55
6260.N	57073.4	-38.1	13:05:56
6265.N	57068.5	-4.9	13:05:39
6270.N	57093.4	24.9	13:04:59
6275.N	57063.0	-30.4	13:04:32
6280.N	57048.5	-14.5	13:03:41
6285.N	57015.7	-32.8	13:03:23
6290.N	56932.9	-82.8	13:00:24
6290.N	56937.1	4.2	13:00:35
6290.N	56935.9	-1.2	13:00:45
6290.N	56936.6	0.7	13:00:52

 SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7775.E Grid: 1. Job: 1. Date: 89/06/12 Operator: 1.

Station	Mag Fld	Change	Time	Information
6030.N	58110.3		13:16:56	
6030.N	58107.9	-2.4	13:17:37	
6035.N	58302.2	194.3	13:16:25	
6040.N	58355.2	53.0	13:15:25	
6045.N	58428.4	73.2	13:14:51	
6050.N	58561.6	133.2	13:14:07	
6055.N	58587.2	25.6	13:13:49	
6060.N	58701.2	114.0	13:12:52	
6065.N	58454.4	-246.8	13:11:47	
6070.N	58793.8	339.4	13:10:43	
6075.N	58795.2	1.4	13:08:33	
6080.N	58566.3	-228.9	13:07:51	
6085.N	58440.9	-125.4	13:07:13	
6090.N	58180.3	-260.6	13:06:32	
6095.N	58096.4	-83.9	13:06:02	
6105.N	57673.9	-422.5	13:05:06	
6110.N	57731.6	57.7	13:03:37	
6115.N	57913.3	181.7	13:03:22	
6120.N	57988.1	74.8	13:02:43	
6125.N	58041.3	53.2	13:02:25	
6130.N	58359.8	318.5	13:01:35	
6135.N	58529.1	169.3	13:01:16	
6140.N	58637.1	108.0	13:00:37	
6145.N	58744.2	107.1	13:00:00	

6150.N	58871.0	104.2	12:58:24
6155.N	59044.5	173.5	12:57:53
6160.N	59073.8	29.3	12:57:06
6165.N	59065.2	-8.6	12:56:36
6165.N	59066.6	1.4	12:56:44
6170.N	58894.6	-172.0	12:55:33
6175.N	58785.5	-109.1	12:54:46
6180.N	58842.4	56.9	12:54:02
6185.N	58669.0	-174.4	12:53:44
6190.N	58530.0	-138.0	12:52:59
6195.N	58401.2	-128.8	12:52:18
6200.N	58354.7	-46.5	12:51:13
6205.N	58441.6	86.9	12:50:47
6210.N	58513.9	72.3	12:49:55
6215.N	58448.7	-65.2	12:49:33
6220.N	58495.3	46.6	12:48:52
6225.N	58397.4	-97.9	12:48:31
6230.N	58258.0	-139.4	12:47:41
6235.N	58104.5	-153.5	12:47:15
6240.N	57930.0	-174.5	12:46:31
6245.N	57782.9	-147.1	12:46:11
6250.N	57651.5	-131.4	12:45:31
6255.N	57504.6	-146.9	12:45:13
6260.N	57381.6	-123.0	12:44:29
6265.N	57235.4	-146.2	12:44:05
6270.N	57127.9	-107.5	12:43:18
6275.N	57090.6	-37.3	12:42:28
6280.N	57055.2	-35.4	12:41:36
6280.N	57054.1	-1.1	12:41:48

SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *Uncorrected Data Ser No:503238.
 Line: 7900.E Grid: 1. Job: 1. Date: 89/06/12 Operator: 1.

Station	Mag	Fld	Change	Time	Information
5470.N	57250.8			11:25:05	
5480.N	57279.7		28.9	11:23:08	
5490.N	57308.9		29.2	11:21:25	
5500.N	57358.9		50.0	11:19:27	
5510.N	57368.5		9.6	11:17:58	
5520.N	57363.7		-4.8	11:15:47	
5530.N	57410.5		46.8	11:13:24	
5540.N	57425.8		15.3	11:11:52	
5550.N	57438.9		13.1	11:09:34	
5560.N	57480.6		41.7	11:07:27	
5570.N	57520.5		39.9	11:05:47	
5580.N	57578.5		58.0	11:04:00	
5590.N	57629.1		50.6	11:02:52	
5600.N	57667.0		37.9	11:01:42	
5610.N	57603.9		-63.1	10:53:29	
5620.N	57451.4		-152.5	10:50:55	
5630.N	57490.3		38.9	10:49:01	
5640.N	57529.1		38.8	10:47:38	
5650.N	57631.7		102.6	10:46:09	
5660.N	57613.6		-18.1	10:44:29	
5670.N	57572.8		-40.8	10:43:18	
5680.N	57594.0		21.2	10:41:01	
5690.N	57527.4		-66.6	10:39:27	
5700.N	57229.0		-298.4	10:38:05	
5710.N	59150.2		1921.2	10:35:29	
5710.N	59122.1		-28.1	10:35:43	
5710.N	58752.0		-370.1	10:35:55	
5720.N	57809.9		-942.1	10:33:58	
5730.N	57733.3		-76.6	10:32:11	
5740.N	57767.1		33.8	10:30:51	

5750.N	57810.0	62.9	10:29:14
5760.N	57878.2	68.2	10:27:51
5770.N	57940.6	62.4	10:26:33
5780.N	57913.9	-26.7	10:25:17
5790.N	57967.9	54.0	10:23:36
5790.N	57967.4	-0.5	10:23:45
5810.N	58209.3	241.9	09:54:02
5820.N	58223.5	14.2	09:51:24
5830.N	58108.0	-115.5	09:49:31
5840.N	58087.3	-20.7	09:47:37
5850.N	58047.9	-39.4	09:43:55
5860.N	57795.4	-252.5	09:41:59
5860.N	57798.9	3.5	09:42:06
5870.N	57277.6	-521.3	09:33:14
5880.N	57148.4	-129.2	09:31:33
5890.N	57146.1	-2.3	09:30:18
5900.N	57236.6	90.5	09:28:41
5910.N	57310.9	74.3	09:27:15
5920.N	57380.9	70.0	09:26:00
5930.N	57490.2	109.3	09:24:25
5940.N	57555.2	65.0	09:22:39
5950.N	57592.5	37.3	09:18:59
5955.N	57607.3	14.8	09:18:31
5960.N	57649.7	42.4	09:17:36
5965.N	57665.4	15.7	09:17:13
5970.N	57643.1	-22.3	09:16:17
5975.N	57669.8	26.7	09:15:49
5975.N	57669.8	0.0	09:15:57
5980.N	57669.5	-0.3	09:15:00
5985.N	57708.9	39.4	09:14:40
5990.N	57750.3	41.4	09:13:52
5995.N	57783.2	32.9	09:13:33
6000.N	57855.4	72.2	09:12:53
6005.N	57894.3	38.9	09:12:35
6010.N	57969.7	75.4	09:11:01
6010.N	57971.3	1.6	09:11:09
6015.N	58010.7	39.4	09:10:37
6015.N	58013.8	3.1	09:10:46
6020.N	58136.9	123.1	09:09:43
6025.N	58370.4	233.5	09:09:07
6025.N	58370.2	-0.2	09:09:16
6030.N	58540.7	170.5	09:08:10
6035.N	58739.3	198.6	09:06:54
6035.N	58718.4	-20.9	09:07:46
6035.N	58718.5	0.1	09:07:55

SCINTREX V2.0

Magnetometer R1.8

Base Field: 57000.

*Uncorrected Data

Ser No:503238.

Line: 7750.E Grid:

1. Job:

1. Date: 89/06/13

Operator:

1.

Station	Mag Fld	Change	Time	Information
6020.N	56568.2		13:53:48	
6025.N	56974.8	406.6	13:53:24	
6030.N	57172.1	197.3	13:52:41	
6035.N	56586.3	-585.8	13:51:39	
6040.N	57247.1	660.8	13:50:38	
6045.N	57187.8	-59.3	13:49:03	
6050.N	58104.0	916.2	13:47:26	
6050.N	56995.8	-1108.2	13:47:34	
6055.N	57852.5	856.7	13:47:08	
6060.N	57126.1	-726.4	13:46:21	
6065.N	58824.7	1698.6	13:45:40	
6070.N	57562.0	-1262.7	13:44:53	
6075.N	57970.0	408.0	13:43:49	
6075.N	58026.1	56.1	13:43:59	
6080.N	58314.0	287.9	13:42:42	
6085.N	57730.0	-584.0	13:42:25	
6090.N	57473.1	-256.9	13:39:44	
6090.N	57289.3	-183.8	13:39:54	
6095.N	57758.8	469.5	13:39:22	
6100.N	56683.4	-1075.4	13:38:31	
6100.N	56738.3	54.9	13:39:05	
6105.N	56323.0	-415.3	13:38:15	
6110.N	57142.4	319.4	13:37:16	
6115.N	56274.2	-868.2	13:36:59	
6120.N	58213.2	1739.0	13:36:20	
6125.N	58020.5	-192.7	13:36:05	
6130.N	56785.7	-1234.8	13:35:23	
6135.N	57001.0	215.3	13:35:06	
6140.N	58237.1	1236.1	13:34:07	
6145.N	57980.4	-256.7	13:33:46	
6150.N	57905.9	-74.5	13:33:00	
6155.N	57588.4	-317.5	13:32:02	
6160.N	58416.9	828.5	13:31:03	
6165.N	59021.4	604.5	13:30:08	
6170.N	59650.5	629.1	13:29:05	
6175.N	57804.3	-1846.2	13:27:52	
6180.N	57213.3	-591.0	13:26:46	
6185.N	57980.4*	767.1	13:26:02	
6190.N	57773.5	-206.9	13:24:47	
6195.N	58047.3	273.8	13:24:33	
6200.N	57451.9	-595.4	13:23:36	
6205.N	57589.6	137.7	13:22:53	
6210.N	58896.8	1307.2	13:22:05	
6215.N	58309.3	-587.5	13:21:50	
6220.N	58281.2	-28.1	13:21:09	
6225.N	58538.5	257.3	13:20:31	
6230.N	56686.9	-1851.6	13:19:39	
6235.N	57487.2	600.3	13:19:22	
6240.N	56209.3	-1277.9	13:18:34	
6245.N	57814.1	1604.8	13:18:16	
6250.N	57582.3	-231.8	13:17:28	
6255.N	55744.7	-1837.6	13:16:57	
6260.N	56434.6	689.9	13:15:42	
6265.N	55775.0	-659.6	13:15:02	
6270.N	56933.5	1158.5	13:14:06	
6275.N	56249.2	-684.3	13:13:44	
6280.N	58052.7	1903.5	13:12:45	
6285.N	55259.6	-2793.1	13:12:22	
6290.N	56940.5	1580.9	13:07:27	

 SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7775.E Grid: 1. Job: 1. Date: 89/06/13 Operator: 1.

Station	Mag Fld	Change	Time	Information
5870.N	57141.5		12:06:40	
5880.N	56964.6	-176.9	12:05:06	
5890.N	56288.7	-675.9	12:03:09	
5900.N	57242.5	953.8	12:01:33	
5910.N	55584.5	-1658.0	11:59:45	
5920.N	56412.0	827.5	11:57:39	
5920.N	55935.6	-476.4	11:58:16	
5930.N	57696.7	1761.1	11:56:16	
5940.N	56357.1	-1339.6	11:54:53	
5945.N	56275.3	-61.8	11:51:35	
5950.N	56681.5	386.2	11:44:04	
5955.N	56159.3	-521.7	11:43:33	
5960.N	56802.6	642.8	11:42:35	
5965.N	56942.5	139.9	11:42:02	
5970.N	56327.9	-614.6	11:40:52	
5975.N	56204.4	-123.5	11:40:27	
5980.N	56910.4	706.0	11:39:32	
5985.N	56868.3	-42.1	11:39:12	
5990.N	57439.5	571.2	11:38:23	
5995.N	57359.0	-80.5	11:38:03	
6000.N	56926.4	-432.6	11:37:12	
6005.N	56293.2	-633.2	11:36:54	
6010.N	57008.3	715.1	11:36:02	
6015.N	57906.9	898.6	11:35:42	
6020.N	56301.3	-1605.6	11:34:37	
6025.N	57124.6	823.3	11:34:25	
6030.N	56584.7	-539.9	11:33:11	
6030.N	57446.1	861.4	11:33:21	

 SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7725.E Grid: 1. Job: 1. Date: 89/06/14 Operator: 1.

Station	Mag Fld	Change	Time	Information
6025.N	57764.5		16:11:09	
6030.N	57732.3	-31.9	16:10:31	
6035.N	57780.7	48.1	16:10:01	
6040.N	57921.1	140.7	16:09:29	

6050.N	58409.1	383.1	16:08:16
6055.N	58221.7	-187.4	16:07:44
6060.N	58046.8	-174.9	16:07:11
6065.N	58055.6	8.8	16:06:22
6070.N	58240.3	184.7	16:05:53
6075.N	58355.0	114.7	16:05:18
6080.N	58290.6	-64.4	16:04:45
6085.N	58126.0	-164.6	16:04:26
6090.N	57982.8	-143.2	16:03:55
6095.N	57941.7	-41.1	16:03:24
6100.N	57789.8	-152.9	16:02:49
6105.N	57970.3	181.5	16:02:19
6110.N	58011.9	41.6	16:01:49
6115.N	58055.5	43.6	16:01:23
6120.N	58078.8	23.3	15:59:59
6125.N	58147.7	68.9	15:59:36
6130.N	58212.8	65.1	15:59:05
6135.N	58275.6	62.8	15:58:48
6140.N	59380.7	105.1	15:58:17
6145.N	58566.0	135.3	15:57:48
6150.N	58912.0	346.0	15:57:13
6155.N	59111.6	179.6	15:56:38
6160.N	59207.5	75.9	15:55:40
6160.N	59204.8	-2.7	15:55:50
6165.N	59453.1	248.3	15:55:14
6170.N	59486.0	32.9	15:54:30
6175.N	59420.3	-65.7	15:54:10
6180.N	59024.4	-395.9	15:53:19
6185.N	58870.5	-153.9	15:53:02
6190.N	58691.0	-179.5	15:45:01
6195.N	58682.8	-8.2	15:44:35
6200.N	58668.0	-14.8	15:43:52
6205.N	58611.6	-56.4	15:43:35
6210.N	58451.8	-159.3	15:42:38
6215.N	58366.4	-85.4	15:42:21
6220.N	58252.7	-113.7	15:41:47
6225.N	58187.7	-65.0	15:41:26
6230.N	58097.3	-90.4	15:40:35
6235.N	58054.7	-42.6	15:40:18
6240.N	58024.2	-30.5	15:39:42
6245.N	57971.0	-53.2	15:39:27
6250.N	57904.6	-66.4	15:38:45

SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *Uncorrected Data Ser No:503238.
 Line: 7750.E Grid: 1. Job: 1. Date: 89/06/14 Operator: 1.

Station	Mag	Fld	Change	Time	Information
---------	-----	-----	--------	------	-------------

5460.N	57556.9			12:20:34	
5470.N	57614.9	58.0		12:18:43	
5480.N	57223.5	-391.4		12:14:46	
5490.N	57264.7	41.2		12:12:35	
5500.N	57317.8	53.1		12:10:21	
5510.N	57338.3	20.5		12:08:50	
5520.N	57390.9	52.6		12:07:25	
5530.N	57412.7	21.6		12:06:40	
5540.N	57466.5	53.8		12:05:07	
5550.N	57479.9	13.4		12:03:36	
5560.N	57461.8	-18.1		11:58:52	
5570.N	57503.0	41.2		11:57:52	
5580.N	57556.3	53.3		11:56:35	
5590.N	57603.3	47.0		11:55:00	
5600.N	57578.9	-24.4		11:53:18	
5610.N	57629.1	50.2		11:51:28	

5630.N	57753.8	106.1	11:36:28
5640.N	57564.5	-189.3	11:35:09
5640.N	57568.7	4.2	11:35:19
5650.N	57454.8	-113.9	11:33:01
5660.N	57462.7	7.9	11:32:02
5670.N	57480.8	18.1	11:30:16
5670.N	57465.4	-15.4	11:30:49
5680.N	57582.8	117.4	11:28:32
5690.N	57669.5	86.7	11:27:34
5700.N	57816.7	147.2	11:25:20
5710.N	57820.1	3.4	11:23:43
5710.N	57826.2	6.1	11:24:17
5720.N	57365.0	-461.2	11:21:42
5720.N	57428.3	63.3	11:22:33
5730.N	57732.1	303.8	11:20:20
5740.N	57772.4	40.3	11:19:00
5750.N	57778.1	5.7	11:18:00
5760.N	57787.9	9.8	11:16:58
5770.N	57891.0	103.1	11:14:27
5780.N	57965.5	74.5	11:12:01
5790.N	57971.0	5.5	11:08:40
5800.N	58002.3	31.3	11:05:30
5800.N	58000.7	-1.6	11:06:12
5810.N	58013.9	13.2	11:03:16
5820.N	58110.3	76.4	11:00:27
5830.N	58343.1	232.8	10:56:27
5830.N	58345.7	2.6	10:56:37
5840.N	57944.9	-400.8	10:53:50
5850.N	57771.7	-173.2	10:51:10
5860.N	57993.0	221.3	10:49:18
5870.N	58119.0	126.0	10:46:08
5880.N	57954.9	-164.1	10:40:09
5890.N	57713.4	-241.5	10:38:27
5890.N	57725.9	12.5	10:39:06
5900.N	57525.4	-200.5	10:36:40
5900.N	57533.5	8.1	10:37:08
5910.N	57049.8	-483.7	10:35:00
5920.N	57263.1	213.3	10:33:40
5930.N	57322.1	59.0	10:31:51
5940.N	57401.1	79.0	10:29:44
5940.N	57392.6	-8.5	10:30:30
5950.N	57509.2	116.6	10:25:45
5955.N	57496.4	-12.8	10:25:05
5960.N	57524.5	28.1	10:23:59
5965.N	57542.5	18.0	10:23:29
5970.N	57569.9	27.4	10:22:23
5975.N	57595.9	26.0	10:21:54
5980.N	57617.4	21.5	10:20:50
5985.N	57639.2	21.8	10:20:35
5990.N	57681.4	42.2	10:19:47
5995.N	57668.0	-13.4	10:19:30
6000.N	57696.1	28.1	10:18:35
6005.N	57725.1	29.0	10:18:16
6010.N	57736.1	11.0	10:17:22
6015.N	57788.4	52.3	10:17:02
6020.N	57862.1	73.7	10:16:01
6025.N	57986.6	124.5	10:15:38
6030.N	58421.7	435.1	10:14:11

SCINTREX V2.0 Magnetometer R1.8
Base Field: 57000. *=Uncorrected Data Ser No:503238.
Line: 7650.E Grid: 1. Job: 1. Date: 89/06/16 Operator: 1.

Station	Mag	Fid	Change	Time	Information
6020.N	57590.0			14:37:56	
6025.N	57581.7		-8.3	14:37:15	
6030.N	57493.4		-98.3	14:36:39	
6035.N	57441.3		-52.1	14:36:12	
6040.N	57450.6		7.3	14:35:25	
6045.N	57553.0		102.4	14:34:42	
6050.N	57780.6		227.6	14:33:56	
6055.N	58252.4		471.6	14:33:18	
6060.N	58508.8		256.4	14:32:38	
6065.N	58726.9		218.1	14:31:53	
6070.N	58721.5		-5.4	14:30:56	
6075.N	58466.7		-254.8	14:30:08	
6080.N	57972.4		-494.3	14:29:25	
6085.N	57700.2		-272.2	14:29:10	
6090.N	57828.8		128.6	14:28:05	
6095.N	58033.5		204.7	14:27:50	
6100.N	58300.5		267.0	14:27:04	
6105.N	58393.5		93.0	14:26:16	
6110.N	58415.1		21.6	14:25:08	
6115.N	58404.2		-10.9	14:24:25	
6120.N	58289.2		-115.0	14:23:34	
6125.N	58267.4		-21.8	14:22:38	
6130.N	58231.0		-36.4	14:21:33	
6135.N	58052.6		-178.4	14:21:16	
6140.N	57954.7		-97.9	14:20:21	
6145.N	57964.6		9.9	14:19:50	
6150.N	58042.7		78.1	14:18:20	
6155.N	58068.9		26.2	14:17:46	
6160.N	58365.5		296.6	14:16:39	
6165.N	58628.1		262.6	14:16:23	
6170.N	58781.0		152.7	14:15:43	
6175.N	58864.3		83.3	14:15:04	
6180.N	58791.3		-73.0	14:14:03	
6185.N	58761.2		-30.1	14:13:26	
6190.N	58768.8		7.6	14:12:34	
6195.N	58770.8		2.0	14:11:48	
6200.N	58783.5		12.7	14:11:06	
6205.N	58731.4		-52.1	14:10:30	
6210.N	58590.1		-141.3	14:09:36	
6210.N	58593.9		3.8	14:09:49	

SCINTREX V2.0 Magnetometer R1.8
Base Field: 57000. *=Uncorrected Data Ser No:503238.
Line: 7700.E Grid: 1. Job: 1. Date: 89/06/16 Operator: 1.

Station	Mag	Fid	Change	Time	Information
5500.N	57296.2			13:12:37	
5510.N	57308.7		12.5	13:11:27	
5520.N	57331.3		22.6	13:10:05	
5530.N	57340.6		9.3	13:08:51	
5540.N	57378.7		38.1	13:07:33	
5550.N	57395.2		16.5	13:06:19	
5560.N	57446.3		51.1	13:04:52	
5570.N	57470.5		24.2	13:03:36	
5580.N	57427.2		-43.3	13:02:19	
5590.N	57457.2		30.0	13:00:58	
5600.N	57553.7		96.5	12:59:49	

5620.N	57582.0	68.4	12:56:50
5630.N	57610.1	28.1	12:54:40
5640.N	57492.0	-118.1	12:52:27
5650.N	57666.4	174.4	12:50:37
5660.N	58488.9	822.5	12:48:51
5660.N	58487.1	-1.8	12:49:06
5670.N	57540.5	-746.6	12:47:41
5680.N	57468.2	-72.3	12:46:29
5690.N	57553.5	85.3	12:45:08
5700.N	57417.3	-136.2	12:43:50
5710.N	57572.0	154.7	12:42:07
5720.N	57616.5	44.5	12:40:44
5730.N	57719.2	102.7	12:39:11
5740.N	57744.4	25.2	12:36:32
5760.N	56849.7*	-894.7	00:00:00
5750.N	57804.4	954.7	12:25:26
5770.N	57782.9	-21.5	12:22:20
5780.N	57756.9	-26.0	12:21:02
5790.N	57790.7	33.8	12:18:58
5800.N	57838.4	47.7	12:17:27
5810.N	57957.9	119.5	12:16:01
5820.N	57721.9	-236.0	12:14:14
5830.N	57996.0	274.1	12:12:10
5840.N	58343.8	347.8	12:09:23
5850.N	58052.6	-291.2	12:06:33
5860.N	57829.5	-223.1	11:59:29
5870.N	58021.3	191.3	11:57:13
5880.N	58003.5	-17.8	11:55:29
5890.N	57907.9	-95.6	11:53:29
5900.N	57622.5	-285.4	11:51:37
5910.N	57488.9	-133.6	11:49:55
5920.N	57630.3	141.4	11:48:17
5930.N	57399.1	-231.2	11:41:59
5940.N	57536.2	137.1	11:40:33
5950.N	57307.0	-229.2	11:37:18
5955.N	57201.2	-105.8	11:36:56
5960.N	57267.1	65.9	11:36:09
5965.N	57329.5	62.4	11:35:53
5970.N	57438.0	108.5	11:35:11
5975.N	57393.7	-44.3	11:34:21
5980.N	57346.6	-47.1	11:33:33
5985.N	57376.1	29.3	11:33:11
5990.N	57469.0	92.9	11:32:17
5995.N	57538.9	69.9	11:32:02
6000.N	57616.2	77.3	11:31:17
6005.N	57659.6	43.4	11:31:02
6010.N	57663.1	3.5	11:30:20
6015.N	57681.3	13.7	11:30:01
6020.N	57624.4	-57.4	11:29:14
6025.N	57702.8	78.4	10:56:32

Station	Mag	Fld	Change	Time	Information
---------	-----	-----	--------	------	-------------

5860.N	57965.3			13:10:14	
5870.N	57890.6		-74.9	13:07:36	
5880.N	57920.1		29.5	13:05:56	
5890.N	57776.3		-143.8	13:04:22	
5900.N	57589.1		-187.2	13:02:28	
5910.N	57572.9		-16.2	12:56:20	
5920.N	57695.6		122.7	12:54:51	
5930.N	58011.3		315.7	12:53:06	
5940.N	57832.4		-179.9	12:52:08	
5950.N	57643.3		-188.9	12:49:30	
5955.N	57367.0		-276.5	12:48:36	
5960.N	57360.5		-6.5	12:47:53	
5965.N	57281.6		-78.9	12:47:35	

5975.N	57203.8	-63.7	12:46:30
5980.N	57194.8	-9.0	12:45:48
5985.N	57234.1	39.3	12:45:31
5990.N	57283.2	49.1	12:44:24
5995.N	57307.0	23.8	12:44:07
6000.N	57371.5	64.5	12:43:14
6005.N	57430.6	59.1	12:42:58
6010.N	57508.9	78.3	12:42:10
6015.N	57573.7	64.8	12:41:54
6020.N	57595.7	22.0	12:41:04
6025.N	57585.8	-9.9	12:40:24
6030.N	57492.5	-93.3	12:39:36
6030.N	57493.5	1.0	12:39:44

SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7550.E Grid: 1. Job: 1. Date: 89/07/01 Operator: 1.

- Information

5540.N	57382.7		15:04:11
5550.N	57452.2	69.5	15:07:39
5560.N	57506.0	53.8	15:08:56
5570.N	57514.1	8.1	15:10:55
5580.N	57515.1	1.0	15:12:40
5590.N	57578.7	63.6	15:14:01
5600.N	57620.9	42.2	15:15:44
5610.N	57695.0	74.1	15:17:15
5620.N	57716.0	21.0	15:18:50
5630.N	57666.2	-49.3	15:20:21
5640.N	57576.1	-90.1	15:22:31
5640.N	57535.2	-40.9	15:26:21
5650.N	57599.4	64.2	15:28:28
5660.N	57355.3	-244.1	15:29:37
5670.N	57552.4	197.1	15:30:33
5680.N	57504.8	-47.6	15:32:19
5690.N	57514.8	10.0	15:33:28
5700.N	57494.3	-20.5	15:35:23
5710.N	57599.9	105.6	15:37:35
5710.N	57623.0	23.1	15:40:10
5730.N	57646.8	23.8	15:41:29
5740.N	57674.2	27.4	15:43:02
5750.N	57700.9	26.7	15:44:32
5760.N	57735.0	34.1	15:46:03
5770.N	57744.8	9.8	15:47:41
5780.N	57712.0	-32.8	15:49:40
5790.N	57810.5	98.9	15:52:18
5800.N	57878.0	67.1	15:54:56
5810.N	57998.5	120.5	15:57:16
5820.N	58410.3	411.8	15:58:57
5830.N	58026.6	-383.7	16:01:24
5840.N	57990.8	-35.8	16:03:55
5850.N	57987.3	-3.5	16:08:47
5860.N	58010.5	23.2	16:11:14
5870.N	58059.6	49.1	16:13:58

6075.N	57823.2	-518.2	16:30:28
6080.N	58133.4	305.2	12:54:15
6080.N	57983.9	-149.5	16:29:57
6085.N	57946.1	-37.8	12:54:29
6085.N	58679.9	733.8	16:29:24
6090.N	57810.4	-869.5	12:54:41
6090.N	58826.2	1015.8	16:28:51
6095.N	57545.9	-1230.3	12:55:02
6095.N	58110.7	564.8	16:28:32
6100.N	57852.6	-255.1	12:55:17
6100.N	57951.4	98.8	16:27:17
6105.N	58139.5	188.1	12:55:59
6105.N	58062.1	-77.4	16:26:58
6110.N	58328.3	266.2	12:56:22
6110.N	57749.0	-579.3	16:26:15
6110.N	57749.0	0.0	16:26:27
6115.N	58532.4	733.4	12:56:47
6115.N	57038.4	-1494.0	16:25:43
6115.N	57042.6	4.4	16:25:52
6120.N	58942.0	1899.2	12:57:17
6120.N	57741.9	-1200.1	16:25:16
6125.N	59190.6	1448.7	12:57:43
6125.N	57875.9	-1314.7	16:24:59
6130.N	59191.5	1325.6	12:58:03
6130.N	57989.5	-1202.0	16:24:28
6135.N	59098.0	1108.5	12:58:19
6135.N	58203.3	-894.7	16:24:04
6140.N	58976.0	772.7	12:58:35
6140.N	58421.3	-554.7	16:23:20
6145.N	58835.0	413.7	12:58:53
6145.N	58548.3	-286.7	16:22:58
6150.N	58669.2	120.9	12:59:07
6150.N	58804.3	135.1	16:21:59
6155.N	58556.6	-247.7	13:00:30
6155.N	58904.9	348.3	16:21:20
6160.N	58884.0	-20.9	16:20:50
6165.N	58837.9	-46.1	16:20:29
6170.N	58732.2	-105.7	16:19:55
6175.N	58652.1	-80.1	16:19:36
6180.N	58581.4	-70.7	16:19:10
6185.N	58517.7	-63.7	16:18:42
6190.N	58423.5	-94.2	16:18:14
6195.N	58279.0	-144.5	16:17:58
6200.N	58109.3	-169.7	16:17:23
6205.N	57924.1	-185.2	16:16:36
6205.N	57938.3	14.2	16:16:52
6210.N	57717.3	-221.0	16:16:08
6215.N	57544.1	-173.2	16:15:36
6220.N	57423.7	-120.4	16:15:07
6225.N	57395.8	-27.9	16:14:50
6230.N	57279.0	-116.8	16:14:18
6235.N	57256.0	-23.0	16:14:00
6240.N	57198.4	-57.6	16:13:30
6245.N	57205.7	7.3	16:12:58
6250.N	57157.5	-43.1	16:12:29
6255.N	57170.0	12.4	16:12:07
6260.N	57144.7	-25.3	16:11:34
6265.N	57144.6	-0.1	16:11:19
6270.N	57088.2	-56.4	16:05:04


 SCINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7850.E Grid: 1. Job: 1. Date: 89/06/07 Operator: 1.

Station	Mag Fld	Change	Time	Information
5610.N	57454.8		17:07:50	
5615.N	57474.7	19.9	17:06:40	
5620.N	57503.7	29.0	17:06:00	
5625.N	57515.9	12.2	17:05:38	
5630.N	57552.6	36.7	17:04:38	
5635.N	57576.3	23.7	17:04:00	
5640.N	57576.5	0.2	17:03:29	
5645.N	57625.8	49.3	17:02:50	
5650.N	57656.7	30.9	17:02:23	
5655.N	57618.8	-37.9	17:01:44	
5660.N	57712.9	94.1	17:00:25	
5660.N	57700.7	-12.2	17:01:06	
5665.N	58029.5	328.8	16:59:34	
5670.N	57795.7	-233.8	16:59:10	
5675.N	57707.4	-88.3	16:57:33	
5680.N	57688.1	-19.3	16:56:47	
5685.N	57697.0	8.9	16:56:09	
5690.N	57734.5	37.5	16:55:37	
5695.N	57718.2	-16.3	16:55:03	
5700.N	57707.0	-11.2	16:54:35	
5710.N	57736.4	29.4	16:51:56	
5715.N	57779.2	42.8	16:51:34	
5720.N	57764.1	-15.1	16:51:02	
5725.N	57760.9	-3.2	16:50:18	
5730.N	57773.3	12.4	16:49:09	
5735.N	57777.1	23.8	16:48:17	
5740.N	57812.6	15.5	16:46:53	
5745.N	57807.5	-5.1	16:46:30	
5750.N	57828.2	20.7	16:45:54	
5755.N	57852.7	24.5	16:45:14	
5760.N	57864.0	11.3	16:44:44	
5765.N	57836.0	-28.0	16:43:52	
5770.N	57846.2	10.2	16:43:21	
5775.N	57859.4	13.2	16:42:34	
5780.N	57858.0	-1.4	16:41:59	
5785.N	57874.8	16.8	16:41:02	
5790.N	57879.5	4.7	16:40:28	
5795.N	57892.9	13.4	16:39:37	
5800.N	57896.1	3.2	16:37:49	
5805.N	57899.6	3.5	16:37:22	
5810.N	57881.3	-18.3	16:36:51	
5815.N	57858.4	-42.9	16:35:27	
5820.N	57882.6	-5.8	16:34:53	
5825.N	57849.1	16.5	16:33:35	
5830.N	57801.5	-47.6	16:33:05	
5835.N	57760.8	-40.7	16:32:10	
5840.N	57726.4	-1.4	16:31:34	
5845.N	57678.0	-73.4	16:30:24	
5850.N	57622.9	-45.1	16:29:50	

5860.N	57567.5	-15.2	16:27:46
5865.N	57528.7	-38.8	16:26:35
5865.N	57530.1	1.4	16:27:07
5870.N	57470.5	-59.6	16:25:42
5875.N	57439.6	-30.9	16:24:39
5880.N	57430.0	-9.6	16:23:22
5885.N	57417.8	-12.2	16:22:49
5890.N	57432.5	14.7	16:22:22
5895.N	57510.9	78.4	16:21:02
5900.N	57927.9	417.0	16:20:27
5905.N	57910.9	-17.0	16:18:59
5905.N	57916.9	6.0	16:19:08
5910.N	57596.1	-320.8	16:18:30
5915.N	57526.1	-70.0	16:17:40
5920.N	57508.4	-17.7	16:17:20
5925.N	57548.6	40.2	16:15:57
5930.N	57542.5	-6.1	16:15:01
5935.N	57470.0	-72.5	16:14:41
5940.N	57518.4	48.4	16:14:13
5945.N	57554.9	36.5	16:13:25
5950.N	57585.4	30.5	15:49:26

SDINTREX V2.0 Magnetometer R1.8
 Base Field: 57000. *=Uncorrected Data Ser No:503238.
 Line: 7875.E Grid: 1. Job: 1. Date: 89/06/07 Operator: 1.

Station	Mag	Fld	Change	Time	Information
5880.N	57465.0			15:41:25	
5885.N	57456.2		-9.1	15:38:50	
5890.N	57436.3		0.3	15:38:06	
5895.N	57461.3		4.8	15:36:59	
5900.N	57473.9		12.6	15:36:21	
5905.N	57505.7		31.8	15:34:43	
5910.N	57509.7		4.0	15:33:53	
5915.N	57530.0		20.3	15:33:08	
5920.N	57528.0		-2.0	15:32:26	
5925.N	57530.6		2.6	15:31:43	
5930.N	57537.3		6.7	15:30:59	
5935.N	57540.6		3.3	15:29:51	
5940.N	57564.2		23.6	15:29:07	
5945.N	57612.9		48.7	15:28:07	
5950.N	57617.0		4.1	15:25:28	
5955.N	57646.5		29.5	15:24:58	
5960.N	57679.3		32.8	15:24:16	
5965.N	57703.1		23.8	15:23:59	
5970.N	57741.6		38.5	15:23:06	
5975.N	57760.5		18.9	15:22:49	
5980.N	57797.2		36.7	15:22:08	
5985.N	57793.3		-3.9	15:21:52	
5990.N	57792.4		-0.9	15:21:19	
5995.N	57798.7		6.3	15:20:48	
6000.N	57857.4		58.7	15:20:19	
6005.N	57908.1		50.7	15:20:03	
6010.N	57939.9		31.8	15:19:29	
6015.N	57970.3		30.4	15:19:00	
6020.N	57983.5		13.2	15:18:03	
6025.N	58012.8		29.3	15:17:39	
6030.N	58048.2		35.4	15:16:47	
6035.N	58041.5		-6.7	15:16:16	
6040.N	58147.2		105.7	15:15:47	
6045.N	58110.9		-36.3	15:15:19	
6050.N	57951.9		-159.0	15:14:52	
6055.N	57886.4		-65.5	15:14:30	
6060.N	57977.3		90.9	15:12:30	



LEGEND

- JURASSIC AND CRETACEOUS**
PACIFIC RIM COMPLEX
- JKp** greywacke, siltstone, conglomerate
- JURASSIC**
- Jg** Island Intrusions: quartz diorite, granodiorite, quartz monzonite, quartz feldspar porphyry
Jgm - monzonite
- JURASSIC AND OLDER**
WEST COAST CRYSTALLINE COMPLEX
- PMdin** quartz diorite, agmatite, gneiss, amphibolite
- LOWER JURASSIC**
BONANZA GROUP
- IJh** Harbledown Formation: argillite, greywacke ribbon chert, minor limestone
- IJbv** andesitic to rhyodacitic lava, tuff, breccia
Ijd: dacite Ijv: rhyodacite
Ijg: andesite Ijg: felsite
- TRIASSIC**
UPPER TRIASSIC VANCOUVER GROUP
- UTpb** Parson Bay Formation: calcareous siltstone, shale, limestone, greywacke, conglomerate
- UTq** Quatsino Formation: limestone
Qdol: dolomite
- UTk** Kamutsen Formation: basaltic lava, breccia, tuff, greenstone, minor limestone

Area of >10% outcrops

GEOLOGICAL BRANCH
ASSESSMENT REPORT



NOTE: Contour Interval 5 Meters

HISWAY RESOURCES LTD.

HPH-DORLON PROJECT

NANAIMO MINING DIVISION - BRITISH COLUMBIA

GEOLOGY
EAST 1/2

RAM EXPLORATIONS LTD. VANCOUVER, B.C.	DWN. BY: T.M. CHK. BY: DATE: AUG. 1989	FIG. No. 2.1
--	--	-----------------



GEOLOGICAL BRANCH
ASSESSMENT REPORT

19,348



50 25 50 100 150 200
Meters

NOTE: Contour Interval 5 Meters

HISWAY RESOURCES LTD.
HPH - DORLON PROJECT
NANAIMO MINING DIVISION - BRITISH COLUMBIA


**GRID LOCATION
EAST 1/2**

RAM EXPLORATIONS LTD. VANCOUVER, B.C.	DWN. BY: T.M. CHK. BY: DATE: AUG. 1989	FIG. No. 3.1
--	--	------------------------



GEOLOGICAL BRANCH
ASSESSMENT REPORT

19,348





NOTE: Contour Interval 5 Meters

HISWAY RESOURCES LTD.
HPH - DORLON PROJECT
NANAIMO MINING DIVISION - BRITISH COLUMBIA


**TOTAL MAGNETIC
FIELD MAP
EAST 1/2
CONTOUR INTERVAL 50 GAMMAS**

RAM EXPLORATIONS LTD. VANCOUVER, B.C.	DWN. BY: T.M. CHK. BY: DATE: AUG. 1989	FIG. No. 4.1
--	--	-----------------



GEOLOGICAL BRANCH
ASSESSMENT REPORT

19,348



NOTE: Contour Interval 5 Meters

HISWAY RESOURCES LTD.
HPH - DORLON PROJECT
 NANAIMO MINING DIVISION - BRITISH COLUMBIA

VLF TILT ANGLE MAP
EAST 1/2
 CONTOUR INTERVAL 5 PERCENT

RAM EXPLORATIONS LTD. VANCOUVER, B.C.	OWN. BY: T.M. CHK. BY: DATE: AUG. 1989	FIG. No. 5.1
--	--	-----------------