

EXPLORATION
NTS 82F/1E

Mr. Dave Wiklund
Box 1480
Creston, B.C.
V0B 1G0

LOG NO:	0615	RD.
ACTION:		
FILE NO:		

G E O C H E M I C A L S U R V E Y

P I N E C L A I M

Nelson M.D. B.C.

Work Performed September to October 1989

Latitude 49° 11' Longitude 116° 13'

PAID

GOVERNMENT AGENT


JUN 12 1990

NELSON

TRANS. #

Claim Group
Pine 1, 20 units record #5799

Prepared by
H. Davies



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

20,059

TABLE OF CONTENTS

INTRODUCTION	PAGE 1
LOCATION	1
TOPOGRAPHY	1
OBJECTIVE	2
SAMPLING PROGRAM	2
ANALYTICAL PROCEDURE	3
CONCLUSIONS	3
STATEMENT OF QUALIFICATIONS	4
STATEMENT OF EXPENDITURES	5
INDEX MAP	6
CLAIM MAP	7
ASSAYS	8 - 10
DISPLAY MAP	POCKET

INTRODUCTION

The writer Mr. Harry Davies (P.Geologist) was retained by Mr. Dave Wiklund of Creston, B.C. to carry out a Geochemical survey over a portion of the Pine Claim.

The location of the sample points and the collection of the samples was carried out in September and October 1989.

The samples were analyzed by Acme Laboratories of Vancouver B.C.

One of the purposes of this work was to earn credits as outlined in the mineral Act Regulations of B.C.

LOCATION

The Pine claim which totals 20 units is located North of Hazel Creek. About three Kilometers Northwest of the point where Hazel Creek crosses No. three highway. Refer to accompanying map.

TOPOGRAPHY

The claim area is located North of Hazel Creek on a South plunging slope, ranging in elevation from 1300 to 1900 meters. The South slope bordering on Hazel Creek exhibits steep topography with the three North-South tributaries of Hazel Creek forming deep North-South gullies. The upper portions of the ridge is devoid to trees, the lower area has been extensively logged over the years.

Rock out crops are prominent on the upper ridges, but become very scarce in the lower reaches.

OBJECTIVE

The grid soil geochemistry was undertaken to evaluate an area, known to be underlain by favorable geology.

SAMPLING PROGRAM

A base line was surveyed which corresponds with the East claim line.

The geochemical sampling program began in the 3rd week of September and continued until the 2nd week of October. Two man days were required to complete each 2500 meter line, due to the difficult traverses.

Samples were collected on 100 meter stations, with each line being 300 meters apart. A total of four lines were completed. The sample stations ran in an East-West direction, which is across the strike of the sediments, in this area.

A total of 103 samples were collected.

Where possible "B" horizon soils were sampled, although there were some areas on the top of the ridge where only scant quantities of "A" soil existed.

.....
SUMMARY GEOLOGY (lithology, age, structure, alteration, mineralization, size, and attitude):

.....
The pine claim is underlain by steeply dipping East facing, middle Aldridge sediments. These sediments are dominantly interbedded quartzites and shales. Strike is North-South. Gabbro sills and dykes and found on the property. A number of North-South trending faults occur on the property.
.....

ANALYTICAL PROCEDURE

The samples were sent to Acme Analytical Laboratories of Vancouver, B.C.

A 0.5 gram sample of -80 mesh material was digested in Aqua Regia, diluted to 10 ml. and then analyzed using Inductively Coupled Plasma Spectroscopy. A read out for thirty elements were obtained with this procedure. For this report only lead and Zinc, for which leaching is believed to be adequate, have been plotted.

The data sheets for all 30 elements are included with this report.

CONCLUSIONS

Eight of the 103 samples analyzed exhibited low anomalous readings in Zinc, all the other elements exhibited normal background readings.

The 8 stations with slightly anomalous Zinc values are all located on the P9 line, which is down slope from the rest of the survey. The element Zinc has been used with very good results in the offsetting claims to the West, where it exhibits trends which are interpreted to be conduits along fracture zones.

STATEMENT OF QUALIFICATIONS

NAME: Harry I. Davies

ADDRESS: Box 12 Boswell, B.C. V0B 1A0

EDUCATION: University of Manitoba,
BSc (H) Geology 1950


EMPLOYMENT: Manitoba Department of Mines,
field work on Pre-Cambrian
(Three field seasons)

Mobil Oil of Canada Ltd,
Ten years, with two years
field work in structural
mapping

Thirty years consulting
practice with roughly 60%
in oil geology and 40%
in mineral exploration

ASSOCIATIONS: Professional Engineers of
Alberta, (Geologist)
Member of 30 years.

Harry I. Davies (P. Geol)



STATEMENT OF EXPENDITURES

Costs related to 900 M. of base line, soil sampling lines and collecting 103 sample on the Pine Claims, Kitchener area, Nelson Mining Division, British Columbia.

Base line and soil sampling September to October 1989.

SALARIES:

H. Davies (Supervision)	2 Days	\$600.00
Labour (soil sampling)	5 Days	500.00
Base line		200.00

TRANSPORTATION:

4WD (gas, oil, incl.)	4 Days @ \$60/Day	240.00
-----------------------	-------------------	--------

ASSAYS:

Acme Laboratories	731.30
Shipping Samples	12.85

SUPPLIES:

Ribbon, thread, sample bags, etc.	46.50
-----------------------------------	-------


REPORT PREPARATION:


Map construction, writing report	400.00
Drafting, typing, photocopying, etc.	<u>100.00</u>

TOTAL EXPENDITURES:

\$2830.65

Submitted by H. I. Davies (P.Geol)





K.M.

PINE CLAIM

KITCHENER B.C.


INDEX MAP

DEC. 1989

PAGE 6

82F/1E

CANADA



PINE CLAIM

KITCHENER B.C.

CLAIM MAP

DEC. 1989


DAVID WIKLUND FILE # 89-4162

SAMPLE#	Co	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	PPM	%	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM															
PO 2400W	1	16	21	82	.1	13	9	1143	2.06	2	5	ND	5	24	1	2	2	25	.24	.038	20	12	.33	255	.07	3	1.83	.01	.24	1
PO 2300W	1	14	24	75	.1	12	8	995	1.93	2	5	ND	4	21	1	2	2	23	.21	.035	14	12	.31	193	.07	2	1.80	.01	.26	1
PO 2200W	1	31	34	99	.1	20	14	1086	3.10	5	5	ND	6	21	1	2	2	35	.21	.043	50	17	.43	148	.08	2	2.93	.01	.29	1
PO 2100W	1	20	23	104	.1	17	10	564	2.59	5	5	ND	7	12	1	2	2	28	.13	.038	22	17	.41	154	.09	2	2.34	.01	.25	1
PO 2000W	1	29	24	119	.1	19	13	970	2.68	2	5	ND	5	24	1	2	2	31	.24	.026	28	19	.45	194	.08	4	2.17	.01	.23	1
PO 1900W	1	31	18	81	.1	19	12	348	2.69	2	5	ND	6	13	1	2	2	37	.19	.025	17	21	.47	102	.09	2	2.43	.01	.20	1
PO 1800W	1	21	19	117	.1	16	11	1024	2.52	5	5	ND	3	17	1	2	2	32	.19	.047	16	18	.36	158	.07	5	2.35	.01	.18	1
PO 1700W	1	13	17	78	.1	12	9	1360	2.09	2	5	ND	1	17	1	2	2	28	.18	.064	12	14	.23	137	.06	2	1.48	.01	.14	1
PO 1600W	1	29	29	98	.2	15	16	545	2.89	2	5	ND	3	14	1	2	2	33	.12	.033	64	18	.38	68	.09	2	2.15	.01	.17	1
PO 1500W	1	23	20	115	.2	17	11	406	3.11	2	5	ND	3	8	1	2	2	45	.10	.067	10	22	.28	77	.11	2	3.06	.01	.09	1
PO 1400W	1	18	16	99	.1	13	10	824	2.78	3	5	ND	3	9	1	2	2	38	.11	.063	11	13	.26	97	.11	2	2.84	.01	.10	1
PO 1300W	1	28	28	103	.1	17	9	381	3.26	5	5	ND	3	11	1	2	2	43	.13	.052	17	19	.53	82	.12	3	2.48	.01	.12	1
PO 1250W	1	40	30	124	.1	21	14	552	3.18	3	5	ND	3	10	1	2	2	44	.12	.039	20	26	.82	66	.11	5	2.32	.01	.16	1
PO 1150W	1	28	27	64	.2	13	7	199	3.42	7	5	ND	3	5	1	2	2	45	.05	.050	25	13	.30	45	.11	7	3.00	.01	.11	1
PO 1000W	1	41	17	81	.1	15	10	649	2.99	4	5	ND	1	6	1	2	2	42	.10	.094	17	15	.45	69	.08	3	2.96	.01	.18	1
PO 900W	1	28	24	103	.1	19	11	808	2.67	6	5	ND	1	7	1	2	2	33	.07	.072	21	17	.46	60	.08	9	2.32	.01	.21	1
PO 800W	1	31	27	86	.1	16	10	610	2.80	5	5	ND	1	7	1	2	2	37	.10	.082	31	17	.47	66	.08	5	2.91	.01	.21	3
PO 700W	1	77	16	84	.1	16	15	724	3.36	2	5	ND	1	9	1	2	2	69	.24	.049	13	14	.51	64	.09	8	2.26	.02	.17	1
PO 600W	1	73	14	72	.1	19	12	578	2.74	2	5	ND	1	8	1	2	2	52	.24	.053	12	18	.65	65	.08	2	2.31	.01	.16	1
PO 500W	1	86	20	80	.1	18	11	486	3.43	3	5	ND	1	7	1	2	2	61	.19	.069	10	15	.48	51	.09	3	2.52	.01	.15	1
PO 400W	1	114	25	93	.1	18	14	708	3.87	2	5	ND	1	7	1	2	2	68	.17	.064	10	18	.65	72	.10	2	2.21	.01	.19	1
PO 300W	1	34	23	100	.1	16	11	740	3.12	2	5	ND	1	6	1	2	2	42	.08	.053	20	19	.54	64	.10	10	2.52	.01	.21	1
PO 200W	1	47	23	113	.1	23	26	517	3.34	2	5	ND	4	10	1	2	2	49	.21	.030	43	16	.52	59	.11	4	2.41	.01	.24	1
PO 100W	1	47	18	86	.1	15	9	441	3.62	2	5	ND	3	7	1	2	2	56	.15	.062	15	14	.42	62	.11	2	2.24	.01	.21	1
PO 0W	1	39	26	78	.1	14	10	333	3.29	2	5	ND	3	7	1	2	2	49	.11	.044	16	16	.41	69	.11	4	2.76	.01	.17	1
P3 2500W	1	16	24	107	.1	15	8	324	2.88	4	5	ND	5	10	1	2	2	33	.10	.106	19	14	.31	136	.11	4	3.44	.01	.16	1
P3 2400W	1	15	23	86	.1	14	8	1196	2.22	2	5	ND	3	15	1	2	2	30	.12	.095	13	10	.18	134	.11	5	3.84	.02	.09	1
P3 2300W	1	9	25	116	.2	14	7	286	2.63	2	5	ND	5	11	1	2	2	28	.09	.051	23	17	.31	109	.08	2	2.91	.01	.14	1
P3 2200W	1	19	30	67	.1	13	6	342	2.71	2	5	ND	1	12	1	2	2	33	.13	.048	36	15	.32	62	.07	5	1.77	.01	.14	1
P3 2100W	1	27	34	131	.2	19	14	418	3.30	4	5	ND	4	8	1	2	2	37	.08	.082	26	20	.37	87	.10	4	2.60	.01	.17	1
P3 2000W	1	20	31	99	.1	18	8	251	3.31	4	5	ND	6	8	1	2	2	35	.07	.038	24	19	.43	68	.10	2	2.44	.01	.18	1
P3 1900W	1	22	32	94	.1	16	14	1312	2.66	4	5	ND	1	11	1	2	2	33	.10	.065	28	18	.42	80	.06	5	1.90	.01	.18	2
P3 1800W	1	27	28	79	.1	16	8	370	2.81	6	5	ND	4	8	1	2	2	34	.07	.100	20	18	.41	61	.08	5	3.09	.01	.14	1
P3 1700W	1	24	31	76	.1	15	6	225	2.88	7	5	ND	6	7	1	2	2	36	.07	.048	15	18	.36	64	.09	3	3.32	.01	.12	1
P3 1600W	1	24	21	90	.1	15	8	218	3.17	6	5	ND	7	7	1	2	2	41	.09	.036	22	19	.42	58	.10	2	2.30	.01	.15	2
P3 1500W	1	35	21	66	.1	14	7	191	3.45	3	5	ND	6	6	1	2	3	52	.11	.051	10	20	.42	46	.12	6	2.93	.01	.09	1
STD C	17	57	41	132	6.5	67	30	1017	4.00	39	20	7	37	47	18	15	21	57	.48	.092	38	55	.88	175	.06	35	1.92	.06	.14	12

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM
P3 1400W	1	34	25	83	.1	14	6	205	4.43	3	5	ND	6	6	1	2	2	45	.06	.084	15	19	.44	37	.12	2	3.50	.01	.10	1
P3 1300W	1	40	34	108	.2	19	12	743	2.95	6	5	ND	1	7	1	2	2	38	.08	.098	22	21	.59	57	.07	3	2.43	.01	.15	1
P3 1200W	1	119	33	113	.3	26	24	1485	2.95	5	5	ND	1	11	1	2	2	41	.13	.107	11	18	.43	86	.07	6	2.35	.01	.13	1
P3 1100W	1	29	27	94	.2	16	12	883	2.54	4	5	ND	1	7	1	2	2	32	.07	.072	20	16	.53	57	.07	3	2.31	.01	.20	1
P3 1000W	1	28	22	86	.1	13	8	420	2.83	2	5	ND	2	6	1	2	2	40	.08	.039	12	14	.38	68	.10	6	2.01	.01	.14	1
P3 900W	1	25	28	89	.1	12	8	287	2.74	5	5	ND	4	6	1	2	2	37	.09	.032	15	14	.38	67	.10	2	2.24	.01	.17	1
P3 800W	1	42	13	91	.1	14	10	413	3.10	2	5	ND	4	9	1	2	2	53	.18	.035	13	14	.47	61	.10	2	2.06	.01	.16	1
P3 700W	1	65	21	92	.2	18	16	477	3.47	2	5	ND	2	16	1	2	2	65	.32	.040	18	19	.64	68	.10	2	2.47	.01	.17	1
P3 600W	1	50	24	108	.1	17	13	621	3.19	3	5	ND	3	7	1	2	2	47	.15	.041	15	15	.45	67	.11	2	2.19	.01	.16	1
P3 500W	1	54	20	99	.1	19	13	805	3.12	3	5	ND	2	6	1	2	2	51	.15	.039	13	21	.69	66	.11	3	2.26	.01	.21	1
P3 400W	1	55	18	98	.2	15	11	656	2.90	3	5	ND	2	7	1	2	2	48	.18	.045	15	15	.49	76	.09	3	2.28	.01	.18	1
P3 300W	1	63	28	91	.5	14	14	612	3.05	3	5	ND	2	9	1	2	3	50	.19	.050	26	12	.39	72	.10	5	2.16	.01	.15	1
P3 200W	1	62	27	95	.2	14	18	497	3.41	2	5	ND	2	9	1	2	2	51	.19	.048	20	13	.42	63	.11	3	2.10	.01	.17	1
P3 100W	1	26	17	92	.2	12	13	574	2.91	2	5	ND	4	8	1	2	2	42	.12	.033	20	13	.33	75	.09	2	2.04	.01	.17	1
P3 0W	1	31	29	108	.2	14	22	801	3.32	2	5	ND	3	13	1	2	2	40	.16	.039	28	15	.39	76	.10	2	2.00	.01	.20	1
P6 2500W	1	24	30	86	.1	18	12	1312	2.81	2	5	ND	7	24	1	2	2	32	.15	.057	42	17	.36	161	.10	2	2.80	.01	.17	1
P6 2400W	1	22	18	74	.1	12	7	356	2.54	6	5	ND	3	10	1	2	2	32	.08	.078	20	12	.28	96	.11	2	3.79	.01	.10	1
P6 2300W	1	22	36	86	.2	15	8	676	2.63	5	5	ND	3	10	1	3	2	34	.08	.065	23	13	.29	116	.11	7	3.66	.01	.10	1
P6 2200W	1	22	30	71	.1	15	9	911	2.55	2	5	ND	5	9	1	2	2	32	.06	.041	29	13	.29	144	.10	6	3.23	.01	.10	1
P6 2100W	1	23	20	72	.2	15	8	433	2.80	4	5	ND	6	7	1	2	2	30	.07	.053	24	16	.40	102	.11	2	3.24	.01	.25	1
P6 2000W	1	19	18	72	.1	14	8	351	2.46	5	5	ND	4	6	1	2	2	30	.08	.060	16	16	.35	81	.07	2	2.39	.01	.15	1
P6 1900W	1	22	21	86	.1	14	9	797	2.32	2	5	ND	3	7	1	2	2	30	.09	.057	17	16	.36	115	.08	2	2.45	.01	.13	1
P6 1800W	1	22	16	98	.1	16	10	474	2.28	4	5	ND	4	11	1	2	2	30	.14	.061	16	17	.37	134	.07	7	2.45	.01	.13	1
P6 1700W	1	34	36	98	.2	16	15	686	2.91	2	5	ND	3	10	1	2	3	36	.11	.096	26	18	.38	105	.10	2	2.92	.01	.14	1
P6 1600W	1	32	29	127	.1	17	10	829	3.06	6	5	ND	2	16	1	3	2	37	.15	.088	15	15	.42	128	.11	2	2.38	.01	.13	1
P6 1500W	1	57	28	121	.1	19	14	1170	3.01	3	5	ND	1	18	1	2	2	38	.23	.066	20	20	.54	143	.09	2	2.15	.01	.15	1
P6 1400W	1	32	28	95	.1	15	11	937	2.56	3	5	ND	1	19	1	2	2	33	.23	.055	18	16	.48	124	.08	3	1.87	.01	.17	1
P6 1300W	1	40	34	134	.1	21	27	1799	2.79	2	5	ND	1	13	1	2	2	34	.13	.080	51	18	.47	103	.08	5	2.57	.01	.19	2
P6 1200W	1	55	21	111	.2	17	13	990	3.06	6	5	ND	2	11	1	3	2	44	.17	.050	21	19	.55	101	.11	2	2.62	.01	.16	1
P6 1100W	1	37	25	120	.1	19	15	1023	3.02	2	5	ND	2	18	1	2	2	41	.23	.055	21	19	.65	123	.11	5	2.60	.01	.24	1
P6 1000W	1	31	23	105	.3	15	17	503	2.89	3	5	ND	3	12	1	2	2	48	.21	.056	14	13	.36	104	.10	3	2.30	.01	.12	1
P6 900W	1	50	18	113	.2	19	14	523	2.85	4	5	ND	3	13	1	2	2	54	.33	.075	13	15	.48	105	.09	2	2.56	.02	.12	1
P6 800W	1	33	15	119	.3	17	12	568	2.70	2	5	ND	2	10	1	2	2	43	.25	.079	14	14	.40	100	.08	3	2.36	.02	.14	1
P6 700W	1	40	22	96	.3	15	16	397	3.05	3	5	ND	1	13	1	2	2	45	.19	.034	18	14	.39	71	.11	3	2.03	.01	.11	1
P6 600W	1	51	12	133	.3	15	14	1186	2.66	4	5	ND	1	15	1	2	3	44	.27	.082	15	14	.37	129	.09	9	2.88	.02	.13	1
P6 500W	1	28	15	131	.2	13	13	1153	2.71	3	5	ND	2	8	1	2	3	43	.13	.111	11	12	.28	113	.09	3	2.84	.01	.11	1
STD C	17	57	39	132	6.6	67	29	1023	4.06	43	19	8	36	47	17	15	19	57	.48	.095	38	57	.88	175	.06	34	1.92	.06	.14	13

DAVID WIKLUND FILE # 89-4162


SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM
P6 400W	1	67	25	120	.3	18	23	981	3.77	2	5	ND	2	14	1	2	2	61	.19	.042	23	16	.42	78	.10	2	2.79	.01	.17	2
P6 300W	1	39	25	85	.1	14	11	388	3.38	2	5	ND	5	9	1	2	2	51	.12	.025	22	14	.44	60	.10	2	2.39	.01	.24	1
P6 200W	1	28	23	83	.1	15	9	332	3.25	2	5	ND	4	11	1	2	2	39	.12	.022	31	17	.48	68	.10	2	2.65	.01	.31	1
P6 100W	1	31	26	70	.1	14	10	398	2.96	2	5	ND	4	11	1	2	2	36	.09	.022	28	15	.45	66	.09	2	2.50	.01	.30	1
P6 0W	1	34	23	107	.2	15	14	307	2.77	5	5	ND	5	9	1	2	2	35	.07	.032	31	13	.32	90	.10	2	3.30	.01	.18	1
P9 2500W	1	22	31	85	.1	15	9	948	2.67	5	5	ND	4	20	1	2	2	28	.18	.052	29	14	.35	173	.10	5	2.92	.01	.17	1
P9 2400W	1	16	19	83	.1	13	7	922	1.94	2	5	ND	3	24	1	2	2	25	.21	.097	16	13	.26	164	.08	2	2.29	.01	.13	1
P9 2300W	1	24	21	68	.1	16	9	335	2.19	2	5	ND	4	14	1	2	2	28	.16	.025	24	19	.38	86	.07	2	1.95	.01	.18	2
P9 2200W	1	24	17	109	.1	16	10	804	2.07	2	5	ND	5	11	1	2	2	26	.13	.082	23	13	.28	150	.09	11	2.74	.01	.13	1
P9 2100W	1	25	22	103	.1	16	11	820	2.56	7	5	ND	6	13	1	2	2	31	.14	.059	23	17	.38	177	.09	2	2.78	.01	.17	1
P9 2000W	1	38	33	145	.1	20	13	874	2.84	2	5	ND	6	21	1	2	2	33	.18	.061	25	17	.39	211	.12	6	3.17	.01	.18	1
P9 1900W	1	25	24	137	.1	17	11	1072	2.39	2	5	ND	4	18	1	2	2	29	.17	.091	21	16	.34	198	.10	2	2.87	.01	.14	1
P9 1800W	1	24	23	99	.1	16	12	555	2.56	2	5	ND	4	14	1	2	2	32	.19	.054	17	19	.54	149	.07	2	2.22	.01	.15	1
P9 1700W	1	41	31	163	.2	20	20	699	2.82	2	5	ND	5	16	1	2	2	33	.15	.116	21	16	.38	133	.12	2	3.57	.01	.14	2
P9 1600W	1	37	26	150	.2	18	31	1055	2.84	2	5	ND	3	13	1	2	2	35	.14	.091	27	20	.41	102	.10	3	2.60	.01	.14	1
P9 1500W	1	26	16	102	.1	17	10	612	2.83	2	5	ND	4	10	1	2	2	38	.12	.084	11	16	.32	113	.12	2	3.05	.01	.12	1
P9 1400W	1	43	27	111	.1	17	12	410	3.05	2	5	ND	5	11	1	2	2	40	.15	.040	19	18	.42	88	.11	2	2.60	.01	.19	1
P9 1300W	1	45	24	116	.1	16	19	421	2.86	4	5	ND	5	9	1	2	2	39	.15	.036	51	19	.46	61	.10	2	2.37	.01	.18	1
P9 1200W	1	43	30	173	.2	17	13	1178	3.14	4	5	ND	3	14	1	2	2	47	.21	.074	14	17	.51	141	.12	3	2.48	.01	.15	1
P9 1100W	1	48	22	150	.3	19	14	806	2.88	2	5	ND	3	15	1	2	2	50	.29	.089	15	14	.46	151	.10	8	2.53	.02	.14	2
P9 1000W	1	68	22	169	.2	22	18	1107	3.05	2	5	ND	4	16	1	2	2	52	.26	.121	20	14	.45	141	.10	4	3.25	.02	.16	1
P9 900W	1	50	26	143	.3	20	18	930	3.59	3	5	ND	5	18	1	2	2	56	.31	.046	32	19	.57	109	.10	2	2.70	.01	.25	1
P9 800W	1	66	19	154	.3	19	26	1387	2.85	2	5	ND	3	12	1	2	2	40	.17	.131	15	13	.23	115	.12	4	2.99	.02	.10	1
P9 700W	1	50	20	101	.1	16	11	325	2.95	4	5	ND	4	11	1	2	2	55	.31	.032	12	13	.49	75	.10	2	1.97	.02	.21	1
P9 600W	1	51	29	102	.3	19	18	559	3.70	2	5	ND	3	15	1	2	2	57	.18	.031	23	17	.38	109	.12	3	3.02	.01	.17	1
P9 500W	1	70	31	131	.3	20	19	1478	3.21	5	5	ND	1	16	1	2	2	47	.20	.062	56	16	.32	109	.09	2	3.08	.01	.17	1
P9 400W	1	34	35	153	.3	22	16	632	3.62	4	5	ND	6	16	1	2	2	47	.14	.043	30	17	.40	124	.10	4	3.72	.01	.20	1
P9 300W	1	34	28	103	.3	16	15	776	3.18	2	5	ND	4	13	1	2	2	40	.16	.037	39	16	.40	84	.09	2	2.69	.01	.23	1
P9 200W	1	44	33	146	.2	23	17	569	3.79	5	5	ND	6	12	1	2	2	52	.15	.078	33	18	.41	136	.11	4	3.83	.01	.24	1
P9 100W	1	32	26	176	.3	21	17	836	3.12	5	5	ND	5	13	1	2	3	40	.13	.107	28	16	.36	183	.10	4	3.69	.01	.21	1
P9 0W	1	37	35	77	.1	15	13	781	2.71	6	5	ND	2	20	1	2	3	35	.19	.034	80	14	.37	109	.08	2	2.62	.01	.25	1
STD C	17	58	43	132	6.7	67	29	1030	4.02	38	17	8	37	47	18	15	20	57	.48	.093	37	58	.88	174	.06	34	1.93	.06	.14	12



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

20,059

- ROAD
- 1300 ELEVATION (M)
- $\frac{30}{173}$ PB ZN SAMPLE STATION



PINE CLAIM
KITCHENER B.C. NELSON MINING DIVISION

PB- ZN SOIL SAMPLING
RESULTS IN PPM

FIGURE 1 DATE DEC. 1989
BY H.I. DAVIES