

**GEOCHEMICAL SILT SAMPLING
AND GEOLOGY REPORT
ON THE WHAT NOW CLAIMS**

NORTHWESTERN BRITISH COLUMBIA
QUASH CREEK AREA
LIARD MINING DIVISION
N.T.S.: 104G/9E

LOG NO: 11-30	RG.
ACTION:	
FILE NO:	

LATITUDE: 57° 43' NORTH
LONGITUDE: 130° 13' WEST

FOR: TRIUMPH RESOURCES LTD.
#1500-675 West Hastings Street
Vancouver, B.C.
V6B 1N2

SUB-RECORDER RECEIVED	
NOV 20 1990	
M.R. #	\$
VANCOUVER, B.C.	

BY: KEN KONKIN

NOVEMBER, 1990

20,521

GEOLOGICAL BRANCH
ASSESSMENT REPORT

(Field work done during the period July 10 to August 25, 1990)

TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY.....	i
INTRODUCTION	
LOCATION AND ACCESS.....	1
CLIMATE AND PHYSIOGRAPHY.....	1
CLAIM STATUS.....	3
PERSONNEL AND OPERATIONS.....	3
HISTORY.....	5
REGIONAL GEOLOGY.....	5
PROPERTY GEOLOGY.....	7
MINERALIZATION.....	7
GEOCHEMICAL SURVEYS.....	9
CONCLUSIONS AND RECOMMENDATIONS.....	9
STATEMENT OF 1990 EXPLORATION EXPENDITURES.....	10
PROPOSED 1991 EXPLORATION BUDGET.....	11
REFERENCES.....	12
STATEMENT OF QUALIFICATIONS.....	13

LIST OF TABLES

TABLE 1 CLAIM STATUS.....	
---------------------------	--

LIST OF FIGURES

FIGURE 1	LOCATION MAP.....	2
FIGURE 2	CLAIM MAP.....	4
FIGURE 3	REGIONAL GEOLOGY MAP.....	6
FIGURE 4	GEOLOGY, SILT AND ROCK SAMPLE MAP.....	8

LIST OF APPENDICIES

APPENDIX I	ANALYTICAL METHODS
APPENDIX II	ANALYTICAL RESULTS
APPENDIX III	SAMPLE LEDGERS

SUMMARY

The What Now claims are located in northwestern British Columbia, approximately 80 air-kilometers south-southwest of Dease Lake within the Liard Mining Division. Access to the 40 unit contiguous property is gained by utilizing helicopters based in the town of Dease Lake. The property is wholly owned by Teck Corporation and Triumph Resources Ltd. holds an option agreement to earn up to 50% of Teck's interest in the What Now Property.

The claims are underlain by Upper Triassic volcanics and sediments similar to rocks encountered on the nearby Quash Creek Copper-gold porphyry. In 1989, Teck identified several gold anomalies from a silt sampling program on the What Now claims. Subsequent follow-up detailed silt sampling confirmed the presence of anomalous gold values ranging from 510 to 4500 ppb over a 400 meter distance. This anomalous area is underlain by a volcanic-sedimentary contact.

Only preliminary exploration has been conducted on the property so far. Due to the property's close proximity to economically significant deposits combined with highly anomalous gold values obtained from silt sampling, continued work is recommended. The proposed exploration program includes silt sampling, reconnaissance contour soil sampling, prospecting and rock sampling. The estimated cost of the above recommended exploration program is \$31,300.

INTRODUCTION

Triumph Resources Ltd., a junior exploration company based in Vancouver, B.C., has completed field work on the What Now claims located at the headwaters of Quash Creek in northwestern British Columbia. The exploration program included stream sediment and rock sampling programs. Prospecting and reconnaissance geological mapping was also included in the program. The work was conducted from a fly camp set out in August, 1990. This assessment report summarizes the results of field work completed. Teck Corporation staked the claims in September, 1988 and are the registered owners. Triumph Resources Ltd. has optioned the claims and has the right to earn 50% interest in the property.

LOCATION AND ACCESS

The What Now claims lie within the Liard Mining Division in northwestern British Columbia, approximately 80 air-kilometers south-southwest of Dease Lake (Figure 1). The property is centered on the headwaters of Quash Creek with drains the central portion of the Klastline Plateau. The property is centered on latitude 57° 43' north and longitude is 130° 13' west. The claims lie on N.T.S. map sheet 104G/9E.

Access to the property is gained by a helicopter based in Dease Lake. Mobilization of camp equipment, drill rigs, and machinery is possible from Iskut Village located on highway 37 approximately 20 air-kilometers east of the property. An airstrip in Iskut also accommodates fixed-winged aircraft.

PHYSIOGRAPHY AND CLIMATE

Although the peripheral area of the Klastline Plateau consists of rugged mountainous terrain, the What Now claims occur within a small gentle valley at the headwaters of Quash Creek. Quash Creek and its many tributaries are easily traversible as is the entire valley bottom. Although the valley walls steepen considerably, they are still accessible by foot. Elevations range from 1330 to 1800m (4365-5775 ft.).

The valley floor on the northwest corner of the property is lightly forested with minor spruce, dwarf-alpine fir, alders and thick buckbrush. The majority of the property is above treeline, with minor thickets of shrubs and buckbrush. The ground is generally covered with alpine grasses, mosses and lichens. Numerous small creeks and streams drain the Property. Precipitation is considered moderate for the northwestern B.C. area, and the ground is covered with snow from early October to June. Outcrop exposure is plentiful along elevated ridges and deeply incised creek gullies.

TRIUMPH RESOURCES LTD.

WHAT NOW PROPERTY

LOCATION MAP




Figure 1

CLAIM STATUS


The What Now claims are owned by Teck Corporation. Table 1 summarizes all pertinent information on the status of the claims:

TABLE 1: CLAIM STATUS

<u>CLAIM NAME</u>	<u>RECORD NUMBER</u>	<u>NO. OF UNITS</u>	<u>RECORD DATE</u>	<u>EXPIRY DATE</u>
WHAT	5243	20	Sept. 01/88	Sept. 01/92
NOW	5344	20	Sept. 01/88	Sept. 01/92

PERSONNEL AND OPERATIONS

The sampling and reconnaissance mapping and prospecting program was carried out during the period July 10th to August 25, 1990 by Triumph Resources Ltd. personnel. The two-man fly camp included Ken Konkin, project geologist and Bob Johannson, geological assistant. The camp and crew was mobilized using a Hughes 500-D helicopter contracted from Vancouver Island Helicopters. Food and supplies were obtained from Dease Lake. Radio communication was maintained utilizing a SBX-11 radio. Rock and silt samples were flown to Tatogga Lake Lodge where Bandstra Transportation Systems Ltd. trucked the samples to Min-En Labs in Smithers. Project direction and supervision was provided by Wayne Roberts, Vice-President for Triumph Resources Ltd.



TRIUMPH RESOURCES LTD.
 WHAT NOW CLAIMS

CLAIM MAP

LIARD MINING DIVISION B.C.

0 500 1000 1500 2000 2500m

Date: Nov. 1990	Scale: 1:50,000	Figure: 2
Data by: K. Konkin		NTS 104G/AE

HISTORY

Although several economically significant prospects have been discovered in the area of the What Now claims, very minimal exploration has been conducted within the What Now property. Approximately 10 kilometers to the north lies the Castle claim group while the Quash Creek, QC discovery is located only 3 kilometers northwest. The S.F. property is located 4 kilometers to the west-southwest and the GJ discovery is approximately 10 kilometers to the south of the What Now property.

The first documented work within the region was in 1964 when Conwest Explorations Ltd. staked the Quash Creek copper-porphyry system. Several diamond drill hole, trenching and sampling programs have been carried out on the above mentioned properties over the past twenty years.


As a result of an anomalous gold value obtained from a government stream sediment survey, Teck Corporation staked the Property in 1988. In August 1989, Teck conducted a silt sampling program to verify the anomalous silt value and to determine whether further work was justified. A total of 26 silt samples were collected from the various creeks. Moderately anomalous gold, silver, barium, molybdenum, lead, zinc and cadmium values were obtained.

REGIONAL GEOLOGY

The majority of the Klastline Plateau is predominately underlain by Upper Triassic andesitic flows and pyroclastics. These volcanics overlies slightly older Upper Triassic thinly bedded siltstones and other fine-grained sediments and minor volcanoclastics. These two units are in fault contact along an east-west trend through the central portion of the Klastline Plateau (Souther, G.S.C. map 11-1971).

Minor fine-grained pale-coloured felsite, feldspar porphyry dykes and purple and green rhyolitic flows intrude the Upper Triassic volcanics and sediments in northwest trending structures. There, dykes and flows are believed to be of Tertiary and or late Cretaceous age.

The central region of the Klastline Plateau is capped by Quaternary basaltic lavas, olivine basalts and related pyroclastics. The basalts produce the highest peaks in on the plateau (Figure 3).



**WHAT NOW
CLAIM GROUP**

QUATERNARY

PLEISTOCENE AND RECENT

- 29** Fluvialite gravel; sand, silt; glacial outwash, till, alpine moraine and colluvium
- 27** Olivine basalt, related pyroclastic rocks and loose tephra; younger than some of 29

TERTIARY AND QUATERNARY

UPPER TERTIARY AND PLEISTOCENE

- 26** Rhyolite and dacite flows, lava domes, pyroclastic rocks and related sub-volcanic intrusions; minor basalt

CRETACEOUS AND TERTIARY

UPPER CRETACEOUS AND LOWER TERTIARY

SLOKO GROUP

- 24** Light green, purple and white rhyolite, trachyte and dacite flows, pyroclastic rocks and derived sediments
- 20** Felsite, quartz-feldspar porphyry, pyrriferous felsite, orbicular rhyolite; in part equivalent to 22

TRIASSIC

UPPER TRIASSIC

- 9** Undifferentiated volcanic and sedimentary rocks (units 5 to 8 inclusive)
- 8** Angle-andesite flows, pyroclastic rocks, derived volcanoclastic rocks and related subvolcanic intrusions; minor greywacks, siltstone and polymictic conglomerate
- 7** Siltstone, thin-bedded siliceous siltstone, ribbon chert, calcareous and dolomitic siltstone, greywacks, volcanic conglomerate, and minor limestone
- 6** Limestone, fetid argillaceous limestone, calcareous shale and reefoid limestone; may be in part younger than some 7 and 8
- 5** Greywacks, siltstone, shale; minor conglomerate, tuff and volcanic sandstone

PERMIAN

MIDDLE AND UPPER PERMIAN

- 3** Limestone, thick-bedded mainly bioclastic limestone; minor siltstone, chert and tuff

(FROM GSC MAP 11-1971)


TRIUMPH RESOURCES LTD.

WHAT NOW CLAIM GROUP

REGIONAL

GEOLOGY MAP

LIARD MINING DIVISION, B.C.



Date: Nov. 1990 Scale: 1:250,000 Figure: 3
 data by: K. Konkin NTS: 104G/4E

PROPERTY GEOLOGY

The What Now claims are predominately underlain by Upper Triassic volcanics and sediments. The northwestern and south central portions of the Property is composed of andesite tuff, augite-andesite flows, pyroclastic rocks and their volcanoclastic derivatives. The rocks vary from a massive, fine-grained texture to porphyritic flows of crystal and lithic andesitic tuffs. Colour varies from a medium to dark green with minor intercalated purple volcanics. Alteration includes a pervasive chlorite and or epidote alteration of mafics. Disseminated 1-2% fine-grained to coarse-grained euhedral pyrite is associated with alteration assemblages.

The Quash Creek valley floor is underlain by Upper Triassic sedimentary units interbedded with minor volcanics. The strata consists of interbedded dolomitic sediments, argillite, conglomerate and siltstone with minor volcanic tuffs. The units trend northwest to west and dip steeply to the north and south.


A reconnaissance geology map was completed based upon outcrop exposed along creek gullies and elevated ridges (Figure 4).

MINERALIZATION

No gold-copper mineralization was found during the 1990 preliminary field program. Several moderately anomalous gold, silver, barium, molybeunum lead, zinc and cadmium values were obtained from Teck's 1989 silt sampling program. Follow-up silt sampling by Triumph in 1990 confirmed the presence of highly anomalous gold and copper values along volcanic-sedimentary contact (see Figure 4).

Several stream sediment gold values up to 4500 ppb Au occur along a tributary of Quash Creek all within a 400 meter distance. This is the primary target for future exploratory activity. One float sample taken from a sub-parallel stream bed 200 meters to the southeast of the anomalous creek assayed 1.00 gm/T (.029 opt) gold. This float was consisted of a quartz vein with dolomitic stringers containing 3-5% pyrite.

20,521



LEGEND -

- 03,100,3000 • silt sample site: Cu(ppm), Zn(ppm) Au(ppb)
- x 49613.10,69 • Rock sample site: Au(ppb), Cu(ppm)
- ⊙ 49611.1050,1220 • Float sample site: Au(ppb) Cu(ppm)
- — — • Geological contact (location approximate)
- ⊥ • Strike and dip

NOTE: CONTOUR INTERVAL 100m

TRIUMPH RESOURCES LTD.		
WHAT NOW CLAIMS		
GEOLOGY		
SILT and ROCK SAMPLE		
MAP		
LIAFD MINING DIVISION		P.C.
0 100 200 300 400m		
Date: Nov. 1990	Scale: 1:15000	Figure
Data by: K. Konkin	NTS104 & 9E	4

GEOCHEMICAL SURVEYS

A total of 60 stream sediment samples were collected at approximately 50 meters intervals along three creeks tributary to Quash Creek. Anomalous gold was detected in these streams as a result of the 1989 silt sampling program. The 1990 follow-up program identified one highly anomalous creek draining the northwest corner of the Now claim.

The silt samples were sieved through a minus one millimeter screen mesh and collected into Kraft gusset soil sample bags. The sites were marked with orange or pink flagging tape with corresponding sample numbers.

A total of 13 rock samples were collected. One sample assayed 1.00 gm/T (.029 opt) gold. The analytical methods, results and sample ledgers are located in Appendices I to III.

CONCLUSIONS AND RECOMMENDATIONS

The What Now claims are underlain by Upper Triassic volcanic and sedimentary rocks. These rocks are similar to those underlying the nearby Quash Creek, copper-gold porphyry system and the SL barite-sulphide stockwork system.

In 1989, Teck Corporation identified several streams containing anomalous gold silt values. Subsequent detailed silt sampling confirmed the presence of highly anomalous gold values ranging from 510 to 4500 ppb over a 400 meter distance. The source area for the gold anomalous values is underlain by a volcanic-sedimentary contact.

An expanded silt, soil, rock sampling and prospecting program is recommended for the What Now claims. An intensive rock prospecting and geochemical survey should be conducted along the anomalous creek as well as along the volcanic-sedimentary contact.

Where conditions permit, a grid soil sampling program should be undertaken along the volcanic-sedimentary contact. Continued detailed silt sampling of the creeks in the southwest corner of the property is also recommended. The estimated cost of the proposed exploration program is \$31,300.

Respectfully Submitted



Ken Konkin, Bsc

STATEMENT OF 1990 EXPLORATION EXPENDITURES

WHAT NOW CLAIMS

<u>EXPLORATION FUNCTION</u>		<u>EXPENDITURES</u>
Analysis - Geochemical 60 samples @ \$10.50/sample	\$	\$ 630.00
Analysis - Assays 13 samples @ \$13.00/sample		169.00
Accommodation		280.00
Consulting Geological 7 days (Ken Konkin @ \$200/day)		1400.00
Drafting, Maps, etc.		189.75
Expediting		16.00
Equipment		
Camp Rental - 5 days @ \$50.00/day	250.00	
Purchases	<u>78.53</u>	
	328.53	328.53
Salaries and Wages		
B. Johansson - 5 days @ \$136.80/day	684.00	
W. Roberts - 2 days @ \$270.00/day	<u>540.00</u>	
	1224.00	1224.00
Transportation - Airlines		870.00
Transportation - Helicopter		5256.00
Transportation - Freight		<u>10.87</u>
 Total of 1990 Exploration Expenditures		 <u>\$10,374.15</u>

PROPOSED 1991 EXPLORATION BUDGET

WHAT NOW CLAIMS

<u>EXPLORATION FUNCTION</u>		<u>EXPENDITURES</u>
Analysis - Geochemical 500 soil and silt samples @ \$12.00/sample	\$	\$ 6000.00
Analysis - Assays 100 rock samples @ \$18.00/sample		1800.00
Accommodation		1600.00
Consulting Geological 12 days @ \$250.00/day		3000.00
Drafting, Mats, etc.		500.00
Expediting, Telephone		300.00
Equipment		600.00
Salaries and Wages		
Supervisor - 1 day @ \$300.00/day	300.00	
Prospector - 10 days @ \$250.00/day	2500.00	
1 Field Assistant - 10 days @ \$140.00/day	<u>1400.00</u>	
	4200.00	4200.00
Transportation - Airlines		1600.00
Transportation - Helicopters		8640.00
Transportation - Freight		260.00
Management Fee @ 10%		2800.00
Total Proposed 1991 Budget		<u>\$31,300.00</u>

REFERENCES

- Betmanis, A.I., 1989, Report on Geochemical Silt Sampling, Now Group, Quash Creek Area, B.C., Liard Mining Division.
- Delaney, T.M., 1988, Report on Hand Trenching, Geology and Geochemistry on the Quash Creek Property, Liard Mining Division.
- Souther, J.G., 1972, Telegraph Creek map Area, B.C., GSC paper 71-44.
- Souther, J.G., 1971, GSC map 11-1971, Geology of Telegraph Creek, B.C.

STATEMENT OF QUALIFICATIONS

I, KENNETH J. KONKIN, Geologist, residing at 4117 Burkerridge Place, in the City of West Vancouver, in the Province of British Columbia, hereby certify that:

- 1) I received a Bachelor of Science degree in Geology from the University of British Columbia in 1984.
- 2) Since 1980, I have been involved with numerous mineral exploration programs throughout Canada and the United States of America.
- 3) I am a consulting geologist working on behalf of Triumph Resources Ltd.
- 4) This report is based on a review of reports, documents, maps, other technical data, and on field data collected during August 1990.
- 5) I hold no direct or indirect interest in the property, nor in any securities of Triumph Resources Ltd. or in any associated companies, nor do I expect to receive any.

November 9, 1990

Date


K.J. Konkinn, B.Sc.

APPENDIX I

ANALYTICAL METHODS



GOLD ASSAY PROCEDURE:

Samples are dried @ 95 C and when dry are crushed on a jaw crusher. The 1/4 inch output of the jaw crusher is put through a secondary roll crusher to reduce it to - 1/8 inch. The whole sample is then riffled on a Jones Riffle down to a statistically representative 300 - 400 gram sub-sample (in accordance with Gy's statistical rules). This sub-sample is then pulverized on a ring pulverizer to 95% minus 120 mesh, rolled and bagged for analysis. The remaining reject from the Jones Riffle is bagged and stored.

Samples are fire assayed using one assay ton sample weight. The samples are fluxed, a silver inguirt added and mixed. The assays are fused in batches of 24 assays along with a natural standard and a blank. This batch of 26 assays is carried through the whole procedure as a set. After cupellation the precious metal beads are transferred into new glassware, dissolved, diluted to volume and mixed.

These aqua regia solutions are analyzed on an atomic absorption spectrometer using a suitable standard set. The natural standard fused along with this set must be within 3 standard deviations of its known or the whole set is re-assayed. Likewise the blank must be less than 0.015 g/tonne.



**MINERAL
• ENVIRONMENTS
LABORATORIES**

Division of Assayers Corp. Ltd.

ANALYTICAL PRECEDURE REPORT FOR ASSESSMENT WORK:

PROCEDURE FOR WET GOLD GEOCHEMICAL ANALYSIS

Samples are processed by Min-En Laboratories, at 705 West 15th Street, North Vancouver, employing the following procedures.

After drying the samples at 95 C, soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed by a jaw crusher and pulverized on a ring mill pulverizer.

5.00 grams of sample is weighed into porcelain crucibles and cindered @ 800 C for 3 hours. Samples are then transferred to beakers and digested using aqua regia, diluted to volume and mixed.

Further oxidation and treatment of 75% of the above solution is then extracted for gold by Methyl Iso-butyl Ketone.

The MIBK solutions are analyzed on an atomic absorption spectrometer using a suitable standard set.



ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK

PROCEDURE FOR AU, PT OR PD FIRE GEOCHEM

Geochemical samples for Au Pt Pd are processed by Min-En Laboratories, at 705 West 15th St., North Vancouver, B. C., laboratory employing the following procedures:

After drying the samples at 95 C, soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed and pulverized on a ring mill pulverizer.

A suitable sample weight; 15.00 or 30.00 grams is fire assay preconcentrated. The precious metal beads are taken into solution with aqua regia and made to volume.

For Au only, samples are aspirated on an atomic absorption spectrometer with a suitable set of standard solutions. If samples are for Au plus Pt or Pd, the sample solution is analyzed in an inductively coupled plasma spectrometer with reference to a suitable standard set.



**MINERAL
• ENVIRONMENTS
LABORATORIES**

Division of Assayers Corp. Ltd.

ANALYTICAL PROCEDURE REPORT FOR ASSESSMENT WORK:

PROCEDURE FOR AG, CU, PB, ZN, NI, CO OR CD GEOCHEM

Samples are processed by Min-En Laboratories at 705 West 15th Street, North Vancouver, employing the following procedures.

After drying the samples at 95 C, soil and stream sediment samples are screened by 80 mesh sieve to obtain the minus 80 mesh fraction for analysis. The rock samples are crushed by jaw crusher and pulverized on a ring mill pulverizer.

0.50 gram of the sample is digested for 2 hours with an aqua regia mixture. After cooling samples are diluted to standard volume.

The solutions are analysed on atomic absorption spectrometers using the appropriate standard sets. A background correction can be applied to Ag, Pb, and Cd if requested.

APPENDIX II

ANALYTICAL RESULTS



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

THUNDER BAY LAB.:
TELEPHONE (807) 622-8958
FAX (807) 623-5931

SMITHERS LAB.:
TELEPHONE/FAX (604) 847-3004

Geochemical Analysis Certificate

OV-1361-SG1

Company: **TRIUMPH RESOURCES**
Project:
Attn: **W. ROBERTS**

Date: **SEP-13-90**
Copy 1. TRIUMPH RESOURCES, VANCOUVER, B.C.

He hereby certify the following Geochemical Analysis of 30 SOIL samples submitted SEP-05-90 by W.ROBERTS.

Sample Number	AU-WET PPB	CU PPM	ZN PPM
WN-90-01	5	76	124
WN-90-02	10	72	123
WN-90-03	5	79	128
WN-90-04	5	80	131
WN-90-05	5	92	139
WN-90-06	5	79	150
WN-90-07	5	89	142
WN-90-08	10	92	148
WN-90-09	5	85	126
WN-90-10	5	87	140
WN-90-11	5	71	135
WN-90-12	5	83	130
WN-90-13	5	84	132
WN-90-14	5	77	130
WN-90-16	5	81	150
WN-90-17	5	92	133
WN-90-18	10	82	147
WN-90-19	10	84	157
WN-90-20	5	86	150
WN-90-21	5	83	148
WN-90-22	55	79	125
WN-90-23	4500	93	152
WN-90-24	25	78	125
WN-90-25	10	88	133
WN-90-26	510	78	141
WN-90-27	2150	79	126
WN-90-28	920	86	127
WN-90-29	3500	77	133
WN-90-30	630	89	125

Certified by _____

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

THUNDER BAY LAB.:
TELEPHONE (807) 622-8958
FAX (807) 623-5931

SMITHERS LAB.:
TELEPHONE/FAX (604) 847-3004

Geochemical Analysis Certificate

OV-1361-SG2

Company: TRIUMPH RESOURCES

Date: SEP-13-90

Project:
Attn: W. ROBERTS

Copy 1. TRIUMPH RESOURCES, VANCOUVER, B.C.

We hereby certify the following Geochemical Analysis of 30 SOILS samples submitted SEP-05-90 by W.ROBERTS.

Sample Number	AU-WET PPB	CU PPM	ZN PPM
WN-90-31	3800	83	108
WN-90-32	5	84	115
WN-90-33	5	79	107
WN-90-34	5	85	126
WN-90-35	10	85	125
WN-90-36	5	91	110
WN-90-37	5	96	122
WN-90-38	5	81	123
WN-90-39	10	87	145
WN-90-40	5	74	150
WN-90-41	75	115	142
WN-90-42	5	95	126
WN-90-43	5	92	123
WN-90-44	5	109	140
WN-90-45	10	108	150
WN-90-46	10	85	97
WN-90-47	5	107	116
WN-90-48	5	107	105
WN-90-49	5	105	117
WN-90-50	5	117	118
WN-90-51	10	114	122
WN-90-52	5	94	110
WN-90-53	5	99	101
WN-90-54	5	100	113
WN-90-55	5	122	123
WN-90-56	5	118	110
WN-90-57	10	109	125
WN-90-58	5	153	113
WN-90-59	5	107	137
WN-90-60	5	104	171

Certified by

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES SEP 18 1990
 (DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
 CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
 705 WEST 15TH STREET
 NORTH VANCOUVER, B.C. CANADA V7M 1T2
 TELEPHONE (604) 980-5814 OR (604) 988-4524
 FAX (604) 980-9621

THUNDER BAY LAB.:
 TELEPHONE (807) 622-8958
 FAX (807) 623-5931

SMITHERS LAB.:
 TELEPHONE/FAX (604) 847-3004

Geochemical Analysis Certificate

OS-0451-SG2

Company: **TRIUMPH RESOURCES**
 Project: **WHAT NOW CLAIMS**
 Attn: **W.ROBERTS**

Date: **SEP-13-90**

Copy 1. TRIUMPH RESOURCES, VANCOUVER, B.C.
 2. TRIUMPH RESOURCES, C/O MIN-EN LABS

We hereby certify the following Geochemical Analysis of 1 SOIL samples submitted SEP-06-90 by W.ROBERTS.

Sample Number	AU-WET PPB	CU PPM
WN-90-15	5	62

Certified by _____

MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9821

THUNDER BAY LAB.:
TELEPHONE (807) 622-8958
FAX (807) 623-5931

SMITHERS LAB.:
TELEPHONE/FAX (604) 847-3004

Geochemical Analysis Certificate

OS-0451-RG1

Company: **TRIUMPH RESOURCES**
Project: **WHAT NOW CLAIMS**
Attn: **W. ROBERTS**

Date: **SEP-14-90**

Copy 1. TRIUMPH RESOURCES, VANCOUVER, B.C.
2. TRIUMPH RESOURCES, C/O MIN-EN LABS

We hereby certify the following Geochemical Analysis of 13 ROCK samples submitted SEP-06-90 by W.ROBERTS.

Sample Number	AU-WET PPB	CU PPM	PB PPM	ZN PPM
49601	5	9		
49602	5	7		
49603	5	67		
49604	170	69		
49605	10	5		

49606	5	46		
49607	5	102		
49608	10	21		
49609	40	178		
49610	5	163		

49611	1050	1220		
49612	10	25	5	2
49613	10	69		

Certified by 
MIN-EN LABORATORIES



**MINERAL
• ENVIRONMENTS
LABORATORIES**
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
705 WEST 15TH STREET
NORTH VANCOUVER, B.C. CANADA V7M 1T2
TELEPHONE (604) 980-5814 OR (604) 988-4524
FAX (604) 980-9621

THUNDER BAY LAB.:
TELEPHONE (807) 622-8958
FAX (807) 623-5931

SMITHERS LAB.:
TELEPHONE/FAX (604) 847-3004

Assay Certificate

OS-0451-RA1

Company: **TRIUMPH RESOURCES**
Project: **WHAT NOW CLAIMS**
Attn: **W. ROBERTS**

Date: **SEP-14-90**

Copy 1. TRIUMPH RESOURCES, VANCOUVER, B.C.
2. TRIUMPH RESOURCES, C/O MIN-EN LABS

We hereby certify the following Assay of 1 ROCK samples
submitted SEP-06-90 by W.ROBERTS.

Sample Number	AU g/tonne	AU oz/ton
49611	1.00	.029

Certified by _____

MIN-EN LABORATORIES

APPENDIX III

SAMPLE LEDGERS

TRIUMPH
WHAT NOW

Property

SAMPLE LEDGER

Page No. 1

SAY TAG No.	SAMPLE INTERVAL		SAMPLE LENGTH		ppb Au	Ag	ppm Au	oz/t Au	DESCRIPTION
	Metres	Feet	Metres	Feet					
49601	float		float		5		9		Quash Creek branch silty dolomite 1-2% PY
602	"		"		5		7		" " bk cherty siltstone 20-25% Fe carb ^{winlets & string}
603	grab		grab		5		67		" " tributary subcrop dol. ^{1 m. ex.} seeds string
604	float		float		170		69		" " Drainage med green andesite 2-3% PY
605		.75		.75	10		5		" " " 8" wide calc. vein, weathered ss
606	grab		grab		5		46		" " " grab outcrop agglomerate stringer ^{intense lim & hem ox}
607	float		float		5		102		" " " Qtz vein? siliceous boxwork ^{intense lim & hem ox} float
608	float		float		10		21		" " " very siliceous dolomite ^{4-12% PY} knobs
609	"		"		40		178		" " " Qtz, Fe carb streak, bk siltstone frag
610	0-5		5.0		5		163		" " " bk argillite siltstone, limonite pads
611	float		float		1050		1220	.029	" " " Qtz vein 25-7% dolomite stringer 2-3% PY
612	"		"		10		25		" " " massive white-grey knobs
613	0-1		1.0		10		69		" " " porphyritic andesite, 5-7% PY ^{& pads.} seams