



LOG NO: 12-31	RD.
ACTION:	
FILE NO:	


APPENDICES TO
1990 ASSESSMENT REPORT
ON BULL 16 CLAIM

SUB-RECORDER
RECEIVED
DEC 19 1990
M.R. # _____ \$ _____
VANCOUVER, B.C.

GEOLOGICAL BRANCH
ASSESSMENT REPORT

20,735

Part 2 of 2



APPENDIX 1
ASSAY CERTIFICATES

August 14, 1990

Work Order # 08283

Regional Resources
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08283a

P.O. # M0302


Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	ppm Ag	% Pb	% Zn
6001	>100	2.31	4.50
6002	>100	7.53	15.49
6003	2.0	0.075	0.221
6004	95.1	1.73	7.52
6005	37.2	0.500	29.52
6006	2.0	0.286	12.85
6007	>100	8.19	12.23
6008	3.4	0.076	0.283
6009	0.6	0.012	0.052
6010	1.0	0.013	0.043
6011	<0.1	0.019	0.007
6012	15.5	0.079	7.55
6013	25.5	0.363	1.17
6014	8.6	0.052	7.67
6015	3.7	0.086	1.50
6016	<0.1	0.017	0.022
6017	>100	12.39	9.07
6018	16.2	0.667	0.973
6019	19.2	0.484	1.97
6020	5.0	0.081	1.22
6021	5.3	0.091	2.04
6022	91.7	2.22	8.56
6023	75.4	1.91	21.45

entered

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



August 21, 1990

Work Order # 08283

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08283b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6001	183.5	<0.069
6002	179.9	0.137
6007	320.9	2.743
6017	301.8	0.446

Au & Ag -- 1AT Fire Assay/Grav



entered

August 15, 1990

Work Order # 08302

Regional Resources
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08302a

P.O. # M0302


Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6024	>100	0.97	1.84
6025	28.0	0.16	2.91
6026	34.1	0.03	21.8
6027	36.8	0.33	3.49
6028	>100	5.75	4.39
6029	18.9	0.30	1.28
6030	>100	3.91	9.87
6031	13.8	0.09	1.52
6032	13.4	0.21	1.53
6033	24.8	0.08	1.90
6034	>100	3.33	3.21
6035	98.6	1.42	4.62
6036	>100	14.0	3.80
6037	>100	9.34	11.0
6038	>100	5.85	8.10
6039	78.0	1.82	19.6
6040	6.5	0.16	0.34
6041	>100	8.47	13.1
6042	>100	18.4	18.9
6043	>100	33.8	3.67
6044	>100	9.74	3.56
6045	>100	6.79	3.76
6046	85.3	1.79	2.45
6047	>100	11.4	10.3
6048	>100	6.83	1.46
6049	44.9	1.19	0.45
6050	22.6	0.46	0.59
6051	40.5	0.72	11.7
6052	1.7	0.05	0.29
6053	>100	15.5	33.3

Posted

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



August 15, 1990

Work Order # 08302

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08302

P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6054	>100	21.2	23.0
6055	13.2	0.55	1.40
6056	>100	5.08	15.8
6057	48.7	0.41	7.54
6258	30.8	0.10	0.16
6059	1.4	0.03	0.02
6060	>100	0.89	12.9
6061	61.9	0.11	4.70
6062	55.6	0.31	6.61
6063	36.0	0.12	23.8
6064	54.3	1.00	12.4
6065	30.7	1.97	3.58
6066	85.5	0.39	9.07
6067	37.8	0.88	10.2

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay

Posted

August 21, 1990

Work Order # 08302

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8


File # 08302c
P.O. # M0302
Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6024	198.0	0.069 [✓] 301
6028	235.2	<0.069 [✓] 321
6030	202.6	<0.069 [✓] 302
6034	204.7	<0.069 [✓] 321
6035	120.9	0.103 [✓] n
6036	576.9	0.549 [✓] n
6037	455.8	0.617 [✓] n
6038	334.4	<0.069 [✓] n
6041	536.8	0.103 [✓] n
6042	957.0	0.069 [✓] n
6043	1856.1	<0.069 [✓] 322
6044	564.0	0.343 [✓] n
6045	291.9	<0.069 [✓] n
6047	615.2	<0.069 [✓] n
6048	331.0	0.137 [✓] n
6053	406.1	0.377 [✓] 323
6054	588.5	<0.069 [✓] n
6056	458.0	<0.069 [✓] n
6060	150.1	0.480 [✓] n

Posted

Au & Ag -- Fire Assay/Grav



August 24, 1990

Work Order # 08327

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08327a


P.O. # M0302
Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6068	>100	1.58	0.88 90-303
6069	>100	1.31	9.06 ^
6070	>100	0.89	13.10 ^
6071	70.3	1.84	2.43 ^
6072	12.8	0.10	0.28 ^
6073	8.8	0.05	0.32 ^
6074	15.8	0.07	0.16 ^
6075	13.4	0.19	0.26 ^
6076	2.2	0.02	0.23 90-324
90-324 6077 or 6078	>100	3.20	13.20
6079 90-296	19.5	0.13	0.83 90-296
6080	45.1	0.94	0.08 90-304
6081	>100	12.40	17.50 90-325
6082	95.0	2.48	1.31 90-325
6083	6.5	0.03	0.25 90-325
6084	22.7	0.39	0.16 ^
6085	>100	23.80	10.20 ^
6086	73.6	1.60	6.51 90-306
6087	4.1	0.05	0.18 ^
6088	>100	9.20	6.89 ^
6089	25.3	0.53	1.37 ^
6090	88.0	2.15	3.68 ^
6091	18.3	0.23	1.47 ^
6092	>100	6.18	1.46 ^
6093	>100	20.10	7.59 ^
6094	54.6	0.89	1.27 ^
6095	>100	10.90	9.30 ^
6096	>100	4.33	12.80 ^
6097	86.8	1.52	14.40 90-307
6098	59.2	1.47	13.60 ^

Posted

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



August 24, 1990

Work Order # 08327

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08327b

P.O. # M0302


Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn	
6099	12.1	0.10	0.36	90-307
6100	3.1	0.04	0.14	90-330
6101	11.0	0.10	2.29	"
6102	21.1	0.20	14.40	"
6103	>100	2.55	6.39	"
6104	>100	2.71	6.49	"
6105	6.1	0.15	0.21	"
6106	37.5	0.37	7.44	"
6107	2.8	0.05	0.13	90-308
6108	86.3	0.38	7.11	"
6109	>100	1.90	14.00	"
6110	>100	5.37	13.90	"
6111	20.1	0.29	7.01	"
6112	10.9	0.14	0.44	"
6113	89.2	2.04	3.99	90-327
6114	>100	2.67	2.83	"
6115	>100	16.60	22.20	"
6116	1.9	0.09	0.16	"
6117	4.8	0.04	0.13	"
6118	7.9	0.08	0.23	90-327A
6119	67.2	1.05	1.40	"
6120	5.4	0.06	0.15	"
6121	14.6	0.05	0.19	"
6122	2.8	0.01	1.11	"
6123	37.3	0.18	3.71	"
6124	7.8	0.10	1.31	90-309
6125	29.7	0.90	8.08	"

Posted

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



August 28, 1990

Work Order # 08327

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8


File # 08327c
P.O. # M0302
Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6068	125.5	0.27 90-303
6069	678.7	0.65 "
6070	189.2	0.62 "
6077/6078	226.1	0.45
6081	667.7	0.03 90-325
6085	1261.4	0.17 90-325
6088	531.4	0.75 90-306
6092	316.8	1.17 "
6093	1106.6	0.58 "
6095	642.7	0.79 "
6096	369.6	1.27 "
6103	239.0	0.79 90-330
6104	152.8	0.38 "
6109	146.9	0.75 90-308
6110	355.4	0.51 " "
6114	128.6	0.24 90-327
6115	593.6	1.68 " "

Posted

Au & Ag -- 1AT Fire Assay/Grav.



September 14, 1990

Work Order # 08387

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08387a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6126	10.0	0.12	1.58
6127	26.8	0.13	0.38
6128	35.1	0.14	8.06
6129	>100	22.7	7.61
6130	3.0	0.09	0.40
6131	20.2	0.07	0.10
6132	<0.1	0.01	0.01
6133	81.9	3.65	27.6
6134	20.7	0.60	1.14
6135	>100	1.17	12.3
6136	>100	1.67	3.10
6137	48.6	0.48	3.35
6138	>100	11.5	7.40
6139	>100	11.8	7.35
6140	>100	6.24	5.86
6141	36.2	0.43	13.1
6142	>100	13.6	14.5
6143	>100	6.92	12.9
6144	88.5	1.82	8.22
6145	95.9	1.90	9.22
6146	>100	10.7	13.0
6147	>100	11.6	8.10
6148	>100	11.3	3.52
6149	31.4	0.78	0.66
6150	>100	3.99	3.22
6151	94.5	2.31	5.52
6152	64.3	1.84	2.49
6153	46.8	0.60	7.26
6154	38.8	1.25	5.45
6155	16.7	0.40	6.26

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



September 14, 1990

Work Order # 08387

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08387b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6156	40.8	0.57	9.74
6157	67.8	0.95	11.2
6158	>100	14.8	7.74
6159	88.9	1.76	15.6
6160	63.5	2.35	5.09
6161	>100	8.56	15.1
6162	>100	15.9	7.79
6163	>100	10.8	11.6
6164	18.2	0.89	1.44
6165	6.5	0.22	0.87
6166	18.5	0.83	0.59
6167	85.7	1.47	11.7
6168	68.8	1.32	23.0

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



September 14, 1990

Work Order # 08387

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08387c


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6129	948.6	<0.07
6135	246.3	<0.07
6136	294.4	<0.07
6138	668.2	10.97
6139	645.4	<0.07
6140	345.1	0.62
6142	757.6	1.17
6143	224.7	0.89
6146	528.0	0.41
6147	475.3	0.62
6148	464.4	0.27
6150	149.6	0.34
6158	790.9	0.48
6161	404.2	0.41
6162	721.0	0.07
6163	468.2	1.78

Au & Ag -- 1AT Fire Assay/Grav



September 24, 1990

Work Order # 08407

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08407a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6169	79.3	1.06	5.70
6170	>100	9.52	20.5
6171	39.5	0.26	9.05
6172	>100	2.59	3.60
6173	>100	3.93	15.4
6174	>100	0.99	6.47
6175	>100	34.0	5.91
6176	42.8	0.71	1.68
6177	10.2	0.57	18.3
6178	>100	2.76	14.2
6179	16.4	0.29	1.22
6180	28.6	0.71	0.51
6181	23.1	0.56	0.90
6182	3.5	0.05	0.21
6183	16.0	0.32	0.80
6184	30.5	0.38	9.21
6185	2.3	<0.01	0.30
6186	84.7	1.91	3.84
6187	8.0	0.10	1.76
6188	27.7	0.55	1.17
6189	10.8	0.20	2.53
6190	>100	3.89	10.4
6191	>100	7.50	9.43
6192	68.5	1.16	0.47
6193	72.7	1.68	1.25
6194	>100	27.9	3.41
6195	>100	1.57	13.7
6196	93.6	1.02	6.18
6197	>100	37.2	5.89
6198	61.7	1.16	3.56

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



September 24, 1990

Work Order # 08407

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08407b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6199	>100	2.08	1.68
6200	>100	2.31	15.1
6201	>100	3.16	2.76
6202	>100	4.58	0.94
6203	>100	5.46	6.63
6204	>100	4.45	18.1
6205	>100	25.7	8.99
6206	>100	6.13	27.2
6207	>100	1.74	6.92
6208	7.9	0.15	0.71
6209	>100	2.16	0.20
6210	59.4	2.02	5.36
6211	29.1	0.81	2.20
6212	3.7	0.15	1.39
6213	>100	3.74	4.59
6214	>100	35.7	1.79
6215	50.6	0.57	1.76
6216	89.5	1.59	2.25
6217	>100	3.95	23.5
6218	>100	47.6	5.00
6219	18.0	0.40	0.33
6220	>100	3.12	26.1
6221	36.9	0.72	40.3
6222	>100	4.17	9.32
6223	77.1	0.94	16.6
6224	40.4	0.15	31.5
6225	2.8	0.05	0.44
6226	35.3	0.76	9.80
6227	14.8	0.20	2.75
6228	>100	10.1	9.78

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



September 27, 1990

Work Order # 08407

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08407d


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6170	985.0	0.14
6172	100.6	0.58
6173	259.0	0.21
6174	76.5	0.65
6175	1188.4	2.43
6178	77.4	1.34
6190	164.6	0.24
6191	523.5	0.34
6194	778.3	1.92
6195	101.3	0.27
6197	1571.5	2.26
6199	98.8	0.10
6200	396.8	0.21
6201	119.1	0.51
6202	119.6	0.62
6203	237.2	<0.07
6204	166.2	1.23
6205	1162.5	0.86
6206	448.3	0.21
6207	179.1	0.10
6209	139.1	0.24
6213	188.3	0.45
6214	1686.4	0.38
6217	245.8	0.82
6218	2053.9	0.62
6220	252.1	<0.07
6222	152.0	0.72
6228	355.2	0.14

Au & Ag -- 1AT Fire Assay/Grav



September 24, 1990

Work Order # 08407


Regional Resources Ltd.
 12th Floor, 20 Toronto St.
 Toronto, Ont.
 M5C 2B8

File # 08407c
 P.O. # M0302
 Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6229	17.6	0.11	9.47 90-337
6230	12.7	0.13	8.36 90-350
6231	17.1	0.27	4.63 90-351

Ag -- Aqua Regia Digestion/AAS Geochem
 Pb & Zn -- Aqua Regia Digestion/AAS Assay



October 1, 1990

Work Order # 08434

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08434a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6232	1.3	0.03	0.74
6233	7.4	0.09	0.68
6234	32.7	0.39	2.09
6235	<0.1	0.02	0.01
6236	>100	6.35	10.9
6237	42.5	0.24	5.99
6238	55.8	0.83	4.88
6239	>100	4.62	26.8
6240	8.1	0.15	0.31
6241	67.1	1.57	1.00
6242	4.5	0.05	0.12
6243	3.9	0.02	<0.01
6244	14.0	0.21	1.24
6245	>100	2.60	12.1
6246	>100	2.36	11.7
6247	>100	2.15	15.3
6248	43.4	0.88	1.77
6249	19.0	0.55	4.76
6250	9.2	0.20	0.53
6251	>100	2.02	5.12
6252	>100	5.47	2.22
6253	1.3	0.01	<0.01
6254	1.4	0.04	10.7
6255	<0.1	0.01	0.03
6256	<0.1	0.01	<0.01

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



October 3, 1990

Work Order # 08434


Regional Resources Ltd.
 12th Floor, 20 Toronto St.
 Toronto, Ont.
 M5C 2B8

File # 08434b
 P.O. # M0302
 Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6236	242.6	0.45
6239	251.0	0.38
6245	99.3	0.62
6246	112.6	1.13
6247	111.8	0.24
6251	133.8	0.07
6252	273.3	<0.07

Au & Ag -- 1AT Fire Assay/Grav



October 12, 1990

Work Order # 08464

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08464a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6257	10.0	0.16	0.82
6258	0.3	0.02	<0.01
6259	3.8	0.01	2.02
6260	<0.1	0.01	<0.01
6261	<0.1	<0.01	<0.01
6262	<0.1	0.02	<0.01
6263	25.4	1.08	0.01
6264	14.6	0.77	1.13
6265	5.4	0.05	5.67
6266	12.6	0.03	35.8
6267	<0.1	<0.01	0.05
6268	>100	25.3	11.7
6269	>100	33.5	20.8
6270	>100	19.7	12.1
6271	45.7	1.31	0.68
6272	73.3	1.08	18.9
6273	<0.1	0.02	<0.01
6274	>100	4.48	4.80
6275	20.7	0.14	0.16
6276	<0.1	0.04	0.06
6277	8.5	<0.01	0.03
6278	>100	5.64	2.83
6279	0.5	0.05	0.04
6280	>100	54.4	9.59
6281	>100	54.3	12.2
6282	>100	34.0	20.1
6283	33.1	0.61	0.29
6284	>100	16.9	12.3
6285	>100	14.1	13.1
6286	>100	38.4	6.23

Ag-- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



October 12, 1990

Work Order # 08464

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08464b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6287	>100	10.6	17.2
6288	35.2	0.43	1.27
6289	>100	20.7	11.2
6290	2.2	0.20	0.14
6291	>100	13.6	21.6

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



October 16, 1990

Work Order # 08464

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08464c


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6268	1254.2	0.58
6269	2018.7	<0.07
6270	949.4	<0.07
6274	179.2	0.31
6278	291.3	<0.07
6280	3636.1	<0.07
6281	2700.5	<0.07
6282	1698.3	0.21
6284	474.7	<0.07
6285	554.7	0.41
6286	1687.9	0.82
6287	461.9	0.51
6289	996.7	0.45
6291	352.1	<0.07

Au & Ag -- 1AT Fire Assay/Grav



October 24, 1990

Work Order # 08483

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08483a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6292	73.0	1.30	6.31
6293	>100	5.82	17.5
6294	>100	4.20	10.1
6295	2.3	0.08	0.17
6296	>100	7.86	12.5
6297	>100	5.96	21.8
6298	>100	4.62	9.07
6299	>100	15.4	17.9
6300	>100	3.90	19.7
6301	2.9	0.08	7.40
6302	3.4	0.02	10.15
6303	<0.1	0.01	0.06
6304	6.2	0.05	14.2
6305	2.1	0.03	12.6
6306	2.7	0.02	8.30
6307	45.6	0.11	2.35
6308	51.0	0.24	4.63
6309	>100	8.60	8.17
6310	>100	2.25	15.4
6311	22.0	0.22	20.7
6312	29.5	0.10	6.98
6313	>100	32.3	22.1
6314	>100	58.3	6.34
6315	>100	59.7	2.60
6316	>100	19.1	32.6
6317	>100	32.1	18.1
6318	31.7	0.53	0.54
6319	13.0	0.07	7.93
6320	>100	18.4	15.9
6321	72.7	2.86	4.46
6322	>100	9.68	4.92

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



October 29, 1990

Work Order # 08483

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 08483b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6293	167.0	0.82
6294	127.4	0.24
6296	263.7	0.55
6297	255.8	0.48
6298	137.0	0.63
6299	612.6	0.96
6300	258.6	0.51
6309	188.5	0.58
6310	156.0	3.02
6313	1317.1	<0.07
6314	4950.4	1.13
6315	6206.8	1.23
6316	912.7	0.14
6317	1410.0	0.45
6320	712.0	0.27
6322	205.7	0.21

Au & Ag -- 1AT Fire Assay/Grav



November 14, 1990

Work Order # 13015


Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 13015a
P.O. # M0302
Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6323	38.4	0.05	0.19
6324	75.5	5.70	10.9
6325	1.0	0.07	0.31
6326	62.2	0.58	7.26
6327	>100	7.20	24.7
6328	>100	3.09	9.04
6329	>100	2.03	26.1
6330	>100	2.67	23.1
6331	71.3	0.43	24.8
6332	>100	6.15	27.0
6333	>100	9.16	20.3
6334	>100	7.73	5.72
6335	>100	1.02	16.6
6336	15.8	0.18	1.50
6337	23.6	0.32	3.71
6338	>100	3.99	19.5
6339	>100	2.59	12.6
6340	>100	4.57	17.7
6341	>100	8.89	21.5
6342	>100	0.71	15.7
6343	>100	1.78	20.7
6344	55.3	0.38	9.17
6345	27.8	0.21	13.7
6346	8.6	0.11	1.54
6347	14.8	0.13	0.43

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay



November 15, 1990

Work Order # 13015

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 13015b


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	g/t Au
6324	79.5	<0.07
6327	271.2	0.48
6328	152.5	0.41
6329	151.4	0.14
6330	202.2	0.21
6332	253.7	<0.07
6333	364.2	1.03
6334	235.4	0.34
6335	107.7	<0.07
6338	273.2	0.48
6339	206.5	0.55
6340	352.4	0.48
6341	626.0	<0.07
6342	152.5	0.48
6343	159.7	0.27

Au & Ag -- 1AT Fire Assay/Grav.



November 21, 1990

Work Order # 13027


Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 13027a
P.O. # M0302
Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	g/t Ag	% Pb	% Zn
6348	36.3	0.10	3.98
6349	21.7	0.14	1.59
6350	23.3	0.13	2.20
6351	34.0	0.63	15.5
6352	14.8	0.28	0.40
6353	20.3	0.22	6.84
6354	50.4	0.17	17.7
6355	29.8	0.09	7.97
6356	6.8	0.16	1.22
6357	2.8	0.02	0.63

Ag -- Aqua Regia Digestion/AAS Geochem
Pb & Zn -- Aqua Regia Digestion/AAS Assay





Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 5175 Timberlea Blvd., Mississauga,
 Ontario, Canada L4W 2S3
 PHONE: 416-624-2806

To: STRATHCONA MINERAL SERVICES LIMITED **

12TH FLOOR, 20 TORONTO ST.
 TORONTO, ON
 M5G 2B8

Page Number : 1
 Total Pages : 1
 Invoice Date : 22-OCT-90
 Invoice No. : I-9024590
 P.O. Number : MO264

Project :
 Comments: CC: R.A. SOUTHERLAND

CERTIFICATE OF ANALYSIS A9024590

SAMPLE DESCRIPTION	PREP CODE	Au FA oz/T	Ag FA oz/T	Pb %	Zn %						
6041	214 227	0.004	16.30	8.66	13.80						
6043	214 227	0.011	58.96	33.3	3.75						
6044	214 227	0.006	16.75	9.74	3.60						
6051	214 227	0.008	1.27	0.80	12.90						
6053	214 227	0.004	15.30	15.30	33.8						
6063	214 227	< 0.003	1.10	0.18	25.3						
6064	214 227	< 0.003	2.26	0.92	11.80						
6069	214 227	0.014	20.26	1.34	9.00						
6081	214 227	0.006	19.77	12.00	16.70						
6085	214 227	0.012	36.63	23.4	10.30						
6095	214 227	0.034	20.93	11.50	12.90						
6098	214 227	0.026	2.61	1.46	12.50						
6108	214 227	0.004	3.34	0.40	7.38						
6110	214 227	< 0.003	2.96	5.38	13.20						
6119	214 227	< 0.003	2.14	1.10	1.49						
6122	214 227	< 0.003	0.18	0.03	1.15						
6133	214 227	0.010	3.87	3.57	26.8						
6135	214 227	0.006	6.71	1.19	12.40						
6136	214 227	0.004	8.16	1.69	3.38						
6139	214 227	0.019	17.99	11.70	7.14						
6146	214 227	0.004	14.76	10.70	13.00						
6151	214 227	0.006	3.07	2.29	5.98						
6162	214 227	0.004	20.14	14.70	7.91						
6170	214 227	0.006	28.29	9.71	21.3						
6175	214 227	0.070	34.79	34.6	6.63						
6178	214 227	0.042	4.52	2.88	14.30						
6194	214 227	0.052	23.58	27.0	3.30						
6197	214 227	0.013	63.44	37.6	5.94						
6206	214 227	< 0.003	14.16	6.57	25.7						
6217	214 227	0.018	7.60	4.37	23.4						

CERTIFICATION: Albin

November 6, 1990

Work Order # 13010

Regional Resources Ltd.
12th Floor, 20 Toronto St.
Toronto, Ont.
M5C 2B8

File # 13010a


P.O. # M0302

Account Code # 100-30-5

Assay Certificate for Samples Provided

Sample	% Cu	% Fe	ppm Cd
6280	0.084	4.71	525
6281	0.105	3.84	681
6282	0.455	5.30	996
6284	0.213	13.3	629
6285	0.221	9.51	505
6286	0.107	8.99	345
6287	0.208	6.83	1430
6304	0.234	17.8	524
6305	0.246	16.9	484
6306	0.285	15.8	369
6307	0.306	12.2	100
6308	0.221	13.1	194
6309	0.217	13.0	351
6310	0.252	12.1	565
6311	0.136	12.5	751
6312	0.220	13.4	341
6313	0.232	5.37	855

Metals -- Aqua Regia Digestion/AAS Assay



GEOCHEMICAL ICP ANALYSIS

Northern Analytical Labs. Ltd. PROJECT WO#13010 FILE # 90-5803 Page 1
 105 Copper Road, Whitehorse YT Y1A 2Z7

SAMPLE#	As ppm	Sb ppm	Bi ppm	Ge ppm	Se ppm	Te ppm
6280	403.0	3594.3	66.4	.5	24.3	.1
6281	542.9	2682.7	33.6	.1	6.8	.1
6282	1745.4	4942.3	24.8	.1	.5	.1
6284	417.0	655.0	35.4	.1	3.7	.8
6285	14905.1	935.8	61.2	1.0	72.7	3.8
6286	11123.1	4522.9	3.9	.7	3.6	.1
6287	3649.2	1077.4	2.5	1.6	.5	1.8
6304	46.8	12.5	799.6	1.8	12.3	7.1
6305	40.5	29.8	4711.4	1.1	52.1	14.4
6306	51.1	39.3	2621.1	.9	45.6	11.7
6307	56595.0	316.0	1116.2	.9	21.8	51.4
6308	53381.0	340.2	1124.1	1.5	32.3	41.7
6309	15823.5	635.4	1095.1	.1	37.8	21.6
6310	20500.0	584.5	1376.4	.7	42.7	8.4
6311	6500.0	207.3	274.9	.9	10.3	3.6
6312	7782.0	153.6	90.7	1.2	3.1	4.0
6313	3048.7	1579.5	30.2	1.4	8.7	2.0

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AND .2 ML HF AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 ANALYSIS BY HYDRIDE ICP. GE - PARTIAL FACED.
 - SAMPLE TYPE: pulp

SIGNED BY *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS


GEOCHEMICAL ANALYSIS CERTIFICATE

Northern Analytical Labs. Ltd. PROJECT WO#13010 FILE # 90-5903 Page 1
105 Copper Road, Whitehorse YT Y1A 2Z7

SAMPLE#	Sn ppm	Hg ppb	GA* ppm	IN* ppm
6280	1221	20	23.5	83.3
6281	1059	30	12.4	43.7
6282	2784	70	27.6	92.7
6284	56	60	5.6	24.3
6285	693	10	26.6	65.4
6286	733	120	12.4	1.0
6287	807	450	48.7	32.9
6304	2	10	5.1	40.2
6305	1	5	4.6	47.4
6306	2	5	3.1	23.5
6307	139	5	6.3	1.4
6308	390	5	5.5	45.5
6309	608	5	16.2	16.8
6310	753	5	32.5	120.6
6311	395	380	49.1	81.0
6312	827	350	14.7	3.5
6313	1001	500	25.0	41.2

SN - NH4I FUSION - AA ANALYSIS.
- SAMPLE TYPE: PULP
HG ANALYSIS BY FLAMELESS AA.
IN* & GA* - NA2O2 FUSION.

SIGNED BY *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



APPENDIX 2

DIAMOND DRILL HOLE LOGS

90-296 TO 90-362

MIDWAY PROJECT
DIAMOND DRILL RECORDS - DRILL LOG ABBREVIATIONS

A. STRATIGRAPHY

1B	Earn Group, interlayered sandstone, siltstone, sporadic conglomerate
1BA	Transition zone to unit 1A
1A	Earn Group, lower siltstone
1AA	Earn Group, lower black, graphitic shale
1AC	Earn Group, lower calcareous siltstone
MLS or ML	Upper McDame Limestone, undifferentiated (no diagnostic fossils present in core)
ML1 - ML8	Upper McDame Limestone, units 1 (youngest) to 8 (oldest)

B. LITHOLOGIC TERMS

LST	Limestone
MS	Massive sulphides (not used as suffix)
DOL'D	Dolomitized
MIN'D	Mineralized
LZ	"Lower Zone" - epigenetic mineralization, carbonate hosted
YBR	Dikes and altered rocks of uncertain parentage
ARG	Argillic, argillized
BA	Baritic
PY	Pyritic, pyritized
SIL	Siliceous, silicified
SPAR VEIN	Vein composed of sparry carbonate
Q-P	Quartz-pyrite

C. TEXTURAL TERMS

BX	Breccia
Mt	Matrix Breccia (used as suffix)
Rb	Rubble Breccia (used as suffix)
Ms	Mosaic Breccia (used as suffix)
Cr	Crackle Breccia (used as suffix)
St	Styrolitic Breccia (used as suffix)
CaVn	Carbonate Vein
pD	Partly Dolomitized
pR	Partly Recrystallized
RxyL	Recrystallized

D. OTHER

NC	No Core
----	---------

E. CORE LOGGERS

PCL	Peter LeCouteur
RAS	Ron A. Sutherland

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90-298 PAGE 1 OF 1

AREA: LIARD MD DIP: 33 AZIMUTH (t): 0.5 DEPTH: 58 m

CLAIM: BULL 16 NORTHING: 43567.2 DATE STARTED: JULY 25 1990

SECTION: E 25200 EASTING: 25200.5 DATE FINISHED: JULY 25 1990

CORE SIZE: NQ ELEVATION: 1100 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 89% 100% 64% CORE STORED AT: RACK 9W BAY A LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int m	T.W.	Geology	Sample No.	Rec. %	S.G.	g Au oz/t	Pb %	Zn %	g Au oz/t	Fe %
0	33	0.5	0	43.2	43.2		ML								
39.6	33	356.3	43.2	52.6	9.4		LZ-MS/LST								
49	33	356	52.6	58	5.4		1AA								
			ASSAY	42.7	43.2	0.5		6003	100%		2.0	0.08%	0.22%		
				43.2	44	0.8		6004	100%		95.1	1.73%	7.52%		
				44	44.8	0.8		6005	88%		37.2	0.50%	29.52%		
				44.8	45.6	0.8		6006	100%		2.0	0.29%	12.85%		
				45.6	46.7	1.1		6007	91%		320.9	8.19%	12.23%	2.74	
				46.7	47.8	1.1		6008	68%		3.4	0.08%	0.28%		
				47.8	49.5	1.7		6009	75%		0.6	0.12%	0.52%		
				49.5	50.8	1.3		6010	85%		1.0	0.13%	0.04%		
				50.8	52.6	1.8		6011	100%		0.1	0.02%	0.01%		
				52.6											
			AVERAGE	43.2	46.7	3.5			94%		131.6	3.15%	15.25%		
				46.7	52.6	5.9			83%		1.1	0.08%	0.21%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>XIBWAY</u>	D.D.H.:	<u>90 301</u>	PAGE:	OF
AREA: <u>LIARD MD</u>	DIP: <u>24</u>	AZIMUTH (t): <u>176.4</u>	DEPTH: <u>131.1 m</u>	
CLAIM: <u>BULL 16</u>	NORTHING: <u>43563</u>		DATE STARTED: <u>JULY 30 1990</u>	
SECTION: <u>E 25200</u>	EASTING: <u>25200.9</u>		DATE FINISHED: <u>AUG 2 1990</u>	
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1099.7</u>		CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>89%</u> <u>100%</u> <u>44%</u>	CORE STORED AT: <u>RACK 9W BAY B</u>		LOGGED BY: <u>RAS</u>	
COMMENTS:				

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int m	T.V. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %
0	24	176.4	0	3.5	3.5		ML6								
40	24	178	3.5	96.8	93.3		ML5								
80	25	178	96.8	100.7	11.9		ML BX								
			100.7	112.5	3.8		M.S.								
			112.5	113	0.5		SILIC MINLN								
			113	121.8	8.8		SILIC 1A								
			121.8	123.9	2.1		SILIC MINLN								
			123.9	128	4.1		SILIC 1A(Ms)								
			128	131.1	3.1		1AA								
	ASSAY		96.8	97.7	0.9			6019	100%		19.2	0.48%	1.97%		
			100.2	102.7	2.5			6020	91%		5	0.08%	1.22%		
			104.1	105.2	1.1			6021	91%		5.3	0.09%	2.04%		
			108.7	110.4	1.7			6022	44%		91.7	2.22%	0.56%		
			110.4	112.5	2.1			6023	88%		75.4	1.91%	2.45%		
			112.5	114.3	1.8			6024	100%		198.0	0.97%	1.84%	0.07	
	AVERAGE		108.7	112.5	3.8				68%		82.7	2.05%	15.68%		
	ASSAY		121.8	122.7	0.9			6025	91%		28	0.16%	2.91%		
			122.7	123	0.3			6026	100%		34.1	0.03%	2.00%		
			123	123.9	0.9			6027	100%		36.8	0.33%	3.49%		
	AVERAGE		121.8	123.9	2.1				98%		32.6	0.21%	5.86%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.: <u>90-303</u>	PAGE: <u>2</u>	OF: <u>2</u>
AREA: <u>LIARD MD</u>	DIP: <u>8</u>	AZIMUTH (t): <u>178</u>	DEPTH: <u>206.7 m</u>
CLAIM: <u>BULL 16</u>	NORTHING: <u>43563</u>	DATE STARTED: <u>AUG 4 1990</u>	
SECTION: <u>E 25200</u>	EASTING: <u>25200.9</u>	DATE FINISHED: <u>AUG 8 1990</u>	
CORE SIZE: <u>NO</u>	ELEVATION: <u>1099.5</u>	CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>89%</u> <u>100%</u> <u>25%</u>	CORE STORED AT: <u>RACK 9W BAY C</u>	LOGGED BY: <u>RAS</u>	
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	g/t	Fe %		
		ASSAY	142.1	143.5	1.4			6051	86%		40.5	0.72%	11.70%				
			184.8	185.2	0.4			6066	100%		85.5	0.39%	9.07%				
			188.4	189.5	1.1			6067	91%		37.8	0.88%	10.20%				
			189.5	190.8	1.3			6068	100%		125.5	1.58%	0.88%	0.27			
			190.8	192	1.2			6069	100%		678.7	1.31%	9.06%	0.65			
			192	193.6	1.6			6070	25%		189.2	0.89%	13.10%	0.62			
			193.6	195.2	1.6			6071	97%		70.3	1.84%	2.43%				
			195.2	196.7	1.5			6072	100%		12.8	0.10%	0.28%				
			196.7	198.1	1.4			6073	100%		8.8	0.05%	0.32%				
			198.1	199.8	1.7			6074	97%		15.8	0.07%	0.16%				
			199.8	201.2	1.4			6075	91%		13.4	0.19%	0.26%				
		AVERAGE	188.4	195.2	6.8				80%		210.9	1.32%	7.07%				
			195.2	201.2	6				97%		12.9	0.10%	0.25%				
			189.5	195.2	5.7				78%		244.3	1.40%	6.47%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY	MIDWAY	D.D.H.	90 300	PAGE	1	OF	1
AREA:	LIARD MD	DIP:	10.24	AZIMUTH (t):	179.56	DEPTH:	207.3 m
CLAIM:	BULL 16	NORTHING:	43562.52	DATE STARTED:	AUG 16 1990		
SECTION:	E 25140	EASTING:	25141.09	DATE FINISHED:	AUG 18 1990		
CORE SIZE:	NQ	ELEVATION:	1108.13	CONTRACTOR:	ADVANCED DRILLING		
CORE RECOVERY:	92% 100% 63%	CORE STORED AT:	RACK 9W BAY E 7 F	LOGGED BY:	RAS		
COMMENTS:							

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %	
0	10.24	179.56	0.0	146.0	146.0		ML5									
50	10		146.0	147.7	1.7		ML4									
100	9		147.7	173.7	26.0		ML3(BX)									
150	8.3		173.7	179.3	5.6		ML2?									
200	8	185	179.3	180.1	0.8		SILIC'D Rb MINLN									
			180.1	189.6	9.5		ML1?									
			189.6	190.0	1.2		SILIC IAC									
			190.0	196.3	5.5		BX									
			196.3	199.1	2.8		MLs(??)									
			199.1	202.4	3.3		MASS. SULPH									
			202.4	207.3	4.9		SILIC IAC									
		ASSAYS	155.5	156.4	0.9			6086	100%		73.6	1.60%	6.51%			
			156.4	157.8	1.4			6087	82%		4.1	0.05%	0.18%			
			157.8	158.8	1.0			6088	100%		531.4	9.20%	6.89%	0.75		
			158.8	161.1	2.3			6089	100%		25.3	0.53%	1.37%			
			161.1	162.5	1.4			6090	100%		88.0	2.15%	3.68%			
		AVERAGE	155.5	162.5	7				96%		112.1	2.13%	3.04%			
		AVERAGE	179.3	180.1	0.8			6091	88%		18.3	0.23%	1.47%			
			191.7	193.1	1.4			6092	93%		316.8	6.18%	1.46%			
			193.1	195.1	2.0			6093	100%		1106.6	20.10%	7.59%			
			195.1	196.3	1.2			6094	63%		54.6	0.89%	1.27%	0.75		
			199.1	200.5	1.4			6095	93%		642.7	10.90%	9.30%	0.79		
			200.5	202.4	1.9			6096	95%		369.60	4.33%	12.80%	1.27		
		AVERAGE	199.1	202.4	3.3				94%		485.5	7.12%	11.32%			
			191.7	202.4	10.7				91%		547.4	9.19%	7.10%	(ASSUME 0.0/2.0 FOR 196.3-199.1)		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY	MIDWAY	D.D.H.	98 - 308	PAGE	1	OF	1
AREA:	LIARD MD	DIP:	49.49	AZIMUTH (t):	181.3	DEPTH:	115.8 m
CLAIM:	BULL 16	NORTHING:	43563.16	DATE STARTED:	AUG 19 1990		
SECTION:	E 25140	EASTING:	25140.5	DATE FINISHED:	AUG 20 1990		
CORE SIZE:	NQ	ELEVATION:	1110.23	CONTRACTOR:	ADVANCED DRILLING		
CORE RECOVERY:	90% 100% 72%	CORE STORED AT:	RACK 9W BAY F & G	LOGGED BY:	RAS		
COMMENTS:							

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag pt/t	Pb %	Zn %	Ag/bz/t	Fe %		
0	49.49	181.3	0.0	69.3	69.3		ML5										
50	49	-	69.3	71.3	2.0		ML4										
100	51.3	189	71.3	82.3	11.0		ML3										
			82.3	83.0	0.7		RbBX										
			83.0	86.9	3.9		ML2(?)BX										
			86.9	88.4	1.5		SPAR VEIN										
			88.4	97.8	9.4		ML2?										
			97.8	102.1	4.3		DOL'D ML2										
			102.1	104.0	1.9		ML2										
			104.0	111.2	7.2		MIN'D ZONE										
			111.2	115.8	4.6		1AA										
		ASSAYS	104.0	104.5	0.5			6107	100%		2.8	0.05%	0.13%				
			104.5	105.5	1.0			6108	90%		86.3	0.38%	7.11%				
			105.5	106.7	1.2			6109	75%		146.9	1.90%	14.00%	0.75			
			106.7	108.1	1.4			6110	100%		355.4	5.37%	13.90%	0.51			
			108.1	109.5	1.4			6111	100%		20.1	0.29%	7.01%				
			109.5	111.3	1.8			6112	72%		10.9	0.14%	0.44%				
		AVERAGE	104.5	109.5	5				92%		157.7	2.12%	10.64%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-309 PAGE 1 OF 1

AREA: LIARD MD DIP: 75.34 AZIMUTH (t): 183.17 DEPTH: 89.9 m

CLAIM: BULL 16 NORTHING: 43564.13 DATE STARTED: AUG 21 1990

SECTION: E 25140 EASTING: 25140.46 DATE FINISHED: AUG 22 1990

CORE SIZE: NQ ELEVATION: 1110.44 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 92% 100% 83% CORE STORED AT: RACK 9W BAY 6 LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
0	75.34	179.56	0.0	80.8	80.8		ML5?				9.1			9.1			
30	NO READING		80.8	81.1	0.3		MTBX										
85	76	182	81.1	83.2	2.1		ML5										
			83.2	84.5	1.3		MIN'L D ZONE										
			84.5	89.9	5.4		1AA										
		ASSAYS	80.8	81.1	0.3			6124	83%		7.8	0.10%	1.31%				
			83.2	84.2	1.0			6125	100%		29.7	0.90%	0.08%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY HIWAY D.D.H. 92-312 PAGE _____ OF _____

AREA: LIARD RD DIP: 72.3 AZIMUTH (t): 353.43 DEPTH: 76.2 m

CLAIM: BULL 16 NORTHING: 43565.18 DATE STARTED: AUG 23 1990

SECTION: F 25140 EASTING: 25140.45 DATE FINISHED: AUG 24 1990

CORE SIZE: NO ELEVATION: 1110.27 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: _____ CORE STORED AT: RACK 9W BAY 6 LOGGED BY: RAS

COMMENTS: DIPS DONE WITH ACID.

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %		
0	72.3	353.43	0.0	68.7	68.7		ML5										
26	77		68.7	70.8	2.1		ML4										
76	75.5		70.8	71.6	0.8		ML3										
			71.6	76.2	4.6		1AA										

ASSAYS NONE FOR THIS HOLE!

13
35

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90-311 PAGE 1 OF 1

AREA: LIARD MD DIP: 48.27 AZIMUTH (t): 357.55 DEPTH: 97.2 m

CLAIM: BULL 16 NORTHING: 43565.81 DATE STARTED: AUG 24 1990

SECTION: E 25140 EASTING: 25140.43 DATE FINISHED: AUG 25 1990

CORE SIZE: NQ ELEVATION: 1109.81 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 98% 100% 88% CORE STORED AT: RACK 9W BAY G & H LOGGED BY: RAS

COMMENTS: COULD NOT READ SPEERY SUN PICTURES

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %			
0	24.57	350.00 357.55	0.0	68.6	68.6		ML5											
			68.6	73.1	4.5		MLBX											
			73.1	78.2	5.1		MLsCr											
			78.2	91.4	13.2		M.S.											
			91.4	96.2	4.8		MLs											
			96.2	97.2	1		CAVE											
		ASSAYS	78.2	78.9	0.7			6135	100%		246.3	1.17%	12.30%	0.07				
			78.9	79.5	0.6			6136	92%		294.4	1.67%	3.10%	0.07				
			79.5	80.0	0.5			6137	100%		48.6	0.48%	3.35%					
			80.0	80.8	0.8			6138	88%		0	0.00%	0.00%					
			80.8	82.3	1.5			6139	100%		645.4	11.88%	7.35%	0.07				
			82.3	83.8	1.5			6140	100%		345.1	6.24%	5.86%	0.62				
			83.8	85.3	1.5			6141	100%		36.2	0.43%	13.10%					
			85.3	86.9	1.6			6142	97%		757.6	13.60%	14.50%	1.17				
			86.9	88.4	1.5			6143	100%		224.7	6.92%	12.90%	0.89				
			88.4	89.9	1.5			6144	100%		88.5	1.82%	8.22%					
			89.9	91.4	1.5			6145	100%		95.9	1.90%	9.22%					
		AVERAGE	78.2	80.8	2.6				94%		143.6	0.79%	4.67%					
			80.8	91.4	10.6				100%		317.53	6.17%	10.21%					
			78.2	91.4	13.2				98%		283.27	5.11%	9.12%					

50

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: LIARD D.D.H. 53-312 PAGE 1 OF 1

AREA: LIARD MD DIP: 24.57 AZIMUTH (I): 358.57 DEPTH: 172.2 m

CLAIM: BULL 16 NORTHING: 43566.07 DATE STARTED: AUG 25 1990

SECTION: E 25140 EASTING: 25140.42 DATE FINISHED: AUG 26 1990

CORE SIZE: NO ELEVATION: 1109.13 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 58% 100% 40% CORE STORED AT: RACK 9W BAY H LOGGED BY: PCL

COMMENTS: NO SPERRY SUN TESTS WERE DONE

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au g/t	Fe %		
0	24.57	358.06	0.0	92.8	92.8		ML5										
120	29		92.8	106.5	13.7		ML4										
170	28.3		106.5	145.7	39.2		ML3										
			145.7	147.4	1.7		MLBX(S)										
			147.4	150.5	3.1		BX										
			150.5	153.0	2.5		MLBX(S)										
			153.0	158.2	5.2		MLBX										
			158.2	167.7	9.5		SULFDIC BX										
			167.7	172.2	4.5		1AA BX										
		ASSAYS	158.2	158.5	0.3			6146	100%		528	10.70%	13.00%	0.41			
			158.5	160.0	1.5			6147	47%		475.3	11.60%	8.10%	0.62			
			160.0	161.5	1.5			6148	53%		464.4	11.30%	3.50%	0.27			
			161.5	163.1	1.6			6149	50%		31.4	0.78%	0.66%				
			163.1	164.6	1.5			6150	40%		149.6	3.99%	3.22%	0.34			
			164.6	166.1	1.5			6151	53%		94.5	2.31%	5.52%				
			166.1	167.7	1.6			6152	75%		64.3	1.84%	2.49%				
		AVERAGE	158.2	161.5	3.3				55%		475.1	11.38%	6.45%				
			161.5	167.7	6.2				55%		83.8	2.20%	2.93%				
			158.2	167.7	9.5				55%		219.7	5.39%	4.15%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-313 PAGE 1 OF 1

AREA: LIARD MD DIP: -90 AZIMUTH (t): _____ DEPTH: 111.3 m

CLAIM: BULL 16 NORTHING: 43565.5 DATE STARTED: AUG 31 1990

SECTION: E 25140 EASTING: 25140.4 DATE FINISHED: SEPT 2 1990

CORE SIZE: N0 ELEVATION: 1106.8 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 9W BAY I LOGGED BY: PCL

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Inch	T.W.	Geology	Sample No.	Rec. %	S.G.	g/g oz/t	Pb %	Zn %	g/t Au oz/t	Fe %
0	-90	-	0	3	3		ML5								
60	-88	33	3	13.1	10.1		ML6								
110	-87	18	13.1	37.6	24.5		ML7								
			37.6	62.5	24.9		ML8								
			62.5	62.6	0.1		MS								
			62.6	111.3	48.7		ML8								
	ASSAY		62.5	62.6	0.1			6163	100%		468.2	10.08%	11.60%	1.78	

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-314 PAGE 1 OF 1

AREA: LIARD MD DIP: 37.43 AZIMUTH (I): 358.21 DEPTH: 123.4 m

CLAIM: BULL 16 NORTHING: ~~43566.87~~ 43565.87 DATE STARTED: AUG 31, 1990

SECTION: 25140 N EASTING: 25140.42 DATE FINISHED: SEPT 1, 1990

CORE SIZE: NO ELEVATION: 1109.44 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK RACK 9W BAY H & I LOGGED BY: PCL

COMMENTS: _____

SURVEY DATA				GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %			
0	37.43	358.21	0	119.2	119.2		ML3		100%									
20	38	356	119.2	123.4	4.2		1A4		100%									
70	39.3	359							100%									
120	41								100%									
		ASSAYS	91.8	92.3	0.5			6164	100%		18.2	0.89%	1.44%					
			93.2	93.7	0.5			6165	100%		6.5	0.22%	0.87%					
			107.2	107.5	0.3			6166	100%		18.5	0.83%	0.59%					

10
45
95

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-316 PAGE 1 OF 1

AREA: LIARD MD DIP: 74.27 AZIMUTH (t): 176.51 DEPTH: 86.9 m

CLAIM: BULL 16 NORTHING: 43560.98 DATE STARTED: SEPT 6 1990

SECTION: 25080 E EASTING: 25081.04 DATE FINISHED: SEPT 7 1990

CORE SIZE: NQ ELEVATION: 1119.44 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 87% 100% 65% CORE STORED AT: RACK RACK 9W BAY J LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	g/t oz/t	Fe %
0	74.27	176.51	0.0	54.3	54.3		ML5								
50	73	178	54.3	56.8	2.5		M.S.								
85	73	183	56.8	61.9	5.1		Bz (SILPY)								
			61.9	71.8	9.9		Bz (ba,py)								
			71.8	74.5	2.7		ML5?								
			74.5	76.6	2.1		Bz (arg,py)								
			76.6	82.5	5.9		ML5?								
			82.5	86.9	4.4		1AA								
		ASSAYS	54.3	55.2	0.9			6177	100%		10.2	0.57%	18.30%		
			55.2	56.8	1.6			6178	88%		77.4	2.76%	14.20%	1.34	
			56.8	57.9	1.1			6179	100%		16.4	0.29%	1.22%		
			57.9	61.0	3.1			6180	100%		28.6	0.71%	0.51%		
			61.0	64.0	3.0			6181	100%		23.1	0.56%	0.90%		
			64.0	67.1	3.1			6182	68%		3.5	0.05%	0.21%		
			67.1	71.3	4.2			6183	90%		16.0	0.32%	0.80%		
			71.3	71.6	0.3			6184	67%		30.5	0.38%	9.21%		
			71.6	74.7	3.1			6185	71%		2.3	0.01%	0.30%		
			74.7	77.7	3.0			6186	100%		84.7	1.91%	3.84%		
			77.7	80.8	3.1			6187	97%		8.0	0.10%	1.76%		
			80.8	82.5	1.7			6188	65%		27.7	0.55%	1.17%		
		AVERAGE	54.3	56.8	2.5				92%		53.2	1.97%	15.68%		
			56.8	74.7	17.9				87%		15.1	0.33%	0.74%		
			77.7	82.5	4.8				85%		15.0	0.26%	1.55%		
			54.3	82.5	28.2				88%		25.9	0.63%	2.53%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.:	<u>90-317</u>	PAGE: <u>2</u>	OF: <u>2</u>
AREA: <u>LIARD MD</u>	DIP: <u>77.52</u>	AZIMUTH (I): <u>1.22</u>	DEPTH: <u>100.6 m</u>	
CLAIM: <u>BULL 16</u>	NORTHING: <u>43561.77</u>		DATE STARTED: <u>SEPT 7 1990</u>	
SECTION: <u>25000 E</u>	EASTING: <u>25001.02</u>		DATE FINISHED: <u>SEPT 8 1990</u>	
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1119.43</u>		CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>90%</u> <u>100%</u> <u>53%</u>	CORE STORED AT: <u>RACK RACK 9W BAY J</u>		LOGGED BY: <u>PCL</u>	
COMMENTS:				

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
		ASSAYS	74.7	76.2	1.5			6189	100%		10.8	0.20%	2.53%				
			76.2	77.7	1.5			6190	100%		164.6	3.09%	10.40%	0.24			
			77.7	79.2	1.5				100%		0.0	0.00%	0.00%				
			79.2	80.8	1.6			6191	100%		523.5	7.50%	9.43%	0.34			
			80.8	82.3	1.5			6192	100%		68.5	1.16%	0.47%				
			82.3	83.7	1.4			6193	100%		72.7	1.60%	1.25%				
			83.7	84.0	0.3			6194	100%		778.3	27.90%	3.41%	1.92			
			84.0	85.3	1.3			6195	92%		101.3	1.57%	13.70%	0.27			
			85.3	87.1	1.8			6196	67%		93.6	1.02%	6.18%				
			87.1	88.5	1.4			6197	100%		571.5	37.20%	5.89%	2.26			
			88.5	90.2	1.7			6198	88%		61.7	1.16%	3.56%				
			90.2	91.8	1.6			6199	100%		98.8	2.00%	1.68%	0.1			
			91.8	93.0	1.2			6200	83%		396.8	2.31%	15.10%	0.21			
			93.0	94.5	1.5			6201	53%		119.1	3.16%	2.76%	0.51			
			94.5	96.4	1.9			6202	79%		119.6	4.50%	0.94%	0.62			
		AVERAGE	74.7	93	18.3				94%		261.1	5.17%	5.57%				
			93.0	96.4	3.4				68%		119.4	3.95%	1.74%				
			74.7	96.4	21.7				90%		238.9	4.90%	4.97%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-320 PAGE 1 OF 1

AREA: LIARD MD DIP: -73 AZIMUTH (I): 270 DEPTH: 140.2 m

CLAIM: BULL 16 NORTHING: 43640.5 DATE STARTED: JULY 29 1990

SECTION: N 43640 EASTING: 25352.6 DATE FINISHED: JULY 31 1990

CORE SIZE: NQ ELEVATION: 1000.9 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 61% 100% 18% CORE STORED AT: RACK 10 W BAY A LOGGED BY: RAS

COMMENTS: LAYOUT AZIMUTH AND DIP USED.

30
20
10

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t g/t	Pb %	Zn %	Au oz/t g/t	Fe %
0	-73	270	0	11.8	11.8		IB		74%						
60	-72.3	286	11.8	25.4	13.6		IB		80%						
100	-73	287	25.4	35.4	10.0		IBA		72%						
140	-73	288	35.4	49.8	14.4		IAA		52%						
			49.8	53.4	3.6		IAA/MS		39%						
			53.4	58.7	5.3		M2(?)								
			58.7	67.4	8.7		M3(?)								
			67.4	68.6	1.2		M4								
			68.6	93.8	25.2		M5								
			93.8	107.6	13.8		M6								
			107.6	122.1	14.5		M7								
			122.1	132.0	9.9		M8								
			132.0	137.4	5.4		M1 Ms								
			137.3	137.4	0.1		FAULT MUD								
			137.4	140.2	2.8		M1 Rb								
		ASSAY	49.8	50.2	0.4			6012	88%		15.5	0.08%	7.55%		
			50.2	51.7	1.5			6013	40%		25.5	0.36%	1.17%		
			51.7	51.8	0.1			6014	100%		8.6	0.05%	7.67%		
			51.8	53.4	1.6			6015	18%		3.7	0.09%	1.50%		
		AVERAGE	49.8	51.8	2.0				52%		22.7	0.29%	2.77%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.: <u>90 321</u>	PAGE: <u>1</u>	OF: <u>2</u>
AREA: <u>LIARD MD</u>	DIP: <u>-41</u>	AZIMUTH (t): <u>273.3</u>	DEPTH: <u>91.3 m</u>
CLAIM: <u>BULL 16</u>	NORTHING: <u>43640.55</u>	DATE STARTED: <u>JULY 31 1990</u>	
SECTION: <u>N 43640</u>	EASTING: <u>25351.22</u>	DATE FINISHED: <u>AUG 2 1990</u>	
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1081</u>	CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>73%</u> <u>100%</u> <u>0%</u>	CORE STORED AT: <u>RACK 10 W BAY A</u>	LOGGED BY: <u>RAS</u>	
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag. oz/t	Pb %	Zn %	Au oz/t	Fe %
0	-43	273.3	0	30.5	30.5		1B				0.07				
45.7	-43	270.5	30.5	35.1	4.6		1AA								
91.4	-45	274	35.1	36.8	1.7		1B								
			36.8	38.5	1.7		1AA								
			38.5	42.6	4.1		SILIC 1A								
			42.6	55.0	12.4		M.S.								
			55.0	58.2	3.2		ML?								
			58.2	63.2	5		ML2(?)								
			63.2	84.2	21		ML3								
			84.2	86.0	1.8		ML4								
			86.0	88.1	2.1		MATRIX BRECCIA 1A								
			88.1	88.6	0.5		MATRIX BX MLS								
			88.6	91.2	2.6		MLS(B?)								
ASSAY			40.0	40.4	0.4			6028	100%		235.2	5.75%	4.39%	0.07	
			42.6	44.2	1.6			6034	100%		204.7	3.33%	3.21%	0.07	
			44.2	45.7	1.5			6035	100%		120.9	1.42%	4.62%	0.1	
			45.7	47.2	1.5			6036	97%		576.9	14.00%	3.80%	0.55	
			47.2	48.8	1.6			6037	88%		455.8	9.34%	11.00%	0.62	
			48.8	50.3	1.5			6038	60%		334.4	5.85%	8.10%	0.07	
			50.3	51.8	1.5			6039	53%		78.0	1.82%	19.60%		
			51.8	52.6	0.8			6040	75%		6.5	0.16%	0.34%		
			52.6	54.0	1.4			6041	54%		536.8	8.47%	13.10%	0.1	
			54.0	55.0	1.0			6042	40%		957.0	18.40%	18.90%	0.07	
AVERAGE			42.6	55	12.4				77%		357.7	6.88%	9.23%		
ASSAY			86	88.1	2.1			6029	100%		18.9	0.30%	1.26%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-323 PAGE 1 OF 1

AREA: LIARD MD DIP: -80.3 AZIMUTH (t): 93.3 DEPTH: 120.4 m

CLAIM: BULL 16 NORTHING: 43640.16 DATE STARTED: AUG 6 1990

SECTION: N 43640 EASTING: 25352.86 DATE FINISHED: AUG 8 1990

CORE SIZE: N0 ELEVATION: 1080.9 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 81% 100% 36% CORE STORED AT: RACK 10 W BAY B + C LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %
0	-80.3	93.3	0	1.5	1.5		N.C.								
40	-82	59	1.5	51.0	49.5		1B								
80	-83	59	51.0	60.1	9.1		1AA								
120	-82.3	48	60.1	64.6	4.5		MINL'N								
			64.6	66.3	1.7		ML3								
			66.3	68.4	2.1		ML4								
			68.4	74.2	5.8		ML5								
			74.2	85.4	11.2		MINL'N								
			85.4	90.3	4.9		CAVERNOUS								
			90.3	116.9	26.6		ML5								
			116.9	118.3	1.4		ML BX								
			118.3	120.4	2.1		ML5								
	ASSAY		60.1	61.3	1.2			6052	67%		1.7	0.05%	0.29%		
			61.3	62.4	1.1			6053	36%		406.1	15.50%	33.30%	0.30	
			62.4	62.7	0.3			6054	83%		588.5	21.20%	23.00%	0.07	
			62.7	63.3	0.6			6055	92%		13.2	0.55%	1.40%		
			63.3	64.6	1.3			6056	73%		458.0	5.08%	15.60%	0.07	
	AVERAGE		61.3	64.6	3.3				65%		371.7	9.20%	19.67%		
	ASSAY		74.2	76.2	2.0			6057	60%		48.7	0.41%	7.54%		
			76.2	78.2	2.0			6058	73%		30.8	0.10%	0.16%		
			78.2	79.5	1.3			6059	73%		1.4	0.03%	0.02%		
			79.5	81.2	1.7			6060	88%		150.1	0.89%	2.90%	0.48	
			81.2	82.5	1.3			6061	100%		61.9	0.11%	4.70%		
			82.5	83.5	1.0			6062	95%		55.6	0.31%	6.61%		
			83.5	84.7	1.2			6063	83%		36.0	0.12%	23.60%		
			84.7	85.4	0.7			6064	100%		54.3	1.00%	2.40%		
	AVERAGE		79.5	85.4	5.9				92%		80.1	0.48%	2.18%		
	ASSAY		88.0	88.4	0.4			6065	100%		30.7	1.97	3.58		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY	MIDWAY	D.D.H.	90-324	PAGE	1	OF	2
AREA:	LIARD MD	DIP:	-59.3	AZIMUTH (I):	91	DEPTH:	222.5 m
CLAIM:	BULL 16	NORTHING:	43640.13	DATE STARTED:	AUG 7 90	DATE FINISHED:	AUG 9 1990
SECTION:	N 43640	EASTING:	25353.54	CONTRACTOR:	ADVANCED DRILLING	LOGGED BY:	RAS
CORE SIZE:	NQ	ELEVATION:	25353.54 1080.91				
CORE RECOVERY:	60%	100%	16%	CORE STORED AT:	RACK 10 W BAY C		
COMMENTS:							

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	g/t oz/t	Fe %		
0	-59.3	91	0	214.0	214		IB										
50	-62	76	28.2	36.4	8.2		IB (BX)										
100	-64.3	66	36.4	62.7	26.3		IB										
140	-65.3	60	62.7	71.0	8.3		TECTONIC BX										
180	66.3	58	71.0	75.2	4.2		IBA										
220	60	55	75.2	78.7	3.5		IAA		74%								
			78.7	85.0	6.3		IAA		33%								
			85.0	94.5	9.5		IAA		16%								
			94.5	95.7	1.2		Rb										
			95.7	105.7	10		MLS BX										
			105.7	136.0	30.3		MLS (?)										
			136.0	137.5	1.5		ML Rb										
			137.5	150.6	13.1		MLS (?)										
			150.6	151.1	0.5		YBR (?)										
			151.1	152.3	1.2		YBR (?)										
			152.3	203.7	51.4		MLS										
			203.7	214.0	10.3		YBR										
			214.0	214.3	0.3		MLS (5?)										
			214.3	214.6	0.3		YBR										
			214.6	219.4	4.8		MLS (5?)										
			219.4	222.5	3.1		YBR										
ASSAYS			94.5	95.7	1.2			6076	100%		2.2	0.02%	0.23%				
			102	102.2	0.2			6077	75%		COMBINED WITH SAMPLE 6078						
											COMBINED SAMPLE ASSAYS:						
											226.1	3.20%	3.20%	0.45			

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-325 PAGE 9 of 9

AREA: LIARD MD DIP: -51 AZIMUTH (t): 84 DEPTH: 222.2 m

CLAIM: BULL 16 NORTHING: 43640.5 DATE STARTED: AUG 11 90

SECTION: N 43640 EASTING: 25353.8 DATE FINISHED: AUG 13 1990

CORE SIZE: NQ ELEVATION: 1081 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 65% 100% 0% CORE STORED AT: RACK 10 W BAY D + E LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	g Au oz/t	Fe %
0	-51	84	0	85.0	85		1B								
45.7	-54	54	85.0	93.0	8		1BA								
91.4	-56°30'	68	93.0	111.6	18.6		1AA								
132.6	-59	66°30'	111.6	114.3	2.7		ML4								
176.8	-60.3	65°50'	114.3	117.0	2.7		ML5								
221	-62	64	117.0	118.7	1.7		M.S. HIGHGRADE								
			118.7	121.9	3.2		ML5								
			121.9	127.9	6		ML5(?)								
			127.9	147.6	19.7		ML5?BX								
			147.6	148.6	1		ML4 BX								
			148.6	150.5	1.9		M.S.								
			150.5	154.0	3.5		MLS								
			154.0	155.9	1.9		ML BX								
			155.9	166.4	10.5		ML5(?)								
			166.4	167.5	1.1		ML Mt								
			167.5	172.0	4.5		ML5(?)								
			172.0	212.4	40.4		ML BX								
			212.4	213.5	1.1		ML5(?)								
			213.5	214.8	1.3		YBR								
			214.8	216.6	1.8		MLS BX								
			216.6	218.5	1.9		YBR								
			218.5	222.2	3.7		ML5(?)BX								
ASSAYS			117	118.7	1.7			6081			667.7	12.40%	7.50%	0.03	
			147.3	148.6	1.3			6082			95.0	2.48%	1.31%		
			148.6	150.5	1.9			6083	97%		6.5	0.03%	0.25%		
			150.5	151.3	0.8			6084	94%		22.7	0.39%	0.16%		
			151.3	151.5	0.2			6085	100%		1261.4	23.80%	3.23%	0.17	
			AVERAGE	148.6	151.5	2.9			97%		97.5	1.77%	0.91%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.: <u>90 - 327</u>	PAGE: <u>1</u>	OF: <u>1</u>
AREA: <u>LIARD RD</u>	DIP: <u>-90</u>	AZIMUTH (I): <u>0</u>	DEPTH: <u>160 m</u>
CLAIM: <u>BULL 16</u>	NORTHING: <u>43600.09</u>	DATE STARTED: <u>AUG 20 1990</u>	
SECTION: <u>N 43600</u>	EASTING: <u>25352.04</u>	DATE FINISHED: <u>AUG 21 1990</u>	
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1079.85</u>	CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>80%</u> <u>100%</u> <u>44%</u>	CORE STORED AT: <u>RACK 10W BAY F & G</u>	LOGGED BY: <u>RAS</u>	
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag	Pb %	Zn %	Ag	Fe %		
0	-90	0	0.0	7.5	7.5		NO CORE										
50	-86.3	-	7.5	14.4	6.9		IB										
100	-84.3	-	14.4	32.0	17.6		IBA										
160	-84	271	32.0	45.7	13.7		IB										
			45.7	52.1	6.4		IBA										
			52.1	59.5	7.4		IAA										
			59.5	61.9	2.4		MLS/M.S.										
			61.9	62.8	0.9		ML3										
			62.8	63.2	0.4		M.S.										
			63.2	72.4	9.2		ML3										
			72.4	74.5	2.1		ML4										
			74.5	141.0	66.5		ML5										
			141.0	147.3	6.3		MLBX										
			147.3	160.0	12.7		YBR										
		ASSAYS	59.5	59.6	0.1			6113	100%		89.2	2.04%	3.99%				
			59.6	61.4	1.8			6114	44%		128.6	2.67%	2.83%	0.24			
			61.4	61.7	0.3			6115	83%		593.6	16.60%	22.20%	1.68			
			61.7	62.8	1.1			6116	100%		1.9	0.09%	0.16%				
			62.8	63.2	0.4			6117	100%		4.8	0.04%	0.13%				
		AVERAGE	59.5	61.7	2.2				52%		190.2	4.54%	5.52%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90 - 328 PAGE 1 OF 1

AREA: LIARD MD DIP: -71.28 AZIMUTH (t): 95.12 DEPTH: 210.3 m

CLAIM: BULL 16 NORTHING: 43600.13 DATE STARTED: AUG 23 1990

SECTION: N 43600 EASTING: 25352.81 DATE FINISHED: AUG 25 1990

CORE SIZE: NQ ELEVATION: 1079.00 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 84% 100% 64% CORE STORED AT: RACK 10W BAY 6 + H LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %			
0	-71.28	95.12	0.0	4.4	4.4		NO RECOVERY											
157	-74	-	4.4	16.5	12.1		1B											
210	-79	72	16.5	59.0	42.5		1BA											
			59.0	85.3	26.3		1AA											
			85.3	90.8	5.5		M.S.											
			90.8	96.6	5.8		MLS											
			96.6	98.3	1.7		Q-P/MLS											
			98.3	99.0	0.7		MLS											
			99.0	101.8	2.8		M.S.											
			101.8	107.8	6.0		MLS(ML3?)											
			107.8	125.5	17.7		MLBX											
			125.5	158.3	32.8		MLS											
			158.3	159.0	0.7		MLBX											
			159.0	169.7	10.7		ML6											
			169.7	188.0	18.3		ML7											
			188.0	210.3	22.3		ML8											
		ASSAYS	85.3	86.9	1.6			6126	69%		10.0	0.12%	1.58%					
			86.9	88.0	1.1			6127	64%		26.8	0.13%	0.38%					
			88.0	89.3	1.3			6128	96%		35.1	0.14%	0.06%					
			89.3	90.8	1.5			6129	83%		948.6	22.70%	7.61%					
			90.8	91.9	1.1			6130	100%		3.0	0.09%	0.40%					
		AVERAGE	85.3	88.0	2.7				67%		16.8	0.12%	1.09%					
		AVERAGE	88.0	90.8	2.8				89%		524.5	12.23%	7.62%					
		AVERAGE	88.0	91.9	3.9				92%		377.4	8.80%	5.73%					
		ASSAYS	96.6	98.3	1.7			6113	76%		20.2	0.07%	0.01%					
			98.3	99.0	0.7			6114	100%		0.1	0.01%	0.01%					
			99.0	100.9	1.9			6115	84%		81.9	3.65%	27.60%					
			100.9	101.8	0.9			6116	89%		20.7	0.60%	1.14%					
		AVERAGE	99.0	101.8	2.8				86%		62.2	2.67%	19.10%					

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90 - 329 PAGE 2 OF 2

AREA: LIARD MD DIP: _____ AZIMUTH (t): _____ DEPTH: 249.9 m

CLAIM: BULL 16 NORTHING: _____ DATE STARTED: AUG 23 1990

SECTION: N 43600 EASTING: _____ DATE FINISHED: AUG 25 1990

CORE SIZE: NO ELEVATION: _____ CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 76% 100% 38% CORE STORED AT: _____ LOGGED BY: PCL

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %		
		ASSAYS	111.5	112.8	1.3			6153	54%		46.8	0.60%	7.26%				
			112.8	114.3	1.5			6154	93%		38.8	1.25%	5.45%				
			114.3	115.8	1.5			6155	80%		16.7	0.40%	6.26%				
			115.8	117.3	1.5			6156	53%		40.8	0.57%	9.74%				
			117.3	118.9	1.6			6157	38%		67.8	0.95%	11.20%				
			118.9	120.0	1.1			6158	45%		790.9	14.60%	7.74%	0.48			
			123.1	125.1	2.0			6159	70%		88.9	1.76%	15.60%				
			127.0	128.0	1.0			6160	100%		63.5	2.35%	5.09%				
			128.0	129.0	1.0			6161	100%		404.2	8.56%	15.10%				
		AVERAGE	111.5	120.0	8.5				61%		139.3	2.58%	8.01%				
			127.0	129.0	2.0				100%		233.9	5.46%	10.10%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90 - 331 PAGE 1 OF 1
 AREA: LIARD MD DIP: -53.51 AZIMUTH (t): 94.17 DEPTH: 201.2 m
 CLAIM: BULL 16 NORTHING: 43600.08 DATE STARTED: AUG 28 1990
 SECTION: N 43600 EASTING: 25353.32 DATE FINISHED: AUG 30 1990
 CORE SIZE: NO ELEVATION: 1079.99 CONTRACTOR: ADVANCED DRILLING
 CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 10W BAY I + J LOGGED BY: RAS
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %		
0	-53.51	94.17	0.0	4.3	4.3		CASING										
50.3	-57	85	4.3	36.6	32.3		1B										
100.6	-59	84	36.6	52.0	15.4		1BA										
150.9	-60	85	52.0	73.7	21.7		1B										
201.2	-61	84	73.7	94.0	20.3		1BA										
			94.0	121.1	27.1		1AA										
			121.1	140.0	18.9		MLS(ML5)										
			140.0	173.2	33.2		ML5										
			173.2	186.0	12.8		ML6										
			186.0	192.1	6.1		ML7										
			192.1	201.2	9.1		ML7?										
		ASSAY	131.5	131.9	0.4			6162	100%		721	15.90%	7.79%	0.07			

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 98-333 PAGE 1 OF 1

AREA: LIARD MD DIP: -63 AZIMUTH (t): 270 DEPTH: 120.4 m

CLAIM: BULL 16 NORTHING: 43563 DATE STARTED: SEPT 6 1990

SECTION: N 43560 EASTING: 25328 DATE FINISHED: SEPT 4 1990

CORE SIZE: NO ELEVATION: 1079.3 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 10 W BAY J/K LOGGED BY: PCI

COMMENTS: USE LAYOUT COORDINATES - HOLE LOST

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
0	-63	270	0	6.2	6.2		1B				977			977			
61	-65	276	6.2	12.5	6.3		1BA										
120.4	-65	275	12.5	16.2	3.7		1B										
			16.2	21.9	5.7		1AA										
			21.9	22.5	0.6		MS										
			22.5	28.1	5.6		ML5										
			28.1	28.2	0.1		MS										
			28.2	73.2	45		ML5										
			73.2	81.6	8.4		ML6										
			81.6	95.3	13.7		ML7										
			95.3	120.4	25.1		ML8										
		ASSAY	21.9	22.5	0.6			6169	100%		79.3	1.06%	5.70%				
			28.1	28.2	0.1			6170			985	9.52%	20.50%	0.14			

30
10

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.:	<u>98-334</u>	PAGE: <u>1</u>	OF: <u>1</u>
AREA: <u>CLARD RD</u>	DIP: <u>-75.13</u>	AZIMUTH (t): <u>85.2</u>	DEPTH: <u>198.1 m</u>	
CLAIM: <u>BILL 16</u>	NORTHING: <u>43564.12</u>		DATE STARTED: <u>SEPT 5 1990</u>	
SECTION: <u>N 43560</u>	EASTING: <u>25329.32</u>		DATE FINISHED: <u>SEPT 6 1990</u>	
CORE SIZE: <u>ND</u>	ELEVATION: <u>1079.3</u>		CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>93%</u>	<u>100%</u>	<u>79%</u>	CORE STORED AT: <u>RACK 10 W BAY K/L</u>	LOGGED BY: <u>PCI</u>
COMMENTS:				

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
0	-75.13	85.2	0	34	34		1BA				9.71						
61	-75.3	79	34	44.6	10.6		1AA										
121.9	-77	78	44.6	50.6	6		ML5										
182.9	-77	75	50.6	52.5	1.9		MS										
			52.5	56.3	3.8		ML5										
			56.3	57.6	1.3		MS										
			57.6	58.2	0.6		ML5										
			58.2	60	1.8		MS										
			60	75.7	15.7		ML5										
			75.7	87.8	12.1		ML6										
			87.8	107.4	19.6		ML7										
			107.4	132.3			ML8										
			132.3	138.7	6.4		YBR										
			138.7	140.2			ML8 BX										
			140.2	141.8	1.6		YBR										
			141.8	142.5			ML8 BX										
			142.5	144.5			YBR										
			144.5	175.9			ML8 BX										
			175.9	177.9			YBR										
			177.9	198.1			ML8 BX										
		ASSAY	50.6	52.5				6171	79%		39.5	0.26%	9.50%				
			56.3	57.6				6172	100%		100.6	0.59%	1.60%	0.59			
			58.2	60				6173	100%		259	3.93%	15.40%	0.21			
		AUG	50.6	60.0	9.4						71.5	1.16%	5.28%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY	MIDWAY	D.D.H.	90-337	PAGE	1	OF	2
AREA:	LIARD MD	DIP:	-19.02	AZIMUTH (t):	180.32	DEPTH:	201.2 m
CLAIM:	BULL 16	NORTHING:	43565.492	DATE STARTED:	SEPT 9 1990		
SECTION:	E 25300	EASTING:	25299.129	DATE FINISHED:	SEPT 11 1990		
CORE SIZE:	N0	ELEVATION:	1081.095	CONTRACTOR:	ADVANCED DRILLING		
CORE RECOVERY:	100%	100%	100%	CORE STORED AT:	RACK 10 W BAY L/M	LOGGED BY:	PCL
COMMENTS:							

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	As oz/t	Fe %		
0	-19.02	180.32	0.0	1.8	1.8		N.C										
61	-17.	181	1.8	50.3	48.5		IAA										
121.9	-23	182	50.3	52.2	1.9		BX										
182.9	-24	183	52.2	53.0	0.8		MLS										
			53.0	53.3	0.3		BX										
			53.3	54.3	1.0		MLS										
			54.3	54.5	0.2		MS										
			54.5	55.0	0.5		MLS										
			55.0	56.5	1.5		MLS BX										
			56.5	58.2	1.7		MS										
			58.2	66.8	8.6		MLS BX										
			66.8	67.0	0.2		MS										
			67.0	68.0	1.0		MLS BX										
			68.0	68.4	0.4		CaVn										
			68.4	77.5	9.1		MS										
			77.5	81.1	3.6		ML2										
			81.1	87.9	6.8		MS										
			87.9	90.1	2.2		ML2										
			90.1	90.6	0.5		MS										
			90.6	129.7	39.1		ML2										
			129.7	161.8	32.1		MLS BX										
			161.8	174.3	12.5		MLS pD										
			174.3	201.2	26.9		ML5?										
		ASSAY	50.3	52.2	1.9			6227	100%		14.6	0.30%	2.70%				
			54.3	54.5	0.2			6228	100%		355.0	10.10%	9.75%	0.14			
			56.5	58.2	1.7			6229	100%		17.6	0.11%	9.47%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: M15 WAY D.D.H. 90-337 PAGE 2 OF 2

AREA: LtARD MD DIP: -19.02 AZIMUTH (I) 180.32 DEPTH: 201.2 m

CLAIM: BULL 16 NORTHING: 43565.492 DATE STARTED: SEPT 9 1990

SECTION: E 25300 EASTING: 25299.129 DATE FINISHED: SEPT 11 1990

CORE SIZE: NG ELEVATION: 1081.095 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 94% 100% 60% CORE STORED AT: BACK 10 W BAY L/M LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
0	-19.02	180.32									0.71						
61	-17	181															
121.9	-23	182															
182.9	-24	183															
	ASSAY		66.8	67.0	0.2			6210	100%		59.4	2.02	5.36				
			67.0	68.0	1.0			6211	100%		29.1	0.81	2.20				
			68.0	68.4	0.4			6212	100%		3.7	0.15	1.39				
			68.4	70.0	1.6			6213	94%		88.3	3.74	4.59	0.45			
			70.0	71.5	1.5			6214	100%		1686.4	35.70	1.79	0.38			
			71.5	73.0	1.5			6215	100%		50.6	0.57	1.76				
			73.0	75.5	2.5			6216	84%		89.5	1.59	2.25				
			75.5	76.3	0.8			6217	100%		245.8	3.59	23.50	0.82			
			76.3	77.5	1.2			6218	100%		2053.9	47.60	5.00	0.62			
			77.5	81.1	3.6			6219	100%		18	0.40	0.33				
			81.1	82.3	1.2			6220	100%		252.1	3.12	26.10	0.07			
			82.3	83.8	1.5			6221	87%		36.9	0.72	40.30				
			83.8	85.3	1.5			6222	100%		152	4.17	9.32	0.72			
			85.3	86.9	1.6			6223	100%		77.1	0.94	16.60				
			86.9	87.9	1.0			6224	80%		40.4	0.15	31.50				
			87.9	90.1	2.2			6225	100%		2.8	0.05	0.44				
			90.1	90.6	0.5			6226	100%		35.3	0.76	9.80				
	AVERAGE		66.8	70	3.2				97%		07.4	2.27	3.49				
			70	77.5	7.5				95%		732.1	15.78	4.77				
			81.1	87.9	6.8				87%		10.2	1.87	24.09				
			87.9	90.6	2.7				100%		6.8	0.18	2.17				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.:	<u>90-338</u>	PAGE: <u>1</u>	OF: <u>1</u>
AREA: <u>LIARD MD</u>	DIP: <u>-40.3</u>	AZIMUTH (I): <u>179.41</u>	DEPTH: <u>170.7 m</u>	
CLAIM: <u>BULL 16</u>	NORTHING: <u>43575.4</u>		DATE STARTED: <u>SEPT 15 1990</u>	
SECTION: <u>E 25340</u>	EASTING: <u>25330.66</u>		DATE FINISHED: <u>SEPT 17 1990</u>	
CORE SIZE: <u>NU</u>	ELEVATION: <u>1079.63</u>		CONTRACTOR: <u>ADVANCED DRILLING</u>	
CORE RECOVERY: <u>87% 100% 47%</u>	CORE STORED AT: <u>RACK 10W BAY 0 + P</u>		LOGGED BY: <u>PCL</u>	
COMMENTS:				

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %
0	-40.3	179.41	0	4.3	4.3		N.C.				g/t			g/t	
57.9	-40		4.3	17.1	12.8		1B								
115.8	-41.3		17.1	45.5	28.4		1BA								
170.7	-44.3		45.5	56.9	11.4		1AA								
			56.9	59.9	3		MS								
			59.9	63	3.1		MLS BX								
			63	66.3	3.3		ML 4BX								
			66.3	74.5	8.2		ML 5CR								
			74.5	83.1	8.6		ML 5								
			83.1	85.6	2.5		ML 5CR (pD)								
			85.6	85.9	0.3		MS								
			85.9	90.8	4.9		ML 5 (pR)								
			90.8	114	23.2		ML 5								
			114	123.2	9.2		ML 5CR								
			123.2	130.8	7.6		ML 5?CR (pD)								
			130.8	146.7	15.9		ML 5? (pD)								
			146.7	152.6	5.9		ML 5?								
			152.6	155.2	2.6		ML 5?CR (pR)								
			155.2	157.6	2.4		ML 5								
			157.6	170.7	13.1		ML 5?CR (pD)								
ASSAY			56.9	57.9	1			6237	73%		42.5	0.24%	5.99%		
			57.9	59.4	1.5			6238	47%		55.8	0.83%	4.68%		
			59.4	59.9	0.5			6239	100%		291	4.62%	26.80%	0.38	
			59.9	62.5	2.6			6240	100%		8.1	0.15%	0.31%		
			62.5	64	1.5			6241	100%		67.1	1.57%	1.00%		
			64	65.6	1.6			6242	100%		4.5	0.05%	0.12%		
AVERAGE			56.9	59.9	3				63%		83.9	1.27%	8.90%		
			62.5	65.6	3.1				100%		64.8	0.79%	0.55%		
ASSAY			65.6	65.9	0.3			6243	100%		3.9	0.02%	2.01%		

87
143

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90 339 PAGE 1 OF 1
 AREA: LIARD MD CLAIM: BULL 16
 SECTION: E 25340 CORE SIZE: NQ
 CORE RECOVERY: ERR ERR ERR CORE STORED AT: RACK 10W BAY 0
 COMMENTS: _____

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	g/t	Pb %	Zn %	g/t	Fe %		
0	43.57	159.59	0	4.3	4.3		N.C.										
57.9	-51.3	160	4.3	22	17.7		1B										
115.8	-54	164	22	45.7	23.7		1BA										
167.6	-56	163	45.7	67.4	21.7		1AA										
			67.4	72	4.6		ML5 CR(pR)										
			72	74.1	2.1		ML5 CR(pD)										
			74.1	79.3	5.2		ML5 R										
			79.3	82.1	2.8		ML5 CR										
			82.1	83.8	1.7		ML5										
			83.8	88.4	4.6		ML5 CR										
			88.4	101	12.6		ML5(pR)										
			101	101.7	0.7		ML5?CR										
			101.7	103.2	1.5		ML6 CR										
			103.2	104.1	0.9		ML6										
			104.1	106.1	2		ML6 CR										
			106.1	108	1.9		ML6										
			108	110.6	2.6		ML6 CR										
			110.6	116.9	6.3		ML6										
			116.9	119.1	2.2		ML7 CR(pD)										
			119.1	146.6	27.5		ML7(pD)										
			146.6	152.5	5.9		ML7 CR(pD)										
			152.5	157.4	4.9		ML7										
			157.4	159.2	1.8		ML7 CR										
			159.2	163.6	4.4		YBR										
			163.6	167.6	4		ML7 CR(pD)										
		ASSAY	67.4	67.9	0.5			6250			9.2	0.20%	0.53%				

87
142

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 98-348 PAGE 1 OF 1
 AREA: LIARD MD DIP: -60.21 AZIMUTH (t): 169.29 DEPTH: 269.7 m
 CLAIM: BULL 16 NORTHING: 43576.9 DATE STARTED: SEPT 20 1990
 SECTION: E 25340 EASTING: 25337.74 DATE FINISHED: SEPT 21 1990
 CORE SIZE: NQ ELEVATION: 1079.91 CONTRACTOR: ADVANCED DRILLING
 CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 10W BAY 0 + P LOGGED BY: PEL
 COMMENTS: _____

USE -47° DIP / 140° AZ.

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag, oz/t	Pb %	Zn %	Au oz/t	Fe %
0	60.21	169.29	0	2.4	2.4		N.C.								
100.6	-57	142	2.4	24	21.6		1B								
150.9	-58	144	24	70.1	46.1		1BA								
201.2	-60	143	70.1	94.5	24.4		1AA								
269.7	-59	144.3	94.5	97.4	2.9		ML5 CR								
			97.4	99.9	2.5		ML5 CR(pD)								
			99.9	103.3	3.4		ML5 Cr(pD)								
			103.3	105.2	1.9		ML5								
			105.2	105.7	0.5		ML5 Cr								
			105.7	106.7	1		ML5Cr(pR)								
			106.7	109.8	3.1		ML5Cr(pD)								
			109.8	112.8	3		ML5BX								
			112.8	113.4	0.6		ML5Cr(pD)								
			113.4	118.9	5.5		ML5Cr								
			118.9	124.8	5.9		ML5Cr(pD)								
			124.8	129.6	4.8		ML5Cr								
			129.6	134.5	4.9		ML5Cr(pD)								
			134.5	136.7	2.2		ML5(pR)								
			136.7	143.3	6.6		ML5Cr(pD)								
			143.3	144.1	0.8		ML5								
			144.1	145.1	1		YBR								
			145.1	186.2	41.1		ML5Cr(pD)								
			186.2	201.5	15.3		ML5(pD)								
			201.5	203.8	2.3		ML5MS								
			203.8	219.5	15.7		ML5(pD)								
			219.5	237.4	17.9		ML6(pD)								
			237.4	269.7	32.3		ML7(pD)								
	ASSAY		94.5	94.6				6252	100%		273.3	5.47%	2.22%	0.27	

50
125
175
225

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90 341 PAGE 1 OF 2

AREA: LIARD MD DIP: -11.01 AZIMUTH (t): 180.27 DEPTH: 221 m

CLAIM: BULL 16 NORTHING: 43565.459 DATE STARTED: SEPT 14 1990

SECTION: E 25300 EASTING: 25299.162 DATE FINISHED: SEPT 15 1990

CORE SIZE: NO ELEVATION: 1081.48 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: ERR ERR ERR CORE STORED AT: RACK 10 W BAY M/N LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %
0	-11.01	180.27	0.0	1.8	1.8		NC				97			97	
150.9	-15	187	1.8	10.7	8.9		1B								
201.2	-16	188	10.7	76.2	65.5		1BA								
221	-16.3	192	76.2	93.2	17.0		1AA								
			93.2	93.9	0.7		MLSCR								
			93.9	99.7	5.8		1AA								
			99.7	100.7	1.0		MLSCR								
			100.7	101.7	1.0		1AA								
			101.7	102.3	0.6		MLSCR								
			102.3	105.7	3.4		1AA								
			105.7	110.7	5.0		ML1CR								
			110.7	114.7	4.0		MS								
			114.7	115.8	1.1		ML1CR								
			115.8	116.6	0.8		ML1								
			116.6	117.3	0.7		ML1CR								
			117.3	118.1	0.8		ML1								
			118.1	118.9	0.8		ML2CR								
			118.9	120.0	9.1		ML2								
			120.0	135.4	7.4		ML2CR								
			135.4	136.4	1.0		ML2								
			136.4	137.6	1.2		ML2CR								
			137.6	141.4	3.8		ML2								
			141.4	160.8	19.4		ML2CR								
			160.8	163.1	2.3		ML2								
			163.1	164.7	1.6		ML2CR								
			164.7	165.7	1.0		MS								
			165.7	175.3	9.6		ML2CR (pD)								
			175.3	187.3	12.0		ML2								
			187.3	189.0	1.7		MLS								
			189.0	216.9	27.9		ML3								
			216.9	220.0	3.1		ML2CR								
			220.0	221.0	1.0		ML3								

75
175
211

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90-341 PAGE 2 OF 2

AREA: LIARD MD DIP: -11.01 AZIMUTH (t): 180.27 DEPTH: 221 m

CLAIM: BULL 16 NORTHING: 43565.459 DATE STARTED: SEPT 14 1990

SECTION: E 25300 EASTING: 25299.162 DATE FINISHED: SEPT 16 1990

CORE SIZE: NQ ELEVATION: 1081.48 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 10 W BAY M/N LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W m	Geology	Sample No.	Rec. %	S.G.	g/g	Pb %	Zn %	g/t	Fe %
0	-11.01	180.27													
50.9	-15	187													
101.2	-16	188													
221	-16.3	192													
	ASSAY		109.7	111.3	1.6			6232	100%		1.3	0.03	0.74		
			111.3	112.8	1.5			6233	100%		7.4	0.09	0.68		
			112.8	114.6	1.8			6234	100%		32.7	0.39	2.09		
			109.7	114.6	4.9				100%		14.7	0.18	1.22		
			164.7	165.7	1.0			6235	100%		0.1	0.02	0.01		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIGWAY D.D.H. 90-342 PAGE 1 OF 1
 AREA: LIARD MD DIP: -33.46 AZIMUTH (t): 184.49 DEPTH: 199.6 m
 CLAIM: BULL 16 NORTHING: 43560.717 43562.615 DATE STARTED: SEPT 28 1990
 SECTION: E 25140 EASTING: 25140.00 25140.223 DATE FINISHED: SEPT 30 1990
 CORE SIZE: ND ELEVATION: 1105.115 1106.644 CONTRACTOR: ADVANCED DRILLING
 CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 10W BAY R + 10E Q + R LOGGED BY: PCL
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag. oz/t	Pb %	Zn %	Au. oz/t	Fe %	
0	-35.46	184.49	0	0.7	0.7		N.C.									
50.3	-39	186	0.7	34.6	33.9		MLS St									
100.6	-40	186	34.6	36.1	1.5		MLS St (pD)									
150.9	-40	190	36.1	39.6	3.5		MLS St									
199.6	-39.3	190	39.6	41.7	2.1		MLS Cr (pD)									
			41.7	47	5.3		MLS Rb									
			47	48.4	1.4		MLS St									
			48.4	49.9	1.5		MLS (pD)									
			49.9	50.8	0.9		MLS Rb									
			50.8	56	5.2		MLS St									
			56	66	10		MLS St (pD)									
			66	68.1	2.1		MLS (pD)									
			68.1	94	25.9		MLS St (pD)									
			94	96.4	2.4		ML7									
			96.4	104	7.6		ML7 St (pD)									
			104	108.7	4.7		ML7 St									
			108.7	112	3.3		ML8 St									
			112	142	30		ML8									
		ASSAY	71.8	73.2	1.6			6260	100%		0.1	0.01%	0.01%			
			79	80	1.0			6261	100%		0.1	0.01%	0.01%			
			93	94	1.0			6262	100%		0.1	0.02%	0.01%			

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: <u>MIDWAY</u>	D.D.H.: <u>90-343</u>	PAGE: <u>1</u>	OF: <u>1</u>
AREA: <u>LIARD RD</u>	DIP: <u>-33.54</u>	AZIMUTH (t): <u>355.11</u>	DEPTH: <u>199.6 m</u>
CLAIM: <u>BULL 16</u>	NORTHING: <u>43567.023</u>	<u>43566.086</u>	DATE STARTED: <u>SEPT 27 1990</u>
SECTION: <u>E 25140</u>	EASTING: <u>25140.111</u>	<u>25140.257</u>	DATE FINISHED: <u>SEPT 30 1990</u>
CORE SIZE: <u>NO</u>	ELEVATION: <u>1105.684</u>	<u>1106.855</u>	CONTRACTOR: <u>ADVANCED DRILLING</u>
CORE RECOVERY: <u>50%</u> <u>100%</u> <u>0%</u>	CORE STORED AT: <u>RACK 10W BAY Q + R</u>		LOGGED BY: <u>PCL</u>
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag, g/t	Pb %	Zn %	Ag, g/t	Fe %	
0	-33.54	355.11	0	0.8	0.8		NC									
50.3	-40	359.3	0.8	4.9	4.1		ML6									
100.6	CAN'T READ		4.9	8.6	3.7		ML7									
150.9	-46	358	8.6	12	3.4		ML7Cr (pD)									
199.6	-47	356.3	12	18.3	6.3		ML7									
			18.3	19.8	1.5		ML7 (pD)									
			19.8	25	5.2		ML7Cr (pD)									
			25	27.5	2.5		ML7 (pD)									
			27.5	35.5	8		ML7									
			35.5	36.5	1		ML6									
			36.5	39.4	2.9		ML8 (pD)									
			39.4	51.6	12.2		ML8									
			51.6	66.8	15.2		ML8 (pD)									
			66.8	68.5	1.7		ML8									
			68.5	72.4	3.9		ML8 (pR)									
			72.4	98.7	26.3		ML8									
			98.7	116.7	18		ML8 (pD)									
			116.7	119.1	2.4		ML8Rb									
			119.1	146	26.9		ML8 (pD)									
			146	147.4	1.4		ML8Cr (pD)									
			147.4	167.4	20		ML8 (pD)									
			167.4	171.9	4.5		ML8Cr (pD)									
			171.9	176.8	4.9		ML8 (pD)									
			176.8	199.6	22.8		ML8Rb (pD)									
		ASSAY	117.5	118.6	1.3			6258	100%		0.03	0.02%	0.01%			
			146	146.5	0.5			6259			3.6	0.01%	2.02%			

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 98 345 PAGE 1 OF 1

AREA: LIARD MD DIP: -50.05 AZIMUTH (I): 42.17 DEPTH: 131.1 m

CLAIM: BULL 16 NORTHING: 43640.9 DATE STARTED: OCT 19 1990

SECTION: N43640 N40E EASTING: 25353.21 DATE FINISHED: OCT 20 1990

CORE SIZE: NQ ELEVATION: 1000.03 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 72% 100% 20% CORE STORED AT: RACK 9W BAY P + 0 LOGGED BY: PCL

COMMENTS: HOLE LOST @ 131.1; RODS JAMED IN MLS

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Aggr/t	Pb %	Zn %	Aggr/t	Fe %		
0	-50.05	42.17	0	1.3	1.3		NC										
39.6	-52		1.3	28.5	27.2		1B										
83.8	-51		28.5	73.5	45		1BA										
126.6	-54		73.5	102.3	28.8		1AA										
			102.3	103.5	1.2		MLScr										
			103.5	108.8	5.3		MS										
			108.8	111.2	2.4		MLS										
			111.2	112.3	1.1		YBR/MS										
			112.3	113.4	1.1		MS										
			113.4	115.8	2.4		MLS/MS										
			115.8	117	1.2		MLSBX										
			117	119.9	2.9		MLS(pR)										
			119.9	125.8	5.9		MLSBX(pD)										
			125.8	131.1	5.3		MLS										
			103.5	105.2	1.7			6314	41%		4960.4	58.30%	6.34%	1.13			
			105.2	106.7	1.5			6315	20%		6206.8	59.70%	2.60%	1.23			
			106.7	108.2	1.5			6316	80%		912.7	19.10%	32.60%	0.14			
			108.2	108.8	0.6			6317	100%		1410	32.10%	18.10%	0.45			
			108.8	111.2	2.4			6318	92%		31.7	0.53%	0.54%				
			111.2	112.3	1.1			6319	82%		13	0.07%	7.93%				
			112.3	113.4	1.1			6320	73%		712	18.40%	15.90%	0.27			
			113.4	115.8	2.4			6321	83%		72.7	2.06%	4.46%				
			115.8	119.2	3.4				59%		0	0.00%	0.00%				
			119.2	119.9	0.7			6322	100%		205.7	9.68%	4.92%	0.21			
		AVERAGE	103.5	108.8	5.3				53%		3765.6	44.60%	14.05%	0.8			
			111.2	115.8	4.6				60%		211.3	5.91%	8.03%				
			103.5	115.8	12.3				71%		1707.8	21.00%	9.16%				
												21.6%					

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H.: 98 - 346 PAGE: 1 OF 2
 AREA: LIARD RD DIP: -29.56 AZIMUTH (t): 358.52 DEPTH: 138.4 m
 CLAIM: BULL 16 NORTHING: 43641.84
 SECTION: N43641 OFF SECTION EASTING: 25352.62
 CORE SIZE: NO ELEVATION: 1088.93
 CORE RECOVERY: 92% 100% 81% CORE STORED AT: RACK 9W BAY 0
 COMMENTS: DATE STARTED: OCT 30 1990
 DATE FINISHED: NOV 1 1990
 CONTRACTOR: ADVANCED DRILLING
 LOGGED BY: RAS

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag/dzt	Pb %	Zn %	Ag/dzt	Fe %			
0	-29.52	358.52	0	2	2		NC											
36.6	-32	356	2	45	43		IB											
79.2	-33.3	354	45	58	13		IBA											
138.4	-35.3	359	58	65.5	7.5		IAA											
			65.5	72.7	7.2		ML2?											
			72.7	92.6	19.9		ML3											
			92.6	95.6	3		ML4											
			95.6	109.2	13.6		ML5											
			109.2	112.7	3.5		MS											
			112.7	114.1	1.4		CALCITE											
			114.1	123.9	9.8		ML BX											
			123.9	138.4	14.5		ML3(?)											
				109.2	110.4	1.2		6323	100%		38.4	0.05%	0.19%					
				110.4	112.5	2.1		6324	81%		79.5	5.70%	10.90%					
				112.5	114.1	1.6		6325	100%		1	0.07%	0.31%					
				AVERAGE	109.2	112.5	3.3			88%	64.6	3.65%	7.01%					

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: HIWAY D.D.H. 98 - 349 PAGE 1 OF 1

AREA: LIARD MD DIP: -50 AZIMUTH (t): 97.18 DEPTH: 196.3 m

CLAIM: BULL 16 NORTHING: 43619.78 DATE STARTED: OCT 31 1990

SECTION: N43620 EASTING: 25355.17 DATE FINISHED: NOV 3 1990

CORE SIZE: NQ ELEVATION: 1080.16 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 76% 95% 60% CORE STORED AT: RACK 9W BAY Q + R LOGGED BY: RAS

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag, g/t	Pb %	Zn %	Au, g/t	Fe %
24	0	-50	97.18	0	32	32	1BA								
73	48.8	-52.3	86	32	75	43	1B								
122	97.5	-55.3	78	75	94.5	19.5	1BA								
171	146.3	-59	78	94.5	96	1.5	FAULT								
	196.3	-65	68	96	117.4	21.4	1AA								
				117.4	128.4	11	MS								
				128.4	172.2	43.8	ML5								
				172.2	173.9	1.7	YBR								
				173.9	175.8	1.9	ML5?								
				175.8	178.3	2.5	YBR								
				178.3	191.6	13.3	ML5?								
				191.6	191.8	0.2	YBR								
				191.8	196.3	4.5	ML5?								
		ASSAYS		117.4	118.9	1.5		6326	80%		62.2	0.58%	7.26%		
				118.9	120.4	1.5		6327	67%		271.2	7.20%	24.70%	0.48	
				120.4	121.9	1.5		6328	60%		152.5	3.09%	9.84%	0.41	
				121.9	123.4	1.5		6329	60%		151.4	2.03%	26.10%	0.14	
				123.4	125	1.6		6330	81%		202.2	2.67%	23.10%	0.21	
				125	126.5	1.5		6331	93%		71.3	0.43%	24.60%		
				126.5	128.4	1.9		6332	95%		253.7	6.15%	27.00%	0.07	
		AVERAGE		117.4	128.4	8.3			75%		169.9	3.27%	20.60%		

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY	D.D.H. 90- 352	RAGE _____	OF 1
AREA: LIARD MD	DIP: 38.19	AZIMUTH (t): 2.31	DEPTH: 89.9 m
CLAIM: BULL 16	NORTHING: 43566.71	DATE STARTED: SEPT 15 1990	
SECTION: E 25160	EASTING: 25157.03	DATE FINISHED: SEPT 16 1990	
CORE SIZE: NQ	ELEVATION: 1106.99	CONTRACTOR: ADVANCED DRILLING	
CORE RECOVERY: 100% 100% 100%	CORE STORED AT: RACK 9W BAY L	LOGGED BY: PCL	
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	g/bzt	Pb %	Zn %	g/t oz/t	Fe %		
0	38.19	2.31	0	1.2	1.2		N.C										
50	36.3		1.2	12.9	11.7		ML6										
90	37.3		12.9	56.4	43.5		ML5										
			56.4	73	16.6		ML5CR										
			73	83.4	10.4		ML5										
			83.4	83.8	0.4		MS										
			83.8	89.9	6.1		1AA										
	ASSAY		83.4	83.8	0.4			6236	100%		242.6	6.35%	10.90%	0.45			

25
70

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90-354 PAGE 1 OF 1

AREA: LIARD RD DIP: 63.43 AZIMUTH (t): 178.35 DEPTH: 88.3 m

CLAIM: BULL 16 NORTHING: 43564.37 DATE STARTED: SEPT 16 1990

SECTION: E 25160 EASTING: 25157.02 DATE FINISHED: SEPT 16 1990

CORE SIZE: NØ ELEVATION: 1107.73 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 86% 100% 74% CORE STORED AT: RACK 9W BAY M LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag/g/t	Pb %	Zn %	Ag/g/t	Fe %		
0	63.43	178.35	0	0.5	0.5		N.C										
45.7	63		0.5	0.7	0.2		ML6										
88.3	62.3		0.7	64.3	63.6		ML5										
			64.3	72.9	8.6		ML5CR?										
			72.9	78.6	5.7		ML5?										
			78.6	82.7	4.1		MSBX										
			82.7	88.3	5.6		1AA										
		ASSAY	78	78.6	0.6			6244	100%		14	0.21%	1.24%				
			78.6	79.2	0.6			6245	100%		99.3	2.60%	12.10%	0.62			
			79.2	80.8	1.6			6246	75%		112.6	2.36%	11.70%	1.13			
			80.8	82.7	1.9			6247	74%		111.8	2.15%	15.30%	0.24			
		AVERAGE	78.6	82.7	4.1				93%		112.3	2.33%	13.61%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: NIOWAY D.D.H.: 98 - 355 PAGE: 1 OF: 1

AREA: LIARD MD DIP: 17.11 AZIMUTH (t): 357.37 DEPTH: 118.9 m

CLAIM: BULL 16 NORTHING: 43567.08 DATE STARTED: SEPT 15 1990

SECTION: 25220 EASTING: 25219.41 DATE FINISHED: SEPT 17 1990

CORE SIZE: NØ ELEVATION: 1096.78 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 79% 100% 38% CORE STORED AT: RACK 9W BAY M LOGGED BY: PCL

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Aggzt	Pb %	Zn %	Ag /tz/t	Fe %
0	17.11	357.37	0	1.3	1.3		N.C								
85	14	-	1.3	4.7	3.4		ML2?Cr								
118.9	13.5	358	4.7	9.1	4.4		ML2?Cr (pD)								
			9.1	11.8	2.7		ML2?								
			11.8	12.2	0.4		ML2?Cr (pD)								
			12.2	12.6	0.4		MS								
			12.6	18.7	6.1		ML2?Cr (pD)								
			18.7	28.3	9.6		ML2?								
			28.3	28.7	0.4		MS								
			28.7	110.2	81.5		ML2?								
			110.2	111.4	1.2		ML2?CR								
			111.4	113	1.6		MSRb								
			113	118.9	5.9		1AA								
		ASSAYS	12.2	12.6	0.4			6248	100%		43.4	0.88%	1.77%		
			28.3	28.7	0.4			6249	100%		19	0.55%	4.76%		
			111.4	113	1.6			6251	36%		133.8	2.02%	5.12%		

12.
85
102

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90-356 PAGE 1 OF 1

AREA: LIARD MD DIP: -5.04 AZIMUTH (t): 305.15 DEPTH: 140.2 m

CLAIM: BULL 16 NORTHING: 43641.97 DATE STARTED: OCT 9 1990

SECTION: N43640 EASTING: 25351.01 DATE FINISHED: OCT 12 1990

CORE SIZE: NQ ELEVATION: 1062 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 98% 100% 83% CORE STORED AT: RACK 9W BAY P LOGGED BY: PCL

COMMENTS: SPERRY-SUN DROPPED IN HOLE; NO INTERMEDIATE TEST.

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag/g/t	Pb %	Zn %	Ag/cz/t	Fe %		
0	-5.04	305.15	0	29	29		1B										
140.2	-18.3	308	29	56.5	27.5		1BA										
(ASSUM) 70	-13		56.5	63	6.5		1AA										
			63	65	2		MS										
			65	68.3	3.3		ML1										
			68.3	68.9	0.6		MS										
			68.9	69.1	0.2		ML1										
			69.1	70.9	1.8		MS										
			70.9	77.7	6.8		ML1										
			77.7	83.8	6.1		ML1 BX										
			83.8	89.9	6.1		ML1 (pD)										
			89.9	91.3	1.4		MS										
			91.3	99.5	8.2		ML1										
			99.5	101.5	2		MS										
			101.5	110.3	8.8		ML1										
			110.3	117.4	7.1		ML2										
			117.4	120.3	2.9		ML3?										
			120.3	125.2	4.9		ML2cR										
			125.2	131	5.8		ML3										
			131	133.5	2.5		ML4										
			133.5	135.2	1.7		ML5										
			135.2	140.2	5		ML5Cr										
		ASSAY	63	64	1			6292	100%		73	1.30%	6.31%				
			64	65	1			6293	100%		167	5.82%	17.50%	0.82			
			65	68.3	3.3				100%		0	0.00%	0.00%				
			68.3	68.9	0.6			6294	83%		127.4	4.20%	10.10%	0.24			
			68.9	69.1	0.2			6295	100%		2.3	0.00%	17.00%				
			69.1	70.1	1			6296	100%		263.7	7.86%	12.50%	3.55			
			70.1	70.9	0.8			6297	100%		255.8	5.96%	21.00%	0.48			
		AVERAGE	63	63	2				100%		100	3.56%	11.93%				
			63.5	70.5	2.6				511		229.7	5.87%	13.60%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90-357 PAGE OF

AREA: LIARD MD DIP: -31.05 AZIMUTH (I): 331.44 DEPTH: 140.2

CLAIM: BULL 16 NORTHING: 43642.75 DATE STARTED: OCT 12

SECTION: H DRIFT EASTING: 25352.07 DATE FINISHED: OCT 15

CORE SIZE: NQ ELEVATION: 1080.96 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 87% 100% 47% CORE STORED AT: RACK 9W Bay P LOGGED BY: PCL

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag g/t	Pb %	Zn %	Au g/t	Fe %		
0	-31.05	331.44	0	2.4	2.4		CASING										
100.6	-31	229	2.4	7.8	5.4		1B										
121.9	-33	337.5	7.8	50.3	42.5		1BA										
			50.3	66.8	16.5		1AA										
			66.8	68.6	1.8		ML1/1AARb										
			68.6	74	5.4		ML1Cr										
			74	92.5	18.5		ML1										
			92.5	94.3	1.8		Rb										
			94.3	99.6	5.3		ML1										
			99.6	101.8	2.2		MS										
			101.8	103.7	1.9		ML1(pR)										
			103.7	119.1	15.4		MS										
			119.1	136.6	17.5		ML1										
			136.6	140.2	3.6		ML2										
		ASSAYS	99.6	100.6	1			6301	100%		2.9	0.00%	7.40%				
			100.6	101.8	1.2			6302	100%		3.4	0.02%	10.15%				
			101.8	103.7	1.9			6303	100%		0.1	0.01%	0.06%				
			103.7	105.2	1.5			6304	93%		6.2	0.05%	14.20%				
			105.2	106.7	1.5			6305	100%		2.1	0.03%	12.60%				
			106.7	108.2	1.5			6306	100%		2.7	0.02%	8.30%				
			108.2	109.7	1.5			6307	100%		45.6	0.11%	2.35%				
			109.7	111.3	1.6			6308	94%		51	0.24%	4.63%				
			111.3	112.8	1.5			6309	100%		106.5	0.60%	8.17%	0.56			
			112.8	114.3	1.5			6310	93%		158	2.25%	15.40%	3.02			
			114.3	115.8	1.5			6311	47%		22	0.22%	20.70%				
			115.8	117.3	1.5			6312	47%		29.5	0.10%	6.90%				
			117.3	119.1	1.8			6313	100%		1317.1	32.20%	22.10%	0.07			
		AVERAGE	99.6	119.1	19.5				90%		161.1	3.87%	10.25%				
			103.7	119.1	15.4				88%		203.5	4.90%	11.70%				
			114.3	117.3	3				47%		25.8	2.10%	13.64%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY MIDWAY D.D.H. 90 - 358 PAGE OF

AREA: LIRRA M/U DIP: -70.15 AZIMUTH (1): 0.3 DEPTH: 100.6 m

CLAIM: BULL 16 NORTHING: 43664.19 DATE STARTED: SEPT 18, 1990

SECTION: N DRIFT EASTING: 25352.5 DATE FINISHED: SEPT 20, 1990

CORE SIZE: NO ELEVATION: 1061.68 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: 100% 100% 100% CORE STORED AT: RACK 9W BAY M/N LOGGED BY: PCL

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag/czt	Pb %	Zn %	Ag/czt	Fe %			
0	-70.15	0.3	0	2.4	2.4		CASING											
50	-69	8	2.4	25.8	23.4		IB											
100	-69	3	25.8	42.7	16.9		IBA											
			42.7	54.8	12.1		IAA											
			54.8	65	10.2		MLS											
			65	67.3	2.3		ML4											
			67.3	70.4	3.1		ML5											
			70.4	71.4	1		MS											
			71.4	73.3	1.9		ML5											
			73.3	73.7	0.4		MS											
			73.7	82.4	8.7		ML5(pR)											
			82.4	87.9	5.5		ML5											
			87.9	88.7	0.8		ML5(pR)											
			88.7	89.5	0.8		MLSMS											
			89.5	90.1	0.6		ML5(pR)											
			90.1	94.7	4.6		ML5											
			94.7	96	1.3		MLSCR(pD)											
			96	96.3	0.3		YBR											
			96.3	98	1.7		MLSCR											
			98	98.4	0.4		YBR											
			98.4	99.5	1.1		MLSCR											
			99.5	100.6	1.1		MLS											
		ASSAYS	70.4	71.4	1			6253	100%		1.3	0.01%	0.01%					
			71.4	73.3	1.9				100%		0	0.00%	0.00%					
			73.3	73.7	0.4			6254	100%		1.4	0.04%	10.70%					

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 90 - 359 PAGE 2 OF 2

AREA: LIARD MD DIP: -48 AZIMUTH (I): 0 DEPTH: 250 m

CLAIM: BULL 16 NORTHING: 43635.09 43653.09 DATE STARTED: SEPT 20 1990

SECTION: END OF NORTH DRIFT EASTING: 25352.5 DATE FINISHED: SEPT 23 1990

CORE SIZE: NQ ELEVATION: 1081.62 CONTRACTOR: ADVANCED DRILLING

CORE RECOVERY: _____ CORE STORED AT: RACK 9W BAY N LOGGED BY: PCL

COMMENTS: GROUT PLUG IN COLLAR; AZ & DIP ESTIMATED

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Agg/z/t	Pb %	Zn %	Ag/cz/t	Fe %		
0	-48	0	164.2	168.9	4.7		ML7Ms(pD)										
61	-51	-	168.9	178.2	9.3		ML6										
106.7	-51	2	178.2	180	1.8		ML6BX										
152.4	-53.3	4	180	181.7	1.7		ML7										
198.1	-55	2	181.7	184.4	2.7		ML7Mt										
243.8	-57.3	0.3	184.4	188.2	3.8		ML7Cr(pR)										
			188.2	191.2	3		ML7R6BX										
			191.2	205.6	14.4		ML7Cr(pR)										
			205.6	217.2	11.6		ML7?(pR)										
			217.2	221.2	4		ML7?										
			221.2	232.8	11.6		ML7?(pR)										
			232.8	234	1.2		ML7?										
			234	241.5	7.5		ML7?(pR)										
			241.5	250	8.5		ML7?St										
		ASSAYS	86	87	1			6255	100%		0.1	0.01%	0.03%				
			87	88	1			6256	100%		0.1	0.01%	0.01%				
			200.2	201	0.8			6257	100%		10	0.16%	0.82%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY D.D.H. 80 - 361 PAGE 2 OF 2
 AREA: LIARD MD DIP: -56.36 AZIMUTH (I): 70.2 DEPTH: 128 m
 CLAIM: BULL 16 NORTHING: 43662.41 DATE STARTED: _____
 SECTION: N. END N75E EASTING: 25353.9 DATE FINISHED: _____
 CORE SIZE: NQ ELEVATION: 1081.81 CONTRACTOR: ADVANCED DRILLING
 CORE RECOVERY: 80% 100% 21% CORE STORED AT: RACK LOGGED BY: PCL
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (I)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag oz/t	Pb %	Zn %	Au oz/t	Fe %		
		ASSAY	93	93.6	0.6			6275	100%		20.7	0.14%	0.16%				
			93.6	94	0.4			6276	100%		0.1	0.04%	0.06%				
			94	94.5	0.5			6277	100%		8.5	0.01%	0.03%				
			94.5	101.4	6.9				100%		0	0.00%	0.00%				
			101.4	101.9	0.5			6278	80%		291.3	5.64%	2.83%				
			101.9	102.5	0.6			6279	100%		0.5	0.05%	0.04%				
			102.5	103.6	1.1			6280	100%		3636.1	54.40%	9.59%				
			103.6	105.2	1.6			6281	93%		2700.5	54.30%	12.20%				
			105.2	105.9	0.7			6282	100%		1698.3	34.00%	20.10%				
			105.9	106.2	0.3			6283	100%		33.1	0.61%	0.29%				
			106.2	106.7	0.5			6284	100%		474.7	16.90%	12.30%				
			106.7	108.3	1.6			6285	44%		554.7	14.10%	13.10%				
			108.3	109.7	1.4			6286	21%		1687.9	38.40%	6.23%				
			109.7	111.4	1.7			6287	25%		461.9	10.60%	17.20%				
		AVERAGE	102.5	105.9	3.4				97%		2796.9	50.15%	12.98%				
			106.2	111.4	5.2				37%		821.8	19.77%	12.51%				
			102.5	111.4	8.9				62%		1549.7	30.73%	12.28%				

REGIONAL RESOURCES LTD.

DIAMOND DRILL RECORD

PROPERTY: MIDWAY	D.D.H.: 90 - 363	PAGE: 1	OF OF 1
AREA: LIARD RD	DIP: -50	DEPTH: 176.8 m	
CLAIM: BULL 16	AZIMUTH (I): 95.22	DATE STARTED: NOV 5 1990	
SECTION: N43573 OFF SECTION	NORTHING: 43573.03	DATE FINISHED: NOV 7 1990	
CORE SIZE: ND	EASTING: 25334.23	CONTRACTOR: ADVANCED DRILLING	
CORE RECOVERY: 50% 100% 20%	ELEVATION: 1079.45	LOGGED BY: RAS	
CORE STORED AT: RACK 9E BAY Q			
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From m	To m	Int. m	T.W. m	Geology	Sample No.	Rec. %	S.G.	Ag/g/t	Pb %	Zn %	Ag/dz/t	Fe %		
0	-50	95.22	0	27.5	27.5		IB										
45.7	-54	91	27.5	46.5	19		IAA										
91.4	-57	88.3	46.5	55.2	8.7		IBA										
129.8	-61	89	55.2	112	56.8		IB										
179.8	-65	88	112	130.5	18.5		IBA										
			130.5	133.9	3.4		IAA										
			133.9	137.6	3.7		ML5?										
			137.6	139.1	1.5		M.S./ML5										
			139.1	141.7	2.6		VEIN?										
			141.7	160.6	18.9		ML5?										
			160.6	173.3	12.7		MLBX										
			173.3	176.8	3.5		ML5?										
		ASSAY	133.9	134.1	0.2			6344	100%		55.3	0.38%	9.17%				
			134.1	135.6	1.5			6345	20%		27.8	0.21%	13.70%				
			135.6	137.6	2			6346	70%		8.6	0.11%	1.54%				
			139.1	141.7	2.6			6347	46%		14.8	0.13%	0.43%				
		AVG	133.9	137.6	3.7				51%		18.9	0.17%	6.68%				