

LOC. 01-03	RD.
ACTION:	
FILE NO:	

**ASSESSMENT REPORT**  
**FOR THE**  
**GEOLOGY, GEOCHEMISTRY & GEOPHYSICS**  
**ON THE**  
**LEFTY PROPERTY**  
**MINERAL CLAIMS**

OMINECA MINING DIVISION

NTS 93L / 5 & 6

LATITUDE 54 24' N

LONGITUDE 127 30' W

OWNED BY: ATNA RESOURCES LTD.

WORK BY: EQUITY SILVER MINES LIMITED

REPORT BY: D. J. HANSON


DECEMBER 1990

VOLUME II

**GEOLOGICAL BRANCH**  
**ASSESSMENT REPORT**

20,741


Part 2  
of 2



filter	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	filter																			
n=1	340	366	432	390	398	305	357	740	677	1122	798	1816	302	463	158	279	496	953	1116	2466	2655	2357	1742	2037	1276	1428	1494	1496	3353	1557	1792	1669	1305	1512	1441	2130	1064	1068	-379	1009
n=2		414	438	425	361	550	943	535	708	1216	1556	1540	842	478	283	272	455	701	1007	1804	2159	2814	2281	1364	1890	1207	530	2030	2118	1814	1747	2135	1092	1894	1802	1514	1728	1825	1548	1094
n=3		456	425	403	563	551	914	463	1222	1458	2475	551	558	250	477	474	787	946	1201	1304	2386	2741	2207	1280	1659	1452	1747	2744	1350	1977	1854	2398	1770	1649	1465	1294	2068	2508	1605	
n=4		430	392	651	945	1175	717	549	1401	2534	1004	434	236	338	870	783	936	1019	364	1815	3007	2327	2098	1226	1386	1847	2202	1834	1533	1960	1355	2535	1647	1830	1285	1822	2628	2536		

filter	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	filter																			
n=1	4.5	4.3	3.8	2.9	2.3	2.4	2.7	3.1	3.1	3.7	3.1	3.3	1.9	2	1.8	1.7	1.9	2	2.9	4.1	4.5	5	5.1	4.6	4.1	3.6	3.3	3.6	3.7	4.1	3.7	3.8	3.8	3.6	3.2	3.6	3.7	4	4.1	3.8
n=2	4.1	3.5	3	1.8	.6	.7	2	3.3	2.8	4.8	3	4.6	1.8	1.8	1.4	1.3	1.6	1.6	2.8	4.6	4.6	4.6	5.8	4.6	3.3	3.1	3.3	4.6	4.5	4.6	3.3	3.5	3.5	2.8	2	3.5	3	3.3	3	3.1
n=3		4.8	4.5	3.3	1.6	2.8	3	3	3.5	3.6	3.5	3.5	2	1.8	1.8	1.8	1.8	1.8	1.8	4.3	4.5	5.2	5.3	4.8	5.3	4.3	3.1	3.5	3.5	4.5	4.6	4.1	4.1	4.8	4.1	3.1	4.1	3.5	4.8	4.1
n=4		5.3	4.5	3	1.8	3.1	3.1	1.8	3.4	3.1	3.6	1.8	2	.8	2.8	1.3	1.8	2	3.1	2.8	5.1	5.3	5.8	3.1	4.6	3.8	3.1	2.5	3.5	3.5	4.5	3.1	3.3	4	3.1	3.1	3.5	4.6	4.6	
n=4		4.8	4.5	3.5	3.3	3.5	2.8	3.1	3	4.1	2.8	2.8	3.5	.9	2.8	1.6	2	3.5	2.1	4.1	5.9	4.8	4.6	3.5	4.6	4.6	2	3.4	2.5	4.1	4.1	3.5	4.1	4	3.5	3.3	5.3	4.6		

filter	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	filter																									
n=1	12	11	6.8	6.5	4.9	3.6	4.4	4	3.5	2.9	2.9	3.9	3.8	4.8	8	3.9	3.9	2.8	2.3	2.4	2.2	1.9	2.1	2.7	2.8	2.7	2.4	2	3.9	2.9	2.6	2.2	2.2	3.1	1.9	3	1.8	2.1	1.9	1.8	1.4	1.6	1.8	3.1	3.1	2.8
n=2		12	10	7.8	5	5.1	4.7	5	4.9	3	2.6	2.3	2.4	3.8	6.4	6.6	3.6	2.6	1.7	2.7	2.1	1.8	2.3	3.5	2.7	3.6	2	1.7	1.7	2.5	2.6	1.9	2.4	2.5	2.6	2	2.4	1.9	3.1	3.1	3.7					
n=3		12	11	7.4	5	3.1	3.3	3.4	3.7	2.8	2.1	1.5	2.8	3.5	3.2	5.8	2.7	2.3	2.1	2.6	2.1	1.8	1.9	2.9	2.4	2.8	2.6	1.8	.9	2.6	1.9	2.4	1.3	1.9	2.2	2.1	2.4	1.7	1.8	2.8						
n=4		11	12	5.4	3.5	3	3.9	3.7	2.1	1.6	2.8	6.5	12	2	3.2	2	2	2	3.4	2.2	2.3	1.9	2.1	2.2	2.9	2.3	2.8	.9	2.1	1.6	2.1	2.1	1.4	2.5	2.5	2.7	2	1.9	1.8							



TOPOGRAPHY

RESISTIVITY (ohm-m)

CHARGEABILITY (millivoltspervolt)

METAL FACTOR (ip/res \* 1000)

Filtered Profiles

Resistivity ——— filter \*

Polarization ——— \*\*

Metal Factor - - - - - \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

..... Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**


**INDUCED POLARIZATION SURVEY**

LEFTY GRID  
 HOUSTON LAKE AREA, B.C.



Date: 90/10/01 N.T.S.: 93-L/6  
 Interpretation by:  
 Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**

20741




FILTERED PROFILES




TOPOGRAPHY

RESISTIVITY



CHARGEABILITY

INTERPRETATION



METAL FACTOR

INTERPRETATION

Filtered Profiles

Resistivity ----- filter \*  
Polarization ----- \*\*  
Metal Factor ----- \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
Frequency: .125 Hz  
Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**


**INDUCED POLARIZATION SURVEY**

**LEFTY GRID  
HOUSTON LAKE AREA, B.C.**





Date: 90/10/01 N.T.S.: 93-L/6  
Interpretation by:  
Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**

20741



FILTERED PROFILES



Filtered Profiles

Resistivity ——— filter \*  
Polarization ——— \* \*  
Metal Factor - - - - - \* \* \* \*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
Frequency: .125 Hz  
Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

..... Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**


**INDUCED POLARIZATION SURVEY**

**LEFTY GRID**  
**HOUSTON LAKE AREA, B.C.**


Date: 90/10/01 N.T.S.: 93-L/6  
Interpretation by:  
Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**


20741




TOPOGRAPHY



RESISTIVITY  
(ohm-m)




CHARGEABILITY  
(millivoltspervolt)



METAL FACTOR  
(ip/res \* 1000)

Line 800 N

Dipole-Dipole Array



Filtered Profiles

Resistivity ——— filter \*  
Polarization ——— \*\*  
Metal Factor - - - - - \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
Frequency: .125 Hz  
Operator: G.M.

INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.  
Fairly well defined moderate increase in polarization.  
Poorly defined polarization increase.  
Resistivity feature.


EQUITY SILVER MINES LTD.

INDUCED POLARIZATION SURVEY  
LEFTY GRID  
HOUSTON LAKE AREA, B.C.


Date: 90/10/01 N.T.S.: 93-L/6  
Interpretation by:  
Scale: 1 : 2500

PETER E. WALCOTT & ASSOC. LTD.

20741



FILTERED PROFILES



TOPOGRAPHY

RESISTIVITY (ohm-m)

Station	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	15+00 E																					
filter	487	615	754	815	724	1020	811	808	916	704	588	762	729	879	814	864	1339	1785	1047	1146	1001	853	752	622	835	892	1122	1175	1428	1372	1541	1552	1892	1317	1778	2129	2830	3636	3819	4486	4552	filter
n=1	398	493	636	646	485	1236	781	804	1005	389	446	719	437	885	643	554	1335	2752	921	1352	870	689	755	542	834	757	726	762	1376	1273	1345	1126	2132	1038	1477	1050	1903	4026	4211	4498	3089	n=1
n=2	438	661	913	598	307	1023	754	889	1007	373	641	797	808	721	639	935	2469	1421	1078	1157	1016	598	709	646	413	1348	1022	1128	1573	1163	1787	1714	1165	1367	1410	2224	3500	3540	3917	4007	5248	n=2
n=3	597	339	838	1179	757	839	733	1004	719	558	600	1117	826	754	878	1567	1287	1186	825	1320	836	677	730	365	678	1628	1526	1122	1436	1407	2505	1157	1226	1311	2847	3375	3119	3186	3396	7582	n=3	
n=4	817	721	1223	930	534	811	814	722	954	517	821	1113	836	1028	1451	917	1083	934	923	1226	1084	643	408	580	787	2385	1389	1053	1590	1671	1711	1378	1141	2507	4800	3340	3416	2870	6075	n=4		

RESISTIVITY (ohm-m)

CHARGEABILITY (millivoltspervolt)

Station	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	15+00 E																					
filter	2.2	2.5	2.8	2.4	2.4	3.4	2.8	2.7	2.6	2.4	1.8	2	2.1	2.3	2.1	2.4	3.1	3.2	2.9	2.9	2.9	3.1	3.1	2.7	2.6	3.1	3.9	3.9	4.9	4.9	5.6	5.7	6.2	5	6.3	7.1	7.4	6.9	6.9	6.3	5.7	filter
n=1	1.8	2.3	3	1.8	1.8	4.6	3.1	3	2.8	2.8	1.8	1.8	1.8	2.8	1.8	1.9	3	3.5	2.8	2.8	2.8	3.1	3.5	3.1	3.5	3.3	3.5	3	5.3	4.8	5.2	4.6	8.2	3.6	4.6	5.3	8.1	7.6	6.4	5.8	4.8	n=1
n=2	2	3	2.8	1.9	3.5	4.1	2.8	3.5	3.1	1.8	1.8	3	2.8	2.4	1.8	3.3	4.1	3.5	3.3	3	2.8	3.5	4	2.8	2.8	4.6	4.1	4.5	4.8	4.8	6.3	6.6	3.8	4.8	7.4	8.1	6.1	7.7	7.6	4.8	6.3	n=2
n=3	2.9	2.4	1.8	3.1	3.3	2.1	2	3.5	1.8	1.7	1.8	1.8	1.8	1.8	2.8	3.1	2.8	2.3	3	2.8	2.8	3.3	1.8	1.3	2.8	4.5	4.8	3.5	5.3	5.8	7.8	3.6	4.8	7.6	8.4	6.1	6.1	7.6	6.6	5.4	n=3	
n=4	3.1	2.3	3.5	2.8	1.5	2.1	1.8	2.3	1.8	1.8	2	2	2	2.3	3.1	2.8	3	3	3	3.3	3.1	2.8	1.1	2	2.8	4.8	5.1	4.1	5.9	5.8	5.8	5.8	6.6	9.2	7.7	6.4	6.9	6.4	8.2	n=4		

METAL FACTOR (ip/res \* 1000)

Station	5+00 E	5+50 E	6+00 E	6+50 E	7+00 E	7+50 E	8+00 E	8+50 E	9+00 E	9+50 E	10+00 E	10+50 E	11+00 E	11+50 E	12+00 E	12+50 E	13+00 E	13+50 E	14+00 E	14+50 E	15+00 E																						
filter	4.5	4.2	3.8	2.8	3.5	3.3	3.4	3.3	2.9	3.6	3.4	2.7	3.1	2.7	2.6	2.8	2.5	2	2.9	2.8	3	3.9	4.3	4.4	4.1	3.9	3.7	3.5	3.5	3.6	3.7	3.7	3.7	3.8	3.8	3.9	4.1	2.9	1.9	1.8	1.5	1.4	filter
n=1	4.6	4.8	4.7	2.8	4.4	3.5	4	3.7	2.7	4.9	4	2.5	4.1	3.1	2.8	3.2	2.3	1.3	3.1	2.1	3.2	4.5	4.6	5.7	3.9	4.2	4.8	3.8	3.9	3.8	3.9	4.1	3.8	3.3	3.1	5	4.9	1.9	1.5	1.3	1.6	n=1	
n=2	4.6	4.4	3.1	3	3.9	3.7	3.9	2.9	4.8	2.8	3.8	3.5	3.3	2.8	3.6	1.7	2.3	3.3	2.6	2.8	2.8	5.8	5.6	4.3	6.8	3.4	4	4	3	4.1	3.5	3.8	3.3	3.5	5.2	3.6	1.7	2.2	1.9	1.1	n=2		
n=3	4.9	2.5	2.7	2.6	4.3	2.5	2.7	3.4	2.5	3	1.6	2.2	2.4	3.2	2	2.2	1.9	3.6	2.1	3.2	4.8	2.5	3.6	4.1	2.8	3.1	3.1	3.1	3.7	4.1	3.1	3.1	3.9	5.8	3.3	1.6	1.9	2	2.4	1.7	1.7	n=3	
n=4	3.8	3.2	2.9	3	2.5	2.6	2.2	3.2	1.9	3.5	2.4	1.8	2.3	2.2	2.1	3.1	2.8	3.2	3.3	2.7	2.9	4.4	2.7	3.4	3.6	2.1	3.3	3.9	3.7	3.1	3.4	4.2	5.8	3.7	1.6	1.9	1.7	2.2	1.3	n=4			

TOPOGRAPHY

RESISTIVITY

CHARGEABILITY

INTERPRETATION

METAL FACTOR

Filtered Profiles

Resistivity ----- filter  
Polarization ----- \*  
Metal Factor ----- \* \* \*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
Frequency: .125 Hz  
Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**






**INDUCED POLARIZATION SURVEY**

**LEFTY GRID**  
**HOUSTON LAKE AREA, B.C.**

Date: 90/10/01 N.T.S.: 93-L/6  
Interpretation by:  
Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**

20741



Resistivity ----- filter \*

Polarization ----- \*\*

Metal Factor ----- \*\*\*

\*\*\*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**

**INDUCED POLARIZATION SURVEY**






**LEFTY GRID**

**HOUSTON LAKE AREA, B.C.**

Date: 90/10/01 N.T.S.: 93-L/6  
 Interpretation by:  
 Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**

20741



Filtered Profiles

Resistivity ----- filter \*

Polarization ===== \*\*

Metal Factor - - - - - \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M.

INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

..... Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**

**INDUCED POLARIZATION SURVEY**

**LEFTY GRID**

**HOUSTON LAKE AREA, B.C.**

Date: 90/10/01 N.T.S.: 93-L/6





Interpretation by:

Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**


20741





### Line 1600 N

Dipole-Dipole Array



Filtered Profiles

Resistivity --- filter  
Polarization --- \*\*  
Metal Factor --- \*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
Frequency: .125 Hz  
Operator: G.M.

### INTERPRETATION

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

### EQUITY SILVER MINES LTD.

### INDUCED POLARIZATION SURVEY

LEFTY GRID  
HOUSTON LAKE AREA, B.C.



Date: 90/10/01 N.T.S.: 93-L/6  
Interpretation by:  
Scale: 1 : 2500

PETER E. WALCOTT & ASSOC. LTD.

20741



FILTERED PROFILES




RESISTIVITY  
(ohm-m)

filter  
 \*  
 \*\*  
 \*\*\*  
 \*\*\*\*

Logarithmic  
 Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M.



CHARGEABILITY  
(millivoltspervolt)


**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.



METAL FACTOR  
(ip/res \* 1000)

**EQUITY SILVER MINES LTD.**

**INDUCED POLARIZATION SURVEY**






**LEFTY GRID**

**HOUSTON LAKE AREA, B.C.**

Date: 90/10/01 N.T.S.: 93-L/6  
 Interpretation by:  
 Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**

20741



TOPOGRAPHY

Filtered Profiles

Resistivity (ohm-m)

Polarization

Metal Factor

filter

\*

\*\*

\*\*\*

\*\*\*\*

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10, ...

Instrument: EDA IP2 rx, HUNTEC 2.5kw tx  
 Frequency: .125 Hz  
 Operator: G.M.

**INTERPRETATION**

Well defined, strong increase in polarization with or without marked decrease in resistivity.

Fairly well defined moderate increase in polarization.

Poorly defined polarization increase.

Resistivity feature.

**EQUITY SILVER MINES LTD.**

**INDUCED POLARIZATION SURVEY**

**LEFTY GRID**

**HOUSTON LAKE AREA, B.C.**


Date: 90/10/01 N.T.S.: 93-L/6  
 Interpretation by:  
 Scale: 1 : 2500

**PETER E. WALCOTT & ASSOC. LTD.**


20741

# 20741


# Part 1 of 2



Dipole-Dipole Array



SCALE 1 : 5000



EQUITY SILVER MINES LTD.

INDUCED POLARIZATION SURVEY  
Dipole-Dipole Array - a=25m  
Filtered Metal Factor Contours


LEFTY PROPERTY  
OMINECA M.D., B.C.  
September 1990 Scale 1 : 5000

Map No. W-475L-6


Peter E. Walcott & Assoc. Ltd.

December 1990


# 20741 Part 1 of 2



Dipole-Dipole Array





SCALE 1 : 5000




<b>EQUITY SILVER MINES LTD.</b>	
INDUCED POLARIZATION SURVEY Dipole-Dipole Array - $a=25m$ 1st Separation Metal Factor Contours	
LEFTY PROPERTY OMINECA M.D., B.C. September 1990      Scale 1 : 5000	
Map No. W-475L-5	December 1990
Peter E. Walcott & Assoc. Ltd.	


# 20741 Part 1 of 2



Dipole-Dipole Array



SCALE 1 : 5000




EQUITY SILVER MINES LTD.	
INDUCED POLARIZATION SURVEY Dipole-Dipole Array - a=25m Filtered Resistivity Contours	
LEFTY PROPERTY OMINECA M.D., B.C. September 1990      Scale 1 : 5000	
Map No. W-475L-4	December 1990
Peter E. Walcott & Assoc. Ltd.	




# 20741


# Part 1 of 2



Dipole-Dipole Array



SCALE 1 : 5000




EQUITY SILVER MINES LTD.

INDUCED POLARIZATION SURVEY  
Dipole-Dipole Array - a=25m  
1st Separation Resistivity Contours


LEFTY PROPERTY  
OMINECA M.D., B.C.  
September 1990 Scale 1 : 5000

Map No. W-475L-3 December 1990  
Peter E. Walcott & Assoc. Ltd.


# 20741 Part 1 of 2



Dipole-Dipole Array




SCALE 1 : 5000




EQUITY SILVER MINES LTD.	
INDUCED POLARIZATION SURVEY	
Dipole-Dipole Array - a=25m	
Filtered Chargeability Contours	
LEFTY PROPERTY	
OMINECA M.D. B.C.	
September 1990	Scale 1 : 5000
Map No. W-475L-2	December 1990
Peter E. Walcott & Assoc. Ltd.	




# 20741 Part 1 of 2



Dipole-Dipole Array



SCALE 1 : 5000



EQUITY SILVER MINES LTD.	
INDUCED POLARIZATION SURVEY Dipole-Dipole Array - a=25m 1st Separation Chargeability Contours	
LEFTY PROPERTY OMINECA M.D., B.C. September 1990      Scale 1 : 5000	
Map No. W-475L-1	December 1990
Peter E. Walcott & Assoc. Ltd.	