Daiwan Engineering Ltd.

1030-609 Granville Street, Vancouver, B. C. Canada. V7Y 1G5
Phone: (604) 688-1508

PROSPECTING REPORT

ON THE

POE MINERAL CLAIMS

NORTH VANCOUVER ISLAND, BRITISH COLUMBIA

NTS: 92L/12W

Latitude: 50° 41' Longitude: 127° 49'

For

Universal Trident Industries Ltd. 1030 - 609 Granville Street Vancouver, B.C. V7Y 1G5

Вy

Ron Bilquist

July 19, 1991

SUB-RECORDER
RECEIVED

AUG 1 5 1991

M.R. # \$
VANCOUVER, B.C.

D:\poe01.ass

LOG NO: AUG 19 1991 RD. i ACTION:

TABLE	OF	CONTENTS

	FILE NO:	Page
SUMMARY		1
INTRODUCTION		1
ACCESS		1
PROPERTY		2
PROSPECTORS REPORT		2
CONCLUSIONS		3
STATEMENT OF COSTS		4
CERTIFICATE OF QUALIFICATIONS		5

Figures

Figure 1	- Location Map	Following Page 1
Figure 2	- Claim Map	Following Page 2
Figure 3	- Prospecting Map	In Map Pocket

Appendices

Appendix I - Assay Certificates Appendix II - Sample Descriptions

> GEOLOGICAL BRANCH ASSESSMENT REPORT

Daiwan Engineering Ltd.

1030 - 609 Granville Street, Vancouver, B.C. V7Y 1G5 Phone: (604) 688-1508

1

SUMMARY

A total of 4 man days were spent prospecting on the Poe claims on July 2nd and 7th, 1991.

The program was carried out over the entire property, concentrating on the main drainages, and consisted

of reconnaissance prospecting and mapping and the panning of several creeks on the property to check

for the presence of heavy metals.

The andesites and sediments which outcrop on the western and southern areas of the claims appear to

be underlain by intrusive rocks which are in outcrop over most of the other claims.

A total of \$2,247.04 was spent on prospecting on the claims.

INTRODUCTION

At the request of Mr Ron Philp, President of Universal Trident Industries Ltd., Daiwan Engineering Ltd.

conducted two days of prospecting on the Poe claim groups. The property consists of 16 contiguous 2-

post claims. Two grouping notices are required however, as a previous claim interceedes. The claims

are located at the crest of the ridge south of Nahwitti Lake, approximately 20 kilometres west of Port

Hardy on Northern Vancouver Island.

To the north of the claims are a number of base and precious metal showings in the Quatsino limestone.

To the south of the claims, there are large zones of hydrothermal alteration associated with the porphyry

copper mineralization on the Expo property of Moraga Resources Ltd.

ACCESS


A good logging road which cuts off the Port Hardy/Holberg Road at the Nahwitti River bridge gives

good access to the centre of the claims.

Access to the remainder of the claims is limited to hiking. Claim lines and creek beds can be used for

control in these areas.

Daiwan Engineering Ltd.



PROPERTY

The property consists of the following contiguous claims located in the Nanaimo Mining Division. The claims are depicted on Figure 2.

Name Rec	ord No. Units	Expiry	Recorded Owner	
Poe 1-7	3923-29	7	14 July, 1991	Daiwan Engineering Ltd.
Poe 8-16	3930-38	9	13 July, 1991.	July 13, 1991D a i w a n
Engineering 1	Ltd.			

PROSPECTORS REPORT

In the eastern drainage (Poe 14 and 15 claims), all the outcrop noted consisted of medium to coarse grained, often fractured felsic intrusive with occassional zeolite veining. Float was almost exclusively intrusive with andesite occurring very sporadically.


The central drainages (which feed into Ida Creek) have fractured intrusive outcropping to the north and east with the volcanic-intrusive contact occurring roughly in the center of the Poe 9 claim.

On the Poe 8 claim, in the east fork of the drainage, several near-vertical shears up to 6 inches wide, over approximately 2 meters contain magnetite and chalcopyrite.

Moving south on the Poe 9 claim, the intrusive gives way to beds of cherty sediments and then fine grained andesite near the southern claim boundary.

The drainages on the westerly claims all feed into Meade Creek. Again the northern part of the claim area is underlain by medium to coarse grained intrusive with occasional disseminated pyrite. Fine grained grey andesite outcrops are noted on the Poe 7 and the southern part of the Poe 6 claims.

Seven samples of sulphide bearing volcanics and intrusives were collected for gold, copper analyses. The gold was determined by acid leach from a 10 gm sample, and the copper was determined from a



30 element ICP analysis of the rocks. The details of the analyses are shown on the assay certificates from Acme Laboratories in Vancouver.

Six fine silt samples were collected from the drainages to check for base and precious metals. These were analysed in a similar fashion to the rocks (gold by acid leach/AA, and 30 element ICP).

The samples from the property are described in appendix 1. None of the rocks had significant precious or base metal mineralization. Sample 60741 was anomalous in molybdenum (335 ppm), but copper was only 179 ppm and gold 3 ppb.

CONCLUSIONS

No significant economic mineralization was encountered during the prospecting program. In some areas there was significant pyrite mineralization in then diorite and volcanics however.

The one sample of moybdenum mineralization may indicate nearby copper mineralization.

STATEMENT OF COSTS

1.0 Personnel

R. Bilquest Prospector - 1 days @ \$260/day	260.00	
L. Allen Prospector - 1 day @ \$260	260.00	
S. Oakley Prospector - 2 days @ \$250/day	500.00	
		\$1,300.00
2.0 Food and Accommodation		
4 man days @ \$75/man day		300.00
3.0 Transportation		
4x4 truck - 2 days @ \$60/day (incl. gas)		120.00
4.0 Assays		
7 rocks, Au /AA; 30 el. ICP @ \$13.40	93.80	
6 silts, Au /AA; 30 el. ICP @ \$11.04	66.24	160.04
4.0 Field Supplies		
(flagging, topo, etc.)		25.00
5.0 Office Costs		
(typing, copying, drafting)		195.00
	sub total	2,100.04
	GST	147.00
		\$2,247.04

Daiwan Engineering Ltd.

1030 - 609 Granville Street, Vancouver, B.C. V7Y 1G5
Phone: (604) 688-1508

CERTIFICATE OF QUALIFICATIONS

I, Ron Bilquist, do hereby certify that:

- 1.0 I am a prospector employed by Daiwan Engineering Ltd. with offices at 1030 609 Granville Street, Vancouver, B.C. V7Y 1G5.
- I have been employed as a prospector for the past 21 years in various parts of Canada and the United States, and am President of Lone Trail Prospecting Ltd., at Box 81, Gabriola, B.C.
- I have acquired a working knowledge of the techniques of prospecting over the past 22 years.
- 4.0 This report is based on a property examination between July 1 and July 9, 1991.
- I have no interest in the POE property or in Universal Trident Industries Ltd nor do I expect to receive anything.

Ron Bilquist

Prospector

July 19, 1991

APPENDIX I

Assay Certificates

ACME, ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716

GEOCHEMICAL AN

Daiwan Engineering Ltd. File # 91-2525 1030 - 609 Granville St., Vancouver BC V7Y 1G5

Page 1

						9 2 7 7		1,50		2 1711	Section 1						1,000														
SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	i ∫ As	U	Au	Th	Sг	Cd	Sb	81	٧	Cı	Р	La	Cr	Mg	Ba	Ti	В	Al	Ne	K	W	Au
	bba	ppm	bbu	ppm	ppm	ppm	ppm	ppm		ppm	bbw	ppm	ppm	ppm	bbus	ppm	ppm	ppm	, ,	<u> </u>	ppm	ppm	*	pps	*	ppm		. 7	<u> </u>	ppm	ppb
C 76096 C 76097	-	30 31			.1	23 20	14 14	424 791		9 15	5	ND ND		75 132		2		74 93 1		–	5	38 38 1	.77 .09	45 61	.19			.06		1	1 3
STANDARD C/AU-S	18	58	41	132	7.3	71	31	1041	3.96	42	20	7	39	52 1	8.8	16	18	55	.48	.090	39	58	.88	177	.09	33 1	.87	.06	.15	13	47

P - Sieve - 20 mesh and pulverized.

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HN03-H20 AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER. THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM. - SAMPLE TYPE: P1 SOIL/P2 SILT P3 MOSS MAT P4 ROCK AU* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.



Daiwan Engineering Ltd. FILE # 91-2364

MALYTICAL								-																									CHE MAL
MPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm			Co ppm	Mn ppm	0.75		υ ppm				ppm	Sb ppm			Ca %		La ppm				Ti %			Na %		ppm ppm			
0.00	and a	249	-2-	95	2	=31	-22	-574a	5.36	sor3:	23450	= ND:	cumfa	=24=	m-72	25	222	160:	4-01-	045:	5a	16:	1-23:	and:	T-64	12/19u	3430	w03	mpQ4s	-2		-	-
ACCO A SECURITION AND ADDRESS OF THE PARTY O	and the last	808=	-14-	-52m	and a	62	21-	-446	4730		##\$#	-NO	-	-47	-,2	-2	z:2:	142-	9.03	-024	-4	Z46	1135	-	-34	233	9.07	405	-01	-	-	-	-
40705	_	-80	-	-76-	2	103	-OKena	710	6.04	-	panelin.	-ND	-	130	2	_2	2	152	1.71	068	-8	07	2.76	-61	-66	12	7 02	15	04	_ 2	1	-1	-
50707	1	56	12	51	.1	2	10	414	4.43	8	5	ND	1	161	.2	2	2	78	2.41	.116	8	2	.91	51	.15	5	4.45	.07	.12	1	2	1	1
50708	1	71	9	56	.1	75	26	531	5.05	3	5	ND	1	158	.2	2	2	122	1.03	.070	4	149	2.46	39	.24	2	2.88	.21	.06	1	2	1	2
50709	2	62	10	33	. 1	18	3 25	357	4.62	2	5	ND	1	205	.2	2	2	101	.00	.072	6	12	1.28	61	.24	2	2.06	.10	.07	1	2	1	3
50710	1	-		154		10	-		2.59	-		ND					-		7	.032										1	2	1	1
60711	10			1301		1000	-		18.55	W. W. C	-	-ND	20.50	1000	55.7	100				022		-0	-24	-5	-04		44	-01	-04	-	- 7		
40740		m200m	nanfas	25700	er many de	neen'	Amado.	4038	-1-42	SEWA6	40	ONes	-4	-28	200	400	-0	-16-	4-07	- 022	-46		-40	-40	-04	-	-4	-04	-00	-	-0-	-	
10747		-47	-	-07-	-	-4)5·	-439	++70		e-urfi	-CHD	-	47	mm/Q	uto aĝa		-28	4738	-1024	-43		-419		-101		149	104	107	-	-		- 1
(071/		222/	- 5	-47-	-1-0		Z	200	1.26	-24	_ s	- NO		_30	7	7.	14	10	4.14	025	17	- 5		- 5	.01		71	-02	03		2	-1	- 1-
10705		-23/		37																								uma P.O		manual Co			
A STATE OF THE PARTY OF THE PAR	-	0000		-47																						7	1 10	01	01	1	2	1	10
	-	20005		m249×																										- L	2		
40770		201		-27																										-	-	-	-
60740	1	443	7	101	.8	6	0 37	670	5.41	2	5	ND	1	17	.5	2	2	105	1.42	.040	3	67	2.72	6	.59	4	2.99	-03	.01	2	4	2	5
60741	335	179	11	249	1.3				14.64		100			54	.2	10.77		0.00		.021	100		1.08		Mark Tool		4.31	7.000	.08	8	7	1	3
A A A STATE OF THE PARTY OF THE	Contractor	mede.		entigio:	manufest parametri				-9101						-			100	4.4		1000					and the same	-0100	-					
-	-	-07	-24	-150-	-1+3				=9 √68																450		0.2	102	.03	-	-	-	
NOTE: THE PARTY OF	-	4570	-	-70-	ma One O	anne S	9000	-384	××6×084	-		metalli i	person &	-107	-	-	-20	470	4-74	-054				_	-60	_	-0	-05	-01				1
40747	-			4928=	-	President	Among Ar	www.	-3:17	-	emants	SECULO D	-	CT-9/7	of the said	-	-	77	- Section	-075	-	475	Service of	SHELLE	7077	-	1.76	777	716				
10710	-	45747	4-0-	454					2.00																				-04		- 2	-	-43
407/4	-	10777	nteres (mokila																	_	_	_	_	_			_	1000		100		
60763	3	174			17.7.7	0.00	1000		2.46	0.0000000000000000000000000000000000000		250000		700			1000			.052	11.17	1000		903 1000						1	2	1	3
60766	- Sundania	m:564	Same.	129	enmo5	Hori	8:5:10	end473	-2-70	hist?	Same S	MG-NO	barn5	w29	Erlen.	mar 2	Score	84m	-wZ0	ME024	- 8	and th	ma66	ren36	m-17	500	minus/	mp08	mu()(-		-	-
40747	-24	-6880-	-		7	-	4-40	-468	-3-11	-	james 9	-	-	-52	semp)	ment)	449	-	-192	~1029	-10	-	-	-	-		-			-	-	and the last	1
40748	- 1175e164	4451			-3-5	-	55	245	1-74	-		-NO	-	- 22	100	- 2	20	-35	-45	022	-10	-10	-55	- 2	-00	-	10	-00	-	-2	-2	-	-
40740		740			-	-	88	378	-2-61	henovi	2		brund	-34	2	-2	-	-53	Zigen.	020		-	-	-		-	androjić	-	mp16	-	-	-	-
ANTIO-	100		1	- 11	-	1722	200	The Control of	2-00			3 107	17 19	0.00				100			-				A STATE OF THE PARTY OF THE PAR	-	1000000						

✓ ASSAY RECOMMENDED

STANDARD C/AU-R 19 59 40 130 7.3 71 31 1050 3.89 39 24 7 39 52 18.4 15 21 55 .46 .092 39 57 .87 175 .09 31 1.86 .06 .15 13 2 2 540



Daiwan Engineering Ltd. FILE # 91-2364



MALTTICAL											 21.70		200																							-
SAMPLE#	1000								Co ppr		Fe %						Cd ppm					-	La				a 1			Al %	Na %		ppm			
D 60706																	.7																		1	21
D-00149		-	90		enemic .	841	mings	-26				0.00	7				munida minida	_		1000				36	-		0	0	7		.02	.01			Ť	
D 60762	Т	4	-		711						 		_				.2	_	_							5	1 .	7	2 2	2.10	.03	.04	2	2	i	3
D 60764 D 60765			200			-				7	4.21		7) (1)		2421	71 62					.78										.03				1	1
STANDARD C/AU-S		-	1.1	1 1 2 2	-	21.50	_	1 120	100	San Lie		~ 512	(Luis	 -	4221	_	18.7																		3	47

APPENDIX II

Sample Descriptions

ROCK DESCRIPTIONS

SAMPLE DESCRIPTIONS

Number	Location	<u>Description</u>
60707	Central Drainage (Poe #9)	Fractured intrusive with dissolved pyrite with quartz, K-spar and zeolite veining
60708	West Drainage (Poe #9)	Fine grained blue volc. (fragmental?), dissolved pyrite & occasional quartz veinlet
60709	West Drainage (Poe #7)	Fine grained blue volc.; dissolved Py., quartz veinlet, possible chalcopyrite
60710	West Drainage (Poe #5)	Cherty sediment, deep orange weathering, manganese on fracture and drusy quartz in cavities
60740	East Drainage (Poe #15)	Green andesite float with milled quartz pebbles pyrite
60741	Central Drainage (Poe #8)	Shears in intrusive with soft greenish diorite; magnetite, Py. & Cpy.
60763	Central Drainage (Poe #9)	Fractured intrusive with pyrite
60706	Central Drainage (Poe #9)	Silt sample
60762	Central Drainage (Poe #9)	Silt sample
60764	Central Drainage (Poe #9)	Silt sample
60765	Central Drainage (Poe #9)	Silt sample
76096	West Drainage (Poe #1)	Silt sample
76097	West Drainage (Poe #1)	Silt sample

