

ARIS SUMMARY SHEET

District Geologist, Nelson

Off Confidential: 92.09.30

ASSESSMENT REPORT 21688

MINING DIVISION: Slocan

PROPERTY: Jackson
LOCATION: LAT 50 02 00 LONG 117 10 00
UTM 11 5542131 488063
NTS 082K03E
CAMP: 006 Slocan Camp
CLAIM(S): Jackson 1-2
OPERATOR(S): Goldsmith, L.B.
AUTHOR(S): Goldsmith, L.B.
REPORT YEAR: 1991, 39 Pages
KEYWORDS: Triassic-Jurassic, Slocan Group, Argillites, Phyllites, Limestones
WORK
DONE: Geochemical
SOIL 656 sample(s) ; PB, ZN, AG
Map(s) - 6; Scale(s) - 1:1000, 1:5000

LOG NO	OCT 08 1991	RD.
ACTION:		
FILE NO:		

GEOLOGY AND SOIL GEOCHEMISTRY
JACKSON 1 AND 2 ET AL. MINERAL CLAIM GROUP
SLOCAN MINING DIVISION
RETALLACK, B.C.
NTS 82 K/3 E
LATITUDE 50°02'N, LONGITUDE 117°10'W

Prepared for

CANTON VENTURES LTD.

SUB-RECORDER RECEIVED SEP 30 1991 M.R. # _____ \$ _____ VANCOUVER, B.C.

ARCTEX ENGINEERING SERVICES

Locke B. Goldsmith, P.Eng., P.Geo.
Consulting Geologist

Paul Kallock, F.G.A.C.
Consulting Geologist

August 29, 1991

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

21,688

TABLE OF CONTENTS

SUMMARY	1
PROPERTY, LOCATION, ACCESS	2
HISTORY	2
LOCATION MAP	3
CLAIM MAP	4
GEOLOGY AND MINERALIZATION	5
SOIL AND ROCK GEOCHEMICAL SURVEYS	6
CONCLUSIONS	8
RECOMMENDATIONS	8
COST ESTIMATE	9
ENGINEER'S CERTIFICATE	10
GEOLOGIST'S CERTIFICATE	11
REFERENCES	12
ITEMIZED COST STATEMENT — 1991 PROGRAMME	13
APPENDIX:	
Rock Sample Descriptions	
Analytical Procedures	
Geochemical Analysis	
MAPS:	(Pocket inside back cover)
Geology and Soil Geochemistry:	
Silver, 1:5000	
Lead, 1:5000	
Zinc, 1:5000	
Detailed Geology and Soil Geochemistry:	
Areas A, B, & C:	
Silver, 1:1000	
Lead, 1:1000	
Zinc, 1:1000	

**GEOLOGY AND SOIL GEOCHEMISTRY
JACKSON 1 AND 2 ET AL. MINERAL CLAIM GROUP
SLOCAN MINING DIVISION
RETALLACK, B.C.
NTS 82 K/3 E**

SUMMARY

Geological mapping and soil geochemistry were undertaken on the Jackson claim group. Quartz vein material with traces of iron and copper sulphides were observed in a granitic dyke or sill. An important silver-lead-zinc anomaly in soils in the vicinity of 8+50W 15+50N to 8+00W 16+00N is not explained by the mineralization in the dyke. A northeasterly trending high-grade polymetallic fissure vein typical of the area is suspected to subcrop below shallow overburden.

Backhoe trenching, geological mapping, and soil geochemistry are recommended in the next phase at an estimated cost of \$27,000.

PROPERTY, LOCATION, ACCESS

The property is located 1.5 km southeast of the formerly productive Lucky Jim mine at Zincton in southeastern British Columbia. Highway 31A, which joins the towns of New Denver and Kaslo, lies within 0.5 km of the northern boundary of the claim group. The nearest centre of population where basic services can be obtained is New Denver, approximately 16.0 km to the west. A dirt road which departs southerly from Highway 31A at Retallack provides access to the central part of the claim area. Numerous logging roads within the Stenson (Jackson) Creek valley also access the claims. Elevations range from 1006 m (3300 ft) near the northeast corner of the claim to 2134 m (7000 ft) near the southwest corner.

<i>Claim Name</i>	<i>Units</i>	<i>Record Number</i>
Jackson 1	15	5771 (7)
Jackson 2	10	5790 (8)
Silver Dagger	5	5388 (7)
Silver Spur Fr	1	5039 (7)
Silver Cloud	10	5040 (7)


Total land holding is 41 units amounting to approximately 1025 hectares. Various claim posts and boundaries have been observed. The claims are situated in the Slocan Mining Division, NTS Map Sheet 82 K/3 E.

HISTORY

Many of the mines in the Slocan district were discovered in the late 1800s. The Lucky Jim Mine, located approximately 1 km west of the Jackson claims, was discovered in 1892; hand-sorted material graded 60 oz/ton Ag and 60% Pb. Major periods of production included 1925-1930 and 1941-1953. Approximately 1.1 million tons grading 8.4% Zn, 0.45% Pb and 0.70 oz/ton Ag (Hicks, 1984) were produced from the Lucky Jim. Bulk mining methods were employed in open stopes from several steeply dipping ore bodies (Goldsmith, 1989).

There are no records of mineral production from the Jackson claim group. Several adits and trenches are present on the property, but it is unknown if any of these excavations produced ore grade material.

Soil geochemical sampling, geological mapping and rock geochemistry surveys which were undertaken in 1991 are the subject of this report.




LOCATION MAP

**CANTON VENTURES LTD.
 JACKSON CLAIM GROUP
 SLOCAN MINING DIVISION
 RETALLACK, B.C.
 NTS 82 K/3 E**



SCALE 1 : 2 500 000




To accompany report by

Locke B. Goldsmith, P.Eng., P.Geo.
 Consulting Geologist
 Paul Kallock, F.G.A.C.
 Consulting Geologist

ARCTEX ENGINEERING SERVICES

August 1991



CLAIM MAP

**CANTON VENTURES LTD.
 JACKSON CLAIM GROUP
 SLOCAN MINING DIVISION
 RETALLACK, B.C.
 NTS 82 K/3 E**

Scale 1:50,000



To accompany report by

Locke B. Goldsmith, P.Eng., P.Geo.
 Consulting Geologist
 Paul Kallock, F.G.A.C.
 Consulting Geologist

ARCTEX ENGINEERING SERVICES
 August 1991

GEOLOGY AND MINERALIZATION

Rocks exposed within the claims and in the surrounding area belong to the upper Triassic to lower Jurassic Slocan Group, a suite of argillite, phyllite, quartzite and limestone with occasional tuffaceous horizons. Granitic dykes, sills and stocks of variable composition are emplaced into all older strata.

Bedding attitudes of the Slocan Group at the Jackson claim group trend northwest with moderate to steep southwest dips. Gray platy phyllite or phyllic schist are the most abundant rock types. Argillite and slate are less common. Dark grey limestone containing numerous white calcite veins is also present and can easily be seen along the Stenson Creek access road. Most beds appear to be less than 15 metres thick.

Granitic or aplite dykes or sills are common in the claim group. The largest outcrop area of granite was seen near Line 5+00W 8+00N between the road and Stenson Creek. Large boulders trail down to the creek from a 30 to 40 metre wide cliff exposure. The rock is fine-grained, tan in colour, and contains minor disseminated pyrite.

Structurally, the Slocan Group exhibits occasional zones of tight folding in areas 1 to 3 metres wide. Additional geologic mapping would be required to determine fold attitudes which may reflect the position of northeast trending mineralized fault-fissure zones which have been productive in neighbouring mines.

The most common mineralization observed on the property is quartz veining with or without variable amounts of limonite. Pyrite within the quartz was seen at several areas, namely along the roads and dozer stripped areas in the south part of the grid near Line 5+00W. Quartz with pyrite is also seen in the northeast corner of the grid and in the dump of a caved adit at 3+00W 0+50N in the southeast part of the grid. Traces of mariposite were observed in a granitic dyke bisecting limestone at 2+75W 0+00N.

Select samples of sulphide-bearing quartz from the 3+00W 0+50N adit, as shown on the geology map and described in the appendix, did not contain significant precious metals. The adit itself is caved and inaccessible. Trend of the caved depression, protruding rails and trenching is N20°E.

Two accessible adits and at least two caved adits have been located in the northern part of the grid area. Detailed soil geochemical sampling has been undertaken in this area.

The longest accessible adit is located at 16+20N 8+85W. It is 25 metres in length and was driven along a south-dipping fracture which forms the north wall of the adit. Several shear zones

were encountered and one granite dyke was cut near the face. No mineralization was observed. A short adit near 16+00N 9+00W also encountered a granite (or aplite?) dyke. However, this intrusive contains abundant quartz veining and traces of pyrite and tetrahedrite (a copper-silver sulphide). A 0.1 m chip sample from the west wall of this short adit contained 50 ppb gold and 58.0 ppm silver. Approximately 60 m southeast of this short adit similar appearing quartz-bearing granite or aplite is present in the dump of a caved adit. A select sample from the dump contained 10 ppb gold and 8.4 ppm silver. Soils collected from this dump area (8+50W 15+75N) contained 55.0 ppm Ag, 1100 ppm Pb, and 2600 ppm Zn.

Another 60 metres to the southeast from the caved adit, outcrops of quartz-bearing granite in a road cut were sampled and found to contain 75 ppb gold and 6.8 ppm silver.

In summary, a northwest trending granite dyke and/or sill 0.5 to 2 metres thick locally contains pyrite and tetrahedrite which have been shown to contain up to 58.0 ppm silver. Strike length of the dyke is at least 120 metres. Threshold values of silver in soils continues to the northwest as far as 10+00W 17+00N, suggesting that the locally mineralized dyke may be at least 300 metres long.

SOIL AND ROCK GEOCHEMICAL SURVEYS

A hip-chain and compass survey grid was established beginning at the estimated location of the southeast corner of the R.E. Adams claim, Lot 1652. Lines 100 metres apart with sample stations spaced at 50 metres were surveyed in a N20°W (Azimuth 340°) direction. Soil samples were collected with a long blade shovel from the lower "B" or "C" soil horizon generally between 15 and 35 cm depth. Soil geochemical survey maps at a scale of 1:5000 are included in the pocket at the back of this report. Six hundred and fifty-six samples were analysed for lead, zinc, and silver by Chemex Labs of North Vancouver, B.C. Certificates of analysis and procedures are included in the Appendix.

The following table displays statistical data concerning metal abundance derived from lognormal probability plots. Years of soil sampling results over Slocan Group rocks have been compiled into this information.

	Ag ppm	Pb ppm	Zn ppm
Background	<2.3	<38	} Possibly two populations
Threshold	2.3 to 4.9	38 to 150	
Anomalous	>4.9	>150	

Anomalous values of silver in soil are located near 8+00W 16+00N. Here, 7.3 ppm Ag is part of a larger area of threshold silver values. It is also coincident with anomalous lead (275 ppm Pb) and an elevated zinc value of 410 ppm. The sample lies within a northeast-trending tributary drainage of Stenson Creek. To the southwest, a threshold value of 3.2 ppm Ag was obtained at 9+00W 16+00N. Six threshold values of lead in soils also display a coincident northeast-trending zone. An additional 53 soil samples and several rock samples were collected, and some old adits were discovered. A detailed soil geochemical survey map at a scale of 1:1000 (Inset "A") is included in the pocket of this report. It can be seen on this map that the original 7.3 ppm Ag anomaly can be traced uphill to the southwest, a distance of 75 metres to the dump of a caved adit. Sample 8+50W 15+75N which contained 55.0 ppm silver, 1100 ppm lead, and 2600 ppm zinc is undoubtedly enriched by metals extracted from this adit.

Other adits and trenches were also driven to explore a pyrite tetrahedrite-bearing northwest-trending granite dyke. Threshold values of silver (2.3-4.9 ppm Ag) on Line 10+00W near 17+00N may be caused by a northwest extension of this dyke.

In contrast to the general northwest-trending zone of high silver values, numerous threshold lead values and two anomalous zinc values also extend uphill toward the west. No source was found to account for these elevated values. Tetrahedrite associated with quartz in the dyke may have contributed silver to cause the low to threshold values of silver in soils which extend northwesterly from the adit at 8+50W 15+50N.

The highest silver value in the soil survey was obtained at 1+00W 0+50N where 14.7 ppm Ag was detected. Significant lead or zinc was not present in this sample, however 150 metres east, threshold values of lead were returned from samples 0+00W 0+50N (52 ppm) and 0+00W 1+00N (44 ppm Pb). Furthermore, sample 1+00W 0+50N lies approximately 150 metres northeast and along strike of the old adit and trench-area near Line 3+00W. Detailed soil sampling around the 1+00W 0+50N anomaly did not reveal any soil enrichment. Resampling of the 1+00W 0+50N sample site did not duplicate the original analysis; only 0.6 ppm silver was encountered (see Inset "C").

Fourteen other areas of the survey show threshold (2.3-4.9 ppm) silver values. Two of these areas also show coincident elevated lead and zinc value. Along the south boundary of the grid on lines 7+00W and 8+00W soil samples with silver up to 3.8 ppm, 600 ppm lead, and 350 ppm Zn were returned from the initial survey. Detailed follow-up sampling is shown on a 1:1000 scale map (Inset "B") in the pocket of this report. Most of this grid are slopes steeply down to the northeast. A northwest-trending ridge is developed on this slope which is underlain by a limonitic aplite dyke or sill. Numerous threshold values of lead and silver lie downslope from this ridge.

Chalcopyrite-bearing aplite float observed near 7+25W 0+25S is believed to have eroded from this dyke.

The other area of threshold lead, zinc and silver values is located along the west margin of the grid at 14+00W 13+50N. Here 2.3 ppm Ag in soils also contains 48 ppm lead and 240 ppm Zn.

One area of the grid displays anomalous lead of 316 ppm and a high value of 800 ppm zinc. It is located at 3+00W 10+50N adjacent and downslope from the principal Stenson valley access road where metal contamination could have an influence.

Finally, at 11+00W, 11+00N and 10+50N high values of 106 ppm lead and 800 ppm zinc were found in soils which appear to be underlain by limestone.

CONCLUSIONS

Soil geochemical sampling has located an important northeasterly trending silver-lead-zinc anomaly near 8+50W 15+50N. Disseminated tetrahedrite mineralization in a granitic sill does not explain the high metal values in soil. The adit near this anomaly may have been driven upslope from and at the southwest end of an important silver-lead-zinc fissure vein which may be concealed by shallow overburden.

Two other areas did not respond to detailed follow-up of single-sample elevated values.

Additional soil sampling is required to the west of line 14+00W in the vicinity of 13+50N and 17+00N where silver content is elevated.

RECOMMENDATIONS

Backhoe trenching should commence in the vicinity of 8+50W 15+50N to reopen the adit and to prospect northwesterly along the trend of the geochemical anomaly. This area is readily accessible from existing logging roads.

The soil geochemistry should be extended to the west and south to explore areas which were covered by snow during the 1991 program.

COST ESTIMATE

Phase 1(a) is completed and documented in this report.


Phase 1(b)

Backhoe/dozer trenching, geological mapping, soil and rock geochemistry.


Backhoe/dozer	4000
Soil sampling	3000
Geological mapping	2500
Analyses	5000
Engineering, supervision	2000
Transportation	2500
Room, board	2500
Report	<u>3000</u>
	24,500
Contingencies at 10%	<u>2,500</u>
	27,000


Results of each Phase should be compiled into an Engineer's report. Continuation to each subsequent Phase should be contingent upon favourable conclusions and recommendations from an Engineer.

Respectfully submitted,

Locke B. Goldsmith


Locke B. Goldsmith, P.Eng., P.Geo.
 Consulting Geologist



Paul Kallock


Paul Kallock, F.G.A.C.
 Consulting Geologist

Vancouver, B.C.
 August 29, 1991


ENGINEER'S CERTIFICATE
LOCKE B. GOLDSMITH

1. I, Locke B. Goldsmith, am a registered Professional Engineer in the Province of Ontario and the Northwest Territories, and a Registered Professional Geologist in the Province of British Columbia and the State of Oregon. My address is 301, 1855 Balsam Street, Vancouver, B.C.
2. I have a B.Sc. (Honours) degree in Geology from Michigan Technological University, a M.Sc. degree in Geology from the University of British Columbia, and have done postgraduate study in Geology at Michigan Tech and the University of Nevada. I am a graduate of the Haileybury School of Mines, and am a Certified Mining Technician. I am a Member of the Society of Economic Geologists, the AIME, and the Australasian Institute of Mining and Metallurgy, and a Fellow of the Geological Association of Canada.
3. I have been engaged in mining exploration for the past 33 years.
4. I have co-authored the report entitled, "Geology and Soil Geochemistry, Jackson 1 and 2 et al Mineral Claim Group, Slocan Mining Division, Retallack, B.C.", dated August 29, 1991. The report is based upon fieldwork and research supervised by the author.
5. I have no ownership in the property, nor in the stocks of Canton Ventures Ltd.
6. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds. Sheets of analyses in the Appendix could be omitted from a prospectus because all values are plotted on maps.


Respectfully submitted,

Locke B. Goldsmith

Locke B. Goldsmith, P.Eng.
Consulting Geologist



Vancouver, B.C.
August 29, 1991



GEOLOGIST'S CERTIFICATE
PAUL KALLOCK


I, Paul Kallock, do state: that I am a Geologist with Arctex Engineering Services, 301 - 1855 Balsam Street, Vancouver, B.C.

I Further State That:

1. I have a B.Sc. degree in Geology from Washington State University, 1970. I am a Fellow of the Geological Association of Canada.
2. I have engaged in mineral exploration since 1970, both for major mining and exploration companies and as an independent geologist.
3. I have co-authored the report entitled, "Geology and Soil Geochemistry, Jackson 1 and 2 et al Mineral Claim Group, Slocan Mining Division, Retallack, B.C." The report is based on my fieldwork carried out on the property and on previously accumulated geologic data.
4. I have no direct or indirect interest in any manner in either the property or securities of Canton Ventures Ltd., or its affiliates, nor do I anticipate to receive any such interest.
5. I consent to the use of this report in a prospectus, or in a statement of material facts related to the raising of funds. Sheets of analyses in the Appendix could be omitted from a prospectus because all values are plotted on maps.

Paul Kallock

Paul Kallock, F.G.A.C.
Consulting Geologist



Vancouver, B.C.
August 29, 1991

REFERENCES

- Goldsmith, L.B. 1989. Exploration Potential, Lucky Jim Mineral Claim Group, Slocan Mining Division, Zincton, B.C. Private report for Trove Resources Ltd.
- Hicks, H.B. 1984. Report on Lucky Jim Claim Group, Zincton, B.C. Private report for Petroflame International Resources Inc.

COST STATEMENT, 1991 PROGRAMME

Personnel

L.B. Goldsmith, June 5-10, 12-14, 1/4 23, 1/4 26,
1/4 29, 30, 1/2 July 1, 25, 1/8 30, 1/4 August 6,
1/2 7, 1/2 14, 1/2 16, 1/2 18, 25, 1/2 28, 1/2 29—

Total 16-5/8 days at \$440/day \$7,315.00

P. Kallock, June 6-9, July 1, 2—

Total 6 days at \$360/day 2,160.00

G. Bennett, June 6-9, July 2—

Total 5 days at \$230/day 1,150.00

M. Beaupre, June 6, 7, 1/2 9, 11—

Total 3-1/2 days at \$230/day 805.00

J. Randa, June 6-11—

Total 6 days at \$230/day 1,380.00

GST

604.80

13,414.80

\$13,414.80

Transportation

3 vehicles, 5425 km at 0.33/km

1,790.25

Gas

526.55

2,316.80

2,316.80

(\$2316.80 ÷ 29 vehicle days = 79.89/vehicle/day)

Accommodation, Meals

Room

793.24

Meals

1,354.74

2,147.98

2,147.98

+ 37 man days = 58.05/man/day

Analyses

656 samples cost

4,003.46

Freight

63.78

4,067.24

4,067.24

Report

Drafting, word processing, prints, materials

1,523.08

TOTAL

\$23,469.90

APPENDIX

ROCK SAMPLE DESCRIPTIONS

2+85W 00+35N	Select sample of adit dump; light green to brown weakly siliceous meta-sediment (?); weak quartz stockwork veinlets with limonite and trace of copper (?) oxide and less than 0.5% disseminated pyrite.	Au ppb	Ag ppm
		<5	<0.2
2+90W 0+40N	Select sample of adit dump; white quartz with 20% limonite-siderite and trace pyrite.	Au ppb	Ag ppm
		15	<0.2
5+00W 2+34N	Representative grab sample of quartz vein material from outcrop exposed by dozer stripping; contains 20% limonite and trace pyrite; hosted in grey schist.	Au ppb	Ag ppm
		25	<0.2
7+90W 15+10N	0.5 m chip sample in road cut of fine-grained granite (aplite) showing 10% quartz veining with traces of pyrite.	Au ppb	Ag ppm
		75	6.8
8+45W 15+45N	Select sample of dump; fine-grained granite (visible K-feldspar, no visible mafic minerals); light tan to white colour; abundant quartz veinlets with 1-3% finely disseminated cubic pyrite and traces of tetrahedrite and/or galena.	Au ppb	Ag ppm
		10	8.4
8+99W 16+00N	0.1 m vertical chip sample on west wall of 4 m adit, 0.5 m from face of adit; fine-grained granite with numerous quartz veinlets, 1-2% finely disseminated cubic pyrite, traces malachite, trace tetrahedrite.	Au ppb	Ag ppm
		50	58.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

A9117765

Comments: CC: PAUL KALLOCK

CERTIFICATE

A9117765

GOLDSMITH, MR. L. B.

Project: CANTON
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 12-JUL-91.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	97	Dry, sieve to -80 mesh
203	4	Dry, sieve to -35 mesh
205	4	Geochem ring to approx 150 mesh
217	3	Geochem ring entire sample
238	104	NITRIC-AQUA REGIA DIGESTION

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
4	104	Pb ppm: HNO3-aqua regia digest	AAS-BKGD CORR	1	10000
5	104	Zn ppm: HNO3-aqua regia digest	AAS	1	10000
6	104	Ag ppm: HNO3-aqua regia digest	AAS-BKGD CORR	0.2	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number : 1
 Total Pages : 5
 Certificate Date: 20-JUN-91
 Invoice No. : I9116427
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116427

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R						
00+00W 00+00N	201 238	26	122	0.6						
00+00W 00+50N	201 238	52	178	0.3						
00+00W 01+00N	201 238	44	140	1.0						
00+00W 01+50N	201 238	25	70	0.8						
00+00W 02+00N	201 238	18	64	1.8						
00+00W 02+50N	201 238	39	100	1.2						
00+00W 03+00N	201 238	31	168	1.2						
00+00W 03+50N	201 238	28	165	2.2						
00+00W 04+00N	201 238	25	128	0.5						
00+00W 04+50N	201 238	9	96	0.8						
00+00W 05+00N	201 238	24	122	0.2						
00+00W 05+50N	201 238	13	83	2.3						
00+00W 06+00N	201 238	9	160	0.5						
00+00W 06+50N	201 238	23	58	2.0						
00+00W 07+00N	201 238	25	154	< 0.2						
00+00W 07+50N	201 238	11	63	0.3						
00+00W 08+00N	201 238	15	100	0.3						
00+00W 08+50N	201 238	13	73	0.5						
00+00W 09+00N	201 238	16	46	0.7						
00+00W 09+50N	201 238	13	128	< 0.2						
00+00W 10+00N	201 238	21	97	0.5						
00+00W 10+50N	201 238	23	112	0.3						
00+00W 11+00N	201 238	20	100	0.8						
00+00W 11+50N	201 238	23	96	0.5						
00+00W 12+00N	201 238	16	150	0.7						
00+00W 12+50N	201 238	16	160	0.4						
00+00W 13+00N	201 238	24	132	0.4						
00+00W 13+50N	201 238	10	104	0.7						
00+00W 14+00N	201 238	10	110	0.6						
00+00W 14+50N	201 238	12	100	0.3						
00+00W 15+00N	201 238	16	84	1.6						
00+00W 15+50N	201 238	10	122	0.8						
00+00W 16+00N	201 238	22	90	< 0.2						
00+00W 16+50N	201 238	12	128	< 0.2						
00+00W 17+00N	201 238	18	130	0.2						
00+00W 17+50N	201 238	14	122	< 0.2						
00+00W 18+00N	201 238	23	137	< 0.2						
00+00W 18+50N	201 238	38	142	0.3						
00+00W 19+00N	201 238	22	116	0.3						
00+00W 19+50N	201 238	17	124	< 0.2						

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number : 2
Total Pages : 5
Certificate Date: 20-JUN-91
Invoice No. : 19116427
P.O. Number :

Project : CANTON
Comments : CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116427

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R								
00+00W 20+00N	201 238	38	230	< 0.2								
01+00W 00+00N	201 238	25	84	0.4								
01+00W 00+50N	201 238	15	54	14.7								
01+00W 01+00N	201 238	22	50	1.4								
01+00W 01+50N	201 238	12	52	0.8								
01+00W 02+00N	201 238	23	40	0.9								
01+00W 02+50N	201 238	19	93	0.8								
01+00W 03+00N	201 238	19	120	0.8								
01+00W 03+50N	201 238	33	80	1.3								
01+00W 04+00N	201 238	36	144	< 0.2								
01+00W 04+50N	201 238	27	186	0.4								
01+00W 05+00N	201 238	23	80	0.4								
01+00W 05+50N	201 238	13	36	0.7								
01+00W 06+00N	201 238	13	54	1.1								
01+00W 06+50N	201 238	14	79	1.2								
01+00W 07+00N	201 238	21	43	1.4								
01+00W 07+50N	201 238	10	70	2.9								
01+00W 08+00N	201 238	13	92	2.7								
01+00W 08+50N	201 238	19	130	1.4								
01+00W 09+00N	201 238	23	80	1.4								
01+00W 09+50N	201 238	13	120	0.4								
01+00W 10+00N	201 238	17	112	0.6								
01+00W 10+50N	201 238	22	150	0.8								
01+00W 11+00N	201 238	30	105	0.7								
01+00W 11+50N	201 238	24	144	< 0.2								
01+00W 12+00N	201 238	50	160	< 0.2								
01+00W 12+50N	201 238	18	154	1.0								
01+00W 13+00N	201 238	13	122	0.2								
01+00W 13+50N	201 238	22	110	0.2								
01+00W 14+00N	201 238	15	100	0.8								
01+00W 14+50N	201 238	15	96	1.5								
01+00W 15+00N	201 238	16	105	0.4								
01+00W 15+50N	201 238	14	78	0.9								
01+00W 16+00N	201 238	18	58	0.7								
01+00W 16+50N	201 238	13	128	< 0.2								
01+00W 17+00N	201 238	15	61	0.4								
01+00W 17+50N	201 238	21	90	0.5								
01+00W 18+00N	201 238	41	380	< 0.2								
01+00W 18+50N	201 238	22	156	0.4								
01+00W 19+00N	201 238	20	156	0.2								

CERTIFICATION: Paul Beckler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3


Page Number :3
 Total Pages :5
 Certificate Date: 20-JUN-91
 Invoice No. :I9116427
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116427

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R							
01+00W 19+50N	201 238	30	190	< 0.2							
01+00W 20+00N	201 238	18	168	< 0.2							
02+00W 00+00N	201 238	32	62	< 0.2							
02+00W 00+50N	201 238	23	150	< 0.2							
02+00W 01+00N	201 238	19	90	0.3							
02+00W 01+50N	201 238	22	104	0.9							
02+00W 02+00N	201 238	26	116	1.8							
02+00W 02+50N	201 238	31	106	0.5							
02+00W 03+00N	201 238	19	106	0.7							
02+00W 03+50N	201 238	16	99	< 0.2							
02+00W 04+00N	201 238	17	98	1.7							
02+00W 04+50N	201 238	13	64	0.3							
02+00W 05+00N	201 238	34	250	0.9							
02+00W 05+25N	201 238	29	154	0.6							
02+00W 06+00N	201 238	20	121	1.3							
02+00W 06+50N	201 238	31	158	< 1.2							
02+00W 07+00N	201 238	22	146	< 0.2							
02+00W 07+50N	201 238	27	132	0.5							
02+00W 08+00N	201 238	25	148	< 0.2							
02+00W 08+50N	201 238	19	114	0.3							
02+00W 09+00N	201 238	16	69	0.7							
02+00W 09+50N	201 238	20	110	< 0.2							
02+00W 10+00N	201 238	19	87	0.4							
02+00W 10+50N	201 238	13	113	0.8							
02+00W 11+00N	201 238	24	94	0.3							
02+00W 11+50N	201 238	34	67	0.6							
02+00W 12+00N	201 238	20	114	< 0.2							
02+00W 12+50N	201 238	16	70	0.3							
02+00W 13+00N	201 238	48	150	0.3							
02+00W 13+50N	201 238	28	96	< 0.2							
02+00W 14+00N	201 238	35	121	< 0.2							
02+00W 14+50N	201 238	19	102	< 0.2							
02+00W 15+00N	201 238	35	138	< 0.2							
02+00W 15+50N	201 238	21	104	< 0.2							
02+00W 16+00N	201 238	16	89	0.2							
02+00W 16+50N	201 238	26	66	0.5							
02+00W 17+00N	201 238	66	72	< 0.2							
02+00W 17+50N	201 238	17	172	0.5							
02+00W 18+00N	201 238	14	145	0.2							
02+00W 18+50N	201 238	15	127	0.9							

CERTIFICATION: Paul Kallcock



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :4
Total Pages :5
Certificate Date: 20-JUN-91
Invoice No. :I9116427
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116427

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R						
02+00W 19+00N	201 238	16	110	0.3						
02+00W 19+50N	201 238	23	34	0.4						
02+00W 20+00N	201 238	48	182	0.3						
03+00W 00+00N	201 238	94	80	0.6						
03+00W 00+50N	201 238	23	151	1.3						
03+00W 01+00N	201 238	16	103	0.8						
03+00W 01+50N	201 238	29	146	1.0						
03+00W 02+00N	201 238	15	84	1.6						
03+00W 02+50N	201 238	16	134	2.2						
03+00W 03+00N	201 238	12	60	0.9						
03+00W 03+50N	201 238	16	77	0.5						
03+00W 04+00N	201 238	22	128	0.7						
03+00W 04+50N	201 238	30	110	1.2						
03+00W 05+00N	201 238	17	186	1.9						
03+00W 05+50N	201 238	14	106	0.4						
03+00W 06+00N	201 238	29	120	0.9						
03+00W 06+50N	201 238	20	79	0.3						
03+00W 07+00N	201 238	23	111	0.5						
03+00W 07+50N	201 238	16	37	0.6						
03+00W 08+00N	201 238	19	131	0.6						
03+00W 08+50N	201 238	30	108	0.5						
03+00W 09+00N	201 238	50	147	0.8						
03+00W 09+50N	201 238	25	142	0.2						
03+00W 10+00N	201 238	76	300	0.4						
03+00W 10+50N	201 238	316	800	1.1						
03+00W 11+00N	201 238	36	85	0.4						
03+00W 11+50N	201 238	40	116	0.5						
03+00W 12+00N	201 238	26	111	0.5						
03+00W 12+50N	201 238	18	112	0.4						
03+00W 13+00N	201 238	36	120	0.3						
03+00W 13+50N	201 238	21	118	< 0.2						
03+00W 14+00N	201 238	34	128	0.2						
03+00W 14+50N	201 238	19	127	0.8						
03+00W 15+00N	201 238	21	124	0.2						
03+00W 15+50N	201 238	33	137	0.6						
03+00W 16+00N	201 238	23	118	0.7						
03+00W 16+50N	201 238	14	76	0.8						
03+00W 17+00N	201 238	11	240	0.8						
03+00W 17+50N	201 238	18	79	0.3						
03+00W 18+00N	201 238	8	49	0.4						

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :5
 Total Pages :5
 Certificate Date: 20-JUN-91
 Invoice No. :19116427
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116427

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R									
03+00W 18+50N	201 238	38	94	< 0.2									
03+00W 19+00N	201 238	19	290	< 0.2									
03+00W 19+50N	201 238	27	100	0.2									
03+00W 20+00N	201 238	13	104	0.2									
04+00W 00+00N	201 238	33	172	1.9									
04+00W 00+50N	201 238	110	200	0.5									
04+00W 01+00N	201 238	31	111	1.0									
04+00W 01+50N	201 238	100	510	1.3									
04+00W 02+00N	201 238	51	330	0.4									
04+00W 02+50N	201 238	46	260	0.2									
04+00W 03+00N	201 238	40	230	0.3									
04+00W 03+50N	201 238	48	330	0.4									
04+00W 04+00N	201 238	27	160	1.1									
04+00W 04+50N	201 238	40	105	0.8									
04+00W 05+00N	201 238	36	142	0.6									
04+00W 05+50N	201 238	22	117	0.5									
04+00W 06+00N	201 238	18	86	0.3									
04+00W 06+50N	201 238	17	114	0.4									
04+00W 07+00N	201 238	43	89	0.4									
04+00W 07+50N	201 238	35	106	0.7									
04+00W 08+00N	201 238	31	117	0.6									
04+00W 08+50N	201 238	50	50	0.2									
04+00W 09+00N	201 238	25	170	0.6									
04+00W 09+50N	201 238	46	170	0.5									
04+00W 10+00N	201 238	23	75	0.2									
04+00W 10+50N	201 238	26	106	0.6									
04+00W 11+00N	201 238	22	120	0.6									
04+00W 11+50N	201 238	27	138	0.5									
04+00W 12+00N	201 238	20	93	0.4									
04+00W 12+50N	201 238	25	120	0.3									
04+00W 13+00N	201 238	16	108	0.4									
04+00W 13+50N	201 238	17	186	0.6									
04+00W 14+00N	201 238	35	150	0.3									
04+00W 14+50N	201 238	25	165	0.5									
04+00W 15+00N	201 238	18	162	1.7									
04+00W 15+50N	201 238	27	108	1.0									
04+00W 16+00N	201 238	34	93	0.6									
04+00W 16+50N	201 238	27	480	< 0.2									
04+00W 17+00N	201 238	15	90	< 0.2									
04+00W 17+50N	201 238	40	710	< 0.2									

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :1
 Total Pages :5
 Certificate Date: 21-JUN-91
 Invoice No. :19116428
 P.O. Number :


Project : CANTON
 Comments : CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS	A9116428
--------------------------------	-----------------

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R					
04+00W 18+00N	201 238	16	155	< 0.2					
04+00W 18+50N	201 238	29	104	0.5					
04+00W 19+00N	201 238	12	120	0.6					
04+00W 19+50N	201 238	13	100	< 0.2					
04+00W 19+80N	201 238	102	138	< 0.2					
05+00W 00+00N	201 238	29	95	0.8					
05+00W 00+50N	201 238	45	280	0.4					
05+00W 01+00N	201 238	47	250	1.8					
05+00W 01+50N	201 238	32	210	0.2					
05+00W 02+00N	201 238	72	340	0.3					
05+00W 02+50N	201 238	35	210	0.4					
05+00W 03+00N	201 238	61	230	1.8					
05+00W 03+50N	201 238	48	270	0.2					
05+00W 04+00N	201 238	33	136	0.6					
05+00W 04+50N	201 238	29	127	0.2					
05+00W 05+00N	201 238	75	270	0.2					
05+00W 05+50N	201 238	36	184	1.3					
05+00W 06+00N	201 238	40	220	0.7					
05+00W 06+50N	201 238	36	140	1.4					
05+00W 07+00N	201 238	47	180	0.6					
05+00W 07+50N	201 238	43	220	0.2					
05+00W 08+00N	201 238	80	146	1.7					
05+00W 08+50N	201 238	37	100	0.3					
05+00W 09+00N	201 238	25	96	0.2					
07+00W 00+00N	201 238	600	350	3.8					
07+00W 00+50N	201 238	17	70	0.4					
07+00W 01+00N	201 238	53	230	0.7					
07+00W 01+50N	201 238	37	122	1.4					
07+00W 02+00N	201 238	29	70	0.9					
07+00W 02+50N	201 238	75	200	1.3					
07+00W 03+00N	201 238	38	92	1.8					
07+00W 03+50N	201 238	105	300	0.8					
07+00W 10+00N	201 238	20	110	1.9					
07+00W 10+50N	201 238	29	168	1.3					
07+00W 11+00N	201 238	20	92	0.4					
07+00W 11+50N	201 238	32	62	0.3					
07+00W 12+00N	201 238	13	58	0.4					
07+25W 06+00N	201 238	12	47	< 0.2					
07+25W 06+50N	201 238	41	178	0.5					
07+25W 07+00N	201 238	27	147	1.1					

CERTIFICATION:

Hartl Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :2
Total Pages :5
Certificate Date: 21-JUN-91
Invoice No. :19116428
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116428

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R								
07+25W 07+50N	201 238	19	73	0.4								
07+25W 08+00N	201 238	33	111	0.3								
07+25W 08+50N	201 238	20	70	0.4								
07+25W 09+00N	201 238	18	75	1.4								
07+25W 09+50N	201 238	15	157	0.8								
07+25W 12+50N	201 238	35	108	0.4								
07+25W 13+00N	201 238	32	92	1.0								
07+25W 13+50N	201 238	19	192	0.6								
07+25W 14+00N	201 238	29	134	1.0								
07+25W 14+50N	201 238	19	93	0.5								
07+25W 15+00N	201 238	24	105	0.6								
07+25W 15+50N	201 238	46	340	1.1								
07+25W 16+00N	201 238	21	180	0.8								
07+25W 16+50N	201 238	15	128	0.7								
07+25W 17+00N	201 238	16	56	0.6								
07+25W 17+50N	201 238	17	116	0.5								
07+25W 18+00N	201 238	12	62	0.6								
07+25W 18+50N	201 238	24	124	0.5								
07+25W 19+00N	201 238	15	110	0.5								
07+50W 04+00N	201 238	34	103	0.8								
07+50W 04+50N	201 238	33	115	0.8								
07+50W 05+00N	201 238	19	95	1.2								
07+50W 05+50N	201 238	28	114	1.2								
08+00W 00+00N	201 238	13	76	0.6								
08+00W 00+50N	201 238	48	172	2.2								
08+00W 01+00N	201 238	73	330	2.7								
08+00W 01+50N	201 238	36	190	0.9								
08+00W 02+00N	201 238	63	300	2.5								
08+00W 02+50N	201 238	24	116	0.2								
08+00W 03+00N	201 238	71	380	1.1								
08+00W 03+50N	201 238	27	140	0.3								
08+00W 04+00N	201 238	30	116	1.7								
08+00W 04+50N	201 238	32	158	1.8								
08+00W 05+00N	201 238	59	200	1.3								
08+00W 05+50N	201 238	13	84	0.8								
08+00W 06+00N	201 238	17	87	0.8								
08+00W 06+50N	201 238	26	100	0.8								
08+00W 07+00N	201 238	32	188	2.2								
08+00W 07+50N	201 238	9	132	3.8								
08+00W 08+00N	201 238	26	100	0.4								

CERTIFICATION:

Hart/Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :3
 Total Pages :5
 Certificate Date: 21-JUN-91
 Invoice No. :I9116428
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116428

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R						
08+00W 08+50N	201 238	23	120	0.4						
08+00W 09+00N	201 238	104	122	0.2						
08+00W 09+50N	201 238	27	137	0.6						
08+00W 10+00N	201 238	26	155	1.1						
08+00W 10+50N	201 238	32	170	0.5						
08+00W 11+00N	201 238	25	174	1.0						
08+00W 11+50N	201 238	34	150	1.2						
08+00W 12+00N	201 238	11	122	0.2						
08+00W 12+50N	201 238	25	110	1.1						
08+00W 13+00N	201 238	16	88	2.6						
08+00W 13+50N	201 238	15	108	0.5						
08+00W 14+00N	201 238	41	300	1.6						
08+00W 14+50N	201 238	24	112	1.6						
08+00W 15+00N	201 238	34	195	0.4						
08+00W 15+50N	201 238	32	98	0.6						
08+00W 16+00N	201 238	275	410	7.3						
08+00W 16+50N	201 238	18	110	1.0						
08+00W 17+00N	201 238	20	195	2.0						
08+00W 17+50N	201 238	21	220	0.8						
08+00W 18+00N	201 238	14	137	0.8						
08+00W 18+50N	201 238	12	96	0.7						
08+00W 19+00N	201 238	16	132	0.3						
08+00W 19+50N	201 238	12	138	0.5						
08+00W 20+00N	201 238	19	127	0.4						
09+00W 00+00N	201 238	16	123	1.5						
09+00W 00+50N	201 238	13	82	0.6						
09+00W 01+00N	201 238	17	34	0.2						
09+00W 01+50N	201 238	24	61	0.3						
09+00W 02+00N	201 238	35	39	1.1						
09+00W 02+50N	201 238	42	141	1.3						
09+00W 03+00N	201 238	14	128	1.4						
09+00W 03+50N	201 238	13	78	0.4						
09+00W 04+00N	201 238	25	88	1.6						
09+00W 04+50N	201 238	51	77	1.1						
09+00W 05+00N	201 238	40	200	1.0						
09+00W 05+50N	201 238	24	136	0.8						
09+00W 06+00N	201 238	15	92	0.3						
09+00W 06+50N	201 238	25	92	1.2						
09+00W 07+00N	201 238	23	77	0.3						
09+00W 07+50N	201 238	22	104	0.8						

CERTIFICATION: Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :4
 Total Pages :5
 Certificate Date: 21-JUN-91
 Invoice No. :I9116428
 P.O. Number :


Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116428

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R							
09+00W 08+00N	201 238	28	93	0.3							
09+00W 08+50N	201 238	22	72	1.9							
09+00W 09+00N	201 238	17	200	0.6							
09+00W 09+50N	201 238	15	102	0.2							
09+00W 10+00N	201 238	33	122	0.3							
09+00W 10+50N	201 238	64	127	< 0.2							
09+00W 11+00N	201 238	28	96	0.3							
09+00W 11+50N	201 238	37	142	0.6							
09+00W 12+00N	201 238	56	180	0.5							
09+00W 12+50N	201 238	74	260	0.9							
09+00W 13+00N	201 238	63	240	0.8							
09+00W 13+50N	201 238	21	64	1.4							
09+00W 14+00N	201 238	22	81	1.0							
09+00W 14+50N	201 238	34	230	0.6							
09+00W 15+00N	201 238	21	126	1.3							
09+00W 15+50N	201 238	22	76	0.9							
09+00W 16+00N	201 238	45	250	3.2							
09+00W 16+50N	201 238	23	61	0.5							
09+00W 17+00N	201 238	13	67	0.3							
09+00W 17+50N	201 238	12	106	1.3							
09+00W 18+00N	201 238	24	126	0.4							
09+00W 18+50N	201 238	21	100	1.9							
09+00W 19+00N	201 238	25	117	1.8							
09+00W 19+50N	201 238	26	200	2.3							
09+00W 20+00N	201 238	20	125	1.0							
10+00W 01+00N	201 238	18	27	0.4							
10+00W 02+00N	201 238	15	98	0.4							
10+00W 02+50N	201 238	21	108	0.6							
10+00W 03+00N	201 238	20	72	0.6							
10+00W 03+50N	201 238	12	72	0.3							
10+00W 04+00N	201 238	17	89	0.5							
10+00W 04+50N	201 238	20	137	0.3							
10+00W 05+00N	201 238	36	151	0.6							
10+00W 05+50N	201 238	105	420	1.2							
10+00W 06+00N	201 238	34	76	1.0							
10+00W 06+50N	201 238	29	71	0.6							
10+00W 07+00N	201 238	51	89	0.5							
10+00W 07+50N	201 238	32	151	0.3							
10+00W 08+00N	201 238	35	94	0.7							
10+00W 08+50N	201 238	20	119	0.4							

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :5
Total Pages :5
Certificate Date: 21-JUN-91
Invoice No. : I9116428
P.O. Number :

Project : CANTON
Comments : CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116428

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R						
10+00W 09+00N	201 238	23	104	0.3						
10+00W 09+50N	201 238	27	141	0.2						
10+00W 10+00N	201 238	34	114	0.2						
10+00W 10+50N	201 238	25	107	0.2						
10+00W 11+00N	201 238	20	110	0.4						
10+00W 11+50N	217 238	21	79	0.6						
10+00W 12+00N	201 238	25	58	0.5						
10+00W 12+50N	201 238	32	72	0.3						
10+00W 13+00N	201 238	14	84	1.2						
10+00W 13+50N	201 238	43	175	1.5						
10+00W 14+00N	201 238	15	84	0.9						
10+00W 14+50N	203 205	17	100	0.4						
10+00W 15+00N	201 238	25	240	0.8						
10+00W 15+50N	203 205	54	88	0.6						
10+00W 16+50N A	201 238	55	129	1.4						
10+00W 16+50N B	201 238	35	490	1.6						
10+00W 17+00N	201 238	14	92	4.7						
10+00W 17+50N	201 238	16	70	2.6						
10+00W 18+00N	201 238	3	15	0.7						
10+00W 18+50N	201 238	22	92	1.3						
10+00W 19+00N	201 238	19	170	0.8						
10+00W 19+50N	201 238	12	65	0.5						
10+00W 20+00N	201 238	20	77	0.6						
11+00W 01+00N	201 238	5	12	0.4						
11+00W 01+50N	201 238	7	61	0.4						
11+00W 02+00N	201 238	11	117	0.4						
11+00W 02+50N	201 238	40	124	0.5						
11+00W 03+00N	201 238	20	250	0.9						
11+00W 03+50N	201 238	19	126	0.6						
11+00W 04+00N	201 238	12	71	0.9						
11+00W 04+50N	201 238	18	129	0.3						
11+00W 05+00N	201 238	25	83	0.4						
11+00W 05+50N	201 238	26	137	0.5						
11+00W 06+00N	201 238	93	410	0.3						
11+00W 06+50N	201 238	27	128	0.2						
11+00W 07+00N	201 238	33	125	0.6						
11+00W 07+50N	201 238	25	92	0.2						
11+00W 08+00N	201 238	32	113	3.2						
11+00W 08+50N	201 238	14	65	0.3						
11+00W 09+00N	201 238	21	87	0.3						

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3


Page Number :1
Total Pages :4
Certificate Date: 21-JUN-91
Invoice No. : I9116429
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116429

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R						
11+00W 09+50N	201 238	17	148	0.3						
11+00W 10+00N	201 238	42	260	< 0.2						
11+00W 10+50N	201 238	65	800	0.7						
11+00W 11+00N	201 238	106	390	0.2						
11+00W 11+50N	201 238	23	77	1.9						
11+00W 12+00N	201 238	20	71	0.2						
11+00W 12+50N	201 238	12	32	0.3						
11+00W 13+00N	201 238	14	97	0.4						
11+00W 13+50N	201 238	11	45	1.1						
11+00W 14+00N	201 238	25	155	0.3						
11+00W 14+50N	201 238	32	114	0.8						
11+00W 15+00N	201 238	38	172	0.6						
11+00W 15+50N	201 238	19	181	1.7						
11+00W 16+00N	201 238	24	121	0.6						
11+00W 16+50N	201 238	25	104	0.9						
11+00W 17+00N	201 238	32	77	< 0.2						
11+00W 17+50N	201 238	18	79	0.6						
11+00W 18+00N	201 238	21	122	0.4						
11+00W 18+50N	201 238	10	101	1.8						
11+00W 19+00N	201 238	23	112	0.7						
11+00W 19+50N	201 238	7	47	0.2						
11+00W 20+00N	201 238	16	57	0.4						
12+00W 02+00N	201 238	8	57	0.4						
12+00W 02+50N	201 238	17	171	0.3						
12+00W 03+00N	201 238	35	300	0.8						
12+00W 03+50N	201 238	16	71	0.5						
12+00W 04+00N	201 238	31	114	0.3						
12+00W 05+00N	201 238	28	161	0.7						
12+00W 05+50N	201 238	21	134	< 0.2						
12+00W 06+00N	201 238	51	116	< 0.2						
12+00W 06+50N	201 238	40	128	< 0.2						
12+00W 07+00N	201 238	35	142	< 0.2						
12+00W 07+50N	201 238	16	154	0.6						
12+00W 08+00N	201 238	55	101	< 0.2						
12+00W 08+50N	201 238	15	104	< 0.2						
12+00W 09+00N	201 238	16	79	< 0.2						
12+00W 09+50N	201 238	19	114	0.2						
12+00W 10+00N	201 238	12	139	0.2						
12+00W 10+50N	201 238	15	72	0.8						
12+00W 11+00N	201 238	15	102	0.3						

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :2
 Total Pages :4
 Certificate Date: 21-JUN-91
 Invoice No. : I9116429
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS

A9116429

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R.								
12+00W 11+50N	201 238	13	15	< 0.2								
12+00W 12+00N	217 238	18	65	< 0.2								
12+00W 12+50N	203 205	21	188	0.9								
12+00W 13+50N	201 238	23	64	0.2								
12+00W 14+00N	201 238	24	96	0.2								
12+00W 14+50N	201 238	12	59	< 0.2								
12+00W 15+00N	201 238	35	43	< 0.2								
12+00W 16+00N	201 238	18	22	0.4								
12+00W 16+50N	201 238	19	141	3.0								
12+00W 17+00N	201 238	21	92	0.3								
12+00W 17+50N	201 238	43	53	0.3								
12+00W 18+00N	201 238	12	22	2.9								
12+00W 18+50N	201 238	14	75	0.6								
12+00W 19+00N	201 238	25	68	0.5								
12+00W 19+50N	201 238	20	36	0.7								
12+00W 20+00N	201 238	14	47	0.7								
13+00W 00+00N	201 238	85	250	1.2								
13+00W 00+50N	203 205	18	61	0.3								
13+00W 01+00N	201 238	19	164	< 0.2								
13+00W 01+50N	201 238	20	72	1.0								
13+00W 02+00N	201 238	40	176	1.0								
13+00W 02+50N	201 238	20	96	1.5								
13+00W 03+00N	201 238	14	96	0.7								
13+00W 04+00N	201 238	25	36	0.3								
13+00W 04+50N	201 238	14	110	< 0.2								
13+00W 05+00N	201 238	23	192	< 0.2								
13+00W 05+50N	203 205	36	145	< 0.2								
13+00W 06+00N	201 238	38	640	1.4								
13+00W 06+50N	203 205	26	193	0.6								
13+00W 07+00N	203 205	25	184	0.2								
13+00W 07+50N	201 238	31	68	0.7								
13+00W 08+00N	201 238	41	142	0.2								
13+00W 08+50N	201 238	22	131	< 0.2								
13+00W 09+00N	201 238	8	128	< 0.2								
13+00W 09+50N	201 238	13	54	< 0.2								
13+00W 10+00N	201 238	11	26	< 0.2								
13+00W 10+50N	201 238	12	44	0.7								
13+00W 11+00N	201 238	25	122	0.2								
13+00W 11+50N	201 238	5	17	0.2								
13+00W 12+00N	201 238	30	72	0.3								

CERTIFICATION:

Scott Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :3
Total Pages :4
Certificate Date: 21-JUN-91
Invoice No. :19116429
P.O. Number :

Project : CANTON
Comments : CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS

A9116429

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R								
13+00W 12+50N	201 238	21	98	< 0.2								
13+00W 13+00N	201 238	54	240	1.2								
13+00W 13+50N	201 238	10	39	0.3								
13+00W 14+00N	201 238	22	99	0.4								
13+00W 14+50N	201 238	14	98	0.7								
13+00W 15+00N	201 238	17	94	0.2								
13+00W 15+50N	201 238	29	102	4.1								
13+00W 16+00N	203 205	59	177	1.9								
13+00W 16+50N	203 205	16	35	1.2								
13+00W 17+00N	203 205	18	71	1.1								
13+00W 17+50N	201 238	16	56	1.0								
13+00W 18+00N	201 238	17	35	0.6								
13+00W 18+50N	201 238	32	31	0.9								
13+00W 19+00N	201 238	18	37	1.6								
13+00W 19+50N	201 238	30	50	0.9								
13+00W 20+00N	201 238	20	65	0.8								
14+00W 00+00N	201 238	29	121	1.0								
14+00W 00+50N	201 238	13	31	0.3								
14+00W 01+00N	201 238	23	76	< 0.2								
14+00W 01+50N	203 205	25	71	0.8								
14+00W 02+00N	201 238	18	128	0.4								
14+00W 02+50N	201 238	34	182	3.0								
14+00W 03+00N	203 205	22	150	2.1								
14+00W 03+50N	201 238	2	25	0.2								
14+00W 04+00N	201 238	25	190	0.2								
14+00W 05+00N	201 238	36	79	< 0.3								
14+00W 05+50N	201 238	19	119	< 0.2								
14+00W 06+00N	201 238	21	151	0.2								
14+00W 06+50N	201 238	18	149	0.2								
14+00W 07+00N	201 238	14	138	0.2								
14+00W 07+50N	201 238	22	97	< 0.2								
14+00W 08+00N	201 238	21	112	0.2								
14+00W 08+50N	201 238	16	61	0.2								
14+00W 09+00N	201 238	28	131	< 0.2								
14+00W 09+50N	201 238	16	54	< 0.2								
14+00W 10+00N	201 238	11	25	< 0.2								
14+00W 10+50N	201 238	7	42	< 0.2								
14+00W 11+00N	201 238	16	158	0.3								
14+00W 11+50N	201 238	48	260	0.3								
14+00W 12+00N	201 238	21	63	0.2								

CERTIFICATION:

Haut Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :4
Total Pages :4
Certificate Date: 21-JUN-91
Invoice No. :19116429
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE OF ANALYSIS A9116429

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R							
14+00W 12+50N	201 238	39	194	1.6							
14+00W 13+00N	201 238	42	152	1.4							
14+00W 13+50N	201 238	48	240	2.3							
14+00W 14+00N	201 238	13	85	0.6							
14+00W 14+50N	201 238	50	300	0.8							
14+00W 15+00N	201 238	31	118	1.0							
14+00W 15+50N	201 238	22	87	0.7							
14+00W 16+00N	201 238	19	72	1.2							
14+00W 16+50N	201 238	23	92	0.8							
14+00W 17+00N	201 238	19	51	2.3							
14+00W 17+50N	201 238	23	86	1.3							
14+00W 18+00N	201 238	30	121	0.6							
14+00W 18+50N	201 238	20	73	0.4							
14+00W 19+00N	203 205	18	112	0.4							
14+00W 19+50N	201 238	20	91	0.2							
14+00W 20+00N	201 238	13	36	0.5							

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number : 1
Total Pages : 1
Certificate Date: 17-JUL-91
Invoice No. : 19117792
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK


CERTIFICATE OF ANALYSIS

A9117792

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R							
0+25N 0+50W	201 238	23	28	0.3							
0+25N 0+75W	201 238	23	85	1.1							
0+25N 1+00W	201 238	20	72	1.1							
0+25N 1+25W	201 238	33	135	0.6							
0+25N 1+50W	201 238	45	260	1.3							
0+50N 0+50W	201 238	29	115	0.9							
0+50N 0+75W	201 238	36	170	< 0.2							
0+50N 1+00W	201 238	40	120	0.6							
0+50N 1+25W	201 238	24	50	0.8							
0+50N 1+50W#1	201 238	28	130	0.9							
0+50N 1+50W#2	201 238	28	148	0.3							
0+50N 1+50W#3	201 238	20	85	0.4							
0+75N 0+50W	201 238	28	43	1.3							
0+75N 0+75W	201 238	21	132	0.4							
0+75N 1+00W	201 238	24	100	0.3							
0+75N 1+25W	201 238	29	98	1.6							
0+75N 1+50W	201 238	21	86	1.1							

CERTIFICATION:

Paul Kallock



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number : 1
 Total Pages : 3
 Certificate Date: 12-JUL-91
 Invoice No. : 19117765
 P.O. Number :

Project : CANTON
 Comments: CC: PAUL KALLOCK

CERTIFICATE OF ANALYSIS

A9117765

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R									
7+00W 00+25S	201 238	150	215	1.4									
7+00W 00+50S	201 238	84	170	2.1									
7+00W 01+00S	201 238	25	112	0.4									
7+25W 00+00N	201 238	630	730	2.9									
7+25W 00+25N	201 238	50	180	0.3									
7+25W 00+50N	201 238	25	150	0.3									
7+25W 00+25S	201 238	42	185	1.3									
7+25W 00+50S	201 238	26	60	0.5									
7+50W 00+00N	201 238	34	153	0.5									
7+50W 00+25N	203 205	20	130	0.8									
7+50W 00+50N	201 238	58	160	0.7									
7+50W 16+00N	201 238	32	47	0.3									
7+50W 00+25S	203 205	124	280	1.3									
7+50W 00+50S	203 205	12	112	< 0.2									
7+50W 01+00S	201 238	15	100	0.5									
7+75W 00+00N	217 238	35	62	1.3									
7+75W 00+25N	201 238	49	150	1.5									
7+75W 00+50N	201 238	43	200	0.8									
7+75W 16+00N	201 238	24	52	1.1									
7+75W 00+25S	201 238	29	122	1.4									
7+75W 00+50S	201 238	23	90	0.2									
8+00W 15+75S	201 238	82	145	2.9									
8+00W 16+25N	201 238	45	110	1.5									
8+00W 00+25S	201 238	12	122	0.3									
8+00W 00+50S	201 238	24	112	1.9									
8+00W 01+00S	201 238	14	64	0.8									
8+25W 00+00N	201 238	24	165	0.6									
8+25W 00+25N	201 238	26	128	0.8									
8+25W 00+50N	201 238	5	66	0.3									
8+25W 00+75N	201 238	17	44	0.5									
8+25W 15+50N	201 238	31	26	2.4									
8+25W 15+75N	201 238	94	111	1.6									
8+25W 16+00N	201 238	127	1400	5.0									
8+25W 16+25N	201 238	34	85	1.1									
8+25W 16+50N	201 238	27	50	1.0									
8+25W 00+25S	201 238	33	245	1.7									
8+25W 00+50S	201 238	28	178	1.4									
8+50W 00+00N	201 238	28	82	1.8									
8+50W 00+25N	201 238	8	52	0.3									
8+50W 00+50N	201 238	24	86	0.9									

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
 VANCOUVER, BC
 V6K 3M3

Page Number :2
 Total Pages :3
 Certificate Date: 12-JUL-91
 Invoice No. :I9117765
 P.O. Number :

Project : CANTON
 Comments : CC: PAUL KALLOCK

CERTIFICATE OF ANALYSIS

A9117765

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R									
8+50W 00+75N	201 238	31	53	< 0.2									
8+50W 15+50N	201 238	56	146	1.7									
8+50W 15+75N	201 238	1100	2600	55.0									
8+50W 16+00N	201 238	16	70	1.0									
8+50W 16+25N	201 238	35	120	2.3									
8+50W 16+50N	201 238	13	55	0.5									
8+50W 00+25S	201 238	51	225	0.2									
8+50W 00+50S	201 238	16	86	0.7									
8+50W 01+00S	201 238	8	55	< 0.2									
8+75W 00+00N	203 205	27	148	0.5									
8+75W 00+25N	201 238	20	108	0.6									
8+75W 00+50N	201 238	15	112	0.4									
8+75W 00+75N	201 238	23	32	0.4									
8+75W 15+50N	201 238	36	67	0.5									
8+75W 15+75N	201 238	30	160	0.7									
8+75W 16+00N	201 238	27	171	0.6									
8+75W 16+25N	201 238	46	171	0.4									
8+75W 16+50N	201 238	17	68	0.5									
8+75W 00+25S	201 238	14	51	0.4									
8+75W 00+50S	201 238	18	99	0.8									
9+00W 15+75N	201 238	42	121	0.5									
9+00W 16+25N	201 238	37	130	1.2									
9+00W 00+50S	201 238	19	108	2.2									
9+00W 01+00S	201 238	21	124	0.4									
9+25W 00+00N	201 238	17	91	0.5									
9+25W 15+50N	201 238	32	74	0.6									
9+25W 15+75N	201 238	41	104	0.9									
9+25W 16+00N	201 238	14	62	1.3									
9+25W 16+25N	201 238	40	190	1.7									
9+25W 16+50N	201 238	103	370	3.5									
9+50W 00+50N	201 238	28	62	0.4									
9+50W 15+50N	201 238	33	142	0.7									
9+50W 15+75N	201 238	34	108	0.6									
9+50W 16+00N	201 238	18	140	0.4									
9+50W 16+25N	201 238	57	590	1.4									
9+50W 16+50N	201 238	39	325	0.8									
9+50W 00+50S	201 238	8	50	0.3									
9+50W 01+00S	201 238	15	73	1.0									
9+75W 15+50N	201 238	24	49	< 0.2									
9+75W 15+75N	201 238	20	74	0.5									

Hart Bichler

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number :3
Total Pages :3
Certificate Date: 12-JUL-91
Invoice No. :19117765
P.O. Number :

Project : CANTON
Comments : CC: PAUL KALLOCK

CERTIFICATE OF ANALYSIS

A9117765

SAMPLE DESCRIPTION	PREP CODE	Pb ppm	Zn ppm	Ag ppm Aqua R								
9+75W 16+00N	201 238	16	74	1.1								
9+75W 16+25N	201 238	130	870	1.2								
9+75W 16+50N	201 238	54	1850	1.3								
10+00W 00+00N	201 238	31	105	0.8								
10+00W 00+50N	201 238	24	52	0.2								
10+00W 15+25N	201 238	46	84	0.8								
10+00W 15+75N	201 238	41	300	2.3								
10+00W 16+25N	201 238	58	1150	1.1								
10+00W 16+75N	201 238	47	255	2.9								
10+00W 17+25N	201 238	28	142	3.8								
10+00W 17+75N	201 238	27	169	0.8								
10+00W 00+50S	201 238	35	118	0.5								
10+00W 01+00S	217 238	19	114	1.1								
10+25W 15+25N	201 238	29	90	0.3								
10+25W 15+50N	201 238	28	97	0.9								
10+25W 15+75N	201 238	39	340	0.3								
10+25W 16+00N	201 238	55	740	1.8								
10+25W 16+25N	201 238	35	163	1.6								
10+25W 16+50N	217 238	21	168	0.5								
10+25W 16+75N	201 238	12	67	< 0.2								
10+25W 17+00N	201 238	14	80	0.4								
10+25W 17+25N	201 238	25	107	0.4								
10+25W 17+50N	201 238	6	45	0.2								
10+25W 17+75N	201 238	30	99	0.3								

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.
301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

A9116430

Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING

CERTIFICATE

A9116430

GOLDSMITH, MR. L. B.

Project: CANTON
P.O. #:


Samples submitted to our lab in Vancouver, BC.
This report was printed on 20-JUN-91.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	3	Geochem ring to approx 150 mesh
294	3	Crush and split (0-10 pounds)
238	3	NITRIC-AQUA REGIA DIGESTION

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	3	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
6	3	Ag ppm: HNO3-aqua regia digest	AAS-BKGD CORR	0.2	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Page Number : 1
Total Pages : 1
Certificate Date: 20-JUN-91
Invoice No. : I9116430
P.O. Number :

Project : CANTON
Comments: CC: PAUL KALLOCK CC: ARCTEX ENGINEERING


CERTIFICATE OF ANALYSIS

A9116430

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm Aqua R								
02+85W 00+35N	205 294	< 5	< 0.2								
02+90W 00+40N	205 294	15	< 0.2								
05+00W 02+34N	205 294	25	< 0.2								

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GOLDSMITH, MR. L. B.

301 - 1855 BALSAM ST.
VANCOUVER, BC
V6K 3M3

Project: CANTON
Comments: CC: PAUL KALLOCK

Page Number : 1
Total Pages : 1
Certificate Date: 16-JUL-91
Invoice No. : 19117766
P.O. Number :

CERTIFICATE OF ANALYSIS

A9117766

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Ag ppm																
			FA+AA	Aqua R																
7+90W 15+10N	205	294	75	6.8																
8+45W 15+45N	205	294	10	8.4																
8+99W 16+00N	205	294	50	58.0																

CERTIFICATION: Hart Bichler

CANTON VENTURES LTD.

JACKSON CLAIM GROUP

RETALLACK, B.C. SLOCAN MINING DIVISION 82K/3E



21,688

Geology and
Soil and Rock
Geochemistry

Ag
PPM.

P. KALLOCK GEOLOGIST
L. B. GOLDSMITH P. ENG.
CONSULTING GEOLOGIST
ARCTEX ENGINEERING SERVICES JUNE 1991

SCALE: 1:5000





- STRATIGRAPHY
- GRANITE OR APLITE INTRUSIVE OUTCROP
 - GRANITE FLOAT
 - LIMESTONE FLOAT
 - LIMESTONE OUTCROP
 - ARGILLITE OR SCHIST OUTCROP


- LEGEND
- PYRITE
 - QUARTZ

ROCK SAMPLES

- 2+85 W 0+35 N SELECT FROM ADIT DUMP
- 2+90 W 0+40 N " " " "
- 5+00 W 2+34 N GRAB FROM QUARTZ OUTCROP 25



SEE
AREAS A, B & C
ON 1:1000 SCALE MAPS



JACKSON 2 5790 (8)
SILVER DAGGER 4976 (4)

21,688
CANTON VENTURES LTD.

JACKSON CLAIM GROUP



RETAILLACK, B.C. SLOCAN MINING DIVISION 82K/3E

Geology and
Soil and Rock
Geochemistry

P. KALLOCK GEOLOGIST
L. B. GOLDSMITH P.ENG.
CONSULTING GEOLOGIST
ARCTEX ENGINEERING SERVICES JUNE 1991

SCALE: 1: 5000
0 50 100 200 500 METRES

1 CM = 50 M



STRATIGRAPHY

- GRANITE OR APLITE INTRUSIVE OUTCROP
- GRANITE FLOAT
- LIMESTONE FLOAT
- LIMESTONE OUTCROP
- ARGILLITE OR SCHIST OUTCROP

ROCK SAMPLES *

- 2+85 W 0+35 N SELECT FROM ADIT DUMP
- 2+90 W 0+40 N " " " "
- 5+00 W 2+34 N GRAB FROM QUARTZ OUTCROP

LEGEND

- PYRITE
- QUARTZ
- SHOWING ATTITUDE OF BEDDING
- ROAD
- DRAINAGE, CREEK
- HIP CHAIN & COMPASS GRID
- SAMPLE STATION
- CLAIM BOUNDARY
- ADIT
- TRENCH

SEE AREAS A, B & C
ON 1:1000 SCALE MAPS

JACKSON 2 5790 (8)
SILVER DAGGER 4976 (4)

CANTON VENTURES LTD.

JACKSON CLAIM GROUP

RETALLACK, B.C. SLOCAN MINING DIVISION 82K75E

21,688


**Geology and
Soil and Rock
Geochemistry**

P. KALLOCK GEOLOGIST
L. B. GOLDSMITH P.Eng.
CONSULTING GEOLOGIST
ARCTEX ENGINEERING SERVICES JUNE 1991

SCALE: 1: 5000



1 CM = 50 M



Zn
P.P.M.

N




STRATIGRAPHY

- GRANITE OR APLITE INTRUSIVE OUTCROP
- GRANITE FLOAT
- LIMESTONE FLOAT
- LIMESTONE OUTCROP
- ARGILLITE OR SCHIST OUTCROP

- ROCK SAMPLES *
- 2+85 W 0+35 N SELECT FROM ADIT DUMP
 - 2+90 W 0+40 N " " " " " "
 - 5+00 W 2+34 N GRAB FROM QUARTZ OUTCROP




LEGEND

- PYRITE
- QUARTZ
- ROAD
- DRAINAGE, CREEK
- HIP CHAIN & COMPASS GRID
- SAMPLE STATION
- CLAIM BOUNDARY
- ADIT
- TRENCH



SEE AREAS A, B & C
ON 1:1000 SCALE MAPS

JACKSON 2 5790 (8)
SILVER DAGGER 4976 (4)



CANTON VENTURES LTD.
JACKSON CLAIM GROUP
 RETALLACK, B.C. SLOCAN M.D.
 GEOLOGY AND SOIL & ROCK GEOCHEMISTRY
 P.A. KALLOCK and L.B. GOLDSMITH, P.Eng.
 ARCTEX ENGINEERING SERVICES JUNE 1991

0 10 20 50 100 METRES
 1:1000

Ag P.P.M.


AREAS A, B & C




GEOLOGICAL BRANCH
 ASSESSMENT REPORT

21,688


ANOMALOUS
 4.9 P.P.M.
 2.3 P.P.M.
 THRESHOLD




B



C






CANTON VENTURES LTD.
JACKSON CLAIM GROUP
 RETALLACK, B.C. SLOCAN M.D.
 GEOLOGY AND SOIL & ROCK GEOCHEMISTRY
 P.A. KALLOCK and L.B. GOLDSMITH, P.Eng.
 ARCTEX ENGINEERING SERVICES JUNE 1991




1:1000

Pb P.P.M.
 AREAS A, B & C




GEOLOGICAL BRANCH
 ASSESSMENT REPORT


21,688



B




C





GEOLOGICAL BRANCH ASSESSMENT REPORT

21,688

CANTON VENTURES LTD.
JACKSON CLAIM GROUP
 RETALLACK, B.C. SLOGAN M.D.
 GEOLOGY AND SOIL & ROCK GEOCHEMISTRY
 P.A. KALLOCK and L.B. GOLDSMITH, P.Eng.
 ARCTEX ENGINEERING SERVICES JUNE 1991



Zn P.P.M.
AREAS A, B & C



980
 P.P.M.
 ANOMALOUS