

| | | |
|----------|-------------|-----|
| LOG NO: | MAR 13 1992 | RD. |
| ACTION: | | |
| FILE NO: | | |

A Geological, Geochemical and Geophysical Report

| | |
|--------------------------|----|
| SUB-RECORDER RECEIVED | |
| FEB 28 1992 | |
| M.R. # | \$ |
| VANCOUVER, B.C. | |

on the
Nell Claims
 Omineca Mining Division
 NTS 93N/11

UTM 6176500N 357000E

Lat. 55°43'N Long. 125°17'W

Owner: Eastfield Resources Ltd.
 110-325 Howe Street
 Vancouver, B.C.
 V6C 1Z7

Operator: Placer Dome Inc.
 P.O. Box 49330
 Bentall Postal Station
 Vancouver, B.C.
 V7X 1P1

Authors: S.M. Price - Geologist
 Placer Dome Inc.

D. Bailey - Geologist
 Bailey Geological Consultants

Date: January 1992

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

22,192

Table of Contents

| | Page |
|---------------------------------|------|
| 1.0 Summary | 1 |
| 2.0 Introduction | 2 |
| 2.1 Location and Access | 2 |
| 2.2 Topography and Vegetation | 2 |
| 2.3 Claim Status | 2 |
| 2.4 Work History | 3 |
| 2.5 Summary of Work Performed | 3 |
| 3.0 Regional Geology | 4 |
| 4.0 Property Geology | 4 |
| 4.1 Lithologies | 4 |
| 4.2 Structure and Metamorphism | 6 |
| 4.2 Alteration | 7 |
| 4.3 Mineralization | 7 |
| 5.0 Geochemistry | 8 |
| 5.1 Soil Samples | 8 |
| 5.1.1 Results | 8 |
| 5.1.2 Discussion | 8 |
| 5.2 Rock Samples | 10 |
| 5.2.1 Results | 10 |
| 5.2.2 Discussion | 10 |
| 6.0 Induced Polarization Survey | 11 |
| 7.0 Conclusions | 12 |

Appendices

- I. Soil Sample Results and Statistics**
- II. Rock Sample Results and Descriptions**
- III. Induced Polarization Survey Logistical Report**
- IV. Statement of Expenditures**
- V. Statements of Qualifications**
- VI. References**

Figures

1. Nell Property Location Map after page 2
2. Nell Property Claim Map after page 2
3. Property Geology in pocket
4. Nell Soil Geochemistry Anomalies in pocket
5. Nell Grid Area Geology in pocket
6. Nell Rock Geochemistry Au and Cu in pocket
7. Nell Soil Geochemistry Ag in ppm in pocket
8. Nell Soil Geochemistry As in ppm in pocket
9. Nell Soil Geochemistry Au in ppb in pocket
10. Nell Soil Geochemistry Cu in ppm in pocket
11. Nell Soil Geochemistry Pb in ppm in pocket
12. Nell Soil Geochemistry Zn in ppm in pocket
13. Chargeability Plan in pocket
14. Resistivity Plan in pocket
15. Pseudosections for Lines 50000N - 50500N in pocket
16. Pseudosections for Lines 50600N - 51100N in pocket
17. Pseudosections for Lines 51200N - 51700N in pocket
18. Pseudosections for Lines 51800N - 52500N in pocket

1.0 Summary

An exploration program was performed on the Nell Property between 8 July and 15 August 1991. The Nell Property is in the Swannell Range 22 km west of Germansen Lake. Work done on the property was performed by Mincord Exploration Consultants Ltd., of Vancouver, British Columbia and was supervised by Placer Dome Inc. The work program consisted of 1:10,000 and 1:5,000 scale geological mapping, soil sampling and an induced polarization survey.

Results from the program indicate that there is no significant base metal or precious metal mineralization on the grid area of the property. The mineralization is hydrothermal in nature and is limited to narrow, widely spaced, shear and fault structures. Base and precious metal mineralization in these structures are sporadic and of limited extent. No porphyry style mineralization occurs on the property.

The property not covered by the grid is underlain by unaltered and unmineralized Hogem Batholith granodiorite. Little potential for economic base or precious metal mineralization exists within the Hogem Batholith.

2.0 Introduction

An exploration program was performed on the Nell Property between 8 July and 15 August 1991. The program consisted of grid establishment, grid and reconnaissance soil sampling, grid and property scale geological mapping, and an induced polarization survey of the grid area. Exploration on the property focussed on the contact between Takla Group rocks and the Hogem Batholith. The grid was established in the area of Imperial Metals' North Slope grid in order to follow up a copper-gold soil geochemical anomaly.

2.1 Location and Access

The Nell Property lies in the Swannell Range, approximately 22 kilometres west of Germansen Lake, North-Central British Columbia (Fig. 1). Approximately nine kilometres to the north of the property is the Omineca River; Silver Creek and Twenty Mile Creek lie to the west and east of the Nell Property, respectively.

Access to the Nell Property is via the Manson Creek-Takla Landing Road, then by four-wheel drive road to the Takla Rainbow Property, adjacent and south of the Nell Property. The Nell Property is five minutes by helicopter from the Takla Rainbow Property. Alternatively, the Nell Property may be accessed by float plane from Smithers or Fort St. James to Germansen Lake, and then by a 15 minute helicopter flight to the property.

2.2 Topography and Vegetation

Elevation on the Nell Property varies from 1000 m in the creeks at the northwestern corner of Nell 6 to 2001 m at the peak of Goat Ridge on the eastern boundary of Nell claim. Slopes on the property are moderate to steep. A glacial valley trending north-northwest, dominates the eastern part of the property. Goat Ridge is east of this valley. The ridge to the west of the valley trends up the centre of the property in a northerly direction.

Vegetation on the property consists of alpine-type scrub above 1600 m with spruce forests below this elevation.

2.3 Claim Status

The Nell Property is comprised of six modified grid claims totalling 102 units (Fig. 2). The claims are wholly owned by Eastfield Resources Ltd. of Vancouver, British Columbia. Claim information is as follows:





FIG. 1



PLACER DOME INC.

NELL PROPERTY

CLAIM MAP

FIG. 2

| <u>CLAIM</u> | <u>RECORD NO.</u> | <u>UNITS</u> | <u>RECORDING DATE</u> |
|--------------|-------------------|--------------|-----------------------|
| Nell | 11076 | 20 | 10 September 1989 |
| Nell 2 | 11588 | 4 | 3 April 1990 |
| Nell 3 | 11589 | 18 | 3 April 1990 |
| Nell 4 | 11590 | 20 | 3 April 1990 |
| Nell 5 | 11591 | 20 | 4 April 1990 |
| Nell 6 | 12831 | 20 | 8 December 1990 |

2.4 Work History

Imperial Metals Corporation first staked the North Slope, NSA, NSB, NSC, NSD, and NSF claims over the Nell Property area in late 1985. The North Slope claims were staked to cover an anomalous stream silt sample. In 1986, Imperial established the North Slope grid and performed soil sampling, mapping and prospecting in the grid area. A number of copper-gold soil geochemical anomalies were defined on the westerly facing slope of Goat Ridge. These anomalies were attributed to the overall proximity of outcrop and carbonatized shear zones found higher up slope. The claims were allowed to lapse.

Eastfield Resources Ltd. staked the Nell claim to cover Imperials' North Slope Claim in September, 1989. In 1990, Nell 2-6 claims were staked surrounding the Nell Claim.

2.5 Summary of Work Performed

The work program performed on the Nell Property was contracted to Mincord Exploration Consultants Ltd., of 110-325 Howe Street, Vancouver, British Columbia. Work was supervised on site by the senior author.

A 31.26 line-kilometre grid was established using compass and hipchain (Fig 5). The north-south baseline was tied in to known topographic features and was placed in the same location as Imperial's previous baseline. Extending 2.5 kilometres, the baseline was cut and slope corrected. Crosslines were run every 100 m; crosslines were cut where necessary, but were not slope corrected.

A total of 599 soil samples was taken at 50 m stations on crosslines and the baseline, where possible. Two reconnaissance soil sample lines, R1 and R2, were run north of the grid area (Fig. 5).

Geological mapping of the property at 1:10,000 scale was performed by consultant geologist Dr. D. Bailey from 11-24 July. Geological mapping

of the grid area was done at 1:5,000 scale over a 2.7 km² area. Fifty rock samples were taken.

3.0 Regional Geology

The Nell property lies within Quesnellia, an accreted terrane consisting of upper Triassic to lower Jurassic island arc volcanic, volcanoclastic, and comagmatic rocks overlain by Jurassic arc-derived clastic rocks. The Hogem Batholith-Takla Group contact occurs on the Nell Property, and trends in a north to north-northeast direction. Twenty kilometres southeast of the Nell Property is the Jurassic to Cretaceous Germansen Batholith.

4.0 Property Geology

The Nell Property is underlain by volcanic and sedimentary rocks of the upper Triassic Takla Group and younger rocks, possibly of lower Jurassic age, cut by intermediate to felsic intrusions related to lower Jurassic and younger phases of the Hogem Batholith (Figs. 3 & 5). To the east of the property, intermediate to mafic volcanic rocks with limestone lenses, towards the top of the section, grade eastward into stratigraphically older volcanic rocks at the base of the Takla Group. The supracrustal rocks of the Nell property represent the upper part of a volcanosedimentary assemblage which, on a regional scale, dips and youngs to the west.

With the exception of metamorphogenic auriferous quartz veins and derived placers in the Manson River area and minor base metal and gold-bearing veins related to the Cretaceous Germansen Batholith (Meade, 1975), almost all precious and base metal mineralization of the region can be related to the development of the Hogem Batholith and controlled by superposed structures.

4.1 Lithologies

Supracrustal rocks are confined to the southeastern part of the Nell property and are dominated by volcanic breccias of intermediate composition, characterised by the presence of both mafic and felsic, subrounded to subangular, clasts in an intermediate tuffaceous matrix. The general composition of these rocks is probably andesitic. These rocks are probably of slump or debris flow origin, although occasional pyroclastic breccias have been recognised. Intercalated within the breccias are occasional fine grained volcanoclastic sandstone and siltstone (2C). Bedding, both within the breccias and in the finer grained sedimentary rocks, is rarely observed.

The volcanic breccias can be subdivided into two broad subunits, a

northern subunit (2A) in which intermediate to mafic clasts contain phenocrysts of pyroxene and a southern subunit (2B) in which both hornblende and pyroxene phenocrysts are present. The contact between the two subunits is gradational and representatives of one subunit are commonly found within the other. Although both subunits contain mafic clasts, the dominant clast type is intermediate to felsic.

The poly lithologic nature of the breccias and the degree of roundness and sorting of clasts suggests that these volcanic rocks are distal to a volcanic centre. Apart from more weathered areas, the reduced nature of the iron in these rocks and the absence of features suggestive of shallow water or subaerial deposition, suggests that the breccias were deposited in a relatively deep submarine environment. Mapping to the east and south of the Nell property indicates that the depositional basin probably shallowed in these directions.

A veneer of glacio-fluvial, glacial and colluvial deposits of variable thickness covers low lying areas of the Nell property. These deposits are probably related to Pleistocene glaciation which has affected much of the region. Glacial transport directions are variable and reflect local topographic trends rather than regional ice sheet migration.

The Nell Property is largely underlain by medium grained, equigranular, grey to pink hornblende granodiorite (with minor biotite) (3C); this unit is common to much of the Hogem Batholith in the region. This rock type grades into hornblende quartz monzonite, hornblende monzodiorite and hornblende-pyroxene diorite to the south of the Nell Property. A minor amount of orthoclase-rich megacrystic granite crops out in the northwestern part of the Nell property. Although contacts with surrounding rocks have not been observed, this rock type is similar to granite of probable Cretaceous age which occurs several kilometres to the south of the Nell property. Hornblende granodiorite underlying the Nell property, by comparison with a similar rock to the south which has been radiometrically dated (Garnett, 1978), is probably of lower Jurassic age.

In the central easternmost part of the Nell property is an oval shaped body of biotite granodiorite (3D) in which hornblende is generally absent. Of similar texture to that of the medium grey to pinkish hornblende granodiorite (3C), this rock type is light grey on fresh surfaces and weathers to a chalky white.

Occasional northwesterly trending dykes and elongate masses of pink and grey porphyritic quartz syenite to granite (5) occur in the east and south. A 10 m wide syenite dyke in the central-south part of the property trends

northeasterly. This rock type, which is younger than all other rock types underlying the Nell property, occurs throughout the region along the eastern margin of the Hogem Batholith.

Unit (A), which is a mixture of Units (2) and (3), is mapped as a separate unit (up to 200 m wide) and is located along the eastern margin of Unit (3) gneodiorite.

Within Unit (A), partially assimilated and recrystallised rafts of volcanic breccia are separated by granodioritic to dioritic rocks of variable texture. Often, volcanic rocks are distinguished from intrusive rocks only by a poorly preserved texture and, in places, have a migmatitic appearance.

4.2 Structure and Metamorphism

From rare bedding attitudes and from compositional zoning thought to represent primary layering in volcanic breccias, it is considered that the stratigraphy of the Nell property strikes to the northeast and dips to the southeast. This is conformable with an interpretation made during regional mapping that the Nell stratigraphy lies on the northwestern limb of a southwesterly plunging syncline of regional extent. Local variations in attitude occur throughout the region and are to be expected on the Nell property. Although some of these attitude discordances from the regional pattern may be due to superposed folding, most are thought to be the local effects of faulting.

Faults, which are probably more common than those shown on the geology map (Fig. 3), strike generally to the northeast; most displacement is probably vertical. Immediately to the east of the eastern boundary of the Nell property is a northerly-striking fault which probably formed under a simple shear regime generated by movement along northeasterly-striking faults. Both northerly- and northeasterly-striking faults and associated fracture zones cut all rock types and, to a large extent, have provided the primary control on the location of base and precious metal mineralization found in the southeastern part of the property.

In general, supracrustal rocks in the Nell Property region have undergone zeolite grade regional metamorphism. However, most of the volcanic rocks of the Nell property display at least a mild degree of chloritic alteration which may be either regional metamorphism or metasomatism related to the Hogem Batholith. At the present stage of study the latter explanation is preferred.

In the mixed zone of Unit (A), extensive recrystallization of volcanic

rocks may be a hornfelsing effect caused during granodioritic intrusion. Whereas most of the rocks of the mixed zone have undergone metasomatic alteration to that of propylitic facies, biotite, which is commonly present in this zone, may have developed during contact metamorphism.

4.3 Alteration

A well developed metasomatic aureole is associated with the margin of the hornblende granodiorite, extending from within the granodiorite, through the mixed zone, into the surrounding volcanic rocks. Within this aureole, metasomatic alteration is generally fracture controlled and is dominated by a propylitic assemblage of chlorite + epidote ± calcite ± pyrite. This assemblage appears to have been superimposed on an earlier chloritic alteration which may be due to either regional metamorphism or to an earlier period of hydrothermal metasomatism.

Magnetite is a common secondary mineral within the mixed zone and within adjacent volcanic rocks. Magnetite occurs not only as disseminations within this aureole but also as veins and veinlets, sometimes with quartz and rare chalcopyrite. In the southern part of the property a magnetite + epidote assemblage occurs close to, and within the border area of, the hornblende granodiorite. Elsewhere, the marginal part of the granodiorite intrusion is unaltered; hydrothermal alteration is confined mainly to the mixed zone and surrounding volcanic rocks. Potassium feldspar alteration, generally in the form of pink orthoclase, is strongly fracture controlled and is confined mainly to the mixed zone. Potassic alteration appears to be an overprint on earlier propylitization.

Hydrothermal alteration of volcanic rocks marginal to the granodiorite on the Nell property is part of an alteration envelope which extends around the margin of the Hogem Batholith in the region. It is not restricted to style of subvolcanic intrusion such as that to which most of Quesnellia's alkalic copper-gold porphyry deposits are related.

4.4 Mineralization

Apart from sparse, generally fracture controlled, pyrite found within propylitically altered rocks of the Nell property, sulphide mineralization is not common. Minor amounts of chalcopyrite and its weathering products, malachite and azurite, occur along occasional northeasterly trending shear and fracture zones and within a northerly-striking fault zone in the southeastern corner of the property. Analyses indicate that some of the cupriferous mineralization also contains elevated gold values, suggesting a relationship between gold and copper. Sulphides have been observed only

in the southeastern part of the property, i.e. that part underlain mainly by volcanic rocks. Granodiorite of the Hogem Batholith is unaltered and unmineralized. As in the case of hydrothermal alteration on the Nell Property, sulphide mineralization here is typical of that within the alteration halo about the eastern margin of the Hogem Batholith.

5.0 Geochemistry

5.1 Soil Samples

Soil samples were taken using a mattock and samples were placed in labelled Kraft paper bags. A total of 599 soil samples was taken from the grid area. Sample stations were 50 m apart on the baseline and crosslines.

Two reconnaissance soil sample lines, R1 and R2, were run north of the grid area. Samples on these lines were taken at 100 m stations. Eighteen reconnaissance soil samples were collected.

All soil samples were sent to Pioneer Laboratories Inc., New Westminster, British Columbia. Samples were analyzed for 30 elements by ICP methods, and for gold by AA methods.

Soil development on the Nell Property grid is very poor due to outcrop proximity. Most soil in the grid area consists of fine talus with minor organic material. Soil in the valley consists primarily of black organic material with local areas of fluvial sediment. The dominant parent material for soils on the Nell Property is talus.

5.1.1 Results

Soil sample results for the Nell Property are listed in Appendix I. Figures 7-12 show the results for arsenic, copper, gold, lead, silver, and zinc. Basic statistics for soil results can also be found in Appendix I. Figure 4 shows a summary of soil geochemical anomalies.

5.1.1 Discussion

As the soils on the Nell Property are very poorly developed, analytical results for a soil sample are probably quite close to those that would be returned from a rock sample in the same location (ie. the soil values are equivalent to rock values in the sample location). Therefore, threshold values for elements are elevated.

Anomalous threshold values for elements considered are:

| <u>Element</u> | <u>Threshold</u> |
|----------------|------------------|
| Ag | 1.0 ppm |
| As | 50 ppm |
| Au | 100 ppb |
| Cu | 250 ppm |
| Pb | 15 ppm |
| Zn | 220 ppm |

Four dominant multi-element anomalies appear in the soil geochemistry on the Nell Property. Anomaly 1 consists of two separate but related areas (1A and 1B) of elevated gold, copper and lead. It occurs on the westerly slope of Goat Ridge on lines 51800N to 52300N. Malachite stained pyritic talus in the area of Anomaly 1 has been traced upslope to narrow, widely spaced quartz-ankerite shear zones and which are the likely cause of the anomaly.

Anomaly 2 occurs in an area of steep outcrop on lines 50400N to 50800N. It consists of elevated values of gold, copper, silver, arsenic and lead. The soil values in this anomaly are probably close to the values in rocks. A five metre wide shear zone occurs at the southeastern end of the anomaly, and is probably responsible for some of the elevated values downslope. This is also in the area of a 10 m wide pink and grey porphyritic quartz syenite dyke. Fluids associated with this dyke may have produced local mineralization of the surrounding volcanic breccia resulting in a local increase in metal values.

Anomaly 3 occurs towards the eastern ends of lines 50600N to 50900N. It consists of elevated gold and lead values with erratic silver values. No possible source was noted in outcrop for this anomaly.

Anomaly 4 is a one station anomaly on line 50800N at station 50950E. It consists of elevated values of gold, copper, lead and zinc. The source of the anomaly is the north trending fault at that location. The fault exhibits strong malachite staining and local concentrations of pyrite.

The majority of the grid area is underlain by Takla group volcanic rocks. Metal content for soils in this area show varied background levels with numerous single station single element "spot"

anomalies. Soil samples taken from the western part of the grid, where the underlying lithology is Hogem Batholith granodiorite, have a fairly low and even background. Samples within Unit(A) Takla Group-Hogem Batholith contact area do not show any significant elevations in metal content relative to samples taken further from the contact.

5.2 Rock Samples

5.2.1 Results

Rock sample results for the Nell Property are listed in Appendix II. Figure 6 shows the sample locations and the results for copper and gold. Descriptions for rock samples can also be found in Appendix II.

The highest gold value returned was 6200 ppb gold in sample P91NL013. This sample was taken from a north trending strongly malachite stained fault at the southeast part of the grid. Eight metres to the north, sample P91NL012 taken from the same fault returned the greatest copper value of 12730 ppm copper.

5.2.2 Discussion

Three areas of hydrothermal mineralization were defined and sampled during mapping of the grid area. The first occurs in the northern part of the grid on the westerly slope of Goat Ridge. In this area, occasional narrow (5-20 cm) quartz-ankerite shear zones contain trace to 0.5% medium-grained pyrite and are weakly to moderately malachite stained. These shears have a general trend of 060 Az and have been traced in outcrop for up to 50 m in length. The shears are fairly widely spaced, generally over 100 m apart. Elevated levels of copper and gold are sometimes associated with the shears (samples P91NL025, 026, 048, 049 and 050). At other sites along the shears, copper and gold values are low.

The second area of mineralization occurs on line 50500N around station 50250E. It consists of four 20-30 cm shears within the volcanic breccia spaced about five metres apart. The shears trend 060 Az and are moderately to strongly limonite stained, strongly chlorite altered and contain 0.5% pyrite. Local concentrations of pyrite to 10% were noted. Chalcopyrite occurs in local concentrations to 0.5% with associated moderate malachite staining on fracture surfaces. The shears were traced for 50 m in outcrop. Samples from this area generally returned elevated values for copper and gold. The greatest values, 3404 ppm copper and 630 ppb gold, were returned

by sample P91NL006.

The third area of mineralization is a north trending fault at the ends of lines 50600N and 50700N. The fault is approximately one metre wide and is characterized by extremely fractured volcanic breccia. Strong malachite staining is common within the fault, although visible sulphide mineralization is weak to nonexistent. Occasional vuggy quartz veins within the fault contain minor medium-grained pyrite, and returned the best gold values. Sample P91NL013 returned 6200 ppb gold and 5819 ppm copper. Eight metres to the north, sample P91NL012 returned values of 109 ppb gold and 12730 ppm copper.

The mineralization style seen on the Nell Property is hydrothermal and follows definite structures. Mineralization within these structures is sporadic and limited in extent. The structures themselves are fairly small and widely spaced.

6.0 Induced Polarization Survey

A 21.6 km induced polarization survey was conducted on the Nell Property by Scott Geophysics Ltd., of 4013 West 14th Avenue, Vancouver British Columbia. The logistical report for the survey is included in Appendix V. Figures 13-18 show the results from the survey.

Chargeability results for the Nell Property are low and very flat. Background for chargeability readings is in the range of 1.5 to 2.0 milliseconds. Chargeability readings on the Nell Property rarely exceed background, and the highest value is 7.0 milliseconds on line 51500N at station 50350E on the third separation. The chargeability results do not indicate any significant sulphide system.

Resistivity results show an decrease towards the valley floor on most lines. This is indicating an increase in overburden depth in this area.

7.0 Conclusions

- 1. The soil geochemical anomalies found in the soil sample survey are most likely due to material transported downslope from structurally controlled mineralization.**
- 2. Sulphide mineralization is very low and is restricted to narrow, widely spaced structures. Mineralization in these structures is hydrothermal in style and is sporadic and limited in extent.**
- 3. Induced Polarization results indicate that there are no significant sulphide-bearing systems in the grid area.**

APPENDIX I
Soil Sample Results and Statistics

GEOCHEMICAL ANALYSIS CERTIFICATE

MINCORD EXPLORATION
 Project: 282
 Report No. 9110098
 Sample Type: Soils
 Date: August 21, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au+ ppb |
|----------------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|-------|------|------|--------|--------|------|--------|------|-------|------|------|-----|-------|---------|
| 50600N 50000E | 1 | 142 | 6 | 129 | .3 | 26 | 26 | 1930 | 5.47 | 30 | 5 | ND | 1 | 135 | .4 | 2 | 2 | 91 | .83 | .121 | 7 | 53 | 1.90 | 59 | .07 | 2 | 2.61 | .01 | .12 | 1 | |
| 50600N 50050E | 1 | 270 | 6 | 154 | .4 | 46 | 36 | 2649 | 6.56 | 20 | 5 | ND | 1 | 202 | .7 | 2 | 2 | 124 | 1.01 | .123 | 6 | 105 | 2.78 | 69 | .12 | 2 | 3.49 | .01 | .19 | 1 | |
| 50600N 50150E | 3 | 400 | 5 | 174 | .6 | 21 | 32 | 2842 | 6.12 | 31 | 5 | ND | 1 | 242 | .7 | 2 | 3 | 129 | .84 | .111 | 5 | 35 | 2.38 | 85 | .15 | 2 | 4.21 | .01 | .22 | 1 | |
| 50600N 50200E | 7 | 1043 | 30 | 151 | 1.6 | 22 | 40 | 3750 | 6.06 | 28 | 5 | ND | 1 | 447 | 1.5 | 2 | 9 | 99 | 1.22 | .128 | 6 | 32 | 2.21 | 94 | .07 | 2 | 3.96 | .02 | .19 | 1 | |
| 50600N 50250E | 1 | 368 | 9 | 137 | 1.3 | 21 | 29 | 1755 | 4.97 | 71 | 5 | ND | 1 | 291 | .5 | 2 | 10 | 86 | 1.15 | .155 | 6 | 31 | 1.69 | 71 | .04 | 2 | 3.52 | .01 | .08 | 1 | |
| 50600N 50300E | 1 | 92 | 4 | 123 | .5 | 22 | 24 | 1764 | 4.88 | 19 | 5 | ND | 1 | 61 | .6 | 2 | 2 | 83 | .58 | .114 | 6 | 33 | 1.45 | 49 | .03 | 2 | 2.92 | .01 | .09 | 1 | |
| 50600N 50350E | 1 | 64 | 4 | 92 | .3 | 13 | 15 | 618 | 4.34 | 4 | 5 | ND | 1 | 78 | .4 | 2 | 2 | 104 | .37 | .119 | 5 | 20 | 1.16 | 59 | .06 | 2 | 2.69 | .01 | .05 | 1 | |
| 50600N 50400E | 1 | 96 | 3 | 85 | .3 | 17 | 15 | 1237 | 4.50 | 6 | 5 | ND | 1 | 96 | .3 | 2 | 2 | 91 | .46 | .158 | 6 | 35 | .94 | 53 | .06 | 2 | 2.14 | .01 | .09 | 1 | |
| 50600N 50450E | 1 | 59 | 2 | 109 | .5 | 10 | 15 | 1414 | 3.50 | 6 | 5 | ND | 1 | 115 | .4 | 2 | 2 | 76 | .47 | .211 | 3 | 15 | .79 | 76 | .01 | 2 | 2.34 | .01 | .06 | 1 | |
| 50600N 50500E | 1 | 21 | 2 | 95 | .2 | 10 | 12 | 896 | 3.10 | 2 | 5 | ND | 1 | 104 | .4 | 2 | 3 | 74 | .41 | .089 | 5 | 21 | .92 | 87 | .06 | 2 | 2.30 | .01 | .07 | 1 | |
| 50600N 50550E | 1 | 40 | 4 | 90 | .4 | 13 | 12 | 728 | 4.05 | 2 | 5 | ND | 1 | 235 | .3 | 2 | 2 | 81 | .30 | .118 | 5 | 28 | .85 | 77 | .03 | 2 | 2.83 | .01 | .07 | 1 | |
| 50600N 50600E | 1 | 58 | 5 | 81 | .4 | 12 | 13 | 981 | 4.04 | 3 | 5 | ND | 1 | 107 | .4 | 2 | 2 | 88 | .71 | .114 | 5 | 25 | .78 | 71 | .07 | 3 | 2.43 | .01 | .08 | 1 | |
| 50600N 50650E | 1 | 61 | 7 | 85 | .3 | 14 | 14 | 641 | 4.68 | 3 | 5 | ND | 1 | 128 | .4 | 2 | 3 | 113 | .34 | .085 | 4 | 35 | 1.17 | 63 | .10 | 2 | 2.79 | .01 | .06 | 1 | |
| 50600N 50700E | 1 | 57 | 6 | 74 | .1 | 9 | 11 | 1071 | 2.85 | 2 | 5 | ND | 1 | 129 | .2 | 2 | 2 | 74 | .42 | .076 | 5 | 24 | .63 | 76 | .05 | 2 | 1.71 | .01 | .09 | 1 | |
| 50600N 50750E | 1 | 234 | 22 | 148 | 1.2 | 19 | 26 | 2511 | 5.11 | 18 | 5 | 3 | 1 | 178 | .7 | 2 | 3 | 100 | .49 | .184 | 5 | 32 | 1.73 | 59 | .07 | 2 | 3.52 | .01 | .09 | 1 | |
| 50600N 50800E | 1 | 56 | 7 | 88 | .2 | 9 | 15 | 3089 | 4.82 | 3 | 5 | ND | 1 | 141 | .2 | 2 | 2 | 101 | .35 | .090 | 5 | 15 | .73 | 185 | .06 | 2 | 2.22 | .01 | .08 | 1 | |
| 50600N 50900E | 2 | 77 | 6 | 101 | .5 | 20 | 15 | 1813 | 4.18 | 3 | 5 | ND | 1 | 122 | .3 | 2 | 2 | 92 | .47 | .132 | 3 | 42 | .81 | 156 | .04 | 2 | 1.91 | .01 | .09 | 1 | |
| 50600N 50950E | 1 | 110 | 21 | 83 | .5 | 10 | 16 | 2374 | 2.84 | 7 | 5 | ND | 1 | 89 | .5 | 2 | 4 | 60 | .61 | .191 | 3 | 23 | .56 | 162 | .01 | 2 | 1.36 | .01 | .07 | 1 | |
| 50600N 51000E | 1 | 113 | 5 | 109 | .1 | 16 | 20 | 811 | 5.25 | 9 | 5 | ND | 1 | 77 | .5 | 2 | 2 | 124 | .50 | .146 | 4 | 30 | 1.37 | 105 | .03 | 3 | 2.75 | .01 | .11 | 1 | |
| 50900N 49600E | 2 | 64 | 6 | 65 | .2 | 10 | 9 | 404 | 3.09 | 2 | 5 | ND | 1 | 78 | .4 | 2 | 2 | 64 | .28 | .118 | 9 | 17 | .61 | 121 | .03 | 2 | 2.63 | .01 | .07 | 1 | |
| 50900N 49650E | 1 | 52 | 4 | 93 | .1 | 10 | 20 | 668 | 6.86 | 2 | 5 | ND | 1 | 53 | .4 | 2 | 4 | 146 | .43 | .067 | 3 | 12 | 1.03 | 93 | .21 | 2 | 2.32 | .01 | .29 | 1 | |
| 50900N 49700E | 2 | 92 | 4 | 58 | .7 | 7 | 7 | 447 | 2.18 | 2 | 6 | ND | 1 | 91 | .2 | 2 | 2 | 59 | 1.05 | .126 | 8 | 12 | .44 | 106 | .03 | 2 | 1.80 | .01 | .08 | 1 | |
| 50900N 49750E | 1 | 158 | 3 | 105 | .3 | 7 | 14 | 840 | 5.28 | 2 | 5 | ND | 1 | 49 | .5 | 2 | 2 | 112 | .37 | .133 | 6 | 11 | 1.13 | 143 | .07 | 2 | 3.03 | .01 | .26 | 1 | |
| 50900N 49800E | 1 | 85 | 3 | 82 | .3 | 10 | 12 | 798 | 4.88 | 2 | 5 | ND | 1 | 59 | .2 | 2 | 2 | 98 | .44 | .151 | 8 | 16 | .81 | 109 | .09 | 2 | 2.79 | .01 | .12 | 1 | |
| 50900N 49850E | 1 | 109 | 7 | 106 | .3 | 14 | 18 | 1857 | 4.31 | 6 | 5 | ND | 1 | 140 | .5 | 2 | 7 | 98 | 1.10 | .097 | 6 | 24 | 1.32 | 98 | .07 | 2 | 3.24 | .02 | .14 | 1 | |
| 50900N 49900E | 1 | 368 | 2 | 106 | .4 | 15 | 30 | 1283 | 5.83 | 4 | 5 | ND | 1 | 136 | .5 | 2 | 13 | 144 | .83 | .133 | 5 | 21 | 2.15 | 98 | .13 | 2 | 3.26 | .01 | .29 | 1 | |
| 50900N 49950E | 1 | 164 | 5 | 121 | .5 | 12 | 17 | 1709 | 3.63 | 3 | 5 | ND | 1 | 116 | .5 | 2 | 2 | 87 | 1.59 | .147 | 6 | 19 | 1.34 | 148 | .05 | 2 | 2.71 | .01 | .18 | 1 | |
| 51000N 49500E | 1 | 76 | 3 | 86 | .2 | 5 | 11 | 996 | 2.90 | 2 | 5 | ND | 1 | 91 | .3 | 2 | 2 | 57 | .54 | .135 | 5 | 5 | .66 | 122 | .02 | 3 | 1.80 | .02 | .10 | 1 | |
| 51000N 49550E | 1 | 61 | 5 | 62 | .3 | 6 | 7 | 606 | 2.18 | 2 | 5 | ND | 1 | 88 | .2 | 2 | 2 | 47 | .31 | .166 | 7 | 10 | .43 | 130 | .01 | 2 | 1.91 | .01 | .08 | 1 | |
| 51000N 49600E | 2 | 77 | 2 | 71 | .3 | 4 | 9 | 693 | 2.95 | 2 | 5 | ND | 1 | 113 | .6 | 2 | 5 | 67 | .50 | .186 | 6 | 5 | .58 | 160 | .01 | 2 | 2.04 | .01 | .14 | 1 | |
| 51000N 49650E | 4 | 149 | 5 | 75 | .2 | 8 | 12 | 741 | 3.71 | 2 | 5 | ND | 1 | 127 | .3 | 2 | 5 | 79 | .60 | .129 | 9 | 11 | .84 | 117 | .06 | 2 | 2.57 | .01 | .12 | 1 | |
| 51000N 49700E | 1 | 128 | 5 | 137 | .2 | 13 | 21 | 1620 | 4.98 | 6 | 5 | ND | 2 | 95 | .4 | 2 | 3 | 118 | .56 | .153 | 8 | 17 | 1.17 | 136 | .14 | 2 | 2.61 | .01 | .22 | 1 | |
| 51000N 49750E | 1 | 97 | 2 | 129 | .2 | 18 | 22 | 1322 | 5.70 | 8 | 5 | ND | 2 | 88 | .4 | 2 | 2 | 129 | .78 | .144 | 7 | 33 | 1.61 | 158 | .18 | 2 | 2.95 | .01 | .33 | 1 | |
| 51000N 49800E | 1 | 84 | 4 | 101 | .3 | 18 | 17 | 781 | 5.03 | 5 | 5 | ND | 1 | 69 | .4 | 2 | 3 | 116 | .50 | .111 | 7 | 41 | 1.26 | 119 | .15 | 3 | 2.76 | .01 | .16 | 1 | |
| 51000N 49850E | 2 | 157 | 5 | 112 | .3 | 9 | 20 | 1094 | 5.76 | 4 | 5 | ND | 1 | 270 | .3 | 2 | 2 | 132 | .59 | .100 | 6 | 15 | 1.59 | 140 | .13 | 2 | 2.95 | .01 | .19 | 1 | |
| 51000N 49900E | 2 | 80 | 6 | 113 | .3 | 5 | 19 | 1103 | 4.85 | 2 | 5 | ND | 1 | 323 | 1.0 | 2 | 2 | 125 | 1.07 | .110 | 3 | 11 | 1.10 | 218 | .09 | 2 | 2.19 | .01 | .13 | 1 | |
| 51000N 49950E | 1 | 198 | 370 | 135 | .2 | 20 | 26 | 1812 | 5.63 | 6 | 5 | ND | 1 | 217 | .7 | 2 | 2 | 131 | .95 | .158 | 8 | 44 | 2.05 | 191 | .11 | 5 | 3.06 | .01 | .25 | 2 | |
| 52000N 50000E | 1 | 36 | 9 | 60 | .6 | 12 | 12 | 343 | 4.09 | 3 | 5 | ND | 1 | 59 | .2 | 2 | 2 | 100 | .28 | .105 | 5 | 42 | .84 | 33 | .11 | 4 | 2.13 | .01 | .05 | 1 | |
| 52000N 50050E | 1 | 39 | 6 | 69 | 1.5 | 13 | 13 | 436 | 4.25 | 2 | 5 | ND | 1 | 50 | .2 | 2 | 2 | 88 | .26 | .176 | 4 | 40 | .94 | 48 | .07 | 2 | 2.03 | .01 | .08 | 1 | |
| 52000N 50100E | 1 | 46 | 7 | 101 | .2 | 17 | 18 | 769 | 4.79 | 2 | 5 | ND | 1 | 60 | .2 | 2 | 2 | 118 | .32 | .099 | 3 | 52 | 1.51 | 53 | .08 | 2 | 2.13 | .01 | .14 | 1 | |
| 52000N 50150E | 1 | 70 | 5 | 91 | .4 | 17 | 19 | 1464 | 4.32 | 3 | 5 | ND | 1 | 66 | .2 | 2 | 2 | 110 | .37 | .080 | 3 | 45 | 1.39 | 59 | .06 | 2 | 1.97 | .01 | .08 | 1 | |
| 52000N 50200E | 1 | 106 | 13 | 105 | .2 | 26 | 22 | 1232 | 4.91 | 8 | 5 | ND | 1 | 113 | .3 | 2 | 2 | 122 | .44 | .083 | 4 | 68 | 1.80 | 70 | .10 | 4 | 2.51 | .01 | .10 | 2 | |
| 52000N 50250E | 1 | 251 | 17 | 112 | .6 | 34 | 24 | 1203 | 4.59 | 5 | 5 | ND | 1 | 223 | .3 | 2 | 3 | 100 | .85 | .119 | 6 | 86 | 1.97 | 61 | .10 | 2 | 2.92 | .01 | .12 | 1 | |
| 52000N 50300E | 1 | 304 | 21 | 127 | .6 | 33 | 25 | 1324 | 4.64 | 7 | 5 | ND | 1 | 212 | .2 | 2 | 2 | 104 | .86 | .125 | 7 | 80 | 2.07 | 68 | .10 | 2 | 3.13 | .01 | .14 | 3 | |
| 52000N 50350E | 2 | 321 | 11 | 108 | .6 | 32 | 22 | 973 | 4.61 | 6 | 5 | ND | 1 | 198 | .2 | 2 | 2 | 97 | .81 | .112 | 6 | 72 | 1.74 | 85 | .07 | 3 | 2.95 | .01 | .12 | 1 | |
| 52000N 50400E | 1 | 524 | 5 | 124 | .4 | 31 | 26 | 1353 | 5.07 | 4 | 5 | ND | 1 | 247 | .5 | 2 | 6 | 113 | 1.13 | .158 | 7 | 74 | 2.18 | 59 | .09 | 2 | 3.07 | .01 | .21 | 1 | |
| 52000N 50450E | 1 | 159 | 8 | 96 | .4 | 28 | 25 | 1271 | 5.38 | 7 | 5 | ND | 1 | 167 | .2 | 2 | 2 | 115 | 1.05 | .162 | 9 | 70 | 1.87 | 46 | .10 | 2 | 2.55 | .01 | .09 | 1 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|---|-----|----|------|-----|----|----|------|------|----|---|----|---|-----|------|---|---|-----|------|------|----|----|------|-----|---|------|-----|-----|---|
| 52000N | 50500E | 2 | 228 | 4 | 122 | .3 | 34 | 25 | 2022 | 4.59 | 5 | 5 | ND | 1 | 280 | .5 | 2 | 3 | 102 | 1.29 | .129 | 7 | 72 | 1.94 | .08 | 2 | 3.05 | .02 | .18 | 1 |
| 52000N | 50600E | 1 | 121 | 6 | 108 | .1 | 21 | 25 | 1617 | 5.02 | 9 | 5 | ND | 1 | 169 | .6 | 2 | 3 | 122 | 1.05 | .111 | 7 | 41 | 1.71 | .12 | 6 | 2.34 | .01 | .13 | 2 |
| 52000N | 50650E | 1 | 156 | 5 | 109 | .3 | 18 | 24 | 1466 | 5.32 | 5 | 5 | ND | 1 | 44 | .5 | 2 | 3 | 131 | .73 | .124 | 5 | 41 | 1.89 | .12 | 2 | 2.15 | .01 | .28 | 4 |
| 52000N | 50700E | 1 | 41 | 7 | 114 | .1 | 9 | 10 | 872 | 1.64 | 3 | 5 | ND | 1 | 88 | 2.2 | 2 | 3 | 44 | 2.94 | .106 | 2 | 17 | .71 | .03 | 7 | .95 | .01 | .10 | 1 |
| 52000N | 50750E | 4 | 123 | 12 | 112 | .7 | 22 | 26 | 1507 | 4.73 | 10 | 5 | ND | 1 | 203 | .9 | 2 | 3 | 117 | 1.69 | .123 | 4 | 45 | 2.00 | .09 | 2 | 2.93 | .01 | .17 | 1 |
| 52000N | 50800E | 6 | 84 | 8 | 106 | .2 | 17 | 29 | 1359 | 4.99 | 5 | 5 | ND | 1 | 337 | .2 | 2 | 2 | 110 | 1.22 | .115 | 4 | 21 | 1.87 | .06 | 2 | 3.08 | .02 | .14 | 1 |
| 52000N | 50850E | 3 | 89 | 9 | 102 | .1 | 20 | 24 | 1290 | 4.90 | 6 | 5 | ND | 1 | 132 | .3 | 2 | 3 | 104 | .61 | .105 | 7 | 32 | 1.45 | .05 | 2 | 2.94 | .01 | .08 | 1 |
| 52100N | 50000E | 1 | 94 | 7 | 168 | .2 | 21 | 23 | 995 | 5.23 | 10 | 5 | ND | 1 | 65 | .2 | 2 | 2 | 132 | .69 | .133 | 5 | 59 | 1.90 | .08 | 2 | 2.37 | .01 | .15 | 1 |
| 52100N | 50050E | 1 | 127 | 2 | 119 | .1 | 24 | 21 | 860 | 4.70 | 6 | 5 | ND | 1 | 84 | .2 | 2 | 2 | 111 | .45 | .110 | 5 | 59 | 1.64 | .14 | 6 | 2.64 | .01 | .16 | 1 |
| 52100N | 50100E | 1 | 46 | 6 | 82 | .2 | 19 | 16 | 818 | 4.06 | 4 | 5 | ND | 1 | 62 | .2 | 2 | 2 | 98 | .31 | .075 | 4 | 57 | 1.12 | .07 | 5 | 1.94 | .01 | .13 | 1 |
| 52100N | 50150E | 1 | 91 | 2 | 82 | .1 | 25 | 19 | 550 | 4.74 | 6 | 5 | ND | 1 | 91 | .3 | 2 | 2 | 102 | .46 | .139 | 5 | 75 | 1.59 | .07 | 5 | 2.41 | .01 | .09 | 1 |
| 52100N | 50200E | 1 | 100 | 2 | 96 | .4 | 22 | 23 | 1250 | 4.53 | 8 | 5 | ND | 1 | 128 | .2 | 2 | 2 | 112 | .58 | .103 | 4 | 50 | 1.93 | .11 | 2 | 3.01 | .01 | .12 | 1 |
| 52100N | 50250E | 1 | 96 | 2 | 78 | .2 | 27 | 21 | 1060 | 4.64 | 3 | 5 | ND | 1 | 132 | .3 | 2 | 2 | 108 | .58 | .095 | 4 | 75 | 1.75 | .07 | 4 | 2.80 | .01 | .13 | 1 |
| 52100N | 50300E | 1 | 135 | 6 | 84 | .4 | 30 | 22 | 781 | 4.41 | 6 | 5 | ND | 1 | 181 | .2 | 2 | 5 | 99 | .62 | .124 | 5 | 75 | 1.91 | .09 | 3 | 2.65 | .01 | .12 | 2 |
| 52100N | 50350E | 1 | 144 | 10 | 77 | .2 | 30 | 22 | 945 | 4.25 | 10 | 5 | ND | 1 | 182 | .3 | 2 | 3 | 96 | .84 | .115 | 6 | 81 | 1.84 | .12 | 5 | 2.38 | .01 | .14 | 2 |
| 52100N | 50400E | 1 | 109 | 5 | 82 | .1 | 34 | 21 | 786 | 3.97 | 7 | 5 | ND | 1 | 205 | .2 | 2 | 3 | 106 | .88 | .083 | 6 | 94 | 1.97 | .13 | 4 | 2.52 | .01 | .15 | 1 |
| 52100N | 50450E | 1 | 300 | 8 | 121 | .3 | 27 | 24 | 1370 | 4.90 | 4 | 5 | ND | 1 | 161 | .2 | 2 | 4 | 122 | .93 | .128 | 8 | 61 | 2.04 | .11 | 2 | 2.83 | .01 | .13 | 1 |
| 52100N | 50500E | 1 | 260 | 12 | 102 | .4 | 22 | 25 | 1501 | 4.99 | 12 | 6 | ND | 1 | 186 | .2 | 2 | 2 | 110 | .96 | .155 | 7 | 44 | 1.66 | .08 | 3 | 2.03 | .01 | .13 | 1 |
| 52100N | 50550E | 1 | 96 | 3 | 120 | .2 | 21 | 23 | 1370 | 4.95 | 6 | 5 | ND | 1 | 135 | .5 | 2 | 2 | 127 | .66 | .127 | 7 | 38 | 1.64 | .09 | 3 | 2.62 | .01 | .07 | 1 |
| 52100N | 50600E | 1 | 111 | 17 | 107 | .3 | 23 | 24 | 1627 | 5.61 | 10 | 5 | ND | 1 | 74 | .2 | 2 | 2 | 125 | .96 | .158 | 8 | 53 | 1.91 | .10 | 4 | 2.27 | .01 | .26 | 2 |
| 52100N | 50650E | 1 | 52 | 8 | 108 | .3 | 18 | 25 | 1661 | 5.30 | 11 | 5 | ND | 1 | 75 | .2 | 2 | 2 | 135 | .84 | .125 | 5 | 45 | 1.77 | .06 | 4 | 2.19 | .01 | .26 | 2 |
| 52100N | 50700E | 2 | 262 | 7 | 126 | .7 | 22 | 30 | 1903 | 6.20 | 16 | 5 | ND | 1 | 93 | .2 | 2 | 2 | 156 | 1.25 | .141 | 7 | 48 | 2.26 | .14 | 3 | 2.78 | .01 | .36 | 1 |
| 52100N | 50800E | 3 | 141 | 11 | 92 | .1 | 24 | 26 | 1096 | 5.28 | 5 | 5 | ND | 1 | 206 | .4 | 2 | 2 | 108 | .70 | .103 | 7 | 32 | 1.44 | .07 | 2 | 2.88 | .01 | .09 | 1 |
| 52200N | 50000E | 1 | 86 | 2 | 125 | .1 | 22 | 24 | 923 | 5.25 | 8 | 5 | ND | 1 | 43 | .2 | 2 | 2 | 133 | .43 | .107 | 4 | 55 | 2.00 | .18 | 2 | 2.89 | .01 | .16 | 1 |
| 52200N | 50050E | 1 | 73 | 7 | 121 | .1 | 22 | 22 | 712 | 5.76 | 7 | 5 | ND | 1 | 48 | .2 | 2 | 2 | 140 | .51 | .140 | 5 | 57 | 1.99 | .16 | 4 | 2.51 | .01 | .09 | 1 |
| 52200N | 50100E | 1 | 144 | 3 | 121 | .1 | 23 | 25 | 856 | 5.73 | 3 | 5 | ND | 1 | 57 | .2 | 2 | 2 | 141 | .60 | .142 | 6 | 61 | 2.10 | .17 | 2 | 2.58 | .01 | .18 | 1 |
| 52200N | 50150E | 1 | 209 | 4 | 157 | .2 | 22 | 27 | 1073 | 5.35 | 8 | 5 | ND | 2 | 90 | .2 | 2 | 2 | 150 | .83 | .167 | 7 | 39 | 2.24 | .21 | 2 | 2.58 | .01 | .62 | 1 |
| 52200N | 50200E | 1 | 242 | 29 | 148 | .5 | 29 | 27 | 1433 | 5.13 | 9 | 5 | ND | 1 | 72 | .2 | 2 | 2 | 132 | .91 | .128 | 6 | 61 | 2.41 | .19 | 4 | 2.62 | .01 | .66 | 1 |
| 52200N | 50250E | 1 | 256 | 12 | 167 | .3 | 26 | 28 | 1162 | 4.95 | 7 | 5 | ND | 1 | 97 | .2 | 2 | 2 | 124 | .90 | .124 | 6 | 54 | 2.38 | .15 | 2 | 2.75 | .01 | .35 | 1 |
| 52200N | 50300E | 4 | 396 | 34 | 1147 | 1.1 | 8 | 19 | 5322 | 3.66 | 4 | 5 | ND | 2 | 33 | 12.8 | 2 | 8 | 35 | 5.83 | .137 | 11 | 12 | .44 | .01 | 4 | .98 | .01 | .20 | 1 |
| 52200N | 50350E | 1 | 152 | 17 | 156 | .1 | 24 | 25 | 1327 | 5.45 | 16 | 5 | ND | 1 | 50 | .2 | 2 | 2 | 129 | .75 | .160 | 9 | 54 | 2.15 | .12 | 3 | 2.47 | .01 | .23 | 1 |
| 52200N | 50400E | 1 | 316 | 17 | 114 | .2 | 31 | 35 | 1885 | 5.23 | 8 | 5 | ND | 1 | 524 | .2 | 2 | 2 | 120 | .72 | .135 | 7 | 59 | 1.96 | .10 | 2 | 3.59 | .02 | .16 | 2 |
| 52200N | 50450E | 1 | 244 | 13 | 159 | .4 | 27 | 29 | 1649 | 5.57 | 9 | 5 | ND | 1 | 131 | .3 | 2 | 2 | 147 | 1.07 | .149 | 8 | 58 | 2.45 | .13 | 2 | 2.99 | .01 | .24 | 1 |
| 52200N | 50500E | 1 | 122 | 26 | 145 | .2 | 27 | 27 | 1320 | 5.65 | 7 | 5 | ND | 1 | 124 | .2 | 2 | 3 | 142 | .87 | .163 | 7 | 68 | 2.20 | .11 | 5 | 2.83 | .02 | .10 | 1 |
| 52200N | 50550E | 1 | 132 | 37 | 129 | .4 | 21 | 26 | 1576 | 4.89 | 8 | 5 | ND | 1 | 107 | .2 | 2 | 2 | 129 | 1.18 | .139 | 7 | 47 | 1.91 | .10 | 4 | 2.59 | .01 | .16 | 1 |
| 52200N | 50600E | 2 | 321 | 8 | 135 | .3 | 25 | 30 | 1704 | 6.05 | 11 | 5 | ND | 1 | 75 | .4 | 2 | 2 | 137 | 1.16 | .149 | 8 | 53 | 2.40 | .11 | 2 | 2.80 | .01 | .28 | 2 |
| 52200N | 50650E | 2 | 99 | 7 | 150 | .4 | 19 | 33 | 1967 | 6.18 | 14 | 5 | ND | 1 | 74 | .2 | 2 | 2 | 155 | 1.27 | .189 | 7 | 34 | 2.63 | .14 | 2 | 2.86 | .01 | .48 | 1 |
| 52200N | 50700E | 2 | 167 | 10 | 143 | .5 | 19 | 36 | 1917 | 6.44 | 22 | 5 | ND | 1 | 95 | .2 | 2 | 2 | 166 | 1.17 | .192 | 6 | 34 | 2.58 | .17 | 4 | 2.82 | .01 | .53 | 1 |
| 52200N | 50750E | 1 | 263 | 9 | 131 | .7 | 16 | 28 | 1658 | 4.94 | 7 | 5 | ND | 1 | 159 | .3 | 2 | 2 | 144 | 1.63 | .133 | 5 | 31 | 2.20 | .09 | 5 | 3.26 | .01 | .15 | 1 |
| 52300N | 50000E | 1 | 76 | 2 | 109 | .1 | 16 | 20 | 737 | 5.23 | 4 | 5 | ND | 1 | 44 | .2 | 2 | 2 | 130 | .46 | .106 | 4 | 48 | 1.83 | .15 | 4 | 2.50 | .01 | .17 | 1 |
| 52300N | 50050E | 1 | 126 | 4 | 113 | .1 | 20 | 23 | 1133 | 5.46 | 3 | 5 | ND | 1 | 56 | .2 | 2 | 2 | 126 | .75 | .148 | 6 | 46 | 1.82 | .14 | 2 | 2.27 | .01 | .26 | 1 |
| 52300N | 50100E | 1 | 107 | 2 | 116 | .1 | 17 | 23 | 1297 | 5.15 | 3 | 5 | ND | 1 | 51 | .2 | 2 | 2 | 123 | .49 | .125 | 4 | 43 | 1.73 | .13 | 2 | 2.43 | .01 | .17 | 1 |
| 52300N | 50150E | 1 | 137 | 4 | 113 | .1 | 21 | 25 | 1024 | 5.52 | 8 | 5 | ND | 1 | 47 | .2 | 2 | 2 | 138 | .59 | .158 | 6 | 52 | 2.02 | .20 | 3 | 2.57 | .01 | .41 | 1 |
| 52300N | 50200E | 1 | 193 | 13 | 117 | .1 | 28 | 25 | 1308 | 5.35 | 12 | 6 | ND | 1 | 68 | .2 | 2 | 2 | 132 | .83 | .141 | 7 | 81 | 2.21 | .15 | 4 | 2.66 | .01 | .34 | 2 |
| 52300N | 50250E | 1 | 140 | 9 | 107 | .1 | 25 | 25 | 1312 | 5.36 | 10 | 5 | ND | 1 | 64 | .3 | 2 | 2 | 127 | .94 | .164 | 7 | 76 | 1.94 | .16 | 2 | 2.25 | .01 | .37 | 1 |
| 52300N | 50300E | 1 | 53 | 5 | 106 | .1 | 19 | 22 | 1005 | 5.16 | 6 | 5 | ND | 1 | 60 | .2 | 2 | 2 | 123 | .62 | .106 | 6 | 50 | 1.70 | .15 | 2 | 2.05 | .01 | .23 | 1 |
| 52300N | 50350E | 1 | 179 | 11 | 173 | .4 | 27 | 27 | 1670 | 5.21 | 5 | 5 | ND | 1 | 85 | .5 | 2 | 2 | 144 | .90 | .117 | 6 | 57 | 2.49 | .17 | 4 | 2.92 | .01 | .49 | 1 |
| 52300N | 50400E | 1 | 316 | 24 | 128 | .2 | 25 | 28 | 1554 | 5.58 | 13 | 5 | ND | 1 | 58 | .2 | 2 | 7 | 139 | .96 | .130 | 6 | 59 | 2.34 | .16 | 4 | 2.55 | .01 | .45 | 1 |
| 52300N | 50450E | 1 | 148 | 38 | 150 | .2 | 23 | 28 | 1475 | 5.82 | 13 | 5 | ND | 1 | 51 | .2 | 2 | 2 | 152 | .86 | .120 | 7 | 52 | 2.56 | .16 | 2 | 2.93 | .01 | .44 | 1 |
| 52300N | 50500E | 1 | 100 | 16 | 115 | .1 | 21 | 23 | 1167 | 5.13 | 14 | 5 | ND | 1 | 45 | .2 | 3 | 2 | 118 | .70 | .147 | 8 | 47 | 1.64 | .11 | 2 | 2.19 | .01 | .18 | 1 |
| 52300N | 50550E | 1 | 110 | 23 | 188 | .1 | 21 | 37 | 2671 | 6.95 | 15 | 5 | ND | 1 | 42 | .6 | 2 | 2 | 166 | 1.19 | .179 | 11 | 54 | 3.15 | .06 | 2 | 3.65 | .01 | .47 | 1 |
| 52300N | 50600E | 1 | 60 | 17 | 172 | .2 | 23 | 31 | 1915 | 6.24 | 11 | 7 | ND | 1 | 67 | .2 | 2 | 2 | 156 | .96 | .158 | 6 | 47 | 2.62 | .15 | 2 | 2.92 | .01 | .62 | 1 |
| 52400N | 50000E | 1 | 62 | 7 | 122 | .1 | 14 | 23 | 2054 | 5.16 | 4 | 5 | ND | 1 | 76 | .5 | 2 | 2 | 127 | .65 | .105 | 3 | 28 | 1.54 | .13 | 2 | 2.29 | .01 | .21 | 1 |
| 52400N | 50050E | 1 | 166 | 7 | 114 | .1 | 19 | 24 | 1181 | 5.32 | 3 | 5 | ND | 1 | 76 | .2 | 2 | 2 | 115 | .66 | .127 | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|---|-----|----|-----|-----|----|----|------|------|----|---|----|---|-----|-----|---|----|-----|------|------|----|-----|------|-----|-----|----|------|-----|-----|---|
| 52500N | 50000E | 1 | 67 | 2 | 123 | .1 | 14 | 19 | 837 | 5.21 | 2 | 5 | ND | 1 | 60 | .2 | 2 | 2 | 120 | .49 | .165 | 3 | 24 | 1.83 | 141 | .22 | 2 | 2.82 | .01 | .22 | 3 |
| 52500N | 50050E | 1 | 224 | 5 | 100 | .2 | 16 | 25 | 705 | 5.63 | 6 | 5 | ND | 1 | 85 | .2 | 2 | 2 | 119 | .62 | .140 | 6 | 29 | 1.74 | 131 | .18 | 2 | 2.69 | .01 | .43 | 4 |
| 52500N | 50100E | 1 | 169 | 2 | 104 | .2 | 17 | 23 | 970 | 5.67 | 12 | 5 | ND | 2 | 105 | .3 | 2 | 2 | 126 | .75 | .162 | 7 | 30 | 1.81 | 149 | .19 | 12 | 2.55 | .01 | .48 | 4 |
| 52500N | 50150E | 1 | 96 | 4 | 113 | .1 | 19 | 21 | 1286 | 5.07 | 5 | 5 | ND | 1 | 69 | .5 | 2 | 2 | 112 | .62 | .141 | 6 | 37 | 1.90 | 128 | .17 | 2 | 2.83 | .01 | .31 | 1 |
| 52500N | 50200E | 1 | 147 | 4 | 127 | .2 | 23 | 26 | 1395 | 5.71 | 7 | 5 | ND | 1 | 76 | .3 | 2 | 2 | 122 | .80 | .120 | 7 | 40 | 2.35 | 137 | .16 | 4 | 3.21 | .02 | .36 | 9 |
| 52500N | 50250E | 1 | 149 | 6 | 90 | .1 | 19 | 24 | 1233 | 5.39 | 4 | 5 | ND | 1 | 73 | .2 | 2 | 4 | 117 | .70 | .114 | 6 | 35 | 2.04 | 76 | .12 | 4 | 2.92 | .01 | .20 | 1 |
| 52500N | 50300E | 1 | 256 | 8 | 128 | 1.0 | 27 | 37 | 2636 | 5.65 | 9 | 5 | ND | 1 | 39 | .3 | 2 | 12 | 119 | 1.38 | .141 | 11 | 62 | 2.94 | 170 | .08 | 3 | 3.61 | .01 | .53 | 1 |
| 52500N | 50350E | 1 | 44 | 5 | 38 | .5 | 7 | 10 | 1270 | 1.68 | 2 | 5 | ND | 1 | 48 | 1.8 | 2 | 2 | 38 | .80 | .142 | 2 | 23 | .30 | 123 | .02 | 11 | .60 | .01 | .10 | 1 |
| 52500N | 50400E | 1 | 219 | 9 | 97 | .3 | 26 | 22 | 1151 | 4.75 | 6 | 5 | ND | 1 | 61 | .3 | 2 | 9 | 118 | .79 | .147 | 7 | 66 | 1.97 | 107 | .16 | 3 | 2.29 | .01 | .43 | 3 |
| 52500N | 50450E | 1 | 109 | 27 | 81 | .3 | 24 | 21 | 2365 | 3.65 | 2 | 5 | ND | 1 | 59 | .3 | 2 | 5 | 96 | 1.23 | .179 | 3 | 78 | 1.57 | 136 | .06 | 5 | 2.01 | .01 | .12 | 1 |
| 52500N | 50500E | 1 | 54 | 8 | 107 | .1 | 40 | 24 | 2464 | 4.06 | 2 | 5 | ND | 1 | 56 | .5 | 2 | 2 | 87 | .77 | .168 | 5 | 152 | 1.36 | 161 | .03 | 2 | 1.83 | .01 | .10 | 1 |
| 52500N | 50550E | 1 | 164 | 6 | 97 | .1 | 23 | 21 | 1189 | 4.89 | 5 | 5 | ND | 1 | 64 | .4 | 2 | 8 | 110 | .54 | .111 | 10 | 49 | 1.84 | 121 | .10 | 2 | 2.83 | .01 | .17 | 1 |
| 52500N | 50600E | 1 | 139 | 8 | 90 | .3 | 27 | 21 | 906 | 5.36 | 4 | 5 | ND | 2 | 62 | .3 | 2 | 2 | 116 | .56 | .125 | 9 | 58 | 1.85 | 85 | .14 | 2 | 2.79 | .01 | .18 | 1 |
| 52500N | 50650E | 1 | 161 | 7 | 101 | .1 | 22 | 19 | 1041 | 5.24 | 9 | 5 | ND | 1 | 94 | .5 | 2 | 7 | 120 | .66 | .142 | 8 | 55 | 1.72 | 75 | .13 | 4 | 2.56 | .01 | .31 | 1 |
| 52500N | 50750E | 1 | 159 | 9 | 85 | .3 | 15 | 17 | 828 | 4.71 | 4 | 5 | ND | 1 | 65 | .4 | 2 | 3 | 119 | .41 | .117 | 5 | 41 | 1.14 | 80 | .08 | 3 | 2.13 | .01 | .13 | 1 |
| 52500N | 50800E | 1 | 303 | 9 | 110 | .5 | 19 | 22 | 883 | 5.69 | 11 | 5 | ND | 1 | 65 | .5 | 2 | 13 | 147 | .73 | .197 | 7 | 47 | 1.75 | 69 | .18 | 2 | 2.76 | .02 | .37 | 1 |

GEOCHEMICAL ANALYSIS CERTIFICATE

MINCORD EXPLORATION

Project: 282
 Report No. 9110102
 Sample Type: Soils
 Date: August 21, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm.
 Au Analysis - 10 gram sample is digested with aqua regia, MIRK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au* ppb |
|----------------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|-------|------|------|--------|--------|------|--------|------|-------|------|------|-----|-------|---------|
| 50800N 50000E | 1 | 19 | 5 | 80 | .1 | 10 | 16 | 776 | 2.85 | 2 | 5 | ND | 1 | 42 | .2 | 2 | 2 | 77 | .33 | .065 | 2 | 16 | .92 | 84 | .11 | 5 | 1.25 | .03 | .35 | 1 | 9 |
| 50800N 50050E | 1 | 175 | 5 | 142 | .5 | 15 | 23 | 1835 | 4.38 | 5 | 5 | ND | 1 | 91 | .2 | 2 | 2 | 125 | 1.04 | .105 | 6 | 26 | 1.79 | 108 | .11 | 4 | 2.80 | .01 | .19 | 1 | 11 |
| 50800N 50100E | 2 | 100 | 5 | 128 | .4 | 21 | 14 | 586 | 3.54 | 2 | 9 | ND | 1 | 74 | .2 | 2 | 2 | 72 | .75 | .058 | 7 | 35 | 1.01 | 67 | .07 | 2 | 1.82 | .01 | .08 | 1 | 15 |
| 50800N 50150E | 2 | 213 | 8 | 96 | 1.2 | 14 | 12 | 756 | 3.01 | 2 | 5 | ND | 1 | 70 | .2 | 2 | 2 | 62 | 1.51 | .114 | 11 | 28 | .66 | 57 | .03 | 2 | 2.10 | .01 | .04 | 1 | 5 |
| 50800N 50200E | 5 | 420 | 10 | 170 | .7 | 28 | 30 | 2315 | 5.06 | 69 | 5 | ND | 1 | 139 | .4 | 2 | 2 | 128 | 1.33 | .102 | 6 | 48 | 2.27 | 62 | .08 | 2 | 3.55 | .01 | .08 | 1 | 51 |
| 50800N 50250E | 1 | 110 | 7 | 88 | .6 | 20 | 13 | 472 | 3.34 | 8 | 12 | ND | 1 | 45 | .2 | 2 | 2 | 72 | .27 | .073 | 7 | 33 | .98 | 51 | .07 | 4 | 2.23 | .01 | .05 | 1 | 18 |
| 50800N 50300E | 1 | 45 | 6 | 78 | .4 | 10 | 13 | 572 | 3.78 | 7 | 5 | ND | 1 | 57 | .2 | 2 | 2 | 88 | .32 | .104 | 3 | 26 | .78 | 42 | .04 | 2 | 1.88 | .01 | .06 | 1 | 30 |
| 50800N 50350E | 1 | 68 | 11 | 101 | .4 | 14 | 19 | 938 | 4.76 | 12 | 5 | ND | 1 | 68 | .2 | 2 | 2 | 102 | .40 | .196 | 4 | 28 | 1.18 | 43 | .05 | 4 | 2.88 | .01 | .07 | 2 | 32 |
| 50800N 50400E | 1 | 78 | 6 | 81 | .2 | 18 | 16 | 597 | 4.22 | 7 | 6 | ND | 1 | 82 | .2 | 2 | 2 | 87 | .41 | .162 | 6 | 38 | 1.12 | 78 | .06 | 4 | 2.88 | .02 | .07 | 1 | 27 |
| 50800N 50450E | 1 | 38 | 6 | 84 | .6 | 12 | 11 | 614 | 2.51 | 2 | 5 | ND | 1 | 54 | .2 | 2 | 2 | 70 | .34 | .076 | 4 | 24 | .78 | 79 | .05 | 3 | 1.69 | .01 | .08 | 1 | 6 |
| 50800N 50500E | 1 | 41 | 2 | 60 | .2 | 10 | 10 | 323 | 2.40 | 2 | 10 | ND | 1 | 68 | .2 | 2 | 2 | 59 | .39 | .110 | 2 | 24 | .60 | 72 | .01 | 2 | 1.57 | .01 | .06 | 1 | 17 |
| 50800N 50550E | 1 | 244 | 27 | 126 | .5 | 21 | 24 | 1264 | 4.48 | 4 | 5 | ND | 1 | 239 | .2 | 2 | 2 | 97 | .72 | .120 | 5 | 46 | 1.88 | 88 | .07 | 2 | 3.26 | .01 | .08 | 1 | 58 |
| 50800N 50600E | 14 | 664 | 47 | 126 | 3.4 | 29 | 51 | 2985 | 7.50 | 13 | 5 | ND | 1 | 85 | .6 | 3 | 12 | 100 | .86 | .122 | 9 | 44 | 2.59 | 28 | .08 | 6 | 3.01 | .01 | .10 | 2 | 1610 |
| 50800N 50650E | 1 | 151 | 3 | 88 | .4 | 19 | 29 | 773 | 5.70 | 24 | 7 | ND | 1 | 199 | .2 | 2 | 2 | 99 | 1.10 | .169 | 5 | 21 | 1.14 | 41 | .02 | 2 | 3.03 | .02 | .04 | 1 | 8 |
| 50800N 50700E | 1 | 87 | 4 | 96 | .3 | 22 | 20 | 840 | 4.35 | 8 | 5 | ND | 1 | 149 | .2 | 2 | 2 | 78 | .61 | .108 | 7 | 26 | 1.27 | 69 | .04 | 2 | 2.73 | .01 | .06 | 1 | 68 |
| 50800N 50750E | 1 | 66 | 2 | 86 | .3 | 10 | 15 | 703 | 3.71 | 4 | 6 | ND | 1 | 314 | .2 | 2 | 2 | 79 | .39 | .104 | 4 | 15 | .99 | 94 | .02 | 3 | 2.42 | .01 | .06 | 1 | 19 |
| 50800N 50800E | 1 | 43 | 2 | 79 | .2 | 15 | 17 | 612 | 4.27 | 5 | 6 | ND | 1 | 316 | .2 | 2 | 2 | 79 | .56 | .086 | 5 | 16 | 1.13 | 113 | .04 | 2 | 2.28 | .01 | .06 | 1 | 49 |
| 50800N 50850E | 1 | 76 | 5 | 96 | .2 | 15 | 21 | 2249 | 3.95 | 9 | 5 | ND | 1 | 272 | .2 | 2 | 2 | 77 | .49 | .125 | 5 | 17 | 1.08 | 146 | .03 | 4 | 2.59 | .01 | .08 | 1 | 56 |
| 50800N 50900E | 1 | 151 | 9 | 93 | .5 | 17 | 19 | 787 | 4.15 | 13 | 5 | ND | 1 | 189 | .3 | 2 | 2 | 80 | .41 | .108 | 6 | 24 | 1.06 | 129 | .03 | 3 | 3.08 | .01 | .05 | 1 | 40 |
| 50800N 50950E | 6 | 777 | 25 | 145 | 2.1 | 17 | 39 | 4855 | 6.03 | 19 | 5 | ND | 1 | 70 | 1.5 | 2 | 6 | 78 | .61 | .138 | 7 | 12 | 1.29 | 140 | .02 | 2 | 2.87 | .01 | .11 | 1 | 221 |
| 50800N 51000E | 1 | 146 | 11 | 171 | .4 | 11 | 25 | 942 | 5.55 | 11 | 5 | ND | 1 | 63 | .6 | 2 | 3 | 127 | .37 | .118 | 2 | 17 | 1.15 | 96 | .02 | 2 | 3.19 | .01 | .06 | 1 | 27 |
| 50900N 50000E | 1 | 45 | 5 | 93 | .3 | 8 | 14 | 1056 | 3.66 | 2 | 5 | ND | 1 | 59 | .2 | 2 | 2 | 93 | .34 | .130 | 2 | 20 | .72 | 123 | .05 | 2 | 1.36 | .01 | .21 | 1 | 10 |
| 50900N 50050E | 1 | 95 | 4 | 131 | .2 | 11 | 23 | 2318 | 4.83 | 4 | 5 | ND | 1 | 68 | .2 | 2 | 2 | 131 | .64 | .091 | 5 | 19 | 1.58 | 99 | .13 | 2 | 2.67 | .01 | .17 | 1 | 9 |
| 50900N 50100E | 1 | 149 | 2 | 54 | .9 | 7 | 6 | 322 | 1.46 | 2 | 5 | ND | 1 | 116 | .2 | 2 | 2 | 41 | 2.62 | .148 | 4 | 22 | .28 | 56 | .03 | 6 | .93 | .01 | .05 | 1 | 13 |
| 50900N 50150E | 2 | 231 | 5 | 113 | .9 | 30 | 16 | 1532 | 3.51 | 6 | 5 | ND | 1 | 66 | .2 | 2 | 2 | 87 | 1.21 | .133 | 13 | 68 | 1.07 | 55 | .04 | 5 | 2.19 | .01 | .07 | 1 | 17 |
| 50900N 50200E | 2 | 44 | 5 | 72 | .1 | 12 | 12 | 540 | 4.49 | 5 | 6 | ND | 1 | 47 | .2 | 2 | 2 | 126 | .18 | .070 | 5 | 32 | .72 | 45 | .12 | 2 | 1.75 | .01 | .05 | 1 | 15 |
| 50900N 50250E | 1 | 222 | 10 | 163 | .4 | 19 | 24 | 1828 | 4.70 | 18 | 5 | ND | 1 | 106 | .2 | 2 | 3 | 111 | .70 | .085 | 6 | 36 | 1.93 | 84 | .07 | 3 | 3.42 | .01 | .06 | 1 | 28 |
| 50900N 50300E | 1 | 62 | 7 | 54 | 2.1 | 9 | 5 | 194 | 1.51 | 3 | 5 | ND | 1 | 33 | .2 | 2 | 2 | 35 | .16 | .109 | 6 | 19 | .37 | 42 | .01 | 3 | 1.88 | .01 | .05 | 1 | 3 |
| 50900N 50350E | 1 | 41 | 4 | 80 | .6 | 13 | 12 | 618 | 3.47 | 5 | 5 | ND | 1 | 43 | .2 | 2 | 2 | 79 | .19 | .084 | 5 | 25 | .78 | 33 | .06 | 2 | 2.22 | .01 | .05 | 1 | 12 |
| 50900N 50400E | 1 | 55 | 4 | 70 | .6 | 12 | 12 | 397 | 3.02 | 3 | 5 | ND | 1 | 64 | .2 | 2 | 2 | 70 | .33 | .086 | 4 | 25 | .77 | 32 | .05 | 2 | 2.26 | .01 | .04 | 1 | 21 |
| 50900N 50450E | 1 | 93 | 2 | 104 | .5 | 18 | 20 | 858 | 4.58 | 12 | 5 | ND | 1 | 62 | .2 | 2 | 2 | 85 | .38 | .139 | 3 | 44 | 1.61 | 38 | .04 | 2 | 3.17 | .01 | .06 | 1 | 114 |
| 50900N 50500E | 1 | 66 | 3 | 82 | .4 | 18 | 14 | 494 | 3.53 | 7 | 5 | ND | 1 | 80 | .2 | 2 | 3 | 78 | .53 | .059 | 6 | 36 | 1.25 | 54 | .07 | 2 | 2.52 | .01 | .06 | 1 | 15 |
| 50900N 50550E | 1 | 170 | 8 | 94 | .8 | 12 | 15 | 811 | 3.04 | 7 | 5 | ND | 1 | 125 | .3 | 2 | 2 | 71 | 1.00 | .128 | 4 | 30 | .92 | 57 | .04 | 3 | 2.09 | .02 | .07 | 1 | 9 |
| 50900N 50650E | 1 | 251 | 18 | 90 | .6 | 20 | 22 | 866 | 4.57 | 15 | 5 | ND | 1 | 364 | .4 | 2 | 2 | 101 | .90 | .111 | 6 | 45 | 1.51 | 49 | .07 | 2 | 3.15 | .01 | .08 | 1 | 109 |
| 50900N 50700E | 1 | 238 | 10 | 96 | .4 | 19 | 22 | 1078 | 4.10 | 17 | 5 | ND | 1 | 417 | .4 | 2 | 2 | 87 | .78 | .147 | 5 | 33 | 1.25 | 68 | .04 | 2 | 2.98 | .02 | .08 | 1 | 20 |
| 50900N 50750E | 1 | 94 | 8 | 109 | .4 | 16 | 16 | 1024 | 4.05 | 9 | 5 | ND | 1 | 361 | .3 | 2 | 2 | 88 | .50 | .138 | 5 | 23 | 1.02 | 81 | .03 | 3 | 2.83 | .02 | .05 | 1 | 67 |
| 50900N 50800E | 1 | 219 | 7 | 71 | .4 | 16 | 17 | 866 | 3.42 | 5 | 5 | ND | 1 | 425 | .2 | 2 | 2 | 65 | 1.04 | .092 | 5 | 18 | 1.15 | 88 | .04 | 2 | 3.72 | .02 | .05 | 1 | 23 |
| 50900N 50850E | 1 | 30 | 5 | 70 | .2 | 8 | 15 | 1858 | 2.40 | 3 | 5 | ND | 1 | 232 | .4 | 2 | 2 | 47 | .72 | .287 | 3 | 11 | .63 | 139 | .01 | 2 | 2.64 | .01 | .06 | 1 | 24 |
| 50900N 50900E | 1 | 31 | 6 | 77 | .1 | 19 | 15 | 932 | 3.03 | 3 | 5 | ND | 1 | 566 | .2 | 2 | 2 | 54 | .95 | .111 | 5 | 19 | .92 | 226 | .03 | 2 | 2.79 | .02 | .07 | 1 | 76 |
| 50900N 50950E | 1 | 47 | 18 | 90 | .2 | 9 | 27 | 2102 | 4.34 | 6 | 5 | ND | 1 | 532 | .4 | 2 | 2 | 89 | 1.31 | .138 | 3 | 8 | 1.14 | 170 | .01 | 2 | 4.21 | .02 | .15 | 1 | 79 |
| 50900N 51000E | 1 | 232 | 10 | 177 | .4 | 16 | 27 | 1512 | 4.90 | 10 | 5 | ND | 1 | 53 | .4 | 2 | 2 | 108 | .34 | .131 | 3 | 21 | 1.84 | 94 | .03 | 3 | 3.65 | .01 | .12 | 1 | 21 |
| 51000N 50000E | 1 | 239 | 10 | 112 | .1 | 20 | 24 | 1299 | 5.12 | 6 | 5 | ND | 1 | 128 | .2 | 2 | 2 | 121 | .67 | .127 | 7 | 29 | 1.78 | 117 | .14 | 2 | 2.88 | .01 | .23 | 1 | 22 |
| 51000N 50050E | 1 | 48 | 4 | 94 | .1 | 13 | 21 | 900 | 4.68 | 2 | 5 | ND | 1 | 121 | .2 | 2 | 2 | 115 | .47 | .100 | 4 | 21 | 1.52 | 79 | .09 | 2 | 2.61 | .01 | .08 | 1 | 58 |
| 51000N 50100E | 1 | 51 | 3 | 63 | .1 | 14 | 17 | 505 | 4.46 | 2 | 5 | ND | 1 | 61 | .2 | 2 | 2 | 143 | .39 | .057 | 2 | 34 | 1.42 | 39 | .18 | 2 | 2.16 | .01 | .10 | 1 | 26 |
| 51000N 50150E | 2 | 43 | 10 | 110 | .3 | 14 | 15 | 925 | 4.40 | 2 | 5 | ND | 1 | 67 | .2 | 2 | 2 | 111 | .28 | .092 | 4 | 47 | 1.05 | 71 | .05 | 2 | 1.92 | .01 | .11 | 1 | 40 |
| 51000N 50200E | 1 | 69 | 9 | 73 | .3 | 12 | 14 | 634 | 3.83 | 4 | 5 | ND | 1 | 47 | .2 | 2 | 2 | 103 | .28 | .086 | 4 | 33 | 1.03 | 42 | .10 | 2 | 2.17 | .01 | .07 | 1 | 30 |
| 51000N 50250E | 2 | 55 | 8 | 67 | .7 | 11 | 10 | 328 | 3.24 | 3 | 5 | ND | 1 | 49 | .2 | 2 | 2 | 77 | .20 | .052 | 6 | 27 | .64 | 49 | .07 | 2 | 1.98 | .01 | .05 | 1 | 12 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|-----|----|-----|-----|----|----|------|------|----|---|----|---|-----|-----|---|----|-----|------|------|---|-----|------|-----|-----|----|------|-----|-----|---|-----|
| 51000N 50300E | 2 | 32 | 14 | 44 | 1.5 | 9 | 6 | 201 | 1.77 | 2 | 5 | ND | 1 | 45 | .2 | 2 | 2 | 47 | .20 | .063 | 7 | 21 | .38 | 57 | .03 | 2 | 1.57 | .01 | .04 | 1 | 18 |
| 51000N 50350E | 2 | 52 | 8 | 100 | .4 | 16 | 13 | 784 | 3.19 | 7 | 5 | ND | 1 | 89 | .2 | 2 | 2 | 90 | .93 | .101 | 3 | 32 | 1.16 | 50 | .04 | 7 | 2.39 | .01 | .07 | 1 | 17 |
| 51000N 50400E | 1 | 67 | 11 | 70 | 1.0 | 16 | 17 | 527 | 4.69 | 10 | 5 | ND | 1 | 80 | .2 | 2 | 2 | 95 | .32 | .096 | 2 | 54 | 1.20 | 33 | .06 | 2 | 3.06 | .01 | .05 | 2 | 26 |
| 51000N 50450E | 1 | 29 | 5 | 56 | .7 | 9 | 8 | 512 | 2.49 | 2 | 5 | ND | 1 | 75 | .2 | 2 | 2 | 64 | .27 | .090 | 3 | 32 | .54 | 51 | .05 | 2 | 1.62 | .01 | .07 | 1 | 25 |
| 51000N 50500E | 1 | 61 | 8 | 72 | 1.0 | 10 | 12 | 550 | 3.48 | 2 | 5 | ND | 1 | 91 | .2 | 2 | 2 | 75 | .28 | .121 | 2 | 35 | .86 | 44 | .03 | 4 | 2.07 | .01 | .06 | 1 | 27 |
| 51000N 50550E | 1 | 89 | 22 | 104 | 2.2 | 19 | 16 | 560 | 4.62 | 8 | 5 | ND | 1 | 157 | .2 | 2 | 2 | 93 | .47 | .171 | 4 | 48 | 1.18 | 88 | .06 | 5 | 2.96 | .01 | .09 | 2 | 41 |
| 51000N 50600E | 1 | 168 | 16 | 119 | .3 | 16 | 20 | 1007 | 4.36 | 2 | 5 | ND | 1 | 176 | .3 | 2 | 2 | 117 | .49 | .124 | 5 | 36 | 1.53 | 60 | .06 | 3 | 2.92 | .01 | .08 | 1 | 11 |
| 51000N 50650E | 1 | 50 | 7 | 86 | .2 | 11 | 11 | 319 | 3.26 | 2 | 5 | ND | 1 | 144 | .2 | 2 | 2 | 70 | .38 | .128 | 3 | 32 | .72 | 76 | .01 | 2 | 1.64 | .01 | .09 | 1 | 12 |
| 51000N 50700E | 1 | 257 | 6 | 142 | .3 | 19 | 20 | 956 | 4.08 | 2 | 5 | ND | 1 | 316 | .3 | 2 | 2 | 96 | .74 | .106 | 3 | 46 | 1.60 | 55 | .10 | 2 | 2.92 | .02 | .18 | 1 | 9 |
| 51000N 50800E | 1 | 56 | 6 | 128 | .3 | 8 | 13 | 1724 | 2.32 | 2 | 5 | ND | 1 | 208 | 1.5 | 2 | 2 | 44 | 1.53 | .190 | 3 | 12 | .83 | 156 | .01 | 5 | 1.69 | .01 | .11 | 1 | 19 |
| 51000N 50850E | 1 | 95 | 17 | 136 | .6 | 16 | 21 | 2015 | 4.00 | 7 | 5 | ND | 1 | 538 | .6 | 2 | 2 | 79 | 1.12 | .106 | 7 | 21 | 1.65 | 269 | .03 | 2 | 3.42 | .01 | .12 | 1 | 87 |
| 51000N 50900E | 1 | 60 | 8 | 83 | .1 | 17 | 16 | 914 | 3.70 | 3 | 5 | ND | 1 | 404 | .2 | 2 | 2 | 69 | .91 | .124 | 5 | 20 | .98 | 136 | .03 | 3 | 2.73 | .01 | .10 | 1 | 21 |
| 51000N 50950E | 1 | 72 | 4 | 73 | .3 | 13 | 15 | 848 | 3.21 | 6 | 5 | ND | 1 | 94 | .2 | 2 | 2 | 66 | .38 | .207 | 4 | 18 | .89 | 85 | .01 | 2 | 2.58 | .01 | .05 | 1 | 14 |
| 51000N 51000E | 1 | 247 | 9 | 86 | .3 | 39 | 32 | 1573 | 4.55 | 14 | 5 | ND | 1 | 125 | .3 | 2 | 4 | 92 | 1.38 | .077 | 3 | 108 | 1.60 | 51 | .10 | 2 | 3.31 | .02 | .06 | 1 | 12 |
| 51100N 50000E | 1 | 165 | 11 | 99 | .6 | 11 | 24 | 1214 | 5.44 | 4 | 5 | ND | 1 | 159 | .2 | 2 | 5 | 112 | .89 | .158 | 8 | 20 | 1.57 | 141 | .13 | 2 | 2.28 | .01 | .27 | 1 | 550 |
| 51100N 50150E | 1 | 42 | 9 | 54 | .4 | 9 | 10 | 356 | 3.57 | 2 | 5 | ND | 1 | 42 | .2 | 2 | 2 | 96 | .29 | .106 | 4 | 29 | .86 | 39 | .10 | 2 | 1.81 | .01 | .08 | 1 | 26 |
| 51100N 50200E | 1 | 35 | 7 | 53 | .8 | 9 | 9 | 283 | 3.13 | 2 | 5 | ND | 1 | 43 | .2 | 2 | 2 | 86 | .22 | .062 | 3 | 27 | .61 | 28 | .08 | 2 | 1.75 | .01 | .04 | 1 | 89 |
| 51100N 50250E | 2 | 44 | 7 | 75 | .2 | 16 | 10 | 313 | 3.06 | 4 | 5 | ND | 1 | 58 | .2 | 2 | 2 | 74 | .38 | .056 | 7 | 32 | .70 | 42 | .08 | 2 | 1.74 | .01 | .06 | 1 | 13 |
| 51100N 50300E | 1 | 142 | 8 | 62 | .9 | 11 | 10 | 308 | 2.94 | 11 | 8 | ND | 1 | 66 | .2 | 2 | 2 | 78 | .39 | .074 | 6 | 30 | .73 | 45 | .06 | 2 | 2.21 | .01 | .05 | 1 | 16 |
| 51100N 50350E | 1 | 62 | 9 | 62 | .5 | 12 | 11 | 593 | 3.57 | 5 | 5 | ND | 1 | 68 | .2 | 2 | 2 | 78 | .28 | .142 | 4 | 34 | .72 | 38 | .05 | 2 | 2.34 | .01 | .05 | 1 | 31 |
| 51100N 50400E | 1 | 70 | 9 | 86 | .9 | 17 | 17 | 796 | 5.50 | 3 | 5 | ND | 1 | 102 | .2 | 2 | 2 | 106 | .39 | .222 | 2 | 62 | 1.17 | 36 | .05 | 3 | 2.50 | .01 | .06 | 1 | 23 |
| 51100N 50450E | 1 | 84 | 12 | 81 | .5 | 19 | 18 | 559 | 5.28 | 5 | 6 | ND | 1 | 78 | .2 | 2 | 6 | 97 | .34 | .216 | 3 | 53 | 1.31 | 33 | .05 | 2 | 3.27 | .01 | .05 | 1 | 51 |
| 51100N 50500E | 1 | 49 | 10 | 97 | .9 | 13 | 14 | 725 | 4.10 | 4 | 5 | ND | 1 | 80 | .3 | 2 | 4 | 91 | .32 | .139 | 3 | 40 | .93 | 38 | .07 | 2 | 2.44 | .01 | .06 | 1 | 22 |
| 51100N 50550E | 1 | 64 | 5 | 80 | .4 | 15 | 13 | 729 | 3.49 | 2 | 5 | ND | 1 | 81 | .2 | 2 | 2 | 82 | .39 | .088 | 6 | 33 | .79 | 55 | .07 | 2 | 1.89 | .01 | .09 | 1 | 17 |
| 51100N 50600E | 1 | 53 | 2 | 105 | .1 | 16 | 16 | 626 | 3.59 | 2 | 5 | ND | 1 | 109 | .2 | 2 | 3 | 97 | .50 | .082 | 4 | 32 | 1.33 | 30 | .10 | 2 | 2.14 | .02 | .09 | 1 | 181 |
| 51100N 50650E | 2 | 160 | 4 | 134 | .5 | 14 | 13 | 1200 | 3.09 | 2 | 5 | ND | 1 | 225 | .4 | 2 | 8 | 67 | .66 | .215 | 3 | 34 | 1.02 | 99 | .02 | 2 | 2.39 | .02 | .08 | 1 | 5 |
| 51100N 50700E | 1 | 148 | 2 | 238 | .9 | 14 | 14 | 684 | 3.64 | 2 | 5 | ND | 1 | 548 | .2 | 2 | 7 | 106 | .95 | .065 | 2 | 48 | 1.56 | 181 | .15 | 2 | 3.53 | .03 | .13 | 1 | 5 |
| 51100N 50750E | 2 | 112 | 5 | 116 | .3 | 15 | 14 | 724 | 4.61 | 3 | 5 | ND | 1 | 201 | .2 | 2 | 14 | 114 | .46 | .074 | 3 | 44 | 1.17 | 85 | .07 | 2 | 2.53 | .02 | .08 | 1 | 30 |
| 51100N 50800E | 3 | 254 | 4 | 117 | .1 | 16 | 20 | 2238 | 5.08 | 2 | 5 | ND | 1 | 259 | .2 | 2 | 17 | 120 | .49 | .125 | 4 | 49 | 1.87 | 158 | .05 | 2 | 3.51 | .01 | .10 | 1 | 68 |
| 51200N 50050E | 5 | 71 | 4 | 80 | .7 | 13 | 15 | 1209 | 3.65 | 2 | 5 | ND | 1 | 86 | .2 | 2 | 2 | 108 | .73 | .101 | 5 | 30 | 1.08 | 82 | .06 | 2 | 2.21 | .01 | .09 | 1 | 24 |
| 51200N 50100E | 5 | 91 | 10 | 89 | .4 | 14 | 13 | 1968 | 3.34 | 2 | 5 | ND | 1 | 52 | .2 | 2 | 11 | 89 | .45 | .094 | 7 | 34 | 1.02 | 72 | .09 | 2 | 2.15 | .01 | .08 | 1 | 6 |
| 51200N 50150E | 3 | 45 | 3 | 87 | .4 | 12 | 12 | 617 | 3.18 | 2 | 5 | ND | 1 | 73 | .2 | 2 | 3 | 94 | .52 | .067 | 5 | 27 | .96 | 50 | .11 | 2 | 2.01 | .01 | .09 | 1 | 16 |
| 51200N 50200E | 3 | 230 | 6 | 119 | .5 | 17 | 18 | 959 | 4.05 | 5 | 5 | ND | 1 | 131 | .3 | 2 | 10 | 104 | 1.33 | .139 | 3 | 40 | 1.46 | 51 | .08 | 2 | 2.31 | .02 | .09 | 1 | 35 |
| 51200N 50250E | 2 | 123 | 5 | 125 | .4 | 19 | 22 | 1332 | 4.54 | 6 | 5 | ND | 1 | 132 | .3 | 2 | 18 | 105 | .94 | .108 | 3 | 45 | 1.55 | 80 | .09 | 7 | 2.26 | .02 | .13 | 1 | 34 |
| 51200N 50300E | 4 | 196 | 8 | 111 | .3 | 16 | 21 | 1029 | 4.27 | 7 | 5 | ND | 1 | 122 | .3 | 2 | 14 | 102 | .97 | .126 | 4 | 35 | 1.53 | 49 | .10 | 2 | 2.38 | .01 | .15 | 1 | 61 |
| 51200N 50350E | 3 | 143 | 3 | 117 | .6 | 17 | 21 | 869 | 4.92 | 8 | 5 | ND | 1 | 96 | .3 | 2 | 7 | 112 | .58 | .122 | 4 | 37 | 1.63 | 57 | .10 | 2 | 3.13 | .01 | .11 | 1 | 28 |
| 51200N 50400E | 5 | 144 | 4 | 132 | .9 | 17 | 21 | 802 | 5.18 | 7 | 5 | ND | 1 | 101 | .2 | 2 | 13 | 115 | .67 | .158 | 3 | 28 | 1.55 | 60 | .09 | 2 | 3.03 | .01 | .09 | 1 | 24 |
| 51200N 50450E | 3 | 111 | 5 | 131 | .4 | 14 | 18 | 720 | 4.44 | 7 | 5 | ND | 1 | 112 | .3 | 2 | 6 | 116 | .68 | .094 | 2 | 32 | 1.43 | 52 | .08 | 2 | 2.51 | .01 | .09 | 1 | 30 |
| 51200N 50500E | 3 | 209 | 5 | 134 | .5 | 23 | 19 | 677 | 4.05 | 4 | 5 | ND | 1 | 97 | .7 | 2 | 7 | 102 | .65 | .108 | 6 | 46 | 1.70 | 71 | .08 | 14 | 3.00 | .02 | .08 | 1 | 1 |
| 51200N 50550E | 5 | 156 | 2 | 175 | .3 | 23 | 22 | 1207 | 5.40 | 10 | 5 | ND | 1 | 155 | .5 | 7 | 12 | 125 | .78 | .125 | 5 | 52 | 1.90 | 57 | .16 | 3 | 2.89 | .02 | .20 | 4 | 41 |
| 51200N 50600E | 4 | 88 | 4 | 94 | .2 | 13 | 12 | 802 | 3.39 | 5 | 5 | ND | 1 | 75 | .2 | 2 | 7 | 92 | .29 | .137 | 4 | 32 | .98 | 68 | .03 | 2 | 2.52 | .01 | .11 | 1 | 21 |
| 51200N 50650E | 3 | 145 | 6 | 98 | .3 | 17 | 15 | 657 | 3.76 | 4 | 5 | ND | 1 | 200 | .2 | 2 | 16 | 98 | .74 | .119 | 4 | 39 | 1.37 | 64 | .06 | 2 | 2.42 | .03 | .07 | 1 | 32 |
| 51200N 50700E | 4 | 188 | 17 | 123 | .3 | 20 | 23 | 1382 | 5.16 | 4 | 5 | ND | 1 | 140 | .5 | 4 | 22 | 128 | .78 | .126 | 5 | 45 | 2.26 | 48 | .10 | 2 | 2.96 | .01 | .14 | 1 | 35 |
| 51200N 50750E | 4 | 133 | 7 | 101 | .1 | 17 | 19 | 1016 | 4.37 | 7 | 5 | ND | 1 | 209 | .2 | 2 | 13 | 107 | .65 | .116 | 4 | 36 | 1.58 | 86 | .07 | 7 | 3.00 | .02 | .08 | 1 | 17 |
| 51200N 50800E | 3 | 120 | 2 | 98 | .1 | 17 | 18 | 838 | 4.45 | 7 | 5 | ND | 1 | 92 | .2 | 2 | 21 | 105 | .46 | .069 | 4 | 34 | 1.40 | 60 | .07 | 2 | 2.79 | .01 | .08 | 1 | 19 |
| 51300N 50000E | 6 | 164 | 3 | 101 | 1.1 | 19 | 16 | 1056 | 4.02 | 3 | 5 | ND | 1 | 101 | .2 | 2 | 14 | 118 | 1.10 | .147 | 9 | 33 | 1.33 | 85 | .06 | 2 | 2.55 | .01 | .10 | 1 | 34 |
| 51300N 50050E | 3 | 64 | 6 | 68 | .3 | 10 | 13 | 555 | 4.74 | 6 | 5 | ND | 1 | 67 | .2 | 2 | 13 | 137 | .42 | .144 | 3 | 34 | 1.05 | 37 | .14 | 2 | 2.23 | .01 | .08 | 1 | 105 |
| 51300N 50100E | 3 | 152 | 6 | 127 | .4 | 19 | 19 | 727 | 4.38 | 9 | 5 | ND | 1 | 121 | .7 | 5 | 4 | 114 | 1.22 | .140 | 3 | 37 | 1.73 | 45 | .09 | 2 | 2.44 | .02 | .09 | 2 | 4 |
| 51300N 50150E | 2 | 257 | 4 | 107 | .8 | 16 | 18 | 868 | 3.80 | 11 | 5 | ND | 1 | 127 | .7 | 2 | 11 | 107 | 1.58 | .104 | 6 | 32 | 1.45 | 44 | .07 | 2 | 2.31 | .02 | .12 | 1 | 17 |
| 51300N 50200E | 5 | 76 | 2 | 81 | .4 | 18 | 12 | 504 | 4.21 | 7 | 5 | ND | 1 | 80 | .5 | 2 | 11 | 97 | .52 | .122 | 6 | 38 | 1.06 | 70 | .09 | 2 | 2.58 | .01 | .07 | 1 | 24 |
| 51300N 50250E | 3 | 85 | 2 | 82 | .8 | 19 | 15 | 865 | 3.97 | 4 | 5 | ND | 1 | 82 | .6 | 2 | 15 | 97 | .54 | .081 | 5 | 36 | 1.09 | 52 | .09 | 4 | 2.62 | .01 | .08 | 1 | 14 |
| 51300N 50300E | 3 | 82 | 6 | 84 | .5 | 18 | 15 | 543 | 5.01 | 9 | 5 | ND | 1 | 79 | .3 | 3 | 21 | 117 | .44 | .154 | 4 | 41 | 1.36 | 42 | .10 | 2 | 3.14 | .01 | .07 | 2 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|------|----|-----|-----|----|----|------|------|----|---|----|---|-----|-----|---|---|-----|------|------|----|----|------|-----|-----|---|------|-----|-----|---|-----|
| 51400N 50250E | 1 | 37 | 6 | 73 | 1.5 | 13 | 12 | 694 | 3.74 | 2 | 5 | ND | 1 | 91 | .2 | 2 | 2 | 105 | .44 | .085 | 4 | 36 | .94 | 58 | .10 | 2 | 2.24 | .01 | .09 | 1 | 13 |
| 51400N 50300E | 1 | 45 | 11 | 71 | .8 | 11 | 9 | 358 | 2.56 | 3 | 5 | ND | 1 | 122 | .8 | 2 | 4 | 76 | .57 | .051 | 6 | 31 | .66 | 75 | .10 | 2 | 1.58 | .02 | .08 | 1 | 17 |
| 51400N 50350E | 1 | 74 | 5 | 103 | .5 | 18 | 14 | 558 | 4.04 | 4 | 5 | ND | 1 | 85 | .2 | 2 | 2 | 96 | .53 | .098 | 4 | 43 | 1.22 | 57 | .09 | 2 | 2.15 | .01 | .10 | 1 | 13 |
| 51400N 50400E | 1 | 110 | 9 | 110 | .7 | 20 | 14 | 486 | 3.84 | 5 | 5 | ND | 1 | 186 | .6 | 2 | 2 | 90 | .61 | .130 | 4 | 45 | 1.30 | 100 | .05 | 2 | 2.76 | .02 | .11 | 1 | 27 |
| 51400N 50450E | 1 | 138 | 13 | 124 | .4 | 20 | 17 | 840 | 4.17 | 7 | 5 | ND | 1 | 171 | 1.0 | 5 | 2 | 109 | .72 | .087 | 4 | 45 | 1.50 | 92 | .05 | 2 | 2.91 | .02 | .13 | 2 | 15 |
| 51400N 50500E | 1 | 117 | 9 | 121 | .5 | 20 | 18 | 1800 | 4.21 | 4 | 5 | ND | 1 | 276 | .7 | 2 | 2 | 107 | 1.04 | .090 | 3 | 54 | 1.59 | 138 | .05 | 2 | 2.92 | .02 | .14 | 1 | 14 |
| 51400N 50550E | 1 | 129 | 6 | 101 | .3 | 23 | 18 | 833 | 4.19 | 6 | 5 | ND | 1 | 277 | .6 | 3 | 2 | 106 | 1.18 | .130 | 3 | 66 | 1.76 | 100 | .06 | 2 | 3.94 | .03 | .13 | 1 | 14 |
| 51400N 50600E | 1 | 262 | 5 | 93 | .2 | 26 | 25 | 1152 | 4.27 | 4 | 5 | ND | 1 | 340 | .9 | 2 | 2 | 96 | 1.30 | .104 | 4 | 45 | 1.86 | 105 | .10 | 3 | 3.81 | .02 | .19 | 1 | 21 |
| 51400N 50650E | 1 | 177 | 9 | 116 | .4 | 15 | 16 | 1163 | 4.12 | 3 | 5 | ND | 1 | 377 | .6 | 3 | 2 | 99 | .90 | .097 | 5 | 32 | 1.40 | 192 | .06 | 2 | 3.25 | .04 | .14 | 1 | 30 |
| 51400N 50700E | 1 | 78 | 7 | 136 | .3 | 6 | 8 | 1139 | 1.15 | 2 | 5 | ND | 1 | 128 | 4.0 | 2 | 2 | 26 | 1.93 | .133 | 2 | 10 | .48 | 206 | .02 | 4 | .66 | .01 | .11 | 1 | 1 |
| 51400N 50750E | 1 | 326 | 22 | 188 | .4 | 14 | 20 | 1020 | 4.25 | 12 | 5 | ND | 1 | 72 | 1.3 | 2 | 2 | 88 | .79 | .127 | 5 | 15 | 1.18 | 91 | .06 | 2 | 2.04 | .02 | .22 | 1 | 134 |
| 51400N 50800E | 1 | 125 | 12 | 115 | .1 | 21 | 23 | 925 | 5.07 | 14 | 5 | ND | 2 | 81 | .7 | 2 | 2 | 105 | .94 | .121 | 7 | 25 | 1.21 | 79 | .12 | 2 | 2.21 | .02 | .25 | 1 | 35 |
| 51400N 50850E | 1 | 117 | 8 | 184 | .1 | 23 | 33 | 1989 | 6.20 | 11 | 5 | ND | 1 | 57 | .9 | 3 | 2 | 170 | .91 | .102 | 2 | 38 | 2.18 | 147 | .15 | 2 | 3.47 | .01 | .75 | 1 | 32 |
| 51400N 50900E | 1 | 140 | 8 | 124 | .1 | 20 | 25 | 1150 | 4.74 | 12 | 5 | ND | 1 | 66 | .5 | 2 | 2 | 100 | .69 | .125 | 6 | 23 | 1.18 | 103 | .10 | 2 | 2.20 | .01 | .24 | 1 | 10 |
| 51400N 50950E | 1 | 204 | 21 | 180 | .2 | 20 | 36 | 1448 | 5.25 | 9 | 5 | ND | 1 | 100 | .9 | 2 | 2 | 106 | .82 | .112 | 5 | 19 | 1.81 | 153 | .15 | 2 | 2.74 | .01 | .43 | 1 | 25 |
| 51400N 51000E | 1 | 75 | 3 | 103 | .1 | 21 | 25 | 850 | 4.99 | 5 | 5 | ND | 1 | 59 | .6 | 2 | 2 | 108 | .44 | .055 | 5 | 20 | 1.99 | 141 | .15 | 2 | 3.11 | .01 | .36 | 1 | 6 |
| 51500N 50000E | 1 | 307 | 10 | 155 | .6 | 18 | 22 | 1819 | 4.17 | 10 | 5 | ND | 1 | 128 | 1.2 | 2 | 2 | 110 | 1.49 | .111 | 4 | 32 | 1.74 | 70 | .10 | 2 | 2.72 | .02 | .11 | 1 | 20 |
| 51500N 50050E | 1 | 87 | 6 | 101 | .4 | 19 | 15 | 693 | 3.70 | 3 | 5 | ND | 1 | 95 | .8 | 2 | 2 | 96 | 1.01 | .098 | 6 | 33 | 1.33 | 60 | .11 | 2 | 2.36 | .01 | .10 | 1 | 31 |
| 51500N 50100E | 1 | 90 | 5 | 100 | .2 | 16 | 18 | 572 | 4.06 | 3 | 5 | ND | 1 | 165 | .6 | 2 | 6 | 101 | 1.40 | .078 | 3 | 38 | 1.41 | 85 | .10 | 2 | 2.32 | .02 | .09 | 1 | 53 |
| 51500N 50150E | 1 | 83 | 4 | 93 | .2 | 16 | 14 | 696 | 5.04 | 5 | 5 | ND | 1 | 96 | .7 | 2 | 2 | 111 | .48 | .146 | 5 | 43 | 1.17 | 61 | .09 | 2 | 2.49 | .01 | .09 | 1 | 49 |
| 51500N 50200E | 1 | 53 | 6 | 65 | .7 | 12 | 11 | 345 | 4.99 | 5 | 5 | ND | 1 | 91 | .3 | 2 | 2 | 117 | .46 | .096 | 4 | 36 | .83 | 36 | .15 | 2 | 2.26 | .01 | .07 | 1 | 8 |
| 51500N 50250E | 1 | 150 | 7 | 108 | .2 | 20 | 18 | 685 | 4.69 | 6 | 5 | ND | 1 | 127 | .9 | 2 | 2 | 119 | .69 | .068 | 6 | 43 | 1.59 | 59 | .12 | 2 | 2.96 | .02 | .10 | 1 | 16 |
| 51500N 50300E | 1 | 211 | 10 | 100 | .3 | 19 | 22 | 1017 | 5.06 | 8 | 5 | ND | 1 | 231 | .7 | 2 | 2 | 117 | .92 | .151 | 7 | 41 | 1.87 | 73 | .11 | 2 | 3.08 | .02 | .17 | 1 | 54 |
| 51500N 50350E | 1 | 191 | 11 | 98 | .2 | 19 | 21 | 956 | 5.00 | 6 | 5 | ND | 1 | 233 | .9 | 2 | 2 | 118 | .94 | .126 | 6 | 40 | 1.83 | 68 | .11 | 2 | 2.94 | .02 | .11 | 1 | 52 |
| 51500N 50400E | 1 | 215 | 14 | 118 | .5 | 18 | 19 | 1492 | 4.27 | 6 | 5 | ND | 1 | 216 | 1.2 | 3 | 2 | 103 | .61 | .150 | 6 | 37 | 1.48 | 124 | .08 | 2 | 3.36 | .03 | .11 | 1 | 30 |
| 51500N 50450E | 1 | 143 | 12 | 108 | .5 | 18 | 17 | 634 | 4.14 | 7 | 5 | ND | 1 | 227 | 1.2 | 4 | 2 | 105 | .86 | .128 | 5 | 39 | 1.71 | 83 | .08 | 2 | 3.17 | .03 | .10 | 2 | 141 |
| 51500N 50500E | 1 | 187 | 16 | 104 | .5 | 23 | 26 | 1024 | 4.96 | 8 | 5 | ND | 1 | 379 | 1.6 | 2 | 2 | 112 | 1.01 | .139 | 6 | 45 | 1.90 | 101 | .16 | 2 | 3.14 | .02 | .24 | 1 | 32 |
| 51500N 50550E | 1 | 168 | 8 | 91 | .1 | 18 | 19 | 739 | 3.99 | 4 | 5 | ND | 1 | 305 | .5 | 5 | 2 | 94 | .76 | .117 | 6 | 34 | 1.57 | 86 | .07 | 2 | 3.03 | .02 | .14 | 2 | 52 |
| 51500N 50600E | 1 | 149 | 7 | 85 | .2 | 15 | 15 | 754 | 3.98 | 6 | 5 | ND | 1 | 181 | .6 | 2 | 4 | 99 | .74 | .127 | 6 | 35 | 1.26 | 107 | .05 | 2 | 2.56 | .02 | .14 | 3 | 25 |
| 51500N 50650E | 1 | 257 | 15 | 130 | .4 | 26 | 23 | 1173 | 4.83 | 4 | 5 | ND | 1 | 244 | 1.4 | 4 | 2 | 122 | 1.24 | .139 | 8 | 51 | 2.10 | 102 | .12 | 2 | 3.88 | .03 | .16 | 1 | 28 |
| 51500N 50700E | 1 | 225 | 5 | 94 | .8 | 21 | 17 | 1012 | 4.27 | 2 | 5 | ND | 1 | 195 | .2 | 2 | 2 | 98 | .87 | .100 | 7 | 40 | 1.21 | 83 | .09 | 3 | 3.03 | .02 | .11 | 1 | 24 |
| 51500N 50750E | 1 | 290 | 8 | 104 | .5 | 19 | 16 | 860 | 4.18 | 2 | 5 | ND | 1 | 243 | .5 | 2 | 2 | 93 | 1.20 | .105 | 7 | 31 | 1.26 | 55 | .11 | 3 | 3.15 | .02 | .09 | 1 | 31 |
| 51500N 50800E | 1 | 174 | 9 | 118 | .7 | 19 | 22 | 1193 | 5.31 | 4 | 5 | ND | 1 | 123 | .4 | 2 | 2 | 109 | .55 | .076 | 5 | 23 | 1.48 | 72 | .10 | 3 | 2.57 | .01 | .12 | 1 | 21 |
| 51600N 50000E | 3 | 1004 | 2 | 84 | 2.8 | 17 | 15 | 2301 | 3.42 | 2 | 5 | ND | 1 | 134 | .7 | 2 | 2 | 100 | 1.72 | .150 | 17 | 45 | .86 | 134 | .04 | 4 | 3.09 | .02 | .10 | 1 | 65 |
| 51600N 50050E | 1 | 89 | 9 | 98 | 1.0 | 18 | 16 | 615 | 4.86 | 3 | 5 | ND | 1 | 138 | .4 | 2 | 2 | 109 | .45 | .102 | 4 | 43 | 1.51 | 78 | .07 | 2 | 2.81 | .01 | .09 | 1 | 85 |
| 51600N 50100E | 1 | 70 | 8 | 112 | 1.1 | 20 | 20 | 869 | 5.49 | 4 | 5 | ND | 1 | 141 | .2 | 2 | 2 | 116 | .51 | .108 | 4 | 48 | 1.72 | 77 | .06 | 3 | 2.76 | .01 | .10 | 1 | 76 |
| 51600N 50150E | 1 | 55 | 2 | 96 | .7 | 17 | 14 | 586 | 4.68 | 2 | 5 | ND | 1 | 97 | .2 | 2 | 2 | 100 | .76 | .120 | 3 | 39 | 1.05 | 49 | .08 | 7 | 2.25 | .01 | .07 | 1 | 18 |
| 51600N 50200E | 1 | 44 | 5 | 94 | .7 | 16 | 14 | 936 | 4.55 | 2 | 5 | ND | 1 | 117 | .2 | 2 | 2 | 101 | .52 | .075 | 3 | 38 | 1.13 | 62 | .08 | 3 | 1.98 | .01 | .09 | 1 | 51 |
| 51600N 50250E | 1 | 91 | 6 | 93 | .6 | 20 | 17 | 650 | 4.85 | 4 | 5 | ND | 1 | 153 | .6 | 2 | 2 | 103 | .45 | .089 | 3 | 44 | 1.48 | 72 | .06 | 3 | 2.68 | .02 | .08 | 1 | 93 |
| 51600N 50300E | 1 | 124 | 6 | 85 | .1 | 18 | 16 | 588 | 4.61 | 5 | 5 | ND | 1 | 119 | .2 | 2 | 2 | 97 | .47 | .097 | 2 | 40 | 1.42 | 54 | .08 | 2 | 2.67 | .02 | .07 | 1 | 60 |
| 51600N 50350E | 1 | 103 | 5 | 107 | .6 | 20 | 19 | 811 | 5.24 | 3 | 5 | ND | 1 | 157 | .2 | 2 | 2 | 108 | .65 | .134 | 3 | 48 | 1.51 | 58 | .07 | 2 | 2.51 | .02 | .10 | 1 | 110 |
| 51600N 50400E | 1 | 86 | 11 | 101 | .7 | 20 | 19 | 2818 | 4.49 | 6 | 5 | ND | 1 | 174 | .2 | 2 | 2 | 95 | .61 | .126 | 4 | 40 | 1.23 | 175 | .03 | 2 | 2.38 | .02 | .14 | 1 | 72 |
| 51600N 50450E | 1 | 146 | 7 | 95 | .6 | 22 | 18 | 1288 | 4.77 | 3 | 5 | ND | 1 | 237 | .2 | 2 | 2 | 95 | .71 | .123 | 6 | 40 | 1.28 | 91 | .07 | 2 | 2.60 | .02 | .11 | 1 | 89 |
| 51600N 50500E | 1 | 172 | 5 | 89 | 1.1 | 19 | 15 | 736 | 3.89 | 2 | 5 | ND | 1 | 240 | .3 | 2 | 2 | 83 | 1.07 | .123 | 6 | 33 | 1.17 | 57 | .06 | 4 | 2.54 | .02 | .09 | 1 | 88 |
| 51600N 50550E | 1 | 187 | 17 | 112 | 1.0 | 20 | 21 | 1515 | 4.96 | 4 | 5 | ND | 1 | 235 | .4 | 2 | 2 | 119 | .72 | .122 | 5 | 45 | 1.63 | 81 | .09 | 3 | 3.21 | .01 | .14 | 1 | 6 |
| 51600N 50600E | 1 | 156 | 13 | 101 | .4 | 19 | 16 | 856 | 4.53 | 4 | 5 | ND | 1 | 201 | .7 | 2 | 2 | 101 | .82 | .109 | 4 | 34 | 1.24 | 65 | .07 | 3 | 2.42 | .02 | .10 | 1 | 71 |
| 51600N 50650E | 1 | 138 | 14 | 102 | .4 | 22 | 23 | 1527 | 5.07 | 5 | 5 | ND | 1 | 176 | .2 | 2 | 2 | 114 | .76 | .133 | 4 | 40 | 1.55 | 99 | .06 | 3 | 3.06 | .02 | .12 | 1 | 30 |
| 51600N 50700E | 1 | 209 | 12 | 103 | 1.0 | 23 | 21 | 1197 | 5.05 | 3 | 5 | ND | 1 | 223 | .7 | 2 | 2 | 120 | 1.10 | .127 | 6 | 42 | 1.70 | 84 | .11 | 5 | 2.81 | .02 | .13 | 1 | 70 |
| 51600N 50750E | 1 | 170 | 8 | 87 | .6 | 22 | 20 | 788 | 4.87 | 7 | 7 | ND | 1 | 258 | .2 | 2 | 2 | 105 | 1.20 | .101 | 5 | 39 | 1.20 | 79 | .10 | 2 | 3.38 | .02 | .13 | 1 | 24 |
| 51600N 50800E | 1 | 143 | 5 | 99 | .7 | 19 | 20 | 1169 | 4.50 | 2 | 5 | ND | 1 | 199 | .5 | 2 | 2 | 98 | .91 | .114 | 5 | 29 | 1.20 | 136 | .06 | 3 | 2.82 | .02 | .13 | 1 | 29 |
| 51600N 50850E | 1 | 107 | 18 | 104 | .3 | 14 | 19 | 1500 | 3.93 | 9 | 9 | ND | 1 | 270 | .3 | 2 | 2 | 80 | 1.36 | .111 | 3 | 15 | 1.18 | 138 | .06 | 4 | 2.62 | .02 | .15 | 1 | 35 |
| 51600N 50900E | 1 | 258 | 6 | 116 | .9 | 29 | 22 | 1311 | 4.63 | 4 | 5 | ND | 1 | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|------|----|-----|-----|----|----|------|------|----|---|----|---|-----|-----|---|----|-----|------|------|----|----|------|-----|-----|----|------|-----|-----|---|-----|
| 51700N 50750E | 1 | 151 | 14 | 102 | .4 | 20 | 26 | 1826 | 5.28 | 9 | 5 | ND | 1 | 167 | .3 | 2 | 2 | 115 | 1.34 | .139 | 11 | 38 | 2.50 | 79 | .12 | 6 | 3.50 | .01 | .29 | 1 | 53 |
| 51700N 50800E | 1 | 202 | 5 | 90 | .3 | 22 | 21 | 1014 | 4.34 | 2 | 5 | ND | 1 | 331 | .2 | 2 | 2 | 93 | 1.44 | .117 | 9 | 30 | 1.54 | 106 | .09 | 5 | 3.44 | .02 | .17 | 1 | 25 |
| 51700N 50850E | 1 | 144 | 4 | 95 | .1 | 22 | 23 | 1204 | 4.64 | 2 | 5 | ND | 1 | 238 | .2 | 2 | 2 | 99 | 1.29 | .125 | 8 | 28 | 1.86 | 111 | .09 | 3 | 3.24 | .03 | .10 | 1 | 48 |
| 51700N 50900E | 1 | 92 | 3 | 103 | .1 | 20 | 23 | 1266 | 4.72 | 2 | 5 | ND | 1 | 256 | .2 | 2 | 2 | 104 | 1.10 | .114 | 7 | 29 | 1.90 | 144 | .10 | 8 | 3.15 | .02 | .18 | 1 | 25 |
| 51800N 50000E | 1 | 209 | 10 | 115 | .2 | 22 | 27 | 1300 | 5.59 | 10 | 5 | ND | 1 | 172 | .2 | 2 | 2 | 129 | .90 | .132 | 5 | 45 | 2.31 | 46 | .11 | 7 | 2.97 | .02 | .13 | 2 | 105 |
| 51800N 50050E | 1 | 246 | 12 | 125 | .1 | 22 | 28 | 1451 | 5.63 | 8 | 5 | ND | 1 | 169 | .2 | 2 | 2 | 131 | .99 | .146 | 6 | 47 | 2.57 | 50 | .13 | 3 | 3.25 | .02 | .18 | 1 | 116 |
| 51800N 50250E | 1 | 235 | 3 | 106 | .2 | 24 | 21 | 1098 | 4.86 | 3 | 5 | ND | 1 | 191 | .2 | 2 | 2 | 110 | .68 | .133 | 6 | 48 | 1.97 | 82 | .10 | 3 | 3.42 | .01 | .13 | 1 | 89 |
| 51800N 50300E | 1 | 186 | 4 | 107 | .1 | 24 | 21 | 1884 | 4.39 | 4 | 5 | ND | 1 | 198 | .2 | 2 | 2 | 102 | .53 | .143 | 7 | 48 | 1.61 | 138 | .08 | 5 | 3.63 | .02 | .11 | 1 | 180 |
| 51800N 50350E | 1 | 97 | 2 | 96 | .2 | 20 | 19 | 579 | 4.76 | 2 | 5 | ND | 1 | 242 | .2 | 2 | 2 | 106 | .74 | .125 | 6 | 51 | 1.61 | 109 | .06 | 2 | 3.05 | .02 | .11 | 1 | 158 |
| 51800N 50400E | 1 | 167 | 6 | 91 | .4 | 19 | 19 | 807 | 4.09 | 2 | 5 | ND | 1 | 253 | .2 | 2 | 2 | 108 | .64 | .064 | 7 | 44 | 1.60 | 85 | .07 | 6 | 3.34 | .02 | .09 | 1 | 84 |
| 51800N 50450E | 1 | 111 | 8 | 93 | .3 | 24 | 23 | 874 | 5.18 | 7 | 5 | ND | 1 | 165 | .2 | 2 | 3 | 115 | .63 | .107 | 8 | 56 | 1.79 | 90 | .09 | 7 | 2.86 | .01 | .12 | 1 | 140 |
| 51800N 50500E | 1 | 206 | 9 | 92 | .5 | 24 | 24 | 981 | 4.84 | 4 | 5 | ND | 1 | 189 | .2 | 2 | 7 | 104 | 1.22 | .126 | 8 | 55 | 1.98 | 72 | .10 | 5 | 3.04 | .02 | .15 | 1 | 154 |
| 51800N 50550E | 1 | 163 | 9 | 113 | .2 | 25 | 27 | 1197 | 5.31 | 2 | 5 | ND | 1 | 161 | .2 | 2 | 2 | 112 | 1.19 | .124 | 8 | 62 | 2.41 | 64 | .11 | 6 | 3.08 | .02 | .18 | 1 | 45 |
| 51800N 50600E | 1 | 152 | 28 | 155 | .5 | 24 | 28 | 1441 | 5.35 | 12 | 5 | ND | 1 | 137 | .2 | 2 | 2 | 114 | 1.06 | .136 | 8 | 62 | 2.80 | 75 | .12 | 5 | 3.19 | .01 | .20 | 1 | 95 |
| 51800N 50650E | 1 | 257 | 20 | 135 | .6 | 19 | 26 | 1524 | 4.90 | 4 | 5 | ND | 1 | 185 | .2 | 2 | 2 | 114 | 1.48 | .139 | 7 | 48 | 2.48 | 79 | .09 | 9 | 3.45 | .02 | .19 | 1 | 85 |
| 51800N 50700E | 1 | 167 | 7 | 110 | .4 | 22 | 24 | 1198 | 4.95 | 7 | 5 | ND | 1 | 228 | .2 | 2 | 2 | 120 | 1.18 | .118 | 8 | 51 | 2.16 | 65 | .10 | 4 | 3.20 | .02 | .12 | 3 | 145 |
| 51800N 50750E | 1 | 202 | 2 | 108 | .5 | 17 | 24 | 1267 | 4.50 | 4 | 5 | ND | 1 | 238 | .2 | 2 | 2 | 100 | 1.96 | .134 | 5 | 24 | 1.90 | 71 | .07 | 6 | 4.05 | .02 | .12 | 1 | 64 |
| 51800N 50800E | 1 | 97 | 6 | 103 | .3 | 15 | 26 | 1880 | 5.76 | 3 | 5 | ND | 1 | 71 | .2 | 2 | 2 | 114 | .80 | .125 | 6 | 19 | 1.77 | 86 | .04 | 2 | 3.13 | .02 | .15 | 1 | 28 |
| 51800N 50850E | 1 | 43 | 2 | 92 | .1 | 8 | 11 | 891 | 1.80 | 2 | 5 | ND | 1 | 144 | .4 | 2 | 2 | 40 | 2.97 | .115 | 2 | 10 | .74 | 80 | .03 | 6 | 1.09 | .01 | .09 | 1 | 15 |
| 51900N 50000E | 1 | 85 | 8 | 110 | .1 | 23 | 22 | 1917 | 4.63 | 5 | 5 | ND | 1 | 145 | .3 | 2 | 2 | 119 | .64 | .070 | 4 | 65 | 1.80 | 83 | .10 | 4 | 2.38 | .02 | .11 | 1 | 65 |
| 51900N 50050E | 1 | 63 | 4 | 105 | .4 | 21 | 20 | 1230 | 4.58 | 2 | 5 | ND | 1 | 126 | .2 | 2 | 2 | 117 | .49 | .078 | 4 | 60 | 1.64 | 69 | .11 | 3 | 2.15 | .02 | .14 | 1 | 80 |
| 51900N 50100E | 1 | 46 | 4 | 74 | .7 | 14 | 15 | 622 | 3.48 | 6 | 5 | ND | 1 | 100 | .2 | 2 | 2 | 95 | .44 | .050 | 5 | 39 | 1.17 | 60 | .11 | 3 | 1.96 | .02 | .10 | 1 | 22 |
| 51900N 50150E | 1 | 100 | 4 | 98 | .1 | 18 | 18 | 916 | 4.00 | 4 | 5 | ND | 1 | 124 | .2 | 2 | 2 | 96 | .71 | .154 | 5 | 44 | 1.40 | 39 | .05 | 6 | 2.13 | .02 | .12 | 1 | 48 |
| 51900N 50200E | 1 | 270 | 5 | 110 | .2 | 25 | 25 | 1253 | 5.54 | 8 | 5 | ND | 1 | 85 | .2 | 2 | 2 | 130 | .68 | .149 | 7 | 56 | 2.06 | 50 | .14 | 10 | 3.23 | .02 | .14 | 1 | 28 |
| 51900N 50300E | 1 | 200 | 2 | 92 | .3 | 30 | 21 | 1031 | 4.37 | 6 | 6 | ND | 1 | 126 | .2 | 2 | 2 | 94 | .83 | .133 | 12 | 70 | 1.93 | 70 | .11 | 8 | 2.44 | .02 | .14 | 1 | 123 |
| 51900N 50350E | 1 | 172 | 2 | 84 | .2 | 29 | 21 | 892 | 4.47 | 3 | 5 | ND | 1 | 203 | .2 | 2 | 3 | 100 | .79 | .144 | 8 | 69 | 1.63 | 79 | .07 | 7 | 2.42 | .01 | .14 | 1 | 37 |
| 51900N 50400E | 1 | 247 | 9 | 109 | .3 | 25 | 24 | 1466 | 4.97 | 9 | 5 | ND | 1 | 202 | .2 | 2 | 2 | 122 | .99 | .171 | 9 | 49 | 2.12 | 71 | .12 | 3 | 2.76 | .02 | .21 | 1 | 167 |
| 51900N 50450E | 1 | 73 | 3 | 106 | .1 | 18 | 15 | 768 | 4.03 | 7 | 5 | ND | 1 | 248 | .4 | 2 | 2 | 92 | .50 | .154 | 5 | 38 | 1.15 | 90 | .02 | 5 | 2.83 | .01 | .12 | 1 | 40 |
| 51900N 50500E | 1 | 178 | 4 | 82 | .2 | 21 | 17 | 896 | 4.15 | 2 | 5 | ND | 1 | 358 | .2 | 2 | 2 | 103 | .76 | .089 | 6 | 42 | 1.30 | 103 | .05 | 3 | 3.37 | .01 | .15 | 1 | 70 |
| 51900N 50550E | 1 | 291 | 14 | 127 | .7 | 14 | 24 | 2433 | 3.69 | 5 | 5 | ND | 1 | 106 | 1.2 | 2 | 2 | 93 | .70 | .171 | 5 | 29 | 1.40 | 83 | .02 | 4 | 2.04 | .01 | .12 | 1 | 80 |
| 51900N 50600E | 2 | 1343 | 20 | 117 | .4 | 24 | 34 | 1169 | 5.70 | 6 | 5 | ND | 1 | 153 | .2 | 2 | 12 | 138 | .75 | .143 | 7 | 43 | 2.11 | 52 | .12 | 2 | 3.39 | .01 | .13 | 1 | 205 |
| 51900N 50650E | 1 | 775 | 13 | 156 | 1.1 | 25 | 33 | 1443 | 6.05 | 3 | 5 | ND | 1 | 350 | .4 | 2 | 5 | 161 | 1.21 | .152 | 6 | 53 | 3.11 | 49 | .16 | 6 | 4.07 | .02 | .33 | 1 | 350 |
| 51900N 50700E | 1 | 506 | 22 | 128 | 1.0 | 22 | 26 | 1038 | 5.63 | 2 | 5 | ND | 1 | 168 | .2 | 2 | 8 | 129 | .90 | .124 | 7 | 46 | 2.60 | 54 | .13 | 3 | 3.33 | .01 | .18 | 1 | 115 |
| 51900N 50750E | 1 | 654 | 18 | 126 | .9 | 25 | 31 | 1957 | 5.88 | 7 | 5 | ND | 1 | 165 | .9 | 2 | 2 | 139 | 1.11 | .113 | 6 | 56 | 2.98 | 72 | .14 | 4 | 3.79 | .01 | .21 | 1 | 220 |
| 51900N 50800E | 1 | 305 | 6 | 93 | .5 | 15 | 29 | 1361 | 5.49 | 6 | 5 | ND | 1 | 280 | .3 | 2 | 2 | 121 | 1.78 | .101 | 5 | 18 | 1.99 | 48 | .13 | 3 | 3.73 | .01 | .15 | 1 | 138 |
| 51900N 50850E | 8 | 129 | 6 | 109 | .4 | 14 | 29 | 1735 | 5.16 | 2 | 5 | ND | 1 | 629 | .2 | 2 | 2 | 116 | 1.51 | .113 | 4 | 16 | 2.16 | 111 | .08 | 2 | 4.32 | .03 | .16 | 1 | 36 |

GEOCHEMICAL ANALYSIS CERTIFICATE

MINCORD EXPLORATION

Project: 282

Report No. 9110110

Sample Type: Soils

Date: August 28, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au+ ppb |
|----------------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|-------|------|------|--------|--------|------|--------|------|-------|------|------|-----|-------|---------|
| 50000N 49500E | 2 | 306 | 4 | 107 | .5 | 9 | 23 | 2663 | 6.46 | 5 | 5 | ND | 1 | 96 | .4 | 2 | 2 | 114 | .63 | .129 | 8 | 11 | 1.36 | 289 | .15 | 8 | 3.16 | .04 | .44 | 1 | 41 |
| 50000N 49550E | 2 | 502 | 7 | 119 | .4 | 16 | 43 | 2968 | 5.29 | 11 | 5 | ND | 1 | 87 | .7 | 2 | 2 | 82 | .70 | .131 | 7 | 14 | 1.48 | 88 | .07 | 13 | 2.53 | .01 | .24 | 1 | 39 |
| 50000N 49600E | 1 | 197 | 3 | 120 | .3 | 9 | 19 | 1895 | 4.72 | 7 | 5 | ND | 1 | 180 | .6 | 2 | 2 | 109 | 1.08 | .145 | 6 | 11 | 1.40 | 107 | .10 | 4 | 2.88 | .03 | .30 | 1 | 17 |
| 50000N 49650E | 1 | 158 | 3 | 137 | .2 | 11 | 15 | 4135 | 4.88 | 6 | 5 | ND | 1 | 82 | .5 | 2 | 2 | 74 | .98 | .147 | 10 | 13 | 1.17 | 70 | .02 | 8 | 2.35 | .01 | .08 | 1 | 12 |
| 50000N 49700E | 1 | 388 | 7 | 151 | .3 | 9 | 18 | 5136 | 6.88 | 10 | 5 | ND | 1 | 154 | 1.3 | 2 | 2 | 87 | 1.05 | .156 | 8 | 10 | 1.06 | 107 | .03 | 12 | 2.49 | .01 | .09 | 1 | 18 |
| 50000N 49750E | 1 | 492 | 3 | 168 | .6 | 20 | 19 | 2845 | 4.97 | 7 | 5 | ND | 1 | 70 | .6 | 2 | 2 | 92 | .67 | .116 | 3 | 45 | 1.61 | 47 | .09 | 11 | 2.49 | .02 | .18 | 1 | 21 |
| 50000N 49800E | 1 | 886 | 5 | 216 | .9 | 21 | 24 | 6992 | 8.16 | 7 | 5 | ND | 1 | 97 | 1.5 | 2 | 2 | 98 | .89 | .110 | 4 | 51 | 1.31 | 58 | .07 | 13 | 2.40 | .01 | .16 | 1 | 33 |
| 50000N 49850E | 1 | 52 | 4 | 82 | .2 | 20 | 16 | 1350 | 4.39 | 14 | 5 | ND | 1 | 153 | .5 | 2 | 2 | 79 | .58 | .105 | 6 | 32 | 1.06 | 68 | .05 | 10 | 2.17 | .01 | .09 | 1 | 12 |
| 50000N 49900E | 1 | 36 | 6 | 81 | .3 | 19 | 14 | 2846 | 4.12 | 13 | 5 | ND | 1 | 84 | .6 | 2 | 2 | 78 | .34 | .086 | 7 | 35 | .81 | 121 | .03 | 15 | 1.98 | .01 | .05 | 1 | 15 |
| 50000N 49950E | 1 | 35 | 5 | 140 | .1 | 16 | 23 | 2170 | 4.47 | 14 | 5 | ND | 1 | 174 | .3 | 2 | 2 | 87 | .46 | .078 | 6 | 15 | 1.24 | 75 | .07 | 9 | 2.47 | .01 | .06 | 1 | 6 |
| 50000N 50000E | 1 | 57 | 6 | 87 | .2 | 20 | 14 | 949 | 4.39 | 9 | 5 | ND | 2 | 81 | .4 | 2 | 2 | 74 | .43 | .106 | 10 | 27 | .82 | 66 | .06 | 7 | 1.98 | .01 | .06 | 1 | 11 |
| 50000N 50050E | 1 | 60 | 6 | 86 | .1 | 21 | 13 | 684 | 3.50 | 10 | 5 | ND | 1 | 57 | .3 | 2 | 2 | 62 | .40 | .095 | 9 | 28 | .82 | 66 | .05 | 16 | 1.60 | .01 | .05 | 1 | 16 |
| 50000N 50100E | 1 | 30 | 13 | 108 | .4 | 15 | 15 | 2513 | 3.69 | 16 | 5 | ND | 1 | 77 | .3 | 2 | 2 | 66 | .34 | .115 | 5 | 24 | .85 | 111 | .02 | 12 | 2.09 | .01 | .09 | 1 | 27 |
| 50000N 50150E | 1 | 28 | 4 | 200 | .2 | 39 | 32 | 4625 | 6.09 | 11 | 5 | ND | 1 | 68 | .8 | 2 | 2 | 124 | .58 | .100 | 14 | 97 | 4.27 | 43 | .04 | 8 | 4.43 | .01 | .21 | 1 | 70 |
| 50000N 50200E | 1 | 105 | 5 | 110 | .2 | 25 | 19 | 1988 | 4.86 | 10 | 5 | ND | 1 | 85 | .5 | 2 | 2 | 96 | .35 | .085 | 6 | 46 | 1.73 | 68 | .05 | 13 | 2.81 | .01 | .12 | 1 | 32 |
| 50000N 50250E | 1 | 79 | 6 | 92 | .1 | 21 | 15 | 1603 | 4.16 | 10 | 5 | ND | 1 | 70 | .2 | 2 | 2 | 88 | .28 | .080 | 6 | 45 | 1.20 | 65 | .06 | 11 | 2.60 | .01 | .05 | 1 | 17 |
| 50000N 50300E | 1 | 170 | 3 | 111 | .3 | 23 | 29 | 3068 | 4.84 | 66 | 5 | ND | 1 | 75 | .4 | 2 | 2 | 73 | .27 | .117 | 5 | 32 | 1.13 | 78 | .04 | 9 | 3.04 | .01 | .05 | 1 | 25 |
| 50000N 50350E | 1 | 69 | 4 | 113 | .1 | 18 | 15 | 1456 | 4.00 | 42 | 5 | ND | 1 | 48 | .2 | 2 | 2 | 77 | .19 | .103 | 6 | 28 | 1.14 | 48 | .04 | 10 | 2.72 | .01 | .05 | 1 | 19 |
| 50000N 50400E | 1 | 154 | 6 | 89 | .4 | 19 | 15 | 1046 | 4.03 | 18 | 5 | ND | 1 | 89 | .4 | 2 | 2 | 70 | .41 | .112 | 6 | 27 | .95 | 48 | .04 | 9 | 2.80 | .01 | .05 | 1 | 11 |
| 50000N 50450E | 1 | 128 | 4 | 97 | .2 | 18 | 15 | 1153 | 4.49 | 13 | 5 | ND | 1 | 97 | .3 | 2 | 2 | 81 | .34 | .083 | 5 | 28 | 1.07 | 58 | .06 | 13 | 2.92 | .01 | .06 | 1 | 13 |
| 50000N 50500E | 1 | 104 | 8 | 120 | .1 | 15 | 16 | 1923 | 4.30 | 30 | 5 | ND | 1 | 112 | .3 | 2 | 4 | 72 | .33 | .139 | 4 | 18 | .99 | 88 | .02 | 10 | 2.82 | .01 | .06 | 1 | 16 |
| 50000N 50550E | 1 | 138 | 6 | 127 | .1 | 17 | 22 | 2386 | 4.91 | 90 | 5 | ND | 1 | 76 | .4 | 2 | 2 | 70 | .28 | .200 | 7 | 14 | 1.29 | 59 | .01 | 11 | 3.11 | .01 | .07 | 1 | 14 |
| 50000N 50600E | 1 | 93 | 3 | 119 | .4 | 17 | 14 | 1202 | 4.06 | 36 | 5 | ND | 1 | 93 | .4 | 2 | 2 | 68 | .28 | .125 | 5 | 21 | .99 | 59 | .02 | 6 | 2.88 | .01 | .06 | 1 | 7 |
| 50000N 50650E | 1 | 111 | 8 | 131 | .4 | 16 | 15 | 1137 | 4.39 | 30 | 5 | ND | 1 | 94 | .3 | 2 | 2 | 69 | .31 | .119 | 4 | 23 | .93 | 63 | .02 | 10 | 2.59 | .01 | .09 | 1 | 24 |
| 50000N 50700E | 1 | 174 | 10 | 146 | .1 | 18 | 27 | 3692 | 5.20 | 34 | 5 | ND | 1 | 53 | .3 | 2 | 2 | 88 | .25 | .128 | 5 | 28 | 1.18 | 70 | .01 | 15 | 2.70 | .01 | .06 | 1 | 151 |
| 50000N 50750E | 1 | 103 | 8 | 142 | .3 | 15 | 17 | 2102 | 5.52 | 32 | 5 | ND | 1 | 58 | .2 | 2 | 2 | 105 | .18 | .098 | 3 | 28 | .96 | 79 | .02 | 5 | 2.43 | .01 | .07 | 1 | 12 |
| 50000N 50800E | 1 | 508 | 12 | 155 | .3 | 21 | 29 | 2885 | 5.98 | 33 | 5 | ND | 1 | 74 | .4 | 2 | 2 | 102 | .41 | .114 | 5 | 32 | 1.63 | 36 | .05 | 10 | 3.00 | .01 | .08 | 1 | 62 |
| 50000N 50850E | 1 | 169 | 8 | 148 | .8 | 18 | 20 | 1814 | 5.81 | 41 | 5 | ND | 1 | 66 | .2 | 2 | 2 | 109 | .17 | .139 | 3 | 32 | 1.11 | 63 | .03 | 5 | 3.03 | .01 | .06 | 1 | 56 |
| 50000N 50900E | 1 | 64 | 7 | 111 | .6 | 13 | 12 | 1668 | 3.88 | 12 | 5 | ND | 1 | 58 | .2 | 2 | 2 | 85 | .20 | .091 | 3 | 26 | .94 | 79 | .04 | 5 | 2.12 | .01 | .06 | 1 | 19 |
| 50000N 50950E | 1 | 83 | 6 | 105 | .9 | 12 | 14 | 1672 | 4.57 | 10 | 5 | ND | 1 | 77 | .2 | 2 | 2 | 95 | .20 | .122 | 3 | 28 | .89 | 67 | .03 | 5 | 2.13 | .01 | .07 | 1 | 7 |
| 50000N 51000E | 1 | 35 | 6 | 66 | .1 | 10 | 9 | 779 | 3.42 | 6 | 5 | ND | 1 | 63 | .2 | 2 | 2 | 88 | .17 | .057 | 4 | 24 | .53 | 61 | .07 | 8 | 1.50 | .01 | .05 | 1 | 23 |
| 50100N 49500E | 2 | 230 | 5 | 114 | .1 | 12 | 20 | 1361 | 4.57 | 3 | 5 | ND | 1 | 196 | .5 | 2 | 2 | 100 | 1.08 | .132 | 5 | 20 | 1.08 | 182 | .09 | 5 | 2.98 | .04 | .38 | 1 | 25 |
| 50100N 49550E | 2 | 627 | 9 | 133 | .3 | 11 | 27 | 2343 | 6.23 | 8 | 5 | ND | 1 | 73 | .6 | 2 | 2 | 95 | .96 | .169 | 4 | 15 | 1.24 | 136 | .06 | 5 | 2.62 | .02 | .11 | 1 | 31 |
| 50100N 49600E | 1 | 371 | 3 | 159 | .1 | 11 | 21 | 2758 | 4.87 | 5 | 5 | ND | 1 | 55 | .6 | 2 | 2 | 94 | .55 | .117 | 4 | 15 | 1.73 | 64 | .10 | 7 | 3.02 | .01 | .26 | 1 | 61 |
| 50100N 49650E | 1 | 1015 | 12 | 185 | 1.4 | 14 | 20 | 4404 | 4.50 | 5 | 5 | ND | 1 | 80 | .5 | 2 | 2 | 74 | .82 | .128 | 8 | 15 | 1.56 | 125 | .05 | 5 | 2.77 | .01 | .21 | 1 | 39 |
| 50100N 49700E | 1 | 170 | 20 | 220 | .3 | 19 | 22 | 2667 | 5.05 | 10 | 5 | ND | 2 | 84 | .7 | 2 | 3 | 110 | .60 | .102 | 6 | 31 | 1.91 | 89 | .14 | 8 | 2.96 | .01 | .12 | 1 | 25 |
| 50100N 49750E | 1 | 337 | 17 | 181 | .5 | 19 | 23 | 2808 | 5.96 | 11 | 5 | ND | 2 | 58 | .7 | 2 | 2 | 101 | .74 | .122 | 6 | 27 | 1.95 | 72 | .13 | 8 | 2.65 | .01 | .44 | 1 | 28 |
| 50100N 49800E | 1 | 260 | 5 | 144 | .1 | 13 | 21 | 2445 | 5.98 | 5 | 5 | ND | 1 | 149 | .6 | 2 | 2 | 120 | .67 | .108 | 4 | 14 | 1.81 | 109 | .18 | 8 | 2.87 | .02 | .36 | 1 | 22 |
| 50100N 49850E | 1 | 98 | 2 | 145 | .2 | 17 | 21 | 1666 | 5.21 | 17 | 5 | ND | 1 | 87 | .6 | 2 | 2 | 110 | .62 | .112 | 6 | 18 | 1.75 | 82 | .15 | 9 | 2.61 | .01 | .27 | 1 | 5 |
| 50100N 49900E | 1 | 85 | 2 | 205 | .1 | 18 | 26 | 1659 | 5.59 | 19 | 5 | ND | 2 | 73 | .7 | 2 | 2 | 138 | .50 | .094 | 6 | 16 | 2.39 | 113 | .21 | 17 | 3.19 | .02 | .48 | 1 | 10 |
| 50100N 49950E | 1 | 156 | 20 | 224 | .5 | 11 | 16 | 4614 | 4.71 | 8 | 5 | ND | 1 | 73 | .8 | 2 | 2 | 72 | .53 | .129 | 9 | 13 | 1.21 | 65 | .03 | 7 | 2.70 | .01 | .14 | 1 | 182 |
| 50100N 50000E | 1 | 67 | 6 | 210 | .3 | 7 | 16 | 3435 | 4.78 | 9 | 5 | ND | 2 | 240 | .5 | 2 | 2 | 86 | .87 | .119 | 8 | 7 | 1.34 | 29 | .06 | 5 | 3.08 | .01 | .29 | 1 | 10 |
| 50100N 50050E | 1 | 331 | 4 | 185 | .3 | 13 | 14 | 1699 | 4.25 | 10 | 5 | ND | 1 | 87 | .5 | 2 | 2 | 83 | .44 | .126 | 7 | 20 | 1.31 | 41 | .04 | 10 | 2.95 | .01 | .09 | 1 | 12 |
| 50100N 50100E | 1 | 46 | 5 | 208 | .1 | 26 | 32 | 2715 | 6.42 | 17 | 5 | ND | 2 | 157 | .8 | 2 | 2 | 116 | .87 | .117 | 8 | 47 | 2.47 | 94 | .05 | 4 | 3.76 | .01 | .36 | 1 | 22 |
| 50100N 50150E | 1 | 73 | 5 | 141 | .4 | 21 | 20 | 1655 | 5.21 | 13 | 5 | ND | 3 | 86 | 1.0 | 2 | 2 | 104 | .42 | .084 | 6 | 38 | 1.51 | 72 | .08 | 16 | 2.66 | .02 | .09 | 1 | 21 |
| 50100N 50200E | 1 | 151 | 4 | 182 | .3 | 17 | 26 | 4048 | 5.98 | 29 | 5 | ND | 1 | 104 | .8 | 2 | 2 | 116 | .82 | .144 | 6 | 18 | 1.61 | 36 | .08 | 7 | 2.99 | .01 | .13 | 1 | 14 |
| 50100N 50250E | 1 | 184 | 5 | 160 | .2 | 27 | 27 | 3818 | 5.65 | 40 | 5 | ND | 1 | 200 | .9 | 2 | 2 | 104 | .69 | .098 | 5 | 54 | 2.32 | 52 | .10 | 6 | 3.56 | .01 | .16 | 1 | 28 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--------|---|-----|----|-----|-----|----|----|------|------|-----|---|----|---|-----|-----|---|----|-----|------|------|----|----|------|-----|-----|----|------|-----|-----|---|-----|
| 50100N | 50300E | 1 | 368 | 4 | 128 | .3 | 30 | 48 | 3644 | 4.67 | 21 | 5 | ND | 2 | 467 | .8 | 2 | 2 | 88 | .66 | .127 | 5 | 39 | 1.98 | 101 | .09 | 8 | 3.99 | .02 | .13 | 1 | 23 |
| 50100N | 50350E | 1 | 48 | 3 | 138 | .2 | 27 | 31 | 3710 | 5.34 | 93 | 5 | ND | 1 | 175 | .6 | 2 | 2 | 104 | 1.06 | .115 | 5 | 30 | 2.04 | 57 | .12 | 7 | 3.59 | .02 | .30 | 1 | 9 |
| 50100N | 50400E | 1 | 206 | 11 | 121 | .1 | 16 | 24 | 3489 | 4.65 | 19 | 5 | ND | 1 | 305 | .6 | 2 | 2 | 88 | .88 | .161 | 6 | 14 | 1.64 | 54 | .06 | 7 | 4.34 | .01 | .09 | 1 | 44 |
| 50100N | 50450E | 3 | 252 | 11 | 112 | .6 | 15 | 30 | 2903 | 5.52 | 21 | 5 | ND | 1 | 181 | .8 | 2 | 22 | 90 | 2.18 | .121 | 5 | 9 | 1.81 | 41 | .04 | 8 | 4.75 | .01 | .10 | 1 | 24 |
| 50100N | 50500E | 1 | 212 | 17 | 93 | .5 | 10 | 15 | 2187 | 6.32 | 23 | 5 | ND | 1 | 82 | .2 | 2 | 2 | 108 | .25 | .105 | 5 | 17 | .38 | 119 | .02 | 7 | 1.96 | .01 | .09 | 1 | 123 |
| 50100N | 50550E | 1 | 85 | 5 | 104 | .1 | 12 | 16 | 3408 | 4.77 | 41 | 5 | ND | 1 | 89 | .3 | 2 | 2 | 83 | .23 | .198 | 4 | 17 | .63 | 122 | .02 | 5 | 3.32 | .01 | .06 | 1 | 15 |
| 50100N | 50600E | 1 | 92 | 8 | 127 | .1 | 18 | 19 | 1530 | 5.28 | 47 | 5 | ND | 1 | 125 | .5 | 2 | 2 | 102 | .22 | .131 | 4 | 37 | 1.20 | 67 | .03 | 8 | 3.26 | .02 | .06 | 1 | 16 |
| 50100N | 50650E | 1 | 98 | 7 | 139 | .1 | 14 | 17 | 1880 | 4.82 | 48 | 5 | ND | 1 | 137 | .5 | 2 | 2 | 82 | .32 | .157 | 3 | 18 | 1.39 | 73 | .02 | 6 | 3.86 | .01 | .06 | 1 | 15 |
| 50100N | 50700E | 1 | 135 | 9 | 123 | .6 | 12 | 14 | 1021 | 5.45 | 58 | 5 | ND | 1 | 53 | .2 | 2 | 2 | 111 | .22 | .135 | 3 | 18 | .74 | 73 | .01 | 5 | 2.75 | .01 | .05 | 1 | 21 |
| 50100N | 50750E | 1 | 102 | 12 | 146 | .2 | 19 | 18 | 1068 | 5.51 | 25 | 5 | ND | 2 | 74 | .4 | 2 | 2 | 98 | .31 | .106 | 6 | 35 | 1.42 | 41 | .05 | 6 | 3.71 | .01 | .08 | 1 | 33 |
| 50100N | 50800E | 1 | 54 | 6 | 81 | .1 | 9 | 9 | 1150 | 3.78 | 11 | 5 | ND | 1 | 60 | .2 | 3 | 2 | 103 | .20 | .112 | 4 | 23 | .54 | 83 | .02 | 12 | 2.25 | .01 | .07 | 1 | 24 |
| 50100N | 50850E | 1 | 67 | 8 | 83 | .8 | 10 | 9 | 1752 | 4.05 | 9 | 5 | ND | 1 | 52 | .2 | 2 | 2 | 107 | .17 | .125 | 4 | 23 | .51 | 68 | .02 | 6 | 2.55 | .01 | .07 | 1 | 12 |
| 50100N | 50900E | 1 | 143 | 7 | 142 | .3 | 19 | 20 | 4384 | 5.63 | 33 | 5 | ND | 1 | 40 | .3 | 2 | 2 | 106 | .26 | .147 | 2 | 49 | .54 | 139 | .01 | 13 | 2.14 | .01 | .14 | 1 | 10 |
| 50100N | 50950E | 1 | 62 | 6 | 89 | .4 | 14 | 12 | 625 | 5.96 | 10 | 5 | ND | 1 | 88 | .2 | 2 | 2 | 124 | .25 | .217 | 4 | 38 | .88 | 44 | .07 | 9 | 3.10 | .01 | .06 | 1 | 260 |
| 50100N | 51000E | 1 | 42 | 7 | 77 | .5 | 12 | 10 | 382 | 5.22 | 7 | 5 | ND | 1 | 69 | .2 | 2 | 2 | 128 | .25 | .120 | 5 | 32 | .79 | 48 | .14 | 8 | 2.17 | .01 | .08 | 1 | 1 |
| 50200N | 49500E | 1 | 213 | 6 | 86 | 1.0 | 6 | 13 | 631 | 4.04 | 2 | 5 | ND | 1 | 188 | .5 | 2 | 2 | 99 | .77 | .090 | 3 | 8 | .58 | 372 | .03 | 12 | 2.58 | .02 | .11 | 1 | 2 |
| 50200N | 49550E | 1 | 215 | 10 | 131 | .1 | 16 | 20 | 1061 | 4.84 | 7 | 5 | ND | 1 | 234 | .9 | 2 | 2 | 117 | 1.52 | .134 | 5 | 24 | 1.36 | 258 | .10 | 20 | 4.34 | .04 | .49 | 1 | 1 |
| 50200N | 49600E | 1 | 332 | 7 | 112 | .3 | 13 | 16 | 1475 | 4.44 | 6 | 5 | ND | 1 | 155 | .5 | 2 | 2 | 97 | .93 | .139 | 9 | 19 | 1.29 | 174 | .07 | 16 | 3.27 | .01 | .17 | 1 | 240 |
| 50200N | 49650E | 1 | 118 | 7 | 246 | .1 | 13 | 15 | 1408 | 4.48 | 4 | 5 | ND | 1 | 99 | 1.9 | 2 | 2 | 125 | .74 | .119 | 7 | 16 | 1.14 | 104 | .13 | 16 | 1.90 | .01 | .14 | 1 | 19 |
| 50200N | 49700E | 1 | 177 | 8 | 148 | .3 | 17 | 17 | 2434 | 4.50 | 7 | 5 | ND | 2 | 158 | .7 | 2 | 2 | 107 | .98 | .119 | 11 | 18 | 1.36 | 107 | .09 | 14 | 2.81 | .02 | .19 | 1 | 77 |
| 50200N | 49750E | 1 | 145 | 10 | 119 | .4 | 12 | 15 | 1961 | 4.72 | 6 | 5 | ND | 1 | 196 | .5 | 2 | 2 | 90 | .98 | .141 | 9 | 18 | 1.17 | 106 | .06 | 15 | 2.58 | .02 | .16 | 1 | 40 |
| 50200N | 49800E | 1 | 111 | 8 | 148 | .1 | 18 | 16 | 2412 | 5.77 | 8 | 5 | ND | 1 | 67 | .4 | 2 | 2 | 122 | .59 | .117 | 10 | 26 | 1.03 | 71 | .11 | 10 | 2.12 | .01 | .14 | 1 | 19 |
| 50200N | 49850E | 1 | 103 | 5 | 110 | .2 | 16 | 18 | 1029 | 4.75 | 5 | 5 | ND | 1 | 75 | .3 | 2 | 2 | 145 | .53 | .111 | 7 | 21 | 1.27 | 101 | .18 | 25 | 2.13 | .01 | .41 | 1 | 2 |
| 50200N | 49900E | 1 | 187 | 3 | 128 | .3 | 16 | 18 | 1613 | 4.32 | 2 | 5 | ND | 1 | 38 | .2 | 2 | 2 | 102 | .37 | .104 | 5 | 18 | 1.50 | 72 | .13 | 9 | 2.54 | .01 | .20 | 1 | 11 |
| 50200N | 49950E | 1 | 177 | 6 | 170 | .4 | 14 | 21 | 2173 | 5.44 | 2 | 5 | ND | 1 | 74 | .2 | 2 | 2 | 100 | .57 | .125 | 6 | 16 | 1.49 | 55 | .10 | 12 | 2.57 | .01 | .22 | 1 | 31 |
| 50200N | 50000E | 1 | 35 | 4 | 246 | .2 | 12 | 21 | 1558 | 4.10 | 11 | 5 | ND | 1 | 104 | .2 | 2 | 2 | 89 | .73 | .135 | 5 | 10 | 1.85 | 47 | .05 | 10 | 2.89 | .01 | .11 | 1 | 18 |
| 50200N | 50050E | 1 | 82 | 4 | 177 | .2 | 19 | 20 | 1956 | 4.60 | 7 | 5 | ND | 1 | 54 | .2 | 2 | 2 | 104 | .41 | .094 | 7 | 24 | 1.62 | 61 | .11 | 9 | 2.78 | .01 | .15 | 1 | 10 |
| 50200N | 50100E | 3 | 391 | 29 | 172 | 1.4 | 16 | 35 | 3318 | 6.29 | 7 | 5 | ND | 1 | 150 | .7 | 2 | 2 | 81 | .66 | .142 | 9 | 14 | 1.45 | 64 | .03 | 8 | 2.56 | .04 | .22 | 1 | 31 |
| 50200N | 50150E | 2 | 191 | 13 | 98 | 1.5 | 10 | 20 | 1603 | 5.11 | 2 | 5 | ND | 1 | 131 | .2 | 2 | 2 | 62 | .27 | .133 | 7 | 10 | .89 | 88 | .01 | 6 | 2.17 | .09 | .18 | 1 | 320 |
| 50200N | 50200E | 1 | 286 | 12 | 192 | .8 | 16 | 27 | 2538 | 5.66 | 5 | 5 | ND | 1 | 74 | .2 | 2 | 2 | 95 | .58 | .113 | 7 | 18 | 1.90 | 39 | .03 | 7 | 3.09 | .01 | .10 | 1 | 86 |
| 50200N | 50250E | 1 | 211 | 27 | 138 | .5 | 16 | 32 | 3080 | 5.60 | 165 | 5 | ND | 1 | 269 | .2 | 2 | 2 | 95 | .74 | .136 | 5 | 14 | 1.80 | 69 | .02 | 8 | 3.21 | .01 | .08 | 1 | 15 |
| 50200N | 50300E | 1 | 77 | 3 | 137 | .4 | 17 | 18 | 1269 | 4.55 | 13 | 5 | ND | 1 | 62 | .2 | 2 | 2 | 105 | .30 | .095 | 4 | 28 | 1.53 | 70 | .09 | 9 | 2.79 | .01 | .18 | 1 | 11 |
| 50200N | 50350E | 1 | 170 | 9 | 163 | .3 | 17 | 20 | 1531 | 4.61 | 107 | 5 | ND | 1 | 61 | .2 | 2 | 2 | 101 | .82 | .126 | 6 | 34 | 1.43 | 19 | .02 | 9 | 2.59 | .01 | .04 | 1 | 48 |
| 50200N | 50400E | 1 | 131 | 4 | 138 | .3 | 20 | 22 | 1522 | 5.19 | 22 | 5 | ND | 1 | 69 | .2 | 2 | 2 | 103 | .47 | .104 | 5 | 29 | 1.67 | 41 | .10 | 10 | 3.22 | .01 | .10 | 1 | 69 |
| 50200N | 50450E | 1 | 49 | 5 | 93 | .3 | 14 | 12 | 826 | 4.87 | 11 | 5 | ND | 1 | 50 | .2 | 2 | 2 | 101 | .22 | .112 | 4 | 30 | .84 | 74 | .06 | 8 | 2.41 | .01 | .05 | 1 | 2 |
| 50200N | 50500E | 2 | 208 | 7 | 126 | .6 | 23 | 27 | 1731 | 5.41 | 51 | 5 | ND | 3 | 86 | .7 | 2 | 2 | 101 | .51 | .103 | 7 | 29 | 1.44 | 46 | .07 | 16 | 3.84 | .01 | .05 | 1 | 29 |
| 50200N | 50550E | 1 | 110 | 5 | 122 | .3 | 19 | 16 | 968 | 4.21 | 74 | 5 | ND | 1 | 68 | .3 | 2 | 2 | 104 | .81 | .135 | 6 | 41 | 1.37 | 30 | .04 | 9 | 2.81 | .01 | .06 | 1 | 28 |
| 50200N | 50600E | 1 | 57 | 6 | 86 | .6 | 12 | 12 | 616 | 3.96 | 13 | 5 | ND | 1 | 60 | .2 | 2 | 2 | 87 | .26 | .095 | 3 | 31 | .87 | 45 | .05 | 15 | 2.31 | .01 | .05 | 1 | 42 |
| 50200N | 50650E | 1 | 94 | 6 | 86 | .6 | 15 | 13 | 1029 | 4.05 | 16 | 5 | ND | 1 | 63 | .2 | 2 | 2 | 87 | .30 | .150 | 3 | 30 | .79 | 53 | .03 | 10 | 2.54 | .01 | .06 | 1 | 1 |
| 50200N | 50700E | 1 | 58 | 3 | 97 | .3 | 19 | 14 | 721 | 4.08 | 6 | 5 | ND | 1 | 53 | .2 | 2 | 2 | 97 | .31 | .068 | 4 | 45 | 1.14 | 46 | .11 | 9 | 2.70 | .01 | .07 | 1 | 1 |
| 50200N | 50750E | 1 | 165 | 6 | 105 | .5 | 21 | 22 | 1989 | 5.05 | 35 | 5 | ND | 1 | 244 | .2 | 2 | 2 | 103 | .42 | .137 | 2 | 43 | 1.24 | 96 | .03 | 9 | 2.90 | .01 | .08 | 1 | 138 |
| 50200N | 50800E | 1 | 117 | 5 | 87 | .4 | 9 | 12 | 817 | 4.91 | 2 | 5 | ND | 1 | 51 | .2 | 2 | 2 | 127 | .19 | .143 | 2 | 37 | .81 | 60 | .05 | 8 | 1.90 | .01 | .05 | 1 | 17 |
| 50200N | 50850E | 1 | 64 | 8 | 70 | .6 | 11 | 11 | 515 | 3.95 | 4 | 5 | ND | 1 | 84 | .2 | 2 | 2 | 106 | .21 | .088 | 4 | 30 | .79 | 46 | .06 | 6 | 2.49 | .01 | .06 | 1 | 39 |
| 50200N | 50900E | 1 | 27 | 5 | 61 | .4 | 9 | 9 | 320 | 4.32 | 2 | 5 | ND | 1 | 48 | .2 | 2 | 2 | 112 | .19 | .088 | 3 | 38 | .69 | 33 | .10 | 7 | 1.69 | .01 | .06 | 1 | 1 |
| 50200N | 50950E | 1 | 23 | 6 | 54 | .4 | 7 | 7 | 234 | 2.44 | 2 | 5 | ND | 1 | 34 | .2 | 2 | 2 | 84 | .20 | .028 | 4 | 28 | .56 | 33 | .16 | 7 | 1.32 | .01 | .05 | 1 | 1 |
| 50200N | 51000E | 1 | 22 | 5 | 67 | .4 | 8 | 8 | 441 | 3.06 | 2 | 5 | ND | 1 | 47 | .2 | 2 | 2 | 92 | .22 | .039 | 3 | 29 | .69 | 52 | .16 | 7 | 1.42 | .01 | .07 | 1 | 1 |
| 50300N | 49500E | 1 | 203 | 2 | 93 | .2 | 51 | 18 | 852 | 4.07 | 2 | 5 | ND | 1 | 165 | .4 | 2 | 2 | 102 | 1.08 | .084 | 5 | 44 | 1.85 | 200 | .11 | 10 | 3.41 | .06 | .28 | 1 | 1 |
| 50300N | 49550E | 1 | 159 | 4 | 80 | .2 | 11 | 12 | 722 | 4.15 | 2 | 5 | ND | 1 | 309 | .3 | 2 | 2 | 95 | .98 | .104 | 8 | 14 | .89 | 258 | .08 | 18 | 2.73 | .07 | .08 | 1 | 5 |
| 50300N | 49600E | 1 | 181 | 4 | 97 | .3 | 12 | 14 | 1555 | 4.06 | 2 | 5 | ND | 2 | 151 | .3 | 2 | 2 | 79 | .63 | .118 | 13 | 16 | 1.10 | 179 | .06 | 10 | 2.46 | .01 | .16 | 1 | 26 |
| 50300N | 49650E | 1 | 244 | 6 | 97 | .4 | 16 | 17 | 1145 | 4.80 | 4 | 5 | ND | 4 | 109 | .3 | 2 | 2 | 105 | .67 | .129 | 10 | 23 | .90 | 117 | .08 | 8 | 2.09 | .01 | .12 | 1 | 18 |
| 50300N | 49700E | 1 | 394 | 7 | 86 | .3 | 21 | 20 | 1225 | 4.36 | 6 | 5 | ND | 2 | 69 | .2 | 2 | 2 | 83 | .48 | .107 | 12 | 28 | .86 | 109 | .07 | 10 | 1.80 | .01 | .11 | 1 | 24 |
| 50300N | 49750E | 1 | 112 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---------|---|------|-----|-----|-----|----|----|------|------|-----|---|----|---|-----|------|---|---|-----|------|------|----|----|------|-----|-----|----|------|-----|------|---|------|
| 50300N | 50550E | 1 | 115 | 2 | 123 | .5 | 28 | 20 | 1261 | 4.71 | 19 | 5 | ND | 1 | 55 | .4 | 2 | 2 | 106 | .30 | .113 | 4 | 54 | 1.85 | 51 | .13 | 7 | 3.43 | .01 | .14 | 1 | 17 |
| 50300N | 50600E | 1 | 130 | 7 | 152 | 1.4 | 25 | 17 | 1125 | 3.95 | 38 | 5 | ND | 1 | 78 | .4 | 2 | 2 | 80 | .68 | .168 | 7 | 56 | 1.86 | 37 | .03 | 6 | 3.06 | .01 | .07 | 1 | 116 |
| 50300N | 50650E | 1 | 14 | 6 | 63 | .2 | 8 | 9 | 438 | 2.62 | 5 | 5 | ND | 1 | 51 | .2 | 2 | 2 | 69 | .26 | .069 | 3 | 19 | .90 | 44 | .09 | 6 | 1.51 | .01 | .12 | 1 | 22 |
| 50300N | 50700E | 1 | 75 | 8 | 77 | 3.1 | 12 | 12 | 758 | 3.89 | 9 | 5 | ND | 1 | 63 | .2 | 2 | 2 | 78 | .26 | .175 | 3 | 28 | .84 | 39 | .04 | 6 | 2.08 | .01 | .06 | 1 | 61 |
| 50300N | 50750E | 1 | 29 | 5 | 66 | .6 | 11 | 9 | 337 | 3.87 | 4 | 5 | ND | 1 | 51 | .2 | 2 | 2 | 95 | .17 | .076 | 3 | 28 | .78 | 37 | .09 | 4 | 2.23 | .01 | .04 | 1 | 41 |
| 50300N | 50800E | 1 | 21 | 5 | 54 | .3 | 7 | 7 | 238 | 3.42 | 5 | 5 | ND | 1 | 44 | .2 | 2 | 2 | 86 | .22 | .057 | 3 | 24 | .46 | 23 | .15 | 5 | 1.24 | .01 | .04 | 1 | 15 |
| 50300N | 50850E | 3 | 221 | 9 | 148 | 1.9 | 15 | 11 | 4689 | 2.73 | 11 | 5 | ND | 1 | 154 | 1.1 | 2 | 2 | 77 | 1.62 | .276 | 10 | 25 | .64 | 119 | .02 | 2 | 2.95 | .01 | .06 | 1 | 13 |
| 50300N | 50900E | 1 | 52 | 9 | 75 | .8 | 13 | 12 | 452 | 4.80 | 10 | 5 | ND | 1 | 72 | .2 | 2 | 2 | 101 | .25 | .186 | 3 | 36 | .86 | 45 | .06 | 4 | 2.00 | .01 | .05 | 1 | 27 |
| 50300N | 50950E | 1 | 71 | 3 | 105 | .4 | 15 | 14 | 645 | 4.57 | 7 | 5 | ND | 1 | 120 | .2 | 2 | 2 | 91 | .38 | .113 | 2 | 34 | 1.27 | 71 | .05 | 5 | 2.41 | .01 | .06 | 1 | 20 |
| 50300N | 51000E | 1 | 80 | 6 | 82 | .5 | 14 | 15 | 507 | 5.19 | 11 | 5 | ND | 1 | 74 | .2 | 3 | 2 | 107 | .34 | .169 | 2 | 32 | 1.19 | 37 | .05 | 8 | 2.39 | .01 | .05 | 1 | 9 |
| 50400N | 49500E | 1 | 118 | 5 | 83 | .4 | 9 | 10 | 506 | 4.02 | 2 | 5 | ND | 1 | 136 | .5 | 2 | 2 | 74 | .69 | .111 | 6 | 13 | .85 | 160 | .04 | 6 | 2.65 | .01 | .24 | 1 | 7 |
| 50400N | 49550E | 1 | 99 | 5 | 73 | .3 | 15 | 11 | 608 | 3.88 | 5 | 5 | ND | 1 | 107 | .3 | 2 | 2 | 74 | .61 | .117 | 11 | 18 | .85 | 163 | .05 | 14 | 2.11 | .01 | .16 | 1 | 11 |
| 50400N | 49600E | 1 | 59 | 4 | 60 | .3 | 12 | 8 | 410 | 3.36 | 2 | 5 | ND | 1 | 39 | .2 | 2 | 2 | 67 | .21 | .090 | 8 | 18 | .46 | 94 | .02 | 5 | 1.95 | .01 | .06 | 1 | 2 |
| 50400N | 49650E | 1 | 166 | 5 | 82 | .4 | 16 | 13 | 762 | 3.97 | 7 | 5 | ND | 1 | 59 | .2 | 2 | 2 | 77 | .44 | .113 | 10 | 21 | .86 | 126 | .06 | 2 | 2.03 | .01 | .09 | 1 | 6 |
| 50400N | 49700E | 1 | 56 | 4 | 84 | .3 | 13 | 12 | 543 | 4.25 | 8 | 5 | ND | 3 | 52 | .2 | 2 | 2 | 95 | .49 | .141 | 8 | 20 | .78 | 86 | .07 | 6 | 1.71 | .01 | .07 | 1 | 2 |
| 50400N | 49750E | 1 | 166 | 4 | 139 | .7 | 17 | 15 | 1019 | 4.42 | 6 | 5 | ND | 1 | 69 | .2 | 2 | 2 | 98 | .54 | .117 | 10 | 22 | 1.28 | 126 | .10 | 2 | 2.67 | .01 | .19 | 1 | 7 |
| 50400N | 49800E | 1 | 448 | 4 | 159 | .6 | 21 | 19 | 2346 | 5.31 | 6 | 5 | ND | 1 | 117 | .5 | 2 | 2 | 129 | .93 | .127 | 6 | 40 | 1.88 | 132 | .19 | 6 | 2.92 | .01 | .57 | 1 | 26 |
| 50400N | 49850E | 1 | 373 | 2 | 130 | .6 | 14 | 24 | 2002 | 5.28 | 8 | 5 | ND | 1 | 154 | .5 | 2 | 2 | 138 | .94 | .153 | 6 | 20 | 2.13 | 117 | .14 | 8 | 2.90 | .01 | .38 | 1 | 5 |
| 50400N | 50000EA | 1 | 153 | 7 | 197 | .6 | 16 | 25 | 2060 | 4.93 | 12 | 5 | ND | 1 | 111 | .3 | 2 | 2 | 96 | .54 | .124 | 7 | 15 | 1.80 | 73 | .08 | 5 | 3.07 | .01 | .18 | 1 | 37 |
| 50400N | 50000EB | 1 | 145 | 9 | 196 | .6 | 16 | 25 | 2070 | 4.77 | 10 | 5 | ND | 1 | 99 | .3 | 2 | 2 | 93 | .51 | .120 | 7 | 14 | 1.73 | 72 | .08 | 5 | 3.01 | .01 | .13 | 1 | 20 |
| 50400N | 50050E | 1 | 141 | 5 | 109 | .6 | 15 | 20 | 1414 | 4.90 | 10 | 5 | ND | 1 | 62 | .2 | 2 | 2 | 90 | .38 | .122 | 7 | 19 | 1.06 | 54 | .08 | 6 | 2.11 | .01 | .09 | 1 | 45 |
| 50400N | 50100E | 1 | 169 | 15 | 83 | .8 | 14 | 17 | 1152 | 3.97 | 8 | 5 | ND | 1 | 306 | .2 | 2 | 2 | 78 | .36 | .124 | 3 | 23 | .89 | 86 | .02 | 6 | 2.42 | .01 | .06 | 1 | 111 |
| 50400N | 50150E | 1 | 189 | 8 | 120 | .6 | 28 | 23 | 1678 | 4.56 | 69 | 5 | ND | 1 | 115 | .2 | 2 | 2 | 86 | .33 | .122 | 5 | 66 | 1.54 | 73 | .04 | 7 | 3.02 | .01 | .07 | 1 | 15 |
| 50400N | 50200E | 1 | 179 | 12 | 100 | .6 | 27 | 21 | 1268 | 4.65 | 41 | 5 | ND | 1 | 75 | .3 | 2 | 2 | 101 | .58 | .085 | 5 | 60 | 1.54 | 38 | .10 | 6 | 2.46 | .01 | .07 | 1 | 67 |
| 50400N | 50250E | 1 | 28 | 4 | 142 | .6 | 36 | 17 | 1323 | 4.65 | 6 | 5 | ND | 1 | 27 | .2 | 2 | 2 | 131 | .29 | .069 | 2 | 71 | 1.75 | 60 | .20 | 7 | 2.68 | .01 | .24 | 1 | 2 |
| 50400N | 50300E | 1 | 151 | 7 | 126 | .7 | 25 | 18 | 915 | 4.92 | 31 | 5 | ND | 1 | 49 | .2 | 2 | 2 | 105 | .37 | .107 | 4 | 49 | 1.48 | 49 | .13 | 7 | 3.01 | .01 | .13 | 1 | 49 |
| 50400N | 50350E | 1 | 94 | 4 | 86 | .7 | 14 | 11 | 634 | 3.46 | 5 | 5 | ND | 1 | 93 | .2 | 2 | 2 | 91 | .26 | .055 | 2 | 34 | 1.02 | 58 | .14 | 8 | 2.46 | .01 | .09 | 1 | 22 |
| 50400N | 50400E | 1 | 74 | 2 | 132 | .2 | 20 | 19 | 876 | 4.16 | 8 | 5 | ND | 1 | 20 | .5 | 3 | 2 | 105 | .26 | .080 | 2 | 39 | 1.97 | 35 | .16 | 6 | 3.26 | .01 | .22 | 1 | 6 |
| 50400N | 50450E | 1 | 27 | 2 | 84 | .4 | 16 | 13 | 627 | 3.24 | 4 | 5 | ND | 1 | 62 | .2 | 2 | 2 | 74 | .17 | .060 | 3 | 26 | 1.18 | 41 | .08 | 11 | 2.85 | .01 | .07 | 1 | 10 |
| 50400N | 50500E | 1 | 65 | 3 | 81 | .2 | 17 | 13 | 678 | 4.06 | 12 | 5 | ND | 1 | 37 | .4 | 2 | 2 | 92 | .21 | .071 | 3 | 37 | 1.08 | 36 | .07 | 7 | 2.24 | .01 | .06 | 1 | 13 |
| 50400N | 50600E | 1 | 72 | 4 | 74 | .5 | 12 | 11 | 450 | 3.96 | 26 | 5 | ND | 1 | 38 | .3 | 2 | 2 | 84 | .18 | .076 | 3 | 26 | .95 | 28 | .05 | 10 | 2.34 | .01 | .04 | 1 | 51 |
| 50400N | 50650E | 1 | 71 | 6 | 102 | .4 | 10 | 13 | 895 | 3.46 | 38 | 5 | ND | 1 | 79 | .5 | 2 | 2 | 90 | 1.02 | .105 | 3 | 19 | 1.10 | 32 | .03 | 5 | 1.91 | .01 | .06 | 1 | 41 |
| 50400N | 50700E | 2 | 150 | 9 | 106 | .8 | 13 | 14 | 3304 | 2.99 | 65 | 5 | ND | 1 | 85 | 1.2 | 2 | 2 | 86 | 1.41 | .232 | 7 | 30 | .94 | 49 | .02 | 17 | 2.25 | .01 | .07 | 1 | 52 |
| 50400N | 50750E | 1 | 185 | 2 | 102 | .3 | 19 | 19 | 1681 | 4.05 | 21 | 5 | ND | 1 | 107 | .9 | 4 | 2 | 94 | 1.10 | .110 | 4 | 30 | 1.74 | 41 | .04 | 6 | 2.77 | .01 | .05 | 1 | 25 |
| 50400N | 50800E | 1 | 32 | 6 | 46 | .6 | 7 | 6 | 297 | 2.24 | 2 | 5 | ND | 1 | 72 | .2 | 3 | 2 | 68 | .23 | .050 | 2 | 18 | .49 | 35 | .11 | 7 | 1.31 | .01 | .04 | 1 | 14 |
| 50400N | 50850E | 1 | 319 | 7 | 76 | 1.1 | 9 | 8 | 1128 | 1.91 | 33 | 5 | ND | 1 | 116 | .6 | 2 | 2 | 61 | 2.32 | .174 | 7 | 29 | .66 | 26 | .02 | 8 | 1.76 | .01 | .05 | 1 | 56 |
| 50400N | 50900E | 1 | 40 | 8 | 58 | .2 | 7 | 7 | 1147 | 2.16 | 2 | 5 | ND | 1 | 112 | .2 | 3 | 2 | 58 | .25 | .060 | 3 | 21 | .43 | 96 | .04 | 5 | 1.58 | .01 | .05 | 1 | 22 |
| 50400N | 50950E | 1 | 89 | 4 | 98 | .2 | 15 | 13 | 488 | 4.23 | 4 | 5 | ND | 1 | 63 | .4 | 2 | 2 | 88 | .33 | .146 | 3 | 33 | 1.26 | 39 | .05 | 6 | 2.40 | .01 | .05 | 1 | 9 |
| 50400N | 51000E | 1 | 56 | 5 | 73 | .6 | 11 | 12 | 1078 | 4.29 | 6 | 5 | ND | 1 | 87 | .4 | 4 | 2 | 101 | .24 | .076 | 4 | 29 | .84 | 77 | .10 | 5 | 2.00 | .01 | .08 | 1 | 29 |
| 50500N | 49550E | 1 | 84 | 3 | 120 | .3 | 9 | 11 | 1288 | 3.37 | 2 | 5 | ND | 1 | 104 | .7 | 2 | 2 | 62 | .47 | .191 | 7 | 9 | .67 | 261 | .01 | 11 | 2.58 | .02 | .21 | 1 | 4 |
| 50500N | 49600E | 1 | 88 | 4 | 73 | .2 | 18 | 12 | 625 | 3.81 | 2 | 6 | ND | 1 | 112 | .4 | 2 | 2 | 68 | .55 | .112 | 11 | 20 | .84 | 162 | .07 | 8 | 2.26 | .01 | .16 | 1 | 3 |
| 50500N | 49650E | 1 | 53 | 6 | 73 | .2 | 17 | 9 | 372 | 4.36 | 5 | 5 | ND | 1 | 55 | .4 | 2 | 4 | 77 | .30 | .069 | 8 | 21 | .80 | 118 | .10 | 8 | 2.22 | .01 | .06 | 1 | 1 |
| 50500N | 49700E | 1 | 257 | 2 | 88 | .4 | 5 | 16 | 1414 | 4.60 | 2 | 5 | ND | 1 | 114 | .8 | 2 | 2 | 73 | 1.09 | .140 | 11 | 5 | 1.39 | 140 | .05 | 9 | 2.49 | .01 | .26 | 1 | 8 |
| 50500N | 49800E | 1 | 1173 | 3 | 175 | .8 | 14 | 38 | 3930 | 5.52 | 6 | 5 | ND | 1 | 120 | 1.4 | 2 | 2 | 127 | 1.38 | .123 | 5 | 14 | 2.54 | 231 | .18 | 7 | 3.90 | .01 | 1.07 | 1 | 220 |
| 50500N | 49850E | 2 | 340 | 2 | 155 | .4 | 12 | 20 | 1950 | 5.15 | 7 | 5 | ND | 1 | 106 | 1.1 | 2 | 2 | 126 | .85 | .123 | 5 | 26 | 2.13 | 187 | .15 | 6 | 3.11 | .01 | .84 | 1 | 32 |
| 50500N | 49900E | 1 | 535 | 2 | 145 | .5 | 16 | 21 | 2579 | 5.55 | 7 | 5 | ND | 1 | 145 | 1.0 | 2 | 2 | 112 | .95 | .127 | 7 | 26 | 1.80 | 191 | .12 | 9 | 2.70 | .01 | .60 | 1 | 23 |
| 50500N | 49950E | 1 | 49 | 2 | 142 | .2 | 73 | 58 | 2372 | 5.52 | 12 | 5 | ND | 1 | 39 | .8 | 2 | 2 | 103 | .78 | .092 | 4 | 84 | 2.08 | 55 | .06 | 7 | 2.38 | .01 | .43 | 1 | 9 |
| 50500N | 50000EA | 2 | 1028 | 327 | 715 | 1.5 | 53 | 60 | 3343 | 6.38 | 30 | 5 | ND | 1 | 186 | 37.9 | 3 | 2 | 111 | 1.29 | .098 | 8 | 92 | 2.38 | 100 | .10 | 7 | 3.40 | .01 | .38 | 1 | 1910 |
| 50500N | 50000EB | 1 | 184 | 10 | 142 | .4 | 22 | 28 | 2393 | 5.58 | 21 | 5 | ND | 1 | 80 | 1.5 | 2 | 2 | 92 | .66 | .124 | 6 | 31 | 1.76 | 56 | .07 | 12 | 2.46 | .01 | .17 | 1 | 34 |
| 50500N | 50050E | 2 | 623 | 15 | 96 | 1.0 | 54 | 65 | 2438 | 7.06 | 140 | 5 | ND | 1 | 193 | 1.7 | 2 | 2 | 93 | 1.84 | .115 | 7 | 60 | 1.95 | 89 | .09 | 9 | 2.70 | .01 | .23 | 1 | 183 |
| 50500N | 50100E | 1 | 345 | 15 | 133 | .8 | 39 | 34 | 2465 | 5.81 | 26 | 5 | ND | 1 | 310 | 1.1 | 2 | 2 | 104 | 1.19 | .123 | 5 | 80 | 1.87 | 78 | .09 | 7 | 3.00 | .01 | .15 | 1 | 72 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---------|---|-----|----|-----|----|----|----|------|------|----|---|----|---|-----|-----|---|---|-----|------|------|-----|----|------|-----|-----|----|------|-----|-----|---|-----|
| 50600N | 49600E | 1 | 171 | 5 | 80 | .1 | 4 | 14 | 1020 | 4.34 | 4 | 5 | ND | 8 | 281 | .2 | 2 | 2 | 96 | 1.85 | .141 | 10 | 4 | 1.07 | 138 | .08 | 10 | 3.32 | .02 | .33 | 1 | 28 |
| 50600N | 49650E | 1 | 269 | 8 | 121 | .3 | 6 | 20 | 1682 | 5.52 | 2 | 6 | ND | 2 | 178 | .2 | 2 | 2 | 106 | 1.33 | .157 | 11 | 6 | 1.79 | 189 | .13 | 8 | 3.21 | .02 | .39 | 1 | 37 |
| 50600N | 49700E | 1 | 254 | 5 | 103 | .2 | 6 | 16 | 1220 | 4.82 | 3 | 5 | ND | 1 | 220 | .3 | 2 | 2 | 98 | 1.74 | .132 | 7 | 6 | 1.74 | 211 | .12 | 9 | 4.15 | .03 | .39 | 1 | 11 |
| 50600N | 49750E | 1 | 233 | 7 | 163 | .3 | 9 | 21 | 1847 | 5.13 | 3 | 5 | ND | 1 | 203 | .4 | 2 | 2 | 113 | 1.56 | .142 | 7 | 15 | 2.18 | 205 | .13 | 10 | 3.76 | .01 | .39 | 1 | 8 |
| 50600N | 49850E | 1 | 126 | 7 | 95 | .2 | 18 | 37 | 643 | 6.54 | 24 | 5 | ND | 1 | 43 | .6 | 2 | 2 | 174 | .79 | .240 | 4 | 32 | 2.60 | 342 | .16 | 8 | 3.00 | .01 | .99 | 1 | 6 |
| 50600N | 49900E | 1 | 216 | 9 | 149 | .2 | 19 | 29 | 1567 | 6.68 | 5 | 5 | ND | 1 | 133 | .2 | 2 | 2 | 160 | .85 | .160 | 3 | 45 | 2.43 | 190 | .16 | 16 | 2.89 | .01 | .41 | 1 | 5 |
| 50600N | 49950E | 2 | 349 | 7 | 245 | .3 | 13 | 24 | 1762 | 5.49 | 5 | 5 | ND | 1 | 127 | .5 | 2 | 2 | 149 | .84 | .115 | 6 | 22 | 2.50 | 195 | .24 | 15 | 3.82 | .02 | .60 | 1 | 12 |
| 50600N | 50000EB | 1 | 166 | 10 | 143 | .4 | 28 | 27 | 1948 | 5.80 | 34 | 6 | ND | 1 | 146 | .3 | 2 | 2 | 104 | .93 | .127 | 7 | 55 | 2.12 | 67 | .08 | 14 | 2.98 | .01 | .15 | 1 | 90 |
| 50700N | 49550E | 1 | 273 | 12 | 126 | .3 | 7 | 22 | 2673 | 5.64 | 7 | 5 | ND | 2 | 225 | .5 | 6 | 2 | 97 | 1.11 | .150 | 13 | 7 | 1.80 | 309 | .10 | 6 | 3.36 | .01 | .24 | 1 | 29 |
| 50700N | 49600E | 1 | 138 | 5 | 92 | .1 | 6 | 14 | 1217 | 4.27 | 3 | 5 | ND | 2 | 161 | .2 | 2 | 2 | 86 | .87 | .113 | 8 | 7 | 1.27 | 186 | .12 | 5 | 2.65 | .01 | .29 | 1 | 33 |
| 50700N | 49650E | 1 | 128 | 7 | 96 | .1 | 7 | 18 | 1538 | 4.73 | 7 | 5 | ND | 1 | 168 | .3 | 2 | 2 | 82 | 1.32 | .108 | 9 | 6 | 1.58 | 186 | .08 | 10 | 3.82 | .03 | .29 | 1 | 45 |
| 50700N | 49700E | 1 | 156 | 5 | 86 | .1 | 6 | 13 | 1081 | 3.88 | 2 | 5 | ND | 1 | 237 | .3 | 2 | 2 | 82 | .95 | .133 | 8 | 8 | 1.09 | 183 | .06 | 15 | 3.14 | .02 | .29 | 1 | 22 |
| 50700N | 49750E | 1 | 185 | 8 | 116 | .3 | 7 | 14 | 1306 | 3.50 | 2 | 5 | ND | 1 | 191 | .4 | 2 | 2 | 78 | .92 | .118 | 8 | 6 | 1.19 | 224 | .04 | 4 | 3.81 | .02 | .19 | 1 | 7 |
| 50700N | 49800E | 1 | 226 | 8 | 156 | .1 | 10 | 19 | 1580 | 4.67 | 3 | 5 | ND | 1 | 157 | .2 | 2 | 2 | 117 | 1.42 | .090 | 5 | 14 | 2.16 | 218 | .10 | 5 | 4.25 | .02 | .21 | 1 | 9 |
| 50700N | 49850E | 1 | 174 | 3 | 129 | .1 | 15 | 17 | 1035 | 5.16 | 7 | 5 | ND | 1 | 80 | .2 | 2 | 2 | 128 | .57 | .143 | 6 | 25 | 1.80 | 133 | .17 | 8 | 3.48 | .01 | .28 | 1 | 21 |
| 50700N | 49900E | 1 | 164 | 2 | 119 | .1 | 15 | 23 | 1112 | 5.51 | 12 | 5 | ND | 1 | 181 | .2 | 2 | 2 | 140 | .49 | .075 | 2 | 21 | 2.16 | 344 | .24 | 7 | 2.92 | .01 | .11 | 1 | 11 |
| 50700N | 49950E | 1 | 68 | 3 | 145 | .4 | 13 | 20 | 1088 | 5.77 | 9 | 5 | ND | 1 | 56 | .2 | 2 | 2 | 148 | .39 | .104 | 3 | 24 | 2.11 | 154 | .17 | 7 | 2.85 | .01 | .15 | 1 | 8 |
| 50700N | 50000E | 1 | 136 | 6 | 117 | .1 | 19 | 21 | 1292 | 5.59 | 7 | 5 | ND | 1 | 105 | .2 | 2 | 2 | 132 | .53 | .145 | 4 | 41 | 1.74 | 116 | .12 | 7 | 2.65 | .01 | .24 | 1 | 22 |
| 50700N | 50050E | 1 | 448 | 6 | 95 | .2 | 40 | 36 | 1593 | 4.94 | 11 | 5 | ND | 1 | 66 | .4 | 2 | 2 | 106 | .72 | .139 | 5 | 83 | 1.99 | 95 | .19 | 8 | 2.61 | .01 | .39 | 1 | 65 |
| 50700N | 50100E | 1 | 363 | 6 | 98 | .1 | 31 | 31 | 1631 | 5.48 | 8 | 5 | ND | 1 | 81 | .4 | 2 | 2 | 99 | .88 | .141 | 4 | 64 | 1.76 | 68 | .15 | 7 | 2.20 | .01 | .22 | 1 | 24 |
| 50700N | 50150E | 1 | 451 | 10 | 118 | .4 | 33 | 32 | 1634 | 5.17 | 45 | 5 | ND | 1 | 187 | .5 | 2 | 2 | 113 | 1.21 | .125 | 4 | 53 | 2.32 | 65 | .19 | 15 | 3.07 | .01 | .23 | 1 | 63 |
| 50700N | 50200E | 1 | 234 | 6 | 149 | .3 | 15 | 29 | 2507 | 6.29 | 73 | 5 | ND | 1 | 96 | .4 | 2 | 2 | 107 | .57 | .149 | 5 | 17 | 1.86 | 55 | .04 | 12 | 3.40 | .01 | .13 | 1 | 59 |
| 50700N | 50250E | 1 | 297 | 7 | 121 | .7 | 16 | 34 | 2239 | 5.89 | 63 | 5 | ND | 1 | 182 | .6 | 2 | 2 | 100 | .77 | .153 | 6 | 18 | 1.78 | 65 | .05 | 12 | 3.26 | .01 | .14 | 1 | 160 |
| 50700N | 50300E | 1 | 81 | 7 | 111 | .7 | 14 | 17 | 1238 | 4.96 | 15 | 5 | ND | 1 | 128 | .2 | 2 | 2 | 103 | .51 | .112 | 4 | 24 | 1.24 | 38 | .06 | 13 | 2.72 | .01 | .05 | 1 | 70 |
| 50700N | 50350E | 1 | 105 | 7 | 84 | .2 | 16 | 13 | 735 | 3.84 | 21 | 5 | ND | 1 | 70 | .2 | 2 | 2 | 82 | .37 | .112 | 5 | 29 | .99 | 71 | .04 | 5 | 2.49 | .01 | .06 | 1 | 30 |
| 50700N | 50400E | 1 | 51 | 8 | 95 | .3 | 11 | 15 | 928 | 4.35 | 10 | 5 | ND | 1 | 113 | .2 | 2 | 2 | 101 | .77 | .135 | 4 | 20 | 1.46 | 70 | .03 | 5 | 2.72 | .01 | .07 | 1 | 18 |
| 50700N | 50450E | 2 | 713 | 11 | 96 | .5 | 19 | 23 | 1778 | 4.85 | 16 | 5 | ND | 1 | 82 | .4 | 2 | 2 | 108 | .41 | .177 | 5 | 33 | 1.20 | 78 | .05 | 8 | 2.99 | .01 | .08 | 1 | 155 |
| 50700N | 50500E | 1 | 58 | 8 | 83 | .2 | 10 | 7 | 689 | 2.91 | 3 | 5 | ND | 1 | 84 | .2 | 2 | 2 | 78 | .44 | .116 | 5 | 24 | .41 | 136 | .02 | 4 | 1.73 | .01 | .06 | 1 | 10 |
| 50700N | 50550E | 1 | 81 | 7 | 69 | .2 | 15 | 15 | 665 | 4.23 | 9 | 5 | ND | 1 | 81 | .2 | 2 | 2 | 99 | .45 | .100 | 3 | 30 | 1.37 | 45 | .07 | 7 | 2.38 | .01 | .12 | 1 | 92 |
| 50700N | 50600E | 1 | 122 | 11 | 103 | .5 | 16 | 13 | 965 | 4.38 | 10 | 5 | ND | 1 | 134 | .2 | 2 | 2 | 101 | .30 | .095 | 4 | 40 | 1.12 | 84 | .08 | 8 | 2.56 | .01 | .08 | 1 | 35 |
| 50700N | 50650E | 1 | 114 | 17 | 108 | .1 | 20 | 17 | 1073 | 4.73 | 10 | 5 | ND | 1 | 189 | .2 | 2 | 2 | 101 | .54 | .137 | 4 | 52 | 1.36 | 73 | .04 | 5 | 2.78 | .01 | .10 | 1 | 140 |
| 50700N | 50700E | 1 | 225 | 11 | 97 | .6 | 16 | 17 | 699 | 4.38 | 5 | 5 | ND | 1 | 184 | .3 | 2 | 2 | 94 | .43 | .092 | 5 | 31 | 1.45 | 49 | .05 | 6 | 3.29 | .01 | .05 | 1 | 33 |
| 50700N | 50750E | 1 | 158 | 7 | 88 | .3 | 12 | 17 | 1725 | 3.91 | 6 | 5 | ND | 1 | 185 | .8 | 2 | 2 | 77 | .63 | .140 | 4 | 19 | 1.02 | 133 | .05 | 7 | 2.69 | .01 | .06 | 1 | 18 |
| 50700N | 50800E | 1 | 113 | 5 | 77 | .2 | 9 | 15 | 1124 | 3.16 | 5 | 5 | ND | 1 | 128 | .3 | 2 | 2 | 58 | .58 | .112 | 2 | 11 | .71 | 176 | .02 | 8 | 1.69 | .01 | .08 | 1 | 23 |
| 50700N | 50850E | 1 | 299 | 11 | 99 | .3 | 12 | 23 | 1849 | 4.85 | 9 | 5 | ND | 1 | 347 | .7 | 2 | 2 | 100 | .72 | .140 | 4 | 15 | 1.23 | 139 | .07 | 8 | 3.16 | .01 | .07 | 1 | 138 |
| 50700N | 50900E | 1 | 138 | 12 | 127 | .3 | 11 | 20 | 2281 | 3.58 | 5 | 5 | ND | 1 | 149 | .5 | 2 | 2 | 72 | .83 | .175 | 2 | 14 | .90 | 147 | .02 | 9 | 2.19 | .01 | .10 | 1 | 32 |
| 50700N | 50950E | 1 | 128 | 10 | 106 | .3 | 13 | 20 | 999 | 4.91 | 9 | 5 | ND | 1 | 144 | .5 | 2 | 2 | 107 | .53 | .070 | 4 | 21 | 1.10 | 99 | .07 | 8 | 2.21 | .01 | .07 | 1 | 21 |
| 50700N | 51000E | 1 | 193 | 15 | 145 | .4 | 12 | 21 | 1857 | 4.18 | 7 | 5 | ND | 1 | 87 | 2.0 | 2 | 2 | 88 | 1.04 | .142 | 9 | 14 | 1.36 | 140 | .04 | 9 | 2.34 | .01 | .22 | 1 | 19 |
| 50800N | 49500E | 1 | 200 | 19 | 92 | .3 | 6 | 17 | 1756 | 4.89 | 2 | 5 | ND | 2 | 423 | .7 | 2 | 2 | 87 | 1.43 | .146 | 11 | 6 | 1.40 | 368 | .07 | 6 | 4.10 | .02 | .28 | 1 | 182 |
| 50800N | 49550E | 1 | 218 | 8 | 96 | .3 | 6 | 16 | 1685 | 4.23 | 2 | 5 | ND | 2 | 356 | .4 | 2 | 2 | 82 | 1.31 | .130 | 10 | 7 | 1.33 | 297 | .09 | 7 | 4.07 | .02 | .26 | 1 | 58 |
| 50800N | 49750E | 1 | 142 | 5 | 111 | .2 | 16 | 16 | 926 | 4.58 | 2 | 5 | ND | 4 | 133 | .3 | 2 | 2 | 88 | .95 | .128 | 12 | 18 | 1.55 | 183 | .16 | 8 | 3.01 | .02 | .28 | 1 | 19 |
| 50800N | 49800E | 1 | 66 | 6 | 79 | .5 | 7 | 11 | 532 | 5.18 | 2 | 5 | ND | 2 | 69 | .4 | 2 | 2 | 110 | .39 | .085 | 7 | 13 | 1.03 | 134 | .19 | 7 | 2.94 | .01 | .15 | 1 | 4 |
| 50800N | 49900E | 1 | 51 | 5 | 95 | .2 | 10 | 11 | 870 | 4.46 | 2 | 5 | ND | 1 | 52 | .3 | 2 | 2 | 129 | .31 | .070 | 4 | 22 | 1.17 | 98 | .19 | 9 | 2.60 | .02 | .19 | 1 | 8 |
| 50800N | 49950E | 1 | 75 | 4 | 90 | .2 | 12 | 15 | 611 | 4.31 | 5 | 5 | ND | 1 | 110 | .2 | 2 | 2 | 101 | .62 | .135 | 4 | 19 | 1.33 | 78 | .11 | 8 | 2.68 | .01 | .14 | 1 | 23 |
| 50050N | 50000E | 1 | 40 | 5 | 111 | .5 | 12 | 17 | 2315 | 4.33 | 12 | 5 | ND | 1 | 281 | .2 | 2 | 2 | 75 | .75 | .109 | 7 | 18 | .94 | 60 | .04 | 4 | 2.63 | .02 | .07 | 1 | 18 |
| 50150N | 50000E | 1 | 47 | 6 | 192 | .2 | 22 | 21 | 2111 | 5.07 | 11 | 5 | ND | 1 | 66 | .3 | 2 | 2 | 107 | .49 | .116 | 8 | 34 | 1.85 | 69 | .19 | 9 | 2.94 | .01 | .35 | 1 | 26 |
| 50250N | 50000E | 1 | 48 | 4 | 200 | .3 | 14 | 21 | 1946 | 5.49 | 12 | 5 | ND | 1 | 90 | .3 | 2 | 2 | 106 | .70 | .138 | 6 | 18 | 1.71 | 58 | .13 | 7 | 2.61 | .01 | .27 | 1 | 38 |
| 50350N | 50000E | 1 | 104 | 9 | 195 | .3 | 15 | 23 | 2013 | 5.64 | 9 | 5 | ND | 1 | 84 | .3 | 2 | 2 | 109 | .71 | .146 | 7 | 16 | 1.61 | 61 | .11 | 6 | 2.59 | .01 | .33 | 1 | 44 |
| 50450N | 50000E | 1 | 139 | 11 | 166 | .5 | 21 | 26 | 2432 | 5.35 | 22 | 5 | ND | 1 | 98 | .5 | 2 | 2 | 93 | .80 | .137 | 6 | 28 | 2.10 | 62 | .09 | 7 | 2.92 | .01 | .18 | 1 | 99 |
| 50550N | 50000E | 1 | 185 | 9 | 128 | .5 | 30 | 29 | 2543 | 5.77 | 39 | 5 | ND | 1 | 141 | .6 | 2 | 2 | 97 | .83 | .127 | 7 | 57 | 1.92 | 69 | .07 | 6 | 2.87 | .01 | .14 | 1 | 42 |
| 50650N | 50000E | 1 | 168 | 7 | 135 | .6 | 29 | 28 | 2481 | 5.70 | 37 | 5 | ND | 1 | 151 | .6 | 2 | 2 | 96 | .87 | .120 | 7</ | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|-----|---|----|----|----|----|------|------|---|---|----|---|-----|----|---|---|-----|-----|------|----|----|------|-----|-----|----|------|-----|------|---|----|
| 52450N 50000E | 1 | 37 | 2 | 61 | .1 | 11 | 11 | 522 | 4.64 | 2 | 5 | ND | 1 | 63 | .2 | 2 | 4 | 130 | .52 | .090 | 3 | 25 | 1.48 | 181 | .29 | 11 | 2.10 | .02 | .30 | 1 | 19 |
| R1 0E | 1 | 63 | 2 | 86 | .2 | 17 | 10 | 416 | 3.84 | 2 | 5 | ND | 1 | 54 | .3 | 2 | 2 | 72 | .32 | .127 | 13 | 25 | .72 | 85 | .07 | 8 | 2.10 | .01 | .10 | 1 | 25 |
| R1 100E | 1 | 84 | 3 | 78 | .3 | 9 | 9 | 438 | 2.90 | 2 | 5 | ND | 1 | 80 | .8 | 2 | 2 | 71 | .34 | .168 | 6 | 17 | .58 | 122 | .03 | 8 | 1.71 | .01 | .15 | 1 | 7 |
| R1 200E | 1 | 69 | 2 | 88 | .2 | 41 | 18 | 573 | 4.38 | 8 | 5 | ND | 1 | 48 | .2 | 2 | 2 | 148 | .61 | .169 | 6 | 74 | 1.51 | 168 | .30 | 7 | 2.38 | .02 | .67 | 1 | 1 |
| R1 300E | 1 | 91 | 2 | 75 | .7 | 17 | 21 | 822 | 6.09 | 2 | 5 | ND | 1 | 73 | .2 | 2 | 2 | 160 | .50 | .120 | 3 | 35 | 1.90 | 230 | .23 | 6 | 3.17 | .03 | .55 | 1 | 2 |
| R1 400E | 1 | 181 | 2 | 81 | .2 | 11 | 26 | 1207 | 5.39 | 6 | 5 | ND | 1 | 36 | .2 | 2 | 2 | 137 | .36 | .117 | 3 | 15 | 1.79 | 288 | .18 | 6 | 3.32 | .02 | 1.18 | 1 | 32 |
| R1 500E | 1 | 191 | 2 | 84 | .1 | 16 | 23 | 1136 | 6.22 | 3 | 5 | ND | 1 | 158 | .2 | 2 | 2 | 131 | .61 | .138 | 3 | 22 | 2.24 | 375 | .22 | 5 | 3.32 | .02 | 1.58 | 1 | 19 |
| R1 600E | 1 | 185 | 3 | 84 | .2 | 19 | 22 | 1081 | 4.75 | 2 | 5 | ND | 1 | 131 | .2 | 2 | 3 | 107 | .76 | .174 | 6 | 29 | 2.08 | 375 | .20 | 9 | 3.37 | .02 | 1.16 | 1 | 13 |
| R1 700E | 1 | 208 | 2 | 76 | .5 | 26 | 23 | 1403 | 5.56 | 4 | 5 | ND | 1 | 133 | .3 | 2 | 3 | 130 | .88 | .130 | 6 | 62 | 2.38 | 101 | .20 | 10 | 3.22 | .02 | .72 | 1 | 47 |
| R1 800E | 2 | 65 | 6 | 81 | .2 | 9 | 18 | 998 | 5.75 | 2 | 5 | ND | 1 | 49 | .2 | 2 | 2 | 114 | .34 | .159 | 3 | 25 | 1.33 | 135 | .08 | 6 | 2.98 | .01 | .17 | 1 | 24 |
| R2 0E | 2 | 56 | 3 | 77 | .3 | 10 | 8 | 398 | 3.43 | 2 | 5 | ND | 1 | 61 | .2 | 2 | 2 | 73 | .21 | .071 | 10 | 19 | .53 | 64 | .07 | 6 | 2.09 | .01 | .06 | 1 | 2 |
| R2 100E | 2 | 70 | 3 | 59 | .4 | 8 | 8 | 369 | 2.71 | 2 | 5 | ND | 1 | 69 | .2 | 2 | 2 | 67 | .44 | .157 | 12 | 15 | .64 | 83 | .04 | 7 | 2.17 | .01 | .05 | 1 | 5 |
| R2 200E | 1 | 103 | 3 | 65 | .1 | 17 | 13 | 411 | 3.65 | 3 | 5 | ND | 1 | 57 | .2 | 2 | 2 | 85 | .45 | .136 | 10 | 26 | .87 | 79 | .11 | 7 | 2.29 | .01 | .16 | 1 | 24 |
| R2 300E | 1 | 58 | 6 | 57 | .2 | 8 | 9 | 329 | 3.50 | 2 | 5 | ND | 1 | 54 | .2 | 2 | 2 | 85 | .26 | .072 | 6 | 18 | .59 | 66 | .08 | 7 | 2.01 | .01 | .06 | 1 | 20 |
| R2 400E | 1 | 80 | 5 | 61 | .1 | 10 | 11 | 436 | 4.01 | 2 | 5 | ND | 1 | 78 | .2 | 2 | 2 | 82 | .45 | .156 | 10 | 19 | .77 | 67 | .09 | 15 | 2.50 | .01 | .08 | 1 | 12 |
| R2 500E | 1 | 66 | 2 | 54 | .2 | 19 | 12 | 377 | 3.99 | 2 | 5 | ND | 1 | 72 | .2 | 2 | 2 | 105 | .35 | .088 | 4 | 34 | .95 | 78 | .11 | 9 | 2.56 | .02 | .11 | 1 | 23 |
| R2 600E | 1 | 63 | 2 | 48 | .3 | 11 | 12 | 295 | 4.78 | 2 | 5 | ND | 1 | 50 | .2 | 2 | 2 | 108 | .27 | .105 | 5 | 26 | .69 | 48 | .10 | 6 | 2.53 | .01 | .07 | 1 | 8 |
| R2 700E | 1 | 29 | 6 | 28 | .3 | 4 | 5 | 153 | 2.67 | 2 | 5 | ND | 1 | 43 | .2 | 2 | 2 | 82 | .20 | .055 | 6 | 16 | .27 | 45 | .11 | 4 | 1.71 | .01 | .04 | 1 | 13 |
| R2 800E | 1 | 419 | 2 | 69 | .5 | 16 | 11 | 507 | 6.00 | 2 | 5 | ND | 1 | 29 | .2 | 2 | 5 | 176 | .23 | .210 | 3 | 35 | 1.59 | 41 | .23 | 11 | 2.72 | .01 | .19 | 1 | 13 |

GEOCHEMICAL ANALYSIS CERTIFICATE

MINCORD EXPLORATION

Project: 282

Report No. 9130126

Sample Type: Soils

Date: September 23, 1991


Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au* ppb |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 51900N 50100E | 1 | 78 | 6 | 73 | .2 | 17 | 14 | 494 | 4.14 | 6 | 5 | ND | 1 | 69 | .2 | 2 | 2 | 93 | .47 | .100 | 4 | 56 | 1.29 | 33 | .09 | 2 | 1.96 | .01 | .07 | 1 | 84 |
| 51900N 50150E | 1 | 115 | 6 | 77 | .2 | 15 | 15 | 1147 | 3.58 | 5 | 5 | ND | 1 | 82 | .2 | 2 | 2 | 75 | .50 | .166 | 4 | 42 | 1.13 | 39 | .03 | 2 | 1.93 | .01 | .08 | 1 | 41 |
| 51900N 50200E | 1 | 106 | 5 | 88 | .4 | 20 | 16 | 643 | 5.19 | 8 | 5 | ND | 1 | 61 | .2 | 2 | 2 | 110 | .49 | .181 | 5 | 49 | 1.62 | 35 | .11 | 2 | 2.41 | .01 | .07 | 1 | 31 |
| 51900N 50250E | 1 | 195 | 7 | 105 | .3 | 22 | 19 | 1853 | 4.01 | 7 | 5 | ND | 1 | 110 | .2 | 2 | 2 | 84 | .73 | .190 | 5 | 52 | 1.63 | 68 | .07 | 2 | 2.34 | .01 | .15 | 1 | 41 |
| 51900N 50300E | 1 | 197 | 6 | 92 | .2 | 30 | 20 | 1218 | 4.47 | 9 | 5 | ND | 1 | 178 | .2 | 2 | 2 | 80 | .95 | .166 | 7 | 78 | 1.89 | 64 | .08 | 2 | 2.55 | .01 | .13 | 1 | 1210 |
| 51900N 50350E | 1 | 238 | 7 | 83 | .5 | 32 | 18 | 982 | 4.42 | 6 | 5 | ND | 2 | 194 | .2 | 2 | 2 | 85 | .81 | .170 | 9 | 66 | 1.65 | 61 | .08 | 2 | 2.43 | .01 | .13 | 1 | 36 |
| 51900N 50400E | 1 | 194 | 5 | 104 | .3 | 23 | 21 | 1250 | 5.64 | 7 | 5 | ND | 2 | 171 | .2 | 2 | 2 | 114 | .82 | .184 | 7 | 51 | 1.89 | 54 | .12 | 3 | 2.51 | .01 | .16 | 1 | 192 |
| 51900N 50450E | 1 | 68 | 5 | 94 | .2 | 19 | 13 | 786 | 4.37 | 6 | 5 | ND | 1 | 182 | .4 | 2 | 2 | 88 | .35 | .142 | 5 | 38 | 1.14 | 78 | .03 | 2 | 2.86 | .01 | .10 | 1 | 20 |
| 51900N 50500E | 1 | 225 | 9 | 82 | .4 | 20 | 15 | 1482 | 3.91 | 4 | 5 | ND | 1 | 224 | .2 | 2 | 2 | 88 | .58 | .110 | 5 | 42 | 1.18 | 107 | .04 | 2 | 2.84 | .02 | .09 | 1 | 83 |
| 51900N 50550E | 1 | 314 | 14 | 96 | .4 | 16 | 19 | 1258 | 4.70 | 7 | 5 | ND | 1 | 120 | .2 | 2 | 2 | 108 | .68 | .147 | 5 | 37 | 1.71 | 60 | .04 | 2 | 2.56 | .01 | .10 | 1 | 85 |
| 51900N 50600E | 2 | 910 | 13 | 106 | .1 | 21 | 24 | 1007 | 5.21 | 7 | 5 | ND | 1 | 117 | .2 | 2 | 6 | 111 | .63 | .149 | 5 | 41 | 1.86 | 52 | .08 | 2 | 2.93 | .01 | .09 | 1 | 139 |
| 51900N 50650E | 1 | 534 | 40 | 135 | .7 | 22 | 23 | 1313 | 5.73 | 6 | 5 | ND | 1 | 187 | .4 | 2 | 2 | 118 | .91 | .149 | 6 | 49 | 2.24 | 51 | .10 | 2 | 2.89 | .01 | .16 | 1 | 172 |
| 51900N 50700E | 1 | 431 | 22 | 123 | .7 | 23 | 24 | 1207 | 5.92 | 7 | 5 | ND | 1 | 120 | .2 | 2 | 2 | 114 | .84 | .142 | 5 | 50 | 2.46 | 44 | .11 | 2 | 2.99 | .01 | .20 | 1 | 390 |
| 51900N 50750E | 1 | 678 | 19 | 129 | .9 | 26 | 29 | 2154 | 6.13 | 8 | 5 | ND | 1 | 131 | .4 | 2 | 2 | 120 | 1.10 | .132 | 5 | 54 | 2.75 | 73 | .11 | 2 | 3.53 | .01 | .19 | 1 | 137 |
| 51900N 50800E | 1 | 353 | 7 | 102 | .6 | 16 | 27 | 1583 | 6.08 | 6 | 5 | ND | 1 | 267 | .2 | 2 | 2 | 108 | 1.90 | .129 | 5 | 23 | 2.12 | 53 | .09 | 2 | 3.80 | .01 | .15 | 1 | 95 |
| 51900N 50850E | 8 | 135 | 7 | 109 | .2 | 15 | 25 | 1687 | 5.36 | 3 | 5 | ND | 1 | 528 | .2 | 2 | 2 | 99 | 1.47 | .134 | 3 | 20 | 1.96 | 97 | .05 | 2 | 3.81 | .02 | .13 | 1 | 26 |
| 52000N 51150E | 1 | 132 | 7 | 94 | .4 | 19 | 16 | 722 | 4.91 | 7 | 5 | ND | 1 | 70 | .2 | 2 | 2 | 109 | .38 | .084 | 4 | 51 | 1.54 | 42 | .11 | 2 | 2.38 | .01 | .08 | 1 | 21 |
| 52000N 51200E | 1 | 172 | 9 | 98 | .3 | 25 | 20 | 956 | 5.24 | 8 | 5 | ND | 1 | 111 | .2 | 2 | 2 | 113 | .64 | .138 | 5 | 61 | 1.85 | 38 | .11 | 2 | 2.56 | .01 | .10 | 1 | 50 |
| 52000N 51250E | 2 | 254 | 18 | 104 | .3 | 32 | 20 | 1121 | 4.80 | 9 | 5 | ND | 1 | 193 | .2 | 2 | 2 | 95 | .81 | .134 | 6 | 84 | 1.89 | 55 | .11 | 2 | 2.79 | .01 | .12 | 1 | 390 |
| 52000N 51300E | 1 | 297 | 15 | 115 | .6 | 33 | 20 | 1274 | 4.77 | 7 | 5 | ND | 1 | 194 | .2 | 2 | 3 | 96 | .84 | .142 | 6 | 79 | 1.96 | 66 | .10 | 2 | 2.98 | .01 | .15 | 2 | 540 |
| 52000N 51350E | 4 | 427 | 16 | 98 | .8 | 32 | 20 | 942 | 4.75 | 8 | 5 | ND | 1 | 202 | .2 | 2 | 3 | 87 | .96 | .134 | 6 | 71 | 1.75 | 61 | .09 | 2 | 3.13 | .01 | .12 | 1 | 260 |
| 52000N 51400E | 1 | 415 | 11 | 102 | .5 | 28 | 21 | 1193 | 4.78 | 7 | 5 | ND | 2 | 206 | .2 | 2 | 2 | 94 | .99 | .172 | 6 | 65 | 1.87 | 51 | .08 | 2 | 2.58 | .01 | .19 | 1 | 190 |
| 52000N 51450E | 1 | 123 | 6 | 86 | .4 | 25 | 18 | 965 | 4.72 | 6 | 5 | ND | 2 | 164 | .2 | 2 | 2 | 99 | 1.01 | .140 | 6 | 60 | 1.59 | 52 | .08 | 2 | 2.37 | .01 | .08 | 1 | 116 |
| 52000N 51500E | 1 | 125 | 2 | 97 | .4 | 33 | 19 | 1178 | 4.51 | 3 | 5 | ND | 2 | 190 | .2 | 2 | 2 | 100 | .87 | .129 | 7 | 69 | 1.75 | 51 | .07 | 2 | 2.72 | .02 | .08 | 1 | 101 |
| 52000N 51550E | 1 | 123 | 8 | 95 | .3 | 20 | 19 | 1271 | 5.06 | 7 | 5 | ND | 2 | 143 | .2 | 2 | 2 | 109 | .98 | .142 | 7 | 42 | 1.63 | 59 | .11 | 2 | 2.21 | .01 | .14 | 1 | 175 |
| 52000N 51600E | 1 | 196 | 13 | 77 | .3 | 23 | 17 | 1011 | 4.23 | 8 | 5 | ND | 2 | 260 | .2 | 2 | 2 | 85 | .92 | .122 | 9 | 41 | 1.27 | 63 | .07 | 2 | 2.43 | .01 | .11 | 1 | 75 |
| 52000N 51650E | 1 | 137 | 8 | 108 | .5 | 16 | 21 | 1628 | 5.33 | 4 | 5 | ND | 1 | 46 | .2 | 2 | 2 | 129 | .70 | .128 | 5 | 36 | 1.98 | 57 | .15 | 3 | 2.38 | .01 | .18 | 2 | 65 |
| 52000N 50700E | 4 | 141 | 29 | 168 | .6 | 25 | 22 | 1903 | 4.77 | 10 | 5 | ND | 1 | 160 | .7 | 2 | 2 | 112 | 1.78 | .159 | 4 | 51 | 2.00 | 54 | .10 | 3 | 2.87 | .01 | .26 | 4 | 250 |
| 52000N 50750E | 4 | 134 | 18 | 112 | .6 | 22 | 23 | 1572 | 5.15 | 9 | 5 | ND | 1 | 196 | .4 | 2 | 2 | 115 | 1.51 | .141 | 4 | 46 | 2.04 | 43 | .10 | 2 | 2.98 | .01 | .21 | 1 | 200 |
| 52000N 50800E | 6 | 88 | 9 | 100 | .2 | 17 | 26 | 1310 | 5.46 | 7 | 5 | ND | 1 | 309 | .2 | 2 | 2 | 107 | 1.21 | .135 | 4 | 25 | 1.85 | 56 | .08 | 2 | 3.00 | .02 | .15 | 1 | 70 |
| 52000N 50850E | 3 | 84 | 12 | 85 | .1 | 19 | 19 | 1130 | 4.59 | 6 | 5 | ND | 1 | 114 | .2 | 2 | 2 | 90 | .55 | .108 | 7 | 30 | 1.33 | 90 | .05 | 3 | 2.73 | .01 | .08 | 1 | 21 |

NOTE: These analyses are for repeat samples in lines 51900N and 52000N.




Nell Soil Geochemistry Ag ppm




Figure



Nell Soil Geochemistry Ag ppm




Nell Soil Geochemistry Ag ppm



Figure




Nell Soil Geochemistry As ppm




Figure



Nell Soil Geochemistry As ppm




Nell Soil Geochemistry As ppm



Figure




Nell Soil Geochemistry Au ppb




Figure



Nell Soil Geochemistry Au ppb




Nell Soil Geochemistry Au ppb



Figure




Nell Soil Geochemistry Cu ppm




Figure



Nell Soil Geochemistry Cu ppm




Nell Soil Geochemistry Cu ppm



Figure




Nell Soil Geochemistry Mo ppm




Figure



Nell Soil Geochemistry Mo ppm




Nell Soil Geochemistry Mo ppm



Figure




Nell Soil Geochemistry Pb ppm




Figure



Nell Soil Geochemistry Pb ppm




Nell Soil Geochemistry Pb ppm



Figure




Nell Soil Geochemistry Pb ppm



Figure




Nell Soil Geochemistry Zn ppm




Figure



Nell Soil Geochemistry Zn ppm




Nell Soil Geochemistry Zn ppm



Figure




Nell Soil Geochemistry Zn ppm



Figure



Nell Soil Geochemistry Zn ppm



Figure

PLACER DOME INC.

PDI Data Analysis System - STATS

run on 92:01:13 at 16:45:19

Current directory: /placer4_5/expl/nell/gchm

V282 NELL - SOIL GEOCHEMISTRY RESULTS

Summary of data from file : soil.final

This data file contains an internal header: (7 records)
 Data grouped into 35 fields
 with format: (2A8, 2F10.2,31F10.2)

Character ID fields:
 GRDY GRDX

Coordinate fields:
 UTMX UTMZ

Other data fields:
 MO CU PB ZN AG NI CO MN FE AS U AU
 TH SR CD SB BI V CA P LA CR MG BA
 TI B AL NA K W AU1

Missing data indicated by NULL value -999.000

BASIC STATISTICS OF SELECTED DATA FIELDS:

| NAME | NDATA | NULLS | MINIMUM | MAXIMUM | MEAN | STD. DEV. | GEOM. MEAN | DISPERSION |
|------|-------|-------|--------------|----------|----------|--------------|------------|--------------|
| MO | 617 | 0 | 1.00000 | 14.0000 | 1.33225 | 1.01841 | 1.17924 | 0.783131 |
| CU | 617 | 0 | 14.0000 | 6102.00 | 172.972 | 283.450 | 123.694 | 58.2116 |
| PB | 617 | 0 | 2.00000 | 370.000 | 8.99190 | 21.3239 | 6.25591 | 3.13148 |
| ZN | 617 | 0 | 28.0000 | 1147.00 | 112.776 | 60.4618 | 105.700 | 75.9862 |
| AG | 617 | 0 | 0.100000 | 3.40000 | 0.450568 | 0.394239 | 0.336821 | 0.156955 |
| NI | 617 | 0 | 4.00000 | 73.0000 | 17.4797 | 7.25308 | 16.1163 | 10.6769 |
| CO | 617 | 0 | 2.00000 | 115.000 | 19.4911 | 8.37128 | 18.0453 | 12.1381 |
| MN | 617 | 0 | 94.0000 | 6992.00 | 1348.58 | 867.818 | 1125.44 | 611.486 |
| FE | 617 | 0 | 0.610000 | 8.16000 | 4.56967 | 0.988543 | 4.44053 | 3.43194 |
| AS | 617 | 0 | 2.00000 | 165.000 | 10.6224 | 16.7945 | 6.30736 | 2.53180 |
| U | 617 | 0 | 5.00000 | 14.0000 | 5.08752 | 0.596627 | 5.06668 | 4.67615 |
| AU | 1 | 616 | 3.00000 | 3.00000 | 3.00000 | 0.NaN00 | 3.00000 | -0.NaN00 |
| TH | 617 | 0 | 1.00000 | 8.00000 | 1.08428 | 0.417976 | 1.05156 | 0.855989 |
| SR | 617 | 0 | 20.0000 | 629.000 | 126.258 | 87.4596 | 104.960 | 58.2263 |
| CD | 617 | 0 | 0.200000 | 37.9000 | 0.524960 | 1.79884 | 0.344130 | 0.179245 |
| SB | 617 | 0 | 2.00000 | 9.00000 | 2.12642 | 0.639779 | 2.07976 | 1.74061 |
| BI | 617 | 0 | 2.00000 | 23.0000 | 2.95786 | 3.01051 | 2.42642 | 1.47432 |
| V | 617 | 0 | 11.0000 | 176.000 | 102.018 | 23.2142 | 98.9964 | 76.2262 |
| CA | 617 | 0 | 0.160000 | 5.83000 | 0.707520 | 0.453770 | 0.602939 | 0.342903 |
| P | 617 | 0 | 0.300000E-01 | 0.290000 | 0.120973 | 0.340459E-01 | 0.116100 | 0.864320E-01 |
| LA | 617 | 0 | 2.00000 | 17.0000 | 5.52674 | 2.28626 | 5.07357 | 3.32694 |
| CR | 617 | 0 | 4.00000 | 152.000 | 34.5008 | 17.9369 | 29.9787 | 17.1632 |
| MG | 617 | 0 | 0.900000E-01 | 202.000 | 1.74893 | 8.09350 | 1.31972 | 0.816235 |
| BA | 617 | 0 | 19.0000 | 375.000 | 90.1815 | 53.7250 | 78.8003 | 47.7146 |

| | | | | | | | | | |
|-----|-----|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TI | 617 | 0 | 0.100000E-01 | 0.300000 | 0.862400E-01 | 0.489380E-01 | 0.709782E-01 | 0.357195E-01 | 0.141041 |
| B | 617 | 0 | 2.00000 | 25.0000 | 5.35332 | 3.69384 | 4.28607 | 2.19974 | 8.35114 |
| AL | 617 | 0 | 0.260000 | 4.75000 | 2.65736 | 0.599349 | 2.57927 | 1.98443 | 3.35242 |
| NA | 617 | 0 | 0.100000E-01 | 0.900000E-01 | 0.131281E-01 | 0. | 0.121338E-01 | 0.850233E-02 | 0.173164E-01 |
| K | 617 | 0 | 0.400000E-01 | 1.58000 | 0.160405 | 0.151997 | 0.123629 | 0.631920E-01 | 0.241867 |
| W | 617 | 0 | 1.00000 | 9.00000 | 1.09887 | 0.532955 | 1.05410 | 0.837378 | 1.32692 |
| AU1 | 617 | 0 | 1.00000 | 1910.00 | 58.0438 | 124.337 | 28.8964 | 9.02188 | 92.5529 |

APPENDIX II
Rock Sample Results and Descriptions

GEOCHEMICAL ANALYSIS CERTIFICATE

MINCORD EXPLORATION

Project: 282

Report No. 9120103

Sample Type: Rocks

Date: August 19, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au* ppb |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| P91NL001 | 1 | 321 | 14 | 215 | 1.1 | 16 | 24 | 2374 | 14.01 | 2 | 5 | ND | 1 | 15 | 1.6 | 2 | 2 | 114 | .43 | .123 | 2 | 44 | 2.33 | 115 | .09 | 2 | 4.04 | .01 | .26 | 1 | 56 |
| P91NL002 | 1 | 884 | 21 | 141 | 2.3 | 22 | 14 | 3059 | 8.82 | 6 | 5 | ND | 1 | 105 | 1.2 | 2 | 2 | 127 | 1.39 | .115 | 3 | 50 | .56 | 22 | .15 | 17 | 1.47 | .01 | .10 | 1 | 35 |
| P91NL003 | 1 | 69 | 31 | 183 | .5 | 12 | 19 | 1381 | 6.03 | 4 | 9 | ND | 1 | 49 | .8 | 2 | 2 | 124 | 1.85 | .136 | 7 | 31 | 1.63 | 27 | .04 | 5 | 2.83 | .09 | .35 | 1 | 5 |
| P91NL004 | 1 | 210 | 18 | 143 | 1.4 | 9 | 17 | 3381 | 8.21 | 2 | 5 | ND | 1 | 53 | .7 | 2 | 2 | 53 | .71 | .073 | 2 | 49 | .64 | 10 | .10 | 5 | 1.35 | .02 | .09 | 1 | 5 |
| P91NL005 | 1 | 17 | 9 | 52 | .5 | 8 | 8 | 512 | 2.68 | 7 | 5 | ND | 14 | 74 | .2 | 2 | 2 | 68 | .83 | .053 | 2 | 80 | .77 | 107 | .16 | 8 | 1.05 | .05 | .42 | 1 | 1 |
| P91NL006 | 5 | 3404 | 13 | 128 | 4.2 | 19 | 25 | 1725 | 7.08 | 7 | 5 | 3 | 1 | 46 | 1.9 | 2 | 2 | 109 | 2.20 | .057 | 2 | 131 | .95 | 24 | .12 | 4 | 1.71 | .23 | .35 | 1 | 630 |
| P91NL007 | 1 | 2139 | 9 | 88 | 4.1 | 30 | 17 | 1374 | 4.04 | 8 | 5 | ND | 1 | 72 | .9 | 2 | 2 | 111 | 2.05 | .089 | 3 | 65 | 2.14 | 57 | .22 | 5 | 2.76 | .12 | .71 | 1 | 157 |
| P91NL008 | 1 | 9340 | 19 | 69 | 24.1 | 6 | 10 | 591 | 2.88 | 8 | 8 | ND | 1 | 184 | .9 | 2 | 8 | 71 | 2.17 | .103 | 2 | 24 | .68 | 17 | .21 | 6 | 1.52 | .04 | .07 | 1 | 166 |
| P91NL009 | 1 | 63 | 8 | 101 | .3 | 18 | 13 | 1565 | 4.55 | 7 | 5 | ND | 1 | 51 | 1.0 | 2 | 2 | 82 | 2.73 | .139 | 6 | 25 | 2.28 | 35 | .11 | 2 | 2.90 | .03 | .18 | 1 | 26 |
| P91NL010 | 1 | 1488 | 4 | 73 | 2.8 | 18 | 14 | 521 | 3.51 | 2 | 5 | ND | 1 | 101 | .6 | 2 | 2 | 82 | 1.07 | .116 | 3 | 42 | 1.44 | 20 | .17 | 3 | 1.75 | .05 | .08 | 1 | 41 |
| P91NL011 | 17 | 7577 | 17 | 369 | 16.4 | 30 | 38 | 994 | 5.30 | 6 | 5 | ND | 1 | 121 | 3.2 | 2 | 2 | 75 | 1.35 | .106 | 2 | 54 | 1.40 | 12 | .17 | 3 | 1.87 | .01 | .05 | 1 | 320 |
| P91NL012 | 3 | 12730 | 38 | 189 | 45.9 | 37 | 19 | 1266 | 5.24 | 20 | 9 | ND | 1 | 40 | .7 | 2 | 15 | 82 | .68 | .067 | 2 | 64 | 2.49 | 23 | .11 | 2 | 3.22 | .02 | .17 | 1 | 109 |
| P91NL013 | 2 | 5819 | 106 | 104 | 92.4 | 12 | 9 | 538 | 8.79 | 296 | 5 | 5 | 1 | 13 | 1.0 | 2 | 7 | 48 | .13 | .011 | 2 | 111 | 1.01 | 10 | .04 | 2 | 1.43 | .01 | .08 | 1 | 6200 |
| P91NL014 | 1 | 56 | 11 | 37 | .3 | 13 | 9 | 235 | 2.54 | 6 | 6 | ND | 1 | 98 | .2 | 2 | 2 | 67 | 1.26 | .122 | 2 | 45 | .30 | 24 | .19 | 7 | .90 | .05 | .12 | 1 | 10 |
| P91NL015 | 1 | 7489 | 10 | 99 | 4.3 | 47 | 28 | 883 | 2.37 | 14 | 5 | ND | 1 | 95 | .6 | 2 | 2 | 30 | 1.04 | .040 | 2 | 63 | .87 | 10 | .13 | 5 | 1.15 | .02 | .01 | 1 | 220 |
| P91NL016 | 1 | 1139 | 3 | 48 | 1.3 | 7 | 3 | 626 | 1.21 | 7 | 5 | ND | 1 | 106 | .4 | 2 | 2 | 31 | 1.95 | .102 | 2 | 44 | .34 | 10 | .20 | 6 | 1.06 | .04 | .04 | 1 | 74 |
| P91NL017 | 1 | 271 | 3 | 62 | .6 | 14 | 10 | 943 | 2.19 | 7 | 5 | ND | 1 | 57 | .4 | 2 | 2 | 64 | 1.32 | .069 | 2 | 52 | 1.14 | 21 | .19 | 4 | 1.73 | .08 | .13 | 1 | 13 |
| P91NL018 | 1 | 144 | 9 | 67 | .5 | 17 | 18 | 719 | 3.64 | 7 | 5 | ND | 1 | 69 | .8 | 2 | 2 | 89 | .98 | .068 | 2 | 38 | 1.22 | 121 | .22 | 2 | 2.06 | .10 | 1.11 | 1 | 7 |
| P91NL019 | 1 | 20 | 6 | 75 | .3 | 1 | 8 | 1563 | 3.47 | 7 | 5 | ND | 1 | 130 | .7 | 2 | 2 | 90 | 2.00 | .090 | 3 | 7 | 1.17 | 17 | .17 | 2 | 1.98 | .09 | .13 | 1 | 1 |
| P91NL020 | 1 | 3244 | 4 | 155 | .5 | 16 | 14 | 1491 | 4.23 | 3 | 5 | ND | 1 | 100 | 2.1 | 2 | 2 | 88 | 1.03 | .100 | 8 | 13 | .67 | 34 | .13 | 2 | 1.83 | .03 | .53 | 1 | 12 |
| P91NL021 | 1 | 9466 | 23 | 296 | 12.1 | 35 | 26 | 1623 | 5.17 | 11 | 5 | ND | 1 | 46 | 1.6 | 2 | 5 | 92 | .68 | .084 | 4 | 11 | 1.20 | 73 | .16 | 2 | 2.18 | .05 | .93 | 1 | 560 |
| P91NL022 | 1 | 56 | 107 | 177 | 1.1 | 12 | 12 | 1093 | 4.73 | 2 | 5 | ND | 1 | 67 | 1.0 | 2 | 2 | 105 | .37 | .098 | 2 | 47 | 1.98 | 24 | .10 | 2 | 2.65 | .02 | .04 | 1 | 35 |
| P91NL023 | 1 | 20 | 6 | 86 | .6 | 11 | 13 | 530 | 4.17 | 10 | 5 | ND | 1 | 47 | .8 | 2 | 2 | 121 | 1.02 | .126 | 2 | 34 | 1.30 | 88 | .20 | 2 | 1.72 | .07 | 1.42 | 1 | 1 |
| P91NL024 | 6 | 47 | 26 | 9 | .7 | 3 | 6 | 1338 | .89 | 8 | 6 | ND | 1 | 25 | .3 | 2 | 2 | 11 | 4.80 | .010 | 2 | 65 | .07 | 8 | .01 | 2 | .22 | .01 | .06 | 1 | 128 |
| P91NL025 | 3 | 2766 | 5 | 92 | 3.0 | 8 | 16 | 977 | 3.39 | 2 | 5 | ND | 1 | 98 | 1.4 | 2 | 2 | 68 | 3.50 | .069 | 2 | 17 | 1.48 | 31 | .11 | 2 | 2.49 | .06 | .27 | 1 | 68 |
| P91NL026 | 1 | 1522 | 3 | 70 | 1.7 | 7 | 11 | 554 | 2.78 | 2 | 5 | ND | 1 | 91 | 1.2 | 2 | 2 | 82 | 1.47 | .087 | 2 | 16 | 1.16 | 29 | .15 | 2 | 2.08 | .16 | .38 | 1 | 36 |
| P91NL027 | 1 | 31 | 6 | 60 | .2 | 7 | 14 | 858 | 3.07 | 4 | 5 | ND | 2 | 66 | .4 | 2 | 2 | 49 | 9.55 | .125 | 4 | 8 | .48 | 140 | .01 | 7 | 1.28 | .02 | .46 | 1 | 5 |
| P91NL028 | 1 | 2139 | 13 | 339 | 6.2 | 11 | 16 | 546 | 3.46 | 2 | 5 | ND | 1 | 109 | .5 | 2 | 2 | 70 | 1.32 | .115 | 2 | 23 | 1.75 | 34 | .19 | 2 | 1.98 | .06 | .22 | 1 | 57 |
| P91NL029 | 1 | 178 | 13 | 190 | .6 | 11 | 22 | 1575 | 4.67 | 6 | 5 | ND | 2 | 104 | .6 | 2 | 5 | 75 | 6.33 | .132 | 5 | 14 | 1.27 | 70 | .01 | 8 | 1.09 | .01 | .45 | 1 | 27 |
| P91NL030 | 1 | 3716 | 13 | 59 | 10.0 | 8 | 12 | 519 | 4.09 | 7 | 5 | ND | 1 | 140 | .5 | 2 | 6 | 92 | 2.10 | .145 | 2 | 26 | .76 | 19 | .19 | 6 | 1.28 | .04 | .10 | 1 | 120 |
| P91NL031 | 1 | 30 | 3 | 101 | .1 | 17 | 12 | 685 | 3.40 | 7 | 5 | ND | 1 | 47 | .5 | 2 | 2 | 92 | 1.08 | .120 | 2 | 51 | 1.58 | 43 | .17 | 2 | 1.87 | .05 | .48 | 1 | 1 |
| P91NL032 | 1 | 415 | 4 | 78 | 1.2 | 11 | 11 | 529 | 3.85 | 10 | 5 | ND | 1 | 75 | .3 | 2 | 2 | 103 | 1.66 | .179 | 3 | 37 | 1.31 | 28 | .17 | 2 | 1.34 | .04 | .36 | 1 | 10 |
| P91NL033 | 1 | 28 | 13 | 99 | .3 | 12 | 16 | 1346 | 5.88 | 16 | 9 | ND | 1 | 65 | .6 | 2 | 2 | 133 | 3.00 | .179 | 2 | 33 | 2.14 | 19 | .13 | 2 | 2.20 | .03 | .12 | 1 | 25 |
| P91NL034 | 1 | 2 | 6 | 10 | .3 | 1 | 2 | 4421 | .58 | 2 | 5 | ND | 1 | 185 | .2 | 2 | 2 | 7 | 22.68 | .018 | 2 | 12 | .19 | 6 | .01 | 2 | .30 | .01 | .02 | 1 | 1 |
| P91NL035 | 1 | 149 | 6 | 41 | .9 | 21 | 11 | 437 | 3.51 | 2 | 5 | ND | 1 | 102 | .5 | 2 | 2 | 107 | 1.80 | .136 | 3 | 91 | 1.06 | 22 | .16 | 3 | 1.40 | .12 | .17 | 1 | 6 |

G E O C H E M I C A L A N A L Y S I S C E R T I F I C A T E

MINCORD EXPLORATION

Project: 282

Report No. 9120111

Sample Type: Rocks

Date: August 29, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au* ppb |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| P91NL036 | 1 | 22 | 2 | 39 | .2 | 6 | 11 | 377 | 4.27 | 5 | 5 | ND | 1 | 110 | .2 | 2 | 2 | 120 | 1.28 | .158 | 5 | 46 | .66 | 34 | .21 | 19 | 1.12 | .05 | .28 | 1 | 4 |
| P91NL037 | 1 | 156 | 2 | 84 | .2 | 11 | 19 | 1229 | 4.71 | 2 | 5 | ND | 1 | 104 | .2 | 2 | 2 | 72 | 4.88 | .129 | 6 | 25 | 1.75 | 67 | .04 | 17 | 2.00 | .02 | .33 | 1 | 6 |
| P91NL038 | 1 | 51 | 4 | 11 | .2 | 2 | 4 | 173 | .66 | 3 | 5 | ND | 3 | 76 | .2 | 2 | 2 | 24 | .40 | .025 | 2 | 51 | .11 | 32 | .09 | 37 | .34 | .03 | .12 | 1 | 27 |
| P91NL039 | 1 | 197 | 2 | 56 | .7 | 11 | 15 | 489 | 3.63 | 5 | 5 | ND | 1 | 104 | .2 | 2 | 3 | 95 | 1.42 | .191 | 5 | 41 | 1.15 | 26 | .20 | 26 | 1.33 | .04 | .70 | 1 | 20 |
| P91NL040 | 5 | 4914 | 4 | 153 | 6.1 | 21 | 22 | 856 | 4.26 | 18 | 5 | ND | 1 | 63 | 2.2 | 2 | 19 | 66 | 2.81 | .137 | 4 | 53 | .65 | 44 | .13 | 27 | 1.35 | .03 | .33 | 2 | 410 |
| P91NL041 | 17 | 9224 | 11 | 216 | 27.9 | 24 | 47 | 771 | 7.36 | 28 | 5 | ND | 1 | 172 | 2.7 | 2 | 28 | 93 | 1.38 | .160 | 2 | 66 | .88 | 111 | .20 | 22 | 1.37 | .02 | .07 | 3 | 260 |
| P91NL042 | 1 | 270 | 6 | 52 | .7 | 20 | 10 | 903 | 2.11 | 9 | 5 | ND | 1 | 49 | .2 | 2 | 4 | 48 | 1.52 | .094 | 2 | 126 | .77 | 21 | .19 | 27 | 1.10 | .06 | .09 | 1 | 60 |
| P91NL043 | 1 | 1613 | 2 | 74 | 8.6 | 42 | 17 | 1151 | 7.71 | 21 | 5 | ND | 1 | 65 | .5 | 2 | 11 | 132 | 2.07 | .118 | 2 | 146 | .91 | 20 | .20 | 8 | 1.32 | .15 | .21 | 1 | 640 |
| P91NL044 | 1 | 474 | 2 | 77 | .9 | 23 | 16 | 1069 | 2.64 | 11 | 5 | ND | 1 | 65 | .2 | 2 | 2 | 73 | 1.51 | .091 | 2 | 56 | 1.28 | 27 | .25 | 24 | 1.61 | .08 | .19 | 1 | 74 |
| P91NL045 | 1 | 406 | 4 | 58 | 1.6 | 11 | 21 | 716 | 5.94 | 10 | 5 | ND | 1 | 23 | .2 | 2 | 5 | 90 | .46 | .076 | 2 | 20 | .90 | 43 | .26 | 25 | 1.16 | .05 | .35 | 1 | 61 |

G E O C H E M I C A L A N A L Y S I S C E R T I F I C A T E

MINCORD EXPLORATION

Project: 282

Report No. 9130126

Sample Type: Rocks

Date: September 23, 1991

Multi-element ICP Analysis - .500 gram sample is digested with 3 ml of aqua regia, diluted to 10 ml with Water. This leach is partial for Mn, Fe, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al. Detection Limit for Au is 3 ppm. Au Analysis - 10 gram sample is digested with aqua regia, MIBK extracted, graphite furnace AA finished to 1 ppb detection.

| ELEMENT SAMPLE | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P % | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au* ppb |
|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| P91NL046 | 1 | 189 | 6 | 59 | .3 | 10 | 20 | 1136 | 4.80 | 2 | 5 | ND | 1 | 95 | .2 | 2 | 2 | 55 | 7.79 | .094 | 2 | 5 | 1.79 | 940 | .01 | 6 | .71 | .01 | .36 | 1 | 10 |
| P91NL047 | 1 | 45 | 2 | 83 | .2 | 15 | 16 | 709 | 4.69 | 9 | 5 | ND | 1 | 79 | .2 | 2 | 2 | 115 | 2.26 | .185 | 4 | 52 | 1.72 | 57 | .21 | 2 | 1.78 | .05 | 1.20 | 1 | 20 |
| P91NL048 | 1 | 19 | 4 | 63 | .7 | 17 | 16 | 634 | 3.74 | 9 | 5 | ND | 2 | 87 | .2 | 2 | 2 | 83 | 1.57 | .164 | 4 | 57 | 1.45 | 20 | .20 | 4 | 1.41 | .04 | .34 | 2 | 360 |
| P91NL049 | 1 | 7406 | 3 | 55 | 3.1 | 9 | 18 | 999 | 3.88 | 7 | 5 | ND | 1 | 98 | .9 | 2 | 22 | 57 | 6.98 | .110 | 4 | 20 | 1.14 | 338 | .08 | 3 | 1.10 | .02 | .18 | 5 | 150 |
| P91NL050 | 2 | 5064 | 6 | 55 | 4.5 | 9 | 14 | 511 | 3.24 | 8 | 5 | ND | 1 | 193 | 1.1 | 2 | 19 | 54 | 1.66 | .122 | 3 | 54 | 1.04 | 13 | .21 | 5 | 1.52 | .01 | .03 | 3 | 160 |

Nell Rock Sample Descriptions

| Sample No. | Sample Type | Description |
|------------|--------------------------------|---|
| P91NL001 | Float: Grab | Epidote-magnetite veinlets within volcanic breccia proximal to the volcanic breccia-granodiorite contact. pyrite to 1%, trace chalcopyrite as disseminations and blebs. |
| P91NL002 | O/C: Grab | 1.0 m shear zone within volcanic breccia contains small blebs of chalcopyrite haloed with malachite stain. Patchy magnetite. |
| P91NL003 | O/C: 0.5 m chip across veining | Moderately epidote altered andesitic breccia with 0.5-3 cm epidote veins, and occasional K-feldspar microveins. Trace disseminations of pyrite. |
| P91NL004 | O/C: Grab | Mafic volcanic breccia with strong jointing. Fracture surfaces are coated with strong limonite and wad, and traces of malachite. |
| P91NL005 | Float: Grab | Mixed Unit - volcanic and intrusive. Strong epidote alteration pervasively and as veins. Local 0.5-3.0 cm K-feldspar-quartz veining. Clots of acicular medium-green actinolite within K-feldspar-quartz vein. No visible sulphides. |
| P91NL006 | O/C: 0.5 m chip | Mafic volcanic breccia with strong limonite and minor malachite staining on a fracture surface. Locally 0.5% pyrite as disseminations and trace chalcopyrite in rock adjacent to fracture. |
| P91NL007 | Float: Grab | Intermediate volcanic breccia, moderately chlorite and weakly epidote altered. Irregular spots and veinlets of ankerite. Blebs of magnetite contain chalcopyrite cores and are haloed by malachite stain; 0.5% magnetite and 0.1% chalcopyrite. |

| | | |
|---|--------------------------------|---|
| P91NL008 | O/C: Grab | Volcanic Breccia with moderate malachite staining. Probably proximal to fault zone to east. |
| P91NL009 | O/C: 0.5 m chip across veining | Series of anastomosing pink 1-10 mm calcite microveins in 30 cm wide zone within volcanic breccia. One microvein contains one bleb of malachite stained chalcopyrite. |
| P91NL010 | O/C: Grab | Volcanic breccia with weak ankerite alteration. Minor malachite on fracture surface. |
| P91NL011 (Imperial sample site NS25AB-R) | O/C: Grab | Rubbly fault zone in volcanic breccia. Trace to 1% pyrite on fractures. Moderate limonite and malachite stain on fractures. |
| P91NL012 | O/C: 1.0 m chip | Fault zone in volcanic breccia. Strong malachite stain. |
| P91NL013 | O/C: 0.30 m chip | Fault zone in volcanic breccia. Very strong limonite alteration (to 50%) surrounding a vuggy 5 cm quartz vein. |
| P91NL014 | O/C: Grab | Volcanic breccia; pyroxene phenocrysts are replaced by 0.2% fine-grained pyrite. |
| P91NL015 P91NL016 P91NL017 P91NL018 See Fig. 6 for locations. | O/C: Grab | Shear zone within volcanic breccia consists of four 30-50 cm shears spaced about 5 m apart. Shears are moderately limonite and malachite stained. Local concentrations of pyrite to 10%. |
| P91NL019 | O/C: Grab | Moderately ankerite altered volcanic breccia. Strong jointing. |
| P91NL020 | Float: Grab | Boulder of strongly malachite stained, strongly epidote altered volcanic brxx. No upslope source found. |
| P91NL021 | Float: Grab | 2 cm tectonic breccia zone within boulder of silicified andesite. breccia. Breccia is healed with 50% magnetite, 20% pyrite and 10% chalcopyrite. Strong malachite coats fractures as does dendritic neotocite. |

| | | |
|---|----------------------------|--|
| P91NL022 | O/C: 0.50 m chip | 50 cm moderately limonite stained shear zone in andesite breccia contains < 4 mm quartz microveins. |
| P91NL023 | O/C: Grab | Moderately epidote altered andesite breccia, 10% epidote altered felsic breccia clasts. 5% < 1 mm epidote microveins. |
| P91NL024 Rio sample 10245 | Float rubble in situ: Grab | 50 cm sheared, ankerite altered zone in volcanic breccia contains tectonically brecciated quartz veining. Sample consists of quartz vein material. |
| P91NL025 | Float rubble in situ: Grab | ankerite altered material from shear in P91NL024. Trace chalcopyrite. |
| P91NL026 | Float rubble in situ: Grab | malachite stained wallrock volcanic breccia from shear in P91NL024. |
| P91NL027 | O/C: 0.50 m chip | Three irregular < 1 cm calcite veins enveloped by 30 cm of strong limonite stain in volcanic breccia. |
| P91NL028 | O/C: Grab | 20 cm chloritic shear zone in andesite breccia. Fractures are strongly limonite and weakly malachite stained. Trace chalcopyrite crystals. |
| P91NL029 Imperial sample Goat4 + 30A-R | O/C: Grab | 3 m wide ankerite altered shear zone in volcanic breccia. calcite and hematite coat fracture surfaces. Minor quartz rubble. |
| P91NL030 | O/C: 2.0 m chip | Moderate malachite stain on fractures in andesite breccia proximal to fault zone. Weak to moderate silicification. Same site as P91NL008. |
| P91NL031 | O/C: Grab | Andesite breccia with fine ankerite microveins. Blebs of pyrite associated with microveins. Minor specular hematite in some microveins. |
| P91NL032 | O/C: Grab | Intermediate volcanic breccia with fine calcite microveins. 0.5% magnetite as small crystal aggregates. 0.1% pyrite on fracture surfaces. |

| | | |
|----------|------------------------|--|
| P91NL033 | O/C: Grab | 5 mm quartz-K-feldspar microvein in epidote altered andesite breccia. |
| P91NL034 | O/C: Grab | 50 cm massive pink-grey calcite vein in sheared strongly chloritized volcanic breccia. |
| P91NL035 | O/C: Grab | ankerite coated fracture surfaces in andesite breccia. Moderately chlorite altered. |
| P91NL036 | O/C: Grab | Strongly epidote and K-feldspar altered andesite breccia with calcite coated fractures. Strongly magnetic |
| P91NL037 | O/C: 1.00 m chip | 30 cm shear zone in Mixed Unit. Shear is strongly sericitized and moderately carconatized. Minor malachite on either side of shear. |
| P91NL038 | O/C: Grab | K-feldspar-quartz-epidote veining in andesite breccia, 1-5 cm wide. Within Mixed Unit. |
| P91NL039 | O/C: Grab | < 20 cm tectonic breccia zone in andesite breccia is epidote-carbonate healed. |
| P91NL040 | O/C: Grab | 30-50 cm shear zone related to fault. < 0.5% pyrite and < 0.2% chalcopryrite restricted to the shear zone, but limonite and malachite stain fractures for 2 m. |
| P91NL041 | O/C: 0.50 m chip | Same shear as P91NL040; 20 m downslope. Fractures are coated with 1% pyrite. |
| P91NL042 | O/C: 2.00 m chip | Same shear zone as P91NL015-018. Envelope sample to P91NL043. |
| P91NL043 | O/C: 2.00 m chip | 30 cm strongly limonite stained shear zone. |
| P91NL044 | O/C: 2.00 m chip | Envelope sample to P91NL043. |
| P91NL045 | Float in situ: Grab | Strongly limonite and goethite stained and moderately chlorite altered volcanic breccia. 5% disseminated pyrite. |
| P91NL046 | O/C: Grab | 5 cm quartz-ankerite shear zone in volcanic breccia. |

| | | |
|----------|---------------------|--|
| P91NL047 | O/C: Grab | Moderately epidote altered volcanic breccia. No visible sulphides. |
| P91NL048 | O/C: 0.50 m chip | 3 mm quartz-carbonate microvein in volcanic breccia. |
| P91NL049 | O/C: Grab | 20 cm ankerite-quartz shear zone with strong malachite stain. Occasional pyrite bleb in or adjacent to quartz. |
| P91NL050 | O/C: Grab | 2 m envelope around P91NL049 consists of 0.2-0.5% pyrite and malachite-azurite staining on fractures. |

APPENDIX III
Induced Polarization Survey Logistical Report

LOGISTICAL REPORT
INDUCED POLARIZATION SURVEY

NELL PROPERTY
OMINECA AREA, BRITISH COLUMBIA

on behalf of

MINCORD EXPLORATION CONSULTANTS LTD.
Suite 110 - 325 Howe Street
Vancouver, B.C. V6C 1Z7

Field work completed: July 26 to August 14, 1991

by

Alan Scott, Geophysicist
SCOTT GEOPHYSICS LTD.
4013 West 14th Avenue
Vancouver, B.C. V6R 2X3

August 22, 1991

TABLE OF CONTENTS

| | page |
|-----------------------------------|------|
| 1 Introduction | 1 |
| 2 Claims Location and Access | 1 |
| 3 Survey Grid and Survey Coverage | 1 |
| 4 Personnel | 1 |
| 5 Instrumentation and Procedures | 2 |
| 6 Recommendations | 2 |

Appendix

Statement of Qualifications rear of report

Contents of Folder

| | section |
|--|---------|
| Logistical report | 1 |
| Induced Polarization Survey: Data Summaries | 2 |
| Induced Polarization Survey: Spectral Analysis Summaries | 3 |
| Induced Polarization and Resistivity Pseudosections | 4 |
| Induced Polarization Survey: raw data dumps | 6 |

Accompanying maps (1:5000 scale)

| | |
|--------------------------------------|----------|
| Pseudosections | map roll |
| Chargeability Plan (a=50 meters/n=2) | map roll |
| Resistivity Plan (a=50 meters/n=2) | map roll |

(originals, vellums, plus three blackline copies of each)

1. INTRODUCTION

Induced polarization/resistivity surveys were conducted over portions of the Nell Property, Omineca Area, B.C., within the period July 26 to August 14, 1991. The work was conducted by Scott Geophysics Ltd. on behalf of Mincord Exploration Consultants Ltd., who were directing the work on behalf of Eastfield Resources Ltd. and Placer Dome Exploration Limited.

The pole dipole electrode array was used on the induced polarization survey. The "a" spacing was 50 meters and the "n" separations were 1, 2, 3, 4, and 5. The current electrode was to the west of the potential electrodes on all survey lines.

This report describes the instrumentation and procedures, and presents the results of the survey.

2. CLAIMS LOCATION AND ACCESS

The Nell Property is located approximately 160 kilometers north northwest of Fort St. James, B.C. Access to the survey area was via helicopter from a base camp at the Takla Rainbow Property, accessed by road from the Takla-Manson Road.

3. SURVEY GRID AND SURVEY COVERAGE

A total of 21.6 line kilometers of induced polarization survey were completed on the Nell Property. The grid was established by Mincord Consultants personnel.

4. PERSONNEL

Ken Moir and Mitch Davies, geophysical technicians, served as the party chief on the survey at various times, and operated the IPR11 receiver. Steve Price, geologist, was the Placer Dome/Eastfield representative on site for the duration of the survey.

5. INSTRUMENTATION


A Scintrex IPR11 time domain receiver and a Scintrex 2.5 kw IPC7 transmitter were used for the induced polarization survey. Readings were taken using a 2 second alternating square wave. The chargeability for the eighth slice is the value that has been plotted on the accompanying plans and pseudosections (M7; 690 to 1050 milliseconds after shutoff; midpoint at 870 milliseconds).

The survey data was archived, processed, and plotted using a Toshiba 3200 microcomputer running Scintrex Soft II and proprietary software. All chargeability responses were analyzed for their spectral characteristics (cole-cole intrinsic chargeability, time constant, and frequency dependence) using Johnson's curve matching procedure (Scintrex Soft II). In areas of low amplitude chargeability response, the spectral parameters are often relatively poorly defined.

6. RECOMMENDATIONS

No chargeability highs were detected on the Nell survey that could be recommended for further work at this time.

Respectfully Submitted,



Alan Scott, Geophysicist

Statement of Qualifications

for

Alan Scott, Geophysicist


of

4013 West 14th Avenue
Vancouver, B.C. V6R 2X3

I, Alan Scott, hereby certify the following statements regarding my qualifications, and my involvement in the program of work described in this report.

1. The work was performed by individuals sufficiently trained and qualified for its performance.
2. I have a material interest in the Nell Property, on which the survey discussed in this report was performed. I am a shareholder and director of Eastfield Resources Ltd., which has an interest in the property.
3. I graduated from the University of British Columbia with a Bachelor of Science degree (Geophysics) in 1970, and with a Master of Business Administration degree in 1982.
4. I am a member of the B.C. Geophysical Society and of the Society of Exploration Geophysicists.
5. I have been practicing my profession as a Geophysicist in the field of Mineral Exploration since 1970.

Respectfully submitted,



Alan Scott

APPENDIX IV
Statement of Expenditures

NELL PROJECT

EXPENDITURE STATEMENT JUNE - DECEMBER, 1991

Professional Fees:

| | | |
|--------------------------|-----------------------|--------------|
| S. Price - Geologist | 54.5 days @ \$305/day | \$ 16,622.50 |
| G.L. Garratt - Geologist | 3 days @ \$350/day | 1,050.00 |
| J.W. Morton - Geologist | 2 days @ \$350/day | 700.00 |
| A. Buskas - Geologist | 1 day @ 325/day | 325.00 |

Field Personnel Fees:

| | | |
|-------------------------------|-----------------------|----------|
| E. MacKenzie - Technician | 1.75 days @ \$225/day | 393.75 |
| J. Campbell - Technician | 35.5 days @ \$225/day | 7,987.50 |
| G. Carr - Field Assistant | 31 days @ \$210/day | 6,510.00 |
| R. Bailey - Field Assistant | 40 days @ \$200/day | 8,000.00 |
| L. Critchlow - Cook | 22 days @ \$225/day | 4,950.00 |
| A. Fahlman - Field Assistant | 2 days @ \$225/day | 450.00 |
| F. Larocque - Field Assistant | 29 days @ \$220/day | 6,380.00 |
| R. Muench - Cook | 18 days @ \$225/day | 4,050.00 |
| N. Coopey - Field Assistant | 4 days @ \$210/day | 840.00 |

Rentals:

| | | |
|-------------|------------------------|----------|
| 3 Chainsaws | 41 days @ \$5/day each | 615.00 |
| Camp | 41 days @ \$200/day | 8,200.00 |
| Skidder | | 373.83 |
| Truck | 1.67 days @ \$60/day | 100.00 |

Transportation:

| | | |
|--------------------|----------------------------|-----------|
| Helicopter | 50.8 hours @ \$654.81/hour | 33,264.28 |
| Scheduled Flights | | 2,259.69 |
| Fixed Wing-Charter | | 5,483.26 |

Travel Expenses: 596.62

Field Equipment: 3,798.02

Fuel: 1,146.37

APPENDIX V
Statements of Qualifications

Statement of Qualifications: S.M. Price

I, Stephen Price, of the City of Vancouver, British Columbia, do hereby certify that:

1. I am a graduate of the University of British Columbia where I received a B.Sc. in Geology in May, 1987.
2. I have practised my profession since graduation.
3. I am an Associate of the Geological Association of Canada.
4. I am currently employed by Placer Dome Inc.
5. I supervised the work done on the Nell Property and wrote this report.

___ January 1992

S.P.


Stephen M. Price

CERTIFICATE OF QUALIFICATIONS

I, David Gerard Bailey of 4759 Mapleridge Drive, North Vancouver, British Columbia, hereby certify that;

1. I am a consulting geologist with offices at North Vancouver, British Columbia
2. I hold the degrees of Bachelor of Science (Honours) in geology from Victoria University of Wellington, New Zealand (1973) and Doctor of Philosophy in geology from Queen's University, Kingston, Ontario (1978);
3. I have practised the profession of geologist continuously since graduation;
4. I am a Fellow of the - Geological Association of Canada;
5. I personally carried out geological mapping of the claim group which is the subject of this report.

Dated this _____ day of _____, at Vancouver, British Columbia

A handwritten signature in black ink, appearing to read 'D. G. Bailey', with a long horizontal flourish extending to the right.

David G. Bailey

APPENDIX VI
References

References

Garnett, J.A., 1978: Geology and mineral occurrences of the southern Hogen Batholith. B.C. Ministry of Energy, Mines and Petroleum Resources, Bull. 70

Meade, H.D., 1975: Geology of Germansen Lake area. B.C. Ministry of Energy, Mines and Petroleum Resources, Preliminary Map 19, 1:32,000

Monger, J.W.H., 1977: The Upper Triassic Takla Group in McConnell Creek Map Area, north central British Columbia. Geological Survey of Canada, Paper 76-29

Taylor, A.B., and Gorc, D., 1986: Geochemistry and Geology of the North Slope Claims. Imperial Metals Corporation, Assessment Report No. 15652.





- LEGEND**
- QAL** Unconsolidated fluvial, glacial and fluvio-glacial gravel and sand.
 - A** Mixed Unit - intermediate to felsic intrusive rocks and partly assimilated and metamatised volcanic rocks of Unit 2.
 - 5** Quartz Syenite - medium to coarse grained, pink and grey porphyritic quartz syenite to granite; phenocrysts of orthoclase ± quartz.
 - 3D** Granodiorite - medium grained, light grey, equigranular biotite granodiorite.
 - 3C** medium grained, grey and pink, equigranular to slightly porphyritic hornblende ± biotite granodiorite - minor diorite.
- TAKLA GROUP**
- Volcanic Breccia - poly-lithologic, generally felsic but with varying amounts of mafic clasts: mainly reworked pyroclastic breccia.
 - 2B** Clasts containing mainly hornblende phenocrysts; pyroxene absent or rare.
 - 2A** Clasts with both hornblende and pyroxene phenocrysts.
- Lithological contact (known, inferred)
 - Fault (inferred)
 - Approx. Eastern margin of Mixed Unit A
 - Shear or fracture zone
 - Outcrop
 - Approx. claim boundary

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


22,192

DATA PLOTTED ON THIS MAP:
 DIRECTORY: \USERFILES\GHP
 RWY FILE: TOPOLISE.RWY
 FIELD F14E
 TDPO, DXF
 GRID, DXF




EASTFIELD RESOURCES LTD.
NELL PROJECT
PROPERTY GEOLOGY

| | | | |
|--|---------------|---------------|------------|
| Date | December 1991 | Scale | 1 : 10 000 |
| Compiled by | D.G.B. | | M.T.S. |
| Bailey Geological Consultants (Canada) Ltd. | | FIG. 3 | |




DATA PLOTTED ON THIS MAP:
 POLYMER: 3830/NE/1/000M
 RUN FILE: 3830/NE/1/000M
 FIELD FILE: 3830/NE/1/000M
 FILE: 3830/NE/1/000M
 3830/NE/1/000M.DXF
 3830/NE/1/000M.DXF



GEOLOGICAL BRANCH
ASSESSMENT REPORT

22,192


| | |
|----------------------------------|------------------|
| PLACER DOME INC. | |
| NELL SOIL GEOCHEMISTRY ANOMALIES | |
| DRAWN: SMF | DATE: 08/21/2006 |
| SCALE: 1:5000 | FIG: 4 |
| NO. | |



LEGEND:


- QAL Unconsolidated fluvial, glacial and fluvio-glacial gravel and sand.
- A Mixed Unit - Intermediate to felsic intrusive rocks and partly assimilated and metasomatized Wakané rocks of Unit 2
- 5 Quartz Syenite - medium- to coarse-grained, pink-grey porphyritic quartz syenite to granite; phenocrysts of orthoclase & quartz.
- 3D Granodiorite - medium-grained, light grey, equigranular biotite granodiorite.
- 3C medium-grained, grey-pink, equigranular to slightly porphyritic hornblende & biotite granodiorite; minor diorite.
- TAKLA GROUP**
- 2C Andesite Crystal Tuff - plagioclase and pyroxene & hornblende crystals.
- 2B Volcanic Breccia - polytextured, generally felsic but with varying amounts of mafic clasts; many rounded pyroclastic breccia.
- 2A Clasts contain mainly hornblende phenocrysts; pyroxene absent.
- 2A Clasts contain both hornblende and pyroxene phenocrysts.
- ~~~~~ Shear or fracture zone.
- Lithological Contact (solid where known)
- - - - - Approximate eastern boundary of Mixed Unit A
- Alluvium
- Outcrop
- ◆ Veining (inclined, vertical)
- ⊕ ⊗ Jointing (inclined, vertical, conjugates)
- └ Bedding (inclined)
- ak orkerite
- az azurite
- ca calcite
- cp chalcophyllite
- sf 4-sulfate
- il limonite
- ma malachite
- mg magnetite
- py pyrite
- qt quartz

DATA PLOTTED ON THIS MAP:
 DIRECTORY: SEXPL/NE/L/GEOL
 RUN FILES: GEOL.RUN T1GSD11.RUN
 FIELD FILE: SEXPL/NE/L/TOPOGRID.DXF




| | |
|------------------|-----|
| PLACER DOME INC. | |
| NELL GRID AREA | |
| GEOLOGY | |
| DRAWN: SMP | NO. |
| DATE: 91-12-20 | |
| SCALE: 1:5000 | |
| FIG. 5 | |

GEOLOGICAL BRANCH
ASSESSMENT REPORT
22,192



LEGEND:
 ▲ SAMPLE NO.
 AU (PPB)
 CU (PPM)


DATA PLOTTED ON THIS MAP:
 DIRECTORY: 8EXPL/NELL/GCHM
 RUN FILE: ROCK.RUN (RGS01L.RUN)
 FIELD FILE
 8EXPL/NELL/TOPOGRID.DXF
 8EXPL/NELL/GCHM/ROCKS.DXF



PLACER DOME INC.
 NELL ROCK GEOCHEMISTRY
 AU AND CU
 DRAWN SMP
 DATE 91:12:19
 SCALE 1:5000
 FIG. 6 NO.

GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 22,192


357,000 357,500 358,000 358,500 359,000 359,500



- AS < 1.2 PPM
- AS 1.2 - 2.0 PPM
- ◊ AS > 2.0 PPM


DATA PLOTTED ON THIS MAP:
 DATE: 1993-05-10
 TIME: 10:00 AM
 PROJECT: 22,192

POINTS: 1050 FILE
 POINTS: 1050 SOIL-FINAL
 POINTS: 1050 SOIL-FINAL
 POINTS: 1050 SOIL-FINAL




GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 22,192

| | |
|--------------------------|---------------|
| PLACER DOME INC. | |
| NEWELL SOIL GEOCHEMISTRY | |
| AS IN PPM | |
| DATE: 04/18/97 | SCALE: 1:5000 |
| FIG. 3.7 | INC. |



- AS < 20 PPM
- AS 23 - 50 PPM
- AS 50 - 80 PPM
- AS > 80 PPM

DATA PLOTTED ON THIS MAP:
 PROJECT: 883PL/NDL/2004
 WORK: 88321/2004 - 2005/01/01
 POINTS: 226 SOIL_FINAL
 POINTS: 226 SOIL_FINAL
 REVISED: 2005/01/01




UTM NORTH IS 1 DEG 51.6 MIN WEST OF TRUE NORTH



GEOLOGICAL BRANCH
ASSESSMENT REPORT


22,192

| | | | |
|---------------|--|------------------------|--|
| DRAWN: SMP | | PLACER DOME INC. | |
| DATE: 9/12/17 | | NELL SOIL GEOCHEMISTRY | |
| SCALE: 1:5000 | | AS IN PPM | |
| FIG. 8 | | INC. | |



- AU < 50 PPB
- AU 50 - 100 PPB
- AU 100 - 200 PPB
- AU > 200 PPB

DATA PLOTTED ON THIS MAP:
 DATE: 01/01/2004
 TIME: 10:00 AM
 PROJECT: PLACER DOME
 SHEET: 22,192




UTM NORTH IS 1 DEG 51.6 MIN WEST OF TRUE NORTH



GEOLOGICAL BRANCH
ASSESSMENT REPORT


22,192

| | |
|------------------|------------------------|
| PLACER DOME INC. | |
| DRAWN: SVP | WELL SOIL GEOCHEMISTRY |
| DATE: 01/01/2004 | AU IN PPB |
| SCALE: 1:5000 | |



- CU < 100 PPM
- CU 100 - 250 PPM
- CU 250 - 550 PPM
- CU > 550 PPM

DATA PLOTTED ON THIS MAP:
 PROJECT: 05XPL/NE/1024
 RUN FILE: GSDRAWN 106800.PUN
 POINTS: CU 800L.FINAL
 RUN: CU 800L.FINAL
 8EXPL/NE/1024/05XPL/NE/1024.DXF




UTM NORTH IS 1.000 018 114 WEST OF TRUE NORTH



GEOLOGICAL BRANCH
ASSESSMENT REPORT


22,192

| | |
|------------------|------------------------|
| PLACER DOME INC. | |
| DRAWN: SMP | NELL SOIL GEOCHEMISTRY |
| DATE: 01/18/17 | CU IN PPM |
| SCALE: 1:2500 | |
| FIG. NO. | NO. |



- ZN < 100 PPM
- ◐ ZN 100 - 220 PPM
- ◑ ZN > 220 PPM

DATA PLOTTED ON THIS MAP:
 DATE: 08/12/17
 DRAWN BY: [illegible]
 CHECKED BY: [illegible]
 SCALE: 1:5000



PARCER DOME INC.
 WELL SOIL GEOCHEMISTRY
 ZN IN PPM

GEOLOGICAL BRANCH
ASSESSMENT REPORT


22,192

FIG. 12

49500E 50000E 50500E 51000E




SURVEY SPECIFICATIONS
 array pole dipole
 a spacing 50 meters
 n separations 1, 2, 3, 4, 5
 current electrode
 west of potential electrodes
 receiver Scintrex IPR11
 transmitter Scintrex IPC7
 pulse time 2 seconds
 M7 receive window 690-1050 msec
 mid point 870 msec




MINCORD EXPLORATION CONSULTANTS LTD.
 NELL PROPERTY
 TAKLA AREA, B.C.
 CHARGEABILITY PLAN
 a=50 meters/n=2
 DRAWN BY: ars DATE: August 1991
 SCOTT GEOPHYSICS LTD.

49500E 50000E 50500E 51000E









SURVEY SPECIFICATIONS
 array pole dipole
 a spacing 50 meters
 n separations 1, 2, 3, 4, 5
 current electrode west of potential electrodes
 receiver Scintrex, IPR11
 transmitter Scintrex, IPC7
 pulse time 2 seconds
 M7 receive window 690-1050 msec
 mid point 870 msec



MINCORD EXPLORATION CONSULTANTS LTD.
NELL PROPERTY
 TAKLA AREA, B.C.
 RESISTIVITY PLAN
 a=50 meters/n=2

DRAWN BY: ars DATE: August 1972
 SCOTT GEOPHYSICS LTD.









GEOLOGICAL BRANCH
 ASSESSMENT REPORT

22,192

Pseudosections for Lines

50600N - 51100N









GEOLOGICAL BRANCH
 ASSESSMENT REPORT

22,192

Pseudosections for Lines

51200N - 51700N

FIG. 17



GEOLOGICAL BRANCH
 ASSESSMENT REPORT
 22192
 Pseudosections for Lines
 51800N - 52500N

FIG. 18