



LIST OF FIGURES IN MAP FILE

Figure

6. Outcrop Geology - Polo 7, 8 and Fog Claims
7. Interpretive Geology - Polo 7, 8, and Fog Claims
8. Lithochemisrtry - Sample Locations and Results -
Polo 7,8 and Fog claims
9. Soil Geochemistry - Gold (ppb) - Polo 7, 8
and Fog claims
10. Soil Geochemistry - Silver (ppm) - Polo 7, 8
and Fog claims
11. Soil Geochemistry - Arsenic (ppm) - Polo 7, 8
and Fog claims
12. Soil Geochemistry - Antimony (ppm) - Polo 7, 8
and Fog claims
13. Soil Geochemistry - Copper (ppm) - Polo 7, 8
and Fog claims
14. Soil Geochemistry - Lead (ppm) - Polo 7, 8
and Fog claims
15. Soil Geochemistry - Zinc (ppm) - Polo 7, 8
and Fog claims
16. Soil Geochemistry Compilation - Polo 7, 8
and Fog claims
17. Geology - Polo 13 claim
18. Lithochemisrtry - Sample Locations and Results
Polo 13 claim
19. Soil Geochemistry Sample Locations - Polo 13 claim
20. Soil Geochemistry - Antimony (ppm) - polo 13 claim



After Aldrick et al., 1989

- INTRUSIVE ROCKS**
- TERTIARY**
- 13 POST-TECTONIC DYKES
- 13a Lamprophyre, andesite, diabase (Narrow not shown)
 - 13b King Creek Dyke Swarm: feldspar porphyry dactls, andesite, diabase, quartz diorite
 - 13c Havelton monzonite: fine-grained leucocratonite
- 12 COAST PLUTONIC COMPLEX
- 12a Biotite granite
 - 12b Hornblende-biotite quartz diorite
 - 12c Lee Brent Stock: K-feldspar porphyry, hornblende-biotite quartz monzonite
- JURASSIC**
- 11 NICKEL MOUNTAIN GABBRO: melanocratic olivine-pyroxene gabbro
- 10 SYN TO POST-VOLCANIC INTRUSIONS: Porphyritic to phenocrystic textured; possibly hypabyssal equivalents of intrusive rocks
- 10a Lehto Porphyry: K-feldspar-plagioclase-hornblende porphyry granodiorite to syenite
 - 10b Barb Lake Dyke: fine- to medium-grained hornblende diorite
 - 10c Andesite-Diorite Complex: melanocratic, fine- to medium-grained diorite with abundant xenoliths of dark green meta-andesite; (possibly Triassic)
- 9 UNUK RIVER DIORITE SUITE: medium- to coarse-grained, mafic to intermediate stocks
- 9a John Peaks melanocratic hornblende diorite
 - 9b Max biotite-hornblende diorite; quartz diorite
 - 9c Melville hornblende-biotite diorite to quartz diorite
 - 9d Doo Ridge biotite monzonite
- TRIASSIC**
- 8 BUCKLE GLACIER STOCK: light grey, gneissic to foliated, medium-grained hornblende-biotite quartz diorite
- METAMORPHIC ROCKS**
- A-F METAMORPHIC EQUIVALENTS OF UNITS 1, 2 OR 3
- A Metapelite: dark grey, carbonaceous quartz-feldspar-sericite phyllite
 - B Felsic metavolcanics: light green quartz-epidote-chlorite-sericite phyllite; locally with deformed lapilli
 - C Mafic to intermediate metavolcanics: dark green, plagioclase-chlorite phyllite
 - D Hornblende-plagioclase mylonite; mylonitic meta-tuff
 - E Hornblende-plagioclase gneiss; argillitic mig. tuff
 - F Strongly sheared rocks within the Unuk-Harryman fault zone
- GOSSANOUS ALTERATION ZONES**
- Pyrite ± quartz ± sericite ± carbonate ± clay locally foliated to schistose
 - Disseminated pyrite in felsic volcanics

- LEGEND**
- VOLCANIC AND SEDIMENTARY ROCKS**
- (Note: No stratigraphic order is implied within sequences.)
- QUATERNARY**
- RECENT**
- 7 UNCONSOLIDATED SEDIMENTS
- 7a Alluvium, glaciofluvial deposits, landslide debris, moraine
 - 7b Alluvium underlain by Pleistocene to Recent basalt
- PLEISTOCENE TO RECENT**
- 6 BASALT FLOWS AND TEPHRA
- 6a Dark grey to black, basalt flows and tephras; minor pillow lavas
 - 6b Basalt tephra
- TRIASSIC TO JURASSIC**
- HAZELTON GROUP**
- MIDDLE JURASSIC (TOARCIAN TO BAJOCIAN)**
- 5 SILTSTONE SEQUENCE (Shannon River Formation): Dark grey, well-sorted siltstone with minor sandstone and conglomerate.
- 5a Chert pebble conglomerate and arenite
 - 5b Rhythmically bedded siltstone and shale (turbidite)
 - 5c Thinly bedded wacke
 - 5d Andesitic pillow lavas and pillow breccias with minor siltstone interbeds
- LOWER JURASSIC (TOARCIAN)**
- 4 FELSIC VOLCANIC SEQUENCE (Mount Dillworth Formation): Light weathering, intermediate to felsic pyroclastic rocks, including dust, ash, crystal and lithic tuffs, lapilli tuff. Locally pyritic (5 to 15%) and gossanous. Minor chalcocite quartz veins locally.
- 4a Variably bedded ashfall tuff
 - 4b Massive felsic tuff
 - 4c Black and white, carbonaceous felsic volcanics; locally flow banded and subvolcanic
- LOWER JURASSIC (PLEIENSCHACHIAN TO TOARCIAN)**
- 3 PYROCLASTIC-EPLASTIC SEQUENCE (Betty Creek Formation): Heterogeneous, grey, green, locally purple or maroon, massive to bedded pyroclastic and sedimentary rocks; pillow lava
- 3a Green or grey, massive to poorly bedded andesite
 - 3b Grey, green and purple dacitic tuff, lapilli tuff, crystal and lithic tuff, massive to well bedded; feldspar phytic
 - 3c White weathering, felsic tuffs and breccias with quartz angrites
 - 3d Andesitic lapilli tuff with pink siliceous clasts
 - 3e Andesitic pillow lavas and pillow breccias with minor siltstone interbeds
 - 3f Black, thinly bedded siltstone, shale and argillite (turbidite)
- UPPER TRIASSIC TO LOWER JURASSIC (NORIAN TO SINEMURIAN)**
- 2 ANDESITE SEQUENCE (Unuk River Formation): Green and grey, intermediate to mafic volcaniclastics and flows with locally thick interbeds of fine-grained immature sediments; minor conglon wacke and tuffaceous rocks
- 2a Grey and green, plagioclase ± hornblende porphyritic andesite; massive to poorly bedded
 - 2b Grey and green, hornblende-± pyroxene-feldspar porphyritic andesitic lapilli and ash tuff
 - 2c Grey, brown and green, thinly bedded, tuffaceous siltstone and fine grained wacke
 - 2d Black, thinly laminated siltstone (turbidite); shale; argillite
 - 2e Dark grey, mafic-supported conglomerate with granitic cobbles
 - 2f Grey, variably bedded limestone (completely recrystallized along South Truck valley)
- TRIASSIC**
- STUHNI GROUP**
- UPPER TRIASSIC (CARNIAN TO NORIAN)**
- 1 LOWER VOLCANOSSEDIMENTARY SEQUENCE: Brown, black and grey, mixed sedimentary rocks interbedded with medium to dark green, mafic to intermediate volcanic and volcaniclastic rocks
- 1a Grey to black, thinly bedded siltstone, shale, argillite (turbidite)
 - 1b Brown and grey, fine grained tuffaceous wacke; minor siltstone or conglomerate
 - 1c Grey, impure, silty, sandy limestone
 - 1d Green, fine-grained, andesitic ash tuff, feldspar and hornblende phytic
 - 1e Dark green basalt
 - 1f Grey and green, andesitic breccia with augite-hornblende-plagioclase clasts and augite-rich matrix

- SYMBOLS**
- Geological boundary (defined, approximate, assumed)
 - Bedding, top known (horizontal, inclined, vertical, overturned)
 - Bedding, top unknown (horizontal, inclined, vertical)
 - Bedding, estimated dip (gentle, moderate, steep)
 - Stratigraphic top in pillow volcanics
 - Compositional layering in metamorphosed rocks; foliation (inclined, vertical)
 - Trend line
 - Regional anticline, syncline
 - Antiform; synform (normal, overturned)
 - Minor fold axis with M, Z or S symmetry; with plunge
 - Fault (defined, assumed; D = downthrown side)
 - Thrust fault (defined, assumed; teeth on upper plate)
 - Air photo lineament
 - Fossil locality
 - Flamme
 - Area with more than 40% Tertiary dykes
 - Unit of major phyllite zone
 - Volcanic vent (observed, assumed)
 - Geologic station
 - National geochemical reconnaissance sample site
 - Potassium-argon isotopic age site: H = hornblende; age in millions of years before present
 - Mineral occurrence; MINFILE number
 - Adit

AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.

COPELAND REBAGLIATI & ASSOCIATES LTD.


POLO CLAIMS
SKEENA M.D., B.C.

REGIONAL GEOLOGY

UNUK-ESKAY AREA

SCALE: AS SHOWN DATE: AUGUST 1992 FIGURE: 5

Part 2 of 2
AR 22591



LEGEND

- INTRUSIVE ROCKS (5)**
- 5.2 RHYOLITE DYKE
 - 5.1 DIORITE DYKE
 - 5.0 MAFIC DIORITE DYKE
- SALMON RIVER FORMATION (4)**
- 4.1 ARROLLITE
 - 4.0 SULPHIDIC TURBIDITE - PYRITIC SILTITE
- MOUNT DILWORTH FORMATION - FELSIC UNIT (3)**
- 3.3 SULPHIDIC MUDSTONE AND CHERT
 - 3.2 INTERMEDIATE FRAGMENTAL AND FLOW
 - 3.1 DACITE-MUDSTONE BRECCIA
 - 3.0 INTERMEDIATE FRAGMENTAL, ASH TUFF AND VOLCANICLASTIC
- MACKAY MUDSTONES AND VOLCANIC WACKES (2)**
- 2.2 BLACK TUFFACEOUS MUDSTONE
 - 2.1 QUARTZ AND LITHIC WACKE
 - 2.0 POLYMIC TIC VOLCANIC WACKE, CRYSTAL LITHIC TUFF
- BETTY CREEK FORMATION PYROCLASTICS (1)**
- 1.2 INTERMEDIATE FRAGMENTAL AND CLASTIC BRECCIA
 - 1.1 MAFIC FRAGMENTAL
 - 1.0 PHYLLITIC VOLCANICLASTIC AND FRAGMENTAL
- TEXTURE**
- | | | | |
|------|------------|------|--------------------|
| A | ASH | Phy | PHYLLITIC/PHYLLITE |
| lp | LAPILLI | F.G. | FINE GRAINED |
| Msv | MASSIVE | Ht | HETEROLITHIC |
| B | BRECCIA | Blk | BLACK CLASTIC |
| Frag | FRAGMENTAL | | |
- MINERALOGY**
- | | | | |
|-----|--------------|------|--------------|
| Zn | SPHALERITE | Carb | CARBONATE |
| Gl | GALENA | M | MAFIC |
| Cpy | CHALCOPYRITE | I | INTERMEDIATE |
| Asp | ARSENOPYRITE | F | FELSIC |
| Hem | HEMATITE | Dac | DACITE |
| Qtz | QUARTZ | Rhy | RHYOLITE |
| Py | PYRITE | Arg | ARROLLITE |

SYMBOLS

- BEDDING; OVERTURNED, UPRIGHT
- FOLIATION SURFACE
- VEIN ORIENTATION
- SHEAR PLANE, SULPHIDIZED SHEAR PLANE
- UPRIGHT ANTICLINE, SYNCLINE
- OVERTURNED ANTICLINE, SYNCLINE
- BEDDING CLEAVAGE INTERSECTION LINEATION
- NORMAL FAULTS; BALL ON DOWN THROWN SIDE
- THRUST FAULT, TEETH ON HANGING WALL PLATE
- CLEAVAGE VERGENCE, DIRECTION TO ANTICLINE AXIS
- GEOLOGICAL CONTACT; DEFINED, PRESUMED, APPROXIMATE
- ALTERATION CONTACT; ALTERATION INCREASES ON THE PICKETED SIDE
- OUTCROP
- TREE LINE
- CLAIM BOUNDARY, LCP

AR 22591
Part 2 of 2

AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**OUTCROP
GEOLOGY**

SCALE: 1 : 5000 DRAWN BY: J.M., R.H. FILE: OUTCR.DWG
DATE: AUG. 92 REVISED: JAN. 93 FIGURE: 6



LEGEND

INTRUSIVE ROCKS (5)

- 5.2 RHYOLITE DYKE
- 5.1 DIORITE DYKE
- 5.0 MAFIC DIORITE DYKE

SALMON RIVER FORMATION (4)

- 4.1 ARGILLITE
- 4.0 SULPHIDIC TURBIDITE - PYRITIC SILTITE

MOUNT DILWORTH FORMATION - FELSIC UNIT (3)

- 3.3 SULPHIDIC MUDSTONE AND CHERT
- 3.2 INTERMEDIATE FRAGMENTAL AND FLOW
- 3.1 DACITE-MUDSTONE BRECCIA
- 3.0 INTERMEDIATE FRAGMENTAL, ASH TUFF AND VOLCANICLASTIC

MACKAY MUDSTONES AND VOLCANIC WACKES (2)

- 2.2 BLACK TUFFACEOUS MUDSTONE
- 2.1 QUARTZ AND LITHIC WACKE
- 2.0 POLYCLASTIC VOLCANIC WACKE, CRYSTAL LITHIC TUFF

BETTY CREEK FORMATION PYROCLASTICS (1)

- 1.2 INTERMEDIATE FRAGMENTAL AND CLASTIC BRECCIA
- 1.1 MAFIC FRAGMENTAL
- 1.0 PHYLITIC VOLCANICLASTIC AND FRAGMENTAL

TEXTURE

A	ASH	Phy	PHYLITIC/PHYLITE
Lp	LAPILLI	F.G.	FINE GRAINED
Mssw	MASSIVE	Ht	HETEROCLASTIC
B	BRECCIA	Dac	DACITE
Frag	FRAGMENTAL	Rhy	RHYOLITE
		Arg	ARGILLITE

MINERALOGY

Zn	SPHALERITE	Cnt	CARBONATE
G	GALENA	M	MAFIC
Cpy	CHALCOPYRITE	I	INTERMEDIATE
Asp	ARSENOPYRITE	F	FELSIC
Hem	HEMATITE	Dac	DACITE
Qtz	QUARTZ	Rhy	RHYOLITE
Py	PYRITE	Arg	ARGILLITE

SYMBOLS

- BEDDING; OVERTURNED, UPRIGHT
- FOLIATION SURFACE
- VEIN ORIENTATION
- SHEAR PLANE, SULPHIDIZED SHEAR PLANE
- UPRIGHT ANTICLINE, SYNCLINE
- OVERTURNED ANTICLINE, SYNCLINE
- BEDDING CLEAVAGE INTERSECTION LINEATION
- NORMAL FAULTS; BALL ON DOWN THROWN SIDE
- THRUST FAULT, TEETH ON HANGING WALL PLATE
- CLEAVAGE VERGENCE, DIRECTION TO ANTICLINE AXIS
- GEOLOGICAL CONTACT; DEFINED, PRESUMED, APPROXIMATE
- ALTERATION CONTACT; ALTERATION INCREASES ON THE PICKETED SIDE
- OUTCROP
- TREE LINE
- CLAIM BOUNDARY, LCP

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

22,591


PART 2 OF 2

0 100 200 300
metres

AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**INTERPRETIVE
GEOLOGY**

SCALE: 1 : 5000 DRAWN BY: J. McCREA FILE: P07GEOL.DWG
DATE: AUG. 92 REVISED: FRISK: 7



ROCK SAMPLE RESULTS

ELEMENT SAMPLES	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Sb ppm	Au ppb
13252	11	7	20	.2	59	5	5
13253	34	4	39	.4	36	12	5
13254	44	40	149	1.2	83	9	3
13301	144	11	207	4.2	398	22	6
13302	24	106	18	9.7	485	30	478
13303	40	12	87	.5	141	19	9
13304	613	3	64	1.1	4	2	2
13305	31	8	74	.2	25	2	1
13306	26	10	79	.3	39	2	3
13307	11	19	95	.2	117	2	3
13308	15	12	78	.1	42	4	1
13309	17	5	44	.1	8	2	3
13310	3	2	9	.1	4	2	4
13319	8	5	219	.1	2	3	1
13320	12	16	130	2.8	9079	116	64
13321	32	18	127	.1	3	2	2
13322	9	7	164	.2	19	2	12
13323	10	50	455	.6	20	2	1
13324	7	11	49	1.0	87	2	3
13401	3	10	51	.9	162	10	22
13402	9	11	18	.1	24	4	2
13403	24	22	128	13.8	3879	49	159



GEOLOGICAL BRANCH ASSESSMENT REPORT

22,591
PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

LITHOGEOCHEMISTRY SAMPLE LOCATIONS AND RESULTS



LEGEND

GOLD (ppb)

- 25 ppb or greater
- ⊙ 100 ppb or greater

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


22,591

PART 2 OF 2

AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY


**SOIL GEOCHEMISTRY
GOLD (ppb)**

SCALE: 1 : 5000	DRAWN BY: J. McCREA	FILE: AUSOIL.DWG
DATE: AUG. 92	REVISED:	FIGURE: 9



LEGEND
 SILVER (ppm)
 ● 2 ppm or greater
 ▲ 5 ppm or greater


**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**
22,591
 PART 2 OF 2



AMERICAN FIBRE CORPORATION
 HERITAGE PETROLEUMS INC.
 COPELAND REBAGLIATI & ASSOCIATES LTD.
 POLO PROPERTY

**SOIL GEOCHEMISTRY
 SILVER (ppm)**

SCALE: 1 : 5000 DRAWN BY: J. McCREA FILE: AGS01L.DWG
 DATE: AUG. 92 REVISED: NONE PAGE: 10



LEGEND


ARSENIC (ppm)

- 200 ppm or greater
- 1000 ppm or greater

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

22,591


PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**SOIL GEOCHEMISTRY
ARSENIC (ppm)**

SCALE: 1 : 5000	DRAWN BY: J. McCREA	FILE: ASS01LOWG
DATE: AUG. 92	REVISION: 1	FRAME: 11



LEGEND

- ANTIMONY (ppm)
- * 10 ppm or greater
 - X 20 ppm or greater

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**



22,591

PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**SOIL GEOCHEMISTRY
ANTIMONY (ppm)**




LEGEND
 COPPER (ppm)
 * 100 ppm or greater

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**

22,591


PART 2 OF 2



AMERICAN FIBRE CORPORATION
 HERITAGE PETROLEUMS INC.
 COPELAND REBAGLIATI & ASSOCIATES LTD.
 POLO PROPERTY

**SOIL GEOCHEMISTRY
 COPPER (ppm)**

SCALE: 1 : 5000 DRAWN BY: J. McCREA FILE: CUSOILDWG
 DATE: AUG. 92 REVISED: PREPARED: 13



LEGEND

LEAD (ppm)

- ◻ 50 ppm or greater
- ◻ 100 ppm or greater

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**



22,591

PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**SOIL GEOCHEMISTRY
LEAD (ppm)**





LEGEND
 ZINC (ppm)
 • 300 ppm or greater
 ◊ 1000 ppm or greater

**GEOLOGICAL BRANCH
 ASSESSMENT REPORT**
22,591
PART 2 OF 2

AMERICAN FIBRE CORPORATION
 HERITAGE PETROLEUMS INC.
 COPELAND REBAGLIATI & ASSOCIATES LTD.
 POLO PROPERTY

**SOIL GEOCHEMISTRY
 ZINC (ppm)**

SCALE: 1 : 5000 DRAWN BY: J. McCREA FILE: ZNSOIL.DWG
 DATE: AUG. 92 REVIEWER: PENDING PAGE: 15




LEGEND

- 25 ppb or greater Gold
- ☆ 100 ppb or greater Gold
- ▲ 2 ppm or greater Silver
- △ 5 ppm or greater Silver
- 200 ppm or greater Arsenic
- 1000 ppm or greater Arsenic
- × 10 ppm or greater Antimony
- × 20 ppm or greater Antimony
- * 100 ppm or greater Copper
- ◊ 50 ppm or greater Lead
- ◊ 100 ppm or greater Lead
- ◊ 300 ppm or greater Zinc
- ◊ 1000 ppm or greater Zinc
- 2 / Anomaly outline and number

GEOLOGICAL BRANCH ASSESSMENT REPORT


22,591

PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO PROPERTY

**SOIL GEOCHEMISTRY
COMPILATION**




Mount Dillworth Formation
Massive rhyolite becomes black and tuffaceous towards eastern margin. Western margin flow banded, white, siliceous and continuously pyritic along strike. Contacts near vertical.

Hydrothermally altered intermediate fragmental, porphyritic flows ± volcaniclastics.

LEGEND

- Shear Plane
- Bedding; Overturned, Upright
- Foliation Surface
- Outcrop
- Geological Contact
- Normal Faults
- M- Mafic Composition
- I- Intermediate Composition
- LP Lapilli Tuff
- Ⓜ Helicopter Pad
- Claim Boundary
- - - Claim Line (Overstake)
- Tree Line
- x Rock

CONTOUR INTERVAL 100 FEET



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**


22,591

PART 2 OF 2

AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO 13 CLAIM

GEOLOGY

SCALE:	1 : 10,000	DRAWN BY:	J. McCrea	FILE:	PO13GEOL.DWG
DATE:	AUG. 92	REVISED:		FIGURE:	17




LEGEND

- H Helicopter Pad
- Claim Boundary
- - - Claim Line (Overstake)
- Tree Line
- +13317 Rock Sample

CONTOUR INTERVAL 100 FEET

ROCK SAMPLE RESULTS

ELEMENT SAMPLES	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Sb ppm	Au ppb
13311	14	3	77	.1	2	2	4
13312	12	13	33	.1	20	4	2
13313	8	14	89	.3	6	4	1
13314	8	8	79	.1	46	5	3
13315	11	33	167	.2	55	15	4
13318	5	2	65	.1	2	2	2
13317	6	19	7	.2	12	5	1
13318	9	13	81	.1	6	3	2
13325	13	17	62	.2	11	3	1
13326	8	9	148	.1	15	4	1
13327	7	9	39	.1	10	3	1
13404	16	11	75	.1	18	2	2
13405	9	10	117	.1	39	2	1
SILT SAMPLES							
9201	24	6	150	.1	25	2	1
9202	22	10	154	.1	21	2	1




**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

22,591

PART 2 OF 2

AMERICAN FIBRE CORPORATION HERITAGE PETROLEUMS INC.		
COPELAND REBAGLIATI & ASSOCIATES LTD.		
POLO 13 CLAIM		
LITHOGEOCHEMISTRY SAMPLE LOCATIONS AND RESULTS		
SCALE: 1 : 10,000	DRAWN BY: J. McCrea	FILE: P013ROCK.DWG
DATE: AUG. 92	REVISED:	FIGURE: 18



LEGEND


- (H) Helicopter Pad
- Claim Boundary
- - - Claim Line (Overstake)
- Tree Line
- + 8000 Soil Sample Location

CONTOUR INTERVAL 100 FEET

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

22,591


PART 2 OF 2



AMERICAN FIBRE CORPORATION
HERITAGE PETROLEUMS INC.
COPELAND REBAGLIATI & ASSOCIATES LTD.
POLO 13 CLAIM

**SOIL GEOCHEMISTRY
SAMPLE NUMBERS**

SCALE : 1 : 10,000	DRAWN BY : J. McCrea	FILE : PO13SOIL.DWG
DATE : AUG. 92	REVISED :	FIGURE : 19




LEGEND

- (H) Heli-Pad
- Claim Boundary
- - - Claim Line (Overstake)
- ~ Tree Line
- +25 Soil Sample

CONTOUR INTERVAL 100 FEET

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

22,591
PART 2 OF 2



AMERICAN FIBRE CORPORATION HERITAGE PETROLEUMS INC.		
COPELAND REBAGLIATI & ASSOCIATES LTD.		
POLO 13 CLAIM		
SOIL GEOCHEMISTRY ANTIMONY (ppm)		
SCALE : 1 : 10,000	DRAWN BY : J. McCrea	FILE : PO13SLSB.DWG
DATE : AUG. 92	REVISED :	FIGURE : 20