

FILMED

LOG NO: JUN 09 1994

RD.

ACTION.

ROMULUS RESOURCES LTD.

ASSESSMENT REPORT  
1993 EXPLORATION PROGRAM  
BRENDA PROPERTY

Omineca Mining Division  
British Columbia  
Canada

N.T.S. 94E/2W, 7W

Latitude 57°16'N  
Longitude 126°52'W

CLAIM

Brenda #1  
Brenda #4-8  
Jan 1  
Jan 2  
Jan 6-8  
Jan 9  
Tom 3  
Tom 4  
Tom 5  
Pock  
Hans  
Max 1-3  
Kath 1-5  
Kath 6-8  
Kath 9  
Kath 10

TENURE NO.

238271  
238272- 276  
238770  
238771  
239101-102  
240972  
306720  
239993  
306721  
239522  
239523  
238872-74  
319655-59  
319661-63  
319666  
319667

owner

Canasil Resources Inc.

1695 Marine Dr.

North Vancouver, B.C.

V7P 1V1

operator

Romulus Resource Ltd.

1030 800 W. Pender St.

Vancouver, B.C.

V6C 2V6

23,385

PART 1 OF 3  
November 5, 1993

C.M. Rebagliati, P. Eng.

|                 |          |
|-----------------|----------|
| SUB-RECODER     |          |
| RECEIVED        |          |
| MAY 26 1994     |          |
| M.R. # .....    | \$ ..... |
| VANCOUVER, B.C. |          |

## TABLE OF CONTENTS

|                               | <u>Page</u>        |
|-------------------------------|--------------------|
| SUMMARY                       | 1 /                |
| INTRODUCTION                  | 4 /                |
| LOCATION AND ACCESS           | 4 /                |
| CLAIM DATA                    | 5 /                |
| EXPLORATION HISTORY           | 6 /                |
| REGIONAL GEOLOGY              | <del>8</del> 8 /   |
| PROPERTY GEOLOGY              | <del>12</del> 11 / |
| DIAMOND DRILLING              | 13 /               |
| SOIL GEOCHEMISTRY             | 16 /               |
| GEOPHYSICS                    | 16 /               |
| CONCLUSIONS                   | 18 /               |
| RECOMMENDATIONS               | 19 /               |
| STATEMENT OF COSTS            | <del>20</del> 21 / |
| REFERENCES                    | <del>21</del> 23 / |
| CERTIFICATE OF QUALIFICATIONS | <del>23</del> 24 / |

## LIST OF FIGURES

|           | <u>Following Page</u>                      |
|-----------|--|
| Figure 1  | Location Map                               |
| Figure 2  | Claim Map                                  |
| Figure 3  | Regional Geology                           |
| Figure 4  | Property Geology                           |
| Figure 5  | Trench and Diamond Drill Hole Plan         |
| Figure 6  | Geology Section 10450 North                |
| Figure 7  | Geology Section 10550 North                |
| Figure 8  | Geology Section 10700 North                |
| Figure 9  | Au Soil Geochemistry                       |
| Figure 10 | Ag Soil Geochemistry                       |
| Figure 11 | Cu Soil Geochemistry                       |
| Figure 12 | Pb Soil Geochemistry                       |
| Figure 13 | Zn Soil Geochemistry                       |
| Figure 14 | Mo Soil Geochemistry                       |
| Figure 15 | As Soil Geochemistry                       |
| Figure 16 | Sb Soil Geochemistry                       |
| Figure 17 | Geochemical Compilation                    |
| Figure 18 | Chargeability - 10 point Triangular Filter |
| Figure 19 | Resistivity - 10 Point Triangular Filter   |
| Figure 20 | Magnetic Survey - Total Field              |
| Figure 21 | Geophysical Compilation                    |

## LIST OF APPENDICES

- |               |   |   |
|---------------|---|---|
| Appendix I    | 1993 Drilling - Drill Logs, Assays Certificates | ✓ |
| Appendix II   | Soil Geochemistry - ICP Reports and Au Analysis | ✓ |
| Appendix IIIA | Geochemical Maps (1:5000 Scale)                 | ✓ |
| Appendix IIIB | Geophysical Maps (1:5000 Scale)                 | ✓ |

## SUMMARY

The Brenda property, comprising 230 claim units, is located in the Kemess-Toodoggone mining district in north-central British Columbia, approximately 450 km northwest of Prince George.

The Omineca Resource Access Road and auxiliary roads provide four wheel drive vehicle access to the property. The Sturdee Valley airstrip, located adjacent to the Omineca Resources Access Road some 15 km west of the claims, is serviced by cargo and commuter aircraft from Smithers and Vancouver.

Topography is generally moderate with elevations ranging from 1200 m to 1900 m. Vegetation comprises a light cover of sub-alpine pine and spruce. No environmental features have been identified that are anticipated to unduly impede mine development.

The first claims in the property area were staked in 1950 by Emil Bronlund who discovered gold-bearing quartz veins along the banks of Jock and Red Creeks. Between 1980 and 1991 exploration was primarily directed towards the discovery of gold and silver bearing epithermal quartz veins. Numerous veins and quartz float were found, however grades tended to be sub-economic and the structures generally lacked continuity. In 1991 Canasil Resources Incorporated discovered a large coincident gold-silver soil geochemical anomaly in a previously unexplored area. Trenching and diamond drilling produced significant intervals of gold and copper mineralization.

In the Brenda property area, lower to Middle Jurassic Hazelton Group Toodoggone volcanics unconformably overlie Upper Triassic Takla Group volcanic strata. These volcanic assemblages have been intruded by felsic plutons thought to be comagmatic with the Toodoggone volcanics. Numerous precious metal-bearing epithermal vein deposits and deeper seated porphyry gold-copper deposits are associated with this magmatic event.

The Brenda property is well located in the core of the Kemess-Toodoggone porphyry copper-epithermal district. It lies within a belt of northwest and northeast trending

block faults at the transition from predominantly porphyry-type gold-copper occurrences to the south to epithermal-type gold-silver vein and breccia deposits to the northwest.

A large sulphide zone, marked by a prominent gossan, extends over a large portion of the Brenda claim block within which numerous epithermal veins and alteration zones have been found. However, of potentially greater importance is the porphyry-related Brenda Zone where limited preliminary trenching and diamond drilling encountered significant concentrations of gold and copper. This mineralization, which is associated with a broad area of quartz and potassium feldspar stockwork, grades in the range commonly associated with the gold-rich porphyry copper deposits found in the Kemess-Toodoggone district as indicated below:

|                       | gold g/tonne | Copper % |
|-----------------------|--------------|----------|
| Kemess South Deposit  | 0.64         | 0.23     |
| Kemess North Deposit  | 0.38         | 0.19     |
| Pine DDH 92-2         | 0.51         | 0.11     |
| Pine DDH 92-4         | 0.91         | 0.16     |
| Brenda Zone Trench #5 | 0.96         | -        |
| Brenda Zone DDH 92-3  | 0.82         | 0.15     |

Phase II and IV diamond drilling conducted in July and September substantiated the gold-rich character of the porphyry copper mineralization in the Brenda zone. Drill results are summarized as follows:

#### Phase II HQ Diamond Drill Holes

| HOLE | FROM (m) | TO (m) | LENGTH (m) | GOLD g/tonne | CU %  | AG ppm | MO ppm | PB ppm | ZN ppm | AS ppm | SB ppm |
|------|----------|--------|------------|--------------|-------|--------|--------|--------|--------|--------|--------|
| 93-1 | 9.14     | 57.00  | 47.86      | 1.10         | 0.130 | 4.8    | 11     | 33     | 110    | 1      | 2      |
|      | 57.00    | 281.00 | 224.00     | 0.05         | 0.016 | 0.2    | 5      | 77     | 409    | 3      | 3      |
|      | 281.00   | 289.00 | 8.00       | 0.30         | 0.031 | 0.2    | 2      | 7      | 64     | 1      | 1      |
|      | 289.00   | 331.04 | 42.04      | 0.02         | 0.007 | 0.1    | 3      | 44     | 141    | 3      | 3      |
| 93-2 | 3.66     | 16.00  | 12.34      | 0.02         | 0.007 | 0.1    | 1      | 27     | 308    | 9      | 7      |
|      | 16.00    | 134.00 | 118.00     | 0.40         | 0.054 | 0.4    | 18     | 63     | 542    | 6      | 6      |
|      | 134.00   | 234.00 | 100.00     | 0.05         | 0.013 | 0.1    | 5      | 140    | 344    | 17     | 18     |
|      | 234.00   | 266.00 | 32.00      | 0.62         | 0.116 | 0.7    | 10     | 140    | 652    | 8      | 17     |
|      | 266.00   | 270.36 | 4.36       | 0.06         | 0.031 | 0.1    | 7      | 116    | 561    | 15     | 17     |

#### Phase IV HQ Diamond Drill Holes

| HOLE | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | GOLD<br>g/tonne | CU<br>% | AG<br>ppm | MO<br>ppm | PB<br>ppm | ZN<br>ppm | AS<br>ppm | SB<br>ppm |
|------|-------------|-----------|---------------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-3 | 12.20       | 121.00    | 108.80        | 0.48            | 0.144   | 1.0       | 13        | 105       | 400       | 3         | 2         |
|      | 121.00      | 143.26    | 22.26         | 0.18            | 0.068   | 0.1       | 9         | 83        | 590       | 1         | 1         |
| 93-4 | 3.05        | 15.00     | 11.95         | 0.02            | 0.006   | 0.1       | 11        | 1         | 24        | 1         | 1         |
|      | 15.00       | 40.00     | 25.00         | 0.44            | 0.103   | 0.5       | 11        | 52        | 331       | 1         | 1         |
|      | 40.00       | 178.00    | 138.00        | 0.06            | 0.017   | 0.2       | 5         | 118       | 530       | 1         | 4         |
|      | 178.00      | 193.00    | 15.00         | 0.46            | 0.054   | 6.6       | 15        | 151       | 1688      | 5         | 1         |
|      | 193.00      | 212.45    | 19.45         | 0.11            | 0.047   | 0.1       | 13        | 73        | 395       | 4         | 1         |

The diamond drill hole results confirm the presence of another auriferous porphyry system within the prolific Kemess-Pine gold-copper district. The Brenda zone is open for extension and represents a gold-copper porphyry target warranting further exploration.

Both the diamond drilling and the IP results suggest that the Brenda Zone gold-copper mineralization is associated with (parallel) linear structural zones. Trenching and drilling has so far been confined to the core of the anomalies. Additional trenching and/or diamond drilling is warranted to assess the full extent of these features. Similarly, the other geochemical-geophysical features within the surveyed area warrant investigation.

#### Recommendations

Results from the four exploration programs conducted in 1993 were sufficiently good to warrant continued exploration on the Brenda Property.

It is recommended that:

1. Additional trenching and drilling be directed towards exploring the full lateral extent of the Brenda Zone.
2. Test pitting, with a large excavator, should be used as a "first pass" evaluation of the two IP-geochemical anomalies that presently remain unexplored. It is possible that overburden conditions may necessitate diamond drilling.
3. The geochemical and geophysical grid be extended to cover the entire claim block.

## INTRODUCTION

This report describes the claim holdings, exploration history, geology and mineral occurrences on the property.

Recommendations are made to conduct exploration on the prospective Brenda gold-copper porphyry zone and other related geological, geophysical and geochemical features.


## LOCATION AND ACCESS

The Brenda property is located at latitude 57°16'N and longitude 126°52'W in the Omineca Mining Division, approximately 275 km north of Smithers and 450 km northwest of Prince George (Figure 1).

The Sturdee Valley airstrip, which is suitable for Hercules cargo aircraft and turbo prop commuter aircraft, is situated 15 km west of the property. Road access from the airstrip is via the Shasta mine road, a road distance of about 9 km and then by a 12 km long four wheel drive road to the centre of the property.

The Omineca Resource Access Road and all weather mainline logging roads provide access to the Sturdee airstrip from Mackenzie and Fort St. James. The Baker and Cheni mine sites, located 15 km and 23 km respectively north-west of the Brenda Claims, are also road accessible from the Omineca Resource Access Road.


Topography is generally moderate except for local areas along incised creek canyons and cirques. Elevations range from 1200 m to 1900 m with the Brenda gold-copper porphyry zone situated at the 1500 m elevation. Vegetation comprises a mix of subalpine lodge pole pine, balsam and spruce. The climate is generally moderate with temperatures ranging from +30° to -30° celsius. Precipitation, at 900mm per year, is moderate and is more or less distributed throughout the year. Ample water is available for diamond drilling and mine development.



## CLAIM DATA

The Brenda property consists of 14 two post claims and 16 modified grid claims totaling 230 units owned 100% by Canasil Resources Inc. Some claims may in part overlap prior existing claims and as a result reduce the effective area of the claim block. Claim locations are shown in Figure 2 while essential claim data are as follows:

| <u>Claim Name</u> | <u>Units</u> | <u>Tenure No.</u> | <u>Recording Date</u> | <u>Expiry Date</u> |
|-------------------|--------------|-------------------|-----------------------|--------------------|
| Brenda #1         | 1            | 238271            | June 13, 1980         | June 13, 2004      |
| Brenda #4         | 1            | 238272            | June 13, 1980         | June 13, 2004      |
| Brenda #5         | 1            | 238273            | June 13, 1980         | June 13, 2004      |
| Brenda #6         | 1            | 238274            | June 13, 1980         | June 13, 2004      |
| Brenda #7         | 1            | 238275            | June 13, 1980         | June 13, 2004      |
| Brenda #8         | 1            | 238276            | June 13, 1980         | June 13, 2004      |
| Jan 1             | 6            | 238770            | March 29, 1984        | March 29, 2004     |
| Jan 2             | 16           | 238771            | March 29, 1984        | March 29, 2004     |
| Jan 6             | 4            | 239100            | Feb. 28, 1986         | Feb. 28, 2004      |
| Jan 7             | 20           | 239101            | Feb. 28, 1986         | Feb. 28, 2004      |
| Jan 8             | 10           | 239102            | Feb. 28, 1986         | Feb. 28, 2004      |
| Jan #9            | 16           | 240972            | July 6, 1989          | July 6, 2004       |
| Tom 3             | 9            | 306720            | May 31, 1988          | May 31, 2004       |
| Tom 4             | 6            | 239993            | May 31, 1988          | May 31, 2004       |
| Tom 5             | 20           | 306721            | May 31, 1988          | May 31, 2004       |
| Pock              | 16           | 239522            | July 6, 1987          | July 6, 2004       |
| Hans              | 6            | 239523            | July 6, 1987          | July 6, 2004       |
| Max No. 1         | 1            | 238872            | Aug. 21, 1984         | Aug. 21, 2004      |
| Max 2             | 1            | 238873            | Aug. 21, 1984         | Aug. 21, 2004      |
| Max 3             | 1            | 238874            | Aug. 21, 1984         | Aug. 21, 2004      |
| Kath 1            | 20           | 319655            | Jul. 19, 1993         | Jul. 16, 2004      |
| Kath 2            | 20           | 319656            | Jul. 19, 1993         | Jul. 19, 1996      |
| Kath 3            | 20           | 319657            | Jul. 20, 1993         | Jul. 20, 1996      |
| Kath 4            | 15           | 319658            | Jul. 20, 1993         | Jul. 20, 1996      |
| Kath 5            | 12           | 319559            | Jul. 19, 1993         | Jul. 19, 1996      |
| Kath 6            | 1            | 319661            | Jul. 19, 1993         | Jul. 19, 1996      |
| Kath 7            | 1            | 319662            | Jul. 19, 1993         | Jul. 19, 1996      |
| Kath 8            | 1            | 319663            | Jul. 19, 1993         | Jul. 19, 1996      |
| Kath 9            | 1            | 319666            | Jul. 20, 1993         | Jul. 19, 1996      |
| Kath 10           | 1            | 319667            | Jul. 20, 1993         | Jul. 20, 1996      |



LEGEND

□ LEGAL CLAIM POST

SCALE  
0 0.5 1 1.5 2  
KILOMETRES

ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD - COPPER PROPERTY

CLAIM MAP

|         |           |            |       |          |             |
|---------|-----------|------------|-------|----------|-------------|
| SCALE : | AS SHOWN  | DRAWN BY : | J. Mc | FILE :   | BKCLAIM.DWG |
| DATE :  | NOV. 1993 | REVISED :  |       | FIGURE : | 2           |

## EXPLORATION HISTORY

In 1950 Emil Bronlund discovered gold-bearing quartz veins in outcrops along the banks of Jock and Red Creeks and staked four claims. The claims were subsequently allowed to expire.

In 1980 Bronlund restaked the area and between 1980-1985 Canmine Development Company Inc. undertook limited prospecting and hand trenching programs. Float samples of epithermal vein quartz grading up to 0.50 oz per ton gold and 63.5 oz per ton silver were found. Even though several epithermal vein occurrences were discovered no source for the high grade float was found.

In 1987 Cypress Gold Canada Inc. optioned the claims and in 1988 drilled 12 diamond drill holes totalling 1219 m (3998 feet) to test epithermal vein zones along Jock and Red Creeks. Results were not up to expectations and the option was dropped.

Soil geochemical surveys and trenching, conducted by Canasil Resources Incorporated from 1989 to 1991, discovered the White Pass area, where highly anomalous concentrations of gold occur in an extensive zone of quartz breccia and stockwork associated with a zone of intense argillic alteration. Trench #5, sampled in two segments graded 964 ppb (0.964 grams/tonne)(0.028 oz/ton) across 19 m and 776 ppb (0.776 grams/tonne)(0.023 oz/ton) across 28 m. An 11 m interval between the two segments was not sampled. Trenching traced the mineralization over a 300 m by 60 m area and indicated that the zone was open in all directions.

The grade and continuity of the gold mineralization encountered in the trenches was sufficiently good that in 1992 Canasil Resources Incorporated bored four short diamond drill holes totalling 271 m, to test, at shallow depths, the mineralization exposed in the trenches. Drill results are summarized as follows:

| Hole   | From<br>(m) | To<br>(m) | Length<br>(m) | Gold<br>(ppb)   | Gold*<br>(oz/t) | Copper<br>(ppm) | Copper+<br>(%) |
|--------|-------------|-----------|---------------|-----------------|-----------------|-----------------|----------------|
| WP92-1 | 11.25       | 12.25     | 1.00          | 197             | (0.006)         | 796             | (0.08)         |
|        | 12.25       | 26.50     | 14.25         | NA <sup>x</sup> |                 |                 |                |
|        | 26.50       | 28.50     | 2.00          | 419             | (0.012)         | 1070            | (0.11)         |
| WP92-2 | 10.60       | 28.50     | 17.90         | 151             | (0.004)         | 1481            | (0.15)         |
|        | 28.50       | 33.60     | 5.10          | NA <sup>x</sup> |                 |                 |                |
|        | 33.60       | 34.60     | 1.00          | 936             | (0.027)         | 905             | (0.09)         |
|        | 34.60       | 38.70     | 4.10          | NA              |                 |                 |                |
|        | 38.70       | 41.70     | 3.00          | 704             | (0.021)         | 1372            | (0.14)         |
| WP92-3 | 9.50        | 11.00     | 1.50          | 811             | (0.024)         | 1363            | (0.14)         |
|        | 11.00       | 29.00     | 18.00         | NA              |                 |                 |                |
|        | 29.00       | 38.60     | 9.60          | 818             | (0.024)         | 1499            | (0.15)         |
|        | 38.60       | 56.60     | 18.00         | NA              |                 |                 |                |
|        | 56.60       | 66.10     | 9.50          | 772             | (0.023)         | 1901            | (0.19)         |
| WP92-4 | 16.40       | 43.00     | 26.60         | 915             | (0.027)         | 282             | (0.03)         |

\* converted from parts per billion gold to ounces gold per ton

+ converted from parts per million copper to percent copper

x Not assayed

All holes intersected disseminated and vein stockwork mineralization but unfortunately only selected intervals were analyzed and many intervals remain unsampled. As a result, the continuity and tenor of the zone could not be determined. However, from this drilling program, the potentially significant tenor of copper in the mineralized zone became apparent. At surface, where the zone has been intensely weathered and leached, copper concentrations are generally at or below background concentrations.

In early July 1993 as part of the Phase I program, Romulus Resources Ltd. re-logged and re-sampled all the core from the four Canasil Resources Inc. diamond drill holes. Samples were analyzed for gold and copper by assay methods, and 32 elements by ICP methods. A total of 601.4 metres were drilled during the Phase II exploration program. Results are summarized as follows:

**Phase II HQ Diamond Drill Holes**

| HOLE | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | GOLD<br>g/tonne | CU<br>% | AG<br>ppm | MO<br>ppm | PB<br>ppm | ZN<br>ppm | AS<br>ppm | SB<br>ppm |
|------|-------------|-----------|---------------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-1 | 9.14        | 57.00     | 47.86         | 1.10            | 0.130   | 4.8       | 11        | 33        | 110       | 1         | 2         |
|      | 57.00       | 281.00    | 224.00        | 0.05            | 0.016   | 0.2       | 5         | 77        | 409       | 3         | 3         |
|      | 281.00      | 289.00    | 8.00          | 0.30            | 0.031   | 0.2       | 2         | 7         | 64        | 1         | 1         |
|      | 289.00      | 331.04    | 42.04         | 0.02            | 0.007   | 0.1       | 3         | 44        | 141       | 3         | 3         |
| 93-2 | 3.66        | 16.00     | 12.34         | 0.02            | 0.007   | 0.1       | 1         | 27        | 308       | 9         | 7         |
|      | 16.00       | 134.00    | 118.00        | 0.40            | 0.054   | 0.4       | 18        | 63        | 542       | 6         | 6         |
|      | 134.00      | 234.00    | 100.00        | 0.05            | 0.013   | 0.1       | 5         | 140       | 344       | 17        | 18        |
|      | 234.00      | 266.00    | 32.00         | 0.62            | 0.116   | 0.7       | 10        | 140       | 652       | 8         | 17        |
|      | 266.00      | 270.36    | 4.36          | 0.06            | 0.031   | 0.1       | 7         | 116       | 561       | 15        | 17        |

In August, a 30 line kilometre induced polarization/resistivity survey and a 39 line kilometre magnetic survey were conducted over an area centred on the Brenda Zone. In addition, the soil geochemical grid was expanded to cover the entire area of the geophysical grid. A total of 490 soil samples were collected.

During September, two holes totalling 357 metres, were drilled to further evaluate the gold-copper porphyry mineralization in the Brenda Zone.

### REGIONAL GEOLOGY

The Brenda property lies within the regionally extensive early mesozoic Quesnel Belt. This island-arc belt extends northwesterly for 1600 kilometres and includes equivalent rocks of the upper Triassic to Lower Jurassic Takla, Nicola and Stuhini Groups. To the west, deformed up-lifted Permian Asitka Group rocks are separated from the Quesnel Belt by a regionally extensive fault.

In the southern Kemess-Toodoggone district, the Takla Group is comprised of extensive subaqueous augite porphyry flows and breccias with interbedded graphitic shales, chert, siltstone and minor limestone. Partly subaerial strata, transitionally overlying the subaqueous units, are dominated by polymictic pyroxene and plagioclase porphyry agglomerates and laharls. They are typically matrix-supported and grey-green to maroon in colour.

Intruding the volcanic-sedimentary strata of the Quesnel Belt are coeval alkaline and calc-alkaline batholiths, stocks and dykes which range up to middle Jurassic in age. Many of the plutons lie along linear trends which are interpreted to reflect the fault zones which controlled the location of vulcanism and stock emplacement. Some of these stocks are sites of significant porphyry gold-copper mineralization (Figure 3). In some of the related porphyry deposits, the economic significance of gold is greater than that of copper.

In the Brenda property area, Lower to Middle Jurassic Hazelton Group, Toodoggone volcanics unconformably overlie the Takla Group. Airfall ash tuff, ash flows, coarse pyroclastics, lava flows and interbedded epiclastic sedimentary rocks comprise the Toodoggone volcanic assemblage.

Lower to Middle Jurassic Omineca Intrusions have intruded the Takla and Hazelton Group in the central and eastern parts of the region, and form the eastern margin of the Toodoggone District. Within the district, monzonitic and quartz feldspar porphyry plutons and dykes may be feeders to the Toodoggone Volcanics.

In the northern Quesnel Belt, a wide variety of mineralization is found, including epithermal and mesothermal veins, porphyries, skarns and placer gold deposits. In the Kemess-Toodoggone gold-silver mining district, examples of every style of mineralization from high-level hot spring deposits to deeper-level porphyries have been preserved. In addition to the epithermal and mesothermal gold-silver vein deposits (Cheni, Baker and Shasta mines), significant gold concentrations are associated with copper porphyry deposits. The Kemess North and Kemess South gold-copper porphyry deposits, located 22 km and 28 km south of the Brenda property are hosted by Takla Group volcanic strata and monzonitic intrusions. At the Pine property, 11 km to the southeast an auriferous copper porphyry is hosted by a quartz monzonite pluton intruding Toodoggone volcanics. Gold-bearing and copper-lead-zinc-silver-bearing skarns are often associated spatially with the porphyry deposits.

In the Toodoggone mining camp, epithermal-mesothermal gold mineralization is associated with Jurassic volcanic centres. Individual gold deposits lie close to major


northwest faults and are spatially-associated and genetically-lined with synvolcanic Lower-middle Jurassic hypabysal intrusions (Figure 3).

It is postulated by the writer that, in the Kemess-Toodoggone district, gold-rich porphyry copper deposits are genetically related to the epithermal gold-silver vein deposits. The quartz monzonite intrusions hosting auriferous porphyry copper mineralization may represent formerly buried magma chambers that fed the overlying Toodoggone volcanic assemblage which hosts the numerous epithermal deposits and prospects. On the Kemess Property, the overlying Toodoggone Volcanics have been removed by erosion and several monzonitic intrusions, with large associated hydrothermal alteration zones, have been exposed. Porphyry gold-copper mineralization is variably hosted by the intrusions and by the adjacent Takla volcanics. On the Pine Property, where the depth of erosion is less, the mineralization is hosted by both the Toodoggone volcanics and a comagmatic high level quartz monzonite pluton.

The Brenda prospect, hosted by Toodoggone volcanics, appears to be positioned at the transition between the epithermal environment of the Toodoggone camp to the north and the deeper seated Kemess porphyry camp to the south. Undoubtedly, as exploration proceeds, more auriferous porphyry copper deposits will be discovered, especially now that it has been clearly demonstrated that copper mineralization previously considered as being "too low-grade" can be associated with appreciable concentrations of gold.

The abundance and diversity of deposit types in the Kemess-Toodoggone district attests to the high exploration potential of the geological units underlying the Brenda claims.

The Brenda property is underlain by northwesterly trending belts of subaqueous Upper Triassic Takla Group volcanic strata and subaerial Lower to Middle Jurassic Toodoggone volcanic and volcaniclastic strata. The distribution of the Takla and Toodoggone strata and map unit patterns are determined by the numerous parallel steeply dipping normal faults and a number of strike-slip and thrust faults that



LEGEND

- |  |                   |  |                                    |
|--|-------------------|--|------------------------------------|
|  | K Sustut Group    |  | Road                               |
|  | J Intrusions      |  | Fault                              |
|  | J Toodoggonne Fm. |  | Au-Cu Porphyry Deposit or Prospect |
|  | R Takla Group     |  | Au-Ag Epithermal Deposit           |
|  | P Asitka Group    |  |                                    |

ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD - COPPER PROPERTY

## REGIONAL GEOLOGY

|         |           |            |             |
|---------|-----------|------------|-------------|
| SCALE : | AS SHOWN  | DRAWN BY : | Propgeo.Dwg |
| DATE :  | Nov. 1993 | REVISDED : | FIGURE : 3  |

juxtapose the various stratigraphic successions. The dominant northwesterly structural trend is disrupted by cross-structures that create block fault domains with variably tilted and rotated blocks of strata.

The influence of some faults on the emplacement of plutons and dykes is suggested by the northwest elongation of plutons and the preferred orientation of dykes congruent with the trend of the major regional faults. Intrusives comagmatic with the eruption of the Toodoggone volcanics resulted in the synchronous formation of high level epithermal deposits and deeper level porphyry deposits. In the district, increasingly greater tectonic uplifting and correspondingly deeper erosional levels have exposed progressively deeper levels of porphyry and skarn-types of mineral occurrences southwards from the property.

On the Brenda property, this faulting has juxtaposed: near surface epithermal alunite alterations zones, epithermal quartz veins and breccias, basement Takla Group strata, Toodoggone Formation strata and, monzonite plutons and related felsic dykes. As a result, gold-copper porphyry mineralization and epithermal-type mineralization are exposed over a broad vertical range of elevations.

### **PROPERTY GEOLOGY**

Faulted segments of Takla Group volcanic strata occur along the southwestern side of the property. This strata lies adjacent to and is overlain by Toodoggone volcanics. Quartz-feldspar andesites and dacitic lapilli tuffs dominate the Toodoggone assemblage in the property area.

Stocks and dykes of quartz monzonite, quartz feldspar porphyry and syenite intrude both the Takla and Toodoggone strata. This intrusion prone area is marked by an extensive sulphide-related gossan which extends over much of the property.

Numerous banded fissure veins, quartz-chalcedony stockworks and breccias associated with silica, clay, sericite, alunite, chlorite and epidote alteration typify the epithermal occurrences on the claims. Spatially these occurrences appear to form a

partial ring positioned around the central quartz monzonite stock (Figure 4). These veins and breccias have been extensively prospected, trenched and diamond drilled, and have occasionally yielded high gold and silver values. However, they generally are narrow, low grade and lack continuity over significant strike lengths.


Of potentially greater importance is the Brenda Zone which lies adjacent to the north side of the northwesterly trending Weishaupt fault and south of a zone of intense alunite alteration.

Previous soil geochemical surveys over the zone revealed moderately high contrast, coincident gold and silver anomalies. Trenching in the area of the soil geochemical anomaly revealed that the gold mineralization, corresponds to a quartz-potassium feldspar stockwork-breccia zone, associated with locally intense argillic alteration, enveloped by a more extensive zone of propylitic alteration. Trench analyses for gold from the sampled portions of the trenches are as follows:

| Trench | From<br>(m) | To<br>(m) | Length<br>(m) | ppb Au | (Au g/tonne) | (Au oz/ton) |
|--------|-------------|-----------|---------------|--------|--------------|-------------|
|        |             |           |               |        | *            | *           |
| 2      | 0           | 6.0       | 6.0           | 462    | (0.462)      | (0.013)     |
| 3      | 67          | 102       | 35.0          | 575    | (0.575)      | (0.017)     |
| 4      | 8           | 31        | 23.0          | 182    | (0.182)      | (0.005)     |
| 5      | 12          | 31        | 19.0          | 964    | (0.964)      | (0.028)     |
|        | 42          | 70        | 28.0          | 776    | (0.776)      | (0.023)     |
| 6      | 20          | 24        | 4.0           | 345    | (0.345)      | (0.010)     |
| 7      | 9           | 14        | 5.0           | 490    | (0.490)      | (0.014)     |
| 8      | 8           | 24        | 16.0          | 818    | (0.818)      | (0.024)     |

\* converted from geochemical analyses reported in parts per billion

Silver and copper concentrations in the near surface highly leached material are at general background levels. The trenching program demonstrated that significant gold concentrations have good continuity from sample to sample and from trench to trench and that the auriferous zone is open to extension in all directions.



#### LEGEND

- [Dotted Pattern] ALUNITE ALTERATION ZONE
- [VvVvVv Pattern] QUARTZ-FELDSPAR PORPHYRY STOCKS & DYKES
- [Crosses Pattern] QUARTZ MONZONITE
- [VVVV Pattern] TOODOGONNE VOLCANICS
- [Wavy Pattern] TAKLA VOLCANICS
- [X] MINERALIZED VEIN OR FLOAT
- DIAMOND DRILL HOLE
- [Empty Box] BRENDAs - WHITE PASS GRID DRILLING
- ===== ROAD
- CLAIM BOUNDARY

SCALE

0 250 500 1000 1500

METRES

ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD - COPPER PROPERTY

PROPERTY GEOLOGY

|       |           |                       |             |
|-------|-----------|-----------------------|-------------|
| SCALE | AS SHOWN  | DRAWN BY              | FILE        |
| DATE  | Nov. 1993 | Procomp Geodraft Ltd. | PROPGEO.DWG |
|       |           | REVISED               | FIGURE      |
|       |           |                       | Fig. 4      |

## DIAMOND DRILLING

Diamond drilling undertaken by Canasil Resources Inc. in 1992 to test the quartz stockwork/breccia at depth returned positive results with numerous intervals grading in excess of 500 ppb gold (0.5 gram per tonne, 0.015 oz/ton).

Of the drill core that was sampled by Canasil Resources Inc., several intervals carried low-grade but significant concentrations of copper, generally in the range of 0.1 to 0.15 percent suggesting a porphyry copper affinity. During core logging no primary copper sulphides were recorded, however minor concentrations of native copper and suspected films and specks of sooty, chalcocite were observed.

In July 1993, as part of the Phase I program, Romulus Resources Ltd. re-logged and re-sampled the drill core from the four holes drilled by Canasil Resources Inc. to ascertain the characteristics of the mineralization and alteration assemblages; to determine the grades of gold and copper in the intervals not previously sampled by Canasil Resources Inc. and; to determine by assaying the grades of gold and copper where Canasil Resources Inc. had utilized geochemical methods for determining metal concentrations.

Intense surface oxidation extends for approximately 20 m below surface. Below 20 m, pyrite is commonly observed. Chalcopyrite, where present, occurs as rare finely disseminated grains. In holes WP-92-1 to WP-92-4 intervals mineralized with gold +/- copper are quartz stockwork veined with minor secondary potassium feldspar selvages and carry accessory magnetite. Mineralized zones are characterized by sericitic alteration. In these intervals, the pink colour of the latite is replaced in whole or in part by a pervasive chlorite-sericite greenish colour, such that the rock resembles an andesite. The mineralized intervals of latite are neither pink in colour, nor propylitically altered with chlorite and epidote. Non-mineralized intervals generally contain less than 1% disseminated pyrite. Grades and trace element concentrations for the 1992 holes are summarized as follows:


| HOLE | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | GOLD<br>g/tonne | CU<br>% | AG<br>ppm | MO<br>ppm | PB<br>ppm | ZN<br>ppm | AS<br>ppm | SB<br>ppm |
|------|-------------|-----------|---------------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 92-1 | 11.30       | 26.50     | 12.20         | 0.03            | 0.022   | 1.8       | 1         | 28        | 280       | 1         | 1         |
|      | 26.50       | 28.50     | 2.00          | 0.19            | 0.049   | 1.7       | 2         | 41        | 141       | 1         | 4         |
|      | 28.50       | 63.10     | 34.60         | 0.02            | 0.010   | 1.4       | 1         | 63        | 604       | 1         | 1         |
| 92-2 | 10.60       | 38.00     | 27.40         | 0.32            | 0.139   | 1.8       | 4         | 496       | 514       | 1         | 1         |
|      | 38.00       | 90.50     | 52.50         | 0.02            | 0.008   | 1.0       | 1         | 73        | 696       | 1         | 1         |
| 92-3 | 9.10        | 37.60     | 28.50         | 0.67            | 0.073   | 3.7       | 19        | 42        | 187       | 1         | 1         |
|      | 37.80       | 53.00     | 15.40         | 0.02            | 0.015   | 0.7       | 1         | 64        | 146       | 1         | 1         |
|      | 53.00       | 68.14     | 13.14         | 0.66            | 0.130   | 2.5       | 7         | 53        | 287       | 1         | 1         |
| 92-4 | 4.60        | 12.00     | 7.40          | 0.01            | 0.004   | 1.0       | 1         | 9         | 163       | 1         | 1         |
|      | 12.00       | 43.00     | 31.00         | 0.82            | 0.022   | 2.2       | 19        | 45        | 149       | 1         | 1         |
|      | 43.00       | 50.90     | 7.90          | 0.17            | 0.038   | 2.7       | 11        | 14        | 146       | 1         | 1         |

During July and September 1993, Romulus Resources Ltd. completed a four(4) hole diamond drill program, in two phases, on the White Pass grid. The Phase II HQ diamond drilling, comprised two holes totalling 601.4 metres and tested the Brenda zone below the depth of the short 1992 drill holes. The Phase IV HQ diamond drilling, comprised two holes totalling 356 metres and assessed the southwest and northwest projection of the mineralization within geochemical and geophysical anomalies. A drill hole plan is shown in figure 5 with sectional data presented in figures 6 to 8. The 1993 drill logs and assay certificates are given in Appendix I.


Holes 93-01 to 93-04 intersected massive pink-orange porphyritic latite flows. The latite typically is comprised of 30% 1-3 mm euhedral plagioclase, 25% 0.5 - 2 mm combined sub to euhedral hornblende and augite, and 45% fine grained to aphanitic potassium feldspar-rich matrix. Rare xenoliths of latite ranging from 1-20 cm are present.

Porphyritic latite dykes with well-defined chill margins intrude the latite flow rock. Core length widths of the dykes range from 2 - 20 m.

The latite flow rock is pervasively propylitically altered. Epidote, comprising 2-15% of the rock, partially to fully replaces plagioclase, hornblende and augite phenocrysts, and fills fractures and/or forms envelopes adjacent to fractures. Additional wide



|   |                                  |                    |
|---|----------------------------------|--------------------|
| ROMULUS RESOURCES LTD.                        |                                  |                    |
| COPELAND REBAGLIATI & ASSOCIATES LTD.         |                                  |                    |
| BRENDA GOLD - COPPER PROPERTY                 |                                  |                    |
| WHITE PASS GRID                               |                                  |                    |
| <b>TRENCH and DIAMOND<br/>DRILL HOLE PLAN</b> |                                  |                    |
| SCALE : 1 : 2500                              | DRAWN BY : Procomp Geadraft Ltd. | FILE : DDHPLAN.DWG |
| DATE : Nov. 1993                              | REVISED :                        | FIGURE : 5         |



| HOLE-ID | FROM (m) | TO (m) | LENGTH (m) | Au g/t | Cu %  | Ag ppm | Mo ppm | As ppm | Pb ppm | Sb ppm | Zn ppm |
|---------|----------|--------|------------|--------|-------|--------|--------|--------|--------|--------|--------|
| 92-04   | 12.00    | 43.00  | 31.00      | 0.82   | 0.022 | 2.2    | 19     | 2      | 45     | 1      | 149    |
| 93-02   | 16.00    | 134.00 | 118.00     | 0.40   | 0.054 | 0.4    | 18     | 6      | 63     | 6      | 542    |
|         | 234.00   | 266.00 | 32.00      | 0.62   | 0.116 | 0.7    | 10     | 8      | 140    | 17     | 652    |

### LEGEND

- ROCK UNITS
- 5 OVERBURDEN
- 4 BASALT DYKE
- 3 ANDESITE DYKE
- 2 LATITE DYKE
- 1 LATITE PORPHYRY VOLCANICS
- GEOLOGIC CONTACT
- ~~ FAULT
- MINERALIZED INTERVAL

- ALTERATION
- A OXIDIZED
- B SILICIFIED
- C QUARTZ STOCKWORK  
± MAGNETITE  
± SERICITE  
± PYRITE
- D GYPSUM VEINING

Scale  
0 25 50 100  
Metres

|                                       |
|---------------------------------------|
| ROMULUS RESOURCES LTD.                |
| COPELAND REBAGLIATI & ASSOCIATES LTD. |
| BRENDA GOLD - COPPER PROPERTY         |

### GEOLOGY SECTION 10450 NORTH

|                  |                                  |                     |
|------------------|----------------------------------|---------------------|
| SCALE : 1 : 2500 | DRAWN BY : Procomp Geodraft Ltd. | FILE : 10550NG8.DWG |
| DATE : Nov. 1993 | REVISED :                        | FIGURE : 6          |

WEST

— 10200 E

EAST  
— 10600 E

1400 —

— 1400

1200 —

— 1200

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | Au<br>g/t | Cu<br>% | Ag<br>ppm | Mo<br>ppm | As<br>ppm | Pb<br>ppm | Sb<br>ppm | Zn<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 92-02   | 10.60       | 38.00     | 27.40         | 0.32      | 0.139   | 1.8       | 4         | 1         | 496       | 1         | 514       |
| 92-03   | 9.10        | 37.60     | 28.50         | 0.67      | 0.073   | 3.7       | 10        | 1         | 42        | 1         | 187       |
|         | 53.00       | 66.14     | 13.14         | 0.66      | 0.130   | 2.5       | 7         | 1         | 53        | 1         | 287       |
| 93-01   | 9.13        | 57.00     | 47.86         | 1.10      | 0.130   | 4.8       | 11        | 1         | 33        | 2         | 110       |
|         | 281.00      | 289.00    | 8.00          | 0.30      | 0.031   | 0.3       | 2         | 1         | 7         | 1         | 64        |
| 93-03   | 12.20       | 121.00    | 108.80        | 0.48      | 0.144   | 1.0       | 13        | 3         | 105       | 2         | 400       |

LEGEND

- ROCK UNITS
- 5 OVERBURDEN
  - 4 BASALT DYKE
  - 3 ANDESITE DYKE
  - 2 LATITE DYKE
  - 1 LATITE PORPHYRY VOLCANICS
- GEOLOGIC CONTACT
- ~~ FAULT
-  MINERALIZED INTERVAL

- ALTERATION
- A OXIDIZED
  - B SILICIFIED
  - C QUARTZ STOCKWORK  
± MAGNETITE  
± SERICITE  
± PYRITE
  - D GYPSUM VEINING


ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD - COPPER PROPERTY

## GEOLOGY SECTION 10550 NORTH

|                  |                                  |                     |
|------------------|----------------------------------|---------------------|
| SCALE : 1 : 2500 | DRAWN BY : Procomp Geodraft Ltd. | FILE : 10550NG8.DWG |
| DATE : Nov. 1993 | REVISED :                        | FIGURE : 7          |

Scale  
0 25 50 100  
Metres

— 10400 E



| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | Au<br>g/t | Cu<br>% | Ag<br>ppm | Mo<br>ppm | As<br>ppm | Pb<br>ppm | Sb<br>ppm | Zn<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-04   | 15.00       | 40.00     | 25.00         | 0.44      | 0.103   | 0.5       | 11        | 1         | 52        | 1         | 331       |
|         | 178.00      | 193.00    | 15.00         | 0.46      | 0.054   | 6.6       | 15        | 5         | 151       | 1         | 1688      |

#### LEGEND

| ROCK UNITS                  | ALTERATION  |
|-----------------------------|---|
| 5 OVERBURDEN                | A OXIDIZED  |
| 4 BASALT DYKE               | B SILICIFIED  |
| 3 ANDESITE DYKE             | C QUARTZ STOCKWORK<br>± MAGNETITE<br>± SERICITE<br>± PYRITE |
| 2 LATITE DYKE               | D GYPSUM VEINING  |
| 1 LATITE PORPHYRY VOLCANICS |   |
| — GEOLOGIC CONTACT          |   |
| ~~ FAULT                    |   |
| — MINERALIZED INTERVAL      |   |

Scale  
0 25 50 100  
Metres

|                                       |                                  |
|---------------------------------------|----------------------------------|
| ROMULUS RESOURCES LTD.                |                                  |
| COPELAND REBAGLIATI & ASSOCIATES LTD. |                                  |
| BRENDA GOLD - COPPER PROPERTY         |                                  |
| <b>GEOLOGY</b>                        |                                  |
| <b>SECTION 10700 NORTH</b>            |                                  |
| SCALE : 1 : 2500                      | DRAWN BY : Procomp Geadraft Ltd. |
| DATE : Nov. 1993                      | REVISED : FIGURE : 8             |
| FILE : 10700NG.DWG                    |                                  |

spread alteration occurs as pink zeolite (?) + gypsum  $\pm$  calcite lining fractures that cross cut earlier epidote alteration.

There are a number of zones of more intense alteration and mineralization superimposed on the latite. These occur intermittently throughout the holes. Holes intersecting wide zones of quartz and magnetite stockwork have been overprinted by a series of quartz + sericite + pyrite  $\pm$  secondary potassium feldspar stringers and veins. Typically, the magnetite of the primary stockwork has been sulphidized and is rimmed by pyrite or is no longer present in the secondary stockwork.

Narrow zones of shearing and gouge occur locally within and generally bound the zones of the secondary stockwork. Minor chalcopyrite and lesser sphalerite and galena occur both with the quartz-sericite veining and within an even later set of calcite and gypsum stringers and veins. Concentrations of these sulphides rarely exceed 0.1% over a 2 m sample interval.

Pyrite is fine-grained and disseminated across the silicified stockwork zones and occurs concentrated in up to 1 cm thick seams in quartz veins. Pyrite locally comprises up to 5% of a 2 m interval.

Additional zones of sulphide-bearing quartz stockwork and sericite alteration, occur over narrower widths, usually enveloping a fault or shear zone. Black basalt or pink latite dykes up to 2.5 m wide often intrude along these structural breaks.

Grades and trace element concentrations for the Phase II and Phase IV holes are summarized as follows:

Phase II HQ Diamond Drill Holes

| HOLE | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | GOLD<br>g/tonne | CU<br>% | AG<br>ppm | MO<br>ppm | PB<br>ppm | ZN<br>ppm | AS<br>ppm | SB<br>ppm |
|------|-------------|-----------|---------------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-1 | 9.14        | 57.00     | 47.86         | 1.10            | 0.130   | 4.8       | 11        | 33        | 110       | 1         | 2         |
|      | 57.00       | 281.00    | 224.00        | 0.05            | 0.016   | 0.2       | 5         | 77        | 409       | 3         | 3         |
|      | 281.00      | 289.00    | 8.00          | 0.30            | 0.031   | 0.2       | 2         | 7         | 64        | 1         | 1         |
|      | 289.00      | 331.04    | 42.04         | 0.02            | 0.007   | 0.1       | 3         | 44        | 141       | 3         | 3         |
| 93-2 | 3.66        | 16.00     | 12.34         | 0.02            | 0.007   | 0.1       | 1         | 27        | 308       | 9         | 7         |
|      | 16.00       | 134.00    | 118.00        | 0.40            | 0.054   | 0.4       | 18        | 63        | 542       | 6         | 6         |
|      | 134.00      | 234.00    | 100.00        | 0.05            | 0.013   | 0.1       | 5         | 140       | 344       | 17        | 18        |
|      | 234.00      | 266.00    | 32.00         | 0.62            | 0.116   | 0.7       | 10        | 140       | 652       | 8         | 17        |
|      | 266.00      | 270.36    | 4.36          | 0.06            | 0.031   | 0.1       | 7         | 116       | 561       | 15        | 17        |

### Phase IV HQ Diamond Drill Holes

| HOLE | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | GOLD<br>g/tonne | CU<br>% | AG<br>ppm | MO<br>ppm | PB<br>ppm | ZN<br>ppm | AS<br>ppm | SB<br>ppm |
|------|-------------|-----------|---------------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-3 | 12.20       | 121.00    | 108.80        | 0.48            | 0.144   | 1.0       | 13        | 105       | 400       | 3         | 2         |
|      | 121.00      | 143.26    | 22.26         | 0.18            | 0.068   | 0.1       | 9         | 83        | 590       | 1         | 1         |
| 93-4 | 3.05        | 15.00     | 11.95         | 0.02            | 0.006   | 0.1       | 11        | 11        | 24        | 1         | 1         |
|      | 15.00       | 40.00     | 25.00         | 0.44            | 0.103   | 0.5       | 11        | 52        | 331       | 1         | 1         |
|      | 40.00       | 178.00    | 138.00        | 0.06            | 0.017   | 0.2       | 5         | 118       | 530       | 1         | 4         |
|      | 178.00      | 193.00    | 15.00         | 0.46            | 0.054   | 6.6       | 15        | 151       | 1688      | 5         | 1         |
|      | 193.00      | 212.45    | 19.45         | 0.11            | 0.047   | 0.1       | 13        | 73        | 395       | 4         | 1         |

### SOIL GEOCHEMISTRY

A total of 490 soil samples were collected from the expanded grid bringing the number of samples collected from the Brenda Zone to 1,554. Soil was collected from the "C" horizon when "B" horizon soil was not available. Gold was analyzed by AA methods and other elements by ICP.

These surveys outlined a well defined gold anomaly exceeding 50 ppb and ranging up to 1510 ppb that measures 800 m by 800 m (Figures 9 and 17). Silver shows a strong spatial association with the gold (Figures 10 and 17). Within the gold-silver anomaly, copper forms a smaller anomalous core zone centred at approximately 10700N and 10400E (Figures 11 and 17). Other anomalous areas occur near the eastern and western sides of the grid. Correlation between gold, silver and copper in these areas is poor. Symbol plots for lead, zinc, molybdenum, arsenic and antimony are presented in Figures 12 to 16. The soil geochemical ICP Reports and Au analysis are given in Appendix II, while the geochemical dot and value plots are presented at 1:5,000 scale in Appendix III.


### GEOPHYSICS

The 30 line kilometre induced polarization survey outlined several broad zones of high chargeability (Figures 18 and 21). One northerly trending zone, centred at 10800N, 10400E, traverses through the core of the gold-copper-silver soil geochemical anomaly but does not specifically correlate with the soil geochemistry nor with the

mineralization encountered in drill core.

Chargeability anomalies centred at approximately 10700N, 9700E and 10200N, 12500E roughly correlate with somewhat discontinuous zones of copper and gold enrichments in soils. A large chargeability anomaly with elevated resistivity, centred at 10800N, 11400E, (Figures 19 and 21) does not have a soil geochemical expression.

The magnetic survey shows an area of discontinuous magnetic highs (Figures 20 and 21) roughly coinciding with the outline of the gold-silver copper soil geochemical anomaly. IP pseudo-sections and all geophysical plan maps are presented at 1:5,000 scale in Appendix III.




LEGEND


- + 0 - 50 ppb Au
  - 50 - 125 ppm Au
  - 125 - 200 ppb Au
  - ≥ 200 ppb Au

A scale bar diagram with a horizontal line. At the left end is a vertical tick mark labeled '0'. Along the line are three more tick marks labeled '50', '100', and '200' from left to right. At the far right end is another vertical tick mark labeled '3'. Above the line, the word 'SCALE' is written in capital letters. Below the line, the word 'Metres' is written.

**ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD-COPPER PROPERTY**

## WHITE PASS GRID Au SOIL GEOCHEMISTRY





## LEGEND


- + 0 - 80 ppm Cu
  - O 80 - 200 ppm Cu
  - O 200 - 400 ppm Cu
  - ≥ 400 ppm Cu


DRILL HOLE

SCALE  
0 50 100 200 300  
Metres

**ROMULUS RESOURCES LTD.  
PELANT REBAGLIATI & ASSOCIATES LTD.  
BRENDA GOLD-COPPER PROPERTY**



## WHITE PASS GRID Cu SOIL GEOCHEMISTRY






**ROMULUS RESOURCES LTD.  
ELAND REBAGLIATI & ASSOCIATES LTD.  
RENDA GOLD-COPPER PROPERTY**

## WHITE PASS GRID Zn SOIL GEOCHEMISTRY







**ROMULUS RESOURCES LTD.  
ELAND REBALIATI & ASSOCIATES LTD.  
RENDA GOLD-COPPER PROPERTY**

## WHITE PASS GRID As SOIL GEOCHEMISTRY

1993      SCALE: 1:15,000      DRAWN BY: ProComp Geographic Ltd.      PAGE: 15









**ROMULUS RESOURCES LTD.  
COPELAND REBAGLIATI & ASSOCIATES LTD.  
PINE PROPERTY**

BRENDA ZONE  
WHITE PASS GRID  
**GEOCHEMICAL COMPILATION**

**BRENDA ZONE  
WHITE PASS GRID  
GEOCHEMICAL COMPILATION**







LEGEND

CONTOUR INTERVALS

DRILL HOLE

100 nT

500 nT


1000 nT

SCALE  
Metres

**ROMULUS RESOURCES LTD.**  
**COPELAND REBAGLIATI & ASSOCIATES LTD.**  
**BRENDA GOLD-COPPER PROPERTY**

WHITE PASS GRID  
TOTAL FIELD MAGNETIC  
CONTOURS

JULY 1993 Scale: 1:15,000 Sheet No.: Report 114 Page: 20



## CONCLUSIONS

The soil geochemical and geophysical surveys conducted by Romulus Resources Ltd. in 1993 have outlined a series of gold-copper porphyry targets. Of these, only the Brenda Zone has been explored. The rest remain entirely unexplored.

At the Brenda Zone, each of the four HQ diamond drill holes intersected porphyry-type gold-copper mineralization over variable but significant lengths. Grades are in the range of those currently being mined by porphyry copper (gold) operations in British Columbia.

Two phases of mineralization are present. Both are associated with quartz stockworks and sericitic alteration. One phase carries gold mineralization plus copper in the range of 0.1% to 0.3%. The other carries similar gold grades but associated copper concentrations are only in the order of approximately 0.05%. In the upper 20 metres of each hole, where oxidation and acid leaching have removed the copper, it is not possible to distinguish the two styles of mineralization. While minor concentrations of native copper and chalcocite have been observed, no significant supergene zone has yet been discovered.

Both the diamond drilling and the IP results suggest that the Brenda Zone gold-copper mineralization is associated with (parallel) linear structural zones. Trenching and drilling has so far been confined to the core of the anomalies. Additional trenching and/or diamond drilling is warranted to assess the full extent of these features. Similarly, the other geochemical-geophysical features within the surveyed area warrant investigation.

## **RECOMMENDATIONS**

Results from the four exploration programs conducted in 1993 were sufficiently good to warrant continued exploration on the Brenda Property.

It is recommended that:

1. Additional trenching and drilling be directed towards exploring the full lateral extent of the Brenda Zone.
2. Test pitting, with a large excavator, should be used as a "first pass" evaluation of the two IP-geochemical anomalies that presently remain unexplored. It is possible that overburden conditions may necessitate diamond drilling.
3. The geochemical and geophysical grid be extended to cover the entire claim block.

**STATEMENT OF COSTS  
ROMULUS RESOURCES LTD.  
BRENDA PROPERTY - 1993**

**1. WHITE PASS GRID (July-August 1993)**

|                               |                          |
|-------------------------------|--------------------------|
| Salaries                      | \$8,905.00               |
| Room and Board                | \$6,312.00               |
| Analytical - 490 Soil Samples | \$5,348.00               |
| Line Cutting                  | \$15,805.00              |
| IP Survey                     | \$40,155.00              |
| Truck Rental                  | \$3,363.00               |
| Mob/Demob Costs               | \$7,669.00               |
| Drafting, Report Prep.        | \$1,319.00               |
| Sub-total                     | <hr/> <b>\$88,876.00</b> |

**2. WHITE PASS DRILLING (July and September 1993)**

A) JT Thomas Diamond Drilling  
956 metres at \$150 per metre

|                        |                           |
|------------------------|---------------------------|
| Salaries               | \$22,803.00               |
| Room and Board         | \$14,154.00               |
| Laboratory Analysis    | \$8,962.00                |
| Truck Rental           | \$5,000.00                |
| Mob/Demob Costs        | \$6,624.00                |
| Drafting, Report Prep. | \$4,752.00                |
| Sub-total              | <hr/> <b>\$205,695.00</b> |

LOGGING AND SPLITTING OLD CORE

|                                  |                         |
|----------------------------------|-------------------------|
| Salaries                         | \$2,000.00              |
| Laboratory Analysis (100 Assays) | \$1,000.00              |
| Truck Rental                     | \$200.00                |
| Mob/Demob Costs                  | \$1,000.00              |
| Sub-total                        | <hr/> <b>\$4,200.00</b> |

**TOTAL EXPLORATION EXPENDITURES  
WHITE PASS ZONE**

**\$298,771.00**

## REFERENCES

- Barr, D.A., 1978; Chappelle gold-silver deposit, British Columbia: Canadian Inst. Mining Metallurgy Bull., v. 71, no. 790, p. 66-79.
- Buchanan, L.J., 1981; Precious metal deposits associated with volcanic environments in the southwest, in Dickinson, W.R. and Payne, W.D., eds., Relations of tectonics to ore deposits in the southern Cordillera, Arizona Geological Soc. Digest, v. 14, p. 237-261.
- Clark, J.R. and William-Jones, A.E., 1986, Geology and genesis of epithermal gold-barite mineralization, Verrenass deposit, Toodoggone district, British Columbia: Geological Assoc. Canada Annual Meeting Program, Abstracts, v. 11, p. 57.
- Diakow, L.J., Panteleyev, A. and Schroeter, T.G., 1985; Geology of the Toodoggone River area (94E): British Columbia Ministry of Energy, Mines and Petrol. Res., Preliminary map 61.
- Forster, D.G., 1984; Geology, petrology and precious metal mineralization, Toodoggone River area, north-central British Columbia: Unpub. M.Sc. Thesis, Vancouver, University of British Columbia, 313 p.
- Panteleyev, A., 198; Geology between Toodoggone and Sturdee rivers(94E): British Columbia Ministry of Energy, Mines and Petrol. Res., Geological Fieldwork 1982, Paper 1983-1, p. 142-148.
- Rebagliati, C.M., 1992; Overview on the Toodoggone Project Claims, Finlay River Area, British Columbia for Minerva Gold Mines Ltd.
- Rebagliati, C.M., Copeland, D.J., Bowen, B.K., 1992; 1991 Exploration and Delineation Drilling Program on the Kemess North Project, Omineca Mining Division, British Columbia, Canada.
- Rebagliati, C.M., Copeland, D.J., Bower, B., Harris, M. 1992; 1991 Exploration and delineation Drilling Program on the Kemess South Property, Omineca Mining Division, British Columbia, Canada.
- Rebagliati, C.M., Copeland, D.J., Bowen, B.K., 1993; Pine Gold-Copper Porphyry Project, Romulus Resources Ltd., Summary Report on the 1992 Exploration and Diamond Drilling Program. Omineca Mining Division, British Columbia.
- Rebagliati, C.M., 1993; Summary Report, Brenda Property, Toodoggone-Kemess Gold Camp B.C., Rebagliati Geological Consulting Ltd. for Romulus Resources Ltd.

## REFERENCES CONT'D

- Rebagliati, C.M. 1993; 1993 Summary Report, Phase I Program, Brenda Property. Toodoggone-Kemess Gold Camp B.C., Rebagliati Geological Consulting Ltd. for Romulus Resources Ltd.
- 1993; Summary Report, Phase II Program, Brenda Property. Toodoggone-Kemess Gold Camp B.C., Rebagliati Geological Consulting Ltd. for Romulus Resources Ltd.
- 1993; Summary Report, Phase III Program, Brenda Property. Toodoggone-Kemess Gold Camp B.C., Rebagliati Geological Consulting Ltd. for Romulus Resources Ltd.
- Schroeter, T.G., Diakow, L.J. and Panteleyev, A., 1986; Toodoggone River area (94E); British Columbia Ministry of Energy, Mines and Petrol. Res., Geological Fieldwork 1985, Paper 1986-1, p. 167-168.
- Schroeter, T.G., Diakow, L.J., Panteleyev, A., 1991; Jurassic Epithermal Deposits in the Toodoggone River Area - Examples of Well-Preserved, Volcanic-Hosted, Precious Metal.
- Thiersch, P. and Williams-Jones, A.E., 1990, Paragenesis and ore controls of the Shasta Ag-Au deposit Toodoggone River area, British Columbia (94E); British Columbia Ministry of Energy, Mines and Petrol. Resources., Geological Fieldwork 1989, Paper 1990-1, p. 315-322.
- Vulimiri, M.R., Tegart, P. and Stammers, M.A., 1986, Lawyers gold-silver deposits, British Columbia, in Morin, J.A., ed., Mineral deposits of the Northern Cordillera, Canadian Inst. Mining and Metallurgy, Special Volume 37, p. 191-201.
- Weishaupt, P.J. 1991; Brenda Group of Mineral Claims, Toodoggone Gold Camp, Omineca Mining District, British Columbia for Canasil Resources Incorporated.
- Weishaupt, P.J. 1992; Geological and Geochemical Report, Brenda Group of Mineral Claims, Toodoggone Gold Camp, Omineca Mining District, British Columbia for Canasil Resources Incorporated.

## CERTIFICATE OF QUALIFICATIONS

I, Clarence Mark Rebagliati, of #317, 2200 Highbury Street, Vancouver, B.C. hereby certify that:

1. I am a consulting Geological Engineer with offices at #317-2200 Highbury Street, Vancouver, B.C.
2. I am a graduate of the Provincial Institute of Mining, Haileybury, Ontario (Mining Technology, 1966).
3. I am a graduate of the Michigan Technological University, Houghton, Michigan, U.S.A., (B.Sc., Geological Engineering, 1969).
4. I have practised my profession continuously since graduation.
5. I am a member in good standing of the Association of Professional Engineers of British Columbia.
6. The foregoing report is based on:
  - a) A study of available Company and government reports.
  - b) My personal knowledge of the general area resulting from regional studies and from several visits of the most significant properties in the district.
  - c) An examination of the property, relogging and re-sampling of the 1992 drill core and supervising the 1993 Phase I, II, III and IV exploration programs.
7. I am a director and shareholder of Romulus Resources Ltd.



C.M. Rebagliati, P. Eng.  
November 5, 1993

**APPENDIX I**

**1993 DRILLING - DRILL LOGS, ASSAY CERTIFICATES, ICP REPORTS**

**SYNOPTIC DRILL LOG**  
**BRENDA PROPERTY**

PAGE 1 of

1

DDH NO.

93-01

|                       |  |  |   |
|-----------------------|--|--|---|
| DRILL HOLE NUMBER     | 93-01  | AZIMUTH  | 055°  |
| APPROX. NORTHING      | 10550  | DIP  | -74°  |
| APPROX. EASTING       | 10320  | CASING DEPTH   | 43.6 m CASING IN OR OUT                               |
| APPROX. ELEVATION     | 1551 m   | TOTAL DEPTH  | 331.04 m  |
| ZONE                  | WHITE PASS-BRENDA  | LOGGED BY  | R.J. HASLINGER  |
| DATE DRILLING STARTED | JULY 11 / 93   | SAMPLE No.'s   | 1-64600 1-64748                                       |
| DATE DRILLING ENDED   | JULY 17 / 93   |  |   |
| PURPOSE/TARGET        | TEST MINERALIZATION  | INTERSECTED IN 1992  |   |
| DRILLING BY           | CANASIL.   |  |   |
| COMMENTS              | WELL DEVELOPED QUARTZ + PYRITE + SERICITE + MAGNETITE STOCKWORK WITH TRACE CHALCOPYRITE IN TOODOOGONE VOLCANICS (9.14-53.9, 116.13-130.36, 220.60-289.40). |  |   |
| FROM                  | TO   | ROCK TYPE  | ROCK CODE   |
| 0.00                  | 9.14   | CASING   | 0000  |
| 9.14                  | 53.9   | SILICIFIED PLAG PORPHYR 3523                                   | SIL/SER/HEM 2% PY                                     |
| 53.9                  | 74.0   | LATITE PORPHYR   | 3523  |
| 74.0                  | 77.40  | ANDESITE DYKE  | 7612  |
| 77.40                 | 116.13   | LATITE PORPHYR   | 3523  |
| 116.13                | 124.67   | QUARTZ - SERICITE  | STOCKWORK SIL/SER                                     |
| 124.67                | 216.25   | LATITE PORPHYR   | 3523 EPIDOTE/SIL/SER 5% MAGNETITE                     |
| 216.25                | 220.60   | LATITE PORPHYR   | DYKE 3523   |
| 220.60                | 289.40   | LATITE PORPHYR - QTZ + MAGNETITE + PYRITE + SERICITE STOCKWORK | SIL/SER 25% QTZ, 3% MAC 2% PY, RARE SPY               |
| 289.40                | 331.04   | LATITE PORPHYR   | 3523 EPIDOTE 320.9-331.04 0.5% PY, TRACE MAC SIL/SER. |
|                       |  | END OF HOLE  |   |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

| DEPTH         | DIP     | AZIMUTH | NORTHING | EASTING | ELEVATION              |
|---------------|---------|---------|----------|---------|------------------------|
| Collar Survey | -74°    | 55°     |          |         | 0.4 m above<br>surface |
| 137.16        | -74.51° |         |          |         |                        |
| 248.10        | -75.63° |         |          |         | Approx. 1551..         |
|               |         |         |          |         |                        |
|               |         |         |          |         |                        |
|               |         |         |          |         |                        |
|               |         |         |          |         |                        |
|               |         |         |          |         |                        |

|      |               |
|------|---------------|
|      | DATA ENTRY    |
| DATE |               |
| BY   |               |
|      | DATA CHECKING |
| DATE |               |
| BY   |               |

|                       |                         |           |    |
|-----------------------|-------------------------|-----------|----|
| B93-01                |                         | PAGE 1 of | 12 |
| APPROX. NORTHING      | 10550 N                 |           |    |
| APPROX. EASTING       | 10320 E                 |           |    |
| ZONE                  | WHITE PASS              | BRENDA    |    |
| LOGGED BY             | R.J. HASLINGE           |           |    |
| DATE DRILLING STARTED | JULY 11, 1993           |           |    |
| DATE DRILLING ENDED   | JULY 17, 1993           |           |    |
| CORE SIZE             | HQ (2.86-E) NQ (3.22-m) |           |    |
| CASING IN HOLE        | HW (to 43.6 m)          |           |    |
| TOTAL DEPTH           | 331.04 m                |           |    |

| DESCRIPTION |       |   | COMPUTER LOG SECTION |     |     |     |     |       |     |           |
|-------------|-------|---|----------------------|-----|-----|-----|-----|-------|-----|-----------|
| FROM        | TO    |   | ROCK                 | SIL | KSP | SER | CHL | EP/CB | PY% | CP OTHER% |
| 0.00        | 9.14  | Casing  | 0000                 |     |     |     |     |       |     |           |
| 9.14        | 53.9  | SILICIFIED PLAG PORPHYR - GREY / WHITE<br>massive 1-3 mm plagioclase and chlorite replacing hornblende (20% matrix). Bleached matrix.   | 3523                 |     |     |     |     |       |     |           |
| 9.14        | 21.40 | intensely oxidized, abundant hematite. Poor core recovery. Hematitic mirror fractures throughout  |                      | 3   | 0   | 3   | 2   | 0     | 1   | 0         |
| 12.90       | 10 cm | Fault gouge   |                      |     |     |     |     |       |     |           |
| 21.40       | 53.9  | Nonhematitic, grey plag. por., finely disseminated pyrite, possible chalcopyrite (trace). Very poor recovery. Quartz stringers upto 4mm thick. Silicified.  |                      | 4   | 0   | 3   | 2   | 1     | 5   | 0         |
| 53.9        | 74.0  | PLAG - HORNBLENDE LATITE PORPHYR - PINK<br>7-5 mm gypsum after plagioclase and chloritic hornblende sub to euhedral crystals (60%). Pink K-SPAR rich matrix (Primary)<br>Occasional white zeolite - qtz stringers, abundant epidote | 3523                 |     |     |     |     |       |     |           |

Note: All references to hornblende in this log should be read as hornblende + augite.  
Augite comprises 50 to 10% of mafic component of latrite described herein as hornblende.

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of2  
12

| FROM  | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |    |              |
|-------|--------|---|----------------------|-----|-----|-----|-----|----|--------------|
|       |        |   | ROCK                 | SIL | KSP | SER | CHL | EP | PY% CPOther% |
| 53.0  | 59.0   | on /coating fractures. Ni calcite.<br>Latite bleached grey. finely disseminated pyrite.<br>fine grained soft grey mineral/gouge on shear<br>surfaces. Shearing perpendicular and at 30° to core<br>axis   |                      | 4   | 2   | 2   | 2   | 2  | 1 0          |
| 59.0  | 74.0   | Pink latite with 3% epidote ± zeolite on<br>randomly oriented fractures.  |                      | 0   | 3   | 1   | 2   | 3  | tr 0         |
| 74.0  | 77.40  | graphic shear plane lower contact at 30° to<br>core axis  |                      |     |     |     |     |    |              |
| 74.0  | 77.40  | PLAGIOCLASE PORPHYRITIC ANDESITE (DYKE?) - GREY<br>20% orange ghosts of 1.5mm plagioclase crystals in silicified<br>massive grey matrix.<br>Unit hosts moderate quartz stockwork 1-5mm thick<br>stringers with up to 1.5cm KSPAR enriched envelopes.<br>1% epidote in separate set of stringers.<br>Galena, sphalerite & chalcopyrite as clusters (0.5 X<br>8mm) within quartz stringers. overall, trace amount.<br>Up to 0.5 cm thick pyrite seams in stringers (55° to core axis) | 7612                 | 5   | 2   | 1   | 1   | 2  | 1 trace      |
| 77.40 | 116.13 | PLAGIOCLASE - HORNBLende LATITE PORPHYRY - PINK<br>Typically 40% 0.5-3mm euhedral pink plagioclase crystals,<br>15% 1-3mm subhedral hornblende. Hornblende 50%<br>replaced by chlorite + epidote. Matrix (45%) pink KSPAR<br>rich (Primary).<br>Rare grain of galena along fractures.   | 3523                 |     |     |     |     |    |              |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO. B93-01PAGE 3  
of 12

| FROM   | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |        |      |            |
|--------|--------|---|----------------------|-----|-----|-----|-----|--------|------|------------|
|        |        |   | ROCK                 | SIL | HSP | SER | CHL | EPIC/G | PYR% | C/P OTHER% |
| 77.40  | 79.20  | Silicified latite with gtz stringers containing pyrite, sphalerite (black) and galena. 18% sulphides total. Some calcite with quartz.<br>Hornblende replaced by epidote (20%).  |                      | 3   | 2   | 1   | 2   | 4      | tr   | tr         |
| 78.25  |        | 2cm Fault gauge @ 75° to core axis  |                      |     |     |     |     |        |      |            |
| 79.20  |        | Claylined shear plane at 75° to core axis   |                      |     |     |     |     |        |      |            |
| 79.20  | 116.13 | massive latite with 10% epidote + calcite replacing mafics & lining fractures. Noticeably softer rock than above interval. Rare grain of galena.  |                      | 0   | 0   | 0   | 2   | 3      | tr   | 0          |
| 79.80  |        | Shear plane at 60° to core axis   |                      |     |     |     |     |        |      |            |
| 85.50  |        | Weak foliation at 25° to core axis  |                      |     |     |     |     |        |      |            |
| 89.70  |        | Shear plane at 55° to core axis   |                      |     |     |     |     |        |      |            |
| 91.85  |        | Shear with disseminated pyrite halos at 45° to core axis  |                      |     |     |     |     |        |      |            |
| 93.57  |        | 1cm thick black clay-graphite seam at 43° to core axis  |                      |     |     |     |     |        |      |            |
|        |        | Pink zeolite associated with epidote fractures.   |                      |     |     |     |     |        |      |            |
| 107    | 113    | Stringers oriented from 25° to 70° to core axis   |                      |     |     |     |     |        |      |            |
| 111.30 |        | gypsum lining fracture.   |                      |     |     |     |     |        |      |            |
| 116.30 |        | Graphitic-clay lined latite-vein contact at 45° to core axis.<br>No noticeable increase in alteration or veining toward lower contact.  |                      |     |     |     |     |        |      |            |
| 116.13 | 124.67 | QUARTZ - SERKITE VEINS - GREENISH GREY WHITE<br>30% quartz, 40% soft greenish white mineral (sericitic + quartz + feldspar - does not stain), 30% intensely altered wall rock fragments upto 30 cm. Trace pink zeolite. Nacalite.<br>Vein matrix locally black (mafic dyke?). 117.83 - 118.20 |                      | 4   | 0   | 4   | 1   | 0      | 2    | tr         |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B 93-01

PAGE  
of

4

12

|        |        |  | COMPUTER LOG SECTION |     |     |     |     |       |     |           |
|--------|--------|--|----------------------|-----|-----|-----|-----|-------|-----|-----------|
| FROM   | TO     | DESCRIPTION  | ROCK                 | SIL | KSP | SEK | CHL | EP/KB | PY% | CPO/THER% |
|        |        | Vein locally sheared and fault milled with clay gouge  |                      |     |     |     |     |       |     |           |
| 116.80 |        | Shear at 53° to core axis  |                      |     |     |     |     |       |     |           |
| 117.35 |        | Shear at 70° and 35° to core axis  |                      |     |     |     |     |       |     |           |
| 117.95 | 118.00 | Shearing 0° to core axis. and at 38° to core axis.   |                      |     |     |     |     |       |     |           |
| 124.67 |        | Bottom contact at 45° to core axis   |                      |     |     |     |     |       |     |           |
|        |        | Fine grained disseminated pyrite occurs throughout, primarily concentrated within and adjacent 1-8mm quartz stringers. Quartz stringers, (5 to 8% over interval) occur within shears and perpendicular. Rare grains of chalcopyrite and fine grained white mineral also occur in stringers.  |                      |     |     |     |     |       |     |           |
| 122.67 | 122.90 | Black mafic dyke wedge with 5% 1mm euhedral feldspar lathes. 0.5mm chloritic envelope.   |                      |     |     |     |     |       |     |           |
|        |        | 0.5cm thick pyrite lined shear at 15° to core axis   |                      |     |     |     |     |       |     |           |
| 124.67 | 130.36 | MAGNETITE-BEARING LATITE PORPHYRY + QUARTZ STOCKWORK - PINK-GREY, BLACK.<br>moderately altered Plagi-hornblende latite porphyry. Hornblende replaced by epidote. Black moderately magnetic patches (Spheroids) 3mm to 4cm in size, also contain epidote. 5% of interval magnetic material.<br>1mm to 2cm thick quartz stringers (9 per metre) oriented subparallel and at 60° or more to core axis.<br>Stringers contain fine-grained pyrite in locally massive clusters and 1% magnetite crystals. Overall <1% Pyrite.<br>Greyish silicified rock of this interval has abrupt 90° to core axis non-sheared contact with non-silicified rock below (Alteration front). No calcite. | 3523                 | 4   | 1   | 1   | 1   | 2     | 1/2 | 0         |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of5  
12

| FROM   | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |       |                 |
|--------|--------|---|----------------------|-----|-----|-----|-----|-------|-----------------|
|        |        |   | ROCK                 | SIL | KSP | SER | CHL | EP/CB | PY% CPO/OTHER % |
| 130.36 | 216.25 | PLAGIOCLASE - HORNBLENDE LATITE PORPHYR - PINK-ORANGE<br>Typically 40% 0.5 - 4mm euhedral plagioclase, 20%<br>epidote and chlorite replaced, 0.5 - 2mm hornblende<br>lathes, 40% K-spar rich glassy (finegrained) matrix.<br>Epidote also occurs along fractures and comprises 2-5%<br>of rock. Calcite <sup>also</sup> present in stringers in non silicified<br>sections. Some manganese along fractures. pyrite rare in<br>unaltered rock. | 3523                 |     |     |     |     |       |                 |
| 130.36 | 149.24 | Non silicified latite moderate epidote - calcite<br>overprint.  |                      | 0   | 0   | 1   | 1   | 3     | tr 0            |
| 132.40 |        | Weak foliation - epidote lined at 45° to core axis.   |                      |     |     |     |     |       |                 |
| 134.30 |        | Shear plane with slickensides at 30° to core axis.  |                      |     |     |     |     |       |                 |
| 140.00 |        | Weak foliation at 40° to core axis.   |                      |     |     |     |     |       |                 |
| 148.00 | 149.24 | 15% epidote.  |                      |     |     |     |     |       |                 |
| 149.24 | 163.30 | Moderately silicified latite - locally magnetic. Nb calcite<br>8-2mm to 5mm stringers per metre (quartz + pyrite<br>+ magnetite) typically 70° to core axis. Soft clear<br>mineral along fractures cutting quartz stringers (gypsum?).<br>Upper & lower contact gradational.  |                      | 3   | 2   | 2   | 2   | 2     | 1/2 0           |
| 155.45 |        | Shearing at 55° and 80° to core axis.   |                      |     |     |     |     |       |                 |
| 157.30 |        | 1.5 cm quartz stringer at 33° to core axis. Contains<br>5mm thick continuous seam of magnetite crystals and<br>1.5% disseminated pyrite.<br>Overall <1% magnetite in upto 2cm diameter moderately<br>magnetic spheroids.  |                      |     |     |     |     |       |                 |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of6  
12

| FROM   | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |       |                 |
|--------|--------|---|----------------------|-----|-----|-----|-----|-------|-----------------|
|        |        |   | ROCK                 | S/L | KSP | SER | CHL | EP/LG | PR% C/P OTHER % |
|        |        | 159.70 to 160.70 - less silicified, more clay altered and sericitic interval  |                      |     |     |     |     |       |                 |
| 160.58 |        | Shear plane at 60° to core axis.  |                      |     |     |     |     |       |                 |
| 163.30 | 180.56 | Relatively unaltered latite. Trace calcite with epidote stringers. Minor pink zoelite within some fracture / foliation planes - typical of latite throughout hole.  | 1                    | 0   | 1   | 1   | 2   | tr    | 0               |
| 163.30 | 175.0  | Strongest epidote stringers at 50° to core axis.<br>Weaker foliation at 30° to core axis  |                      |     |     |     |     |       |                 |
|        | 179.0  | Epidote lined foliation at 38° to core axis.  |                      |     |     |     |     |       |                 |
| 180.56 | 181.64 | Intense epidote + sericite overprint of latite. Limegreen. Calcite in matrix throughout.<br>Texturally massive.<br>Contacts irregular and gradational over 5cm.<br>Upper contact at 25° to core axis.<br>Lower contact at 86° to core axis. | 0                    | 0   | 2   | 2   | 4   | 0     | 0               |
| 181.64 | 197.10 | Relatively unaltered latite. Epidote + calcite lining fractures and locally concentrated (pervasive) over 20 to 30cm intervals. Several xenoliths or fragments of mafic dyke at 188.0m and 191.80m.   | 0                    | 0   | 0   | 0   | 2   | tr    | 0               |
| 194.80 | 196.30 | Weak quartz stringer stockwork with 1% magnetite, 1/2% pyrite within and adjacent quartz, trace galena with magnetite.  |                      |     |     |     |     |       |                 |
| 185.25 |        | Shear at 58° to core axis   |                      |     |     |     |     |       |                 |
|        | 187.00 | Epidote fractures at 55°, 34° and 10° to core axis<br>Calcite stringers at 63° to core axis   |                      |     |     |     |     |       |                 |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO. B93-01

PAGE 7  
of 12

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of

8

12

|        |        |  | COMPUTER LOG SECTION |     |     |     |     |       |          |   |
|--------|--------|--|----------------------|-----|-----|-----|-----|-------|----------|---|
| FROM   | TO     | DESCRIPTION  | ROCK                 | SIL | KSP | SER | CHL | EPICL | PY%      | OTHER   |
| 211.10 |        | 4cm quartz - epidote - sericite vein at 44° to core axis.  |                      |     |     |     |     |       |          |   |
| 215.75 |        | Zoisite stringers at 35° to core axis.   |                      |     |     |     |     |       |          |   |
| 216.25 |        | lower contact at 33° to core axis.   |                      |     |     |     |     |       |          |   |
| 216.25 | 220.60 | PLAGIOCLASE - HORNBLende LATITE PORPHYRy DYE - BROWN - ORANGE.<br>30% 0.5-5mm Plagioclase (euhedral), 15% 1mm hornblende lathes. Dirty pale colored feldspar 50% epidote replaced, hornblende 90% epidote. Matrix predominately feldspar.<br>Rock matrix aphanitic - more glassy than relatively coarser grained Volcanic latite host rocks.<br>Trace calcite with rare crosscutting epidote stringers.  | 7512                 | 0   | 0   | 1   | 1   | 2     | 0        |   |
| 220.60 |        | Knife edged, clay lined lower contact at 38° to core axis.   |                      |     |     |     |     |       |          |   |
| 220.60 | 289.40 | LATITE PORPHYRy - QUARTZ + MAGNETITE + PYRITE STOCKWORK<br>PINKISH ORANGE TO GREY AND WHITE.<br>Moderate to intensely silicified plagioclase-hornblende latite porphyry (85 to 10%) with 1 to 5% disseminated and crystalline magnetite cross cut by a stockwork of quartz + magnetite ± pyrite ± sericite stringers and veins (15 to 90%). Quartz stockwork contains selvages and equilaxes of crystalline & disseminated magnetite. Magnetite (up to 20% of vein) crystals 0.2 mm to 1cm occur in veining cross cut by quartz - sericite veining within which pyrite principally associated. Where magnetite and pyrite occur together, magnetite is at edge or rims or replaces magnetite. Most pyritic intervals | 3523                 | 3-5 | 0   | 1-3 | 1-2 | 1-2   | 0 50 100 | 5223<br>221<br>222<br>224<br>226<br>228<br>230<br>232 |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B 73 - 01

PAGE  
of

9

12

| FROM   | TO  | DESCRIPTION  | ROCK | COMPUTER LOG SECTION |  |  |  | PY   | OTHER |
|--------|-----|--|------|----------------------|--|--|--|------|-------|
|        |     |  |      |                      |  |  |  |      |       |
|        |     | contain almost no magnetite. Quartz veins, containing magnetite, range from 0.5mm to 3cm, while dominantly pyrite - sericite bearing veins range from 2cm to 20cm width. Lattice host rocks most intensely altered adjacent pyritic veins. Rare grains of chalcocite (and sphalerite at 244.10m) occur within pyritic veins. Quartz-magnetite veining occurs at random angles to core axis, with high angles to core axis predominating. Quartz-sulfide veins typically at less than 45° to core axis. Epidote content ranges from 0.5 to 4% (locally and is markedly reduced relative to abundance above and below this stockwork interval. KSPbR content reduced adjacent stockworks |      |                      |  |  | 0 50 QT <sub>30</sub> MAG <sub>5</sub> | 230  |       |
| 221    |     | Quartz-magnetite stringers at 9° 48' to core axis  |      |                      |  |  |  |      | 231   |
| 222    |     | Quartz-sericite-pyrite vein at 29° and 58° to core axis  |      |                      |  |  |  |      | 232   |
| 224.50 |     | Quartz-pyrite-magnetite vein at 0° to 10° to core axis   |      |                      |  |  |  |      | 233   |
| 226.60 |     | Quartz-magnetite stringer at 74° to core axis  |      |                      |  |  |  |      | 234   |
| 228.10 |     | Quartz-pyrite stringer through quartz stockwork at 50° to core axis  |      |                      |  |  |  |      | 235   |
| 229    |     | Quartz-pyrite-magnetite stringer at 45° to core axis   |      |                      |  |  |  |      | 236   |
| 231    |     | Quartz-sericite-pyrite at 10° to core axis   |      |                      |  |  |  |      | 237   |
| 231.70 |     | Quartz-magnetite-pyrite stringer at 15° to core axis cut by epidote foliation (2cm offset) at 34° to core axis   |      |                      |  |  |  |      | 238   |
| 235    | 236 | Epidote fracture at 0° to core axis, quartz-magnetite at 90° and 50°   |      |                      |  |  |  | DYKE | 239   |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of10  
12

| FROM   | TO     | DESCRIPTION  | COMPUTER LOG SECTION |     |     |     |     |                  |
|--------|--------|--|----------------------|-----|-----|-----|-----|------------------|
|        |        |  | ROCK                 | SIL | KSP | SER | CHL | EP/CB            |
| 244.10 | 30cm   | quartz-sericite-pyrite vein cut by pyrite shears at 20° to core axis   |                      |     |     |     |     | , PY = ST + mNGS |
| 255.80 |        | Clay lined shear at 25° to core axis   |                      |     |     |     |     | 25°              |
| 258.25 | 259.13 | Black basaltic clyde, trace calcite in fractures.<br>Upper contact at 35° to core axis (No shearing).<br>Lower contact at 65° to core axis with clay and shear brecciation.  |                      |     |     |     |     | 26°              |
| 268.25 | 268.65 | Basaltic dyke, sheared contacts at 30° to core axis  |                      |     |     |     |     | 26°              |
| 271.45 |        | 5cm thick massive pyrite seam - sheared at 23° to core axis;<br>truncated by shear at 58° to core axis   |                      |     |     |     |     | 26°              |
| 277.30 |        | 2.5cm quartz-magnetite-pyrite vein at 25° to core axis.  |                      |     |     |     |     | 27°              |
| 278.70 |        | 3cm quartz-pyrite - sericite vein at 18° to core axis  |                      |     |     |     |     | 27°              |
| 281.30 |        | Shear at 30° to core axis. Lineation at 20° to core axis $\approx$ E   |                      |     |     |     |     | 28°              |
| 283.00 |        | Pyrite seams (1.5cm thick) in 35cm quartz-pyrite-sericite vein<br>at 22° to core axis.   |                      |     |     |     |     | 28°              |
| 289.40 | 320.70 | Bottom limite edged alteration - stockwork unit contact<br>at 20° to core axis. Some what sheared & broken.<br><br>PLAGIOLASE - HORNBLENDE LATITE PORPHYRY - REDDISH BROWN - PINK.<br>35% 0.5 - 1.5mm pink-brown plagioclase 25% 0.1 - 0.8mm<br>hornblende, 40% finegrained to amphibitic h-spac rich matrix.<br>This latite finegrained than latite cuphole. Massive m<br>texture.<br>Unevenly overprinted with moderate to strong epidote + calcite.<br>Epidote replaces to varying degrees - plagioclase, hornblende and<br>forms stringers with calcite. Pyh, Epidote + calcite stringers<br>upto 4mm thick crosscut epidote alteration.<br>Rare grain of magnetite. Very little pyrite. | 3523                 | 0   | 0   | 1-2 | 1   | 2-3              |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-01

PAGE  
of11  
12

|        |                 | COMPUTER LOG SECTION   |      |      |     |     |     |       |     |                       |
|--------|-----------------|--|------|------|-----|-----|-----|-------|-----|-----------------------|
| FROM   | TO              | DESCRIPTION  | ROCK | SIL  | KSP | SER | CHL | EP/CB | PY% | OTHER                 |
| 289.70 |                 | Strong epidote adjacent and along fractures at 40° to core axis.   |      |      |     |     |     |       |     | PY5, QF ± 10±10 MAG.5 |
| 293.0  |                 | Epidote fractures at 35° and 68° to core axis. Zelite stringers at 0° to 20° to core axis.   |      |      |     |     |     |       |     | 285                   |
| 298.0  |                 | 1cm thick clay lined shear at 51° to core axis.  |      |      |     |     |     |       |     | 281                   |
| 301.90 | 304.25          | Strong epidote, moderate sericitic alteration.   |      |      |     |     |     |       |     | 281                   |
| 316.0  |                 | 6cm clay fault gauge   |      |      |     |     |     |       |     | 281.2                 |
| 316.90 |                 | Shear at 29° to core axis  |      |      |     |     |     |       |     |                       |
| 318.0  |                 | Shear plane at 31° to core axis with slickensides at 25° to core axis (elliptical long axis).  |      |      |     |     |     |       |     |                       |
| 320.05 | 320.50          | Weak shearing at 30° to 40° to core axis.  |      |      |     |     |     |       |     |                       |
| 320.70 |                 | Lower contact at 38° to core axis.   |      |      |     |     |     |       |     |                       |
| 320.70 | 320.90          | BLACK BASALTIC DYKE  |      | 7711 |     |     |     |       |     |                       |
|        |                 | Weak shearing upper contact, 2cm clay gauge bottom contact. Sph crosscutting 0.8mm calcite stringers.  |      | 0    | 0   | 0   | 0   | 3     | 0   |                       |
| 320.90 | 331.04<br>(FOH) | PLAGIOCLASE - HORNBLENDE LATITE PORPHYR + QUARTZ + SERICITE + PYRITE ± MAGNETITE STOCKWORK - GREY GREEN OVERPRINT ON PINK ORANGE.<br>Latite as unit above except for plagioclase crystals upto 4mm in size locally.<br>Interval hosts 15% quartz stringers 3mm to 3cm thick containing trace to 5% pyrite and locally rare magnetite.<br>Adjacent wallrock plagioclase replaced by sericitic adjacent larger more pyritic veining.<br>Quartz stringers offset 0.5 to 2cm along epidote lined fractures / foliation. Minor calcite present with quartz. | 3523 | 3    | 0   | 3   | 7   | 1     | 0.5 |                       |

## GEOLOGICAL LOGGING FORM

**ROMULUS RESOURCES LTD  
BRENDA PROPERTY**

DDH  
NO.

PAGE 12  
of 12

# BRENDA PROPERTY

## SAMPLING LOG

LOGGED BY R. HASLINGER

|      |            |
|------|------------|
| DATE | DATA ENTRY |
| BY   |            |

|      |               |
|------|---------------|
| DATE | DATA CHECKING |
| BY   |               |

|      |          |
|------|----------|
| DDH  | 93-01    |
| DATE | 93-07-20 |

Page 1  
of 2

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 9.14  | 11.0  | 1-64600    |
| 11.0  | 13.0  | 1-64601    |
| 13.0  | 17.0  | 1-64602    |
| 17.0  | 20.0  | 1-64603    |
| 20.0  | 23.0  | 1-64604    |
| 23.0  | 26.56 | 1-64605    |
| 26.56 | 35.66 | 1-64606    |
| 35.66 | 41.75 | 1-64607    |
| 41.75 | 47.05 | 1-64608    |
| 47.05 | 50.90 | 1-64609    |
| 50.90 | 53.93 | 1-64610    |
| 53.93 | 57.0  | 1-64611    |
| 57.0  | 59.0  | 1-64612    |
| 59.0  | 61.0  | 1-64613    |
| 61.0  | 63.0  | 1-64614    |
| 63.0  | 65.0  | 1-64615    |
| 65.0  | 67.0  | 1-64616    |
| 67.0  | 69.0  | 1-64617    |
| 69.0  | 71.0  | 1-64618    |
| 71.0  | 73.0  | 1-64619    |
| 73.0  | 75.0  | 1-64620    |
| 75.0  | 77.0  | 1-64621    |
| 77.0  | 79.0  | 1-64622    |
| 79.0  | 81.0  | 1-64623    |
| 81.0  | 83.0  | 1-64624    |
| 83.0  | 85.0  | 1-64625    |
| 85.0  | 87.0  | 1-64626    |
| 87.0  | 89.0  | 1-64627    |
| 89.0  | 91.0  | 1-64628    |
| 91.0  | 93.0  | 1-64629    |

| FROM   | TO     | SAMPLE No. |
|--------|--------|------------|
| 93.0   | 95.0   | 1-64630    |
| 95.0   | 97.0   | 1-64631    |
| 97.0   | 99.0   | 1-64632    |
| 99.0   | 101.0  | 1-64633    |
| 101.0  | 103.0  | 1-64634    |
| 103.0  | 105.0  | 1-64635    |
| 105.0  | 107.0  | 1-64636    |
| 107.0  | 109.0  | 1-64637    |
| 109.0  | 111.0  | 1-64638    |
| 111.0  | 113.0  | 1-64639    |
| 113.0  | 115.0  | 1-64640    |
| 115.0  | 116.13 | 1-64641    |
| 116.13 | 118.0  | 1-64642    |
| 118.0  | 120.0  | 1-64643    |
| 120.0  | 122.0  | 1-64644    |
| 122.0  | 124.67 | 1-64645    |
| 124.67 | 127.0  | 1-64646    |
| 127.0  | 129.0  | 1-64647    |
| 129.0  | 131.0  | 1-64648    |
| 131.0  | 133.0  | 1-64649    |
| 133.0  | 135.0  | 1-64650    |
| 135.0  | 137.0  | 1-64651    |
| 137.0  | 139.0  | 1-64652    |
| 139.0  | 141.0  | 1-64653    |
| 141.0  | 143.0  | 1-64654    |
| 143.0  | 145.0  | 1-64655    |
| 145.0  | 147.0  | 1-64656    |
| 147.0  | 149.0  | 1-64657    |
| 149.0  | 151.0  | 1-64658    |
| 151.0  | 153.0  | 1-64659    |

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 153.0 | 155.0 | 1-64666    |
| 155.0 | 157.0 | 1-64667    |
| 157.0 | 159.0 | 1-64668    |
| 159.0 | 161.0 | 1-64669    |
| 161.0 | 163.0 | 1-64670    |
| 163.0 | 165.0 | 1-64671    |
| 165.0 | 167.0 | 1-64672    |
| 167.0 | 169.0 | 1-64673    |
| 169.0 | 171.0 | 1-64674    |
| 171.0 | 173.0 | 1-64675    |
| 173.0 | 175.0 | 1-64676    |
| 175.0 | 177.0 | 1-64677    |
| 177.0 | 179.0 | 1-64678    |
| 179.0 | 181.0 | 1-64679    |
| 181.0 | 183.0 | 1-64680    |
| 183.0 | 185.0 | 1-64681    |
| 185.0 | 187.0 | 1-64682    |
| 187.0 | 189.0 | 1-64683    |
| 189.0 | 191.0 | 1-64684    |
| 191.0 | 193.0 | 1-64685    |
| 193.0 | 195.0 | 1-64686    |
| 195.0 | 197.0 | 1-64687    |
| 197.0 | 199.0 | 1-64688    |
| 199.0 | 201.0 | 1-64689    |
| 201.0 | 203.0 | 1-64690    |
| 203.0 | 205.0 | 1-64691    |
| 205.0 | 207.0 | 1-64692    |
| 207.0 | 209.0 | 1-64693    |
| 209.0 | 211.0 | 1-64694    |
| 211.0 | 213.0 | 1-64695    |

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 213.0 | 215.0 | 1-64696    |
| 215.0 | 217.0 | 1-64697    |
| 217.0 | 219.0 | 1-64698    |
| 219.0 | 221.0 | 1-64699    |
| 221.0 | 223.0 | 1-64700    |
| 223.0 | 225.0 | 1-64701    |
| 225.0 | 227.0 | 1-64702    |
| 227.0 | 229.0 | 1-64703    |
| 229.0 | 231.0 | 1-64704    |
| 231.0 | 233.0 | 1-64705    |
| 233.0 | 235.0 | 1-64706    |
| 235.0 | 237.0 | 1-64707    |
| 237.0 | 239.0 | 1-64708    |
| 239.0 | 241.0 | 1-64709    |
| 241.0 | 243.0 | 1-64704    |
| 243.0 | 245.0 | 1-64705    |
| 245.0 | 247.0 | 1-64706    |
| 247.0 | 249.0 | 1-64707    |
| 249.0 | 251.0 | 1-64708    |
| 251.0 | 253.0 | 1-64709    |
| 253.0 | 255.0 | 1-64710    |
| 255.0 | 257.0 | 1-64711    |
| 257.0 | 259.0 | 1-64712    |
| 259.0 | 261.0 | 1-64713    |
| 261.0 | 263.0 | 1-64714    |
| 263.0 | 265.0 | 1-64715    |
| 265.0 | 267.0 | 1-64716    |
| 267.0 | 269.0 | 1-64717    |
| 269.0 | 271.0 | 1-64718    |
| 271.0 | 273.0 | 1-64719    |

## SAMPLING LOG

LOGGED BY Richard Haslinger

BRENDA PROPERTY

**RECOVERY LOG**  
**BRENDA PROPERTY**

## **GEOTECHNICAL LOG**

LOGGED BY Shawn K Wrence

|             |                   |
|-------------|-------------------|
| <b>DATE</b> | <b>DATA ENTRY</b> |
| <b>BY</b>   |                   |

**DATA CHECKING**

**DDH** 93-01  
**DATE** 93-07-14

PAGE /  
of /

Recovery 100% after 75.0 M  Guava

29/10/93

ROMULUS RESOURCES LTD. - PINE PROPERTY

BRENDA ZONE - WHITE PASS GRID

DRILL HOLE COMPOSITES

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | AU<br>g/t | CU<br>% | AG<br>ppm | MO<br>ppm | AS<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-01   | 9.14        | 57.00     | 47.86         | 1.10      | 0.130   | 4.8       | 11        | 1         | 33        | 2         | 110       |
| 93-01   | 57.00       | 281.00    | 224.00        | 0.05      | 0.016   | 0.2       | 5         | 3         | 77        | 3         | 409       |
| 93-01   | 281.00      | 289.00    | 8.00          | 0.30      | 0.031   | 0.3       | 2         | 1         | 7         | 1         | 64        |
| 93-01   | 289.00      | 331.04    | 42.04         | 0.02      | 0.007   | 0.1       | 3         | 3         | 44        | 3         | 141       |

## ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-01   | 9.14        | 11.00     | 1.86          | 64600         | 0.90      | 0.048   | 0.95   | 2.1       | 1         | 404       | 27        | 2         | 76        |           |
| 93-01   | 11.00       | 13.00     | 2.00          | 64601         | 1.10      | 0.038   | 1.14   | 2.0       | 1         | 339       | 25        | 1         | 109       |           |
| 93-01   | 13.00       | 17.00     | 4.00          | 64602         | 1.06      | 0.029   | 1.09   | 3.1       | 1         | 239       | 53        | 1         | 97        |           |
| 93-01   | 17.00       | 20.00     | 3.00          | 64603         | 0.83      | 0.030   | 0.86   | 2.2       | 1         | 274       | 24        | 1         | 82        |           |
| 93-01   | 20.00       | 23.00     | 3.00          | 64604         | 1.11      | 0.036   | 1.15   | 3.0       | 1         | 336       | 25        | 1         | 77        |           |
| 93-01   | 23.00       | 26.56     | 3.56          | 64605         | 1.38      | 0.072   | 1.45   | 3.4       | 1         | 649       | 52        | 2         | 49        |           |
| 93-01   | 26.56       | 35.66     | 9.10          | 64606         | 0.60      | 0.188   | 0.79   | 1.9       | 1         | 1822      | 39        | 3         | 109       |           |
| 93-01   | 35.66       | 41.75     | 6.09          | 64607         | 2.59      | 0.229   | 2.82   | 20.7      | 1         | 2071      | 37        | 3         | 127       |           |
| 93-01   | 41.75       | 47.05     | 5.30          | 64608         | 1.15      | 0.185   | 1.34   | 3.6       | 1         | 1708      | 20        | 3         | 167       |           |
| 93-01   | 47.05       | 50.90     | 3.85          | 64609         | 0.79      | 0.107   | 0.90   | 2.5       | 1         | 928       | 35        | 1         | 103       |           |
| 93-01   | 50.90       | 53.93     | 3.03          | 64610         | 0.68      | 0.166   | 0.85   | 1.0       | 1         | 1472      | 24        | 3         | 139       |           |
| 93-01   | 53.93       | 57.00     | 3.07          | 64611         | 0.45      | 0.151   | 0.60   | 1.5       | 1         | 1399      | 29        | 6         | 133       |           |
| 93-01   | 57.00       | 59.00     | 2.00          | 64612         | 0.21      | 0.120   | 0.33   | 1.6       | 1         | 1146      | 29        | 3         | 142       |           |
| 93-01   | 59.00       | 61.00     | 2.00          | 64613         | 0.06      | 0.010   | 0.07   | 0.4       | 1         | 95        | 26        | 3         | 106       |           |
| 93-01   | 61.00       | 63.00     | 2.00          | 64614         | 0.03      | 0.008   | 0.04   | 0.5       | 1         | 72        | 21        | 3         | 95        |           |
| 93-01   | 63.00       | 65.00     | 2.00          | 64615         | 0.05      | 0.011   | 0.06   | 0.4       | 3         | 95        | 57        | 2         | 96        |           |
| 93-01   | 65.00       | 67.00     | 2.00          | 64616         | 0.01      | 0.013   | 0.02   | 0.1       | 1         | 113       | 39        | 1         | 107       |           |
| 93-01   | 67.00       | 69.00     | 2.00          | 64617         | 0.02      | 0.011   | 0.03   | 0.3       | 1         | 94        | 34        | 7         | 105       |           |
| 93-01   | 69.00       | 71.00     | 2.00          | 64618         | 0.03      | 0.036   | 0.07   | 0.3       | 1         | 340       | 246       | 1         | 446       |           |
| 93-01   | 71.00       | 73.00     | 2.00          | 64619         | 0.18      | 0.011   | 0.19   | 0.4       | 1         | 104       | 71        | 2         | 131       |           |
| 93-01   | 73.00       | 75.00     | 2.00          | 64620         | 0.07      | 0.027   | 0.10   | 0.1       | 1         | 258       | 53        | 4         | 259       |           |
| 93-01   | 75.00       | 77.00     | 2.00          | 64621         | 0.11      | 0.057   | 0.17   | 1.7       | 1         | 521       | 1083      | 2         | 981       |           |
| 93-01   | 77.00       | 79.00     | 2.00          | 64622         | 0.06      | 0.009   | 0.07   | 0.6       | 1         | 88        | 479       | 3         | 707       |           |
| 93-01   | 79.00       | 81.00     | 2.00          | 64623         | 0.05      | 0.006   | 0.06   | 0.4       | 1         | 50        | 266       | 5         | 345       |           |
| 93-01   | 81.00       | 83.00     | 2.00          | 64624         | 0.01      | 0.002   | 0.01   | 0.5       | 1         | 4         | 19        | 2         | 40        |           |
| 93-01   | 83.00       | 85.00     | 2.00          | 64625         | 0.04      | 0.002   | 0.04   | 0.7       | 7         | 10        | 20        | 1         | 51        |           |
| 93-01   | 85.00       | 87.00     | 2.00          | 64626         | 0.01      | 0.002   | 0.01   | 0.1       | 1         | 15        | 75        | 2         | 108       |           |
| 93-01   | 87.00       | 89.00     | 2.00          | 64627         | 0.01      | 0.003   | 0.01   | 0.5       | 5         | 22        | 90        | 3         | 133       |           |
| 93-01   | 89.00       | 91.00     | 2.00          | 64628         | 0.02      | 0.004   | 0.02   | 0.2       | 1         | 29        | 126       | 3         | 626       |           |
| 93-01   | 91.00       | 93.00     | 2.00          | 64629         | 0.02      | 0.007   | 0.03   | 0.1       | 1         | 53        | 69        | 2         | 888       |           |
| 93-01   | 93.00       | 95.00     | 2.00          | 64630         | 0.01      | 0.005   | 0.01   | 0.1       | 1         | 35        | 37        | 1         | 443       |           |
| 93-01   | 95.00       | 97.00     | 2.00          | 64631         | 0.01      | 0.002   | 0.01   | 0.3       | 1         | 21        | 26        | 2         | 306       |           |
| 93-01   | 97.00       | 99.00     | 2.00          | 64632         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 23        | 21        | 1         | 297       |           |
| 93-01   | 99.00       | 101.00    | 2.00          | 64633         | 0.01      | 0.002   | 0.01   | 0.5       | 5         | 20        | 17        | 2         | 267       |           |
| 93-01   | 101.00      | 103.00    | 2.00          | 64634         | 0.02      | 0.003   | 0.02   | 0.2       | 1         | 30        | 30        | 1         | 338       |           |
| 93-01   | 103.00      | 105.00    | 2.00          | 64635         | 0.01      | 0.001   | 0.01   | 0.1       | 4         | 6         | 12        | 1         | 269       |           |
| 93-01   | 105.00      | 107.00    | 2.00          | 64636         | 0.02      | 0.002   | 0.02   | 0.2       | 1         | 20        | 45        | 1         | 487       |           |
| 93-01   | 107.00      | 109.00    | 2.00          | 64637         | 0.01      | 0.002   | 0.01   | 0.1       | 1         | 19        | 18        | 2         | 469       |           |
| 93-01   | 109.00      | 111.00    | 2.00          | 64638         | 0.01      | 0.001   | 0.01   | 0.3       | 1         | 13        | 24        | 2         | 537       |           |
| 93-01   | 111.00      | 113.00    | 2.00          | 64639         | 0.01      | 0.003   | 0.01   | 0.5       | 7         | 26        | 36        | 3         | 554       |           |
| 93-01   | 113.00      | 115.00    | 2.00          | 64640         | 0.01      | 0.001   | 0.01   | 0.3       | 1         | 9         | 16        | 1         | 283       |           |
| 93-01   | 115.00      | 116.15    | 1.15          | 64641         | 0.02      | 0.005   | 0.03   | 0.7       | 6         | 37        | 39        | 3         | 455       |           |
| 93-01   | 116.15      | 118.00    | 1.85          | 64642         | 0.35      | 0.057   | 0.41   | 0.7       | 1         | 448       | 12        | 3         | 47        |           |
| 93-01   | 118.00      | 120.00    | 2.00          | 64643         | 0.16      | 0.032   | 0.19   | 0.3       | 1         | 245       | 6         | 1         | 22        |           |
| 93-01   | 120.00      | 122.00    | 2.00          | 64644         | 0.13      | 0.002   | 0.13   | 0.1       | 6         | 12        | 19        | 1         | 8         |           |
| 93-01   | 122.00      | 124.67    | 2.67          | 64645         | 0.16      | 0.029   | 0.19   | 0.3       | 1         | 251       | 8         | 2         | 37        |           |
| 93-01   | 124.67      | 127.00    | 2.33          | 64646         | 0.09      | 0.030   | 0.12   | 0.2       | 1         | 254       | 8         | 1         | 564       |           |
| 93-01   | 127.00      | 129.00    | 2.00          | 64647         | 0.08      | 0.025   | 0.10   | 0.5       | 1         | 175       | 13        | 2         | 681       |           |
| 93-01   | 129.00      | 131.00    | 2.00          | 64648         | 0.09      | 0.026   | 0.12   | 0.1       | 1         | 220       | 36        | 4         | 494       |           |

DATE:29/10/93 TIME: 10:15:42

ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-01   | 131.00      | 133.00    | 2.00          | 64649         | 0.01      | 0.003   | 0.01   | 0.1       | 3         | 12        | 25        | 7         | 207       |           |
| 93-01   | 133.00      | 135.00    | 2.00          | 64650         | 0.01      | 0.004   | 0.01   | 0.1       | 4         | 18        | 41        | 7         | 784       |           |
| 93-01   | 135.00      | 137.00    | 2.00          | 64651         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 12        | 36        | 8         | 684       |           |
| 93-01   | 137.00      | 139.00    | 2.00          | 64652         | 0.02      | 0.016   | 0.04   | 0.1       | 4         | 131       | 44        | 9         | 2755      |           |
| 93-01   | 139.00      | 141.00    | 2.00          | 64653         | 0.01      | 0.024   | 0.03   | 0.1       | 10        | 217       | 27        | 9         | 702       |           |
| 93-01   | 141.00      | 143.00    | 2.00          | 64654         | 0.01      | 0.002   | 0.01   | 0.1       | 11        | 2         | 32        | 8         | 506       |           |
| 93-01   | 143.00      | 145.00    | 2.00          | 64655         | 0.02      | 0.011   | 0.03   | 0.1       | 11        | 85        | 29        | 7         | 1583      |           |
| 93-01   | 145.00      | 147.00    | 2.00          | 64656         | 0.01      | 0.004   | 0.01   | 0.1       | 10        | 15        | 37        | 7         | 691       |           |
| 93-01   | 147.00      | 149.00    | 2.00          | 64657         | 0.02      | 0.004   | 0.02   | 0.1       | 9         | 18        | 20        | 7         | 1196      |           |
| 93-01   | 149.00      | 151.00    | 2.00          | 64658         | 0.05      | 0.038   | 0.09   | 0.1       | 1         | 349       | 26        | 5         | 627       |           |
| 93-01   | 151.00      | 153.00    | 2.00          | 64659         | 0.13      | 0.046   | 0.18   | 0.7       | 1         | 431       | 162       | 4         | 884       |           |
| 93-01   | 153.00      | 155.00    | 2.00          | 64660         | 0.12      | 0.067   | 0.19   | 1.6       | 1         | 627       | 16        | 6         | 343       |           |
| 93-01   | 155.00      | 157.00    | 2.00          | 64661         | 0.13      | 0.025   | 0.16   | 0.1       | 14        | 233       | 12        | 4         | 122       |           |
| 93-01   | 157.00      | 159.00    | 2.00          | 64662         | 0.08      | 0.037   | 0.12   | 0.1       | 1         | 343       | 14        | 5         | 138       |           |
| 93-01   | 159.00      | 161.00    | 2.00          | 64663         | 0.04      | 0.021   | 0.06   | 0.1       | 20        | 194       | 15        | 9         | 520       |           |
| 93-01   | 161.00      | 163.00    | 2.00          | 64664         | 0.02      | 0.018   | 0.04   | 0.1       | 5         | 153       | 12        | 7         | 592       |           |
| 93-01   | 163.00      | 165.00    | 2.00          | 64665         | 0.03      | 0.016   | 0.05   | 0.1       | 1         | 141       | 27        | 6         | 2128      |           |
| 93-01   | 165.00      | 167.00    | 2.00          | 64666         | 0.01      | 0.019   | 0.03   | 0.1       | 8         | 164       | 18        | 8         | 1205      |           |
| 93-01   | 167.00      | 169.00    | 2.00          | 64667         | 0.01      | 0.017   | 0.03   | 0.1       | 15        | 133       | 22        | 9         | 1357      |           |
| 93-01   | 169.00      | 171.00    | 2.00          | 64668         | 0.01      | 0.004   | 0.01   | 0.1       | 1         | 25        | 18        | 7         | 1247      |           |
| 93-01   | 171.00      | 173.00    | 2.00          | 64669         | 0.02      | 0.003   | 0.02   | 0.1       | 19        | 11        | 15        | 9         | 485       |           |
| 93-01   | 173.00      | 175.00    | 2.00          | 64670         | 0.01      | 0.001   | 0.01   | 0.1       | 24        | 1         | 18        | 9         | 82        |           |
| 93-01   | 175.00      | 177.00    | 2.00          | 64671         | 0.02      | 0.001   | 0.02   | 0.1       | 15        | 1         | 8         | 8         | 67        |           |
| 93-01   | 177.00      | 179.00    | 2.00          | 64672         | 0.02      | 0.001   | 0.02   | 0.1       | 1         | 10        | 13        | 1         | 32        |           |
| 93-01   | 179.00      | 181.00    | 2.00          | 64673         | 0.03      | 0.001   | 0.03   | 0.1       | 2         | 6         | 6         | 2         | 40        |           |
| 93-01   | 181.00      | 183.00    | 2.00          | 64674         | 0.01      | 0.001   | 0.01   | 0.1       | 5         | 2         | 11        | 4         | 46        |           |
| 93-01   | 183.00      | 185.00    | 2.00          | 64675         | 0.02      | 0.002   | 0.02   | 0.2       | 10        | 1         | 7         | 3         | 39        |           |
| 93-01   | 185.00      | 187.00    | 2.00          | 64676         | 0.02      | 0.001   | 0.02   | 0.1       | 8         | 11        | 71        | 3         | 72        |           |
| 93-01   | 187.00      | 189.00    | 2.00          | 64677         | 0.03      | 0.001   | 0.03   | 0.1       | 2         | 5         | 43        | 2         | 51        |           |
| 93-01   | 189.00      | 191.00    | 2.00          | 64678         | 0.01      | 0.001   | 0.01   | 0.1       | 2         | 4         | 14        | 4         | 52        |           |
| 93-01   | 191.00      | 193.00    | 2.00          | 64679         | 0.03      | 0.018   | 0.05   | 0.1       | 1         | 183       | 1099      | 5         | 1350      |           |
| 93-01   | 193.00      | 195.00    | 2.00          | 64680         | 0.03      | 0.022   | 0.05   | 0.3       | 1         | 199       | 911       | 5         | 1568      |           |
| 93-01   | 195.00      | 197.00    | 2.00          | 64681         | 0.02      | 0.013   | 0.03   | 0.3       | 1         | 110       | 480       | 3         | 2130      |           |
| 93-01   | 197.00      | 199.00    | 2.00          | 64682         | 0.03      | 0.007   | 0.04   | 0.1       | 14        | 63        | 105       | 9         | 329       |           |
| 93-01   | 199.00      | 201.00    | 2.00          | 64683         | 0.10      | 0.003   | 0.10   | 0.1       | 29        | 21        | 80        | 8         | 229       |           |
| 93-01   | 201.00      | 203.00    | 2.00          | 64684         | 0.06      | 0.006   | 0.07   | 0.1       | 1         | 51        | 67        | 9         | 182       |           |
| 93-01   | 203.00      | 205.00    | 2.00          | 64685         | 0.02      | 0.013   | 0.03   | 0.1       | 4         | 125       | 45        | 10        | 352       |           |
| 93-01   | 205.00      | 207.00    | 2.00          | 64686         | 0.03      | 0.008   | 0.04   | 0.1       | 11        | 66        | 232       | 10        | 748       |           |
| 93-01   | 207.00      | 209.00    | 2.00          | 64687         | 0.01      | 0.018   | 0.03   | 0.1       | 1         | 154       | 210       | 7         | 1224      |           |
| 93-01   | 209.00      | 211.00    | 2.00          | 64688         | 0.01      | 0.007   | 0.02   | 0.1       | 1         | 56        | 263       | 4         | 599       |           |
| 93-01   | 211.00      | 213.00    | 2.00          | 64689         | 0.02      | 0.005   | 0.03   | 0.1       | 1         | 45        | 60        | 5         | 366       |           |
| 93-01   | 213.00      | 215.00    | 2.00          | 64690         | 0.02      | 0.008   | 0.03   | 0.1       | 1         | 64        | 92        | 4         | 530       |           |
| 93-01   | 215.00      | 217.00    | 2.00          | 64691         | 0.03      | 0.015   | 0.05   | 0.1       | 1         | 140       | 101       | 6         | 367       |           |
| 93-01   | 217.00      | 219.00    | 2.00          | 64692         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 26        | 73        | 3         | 142       |           |
| 93-01   | 219.00      | 221.00    | 2.00          | 64693         | 0.01      | 0.007   | 0.02   | 0.1       | 1         | 57        | 38        | 2         | 83        |           |
| 93-01   | 221.00      | 223.00    | 2.00          | 64694         | 0.10      | 0.029   | 0.13   | 0.1       | 1         | 277       | 11        | 1         | 74        |           |
| 93-01   | 223.00      | 225.00    | 2.00          | 64695         | 0.17      | 0.025   | 0.19   | 0.1       | 1         | 229       | 7         | 1         | 226       |           |
| 93-01   | 225.00      | 227.00    | 2.00          | 64696         | 0.08      | 0.026   | 0.11   | 0.1       | 1         | 250       | 22        | 1         | 360       |           |
| 93-01   | 227.00      | 229.00    | 2.00          | 64697         | 0.09      | 0.018   | 0.11   | 0.1       | 1         | 167       | 12        | 1         | 89        |           |
| 93-01   | 229.00      | 231.00    | 2.00          | 64698         | 0.10      | 0.023   | 0.12   | 0.1       | 1         | 210       | 11        | 1         | 81        |           |

DATE:29/10/93 TIME: 10:15:44

## ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-01   | 231.00      | 233.00    | 2.00          | 64699         | 0.14      | 0.032   | 0.17   | 0.1       | 1         | 310       | 58        | 1         | 146       |           |
| 93-01   | 233.00      | 235.00    | 2.00          | 64700         | 0.09      | 0.022   | 0.11   | 0.1       | 1         | 205       | 7         | 1         | 141       |           |
| 93-01   | 235.00      | 237.00    | 2.00          | 64701         | 0.06      | 0.020   | 0.08   | 0.1       | 1         | 187       | 119       | 1         | 515       |           |
| 93-01   | 237.00      | 239.00    | 2.00          | 64702         | 0.08      | 0.029   | 0.11   | 0.1       | 1         | 260       | 6         | 1         | 101       |           |
| 93-01   | 239.00      | 241.00    | 2.00          | 64703         | 0.07      | 0.032   | 0.10   | 0.1       | 1         | 274       | 22        | 1         | 76        |           |
| 93-01   | 241.00      | 243.00    | 2.00          | 64704         | 0.05      | 0.028   | 0.08   | 0.1       | 1         | 242       | 44        | 1         | 109       |           |
| 93-01   | 243.00      | 245.00    | 2.00          | 64705         | 0.07      | 0.021   | 0.09   | 0.1       | 1         | 195       | 84        | 1         | 234       |           |
| 93-01   | 245.00      | 247.00    | 2.00          | 64706         | 0.08      | 0.019   | 0.10   | 0.1       | 1         | 176       | 10        | 1         | 249       |           |
| 93-01   | 247.00      | 249.00    | 2.00          | 64707         | 0.05      | 0.023   | 0.07   | 0.1       | 1         | 209       | 7         | 1         | 134       |           |
| 93-01   | 249.00      | 251.00    | 2.00          | 64708         | 0.07      | 0.028   | 0.10   | 0.1       | 1         | 263       | 17        | 1         | 167       |           |
| 93-01   | 251.00      | 253.00    | 2.00          | 64709         | 0.13      | 0.020   | 0.15   | 0.1       | 1         | 166       | 38        | 2         | 109       |           |
| 93-01   | 253.00      | 255.00    | 2.00          | 64710         | 0.08      | 0.019   | 0.10   | 0.1       | 1         | 160       | 1         | 1         | 56        |           |
| 93-01   | 255.00      | 257.00    | 2.00          | 64711         | 0.07      | 0.011   | 0.08   | 0.1       | 1         | 107       | 42        | 1         | 76        |           |
| 93-01   | 257.00      | 259.00    | 2.00          | 64712         | 0.02      | 0.010   | 0.03   | 0.1       | 1         | 91        | 63        | 1         | 148       |           |
| 93-01   | 259.00      | 261.00    | 2.00          | 64713         | 0.05      | 0.025   | 0.08   | 0.1       | 1         | 228       | 20        | 1         | 213       |           |
| 93-01   | 261.00      | 263.00    | 2.00          | 64714         | 0.04      | 0.028   | 0.07   | 0.1       | 1         | 260       | 6         | 1         | 516       |           |
| 93-01   | 263.00      | 265.00    | 2.00          | 64715         | 0.03      | 0.017   | 0.05   | 0.1       | 1         | 154       | 14        | 1         | 100       |           |
| 93-01   | 265.00      | 267.00    | 2.00          | 64716         | 0.04      | 0.028   | 0.07   | 0.1       | 1         | 241       | 28        | 1         | 106       |           |
| 93-01   | 267.00      | 269.00    | 2.00          | 64717         | 0.06      | 0.020   | 0.08   | 0.1       | 1         | 171       | 37        | 1         | 119       |           |
| 93-01   | 269.00      | 271.00    | 2.00          | 64718         | 0.08      | 0.011   | 0.09   | 0.1       | 1         | 96        | 5         | 1         | 68        |           |
| 93-01   | 271.00      | 273.00    | 2.00          | 64719         | 0.16      | 0.015   | 0.17   | 0.1       | 1         | 133       | 11        | 1         | 71        |           |
| 93-01   | 273.00      | 275.00    | 2.00          | 64720         | 0.03      | 0.021   | 0.05   | 0.1       | 1         | 179       | 6         | 1         | 66        |           |
| 93-01   | 275.00      | 277.00    | 2.00          | 64721         | 0.06      | 0.011   | 0.07   | 0.1       | 1         | 100       | 21        | 1         | 76        |           |
| 93-01   | 277.00      | 279.00    | 2.00          | 64722         | 0.07      | 0.027   | 0.10   | 0.1       | 1         | 238       | 3         | 1         | 82        |           |
| 93-01   | 279.00      | 281.00    | 2.00          | 64723         | 0.03      | 0.020   | 0.05   | 0.1       | 1         | 186       | 12        | 1         | 96        |           |
| 93-01   | 281.00      | 283.00    | 2.00          | 64724         | 0.26      | 0.024   | 0.28   | 0.1       | 1         | 223       | 7         | 1         | 140       |           |
| 93-01   | 283.00      | 285.00    | 2.00          | 64725         | 0.55      | 0.034   | 0.58   | 0.1       | 1         | 300       | 1         | 1         | 36        |           |
| 93-01   | 285.00      | 287.00    | 2.00          | 64726         | 0.28      | 0.035   | 0.31   | 1.1       | 1         | 304       | 6         | 1         | 28        |           |
| 93-01   | 287.00      | 289.00    | 2.00          | 64727         | 0.11      | 0.031   | 0.14   | 0.1       | 1         | 281       | 14        | 1         | 55        |           |
| 93-01   | 289.00      | 291.00    | 2.00          | 64728         | 0.02      | 0.003   | 0.02   | 0.1       | 1         | 23        | 34        | 1         | 100       |           |
| 93-01   | 291.00      | 293.00    | 2.00          | 64729         | 0.01      | 0.001   | 0.01   | 0.1       | 5         | 3         | 12        | 3         | 73        |           |
| 93-01   | 293.00      | 295.00    | 2.00          | 64730         | 0.01      | 0.005   | 0.01   | 0.1       | 2         | 30        | 14        | 4         | 136       |           |
| 93-01   | 295.00      | 297.00    | 2.00          | 64731         | 0.01      | 0.003   | 0.01   | 0.1       | 6         | 13        | 13        | 4         | 134       |           |
| 93-01   | 297.00      | 299.00    | 2.00          | 64732         | 0.01      | 0.004   | 0.01   | 0.1       | 2         | 24        | 27        | 5         | 180       |           |
| 93-01   | 299.00      | 301.00    | 2.00          | 64733         | 0.01      | 0.002   | 0.01   | 0.1       | 9         | 8         | 17        | 6         | 84        |           |
| 93-01   | 301.00      | 303.00    | 2.00          | 64734         | 0.02      | 0.004   | 0.02   | 0.1       | 11        | 31        | 100       | 6         | 314       |           |
| 93-01   | 303.00      | 305.00    | 2.00          | 64735         | 0.01      | 0.006   | 0.02   | 0.1       | 1         | 35        | 66        | 5         | 179       |           |
| 93-01   | 305.00      | 307.00    | 2.00          | 64736         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 17        | 42        | 2         | 115       |           |
| 93-01   | 307.00      | 309.00    | 2.00          | 64737         | 0.01      | 0.001   | 0.01   | 0.1       | 2         | 1         | 26        | 2         | 89        |           |
| 93-01   | 309.00      | 311.00    | 2.00          | 64738         | 0.01      | 0.001   | 0.01   | 0.1       | 1         | 5         | 94        | 3         | 227       |           |
| 93-01   | 311.00      | 313.00    | 2.00          | 64739         | 0.01      | 0.001   | 0.01   | 0.1       | 1         | 1         | 42        | 3         | 112       |           |
| 93-01   | 313.00      | 315.00    | 2.00          | 64740         | 0.01      | 0.004   | 0.01   | 0.1       | 1         | 28        | 112       | 3         | 170       |           |
| 93-01   | 315.00      | 317.00    | 2.00          | 64741         | 0.02      | 0.002   | 0.02   | 0.1       | 5         | 9         | 31        | 3         | 117       |           |
| 93-01   | 317.00      | 319.00    | 2.00          | 64742         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 10        | 128       | 3         | 162       |           |
| 93-01   | 319.00      | 321.00    | 2.00          | 64743         | 0.01      | 0.005   | 0.01   | 0.1       | 1         | 29        | 53        | 2         | 156       |           |
| 93-01   | 321.00      | 323.00    | 2.00          | 64744         | 0.08      | 0.018   | 0.10   | 0.1       | 1         | 158       | 25        | 1         | 142       |           |
| 93-01   | 323.00      | 325.00    | 2.00          | 64745         | 0.05      | 0.019   | 0.07   | 0.1       | 1         | 161       | 25        | 2         | 105       |           |
| 93-01   | 325.00      | 327.00    | 2.00          | 64746         | 0.05      | 0.018   | 0.07   | 0.1       | 7         | 196       | 26        | 3         | 139       |           |
| 93-01   | 327.00      | 329.00    | 2.00          | 64747         | 0.03      | 0.024   | 0.05   | 0.1       | 5         | 273       | 30        | 2         | 119       |           |
| 93-01   | 329.00      | 331.04    | 2.04          | 64748         | 0.12      | 0.017   | 0.14   | 0.1       | 1         | 165       | 13        | 1         | 118       |           |



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GECHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0358-RA1**

Company: **ROMULUS RESOURCES LTD.**

Project: **9302**

Attn: **ROB KLASSEN/MARK REBAGLIATI**

Date: **JUL-23-93**

copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

*93-01*

We hereby certify the following Assay of 24 CORE samples submitted JUL-19-93 by M. REBAGLIATI.

| Sample Number | AU-FIRE g/tonne | AU-FIRE oz/ton | AU-FIRE g/tonne | AU-FIRE oz/ton | CU % | CU % |
|---------------|-----------------|----------------|-----------------|----------------|------|------|
| 1-64600       | .90             | .026           |                 |                | .048 | .050 |
| 1-64601       | 1.10            | .032           |                 |                | .038 |      |
| 1-64602       | 1.06            | .031           | .98             | .029           | .026 |      |
| 1-64603       | .83             | .024           |                 |                | .030 |      |
| 1-64604       | 1.11            | .032           |                 |                | .036 |      |
| 1-64605       | 1.38            | .040           |                 |                | .072 |      |
| 1-64606       | .60             | .018           |                 |                | .188 |      |
| 1-64607       | 2.59            | .076           | 2.57            | .075           | .229 |      |
| 1-64608       | 1.15            | .034           |                 |                | .185 |      |
| 1-64609       | .79             | .023           |                 |                | .107 |      |
| 1-64610       | .68             | .020           |                 |                | .166 | .168 |
| 1-64611       | .45             | .013           |                 |                | .151 |      |
| 1-64612       | .21             | .006           | .23             | .007           | .120 |      |
| 1-64613       | .06             | .002           |                 |                | .010 |      |
| 1-64614       | .03             | .001           |                 |                | .008 |      |
| 1-64615       | .05             | .001           |                 |                | .011 |      |
| 1-64616       | .01             | .001           |                 |                | .013 |      |
| 1-64617       | .02             | .001           |                 |                | .011 |      |
| 1-64618       | .03             | .001           |                 |                | .036 |      |
| 1-64619       | .18             | .005           |                 |                | .011 |      |
| 1-64620       | .07             | .002           |                 |                | .027 | .028 |
| 1-64621       | .11             | .003           |                 |                | .057 |      |
| 1-64622       | .06             | .002           |                 |                | .009 |      |
| 1-64623       | .05             | .001           |                 |                | .006 |      |

Certified by \_\_\_\_\_

*[Signature]*

MIN-EN LABORATORIES



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0358-RA2**

Company: **ROMULUS RESOURCES LTD.**

Date: **JUL-23-93**

Project: **9302**

copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

Attn: **ROB KLASSEN/MARK REBALIATI**

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-19-93 by M. REBALIATI.

*93-01*

| Sample Number | AU-FIRE g/tonne | AU-FIRE oz/ton | AU-FIRE g/tonne | AU-FIRE oz/ton | CU % | CU % |
|---------------|-----------------|----------------|-----------------|----------------|------|------|
| 1-64624       | .01             | .001           |                 |                | .002 | .002 |
| 1-64625       | .04             | .001           |                 |                | .002 |      |
| 1-64626       | .01             | .001           |                 |                | .002 |      |
| 1-64627       | .01             | .001           | .02             | .001           | .003 |      |
| 1-64628       | .02             | .001           |                 |                | .004 |      |
| 1-64629       | .02             | .001           |                 |                | .007 |      |
| 1-64630       | .01             | .001           |                 |                | .005 |      |
| 1-64631       | .01             | .001           |                 |                | .002 |      |
| 1-64632       | .01             | .001           |                 |                | .003 |      |
| 1-64633       | .01             | .001           |                 |                | .002 |      |
| 1-64634       | .02             | .001           |                 |                | .003 | .004 |
| 1-64635       | .01             | .001           |                 |                | .001 |      |
| 1-64636       | .02             | .001           |                 |                | .002 |      |
| 1-64637       | .01             | .001           |                 |                | .002 |      |
| 1-64638       | .01             | .001           |                 |                | .001 |      |
| 1-64639       | .01             | .001           |                 |                | .003 |      |
| 1-64640       | .01             | .001           |                 |                | .001 |      |
| 1-64641       | .02             | .001           |                 |                | .005 |      |
| 1-64642       | .35             | .010           | .31             | .009           | .057 |      |
| 1-64643       | .16             | .005           | .14             | .004           | .032 |      |
| 1-64644       | .13             | .004           |                 |                | .002 | .002 |
| 1-64645       | .16             | .005           |                 |                | .029 |      |
| 1-64646       | .09             | .003           |                 |                | .030 |      |
| 1-64647       | .08             | .002           |                 |                | .025 |      |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0368-RA1**

Company: **ROMULUS RESOURCES LTD.**  
Project: **930L**  
Attn: **ROB KLASSEN/MARK REGAGLIATI**

Date: JUL-29-93

Copy 1. ROMULUS RESOURCES LTD., VANCOUVER, B.C.

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-21-93 by R. KLASSEN.

93-01

| Sample Number | AU g/tonne | AU oz/ton | AU g/tonne | AU oz/ton | CU % | CU % |
|---------------|------------|-----------|------------|-----------|------|------|
| 1-64648       | .09        | .003      |            |           | .026 | .026 |
| 1-64649       | .01        | .001      |            |           | .003 |      |
| 1-64650       | .01        | .001      |            |           | .004 |      |
| 1-64651       | .01        | .001      |            |           | .003 |      |
| 1-64652       | .02        | .001      |            |           | .016 |      |
| 1-64653       | .01        | .001      |            |           | .024 |      |
| 1-64654       | .01        | .001      |            |           | .002 |      |
| 1-64655       | .02        | .001      |            |           | .011 |      |
| 1-64656       | .01        | .001      |            |           | .004 |      |
| 1-64657       | .02        | .001      |            |           | .004 |      |
| 1-64658       | .05        | .001      |            |           | .038 | .039 |
| 1-64659       | .13        | .004      | .12        | .004      | .046 |      |
| 1-64660       | .12        | .004      | .13        | .004      | .067 |      |
| 1-64661       | .13        | .004      | .11        | .003      | .025 |      |
| 1-64662       | .08        | .002      |            |           | .037 |      |
| 1-64663       | .04        | .001      |            |           | .021 |      |
| 1-64664       | .02        | .001      |            |           | .018 |      |
| 1-64665       | .03        | .001      |            |           | .016 |      |
| 1-64666       | .01        | .001      |            |           | .019 |      |
| 1-64667       | .01        | .001      |            |           | .017 |      |
| 1-64668       | .01        | .001      |            |           | .004 | .004 |
| 1-64669       | .02        | .001      |            |           | .003 |      |
| 1-64670       | .01        | .001      |            |           | .001 |      |
| 1-64671       | .02        | .001      |            |           | .001 |      |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

/ANCOUVER OFFICE:

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

SMITHERS LAB.:

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

Assay Certificate

3V-0368-RA2

Company: ROMULUS RESOURCES LTD.  
Project: 930L  
Attn: ROB KLASSEN/MARK REGAGLIATI

Date: JUL-29-93

Copy 1. ROMULUS RESOURCES LTD., VANCOUVER, B.C.

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-21-93 by R. KLASSEN.

93-01

| Sample Number | AU g / tonne | AU oz / ton | AU g / tonne | AU oz / ton | CU % | CU % |
|---------------|--------------|-------------|--------------|-------------|------|------|
| 1-64672       | .02          | .001        |              |             | .001 | .001 |
| 1-64673       | .03          | .001        | .01          | .001        | .001 |      |
| 1-64674       | .01          | .001        |              |             | .001 |      |
| 1-64675       | .02          | .001        |              |             | .002 |      |
| 1-64676       | .02          | .001        |              |             | .001 |      |
| 1-64677       | .03          | .001        |              |             | .001 |      |
| 1-64678       | .01          | .001        |              |             | .001 |      |
| 1-64679       | .03          | .001        |              |             | .018 |      |
| 1-64680       | .03          | .001        |              |             | .022 |      |
| 1-64681       | .02          | .001        |              |             | .013 |      |
| 1-64682       | .03          | .001        |              |             | .007 | .007 |
| 1-64683       | .10          | .003        | .10          | .003        | .003 |      |
| 1-64684       | .06          | .002        |              |             | .006 |      |
| 1-64685       | .02          | .001        |              |             | .013 |      |
| 1-64686       | .03          | .001        |              |             | .008 |      |
| 1-64687       | .01          | .001        |              |             | .018 |      |
| 1-64688       | .01          | .001        |              |             | .007 |      |
| 1-64689       | .02          | .001        |              |             | .005 |      |
| 1-64690       | .02          | .001        |              |             | .008 |      |
| 1-64691       | .03          | .001        | .01          | .001        | .015 |      |
| 1-64692       | .01          | .001        |              |             | .003 | .003 |
| 1-64693       | .01          | .001        |              |             | .007 |      |
| 1-64694       | .10          | .003        |              |             | .029 |      |
| 1-64695       | .17          | .005        |              |             | .025 |      |

Certified by \_\_\_\_\_ 

MIN-EN LABORATORIES



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

3V-0368-RA3

Company: **ROMULUS RESOURCES LTD.**  
Project: 930L  
Attn: ROB KLASSEN/MARK REGAGLIATI

Date: JUL-29-93

Copy 1. ROMULUS RESOURCES LTD., VANCOUVER, B.C.

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-21-93 by R. KLASSEN.

93-01

| Sample Number | AU g/tonne | AU oz/ton | AU g/tonne | AU oz/ton | CU % | CU % |
|---------------|------------|-----------|------------|-----------|------|------|
| 1-64696       | .08        | .002      |            |           | .026 | .025 |
| 1-64697       | .09        | .003      |            |           | .018 |      |
| 1-64698       | .10        | .003      | .10        | .003      | .023 |      |
| 1-64699       | .14        | .004      | .14        | .004      | .032 |      |
| 1-64700       | .09        | .003      |            |           | .022 |      |
| 1-64701       | .06        | .002      |            |           | .020 |      |
| 1-64702       | .08        | .002      |            |           | .029 |      |
| 1-64703       | .07        | .002      |            |           | .032 |      |
| 1-64704       | .05        | .001      |            |           | .028 |      |
| 1-64705       | .07        | .002      |            |           | .021 |      |
| 1-64706       | .08        | .002      |            |           | .019 | .018 |
| 1-64707       | .05        | .001      |            |           | .023 |      |
| 1-64708       | .07        | .002      |            |           | .028 |      |
| 1-64709       | .13        | .004      |            |           | .020 |      |
| 1-64710       | .08        | .002      |            |           | .019 |      |
| 1-64711       | .07        | .002      |            |           | .011 |      |
| 1-64712       | .02        | .001      |            |           | .010 |      |
| 1-64713       | .05        | .001      |            |           | .025 |      |
| 1-64714       | .04        | .001      |            |           | .028 |      |
| 1-64715       | .03        | .001      |            |           | .017 |      |
| 1-64716       | .04        | .001      |            |           | .028 | .026 |
| 1-64717       | .06        | .002      |            |           | .020 |      |
| 1-64718       | .08        | .002      |            |           | .011 |      |
| 1-64719       | .16        | .005      | .15        | .004      | .015 |      |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MIN-EN**  
**LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0368-RA4**

Company: **ROMULUS RESOURCES LTD.**  
Project: **930L**  
Attn: **ROB KLASSEN/MARK REGAGLIATI**

Date: **JUL-29-93**

Copy 1. ROMULUS RESOURCES LTD., VANCOUVER, B.C.

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-21-93 by R. KLASSEN:

93-01

| Sample Number | AU g/tonne | AU oz/ton | AU g/tonne | AU oz/ton | CU % | CU % |
|---------------|------------|-----------|------------|-----------|------|------|
| 1-64720       | .03        | .001      |            |           | .021 | .021 |
| 1-64721       | .06        | .002      |            |           | .011 |      |
| 1-64722       | .07        | .002      |            |           | .027 |      |
| 1-64723       | .03        | .001      |            |           | .020 |      |
| 1-64724       | .26        | .008      | .26        | .008      | .024 |      |
| 1-64725       | .55        | .016      | .54        | .016      | .034 |      |
| 1-64726       | .28        | .008      | .26        | .008      | .035 |      |
| 1-64727       | .11        | .003      |            |           | .031 |      |
| 1-64728       | .02        | .001      |            |           | .003 |      |
| 1-64729       | .01        | .001      |            |           | .001 |      |
| 1-64730       | .01        | .001      |            |           | .005 | .005 |
| 1-64731       | .01        | .001      |            |           | .003 |      |
| 1-64732       | .01        | .001      |            |           | .004 |      |
| 1-64733       | .01        | .001      |            |           | .002 |      |
| 1-64734       | .02        | .001      |            |           | .004 |      |
| 1-64735       | .01        | .001      |            |           | .006 |      |
| 1-64736       | .01        | .001      |            |           | .003 |      |
| 1-64737       | .01        | .001      |            |           | .001 |      |
| 1-64738       | .01        | .001      |            |           | .001 |      |
| 1-64739       | .01        | .001      |            |           | .001 |      |
| 1-64740       | .01        | .001      |            |           | .004 | .004 |
| 1-64741       | .02        | .001      |            |           | .002 |      |
| 1-64742       | .01        | .001      |            |           | .003 |      |
| 1-64743       | .01        | .001      |            |           | .005 |      |

Certified by \_\_\_\_\_

  
**MIN-EN LABORATORIES**



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0368-RA5**

Company: **ROMULUS RESOURCES LTD.**  
Project: 930L  
Attn: ROB KLASSEN/MARK REGAGLIATI

Date: JUL-29-93

Copy 1. ROMULUS RESOURCES LTD., VANCOUVER, B.C.

We hereby certify the following Assay of 5 CORE samples  
submitted JUL-21-93 by R. KLASSEN.

93-01

| Sample<br>Number | AU<br>g/tonne | AU<br>oz/ton | AU<br>g/tonne | AU<br>oz/ton | CU<br>% | CU<br>% |
|------------------|---------------|--------------|---------------|--------------|---------|---------|
| 1-64744          | .08           | .002         |               |              | .018    | .018    |
| 1-64745          | .05           | .001         |               |              | .019    |         |
| 1-64746          | .05           | .001         |               |              | .018    |         |
| 1-64747          | .03           | .001         |               |              | .024    |         |
| 1-64748          | .12           | .004         | .12           | .004         | .017    |         |

Certified by \_\_\_\_\_

  
**MIN-EN LABORATORIES**

COMP: ROMULUS RESOURCES LTD.

PROJ: 9302

ATTN: ROB KLASSEN/MARK REBALIATI

**MIN-EN LABS — ICP REPORT**  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 (604)980-5814 OR (604)988-4524

93-01

FILE NO: 3V-0358-RJ1+2

DATE: 93/07/19

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO PPM | NA % | NI PPM | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | Ti PPM | V PPM | Zn PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-64600       | 2.1    | 1.38 | 1      | 22    | 117    | .1     | 7      | .09  | .1     | 5      | 404    | 3.47 | .18 | 3      | .56  | 541    | 14     | .02  | 1      | 400   | 27     | 2      | 32     | 90     | 507    | 47.8  | 76     | 8      | 1      | 4     | 31     |
| 1-64601       | 2.0    | 1.76 | 1      | 26    | 153    | .1     | 8      | .14  | .1     | 7      | 339    | 3.99 | .27 | 5      | .84  | 931    | 14     | .03  | 1      | 360   | 25     | 1      | 37     | 106    | 915    | 54.7  | 109    | 11     | 1      | 4     | 29     |
| 1-64602       | 3.1    | 1.65 | 1      | 31    | 161    | .1     | 11     | .21  | .1     | 7      | 239    | 3.78 | .32 | 4      | .71  | 769    | 16     | .02  | 1      | 660   | 53     | 1      | 48     | 84     | 1205   | 58.5  | 97     | 10     | 1      | 5     | 29     |
| 1-64603       | 2.2    | 1.58 | 1      | 25    | 169    | .1     | 4      | .06  | .1     | 4      | 274    | 3.78 | .38 | 4      | .68  | 593    | 16     | .01  | 1      | 970   | 24     | 1      | 46     | 86     | 285    | 39.0  | 82     | 9      | 1      | 3     | 24     |
| 1-64604       | 3.0    | 1.45 | 1      | 32    | 175    | .1     | 6      | .03  | .1     | 4      | 336    | 4.15 | .35 | 4      | .57  | 600    | 15     | .01  | 1      | 1180  | 25     | 1      | 48     | 98     | 236    | 46.4  | 77     | 9      | 1      | 3     | 34     |
| 1-64605       | 3.4    | 1.05 | 1      | 36    | 154    | .1     | 4      | .04  | .1     | 6      | 649    | 3.69 | .38 | 2      | .31  | 289    | 14     | .01  | 1      | 1460  | 52     | 2      | 50     | 81     | 168    | 32.1  | 49     | 7      | 1      | 4     | 41     |
| 1-64606       | 1.9    | 1.70 | 1      | 32    | 92     | .1     | 7      | .16  | .1     | 11     | 1822   | 4.15 | .36 | 6      | .67  | 571    | 14     | .02  | 1      | 1380  | 39     | 3      | 53     | 113    | 616    | 39.7  | 109    | 10     | 1      | 5     | 47     |
| 1-64607       | 20.7   | 1.27 | 1      | 27    | 103    | .1     | 6      | .17  | .1     | 10     | 2071   | 3.81 | .35 | 5      | .62  | 703    | 6      | .01  | 1      | 650   | 37     | 3      | 33     | 87     | 448    | 28.4  | 127    | 8      | 1      | 4     | 41     |
| 1-64608       | 3.6    | 1.37 | 1      | 36    | 74     | .1     | 8      | .53  | .1     | 12     | 1708   | 3.48 | .25 | 7      | .89  | 1043   | 6      | .03  | 1      | 800   | 20     | 3      | 53     | 97     | 982    | 50.2  | 167    | 10     | 1      | 4     | 40     |
| 1-64609       | 2.5    | 1.20 | 1      | 33    | 62     | .1     | 7      | .48  | .1     | 10     | 928    | 2.89 | .25 | 6      | .77  | 955    | 9      | .02  | 1      | 950   | 35     | 1      | 65     | 96     | 867    | 47.2  | 103    | 9      | 1      | 4     | 42     |
| 1-64610       | 1.0    | 1.67 | 1      | 26    | 117    | .1     | 8      | .59  | .1     | 9      | 1472   | 3.31 | .16 | 9      | 1.45 | 1613   | 8      | .03  | 1      | 840   | 24     | 3      | 72     | 123    | 1082   | 69.1  | 139    | 14     | 1      | 5     | 38     |
| 1-64611       | 1.5    | 2.01 | 1      | 28    | 61     | .1     | 16     | 1.06 | .1     | 14     | 1399   | 3.19 | .11 | 9      | 1.24 | 1263   | 13     | .03  | 1      | 1550  | 29     | 6      | 161    | 134    | 1899   | 71.0  | 133    | 14     | 1      | 7     | 56     |
| 1-64612       | 1.6    | 1.92 | 1      | 26    | 44     | .1     | 14     | .82  | .1     | 15     | 1146   | 4.07 | .13 | 10     | 1.42 | 1616   | 11     | .03  | 1      | 1190  | 29     | 3      | 116    | 143    | 2042   | 76.4  | 142    | 17     | 1      | 7     | 62     |
| 1-64613       | .4     | 1.61 | 1      | 28    | 58     | .1     | 14     | 1.09 | .1     | 13     | 95     | 2.62 | .09 | 7      | 1.07 | 1083   | 3      | .03  | 1      | 830   | 26     | 3      | 104    | 113    | 1866   | 67.6  | 106    | 11     | 1      | 7     | 79     |
| 1-64614       | .5     | 1.51 | 1      | 33    | 79     | .1     | 13     | 1.06 | .1     | 12     | 72     | 2.44 | .11 | 6      | 1.01 | 1014   | 3      | .03  | 1      | 670   | 21     | 3      | 86     | 108    | 1760   | 59.3  | 95     | 11     | 1      | 7     | 91     |
| 1-64615       | .4     | 1.34 | 3      | 31    | 45     | .1     | 11     | .95  | .1     | 11     | 95     | 2.29 | .11 | 5      | 1.02 | 1404   | 4      | .02  | 1      | 510   | 57     | 2      | 56     | 87     | 1478   | 45.6  | 96     | 11     | 1      | 6     | 68     |
| 1-64616       | .1     | 1.32 | 1      | 28    | 41     | .1     | 11     | .90  | .1     | 11     | 113    | 2.20 | .10 | 5      | 1.03 | 1388   | 5      | .02  | 1      | 550   | 39     | 1      | 63     | 104    | 1468   | 46.5  | 107    | 10     | 1      | 5     | 72     |
| 1-64617       | .3     | 1.63 | 1      | 28    | 152    | .1     | 16     | 1.07 | .1     | 12     | 94     | 2.31 | .11 | 6      | .98  | 1238   | 5      | .02  | 2      | 950   | 34     | 7      | 116    | 112    | 1570   | 54.0  | 105    | 12     | 1      | 6     | 64     |
| 1-64618       | .3     | 1.49 | 1      | 23    | 64     | .1     | 10     | .94  | .1     | 11     | 340    | 2.41 | .11 | 6      | 1.04 | 1459   | 3      | .02  | 1      | 910   | 246    | 1      | 106    | 89     | 1526   | 51.8  | 446    | 12     | 1      | 5     | 61     |
| 1-64619       | .4     | 1.59 | 1      | 33    | 111    | .1     | 13     | 1.14 | .1     | 12     | 104    | 2.52 | .09 | 5      | 1.08 | 1497   | 7      | .02  | 1      | 1220  | 71     | 2      | 145    | 108    | 1689   | 62.1  | 131    | 12     | 1      | 6     | 69     |
| 1-64620       | .1     | 1.78 | 1      | 43    | 114    | .1     | 13     | 1.02 | .1     | 13     | 258    | 3.37 | .14 | 7      | 1.22 | 1938   | 6      | .02  | 1      | 1130  | 53     | 4      | 108    | 122    | 1401   | 63.2  | 259    | 14     | 1      | 6     | 49     |
| 1-64621       | 1.7    | 1.57 | 1      | 36    | 76     | .1     | 10     | .88  | .1     | 14     | 521    | 4.16 | .16 | 7      | 1.34 | 2119   | 11     | .03  | 1      | 1050  | 1083   | 2      | 55     | 133    | 1364   | 61.9  | 981    | 15     | 1      | 5     | 42     |
| 1-64622       | .6     | 1.46 | 1      | 34    | 79     | .1     | 11     | 1.15 | .1     | 12     | 88     | 2.96 | .14 | 6      | 1.10 | 1579   | 6      | .02  | 1      | 890   | 479    | 3      | 63     | 124    | 1192   | 47.2  | 707    | 13     | 1      | 6     | 65     |
| 1-64623       | .4     | 1.59 | 1      | 34    | 39     | .1     | 12     | 1.58 | .1     | 11     | 50     | 2.50 | .16 | 5      | .98  | 1136   | 3      | .02  | 1      | 820   | 266    | 5      | 91     | 143    | 1339   | 56.8  | 345    | 12     | 1      | 6     | 62     |
| 1-64624       | .5     | 1.16 | 1      | 27    | 38     | .1     | 12     | 1.33 | .1     | 11     | 4      | 2.10 | .10 | 4      | .94  | 658    | 2      | .02  | 1      | 730   | 19     | 2      | 77     | 111    | 1437   | 51.4  | 40     | 9      | 1      | 5     | 47     |
| 1-64625       | .7     | 1.32 | 7      | 25    | 36     | .1     | 9      | 1.46 | .1     | 11     | 10     | 2.28 | .11 | 4      | .99  | 835    | 3      | .02  | 1      | 770   | 20     | 1      | 84     | 111    | 1650   | 55.1  | 51     | 11     | 1      | 6     | 76     |
| 1-64626       | .1     | 1.40 | 1      | 32    | 33     | .1     | 8      | 1.53 | .1     | 10     | 15     | 2.36 | .15 | 5      | .98  | 979    | 2      | .02  | 1      | 780   | 75     | 2      | 87     | 112    | 1108   | 55.5  | 108    | 11     | 1      | 5     | 69     |
| 1-64627       | .5     | 1.60 | 5      | 33    | 35     | .2     | 11     | 1.69 | .1     | 11     | 22     | 2.65 | .16 | 4      | 1.03 | 1156   | 5      | .02  | 1      | 800   | 90     | 3      | 96     | 142    | 1528   | 66.3  | 133    | 12     | 1      | 7     | 89     |
| 1-64628       | .2     | 1.72 | 1      | 40    | 84     | .1     | 14     | 1.57 | .1     | 15     | 29     | 2.90 | .11 | 5      | 1.03 | 2007   | 3      | .02  | 1      | 800   | 126    | 3      | 109    | 130    | 1984   | 63.9  | 626    | 14     | 1      | 6     | 76     |
| 1-64629       | .1     | 1.65 | 1      | 44    | 127    | .1     | 13     | 1.31 | .6.2   | 15     | 53     | 3.00 | .15 | 5      | 1.05 | 2094   | 5      | .02  | 1      | 880   | 69     | 2      | 96     | 126    | 1794   | 61.7  | 888    | 13     | 1      | 6     | 83     |
| 1-64630       | .1     | 1.59 | 1      | 34    | 39     | .1     | 12     | 1.15 | 4.0    | 12     | 35     | 2.59 | .14 | 6      | .92  | 1723   | 3      | .02  | 1      | 760   | 37     | 1      | 93     | 90     | 1636   | 53.4  | 443    | 11     | 1      | 5     | 57     |
| 1-64631       | .3     | 1.59 | 1      | 33    | 50     | .1     | 12     | 1.28 | .1     | 13     | 21     | 2.84 | .10 | 5      | 1.08 | 1515   | 4      | .03  | 1      | 920   | 26     | 2      | 105    | 123    | 1860   | 62.0  | 306    | 13     | 1      | 6     | 62     |
| 1-64632       | .1     | 1.27 | 1      | 32    | 47     | .1     | 11     | 1.05 | .1     | 13     | 23     | 2.48 | .07 | 5      | .95  | 1293   | 2      | .02  | 1      | 830   | 21     | 1      | 72     | 104    | 1515   | 48.4  | 297    | 11     | 1      | 4     | 43     |
| 1-64633       | .5     | 1.38 | 5      | 37    | 46     | .1     | 11     | 1.08 | .1     | 12     | 20     | 2.44 | .07 | 5      | 1.02 | 1241   | 2      | .02  | 1      | 990   | 17     | 2      | 93     | 114    | 1743   | 54.8  | 267    | 12     | 1      | 6     | 63     |
| 1-64634       | .2     | 1.30 | 1      | 40    | 39     | .1     | 10     | 1.06 | .1     | 12     | 30     | 2.36 | .07 | 4      | .98  | 1333   | 3      | .02  | 1      | 900   | 30     | 1      | 84     | 104    | 1503   | 48.2  | 338    | 10     | 1      | 4     | 43     |
| 1-64635       | .1     | 1.21 | 4      | 28    | 96     | .1     | 9      | 1.01 | .1     | 11     | 6      | 2.12 | .07 | 3      | .91  | 1127   | 5      | .02  | 1      | 810   | 12     | 1      | 70     | 106    | 1325   | 40.3  | 269    | 9      | 1      | 4     | 63     |
| 1-64636       | .2     | 1.37 | 1      | 39    | 84     | .1     | 8      | 1.07 | 6.2    | 12     | 20     | 2.31 | .10 | 4      | .94  | 1353   | 5      | .02  | 1      | 980   | 45     | 1      | 84     | 115    | 1244   | 43.9  | 487    | 11     | 1      | 5     | 76     |
| 1-64637       | .1     | 1.39 | 1      | 35    | 96     | .1     | 9      | 1.08 | 8.9    | 12     | 19     | 2.34 | .10 | 4      | .98  | 1679   | 5      | .02  | 1      | 1010  | 18     | 2      | 88     | 106    | 1216   | 43.5  | 469    | 11     | 1      | 4     | 47     |
| 1-64638       | .3     | 1.36 | 1      | 30    | 60     | .1     | 10     | 1.32 | .1     | 12     | 13     | 2.48 | .09 | 4      | 1.03 | 1464   | 5      | .02  | 1      | 840   | 24     | 2      | 85     | 114    | 1597   | 53.8  | 537    | 11     | 1      | 6     | 93     |
| 1-64639       | .5     | 1.54 | 7      | 25    | 64     | .1     | 12     | 1.54 | .1     | 12     | 26     | 2.52 | .09 | 4      | 1.05 | 1478   | 2      | .02  | 1      | 830   | 36     | 3      | 114    | 120    | 1710   | 55.2  | 554    | 12     | 1      | 7     | 95     |
| 1-64640       | .3     | 1.18 | 1      | 24    | 30     | .1     | 11     | 1.22 | .1     | 11     | 9      | 2.12 | .08 | 4      | .94  | 1114   | 3      | .02  | 1      | 760   | 16     | 1      | 93     | 97     | 1559   | 46.7  | 283    | 10     | 1      | 6     | 79     |
| 1-64641       | .7     | 1.47 | 6      | 34    | 25     | .1     | 14     | 1.53 | .1     | 13     | 37     | 2.66 | .07 | 5      | 1.04 | 1419   | 4      | .03  | 1      | 860   | 39     | 3      | 150    | 126    | 2030   | 64.2  | 455    | 13     | 1      | 7     | 83     |
| 1-64642       | .7     | .75  | 1      | 32    | 105    | .1     | 5      | .54  | .1     | 9      | 448    | 3.65 | .33 | 2      | .27  | 255    | 8      | .01  | 1      | 750   | 12     | 3      | 48     | 84     | 79     | 12.9  | 47     | 6      | 1      | 3     | 54     |
| 1-64643       | .3     |      |        |       |        |        |        |      |        |        |        |      |     |        |      |        |        |      |        |       |        |        |        |        |        |       |        |        |        |       |        |

COMP: ROMULUS RESOURCES LTD.

PROJ: 930L

ATTN: ROB KLASSEN/MARK REGAGLIATI

MIN-EN LABS — ICP REPORT  
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
(604)980-5814 OR (604)988-4524

93-01

FILE NO: 3V-0368-RJ1+2

DATE: 93/07/29

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO PPM | NA % | NI PPM | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | H PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-64648       | .1     | 1.31 | 1      | 123   | 41     | .1     | 13     | 1.36 | .1     | 19     | 220    | 4.83 | .01 | 1      | .84  | 1637   | 7      | .02  | 1      | 780   | 36     | 4      | 72     | 33     | 1579   | 46.1  | 494    | 17     | 1      | 6     | 83     |
| 1-64649       | .1     | 1.71 | 3      | 140   | 66     | .1     | 15     | 1.64 | .1     | 12     | 12     | 3.13 | .01 | 1      | 1.11 | 1447   | 3      | .02  | 1      | 1090  | 25     | 7      | 138    | 35     | 2205   | 65.7  | 207    | 19     | 1      | 6     | 54     |
| 1-64650       | .1     | 1.81 | 4      | 136   | 49     | .1     | 15     | 1.53 | .1     | 12     | 18     | 3.19 | .01 | 1      | 1.15 | 1877   | 5      | .02  | 1      | 1080  | 41     | 7      | 140    | 39     | 2259   | 65.5  | 784    | 20     | 1      | 7     | 77     |
| 1-64651       | .1     | 1.82 | 1      | 147   | 29     | .1     | 14     | 1.60 | .1     | 12     | 12     | 3.03 | .01 | 1      | 1.09 | 2255   | 3      | .02  | 1      | 890   | 36     | 8      | 145    | 46     | 2012   | 63.7  | 684    | 20     | 1      | 7     | 76     |
| 1-64652       | .1     | 1.93 | 4      | 146   | 82     | .1     | 16     | 1.86 | 19.7   | 12     | 131    | 3.14 | .01 | 1      | 1.08 | 2115   | 3      | .02  | 1      | 910   | 44     | 9      | 151    | 45     | 2128   | 65.6  | 2755   | 20     | 1      | 5     | 90     |
| 1-64653       | .1     | 1.92 | 10     | 134   | 40     | .1     | 15     | 1.71 | .1     | 12     | 217    | 3.41 | .01 | 1      | 1.14 | 1757   | 1      | .02  | 1      | 930   | 27     | 9      | 131    | 67     | 2185   | 77.6  | 702    | 22     | 1      | 8     | 80     |
| 1-64654       | .1     | 1.76 | 11     | 119   | 90     | .1     | 15     | 1.69 | .1     | 13     | 2      | 3.16 | .01 | 1      | 1.08 | 1569   | 4      | .03  | 1      | 880   | 32     | 8      | 121    | 38     | 2226   | 74.9  | 506    | 19     | 1      | 7     | 76     |
| 1-64655       | .1     | 1.67 | 11     | 131   | 45     | .1     | 15     | 1.50 | 9.3    | 11     | 85     | 2.90 | .01 | 1      | 1.09 | 1494   | 3      | .02  | 1      | 890   | 29     | 7      | 97     | 39     | 1981   | 63.0  | 1583   | 17     | 1      | 5     | 68     |
| 1-64656       | .1     | 1.70 | 10     | 116   | 60     | .1     | 13     | 1.58 | .1     | 11     | 15     | 2.68 | .01 | 1      | 1.05 | 1577   | 3      | .02  | 1      | 870   | 37     | 7      | 125    | 41     | 1899   | 57.5  | 691    | 18     | 1      | 7     | 86     |
| 1-64657       | .1     | 1.63 | 9      | 125   | 87     | .1     | 13     | 1.68 | 5.0    | 11     | 18     | 2.75 | .01 | 1      | 1.08 | 1533   | 4      | .02  | 1      | 870   | 20     | 7      | 124    | 38     | 1819   | 54.2  | 1196   | 17     | 1      | 5     | 69     |
| 1-64658       | .1     | 1.35 | 1      | 128   | 63     | .1     | 8      | 1.66 | .1     | 10     | 349    | 4.13 | .01 | 1      | .80  | 1324   | 6      | .01  | 1      | 740   | 26     | 5      | 116    | 35     | 1054   | 39.1  | 627    | 17     | 1      | 6     | 82     |
| 1-64659       | .7     | 1.09 | 1      | 122   | 104    | .1     | 8      | 1.68 | 3.6    | 12     | 431    | 4.84 | .01 | 1      | .64  | 1562   | 7      | .01  | 1      | 740   | 162    | 4      | 117    | 39     | 829    | 34.4  | 884    | 16     | 1      | 4     | 64     |
| 1-64660       | 1.6    | 1.14 | 1      | 120   | 118    | .1     | 10     | 1.85 | .1     | 10     | 627    | 4.02 | .01 | 1      | .57  | 1463   | 8      | .01  | 1      | 740   | 16     | 6      | 131    | 34     | 859    | 26.7  | 343    | 15     | 1      | 5     | 76     |
| 1-64661       | .1     | 1.18 | 14     | 119   | 74     | .1     | 9      | 1.42 | .1     | 13     | 233    | 4.54 | .01 | 1      | .60  | 1396   | 23     | .02  | 1      | 740   | 12     | 4      | 71     | 31     | 833    | 25.3  | 122    | 14     | 1      | 6     | 94     |
| 1-64662       | .1     | 1.63 | 1      | 116   | 89     | .1     | 12     | 1.18 | .1     | 17     | 343    | 6.00 | .01 | 1      | .79  | 2035   | 16     | .01  | 1      | 810   | 14     | 5      | 90     | 37     | 1270   | 42.1  | 138    | 18     | 1      | 6     | 78     |
| 1-64663       | .1     | 1.98 | 20     | 108   | 111    | .1     | 13     | 1.33 | .1     | 12     | 194    | 3.42 | .01 | 1      | .98  | 2051   | 10     | .01  | 1      | 850   | 15     | 9      | 108    | 36     | 1572   | 42.0  | 520    | 19     | 1      | 9     | 115    |
| 1-64664       | .1     | 1.64 | 5      | 96    | 163    | .1     | 14     | 1.19 | .1     | 12     | 153    | 3.41 | .01 | 1      | .89  | 1642   | 6      | .02  | 1      | 750   | 12     | 7      | 104    | 43     | 1585   | 48.3  | 592    | 18     | 1      | 7     | 91     |
| 1-64665       | .1     | 1.52 | 1      | 104   | 333    | .1     | 15     | 1.17 | 13.9   | 17     | 141    | 3.88 | .01 | 1      | 1.03 | 1972   | 5      | .03  | 1      | 820   | 27     | 6      | 102    | 51     | 1975   | 68.0  | 2128   | 20     | 1      | 6     | 96     |
| 1-64666       | .1     | 1.88 | 8      | 103   | 78     | .1     | 17     | 1.44 | 4.5    | 12     | 164    | 3.22 | .01 | 1      | 1.10 | 2098   | 5      | .02  | 1      | 880   | 18     | 8      | 127    | 38     | 2177   | 68.5  | 1205   | 21     | 1      | 7     | 83     |
| 1-64667       | .1     | 1.76 | 15     | 98    | 110    | .1     | 14     | 1.31 | 6.3    | 13     | 133    | 2.82 | .01 | 1      | 1.01 | 1720   | 5      | .02  | 1      | 810   | 22     | 9      | 127    | 46     | 1806   | 54.4  | 1357   | 19     | 1      | 6     | 100    |
| 1-64668       | .1     | 1.69 | 1      | 103   | 49     | .1     | 14     | 1.35 | 3.8    | 13     | 25     | 3.14 | .01 | 1      | 1.06 | 1903   | 4      | .03  | 1      | 820   | 18     | 7      | 126    | 41     | 2186   | 72.4  | 1247   | 21     | 1      | 7     | 86     |
| 1-64669       | .1     | 1.85 | 19     | 112   | 53     | .1     | 14     | 1.48 | .1     | 11     | 11     | 2.83 | .01 | 1      | 1.03 | 1570   | 3      | .02  | 1      | 870   | 15     | 9      | 133    | 39     | 1971   | 54.0  | 485    | 18     | 1      | 7     | 94     |
| 1-64670       | .1     | 1.85 | 24     | 94    | 41     | .1     | 13     | 1.66 | .1     | 11     | 1      | 2.78 | .01 | 1      | .95  | 1238   | 4      | .03  | 1      | 860   | 18     | 9      | 147    | 40     | 1959   | 57.4  | 82     | 19     | 1      | 8     | 94     |
| 1-64671       | .1     | 1.75 | 15     | 104   | 116    | .1     | 17     | 1.91 | .1     | 13     | 1      | 3.23 | .01 | 1      | .98  | 1052   | 2      | .05  | 1      | 860   | 8      | 8      | 137    | 52     | 2288   | 91.5  | 67     | 19     | 1      | 9     | 114    |
| 1-64672       | .1     | 1.02 | 1      | 68    | 38     | .1     | 10     | 1.15 | .1     | 8      | 10     | 2.23 | .08 | 3      | 1.02 | 642    | 2      | .03  | 1      | 770   | 13     | 1      | 69     | 85     | 1219   | 54.9  | 32     | 11     | 1      | 5     | 55     |
| 1-64673       | .1     | 1.21 | 2      | 72    | 23     | .1     | 9      | 1.34 | .1     | 10     | 6      | 2.52 | .07 | 5      | 1.23 | 780    | 1      | .03  | 1      | 1140  | 6      | 2      | 99     | 95     | 1336   | 60.8  | 40     | 15     | 1      | 6     | 65     |
| 1-64674       | .1     | 1.43 | 5      | 68    | 23     | .1     | 12     | 1.67 | .1     | 11     | 2      | 2.63 | .07 | 4      | 1.21 | 854    | 2      | .03  | 1      | 1190  | 11     | 4      | 144    | 96     | 1811   | 66.1  | 46     | 15     | 1      | 6     | 43     |
| 1-64675       | .2     | 1.23 | 10     | 78    | 39     | .1     | 11     | 1.43 | .1     | 9      | 1      | 2.28 | .09 | 2      | 1.01 | 710    | 2      | .03  | 1      | 760   | 7      | 3      | 116    | 94     | 1717   | 58.0  | 39     | 13     | 1      | 6     | 69     |
| 1-64676       | .1     | 1.49 | 8      | 71    | 51     | .1     | 13     | 1.65 | .1     | 10     | 11     | 2.47 | .09 | 3      | 1.04 | 990    | 3      | .03  | 1      | 790   | 71     | 3      | 120    | 99     | 1884   | 60.1  | 72     | 14     | 1      | 7     | 62     |
| 1-64677       | .1     | 1.29 | 2      | 79    | 44     | .1     | 12     | 1.49 | .1     | 10     | 5      | 2.63 | .08 | 3      | 1.11 | 864    | 2      | .03  | 1      | 990   | 43     | 2      | 88     | 98     | 1720   | 65.7  | 51     | 14     | 1      | 7     | 66     |
| 1-64678       | .1     | 1.26 | 2      | 71    | 37     | .1     | 8      | 1.84 | .1     | 8      | 4      | 2.45 | .14 | 2      | .91  | 867    | 2      | .03  | 1      | 810   | 14     | 4      | 66     | 90     | 1216   | 59.4  | 52     | 13     | 1      | 6     | 57     |
| 1-64679       | .1     | 1.35 | 1      | 70    | 51     | .1     | 9      | 1.82 | .1     | 9      | 183    | 2.85 | .20 | 3      | 1.04 | 1900   | 3      | .03  | 1      | 950   | 1099   | 5      | 57     | 99     | 864    | 55.4  | 1350   | 16     | 1      | 5     | 63     |
| 1-64680       | .3     | 1.33 | 1      | 77    | 61     | .1     | 12     | 1.81 | .1     | 8      | 199    | 2.57 | .19 | 3      | .85  | 1565   | 4      | .02  | 1      | 820   | 911    | 5      | 67     | 94     | 967    | 51.1  | 1568   | 14     | 1      | 4     | 61     |
| 1-64681       | .3     | 1.16 | 1      | 80    | 85     | .1     | 9      | 1.81 | 4.0    | 10     | 110    | 2.86 | .21 | 2      | .79  | 1448   | 4      | .02  | 1      | 780   | 480    | 3      | 76     | 92     | 890    | 36.9  | 2130   | 13     | 1      | 3     | 66     |
| 1-64682       | 1.2    | 2.55 | 14     | 73    | 131    | .1     | 14     | 2.26 | .1     | 12     | 63     | 3.01 | .21 | 7      | 1.07 | 1942   | 5      | .02  | 1      | 870   | 105    | 9      | 191    | 111    | 1797   | 63.2  | 329    | 18     | 1      | 7     | 55     |
| 1-64683       | .1     | 2.24 | 29     | 69    | 111    | .1     | 13     | 1.66 | .1     | 9      | 21     | 2.29 | .18 | 3      | 1.04 | 2085   | 4      | .01  | 1      | 890   | 80     | 8      | 141    | 88     | 1578   | 44.0  | 229    | 16     | 1      | 6     | 60     |
| 1-64684       | .1     | 2.29 | 1      | 71    | 208    | .1     | 12     | 1.48 | .1     | 14     | 51     | 3.90 | .22 | 1      | .92  | 1822   | 8      | .01  | 1      | 790   | 67     | 9      | 122    | 98     | 1297   | 37.9  | 182    | 16     | 1      | 7     | 68     |
| 1-64685       | .1     | 2.57 | 4      | 62    | 172    | .1     | 13     | 1.65 | .1     | 11     | 125    | 2.80 | .12 | 3      | 1.25 | 2124   | 4      | .02  | 1      | 970   | 45     | 10     | 131    | 97     | 1665   | 53.7  | 352    | 18     | 1      | 6     | 43     |
| 1-64686       | .1     | 2.38 | 11     | 69    | 234    | .1     | 12     | 1.49 | .1     | 10     | 66     | 2.46 | .11 | 3      | 1.16 | 2015   | 4      | .03  | 1      | 950   | 232    | 10     | 125    | 102    | 1334   | 45.3  | 748    | 17     | 1      | 6     | 50     |
| 1-64687       | .1     | 1.77 | 1      | 60    | 161    | .1     | 12     | 1.29 | .1     | 9      | 154    | 2.70 | .08 | 2      | 1.16 | 1755   | 2      | .03  | 1      | 930   | 210    | 7      | 95     | 97     | 1277   | 57.2  | 1224   | 16     | 1      | 4     | 45     |
| 1-64688       | .1     | 1.52 | 1      | 71    | 78     | .1     | 11     | 1.18 | .1     | 9      | 56     | 2.64 | .09 | 2      | 1.15 | 1644   | 2      | .03  | 1      | 880   | 263    | 4      | 67     | 93     | 1426   | 61.6  | 599    | 16     | 1      | 6     | 58     |
| 1-64689       | .1     | 1.60 | 1      | 59    | 153    | .1     | 11     | 1.16 | .1     | 9      | 45     | 2.35 | .11 | 2      | 1.15 | 1843   | 2      | .02  | 1      | 870   | 60     | 5      | 80     | 93     | 1355   | 46.4  | 366    | 16     | 1      | 6     | 60     |
| 1-64690       | .1     | 1.55 | 1      | 67    | 63     | .1     | 13     | 1.06 | .1     | 9      | 64     | 2.63 | .10 | 1      | 1.14 | 1574   | 2      | .03  | 1      | 910   | 92     | 4      | 70     | 93</td |        |       |        |        |        |       |        |

COMP: ROMULUS RESOURCES LTD.

PROJ: 930L

ATTN: ROB KLASSEN/MARK REGAGLIATI

MIN-EN LABS. — ICP REPORT  
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
(604)980-5814 OR (604)988-4524

93-01

FILE NO: 3V-0368-RJ3+4+5

DATE: 93/07/29

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO % | NA PPM | NI % | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR  |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|------|--------|------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|-----|
| 1-64696       | .1     | 1.17 | 1      | 77    | 57     | .1     | 10     | 1.23 | .1     | 15     | 250    | 7.05 | .15 | 2      | .87  | 1502   | 7    | .03    | 1    | 990   | 22     | 1      | 55     | 99     | 1136   | 58.4  | 360    | 16     | 1      | 6     | 63  |
| 1-64697       | .1     | .82  | 1      | 56    | 43     | .1     | 7      | .89  | .1     | 13     | 167    | 5.87 | .18 | 1      | .59  | 869    | 5    | .02    | 1    | 610   | 12     | 1      | 48     | 96     | 723    | 40.7  | 89     | 12     | 1      | 6     | 83  |
| 1-64698       | .1     | .77  | 1      | 66    | 42     | .1     | 6      | .96  | .1     | 10     | 210    | 5.17 | .19 | 1      | .51  | 716    | 6    | .02    | 1    | 630   | 11     | 1      | 51     | 91     | 591    | 40.0  | 81     | 11     | 1      | 5     | 78  |
| 1-64699       | .1     | .87  | 1      | 15    | 43     | .1     | 7      | 1.17 | .1     | 13     | 310    | 6.18 | .19 | 1      | .63  | 911    | 5    | .02    | 1    | 600   | 58     | 1      | 55     | 99     | 583    | 39.8  | 146    | 12     | 1      | 6     | 83  |
| 1-64700       | .1     | .92  | 1      | 78    | 33     | .1     | 7      | .96  | .1     | 12     | 205    | 6.52 | .11 | 1      | .75  | 1197   | 6    | .03    | 1    | 590   | 7      | 1      | 37     | 99     | 822    | 52.4  | 141    | 14     | 1      | 7     | 95  |
| 1-64701       | .1     | .88  | 1      | 72    | 40     | .1     | 7      | .82  | .1     | 11     | 187    | 5.33 | .07 | 1      | .71  | 1387   | 7    | .03    | 1    | 600   | 119    | 1      | 35     | 83     | 586    | 47.9  | 515    | 14     | 1      | 6     | 74  |
| 1-64702       | .1     | .82  | 1      | 79    | 33     | .1     | 6      | .82  | .1     | 13     | 260    | 7.09 | .09 | 1      | .56  | 1270   | 4    | .02    | 1    | 460   | 6      | 1      | 31     | 95     | 577    | 50.0  | 101    | 13     | 1      | 5     | 61  |
| 1-64703       | .1     | .88  | 1      | 75    | 44     | .1     | 6      | 1.15 | .1     | 11     | 274    | 5.59 | .16 | 1      | .62  | 1201   | 8    | .01    | 1    | 560   | 22     | 1      | 59     | 95     | 316    | 31.7  | 76     | 12     | 1      | 6     | 84  |
| 1-64704       | .1     | .92  | 1      | 65    | 120    | .1     | 6      | 1.04 | .1     | 13     | 242    | 5.98 | .15 | 1      | .67  | 1249   | 5    | .02    | 1    | 540   | 44     | 1      | 80     | 96     | 360    | 36.1  | 109    | 14     | 1      | 5     | 60  |
| 1-64705       | .1     | .86  | 1      | 68    | 53     | .1     | 5      | 1.47 | .1     | 10     | 195    | 5.94 | .21 | 1      | .60  | 1005   | 7    | .01    | 1    | 570   | 84     | 1      | 85     | 86     | 237    | 29.6  | 234    | 12     | 1      | 5     | 68  |
| 1-64706       | .1     | .93  | 1      | 78    | 81     | .1     | 6      | 1.26 | .1     | 11     | 176    | 6.53 | .13 | 1      | .70  | 1375   | 5    | .02    | 1    | 520   | 10     | 1      | 70     | 96     | 528    | 46.9  | 249    | 14     | 1      | 6     | 75  |
| 1-64707       | .1     | .94  | 1      | 75    | 53     | .1     | 6      | 1.18 | .1     | 14     | 209    | 6.59 | .13 | 1      | .69  | 1301   | 5    | .02    | 1    | 520   | 7      | 1      | 49     | 103    | 543    | 46.0  | 134    | 14     | 1      | 6     | 87  |
| 1-64708       | .1     | 1.07 | 1      | 77    | 71     | .1     | 6      | 1.04 | .1     | 13     | 263    | 6.23 | .15 | 2      | .76  | 1594   | 8    | .02    | 1    | 520   | 17     | 1      | 46     | 96     | 580    | 41.9  | 167    | 14     | 1      | 6     | 84  |
| 64709         | .1     | 1.16 | 1      | 62    | 64     | .1     | 7      | .98  | .1     | 11     | 166    | 5.46 | .21 | 2      | .63  | 1561   | 7    | .02    | 1    | 530   | 38     | 2      | 55     | 90     | 568    | 29.4  | 109    | 14     | 1      | 6     | 80  |
| 1-64710       | .1     | .78  | 1      | 67    | 63     | .1     | 4      | .91  | .1     | 12     | 160    | 6.68 | .28 | 1      | .39  | 886    | 4    | .01    | 1    | 520   | 1      | 1      | 61     | 86     | 350    | 27.3  | 56     | 9      | 1      | 5     | 79  |
| 1-64711       | .1     | .79  | 1      | 64    | 33     | .1     | 4      | .67  | .1     | 13     | 107    | 5.96 | .32 | 1      | .33  | 817    | 7    | .01    | 1    | 420   | 42     | 1      | 40     | 71     | 315    | 18.9  | 76     | 8      | 1      | 5     | 83  |
| 1-64712       | .1     | 1.69 | 1      | 146   | 44     | .1     | 12     | 1.53 | .1     | 20     | 91     | 6.99 | .17 | 16     | 1.76 | 2112   | 5    | .03    | 6    | 780   | 63     | 1      | 68     | 134    | 1934   | 103.1 | 148    | 24     | 1      | 10    | 85  |
| 1-64713       | .1     | 1.07 | 1      | 132   | 44     | .1     | 6      | 1.33 | .1     | 17     | 228    | 7.23 | .25 | 3      | .58  | 1199   | 5    | .02    | 1    | 530   | 20     | 1      | 43     | 96     | 587    | 45.9  | 213    | 13     | 1      | 6     | 84  |
| 1-64714       | .1     | .92  | 1      | 141   | 62     | .1     | 5      | 1.48 | .1     | 14     | 260    | 7.06 | .30 | 1      | .44  | 1078   | 7    | .01    | 1    | 380   | 6      | 1      | 68     | 92     | 218    | 29.3  | 516    | 10     | 1      | 5     | 84  |
| 1-64715       | .1     | .99  | 1      | 127   | 139    | .1     | 4      | 1.64 | .1     | 11     | 154    | 5.85 | .23 | 2      | .58  | 1287   | 6    | .02    | 1    | 580   | 14     | 1      | 88     | 89     | 350    | 34.5  | 100    | 13     | 1      | 5     | 60  |
| 1-64716       | .1     | 1.11 | 1      | 125   | 103    | .1     | 4      | 1.16 | .1     | 10     | 241    | 5.30 | .28 | 3      | .63  | 1355   | 7    | .02    | 1    | 550   | 28     | 1      | 47     | 91     | 266    | 27.4  | 106    | 12     | 1      | 6     | 81  |
| 1-64717       | .1     | 1.18 | 1      | 130   | 50     | .1     | 8      | 1.20 | .1     | 15     | 171    | 6.38 | .23 | 6      | .77  | 1351   | 19   | .02    | 1    | 670   | 37     | 1      | 17     | 95     | 1241   | 58.1  | 119    | 14     | 1      | 6     | 66  |
| 1-64718       | .1     | .94  | 1      | 126   | 65     | .1     | 4      | .68  | .1     | 11     | 96     | 5.93 | .33 | 1      | .49  | 1128   | 11   | .01    | 1    | 540   | 5      | 1      | 19     | 80     | 157    | 20.2  | 68     | 9      | 1      | 5     | 84  |
| 1-64719       | .1     | .66  | 1      | 123   | 70     | .1     | 5      | .58  | .1     | 12     | 133    | 5.84 | .30 | 1      | .24  | 551    | 14   | .01    | 1    | 420   | 11     | 1      | 20     | 72     | 154    | 11.9  | 71     | 7      | 1      | 4     | 66  |
| 1-64720       | .1     | .87  | 1      | 52    | 171    | .1     | 4      | .62  | .1     | 11     | 179    | 6.52 | .25 | 1      | .51  | 1000   | 4    | .01    | 1    | 470   | 6      | 1      | 16     | 80     | 121    | 27.6  | 66     | 10     | 1      | 5     | 59  |
| 1-64721       | .1     | .94  | 1      | 53    | 211    | .1     | 3      | .71  | .1     | 11     | 100    | 6.74 | .27 | 1      | .53  | 1381   | 4    | .01    | 1    | 440   | 21     | 1      | 23     | 81     | 158    | 23.0  | 76     | 12     | 1      | 4     | 54  |
| 1-64722       | .1     | 1.05 | 1      | 61    | 127    | .1     | 5      | .64  | .1     | 14     | 238    | 7.35 | .19 | 2      | .61  | 1462   | 4    | .02    | 1    | 480   | 3      | 1      | 22     | 94     | 363    | 34.8  | 82     | 13     | 1      | 6     | 71  |
| 1-64723       | .1     | 1.15 | 1      | 58    | 281    | .1     | 7      | .82  | .1     | 13     | 186    | 7.85 | .13 | 3      | .66  | 1604   | 1    | .02    | 1    | 490   | 12     | 1      | 31     | 95     | 445    | 41.9  | 96     | 15     | 1      | 5     | 59  |
| 1-64724       | .1     | .84  | 1      | 62    | 103    | .1     | 6      | .60  | .1     | 11     | 223    | 6.90 | .24 | 1      | .42  | 1091   | 3    | .01    | 1    | 450   | 7      | 1      | 15     | 82     | 185    | 22.9  | 140    | 9      | 1      | 5     | 79  |
| 1-64725       | .1     | .42  | 1      | 58    | 47     | .1     | 4      | .34  | .1     | 12     | 300    | 6.41 | .21 | 1      | .21  | 558    | 1    | .01    | 1    | 250   | 1      | 1      | 7      | 64     | 109    | 9.6   | 36     | 6      | 1      | 4     | 56  |
| 1-64726       | 1.1    | .48  | 1      | 49    | 50     | .1     | 5      | .41  | .1     | 10     | 304    | 6.10 | .25 | 1      | .23  | 562    | 5    | .01    | 1    | 390   | 6      | 1      | 9      | 63     | 133    | 7.6   | 28     | 5      | 1      | 6     | 120 |
| 1-64727       | .1     | .69  | 1      | 47    | 67     | .1     | 2      | .48  | .1     | 12     | 281    | 6.24 | .23 | 1      | .40  | 1035   | 1    | .01    | 1    | 390   | 14     | 1      | 11     | 74     | 146    | 16.6  | 55     | 9      | 1      | 4     | 59  |
| 1-64728       | .1     | 1.09 | 1      | 64    | 133    | .1     | 6      | .91  | .1     | 7      | 23     | 2.66 | .17 | 2      | .90  | 1338   | 4    | .02    | 1    | 870   | 34     | 1      | 40     | 65     | 693    | 22.0  | 100    | 12     | 1      | 5     | 72  |
| 1-64729       | .1     | 1.19 | 5      | 83    | 200    | .1     | 7      | .85  | .1     | 7      | 3      | 2.20 | .06 | 4      | 1.08 | 923    | 1    | .04    | 1    | 980   | 12     | 3      | 54     | 69     | 871    | 33.9  | 73     | 13     | 1      | 6     | 63  |
| 1-64730       | .1     | 1.40 | 2      | 59    | 166    | .1     | 9      | 1.16 | .1     | 8      | 30     | 2.39 | .07 | 2      | 1.06 | 1026   | 2    | .04    | 1    | 1010  | 14     | 4      | 78     | 79     | 1068   | 44.6  | 136    | 14     | 1      | 6     | 73  |
| 1-64731       | .1     | 1.39 | 6      | 66    | 52     | .1     | 11     | 1.31 | .1     | 9      | 13     | 2.70 | .07 | 2      | 1.06 | 975    | 2    | .04    | 1    | 1000  | 13     | 4      | 69     | 83     | 1360   | 58.3  | 134    | 14     | 1      | 6     | 58  |
| 1-64732       | .1     | 1.52 | 2      | 63    | 71     | .1     | 11     | 1.27 | .1     | 8      | 24     | 2.29 | .08 | 2      | 1.04 | 1301   | 2    | .04    | 1    | 970   | 27     | 5      | 94     | 70     | 1313   | 44.5  | 180    | 14     | 1      | 6     | 61  |
| 1-64733       | .1     | 1.54 | 9      | 68    | 161    | .1     | 10     | 1.24 | .1     | 8      | 8      | 2.20 | .06 | 1      | 1.00 | 1088   | 2    | .04    | 1    | 890   | 17     | 6      | 86     | 83     | 1025   | 45.0  | 84     | 14     | 1      | 6     | 52  |
| 1-64734       | .1     | 1.42 | 11     | 72    | 156    | .1     | 9      | 1.03 | .1     | 7      | 31     | 1.76 | .13 | 1      | .81  | 1279   | 3    | .03    | 1    | 840   | 100    | 6      | 69     | 67     | 639    | 23.2  | 314    | 13     | 1      | 4     | 38  |
| 1-64735       | .1     | 1.23 | 1      | 59    | 155    | .1     | 8      | .94  | .1     | 7      | 35     | 1.88 | .16 | 1      | .91  | 1694   | 3    | .02    | 1    | 860   | 66     | 5      | 56     | 69     | 923    | 26.3  | 179    | 13     | 1      | 5     | 53  |
| 1-64736       | .1     | 1.18 | 1      | 69    | 70     | .1     | 8      | .99  | .1     | 7      | 17     | 2.32 | .09 | 1      | .97  | 1382   | 2    | .03    | 1    | 840   | 42     | 2      | 53     | 76     | 1076   | 45.0  | 115    | 14     | 1      | 5     | 51  |
| 1-64737       | .1     | 1.13 | 2      | 69    | 137    | .1     | 9      | 1.08 | .1     | 7      | 12     | 1.18 | .08 | 1      | .94  | 1088   | 2    | .04    | 1    | 860   | 26     | 2      | 65     | 74     | 1127   | 43.2  | 89     | 13     | 1      | 6     | 78  |
| 1-64738       | .1     | 1.22 | 1      | 57    | 139    | .1     | 8      | 1.01 | .1     | 8      | 5      | 2.35 | .07 | 1      | 1.04 | 1085   | 2    | .04    | 1    | 880   | 94     | 3      | 61     | 81     | 1120   | 45.5  | 227    | 14     | 1      | 6     | 70  |
| 1-64739       | .1     | 1.20 | 1      | 65    | 134    | .1     | 8      | .98  | .1     | 7      | 12     | 2.20 | .08 | 2      | 1.03 | 1228   | 2    | .04    | 1    | 860   | 42     | 3      | 57     | 77     | 946    | 37.2  | 112    | 14     | 1      | 6     | 81  |
| 1-64740       | .1</   |      |        |       |        |        |        |      |        |        |        |      |     |        |      |        |      |        |      |       |        |        |        |        |        |       |        |        |        |       |     |

**SYNOPTIC DRILL LOG**  
**BRENDA PROPERTY**

PAGE 1 of

1

DDH NO.

93-02

|                       |  |              |                |                  |
|-----------------------|--|--------------|----------------|------------------|
| DRILL HOLE NUMBER     | 93-02  | AZIMUTH      | 055°           |                  |
| APPROX. NORTHING      | 10450 N  | DIP          | -62°           |                  |
| APPROX. EASTING       | 10413 E  | CASING DEPTH | 3.7 m          | CASING IN OR OUT |
| APPROX. ELEVATION     | 1552 M   | TOTAL DEPTH  | 270.36 m       |                  |
| ZONE                  | WHITE PASS   | LOGGED BY    | R.J. HASLINGER |                  |
| DATE DRILLING STARTED | JULY 18 / 93   | SAMPLE No.'s | 1-64749        | 1-64880          |
| DATE DRILLING ENDED   | JULY 21 / 93   |              |                |                  |
| PURPOSE/TARGET        | TEST TO DEPTH MINERALIZATION INTERSECTED IN<br>1992 DRILLING BY CANASIL.   |              |                |                  |
| COMMENTS              | MODERATELY WELL DEVELOPED QUARTZ + PYRITE + MAGNETITE<br>STOCKWORK IN TOODOGGONE VOLCANICS (73.15-132.30, 148.45-162.13<br>234.50 - 266.0) |              |                |                  |

| FROM   | TO     | ROCK TYPE  | ROCK CODE | ALTERATION         | MINERALIZATION             |
|--------|--------|--|-----------|--------------------|----------------------------|
| 0.00   | 3.66   | CASING   | 0000      |                    |                            |
| 3.66   | 13.60  | LATITE PORPHYRY  | 3523      |                    |                            |
| 13.60  | 15.37  | BASEALT DYKE   | 7712      |                    |                            |
| 15.37  | 43.50  | LATITE PORPHYRY - QUARTZ +<br>SERICITE STOCKWORK           | 3523      | SIL/SER / K-SPAR   | TRACE PY                   |
| 43.50  | 73.15  | LATITE PORPHYRY  | 3523      |                    |                            |
| 73.15  | 132.30 | LATITE PORPHYRY - QUARTZ + PYRITE +<br>MAGNETITE STOCKWORK | 3523      | SIL/SER / K-SPAR   | TRACE PY, CPY              |
| 132.30 | 148.45 | LATITE PORPHYRY  | 3523      |                    |                            |
| 148.45 | 162.13 | LATITE PORPHYRY + QUARTZ + SERICITE +<br>PYRITE STRINGERS  | 3523      | SIL/SER / K-SPAR / | TRACE PY, CPY, RARE SP, GN |
| 162.13 | 234.50 | LATITE PORPHYRY  | 3523      | GYPSUM             |                            |
| 234.50 | 270.36 | LATITE PORPHYRY - PERVASIVELY<br>ALTERED, LOCAL STOCKWORK  | 3523      | SIL/SER / K-SPAR / | TRACE PY, RARE CPY         |
|        | 270.36 | END OF HOLE  |           | CARB               |                            |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

|             |                      |
|-------------|----------------------|
|             | <b>DATA ENTRY</b>    |
| <b>DATE</b> |                      |
| <b>BY</b>   |                      |
|             | <b>DATA CHECKING</b> |
| <b>DATE</b> |                      |
| <b>BY</b>   |                      |

B 93-02

PAGE 1 of 10

|                       |                        |
|-----------------------|------------------------|
| APPROX. NORTHING      | 10450 N                |
| APPROX. EASTING       | 10413.1 E              |
| ZONE                  | WHITE PASS             |
| LOGGED BY             | R.J. HASINGER          |
| DATE DRILLING STARTED | JULY 18, 1993          |
| DATE DRILLING ENDED   | JULY 21, 1993          |
| CORE SIZE             | HQ (31.45) NQ (27.036) |
| CASING IN HOLE        | HW (TO 3.7 m)          |
| TOTAL DEPTH           | 270.36 m               |

| FROM  | TO    | DESCRIPTION   | ROCK | SIL | KSP | SER | EPKBS   | MAG   | PR% | CP | OTHER% |
|-------|-------|---|------|-----|-----|-----|---------|-------|-----|----|--------|
| 0.00  | 3.66  | <u>CASING</u>   | 0000 |     |     |     |         |       |     |    |        |
| 3.66  | 13.60 | PLAGIOCLASE - HORNBLende LATITE PORPHYRy - PINK<br>30% 1 to 3 mm plagioclase, 20% 0.5 to 3 mm hornblende,<br>50% finegrained, bleached matrix with some primary<br>K-spar. Moderate epitaxial alteration of hornblende &<br>plagioclase (25% epidote).<br>All fractures hematite coated. Core well broken & oxidized.<br>Trace magnetite 0.1-1mm crystals in matrix.<br>Fracturing at 53°, 50°, 60° and 55° to core axis. | 3523 | 0   | 0   | 0   | 3       | trace | 0   | 0  |        |
| 12.50 | 13.60 | More sheared and milled - fault gouge towards bottom.   |      |     |     |     |         |       |     |    |        |
| 13.60 | 15.37 | BASALT DYKE - BLACK - GREEN<br>10% weathered feldspar boxworks, hematite lining<br>micro fractures - typically 50° to 90° to core axis<br>minor shearing at 35° to core axis. Oxidized.   | 7712 | 0   | 0   | 0   | 0/trace | 0     | 0   | 0  |        |

Note: All references to hornblende in this log should be read as hornblende + augite.  
Augite comprises 50 to 10% of mafic component described herein as hornblende.

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO. B93-02

PAGE 2  
of 10

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-02

PAGE  
of3  
10

| FROM  | TO     | DESCRIPTION  | COMPUTER LOG SECTION |     |     |     |       |     |      |
|-------|--------|--|----------------------|-----|-----|-----|-------|-----|------|
|       |        |  | ROCK                 | SIL | KSP | SER | EPICB | MAG | PRO% |
|       |        | Epidote alteration moderate at top 1m of interval - replaces plagioclase/hornblende, and confined to occasional fracture planes elsewhere.<br>Plagioclase locally replaced by altered or sericitized replaced.<br>Upper contact strongly hematitic. Lowest hematite fracture staining in hole at 46.50m.<br>This interval much less broken than rock above and below.                      |                      |     |     |     |       |     | -    |
| 43.50 | 56.25  | Less altered.  | tr                   | 0   | 1   | 1   | 0     | 0   | 0    |
| 46.60 |        | Zeolite lined (2mm thick) fracture at 45° to core axis.  |                      |     |     |     |       |     |      |
| 48.10 |        | Slickenside & clay gouge at 79° to core axis   |                      |     |     |     |       |     |      |
| 48.10 | 49.70  | Shearing.<br>Fractures typically 45° to core axis or higher.<br>Grey - more altered - silicified + pyritic. Distinct, abrupt upper and lower contacts, irregular & dyke like.<br>Upper contact (alteration front) at ~20° to core axis.<br>Lower contact at about 60° to core axis.<br>Core quite broken locally.<br>Occasional 1-2mm qtz stringers plus trace finely disseminated pyrite. | 2                    | 0   | 1   | tr  | 0     | tr  | 0    |
| 56.25 | 65.15  |  |                      |     |     |     |       |     |      |
| 65.15 | 73.15  | Less altered.<br>Zeolite lined joints typically at 50° and 70° to core axis.   | 0                    | 0   | 1   | tr  | 0     | 0   | 0    |
| 73.15 | 126.85 | LATITE PORPHYRY - QUARTZ PYRITE ± MAGNETITE STOCKWORK -<br>GREY RUBBLE<br>Uniformly silicified ± sericitized latite. Sharp upper contact. Few recognizable distinctions due to intense fracturing - individual core pieces less than 5cm in size.  | 3523                 |     |     |     |       |     |      |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO. B93-02

PAGE 4  
of 10

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO.

PAGE \_\_\_\_\_  
of \_\_\_\_\_

| FROM   | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |     |     |            |
|--------|--------|---|----------------------|-----|-----|-----|-----|-----|-----|------------|
|        |        |   | ROCK                 | SIL | NSP | SER | EP  | MAG | PY% | CP OTHER % |
|        |        | Solid core and full recovery begins at 126 m.<br>1-2 mm gypsum stringers cross cut quartz veining.  |                      |     |     |     |     |     |     |            |
| 126.05 |        | Contact at $50^\circ$ to core axis. Sidesensides at $35^\circ$ to ellipse long axis.  |                      |     |     |     |     |     |     |            |
| 126.85 | 128.51 | PLAGIOCLASE - HORNBLENDE - LATITE PORPHYRY - RED BROWN.<br>30% plagioclase, 20% hornblende, 0.1-1.5 mm crystals - smaller than observed so far. Epidote replaces both minerals, overall 40% epidote.<br>Moderately foliated - epidote & zelite line foliation/shearing at $47^\circ$ to core axis.  | 3523                 | 1   | 0   | 1   | 3   | tr  | tr  | 0          |
| 127.0  | 127.2  | Fault wedge of quartz + sericite + pyrite vein. Veining, Shearing at $10^\circ$ to core axis.   |                      |     |     |     |     |     |     |            |
|        | 128.51 | Shear contact at $35^\circ$ to core axis (heated)<br>Unheated shear at $45^\circ$ to core axis.   |                      |     |     |     |     |     |     |            |
| 128.51 | 132.30 | LATITE PORPHYRY - QUARTZ + PYRITE + SERICITE + CHALCOPYRITE STOCKWORK - GREY<br>Pervasively silicified and sericitized latite with disseminated fine grained pyrite throughout.<br>Up to 40% secondary quartz with stringers oriented from 0° to $60^\circ$ to core axis. Minor chalcopyrite occurs consistently throughout. Pink secondary k-spar occurs locally in up to 6cm wide patches. Later gypsum stringers like fractures typically at $43^\circ$ to core axis. Up to 1cm thick pinkish white calcite stringer with gypsum at 131.30m. Gradational lower contact over 15 cm. | 3523                 | 4   | 2   | 4   | 0-1 | 0   | 4%  | 0.15%      |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

DDH  
NO.

PAGE  
of

6  
10

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

DDH  
NO.

B93-02

PAGE  
of

7  
10

| FROM   | TO     | DESCRIPTION  | ROCK  | SIL | KSP | SER | EP | MAG | PY% | CP | OTHER % |
|--------|--------|--|-------|-----|-----|-----|----|-----|-----|----|---------|
| 158.90 | 161.55 | BASALT DYKE - BLACK (SAMSAS DYES CALLED PLATITIC)<br>massive with 35% chlorite and sericite replaced<br>hornblende and plagioclase crystals. Calcite (white) throughout<br>matrix and in cross cutting micro veinlets (5% overall).<br>Veinlets at 45° to core axis or higher.   | 7711  |     | 0   | 2   | 0  | 0   | tr  | 0  |         |
| 160.0  |        | Shearing at 42° to core axis.<br>Lower contact brecciated.   | ----- |     |     |     |    |     |     |    |         |
| 161.55 | 162.13 | GYPSUM VEIN - WHITE AND GREEN.<br>massive with up to 1cm sized wallrock fragments (10%).<br>0.5-1mm grains of sphalerite, galena chalcocite<br>labeled (4% amounts).   |       | 0   | 0   | 2   | 0  | 0   | tr  | tr |         |
| 162.13 |        | contact at 32° to core axis  | ----- |     |     |     |    |     |     |    |         |
| 162.13 | 199.70 | PLAGIOCLASE - HORNBLLENDE LATITE PORPHYRY - PINK ORANGE<br>1 to 3mm plagioclase (25%), 0.5 to 2mm hornblende (25% -<br>may be 50/50 mix of augite & hornblende). Overall 15%<br>epidote along fractures and replacing phenocrysts.<br>Minor amount of 0.5cm to 3cm zoned fels (same composition)<br>sphalerite. This interval appears intruded by a same composition<br>feeder dyke with black margin grading inward to pink orange<br>latite. Margins finer grained and sharp contact with enclosing latite | 3523  |     |     |     |    |     |     |    |         |
| 162.13 | 163.20 | Unaltered latite. Lower contact at 70° to core axis. Trace calcite   |       | 0   | 0   | 0   | 1  | 0   | tr  | 0  |         |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-02

PAGE 8  
of 10

|        |        |  | COMPUTER LOG SECTION |      |     |     |    |     |     |         |
|--------|--------|--|----------------------|------|-----|-----|----|-----|-----|---------|
| FROM   | TO     | DESCRIPTION  | ROCK                 | SIL  | KSP | SER | EP | MAG | PR% | COTHER% |
| 123.20 | 165.95 | Strongly silicified and sericitized latite - grey green color, foliated appearance from epidote & gypsum stringers at 55° to core axes. Shear - pyritic lower contact at 50° to core axis. Trace calcite.  | 2                    | 1    | 3   | 7   | Tr | Tr  | 0   |         |
| 165.95 | 199.70 | Weakly altered latite.   | 0                    | 0    | 1   | 2   | Tr | Tr  | 0   |         |
| 173.65 |        | Upper chill margin 58° to core axis  | 3                    | dyke |     |     |    |     |     |         |
| 193.25 |        | Lower chill margin, 27° to core axis   |                      |      |     |     |    |     |     |         |
| 172.70 |        | Epidote lined fractures - rock fabric 72° to core axis.  |                      |      |     |     |    |     |     |         |
| 176.0  |        | Zedite stringers at 45° to core axis.  |                      |      |     |     |    |     |     |         |
| 184.0  |        | Shearing at 58° to core axis. (shear surface)  |                      |      |     |     |    |     |     |         |
| 186.0  |        | Shearing at 70° to core axis. (" " )   |                      |      |     |     |    |     |     |         |
| 187.0  |        | Shear surface at 65° to core axis.   |                      |      |     |     |    |     |     |         |
| 199.20 |        | Zedite stringer at 32° to core axis.<br>Calcite locally with epidote.  |                      |      |     |     |    |     |     |         |
| 199.70 | 270.36 | MODERATELY TO STRONGLY ALTERED LATITE MORPHRY - GREYISH GREY AND PINK<br>INCLUDING   | 3523                 |      |     |     |    |     |     |         |
| 255.12 | 256.90 | ZONE OF INTENSE QUARTZ + SERICITE VEINING  |                      |      |     |     |    |     |     |         |
| 256.90 | 260.30 | LATITE DYKE  |                      |      |     |     |    |     |     |         |
| 266.0  | 269.1  | LATITE DYKE  |                      |      |     |     |    |     |     |         |
| 199.70 | 231.80 | Moderately to strongly epidote + k-spar + quartz + sericite + pyrite altered latite porphyry. Matrix appears bleached and overprinted with locally 40% secondary alteration stockwork. Typically 20% epidote lining fractures, replacing phengite. Where quartz-sericite veinslets upto 2 cm thick, they are enveloped by 0.5cm halo of pink k-spar. | 2                    | 2    | 2   | 3-4 | 0  | Tr  | 0   |         |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO.

B93-02

PAGE  
of

9  
10

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

B93-02

PAGE  
of10  
10

| FROM      | TO     | DESCRIPTION  | COMPUTER LOG SECTION |     |     |     |    |     |                |
|-----------|--------|--|----------------------|-----|-----|-----|----|-----|----------------|
|           |        |  | ROCK                 | SIL | KSP | SER | EP | MAG | PY% CP OTHER % |
| 242 ± 10m |        | Shearing, some clay gouge, calcite - (5%). at 62° to core axis.  |                      |     |     |     |    |     |                |
| 244.50    | 251.50 | Occasional magnetite. Gypsum stringers at 35° to 55° to core axis.   |                      |     |     |     |    |     |                |
| 254.90    |        | Shear at 47° to core axis.   |                      |     |     |     |    |     |                |
| 255.12    | 258.90 | Quartz + sericite (90%) plus pyritic wallrock and fault<br>gouge. Later shearing has brecciated quartz + sericite and<br>1cm gouge lined shear zones (upto 10cm gouge) at all (18-45°)<br>orientations. Greenish gray color.<br>Sheared lower contact at 45° to core axis. | 5                    | 0   | 5   | tr  | 0  | tr  | 0              |
| 258.90    | 260.30 | Pink-orange dyke. Fine grained & brecciated towards margins.<br>Sericite replaces plagioclase. Calcite lines fractures.<br>Lower contact at 17° to core axis.  | 0                    | 0   | 2   | 0   | 0  | 0   | 0              |
| 260.30    | 266.0  | Moderate to strong pervasively altered latite - same as 234.50 -<br>255.12m.   | 4                    | 2   | 3   | 0   | tr | tr  | tr             |
| 261.0     |        | 15cm quartz + pyrite vein at 50° to core axis.   |                      |     |     |     |    |     |                |
| 266.0     |        | 25cm zone of moderate shear foliation at 46° to core axis.<br>3cm clay gouge + calcite.  |                      |     |     |     |    |     |                |
| 266.0     | 269.1  | Latite dyke. Same appearance as dyke above. Sericite<br>replacing 30% of plagioclase. No epidote. Shearing along<br>lower contact across 20cm at 55° to core axis.<br>Internal shear at 40° to core axis.  | tr                   | 0   | 1   | 0   | 0  | tr  | 0              |
| 269.1     | 270.36 | Moderately silicified latite.  | 3                    | 0   | 2   | 1   | 0  | tr  | 0              |
|           |        | END OF HOLE  |                      |     |     |     |    |     |                |

# BRENDA PROPERTY

## SAMPLING LOG

LOGGED BY **R. HASLINGER**

DATA ENTRY  
DATE \_\_\_\_\_  
BY \_\_\_\_\_

DATA CHECKING  
DATE \_\_\_\_\_  
BY \_\_\_\_\_

DDH **93-02**  
DATE **93-07-23**

Page **1**  
of **2**

| FROM | TO   | SAMPLE No. |
|------|------|------------|
| 3.66 | 5.0  | 1-64749    |
| 5.0  | 7.0  | 1-64750    |
| 7.0  | 9.0  | 1-64751    |
| 9.0  | 11.0 | 1-64752    |
| 11.0 | 14.0 | 1-64753    |
| 14.0 | 16.0 | 1-64754    |
| 16.0 | 18.0 | 1-64755    |
| 18.0 | 20.0 | 1-64756    |
| 20.0 | 22.0 | 1-64757    |
| 22.0 | 24.0 | 1-64758    |
| 24.0 | 26.0 | 1-64759    |
| 26.0 | 28.0 | 1-64760    |
| 28.0 | 30.0 | 1-64761    |
| 30.0 | 32.0 | 1-64762    |
| 32.0 | 34.0 | 1-64763    |
| 34.0 | 36.0 | 1-64764    |
| 36.0 | 38.0 | 1-64765    |
| 38.0 | 40.0 | 1-64766    |
| 40.0 | 42.0 | 1-64767    |
| 42.0 | 44.0 | 1-64768    |
| 44.0 | 46.0 | 1-64769    |
| 46.0 | 48.0 | 1-64770    |
| 48.0 | 50.0 | 1-64771    |
| 50.0 | 52.0 | 1-64772    |
| 52.0 | 54.0 | 1-64773    |
| 54.0 | 56.0 | 1-64774    |
| 56.0 | 58.0 | 1-64775    |
| 58.0 | 60.0 | 1-64776    |
| 60.0 | 62.0 | 1-64777    |
| 62.0 | 64.0 | 1-64778    |

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 64.0  | 66.0  | 1-64779    |
| 66.0  | 68.0  | 1-64780    |
| 68.0  | 70.0  | 1-64781    |
| 70.0  | 72.0  | 1-64782    |
| 72.0  | 74.0  | 1-64783    |
| 74.0  | 76.0  | 1-64784    |
| 76.0  | 78.0  | 1-64785    |
| 78.0  | 80.0  | 1-64786    |
| 80.0  | 82.0  | 1-64787    |
| 82.0  | 84.0  | 1-64788    |
| 84.0  | 86.0  | 1-64789    |
| 86.0  | 88.0  | 1-64790    |
| 88.0  | 90.0  | 1-64791    |
| 90.0  | 92.0  | 1-64792    |
| 92.0  | 94.0  | 1-64793    |
| 94.0  | 96.0  | 1-64794    |
| 96.0  | 98.0  | 1-64795    |
| 98.0  | 100.0 | 1-64796    |
| 100.0 | 102.0 | 1-64797    |
| 102.0 | 104.0 | 1-64798    |
| 104.0 | 106.0 | 1-64799    |
| 106.0 | 108.0 | 1-64800    |
| 108.0 | 110.0 | 1-64801    |
| 110.0 | 112.0 | 1-64802    |
| 112.0 | 114.0 | 1-64803    |
| 114.0 | 116.0 | 1-64804    |
| 116.0 | 120.0 | 1-64805    |
| 120.0 | 124.0 | 1-64806    |
| 124.0 | 126.0 | 1-64807    |
| 126.0 | 128.0 | 1-64808    |

| FROM   | TO     | SAMPLE No. |
|--------|--------|------------|
| 128.0  | 130.0  | 1-64809    |
| 130.0  | 131.45 | 1-64810    |
| 131.45 | 132.0  | 1-64811    |
| 132.0  | 134.0  | 1-64812    |
| 134.0  | 136.0  | 1-64813    |
| 136.0  | 138.0  | 1-64814    |
| 138.0  | 140.0  | 1-64815    |
| 140.0  | 142.0  | 1-64816    |
| 142.0  | 144.0  | 1-64817    |
| 144.0  | 146.0  | 1-64818    |
| 146.0  | 148.0  | 1-64819    |
| 148.0  | 150.0  | 1-64820    |
| 150.0  | 152.0  | 1-64821    |
| 152.0  | 154.0  | 1-64822    |
| 154.0  | 156.0  | 1-64823    |
| 156.0  | 158.0  | 1-64824    |
| 158.0  | 160.0  | 1-64825    |
| 160.0  | 162.0  | 1-64826    |
| 162.0  | 164.0  | 1-64827    |
| 164.0  | 166.0  | 1-64828    |
| 166.0  | 168.0  | 1-64829    |
| 168.0  | 170.0  | 1-64830    |
| 170.0  | 172.0  | 1-64831    |
| 172.0  | 174.0  | 1-64832    |
| 174.0  | 176.0  | 1-64833    |
| 176.0  | 178.0  | 1-64834    |
| 178.0  | 180.0  | 1-64835    |
| 180.0  | 182.0  | 1-64836    |
| 182.0  | 184.0  | 1-64837    |
| 184.0  | 186.0  | 1-64838    |

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 186.0 | 188.0 | 1-64839    |
| 188.0 | 190.0 | 1-64840    |
| 190.0 | 192.0 | 1-64841    |
| 192.0 | 194.0 | 1-64842    |
| 194.0 | 196.0 | 1-64843    |
| 196.0 | 198.0 | 1-64844    |
| 198.0 | 200.0 | 1-64845    |
| 200.0 | 202.0 | 1-64846    |
| 202.0 | 204.0 | 1-64847    |
| 204.0 | 206.0 | 1-64848    |
| 206.0 | 208.0 | 1-64849    |
| 208.0 | 210.0 | 1-64850    |
| 210.0 | 212.0 | 1-64851    |
| 212.0 | 214.0 | 1-64852    |
| 214.0 | 216.0 | 1-64853    |
| 216.0 | 218.0 | 1-64854    |
| 218.0 | 220.0 | 1-64855    |
| 220.0 | 222.0 | 1-64856    |
| 222.0 | 224.0 | 1-64857    |
| 224.0 | 226.0 | 1-64858    |
| 226.0 | 228.0 | 1-64859    |
| 228.0 | 230.0 | 1-64860    |
| 230.0 | 232.0 | 1-64861    |
| 232.0 | 234.0 | 1-64862    |
| 234.0 | 236.0 | 1-64863    |
| 236.0 | 238.0 | 1-64864    |
| 238.0 | 240.0 | 1-64865    |
| 240.0 | 242.0 | 1-64866    |
| 242.0 | 244.0 | 1-64867    |
| 244.0 | 246.0 | 1-64868    |

BRENDA PROPERTY

## SAMPLING LOG

LOGGED BY R. HASLINGER

**DATA ENTRY**

## **DATA CHECKING**

DDH

9302

Page

1

2

1

**RECOVERY LOG**  
**BRENDA PROPERTY**

## **GEOTECHNICAL LOG**

LOGGED BY Shawn k Wallace

**DATA ENTRY**

**DATA CHECKING**

**DDH** 93-02

PAGE 1  
of 2

RECOVERY LOG  
**BRENDA PROPERTY**

## **GEOTECHNICAL LOG**

LOGGED BY SHAWN KEY ACCLACE

## **DATA ENTRY**

DATE  
BY

## **DATA CHECKING**

DATE  
BY

DDH

G3-07-23

PAGE  
of

29/10/93

ROMULUS RESOURCES LTD. - PINE PROPERTY

BRENDA ZONE - WHITE PASS GRID

DRILL HOLE COMPOSITES

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | AU<br>g/t | CU<br>% | AG<br>ppm | MO<br>ppm | AS<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-02   | 3.66        | 16.00     | 12.34         | 0.02      | 0.007   | 0.1       | 1         | 9         | 27        | 7         | 308       |
| 93-02   | 16.00       | 134.00    | 118.00        | 0.40      | 0.054   | 0.4       | 18        | 6         | 63        | 6         | 542       |
| 93-02   | 134.00      | 234.00    | 100.00        | 0.05      | 0.013   | 0.1       | 5         | 17        | 140       | 18        | 344       |
| 93-02   | 234.00      | 266.00    | 32.00         | 0.62      | 0.116   | 0.7       | 10        | 8         | 140       | 17        | 652       |
| 93-02   | 266.00      | 270.36    | 4.36          | 0.06      | 0.031   | 0.1       | 7         | 15        | 116       | 17        | 561       |

DATE:29/10/93 TIME: 10:15:46

ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDAN ZONE

WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV<br>% | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-02   | 3.66        | 5.00      | 1.34          | 64749         | 0.04      | 0.005   | 0.05        | 0.1       | 8         | 27        | 16        | 4         | 165       |           |
| 93-02   | 5.00        | 7.00      | 2.00          | 64750         | 0.02      | 0.003   | 0.02        | 0.1       | 11        | 9         | 17        | 5         | 139       |           |
| 93-02   | 7.00        | 9.00      | 2.00          | 64751         | 0.02      | 0.005   | 0.03        | 0.1       | 5         | 38        | 46        | 6         | 181       |           |
| 93-02   | 9.00        | 11.00     | 2.00          | 64752         | 0.01      | 0.003   | 0.01        | 0.1       | 6         | 9         | 26        | 5         | 125       |           |
| 93-02   | 11.00       | 14.00     | 3.00          | 64753         | 0.01      | 0.009   | 0.02        | 0.1       | 8         | 63        | 30        | 10        | 346       |           |
| 93-02   | 14.00       | 16.00     | 2.00          | 64754         | 0.01      | 0.015   | 0.03        | 0.1       | 18        | 131       | 26        | 11        | 831       |           |
| 93-02   | 16.00       | 18.00     | 2.00          | 64755         | 0.49      | 0.014   | 0.50        | 0.1       | 15        | 122       | 38        | 11        | 177       |           |
| 93-02   | 18.00       | 20.00     | 2.00          | 64756         | 0.44      | 0.023   | 0.46        | 0.9       | 18        | 217       | 63        | 11        | 153       |           |
| 93-02   | 20.00       | 22.00     | 2.00          | 64757         | 0.54      | 0.020   | 0.56        | 0.1       | 1         | 184       | 77        | 6         | 96        |           |
| 93-02   | 22.00       | 24.00     | 2.00          | 64758         | 0.46      | 0.016   | 0.48        | 0.5       | 4         | 159       | 107       | 6         | 110       |           |
| 93-02   | 24.00       | 26.00     | 2.00          | 64759         | 0.73      | 0.024   | 0.75        | 0.4       | 1         | 196       | 71        | 5         | 92        |           |
| 93-02   | 26.00       | 28.00     | 2.00          | 64760         | 0.42      | 0.015   | 0.44        | 0.1       | 8         | 124       | 61        | 9         | 177       |           |
| 93-02   | 28.00       | 30.00     | 2.00          | 64761         | 0.39      | 0.026   | 0.42        | 0.1       | 9         | 239       | 73        | 8         | 115       |           |
| 93-02   | 30.00       | 32.00     | 2.00          | 64762         | 0.46      | 0.016   | 0.48        | 0.1       | 10        | 142       | 38        | 7         | 203       |           |
| 93-02   | 32.00       | 34.00     | 2.00          | 64763         | 0.78      | 0.021   | 0.80        | 0.1       | 24        | 180       | 43        | 10        | 159       |           |
| 93-02   | 34.00       | 36.00     | 2.00          | 64764         | 0.47      | 0.077   | 0.55        | 2.2       | 29        | 746       | 47        | 10        | 257       |           |
| 93-02   | 36.00       | 38.00     | 2.00          | 64765         | 0.64      | 0.067   | 0.71        | 4.5       | 18        | 649       | 72        | 8         | 286       |           |
| 93-02   | 38.00       | 40.00     | 2.00          | 64766         | 0.56      | 0.061   | 0.62        | 1.5       | 10        | 583       | 62        | 8         | 254       |           |
| 93-02   | 40.00       | 42.00     | 2.00          | 64767         | 0.65      | 0.034   | 0.68        | 0.6       | 4         | 321       | 112       | 7         | 173       |           |
| 93-02   | 42.00       | 44.00     | 2.00          | 64768         | 0.37      | 0.066   | 0.44        | 0.1       | 14        | 642       | 69        | 11        | 270       |           |
| 93-02   | 44.00       | 46.00     | 2.00          | 64769         | 0.02      | 0.005   | 0.03        | 0.1       | 20        | 43        | 21        | 9         | 92        |           |
| 93-02   | 46.00       | 48.00     | 2.00          | 64770         | 0.01      | 0.013   | 0.02        | 0.1       | 13        | 108       | 29        | 8         | 61        |           |
| 93-02   | 48.00       | 50.00     | 2.00          | 64771         | 0.02      | 0.026   | 0.05        | 0.1       | 17        | 236       | 49        | 8         | 120       |           |
| 93-02   | 50.00       | 52.00     | 2.00          | 64772         | 0.01      | 0.006   | 0.02        | 0.1       | 15        | 37        | 17        | 7         | 99        |           |
| 93-02   | 52.00       | 54.00     | 2.00          | 64773         | 0.05      | 0.011   | 0.06        | 0.1       | 4         | 89        | 17        | 4         | 107       |           |
| 93-02   | 54.00       | 56.00     | 2.00          | 64774         | 0.04      | 0.021   | 0.06        | 0.1       | 15        | 201       | 24        | 6         | 71        |           |
| 93-02   | 56.00       | 58.00     | 2.00          | 64775         | 0.04      | 0.029   | 0.07        | 0.1       | 1         | 302       | 78        | 5         | 196       |           |
| 93-02   | 58.00       | 60.00     | 2.00          | 64776         | 0.23      | 0.094   | 0.32        | 1.8       | 1         | 910       | 46        | 6         | 203       |           |
| 93-02   | 60.00       | 62.00     | 2.00          | 64777         | 0.45      | 0.132   | 0.58        | 0.1       | 1         | 1314      | 58        | 9         | 372       |           |
| 93-02   | 62.00       | 64.00     | 2.00          | 64778         | 0.52      | 0.111   | 0.63        | 0.1       | 1         | 1083      | 31        | 5         | 605       |           |
| 93-02   | 64.00       | 66.00     | 2.00          | 64779         | 0.14      | 0.045   | 0.19        | 0.1       | 1         | 442       | 22        | 4         | 556       |           |
| 93-02   | 66.00       | 68.00     | 2.00          | 64780         | 0.03      | 0.004   | 0.03        | 0.1       | 1         | 39        | 36        | 7         | 344       |           |
| 93-02   | 68.00       | 70.00     | 2.00          | 64781         | 0.01      | 0.003   | 0.01        | 0.1       | 1         | 26        | 38        | 9         | 756       |           |
| 93-02   | 70.00       | 72.00     | 2.00          | 64782         | 0.02      | 0.028   | 0.05        | 0.1       | 1         | 241       | 154       | 7         | 2370      |           |
| 93-02   | 72.00       | 74.00     | 2.00          | 64783         | 0.08      | 0.007   | 0.09        | 0.1       | 1         | 64        | 37        | 7         | 1343      |           |
| 93-02   | 74.00       | 76.00     | 2.00          | 64784         | 0.50      | 0.060   | 0.56        | 0.1       | 1         | 550       | 39        | 10        | 621       |           |
| 93-02   | 76.00       | 78.00     | 2.00          | 64785         | 0.65      | 0.087   | 0.74        | 0.1       | 10        | 809       | 63        | 9         | 324       |           |
| 93-02   | 78.00       | 80.00     | 2.00          | 64786         | 1.49      | 0.069   | 1.56        | 0.5       | 15        | 648       | 197       | 11        | 1630      |           |
| 93-02   | 80.00       | 82.00     | 2.00          | 64787         | 0.25      | 0.040   | 0.29        | 0.1       | 19        | 363       | 26        | 7         | 335       |           |
| 93-02   | 82.00       | 84.00     | 2.00          | 64788         | 0.15      | 0.053   | 0.20        | 0.1       | 4         | 505       | 31        | 7         | 415       |           |
| 93-02   | 84.00       | 86.00     | 2.00          | 64789         | 0.24      | 0.074   | 0.31        | 0.1       | 10        | 676       | 39        | 7         | 618       |           |
| 93-02   | 86.00       | 88.00     | 2.00          | 64790         | 0.18      | 0.041   | 0.22        | 0.1       | 13        | 378       | 40        | 9         | 535       |           |
| 93-02   | 88.00       | 90.00     | 2.00          | 64791         | 0.25      | 0.049   | 0.30        | 0.1       | 1         | 449       | 121       | 8         | 683       |           |
| 93-02   | 90.00       | 92.00     | 2.00          | 64792         | 0.19      | 0.045   | 0.23        | 0.1       | 1         | 431       | 138       | 5         | 499       |           |
| 93-02   | 92.00       | 94.00     | 2.00          | 64793         | 0.40      | 0.077   | 0.48        | 1.4       | 1         | 774       | 98        | 5         | 598       |           |
| 93-02   | 94.00       | 96.00     | 2.00          | 64794         | 0.56      | 0.055   | 0.62        | 1.3       | 2         | 526       | 34        | 5         | 598       |           |
| 93-02   | 96.00       | 98.00     | 2.00          | 64795         | 0.34      | 0.061   | 0.40        | 0.3       | 1         | 563       | 89        | 7         | 607       |           |
| 93-02   | 98.00       | 100.00    | 2.00          | 64796         | 0.49      | 0.058   | 0.55        | 0.1       | 2         | 535       | 36        | 7         | 448       |           |
| 93-02   | 100.00      | 102.00    | 2.00          | 64797         | 0.65      | 0.128   | 0.78        | 0.1       | 1         | 1200      | 39        | 3         | 368       |           |

DATE:29/10/93 TIME: 10:15:48

## ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID


| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV<br>% | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-02   | 102.00      | 104.00    | 2.00          | 64798         | 0.82      | 0.086   | 0.91        | 0.2       | 1         | 864       | 131       | 5         | 939       |           |
| 93-02   | 104.00      | 106.00    | 2.00          | 64799         | 0.52      | 0.066   | 0.59        | 0.1       | 1         | 623       | 74        | 5         | 544       |           |
| 93-02   | 106.00      | 108.00    | 2.00          | 64800         | 0.55      | 0.066   | 0.62        | 0.1       | 1         | 622       | 54        | 5         | 517       |           |
| 93-02   | 108.00      | 110.00    | 2.00          | 64801         | 0.32      | 0.056   | 0.38        | 0.1       | 1         | 533       | 37        | 5         | 389       |           |
| 93-02   | 110.00      | 112.00    | 2.00          | 64802         | 0.40      | 0.083   | 0.48        | 0.1       | 1         | 760       | 28        | 5         | 378       |           |
| 93-02   | 112.00      | 114.00    | 2.00          | 64803         | 0.42      | 0.104   | 0.52        | 0.1       | 1         | 972       | 34        | 6         | 625       |           |
| 93-02   | 114.00      | 116.00    | 2.00          | 64804         | 0.55      | 0.076   | 0.63        | 0.1       | 1         | 701       | 36        | 5         | 2042      |           |
| 93-02   | 116.00      | 120.00    | 4.00          | 64805         | 0.51      | 0.077   | 0.59        | 0.1       | 1         | 677       | 119       | 3         | 2667      |           |
| 93-02   | 120.00      | 124.00    | 4.00          | 64806         | 0.45      | 0.071   | 0.52        | 0.1       | 1         | 633       | 142       | 6         | 315       |           |
| 93-02   | 124.00      | 126.00    | 2.00          | 64807         | 0.54      | 0.109   | 0.65        | 0.1       | 1         | 990       | 66        | 6         | 563       |           |
| 93-02   | 126.00      | 128.00    | 2.00          | 64808         | 0.47      | 0.070   | 0.54        | 0.1       | 6         | 686       | 36        | 6         | 387       |           |
| 93-02   | 128.00      | 130.00    | 2.00          | 64809         | 0.29      | 0.085   | 0.38        | 0.1       | 1         | 825       | 68        | 7         | 375       |           |
| 93-02   | 130.00      | 131.45    | 1.45          | 64810         | 0.91      | 0.141   | 1.05        | 1.3       | 1         | 1283      | 76        | 5         | 1038      |           |
| 93-02   | 131.45      | 132.00    | 0.55          | 64811         | 1.02      | 0.139   | 1.16        | 3.8       | 20        | 1240      | 34        | 3         | 669       |           |
| 93-02   | 132.00      | 134.00    | 2.00          | 64812         | 0.25      | 0.048   | 0.30        | 0.1       | 6         | 464       | 36        | 3         | 268       |           |
| 93-02   | 134.00      | 136.00    | 2.00          | 64813         | 0.02      | 0.004   | 0.02        | 0.1       | 1         | 34        | 44        | 4         | 276       |           |
| 93-02   | 136.00      | 138.00    | 2.00          | 64814         | 0.02      | 0.004   | 0.02        | 0.1       | 1         | 19        | 24        | 4         | 173       |           |
| 93-02   | 138.00      | 140.00    | 2.00          | 64815         | 0.01      | 0.008   | 0.02        | 0.1       | 1         | 61        | 65        | 4         | 381       |           |
| 93-02   | 140.00      | 142.00    | 2.00          | 64816         | 0.02      | 0.004   | 0.02        | 0.1       | 2         | 30        | 39        | 6         | 222       |           |
| 93-02   | 142.00      | 144.00    | 2.00          | 64817         | 0.01      | 0.005   | 0.01        | 0.1       | 10        | 38        | 46        | 14        | 169       |           |
| 93-02   | 144.00      | 146.00    | 2.00          | 64818         | 0.01      | 0.009   | 0.02        | 0.1       | 13        | 81        | 105       | 14        | 627       |           |
| 93-02   | 146.00      | 148.00    | 2.00          | 64819         | 0.01      | 0.007   | 0.02        | 0.1       | 16        | 57        | 93        | 16        | 600       |           |
| 93-02   | 148.00      | 150.00    | 2.00          | 64820         | 0.36      | 0.106   | 0.47        | 1.0       | 15        | 976       | 42        | 15        | 414       |           |
| 93-02   | 150.00      | 152.00    | 2.00          | 64821         | 0.25      | 0.063   | 0.31        | 0.1       | 22        | 578       | 97        | 21        | 456       |           |
| 93-02   | 152.00      | 154.00    | 2.00          | 64822         | 0.02      | 0.004   | 0.02        | 0.1       | 20        | 35        | 89        | 20        | 1164      |           |
| 93-02   | 154.00      | 156.00    | 2.00          | 64823         | 0.03      | 0.003   | 0.03        | 0.1       | 22        | 26        | 77        | 21        | 395       |           |
| 93-02   | 156.00      | 158.00    | 2.00          | 64824         | 0.04      | 0.008   | 0.05        | 0.1       | 20        | 71        | 89        | 14        | 774       |           |
| 93-02   | 158.00      | 160.00    | 2.00          | 64825         | 0.02      | 0.018   | 0.04        | 0.1       | 20        | 159       | 563       | 21        | 361       |           |
| 93-02   | 160.00      | 162.00    | 2.00          | 64826         | 0.01      | 0.007   | 0.02        | 0.1       | 12        | 58        | 54        | 15        | 97        |           |
| 93-02   | 162.00      | 164.00    | 2.00          | 64827         | 0.08      | 0.021   | 0.10        | 0.1       | 15        | 184       | 253       | 16        | 303       |           |
| 93-02   | 164.00      | 166.00    | 2.00          | 64828         | 0.26      | 0.031   | 0.29        | 0.1       | 6         | 269       | 43        | 14        | 225       |           |
| 93-02   | 166.00      | 168.00    | 2.00          | 64829         | 0.02      | 0.004   | 0.02        | 0.1       | 4         | 31        | 120       | 12        | 338       |           |
| 93-02   | 168.00      | 170.00    | 2.00          | 64830         | 0.01      | 0.003   | 0.01        | 0.1       | 15        | 22        | 55        | 14        | 195       |           |
| 93-02   | 170.00      | 172.00    | 2.00          | 64831         | 0.06      | 0.005   | 0.06        | 0.1       | 16        | 46        | 144       | 14        | 497       |           |
| 93-02   | 172.00      | 174.00    | 2.00          | 64832         | 0.05      | 0.006   | 0.06        | 0.1       | 17        | 50        | 323       | 16        | 463       |           |
| 93-02   | 174.00      | 176.00    | 2.00          | 64833         | 0.01      | 0.005   | 0.01        | 0.1       | 20        | 35        | 110       | 17        | 220       |           |
| 93-02   | 176.00      | 178.00    | 2.00          | 64834         | 0.01      | 0.005   | 0.01        | 0.1       | 19        | 40        | 141       | 19        | 210       |           |
| 93-02   | 178.00      | 180.00    | 2.00          | 64835         | 0.01      | 0.008   | 0.02        | 0.1       | 18        | 73        | 191       | 21        | 302       |           |
| 93-02   | 180.00      | 182.00    | 2.00          | 64836         | 0.01      | 0.005   | 0.01        | 0.1       | 13        | 35        | 120       | 20        | 183       |           |
| 93-02   | 182.00      | 184.00    | 2.00          | 64837         | 0.01      | 0.004   | 0.01        | 0.1       | 16        | 38        | 85        | 25        | 127       |           |
| 93-02   | 184.00      | 186.00    | 2.00          | 64838         | 0.01      | 0.009   | 0.02        | 0.1       | 22        | 77        | 166       | 23        | 268       |           |
| 93-02   | 186.00      | 188.00    | 2.00          | 64839         | 0.01      | 0.004   | 0.01        | 0.1       | 20        | 33        | 241       | 28        | 362       |           |
| 93-02   | 188.00      | 190.00    | 2.00          | 64840         | 0.01      | 0.008   | 0.02        | 0.1       | 20        | 72        | 185       | 23        | 254       |           |
| 93-02   | 190.00      | 192.00    | 2.00          | 64841         | 0.02      | 0.004   | 0.02        | 0.1       | 10        | 32        | 55        | 16        | 138       |           |
| 93-02   | 192.00      | 194.00    | 2.00          | 64842         | 0.01      | 0.006   | 0.02        | 0.1       | 14        | 51        | 37        | 16        | 146       |           |
| 93-02   | 194.00      | 196.00    | 2.00          | 64843         | 0.02      | 0.003   | 0.02        | 0.1       | 14        | 28        | 75        | 14        | 118       |           |
| 93-02   | 196.00      | 198.00    | 2.00          | 64844         | 0.01      | 0.007   | 0.02        | 0.1       | 16        | 58        | 34        | 16        | 107       |           |
| 93-02   | 198.00      | 200.00    | 2.00          | 64845         | 0.01      | 0.005   | 0.01        | 0.1       | 12        | 50        | 81        | 16        | 309       |           |
| 93-02   | 200.00      | 202.00    | 2.00          | 64846         | 0.20      | 0.057   | 0.26        | 0.1       | 14        | 512       | 136       | 16        | 389       |           |
| 93-02   | 202.00      | 204.00    | 2.00          | 64847         | 0.36      | 0.080   | 0.44        | 1.4       | 12        | 713       | 44        | 13        | 187       |           |

DATE:29/10/93 TIME: 10:15:50

## ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | EQV<br>% | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-02   | 204.00      | 206.00    | 2.00          | 64848         | 0.14      | 0.058   | 0.20     | 0.1       | 15        | 547       | 129       | 19        | 668       |           |
| 93-02   | 206.00      | 208.00    | 2.00          | 64849         | 0.01      | 0.005   | 0.01     | 0.1       | 21        | 49        | 694       | 23        | 1485      |           |
| 93-02   | 208.00      | 210.00    | 2.00          | 64850         | 0.04      | 0.003   | 0.04     | 0.1       | 36        | 19        | 187       | 21        | 532       |           |
| 93-02   | 210.00      | 212.00    | 2.00          | 64851         | 0.03      | 0.003   | 0.03     | 0.1       | 35        | 26        | 257       | 26        | 503       |           |
| 93-02   | 212.00      | 214.00    | 2.00          | 64852         | 0.01      | 0.006   | 0.02     | 0.1       | 24        | 52        | 93        | 24        | 241       |           |
| 93-02   | 214.00      | 216.00    | 2.00          | 64853         | 0.01      | 0.006   | 0.02     | 0.1       | 25        | 53        | 70        | 25        | 262       |           |
| 93-02   | 216.00      | 218.00    | 2.00          | 64854         | 0.01      | 0.003   | 0.01     | 0.1       | 24        | 20        | 55        | 23        | 152       |           |
| 93-02   | 218.00      | 220.00    | 2.00          | 64855         | 0.01      | 0.005   | 0.01     | 0.1       | 28        | 36        | 117       | 24        | 196       |           |
| 93-02   | 220.00      | 222.00    | 2.00          | 64856         | 0.01      | 0.006   | 0.02     | 0.1       | 23        | 52        | 159       | 23        | 230       |           |
| 93-02   | 222.00      | 224.00    | 2.00          | 64857         | 0.01      | 0.009   | 0.02     | 0.1       | 23        | 79        | 301       | 23        | 291       |           |
| 93-02   | 224.00      | 226.00    | 2.00          | 64858         | 0.04      | 0.006   | 0.05     | 0.1       | 23        | 58        | 213       | 27        | 288       |           |
| 93-02   | 226.00      | 228.00    | 2.00          | 64859         | 0.02      | 0.007   | 0.03     | 0.1       | 26        | 55        | 282       | 24        | 345       |           |
| 93-02   | 228.00      | 230.00    | 2.00          | 64860         | 0.02      | 0.012   | 0.03     | 0.1       | 20        | 93        | 196       | 22        | 269       |           |
| 93-02   | 230.00      | 232.00    | 2.00          | 64861         | 0.01      | 0.003   | 0.01     | 0.1       | 32        | 21        | 146       | 26        | 165       |           |
| 93-02   | 232.00      | 234.00    | 2.00          | 64862         | 0.01      | 0.003   | 0.01     | 0.1       | 22        | 21        | 52        | 18        | 136       |           |
| 93-02   | 234.00      | 236.00    | 2.00          | 64863         | 1.31      | 0.129   | 1.44     | 3.2       | 15        | 1193      | 44        | 14        | 143       |           |
| 93-02   | 236.00      | 238.00    | 2.00          | 64864         | 0.66      | 0.119   | 0.78     | 2.7       | 25        | 1094      | 180       | 17        | 486       |           |
| 93-02   | 238.00      | 240.00    | 2.00          | 64865         | 0.34      | 0.068   | 0.41     | 0.1       | 11        | 628       | 374       | 19        | 1309      |           |
| 93-02   | 240.00      | 242.00    | 2.00          | 64866         | 0.08      | 0.037   | 0.12     | 0.1       | 5         | 328       | 320       | 21        | 2372      |           |
| 93-02   | 242.00      | 244.00    | 2.00          | 64867         | 0.67      | 0.147   | 0.82     | 0.1       | 9         | 1387      | 98        | 21        | 306       |           |
| 93-02   | 244.00      | 246.00    | 2.00          | 64868         | 1.03      | 0.194   | 1.22     | 0.1       | 9         | 1811      | 65        | 17        | 505       |           |
| 93-02   | 246.00      | 248.00    | 2.00          | 64869         | 0.99      | 0.185   | 1.17     | 0.4       | 14        | 1795      | 164       | 20        | 1046      |           |
| 93-02   | 248.00      | 250.00    | 2.00          | 64870         | 0.87      | 0.111   | 0.98     | 0.1       | 12        | 1045      | 161       | 19        | 919       |           |
| 93-02   | 250.00      | 252.00    | 2.00          | 64871         | 0.81      | 0.162   | 0.97     | 0.1       | 6         | 1559      | 63        | 21        | 737       |           |
| 93-02   | 252.00      | 254.00    | 2.00          | 64872         | 0.69      | 0.158   | 0.85     | 0.4       | 6         | 1457      | 53        | 20        | 220       |           |
| 93-02   | 254.00      | 256.00    | 2.00          | 64873         | 0.49      | 0.065   | 0.56     | 3.0       | 2         | 611       | 64        | 9         | 109       |           |
| 93-02   | 256.00      | 258.00    | 2.00          | 64874         | 0.12      | 0.009   | 0.13     | 0.1       | 2         | 69        | 37        | 11        | 171       |           |
| 93-02   | 258.00      | 260.00    | 2.00          | 64875         | 0.03      | 0.004   | 0.03     | 0.1       | 4         | 20        | 28        | 15        | 152       |           |
| 93-02   | 260.00      | 262.00    | 2.00          | 64876         | 0.46      | 0.144   | 0.60     | 0.1       | 9         | 1382      | 259       | 18        | 791       |           |
| 93-02   | 262.00      | 264.00    | 2.00          | 64877         | 0.77      | 0.162   | 0.93     | 0.1       | 6         | 1480      | 75        | 15        | 462       |           |
| 93-02   | 264.00      | 266.00    | 2.00          | 64878         | 0.57      | 0.158   | 0.73     | 0.1       | 5         | 1440      | 264       | 17        | 715       |           |
| 93-02   | 266.00      | 268.00    | 2.00          | 64879         | 0.01      | 0.004   | 0.01     | 0.1       | 11        | 30        | 76        | 14        | 195       |           |
| 93-02   | 268.00      | 270.36    | 2.36          | 64880         | 0.11      | 0.054   | 0.16     | 0.1       | 20        | 497       | 151       | 20        | 873       |           |



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**'ANCOUVER OFFICE:**

405 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0381-RA1**

Company: **ROMULUS RESOURCES**

Project: **9302**

Attn: **ROB KLASSEN/MARK REBAGLIATI**

Date: **JUL-30-93**

Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-26-93 by MARK REBAGLIATI.

*93-02*

| Sample<br>Number | AU<br>g/tonne | AU<br>oz/ton | AU<br>g/tonne | AU<br>oz/ton | CU<br>% | CU<br>% |
|------------------|---------------|--------------|---------------|--------------|---------|---------|
| 1-64749          | .04           | .001         |               |              | .005    | .005    |
| 1-64750          | .02           | .001         |               |              | .003    |         |
| 1-64751          | .02           | .001         |               |              | .005    |         |
| 1-64752          | .01           | .001         | .01           | .001         | .003    |         |
| 1-64753          | .01           | .001         |               |              | .009    |         |
| 1-64754          | .01           | .001         |               |              | .015    |         |
| 1-64755          | .49           | .014         |               |              | .014    |         |
| 1-64756          | .44           | .013         |               |              | .023    |         |
| 1-64757          | .54           | .016         |               |              | .020    |         |
| 1-64758          | .46           | .013         |               |              | .016    |         |
| 1-64759          | .73           | .021         | .78           | .023         | .024    | .025    |
| 1-64760          | .42           | .012         |               |              | .015    |         |
| 1-64761          | .39           | .011         |               |              | .026    |         |
| 1-64762          | .46           | .013         |               |              | .016    |         |
| 1-64763          | .78           | .023         |               |              | .021    |         |
| 1-64764          | .47           | .014         |               |              | .077    |         |
| 1-64765          | .64           | .019         |               |              | .067    |         |
| 1-64766          | .56           | .016         |               |              | .061    |         |
| 1-64767          | .65           | .019         |               |              | .034    |         |
| 1-64768          | .37           | .011         | .38           | .011         | .066    |         |
| 1-64769          | .02           | .001         |               |              | .005    | .005    |
| 1-64770          | .01           | .001         |               |              | .013    |         |
| 1-64771          | .02           | .001         |               |              | .026    |         |
| 1-64772          | .01           | .001         |               |              | .006    |         |

Certified by *Elin*

MIN-EN LABORATORIES



**MINERAL ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

'ANCOUVER OFFICE:  
105 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

SMITHERS LAB.:  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0381-RA2**

Company: **ROMULUS RESOURCES**

Date: JUL-30-93

Project: **9302**

Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

Attn: **ROB KLASSEN/MARK REBAGLIATI**

We hereby certify the following Assay of 24 CORE samples  
submitted JUL-26-93 by MARK REBAGLIATI.

*97-02*

| Sample Number | AU g/tonne | AU oz/ton | AU g/tonne | AU oz/ton | CU % | CU % |
|---------------|------------|-----------|------------|-----------|------|------|
| 1-64773       | .05        | .001      |            |           | .011 | .010 |
| 1-64774       | .04        | .001      |            |           | .021 |      |
| 1-64775       | .04        | .001      |            |           | .029 |      |
| 1-64776       | .23        | .007      |            |           | .094 |      |
| 1-64777       | .45        | .013      | .45        | .013      | .132 |      |
| 1-64778       | .52        | .015      |            |           | .111 |      |
| 1-64779       | .14        | .004      |            |           | .045 |      |
| 1-64780       | .03        | .001      |            |           | .004 |      |
| 1-64781       | .01        | .001      |            |           | .003 |      |
| 1-64782       | .02        | .001      |            |           | .028 |      |
| 1-64783       | .08        | .002      | .06        | .002      | .007 | .007 |
| 1-64784       | .50        | .015      |            |           | .060 |      |
| 1-64785       | .65        | .019      |            |           | .087 |      |
| 1-64786       | 1.49       | .043      | 1.40       | .041      | .069 |      |
| 1-64787       | .25        | .007      |            |           | .040 |      |
| 1-64788       | .15        | .004      |            |           | .053 |      |
| 1-64789       | .24        | .007      |            |           | .074 |      |
| 1-64790       | .18        | .005      |            |           | .041 |      |
| 1-64791       | .25        | .007      |            |           | .049 |      |
| 1-64792       | .19        | .006      |            |           | .045 |      |
| 1-64793       | .40        | .012      |            |           | .077 | .078 |
| 1-64794       | .56        | .016      |            |           | .055 |      |
| 1-64795       | .34        | .010      |            |           | .061 |      |
| 1-64796       | .49        | .014      |            |           | .058 |      |

Certified by \_\_\_\_\_ 

MIN-EN LABORATORIES



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0381-RA3**

Company: **ROMULUS RESOURCES**

Date: JUL-30-93

Project: **9302**

Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

Attn: **ROB KLASSEN/MARK REBALIATI**

We hereby certify the following Assay of 20 CORE samples  
submitted JUL-26-93 by MARK REBALIATI.

*93-02*

| Sample<br>Number | AU<br>g/tonne | AU<br>oz/ton | AU<br>g/tonne | AU<br>oz/ton | CU<br>% | CU<br>% |
|------------------|---------------|--------------|---------------|--------------|---------|---------|
| 1-64797          | .65           | .019         |               |              | .128    | .124    |
| 1-64798          | .82           | .024         |               |              | .086    |         |
| 1-64799          | .52           | .015         |               |              | .066    |         |
| 1-64800          | .55           | .016         |               |              | .066    |         |
| 1-64801          | .32           | .009         |               |              | .056    |         |
| 1-64802          | .40           | .012         |               |              | .083    |         |
| 1-64803          | .42           | .012         |               |              | .104    |         |
| 1-64804          | .55           | .016         |               |              | .076    |         |
| 1-64805          | .51           | .015         |               |              | .077    |         |
| 1-64806          | .45           | .013         |               |              | .071    |         |
| 1-64807          | .54           | .016         |               |              | .109    | .110    |
| 1-64808          | .47           | .014         |               |              | .070    |         |
| 1-64809          | .29           | .008         |               |              | .085    |         |
| 1-64810          | .91           | .027         | .96           | .028         | .141    |         |
| 1-64811          | 1.02          | .030         | 1.07          | .031         | .139    |         |
| 1-64812          | .25           | .007         |               |              | .048    |         |
| 1-64813          | .02           | .001         | .02           | .001         | .004    |         |
| 1-64814          | .02           | .001         |               |              | .004    |         |
| 1-64815          | .01           | .001         |               |              | .008    |         |
| 1-64816          | .02           | .001         |               |              | .004    |         |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

SMITHERS LAB.:  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

## Assay Certificate

3V-0382-RA1

Company: ROMULUS RESOURCES

Project: 9302

Attn: ROB KLASSEN/MARK REBAGLIATI

Date: AUG-03-93

Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.


We hereby certify the following Assay of 24 CORE samples  
submitted JUL-26-93 by M. REBAGLIATI.

93-02

| Sample Number | AU g/tonne | AU oz/ton | AU g/tonne | AU oz/ton | CU % | CU % |
|---------------|------------|-----------|------------|-----------|------|------|
| 1-64817       | .01        | .001      |            |           | .005 | .005 |
| 1-64818       | .01        | .001      |            |           | .009 |      |
| 1-64819       | .01        | .001      |            |           | .007 |      |
| 1-64820       | .36        | .011      | .35        | .010      | .106 |      |
| 1-64821       | .25        | .007      | .22        | .006      | .063 |      |
| 1-64822       | .02        | .001      |            |           | .004 |      |
| 1-64823       | .03        | .001      |            |           | .003 |      |
| 1-64824       | .04        | .001      |            |           | .008 |      |
| 1-64825       | .02        | .001      |            |           | .018 |      |
| 1-64826       | .01        | .001      |            |           | .007 |      |
| 1-64827       | .08        | .002      |            |           | .021 | .021 |
| 1-64828       | .26        | .008      | .26        | .008      | .031 |      |
| 1-64829       | .02        | .001      |            |           | .004 |      |
| 1-64830       | .01        | .001      |            |           | .003 |      |
| 1-64831       | .06        | .002      |            |           | .005 |      |
| 1-64832       | .05        | .001      |            |           | .006 |      |
| 1-64833       | .01        | .001      |            |           | .005 |      |
| 1-64834       | .01        | .001      |            |           | .005 |      |
| 1-64835       | .01        | .001      |            |           | .008 |      |
| 1-64836       | .01        | .001      |            |           | .005 |      |
| 1-64837       | .01        | .001      |            |           | .004 | .004 |
| 1-64838       | .01        | .001      |            |           | .009 |      |
| 1-64839       | .01        | .001      |            |           | .004 |      |
| 1-64840       | .01        | .001      |            |           | .008 |      |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

3V-0382-RA2

Company: **ROMULUS RESOURCES**

Project: **9302**

Attn: **ROB KLASSEN/MARK REBAGLIATI**

Date: **AUG-03-93**

Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.


We hereby certify the following Assay of 24 CORE samples  
submitted JUL-26-93 by M. REBAGLIATI.

93-02

| Sample<br>Number | AU<br>g/tonne | AU<br>oz/ton | AU<br>g/tonne | AU<br>oz/ton | CU<br>% | CU<br>% |
|------------------|---------------|--------------|---------------|--------------|---------|---------|
| 1-64841          | .02           | .001         |               |              | .004    | .004    |
| 1-64842          | .01           | .001         |               |              | .006    |         |
| 1-64843          | .02           | .001         |               |              | .003    |         |
| 1-64844          | .01           | .001         |               |              | .007    |         |
| 1-64845          | .01           | .001         |               |              | .005    |         |
| 1-64846          | .20           | .006         |               |              | .057    |         |
| 1-64847          | .36           | .011         | .35           | .010         | .080    |         |
| 1-64848          | .14           | .004         |               |              | .058    |         |
| 1-64849          | .01           | .001         |               |              | .005    |         |
| 1-64850          | .04           | .001         |               |              | .003    |         |
| 1-64851          | .03           | .001         |               |              | .003    | .003    |
| 1-64852          | .01           | .001         |               |              | .006    |         |
| 1-64853          | .01           | .001         |               |              | .006    |         |
| 1-64854          | .01           | .001         |               |              | .003    |         |
| 1-64855          | .01           | .001         |               |              | .005    |         |
| 1-64856          | .01           | .001         |               |              | .006    |         |
| 1-64857          | .01           | .001         |               |              | .009    |         |
| 1-64858          | .04           | .001         |               |              | .006    |         |
| 1-64859          | .02           | .001         |               |              | .007    |         |
| 1-64860          | .02           | .001         |               |              | .012    |         |
| 1-64861          | .01           | .001         |               |              | .003    | .003    |
| 1-64862          | .01           | .001         |               |              | .003    |         |
| 1-64863          | 1.31          | .038         | 1.38          | .040         | .129    |         |
| 1-64864          | .66           | .019         | .63           | .018         | .119    |         |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0382-RA3**

Company: **ROMULUS RESOURCES**

Date: **AUG-03-93**

Project: **9302**


Copy 1. ROMULUS RESOURCES, VANCOUVER, B.C.

Attn: **ROB KLASSEN/MARK REBALIATI**

We hereby certify the following Assay of 16 CORE samples  
submitted JUL-26-93 by M. REBALIATI.

*93-02*

| Sample<br>Number | AU<br>g/tonne | AU<br>oz/ton | AU<br>g/tonne | AU<br>oz/ton | CU<br>% | CU<br>% |
|------------------|---------------|--------------|---------------|--------------|---------|---------|
| 1-64865          | .34           | .010         |               |              | .068    | .068    |
| 1-64866          | .08           | .002         |               |              | .037    |         |
| 1-64867          | .67           | .020         |               |              | .147    |         |
| 1-64868          | 1.03          | .030         | 1.11          | .032         | .194    |         |
| 1-64869          | .99           | .029         |               |              | .185    |         |
| 1-64870          | .87           | .025         |               |              | .111    |         |
| 1-64871          | .81           | .024         | .79           | .023         | .162    |         |
| 1-64872          | .69           | .020         |               |              | .158    |         |
| 1-64873          | .49           | .014         |               |              | .065    |         |
| 1-64874          | .12           | .004         |               |              | .009    |         |
| 1-64875          | .03           | .001         |               |              | .004    | .004    |
| 1-64876          | .46           | .013         |               |              | .144    |         |
| 1-64877          | .77           | .022         | .75           | .022         | .162    |         |
| 1-64878          | .57           | .017         |               |              | .158    |         |
| 1-64879          | .01           | .001         |               |              | .004    |         |
| 1-64880          | .11           | .003         |               |              | .054    |         |

Certified by \_\_\_\_\_ 

MIN-EN LABORATORIES

COMP: ROMULUS RESOURCES

PROJ: 9302

ATTN: ROB KLASSEN/MARK REBAGLIATI

**MIN-EN LABS — ICP REPORT**  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 (604)980-5814 OR (604)988-4524

93-02

FILE NO: 3V-0381-RJ1+2

DATE: 93/07/30

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO PPM | NA % | NI % | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-64749       | .1     | 1.51 | 8      | 88    | 42     | .1     | 12     | .94  | .1     | 8      | 27     | 2.67 | .13 | 1      | .89  | 881    | 1      | .04  | 1    | 740   | 16     | 4      | 69     | 76     | 1669   | 59.9  | 165    | 14     | 1      | 5     | 38     |
| 1-64750       | .1     | 1.64 | 11     | 83    | 60     | .1     | 12     | 1.19 | .1     | 8      | 9      | 2.52 | .09 | 1      | .90  | 916    | 2      | .04  | 1    | 740   | 17     | 5      | 101    | 79     | 1946   | 57.7  | 139    | 16     | 1      | 6     | 58     |
| 1-64751       | .1     | 1.82 | 5      | 76    | 62     | .1     | 14     | 1.19 | .1     | 8      | 38     | 2.77 | .13 | 1      | .91  | 1211   | 1      | .04  | 1    | 740   | 46     | 6      | 102    | 80     | 2089   | 59.6  | 181    | 16     | 1      | 6     | 43     |
| 1-64752       | .1     | 1.61 | 6      | 82    | 59     | .1     | 13     | 1.16 | .1     | 8      | 9      | 2.59 | .08 | 1      | .94  | 1009   | 1      | .03  | 1    | 820   | 26     | 5      | 92     | 80     | 1977   | 63.0  | 125    | 16     | 1      | 6     | 52     |
| 1-64753       | .1     | 2.29 | 8      | 76    | 77     | .1     | 19     | 1.25 | .1     | 12     | 63     | 3.79 | .16 | 4      | 1.13 | 1770   | 3      | .03  | 1    | 980   | 30     | 10     | 113    | 106    | 2678   | 102.1 | 346    | 22     | 1      | 8     | 47     |
| 1-64754       | .1     | 2.95 | 18     | 91    | 73     | .1     | 28     | 1.18 | .1     | 25     | 131    | 6.37 | .10 | 16     | 1.97 | 1808   | 3      | .04  | 1    | 1650  | 26     | 11     | 50     | 124    | 4116   | 193.5 | 831    | 31     | 1      | 10    | 41     |
| 1-64755       | .1     | 2.24 | 15     | 82    | 108    | .1     | 13     | .66  | .1     | 8      | 122    | 3.92 | .35 | 2      | 1.06 | 1172   | 8      | .03  | 1    | 980   | 38     | 11     | 90     | 108    | 1732   | 84.9  | 177    | 22     | 1      | 6     | 29     |
| 1-64756       | .9     | 2.65 | 18     | 73    | 180    | .1     | 12     | .45  | .1     | 6      | 217    | 4.17 | .46 | 1      | .86  | 1164   | 32     | .03  | 1    | 1330  | 63     | 11     | 181    | 102    | 1125   | 68.4  | 153    | 18     | 1      | 5     | 19     |
| 1-64757       | .1     | 1.92 | 1      | 86    | 220    | .1     | 15     | .15  | .1     | 4      | 184    | 3.95 | .46 | 1      | .61  | 822    | 50     | .04  | 1    | 1060  | 77     | 6      | 70     | 77     | 1720   | 67.8  | 96     | 14     | 1      | 4     | 10     |
| 1-64758       | .5     | 1.97 | 4      | 77    | 179    | .1     | 17     | .27  | .1     | 5      | 159    | 4.18 | .38 | 1      | .72  | 1037   | 47     | .04  | 1    | 1050  | 107    | 6      | 58     | 91     | 2189   | 79.6  | 110    | 16     | 1      | 5     | 19     |
| 1-64759       | .4     | 1.52 | 1      | 81    | 203    | .1     | 12     | .15  | .1     | 4      | 196    | 3.92 | .32 | 1      | .47  | 650    | 43     | .03  | 51   | 1030  | 71     | 5      | 35     | 81     | 1414   | 65.1  | 92     | 12     | 1      | 4     | 9      |
| 1-64760       | .1     | 2.11 | 8      | 69    | 170    | .1     | 11     | .46  | .1     | 7      | 124    | 4.10 | .35 | 3      | 1.00 | 1340   | 14     | .03  | 1    | 890   | 61     | 9      | 62     | 96     | 1155   | 69.1  | 177    | 19     | 1      | 5     | 17     |
| 1-64761       | .1     | 2.26 | 9      | 78    | 238    | .1     | 11     | .14  | .1     | 4      | 239    | 4.40 | .62 | 1      | .60  | 866    | 34     | .02  | 1    | 1010  | 73     | 8      | 43     | 96     | 908    | 58.3  | 115    | 14     | 1      | 4     | 10     |
| 64762         | .1     | 2.03 | 10     | 76    | 241    | .1     | 13     | .44  | .1     | 6      | 142    | 3.90 | .30 | 2      | .95  | 1255   | 36     | .03  | 1    | 950   | 38     | 7      | 48     | 98     | 1883   | 77.5  | 203    | 18     | 1      | 6     | 20     |
| 64763         | .1     | 2.22 | 24     | 102   | 232    | .1     | 11     | .28  | .1     | 4      | 180    | 3.89 | .60 | 1      | .67  | 831    | 31     | .02  | 1    | 650   | 43     | 10     | 39     | 99     | 828    | 60.0  | 159    | 16     | 1      | 5     | 15     |
| 1-64764       | 2.2    | 2.22 | 29     | 77    | 249    | .1     | 15     | .44  | .1     | 7      | 746    | 4.62 | .36 | 1      | .90  | 1313   | 41     | .03  | 1    | 680   | 47     | 10     | 38     | 114    | 1097   | 68.1  | 257    | 19     | 1      | 6     | 27     |
| 1-64765       | 4.5    | 2.05 | 18     | 64    | 211    | .1     | 16     | .26  | .1     | 8      | 649    | 3.65 | .47 | 1      | .80  | 1004   | 33     | .02  | 1    | 850   | 72     | 8      | 28     | 86     | 1637   | 59.2  | 286    | 15     | 1      | 5     | 20     |
| 1-64766       | 1.5    | 2.12 | 10     | 77    | 172    | .1     | 17     | .39  | .1     | 9      | 583    | 4.38 | .42 | 1      | .99  | 1505   | 20     | .03  | 1    | 1060  | 62     | 8      | 31     | 100    | 1937   | 79.2  | 254    | 20     | 1      | 6     | 17     |
| 1-64767       | .6     | 2.14 | 4      | 85    | 234    | .1     | 15     | .32  | .1     | 7      | 321    | 4.26 | .51 | 1      | .94  | 1441   | 26     | .04  | 1    | 1010  | 112    | 7      | 25     | 92     | 1820   | 71.8  | 173    | 20     | 1      | 6     | 22     |
| 1-64768       | .1     | 2.42 | 14     | 89    | 136    | .1     | 20     | .65  | .1     | 10     | 642    | 4.43 | .37 | 4      | 1.29 | 1812   | 22     | .03  | 1    | 890   | 69     | 11     | 57     | 112    | 2084   | 87.1  | 270    | 25     | 1      | 7     | 28     |
| 1-64769       | .1     | 2.19 | 20     | 83    | 44     | .1     | 15     | 1.61 | .1     | 10     | 43     | 3.40 | .11 | 1      | 1.07 | 999    | 5      | .03  | 1    | 1140  | 21     | 9      | 163    | 98     | 2451   | 96.4  | 92     | 21     | 1      | 8     | 55     |
| 1-64770       | .1     | 1.78 | 13     | 65    | 57     | .1     | 14     | .94  | .1     | 9      | 108    | 2.99 | .20 | 2      | .97  | 1225   | 5      | .03  | 1    | 810   | 29     | 8      | 55     | 97     | 1892   | 79.0  | 61     | 18     | 1      | 8     | 62     |
| 1-64771       | .1     | 2.01 | 17     | 53    | 71     | .1     | 13     | .92  | .1     | 9      | 236    | 3.01 | .25 | 2      | .92  | 1355   | 5      | .02  | 1    | 650   | 49     | 8      | 60     | 96     | 1681   | 73.3  | 120    | 18     | 1      | 7     | 58     |
| 1-64772       | .1     | 1.62 | 15     | 58    | 59     | .1     | 14     | 1.20 | .1     | 9      | 37     | 2.88 | .09 | 1      | .95  | 901    | 4      | .04  | 1    | 810   | 17     | 7      | 117    | 93     | 1934   | 82.7  | 99     | 19     | 1      | 8     | 68     |
| 1-64773       | .1     | 1.19 | 4      | 89    | 43     | .1     | 9      | .72  | .1     | 8      | 89     | 2.38 | .09 | 1      | .93  | 804    | 3      | .04  | 1    | 760   | 17     | 4      | 60     | 78     | 1348   | 62.4  | 107    | 15     | 1      | 5     | 56     |
| 1-64774       | .1     | 1.61 | 15     | 88    | 89     | .1     | 12     | .80  | .1     | 7      | 201    | 2.43 | .13 | 2      | .94  | 972    | 3      | .03  | 1    | 950   | 24     | 6      | 81     | 81     | 1480   | 61.9  | 71     | 16     | 1      | 6     | 50     |
| 1-64775       | .1     | 1.88 | 1      | 104   | 62     | .1     | 15     | .75  | .1     | 11     | 302    | 4.10 | .19 | 7      | 1.28 | 1676   | 3      | .04  | 1    | 1500  | 78     | 5      | 60     | 89     | 2016   | 100.4 | 196    | 21     | 1      | 7     | 38     |
| 1-64776       | 1.8    | 1.64 | 1      | 92    | 86     | .1     | 15     | .52  | .1     | 11     | 910    | 3.44 | .36 | 1      | .82  | 1193   | 15     | .02  | 1    | 930   | 46     | 6      | 30     | 83     | 1132   | 59.8  | 203    | 15     | 1      | 5     | 36     |
| 1-64777       | .1     | 1.96 | 1      | 103   | 110    | .1     | 17     | .46  | .1     | 8      | 1314   | 3.92 | .42 | 3      | 1.18 | 2200   | 25     | .03  | 1    | 900   | 58     | 9      | 21     | 99     | 1128   | 63.8  | 372    | 22     | 1      | 5     | 27     |
| 1-64778       | .1     | 1.79 | 1      | 123   | 56     | .1     | 21     | .63  | .1     | 12     | 1083   | 4.33 | .21 | 7      | 1.39 | 2686   | 16     | .05  | 1    | 1140  | 31     | 5      | 22     | 105    | 2340   | 94.5  | 605    | 26     | 1      | 6     | 36     |
| 1-64779       | .1     | 1.72 | 1      | 105   | 46     | .1     | 18     | .68  | .1     | 10     | 442    | 3.78 | .25 | 4      | 1.14 | 2430   | 8      | .04  | 1    | 1010  | 22     | 4      | 28     | 84     | 2275   | 81.5  | 556    | 20     | 1      | 5     | 34     |
| 1-64780       | .1     | 1.91 | 1      | 110   | 59     | .1     | 17     | .95  | .1     | 9      | 39     | 3.48 | .17 | 4      | 1.08 | 3373   | 3      | .03  | 1    | 1210  | 36     | 7      | 66     | 74     | 2192   | 85.4  | 344    | 25     | 1      | 6     | 45     |
| 1-64781       | .1     | 2.11 | 1      | 106   | 54     | .1     | 17     | 1.24 | .1     | 9      | 26     | 3.38 | .16 | 2      | 1.12 | 4189   | 3      | .02  | 1    | 1170  | 38     | 9      | 103    | 74     | 2106   | 71.1  | 756    | 29     | 1      | 6     | 45     |
| 1-64782       | .1     | 1.85 | 1      | 114   | 119    | .1     | 13     | .69  | .1     | 9      | 241    | 3.59 | .28 | 3      | 1.06 | 4223   | 20     | .02  | 1    | 790   | 154    | 7      | 40     | 92     | 1198   | 64.3  | 2370   | 27     | 1      | 3     | 39     |
| 1-64783       | .1     | 1.92 | 1      | 107   | 83     | .1     | 15     | 1.04 | .1     | 9      | 64     | 3.53 | .17 | 2      | 1.09 | 5061   | 3      | .02  | 1    | 1030  | 37     | 7      | 68     | 82     | 1905   | 73.7  | 1343   | 30     | 1      | 5     | 43     |
| 1-64784       | .1     | 2.14 | 1      | 114   | 126    | .1     | 13     | .52  | .1     | 9      | 550    | 4.29 | .30 | 6      | 1.51 | 3042   | 15     | .03  | 1    | 650   | 39     | 10     | 29     | 110    | 1064   | 61.4  | 621    | 27     | 1      | 6     | 23     |
| 1-64785       | .1     | 1.94 | 10     | 122   | 113    | .1     | 14     | .51  | .1     | 9      | 809    | 3.59 | .33 | 4      | 1.24 | 1769   | 25     | .02  | 1    | 880   | 63     | 9      | 39     | 103    | 979    | 53.4  | 324    | 21     | 1      | 5     | 23     |
| 1-64786       | .5     | 2.13 | 15     | 128   | 138    | .1     | 11     | .46  | .1     | 9      | 648    | 3.90 | .35 | 5      | 1.36 | 2341   | 69     | .02  | 1    | 700   | 197    | 11     | 29     | 113    | 596    | 57.1  | 1630   | 25     | 1      | 4     | 22     |
| 1-64787       | .1     | 1.82 | 19     | 135   | 202    | .1     | 15     | .77  | .1     | 10     | 363    | 3.91 | .17 | 5      | 1.43 | 1484   | 24     | .04  | 1    | 1180  | 26     | 7      | 52     | 112    | 1724   | 86.3  | 335    | 24     | 1      | 6     | 35     |
| 1-64788       | .1     | 1.95 | 4      | 121   | 111    | .1     | 14     | .64  | .1     | 9      | 505    | 4.26 | .29 | 5      | 1.37 | 1835   | 34     | .03  | 1    | 1230  | 31     | 7      | 43     | 105    | 1564   | 73.7  | 415    | 24     | 1      | 6     | 31     |
| 1-64789       | .1     | 1.70 | 10     | 123   | 129    | .1     | 14     | .51  | .1     | 8      | 676    | 3.86 | .35 | 2      | .94  | 1514   | 22     | .02  | 1    | 1210  | 39     | 7      | 32     | 96     | 1206   | 55.9  | 618    | 18     | 1      | 5     | 25     |
| 1-64790       | .1     | 1.87 | 13     | 124   | 150    | .1     | 16     | .85  | .1     | 10     | 378    | 4.20 | .18 | 4      | 1.38 | 1903   | 13     | .04  | 1    | 1220  | 40     | 9      | 48     | 107    | 1972   | 83.5  | 535    | 24     | 1      | 6     | 31     |
| 1-64791       | .1     | 1.91 | 1      | 113   | 74     | .1     | 16     | .82  | .1     | 11     | 449    | 4.00 | .21 | 3      | 1.29 | 2554   | 20     | .03  | 1    | 1150  | 121    | 8      | 45     | 105    | 1556   | 71.6  | 683    | 25     | 1      | 6     |        |

#### **COMP: ROMULUS RESOURCES**

PROJ: 9302

ATTN: ROB KLASSEN/MARK REBALIATI

## MIN-EN LABS — ICP REPORT

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 OR (604)988-4524

FILE NO: 3V-0381-RJ3

DATE: 93/07/30

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO PPM | NA % | NI PPM | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-64797       | .1     | 1.36 | 1      | 97    | 90     | .1     | 13     | .49  | .1     | 11     | 1200   | 4.05 | .18 | 3      | 1.03 | 1553   | 11     | .02  | 1      | 1140  | 39     | 3      | 55     | 88     | 933    | 53.3  | 368    | 18     | 1      | 5     | 30     |
| 1-64798       | .2     | 1.77 | 1      | 115   | 97     | .1     | 12     | .37  | .1     | 11     | 864    | 4.77 | .33 | 5      | 1.25 | 2632   | 17     | .02  | 1      | 930   | 131    | 5      | 25     | 101    | 776    | 44.5  | 939    | 22     | 1      | 4     | 22     |
| 1-64799       | .1     | 1.82 | 1      | 114   | 120    | .1     | 12     | .45  | .1     | 10     | 623    | 4.14 | .39 | 4      | 1.23 | 2403   | 20     | .02  | 1      | 1090  | 74     | 5      | 9      | 95     | 1198   | 46.8  | 544    | 20     | 1      | 5     | 24     |
| 1-64800       | .1     | 1.65 | 1      | 123   | 110    | .1     | 11     | .43  | .1     | 9      | 622    | 4.18 | .43 | 3      | 1.03 | 2008   | 24     | .02  | 1      | 1020  | 54     | 5      | 8      | 91     | 754    | 51.2  | 517    | 18     | 1      | 5     | 31     |
| 1-64801       | .1     | 1.85 | 1      | 120   | 108    | .1     | 14     | .65  | .1     | 10     | 533    | 4.37 | .30 | 5      | 1.38 | 2287   | 13     | .03  | 1      | 1090  | 37     | 5      | 24     | 100    | 1689   | 81.0  | 389    | 22     | 1      | 6     | 35     |
| 1-64802       | .1     | 1.73 | 1      | 124   | 117    | .1     | 14     | .65  | .1     | 9      | 760    | 4.20 | .27 | 4      | 1.27 | 2026   | 12     | .03  | 1      | 1030  | 28     | 5      | 31     | 103    | 1460   | 74.3  | 378    | 21     | 1      | 6     | 38     |
| 1-64803       | .1     | 1.92 | 1      | 115   | 104    | .1     | 15     | .52  | .1     | 10     | 972    | 4.76 | .33 | 6      | 1.44 | 2783   | 10     | .03  | 1      | 1070  | 34     | 6      | 18     | 105    | 1111   | 65.1  | 625    | 25     | 1      | 6     | 31     |
| 1-64804       | .1     | 1.82 | 1      | 111   | 127    | .1     | 12     | .49  | .1     | 9      | 701    | 4.46 | .37 | 5      | 1.29 | 2240   | 9      | .03  | 1      | 1080  | 36     | 5      | 15     | 99     | 1021   | 61.3  | 2042   | 22     | 1      | 4     | 26     |
| 1-64805       | .1     | 1.55 | 1      | 121   | 111    | .1     | 13     | .45  | .1     | 11     | 677    | 5.24 | .33 | 4      | 1.12 | 2580   | 11     | .02  | 1      | 950   | 119    | 3      | 15     | 92     | 584    | 39.2  | 2667   | 21     | 1      | 3     | 34     |
| 1-64806       | .1     | 1.73 | 1      | 98    | 62     | .1     | 12     | .42  | .1     | 10     | 633    | 4.92 | .32 | 4      | 1.30 | 3059   | 13     | .03  | 1      | 1020  | 142    | 6      | 9      | 97     | 609    | 45.8  | 315    | 26     | 1      | 6     | 43     |
| 1-64807       | .1     | 1.90 | 1      | 100   | 76     | .1     | 12     | .55  | .1     | 10     | 990    | 5.25 | .33 | 5      | 1.43 | 3028   | 10     | .03  | 1      | 950   | 66     | 6      | 15     | 103    | 767    | 65.5  | 563    | 26     | 1      | 6     | 37     |
| 1-64808       | .1     | 1.60 | 6      | 104   | 79     | .1     | 12     | 1.58 | .1     | 11     | 686    | 3.75 | .30 | 1      | .95  | 1707   | 8      | .02  | 1      | 840   | 36     | 6      | 77     | 88     | 912    | 41.8  | 387    | 18     | 1      | 6     | 61     |
| 1-64809       | .1     | 1.71 | 1      | 92    | 94     | .1     | 11     | 1.71 | .1     | 8      | 825    | 4.51 | .21 | 4      | 1.26 | 2668   | 12     | .02  | 1      | 850   | 68     | 7      | 82     | 94     | 665    | 56.5  | 375    | 25     | 1      | 7     | 58     |
| 64810         | 1.3    | 1.52 | 1      | 96    | 121    | .1     | 13     | 1.83 | .1     | 10     | 1283   | 4.39 | .35 | 2      | 1.01 | 2019   | 19     | .02  | 1      | 930   | 76     | 5      | 102    | 93     | 728    | 41.9  | 1038   | 19     | 1      | 4     | 41     |
| 64811         | 3.8    | 1.15 | 20     | 111   | 108    | .1     | 13     | 3.55 | .1     | 10     | 1240   | 3.96 | .38 | 1      | .62  | 1335   | 51     | .01  | 1      | 1040  | 34     | 3      | 140    | 58     | 897    | 36.8  | 669    | 12     | 1      | 3     | 26     |
| 1-64812       | .1     | 1.24 | 6      | 94    | 50     | .1     | 10     | 1.58 | .1     | 7      | 464    | 2.70 | .22 | 1      | .79  | 1472   | 13     | .02  | 1      | 880   | 36     | 3      | 75     | 65     | 1003   | 30.8  | 268    | 14     | 1      | 5     | 64     |
| 1-64813       | .1     | 1.35 | 1      | 107   | 69     | .1     | 8      | 1.44 | .1     | 6      | 34     | 2.41 | .14 | 1      | .88  | 1777   | 3      | .03  | 1      | 850   | 44     | 4      | 109    | 66     | 1274   | 43.7  | 276    | 15     | 1      | 6     | 82     |
| 1-64814       | .1     | 1.35 | 1      | 92    | 47     | .1     | 7      | 1.35 | .1     | 6      | 19     | 2.45 | .10 | 1      | .96  | 1812   | 4      | .03  | 1      | 870   | 24     | 4      | 75     | 70     | 1306   | 46.4  | 173    | 17     | 1      | 8     | 86     |
| 1-64815       | .1     | 1.36 | 1      | 96    | 51     | .1     | 8      | 1.43 | .1     | 6      | 61     | 2.32 | .10 | 1      | .87  | 1788   | 2      | .03  | 1      | 840   | 65     | 4      | 85     | 61     | 1301   | 46.4  | 381    | 15     | 1      | 6     | 75     |
| 1-64816       | .1     | 1.52 | 2      | 97    | 65     | .1     | 8      | 1.44 | .1     | 6      | 30     | 2.33 | .15 | 1      | .90  | 2130   | 3      | .03  | 1      | 870   | 39     | 6      | 83     | 75     | 1334   | 42.8  | 222    | 20     | 1      | 7     | 77     |

COMP: ROMULUS RESOURCES

PROJ: 9302

ATTN: ROB KLASSEN/MARK REBAGLIATI

MIN-EN LABS — ICP REPORT  
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
(604)980-5814 OR (604)988-4524

FILE NO: 3V-0382-RJ1+2

DATE: 93/08/03

\* CORE \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI % | CA PPM | CD % | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO %  | NA PPM | NI % | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|------|--------|------|--------|--------|------|-----|--------|------|--------|-------|--------|------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-64817       | .1     | 1.38 | 10     | 80    | 59     | .1     | 13   | .94    | .1   | 6      | 38     | 2.17 | .13 | 2      | .84  | 1791   | 3     | .03    | 1    | 820   | 46     | 14     | 85     | 70     | 1327   | 38.0  | 169    | 22     | 1      | 6     | 76     |
| 1-64818       | .1     | 1.35 | 13     | 93    | 143    | .1     | 14   | 1.35   | .1   | 6      | 81     | 2.24 | .13 | 3      | .86  | 2494   | 1     | .02    | 1    | 870   | 105    | 14     | 83     | 67     | 1284   | 35.9  | 627    | 26     | 1      | 3     | 53     |
| 1-64819       | .1     | 1.28 | 16     | 80    | 347    | .1     | 9    | 1.35   | .1   | 5      | 57     | 2.12 | .18 | 3      | .80  | 2017   | 2     | .03    | 1    | 790   | 93     | 16     | 110    | 79     | 589    | 34.5  | 600    | 27     | 1      | 4     | 73     |
| 1-64820       | 1.0    | 1.37 | 15     | 85    | 209    | .1     | 16   | 2.01   | .1   | 9      | 976    | 3.81 | .33 | 5      | .86  | 1982   | 11    | .02    | 1    | 940   | 42     | 15     | 113    | 108    | 281    | 52.9  | 414    | 26     | 1      | 5     | 55     |
| 1-64821       | .1     | 1.86 | 22     | 98    | 198    | .1     | 17   | 1.88   | .1   | 10     | 578    | 3.94 | .35 | 5      | 1.06 | 2661   | 11    | .03    | 1    | 940   | 97     | 21     | 104    | 100    | 911    | 53.2  | 456    | 28     | 1      | 5     | 48     |
| 1-64822       | .1     | 1.61 | 20     | 92    | 85     | .1     | 15   | 1.11   | .1   | 8      | 35     | 3.08 | .20 | 4      | 1.00 | 2354   | 6     | .03    | 1    | 910   | 89     | 20     | 90     | 106    | 1451   | 48.4  | 1164   | 29     | 1      | 2     | 63     |
| 1-64823       | .1     | 1.66 | 22     | 79    | 89     | .1     | 15   | 1.17   | .1   | 8      | 26     | 3.13 | .24 | 5      | 1.05 | 2616   | 5     | .03    | 1    | 910   | 77     | 21     | 73     | 114    | 1257   | 42.0  | 395    | 33     | 1      | 6     | 65     |
| 1-64824       | .1     | 1.25 | 20     | 100   | 156    | .3     | 8    | 1.70   | .1   | 6      | 71     | 2.84 | .31 | 4      | .90  | 1843   | 5     | .02    | 1    | 860   | 89     | 14     | 83     | 92     | 294    | 31.0  | 774    | 24     | 1      | 3     | 55     |
| 1-64825       | .1     | 1.97 | 20     | 111   | 104    | .1     | 23   | 3.07   | .1   | 17     | 159    | 4.42 | .24 | 25     | 2.16 | 2110   | 7     | .02    | 21   | 1020  | 563    | 21     | 165    | 94     | 2443   | 128.2 | 361    | 37     | 1      | 7     | 54     |
| 1-64826       | .1     | 1.81 | 12     | 97    | 34     | .1     | 26   | 4.33   | .1   | 19     | 58     | 5.13 | .18 | 39     | 1.96 | 1407   | 1     | .02    | 1    | 1100  | 54     | 15     | 362    | 71     | 2974   | 195.1 | 97     | 31     | 1      | 6     | 8      |
| 1-64827       | .1     | 1.29 | 15     | 93    | 45     | .2     | 10   | 2.19   | .1   | 7      | 184    | 2.88 | .15 | 6      | 1.02 | 1877   | 13    | .02    | 1    | 820   | 253    | 16     | 126    | 86     | 524    | 51.1  | 303    | 27     | 1      | 5     | 52     |
| 1-64828       | .1     | 1.55 | 6      | 96    | 112    | .1     | 15   | 2.01   | .1   | 8      | 269    | 4.01 | .12 | 8      | 1.34 | 2364   | 13    | .03    | 1    | 1060  | 43     | 14     | 113    | 102    | 1264   | 73.3  | 225    | 31     | 1      | 5     | 27     |
| 1-64829       | .1     | 1.33 | 4      | 79    | 161    | .1     | 13   | 1.00   | .1   | 8      | 31     | 2.62 | .13 | 3      | .89  | 2336   | 2     | .03    | 1    | 890   | 120    | 12     | 76     | 80     | 1494   | 44.8  | 338    | 25     | 1      | 5     | 67     |
| 1-64830       | .1     | 1.31 | 15     | 85    | 226    | .1     | 11   | 1.65   | .1   | 6      | 22     | 2.43 | .16 | 4      | .93  | 2149   | 2     | .03    | 1    | 840   | 55     | 14     | 99     | 75     | 922    | 40.8  | 195    | 27     | 1      | 5     | 53     |
| 1-64831       | .1     | 1.26 | 16     | 88    | 98     | .1     | 14   | .93    | .1   | 7      | 46     | 2.64 | .14 | 4      | .87  | 2204   | 3     | .03    | 1    | 810   | 144    | 14     | 69     | 88     | 1416   | 43.0  | 497    | 27     | 1      | 5     | 67     |
| 1-64832       | .1     | 1.31 | 17     | 99    | 53     | .1     | 16   | .91    | .1   | 8      | 50     | 2.77 | .14 | 4      | 1.00 | 2181   | 2     | .03    | 1    | 880   | 323    | 16     | 57     | 98     | 1563   | 49.4  | 463    | 31     | 1      | 4     | 52     |
| 1-64833       | .1     | 1.51 | 20     | 87    | 70     | .1     | 14   | 1.24   | .1   | 9      | 35     | 2.89 | .09 | 5      | 1.18 | 2125   | 2     | .02    | 1    | 1050  | 110    | 17     | 87     | 102    | 1369   | 61.3  | 220    | 31     | 1      | 5     | 50     |
| 1-64834       | .1     | 1.59 | 19     | 95    | 84     | .3     | 11   | 1.78   | .1   | 8      | 40     | 2.69 | .13 | 5      | .94  | 1918   | 4     | .02    | 1    | 900   | 141    | 19     | 99     | 88     | 853    | 66.6  | 210    | 27     | 1      | 6     | 62     |
| 1-64835       | .1     | 1.61 | 18     | 86    | 89     | .1     | 15   | 1.53   | .1   | 10     | 73     | 2.85 | .12 | 5      | 1.06 | 1922   | 3     | .03    | 1    | 930   | 191    | 21     | 89     | 103    | 1429   | 64.3  | 302    | 30     | 1      | 6     | 56     |
| 1-64836       | .1     | 1.64 | 13     | 89    | 41     | .1     | 16   | 1.00   | .1   | 10     | 35     | 2.74 | .09 | 4      | 1.20 | 1544   | 2     | .03    | 1    | 920   | 120    | 20     | 90     | 105    | 1703   | 63.6  | 183    | 28     | 1      | 6     | 64     |
| 1-64837       | .1     | 1.95 | 16     | 86    | 128    | .1     | 16   | 1.59   | .1   | 9      | 38     | 2.86 | .10 | 5      | 1.20 | 1587   | 3     | .03    | 1    | 960   | 85     | 25     | 96     | 91     | 1606   | 66.7  | 127    | 29     | 1      | 7     | 55     |
| 1-64838       | .1     | 1.81 | 22     | 93    | 45     | .1     | 18   | 1.10   | .1   | 10     | 77     | 2.85 | .12 | 4      | 1.28 | 1885   | 2     | .03    | 1    | 950   | 166    | 23     | 84     | 106    | 1729   | 60.0  | 268    | 32     | 1      | 7     | 63     |
| 1-64839       | .1     | 2.18 | 20     | 73    | 127    | .1     | 18   | 1.91   | .1   | 11     | 33     | 3.29 | .12 | 6      | 1.38 | 1846   | 4     | .03    | 1    | 1040  | 241    | 28     | 140    | 102    | 1835   | 84.3  | 362    | 32     | 1      | 6     | 52     |
| 1-64840       | .1     | 1.73 | 20     | 95    | 72     | .1     | 18   | 1.71   | .1   | 10     | 72     | 3.34 | .18 | 6      | 1.13 | 2228   | 2     | .03    | 1    | 980   | 185    | 23     | 92     | 112    | 1706   | 81.4  | 254    | 33     | 1      | 6     | 50     |
| 1-64841       | .1     | 1.45 | 10     | 131   | 38     | .2     | 16   | 1.12   | .1   | 10     | 32     | 2.79 | .09 | 6      | 1.04 | 1379   | 4     | .03    | 1    | 870   | 55     | 16     | 91     | 90     | 1801   | 67.3  | 138    | 23     | 1      | 6     | 66     |
| 1-64842       | .1     | 1.37 | 14     | 130   | 104    | .1     | 17   | 1.15   | .1   | 10     | 51     | 3.06 | .09 | 7      | 1.11 | 1146   | 4     | .04    | 1    | 940   | 37     | 16     | 92     | 101    | 1798   | 70.5  | 146    | 25     | 1      | 6     | 58     |
| 1-64843       | .1     | 1.13 | 14     | 132   | 100    | .2     | 15   | .92    | .1   | 8      | 28     | 2.46 | .13 | 6      | .83  | 1228   | 3     | .03    | 1    | 810   | 75     | 14     | 73     | 89     | 1473   | 46.2  | 118    | 21     | 1      | 5     | 46     |
| 1-64844       | .1     | 1.19 | 16     | 138   | 147    | .3     | 14   | .88    | .1   | 8      | 58     | 2.32 | .13 | 5      | .85  | 1180   | 4     | .03    | 1    | 860   | 34     | 16     | 75     | 89     | 1382   | 41.3  | 107    | 21     | 1      | 5     | 55     |
| 1-64845       | .1     | 1.34 | 12     | 136   | 178    | .3     | 12   | .93    | .1   | 8      | 50     | 2.28 | .18 | 4      | .87  | 2041   | 5     | .03    | 1    | 880   | 81     | 16     | 69     | 81     | 1093   | 33.8  | 309    | 25     | 1      | 4     | 47     |
| 1-64846       | .1     | 1.51 | 14     | 135   | 214    | .2     | 21   | 1.71   | .1   | 11     | 512    | 4.00 | .19 | 8      | 1.26 | 2798   | 17    | .03    | 1    | 1050  | 136    | 16     | 75     | 111    | 1506   | 60.4  | 389    | 32     | 1      | 5     | 44     |
| 1-64847       | 1.4    | 1.24 | 12     | 141   | 116    | .3     | 20   | 1.71   | .1   | 11     | 713    | 3.70 | .20 | 8      | 1.02 | 1509   | 15    | .03    | 1    | 960   | 44     | 13     | 85     | 104    | 1400   | 54.6  | 187    | 23     | 1      | 4     | 30     |
| 1-64848       | .1     | 1.56 | 15     | 133   | 117    | .2     | 21   | 1.81   | 2.5  | 11     | 547    | 3.72 | .22 | 9      | 1.21 | 3983   | 14    | .02    | 1    | 1070  | 129    | 19     | 75     | 97     | 1353   | 49.1  | 668    | 36     | 1      | 4     | 53     |
| 1-64849       | .1     | 1.63 | 21     | 131   | 122    | .2     | 18   | 1.09   | 12.3 | 10     | 49     | 2.63 | .22 | 7      | 1.16 | 6004   | 6     | .02    | 8    | 1080  | 694    | 23     | 45     | 94     | 1346   | 38.5  | 1485   | 47     | 1      | 2     | 60     |
| 1-64850       | .1     | 1.51 | 36     | 137   | 80     | .2     | 16   | .99    | 2.3  | 9      | 19     | 2.66 | .22 | 7      | 1.17 | 5168   | 6     | .01    | 5    | 1010  | 187    | 21     | 47     | 98     | 1167   | 35.8  | 532    | 44     | 1      | 4     | 48     |
| 1-64851       | .1     | 1.76 | 35     | 138   | 193    | .4     | 17   | 1.59   | .1   | 8      | 26     | 2.40 | .28 | 7      | 1.09 | 4357   | 9     | .01    | 6    | 980   | 257    | 26     | 86     | 87     | 1331   | 38.5  | 503    | 41     | 1      | 5     | 65     |
| 1-64852       | .1     | 1.69 | 24     | 126   | 113    | .3     | 16   | 1.18   | .1   | 10     | 52     | 2.73 | .21 | 7      | 1.20 | 4020   | 4     | .02    | 5    | 1080  | 93     | 24     | 68     | 105    | 1355   | 46.2  | 241    | 41     | 1      | 6     | 49     |
| 1-64853       | .1     | 1.87 | 25     | 132   | 79     | .5     | 14   | 1.60   | .1   | 10     | 53     | 2.63 | .22 | 7      | 1.19 | 3384   | 5     | .02    | 3    | 1140  | 70     | 25     | 86     | 94     | 1090   | 46.5  | 262    | 36     | 1      | 6     | 67     |
| 1-64854       | .1     | 1.61 | 24     | 122   | 209    | .3     | 15   | 1.12   | .1   | 11     | 20     | 2.60 | .15 | 8      | 1.20 | 2838   | 5     | .02    | 3    | 1040  | 55     | 23     | 86     | 105    | 1237   | 46.0  | 152    | 33     | 1      | 6     | 47     |
| 1-64855       | .1     | 1.71 | 28     | 128   | 142    | .3     | 18   | 1.31   | .1   | 11     | 36     | 2.99 | .16 | 9      | 1.27 | 2720   | 5     | .03    | 1    | 1050  | 117    | 24     | 94     | 118    | 1483   | 62.5  | 196    | 36     | 1      | 7     | 60     |
| 1-64856       | .1     | 1.74 | 23     | 128   | 291    | .2     | 17   | 1.83   | .1   | 10     | 52     | 3.00 | .23 | 9      | 1.21 | 3799   | 5     | .02    | 4    | 1050  | 159    | 23     | 92     | 95     | 1419   | 56.9  | 230    | 38     | 1      | 6     | 50     |
| 1-64857       | .1     | 1.64 | 23     | 136   | 147    | .2     | 18   | 1.18   | .1   | 11     | 79     | 2.93 | .15 | 8      | 1.24 | 3128   | 4     | .03    | 1    | 1010  | 301    | 23     | 80     | 105    | 1710   | 60.2  | 291    | 36     | 1      | 6     | 56     |
| 1-64858       | .1     | 1.92 | 23     | 125   | 353    | .4     | 17   | 1.97   | .1   | 10     | 58     | 2.66 | .27 | 7      | 1.06 | 4163   | 6     | .02    | 4    | 1030  | 213    | 27     | 104    | 82     | 1385   | 46.3  | 288    | 39     | 1      | 6     | 67     |
| 1-64859       | .1     | 1.77 | 26     | 139   | 203    | .4     | 16   | 1.77   | .1   | 11     | 55     | 2.77 | .24 | 8      | 1.13 | 3682   | 5</td |        |      |       |        |        |        |        |        |       |        |        |        |       |        |

## **COMP: ROMULUS RESOURCES**

PROJ: 930

ATTN: ROB KLASSEN/MARK REBALIATI

## **MIN-EN LABS — ICP REPORT**

705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2

(604)980-5814 OR (604)988-4524

FILE NO: 3V-0382-RJ3

DATE: 93/08/03

\* CORE \* (ACT:F31)

# **SYNOPTIC DRILL LOG**

## **BRENDA PROPERTY**

PAGE 1 of

1

DDH NO.

93-03

|                       |   |              |                         |
|-----------------------|---|--------------|-------------------------|
| DRILL HOLE NUMBER     | 93-03                                     | AZIMUTH      | 235°                    |
| APPROX. NORTHING      | 10550N                                    | DIP          | -65°                    |
| APPROX. EASTING       | 10345E                                    | CASING DEPTH | 12.2 m CASING IN OR OUT |
| APPROX. ELEVATION     |   | TOTAL DEPTH  | 143.26 m                |
| ZONE                  | WHITEPASS                                 | LOGGED BY    | C. M. REBAGLIATI        |
| DATE DRILLING STARTED | SEPT. 17, 1993                            | SAMPLE No.'s | 1-39651 1-39693         |
| DATE DRILLING ENDED   | SEPT. 19, 1993                            |              |                         |
| PURPOSE/TARGET        | TEST MINERALIZATION INTERSECTED IN 93-01. |              |                         |
| COMMENTS              | WEAK TO MODERATE STOCKWORK THROUGHOUT.    |              |                         |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

|      |               |
|------|---------------|
|      | DATA ENTRY    |
| DATE |               |
| BY   |               |
|      | DATA CHECKING |
| DATE |               |
| BY   |               |

93-03

PAGE 1 of 3

|                       |                 |
|-----------------------|-----------------|
| APPROX. NORTHING      | 105 50 N        |
| APPROX. EASTING       | 103 45 E        |
| ZONE WHITE PASS GRID  | BRENDA ZONE     |
| LOGGED BY             | C.M. Rabagliati |
| DATE DRILLING STARTED | Sept. 17 1993   |
| DATE DRILLING ENDED   | SEPT 19, 1993   |
| CORE SIZE             | HQ              |
| CASING IN HOLE        | NO              |
| TOTAL DEPTH           | 143.26          |

| FROM | TO   | DESCRIPTION   | ROCK | SIL | K-SP | SER | CHL | EP/CB | %PY | %CP | OTHER |
|------|------|---|------|-----|------|-----|-----|-------|-----|-----|-------|
| 0    | 12.8 | CASING IN COLLUVIUM RUBBLE - NO CORE  | 0000 |     |      |     |     |       |     |     |       |
| 12.4 | 35.7 | INTENSELY WEATHERED ROCK - Pervasively iron stained -<br>Vascularly weathered/alterred to clay (probably controlled by<br>faulting) The protolith where less weathered<br>appears to be a pinkish plagioclase-quartz<br>porphyritic rock which has undergone intense<br>sericitic-silical reworking and weak quartz<br>stockwork development and severe faulting. The<br>most intensely silicified intervals are generally adjacent<br>to gouge zones and contain 1-3% fine-grained<br>disseminated pyrite. The least altered-least weathered<br>intervals are a plagioclase-quartz porphyritic unit, these<br>however, may be dykes cutting an earlier more intensely<br>altered rock. Possible Plag-grt porphyritic dyke from 22.3 to 27.4m | 3500 | 3   | 0    | 2   | 0   | 1     | 1   | 0   |       |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO.

PAGE 2  
of 3

| FROM | TO   | DESCRIPTION  | ROCK | SIL | KSP | SEA | CHL | EP/CB | % PY | % C OTHER |
|------|------|--|------|-----|-----|-----|-----|-------|------|-----------|
| 35.7 | 67.7 | Grey intensely altered rock totally shattered and cut by numerous fault/gouge zones. Pervasively sericitized and variably silicified and cut by weak quartz stockwork developments. 1-2% disseminated pyrit throughout. In less intensely altered patches the rock resembles a plagioclase porphyritic latite which displays epidotized plagioclase lathes and epidote filled fractures. (Propylitic alteration)<br>Sphalerite - galena stringers at 61.3 m and at 66.1 m. | 3500 | 3   | 1   | 3   | 1   | 1     | 1    | Tr        |
| 67.7 | 93.1 | PINK QUARTZ PORPHYRY LATITE 5 to 25% 1-5 mm quartz eyes in a fine grained plagioclase - orthoclase matrix - mafic minerals altered to dark chloritic clots. Epidotized plagioclase and fractures are cut by a weak quartz stockwork vein. Quartz stringers are pyritic and ruggy. The rock is sericitic when sheared which occurs at 0-30° to core axis. 1-2% finely disseminated pyrit. Some quartz stringers have a weak K-spar envelope.                                | 3520 | 2   | 2   | 2   | 1   | 1     | 2    | Tr        |
| 93.1 | 99.6 | Fine Grained, equigranular latite. 45% pink K-spar and 40% plagioclase grains 1mm in size. 2% 2mm plagioclase phenocrysts. 1-3% fine grained mafic minerals 3-10% disseminated magnetite. Upper chilled contact is at 75° to the core axis. Very weak chlorite - epidote propylitic alteration. Trace pyrite. Rare quartz veinlets. Zeolite coating fractures.   | 3500 | 1   | 0   | 0   | 1   | 1     | Tr   | 0         |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD**

## **BRENDA PROPERTY**

DDH  
NO.

93-3

PAGE 3  
of 3

## BRENDA PROPERTY

## SAMPLING LOG

LOGGED BY R KRAYSS

| FROM  | TO    | SAMPLE No. |
|-------|-------|------------|
| 12.2  | 15.24 | 1-39651    |
| 15.24 | 19.2  | 1-39652    |
| 19.2  | 22.3  | 1-39653    |
| 22.3  | 25.3  | 1-39654    |
| 25.3  | 28.0  | 1-39655    |
| 28.0  | 31.0  | 1-39656    |
| 31.0  | 34.0  | 1-39657    |
| 34.0  | 37.0  | 1-39658    |
| 37.0  | 40.0  | 1-39659    |
| 40.0  | 43.0  | 1-39660    |
| 43.0  | 46.0  | 1-39661    |
| 46.0  | 49.0  | 1-39662    |
| 49.0  | 52.0  | 1-39663    |
| 52.0  | 55.0  | 1-39664    |
| 55.0  | 58.0  | 1-39665    |
| 58.0  | 61.0  | 1-39666    |
| 61.0  | 64.0  | 1-39667    |
| 64.0  | 67.0  | 1-39668    |
| 67.0  | 70.0  | 1-39669    |
| 70.0  | 73.0  | 1-39670    |
| 73.0  | 76.0  | 1-39671    |
| 76.0  | 79.0  | 1-39672    |
| 79.0  | 82.0  | 1-39673    |
| 82.0  | 85.0  | 1-39674    |
| 85.0  | 88.0  | 1-39675    |
| 88.0  | 91.0  | 1-39676    |
| 91.0  | 94.0  | 1-39677    |
| 94.0  | 97.0  | 1-39678    |
| 97.0  | 100.0 | 1-39679    |
| 100.0 | 103.0 | 1-39680    |

**DATA ENTRY**

**DATA CHECKING**

**DDH** **98-03**

Page 1  
of 1

# BRENDA PROPERTY

## GEOTECHNICAL LOG

LOGGED BY **R KRAUSS**

DATA ENTRY  
DATE \_\_\_\_\_  
BY \_\_\_\_\_

DATA CHECKING  
DATE \_\_\_\_\_  
BY \_\_\_\_\_

DDH **93-03**  
DATE **Sept 19/93**

PAGE **1**  
of **1**

FROM To Length Rec

| FROM  | TO    | LENGTH | REC  | REC% | RQD | RQD% | BRKG   | HARD   | WATER   | WTNT | XJ/M | BJNT | BJ/M | SURF | REMARKS |
|-------|-------|--------|------|------|-----|------|--------|--------|---------|------|------|------|------|------|---------|
| 12.2  | 14.02 | 1.82   | 1.40 |      |     |      | 77.72  | 80.5   | 2.78    | 1.94 |      |      |      |      |         |
| 14.02 | 15.24 | 1.22   | 0.96 |      |     |      | 80.15  | 83.21  | 3.16    | 2.10 |      |      |      |      |         |
| 15.24 | 16.5  | 1.26   | 0.92 |      |     |      | 83.21  | 84.12  | 0.91    | 0.84 |      |      |      |      |         |
| 16.5  | 19.2  | 2.70   | 2.16 |      |     |      | 84.12  | 87.17  | 3.05    | 2.39 |      |      |      |      |         |
| 19.2  | 22.3  | 3.1    | 2.40 |      |     |      | 87.17  | 89.92  | 2.75    | 2.75 |      |      |      |      |         |
| 22.3  | 25.3  | 3.0    | 2.36 |      |     |      | 89.92  | 93.0   | 3.08    | 2.28 |      |      |      |      |         |
| 25.3  | 28.04 | 2.74   | 2.43 |      |     |      | 93.0   | 96.0   | 3.0     | 3.0  |      |      |      |      |         |
| 28.04 | 31.09 | 3.05   | 2.48 |      |     |      | 96.0   | 99.1   | 3.1     | 3.1  |      |      |      |      |         |
| 31.09 | 33.83 | 2.75   | 2.38 |      |     |      | 99.1   | 100.0  | No Core |      |      |      |      |      |         |
| 33.83 | 36.9  | 3.07   | 2.72 |      |     |      | 100.0  | 100.9  | 0.90    | 0.20 |      |      |      |      |         |
| 36.9  | 40.23 | 3.33   | 2.68 |      |     |      | 100.9  | 101.8  | 0.90    | 0.83 |      |      |      |      |         |
| 40.23 | 41.8  | 1.59   | 0.51 |      |     |      | 101.8  | 103.02 | 1.22    | 0.92 |      |      |      |      |         |
| 41.8  | 43.3  | 1.50   | 0.99 |      |     |      | 103.02 | 106.4  | 3.02    | 2.58 |      |      |      |      |         |
| 43.3  | 44.2  | 0.90   | 0.78 |      |     |      | 106.4  | 109.42 | 3.38    | 2.07 |      |      |      |      |         |
| 44.2  | 46.94 | 2.74   | 1.88 |      |     |      | 109.42 | 112.5  | 3.08    | 3.05 |      |      |      |      |         |
| 46.94 | 50.00 | 3.06   | 1.70 |      |     |      | 112.5  | 115.52 | 3.07    | 2.97 |      |      |      |      |         |
| 50.0  | 52.43 | 2.43   | 2.35 |      |     |      | 115.52 | 118.9  | 3.38    | 3.13 |      |      |      |      |         |
| 52.43 | 55.5  | 3.07   | 2.42 |      |     |      | 118.9  | 121.92 | 3.02    | 3.02 |      |      |      |      |         |
| 55.5  | 58.52 | 3.02   | 2.79 |      |     |      | 121.92 | 125.0  | 3.08    | 2.71 |      |      |      |      |         |
| 58.52 | 61.6  | 3.08   | 2.81 |      |     |      | 125.0  | 128.32 | 3.32    | 3.19 |      |      |      |      |         |
| 61.6  | 64.62 | 3.02   | 2.62 |      |     |      | 128.32 | 131.1  | 2.78    | 2.57 |      |      |      |      |         |
| 64.62 | 67.67 | 3.05   | 2.60 |      |     |      | 131.1  | 133.81 | 2.71    | 2.28 |      |      |      |      |         |
| 67.67 | 70.10 | 2.53   | 2.20 |      |     |      | 133.81 | 135.33 | 1.52    | 1.38 |      |      |      |      |         |
| 70.10 | 71.63 | 1.53   | 2.25 |      |     |      | 135.33 | 135.69 | 0.31    | 0.22 |      |      |      |      |         |
| 71.63 | 72.54 | 0.91   | 0.56 |      |     |      | 135.69 | 140.21 | 4.57    | 4.53 |      |      |      |      |         |
| 72.54 | 75.29 | 2.75   | 2.70 |      |     |      | 140.21 | 143.26 | 3.05    | 3.05 |      |      |      |      |         |
| 75.29 | 77.72 | 2.43   | 2.43 |      |     |      | 143.26 | 15.04  | —       | —    |      |      |      |      |         |

29/10/93

ROMULUS RESOURCES LTD. - PINE PROPERTY

BRENDA ZONE - WHITE PASS GRID

DRILL HOLE COMPOSITES

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | AU<br>g/t | CU<br>% | AG<br>ppm | MO<br>ppm | AS<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-03   | 12.20       | 121.00    | 108.80        | 0.48      | 0.144   | 1.0       | 13        | 3         | 105       | 2         | 400       |
| 93-03   | 121.00      | 143.26    | 22.26         | 0.18      | 0.068   | 0.1       | 9         | 1         | 83        | 1         | 590       |

DATE:29/10/93 TIME: 10:15:51

ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV<br>% | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-03   | 12.20       | 15.24     | 3.04          | 39651         | 0.40      | 0.070   | 0.47        | 1.6       | 1         | 676       | 54        | 2         | 85        |           |
| 93-03   | 15.24       | 19.20     | 3.96          | 39652         | 0.67      | 0.041   | 0.71        | 2.4       | 1         | 367       | 69        | 3         | 132       |           |
| 93-03   | 19.20       | 22.30     | 3.10          | 39653         | 0.38      | 0.021   | 0.40        | 0.2       | 1         | 205       | 68        | 6         | 176       |           |
| 93-03   | 22.30       | 25.30     | 3.00          | 39654         | 0.37      | 0.026   | 0.40        | 0.1       | 1         | 254       | 43        | 1         | 183       |           |
| 93-03   | 25.30       | 28.00     | 2.70          | 39655         | 0.63      | 0.061   | 0.69        | 1.7       | 1         | 603       | 58        | 1         | 123       |           |
| 93-03   | 28.00       | 31.00     | 3.00          | 39656         | 0.81      | 0.082   | 0.89        | 1.5       | 1         | 842       | 40        | 3         | 108       |           |
| 93-03   | 31.00       | 34.00     | 3.00          | 39657         | 0.89      | 0.027   | 0.92        | 2.1       | 1         | 264       | 36        | 1         | 141       |           |
| 93-03   | 34.00       | 37.00     | 3.00          | 39658         | 0.75      | 0.049   | 0.80        | 2.6       | 1         | 518       | 57        | 2         | 162       |           |
| 93-03   | 37.00       | 40.00     | 3.00          | 39659         | 0.42      | 0.071   | 0.49        | 0.1       | 1         | 743       | 43        | 2         | 157       |           |
| 93-03   | 40.00       | 43.00     | 3.00          | 39660         | 1.06      | 0.138   | 1.20        | 1.8       | 1         | 1402      | 20        | 1         | 64        |           |
| 93-03   | 43.00       | 46.00     | 3.00          | 39661         | 0.90      | 0.202   | 1.10        | 1.0       | 3         | 1965      | 32        | 4         | 111       |           |
| 93-03   | 46.00       | 49.00     | 3.00          | 39662         | 0.47      | 0.263   | 0.73        | 1.7       | 4         | 2651      | 34        | 5         | 102       |           |
| 93-03   | 49.00       | 52.00     | 3.00          | 39663         | 0.39      | 0.174   | 0.56        | 0.3       | 1         | 1734      | 108       | 5         | 377       |           |
| 93-03   | 52.00       | 55.00     | 3.00          | 39664         | 0.19      | 0.239   | 0.43        | 0.5       | 1         | 2438      | 52        | 5         | 428       |           |
| 93-03   | 55.00       | 58.00     | 3.00          | 39665         | 0.32      | 0.153   | 0.47        | 0.1       | 4         | 1419      | 44        | 1         | 334       |           |
| 93-03   | 58.00       | 61.00     | 3.00          | 39666         | 0.59      | 0.168   | 0.76        | 0.1       | 1         | 1639      | 55        | 3         | 319       |           |
| 93-03   | 61.00       | 64.00     | 3.00          | 39667         | 0.57      | 0.291   | 0.86        | 0.9       | 3         | 2920      | 573       | 3         | 696       |           |
| 93-03   | 64.00       | 67.00     | 3.00          | 39668         | 0.59      | 0.349   | 0.94        | 1.4       | 13        | 3427      | 405       | 6         | 2254      |           |
| 93-03   | 67.00       | 70.00     | 3.00          | 39669         | 0.58      | 0.422   | 1.00        | 4.1       | 17        | 4121      | 335       | 4         | 902       |           |
| 93-03   | 70.00       | 73.00     | 3.00          | 39670         | 0.66      | 0.303   | 0.96        | 5.3       | 18        | 3021      | 82        | 4         | 392       |           |
| 93-03   | 73.00       | 76.00     | 3.00          | 39671         | 0.69      | 0.255   | 0.94        | 3.5       | 18        | 2482      | 95        | 3         | 451       |           |
| 93-03   | 76.00       | 79.00     | 3.00          | 39672         | 0.56      | 0.146   | 0.71        | 0.8       | 6         | 1411      | 122       | 1         | 189       |           |
| 93-03   | 79.00       | 82.00     | 3.00          | 39673         | 0.78      | 0.238   | 1.02        | 0.8       | 12        | 2274      | 53        | 3         | 240       |           |
| 93-03   | 82.00       | 85.00     | 3.00          | 39674         | 0.42      | 0.165   | 0.58        | 0.1       | 7         | 1541      | 52        | 2         | 169       |           |
| 93-03   | 85.00       | 88.00     | 3.00          | 39675         | 0.44      | 0.184   | 0.62        | 0.1       | 1         | 1787      | 42        | 1         | 149       |           |
| 93-03   | 88.00       | 91.00     | 3.00          | 39676         | 0.26      | 0.165   | 0.43        | 0.1       | 10        | 1666      | 82        | 1         | 395       |           |
| 93-03   | 91.00       | 94.00     | 3.00          | 39677         | 0.11      | 0.086   | 0.20        | 0.1       | 1         | 874       | 57        | 3         | 556       |           |
| 93-03   | 94.00       | 97.00     | 3.00          | 39678         | 0.05      | 0.005   | 0.05        | 0.1       | 1         | 58        | 36        | 12        | 565       |           |
| 93-03   | 97.00       | 100.00    | 3.00          | 39679         | 0.05      | 0.012   | 0.06        | 0.1       | 1         | 111       | 32        | 5         | 1223      |           |
| 93-03   | 100.00      | 103.00    | 3.00          | 39680         | 0.32      | 0.166   | 0.49        | 0.1       | 1         | 1632      | 113       | 2         | 470       |           |
| 93-03   | 103.00      | 106.00    | 3.00          | 39681         | 0.43      | 0.127   | 0.56        | 0.1       | 1         | 1243      | 51        | 1         | 210       |           |
| 93-03   | 106.00      | 109.00    | 3.00          | 39682         | 0.25      | 0.151   | 0.40        | 0.1       | 1         | 1528      | 50        | 1         | 144       |           |
| 93-03   | 109.00      | 112.00    | 3.00          | 39683         | 0.19      | 0.075   | 0.26        | 0.1       | 1         | 758       | 22        | 1         | 372       |           |
| 93-03   | 112.00      | 115.00    | 3.00          | 39684         | 0.22      | 0.089   | 0.31        | 0.1       | 1         | 908       | 244       | 1         | 678       |           |
| 93-03   | 115.00      | 118.00    | 3.00          | 39685         | 0.38      | 0.094   | 0.47        | 0.1       | 1         | 979       | 396       | 1         | 864       |           |
| 93-03   | 118.00      | 121.00    | 3.00          | 39686         | 0.44      | 0.088   | 0.53        | 0.1       | 1         | 901       | 149       | 1         | 569       |           |
| 93-03   | 121.00      | 124.00    | 3.00          | 39687         | 0.20      | 0.085   | 0.28        | 0.1       | 2         | 849       | 23        | 1         | 309       |           |
| 93-03   | 124.00      | 127.00    | 3.00          | 39688         | 0.26      | 0.121   | 0.38        | 0.1       | 1         | 1074      | 118       | 1         | 768       |           |
| 93-03   | 127.00      | 130.00    | 3.00          | 39689         | 0.10      | 0.067   | 0.17        | 0.1       | 1         | 652       | 36        | 1         | 427       |           |
| 93-03   | 130.00      | 133.00    | 3.00          | 39690         | 0.11      | 0.045   | 0.16        | 0.1       | 1         | 449       | 36        | 1         | 538       |           |
| 93-03   | 133.00      | 136.00    | 3.00          | 39691         | 0.13      | 0.063   | 0.19        | 0.1       | 1         | 594       | 41        | 1         | 786       |           |
| 93-03   | 136.00      | 139.00    | 3.00          | 39692         | 0.11      | 0.057   | 0.17        | 0.1       | 1         | 565       | 226       | 1         | 681       |           |
| 93-03   | 139.00      | 143.26    | 4.26          | 39693         | 0.28      | 0.049   | 0.33        | 0.1       | 1         | 508       | 96        | 1         | 615       |           |



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0670-RA1**

Company: **ROMULUS RESOURCES**

Project: **9302**

Attn: **Rob Klassen/Mark Rebagliati**

Date: **OCT-07-93**

Copy 1. Romulus Resources, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples  
submitted SEP-29-93 by M. Rebagliati.

| Sample Number | Au-Fire g/tonne | Au-Fire oz/ton | Au-Fire g/tonne | Au-Fire oz/ton | Cu % | Cu % |
|---------------|-----------------|----------------|-----------------|----------------|------|------|
| 1-39651       | .40             | .012           |                 |                | .070 | .071 |
| 1-39652       | .67             | .020           | .65             | .019           | .041 |      |
| 1-39653       | .38             | .011           |                 |                | .021 |      |
| 1-39654       | .37             | .011           |                 |                | .026 |      |
| 1-39655       | .63             | .018           |                 |                | .061 |      |
| 1-39656       | .81             | .024           |                 |                | .082 |      |
| 1-39657       | .89             | .026           |                 |                | .027 |      |
| 1-39658       | .75             | .022           |                 |                | .049 |      |
| 1-39659       | .42             | .012           |                 |                | .071 |      |
| 1-39660       | 1.06            | .031           | 1.10            | .032           | .138 |      |
| 1-39661       | .90             | .026           |                 |                | .202 | .202 |
| 1-39662       | .47             | .014           |                 |                | .263 |      |
| 1-39663       | .39             | .011           |                 |                | .174 |      |
| 1-39664       | .19             | .006           |                 |                | .239 |      |
| 1-39665       | .32             | .009           |                 |                | .153 |      |
| 1-39666       | .59             | .017           |                 |                | .168 |      |
| 1-39667       | .57             | .017           |                 |                | .291 |      |
| 1-39668       | .59             | .017           |                 |                | .349 |      |
| 1-39669       | .58             | .017           |                 |                | .422 |      |
| 1-39670       | .66             | .019           |                 |                | .303 |      |
| 1-39671       | .69             | .020           |                 |                | .255 | .257 |
| 1-39672       | .56             | .016           |                 |                | .146 |      |
| 1-39673       | .78             | .023           | .76             | .022           | .238 |      |
| 1-39674       | .42             | .012           |                 |                | .165 |      |
| BLK           |                 |                | .26             | .008           | .506 |      |
| STD           |                 |                | .01             | .001           | .001 |      |

*Certified by* \_\_\_\_\_

**MIN-EN LABORATORIES**



**MINERAL  
• ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2NO  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

**3V-0670-RA2**

Company: **ROMULUS RESOURCES**

Project: **9302**

Attn: **Rob Klassen/Mark Rebagliati**

Date: **OCT-07-93**

Copy 1. Romulus Resources, Vancouver, B.C.

We hereby certify the following Assay of 19 core samples  
submitted SEP-29-93 by M. Rebagliati.

| Sample Number | Au-Fire g/tonne | Au-Fire oz/ton | Au-Fire g/tonne | Au-Fire oz/ton | Cu %      | Cu % |
|---------------|-----------------|----------------|-----------------|----------------|-----------|------|
| 1-39675       | .44             | .013           | .45             | .013           | .184      | .182 |
| 1-39676       | .26             | .008           |                 |                | .165      |      |
| 1-39677       | .11             | .003           |                 |                | .086      |      |
| 1-39678       | .05             | .001           |                 |                | .005      |      |
| 1-39679       | .05             | .001           |                 |                | .012      |      |
| 1-39680       | .32             | .009           |                 |                | .166      |      |
| 1-39681       | .43             | .013           |                 |                | .127      |      |
| 1-39682       | .25             | .007           |                 |                | .151      |      |
| 1-39683       | .19             | .006           |                 |                | .075      |      |
| 1-39684       | .22             | .006           |                 |                | .089      |      |
| 1-39685       | .38             | .011           |                 |                | .094      | .096 |
| 1-39686       | .44             | .013           |                 |                | .088      |      |
| 1-39687       | .20             | .006           |                 |                | .085      |      |
| 1-39688       | .26             | .008           | .25             | .007           | .121      |      |
| 1-39689       | .10             | .003           |                 |                | .067      |      |
| 1-39690       | .11             | .003           |                 |                | .045      |      |
| 1-39691       | .13             | .004           |                 |                | .063      |      |
| 1-39692       | .11             | .003           |                 |                | .057      |      |
| 1-39693       | .28             | .008           |                 |                | .049      |      |
| BLK STD       |                 |                | .27 .01         | .008 .001      | .509 .001 |      |

Certified by \_\_\_\_\_

*[Signature]*  
**MIN-EN LABORATORIES**

COMP: ROMULUS RESOURCES

PROJ: 9302

ATTN: Rob Klassen/Mark Rebagliati

**MIN-EN LABS — ICP REPORT**  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 (604)980-5814 OR (604)988-4524

FILE NO: 3V-0670-RJ1+2

DATE: 93/10/07

\* \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPM | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | MN PPM | MO PPM | NA % | NI PPM | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | Tl PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-39651       | 1.6    | 1.92 | 1      | 1     | 475    | .1     | 10     | .14  | .1     | 5      | 676    | 4.62 | .36 | 3      | .41  | 458    | 23     | .02  | 1      | 1250  | 54     | 2      | 66     | 78     | 294    | 50.0  | 85     | 12     | 1      | 4     | 16     |
| 1-39652       | 2.4    | 1.84 | 1      | 1     | 252    | .1     | 12     | .32  | .1     | 7      | 367    | 4.08 | .29 | 5      | .77  | 815    | 17     | .02  | 1      | 1010  | 69     | 3      | 56     | 92     | 801    | 65.0  | 132    | 19     | 1      | 5     | 16     |
| 1-39653       | .2     | 2.28 | 1      | 1     | 248    | .1     | 12     | .43  | .1     | 7      | 205    | 4.21 | .27 | 9      | 1.15 | 1159   | 21     | .03  | 1      | 1510  | 68     | 6      | 124    | 98     | 996    | 74.9  | 176    | 24     | 1      | 5     | 20     |
| 1-39654       | .1     | 1.96 | 1      | 1     | 145    | .1     | 14     | .45  | .1     | 9      | 254    | 4.50 | .17 | 9      | 1.20 | 855    | 13     | .03  | 1      | 1290  | 43     | 1      | 90     | 96     | 1540   | 92.9  | 183    | 22     | 1      | 6     | 23     |
| 1-39655       | 1.7    | 1.71 | 1      | 1     | 158    | .1     | 15     | .28  | .1     | 8      | 603    | 4.47 | .26 | 6      | .77  | 587    | 13     | .02  | 1      | 1380  | 58     | 1      | 37     | 77     | 1330   | 66.8  | 123    | 14     | 1      | 5     | 15     |
| 1-39656       | 1.5    | 1.53 | 1      | 1     | 134    | .1     | 14     | .21  | .1     | 7      | 842    | 3.77 | .31 | 7      | .81  | 657    | 15     | .02  | 1      | 1040  | 40     | 3      | 28     | 88     | 636    | 49.9  | 108    | 18     | 1      | 4     | 17     |
| 1-39657       | 2.1    | 1.81 | 1      | 1     | 128    | .1     | 16     | .38  | .1     | 7      | 264    | 4.44 | .18 | 9      | 1.07 | 1180   | 10     | .03  | 1      | 1410  | 36     | 1      | 48     | 85     | 1672   | 75.6  | 141    | 22     | 1      | 5     | 17     |
| 1-39658       | 2.6    | 1.95 | 1      | 1     | 134    | .1     | 14     | .26  | .1     | 8      | 518    | 4.62 | .25 | 10     | 1.08 | 1331   | 17     | .02  | 1      | 1290  | 57     | 2      | 43     | 99     | 1182   | 68.6  | 162    | 23     | 1      | 5     | 14     |
| 1-39659       | .1     | 1.70 | 1      | 1     | 123    | .1     | 14     | .22  | .1     | 10     | 743    | 4.20 | .31 | 11     | 1.13 | 1357   | 18     | .02  | 1      | 440   | 43     | 2      | 17     | 92     | 585    | 42.4  | 157    | 21     | 1      | 5     | 23     |
| 1-39660       | 1.8    | .81  | 1      | 1     | 97     | .1     | 12     | .08  | .1     | 10     | 1402   | 3.79 | .29 | 3      | .28  | 370    | 9      | .01  | 1      | 500   | 20     | 1      | 12     | 64     | 51     | 13.5  | 64     | 8      | 1      | 3     | 28     |
| 1-39661       | 1.0    | 1.40 | 3      | 1     | 88     | .1     | 16     | .05  | .1     | 8      | 1965   | 3.49 | .31 | 9      | .84  | 770    | 10     | .01  | 1      | 460   | 32     | 4      | 9      | 84     | 34     | 25.9  | 111    | 18     | 1      | 4     | 21     |
| 1-39662       | 1.7    | 1.05 | 4      | 1     | 65     | .1     | 21     | .16  | .1     | 9      | 2651   | 2.92 | .29 | 4      | .38  | 364    | 12     | .01  | 1      | 630   | 34     | 5      | 15     | 73     | 153    | 24.3  | 102    | 13     | 1      | 4     | 36     |
| 1-39663       | .3     | 1.85 | 1      | 1     | 69     | .1     | 19     | .47  | .1     | 10     | 1734   | 3.60 | .28 | 9      | 1.02 | 1309   | 10     | .02  | 1      | 790   | 108    | 5      | 39     | 83     | 1005   | 61.7  | 377    | 21     | 1      | 5     | 51     |
| 1-39664       | .5     | 1.91 | 1      | 1     | 184    | .1     | 29     | .66  | .1     | 12     | 2438   | 4.44 | .25 | 10     | 1.25 | 1802   | 10     | .02  | 1      | 660   | 52     | 5      | 44     | 91     | 1778   | 65.7  | 428    | 26     | 1      | 6     | 49     |
| 1-39665       | .1     | 1.56 | 4      | 1     | 120    | .1     | 21     | .57  | .1     | 12     | 1419   | 4.06 | .15 | 10     | 1.29 | 1771   | 7      | .03  | 1      | 970   | 44     | 1      | 27     | 87     | 1758   | 73.1  | 334    | 25     | 1      | 6     | 51     |
| 1-39666       | .1     | 1.83 | 1      | 1     | 138    | .1     | 24     | .62  | .1     | 12     | 1639   | 4.67 | .18 | 10     | 1.43 | 2055   | 7      | .03  | 1      | 960   | 55     | 3      | 34     | 95     | 1635   | 76.7  | 319    | 29     | 1      | 7     | 35     |
| 1-39667       | .9     | 1.35 | 3      | 1     | 163    | .1     | 23     | .28  | 1.2    | 11     | 2920   | 3.77 | .26 | 6      | .87  | 1282   | 11     | .01  | 1      | 800   | 573    | 3      | 20     | 90     | 339    | 37.8  | 696    | 20     | 1      | 4     | 29     |
| 1-39668       | 1.4    | 1.68 | 13     | 1     | 171    | .1     | 27     | .20  | 17.8   | 10     | 3427   | 4.27 | .29 | 7      | 1.06 | 2022   | 11     | .02  | 1      | 690   | 405    | 6      | 18     | 89     | 268    | 34.4  | 2254   | 24     | 1      | 3     | 36     |
| 1-39669       | 4.1    | 1.20 | 17     | 1     | 153    | .1     | 30     | .15  | 3.9    | 10     | 4121   | 4.04 | .27 | 5      | .68  | 1518   | 17     | .02  | 1      | 520   | 335    | 4      | 19     | 84     | 231    | 23.3  | 902    | 21     | 1      | 4     | 49     |
| 1-39670       | 5.3    | 1.14 | 18     | 1     | 219    | .1     | 25     | .35  | .1     | 9      | 3021   | 3.59 | .23 | 5      | .57  | 1483   | 28     | .02  | 1      | 490   | 82     | 4      | 42     | 76     | 578    | 26.7  | 392    | 18     | 1      | 5     | 49     |
| 1-39671       | 3.5    | 1.18 | 18     | 1     | 169    | .1     | 21     | .28  | .1     | 9      | 2482   | 3.85 | .24 | 5      | .63  | 1671   | 15     | .02  | 1      | 600   | 95     | 3      | 49     | 83     | 390    | 23.1  | 451    | 21     | 1      | 5     | 55     |
| 1-39672       | .8     | 1.01 | 6      | 1     | 106    | .1     | 14     | .12  | .1     | 10     | 1411   | 3.80 | .20 | 3      | .44  | 753    | 13     | .01  | 1      | 570   | 122    | 1      | 55     | 78     | 122    | 13.9  | 189    | 13     | 1      | 4     | 46     |
| 1-39673       | .8     | 1.18 | 12     | 1     | 79     | .1     | 21     | .23  | .1     | 11     | 2274   | 3.83 | .18 | 7      | .83  | 1169   | 8      | .02  | 1      | 590   | 53     | 3      | 29     | 84     | 503    | 24.5  | 240    | 20     | 1      | 5     | 47     |
| 1-39674       | .1     | 1.15 | 7      | 1     | 108    | .1     | 16     | .20  | .1     | 9      | 1541   | 3.63 | .22 | 6      | .77  | 998    | 9      | .02  | 1      | 570   | 52     | 2      | 19     | 79     | 292    | 21.0  | 169    | 19     | 1      | 5     | 45     |
| 1-39675       | .1     | .94  | 1      | 1     | 80     | .1     | 14     | .17  | .1     | 10     | 1787   | 3.83 | .21 | 3      | .55  | 819    | 9      | .02  | 1      | 530   | 42     | 1      | 8      | 65     | 209    | 16.9  | 149    | 13     | 1      | 4     | 45     |
| 1-39676       | .1     | 1.34 | 10     | 1     | 75     | .1     | 18     | .41  | .1     | 11     | 1666   | 4.07 | .10 | 6      | 1.03 | 1917   | 10     | .03  | 1      | 820   | 82     | 1      | 29     | 78     | 747    | 32.6  | 395    | 22     | 1      | 5     | 46     |
| 1-39677       | .1     | 2.07 | 1      | 1     | 53     | .1     | 17     | 1.02 | .1     | 14     | 874    | 4.72 | .09 | 11     | 1.26 | 2087   | 9      | .03  | 1      | 1150  | 57     | 3      | 59     | 84     | 1583   | 77.0  | 556    | 26     | 1      | 6     | 44     |
| 1-39678       | .1     | 4.22 | 1      | 1     | 102    | .1     | 22     | 3.01 | .1     | 24     | 58     | 6.58 | .11 | 20     | 1.72 | 1754   | 4      | .04  | 1      | 1820  | 36     | 12     | 92     | 74     | 2903   | 213.1 | 565    | 32     | 1      | 8     | 15     |
| 1-39679       | .1     | 3.09 | 1      | 1     | 89     | .1     | 21     | 1.88 | .1     | 22     | 111    | 6.14 | .19 | 21     | 1.55 | 2446   | 4      | .04  | 1      | 1970  | 32     | 5      | 68     | 86     | 2698   | 156.1 | 1223   | 31     | 1      | 6     | 17     |
| 1-39680       | .1     | 1.57 | 1      | 1     | 107    | .1     | 17     | .41  | .1     | 9      | 1632   | 3.88 | .15 | 6      | .91  | 2145   | 12     | .03  | 1      | 1120  | 113    | 2      | 245    | 80     | 757    | 35.0  | 470    | 23     | 1      | 6     | 63     |
| 1-39681       | .1     | 1.29 | 1      | 1     | 66     | .1     | 14     | .31  | .1     | 9      | 1243   | 3.83 | .16 | 6      | .83  | 1585   | 10     | .03  | 1      | 800   | 51     | 1      | 100    | 74     | 614    | 32.4  | 210    | 19     | 1      | 5     | 48     |
| 1-39682       | .1     | 1.54 | 1      | 1     | 149    | .1     | 13     | .27  | .1     | 9      | 1528   | 3.65 | .26 | 5      | .68  | 1381   | 12     | .02  | 1      | 1140  | 50     | 1      | 156    | 63     | 260    | 22.5  | 144    | 15     | 1      | 5     | 52     |
| 1-39683       | .1     | 1.10 | 1      | 1     | 69     | .1     | 9      | .39  | .1     | 9      | 758    | 3.53 | .14 | 4      | .61  | 1330   | 7      | .03  | 1      | 710   | 22     | 1      | 57     | 58     | 541    | 27.7  | 372    | 14     | 1      | 4     | 54     |
| 1-39684       | .1     | 1.36 | 1      | 1     | 119    | .1     | 11     | .46  | 7.5    | 10     | 908    | 3.90 | .15 | 5      | .87  | 1920   | 18     | .03  | 1      | 730   | 244    | 1      | 48     | 81     | 405    | 31.2  | 678    | 20     | 1      | 5     | 55     |
| 1-39685       | .1     | 1.56 | 1      | 1     | 175    | .1     | 12     | .57  | 7.9    | 13     | 979    | 4.89 | .28 | 6      | .84  | 2106   | 39     | .02  | 1      | 1020  | 396    | 1      | 65     | 82     | 446    | 34.9  | 864    | 19     | 1      | 4     | 49     |
| 1-39686       | .1     | 1.47 | 1      | 1     | 219    | .1     | 14     | .87  | .2     | 12     | 901    | 4.36 | .18 | 5      | .79  | 1751   | 16     | .03  | 1      | 950   | 149    | 1      | 49     | 70     | 1061   | 56.3  | 569    | 19     | 1      | 6     | 74     |
| 1-39687       | .1     | 1.34 | 2      | 1     | 81     | .1     | 12     | 1.00 | .1     | 10     | 849    | 4.40 | .16 | 6      | .86  | 1758   | 9      | .03  | 1      | 690   | 23     | 1      | 33     | 74     | 861    | 46.6  | 309    | 20     | 1      | 6     | 70     |
| 1-39688       | .1     | 1.15 | 1      | 1     | 207    | .1     | 14     | .83  | .1     | 12     | 1074   | 4.84 | .16 | 5      | .60  | 1488   | 7      | .03  | 1      | 550   | 118    | 1      | 32     | 74     | 785    | 41.4  | 768    | 16     | 1      | 5     | 55     |
| 1-39689       | .1     | 1.64 | 1      | 1     | 216    | .1     | 12     | .91  | .1     | 11     | 652    | 3.98 | .20 | 6      | .88  | 2060   | 10     | .02  | 1      | 820   | 36     | 1      | 49     | 76     | 730    | 34.5  | 427    | 22     | 1      | 5     | 56     |
| 1-39690       | .1     | 1.48 | 1      | 1     | 211    | .1     | 11     | .61  | 6.3    | 10     | 449    | 3.85 | .14 | 6      | 1.05 | 1766   | 8      | .03  | 1      | 930   | 36     | 1      | 45     | 77     | 861    | 42.5  | 538    | 22     | 1      | 5     | 56     |
| 1-39691       | .1     | 1.47 | 1      | 1     | 220    | .1     | 13     | .75  | 12.6   | 10     | 594    | 3.82 | .11 | 5      | .90  | 1542   | 9      | .03  | 1      | 860   | 41     | 1      | 56     | 74     | 1012   | 47.8  | 786    | 20     | 1      | 5     | 59     |
| 1-39692       | .1     | 1.57 | 1      | 1     | 305    | .1     | 13     | .84  | 8.3    | 12     | 565    | 4.41 | .16 | 5      | .76  | 1757   | 9      | .03  | 1      | 910   | 226    | 1      | 56     | 76     | 909    | 46.9  | 681    | 18     | 1      | 6     | 70     |
| 1-39693       | .1     | 1.05 | 1      | 1     | 164    | .1     | 7      | .61  | .1     | 11     | 508    | 3.92 | .34 | 3      | .44  | 826    | 12     | .01  | 1      | 770   | 96     | 1      | 11     | 60     | 154    | 19.0  | 615    | 10     | 1      | 4     | 56     |

# **SYNOPTIC DRILL LOG**

## **BRENDA PROPERTY**

PAGE 1 of

1

DDH NO.

93-04

|                       |   |              |                        |
|-----------------------|---|--------------|------------------------|
| DRILL HOLE NUMBER     | 93-04   | AZIMUTH      | 055°                   |
| APPROX. NORTHING      | 10700N  | DIP          | - 45°                  |
| APPROX. EASTING       | 10280E  | CASING DEPTH | 3.05m CASING IN OR OUT |
| APPROX. ELEVATION     |   | TOTAL DEPTH  | 212.45                 |
| ZONE                  | WHITE PASS  | LOGGED BY    | R. J. HASLINGER        |
| DATE DRILLING STARTED | SEPT. 19, 1993  | SAMPLE No.'s | 1-39694 1-39762        |
| DATE DRILLING ENDED   | SEPT 23, 1993   |              |                        |
| PURPOSE/TARGET        | TEST TO DEPTH MINERALIZATION OUTCROPPING<br>IN TRENCHES |              |                        |
| COMMENTS              | Stockwork from surface to 23.7 and<br>177.7 to 212.1m.  |              |                        |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

93-04

PAGE 1 of 6

| DEPTH         | DIP    | AZIMUTH | NORTHING | EASTING | ELEVATION |
|---------------|--------|---------|----------|---------|-----------|
| Collar Survey | -45°   | 055°    |          |         |           |
| 211 m         | -45.3° |         |          |         |           |
|               |        |         |          |         |           |
|               |        |         |          |         |           |
|               |        |         |          |         |           |
|               |        |         |          |         |           |
|               |        |         |          |         |           |
|               |        |         |          |         |           |

|               |  |
|---------------|--|
| DATA ENTRY    |  |
| DATE          |  |
| BY            |  |
| DATA CHECKING |  |
| DATE          |  |
| BY            |  |

|                       |                 |
|-----------------------|-----------------|
| APPROX. NORTHING      | 107+00N         |
| APPROX. EASTING       | 102+80E         |
| ZONE WHITE PASS GRID  | BRENDA ZONE     |
| LOGGED BY             | R. J. HASLINGER |
| DATE DRILLING STARTED | SEPT. 19, 1993  |
| DATE DRILLING ENDED   | SEPT 23, 1993   |
| CORE SIZE             | HQ              |
| CASING IN HOLE        | NO              |
| TOTAL DEPTH           | 212.45          |

| COMPUTER LOG SECTION |       |  |      |       |     |     |     |       |     |       |
|----------------------|-------|--|------|-------|-----|-----|-----|-------|-----|-------|
| FROM                 | TO    | DESCRIPTION  | ROCK | SIL   | KSP | SER | CHL | EP/CB | %PY | %OTHR |
| 0.0                  | 3.05  | CASING   | 0000 |       |     |     |     |       |     |       |
| 3.05                 | 19.60 | WEATHERED ROCK - YELLOW & ORANGE<br>Predominately clay + yellow iron oxide (jarosite?) from 15 to 17.2 m.<br>Original rock appears to be QUARTZ PORPHYRY LATITE + BLACK IRONST.<br>Dykes at 3 to 3.4m, 10.6 to 13.5 & 15.0 to 15.8 m.<br>Rock very broken, less so towards bottom.<br>Possible Quartz + Sericite stockwork from 17.2 to 19.6<br>Sharp lower contact at ~50° TCA.     | 3500 | ? 0-2 | ?   | 1-3 | 0   | 0     | 0   | 0     |
| 19.6                 | 23.7  | QUARTZ PORPHYRY LATITE - ORANGE-BROWN<br>10% 0.5-3 mm quartz eyes, 40% <1mm pink anhedral plagioclase<br>40% euhedral K-spars - matrix forming, balance <1mm chloritized<br>matrix + magnetite.<br>Weak quartz + magnetite stockwork, stringers (2%) <2mm thick<br>Inclined 80° TCA. Hematite.<br>22.5-22.9 QUARTZ+SERICITE VEIN (frostbitten) + 4% finely disseminated PY. 80° TCA. | 3500 | 3     | 0   | 1   | 1   | 0     | 0.5 | 0     |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

93-04

PAGE 2  
of 6

| FROM      | TO    | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |       |      |         |
|-----------|-------|---|----------------------|-----|-----|-----|-----|-------|------|---------|
|           |       |   | ROCK                 | SIL | KSP | SER | CHL | EP/KB | % PY | % OTHER |
| 23.7      |       | Contact @ 60° TCA   |                      |     |     |     |     |       |      |         |
| 23.7      | 27.7  | LATITE - BASALT DYSKE - BLACK + BROWN-BUTCH.<br>Upper & lower contacts black finegrained magnetite (weak)<br>Chill margins ~30cm thick ~@ 60° TCA. Hematite<br>more pyritic core. 2.5% ~2mm magnetite + pyrite (?),<br>15% ~1mm white clay after plagioclase ?, 10% exhalite stringers  | 7111                 | 0   | 0   | 0   | 0   | 10    | ? 0  | 0       |
| 27.7      | 177.7 | PLAGIOCLASE PORPHYRY LATITE - AVH-ORANGE<br>30% ~3mm euhedral pink plagioclase, 15% serpentine + chlorite + epidote<br>replaced augite + tremolite (~3mm), balance finegrained k-feldspar<br>matrix.<br>Same rocks 19.6-23.7 but almost no secondary quartz eyes. (?)<br>Quartz eyes above reflect moderate quartz + magnetite flooding (?).<br>Hematite to 60m.      | 3523                 |     |     |     |     |       |      |         |
| 27.7-40.5 |       | 5-10% Quartz + magnetite stringers & stockwork (~3cm) *<br>Stringers @ 60-~20° TCA typically magnetite up to 2cm thick<br>vein fillings & some euhedral disseminated in hosts<br>33.7-34.6 abundant limonite with 0.5cm thick subparallel<br>to concoids quartz + serpentine + pyrite stringers<br>Pyrite commonly on magnetite<br>34.7 shear plane + clay @ 60° TCA. | 2                    | 0   | 3   | 1   | 3   | 0.5   | 0    |         |
| 40.5-68.5 |       | No secondary stockwork, hematite lined joints<br>typically 45-60° TCA. Claylined shears locally & increasing<br>towards bottom of interval, typically 40° TCA.  | Tr                   | 0   | 0-1 | 0-1 | 2-3 | Tr    | 0    |         |

## GEOLOGICAL LOGGING FORM

# **ROMULUS RESOURCES LTD BRENDA PROPERTY**

DDH  
NO.

93-04

PAGE  
of

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

93-04

PAGE  
of4  
6

| FROM | TO | DESCRIPTION  | COMPUTER LOG SECTION |     |     |     |     |       |      |         |
|------|----|--|----------------------|-----|-----|-----|-----|-------|------|---------|
|      |    |  | ROCK                 | SIL | WSP | SER | CHL | FLKCO | % PY | % OTHER |
|      |    | 104.6 - 106.7 m: 10% quartz + magnetite (yr.) + pyrite stockwork<br>15% quartz zones up to 8 mm. plagioclase phenocrysts not<br>apparent (overprinted by silicification?). Shearing to lower contact @ 60° TCA.                                  |                      | 4   | 0   | 1   | 0   | 0     | 3    | 0       |
|      |    | 106.7 - 111.6 m: No stockwork. Lower contact @ 65° TCA. Trace calcite.   | Tr                   | 0   | 0   | 0   | 1   | 0     | 0    |         |
|      |    | 111.6 - 113.4: LATITE BASALT DYKE - BLACK. Flograined<br>5% Calcite weak shearing @ 10° TCA. Lower contact @ 50° TCA.  |                      | 0   | 0   | 0   | 0   | 0     | 0    | 0       |
|      |    | 113.4 - 124.0: Very minor stockwork. 0.5% folite.<br>118.8 - 119.4: 25% epidote + quartz + pyrite + chlorite stringers up to<br>2 cm @ 40°-50° TCA.  | Tr                   | 0   | 1   | 1   | 2-3 | 0.3   | 0    |         |
|      |    | 122.6 - 122.9: 3% quartz + magnetite stringers + clots of MoS <sub>2</sub><br>up to 1 cm (0.4%) disseminated within local interval.  |                      |     |     |     |     |       |      |         |
|      |    | 123.9: Shear + clay gouge @ 65° TCA.   |                      |     |     |     |     |       |      |         |
|      |    | 124.0 - 124.75: BLACK LATITE - BASALT DYKE: Upper contact broken,<br>lower contact @ 60° TCA.  |                      | 0   | 0   | 0   | 0   | 1     | 0    | 0       |
|      |    | 124.75 - 139.85: Almost no stockwork.  | Tr                   | 0   | 0   | 0   | 3-5 | Tr    | 0    |         |
|      |    | 125.4 - 126.2 m: 5% quartz + magnetite + pyrite stockwork<br>Jacketing @ 58° TCA.  |                      |     |     |     |     |       |      |         |
|      |    | 139.85 - 142.6: PLAGIOLASE PORPHYR LATITE DYKE. Same color & composition<br>as hostrock. Coarse grained then immediately surrounding latite.<br>Distinguished by 10 to 20 cm black upper & lower cliff margins @<br>50° & 58° TCA, respectively. |                      | 0   | 0   | 0   | Tr  | 2     | 0    | 0       |

## GEOLOGICAL LOGGING FORM

ROMULUS RESOURCES LTD  
BRENDA PROPERTYDDH  
NO.

93-04

PAGE  
of5  
6

| FROM  | TO     | DESCRIPTION   | COMPUTER LOG SECTION |     |     |     |     |       |      |                     |
|-------|--------|---|----------------------|-----|-----|-----|-----|-------|------|---------------------|
|       |        |   | ROCK                 | SIL | KSP | SER | CHL | EP/CB | % PY | % OTHER             |
|       |        | 142.6 - 177.7m: No stockwork. Fiber-grained (<2mm) Latite with black latite boudin dykes @ 148.05 - 148.6, 65° Contacts @ 161.2 - 162.2, 50° contacts @ 176.0 - 176.6, 75° contacts   | 0                    | 0   | 0   | 0   | 0-1 | 2-4   | 0    | 0                   |
|       |        | Latite altered darker gray in color adjacent dykes.   |                      |     |     |     |     |       |      |                     |
|       |        | Dark Flaw tops/bottoms possibly @ 153.1m, 165.4m  |                      |     |     |     |     |       |      |                     |
|       |        | Shearing @ 174m @ ~5° TCA.  |                      |     |     |     |     |       |      |                     |
|       |        | Trace pink Zeelite.   |                      |     |     |     |     |       |      |                     |
|       |        | Sharp lower contact at 78° TCA.   |                      |     |     |     |     |       |      |                     |
| 177.7 | 212.10 | LATITE -- QUARTZ + MAGNETITE + PYRITE + GYPSUM + SPHALERITE<br>STOCKWORK - GREENISH GREY.<br>75% (PLAGIOCLASE PORPHYRIC?) LATITE WITH intense chlorite + sericitic + epidote alteration & gypsum depletion<br>25% Quartz + magnetite + sphalerite + gypsum + trace chalcocite veins & stringer stockwork. 5% gypsum overall<br>Quartz stringers locally up to 8cm, average 8mm, host coarse pyrite locally up to 2cm clots & up to 1cm clots bleached to white sphalerite (178.7m). Later gypsum + sphalerite stringers, 1cm up to 20cm, crosscut quartz veins.<br>Pyrite disseminated throughout, more concentrated to massive adjacent & within quartz or gypsum stringers<br>Magnetite (5-8%) with chalcopyrite stringers with quartz. Second generation of quartz stringers cuts magnetite-bearing stringers.<br>Rare chalcocite within gypsum & quartz + magnetite veins of stringers, 1mm grains.<br>Quartz stringers 0°-30° TCA., Gypsum veins 0°-40° TCA. | 3500                 | 4-5 | 0   | 4-5 | 4-5 | 3-4   | 5    | Tr, Co3% Sphalerite |

## GEOLOGICAL LOGGING FORM

**ROMULUS RESOURCES LTD  
BRENDA PROPERTY**

DDH

93-04

PAGE  
of

6

## SAMPLING LOG

LOGGED BY HASLINGER/KRAUSS

## BRENDA PROPERTY

|            |               |              |
|------------|---------------|--------------|
| DATA ENTRY | DATA CHECKING | DDH          |
| DATE       | DATE          | 93-025       |
| BY         | BY            | SEPT 26 / 93 |

Page 1  
of 1

| FROM | TO | SAMPLE NO. |
|------|----|------------|
| 3.05 | 6  | 1-39694    |
| 6    | 9  | 1-39695    |
| 9    | 15 | 1-39696    |
| 15   | 18 | 1-39697    |
| 18   | 21 | 1-39698    |
| 21   | 24 | 1-39699    |
| 24   | 27 | 1-39700    |
| 27   | 30 | 1-39701    |
| 30   | 33 | 1-39702    |
| 33   | 36 | 1-39703    |
| 36   | 40 | 1-39704    |
| 40   | 43 | 1-39705    |
| 43   | 46 | 1-39706    |
| 46   | 49 | 1-39707    |
| 49   | 52 | 1-39708    |
| 52   | 55 | 1-39709    |
| 55   | 58 | 1-39710    |
| 58   | 61 | 1-39711    |
| 61   | 64 | 1-39712    |
| 64   | 67 | 1-39713    |
| 67   | 70 | 1-39714    |
| 70   | 73 | 1-39715    |
| 73   | 76 | 1-39716    |
| 76   | 79 | 1-39717    |
| 79   | 82 | 1-39718    |
| 82   | 85 | 1-39719    |
| 85   | 88 | 1-39720    |
| 88   | 91 | 1-39721    |
| 91   | 94 | 1-39722    |
| 94   | 97 | 1-39723    |

| FROM | TO  | SAMPLE No. |
|------|-----|------------|
| 97   | 100 | 1-39724    |
| 100  | 105 | 1-39725    |
| 103  | 106 | 1-39726    |
| 106  | 109 | 1-39727    |
| 109  | 112 | 1-39728    |
| 112  | 115 | 1-39729    |
| 115  | 118 | 1-39730    |
| 118  | 121 | 1-39731    |
| 121  | 124 | 1-39732    |
| 124  | 127 | 1-39733    |
| 127  | 130 | 1-39734    |
| 130  | 133 | 1-39735    |
| 133  | 136 | 1-39736    |
| 136  | 139 | 1-39737    |
| 139  | 142 | 1-39738    |
| 142  | 145 | 1-39739    |
| 145  | 148 | 1-39740    |
| 148  | 151 | 1-39741    |
| 151  | 154 | 1-39742    |
| 154  | 157 | 1-39743    |
| 157  | 160 | 1-39744    |
| 160  | 163 | 1-39745    |
| 163  | 166 | 1-39746    |
| 166  | 169 | 1-39747    |
| 169  | 172 | 1-39748    |
| 172  | 175 | 1-39749    |
| 175  | 178 | 1-39750    |
| 178  | 181 | 1-39751    |
| 181  | 184 | 1-39752    |
| 184  | 187 | 1-39753    |

# BRENDA PROPERTY

## **GEOTECHNICAL LOG**

LOGGED BY R.J. HASLINGER

**DATA ENTRY**

**DATA CHECKING**

**DDH** **93-04**

PAGE /  
of /

29/10/93

ROMULUS RESOURCES LTD. - PINE PROPERTY

BRENDA ZONE - WHITE PASS GRID

DRILL HOLE COMPOSITES

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | AU<br>g/t | CU<br>% | AG<br>ppm | MO<br>ppm | AS<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm |
|---------|-------------|-----------|---------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-04   | 3.05        | 15.00     | 11.95         | 0.02      | 0.006   | 0.1       | 11        | 1         | 1         | 1         | 24        |
| 93-04   | 15.00       | 40.00     | 25.00         | 0.44      | 0.103   | 0.5       | 11        | 1         | 52        | 1         | 331       |
| 93-04   | 40.00       | 178.00    | 138.00        | 0.06      | 0.017   | 0.2       | 5         | 1         | 118       | 4         | 530       |
| 93-04   | 178.00      | 193.00    | 15.00         | 0.46      | 0.054   | 6.6       | 15        | 5         | 151       | 1         | 1688      |
| 93-04   | 193.00      | 212.45    | 19.45         | 0.11      | 0.047   | 0.1       | 13        | 4         | 73        | 1         | 395       |

DATE:29/10/93 TIME: 10:15:53

ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-04   | 3.05        | 6.00      | 2.95          | 39694         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 23        | 1         | 1         | 31        | NS        |
| 93-04   | 6.00        | 9.00      | 3.00          | 39695         | 0.02      | 0.010   | 0.03   | 0.1       | 1         | 94        | 1         | 1         | 50        | NS        |
| 93-04   | 9.00        | 15.00     | 6.00          | 39696         | 0.02      | 0.006   | 0.03   | 0.1       | 1         | 58        | 1         | 2         | 9         | NS        |
| 93-04   | 15.00       | 18.00     | 3.00          | 39697         | 0.45      | 0.028   | 0.48   | 0.2       | 1         | 286       | 37        | 1         | 81        | NS        |
| 93-04   | 18.00       | 21.00     | 3.00          | 39698         | 0.67      | 0.050   | 0.72   | 2.2       | 1         | 518       | 107       | 1         | 111       | NS        |
| 93-04   | 21.00       | 24.00     | 3.00          | 39699         | 0.56      | 0.069   | 0.63   | 0.6       | 1         | 727       | 78        | 1         | 250       | NS        |
| 93-04   | 24.00       | 27.00     | 3.00          | 39700         | 0.05      | 0.049   | 0.10   | 0.1       | 1         | 514       | 47        | 7         | 449       | NS        |
| 93-04   | 27.00       | 30.00     | 3.00          | 39701         | 0.27      | 0.084   | 0.35   | 0.1       | 1         | 858       | 37        | 1         | 474       | NS        |
| 93-04   | 30.00       | 33.00     | 3.00          | 39702         | 0.61      | 0.098   | 0.71   | 0.1       | 1         | 982       | 24        | 1         | 398       | NS        |
| 93-04   | 33.00       | 36.00     | 3.00          | 39703         | 0.70      | 0.201   | 0.90   | 0.2       | 1         | 1966      | 39        | 1         | 608       | NS        |
| 93-04   | 36.00       | 40.00     | 4.00          | 39704         | 0.29      | 0.207   | 0.50   | 0.8       | 1         | 2141      | 50        | 2         | 292       | NS        |
| 93-04   | 40.00       | 43.00     | 3.00          | 39705         | 0.03      | 0.054   | 0.08   | 0.1       | 1         | 538       | 32        | 9         | 196       | NS        |
| 93-04   | 43.00       | 46.00     | 3.00          | 39706         | 0.02      | 0.028   | 0.05   | 0.1       | 1         | 262       | 23        | 6         | 681       | NS        |
| 93-04   | 46.00       | 49.00     | 3.00          | 39707         | 0.02      | 0.014   | 0.03   | 0.1       | 1         | 151       | 19        | 6         | 380       | NS        |
| 93-04   | 49.00       | 52.00     | 3.00          | 39708         | 0.01      | 0.022   | 0.03   | 0.1       | 1         | 214       | 25        | 7         | 315       | NS        |
| 93-04   | 52.00       | 55.00     | 3.00          | 39709         | 0.07      | 0.036   | 0.11   | 0.1       | 1         | 361       | 177       | 3         | 507       | NS        |
| 93-04   | 55.00       | 58.00     | 3.00          | 39710         | 0.16      | 0.032   | 0.19   | 0.1       | 16        | 312       | 73        | 4         | 582       | NS        |
| 93-04   | 58.00       | 61.00     | 3.00          | 39711         | 0.04      | 0.003   | 0.04   | 0.1       | 1         | 39        | 56        | 8         | 585       | NS        |
| 93-04   | 61.00       | 64.00     | 3.00          | 39712         | 0.04      | 0.006   | 0.05   | 0.1       | 1         | 67        | 68        | 7         | 677       | NS        |
| 93-04   | 64.00       | 67.00     | 3.00          | 39713         | 0.02      | 0.026   | 0.05   | 0.1       | 1         | 262       | 67        | 11        | 699       | NS        |
| 93-04   | 67.00       | 70.00     | 3.00          | 39714         | 0.21      | 0.085   | 0.29   | 0.3       | 1         | 819       | 51        | 6         | 552       | NS        |
| 93-04   | 70.00       | 73.00     | 3.00          | 39715         | 0.32      | 0.054   | 0.37   | 1.8       | 1         | 539       | 159       | 8         | 1357      | NS        |
| 93-04   | 73.00       | 76.00     | 3.00          | 39716         | 0.02      | 0.004   | 0.02   | 0.1       | 1         | 33        | 29        | 6         | 72        | NS        |
| 93-04   | 76.00       | 79.00     | 3.00          | 39717         | 0.02      | 0.002   | 0.02   | 0.1       | 1         | 29        | 32        | 7         | 64        | NS        |
| 93-04   | 79.00       | 82.00     | 3.00          | 39718         | 0.13      | 0.028   | 0.16   | 0.1       | 1         | 270       | 28        | 2         | 107       | NS        |
| 93-04   | 82.00       | 85.00     | 3.00          | 39719         | 0.38      | 0.047   | 0.43   | 0.1       | 1         | 481       | 25        | 1         | 203       | NS        |
| 93-04   | 85.00       | 88.00     | 3.00          | 39720         | 0.02      | 0.004   | 0.02   | 0.1       | 1         | 33        | 32        | 3         | 111       | NS        |
| 93-04   | 88.00       | 91.00     | 3.00          | 39721         | 0.01      | 0.001   | 0.01   | 0.1       | 1         | 16        | 19        | 5         | 84        | NS        |
| 93-04   | 91.00       | 94.00     | 3.00          | 39722         | 0.02      | 0.002   | 0.02   | 0.1       | 1         | 13        | 21        | 4         | 112       | NS        |
| 93-04   | 94.00       | 97.00     | 3.00          | 39723         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 29        | 62        | 9         | 256       | NS        |
| 93-04   | 97.00       | 100.00    | 3.00          | 39724         | 0.02      | 0.002   | 0.02   | 0.1       | 1         | 21        | 39        | 5         | 165       | NS        |
| 93-04   | 100.00      | 103.00    | 3.00          | 39725         | 0.03      | 0.004   | 0.03   | 0.1       | 1         | 32        | 124       | 5         | 314       | NS        |
| 93-04   | 103.00      | 106.00    | 3.00          | 39726         | 0.25      | 0.065   | 0.31   | 0.2       | 1         | 608       | 76        | 2         | 213       | NS        |
| 93-04   | 106.00      | 109.00    | 3.00          | 39727         | 0.09      | 0.053   | 0.14   | 0.1       | 1         | 516       | 57        | 2         | 1327      | NS        |
| 93-04   | 109.00      | 112.00    | 3.00          | 39728         | 0.07      | 0.004   | 0.07   | 0.1       | 1         | 32        | 44        | 3         | 417       | NS        |
| 93-04   | 112.00      | 115.00    | 3.00          | 39729         | 0.01      | 0.010   | 0.02   | 0.1       | 1         | 93        | 57        | 4         | 1017      | NS        |
| 93-04   | 115.00      | 118.00    | 3.00          | 39730         | 0.01      | 0.014   | 0.02   | 0.1       | 1         | 120       | 46        | 2         | 1391      | NS        |
| 93-04   | 118.00      | 121.00    | 3.00          | 39731         | 0.02      | 0.015   | 0.04   | 0.1       | 1         | 123       | 232       | 6         | 2981      | NS        |
| 93-04   | 121.00      | 124.00    | 3.00          | 39732         | 0.01      | 0.008   | 0.02   | 0.1       | 1         | 134       | 767       | 9         | 1631      | NS        |
| 93-04   | 124.00      | 127.00    | 3.00          | 39733         | 0.06      | 0.033   | 0.09   | 0.1       | 1         | 312       | 93        | 1         | 743       | NS        |
| 93-04   | 127.00      | 130.00    | 3.00          | 39734         | 0.04      | 0.004   | 0.04   | 0.1       | 1         | 44        | 26        | 3         | 239       | NS        |
| 93-04   | 130.00      | 133.00    | 3.00          | 39735         | 0.02      | 0.003   | 0.02   | 0.1       | 1         | 25        | 56        | 1         | 198       | NS        |
| 93-04   | 133.00      | 136.00    | 3.00          | 39736         | 0.02      | 0.004   | 0.02   | 0.1       | 1         | 35        | 340       | 5         | 538       | NS        |
| 93-04   | 136.00      | 139.00    | 3.00          | 39737         | 0.01      | 0.003   | 0.01   | 0.1       | 1         | 36        | 208       | 4         | 273       | NS        |
| 93-04   | 139.00      | 142.00    | 3.00          | 39738         | 0.02      | 0.010   | 0.03   | 0.1       | 1         | 89        | 363       | 1         | 682       | NS        |
| 93-04   | 142.00      | 145.00    | 3.00          | 39739         | 0.02      | 0.008   | 0.03   | 0.1       | 1         | 74        | 127       | 4         | 465       | NS        |
| 93-04   | 145.00      | 148.00    | 3.00          | 39740         | 0.03      | 0.012   | 0.04   | 0.1       | 1         | 116       | 138       | 2         | 1060      | NS        |
| 93-04   | 148.00      | 151.00    | 3.00          | 39741         | 0.01      | 0.007   | 0.02   | 0.1       | 1         | 72        | 180       | 5         | 319       | NS        |
| 93-04   | 151.00      | 154.00    | 3.00          | 39742         | 0.01      | 0.010   | 0.02   | 0.1       | 1         | 93        | 176       | 3         | 467       | NS        |

DATE:29/10/93 TIME: 10:15:55

ROMULUS RESOURCES LTD. - PINE PROPERTY - BRENDA ZONE

## WHITE PASS GRID

| HOLE-ID | FROM<br>(m) | TO<br>(m) | LENGTH<br>(m) | SAMPLE<br>NO. | AU<br>g/t | CU<br>% | CU EQV | AG<br>ppm | AS<br>ppm | CU<br>ppm | PB<br>ppm | SB<br>ppm | ZN<br>ppm | AU<br>ppb |
|---------|-------------|-----------|---------------|---------------|-----------|---------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 93-04   | 154.00      | 157.00    | 3.00          | 39743         | 0.02      | 0.004   | 0.02   | 0.1       | 1         | 37        | 130       | 2         | 258       | NS        |
| 93-04   | 157.00      | 160.00    | 3.00          | 39744         | 0.05      | 0.005   | 0.05   | 0.1       | 1         | 45        | 221       | 4         | 262       | NS        |
| 93-04   | 160.00      | 163.00    | 3.00          | 39745         | 0.05      | 0.014   | 0.06   | 0.1       | 1         | 133       | 70        | 6         | 226       | NS        |
| 93-04   | 163.00      | 166.00    | 3.00          | 39746         | 0.02      | 0.002   | 0.02   | 0.1       | 1         | 15        | 45        | 3         | 238       | NS        |
| 93-04   | 166.00      | 169.00    | 3.00          | 39747         | 0.01      | 0.009   | 0.02   | 0.1       | 1         | 85        | 614       | 4         | 884       | NS        |
| 93-04   | 169.00      | 172.00    | 3.00          | 39748         | 0.02      | 0.003   | 0.02   | 0.4       | 1         | 21        | 27        | 4         | 129       | NS        |
| 93-04   | 172.00      | 175.00    | 3.00          | 39749         | 0.01      | 0.004   | 0.01   | 0.1       | 1         | 38        | 22        | 6         | 71        | NS        |
| 93-04   | 175.00      | 178.00    | 3.00          | 39750         | 0.06      | 0.005   | 0.06   | 0.1       | 1         | 50        | 187       | 3         | 348       | NS        |
| 93-04   | 178.00      | 181.00    | 3.00          | 39751         | 0.76      | 0.103   | 0.86   | 22.8      | 1         | 968       | 183       | 1         | 4515      | NS        |
| 93-04   | 181.00      | 184.00    | 3.00          | 39752         | 0.41      | 0.033   | 0.44   | 6.0       | 4         | 321       | 138       | 1         | 1302      | NS        |
| 93-04   | 184.00      | 187.00    | 3.00          | 39753         | 0.47      | 0.059   | 0.53   | 0.1       | 1         | 593       | 197       | 1         | 682       | NS        |
| 93-04   | 187.00      | 190.00    | 3.00          | 39754         | 0.35      | 0.028   | 0.38   | 1.2       | 19        | 262       | 148       | 1         | 1472      | NS        |
| 93-04   | 190.00      | 193.00    | 3.00          | 39755         | 0.29      | 0.048   | 0.34   | 3.0       | 1         | 464       | 91        | 1         | 470       | NS        |
| 93-04   | 193.00      | 196.00    | 3.00          | 39756         | 0.20      | 0.064   | 0.26   | 0.1       | 1         | 633       | 16        | 1         | 197       | NS        |
| 93-04   | 196.00      | 199.00    | 3.00          | 39757         | 0.10      | 0.041   | 0.14   | 0.1       | 1         | 371       | 18        | 1         | 234       | NS        |
| 93-04   | 199.00      | 202.00    | 3.00          | 39758         | 0.07      | 0.038   | 0.11   | 0.1       | 1         | 358       | 19        | 1         | 154       | NS        |
| 93-04   | 202.00      | 205.00    | 3.00          | 39759         | 0.09      | 0.037   | 0.13   | 0.1       | 1         | 366       | 18        | 1         | 130       | NS        |
| 93-04   | 205.00      | 208.00    | 3.00          | 39760         | 0.10      | 0.043   | 0.14   | 0.1       | 1         | 401       | 96        | 1         | 203       | NS        |
| 93-04   | 208.00      | 211.00    | 3.00          | 39761         | 0.07      | 0.044   | 0.11   | 0.1       | 1         | 405       | 85        | 1         | 246       | NS        |
| 93-04   | 211.00      | 212.45    | 1.45          | 39762         | 0.21      | 0.076   | 0.29   | 0.1       | 45        | 711       | 468       | 1         | 2901      | NS        |



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9821

**SMITHERS LAB.:**  
3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

3V-0691-RA1

Company: **ROMULUS RESOURCES**  
Project: 9302  
Attn: Rob Klassen / Mark Rebagliati

Date: OCT-14-93

Copy 1. Romulus Resources, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples  
submitted OCT-07-93 by R. Klassen.

| Sample Number | Au-Fire g/tonne | Au-Fire oz/ton | Au-Fire g/tonne | Au-Fire oz/ton | Cu % | Cu % |
|---------------|-----------------|----------------|-----------------|----------------|------|------|
| 1-39694       | .01             | .001           |                 |                | .003 | .003 |
| 1-39695       | .02             | .001           |                 |                | .010 |      |
| 1-39696       | .02             | .001           |                 |                | .006 |      |
| 1-39697       | .45             | .013           |                 |                | .028 |      |
| 1-39698       | .67             | .020           |                 |                | .050 |      |
| 1-39699       | .56             | .016           |                 |                | .069 |      |
| 1-39700       | .05             | .001           |                 |                | .049 |      |
| 1-39701       | .27             | .008           |                 |                | .084 |      |
| 1-39702       | .61             | .018           |                 |                | .098 |      |
| 1-39703       | .70             | .020           | .64             | .019           | .201 |      |
| 1-39704       | .29             | .008           |                 |                | .207 | .209 |
| 1-39705       | .03             | .001           |                 |                | .054 |      |
| 1-39706       | .02             | .001           |                 |                | .028 |      |
| 1-39707       | .02             | .001           |                 |                | .014 |      |
| 1-39708       | .01             | .001           |                 |                | .022 |      |
| 1-39709       | .07             | .002           |                 |                | .036 |      |
| 1-39710       | .16             | .005           | .14             | .004           | .032 |      |
| 1-39711       | .04             | .001           |                 |                | .003 |      |
| 1-39712       | .04             | .001           |                 |                | .006 |      |
| 1-39713       | .02             | .001           |                 |                | .026 |      |
| 1-39714       | .21             | .006           |                 |                | .085 | .086 |
| 1-39715       | .32             | .009           | .33             | .010           | .054 |      |
| 1-39716       | .02             | .001           |                 |                | .004 |      |
| 1-39717       | .02             | .001           |                 |                | .002 |      |
| BLK           | .26             | .008           |                 |                | .513 |      |
| STD           | .01             | .001           |                 |                | .001 |      |

*Certified by* \_\_\_\_\_

*[Signature]*  
**MIN-EN LABORATORIES**



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**

705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9621

**SMITHERS LAB.:**

3176 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

Assay Certificate

3V-0691-RA2

Company: **ROMULUS RESOURCES**  
Project: 9302  
Attn: Rob Klassen / Mark Rebagliati

Date: OCT-14-93  
Copy 1. Romulus Resources, Vancouver, B.C.

We hereby certify the following Assay of 24 core samples  
submitted OCT-07-93 by R. Klassen.

| Sample Number | Au-Fire g/tonne | Au-Fire oz/ton | Au-Fire g/tonne | Au-Fire oz/ton | Cu % | Cu % |
|---------------|-----------------|----------------|-----------------|----------------|------|------|
| 1-39718       | .13             | .004           |                 |                | .028 | .027 |
| 1-39719       | .38             | .011           | .39             | .011           | .047 |      |
| 1-39720       | .02             | .001           |                 |                | .004 |      |
| 1-39721       | .01             | .001           |                 |                | .001 |      |
| 1-39722       | .02             | .001           |                 |                | .002 |      |
| 1-39723       | .01             | .001           |                 |                | .003 |      |
| 1-39724       | .02             | .001           |                 |                | .002 |      |
| 1-39725       | .03             | .001           |                 |                | .004 |      |
| 1-39726       | .25             | .007           | .24             | .007           | .065 |      |
| 1-39727       | .09             | .003           |                 |                | .053 |      |
| 1-39728       | .07             | .002           |                 |                | .004 | .003 |
| 1-39729       | .01             | .001           |                 |                | .010 |      |
| 1-39730       | .01             | .001           |                 |                | .014 |      |
| 1-39731       | .02             | .001           |                 |                | .015 |      |
| 1-39732       | .01             | .001           |                 |                | .008 |      |
| 1-39733       | .06             | .002           |                 |                | .033 |      |
| 1-39734       | .04             | .001           | .04             | .001           | .004 |      |
| 1-39735       | .02             | .001           |                 |                | .003 |      |
| 1-39736       | .02             | .001           |                 |                | .004 |      |
| 1-39737       | .01             | .001           |                 |                | .003 |      |
| 1-39738       | .02             | .001           |                 |                | .010 | .010 |
| 1-39739       | .02             | .001           |                 |                | .008 |      |
| 1-39740       | .03             | .001           |                 |                | .012 |      |
| 1-39741       | .01             | .001           |                 |                | .007 |      |
| STD           | .26             | .008           |                 |                | .512 |      |
| BLK           | .01             | .001           |                 |                | .001 |      |

*Certified by* \_\_\_\_\_

*[Signature]*  
**MIN-EN LABORATORIES**



**MINERAL  
ENVIRONMENTS  
LABORATORIES**  
(DIVISION OF ASSAYERS CORP.)

SPECIALISTS IN MINERAL ENVIRONMENTS  
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

**VANCOUVER OFFICE:**  
705 WEST 15TH STREET  
NORTH VANCOUVER, B.C. CANADA V7M 1T2  
TELEPHONE (604) 980-5814 OR (604) 988-4524  
FAX (604) 980-9821

**SMITHERS LAB.:**  
3178 TATLOW ROAD  
SMITHERS, B.C. CANADA V0J 2N0  
TELEPHONE (604) 847-3004  
FAX (604) 847-3005

**Assay Certificate**

3V-0691-RA3

Company: **ROMULUS RESOURCES**  
Project: 9302  
Attn: Rob Klassen / Mark Rebagliati

Date: OCT-14-93

copy 1. Romulus Resources, Vancouver, B.C.

We hereby certify the following Assay of 21 core samples  
submitted OCT-07-93 by R. Klassen.

| Sample<br>Number | Au-Fire<br>g/tonne | Au-Fire<br>oz/ton | Au-Fire<br>g/tonne | Au-Fire<br>oz/ton | Cu<br>% | Cu<br>% |
|------------------|--------------------|-------------------|--------------------|-------------------|---------|---------|
| 1-39742          | .01                | .001              |                    |                   | .010    | .010    |
| 1-39743          | .02                | .001              |                    |                   | .004    |         |
| 1-39744          | .05                | .001              |                    |                   | .005    |         |
| 1-39745          | .05                | .001              |                    |                   | .014    |         |
| 1-39746          | .02                | .001              |                    |                   | .002    |         |
| 1-39747          | .01                | .001              |                    |                   | .009    |         |
| 1-39748          | .02                | .001              |                    |                   | .003    |         |
| 1-39749          | .01                | .001              |                    |                   | .004    |         |
| 1-39750          | .06                | .002              |                    |                   | .005    |         |
| 1-39751          | .76                | .022              | .73                | .021              | .103    |         |
| 1-39752          | .41                | .012              |                    |                   | .033    | .033    |
| 1-39753          | .47                | .014              | .47                | .014              | .059    |         |
| 1-39754          | .35                | .010              |                    |                   | .028    |         |
| 1-39755          | .29                | .008              |                    |                   | .048    |         |
| 1-39756          | .20                | .006              |                    |                   | .064    |         |
| 1-39757          | .10                | .003              |                    |                   | .041    |         |
| 1-39758          | .07                | .002              |                    |                   | .038    |         |
| 1-39759          | .09                | .003              |                    |                   | .037    |         |
| 1-39760          | .10                | .003              |                    |                   | .043    |         |
| 1-39761          | .07                | .002              |                    |                   | .044    |         |
| 1-39762          | .21                | .006              | .20                | .006              | .076    | .078    |
| BLK              | .25                | .007              |                    |                   | .509    |         |
| STD              | .01                | .001              |                    |                   | .001    |         |

Certified by \_\_\_\_\_

MIN-EN LABORATORIES

COMP: ROMULUS RESOURCES

PROJ: 9302

ATTN: Rob Klassen / Mark Rebagliati

**MIN-EN LABS — ICP REPORT**  
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
 (604)980-5814 OR (604)988-4524

 FILE NO: 3V-0691-RJ1+2  
 DATE: 93/10/14  
 • core • (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI % | CA % | CD PPM | CO PPM | CU PPM | FE % | K % | LI PPM | MG % | NN PPM | MO PPM | NA % | NI % | P PPM | PB PPM | SB PPM | SR PPM | TH PPM | Tl PPM | V PPM | Zn PPM | Ga PPM | Sn PPM | W PPM | Cr PPM |
|---------------|--------|------|--------|-------|--------|--------|------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-39694       | .1     | .63  | 1      | 1     | 527    | .1     | 1    | .12  | .1     | 3      | 23     | 2.25 | .24 | 2      | .14  | 120    | 5      | .01  | 1    | 450   | 1      | 1      | 33     | 11     | 188    | 33.7  | 31     | 1      | 1      | 2     | 32     |
| 1-39695       | .1     | 1.62 | 1      | 1     | 1077   | .1     | 3    | .05  | .1     | 4      | 94     | 2.90 | .03 | 10     | .11  | 44     | 11     | .01  | 1    | 450   | 1      | 1      | 85     | 20     | 134    | 58.3  | 50     | 2      | 1      | 3     | 29     |
| 1-39696       | .1     | .92  | 1      | 1     | 1160   | .1     | 5    | .02  | .1     | 3      | 58     | 2.81 | .05 | 3      | .01  | 21     | 14     | .01  | 1    | 230   | 1      | 2      | 95     | 51     | 146    | 73.8  | 9      | 6      | 1      | 6     | 73     |
| 1-39697       | .2     | 1.80 | 1      | 1     | 593    | .1     | 9    | .08  | .1     | 6      | 286    | 5.31 | .73 | 6      | .23  | 152    | 20     | .02  | 1    | 1170  | 37     | 1      | 53     | 87     | 79     | 108.4 | 81     | 11     | 1      | 9     | 47     |
| 1-39698       | 2.2    | 1.28 | 1      | 1     | 160    | .1     | 9    | .12  | .1     | 5      | 518    | 3.46 | .53 | 3      | .34  | 453    | 13     | .03  | 1    | 680   | 107    | 1      | 21     | 74     | 47     | 20.1  | 111    | 11     | 1      | 5     | 51     |
| 1-39699       | .6     | 2.16 | 1      | 1     | 154    | .1     | 14   | .42  | .1     | 12     | 727    | 5.43 | .38 | 10     | .93  | 1105   | 12     | .03  | 1    | 1350  | 78     | 1      | 47     | 107    | 798    | 71.8  | 250    | 22     | 1      | 6     | 42     |
| 1-39700       | .1     | 3.99 | 1      | 1     | 70     | .2     | 28   | 1.64 | .1     | 28     | 514    | 7.90 | .17 | 28     | 2.55 | 2277   | 4      | .03  | 1    | 2370  | 47     | 7      | 76     | 121    | 3502   | 238.8 | 449    | 38     | 1      | 10    | 24     |
| 1-39701       | .1     | 2.42 | 1      | 1     | 48     | .1     | 19   | .82  | .1     | 20     | 858    | 6.75 | .09 | 15     | 1.85 | 1945   | 8      | .03  | 1    | 1200  | 37     | 1      | 57     | 127    | 1439   | 129.7 | 474    | 30     | 1      | 8     | 56     |
| 1-39702       | .1     | 1.69 | 1      | 1     | 44     | .1     | 13   | .51  | .1     | 11     | 982    | 5.90 | .11 | 9      | 1.17 | 1314   | 9      | .03  | 1    | 1030  | 24     | 1      | 31     | 110    | 303    | 90.2  | 398    | 23     | 1      | 6     | 37     |
| 1-39703       | .2     | 1.91 | 1      | 1     | 70     | .1     | 19   | .54  | .1     | 11     | 1966   | 5.07 | .15 | 10     | 1.16 | 1400   | 13     | .03  | 1    | 1170  | 39     | 1      | 75     | 106    | 437    | 76.1  | 608    | 24     | 1      | 6     | 39     |
| 1-39704       | .8     | 1.71 | 1      | 1     | 32     | .1     | 21   | .64  | .1     | 10     | 2141   | 4.33 | .14 | 9      | 1.15 | 1390   | 13     | .03  | 1    | 460   | 50     | 2      | 52     | 94     | 882    | 64.7  | 292    | 21     | 1      | 6     | 50     |
| 1-39705       | .1     | 2.22 | 1      | 1     | 135    | .1     | 13   | 1.34 | .1     | 11     | 538    | 3.10 | .08 | 10     | 1.21 | 1122   | 7      | .03  | 1    | 880   | 32     | 9      | 125    | 98     | 794    | 82.0  | 196    | 25     | 1      | 7     | 54     |
| 1-39706       | .1     | 1.75 | 1      | 1     | 97     | .4     | 8    | 1.14 | 8.4    | 14     | 262    | 2.96 | .07 | 9      | .98  | 1196   | 5      | .02  | 1    | 930   | 23     | 6      | 99     | 89     | 410    | 76.8  | 681    | 22     | 1      | 5     | 47     |
| 1-39707       | .1     | 1.87 | 1      | 1     | 41     | .4     | 8    | 1.24 | .7     | 12     | 151    | 2.84 | .10 | 10     | 1.02 | 908    | 4      | .03  | 1    | 900   | 19     | 6      | 109    | 95     | 585    | 81.7  | 380    | 22     | 1      | 6     | 47     |
| 1-39708       | .1     | 1.68 | 1      | 129   | 27     | .2     | 9    | 1.27 | .1     | 11     | 214    | 2.70 | .08 | 10     | 1.04 | 982    | 5      | .03  | 1    | 880   | 25     | 7      | 94     | 91     | 555    | 75.4  | 315    | 22     | 1      | 6     | 6.     |
| 1-39709       | .1     | 1.85 | 1      | 1     | 58     | .3     | 11   | 1.37 | .1     | 13     | 361    | 3.77 | .14 | 9      | 1.11 | 1462   | 6      | .03  | 1    | 960   | 177    | 3      | 83     | 89     | 809    | 76.2  | 507    | 23     | 1      | 6     | 46     |
| 1-39710       | .1     | 1.78 | 16     | 1     | 91     | .2     | 12   | 1.03 | .1     | 15     | 312    | 3.53 | .17 | 9      | 1.11 | 2024   | 7      | .02  | 1    | 960   | 73     | 4      | 76     | 96     | 1085   | 57.4  | 582    | 24     | 1      | 6     | 44     |
| 1-39711       | .1     | 2.02 | 1      | 1     | 89     | .1     | 11   | 1.41 | .1     | 13     | 39     | 2.81 | .13 | 6      | 1.10 | 2075   | 6      | .02  | 1    | 910   | 56     | 8      | 86     | 88     | 1343   | 59.7  | 585    | 25     | 1      | 6     | 65     |
| 1-39712       | .1     | 2.16 | 1      | 1     | 61     | .1     | 14   | 1.44 | .1     | 13     | 67     | 3.07 | .14 | 7      | 1.13 | 2213   | 6      | .02  | 1    | 950   | 68     | 7      | 101    | 85     | 1761   | 65.1  | 677    | 26     | 1      | 7     | 69     |
| 1-39713       | .1     | 2.47 | 1      | 1     | 199    | .2     | 15   | 1.45 | .3     | 14     | 262    | 3.02 | .18 | 8      | 1.10 | 1749   | 6      | .02  | 1    | 1060  | 67     | 11     | 150    | 100    | 1630   | 68.6  | 699    | 25     | 1      | 7     | 67     |
| 1-39714       | .3     | 2.20 | 1      | 1     | 68     | .2     | 16   | 1.09 | .1     | 14     | 819    | 4.31 | .12 | 13     | 1.42 | 1882   | 9      | .02  | 1    | 1390  | 51     | 6      | 156    | 107    | 1237   | 91.7  | 552    | 28     | 1      | 7     | 41     |
| 1-39715       | 1.8    | 2.14 | 1      | 1     | 115    | .1     | 13   | 1.54 | 8.8    | 12     | 539    | 3.83 | .32 | 7      | 1.10 | 1505   | 14     | .03  | 1    | 1040  | 159    | 8      | 114    | 95     | 614    | 65.5  | 1357   | 23     | 1      | 5     | 65     |
| 1-39716       | .1     | 1.67 | 1      | 1     | 142    | .4     | 7    | 2.27 | .1     | 9      | 33     | 2.76 | .23 | 6      | 1.03 | 1015   | 4      | .03  | 1    | 850   | 29     | 6      | 91     | 86     | 443    | 72.9  | 72     | 22     | 1      | 7     | 59     |
| 1-39717       | .1     | 1.81 | 1      | 1     | 95     | .4     | 8    | 2.28 | .1     | 10     | 29     | 3.00 | .17 | 6      | 1.11 | 1071   | 5      | .03  | 1    | 880   | 32     | 7      | 104    | 96     | 630    | 81.6  | 64     | 25     | 1      | 8     | 67     |
| 1-39718       | .1     | 1.50 | 1      | 1     | 81     | .3     | 7    | 1.64 | .1     | 8      | 270    | 2.77 | .17 | 7      | 1.09 | 1101   | 6      | .03  | 1    | 930   | 28     | 2      | 75     | 75     | 369    | 64.1  | 107    | 20     | 1      | 5     | 45     |
| 1-39719       | .1     | 1.66 | 1      | 1     | 154    | .3     | 9    | 2.95 | .1     | 10     | 481    | 4.33 | .28 | 14     | 1.30 | 1493   | 5      | .02  | 1    | 1380  | 25     | 1      | 52     | 77     | 300    | 85.3  | 203    | 24     | 1      | 5     | 26     |
| 1-39720       | .1     | 2.93 | 1      | 1     | 91     | .2     | 16   | 3.55 | .1     | 19     | 33     | 5.70 | .27 | 30     | 2.08 | 1980   | 2      | .04  | 1    | 1830  | 32     | 3      | 78     | 76     | 2012   | 163.6 | 111    | 32     | 1      | 7     | 11     |
| 1-39721       | .1     | 1.66 | 1      | 1     | 110    | .3     | 7    | 1.83 | .1     | 9      | 16     | 2.60 | .16 | 10     | 1.05 | 1192   | 3      | .03  | 1    | 1010  | 19     | 5      | 88     | 71     | 859    | 61.8  | 84     | 22     | 1      | 6     | 48     |
| 1-39722       | .1     | 1.63 | 1      | 1     | 118    | .2     | 8    | 1.53 | .1     | 8      | 13     | 2.45 | .12 | 5      | .93  | 1150   | 4      | .03  | 1    | 860   | 21     | 4      | 103    | 72     | 912    | 54.2  | 112    | 20     | 1      | 5     | 43     |
| 1-39723       | .1     | 2.27 | 1      | 1     | 283    | .3     | 9    | 2.64 | .1     | 8      | 29     | 2.54 | .18 | 6      | .99  | 1760   | 5      | .03  | 2    | 870   | 62     | 9      | 134    | 60     | 754    | 55.2  | 256    | 24     | 1      | 6     | 56     |
| 1-39724       | .1     | 1.76 | 1      | 1     | 193    | .2     | 9    | 1.54 | .1     | 8      | 21     | 2.50 | .17 | 5      | .96  | 1350   | 5      | .03  | 1    | 860   | 39     | 5      | 111    | 69     | 939    | 51.3  | 165    | 20     | 1      | 6     | 51     |
| 1-39725       | .1     | 2.12 | 1      | 1     | 172    | .2     | 10   | 1.73 | .1     | 9      | 32     | 2.91 | .15 | 6      | 1.24 | 1877   | 5      | .03  | 1    | 1040  | 124    | 5      | 108    | 65     | 1181   | 57.5  | 314    | 24     | 1      | 6     | 60     |
| 1-39726       | .2     | 1.66 | 1      | 1     | 60     | .2     | 12   | 1.64 | .1     | 11     | 608    | 3.70 | .21 | 9      | 1.05 | 1597   | 13     | .02  | 1    | 840   | 76     | 2      | 52     | 80     | 557    | 50.2  | 213    | 22     | 1      | 4     | 56     |
| 1-39727       | .1     | 1.67 | 1      | 1     | 89     | .2     | 9    | 1.43 | 7.0    | 9      | 516    | 3.52 | .25 | 6      | 1.10 | 2343   | 7      | .03  | 1    | 940   | 57     | 2      | 67     | 79     | 251    | 45.3  | 1327   | 24     | 1      | 4     | 48     |
| 1-39728       | .1     | 2.33 | 1      | 1     | 73     | .1     | 14   | 2.90 | .1     | 14     | 32     | 4.14 | .17 | 12     | 1.49 | 1679   | 5      | .04  | 1    | 1110  | 44     | 3      | 105    | 69     | 1792   | 110.4 | 417    | 27     | 1      | 7     | 46     |
| 1-39729       | .1     | 2.72 | 1      | 1     | 94     | .2     | 19   | 3.06 | .1     | 18     | 93     | 4.91 | .07 | 17     | 1.97 | 1689   | 3      | .04  | 2    | 1260  | 57     | 4      | 89     | 70     | 2605   | 152.4 | 1017   | 30     | 1      | 7     | 36     |
| 1-39730       | .1     | 1.75 | 1      | 1     | 67     | .2     | 11   | 1.72 | 5.6    | 9      | 120    | 3.24 | .11 | 7      | 1.06 | 1777   | 4      | .03  | 1    | 1030  | 46     | 2      | 94     | 70     | 1382   | 82.0  | 1391   | 23     | 1      | 4     | 41     |
| 1-39731       | .1     | 2.00 | 1      | 1     | 138    | .1     | 10   | 1.71 | 21.7   | 9      | 123    | 3.06 | .16 | 6      | 1.12 | 2514   | 5      | .02  | 1    | 940   | 232    | 6      | 131    | 69     | 875    | 60.8  | 2981   | 25     | 1      | 2     | /      |
| 1-39732       | .1     | 2.39 | 1      | 1     | 74     | .3     | 12   | 1.95 | 5.7    | 10     | 134    | 3.04 | .17 | 9      | 1.19 | 2694   | 8      | .02  | 1    | 930   | 767    | 9      | 148    | 73     | 1035   | 69.1  | 1631   | 28     | 1      | 5     | .      |
| 1-39733       | .1     | 1.93 | 1      | 1     | 38     | .1     | 14   | 1.45 | .1     | 14     | 312    | 4.18 | .11 | 10     | 1.55 | 2072   | 6      | .05  | 3    | 990   | 93     | 1      | 88     | 82     | 1609   | 91.0  | 743    | 28     | 1      | 6     | 59     |
| 1-39734       | .1     | 1.65 | 1      | 1     | 56     | .1     | 11   | 1.33 | .1     | 8      | 44     | 2.86 | .08 | 5      | 1.09 | 2050   | 4      | .03  | 1    | 1010  | 26     | 3      | 87     | 62     | 1378   | 55.0  | 239    | 24     | 1      | 6     | 47     |
| 1-39735       | .1     | 1.69 | 1      | 1     | 85     | .1     | 11   | 1.34 | .1     | 9      | 25     | 2.88 | .10 | 5      | 1.11 | 1917   | 6      | .03  | 1    | 1060  | 56     | 1      | 93     | 63     | 1528   | 55.3  | 198    | 23     | 1      | 6     | 66     |
| 1-39736       | .1     | 1.71 | 1      | 1     | 60     | .1     | 10   | 1.42 | .1     | 7      | 35     | 2.39 | .19 | 4      | .96  | 1799   | 2      | .02  | 1    | 920   | 340    | 5      | 100    | 60     | 1304   | 42.0  | 538    | 22     | 1      | 5     | 52     |
| 1-39737       | .1     | 1.59 | 1      | 1     | 42     | .1     | 9    | 1.35 | .1     | 8      | 36     | 2.55 | .10 | 4      | 1.02 | 1857   | 6      |      |      |       |        |        |        |        |        |       |        |        |        |       |        |

#### **COMP: ROMULUS RESOURCES**

PROJ: 9302

**ATTN: Rob Klassen / Mark Rebagliati**

**MIN-EN LABS — ICP REPORT**  
705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2  
(604) 980-5814 OR (604) 988-4524

FILE NO: 3V-0691-RJ3

DATE: 93/10/14

\* core \* (ACT:F31)

| SAMPLE NUMBER | AG PPM | AL % | AS PPM | B PPM | BA PPM | BE PPM | BI PPN | CA % | CD PPH | CO PPN | CU PPH | FE % | K % | Li PPM | Mg % | Mn PPN | Mo PPM | Na % | NJ PPM | P PPM | PB PPM | SB PPM | SR PPN | TH PPM | TI PPM | V PPM | ZN PPM | GA PPM | SN PPM | W PPM | CR PPM |
|---------------|--------|------|--------|-------|--------|--------|--------|------|--------|--------|--------|------|-----|--------|------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|-------|--------|--------|--------|-------|--------|
| 1-39742       | .1     | 1.58 | 1      | 1     | 48     | .1     | 7      | 1.32 | .1     | 8      | 93     | 2.39 | .10 | 5      | 1.02 | 1899   | 3      | .03  | 1      | 880   | 176    | 3      | 93     | 63     | 716    | 43.9  | 467    | 21     | 1      | 5     | 45     |
| 1-39743       | .1     | 1.44 | 1      | 1     | 36     | .1     | 9      | 1.32 | .1     | 8      | 37     | 2.42 | .08 | 4      | .93  | 1547   | 3      | .03  | 1      | 840   | 130    | 2      | 105    | 61     | 1137   | 49.8  | 258    | 21     | 1      | 5     | 49     |
| 1-39744       | .1     | 1.83 | 1      | 1     | 65     | .1     | 12     | 1.46 | .1     | 10     | 45     | 2.99 | .20 | 4      | .96  | 2064   | 6      | .03  | 1      | 890   | 221    | 4      | 139    | 70     | 1514   | 55.5  | 262    | 24     | 1      | 5     | 46     |
| 1-39745       | .1     | 2.43 | 1      | 1     | 67     | .1     | 17     | 2.54 | .1     | 14     | 133    | 4.13 | .27 | 11     | 1.46 | 2452   | 6      | .03  | 1      | 1190  | 70     | 6      | 132    | 66     | 2345   | 100.7 | 226    | 29     | 1      | 7     | 37     |
| 1-39746       | .1     | 1.94 | 1      | 1     | 54     | .2     | 11     | 1.92 | .1     | 11     | 15     | 3.27 | .10 | 6      | 1.19 | 1510   | 3      | .04  | 1      | 1050  | 45     | 3      | 165    | 71     | 1555   | 74.3  | 238    | 25     | 1      | 6     | 36     |
| 1-39747       | .1     | 1.92 | 1      | 1     | 61     | .2     | 15     | 1.78 | .1     | 11     | 85     | 3.61 | .08 | 7      | 1.26 | 1507   | 4      | .04  | 1      | 1030  | 614    | 4      | 151    | 87     | 2042   | 94.0  | 884    | 27     | 1      | 6     | 46     |
| 1-39748       | .4     | 1.77 | 1      | 1     | 51     | .4     | 16     | 1.52 | .1     | 14     | 21     | 3.60 | .11 | 7      | 1.17 | 1091   | 6      | .05  | 1      | 960   | 27     | 4      | 99     | 90     | 2113   | 92.8  | 129    | 25     | 1      | 8     | 81     |
| 1-39749       | .1     | 2.07 | 1      | 1     | 325    | .5     | 10     | 2.63 | .1     | 11     | 38     | 3.05 | .10 | 7      | .93  | 886    | 4      | .05  | 1      | 850   | 22     | 6      | 119    | 58     | 1351   | 80.6  | 71     | 21     | 1      | 6     | 32     |
| 1-39750       | .1     | 2.00 | 1      | 1     | 56     | .2     | 14     | 2.03 | .1     | 15     | 50     | 3.96 | .11 | 10     | 1.33 | 1412   | 4      | .05  | 1      | 1160  | 187    | 3      | 105    | 75     | 2014   | 108.2 | 348    | 26     | 1      | 7     | 61     |
| 1-39751       | 22.8   | .71  | 1      | 1     | 105    | .1     | 10     | 1.24 | 53.8   | 9      | 968    | 3.78 | .39 | 1      | .13  | 174    | 29     | .01  | 1      | 550   | 183    | 1      | 73     | 55     | 40     | 8.0   | 4515   | 6      | 1      | 1     | 48     |
| 1-39752       | 6.0    | .92  | 4      | 1     | 113    | .2     | 7      | 1.51 | 6.9    | 12     | 321    | 5.53 | .46 | 2      | .19  | 294    | 12     | .01  | 1      | 810   | 138    | 1      | 83     | 69     | 40     | 14.4  | 1302   | 7      | 1      | 4     | 81     |
| 1-39753       | .1     | 1.94 | 1      | 1     | 120    | .1     | 12     | 1.83 | .1     | 10     | 593    | 5.38 | .44 | 9      | 1.22 | 2266   | 13     | .01  | 1      | 1000  | 197    | 1      | 104    | 100    | 236    | 47.9  | 682    | 27     | 1      | 5     | 42     |
| 1-39754       | 1.2    | 1.34 | 19     | 1     | 112    | .1     | 8      | 3.56 | 8.8    | 10     | 262    | 5.86 | .46 | 5      | .66  | 1028   | 12     | .01  | 1      | 890   | 148    | 1      | 285    | 58     | 46     | 26.3  | 1472   | 17     | 1      | 4     | 76     |
| 1-39755       | 3.0    | 1.01 | 1      | 1     | 101    | .1     | 10     | 4.16 | .1     | 10     | 464    | 5.00 | .33 | 4      | .50  | 1044   | 13     | .01  | 1      | 770   | 91     | 1      | 287    | 47     | 200    | 28.0  | 470    | 15     | 1      | 3     | 1      |
| 1-39756       | .1     | 1.50 | 1      | 1     | 129    | .1     | 13     | 1.57 | .1     | 12     | 633    | 6.16 | .20 | 8      | 1.00 | 2373   | 11     | .02  | 1      | 1040  | 16     | 1      | 99     | 78     | 1199   | 75.7  | 197    | 23     | 1      | 8     | 5.     |
| 1-39757       | .1     | 1.65 | 1      | 1     | 94     | .1     | 10     | 1.84 | .1     | 10     | 371    | 4.79 | .20 | 7      | 1.04 | 2431   | 12     | .02  | 1      | 1200  | 18     | 1      | 118    | 70     | 1020   | 48.6  | 234    | 22     | 1      | 5     | 44     |
| 1-39758       | .1     | 1.62 | 1      | 1     | 110    | .1     | 13     | 1.64 | .1     | 9      | 358    | 4.67 | .21 | 7      | 1.06 | 2779   | 11     | .02  | 1      | 1000  | 19     | 1      | 119    | 78     | 1208   | 49.2  | 154    | 25     | 1      | 7     | 92     |
| 1-39759       | .1     | 1.38 | 1      | 1     | 113    | .1     | 9      | 1.33 | .1     | 10     | 366    | 4.56 | .22 | 6      | .87  | 2268   | 11     | .02  | 1      | 620   | 18     | 1      | 61     | 63     | 663    | 27.8  | 130    | 23     | 1      | 6     | 72     |
| 1-39760       | .1     | 1.30 | 1      | 1     | 113    | .1     | 10     | 1.43 | .1     | 12     | 401    | 5.14 | .24 | 4      | .63  | 2581   | 13     | .02  | 1      | 550   | 96     | 1      | 88     | 71     | 622    | 28.5  | 203    | 20     | 1      | 9     | 140    |
| 1-39761       | .1     | 1.82 | 1      | 1     | 101    | .1     | 12     | 1.74 | .1     | 10     | 405    | 5.26 | .23 | 6      | .94  | 3572   | 15     | .02  | 1      | 940   | 85     | 1      | 109    | 76     | 792    | 38.6  | 246    | 27     | 1      | 6     | 70     |
| 1-39762       | .1     | 1.72 | 45     | 1     | 303    | .1     | 12     | 1.76 | 20.7   | 11     | 711    | 5.20 | .33 | 7      | .78  | 3784   | 26     | .01  | 1      | 870   | 468    | 1      | 120    | 73     | 370    | 38.8  | 2901   | 25     | 1      | 4     | 87     |

**APPENDIX II**

**SOIL GEOCHEMISTRY - ICP REPORTS and AU ANALYSIS**

## GEOCHEMICAL ANALYSIS CERTIFICATE

Canasil Resources Inc. PROJECT WHITE PASS File # 90-1936R Page 1

| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe % | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| WP L6N 5+20E    | 10        | 79        | 357       | 345       | 2.7       | 8         | 10        | 927       | 5.51 | 45        | <5       | <2        | <2        | 76        | 2.6       | 5         | <2        | 64       | .20     | .154   | 15        | 17        | .56     | 215       | .04     | <2       | 3.52    | .01     | .09    | <1       | 33         |
| WP L6N 5+40E    | 15        | 80        | 581       | 337       | 2.2       | 4         | 6         | 772       | 4.83 | 45        | <5       | <2        | <2        | 99        | 2.4       | <2        | <2        | 55       | .12     | .124   | 16        | 12        | .41     | 230       | .02     | 6        | 2.85    | .02     | .12    | <1       | 18         |
| WP L6N 5+60E    | 13        | 58        | 517       | 90        | 4.4       | 2         | 3         | 510       | 5.15 | 43        | 5        | <2        | <2        | 172       | 2.3       | 2         | 2         | 46       | .08     | .191   | 29        | 7         | .20     | 293       | .02     | 2        | 2.36    | .06     | .15    | 2        | 580        |
| WP L6N 5+80E    | 10        | 44        | 458       | 58        | 5.3       | 1         | 2         | 160       | 4.13 | 30        | <5       | <2        | <2        | 123       | 1.1       | <2        | 6         | 53       | .06     | .150   | 27        | 3         | .11     | 248       | .01     | 4        | 1.74    | .06     | .11    | 1        | 610        |
| WP L6N 6+00E    | 36        | 56        | 496       | 87        | 7.6       | 2         | 3         | 186       | 6.67 | 49        | 5        | <2        | 3         | 150       | 1.9       | <2        | 4         | 30       | .04     | .130   | 54        | 6         | .13     | 89        | .01     | 2        | 1.39    | .13     | .32    | 1        | 370        |
| WP L6N 6+20E    | 18        | 71        | 203       | 170       | 2.4       | 6         | 7         | 578       | 8.26 | 38        | <5       | <2        | <2        | 97        | 2.1       | 3         | <2        | 91       | .10     | .257   | 20        | 18        | .43     | 243       | .05     | 2        | 3.92    | .03     | .12    | <1       | 110        |
| WP L6N 6+40E    | 14        | 70        | 232       | 186       | 2.4       | 11        | 8         | 762       | 6.15 | 40        | 5        | <2        | <2        | 95        | 2.0       | 4         | 3         | 68       | .20     | .194   | 20        | 20        | .51     | 227       | .05     | 4        | 3.28    | .03     | .11    | 1        | 88         |
| WP L6N 6+60E    | 8         | 49        | 124       | 155       | 3.0       | 9         | 7         | 504       | 5.38 | 25        | <5       | <2        | <2        | 61        | 2.6       | 4         | <2        | 69       | .11     | .128   | 15        | 17        | .42     | 201       | .04     | 4        | 3.69    | .03     | .09    | 1        | 38         |
| WP L6N 6+80E    | 9         | 58        | 304       | 169       | 2.3       | 11        | 7         | 537       | 5.67 | 24        | <5       | <2        | <2        | 64        | 2.2       | 4         | <2        | 55       | .08     | .125   | 15        | 20        | .45     | 308       | .02     | 3        | 3.30    | .04     | .15    | 2        | 40         |
| WP L6N 7+00E    | 15        | 51        | 120       | 133       | 1.8       | 10        | 7         | 591       | 6.06 | 37        | <5       | <2        | <2        | 73        | 2.6       | 3         | <2        | 54       | .09     | .185   | 15        | 18        | .35     | 201       | .03     | 2        | 3.43    | .05     | .10    | <1       | 240        |
| WP L5+50N 5+20E | 10        | 59        | 187       | 190       | 3.0       | 8         | 7         | 491       | 5.48 | 48        | <5       | <2        | <2        | 110       | 2.4       | 3         | <2        | 73       | .09     | .129   | 17        | 19        | .44     | 265       | .03     | 5        | 3.16    | .02     | .10    | <1       | 140        |
| WP L5+50N 5+40E | 6         | 34        | 101       | 130       | 2.6       | 8         | 6         | 425       | 4.69 | 28        | <5       | <2        | <2        | 57        | 2.0       | 2         | <2        | 66       | .13     | .094   | 11        | 24        | .44     | 163       | .04     | 7        | 3.14    | .02     | .06    | 3        | 36         |
| WP L5+50N 5+60E | 8         | 55        | 175       | 173       | 3.8       | 13        | 7         | 592       | 4.77 | 32        | <5       | <2        | <2        | 68        | 2.6       | 4         | 2         | 63       | .12     | .122   | 14        | 25        | .53     | 220       | .05     | 3        | 4.12    | .02     | .08    | <1       | 27         |
| WP L5+50N 5+80E | 5         | 24        | 90        | 161       | 2.0       | 9         | 6         | 467       | 4.27 | 18        | <5       | <2        | <2        | 35        | 2.0       | 3         | 3         | 49       | .10     | .114   | 14        | 19        | .32     | 114       | .05     | 4        | 3.59    | .02     | .05    | 1        | 17         |
| WP L5+50N 6+00E | 9         | 47        | 169       | 162       | 4.1       | 6         | 6         | 434       | 6.54 | 40        | <5       | <2        | <2        | 131       | 2.2       | 3         | <2        | 66       | .10     | .209   | 25        | 20        | .33     | 281       | .03     | 2        | 3.50    | .04     | .14    | 2        | 29         |
| WP L5+50N 6+20E | 4         | 68        | 409       | 312       | 1.7       | 16        | 8         | 692       | 5.06 | 18        | <5       | <2        | <2        | 61        | 2.4       | 4         | <2        | 65       | .17     | .159   | 13        | 25        | .54     | 177       | .04     | 3        | 4.39    | .01     | .06    | <1       | 18         |
| WP L5+50N 6+40E | 6         | 43        | 198       | 188       | 2.8       | 8         | 5         | 517       | 4.25 | 18        | <5       | <2        | <2        | 63        | 1.5       | 2         | <2        | 56       | .13     | .119   | 14        | 15        | .39     | 204       | .03     | 4        | 3.15    | .02     | .08    | <1       | 16         |
| WP L5+50N 6+60E | 10        | 36        | 97        | 107       | 1.9       | 8         | 6         | 423       | 4.70 | 20        | <5       | <2        | <2        | 80        | 1.8       | <2        | 4         | 50       | .11     | .109   | 18        | 20        | .44     | 188       | .04     | 2        | 2.80    | .03     | .10    | <1       | 130        |
| WP L5+50N 6+80E | 4         | 21        | 89        | 86        | 2.1       | 6         | 3         | 281       | 3.27 | 10        | <5       | <2        | <2        | 31        | 1.0       | <2        | <2        | 38       | .08     | .117   | 17        | 15        | .21     | 137       | .03     | 2        | 2.90    | .02     | .05    | 2        | 59         |
| WP L5+50N 7+00E | 7         | 131       | 529       | 431       | 4.8       | <1        | 4         | 682       | 7.09 | 24        | 5        | <2        | <2        | 102       | 2.6       | <2        | <2        | 40       | .03     | .163   | 26        | 9         | .45     | 64        | .01     | 3        | 2.41    | .06     | .43    | <1       | 53         |
| WP L5+50N 7+20E | 17        | 51        | 127       | 87        | 4.5       | 7         | 4         | 308       | 7.09 | 32        | <5       | <2        | <2        | 108       | 2.1       | 2         | 2         | 46       | .05     | .175   | 22        | 15        | .28     | 268       | .03     | 6        | 3.08    | .10     | .17    | 1        | 91         |
| WP L5+50N 7+40E | 10        | 36        | 107       | 148       | 2.7       | 3         | 6         | 764       | 5.77 | 29        | <5       | <2        | <2        | 102       | 1.2       | 2         | <2        | 52       | .12     | .194   | 13        | 12        | .25     | 184       | .02     | 2        | 2.90    | .05     | .11    | <1       | 39         |
| WP L5N 6+20E    | 5         | 50        | 185       | 258       | 2.6       | 11        | 7         | 627       | 5.34 | 29        | <5       | <2        | <2        | 74        | 2.5       | 3         | <2        | 62       | .11     | .141   | 15        | 18        | .51     | 236       | .03     | <2       | 3.23    | .02     | .09    | <1       | 31         |
| WP L5N 6+40E    | 10        | 37        | 109       | 160       | 2.0       | 6         | 6         | 493       | 5.83 | 23        | <5       | <2        | <2        | 62        | 1.6       | 2         | <2        | 60       | .08     | .131   | 16        | 14        | .32     | 176       | .02     | 2        | 2.81    | .02     | .08    | <1       | 28         |
| WP L5N 6+60E    | 12        | 95        | 340       | 218       | 2.8       | 5         | 5         | 580       | 6.60 | 38        | <5       | <2        | <2        | 79        | 2.7       | 3         | 2         | 54       | .09     | .160   | 17        | 12        | .38     | 319       | .02     | 3        | 2.99    | .04     | .14    | <1       | 39         |
| WP L5N 6+80E    | 16        | 63        | 260       | 203       | 2.0       | 7         | 6         | 498       | 6.05 | 37        | <5       | <2        | <2        | 77        | 2.3       | 5         | 3         | 71       | .09     | .134   | 19        | 17        | .43     | 236       | .03     | 2        | 2.67    | .03     | .12    | <1       | 49         |
| WP L5N 7+00E    | 6         | 82        | 272       | 286       | 3.6       | 19        | 6         | 524       | 4.07 | 26        | <5       | <2        | <2        | 46        | 1.8       | 4         | 3         | 40       | .09     | .115   | 11        | 25        | .49     | 178       | .02     | <2       | 2.69    | .02     | .08    | <1       | 31         |
| WP L5N 7+20E    | 12        | 131       | 482       | 479       | 3.1       | 7         | 7         | 1031      | 5.49 | 32        | <5       | <2        | <2        | 75        | 2.8       | 4         | <2        | 47       | .14     | .124   | 14        | 16        | .52     | 210       | .03     | <2       | 3.29    | .04     | .10    | <1       | 68         |
| WP L5N 7+40E    | 6         | 144       | 598       | 398       | 1.7       | 7         | 10        | 1280      | 6.52 | 24        | <5       | <2        | <2        | 116       | 2.9       | 5         | <2        | 67       | .20     | .173   | 17        | 20        | .77     | 234       | .08     | 5        | 5.07    | .02     | .06    | <1       | 58         |
| WP L4+50N 7+20E | 6         | 38        | 123       | 128       | 2.2       | 9         | 4         | 380       | 4.41 | 20        | <5       | <2        | <2        | 55        | 1.7       | 2         | <2        | 54       | .11     | .111   | 12        | 14        | .33     | 158       | .03     | 2        | 2.47    | .02     | .07    | 2        | 22         |
| WP L4+50N 7+40E | 10        | 41        | 163       | 135       | 1.7       | 6         | 5         | 383       | 4.69 | 21        | <5       | <2        | <2        | 68        | 2.0       | <2        | <2        | 60       | .11     | .102   | 15        | 14        | .34     | 202       | .02     | <2       | 2.43    | .03     | .09    | <1       | 85         |
| WP L4+50N 7+60E | 10        | 39        | 163       | 192       | 2.1       | 5         | 6         | 499       | 5.11 | 21        | <5       | <2        | <2        | 72        | 2.6       | 2         | <2        | 63       | .11     | .134   | 15        | 15        | .35     | 183       | .02     | 3        | 2.92    | .03     | .08    | 1        | 26         |
| WP L4+50N 7+80E | 7         | 50        | 284       | 210       | 2.1       | 8         | 6         | 629       | 5.17 | 29        | <5       | <2        | <2        | 77        | 2.3       | <2        | <2        | 58       | .10     | .109   | 15        | 13        | .37     | 167       | .03     | 8        | 2.23    | .03     | .07    | <1       | 250        |
| WP L4+50N 8+00E | 5         | 50        | 224       | 275       | 3.4       | 10        | 6         | 697       | 4.86 | 17        | <5       | <2        | <2        | 45        | 2.5       | 2         | <2        | 48       | .10     | .095   | 11        | 18        | .40     | 173       | .04     | <2       | 2.93    | .02     | .06    | <1       | 31         |
| WP L4+50N 8+20E | 4         | 58        | 217       | 287       | 5.3       | 11        | 7         | 722       | 3.97 | 17        | <5       | <2        | <2        | 49        | 2.2       | 2         | <2        | 49       | .16     | .098   | 10        | 19        | .45     | 141       | .04     | 3        | 2.93    | .01     | .05    | <1       | 59         |
| WP L4+50N 8+40E | 3         | 47        | 154       | 216       | 2.4       | 15        | 8         | 765       | 4.27 | 17        | <5       | <2        | <2        | 44        | 2.0       | <2        | 4         | 52       | .13     | .095   | 11        | 25        | .47     | 134       | .03     | 3        | 2.70    | .01     | .05    | 2        | 12         |
| STANDARD C/AU-S | 19        | 62        | 43        | 133       | 7.4       | 73        | 31        | 1122      | 4.00 | 42        | 17       | 8         | 35        | 52        | 18.7      | 14        | 21        | 58       | .50     | .095   | 37        | 60        | .84     | 179       | .07     | 36       | 1.93    | .05     | .14    | 11       | 49         |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.

- SAMPLE TYPE: PULP AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: AUG 20 1993 DATE REPORT MAILED: Aug 23 / 93 SIGNED BY: D.TOE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



**Canasil Resources Inc. PROJECT WHITE PASS FILE # 90-1936R**

Page 2



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| WP L4+50N 8+60E | 4         | 70        | 223       | 376       | 2.9       | 12        | 6         | 751       | 4.47    | 26        | <5       | <2        | <2        | 53        | 3.0       | 5         | <2        | 52       | .16     | .100   | 11        | 20        | .53     | 134       | .05     | 18       | 3.34    | .02     | .06    | <1       | 14         |
| WP L4+50N 8+80E | 3         | 33        | 137       | 172       | 1.8       | 9         | 3         | 437       | 3.19    | 15        | <5       | <2        | <2        | 44        | 1.5       | <2        | 2         | 49       | .12     | .085   | 11        | 18        | .37     | 120       | .04     | 10       | 2.48    | .02     | .06    | 1        | <1         |
| WP L4+50N 9+00E | 3         | 129       | 453       | 488       | 2.8       | 11        | 6         | 844       | 4.96    | 24        | <5       | <2        | <2        | 66        | 3.0       | 5         | 3         | 47       | .22     | .139   | 11        | 20        | .60     | 125       | .04     | 14       | 3.97    | .02     | .06    | <1       | 25         |
| WP L4+50N 9+20E | 4         | 54        | 153       | 233       | 1.6       | 13        | 7         | 753       | 5.79    | 20        | <5       | <2        | <2        | 78        | 2.2       | 5         | <2        | 55       | .12     | .139   | 13        | 20        | .52     | 224       | .04     | 8        | 4.12    | .05     | .09    | <1       | 67         |
| WP L4N 6+20E    | 8         | 48        | 152       | 179       | 2.9       | 9         | 5         | 539       | 5.88    | 41        | <5       | <2        | <2        | 76        | 2.3       | 5         | <2        | 69       | .11     | .111   | 15        | 15        | .41     | 222       | .03     | 10       | 3.08    | .02     | .10    | <1       | 130        |
| WP L4N 6+40E    | 10        | 32        | 186       | 117       | 1.8       | 5         | 4         | 352       | 5.45    | 30        | <5       | <2        | <2        | 59        | 1.6       | 4         | 2         | 60       | .08     | .161   | 17        | 9         | .25     | 270       | .02     | 8        | 2.26    | .02     | .11    | <1       | 17         |
| WP L4N 6+60E    | 5         | 27        | 115       | 130       | 2.3       | 7         | 4         | 453       | 4.43    | 21        | <5       | <2        | <2        | 57        | 2.2       | 2         | <2        | 53       | .11     | .105   | 16        | 12        | .33     | 208       | .04     | 10       | 2.34    | .02     | .08    | <1       | 10         |
| WP L4N 6+80E    | 8         | 41        | 167       | 176       | 2.2       | 8         | 5         | 482       | 4.87    | 31        | <5       | <2        | <2        | 69        | 2.7       | 4         | 4         | 58       | .12     | .117   | 16        | 13        | .42     | 251       | .03     | 13       | 2.64    | .03     | .11    | <1       | 72         |
| WP L4N 7+00E    | 6         | 38        | 111       | 138       | 2.1       | 8         | 5         | 562       | 4.51    | 18        | <5       | <2        | <2        | 58        | 1.8       | 4         | 2         | 55       | .18     | .120   | 11        | 13        | .40     | 181       | .05     | 8        | 2.71    | .02     | .08    | <1       | 1          |
| WP L4N 7+20E    | 9         | 40        | 154       | 135       | 2.0       | 7         | 4         | 384       | 4.82    | 31        | <5       | <2        | <2        | 68        | 2.1       | 5         | 2         | 51       | .09     | .134   | 14        | 13        | .33     | 226       | .02     | 12       | 2.38    | .04     | .10    | 1        | 35         |
| WP L4N 7+40E    | 7         | 35        | 137       | 110       | 2.0       | 7         | 3         | 313       | 4.26    | 19        | <5       | <2        | <2        | 75        | 1.7       | 3         | 2         | 50       | .13     | .121   | 14        | 11        | .28     | 252       | .02     | 12       | 1.96    | .04     | .10    | 1        | 41         |
| WP L4N 7+60E    | 7         | 35        | 123       | 192       | 2.0       | 11        | 5         | 389       | 4.99    | 23        | <5       | <2        | <2        | 60        | 2.7       | 4         | 3         | 67       | .13     | .127   | 14        | 17        | .42     | 178       | .04     | 11       | 2.70    | .03     | .08    | <1       | 33         |
| WP L4N 7+80E    | 5         | 52        | 192       | 246       | 2.9       | 10        | 5         | 522       | 4.96    | 26        | <5       | <2        | <2        | 61        | 2.5       | 3         | <2        | 53       | .13     | .101   | 13        | 15        | .42     | 200       | .04     | 8        | 3.03    | .03     | .09    | <1       | 2          |
| WP L4N 8+00E    | 3         | 29        | 126       | 149       | .9        | 8         | 4         | 384       | 3.22    | 9         | <5       | <2        | <2        | 50        | 1.2       | <2        | 2         | 48       | .16     | .114   | 11        | 13        | .26     | 176       | .02     | 3        | 1.75    | .02     | .07    | <1       | 6          |
| WP L4N 8+20E    | 2         | 31        | 126       | 268       | 1.7       | 13        | 4         | 478       | 4.01    | 10        | <5       | <2        | <2        | 51        | 3.5       | 3         | 2         | 46       | .14     | .113   | 11        | 17        | .34     | 176       | .02     | 9        | 2.55    | .02     | .07    | <1       | 1          |
| WP L4N 8+40E    | 3         | 36        | 187       | 317       | 1.7       | 12        | 6         | 613       | 4.28    | 21        | <5       | <2        | <2        | 69        | 3.3       | 5         | 2         | 51       | .22     | .105   | 10        | 16        | .48     | 201       | .03     | 6        | 3.08    | .02     | .06    | <1       | <1         |
| WP L4N 8+60E    | 3         | 41        | 157       | 307       | 1.3       | 14        | 8         | 809       | 3.64    | 15        | <5       | <2        | <2        | 80        | 3.5       | 3         | <2        | 44       | .27     | .183   | 11        | 22        | .49     | 216       | .02     | 10       | 2.39    | .02     | .08    | <1       | 2          |
| WP L4N 8+80E    | 3         | 27        | 88        | 173       | 1.8       | 10        | 6         | 488       | 5.15    | 16        | <5       | <2        | <2        | 76        | 2.3       | 4         | <2        | 53       | .23     | .120   | 12        | 14        | .46     | 217       | .02     | 2        | 2.53    | .03     | .08    | <1       | <1         |
| WP L4N 9+00E    | 4         | 20        | 89        | 143       | 4.3       | 5         | 4         | 606       | 3.33    | 14        | <5       | <2        | <2        | 64        | 2.0       | <2        | 3         | 43       | .12     | .127   | 14        | 12        | .23     | 219       | .02     | 2        | 2.23    | .03     | .09    | 1        | 10         |
| WP L4N 9+20E    | 3         | 18        | 70        | 120       | 5.2       | 9         | 5         | 457       | 3.48    | 12        | <5       | <2        | <2        | 52        | .9        | <2        | 3         | 53       | .19     | .097   | 10        | 17        | .31     | 197       | .03     | 8        | 1.84    | .02     | .06    | 1        | <1         |
| WP L4N 9+40E    | 6         | 33        | 135       | 163       | 15.4      | 6         | 5         | 477       | 5.81    | 31        | <5       | <2        | <2        | 59        | 1.6       | 4         | 4         | 50       | .10     | .132   | 13        | 15        | .33     | 216       | .03     | 9        | 2.65    | .04     | .10    | <1       | 23         |
| WP L4N 9+60E    | 4         | 18        | 102       | 86        | 4.1       | 2         | 3         | 317       | 3.81    | 20        | <5       | <2        | <2        | 50        | 1.0       | <2        | 2         | 46       | .09     | .171   | 13        | 6         | .15     | 177       | .01     | 5        | 1.86    | .03     | .08    | <1       | 53         |
| WP L4N 9+80E    | 7         | 27        | 107       | 131       | 8.8       | 5         | 5         | 426       | 6.22    | 39        | <5       | <2        | <2        | 68        | 1.8       | 4         | 2         | 47       | .07     | .155   | 17        | 11        | .33     | 286       | .01     | 9        | 2.70    | .05     | .15    | <1       | <1         |
| WP L3+50N 6+20E | 8         | 57        | 225       | 152       | 5.8       | 7         | 5         | 416       | 4.59    | 25        | <5       | <2        | <2        | 118       | 2.7       | 4         | 3         | 54       | .09     | .143   | 21        | 13        | .37     | 377       | .01     | 5        | 3.42    | .03     | .14    | <1       | 15         |
| WP L3+50N 6+40E | 9         | 52        | 92        | 187       | 1.0       | 9         | 6         | 520       | 4.86    | 41        | <5       | <2        | <2        | 70        | 2.1       | 5         | <2        | 62       | .13     | .138   | 15        | 16        | .41     | 211       | .02     | 6        | 3.30    | .02     | .08    | <1       | 2          |
| WP L3+50N 6+60E | 6         | 33        | 97        | 185       | .9        | 10        | 4         | 414       | 3.78    | 20        | <5       | <2        | <2        | 66        | 1.9       | 2         | <2        | 55       | .15     | .096   | 14        | 14        | .39     | 204       | .03     | 6        | 2.55    | .02     | .07    | <1       | <1         |
| WP L3+50N 6+80E | 9         | 41        | 104       | 180       | 1.7       | 5         | 4         | 414       | 4.97    | 33        | <5       | <2        | <2        | 77        | 2.8       | 2         | 2         | 67       | .13     | .182   | 14        | 11        | .35     | 229       | .02     | 4        | 2.59    | .02     | .09    | <1       | 19         |
| WP L3+50N 7+00E | 6         | 33        | 96        | 110       | 2.2       | 5         | 4         | 362       | 4.52    | 27        | <5       | <2        | <2        | 68        | 2.2       | 2         | <2        | 55       | .16     | .135   | 12        | 11        | .25     | 175       | .03     | <2       | 2.24    | .01     | .08    | <1       | 18         |
| WP L3+50N 7+20E | 5         | 23        | 141       | 75        | 2.3       | 5         | 3         | 213       | 2.67    | 14        | <5       | <2        | <2        | 57        | 1.0       | <2        | <2        | 44       | .11     | .105   | 14        | 5         | .17     | 199       | .02     | 7        | 2.03    | .02     | .07    | <1       | 16         |
| WP L3+50N 7+40E | 9         | 42        | 163       | 151       | 2.8       | 7         | 5         | 433       | 5.69    | 23        | <5       | <2        | <2        | 62        | 2.4       | 2         | <2        | 54       | .09     | .148   | 16        | 14        | .34     | 253       | .02     | 9        | 2.21    | .04     | .12    | 1        | 33         |
| WP L3+50N 7+60E | 8         | 35        | 136       | 132       | 2.1       | 7         | 4         | 412       | 4.74    | 18        | <5       | <2        | <2        | 57        | 1.8       | 2         | 4         | 54       | .10     | .125   | 14        | 15        | .32     | 215       | .03     | 8        | 2.23    | .03     | .09    | 1        | 12         |
| WP L3+50N 7+80E | 7         | 37        | 141       | 112       | 2.1       | 7         | 3         | 321       | 4.43    | 22        | <5       | <2        | <2        | 58        | 1.7       | 3         | 5         | 52       | .08     | .133   | 16        | 15        | .33     | 202       | .03     | 2        | 2.22    | .04     | .10    | 1        | 6          |
| WP L3+50N 8+00E | 5         | 32        | 127       | 125       | 4.3       | 9         | 5         | 394       | 4.14    | 18        | <5       | <2        | <2        | 56        | 1.7       | 2         | 4         | 53       | .14     | .094   | 12        | 18        | .40     | 170       | .03     | 11       | 2.52    | .02     | .07    | 2        | 5          |
| WP L3+50N 8+20E | 2         | 17        | 81        | 106       | 2.9       | 5         | 4         | 300       | 2.81    | 9         | <5       | <2        | <2        | 50        | .8        | <2        | 3         | 47       | .14     | .107   | 12        | 15        | .29     | 125       | .03     | 9        | 1.96    | .02     | .05    | <1       | 4          |
| WP L3+50N 8+40E | 3         | 16        | 104       | 87        | 8.0       | 3         | 4         | 311       | 3.48    | 12        | <5       | <2        | <2        | 87        | .8        | <2        | 3         | 49       | .16     | .092   | 13        | 8         | .19     | 220       | .02     | 7        | 1.59    | .03     | .10    | 2        | <1         |
| WP L3+50N 8+60E | 4         | 22        | 147       | 147       | 1.0       | 3         | 5         | 632       | 3.87    | 12        | <5       | <2        | <2        | 103       | .9        | <2        | 2         | 50       | .21     | .157   | 19        | 6         | .28     | 294       | .02     | 7        | 1.59    | .03     | .10    | 1        | 21         |
| WP L3+50N 8+80E | 2         | 20        | 48        | 110       | 1.2       | 7         | 6         | 375       | 4.33    | 11        | <5       | <2        | <2        | 45        | 2.1       | 2         | 2         | 71       | .21     | .079   | 10        | 16        | .35     | 143       | .06     | 4        | 1.98    | .01     | .06    | 2        | 1          |
| STANDARD C/AU-S | 17        | 62        | 44        | 134       | 7.3       | 70        | 31        | 1054      | 3.90    | 42        | 19       | 8         | 36        | 51        | 18.5      | 15        | 23        | 55       | .49     | .093   | 36        | 59        | .83     | 180       | .07     | 37       | 1.89    | .06     | .14    | 13       | 47         |

Sample type: LIMESTONE.



## Canasil Resources Inc. PROJECT WHITE PASS FILE # 90-1936R

Page 3



| SAMPLE#          | Mo ppm | Cu ppm | Pb ppm | Zn ppm | Ag ppm | Ni ppm | Co ppm | Mn ppm | Fe % | As ppm | U ppm | Au ppm | Th ppm | Sr ppm | Cd ppm | Sb ppm | Bi ppm | V ppm | Ca % | P %  | La ppm | Cr ppm | Mg % | Ba ppm | Ti % | B ppm | Al % | Na % | K % | W ppm | Au# ppb |
|------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|-------|--------|--------|--------|--------|--------|--------|-------|------|------|--------|--------|------|--------|------|-------|------|------|-----|-------|---------|
| WP L3+50N 9+00E  | 2      | 14     | 57     | 89     | 2.4    | 5      | 4      | 283    | 2.24 | 3      | <5    | <2     | <2     | 52     | .9     | <2     | 2      | 35    | .22  | .092 | 11     | 8      | .17  | 227    | .01  | 6     | 1.53 | .03  | .09 | 1     | 12      |
| WP L3+50N 9+20E  | 2      | 16     | 56     | 85     | 1.4    | 6      | 3      | 223    | 2.44 | 7      | <5    | <2     | <2     | 47     | 1.3    | <2     | <2     | 34    | .16  | .193 | 12     | 7      | .14  | 273    | .01  | 6     | 1.41 | .04  | .11 | 1     | 10      |
| WP L3+50N 9+40E  | 3      | 17     | 68     | 72     | 2.0    | 6      | 4      | 259    | 3.44 | 16     | <5    | <2     | <2     | 68     | 1.5    | <2     | <2     | 39    | .19  | .116 | 13     | 9      | .23  | 276    | .01  | 6     | 1.44 | .05  | .11 | 1     | 32      |
| WP L3+50N 9+60E  | 2      | 17     | 46     | 107    | 7.1    | 12     | 5      | 289    | 3.01 | 8      | <5    | <2     | <2     | 31     | 1.9    | <2     | <2     | 42    | .14  | .066 | 8      | 16     | .31  | 118    | .04  | 12    | 2.14 | .02  | .04 | <1    | 13      |
| WP L3+50N 9+80E  | 5      | 22     | 62     | 114    | 3.4    | 8      | 5      | 363    | 4.83 | 24     | <5    | <2     | <2     | 50     | 1.9    | 3      | <2     | 44    | .08  | .153 | 12     | 10     | .29  | 229    | .01  | 10    | 2.28 | .04  | .08 | <1    | 12      |
| WP L3+50N 10+00E | 6      | 27     | 76     | 122    | 13.5   | 13     | 6      | 421    | 4.85 | 27     | <5    | <2     | <2     | 57     | 1.3    | 2      | <2     | 41    | .12  | .140 | 13     | 14     | .34  | 205    | .02  | 13    | 2.58 | .04  | .09 | <1    | 61      |
| WP L3N 6+20E     | 4      | 38     | 77     | 149    | 2.2    | 12     | 6      | 487    | 4.45 | 12     | <5    | <2     | <2     | 55     | 2.8    | 2      | <2     | 58    | .14  | .129 | 12     | 18     | .42  | 170    | .04  | 13    | 3.59 | .02  | .07 | <1    | 35      |
| WP L3N 6+40E     | 4      | 21     | 70     | 101    | 7.5    | 6      | 3      | 244    | 3.07 | 11     | <5    | <2     | <2     | 44     | 1.7    | <2     | <2     | 31    | .06  | .159 | 13     | 9      | .22  | 259    | .01  | 2     | 2.71 | .04  | .08 | <1    | 39      |
| WP L3N 6+60E     | 5      | 27     | 149    | 130    | 1.5    | 5      | 4      | 332    | 3.00 | 10     | <5    | <2     | <2     | 66     | 1.6    | <2     | <2     | 50    | .16  | .083 | 14     | 10     | .29  | 259    | .02  | 4     | 1.97 | .02  | .09 | 2     | 28      |
| WP L3N 6+80E     | 10     | 44     | 129    | 170    | 2.4    | 8      | 6      | 457    | 5.08 | 32     | <5    | <2     | <2     | 78     | 2.3    | <2     | <2     | 62    | .12  | .136 | 15     | 11     | .40  | 255    | .02  | <2    | 2.72 | .02  | .10 | <1    | 33      |
| WP L3N 7+00E     | 9      | 42     | 151    | 153    | 2.7    | 8      | 5      | 415    | 4.76 | 31     | <5    | <2     | <2     | 68     | 2.1    | <2     | <2     | 55    | .10  | .127 | 15     | 9      | .36  | 228    | .02  | 9     | 2.77 | .03  | .09 | <1    | 45      |
| WP L3N 7+20E     | 7      | 27     | 166    | 85     | 2.6    | 4      | 3      | 205    | 2.38 | 15     | <5    | <2     | <2     | 63     | 1.2    | <2     | <2     | 50    | .10  | .079 | 14     | 6      | .15  | 260    | .01  | 9     | 1.83 | .02  | .08 | 2     | 32      |
| WP L3N 7+40E     | 9      | 30     | 158    | 111    | 1.0    | 7      | 4      | 309    | 3.84 | 18     | <5    | <2     | <2     | 57     | 1.4    | <2     | <2     | 54    | .10  | .105 | 14     | 8      | .28  | 194    | .03  | 6     | 2.08 | .03  | .09 | <1    | 32      |
| WP L3N 7+60E     | 6      | 27     | 85     | 110    | 2.1    | 9      | 5      | 364    | 4.04 | 20     | <5    | <2     | <2     | 40     | 1.5    | 2      | <2     | 52    | .13  | .136 | 12     | 16     | .35  | 149    | .04  | <2    | 2.51 | .02  | .07 | 1     | 21      |
| WP L3N 7+80E     | 5      | 31     | 168    | 160    | 2.5    | 9      | 5      | 422    | 3.28 | 12     | <5    | <2     | <2     | 86     | 1.3    | 2      | 4      | 44    | .15  | .117 | 17     | 11     | .28  | 231    | .01  | <2    | 2.73 | .02  | .08 | <1    | 19      |
| WP L3N 8+00E     | 2      | 23     | 58     | 120    | 1.7    | 11     | 5      | 367    | 4.22 | 10     | <5    | <2     | <2     | 33     | 1.9    | 2      | <2     | 66    | .19  | .083 | 10     | 18     | .33  | 129    | .05  | 5     | 2.41 | .01  | .05 | 1     | 12      |
| WP L2+50N 4+00E  | 7      | 72     | 66     | 121    | .6     | 8      | 6      | 476    | 5.73 | 11     | <5    | <2     | <2     | 70     | 2.1    | 4      | <2     | 72    | .26  | .120 | 10     | 20     | .55  | 172    | .07  | 3     | 3.34 | .02  | .07 | <1    | 57      |
| WP L2+50N 4+20E  | 6      | 54     | 56     | 121    | 1.7    | 9      | 5      | 427    | 4.63 | 9      | <5    | <2     | <2     | 56     | 2.1    | <2     | <2     | 64    | .19  | .104 | 10     | 18     | .47  | 136    | .06  | 3     | 3.30 | .01  | .05 | <1    | 77      |
| WP L2+50N 4+40E  | 7      | 64     | 48     | 121    | .6     | 8      | 5      | 477    | 4.80 | 10     | <5    | <2     | <2     | 73     | 2.1    | 4      | <2     | 62    | .29  | .103 | 11     | 18     | .56  | 147    | .08  | 2     | 4.15 | .01  | .06 | <1    | 120     |
| WP L2+50N 4+60E  | 4      | 28     | 77     | 112    | 1.1    | 11     | 5      | 388    | 4.32 | 9      | <5    | <2     | <2     | 42     | 1.7    | 2      | <2     | 61    | .22  | .110 | 9      | 18     | .46  | 111    | .06  | 3     | 3.22 | .01  | .05 | <1    | 50      |
| WP L2+50N 4+80E  | 9      | 55     | 59     | 119    | 4.4    | 8      | 4      | 364    | 3.51 | 10     | <5    | <2     | <2     | 62     | 1.4    | 2      | <2     | 44    | .12  | .117 | 13     | 14     | .35  | 142    | .04  | <2    | 3.43 | .01  | .06 | 1     | 37      |
| WP L2+50N 5+00E  | 14     | 77     | 62     | 267    | 2.5    | 10     | 7      | 573    | 5.24 | 23     | <5    | <2     | <2     | 94     | 2.2    | 4      | <2     | 62    | .23  | .134 | 15     | 16     | .49  | 132    | .07  | 4     | 4.08 | .01  | .06 | <1    | 93      |
| WP L2+50N 5+20E  | 15     | 102    | 125    | 196    | 3.2    | 8      | 6      | 536    | 4.82 | 22     | <5    | <2     | <2     | 133    | 2.5    | <2     | <2     | 56    | .15  | .130 | 16     | 12     | .46  | 219    | .03  | <2    | 3.14 | .02  | .09 | <1    | 150     |
| WP L2+50N 5+40E  | 14     | 93     | 95     | 129    | 4.0    | 12     | 5      | 473    | 4.54 | 17     | <5    | <2     | <2     | 88     | 1.9    | 3      | <2     | 54    | .16  | .137 | 14     | 19     | .50  | 185    | .04  | <2    | 3.48 | .01  | .09 | <1    | 450     |
| WP L2+50N 5+60E  | 5      | 23     | 92     | 56     | 1.3    | 6      | 2      | 166    | 1.70 | 5      | <5    | <2     | <2     | 55     | .5     | <2     | <2     | 33    | .11  | .067 | 15     | 7      | .14  | 136    | .02  | 2     | 2.01 | .01  | .06 | <1    | 25      |
| WP L2+50N 5+80E  | 11     | 64     | 138    | 154    | 2.7    | 9      | 5      | 440    | 4.18 | 19     | <5    | <2     | <2     | 79     | 1.5    | <2     | <2     | 52    | .10  | .098 | 16     | 13     | .39  | 217    | .02  | 2     | 2.81 | .02  | .10 | 1     | 220     |
| WP L2+50N 6+00E  | 13     | 44     | 128    | 108    | 1.4    | 9      | 4      | 348    | 2.63 | 9      | <5    | <2     | <2     | 72     | .6     | <2     | <2     | 45    | .10  | .089 | 16     | 12     | .31  | 200    | .02  | <2    | 2.75 | .02  | .08 | 1     | 100     |
| WP L2+50N 6+20E  | 12     | 63     | 112    | 170    | 1.7    | 10     | 6      | 537    | 5.04 | 43     | <5    | <2     | <2     | 70     | 2.1    | <2     | <2     | 64    | .13  | .146 | 15     | 13     | .45  | 204    | .02  | 4     | 3.28 | .02  | .09 | <1    | 58      |
| WP L2+50N 6+40E  | 4      | 21     | 79     | 95     | 1.2    | 12     | 5      | 361    | 3.00 | 13     | <5    | <2     | <2     | 41     | .3     | <2     | <2     | 50    | .13  | .070 | 12     | 15     | .40  | 158    | .03  | <2    | 2.53 | .01  | .06 | <1    | 10      |
| WP L2+50N 6+60E  | 4      | 25     | 87     | 127    | 2.1    | 13     | 5      | 403    | 3.13 | 13     | <5    | <2     | <2     | 47     | .8     | 3      | <2     | 49    | .12  | .091 | 13     | 17     | .42  | 189    | .03  | 2     | 3.16 | .01  | .07 | <1    | 5       |
| WP L2+50N 6+80E  | 5      | 27     | 108    | 106    | 4.3    | 6      | 5      | 406    | 4.79 | 20     | <5    | <2     | <2     | 51     | 1.4    | <2     | <2     | 63    | .08  | .136 | 16     | 8      | .30  | 232    | .02  | <2    | 1.99 | .05  | .10 | <1    | 54      |
| WP L2+50N 7+00E  | 7      | 35     | 205    | 140    | 4.4    | 7      | 5      | 406    | 4.41 | 25     | <5    | <2     | <2     | 59     | 1.7    | 2      | <2     | 55    | .10  | .117 | 14     | 10     | .32  | 272    | .02  | 2     | 3.01 | .02  | .09 | 2     | 51      |
| WP L2+50N 7+20E  | 4      | 25     | 119    | 123    | 3.3    | 7      | 4      | 333    | 3.43 | 12     | <5    | <2     | <2     | 47     | 1.3    | <2     | <2     | 42    | .07  | .124 | 14     | 8      | .26  | 235    | .01  | <2    | 2.68 | .03  | .09 | <1    | 17      |
| WP L2+50N 7+40E  | 4      | 24     | 85     | 80     | 6.1    | 6      | 4      | 265    | 4.19 | 14     | <5    | <2     | <2     | 46     | .6     | <2     | <2     | 46    | .07  | .115 | 14     | 8      | .22  | 228    | .01  | 2     | 2.20 | .04  | .09 | <1    | 13      |
| WP L2+50N 7+60E  | 6      | 26     | 93     | 102    | 4.9    | 5      | 5      | 442    | 5.49 | 20     | <5    | <2     | <2     | 52     | 1.3    | 2      | <2     | 45    | .08  | .177 | 14     | 9      | .29  | 213    | .01  | <2    | 2.27 | .06  | .10 | 2     | 6       |
| WP L2+50N 7+80E  | 4      | 32     | 146    | 158    | 1.6    | 12     | 5      | 464    | 2.83 | 10     | <5    | <2     | <2     | 80     | 1.1    | <2     | <2     | 47    | .17  | .078 | 15     | 15     | .38  | 209    | .01  | <2    | 2.21 | .03  | .10 | <1    | 14      |
| WP L2+50N 8+00E  | 2      | 18     | 60     | 71     | 1.2    | 9      | 4      | 272    | 3.32 | 10     | <5    | <2     | <2     | 46     | .8     | <2     | <2     | 58    | .19  | .088 | 9      | 12     | .22  | 154    | .02  | <2    | 1.57 | .02  | .05 | <1    | 4       |
| STANDARD C/AU-S  | 18     | 62     | 39     | 130    | 7.3    | 72     | 31     | 1048   | 3.86 | 42     | 17    | 7      | 36     | 51     | 18.5   | 16     | 17     | 55    | .49  | .094 | 37     | 60     | .83  | 180    | .07  | 35    | 1.92 | .06  | .14 | 14    | 53      |

Sample type: LIMESTONE.



ACME ANALYTICAL

## Canasil Resources Inc. PROJECT WHITE PASS FILE # 90-1936R

Page 4



ACME ANALYTICAL

| SAMPLE# | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>ppm | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|----------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| P 5208  | 23        | 54        | 138       | 20        | 2.3       | 2         | 1         | 51        | 4.01    | 8         | <5       | <2        | 2         | 29        | .6        | <2        | <2        | 9        | .03     | .052     | 6         | <1        | .03     | 238       | <.01    | 4        | .45     | .10     | .24    | <1       | 580        |
| P 5209  | 22        | 65        | 99        | 32        | 2.7       | 2         | 2         | 80        | 4.21    | 9         | <5       | <2        | <2        | 19        | .9        | 2         | 3         | 10       | .04     | .067     | 7         | <1        | .03     | 301       | <.01    | 2        | .40     | .05     | .20    | <1       | 810        |

Sample type: LIMESTONE.

ACME ANAL

CAL LABORATORIES LTD.

852 E. HASTINGS ST. VI VUVER B.C. V6A 1R6

PHONE(604)253-3158 FAX(6

253-1716

## GEOCHEMICAL ANALYSIS CERTIFICATE

WHITE PASS ZONE

Canasil Resources Inc. PROJECT BRENDA File # 91-2152

1695 Marine Drive, North Vancouver BC V7P 1V1

Page 1

| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>ppm | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Tl<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|----------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| L11N 6+20E      | 2         | 20        | 29        | 144       | 1.4       | 11        | 5         | 300       | 4.11    | 10        | 5        | ND        | 1         | 36        | .7        | 3         | 2         | 66       | .22     | .049     | 9         | 21        | .33     | 106       | .09     | 2        | 2.93    | .01     | .04    | 1        | 1          |
| L11N 6+40E      | 3         | 25        | 44        | 126       | 1.2       | 15        | 6         | 394       | 5.46    | 10        | 5        | ND        | 3         | 36        | .7        | 5         | 2         | 78       | .16     | .075     | 13        | 27        | .35     | 137       | .11     | 3        | 3.37    | .01     | .05    | 1        | 5          |
| L11N 6+60E      | 5         | 51        | 60        | 120       | 1.2       | 8         | 6         | 678       | 4.16    | 5         | 5        | ND        | 1         | 83        | 1.0       | 4         | 2         | 73       | .27     | .116     | 8         | 23        | .29     | 179       | .06     | 2        | 2.64    | .02     | .09    | 1        | 16         |
| L11N 6+80E      | 8         | 74        | 218       | 173       | 1.7       | 11        | 5         | 547       | 5.13    | 8         | 5        | ND        | 1         | 110       | .7        | 4         | 2         | 67       | .22     | .099     | 12        | 19        | .40     | 244       | .06     | 2        | 3.19    | .03     | .13    | 1        | 45         |
| L11N 7+00E      | 10        | 88        | 293       | 191       | 1.6       | 6         | 4         | 714       | 5.62    | 12        | 5        | ND        | 2         | 133       | 1.5       | 3         | 2         | 52       | .13     | .100     | 15        | 10        | .31     | 315       | .04     | 2        | 2.24    | .04     | .19    | 1        | 10         |
| L11N 7+20E      | 4         | 79        | 259       | 133       | 2.5       | 5         | 4         | 748       | 4.53    | 10        | 5        | ND        | 3         | 359       | 1.8       | 3         | 2         | 47       | .12     | .117     | 23        | 8         | .32     | 296       | .06     | 2        | 3.22    | .04     | .17    | 1        | 7          |
| L11N 7+40E      | 4         | 35        | 42        | 232       | 1.7       | 5         | 7         | 604       | 4.97    | 13        | 5        | ND        | 2         | 476       | 2.7       | 2         | 2         | 73       | .27     | .283     | 23        | 6         | .28     | 248       | .02     | 2        | 6.19    | .02     | .05    | 1        | 6          |
| L11N 7+60E      | 8         | 22        | 437       | 66        | 2.6       | 1         | 1         | 325       | 4.95    | 12        | 5        | ND        | 3         | 133       | .2        | 9         | 2         | 44       | .04     | .081     | 13        | 2         | .29     | 276       | .04     | 2        | 1.77    | .06     | .25    | 1        | 22         |
| L11N 7+80E      | 7         | 17        | 219       | 65        | 2.4       | 1         | 1         | 312       | 6.31    | 18        | 5        | ND        | 3         | 236       | 1.1       | 8         | 2         | 59       | .04     | .136     | 16        | 4         | .25     | 166       | .07     | 2        | 2.44    | .13     | .21    | 1        | 7          |
| L11N 8+00E      | 31        | 21        | 256       | 59        | 2.1       | 1         | 1         | 280       | 5.78    | 31        | 5        | ND        | 2         | 148       | .3        | 8         | 2         | 45       | .03     | .097     | 13        | 3         | .23     | 289       | .07     | 2        | 1.52    | .06     | .19    | 1        | 14         |
| L11N 8+20E      | 5         | 18        | 185       | 24        | 1.5       | 1         | 1         | 56        | 5.51    | 26        | 5        | ND        | 3         | 167       | .2        | 2         | 2         | 20       | .01     | .065     | 17        | 3         | .06     | 191       | .01     | 2        | 1.20    | .05     | .35    | 1        | 9          |
| L11N 8+40E      | 4         | 12        | 101       | 30        | .7        | 1         | 1         | 282       | 4.53    | 12        | 5        | ND        | 2         | 76        | .8        | 9         | 5         | 17       | .01     | .058     | 19        | 2         | .42     | 70        | .01     | 2        | 1.48    | .04     | .49    | 1        | 3          |
| L11N 8+60E      | 5         | 30        | 446       | 30        | 2.5       | 1         | 1         | 151       | 5.74    | 20        | 5        | ND        | 3         | 76        | .2        | 9         | 2         | 36       | .01     | .062     | 17        | 4         | .13     | 255       | .03     | 2        | 1.59    | .05     | .21    | 1        | 1          |
| L11N 8+80E      | 5         | 30        | 441       | 51        | 2.3       | 1         | 1         | 212       | 5.33    | 19        | 5        | ND        | 2         | 212       | .9        | 10        | 2         | 33       | .10     | .094     | 17        | 2         | .22     | 415       | .10     | 3        | 2.72    | .02     | .21    | 1        | 1          |
| L11N 9+00E      | 6         | 36        | 201       | 64        | 3.6       | 3         | 1         | 177       | 5.70    | 25        | 5        | ND        | 3         | 135       | 1.1       | 14        | 2         | 37       | .03     | .079     | 18        | 6         | .17     | 268       | .04     | 3        | 2.78    | .04     | .11    | 1        | 1          |
| L11N 9+20E      | 6         | 33        | 157       | 85        | 1.9       | 6         | 3         | 235       | 4.91    | 19        | 5        | ND        | 3         | 132       | .2        | 6         | 2         | 39       | .07     | .092     | 14        | 21        | .22     | 264       | .03     | 2        | 3.52    | .03     | .14    | 1        | 6          |
| L11N 9+40E      | 5         | 22        | 221       | 22        | 1.2       | 2         | 1         | 145       | 4.35    | 25        | 5        | ND        | 2         | 103       | .7        | 8         | 2         | 36       | .03     | .080     | 14        | 9         | .17     | 313       | .01     | 2        | 1.17    | .04     | .17    | 1        | 2          |
| L11N 9+60E      | 7         | 14        | 231       | 8         | .6        | 1         | 1         | 14        | 4.74    | 50        | 5        | ND        | 1         | 82        | .8        | 8         | 2         | 33       | .01     | .085     | 8         | 2         | .03     | 279       | .01     | 2        | .78     | .02     | .26    | 1        | 1          |
| L11N 9+80E      | 6         | 34        | 144       | 72        | 1.4       | 4         | 2         | 212       | 9.35    | 29        | 5        | ND        | 4         | 52        | .8        | 2         | 15        | 42       | .03     | .114     | 11        | 15        | .16     | 147       | .04     | 2        | 1.97    | .01     | .08    | 1        | 1          |
| L11N 10+00E     | 3         | 5         | 161       | 33        | .8        | 1         | 1         | 22        | 2.00    | 7         | 5        | ND        | 1         | 33        | .2        | 4         | 2         | 21       | .01     | .030     | 9         | 2         | .04     | 160       | .01     | 2        | .79     | .03     | .14    | 1        | 1          |
| L10N 0+00E      | 3         | 28        | 94        | 103       | .6        | 6         | 4         | 365       | 3.31    | 5         | 5        | ND        | 1         | 61        | .7        | 3         | 2         | 65       | .20     | .072     | 10        | 12        | .29     | 165       | .06     | 2        | 2.36    | .02     | .10    | 1        | 6          |
| L10N 0+20E      | 3         | 55        | 37        | 83        | 1.0       | 7         | 3         | 208       | 2.47    | 3         | 8        | ND        | 1         | 49        | .5        | 5         | 2         | 44       | .14     | .108     | 11        | 15        | .16     | 150       | .03     | 2        | 2.12    | .01     | .06    | 1        | 32         |
| L10N 0+40E      | 5         | 41        | 84        | 143       | .7        | 8         | 6         | 574       | 3.89    | 2         | 5        | ND        | 1         | 119       | 1.0       | 5         | 2         | 56       | .62     | .087     | 11        | 10        | .76     | 221       | .10     | 2        | 3.17    | .02     | .11    | 1        | 8          |
| L10N 0+60E      | 2         | 47        | 48        | 154       | .7        | 15        | 8         | 595       | 4.22    | 5         | 7        | ND        | 1         | 53        | .5        | 2         | 2         | 60       | .21     | .063     | 11        | 22        | .64     | 181       | .08     | 2        | 3.29    | .01     | .09    | 1        | 7          |
| L10N 0+80E      | 3         | 43        | 72        | 75        | .8        | 6         | 3         | 257       | 2.79    | 3         | 6        | ND        | 1         | 68        | .9        | 2         | 2         | 50       | .18     | .067     | 11        | 9         | .25     | 168       | .05     | 2        | 2.93    | .01     | .08    | 1        | 26         |
| L11N 1+00E      | 4         | 50        | 68        | 139       | .8        | 10        | 6         | 441       | 4.10    | 2         | 5        | ND        | 1         | 85        | .8        | 2         | 2         | 61       | .35     | .081     | 10        | 19        | .45     | 188       | .10     | 2        | 3.38    | .02     | .09    | 1        | 9          |
| L11N 1+20E      | 4         | 44        | 68        | 116       | .8        | 7         | 4         | 409       | 3.98    | 5         | 5        | ND        | 1         | 95        | .7        | 2         | 2         | 57       | .32     | .078     | 11        | 13        | .39     | 185       | .08     | 2        | 3.20    | .02     | .09    | 1        | 4          |
| L10N 1+40E      | 4         | 37        | 44        | 127       | .9        | 8         | 6         | 432       | 3.90    | 6         | 5        | ND        | 1         | 100       | 1.3       | 2         | 2         | 48       | .40     | .082     | 9         | 14        | .40     | 186       | .08     | 2        | 3.57    | .02     | .10    | 1        | 1          |
| L10N 1+60E      | 4         | 37        | 44        | 93        | 1.1       | 10        | 5         | 359       | 4.02    | 4         | 5        | ND        | 1         | 77        | 1.0       | 3         | 2         | 53       | .34     | .082     | 9         | 18        | .36     | 177       | .08     | 2        | 3.30    | .01     | .07    | 1        | 4          |
| L10N 1+80E      | 5         | 38        | 71        | 131       | .9        | 6         | 6         | 480       | 4.12    | 5         | 5        | ND        | 2         | 111       | .8        | 2         | 2         | 47       | .53     | .111     | 10        | 12        | .42     | 202       | .10     | 2        | 4.69    | .02     | .11    | 1        | 8          |
| L10N 2+00E      | 3         | 38        | 52        | 92        | .7        | 6         | 4         | 386       | 3.41    | 6         | 5        | ND        | 1         | 76        | 1.0       | 2         | 2         | 57       | .26     | .071     | 9         | 11        | .29     | 193       | .06     | 2        | 2.68    | .02     | .08    | 1        | 1          |
| L10N 2+20E      | 5         | 57        | 54        | 124       | 1.3       | 11        | 5         | 418       | 5.81    | 7         | 5        | ND        | 1         | 70        | 1.4       | 2         | 2         | 72       | .20     | .106     | 10        | 29        | .38     | 168       | .12     | 2        | 4.25    | .02     | .06    | 1        | 14         |
| L10N 2+40E      | 5         | 72        | 85        | 131       | 1.0       | 13        | 6         | 516       | 6.66    | 8         | 5        | ND        | 1         | 91        | .9        | 2         | 2         | 119      | .32     | .096     | 8         | 37        | .85     | 129       | .24     | 2        | 3.12    | .02     | .06    | 1        | 7          |
| L10N 2+60E      | 2         | 31        | 56        | 72        | .8        | 8         | 4         | 271       | 4.13    | 5         | 5        | ND        | 1         | 44        | .2        | 2         | 2         | 84       | .12     | .046     | 8         | 19        | .23     | 119       | .11     | 2        | 1.77    | .01     | .04    | 1        | 4          |
| L10N 2+80E      | 5         | 62        | 85        | 142       | .8        | 13        | 7         | 535       | 5.37    | 10        | 5        | ND        | 1         | 65        | 1.2       | 2         | 2         | 57       | .18     | .098     | 10        | 27        | .38     | 160       | .07     | 2        | 4.16    | .02     | .09    | 1        | 13         |
| L10N 3+00E      | 5         | 43        | 64        | 97        | 1.1       | 7         | 5         | 436       | 5.10    | 5         | 5        | ND        | 1         | 63        | .8        | 2         | 2         | 82       | .20     | .087     | 9         | 15        | .32     | 149       | .13     | 2        | 2.05    | .01     | .07    | 1        | 15         |
| STANDARD C/AU-S | 19        | 64        | 39        | 134       | 7.4       | 71        | 32        | 1052      | 3.98    | 38        | 19       | 6         | 39        | 52        | 17.0      | 14        | 18        | 57       | .49     | .090     | 38        | 58        | .88     | 177       | .09     | 34       | 1.89    | .06     | .15    | 11       | 46         |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL. AU DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: SOIL      AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: JUN 28 1991 DATE REPORT MAILED:

SIGNED BY: *July 5/91* D.TOE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



## Canasil Resources Inc. PROJECT BRENDA FILE # 91-2152

Page 2



| SAMPLE#             | Mo  | Cu  | Pb   | Zn  | Ag  | Ni  | Co  | Mn   | Fe   | As  | U   | Au  | Th  | Sr  | Cd   | Sb  | Bi  | V   | Ca  | P    | La  | Cr  | Mg  | Ba  | Ti  | B   | Al   | Na  | K   | W   | Au* |
|---------------------|-----|-----|------|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|
|                     | ppm | ppm | ppm  | ppm | ppm | ppm | ppm | ppm  | %    | ppm | ppm | ppm | ppm | ppm | ppm  | ppm | ppm | ppm | X   | ppm  | ppm | ppm | ppm | ppm | ppm | ppm | ppm  | ppm | ppm | ppb |     |
| L10N 3+20E          | 4   | 29  | 67   | 79  | 1.0 | 7   | 4   | 363  | 5.65 | 6   | 5   | ND  | 2   | 58  | .2   | 2   | 2   | 85  | .15 | .093 | 10  | 19  | .46 | 139 | .12 | 2   | 3.12 | .01 | .07 | 1   | 9   |
| L10N 3+40E          | 4   | 42  | 70   | 106 | .8  | 8   | 4   | 411  | 4.44 | 8   | 5   | ND  | 2   | 68  | .2   | 2   | 2   | 68  | .20 | .088 | 11  | 17  | .49 | 146 | .08 | 2   | 2.80 | .02 | .07 | 1   | 26  |
| L10N 3+60E          | 3   | 29  | 65   | 96  | .9  | 9   | 5   | 313  | 4.70 | 10  | 5   | ND  | 1   | 47  | .2   | 2   | 2   | 92  | .11 | .061 | 10  | 18  | .34 | 144 | .07 | 2   | 2.76 | .01 | .07 | 1   | 7   |
| L10N 3+80E          | 5   | 42  | 104  | 87  | 1.0 | 8   | 4   | 404  | 4.25 | 9   | 5   | ND  | 2   | 64  | .3   | 2   | 2   | 82  | .17 | .066 | 12  | 15  | .45 | 156 | .14 | 2   | 2.04 | .02 | .09 | 1   | 13  |
| L10N 4+00E          | 5   | 71  | 130  | 120 | .8  | 11  | 5   | 496  | 5.01 | 9   | 5   | ND  | 2   | 79  | .2   | 2   | 4   | 77  | .19 | .128 | 13  | 17  | .56 | 201 | .10 | 4   | 2.20 | .02 | .13 | 1   | 21  |
| L10N 4+20E          | 3   | 30  | 97   | 85  | 1.2 | 5   | 3   | 354  | 3.43 | 5   | 5   | ND  | 1   | 52  | .3   | 2   | 2   | 53  | .15 | .082 | 12  | 10  | .21 | 158 | .06 | 2   | 2.03 | .02 | .06 | 1   | 14  |
| L10N 4+40E          | 4   | 34  | 64   | 108 | .7  | 8   | 4   | 456  | 4.41 | 8   | 5   | ND  | 1   | 45  | .2   | 2   | 2   | 68  | .14 | .086 | 11  | 14  | .39 | 122 | .07 | 4   | 2.22 | .01 | .06 | 1   | 10  |
| L10N 4+60E          | 10  | 120 | 295  | 207 | 1.2 | 2   | 3   | 395  | 4.48 | 9   | 5   | ND  | 1   | 110 | .5   | 2   | 2   | 60  | .19 | .083 | 17  | 1   | .23 | 251 | .03 | 3   | 2.54 | .02 | .18 | 1   | 98  |
| L10N 4+80E          | 7   | 93  | 173  | 224 | .7  | 7   | 5   | 634  | 5.17 | 9   | 5   | ND  | 1   | 93  | .5   | 2   | 3   | 73  | .18 | .091 | 14  | 13  | .54 | 199 | .05 | 2   | 3.08 | .02 | .13 | 1   | 46  |
| L10N 5+00E          | 2   | 24  | 40   | 101 | .3  | 7   | 6   | 671  | 3.68 | 8   | 5   | ND  | 2   | 60  | .3   | 2   | 2   | 44  | .28 | .095 | 9   | 15  | .44 | 163 | .08 | 2   | 4.46 | .01 | .05 | 1   | 7   |
| L10N 5+20E          | 2   | 26  | 46   | 114 | .4  | 10  | 5   | 410  | 3.72 | 8   | 5   | ND  | 1   | 49  | .5   | 2   | 2   | 58  | .22 | .069 | 10  | 18  | .47 | 156 | .08 | 2   | 3.56 | .01 | .06 | 1   | 8   |
| L10N 5+40E          | 2   | 15  | 32   | 79  | .3  | 10  | 6   | 485  | 4.44 | 8   | 5   | ND  | 1   | 29  | .2   | 2   | 2   | 98  | .13 | .047 | 10  | 16  | .36 | 200 | .10 | 2   | 1.77 | .01 | .05 | 1   | 8   |
| L10N 5+60E          | 17  | 82  | 213  | 125 | 1.8 | 4   | 3   | 291  | 3.94 | 9   | 5   | ND  | 1   | 105 | .6   | 2   | 5   | 55  | .12 | .094 | 15  | 1   | .17 | 315 | .02 | 3   | 1.78 | .03 | .28 | 1   | 78  |
| L10N 5+80E          | 20  | 108 | 197  | 161 | 3.1 | 4   | 4   | 470  | 6.38 | 15  | 5   | ND  | 1   | 117 | .6   | 2   | 3   | 61  | .09 | .250 | 17  | 3   | .37 | 292 | .02 | 2   | 2.50 | .03 | .34 | 1   | 150 |
| L10N 6+00E          | 18  | 106 | 185  | 143 | 2.4 | 3   | 3   | 414  | 5.04 | 14  | 5   | ND  | 1   | 111 | .6   | 2   | 2   | 56  | .10 | .215 | 17  | 1   | .31 | 344 | .01 | 2   | 2.05 | .03 | .32 | 1   | 100 |
| L10N 6+20E          | 9   | 74  | 288  | 123 | 4.3 | 5   | 4   | 331  | 5.43 | 15  | 5   | ND  | 1   | 134 | .5   | 2   | 5   | 40  | .06 | .163 | 27  | 1   | .34 | 349 | .01 | 3   | 2.42 | .05 | .26 | 1   | 88  |
| L10N 6+40E          | 4   | 46  | 385  | 120 | 2.6 | 11  | 4   | 478  | 4.32 | 10  | 5   | ND  | 1   | 72  | .3   | 2   | 3   | 45  | .11 | .090 | 13  | 12  | .37 | 204 | .05 | 3   | 3.27 | .03 | .11 | 1   | 15  |
| L10N 6+60E          | 3   | 26  | 172  | 79  | 4.1 | 3   | 3   | 535  | 7.76 | 25  | 5   | ND  | 2   | 60  | .2   | 2   | 4   | 74  | .05 | .117 | 12  | 2   | .30 | 268 | .04 | 2   | 2.92 | .04 | .15 | 1   | 7   |
| L10N 6+80E          | 2   | 30  | 576  | 48  | 3.0 | 2   | 2   | 526  | 6.49 | 22  | 5   | ND  | 2   | 53  | .2   | 2   | 4   | 47  | .02 | .086 | 13  | 1   | .15 | 231 | .03 | 2   | 1.98 | .04 | .21 | 1   | 8   |
| L10N 7+00E          | 4   | 26  | 399  | 60  | 2.2 | 1   | 1   | 421  | 4.17 | 13  | 5   | ND  | 2   | 44  | .2   | 2   | 2   | 46  | .05 | .059 | 15  | 3   | .34 | 154 | .01 | 3   | 1.75 | .01 | .11 | 1   | 5   |
| L10N 7+20E          | 4   | 64  | 1310 | 153 | 4.8 | 2   | 2   | 1083 | 4.83 | 12  | 5   | ND  | 2   | 84  | 1.7  | 2   | 2   | 42  | .11 | .120 | 15  | 1   | .28 | 483 | .04 | 3   | 2.51 | .02 | .22 | 1   | 8   |
| L10N 7+40E          | 6   | 61  | 311  | 153 | 3.5 | 4   | 4   | 715  | 5.65 | 17  | 5   | ND  | 1   | 115 | .8   | 2   | 2   | 57  | .13 | .167 | 15  | 2   | .38 | 416 | .07 | 2   | 3.14 | .02 | .26 | 1   | 13  |
| L10N 7+60E          | 2   | 31  | 291  | 338 | 2.6 | 4   | 7   | 741  | 3.80 | 19  | 5   | ND  | 1   | 72  | 1.5  | 2   | 2   | 61  | .25 | .076 | 12  | 1   | .51 | 468 | .02 | 2   | 3.92 | .01 | .06 | 1   | 160 |
| L10N 7+80E          | 3   | 26  | 199  | 186 | 1.2 | 7   | 6   | 492  | 6.12 | 15  | 5   | ND  | 1   | 59  | .3   | 2   | 2   | 72  | .14 | .154 | 11  | 14  | .32 | 137 | .10 | 2   | 4.04 | .02 | .07 | 1   | 47  |
| L10N 8+00E CRUSHING | 7   | 26  | 101  | 117 | 4.2 | 5   | 5   | 441  | 7.97 | 36  | 5   | ND  | 1   | 196 | .2   | 2   | 3   | 65  | .07 | .352 | 26  | 4   | .25 | 270 | .04 | 2   | 3.54 | .02 | .12 | 1   | 160 |
| L10N 8+20E          | 1   | 18  | 30   | 235 | .7  | 4   | 13  | 1261 | 5.07 | 11  | 5   | ND  | 1   | 61  | .7   | 2   | 2   | 76  | .33 | .156 | 12  | 8   | .41 | 97  | .05 | 2   | 4.36 | .02 | .06 | 1   | 11  |
| L10N 8+40E          | 8   | 4   | 1923 | 17  | .6  | 1   | 1   | 31   | 2.34 | 30  | 5   | ND  | 2   | 425 | .2   | 6   | 8   | 13  | .03 | .107 | 26  | 1   | .02 | 511 | .01 | 5   | .75  | .01 | .28 | 1   | 1   |
| L10N 8+60E          | 7   | 10  | 120  | 27  | .4  | 1   | 1   | 63   | 4.60 | 17  | 5   | ND  | 1   | 19  | .2   | 2   | 2   | 46  | .01 | .049 | 6   | 1   | .05 | 70  | .01 | 5   | 1.04 | .01 | .05 | 1   | 4   |
| L10N 8+80E          | 6   | 5   | 176  | 20  | .1  | 1   | 1   | 37   | 3.68 | 34  | 5   | ND  | 1   | 29  | .2   | 3   | 4   | 20  | .01 | .053 | 11  | 1   | .02 | 145 | .01 | 3   | .70  | .01 | .12 | 1   | 1   |
| L10N 9+00E          | 6   | 10  | 174  | 35  | .2  | 1   | 1   | 102  | 2.93 | 28  | 5   | ND  | 1   | 68  | .2   | 2   | 4   | 33  | .02 | .059 | 8   | 1   | .06 | 220 | .05 | 2   | .80  | .01 | .06 | 1   | 2   |
| L10N 9+20E          | 5   | 37  | 387  | 89  | 1.5 | 4   | 3   | 438  | 4.71 | 28  | 5   | ND  | 3   | 139 | .4   | 2   | 3   | 46  | .09 | .084 | 18  | 1   | .43 | 386 | .08 | 4   | 2.48 | .04 | .13 | 1   | 27  |
| L10N 9+40E          | 8   | 31  | 597  | 52  | 4.9 | 2   | 2   | 215  | 5.21 | 18  | 5   | ND  | 1   | 135 | .2   | 2   | 4   | 68  | .09 | .133 | 20  | 1   | .11 | 282 | .06 | 2   | 2.29 | .02 | .13 | 1   | 45  |
| L10N 9+60E          | 6   | 39  | 448  | 100 | 3.2 | 3   | 3   | 515  | 7.89 | 15  | 5   | ND  | 2   | 149 | .2   | 2   | 3   | 65  | .08 | .192 | 16  | 1   | .31 | 286 | .04 | 4   | 4.14 | .02 | .10 | 1   | 9   |
| L10N 9+80E          | 3   | 10  | 105  | 28  | .3  | 2   | 1   | 74   | 2.71 | 18  | 5   | ND  | 1   | 44  | .2   | 2   | 4   | 24  | .02 | .042 | 6   | 1   | .08 | 113 | .01 | 2   | .86  | .01 | .06 | 1   | 3   |
| L10N 10+00E         | 4   | 24  | 144  | 63  | .6  | 4   | 3   | 290  | 4.32 | 18  | 5   | ND  | 3   | 92  | .2   | 2   | 3   | 27  | .03 | .064 | 12  | 4   | .33 | 281 | .01 | 7   | 2.17 | .03 | .16 | 1   | 5   |
| L9N 0+00E           | 3   | 69  | 58   | 136 | .4  | 14  | 7   | 543  | 5.73 | 10  | 5   | ND  | 1   | 79  | .4   | 2   | 2   | 96  | .23 | .072 | 10  | 24  | .65 | 143 | .12 | 2   | 2.59 | .02 | .07 | 1   | 40  |
| STANDARD C/AU-S     | 18  | 57  | 40   | 133 | 6.9 | 71  | 33  | 1050 | 4.00 | 37  | 16  | 6   | 40  | 52  | 18.4 | 15  | 18  | 56  | .48 | .091 | 39  | 58  | .89 | 177 | .09 | 32  | 1.89 | .06 | .15 | 13  | 46  |



## Canasil Resources Inc. PROJECT BRENDA FILE # 91-2152

Page 3



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | Ta<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| L9N 0+20E       | 3         | 52        | 54        | 126       | .3        | 11        | 9         | 525       | 5.29    | 13        | 6        | ND        | 1         | 55        | 1.3       | 2         | 2         | 86       | .15     | .081   | 9         | 24        | .53     | 124       | .10     | 5        | 2.29    | .01     | .06    | 2        | 5          |
| L9N 0+40E       | 3         | 60        | 83        | 117       | .3        | 9         | 7         | 486       | 4.76    | 4         | 5        | ND        | 1         | 77        | .6        | 2         | 2         | 96       | .17     | .080   | 10        | 18        | .46     | 124       | .09     | 2        | 2.32    | .02     | .07    | 1        | 4          |
| L9N 0+60E       | 3         | 38        | 66        | 94        | .3        | 8         | 6         | 293       | 2.93    | 7         | 5        | ND        | 1         | 61        | .6        | 2         | 2         | 55       | .19     | .079   | 9         | 16        | .37     | 162       | .04     | 3        | 1.78    | .01     | .07    | 1        | 1          |
| L9N 0+80E       | 3         | 28        | 65        | 110       | .1        | 11        | 6         | 418       | 3.68    | 5         | 5        | ND        | 1         | 50        | .5        | 2         | 2         | 75       | .17     | .058   | 10        | 17        | .51     | 121       | .09     | 4        | 2.22    | .01     | .06    | 1        | 1          |
| L9N 1+00E       | 3         | 28        | 65        | 112       | .3        | 8         | 8         | 536       | 4.36    | 9         | 5        | ND        | 1         | 58        | .2        | 2         | 2         | 83       | .19     | .083   | 11        | 19        | .54     | 152       | .11     | 2        | 2.40    | .02     | .07    | 1        | 4          |
| L9N 1+20E       | 3         | 32        | 64        | 120       | .4        | 8         | 8         | 496       | 4.27    | 8         | 6        | ND        | 1         | 83        | .7        | 2         | 2         | 48       | .34     | .095   | 8         | 16        | .55     | 167       | .07     | 4        | 3.94    | .01     | .07    | 1        | 4          |
| L9N 1+40E       | 2         | 16        | 79        | 58        | .1        | 3         | 3         | 230       | 3.43    | 4         | 5        | ND        | 1         | 50        | .2        | 2         | 2         | 86       | .16     | .066   | 9         | 15        | .28     | 111       | .07     | 2        | 2.42    | .01     | .06    | 1        | 4          |
| L9N 1+60E       | 3         | 26        | 72        | 105       | .8        | 12        | 9         | 469       | 5.35    | 7         | 7        | ND        | 1         | 42        | .2        | 2         | 2         | 77       | .16     | .081   | 10        | 26        | .55     | 126       | .08     | 2        | 3.25    | .01     | .06    | 1        | 4          |
| L9N 1+80E       | 5         | 36        | 147       | 119       | .2        | 9         | 7         | 531       | 5.18    | 8         | 5        | ND        | 1         | 96        | .2        | 2         | 2         | 99       | .21     | .096   | 12        | 19        | .76     | 213       | .11     | 2        | 2.73    | .02     | .12    | 1        | 1          |
| L9N 00E         | 2         | 20        | 61        | 101       | .5        | 9         | 8         | 414       | 5.60    | 3         | 5        | ND        | 1         | 34        | .2        | 2         | 3         | 84       | .13     | .086   | 10        | 23        | .47     | 116       | .12     | 2        | 2.72    | .01     | .05    | 1        | 8          |
| L9N 2+20E       | 2         | 19        | 69        | 77        | .3        | 3         | 5         | 277       | 3.26    | 4         | 5        | ND        | 1         | 41        | .2        | 2         | 2         | 67       | .14     | .062   | 10        | 15        | .24     | 106       | .10     | 2        | 1.69    | .01     | .06    | 1        | 7          |
| L9N 2+40E       | 3         | 20        | 60        | 105       | .5        | 11        | 9         | 465       | 5.61    | 8         | 5        | ND        | 1         | 47        | .6        | 2         | 2         | 80       | .15     | .067   | 9         | 18        | .58     | 141       | .08     | 2        | 2.39    | .01     | .06    | 1        | 5          |
| L9N 2+60E       | 2         | 14        | 41        | 72        | .7        | 4         | 7         | 298       | 4.92    | 7         | 9        | ND        | 1         | 31        | .2        | 2         | 4         | 85       | .11     | .093   | 8         | 17        | .26     | 94        | .10     | 3        | 1.94    | .01     | .04    | 1        | 8          |
| L9N 2+80E       | 3         | 36        | 89        | 135       | .7        | 4         | 8         | 423       | 5.16    | 8         | 6        | ND        | 1         | 43        | 1.0       | 2         | 2         | 82       | .14     | .070   | 9         | 19        | .34     | 104       | .10     | 2        | 2.15    | .01     | .06    | 1        | 55         |
| L9N 3+00E       | 5         | 64        | 96        | 196       | 1.1       | 9         | 8         | 499       | 5.96    | 7         | 6        | ND        | 1         | 53        | .9        | 2         | 2         | 77       | .16     | .079   | 11        | 22        | .47     | 160       | .09     | 2        | 3.12    | .01     | .07    | 1        | 3          |
| L9N 3+20E       | 5         | 139       | 96        | 147       | 3.0       | 11        | 7         | 483       | 5.13    | 11        | 5        | ND        | 2         | 82        | 1.3       | 2         | 2         | 53       | .26     | .089   | 12        | 18        | .52     | 191       | .07     | 2        | 3.89    | .02     | .15    | 2        | 350        |
| L9N 3+40E       | 7         | 131       | 124       | 119       | 2.2       | 4         | 5         | 361       | 5.64    | 6         | 5        | ND        | 1         | 79        | .2        | 2         | 2         | 81       | .18     | .118   | 10        | 6         | .23     | 180       | .05     | 2        | 2.47    | .02     | .14    | 1        | 290        |
| L9N 3+60E       | 4         | 128       | 157       | 157       | 1.6       | 14        | 8         | 530       | 5.29    | 7         | 5        | ND        | 2         | 55        | 1.1       | 3         | 2         | 53       | .25     | .135   | 10        | 20        | .40     | 130       | .11     | 2        | 4.81    | .01     | .06    | 1        | 32         |
| L9N 3+80E       | 5         | 130       | 320       | 127       | 1.7       | 3         | 6         | 613       | 4.65    | 8         | 7        | ND        | 1         | 114       | .7        | 2         | 2         | 67       | .25     | .101   | 11        | 11        | .30     | 175       | .06     | 3        | 2.23    | .02     | .09    | 1        | 20         |
| L9N 4+00E       | 7         | 177       | 570       | 431       | 2.5       | 1         | 10        | 897       | 5.96    | 6         | 7        | ND        | 1         | 80        | .8        | 2         | 2         | 44       | .52     | .157   | 12        | 7         | .45     | 138       | .02     | 2        | 4.55    | .01     | .11    | 1        | 35         |
| L9N 4+20E       | 7         | 135       | 362       | 329       | 1.3       | 3         | 9         | 895       | 4.87    | 9         | 5        | ND        | 1         | 106       | .7        | 3         | 3         | 58       | .39     | .115   | 12        | 10        | .41     | 173       | .05     | 3        | 3.06    | .02     | .13    | 1        | 77         |
| L9N 4+40E       | 6         | 118       | 315       | 291       | 1.1       | 4         | 7         | 633       | 5.52    | 9         | 5        | ND        | 1         | 102       | 1.4       | 2         | 2         | 60       | .25     | .130   | 11        | 11        | .39     | 149       | .06     | 2        | 3.54    | .02     | .10    | 1        | 91         |
| L9N 4+60E       | 3         | 24        | 56        | 116       | 1.5       | 7         | 8         | 438       | 5.77    | 7         | 5        | ND        | 1         | 41        | .2        | 2         | 3         | 77       | .18     | .089   | 8         | 19        | .46     | 102       | .10     | 2        | 2.95    | .01     | .05    | 1        | 9          |
| L9N 4+80E       | 3         | 23        | 83        | 81        | .7        | 2         | 5         | 240       | 3.64    | 5         | 5        | ND        | 1         | 42        | .2        | 2         | 2         | 67       | .14     | .058   | 7         | 13        | .19     | 102       | .06     | 2        | 1.69    | .01     | .05    | 1        | 10         |
| L9N 5+00E       | 5         | 30        | 68        | 125       | 1.4       | 10        | 9         | 475       | 5.74    | 10        | 5        | ND        | 1         | 47        | .2        | 2         | 2         | 78       | .18     | .085   | 10        | 20        | .51     | 133       | .08     | 2        | 2.72    | .01     | .06    | 1        | 2          |
| L9N 5+20E       | 4         | 37        | 78        | 127       | .5        | 13        | 9         | 529       | 3.94    | 9         | 5        | ND        | 1         | 55        | .5        | 2         | 2         | 66       | .21     | .057   | 12        | 22        | .54     | 150       | .06     | 2        | 2.25    | .02     | .06    | 1        | 12         |
| L9N 5+40E       | 35        | 167       | 66        | 114       | 1.7       | 1         | 5         | 945       | 6.32    | 5         | 5        | ND        | 2         | 229       | 1.2       | 2         | 2         | 30       | .07     | .146   | 21        | 3         | .56     | 43        | .03     | 2        | 1.61    | .08     | .65    | 1        | 82         |
| L9N 5+60E       | 23        | 192       | 216       | 231       | 2.8       | 3         | 7         | 630       | 5.60    | 12        | 5        | ND        | 1         | 157       | 1.2       | 2         | 2         | 48       | .11     | .137   | 20        | 8         | .47     | 261       | .02     | 2        | 2.33    | .03     | .31    | 1        | 280        |
| L9N 5+80E       | 18        | 151       | 205       | 190       | 2.2       | 3         | 7         | 664       | 4.97    | 17        | 5        | ND        | 1         | 142       | 1.3       | 2         | 2         | 46       | .11     | .119   | 18        | 7         | .42     | 240       | .02     | 3        | 2.08    | .03     | .28    | 1        | 130        |
| L9N 6+00E       | 4         | 23        | 66        | 106       | .2        | 5         | 8         | 570       | 6.18    | 13        | 8        | ND        | 1         | 52        | .4        | 2         | 2         | 110      | .17     | .106   | 10        | 18        | .53     | 125       | .12     | 2        | 2.22    | .02     | .07    | 1        | 17         |
| L9N 6+20E       | 4         | 17        | 57        | 86        | .4        | 5         | 8         | 477       | 6.35    | 9         | 6        | ND        | 1         | 47        | .2        | 2         | 2         | 121      | .17     | .080   | 8         | 14        | .43     | 114       | .18     | 2        | 1.95    | .01     | .05    | 1        | 17         |
| L9N 6+40E       | 8         | 29        | 464       | 75        | 1.1       | 2         | 6         | 767       | 4.40    | 11        | 6        | ND        | 1         | 185       | .8        | 2         | 2         | 57       | .09     | .103   | 13        | 7         | .18     | 230       | .04     | 2        | 1.85    | .04     | .22    | 1        | 17         |
| L9N 6+60E       | 6         | 43        | 254       | 76        | 2.5       | 4         | 4         | 171       | 3.85    | 7         | 5        | ND        | 1         | 91        | .4        | 2         | 2         | 45       | .06     | .116   | 16        | 5         | .16     | 226       | .01     | 3        | 1.66    | .03     | .18    | 1        | 3          |
| L9N 6+80E       | 10        | 67        | 246       | 120       | 2.2       | 1         | 8         | 366       | 5.53    | 19        | 8        | ND        | 2         | 133       | .4        | 4         | 5         | 44       | .06     | .123   | 22        | 4         | .31     | 187       | .02     | 2        | 1.73    | .06     | .29    | 1        | 30         |
| L9N 7+00E       | 5         | 16        | 165       | 76        | 2.3       | 6         | 5         | 217       | 5.51    | 14        | 6        | ND        | 2         | 108       | .8        | 2         | 3         | 49       | .13     | .082   | 13        | 11        | .26     | 193       | .03     | 2        | 2.68    | .04     | .10    | 1        | 91         |
| L9N 7+20E       | 5         | 11        | 477       | 36        | 2.3       | 2         | 3         | 388       | 2.98    | 7         | 5        | ND        | 1         | 133       | .8        | 2         | 5         | 25       | .03     | .065   | 14        | 4         | .11     | 191       | .02     | 2        | 1.06    | .07     | .16    | 1        | 27         |
| STANDARD C/AU-S | 19        | 56        | 38        | 133       | 6.9       | 73        | 31        | 1052      | 4.02    | 40        | 24       | 6         | 40        | 52        | 18.5      | 18        | 21        | 55       | .49     | .091   | 39        | 59        | .88     | 176       | .09     | 35       | 1.90    | .06     | .15    | 13       | 48         |



## Canasil Resources Inc. PROJECT BRENDA FILE # 91-2152

Page 4



| SAMPLE#            | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>% | Al<br>% | Na<br>% | K<br>% | V<br>ppm | Au*<br>ppb |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|--------|---------|---------|--------|----------|------------|
| L9N 7+40E          | 9         | 23        | 1371      | 33        | 4.0       | 1         | 1         | 539       | 5.24    | 18        | 5        | ND        | 5         | 250       | 1.1       | 2         | 2         | 28       | .02     | .140   | 20        | 2         | .13     | 228       | .02     | 3      | 1.74    | .10     | .14    | 1        | 5          |
| L9N 7+60E          | 11        | 30        | 1102      | 65        | 4.2       | 1         | 1         | 244       | 6.41    | 26        | 5        | ND        | 4         | 398       | .7        | 9         | 2         | 30       | .04     | .179   | 20        | 1         | .10     | 222       | .01     | 4      | 1.35    | .14     | .17    | 1        | 15         |
| L9N 7+80E          | 11        | 30        | 1264      | 39        | 4.5       | 1         | 1         | 210       | 5.36    | 19        | 5        | ND        | 7         | 630       | 1.0       | 9         | 2         | 18       | .05     | .203   | 19        | 1         | .10     | 181       | .01     | 5      | 1.32    | .13     | .27    | 1        | 1          |
| L9N 8+00E          | 11        | 37        | 750       | 64        | 3.3       | 2         | 1         | 368       | 6.73    | 26        | 5        | ND        | 2         | 184       | .7        | 13        | 2         | 41       | .04     | .149   | 23        | 5         | .21     | 200       | .03     | 6      | 1.34    | .11     | .19    | 1        | 15         |
| L9N 8+20E          | 7         | 17        | 535       | 33        | 1.5       | 1         | 1         | 176       | 3.33    | 18        | 5        | ND        | 1         | 177       | .4        | 4         | 2         | 38       | .04     | .121   | 15        | 2         | .09     | 197       | .01     | 3      | 1.46    | .06     | .10    | 1        | 4          |
| L9N 8+40E          | 6         | 40        | 392       | 58        | 3.4       | 1         | 1         | 198       | 7.74    | 24        | 5        | ND        | 4         | 97        | .4        | 3         | 2         | 51       | .02     | .140   | 18        | 5         | .15     | 239       | .01     | 3      | 2.16    | .05     | .13    | 1        | 8          |
| L9N 8+60E          | 10        | 73        | 387       | 220       | 3.4       | 4         | 5         | 881       | 6.49    | 25        | 5        | ND        | 5         | 80        | 1.4       | 2         | 2         | 47       | .10     | .171   | 20        | 5         | .35     | 239       | .06     | 3      | 4.08    | .02     | .14    | 1        | 28         |
| L9N 8+80E          | 6         | 46        | 575       | 136       | 3.2       | 3         | 4         | 754       | 4.51    | 14        | 5        | ND        | 2         | 89        | .3        | 4         | 2         | 56       | .13     | .117   | 16        | 5         | .25     | 202       | .04     | 3      | 2.51    | .02     | .12    | 1        | 4          |
| L9N 9+00E          | 8         | 31        | 125       | 118       | 1.8       | 4         | 5         | 596       | 4.57    | 25        | 5        | ND        | 2         | 115       | .6        | 2         | 2         | 43       | .08     | .147   | 19        | 3         | .30     | 291       | .03     | 3      | 3.56    | .03     | .13    | 1        | 32         |
| L9N 9+20E          | 5         | 28        | 262       | 100       | 2.7       | 2         | 3         | 410       | 4.73    | 27        | 5        | ND        | 2         | 105       | .5        | 6         | 2         | 33       | .06     | .109   | 16        | 4         | .20     | 209       | .02     | 3      | 2.66    | .03     | .11    | 1        | 37         |
| L9N 9+40E          | 6         | 22        | 228       | 64        | .5        | 3         | 3         | 198       | 4.58    | 27        | 5        | ND        | 4         | 119       | .6        | 3         | 2         | 31       | .03     | .077   | 18        | 5         | .17     | 286       | .01     | 3      | 1.68    | .03     | .14    | 1        | 14         |
| L9N 9+60E          | 4         | 21        | 241       | 52        | 2.4       | 1         | 1         | 236       | 6.23    | 19        | 5        | ND        | 6         | 143       | .9        | 9         | 2         | 28       | .01     | .120   | 23        | 2         | .26     | 100       | .06     | 3      | 1.87    | .18     | .14    | 1        | 8          |
| L9N 9+80E          | 6         | 23        | 274       | 34        | 1.3       | 1         | 1         | 71        | 4.72    | 16        | 5        | ND        | 3         | 172       | .3        | 4         | 2         | 24       | .01     | .089   | 26        | 2         | .10     | 294       | .01     | 3      | 1.38    | .07     | .11    | 1        | 70         |
| L9N 10+00E         | 2         | 9         | 112       | 22        | .3        | 1         | 1         | 26        | 3.21    | 9         | 5        | ND        | 3         | 115       | .2        | 3         | 2         | 15       | .01     | .065   | 20        | 1         | .04     | 289       | .01     | 4      | .63     | .09     | .14    | 1        | 4          |
| L8N 5+00E          | 26        | 272       | 196       | 307       | 2.9       | 4         | 7         | 945       | 5.15    | 18        | 5        | ND        | 2         | 188       | 1.8       | 2         | 2         | 53       | .17     | .155   | 22        | 8         | .37     | 248       | .02     | 2      | 2.82    | .02     | .33    | 1        | 260        |
| L8N 5+20E          | 6         | 37        | 58        | 123       | 1.0       | 4         | 3         | 371       | 4.47    | 10        | 5        | ND        | 2         | 103       | 1.7       | 6         | 2         | 61       | .34     | .083   | 10        | 9         | .37     | 189       | .08     | 4      | 5.01    | .02     | .09    | 1        | 33         |
| L8N 5+40E          | 51        | 64        | 86        | 814       | 2.2       | 9         | 36        | 27278     | 7.79    | 13        | 5        | ND        | 1         | 122       | .4        | 2         | 2         | 36       | .23     | .132   | 14        | 13        | 1.05    | 204       | .03     | 2      | 2.86    | .03     | .14    | 1        | 50         |
| L8N 5+60E          | 6         | 44        | 138       | 93        | 2.1       | 5         | 3         | 223       | 4.74    | 7         | 5        | ND        | 1         | 96        | .5        | 3         | 2         | 63       | .09     | .094   | 15        | 7         | .14     | 216       | .03     | 2      | 2.13    | .03     | .13    | 1        | 7          |
| L8N 5+80E          | 4         | 53        | 75        | 563       | 1.4       | 8         | 10        | 709       | 8.11    | 6         | 5        | ND        | 2         | 278       | 2.4       | 2         | 2         | 99       | .14     | .157   | 31        | 9         | .36     | 170       | .09     | 2      | 4.39    | .02     | .08    | 1        | 4          |
| L8N 6+00E          | 4         | 16        | 64        | 93        | 1.3       | 1         | 4         | 304       | 2.30    | 2         | 5        | ND        | 2         | 161       | .9        | 2         | 2         | 17       | .02     | .057   | 16        | 1         | .09     | 89        | .01     | 3      | 1.03    | .02     | .21    | 1        | 1          |
| L8N 6+20E          | 9         | 26        | 137       | 40        | 1.5       | 1         | 1         | 234       | 4.21    | 2         | 5        | ND        | 3         | 130       | 1.7       | 2         | 2         | 10       | .02     | .064   | 13        | 1         | .14     | 64        | .01     | 3      | .71     | .07     | .55    | 1        | 2          |
| L8N 6+40E          | 11        | 90        | 268       | 149       | 4.0       | 4         | 4         | 371       | 5.83    | 19        | 5        | ND        | 4         | 136       | .5        | 2         | 2         | 41       | .07     | .155   | 29        | 5         | .21     | 186       | .01     | 2      | 2.13    | .05     | .35    | 1        | 16         |
| L8N 6+60E          | 7         | 65        | 151       | 166       | 2.0       | 11        | 6         | 461       | 5.34    | 9         | 5        | ND        | 3         | 99        | 1.0       | 4         | 2         | 55       | .10     | .115   | 20        | 12        | .35     | 246       | .05     | 2      | 3.17    | .04     | .19    | 1        | 11         |
| L8N 6+80E          | 7         | 39        | 252       | 93        | 2.4       | 10        | 4         | 254       | 5.59    | 12        | 5        | ND        | 4         | 101       | .5        | 2         | 2         | 44       | .06     | .104   | 21        | 15        | .26     | 283       | .03     | 2      | 3.22    | .09     | .17    | 1        | 23         |
| L8N 7+00E          | 12        | 52        | 843       | 75        | 5.6       | 1         | 1         | 125       | 6.95    | 28        | 5        | ND        | 6         | 212       | .2        | 5         | 2         | 34       | .03     | .170   | 43        | 3         | .15     | 110       | .03     | 3      | 1.90    | .19     | .25    | 1        | 99         |
| L8N 7+20E          | 14        | 43        | 237       | 81        | 1.7       | 4         | 2         | 197       | 7.73    | 23        | 5        | ND        | 5         | 111       | .5        | 2         | 2         | 49       | .04     | .121   | 22        | 6         | .23     | 99        | .06     | 3      | 2.55    | .11     | .34    | 1        | 30         |
| L8N 7+40E          | 27        | 36        | 185       | 75        | 1.3       | 3         | 2         | 113       | 8.12    | 18        | 5        | ND        | 2         | 124       | .5        | 6         | 2         | 54       | .04     | .137   | 20        | 7         | .13     | 102       | .02     | 2      | 2.53    | .15     | .22    | 1        | 22         |
| L8N 7+60E          | 13        | 24        | 283       | 46        | 1.2       | 3         | 2         | 112       | 5.13    | 11        | 5        | ND        | 2         | 102       | .5        | 2         | 2         | 38       | .03     | .110   | 17        | 7         | .09     | 288       | .02     | 2      | 1.49    | .10     | .14    | 1        | 10         |
| L8N 7+80E CRUSHING | 11        | 49        | 249       | 52        | 1.6       | 1         | 1         | 2         | 11.16   | 5         | 5        | ND        | 8         | 179       | .2        | 2         | 2         | 44       | .01     | .134   | 23        | 3         | .03     | 32        | .11     | 2      | 1.10    | .55     | .22    | 1        | 22         |
| L8N 8+00E          | 7         | 31        | 287       | 52        | 1.8       | 4         | 2         | 178       | 5.09    | 10        | 5        | ND        | 4         | 118       | .3        | 2         | 2         | 54       | .03     | .118   | 23        | 7         | .11     | 258       | .03     | 2      | 2.10    | .11     | .17    | 1        | 5          |
| L8N 8+20E          | 6         | 27        | 351       | 53        | 1.0       | 1         | 1         | 140       | 4.36    | 11        | 5        | ND        | 2         | 137       | .9        | 2         | 2         | 44       | .03     | .120   | 22        | 5         | .08     | 231       | .01     | 2      | 1.95    | .08     | .13    | 1        | 3          |
| L8N 8+40E          | 6         | 22        | 212       | 35        | 1.9       | 3         | 2         | 158       | 4.85    | 11        | 5        | ND        | 2         | 89        | .2        | 2         | 2         | 53       | .05     | .101   | 19        | 9         | .09     | 183       | .03     | 2      | 1.85    | .05     | .10    | 1        | 5          |
| L8N 8+60E          | 12        | 23        | 185       | 52        | 3.0       | 2         | 2         | 128       | 6.29    | 28        | 5        | ND        | 5         | 174       | .2        | 3         | 2         | 30       | .04     | .139   | 27        | 5         | .10     | 227       | .01     | 4      | 2.12    | .05     | .22    | 1        | 11         |
| L8N 8+80E          | 8         | 15        | 165       | 40        | .9        | 1         | 1         | 95        | 3.80    | 17        | 5        | ND        | 1         | 110       | .2        | 4         | 2         | 40       | .04     | .109   | 22        | 7         | .06     | 170       | .01     | 3      | 1.06    | .03     | .15    | 1        | 1          |
| L8N 9+00E          | 8         | 31        | 229       | 75        | 2.4       | 4         | 2         | 209       | 6.24    | 17        | 5        | ND        | 2         | 107       | .2        | 3         | 2         | 47       | .05     | .137   | 20        | 13        | .14     | 242       | .03     | 2      | 2.41    | .06     | .13    | 1        | 5          |
| L8N 9+20E          | 7         | 29        | 262       | 58        | 2.9       | 3         | 2         | 202       | 5.38    | 19        | 5        | ND        | 2         | 105       | .2        | 3         | 2         | 34       | .03     | .143   | 19        | 9         | .12     | 241       | .02     | 3      | 2.08    | .06     | .15    | 1        | 1          |
| STANDARD C/AU-S    | 20        | 64        | 42        | 130       | 7.5       | 72        | 32        | 1085      | 4.01    | 37        | 17       | 5         | 39        | 53        | 17.6      | 16        | 18        | 60       | .50     | .090   | 39        | 58        | .88     | 178       | .09     | 36     | 1.91    | .06     | .15    | 13       | 53         |



ACME ANALYTICAL

## Canasil Resources Inc. PROJECT BRENDA FILE # 91-2152

Page 5



ACME ANALYTICAL

| SAMPLE#             | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>ppm | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>ppm | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au <sup>a</sup><br>ppb |
|---------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|--------|-----------|-----------|-----------|-----------|---------|----------|---------|---------|--------|----------|------------------------|
| LBN 9+40E           | 5         | 30        | 336       | 74        | 1.5       | 3         | 6         | 440       | 4.50    | 22        | 5        | ND        | 2         | 126       | .6        | 2         | 2         | 31       | .07       | .097   | 19        | 6         | .29       | 225       | .04     | 2        | 1.07    | .07     | .21    | 1        | 18                     |
| LBN 9+60E           | 4         | 6         | 96        | 34        | .6        | 2         | 3         | 225       | 3.94    | 8         | 5        | ND        | 1         | 155       | .4        | 2         | 2         | 18       | .02       | .083   | 13        | 4         | .30       | 98        | .01     | 2        | 1.62    | .06     | .33    | 1        | 1                      |
| LBN 9+80E           | 5         | 26        | 218       | 114       | 2.1       | 9         | 6         | 368       | 5.24    | 13        | 5        | ND        | 1         | 79        | .7        | 2         | 3         | 46       | .06       | .090   | 13        | 12        | .33       | 221       | .03     | 2        | 3.05    | .04     | .12    | 1        | 4                      |
| LBN 10+00E          | 4         | 20        | 148       | 81        | 2.4       | 6         | 5         | 267       | 4.05    | 18        | 5        | ND        | 1         | 92        | .3        | 2         | 2         | 29       | .05       | .071   | 14        | 9         | .31       | 221       | .02     | 5        | 2.07    | .04     | .12    | 1        | 21                     |
| LBN 5+00E 40M NORTH | 35        | 1         | 4         | 771       | .8        | 5         | 82        | 20695     | 29.60   | 7         | 5        | ND        | 2         | 49        | 3.6       | 2         | 2         | 2        | .25       | .150   | 2         | 3         | .01       | 35        | .01     | 4        | .33     | .01     | .02    | 1        | 14                     |

## GEOCHEMICAL ANALYSIS CERTIFICATE

**Romulus Resources Ltd. PROJECT 9302 File # 93-1894 Page 1**  
 920 - 1188 W. Georgia St., Vancouver BC V6E 4A2 Submitted by: Mark Rebagliati

| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 10800N 11050E   | 4         | 10        | 124       | 41        | .4        | 2         | 2         | 316       | 3.57    | 14        | <5       | <2        | 2         | 136       | .2        | <2        | <2        | 39       | .05     | .066   | 11        | 3         | .35     | 322       | .02     | <2       | 1.64    | .07     | .15    | 2        | 63         |
| 10800N 11100E   | 4         | 26        | 219       | 67        | 2.5       | 5         | 3         | 387       | 5.18    | 19        | <5       | <2        | 2         | 90        | .4        | <2        | <2        | 36       | .04     | .072   | 14        | 7         | .34     | 242       | .02     | 2        | 1.55    | .05     | .14    | 1        | 48         |
| 10800N 11150E   | 8         | 15        | 370       | 20        | 4.1       | 1         | 1         | 92        | 5.18    | 31        | <5       | <2        | 2         | 182       | .9        | <2        | 4         | 18       | .04     | .089   | 19        | 2         | .07     | 244       | <.01    | <2       | 1.24    | .02     | .28    | <1       | 7          |
| 10800N 11200E   | 7         | 19        | 1151      | 42        | 2.5       | 2         | 2         | 179       | 4.20    | 26        | <5       | <2        | 2         | 188       | <.2       | <2        | 5         | 28       | .03     | .075   | 18        | 4         | .17     | 291       | .01     | 2        | 1.64    | .02     | .17    | 1        | 19         |
| 10800N 11250E   | 4         | 14        | 191       | 28        | .7        | 3         | 1         | 174       | 3.02    | 13        | <5       | <2        | <2        | 83        | .3        | <2        | <2        | 49       | .07     | .049   | 12        | 3         | .13     | 188       | .04     | <2       | 1.25    | .02     | .10    | 1        | 65         |
| 10800N 11300E   | 8         | 14        | 433       | 20        | .8        | 2         | 1         | 148       | 2.88    | 18        | <5       | <2        | <2        | 169       | .3        | <2        | <2        | 34       | .03     | .064   | 18        | 2         | .12     | 246       | .01     | <2       | 1.08    | .04     | .16    | <1       | 2          |
| 10800N 11350E   | 4         | 18        | 252       | 43        | .5        | 4         | 1         | 221       | 2.78    | 12        | <5       | <2        | <2        | 89        | <.2       | <2        | <2        | 33       | .06     | .046   | 13        | 6         | .17     | 254       | .02     | 2        | 1.15    | .02     | .10    | 1        | 2          |
| 10800N 11400E   | 4         | 39        | 317       | 53        | 2.0       | 4         | 1         | 211       | 4.33    | 9         | <5       | <2        | 2         | 263       | .5        | <2        | <2        | 28       | .03     | .076   | 24        | 6         | .24     | 362       | .01     | <2       | 2.19    | .04     | .18    | <1       | 6          |
| 10800N 11450E   | 3         | 18        | 339       | 28        | .5        | 4         | 1         | 217       | 2.51    | 10        | <5       | <2        | <2        | 180       | .2        | <2        | <2        | 38       | .05     | .053   | 17        | 4         | .11     | 186       | .03     | <2       | 1.32    | .02     | .10    | 1        | 3          |
| 10800N 11500E   | 5         | 45        | 914       | 60        | 4.1       | 5         | 2         | 225       | 3.62    | 7         | <5       | <2        | <2        | 154       | .9        | <2        | 2         | 32       | .04     | .133   | 19        | 6         | .17     | 349       | .01     | 2        | 1.88    | .03     | .17    | <1       | 14         |
| 10800N 11550E   | 3         | 23        | 330       | 48        | .4        | 4         | 2         | 276       | 2.44    | 8         | <5       | <2        | <2        | 99        | .2        | <2        | <2        | 34       | .09     | .059   | 13        | 6         | .22     | 268       | .02     | <2       | 1.13    | .02     | .11    | 1        | 2          |
| 10800N 11600E   | 4         | 20        | 396       | 53        | 1.3       | 3         | 1         | 219       | 4.13    | 9         | <5       | <2        | 2         | 69        | .2        | <2        | 3         | 47       | .02     | .072   | 12        | 5         | .14     | 251       | .04     | <2       | 1.58    | .04     | .12    | <1       | 1          |
| 10800N 11650E   | 2         | 11        | 384       | 27        | .5        | 2         | 1         | 108       | 1.97    | 7         | <5       | <2        | <2        | 53        | <.2       | <2        | 2         | 40       | .03     | .034   | 10        | 7         | .10     | 149       | .01     | 2        | .92     | .03     | .09    | 1        | 1          |
| 10800N 11700E   | 4         | 59        | 225       | 131       | 1.1       | 8         | 2         | 502       | 4.75    | 10        | <5       | <2        | 3         | 63        | <.2       | <2        | 2         | 39       | .07     | .076   | 14        | 16        | .40     | 313       | .03     | <2       | 2.86    | .02     | .09    | <1       | 10         |
| 10800N 11750E   | 3         | 49        | 299       | 115       | .6        | 5         | 3         | 571       | 4.03    | 5         | <5       | <2        | <2        | 55        | .3        | <2        | <2        | 35       | .09     | .065   | 10        | 7         | .34     | 433       | .03     | <2       | 1.60    | .02     | .11    | <1       | 5          |
| 10800N 11800E   | 4         | 51        | 199       | 111       | 1.1       | 9         | 2         | 570       | 5.46    | 17        | <5       | <2        | 3         | 73        | .2        | <2        | <2        | 45       | .07     | .095   | 12        | 16        | .57     | 336       | .04     | <2       | 2.56    | .02     | .12    | <1       | 26         |
| 10800N 11850E   | 3         | 29        | 220       | 63        | .6        | 5         | 1         | 402       | 3.91    | 5         | <5       | <2        | 2         | 55        | .8        | <2        | 2         | 37       | .07     | .048   | 9         | 10        | .31     | 291       | .04     | 2        | 1.24    | .02     | .09    | <1       | 5          |
| 10800N 11900E   | 5         | 15        | 144       | 46        | .6        | 2         | <1        | 288       | 2.79    | 4         | <5       | <2        | <2        | 73        | <.2       | <2        | 4         | 54       | .06     | .054   | 8         | 5         | .20     | 169       | .08     | <2       | 1.60    | .01     | .07    | 1        | 55         |
| 10800N 11950E   | 2         | 15        | 81        | 39        | .3        | 4         | 1         | 174       | 3.23    | 7         | <5       | <2        | <2        | 31        | .6        | <2        | <2        | 40       | .07     | .055   | 6         | 10        | .12     | 116       | .04     | <2       | 1.02    | .01     | .04    | 1        | 3          |
| 10800N 12000E   | 5         | 87        | 212       | 155       | 1.2       | 7         | 3         | 426       | 4.48    | 3         | <5       | <2        | <2        | 67        | .3        | <2        | 3         | 34       | .08     | .106   | 20        | 10        | .41     | 342       | .01     | <2       | 2.21    | .02     | .17    | 1        | 8          |
| 10800N 12050E   | 10        | 21        | 97        | 82        | .6        | 2         | 1         | 90        | 2.45    | <2        | <5       | <2        | <2        | 63        | 4.4       | <2        | <2        | 31       | .10     | .052   | 10        | 5         | .05     | 290       | .01     | <2       | .73     | .02     | .12    | <1       | 2          |
| 10800N 12100E   | 18        | 40        | 32        | 603       | .1        | 2         | 12        | 5460      | 4.65    | 8         | <5       | <2        | 2         | 62        | 10.1      | <2        | <2        | 48       | .38     | .075   | 16        | 3         | .71     | 892       | .01     | <2       | 1.67    | .01     | .13    | 1        | 5          |
| 10800N 12150E   | 2         | 18        | 36        | 121       | .3        | 4         | 3         | 355       | 4.41    | 2         | <5       | <2        | 2         | 22        | .2        | <2        | 2         | 78       | .09     | .067   | 7         | 14        | .32     | 110       | .05     | <2       | 2.28    | .01     | .04    | <1       | 5          |
| 10800N 12200E   | 5         | 39        | 138       | 112       | .5        | <1        | 3         | 601       | 4.20    | 11        | <5       | <2        | <2        | 64        | .5        | <2        | <2        | 24       | .07     | .101   | 11        | 3         | .29     | 267       | .02     | <2       | .99     | .03     | .14    | <1       | 4          |
| 10800N 12250E   | 5         | 35        | 156       | 71        | .4        | <1        | 1         | 324       | 3.51    | 11        | <5       | <2        | <2        | 71        | .4        | <2        | 5         | 18       | .04     | .097   | 11        | 2         | .20     | 274       | .01     | 2        | .81     | .03     | .16    | <1       | 4          |
| 10800N 12300E   | 6         | 32        | 146       | 78        | 1.8       | <1        | 1         | 390       | 4.73    | 9         | <5       | <2        | <2        | 69        | <.2       | <2        | 3         | 23       | .04     | .134   | 11        | 2         | .25     | 288       | .01     | <2       | 1.05    | .03     | .18    | <1       | 4          |
| 10800N 12350E   | 5         | 38        | 185       | 58        | .6        | <1        | 1         | 262       | 4.35    | 10        | <5       | <2        | <2        | 89        | .5        | <2        | 3         | 19       | .04     | .091   | 12        | 3         | .18     | 314       | .01     | <2       | 1.00    | .04     | .23    | <1       | 4          |
| 10800N 12350E   | 5         | 39        | 201       | 58        | .7        | 1         | 1         | 272       | 4.53    | 9         | <5       | <2        | <2        | 91        | .5        | <2        | 5         | 20       | .04     | .094   | 12        | 3         | .19     | 294       | .01     | <2       | 1.04    | .04     | .23    | <1       | 4          |
| 10800N 12400E   | 7         | 53        | 71        | 203       | .6        | 11        | 5         | 537       | 3.83    | 10        | <5       | <2        | <2        | 87        | .8        | <2        | 2         | 54       | .67     | .090   | 11        | 18        | .76     | 198       | .05     | <2       | 2.54    | .01     | .07    | 1        | 10         |
| 10600N 11050E   | 4         | 20        | 75        | 78        | 1.0       | <1        | 4         | 793       | 5.19    | 11        | <5       | <2        | <2        | 55        | .4        | <2        | 47        | .06      | .095    | 10     | 5         | .29       | 147     | .02       | <2      | 2.33     | .03     | .09     | <1     | 18       |            |
| 10600N 11100E   | 3         | 13        | 82        | 52        | .8        | 3         | 2         | 366       | 4.14    | 9         | <5       | <2        | <2        | 61        | <.2       | <2        | <2        | 33       | .09     | .095   | 9         | 4         | .18     | 160       | .02     | <2       | 1.60    | .04     | .08    | <1       | 3          |
| 10600N 11150E   | 4         | 14        | 105       | 46        | 1.0       | 3         | 1         | 246       | 4.21    | 12        | <5       | <2        | <2        | 72        | <.2       | <2        | 4         | 29       | .04     | .099   | 11        | 5         | .16     | 194       | .01     | <2       | 1.41    | .04     | .08    | <1       | 4          |
| 10600N 11200E   | 3         | 9         | 110       | 25        | .8        | 1         | 1         | 79        | 1.90    | 7         | <5       | <2        | <2        | 60        | .4        | <2        | 2         | 25       | .03     | .060   | 9         | 3         | .07     | 135       | .01     | <2       | .90     | .02     | .05    | <1       | 8          |
| 10600N 11250E   | 3         | 12        | 220       | 43        | .9        | 2         | 1         | 236       | 3.09    | 8         | <5       | <2        | <2        | 131       | <.2       | <2        | 2         | 25       | .03     | .068   | 14        | 4         | .24     | 206       | .01     | <2       | 1.41    | .03     | .09    | 1        | 9          |
| 10600N 11300E   | 4         | 40        | 291       | 94        | 1.4       | 5         | 2         | 435       | 3.40    | 12        | <5       | <2        | <2        | 103       | .7        | <2        | <2        | 34       | .10     | .060   | 13        | 10        | .40     | 275       | .03     | <2       | 1.39    | .02     | .14    | 1        | 7          |
| 10600N 11350E   | 4         | 55        | 376       | 86        | 2.4       | 2         | 3         | 732       | 4.60    | 25        | <5       | <2        | <2        | 187       | .7        | <2        | <2        | 47       | .07     | .090   | 18        | 5         | .40     | 306       | .03     | <2       | 2.02    | .02     | .18    | <1       | 28         |
| 10600N 11400E   | 5         | 39        | 424       | 68        | 1.8       | 3         | 2         | 473       | 3.61    | 13        | <5       | <2        | <2        | 109       | .4        | <2        | <2        | 31       | .06     | .073   | 14        | 5         | .31     | 317       | .03     | <2       | 1.10    | .03     | .20    | <1       | 16         |
| STANDARD C/AU-S | 16        | 58        | 36        | 123       | 6.8       | 63        | 27        | 1043      | 3.96    | 41        | 16       | 7         | 34        | 53        | 17.2      | 14        | 16        | 51       | .50     | .086   | 36        | 53        | .90     | 189       | .09     | 33       | 1.88    | .06     | .14    | 11       | 44         |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR Mn Fe Sr Ca P La Cr Mg Ba Ti B W AND LIMITED FOR Na K AND Al

- SAMPLE TYPE: SOIL AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 9 1993 DATE REPORT MAILED:

SIGNED BY: : . . . . . D.TOEY, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



Romulus Resources Ltd. PROJECT 9302 FILE # 93-1894

Page 2



| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |   |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|---|
| 10600N 11450E    | 6         | 36        | 377       | 101       | 1.0       | 5         | 3         | 372       | 3.36    | 11        | <5       | <2        | <2        | 111       | .2        | <2        | <2        | 36       | .09     | .063   | 14        | 8         | .35     | 306       | .03     | 2        | 1.33    | .03     | .16    | 1        | 11         |   |
| 10600N 11500E    | 7         | 34        | 1905      | 95        | 2.2       | 4         | 3         | 452       | 4.96    | 11        | <5       | <2        | <2        | 210       | <.2       | <2        | <2        | 37       | .06     | .107   | 23        | 7         | .20     | 294       | .02     | 3        | 1.80    | .07     | .22    | <1       | 19         |   |
| 10600N 11550E    | 5         | 32        | 512       | 104       | 1.1       | 6         | 3         | 465       | 3.88    | 11        | <5       | <2        | <2        | 115       | <.2       | <2        | <2        | 44       | .09     | .076   | 16        | 9         | .36     | 340       | .03     | 3        | 1.79    | .03     | .16    | <1       | 6          |   |
| 10600N 11600E    | 5         | 45        | 334       | 137       | .9        | 2         | 2         | 42        | 20.43   | 8         | <5       | <2        | 4         | 59        | 2.8       | <2        | <2        | 39       | .04     | .087   | 9         | 8         | .08     | 143       | .01     | 11       | 1.35    | .01     | .08    | <1       | 5          |   |
| 10600N 11650E    | 5         | 89        | 324       | 233       | 1.3       | 4         | 4         | 827       | 5.11    | 7         | <5       | <2        | 2         | 88        | .3        | <2        | <2        | 40       | .06     | .085   | 17        | 7         | .41     | 439       | .02     | 3        | 1.71    | .02     | .25    | <1       | 6          |   |
| 10600N 11700E    | 4         | 14        | 212       | 58        | .5        | 1         | 1         | 179       | 1.58    | 2         | <5       | <2        | <2        | 49        | <.2       | <2        | <2        | 33       | .13     | .037   | 10        | 4         | .05     | 125       | .02     | 3        | .99     | .01     | .08    | <1       | 2          |   |
| 10600N 11750E    | 5         | 45        | 359       | 120       | 2.0       | 4         | 3         | 479       | 4.81    | 8         | <5       | <2        | <2        | 67        | <.2       | <2        | <2        | 38       | .08     | .073   | 14        | 9         | .35     | 387       | .03     | 3        | 1.55    | .02     | .13    | <1       | 33         |   |
| 10600N 11800E    | 11        | 33        | 167       | 90        | .4        | 1         | 1         | 134       | 2.76    | 3         | <5       | <2        | <2        | 37        | .3        | <2        | <2        | 48       | .05     | .048   | 10        | 4         | .05     | 190       | .01     | 3        | 1.17    | .01     | .07    | <1       | 3          |   |
| 10600N 11850E    | 5         | 23        | 435       | 99        | 1.0       | 1         | 2         | 439       | 5.34    | 3         | <5       | <2        | <2        | 36        | <.2       | <2        | <2        | 59       | .06     | .084   | 8         | 4         | .17     | 348       | .02     | 2        | 1.88    | .02     | .11    | <1       | 2          |   |
| 10600N 11900E    | 4         | 29        | 279       | 86        | 1.1       | 2         | 2         | 323       | 5.12    | 6         | <5       | <2        | <2        | 46        | <.2       | <2        | <2        | 52       | .07     | .075   | 8         | 6         | .15     | 434       | .04     | 2        | 1.72    | .02     | .12    | <1       | 4          |   |
| 1. JON 11950E    | 4         | 12        | 190       | 71        | .4        | 2         | 1         | 243       | 2.66    | 3         | <5       | <2        | <2        | 33        | <.2       | <2        | <2        | 45       | .09     | .055   | 8         | 4         | .09     | 340       | .02     | 2        | 1.41    | .01     | .08    | <1       | 2          |   |
| 10600N 12000E    | 5         | 22        | 266       | 85        | .7        | 4         | 2         | 295       | 7.22    | 8         | <5       | <2        | <2        | 48        | .2        | <2        | <2        | 51       | .06     | .196   | 11        | 11        | .13     | 513       | .04     | 5        | 1.58    | .03     | .15    | 1        | 5          |   |
| 10600N 12050E    | 5         | 25        | 221       | 75        | .4        | 2         | 2         | 331       | 4.78    | 5         | <5       | <2        | <2        | 39        | <.2       | <2        | <2        | 53       | .08     | .065   | 7         | 5         | .14     | 299       | .04     | 3        | 1.72    | .01     | .09    | <1       | 29         |   |
| 10600N 12100E    | 5         | 42        | 274       | 124       | .7        | 6         | 3         | 343       | 6.00    | 9         | <5       | <2        | 2         | 40        | <.2       | <2        | <2        | 54       | .08     | .075   | 8         | 12        | .33     | 212       | .05     | 2        | 1.98    | .01     | .07    | <1       | 5          |   |
| 10600N 12150E    | 24        | 21        | 425       | 75        | 1.5       | 2         | 2         | 122       | 7.76    | 6         | <5       | <2        | 2         | 34        | <.2       | <2        | 6         | 48       | .04     | .068   | 7         | 6         | .10     | 316       | .03     | 3        | 1.69    | .02     | .15    | <1       | 7          |   |
| 10600N 12200E    | 26        | 827       | 144       | 768       | .3        | 3         | 5         | 936       | 5.29    | 7         | <5       | <2        | <2        | 68        | 6.5       | <2        | <2        | 38       | .20     | .099   | 55        | 7         | .37     | 422       | .01     | 3        | 1.94    | .02     | .12    | 2        | 53         |   |
| 10600N 12250E    | 9         | 289       | 64        | 1045      | .3        | 3         | 12        | 2682      | 3.17    | 5         | <5       | <2        | <2        | 76        | 10.5      | <2        | <2        | 34       | .68     | .078   | 27        | 3         | .34     | 434       | .01     | 3        | 1.52    | .01     | .13    | 1        | 4          |   |
| 10600N 12300E    | 15        | 482       | 129       | 722       | 1.4       | 3         | 8         | 1435      | 3.34    | 6         | <5       | <2        | <2        | 68        | 8.0       | <2        | <2        | 38       | .28     | .091   | 40        | 4         | .10     | 550       | .01     | 3        | 1.71    | .01     | .12    | <1       | 18         |   |
| 10600N 12350E    | 2         | 35        | 23        | 82        | .6        | 5         | 3         | 255       | 1.79    | 2         | <5       | <2        | <2        | 38        | 1.3       | <2        | <2        | 35       | .14     | .046   | 6         | 7         | .08     | 255       | .02     | <2       | .94     | .01     | .04    | <1       | 3          |   |
| 10600N 12400E    | 2         | 23        | 67        | 130       | .2        | 6         | 5         | 565       | 4.73    | 5         | <5       | <2        | <2        | 28        | .2        | <2        | <2        | 63       | .18     | .114   | 7         | 12        | .48     | 128       | .08     | 3        | 2.73    | .02     | .06    | 2        | 17         |   |
| RE 10600N 12400E | 2         | 23        | 67        | 132       | .3        | 6         | 5         | 575       | 4.76    | 4         | <5       | <2        | <2        | 27        | <.2       | <2        | <2        | 63       | .18     | .114   | 7         | 13        | .53     | 124       | .08     | 3        | 2.73    | .02     | .06    | 1        | 11         |   |
| 10600N 12450E    | 6         | 88        | 44        | 443       | .9        | 15        | 17        | 1162      | 3.99    | 11        | <5       | <2        | 2         | 93        | 1.0       | <2        | <2        | 59       | .83     | .080   | 13        | 18        | .81     | 143       | .09     | 3        | 2.36    | .02     | .07    | <1       | 20         |   |
| 10400N 11050E    | 2         | 15        | 39        | 85        | 1.3       | 2         | 3         | 286       | 5.30    | 23        | <5       | <2        | <2        | 89        | <.2       | <2        | <2        | 19       | .07     | .087   | 25        | 3         | .16     | 157       | <.01    | 3        | 1.05    | .14     | .38    | <1       | 9          |   |
| 10400N 11100E    | 4         | 7         | 60        | 34        | 3.0       | 2         | 1         | 91        | 4.66    | 31        | <5       | <2        | <2        | 44        | <.2       | <2        | <2        | 28       | .02     | .119   | 14        | 3         | .05     | 256       | .01     | 3        | 1.58    | .07     | .25    | <1       | 3          |   |
| 10400N 11150E    | 6         | 18        | 112       | 90        | 1.9       | 2         | 3         | 269       | 5.88    | 21        | <5       | <2        | <2        | 73        | <.2       | <2        | <2        | 43       | .05     | .108   | 19        | 4         | .16     | 301       | .01     | 4        | 2.22    | .05     | .17    | <1       | 19         |   |
| 10400N 11200E    | 8         | 19        | 132       | 90        | 3.1       | 4         | 4         | 385       | 4.41    | 18        | <5       | <2        | <2        | 90        | .2        | <2        | <2        | 46       | .09     | .112   | 16        | 5         | .15     | 201       | .02     | 4        | 2.11    | .04     | .14    | <1       | 34         |   |
| 10400N 11250E    | 3         | 27        | 148       | 125       | 3.5       | 11        | 5         | 399       | 4.80    | 15        | <5       | <2        | <2        | 71        | <.2       | <2        | <2        | 36       | .07     | .084   | 16        | 12        | .41     | 281       | .02     | 3        | 2.53    | .05     | .20    | <1       | 21         |   |
| 10400N 11300E    | 6         | 11        | 92        | 29        | 1.1       | 1         | 1         | 149       | 3.69    | 11        | <5       | <2        | <2        | 402       | <.2       | <2        | <2        | 21       | .04     | .071   | 25        | 2         | .10     | 209       | .02     | 2        | 1.24    | .06     | .28    | <1       | 6          |   |
| 1. JON 11350E    | 4         | 12        | 100       | 52        | 1.3       | 1         | 2         | 132       | 3.16    | 8         | <5       | <2        | <2        | 79        | <.2       | <2        | <2        | 45       | .07     | .066   | 12        | 3         | .08     | 157       | .02     | 3        | 1.42    | .04     | .11    | <1       | 15         |   |
| 1. JON 11400E    | 3         | 16        | 137       | 52        | 2.1       | 1         | 2         | 155       | 3.60    | 9         | <5       | <2        | <2        | 79        | <.2       | <2        | <2        | 44       | .04     | .074   | 12        | 4         | .10     | 184       | .03     | 4        | 1.62    | .05     | .13    | <1       | 8          |   |
| 10400N 11450E    | 4         | 27        | 344       | 88        | 1.9       | 4         | 3         | 260       | 4.35    | 12        | <5       | <2        | <2        | 84        | <.2       | <2        | <2        | 52       | .06     | .083   | 15        | 8         | .15     | 248       | .04     | 3        | 1.79    | .04     | .16    | <1       | 7          |   |
| 10400N 11500E    | 4         | 23        | 274       | 79        | 1.1       | 3         | 2         | 187       | 3.31    | 9         | <5       | <2        | <2        | 80        | <.2       | <2        | <2        | 45       | .06     | .074   | 14        | 4         | .10     | 238       | .02     | 2        | 1.56    | .04     | .14    | <1       | 10         |   |
| 10400N 11550E    | 4         | 49        | 331       | 138       | .7        | 7         | 5         | 529       | 3.99    | 10        | <5       | <2        | <2        | 102       | .2        | <2        | <2        | 40       | .12     | .068   | 15        | 10        | .36     | 361       | .03     | 2        | 1.50    | .04     | .19    | <1       | 25         |   |
| 10400N 11600E    | 7         | 34        | 680       | 97        | 2.5       | 3         | 2         | 175       | 6.52    | 14        | <5       | <2        | <2        | 115       | <.2       | <2        | <2        | 53       | .03     | .135   | 20        | 6         | .14     | 195       | .01     | 3        | 1.73    | .10     | .32    | <1       | 3          |   |
| 10400N 11650E    | 12        | 31        | 1888      | 82        | 2.5       | 1         | 1         | 31        | 4.79    | 14        | <5       | <2        | <2        | 213       | .4        | <2        | <2        | 5        | .45     | .03    | .118      | 23        | 2       | .05       | 157     | .01      | 3       | 1.42    | .13    | .31      | <1         | 2 |
| 10400N 11700E    | 10        | 70        | 233       | 252       | 1.6       | 2         | 2         | 342       | 6.62    | 11        | <5       | <2        | 3         | 55        | <.2       | <2        | <2        | 5        | .51     | .166   | 22        | 3         | .15     | 114       | <.01    | 2        | 2.19    | .04     | .43    | <1       | 1          |   |
| 10400N 11750E    | 9         | 39        | 451       | 41        | 1.0       | 1         | 1         | 70        | 4.62    | 8         | <5       | <2        | 2         | 124       | .3        | <2        | <2        | 6        | .29     | .03    | .100      | 17        | 2       | .06       | 172     | .01      | 2       | 1.26    | .08    | .36      | <1         | 3 |
| STANDARD C/AU-S  | 18        | 59        | 40        | 129       | 6.6       | 64        | 32        | 1030      | 3.96    | 44        | 21       | 6         | 34        | 52        | 19.0      | 14        | 24        | 55       | .51     | .081   | 37        | 52        | .91     | 184       | .08     | 33       | 1.88    | .06     | .14    | 10       | 50         |   |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



Canasil Resources Inc. PROJECT BRENDA FILE # 91-2214

Page 3



| SAMPLE#    | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Tl<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | H<br>ppm | Au*<br>ppb |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| L6N 9+20E  | 5         | 25        | 88        | 120       | .9        | 4         | 5         | 472       | 5.85    | 14        | 5        | ND        | 1         | 101       | .2        | 2         | 3         | 48       | .07     | .152   | 14        | 5         | .40     | 251       | .05     | 2        | 2.82    | .07     | .13    | 1        | 63         |
| L6N 9+40E  | 6         | 20        | 72        | 86        | .7        | 3         | 4         | 468       | 4.56    | 11        | 5        | ND        | 1         | 69        | .2        | 2         | 2         | 41       | .05     | .118   | 13        | 4         | .27     | 165       | .04     | 2        | 2.15    | .05     | .10    | 1        | 63         |
| L6N 9+60E  | 5         | 22        | 86        | 92        | 1.0       | 4         | 5         | 537       | 4.70    | 9         | 5        | ND        | 1         | 79        | .3        | 2         | 2         | 40       | .06     | .129   | 16        | 4         | .28     | 185       | .03     | 3        | 2.15    | .06     | .12    | 1        | 29         |
| L6N 9+80E  | 3         | 14        | 42        | 90        | 1.4       | 3         | 5         | 950       | 3.45    | 10        | 5        | ND        | 1         | 86        | .2        | 2         | 2         | 28       | 1.07    | .135   | 22        | 1         | .27     | 260       | .01     | 2        | 1.89    | .03     | .13    | 1        | 26         |
| L6N 10+00E | 4         | 17        | 69        | 79        | .9        | 2         | 4         | 406       | 4.52    | 8         | 5        | ND        | 1         | 74        | .2        | 2         | 2         | 49       | .06     | .106   | 12        | 3         | .22     | 186       | .03     | 2        | 2.14    | .04     | .11    | 1        | 50         |

ACME ANAL'

AL LABORATORIES LTD.

852 E. HASTINGS ST. VICTORIA B.C. V6A 1R6

PHONE (604) 253-3158 FAX (6)

153-1716

## GEOCHEMICAL ANALYSIS CERTIFICATE

WHITE PASS ZONE

Canasil Resources Inc., PROJECT BRENDA File # 91-3000 Page 1  
 1695 Marine Drive, North Vancouver BC V7P 1V1 Submitted by: P.J. WEISHAUPT

| SAMPLE#         | Mo  | Cu  | Pb   | Zn  | Ag  | Ni  | Co  | Mn   | Fe   | As  | U   | Au  | Th  | Sr  | Cd   | Sb  | Bi  | V   | Ca  | P    | La  | Cr | Mg  | Ba  | Tl  | B   | Al   | Na  | K   | W   | Au*   |
|-----------------|-----|-----|------|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|------|-----|----|-----|-----|-----|-----|------|-----|-----|-----|-------|
|                 | ppm | ppm | ppm  | ppm | ppm | ppm | ppm | ppm  | %    | ppm | ppm | ppm | ppm | ppm | ppm  | ppm | ppm | ppm | %   | ppm  | ppm | %  | ppm | ppm | %   | ppm | ppm  | ppm | ppm | ppb |       |
| L5+50N 7+60E    | 15  | 48  | 1085 | 111 | 3.2 | 3   | 7   | 535  | 6.84 | 25  | 5   | ND  | 1   | 114 | .8   | 2   | 5   | 57  | .10 | .221 | 17  | 7  | .29 | 206 | .04 | 4   | 2.64 | .07 | .16 | 1   | 59.4  |
| L5+50N 7+80E    | 7   | 11  | 643  | 22  | 4.6 | 1   | 4   | 72   | 6.07 | 25  | 5   | ND  | 1   | 663 | .2   | 2   | 8   | 13  | .04 | .133 | 15  | 3  | .05 | 194 | .01 | 2   | .59  | .23 | .36 | 1   | 58.3  |
| L5+50N 7+90E    | 6   | 21  | 232  | 40  | 1.7 | 3   | 4   | 201  | 5.74 | 19  | 5   | ND  | 1   | 275 | .2   | 2   | 13  | 31  | .04 | .138 | 14  | 5  | .12 | 239 | .01 | 2   | 1.06 | .12 | .27 | 1   | 41.8  |
| L5+50N 8+00E    | 9   | 42  | 236  | 95  | 1.9 | 1   | 6   | 338  | 6.31 | 25  | 5   | ND  | 1   | 163 | .6   | 2   | 5   | 30  | .03 | .147 | 20  | 4  | .17 | 233 | .01 | 3   | 1.80 | .12 | .30 | 1   | 77.7  |
| L5+50N 8+20E    | 5   | 19  | 90   | 64  | 1.3 | 1   | 5   | 262  | 5.28 | 17  | 5   | ND  | 1   | 98  | .5   | 3   | 4   | 48  | .03 | .150 | 18  | 4  | .20 | 330 | .01 | 2   | 2.43 | .08 | .24 | 1   | 57.5  |
| L5+50N 8+40E    | 5   | 13  | 76   | 40  | 1.1 | 1   | 5   | 212  | 6.61 | 27  | 5   | ND  | 1   | 164 | .2   | 5   | 3   | 28  | .02 | .213 | 16  | 4  | .11 | 248 | .01 | 4   | 1.66 | .18 | .17 | 1   | 20.7  |
| L5+50N 8+60E    | 3   | 12  | 50   | 37  | .9  | 1   | 4   | 272  | 5.58 | 16  | 5   | ND  | 1   | 118 | .2   | 2   | 5   | 37  | .03 | .198 | 19  | 2  | .24 | 318 | .02 | 2   | 1.53 | .14 | .17 | 1   | 30.8  |
| L5+50N 8+80E    | 4   | 16  | 98   | 59  | 1.9 | 3   | 5   | 304  | 6.17 | 14  | 5   | ND  | 1   | 156 | .3   | 2   | 3   | 37  | .04 | .160 | 22  | 4  | .32 | 282 | .02 | 2   | 2.02 | .11 | .23 | 1   | 22.4  |
| L5+50N 9+00E    | 8   | 33  | 223  | 125 | 2.7 | 6   | 7   | 387  | 6.16 | 21  | 5   | ND  | 1   | 104 | .8   | 2   | 5   | 60  | .09 | .126 | 15  | 9  | .34 | 225 | .04 | 4   | 2.72 | .06 | .14 | 1   | 35.7  |
| L5+50N 9+20E    | 5   | 26  | 53   | 201 | 1.6 | 4   | 11  | 825  | 5.50 | 5   | 5   | ND  | 1   | 79  | .7   | 2   | 2   | 57  | .22 | .194 | 9   | 6  | .45 | 117 | .06 | 2   | 4.80 | .03 | .07 | 1   | 81.9  |
| L5+50N 9+40E    | 4   | 20  | 60   | 126 | 1.4 | 4   | 8   | 507  | 4.91 | 5   | 5   | ND  | 1   | 103 | .8   | 2   | 3   | 53  | .10 | .168 | 12  | 5  | .31 | 148 | .04 | 2   | 3.45 | .04 | .10 | 1   | 20.3  |
| L5+50N 9+60E    | 5   | 17  | 102  | 113 | 2.1 | 2   | 6   | 310  | 6.14 | 6   | 5   | ND  | 1   | 176 | .6   | 2   | 7   | 45  | .07 | .178 | 24  | 3  | .25 | 274 | .02 | 2   | 3.18 | .08 | .22 | 1   | 17.6  |
| L5+50N 9+80E    | 8   | 16  | 46   | 104 | 1.2 | 4   | 16  | 2325 | 5.14 | 6   | 5   | ND  | 1   | 39  | .9   | 3   | 2   | 32  | .09 | .197 | 12  | 5  | .29 | 150 | .02 | 4   | 3.46 | .02 | .09 | 1   | 210.0 |
| LO+00N          | 2   | 9   | 110  | 20  | .3  | 1   | 4   | 72   | 5.71 | 8   | 5   | ND  | 3   | 280 | .2   | 2   | 3   | 8   | .03 | .092 | 32  | 1  | .04 | 49  | .01 | 3   | .94  | .03 | .72 | 1   | 20.4  |
| STANDARD C/AU-S | 19  | 57  | 37   | 133 | 7.2 | 70  | 34  | 1043 | 3.97 | 44  | 19  | 7   | 38  | 52  | 18.5 | 16  | 18  | 55  | .48 | .090 | 38  | 58 | .88 | 176 | .09 | 34  | 1.88 | .06 | .15 | 13  | 48.3  |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR Mn Fe Sr Ca P La Cr Mg Ba Ti B W AND LIMITED FOR Na K AND Al. AU DETECTION LIMIT BY ICP IS 3 PPM.  
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF Cu Pb Zn As > 1%, Ag > 30 PPM & Au > 1000 PPB

- SAMPLE TYPE: P1 SOIL P2 TO P3 ROCK      AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: JUL 30 1991 DATE REPORT MAILED:

Aug 6/91 SIGNED BY D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

## GEOCHEMICAL ANALYSIS CERTIFICATE

Romulus Resources Ltd. PROJECT 9302 File # 93-1895 Page 1  
 920 - 1188 W. Georgia St., Vancouver BC V6E 4A2 Submitted by: Mark Rebagliati

| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |   |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|---|
| 11200N 9500E     | 16        | 46        | 25        | 67        | .6        | 11        | 3         | 241       | 4.86    | 2         | <5       | <2        | <2        | 64        | <.2       | <2        | <2        | 79       | .24     | .106   | 12        | 37        | .41     | 129       | .12     | 4        | 2.37    | .03     | .06    | <1       | 2          |   |
| 11200N 9550E     | 8         | 49        | 64        | 122       | .5        | 10        | 4         | 408       | 4.47    | 2         | <5       | <2        | <2        | 73        | .6        | 2         | <2        | 87       | .22     | .064   | 14        | 21        | .54     | 286       | .13     | 4        | 2.44    | .03     | .10    | 1        | 2          |   |
| 11200N 9600E     | 3         | 59        | 52        | 157       | .4        | 10        | 5         | 565       | 6.12    | 6         | <5       | <2        | 2         | 69        | .6        | 5         | <2        | 99       | .22     | .056   | 10        | 22        | .75     | 195       | .12     | 4        | 2.93    | .02     | .08    | 1        | 3          |   |
| 11200N 9650E     | 4         | 75        | 69        | 134       | .4        | 10        | 5         | 575       | 5.55    | 3         | <5       | <2        | <2        | 80        | .2        | 3         | 2         | 115      | .22     | .056   | 10        | 19        | .69     | 234       | .14     | 4        | 2.44    | .03     | .07    | 1        | 3          |   |
| 11200N 9700E     | 12        | 302       | 103       | 391       | .9        | 20        | 13        | 1721      | 4.07    | <2        | 130      | <2        | 5         | 109       | 1.5       | <2        | <2        | 68       | 1.41    | .099   | 41        | 26        | .91     | 2033      | .02     | 2        | 5.24    | .02     | .19    | 1        | 8          |   |
| 11200N 9750E     | 1         | 20        | 32        | 51        | 1.2       | 3         | 2         | 171       | 1.60    | <2        | <5       | <2        | <2        | 59        | .6        | <2        | <2        | 45       | .20     | .050   | 8         | 8         | .22     | 128       | .06     | 2        | 2.06    | .02     | .04    | <1       | 1          |   |
| 11200N 9800E     | 5         | 104       | 86        | 171       | 2.0       | 12        | 5         | 544       | 5.95    | 3         | <5       | <2        | <2        | 95        | .7        | <2        | <2        | 93       | .28     | .106   | 12        | 24        | .71     | 187       | .10     | 4        | 5.01    | .03     | .09    | <1       | 8          |   |
| 11200N 9850E     | 5         | 47        | 92        | 123       | .6        | 9         | 4         | 550       | 4.55    | 2         | <5       | <2        | <2        | 80        | .2        | <2        | <2        | 109      | .25     | .056   | 12        | 18        | .69     | 170       | .10     | 3        | 2.45    | .02     | .06    | <1       | 2          |   |
| 11200N 9900E     | 5         | 43        | 71        | 81        | .3        | 8         | 3         | 392       | 4.46    | <2        | <5       | <2        | <2        | 71        | <.2       | <2        | <2        | 122      | .22     | .070   | 10        | 24        | .38     | 131       | .13     | 2        | 1.80    | .02     | .07    | <1       | 6          |   |
| 11200N 9950E     | 30        | 207       | 64        | 165       | .8        | 16        | 14        | 640       | 6.81    | <2        | <5       | <2        | <2        | 113       | .3        | <2        | <2        | 95       | 1.16    | .099   | 8         | 37        | 1.02    | 109       | .17     | 3        | 4.44    | .02     | .10    | <1       | 16         |   |
| 11200N 10000E    | 22        | 133       | 61        | 126       | .5        | 15        | 9         | 540       | 5.70    | <2        | <5       | <2        | <2        | 105       | .4        | <2        | <2        | 88       | .89     | .091   | 8         | 45        | .93     | 136       | .13     | 3        | 3.77    | .03     | .06    | <1       | 43         |   |
| 11200N 10050E    | 20        | 105       | 64        | 106       | .6        | 12        | 8         | 554       | 5.82    | <2        | <5       | <2        | <2        | 86        | .5        | <2        | <2        | 95       | .57     | .173   | 7         | 44        | .84     | 121       | .13     | 2        | 2.97    | .02     | .06    | <1       | 19         |   |
| 11200N 10100E    | 15        | 87        | 43        | 175       | .5        | 15        | 11        | 745       | 5.44    | <2        | <5       | <2        | <2        | 111       | 2.7       | <2        | <2        | 97       | 1.04    | .104   | 6         | 46        | 1.19    | 134       | .17     | 3        | 3.01    | .03     | .09    | <1       | 80         |   |
| 11200N 10150E    | 3         | 37        | 48        | 100       | .4        | 8         | 4         | 453       | 3.36    | <2        | <5       | <2        | <2        | 113       | .5        | <2        | <2        | 51       | .69     | .059   | 10        | 13        | .71     | 170       | .11     | 3        | 2.46    | .02     | .10    | <1       | 21         |   |
| 11200N 10200E    | 4         | 51        | 65        | 117       | .9        | 8         | 5         | 458       | 3.97    | 3         | <5       | <2        | <2        | 84        | .6        | <2        | <2        | 56       | .32     | .073   | 11        | 16        | .65     | 177       | .07     | 3        | 2.90    | .03     | .09    | <1       | 23         |   |
| 11200N 10250E    | 3         | 59        | 63        | 141       | .6        | 13        | 7         | 555       | 4.15    | 5         | <5       | <2        | <2        | 98        | .9        | <2        | <2        | 61       | .54     | .063   | 11        | 22        | .83     | 204       | .11     | 4        | 2.78    | .03     | .11    | <1       | 9          |   |
| 11200N 10300E    | 2         | 38        | 59        | 124       | .3        | 13        | 7         | 536       | 3.71    | 4         | <5       | <2        | <2        | 46        | .4        | <2        | <2        | 61       | .22     | .047   | 11        | 21        | .57     | 155       | .09     | 3        | 2.10    | .02     | .09    | <1       | 3          |   |
| 11200N 10350E    | 3         | 67        | 78        | 213       | .7        | 18        | 9         | 563       | 4.23    | 3         | <5       | <2        | <2        | 93        | 3.5       | <2        | <2        | 59       | .38     | .067   | 12        | 25        | .70     | 231       | .07     | 3        | 3.00    | .03     | .12    | <1       | 190        |   |
| 11200N 10400E    | 4         | 91        | 75        | 174       | .3        | 20        | 12        | 606       | 4.73    | 6         | <5       | <2        | <2        | 89        | .7        | 2         | <2        | 70       | .42     | .063   | 11        | 33        | .92     | 182       | .11     | 4        | 3.24    | .03     | .09    | 1        | 9          |   |
| 11200N 10450E    | 4         | 89        | 30        | 121       | .2        | 14        | 6         | 417       | 5.59    | <2        | <5       | <2        | <2        | 72        | .6        | <2        | <2        | 65       | .43     | .104   | 6         | 42        | .79     | 123       | .18     | 4        | 6.59    | .02     | .04    | 1        | 3          |   |
| 11200N 10500E    | 3         | 67        | 79        | 122       | 1.0       | 14        | 4         | 424       | 7.17    | <2        | <5       | <2        | <2        | 3         | 68        | <.2       | <2        | 92       | .19     | .076   | 11        | 43        | .73     | 173       | .14     | 2        | 4.59    | .02     | .08    | <1       | 5          |   |
| RE 11200N 10850E | 2         | 11        | 151       | 24        | 1.1       | 1         | <1        | 175       | 6.64    | 22        | <5       | <2        | <2        | 100       | <.2       | <2        | <2        | 38       | .01     | .075   | 12        | 3         | .33     | 331       | .05     | 4        | 1.90    | .08     | .21    | <1       | 1          |   |
| 11200N 10550E    | 4         | 60        | 72        | 101       | 1.4       | 14        | 4         | 420       | 7.25    | 2         | <5       | <2        | <2        | 62        | <.2       | <2        | <2        | 102      | .20     | .070   | 9         | 46        | .72     | 152       | .19     | 2        | 3.26    | .02     | .07    | <1       | 3          |   |
| 11200N 10600E    | 5         | 43        | 132       | 109       | .2        | 8         | 3         | 363       | 2.84    | 2         | <5       | <2        | <2        | 91        | .7        | <2        | <2        | 67       | .25     | .042   | 12        | 19        | .45     | 150       | .05     | 2        | 2.09    | .02     | .11    | <1       | 6          |   |
| 11200N 10650E    | 5         | 66        | 61        | 106       | .9        | 15        | 4         | 514       | 8.09    | 3         | <5       | <2        | <2        | 75        | <.2       | 2         | <2        | 107      | .24     | .078   | 8         | 48        | .84     | 194       | .24     | 3        | 3.73    | .02     | .07    | <1       | 7          |   |
| 11200N 10700E    | 3         | 88        | 67        | 153       | .7        | 21        | 8         | 497       | 4.89    | 2         | <5       | <2        | 2         | 74        | .4        | <2        | <2        | 62       | .30     | .083   | 12        | 40        | .87     | 221       | .11     | 4        | 5.65    | .02     | .10    | <1       | 12         |   |
| 11200N 10750E    | 4         | 64        | 65        | 128       | 1.3       | 15        | 4         | 465       | 7.34    | 3         | <5       | <2        | <2        | 78        | <.2       | <2        | <2        | 127      | .27     | .116   | 10        | 47        | .87     | 215       | .23     | 3        | 3.80    | .03     | .08    | <1       | 4          |   |
| 11200N 10800E    | 3         | 20        | 235       | 46        | 1.7       | 2         | <1        | 336       | 6.35    | 13        | <5       | <2        | <2        | 123       | .2        | <2        | <2        | 44       | .03     | .112   | 13        | 4         | .33     | 364       | .04     | 4        | 3.52    | .09     | .19    | <1       | 18         |   |
| 200N 10850E      | 2         | 10        | 148       | 23        | 1.2       | 2         | <1        | 176       | 6.42    | 21        | <5       | <2        | <2        | 98        | <.2       | <2        | <2        | 5        | .36     | .02    | .073      | 12        | 2       | .32       | 319     | .05      | 3       | 1.81    | .08    | .20      | <1         | 2 |
| 11200N 10900E    | 3         | 18        | 147       | 76        | 1.8       | 4         | 1         | 161       | 4.59    | 13        | <5       | <2        | <2        | 67        | <.2       | <2        | <2        | 34       | .03     | .060   | 10        | 7         | .20     | 244       | .01     | 2        | 3.40    | .04     | .10    | <1       | 3          |   |
| 11200N 10950E    | 3         | 23        | 219       | 48        | 2.0       | 4         | 1         | 249       | 5.94    | 24        | <5       | <2        | 2         | 96        | <.2       | <2        | <2        | 47       | .06     | .102   | 16        | 11        | .31     | 336       | .03     | 3        | 2.04    | .08     | .15    | <1       | 5          |   |
| 11200N 11000E    | 4         | 24        | 116       | 60        | .8        | 5         | 1         | 267       | 4.35    | 12        | <5       | <2        | <2        | 65        | <.2       | 2         | <2        | 54       | .06     | .069   | 11        | 13        | .30     | 199       | .04     | 4        | 1.98    | .03     | .12    | <1       | 2          |   |
| 11200N 11050E    | 5         | 32        | 149       | 80        | 1.1       | 6         | 2         | 386       | 5.69    | 16        | <5       | <2        | <2        | 106       | <.2       | <2        | <2        | 56       | .09     | .116   | 17        | 12        | .39     | 358       | .03     | 3        | 2.35    | .07     | .21    | <1       | 6          |   |
| 11200N 11100E    | 3         | 27        | 127       | 65        | .7        | 5         | 1         | 272       | 4.40    | 10        | <5       | <2        | <2        | 67        | <.2       | <2        | <2        | 3        | .66     | .09    | .063      | 12        | 14      | .28       | 183     | .05      | 2       | 2.18    | .02    | .10      | <1         | 2 |
| 11200N 11150E    | 3         | 29        | 99        | 87        | .8        | 9         | 2         | 324       | 4.88    | 12        | <5       | <2        | <2        | 77        | <.2       | 2         | <2        | 54       | .08     | .083   | 13        | 22        | .42     | 248       | .06     | 3        | 2.63    | .03     | .10    | <1       | 4          |   |
| 11200N 11200E    | 3         | 8         | 70        | 23        | .2        | 1         | <1        | 196       | 3.82    | 16        | <5       | <2        | <2        | 112       | <.2       | <2        | <2        | 3        | .15     | .02    | .046      | 15        | 2       | .34       | 154     | <.01     | 3       | .81     | .04    | .39      | <1         | 7 |
| 11200N 11250E    | 3         | 21        | 145       | 54        | .8        | 2         | 1         | 425       | 3.49    | 13        | <5       | <2        | <2        | 112       | .2        | <2        | <2        | 3        | .38     | .07    | .087      | 15        | 5       | .46       | 404     | .01      | 2       | 1.42    | .03    | .25      | <1         | 7 |
| STANDARD C/AU-S  | 18        | 63        | 36        | 130       | 7.4       | 71        | 31        | 1047      | 3.96    | 41        | 12       | 6         | 35        | 53        | 19.2      | 15        | 18        | 56       | .51     | .087   | 40        | 59        | .92     | 185       | .09     | 30       | 1.88    | .08     | .16    | 11       | 49         |   |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL

- SAMPLE TYPE: SOIL AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. Samples beginning 'RE' are duplicate samples.

DATE RECEIVED: AUG 9 1993 DATE REPORT MAILED: Aug 13/93 SIGNED BY..... D.TOE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 2



| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 11200N 11300E    | 5         | 27        | 150       | 88        | 1.1       | 4         | 3         | 536       | 5.44    | 15        | <5       | <2        | <2        | 115       | <.2       | <2        | <2        | 41       | .10     | .116   | 17        | 5         | .39     | 271       | .04     | 6        | 1.66    | .10     | .18    | <1       | 39         |
| 11200N 11350E    | 2         | 8         | 99        | 28        | 1.3       | 1         | <1        | 220       | 3.59    | 10        | <5       | <2        | <2        | 56        | <.2       | <2        | 3         | 28       | .02     | .060   | 12        | 3         | .25     | 211       | .01     | 5        | 1.62    | .07     | .13    | 1        | 3          |
| 11200N 11400E    | 2         | 14        | 82        | 53        | .8        | 4         | 2         | 378       | 3.20    | 11        | <5       | <2        | <2        | 50        | <.2       | <2        | <2        | 32       | .04     | .039   | 10        | 9         | .51     | 172       | .02     | 5        | 1.57    | .02     | .07    | <1       | 6          |
| 11200N 11450E    | 4         | 21        | 161       | 55        | .7        | 3         | 1         | 357       | 4.89    | 18        | <5       | <2        | <2        | 68        | <.2       | <2        | <2        | 53       | .05     | .080   | 11        | 7         | .37     | 258       | .03     | 5        | 1.67    | .03     | .12    | <1       | 25         |
| 11200N 11500E    | 5         | 37        | 250       | 83        | 2.6       | 5         | 1         | 488       | 5.38    | 14        | <5       | <2        | 2         | 95        | .2        | <2        | <2        | 48       | .05     | .082   | 16        | 12        | .50     | 406       | .03     | 5        | 2.47    | .04     | .18    | <1       | 6          |
| 11200N 11550E    | 2         | 8         | 117       | 23        | .5        | 2         | 1         | 117       | 1.27    | 3         | 6        | <2        | 2         | 52        | <.2       | 2         | <2        | 24       | .06     | .033   | 10        | 4         | .09     | 142       | .02     | 2        | 1.10    | .02     | .07    | 1        | 8          |
| 11200N 11600E    | 3         | 24        | 81        | 79        | .8        | 6         | 2         | 502       | 5.77    | 3         | <5       | <2        | 2         | 50        | <.2       | <2        | <2        | 52       | .10     | .119   | 9         | 18        | .34     | 244       | .05     | 5        | 3.36    | .02     | .08    | <1       | 7          |
| 11200N 11650E    | 3         | 41        | 78        | 106       | .6        | 8         | 3         | 500       | 3.72    | 6         | <5       | <2        | 3         | 58        | <.2       | <2        | 2         | 43       | .11     | .058   | 11        | 17        | .49     | 345       | .05     | 5        | 2.51    | .02     | .09    | <1       | 4          |
| 11200N 11700E    | 3         | 16        | 79        | 71        | .7        | 3         | 2         | 269       | 4.86    | 7         | <5       | <2        | 2         | 40        | <.2       | <2        | <2        | 53       | .08     | .069   | 9         | 10        | .23     | 233       | .02     | 4        | 2.36    | .01     | .06    | <1       | 2          |
| 11200N 11750E    | 3         | 19        | 202       | 55        | .9        | 3         | 1         | 326       | 4.56    | 5         | <5       | <2        | <2        | 62        | <.2       | <2        | <2        | 48       | .05     | .061   | 8         | 7         | .28     | 171       | .02     | 4        | 2.24    | .02     | .07    | <1       | 6          |
| 1200N 11800E     | 5         | 85        | 369       | 88        | 2.5       | 5         | 2         | 320       | 3.99    | 12        | <5       | <2        | <2        | 122       | <.2       | 3         | <2        | 32       | .07     | .093   | 18        | 9         | .39     | 327       | .01     | 6        | 2.01    | .02     | .11    | <1       | 20         |
| 11200N 11850E    | 4         | 16        | 171       | 63        | 1.0       | 3         | 1         | 315       | 4.56    | 8         | <5       | <2        | <2        | 56        | <.2       | <2        | <2        | 60       | .06     | .080   | 11        | 10        | .25     | 260       | .05     | 5        | 1.79    | .03     | .09    | <1       | 7          |
| 11200N 11900E    | 3         | 50        | 248       | 86        | 1.3       | 3         | 1         | 304       | 4.10    | 7         | <5       | <2        | 2         | 126       | <.2       | <2        | <2        | 36       | .06     | .083   | 13        | 9         | .29     | 332       | .01     | 4        | 1.96    | .02     | .12    | <1       | 4          |
| 11200N 11950E    | 5         | 86        | 425       | 88        | 3.4       | 4         | 1         | 348       | 4.52    | 11        | <5       | <2        | <2        | 136       | .3        | <2        | <2        | 37       | .07     | .118   | 19        | 10        | .39     | 366       | .01     | 5        | 2.12    | .03     | .16    | <1       | 21         |
| 11200N 12000E    | 4         | 35        | 344       | 81        | 1.1       | 4         | 2         | 380       | 3.49    | 11        | <5       | <2        | <2        | 112       | .2        | <2        | <2        | 27       | .08     | .061   | 15        | 8         | .32     | 264       | .02     | 5        | 1.41    | .03     | .12    | <1       | 20         |
| 11000N 9500E     | 6         | 681       | 19        | 35        | 3.3       | 6         | 4         | 42        | 1.50    | <2        | 6        | <2        | <2        | 27        | .6        | <2        | <2        | 12       | .25     | .159   | 17        | 9         | .09     | 34        | <.01    | 3        | 2.78    | .01     | .03    | <1       | 6          |
| 11000N 9550E     | 4         | 333       | 14        | 40        | 1.3       | 7         | 3         | 83        | 1.34    | <2        | 7        | <2        | <2        | 50        | .4        | <2        | <2        | 22       | .33     | .112   | 11        | 17        | .20     | 47        | <.01    | 3        | 1.75    | .02     | .04    | 1        | 4          |
| 11000N 9600E     | 2         | 51        | 33        | 74        | 1.2       | 7         | 3         | 376       | 3.92    | <2        | <5       | <2        | <2        | 46        | .4        | <2        | <2        | 40       | .16     | .133   | 9         | 16        | .32     | 123       | .05     | 5        | 3.49    | .02     | .05    | <1       | 7          |
| 11000N 9650E     | 2         | 41        | 35        | 67        | .9        | 6         | 2         | 228       | 3.36    | <2        | <5       | <2        | <2        | 49        | <.2       | <2        | <2        | 54       | .16     | .071   | 9         | 14        | .31     | 105       | .09     | 4        | 4.68    | .02     | .04    | <1       | 6          |
| 11000N 9700E     | 4         | 64        | 46        | 123       | .9        | 13        | 6         | 433       | 3.06    | 2         | <5       | <2        | <2        | 64        | .3        | <2        | <2        | 53       | .35     | .038   | 12        | 18        | .71     | 138       | .06     | 4        | 2.51    | .02     | .07    | <1       | 7          |
| 11000N 9750E     | 2         | 30        | 44        | 72        | .9        | 8         | 3         | 269       | 3.43    | 4         | <5       | <2        | <2        | 36        | <.2       | 2         | <2        | 59       | .12     | .041   | 9         | 17        | .42     | 89        | .07     | 4        | 2.07    | .01     | .05    | <1       | 10         |
| 11000N 9800E     | 3         | 100       | 70        | 181       | .8        | 9         | 4         | 468       | 6.21    | 3         | <5       | <2        | 2         | 93        | .5        | 2         | <2        | 99       | .22     | .071   | 10        | 17        | .68     | 127       | .16     | 5        | 3.08    | .03     | .06    | <1       | 2          |
| 11000N 9850E     | 3         | 92        | 54        | 206       | 1.3       | 15        | 6         | 702       | 3.86    | <2        | <5       | <2        | <2        | 93        | 1.4       | <2        | <2        | 63       | .50     | .100   | 13        | 19        | .68     | 271       | .05     | 4        | 3.34    | .03     | .09    | <1       | 6          |
| 11000N 9900E     | 4         | 93        | 74        | 170       | 1.0       | 12        | 5         | 545       | 5.25    | <2        | <5       | <2        | <2        | 94        | .7        | <2        | <2        | 85       | .27     | .083   | 13        | 19        | .73     | 199       | .11     | 4        | 3.29    | .03     | .10    | <1       | 6          |
| 11000N 9950E     | 3         | 54        | 80        | 105       | .9        | 9         | 4         | 338       | 3.18    | 3         | <5       | <2        | <2        | 64        | .4        | <2        | <2        | 62       | .15     | .061   | 11        | 16        | .47     | 140       | .06     | 4        | 2.55    | .02     | .09    | <1       | 3          |
| 11000N 10000E    | 2         | 25        | 58        | 57        | .6        | 5         | 2         | 242       | 2.62    | <2        | <5       | <2        | <2        | 52        | .2        | <2        | <2        | 46       | .15     | .059   | 9         | 11        | .34     | 142       | .04     | 3        | 1.91    | .02     | .08    | <1       | 3          |
| 11000N 11050E    | 3         | 12        | 138       | 25        | .5        | 1         | 1         | 185       | 3.11    | 14        | <5       | <2        | <2        | 64        | <.2       | <2        | <2        | 43       | .02     | .041   | 13        | 2         | .25     | 227       | .02     | 4        | 1.25    | .03     | .14    | <1       | 1          |
| 11000N 11100E    | 3         | 23        | 193       | 55        | 2.0       | 5         | 2         | 282       | 4.27    | 18        | <5       | <2        | <2        | 95        | <.2       | <2        | <2        | 35       | .04     | .061   | 15        | 9         | .32     | 317       | .03     | 4        | 1.57    | .07     | .16    | <1       | 4          |
| 11000N 11150E    | 3         | 29        | 150       | 58        | .7        | 6         | 2         | 308       | 3.56    | 13        | <5       | <2        | <2        | 105       | <.2       | <2        | <2        | 36       | .07     | .048   | 13        | 12        | .40     | 357       | .06     | 4        | 1.11    | .07     | .19    | <1       | 7          |
| 11000N 11200E    | 3         | 29        | 166       | 91        | 1.8       | 7         | 3         | 367       | 3.88    | 8         | <5       | <2        | <2        | 80        | .2        | <2        | <2        | 40       | .06     | .059   | 14        | 13        | .41     | 297       | .03     | 4        | 2.45    | .05     | .13    | <1       | 7          |
| RE 11000N 11200E | 3         | 30        | 170       | 93        | 1.8       | 7         | 3         | 364       | 3.94    | 8         | <5       | <2        | <2        | 81        | .2        | <2        | <2        | 40       | .06     | .059   | 14        | 13        | .41     | 300       | .03     | 4        | 2.49    | .05     | .13    | <1       | 9          |
| 11000N 11250E    | 3         | 13        | 139       | 33        | 2.3       | 2         | <1        | 174       | 4.93    | 13        | <5       | <2        | <2        | 121       | <.2       | <2        | 4         | 41       | .03     | .087   | 15        | 6         | .19     | 282       | .05     | 5        | 1.60    | .07     | .13    | <1       | 2          |
| 11000N 11300E    | 2         | 26        | 192       | 53        | 1.8       | 4         | 1         | 274       | 3.55    | 7         | <5       | <2        | <2        | 120       | <.2       | <2        | 2         | 39       | .06     | .067   | 14        | 9         | .31     | 308       | .04     | 4        | 1.73    | .06     | .17    | <1       | 6          |
| 11000N 11350E    | 2         | 23        | 231       | 62        | 1.5       | 4         | 2         | 275       | 3.49    | 7         | <5       | <2        | <2        | 88        | <.2       | <2        | <2        | 36       | .05     | .067   | 13        | 9         | .30     | 355       | .03     | 4        | 1.58    | .04     | .14    | <1       | 4          |
| 11000N 11400E    | 3         | 45        | 477       | 75        | 1.2       | 4         | 2         | 440       | 3.38    | 9         | <5       | <2        | <2        | 267       | .3        | <2        | 2         | 33       | .08     | .101   | 21        | 7         | .36     | 381       | .02     | 4        | 1.48    | .05     | .26    | <1       | 8          |
| 11000N 11450E    | 4         | 43        | 311       | 87        | 2.0       | 7         | 2         | 524       | 4.20    | 10        | <5       | <2        | <2        | 108       | .2        | <2        | <2        | 39       | .07     | .072   | 16        | 11        | .48     | 462       | .02     | 5        | 2.38    | .03     | .16    | <1       | 6          |
| 11000N 11500E    | 3         | 26        | 154       | 74        | 1.4       | 7         | 2         | 354       | 6.76    | 9         | <5       | <2        | <2        | 84        | <.2       | <2        | 4         | 50       | .04     | .093   | 17        | 18        | .39     | 399       | .09     | 4        | 2.14    | .04     | .17    | <1       | 2          |
| STANDARD C/AU-S  | 17        | 60        | 34        | 128       | 7.1       | 70        | 30        | 1045      | 3.96    | 38        | 16       | 7         | 35        | 53        | 18.5      | 14        | 18        | 55       | .51     | .086   | 40        | 58        | .92     | 184       | .09     | 30       | 1.88    | .09     | .16    | 11       | 48         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 3



| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | AU*<br>ppb |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 11000N 11550E    | 3         | 26        | 179       | 72        | .8        | 5         | 2         | 434       | 3.70    | 10        | <5       | <2        | <2        | 101       | <.2       | <2        | <2        | 36       | .07     | .066   | 14        | 9         | .45     | 406       | .03     | 2        | 1.36    | .03     | .17    | <1       | 8          |
| 11000N 11600E    | 4         | 36        | 347       | 71        | 1.9       | 4         | 1         | 254       | 3.73    | 7         | <5       | <2        | <2        | 112       | .2        | <2        | <2        | 39       | .05     | .086   | 15        | 8         | .27     | 414       | .01     | 2        | 1.86    | .03     | .15    | <1       | 7          |
| 11000N 11650E    | 3         | 28        | 193       | 83        | .4        | 5         | 2         | 475       | 3.75    | 10        | <5       | <2        | <2        | 63        | <.2       | 2         | <2        | 38       | .08     | .055   | 11        | 10        | .37     | 365       | .03     | 3        | 1.60    | .02     | .13    | 1        | 26         |
| 11000N 11700E    | 5         | 30        | 336       | 85        | 1.3       | 4         | 1         | 331       | 8.32    | 12        | <5       | <2        | <2        | 57        | <.2       | 2         | 2         | 53       | .05     | .098   | 12        | 11        | .30     | 299       | .04     | <2       | 2.37    | .04     | .14    | 1        | 4          |
| 11000N 11750E    | 3         | 16        | 150       | 61        | .5        | 2         | 1         | 290       | 4.80    | 3         | <5       | <2        | <2        | 39        | <.2       | <2        | <2        | 46       | .06     | .065   | 7         | 6         | .22     | 219       | .03     | 2        | 1.72    | .02     | .08    | <1       | 5          |
| 11000N 11800E    | 5         | 16        | 142       | 29        | 1.3       | 1         | <1        | 48        | 5.66    | 14        | <5       | <2        | <2        | 108       | <.2       | <2        | 4         | 20       | .01     | .054   | 8         | 3         | .08     | 159       | .01     | 2        | 1.16    | .01     | .11    | <1       | 21         |
| 11000N 11850E    | 3         | 45        | 201       | 102       | 1.4       | 2         | <1        | 361       | 4.06    | 6         | <5       | <2        | <2        | 73        | <.2       | <2        | 2         | 31       | .04     | .057   | 11        | 7         | .29     | 249       | .04     | 2        | 2.07    | .03     | .11    | <1       | 8          |
| 11000N 11900E    | 5         | 46        | 306       | 122       | 1.4       | 4         | 2         | 581       | 6.76    | 19        | 6        | <2        | 3         | 67        | <.2       | <2        | 2         | 55       | .07     | .081   | 11        | 11        | .51     | 154       | .05     | <2       | 2.60    | .02     | .08    | <1       | 12         |
| 11000N 11950E    | 6         | 45        | 244       | 150       | .7        | 4         | 1         | 294       | 12.15   | 19        | <5       | <2        | 2         | 61        | <.2       | <2        | <2        | 55       | .04     | .175   | 9         | 15        | .36     | 374       | .06     | <2       | 1.96    | .04     | .16    | <1       | 5          |
| 11000N 12000E    | 3         | 38        | 250       | 48        | .6        | 2         | 1         | 108       | 3.10    | 3         | <5       | <2        | <2        | 70        | <.2       | 2         | 2         | 36       | .05     | .080   | 13        | 6         | .09     | 185       | .02     | 2        | 1.41    | .02     | .08    | 1        | 6          |
| 1000N 12050E     | 2         | 25        | 75        | 121       | .5        | 5         | 3         | 367       | 4.46    | 4         | <5       | <2        | <2        | 31        | .5        | <2        | <2        | 62       | .10     | .147   | 11        | 14        | .26     | 171       | .05     | 3        | 2.23    | .02     | .06    | <1       | 5          |
| 11000N 12100E    | 5         | 54        | 454       | 117       | .9        | 4         | 2         | 474       | 6.23    | 8         | <5       | <2        | 2         | 131       | .2        | <2        | 5         | 36       | .06     | .092   | 16        | 8         | .38     | 243       | .04     | 2        | 1.24    | .07     | .22    | <1       | 23         |
| RE 11000N 12100E | 5         | 54        | 450       | 116       | .9        | 4         | 2         | 474       | 6.23    | 8         | <5       | <2        | 2         | 133       | .3        | <2        | 3         | 36       | .06     | .092   | 16        | 7         | .38     | 253       | .04     | <2       | 1.22    | .07     | .22    | <1       | 18         |
| 11000N 12150E    | 4         | 58        | 450       | 136       | 1.1       | 4         | 2         | 557       | 6.20    | 8         | <5       | <2        | <2        | 106       | .2        | <2        | 2         | 33       | .09     | .082   | 16        | 6         | .32     | 267       | .03     | 3        | 1.10    | .06     | .19    | <1       | 9          |
| 11000N 12200E    | 4         | 59        | 414       | 134       | .9        | 4         | 2         | 497       | 6.89    | 8         | <5       | <2        | <2        | 90        | .3        | <2        | <2        | 33       | .12     | .078   | 15        | 6         | .33     | 232       | .03     | 2        | 1.03    | .05     | .15    | <1       | 9          |
| 11000N 12250E    | 5         | 57        | 38        | 268       | .4        | 13        | 14        | 1150      | 3.92    | 5         | <5       | <2        | <2        | 77        | 1.6       | <2        | <2        | 55       | .63     | .071   | 12        | 20        | .76     | 112       | .08     | 2        | 2.16    | .02     | .08    | <1       | 9          |
| 11000N 12300E    | 7         | 95        | 66        | 444       | .6        | 16        | 23        | 1962      | 4.52    | 7         | <5       | <2        | <2        | 147       | 3.8       | <2        | <2        | 55       | 1.17    | .096   | 16        | 21        | .95     | 305       | .06     | 3        | 3.02    | .03     | .14    | <1       | 8          |
| 11000N 12350E    | 9         | 89        | 53        | 324       | .6        | 14        | 12        | 1103      | 4.61    | 6         | 5        | <2        | <2        | 108       | .8        | <2        | <2        | 61       | .95     | .076   | 14        | 22        | .87     | 136       | .08     | 3        | 2.61    | .03     | .09    | <1       | 10         |
| 10200N 10600E    | 10        | 45        | 94        | 137       | 1.1       | 5         | 3         | 374       | 4.93    | 15        | <5       | <2        | <2        | 62        | .4        | <2        | <2        | 54       | .11     | .088   | 13        | 11        | .40     | 161       | .03     | 2        | 2.11    | .03     | .09    | <1       | 29         |
| 10200N 10650E    | 4         | 17        | 70        | 67        | .8        | 3         | 2         | 168       | 2.53    | <2        | <5       | <2        | <2        | 49        | .3        | <2        | <2        | 42       | .15     | .062   | 10        | 8         | .19     | 139       | .02     | 2        | 1.82    | .02     | .07    | <1       | 13         |
| 10200N 10700E    | 3         | 25        | 57        | 107       | .7        | 8         | 3         | 348       | 4.53    | 4         | <5       | <2        | <2        | 51        | .4        | <2        | <2        | 59       | .14     | .057   | 11        | 15        | .43     | 156       | .07     | 3        | 2.29    | .02     | .08    | 1        | 7          |
| 10200N 10750E    | 3         | 30        | 72        | 132       | 2.3       | 6         | 3         | 383       | 4.00    | <2        | <5       | <2        | <2        | 59        | .6        | <2        | <2        | 63       | .20     | .062   | 10        | 16        | .52     | 147       | .05     | 2        | 2.51    | .03     | .08    | <1       | 10         |
| 10200N 10800E    | 3         | 16        | 95        | 77        | 1.2       | 4         | 2         | 202       | 2.89    | 4         | <5       | <2        | <2        | 54        | .2        | <2        | <2        | 44       | .13     | .057   | 12        | 9         | .25     | 197       | .02     | 3        | 1.69    | .04     | .11    | <1       | 5          |
| 10200N 10850E    | 2         | 16        | 68        | 92        | 1.6       | 4         | 3         | 317       | 2.94    | 5         | <5       | <2        | <2        | 50        | <.2       | <2        | <2        | 40       | .11     | .065   | 12        | 9         | .33     | 160       | .02     | 3        | 1.68    | .04     | .11    | <1       | 12         |
| 10200N 10900E    | 3         | 18        | 92        | 99        | 3.3       | 5         | 2         | 269       | 3.60    | 8         | <5       | <2        | <2        | 60        | .2        | <2        | 2         | 39       | .09     | .082   | 13        | 9         | .29     | 183       | .02     | 3        | 1.58    | .05     | .13    | <1       | 22         |
| 10200N 10950E    | 1         | 9         | 34        | 54        | .7        | 4         | 2         | 182       | 1.65    | <2        | <5       | <2        | <2        | 39        | .2        | <2        | <2        | 28       | .18     | .058   | 7         | 10        | .18     | 125       | .01     | 2        | 1.18    | .02     | .06    | <1       | 3          |
| 10200N 11000E    | 2         | 14        | 47        | 76        | 1.2       | 4         | 3         | 249       | 2.79    | 2         | <5       | <2        | <2        | 72        | .5        | <2        | <2        | 42       | .23     | .062   | 11        | 10        | .18     | 314       | .01     | 2        | 1.32    | .05     | .12    | <1       | 6          |
| 10200N 11050E    | 2         | 18        | 81        | 75        | .5        | 4         | 2         | 320       | 3.16    | 4         | <5       | <2        | <2        | 73        | .2        | 2         | 3         | 48       | .26     | .076   | 10        | 10        | .18     | 213       | .04     | 3        | 1.31    | .03     | .12    | <1       | 3          |
| 10200N 11100E    | 2         | 14        | 75        | 62        | 1.6       | 3         | 2         | 129       | 3.66    | 4         | <5       | <2        | <2        | 57        | <.2       | <2        | <2        | 36       | .08     | .077   | 14        | 8         | .14     | 190       | .01     | 3        | 1.39    | .06     | .13    | <1       | 3          |
| 10200N 11150E    | 2         | 23        | 111       | 168       | 1.6       | 9         | 4         | 380       | 3.97    | <2        | <5       | <2        | <2        | 33        | .4        | <2        | <2        | 61       | .11     | .039   | 10        | 18        | .38     | 166       | .07     | 2        | 2.19    | .02     | .07    | <1       | 3          |
| 10200N 11200E    | 12        | 81        | 2359      | 62        | 2.7       | 1         | <1        | 109       | 3.54    | 20        | <5       | <2        | <2        | 66        | .4        | <2        | <2        | 16       | .02     | .091   | 13        | 2         | .06     | 181       | <.01    | 2        | .95     | .01     | .42    | <1       | 9          |
| 10200N 11250E    | 3         | 37        | 438       | 110       | 2.0       | 6         | 2         | 513       | 4.41    | 10        | <5       | <2        | <2        | 50        | <.2       | <2        | <2        | 37       | .05     | .111   | 15        | 9         | .27     | 230       | .01     | 3        | 2.18    | .05     | .18    | <1       | 4          |
| 10200N 11300E    | 2         | 30        | 203       | 101       | 1.9       | 4         | 2         | 411       | 10.11   | 22        | <5       | <2        | <2        | 123       | <.2       | <2        | <2        | 52       | .03     | .226   | 30        | 5         | .40     | 104       | .09     | <2       | 2.22    | .23     | .24    | <1       | 13         |
| 10200N 11350E    | 4         | 52        | 665       | 179       | 1.7       | 5         | 3         | 853       | 5.06    | 7         | <5       | <2        | <2        | 46        | .2        | <2        | <2        | 39       | .05     | .121   | 16        | 9         | .41     | 243       | .01     | 3        | 2.38    | .05     | .16    | <1       | 6          |
| 10200N 11400E    | 4         | 80        | 497       | 177       | 2.2       | 4         | 2         | 388       | 3.97    | 3         | <5       | <2        | <2        | 41        | .2        | <2        | <2        | 40       | .07     | .089   | 14        | 7         | .19     | 175       | .02     | 3        | 2.04    | .03     | .13    | <1       | 4          |
| 10200N 11450E    | 1         | 58        | 315       | 236       | 1.6       | 3         | 1         | 430       | 8.53    | 13        | <5       | <2        | <2        | 118       | .5        | <2        | <2        | 48       | .03     | .152   | 22        | 4         | .45     | 49        | .04     | <2       | 2.30    | .31     | .41    | <1       | 3          |
| STANDARD C/AU-S  | 17        | 58        | 34        | 127       | 7.1       | 70        | 30        | 1046      | 3.96    | 36        | 18       | 7         | 34        | 55        | 18.1      | 14        | 17        | 53       | .51     | .086   | 38        | 57        | .92     | 194       | .09     | 33       | 1.88    | .09     | .16    | 11       | 52         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 4



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | AU <sup>#</sup><br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------------------|
| 10200N 11500E   | 3         | 30        | 297       | 94        | .9        | 5         | 2         | 281       | 6.20    | 13        | <5       | <2        | <2        | 91        | .3        | <2        | <2        | 46       | .03     | .125   | 19        | 9         | .32     | 240       | .01     | 4        | 2.38    | .18     | .30    | <1       | 6                      |
| 10200N 11550E   | 3         | 21        | 171       | 69        | 1.7       | 5         | 1         | 159       | 3.57    | 7         | <5       | <2        | <2        | 40        | <.2       | <2        | <2        | 39       | .05     | .059   | 11        | 11        | .25     | 189       | .02     | 3        | 1.84    | .04     | .10    | <1       | 2                      |
| 10200N 11600E   | 2         | 59        | 531       | 131       | 1.4       | 8         | 3         | 451       | 4.41    | 9         | <5       | <2        | <2        | 92        | 1.2       | <2        | <2        | 37       | .09     | .085   | 16        | 13        | .45     | 377       | .02     | 4        | 2.63    | .05     | .22    | <1       | 3                      |
| 10200N 11650E   | 2         | 24        | 165       | 36        | .8        | 1         | <1        | 96        | 2.61    | 8         | <5       | <2        | <2        | 43        | .3        | <2        | <2        | 17       | .02     | .042   | 12        | 2         | .10     | 332       | <.01    | 3        | 1.14    | .03     | .25    | 1        | 2                      |
| 10200N 11700E   | 3         | 32        | 203       | 105       | 1.4       | 6         | 2         | 316       | 4.31    | 12        | <5       | <2        | 2         | 56        | .2        | <2        | <2        | 29       | .05     | .062   | 12        | 9         | .31     | 238       | .03     | 4        | 1.95    | .04     | .14    | <1       | 4                      |
| 10200N 11750E   | 3         | 36        | 185       | 85        | .7        | 5         | 2         | 309       | 3.92    | 8         | <5       | <2        | <2        | 60        | .3        | <2        | 2         | 37       | .06     | .066   | 12        | 10        | .28     | 235       | .02     | 3        | 1.75    | .04     | .15    | <1       | 1                      |
| 10200N 11800E   | 3         | 17        | 133       | 52        | .9        | 3         | 2         | 183       | 3.36    | 7         | <5       | <2        | <2        | 46        | <.2       | 2         | <2        | 39       | .06     | .055   | 11        | 9         | .19     | 154       | .02     | 3        | 1.57    | .03     | .09    | <1       | 2                      |
| 10200N 11850E   | 2         | 30        | 85        | 157       | 1.5       | 9         | 4         | 316       | 3.85    | 9         | <5       | <2        | <2        | 46        | .4        | 2         | <2        | 45       | .11     | .050   | 11        | 16        | .39     | 194       | .04     | 4        | 2.44    | .03     | .10    | 1        | 3                      |
| 10200N 11900E   | 4         | 28        | 199       | 92        | 1.1       | 6         | 2         | 307       | 4.17    | 2         | <5       | <2        | 3         | 67        | <.2       | <2        | 7         | 30       | .05     | .057   | 14        | 11        | .35     | 280       | .01     | <2       | 1.86    | .04     | .22    | <1       | 4                      |
| 10200N 11950E   | 7         | 120       | 79        | 124       | 3.8       | 3         | 1         | 713       | 5.51    | 9         | <5       | <2        | 2         | 73        | 1.3       | 3         | 4         | 47       | .12     | .116   | 17        | 5         | .40     | 140       | .03     | 4        | 2.36    | .06     | .45    | 1        | 1                      |
| J200N 12000E    | 12        | 171       | 56        | 196       | 1.4       | 4         | 1         | 822       | 5.91    | 6         | <5       | <2        | 3         | 378       | 1.8       | <2        | 4         | 43       | .22     | .285   | 25        | 7         | .46     | 130       | .04     | 3        | 4.06    | .05     | .35    | <1       | 3                      |
| 10200N 12050E   | 11        | 80        | 163       | 172       | 1.6       | 5         | 2         | 727       | 5.54    | 7         | <5       | <2        | <2        | 88        | .6        | <2        | 3         | 56       | .11     | .104   | 19        | 10        | .52     | 213       | .07     | 4        | 2.03    | .04     | .31    | <1       | 2                      |
| 10200N 12100E   | 10        | 51        | 187       | 107       | 1.5       | 3         | 1         | 356       | 5.47    | 8         | <5       | <2        | <2        | 81        | .5        | <2        | 2         | 60       | .09     | .095   | 18        | 6         | .26     | 401       | .03     | 3        | 2.22    | .03     | .25    | <1       | 1                      |
| 10200N 12150E   | 6         | 48        | 120       | 170       | .6        | 3         | 2         | 586       | 4.16    | 4         | <5       | <2        | 2         | 57        | .2        | <2        | <2        | 40       | .08     | .063   | 14        | 7         | .42     | 473       | .02     | 3        | 2.18    | .02     | .14    | <1       | 2                      |
| 10200N 12200E   | 9         | 30        | 172       | 93        | .6        | 2         | 2         | 344       | 5.06    | 6         | <5       | <2        | <2        | 57        | .2        | <2        | <2        | 51       | .06     | .069   | 12        | 6         | .23     | 477       | .02     | 4        | 1.63    | .03     | .20    | <1       | 1                      |
| 10200N 12250E   | 6         | 60        | 92        | 762       | .3        | 4         | 11        | 1421      | 4.27    | 2         | <5       | <2        | <2        | 43        | 2.8       | <2        | <2        | 57       | .25     | .068   | 18        | 7         | .46     | 425       | .02     | 3        | 2.17    | .02     | .10    | <1       | 5                      |
| 10200N 12300E   | 6         | 35        | 74        | 468       | .3        | 2         | 6         | 979       | 3.57    | 3         | <5       | <2        | <2        | 67        | 2.8       | <2        | <2        | 57       | .68     | .044   | 11        | 5         | .40     | 725       | .01     | 3        | 1.90    | .02     | .16    | <1       | 1                      |
| 10200N 12350E   | 30        | 83        | 81        | 127       | 3.1       | 2         | 1         | 256       | 5.52    | 12        | <5       | <2        | <2        | 18        | .3        | <2        | 2         | 46       | .05     | .097   | 9         | 4         | .09     | 157       | .01     | 4        | 1.55    | .01     | .09    | <1       | 160                    |
| 10200N 12400E   | 10        | 220       | 91        | 1286      | .6        | 5         | 14        | 3485      | 6.01    | 6         | <5       | <2        | <2        | 42        | 4.8       | <2        | <2        | 42       | .22     | .080   | 22        | 10        | .53     | 193       | .02     | 4        | 2.31    | .02     | .10    | <1       | 64                     |
| 10200N 12450E   | 10        | 516       | 178       | 1270      | .8        | 7         | 57        | 4210      | 6.51    | 3         | <5       | <2        | 3         | 43        | .7        | <2        | <2        | 39       | .10     | .087   | 16        | 17        | .48     | 184       | .04     | 5        | 3.66    | .02     | .09    | <1       | 200                    |
| 10200N 12500E   | 17        | 1092      | 129       | 671       | 1.0       | 6         | 6         | 1458      | 5.52    | 5         | 6        | <2        | <2        | 61        | 4.6       | <2        | <2        | 37       | .56     | .104   | 48        | 9         | .44     | 677       | .01     | 2        | 2.48    | .01     | .16    | <1       | 66                     |
| 10200N 12550E   | 11        | 916       | 260       | 496       | .7        | 5         | 3         | 852       | 5.44    | 5         | <5       | <2        | <2        | 59        | 2.3       | <2        | <2        | 39       | .44     | .085   | 29        | 9         | .46     | 512       | .02     | 4        | 1.93    | .02     | .13    | <1       | 23                     |
| 10200N 12600E   | 24        | 661       | 98        | 824       | .9        | 5         | 7         | 1433      | 4.30    | 3         | 5        | <2        | <2        | 78        | 4.4       | <2        | <2        | 35       | 1.13    | .108   | 51        | 8         | .55     | 725       | .02     | 3        | 1.86    | .02     | .13    | <1       | 16                     |
| 10200N 12650E   | 19        | 186       | 63        | 675       | .1        | 2         | 3         | 577       | 3.00    | 3         | <5       | <2        | <2        | 62        | 6.7       | <2        | <2        | 39       | 1.06    | .036   | 12        | 7         | .24     | 588       | .03     | 3        | 1.21    | .02     | .08    | <1       | 7                      |
| 10200N 12700E   | 4         | 41        | 76        | 133       | .5        | 6         | 4         | 493       | 6.12    | 10        | <5       | <2        | <2        | 30        | .4        | <2        | <2        | 75       | .15     | .130   | 11        | 17        | .33     | 161       | .08     | 4        | 2.25    | .02     | .05    | <1       | 8                      |
| 10200N 12750E   | 3         | 32        | 74        | 122       | 1.1       | 3         | 2         | 362       | 3.93    | 5         | <5       | <2        | <2        | 29        | .2        | <2        | <2        | 67       | .10     | .052   | 10        | 12        | .23     | 147       | .05     | 4        | 2.25    | .02     | .06    | <1       | 6                      |
| 10200N 12800E   | 4         | 18        | 41        | 93        | .4        | 5         | 2         | 344       | 6.21    | 5         | <5       | <2        | 2         | 22        | <.2       | <2        | <2        | 94       | .08     | .097   | 11        | 15        | .30     | 96        | .11     | 2        | 2.29    | .02     | .05    | <1       | 2                      |
| 10200N 12850E   | 2         | 19        | 22        | 93        | .2        | 6         | 4         | 484       | 7.17    | 3         | <5       | <2        | <2        | 20        | <.2       | <2        | <2        | 130      | .09     | .107   | 9         | 20        | .33     | 82        | .10     | 4        | 1.81    | .01     | .04    | <1       | 4                      |
| 10200N 12900E   | 8         | 81        | 52        | 385       | .3        | 14        | 16        | 1289      | 4.25    | 9         | <5       | <2        | <2        | 100       | 7.5       | <2        | <2        | 59       | .86     | .083   | 14        | 21        | .79     | 170       | .06     | 3        | 2.72    | .03     | .10    | <1       | 12                     |
| 0000N 9500E     | 1         | 49        | 48        | 139       | .3        | 22        | 18        | 2073      | 6.15    | <2        | <5       | <2        | <2        | 65        | .9        | 2         | <2        | 175      | .41     | .105   | 7         | 90        | .90     | 153       | .16     | 4        | 2.37    | .03     | .08    | <1       | 5                      |
| 10000N 9550E    | 2         | 54        | 44        | 172       | .3        | 18        | 9         | 928       | 6.53    | 3         | <5       | <2        | <2        | 73        | .4        | 3         | <2        | 142      | .42     | .092   | 9         | 56        | .84     | 129       | .18     | 3        | 2.81    | .02     | .08    | <1       | 3                      |
| 10000N 9600E    | <1        | 190       | 76        | 197       | .2        | 54        | 34        | 1853      | 6.29    | <2        | <5       | <2        | <2        | 89        | .5        | <2        | <2        | 154      | 1.07    | .084   | 6         | 104       | 2.32    | 72        | .30     | 2        | 4.12    | .02     | .07    | <1       | 12                     |
| 10000N 9650E    | 1         | 113       | 67        | 192       | .5        | 19        | 14        | 941       | 4.00    | <2        | <5       | <2        | <2        | 124       | .8        | 2         | <2        | 67       | 1.02    | .070   | 8         | 34        | 1.06    | 143       | .09     | 3        | 3.33    | .03     | .10    | <1       | 2                      |
| RE 10000N 9650E | 1         | 113       | 65        | 193       | .5        | 19        | 13        | 933       | 3.98    | <2        | <5       | <2        | <2        | 127       | .6        | <2        | <2        | 67       | 1.04    | .069   | 9         | 33        | 1.05    | 144       | .09     | 2        | 3.34    | .03     | .10    | <1       | 3                      |
| 10000N 9700E    | 2         | 24        | 54        | 67        | .1        | 5         | 3         | 311       | 3.18    | <2        | <5       | <2        | <2        | 63        | .4        | <2        | <2        | 96       | .27     | .047   | 8         | 27        | .23     | 98        | .16     | 2        | 1.55    | .02     | .07    | <1       | 4                      |
| 10000N 9750E    | 2         | 253       | 138       | 672       | .4        | 18        | 19        | 1403      | 4.22    | <2        | <5       | <2        | <2        | 69        | 4.2       | <2        | <2        | 102      | 1.18    | .132   | 10        | 43        | .76     | 268       | .05     | 2        | 3.18    | .02     | .11    | <1       | 3                      |
| 10000N 9800E    | 2         | 39        | 52        | 156       | .3        | 10        | 5         | 447       | 4.20    | 3         | <5       | <2        | <2        | 61        | .6        | <2        | <2        | 73       | .34     | .065   | 9         | 26        | .66     | 123       | .15     | 3        | 2.96    | .02     | .07    | <1       | 11                     |
| STANDARD C/AU-S | 17        | 59        | 37        | 127       | 7.1       | 70        | 30        | 1051      | 3.96    | 39        | 11       | 7         | 34        | 56        | 18.3      | 14        | 20        | 54       | .51     | .086   | 39        | 58        | .92     | 183       | .09     | 34       | 1.88    | .09     | .16    | 11       | 46                     |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 5



| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 10000N 9850E     | 4         | 22        | 80        | 70        | .1        | 1         | 2         | 174       | 2.41    | <2        | <5       | <2        | <2        | 67        | .2        | <2        | 3         | 52       | .30     | .059   | 8         | 14        | .20     | 200       | .03     | 2        | 1.47    | .01     | .08    | <1       | 5          |
| RE 10000N 11300E | 2         | 30        | 74        | 130       | .8        | 18        | 6         | 511       | 3.92    | 6         | <5       | <2        | <2        | 38        | .3        | 2         | <2        | 50       | .15     | .070   | 10        | 21        | .53     | 217       | .03     | <2       | 2.50    | .01     | .07    | 1        | 4          |
| 10000N 9900E     | 4         | 34        | 78        | 79        | .2        | 1         | 3         | 314       | 4.59    | <2        | <5       | <2        | <2        | 55        | .9        | <2        | 4         | 70       | .25     | .093   | 6         | 15        | .37     | 183       | .08     | <2       | 1.72    | .01     | .07    | 1        | 5          |
| 10000N 9950E     | 5         | 35        | 92        | 69        | .2        | 5         | 2         | 223       | 3.87    | 2         | <5       | <2        | <2        | 55        | .4        | <2        | 5         | 107      | .18     | .056   | 9         | 19        | .26     | 146       | .09     | <2       | 1.85    | .01     | .06    | 1        | 4          |
| 10000N 11050E    | 2         | 20        | 107       | 105       | .7        | 1         | 1         | 201       | 6.20    | 8         | <5       | <2        | <2        | 154       | .2        | <2        | 2         | 47       | .04     | .092   | 19        | 6         | .29     | 286       | .08     | <2       | 1.65    | .14     | .13    | <1       | 3          |
| 10000N 11100E    | 5         | 51        | 291       | 149       | 1.5       | <1        | 2         | 321       | 6.67    | 19        | <5       | <2        | <2        | 86        | .2        | <2        | 3         | 58       | .04     | .133   | 21        | 5         | .21     | 320       | .05     | <2       | 1.67    | .05     | .23    | <1       | 4          |
| 10000N 11150E    | 2         | 23        | 118       | 97        | 1.2       | 6         | 2         | 283       | 5.00    | 5         | <5       | <2        | <2        | 49        | .2        | <2        | 3         | 54       | .06     | .067   | 13        | 12        | .30     | 192       | .05     | <2       | 2.02    | .03     | .10    | <1       | 3          |
| 10000N 11200E    | 2         | 24        | 224       | 96        | 1.6       | 3         | 1         | 290       | 6.05    | 6         | <5       | <2        | <2        | 52        | .6        | 2         | <2        | 43       | .04     | .098   | 12        | 9         | .24     | 226       | .04     | <2       | 1.50    | .03     | .12    | 1        | 11         |
| 10000N 11250E    | 1         | 16        | 67        | 73        | .3        | 5         | 2         | 227       | 3.26    | <2        | <5       | <2        | <2        | 46        | <.2       | <2        | <2        | 55       | .17     | .060   | 9         | 13        | .20     | 142       | .04     | 3        | 1.29    | .02     | .06    | <1       | 1          |
| 10000N 11300E    | 2         | 28        | 74        | 125       | .6        | 19        | 5         | 484       | 3.84    | <2        | <5       | <2        | <2        | 38        | .4        | <2        | <2        | 50       | .14     | .068   | 10        | 21        | .51     | 208       | .03     | <2       | 2.41    | .01     | .07    | 1        | 8          |
| 000N 11350E      | 2         | 54        | 91        | 90        | .6        | <1        | <1        | 326       | 15.66   | 45        | <5       | <2        | 3         | 224       | <.2       | <2        | 6         | 97       | .04     | .163   | 24        | 2         | .22     | 69        | .14     | <2       | 1.75    | .39     | .40    | <1       | 3          |
| 10000N 11400E    | 5         | 62        | 507       | 147       | .7        | 3         | 4         | 375       | 4.07    | 7         | <5       | <2        | <2        | 54        | .3        | <2        | 2         | 39       | .04     | .086   | 14        | 7         | .18     | 356       | .01     | 2        | 1.85    | .01     | .21    | 1        | 3          |
| 10000N 11450E    | 5         | 98        | 541       | 171       | 1.5       | <1        | 1         | 301       | 5.85    | 8         | <5       | <2        | <2        | 61        | 1.1       | <2        | 3         | 23       | .01     | .090   | 11        | 1         | .23     | 92        | <.01    | <2       | 1.03    | .01     | .63    | 1        | 11         |
| 10000N 11500E    | 4         | 17        | 254       | 31        | .4        | 1         | <1        | 50        | 3.59    | 16        | <5       | <2        | <2        | 16        | .3        | <2        | 3         | 14       | .01     | .050   | 4         | 1         | .03     | 191       | <.01    | 3        | .60     | .01     | .24    | 1        | 4          |
| 10000N 11550E    | 10        | 33        | 138       | 119       | .2        | 19        | 5         | 372       | 4.07    | 13        | <5       | <2        | 2         | 35        | .3        | <2        | <2        | 41       | .06     | .059   | 10        | 22        | .45     | 203       | .03     | 3        | 1.90    | .01     | .13    | <1       | 2          |
| 10000N 11600E    | 5         | 31        | 109       | 98        | .3        | 8         | 4         | 437       | 3.94    | 7         | <5       | <2        | <2        | 34        | <.2       | <2        | <2        | 38       | .06     | .074   | 13        | 16        | .29     | 224       | .03     | 3        | 2.02    | .02     | .12    | <1       | 2          |
| 10000N 11650E    | 4         | 28        | 146       | 102       | .2        | 9         | 2         | 320       | 4.27    | 5         | <5       | <2        | <2        | 41        | <.2       | <2        | 4         | 49       | .07     | .056   | 9         | 16        | .35     | 213       | .03     | 3        | 1.87    | .02     | .10    | <1       | 1          |
| 10000N 11700E    | 8         | 21        | 98        | 70        | .2        | 7         | 2         | 262       | 3.09    | 6         | <5       | <2        | <2        | 29        | .5        | 2         | <2        | 46       | .06     | .054   | 9         | 14        | .23     | 299       | .04     | 3        | 1.76    | .01     | .07    | 1        | 2          |
| 10000N 11750E    | 23        | 13        | 122       | 40        | .2        | 1         | 1         | 58        | 2.22    | 10        | <5       | <2        | <2        | 35        | <.2       | <2        | <2        | 39       | .02     | .034   | 6         | 4         | .04     | 130       | .03     | 3        | .61     | .01     | .06    | 1        | 3          |
| 10000N 11800E    | 3         | 13        | 95        | 63        | .3        | 5         | 2         | 289       | 3.69    | 3         | <5       | <2        | <2        | 28        | .3        | <2        | 2         | 58       | .05     | .077   | 11        | 16        | .20     | 127       | .10     | <2       | 1.77    | .01     | .06    | 1        | 2          |
| 10000N 11850E    | 5         | 14        | 118       | 44        | .3        | 1         | 1         | 172       | 3.52    | 18        | <5       | <2        | <2        | 63        | <.2       | <2        | <2        | 26       | .02     | .070   | 7         | 5         | .15     | 296       | .01     | 3        | 1.04    | .02     | .13    | 1        | <1         |
| 10000N 11900E    | 3         | 21        | 191       | 75        | .7        | 2         | 2         | 277       | 2.50    | 4         | <5       | <2        | <2        | 63        | .3        | <2        | <2        | 39       | .08     | .077   | 9         | 9         | .27     | 508       | .01     | <2       | 2.21    | .01     | .13    | <1       | <1         |
| 10000N 11950E    | 1         | 9         | 69        | 48        | .5        | 4         | 2         | 161       | 1.84    | 6         | <5       | <2        | <2        | 23        | .6        | 3         | <2        | 36       | .08     | .033   | 7         | 10        | .16     | 113       | .05     | 3        | 1.36    | .01     | .05    | 3        | 2          |
| 10000N 12000E    | 2         | 22        | 102       | 124       | 1.2       | 8         | 3         | 285       | 4.08    | <2        | <5       | <2        | <2        | 36        | .4        | <2        | <2        | 49       | .10     | .073   | 12        | 22        | .28     | 156       | .13     | 3        | 3.12    | .01     | .07    | 1        | 2          |
| 10000N 12050E    | 5         | 44        | 170       | 117       | .5        | 3         | 2         | 333       | 3.33    | 3         | <5       | <2        | <2        | 50        | .6        | <2        | 2         | 48       | .08     | .071   | 13        | 9         | .25     | 227       | .03     | 3        | 1.90    | .02     | .11    | <1       | 1          |
| 10000N 12100E    | 6         | 48        | 125       | 110       | .9        | 2         | 2         | 131       | 2.91    | 3         | <5       | <2        | <2        | 50        | .7        | <2        | <2        | 36       | .15     | .106   | 11        | 6         | .06     | 219       | .02     | 2        | 1.26    | .02     | .11    | <1       | 2          |
| 10000N 12150E    | 4         | 85        | 328       | 1058      | .4        | 4         | 6         | 1756      | 3.85    | 7         | <5       | <2        | <2        | 57        | 4.0       | <2        | 2         | 53       | .57     | .075   | 14        | 6         | .69     | 460       | .04     | 2        | 2.22    | .01     | .12    | 1        | 2          |
| 10000N 12200E    | 6         | 52        | 142       | 359       | .5        | 3         | 3         | 673       | 4.07    | 3         | <5       | <2        | <2        | 51        | 1.8       | <2        | 2         | 40       | .11     | .066   | 16        | 5         | .38     | 391       | .02     | <2       | 1.73    | .02     | .15    | <1       | 1          |
| 10000N 12250E    | 8         | 61        | 112       | 220       | .4        | 3         | 3         | 643       | 4.34    | 5         | <5       | <2        | <2        | 51        | .5        | <2        | 4         | 43       | .08     | .065   | 16        | 7         | .46     | 312       | .03     | 2        | 1.48    | .02     | .15    | 1        | 3          |
| 000N 12300E      | 10        | 72        | 120       | 298       | .5        | 5         | 4         | 782       | 4.29    | 2         | <5       | <2        | <2        | 60        | .8        | <2        | <2        | 39       | .10     | .061   | 19        | 8         | .55     | 341       | .02     | <2       | 1.77    | .02     | .16    | <1       | 2          |
| 10000N 12350E    | 14        | 84        | 104       | 232       | .3        | 2         | 3         | 439       | 3.44    | <2        | <5       | <2        | <2        | 64        | 2.4       | <2        | 2         | 36       | .29     | .063   | 15        | 5         | .24     | 602       | .01     | 4        | 1.32    | .02     | .13    | <1       | 2          |
| 10000N 12400E    | 11        | 33        | 129       | 135       | .4        | 1         | 3         | 582       | 5.12    | 7         | <5       | <2        | <2        | 47        | .7        | <2        | <2        | 44       | .10     | .092   | 10        | 4         | .33     | 460       | .03     | <2       | 1.36    | .02     | .15    | <1       | 2          |
| 10000N 12450E    | 9         | 37        | 95        | 150       | .6        | 3         | 2         | 739       | 5.65    | 5         | <5       | <2        | <2        | 49        | .6        | <2        | 4         | 49       | .11     | .068   | 11        | 5         | .45     | 575       | .04     | <2       | 1.79    | .02     | .16    | <1       | 7          |
| 10000N 12500E    | 26        | 86        | 98        | 366       | .2        | 4         | 6         | 1488      | 4.18    | 4         | <5       | <2        | <2        | 51        | 2.7       | <2        | 3         | 39       | .45     | .063   | 14        | 6         | .56     | 304       | .02     | 4        | 1.36    | .01     | .12    | <1       | 2          |
| 10000N 12550E    | 8         | 27        | 190       | 101       | .6        | <1        | 1         | 245       | 4.61    | <2        | <5       | <2        | <2        | 45        | .7        | <2        | 5         | 44       | .05     | .083   | 10        | 5         | .11     | 362       | .01     | 3        | 1.88    | .02     | .11    | <1       | 5          |
| 10000N 12600E    | 10        | 67        | 124       | 127       | .5        | 1         | 3         | 601       | 6.27    | 4         | <5       | <2        | <2        | 30        | .3        | <2        | 2         | 45       | .06     | .072   | 9         | 5         | .30     | 334       | .02     | 2        | 2.14    | .01     | .09    | 1        | 9          |
| 10000N 12650E    | 6         | 166       | 47        | 530       | .4        | 2         | 3         | 606       | 2.33    | <2        | <5       | <2        | <2        | 91        | 11.3      | <2        | 2         | 40       | 1.09    | .038   | 35        | 4         | .11     | 497       | .02     | 3        | 1.12    | .01     | .05    | <1       | 8          |
| STANDARD C/AU-S  | 17        | 59        | 36        | 124       | 6.3       | 64        | 29        | 1043      | 3.96    | 36        | 18       | 6         | 35        | 55        | 18.3      | 14        | 19        | 53       | .51     | .086   | 38        | 54        | .91     | 193       | .09     | 33       | 1.88    | .06     | .13    | 11       | 47         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 6



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 10000N 12700E   | 9         | 369       | 184       | 2119      | 2.4       | 7         | 5         | 939       | 2.76    | <2        | 6        | <2        | <2        | 133       | 24.1      | <2        | 2         | 25       | 1.32    | .071   | 62        | 10        | .41     | 436       | .01     | 3        | 1.86    | .02     | .14    | <1       | 7          |
| 10000N 12750E   | 7         | 19        | 160       | 105       | .3        | 2         | 1         | 154       | 2.69    | 4         | <5       | <2        | 2         | 39        | .8        | <2        | <2        | 68       | .08     | .024   | 9         | 5         | .07     | 113       | .02     | 2        | 1.35    | .02     | .06    | <1       | 5          |
| 10000N 12800E   | 4         | 137       | 349       | 940       | 1.4       | 17        | 10        | 1023      | 4.10    | 10        | <5       | <2        | <2        | 55        | 9.3       | <2        | 4         | 45       | .49     | .061   | 24        | 22        | .49     | 196       | .04     | 3        | 2.79    | .02     | .08    | <1       | 12         |
| 10000N 12850E   | 3         | 54        | 290       | 499       | 1.2       | 4         | 4         | 899       | 4.96    | 3         | <5       | <2        | 2         | 24        | 1.3       | <2        | 2         | 59       | .11     | .068   | 9         | 10        | .44     | 84        | .06     | 3        | 3.56    | .01     | .04    | <1       | 33         |
| 10000N 12900E   | 4         | 60        | 381       | 392       | .6        | 4         | 3         | 863       | 5.62    | 6         | <5       | <2        | <2        | 35        | 1.9       | 2         | 4         | 77       | .13     | .064   | 10        | 8         | .40     | 123       | .07     | 3        | 2.26    | .02     | .07    | 1        | 320        |
| 10000N 12950E   | 5         | 72        | 500       | 209       | .7        | 2         | 2         | 736       | 4.65    | 5         | <5       | <2        | <2        | 30        | .9        | <2        | 2         | 84       | .08     | .058   | 10        | 6         | .13     | 174       | .09     | 2        | 1.24    | .02     | .09    | 1        | 65         |
| 10000N 13000E   | 5         | 121       | 476       | 599       | .5        | 2         | 3         | 520       | 2.44    | <2        | <5       | <2        | <2        | 84        | 14.3      | <2        | <2        | 35       | .36     | .070   | 22        | 6         | .16     | 559       | .01     | 2        | 1.75    | .02     | .12    | <1       | 26         |
| 9800N 9500E     | 3         | 24        | 68        | 69        | .4        | 3         | 2         | 366       | 4.86    | 3         | <5       | <2        | <2        | 51        | .3        | <2        | <2        | 74       | .19     | .103   | 8         | 11        | .35     | 184       | .09     | 3        | 2.23    | .02     | .06    | <1       | 7          |
| 9800N 9550E     | 3         | 20        | 52        | 69        | .5        | 4         | 2         | 341       | 4.78    | 2         | <5       | <2        | <2        | 38        | .3        | <2        | <2        | 72       | .17     | .092   | 9         | 13        | .38     | 111       | .09     | <2       | 2.46    | .01     | .05    | <1       | 1          |
| 9800N 9600E     | 3         | 79        | 38        | 83        | 1.4       | 4         | 8         | 350       | 2.55    | <2        | 8        | <2        | <2        | 47        | .6        | <2        | 2         | 26       | .35     | .105   | 34        | 9         | .28     | 87        | .04     | 2        | 3.79    | .02     | .06    | <1       | 5          |
| 800N 9650E      | 2         | 32        | 43        | 85        | .8        | 4         | 6         | 540       | 3.10    | <2        | <5       | <2        | <2        | 41        | .5        | <2        | <2        | 31       | .28     | .115   | 8         | 13        | .39     | 58        | .08     | 3        | 3.98    | .01     | .04    | <1       | 7          |
| 9800N 9700E     | 5         | 24        | 58        | 134       | .1        | 3         | 4         | 524       | 3.63    | 2         | <5       | <2        | <2        | 63        | 1.4       | <2        | <2        | 47       | .39     | .112   | 10        | 11        | .35     | 105       | .07     | 2        | 2.02    | .02     | .06    | <1       | 4          |
| 9800N 9750E     | 3         | 24        | 53        | 55        | .4        | 5         | 2         | 251       | 2.44    | 2         | <5       | <2        | <2        | 58        | .2        | <2        | 3         | 50       | .27     | .072   | 6         | 21        | .34     | 79        | .05     | 3        | 2.48    | .02     | .05    | <1       | 4          |
| 9800N 9800E     | 3         | 34        | 62        | 105       | .5        | 9         | 4         | 440       | 4.74    | 2         | <5       | <2        | <2        | 64        | .4        | <2        | <2        | 65       | .32     | .065   | 10        | 26        | .68     | 131       | .10     | 2        | 3.26    | .02     | .07    | <1       | 6          |
| 9800N 9850E     | 3         | 23        | 65        | 73        | .3        | 5         | 3         | 376       | 5.85    | 3         | <5       | <2        | <2        | 47        | .5        | <2        | <2        | 76       | .18     | .054   | 9         | 20        | .46     | 121       | .11     | 2        | 2.85    | .02     | .06    | <1       | 3          |
| 9800N 9900E     | 3         | 27        | 63        | 74        | .6        | 4         | 3         | 438       | 4.92    | 2         | 5        | <2        | <2        | 55        | .3        | <2        | <2        | 59       | .27     | .169   | 7         | 16        | .35     | 162       | .06     | 2        | 2.49    | .02     | .06    | <1       | 4          |
| 9800N 9950E     | 4         | 33        | 50        | 89        | .7        | 4         | 6         | 481       | 4.09    | 2         | <5       | <2        | <2        | 51        | .4        | <2        | <2        | 50       | .32     | .086   | 8         | 17        | .39     | 126       | .11     | 2        | 3.53    | .02     | .06    | <1       | 6          |
| 9800N 10000E    | 4         | 34        | 49        | 85        | .6        | 7         | 5         | 419       | 5.68    | 2         | <5       | <2        | <2        | 42        | .9        | <2        | <2        | 72       | .19     | .070   | 9         | 26        | .47     | 139       | .13     | 3        | 3.07    | .01     | .04    | <1       | 9          |
| 9800N 10050E    | 3         | 26        | 52        | 71        | .2        | 6         | 3         | 448       | 4.87    | <2        | <5       | <2        | <2        | 44        | .2        | <2        | <2        | 62       | .18     | .077   | 9         | 22        | .43     | 111       | .07     | 2        | 2.54    | .02     | .05    | <1       | 1          |
| 9800N 10100E    | 3         | 18        | 73        | 66        | .4        | 4         | 3         | 387       | 3.50    | 3         | <5       | <2        | <2        | 66        | .2        | <2        | <2        | 72       | .21     | .062   | 7         | 16        | .47     | 91        | .14     | 2        | 1.85    | .02     | .06    | <1       | 1          |
| 9800N 10150E    | 3         | 10        | 51        | 32        | .3        | 2         | 2         | 180       | 3.49    | <2        | <5       | <2        | <2        | 47        | .2        | <2        | <2        | 52       | .31     | .039   | 5         | 8         | .11     | 234       | .02     | 4        | 1.19    | .01     | .06    | 1        | 3          |
| RE 9800N 10200E | 1         | 4         | 18        | 44        | .2        | 1         | 3         | 200       | 4.46    | <2        | <5       | <2        | <2        | 149       | <.2       | <2        | <2        | 49       | .14     | .058   | 10        | 2         | .10     | 114       | .02     | 3        | 1.60    | .02     | .08    | 1        | 1          |
| 9800N 10200E    | 1         | 4         | 17        | 44        | .1        | 1         | 3         | 199       | 4.47    | <2        | <5       | <2        | <2        | 155       | <.2       | <2        | <2        | 49       | .14     | .057   | 10        | 2         | .10     | 114       | .02     | 2        | 1.61    | .01     | .08    | 1        | 1          |
| 9800N 10250E    | 2         | 6         | 15        | 24        | <.1       | 1         | 2         | 80        | 3.96    | <2        | <5       | <2        | <2        | 23        | <.2       | <2        | <2        | 59       | .08     | .018   | 4         | 6         | .03     | 61        | .01     | 4        | .94     | .01     | .05    | 2        | 1          |
| 9800N 10300E    | 5         | 7         | 35        | 49        | .3        | 2         | 2         | 251       | 4.48    | 6         | 6        | <2        | <2        | 26        | <.2       | <2        | <2        | 78       | .29     | .069   | 11        | 5         | .20     | 388       | .03     | <2       | 1.88    | .02     | .14    | <1       | 1          |
| 9800N 10350E    | 1         | 18        | 56        | 136       | .8        | 5         | 6         | 923       | 4.48    | 2         | <5       | <2        | <2        | 50        | .6        | <2        | <2        | 51       | .38     | .076   | 12        | 11        | .61     | 92        | .08     | 2        | 3.83    | .01     | .05    | 1        | 3          |
| 9800N 10400E    | 4         | 14        | 55        | 53        | .2        | 3         | 2         | 839       | 4.52    | 5         | <5       | <2        | <2        | 49        | <.2       | <2        | <2        | 73       | .22     | .126   | 8         | 12        | .25     | 182       | .07     | 2        | 1.35    | .02     | .13    | <1       | 3          |
| 9800N 10450E    | 2         | 22        | 37        | 109       | .4        | 10        | 7         | 653       | 4.07    | 4         | <5       | <2        | <2        | 39        | .2        | <2        | <2        | 64       | .31     | .062   | 9         | 21        | .61     | 106       | .09     | 2        | 2.32    | .01     | .04    | <1       | 5          |
| 9800N 10500E    | 2         | 21        | 45        | 88        | .3        | 7         | 5         | 458       | 4.24    | 3         | <5       | <2        | <2        | 41        | .2        | <2        | <2        | 60       | .21     | .045   | 7         | 17        | .53     | 101       | .09     | 2        | 2.51    | .01     | .05    | <1       | 4          |
| 9800N 10550E    | 3         | 50        | 84        | 133       | .6        | 11        | 7         | 492       | 5.11    | 2         | <5       | <2        | <2        | 39        | .7        | <2        | <2        | 53       | .16     | .071   | 12        | 23        | .64     | 163       | .06     | 3        | 3.68    | .02     | .09    | <1       | 12         |
| 9800N 10600E    | 3         | 66        | 48        | 164       | .3        | 14        | 9         | 624       | 4.03    | 5         | <5       | <2        | 2         | 90        | .4        | <2        | <2        | 59       | .60     | .053   | 11        | 24        | .94     | 132       | .13     | 3        | 2.97    | .02     | .08    | <1       | 8          |
| 9800N 10650E    | 2         | 14        | 19        | 68        | .1        | 11        | 4         | 263       | 2.23    | <2        | <5       | <2        | <2        | 33        | .2        | <2        | <2        | 44       | .26     | .037   | 10        | 18        | .46     | 108       | .08     | 2        | 1.44    | .02     | .05    | <1       | 3          |
| 9800N 10700E    | 2         | 31        | 35        | 90        | .7        | 7         | 4         | 350       | 4.05    | 4         | <5       | <2        | <2        | 48        | .6        | <2        | <2        | 78       | .28     | .063   | 9         | 21        | .48     | 105       | .10     | 3        | 2.64    | .02     | .05    | 1        | 4          |
| 9800N 10750E    | 3         | 40        | 48        | 87        | 1.8       | 7         | 4         | 354       | 3.59    | <2        | <5       | <2        | <2        | 63        | .5        | <2        | <2        | 66       | .23     | .079   | 9         | 21        | .47     | 117       | .07     | 2        | 2.61    | .02     | .06    | <1       | 7          |
| 9800N 10800E    | 2         | 43        | 42        | 120       | .5        | 9         | 6         | 468       | 4.45    | <2        | <5       | <2        | <2        | 35        | .6        | <2        | <2        | 61       | .26     | .092   | 9         | 19        | .47     | 99        | .08     | 3        | 2.83    | .01     | .04    | <1       | 58         |
| 9800N 10850E    | 3         | 50        | 52        | 155       | 1.4       | 11        | 7         | 486       | 2.95    | <2        | <5       | <2        | <2        | 79        | .8        | <2        | <2        | 52       | .49     | .075   | 9         | 23        | .76     | 179       | .06     | 2        | 3.00    | .03     | .08    | <1       | 9          |
| 9800N 10950E    | 1         | 14        | 53        | 72        | .4        | 4         | 15        | 3886      | 4.04    | 2         | <5       | <2        | <2        | 42        | .2        | <2        | <2        | 60       | .15     | .074   | 9         | 13        | .24     | 143       | .04     | 3        | 1.75    | .03     | .08    | <1       | 3          |
| STANDARD C/AU-S | 17        | 58        | 38        | 127       | 7.0       | 70        | 30        | 1050      | 3.96    | 38        | 16       | 7         | 34        | 52        | 18.4      | 14        | 19        | 54       | .51     | .086   | 39        | 57        | .91     | 183       | .09     | 33       | 1.88    | .09     | .16    | 11       | 47         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 7



| SAMPLE#         | No<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au <sup>#</sup><br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------------------|
| 9800N 11000E    | 1         | 31        | 43        | 116       | 2.9       | 9         | 4         | 372       | 2.62    | <2        | 9        | <2        | <2        | 35        | .2        | <2        | <2        | 43       | .19     | .069   | 13        | 15        | .44     | 77        | .03     | 2        | 1.75    | .03     | .07    | <1       | 5                      |
| 9800N 11050E    | 1         | 16        | 78        | 66        | .2        | 6         | 3         | 294       | 4.05    | 2         | <5       | <2        | <2        | 32        | <.2       | <2        | <2        | 78       | .11     | .093   | 11        | 16        | .27     | 156       | .11     | 3        | 1.69    | .03     | .07    | <1       | 2                      |
| 9800N 11100E    | 1         | 16        | 38        | 143       | .2        | 12        | 5         | 369       | 4.32    | <2        | <5       | <2        | <2        | 32        | .7        | <2        | <2        | 71       | .15     | .051   | 10        | 20        | .49     | 148       | .10     | 3        | 2.37    | .02     | .08    | <1       | 2                      |
| 9800N 11150E    | 1         | 19        | 112       | 94        | 1.6       | 6         | 2         | 232       | 3.99    | 5         | <5       | <2        | <2        | 65        | .6        | <2        | <2        | 56       | .16     | .068   | 11        | 11        | .24     | 227       | .04     | 3        | 1.62    | .04     | .11    | <1       | 2                      |
| 9800N 11200E    | 1         | 14        | 46        | 150       | .2        | 8         | 4         | 309       | 3.63    | <2        | <5       | <2        | <2        | 60        | 1.0       | <2        | <2        | 67       | .41     | .049   | 9         | 16        | .34     | 231       | .05     | 3        | 1.53    | .03     | .10    | <1       | 4                      |
| 9800N 11250E    | 3         | 31        | 439       | 124       | 1.5       | 3         | 2         | 195       | 3.63    | 2         | <5       | <2        | <2        | 116       | 1.0       | <2        | <2        | 57       | .20     | .097   | 16        | 6         | .11     | 424       | .02     | 2        | 1.52    | .05     | .15    | <1       | 3                      |
| 9800N 11300E    | 2         | 35        | 229       | 177       | .8        | 9         | 4         | 398       | 4.84    | 8         | <5       | <2        | <2        | 49        | .4        | <2        | <2        | 65       | .12     | .069   | 12        | 16        | .42     | 221       | .04     | 4        | 2.42    | .03     | .10    | <1       | 6                      |
| 9800N 11350E    | 2         | 23        | 260       | 105       | .9        | 6         | 2         | 207       | 3.30    | 4         | <5       | <2        | <2        | 37        | <.2       | <2        | <2        | 45       | .08     | .043   | 10        | 12        | .21     | 215       | .03     | 3        | 1.57    | .04     | .16    | <1       | 2                      |
| 9800N 11400E    | 2         | 27        | 349       | 117       | 1.6       | 3         | 2         | 267       | 5.56    | 5         | <5       | <2        | <2        | 70        | .2        | <2        | <2        | 50       | .04     | .061   | 13        | 7         | .19     | 247       | .03     | 3        | 1.93    | .05     | .14    | <1       | 2                      |
| 9800N 11450E    | 1         | 22        | 171       | 125       | 1.6       | 11        | 4         | 293       | 4.22    | 5         | <5       | <2        | <2        | 41        | .2        | <2        | <2        | 53       | .09     | .039   | 11        | 18        | .39     | 167       | .06     | 4        | 2.36    | .03     | .09    | <1       | 3                      |
| 300N 11500E     | 3         | 20        | 132       | 204       | .1        | 12        | 4         | 566       | 4.98    | 3         | <5       | <2        | <2        | 56        | .2        | <2        | <2        | 53       | .07     | .063   | 12        | 18        | .49     | 272       | .02     | 2        | 2.25    | .05     | .14    | <1       | 4                      |
| 9800N 11550E    | 4         | 16        | 114       | 216       | .4        | 6         | 5         | 1220      | 3.74    | <2        | <5       | <2        | <2        | 58        | 2.1       | <2        | <2        | 53       | .15     | .094   | 10        | 13        | .20     | 600       | .01     | 3        | 1.54    | .04     | .13    | <1       | 3                      |
| 9800N 11600E    | 5         | 11        | 73        | 101       | <.1       | 2         | 1         | 278       | 2.46    | <2        | <5       | <2        | <2        | 23        | .5        | <2        | <2        | 34       | .10     | .070   | 5         | 4         | .08     | 197       | <.01    | 2        | 1.15    | .01     | .10    | <1       | 2                      |
| 9800N 11650E    | 3         | 30        | 265       | 601       | .1        | 8         | 8         | 2994      | 3.75    | <2        | <5       | <2        | <2        | 38        | 3.5       | <2        | <2        | 62       | .63     | .088   | 14        | 13        | .57     | 325       | .02     | 2        | 2.28    | .02     | .15    | <1       | 8                      |
| 9800N 11700E    | 3         | 56        | 289       | 602       | .2        | 12        | 7         | 2709      | 4.64    | 5         | <5       | <2        | <2        | 31        | 2.2       | 2         | <2        | 59       | .33     | .130   | 17        | 18        | .51     | 125       | .09     | 4        | 2.71    | .02     | .07    | <1       | 4                      |
| 9800N 11750E    | 2         | 43        | 191       | 448       | .6        | 7         | 5         | 1518      | 2.83    | <2        | <5       | <2        | <2        | 22        | 1.2       | <2        | 3         | 45       | .21     | .102   | 11        | 12        | .52     | 62        | .08     | 3        | 4.17    | .02     | .07    | <1       | 2                      |
| 9800N 11800E    | 4         | 118       | 821       | 1370      | .8        | 8         | 17        | 4912      | 4.63    | 4         | <5       | <2        | <2        | 40        | 12.2      | 3         | <2        | 63       | .42     | .125   | 30        | 11        | .69     | 226       | .01     | 4        | 2.48    | .03     | .11    | <1       | 6                      |
| 9800N 11850E    | 2         | 76        | 436       | 1305      | .1        | 11        | 12        | 4438      | 4.31    | 4         | <5       | <2        | <2        | 36        | 19.5      | <2        | <2        | 84       | .35     | .124   | 22        | 16        | .61     | 268       | .05     | 5        | 2.24    | .02     | .10    | <1       | 3                      |
| 9800N 11900E    | 8         | 229       | 1238      | 1532      | 1.0       | 9         | 13        | 3586      | 3.62    | 7         | <5       | <2        | <2        | 47        | 14.9      | <2        | <2        | 51       | .49     | .105   | 23        | 11        | .82     | 179       | .10     | 4        | 1.89    | .02     | .10    | <1       | 22                     |
| 9800N 11950E    | 3         | 177       | 384       | 1664      | .4        | 5         | 13        | 3410      | 3.27    | <2        | <5       | <2        | <2        | 38        | 12.4      | <2        | 3         | 42       | .56     | .107   | 17        | 7         | 1.16    | 83        | .09     | 2        | 2.17    | .02     | .11    | <1       | 7                      |
| 9800N 12000E    | 3         | 276       | 305       | 1569      | .7        | 7         | 12        | 3828      | 3.64    | 2         | <5       | <2        | <2        | 45        | 7.7       | <2        | 2         | 51       | .41     | .116   | 21        | 9         | .79     | 85        | .05     | 2        | 2.34    | .02     | .09    | <1       | 10                     |
| 9800N 12050E    | 3         | 63        | 286       | 610       | .5        | 7         | 6         | 1881      | 3.49    | <2        | <5       | <2        | <2        | 37        | 3.1       | <2        | <2        | 52       | .29     | .092   | 14        | 10        | .57     | 77        | .04     | 2        | 2.42    | .02     | .06    | <1       | 6                      |
| 9800N 12100E    | 2         | 35        | 133       | 515       | .3        | 6         | 5         | 1229      | 3.64    | 6         | <5       | <2        | <2        | 34        | 1.7       | <2        | <2        | 51       | .27     | .102   | 11        | 10        | .55     | 83        | .04     | 4        | 3.02    | .02     | .05    | <1       | 4                      |
| 9800N 12150E    | 3         | 40        | 122       | 251       | .5        | 5         | 4         | 969       | 4.75    | 2         | 7        | <2        | <2        | 26        | .4        | <2        | <2        | 61       | .09     | .099   | 12        | 9         | .46     | 99        | .02     | 2        | 2.36    | .02     | .09    | <1       | 2                      |
| 9800N 12200E    | 4         | 33        | 173       | 259       | .6        | 5         | 4         | 899       | 4.32    | 5         | <5       | <2        | <2        | 33        | .7        | <2        | <2        | 52       | .15     | .066   | 10        | 9         | .44     | 99        | .04     | 3        | 2.27    | .02     | .07    | <1       | 3                      |
| 9800N 12250E    | 6         | 20        | 116       | 78        | .5        | 4         | 2         | 299       | 3.33    | 4         | <5       | <2        | <2        | 34        | .2        | <2        | 2         | 64       | .07     | .047   | 9         | 10        | .19     | 115       | .04     | 2        | 1.50    | .03     | .09    | <1       | 5                      |
| 9800N 12300E    | 17        | 36        | 164       | 184       | .2        | 4         | 4         | 834       | 3.59    | 3         | <5       | <2        | <2        | 39        | .5        | <2        | 3         | 55       | .10     | .049   | 10        | 11        | .32     | 131       | .03     | 2        | 1.65    | .02     | .12    | <1       | 2                      |
| 9800N 12350E    | 21        | 75        | 156       | 484       | .4        | 6         | 8         | 2221      | 3.96    | 5         | <5       | <2        | <2        | 39        | 1.7       | <2        | <2        | 52       | .09     | .069   | 13        | 13        | .35     | 339       | .01     | 2        | 2.46    | .02     | .15    | <1       | 2                      |
| 9800N 12400E    | 6         | 32        | 103       | 128       | .3        | 5         | 3         | 419       | 3.86    | 3         | <5       | <2        | <2        | 40        | .4        | <2        | <2        | 61       | .08     | .065   | 11        | 11        | .24     | 164       | .05     | 3        | 1.78    | .03     | .10    | <1       | 10                     |
| 9800N 12450E    | 6         | 56        | 117       | 334       | 1.7       | 8         | 5         | 925       | 4.04    | 2         | <5       | <2        | <2        | 46        | .9        | <2        | 2         | 51       | .11     | .061   | 13        | 13        | .54     | 174       | .02     | 4        | 1.92    | .03     | .12    | <1       | 5                      |
| 9800N 12500E    | 7         | 98        | 102       | 608       | .2        | 8         | 7         | 1390      | 3.23    | <2        | <5       | <2        | <2        | 89        | 4.1       | <2        | <2        | 38       | .77     | .061   | 16        | 10        | .72     | 430       | .03     | 3        | 1.74    | .02     | .13    | <1       | 6                      |
| 9800N 12550E    | 5         | 48        | 197       | 265       | .7        | 6         | 5         | 825       | 3.92    | 6         | <5       | <2        | 2         | 52        | 1.0       | <2        | <2        | 37       | .11     | .068   | 12        | 10        | .45     | 192       | .02     | 4        | 2.36    | .03     | .11    | <1       | 4                      |
| 9800N 12600E    | 7         | 110       | 258       | 477       | 2.2       | 7         | 5         | 862       | 4.17    | 4         | <5       | <2        | 2         | 47        | 1.1       | <2        | 3         | 43       | .10     | .056   | 14        | 10        | .60     | 172       | .02     | 3        | 2.43    | .02     | .11    | <1       | 7                      |
| 9800N 12650E    | 7         | 18        | 120       | 75        | .6        | 3         | 1         | 229       | 1.74    | <2        | <5       | <2        | <2        | 37        | .6        | <2        | <2        | 38       | .10     | .029   | 12        | 8         | .16     | 136       | .05     | 2        | 1.13    | .02     | .10    | <1       | 3                      |
| RE 9800N 12650E | 7         | 17        | 118       | 70        | .6        | 2         | 1         | 217       | 1.70    | <2        | <5       | <2        | <2        | 37        | .6        | <2        | <2        | 38       | .10     | .029   | 12        | 8         | .15     | 135       | .05     | 2        | 1.10    | .02     | .09    | <1       | 4                      |
| 9800N 12700E    | 4         | 33        | 162       | 160       | 1.1       | 4         | 2         | 536       | 3.94    | 2         | <5       | <2        | 2         | 42        | .5        | <2        | <2        | 53       | .10     | .071   | 13        | 8         | .37     | 159       | .04     | 3        | 2.08    | .03     | .10    | <1       | 5                      |
| STANDARD C/AU-S | 17        | 66        | 34        | 128       | 7.6       | 70        | 31        | 1057      | 3.96    | 36        | 25       | 7         | 36        | 52        | 19.0      | 14        | 19        | 56       | .51     | .086   | 40        | 58        | .92     | 184       | .09     | 33       | 1.88    | .09     | .16    | 11       | 48                     |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 8



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>ppm | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|----------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 9800N 12750E    | 4         | 15        | 149       | 59        | .3        | 2         | 1         | 178       | 2.71    | 5         | <5       | <2        | <2        | 64        | <.2       | 2         | <2        | 50       | .06     | .060     | 12        | 7         | .12     | 156       | .04     | 3        | 1.47    | .03     | .09    | 1        | 9          |
| 9800N 12800E    | 5         | 38        | 172       | 134       | 1.9       | 3         | 2         | 315       | 3.39    | 4         | <5       | <2        | <2        | 57        | .4        | <2        | <2        | 47       | .08     | .073     | 14        | 7         | .22     | 250       | .03     | 3        | 2.01    | .03     | .10    | <1       | 6          |
| 9800N 12850E    | 4         | 35        | 336       | 187       | 1.1       | 3         | 2         | 368       | 3.91    | 5         | <5       | <2        | <2        | 40        | .7        | <2        | 2         | 71       | .10     | .078     | 11        | 5         | .26     | 148       | .10     | 3        | 1.89    | .02     | .09    | <1       | 16         |
| 9800N 12900E    | 8         | 115       | 2318      | 1045      | 1.3       | 3         | 11        | 3214      | 4.61    | 11        | <5       | <2        | <2        | 63        | 4.2       | <2        | <2        | 51       | .20     | .073     | 11        | 6         | .60     | 97        | .16     | 4        | 2.02    | .02     | .09    | <1       | 48         |
| 9800N 12950E    | 4         | 33        | 452       | 469       | .5        | 4         | 5         | 949       | 5.00    | 5         | <5       | <2        | <2        | 46        | 1.1       | 2         | <2        | 63       | .14     | .148     | 14        | 8         | .38     | 160       | .09     | 3        | 2.48    | .02     | .09    | <1       | 52         |
| 9800N 13000E    | 5         | 59        | 378       | 288       | .6        | 4         | 3         | 737       | 4.99    | 5         | <5       | <2        | <2        | 48        | .4        | <2        | <2        | 52       | .09     | .067     | 13        | 8         | .43     | 230       | .04     | 3        | 2.10    | .02     | .11    | <1       | 29         |
| 9600N 9500E     | 3         | 36        | 85        | 128       | .3        | 9         | 5         | 611       | 3.59    | 2         | <5       | <2        | <2        | 95        | .3        | <2        | <2        | 49       | .45     | .072     | 12        | 17        | .66     | 184       | .05     | 3        | 2.96    | .03     | .10    | <1       | 6          |
| 9600N 9550E     | 2         | 29        | 78        | 126       | .3        | 8         | 5         | 434       | 3.20    | 2         | <5       | <2        | <2        | 121       | <.2       | <2        | <2        | 47       | .91     | .062     | 11        | 15        | .58     | 263       | .04     | 2        | 2.82    | .03     | .09    | <1       | 3          |
| 9600N 9600E     | 2         | 23        | 69        | 467       | .7        | 7         | 5         | 304       | 2.76    | 2         | <5       | <2        | <2        | 102       | 3.0       | <2        | 3         | 38       | .96     | .076     | 11        | 12        | .45     | 234       | .04     | 2        | 2.61    | .02     | .09    | <1       | 6          |
| 9600N 9650E     | 3         | 15        | 96        | 59        | 1.1       | 3         | 2         | 160       | 1.97    | 2         | <5       | <2        | <2        | 75        | <.2       | <2        | <2        | 44       | .48     | .062     | 8         | 9         | .20     | 132       | .04     | 2        | 2.17    | .02     | .06    | 1        | 4          |
| 9600N 9700E     | 3         | 18        | 71        | 79        | .9        | 4         | 2         | 393       | 3.41    | 3         | <5       | <2        | <2        | 59        | <.2       | <2        | 2         | 59       | .26     | .065     | 9         | 13        | .35     | 101       | .08     | 4        | 2.14    | .02     | .06    | <1       | 3          |
| 9600N 9750E     | 3         | 21        | 70        | 104       | .3        | 6         | 4         | 472       | 4.06    | <2        | 5        | <2        | <2        | 53        | <.2       | <2        | 2         | 59       | .24     | .085     | 12        | 17        | .53     | 93        | .08     | 3        | 2.85    | .02     | .07    | <1       | 2          |
| 9600N 9800E     | 3         | 13        | 111       | 61        | .4        | 2         | 1         | 225       | 2.00    | <2        | <5       | <2        | <2        | 57        | <.2       | <2        | 3         | 52       | .29     | .038     | 10        | 10        | .22     | 73        | .12     | 2        | 2.12    | .02     | .05    | 1        | 3          |
| 9600N 9850E     | 2         | 18        | 74        | 62        | .8        | 4         | 2         | 206       | 1.43    | <2        | <5       | <2        | <2        | 55        | .3        | <2        | 3         | 36       | .22     | .055     | 8         | 15        | .24     | 93        | .04     | 2        | 2.14    | .02     | .06    | <1       | 5          |
| 9600N 9900E     | 2         | 32        | 103       | 117       | 1.1       | 10        | 6         | 688       | 4.03    | <2        | <5       | <2        | <2        | 62        | .2        | <2        | 2         | 93       | .26     | .065     | 10        | 39        | .52     | 84        | .17     | 3        | 2.42    | .02     | .07    | <1       | 3          |
| 9600N 9950E     | 2         | 41        | 91        | 139       | .6        | 11        | 10        | 1313      | 6.15    | <2        | <5       | <2        | <2        | 50        | 1.2       | <2        | <2        | 124      | .32     | .084     | 7         | 37        | .59     | 74        | .22     | 3        | 2.84    | .02     | .04    | <1       | 22         |
| 9600N 10000E    | 3         | 56        | 58        | 197       | 1.8       | 19        | 11        | 752       | 3.15    | <2        | <5       | <2        | <2        | 86        | 4.5       | 2         | <2        | 79       | 1.16    | .065     | 6         | 37        | .81     | 142       | .14     | 3        | 2.85    | .02     | .05    | <1       | 8          |
| 9600N 10050E    | 2         | 28        | 57        | 132       | .3        | 10        | 5         | 597       | 4.31    | <2        | <5       | <2        | <2        | 71        | .2        | <2        | <2        | 77       | .34     | .058     | 9         | 26        | .78     | 95        | .13     | 3        | 2.59    | .02     | .05    | <1       | 2          |
| 9600N 10100E    | 2         | 22        | 50        | 64        | .7        | 5         | 3         | 685       | 4.69    | <2        | <5       | <2        | <2        | 35        | .3        | <2        | <2        | 78       | .16     | .073     | 11        | 18        | .28     | 52        | .19     | 4        | 2.33    | .02     | .03    | <1       | 4          |
| 9600N 10150E    | 1         | 25        | 40        | 133       | 1.6       | 11        | 10        | 1414      | 4.68    | 2         | <5       | <2        | <2        | 60        | .6        | 2         | <2        | 76       | .41     | .086     | 10        | 29        | .80     | 60        | .16     | 4        | 4.38    | .01     | .03    | 1        | 2          |
| 9600N 10200E    | 1         | 25        | 39        | 106       | .4        | 7         | 6         | 722       | 4.47    | <2        | <5       | <2        | 2         | 99        | .5        | <2        | <2        | 65       | .51     | .062     | 11        | 19        | .77     | 58        | .18     | 3        | 3.01    | .01     | .03    | <1       | 4          |
| 9600N 10250E    | 2         | 28        | 61        | 94        | .6        | 9         | 6         | 1068      | 5.47    | 4         | <5       | <2        | <2        | 86        | .4        | <2        | <2        | 88       | .41     | .131     | 9         | 25        | .66     | 90        | .14     | 4        | 2.33    | .02     | .05    | <1       | 5          |
| RE 9600N 10600E | 1         | 10        | 31        | 38        | .1        | 3         | 2         | 305       | 2.67    | 4         | <5       | <2        | <2        | 36        | <.2       | 3         | 2         | 69       | .19     | .024     | 7         | 16        | .19     | 69        | .19     | 3        | 1.36    | .02     | .06    | 1        | 6          |
| 9600N 10300E    | 2         | 27        | 46        | 118       | .9        | 11        | 7         | 527       | 4.87    | 3         | <5       | <2        | <2        | 92        | .2        | <2        | <2        | 71       | .58     | .065     | 10        | 23        | .74     | 471       | .07     | 3        | 3.06    | .02     | .07    | <1       | 3          |
| 9600N 10350E    | 2         | 24        | 50        | 96        | .6        | 9         | 5         | 570       | 5.76    | 3         | <5       | <2        | <2        | 60        | <.2       | <2        | <2        | 109      | .27     | .080     | 8         | 25        | .71     | 71        | .19     | 3        | 2.07    | .02     | .05    | <1       | 2          |
| 9600N 10400E    | 2         | 18        | 54        | 88        | .6        | 8         | 4         | 491       | 3.88    | 5         | <5       | <2        | <2        | 59        | <.2       | <2        | <2        | 79       | .28     | .054     | 8         | 18        | .66     | 67        | .17     | 4        | 2.12    | .02     | .05    | <1       | 1          |
| 9600N 10450E    | 3         | 23        | 62        | 109       | .4        | 9         | 6         | 609       | 4.49    | 8         | <5       | <2        | <2        | 68        | <.2       | 3         | <2        | 102      | .40     | .057     | 7         | 24        | .89     | 74        | .22     | 4        | 2.23    | .02     | .07    | <1       | 4          |
| 9600N 10500E    | 2         | 20        | 59        | 124       | .5        | 10        | 7         | 626       | 4.99    | <2        | <5       | <2        | 2         | 49        | .4        | <2        | <2        | 81       | .32     | .068     | 7         | 30        | .81     | 68        | .18     | 4        | 3.49    | .02     | .05    | <1       | 2          |
| 9600N 10550E    | 2         | 23        | 53        | 112       | .6        | 9         | 5         | 523       | 4.12    | 4         | <5       | <2        | <2        | 54        | <.2       | 2         | 2         | 67       | .35     | .068     | 8         | 22        | .71     | 102       | .12     | 4        | 2.69    | .02     | .05    | <1       | 13         |
| 500N 10600E     | 1         | 10        | 32        | 36        | .1        | 3         | 2         | 293       | 2.65    | 2         | <5       | <2        | <2        | 37        | <.2       | 2         | <2        | 71       | .19     | .022     | 7         | 17        | .17     | 72        | .19     | 3        | 1.38    | .02     | .05    | 1        | 11         |
| 9600N 10650E    | 2         | 24        | 66        | 119       | .4        | 9         | 5         | 478       | 6.51    | 3         | <5       | <2        | 2         | 48        | .3        | <2        | <2        | 97       | .24     | .069     | 9         | 25        | .69     | 95        | .20     | 3        | 2.91    | .02     | .06    | 1        | 3          |
| 9600N 10700E    | 3         | 20        | 47        | 88        | 1.2       | 5         | 4         | 636       | 5.27    | <2        | <5       | <2        | <2        | 50        | <.2       | <2        | <2        | 73       | .27     | .075     | 7         | 14        | .52     | 88        | .10     | 3        | 2.85    | .02     | .06    | <1       | 5          |
| 9600N 10750E    | 2         | 21        | 42        | 70        | .3        | 5         | 4         | 471       | 4.68    | <2        | <5       | <2        | <2        | 31        | <.2       | <2        | <2        | 46       | .20     | .089     | 8         | 16        | .38     | 79        | .10     | 4        | 4.57    | .01     | .03    | 1        | 4          |
| 9600N 10800E    | 3         | 15        | 42        | 64        | .4        | 4         | 2         | 532       | 5.32    | 3         | <5       | <2        | <2        | 31        | <.2       | <2        | 2         | 78       | .13     | .079     | 10        | 14        | .29     | 78        | .12     | 3        | 2.09    | .02     | .06    | <1       | 3          |
| 9600N 10850E    | 2         | 34        | 37        | 176       | .4        | 14        | 7         | 520       | 4.20    | 2         | <5       | <2        | 2         | 55        | .3        | <2        | <2        | 61       | .34     | .042     | 11        | 24        | .86     | 134       | .13     | 4        | 3.14    | .02     | .07    | <1       | 7          |
| 9600N 10900E    | 2         | 32        | 35        | 150       | .5        | 12        | 6         | 464       | 4.43    | 4         | <5       | <2        | 2         | 52        | .2        | <2        | <2        | 67       | .30     | .060     | 9         | 30        | .78     | 101       | .14     | 4        | 3.53    | .02     | .07    | 1        | 14         |
| 9600N 10950E    | 2         | 24        | 38        | 115       | .6        | 10        | 5         | 428       | 4.19    | 4         | 7        | <2        | 2         | 45        | <.2       | 3         | 2         | 67       | .27     | .088     | 11        | 21        | .62     | 121       | .11     | 4        | 3.03    | .02     | .07    | <1       | 36         |
| STANDARD C/AU-S | 17        | 59        | 33        | 126       | 7.1       | 70        | 30        | 1036      | 3.96    | 36        | 21       | 7         | 34        | 55        | 18.0      | 14        | 20        | 54       | .51     | .086     | 38        | 57        | .91     | 195       | .09     | 34       | 1.88    | .09     | .15    | 11       | 48         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 9



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>ppm | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|----------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 9600N 11000E    | 2         | 20        | 46        | 96        | .1        | 8         | 5         | 470       | 4.92    | <2        | <5       | <2        | 2         | 39        | <.2       | <2        | <2        | 86       | .19     | .070     | 8         | 20        | .66     | 93        | .13     | <2       | 2.31    | .01     | .05    | <1       | 17         |
| 9600N 11050E    | 2         | 48        | 44        | 105       | .1        | 10        | 6         | 549       | 3.49    | 2         | <5       | <2        | <2        | 66        | .5        | <2        | 2         | 58       | .41     | .050     | 9         | 19        | .63     | 120       | .12     | <2       | 1.78    | .01     | .06    | <1       | 10         |
| 9600N 11100E    | 1         | 111       | 21        | 175       | .6        | 8         | 11        | 2623      | 2.91    | 3         | <5       | <2        | <2        | 39        | .3        | <2        | 2         | 41       | .25     | .090     | 9         | 18        | .44     | 79        | .05     | <2       | 3.46    | .01     | .06    | <1       | 3          |
| 9600N 11150E    | 2         | 39        | 227       | 377       | .7        | 5         | 18        | 8193      | 4.46    | 3         | <5       | <2        | <2        | 54        | 1.8       | <2        | 3         | 35       | .23     | .067     | 12        | 9         | .34     | 211       | .02     | <2       | 2.40    | .02     | .11    | <1       | 3          |
| 9600N 11200E    | 3         | 60        | 409       | 159       | 1.1       | 3         | 2         | 357       | 4.28    | 5         | <5       | <2        | <2        | 73        | .2        | <2        | 2         | 27       | .10     | .142     | 15        | 5         | .27     | 291       | .02     | <2       | 1.55    | .03     | .16    | <1       | 3          |
| 9600N 11250E    | 1         | 12        | 88        | 100       | .2        | 2         | 1         | 287       | 3.16    | <2        | <5       | <2        | <2        | 31        | .8        | <2        | <2        | 61       | .11     | .038     | 8         | 8         | .16     | 108       | .09     | <2       | 1.21    | .01     | .06    | 1        | <1         |
| 9600N 11300E    | 2         | 22        | 153       | 119       | .4        | 3         | 2         | 297       | 4.24    | 4         | <5       | <2        | <2        | 64        | .7        | <2        | 2         | 59       | .12     | .060     | 10        | 10        | .29     | 190       | .09     | <2       | 1.65    | .02     | .09    | 1        | 1          |
| 9600N 11350E    | 2         | 28        | 125       | 128       | .5        | 6         | 3         | 357       | 4.95    | 7         | <5       | <2        | <2        | 59        | .6        | <2        | 3         | 70       | .12     | .073     | 10        | 13        | .39     | 191       | .09     | <2       | 1.86    | .02     | .08    | <1       | 4          |
| 9600N 11400E    | 2         | 35        | 206       | 142       | .7        | 1         | 2         | 340       | 4.29    | 5         | <5       | <2        | <2        | 68        | .5        | <2        | <2        | 51       | .09     | .075     | 13        | 8         | .29     | 215       | .04     | <2       | 2.01    | .02     | .12    | <1       | 3          |
| RE 9600N 11400E | 2         | 35        | 219       | 148       | .8        | 3         | 2         | 352       | 4.43    | 5         | <5       | <2        | <2        | 70        | 1.2       | 3         | <2        | 52       | .09     | .080     | 14        | 8         | .30     | 218       | .04     | <2       | 2.06    | .02     | .12    | 1        | 5          |
| .00N 11450E     | 2         | 25        | 122       | 101       | .9        | 3         | 1         | 239       | 4.69    | 3         | <5       | <2        | <2        | 80        | .7        | <2        | <2        | 43       | .06     | .069     | 12        | 8         | .22     | 236       | .05     | <2       | 2.24    | .03     | .10    | <1       | 1          |
| 9600N 11500E    | 1         | 13        | 108       | 150       | .2        | 4         | 2         | 302       | 3.44    | <2        | <5       | <2        | <2        | 51        | .8        | <2        | <2        | 43       | .13     | .050     | 9         | 9         | .20     | 213       | .03     | <2       | 1.46    | .01     | .10    | <1       | <1         |
| 9600N 11550E    | 2         | 20        | 127       | 422       | .1        | 6         | 4         | 1015      | 4.33    | 3         | <5       | <2        | <2        | 35        | 2.8       | <2        | <2        | 52       | .17     | .061     | 10        | 9         | .40     | 409       | .02     | <2       | 1.77    | .01     | .08    | <1       | 1          |
| 9600N 11600E    | 2         | 15        | 81        | 282       | .2        | 10        | 5         | 611       | 4.19    | 7         | <5       | <2        | <2        | 28        | .6        | 2         | <2        | 53       | .14     | .086     | 9         | 12        | .48     | 199       | .01     | <2       | 2.01    | .01     | .07    | <1       | <1         |
| 9600N 11650E    | 3         | 32        | 192       | 713       | .3        | 8         | 4         | 1249      | 3.72    | <2        | <5       | <2        | <2        | 33        | 2.3       | <2        | 2         | 44       | .30     | .092     | 11        | 12        | .54     | 174       | .07     | <2       | 2.05    | .01     | .06    | <1       | 2          |
| 9600N 11700E    | 5         | 155       | 593       | 1234      | .6        | 6         | 6         | 2901      | 3.67    | 3         | <5       | <2        | 2         | 35        | 4.7       | <2        | 2         | 48       | .44     | .086     | 16        | 7         | .86     | 130       | .03     | <2       | 2.54    | .01     | .05    | <1       | 39         |
| 9600N 11750E    | 4         | 53        | 177       | 1444      | .7        | 7         | 5         | 1561      | 4.55    | <2        | <5       | <2        | <2        | 25        | 4.1       | <2        | <2        | 67       | .26     | .122     | 10        | 11        | .69     | 132       | .03     | <2       | 2.46    | .01     | .07    | <1       | 66         |
| 9600N 11800E    | 3         | 71        | 207       | 1076      | .3        | 5         | 7         | 2875      | 3.95    | 2         | <5       | <2        | <2        | 24        | 3.8       | <2        | <2        | 65       | .19     | .088     | 9         | 9         | .61     | 161       | .03     | <2       | 2.10    | .01     | .06    | 1        | 2          |
| 9600N 11850E    | 6         | 64        | 493       | 719       | 1.1       | 6         | 8         | 1997      | 3.39    | 7         | <5       | <2        | <2        | 56        | 6.9       | 2         | <2        | 49       | .38     | .078     | 10        | 8         | .46     | 180       | .06     | <2       | 1.71    | .01     | .08    | <1       | 3          |
| 9600N 11900E    | 3         | 64        | 194       | 530       | .6        | 5         | 5         | 947       | 4.48    | 5         | <5       | <2        | <2        | 18        | 1.5       | <2        | 3         | 75       | .08     | .091     | 8         | 8         | .42     | 140       | .02     | <2       | 2.29    | .01     | .10    | <1       | 1          |
| 9600N 11950E    | 2         | 77        | 114       | 513       | .5        | 5         | 3         | 1139      | 3.82    | 5         | <5       | <2        | <2        | 22        | 1.2       | <2        | <2        | 49       | .12     | .076     | 12        | 11        | .47     | 85        | .05     | 2        | 2.65    | .01     | .05    | 1        | 2          |
| 9600N 12000E    | 2         | 86        | 104       | 672       | .3        | 6         | 6         | 2042      | 3.67    | 4         | <5       | <2        | <2        | 26        | 1.3       | <2        | 3         | 55       | .16     | .089     | 10        | 11        | .63     | 75        | .04     | <2       | 2.10    | .01     | .06    | <1       | 2          |
| 9600N 12050E    | 4         | 151       | 223       | 751       | .9        | 10        | 6         | 1382      | 3.28    | 7         | <5       | <2        | <2        | 29        | 2.0       | <2        | 5         | 42       | .16     | .065     | 14        | 12        | .59     | 85        | .04     | 2        | 2.01    | .01     | .07    | <1       | 7          |
| 9600N 12100E    | 2         | 47        | 66        | 536       | .3        | 4         | 4         | 1254      | 4.05    | <2        | <5       | <2        | <2        | 26        | 1.0       | <2        | <2        | 49       | .13     | .073     | 8         | 7         | .43     | 82        | .02     | <2       | 2.04    | .01     | .05    | <1       | 1          |
| 9600N 12150E    | 3         | 54        | 126       | 612       | .5        | 6         | 5         | 1406      | 4.35    | 2         | <5       | <2        | <2        | 23        | 1.2       | <2        | 2         | 43       | .15     | .079     | 10        | 10        | .47     | 65        | .03     | 2        | 2.85    | .01     | .06    | <1       | 1          |
| 9600N 12200E    | 5         | 31        | 72        | 205       | .6        | 3         | 3         | 831       | 4.52    | <2        | <5       | <2        | <2        | 24        | .7        | <2        | 2         | 56       | .12     | .078     | 9         | 8         | .29     | 86        | .04     | 2        | 1.98    | .01     | .06    | <1       | 2          |
| 9600N 12250E    | 4         | 19        | 94        | 160       | .3        | 6         | 2         | 517       | 4.95    | 4         | <5       | <2        | <2        | 22        | .6        | <2        | 3         | 60       | .09     | .075     | 11        | 12        | .22     | 89        | .06     | 3        | 2.25    | .01     | .05    | 1        | 2          |
| 9600N 12300E    | 4         | 31        | 93        | 231       | .3        | 3         | 3         | 1033      | 4.12    | <2        | <5       | <2        | <2        | 29        | .7        | <2        | <2        | 57       | .12     | .069     | 9         | 7         | .34     | 114       | .03     | 2        | 1.62    | .01     | .07    | 1        | 3          |
| 9600N 12350E    | 2         | 12        | 59        | 68        | .2        | 2         | 1         | 284       | 2.24    | <2        | <5       | <2        | <2        | 17        | <.2       | <2        | <2        | 47       | .09     | .025     | 8         | 6         | .10     | 69        | .06     | <2       | 1.16    | .01     | .04    | 1        | 3          |
| RE 9600N 12400E | 2         | 25        | 80        | 145       | .2        | 2         | 2         | 472       | 2.70    | 4         | <5       | <2        | <2        | 26        | .8        | <2        | <2        | 48       | .20     | .041     | 7         | 6         | .17     | 118       | .02     | <2       | 1.17    | .01     | .06    | 1        | 4          |
| 9600N 12450E    | 4         | 51        | 163       | 606       | .4        | 3         | 5         | 681       | 4.58    | <2        | 5        | <2        | 2         | 114       | 1.0       | <2        | 3         | 42       | .08     | .064     | 14        | 7         | .29     | 167       | .03     | 3        | 2.23    | .03     | .16    | 1        | 2          |
| 9600N 12500E    | 3         | 36        | 92        | 629       | .3        | 4         | 6         | 1144      | 4.68    | <2        | <5       | <2        | <2        | 47        | 1.7       | 3         | 2         | 54       | .08     | .098     | 15        | 6         | .45     | 181       | .01     | <2       | 2.61    | .01     | .10    | 1        | 3          |
| 9600N 12550E    | 3         | 41        | 123       | 447       | .4        | 8         | 5         | 1148      | 4.78    | <2        | <5       | <2        | <2        | 30        | 1.2       | <2        | <2        | 50       | .11     | .098     | 10        | 9         | .44     | 99        | .02     | <2       | 2.36    | .01     | .07    | <1       | 1          |
| 9600N 12650E    | 3         | 12        | 73        | 107       | <.1       | 2         | 1         | 264       | 3.15    | 2         | <5       | <2        | <2        | 23        | .5        | <2        | <2        | 62       | .18     | .042     | 6         | 7         | .13     | 93        | .04     | 3        | 1.27    | .01     | .04    | <1       | 4          |
| 9600N 12700E    | 3         | 14        | 75        | 82        | .1        | 2         | 1         | 240       | 3.02    | <2        | 5        | <2        | <2        | 21        | <.2       | <2        | 2         | 52       | .10     | .053     | 8         | 7         | .14     | 89        | .06     | 3        | 1.34    | .01     | .05    | <1       | 11         |
| 9600N 12750E    | 2         | 11        | 50        | 94        | .4        | 4         | 2         | 253       | 3.29    | <2        | <5       | <2        | <2        | 18        | .4        | 2         | <2        | 53       | .07     | .057     | 8         | 11        | .21     | 102       | .05     | <2       | 1.91    | .01     | .05    | <1       | 3          |
| 9600N 12800E    | 3         | 37        | 174       | 352       | .7        | 5         | 3         | 791       | 3.92    | 4         | <5       | <2        | <2        | 38        | 1.7       | <2        | <2        | 51       | .15     | .058     | 10        | 9         | .47     | 190       | .04     | <2       | 2.20    | .02     | .08    | <1       | 7          |
| STANDARD C/AU-S | 16        | 56        | 34        | 122       | 6.3       | 63        | 27        | 1021      | 3.96    | 33        | 19       | 7         | 34        | 54        | 17.5      | 14        | 20        | 51       | .49     | .085     | 37        | 54        | .89     | 194       | .09     | 33       | 1.88    | .06     | .13    | 11       | 48         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 10



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>ppm | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|----------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 9600N 12850E    | 12        | 25        | 93        | 187       | .9        | 2         | 4         | 323       | 4.40    | <2        | <5       | <2        | <2        | 46        | 1.0       | <2        | 2         | 60       | .05     | .076     | 14        | 2         | .17     | 130       | .08     | <2       | 2.13    | .02     | .10    | 1        | 3          |
| 9600N 12900E    | 3         | 30        | 165       | 375       | .6        | 10        | 5         | 539       | 3.86    | <2        | <5       | <2        | 2         | 38        | 1.3       | <2        | <2        | 51       | .12     | .072     | 11        | 15        | .46     | 197       | .02     | <2       | 2.66    | .01     | .09    | <1       | 2          |
| 9600N 12950E    | 4         | 44        | 220       | 456       | .8        | 15        | 7         | 650       | 3.96    | 6         | <5       | <2        | 2         | 44        | 1.5       | <2        | <2        | 45       | .17     | .067     | 12        | 18        | .61     | 172       | .04     | <2       | 2.60    | .02     | .09    | <1       | 3          |
| 9600N 13000E    | 3         | 31        | 158       | 118       | .2        | 4         | 3         | 246       | 3.15    | 3         | <5       | <2        | <2        | 39        | .4        | <2        | <2        | 58       | .10     | .076     | 10        | 7         | .16     | 141       | .04     | <2       | 1.35    | .02     | .08    | <1       | 51         |
| 9400N 9900E     | 1         | 445       | 868       | 1096      | .8        | 111       | 53        | 4867      | 6.84    | 5         | <5       | <2        | <2        | 99        | 9.3       | <2        | <2        | 141      | 1.21    | .067     | 4         | 191       | 3.55    | 52        | .25     | <2       | 4.18    | .01     | .04    | <1       | 4          |
| 9400N 9950E     | 2         | 180       | 242       | 306       | <.1       | 55        | 41        | 2817      | 7.19    | 8         | <5       | <2        | <2        | 79        | .9        | <2        | <2        | 183      | .76     | .069     | 6         | 171       | 2.51    | 75        | .22     | <2       | 3.90    | .01     | .05    | <1       | 3          |
| 9400N 10000E    | <1        | 120       | 72        | 164       | <.1       | 27        | 34        | 2574      | 8.05    | <2        | <5       | <2        | <2        | 47        | .4        | <2        | <2        | 211      | .65     | .104     | 4         | 103       | 1.58    | 70        | .15     | <2       | 2.99    | .01     | .04    | <1       | 2          |
| 9400N 10050E    | <1        | 36        | 67        | 158       | .4        | 9         | 10        | 1695      | 3.11    | 2         | <5       | <2        | <2        | 154       | .7        | <2        | <2        | 51       | 1.34    | .104     | 9         | 21        | .75     | 266       | .07     | <2       | 2.69    | .01     | .06    | <1       | 2          |
| 9400N 10100E    | 3         | 39        | 65        | 161       | .6        | 14        | 8         | 688       | 4.07    | 10        | <5       | <2        | <2        | 81        | .3        | <2        | <2        | 59       | .36     | .059     | 9         | 21        | .82     | 102       | .14     | <2       | 3.24    | .01     | .04    | 1        | 9          |
| 9400N 10150E    | <1        | 20        | 35        | 100       | <.1       | 7         | 6         | 717       | 4.16    | 4         | <5       | <2        | <2        | 81        | <.2       | <2        | <2        | 59       | .30     | .058     | 9         | 11        | .58     | 68        | .11     | <2       | 2.86    | .01     | .03    | <1       | 2          |
| .00N 10200E     | 4         | 21        | 52        | 115       | .7        | 9         | 7         | 721       | 3.94    | 2         | <5       | <2        | 2         | 70        | .5        | <2        | <2        | 52       | .38     | .069     | 14        | 19        | .58     | 68        | .14     | <2       | 2.90    | .02     | .05    | <1       | 9          |
| 9400N 10250E    | 2         | 25        | 51        | 122       | .8        | 10        | 7         | 740       | 4.39    | 10        | <5       | <2        | <2        | 63        | .4        | <2        | <2        | 60       | .29     | .068     | 10        | 22        | .68     | 77        | .13     | <2       | 2.73    | .01     | .04    | <1       | 11         |
| 9400N 10300E    | 3         | 47        | 100       | 182       | .2        | 19        | 10        | 938       | 5.38    | 5         | <5       | <2        | <2        | 56        | .4        | <2        | <2        | 91       | .37     | .109     | 8         | 60        | 1.09    | 74        | .13     | <2       | 2.39    | .01     | .04    | 1        | 6          |
| 9400N 10350E    | 3         | 30        | 76        | 147       | .4        | 10        | 7         | 740       | 5.37    | 13        | <5       | <2        | <2        | 42        | .6        | <2        | <2        | 86       | .20     | .099     | 8         | 35        | .53     | 70        | .14     | <2       | 2.52    | .01     | .04    | <1       | 5          |
| 9400N 10400E    | 2         | 21        | 41        | 122       | .4        | 7         | 7         | 921       | 4.38    | 4         | <5       | <2        | <2        | 55        | .2        | <2        | <2        | 56       | .30     | .103     | 8         | 16        | .53     | 77        | .11     | <2       | 3.63    | .01     | .04    | 1        | 4          |
| 9400N 10450E    | 3         | 18        | 41        | 114       | .1        | 7         | 6         | 658       | 5.24    | 11        | <5       | <2        | <2        | 58        | <.2       | 2         | 2         | 68       | .28     | .085     | 7         | 12        | .57     | 68        | .14     | <2       | 2.66    | .01     | .04    | 1        | 2          |
| 9400N 10500E    | 2         | 16        | 32        | 107       | .3        | 6         | 7         | 768       | 4.70    | 5         | <5       | <2        | <2        | 60        | .2        | <2        | <2        | 69       | .34     | .115     | 7         | 12        | .64     | 71        | .13     | <2       | 3.07    | .01     | .04    | <1       | 7          |
| 9400N 10550E    | 2         | 22        | 66        | 127       | .3        | 11        | 8         | 567       | 5.31    | 5         | <5       | <2        | <2        | 48        | <.2       | 2         | <2        | 77       | .25     | .104     | 8         | 28        | .69     | 79        | .17     | <2       | 3.44    | .01     | .04    | <1       | 14         |
| 9400N 10600E    | 2         | 17        | 46        | 126       | <.1       | 7         | 6         | 533       | 5.52    | <2        | <5       | <2        | <2        | 46        | .2        | <2        | <2        | 88       | .24     | .068     | 8         | 19        | .52     | 91        | .13     | <2       | 3.17    | .01     | .04    | <1       | 4          |
| 9400N 10650E    | 1         | 16        | 52        | 97        | .2        | 6         | 5         | 481       | 4.52    | 9         | <5       | <2        | <2        | 49        | .2        | <2        | <2        | 84       | .22     | .066     | 6         | 18        | .50     | 125       | .18     | <2       | 1.99    | .01     | .05    | <1       | 14         |
| 9400N 10700E    | 3         | 16        | 51        | 69        | .2        | 4         | 4         | 377       | 3.77    | 5         | <5       | <2        | <2        | 44        | .2        | <2        | <2        | 77       | .21     | .058     | 6         | 15        | .39     | 78        | .17     | <2       | 1.77    | .01     | .05    | <1       | 29         |
| 9400N 10750E    | 3         | 15        | 54        | 80        | .1        | 4         | 5         | 414       | 3.91    | 11        | <5       | <2        | <2        | 42        | <.2       | <2        | <2        | 92       | .21     | .072     | 6         | 16        | .43     | 103       | .13     | <2       | 1.57    | .01     | .05    | <1       | 16         |
| 9400N 10800E    | 2         | 22        | 42        | 110       | .2        | 8         | 6         | 439       | 5.99    | 2         | <5       | <2        | <2        | 42        | <.2       | <2        | <2        | 91       | .19     | .054     | 7         | 24        | .56     | 111       | .14     | <2       | 2.47    | .01     | .04    | <1       | 5          |
| 9400N 10850E    | 3         | 16        | 58        | 80        | .5        | 5         | 4         | 370       | 3.99    | <2        | <5       | <2        | <2        | 38        | <.2       | <2        | <2        | 63       | .22     | .052     | 6         | 13        | .48     | 110       | .12     | <2       | 2.40    | .01     | .06    | <1       | 4          |
| 9400N 10900E    | 2         | 21        | 48        | 121       | <.1       | 8         | 6         | 422       | 6.02    | 2         | <5       | <2        | <2        | 35        | <.2       | <2        | <2        | 80       | .18     | .113     | 8         | 22        | .58     | 103       | .14     | <2       | 2.98    | .01     | .05    | <1       | 14         |
| RE 9400N 10900E | 2         | 22        | 51        | 120       | .2        | 8         | 6         | 416       | 5.94    | 9         | <5       | <2        | <2        | 34        | <.2       | <2        | <2        | 80       | .18     | .112     | 8         | 22        | .57     | 99        | .14     | <2       | 2.92    | .01     | .05    | <1       | 14         |
| 9400N 10950E    | 1         | 17        | 51        | 85        | .1        | 6         | 5         | 393       | 4.92    | 4         | <5       | <2        | <2        | 35        | <.2       | <2        | <2        | 88       | .17     | .092     | 8         | 17        | .48     | 107       | .15     | <2       | 2.10    | .01     | .05    | <1       | 40         |
| 9400N 11000E    | 3         | 21        | 46        | 104       | .2        | 11        | 7         | 499       | 4.29    | 2         | <5       | <2        | <2        | 45        | <.2       | <2        | <2        | 79       | .26     | .036     | 9         | 22        | .76     | 119       | .16     | <2       | 2.37    | .01     | .06    | <1       | 4          |
| 9400N 11050E    | 3         | 17        | 38        | 75        | .1        | 6         | 5         | 423       | 4.66    | 5         | <5       | <2        | <2        | 31        | <.2       | <2        | <2        | 76       | .16     | .065     | 7         | 18        | .43     | 90        | .11     | <2       | 1.93    | .01     | .04    | <1       | 4          |
| 9400N 11100E    | 2         | 14        | 43        | 59        | .4        | 5         | 3         | 274       | 2.74    | 2         | <5       | <2        | <2        | 35        | .2        | <2        | <2        | 58       | .18     | .037     | 8         | 13        | .31     | 92        | .10     | <2       | 1.95    | .01     | .04    | <1       | 6          |
| 9400N 11150E    | 3         | 46        | 59        | 149       | .3        | 12        | 8         | 738       | 4.13    | 6         | <5       | <2        | <2        | 64        | 1.0       | <2        | <2        | 76       | .30     | .059     | 8         | 22        | .76     | 165       | .10     | 2        | 2.46    | .02     | .07    | <1       | 5          |
| 9400N 11200E    | 2         | 31        | 21        | 171       | .3        | 13        | 12        | 1554      | 3.24    | 5         | <5       | <2        | 3         | 61        | .9        | <2        | <2        | 60       | .71     | .063     | 14        | 17        | .60     | 160       | .13     | 2        | 1.58    | .01     | .09    | <1       | 5          |
| 9400N 11250E    | 3         | 27        | 47        | 136       | 1.0       | 8         | 6         | 488       | 5.28    | <2        | <5       | <2        | <2        | 46        | .4        | <2        | <2        | 85       | .23     | .116     | 9         | 21        | .50     | 96        | .12     | <2       | 1.97    | .01     | .05    | <1       | 3          |
| 9400N 11300E    | 2         | 37        | 46        | 157       | .3        | 7         | 5         | 418       | 4.63    | <2        | <5       | <2        | <2        | 51        | .7        | <2        | <2        | 84       | .22     | .080     | 8         | 19        | .46     | 131       | .10     | <2       | 2.64    | .01     | .05    | <1       | 100        |
| 9400N 11350E    | 2         | 23        | 63        | 128       | .5        | 10        | 6         | 413       | 4.78    | 5         | <5       | <2        | <2        | 42        | .5        | <2        | <2        | 70       | .22     | .093     | 8         | 22        | .56     | 118       | .10     | <2       | 2.00    | .01     | .06    | <1       | 6          |
| 9400N 11400E    | 2         | 25        | 108       | 175       | .9        | 6         | 4         | 390       | 4.40    | <2        | <5       | <2        | <2        | 43        | .8        | <2        | 2         | 64       | .13     | .077     | 9         | 13        | .36     | 150       | .07     | <2       | 2.04    | .01     | .06    | <1       | 3          |
| 9400N 11450E    | 2         | 20        | 80        | 203       | .8        | 6         | 4         | 418       | 3.74    | <2        | <5       | <2        | <2        | 34        | 1.2       | <2        | <2        | 53       | .14     | .058     | 9         | 15        | .35     | 125       | .06     | <2       | 2.20    | .01     | .07    | <1       | 2          |
| STANDARD C/AU-S | 16        | 58        | 36        | 124       | 6.8       | 65        | 31        | 1044      | 3.96    | 38        | 16       | 7         | 33        | 54        | 18.1      | 14        | 17        | 53       | .50     | .087     | 37        | 62        | .90     | 192       | .09     | 32       | 1.88    | .06     | .14    | 11       | 51         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1895

Page 11



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>ppm | Ba<br>ppm | Ti<br>ppm | B<br>% | Al<br>% | Na<br>% | K<br>% | W<br>% | Au*<br>ppb |    |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|-----------|-----------|-----------|--------|---------|---------|--------|--------|------------|----|
| 9400N 11500E    | 2         | 32        | 71        | 182       | .4        | 12        | 7         | 506       | 3.56    | 5         | <5       | <2        | <2        | 56        | .3        | <2        | <2        | 53       | .32     | .045   | 12        | 16        | .48       | 214       | .06       | 4      | 1.91    | .02     | .09    | <1     | 4          |    |
| 9400N 11550E    | 1         | 15        | 49        | 114       | .2        | 7         | 4         | 269       | 2.99    | 2         | <5       | <2        | <2        | 36        | .4        | <2        | <2        | 55       | .25     | .069   | 9         | 14        | .22       | 150       | .07       | 3      | 1.42    | .01     | .08    | <1     | 1          |    |
| 9400N 11600E    | 2         | 29        | 191       | 358       | .6        | 5         | 5         | 782       | 3.82    | 3         | <5       | <2        | <2        | 49        | 1.4       | 2         | <2        | 56       | .25     | .065   | 10        | 9         | .19       | 399       | .02       | 3      | 1.60    | .01     | .09    | <1     | 16         |    |
| 9400N 11650E    | 2         | 20        | 133       | 304       | .2        | 6         | 4         | 418       | 3.89    | 6         | <5       | <2        | <2        | 48        | .6        | <2        | <2        | 54       | .24     | .067   | 8         | 10        | .38       | 194       | .02       | 2      | 1.71    | .01     | .09    | <1     | 1          |    |
| 9400N 11700E    | 2         | 30        | 135       | 538       | .2        | 3         | 6         | 1926      | 3.51    | 2         | <5       | <2        | <2        | 37        | 1.3       | <2        | <2        | 61       | .40     | .080   | 7         | 6         | .45       | 108       | .05       | 4      | 1.64    | .01     | .07    | <1     | 1          |    |
| 9400N 11750E    | 3         | 55        | 169       | 750       | .3        | 7         | 6         | 1339      | 3.36    | 2         | <5       | <2        | <2        | 36        | 2.2       | <2        | <2        | 53       | .41     | .111   | 9         | 12        | .43       | 150       | .02       | 3      | 1.64    | .01     | .09    | <1     | 1          |    |
| 9400N 11800E    | 2         | 52        | 114       | 844       | .3        | 14        | 6         | 1145      | 3.61    | 6         | <5       | <2        | <2        | 29        | 1.8       | <2        | <2        | 53       | .25     | .071   | 10        | 18        | .69       | 90        | .05       | 3      | 2.18    | .01     | .06    | <1     | 2          |    |
| 9400N 11850E    | 5         | 198       | 333       | 1201      | 1.7       | 10        | 7         | 1750      | 3.89    | 9         | 5        | <2        | <2        | 36        | 3.1       | <2        | 4         | 59       | .23     | .064   | 16        | 13        | .73       | 149       | .04       | 4      | 2.45    | .01     | .11    | 1      | 3          |    |
| 9400N 11900E    | 4         | 49        | 231       | 509       | .4        | 8         | 5         | 863       | 3.41    | 6         | <5       | <2        | <2        | 29        | 1.6       | <2        | <2        | 60       | .21     | .057   | 10        | 13        | .40       | 110       | .06       | 3      | 1.94    | .01     | .08    | <1     | 1          |    |
| 9400N 11950E    | 3         | 245       | 226       | 1492      | 1.0       | 8         | 10        | 2983      | 3.27    | 6         | <5       | <2        | <2        | 47        | 5.7       | <2        | 2         | 40       | .50     | .103   | 14        | 8         | .70       | 129       | .10       | 3      | 1.85    | .01     | .11    | <1     | 6          |    |
| 9400N 12000E    | 4         | 67        | 128       | 904       | .3        | 7         | 6         | 1092      | 3.77    | 7         | <5       | <2        | <2        | 30        | 1.1       | <2        | <2        | 54       | .27     | .070   | 8         | 10        | .47       | 143       | .05       | 2      | 2.42    | .01     | .08    | <1     | 6          |    |
| 9400N 12050E    | 1         | 58        | 76        | 907       | .7        | 10        | 6         | 1478      | 3.68    | 5         | <5       | <2        | <2        | 29        | 1.1       | <2        | <2        | 47       | .24     | .066   | 9         | 13        | .66       | 105       | .06       | 3      | 3.05    | .01     | .06    | 2      | 2          |    |
| 9400N 12100E    | 2         | 47        | 124       | 645       | 1.1       | 6         | 5         | 1123      | 4.03    | 6         | <5       | <2        | <2        | 38        | 1.1       | <2        | <2        | 43       | .27     | .095   | 11        | 11        | .43       | 77        | .09       | 2      | 3.03    | .01     | .06    | 2      | 4          |    |
| 9400N 12150E    | 2         | 31        | 94        | 472       | .4        | 4         | 5         | 1054      | 3.85    | 5         | <5       | <2        | <2        | 36        | .8        | <2        | <2        | 49       | .22     | .069   | 10        | 8         | .41       | 94        | .06       | 2      | 2.24    | .01     | .07    | <1     | 6          |    |
| 9400N 12200E    | 2         | 27        | 82        | 363       | .4        | 4         | 4         | 966       | 4.05    | 2         | <5       | <2        | <2        | 33        | .6        | <2        | 2         | 52       | .20     | .086   | 9         | 9         | .37       | 76        | .06       | 3      | 2.20    | .01     | .08    | <1     | 1          |    |
| 9400N 12250E    | 2         | 31        | 47        | 451       | .2        | 8         | 8         | 859       | 4.83    | 3         | <5       | <2        | <2        | 32        | .8        | <2        | <2        | 69       | .12     | .071   | 8         | 12        | .68       | 85        | .03       | 3      | 3.14    | .01     | .08    | 2      | 1          |    |
| 9400N 12300E    | 2         | 31        | 82        | 357       | .4        | 5         | 4         | 1016      | 3.49    | 3         | <5       | <2        | <2        | 26        | .4        | <2        | 2         | 53       | .18     | .072   | 9         | 10        | .41       | 74        | .03       | 2      | 2.16    | .01     | .06    | <1     | 2          |    |
| 9400N 12350E    | 2         | 90        | 122       | 1090      | .5        | 9         | 8         | 2503      | 3.69    | 7         | <5       | <2        | <2        | 30        | 1.7       | <2        | 3         | 43       | .29     | .085   | 12        | 11        | .69       | 85        | .03       | 3      | 2.37    | .01     | .08    | 2      | 7          |    |
| 9400N 12400E    | 2         | 50        | 116       | 581       | .4        | 9         | 6         | 948       | 3.67    | 3         | <5       | <2        | <2        | 28        | .8        | <2        | 2         | 50       | .15     | .064   | 10        | 13        | .48       | 99        | .04       | 2      | 2.48    | .01     | .06    | <1     | 6          |    |
| 9400N 12450E    | 3         | 33        | 113       | 416       | .2        | 5         | 5         | 1171      | 3.78    | 3         | <5       | <2        | <2        | 30        | .7        | <2        | <2        | 49       | .18     | .068   | 9         | 8         | .38       | 77        | .02       | 3      | 2.21    | .01     | .06    | <1     | 2          |    |
| RE 9400N 12450E | 3         | 32        | 116       | 416       | .3        | 5         | 5         | 1189      | 3.82    | 2         | <5       | <2        | <2        | 30        | .8        | <2        | <2        | 49       | .18     | .069   | 9         | 8         | .38       | 76        | .02       | 2      | 2.21    | .01     | .07    | <1     | 4          |    |
| 9400N 12500E    | 3         | 22        | 94        | 205       | .4        | 3         | 3         | 431       | 4.21    | 3         | <5       | <2        | <2        | 26        | .2        | <2        | <2        | 61       | .14     | .062   | 9         | 7         | .15       | 73        | .05       | 3      | 2.00    | .01     | .06    | <1     | 1          |    |
| 9400N 12550E    | 3         | 39        | 111       | 331       | .8        | 5         | 6         | 1054      | 4.71    | 2         | <5       | <2        | <2        | 26        | .5        | <2        | <2        | 62       | .15     | .073   | 8         | 9         | .23       | 85        | .04       | 2      | 1.92    | .01     | .06    | <1     | 4          |    |
| 9400N 12600E    | 3         | 23        | 123       | 174       | .9        | 3         | 3         | 618       | 4.73    | 3         | <5       | <2        | <2        | 22        | <2        | <2        | <2        | 67       | .11     | .099   | 8         | 8         | .13       | 67        | .04       | 3      | 2.11    | .01     | .06    | <1     | 1          |    |
| 9400N 12650E    | 4         | 127       | 737       | 621       | 2.6       | 2         | 9         | 2074      | 5.09    | 18        | <5       | <2        | <2        | 12        | .3        | <2        | <2        | 33       | .01     | .091   | 14        | 2         | .09       | 170       | <.01      | 2      | 3.38    | .01     | .14    | 2      | 32         |    |
| 9400N 12700E    | 6         | 134       | 325       | 438       | 1.3       | 1         | 4         | 690       | 2.74    | 8         | <5       | <2        | <2        | 42        | 1.1       | <2        | 6         | 14       | .05     | .062   | 18        | 1         | .03       | 125       | <.01      | 3      | 1.07    | .01     | .15    | <1     | 58         |    |
| 9400N 12750E    | 9         | 361       | 363       | 15039     | 5.2       | 39        | 216       | 35752     | 6.23    | 12        | <5       | <2        | <2        | 354       | 95        | 292       | 4         | 13       | .46     | .18    | .084      | 24        | 17        | .29       | 918       | .01    | 2       | 1.39    | .01    | .15    | <1         | 23 |
| 9400N 12800E    | 4         | 57        | 154       | 468       | .7        | 7         | 15        | 2410      | 3.33    | 4         | <5       | <2        | <2        | 48        | 1.1       | <2        | <2        | 40       | .14     | .054   | 12        | 10        | .38       | 297       | .02       | 3      | 1.92    | .01     | .10    | <1     | 6          |    |
| 9400N 12850E    | 2         | 14        | 125       | 138       | .8        | 2         | 3         | 483       | 2.99    | <2        | <5       | <2        | <2        | 31        | .8        | <2        | <2        | 41       | .05     | .055   | 11        | 5         | .06       | 144       | .01       | 3      | 1.33    | .01     | .08    | <1     | 8          |    |
| 9400N 12900E    | 3         | 34        | 279       | 149       | 1.0       | 2         | 2         | 194       | 3.57    | 3         | <5       | <2        | <2        | 41        | .6        | <2        | 2         | 57       | .08     | .077   | 13        | 5         | .11       | 171       | .03       | 2      | 1.70    | .02     | .11    | <1     | 12         |    |
| 9400N 12950E    | 2         | 27        | 86        | 371       | .9        | 5         | 10        | 2395      | 2.75    | <2        | <5       | <2        | <2        | 175       | 2.7       | <2        | <2        | 32       | 1.21    | .070   | 18        | 7         | .16       | 286       | <.01      | <2     | 1.99    | .01     | .14    | <1     | 6          |    |
| 9400N 13000E    | 4         | 31        | 112       | 323       | 1.2       | 6         | 15        | 2161      | 3.89    | 2         | <5       | <2        | <2        | 177       | 1.1       | <2        | <2        | 47       | 1.26    | .087   | 17        | 11        | .17       | 296       | <.01      | <2     | 2.64    | .01     | .15    | <1     | 4          |    |
| STANDARD C/AU-S | 17        | 58        | 38        | 127       | 6.8       | 63        | 31        | 984       | 3.96    | 38        | 24       | 5         | 33        | 52        | 19.3      | 14        | 15        | 54       | .51     | .087   | 37        | 56        | .93       | 195       | .08       | 33     | 1.88    | .06     | .14    | 10     | 48         |    |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.

ACME IN

ICAL LABORATORIES LTD.

852 E. HASTINGS ST.

JUVER B.C. V6A 1R6

PHONE (604) 253-3158 FAX (

253-1716



## GEOCHEMICAL ANALYSIS CERTIFICATE

WHITE PASS ZONE

Canasil Resources Inc. PROJECT BRENDA File # 91-2214

Page 1

1695 Marine Drive, North Vancouver BC V7P 1V1 Submitted by: PAUL J. WEISHAVPT

| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Tl<br>ppm | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|-----------|----------|---------|---------|--------|----------|------------|
| L11N 0+00E      | 3         | 42        | 74        | 101       | .4        | 7         | 4         | 416       | 2.78    | 6         | 5        | ND        | 1         | 72        | .2        | 2         | 2         | 69       | .20     | .053   | 11        | 16        | .42     | 150       | .08       | 4        | 2.17    | .02     | .07    | 1        | 3          |
| L11N 0+20E      | 3         | 55        | 353       | 145       | .3        | 12        | 6         | 532       | 4.38    | 8         | 5        | ND        | 1         | 82        | .5        | 2         | 2         | 65       | .17     | .076   | 12        | 17        | .71     | 254       | .05       | 2        | 3.34    | .02     | .11    | 1        | 4          |
| L11N 0+40E      | 2         | 30        | 55        | 94        | .5        | 9         | 4         | 404       | 3.37    | 5         | 5        | ND        | 1         | 69        | .4        | 2         | 2         | 60       | .28     | .082   | 9         | 18        | .59     | 141       | .07       | 2        | 2.36    | .02     | .07    | 1        | 89         |
| L11N 0+60E      | 2         | 33        | 67        | 97        | .4        | 8         | 5         | 454       | 3.16    | 5         | 5        | ND        | 1         | 90        | .4        | 2         | 2         | 55       | .40     | .062   | 9         | 17        | .67     | 160       | .10       | 2        | 2.31    | .02     | .07    | 1        | 13         |
| L11N 0+80E      | 1         | 22        | 36        | 95        | .5        | 10        | 5         | 344       | 2.57    | 10        | 5        | ND        | 1         | 42        | .3        | 2         | 2         | 50       | .19     | .060   | 11        | 17        | .43     | 142       | .06       | 5        | 2.39    | .01     | .05    | 1        | 4          |
| L11N 1+00E      | 2         | 29        | 57        | 94        | .3        | 8         | 4         | 353       | 3.18    | 4         | 5        | ND        | 1         | 66        | .4        | 2         | 3         | 55       | .19     | .053   | 11        | 15        | .45     | 165       | .07       | 5        | 2.13    | .02     | .07    | 1        | 1          |
| L11N 1+20E      | 3         | 36        | 65        | 117       | .3        | 7         | 5         | 492       | 3.95    | 6         | 5        | ND        | 1         | 111       | .4        | 2         | 2         | 49       | .50     | .067   | 9         | 10        | .71     | 227       | .09       | 4        | 3.47    | .02     | .10    | 1        | 7          |
| L11N 1+40E      | 3         | 31        | 55        | 102       | .3        | 4         | 4         | 442       | 4.06    | 6         | 5        | ND        | 1         | 85        | .6        | 2         | 3         | 45       | .34     | .098   | 9         | 12        | .52     | 177       | .08       | 4        | 4.53    | .02     | .08    | 1        | 4          |
| L11N 1+60E      | 1         | 22        | 42        | 79        | .4        | 9         | 4         | 280       | 2.58    | 6         | 5        | ND        | 1         | 48        | .3        | 2         | 2         | 51       | .16     | .044   | 10        | 15        | .35     | 129       | .07       | 2        | 2.05    | .02     | .06    | 1        | 5          |
| L11N 1+80E      | 2         | 37        | 57        | 109       | .5        | 10        | 7         | 609       | 3.67    | 6         | 5        | ND        | 1         | 100       | .7        | 2         | 2         | 50       | .50     | .065   | 9         | 15        | .70     | 199       | .10       | 7        | 3.02    | .02     | .08    | 1        | 3          |
| L11N 2+00E      | 2         | 34        | 47        | 107       | .3        | 10        | 6         | 451       | 3.63    | 7         | 5        | ND        | 1         | 64        | .7        | 2         | 2         | 53       | .29     | .062   | 9         | 17        | .56     | 163       | .07       | 4        | 2.95    | .01     | .07    | 1        | 1          |
| L11N 2+20E      | 3         | 32        | 45        | 94        | .4        | 8         | 5         | 442       | 5.88    | 7         | 5        | ND        | 1         | 48        | .2        | 2         | 3         | 122      | .17     | .076   | 8         | 27        | .38     | 128       | .17       | 5        | 2.53    | .02     | .05    | 1        | 1          |
| L11N 2+40E      | 1         | 35        | 42        | 136       | .3        | 17        | 10        | 491       | 3.71    | 8         | 5        | ND        | 1         | 60        | .4        | 2         | 3         | 53       | .29     | .053   | 11        | 23        | .63     | 157       | .08       | 7        | 3.01    | .01     | .07    | 1        | 7          |
| L11N 2+60E      | 3         | 59        | 66        | 131       | .3        | 13        | 9         | 531       | 4.33    | 6         | 5        | ND        | 1         | 96        | .2        | 2         | 2         | 60       | .46     | .068   | 10        | 24        | .79     | 212       | .11       | 2        | 3.05    | .02     | .10    | 1        | 10         |
| L11N 2+80E      | 4         | 50        | 79        | 101       | .6        | 7         | 5         | 398       | 3.83    | 8         | 5        | ND        | 1         | 75        | .6        | 2         | 2         | 62       | .19     | .069   | 11        | 14        | .43     | 170       | .05       | 3        | 2.62    | .02     | .08    | 1        | 1          |
| L11N 3+00E      | 3         | 33        | 73        | 121       | .4        | 8         | 6         | 418       | 3.59    | 6         | 5        | ND        | 1         | 53        | .6        | 2         | 2         | 58       | .17     | .047   | 10        | 15        | .42     | 140       | .07       | 3        | 1.87    | .01     | .09    | 1        | 9          |
| L11N 3+20E      | 2         | 22        | 78        | 95        | .2        | 9         | 4         | 312       | 2.60    | 6         | 5        | ND        | 1         | 51        | .3        | 2         | 2         | 50       | .17     | .055   | 10        | 14        | .38     | 145       | .07       | 2        | 1.84    | .02     | .07    | 1        | 5          |
| L11N 3+40E      | 2         | 39        | 75        | 139       | .4        | 14        | 7         | 503       | 5.74    | 10        | 5        | ND        | 1         | 47        | .3        | 2         | 2         | 71       | .17     | .065   | 10        | 29        | .57     | 154       | .09       | 2        | 2.84    | .02     | .07    | 1        | 2          |
| L11N 3+60E      | 1         | 32        | 68        | 130       | .4        | 12        | 7         | 484       | 4.32    | 6         | 5        | ND        | 1         | 50        | 1.0       | 2         | 2         | 61       | .21     | .053   | 11        | 19        | .54     | 172       | .08       | 5        | 2.23    | .01     | .07    | 1        | 3          |
| L11N 3+80E      | 3         | 38        | 81        | 101       | .7        | 8         | 4         | 423       | 4.82    | 7         | 5        | ND        | 1         | 77        | .7        | 2         | 3         | 77       | .41     | .090   | 8         | 15        | .33     | 184       | .08       | 3        | 2.08    | .01     | .10    | 1        | 3          |
| L11N 4+00E      | 4         | 49        | 93        | 150       | 1.0       | 14        | 7         | 483       | 5.36    | 8         | 5        | ND        | 1         | 81        | .6        | 2         | 2         | 63       | .18     | .081   | 11        | 28        | .59     | 170       | .08       | 3        | 3.21    | .02     | .08    | 1        | 3          |
| L11N 4+20E      | 2         | 28        | 86        | 96        | .6        | 10        | 5         | 327       | 3.89    | 5         | 5        | ND        | 1         | 56        | .2        | 2         | 2         | 66       | .14     | .056   | 10        | 17        | .39     | 142       | .08       | 6        | 2.11    | .01     | .08    | 1        | 5          |
| L11N 4+40E      | 3         | 28        | 99        | 91        | .8        | 8         | 4         | 401       | 4.34    | 6         | 5        | ND        | 1         | 66        | .2        | 2         | 2         | 83       | .14     | .045   | 11        | 17        | .44     | 159       | .12       | 2        | 2.57    | .02     | .08    | 1        | 4          |
| L11N 4+60E      | 3         | 39        | 81        | 127       | .4        | 14        | 6         | 469       | 5.17    | 8         | 5        | ND        | 2         | 61        | .4        | 2         | 2         | 72       | .18     | .059   | 11        | 25        | .68     | 176       | .11       | 4        | 2.98    | .02     | .08    | 1        | 11         |
| L11N 4+80E      | 1         | 33        | 51        | 98        | .5        | 12        | 7         | 432       | 3.68    | 6         | 5        | ND        | 1         | 45        | .5        | 2         | 2         | 68       | .19     | .058   | 12        | 22        | .53     | 174       | .09       | 6        | 2.44    | .01     | .06    | 1        | 1          |
| L11N 5+00E      | 3         | 32        | 110       | 86        | .5        | 7         | 4         | 336       | 3.34    | 7         | 5        | ND        | 1         | 68        | .4        | 2         | 4         | 69       | .13     | .051   | 12        | 16        | .38     | 158       | .09       | 2        | 2.09    | .02     | .09    | 1        | 4          |
| L11N 5+20E      | 4         | 27        | 86        | 64        | .9        | 5         | 2         | 186       | 2.68    | 5         | 5        | ND        | 1         | 58        | .2        | 2         | 2         | 69       | .14     | .063   | 9         | 17        | .18     | 123       | .06       | 6        | 1.69    | .01     | .06    | 1        | 3          |
| L11N 5+40E      | 3         | 79        | 101       | 169       | .7        | 19        | 10        | 521       | 5.03    | 8         | 5        | ND        | 1         | 81        | .6        | 2         | 2         | 59       | .25     | .093   | 9         | 35        | .73     | 178       | .10       | 3        | 3.88    | .03     | .09    | 1        | 1          |
| L11N 5+60E      | 3         | 48        | 66        | 121       | .7        | 11        | 5         | 394       | 3.31    | 7         | 5        | ND        | 1         | 64        | .7        | 2         | 2         | 54       | .26     | .096   | 11        | 18        | .49     | 128       | .06       | 3        | 1.75    | .02     | .08    | 1        | 13         |
| L11N 5+80E      | 25        | 409       | 147       | 956       | 2.5       | 12        | 24        | 31312     | 3.67    | 11        | 5        | ND        | 1         | 167       | 34.9      | 2         | 2         | 31       | .77     | .153   | 37        | 3         | .33     | 312       | .01       | 2        | 2.80    | .02     | .24    | 3        | 86         |
| L11N 6+00E      | 18        | 365       | 69        | 632       | 1.6       | 7         | 24        | 18258     | 1.62    | 7         | 19       | ND        | 1         | 130       | 18.2      | 2         | 2         | 21       | 1.07    | .192   | 60        | 9         | .11     | 158       | .01       | 2        | 2.49    | .01     | .05    | 1        | 22         |
| L7N 5+20E       | 5         | 56        | 211       | 107       | 1.4       | 4         | 3         | 314       | 5.07    | 13        | 5        | ND        | 1         | 89        | .3        | 2         | 5         | 62       | .08     | .092   | 15        | 3         | .22     | 243       | .03       | 2        | 2.36    | .04     | .16    | 1        | 24         |
| L7N 5+40E       | 6         | 110       | 240       | 140       | 2.8       | 4         | 3         | 538       | 6.00    | 47        | 5        | ND        | 1         | 169       | .6        | 2         | 4         | 48       | .09     | .189   | 19        | 1         | .29     | 315       | .02       | 4        | 3.72    | .04     | .20    | 1        | 5          |
| L7N 5+60E       | 5         | 78        | 168       | 123       | 3.5       | 4         | 3         | 351       | 6.13    | 21        | 5        | ND        | 1         | 109       | .3        | 2         | 4         | 39       | .06     | .179   | 18        | 1         | .24     | 252       | .02       | 4        | 3.82    | .04     | .17    | 1        | 60         |
| L7N 5+80E       | 4         | 77        | 175       | 159       | 1.8       | 6         | 5         | 454       | 5.82    | 16        | 5        | ND        | 1         | 106       | .4        | 2         | 5         | 57       | .08     | .160   | 15        | 6         | .35     | 221       | .02       | 3        | 3.21    | .03     | .17    | 1        | 35         |
| L7N 6+00E       | 4         | 100       | 89        | 203       | 1.4       | 5         | 8         | 547       | 5.64    | 14        | 7        | ND        | 2         | 104       | .4        | 2         | 3         | 58       | .05     | .214   | 26        | 1         | .42     | 308       | .01       | 5        | 3.20    | .03     | .26    | 1        | 18         |
| STANDARD C/AU-S | 18        | 56        | 37        | 132       | 7.1       | 70        | 32        | 1044      | 3.96    | 38        | 18       | 6         | 39        | 52        | 18.4      | 14        | 22        | 57       | .48     | .090   | 39        | 58        | .88     | 176       | .09       | 35       | 1.88    | .06     | .15    | 11       | 50         |

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-KNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI 8 W AND LIMITED FOR NA K AND AU. AU DETECTION LIMIT BY ICP IS 3 PPM.  
 - SAMPLE TYPE: SOIL      AU\* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE.

DATE RECEIVED: JUL 2 1991 DATE REPORT MAILED: July 5/91 SIGNED BY C. Toye, C. Leong, J. Wang; CERTIFIED B.C. ASSAYERS



## Canasil Resources Inc. PROJECT BRENDA FILE # 91-2214

Page 2



| SAMPLE#         | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| L7N 6+20E       | 9         | 78        | 248       | 139       | 2.3       | 6         | 5         | 428       | 5.59    | 15        | 5        | ND        | 1         | 132       | .6        | 2         | 3         | 48       | .10     | .110   | 22        | 5         | .43     | 332       | .03     | 2        | 2.49    | .04     | .24    | 1        | 240        |
| L7N 6+40E       | 8         | 58        | 222       | 84        | 2.8       | 3         | 3         | 231       | 4.67    | 12        | 5        | ND        | 1         | 88        | .6        | 2         | 2         | 45       | .06     | .155   | 18        | 1         | .18     | 251       | .01     | 2        | 2.41    | .04     | .19    | 1        | 51         |
| L7N 6+60E       | 5         | 40        | 112       | 123       | 1.8       | 6         | 4         | 336       | 5.06    | 9         | 5        | ND        | 1         | 80        | .5        | 2         | 2         | 57       | .10     | .101   | 14        | 11        | .32     | 203       | .04     | 2        | 3.20    | .03     | .12    | 1        | 14         |
| L7N 6+80E       | 3         | 22        | 67        | 115       | 2.8       | 6         | 4         | 295       | 4.33    | 4         | 5        | ND        | 1         | 63        | 1.0       | 2         | 2         | 60       | .16     | .063   | 10        | 14        | .34     | 154       | .07     | 2        | 2.90    | .02     | .06    | 1        | 14         |
| L7N 7+00E       | 4         | 40        | 77        | 145       | 1.4       | 11        | 5         | 334       | 4.87    | 7         | 5        | ND        | 2         | 78        | .2        | 2         | 2         | 59       | .09     | .076   | 13        | 18        | .43     | 191       | .04     | 2        | 3.36    | .03     | .10    | 1        | 110        |
| L7N 7+20E       | 8         | 47        | 132       | 126       | 2.0       | 8         | 5         | 389       | 4.84    | 13        | 5        | ND        | 2         | 76        | .5        | 2         | 2         | 48       | .08     | .090   | 14        | 12        | .40     | 202       | .04     | 2        | 2.80    | .04     | .12    | 1        | 47         |
| L7N 7+40E       | 3         | 23        | 49        | 100       | 1.5       | 8         | 5         | 413       | 4.27    | 7         | 5        | ND        | 1         | 47        | .3        | 2         | 2         | 55       | .18     | .107   | 8         | 19        | .44     | 115       | .07     | 2        | 3.25    | .01     | .05    | 1        | 8          |
| L7N 7+60E       | 3         | 15        | 101       | 52        | 1.6       | 3         | 2         | 213       | 2.17    | 4         | 5        | ND        | 1         | 48        | .2        | 2         | 2         | 44       | .11     | .075   | 11        | 11        | .15     | 104       | .05     | 2        | 1.52    | .01     | .05    | 1        | 16         |
| L7N 7+80E       | 7         | 26        | 218       | 79        | 2.6       | 10        | 4         | 334       | 4.23    | 10        | 5        | ND        | 1         | 64        | .2        | 2         | 2         | 35       | .05     | .110   | 14        | 14        | .28     | 203       | .03     | 2        | 2.94    | .07     | .12    | 1        | 33         |
| L7N 7+00E       | 11        | 36        | 389       | 71        | 3.7       | 2         | 3         | 534       | 4.05    | 6         | 5        | ND        | 2         | 55        | .2        | 2         | 2         | 26       | .04     | .127   | 13        | 6         | .19     | 195       | .02     | 3        | 2.94    | .05     | .10    | 1        | 42         |
| L7N 8+20E       | 8         | 20        | 309       | 55        | 2.5       | 2         | 2         | 243       | 4.61    | 10        | 5        | ND        | 1         | 77        | .4        | 2         | 2         | 35       | .03     | .211   | 14        | 2         | .08     | 209       | .02     | 2        | 1.98    | .06     | .10    | 1        | 15         |
| L7N 8+40E       | 7         | 19        | 310       | 50        | 1.7       | 1         | 2         | 159       | 3.53    | 6         | 5        | ND        | 1         | 69        | .2        | 2         | 2         | 40       | .04     | .100   | 14        | 3         | .10     | 181       | .02     | 2        | 1.74    | .04     | .09    | 1        | 13         |
| L7N 8+60E       | 9         | 33        | 240       | 77        | 1.7       | 5         | 4         | 357       | 5.64    | 12        | 5        | ND        | 1         | 93        | .2        | 2         | 4         | 34       | .04     | .146   | 16        | 5         | .27     | 304       | .03     | 2        | 2.72    | .08     | .15    | 1        | 50         |
| L7N 8+80E       | 8         | 32        | 203       | 78        | 2.2       | 6         | 4         | 238       | 5.31    | 9         | 5        | ND        | 1         | 90        | .5        | 2         | 2         | 39       | .05     | .140   | 15        | 7         | .24     | 264       | .03     | 3        | 2.59    | .07     | .12    | 1        | 62         |
| L7N 9+00E       | 6         | 27        | 204       | 70        | 2.1       | 5         | 3         | 225       | 4.76    | 10        | 5        | ND        | 1         | 83        | .2        | 2         | 2         | 39       | .04     | .112   | 14        | 4         | .21     | 251       | .02     | 2        | 2.74    | .07     | .11    | 1        | 55         |
| L7N 9+20E       | 4         | 18        | 165       | 56        | 1.0       | 1         | 3         | 158       | 4.04    | 13        | 5        | ND        | 1         | 64        | .2        | 2         | 2         | 54       | .03     | .088   | 13        | 1         | .09     | 181       | .02     | 2        | 1.77    | .04     | .08    | 1        | 150        |
| L7N 9+40E       | 6         | 18        | 134       | 85        | .7        | 3         | 5         | 429       | 6.37    | 14        | 5        | ND        | 1         | 105       | .2        | 2         | 3         | 51       | .06     | .123   | 16        | 2         | .24     | 245       | .03     | 2        | 2.02    | .07     | .15    | 1        | 17         |
| L7N 9+60E       | 5         | 15        | 98        | 58        | 1.6       | 5         | 4         | 242       | 5.20    | 10        | 5        | ND        | 1         | 147       | .2        | 2         | 2         | 36       | .03     | .097   | 15        | 3         | .20     | 238       | .02     | 2        | 2.29    | .11     | .17    | 1        | 3          |
| L7N 9+80E       | 3         | 10        | 59        | 45        | .6        | 1         | 3         | 165       | 6.58    | 6         | 5        | ND        | 1         | 150       | .2        | 2         | 2         | 33       | .02     | .160   | 22        | 1         | .16     | 185       | .03     | 2        | 2.24    | .16     | .17    | 1        | 6          |
| L7N 10+10E      | 4         | 6         | 37        | 22        | 1.1       | 1         | 1         | 89        | 5.01    | 8         | 5        | ND        | 1         | 467       | .2        | 2         | 6         | 11       | .04     | .125   | 26        | 2         | .15     | 97        | .01     | 2        | 1.39    | .02     | .53    | 1        | 5          |
| L7N 4+60E       | 68        | 448       | 123       | 73        | 6.3       | 1         | 2         | 171       | 5.60    | 16        | 5        | ND        | 6         | 234       | 1.2       | 2         | 2         | 22       | .08     | .169   | 28        | 1         | .16     | 141       | .06     | 2        | 1.20    | .03     | .61    | 1        | 970        |
| L7N 4+60S       | 33        | 207       | 454       | 66        | 9.7       | 1         | 2         | 175       | 4.36    | 24        | 5        | ND        | 2         | 493       | 10.1      | 2         | 2         | 18       | .09     | .210   | 32        | 1         | .14     | 245       | .03     | 2        | 1.50    | .03     | .36    | 1        | 390        |
| L6+50N 4+10E    | 31        | 357       | 738       | 113       | 3.7       | 1         | 2         | 461       | 4.50    | 22        | 5        | ND        | 2         | 109       | .2        | 2         | 2         | 27       | .03     | .071   | 9         | 4         | .46     | 167       | .01     | 2        | 2.18    | .02     | .65    | 1        | 200        |
| L6+50N 4+20E    | 28        | 273       | 140       | 78        | 2.4       | 1         | 1         | 322       | 3.60    | 12        | 5        | ND        | 2         | 111       | .5        | 2         | 2         | 24       | .05     | .069   | 6         | 4         | .31     | 157       | .01     | 2        | 1.69    | .03     | .51    | 1        | 430        |
| L6+50N 4+20N    | 43        | 532       | 114       | 94        | 3.1       | 2         | 2         | 326       | 6.30    | 11        | 5        | ND        | 3         | 129       | .2        | 2         | 3         | 23       | .02     | .083   | 16        | 8         | .36     | 105       | .01     | 2        | 1.97    | .04     | 1.24   | 1        | 260        |
| L6+50N 4+20S    | 38        | 269       | 72        | 99        | 2.1       | 2         | 2         | 372       | 3.71    | 11        | 5        | ND        | 2         | 111       | .2        | 2         | 2         | 26       | .03     | .059   | 8         | 4         | .45     | 204       | .01     | 2        | 2.14    | .02     | .47    | 1        | 470        |
| L6N 7+20E       | 18        | 47        | 162       | 92        | 1.8       | 10        | 5         | 644       | 5.67    | 20        | 5        | ND        | 1         | 67        | .2        | 2         | 2         | 46       | .06     | .156   | 15        | 13        | .33     | 185       | .03     | 2        | 2.43    | .05     | .14    | 1        | 140        |
| L6N 7+40E       | 14        | 50        | 218       | 104       | 2.4       | 9         | 5         | 490       | 6.56    | 23        | 5        | ND        | 1         | 86        | .3        | 2         | 3         | 49       | .06     | .187   | 16        | 11        | .31     | 215       | .04     | 2        | 3.24    | .07     | .16    | 1        | 75         |
| L6N 7+60E       | 18        | 54        | 200       | 107       | 1.9       | 11        | 7         | 499       | 5.87    | 25        | 5        | ND        | 1         | 86        | .5        | 2         | 4         | 51       | .08     | .144   | 16        | 12        | .39     | 217       | .05     | 2        | 2.54    | .07     | .15    | 1        | 200        |
| L6N 7+80E       | 12        | 49        | 243       | 130       | 1.5       | 11        | 6         | 515       | 5.81    | 23        | 5        | ND        | 1         | 90        | .5        | 2         | 4         | 47       | .08     | .145   | 16        | 13        | .44     | 242       | .04     | 4        | 2.58    | .07     | .17    | 1        | 100        |
| L6N 8+00E       | 8         | 30        | 166       | 75        | 1.1       | 3         | 3         | 301       | 5.43    | 16        | 5        | ND        | 1         | 96        | .3        | 2         | 2         | 53       | .06     | .176   | 16        | 2         | .20     | 251       | .02     | 2        | 2.55    | .05     | .15    | 1        | 92         |
| L6N 8+20E       | 3         | 14        | 122       | 54        | 1.8       | 1         | 2         | 327       | 4.54    | 7         | 6        | ND        | 3         | 872       | .3        | 2         | 6         | 27       | .06     | .207   | 49        | 4         | .43     | 133       | .23     | 2        | 2.07    | .11     | .32    | 1        | 110        |
| L6N 8+40E       | 8         | 26        | 89        | 123       | 1.4       | 2         | 5         | 504       | 7.67    | 20        | 5        | ND        | 2         | 196       | .4        | 2         | 2         | 69       | .07     | .198   | 24        | 3         | .48     | 161       | .15     | 2        | 2.26    | .11     | .21    | 1        | 96         |
| L6N 8+60E       | 10        | 54        | 201       | 158       | 1.5       | 4         | 5         | 521       | 5.08    | 15        | 5        | ND        | 1         | 93        | .7        | 2         | 3         | 48       | .09     | .117   | 14        | 5         | .35     | 222       | .03     | 2        | 2.16    | .05     | .15    | 1        | 52         |
| L6N 8+80E       | 9         | 37        | 167       | 110       | 1.5       | 5         | 4         | 347       | 5.00    | 15        | 5        | ND        | 1         | 90        | .3        | 2         | 3         | 50       | .06     | .114   | 14        | 5         | .28     | 198       | .03     | 2        | 2.16    | .05     | .13    | 1        | 74         |
| L6N 9+00E       | 10        | 41        | 189       | 104       | 1.1       | 3         | 3         | 313       | 4.61    | 11        | 5        | ND        | 1         | 68        | .3        | 2         | 2         | 50       | .06     | .109   | 12        | 4         | .23     | 180       | .03     | 2        | 2.20    | .04     | .12    | 1        | 40         |
| STANDARD C/AU-S | 18        | 56        | 42        | 132       | 6.9       | 70        | 32        | 1040      | 3.96    | 38        | 18       | 6         | 38        | 51        | 18.4      | 14        | 19        | 57       | .48     | .090   | 38        | 58        | .88     | 176       | .09     | 33       | 1.89    | .06     | .15    | 12       | 49         |



## Romulus Resources Ltd. PROJECT 9302 FILE # 93-1894

Page 3



| SAMPLE#          | Mo<br>ppm | Cu<br>ppm | Pb<br>ppm | Zn<br>ppm | Ag<br>ppm | Ni<br>ppm | Co<br>ppm | Mn<br>ppm | Fe<br>% | As<br>ppm | U<br>ppm | Au<br>ppm | Th<br>ppm | Sr<br>ppm | Cd<br>ppm | Sb<br>ppm | Bi<br>ppm | V<br>ppm | Ca<br>% | P<br>% | La<br>ppm | Cr<br>ppm | Mg<br>% | Ba<br>ppm | Ti<br>% | B<br>ppm | Al<br>% | Na<br>% | K<br>% | W<br>ppm | Au*<br>ppb |
|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|---------|--------|-----------|-----------|---------|-----------|---------|----------|---------|---------|--------|----------|------------|
| 10400N 11800E    | 6         | 48        | 342       | 91        | .7        | 3         | 2         | 380       | 4.05    | 7         | <5       | <2        | <2        | 122       | <.2       | <2        | 2         | 38       | .07     | .091   | 17        | 5         | .20     | 314       | .01     | 3        | 1.69    | .04     | .26    | <1       | 2          |
| 10400N 11850E    | 6         | 62        | 262       | 128       | 1.3       | 4         | 3         | 445       | 4.39    | 5         | <5       | <2        | <2        | 98        | <.2       | <2        | <2        | 36       | .06     | .095   | 16        | 7         | .25     | 379       | .01     | 2        | 1.98    | .04     | .25    | <1       | 4          |
| 10400N 11900E    | 8         | 65        | 210       | 257       | 2.2       | 6         | 4         | 784       | 5.41    | 10        | <5       | <2        | 2         | 87        | <.7       | <2        | 2         | 44       | .12     | .108   | 17        | 9         | .52     | 363       | .03     | 2        | 2.36    | .02     | .28    | <1       | 2          |
| 10400N 11950E    | 5         | 35        | 215       | 134       | .9        | 4         | 3         | 509       | 6.63    | 6         | <5       | <2        | 3         | 70        | <.2       | <2        | <2        | 40       | .05     | .102   | 16        | 11        | .25     | 371       | .02     | 2        | 3.48    | .03     | .25    | <1       | 2          |
| 10400N 12000E    | 9         | 130       | 238       | 156       | 2.2       | 4         | 3         | 427       | 5.01    | 7         | <5       | <2        | <2        | 78        | .2        | <2        | 4         | 43       | .06     | .112   | 17        | 7         | .25     | 636       | .01     | <2       | 2.66    | .03     | .15    | <1       | 7          |
| 10400N 12050E    | 2         | 25        | 82        | 390       | .4        | 3         | 5         | 557       | 5.13    | 4         | <5       | <2        | <2        | 38        | 1.4       | <2        | <2        | 89       | .16     | .053   | 8         | 4         | .32     | 256       | .01     | <2       | 2.54    | .01     | .09    | <1       | 1          |
| 10400N 12100E    | 7         | 23        | 404       | 79        | .5        | 1         | 2         | 307       | 3.68    | 6         | <5       | <2        | <2        | 64        | <.2       | <2        | <2        | 48       | .06     | .067   | 10        | 2         | .14     | 475       | .02     | 2        | 1.32    | .03     | .19    | <1       | 5          |
| 10400N 12150E    | 8         | 25        | 382       | 107       | .5        | 1         | 2         | 255       | 2.58    | 4         | <5       | <2        | <2        | 99        | <.2       | 2         | 2         | 33       | .05     | .053   | 13        | 2         | .10     | 474       | .02     | <2       | 1.15    | .03     | .18    | <1       | 2          |
| 10400N 12200E    | 16        | 701       | 140       | 1704      | 1.0       | 4         | 14        | 2785      | 4.11    | <2        | <5       | <2        | <2        | 110       | 10.8      | <2        | 4         | 29       | 1.36    | .133   | 68        | 6         | .17     | 693       | .01     | <2       | 2.69    | .02     | .06    | 1        | 26         |
| 10400N 12250E    | 15        | 44        | 246       | 192       | .4        | 2         | 2         | 299       | 4.66    | 7         | <5       | <2        | <2        | 43        | 1.3       | <2        | 2         | 59       | .10     | .056   | 11        | 4         | .10     | 304       | .02     | 2        | 1.83    | .02     | .09    | <1       | 4          |
| JON 12300E       | 23        | 55        | 317       | 445       | .6        | 3         | 4         | 641       | 6.60    | 7         | <5       | <2        | 2         | 87        | .8        | <2        | 2         | 55       | .09     | .080   | 13        | 8         | .30     | 472       | .02     | 2        | 1.97    | .02     | .16    | <1       | 9          |
| 10400N 12350E    | 37        | 26        | 20        | 128       | .7        | 1         | 1         | 72        | 3.04    | 2         | <5       | <2        | <2        | 7         | <.2       | 2         | <2        | 38       | .03     | .046   | 14        | 3         | .05     | 76        | <.01    | 2        | 1.45    | <.01    | .09    | <1       | 79         |
| 10400N 12400E    | 10        | 44        | 127       | 234       | .2        | 4         | 4         | 648       | 6.15    | 6         | <5       | <2        | 2         | 31        | <.2       | <2        | <2        | 69       | .08     | .051   | 10        | 8         | .22     | 163       | .02     | <2       | 2.35    | .01     | .08    | <1       | 10         |
| 10400N 12450E    | 8         | 119       | 105       | 433       | .5        | 3         | 6         | 958       | 4.18    | 11        | <5       | <2        | <2        | 40        | 2.5       | <2        | <2        | 36       | .14     | .054   | 24        | 6         | .28     | 391       | .02     | <2       | 1.49    | .01     | .10    | <1       | 12         |
| RE 10400N 12450E | 8         | 121       | 98        | 439       | .4        | 2         | 6         | 970       | 4.22    | 9         | <5       | <2        | <2        | 39        | 2.9       | <2        | <2        | 36       | .13     | .054   | 24        | 4         | .28     | 395       | .02     | <2       | 1.49    | .01     | .10    | <1       | 10         |
| 10400N 12500E    | 9         | 231       | 122       | 853       | .8        | 5         | 12        | 1877      | 5.01    | 9         | <5       | <2        | <2        | 53        | 11.0      | <2        | <2        | 43       | .42     | .129   | 27        | 6         | .54     | 591       | .02     | <2       | 1.74    | .01     | .13    | <1       | 23         |
| 10400N 12550E    | 8         | 105       | 61        | 452       | .4        | 16        | 18        | 1456      | 4.48    | 13        | <5       | <2        | 2         | 112       | 1.9       | <2        | <2        | 63       | 1.00    | .098   | 15        | 21        | .94     | 183       | .09     | <2       | 2.75    | .02     | .10    | <1       | 10         |
| STANDARD-C/AU-S  | 19        | 63        | 42        | 139       | 7.1       | 70        | 32        | 1077      | 4.09    | 44        | 21       | 7         | 37        | 54        | 19.0      | 14        | 18        | 59       | .51     | .088   | 40        | 62        | .92     | 189       | .09     | 30       | 1.94    | .06     | .15    | 10       | 45         |

Sample type: SOIL. Samples beginning 'RE' are duplicate samples.