

NOV 30 1995
Gold Commissioner's Office
VANCOUVER B.C.

GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORTS
DATE RECEIVED DEC 13 1995

**1995 ASSESSMENT REPORT
ON THE
FORREST 1-10,12 MINERAL CLAIMS**

Located in the Iskut River Area
Liard Mining Division
NTS 104B/15E
56° 47' North Latitude
130° 44' West Longitude

FILMED

- Prepared for -
MERIDIAN PEAK RESOURCES CORPORATION

- Prepared by -
T.C. Scott, B.Sc.
C.K. Ikona, P.Eng.

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

November, 1995

24,156

PART 1 OF 2

1994 ASSESSMENT REPORT ON THE FORREST 1-10,12 MINERAL CLAIMS

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 LOCATION, ACCESS AND PHYSIOGRAPHY	1
3.0 LIST OF CLAIMS	2
4.0 GENERAL AREA HISTORY	2
5.0 FORREST PROPERTY HISTORY	4
6.0 REGIONAL GEOLOGY	4
7.0 PROPERTY GEOLOGY	5
8.0 PROPERTY MINERALIZATION	6
9.0 1995 ASSESSMENT WORK PROGRAM	6
9.1 Line Cutting	7
9.2 Geological Mapping	7
9.3 Rock Sampling	7
9.4 Soil Sampling	7
9.5 Diamond Drilling	8
9.6 Geophysical Surveys	8
10.0 RESULTS OF 1995 WORK PROGRAM	
10.1 Grizzly Showing	8
10.2 Goose Pond Showing	10
10.3 End Zone	10
10.4 Azurite Showing	10
10.5 Crooked Creek Showing	10
10.6 Triple Creek, Creek, Barry's Cliff and Canyon Shear Showings	11
10.7 Geochemical Survey	12
11.0 DISCUSSION AND CONCLUSIONS	17
12.0 BIBLIOGRAPHY	19
13.0 STATEMENTS OF QUALIFICATIONS	21

Appendices

Appendix I	Analytical Procedures
Appendix II	Rock Sample Descriptions
Appendix III	Soil and Rock Geochemical and Assay Certificates
Appendix IV	Drill Hole Logs

List of Tables

Table 3.0.1	Claim Data	2
Table 9.5.1	Summary of Diamond Drill Hole Data	9
Table 10.0.1	Summary of Significant Drill Hole Assay Results	13

List of Figures

		<u>Scale</u>	<u>Following Page</u>
Figure 1	Location Map	1:2,000,000	1
Figure 2	Claim Map	1:50,000	2
Figure 3	Regional Mineral Occurrence Map	1:670,000	2
Figure 4	Simplified Regional Geology Map	1:500,000	5
Figure 5	Simplified Property Geology and Mineral Occurrence Map	1:40,000	5
Figure 6	North Grid General Geology Map	1:5,000	pocket
Figure 7	Grizzly Showing Geology and Sampling	1:50	9
Figure 8	Goose Pond Showing Geology and Sampling Plan	1:500	pocket
Figure 9	End Zone Geology	1:1,000	pocket
Figure 10	Azurite Showing Geology	1:1,000	pocket
Figure 11	Azurite Showing Drill Section F-95-3	1:500	10
Figure 12	Crooked Creek Showing Drill Section F95-1, F95-2	1:500	10

Figure 13	Creek Showing F95-4/5	1:500	11
Figure 14	Creek Showing F95-6/7	1:500	11
Figure 15	Creek Showing Drill Hole Section		pocket
Figure 16	Triple Creek Showing F95-9/10	1:500	12
Figure 17	Creek Showing F95-11	1:500	12
Figure 18	North Grid Soil Geochemistry Gold	1:5,000	pocket
Figure 19	North Grid Soil Geochemistry Arsenic	1:5,000	pocket
Figure 20	North Grid Soil Geochemistry Copper	1:5000	pocket

1.0 INTRODUCTION

An exploration program comprising line cutting, geological mapping, rock sampling, geophysical surveys using magnetic and VLF-EM techniques, diamond drilling and prospecting was conducted on the Forrest 1-10, 12 mineral claims. The work was undertaken by Pamicon Developments Limited between August 8 and September 13, 1995, on behalf of Meridian Peak Resources Corporation and was based on recommendations contained in a report by Bernard Dewonck, P. Geo., January 1995.

2.0 LOCATION, ACCESS AND PHYSIOGRAPHY

The Forrest property is situated in the northwestern region of British Columbia, approximately 110 kilometres north of Stewart, British Columbia and 110 kilometres east of Wrangell, Alaska (Figure 1). Coordinates of the claims are 56° 47' north latitude and 130° 44' west longitude.

The Stewart-Cassiar Highway passes some 30 kilometres to the east and a gravel road has been constructed from Bob Quinn Lake, on the highway, to the Eskay Creek mine development project 18 kilometres southeast of the southernmost extent of the property. This road passes within 3 kilometres of the claims, on the opposite side of the Iskut River, and provides a staging area close to the property for helicopter support.

Helicopters are usually based during the May-October field season on the Stewart-Cassiar Highway, at Eskay Creek and/or at the Bronson Creek airstrip 30 kilometres to the west-southwest, constructed to support the Cominco/Prime Snip gold mine.

A large portion of the claims area is typically rugged, steep and heavily forested. Elevations range from 255 metres above sea level along the eastern side of the claims near Forrest Kerr Creek to 1993 metres along the western border of the property. To date, most mineralized showings have been found above treeline between elevations of 1100 and 1500 metres. Topography above treeline is essentially gently rolling except at deeply incised creek gulches. Five principal drainages flowing from west to east bisect the claim group and have been assigned the following names: Gossan Creek, Radio Creek, Camera Creek, Alpine Creek and Avondale Creek. Lower slopes are predominantly covered with large spruce and fir timber with some local patches of devil's club, slide alder and sword fern. Climate in the claims area is characterized by cool, snowy winters and warm, moist summers. Heavy seasonal snowfall creates a deep snowpack limiting normal surface exploration work at higher elevations to the months of July, August and September.

During the 1995 work program, the crew was lodged in Pamicon's camp located at the north end of the Bronson Creek airstrip. Daily transportation to the work areas on the Forrest Property, 30 km to the ENE, was via a chartered Hughes 500D helicopter based at the Bronson strip.

FORREST PROJECT



MERIDIAN PEAK RESOURCES CORP.			
FORREST 1-10, 12 CLAIMS			
PROPERTY LOCATION MAP			
PAMICON DEVELOPMENTS LTD.			
Drawn.	NTS	Date	FIG. No.
JW	104 B/15	NOV.1995	1

3.0 LIST OF CLAIMS (Figure 2)

Records of the British Columbia Ministry of Energy, Mines and Petroleum Resources indicate that the following claims, located in the Laird Mining Division, are owned by Mr. Steve Todoruk. The property is subject to an option agreement with Meridian Peak Resources Corporation

Table 3.0.1
Claim Data


<u>Claim Name</u>	<u>No. of Units</u>	<u>Record Number</u>	<u>Expiry Date</u>
Forrest 1	20	4361	November 24, 1995
Forrest 2	20	4362	November 24, 1995
Forrest 3	20	4363	November 24, 1995
Forrest 4	20	4364	November 24, 1995
Forrest 5	20	5155	August 24, 1995
Forrest 6	20	5156	August 24, 1995
Forrest 7	20	5157	August 24, 1995
Forrest 8	20	5158	August 24, 1995
Forrest 9	20	5159	August 24, 1995
Forrest 10	20	5160	August 24, 1995
Forrest 12	20	5162	August 24, 1995

4.0 GENERAL AREA HISTORY

A regional map of the property area appears as Figure 3, on which numerous mineral occurrences and the operating Snip gold mine are identified. They occur within an approximately 10,000 square kilometre, northwest trending semi-arcuate band of volcanic and sedimentary rocks and their metamorphic equivalents historically referred to as the Stikine Arch. To the west lies the Coast Plutonic Complex and to the east are the Bowser Basin sediments.

Miners going to or returning from the Klondike goldfields at the turn of the century made the initial discoveries as they followed access corridors through the Alaska Panhandle such as the Unuk, Iskut and Stikine Rivers. These early efforts came to be recognized as specific "camps" within the Arch, such as Stewart, Sulphurets, Iskut and Galore Creek. Exploration activity in the 1970s and the 1980s has identified many occurrences between these camps, leading to the belief that the Stikine Arch can be considered as one large mineralized province.

An abbreviated summary of activity in this region is presented in two segments as follows:



MOUNTAIN

WITNESS POST FOR
FORREST 11, 12, 13

FORREST 12

FORREST 1

FORREST 2

FORREST 3

FORREST 4

FORREST KERR CREEK

FORREST 5

FORREST 6

FORREST 7

FORREST 8

FORREST 9

FORREST 10

56° 45'

Km 0 .5 1:50,000 2 3 Km



130° 40'

MERIDIAN PEAK RES. CORP.


FORREST PROJECT
FORREST 1-10, 12 CLAIMS

CLAIM MAP

LIARD MINING DIVISION, B.C.

PAMICON DEVELOPMENTS LTD.

Drawn. J.W.	N.T.S. 104B/15	Date. NOV. 1995	FIGURE. 2
----------------	-------------------	--------------------	--------------



LEGEND

- OPERATING MINE
- ▲ MAJOR MINERAL OCCURRENCE
- MINERAL OCCURRENCE

MERIDIAN PEAK RES. CORP.
 FORREST 1-10, 12 CLAIMS
 REGIONAL MINERAL
 OCCURRENCE MAP
 LIARD MINING DIVISION, B.C.

DRAWN. J.W.	N.T.S. 103, 104	DATE. JAN. 1995	FIG. 3
----------------	--------------------	--------------------	-----------



▲ 24 35 Km 129° 30'

▲ 21 131° 30'

132° 30'

130° 30'

57°

56° 30'

56°

● 2
● 1

STEWART

LEGEND FOR FIGURE 3

PROPERTY OWNER

1. American Barrick Resources Corp.
2. Camnor Resources Ltd.
3. Westmin Resources Ltd.
4. International Tournigan Corporation
5. Tenajon Resources Corp.
6. Newhawk Gold Mines Ltd.
7. Consolidated Magna Ventures Ltd.
8. Placer Dome Inc.
9. Catear Resources Ltd.
10. Newhawk/Granduc Mining Corporation
11. Prime Resources Group Inc.
12. Consolidated Silver Standard Mines Ltd.
13. Gulf International Minerals Ltd.
14. International Skyline Gold Corporation
15. Cominco/Prime
16. Prime Equities International
17. Gulf International Minerals Ltd.
18. MERIDIAN PEAK RES. CORP.
19. Kennecott/Hudson Bay Mining/Cominco
20. American Barrick Resources Corp.
21. Teck Corp.
22. Consolidated Silver Standard Mines Ltd.
23. Cominco
24. American Bullion Minerals Ltd.
25. International Tournigan Corporation

PROPERTY NAME

- Red Mountain Deposit
- Willoughby Project
- Silbak Premier Mine
- New York
- Scottie Gold Mine
- Granduc Mine
- Doc Property
- Kerr Project
- Gold Wedge Property
- Sulphurets Project
- Eskay Creek Mine
- E & L Deposit
- Inel Project
- Johnny Mountain Mine
- Snip Mine
- Rock & Roll Project
- McLymont Project
- Forrest Project**
- Galore Creek Deposit
- Hankin Peak Project
- Shaft Creek Deposit
- Paydirt Deposit
- Foremore Project
- Red Chris
- Silver Butte

1900 - 1975

- discovery of copper, gold silver mineralization at Bronson Creek, Sulphurets Creek and along the Unuk River
- discovery of numerous silver rich deposits in the Steward area, including the Silbak-Premier gold-silver mine (2,550,000 tons mined from 1929 to 1936, grading 16.8 g/tonne gold and 409.5 g/tonne silver)
- original discovery of the Eskay Creek mineralization by Tom MacKay
- discovery, after World War II, of significant copper deposits (Granduc, Galore Creek, Schaft Creek) and the E & L copper-nickel deposit

Only Granduc went into production, closing in 1978 due to low copper prices and high operating costs and reopening briefly in the early 1980s.

The rise of precious metal prices in the 1970s prompted renewed and more intensive exploration.

1975 - Present

- acquisition in 1980 by Skyline Exploration of their property on Mount Johnny above Bronson Creek, where work culminated in production of 210,000 tons grading 0.45 oz/ton. From August, 1988 to July, 1990
- renewed exploration in the Sulphurets camp by Esso Minerals and later Newhawk Gold Mines/Lacana (West Zone: 550,400 tons @ 0.42 Au oz/t and 18 oz/t Ag; Sulphurets Lake Zone: 20,000,000 tons @ 0.08 oz/t Au)
- reorganization of the Silbak-Premier property, participation by Westmin Resources resulting in construction of a mill and production from open pit reserves from 1989 to 1992. The mill subsequently processed ore from the nearby Silver Butte deposit and is currently processing ore from underground operations in Premier deposit
- exploration and development of the Cominco/Prime Snip deposit at Bronson Creek, with production commencing in 1991 on reserves of 1,032,000 tons @ 0.875 oz/t Au
- re-examination of the Eskay Creek showings on several occasions, most notably by Prime/Stikine in the late 1980s. Spectacular drilling results were achieved (DDH CA 89-109: 682.2' @ 0.875 oz/t Au and 0.97 oz/t Ag, including 62.3' @ 7.765 oz/t Au and 1.35 oz/t Ag), development progressed and production has commenced, with the first shipment of concentrate anticipated in 1995 on proven reserves of 1,080,000 tonnes @ 65.5 g/t Au, 2930 g/t Ag, 5.61% Zn, 0.077% Cu. Homestake Mining (Canada) is now the operator

- discovery of numerous occurrences from which excellent gold, silver and/or base metal values in trench and drill samples have been reported by several companies

5.0 FORREST PROPERTY HISTORY

The claims were staked in 1987 and were first optioned to a Prime Group company, Avondale Resources Ltd. Approximately \$2.5 million has been spent to date (including a 15% management fee charged by Prime Explorations to Avondale).

Work under the Avondale option ranged from initial prospecting to grid controlled mapping, geochemical rock and soil sampling, geophysical surveys, mechanical and hand trenching, and diamond drilling. This work has resulted in the recognition more than 30 gold-copper-arsenic showings or zones, some of which were not identified until the end of the third full season of exploration.

The reader is referred to comprehensive exploration reports by Todoruk, Stammers, Darney and Ikona (1990), Stammers, Montgomery and Ikona (1991), a comprehensive summary report by Ikona (1993) and the 1994 Assessment Report by Todoruk.

The property was eventually returned to the owner and was optioned in 1993 to Abacus Minerals Corporation. Pamicon Developments Ltd. conducted a small exploration program in August, 1994 for Abacus, to meet assessment requirements. The property was subsequently optioned to Meridian Peak Resources Corporation.

6.0 REGIONAL GEOLOGY

The intensified exploration activity of the last few years has focussed the attention of industry, provincial and federal government geologists on many parts of the previously defined Stikine Arch in an effort to define the timing, environment and controls of mineralizing events. Much earlier mapping was undertaken, however, by Kerr (1948) and by the Geological Survey of Canada as Operation Stikine in the 1950s. Later work was completed by Grove (1971, 1986), and more recently by B.C. Ministry of Energy, Mines and Petroleum Resources personnel on several mapsheets within the area and by the Geological Survey of Canada.

The basis for the recent mapping has been Grove's definition of a northwest-trending assemblage of Upper Triassic and Jurassic volcanic and sedimentary rocks as the Stewart Complex, which extends from Alice Arm in the south to the Iskut region in the north. The Complex is underlain by Palaeozoic limestone and volcanics, intruded by Mesozoic to Tertiary aged intrusives, bounded to the west by Tertiary felsic plutons of the Coast Plutonic Complex and to the east by the Spatsizi and Bowser Lake Group clastic sediments.

Age dating studies of mineralization from the various camps within the complex has suggested a time and space relationship with the late Triassic to early Jurassic volcanics and intrusives

included in it, thus directing most exploration efforts toward the lower members of the Hazelton Group and coeval intrusives. A well known example is the early Jurassic "Premier porphyry" which is intimately associated with the mineralization of the Silbak-Premier deposits.

A summary of the stratigraphy of the region follows Figure 4, a simplified regional geology map.

7.0 PROPERTY GEOLOGY



Geological mapping of the Forrest claims has taken place on several separate grids during the 1989 and 1990 field seasons, and information was also collected on numerous reconnaissance and mapping traverses in the period 1988 to 1990. The results were compiled onto several large scale maps in the detailed exploration reports prepared by Pamicon. A more concise representation of the property geology appears as Figure 5.

The claims encompass a series of Lower Devonian to Upper Triassic sedimentary and volcanic rocks in contact with post-Early Permian to pre-Middle Triassic hornblende quartz diorite and Jurassic diorite. Several episodes of dyke and small plug emplacements are evident, including a K-feldspar megacrystic dyke and plug that may be coeval with the principal early Jurassic mineralizing event in the Iskut area, referred to earlier in the review of the regional geology. Two and possibly three phases of deformation have produced lower greenschist metamorphism and mesoscopic folding and refolding.

There are numerous faults of various extents, ages and orientations of which two significant ones are indicated in Figure 5. These are the north to northeasterly trending West Lake and West Slope Faults which have juxtaposed older rocks on younger ones. A third fault, the Forrest Fault, is located in the valley of Forrest Kerr Creek immediately east of the claim boundary.

From west to east, geological features are summarized as follows:



- large stock of hornblende quartz diorite and other plutonic rocks, including Jurassic granodiorite (most of Forrest 1, 12). Similar material outcrops in central portion of property (Forrest 5, 6, 7), age dating by the GSC ranging from late Palaeozoic to early Mesozoic
- discontinuous fault lenses of Lower Devonian crinoidal limestone on the hanging wall of the West Lake Fault (oldest rocks on the property)
- West Lake Fault
- a sequence of interbedded Permian sedimentary and volcanic rocks between the West Lake and West Slope Faults, best exposed in the central portion of the property. It includes shale, siltstone, argillite, chert, phyllite and bedded tuffaceous sediments; andesite flows; crystal, ash and lapilli tuffs; coarse fragmentals and minor trachyte flows.





★ MINERAL DEPOSIT

LEGEND

CENOZOIC

-  Recent basalt flows
-  Early Tertiary felsic intrusives, primarily quartz monzonite

MESOZOIC

-  Jurassic and Tertiary intrusives, felsic to intermediate
-  Middle to Upper Jurassic Bowser Lake Group clastic sediments



Upper Triassic to Upper Jurassic volcanics and sediments, Hazelton and Stuhini Groups

PALEOZOIC



Permian and older clastic, limestone and volcanic rocks and metamorphic equivalents; includes metamorphic rocks of unknown age.

MERIDIAN PEAK RES. CORP.			
FORREST PROJECT			
SIMPLIFIED REGIONAL GEOLOGY			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			

Geology interpreted from G.S.C. Map II-1971, Telegraph Creek; Equity Preservation Corp., Stewart-Sulphurets-Iskut Map 1988; B.C. G.S. Open File 1990-1; and from Pamicon Developments Ltd. field maps.


Drawn. J.W.	N.T.S. 103,104	Date NOV. 1995	FIG. 4
-------------	----------------	----------------	--------

Stratigraphy of the Iskut River Area
(after descriptions by R.G. Anderson and J.M. Logan)

Stratigraphy	Lithology	Comments
BOWSER GROUP		
M. Jurassic	conglomerate, siltstone, sandstone, shale	Successor basin
—gradational to unconformable—		
SALMON RIVER FORMATION		
E. to M. Jurassic	calcareous sandstone, Troy Ridge facies pajama beds, Eskay Creek facies pillow lava, limey to siliceous shale and siltstone, Snippaker facies andesitic breccias	transition between arc volcanism and marine basin
—unconformable to gradational—		
HAZELTON GROUP		
E. Jurassic	andesitic volcanics, siltstone, maroon-green volcanic siltstone, greywacke, conglomerate, breccia, and culmative dacitic to rhyolitic volcanics; Betty Creek, Unuk River, Mt. Dilworth Formations	contractional event? Island Arc rocks
—gradational to unconformable—		
STUHINI GROUP		
L. Triassic	<u>Western Facies:</u> limestone, cobble conglomerate underly bimodal volcanics; felsic and mafic tuffs and flows	extensional in western area
	<u>Eastern Facies:</u> greywacke and siltstone dominate sedimentary rock types interfingering with intermediate to mafic volcanics; volcanic conglomerate and breccia	no Triassic clasts; limestone clasts common
—unconformable— contractional event—		
STIKINE ASSEMBLAGE		
Permian	thin bedded coralline to crystalline limestone (over 1000 m thick), fossiliferous; intermediate flows and volcaniclastics	volcanic units resemble Hazelton Group rocks
E. Permian	rusty argillite	
—unconformable—		
	'siliceous' turbidite, felsic lapilli tuff	extensional event
Missis-sippian	mafic metavolcanics and metasediments	thick bedded limestone commonly bioclastic, coarse crinoids, corals
—unconformable—		
E. Devonian	limestone; intermediate to felsic volcanics	contractional events; rocks highly deformed








Plutonic Rocks - Coast Plutonic Complex

L. Tertiary	granodiorite, diorite, basalt
—intrusive contacts—	
E. Tertiary	quartz diorite, granodiorite, quartz monzonite, feldspar porphyry, granite
—intrusive contact—	
M. Jurassic	quartz monzonite, feldspar porphyry, syenite
—intrusive contact—	
L. Jurassic	diorite, syenodiorite, granite
—intrusive contact—	
L. Triassic	diorite, quartz diorite, granodiorite
? Not determined	quartz diorite, ?









LEGEND

LITHOLOGY

-  Limestone
-  Siltstone, Argillite, Chert, Shale and minor Tuffaceous Sediments
-  Carbonaceous Shale, Argillite
-  Ash, Lapilli and Crystal Tuffs, Agglomerates, Flows and minor interbedded Sediments
-  Andesite Flows, minor Andesite Porphyry
-  Quartz Diorite, Hornblende-Biotite Diorite to Granodiorite
-  Quartz Feldspar Porphyry

SYMBOLS

-  INFERRED LITHOLOGICAL CONTACT
-  INFERRED FAULT STRUCTURE
-  ICEFIELD, GLACIER
-  LEGAL CORNER POST
-  BEDDING: STRIKE, DIP
-  LATERAL MORRAINE

MERIDIAN PEAK RES. CORP.

**FORREST PROJECT
SIMPLIFIED PROPERTY
GEOLOGY AND
MINERAL OCCURRENCES**

m 0 400 800 1200 1600 2000

PAMICON DEVELOPMENTS LTD.

DRAWN	N.T.S.	DATE	FIG. No.
	1048/15E	NOV. 1995	5

General trend of the stratigraphy is north-northeast with moderate westerly dips (young to the west); volcanic members tend to become finer from north to south with increased interbeds of tuffaceous sediments. Vast majority of mineral occurrences on the property occur within this sequence. Also of note is the occurrence of a small plug and dyke of quartz feldspar porphyry (Forrest 5 and 3 respectively) which has been suggested as similar to intrusives coeval with the main Lower Jurassic mineralizing event in other parts of the Iskut region

- West Slope Fault
- probable Upper Triassic Stuhini Group maroon-dark green, intermediate to mafic lapilli tuff, ash tuff and lesser agglomerate, as mapped in the central portion of the property. Also found are locally fault emplaced Palaeozoic sediments, including wedges of Permian limestone immediately east of the West Slope Fault in the southern part of the property

8.0 PROPERTY MINERALIZATION

Exploration during the 1988, 1989, 1990 and 1994 field seasons has resulted in the identification of more than 30 mineral showings. Six have been diamond drilled while the others have been trenched, sampled, covered by geophysical and/or geochemical surveys or remain simple prospects. The locations of these occurrences appear on Figure 5.

An extensive mega-stockwork quartz vein system exposed over a 0.25 square kilometre area, now referred to as the Forrest Zone, first drew attention to the property area in 1987. although only weakly mineralized at best, it has been viewed as indicative of a substantial hydrothermal event and representative of the upper level of the system, with potential for enhanced mineral values at depth.

This premise appears to have been substantiated by the later discovery of other vein occurrences at topographically lower levels along Gossan Creek, carrying significant gold, copper and/or arsenic values. In addition, the presence of visible gold in narrow quartz veins at the VG Showing, which is situated southwest of and topographically higher than the Forrest zone, demonstrates that the system is far from barren (Figure 6).

9.0 1995 ASSESSMENT WORK PROGRAM

During the period August 8 to September 13, 1995 a 7-man field crew worked on the Forrest 1-10

and 12 mineral claims. This was augmented by a 4 man drill crew, a geophysical operator and a tradesman (drill pad construction) under contract.

The work program comprised the following:

9.1 Line Cutting

A total of 8.95 km of survey grid lines with stations at 25 m intervals were cut in the vicinity of the Grizzly and Crooked Creek showings on Forrest 2 (Figure 6). This overlaps slightly onto Forrest 1, 3 and 4. At the VG showing on Forrest 3, 1.55 km of flagged line was refurbished. A 1.5 km ribbon grid was constructed at the End Zone on Forrest 12 and is shown on Figure 9.

9.2 Geological Mapping

Geological mapping was carried out in the vicinities of the End Zone and Grizzly showings (Forrest 2), the Azurite showing (Forrest 3) and the Goose Pond showing (Forrest 7).

In addition to the above work, reconnaissance geological and prospecting traverses were undertaken in the vicinity of the Gold Pan showing (Forrest 7), the Jan showing (Forrest 8), the Goat showing (Forrest 1), northeast of the Grizzly showing (Forrest 2) and the VG to 50 Zones (Forrest 3) for the purpose of general familiarization with the Forrest property.

9.3 Rock Sampling

A total of 52 rock samples was collected in the course of mapping and reconnaissance traverses. Sample descriptions are appended in Appendix II. Analysis was done at Chemex Labs in North Vancouver, B.C.

9.4 Soil Sampling

Soil samples were collected from the cut lines in the vicinity of the Grizzly and Crooked Creek showings. A total of 86 soil samples were collected when possible from B horizon material at depths of approximately 30-40 cm, placed in kraft bags and air dried in camp prior to shipping. Analysis was done at Chemex Labs in North Vancouver, B.C. Sample preparation and analytical procedures are outlined in Appendix I. Soil and rock geochemical certificates are appended in Appendix III.

9.5 Diamond Drilling

Eleven NQ holes were drilled by Britton Brothers of Smithers, B.C. for a total of 1421 metres. Drill holes F95-1 and 2 (307.8 m) tested the Crooked Creek showings on Forrest 2. Drill holes F95-4 to 11 tested the Triple Creek, Creek, Barry's Cliff and Canyon Shear showings on Forrest 3. Hole F95-3 (118.9 m) tested the Azurite Showing, also on Forrest 3. The location of these holes is shown on Figure 6.

A summary of Diamond Hole Data is contained in Table 9.5.1.

The precipitous nature of the terrain, often in excess of 45°, require the construction of timbered platforms for all drill sites except for the Azurite showing. IN all, 5 drill platforms and 2 helicopter pads were constructed. At Triple Creek, a platform constructed in 1990 was refurbished. The platforms for Holes F95-1, 2, 4, and 5 were subsequently dismantled; the others were left for future helicopter access to the mineralized zones.

During the course of diamond drilling, 421 samples cut from split drill core were submitted for analysis at Chemex Labs in North Vancouver, B.C. The analytical certificates are enclosed in Appendix III and the sample numbers with intervals are tabulated in the Drill Hole Logs contained in Appendix IV.

The drill core is stored in covered racks at Pamicon's Bronson strip camp.

9.6 Geophysical Surveys

Magnetic and VLF-EM surveys were conducted on cut lines (above) and on old lines adjacent to the Creek and Barry's Cliff showings on Forrest 3. The areas around the Goose Pond showing on Forrest 7 and End Zone on Forrest 12 were also covered. These results are contained in the accompanying report by S.J. Geophysics Ltd.

10.0 RESULTS OF 1995 WORK PROGRAM

10.1 Grizzly Showing

This showing (Figure 7) is characterized by a 15 to 50 cm wide partly brecciated quartz-carbonate vein, oriented at 054°/76W, which contains semi-massive to massive chalcopyrite hosted in a green-grey phyllite (altered volcanic?). Hand trenching (10 sq m) has shown the occurrence to be faulted off to the south and narrowing considerably to the north with an exposure length of 3.5 m. Detailed sampling yielded values up to 1.0 g/t Au over 1.0 metres. A select grab sample assayed 1.2 g Au, 80.2 g Ag and 6.81% Cu. While the showing is small, its significance lay with the orientation being subparallel and on strike with the Crooked Creek structures. Also of significance are the elevated Au values in soil samples taken along line 73+00N between 9+00

Table 9.5.1

**Forrest Project - 1995
Summary of Diamond Drill Hole Data**

Hole No.	Orientation		Length (m)	Collar			End of Hole			Trace	
	Azim°	Dip°		N/S	E/W	Elev (m)	N/S	E/W	Elev (m)	Hor (m)	Vert (m)
F95-1	130	-45	152.4	65+95.7N	4+95E	(1110)	65+26.5N	5+77.5E	1002	107.76	107.76
F95-2	130	-45	155.4	65+45.5N	4+45E	(1039)	64+75N	5+29E	929	109.88	109.88
F95-3	318	-45	118.9	42+83.5N	1+17E	(1435)	43+46N	0+61E	1351	84.07	84.07
F95-4	130	-45	121.92	54+68N	0+41W	(1080)	54+11N	0+25.5E	994	86.21	86.21
F95-5	130	-80	112.8	54+68N	0+41W	(1080)	54+55.5N	0+25.5W	969	19.59	110.09
F95-6	138	-45	109.7	53+82N	1+54W	(1126)	53+24N	1+02W	1048	77.57	77.57
F95-7	138	-57.5	149.35	53+82N	1+54W	(1126)	53+24N	0+99.5W	1000	80.25	125.96
F95-8	305	-55	259.1	52+35.5N	0+51W	(1280)	53+15.5N	1+67W	1064	141.0	216.0
F95-9	255	-60	18.3	52+94N	2+76W	1128	52+91.5N	2+86W	1112	9.15	15.85
F95-10	255	-80	61.5	52+94N	2+76W	1128	52+91N	2+87.5W	1068	10.59	60.07
F95-11	088	-45	161.5	52+94N	2+74W	1128	52+98N	1+61W	1014	114.2	114.2
		Total	1421 m			(Approx)					

← 310° CROOKED CREEK SHOWING 130° →

NW

SE

F95-1(-45)
65+95.7N
4+95 E
El. 1110 m

F95-2(-45)

1100 m

1050 m

1000 m

El. 1002


El. 929 m

LEGEND
SYMBOLS

- Collar with Drill Hole Number and Dip
Grid Coordinates and Elevation
- Quartz Vein
- Quartz carbonate
- Quartz Iron carbonate
- Breccia
- Foliation (and/or cleavage ?)
- Fault
- Fe-carb Alteration
- Qtz-carb Veining
- Drill Hole
- Sample Intervals with numbers (Number Cu% - Au ppb or g/t
Core length (m))

LITHOLOGY

- Andesite, variably porphyritic
- Strongly altered andesite, mainly siltstone
- Tuff, cherty tuff, minor siltstone
- Siltstone, minor tuff, banded, medium bedded, minor argillite
- Argillite, shale, phyllite, carbonaceous, dark grey to black
- Basalt dike, black
- Andesite dike, pale green grey
- Quartz vein
- Quartz breccia
- Quartz vein stockwork




MERIDIAN PEAK RESOURCES CORP.

FORREST PROJECT
CROOKED CREEK SHOWING
F95-1, F95-2

LIARD MINING DIVISION, B.C.


PAMICON DEVELOPMENTS LTD.

DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15E	FIGURE 12
----------------------------	---------------------------	----------------------------	---------------------





NB. Samples 5918, 5919 and 5821
approx. 15m upstream.



SAMPLES

SAMPLE #	TYPE	Au	Ag	Cu	As
5753	Chip (1.2m)	595	20.8	2.47	40
5754	Chip (1.0m)	<5	0.8	0.46	24
5755	Chip (1.7m)	25	3.0	0.47	18
5756	Chip (1.1m)	115	10.4	1.46	40
5757	Chip (1.0m)	1020	5.2	0.65	30
5758	Select Grab	1200	80.2	6.81	170
		ppb	ppm	%	ppm
5918	Chip (0.85m)	<5			
5919	Chip (0.70m)	<5			
5821	Chip (0.2m)	<5			

LEGEND

- Green-grey phyllyte (volcanics?)
- Carbonate-quartz vein with patches and veinlets of chalcopyrite.
- Fault
- Foliation
- Joint
- Strike/dip
- 5754 | Chip sample with width.
- (1.0) | Grab samples.
- CP Chalcopyrite
- MC Malachite
- Creek channel

MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT GRIZZLY SHOWING GEOLOGY & SAMPLING			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./JW.	DATE. NOV. 1995	N.T.S. 104B/15E	FIGURE 7

and 11+00E which appear to be underlain by argillaceous sediments.

10.2 Goose Pond Showing

A strong, hydrothermally altered, northerly trending narrow breccia zone is hosted by a sequence of argillaceous tuffs (Figure 8). The 1994 sampling yielded values up to 1.0 oz/T Au associated with pyrite and chalcopyrite. Mapping undertaken in 1995 indicated that the mineralization occurs at the intersection of pervasive Fe carbonate alteration controlled by a broad zone of SE trending shearing and a northerly trending cleavage which is parallel to the regional stratigraphy. The local distribution of argillaceous sediments suggest that the mineralized breccia may correspond to the axial plane cleavage of a minor anticlinal structure trending 015°. With the exception of Sample 5906 which yielded 870 ppb Au, 1995 sampling did not expand the zone of gold mineralization.

10.3 End Zone

The End Zone (Figure 9) is underlain by a sequence of argillite, andesitic tuff, cherty tuffs and purple-green agglomerates exhibiting a northeasterly trend in rugged precipitous terrain. Showings of arsenopyrite in silicified, Fe carbonated, near vertical shear zones occur intermittently in a northeasterly alignment. Samples 5809 and 5810 returned elevated Au values of 280 and 435 ppb respectively. A pyritic, fine grained grey dyke intruding argillites at 86+50N-4+25E contained <5 ppb Au.

10.4 Azurite Showing

Mapping during 1995 (Figure 10) indicates the Azurite showing to be hosted by a folded sequence of tuffaceous, argillaceous and cherty sediments. Axial planes trend NE and are near vertical. The minor folds plunge gently both to the NE and SW. The showing itself appears to comprise semi-massive chalcopyrite with pyrite and azurite in a chloritic lense exposed in a minor synclinal trough. The lense is faulted off to the SW and truncated by erosion to the NE. Drill Hole F95-3 (Figure 11) tested the occurrence to depth. A well fractured andesite containing numerous quartz and quartz-carbonate veinlets was encountered below the showing. Although traces of chalcopyrite were observed, the cp-rich chlorite lens was not. Most assay values were <5 ppb Au and <0.09% Cu.

10.5 Crooked Creek Showing

Showings located at 5+00E between 65+00N and 66+00N appear to be on the east flank of a minor anticline within argillaceous sediments (Figure 6). The shear zone containing disseminations and blebs of chalcopyrite is parallel to the axial plane cleavage of the fold at 025/75E. Drill Holes F95-1 and 2 (Figure 12) tested the showings to depth. While down dip

NW

← 318° AZURITE SHOWING 138° →

SE

1440 m


F 95-3
42+84 N
1+17 E
El. 1435

Azurite Trench Showing

1400 m

1350 m

El. 1351



Au values <5 ppb
Cu values <0.09%


LEGEND

SYMBOLS

- Collar with Drill Hole Number and Dip Grid Coordinates and Elevation
- Quartz Vein
- Quartz carbonate
- Quartz Iron carbonate
- Breccia
- Foliation (and/or cleavage ?)
- Fault
- Fe-carb Alteration
- Qtz-carb Veining
- Drill Hole
- Sample Intervals with numbers (Number $\frac{Cu\% - Au\ ppb\ or\ g/t}{Core\ length\ (m)}$)

LITHOLOGY

- Andesite, variably porphyritic
- Strongly altered andesite, mainly siltstone
- Tuff, cherty tuff, minor siltstone
- Siltstone, minor tuff, banded, medium bedded, minor argillite
- Argillite, shale, phyllite, carbonaceous, dark grey to black
- Basalt dike, black
- Andesite dike, pale green grey
- Quartz vein
- Quartz breccia
- Quartz vein stockwork



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT AZURITE SHOWING DRILL SECTION F95-3			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104B/15E	FIGURE 11

extensions of the showings appear to have been encountered, the assays of drill core reported relatively low gold and copper values. The highest assay in Hole F95-1 was at 94.8 m where sample 57025 reported 1.2 g/t Au and 0.07% Cu over 0.7 m. In Hole F95-2 at 76.9 m, sample 57053 containing a chalcopyrite bearing quartz vein assayed 1.78 g/t Au and 0.74% Cu over 0.2 m. Both holes bottomed in relatively massive andesite containing few quartz-carbonate stringers.

10.6 Triple Creek, Creek, Barry's Cliff and Canyon Shear Showings

These showings exposed along precipitous cliffs on the south side of Gossan Creek occur within an extensive unit of andesites (Figure 6). They comprise northerly striking, subvertical to gently dipping arsenopyrite bearing quartz veins that have been cut by northeasterly striking, subvertical shear zones displaying pervasive Fe-carbonate alteration accompanied by impressive chalcopyrite mineralization. Late northeasterly striking, south dipping faults displace the quartz veins dextrally while later steeply dipping northerly faults, possibly related to the West Slope fault zone, downthrow the stratigraphy to the east.

Panel sampling at the Triple Creek (1989) consistently returned values of 0.1 to 0.6 oz/T Au over 0.5 metres from arsenical quartz veins. Assays of trench samples from the Creek Fe carbonate shear returned values of up to 0.14 oz/T Au and 6.77% Cu across 0.25 m. Drill hole AVD 90-13 intersected a copper rich quartz breccia, below the trench, grading 0.131 oz/T Au and 0.64% Cu over 16 metres.

The 1995 drill program was intended to examine the continuity of these showings along strike to the northeast and to depth. Holes F95-4 and 5 tested anomalous Au, Cu, As soil values detected in 1994. Hole F95-4 (Figure 13) encountered intense Fe carbonate in sheared andesites near the top of the hole. Although traces of chalcopyrite and arsenopyrite were observed, the only significant assay value returned was sample 57152 with 1.71% Cu, 11.8 g/t Ag and <5 ppb Au over 0.6 m. Hole F95-5 from the same setup encountered several chalcopyrite bearing quartz-Fe carbonate veins throughout its length. Only two samples returned Au values above trace. These were 57209: 0.17% Cu, 180 ppb Au over 1.0 m and 57212: 1.66% Cu, 395 ppb Au over 0.4 m. A zone of strong silicification, brecciation and Fe carbonate alteration was encountered between 105.4 and 109.7. This zone appears to be subparallel to core axis and may represent the down dip extension of the mineralization at the top of Hole F95-4. Sample 57219 reported values of 0.55% Cu, 5.2 g/t Ag over 0.7 metres. Arsenic values were very low in both holes.

Drill Holes F95-6 and 7 were intended to test for a northeasterly extension of mineralization encountered in AVD 90-13 (Figure 14). Hole F95-6 encountered brecciated alteration zones from 30.4 to 34.4 and from 58.25 to 73.5 metres. In the upper zone sample 57225 containing brecciated quartz with traces of chalcopyrite assayed 785 ppb Au, 412 ppm As and 288 ppm Cu over 1.0 m. The lower zone characterized by strong brecciation, intense Fe carbonate alteration and numerous quartz stringers returned only trace levels of Au and slightly elevated Cu values. High in Hole F95-7 sample 57178 at 25.5 m reported values of 960 ppb Au, 574 ppm As and 238 ppm Cu which correlates well with Hole F95-6. Sample 57194, with values of 70 ppb Au, 0.24% Cu over 1 metre is from an alteration zone between 71.1 and 76.5 metres that tends to correlate

← 310° CREEK SHOWING (EXTENSION) 130° →

F95-5(-80°)


F 95-4 (-45°)

54+68 N
0+41 W
El. 1080

1080 m

1050 m

1010 m



LEGEND

SYMBOLS

⊕ Collar with Drill Hole Number and Dip
Grid Coordinates and Elevation

Qv Quartz Vein

QCv Quartz carbonate

QFCv Quartz Iron carbonate

Bx Breccia

Foliation (and/or cleavage ?)

Fault

Fe-carb Alteration

Qtz - carb Veining

Drill Hole

Sample Intervals with numbers (Number Cu% - Au ppb or g/t
Core length (m))

LITHOLOGY

Andesite, variably porphyritic

Strongly altered andesite, mainly siltstone

Tuff, cherty tuff, minor siltstone

Siltstone, minor tuff, banded, medium bedded, minor argillite

Argillite, shale, phyllite, carbonaceous,
dark grey to black


Basalt dike, black

Andesite dike, pale green grey

Quartz vein

Quartz breccia

Quartz vein stockwork



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT CREEK SHOWING F95-4/5			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15E	FIGURE 13

← 318° CREEK SHOWING 138° →


NW
1130 m

SE

F95-7 (-57.5°)
F95-6 (-45°)
53 + 82 N
1 + 54 W
El. 1126

1100 m

1050 m




LEGEND
SYMBOLS

- Collar with Drill Hole Number and Dip Grid Coordinates and Elevation
- Quartz Vein
- Quartz carbonate
- Quartz Iron carbonate
- Breccia
- Foliation (and/or cleavage ?)
- Fault
- Fe-carb Alteration
- Qtz-carb Veining
- Drill Hole
- Sample Intervals with numbers (Number Cu% - Au ppb or g/t Core length (m))

LITHOLOGY

- Andesite, variably porphyritic
- Strongly altered andesite, mainly siltstone
- Tuff, cherty tuff, minor siltstone
- Siltstone, minor tuff, banded, medium bedded, minor argillite
- Argillite, shale, phyllite, carbonaceous, dark grey to black
- Basalt dike, black
- Andesite dike, pale green grey
- Quartz vein
- Quartz breccia
- Quartz vein stockwork



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT CREEK SHOWING F95 6/7			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15E	FIGURE 14

with the lower zone in Hole 95-6. Lower in the hole, a zone of increased quartz-carbonate veining was encountered between 107 and 111 metres. The narrow irregular veins contain traces of blebby chalcopyrite. Sample 57304 from this zone yielded 1.06 g/t Au, 10 g/t Ag and 1.29% Cu over 0.5 metres. Arsenic values are low.

Drill Hole F95-8 (Figure 15), collared above Barry's Cliff and drilled northwesterly towards the Creek Zone, intersected several zones of interest. The upper part of the hole cut through a greywacke/argillite sequence with a noticeable lack of veining and mineralization. At 118.6 m andesite, in part crystal tuff was encountered and the frequency of quartz-carbonate stringers increased markedly. Between 145 and 160 metres numerous quartz and quartz-carbonate veins contain traces of chalcopyrite, arsenopyrite and pyrite. This zone is probably equivalent to the surface exposures at Barry's Cliff. Elevated values in Au, As and Cu are reported in assays from here to the end of the hole. Sample 57420 at 211 metres and containing a 12 cm quartz-chlorite vein with arsenopyrite, reported values of 10.6 g/t Au and >10,000 ppm As over 0.5 m. Strong quartz-ankerite veining at 40° to CA occurs between 231 and 237 metres where sample 57442 containing blebs of chalcopyrite assayed 245 ppb Au, 22.6 g/t Ag and 2.71% Cu over 0.4 metres. This zone correlates well with intersections encountered in the bottom of Holes AVD 90-10, 14 and F95-11.

Drill Hole F95-9 collared at Triple Creek was abandoned at 18 metres as it appeared to be skipping down the bedrock/overburden interface. Hole 95-10 was intended to intersect northerly extensions of the Triple Creek veins. No significant intersections were encountered. Assays did however, report elevated Cu values (Figure 16).

Drill Hole F95-11 drilled in an easterly direction was also intended to test from the northerly extension of Triple Creek veins as well as test the Creek showing to depth (Figure 17). Between 53 and 64 metres elevated values in Au, As and Cu were encountered associated with numerous arsenopyrite bearing 1 to 6 cm quartz carbonate veins. Arsenopyritization of wall rock is significant. Assays from 60.85 to 64.0 m average 4.04 g/t Au over 3.15 m. A partly brecciated quartz-carbonate vein between 146.3 and 147.5 metres contains 0.2 m of patchy chalcopyrite. Sample 57467 assayed 905 ppb Au, 27 g/t Ag and 5.59% Cu over 0.45 metres. This intersection correlates well with the bottom of F95-8.

Table 10.0.1 summarizes the significant assays returned from all drill hole sampling.

10.7 Geochemical Survey

Soil sampling along the 1995 grid lines has enhanced previously detected anomalous metal trends (Figures 18, 19 and 20). In the vicinity of lines 72+00N and 74+00N, the broad dispersion of elevated Au, As and Cu values appears to reflect the distribution of argillaceous sediments lying west of the Grizzly showing. The Grizzly showing probably because of its small size is not

← 255° TRIPLE CREEK SHOWING 075° →


LEGEND

SYMBOLS

- Collar with Drill Hole Number and Dip
Grid Coordinates and Elevation
- Qv Quartz Vein
- QCv Quartz carbonate
- QFCv Quartz Iron carbonate
- Bx Breccia
- Foliation (and/or cleavage ?)
- Fault
- Fe-carb Alteration
- Qtz-carb Veining
- Drill Hole
- Sample Intervals with numbers (Number
Core length (m))
Cu% - Au ppb or g/t

LITHOLOGY

- Andesite, variably porphyritic
- Strongly altered andesite, mainly siltstone
- Tuff, cherty tuff, minor siltstone
- Siltstone, minor tuff, banded, medium bedded, minor argillite
- Argillite, shale, phyllite, carbonaceous, dark grey to black
- Basalt dike, black
- Andesite dike, pale green grey
- Quartz vein
- Quartz breccia
- Quartz vein stockwork



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT			
TRIPLE CREEK SHOWING			
F95-9/10			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15E	FIGURE 16

← 268° CREEK SHOWING 088° →

NW

SE

F 95-11 (-45°)

1130 m

52 + 94 N
2 + 74 W
El. 1128












1100 m

1050 m











ELEVATED As VALUES


LEGEND

SYMBOLS

-  Collar with Drill Hole Number and Dip
Grid Coordinates and Elevation
-  Quartz Vein
-  Quartz carbonate
-  Quartz Iron carbonate
-  Breccia
-  Foliation (and/or cleavage ?)
-  Fault
-  Fe-carb Alteration
-  Qtz-carb Veining
-  Drill Hole
-  Sample Intervals with numbers (Number
Core length (m) Cu% - Au ppb or g/t

LITHOLOGY

-  Andesite, variably porphyritic
-  Strongly altered andesite, mainly siltstone
-  Tuff, cherty tuff, minor siltstone
-  Siltstone, minor tuff, banded, medium bedded, minor argillite
-  Argillite, shale, phyllite, carbonaceous,
dark grey to black
-  Basalt dike, black
-  Andesite dike, pale green grey
-  Quartz vein
-  Quartz breccia
-  Quartz vein stockwork



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT CREEK SHOWING F95-11			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15E	FIGURE 17

Table 10.0.1

**Forrest Project - 1995
Summary of Significant Drill Hole Assay Results**

Drill Hole	Showing	Grid Coordinates		Interval (m)		Length (m)	Gold			Copper % (ppm)	Silver g/t	Arsenic ppm
		N/S (m)	W/E (m)	From	To		g/t	opt	ppb			
F95-1	Crooked Creek	65+96N	4+95E	94.8	95.5	0.7	1.20			(70)	<1	4
				95.5	97.5	2.0			35	0.99	5.6	20
F95-2	Crooked Creek	65+46N	4+45E	60.45	61.10	0.65			314	(499)	<1	24
				76.9	77.1	0.2	1.78			0.74	9.4	64
F95-3	Azurite	42+84N	1+17E	23.3	24.4	1.1			-	0.11	-	16
				50.3	51.8	1.5			-	0.13	-	8
F95-4	Creek/Barry's Cliff	54+68N	0+41W	17.5	18.1	0.6			-	1.71	11.8	12
F95-5	Creek/Barry's Cliff	54+68N	0+41W	40.0	41.0	1.0			180	0.17	1.4	8
				82.9	83.9	1.0			20	0.11	0.6	16
				83.9	84.3	0.4			395	1.66	10.4	78

Table 10.0.1

**Forrest Project - 1995
Summary of Significant Drill Hole Assay Results**

Drill Hole	Showing	Grid Coordinates		Interval (m)		Length (m)	Gold			Copper % (ppm)	Silver g/t	Arsenic ppm
		N/S (m)	W/E (m)	From	To		g/t	opt	ppb			
F95-5	(Continued)			109.0	109.7	0.7			—	0.55	5.2	28
F95-6	Creek	53+82N	1+54W	28.9	29.9	1.0			785	(288)	0.4	412
				57.0	58.1	1.1			25	0.10	0.8	60
F95-7	Creek	53+82N	1+54W	25.95	26.05	0.2			960	(380)	—	574
				73.0	74.0	1.0			70	0.24	3.0	50
				107.0	107.3	0.3			645	0.84	6.4	32
				110.45	110.95	0.5	0.96			1.29	10.2	68
F95-8	Creek/Barry's Cliff	52+36N	0+51W	148.3	149.8	1.5			580	(535)	0.8	912
				152.3	152.7	0.4			595	(738)	0.6	734
				153.3	153.7	0.4			690	(446)	0.4	1860
				153.7	155.2	1.5			350	(577)	0.8	354
				158.2	159.3	1.1			575	(78)	0.2	4070

Table 10.0.1

**Forrest Project - 1995
Summary of Significant Drill Hole Assay Results**

Drill Hole	Showing	Grid Coordinates		Interval (m)		Length (m)	Gold			Copper % (ppm)	Silver g/t	Arsenic ppm
		N/S (m)	W/E (m)	From	To		g/t	opt	ppb			
F95-8	(Continued)			185.0	186.0	1.0			—	0.39	1.4	4
				198.2	198.4	0.2			410	(71)	—	>10,000
				198.4	199.4	1.0			340	(476)	—	158
				210.9	211.4	0.5	10.6			(56)	1.2	>10,000
				212.1	212.4	0.3			330	(531)	—	2130
				215.4	216.9	1.5			355	(499)	—	224
				230.3	231.0	0.7			770	(79)	—	5640
				236.6	237.0	0.4			245	2.71	—	80
F95-9	Triple Creek	52+94N	2+76W	Abandoned at 18.3 m - No Assays								
F95-10	Triple Creek	52+94N	2+76W	53.5	53.9	0.4		—	355	(368)	—	6
F95-11	Creek	52+94N	2+74W	14.65	15.65	1.0	—	—	—	0.13	—	—
				53.7	53.85	0.15	1.8	0.051		2.51	10.5	66

Table 10.0.1

**Forrest Project - 1995
Summary of Significant Drill Hole Assay Results**

Drill Hole	Showing	Grid Coordinates		Interval (m)		Length (m)	Gold			Copper % (ppm)	Silver g/t	Arsenic ppm
		N/S (m)	W/E (m)	From	To		g/t	opt	ppb			
F95-11	(Continued)			60.85	61.2	0.35	2.43	0.071		(544)	0.7	2670
				61.2	62.2	1.0			230	(863)	0.5	1300
				62.2	64.0	1.8	6.48	0.189		(257)	1.4	8760
				64.0	65.2	1.2			305	(771)	0.6	3710
				74.6	75.45	0.85			150	0.22	0.6	328
				86.35	86.80	0.45			860	(313)	-	604
				147.0	147.45	0.45			905	5.59	27.0	32
				157.3	157.4	0.1			425	0.96	1.4	18

reflected in the sample data.

A 75 to 100 metre wide zone of coincident high Au, As and Cu values occurs between 62+00N-5+75E and 68+00N-8+00E and overlays the northeasterly trending andesitic rocks which host the most easterly of the Crooked Creek showings. While sample 68+00N-8+00E, north of the showings, reported distinctly anomalous values of 700 ppb Au, 790 ppm As and 230 ppm Cu, samples from lines 62+00N and 63+00N reported moderately elevated values over a broader width. The latter distribution possibly reflects both down hill dispersion from the showings and the masking of a bedrock source by a greater depth of overburden.

South of Gossan Creek elevated and anomalous metal values appear discontinuous. Of probable importance, however, are samples 58+00N-6+25E and 6+50E which reported 370 ppm As, 77 ppm Cu and 35 ppb Au, 406 ppm As and 229 ppm Cu, respectively, as well as sample 58+00N-3+50E which reported 740 ppb Au, 64 ppm As and 159 ppm Cu. These samples possibly reflect sources similar to the Creek and Canyon Shear groups of showings.

11.0 DISCUSSION AND CONCLUSIONS

The various operators to date have been hampered in their search for an economic gold deposit on the Forrest property by the complexity of the geological events affecting the underlying stratigraphy. While systematic exploration of the property has resulted in the discovery of 30 or more gold-bearing mineral occurrences in a variety of settings, the enhancement of most through follow-up work has met with limited success.

The 1995 work program was no exception, Mapping and sampling at the Grizzly and Goose Pond showings did not extend the distribution of auriferous semimassive chalcopyrite mineralization beyond limits previously detected. The geophysical surveys in these areas were inconclusive in the detection of significant structures related to the known mineralization. Although traces of chalcopyrite in Drill Hole F95-3 at the Azurite showing were encountered, the surface showing was not extended.

Work on the End Zone produced a northerly extension to the known showings through intermittent occurrences of auriferous arsenopyrite over a strike length in excess of 150 metres. While the VLF-EM survey disclosed little conductive continuity between these occurrences, a weak conductor does correlate with mineralization in the easterly trench showing investigated in 1994. Of possible significance however is a distinct anomaly in the northwesterly part of the survey which is scree covered.

Mineralization at all of these showings is associated with cleavages or shears (parallel to the general fold trends) within interbedded tuff-argillite-cherty tuff sequences. In general, the chalcopyrite mineralization (\pm Ag, Au) of the Grizzly, Azurite and Goose Pond showings is quite local. The arsenopyrite mineralization of the End zone does appear to have some strike potential.

In the vicinity of the Forrest Grid (Figure 6) auriferous arsenopyrite bearing quartz veins are

exposed in cliff-forming rocks over a width in excess of 1 kilometre from the 50 Zone westerly to the Triple Creek exposures and beyond. These veins display orientations of 320° to 010° in strike with moderate easterly to vertical dips and may be structurally related to the northeasterly trending folds observed in the overlying sediments. The arsenopyrite is most often fine grained and concentrated in vein boundaries. Drill intersections such as in F95-8 and 11 however, show that arsenopyrite also occurs as 1 to 2 cm semi-massive bands and as coarse disseminations in adjacent wallrock. Wallrock mineralization however is generally low in gold content.


Crosscutting the early quartz veins, are steeply dipping, copper-rich, iron carbonate veins of the type intersected at the bottom of holes F95-8 and 11. Chalcopyrite occurs as semimassive bands and coarse blebs. While gold values associated with this event are generally low, silver values may report in the order of several tens of grams.


During the 1990 drill program, several zones of quartz breccia, cemented with chalcopyrite and iron carbonate were encountered at the Creek showing. These auriferous zones likely represent the intersection of late shears with earlier quartz veins and produced open spaces favourable for the emplacement of chalcopyrite. Elevated gold values encountered laterally along the Creek Zone shear likely resulted from both the granulation of early arsenical veins and the scavaging and redistribution of gold by the copper-iron carbonate event. This is somewhat consistent with observation from elsewhere on the property which indicates while high copper values are *occasionally accompanied by high gold values, samples reporting high arsenic consistently report high gold whether copper is present or not.* This interpretation does not, however, preclude the possibility that some gold was added to the system during the latter iron carbonate event.

The Crooked Creek showing, while lacking exposures of arsenical quartz veins, also contains elevated arsenic values associated with copper and gold within sheared andesitic rocks. It is likely that these showings represent a variation of the mineralizing events found at the Creek showings.

The terrain underlying the Forrest property, as indicated through its wealth of showings, contains geological environments favourable to the deposition of gold and continues to be a worthwhile area in which to search for a gold deposit of economic importance. At present, the greatest potential appears to lie in terrain in which the earlier arsenopyrite mineralization is overlapped by the later copper-iron carbonate event. Future development of the property would benefit greatly from the development of a conceptual model which accommodated the nature of the gold occurrences discovered to date. Such a project would be useful in prioritizing the development of existing targets as well as establishing a direction for on-going reconnaissance.

Respectfully submitted,


 T.C. Scott, B.Sc.


 C.K. Ikona, P.Eng.

12.0 BIBLIOGRAPHY

- Caulfield, D.A. and C.K. Ikona (1987): Geological Report on the GIM Mineral Claim.
- Caulfield, D.A. and C.K. Ikona (1987): Geological Report on the Josh, Josh 2-4 Mineral Claims.
- Clark, J.R. (1989): Observations on the Geology and Mineralization of the Forrest 1-15 Claims, Iskut River Area, B.C.
- Costin, C.P. (1973): Assessment Report 4150, Dirk Claims, Newmont.
- Delaware Resources Corp.: Progress Report, Snip Prospect, November 19, 1987.
- Equity Preservation Corp. (1988): Stewart-Sulphurets-Iskut Map.
- Geological Survey of Canada: GSC Map 11-1971, Telegraph Creek.
- Gulf International Minerals Ltd.: Annual Report, February 1988.
- Grove, E.W. (1985): Geological Report and Work Proposal on the Skyline Explorations Ltd. Inel Property.
- Grove, E.W. (1986): Geological Report, Exploration and Development Proposal on the Skyline Explorations Ltd. Reg Property.
- Kowalchuk, J. (1982): Assessment Report 10,418, Warrior Claims, Dupont Exploration.
- Lefebure, D.V. and M.H. Gunning (1987): Exploration in British Columbia 1987, B.C. Geological Survey Branch publication.
- Logan, J.M. , V.M. Koyanagi and J.R. Drobe (1990): Geology and Mineral Occurrences of the Forrest-Kerr-Iskut River Area, NW B.C., Open File 1990-2, B.C. Geological Survey.
- Read, P.B. et al (1989): Geology of Parts of Snippaker Creek, Forrest Kerr Creek, Bob Quinn Lake, Iskut River and More Creek, GSC Open File 2094.
- Skyline Explorations Ltd.: Annual Report 1987.
- Sorbara, J. Paul (January 11, 1988): Geological Report on the Joy 1 & 2 Mineral Claims for Brenwest Mining Ltd.
- Stammers, M.A. A.T. Montgomery and C.K. Ikona (1991): Summary Report of 1990 Exploration On the Forrest 1-15 Mineral Claims.

Ticker Tape Resources Ltd.: News releases dated September 21, 1987 and October 13, 1987.

Todoruk, S.L. and C.K. Ikona (1987): Geological Report on the Stu 1 & 2 Mineral Claims.

Todoruk, S.L. and C.K. Ikona (1987): Geological Report on the Gab 11 & 12 Mineral Claims and Stu 8 & 9 Mineral Claims.

Todoruk, S.L. and C.K. Ikona (1987): 1987 Summary Report on the Sky 4 & 5 and Spray 1 & 2 Claims.

Todoruk, S.L. and C.K. Ikona (1987): Geological Report on the Stu 4 & 5 Mineral Claims.

Todoruk, S.L., M.A. Stammers, R.J. Darney and C.K. Ikona (January 1990): Summary of the 1989 Exploration on the Forrest 1-15 Mineral Claims.

Todoruk, S.L. (1994): Assessment Report on the Forrest 1-10, 12 Mineral Claims.

Tungco Resources Corporation: News release dated December 1, 1987.

Western Canadian Mining Corp.: News Release dated November 12, 1987.

13.0 STATEMENTS OF QUALIFICATIONS

T. CAMERON SCOTT, GEOLOGIST

I, T. Cameron Scott of 3925 Fourth Avenue, Port Alberni, in the Province of British Columbia, DO HEREBY CERTIFY THAT:

1. I am a graduate of the University of British Columbia (1973) and hold a B.Sc. in Geology.
2. I am a past Fellow of the Geological Association of Canada.
3. My primary employment since 1963 has been in the field of mineral exploration.
4. My experience has encompassed a wide range of geological environments and has allowed considerable familiarization with prospecting geophysical, geochemical and exploration drilling techniques.
5. This report is based on data generated by myself under the direction of Charles K. Ikona, Professional Engineer, and on information contained in the various reports listed in the Bibliography.
6. I have no interest in the property described herein, nor in securities of any company associated with the property, nor do I expect to receive any such interest.
7. I hereby grant permission to Meridian Peak Resources Inc. for the use of this report in any prospectus or other documentation required by any regulatory authority.

Dated at Vancouver, B.C., this 30 day of November, 1995.



T. Cameron Scott

ENGINEER'S CERTIFICATE


I, CHARLES K. IKONA, of 5 Cowley Court, Port Moody, in the Province of British Columbia, DO HEREBY CERTIFY THAT:

1. I am a Consulting Mining Engineer with offices at Suite 711, 675 West Hastings Street, Vancouver, British Columbia.
2. I am a graduate of the University of British Columbia with a degree in Mining Engineering.
3. I am a member in good standing of the Association of Professional Engineers of the Province of British Columbia.
4. My experience has encompassed a wide range of geological environments and has allowed considerable familiarization of exploration and production of both lode and placer deposits.
5. This report is based on work carried out by T. Cameron Scott under my direction and a site visit by myself over the last 5 years.

DATED at Vancouver, B.C. this 30th day of Nov, 1995.



Charles K. Ikona, P.Eng.



APPENDIX I

ANALYTICAL PROCEDURES

Gold

Fire Assay Collection/ Atomic Absorption Spectroscopy (FA-AA)

Chemex Code: 100

A 10g sample is fused with a neutral lead oxide flux inquarted with 6mg of gold-free silver and then cupelled to yield a precious metal bead.

These beads are digested for 30 mins in 0.5ml concentrated nitric acid, then 1.5ml of concentrated hydrochloric acid are added and the mixture is digested for 1 hr. The samples are cooled, diluted to a final volume of 5ml, homogenized and analyzed by atomic absorption spectroscopy.

Detection limit: 5 ppb

Upper Limit: 10,000 ppb

Gold

Fire Assay Collection/ Atomic Absorption Spectroscopy (FA-AA)

Chemex Code: 983

A 30g sample is fused with a neutral lead oxide flux inquarted with 6mg of gold-free silver and then cupelled to yield a precious metal bead.

These beads are digested for 30 mins in 0.5ml concentrated nitric acid, then 1.5ml of concentrated hydrochloric acid are added and the mixture is digested for 1 hr. The samples are cooled, diluted to a final volume of 5ml, homogenized and analyzed by atomic absorption spectroscopy.

Detection limit: 5 ppb

Upper Limit: 10,000 ppb

32-Element Geochemistry Package (32-ICP)
Inductively-Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES)

A prepared sample (1.0g) is digested with concentrated nitric and aqua regia acids at medium heat for two hours. The acid solution is diluted to 25ml with demineralized water, mixed and analyzed using a Jarrell Ash 1100 plasma spectrometer after calibration with proper standards. The analytical results are corrected for spectral inter-element interferences.

Chemex Codes	Element	Detection Limit	Upper Limit
229	Digestion		
2119	* Aluminum	0.01 %	15 %
2118	Silver	0.2 ppm	0.02 %
2120	Arsenic	2 ppm	1 %
2121	* Barium	10 ppm	1 %
2122	* Beryllium	0.5 ppm	0.01 %
2123	Bismuth	2 ppm	1 %
2124	* Calcium	0.01 %	15 %
2125	Cadmium	0.5 ppm	0.05 %
2126	Cobalt	1 ppm	1 %
2127	* Chromium	1 ppm	1 %
2128	Copper	1 ppm	1 %
2150	Iron	0.01 %	15 %
2130	* Gallium	10 ppm	1 %
2132	* Potassium	0.01 %	10 %
2151	* Lanthanum	10 ppm	1 %
2134	* Magnesium	0.01 %	15 %
2135	Manganese	5 ppm	1 %
2136	Molybdenum	1 ppm	1 %
2137	* Sodium	0.01 %	10 %
2138	Nickel	1 ppm	1 %
2139	Phosphorus	10 ppm	1 %
2140	Lead	2 ppm	1 %
2141	Antimony	2 ppm	1 %
2142	* Scandium	1 ppm	1 %
2143	* Strontium	1 ppm	1 %
2144	* Titanium	0.01 %	10 %
2145	* Thallium	10 ppm	1 %
2146	Uranium	10 ppm	1 %
2147	Vanadium	1 ppm	1 %
2148	* Tungsten	10 ppm	1 %
2149	Zinc	2 ppm	1 %
2131	Mercury	1 ppm	1 %

* Elements for which the digestion is possibly incomplete.

Gold and Silver

Fire Assay - Gravimetric Finish

Chemex Code(s): Au - 996 (oz/T), 997 (g/tonne)
Ag - 383 (oz/T), 384 (g/tonne)

Gold analyses are done by standard fire assay techniques. A prepared sample (1 assay ton (29.166 grams)) is fused in litharge, carbonate and silicious fluxes. The lead button containing the precious metals is cupelled in a muffle furnace. The Ag and Au bead is weighed, parted in dilute nitric acid, annealed and weighed as Au. The difference in weights is the Ag.

Detection Limit: Au 0.002 oz/T
0.07 g/tonne
Ag 0.05 oz/T
0.3 g/tonne

Upper Limit: 20 oz/T
500 g/tonne
Upper Limit: 20 oz/T
500 g/tonne

Copper, Lead, Zinc, Silver - Reverse aqua regia (A-4 Package)

A prepared sample (0.5 - 2.00g) is digested in a hot nitric - hydrochloric acid mixture and taken to dryness, cooled, and then transferred into a 250ml volumetric flask. The final matrix is 25% hydrochloric acid. The solutions are then analyzed on an atomic absorption instrument.

Chemex Code	Element	Detection Limit	Upper Limit
301	Copper	0.01 %	100 %
312	Lead	0.01 %	100 %
316	Zinc	0.01 %	100 %
385	Silver	0.01 oz.T	100 oz/T

Whole Rock Analysis

X-Ray Fluorescence Spectroscopy (XRF)

A 412 - Extended Whole Rock Package

A prepared sample is added to lithium metaborate flux, mixed well and fused in a furnace at 1050 deg C. A flat glass disc is prepared from the resulting melt. This disc is then analyzed by X-Ray fluorescence spectroscopy (XRF).

Chemex Codes	Element (as oxide)	Detection Limit
901	SiO ₂	0.01%
905	MgO	0.01%
902	Al ₂ O ₃	0.01%
904	TiO ₂	0.01%
1989	MnO	0.01%
909	P ₂ O ₅	0.01%
907	Na ₂ O	0.01%
903	Fe ₂ O ₃	0.01%
906	CaO	0.01%
2590	Cr ₂ O ₃	0.01%
909	K ₂ O	0.01%

Additional elements:

2891	Ba	2 ppm
2973	Nb	2 ppm
2067	Rb	2 ppm
2898	Sr	2 ppm
2974	Y	2 ppm
2978	Zr	3 ppm

Method for Loss on Ignition

A porcelain crucible is dried in an oven at 105 deg C, cooled and the weight recorded. A prepared sample (1.00g) is added to the crucible and then ashed at 1000 deg C for one hour. The sample is then cooled in a desiccator, weighed and percent loss on ignition (L.O.I.) is calculated.

Chemex Code	Parameter	Detection Limit
910	L.O.I.	0.01 %

APPENDIX II

ROCK SAMPLE DESCRIPTION FORMS

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5751	Grizzly	grab, float	argillite	silic, ser	cp, 1-5%	stockwork veining, blebby cp, elev 1165 m	10	--	--	--
5752	Grizzly	grab, bedrock	andesite	Fe carb, ser	py, <1%	diss py in rusty andesite, elev 1172 m	<5	--	--	--
5753	Grizzly Trench	chip, 1.2 m	phyllitic volc	silic	cp, 1-5%	quartz-carbonate veins 054/76NW, elev 1200 m	595	20.8	2.47	40
5754	Grizzly Trench	chip, 1.0 m	phyllitic volc	silic	cp, <1%	foliation 106/54S, malachite on foliation	<5	0.8	0.46	24
5755	Grizzly Trench	chip, 1.7 m	phyllitic volc	silic	cp, <1%	quartz-carbonate vein 054/76NW	25	3.0	0.47	18
5756	Grizzly Trench	chip, 1.1 m	phyllitic volc	silic	cp, ~1%	quartz-carbonate vein	115	10.4	1.46	40
5757	Grizzly Trench	chip, 1.0 m	phyllitic volc	silic	cp, <1%	quartz-carbonate vein	1020	5.2	0.65	30
5758	Grizzly Trench	grab - select	phyllitic volc	silic	cp, 10 - 15%	quartz-carbonate vein	1200	80.2	6.81	170
5759	Goose Pond	chip, 0.3 m	altered volc	ser, Fe carb	cp, py - tr	gossanous Fe carbonate shear, 019/38W 0+00N/5+20W	<5	<0.2	<0.01	2

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5760	Goose Pond	grab, composite	altered volc	ser, Fe carb	py - tr	highly fractured Fe carbonate alteration zone, structural trend 0.15°, 0+155/5+00W	<5	<0.2	<0.01	8
5761	Goose Pond	grab, 0.1 m	altered volc	ser, Fe carb	py, cp, <1%	rusty sheared rock, 175/85W, 0+75S/5+15W	<5	<0.2	<0.01	4
5762	Goose Pond	grab, 0.1 m	volcanics	ser, silic, Fe carb	py, <1%	foliation 046/70SE	10	<0.2	<0.01	48
5763	Jan Showing	grab, 0.1 m	breccia	bleached	limonite	possible fault; highly fractured	<5	<0.2	0.02	24
5802	VG Zone	panel	quartz vein	chlorite	cp, mal, lim	quartz vein hosted by purple green agglomerate .15 m x 0.6 m	150	0.2	0.36	2
5803	Forrest Grid	chip, 1.0 m	tuff	Fe carb, silic	py, cp - tr	fault breccia ? bleached, limonitic 46+00N/1+50W; quartz vein rubble	<5	<0.2	0.01	<2
5804	Forrest Grid	grab, compos 0.5 m	tuff	Fe carb, silic	py, cp	fault breccia, 46+00N/1+50W	<5	<0.2	<0.01	8
5805	Forrest Grid	grab, compos 1.0 m ²	andesite	silic	py, aspy - tr	50+75N/1+25E	<5	<0.2	0.06	4

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5806	End Zone	grab, compos 1.0 m ²	dacite (?) dyke	carbonate, wk	py ~3%	contact with argillite at 070/60S, 86+45N/4+25W f.g. grey dyke	<5			
5807	End Zone	grab, composite	tuffaceous chert	Fe carb	py - tr	irregular quartz flood, bedding 045°/48NW 87+50N/3+50W	10			
5808	End Zone	grab, composite	tuffaceous chert	Fe carb	—	Fe carbonate in gashes, cleavage 010/85E 88+50N/3+78W	15			
5809	End Zone	composite grab	tuffs	Fe carb	limonite	cleavage 005/vertical, elev 1395 m	280			
5810	End Zone	channel, 0.15 m	tuffs	Fe carb	limonite	cleavage 005/vertical, elev 1395 m	435			
5811	End Zone	grab, select	andesite	Fe carb	aspy	Fe carbonate flood, elev 1395	155			
5812	End Zone	grab	andesite	silic	py, <5% diss	quartz flood, elev 1375	30			
5813	Jan	grab	andesite	silic	limonite	quartz vein in subcrop, 8+50N/.2+80E	15			
5814	Jan	grab, compos 0.5 m ²	argillite	Fe carb	py	py in quartz stringers and as veinlets within black graphitic argillite, foliation 305/65N	50			

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5815	Goose Pond	grab, compos 0.5 m ²	tuffaceous seds	silic Fe carb	cp	hairline cp stringers ~20 m south of trenches 10+25N/4+00E	25			
5816	Jan	grab 0.10 m	fault breccia	Fe carb	py, 1%	in gully trending 107°, 3 m east of 5814 argillitic fragments	<5			
5817	Jan	grab 0.1 m	quartz vein		limonite	vein attitude 071/88NW, 5 m east 5814	<5			
5818	Goose Pond	grab	tuff	silic, Fe carb		bleached, foliation 006/80E 0+60N/3+45W	<5			
5819	Goose Pond	grab, compos 0.5 m ²	tuff	silic	py - diss	subcrop 0+95N/3+30W	<5			
5820	North Grid	grab, compos 3 m ²	siltstone	silic, Fe carb	py, 2-3% diss	shearing 345/85E	<5			
5821	Grizzly	grab, compos 0.2 m	quartz vein	Fe carb	py - tr	between 5918 and 5919	<5			
5901	Goose Pond	chip, 1.11 m	argillite	Fe carb			<5			
5902	Goose Pond	chip, 1.45 m	argillite	Fe carb, silic		in part brecciated, foliation 020/65E	<5			
5903	Goose Pond	chip, 2.1 m	argillite	Fe carb	py - tr	highly fractured	10			

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5904	Goose Pond	chip, 1.24 m	argillite	Fe carb, silic		well fractured	<5			
5905	Goose Pond	chip, 2.4 m	argillite	Fe carb	py, lim	well fractured	<5			
5906	Goose Pond	chip, 1.14 m	argillite	Fe carb	py - tr	Fe carbonate cemented breccia	870			
5907	Goose Pond	chip, 1.14 m	tuff	wk Fe carb, silic		fractured, argillaceous	<5			
5908	Goose Pond	chip, 2.03 m	tuff	Fe carb, silic		argillaceous	<5			
5909	Goose Pond	chip, 1.3 m	argillite	Fe carb	lim	tuffaceous	<5			
5910	Goose Pond	chip, 1.6 m	argillite	Fe carb			35			
5911	Goose Pond	chip, 0.58 m	tuff	Fe carb, silic	lim	argillaceous	<5			
5912	Goose Pond	chip, 2.26 m	tuff	Fe carb	lim	argillaceous	<5			
5913	Goose Pond	chip, 1.8 m	argillite	Fe carb	lim		<5			
5914	Goose Pond	chip, 2.65 m	argillite	Fe carb	lim		15			

APPENDIX II

ROCK SAMPLE DESCRIPTIONS
MERIDIAN PEAK RESOURCES CORPORATION

Sampled by T.C. Scott and R. Falls - August 9 to September 13, 1995

Sample No.	Location	Sample Type	Description			Additional Comments	Assays			
			Rock Type	Alteration	Minerals		Au ppb	Ag ppm	Cu %	As ppm
5915	Goose Pond	chip, 3.3 m	siltstone	silic, Fe carb	py - tr	tuffaceous	<5			
5916	Goose Pond	chip, 1.06 m	siltstone	silic, Fe carb		tuffaceous	<5			
5917	Goose Pond	chip, 1.83 m	argillite	Fe carb	py - tr	fissile, sheared and brecciated	15			
5918	Grizzly	chip, 0.5 m	tuffaceous argillite	ser, Fe carb	py - tr	shearing (fault ?) 305/85S, contains 20 cm quartz vein 17 m upstream from Grizzly showing	<5			
5919	Grizzly	chip, 0.3 m	tuffaceous argillite	ser, Fe carb	py - tr		<5			

APPENDIX III

ASSAY CERTIFICATES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

o: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page : 1-A
 Total Pages : 2
 Certificate Date: 12-SEP-95
 Invoice No. : I9526699
 P.O. Number :
 Account : BM

Project : FORREST
 Comments : ATTN: DOUG FULCHER CC: STEVE TODORUK

CERTIFICATE OF ANALYSIS A9526699

SAMPLE	PREP CODE	Au ppb RUSH	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
057001	255 295	10 -----	< 0.2	0.40	4	280	3.0	< 2	1.84	< 0.5	3	69	38	2.65	< 10	< 1	0.16	< 10	0.43	
057002	255 295	20 -----	0.2	1.23	22	340	3.0	< 2	1.47	< 0.5	9	57	13	3.04	< 10	< 1	0.19	< 10	0.84	
057003	255 295	145 -----	0.6	0.54	38	180	2.5	< 2	1.39	< 0.5	27	58	725	2.62	< 10	< 1	0.16	< 10	0.57	
057004	255 295	15 -----	0.2	0.35	2	140	3.0	< 2	6.32	< 0.5	5	32	54	2.97	< 10	< 1	0.10	< 10	2.52	
057005	255 295	120 -----	< 0.2	0.48	2	300	3.5	< 2	4.20	< 0.5	4	123	29	3.15	< 10	< 1	0.13	< 10	0.83	
057006	255 295	10 -----	< 0.2	0.96	2	470	2.0	< 2	1.50	< 0.5	6	43	29	2.25	< 10	< 1	0.22	< 10	0.60	
057007	255 295	15 -----	< 0.2	0.78	8	350	2.0	< 2	1.86	< 0.5	6	68	29	2.30	< 10	< 1	0.18	< 10	0.59	
057008	255 295	15 -----	< 0.2	0.48	8	310	1.5	< 2	1.00	< 0.5	4	77	28	1.61	< 10	< 1	0.14	< 10	0.33	
057009	255 295	10 -----	< 0.2	1.19	4	470	2.0	< 2	1.58	< 0.5	6	58	29	2.76	< 10	< 1	0.19	< 10	0.95	
057010	255 295	5 -----	< 0.2	0.80	6	410	1.5	< 2	1.01	< 0.5	3	46	19	1.60	< 10	< 1	0.16	< 10	0.68	
057011	255 295	10 -----	< 0.2	0.58	4	440	1.0	< 2	1.58	< 0.5	4	113	18	1.82	< 10	< 1	0.16	< 10	0.86	
057012	255 295	< 5 -----	< 0.2	0.57	2	420	2.0	< 2	0.72	< 0.5	3	82	18	2.46	< 10	< 1	0.18	< 10	0.50	
057013	255 295	< 5 -----	< 0.2	1.19	2	400	2.0	< 2	1.30	< 0.5	2	67	9	2.11	< 10	< 1	0.16	10	0.94	
057014	255 295	35 -----	< 0.2	0.80	4	510	1.0	< 2	1.44	< 0.5	4	86	26	1.48	< 10	< 1	0.20	10	0.48	
057015	255 295	25 -----	< 0.2	1.19	10	740	2.0	< 2	2.15	< 0.5	5	89	40	2.43	< 10	< 1	0.18	10	0.81	
057016	255 295	40 -----	0.2	1.19	40	190	2.0	< 2	2.69	0.5	11	33	59	4.16	< 10	< 1	0.23	< 10	1.14	
057017	255 295	20 -----	0.4	1.75	32	100	4.0	< 2	1.82	< 0.5	16	29	78	4.79	< 10	< 1	0.30	< 10	0.94	
057018	255 295	15 -----	0.4	1.64	18	208	3.5	< 2	3.97	< 0.5	11	18	132	4.14	< 10	< 1	0.27	< 10	0.82	
057019	255 295	< 5 -----	0.2	1.40	16	150	3.0	< 2	3.40	< 0.5	11	68	77	3.81	< 10	< 1	0.22	< 10	0.73	
057020	255 295	< 5 -----	< 0.2	2.90	2	210	3.5	< 2	3.55	< 0.5	15	36	109	4.86	< 10	< 1	0.29	< 10	1.20	
057021	255 295	< 5 -----	< 0.2	2.42	2	170	2.0	< 2	3.84	< 0.5	9	11	19	3.73	< 10	< 1	0.23	10	1.15	
057022	255 295	10 -----	< 0.2	2.62	4	300	3.0	< 2	2.68	< 0.5	14	27	97	4.64	10	< 1	0.32	< 10	1.00	
057023	255 295	< 5 -----	< 0.2	2.34	2	300	4.0	< 2	4.26	0.5	16	20	53	5.33	< 10	1	0.20	< 10	1.85	
057024	255 295	40 -----	0.2	0.30	10	300	1.0	< 2	1.44	< 0.5	7	130	108	1.47	< 10	< 1	0.09	< 10	0.25	
057025	255 295	1020 1.20	< 0.2	0.37	4	470	1.0	< 2	0.96	< 0.5	7	113	70	1.17	< 10	< 1	0.10	< 10	0.35	
057026	255 295	35 -----	5.6	0.20	20	130	1.5	< 2	2.91	0.5	9	230	9330	1.96	< 10	< 1	0.08	< 10	0.22	
057027	255 295	25 -----	< 0.2	0.72	2	620	1.0	< 2	1.68	< 0.5	6	134	124	1.44	< 10	< 1	0.18	< 10	0.79	
057028	255 295	10 -----	< 0.2	1.04	2	460	1.5	< 2	1.42	< 0.5	3	91	31	1.98	< 10	< 1	0.13	< 10	0.80	
057029	255 295	10 -----	< 0.2	1.36	2	660	1.5	< 2	1.75	< 0.5	7	195	34	2.45	< 10	< 1	0.27	< 10	0.84	
057030	255 295	< 5 -----	< 0.2	0.65	10	220	1.5	< 2	1.27	< 0.5	6	100	62	1.70	< 10	< 1	0.11	< 10	0.49	
057031	255 295	< 5 -----	0.2	0.82	4	410	1.5	< 2	1.05	< 0.5	4	129	21	1.75	< 10	< 1	0.22	< 10	0.58	
057032	255 295	15 -----	< 0.2	0.41	2	150	1.5	< 2	3.57	< 0.5	6	144	357	1.84	< 10	< 1	0.08	< 10	0.71	
057033	255 295	15 -----	< 0.2	1.90	2	520	2.0	< 2	1.54	< 0.5	3	139	28	2.66	< 10	< 1	0.28	< 10	1.19	
057034	255 295	< 5 -----	< 0.2	2.52	10	20	3.0	< 2	5.57	< 0.5	13	28	138	5.83	20	< 1	0.01	< 10	1.28	
057035	255 295	< 5 -----	< 0.2	2.87	42	60	4.5	< 2	4.14	0.5	23	35	101	7.64	20	< 1	0.01	< 10	1.48	
057036	255 295	< 5 -----	< 0.2	1.19	34	40	4.5	< 2	3.14	0.5	21	33	100	5.98	10	< 1	0.01	10	0.50	
057037	255 295	< 5 -----	< 0.2	1.83	18	20	3.5	< 2	3.03	< 0.5	22	75	17	6.14	10	< 1	0.01	< 10	1.17	
057038	255 295	< 5 -----	< 0.2	0.99	2	1040	1.0	< 2	1.11	< 0.5	3	130	20	1.50	< 10	< 1	0.30	< 10	0.41	
057039	255 295	< 5 -----	< 0.2	0.62	2	360	1.0	< 2	0.58	< 0.5	2	64	16	1.16	< 10	< 1	0.10	< 10	0.43	
057040	255 295	< 5 -----	< 0.2	0.99	78	110	2.5	< 2	1.24	< 0.5	8	123	40	3.21	< 10	< 1	0.16	< 10	0.83	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: DOUG FULCHER CC: STEVE TODORUK

Page : 1-B
Total Pages : 2
Certificate Date: 12-SEP-95
Invoice No. : 19526699
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS

A9526699

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
057001	255	295	755	< 1	0.01	25	200	4	4	4	98	< 0.01	< 10	< 10	8	< 10	22
057002	255	295	510	< 1	0.03	20	310	< 2	4	8	57	< 0.01	< 10	< 10	28	< 10	28
057003	255	295	520	< 1	0.01	19	340	< 2	4	5	52	< 0.01	< 10	< 10	13	< 10	20
057004	255	295	1740	< 1	0.01	8	100	< 2	2	7	248	< 0.01	< 10	< 10	11	10	18
057005	255	295	1475	< 1	0.01	17	270	6	2	6	157	< 0.01	< 10	< 10	15	< 10	22
057006	255	295	610	< 1	0.02	16	710	2	< 2	4	64	< 0.01	< 10	< 10	11	< 10	20
057007	255	295	830	< 1	0.01	34	550	4	< 2	4	54	< 0.01	< 10	< 10	12	< 10	16
057008	255	295	470	1	0.01	32	190	< 2	< 2	3	34	< 0.01	< 10	< 10	13	< 10	18
057009	255	295	640	< 1	0.01	15	520	< 2	< 2	6	77	< 0.01	< 10	< 10	17	< 10	22
057010	255	295	455	< 1	0.01	17	180	< 2	< 2	3	41	< 0.01	< 10	< 10	9	< 10	20
057011	255	295	715	2	0.02	16	230	< 2	< 2	3	74	< 0.01	< 10	< 10	11	< 10	20
057012	255	295	485	< 1	0.01	12	230	4	2	4	28	< 0.01	< 10	< 10	8	< 10	30
057013	255	295	475	< 1	0.01	9	130	< 2	< 2	3	34	< 0.01	< 10	< 10	10	< 10	26
057014	255	295	545	< 1	0.02	18	710	2	2	3	42	< 0.01	< 10	< 10	8	< 10	12
057015	255	295	935	1	0.02	18	430	2	6	5	113	< 0.01	< 10	< 10	25	< 10	28
057016	255	295	875	1	0.02	11	590	12	2	4	83	< 0.01	< 10	< 10	29	10	26
057017	255	295	440	10	0.01	13	740	16	4	3	78	< 0.01	< 10	< 10	27	10	46
057018	255	295	475	32	0.02	8	780	16	4	3	220	< 0.01	< 10	< 10	22	10	46
057019	255	295	640	2	0.01	13	640	6	4	2	175	< 0.01	< 10	< 10	21	10	40
057020	255	295	680	< 1	0.01	11	730	< 2	2	4	107	< 0.01	< 10	< 10	41	10	62
057021	255	295	725	< 1	0.01	2	1120	6	4	2	127	< 0.01	< 10	< 10	18	10	60
057022	255	295	525	1	0.02	14	790	2	2	4	89	< 0.01	< 10	< 10	43	10	60
057023	255	295	1245	1	0.02	9	890	< 2	2	7	93	< 0.01	< 10	< 10	57	20	70
057024	255	295	405	< 1	0.01	15	320	2	2	2	35	< 0.01	< 10	< 10	13	< 10	14
057025	255	295	240	< 1	0.01	15	150	2	< 2	2	42	< 0.01	< 10	< 10	11	< 10	8
057026	255	295	580	1	0.01	25	120	2	2	4	41	< 0.01	< 10	< 10	7	< 10	32
057027	255	295	360	< 1	0.03	18	120	< 2	2	3	78	< 0.01	< 10	< 10	21	< 10	14
057028	255	295	390	< 1	0.02	14	130	< 2	< 2	3	54	< 0.01	< 10	< 10	9	< 10	32
057029	255	295	595	< 1	0.03	15	200	4	2	4	52	< 0.01	< 10	< 10	16	< 10	30
057030	255	295	425	2	0.01	14	170	6	< 2	3	33	< 0.01	< 10	< 10	10	< 10	18
057031	255	295	275	7	0.02	15	130	2	< 2	2	35	< 0.01	< 10	< 10	14	< 10	20
057032	255	295	880	2	0.01	13	150	< 2	2	3	74	< 0.01	< 10	< 10	7	< 10	20
057033	255	295	430	< 1	0.02	13	230	< 2	< 2	4	33	< 0.01	< 10	< 10	19	< 10	42
057034	255	295	920	< 1	0.03	1	2200	< 2	2	19	104	< 0.01	< 10	< 10	30	20	24
057035	255	295	870	< 1	0.03	2	2360	< 2	6	18	72	< 0.01	< 10	< 10	31	20	40
057036	255	295	755	1	0.02	5	2890	2	2	17	42	< 0.01	< 10	< 10	18	10	34
057037	255	295	615	1	0.04	7	2090	< 2	2	12	59	< 0.01	< 10	< 10	33	10	32
057038	255	295	400	1	0.05	11	670	2	< 2	2	70	< 0.01	< 10	< 10	6	< 10	22
057039	255	295	270	< 1	0.01	8	170	4	< 2	2	31	< 0.01	< 10	< 10	6	< 10	14
057040	255	295	500	1	0.02	25	170	4	2	4	59	< 0.01	< 10	< 10	15	< 10	54

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Company: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: DOUG FULCHER CC: STEVE TODORUK

Page No.: 2-A
 Total Pages: 2
 Certificate Date: 12-SEP-95
 Invoice No.: I9526699
 P.O. Number:
 Account: BM

CERTIFICATE OF ANALYSIS

A9526699

SAMPLE	PREP CODE	Au ppb RUSH	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
057041	255 295	< 5 -----		< 0.2	0.68	2	330	< 0.5	< 2	0.45	< 0.5	2	79	8	1.21	< 10	< 1	0.10	< 10	0.38
057042	255 295	< 5 -----		< 0.2	1.57	4	830	< 0.5	< 2	1.62	< 0.5	5	72	20	2.21	< 10	< 1	0.28	< 10	0.83
057043	255 295	< 5 -----		0.2	0.60	8	270	< 0.5	< 2	2.30	< 0.5	5	68	30	2.13	< 10	< 1	0.08	< 10	1.11
057044	255 295	< 5 -----		< 0.2	1.26	16	720	< 0.5	< 2	1.64	< 0.5	8	152	25	1.68	< 10	< 1	0.29	< 10	0.61
057045	255 295	315 -----		0.4	1.03	24	290	< 0.5	< 2	0.65	< 0.5	17	101	499	1.96	< 10	< 1	0.13	< 10	0.58
057046	255 295	10 -----		< 0.2	1.25	6	770	< 0.5	< 2	1.80	< 0.5	6	88	25	1.97	< 10	< 1	0.30	< 10	0.93
057047	255 295	< 5 -----		< 0.2	0.87	10	360	< 0.5	< 2	2.64	< 0.5	3	64	21	1.95	< 10	1	0.16	< 10	1.06
057048	255 295	< 5 -----		< 0.2	1.80	2	910	< 0.5	< 2	1.51	< 0.5	4	78	31	2.33	< 10	< 1	0.38	< 10	1.07
057049	255 295	30 -----		< 0.2	1.33	6	320	< 0.5	< 2	1.22	< 0.5	4	135	13	2.52	< 10	< 1	0.13	< 10	1.06
057050	255 295	< 5 -----		< 0.2	1.54	6	820	< 0.5	< 2	0.61	< 0.5	3	83	16	1.98	< 10	< 1	0.31	< 10	0.72
057051	255 295	10 -----		< 0.2	0.65	8	290	< 0.5	< 2	2.42	< 0.5	4	92	41	1.92	< 10	< 1	0.11	< 10	1.25
057052	255 295	< 5 -----		< 0.2	1.40	6	940	< 0.5	< 2	1.42	< 0.5	4	141	31	1.88	< 10	< 1	0.35	< 10	0.97
057053	255 295	1840 -----	1.78	9.4	1.91	64	180	< 0.5	< 2	0.37	< 0.5	42	137	7040	3.68	< 10	< 1	0.09	< 10	1.32
057054	255 295	25 -----		0.6	3.43	22	170	< 0.5	6	3.14	< 0.5	26	44	717	5.11	< 10	1	0.19	< 10	1.97
057055	255 295	< 5 -----		< 0.2	1.58	8	270	< 0.5	< 2	1.18	< 0.5	4	60	37	2.48	< 10	< 1	0.17	< 10	1.02
057056	255 295	30 -----		0.2	1.13	14	260	< 0.5	< 2	3.75	< 0.5	8	67	17	2.99	< 10	< 1	0.19	< 10	1.72
057057	255 295	< 5 -----		< 0.2	1.97	< 2	140	< 0.5	< 2	3.03	< 0.5	16	14	110	4.28	< 10	< 1	0.23	< 10	1.77
057058	255 295	< 5 -----		0.2	1.61	4	160	< 0.5	2	5.75	< 0.5	21	26	197	6.59	< 10	< 1	0.42	< 10	2.47
057059	255 295	< 5 -----		< 0.2	0.75	4	120	< 0.5	< 2	4.89	< 0.5	15	18	162	2.53	< 10	< 1	0.24	< 10	0.83
057060	255 295	< 5 -----		< 0.2	1.35	8	100	< 0.5	< 2	3.39	< 0.5	15	19	145	3.79	< 10	< 1	0.27	< 10	1.53
057061	255 295	< 5 -----		< 0.2	1.35	14	100	< 0.5	< 2	4.68	< 0.5	18	18	63	4.63	< 10	< 1	0.15	< 10	1.41
057062	255 295	30 -----		0.2	2.98	20	120	< 0.5	< 2	6.04	3.0	37	9	483	8.25	10	1	0.08	< 10	1.66
005751	255 295	10 -----																		
005752	255 295	< 5 -----																		
005802	255 295	150 -----		0.2	0.18	2	70	< 0.5	4	1.04	< 0.5	3	145	3660	1.45	< 10	< 1	0.03	< 10	0.09

CERTIFICATION: _____

Handwritten signature and date



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

o: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page or : 2-B
 Total Pages : 2
 Certificate Date: 12-SEP-95
 Invoice No. : I9526699
 P.O. Number :
 Account : BM

Project : FORREST
 Comments: ATTN: DOUG FULCHER CC: STEVE TODORUK

CERTIFICATE OF ANALYSIS A9526699

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
057041	255	295	280	< 1	0.01	11	210	< 2	< 2	1	24	< 0.01	< 10	< 10	2	< 10	12
057042	255	295	510	< 1	0.03	15	240	< 2	< 2	4	66	< 0.01	< 10	< 10	17	< 10	24
057043	255	295	730	< 1	0.01	24	130	2	< 2	3	94	< 0.01	< 10	< 10	15	< 10	20
057044	255	295	505	< 1	0.02	18	280	< 2	< 2	2	66	< 0.01	< 10	< 10	10	< 10	14
057045	255	295	200	< 1	0.01	19	230	< 2	< 2	1	28	< 0.01	< 10	< 10	7	< 10	20
057046	255	295	590	< 1	0.02	9	170	< 2	< 2	3	111	< 0.01	< 10	< 10	10	< 10	20
057047	255	295	845	< 1	0.01	15	280	< 2	< 2	2	129	< 0.01	< 10	< 10	6	< 10	20
057048	255	295	675	< 1	0.03	8	590	< 2	< 2	4	125	< 0.01	< 10	< 10	12	< 10	30
057049	255	295	745	< 1	0.01	9	170	< 2	< 2	3	68	< 0.01	< 10	< 10	8	< 10	30
057050	255	295	360	< 1	0.02	9	100	< 2	< 2	2	37	< 0.01	< 10	< 10	6	< 10	26
057051	255	295	775	< 1	0.01	13	150	2	< 2	2	143	< 0.01	< 10	< 10	13	< 10	20
057052	255	295	505	< 1	0.03	11	150	< 2	< 2	3	75	< 0.01	< 10	< 10	14	< 10	20
057053	255	295	200	< 1	0.01	22	240	< 2	< 2	2	16	< 0.01	< 10	< 10	16	< 10	44
057054	255	295	800	< 1	0.04	9	570	2	< 2	7	123	< 0.01	< 10	< 10	94	< 10	60
057055	255	295	350	< 1	0.01	17	1640	< 2	< 2	4	51	< 0.01	< 10	< 10	20	< 10	40
057056	255	295	625	< 1	0.03	20	330	2	< 2	5	110	< 0.01	< 10	< 10	22	< 10	30
057057	255	295	720	< 1	0.01	14	1380	< 2	< 2	5	140	< 0.01	< 10	< 10	32	< 10	66
057058	255	295	1380	< 1	0.02	9	860	4	2	6	291	< 0.01	< 10	< 10	29	< 10	72
057059	255	295	920	1	0.01	7	1040	2	< 2	5	213	< 0.01	< 10	< 10	23	< 10	32
057060	255	295	930	1	0.06	5	850	2	< 2	8	291	< 0.01	< 10	< 10	60	< 10	46
057061	255	295	1275	1	0.02	8	1010	2	< 2	7	248	< 0.01	< 10	< 10	47	< 10	48
057062	255	295	1390	1	0.02	9	1060	4	2	24	168	0.02	< 10	< 10	252	< 10	176
005751	255	295	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
005752	255	295	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
005802	255	295	425	1	< 0.01	4	180	2	< 2	< 1	10	< 0.01	< 10	< 10	7	< 10	12

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED
 711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 1-A
 Total Pages 5
 Certificate Date: 19-SEP-95
 Invoice No. I-9527387
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527387

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
057063	205 226	< 5	< 0.2	1.63	4	70	< 0.5	< 2	1.48	< 0.5	4	62	24	2.24	< 10	< 1	0.15	10	0.97	455
057064	205 226	< 5	< 0.2	3.15	22	70	< 0.5	2	1.11	< 0.5	17	60	63	4.91	< 10	< 1	0.15	10	1.89	555
057065	205 226	< 5	< 0.2	3.82	6	60	< 0.5	2	2.27	< 0.5	22	51	82	5.74	10	1	0.11	10	2.34	770
057066	205 226	< 5	< 0.2	3.62	8	90	< 0.5	2	0.36	< 0.5	20	76	92	5.78	< 10	< 1	0.16	10	2.14	590
057067	205 226	< 5	< 0.2	3.01	6	70	< 0.5	2	2.22	< 0.5	14	46	104	5.38	< 10	< 1	0.12	10	1.85	690
057068	205 226	< 5	< 0.2	4.07	22	60	< 0.5	4	4.70	< 0.5	30	353	55	6.13	< 10	< 1	0.08	< 10	3.15	1265
057069	205 226	< 5	< 0.2	1.94	2	140	< 0.5	2	1.28	< 0.5	12	69	28	3.52	< 10	< 1	0.12	< 10	1.10	830
057070	205 226	< 5	< 0.2	2.02	< 2	120	< 0.5	2	1.72	< 0.5	9	28	11	3.30	< 10	< 1	0.11	< 10	1.34	880
057071	205 226	< 5	< 0.2	0.60	4	140	< 0.5	< 2	1.28	< 0.5	3	79	48	1.33	< 10	< 1	0.09	< 10	0.35	645
057072	205 226	< 5	< 0.2	0.25	4	140	< 0.5	< 2	2.09	< 0.5	2	65	27	1.11	< 10	< 1	0.07	< 10	0.13	625
057073	205 226	< 5	< 0.2	0.80	< 2	40	< 0.5	< 2	3.19	< 0.5	4	86	289	2.78	< 10	< 1	0.02	< 10	0.84	1520
057074	205 226	< 5	< 0.2	0.99	4	90	< 0.5	< 2	1.20	1.0	4	89	16	2.03	< 10	< 1	0.07	< 10	0.71	675
057075	205 226	< 5	< 0.2	1.72	2	90	< 0.5	< 2	0.66	< 0.5	4	111	32	3.08	< 10	< 1	0.07	< 10	0.99	515
057076	205 226	< 5	< 0.2	0.78	< 2	120	< 0.5	< 2	2.59	< 0.5	2	142	27	1.71	< 10	< 1	0.08	< 10	0.52	635
057077	205 226	< 5	0.4	1.03	16	70	< 0.5	8	5.22	0.5	17	76	1165	6.43	< 10	< 1	0.03	< 10	0.81	3390
057078	205 226	< 5	< 0.2	0.75	4	100	< 0.5	< 2	1.64	< 0.5	3	166	117	1.76	< 10	< 1	0.07	< 10	0.55	635
057079	205 226	< 5	< 0.2	0.77	2	110	< 0.5	< 2	3.05	< 0.5	2	111	25	1.85	< 10	< 1	0.06	< 10	0.55	765
057080	205 226	< 5	< 0.2	0.52	< 2	100	< 0.5	< 2	2.82	< 0.5	1	119	5	1.08	< 10	< 1	0.06	< 10	0.40	510
057081	205 226	< 5	0.2	1.41	32	40	< 0.5	2	6.09	< 0.5	40	66	136	8.77	10	< 1	0.04	< 10	0.80	2880
057082	205 226	< 5	< 0.2	0.72	8	210	< 0.5	< 2	2.95	< 0.5	4	73	27	1.50	< 10	< 1	0.10	< 10	0.41	585
057083	205 226	< 5	< 0.2	0.39	8	140	< 0.5	< 2	2.57	< 0.5	3	137	14	1.66	< 10	< 1	0.09	< 10	0.17	680
057084	205 226	< 5	< 0.2	0.35	< 2	20	< 0.5	< 2	1.37	< 0.5	2	242	2	1.60	< 10	< 1	0.01	< 10	0.20	475
057085	205 226	< 5	< 0.2	0.54	6	210	< 0.5	< 2	2.71	< 0.5	5	91	16	1.56	< 10	< 1	0.09	< 10	0.27	465
057086	205 226	< 5	0.2	2.08	6	190	< 0.5	< 2	3.22	< 0.5	15	84	67	3.29	< 10	< 1	0.07	< 10	1.84	540
057087	205 226	< 5	< 0.2	2.52	6	190	< 0.5	2	3.52	< 0.5	15	76	59	3.80	< 10	< 1	0.07	< 10	2.00	725
057088	205 226	< 5	< 0.2	1.06	< 2	300	< 0.5	< 2	2.79	< 0.5	8	76	4	1.74	< 10	< 1	0.10	< 10	0.98	405
057089	205 226	< 5	< 0.2	1.11	< 2	160	< 0.5	< 2	4.22	< 0.5	9	83	22	3.61	< 10	< 1	0.05	< 10	1.02	1750
057090	205 226	< 5	< 0.2	0.41	16	10	< 0.5	< 2	2.38	< 0.5	5	195	16	1.92	< 10	< 1	< 0.01	< 10	0.30	900
057091	205 226	< 5	< 0.2	0.70	< 2	40	< 0.5	< 2	2.75	< 0.5	2	158	4	1.71	< 10	< 1	0.03	< 10	0.55	635
057092	205 226	20	< 0.2	1.06	22	60	< 0.5	< 2	4.54	< 0.5	10	114	74	4.53	< 10	< 1	0.03	< 10	0.81	2180
057093	205 226	< 5	< 0.2	1.34	6	110	< 0.5	< 2	0.71	< 0.5	6	169	271	2.45	< 10	< 1	0.07	< 10	0.89	585
057094	205 226	< 5	0.2	1.91	8	60	< 0.5	2	0.17	0.5	8	117	858	4.09	< 10	< 1	0.03	< 10	1.03	745
057095	205 226	< 5	< 0.2	1.86	4	70	< 0.5	< 2	0.53	< 0.5	10	121	598	3.81	< 10	< 1	0.06	< 10	1.00	555
057096	205 226	< 5	0.2	2.20	8	110	< 0.5	< 2	0.56	< 0.5	14	140	1435	3.99	10	< 1	0.11	< 10	1.20	610
057097	205 226	< 5	< 0.2	1.74	10	100	< 0.5	< 2	0.78	< 0.5	7	110	137	2.76	< 10	< 1	0.11	< 10	1.26	410
057098	205 226	< 5	< 0.2	2.15	4	200	< 0.5	2	0.99	< 0.5	9	78	57	3.04	< 10	< 1	0.14	< 10	1.58	340
057099	205 226	< 5	< 0.2	0.94	4	50	< 0.5	< 2	1.70	< 0.5	4	215	9	1.54	< 10	< 1	0.02	< 10	0.76	230
057100	205 226	< 5	< 0.2	0.94	4	90	< 0.5	< 2	1.08	< 0.5	3	166	13	1.57	< 10	< 1	0.05	< 10	0.68	425
057101	205 226	< 5	< 0.2	1.71	8	40	< 0.5	< 2	2.16	< 0.5	8	82	9	2.38	10	< 1	0.04	10	1.54	340
057102	205 226	< 5	< 0.2	0.55	4	20	< 0.5	< 2	0.63	< 0.5	2	328	3	1.15	< 10	< 1	< 0.01	< 10	0.43	160



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 1-B
 Total Pages 5
 Certificate Date 19-SEP-95
 Invoice No. I-9527387
 P.O. Number
 Account

Project: FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057063	205 226	1	0.01	5	340	6	< 2	< 1	76	< 0.01	< 10	< 10	7	< 10	54
057064	205 226	1	0.02	22	890	14	< 2	3	71	< 0.01	< 10	< 10	45	< 10	80
057065	205 226	< 1	0.02	22	1150	8	< 2	6	132	< 0.01	< 10	< 10	74	< 10	96
057066	205 226	1	0.01	20	1140	12	< 2	3	27	< 0.01	< 10	< 10	51	< 10	94
057067	205 226	< 1	0.02	19	860	4	2	7	21	< 0.01	< 10	< 10	68	< 10	74
057068	205 226	< 1	0.01	130	580	4	< 2	15	81	< 0.01	< 10	< 10	89	< 10	92
057069	205 226	< 1	0.01	21	260	2	< 2	4	14	< 0.01	< 10	< 10	26	< 10	94
057070	205 226	< 1	0.01	18	380	< 2	< 2	3	40	< 0.01	< 10	< 10	27	< 10	98
057071	205 226	< 1	0.01	20	120	< 2	< 2	1	14	< 0.01	< 10	< 10	10	< 10	48
057072	205 226	< 1	0.01	13	90	< 2	< 2	1	15	< 0.01	< 10	< 10	3	< 10	20
057073	205 226	< 1	0.01	15	160	< 2	< 2	2	57	< 0.01	< 10	< 10	17	< 10	82
057074	205 226	< 1	0.01	31	130	2	< 2	2	17	< 0.01	< 10	< 10	19	< 10	462
057075	205 226	< 1	0.01	38	130	< 2	< 2	3	9	< 0.01	< 10	< 10	31	< 10	70
057076	205 226	< 1	0.01	13	120	2	< 2	2	41	< 0.01	< 10	< 10	15	< 10	40
057077	205 226	< 1	0.01	13	370	4	< 2	3	48	< 0.01	< 10	< 10	16	< 10	306
057078	205 226	< 1	0.02	12	110	< 2	< 2	2	21	< 0.01	< 10	< 10	13	< 10	82
057079	205 226	< 1	0.02	15	100	2	< 2	2	51	< 0.01	< 10	< 10	13	< 10	38
057080	205 226	< 1	0.01	12	90	< 2	< 2	2	47	< 0.01	< 10	< 10	8	< 10	20
057081	205 226	1	0.01	17	3720	14	< 2	10	102	< 0.01	< 10	< 10	26	< 10	84
057082	205 226	< 1	0.03	30	190	2	< 2	2	33	< 0.01	< 10	< 10	15	< 10	26
057083	205 226	< 1	0.02	18	150	< 2	< 2	2	16	< 0.01	< 10	< 10	8	< 10	14
057084	205 226	< 1	0.01	7	60	< 2	< 2	1	8	< 0.01	< 10	< 10	8	< 10	12
057085	205 226	< 1	0.04	20	200	2	< 2	2	38	< 0.01	< 10	< 10	11	< 10	18
057086	205 226	< 1	0.03	35	340	2	< 2	8	98	< 0.01	< 10	< 10	79	< 10	38
057087	205 226	< 1	0.02	33	320	2	< 2	9	88	< 0.01	< 10	< 10	86	< 10	36
057088	205 226	< 1	0.03	25	240	4	< 2	3	83	< 0.01	< 10	< 10	22	< 10	12
057089	205 226	< 1	0.01	20	540	4	< 2	3	67	< 0.01	< 10	< 10	27	< 10	48
057090	205 226	< 1	0.04	6	90	2	< 2	2	46	< 0.01	< 10	< 10	10	< 10	18
057091	205 226	< 1	0.01	16	140	< 2	< 2	3	51	< 0.01	< 10	< 10	20	< 10	26
057092	205 226	< 1	0.01	12	270	4	< 2	3	51	< 0.01	< 10	< 10	22	< 10	146
057093	205 226	< 1	0.01	26	140	< 2	< 2	3	20	< 0.01	< 10	< 10	28	< 10	88
057094	205 226	< 1	0.01	16	160	2	< 2	4	6	< 0.01	< 10	< 10	34	< 10	142
057095	205 226	< 1	0.01	21	190	< 2	< 2	4	6	< 0.01	< 10	< 10	41	< 10	88
057096	205 226	< 1	0.02	17	250	2	< 2	4	18	< 0.01	< 10	< 10	42	< 10	116
057097	205 226	< 1	0.02	16	170	2	< 2	5	13	< 0.01	< 10	< 10	44	< 10	72
057098	205 226	< 1	0.03	19	300	2	< 2	4	17	< 0.01	< 10	< 10	43	< 10	62
057099	205 226	< 1	0.04	15	130	< 2	< 2	3	23	< 0.01	< 10	< 10	48	< 10	20
057100	205 226	< 1	0.02	24	100	4	< 2	3	23	< 0.01	< 10	< 10	23	< 10	36
057101	205 226	< 1	0.05	27	210	< 2	< 2	7	48	< 0.01	< 10	< 10	84	< 10	26
057102	205 226	< 1	0.02	9	20	< 2	< 2	1	8	< 0.01	< 10	< 10	25	< 10	10

**INTERFERENCE: Cu on Bi

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED
 711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 2-A
 Total Pages 5
 Certificate Date 19-SEP-91
 Invoice No. I-9527387
 P.O. Number
 Account

Project: FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527387

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
057103	205 226	< 5	< 0.2	5.47	4	310	< 0.5	2	4.12	< 0.5	24	100	55	7.29	20	1	0.09	< 10	4.74	790
057104	205 226	< 5	< 0.2	4.80	12	120	< 0.5	2	4.67	< 0.5	32	86	72	7.55	10	1	0.01	< 10	3.87	980
057105	205 226	< 5	< 0.2	1.99	14	30	< 0.5	2	2.40	< 0.5	16	186	114	3.43	< 10	< 1	< 0.01	< 10	1.68	480
057106	205 226	< 5	< 0.2	0.18	2	10	< 0.5	< 2	1.45	< 0.5	2	220	20	0.48	< 10	< 1	< 0.01	< 10	0.13	120
057107	205 226	< 5	< 0.2	4.21	22	60	< 0.5	6	5.19	< 0.5	25	68	96	6.45	10	< 1	0.11	< 10	3.10	890
057108	205 226	< 5	< 0.2	4.01	36	40	< 0.5	< 2	5.23	< 0.5	28	47	76	6.65	10	< 1	0.04	< 10	3.10	970
057109	205 226	< 5	< 0.2	3.81	32	30	< 0.5	< 2	3.75	< 0.5	25	64	807	6.41	10	< 1	0.01	< 10	2.91	850
057110	205 226	< 5	< 0.2	3.25	6	30	< 0.5	2	2.50	< 0.5	17	70	80	5.50	10	< 1	0.03	< 10	2.48	725
057111	205 226	< 5	< 0.2	3.63	38	20	< 0.5	2	4.60	< 0.5	26	71	328	6.10	10	< 1	0.02	< 10	2.82	885
057112	205 226	< 5	< 0.2	4.18	20	30	< 0.5	4	5.78	< 0.5	24	51	243	7.13	10	< 1	0.04	< 10	2.94	950
057113	205 226	15	< 0.2	4.60	14	90	< 0.5	2	3.62	< 0.5	24	44	343	7.51	10	1	0.08	< 10	3.39	885
057114	205 226	< 5	< 0.2	1.85	< 2	20	< 0.5	2	0.68	< 0.5	7	147	61	3.23	< 10	< 1	0.01	< 10	1.41	335
057115	205 226	< 5	< 0.2	3.11	8	160	< 0.5	2	3.27	< 0.5	12	25	145	5.04	10	< 1	0.22	10	1.93	785
057116	205 226	< 5	< 0.2	2.41	8	40	< 0.5	< 2	1.75	< 0.5	10	68	34	4.05	< 10	< 1	0.03	< 10	1.82	565
057117	205 226	< 5	< 0.2	3.99	26	100	< 0.5	2	3.15	< 0.5	20	92	13	5.94	10	< 1	0.15	< 10	3.24	840
057118	205 226	< 5	< 0.2	3.87	30	30	< 0.5	2	3.43	< 0.5	25	83	61	6.20	10	1	0.04	< 10	3.15	840
057119	205 226	< 5	< 0.2	3.78	24	40	< 0.5	2	4.82	< 0.5	27	62	74	6.19	10	< 1	0.06	< 10	3.04	990
057120	205 226	< 5	< 0.2	3.38	8	30	< 0.5	2	6.42	< 0.5	19	172	20	5.06	10	< 1	0.05	< 10	2.84	805
057121	205 226	< 5	< 0.2	3.70	52	40	< 0.5	4	5.44	< 0.5	29	195	118	5.51	10	< 1	0.04	< 10	3.35	835
057122	205 226	< 5	< 0.2	3.50	48	60	< 0.5	< 2	2.44	< 0.5	28	168	117	4.72	< 10	< 1	0.04	< 10	2.94	635
057123	205 226	< 5	0.2	3.68	56	80	< 0.5	< 2	2.11	< 0.5	28	200	115	4.55	< 10	< 1	0.07	< 10	3.00	575
057124	205 226	< 5	< 0.2	3.53	60	40	< 0.5	2	2.29	< 0.5	30	247	92	4.68	10	1	0.02	< 10	3.35	645
057125	205 226	< 5	< 0.2	5.36	12	30	< 0.5	< 2	5.87	< 0.5	24	487	17	6.62	10	1	0.04	< 10	5.28	960
057126	205 226	< 5	< 0.2	4.27	10	70	< 0.5	2	5.69	< 0.5	32	355	108	5.63	10	< 1	0.07	< 10	4.36	870
057127	205 226	< 5	< 0.2	4.03	6	40	< 0.5	2	5.13	< 0.5	23	269	39	5.69	10	< 1	0.06	< 10	3.71	760
057128	205 226	< 5	< 0.2	4.66	8	30	< 0.5	2	5.36	< 0.5	29	247	35	6.77	10	< 1	0.02	< 10	4.20	865
057129	205 226	< 5	< 0.2	4.46	28	40	< 0.5	< 2	4.23	< 0.5	32	242	105	6.18	10	< 1	0.06	< 10	3.97	820
057130	205 226	< 5	< 0.2	2.88	8	40	< 0.5	2	2.51	< 0.5	24	243	140	4.62	10	< 1	0.03	< 10	2.66	625
057131	205 226	< 5	< 0.2	1.76	< 2	30	< 0.5	< 2	5.69	< 0.5	10	235	33	2.69	< 10	< 1	0.07	< 10	1.42	495
057132	205 226	< 5	< 0.2	4.34	12	100	< 0.5	2	3.47	< 0.5	37	232	228	6.77	10	< 1	0.08	< 10	3.63	965
057133	205 226	< 5	0.2	4.13	22	120	< 0.5	< 2	3.46	< 0.5	33	185	174	6.00	10	< 1	0.06	< 10	3.24	780
057134	205 226	< 5	0.2	3.49	16	40	< 0.5	< 2	3.06	< 0.5	29	145	146	5.57	10	1	0.02	< 10	2.84	700
057135	205 226	< 5	< 0.2	3.55	20	60	< 0.5	2	3.97	< 0.5	29	212	119	4.51	< 10	< 1	0.04	< 10	2.94	640
057136	205 226	< 5	< 0.2	3.64	18	70	< 0.5	2	3.57	< 0.5	28	192	124	4.55	< 10	< 1	0.03	< 10	3.04	610
057137	205 226	< 5	< 0.2	3.71	20	130	< 0.5	< 2	4.89	< 0.5	31	182	127	5.67	10	1	0.03	< 10	3.64	850
057138	205 226	< 5	< 0.2	4.16	26	60	< 0.5	4	5.17	< 0.5	31	123	122	6.50	10	< 1	0.11	< 10	3.32	1055
057139	205 226	< 5	< 0.2	3.73	14	80	< 0.5	< 2	3.50	< 0.5	31	63	203	6.32	< 10	2	0.06	< 10	2.65	755
057140	205 226	< 5	< 0.2	3.69	24	50	< 0.5	4	3.29	< 0.5	28	41	183	6.04	10	< 1	0.03	< 10	2.62	755
057141	205 226	< 5	< 0.2	3.36	18	70	< 0.5	< 2	3.13	< 0.5	25	49	147	5.07	10	< 1	0.06	< 10	2.28	675
057142	205 226	< 5	< 0.2	3.94	36	30	< 0.5	4	2.23	< 0.5	26	51	240	6.39	10	1	0.01	< 10	2.84	745



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 2-B
 Total Pages 5
 Certificate Date 19-SEP-95
 Invoice No. I-9527387
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057103	205 226	< 1	0.01	60	650	4	< 2	18	62	0.02	< 10	< 10	236	< 10	112
057104	205 226	< 1	0.02	52	630	6	< 2	25	80	0.03	10	< 10	270	< 10	88
057105	205 226	< 1	0.02	25	270	< 2	< 2	11	46	< 0.01	< 10	< 10	126	< 10	42
057106	205 226	< 1	0.01	4	20	< 2	< 2	1	22	< 0.01	< 10	< 10	10	< 10	4
057107	205 226	< 1	0.02	43	560	4	< 2	20	100	0.11	10	< 10	221	< 10	66
057108	205 226	< 1	0.02	38	610	4	< 2	21	115	0.12	< 10	< 10	249	< 10	68
057109	205 226	< 1	0.04	35	730	2	< 2	20	69	0.01	< 10	< 10	250	< 10	68
057110	205 226	< 1	0.02	24	590	2	< 2	15	38	< 0.01	< 10	< 10	179	< 10	60
057111	205 226	< 1	0.02	38	560	2	< 2	17	66	0.04	< 10	< 10	216	< 10	64
057112	205 226	< 1	0.02	36	700	2	2	19	67	0.01	< 10	< 10	257	< 10	72
057113	205 226	< 1	0.03	36	770	4	< 2	19	49	0.01	< 10	< 10	250	< 10	84
057114	205 226	< 1	0.07	8	650	< 2	< 2	8	15	< 0.01	< 10	< 10	80	< 10	36
057115	205 226	< 1	0.06	9	1070	4	< 2	10	64	< 0.01	< 10	< 10	104	< 10	56
057116	205 226	< 1	0.03	16	690	< 2	< 2	10	30	< 0.01	< 10	< 10	105	< 10	46
057117	205 226	< 1	0.04	46	480	2	< 2	17	62	< 0.01	< 10	< 10	195	< 10	74
057118	205 226	< 1	0.02	45	510	4	< 2	20	69	< 0.01	< 10	< 10	200	< 10	78
057119	205 226	< 1	0.02	48	530	4	< 2	20	131	0.01	< 10	< 10	191	< 10	72
057120	205 226	< 1	0.03	53	380	4	< 2	15	109	0.02	< 10	< 10	154	< 10	64
057121	205 226	< 1	0.02	72	430	< 2	< 2	20	98	0.16	< 10	< 10	176	< 10	66
057122	205 226	< 1	0.04	77	450	< 2	2	8	55	0.30	< 10	< 10	139	< 10	64
057123	205 226	< 1	0.03	90	440	2	< 2	4	73	0.29	< 10	< 10	113	< 10	58
057124	205 226	< 1	0.02	97	400	< 2	< 2	10	63	0.23	< 10	< 10	134	< 10	60
057125	205 226	< 1	0.02	127	390	4	2	24	91	0.09	< 10	< 10	221	< 10	88
057126	205 226	< 1	0.01	114	350	4	< 2	20	105	0.05	< 10	< 10	176	< 10	78
057127	205 226	< 1	0.02	83	440	4	< 2	18	95	0.01	< 10	< 10	217	< 10	86
057128	205 226	< 1	0.02	88	470	4	< 2	22	89	0.02	10	< 10	247	< 10	98
057129	205 226	< 1	0.02	91	440	2	< 2	20	59	0.15	< 10	< 10	215	< 10	82
057130	205 226	< 1	0.02	64	320	2	< 2	15	46	0.06	< 10	< 10	134	< 10	66
057131	205 226	< 1	0.02	29	90	2	< 2	5	66	< 0.01	< 10	< 10	69	< 10	40
057132	205 226	< 1	0.03	95	440	6	< 2	22	112	0.04	< 10	< 10	183	< 10	112
057133	205 226	< 1	0.02	78	570	2	< 2	16	147	0.35	< 10	< 10	178	< 10	86
057134	205 226	< 1	0.04	65	530	4	< 2	11	63	0.39	< 10	< 10	181	< 10	82
057135	205 226	< 1	0.03	81	400	4	< 2	12	139	0.24	< 10	< 10	125	< 10	68
057136	205 226	< 1	0.02	83	430	2	< 2	8	58	0.26	< 10	< 10	130	< 10	62
057137	205 226	< 1	0.02	78	460	2	2	20	91	0.19	< 10	< 10	182	< 10	74
057138	205 226	< 1	0.02	59	510	4	< 2	18	80	0.02	< 10	< 10	173	< 10	92
057139	205 226	< 1	0.01	43	660	6	< 2	13	90	0.34	< 10	< 10	204	< 10	84
057140	205 226	< 1	0.02	40	550	4	< 2	13	73	0.37	< 10	< 10	233	< 10	80
057141	205 226	< 1	0.03	41	470	4	2	10	82	0.34	< 10	< 10	159	< 10	78
057142	205 226	< 1	0.04	42	670	2	< 2	9	63	0.41	< 10	< 10	177	< 10	92

**INTERFERENCE: Cu on Bi

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 3-A
 Total Pages 5
 Certificate Date: 19-SEP-97
 Invoice No I-9527387
 P.O. Number
 Account

Project: FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527387

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
057143	205 226	< 5	0.4	3.72	52	30	< 0.5	< 2	10.05	0.5	27	34	332	6.55	< 10	< 1	< 0.01	< 10	2.30	885
057144	205 226	< 5	< 0.2	4.49	62	30	0.5	< 2	3.91	< 0.5	35	38	382	7.71	< 10	< 1	0.01	< 10	2.65	780
057145	205 226	< 5	< 0.2	3.77	22	290	0.5	< 2	3.44	< 0.5	28	10	692	11.35	10	< 1	0.27	10	1.85	1410
057146	205 226	< 5	< 0.2	3.55	22	290	0.5	< 2	2.25	< 0.5	34	9	503	10.05	10	< 1	0.27	< 10	1.73	965
057147	205 226	< 5	< 0.2	4.08	14	110	< 0.5	< 2	2.65	< 0.5	34	39	198	7.70	10	< 1	0.20	< 10	2.39	825
057148	205 226	< 5	0.2	0.82	30	270	< 0.5	< 2	8.57	< 0.5	26	37	181	6.23	< 10	< 1	0.29	< 10	1.65	1060
057149	205 226	< 5	< 0.2	1.14	30	600	< 0.5	< 2	10.00	< 0.5	32	35	110	7.14	< 10	< 1	0.38	< 10	2.46	1305
057150	205 226	< 5	< 0.2	4.46	12	260	< 0.5	< 2	7.24	< 0.5	42	40	164	7.75	10	< 1	0.23	< 10	3.35	1215
057151	205 226	< 5	0.2	4.62	12	180	< 0.5	< 2	6.01	< 0.5	40	40	204	7.51	10	< 1	0.13	< 10	3.36	1115
057152	205 226	< 5	11.8	3.50	12	40	< 0.5	Intf*	7.91	< 0.5	39	36	>10000	7.69	< 10	1	0.04	< 10	2.26	960
057153	205 226	< 5	0.2	5.05	18	70	< 0.5	< 2	6.15	< 0.5	50	46	456	8.51	10	< 1	0.06	< 10	3.24	1125
057154	205 226	< 5	< 0.2	4.17	16	70	< 0.5	< 2	7.20	< 0.5	37	35	388	8.02	10	1	0.03	< 10	3.19	1160
057155	205 226	< 5	< 0.2	0.90	8	1790	< 0.5	< 2	10.35	< 0.5	24	44	191	6.82	< 10	< 1	0.28	< 10	1.45	1355
057156	205 226	< 5	< 0.2	4.61	2	100	< 0.5	< 2	7.09	< 0.5	37	41	137	8.05	10	< 1	0.10	< 10	3.42	1215
057157	205 226	< 5	< 0.2	3.68	16	30	< 0.5	< 2	6.13	< 0.5	53	46	149	8.00	< 10	< 1	0.09	< 10	2.72	1035
057158	205 226	< 5	< 0.2	0.75	30	200	< 0.5	< 2	10.00	0.5	39	32	255	8.44	< 10	< 1	0.16	< 10	1.34	1445
057159	205 226	< 5	< 0.2	3.82	18	60	< 0.5	< 2	6.35	< 0.5	43	18	298	10.35	10	1	0.09	< 10	2.05	1370
057160	205 226	< 5	< 0.2	4.19	22	80	< 0.5	< 2	5.26	< 0.5	42	23	154	10.05	10	< 1	0.07	< 10	2.39	1150
057161	205 226	< 5	< 0.2	3.82	18	100	< 0.5	< 2	4.31	< 0.5	42	26	193	9.72	10	< 1	0.04	< 10	2.05	1050
057162	205 226	< 5	< 0.2	4.07	6	230	< 0.5	< 2	3.74	< 0.5	40	21	224	9.26	10	1	0.10	< 10	2.39	1085
057163	205 226	< 5	< 0.2	4.30	8	30	< 0.5	< 2	3.35	< 0.5	28	29	194	7.00	< 10	< 1	0.12	< 10	2.49	780
057164	205 226	< 5	< 0.2	2.69	126	30	< 0.5	< 2	6.24	< 0.5	42	43	79	5.56	< 10	< 1	0.30	< 10	2.17	1315
057165	205 226	< 5	< 0.2	3.71	32	30	< 0.5	< 2	4.33	< 0.5	30	44	265	6.68	< 10	< 1	0.15	< 10	2.34	935
057166	205 226	< 5	< 0.2	3.99	< 2	10	< 0.5	< 2	2.71	< 0.5	29	41	328	6.54	< 10	< 1	0.02	< 10	2.41	680
057167	205 226	< 5	< 0.2	3.95	38	40	< 0.5	< 2	4.75	< 0.5	38	44	152	7.07	< 10	< 1	0.26	< 10	2.26	1000
057168	205 226	< 5	< 0.2	0.60	34	20	< 0.5	< 2	8.56	< 0.5	18	117	7	2.86	< 10	< 1	0.17	< 10	2.64	1685
057169	205 226	< 5	< 0.2	3.98	32	30	< 0.5	< 2	5.09	< 0.5	37	31	190	7.32	< 10	< 1	0.30	< 10	3.05	1145
057170	205 226	< 5	< 0.2	1.15	70	40	< 0.5	< 2	9.07	< 0.5	37	44	14	3.53	< 10	< 1	0.42	< 10	2.10	1315
057171	205 226	< 5	< 0.2	4.62	12	40	< 0.5	< 2	5.00	< 0.5	33	35	207	7.67	< 10	< 1	0.24	< 10	3.02	1025
057172	205 226	< 5	< 0.2	4.65	70	30	< 0.5	< 2	3.84	< 0.5	36	79	137	6.62	10	< 1	0.24	< 10	3.02	1000
057173	205 226	< 5	< 0.2	3.98	14	20	< 0.5	< 2	4.23	< 0.5	28	62	166	5.79	< 10	< 1	0.11	< 10	2.77	770
057174	205 226	< 5	< 0.2	3.93	44	40	< 0.5	< 2	11.65	< 0.5	33	60	62	5.57	< 10	< 1	0.28	< 10	2.52	1510
057175	205 226	< 5	< 0.2	5.14	22	30	< 0.5	< 2	8.29	< 0.5	28	106	92	7.13	10	< 1	0.13	< 10	3.53	1135
057201	205 226	< 5	< 0.2	3.80	18	170	< 0.5	< 2	2.61	< 0.5	35	72	295	8.09	< 10	< 1	0.14	< 10	2.25	855
057202	205 226	< 5	< 0.2	3.21	8	320	< 0.5	< 2	5.76	< 0.5	33	68	130	7.19	< 10	< 1	0.31	< 10	2.50	925
057203	205 226	< 5	0.2	1.23	22	1720	< 0.5	< 2	11.95	0.5	23	50	127	6.76	< 10	< 1	0.42	< 10	3.56	1260
057204	205 226	< 5	< 0.2	4.37	6	120	< 0.5	< 2	3.33	< 0.5	28	75	215	6.22	< 10	< 1	0.17	< 10	2.24	665
057205	205 226	< 5	< 0.2	5.10	38	40	< 0.5	< 2	4.73	< 0.5	30	108	103	7.03	< 10	< 1	0.13	< 10	1.59	775
057206	205 226	< 5	< 0.2	2.84	46	40	< 0.5	< 2	13.10	< 0.5	23	86	9	4.70	< 10	< 1	0.12	< 10	1.97	1060
057207	205 226	< 5	< 0.2	4.81	16	40	< 0.5	< 2	5.45	< 0.5	31	109	151	6.45	< 10	< 1	0.11	< 10	3.32	830

**INTERFERENCE: Cu on Bi

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 3-B
 Total Pages 5
 Certificate Date 19-SEP-96
 Invoice No. I-9527387
 P.O. Number :
 Account :

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057143	205 226	< 1	0.01	35	600	< 2	< 2	10	99	0.27	< 10	< 10	186	< 10	88
057144	205 226	< 1	0.03	44	760	< 2	4	8	74	0.38	< 10	< 10	213	< 10	92
057145	205 226	1	0.05	8	1720	< 2	< 2	19	87	0.31	< 10	< 10	127	< 10	126
057146	205 226	< 1	0.02	15	1300	4	4	14	85	0.63	< 10	< 10	304	< 10	126
057147	205 226	1	0.02	40	710	10	< 2	13	75	0.50	< 10	< 10	281	< 10	108
057148	205 226	< 1	0.02	39	430	< 2	10	26	212	< 0.01	< 10	< 10	77	< 10	52
057149	205 226	1	0.02	42	400	< 2	10	22	253	< 0.01	< 10	< 10	92	< 10	62
057150	205 226	< 1	0.04	59	440	< 2	2	22	159	< 0.01	< 10	< 10	178	< 10	76
057151	205 226	< 1	0.02	63	470	< 2	< 2	22	128	0.01	< 10	< 10	213	< 10	88
057152	205 226	< 1	0.03	49	270	< 2	< 2	20	112	< 0.01	< 10	< 10	166	< 10	20
057153	205 226	< 1	0.02	59	440	< 2	< 2	20	168	< 0.01	< 10	< 10	215	< 10	80
057154	205 226	< 1	0.02	56	410	< 2	< 2	21	147	< 0.01	< 10	< 10	201	< 10	82
057155	205 226	< 1	0.02	34	410	< 2	< 2	23	138	< 0.01	< 10	< 10	109	< 10	48
057156	205 226	< 1	0.02	59	440	< 2	< 2	21	201	< 0.01	< 10	< 10	203	< 10	94
057157	205 226	< 1	0.02	57	430	< 2	< 2	21	129	< 0.01	< 10	< 10	207	< 10	86
057158	205 226	2	0.01	39	420	2	< 2	19	123	< 0.01	< 10	< 10	225	< 10	74
057159	205 226	< 1	0.03	42	590	< 2	< 2	23	155	< 0.01	< 10	< 10	375	< 10	128
057160	205 226	1	0.02	42	570	< 2	< 2	21	128	0.18	< 10	< 10	403	< 10	112
057161	205 226	< 1	< 0.01	48	590	< 2	2	18	93	0.39	< 10	< 10	543	< 10	110
057162	205 226	< 1	0.01	46	570	< 2	4	15	112	0.51	< 10	< 10	486	< 10	106
057163	205 226	< 1	0.02	34	560	< 2	2	10	44	0.38	< 10	< 10	198	< 10	76
057164	205 226	< 1	0.03	45	530	< 2	< 2	16	71	0.04	< 10	< 10	131	< 10	22
057165	205 226	< 1	0.02	32	650	< 2	4	13	66	0.28	< 10	< 10	192	< 10	62
057166	205 226	1	0.04	36	580	< 2	< 2	8	68	0.48	< 10	< 10	195	< 10	76
057167	205 226	< 1	0.03	41	580	< 2	2	22	87	0.07	< 10	< 10	203	< 10	70
057168	205 226	< 1	0.03	9	200	< 2	2	10	57	< 0.01	< 10	< 10	35	< 10	6
057169	205 226	< 1	0.06	41	560	2	< 2	22	69	0.10	< 10	< 10	194	< 10	64
057170	205 226	< 1	0.05	22	500	2	< 2	19	94	< 0.01	< 10	< 10	65	< 10	10
057171	205 226	< 1	0.04	42	520	< 2	2	19	99	0.25	< 10	< 10	212	< 10	82
057172	205 226	< 1	0.05	62	490	< 2	4	20	39	0.32	< 10	< 10	225	< 10	50
057173	205 226	< 1	0.02	54	490	< 2	< 2	15	81	0.28	< 10	< 10	176	< 10	60
057174	205 226	< 1	0.04	53	440	< 2	< 2	17	238	< 0.01	< 10	< 10	146	< 10	40
057175	205 226	< 1	0.03	64	410	< 2	2	21	180	0.08	< 10	< 10	220	< 10	80
057201	205 226	< 1	0.02	45	900	< 2	4	13	75	0.43	< 10	< 10	301	< 10	90
057202	205 226	< 1	0.07	54	450	< 2	< 2	23	111	0.03	< 10	< 10	164	< 10	82
057203	205 226	< 1	0.06	35	310	2	4	17	431	< 0.01	< 10	< 10	85	< 10	60
057204	205 226	< 1	0.07	46	480	< 2	2	15	96	0.31	< 10	< 10	176	< 10	74
057205	205 226	< 1	0.03	65	410	< 2	< 2	19	57	0.21	< 10	< 10	215	< 10	74
057206	205 226	< 1	0.04	42	280	< 2	< 2	12	225	< 0.01	< 10	< 10	116	< 10	48
057207	205 226	< 1	0.03	66	430	< 2	< 2	17	104	0.23	< 10	< 10	187	< 10	70

**INTERFERENCE: Cu on Bi

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 4-A
 Total Pages 5
 Certificate Date 19-SEP-91
 Invoice No. I-9527387
 P.O. Number
 Account

Project: FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
057208	205 226	< 5	< 0.2	4.26	8	30	< 0.5	< 2	3.04	< 0.5	27	186	156	4.69	< 10	< 1	0.08	< 10	2.63	570
057209	205 226	180	1.4	3.56	8	20	< 0.5	< 2	4.24	< 0.5	28	180	1695	4.88	< 10	< 1	0.07	< 10	2.55	680
057210	205 226	< 5	< 0.2	3.63	10	10	< 0.5	< 2	3.52	< 0.5	29	405	113	4.86	< 10	< 1	0.04	< 10	3.50	630
057211	205 226	20	0.6	4.45	16	30	< 0.5	< 2	6.16	< 0.5	30	122	1105	6.12	< 10	< 1	0.16	< 10	3.09	815
057212	205 226	395	10.4	4.29	78	30	< 0.5	Intf*	5.72	0.5	60	63	>10000	7.80	< 10	< 1	0.28	< 10	2.41	845
057213	205 226	< 5	< 0.2	4.12	12	10	< 0.5	< 2	2.92	< 0.5	29	63	261	6.21	< 10	< 1	0.04	< 10	2.60	655
057214	205 226	< 5	< 0.2	3.31	20	50	< 0.5	< 2	8.14	< 0.5	31	69	232	6.68	< 10	< 1	0.19	< 10	3.26	1430
057215	205 226	< 5	< 0.2	4.59	26	80	< 0.5	< 2	5.48	< 0.5	42	92	194	7.31	< 10	< 1	0.34	< 10	3.32	1125
057216	205 226	< 5	0.2	0.47	22	700	< 0.5	2	>15.00	< 0.5	20	54	9	4.23	< 10	< 1	0.13	< 10	3.64	2970
057217	205 226	< 5	< 0.2	1.44	34	20	< 0.5	< 2	8.69	< 0.5	43	68	4	3.25	< 10	< 1	0.16	< 10	2.61	1675
057218	205 226	< 5	0.6	3.58	34	60	< 0.5	< 2	10.95	< 0.5	20	273	594	5.92	< 10	< 1	0.10	< 10	3.64	2100
057219	205 226	< 5	5.2	2.95	28	40	< 0.5	< 2	5.61	< 0.5	26	94	6200	6.15	< 10	< 1	0.21	< 10	2.79	1440
057220	205 226	< 5	< 0.2	3.95	42	50	< 0.5	< 2	4.66	< 0.5	33	91	219	5.87	< 10	< 1	0.19	< 10	3.00	920
057221	205 226	110	< 0.2	2.78	174	120	< 0.5	< 2	1.27	< 0.5	20	158	228	6.68	< 10	< 1	0.21	< 10	1.30	730
057222	205 226	10	0.4	2.98	46	210	< 0.5	< 2	7.97	< 0.5	29	39	395	7.50	10	< 1	0.13	< 10	1.71	895
057223	205 226	10	< 0.2	2.89	30	260	0.5	< 2	6.11	< 0.5	36	15	458	8.30	10	< 1	0.26	< 10	1.93	990
057224	205 226	< 5	< 0.2	3.16	22	450	0.5	4	4.24	< 0.5	38	4	396	9.43	10	< 1	0.29	< 10	2.08	1045
057225	205 226	785	0.4	3.78	412	260	< 0.5	< 2	6.33	0.5	38	10	288	9.21	10	< 1	0.13	< 10	2.62	1780
057226	205 226	< 5	< 0.2	1.96	20	50	< 0.5	2	7.37	< 0.5	44	20	134	9.29	< 10	< 1	0.33	< 10	2.39	2230
057227	205 226	< 5	< 0.2	3.61	10	120	< 0.5	< 2	5.89	< 0.5	47	12	194	10.10	10	< 1	0.12	< 10	2.41	1575
057228	205 226	< 5	0.2	0.69	42	490	< 0.5	< 2	6.60	< 0.5	43	28	161	9.89	< 10	< 1	0.29	< 10	1.82	1440
057229	205 226	< 5	< 0.2	3.75	22	500	< 0.5	< 2	7.21	< 0.5	46	3	162	10.55	10	< 1	0.30	< 10	1.83	1220
057230	205 226	< 5	0.6	4.89	76	180	< 0.5	2	7.43	0.5	53	5	447	10.60	10	< 1	0.02	< 10	2.42	1455
057231	205 226	< 5	0.2	5.00	34	20	< 0.5	2	6.33	< 0.5	50	8	571	10.75	10	< 1	0.01	< 10	2.33	1240
057232	205 226	< 5	0.2	4.68	32	230	< 0.5	2	5.81	< 0.5	51	8	230	10.55	10	< 1	0.05	< 10	2.14	1225
057233	205 226	25	0.8	4.83	60	10	< 0.5	< 2	5.82	< 0.5	54	8	1300	10.95	10	< 1	0.04	< 10	2.26	1205
057234	205 226	80	0.6	1.79	68	30	< 0.5	< 2	3.02	< 0.5	58	86	447	5.40	< 10	< 1	0.11	< 10	0.70	665
057235	205 226	30	0.4	1.35	54	30	< 0.5	< 2	6.60	< 0.5	58	64	147	5.50	< 10	< 1	0.10	< 10	1.06	1000
057236	205 226	15	0.6	3.10	24	10	< 0.5	< 2	8.07	< 0.5	44	17	820	7.25	10	1	0.03	< 10	1.38	1120
057237	205 226	5	0.2	2.49	32	10	< 0.5	2	13.55	< 0.5	21	15	59	5.54	10	< 1	0.01	< 10	1.35	1755
057238	205 226	< 5	0.2	4.21	24	10	< 0.5	< 2	5.31	< 0.5	44	10	80	9.50	10	< 1	0.02	< 10	2.39	1175
057239	205 226	< 5	0.2	4.00	40	10	< 0.5	< 2	4.47	< 0.5	50	24	134	10.90	10	< 1	0.07	< 10	2.32	1105
057240	205 226	10	0.2	3.68	56	30	< 0.5	< 2	5.61	< 0.5	49	23	126	9.82	10	< 1	0.10	< 10	2.05	1705
057241	205 226	< 5	0.6	3.38	66	30	< 0.5	< 2	6.77	< 0.5	41	32	226	9.55	10	< 1	0.06	< 10	2.23	1550
057242	205 226	< 5	< 0.2	3.20	58	10	< 0.5	< 2	5.49	< 0.5	36	57	164	8.63	10	< 1	0.05	< 10	2.69	1475
057243	205 226	40	0.2	0.61	128	30	< 0.5	< 2	7.84	< 0.5	75	55	324	5.43	< 10	< 1	0.16	< 10	2.49	2060
057244	205 226	< 5	< 0.2	0.65	26	670	< 0.5	< 2	7.68	< 0.5	24	85	29	4.49	< 10	< 1	0.18	< 10	2.73	1845
057245	205 226	< 5	0.2	0.67	26	430	< 0.5	< 2	6.15	< 0.5	26	63	313	5.86	< 10	< 1	0.16	< 10	2.18	1290
057246	205 226	< 5	< 0.2	2.58	26	30	< 0.5	< 2	4.56	< 0.5	33	41	367	6.88	< 10	< 1	0.10	< 10	2.68	1180
057247	205 226	< 5	< 0.2	3.17	28	20	< 0.5	< 2	5.36	< 0.5	30	51	354	7.31	< 10	< 1	0.08	< 10	3.07	1150

**INTERFERENCE: Cu on Bi

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED
 711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 4-B
 Total Pages 5
 Certificate Date 19-SEP-95
 Invoice No I-9527387
 P. O. Number
 Account


Project: FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057208	205 226	< 1	0.02	60	440	< 2	< 2	3	56	0.26	< 10	< 10	121	< 10	64
057209	205 226	< 1	0.02	77	410	< 2	2	8	53	0.21	< 10	< 10	132	< 10	48
057210	205 226	< 1	0.03	113	350	< 2	2	6	32	0.21	< 10	< 10	136	< 10	56
057211	205 226	< 1	0.02	64	450	< 2	< 2	10	76	0.19	< 10	< 10	149	< 10	62
057212	205 226	< 1	0.02	68	350	< 2	< 2	8	61	0.01	< 10	< 10	112	< 10	18
057213	205 226	< 1	0.03	52	580	< 2	< 2	9	56	0.29	< 10	< 10	169	< 10	68
057214	205 226	< 1	0.03	53	410	< 2	< 2	17	106	0.03	< 10	< 10	122	< 10	50
057215	205 226	< 1	0.04	73	520	< 2	< 2	19	76	0.03	< 10	< 10	157	< 10	62
057216	205 226	< 1	0.03	18	140	< 2	< 2	8	183	< 0.01	< 10	< 10	28	< 10	6
057217	205 226	< 1	0.03	26	380	2	< 2	12	110	< 0.01	< 10	< 10	70	< 10	8
057218	205 226	< 1	0.02	45	670	< 2	2	13	168	< 0.01	< 10	< 10	141	< 10	38
057219	205 226	< 1	0.05	56	410	< 2	< 2	13	68	< 0.01	< 10	< 10	143	< 10	32
057220	205 226	< 1	0.06	60	540	< 2	2	12	62	0.19	< 10	< 10	185	< 10	110
057221	205 226	< 1	0.08	24	1430	2	< 2	14	24	0.07	< 10	< 10	112	< 10	50
057222	205 226	< 1	0.05	9	870	< 2	4	23	151	0.32	< 10	< 10	282	< 10	120
057223	205 226	< 1	0.22	9	900	< 2	2	23	98	0.59	< 10	< 10	285	< 10	132
057224	205 226	< 1	0.12	11	920	< 2	2	22	98	0.53	< 10	< 10	279	< 10	140
057225	205 226	< 1	0.08	24	690	< 2	< 2	25	127	0.14	< 10	< 10	613	< 10	90
057226	205 226	< 1	0.04	21	650	< 2	< 2	25	112	< 0.01	< 10	< 10	374	< 10	56
057227	205 226	< 1	0.03	24	640	< 2	< 2	28	142	0.05	< 10	< 10	374	< 10	112
057228	205 226	< 1	0.02	32	460	< 2	2	20	148	< 0.01	< 10	< 10	323	< 10	86
057229	205 226	< 1	0.14	48	430	< 2	< 2	19	200	0.29	< 10	< 10	762	< 10	114
057230	205 226	< 1	0.01	56	520	< 2	< 2	24	149	0.02	< 10	< 10	1170	< 10	86
057231	205 226	< 1	0.01	61	510	< 2	2	22	109	0.02	< 10	< 10	1140	< 10	70
057232	205 226	< 1	< 0.01	61	460	2	< 2	21	118	0.01	< 10	< 10	1140	< 10	106
057233	205 226	< 1	0.01	62	470	< 2	< 2	24	121	0.01	< 10	< 10	1105	< 10	100
057234	205 226	1	0.06	23	1440	2	< 2	12	41	< 0.01	< 10	< 10	192	< 10	28
057235	205 226	< 1	0.03	9	1490	< 2	2	14	122	< 0.01	< 10	< 10	39	< 10	30
057236	205 226	< 1	0.03	9	1810	< 2	< 2	22	136	< 0.01	< 10	< 10	121	< 10	48
057237	205 226	< 1	0.02	19	820	< 2	< 2	20	205	< 0.01	< 10	< 10	272	< 10	44
057238	205 226	< 1	0.02	48	540	< 2	< 2	24	91	< 0.01	< 10	< 10	718	< 10	70
057239	205 226	< 1	0.03	55	490	< 2	2	21	75	< 0.01	< 10	< 10	814	< 10	48
057240	205 226	1	0.02	49	460	< 2	< 2	21	80	< 0.01	< 10	< 10	669	< 10	58
057241	205 226	< 1	0.02	49	450	< 2	< 2	23	98	< 0.01	< 10	< 10	590	< 10	60
057242	205 226	< 1	0.02	46	410	< 2	2	20	65	< 0.01	< 10	< 10	540	< 10	62
057243	205 226	< 1	0.02	47	330	< 2	< 2	13	52	< 0.01	< 10	< 10	138	< 10	10
057244	205 226	1	0.03	22	420	< 2	< 2	14	59	< 0.01	< 10	< 10	67	< 10	14
057245	205 226	< 1	0.03	29	450	< 2	< 2	17	123	< 0.01	< 10	< 10	85	< 10	32
057246	205 226	< 1	0.03	37	560	< 2	2	19	76	< 0.01	< 10	< 10	150	< 10	72
057247	205 226	< 1	0.03	37	540	< 2	< 2	23	92	< 0.01	< 10	< 10	183	< 10	76



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 5-A
 Total Pages 5
 Certificate Date: 19-SEP-95
 Invoice No. I-9527387
 P.O. Number :
 Account :

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527387

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	205	226	FA+AA		%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
057248	205	226	< 5	< 0.2	2.27	32	40	< 0.5	< 2	5.08	< 0.5	26	43	196	6.43	< 10	< 1	0.08	< 10	2.77	1230
057249	205	226	< 5	< 0.2	3.46	22	100	< 0.5	< 2	4.24	< 0.5	34	49	230	7.40	< 10	< 1	0.07	< 10	2.80	1100
05803	205	226	< 5	< 0.2	0.39	< 2	100	< 0.5	< 2	4.04	< 0.5	7	121	14	1.76	< 10	< 1	0.19	< 10	0.56	830
05804	205	226	< 5	< 0.2	0.19	8	150	< 0.5	< 2	8.93	< 0.5	18	87	6	4.30	< 10	< 1	0.11	< 10	0.34	2850
05805	205	226	< 5	< 0.2	2.60	4	90	0.5	8	2.14	< 0.5	31	22	645	9.66	10	< 1	0.03	10	1.46	720



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 5-B
 Total Pages 5
 Certificate Date: 19-SEP-95
 Invoice No. I-9527387
 P.O. Number
 Account

**PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527387

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
057248	205	226	< 1	0.02	35	500	< 2	< 2	18	64	< 0.01	< 10	< 10	144	< 10	54
057249	205	226	< 1	0.02	42	520	< 2	< 2	21	72	< 0.01	< 10	< 10	219	< 10	84
05803	205	226	< 1	0.03	9	470	< 2	< 2	7	18	< 0.01	< 10	< 10	21	< 10	6
05804	205	226	1	0.01	34	190	< 2	< 2	11	26	< 0.01	< 10	< 10	27	< 10	12
05805	205	226	< 1	0.04	2	1920	2	2	18	67	0.47	< 10	< 10	79	< 10	76



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brockbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 1-A
 Total Pages 1
 Certificate Date 21-SEP-95
 Invoice No. I-9527704
 P.O. Number :
 Account :

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527704

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
057176	205 294	960	< 0.2	0.77	574	20	< 0.5	4	>15.00	< 0.5	11	31	380	1.85	< 10	< 1	0.01	< 10	0.55	940
057177	205 294	< 5	< 0.2	3.43	48	360	< 0.5	4	2.85	< 0.5	46	< 1	92	9.17	20	1	0.20	< 10	2.39	750
057178	205 294	20	< 0.2	3.13	24	530	< 0.5	< 2	3.40	< 0.5	50	< 1	247	10.70	20	3	0.40	< 10	2.24	1095
057179	205 294	< 5	< 0.2	1.26	28	330	< 0.5	2	4.20	< 0.5	40	< 1	172	8.88	< 10	1	0.35	< 10	1.96	1120
057180	205 294	< 5	< 0.2	2.62	2	860	< 0.5	2	3.42	< 0.5	49	< 1	401	10.45	20	2	0.40	< 10	2.08	1240
057181	205 294	< 5	< 0.2	2.80	< 2	630	< 0.5	2	3.18	< 0.5	47	< 1	222	9.86	20	2	0.42	< 10	2.03	1095
057182	205 294	< 5	< 0.2	1.44	6	310	< 0.5	4	5.25	< 0.5	29	45	69	5.21	< 10	2	0.37	< 10	2.52	850
057183	205 294	< 5	< 0.2	1.40	40	30	< 0.5	2	5.28	< 0.5	40	10	167	7.12	10	1	0.15	< 10	1.88	1585
057184	205 294	< 5	< 0.2	3.51	34	20	< 0.5	2	4.53	< 0.5	44	13	546	7.92	10	2	0.02	< 10	2.25	735
057185	205 294	< 5	< 0.2	3.23	8	120	< 0.5	20	4.02	< 0.5	36	15	197	7.33	20	3	0.09	< 10	2.40	1030
057186	205 294	20	< 0.2	0.86	66	10	< 0.5	4	6.80	< 0.5	41	9	107	5.46	< 10	< 1	0.10	< 10	2.24	1855
057187	205 294	< 5	< 0.2	2.95	16	30	< 0.5	< 2	4.35	< 0.5	33	10	234	6.61	10	1	0.09	< 10	2.21	1030
057188	205 294	570	< 0.2	3.34	452	250	< 0.5	< 2	4.93	< 0.5	48	4	203	9.17	20	2	0.23	< 10	2.22	900
057189	205 294	10	< 0.2	3.37	32	60	< 0.5	2	5.75	< 0.5	41	4	309	8.39	20	2	0.04	< 10	2.02	1110
057190	205 294	< 5	< 0.2	3.31	18	200	< 0.5	8	3.60	< 0.5	41	4	164	8.63	20	2	0.15	< 10	2.25	865
057191	205 294	< 5	< 0.2	3.17	34	60	< 0.5	4	5.34	< 0.5	36	10	176	7.25	20	2	0.07	< 10	2.10	1190
057192	205 294	15	< 0.2	2.11	104	30	< 0.5	2	5.26	< 0.5	55	34	123	4.67	10	1	0.04	< 10	1.58	990
057193	205 294	5	< 0.2	2.51	66	90	< 0.5	4	5.58	< 0.5	37	50	517	5.79	10	2	0.08	< 10	1.87	1245
057194	205 294	70	3.0	2.51	50	30	< 0.5	8	5.08	< 0.5	35	45	2570	5.12	10	1	0.08	< 10	2.11	1030
057195	205 294	10	< 0.2	2.22	52	60	< 0.5	2	4.94	< 0.5	29	27	197	5.84	10	1	0.14	< 10	2.08	1285
057196	205 294	15	0.4	1.36	38	30	< 0.5	2	4.43	< 0.5	29	42	188	5.64	10	1	0.15	< 10	2.40	1215
057197	205 294	< 5	< 0.2	2.40	28	30	< 0.5	4	5.81	< 0.5	24	43	130	5.37	10	1	0.11	< 10	2.47	1810
057198	205 294	< 5	< 0.2	2.50	28	20	< 0.5	12	5.30	< 0.5	24	37	809	5.09	< 10	1	0.09	< 10	2.37	1340
057199	205 294	15	< 0.2	2.82	24	10	< 0.5	4	5.42	< 0.5	28	34	198	4.72	10	< 1	0.06	< 10	2.45	960
057200	205 294	645	6.4	1.95	32	30	< 0.5	6	7.21	< 0.5	24	39	8260	3.88	10	1	0.14	< 10	1.53	1180
057250	205 294	10	< 0.2	3.16	28	70	< 0.5	8	3.47	< 0.5	41	1	238	7.12	10	2	0.08	< 10	2.41	620
057301	205 294	< 5	< 0.2	3.29	8	10	< 0.5	4	4.68	< 0.5	37	34	107	5.83	10	< 1	0.03	< 10	2.79	895
057302	205 294	25	< 0.2	2.97	14	10	< 0.5	4	4.52	< 0.5	29	27	127	5.19	10	2	0.04	< 10	2.50	885
057303	205 294	10	< 0.2	2.79	16	20	< 0.5	4	3.53	< 0.5	29	27	175	4.64	< 10	2	0.07	< 10	2.42	725
057304	205 294	1060	10.2	2.70	68	10	< 0.5	Intcf*	4.12	< 0.5	40	36	>10000	5.50	10	1	0.05	< 10	2.22	770
057305	205 294	35	< 0.2	3.15	42	20	< 0.5	< 2	4.89	< 0.5	34	36	673	5.22	10	1	0.07	< 10	2.72	815
057306	205 294	10	< 0.2	2.88	12	10	< 0.5	4	3.77	< 0.5	29	27	223	4.54	10	1	0.03	< 10	2.47	690
057307	205 294	< 5	< 0.2	3.42	24	20	< 0.5	4	8.13	< 0.5	27	29	88	5.37	10	1	0.08	< 10	2.84	1160

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 1-B
 Total Pages 1
 Certificate Date 21-SEP-95
 Invoice No. 1-9527704
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527704

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Au FA g/t
057176	205 294	< 1	< 0.01	6	140	2	< 2	12	327	0.03	< 10	< 10	99	< 10	30	-----
057177	205 294	< 1	0.12	29	650	< 2	< 2	35	53	0.15	< 10	< 10	681	< 10	96	-----
057178	205 294	< 1	0.21	41	500	< 2	< 2	29	92	0.50	< 10	< 10	835	< 10	100	-----
057179	205 294	< 1	0.02	29	450	< 2	< 2	24	131	0.01	< 10	< 10	289	< 10	86	-----
057180	205 294	< 1	0.04	37	480	< 2	2	25	146	0.02	< 10	< 10	440	< 10	134	-----
057181	205 294	< 1	0.09	35	490	2	< 2	23	152	0.11	< 10	< 10	469	< 10	116	-----
057182	205 294	< 1	0.09	51	460	< 2	< 2	26	204	< 0.01	< 10	< 10	84	< 10	58	-----
057183	205 294	< 1	0.01	19	540	< 2	< 2	32	81	< 0.01	< 10	< 10	220	< 10	50	-----
057184	205 294	< 1	0.01	50	410	< 2	< 2	27	62	0.02	< 10	< 10	760	< 10	66	-----
057185	205 294	< 1	0.01	38	460	< 2	< 2	22	95	0.22	< 10	< 10	393	< 10	82	-----
057186	205 294	< 1	0.02	27	350	< 2	< 2	14	62	< 0.01	< 10	< 10	111	< 10	18	-----
057187	205 294	< 1	0.01	34	460	< 2	< 2	23	78	0.09	< 10	< 10	287	< 10	74	-----
057188	205 294	< 1	0.09	52	420	< 2	< 2	28	110	0.25	< 10	< 10	927	< 10	98	-----
057189	205 294	< 1	0.01	51	420	< 2	< 2	25	93	0.03	< 10	< 10	831	< 10	62	-----
057190	205 294	< 1	0.04	47	460	< 2	< 2	29	70	0.18	< 10	< 10	635	< 10	84	-----
057191	205 294	< 1	0.01	37	420	< 2	< 2	25	90	< 0.01	< 10	< 10	402	< 10	58	-----
057192	205 294	< 1	0.01	37	470	< 2	< 2	24	81	< 0.01	< 10	< 10	179	< 10	34	-----
057193	205 294	< 1	< 0.01	37	320	< 2	< 2	19	66	< 0.01	< 10	< 10	144	< 10	46	-----
057194	205 294	< 1	0.01	35	410	< 2	< 2	20	89	< 0.01	< 10	< 10	156	< 10	48	-----
057195	205 294	1	0.01	36	440	< 2	< 2	23	53	< 0.01	< 10	< 10	133	< 10	56	-----
057196	205 294	< 1	0.01	34	420	< 2	< 2	22	69	< 0.01	< 10	< 10	100	< 10	48	-----
057197	205 294	< 1	0.01	33	340	< 2	< 2	18	112	< 0.01	< 10	< 10	114	< 10	44	-----
057198	205 294	< 1	0.01	31	340	< 2	< 2	18	106	< 0.01	< 10	< 10	132	< 10	50	-----
057199	205 294	< 1	< 0.01	39	360	< 2	< 2	16	64	0.16	< 10	< 10	161	< 10	56	-----
057200	205 294	< 1	< 0.01	31	170	< 2	< 2	14	117	0.02	< 10	< 10	91	< 10	40	-----
057250	205 294	< 1	0.03	18	550	< 2	< 2	29	49	0.27	< 10	< 10	370	< 10	90	-----
057301	205 294	< 1	0.01	46	360	< 2	< 2	22	50	0.03	< 10	< 10	181	< 10	60	-----
057302	205 294	< 1	0.01	43	390	< 2	< 2	13	62	0.15	< 10	< 10	145	< 10	62	-----
057303	205 294	< 1	< 0.01	44	400	< 2	< 2	11	40	0.18	< 10	< 10	136	< 10	62	-----
057304	205 294	< 1	0.01	45	200	< 2	< 2	18	47	0.01	< 10	< 10	150	< 10	56	0.96
057305	205 294	< 1	0.01	46	340	2	< 2	23	66	0.02	< 10	< 10	181	< 10	64	-----
057306	205 294	< 1	0.01	42	440	< 2	< 2	12	61	0.20	< 10	< 10	157	< 10	60	-----
057307	205 294	< 1	< 0.01	43	350	< 2	< 2	20	181	0.07	< 10	< 10	158	< 10	62	-----

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project : FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 1-B
 Total Pages 1
 Certificate Date 21-SEP-95
 Invoice No. I-9527703
 P.O. Number :
 Account :

CERTIFICATE OF ANALYSIS

A9527703

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
57308	205	294	< 1	0.01	48	440	< 2	< 2	19	52	0.02	< 10	< 10	142	< 10	38
57309	205	294	1	0.01	10	770	< 2	< 2	5	104	< 0.01	< 10	< 10	11	< 10	38



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 1-A
 Total Pages 2
 Certificate Date 25-SEP-95
 Invoice No. I-9528064
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528064

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
057310	205 226	< 5	-----	< 0.2	1.37	22	140	< 0.5	< 2	2.55	< 0.5	14	39	128	3.57	< 10	< 1	0.24	< 10	1.28
057311	205 226	< 5	-----	< 0.2	1.74	8	100	< 0.5	< 2	3.24	< 0.5	11	43	93	3.82	< 10	< 1	0.21	< 10	1.07
057312	205 226	< 5	-----	< 0.2	1.00	18	110	< 0.5	< 2	2.54	< 0.5	14	30	289	2.90	< 10	< 1	0.26	< 10	1.36
057313	205 226	< 5	-----	0.4	0.98	32	100	< 0.5	< 2	2.50	< 0.5	19	41	757	3.06	< 10	< 1	0.27	< 10	1.30
057314	205 226	< 5	-----	< 0.2	1.34	14	110	< 0.5	< 2	2.94	< 0.5	10	36	65	3.07	< 10	< 1	0.22	< 10	0.99
057315	205 226	60	-----	0.2	0.41	144	120	< 0.5	< 2	3.07	< 0.5	36	30	103	2.89	< 10	< 1	0.25	< 10	1.12
057316	205 226	95	-----	< 0.2	0.88	88	110	< 0.5	< 2	2.34	< 0.5	34	22	143	3.05	< 10	< 1	0.26	< 10	1.02
057317	205 226	< 5	-----	< 0.2	1.25	8	120	< 0.5	< 2	1.55	< 0.5	10	15	54	3.08	< 10	< 1	0.23	< 10	0.87
057318	205 226	< 5	-----	< 0.2	0.73	14	110	< 0.5	< 2	2.35	< 0.5	6	36	15	1.54	< 10	< 1	0.17	< 10	0.69
057319	205 226	< 5	-----	0.2	1.45	12	170	< 0.5	< 2	2.05	< 0.5	15	23	69	2.88	< 10	< 1	0.31	< 10	1.21
057320	205 226	< 5	-----	< 0.2	1.73	6	150	< 0.5	< 2	3.09	< 0.5	10	18	63	3.00	< 10	< 1	0.24	< 10	0.83
057321	205 226	< 5	-----	< 0.2	1.69	8	240	< 0.5	< 2	2.66	< 0.5	11	22	75	3.33	< 10	< 1	0.31	< 10	0.70
057322	205 226	< 5	-----	< 0.2	1.61	14	150	< 0.5	< 2	1.96	< 0.5	11	17	73	3.65	< 10	< 1	0.22	10	0.81
057323	205 226	< 5	-----	< 0.2	2.18	32	70	< 0.5	< 2	1.60	< 0.5	18	42	41	4.33	10	< 1	0.14	< 10	1.47
057324	205 226	< 5	-----	< 0.2	2.08	12	70	< 0.5	< 2	0.69	< 0.5	16	43	17	3.72	< 10	< 1	0.16	< 10	1.45
057325	205 226	25	-----	0.4	3.78	194	120	< 0.5	2	4.04	< 0.5	34	4	421	9.07	20	< 1	0.04	< 10	1.86
057326	205 226	40	-----	< 0.2	2.15	46	70	< 0.5	< 2	4.11	< 0.5	38	5	245	9.42	10	< 1	0.07	< 10	1.36
057327	205 226	< 5	-----	< 0.2	3.90	< 2	30	< 0.5	< 2	3.29	< 0.5	32	4	480	10.45	20	< 1	0.01	10	1.77
057328	205 226	45	-----	< 0.2	3.14	< 2	460	0.5	< 2	3.34	< 0.5	29	9	602	9.57	20	2	0.09	10	1.57
057329	205 226	10	-----	< 0.2	3.03	16	210	0.5	2	4.64	< 0.5	30	4	561	9.24	20	< 1	0.08	10	1.44
057330	205 226	< 5	-----	0.2	0.52	4	260	< 0.5	< 2	3.80	< 0.5	26	3	260	8.25	< 10	1	0.13	< 10	1.56
057331	205 226	< 5	-----	< 0.2	2.97	2	130	< 0.5	< 2	3.34	< 0.5	31	1	341	8.67	10	< 1	0.06	10	1.63
057332	205 226	< 5	-----	0.4	3.35	26	10	< 0.5	6	4.12	< 0.5	28	2	434	8.86	10	1	0.01	< 10	1.58
057333	205 226	< 5	-----	0.2	3.00	30	10	< 0.5	8	4.61	< 0.5	24	3	364	8.40	20	< 1	0.01	< 10	1.33
057334	205 226	580	-----	0.8	3.35	912	10	< 0.5	< 2	4.41	< 0.5	26	3	535	9.20	20	< 1	0.01	< 10	1.39
057335	205 226	10	-----	0.6	3.01	26	30	0.5	6	3.99	< 0.5	27	2	606	9.09	20	< 1	0.02	< 10	1.34
057336	205 226	150	-----	1.4	2.94	476	10	< 0.5	< 2	3.25	< 0.5	27	4	655	9.42	20	< 1	0.03	< 10	1.28
057337	205 226	595	-----	0.6	0.69	734	30	< 0.5	4	5.09	< 0.5	26	11	738	7.88	< 10	1	0.18	< 10	1.49
057338	205 226	690	-----	0.4	1.82	1860	20	< 0.5	< 2	8.05	< 0.5	22	15	446	6.23	10	< 1	0.08	< 10	0.98
057339	205 226	350	-----	0.8	2.98	354	30	< 0.5	6	4.11	< 0.5	25	6	577	8.74	10	< 1	0.04	< 10	1.29
057340	205 226	100	-----	0.2	3.47	648	10	< 0.5	6	5.06	1.0	28	8	647	9.31	20	< 1	0.01	< 10	1.34
057341	205 226	95	-----	0.4	3.12	40	90	< 0.5	< 2	3.87	< 0.5	27	2	365	9.23	20	< 1	0.06	< 10	1.20
057342	205 226	575	-----	0.2	0.11	4070	< 10	< 0.5	< 2	0.24	< 0.5	5	125	78	0.90	< 10	< 1	0.01	< 10	0.05
057343	205 226	165	-----	< 0.2	0.40	364	10	< 0.5	< 2	1.97	< 0.5	2	146	24	1.61	< 10	< 1	0.01	< 10	0.21
057344	205 226	30	-----	< 0.2	2.86	26	40	0.5	< 2	3.69	< 0.5	19	8	404	8.38	20	< 1	0.03	10	0.92
057345	205 226	< 5	-----	< 0.2	2.78	12	30	0.5	6	3.70	< 0.5	19	6	415	8.15	20	< 1	0.02	10	1.15
057346	205 226	< 5	-----	< 0.2	3.27	14	10	< 0.5	< 2	3.09	< 0.5	23	3	337	8.67	20	< 1	0.01	< 10	1.52
057347	205 226	< 5	-----	< 0.2	2.49	4	< 10	< 0.5	< 2	4.12	< 0.5	15	4	168	7.11	20	< 1	0.01	10	1.34
057348	205 226	35	-----	< 0.2	2.62	226	20	< 0.5	6	4.59	< 0.5	28	1	540	8.67	20	< 1	0.04	< 10	1.47
057349	205 226	< 5	-----	1.4	3.52	4	30	< 0.5	< 2	3.11	< 0.5	27	4	3910	10.70	20	< 1	0.02	< 10	1.72

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 1-B
 Total Pages 2
 Certificate Date 25-SEP-95
 Invoice No. I-0528064
 P.O. Number
 Account

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528064

SAMPLE DESCRIPTION	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057310	205 226	800	< 1	0.01	8	720	2	< 2	4	93	< 0.01	< 10	< 10	25	< 10	48
057311	205 226	995	< 1	0.02	6	870	< 2	< 2	6	237	< 0.01	< 10	< 10	41	< 10	58
057312	205 226	680	< 1	0.02	8	760	< 2	< 2	4	44	< 0.01	< 10	< 10	19	< 10	28
057313	205 226	695	< 1	0.02	11	790	< 2	< 2	4	48	< 0.01	< 10	< 10	22	< 10	30
057314	205 226	900	< 1	0.01	8	690	< 2	< 2	3	161	< 0.01	< 10	< 10	20	< 10	42
057315	205 226	1030	1	< 0.01	25	740	< 2	< 2	2	41	< 0.01	< 10	< 10	8	< 10	8
057316	205 226	865	1	< 0.01	18	810	< 2	< 2	2	35	< 0.01	< 10	< 10	10	< 10	24
057317	205 226	700	1	0.01	5	760	2	< 2	3	31	< 0.01	< 10	< 10	12	< 10	42
057318	205 226	575	4	< 0.01	27	220	< 2	< 2	1	99	< 0.01	< 10	< 10	10	< 10	22
057319	205 226	700	1	< 0.01	15	580	< 2	< 2	2	48	< 0.01	< 10	< 10	19	< 10	40
057320	205 226	885	< 1	0.01	7	930	2	< 2	3	98	< 0.01	< 10	< 10	24	< 10	64
057321	205 226	860	< 1	0.02	5	670	4	2	3	75	< 0.01	< 10	< 10	21	< 10	60
057322	205 226	945	1	0.01	6	760	< 2	< 2	3	42	< 0.01	< 10	< 10	24	< 10	58
057323	205 226	780	1	0.03	25	660	< 2	< 2	9	27	< 0.01	< 10	< 10	74	< 10	36
057324	205 226	450	1	0.03	22	460	< 2	< 2	6	13	< 0.01	< 10	< 10	61	< 10	30
057325	205 226	1225	< 1	0.02	9	1230	< 2	4	25	96	0.04	< 10	< 10	206	< 10	88
057326	205 226	1530	1	0.01	7	1260	< 2	4	25	115	< 0.01	< 10	< 10	121	< 10	108
057327	205 226	1150	1	0.01	5	1370	< 2	< 2	21	78	0.01	< 10	< 10	134	< 10	114
057328	205 226	1360	< 1	0.06	3	1620	< 2	< 2	21	140	0.07	< 10	< 10	81	< 10	100
057329	205 226	1555	< 1	0.03	4	1350	< 2	< 2	23	153	0.03	< 10	< 10	80	< 10	90
057330	205 226	1525	< 1	0.01	5	1160	< 2	< 2	20	112	< 0.01	< 10	< 10	54	< 10	66
057331	205 226	1190	< 1	0.02	9	1200	< 2	< 2	22	106	0.01	< 10	< 10	134	< 10	88
057332	205 226	1260	< 1	0.01	7	1190	2	< 2	21	115	< 0.01	< 10	< 10	138	< 10	74
057333	205 226	1255	< 1	0.02	4	1560	< 2	< 2	19	122	< 0.01	< 10	< 10	87	< 10	60
057334	205 226	1220	1	0.01	2	2030	< 2	< 2	22	116	< 0.01	< 10	< 10	67	< 10	72
057335	205 226	1565	< 1	0.02	2	1660	< 2	< 2	24	117	0.03	< 10	< 10	72	< 10	72
057336	205 226	1275	< 1	0.02	2	1840	4	4	21	87	0.01	< 10	< 10	62	< 10	66
057337	205 226	1670	< 1	0.02	2	1290	< 2	124	19	176	< 0.01	< 10	< 10	32	< 10	96
057338	205 226	1125	1	0.01	1	1570	< 2	16	15	171	< 0.01	< 10	< 10	38	< 10	74
057339	205 226	1245	1	0.01	1	1870	< 2	4	21	109	0.02	< 10	< 10	52	< 10	80
057340	205 226	1215	1	0.02	2	2240	2	< 2	24	143	0.01	< 10	< 10	84	< 10	222
057341	205 226	1315	< 1	0.02	1	1920	< 2	< 2	24	112	0.04	< 10	< 10	57	< 10	66
057342	205 226	110	< 1	0.01	2	80	< 2	< 2	< 1	7	< 0.01	< 10	< 10	3	< 10	10
057343	205 226	365	< 1	0.01	2	140	< 2	< 2	2	37	< 0.01	< 10	< 10	9	< 10	18
057344	205 226	1180	1	0.02	< 1	2420	< 2	< 2	18	116	0.02	< 10	< 10	12	< 10	64
057345	205 226	1235	1	0.02	< 1	2250	< 2	< 2	16	103	0.02	< 10	< 10	14	< 10	58
057346	205 226	950	1	0.01	< 1	2070	< 2	< 2	17	71	0.01	< 10	< 10	18	< 10	56
057347	205 226	1335	< 1	0.03	1	2070	< 2	< 2	18	91	0.01	< 10	< 10	14	< 10	38
057348	205 226	1765	< 1	0.01	2	1580	< 2	< 2	22	84	< 0.01	< 10	< 10	64	< 10	54
057349	205 226	1480	1	0.02	< 1	2070	< 2	< 2	19	67	< 0.01	< 10	< 10	15	< 10	70

CERTIFICATION: _____

03160730 014711 CHEMEX LABS VHA-1 HA 1101 000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 2-A
 Total Pages 2
 Certificate Date 25-SEP-05
 Invoice No. I-9528064
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528064

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
057350	205 226	20	-----	0.6	2.25	108	40	< 0.5	< 2	3.32	< 0.5	23	18	565	9.99	10	< 1	0.11	< 10	1.49
057401	205 226	15	-----	< 0.2	2.76	26	30	< 0.5	10	4.13	< 0.5	21	11	392	8.33	10	< 1	0.13	10	1.87
057402	205 226	< 5	-----	< 0.2	2.51	20	20	< 0.5	< 2	4.91	< 0.5	21	6	358	8.45	10	1	0.10	< 10	2.06
057403	205 226	< 5	-----	< 0.2	2.51	18	10	< 0.5	4	3.28	< 0.5	20	9	353	7.91	20	< 1	0.02	10	1.59
057404	205 226	< 5	-----	< 0.2	1.08	22	30	< 0.5	6	3.31	< 0.5	21	6	418	7.86	< 10	< 1	0.09	< 10	1.21
057405	205 226	< 5	-----	< 0.2	2.39	22	30	0.5	< 2	3.85	< 0.5	23	2	375	8.29	20	< 1	0.06	10	1.14
057406	205 226	< 5	-----	< 0.2	1.56	40	40	< 0.5	2	5.46	< 0.5	18	10	225	5.25	< 10	< 1	0.12	< 10	1.73
057407	205 226	20	-----	< 0.2	0.53	54	10	< 0.5	< 2	8.10	< 0.5	9	1	66	5.20	< 10	< 1	0.05	< 10	2.91
057408	205 226	15	-----	< 0.2	0.24	74	50	< 0.5	< 2	8.99	< 0.5	6	21	54	4.72	< 10	< 1	0.08	< 10	2.19
057409	205 226	410	-----	< 0.2	0.28	>10000	10	< 0.5	< 2	9.92	< 0.5	49	1	71	6.10	< 10	1	0.11	< 10	3.93
057410	205 226	340	-----	< 0.2	0.99	158	10	< 0.5	< 2	5.23	< 0.5	21	12	476	4.72	< 10	< 1	0.18	< 10	2.12
057411	205 226	15	-----	< 0.2	2.38	38	40	< 0.5	< 2	3.97	< 0.5	24	11	433	8.13	10	< 1	0.07	10	1.64
057412	205 226	< 5	-----	< 0.2	2.62	8	40	0.5	< 2	3.98	< 0.5	25	4	494	9.03	20	1	0.09	10	1.28
057413	205 226	< 5	-----	< 0.2	2.25	8	220	0.5	< 2	3.77	< 0.5	27	2	544	9.67	10	< 1	0.13	10	1.48
057414	205 226	< 5	-----	< 0.2	1.11	26	220	0.5	< 2	5.00	< 0.5	23	15	329	6.60	< 10	< 1	0.24	10	1.43
057415	205 226	< 5	-----	< 0.2	1.26	24	70	< 0.5	< 2	4.95	< 0.5	18	7	203	5.59	10	< 1	0.18	10	1.87
057416	205 226	< 5	-----	< 0.2	0.98	34	50	< 0.5	< 2	5.50	< 0.5	17	4	120	5.62	< 10	1	0.10	< 10	1.27
057417	205 226	< 5	-----	< 0.2	0.40	6	30	< 0.5	< 2	7.98	< 0.5	7	9	10	5.57	< 10	< 1	0.10	< 10	2.74
057418	205 226	10	-----	< 0.2	2.02	40	30	< 0.5	< 2	4.72	< 0.5	22	13	290	7.36	10	< 1	0.11	10	1.67
057419	205 226	25	-----	< 0.2	2.48	38	70	< 0.5	< 2	3.93	< 0.5	27	9	26	8.50	10	< 1	0.06	< 10	1.62
057420	205 226	>10000	10.60	1.2	1.53	>10000	80	< 0.5	2	4.72	< 0.5	27	18	56	7.62	10	< 1	0.01	< 10	1.18
057421	205 226	5	-----	< 0.2	2.34	76	40	< 0.5	2	3.80	< 0.5	32	4	487	9.27	10	1	0.08	< 10	1.50
057422	205 226	330	-----	0.2	2.35	2130	10	< 0.5	< 2	4.93	< 0.5	24	9	531	7.66	10	< 1	0.02	< 10	1.31
057423	205 226	10	-----	< 0.2	2.95	22	20	< 0.5	6	4.11	< 0.5	28	3	472	9.03	10	< 1	0.05	10	1.54
057424	205 226	< 5	-----	< 0.2	1.33	124	30	< 0.5	< 2	4.44	< 0.5	29	10	306	7.77	10	< 1	0.08	< 10	1.15
057425	205 226	355	-----	0.2	1.83	224	30	< 0.5	< 2	4.39	< 0.5	24	6	499	7.36	10	< 1	0.08	< 10	1.52
057426	205 226	< 5	-----	< 0.2	2.64	14	190	0.5	< 2	4.03	< 0.5	27	1	608	8.98	20	< 1	0.09	10	1.36
057427	205 226	50	-----	0.2	2.91	30	250	0.5	< 2	3.76	< 0.5	27	2	435	9.74	20	< 1	0.08	10	1.50
057428	205 226	< 5	-----	< 0.2	2.81	10	440	0.5	2	4.11	< 0.5	29	7	561	9.42	20	< 1	0.17	10	1.36
057429	205 226	< 5	-----	0.2	2.90	4	430	0.5	2	4.04	< 0.5	28	9	409	9.38	10	< 1	0.14	10	1.45

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 2-B
 Total Pages 2
 Certificate Date 25-SEP-95
 Invoice No. I-B528064
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528064

SAMPLE DESCRIPTION	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
057350	205 226	1495	1	0.02	< 1	2000	2	4	16	54	< 0.01	< 10	< 10	10	< 10	56
057401	205 226	1345	1	0.03	< 1	2150	< 2	< 2	20	64	< 0.01	< 10	< 10	14	< 10	66
057402	205 226	1550	< 1	0.02	< 1	1740	< 2	< 2	17	63	< 0.01	< 10	< 10	12	< 10	54
057403	205 226	1065	1	0.03	< 1	1880	< 2	< 2	19	25	< 0.01	< 10	< 10	16	< 10	44
057404	205 226	1360	1	0.01	< 1	1990	< 2	6	20	52	< 0.01	< 10	< 10	11	< 10	38
057405	205 226	1315	< 1	0.02	< 1	1980	< 2	< 2	19	89	< 0.01	< 10	< 10	17	< 10	52
057406	205 226	1325	1	0.02	3	2140	< 2	< 2	17	110	< 0.01	< 10	< 10	11	< 10	32
057407	205 226	2060	< 1	0.01	2	1310	< 2	< 2	12	85	< 0.01	< 10	< 10	13	< 10	14
057408	205 226	2140	1	0.01	3	1010	< 2	< 2	14	57	< 0.01	< 10	< 10	10	< 10	12
057409	205 226	2410	< 1	0.03	6	690	< 2	2	17	68	< 0.01	< 10	< 10	19	< 10	16
057410	205 226	1350	1	0.03	2	1960	< 2	< 2	22	36	< 0.01	< 10	< 10	23	< 10	14
057411	205 226	1500	1	0.03	1	1860	< 2	< 2	21	50	0.01	< 10	< 10	38	< 10	54
057412	205 226	1440	1	0.02	1	1720	< 2	< 2	20	92	0.01	< 10	< 10	38	< 10	74
057413	205 226	1515	1	0.02	< 1	1830	2	< 2	21	110	< 0.01	< 10	< 10	38	< 10	96
057414	205 226	1415	1	0.04	2	2010	< 2	< 2	20	105	< 0.01	< 10	< 10	18	< 10	44
057415	205 226	1480	< 1	0.03	3	2000	< 2	< 2	17	51	< 0.01	< 10	< 10	13	< 10	28
057416	205 226	1785	1	0.01	2	2070	< 2	< 2	16	44	< 0.01	< 10	< 10	11	< 10	22
057417	205 226	2370	< 1	0.01	2	1340	< 2	< 2	12	60	< 0.01	< 10	< 10	8	< 10	12
057418	205 226	1700	< 1	0.02	1	1890	< 2	< 2	19	54	< 0.01	< 10	< 10	27	< 10	44
057419	205 226	1635	< 1	0.02	1	1780	< 2	< 2	20	60	< 0.01	< 10	< 10	35	< 10	58
057420	205 226	1365	1	0.02	1	1160	< 2	4	15	106	< 0.01	< 10	< 10	34	< 10	48
057421	205 226	1510	1	0.02	1	1820	< 2	< 2	21	56	< 0.01	< 10	< 10	42	< 10	64
057422	205 226	1310	< 1	0.01	1	1500	< 2	< 2	18	80	< 0.01	< 10	< 10	41	< 10	58
057423	205 226	1440	< 1	0.02	1	1750	< 2	< 2	21	73	< 0.01	< 10	< 10	50	< 10	78
057424	205 226	1820	1	0.01	3	1660	< 2	< 2	20	57	< 0.01	< 10	< 10	34	< 10	42
057425	205 226	1460	< 1	0.02	2	1640	< 2	< 2	20	46	< 0.01	< 10	< 10	49	< 10	40
057426	205 226	1495	< 1	0.03	1	1760	< 2	< 2	23	81	0.02	< 10	< 10	58	< 10	86
057427	205 226	1685	< 1	0.03	1	1580	< 2	2	22	103	0.02	< 10	< 10	62	< 10	112
057428	205 226	1565	< 1	0.05	2	1900	< 2	< 2	22	149	0.04	< 10	< 10	67	< 10	122
057429	205 226	1455	< 1	0.05	1	1700	2	< 2	21	144	0.03	< 10	< 10	61	< 10	146

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T. C. SCOTT

Pa mber : 1-A
To: ges : 3
Certificate Date: 26-SEP-93
Invoice No. : 19528328
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS

A9528328

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
57351	205 294	< 5	-----	< 0.2	2.22	4	740	1.0	< 2	2.53	< 0.5	28	33	520	9.19	20	< 1	0.24	10	1.27
57352	205 294	15	-----	< 0.2	0.47	6	80	1.0	< 2	3.77	< 0.5	30	34	558	11.25	10	< 1	0.17	< 10	1.22
57353	205 294	25	-----	< 0.2	2.71	8	460	1.0	< 2	4.20	< 0.5	29	29	606	10.30	30	< 1	0.18	10	1.24
57354	205 294	10	-----	< 0.2	1.24	86	120	1.0	< 2	1.82	< 0.5	33	38	692	12.45	10	< 1	0.15	20	0.53
57355	205 294	355	-----	< 0.2	2.35	6	390	1.0	< 2	4.67	< 0.5	31	36	368	9.85	20	< 1	0.28	< 10	1.14
57356	205 294	< 5	-----	< 0.2	2.62	18	140	0.5	< 2	2.93	< 0.5	21	41	121	6.44	10	< 1	0.15	< 10	1.70
57357	205 294	< 5	-----	< 0.2	2.96	12	350	1.0	< 2	4.98	< 0.5	33	19	680	10.00	20	< 1	0.21	< 10	1.68
57358	205 294	< 5	-----	< 0.2	3.01	12	190	1.0	< 2	3.36	< 0.5	34	22	631	9.53	20	< 1	0.10	10	1.91
57359	205 294	70	-----	< 0.2	2.10	< 2	200	0.5	< 2	2.69	< 0.5	30	14	530	7.69	20	< 1	0.14	10	1.45
57360	205 294	< 5	-----	< 0.2	0.69	14	40	1.0	< 2	3.43	< 0.5	26	31	593	9.47	10	< 1	0.08	< 10	0.87
57361	205 294	< 5	-----	< 0.2	0.44	24	40	0.5	< 2	4.94	< 0.5	23	26	323	8.53	10	< 1	0.12	< 10	1.11
57362	205 294	< 5	-----	< 0.2	0.60	10	130	0.5	< 2	3.44	< 0.5	28	42	544	10.30	10	< 1	0.13	< 10	1.09
57363	205 294	< 5	-----	0.7	0.78	38	350	0.5	< 2	3.50	< 0.5	28	55	612	10.40	10	< 1	0.16	10	0.82
57364	205 294	< 5	-----	< 0.2	2.33	52	90	0.5	< 2	3.35	< 0.5	27	16	499	10.30	30	< 1	0.10	10	1.18
57365	205 294	30	-----	< 0.2	2.66	14	290	1.0	< 2	3.34	< 0.5	30	25	629	10.95	30	< 1	0.15	10	1.35
57366	205 294	15	-----	< 0.2	1.39	226	40	0.5	< 2	4.46	< 0.5	33	34	493	9.45	20	< 1	0.12	< 10	1.62
57367	205 294	< 5	-----	< 0.2	1.36	38	310	0.5	< 2	3.27	< 0.5	20	149	298	7.60	10	< 1	0.19	10	0.71
57368	205 294	< 5	-----	< 0.2	2.84	8	790	1.0	< 2	3.89	< 0.5	31	25	607	10.25	30	< 1	0.31	10	1.56
57369	205 294	205	-----	< 0.2	2.40	8	120	0.5	< 2	4.59	< 0.5	28	16	562	7.95	20	< 1	0.14	< 10	1.77
57370	205 294	1860	0.051	10.5	0.40	66	40	< 0.5	Intf*	6.06	< 0.5	23	160	>10000	7.33	< 10	< 1	0.02	30	1.28
57371	205 294	155	-----	< 0.2	2.47	54	30	< 0.5	< 2	4.57	< 0.5	24	26	368	7.77	20	< 1	0.11	< 10	1.36
57372	205 294	85	-----	< 0.2	3.14	1060	190	0.5	< 2	4.79	< 0.5	32	18	557	10.70	30	< 1	0.18	< 10	1.32
57373	205 294	115	-----	< 0.2	2.89	50	220	0.5	< 2	4.95	< 0.5	27	12	422	9.92	20	< 1	0.17	< 10	1.37
57374	205 294	150	-----	0.5	2.70	24	140	< 0.5	< 2	5.09	< 0.5	25	21	589	9.95	20	< 1	0.08	< 10	1.63
57375	205 294	85	-----	0.4	3.27	28	70	0.5	< 2	5.14	< 0.5	30	18	547	10.25	20	< 1	0.03	< 10	1.34
57376	205 294	110	-----	0.5	3.44	1910	< 10	< 0.5	< 2	3.73	< 0.5	31	18	721	10.65	20	< 1	< 0.01	< 10	1.39
57377	205 294	180	-----	0.5	3.29	154	< 10	< 0.5	< 2	6.76	< 0.5	32	16	643	10.20	20	< 1	< 0.01	< 10	1.32
57378	205 294	2580	0.071	0.7	2.01	2670	< 10	< 0.5	< 2	7.06	< 0.5	16	41	554	6.07	10	< 1	< 0.01	< 10	0.88
57379	205 294	230	-----	0.5	3.68	1300	< 10	< 0.5	< 2	3.41	< 0.5	28	10	863	10.65	20	< 1	< 0.01	< 10	1.44
57380	205 294	6230	0.189	1.4	0.95	8760	20	< 0.5	2	13.75	< 0.5	17	85	257	3.97	< 10	< 1	< 0.01	< 10	0.54
57381	205 294	305	-----	0.6	2.97	3710	110	< 0.5	< 2	5.10	< 0.5	30	48	771	9.50	20	< 1	0.07	< 10	1.56
57382	205 294	< 5	-----	0.3	1.04	44	300	< 0.5	< 2	3.59	< 0.5	33	8	635	10.45	20	< 1	0.24	10	1.75
57383	205 294	10	-----	< 0.2	2.77	34	410	< 0.5	< 2	3.29	< 0.5	33	20	384	9.80	10	< 1	0.30	10	1.89
57384	205 294	30	-----	< 0.2	3.33	72	260	< 0.5	< 2	3.73	< 0.5	34	29	518	10.25	10	< 1	0.20	< 10	2.01
57385	205 294	60	-----	< 0.2	3.02	40	340	< 0.5	< 2	3.50	0.5	32	15	722	10.50	10	< 1	0.25	10	1.71
57386	205 294	150	-----	0.6	2.40	328	200	< 0.5	< 2	2.48	< 0.5	25	88	2160	8.23	10	< 1	0.14	10	1.26
57387	205 294	225	-----	< 0.2	2.70	228	430	< 0.5	< 2	1.98	< 0.5	26	31	736	11.00	10	< 1	0.30	20	1.35
57388	205 294	135	-----	< 0.2	3.05	8	170	< 0.5	< 2	2.75	< 0.5	32	28	452	9.46	< 10	< 1	0.15	10	1.69
57389	205 294	860	-----	< 0.2	2.45	604	200	< 0.5	< 2	5.76	< 0.5	29	36	313	7.72	10	< 1	0.16	< 10	1.53
57390	205 294	< 5	-----	< 0.2	2.32	< 2	330	< 0.5	< 2	1.69	< 0.5	34	15	310	8.73	20	< 1	0.29	10	1.48

CERTIFICATION:

Hart/Sehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T. C. SCOTT

Pa...umber...
To...ges...
Certificate Date: 26-SEP-9...
Invoice No.: 19528328
P.O. Number...
Account: BM

CERTIFICATE OF ANALYSIS

A9528328

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
57351	205 294	1400	< 1	0.11	6	1890	2	4	18	95	0.15	< 10	< 10	47	30	138
57352	205 294	1990	< 1	0.02	4	1850	6	6	22	96	< 0.01	< 10	< 10	39	40	96
57353	205 294	1755	< 1	0.07	6	1850	< 2	2	22	125	0.06	< 10	< 10	44	40	138
57354	205 294	2080	< 1	0.01	6	2000	< 2	52	25	32	< 0.01	< 10	< 10	30	30	144
57355	205 294	1390	< 1	0.16	2	2740	< 2	2	17	123	0.08	< 10	< 10	11	40	184
57356	205 294	960	< 1	0.02	15	990	6	4	10	72	0.03	< 10	< 10	63	20	102
57357	205 294	1415	< 1	0.11	5	1620	2	4	26	148	0.17	< 10	< 10	95	40	156
57358	205 294	1010	< 1	0.03	10	1470	2	4	30	87	0.12	< 10	< 10	166	40	184
57359	205 294	975	< 1	0.11	4	1210	< 2	2	11	54	0.34	< 10	< 10	115	30	110
57360	205 294	1710	< 1	0.02	4	2090	< 2	2	26	43	< 0.01	< 10	< 10	30	30	60
57361	205 294	1935	< 1	0.02	3	1900	< 2	2	23	45	< 0.01	< 10	< 10	17	30	52
57362	205 294	1800	< 1	0.02	3	1880	< 2	12	24	54	< 0.01	< 10	< 10	22	40	72
57363	205 294	1945	< 1	0.02	2	2010	< 2	68	26	60	< 0.01	< 10	< 10	21	40	114
57364	205 294	1600	< 1	0.05	2	1920	< 2	2	25	95	0.02	< 10	< 10	38	30	108
57365	205 294	1655	< 1	0.06	3	2030	4	2	27	84	0.04	< 10	< 10	46	40	100
57366	205 294	1875	< 1	0.02	3	2070	< 2	4	26	54	< 0.01	< 10	< 10	30	40	76
57367	205 294	1520	< 1	0.02	3	1210	2	4	16	64	0.02	< 10	< 10	26	30	128
57368	205 294	1795	< 1	0.11	4	1940	4	2	23	211	0.10	< 10	< 10	53	40	146
57369	205 294	1300	< 1	0.06	3	1990	< 2	2	25	53	0.02	< 10	< 10	44	30	48
57370	205 294	2370	1	0.03	16	330	4	4	10	36	< 0.01	< 10	< 10	16	< 10	14
57371	205 294	1385	< 1	0.04	4	1580	2	4	22	57	0.03	< 10	< 10	49	30	44
57372	205 294	1580	< 1	0.11	3	1940	< 2	2	28	96	0.04	< 10	< 10	68	30	78
57373	205 294	1615	< 1	0.11	3	1770	< 2	4	26	98	0.06	< 10	< 10	68	30	82
57374	205 294	2010	< 1	0.08	3	1620	2	4	26	103	0.03	< 10	< 10	67	30	68
57375	205 294	1540	< 1	0.06	2	1840	2	4	28	115	0.04	< 10	< 10	73	30	62
57376	205 294	915	< 1	0.03	4	2030	< 2	2	29	79	0.01	< 10	< 10	112	30	72
57377	205 294	1280	< 1	0.02	2	1600	2	2	25	153	0.01	< 10	< 10	80	40	66
57378	205 294	1140	< 1	0.03	2	1240	2	4	19	158	0.02	< 10	< 10	71	20	44
57379	205 294	820	< 1	0.03	4	2030	< 2	4	30	63	0.03	< 10	< 10	104	20	78
57380	205 294	1840	< 2	0.03	1	590	< 2	4	16	180	0.01	< 10	< 10	31	10	22
57381	205 294	850	< 1	0.09	3	1720	< 2	2	29	101	0.04	< 10	< 10	141	30	84
57382	205 294	1095	< 1	0.21	4	1460	< 2	4	32	70	0.10	< 10	< 10	117	30	128
57383	205 294	1280	< 1	0.28	8	1210	< 2	4	26	68	0.34	< 10	< 10	143	30	126
57384	205 294	1210	< 1	0.19	8	1150	< 2	2	31	74	0.47	< 10	< 10	189	30	120
57385	205 294	1355	< 1	0.24	4	1250	< 2	2	28	72	0.42	< 10	< 10	125	20	134
57386	205 294	975	< 1	0.15	3	1060	< 2	4	22	38	0.33	< 10	< 10	99	10	94
57387	205 294	1485	< 1	0.30	1	1790	< 2	4	19	41	0.19	< 10	< 10	55	20	120
57388	205 294	1130	< 1	0.14	6	900	< 2	2	8	60	0.65	< 10	< 10	139	30	114
57389	205 294	1050	< 1	0.16	8	860	< 2	6	13	77	0.41	< 10	< 10	151	30	94
57390	205 294	1050	< 1	0.24	9	850	< 2	4	7	53	0.43	< 10	< 10	167	20	108

CERTIFICATION: *Hart Buchler*

19528328



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number: 12-A
 Total Pages: 3
 Certificate Date: 26-SEP-94
 Invoice No.: 19528328
 P.O. Number:
 Account: BM

Project: FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528328

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
57391	205 294	< 5	-----	< 0.2	3.12	28	150	< 0.5	< 2	4.18	< 0.5	37	14	106	8.62	30	< 1	0.15	< 10	2.29
57392	205 294	< 5	-----	< 0.2	1.04	8	30	< 0.5	< 2	4.77	< 0.5	7	93	7	2.99	< 10	< 1	0.23	< 10	2.18
57393	205 294	< 5	-----	< 0.2	3.73	52	10	< 0.5	< 2	4.26	< 0.5	45	22	222	9.88	20	< 1	0.02	< 10	2.86
57394	205 294	< 5	-----	< 0.2	3.28	78	< 10	< 0.5	< 2	>15.00	< 0.5	36	32	47	7.13	20	1	< 0.01	< 10	2.10
57395	205 294	140	-----	< 0.2	2.90	52	10	< 0.5	< 2	5.23	< 0.5	32	30	122	8.74	20	1	0.12	< 10	2.93
57396	205 294	10	-----	< 0.2	1.53	30	20	< 0.5	< 2	7.46	< 0.5	29	34	116	6.56	10	< 1	0.17	< 10	2.65
57397	205 294	< 5	-----	< 0.2	3.43	14	280	< 0.5	< 2	5.11	< 0.5	48	10	152	10.95	20	< 1	0.22	< 10	2.38
57398	205 294	< 5	-----	< 0.2	3.30	< 2	530	< 0.5	< 2	3.67	< 0.5	49	8	206	11.15	30	< 1	0.30	< 10	2.32
57399	205 294	< 5	-----	< 0.2	3.66	28	140	0.5	< 2	5.11	< 0.5	45	14	203	9.37	20	1	0.24	< 10	2.05
57400	205 294	< 5	-----	< 0.2	0.47	42	20	< 0.5	< 2	8.02	< 0.5	34	13	54	4.95	< 10	< 1	0.15	< 10	2.78
57430	205 294	< 5	-----	< 0.2	2.86	< 2	360	< 0.5	< 2	3.69	< 0.5	28	7	497	10.30	30	< 1	0.09	10	1.50
57431	205 294	< 5	-----	< 0.2	3.09	8	120	< 0.5	< 2	4.10	< 0.5	27	14	462	9.66	30	< 1	0.02	< 10	1.41
57432	205 294	< 5	-----	< 0.2	2.40	14	80	< 0.5	< 2	3.93	< 0.5	29	22	346	8.72	20	< 1	0.07	< 10	1.32
57433	205 294	< 5	-----	< 0.2	2.61	22	100	< 0.5	< 2	4.32	< 0.5	28	15	530	9.93	20	1	0.06	< 10	1.36
57434	205 294	60	-----	< 0.2	3.04	98	20	< 0.5	< 2	3.67	< 0.5	28	18	529	10.60	30	< 1	0.03	< 10	1.61
57435	205 294	770	-----	< 0.2	2.31	5640	10	< 0.5	< 2	5.62	< 0.5	42	34	79	6.38	20	1	0.02	< 10	2.16
57436	205 294	40	-----	< 0.2	3.54	112	20	< 0.5	< 2	3.02	< 0.5	36	34	438	9.64	30	< 1	0.01	< 10	1.63
57437	205 294	< 5	-----	< 0.2	0.25	8	< 10	< 0.5	< 2	5.64	< 0.5	3	196	84	1.40	< 10	< 1	< 0.01	< 10	0.94
57438	205 294	60	-----	0.2	1.89	30	< 10	< 0.5	< 2	4.07	< 0.5	30	73	806	5.54	10	< 1	0.01	< 10	1.10
57439	205 294	195	-----	< 0.2	0.95	42	< 10	< 0.5	< 2	6.00	< 0.5	24	123	267	3.24	10	< 1	< 0.01	< 10	1.10
57440	205 294	< 5	-----	< 0.2	0.14	36	20	< 0.5	< 2	7.35	< 0.5	6	162	20	1.36	< 10	< 1	0.02	< 10	0.49
57441	205 294	25	-----	0.2	0.07	8	< 10	< 0.5	< 2	7.23	< 0.5	9	130	163	0.74	< 10	< 1	< 0.01	< 10	0.29
57442	205 294	245	-----	22.6	0.95	80	40	< 0.5	Intf*	2.72	0.5	29	199	>10000	5.96	< 10	< 1	0.03	< 10	0.44
57443	205 294	< 5	-----	< 0.2	3.62	20	200	< 0.5	< 2	5.20	< 0.5	44	13	243	10.20	20	1	0.09	< 10	2.15
57444	205 294	< 5	-----	< 0.2	3.62	< 2	650	< 0.5	< 2	4.36	< 0.5	53	8	207	12.00	30	< 1	0.25	< 10	2.24
57445	205 294	< 5	-----	< 0.2	2.70	14	30	< 0.5	< 2	3.68	< 0.5	25	26	561	10.65	30	< 1	0.01	10	1.10
57446	205 294	< 5	-----	< 0.2	2.83	2	590	< 0.5	< 2	3.49	< 0.5	27	18	587	10.60	30	< 1	0.17	10	1.30
57447	205 294	< 5	-----	< 0.2	2.52	< 2	310	< 0.5	< 2	4.63	< 0.5	24	18	470	10.15	30	< 1	0.12	< 10	1.31
57448	205 294	< 5	-----	< 0.2	1.28	< 2	140	< 0.5	< 2	1.79	< 0.5	28	29	1240	10.85	20	1	0.12	20	1.14
57449	205 294	< 5	-----	< 0.2	1.67	4	110	< 0.5	< 2	1.86	< 0.5	30	36	655	11.65	20	1	0.18	20	1.20
57450	205 294	< 5	-----	< 0.2	1.09	4	110	< 0.5	< 2	3.72	< 0.5	22	47	434	8.33	10	< 1	0.15	10	0.80
57451	205 294	< 5	-----	< 0.2	2.36	6	110	< 0.5	< 2	3.60	< 0.5	38	17	195	6.52	20	1	0.11	< 10	1.97
57452	205 294	< 5	-----	< 0.2	3.64	< 2	520	< 0.5	< 2	4.26	< 0.5	56	13	196	11.45	30	< 1	0.37	< 10	2.37
57453	205 294	< 5	-----	< 0.2	2.89	6	< 10	< 0.5	< 2	7.55	< 0.5	27	35	16	9.06	20	2	< 0.01	< 10	2.10
57454	205 294	< 5	-----	< 0.2	3.76	< 2	340	< 0.5	< 2	4.84	< 0.5	51	11	199	11.85	20	1	0.27	< 10	2.35
57455	205 294	10	-----	< 0.2	1.27	6	20	< 0.5	< 2	9.49	< 0.5	15	43	66	10.10	10	< 1	< 0.01	< 10	2.41
57456	205 294	< 5	-----	< 0.2	4.38	6	420	< 0.5	< 2	3.69	< 0.5	62	16	275	13.75	30	1	0.34	< 10	2.29
57457	205 294	< 5	-----	< 0.2	3.66	32	20	< 0.5	< 2	4.37	< 0.5	36	50	204	7.19	20	2	0.05	< 10	2.83
57458	205 294	< 5	-----	< 0.1	1.46	10	20	< 0.5	< 2	8.15	< 0.5	16	64	37	4.97	10	1	0.14	< 10	2.95
57459	205 294	< 5	-----	< 0.2	3.57	44	20	< 0.5	< 2	4.49	< 0.5	32	60	229	7.14	20	1	0.08	< 10	2.91

CERTIFICATION: *Hart Buchler*

10/04/94 MON 10:14 17A 007 0410



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 676 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number : 2-B
 Total Pages : 3
 Certificate Date: 26-SEP-91
 Invoice No. : I9528328
 P.O. Number :
 Account : BM

Project: FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528328

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	Y	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
57391	205	294	1285	< 1	0.07	18	600	6	6	25	70	0.42	< 10	< 10	355	30	86
57392	205	294	1295	< 1	0.02	6	580	2	4	15	31	< 0.01	< 10	< 10	106	10	16
57393	205	294	1610	< 1	0.02	24	680	< 2	4	32	51	0.01	< 10	< 10	455	30	72
57394	205	294	1280	< 1	0.01	17	630	6	4	32	329	0.02	< 10	< 10	343	40	70
57395	205	294	1775	< 1	0.02	26	600	4	4	29	39	0.01	< 10	< 10	444	30	52
57396	205	294	2310	< 1	0.02	28	560	< 2	2	23	54	< 0.01	< 10	< 10	335	30	16
57397	205	294	1435	< 1	0.07	43	520	< 2	6	26	105	0.27	< 10	< 10	832	40	86
57398	205	294	1230	< 1	0.10	44	570	< 2	< 2	29	139	0.43	< 10	< 10	735	40	116
57399	205	294	1685	< 1	0.05	46	570	< 2	4	27	73	0.19	< 10	< 10	771	30	54
57400	205	294	2270	< 1	0.01	22	510	< 2	2	23	44	< 0.01	< 10	< 10	76	20	4
57430	205	294	1640	< 1	0.04	2	1670	< 2	2	23	114	0.04	< 10	< 10	66	30	134
57431	205	294	1445	< 1	0.03	2	1660	< 2	2	22	105	0.03	< 10	< 10	66	30	90
57432	205	294	1530	< 1	0.03	3	1880	< 2	2	22	102	0.01	< 10	< 10	44	20	98
57433	205	294	1665	1	0.03	2	1530	2	4	23	129	0.02	< 10	< 10	65	30	104
57434	205	294	1295	< 1	0.03	2	1840	2	4	24	98	0.01	< 10	< 10	65	30	84
57435	205	294	1005	< 1	0.03	12	1910	< 2	6	20	97	< 0.01	< 10	< 10	51	20	42
57436	205	294	970	1	0.02	5	1840	< 2	< 2	19	51	0.01	< 10	< 10	49	30	72
57437	205	294	1015	< 1	0.01	2	60	2	< 2	1	77	< 0.01	< 10	< 10	8	< 10	6
57438	205	294	665	< 1	0.03	4	1850	2	4	13	63	< 0.01	< 10	< 10	20	10	36
57439	205	294	885	< 1	0.03	7	1020	4	4	8	95	< 0.01	< 10	< 10	11	10	14
57440	205	294	1245	1	0.01	6	360	< 2	< 2	5	99	< 0.01	< 10	< 10	6	< 10	4
57441	205	294	1025	< 1	< 0.01	4	60	< 2	2	8	110	< 0.01	< 10	< 10	4	< 10	2
57442	205	294	785	1	0.01	21	80	4	4	14	34	< 0.01	< 10	< 10	117	< 10	60
57443	205	294	1295	< 1	0.03	27	590	< 2	4	28	111	0.07	< 10	< 10	552	40	74
57444	205	294	1220	< 1	0.11	44	520	< 2	< 2	28	132	0.35	< 10	< 10	929	40	94
57445	205	294	2090	< 1	0.03	2	1690	< 2	2	23	57	0.01	< 10	< 10	52	30	72
57446	205	294	1820	< 1	0.04	1	1630	< 2	4	23	106	0.09	< 10	< 10	56	30	126
57447	205	294	2050	< 1	0.04	1	1580	< 2	4	21	148	0.05	< 10	< 10	44	30	114
57448	205	294	1710	1	0.03	3	1830	< 2	< 2	24	40	< 0.01	< 10	< 10	42	20	154
57449	205	294	1565	1	0.02	< 1	1870	2	< 2	24	36	< 0.01	< 10	< 10	43	30	110
57450	205	294	1360	1	0.03	2	1700	4	2	21	43	< 0.01	< 10	< 10	29	20	74
57451	205	294	615	< 1	0.06	16	530	< 2	2	15	60	0.52	< 10	< 10	299	20	68
57452	205	294	1120	< 1	0.17	53	510	< 2	2	27	125	0.54	< 10	< 10	948	40	102
57453	205	294	2040	< 1	0.02	33	390	< 2	4	18	175	0.01	< 10	< 10	770	40	46
57454	205	294	1295	< 1	0.11	52	460	< 2	2	29	149	0.33	< 10	< 10	1010	50	94
57455	205	294	3410	< 1	0.01	25	170	< 2	< 2	18	126	0.01	< 10	< 10	396	50	20
57456	205	294	1110	< 1	0.13	71	490	2	4	28	112	0.57	< 10	< 10	1410	60	120
57457	205	294	1300	< 1	0.03	40	560	< 2	< 2	25	66	0.09	< 10	< 10	234	30	72
57458	205	294	1990	< 1	0.03	20	360	< 2	2	18	63	0.04	< 10	< 10	99	20	24
57459	205	294	1330	< 1	0.03	43	540	< 2	4	26	64	0.01	< 10	< 10	212	20	64

CERTIFICATION:

David S. Schuler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2G1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Pa mber : 3-A
 Tol. ages : 3
 Certificate Date: 26-SEP-91
 Invoice No. : I9528328
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS A9528328

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
57460	205 294	< 5	-----	< 0.2	3.69	30	40	< 0.5	< 2	4.13	< 0.5	33	68	114	6.65	20	1	0.13	< 10	2.90
57461	205 294	< 5	-----	< 0.2	3.18	32	20	< 0.5	< 2	8.12	< 0.5	26	69	115	5.85	10	< 1	0.06	< 10	2.48
57462	205 294	< 5	-----	< 0.2	3.83	50	30	< 0.5	< 2	5.88	< 0.5	35	65	184	6.87	20	2	0.06	< 10	3.07
57463	205 294	< 5	-----	< 0.2	1.71	28	10	< 0.5	2	9.83	< 0.5	16	118	98	3.13	10	< 1	< 0.01	< 10	1.40
57464	205 294	< 5	-----	< 0.2	3.96	46	10	< 0.5	< 2	3.15	< 0.5	35	78	112	7.37	20	< 1	0.02	< 10	3.21
57465	205 294	< 5	-----	< 0.2	3.66	12	30	< 0.5	< 2	5.65	< 0.5	33	66	126	6.86	20	2	0.12	< 10	3.08
57466	205 294	< 5	-----	< 0.2	1.58	50	30	< 0.5	< 2	5.12	< 0.5	31	144	349	3.22	10	< 1	0.27	< 10	1.81
57467	205 294	905	-----	27.0	1.36	32	10	< 0.5	Intf*	2.73	< 0.5	34	61	>10000	8.13	10	< 1	0.08	< 10	1.04
57468	205 294	< 5	-----	< 0.2	3.36	20	70	< 0.5	< 2	5.04	< 0.5	30	76	204	6.35	20	< 1	0.20	< 10	2.47
57469	205 294	< 5	-----	< 0.2	3.99	24	20	< 0.5	< 2	3.22	< 0.5	33	61	167	7.59	20	1	0.08	< 10	3.07
57470	205 294	425	-----	1.4	2.51	18	20	< 0.5	< 2	4.33	< 0.5	17	128	9560	6.84	10	< 1	0.06	< 10	1.88
57471	205 294	< 5	-----	< 0.2	2.76	12	40	< 0.5	< 2	5.70	< 0.5	27	89	96	5.17	20	< 1	0.09	< 10	2.54

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page number : 3-B
 Total pages : 3
 Certificate Date: 26-SEP-92
 Invoice No. : 19528328
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS


A9528328

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
57460	205 294	875	< 1	0.03	42	400	< 2	4	28	47	0.24	< 10	< 10	237	30	98
57461	205 294	1160	< 1	0.02	35	390	< 2	2	23	101	0.13	< 10	< 10	192	30	68
57462	205 294	970	< 1	0.03	46	500	< 2	4	30	90	0.24	< 10	< 10	270	30	82
57463	205 294	830	< 1	0.02	23	250	< 2	4	14	136	0.04	< 10	< 10	110	10	36
57464	205 294	1125	< 1	0.05	51	460	< 2	2	16	43	0.36	< 10	< 10	241	20	88
57465	205 294	1345	< 1	0.03	51	450	< 2	2	25	60	0.11	< 10	< 10	187	30	60
57466	205 294	1225	< 1	0.02	23	240	< 2	2	11	55	< 0.01	< 10	< 10	61	10	12
57467	205 294	635	< 1	0.02	56	< 10	< 2	4	11	44	< 0.01	< 10	< 10	87	< 10	2
57468	205 294	1225	< 1	0.03	44	460	< 2	< 2	24	71	< 0.01	< 10	< 10	184	30	52
57469	205 294	1200	< 1	0.03	54	470	< 2	4	24	52	0.02	< 10	< 10	204	30	64
57470	205 294	1325	< 1	0.01	28	270	4	4	15	70	< 0.01	< 10	< 10	111	20	26
57471	205 294	1430	< 1	0.03	42	340	4	< 2	19	86	< 0.01	< 10	< 10	142	30	40

CERTIFICATION:

Hart Buchler

10/07/92 MON 10:41 FAX 004 004 0174 0174 0174



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T.C. SCOTT

Page Number 1
Total Pages 1
Certificate Date 21-SEP-95
Invoice No. I-9528984
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS

A9528984

SAMPLE DESCRIPTION	PREP CODE	Cu %									
057152	244 --	1.71									
057212	244 --	1.66									

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T.C. SCOTT

Page Number : 1
 Total Pages : 1
 Certificate Date: 22-SEP-95
 Invoice No. : 19528984
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS

A9528984

SAMPLE	PREP CODE	Cu %										
057152	244 --	1.71										
057212	244 --	1.66										

CERTIFICATION: Said *Scott*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

File Number: 1-A
 Total Pages: 3
 Certificate Date: 26-SEP-92
 Invoice No.: 19528240
 P.O. Number:
 Account: BM

CERTIFICATE OF ANALYSIS A9528240

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L5800N-150E	241 229	15	< 0.2	4.02	42	70	1.0	< 2	0.53	< 0.5	14	23	66	5.69	10	< 1	0.04	10	0.31	730
L5800N-200E	241 229	< 5	< 0.2	1.08	12	30	< 0.5	< 2	0.10	< 0.5	3	19	43	4.79	10	< 1	0.06	10	0.16	300
L5800N-250E	241 229	< 5	< 0.2	0.82	44	30	< 0.5	< 2	0.19	< 0.5	2	11	19	2.38	< 10	< 1	0.04	< 10	0.07	85
L5800N-275E	241 229	< 5	< 0.2	0.22	2	30	< 0.5	< 2	0.56	< 0.5	2	3	13	0.39	< 10	< 1	0.02	< 10	0.08	65
L5800N-300E	241 229	< 5	0.4	1.46	146	270	< 0.5	< 2	2.32	< 0.5	13	15	116	4.78	< 10	< 1	0.06	< 10	0.44	765
L5800N-325E	241 229	< 5	0.2	0.25	4	50	< 0.5	< 2	0.54	< 0.5	2	6	33	0.57	< 10	< 1	0.03	< 10	0.07	120
L5800N-350E	241 229	740	0.2	2.06	64	100	< 0.5	< 2	0.67	< 0.5	50	11	159	6.26	10	< 1	0.10	< 10	0.97	2130
L5800N-500E	241 229	< 5	< 0.2	1.58	30	110	< 0.5	< 2	0.13	< 0.5	4	19	34	2.96	10	< 1	0.09	10	0.33	410
L5800N-525E	241 229	< 5	0.2	0.95	34	70	< 0.5	< 2	0.19	< 0.5	3	15	13	1.09	< 10	< 1	0.04	< 10	0.16	100
L5800N-550E	241 229	< 5	0.4	0.50	< 2	70	< 0.5	< 2	0.42	< 0.5	1	4	6	0.54	< 10	< 1	0.08	< 10	0.05	30
L5800N-575E	241 229	< 5	< 0.2	0.21	< 2	110	< 0.5	< 2	1.30	< 0.5	1	2	10	0.30	< 10	< 1	0.03	< 10	0.08	10
L5800N-600E	241 229	< 5	0.2	0.36	< 2	130	< 0.5	< 2	0.40	< 0.5	2	6	11	0.50	< 10	< 1	0.07	< 10	0.07	20
L5800N-625E	241 229	< 5	0.4	2.11	370	340	< 0.5	< 2	3.22	< 0.5	10	50	77	2.86	< 10	< 1	0.10	< 10	0.76	990
L5800N-650E	241 229	35	< 0.2	2.69	406	410	0.5	< 2	2.13	< 0.5	18	97	229	4.10	< 10	< 1	0.17	10	1.11	1975
L5800N-675E	241 229	< 5	0.4	2.26	12	50	< 0.5	< 2	0.22	< 0.5	7	45	34	3.63	10	< 1	0.09	< 10	0.55	830
L5800N-700E	241 229	< 5	0.4	2.21	8	60	< 0.5	< 2	0.30	< 0.5	13	88	44	4.23	10	< 1	0.10	< 10	0.71	1735
L5900N-400E	241 229	< 5	0.2	2.30	24	250	< 0.5	< 2	1.12	< 0.5	10	27	58	4.25	10	< 1	0.09	10	0.42	890
L5900N-425E	241 229	< 5	< 0.2	2.72	302	220	0.5	< 2	2.09	< 0.5	13	32	89	4.51	10	< 1	0.06	10	0.54	730
L5900N-450E	241 229	< 5	< 0.2	3.71	58	160	1.0	< 2	0.91	< 0.5	25	35	178	5.94	10	< 1	0.06	10	0.73	1260
L5900N-475E	241 229	< 5	0.4	1.42	28	70	< 0.5	< 2	0.19	< 0.5	4	30	38	5.32	10	< 1	0.06	10	0.23	350
L5900N-500E	241 229	< 5	0.2	0.79	8	90	< 0.5	< 2	0.07	< 0.5	1	14	14	3.09	20	< 1	0.06	20	0.12	160
L5900N-525E	241 229	< 5	0.2	1.72	30	110	< 0.5	< 2	0.14	< 0.5	11	11	227	5.12	< 10	< 1	0.04	10	0.16	785
L5900N-550E	241 229	< 5	0.4	1.73	4	200	< 0.5	< 2	3.01	0.5	8	2	81	1.15	< 10	< 1	0.03	10	0.23	4650
L5900N-575E	241 229	< 5	< 0.2	0.29	< 2	110	< 0.5	< 2	2.28	< 0.5	1	2	10	0.27	< 10	< 1	0.02	< 10	0.12	40
L6000N-350E	241 229	< 5	0.4	1.08	24	340	< 0.5	< 2	0.83	< 0.5	20	9	30	3.28	< 10	< 1	0.18	< 10	0.60	2620
L6000N-375E	241 229	< 5	0.2	0.43	6	40	< 0.5	< 2	0.25	< 0.5	3	4	47	0.97	< 10	< 1	0.03	< 10	0.03	85
L6000N-400E	241 229	< 5	< 0.2	1.29	20	260	< 0.5	< 2	1.44	< 0.5	17	12	34	3.46	< 10	< 1	0.13	< 10	0.74	1910
L6000N-450E	241 229	< 5	< 0.2	1.50	18	190	< 0.5	< 2	1.23	< 0.5	18	17	50	3.62	10	< 1	0.10	< 10	0.59	1880
L6000N-475E	241 229	< 5	0.2	0.53	4	310	< 0.5	< 2	1.68	0.5	11	5	20	1.31	< 10	< 1	0.08	< 10	0.31	1950
L6000N-500E	241 229	< 5	0.6	2.92	26	80	< 0.5	< 2	0.18	< 0.5	16	27	54	5.78	10	< 1	0.11	< 10	0.41	1055
L6000N-550E	241 229	< 5	1.0	1.51	18	90	< 0.5	< 2	0.10	< 0.5	4	16	50	6.77	10	< 1	0.13	< 10	0.20	630
L6000N-575E	241 229	< 5	0.4	0.52	< 2	30	< 0.5	< 2	0.20	< 0.5	1	7	32	1.17	< 10	< 1	0.04	< 10	0.08	120
L6000N-600E	241 229	< 5	0.4	3.00	44	110	< 0.5	< 2	0.74	< 0.5	9	20	139	3.80	< 10	< 1	0.07	< 10	0.29	390
L6000N-625E	241 229	< 5	0.2	2.21	168	330	< 0.5	< 2	1.49	< 0.5	23	30	79	4.08	< 10	< 1	0.11	< 10	0.77	1330
L6000N-650E	241 229	< 5	0.4	3.17	12	190	< 0.5	< 2	0.18	< 0.5	8	26	75	3.49	< 10	< 1	0.15	< 10	0.73	405
L6000N-675E	241 229	< 5	1.0	0.69	2	70	< 0.5	< 2	0.16	< 0.5	2	8	25	1.01	< 10	< 1	0.06	< 10	0.09	65
L6000N-700E	241 229	< 5	0.6	2.12	22	110	< 0.5	< 2	0.11	< 0.5	6	30	32	6.48	10	< 1	0.09	< 10	0.49	210
L7300N-0500E	241 229	< 5	0.2	2.17	22	110	< 0.5	< 2	0.08	< 0.5	12	16	38	4.00	10	< 1	0.14	10	0.51	1650
L7300N-0575E	241 229	15	0.2	1.62	54	200	< 0.5	< 2	0.20	< 0.5	21	16	64	4.54	< 10	< 1	0.09	10	0.96	1225
L7300N-0600E	241 229	25	0.2	1.70	54	210	< 0.5	< 2	0.24	< 0.5	22	15	83	5.02	< 10	< 1	0.10	10	1.08	1530

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V8B 1N4

Number : 1-8
 Total Pages : 3
 Certificate Date: 26-SEP-84
 Invoice No. : 19528240
 P.O. Number :
 Account : BM

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS A9528240

SAMPLE	PREP CODE	Mo ppm	Ns %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L5800N-150E	241 229	10	< 0.01	9	1470	6	< 2	7	23	0.08	< 10	< 10	95	< 10	72
L5800N-200E	241 229	5	< 0.01	9	1120	6	< 2	2	9	0.26	< 10	< 10	165	< 10	44
L5800N-250E	241 229	4	0.01	3	1250	4	< 2	2	12	0.12	< 10	< 10	62	< 10	20
L5800N-275E	241 229	< 1	0.01	2	740	4	< 2	0	17	0.03	< 10	< 10	12	< 10	24
L5800N-300E	241 229	5	0.02	9	1930	12	< 2	5	68	0.11	< 10	< 10	123	< 10	42
L5800N-325E	241 229	1	< 0.01	5	1140	4	< 2	1	19	0.04	< 10	< 10	13	< 10	36
L5800N-350E	241 229	2	0.06	14	1570	6	< 2	9	38	0.21	< 10	< 10	254	< 10	78
L5800N-500E	241 229	6	< 0.01	5	750	12	< 2	3	13	0.14	< 10	< 10	117	< 10	42
L5800N-525E	241 229	3	0.02	4	1220	8	< 2	2	19	0.24	< 10	< 10	63	< 10	30
L5800N-550E	241 229	1	0.01	3	940	2	< 2	1	17	0.04	< 10	< 10	10	< 10	26
L5800N-575E	241 229	1	< 0.01	2	730	< 2	< 2	< 1	46	0.01	< 10	< 10	8	< 10	68
L5800N-600E	241 229	< 1	< 0.01	3	1090	< 2	< 2	1	20	0.01	< 10	< 10	9	< 10	24
L5800N-625E	241 229	1	0.08	15	1450	6	< 2	7	107	0.13	< 10	< 10	120	< 10	82
L5800N-650E	241 229	2	0.04	39	1860	4	< 2	24	73	0.06	< 10	< 10	158	< 10	92
L5800N-675E	241 229	2	0.01	13	1240	10	< 2	3	18	0.22	< 10	< 10	105	< 10	56
L5800N-700E	241 229	2	< 0.01	20	2780	12	< 2	2	22	0.21	< 10	< 10	137	< 10	56
L5900N-400E	241 229	2	0.01	11	1090	8	< 2	4	39	0.10	< 10	< 10	100	< 10	54
L5900N-425E	241 229	2	0.01	14	1250	2	< 2	8	65	0.14	< 10	< 10	135	< 10	62
L5900N-450E	241 229	4	< 0.01	24	1150	4	< 2	13	42	0.16	< 10	< 10	149	< 10	76
L5900N-475E	241 229	5	< 0.01	12	1650	6	< 2	2	12	0.13	< 10	< 10	92	< 10	44
L5900N-500E	241 229	4	< 0.01	6	1250	2	< 2	1	14	0.32	< 10	< 10	114	< 10	38
L5900N-525E	241 229	2	< 0.01	5	1590	6	< 2	4	11	0.07	< 10	< 10	79	< 10	28
L5900N-550E	241 229	2	0.01	9	1840	8	< 2	1	98	0.01	< 10	< 10	19	< 10	38
L5900N-575E	241 229	< 1	< 0.01	1	700	< 2	< 2	< 1	86	0.01	< 10	< 10	4	< 10	8
L6000N-350E	241 229	2	0.01	16	1520	8	< 2	1	30	0.02	< 10	< 10	65	< 10	60
L6000N-375E	241 229	1	< 0.01	5	700	2	< 2	1	14	0.05	< 10	< 10	46	< 10	24
L6000N-400E	241 229	1	0.14	16	1890	4	< 2	3	63	0.19	< 10	< 10	90	< 10	104
L6000N-450E	241 229	2	0.09	13	1960	4	< 2	3	63	0.16	< 10	< 10	72	< 10	74
L6000N-475E	241 229	1	0.01	11	1470	4	< 2	1	70	0.04	< 10	< 10	27	< 10	158
L6000N-500E	241 229	3	0.01	11	3550	4	< 2	3	18	0.08	< 10	< 10	100	< 10	52
L6000N-550E	241 229	3	< 0.01	7	3390	4	< 2	2	10	0.07	< 10	< 10	112	< 10	28
L6000N-575E	241 229	< 1	0.01	2	1480	2	< 2	1	17	0.17	< 10	< 10	28	< 10	26
L6000N-600E	241 229	3	0.01	7	1580	2	< 2	5	33	0.05	< 10	< 10	69	< 10	30
L6000N-625E	241 229	2	0.01	19	1060	4	< 2	9	55	0.05	< 10	< 10	100	< 10	70
L6000N-650E	241 229	1	0.01	13	910	4	< 2	6	19	0.04	< 10	< 10	65	< 10	50
L6000N-675E	241 229	< 1	< 0.01	6	1050	2	< 2	< 1	15	0.03	< 10	< 10	24	< 10	18
L6000N-700E	241 229	1	< 0.01	10	830	6	< 2	3	19	0.08	< 10	< 10	132	< 10	36
L7300N-0500E	241 229	3	0.01	8	1320	12	< 2	3	12	0.18	< 10	< 10	76	< 10	62
L7300N-0575E	241 229	2	0.01	20	1350	14	< 2	6	19	0.04	< 10	< 10	51	< 10	96
L7300N-0600E	241 229	2	0.01	20	1400	18	< 2	6	20	0.03	< 10	< 10	46	< 10	92

CERTIFICATION: *Handwritten signature*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Number : 2-A
 Pages : 3
 Certificate Date: 26-SEP-9
 Invoice No. : 19528240
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS A9528240

SAMPLE	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L7300N-0625X	241 229	10	< 0.2	2.29	54	220	0.5	< 2	0.15	< 0.5	23	16	95	5.31	< 10	< 1	0.11	20	0.90	1850
L7300N-0700X	241 229	10	0.4	1.73	40	270	< 0.5	< 2	0.13	< 0.5	17	17	38	3.51	< 10	< 1	0.11	< 10	0.62	1450
L7300N-0725X	241 229	< 5	0.2	1.02	22	260	< 0.5	< 2	0.38	0.5	10	12	22	2.31	< 10	< 1	0.11	< 10	0.46	1375
L7300N-0750X	241 229	< 5	1.2	2.72	36	160	< 0.5	< 2	0.03	< 0.5	27	16	70	4.74	< 10	< 1	0.09	10	0.93	1620
L7300N-0775X	241 229	< 5	0.6	1.71	54	160	< 0.5	< 2	0.11	< 0.5	12	15	36	3.42	< 10	< 1	0.08	< 10	0.64	1050
L7300N-0800X	241 229	< 5	0.8	2.05	54	210	< 0.5	< 2	0.12	< 0.5	14	14	49	3.88	< 10	1	0.08	10	0.57	1165
L7300N-0825X	241 229	< 5	0.4	1.39	30	150	< 0.5	< 2	0.08	< 0.5	6	14	20	2.63	< 10	< 1	0.10	10	0.63	630
L7300N-0850X	241 229	35	0.8	1.53	34	140	< 0.5	< 2	0.12	< 0.5	6	15	28	2.96	< 10	< 1	0.13	10	0.59	520
L7300N-0875X	241 229	15	0.4	1.10	56	120	< 0.5	< 2	0.09	< 0.5	6	12	77	3.28	< 10	< 1	0.09	10	0.51	500
L7300N-0900X	241 229	200	0.5	1.27	60	160	< 0.5	< 2	0.54	< 0.5	12	11	92	3.47	< 10	< 1	0.07	10	0.54	1240
L7300N-0925X	241 229	10	0.4	2.15	30	110	< 0.5	< 2	0.16	< 0.5	4	18	37	5.82	10	< 1	0.06	10	0.22	415
L7300N-0950X	241 229	< 5	0.2	1.30	14	200	< 0.5	< 2	0.76	< 0.5	5	15	15	1.44	< 10	< 1	0.09	10	0.28	335
L7300N-0975X	241 229	23	0.4	2.25	50	210	0.5	< 2	0.49	< 0.5	10	14	44	4.36	< 10	< 1	0.09	20	0.82	735
L7300N-1000X	241 229	45	0.4	2.84	108	230	0.5	< 2	0.20	< 0.5	15	16	59	4.56	< 10	< 1	0.08	20	0.67	1085
L7300N-1025X	241 229	15	0.4	2.75	78	130	0.5	< 2	0.12	< 0.5	9	18	59	4.32	< 10	< 1	0.09	20	0.55	535
L7300N-1050X	241 229	105	0.4	2.01	92	170	0.5	< 2	0.31	< 0.5	15	15	72	4.59	< 10	< 1	0.09	20	0.55	710
L7300N-1075X	241 229	30	0.6	3.37	46	90	< 0.5	< 2	0.07	< 0.5	3	27	42	5.25	10	< 1	0.07	10	0.42	185
L7300N-1100X	241 229	85	0.2	2.39	62	300	0.5	< 2	0.30	< 0.5	19	20	83	4.80	< 10	< 1	0.15	20	1.00	1335
L7300N-1125X	241 229	10	0.2	2.01	48	230	< 0.5	< 2	0.59	< 0.5	16	19	58	4.40	< 10	< 1	0.12	10	1.00	1115
L7300N-1150X	241 229	< 5	< 0.2	3.34	14	160	0.5	< 2	0.07	< 0.5	19	20	161	4.71	< 10	< 1	0.16	30	1.12	1470
L7300N-1175X	241 229	10	< 0.2	2.68	66	160	1.0	< 2	0.10	0.5	52	56	109	5.76	< 10	< 1	0.17	40	0.98	1440
L7300N-1200X	241 229	< 5	< 0.2	2.88	56	130	0.5	< 2	0.19	< 0.5	18	30	76	4.28	< 10	< 1	0.12	10	0.97	1035
L7300N-1225X	241 229	< 5	< 0.2	3.06	16	90	0.5	< 2	0.25	< 0.5	8	23	33	5.02	10	< 1	0.10	10	0.53	440
L7300N-1250X	241 229	< 5	0.2	1.45	6	200	< 0.5	< 2	0.15	< 0.5	8	3	31	2.93	< 10	< 1	0.16	10	0.28	3540
L7300N-1275X	241 229	< 5	0.2	2.75	38	90	< 0.5	< 2	0.15	< 0.5	14	40	47	5.82	10	< 1	0.04	< 10	0.71	860
L7300N-1300X	241 229	20	< 0.2	2.15	28	100	< 0.5	< 2	0.17	< 0.5	16	18	72	4.12	< 10	< 1	0.09	10	0.73	925
L7300N-1325X	241 229	10	< 0.2	2.40	28	180	< 0.5	< 2	0.10	< 0.5	8	18	22	5.74	10	1	0.06	10	0.48	790
L7300N-1350X	241 229	15	< 0.2	2.12	34	110	< 0.5	< 2	0.14	< 0.5	18	18	56	4.45	< 10	< 1	0.07	< 10	0.58	1975
L7300N-1375X	241 229	< 5	< 0.2	2.04	18	170	< 0.5	< 2	0.22	< 0.5	13	20	43	3.98	< 10	< 1	0.08	10	0.66	770
L7300N-1400X	241 229	< 5	0.2	2.73	40	120	1.0	< 2	0.51	< 0.5	22	14	32	4.97	10	< 1	0.07	30	0.39	4710
L7300N-1425X	241 229	< 5	0.8	2.68	12	20	< 0.5	< 2	0.06	< 0.5	2	17	26	6.69	30	< 1	0.05	20	0.17	340
L7300N-1450X	241 229	< 5	0.2	2.81	4	90	1.0	< 2	0.23	< 0.5	7	18	24	6.72	20	< 1	0.05	30	0.10	655
L7300N-1475X	241 229	< 5	0.4	3.15	20	240	0.5	< 2	1.20	0.5	32	15	77	5.91	10	< 1	0.07	20	0.46	3720
L7300N-1500X	241 229	< 5	< 0.2	2.59	8	120	0.5	< 2	0.16	< 0.5	15	25	26	5.96	10	< 1	0.06	20	0.38	1600
L7300N-1525X	241 229	< 5	0.6	3.21	4	10	< 0.5	< 2	0.03	< 0.5	< 1	19	16	10.50	40	< 1	0.04	20	0.07	250
L7300N-1550X	241 229	< 5	0.2	3.71	40	40	< 0.5	< 2	0.08	< 0.5	5	28	55	6.04	10	< 1	0.03	10	0.32	455
L7300N-1575X	241 229	< 5	< 0.2	2.23	24	50	< 0.5	< 2	0.19	< 0.5	9	26	31	5.62	10	< 1	0.04	< 10	0.51	685
L7300N-1600X	241 229	< 5	0.4	3.85	20	60	0.5	< 2	0.13	< 0.5	7	34	72	5.65	10	1	0.06	10	0.46	630
TL600E-5925N	241 229	< 5	< 0.2	3.36	26	170	< 0.5	< 2	0.19	< 0.5	19	36	123	5.06	< 10	< 1	0.14	10	1.06	1050
TL600E-5950N	241 229	< 5	0.2	1.69	22	80	< 0.5	< 2	0.12	< 0.5	6	32	41	5.82	< 10	1	0.07	< 10	0.48	225

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

F. Number : 2-B
 Total Pages : 3
 Certificate Date: 26-SEP-95
 Invoice No. : 19528240
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS A9528240

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L7300N-0625E	241 229	1	0.01	19	1530	20	< 2	6	16	0.09	< 10	< 10	52	< 10	100
L7300N-0700E	241 229	2	< 0.01	17	1140	8	< 2	< 1	17	0.02	< 10	< 10	54	< 10	78
L7300N-0725E	241 229	1	0.01	12	1380	6	< 2	< 1	34	0.02	< 10	< 10	39	< 10	96
L7300N-0750E	241 229	3	0.01	25	1210	12	< 2	1	9	0.03	< 10	< 10	56	< 10	64
L7300N-0775E	241 229	2	0.01	19	1490	6	< 2	1	18	0.02	< 10	< 10	43	< 10	58
L7300N-0800E	241 229	2	0.01	22	1400	6	< 2	1	18	0.03	< 10	< 10	45	< 10	86
L7300N-0825E	241 229	2	0.01	16	1220	4	< 2	< 1	14	0.01	< 10	< 10	45	< 10	60
L7300N-0850E	241 229	2	0.01	17	2100	8	< 2	1	20	0.04	< 10	< 10	48	< 10	58
L7300N-0875E	241 229	4	< 0.01	25	1190	6	< 2	< 1	17	0.01	< 10	< 10	36	< 10	70
L7300N-0900E	241 229	11	0.01	32	1040	8	2	1	44	0.02	< 10	< 10	32	< 10	90
L7300N-0925E	241 229	6	< 0.01	12	1040	8	2	2	18	0.23	< 10	< 10	89	< 10	50
L7300N-0950E	241 229	3	0.01	8	680	8	< 2	2	55	0.11	< 10	< 10	34	< 10	46
L7300N-0975E	241 229	2	0.01	26	1260	8	< 2	3	44	0.07	< 10	< 10	38	< 10	154
L7300N-1000E	241 229	3	0.01	40	1140	14	2	5	31	0.06	< 10	< 10	45	< 10	146
L7300N-1025E	241 229	4	0.01	25	1130	14	< 2	4	19	0.13	< 10	< 10	55	< 10	110
L7300N-1050E	241 229	4	0.01	43	1100	14	2	4	44	0.06	< 10	< 10	43	< 10	116
L7300N-1075E	241 229	3	< 0.01	12	930	8	< 2	8	12	0.18	< 10	< 10	80	< 10	50
L7300N-1100E	241 229	2	0.01	33	970	14	< 2	7	42	0.08	< 10	< 10	60	< 10	114
L7300N-1125E	241 229	2	0.02	28	940	10	< 2	6	53	0.06	< 10	< 10	59	< 10	96
L7300N-1150E	241 229	1	0.02	18	970	12	< 2	7	15	0.10	< 10	< 10	64	< 10	98
L7300N-1175E	241 229	14	0.01	107	1120	18	< 2	6	16	0.02	< 10	< 10	50	< 10	140
L7300N-1200E	241 229	2	0.02	23	1220	14	< 2	7	30	0.15	< 10	< 10	77	< 10	118
L7300N-1225E	241 229	11	< 0.01	9	850	12	< 2	4	30	0.21	< 10	< 10	84	< 10	66
L7300N-1250E	241 229	1	0.01	6	1390	2	< 2	< 1	13	< 0.01	< 10	< 10	29	< 10	42
L7300N-1275E	241 229	1	< 0.01	20	1470	8	< 2	2	10	0.11	< 10	< 10	134	< 10	62
L7300N-1300E	241 229	1	0.01	14	1050	8	< 2	2	20	0.03	< 10	< 10	52	< 10	72
L7300N-1325E	241 229	2	0.01	8	1050	6	< 2	2	14	0.12	< 10	< 10	96	< 10	58
L7300N-1350E	241 229	1	0.01	12	1470	8	< 2	1	16	0.03	< 10	< 10	69	< 10	70
L7300N-1375E	241 229	1	0.01	16	1350	6	< 2	1	22	0.02	< 10	< 10	58	< 10	80
L7300N-1400E	241 229	2	0.01	10	1850	10	< 2	2	24	0.10	< 10	< 10	73	< 10	86
L7300N-1425E	241 229	5	< 0.01	3	860	12	< 2	2	6	0.26	< 10	< 10	87	< 10	52
L7300N-1450E	241 229	2	< 0.01	3	1300	12	< 2	3	13	0.40	< 10	< 10	93	< 10	84
L7300N-1475E	241 229	2	0.01	13	1950	4	< 2	10	36	0.14	< 10	< 10	147	< 10	84
L7300N-1500E	241 229	2	0.01	9	1330	8	< 2	4	17	0.18	< 10	< 10	101	< 10	80
L7300N-1525E	241 229	5	0.01	1	590	12	< 2	1	3	0.23	< 10	< 10	54	< 10	48
L7300N-1550E	241 229	3	< 0.01	6	1090	10	< 2	6	9	0.15	< 10	< 10	98	< 10	42
L7300N-1575E	241 229	1	< 0.01	10	690	10	< 2	4	21	0.10	< 10	< 10	87	< 10	42
L7300N-1600E	241 229	2	0.01	9	1010	8	< 2	5	15	0.28	< 10	< 10	106	< 10	70
TL600E-5925N	241 229	1	0.01	20	710	6	< 2	9	21	0.06	< 10	< 10	95	< 10	80
TL600E-5950N	241 229	1	< 0.01	12	790	8	< 2	2	12	0.04	< 10	< 10	114	< 10	36

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T. C. SCOTT

Page Number : 3-A
Total Pages : 3
Certificate Date: 26-SEP-95
Invoice No. : 19528240
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS

A9528240

SAMPLE	PREP CODE	Au ppb RUSE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Cn %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ge ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
ZL600R-5975N	241 229	< 5	< 0.2	0.75	18	60	< 0.5	< 2	0.06	< 0.5	3	26	34	4.75	< 10	1	0.05	< 10	0.08	150

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T. C. SCOTT

Page Number : 3-B
Total Pages : 3
Certificate Date: 26-SEP-95
Invoice No. : J9528240
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS

A9528240

SAMPLE	PREP CODE		Ko	Na	Mi	P	Pb	Sb	So	Sr	Ti	Tl	U	Y	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
TL600E-5975N	241	229	1	< 0.01	6	1100	2	< 2	1	8	0.07	< 10	< 10	82	< 10	16

CERTIFICATION:

Heath Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 1-A
 Total Pages 2
 Certificate Date 20-SEP-97
 Invoice No. I-9527701
 P.O. Number
 Account

CERTIFICATE OF ANALYSIS

A9527701

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L62+00N 2+25E	241 229	15 < 0.2	1.81	48	230 < 0.5	< 2	0.11 < 0.5	17	13	218	5.75 < 10	< 1	0.14	10	0.87	2100				
L62+00N 2+50R	241 229	< 10	0.2	0.66	28	150 < 0.5	< 2	0.08 < 0.5	4	5	46	3.33 < 10	< 1	0.12	< 10	0.08	275			
L62+00N 2+75E	241 229	< 5	0.4	2.12	16	80 < 0.5	< 2	0.09 < 0.5	7	31	52	5.92 < 10	< 1	0.04	< 10	0.51	145			
L62+00N 3+00E	241 229	< 5	0.2	1.74	16	160 < 0.5	< 2	0.17 < 0.5	7	24	60	3.81 < 10	< 1	0.05	< 10	0.55	260			
L62+00N 3+25E	241 229	< 5	0.2	0.49	4	80 < 0.5	< 2	0.17 < 0.5	3	18	38	1.98 < 10	< 1	0.07	< 10	0.21	200			
L62+00N 3+50E	241 229	30	0.2	0.38	32	150 < 0.5	< 2	0.08 < 0.5	3	4	40	2.95 < 10	< 1	0.10	< 10	0.07	205			
L62+00N 3+75E	241 229	20 < 0.2	1.72	60	410 < 0.5	< 2	0.27 < 0.5	18	16	136	5.26 < 10	< 1	0.15	10	0.81	1520				
L62+00N 4+00E	241 229	< 10 < 0.2	1.21	54	240 < 0.5	< 2	0.04 < 0.5	24	10	82	5.82 < 10	< 1	0.07	< 10	0.39	2190				
L62+00N 4+25E	241 229	< 10	0.2	0.69	30	80 < 0.5	< 2	0.08 < 0.5	6	9	54	3.75 < 10	< 1	0.06	< 10	0.21	270			
L62+00N 4+50E	241 229	< 5	0.2	1.42	20	140 < 0.5	< 2	0.26 < 0.5	7	22	57	3.89 < 10	< 1	0.05	< 10	0.43	575			
L62+00N 4+75E	241 229	< 5	0.6	2.10	16	130 < 0.5	< 2	0.20 < 0.5	6	31	47	4.67 < 10	< 1	0.05	< 10	0.53	260			
L62+00N 5+00E	241 229	15 < 0.2	2.70	24	200 < 0.5	< 2	0.40 < 0.5	19	32	89	5.00 < 10	< 1	0.08	< 10	0.81	1720				
L62+00N 5+25E	241 229	15 < 0.2	1.73	16	260 < 0.5	< 2	0.20 < 0.5	14	22	62	3.40 < 10	< 1	0.09	< 10	0.68	1040				
L62+00N 5+50E	241 229	5 < 0.2	1.43	24	90 < 0.5	< 2	0.19 < 0.5	10	26	51	3.95 < 10	< 1	0.07	< 10	0.70	435				
L62+00N 5+75E	241 229	95	0.2	1.05	104	100 < 0.5	< 2	0.30 < 0.5	19	7	101	4.82 < 10	< 1	0.07	10	0.32	1365			
L62+00N 6+00E	241 229	20 < 0.2	1.29	24	110 < 0.5	< 2	0.13 < 0.5	7	17	51	5.08	10	< 1	0.06	< 10	0.26	815			
L62+00N 6+25E	241 229	< 5 < 0.2	2.11	6	60 < 0.5	< 2	0.14 < 0.5	4	29	33	7.05	20	< 1	0.04	< 10	0.32	315			
L62+00N 6+50E	241 229	20	0.2	1.02	38	70 < 0.5	< 2	0.15 < 0.5	6	21	61	3.88 < 10	< 1	0.06	< 10	0.30	315			
L62+00N 6+75E	241 229	45	0.6	1.22	126	80 < 0.5	< 2	0.43 < 0.5	9	24	120	5.01 < 10	< 1	0.04	< 10	0.27	500			
L62+00N 7+00E	241 229	< 10	0.2	0.99	30	80 < 0.5	< 2	0.16 < 0.5	7	11	79	3.54 < 10	< 1	0.07	< 10	0.29	495			
L62+00N 7+25E	241 229	< 5	0.4	0.78	12	70 < 0.5	< 2	0.14 < 0.5	3	34	49	5.58	10	< 1	0.06	< 10	0.17	190		
L62+00N 7+50E	241 229	< 10	0.2	0.61	4	190 < 0.5	< 2	0.14 < 0.5	2	9	38	1.81 < 10	< 1	0.06	< 10	0.08	90			
L62+00N 7+75E	241 229	< 5 < 0.2	2.14	16	40 < 0.5	< 2	0.09 < 0.5	6	44	62	6.52 < 10	< 1	0.07	< 10	0.37	360				
L63+00N 3+50E	241 229	45 < 0.2	1.25	56	170 < 0.5	< 2	0.09 < 0.5	11	11	62	4.98 < 10	< 1	0.09	< 10	0.39	795				
L63+00N 3+75E	241 229	10	0.4	1.56	14	90 < 0.5	< 2	0.25 < 0.5	11	19	67	4.91 < 10	< 1	0.06	< 10	0.55	570			
L63+00N 4+00E	241 229	10	0.2	1.10	58	280 < 0.5	< 2	0.27 < 0.5	17	8	63	5.41 < 10	< 1	0.10	< 10	0.33	1650			
L63+00N 4+25E	241 229	< 30	1.2	0.51	4	60 < 0.5	< 2	0.16 < 0.5	2	19	32	1.70 < 10	< 1	0.04	< 10	0.22	310			
L63+00N 4+50E	241 229	< 10	0.2	0.64	12	100 < 0.5	< 2	0.22 < 0.5	4	15	49	2.42 < 10	< 1	0.01	< 10	0.06	95			
L63+00N 4+75E	241 229	60	0.2	1.22	22	130 < 0.5	< 2	0.08 < 0.5	3	18	44	5.66	20	< 1	0.04	10	0.14	295		
L63+00N 5+00E	241 229	< 10	0.2	1.63	20	430 < 0.5	< 2	2.17 < 0.5	13	26	83	3.29 < 10	< 1	0.07	< 10	0.71	1050			
L63+00N 5+25E	241 229	60	0.8	0.47	12	70 < 0.5	< 2	0.25 < 0.5	6	6	60	2.12 < 10	< 1	0.03	< 10	0.13	230			
L63+00N 5+50E	241 229	< 10 < 0.2	0.64	12	100 < 0.5	< 2	0.41 < 0.5	6	6	58	2.34 < 10	< 1	0.04	< 10	0.22	230				
L63+00N 5+75E	241 229	20	0.4	2.04	90	560 < 0.5	< 2	0.73 < 0.5	39	19	199	5.02 < 10	< 1	0.07	10	0.60	5310			
L63+00N 6+00E	241 229	15	0.2	2.07	38	100 < 0.5	< 2	0.16 < 0.5	19	35	165	4.73 < 10	< 1	0.06	< 10	0.68	1085			
L63+00N 6+25E	241 229	140	1.4	1.54	162	100 < 0.5	< 2	0.18 < 0.5	14	18	132	6.52	10	< 1	0.06	< 10	0.41	1390		
L63+00N 6+50E	241 229	15	0.4	0.75	66	30 < 0.5	< 2	0.12 < 0.5	10	3	129	3.06 < 10	< 1	0.03	< 10	0.29	310			
L63+00N 6+75E	241 229	< 10	0.2	1.08	22	40 < 0.5	< 2	0.25 < 0.5	9	54	118	4.08 < 10	< 1	0.06	< 10	0.44	395			
L63+00N 7+00E	241 229	< 15	0.4	0.55	6	30 < 0.5	< 2	0.11 < 0.5	3	12	64	1.57 < 10	< 1	0.04	< 10	0.10	135			
L63+00N 7+25E	241 229	< 15	0.2	0.60	< 2	40 < 0.5	< 2	0.06 < 0.5	1	3	23	0.76 < 10	< 1	0.03	< 10	0.03	95			
L63+00N 7+50E	241 229	< 10	0.8	1.77	4	100 < 0.5	< 2	0.28 < 0.5	21	10	92	4.56 < 10	< 1	0.07	10	0.47	3260			

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 1-B
 Total Pages 2
 Certificate Date 20-SEP-95
 Invoice No. 1-9527701
 P.O. Number
 Account

CERTIFICATE OF ANALYSIS A9527701

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn fusion
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm wt. gm
L62+00N 2+25E	241	229	2	0.01	31	1110	8	2	7	15	0.01	< 10	< 10	40	< 10	110 30.00
L62+00N 2+50E	241	229	2	0.01	16	1690	4	2	1	14	< 0.01	< 10	< 10	30	< 10	50 15.00
L62+00N 2+75E	241	229	1	< 0.01	11	830	6	< 2	3	10	0.10	< 10	< 10	124	< 10	40 30.00
L62+00N 3+00E	241	229	< 1	< 0.01	15	890	2	< 2	2	13	0.02	< 10	< 10	69	< 10	48 30.00
L62+00N 3+25E	241	229	< 1	0.01	8	1270	2	< 2	2	9	0.04	< 10	< 10	55	< 10	24 30.00
L62+00N 3+50E	241	229	< 1	< 0.01	14	1240	4	< 2	1	9	< 0.01	< 10	< 10	20	< 10	38 30.00
L62+00N 3+75E	241	229	1	0.01	39	640	8	2	12	28	< 0.01	< 10	< 10	45	< 10	100 15.00
L62+00N 4+00E	241	229	2	< 0.01	29	1010	6	2	7	10	< 0.01	< 10	< 10	35	< 10	80 15.00
L62+00N 4+25E	241	229	1	< 0.01	19	1960	2	< 2	1	9	0.01	< 10	< 10	42	< 10	34 15.00
L62+00N 4+50E	241	229	< 1	< 0.01	11	980	6	< 2	1	25	0.02	< 10	< 10	80	< 10	40 30.00
L62+00N 4+75E	241	229	1	< 0.01	12	740	2	< 2	3	15	0.03	< 10	< 10	74	< 10	44 30.00
L62+00N 5+00E	241	229	1	< 0.01	17	880	4	2	5	22	0.08	< 10	< 10	93	< 10	56 30.00
L62+00N 5+25E	241	229	< 1	0.01	12	500	2	< 2	6	18	0.03	< 10	< 10	66	< 10	52 30.00
L62+00N 5+50E	241	229	< 1	< 0.01	18	590	4	< 2	3	15	0.06	< 10	< 10	82	< 10	50 30.00
L62+00N 5+75E	241	229	2	< 0.01	20	1400	4	< 2	5	20	0.01	< 10	< 10	42	< 10	48 30.00
L62+00N 6+00E	241	229	1	< 0.01	7	1540	6	< 2	2	13	0.17	< 10	< 10	115	< 10	40 30.00
L62+00N 6+25E	241	229	2	< 0.01	8	940	4	2	4	12	0.29	< 10	< 10	147	< 10	32 30.00
L62+00N 6+50E	241	229	2	< 0.01	10	1150	2	< 2	2	11	0.04	< 10	< 10	83	< 10	30 30.00
L62+00N 6+75E	241	229	2	< 0.01	10	1080	2	< 2	4	17	0.06	< 10	< 10	88	< 10	30 30.00
L62+00N 7+00E	241	229	1	< 0.01	8	1760	6	< 2	3	11	0.03	< 10	< 10	51	< 10	38 15.00
L62+00N 7+25E	241	229	1	< 0.01	9	1510	2	< 2	2	10	0.19	< 10	< 10	134	< 10	28 30.00
L62+00N 7+50E	241	229	< 1	< 0.01	5	1190	2	< 2	< 1	12	0.02	< 10	< 10	46	< 10	20 15.00
L62+00N 7+75E	241	229	1	< 0.01	9	1300	4	< 2	4	9	0.10	< 10	< 10	122	< 10	36 30.00
L63+00N 3+50E	241	229	1	< 0.01	25	960	4	< 2	7	13	< 0.01	< 10	< 10	72	< 10	58 30.00
L63+00N 3+75E	241	229	< 1	< 0.01	20	1590	8	< 2	4	20	0.11	< 10	< 10	302	< 10	42 15.00
L63+00N 4+00E	241	229	1	0.01	37	1340	4	2	2	26	0.01	< 10	< 10	56	< 10	70 30.00
L63+00N 4+25E	241	229	< 1	< 0.01	11	1070	2	< 2	2	13	0.02	< 10	< 10	23	< 10	32 5.00
L63+00N 4+50E	241	229	1	< 0.01	15	410	6	< 2	2	22	0.14	< 10	< 10	143	< 10	22 15.00
L63+00N 4+75E	241	229	2	< 0.01	13	840	6	< 2	2	13	0.10	< 10	< 10	106	< 10	40 15.00
L63+00N 5+00E	241	229	1	0.02	21	1890	8	< 2	3	127	0.04	< 10	< 10	53	< 10	94 15.00
L63+00N 5+25E	241	229	1	< 0.01	8	1390	2	< 2	1	13	0.02	< 10	< 10	27	< 10	32 15.00
L63+00N 5+50E	241	229	1	0.02	9	1230	2	2	3	22	0.09	< 10	< 10	33	< 10	28 15.00
L63+00N 5+75E	241	229	2	0.02	21	1860	6	2	8	41	0.03	< 10	< 10	78	< 10	76 15.00
L63+00N 6+00E	241	229	< 1	< 0.01	18	900	4	< 2	7	12	0.05	< 10	< 10	85	< 10	56 30.00
L63+00N 6+25E	241	229	2	< 0.01	10	1580	4	< 2	4	10	0.06	< 10	< 10	140	< 10	44 15.00
L63+00N 6+50E	241	229	< 1	< 0.01	4	2160	2	< 2	2	6	0.01	< 10	< 10	43	< 10	24 10.00
L63+00N 6+75E	241	229	< 1	0.01	13	3100	2	< 2	4	14	0.06	< 10	< 10	75	< 10	28 15.00
L63+00N 7+00E	241	229	< 1	0.01	5	1430	2	< 2	1	8	0.04	< 10	< 10	31	< 10	18 10.00
L63+00N 7+25E	241	229	< 1	< 0.01	3	1250	2	< 2	1	7	0.03	< 10	< 10	12	< 10	12 10.00
L63+00N 7+50E	241	229	1	< 0.01	10	2130	12	< 2	1	12	0.02	< 10	< 10	42	< 10	76 15.00

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED
 711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Page Number 2-A
 Total Pages 2
 Certificate Date 20-SEP-95
 Invoice No. I-B527701
 P.O. Number :
 Account :

Project : FORREST
 Comments: ATTN: T. C. SCOTT

CERTIFICATE OF ANALYSIS

A9527701

SAMPLE DESCRIPTION	PREP CODE	Au ppb RUSH	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L63+00N 7+75E	241 229	< 10	0.4	0.89	4	30	< 0.5	< 2	0.23	< 0.5	5	14	92	3.10	< 10	< 1	0.04	< 10	0.19	285
L63+00N 8+00E	241 229	< 10	0.4	0.98	12	60	< 0.5	< 2	0.16	< 0.5	6	17	80	4.46	< 10	< 1	0.06	< 10	0.20	496
L63+00N 8+25E	241 229	< 30	0.2	1.06	10	80	< 0.5	< 2	0.29	< 0.5	7	13	56	2.74	< 10	< 1	0.06	< 10	0.31	550
L63+00N 8+50E	241 229	< 10	0.2	1.18	16	70	< 0.5	< 2	0.12	< 0.5	8	9	62	4.13	< 10	< 1	0.06	10	0.29	760
L63+00N 8+75E	241 229	< 10	0.2	2.38	26	100	< 0.5	< 2	0.08	< 0.5	23	15	151	5.02	< 10	< 1	0.07	< 10	0.58	1487

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number 2-B
 Total Pages 2
 Certificate Date 20-SEP-95
 Invoice No. I-9527701
 P.O. Number
 Account

CERTIFICATE OF ANALYSIS A9527701

SAMPLE DESCRIPTION	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn fusion	
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	wt. gm
L63+00N 7+75E	241	229	< 1	0.01	6	1930	4	< 2	3	11	0.10	< 10	< 10	41	< 10	36	15.00
L63+00N 8+00E	241	229	2	< 0.01	4	4010	4	< 2	2	10	0.03	< 10	< 10	59	< 10	36	15.00
L63+00N 8+25E	241	229	< 1	0.01	10	1360	12	< 2	2	18	0.03	< 10	< 10	42	< 10	44	5.00
L63+00N 8+50E	241	229	1	0.01	6	1460	4	< 2	2	9	0.02	< 10	< 10	62	< 10	34	15.00
L63+00N 8+75E	241	229	3	< 0.01	12	1310	4	< 2	7	10	0.02	< 10	< 10	65	< 10	56	15.00

UNRECORDED DATA



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2G1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST 6R
 Comments: ATTN: T. C. SCOTT


Page Number 1-A
 Total Pages 1
 Certificate Date 21-SEP-85
 Invoice No. I-9527702
 P.O. Number :
 Account

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527702

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
005753	205 294	595	20.8	1.37	40	100	< 0.5	Intf*	4.95	< 0.5	25	79	>10000	5.02	< 10	1	0.23	< 10	0.68	1180
005754	205 294	< 5	0.8	2.25	24	150	< 0.5	6	0.51	< 0.5	44	44	4610	4.22	< 10	< 1	0.30	< 10	1.04	990
005755	205 294	25	3.0	1.43	18	40	< 0.5	< 2	5.65	< 0.5	13	56	4830	3.04	< 10	< 1	0.09	< 10	0.98	1115
005756	205 294	115	10.4	1.50	40	70	< 0.5	Intf*	0.54	0.5	30	103	>10000	4.32	10	1	0.11	< 10	0.96	470
005757	205 294	1020	5.2	0.87	30	30	< 0.5	2	4.10	< 0.5	20	154	6680	2.39	< 10	< 1	0.07	< 10	0.56	815
005758	205 294	1200	80.2	0.99	170	10	< 0.5	Intf*	0.36	0.5	56	120	>10000	12.75	< 10	3	0.18	< 10	0.40	210

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST 6R
 Comments: ATTN: T. C. SCOTT

Page Number 1-B
 Total Pages 1
 Certificate Date 21-SEP-05
 Invoice No. I-9527702
 P.O. Number :
 Account :

**PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527702

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Au FA g/t
005753	205 294	< 1	0.02	38	60	4	< 2	3	73	< 0.01	10	< 10	29	< 10	70	-----
005754	205 294	< 1	0.01	22	700	< 2	< 2	5	21	< 0.01	< 10	< 10	35	< 10	54	-----
005755	205 294	< 1	0.04	18	330	< 2	< 2	5	91	< 0.01	< 10	< 10	51	< 10	24	-----
005756	205 294	< 1	0.05	23	310	4	< 2	4	13	< 0.01	< 10	< 10	52	< 10	64	-----
005757	205 294	< 1	0.03	17	190	2	< 2	3	92	< 0.01	< 10	< 10	31	< 10	22	1.03
005758	205 294	1	0.01	106	10	14	< 2	2	8	< 0.01	10	< 10	24	10	166	1.06

CERTIFICATION: _____

1002



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: T. C. SCOTT

Page Number : 1-A
Total Pages : 1
Certificate Date: 26-SEP-95
Invoice No. : 19528329
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS A9528329

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
5759	205 226	< 5	< 0.2	0.41	2	130	< 0.5	2	2.52	< 0.5	3	40	3	1.70	< 10	< 1	0.25	10	0.62	470
5760	205 226	< 5	< 0.2	0.35	8	70	< 0.5	4	2.66	< 0.5	15	43	1	2.04	< 10	< 1	0.17	< 10	0.66	580
5761	205 226	< 5	< 0.2	0.31	4	40	< 0.5	2	3.91	< 0.5	7	35	22	2.62	< 10	< 1	0.09	< 10	0.62	545
5762	205 226	10	< 0.2	1.83	48	130	< 0.5	< 2	2.34	< 0.5	15	17	17	4.52	10	< 1	0.23	10	1.11	650

CERTIFICATION: *[Signature]*

09/27/95 WED 11:17 FAX 604 984 0218 CHEMEX LABS

4410000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 26-SEP-95
 Invoice No. : 19528329
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS

A9528329

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
5759	205	226	< 1	0.02	4	310	4	< 2	3	14	< 0.01	< 10	< 10	10	< 10	4
5760	205	226	< 1	0.04	12	260	4	< 2	9	14	< 0.01	< 10	< 10	18	< 10	2
5761	205	226	< 1	0.07	7	460	< 2	2	11	42	< 0.01	< 10	< 10	28	< 10	12
5762	205	226	< 1	0.02	9	990	6	2	5	19	< 0.01	< 10	< 10	24	10	32

CERTIFICATION:

Hart Buchler

CHEMEX LABS

09/27/95 WED 11:17 FAX 604 984 0218



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Page Number : 1
Total Pages : 1
Certificate Date: 30-OCT-95
Invoice No. : I9531745
P.O. Number :
Account : BM

Project : FORREST
Comments: ATTN: DOUG FULCHER CC: STEVE TODORUK

CERTIFICATE OF ANALYSIS

A9531745

SAMPLE	PREP CODE	Cu %									
057026	244 --	0.99									
057053	244 --	0.74									
005802	244 --	0.36									
057077	244 --	0.11									
057096	244 --	0.13									
057219	244 --	0.55									
057233	244 --	0.10									
057194	244 --	0.24									
057200	244 --	0.84									
057304	244 --	1.29									
057349	244 --	0.39									
57370	244 --	2.51									
57386	244 --	0.22									
57442	244 --	2.71									
57448	244 --	0.13									
57467	244 --	5.59									
57470	244 --	0.96									
005753	244 --	2.47									
005754	244 --	0.46									
005755	244 --	0.47									
005756	244 --	1.46									
005757	244 --	0.65									
005758	244 --	6.81									

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 875 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N4

Project: FORREST
Comments: ATTN: DOUG FULCHER CC: STEVE TODORUK

P Number : 1
T Pages : 1
Certificate Date: 27-OCT-95
Invoice No. : 19531745
P.O. Number :
Account : BM

CERTIFICATE OF ANALYSIS A9531745

SAMPLE	PREP CODE	Cu %											
057026	244 --	delay											
057053	244 --	0.74											
005802	244 --	0.36	Rx										
057077	244 --	0.11											
057096	244 --	0.13											
057219	244 --	0.55											
057233	244 --	0.10											
057194	244 --	0.24											
057200	244 --	0.84											
057304	244 --	1.29											
057349	244 --	0.39											
57370	244 --	2.51											
57386	244 --	0.22											
57442	244 --	2.71											
57448	244 --	0.13											
57467	244 --	5.59											
57470	244 --	0.96											
005753	244 --	2.47											
005754	244 --	0.46											
005755	244 --	0.47											
005756	244 --	1.46											
005757	244 --	0.45											
005758	244 --	6.81	Rx										

CERTIFICATE INCOMPLETE

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMCON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project: FORREST
 Comments: ATTN: T. C. SCOTT

Page Number: 1-A
 Total Pages: 1
 Certificate Date: 05-OCT-95
 Invoice No.: 19529306
 P.O. Number:
 Account: BM

CERTIFICATE OF ANALYSIS A9529306

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
5763	208	294	< 5	< 0.2	2.05	14	60	< 0.5	< 2	0.16	< 0.5	34	55	228	9.18	< 10	< 1	0.24	10	0.24	510
5806	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5807	208	294	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5808	208	294	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5809	208	294	280	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5810	208	294	435	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5811	208	294	155	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5812	208	294	30	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5813	208	294	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5814	208	294	50	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5815	208	294	25	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5816	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5817	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5818	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5819	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5820	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5821	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5901	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5902	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5903	208	294	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5904	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5905	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5906	208	294	870	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5907	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5908	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5909	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5910	208	294	35	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5911	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5912	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5913	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5914	208	294	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5915	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5916	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5917	208	294	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5918	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5919	208	294	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

711 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N4

Project : FORREST
 Comments: ATTN: T. C. SCOTT

Number : 1-B
 Total Pages : 1
 Certificate Date: 05-OCT-95
 Invoice No. : 19529306
 P.O. Number :
 Account : BM

CERTIFICATE OF ANALYSIS

A9529306

SAMPLE	PREP		No	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
5763	208	294	2	0.04	47	220	2	< 2	14	7	< 0.01	< 10	< 10	189	< 10	76
5806	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5807	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5808	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5809	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5810	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5811	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5812	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5813	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5814	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5815	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5816	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5817	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5818	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5819	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5820	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5821	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5901	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5902	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5903	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5904	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5905	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5906	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5907	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5908	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5909	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5910	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5911	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5912	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5913	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5914	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5915	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5916	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5917	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5918	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5919	208	294	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



CERTIFICATION: _____

APPENDIX IV

DRILL HOLE LOGS

PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT FORREST	GROUND ELEV. 1110 m
HOLE NO. F 95-1	BEARING 130°
LOCATION CROOKED CREEK ZONE	DIP -45°
	TOTAL LENGTH 152.4 m
LOGGED BY C. SCOTT, R. FALLS	HORIZONTAL PROJECT 107.76
DATE AUGUST 14 1995	VERTICAL PROJECT 107.76
CONTRACTOR BRITTON BROS.	ALTERATION SCALE 
CORE SIZE N.Q	
DATE STARTED AUGUST 12 1995	
DATE COMPLETED AUGUST 14 1995	TOTAL SULPHIDE SCALE 
DIP TESTS	
COMMENTS	LEGEND



DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					Fe Ox	Ser	Clay	Sil	Sul		
0-13.7				<u>Casing</u>							
13.7-73.4				Argillite / siltstone - banded, - light to medium grey, often well laminated with wavy foliation - generally 5-10% irregular quartz-carbonate stringers (1-10mm) - generally low sulphide content ② 15m 2cm quartz-carbonate vein C.A. 70° - crosscuts foliation ② 15.33m 2cm quartz carbonate C.A. 60° - crosscuts foliation							
50											
16.9-16.92	84			gouge C.A. 80° Fault							
16.9-21.4				core broken							
25.6-25.7	66			rusty quartz-ankerite vein up hde, contact at C.A. 60°, downhole contact irregular							
27.1-27.2	61			2cm quartz-ankerite vein C.A. 50°							
27.2-27.25	100			quartz-ankerite vein C.A. 80°							
27.25-27.4				gouge + broken core Fault at C.A. 70°							
28.9-29.6	35			broken core possible fault							
31.0-31.1	43			Fault strong gouge with rock fragments C.A. ~ 80°							
33.65-33.95	100			25% dolomite-ankerite veining variable, best typical C.A. ~ 50°, veins 2-15mm wide, barren							
34.4-37.5	100			somewhat broken, rusty							
36.1-36.9	92			broken, rusty, core 30% irregular quartz-ankerite veining traces of Pyrite, Chalcopyrite, Malachite < 1%							
38.0-38.05	87			irregular quartz vein C.A.							
38.5-38.8	100			broken							
42.6-42.6				2cm quartz vein at C.A. 50°							
				5% Pyrite - finely disseminated							

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Pb ppb	Zn ppm	Cu ppm	As ppm
44.25 - 44.3 1% pyrite Pyrite in Qtz vein.		44.1	45.1	1.0	57009	10	-	29	4
		48.8	49.9	1.1	57005	120	-	29	2
		49.9	51.6	1.7	57006	10	-	29	2
		51.6	53.7	2.1	57007	15	-	29	8
		53.7	54.4	0.7	57008	15	-	28	8
		54.4	57.2	2.8	57010	5	-	19	10
		57.2	59.0	1.8	57011	10	-	18	4
		58.0	60.3	1.3	57012	-	-	18	2
		64.0	67.0	3.0	57013	-	-	9	2
		67.0	70.1	3.1	57014	35	-	26	4
73.4 - 88.2 1% finely disseminated pyrite		70.1	73.2	3.1	57015	25	-	40	10
81.2 - 81.6, 5% finely diss. pyrite		73.2	76.2	3.0	57016	40	-	59	40
		76.2	79.2	3.0	57017	20	0.4	78	32
		79.2	82.3	3.0	57018	15	0.4	132	18
		82.3	85.3	3.0	57019	-	-	77	16
		85.3	88.2	2.9	57020	-	-	109	2
		88.2	89.1	0.9	57021	-	-	19	2
		89.1	90.9	1.8	57022	10	-	97	4

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	Cu ppm	As ppm
94.9 - 95.0 - 10% chalcopyrite as irregular stringers at 60°		90.9	93.1	2.2	57023	-	-	53	2
95.0 - 95.5 <1% blebby chalcopyrite		93.1	94.8	1.7	57024	40	-	108	10
95.5 - 103.7 <1% disseminated pyrite		94.8	95.5	0.7	57025	1.2%	-	70	4
		95.5	97.5	2.0	57026	35	5.6	9330	20
		97.5	100.6	3.1	57027	25	-	124	2
		100.6	103.6	3.0	57028	10	-	31	2
		103.6	106.7	3.1	57029	10	-	34	2
		106.7	109.7	3.0	57030	-	-	62	10
		109.7	111.9	2.2	57031	-	-	21	4
		111.9	112.9	1.0	57032	15	-	357	2
		112.9	113.5	0.6	57033	15	-	28	2
126.7 - 152.4 <1% disseminated pyrite									
		132.4	134.4	2.0	57034	-	-	138	10
		134.4	135.9	1.5	57035	-	-	101	42

PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT TORRILLO	GROUND ELEV. 1010 m
HOLE NO. F95-2	BEARING 130°
LOCATION CROOKED CREEK ZONE	DIP -45°
	TOTAL LENGTH 155.4 m
LOGGED BY R. FALLS	HORIZONTAL PROJECT 109.88
DATE AUG 16, 1995	VERTICAL PROJECT 109.88
CONTRACTOR BRITTON BROS.	ALTERATION SCALE 
CORE SIZE NQ	
DATE STARTED AUGUST 14, 1995	
DATE COMPLETED AUGUST 16, 1995	TOTAL SULPHIDE SCALE 
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					Fe-Carb A	Ser. B	Clay C	Sil D	Calcite E		
0-2.0m				Casing							
3.0-7.0	26			Siltstone - green-grey, finely laminated, gradational into argillitic siltstone downhole - foliation highly variable							
7.0-21.1	100			Argillitic siltstone - medium grey, laminated, with light and dark bands, wavy foliation - highly variable to core axis							
7.5-12.5	47			mostly broken							
15.25-15.3	26			gouge - fault C.A. ~ 80°							
19.4m	66			2cm quartz-ankerite vein, C.A. 65° barren							
19.6m	35			2cm quartz-ankerite vein, C.A. 60°							
19.8-20.0	50			broken, rubblely							
21.1-33.5	50			Argillite - dark grey, well laminated, relatively unaltered, foliation highly variable							
21.05-21.1	84			quartz-ankerite vein, C.A. ~ 60°, barren							
23.9-24.0	37			quartz-ankerite veining, C.A. ~ 60° barren							
24.7-24.8	35			quartz-ankerite veining, irregular, barren.							
24.4-28.0	30			moderately broken							
28.5-30.5	60			broken							
31.4	100			gouge - minor fault							
30.5-30.6	100			quartz-ankerite vein ~ 2cm wide parallel to core axis 1% disseminated pyrite							
30.7-30.8	100			irregular quartz-ankerite veining 1-2 cm wide, barren							
33.0-33.1	90			irregular bull quartz veining, barren							
33.4-33.6	100			rubblely							

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	Cu ppm	As ppm
		29.95	30.45	0.5	57038	-	-	20	2
30.5-30.6 - 1% disseminated pyrite in quartz vein									
33.15-33.35 - 30% fine pyrite in 5mm quartz-carbonate vein									
		35.0	35.5	0.5	57039	-	-	16	2
		40.3	40.65	0.35	57040	-	-	40	78
		42.7	43.35	0.65	57041	-	-	8	2
		45.0	45.5	0.5	57042	-	-	20	4

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					A Fe-Carb	B Ser	C Clay	D Sil	M Calcite		
94				33.5-108.5 Argillite - light to medium grey - moderately silicified, sericite altered - light + dark banding							
50	100			- generally graphitic. - foliation highly variable 1-10% bull quartz - carbonate veins sulphides very sparse							
55	100			33.7 - 34.4 - 40% irregular quartz-carbonate veining, barren							
	100			35.15 - 35.35 - 4-5 mm quartz - carbonate vein parallel to core axis 30% pyrite in vein							
60	100			36.0 - 36.4 30% bull quartz - carbonate veining, typically 55° to C.A., barren							
	98			38.7 - 38.75 bull quartz - carbonate veining at C.A. 65°, parallel to foliation, barren							
65	100			40.4 - 40.55 - 3-5% pyrite associated with irregular 1-10mm quartz-carbonate veinlets at C.A. 20°							
	100			40.65 - 40.70 - bull quartz - carbonate vein at C.A. 90° fol., barren							
70	95			41.0 - 42.0 - 40-50% bull quartz - carbonate veining at typical C.A. 50-60°, barren							
	100			43.5 - 44.0 - 80° bull quartz, barren							
75	100			45.2 - 45.3 - quartz - carbonate veinlet 3mm wide w. 10% pyrite, subparallel to foliation							
	73			42.8 - 43.0 - several 3mm quartz carbonate veinlets at C.A. 45° minor pyrite along margins							
80	84			47.1 - 47.2 - pyrite in 3mm quartz-carbonate vein subparallel to C.A.							
	100			49.0 - 61.0 traces of pyrite <1% in quartz-carbonate veinlets							
85	100			54.0 - 54.7 - broken strongly graphitic - fault zone??							
				56.0 - 57.0 80% bull quartz, barren							
90				60.5 - 60.7 traces of Chalcopyrite disseminated <1%							

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH		Au ppm	Ag ppm	As ppm	Cu ppm	
97.7 traces of patchy Pyrite										
99.8 2% patchy Pyrite on margin of quartz vein										
		97.5	100.0	3.1	57056	30	-	14	17	Character Sample
		109.7	112.55	2.85	57057	-	-	-	110	
112.7-112.8 - 25% patchy pyrite		112.55	112.80	0.25	57058	-	-	4	197	
		112.8	114.2	1.4	57059	-	-	4	162	
117.45 traces of patchy Chalcopyrite		117.0	120.0	3.0	57060	-	-	8	145	
		120.0	123.5	3.5	57061	-	-	14	63	

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					A	B	C	D	E		
				112.1 - 112.5 - 2-3% cubic pyrite at base of sericitic alteration zone							
				113.3 - 114.3 - moderate Fe-carbonate alteration							
140				114.2 - 155A Andesite - - massive - dark green grey - containing 20% 1-2 mm feldspar phenocrysts - slight carbonate, chlorite, sericite alteration							
				- 5-10% carbonate - quartz veining carbonate > quartz							
145				117.2 - 123.5 - moderate sericitic alteration - traces of coarse cubic pyrite							
				117.5 traces of chalcopyrite							
				120.4 - 123.5 - moderate Fe-carbonate alteration							
150				120.2 - 120.7 - broken							
				127.2 - 127.65 - brecciated + re-cemented by carbonate - quartz veining							
				134.6 - 134.9 - carbonate quartz vein at C.A. 45°, barren							
				139.5 - 141.9 patchy Fe-carbonate alteration with quartz-carbonate veining							
				@ 139.5 2cm quartz-carbonate vein at C.A. 50°, barren							
				140.1 - 140.3 2cm quartz-carbonate vein at C.A. 20°, barren							
				141.0 - 141.2 2cm quartz-carbonate veins at C.A. 20° traces of disseminated pyrite or chalcopyrite??							
				141.5 - 142.0 2cm quartz-carbonate vein at C.A. 45° barren							
				142.5 - 143.1 2cm quartz-carbonate vein at C.A. 45° barren							
				155.1 End of Hole							

PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT FORREST	GROUND ELEV. 1110
HOLE NO. F95-3	BEARING 318°
LOCATION AZURITE ZONE	DIP -45°
	TOTAL LENGTH 118.9 m
LOGGED BY R. FALLS, C. SCOTT	HORIZONTAL PROJECT 84.07 m
DATE AUGUST 20 1995	VERTICAL PROJECT 84.07 m
CONTRACTOR BRITTON BROS	ALTERATION SCALE
CORE SIZE NQ	<p>0 1 2 3 absent slight moderate intense</p>
DATE STARTED AUGUST 16, 1995	TOTAL SULPHIDE SCALE
DATE COMPLETED AUGUST 18, 1995	<p>0 1 2 3 4 traces only < 1% 1% - 3% 3% - 10% > 10%</p>
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. <small>(% core)</small>	Chlorite
					A Fe Carb	B Ser	C Clay	D Sil	E Calcite			
0-3.05				Casina								
3.05-9.2				Argillite (in part cherty) - well laminated, with alternating light green + black bands - wavy bedded - phyllitic - relatively unaltered - no quartz veining - traces of Pyrite								
9.2-59.6				Chert / cherty tuff - light green-grey, massive, siliceous - light coloured feldspar? grains observed, implies high magnification may suggest a volcanic origin - generally slight sericite, Fe-carbonate alteration								
10.5-11.5				broken, rubble fault?								
12.5-13.0				broken, rubble, fault?								
18.0-18.3				broken, rubble, fault?								
18.5-19.5				moderate Fe-carbonate alteration - rusty								
19.8-20.0				ankerite vein at c.A. 10° broken, irregular, barren. 1cm wide								
22.25-23.5				brocciated + rehealed with quartz + Fe-carbonate, several								
0.5-1.0 cm				quartz-ankerite veins at c.A. 35-55°								
23.5-24.5				strong Fe-carbonate alteration								
30.6-31.0				rubble, fault?								
31.3-31.9				bull quartz vein at c.A. 25°, barren - chl/chlorite minor Bt								
38.0-39.2				strong Fe-carbonate alteration								
39.4-40.75				80% Bull quartz								
41.0-41.5				bull quartz at c.A. 10°-25° (90° to bedding)								
42.0-43.0				moderate Fe-carbonate alteration								
42.0-43.0				several 1cm quartz veins c.A. ~ 40°								

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		3.05	4.55	1.5	57063	-	-	4	24
		4.55	6.1	1.55	57064	-	-	22	63
		6.1	7.6	1.5	57065	-	-	6	82
		7.6	9.1	1.5	57066	-	-	8	92
		9.1	10.6	1.5	57067	-	-	6	104
		10.6	12.2	1.6	57068	-	-	22	55
		12.2	13.7	1.5	57069	-	-	2	28
		13.7	15.2	1.5	57070	-	-	42	11
		15.2	17.75	2.55	57071	-	-	4	48
		17.75	18.3	0.55	57072	-	-	4	27
		18.3	19.8	1.5	57073	-	-	42	289
		19.8	21.3	1.5	57074	-	-	4	16
		21.3	22.3	1.0	57075	-	-	2	32
		22.3	23.3	1.0	57076	-	-	42	27
		23.3	24.4	1.1	57077	-	-	16	1165
		24.4	25.9	1.5	57078	-	-	4	117
		25.9	27.4	1.5	57079	-	-	2	25
		27.4	28.7	1.3	57080	-	-	42	5
		28.7	29.2	0.5	57081	-	-	32	136
		29.2	30.5	1.3	57082	-	-	8	27
		30.5	31.2	0.7	57083	-	-	8	14
		31.2	31.9	0.7	57084	-	-	42	2
		31.9	33.5	1.6	57085	-	-	6	16
		33.5	35.0	1.5	57086	-	-	6	67
		35.0	36.5	1.5	57087	-	-	7	59
		36.5	38.0	1.5	57088	-	-	42	4
		38.0	39.4	1.4	57089	-	-	42	22
		39.4	41.3	1.9	57090	-	-	16	16
		41.3	42.7	1.4	57091	-	-	42	4
		42.7	44.2	1.5	57092	30	-	22	74
		44.2	45.7	1.5	57093	-	-	4	13
		45.7	47.2	1.5	57093	-	-	6	271

24.2 2 x 10 mm patch of
chalcopyrite

25.0 - 25.4 - traces of malachite

0.11%

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. + CL	Chert
					A	B Ser	C clay	D Sil	E Calcite			
47.0				47.0 - 47.5 mostly broken rubble sections, faulting?								
47.5				47.5 - 48.3 mostly bull quartz rubble								
48.3				48.3 - 51.7 rubbly quartz								
51.7				51.7 - 55.1 - mostly broken + rubble								
55.1				55.1 - 56.9 - bull quartz vein at C.A. 30°, barren								
56.9				56.9 - 59.2 - bull quartz vein at C.A. 50°, barren								
59.2				59.2 - 59.6 - bull quartz vein at C.A. 50°, barren								
59.6				59.6 - 59.9 - bull quartz vein at C.A. 70°, barren								
59.9				59.6 - 118.9 Andesite crystal tuff or flow								
60				- dark green, massive								
60				- 20-30% greenish-white, 1-2mm feldspar crystals								
60				- some feldspar grains are moderately clay altered								
60				- slight sericite, chlorite, calcite alteration is pervasive								
60				- generally 1-5% quartz-carbonate veining								
60				- generally only traces of finely disseminated pyrite << 1%								
60				59.3 - 62.25 - bull quartz veining with CL, irregular, somewhat brecciated contacts								
60				64.6 - 68.35 25% irregular bull quartz veining, contacts are brecciated at veins contain andesite clasts, chlorite patches + some dark material along selvages								
60				69.25 - 69.45 - bull quartz vein with CL, C.A. ~ 90°								
60				71.4 - 71.6 - bull quartz-CL vein at C.A. ~ 90°								
60				73.4 - 73.85 - bull quartz vein at C.A. 60°								
60				76.2 - 76.5 - rubble fault?								
60				77.5 - 77.70 rubble fault?								
60				77.95 - 78.4m - somewhat brecciated with quartz veining/ cement C.A. 45°								



MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		47.2	46.8	1.5	57094	-	-	6	858
49.0 - 52.0		48.8	50.3	1.5	57095	-	-	4	598
traces of malachite on fracture surfaces, very sparse chalcopyrite blabs <1%		50.3	51.8	1.5	57096	-	-	8	1435
		51.8	52.4	0.6	57097	-	-	10	137
@ 51.0 m trace of chalcopyrite		52.4	54.9	2.5	57098	-	-	4	57
trace of reddish, adamantine mineral (Sphalerite?)		54.9	56.4	1.5	57099	-	-	4	9
@ 50.5 some blebby, chalcopyrite + pyrite, arsenopyrite?		56.4	57.7	1.3	57101	-	-	8	9
		57.7	58.5	0.8	57102	-	-	4	3
		58.5	59.6	1.1	57103	-	-	4	55
		59.6	60.25	0.65	57104	-	-	12	72
		60.5	61.0	0.5	57105	-	-	14	114
		61.0	62.8	1.8	57106	-	-	2	20
		62.8	64.3	1.5	57107	-	-	22	96
@ 65.65 traces of chalcopyrite in 1mm wide quartz - carbonate veinlet at C.A. 25°		64.3	65.8	1.5	57108	-	-	36	76
		65.8	67.3	1.5	57109	-	-	32	807
66.0 - 69.6 - traces of finely disseminated pyrite + chalcopyrite		67.3	68.8	1.5	57110	-	-	6	80
		68.8	70.3	1.5	57111	-	-	38	328
		70.3	71.8	1.5	57112	-	-	20	243
		71.8	73.3	1.5	57113	15	-	14	343
		73.3	74.0	0.7	57114	-	-	42	61
		74.0	77.0	3.0	57115	-	-	8	145
		77.0	78.5	1.5	57116	-	-	8	34
		78.5	80.0	1.5	57117	-	-	26	13
		80.0	81.5	1.5	57118	-	-	30	61
		81.5	83.0	1.5	57119	-	-	24	74
		83.0	84.5	1.5	57120	-	-	8	20
		84.5	85.0	1.5	57121	-	-	52	118
		86.0	87.5	1.5	57122	-	-	18	117
		87.5	89.0	1.5	57123	-	-	56	115
		89.0	90.5	1.5	57124	-	-	60	92

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					A	B	C	D	E		
97				82.5 - 82.75 - thin quartz vein at C.A. 90° cut by later bull quartz veining at 0°							
84				83.0 - 83.3 - quartz-carbonate andesite vein at C.A. 40°							
95				83.3 - 84.4 - several quartz-CL veins 3-5 cm wide at C.A. 40-60°							
84				85.3 - 85.45 quartz-carbonate-CL vein at C.A. 70-90°							
100				85.65 - 86.0 - quartz-CL vein with brecciated andesite clasts C.A. 30°							
105				92.3 - 92.5 - quartz-carbonate-CL vein at C.A. ~10°, 2cm wide, contains andesite clasts.							
100				94.5 - 95.0 - rubble, some quartz-carbonate, fault?							
110				96.0 - 96.5 rubble, fault?							
100				98.0 - 98.4 quartz-CL vein							
100				99.2 - 100.1 bull quartz-CL vein							
95				101.2 - 101.4 1cm quartz vein at C.A. 10°							
115				108.5 - 106.6 quartz-carbonate vein at C.A. 65°							
100				@ 108.9 - brecciated quartz-carbonate vein 3cm wide							
120				109.5 - 109.7 - irregular quartz-carbonate veining with brecciated andesite.							
				110.0 - 111.0 rubble, fault?							
				112.4 - 112.5 quartz-CL vein at C.A. 45°							
				@ 113.5 rubble, fault?							
				116.5 - 116.8 - quartz-carbonate vein at C.A. 10°							
				117.3 - 117.5 rubble, fault?							
				118.9 End of Hole							

PAGE		OF		PROJECT: COPPERST				HOLE NO.	
MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au	Ag	As	Cu
						ppb	ppm	ppm	ppm
		90.5	92.0	1.5	57125	-	-	12	17
		92.0	93.5	1.5	57126	-	-	10	108
		93.5	95.0	1.5	57127	-	-	6	39
		95.0	96.5	1.5	57128	-	-	8	35
		96.5	98.0	1.5	57129	-	-	28	105
		98.0	99.2	1.2	57130	-	-	8	140
101.2 - 101.4 trace of malachite in 1cm quartz vein		99.2	100.0	0.8	57131	-	-	42	33
		100.0	101.5	1.5	57132	-	-	12	228
		101.5	103.0	1.5	57133	-	-	22	174
		103.0	104.5	1.5	57134	-	-	14	146
		104.5	106.0	1.5	57135	-	-	20	119
② 108.0 trace chalcopyrite		106.0	107.5	1.5	57136	-	-	18	124
		107.5	109.0	1.5	57137	-	-	20	127
		109.0	110.5	1.5	57138	-	-	26	122
		110.5	112.0	1.5	57139	-	-	14	203
		112.0	113.5	1.5	57140	-	-	24	183
		113.5	115.0	1.5	57141	-	-	18	147
		115.0	116.5	1.5	57142	-	-	36	240
		116.5	118.0	1.5	57143	-	0.4	52	322
		118.0	118.9	0.9	57144	-	-	62	382
						25	20.3		

PAMICON DEVELOPMENTS LIMITED

DRILL LOG



PROJECT FORREST	GROUND ELEV. 10833 m
HOLE NO. F95-4	BEARING 130°
LOCATION CREEK SHOWING EXTENSION	DIP -45°
	TOTAL LENGTH 121.92 m
LOGGED BY C. SCOTT	HORIZONTAL PROJECT 86.21
DATE AUGUST 22, 1995	VERTICAL PROJECT 86.21
CONTRACTOR BRITTON BROS.	ALTERATION SCALE 
CORE SIZE NQ	
DATE STARTED AUGUST 20, 1995	TOTAL SULPHIDE SCALE 
DATE COMPLETED AUGUST 21, 1995	
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. (CAV)	% VEIN QTZ. (CAV) (includes 200)
					A	B	C	D	E			
0-3.05m				Casing Casing goes to 12.2m								
3.05-				Andesite - crystal rich - medium to dark green color - massive - contains ~ 20-40% 1-2mm greenish-white feldspar crystals - generally slight chlorite sericite ± epidote alteration - 1-5% quartz-carbonate veining - slight carbonate alteration								
3.05-11.6				broken rubble								
11.6-14.3m				alteration zone bleached and oxidized, strong Fe-carbonate + sericite alteration probable fault zone								
14.3-21.7m				medium to dark green - feldspars altered to pinkish grey calcite ± clay - weak foliation - chloritic 40° TCA - 1-5% carbonate quartz stringers at 40° also at 20° and 65°								
21.7-22.5				alteration zone strong Fe carbonate with sericite and chlorite. Probable fault								
22.5-48.8				Andesite - medium to dark green, calcite altered feldspars w minor carbonate, epidote w qtz/carb veinlets - 25.6 10cm Fe-carbonate/quartz vein at 65°/CA - epidote carbonate qtz stringers at ± 25°, 45° TCA - carb/epidote veinlets later than epidote - 34°-35.0 3/2 carb vein w chlorite at 15°/CA - occasional qtz/carb at 25° and 85°/CA - generally massive with 2 fractures at 65° and 20°/CA - 22.3 4cm qtz carb vein 30°/CA - sheared HW								

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH m		Au ppb	Ag ppm	As ppm	Cu ppm
		47.6	48.6	1.0	57163	-	-	8	194
		48.6	49.6	1.0	57164	-	-	126	79
50.0m - 15cm Carb gtz v w minor py and zsp., oxidized		49.6	50.6	1.0	57165	-	-	32	265
		61.2	61.7	0.5	57166	-	-	42	328
		61.7	62.5	0.8	57167	-	-	38	152
62.5m - 0.5m Fe carb/gtz v		62.5	63.0	0.5	57168	-	-	34	7
with minor white pyrite (crystals)		63.0	64.5	1.5	57169	-	-	32	190
- pyrite crystals ~0.5-1.0mm		64.5	65.0	0.5	57170	-	-	70	14
- minor Fe carb oxidation		65.0	66.0	1.0	57171	-	-	12	207

PAMICON DEVELOPMENTS LIMITED

DRILL LOG



PROJECT FORREST	GROUND ELEV. 1083 m
HOLE NO. F95-S	BEARING 130°
LOCATION CREEK SHOWING EXTENSION	DIP -80°
	TOTAL LENGTH 112.8 m
LOGGED BY R. FALLS	HORIZONTAL PROJECT 19.59
DATE AUGUST 24 1995	VERTICAL PROJECT 111.09
CONTRACTOR BRITTON BROS.	ALTERATION SCALE 
CORE SIZE NQ	
DATE STARTED AUGUST 21, 1995	
DATE COMPLETED AUGUST 22, 1995	TOTAL SULPHIDE SCALE 
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ + Calcite	Epichlorite
					Fe-carb A	Ser. B	Chlorite C	Sil D	Calcite E			
0-9.1 m				Casing								
9.1-112.8 m				Andesite - crystal tuff - light green gray to dark green - generally massive - composed of 5-50% 1-2 mm greenish-white feldspar crystals in a finer grained groundmass - relatively unaltered but may show weak SER-CL-CALCITE alteration								
10	30											
15	90			9.1-12.5 - mostly broken, rubbly 12.4-12.5 - strong Fe-carbonate alteration								
15	90			12.9-13.2 alteration zone strong Fe-carb, sericite, silica alteration, possible fault								
20	100			@ 13.7 - 1cm Fe carbonate vein / alteration at C.A. 55°								
25	90			15.8-16.2 m textural layering visible - alternating layers of coarser feldspar-rich material and finer material, C.A. 45°								
25	100			23.6-24.0 ankerite veining / alteration, some brecciation of andesite 2cm qtz-ank vein. at C.A. ~ 25° - brecciation with calcite cement on downhole side of vein - possible minor fault / shear								
30	100			25.2-25.25 - irregular calcite veining in somewhat brecciated andesite								
35	100			40.7-40.8 - calcite vein at C.A. 40° - contains blebby sulphur. vein 15-20cm wide								
40	100			@ 41.7 2cm qtz-calcite vein C.A. 40° 47.2-47.4 2cm qtz-calcite vein at C.A. ~ 15°								
45	100			52.8-53.0 2cm qtz-calcite vein at C.A. 20-30°								

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm	
64.8 - 65.6 traces of CPy << 1% in narrow irregular quartz- carbonate veins		64.5	65.75	1.25	57210	-	-	10	113	
281.0 - 2cm calcite vein with 30% patchy chalcopyrite, 1-5% (specula hematite?)		281.0	281.0	1.0	57211	20	0.6	16	1105	0.11%
		281.0	281.3	0.4	57212	395	10.4	98	?10000	1.66%
		281.0	281.3	0.3	57213	-	-	12	261	

PAMICON DEVELOPMENTS LIMITED

DRILL LOG


PROJECT F35-6	GROUND ELEV. 1126 m)
HOLE NO. F35-6	BEARING 138°
LOCATION CREEK SHOWING	DIP -45
	TOTAL LENGTH 109.7 m
LOGGED BY R. FALLS	HORIZONTAL PROJECT
DATE AUGUST 25, 1995	VERTICAL PROJECT
CONTRACTOR BRITTON BROS	ALTERATION SCALE
CORE SIZE NQ	 <p>absent slight moderate intense</p>
DATE STARTED AUGUST 23, 1995	
DATE COMPLETED AUGUST 24, 1995	
DIP TESTS	TOTAL SULPHIDE SCALE
COMMENTS	 <p>traces only < 1% 1% - 3% 3% - 10% > 10%</p>
	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. ± CARB	Epidote
					A	B	C	D	E			
0-3.7				Andesite								
3.7-109.7				Andesite - flow / crystal tuff - dark green - massive - fine to medium grained - consists of ~ 25% greenish white, 0.5mm feldspar crystals in a fine-grained dark green matrix. - slight pervasive chlorite alteration of matrix, slight sericite alteration of feldspar. - slight epidote alteration occurs as 1-2mm irregular "veinlets" - 1-5% quartz-carbonate veining at variable angles - traces of accessory magnetite, locally								
3.7-4.2				rounded rubble consisting of quartz and carbonate altered andesite with disseminated pyrites, arsenopyrite + chalcopyrite - may be talus								
4.2-5.4				zone of 1-2cm wide quartz carbonate veining, subparallel to core axis, may be a single meandering vein trace chalcopyrite								
29.1-29.4				broken quartz vein material - possible C.A. 65° ± CPy								
30.4-31.0				alteration zone - strong sericite - silica - brecciated - rehealed - fault								
31.65-32.0				alteration zone strong sericite - Fe carbonate - silica								
33.3-34.4				alteration zone strong sericite Fe carb. - silica ± CPy 33.75-34.0 - strongest Fe carb. 33.5 - minor Fe carb. alteration								
39.0-40.3				3cm wide quartz-carbonate vein running parallel to core axis								
41.3-42.3				rubble - possible fault								
45.0-45.1				4-5cm carbonate-quartz vein at C.A. 25°								

have?
massive?

QBx
Bx



DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.
					A	B	C	D	E		
50				53.3 - 53.4 carbonate-quartz veining at C.A. 55°, blebby CP ₂							
				57.25 - 57.3 carbonate-quartz vein, 4cm wide at C.A. 55°, contains CP ₂ stringers							
55				58.25 - 73.5 broad zone of faulting and alteration - areas of brecciation with sericite - Fe-carbonate silica alteration and quartz-carbonate veining Sulphides occur locally as veins and disseminations							
60				58.25 - 61.0 - brecciated - reheated with silica + carbonate							
65				62.0 - 63.4 - partially brecciated, flooded with carbonate-qtz veins							
				67.6 - 67.7 - brecciated, reheated							
70				68.4 - gouge - fault at C.A. 70°							
				69.0 - 69.6 - flooded with carb-qtz vns							
75				69.9 - 73.5 - brecciated, reheated							
				72.8 - 73.4 gouge at C.A. 65°							
				77.35 gouge at C.A. 40° - mir. fault / shear							
80											
85											
90											
95											
100											
105											
110											
115											
120											
125											
130											




MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm	
53.3-53.4 1-3% blebby CPy in qtz-carb vns.										
57.25-57.3 - carb-qtz vein containing 5-10% CPy as stringers + blebs		53.0	54.0	1.0	57230	-	0.6	76	447	
		54.0	55.5	1.5	57231	-	-	34	571	
		55.5	57.0	1.5	57232	-	-	32	210	
58.25-61.0 - 1-5% disseminated pyrite with brecciated - altered andesite		57.0	58.1	1.1	57233	25	0.8	60	1300	0.10 %
		58.1	59.5	1.4	57234	80	0.6	68	447	
		59.5	61.0	1.5	57235	30	0.4	54	147	
62.0-63.4 traces CPy, Py		61.0	62.5	1.5	57236	15	0.6	24	820	
64.85-67.9 m - overall 1-3% pyrite occurring mainly as 0.5- 1.0 cm stringers within qtz-carb veinlets, typical c.a. 50°, individual stringers observed at 64.9, 65.0, 65.1 65.2, 66.2, 67.85 metres		62.5	64.0	1.5	57237	5	-	32	59	
		64.0	64.8	0.8	57238	-	-	24	80	
		64.8	65.3	0.5	57239	-	-	40	134	
		65.3	66.8	1.5	57240	10	-	56	124	
		66.8	68.3	1.5	57241	-	0.6	66	226	
68.9-73.5 1-3% disseminated pyrite in brecciated, altered andesite		68.3	69.8	1.5	57242	-	-	58	164	
		69.8	71.3	1.5	57243	40	-	128	324	
		71.3	72.8	1.5	57244	-	-	26	29	
		72.8	73.5	0.7	57245	-	-	26	313	
		73.5	75.0	1.5	57246	-	-	26	367	
76.3 - tr blebby CPy in carb - qtz veining.		75.0	76.5	1.5	57247	-	-	28	354	
		76.5	78.0	1.5	57248	-	-	32	196	
		78.0	79.5	1.5	57249	-	-	22	230	

PAMICON DEVELOPMENTS LIMITED

DRILL LOG



PROJECT FORREST	GROUND ELEV. 1125 m)
HOLE NO. FGS-7	BEARING 138°
LOCATION CREEK SHOWING	DIP -57.5°
	TOTAL LENGTH 149.35m
LOGGED BY R. FALLS	HORIZONTAL PROJECT
DATE AUGUST 28, 1995	VERTICAL PROJECT
CONTRACTOR BRITTON BROS.	ALTERATION SCALE 
CORE SIZE NQ	TOTAL SULPHIDE SCALE 
DATE STARTED AUGUST 24 1995	
DATE COMPLETED AUGUST 25 1995	
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. of carbonate	Epidote
					A Fe ²⁺ To. carb.	B Ser	C Chlorite	D Silica	E Calcite			
50	92											
	98											
	100			54.0 - 58.5 - several 4-5cm carbonate-quartz veins at C.A. 35-60°								
55	100			58.14 - 58.20 - carbonate quartz vein at C.A. 50°, 4.5cm wide contains CPy blebs								
60	98											
	100			59.05 - 59.30 - irregular quartz vein 10-15cm wide with minor CPy, Py								
65	100			61.75 - 68.0 crackle breccia w. carb-qtz - cement - moderate sericite altn. minor Py stringers								
	95											
70	91			71.1 - 73.4 zone of partial brecciation with sericite - Fe-carbonate alteration and quartz carbonate veining. some CPy, Py								
	95			71.6 - 71.65 - gouge at C.A. 45° - fault								
75	100			72.5m 0.5cm quartz vein at C.A. 60° contains blebby CPy								
	95			73.35 1.0cm quartz vein at C.A. 35°, contains blebby CPy								
80	100			74.5 - 75.5 moderate to strong Fe-carbonate alteration								
	100			76.1 - 76.7 - strong sericite alteration								
	100			76.2 - 76.3 gouge - fault at C.A. 35°								
85	100			82.9 - 83.2 - quartz-carbonate vein 6cm wide at C.A. 25° breccia								
	100			85.2 - 88.0 10-20% irregular quartz-carbonate veining as infill in crackle brecciated andesite to CPy								
90	100											



PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT FORREST	GROUND ELEV. 1280 m
HOLE NO. F05-8	BEARING 305°
LOCATION	DIP -55°
	TOTAL LENGTH 259.1 m
LOGGED BY R. FALLS	HORIZONTAL PROJECT
DATE AUGUST 29, 1995	VERTICAL PROJECT
CONTRACTOR BRITTON BROS.	ALTERATION SCALE  <ul style="list-style-type: none"> 0 absent 1 slight 2 moderate 3 intense
CORE SIZE NQ	
DATE STARTED AUGUST 1995	TOTAL SULPHIDE SCALE  <ul style="list-style-type: none"> 0 traces only 1 < 1% 2 1% - 3% 3 3% - 10% 4 > 10%
DATE COMPLETED AUGUST 1995	
DIP TESTS 5 m - 54° 76.2 m - 55° 152.4 m - 57.5° 228.6 - 59.5° Corrected MS.	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ + Carb. Epidote
					A	B	C	D	E		
0-7.6				Casing							
7.6-92.15				<p><u>Argillite / tuffaceous argillite</u></p> <ul style="list-style-type: none"> - argillite consists of finely laminated black graphitic layers and lighter coloured layers - argillite is interlayered with light green grey tuffaceous material - rocks are somewhat phyllitic - with highly variable wavy bedding - some coarser greywacke sections - overall very little alteration - 1-5% 1-10mm quartz-carbonate veinlets - highly irregular - generally crosscutting bedding 							
100				7.6-7.8 rubble							
87				20.55 - slight gouge - possible shear at C.A. 60°							
97				20.65-25.7 - greywacke - with argillitic interbeds greywacke is medium grey with poly-lithic grains ranging from <1 to 5mm in size							
100				26.95 - 28.6 mostly tuffaceous-phyllite							
100				24.4-41.5 gouge - fault at C.A. ~ 40°							
92											
98											
98											
95											
95											
100											
100											
85											
45											

ϕ_{40°
 ϕ_{20°

ϕ_{40°

gouge
 ϕ_{40°

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
7.6 - 92.15 0.5-1% disseminated Pyrite									
41.5 - 49.0 traces of blebb; cr. <1%		41.0	42.5	1.5	57309	-	-	16	766
		42.5	44.0	1.5	57310	-	-	22	128
		44.0	45.5	1.5	57311	-	-	8	93

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		46.5	47.0	1.5	57312	-	-	18	289
		47.0	48.5	1.5	57313	-	0.4	32	757
		48.5	50.0	1.5	57314	-	-	14	65

50
55
60
65
70
75
80
85
90
95

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ.	LITHOLOGY
					A Fe-Carb	B Ser	C Chlorite	D Silica	M Calc			
138.1-138.6				moderate sericite - Fe-carbonate alteration - slight brecciation - probable fault								
139.3-139.4			Ex	quartz vein at C.A. 45°, 4cm wide, barren								
139.55-139.7				patchy Py								
142.35-143.80			Bx	alteration zone - strong sericite, moderate Fe-carb silica alteration - bleached								
143-143.3				brecciated w. subrounded quartz clasts								
				probable fault zone								
145.2-148.0				several 1cm dolomite - quartz veins at C.A. 20° + CPy								
152.3-152.7				strong sericite, moderate silica, weak Fe-carb alteration - patchy sericite alteration up to 154.0, somewhat brecciated								
153.55-153.70				quartz-carbonate veining at C.A. 40°, 10cm wide contains Py, CPy, AsPy								
158.20-159.95				quartz vein - massive white quartz with minor Fe-carbonate + chlorite - sharp contacts with wall rock at C.A. 50° - contains stringers of Arsenopyrite								
161.5-166.0				several 1cm dolomite veins + traces CPy								
181.1-181.4				moderate sericite alteration								

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		137.0	138.0	1.0	57325	25	04	194	421
		138.0	138.6	0.6	57326	40	-	46	245
		138.6	140.1	1.5	57327	-	-	-	480
139.55-139.7 - 3% patchy Py		140.1	141.6	1.5	57328	45	-	-	602
		141.6	142.35	0.75	57329	10	-	16	561
		142.35	143.8	1.45	57330	-	-	4	260
		143.8	145.3	1.5	57331	-	-	2	341
145.2-148.0 tr. CP ₂ , Py		145.3	146.8	1.5	57332	-	0.4	26	434
		146.8	148.3	1.5	57333	-	-	30	364
149.0-149.3 3% patchy + dissem. Py		148.3	149.8	1.5	57334	580	0.8	912	535
		149.8	151.3	1.5	57335	10	0.6	26	606
152.3-152.7 - 1% patchy + dissem. Pyrite, tr. CP, AsPy?		151.3	152.3	1.0	57336	150	1.4	476	655
		152.3	152.7	0.4	57337	595	0.6	734	738
153.55-153.7 - 1% AsPy as a 1mm stringer in quartz-carb vein, <1% diss. Py, tr. diss CP ₂		152.7	153.3	0.6	57348	35	-	226	540
		153.3	153.7	0.4	57338	690	0.4	1860	446
155.4-155.5 - 3% diss Py in quartz vein		153.7	155.2	1.5	57339	350	0.8	354	577
		155.2	156.7	1.5	57340	100	-	648	647
158.2-159.95 - 1-2mm stringers of AsPy ~ 0.5-1.0%, tr. Py, tr MC in quartz vein		156.7	158.2	1.5	57341	95	0.4	40	365
		158.2	159.3	1.1	57342	575	-	4070	78
161.5-167.0 - traces CP ₂		159.3	159.95	0.65	57343	165	-	364	24
		159.95	161.5	1.55	57344	30	-	26	404
		161.5	163.0	1.5	57345	-	-	12	415
		163.0	164.5	1.5	57346	-	-	14	337
		164.5	166.0	1.5	57347	-	-	4	168

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ. Carb.	Epidote
					Fe Carb.	Ser	Chlorite	Silica	Muscovite			
185				186.0-189.0 - patchy sericite alteration								
				186.2-186.55 Carbonate stringers with Pyrite								
190				191.4-192.0 - strong sericite alteration + silicification somewhat brecciated								
			Bx	195.1-198.4 Alteration/Brecciation - strong sericite-silica-Fe-carb alteration - oxidized - brecciated + recemented fault zone								
195			Bx	- 196.7-196.85 gouge								
			gouge	198.2-198.4 stringers of ASPy								
200			Bx	203.7-208.7 Alteration zone - generally strong sericite-silica alteration - some less altered sections								
			Bx	204.2-204.9 - slightly brecciated								
205			Bx	208.1-208.7 - highly brecciated, rehealed with silica + carbonate - fault								
			Bx	210.9-211.1 - 12cm wide quartz-chlorite vein at C.A. 30°, arsenopyrite along uphole margin and in irregular stringers throughout								
210				@ 211.2 - 1cm quartz-carbonate vein at C.A. 40°, contains irregular stringers of ASPy								
215				212.1-212.3 - 1cm wide at C.A. 10°, faulted off uphole by shear at C.A. 20°, pinches on downhole side - contains ASPy								
220				214.4-215.05 - rusty with strong Fe-carb alteration + moderate sericite								
225				214.75 gouge at C.A. 50° fault								

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm	
186.2 - 186.55 - 5% Pyrite occurring within 1cm carbonate veins		185.0	186.0	1.0	57349	-	1.4	4	3910	0.39%
		186.0	186.6	0.6	57350	15	-	108	565	
		186.6	188.1	1.5	57401	-	-	26	392	
		188.1	189.6	1.5	57402	-	-	20	358	
		189.6	191.1	1.5	57403	-	-	18	353	
		191.1	192.0	0.9	57404	-	-	22	418	
		192.0	193.5	1.5	57405	-	-	22	375	
		193.5	195.0	1.5	57406	-	-	40	225	
		195.0	196.5	1.5	57407	20	-	54	66	
		196.5	198.2	1.7	57408	15	-	74	54	
198.2 - 198.4 - 10% Arsenopyrite stringers on lower margin of breccia zone		198.2	198.4	0.2	57409	410	-	10,000	71	
		198.4	199.4	1.0	57410	340	-	158	476	
		199.4	200.9	1.5	57411	15	-	38	483	
203.7 - 208.7 - traces of Pyrite, Arsenopyrite?		200.9	202.4	1.5	57412	-	-	8	494	
		202.4	203.7	1.3	57413	-	-	8	544	
		203.7	205.2	1.5	57414	-	-	26	329	
		205.2	206.7	1.5	57415	-	-	24	203	
		206.7	207.7	1.0	57416	-	-	34	120	
		207.7	208.7	1.0	57417	-	-	6	10	
210.9 - 211.1 - 5-10% arsenopyrite in quartz vein		208.7	210.2	1.5	57418	10	-	40	290	
211.2 - 1-3% AsPy in km quartz-carbonate vein		210.2	210.9	0.7	57419	25	-	38	26	
		210.9	211.4	0.5	57420	10.6%	1.2	10,000	56	
212.1 - 212.3 - 1-3% AsPy in quartz vein		211.4	212.1	0.7	57421	-	-	76	487	
		212.1	212.4	0.3	57422	330	-	2130	531	
		212.4	213.9	1.5	57423	10	-	22	472	
		213.9	215.4	1.5	57424	-	-	124	306	
		215.4	216.9	1.5	57425	355	-	224	499	
		216.9	218.4	1.5	57426	-	-	14	604	
		218.4	219.9	1.5	57427	50	-	30	435	
		219.9	221.4	1.5	57428	-	-	10	561	
		221.4	222.9	1.5	57429	-	-	4	409	
		222.9	224.4	1.5	57430	-	-	-	497	
		224.4	225.9	1.5	57431	-	-	8	462	

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		225.9	227.4	1.5	57432	-	-	14	386
		227.4	228.9	1.5	57433	-	-	22	530
		228.9	230.3	1.4	57434	60	-	98	529
		230.3	231.0	0.7	57435	770	-	5640	79
232.0-232.8 - tr. CPy in qtz vein		231.0	232.0	1.0	57436	40	-	112	438
233.2-233.4, tr. Py, CPy in qtz vein		232.0	232.8	0.8	57437	-	-	8	84
		232.8	233.8	1.0	57438	60	-	30	806
234.2-234.3, tr. Py in qtz. vn.		233.8	234.6	0.8	57439	195	-	42	267
234.6-237.0 - overall 1% CPy		234.6	235.6	1.0	57440	-	-	36	20
236.45-237.0 - 10-20% blebby CPy		235.6	236.6	1.0	57441	25	-	8	163
		236.6	237.0	0.4	57442	245	22.6%	80	14000 2.71%
		237.0	238.5	1.5	57443	-	-	20	243
		238.5	240.0	1.5	57444	-	-	-	207

PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT <i>Forrest</i>	GROUND ELEV.
HOLE NO. <i>F95-09</i>	BEARING <i>255°</i>
LOCATION	DIP <i>-60°</i>
	TOTAL LENGTH <i>18.3m</i>
LOGGED BY	HORIZONTAL PROJECT
DATE	VERTICAL PROJECT
CONTRACTOR	ALTERATION SCALE <ul style="list-style-type: none"> 0 absent 1 slight 2 moderate 3 intense
CORE SIZE <i>NQ</i>	
DATE STARTED	
DATE COMPLETED	
DIP TESTS	TOTAL SULPHIDE SCALE <ul style="list-style-type: none"> 0 traces only 1 < 1% 2 1% - 3% 3 3% - 10% 4 > 10%
COMMENTS <i>Hole: Skipped down bedrock/overburden interface for length of hole. Hole abandoned at 18.3, mast raised to -80° for F95-10.</i>	

PAGE

OF

PROJECT:

HOLE NO.

DEPTH (m)

% CORE REC

LITHOLOGY

STRUCTURE

GEOLOGICAL DESCRIPTION

ALTERATION

A

B

C

D

E

FRACTURE INTENSITY

% VEIN QTZ

over burden





Hole Abandoned.

EOH
20

PAMICON DEVELOPMENTS LIMITED

DRILL LOG



PROJECT <i>Forrest</i>	GROUND ELEV.
HOLE NO. <i>F95-10</i>	BEARING <i>255°</i>
LOCATION	DIP <i>-80°</i>
	TOTAL LENGTH <i>61.5m</i>
LOGGED BY <i>T.C. Scott</i>	HORIZONTAL PROJECT
DATE <i>95-09-01</i>	VERTICAL PROJECT
CONTRACTOR	ALTERATION SCALE  <ul style="list-style-type: none"> 0 absent 1 slight 2 moderate 3 intense
CORE SIZE <i>NQ</i>	
DATE STARTED	
DATE COMPLETED	
DIP TESTS	TOTAL SULPHIDE SCALE  <ul style="list-style-type: none"> 0 traces only 1 < 1% 2 1% - 3% 3 3% - 10% 4 > 10%
COMMENTS	

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au Ppb	Ag Ppm	As Ppm	Cu Ppm
Trace py, cp; disseminated throughout Andesite.									
		30.5	32.0	1.5	57351	-	-	4	520
		32.0	33.5	1.5	57352	15	-	6	538
		33.5	36.0	2.5	57353	25	-	8	606
		36.0	36.5	0.5	57354	10	-	86	692

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
~ 7% Fe-oxides - accessory? spec. hem > magnet.									
53.5 4cm calcite/qtz w chlorite selvege, 0.2-0.5cm subhedral py w tr. fg cp. in		53.5	53.9	0.4	57355	355	-	6	368
		54.2	54.9	0.7	57356	-	-	18	121
		54.9	56.6	1.7	57357	-	-	12	680
56.4 - 6cm calcite/qtz v. tr. py, fg cp		56.6	57.3	0.7	57358	-	-	12	631
		57.3	58.5	1.2	57359	70	-	-	530

PAMICON DEVELOPMENTS LIMITED

DRILL LOG

PROJECT FORREST	GROUND ELEV. 1128
HOLE NO. F95-11	BEARING 133
LOCATION Creek Zone (Gosson Ridge)	DIP -45°
	TOTAL LENGTH 161.5 m
LOGGED BY R. FALLS	HORIZONTAL PROJECT 114.2
DATE SEPTEMBER 2 1995	VERTICAL PROJECT 114.2
CONTRACTOR BRITTON BROS.	<p>ALTERATION SCALE</p>  <p>absent slight moderate intense</p> <p>TOTAL SULPHIDE SCALE</p>  <p>traces only < 1% 1% - 3% 3% - 10% > 10%</p>
CORE SIZE NQ	
DATE STARTED	
DATE COMPLETED	
DIP TESTS	
COMMENTS	LEGEND

DEPTH (m)	% CORE REC	LITHOLOGY	STRUCTURE	GEOLOGICAL DESCRIPTION	ALTERATION					FRACTURE INTENSITY	% VEIN QTZ + Carb. Epoxide
					A Feldspar	B Silica	C Chlorite	D Silica	E Quartz		
0-3.05				Casing							
3.05-5.0	4			fine-grained - green-grey volcanics - rubble - may be ... extraneous boulders							
5.0-16.5	90			Andesite - crystal tuff - dark green, massive - 20-30% 1-2mm greenish white feldspar crystals in finer dark green groundmass - feldspars show slight sericite- clay alteration - matrix slightly chloritic - 1-5% quartz ± carbonate veins							
15.0-14.6	96			- broken, rubble to ~7.0m							
14.6-16.5				14.6-16.5 - moderate sericite alteration - somewhat bleached							
16.5-15.05	70			@ 15.05 - rusty gouge - minor shear C.A. 50°							
15.05-18.6				18.6-19.5 broken							
18.6-21.0				21.0 - 29.25 alteration zone							
21.0-29.25	74			generally strong sericite - Fe-carbonate alteration - oxidized, locally brecciated with gouge - mostly broken core - fault zone							
29.25-27.2	100			27.2-28.0 highly brecciated							
27.2-27.3	84			@ 27.3 - gouge at C.A. 60° - fault							
27.3-37.3				@ 37.3 minor gouge - shear							
37.3-35.0	97										
35.0-38.5	85										
38.5-40.0	89										
40.0-41.0	61										
41.0-43.0	63										
43.0-45.0											

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS			
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm
		10.6	12.0	1.4	57445	-	-	14	561
		12.0	13.5	1.5	57446	-	-	2	587
		13.5	14.65	1.15	57447	-	-	-	490
		14.65	15.65	1.0	57448	-	-	-	1240 0.13%
		15.65	16.6	0.95	57449	-	-	4	655
		21.0	22.5	1.5	57450	-	-	4	434
		22.5	24.4	1.9	57360	-	-	14	593
		24.4	25.9	1.5	57361	-	-	24	325
		25.9	27.4	1.5	57362	-	-	10	544
		27.4	29.25	1.85	57363	-	0.7	38	612
		29.25	30.5	1.25	57364	-	-	52	499
		42.7	44.2	1.5	57365	30	-	14	629
		44.2	45.7	1.5	57366	15	-	226	493

MINERALIZATION DESCRIPTION	TOTAL SULPHIDE	SAMPLES			SAMPLE NUMBER	ASSAYS				
		FROM	TO	WIDTH		Au ppb	Ag ppm	As ppm	Cu ppm	
		137.7	138.2	0.5	57460	-	-	30	114	
		138.2	139.8	1.7	57461	-	-	32	115	
		139.8	140.85	1.05	57462	-	-	50	184	
138.0 - 143.0 - traces of CPy, Py + hematite in quartz veins.		140.85	141.95	1.1	57463	-	-	28	98	
		141.95	142.5	0.55	57464	-	-	46	112	
		145.8	146.3	0.5	57465	-	-	12	126	
147.0 - 147.20 - 40% Patches CPy in quartz-carbonate - breccia / vein		146.3	147.0	0.7	57466	-	-	50	349	
		147.0	147.45	0.45	57467	905	27.0	32	70,000	5.59%
		147.45	148.1	0.65	57468	-	-	20	204	
157.2 - 157.3 1% CPy in qtz vein.										
		156.8	157.3	0.5	57469	-	-	24	167	
		157.3	157.4	0.1	57470	425	1.4	18	9560	0.96%
		157.4	157.9	0.5	57471	-	-	12	96	

APPENDIX V

COST STATEMENT

**COST STATEMENT
FORREST PROJECT
LIARD MINING DIVISION
AUGUST 1ST - NOVEMBER 30TH**

WAGES

C.Ikona - P.Engineer	3.5	Days @	400.00	1,400.00
S.Todoruk - P.Geologist	8.0	Days @	400.00	3,200.00
C.Scott - Geologist	75.0	Days @	400.00	30,000.00
R.Falls - Geologist	39.5	Days @	350.00	13,825.00
G.Douglas - Manager	33.0	Days @	300.00	9,900.00
D.Leggere - Sampler	36.0	Days @	275.00	9,900.00
J.Bergwell - Sampler	38.0	Days @	225.00	8,550.00
T.Jackson - Sampler	31.0	Days @	225.00	6,975.00
S.Lussier - Cook	20.0	Days @	275.00	<u>5,500.00</u>

\$89,250.00

EXPENSES:

DIRECT CHARGES

S.J.V. Geophysics - Geophysical	7,392.20
R. Pearson Construction - Drill Pads	13,320.00
Expediting - Nugget Expediting	3,783.72
Rental - Camp	19,050.00
Rental - Office/Field Equipment.	720.00
Rental - Base Radio	360.00
Camp	
Food	2,598.10
Propane	345.00
Diesel	<u>832.82</u>
	3,775.92
Telephone - Long Distance/ Space Tel	803.18
Field Expendibles	7,733.78
Radio Rental	1,439.95
Travel - Airfare	5,048.11
Travel - Misc.	2,528.09
Report Materials & Supplies	88.30
Reproductions	81.82
Freight	2,034.06
Drill Material	1,433.29
Explosives	355.55
Reclamation Bond	10,000.00
Recording Fees	<u>13,230.00</u>

\$93,177.97

Cost Statement

PAGE 2

INDIRECT CHARGES


Linecutters - Twin Mountain	9,040.00	
Assays - Chemex	11,506.26	
Helicopter	96,304.59	
Fixed Wing	18,666.57	
Drilling - Britten Brothers	<u>105,971.00</u>	
		\$241,488.42

CONSULTING CHARGES

Direct Charges		\$13,999.13
Direct Charges		<u>\$24,148.84</u>
		\$462,064.36

GST \$32,344.51

TOTAL INVOICE \$494,408.87




AZURITE SHOWING

Semimassive chalcopyrite with pyrite, azurite in chloritic lens exposed in minor synclinal trough. Lens faulted off to S.W. and truncated by present erosion surface to N.E.








TRENCHES (1990)


F 95-3
318°-45°
42+83.5 N
1+17 E
El. (1435m)


 GEOLOGIC APPRAISAL
 ASSESSMENT REPORT


24,156

 PART 1 OF 2

- LITHOLOGY**
-  Tuff, cherty tuff, minor siltstone.
 -  Siltstone, minor tuff, banded, medium bedded.
 -  Argillite, shale, phyllite, carbonaceous, dark grey to black.
 -  Quartz vein.
 -  Lapilli tuff.
 -  Agglomerate
- SYMBOLS**
-  Collar with Drill Hole number, azimuth, dip, grid coordinates. Elevation (approx.)



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT			
AZURITE SHOWING			
GEOLOGY			
LIARD MINING DIVISION, B.C. ①			
PAMICON DEVELOPMENTS LTD.			
DRAWN.	DATE.	N.T.S.	FIGURE
CS./J.W.	NOV 1995	104 B/15E	10




LEGEND & SYMBOLS

- Argillite/Cherty Argillite
- Cherty Tuff
- Andesitic Tuff
- Agglomerate
- Dyke fine grained, grey-pyritic
- Grid Line (flagged pickets)
- Cliffs
- Lithological contact, known, inferred
- Fault
- Bedding, strike and dip
- Schistosity, strike and dip and foliation
- Quartz vein or dyke, strike and dip
- Py Pyrite
- Asp Arsenopyrite
- qtz Quartz vein(s)
- Fe carb Iron Carbonate (Ankerite?)

ROCK SAMPLES Au (ppb)

5806	<5
5807	10
5808	15
5809	280
5810	435
5811	155
5812	30



MERIDIAN PEAK RESOURCES CORP.

FORREST PROJECT
END ZONE
GEOLOGY

LIARD MINING DIVISION, B.C. (2)

PAMICON DEVELOPMENTS LTD.

DRAWN. C.S./J.W.	DATE. NOV. 1995	N.T.S. 104 B/15 E	FIGURE. 9
---------------------	--------------------	----------------------	--------------

1995 SAMPLE RESULTS

SAMPLE No.	TYPE/LENGTH (metres)	Au (ppb)	As (ppm)	Cu (ppm)
5814	COMPOSITE GRAB	50	-	-
5815	COMPOSITE GRAB	25	-	-
5901	Chip / 1.1	-	-	-
5902	" / 1.5	-	-	-
5903	" / 2.1	10	-	-
5904	" / 1.25	-	-	-
5905	" / 2.4	-	-	-
5906	" / 1.15	870	-	-
5907	" / 1.15	-	-	-
5908	" / 2.0	-	-	-
5909	" / 1.3	-	-	-
5910	" / 1.6	35	-	-
5911	" / 0.6	-	-	-
5912	" / 2.25	-	-	-
5913	" / 1.8	-	-	-
5914	" / 2.6	15	-	-
5915	" / 3.3	-	-	-
5916	" / 1.1	-	-	-
5917	" / 1.8	15	-	-
5759	" / 0.3	5	2	3
5760	qrzb	5	8	1
5761	qrzb	5	4	22
5762	qrzb	10	48	17

Note: Sample 5814 taken at 10+25 N, 4+00 W

LEGEND

LITHOLOGY

- ANDESITE, VARIABLY PORPHYRITIC (CRYSTAL TUFF)
- TUFF, CHERTY TUFF, MINOR SILTSTONE, PALE GREEN
- SILTSTONE, MINOR TUFF, BANDED, MEDIUM BEDDED, PALE GREEN TO BUFF
- ARGILLITE, SHALE, PHYLLITE, CARBONACEOUS, DARK GREY TO BLACK
- BASALT DIKE, BLACK
- ANDESITE DIKE, PALE GREEN GREY
- QUARTZ VEIN
- QUARTZ BRECCIA

SYMBOLS

- BEDDING
- JOINT/FRACTURE
- SHEAR PLANE
- FOLIATION
- CLEAVAGE
- QUARTZ VEIN, IRON CARBONATE VEIN
- QUARTZ VEIN; WIDE, NARROW
- SHEAR
- GEOLOGICAL CONTACT
- ASSUMED FAULT
- STRONG Fe CARBONATE ALTERATION AND VEINLETS
- 5916 X SAMPLE SITE AND NUMBER
- TRENCH (1994)

GEOLOGIC APPRAISAL ASSESSMENT REPORT

24,156

PART 1 OF 2



Scale 1:500


MERIDIAN PEAK RESOURCES CORP.

**FORREST PROJECT
GOOSE POND SHOWING
GEOLOGY & SAMPLING PLAN**

LIARD MINING DIVISION, B.C.

PAMICON DEVELOPMENTS LTD.

DRAWN C.S./J.W.	DATE NOV. 1995	N.T.S. 104B/15E	FIGURE 8
--------------------	-------------------	--------------------	-------------



LITHOLOGIES
(PERMIAN AND OLDER)



- SEDIMENTARY & VOLCANIC UNITS**
- Limestone
 - Crystal Tuffs, Fine grained Tuffs and minor Tuffaceous Siltstone, Greywacke
 - Chert, Cherty Tuffaceous Sediments, and Chert Breccia
 - Andesite Flows; minor Feldspar Porphyry Andesite and Crystal Tuff
 - Carbonaceous Shale; minor Siltstone, Argillite and Phyllite
 - Siltstone, Tuffaceous Siltstone and minor Ash Tuffs
 - Maroon and Green Andesite to Basalt Pyroclastics, Flows and Agglomerates
 - Trachyte Flows
 - Ash Tuffs, Silty Tuffs and minor Siltstone
- INTRUSIVE UNITS (UPPERC)**
- Hornblende-Biotite Diorite Plug, Dikes, Granodiorite
- AGE UNKNOWN**
- Altered-sheared Intrusive
 - Dolite (?) Dikes, Feldspar Porphyry, Diorite Porphyry Dikes
 - Quartz-Sericite-Clay Phyllite
 - Quartz Vein

SYMBOLS

- Grid Line (Cut 1995)
- Gossan Creek Cliffs
- Pond
- Lithological Contact, known, inferred
- Fault, inferred
- Bedding, strike and dip
- Shearing, strike and dip
- Quartz Vein or Dyke, strike and dip
- Fold Axis
- Syncline Fold Axis
- Anticline Fold Axis
- Rock Sample Location, Top Number
- Claim Post, L.C.P.
- 1990 Drill Sites

DRILL HOLE DATA

HOLE No.	ORIENTATION	LENGTH	ELEV.
	AZIM	DIP	(m)
F95-1	130°	-45°	152.4
F95-2	130°	-45°	155.4
F95-3	318°	-45°	118.9
F95-4	130°	-45°	121.92
F95-5	130°	-80°	112.8
F95-6	138°	-45°	109.7
F95-7	138°	-57°	149.35
F95-8	309°	-55°	259.1
F95-9	255°	-60°	18.3
F95-10	255°	-80°	61.5
F95-11	088°	-45°	161.5




FORREST GRID

GEOLOGIC APPRAISAL
ASSESSMENT REPORT

24,156

PART 1 OF 2



MERIDIAN PEAK RESOURCES CORP.

FORREST PROJECT
NORTH GRID
GENERAL GEOLOGY

LIARD MINING DIVISION, B.C.

PAMICON DEVELOPMENTS LTD.

DATE: NOV 1995

FIGURE 6

Note: Geology after Stammers, Montgomery and Ikema, 1990

← 305° →
← 125° →
CREEK SHOWING

NNW

SSE

F95-8 (-55°)
52 + 35 - 5N
0 + 51 W
El. 1280

1280 m

1250 m

1200 m


1150 m

1100 m

95-11
(In Front of Section)

Triate Ck Showing
(projected)
120 m + 0 NE
Au-Aspy quartz veins
in plane of section
dextral displacement
on 030/52 SE fault
planes.

030/52 SE



LEGEND

SYMBOLS

- Callar with Drill Hole Number and Dip
Grid Coordinates and Elevation
- Qv Quartz Vein
- QCV Quartz carbonate
- QFCV Quartz iron carbonate
- Bx Breccia
- Foliation (and/or cleavage ?)
- Fault
- Fe-carb Alteration
- Qtz-carb Veining
- Drill Hole
- Sample Intervals with numbers (Number, Cu% - Au g/t or g/t
Core length (m))


LITHOLOGY

- Andesite, variably porphyritic
- Strongly altered andesite, mainly siltstone
- Tuff, cherty tuff, minor siltstone
- Siltstone, minor tuff, banded, medium bedded, minor argillite
- Argillite, shaly, phyllite, carbonaceous,
dark gray to black
- Basalt dike, black
- Andesite dike, pale green gray
- Quartz vein
- Quartz breccia
- Quartz vein stockwork

GEOLOGICAL BRANCH
ASSESSMENT REPORT

24,156

PART 1 OF 2



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT CREEK SHOWING DRILL HOLE SECTION F95-8			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. CS./JW	DATE. NOV 1995	N.T.S. 104B/15E	FIGURE 15



0+00

5+00E.

10+00E.

15+00E.

20+00E.




GEOLOGIC APPRAISAL
ASSESSMENT REPORT

24,156

PART 1 OF 2

LEGEND

As in ppm <40 not shown
--- >55
Mean +1 S.D. 59.0 (All grids-pre 1995 data)



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT NORTH GRID SOIL GEOCHEMISTRY ARSENIC IN PPM LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV.1995	N.T.S. 104B/15E	FIGURE 19

NOTE. Values shown on lines 66,67,68,70,72 and 74+00W, taken from pre-1995 Surveys.

B/L 0+00

5+00E.

6+00E.

57+00N.


55+00N.

60+00N.

65+00N.

70+00N.

75+00N.




LOGICAL BRANCH
ASSESSMENT REPORT

24,156
PART 1 OF 2

LEGEND

Au in ppb < 15 not shown
 > 39
 Mean +1 S.D. 44.4 (All grids-pre 1995 data)



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT NORTH GRID SOIL GEOCHEMISTRY GOLD IN PPM LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV.1995	N.T.S. I04B/15E	FIGURE 18

NOTE. Values shown on lines 66,67,68,70,72 and 74+00W, taken from pre-1995 Surveys.

0+00

5+00E.

10+00E.

15+00E.

20+00E.



75+00N.

70+00N.

65+00N.

60+00N.


57+00N.

55+00N.

6+00E.

5+00E.

B/L 0+00




GEOLOGICAL BRAND
ASSESSMENT REPORT

24,156

PART 1 OF 2

LEGEND

- Cu in ppm <75 not shown
- - - >99 possibly anomalous
- Mean +1 S.D. 74.6 (All grids-pre 1995 data)



MERIDIAN PEAK RESOURCES CORP.			
FORREST PROJECT NORTH GRID SOIL GEOCHEMISTRY COPPER IN PPM			
LIARD MINING DIVISION, B.C.			
PAMICON DEVELOPMENTS LTD.			
DRAWN. C.S./J.W.	DATE. NOV.1995	N.T.S. 104B/15E	FIGURE 20

NOTE. Values shown on lines 66,67,68,70,72 and 74+00W, taken from pre-1995 Surveys.