GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORTS

DATE RECEIVED

DEC 1 9 1995



RECEIVE Report of 1995 Geological and Geochemical exploration Work Done on Aftom, Calvin, Dup, Fred, Mojo, Noot, and Pmac Mineral Claims

Gold Commissioner's Office VANCOUVER, B.C.

Volume 2 of 2 Volumes

Volume 2 for Work on Dup 9, Fred 15, Noot, and Pmac Claims

John Peaks Area, NTS 104B/9 Snippaker Creek Area, NTS 104B/10 **Skeena Mining Division British Columbia**

by

Dane A. Bridge, P. Geol. and Greg R. Burroughs

for Canamera Geological Ltd. 540-220 Cambie Street Vancouver, BC V6B 2M9

FILMED

COLOGICAL BRAN 🖏 SSESSMENT REPOR*

December 5, 1995

Table of Contents

.

INTRODUCTION	1
Location, Access, and Topography	1
PROPERTY AND PROGRAM	3
Claims	3
Objectives	4
Scope of Program	5
Personnel and Dates	5
DATA PRESENTATION	6
Distribution of Work Done in 1995	6
Geologic Mapping	7
Individual Project Areas	7
Geochemical Sampling	8
Individual Soil Geochemical Grids	8
Analytical Procedures	9
Geochemical Gold Analysis	9
Multi Element ICP Analysis	9
Gold Assays	10
Base Metal Assays	10
REGIONAL GEOLOGY	11
Introduction and Previous Work	11
STUHINI GROUP	11
HAZELTON GROUP	12
Hazelton Group Stratigraphy	12
Unit 1: Lower Hazelton Group sedimentary strata	12
Unit 1: Age	13

_____

-- -

. .---

Unit 2: Andesitic flows, breccias, and volcaniclastic rocks	13
Unit 2: Age	14
Unit 3: Felsic pyroclastic rocks and rhyolite flows	14
Unit 3: Age	15
Unit 4: Upper sedimentary sequence	15
Unit 4: Age	16
Unit 5: Bimodal volcanic unit	16
Unit 5: Age	17
BOWSER LAKE GROUP	18
INTRUSIVE ROCKS	18
PROJECT AREA 6	19
Location and Claims	19
Previous Work	19
General Geology	19
Claim Geology	19
Rock Sampling	20
Soil Sampling	20
Silt Sampling	22
Interpretation and Recommendations	23
PROJECT AREA 7	24
Location and Claims	24
Previous Work	24
General Geology	24
Claim Geology	24
Rock Sampling	25
Interpretation and Recommendations	25

PROJECT AREA 8	26
Location and Claims	26
Previous Work	26
General Geology	26
Claim Geology of Fred 15 and Pmac Claims	27
Claim Geology of Noot 3	28
Silt Geochemistry on Noot 3	28
Interpretation and Recommendations	28
PROJECT AREA 9	29
Location and Claims	29
Previous Work and General Geology	29
Claim Geology	29
Soil Sampling	31
Interpretation and Recommendations	31
PROJECT AREA 10	33
Location and Claims	33
Previous Work	33
Claim Geology and Rock Sampling	33
Soil Sampling	34
Interpretation and Recommendations	34
References	37

List of Maps (in accompanying folder)

Geology Maps

.

Map Sheet 1A	1:5000
Map Sheet 3	1:5000

Sample Location Maps

Map Sheet 1	1:5000	
Map Sheet 1A	1:5000	
Map Sheet 3	1:5000	
Map Sheet 13	1:50,000	Claim Map
Map Sheet 14	1:20,000	Regional Geology Map
Map Sheet 18	1:5000	Dup 9 Grid Map
Map Sheet 18Ag	1:5000	Silver Geochemical Results
Map Sheet 18As	1:5000	Arsenic Geochemical Results
Map Sheet 18Au	1:5000	Gold Geochemical Results
Map Sheet 18Ba	1:5000	Barium Geochemical Results
Map Sheet 18Cu	1:5000	Copper Geochemical Results
Map Sheet 18Mo	1:5000	Molybdenum Geochemical Results
Map Sheet 18Pb	1:5000	Lead Geochemical Results
Map Sheet 18Zn	1:5000	Zinc Geochemical Results
Map Sheet 19	1:5000	Fred Grid Map
Map Sheet 19As	1:5000	Arsenic Geochemical Results
Map Sheet 20	1:1000	Pmac 3 Grid Map
Map Sheet 20Ag	1:5000	Silver Geochemical Results
Map Sheet 20As	1:5000	Arsenic Geochemical Results
Map Sheet 20Au	1:5000	Gold Geochemical Results
Map Sheet 20Cu	1:5000	Copper Geochemical Results
Map Sheet 20Pb	1:5000	Lead Geochemical Results
Map Sheet 20Zn	1:5000	Zinc Geochemical Results
Map Sheet 21	1:500	Fred Geological Map

All maps are located in a separate folder accompanying the report.

List of Figures

Figure 1: Location Map of Eskay Project Area

List of Appendices

.

_

_

Cost Statements		
Assay Results		
Rock Sample Descriptions		
Assay Certificates		

Introduction

Location, Access, and Topography

The Eskay Reconnaissance Area is located in northwestern British Columbia, approximately 70 kilometers north of Stewart and 900 kilometers northwest of Vancouver (see Fig. 1). Reference maps are NTS Sheets 104B 9W and 10E.

The area is within the Unuk River watershed. Major drainages include the Unuk River, Coulter Creek, and Storie Creek. All rivers and creeks originate from glacial meltwaters, and reach peak flow conditions in the summer months.

Present access is by helicopter from a camp located along the Eskay Creek Mine road about five kilometers from the mine. The Eskay Creek Mine road extends from the Stewart-Cassier Highway at Bob Quinn Lake to the Eskay Creek Mine.

The region is mountainous with elevations ranging from 250 meters on the Unuk River to approximately 2150 meters at John Peaks. Mountain slopes are moderate to very steep. The treeline occurs at about 1200 meters and at higher elevations, valleys are commonly filled with glaciers. Semi-permanent ice and snow may be encountered on north facing slopes. Snow conditions are extreme in alpine areas while river bottom areas receive little, if any, snow. However, precipitation in the form of rain occurs all year round.

Valley bottoms are densely forested with mature stands of fir, sitka spruce, cedar, hemlock, aspen, alder, and maple. A thick undergrowth of ferns, salmonberry, huckleberry, copperbrush, and devils club is usually present.



Property and Program

Claims

The 1995 exploration by Canamera in the Eskay Creek area was done on various Aftom, Calvin, Dup, Fred, Mojo, Noot, and Pmac claims. The work and dates of work done on individual claims is listed in the Statements of Work in Appendix 2. All of these claims are in the Skenna Mining Division. The claims are privately owned and held in the name of Tagish Resources or Alex H. Briden. All the 1995 work was done by Canamera Geological Ltd. The following is a list of claims which were explored or had assessment filed from contiguous claims. This report covers the underlined claims which are in the following list.

<u>Claim Name</u>	<u>TNR #</u>	NTS	<u># of Units</u>	Anniversary	<u>Owner</u>
				Date	
Calvin	313285	104 B9W	20	96/09/17	Tagish
Calvin 2	320730	104 B9W	20	96/08/28	Tagish
Calvin 3	339128	104 B9W	1	96/08/19	Tagish
Aftom 5	253144	104 B9W	20	96/09/10	Tagish
Aftom 3	253142	104 B9W	12	96/09/09	Tagish
Aftom 4	253143	104 B9W	12	96/09/10	Tagish
Μοјο	320729	104 B9W	20	96/08/28	Tagish
Mojo 2	321037	104 B9W	20	96/09/14	Tagish
Aftom 9	253147	104 B9W	20	96/09/15	Tagish
Aftom 18	253155	104 B9W	20	96/09/17	Tagish
Aftom 19	253156	104 B9W	20	96/09/16	Tagish
Aftom 7	253146	104 B9W	16	96/09/16	Tagish
Aftom 14	253152	104 B9W	20	96/09/13	Tagish
Aftom 15	253153	104 B9W	20	96/09/13	Tagish
Aftom 16	253154	104 B9W	20	96/09/18	Tagish
Aftom 20	253157	104 B9W	20	96/09/17	Tagish

Claim Name	<u>TNR #</u>	NTS	# of Units	Anniversary	<u>Owner</u>
				Date	
Pmac 3	<u>253178</u>	<u>104 B10E</u>	1	96/09/14	<u>Briden, H. Alex</u>
Pmac 4	<u>253179</u>	<u>105 B10E</u>	1	96/09/14	Briden, H. Alex
Pmac 5	<u>253180</u>	<u>106 B10E</u>	1	<u>96/09/14</u>	Briden, H. Alex
Pmac 6	<u>253181</u>	<u>107 B10E</u>	1	<u>96/09/14</u>	Briden, H. Alex
Pmac 8	<u>253183</u>	<u>108 B10E</u>	1	96/09/14	Briden, H. Alex
Fred 15	<u>253295</u>	<u>104 B10E</u>	<u>15</u>	<u>96/10/11</u>	Briden, H. Alex
Noot 1	<u>306723</u>	<u>104 B10E</u>	<u>20</u>	<u>96/11/29</u>	<u>Tagish</u>
Noot 2	<u>306724</u>	<u>104 B10E</u>	<u>20</u>	<u>96/11/29</u>	Tagish
Noot 4	<u>306726</u>	<u>104 B10E</u>	<u>20</u>	<u>96/11/29</u>	<u>Tagish</u>
<u>Pmac 1</u>	<u>253176</u>	<u>104 B10E</u>	1	<u>96/09/14</u>	<u>Briden, H. Alex</u>
<u>Pmac 2</u>	<u>253177</u>	<u>104 B10E</u>	<u>1</u>	96/09/14	<u>Briden, H. Alex</u>
<u>Pmac 7</u>	<u>253182</u>	<u>104 B10E</u>	1	<u>96/09/14</u>	<u>Briden, H. Alex</u>
Pmac 9	<u>253184</u>	<u>104 B10E</u>	1	<u>96/09/14</u>	Briden, H. Alex
<u>Pmac 10</u>	<u>253185</u>	<u>104 B10E</u>	1	<u>96/09/14</u>	Briden, H. Alex
Noot 3	306725	<u>104 B10E</u>	<u>20</u>	96/11/29	Tagish
<u>Dup 9</u>	<u>252489</u>	<u>104 B9W</u>	<u>20</u>	97/02/24	<u>Briden, H. Alex</u>
Noot 5	<u>306727</u>	104 B9W	<u>20</u>	96/11/29	Tagish

Objectives

The objective of the 1995 exploration program was to map and prospect areas that were physically possible to traverse in order to identify prospective Hazelton Group stratigraphy. As areas with better exploration potential were identified, detailed mapping and soil sampling was done. Emphasis was placed upon those areas where government and university researchers (Mineral Deposit Research Unit, U.B.C.) have indicated Hazelton Group rocks. The mapping of some areas underlain by Bowser Lake Group sedimentary rocks was to determine if Hazelton Group rocks were actually exposed in them.

Scope of Program

During the 1995 field season, Canamera conducted a field program of reconnaissance and grid mapping, prospecting, silt and soil geochemical sampling. The reconnaissance mapping was done at 1:5000 while the detailed grid mapping was at 1:500 scale. Ground control was established with B.C. government air photos, 1 to 5000 metric contour maps, existing grids from previous work, and new flagged grids for detailed mapping and soil sampling. Where possible, a hand held GPS system was used to pinpoint locations. No new grids or helipads were cut, and no trenching was done.

Personnel and Dates

Geologists Dane Bridge and Greg Burroughs performed mapping, silt sampling, and prospecting. Assistants Dave Awram, Guy Edwards, and Helgi Sigureirson performed prospecting, soil sampling, and grid flagging. Field work was done between July 19th and October 9th 1995. Information on days worked by specific individuals is included in the cost statements (Appendix 1).

Data Presentation

Distribution of Work Done in 1995

This report documents the work for a total of 13 statements of work (Appendix 2) on seven claim groups and one individual claim. There are a total of 12 cost statements (Appendix 1) distributing work on the seven claim groups and one individual claim for work done prior to some claims being contiguous, work done in conjunction with grouping of claims, and for some later work done after the initial filing on some claim groups.

The following table gives the groups, claims, number of statements of work and cost statements, and the earliest anniversary date of each group or claim:

Group	Claims in group	statement of work number	cost statement number	Earliest Date
Calvin	Calvin, Calvin 2, Calvin 3, Aftom 5	1 - 3	1, 2	August 28
Mojo	Aftom 3, Aftom 4, Mojo, Mojo 2	4	3, 4	August 28
Aftom 60	Aftom 9, Aftom 18, Aftom 19	5	5	September 15
Aftom 61	Aftom 7, Aftom 14, Aftom 15, Aftom 16	6	6	September 13
Pmac	Pmac 3, Pmac 4, Pmac 5, Pmac 6, Pmac 8	7	7	September 14
Fred	Aftom 20, Fred 15, Noot 1, Noot 2, Noot 4, Pmac 1, Pmac 2, Pmac 7, Pmac 9, Pmac 10	8	8	September 14
ungrouped	Noot 3	9	9	November 29
Noot	Pmac 1, Pmac 2, Pmac 3, Noot 3	10	10	September 14
Fred + Pmac	as above plus Noot 3	11, 12	11	September 14
Dup	Dup 9, Noot 5	13	12	November 11

This report, Volume 2, presents the work done on the Pmac, Fred, Noot, Fred + Pmac, and Dup Groups and Noot 3 claim for the last seven statements of work and the last six cost statements.

Geologic Mapping

Mapping at 1:5000 is presented on a series of twelve overlapping topographic sheets. The 1:5000 mapping has been compiled on a 1:20,000 sheet for regional interpretation. This volume of the 1995 work includes map sheets 1A, and 3 (in accompanying folder).

The geologic and geochemical data and interpretation in this report is organized into sections based on the geology and structural position of specific areas and individual soil geochemical grids. This avoids duplication of information, presents the data relative to specific stratigraphic and structural position, and allows for specific recommendations to be made relative to areas of mineral exploration potential. Project areas 6 to 10, those underlined in the following list, are discussed in this report. Details of work dates and personnel are all in the individual cost statements (Appendix 1).

Individual Project Areas

Project Area 1 - Aftom 3, 4, 14, 15, Mojo, Mojo 2, Calvin 2 (Map sheets 6, 9 and 12)

Project Area 2 - Aftom 5, Calvin (Map sheet 12)

Project Area 3 - Aftom 7, 16 (Map sheet 4A)

Project Area 4 - Aftom 18, 20 (Map sheet 2)

Project Area 5 - Aftom 9, 18, 19 (Map sheets 4, 4A and 5)

Project Area 6 - Dup 9, Noot 5

Project Area 7 - Noot 1, 2

Project Area 8 - Fred 15, Pmac, Noot 3

Project Area 9 - Fred - Pmac

Project Area 10 - Pmac 3

Geochemical Sampling

Soil, silt and rock sampling was done in conjunction with prospecting and mapping. Soil samples are plotted on the grids where they were collected and silt and rock sample sites are plotted on the 1:5000 topographic sheets. For this volume of the report, sheets 1, 1A, and 3 are included. Analytical results are listed in Appendix 3.

Soil samples were collected in the B horizon using a mattock and narrow shovel. Samples were collected in high wet strength kraft paper bags and shipped to Eco-Tech Laboratories Ltd. Most of the grids were sampled on 25 meter centers on 100 meter spaced lines. The Aftom 19 grid has 200 meter spaced lines. The relatively small Pmac grid had 10 meter spaced samples on 20 meter spaced lines. No infill sampling was done on any of the soil geochemical grids. Results plotted or discussed in this report are in ppb for Au and ppm for all other elements.

Geochemical statistics reported for some populations are mean, threshold, and anomalous. Threshold is mean plus one standard deviation and anomalous is mean plus two standard deviations.

Silt samples were collected in active channels in creeks or from the root mats of mosses in active channels. On larger drainages, silts were collected from the fine sediments deposited by high water levels in the bars along the banks. No bank samples were collected.

Rock samples were collected in areas of anomalous pyrite or other sulphide concentrations, or from outcrops with quartz veining or hydrothermal alteration assemblages.

Individual Soil Geochemical Grids

Six soil sampling grids were established in 1995 to provide follow-up on prospective areas from reconnaissance mapping. The Dup 9, Fred, and Pmac 3 soil grids, those underlined below, are discussed in this report in conjunction with the individual project area where they are located.

Aftom 5 Grid, An old grid was rechained and flagged to cover an area of felsic volcanic rocks.

Aftom 19 Grid, A chained and flagged grid was established to cover Upper Hazelton and/or Bowser Group sedimentary rocks.

- Aftom 7 Grid, An old baseline was rechained and new flagged lines were established parallel to the base line to sample a section of rhyolite.
- Dup 9 Grid.
 A chained and flagged grid was established to cover Hazelton Group

 sedimentary rocks with rhyolites.
- Fred Grid,
 A chained, flagged and picketed grid was established to cover flat lying upper

 Hazelton Group rocks.
- <u>Pmac 3 Grid.</u> <u>A chained, flagged, and picketed grid was established to cover mineralization in</u> <u>upper Hazelton Group rocks.</u>

Analytical Procedures

Soil, silt and rock samples were processed and analysed by Eco-Tech Laboratories Ltd, Kamloops, British Columbia.

Geochemical Gold Analysis

Samples for geochemical Au analysis are catalogued and dried. Soils are prepared by sieving through an 80 mesh screen to obtain a -80 mesh fraction. Rock samples are crushed in two stages to -10 mesh and a 250 gram subsample is pulverized on a ring mill to -140 mesh. The subsample is rolled, homogenized and bagged in a prenumbered bag. The sample is weighed to 10 grams and fused with flux. The bead is digested in aqua regia and analysed by AA. Over-range samples are re-analysed using gold assay methods. Appropriate reference materials accompany the samples through the process allowing for quality control. Results are entered and printed along with quality control data (repeats and standards).

Multi Element ICP Analysis

Soil samples are screened to obtain a -80 mesh sample. Rock samples are crushed in two stages to -10 mesh and pulverized on a ring mill to -140 mesh and rolled and homogenized. A 0.5 gram sample is digested with aqua regia. The aqua regia contains beryllium which acts as an

internal standard. The sample is analysed on a Jarrel Ash ICP unit. Results are collated by computer and printed along with quality control data.

Gold Assays

Samples are sorted, dried and crushed in a jaw crusher and cone or roll crusher to -10 mesh. The sample is split through a Jones riffle until a 250 gram subsample is achieved. The subsample is pulverized in a ring and puck pulverizer to 95% -140 mesh then rolled and homogenized. Appropriate standards and repeats for quality control accompany the samples and are printed with the sample results.

Base Metal Assays

Samples are catalogued and dried. Rock samples are crushed in two stages followed by pulverizing a 250 gram subsample. The subsample is rolled, homogenized and bagged in a prenumbered bag. A suitable sample weight is digested with aqua regia. The sample is cooled, bulked up to a suitable volume and analysed by an AA instrument with a 0.1 ppm detection limit. Appropriate certified reference materials accompany the samples through the process for quality control. Result data is entered along with repeat values.

Regional Geology

Introduction and Previous Work

The regional geology of the claim area was established by geologists of the Geological Survey of Canada (Anderson, 1989; Anderson and Thorkelson, 1990) and the British Columbia Geological Survey Branch (Alldrick and Britton, 1988; Alldrick et al., 1989, 1990). Lewis (1992) established a structural framework for the Prout Plateau, which is along the western margin of the claims.

The 1:20,000 scale map accompanying this report includes the area of the Eskay Creek anticline and the geologic interpretation of the Eskay Creek anticline from Bartsch (1993b).

Exploration on the claims has focused on discovering Eskay Creek type deposits. The Eskay Creek deposit and property geology are described by Bartsch (1990a and b), Idzizek et al.(1990), Blackwell (1990), Britton et al.(1990), Ettlinger (1991), Roth and Godwin (1992) and Roth (1993a,1993b).

The claim area is underlain largely by Jurassic volcanic and sedimentary strata of the Hazelton Group and Bowser Lake Group. A portion of the most eastern Hazelton Group rocks is underlain by an area of Triassic Stuhini Group. Some previously unrecognized intrusive rocks, probably of Jurassic age, form sills or dikes in the Hazelton Group.

STUHINI GROUP

The oldest Mesozoic strata in the region are sedimentary and volcaniclastic rocks of the Triassic Stuhini Group. The Stuhini Group consist of a dominantly sedimentary lower division and a dominantly volcanic and volcaniclastic upper division. Most of the sedimentary division comprises undifferentiated fine grained well bedded rocks but coarser conglomerate layers serve as local stratigraphic markers. The volcanic division is locally subdivided into mafic to intermediate tuff and volcanic breccia, mafic porphyritic flows, and felsic flows and flow breccia.

HAZELTON GROUP

The Hazelton Group has undergone considerable redefinition since it was defined to encompass Jurassic and Cretaceous volcanic and sedimentary strata of the Skeena River region of central British Columbia. Present usage is restricted to Lower and Middle Jurassic volcanogenic and sedimentary strata in this region (Tipper and Richards, 1976). Hazelton Group rocks are widely distributed within Stikinia, outlining much of the Bowser Basin, and were first described in the Iskut River camp by Schoefield and Hanson (1992). Noting differences from classical Hazelton Group sequences, Grove (1986) established a formational nomenclature for the Iskut River-Salmon River-Anyox region separate from existing, more regional, definitions. The nomenclature, with subsequent modifications by Anderson and Thorkelson (1989), Alldrick (1991), and Henderson et al. (1992), outlines a five-fold division within the Hazelton Group in the Iskut river camp, comprising the Jack, Unuk River, Betty Creek, Mount Dilworth, and Salmon River formations (Jack and Mount Dilworth formations not formally defined). Difficulties in correlating these units regionally, ambiguous stratigraphic relations at type sections, and apparently contradictory age assignments (Lewis et al. 1992, 1993) have led to inconsistent usage of these formational divisions in the Iskut River area. Lewis (1995) has divided the Hazelton Group into 5 rock-stratigraphic units. These units comprise, from lowest to highest: i) basal, coarse to fine grained, locally fossilferous siliciclasatic rocks or granitic pebble conglomerate, ii) porphyritic andesitic composition flows, breccias, and related epiclastic rocks, iii) dacitic to rhyolitic flows and tuffs, iv) locally fossiliferous marine sandstone, mudstone, and conglomerate, and v) bimodal subaerial to submarine volcanic rocks and intercalated mudstone.

Hazelton Group Stratigraphy

Unit 1: Lower Hazelton Group sedimentary strata

Basal Hazelton Group typically consists of locally fossiliferous conglomerate, sandstone, and siltstone which overlie Stuhini Group rocks along a disconformity or angular unconformity. This basal clastic sequence varies from a few tens to a few hundreds of meters in thickness except in the western lskut area (Johnny Mountain section) where it is absent. Unit 1 is best exposed along the Unuk River, where medium to coarse grained, medium to thickly bedded, trough cross-stratified arenitic sandstone is characteristic. Distinctive rounded clast supported granitic and volcanic cobble conglomerate form much of Unit 1 near Sulphurets Creek and are interstratified with the arenitic sandstones. Pelecypod coquinas with a calcareous sandstone matrix are common near the Bruce Glacier section, and are transitional to medium bedded silty limestone.

Less common rock types include intermediate welded tuff at Bruce Glacier, and phyllitic turbiditic mudstones near Jack Glacier.

In the southern Iskut River camp near the Salmon Glacier, Alldrick (1991) describes thick siltstone intervals which may be finer grained equivalents to Unit 1 in the north. These siltstones, classified as part of the Unuk River Formation by Alldrick, contain faunal assemblages of similar age to Unit 1 assemblages near Eskay Creek (Anderson, 1993). This correlation implies that lower parts of Alldrick's Unuk River Formation are actually within the Stuhini Group, an assignment consistent with available lithologic and chronologic constraints of the area.

Unit 1: Age

Fossil assemblages collected from Unit 1 exposures along the Unuk River indicate a Lower Jurassic age. Well preserved ammonites *Paracalocerous* and *Badouxia Canadensis* occur in the Eskay Creek and Treaty Glacier areas, and are diagnostic of an Upper Hetangian to Lower Sinemurian age. Unconformably underlying Stuhini Group turbiditic siltstone to mudstone in this area contain Upper Norian *Monotis cf. subcircularis* bivalves, providing a maximum age for Unit 1. Upper limits are provided by Upper Pliensbachian ammonite collections from Unit 4 at Eskay Creek and John Peaks (see Unit 4 description).

Isotopic age constraints from bounding units corroborate an Early Jurassic age. Dacitic crystal tuff in the underlying Stuhini Group at John Peaks yields a U-Pb zircon age of 215-220 Ma (V. McNicoll reported in Anderson, 1993), and a granitic clast from Unit 1 in this same section has an age of about 225 Ma. A U-Pb zircon age of 193 ± 1 Ma for Unit 2 flows at Johnny Mountain (M.L. Bevier, pers. comm. to P. Lewis, 1994).

Unit 2: Andesitic flows, breccias, and volcaniclastic rocks

Unit 2 andesitic flows, volcanic breccias, and related epiclastic rocks succeed basal Hazelton Group clastic strata in much of the Iskut River area. Lateral thickness variations are pronounced in this unit; coarse volcanic breccias for accumulations up to two kilometers thick; these localized deposits may pinch out completely in distances of less than five kilometers. Unit 2 sharply and conformably overlies Unit 1 in most locations, but near Johnny Mountain it overlies folded Stuhini Group rocks along a sharp angular unconformity.

The thickest and best preserved sections of Unit 2 are at Eskay Creek, Johnny Mountain, Treaty Creek, and Salmon Glacier. In these locations, homblende and plagioclase phyric andesitic to

dacitic flows and dark green volcanic breccias are intercalated with lapilli to block tuff, and lesser amounts of epiclastic sandstone and wacke. Volcanic breccias are monolithologic to slightly polylithic, commonly contain vesicular clasts, and have a plagioclase rich volcanic matrix. At Salmon Glacier, two distinct members are differentiable: a lower porphyritic andesitic volcanic breccia to block tuff (Unuk River formation of Alldrick, 1991), separated by plagioclasehornblende-potassium feldspar megacrystic flows or sills from an upper, maroon, well bedded epiclastic conglomerate to sandstone member (Betty Creek Formation of Alldrick, 1991).

Unit 2: Age

The age of Unit 2 is constrained by fossil collections from bounding units, and by isotopic age determination of volcanic flows at Johnny Mountain. An older age of Upper Hettangian to Lower Sinemurian is provided by fossil collections from underlying Unit 1 (described above). Strata overlying Unit 2 contain Upper Pliensbachian ammonites at Eskay Creek and near John Peaks (see Unit 4 description), bracketing the age of Unit 2 to Sinemurian or Pliensbachian. U-Pb zircon ages at Johnny Mountain corroborate this timing. Plagioclase phyric dikes cutting Unit 2 have a zircon U-Pb age of 192 \pm 3 Ma, while samples of Unit 2 flows yield U-Pb zircon ages of 193 \pm 1 Ma. Overlying felsic tuffs provide a further bracketing constraint of 194 \pm 3 Ma (M.L.Bevier, pers. comm., to P. Lewis, 1994).

Unit 3: Felsic pyroclastic rocks and rhyolite flows

Stratigraphic correlations above Unit 2 have traditionally been more problematic than in older rocks, leading to contradictory and confusing application of existing nomenclature. A common approach to lithologic mapping in the Iskut River area has been to use a felsic pyroclastic unit overlying Unit 2 volcanic rocks as a marker. This method has resulted in inconsistencies in the assigned stratigraphic position and ages of both the datum felsic unit and bounding units, a problem which was partially resolved by the recent recognition that felsic volcanic rock occur at more than one stratigraphic level (Anderson, 1993: Lewis et al., 1993). Still, assigning a particular felsic volcanic succession to one of these two units on the basis of lithological characteristics alone is difficult, making geochronological and biochronologic age control particularly useful.

Present geological constraints indicate that the coldest rocks overlying Unit 2 consist of regionally discontinuous felsic flows and pyroclastic rocks (Unit 3) which are common in the southern and western portion of the Iskut River area (Johnny Mountain), but are thin to nonexistent in the northeast. Twenty kilometers west-northwest of Salmon Glacier near Granduc

Mountain, Unit 3 comprises a megaclastic breccia and laterally equivalent lapilli tuff which overlies bedded crystal to dust tuff and volcanic conglomerate. To the north, water lain crystal and ash tuffs just south of John Peaks, and multiple thin cooling units of crystal rich welded lapilli tuff at Treaty Creek are likely equivalents. Possible vent areas for eastern Unit 3 rocks at Brucejack Lake (Sulphurets area) comprise massive, flow banded dacite domes which grade outward into autobreccia and massive, hematitic mud matrix volcanic breccia (Macdonald ref), and potassium feldspar megacrystic flow banded flows. In the western Iskut River area at Johnny Mountain, dacitic to rhyolitic flows and welded lapilli tuff which overlie the lower Hazelton andesite-dacite sequence form Unit 3.

Unit 3: Age

Numerous new U-Pb ages indicate that the early pulse of felsic volcanism in the Hazelton Group near Iskut River spanned a 5-10 million year period. The oldest age of 194 \pm 3 Ma was obtained from flow rocks interlayered with lapilli tuff at Johnny Mountain (M.L. Bevier, pers. comm., to P. Lewis, 1994). This section also has the most felsic rocks included in Unit 3. Zircon extracted from bedded ash tuffs at John Peaks yielded a slightly younger U-Pb age of 190 \pm 1 Ma (R. Anderson, pers. comm., to P Lewis, 1994). Several other Unit 3 isotopic ages fall within the 185-188 Ma range. Vent related dacite at Brucejack Lake yield U-Pb ages of 185.6 \pm 1.0 Ma and 185.8 \pm 1 Ma. Laterally equivalent potassium feldspar megacrystic dacite flows yield overlapping ages of 187.7 + 5.8/-1.5 Ma. Welded tuff at Treaty Creek has an age of 183-185 Ma (R.G. Anderson, pers. comm). In the Granduc Mountain area, the dacite breccia is nearly identical in age to Brucejack samples at 186.6 \pm 15.6 Ma.

Unit 4: Upper sedimentary sequence

Heterogeneous sedimentary strata including sandstone, conglomerate, turbiditic siltstone, and limestone characterize Unit 4. Many of the rock types of Unit 1 are present in Unit 4, but the occurrence of clasts derived from Unit 2 volcanic rocks, and the absence of the distinctive granitic clast conglomerate serve to differentiate the two units. In areas lacking strata of Units 2 and 3, such as near the Bruce Glacier, the division between Units 1 and 4 is difficult to establish and often must be defined on the basis of local stratigraphic characteristics.

Unit 4 varies from a few meters to several hundreds of meters thick. Thickest measured sections are present at Treaty Creek, and at Eskay Creek, while at Johnny Mountain the unit is nonexistent. The most distinctive rock type within Unit 4 consists of rusty brown to tan weathering, bioclastic sandstone and intercalated siltstone or argillite. At Salmon Glacier, this

lithology forms a layer 2-3 meter thick, and represents the total thickness of Unit 4. To the north at Treaty Ridge, the bioclastic unit is succeeded by a several hundred meter thick turbiditic mudstone to sandstone section. Bioclastic sandstones are also present in Unit 4 at Eskay Creek and John Peaks, where they are interstratified with siltstone, arenitic sandstone, and heterolithic rounded cobble conglomerate. West of these areas, a thick, grey weathering, medium bedded limestone and siltstone sequence is a probable stratigraphic equivalent to Unit 4.

Unit 4: Age

Abundant and diverse fauna within Unit 4 which span Late Pliensbachian to Late Aalenian stages suggest that the unit records a long period of volcanic quiescence (Nadaraju, 1993). Late Pliensbachian ammonite collections provide age constraints at three locations: at Eskay Creek, bioclastic sandstones contain ammonites *Tiltonicerous* cf. *propinquum* and *Protogrammoceras*; a lithologically similar section at John Peaks and interstatified limestone and siltstone sections to the west at Lyons Creek both yield the Kunae Zone (Upper Pliensbachian) ammonite *Arieticeras* cf *algovianum*; at Treaty Creek the base of Unit 4 is slightly younger where diverse faunal collections from the bioclastic sandstone includes Toarcian belemnites. Higher in this same section, ammonites, *Tmetoceras* cf. *Kirki, Leioceras*, and *Pseudoliocerous* constrain an Upper Aalenian age for turbiditic mudstone and siltstone. Together, these fossil occurrences suggest that Unit 4 sedimentation spans the Upper Pliensbachian, the Toarcian, and most of the Aalenian stages, although no single section includes fauna diagnostic of all three stages. Isotopic ages in the Iskut River area are consistent with a magmatic gap in this time period. Clusters of ages at around 185 Ma and 177 Ma are associated with Unit 3 and Unit 5 volcanism respectively.

Unit 5: Bimodal volcanic unit

The upper part of the Hazelton Group in the Iskut River camp comprises dacitic to rhyolitic flows and tuffs, localized interlayered basaltic flows, and intercalated volcaniclastic intervals. Although these different rock types can easily be mapped separately in a property scale, their interfingering nature and lack of continuity dictate that they be grouped into a single unit for regional mapping purposes. This part of the Hazelton Group has attracted the most attention of geologists due to its association with mineralization at Eskay Creek, but at the same time its distribution, internal stratigraphy, and age are poorly understood. Previous workers have mapped felsic volcanic components as a distinct facies of the Salmon River Formation. These assignments become problematic with new work which demonstrates that locally more than one horizon exists, and that mafic volcanic rocks occur both above and below these felsic intervals. In most locations Unit 5 conformably succeeds Unit 4 sedimentary strata. Condensed sections on the northern part of the McTagg anticlinorium feature disconformable relationships between Unit 5 and Unit 1. Unit 5 felsic volcanic rocks are ubiquitous in the northern Iskut River area. Most sections feature a single layer of felsic strata which vary in thickness from a few tens of meters to a few hundred meters. Lithofacies within the felsic intervals are highly variable both regionally, and vertically in a given section. Deposits proximal to extrusive centers include banded flows, massive domes with carapace breccias, autoclastic megabreccias, and block tuffs. Extrusive centers have been identified at several locations in the Iskut River area, including Eskay Creek, Brucejack Lake, and Bruce Glacier. These felsic extrusive centers are characterized by thick, dome shaped porphyritic centers, grading outward to flow breccias and talus piles. Slightly to densely welded lapilli to ash tuffs characterize more distal equivalents. Reworked tuffs locally form thick epiclastic accumulations, and may fill in paleobasins adjacent to extrusive centers. At Salmon Glacier, Unit 5 comprises well stratified, variably welded dacitic ash and lapilli tuff which forms the type section of the Mount Dilworth Formation (Alldrick, 1991). Overlying thinly interbedded turbiditic siltstone/argillite and tuff form distinctive black and white striped strata ("pajama beds") at Salmon River, and to a lesser extent, in northern parts of the area. At Troy ridge, this is the only rock type present in Unit 5.

Mafic components of Unit 5 are more localized in their distribution and are missing from much of the Iskut River camp. Generally they occur above the felsic volcanic rocks, but at Treaty Creek thick sections of mafic flows and breccias lie below felsic welded tuffs. Mafic sections are thickest at Mount Shirley and near the mouth of Sulphurets Creek, and form intermediate thicknesses at Eskay Creek and Johhny Mountain. Rocks present include massive flows, pillowed flows, broken pillow breccias, and volcanic breccias. Plagioclase phenocrysts up to two centimeters long are characteristic of the pillowed sequence south of John Peaks. At Treaty Glacier the mafic component grades upward from pillowed and massive flows into broken pillow breccia, and finally, hyaloclastite matrix supporting abundant irregular globular volcanic fragments.

Unit 5: Age

Flows across the Unuk River from Eskay Creek, near the Bruce Glacier, yielded an age of 176.2 \pm 2.2 Ma. Faunal assemblages from strata underlying Unit 5 are as young as Late Aalenian (Treaty Creek). At Eskay Creek fossil control is available within Unit 5 itself: radiolarians removed from the mineralized "contact" argillite. which occurs between the felsic and mafic volcanic intervals constrain an Aalenian age. Numerous Bajocian fossil collections from sedimentary successions overlying Unit 5 constrain the youngest biostratigraphic age for the unit.

BOWSER LAKE GROUP

The Middle and Upper Jurassic Bowser Lake Group contain the youngest Mesozoic strata in the claim area. In general, the Bowser Lake Group consists of a thick succession of shale and greywacke, with lesser amounts of interbedded chert rich conglomerate. It conformably or paraconformably overlies Hazelton Group rocks. In many areas the boundary between Bowser Lake and Hazelton rocks is unclear and is not defined.

Bowser Lake Group strata in the northern part of the claim area consists primarily of thinly bedded turbiditic siltstone and mudstone, and subordinate conglomerate and sandstone. These coarser clastic components are useful markers for deciphering local structural and stratigraphic problems, but their discontinuity precludes usage as regional markers.

Rich faunal collections from Bowser Lake Group turbiditic mudstones in the Prout Plateau define a Bathonian to Callovian age for lowest exposed stratigraphic levels (G. Nadaraju, personal communication to P. Lewis, 1992). Outside of the Iskut River map area, Kimmeridgian faunas are characteristic of higher stratigraphic levels.

INTRUSIVE ROCKS

Anderson (1989, 1993) suggests that Triassic and Jurassic intrusive activity in the Iskut River area can be divided into 5 cycles. He defines four distinct plutonic suites, three of which he relates to cospatial and coeval volcanic suites. Plutonic rocks other than mafic dikes intrude Jurassic Hazelton Group or Bowser Lake Group strata. With the exception of the feldspar porphyry unit at Eskay Creek (U-Pb zircon age of 186 ± 2 Ma, Macdonald et al., 1992; Ghosh, 1992), reliable radiometric ages for plutons are lacking in the area. Undated plutons are assumed, on the basis of intrusive relationships and composition, to be members of the Jurassic Texas Creek or Three Sisters plutonic suites (Anderson and Bevier, 1990), with extrusive equivalents within the Hazelton Group.

Project Area 6

Location and Claims

Area 6 is located in NTS map area 104/B9, on the east side of the Unuk River about 8 to 9 kilometer south of the Eskay Creek mine. This section describes the geology on Dup 9 and the underlying claim, Noot 5. The mapped area is on map sheet 3, between 411,000 to 413,000 E and 6,269,000 to 6,271,700 N.

Previous Work

Reconnaissance geologic mapping was done for Canamera Geological Ltd. by Grunenberg (1993c) in September, 1993. The work in 1993 concentrated on the east and central part of the claim where volcanic rocks and gossanous areas are exposed. Exploration in 1995 (this report) concentrated on the northwestern portion of the claim which had not been mapped previously.

General Geology

Hazelton Group rocks in Area 6 are on the east limb of a northerly oriented and gently plunging syncline which is located along the Unuk River. The Hazelton Group rocks are cut by a thrust fault that places, along the west side of Dup 9, Hazelton Group sedimentary rocks with minor volcanic rocks in contact with a thick section of mainly volcanic Hazelton Group rocks. The thick section of Hazelton Group volcanic rocks that occupies most of Dup 9 is a seeply dipping section of Unit 5. The overthrust, mainly sedimentary rocks in northwestern Dup 9, are probably a stratigraphically higher portion of Unit 5. They may correlate in part with marine facies in the upper Unit 5 stratigraphy containing the Eskay Creek mine.

Claim Geology

The stratigraphically lowest section of Hazelton Group rocks occurs in the southeast corner of Dup 9. It consists of felsic to intermediate volcanic rocks, mainly massive flows with lesser pyroclastic components. These volcanic rocks are interbedded with abundant clastic sedimentary rocks, mainly impure sandstone to sittstone and minor mudstone.

The central portion of Dup 9 is underlain by a thick section of felsic volcanic rocks. The lower portion of this section is mainly pyroclastic with rhyolitic to dacitic tuffs and heterolithic breccias. The upper portion appears to be dominately felsic flows. The mapped area is mainly rhyolite with flow banded flows, massive flows and lapilli tuffs or brecciated flows. Towards the north edge of Dup 9, this section becomes mainly dacitic with mainly massive and vesicular flows exposed on gossanous cliffs.

The gossanous cliffs on Dup 9 are similar to those that occur elsewhere to the north, such as at Aftom 16, along the east side of the thrust along the Unuk River. The gossans occur in Unit 5 dacitic rocks with weak sericite-silica alteration and disseminated and vein pyrite. They are similar to the five gossanous bluffs at Eskay Creek which include the Mackay adit and the #5 and #23 zones. These gossanous bluffs at Eskay are all in the footwall to the Eskay Creek deposit and represent footwall alteration zones to the volcanogenic massive mineralization.

The western edge of Dup 9 is separated from the volcanic section on the main portion of the claim by a thrust fault. The stratigraphy west of the thrust is mainly composed of sedimentary rocks, probably of the upper portion of Hazelton Group Unit 5. The sedimentary rocks are mainly steeply dipping mudstones to carbonaceous mudstones, interbedded with sections of sandstone and conglomerate. Thin, highly brecciated, rhyolitic flows occur within the mudstones. These rhyolites are aphanitic and consist of homogeneous, angular clasts in a mudstone to dark green-black chloritic matrix. The rhyolites are not hyrdothermally altered but locally contain trace pyrite and weak quartz stockworks.

Rock Sampling

A continuous series of chip samples were collected along the top of a ridge of rhyolitic breccia at 411,330 E and 6,271,320 N. Fifteen samples were collected on one meter intervals. These samples, 7651-7665, do not have elevated levels of Au or any other elements of exploration significance.

Soil Sampling

A chained and flagged grid was established in the northwestern portion of Dup 9. The grid is about 1200 meters long north-south by up to 800 meters wide east-west. The grid baseline follows a ridge with a genite top and the cross lines run across the slopes and across the stratigraphy. The east edge of the grid is in the valley where a thrust fault probably occurs. This thrust separates mudstones to the west from felsic volcanic rocks to the east. The area west of the thrust is unsuitable for soil sampling. It is covered with coarse, soil covered talus and dense alder and devils club undergrowth. A total of 278 soil samples and 6 silt samples from creeks on grid lines were collected on the Dup 9 soil geochemical grid.

Gold: Eleven of the 284 soil samples have 5 ppb Au while the remaining samples all have <5 ppb Au. Five ppb Au is not significant in indicating the occurrence of potentially economic mineralization. However, 10 of the 11 samples form a linear zone, 700 meters long by up to 125 meters wide. The trend is along the west side of the ridge and parallel to the outcrop trend of rhyolitic breccia exposed on lines 1N to 1S. The slightly elevated Au values may originate from the stratigraphy at or immediately below the rhyolite. The 5 ppb Au sample on line1S, closest to the rhyolite outcrop area is coincident with the highest Ag value of 19.4 ppm. The upslope sample on line 4S with 5 ppb Au has the highest Pb content on the soil grid of 76 ppm.

The area with locally elevated Au may be part of a larger area with elevated Mo and Pb, and locally Zn. A broad area of statistically anomalous soil geochemistry occurs approximately along the baseline from 100S to 800S. It is from 200 to 250 meters wide. Maximum values for Mo, Pb and Zn are 76, 108 and 808 ppm respectively. However, the pattern probably reflects better soil development and drainage on a ridge and does not indicate any potential target mineralization.

Silver: The Dup 9 grid has high levels of Ag compared to all the other 1995 soil grids. Mean, threshold and anomalous values are 2.5, 4.9 and 7.4 ppm respectively and the range is from <0.2 to 19.4 ppm. Silver is the only metal which may indicate significant geochemical anomalies. However, samples that are anomalous in Ag have no other coincident anomalous elements directly associated with them.

A linear trend of anomalous Ag occurs in the southeast portion of the grid. Six samples between 400S-75E and 725S-0E contain 7.6 to 12.6 ppm Ag. They are spacially associated with nine samples above threshold in the range from 5.0 to 6.8 ppm Ag. One soil and one silt sample at the south end of the Ag anomaly have anomalous As. The most southerly anomalous Ag sample has 170 ppm As. A silt sample collected on the soil grid at 800S-25E contains 250 ppm As.

A linear trend of single sample anomalous Ag values occurs from 0N-50W to 600S-325W. Five samples have 8.2 to 19.4 Ag. This 650 meter long anomaly which is discontinuous on one line crosses topographic features and approximately parallels the outcrop area of black matrix rhyolite outcrops. The samples with anomalous Ag have no other consistent coincident anomalous elements. However, there is a local association with threshold to anomalous Pb

values and some Zn and Cu anomalies located downslope and along strike which may indicate a multielement association.

Threshold to anomalous Pb values are associated with Ag on lines 400S and 500S. Here the highest Pb and Ag values are coincident. The gap in the Ag anomaly on line 300S has anomalous Pb values of 56 to 62 ppm. On lines 0N and 100S, anomalous Cu up to 125 ppm and Zn up to 723 ppm occur 75 meters downslope from the Ag anomaly. The anomalous Ag trend is discontinuous on line 200S, but 72 ppm Cu and 638 ppm Zn occur about 50 meters downslope from the Ag trend. The highest Zn value of 1359 ppm occurs at 350N-0E. It occurs with a group of samples with above threshold to anomalous Zn values which are along the trend of the Ag anomaly.

Arsenic: Two areas of anomalous As occur on the grid. Samples at the east ends of lines 200N to 400N appear to have anomalous As due to low lying wet ground around the creek in the thrust valley. Eliminating these from the sample population produces mean, threshold and anomalous values of 21, 51 and 80 ppm respectively. Single station samples on four lines from 200N-275W to 100S-500W have 90 to 255 ppm As. This linear anomaly has As values from 4 to 12 times background.

Cadmium: Cadmium in soil varies from <1 to 22 ppm. Three of the four highest Cd values of 14 to 22 ppm correlate with the highest Zn of 1049 to 1359 ppm, and one Cd of 15 ppm correlates with high Mn. This indicates that Cd and Zn are displaying normal metal associations, rather than hydroxide adsorption, although locally there is an occurrence of metal adsorption by Mn hydroxides.

Cobalt: High Co and Ni values mainly correlate with high Mn. Thus high Co and/or Ni may be used to identify samples with anomalous metal contents due to adsorption. Most of the samples with anomalous Bi have high Co although the Mn contents are in a normal range. This indicates that most of the anomalous Bi samples are probably related to metal adsorption.

Silt Sampling

Five silt samples were collected in the northeast corner of Dup 9 during reconnaissance maping and an additional six were collected during soil sampling, samples. Six in the thrust fault valley had anomalous As, 140 to 365 ppm, anomalous Mo, 12 to 20 ppm (and 71 ppm Mo associated with high Mn), and the highest Sb in 1995 silts of 20 ppm. Seven samples on the east side of the ridge and downslope from the rhyolitic outcrops had 75 to 230 ppm As and anomalous Mo of 13 to 27 ppm. The As, Mo and Sb anomalies are comparable to the BC-GSC silt sample collected in Eskay Creek which had 98 ppm As, 20 ppm Mo and 28 ppm Sb.

Interpretation and Recommendations

Two linear Ag soil geochemical anomalies with up to 19.4 ppm Ag occur on Dup 9. These anomalies are from single samples on 100 meter spaced lines. The easterly of the two anomalies has associated above threshold range Ag values which make the anomalous zone about 50 meters wide. The Ag anomalies are mainly single element anomalies although the westerly anomaly has a patchy, anomalous, downslope Cu and Zn association and a coincident anomalous Pb association on some lines. The local anomalous Pb association may indicate that the west Ag anomaly is valid.

The Ag soil geochemical anomalies may indicate the occurrence of horizons in mudstone with disseminated or massive pyrite and elevated Ag. Infill soil sampling and geolocical mapping should be done along the Ag soil geochemical anomalies.

The linear As anomaly in the northwestern portion of the grid is a valid anomaly that may indicate an As bearing horizon in mudstones. Although it is not associated with other metals it should by explored by additional soil sampling and geological mapping.

Silt samples in the northwest portion of Dup 9 contain anomalous As, Mo and Sb. This association could be related to volcanogenic massive sulphide deposits. Creeks in the northwest portion of Dup 9 should be sampled in detail to determine the source of the silt anomalies.

Project Area 7

Location and Claims

Area 7 is located in NTS map area 104B/9 and 10, west the of the Unuk River, about 7 kilometers southwest of the Eskay Creek mine. Project area 7 includes Noot 1 and Noot 2 claims. The area mapped is between 407,000 to 408,000 E and 6,274,000 to 6,272,00 N. It is located on map sheet 1a.

Previous Work

Tagish Resources Ltd. carried out a UTEM geophysical program in the fall of 1993 on the Aftom 20 and the eastern side of Noot 2 claims. That program, reported by P. Grunenberg (1993a), detected only weak anomalies that were interpreted as structural trends.

There was also evidence of other work done on Noot 1 and 2. However, no documentation could be found.

General Geology

Area 7 can be divided into two parts, the portion on the western flank of the Eskay anticline, and the portion on the eastern flank of the anticline. The western portion encompases ground in the Coulter Creek valley, which consists of massive beds of black siltstones, mudstones, and minor sandstones. To the east, these sedimentary rocks, interperted as Bowser Lake Group, give way to the massive felsic volcanic units of the Eskay anticline and the host rocks for the Sib mineral occurrence. Approaching the eastern flank of the anticline and the eastern side of Noot 2, the rocks consist of strongly sericitic, carbonate altered volcanic rocks. Further to the east, on Aftom 20, the volcanic rocks give way to dirty arenitic sandstones and other minor sedimentary rocks.

Claim Geology

The Bowser Lake Group rocks that underlie Noot 1, the majority of the western portion of Noot 2, and the northeastern corner of Fred 15, consist of massive siltstones, mudstones, and minor sandstones. These sedimentary rocks generally strike to the north, but the dips are more erratic and reflect local structural variations.

On the northeastern side of the western portion of Noot 2 a small area of massive rhyolitic and dacitic volcanic rocks occurs. These felsic rocks are commonly cherty in texture and are locally flow banded. The Sib mineral occurrence is found close to this area. However, only a very thin wedge of these favourable rocks occur on the Noot 2 claim.

The eastern portion of Noot 2 consists of strongly altered volcanic rocks. Metamorphically they appear to be phylitic to schistose. These rocks are moderately to strongly sericitic and carbonate altered. In one area the alteration is so intense that little remains except sericite, carbonate, minor quartz, and 5 to 15% disseminated euhedral pyrite.Due to the pervasive alteration and alteration, the only structure that could be observed is a north by northeast trending foliation.

Rock Sampling

Two rock samples were taken on the eastern portion of Noot 2. They did not return significant results.

Interpretation and Recommendations

The geologic mapping has confirmed that the Coulter Creek valley is underlain by massive Bowser Lake Group sedimentary rocks. The felsic volcanic rocks in the northeastern side of the western portion of Noot 2 is favourable Hazelton Group Unit 5 stratigraphy. However, since the area is quite limited in size, it has been adequately mapped and does not merit additional work.

Geologic mapping on the eastern portion of Noot 2 indicates highly altered volcanic rocks which are deeply weathered. Although sampling to date has not produced anomalous results, potential for significant results from unweathered rock still exists. Deep trenching of the area of sulphide rich outcrops would provide access to unleached rock and a foller evaluation of the potential of the area.

Project Area 8

Location and Claims

Area 8 is located near the east margin of map area NTS 104B/10. It occupies a ridge between Harrymel and Coulter Creek, about 7 to 12 kilometers southwest of the Eskay Creek mine. This section describes the reconnaissance scale geology of Area 8 and claims Fred 15, Pmac 1 to 10 and Noot 3. The geology is shown on map sheet 1A. The area lies between 405,000 to 407,000 E and 6,270,000 to 6,274,200 N.

Project Areas 9 and 10 describe more detailed work done on individual grids within Project Area 8. Geology of the sedimentary rocks along the eastern portion of Fred 15 is described in Project Area 7.

Previous Work

Prospecting, rock and soil sampling was done in 1989 on Fred 16 and Dup 8 (Hopper, 1989b). The ground staked by these claims is currently staked as Fred 15, some of the Pmac claims and Noot 3. A number of areas with very weak sericitic alteration and minor disseminated pyrite were observed. A grab sample, apparently from Pmac 3 assayed 33 grams per tonne Au and 1610 grams per tonne Ag.

A single hole was drilled on the Fred 15 claim on the North Coulter property in 1990 (Verzosa, 1990). However, the drilling was done prior to abandoning and restaking some claims. Therefore, the position of land staked as Fred 15 changed. The drill hole reported in 1990 is located south of the SIB claim block. It is not on the claim currently called Fred 15, nor is it on any claims reported on in this report.

General Geology

Area 8 contains a section of Hazelton Group Unit 5 rocks and is very close to the overlying sedimentary rocks of the Bowser Lake Group in the area of Tom Mackay Lake.. The structural position of Area 8 is unclear. It is west of the west limb of the gently northeasterly plunging Eskay Creek anticline and west of the strike extension of the Mackay syncline. It contains mainly subhorizontal to gently dipping strata, so may lie along the axis of the Mackay syncline or may

be less affected by major isoclinal folding than the region immediately north and northeast. Poorly constrained fold structures are difficult or impossible to map because of a lack of stratigraphic markers, early northeasterly to east-northeasterly faults, west verging thrust faults and later northerly oriented faults.

Area 8 is directly overlain to the north by Bowser Lake Group rocks so mainly contains upper Hazelton Group stratigraphy. Bowser Lake Group rocks occur in the east portion of Area 8 are in fault contact with Hazelton Group rocks. Bartsch (1993b) interprets the area to be upper Hazelton Group and essentailly at the same stratigraphic level as the Eskay Creek deposit. However, he interprets the volcanic facies to be polymodal, distal facies rather than proximal vent facies as at Eskay Creek. Sedimentary rocks are shallow marine argillite facies as at Eskay Creek. This is consistent with the mapping by Canamera (this report).

However, it can very difficult to distinguish proximal facies from distal facies in the Hazelton Group volcanic rocks. Initial literature on the Eskay deposit emphasized rhyolitic breccia and tuffaceous textures (Blackwell, 1990) in the rhyolite at the Eskay deposit, although flow banded clasts were also mentioned (Britton et al., 1990). Only after extensive drilling and more rigorous obervations did the emphasis swing to the interpretation of the classical proximal dome facies of Williams and McBirney (1979) which are described as the proximal facies at Eskay by Bartsch (1993b).

Claim Geology of Fred 15 and Pmac Claims

The volcanic stratigraphy on the claims correlates with the distal facies at the Eskay Creek deposit. Andesites and basaltic andesite occur as massive flows to andesitic breccias. Pillowed flows, pillow breccias and vesicular flows also occur. Interflow mudstones are common within the mafic to intermediate volcanic rocks.

Rhyolites are intimately associated with mudstone. Most rhyolites appear to be flows which intruded into mudstones. They have bases or margins of rhyolitic fragmental rocks to black matrix rhyolite breccias. The rhyolitic flows are massive to intensely fractured or brecciated. One rhyolitic flow has some flow banded texture. They appear to be distal facies rather than flow dome facies which would have flow banding and autobrecciation. Minor areas of rhyolitic and dacitic lapilli tuff occur. These lapilli tuffs are at the base or margins of flows. this indicates that the flows were preceded by lapilli tuffs from plinian or phreatic eruptions as were the flow domes associated with the Eskay Creek deposit.

Claim Geology of Noot 3

Noot 3 has only been partly mapped on an east-west traverse across the centre of the claim. It has the same basic geology as Fred 15 and the Pmac claims but with indications of both subhorizontal and steep bedding. An area in the southwestern corner of Noot 3 was examined during poor weather but not mapped and the work was not claimed for assessment credits. Interbeds of mudstone between rhyolitic and dacitic flows appear to indicate subhorizontal bedding.

The western quarter of Noot 3 is mainly massive andesite and andesitic breccia. It is apparently overlain, in the central part of the claim by massive rhyolitic and dacitic flows. A creek in the eastern portion of the claim has a wide exposure of deformed mudstone which locally has bedding striking 330° and dipping 57° NE. Hoewever, this orientation is probably not reliable. The outcrop pattern indicates that a gentle dip is more likely. Further downslope to the east, subvertical sedimentary rocks form the lowest stratigraphic exposure of Hazelton Group rocks.

Silt Geochemistry on Noot 3

Three silt samples were collected in the creeks draining a portion of east central Noot 3. They returned 476 to 620 ppm Zn and up to 1.4 ppm Ag in and downslope from an outcrop area of deformed mudstone. This may indicate potential for base and/or precious metal mineralization in the exposed stratigraphy or simply an elevated background for Zn from marine sedimentary facies rocks.

Interpretation and Recommendations

Interpretation and recommendations for the Fred 15 and Prnac claims is discussed in Project Areas 9 and 10 where the more detailed work and soil geochemical grids are described.

Noot 3 has potential for Eskay-type mineralization in mudstone and rhyolite stratigraphically below the level of exposure on the claim. Noot 3 should to be mapped at 1:2000 or 1:2500. Silt samples should be collected in any suitable creeks in the the eastern portion of the claim.

Project Area 9

Location and Claims

Project Area 9 is the Fred grid which is located on Fred 15 and a portion of the Pmac claims. It is located on NTS map area 104B/10, about 9 kilometers southwest of the Eskay Creek mine. The geology was mapped at 1:500 on Map 21.

Previous Work and General Geology

These topics have been discussed in Project Area 8.

Claim Geology

A chained and picketed grid was established in open alpine terrain in an area that had been mapped earlier in the season at 1:5000 on Map 1a. The grid area, Map 21, was mapped at 1:500 in order to resolve the complex geology of the area and delineate anomalous gold values obtained from locally derived float.

Three rhyolitic flows and two areas with gold mineralization have been tentatively identified. The rhyolitic flows are referred to as the upper, lower and south flows. Gold is associated with the upper and lower flows. These gently dipping flows are interpreted to be about 30 to 40 meters apart. They are exposed mainly as windows through overlying dacitic and andesitic (basaltic andesite) flows or as erosional remnants.

The area with gold mineralization is between 1100 to 1300E and 500 to 700N. The upper rhyolitic flow and its associated mudstones are exposed over an area about 50 meters by 150 meters. The lower and possibly correlative south flow are exposed over an area of about 400 meters by 20 to 150 meters.

Centered at 1230E and 540N is the erosional remnant of a rhyolitic flow, referred to as the upper flow. It is mainly massive but contains some flow banded textures. Five samples of float from near the base of the flow contain 5, 365, 570, 765 ppb and 2.84 grams per tonne Au. One sample of moderately silicified siltstone with 1 to 5% pyrite located under the flow contains 60

ppb Au. The upper rhyolitic flow appears to be underlain by a mudstone-siltstone section, and below this, a dacitic-amygdaloidal andesitic section.

Below the dacitic-andesitic section is a mudstone section with rhyolitic lapilli tuff beds. This section is referred to as the lower flow. It is poorly explosed mainly along the banks of gullies. Within an area between 1150 to 1300E and 650 to 700N, seven samples of rhyolite with trace to 10% pyrite were collected. These samples contained 5, 620, 650, 750 ppb and 1.61, 2.37 and 4.69 grams per tonne Au. Silver contents are generally low. However, one sample contains 102.4 grams per tonne associated with 2.37 grams per tonne Au. Five of the samples are locally derived float. The samples with 750 ppb and 1.61 grams per tonne Au were in situ at about 1215E-660N. This gold bearing section is overlain by rhyolitic lapilli tuff at 1100E-650N and 1280E-680N. The rhyolitic lapilli tuff is overlain by dacitic heterolithic breccia and thick flows of amygdaloidal andesitic breccia.

A 15 meter thick massive to intensely brecciated rhyolitic flow with a basal section of rhyolitic epiclactic rocks or rhyolite fragmented by flowing into wet mudstones, occurs at 950E-750N. It is referred to as the south flow but may correlate with the lower flow. Sampling in the south flow has not returned any gold values above 5 ppb.

Bedding on the Fred grid is interpreted to strike northerly and dip gently to the east. This is approximately parallel to the topography which is high along the west edge of the Pmac claims and slopes down towards Barb Lake. Two reliable bedding observations at 1015E-390N and 940E-780N are 335 to 355° with 25 to 40° east dips. Contact relationships between mudstones with rhyolitic pyroclastic rocks and overlying andesitic flows at 1120 to 1150E and 700 to 780N indicates that gentle dips are probably more consistent.

The area with gold mineralization is probably fault bounded along a creek in the vicinity of 1200E-470N to 1400E-550N. In this area bedding is commonly vertical and foliation strikes northeast. Gold mineralization also occurs in this area. A sandstone interbed in siltstone with trace to 2% pyrite and trace malachite contains 3.6 grams per tonne Au. A small patch of siliceous rhyolite with trace to 2% pyrite returned 220 ppb Au.

Siltstone and mudstone with a subvertical foliation occurs across the grid at approximately 500 to 525N. East of this, to Barb Lake, there is an elongate area of mainly massive dacitic and andesitic flows. The stratigraphic position of this section, relative to the section of rhyolite-dacite-basaltic andesite to the west, is unknown but it is still Unit 5. East of Barb Lake the exposed
Hazelton Group section exposed is probably uplifted Unit 4 or the base of Unit 5. It is characterized by clastic sedimentary rocks and is intruded by a possible synvolcanic dioritic plug.

Gold mineralization on the Fred grid correlates with Ag, As and Sb. The samples with anomalous Au have elevated Ag values to up to 102.4 gram per tonne, and up to 4695 ppm As and 180 ppm Sb. Base metal contents are very low.

Soil Sampling

A total of 210 soil samples were collected on the Fred 15 grid. The samples returned <5 ppb Au except for one sample in an unmapped area at 900 E-475N with 90 ppb Au. B horizon soil is fairly well developed over much of the grid. However, the areas with gold mineralization are mainly erosional windows through andesitic and dacitic flows. These windows are gullies, to wide scree and drainage areas, with poor soil development.

Interpretation and Recommendations

The Fred 15 area has Au-Ag mineralization in massive and brecciated rhyolite, rhyolitic lapilli tuff, mudstone, and in one location, sandstone interbeds in siltstone. The mineralization occurs at two stratigraphic levels probably separated by 30 to 40 meters and also in a poorly understood, faulted area. The mineralization is exposed mainly in an erosional window through overlying dacite and andesite flows and in one erosional remnant. Gold values occur over an area about 200 meters square. Potential for deposits exists over an area of a few square kilometers.

Gold occurs with trace to 10% fine to sooty disseminated pyrite in rhyolite and, less commonly, with very fine disseminated pyrite in mudstone and siltstone. Most of the observed mineralization is in locally derived float. However, the controls for mineralization appear to be the upper and lower contacts of rhyolitic flows, mudstone in sections of mudstone-siltstone with interbeds of massive rhyolitic flows, and rhyolitic lapilli tuff asociated with rhyolitic flows and mudstones. Alteration ranges from absent to very weak silicification. This may indicate that the mineralization is distal to volcanic centers. The absence of gossanous bluffs and altered dacitic rocks may indicate that favourable stratigraphy occurs lower in the section and has not been removed by erosion.

The absence of soil geochemical anomalies indicates that no significant mineralization outcrops. Exploration should continue along the indicated favourable stratigraphic horizons and into possible lower unexposed stratigraphic horizons.

The entire area of the Fred 15 and Pmac claims should be mapped at 1:1000. A deep penetrating EM system suitable for locating flat lying to gently dipping massive sulphides should be used to survey the area west of Barb Lake to the west boundary of the Pmac claims.

Project Area 10

Location and Claims

Project Area 10 is located in map area 104B/10, about 9 kilometers southwest of the Eskay Creek mine. It consists of a small grid, mainly on Pmac 3 and partly on Pmac 4, and centered at 405,350 E and 6,772,400 N.

Previous Work

Previous work has been discussed in Area 8. Of particular interest is the reported occurrence by Hopper (1989b) of a showing which returned 33 grams per tonne Au and 1610 grams per tonne Ag.

Claim Geology and Rock Sampling

A detailed grid was established for geological mapping and soil sampling. Lines were spaced 20 meters apart and picketed on 10 meter centers over an area 200 by 120 meters. The grid was snow covered before it could be mapped.

The grid is underlain by Hazelton Group Unit 5 volcanic and sedimentary rocks.Outcrop in the area is poor. The grid area is underlain by weakly silicified and pyritic andesitic breccias and carbonaceous mudstone. The orientation of the volcanic and sedimentary rocks is unknown.

Two outcrop areas in a creek, indicated by samples 7434-7438 and 7577-7578, were sampled. These exposures consisted of light grey to slightly purplish grey, weakly silicified, probably andesitic breccia with minor to 5% disseminated pyrite and trace chalcopyrite. Seven chip samples returned low values with 5-10 ppb Au, <.2-1.2 ppm Ag, 5-70 ppm As, 20-208 ppm Cu, 4-11 ppm Mo, <2-6 ppm Pb, <5-25 ppm Sb and 43-159 ppm Zn. Only Cu occurred in above background values, averaging 123 ppm. An outcrop of carbonaceous mudstone with minor rhyolitic clasts at 1030W-90N (sample 7890), also had low geochemical values.

Soil Sampling

A total of 153 soil samples were collected on the Pmac 3 grid. There are no definite or defined anomalies because of the small size of the grid, but two areas of interest are indicated. The south end of the grid has an indication of a Ag-As-Ba-Cu-Mo-Pb-Zn anomaly. However, the possible anomaly is open in three directions so is as yet undefined. The highest Ag, Ba, Mo and Zn values of 7.0, 295, 27 and 657 ppm respectively occur in the west corner of the grid. The three most southwesterly samples on lines 1020 to 1100W, samples at 50 to 70S on line 1000W and samples at 30 to 50S on line 980W have anomalous to above backgroud levels for Ag, As, Ba, Cu, Mo, Pb and Zn. The highest As and Pb values occur on line 980W, at the opposite side of the grid to the highest Ag, Ba, Mo and Zn anomalies. A possible interpretation for this anomalous area along the south end of the grid would be a zone of mineralization striking 110° and originating at the upslope edge of the anomaly which is aproximately at 6,772,350N.

The north half of the grid has a poorly defined trend of elevated Ag-As-Cu-Pb-Zn values about 50 to 70 meters wide and striking about 110°. The highest values in this area are 2.8, 30, 161, 62 and 252 ppm for Ag, As, Cu, Pb and Zn respectively. The upslope edge and possible source area for this anomaly is a zone striking 110°, located at about 6,772,450N. A weak trend of Pb values from 30 to 34 ppm and the second highest Pb of 62 ppm at 1000W-80N may indicate the upslope edge of this anomaly.

Gold values on the Pmac grid are in the range from <5 to 5 ppb. Five of the eleven samples with 5 ppb Au are in the south corner of the grid. They correlate with anomalous As and are spatially associated with the area of anomalous Pb on line 980W.

Interpretation and Recommendations

The Pmac 3 grid area is underlain by volcanic and sedimentary rocks of the upper portion of Hazelton Group Unit 5. Weakly silicified and pyritic, probably andesitic breccia contains only background levels of Au or Ag mineralization and no anomalous levels of any gold indicator elements. However, it occurs between two, possibly anomalous trends indicated by soil geochemical sampling. Soil geochemistry indicates that Ag-As-Ba-Cu-Mo-Pb-Zn mineralization, striking about 110°, may occur on Pmac 3.

The Pmac 3 grid should be expanded to the west and south for soil sampling and mapping. The entire Pmac 3 and 4 claims should be mapped at 1:1000.

Statement of Qualifications

I, Dane A. Bridge, of 16 Massey Place SW, Calgary, Alberta, T2V 2G3, certify that:

I was commissioned as a contract geologist by Canamera Geological Ltd., 540-220 Cambie Street, Vancouver, BC, to conduct a field program on claims held by Tagish Resources and Alex H. Briden, as outlined in the accompanying report.

I am a graduate of the University of Manitoba, Winnipeg, Manitoba, with a Bachelor of Science (Honours) in geology, 1969, and a Master of Science in geology, 1972.

I have practiced my profession continuously since graduation.

I am a registered professional geologist in Alberta, APEGGA number 057688, and I am a member of:

Canadian Institute of Mining Geological Association of Canada Society of Economic Geologists

This report is based on personal observations and field mapping during the periods July 19th to September 6th and September 15th to October 9th, 1995.

I have no interest, either direct or indirect, in Tagish Resources or its partners, nor do I expect to acquire any interests.

I grant permission to Tagish Resources and Canamera Geological Ltd. to use this report.

December 5, 1995

I am trings

Dane Bridge, P. Geol.

Statement of Qualifications

I, Greg R. Burroughs, of 1128 Ave. J South, Saskatoon, Saskatchewan S7M 2C1, certify that:

I was commissioned as a geologist by Canamera Geological Ltd., 540-220 Cambie Street, Vancouver, BC, to conduct a field program on claims held by Tagish Resources and Alex H. Briden, as outlined in the accompanying report.

I am a graduate of the University of Saskatchewan, Saskatoon, Saskatchewan, with a Bachelor of Science (Advanced) in geology, 1990.

I have practiced my profession continuously since graduation.

This report is based on personal observations and field mapping during the periods July 19th to September 6th and September 15th to October 9th, 1995.

I have no interest, either direct or indirect, in Tagish Resources or its partners, nor do I expect to acquire any interests.

I grant permission to Tagish Resources and Canamera Geological Ltd. to use this report.

December 5, 1995

B h

Greg Burroughs

References

Note: Reference list includes references for both volume 1 and 2 of this report.

- Alldrick, D. and Britton, J., 1988: Geology and Mineral Deposits of the Sulphurets Area, BC, Ministry of Energy, Mines and Petroleum Resources, Open File Map 1988-4.
- Alldrick, D., Britton, J., Webster, I. and Russel, C., 1989: Geology and Mineral Deposits of the Unuk Area, (104B/7E, 8W, 9W,10E), BC Ministry of Energy, Mines and Petroleum Resources, Open File 1989-10.
- Alldrick, D., Britton, J., MacLean, M., Hancock, K., Fletcher, B. and Hiebert, S., 1990: Geology and Mineral Deposits of the Snippaker Area (104B/6E, 7W, 10W, 11E), BC Ministry of Energy, Mines and Petroleum Resources, Open File 1990-16.
- Anderson, R.G., 1989: A Stratigraphic, Plutonic and Structural Framework for the Iskut Map Area, Northwestern British Columbia; in current Research, Part E, Geological Survey of Canada, Paper 89-1E.
- Anderson, R.G., 1993: A Mesozoic Stratigraphic and Plutonic Framework for Northwestern Stikinia (Iskut River Area), Northwestern British Columbia, Canada; in G. Dunne and K.
 McDougall, (eds), Mesozoic Paleogeography of the Western United States II: Society of Economic Palentologists and Mineralogists, Pacific section.
- Anderson, R.G and Bevier, M.L., 1990: A Note in Mesozoic and Tertiary K-Ar Geochronology of Plutonic Suites, Iskut River Map Area, Northwestern B.C., in Current research, Part E, Geological Survey of Canada, Paper 90-10E, p. 1991-147.
- Anderson, R. and Thorkelson, D., 1990: Mesozoic Stratigraphy and Setting for Some Mineral Deposits in Iskut River Map Area, Northwestern BC, in Current Research, Part E, Geological Survey of Canada, Paper 90-1E.
- Bartsch, R.D., 1993a: A Rhyolite Flow Dome in the Upper Hazelton Group, Eskay Creek Area (104B/9,10); BC Ministry of Energy Mines and Petroleum Resources, Geological Fieldwork, 1992, Paper 1993-1, p. 331-334.

- Bartsch, R.D., 1993b: Lithostratigraphy if the Eskay Creek area, Northwestern British Columbia, Canada; unpub. M.Sc. thesis, University of British Columbia, Vancouver, BC, 178 p.
- Blackwell, J., 1990: Geology of the Eskay Creek #21 Deposits, Mineral Deposits Division, Geological Association of Canada, The Gangue, Number 31, p. 1-4.
- Britten, J., Blackwell, J. and Schroeter, T., 1990: #21 Zone Deposits, Eskay Creek, Northwestern BC, Ministry of Energy, Mines and Petroleum Resources, Exploration in BC, 1989, p. 197-223.
- Chapman, J. and Raven, W., 1991: Assessment Report on Gigi Resources Ltd.'s and Tradewind Resources Ltd.'s Upper Unuk River Project, Unuk River Area, BC (AR 20 858).
- Chapman, J., Raven, W., Vanwermeskerken, M. and Lebel, J., 1990: Summary Report on the Airborne and Ground Geophysics, Linecutting, Geology and Geochemistry on the GNC Property for Calpine Resources Inc., Iskut-Sulphurets Area, BC.
- Dawson, G. and Harrison, D., 1990: Geological Report on the Aftom 9 Claim, Skeena Mining Division, BC (AR 21792).
- Ettlinger, A., 1991: Eskay Creek 21 Zone, in MDRU Metallogenesis of the Iskut River Area, Northwestern BC, MDRU Annual Technical Report Year 1, University of British Columbia, Vancouver, BC.
- Ghosh, D., 1993: U-Pb Geochronology of the Iskut River Project MDRU Iskut River Metallogphy Project, Annual Technical Review, Year 3, University of British Columbia, Vancouver. BC.
- Grove, E., 1986: Geology and Mineral Deposits of the Unuk River Salmon River Anyox Area, BC. Ministry of Energy, Mines and Petroleum Resources, Bulletin 63, 152 p.
- Grunenberg, P., 1993a: Geological, Geochemical and Geophysical Report on the Aftom Group Claims, Skeena Mining Division, BC (AR 23152).
- Grunenberg, P., 1993b: Geophysical Report on the Aftom 20 Claim, Skeena Mining Division, BC (AR 23157).

- Grunenberg, P., 1993c: Geological and Geophysical Report on the Dup Group Claims, Skeena Mining Division, BC (AR 23158).
- Henderson, J., Kirkham, R., Henderson, M., Payne, J., Wright, T. and Wright, R., 1992: Stratigraphy and Structure of the Sulphurets Area, BC, (104B/8 and 9); in Current Research, Part A, Geological Survey of Canada, Paper 92-1A.
- Hicks, K. and Metcalfe, P., 1991: Geological Report on the Aftom 5, 6, 10, 11, 13 and 20 Claims, Part 1 of 2, BC (AR 21918).
- Hopper, D., 1989a: Assessment Report on Skeena Mining Division CRY #1, Prospecting, Rock Sampling and Geochemical Sampling, BC (AR 19291).
- Hopper, D, 1989b: Assessment, Prospecting, Rock Sampling Report on the Fred 16 and Dup 8 Claims, Skeena Mining Division, BC (AR 19347).
- Idziszek, C., Blackwell, J., Fenlon, J., McArthur, G. and Mallo, D., 1990: The Eskay Creek Discovery, Mining Magazine, March, 1990, p. 172-173.
- Konkin, K., 1989: Assessment Report on Corey Claim Group, Stewart, BC.
- Lewis, P., 1992: Structural Evolution of the Iskut River Area: Preliminary Results, in Mineral Deposits Research Unit, Metallogeny of the Iskut River Area, BC, Annual Technical Report Year 2, University of British Columbia, Vancouver, BC
- Lewis, P., 1993: Stratigraphic and Structural Setting of the Iskut River Area: Preliminary results, Annual Technical Report, Year 3, MDRU. Metallogeny of the Iskut River Area, BC.
- Lewis, P., 1995: Field Report, Iskut River Project, July 9-13, 1995, for Canamera Geological Ltd., 11 p.
- Mallo, D. and Dvorak, Z., 1989: Assessment Report on the VR Property Airborne Geophysical Program, VR 4, VR 6 and CCM 1-3 Claims, BC (AR 18992).
- Macdonald, A., van der Heyden, P., Lefebure, D. and Alldrick, D., 1992: Geochronology of the Iskut River Area, An update, in Geological Fieldwork 1991, BC Ministry of Energy, Mines and Petroleum Resources, Paper 1992-1, p. 495-501.

- Nadaraju, G., 1993: Triassic-Jurassic Biochronology of the Eastern Iskut River Map Area, Northwestern BC, unpub. M.Sc. thesis, Department of Geological Sciences, University of British Columbia, Vancouver, BC, 268 p.
- Roth, T. ,1993a: Surface Geology of the 21 Zone, Eskay Creek, BC in Geological Fieldwork 1992, Ministry of Energy, Mines and Petroleum Resources, Paper 1993-1, p. 325-333.
- Roth, T., 1993b: The 21A Zone, Eskay Creek, Northwestern BC, unpub. M. Sc. thesis, University of British Columbia, Vancouver, BC.
- Roth, T. and Godwin, C., 1992: Preliminary Geology of the 21A Zone, Eskay Creek, BC, Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork, 1991, Paper 1992-1, p. 529-533.
- Schofield, S. and Hanson, G., 1922: Geology and Mineral Deposits of Salmon River District, BC, Geological Survey of Canada, Memoir 132, 81 p.
- Tipper, H. and Richards, T., 1976: Jurassic Stratigraphy and History of North Central BC, Geological Survey of Canada, Bulletin 270, 73 p.
- Verzosa, R., 1990: 1990 Diamond Drilling Program on the North Coulter Property, BC (AR 20659).

Williams, H. and Birney, A., 1979: Volcanology, Freeman, Cooper and Company, 397 p.

APPENDIX 1

- ---

.-

.

The following twelve cost statements are for the 1995 exploration program. The statements which apply to the work filed in this volume of the report are statements $1+0^{\circ}$. 7 + 6 12.

Cost Statement 1

Cost statement for geologic mapping and silt sampling by Dane Bridge on Aftom 5, Calvin, and Calvin 2, mainly prior to these claims being contiguous. The dates are given for the work on the individual claims.

Aftom 5 Aug. Geology Helicopter Camp costs Vehicle Field Equipment Silt samples Rock samples Whole rock	14, 15, 18, 20, 23 4.25 days @ \$420/day 1.35 hrs @ \$695/hr 4.25 days @ \$125/day 4.25 days @ \$80/day 4.25 days @ \$95/day 20 @ \$18/sample 1 @ \$22/sample 3 @ \$44/sample TOTAL	\$1785.00 \$938.25 \$531.25 \$390.00 \$403.75 \$360.00 \$22.00 \$132.00 \$4512.25
Calvin Aug. Geology Helicopter Camp costs Vehicle Field Equipment Silt samples	15, 16, 17 2.5 days @ \$420/day 0.4 hrs @ \$695/hr 2.5 days @ \$125/day 2.5 days @ \$80/day 2.5 days @ \$95/day 8 @ \$18/sample <u>TOTAL</u>	\$1050.00 \$278.00 \$312.50 \$200.00 \$237.50 \$144.00 <u>\$2222.00</u>
Calvin 2 Aug. Geology Helicopter Camp costs Vehicle Field Equipment Silt samples	14, 15, 18, 20, 23 4.25 days @ \$420/day 1.05 hrs @ \$695/hr 4.25 days @ \$125/day 4.25 days @ \$80/day 4.25 days @ \$95/day 19 @ \$18/sample TOTAL	\$1785.00 \$729.75 \$531.25 \$340.00 \$403.75 \$342.00 \$4131.75

Cost statement for soil sampling by Dave Awram and Greg Davis on Aftom 5 after Aftom 5 was made contiguous with Calvin and Calvin 2 by the staking of Calvin 3. The work was done August 22 to 24, 1995.

Soil samplers	6 days @ \$210/day	\$1260.00
Helicopter	0.8 hrs @ \$695/hr	\$556.00
Camp costs	6 days @ \$125/day	\$750.00
Field Equipment	6 days @ \$95/day	\$570.00
Soil samples	199 @ \$18/sample	\$3582.00
Costs related to claim group:	0	
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
•	TOTAL	<u>\$9913.00</u>

Cost Statement 3

Cost statement for geologic mapping and silt sampling by Greg Burroughs on Aftom 3 and Aftom 4. The work was done between August 11 and 17, 1995

Geology	7 days @ \$325/day	\$2275.00
Helicopter	1.7 hrs @ \$695/hr	\$1181.50
Camp costs	7 days @ \$125/day	\$875.00
Vehicle	3 days @ \$80/day	\$240.00
Field Equipment	3 days @ \$95/day	\$285.00
Silt samples	1 @ \$18/sample	\$18.00
Costs related to claim group:	0	
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
~	TOTAL	\$7949.00

Cost statement for geologic mapping and silt sampling by Greg Burroughs on Mojo. The work was done August 9 and 10, 1995.

Geology	2 days @ \$420/day	\$650.00
Helicopter	0.55 hrs @ \$695/hr	\$382.25
Camp costs	2 days @ \$125/day	\$250.00
Vehicle	2 days @ \$80/day	\$160.00
Field Equipment	2 days @ \$95/day	\$190.00
Silt samples	2 @ \$18/sample	\$36.00
•	TOTAL	\$1668.25

Cost Statement 5

Cost statement for geologic mapping, silt sampling, and soil sampling on Aftom 9, 18, and 19. Work was completed from July 25 to September 7, 1995.

Geology, D. Bridge	6 days @ \$420/day	\$2520.00
Geology, G. Burroughs	22 days @ \$325/day	\$7150.00
Assistants	6 days @ \$210/day	\$1260.00
Soil samplers	10 days @ \$210/day	\$2100.00
Supervisor	5.5 days @ \$350/day	\$1925.00
Helicopter	6.25 hrs @ \$695/hr	\$4343.75
Camp costs	49.5 days @ \$125/day	\$6187.50
Vehicle	11 days @ \$80/day	\$880.00
Field Consumables	44 days @ \$25/day	\$1100.00
Radios	11 days @ \$70/day	\$770.00
Soil samples	149 @ \$18/sample	\$2682.00
Rock samples	3 @ \$22/sample	\$66.00
Silt samples	10 @ \$18/sample	\$180.00
Costs related to claim group:		
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
	<u>TOTAL</u>	\$34359.25

Cost statement for geologic mapping, silt and soil sampling on Aftom 7, 14, 15, and 16. Work was completed from August 19 to September 8, 1995.

Geology, D. Bridge	17 days @ \$420/day	\$7140.00
Soil samplers	6 days @ \$210/day	\$1260.00
Supervisor	6 days @ \$350/day	\$2100.00
Helicopter	4.5 hrs @ \$695/hr	\$3126.75
Camp costs	28 days @ \$125/day	\$3500.00
Vehicle	11 days @ \$80/day	\$880.00
Field Consumables	23 days @ \$25/day	\$575.00
Radios	11 days @ \$70/day	\$770.00
Silt samples	61 @ \$18/sample	\$1098.00
Rock samples	4 @ \$22/sample	\$88.00
Whole rock	1 @ \$40/sample	\$40.00
Costs related to claim group:	•	
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
	TOTAL	<u>\$23772.75</u>

Cost Statement 7

Cost statement for the initial filing of the soil sampling done on the Pmac group from August 28 to 30, 1995.

Soil samplers	1.125 days @ \$210/day	\$236.25
Helicopter	0.25 hrs @ \$695/hr	\$172.75
Camp costs	1.125 days @ \$125/day	\$135.00
Soil samples	28 @ \$18/sample	\$504.00
	TOTAL	\$1048.00

Cost statement for the initial filing of the geologic mapping, silt and soil sampling done on the Fred group. Work was completed from July 19 to August 24, 1995.

Geology, D. Bridge	1.5 days @ \$420/day	\$630.00
Geology, G. Burroughs	14 days @ \$325/day	\$4450.00
Assistants	2 days @ \$210/day	\$420.00
Supervisor	3.875 days @ \$350/day	\$1356.25
Helicopter	3.7 hrs @ \$695/hr	\$2571.50
Camp costs	21 days @ \$125/day	\$2625.00
Vehicle	15 days @ \$80/day	\$1200.00
Field equipment	18 days @ \$95/day	\$1710.00
Silt samples	3 @ \$18/sample	\$54.00
Rock samples	8 @ \$22/sample	\$176.00
Costs related to Soil sampling:		
Soil samplers	4.875 days @ \$210/day	\$1023.75
Soil samples	126 @ \$18/sample	\$2268.00
Helicopter	1.25 hrs @ \$695/hr	\$868.75
Camp costs	4.825 days @ \$125/day	\$603.00
Costs related to claim group:		
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
5	TOTAL	\$23150.75

Cost Statement 9

Cost statement for geologic mapping and silt sampling done on Noot 3. The work was done July 21, 22, and August 24, 1995.

Geology, D. Bridge	3 days @ \$420/day	\$1260.00
Geology, G. Burroughs	1 day @ \$325/day	\$325.00
Supervisor	1.5 days @ \$350/day	\$525.00
Helicopter	1.1 hrs @ \$695/hr	\$764.00
Camp costs	4 days @ \$125/day	\$500.00
Vehicle	2 days @ \$80/day	\$160.00
Field Consumables	4 days @ \$25/day	\$100.00
Radios	2 days @ \$70/day	\$140.00
Rock samples	1 @ \$22/sample	\$22.00
Silt samples	3 @ \$18/sample	\$54.00
Portion of soil sampling on i	Noot 3 from cost statement for work	\$391.00

October 6, 1995

<u>\$4241.00</u>

Cost statement for soil sampling and rock sampling on the Pmac 3 claim, part of the Noot group. The work was done September 27 to October 3, 1995.

Geology, D. Bridge	1 days @ \$420/day	\$420.00
Geology, G. Burroughs	1 days @ \$325/day	\$325.00
Soil samplers	6 days @ \$210/day	\$1260.00
Supervisor	1 days @ \$350/day	\$350.00
Helicopter	1.8 hrs @ \$895/hr	\$1251.00
Camp costs	9 days @ \$125/day	\$1125.00
Vehicle	3 days @ \$80/day	\$240.00
Field Consumables	8 days @ \$25/day	\$200.00
Radios	3 days @ \$70/day	\$210.00
Soil samples	153 @ \$18/sample	\$2754.00
Rock samples	8 @ \$22/sample	\$176.00
-	TOTAL	\$8286.00

Cost Statement 11

Cost statement for soil sampling and geologic mapping on the Fred and Pmac groups and Noot 3 claim; September 21 to October 6, 1995.

Soil sampling	September 22 - 23	
Soil samplers	4 days @ \$210/day	\$1260.00
Supervisor	0.5 days @ \$350/day	\$325.00
Helicopter	1.2 hrs @ \$695/hr	\$1251.00
Camp costs	4 days @ \$125/day	\$1125.00
Vehicle	1 days @ \$80/day	\$240.00
Field Consumables	4 days @ \$25/day	\$200.00
Radios	1 days @ \$70/day	\$210.00
Soil samples	84 @ \$18/sample	\$2254.00
	Subtotal	<u>\$4111.00</u>
Portion on Fred group	63.1%	\$2594.00
Portion on Pmac group	27.4%	\$1126.00
Portion on Noot 3 claim	9.5%	\$391.00
Geology mapping	September 21 - 26, October 6	
Geology, D. Bridge	7 days @ \$420/day	\$2940.00
Geology, G. Burroughs	6 days @ \$325/day	\$1950.00
Supervisor	3 days @ \$350/day	\$1050.00
Helicopter	3.8 hrs @ \$695/hr	\$2641.00
Camp costs	13 days @ \$125/day	\$1625.00
Vehicle	5 days @ \$80/day	\$400.00
Field Consumables	13 days @ \$25/day	\$325.00
Radios	5 days @ \$70/day	\$350.00
Rock samples	16 @ \$22/sample	\$352.00
Whole rock samples	5 @ \$40/sample	\$200.00
	subtotal	<u>\$11833.00</u>
Portion on Fred group	92%	\$10886.00

8%

\$947.00

Total work for Fred group Total work for Pmac group Total work for Noot 3 claim

\$13480.00 \$2073.00 \$391.00

Cost Statement 12

Cost statement for soil sampling and geologic mapping on Dup 9 for the Dup group. The work was done from August 8 to September 29, 1995.

Geology, D. Bridge	2 days @ \$420/day	\$840.00
Geology, G. Burroughs	5 days @ \$325/day	\$1625.00
Assistants	3 days @ \$210/day	\$630.00
Soil samplers	10 days @ \$210/day	\$2100.00
Supervisor	3 days @ \$350/day	\$1050.00
Helicopter	5.0 hrs @ \$695/hr	\$3475.00
Camp costs	23 days @ \$125/day	\$2875.00
Vehicle	3 days @ \$80/day	\$240.00
Field Consumables	20 days @ \$95/day	\$500.00
Radios	3 days @ \$70/day	\$210.00
Silt samples	5 @ \$18/sample	\$90.00
Rock samples	17 @ \$22/sample	\$374.00
Soil samples	284 @ \$18/sample	\$5112.00
Costs related to claim group;		
Consultant		\$150.00
Air photos		\$65.00
Maps and reproduction		\$150.00
Reporting (geol and geochem)	5 days @ \$350/day	\$1750.00
CAD technician	3 days @ \$200/day	\$600.00
Travel		\$320.00
Freight		\$160.00
-	TOTAL	\$22241.00

APPENDIX 2

APPENDIX 3

-

.

.

-

Rock Samples

05-Dec-95

,

Tag	Au(ppb)) Au(p	(t) Ag	Ag(g/i)AI%	As	Ba	Cd	C٥	Cr	Cu	Fe%	La	Mn	Mo	Na%	Ni	P	Pb	Sb	Sn	Sr	v	Za
7101	5		<.2		0.89	<5	105	<1	19	128	4	4.86	<10	2512	4	<.01	55	380	<2	25	<20	774	34	28
7102	5		<.2		0.27	<5	10	<1	4	168	19	1.31	<10	200	5	<.01	5	150	4	<5	<20	5	20	25
7103	5		<.2		0.07	<5	20	<i< td=""><td>3</td><td>187</td><td>15</td><td>0.99</td><td><10</td><td>197</td><td>4</td><td><.01</td><td>6</td><td>90</td><td><2</td><td><5</td><td><20</td><td>3</td><td>7</td><td>18</td></i<>	3	187	15	0.99	<10	197	4	<.01	6	90	<2	<5	<20	3	7	18
7104	5		<.2		0.05	<5	<5	_<1	1	220	4	0.48	<10	56	6	<.01	4	40	<2	<5	<20	</td <td>2</td> <td>2</td>	2	2
7331	10		0.2		0.31	5	90	_<1	3	114	8	1.72	<10	397	16	0.02	7	820	36	<5	<20	19	3	110
7332	5		<.2		3.21	<5	60	<1	45	193	43	7.8	<10	1292	</td <td>0.02</td> <td>87</td> <td>1130</td> <td>8</td> <td><5</td> <td><20</td> <td>7</td> <td>153</td> <td>94</td>	0.02	87	1130	8	<5	<20	7	153	94
7333	5		0.4		1.01	<5	60	1	8	50	36	4.6	<10	662	6	0.02	20	520	14	<5	<20	4	22	106
7334	15		<.2	\downarrow	1.41	<5	60	<1	11	44	44	4.61	<10	625	6	0.02	22	510	12	<5	<20	17	31	126
7335	5		<.2	L	3.72	ব	40	<1	36	51	47	7.38	<10	846	<1	0.02	30	670	8	10	<20	<1	137	77
7336	5		<.2		3.91	<5	50	<1	27	86	28	8.54	<10	1427	<1	0.02	16	1740	12	5	<20	10	254	79
7343	5		<.2		1.03	<5	45	1	5	48	6	1.95	<10	455	<1	0.02	3	460	14	<5	<20	8	9	23
7344	5	<u> </u>	8.4		0.19	115	135	<1	5	64	17	3.84	<10	281	6	<.01	4	1450	30	<5	<20	34	4	27
7345	5		1		0.46	95	125	<1	3	69	14	3.87	<10	393	6	<.01	3	1840	6	<5	<20	35	25	117
7346	10		2.4		0.2	4365	75	<1		73	9	2.68	<10	214	4	<.01	4	1610	10	>>	<20	30	0	39
7351	80		3.2	<u> </u>	3.96	20	100	3	41	180	86	11.8	<10	4184	8	<.01	49	1370	12	10	<20	128	307	691
7352	105		1.4	<u> </u>	3.15	55	130	<1	37	102	53	8.24	<10	6317	5	<.01	42	1080	<2	20	<20	308	177	125
7353	25		1.4	[1.72	50	75	<1	23	68	31	4.8/	<10	2463	3	<.01	29	740	2	10	<20	109	1_4	77
7354			<.2		4.21	95	200	<1	48	148	65	9.75	<10	2708	0	0.01	52	11.50	•	15	<20	136	305	113
7355	10		0.4		5.02	95	100	<1	44	141	63	9.85	<10	2452	4	0.01	48	1110	4	10	<20	107	307	115
/336	- 3		2.2		2.07	30	1/5		30	81	44	3.95	<10	1565	13-	<.01	.34	800	- 4		<20	122	1/2	84
/35/	235		1.0		4.52	200	90		40	142	39	10.5	<10	2434	3	0.01	50	1070	12	15	< 20	91	320	120
/338	30		0.8	<u> </u>	4.71	70	100		4/	152	57	10.0	<10	2341	3	<.01	30	1140	14	10	<20	14/	334	121
7339	3				3.07	30	22	1	33	115	09	9.07	<10	1279		<.01	.34	1160	14	15	<20	20	202	107
7300	- 20		2.0		1.33	< <u>></u>	80	3	12	42	11 (01	6.01	<10	002		< 01	6	1200	12	5	<20	-14	19	407
7361			62		1.13	125	43		7	70 90	67	6.09	<10	409	-14	< 01	3	1000	10	3	<20	- 7	59	167
7362			0.2		1.34	133	40	~~~	0	60	64	6.25	<10	4/6	<u> </u>	< 01	4	1440	20		~20	12	62	103
7305			1.0		1.27	120	33	~1	7	66	67	6.00	<10	434		< 01	- 0	1120	20	2	<20	14	47	207
7304			0.2		1.00	30	35		5	00 94	- 10	5.00	<10	595	<u>├</u>	< 01	2	11.50	34	~	<20	10	52	203
7303			20		1.00	35	35	- 7	5	60	35	6.44	<10	763	6	< 01	-1	1100	57	~	<20	12	70	405
7367	- 10		3.0		1 39	265	45	<1	7	40	71	74	<10	530	13	< 01	2	1380	10	10	<20	7	50	200
7367	5		2.4		1.30	205	65	1	7	40	70	8 20	<10	674	0	< 01	2	1500	8	<5	<20	6	77	166
7360	5	!	2.0	<u> </u>	1.0	10	65	- <u>-</u> 1	6	50	56	735	<10	601	10	< 01	1	1300	10	~ ~	<20	<i>°</i>	62	118
7403	1 .		2.2		3.13	20	35	<1	36	243	53	753	<10	407	6	0.03	101	7970	16	10	<20	21)	222	56
7402			0.6	<u> </u>	0.71	10	45		12	\$	5	513	<10	5026	7	< 01	3	1790	10	15	- 20	314	232	40
7403	5		0.0		0.15	35	95	<1	<1	92	<1	1 58	<10	46	6	0.02	1	30	12	10	<20	<1		1
7405	~		<pre>0.2</pre>	<u> </u>	0.12	15	75	<1	1	100		1.49	<10	97	Å	0.02	1		10	<5	< 20	7	-1	
7405	10		<2		0.55	530	30	<1	30	50	12	5.16	<10	113	7	<.01	5	670	20	<5	<20	7	30	27
7407	5		02		3.45	<5	100	1	26	94	88	7.4	<10	1169	6	0.03	47	3740	6	3	<20	175	160	107
7408	5		0.8		0.47	20	175	<1	10	27	50	4.09	<10	402	7	0.01	14	1110	22	<5	20	14	11	71
7409	5		0.6		0.22	175	55	<1	1	109	12	2.32	<10	32	8	0.01	3	80	10	<5	<20	6	1	5
7410	>1000	2.84	2.2		0.17	1570	30	<1	2	133	19	1.8	<10	51	9	<.01	4	30	18	105	<20	19	<1	36
7411	5		1.4	-	0.09	185	20	<1	17	63	26	5.87	<10	8	7	<.01	13	320	58	<5	<20	10	6	6
7412	5		<2		0.03	200	20	<1	20	39	22	6.5	<10	4	7	<.01	8	<10	32	<5	<20	13	1	6
7413	5		0.4		0.94	15	35	1	8	29	36	4.2	<10	360	18	<.01	16	600	10	<5	<20	4	66	193
7414	5		<.2		0.69	<5	25	1	20	26	63	8.33	<10	203	31	0.01	14	370	6	<5	<20	3	25	94
7415	<5		<.2		2.29	60	45	<1	20	53	12	>15	<10	612	46	10.0	8	290	<2	ব	<20	13	96	72
7416	5		2.4		0.55	50	25	<1	4	45	30	3.88	<10	42	49	0.01	17	660	10	<5	<20	6	54	104
7424	220		0.8		3.51	<5	30	<1	26	64	26	10,1	<10	3265	8	0.02	28	2580	50	<5	<20	17	123	180
7425	5		<.2		0.18	100	60	<1	<1	109	4	1.48	10	50	9	0.03	3	100	16	10	<20	43	<1	18
7426	5		<.2		0.18	130	40	<1	1	95	5	1.76	10	146	5	0.02	4	90	18	15	<20	82	<1	41
7427	365		0.6		0.16	1975	15	<1	1	71	4	2.24	<10	40	10	<.01	2	80	14	50	<20	16	<1	28
7428	5		<.2		0.22	250	25	<1	1	82	6	1.88	20	29	7	<.01	4	90	28	10	<20	14	<1	24
7429	765		0.2		0.17	320	60	<1	1	84	4	1.33	10	49	7	<.01	3	90	8	10	<20	20	<1	43
7430	570		0.2		0.17	2235	15	<1	2	72	5	2.9	<10	59	8	<.01	5	80	16	270	<20	19	<1	59
7431	60		2.4		0.24	555	20	<1	12	50	29	3.28	<10	50	6	<.01	18	10.30	40	<5	<20	39	6	42
7432	>1000	3.60	6.4	<u> </u>	0.19	265	35	<1	3	48	173	1.92	<10	162	3	<.01	5	240	26	<5	<20	42	1	90
7433	5		<.2		2.53	<5	80	1	24	70	30	7.13	10	958	5	0.03	30	4210	14	<	<20	258	195	90
7434	5		<.2	<u> </u>	2.67	15	110	1	34	87	103	8.24	<10	1259	7	0.02	40	1200	2	<5	<20	113	215	109
7435	5	L	<.2	ļ	2.53	<5	115	2	30	82	147	8.20	<10	1195	9	0.02	35	1280	<2	<5	<20	164	254	95
7436	5	ļ	<2	<u> </u>	0.51	70	80	2	7	45	20	3.44	<10	893	4	0.01	82	390	<2	10	<20	m	20	159
7437	10	ļ	0.4	L	0.44	<5	40	1	35	27	81	7.42	<10	2679	11	0.02	59	2170	6	10	<20	515	46	64
7438	5		1.2		0.26	15	45	2	25	47	154	8.12	<10	1621	10	0.02	24	1090	2	25	<20	290	134	145
7570	>1000	4.69	27.8	1	0.19	4695	85	<1	3	83	10	6.69	<10	11	15	<.01	3	40	18	180	20	3	<1	18
7571	5	L	<.2	L	0.19	310	30	<1	2	99	4	2.58	<10		15	0.01	3	90_	38	15	20	17	<1	98
7572	5	I	0.4	1	0.25	25	115	2	2	55	12	1.79	<10	82	12	0.03	4	240	18	<5	<20	13	2	27

*Note: All results are in ppm exept where indicated.

Tag	Au(ppb)	Au(g	/t) Ag	Ag(g/t)AJ%	As	Ba	Cd	Co	Cr	Cu	Fc%	La	Ma	Мо	Na%	Ni	Р	Pb	Sb	Sn	Sr	v	Za
7573	5		<.2		0.2	25	90	<1	1	90	8	1.41	<10	289	11	0.02	2	100	26	<5	<20	244	<1	55
7574	5		0.8		0.21	80	25	12	6	58	13	9.46	<10	55	22	0.01	8	<10	24	<5	60	10	4	17
7575	5		<2		2.91	15	55	1	28	78	90	7.94	0</td <td>796</td> <td>11</td> <td>0.03</td> <td>25</td> <td>1410</td> <td>6</td> <td><5</td> <td><20</td> <td>85</td> <td>183</td> <td>104</td>	796	11	0.03	25	1410	6	<5	<20	85	183	104
7576	5		0.4		0.69	5	55	<1	19	51	208	5.70	<10	1606	9	0.02	5	1190	<2	<5	<20	314	101	43
7577	5		<.2		2.23	<5	70	1	28	35	150	7.62	<10	1132	7	0.05	11	1010	<2	<5	<20	90	236	117
7583	5		0.4		0.46	30	65	2	4	105	15	1.86	<10	208	16	0.03	38	230	18	<5	40	8	16	621
7584	5		0.4		0.66	45	70	<1	<i< td=""><td>52</td><td>5</td><td>0.80</td><td><10</td><td>55</td><td>44</td><td>0.02</td><td>7</td><td>240</td><td>64</td><td>10</td><td><20</td><td>4</td><td>52</td><td>54</td></i<>	52	5	0.80	<10	55	44	0.02	7	240	64	10	<20	4	52	54
7705	>1000	8,51	0.8		0.1	105	30	<1	6	69	9	11.7	0</td <td>15</td> <td>11</td> <td><.01</td> <td>4</td> <td>1030</td> <td>4</td> <td><5</td> <td><20</td> <td>24</td> <td>8</td> <td>4</td>	15	11	<.01	4	1030	4	<5	<20	24	8	4
7706	180		<.2		0.13	145	25	<1	3	139	13	4.93	<10	64	8	<.01	5	1190	6	<5	<20	29	8	2
7707	20		<2		1.12	<5	45	<1	15	34	128	4.96	<10	627	6	0.01	10	1510	10	<5	<20	108	46	73
7708	<5	•	<.2	r (0.55	5	40	<1	29	34	94	6.39	<10	249	9	0.03	10	480	6	<5	<20	25	36	21
7709	<5		<.2		0.86	25	45	<1	1	78	34	1.77	<10	72	4	0.01	1	20	20	<5	<20	3	1	46
7710	5	~	<.2		2.38	<5	70	<1	13	67	8	6.33	<10	485	4	0.05	2	1170	2	<5	<20	187	291	205
7711	5		4		0.24	30	25	<1	23	64	212	6.86	<10	92	14	0.05	3	1420	20	<5	20	8	79	115
7712	5		1.8		0.12	1125	35	<1	18	79	84	12.7	<10	25	25	0.01	5	<10	20	<5	40	3	6	21
7713	5		1.4		0.13	<5	195	<1	4	112	79	3.21	<10	1023	2	0.01	2	660	8	5	<20	147	25	55
7714	5		1		0.17	<5	50	<1	3	94	38	3.02	<10	1082	7	<.01	4	560	4	<5	<20	109	9	48
7715	15		1.4		0.21	120	25	<1	7	76	30	10.9	<10	81	36	0.02	3	270	12	<5	40	16	5	17
7716	5		<.2		1.27	<5	50	<1	19	75	6	3.71	<10	269	3	0.06	4	1200	6	<5	<20	252	153	37
7717	5		<.2		0.49	ও	480	<1	<1	114	4	1.13	<10	384	1	0.02	5	170	20	ব	<20	183	6	61
7718	<5		<.2		0.79	5	20	<i< td=""><td>33</td><td>33</td><td>10</td><td>8.89</td><td><10</td><td>455</td><td>8</td><td>0.04</td><td><1</td><td>1400</td><td>2</td><td><5</td><td><20</td><td>14</td><td>276</td><td>59</td></i<>	33	33	10	8.89	<10	455	8	0.04	<1	1400	2	<5	<20	14	276	59
7719	5		0.2		0.28	10	35	<1	2	60	4	2.32	<10	189	4	0.02	2	120	24	<5	<20	6	5	29
7720	5		<.2		0.14	<5	35	<1	3	131	5	1.03	<10	130	<1	0.03	4	500	4	<5	<20	8	4	66
7721	5		<.2		0.62	10	25	<1	7	38	7	4.61	<10	320	14	0.01	2	1500]8	<	<20	24	7	40
7722	5		<.2		0.27	20	25	<1	9	56	13	5.1	<10	855	6	0.03	5	660	12	10	<20	434	36	65
7743	750		<.2		0.24	1030	150	<1	<1	81	3	1.81	<10	11	5	0.01	3	80	8	20	<20	3	<1	5
7744	>1000	1.61	9.6	-	0.18	1790	20	<1	3	82	5	5.03	<10	38	11	<.01	3	49	20	50	<20	3	<1	23
7745	5		<.2	-	0.17	315	20	<1	4	88	5	7.44	<10	83	18	<.01	6	110	14	<5	<20	30	<1	18
7746	>1000	2.37	>30	102.4	0.12	1095	55	<1	1	119	7	2.48	<10	29	10	< 01	4	70	36	35	40	10	<1	28
7747	650		4.2		0.19	1645	50	<1	2	66	4	3.09	<10	25	7	<.01	3	70	16	25	<20	4	<1	13
7748	620		7	[0.16	860	20	<1	2	105	6	2.52	<10	51	10	<.01	5	90	18	10	20	25	<1	28
7749	5		<.2		1.22	<5	65	<1	10	52	4	3.03	<10	651	3	0.03	5	710	24	5	<20	146	8	42
7750	5		0,4		0.13	125	20	<i< td=""><td>3</td><td>77</td><td>9</td><td>5.38</td><td><10</td><td>31</td><td>29</td><td>0.03</td><td>5</td><td>80</td><td>34</td><td><5</td><td><20</td><td>10</td><td><1</td><td>49</td></i<>	3	77	9	5.38	<10	31	29	0.03	5	80	34	<5	<20	10	<1	49
7751	<5		<.2		0 .17	15	95	<1	7	48	119	3.74	<10	12	<1	0.03	1	830	18	<	20	4	10	2
7752	<5		<.2		0.42	20	75	<1	11	39	12	3.75	<10	116	<1	0.03	1	1150	16	ব	<20	2	16	24
7753	ব		<.2		0.24	15	85	_<1	11	51	17	4.22	<10	21	<1	0.03	16	2230	8	<5	<20	10	14	5
7754	<5		<.2		0.2	15	95	<1	8	46	10	2.83	<10	19	<1	0.02	1	2340	8	<5	<20	13	9	4
7755	<5		<.2		0.23	15	140	<1	5	38	15	4.57	<10	48	<1	0.03	<]	1700	8	<5	<20	8	10	7
7756	<5		<.2		1.11	<5	110	1	6	15	14	9.27	<10	546	5	0.04	<1	2250	4	<5	<20	12	30	29
7757	<5		<.2		0.95	\$	75	<1	9	20	26	5.25	<10	308	1	0.04	<1	2150	12	<5	<20	7	43	20
7758	<5		0.8		0.29	<5	45	<1	3	44	13	1.07	<10	96	7	0.01	3	350	6	<5	<20	3	23	50
7759	<		0.6		0.69	<5	65	2	8	37	29	3.1	<10	229	12	0.01	7	630	8	<5	<20	2	31	162
7760	<5		0.4		0.52	<5	45	2	3	53	14	3.12	<10	182	12	0.01	2	650	6	<u></u>	<20	2	29	99
7761	<5		0.4		0.46	<5	50	1	4	60	18	2.18	<10	145	7	0.01	6	970	6	5	<20	6	22	80
7762	<5		0.4		0.6	<	60	<1	5	52	15	3.7	<10	216	7	0.01	3	900	8	<	<20	3	17	41
7763	<5		0.4		0.66	<	65	<1	5	34	21	3.16	<10	253	3	<.01	2	470	8	<5	<20	3	$ \mathbf{n} $	68
7764	<5		0.4		0.36	<5	45	<1	2	61	13	2.21	<10	111	5	0.01	3	320	6	<5	<20	1	17	42
7765	<5		0.4		0.43	<5	45	<1	1	66	_11	2.24	<10	123	9	<.01	2	690	4	<	<20	3	20	59
7804	5		<.2		0.56	<5	25	<1	3	156	15	2.28	<10	233	8	<.01	5	410	8	<5	<20	19	10	28
7805	5		<.2		0.74	35	35	<1	16	114	38	3.87	<10	364	7	<.01	6	1060	48	<5	<20	6	61	149
7890	5		0.6		0.35	35	55	2	16	29	80	4.80	<10	799	111	0.02	52	1910	10	<5	<20	308	34	105
7928	5		<.2		0.2	280	80	<1	<1	56	4	2.27	10	17	12	0.02	3	150	12	<5	<20	7	<1	5
7929	5		0.2	ļ	0.14	270	15	<1	2	73	4	4.15	<10	17	18	0.02	2	60	10	<5	<20	7	<1	4
7930	5		0.2	1	0.25	30	100	<1	<1	78	3	1.01	30	24	3	0.03	3	160	20	<5	<20	13	<1	3

Silt Samples

05-Dec-95

100 100 <th>Тая</th> <th>Au(nnb)</th> <th>Ag</th> <th>Al%</th> <th>As</th> <th>Ba</th> <th>Bi</th> <th>Ca%</th> <th>Cđ</th> <th>Co</th> <th>Cr</th> <th>Cu</th> <th>Fe%</th> <th>Mø%</th> <th>Mn</th> <th>Mo</th> <th>Ni</th> <th>Р</th> <th>Pb</th> <th>Sb</th> <th>Sn</th> <th>Ti%</th> <th>H</th> <th>7n</th>	Тая	Au(nnb)	Ag	Al%	As	Ba	Bi	Ca%	Cđ	Co	Cr	Cu	Fe%	Mø%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	H	7n					
900 -5 101 10 10 10 10<	3001	<	1.4	2.1	30	200	5	0.56	8	27	21	62	5.98	0.58	1834	10	62	1680	20	<	<20	0.05	<10	476					
93 93 94 95 95 94 95<	3002	<	02	3.33	<5	120	5	0.68	7	46	44	38	5.13	0.93	2076	4	135	1150	18	<	<20	0.08	<10	620					
Set A C C D <thd< th=""> D D D</thd<>	3003	<5	0.8	1.6	<5	190	5	0.43	8	25	23	62	5.94	0.69	1569	12	136	1060	14	<5	<20	0.04	<10	608					
3b36 -5.5 -1 3 5 -1 5 -5 16 15 5 5 16 15 16 15 16 15 16 </td <td>3004</td> <td><</td> <td>0.4</td> <td>2.79</td> <td><5</td> <td>180</td> <td>5</td> <td>0.83</td> <td><1</td> <td>20</td> <td>20</td> <td>43</td> <td>6.49</td> <td>1.05</td> <td>2742</td> <td>4</td> <td>22</td> <td>770</td> <td>36</td> <td><5</td> <td><20</td> <td>0.08</td> <td><10</td> <td>219</td>	3004	<	0.4	2.79	<5	180	5	0.83	<1	20	20	43	6.49	1.05	2742	4	22	770	36	<5	<20	0.08	<10	219					
3.50 3.51 1.0 4.60 4.1 6.7 5.7 2.00 910 2.0	3005	<5	<2	1.77	<5	150	<5	2.56	<1	16	5	50	2.92	0.53	679	<1	11	1130	6		<20	0.1	<10	67					
mode cos 1.1 6.5 1.0 <td>3006</td> <td><5</td> <td>1</td> <td>34</td> <td><5</td> <td>235</td> <td>10</td> <td>1 42</td> <td>4</td> <td>64</td> <td>21</td> <td>57</td> <td>5.12</td> <td>0.64</td> <td>7512</td> <td>2</td> <td>- 77</td> <td>1400</td> <td>26</td> <td><5</td> <td>20</td> <td>0.14</td> <td><10</td> <td>480</td>	3006	<5	1	34	<5	235	10	1 42	4	64	21	57	5.12	0.64	7512	2	- 77	1400	26	<5	20	0.14	<10	480					
matrix matrix<	3007	~	0.2	212	65	260	15	1.00		26	22	71	1111	0.71	2518	7	33	830	8	<5	40	0.13	<10	105					
bos bos <td>3008</td> <td></td> <td>1.2</td> <td>3 30</td> <td><5</td> <td>315</td> <td><5</td> <td>0.05</td> <td>3</td> <td>20</td> <td>10</td> <td>41</td> <td>5.27</td> <td>0.71</td> <td>6771</td> <td>4</td> <td>28</td> <td>1110</td> <td>10</td> <td>5</td> <td>20</td> <td>0.06</td> <td><10</td> <td>247</td>	3008		1.2	3 30	<5	315	<5	0.05	3	20	10	41	5.27	0.71	6771	4	28	1110	10	5	20	0.06	<10	247					
bolo bolo <th< td=""><td>2000</td><td>~5</td><td>0.6</td><td>1.35</td><td>20</td><td>140</td><td>~ ~ ~</td><td>0.50</td><td></td><td>16</td><td>14</td><td>74</td><td>1.57</td><td>0.71</td><td>1660</td><td></td><td>11</td><td>1640</td><td>20</td><td></td><td>40</td><td>0.00</td><td><10</td><td>120</td></th<>	2000	~5	0.6	1.35	20	140	~ ~ ~	0.50		16	14	74	1.57	0.71	1660		11	1640	20		40	0.00	<10	120					
bolis c-3 c-4 c-4 <thc-4< th=""> <thc-4< td="" th<=""><td>2010</td><td>></td><td>0.0</td><td>7.99</td><td>20</td><td>205</td><td>10</td><td>2.00</td><td>1</td><td>10</td><td></td><td>20</td><td>4.07</td><td>0.10</td><td>2705</td><td></td><td>25</td><td>050</td><td>10</td><td></td><td>40</td><td>0.04</td><td></td><td>120</td></thc-4<></thc-4<>	2010	>	0.0	7.99	20	205	10	2.00	1	10		20	4.07	0.10	2705		25	050	10		40	0.04		120					
b)11 (-3) (-3) (-3) (-3) (-3) (-1) (-3) (-1) <th< td=""><td>3010</td><td></td><td>0.2</td><td>2.00</td><td>- 10</td><td>203</td><td>10</td><td>2.09</td><td>1</td><td>19</td><td>- 21</td><td>19</td><td>4.04</td><td>0.72</td><td>1004</td><td>4</td><td></td><td>300</td><td>12</td><td><u> </u></td><td>~20</td><td>0.11</td><td></td><td>266</td></th<>	3010		0.2	2.00	- 10	203	10	2.09	1	19	- 21	19	4.04	0.72	1004	4		300	12	<u> </u>	~20	0.11		266					
balls cs cs cs cs c	2017			1.64	30	170		0.52		24	20	1/9	0.12	1.01	1224		29	1210	20	5	20	0.03		230					
and cs cs lo	3012	0	0.2	1.71	40	140	<u></u>	0.46	~	21	19	10	6.21	0.97	1319	0	. 31	1310	32	0	20	0.02		333					
3016 2 10 0.2 1 2 10 1.2 10 2.2 10 0.2 10.2 <th10.2< th=""> 10.2 10.2<td>3013</td><td>0</td><td><.2</td><td>1.24</td><td>145</td><td>90</td><td>10</td><td>165</td><td>8</td><td>15</td><td>25</td><td>26</td><td>4.3</td><td>0,4</td><td>202</td><td>9</td><td>23</td><td>1300</td><td>18</td><td>20</td><td>~20</td><td>0.08</td><td><10</td><td>196</td></th10.2<>	3013	0	<.2	1.24	145	90	10	165	8	15	25	26	4.3	0,4	202	9	23	1300	18	20	~20	0.08	<10	196					
abis <td>3014</td> <td><</td> <td><.2</td> <td>1.47</td> <td>75</td> <td>125</td> <td>10</td> <td>0.9</td> <td>3</td> <td>14</td> <td>25</td> <td>17</td> <td>4.2</td> <td>0.92</td> <td>2182</td> <td>7</td> <td>81</td> <td>840</td> <td>10</td> <td><5</td> <td><20</td> <td>0.11</td> <td><10</td> <td>794</td>	3014	<	<.2	1.47	75	125	10	0.9	3	14	25	17	4.2	0.92	2182	7	81	840	10	<5	<20	0.11	<10	794					
3016 <td>3015</td> <td><</td> <td><.2</td> <td>1.71</td> <td>215</td> <td>175</td> <td>10</td> <td>0.57</td> <td>1</td> <td>21</td> <td>47</td> <td>45</td> <td>5.82</td> <td>0.97</td> <td>1747</td> <td>20</td> <td>63</td> <td>870</td> <td>14</td> <td><5</td> <td><20</td> <td>0.05</td> <td><10</td> <td>432</td>	3015	<	<.2	1.71	215	175	10	0.57	1	21	47	45	5.82	0.97	1747	20	63	870	14	<5	<20	0.05	<10	432					
3017 <td>3016</td> <td><5</td> <td>0.4</td> <td>2.08</td> <td>365</td> <td>290</td> <td>10</td> <td>0.81</td> <td><]</td> <td>27</td> <td>41</td> <td>52</td> <td>7.71</td> <td>0.91</td> <td>3621</td> <td>20</td> <td>40</td> <td>1170</td> <td>18</td> <td><5</td> <td><20</td> <td>0.05</td> <td><10</td> <td>193</td>	3016	<5	0.4	2.08	365	290	10	0.81	<]	27	41	52	7.71	0.91	3621	20	40	1170	18	<5	<20	0.05	<10	193					
5019 < <th><<th><<th><<th><<th><<t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<></th></th></th></th></th>	< <th><<th><<th><<th><<t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<></th></th></th></th>	< <th><<th><<th><<t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<></th></th></th>	< <th><<th><<t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<></th></th>	< <th><<t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<></th>	< <t< td=""><td>3017</td><td>ব</td><td><2</td><td>1.97</td><td>200</td><td>255</td><td>10</td><td>0.7</td><td><1</td><td>26</td><td>53</td><td>43</td><td>7.02</td><td>1.02</td><td>2100</td><td>11</td><td>32</td><td>1010</td><td>16</td><td>ব</td><td><20</td><td>0.05</td><td><10</td><td>126</td></t<>	3017	ব	<2	1.97	200	255	10	0.7	<1	26	53	43	7.02	1.02	2100	11	32	1010	16	ব	<20	0.05	<10	126
9000 < <th><<th><<th><<th><<th><<t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<></th></th></th></th></th>	< <th><<th><<th><<th><<t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<></th></th></th></th>	< <th><<th><<th><<t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<></th></th></th>	< <th><<th><<t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<></th></th>	< <th><<t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<></th>	< <t< td=""><td>3018</td><td>ব</td><td><2</td><td>1.43</td><td>60</td><td>120</td><td><5</td><td>0.74</td><td><1</td><td>19</td><td>43</td><td>47</td><td>4.62</td><td>1.05</td><td>1010</td><td>5</td><td>79</td><td>1020</td><td>10</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>154</td></t<>	3018	ব	<2	1.43	60	120	<5	0.74	<1	19	43	47	4.62	1.05	1010	5	79	1020	10	ব	<20	0.02	<10	154
3020 < <th><<th><<th><<th><<th><<t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<></th></th></th></th></th>	< <th><<th><<th><<th><<t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<></th></th></th></th>	< <th><<th><<th><<t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<></th></th></th>	< <th><<th><<t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<></th></th>	< <th><<t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<></th>	< <t< td=""><td>3019</td><td>ব</td><td><2</td><td>1.78</td><td>35</td><td>110</td><td><5</td><td>0.29</td><td><1</td><td>21</td><td>72</td><td>37</td><td>4</td><td>1.31</td><td>841</td><td>3</td><td>97</td><td>820</td><td>12</td><td>ব</td><td><20</td><td>0.02</td><td><10</td><td>109</td></t<>	3019	ব	<2	1.78	35	110	<5	0.29	<1	21	72	37	4	1.31	841	3	97	820	12	ব	<20	0.02	<10	109
3021 < 15 16 12 15 15 16 11 12 13 11 12 13 11 12 13 11 12 13 13 14 14 15 13 13 14 14 15 13 13 14 14 15 13 13 14 14 15 13 </td <td>3020</td> <td><5</td> <td><.2</td> <td>1.88</td> <td>20</td> <td>135</td> <td><5</td> <td>0.3</td> <td><1</td> <td>25</td> <td>79</td> <td>44</td> <td>4.21</td> <td>1.37</td> <td>982</td> <td>3</td> <td>106</td> <td>890</td> <td>14</td> <td><5</td> <td><20</td> <td>0.02</td> <td><10</td> <td>117</td>	3020	<5	<.2	1.88	20	135	<5	0.3	<1	25	79	44	4.21	1.37	982	3	106	890	14	<5	<20	0.02	<10	117					
3022 - - 1	3021	<5	<.2	1.56	15	85	<5	0 34	<1	22	60	35	3 79	1.11	788	3	94	770	12	<5	<20	<.01	<10	102					
3025 (~5) (-2) (-1) <th< td=""><td>3022</td><td>ব</td><td><.2</td><td>1.72</td><td>15</td><td>130</td><td><5</td><td>0.34</td><td><]</td><td>22</td><td>63</td><td>36</td><td>3.9</td><td>1.21</td><td>837</td><td>3</td><td>94</td><td>800</td><td>14</td><td>5</td><td><20</td><td>0.01</td><td><10</td><td>105</td></th<>	3022	ব	<.2	1.72	15	130	<5	0.34	<]	22	63	36	3.9	1.21	837	3	94	800	14	5	<20	0.01	<10	105					
3024 13 14 33 47 99 404 0.72 1308 4 9 120 14 -5 200 10 100 1	3023	ব	<.2	1.92	20	155	<5	0.32	<1	24	68	37	4.05	1.32	973	3	99	810	14	10	<20	0.02	<10	116					
3025 2 2 1 15 185 2 6 0 4 4 124 124 124 124 124 124 124 124 124 124 124 125 100 <	3024	ব	0.6	2.05	15	215	<5	1.3	1	33	47	39	4.04	0.72	3088	4	95	1220	14	ব	<20	0.03	<10	185					
3026 < < < < < < < < < < < <th<< td=""><td>3025</td><td><5</td><td><.2</td><td>2.13</td><td>15</td><td>185</td><td><5</td><td>0.33</td><td><1</td><td>26</td><td>70</td><td>43</td><td>4.39</td><td>1.4</td><td>1284</td><td>3</td><td>103</td><td>890</td><td>14</td><td>ব</td><td><20</td><td>0.03</td><td><10</td><td>124</td></th<<>	3025	<5	<.2	2.13	15	185	<5	0.33	<1	26	70	43	4.39	1.4	1284	3	103	890	14	ব	<20	0.03	<10	124					
3027	3026	<	<.2	1.8	15	105	<5	0.3	<1	20	68	30	3.68	1.24	843	1	83	770	14	3	<20	0.04	<10	93					
3028 <	3027	<5	<2	1.82	30	110	10	0.49	<1	19	45	15	5.3	0.94	1100	2	53	570	12	ব	<20	0.12	<10	80					
3029 <	3028	<5	<.2	2.23	10	130	5	0.57	<1	10	44	26	2.92	0.81	541	<1	59	710	14	<5	<20	0.09	<10	100					
3030 <5 <2 1.99 10 240 <5 0.68 <1 17 34 12 3.59 0.81 1947 <1 67 610 12 <5 20 0.12 <10 133 3031 <5 < <<	3029	ব	<.2	1.99	10	150	<5	0.61	<1	19	52	32	3.51	0.93	1063	3	82	920	14	<5	<20	0.03	<10	153					
3031 3031 < <td>3030</td> <td><</td> <td><.2</td> <td>1.99</td> <td>10</td> <td>240</td> <td><5</td> <td>0.68</td> <td><1</td> <td>17</td> <td>34</td> <td>12</td> <td>3.59</td> <td>0.81</td> <td>1947</td> <td><1</td> <td>67</td> <td>610</td> <td>12</td> <td>3</td> <td><20</td> <td>0.12</td> <td><10</td> <td>153</td>	3030	<	<.2	1.99	10	240	<5	0.68	<1	17	34	12	3.59	0.81	1947	<1	67	610	12	3	<20	0.12	<10	153					
3032 < 75 10 0.63 < 18 59 16 3.56 1.23 713 62 590 12 <5 0.0 <10 115 3033 <5	3031	ব	<2	1.79	<5	130	5	0.73	3	24	40	18	3.31	0.86	2923	<1	64	950	16	<5	<20	0.09	<10	116					
3033 <1	3032	ব	<.2	1.91	ব	75	10	0.63	<1	18	59	16	3.56	1.23	713	<1	62	590	12	<5	20	0.16	<10	80					
3034 <5 <2 2.06 20 115 5 0.32 <1 24 72 36 4.03 1.24 943 2 91 800 14 <5 <20 0.05 <10 3035 <5	3033	ব	<.2	2.07	10	125	5	0.6	<1	20	63	21	3.6	1.09	1595	3	79	640	12	<5	<20	0.06	<10	115					
3035 < 1	3034	3	<2	2.06	20	115	5	0.32	<1	24	72	36	4.03	1.24	943	2	91	800	14	ব্য	<20	0.05	<10	103					
3036 10 < 2 1.25 < 5 45 10 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 < 1 <td>3035</td> <td><5</td> <td>< 2</td> <td>1.65</td> <td>5</td> <td>65</td> <td>35</td> <td>0 19</td> <td><1</td> <td>17</td> <td>110</td> <td>28</td> <td>775</td> <td>0.16</td> <td>100</td> <td><1</td> <td>13</td> <td>150</td> <td><2</td> <td><5</td> <td>20</td> <td>0.66</td> <td>40</td> <td>37</td>	3035	<5	< 2	1.65	5	65	35	0 19	<1	17	110	28	775	0.16	100	<1	13	150	<2	<5	20	0.66	40	37					
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3036	10	<2	1.25	<5	45	10	0.16	<1	9	45	17	4 53	017	72	1	14	190	12	<5	20	0.22	10	46					
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3037	20	< 2	6.29	~	70	15	0.10	<1	32	307	41	10.7	0.68	338	<1	84	450	36	-5	<20	0.53	20	96					
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3037		<2	1.49	15	130	10	0.67	;	19	 	46	4.45	1.02	025	5	84	1000	14	-5	~~~	0.03	<10	150					
3039 (-5) (-2) (-2) (-3) (-3) (-3) (-1) (-3) (-1) $(-1$	2020	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~2	1.40	13	130	10	0.07	1	10	59	40	2.45	1.02	1419	2	100	060	14		~~~	0.03	<10	156					
3041 < 2 1.46 < 2 1.53 < 5 < 0.63 < 2 < 1.63 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67 < 0.67	2040	~~~~	<2	1.02		145	5	0.65	2	19	10	12	1 11	1.12	807	5	86	080	14		~~~	0.01	<10	158					
3041 5 2 1.3 1.0 2.0 5.3 0.43 5.1 12 9.2 4.53 1.0 5.7 5.3 1140 14 5.5 0.04 6.10 148 3042 <5 <2 1.45 <5 140 <5 0.72 2 18 46 44 4.48 101 942 5 85 1040 16 10 <20 0.03 <10 155 3043 <5 <2 1.41 20 125 <5 0.61 <1 17 47 41 4.32 0.99 770 4 78 1050 12 <5 0.0 <10 146 3044 10 <2 1.43 10 135 <5 0.63 <1 17 47 41 4.32 0.99 770 4 78 1050 12 <5 0.0 0.02 <10 146 3045 20 <2 1.41 10 135 <5 0.63 1 17 47 42 4.4 0.99 829 5 80 1040 14 <5 20 0.02 <10 148 3046 10 0.44 1.37 <5 155 <5 2.38 3 16 33 51 2.14 0.51 1389 2 68 123 14 <5 20 0.01 <10 3047 20 <2 1.6 1.5	2041		~4	1.40	14	133		0.00	4	10	57	42	4.41	1.04	071		00	200	14		20	0.03	210	1/12					
3042 < 5 < 2 145 < 5 < 140 < 5 < 0.72 < 2 < 18 < 46 < 444 < 1.01 < 942 < 5 < 85 < 104 < 10 < 40 < 0.05 < 10 < 10 3043 < 5 < 2 < 1.41 20 < 125 < 5 0.61 < 1 17 47 41 4.32 0.99 770 4 78 1060 12 < 5 < 0.03 < 10 146 3044 10 < 2 < 1.43 10 135 < 5 0.63 < 1 17 47 41 4.32 0.99 770 4 79 990 12 < 5 < 0.0 < 10 146 3045 20 < 2 < 1.41 10 130 5 0.63 < 1 17 47 42 44 0.99 829 5 80 100 14 < 5 < 0.0 < 10 148 3046 10 0.4 1.37 < 5 155 < 5 2.38 3 16 33 51 2.14 0.51 1389 2 68 1230 14 < 5 < 00 0.06 < 10 137 3047 20 < 2 1.6 35 165 < 5.25 2.52 2 21 45 125 976 3 61 1640 20 10 20 0.06 < 10 125 3048 15 < 2	3041	0		1.54	15	210		0.45		19	32	43	4.69		811	<u> </u>	85	1140	14		20	0.04	1	140					
3043 45 42 1.41 2.0 1.25 45 0.61 41 41 4.32 0.99 7/0 4 78 105 12 45 420 6.03 41 41 4.32 0.99 7/0 4 78 1050 12 45 420 6.03 41 41 4.32 0.99 7/0 4 79 990 12 45 420 0.03 41 430 3045 20 <2	3042		<.2	1.45	0	140	<u> </u>	0.72	- 2	18	40	44	4.40	1.01	770	~	80	1040	10	10	~20	0.03		146					
3044 10 $< < 2$ 1.43 10 1.35 $< < 5$ 0.63 < 1 17 48 42 4.36 1 79 44 79 990 12 $< < < < 0$ 0.02 < 10 146 3045 20 $< < 2$ 1.41 10 130 5 0.63 1 17 47 42 44 0.99 829 5 80 1040 14 < 5 20 0.02 < 10 148 3046 10 0.44 1.37 < 5 155 < 5 2.38 3 16 33 51 2.14 0.51 1389 2 68 1230 14 < 5 20 0.02 < 10 137 3047 20 < 2 1.6 35 165 < 5 2.52 2 21 45 72 4.69 1.25 976 3 61 1640 20 10 20 0.02 < 10 125 3048 15 < 2 0.76 10 155 < 5 2.52 2 15 5 48 5.1 0.28 699 13 31 890 16 < 5 20 < 0.1 12 2 2 0.16 < 2 0.01 < 10 212 3049 < 5 < 2 0.76 1.3 10 15 1.46 30 40 4.7 0.68 1979 8 62 980 12 < 5	3043		<.2	1.41	20	125	0	0.01		17	4/	41	4.32	0.99	770	4	78	1050	12		<20	0.03	-10	140					
304520 < 2 1.41 10 130 < 5 0.63 < 1 17 47 42 44 0.59 829 < 5 80 1040 14 < 5 < 20 0.02 < 10 148 3046100.4 1.37 < 5 155 < 2 2.38 3 16 33 51 2.14 0.51 1389 2 68 1230 14 < 5 < 20 0.01 < 10 137 3047 20 < 2 1.6 35 165 < 5 2.52 2 21 45 72 4.69 1.25 976 3 61 1640 20 10 < 20 0.01 < 20 10 20 0.08 < 10 125 3047 20 < 2 0.76 10 155 < 5 0.79 2 15 5 48 5.1 0.28 699 13 31 890 16 < 5 < 20 < 0.01 < 10 212 3049 < 5 < 2 1.32 10 390 < 5 0.52 2 15 34 40 4.7 0.68 1979 8 62 980 12 < 5 < 20 0.01 < 10 213 3050 10 0.6 1.75 5 205 < 5 2.59 < 1 12 7 43 2.83 0.17 140 10 16 < 20 0.01 $<$	3044	10	<.2	1.43	10	135	<	0.63	<1	17	48	42	4.30		/91	4	/9	990	12	0	<20	0.02		140					
3046100.41.37 < 5 155 < 5 2.38 3 16 33 51 2.14 0.51 1389 2 68 1230 14 < 5 < 20 0.01 < 10 137 3047 20 < 2 1.635165 < 5 2.52 22145 72 4.69 1.25 976 3 61 1640 20 10 < 20 0.08 < 10 125 3048 15 < 2 0.76 10155 < 5 0.79 2155 48 5.1 0.28 699 13 31 890 16 < 5 < 20 < 0.08 < 10 212 3049 < 5 < 2 1.32 10 390 < 5 < 0.52 2 15 5 48 5.1 0.28 699 13 31 890 16 < 5 < 20 < 0.01 < 10 212 3049 < 5 < 2 1.32 10 390 < 5 0.52 2 15 34 40 4.7 0.68 1979 8 62 980 12 < 5 < 20 0.01 < 10 212 3050 10 0.66 1.75 5 205 < 5 2.59 < 1 12 7 43 2.83 0.17 1430 4 15 140 10 < 5 < 20 0.01 < 10 3051 < 5	3045	20	<.2	1.41	10	130	5	0.63		17	47	42	4.4	0.99	829	<u>}</u>	80	1040	14		<20	0.02	10	148					
3047 20 <22 1.6 35 165 <5 2.52 2 21 45 72 4.69 1.25 976 3 61 1640 20 10 <20 0.08 <10 125 3048 15 <22 0.76 10 155 <5 0.79 2 15 5 48 51 0.28 699 13 31 890 16 <5 <20 <0.0 <10 212 3049 <5 <22 1.03 390 <5 0.52 2 15 34 40 4.7 0.68 1979 8 62 980 12 <5 <20 0.01 <10 213 305 10 0.6 1.75 5 205 <5 0.85 4 16 30 40 4.36 0.57 1400 7 59 1310 18 <5 <20 0.01 <10 206 305	3046	10	0.4	1.37	<	155	<	2.38	3	16	33	51	2.14	0.51	1389	2	68	1230	14	0	<20	0.01	<10	137					
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3047	20	<.2	1.6	35	165	<5	2.52	2	21	45	72	4.69	1.25	976	3	61	1640	20	10	<20	0.08	<10 	125					
3049 <5 <2 1.32 10 390 <5 0.52 2 15 34 40 4.7 0.68 1979 8 62 960 12 <5 <20 0.01 <10 213 3050 10 0.6 1.75 5 205 <5	3048	15	<2	0.76	10	155	<	0.79	2	15	5	48	5.1	0.28	699	13	31	890	16	<	<20	<.01	<10 	212					
3050 10 0.6 1.75 5 205 <5 0.85 4 16 30 40 4.36 0.57 1400 7 59 1310 18 <5 <20 0.02 <10 306 3051 <5	3049	<5	<2	1.32	10	390	<	0.52	2	15	34	40	4.7	0.68	1979	8	62	980	12	<	<20	0.01	<10	213					
3051	3050	10	0.6	1.75	5	205	<5	0.85	4	16	30	40	4.36	0.57	1400	7	59	1310	18	<5	<20	0.02	_<10	306					
3052 140 5 0.83 2 14 5 45 4.98 0.26 583 13 29 880 14 <5 <50 <50 <50 <51 <51 <51 <51 <51 <51 <51 <51 <51 <51 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <52 <53 <52 <th< td=""><td>3051</td><td>ব</td><td><2</td><td>0.47</td><td>ব</td><td>265</td><td><</td><td>2.59</td><td><1</td><td>12</td><td>7</td><td>43</td><td>2.83</td><td>0.17</td><td>1439</td><td>4</td><td>15</td><td>1140</td><td>10</td><td><</td><td><20</td><td>0.01</td><td><10</td><td>79</td></th<>	3051	ব	<2	0.47	ব	265	<	2.59	<1	12	7	43	2.83	0.17	1439	4	15	1140	10	<	<20	0.01	<10	79					
3053 25 <2 0.72 10 130 <5 0.84 3 15 5 45 5.23 0.24 635 14 31 930 16 <5 <20 <01 217 3054 <5	3052	ব	<.2	0.73	15	140	5	0.83	2	14	5	45	4.98	0.26	583	13	29	880	14	<5	<20	<.01	<10	200					
3054 <5 <2 0.7 10 130 <5 0.9 1 15 4 46 5.3 0.24 657 15 33 810 16 <5 <20 <01 <10 215 3055 <5	3053	25	<.2	0.72	10	130	<5	0.84	3	15	5	45	5.23	0.24	635	14	31	930	16	<5	<20	<.01	<10	217					
3055 <5 <2 1.13 25 165 <5 1.01 <1 20 11 76 5.04 0.5 877 5 22 1680 20 <5 <20 <01 <10 130	3054	ব	<.2	0.7	10	130	<	0.9	1	15	4	46	5.3	0.24	657	15	33	810	16	ব	<20	< 01	<10	215					
	3055	ব	<.2	1.13	25	165	ব	1.01	<1	20	11	76	5.04	0.5	877	5	22	1680	20	ব	<20	<01	<10	130					

*Note: All results are in PPM exept where indicated.

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Мо	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
3056	10	<.2	1.3	25	185	<5	0.96	<1	20	13	81	5.05	0.61	900	5	22	1740	22	<5	<20	<.01	<10	124
3057	ব	<2	0.44	20	185	<5	0.72	<1	17	3	37	3.54	0.06	771	5	13	1070	16	<5	<20	<01	<10	66
3058	15	<.2	2.12	<5	215	<5	0.72	1	20	39	95	4.77	1.08	1242	5	60	2010	22	<5	<20	0.03	<10	143
3059	<5	<.2	1.34	ব	255	ব	0.77	<1	19	7	29	3.98	0.43	735	5	11	990	18	<	<20	<.01	<10	81
3060	ব	<2	0.83	10	75	<	0.48	<]	19	12	45	3.65	0.29	467	4	24	760	18	<	<20	<.01	<10	90
3061	<5	<.2	1.94	20	160	ব	0.86	<1	19	26	83	5.13	1.07	1503	4	21	1620	12	<5	<20	0.03	<10	106
3062	<5	<2	1.28	105	240	5	1.19	<1	19	24	76	4.55	0.59	1413	3	21	1520	28	<	<20	0.03	<10	93
3063	175	<2	1.28	65	55	<	3.06	<1	17	33	74	4.01	1.17	662	2	27	1760	16	15	<20	0.05	<10	75
3064	<5	<.2	1.47	15	75	<5	2.1	<1	17	31	73	4.47	1.22	638	2	26	1640	18	5	<20	0.05	<10	90
3065	3	<2	1.4	30	80	<	3.65	<1	16	34	75	3.7	1.26	786		28	1910	12	10	<20	0.06	<10	79
3066	<	0.2	1.18	30	100	<5	4.06	<1	16	24	88	4.42	1.23	1098	3	26	1890	22	15	<20	0.02	<10	109
3067	0	<2	1.33	<	155	<	0.75	<1	15	15	53	4.39	0.86	891	3	14	1720	12	5	<20	0.06	<10	88
3068	0	<.2	1.5	0	135	<u></u>	0.72	<1	15	10	51	4.69	0.95	897	4	16	1920	8	<	<20	0.05	<10	87
3069	0	<.2	1.57	0	105	0	1.06	<1	14	20	38	3.72	1.03	728	1	11	1880	8	10	<20	0.07	<10	62
3070		<.2	1.09	0	140	<u></u>	0.0		17	10	37	5.21	0.92	1459	0	22	1480	10		<20	0.03	<10	107
3071	0	~2	1.32	0	150	S → 1	0.75		10	15	37	4.3	0.95	830		12	1430		0	~20	0.11	<10	93
2072	0	0.4	1.42	2	230	0	1.21	1	15	10	4/	5.84	0.33	1272	0	34	9/0	8	0	20	0.02	<10	134
3073		0.4	1.50	10	790		1.19		14	16	78	6.02	0.07	1406		19	2100	10		20	0.08		101
3075		6.2	1.39	10	230	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1.10		12	16	76	202	0.51	700	2	10	2100	14	3	20	0.03	<10	87
3076		< 2	1 14	5	65	<5	2.55	1	13	17	60	3.94	0.04	650		16	1760	2		20	0.04	<10	64
3077	<	0.6	1.13	70	80	20	0.88	2	41	$-\frac{1}{1}$	17	13	0.31	4109	40	5	1230	0	13	20	0.07	<10	123
3078	<5	0.4	3.05	40	190	10	1.09	2	47	3	17	10.4	0.79	3625	14	8	1720	18	1	<20	0.02	<10	278
3079		0.2	1.92	ব	150	10	3.25	1	32	2	11	5.52	0.65	3190	6	4	1570	10	3	<20	0.01	<10	226
3080	<5	<2	1.68	20	210			<1	19	19	32			1194	5	25	970	18	1	<20	0.07	<10	136
3081	<5	0.4	3.13	10	85			<1	26	32	31			2478	13	22	2870	32	<	<20	0.08	<10	133
3082	ব্য	0.4	1.69	15	155			<1	19	22	30			1502	5	24	1290	18	3	20	0.10	<10	107
3083	ব	0.2	0.84	15	240			<1	6	7	12			1000	<1	7	1240	12	10	<20	0.05	<10	52
3084	<5	<2	2.54	ব	150			<1	37	12	14			707	<1	22	920	12	15	<20	0.58	<10	67
3085	ব	<2	0.62	10	240			<1	7	6	8			387	<1	7	1000	4	10	<20	0.10	<10	27
3086	ব	<.2	2.22	ও	160	L		<1	31	20	26			4083	<1	26	1220	30	5	<20	0.27	<10	102
3087	<5	0.6	1.65	25	180			13	24	15	66			2881	23	115	1330	16	<	<20	0.04	<10	818
3088	ব	2.0	0.83	165	275			31	39	9	69			>10000	37	640	1020	20	15	<20	0.02	<10	4424
3089	ব	<2	1.70	20	140			2	28	14	26			1992	4	33	750	20	ব	<20	0.30	<10	216
3090	4	0.6	1.78	5	255	ļ		2	42	12	24			5768	2	17	1720	22	<	<20	0.19	<10	77
3091	<5	<2	2.10	<5	85			<1	23	18	15	<u> </u>		1448	<1	15	2090	18	<	<20	0.28	<10	65
3092	<u></u>	<2	2.24	15	10		0.60	<1	25	21	17	6.50	0.01	1505	/	10	1570	24		<20	0.21	<10	0/
3093		<2	2.1	33	185	20	0.59	1	17	17	22	86.0	1.46	1435	8 <1	10	1030	10		20	0.05	<10	113
3094		02	1.98	75	85	20	0.98		29	12	20	2.82	1.40	1020	16	12	2220	10	10		0.39	<10	157
2006	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	- 0.2 	1.75		100	10	0.15		27	10	15	1.57	1.02	607		12	1050	14		20	0.02	<10	57
3097		< 2	7.45	<5	105	20	146	1	38	10	14	6.42	1.02	1276		20	1010	6	10	<20	0.5	<10	79
3098	ব	<.2	2.24	10	125	15	0.6	<1	19	18	15	6.41	0.75	1507	6	15	1020	10	<5	20	0.12	<10	94
3101	5	0.4	0.76	5	15	<5	0.79	26	8	18	59	2.27	0.23	137	4	69	560	64	3	20	0.02	<10	973
3102	<5	0.2	1.96	40	85	5	0.5	<1	28	25	33	3.68	0.71	2541	14	27	1020	24	1	20	0.06	<10	97
3103	<5	<2	1.91	50	75	15	1.24	<1	26	15	16	4.47	1.18	844	7	22	730	10	<5	<20	0.28	<10	89
3104	<5	<2	1.83	<5	110	10	0.64	<1	34	39	11	4.46	0.9	2727	<1	54	580	10	<5	<20	0.17	<10	112
3105	ব	<2	2.4	<5	110	25	1.2	<1	31	34	18	4.51	1.59	581	<1	44	800	12	5	<20	0.44	<10	94
3106	10	<.2	1.22	45	180	ব	0.75	<1	22	14	91	5.69	0.54	1064	5	26	1980	30	<	<20	<.01	<10	167
3107	ব	0.2	1.02	75	170	<	0.9	<1	29	14	124	6,48	0.42	1354	7	30	2440	40	<	<20	0.01	<10	203
3108	15	0.2	1.01	40	205	ব	0.84	1	27	13	142	6.2	0.43	1477	6	29	2510	78	<5	<20	0.02	<10	274
3109	\$	<.2	1.72	<5	95	ব	0.32	2	25	46	45	4.24	0.92	1183	5	77	800	12	<	<20	0.01	<10	202
3110	<	<.2	1.41	<5	105	<5	0.49	<1	21	22	34	5.2	0.83	1350	3	39	950	12	<	<20	0.09	<10	110
3111	<5	<.2	1.82	ব	155	<5	0.79	4	21	18	27	4.31	0.93	1016	<1	34	990	16	5	<20	0.23	<10	171
3112	<5	<.2	1.61	50	125	<5	0.54	2	21	17	35	4.68	0.77	968	4	34	1180	18	<u> <5</u>	< <u>2</u> 0	0.11	<10	191
3113	<	0.2	1.07	25	80			3	11	9	44	<u> </u> _		573	35	79	800	20	10	<20	0.03	<10	030
3114	<	<.2	1.20	15	90		 		15	18	64			751	3	23	2050	14	10	20	0.09	10	133
2116		<2	1.19	2U				4	10	1/	67			198	3	24	2030	14	+ 10	20	0.08	<10	101
21.17	~	~2	1.19	10	90				14	16	12	_−	<u> </u>	704	1 2	23	1670	14	10	20	0.07	<10	130
3117	3	<u></u>	1.20	10	L. °)	1	1	<u> </u>	14	18	01		L	L /40	<u> </u>	- 22	10/0	12	1 10		0.08	-10	1

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Си	Fe%	Mg%	Mn	Mo	Ni	Р	РЪ	Sb	Sn	Ti%	U	Zn
3118	<5	1.4	5.24	5	400	10	1.51	3	28	37	39	5.95	0.22	6549	7	72	2620	2	<	<20	0.05	<10	305
3119	<5	0.6	1.26	40	315	ব	0.73	7	18	21	52	5.08	0.54	3266	22	63	1010	28	<	<20	0.02	<10	572
4001	<5	<.2	2.98	40	120	20	0.46	1	24	84	36	14.5	1.34	1327	26	33	1130	10	<	<20	0.05	<10	163
4002	<	0.4	2.86	40	175	15	0.63	<1	26	34	23	10.8	0.87	2221	17	18	1200	12	<	<20	0.05	<10	141
4003	<5	<.2	2.61	15	135	<5	0.59	3	29	80	63	7.09	1.56	1108	9	130	950	8	<5	<20	0.02	<10	333
4004	<5	0.6	1.63	40	65	ব	3.94	<1	18	38	83	5.98	1.39	832	4	35	1790	12	<	<20	0.06	<10	100
4005	<5	. <.2	1.6	25	75	<5	3.69	1	17	37	72	5.68	1.33	822	4	34	1790	8	<5	<20	0.06	<10	89
4006	<5	<2	1.59	35	70	<	4.13	<1	17	36	78	5.76	1.4	917	4	32	1760	14	15	<20	0.06	<10	97
4007	<5	0.4	2.18	10	140	<5	2.34	4	23	71	148	5.07	1.08	1125	7	152	1460	4	<	<20	0.02	<10	314
4008	<5	<.2	1.59	80	45	<	4.21	<1	20	37	88	6.22	1.41	869	5	35	1930	16	<5	<20	0.06	<10	106
4009	<5	0.4	1.87	10	90	<	0.72	1	22	53	58	6.28	1.16	989	7	70	1480	6	<5	<20	0.03	<10	153
4010	<5	<.2	1.88	20	105	<5	2.05	<1	18	_49	66	6.09	1.37	860	5	65	1520	8	<5	<20	0.04	<10	109
4011	<5	<.2	2.43	<	70	5	0.36	<1	9	76	16	3.04	1.05	318	1		600	8	10	<20	0.05	<10	59
4012	<5	<.2	2.5	5	85	20	1.18	1	24	54	19	4.38	1.42	788	<1	62	660	8	10	<20	0.35	<10	97
4013	<5	<.2	2.88	<5	120	<5	0.48	1	37	115	42	5.34	1.81	1545	4	127	880	12	5	<20	0.07	<10	141
4014	<5	<.2	2.71	<	90	15	0.58	4	31	115	31	4.87	1.81	1262	2	115	720	14	15	Q 0	0.13	<10	121
4015	<5	<2	2.43	<5	70	10	0.5	1	30	92	13	5.03	1.74	1643	<1	98	540	6	5	<20	0.15	<10	105
4016	<	4.4	2.55	ব	420	25	1.74	5	294	21	19	14	0.08	>10000	19	91	1770	~	<5	<20	0.16	<10	223
4017	<5	0.2	2.57	ব	80	্থ	0.6	<1	25	62	43	4.85	1.16	1137	4	76	1910	10	ব	⊲0	0.08	<10	94
4018	<5	<.2	3.08	<	145	10	0.95	2	31	72	46	5.25	1.46	1539	5	118	840	10	10	<20	0.06	<10	198
4019	<5	<.2	2.85	ব	185	5	1.31	2	31	78	62	4.94	1.66	1278	4	136	990	8	10	<20	0.04	<10	218
4020	<5	<.2	2.5	<u></u>	130	15	1.23	1	27	66	36	5.33	1.64	1595	1	111	750	4	15	<20	0.12	<10	194
4021	<5	0.2	2.6	10	115	<	1.05	2	30	94	59	5.43	1.83	1332	5	149	1020	10	10	<20	0.02	<10	
4022	<5	0.2	2.59	0	120	10	0.64	2	41	68	27	6.42	1.42	2648	5	97	850	2	<5	<20	0.07	<10	155
4023	<5	<2	2.47	5	95	<5	0.33	1	30	83	52	5.4	1.62	1162	5	114	920	14	<5	<20	0.03	<10	134
4024	<	<.2	2.57	0	190	15	0.72	2	43	64	34	6.12	1.25	3629	2	91	910	8	<5	20	0.12	<10	145
4025		<2	2.4	0	135	20	1.41		29	21	30	4.01	1.18	070	~	44	970	4	10	<20	0.94	<10	
4026		<2	1.87	0	90	0	0.26	<1	18	45	15	3.04	0.76	980	4	52	040	12	<>	<20	0.03	<10	128
4027		~2	2.27	0	- 115	2	0.20		23	96	44	4.08	1.74	8450	4	150	1140	12		20	0.05		- 120
4020	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	2.0	2.57		230	2	2.41	2	20 42	10	29	2.54	1.05	5105	2	43	1740	16	- 15	20	0.15	<10	137
4030		< 2	0.97	~	70	25	0.46		25	12	13	30	0.69	1086	<1	14	710	14	<5	20	0.55	<10	40
4031		<2	245	5	170	25	2.01	1	59	13	21	4.01	17	3704	<1	31	910	8		<20	0.46	<10	69
4032		1	2.35	5	235	10	0.64	2	32	45	23	5.15	0.86	6927	5	93	1000	10	<1	<20	0.05	<10	207
4033	<	2.4	2.66	10	260	<u></u>	2.73		49	26	44	2.41	0.58	8064	4	70	2020	8	10	20	0.05	<10	153
4034	<5	1.4	2.26	5	305	5	1.92	3	32	25	30	3.79	0.62	4951	3	93	1600	6	<5	<20	0.06	<10	267
4035	<5	1.4	2.62	<5	435	10	0.99	2	50	64	41	6.26	1.13	9734	5	156	1470	14	<5	20	0.05	<10	296
4036	<	0.6	1.24	5	295	15	1.44	1	40	13	12	5.93	0.42	5013	4	32	1750	6	ব	20	0.09	<10	104
4037	<5	<2	2.53	5	115	ব	0.35	2	38	114	85	5.82	1.94	1195	7	164	1080	18	10	<20	<01	<10	212
4038	<5	1.6	2.77	ব	310	ব	1.67	5	47	32	45	4.59	0.96	6079	3	99	1200	12	<	<20	0.17	<10	179
4039	<5	0.4	2.34	10	125	5	0.57	3	34	74	56	5.04	1.23	1639	6	118	1210	16	<	20	0.02	<10	281
4040	<5	<2	1.4	10	205	ও	0.88	<1	15	15	32	4.16	0.78	1333	3	21	1120	10	ব	<20	0.08	<10	105
4041	ব	<.2	1.46	5	160	<5	0.62	1	17	18	29	4.62	0.94	1143	2	23	980	10	<5	<20	0.09	<10	100
4042	ব	<.2	1.52	65	60	<5	4.24	<1	17	38	69	4.31	1.34	882	2	30	1910	16	5	20	0.05	<10	90
4043	ব	<2	1.50	40	70	<	3.41	<1	17	29	76	4.48	1.20	747	2	22	1970	40	10	<20	0.06	<10	137
4044	25	<.2	1.55	70	65	<	4.47	<1	17	40	74	4.37	1.37	925	2	34	2000	22	10	<20	0,06	<10	107
4045	<5	< 2	1.56	30	70	10	3.31	<1	17	29	69	4.47	1.23	746	2	22	1950	18	10	<20	0.05	<10	82
4046	45	0.2	1.53	115	55	<	4.05	<1	19	41	71	4.56	1.37	886	2	33	1870	24	5	20	0.05	<10	101
4047	35	<.2	1.54	75	60	ব	4.24	<1	17	37	70	4.42	1.34	891	2	29	1980	22	5	<20	0.05	<10	99
4049	ব	<.2	1.59	20	75	5	3.35	<1	17	29	69	4.58	1.25	770	3	24	2020	18	10	<20	0.06	<10	95
4050	ব	<.2	1.61	15	80	ব	3.13	1	17	38	73	4.61	1.38	757	2	27	1830	16	10	<20	0.06	<10	107
4051	ব	17.4	0.63	1050	1290	5	3.57	218	228	57	31	>15	0.21	>10000	71	3366	1540	<2	60	<20	0.22	<10	>10000
4052	<5	2.0	1.50	20	65	15	0.40	2	17	9	36	4.81	0.53	1881	18	37	1730	34	<5	<20	0.19	<10	287
4053	ব	<.2	2.46	<5	100	45	1.88	1	47	17	15	6.19	1.90	938	<1	25	1210	26	5	<20	1.03	<10	92
4054	<5	1.2	3.52	<5	105	25	0.21	3	38	43	39	12.50	0.35	5416	26	34	2070	44	<5	40	0.17	<10	273
4055	ৎ	0.4	1.66	30	170	<5	1.18	10	19	17	39	5.58	0.74	1987	13	75	1450	28	<	<20	0.07	<10	664
4056	ব	0.8	1.87	35	180	15	1.27	7	23	19	43	6.11	0.76	1935	12	66	1480	32	<5	<20	0.10	<10	544
4057	<	0.2	1.60	35	150	10	1.38	5	19	16	38	5.39	0.65	1639	13	41	1420	28	<5	<20	0.07	<10	322
4058	<5	0.4	1.34	15	155	5	2.14	3	15	13	46	3.68	0.54	1837	1 5	26	1860	22	5	⊲0	0.05	<10	145

Soil Samples for Grid: Dup 9

23-Nov-95

.

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Со	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	P	Pb	Sb	Sn	Ti%	U	Zn
5001	<5	1	2,22	20	70	20	0.06	3	13	21	40	9.79	0.11	435	13	15	690	34	<5	<20	0.24	<10	212
5002	<5	2	7.49	15	70	20	0.05	<1	15	32	38	12	0.34	464	14	13	1150	38	<5	<20	0.19	<10	177
5003	<5	5.6	2.54	15	70	15	0,08	1	15	21	31	8.31	0.1	189	3	13	450	26	<5	<20	0.41	<10	141
5004	<5	2.2	5.14	30	75	10	0.01	4	10	37	80	11.8	0.29	307	39	28	770	28	<5	<20	0.07	<10	407
5005	<5	5.6	5.69	25	65	15	0.03	2	11	30	26	11	0.06	285	11	12	710	56	<5	<20	0.21	<10	150
5006	<5	1.8	3.71	15	65	15	0.13	1	9	25	24	8,68	0.35	173	14	22	460	34	<5	<20	0.07	<10	293
5007	<5	8	2.09	170	- 115	20	0.08	<1	10	55	82	> 15	<.01	164	45	18	2190	22	<	<20	0.04	10	181
5008	<5	4.4	2.7			<>>	0.02	<1	3	20	44	5.45	0.20	164	17	24	220	30	<>	<20	0.03	<10	279
5009	<>	8.4	2.35	25	60		0.09	2	10	22	10	014	0.1	179	17	14	540	32	<>	<20	0.12	<10	191
5010	<	3	2.87	23	75		0.03	<u> </u>		20	21	8,14	0.29	226	21	19	910	22	<5	<20	0.02	<10	238
5017		4.4	3.14	20			0.00		11 6	20	22	5.06	0.14	150	12		490	32		~20	0.13	<10	232
5012		1.2	4.70	- 10	50	10	0.11		0	23	33	7 50	0.20	130	13	15	600	34	~5	<20	0.03	<10	133
5014		- 1	1.03	225	220	10	0.02	1		46	54	6.46	0.00	7213	77	64	080	16	~	<20	0.07	<10	478
5015			3.67	30	65	10	0.77	3	12	36	47	11.0	0.88	2215	16	17	950	30	<5	<20	0.07	<10	190
5016		+ < 2	1.6	40	90	25	0.08		12	15	10	6.66	0.10	161	4	10	240	22	<5	<20	0.15	<10	74
5017	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	5.2	1.0	25	70	10	0.1		12	22	17	6.04	0.00	377	10	20	830	18	~	<20	0.52	<10	178
5018	<5	5.0	1 98	10	80	10	0.05	2	4	25	33	9.06	0.24	177	10	20	340	30	<5	<20	0.00	<10	171
5018		12.6	3.76	10		15	0.05	2		24	27	8.57	0.18	220	8	21	720	32	<5	<20	0.07	<10	197
5020	<5	16	1.68	- 10	40	10	0.05		6	10	- 20	9.52	0.13	178	27	- 40	460	40	<5	<20	0.021	<10	205
5020		5.2	3.03	20		15	0.05	2	16	22	36	7.71	0.05	736	12	25	870	34	<5	<20	0.02	<10	292
5022	<5	1	217	25	45	<5	< 01	<1	4	14	29	5 4 5	0.23	98	38	34	430	20	<1	<20	< 01	<10	236
5023	<5	54	1 94	15	65		0.03	1	10	33	38	8.26	0.26	298	14	21	740	34	<5	<20	0.1	<10	211
5025	<5		7	25	- 65		0.07	1	10	32	30	11	0.15	163	40	40	980	46	<5	<20	0.07	10	270
5025	<5	68	2.21	20	50	5	<.01	$\frac{1}{1}$	7	14	47	8.05	0.15	133	53	44	540	16	<5	<20	0.02	<10	222
5026	<1	- 04	4 58	140	375	30	0.67	<1	85	185	132	> 15	1.44	8572	71	109	1040	2	<5	<20	0.27	<10	129
5027	<5	1.2	1.05	40	40	<5	0.01	<1	8	8	69	7.13	<.01	157	108	117	900	8	<5	<20	0.03	<10	390
5028	<5	<.2	3.48	75	375	35	0.52	<1	73	184	84	>15	0,62	6582	44	59	710	2	<5	<20	0.3	<10	98
5029	<5	2.8	1.38	20	75	<5	0.03	<1	7	9	73	7.74	<.01	114	58	70	790	18	<5	<20	<.01	<10	335
5030	<5	<.2	1.87	160	320	5	0.69	</td <td>19</td> <td>49</td> <td>33</td> <td>5.91</td> <td>0,93</td> <td>1893</td> <td>13</td> <td>40</td> <td>920</td> <td>12</td> <td><5</td> <td><20</td> <td>0.08</td> <td><10</td> <td>186</td>	19	49	33	5.91	0,93	1893	13	40	920	12	<5	<20	0.08	<10	186
5031	<5	1.6	2.54	30	60	10	0.09	<1	8	24	33	8.78	0.13	165	26	33	960	26	<5	<20	0.06	<10	240
5032	<5	<.2	3.19	<5	80	30	0.11	3	52	231	60	>15	0.17	913	<1	45	740	12	<5	<20	0.49	<10	68
5033	<5	0.2	1.74	35	50	<5	0.01	<1	8	17	44	5.73	0.08	161	58	88	500	16	<5	<20	0.09	<10	318
5034	<5	<.2	5.32	10	110	30	0.1	3	48	272	42	13.9	1.63	2950	<1	38	1030	16	<5	<20	0.55	<10	105
5035	<5	1.8	5.18	45	70	<5	0.02	1	7	30	24	8.15	0,13	248	31	48	570	46	<5	<20	0.07	<10	269
5036	<5	3	5.84	45	50	10	0.05	1	9	34	44	7.36	0.16	225	34	66	680	50	<5	<20	0.17	<10	277
5037	<5	6.6	3.1	30	55	<5	0.06	2	7	14	41	5.89	0,14	197	34	59	760	24	<5	<20	0.03	<10	401
5038	<5	I	2.45	20	100	<5	10.0	2	6	17	51	7.55	0,57	183	44	55	470	34	<5	<20	0.01	<10	256
5039	<5	0.4	0.77	20	35	<5	0.14	1	6	5	47	2.91	0,12	135	23	27	510	10	<5	<20	0.07	<10	248
5040	<5	0.4	1.87	85	220	<5	0,71	5	19	51	50	6,25	0.83	1459	20	56	1000	18	ব	<20	0.05	<10	599
5041	<5	2.6	3,44	35	85	10	0.06	4	22	18	46	6.14	0.23	1105	26	45	820	24	<5	<20	0.1	<10	382
5042	<5	2.6	6.4	75	105	15	0.03	<1	18	103	37	10.9	0.6	394	19	65	780	36	<5	<20	0.02	10	206
5043	<5	1	1.61	40	50	<5	0.05	1	6	16	58	7.41	0.31	153	56	48	550	16	<5	<20	0.02	<10	349
5044	<5	3.2	3.63	10	80	15	0,05	2	8	30	34	11.4	0.09	207	18	9	560	34	<5	<20	0.03	30	100
5045	<5	0.2	1.07	25	35	<5	0.13	<1	4	8	17	3.87	0.1	57	22	17	460	18	<5	<20	0.03	<10	147
5046	<5	3	3.7	20	145	5	0,06	2	14	26	64	8.4	0.38	669	17	24	920	28	<5	<20	0.06	<10	308
5047	<5	2.2	3.07	25	55	10	0.02	2	8	14	36	9.38	0.06	156	30	28	650	52	<5	<20	0.09	<10	146
5048	<্য	2.2	3.02	<5	65	15	0.02	2	6	18	26	8.18	0.06	120	16	7	740	20	<5	<20	<.01	20	112
5049	<5	4	2.27	30	60	<5	0.01	2	8	15	55	7.36	0.11	113	76	55	390	30	<5	<20	0.04	<10	415
5050	<5	3.2	4.58	15	80	15	0.04	4	12	33	68	12.9	0.17	399	48	27	1650	20	<5	<20	0.07	20	338
5051	<5	2,4	1.94	<5	80	15	0.06	2	12	20	27	9.77	0.14	126	38	56	470	24	<5	<20	0.21	<10	135
5052	<5	2	5.76	5	70	15	0,11	3	10	29	28	9.51	0.23	216	13	14	760	32	<5	<20	0.09	10	116
5053	<5	0.4	0.75	30	35	<5	0,02	<1	5	3	38	2.78	0.13	92	56	72	270	6	<5	<20	0.01	<10	291
5054	<5	4.8	4.55	5	90	10	0.07	2	7	24	31	8.3	0.16	235	12	13	520	36	<5	<20	0.07	20	170
5055	<5	4.6	5.78	5	65	25	0.03	3	13	32	23	> 15	< 01	243	18	15	680	72	<5	<20	0.25	10	166
5056	<5	3	4.43	15	80	15	0.07	2	10	27	29	9,9	0.16	231	17	16	720	28	<5	<20	0.07	20	218

*Note: All results are in PPM exept where indicated

Tag	Au(ppb)	Ag	<u>Al%</u>	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
5057	<5	3.4	6.22	25	60	<5	0.03	1	8	27	29	6.87	0.28	235	22	44	710	48	<5	<20	0.04	<10	291
5058	<5	3	8.01	20	40	10	0.19	2	4	22	14	4.72	0.02	253	6	8	650	52	<5	<20	0.07	<10	131
5059	ব	2.4	2.41	15	65	10	0.03	2	10	12	46	9.94	0.15	124	46	67	530	38	<5	<20	0.15	<10	293
5060	<5	0.4	2.05	190	220	5	0.73	3	22	40	53	6.4	0.89	2583	24	67	1070	16	10	<20	0.06	<10	530
5061	<5	<.2	2.43	10	110	20	0.03	2	11	25	29	12.5	0.12	167	24	18	480	32	<5	<20	0.15	10	130
5062	<5	5.4	4.63	20	85	20	0.05	3	9	33	42	13.6	0.04	123	48	14	420	- 30	<5	<20	0.08	30	154
5063	<5	0.8	0,6	<>	22	<>	0.3		7	2	6	1.11	0.09	33	<1	4	630	6	<5	<20	0.11	<10	22
5064	<3	1.	3,83	20	80	10	0.11		21	19	28	7.24	0.12	480		20	530	34	< <u>s</u>	<20	0.08	<10	282
5065	<>	<.2	4.41	3	95		0.13	<1	- 11	35	21	7.03	0.38	203	4	22	430	50	\sim	<20	0,17	<10	147
5066	<>	1.4	5.02	10	43	- 15	0.21		9	10	15	9.11	0.11	3/1	14	- 13	420	- 52	<>>	<20	0,11	<10	235
5067	<5	<.2	1.50	<)	50	25	0.07		15	19	29	11	0.04	149	0	10	1350	28	<>	<20	0.47	<10	105
5068	<	0.4	1.83	40	/0	15	0.05		10	10	27	7.79 	0,33	139	02	 	020	$-\frac{20}{20}$	~ ~ ~	<20	0.02	<10	458
5069		0.8	4,00	20	140	15	2 77	1	10	29	32	3.04	0.0	247			970	10		~20	0.05	<10	208
5070		<.2	1.71		140	15	3.44			11	15	2.03	0.49	803 			3/0	10	د ج-	~20	0,30	<10	56
5071		0.2	1.3	20	50	10	0.04		0	0	15	3.93	0.02	70			570	32		~20	0.17	<10	- 303
5072		0.4	2.02	15	50	20	0.21		11	12	20	7.7	0,14	320	20	50	200	24	< <u>-</u>	~20	0.21	<10	373
5024		2.2	2.02	15	- 05	20	0.05		13	13	39	1.9	0.00	470	- 32 - 16	- 46	520	20		20	0.40	20	566
5075		0.0	1.58	10	55	15	0.08		11	10	76	7.86	0.22	479	20	16	510	26	<5	~20	0.49	<10	135
5075		22	2 37		95		1 20	14	78	16	37	6.72	0.00	1254	19	131	620	20	3	<20	0.12	<10	1250
5077		1.2	1 71	30	65		0.02	- 1		4	40	4 27	0.17	130	47	65	260	18	<5	<20	0.12	<10	316
5078	<5	0.7	2.29	255	285	5	0.84	<1	26	58	45	7.69	1.09	2361	12	37	1110	18	<5	<20	0.07	<10	200
5079	<5	12	2.15	45	50	10	0.04	- 1	21	12	68	6.75	0.36	608	62	81	730	26	<5	<20	0.22	<10	384
5080	<5	3.2	5 29	15	40	5	0.07	<1	5	7	17	5.17	0.03	297			650	48	<5	<20	0.1	<10	127
5081	<5	1.4	2.93	40	60	5	0.12		10	14	58	5.5	0.28	284	49	75	480	28	<5	<20	0.14	<10	391
5082	<5	0.8	1	15	35	5	0.07	<1	6	4	18	2.61	0.13	119	19	11	570	32	<5	<20	0.17	10	91
5083	<5	0.8	2,45	30	100	<5	0.1	2	12	16	40	7	0.12	188	49	57	520	26	<5	<20	0,21	<10	422
5084	<5	<.2	3,05	5	80	10	0.06	2	11	24	30	9.06	0.52	306	20	30	270	28	<5	<20	0.08	10	283
5085	<5	<.2	1.64	15	70	10	0.08	1	10	14	29	5,87	0.23	194	25	35	340	22	<5	<20	0.17	<10	263
5086	<5	<.2	0,89	<5	25	10	0.04	ĩ	9	9	30	4,9	0.02	70	30	26	140	10	<5	<20	0.23	10	115
5087	<5	4.2	2.93	25	95	<5	1.47	22	20	18	54	5.75	0.32	2601	22	97	1400	24	<5	<20	0.04	<10	1359
5088	<5	<.2	1.88	5	70	20	0.04	2	12	29	42	12.8	0.17	205	27	32	710	22	<5	<20	0.13	20	186
5089	<5	<.2	2.15	20	75	5	0.04	2	7	13	38	5.07	0.15	148	46	43	360	18	<5	~20	0.03	<10	329
5090	<5	1.6	5	10	45	10	0.1	1	5	6	12	5.6	0.02	348	8	19	400	46	<5	<20	0.1	<10	174
5091	<5	<.2	0.94	<5	115	20	0.37	<1	23	24	16	5.74	0.37	170	<1	15	490	12	<5	<20	0.74	<10	32
5092	<5	0.6	2.09	<5	75	10	0.22	4	11	13	49	7.28	0.13	402	32	37	310	34	<5	<20	0.12	<10	381
5093	<5	<.2	2.01	75	130	10	0.21	<1	20	50	25	7.5	0.54	1263	10	20	680	24	<5	<20	0.08	<10	79
5094	ব	2.6	3.79	<5	50	30	0.03	2	12	17	34	14.7	<.01	145	17	12	410	44	<5	<20	0.27	40	100
5095	ব	<.2	2.58	215	185	15	0.11	<1	33	104	50	13.2	0.56	2738	28	29	1030	24	<5	<20	0,11	<10	105
5096	<5	3	1.75	<5	95	15	1.01	16	15	12	25	6.7	0.09	441	14	58	430	28	<5	<20	0.19	<10	881
5097	ব	<.2	2.31	195	295	<5	0.84	<1	24	45	51	7.3	0.97	2504	19	45	1180	24	<5	<20	0.07	<10	226
5098	ব	0.6	3.04	<5	50	10	0.02	2	9	17	53	8,98	0.34	474	35	33	880	18	<5	<20	0.02	10	249
5099	<5	2.4	6,89	165	80	<5	0.04	8	136	25	43	4.77	0.17	>10000	53	420	720	58	10	<20	0.08	<10	880
5100	<	1.6	3.06	35	60	<5	0.05	4	53	9	125	7.31	0.31	2212	61	133	1210	28	<5	<20	<.01	<10	723
5101	<5	3.2	4.94	10	75	10	0.05	1	7	24	22	6.36	0.04	127	8	9	860	42	<5	<20	0.13	<10	68
5102	<5	1.2	6.86	10	75	10	0.04	2	9	20	27	10.8	0.09	388	20	13	1020	34	<5	<20	0,07	<10	132
5103	<5	<.2	1.68	20	75	<5	0.03	1	8	11	25	5.8	0.09	129	17	17	490	20	<5	<20	0.12	<10	132
5104	<5	6,4	3.81	<5	95	25	0.11	2	17	26	29	7.81	0.19	137	<1	13	450	38	. <5	<20	0,57	30	61
5105	<5	0.6	1.21	55	50	<5	0.21	1>	9		61	5.93	0.29	115	61	61	600	20	<5	<20	0,16	<10	523
5106	<5	10	3.92	25	65	20	0.05	3	15	44	128	> 15	0.2	370	46	30	2500	18	<5	<20	0.17	20	354
5107	<5	1	2.96	<5	90	25	0.13		14	30	30	> 15	0.19	302	25	29	480	40	<5	20	0.17	<10	200
5108	<5	1.8	1.72	10	40	10	0.03	1	10	. 11	34	6.36	0.15	186	36	62	430	28	<5	<20	0.25	10	577
5109	<5	0.8	1.45	25	100	5	0.78		. 9	14	31	6.35	0.13	287	30	37	440	30	<5	<20	0.17	<10	515
5110	<5	<.2	1.71	90	135	10	0.55		18	34	45	5.97	0.88	1592	15	47	930	16	<>	<20	0.03	<10	667
5111	<>		2,46	10	90	10	0.29	3	15	18	37	5.96	0.48	790	15	01	/90	24		1 < 20	0.12	×10 210	290
5112	<5	2.6	4.11	45	245	<>	0.07	4	48	14	158	9.55	0.32	2605	18	34	920	30	<>>	1-20	<.UI	10	100
5113	< <u> </u>	<.2	1.3	10	90	< <u>></u>	0.05	<1	10	10	15	4.79	0.1	108	1/	19	270	12	< <u>></u>	20	0.09	20	505
5114		1,4	2,99	40	100	20	0.03	1	12	4/	32	1,05	0.41	205	21	48	490	24	<>	20	0.01	10	114
5115	< <u>></u>	<.2	1,58	<>	135	20	0.17	~	14	1 11	- 21	o,Ut	0.00	- 305	10	15	380	24		20	0.32	10 ~10	477
5116	\sim	5.4	<u> 3.17</u>		100	10	0.45	4	<u> </u>	i 17	5/	9,14	0.10	1 213		18	440	20		<u> 20</u>	L 0.01	1.10	

.

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
5117	<5	<.2	0.94	<5	45	10	0.24	1	10	7	25	6.23	0.15	220	11	14	420	12	<5	<20	0.17	<10	165
5110	<5	<.2	2.03	15		25	0.11	2	8	22	21	0.28	0.23	209	14	13	300	36		40	0.17	<10	174
5121	<5	3.8	3.15	10	85	10	0.25	2	11	25	38	12	0.42	202	25	26	280	22	3	<20	0.2	30	102
5122	<5	0.8	2.13	10	150	20	0.46	3	9	22	26	8.87	0.54	1003	18	23	520	28	<5	<20	0.03	<10	251
5123	<5	5.8	2.5	10	75	15	0.05	2	9	21	38	8.21	0.38	252	18	24	460	24	<5	<20	0.06	20	301
5124	5	4.0	4.06	10	95	10	0.31	5	30	15	47	7.49	0.07	1675	8	20	870	48	<5	20	0.10	<10	298
5125	<5	3.8	2.28	<5	80	20	0.07	3	12	20	23	10.8	0.13	211	15	12	370	32	<5	<20	0.23	30	145
5126	<5	4.2	10.80	30	90	15	0.68	2	10	36	27	6.79	0.15	265	7	16	1000	66	<5	40	0.04	<10	187
5127	<5	2.8	2.94	<5	80	15	0.06	2	12	23	28	9.18	0.18	170	12	19	400	30	<5	<20	0.28	20	191
5128	<5	2.2	1.93	<	85	20	0.16	3	12	10	25	8,48	0.04	391	14	12	540	30	<5	40	0.19	<10	133
5129	<5	3.6	5.35	25	70	5	0.08	2	12	31	65	7.82	0.86	782	14	29	570	30	<5	<20	0.05	<10	319
5130	<5	1.2	5.50	15	100	5	0.00	! 	10	14 21	32	7.04	0.02	377	20	0	1020	26	< <u>s</u>	20	0.33	<10	378
5132	5	3.2	5.20	<5	85	50	0.03	2	15	25	34	> 15	0.55	331	17	9	700	40 54	~	<20	0.05	30	112
5133	<5	<.2	0.56	~ <5	20	<5	0.04	1	6	6	17	2.1	0.04	45	10	8	260	10	<5	<20	0.18	10	102
5134	<5	4.4	4.62	35	100	15	0.21	1	12	18	34	7.09	0.14	590	15	16	1570	32	<5	<20	0.11	<10	189
5135	<5	4	2.73	15	90	10	0.01	2	6	28	37	8.06	0.11	101	36	17	480	18	<5	<20	0.02	20	449
5136	<5	3.4	2.29	35	115	10	0.09	2	9	15	72	8.09	0.02	292	33	43	1500	24	<5	<20	0.03	<10	638
5137	<5	6,4	3.32	25	75	্য	0,16	9	31	23	81	7.82	0.31	3435	29	37	1950	18	<5	<20	0.07	<10	568
5138	<5	3.8	5,07	<5	80	35	0.05	4	14	17	39	> 15	<.01	249	15	9	1470	62	<5	<20	0.27	20	147
5139	ব্য	1.8	4.74	25	120	10	0.02	2	8	38	49	6.56	0.56	417	16	36	480	30	<5	<20	10.>	<10	316
5140	<5	3.8	6.38	30	60	<5	0.03	3	9	17	76	6,43	0.02	423	20	42	1300	56	<5	20	0.01	<10	528
5141	<5	1.2	2.59	<5	90	15	0.1	2	8	27	38	11,6	0.18	163	21	13	800	20	<5	<20	0.07	30	219
5142	<5	4,4	3.18	15	100	10	0.02	3	10	24	60	8.10	0.03	844	26	27	4000	38	<5	<20	0.03	<10	301
5145		0.2	1,04	10	- 65	25	0,15	2	9	- 13	20	4.57	0.17	111	21	13	210	18 	()	<20	0.02	30	100
5145	<	5.6	3 31	35	110	15	0.00	2	13	20	74	8 99	0.05	870	17	26	1640	28	~	<20	0.07	<10	335
5140	<5	<.2	1.17	<5	130	20	0.88	-	19	5	10	3.17	0.87	253	<1	13	710	8	5	<20	0.35	<10	39
5148	<5	2.8	3.49	20	45	15	0.02	1	8	23	47	9.41	0.11	164	33	29	840	32	<5	20	0.05	<10	229
5149	<5	<.2	1.25	<5	65	15	0.07	2	11	12	26	7.55	0.07	86	17	18	240	12	<5	<20	0.23	20	147
5150	5	2.2	3.58	<5	65	25	0.03	2	13	35	51	13.40	0.17	229	21	20	590	32	<5	40	0.20	20	215
5151	<5	0.2	2.44	<5	85	25	0.08	2	13	22	30	9.94	0.29	167	22	37	330	28	<5	<20	0.27	20	217
5152	<5	1.0	2.11	20	55	15	0.04	2	11	14	46	8.49	0,15	203	57	78	640	22	<5	<20	0.17	<10	345
5153	<5	<.2	1,3	<5	50	15	0.04	2	8	7	19	8.61	0.02	154]4	6	470	18	<5	<20	0,15	20	86
5154	<5	3.8	2.95	<5	75	20	0.46	2	10	14	17	7.39	0.03	373	31	23	470	50	<5	40	0.24	<10	287
5155	<	9	9,47	35	30	10	0.01	-1	6	34	19	7.11	0.55	189	8	10	\$60	62	< <u>s</u>	<20	0.05	20	140
5157	<5	0.0	2.83	10 <5	50	10	0.54	2	24 8	23	29	9.70	0.02	140	16	14	570	22	~	$\sqrt{20}$	0,29	30	149
5158	<5	22	3.57	10	120	20	0.02	3	13	57	47	9.55	0.33	1000	28	39	1010	22	<5	<20	0.07	<10	172
5159	<5	1.6	5.23	<5	- 90	15	0.05	1	11	20	69	10.2	0.14	305	10	11	1400	26	<5	<20	0.11	20	150
5160	<5	1.2	2.58	20	95	5	0.13	2	13	40	46	7.17	0,56	4411	41	41	1840	28	<5	<20	0.04	<10	198
5161	<5	3.2	3.04	<5	60	20	0.02	1	10	25	29	12.8	0,01	179	18	9	520	36	<5	<20	0.15	30	111
5162	<5	2.2	5.86	15	60	10	0.10	2	8	20	19	8.00	0.01	895	14	12	1100	56	<5	<20	0.11	<10	128
5163	<5	3.2	4.11	<5	70	15	0.03	3	9	32	22	9.95	0,16	187	11	16	510	34	<5	<20	0.09	<10	139
5164	<5	0.8	1.34	70	65	10	0.02	<1	8	8	64	7.64	<.01	308	60	106	680	50	ব	<20	<.01	<10	488
5165	<5	1.2	4.46	10	80	10	0.1	2	12	29	40	8.33	2.03	1926	27	51	410	22	ব	<20	0.1	<10	540
5166	<5	1.0	5.59	15	60	25	0.03	1	11	41	34	10,70	0.36	237	14	22	730	50	<5	40	0.06	<10	153
5167	<3	0.6	1.8	255	120	10	0,43	<[12	36	38	8	0.36	345	29	19	520	22	<5	<20	0.04	10	130
5168	<	- 1.2	1.94	35	- 45		0.06	2	10	12	22	8.75	0.24	133	20	12	980	24	0	<20	0.02	20	165
5170	<	1.2	3 38	10	- 95		0.04			34	63	6.84	0.03	338	13	33	760	30	<5	<20	0.00	<10	211
5171	<5	2.4	3.06	50	75	<5	0.05	1	9	24	66	7.09	0.26	216	41	33	800	20	<5	<20	0.16	10	390
5172	<5	0.6	1.75	85	195	15	0.83	7	25	52	59	7.64	0.77	2063	24	71	1080	24	5	<20	0.05	<10	652
5173	<5	3.2	1.55	10	45	10	0.03	i	6	9	24	5.82	0.04	87	21	15	210	14	<5	<20	0.09	20	163
5174	<5	2.4	2.54	20	130	15	0.07		9	14	50	8.75	0.09	373	17	13	900	26	ব	<20	0.06	<10	178
5175	<5	1.6	3.14	<5	80	20	0.06	2	11	25	32	10.8	0.14	180	20	16	660	26	<5	<20	0.12	20	169
5176	<5	3.4	5.75	20	60	10	0.04	I	8	25	33	7.60	0.24	353	12	20	830	52	<5	40	0.05	<10	223
5177	<5	<.2	1.54	5	50	20	0.03	1	9	14	33	7.83	0.21	156	25	33	260	14	<5	<20	0.18	10	182
5178	<5	2.4	4.27	<5	85	35	0.03	3	12	41	39	> 15	0.13	300	20	16	650	44	<5	<20	0.15	30	155

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Сг	Cu	Fe%	Mg%	Mn	Мо	Ni	Р	Pb	Sb	Sn	Ti%	U	Za
5179	<5	0.8	0.39	30	50	<5	0.31	<1	3	2	19	1.66	0.05	46	24	9	580	4	<5	<20	0.01	10	78
5180	ব	9.4	6.27	15	45	10	0.07	<1	5	18	16	6.01	<.01	212	6	5	840	58	<5	40	0.07	<10	67
5181	<5	0.4	2.91	20	65	15	0.07	1	9	13	31	9.24	0,11	208	29	13	620	46	<5	<20	0.1	20	158
5182	<5	2.0	3.14	30	70	5	0.03	1	9	23	38	5.31	0.48	377	15	31	740	34	<5	<20	0.03	<10	331
5183	<5	2.4	3.17	15	65	15	0.26	2	12	20	57	7.52	0.2	217	25	28	970	26	<5	<20	0.26	20	190
5184	<5	3.2	5.10	15	50	15	0.09	4	8	29	24	7.20	0.37	1238	19	27	1330	40	<5	<20	0.03	<10	212
5185	<5	5.6	5.98	20	30	10	0.06	2	9	19	49	6.95	0,12	251	16	29	1070	48	<5	<20	0.2	<10	254
5186	<5	0.8	1.37	20	55	5	0.22	2	5	10	35	4.91	0,13	235	31	17	2400	16	<5	<20	0.01	<10	157
5187	<5	4.4	2.75	<5	70	20	0.18	3	15	22	24	8.21	0.13	866	14	17	710	48	<5	<20	0.35	<10	185
5188	5	14	3.67	35	80	10	0.13	3	11	17	48	8.00	0.26	900	38	36	4350	36	<5	<20	0.03	<10	273
5189	<5	< 2	216	120	160	10	0.35	2	13	68	37	818	0.72	413	35	30	1050	24	5	<20	0.02	<10	292
5190		14	2.06	50	85	10	0.76	-	18	14	81	6.55	0.60	7925	48	97	1740	26	<5	<20	0.04	<10	808
5101			1.82	50	170	10	0.24	2	21	63	45	6.86	0.85	1202		40	800	20	<5	20	0.04	<10	238
6100	~	1.6	2.07	20	70		0.24	- <u>-</u> -	11	12	57	5.60	0.05	051	26	74	1850	20	~5	~20	0.04	<10	456
5102	~	1.0	1.80	05	195	10	0.14	· ~	25	47	61	7.00	0.70	1067	27	67	1050	20		<20	0.01	<10	684
5195		0.0	1.00	ده ۳	105	10	0.30		25	47		1.02	0.70	2007	27		1110	42	~	20	0.04	<10	- 171
5194		2.2	2.00	2	105	35	0.03	7	10	11	24	~ 15	< <u>,01</u>	015	21	20	1110	42	~	~20	0.27	<10	140
5195	<>	1.8	2.30	<	100	25	0.42		20	10	23	3.38	0,12	1072	<1	11	370	38	0	20	0.48	<10	262
5196	5	1.8	5.13	40	70	15	0.04	2	9	21	38	8.13	0.39	523	57	38	1630	58	<>	20	0.03	<10	263
5197	<5	<.2	2.82	5	100	15	0.11	2	11	20	32	11.80	0.11	361	21	16	560	26	<5	40	0,02	<10	
5198	5	3.8	5.78	<5	60	20	0.05	3	12	29	19	11.00	0,04	830	13	13	1240	76	<5	<20	0.17	<10	212
5199	<5	0.4	2,78	5	90	15	0.08	2	10	15	32	11,30	0.05	229	22	11	370	26	<5	20	0.05	<10	219
5200	<5	8.2	2.86	15	90	10	0.03	2	9	20	39	7.04	0.28	716	14	18	600	32	<5	<20	0.04	<10	147
5201	<5	3.8	5.65	30	100	10	0.13	3	31	18	43	6.80	0.14	884	17	18	1500	42	<5	<20	0.04	<10	204
5202	<5	1,6	3.73	10	95	15	0.04	2	9	46	46	12.90	0,29	192	21	23	490	34	<5	20	0.04	10	260
5203	<5	2.0	5.54	30	55	10	0.02	1	8	29	28	6,34	0.34	241	9	25	540	50	ৎ	<20	0.04	<10	230
5204	<5	2.6	3.64	35	95	10	0.03	1	9	25	49	7.12	0.35	371	16	31	690	36	<5	<20	0.01	<10	288
5205	<5	1.8	3.64	20	60	10	0,09	2	10	18	36	5.50	0.21	360	19	30	720	30	<5	<20	0.06	<10	246
5206	<	5.6	4.61	<5	110	30	0,05	2	15	28	36	>15	0,07	841	34	15	1610	46	<5	40	0.18	<10	136
5207	ব্য	3.0	2.60	20	85	25	0.34	4	11	21	34	11.10	0.16	305	18	17	590	34	<5	20	0.14	<10	295
5208	ব	1.0	3.65	30	75	5	0.03	2	10	15	65	5.86	0.34	446	38	50	1640	26	<5	<20	0.01	<10	306
5209	<5	3.8	1.40	15	55	10	0.04	3	6	10	32	6.21	0,09	194	26	20	650	22	<5	<20	0.03	<10	244
5210	5	0.6	3.12	35	80	<5	0.03	3	14	13	79	5.44	0,34	545	43	73	1580	28	<5	<20	0.03	<10	486
5211	<5	8.4	6.49	20	60	10	0.02	2	8	44	22	8.57	0.06	187	11	10	580	44	<5	20	0.09	10	129
5212	ব	<.2	2.16	15	85	25	0.03	2	ii -	20	54	12.20	0,15	140	53	48	710	18	<5	40	0,17	20	325
5213	ব	3.4	3.46	35	85	10	0.06	2	17	15	73	9.42	0.16	368	20	27	600	14	<5	20	<.01	10	366
5214	<5	2.4	3.68	25	90	15	0.06	1	11	73	40	811	0 24	364	52	56	1280	22	<5	<20	0.21	30	189
5215	<5	18	2 57	10	45	10	0.08		6	14	38	5.65	6.07	231	19	20	1410	22	<1	<20	0.04	<10	117
5216		1.0	2.67	15	85	25	0.08		9	18	24	13.00	0.05	413	38	14	1900	30	<5	40	0.07	<10	89
5217		19.4	2.07	50	95	10	0.04	2	7	74	53	6.69	0.08	211	44	24	1710	18	<5	<20	0.05	<10	224
5718		26	2.00	15	95	35	0.06	2	- 17	18	18	>15	< 01	544	20	8	4780	- 10	~5	20	0.10	20	97
5210		2.0	1.47		65	10	0.00		6	17	46	4 08	0.76	316	27	15	1670	12	~	20	0.15	<10	136
5220		4.0	0.15		- 65	10	0.11	-1		17	40	4.50	0.14	210	12	1.7	1150	14	~	40	0.05	<10	110
5721	~~~	2.2	6.10	23		10	0.04		'	20	10	7 0.33	0,10	120	12	21	040	240	~	40	0.05	<10	176
5220		3.0	0.46	20		10	0.02	~!	12	27	29	1.02	0.17	1.39	17	21	300	20	2	40	0.03	20	175
5222		0,0	2.84	10	- 90	20	0.02	2	13	29	41	CI <	0.18	1/0	16	10	1210	20	<>	<20	0.00	30	1/2
5223	<>	5.0	3.28	10	115	20	0.13	2		34	58	11.60	0.18	145	19	20	/10	28	<>	20	0.09	30	100
5224	<	<.2	2.08	15	100	15	0.06	2	11	41	41	9.84	0.08	210	33	27	280	12	<5	40	0.11	<10	200
5225	<5	0.6	2.40	<5	65	15	0.04	2	11	17	22	10,10	0.21	183	12	18	630	36	<5	40	0.21	30	166
5226	5	0.4	2.56	40	70	15	0.08	<1	11	103	23	5.44	0.27	263	21	23	330	20	<5	40	0.11	<10	100
5227	<5	1.4	2.41	20	70	10	0.01	1	10	23	57	11.00	0.39	140	63	69	460	26	<5	<20	0.03	20	270
5228	<5	1.2	2.45	30	150	<5	0.06	2	7	22	54	7.20	0.29	168	27	43	440	26	<5	<20	<.01	<10	701
5229	<5	0.8	2.52	10	80	10	0.02	1	8	32	17	7.71	0.43	127	20	19	370	18	<5	<20	0.1	10	122
5230	<5	3,6	5.74	20	125	15	0.08	3	n	29	30	8.54	0.1	550	23	24	1050	42	<5	40	0.09	<10	184
5231	<5	1.6	3.00	<5	115	25	0.02	1	12	42	25	12.40	0.21	230	15	20	310	22	<5	40	0,11	30	153
5232	<5	1.6	1.45	15	75	<5	0.05	<1	7	15	30	6.08	0.06	124	31	18	570	18	<5	20	0.12	<10	129
5233	<5	0.4	2.12	<5	95	15	0.07	1	9	24	27	7.23	0.22	157	14	18	350	14	<5	<20	0.13	<10	124
5234	<5	1.0	1.45	30	60	<5	0.04	<1	5	9	46	5.69	<.01	125	50	55	850	16	<5	<20	0.01	20	302
5235	<5	0.6	3,96	25	155	50	0.16	3	39	164	53	> 15	0.37	1208	38	36	730	4	<5	20	0.52	20	159
5236	<5	0.6	1.59	35	65	5	<.01	1	6	11	36	5.65	0,02	182	44	55	310	20	<5	<20	0.03	<10	332
5237	- 3	3.6	4.16	15	110	10	0.10	6	24	28	29	7.00	0.26	583	14	33	730	22	<5	<20	0.05	<10	655
5239	<5	0.8	2.84	<5	110	35	0.04	1	14	34	25	13.20	0.12	650	22	17	1040	28	<5	40	0.22	10	114
		5.0	2.04	~			0.07					1						20	L	L	÷.22		

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Со	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
5240	<5	5.6	3,80	10	110	10	0.10	4	11	20	36	9,44	0.21	489	16	18	1020	20	<5	20	0.05	<10	214
5241	ব	1.6	1.46	20	65	5	0.05	2	7	9	61	8.31	<.01	127	72	71	630	30	<5	<20	<.01	20	420
5242	<5	0.2	2.06	70	110	20	0.22	<1	31	72	44	9.46	0.79	1728	15	30	1050	14	<5	<20	0.09	<10	79
5243	<5	6.6	3.05	<5	190	10	0.26	3	12	18	39	11.50	0.12	518	19	19	590	14	<5	20	0.07	10	362
5244	<5	0,4	1.92	50	195	10	0.30	1	23	58	31	8.68	0.74	1209	16	23	740	14	<5	<20	0.09	<10	79
5245	<5	1.6	4,16	25	85	5	0.10	3	12	22	37	7.47	0.33	519	14	25	730	24	<5	<20	0.05	<10	269
5246	<5	0.8	1.31	230	200	<5	1.84	<1	24	40	32	5.43	0.6	4099	13	34	1060	8	20	<20	0.05	<10	132
5247	<5	7.0	4.59	40	105	20	0.08	3	10	40	47	13.10	0.09	241	14	12	1180	20	<5	40	0.08	10	169
5248	<5	1.0	3.84	5	65	25	0.05	1	13	32	19	10.10	0.17	260	8	15	620	26	<5	40	0.24	<10	111
5249	<5	2.4	4.07	20	80	15	0.03	1	9	18	35	7.79	0.12	437	19	17	1050	24	<5	20	0.06	<10	235
5334	<5	4.0	4.67	40	120	<5	0.03	15	29	21	114	7.88	1.48	>10000	48	152	1290	22	<5	<20	0.03	<10	659
5335	5	8.2	4.08	10	85	20	0.04	2	9	28	35	12.50	0.08	177	23	13	1070	28	<5	40	0.06	30	131
5336	<5	1.6	0.83	10	45	10	0.22	<1	9	9	20	3.15	0.25	159	24	12	720	8	\$	<20	0.16	<10	85
5337	<5	2.0	4.60	20	85	20	0.05	2	9	39	39	12.20	0.16	231	27	21	4780	22	<5	40	0.05	20	235
5339	<5	2.4	4.76	35	110	5	0.06	1	7	30	35	7.08	0.29	280	24	24	1070	28	<5	20	0.02	<10	305
5340	<5	2.4	1.69	15	85	20	0.12	2	11	14	36	9.40	0.17	236	34	27	1540	24	<5	20	0.22	20	205
5341	<5	4.2	4.77	40	105	<5	0.04	<1	7	29	44	7.76	0.17	258	36	21	1190	24	<5	20	0.03	<10	265
5342	<5	1.2	1.21	15	65	5	0.12	1	5	8	18	5.02	0.11	120	24	19	610	24	<5	<20	0.09	<10	128
5343	<5	1.4	1.83	<5	80	20	0.24	1	13	15	24	6.35	0.17	850	17	15	3830	16	<5	<20	0.26	<10	106
5344	<5	3.4	1.91	15	80	10	0.03	2	9	13	28	8.29	0.5	400	42	39	540	24	<5	<20	0.1	<10	164
5345	<5	2.2	1.55	10	65	<5	0.05	<]	5	11	23	4.21	0.11	132	20	12	950	14	<5	<20	0.04	<10	90
5346	<5	4.6	4.17	<5	100	40	0.05	5	11	25	17	11.80	0.03	658	11	13	630	56	<5	40	0.15	10	189
5347	5	2.0	1.68	<5	45	15	0.02	1	9	11	14	7.67	<.01	282	14	11	700	26	<5	40	0.1	20	67
5348	<5	1.6	4.14	<5	100	35	0.03	3	12	100	37	> 15	0.04	146	21	16	530	24	\$	20	0.14	20	116
5349	<	3.2	4.25	<5	90	15	0.05	1	12	26	29	9.58	0.36	272	13	25	630	28	<5	40	0.13	10	197 -
5350	<5	5.4	3.84	<5	65	20	0.04	2	9	30	23	10.50	<.01	288	19	8	710	36	<5	40	0.16	20	85
5351	<5	0,8	2.20	20	75	10	0.07	<1	9	12	17	5.98	0.25	220	12	9	690	28	<5	<20	0.18	<10	82
5352	<5	7.2	3,35	40	85	<5	0.02	1	14	21	78	6.76	0,3	656	45	50	1550	20	<	<20	0.03	<10	321
5354	<5	5.8	3.57	50	90	10	0.02	2	7	19	66	9.74	0.13	165	56	33	1570	22	<5	<20	0.05	30	277
5355	<5	6.0	3,41	35	130	10	0.07	3	9	18	42	7.23	0.15	407	23	22	1140	26	<5	<20	0.04	<10	394
5356	<5	1.6	3.00	25	110	15	0.03	2	10	28	35	12.50	0.26	224	35	28	890	48	</td <td><20</td> <td>0.04</td> <td>30</td> <td>188</td>	<20	0.04	30	188
5357	<5	7.6	4.71	<5	80	20	0.06	2	10	36	26	11.50	0.07	331	13	10	1020	34	<5	20	0.12	20	102
5358	<5	2,4	2.21	<5	75	20	0.64	4	12	10	16	8.81	<.01	844	7	11	560	34	<5	20	0.22	<10	222
5359	<5	2.2	2.17	<5	100	15	0.08	2	12	13	27	8.42	0.07	346	16	13	630	14	<5	20	0.16	<10	[47
5360	<5	0.4	0.41	20	30	<\$	0.02	</td <td>6</td> <td>3</td> <td>31</td> <td>2,99</td> <td><.01</td> <td>108</td> <td>38</td> <td>31</td> <td>330</td> <td>4</td> <td><5</td> <td><20</td> <td>0.02</td> <td><10</td> <td>74</td>	6	3	31	2,99	<.01	108	38	31	330	4	<5	<20	0.02	<10	74
5361	<5	4,4	7.16	20	55	10	0.02	<1	7	21	20	6.40	0.07	190		10	690	42	<5	20	0.1	20	85
5362	<5	5,0	2.11	<5	85		0.17	2	14	20	25	10.10	0.03	339	3	9	640	28	<5	20	0.33	20	71
5363	্ব	3.0	4,49	ব	70	10	0.08	2	10	20	26	5,20	0.07	851	3	16	500	40	<5	40	0.17	<10	171
5364	<5	8,0	2.69	20	75	15	0.09	3	14	23	47	8.79	0.18	812	20	21	1230	18	<5	<20	0.04	<10	208
5365	<5	1.8	2.16	<5	80	25	0.31	2	15	16	19	8.00	0.06	632	3	9	550	20	<5	40	0.44	20	131
5366	<5	1.0	1.77	30	85	5	0.03	<1	10	13	41	5.82	0.04	252	16	9	620	14	<5	<20	0.02	<10	114
5367	<5	2.6	4.79	20	80	5	0.05	<1	10	16	30	5.77	0.17	1045	15	19	1480	38	<5	20	0.05	<10	238
5368	<5	2.2	3.99	25	85	10	0.14	2	12	30	37	7.79	0.31	438	20	17	780	20	<5	<20	0.07	<10	199
5370	<5	9.0	2.88	20	85	<5	0.07	3	16	18	91	8.58	0.44	1185	31	50	1400	20	<5	<20	<.01	<10	011
5371	<5	0.8	2.19	105	180	5	0.38	2	25	51	65	7.51	0.82	2324	23	41	980	18	<5	<20	0.04	; <10	309

.

Soil Samples for Grid: Fred 15

23-Nov-95

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
3401	<5	<.2	4.65	<	105	15	0.06	1	19	30	25	8.14	0.47	1356	<1	12	720	82	<5	<20	0.27	<10	8 6
3402	<5	<.2	2.02	5	95	10	0.55	<1	21	27	31	5.11	0.97	904	<1	40	820	26	10	<20	0.19	<10	105
3403	<5	<.2	0.96	<5	85	20	0.15	<1	13	17	11	3.55	0.07	104	<1	10	180	32	<5	<20	0.45	<10	27
3404	ব	<.2	1.69	10	55	5	0.1	1	15	10	10	4.75	0.26	1993	5	7	1450	36	<5	<20	0,11	<10	75
3405	<5	<.2	3,98	<5	55	15	0.16	<1	20	30	19	7.37	0.35	653	<1	13	540	26	<5	<20	0.25	<10	52
3406	<5	0.6	2.42	20	45	<5	0.09	<1	16	7	24	5.66	0.09	1424	7	22	1120	32	<5	<20	0.05	<10	127
3407	<5	1.2	4.44	5	30	5	0.07	<1	9	17	7	8.28	0.04	406	6	6	320	36	<5	40	0.17	<10	47
3408	<5	<.2	2.35	<5	40	15	0.06	1	10	33	16	7.33	0,17	217	1	12	270	32	<5	40	0.26	<10	38
3409	<5	0.2	2.28	30	60	10	0.1	1	23	14	20	6.18	0.47	1839	8	14	1780	30	<5	<20	0.05	<10	91
3410	<5	<.2	1.72	15	55	15	0.09	<1	15	16	18	5.05	0.15	877	5	12	560	16	<5	<20	0.09	<10	80
3411	<5	0.6	4.59	<5	35	20	0.07	1	12	16	24	8,46	0.06	481	4	8	440	32	<5	60	0,25	<10	48 i
3412	<5	<.2	2.39	<5	50	25	0.11	<1	16	22	13	6.09	0.29	648	<1	14	430	16	<5	<20	0.3	<10	54
3413	<5	<.2	2.04	25	145	15	0.36		24	17	35	6.07	0.52	1180	<1	23	1470	12	<5	<20	0.28	<10	88
3414	<5	<.2	4.06	<5	40	15	0.07	1	12	20	30	6.86	0.18	267	<1	12	850	24	<5	20	0.28	<10	76
3415	<5	<.2	3,87	<5	65	15	0,27	<1	21	28	26	5.36	0,53	545	<1	22	820	16	<5	<20	0.4	<10	71
3416	<>	0.2	2.71	20	85	10	0.13	<i< td=""><td>18</td><td>11</td><td>26</td><td>6.54</td><td>0.23</td><td>652</td><td><u>د</u></td><td>13</td><td>1010</td><td>16</td><td><</td><td><20</td><td>0.16</td><td><10</td><td>/8</td></i<>	18	11	26	6.54	0.23	652	<u>د</u>	13	1010	16	<	<20	0.16	<10	/8
3417	<5	<.2	3.22	15	155	30	0.91		39	10	26	8,87	0.46	4386	<1		1380	10	<5	<20	0.55	<10	92
3418	<5	0.4	1.82	15	115	10	0.17	<1	27	11	24	6.88	0.18	3834	8	12	1030	16	<5	<20	0.06	<10	97
3419	<5	<.2	4.04	<	50	25	0.22	<1	17	19	20	6.26	0.39	204	<i< td=""><td>9</td><td>560</td><td>22</td><td><></td><td>40</td><td>0.54</td><td><10</td><td>3/</td></i<>	9	560	22	<>	40	0.54	<10	3/
3420	<>	0.8	3,30	10	40	10	0.07	<i </i 	15	14	17	: 3.85	0.24	14/2	4	17	690	20	<u></u>	<20	0.2	<10	103
3421	<>	0.4	3,3	<>>	60	10	0.13	<1	34	33	33	7.30	0.47	2338	4	. 31	540	20	<>	<20	0.19	<10	129
3422	<>	<2	3.91	<>>		30	0.17		- 19	20	20	7.15	0.55	308		16	430	20	\ \ \	~20	0,47	<10	
3423		~2	4,51	S	105	40	0.79	1	.34 19	22	29	7.15	0.91	714		10	1400	- 14		~20	0.97	<10	61
3424		~2	2.49	10	50	10	0.27	1	10	17	14	1.07	0.12	117		14	520	14	<u> </u>	~20	0.00	<10	52
3423		0.6	2,04	10	20	10	0.07		16	16	14	4.05	0.13	¥27	4 ~1	10	060		7	~20	0.11	<10	
3420		0.0	2.09		60	5	0.52	-1	17	0	40	6.01	0.37	842	- 6	13	1160	20	2	<20	0.12	<10	84
3427	~	< 2	2.11	25	75	5	0.1	<1	17	0 14	28	5.8	0.13	1229	- 2	17	1530	12	7	<20	0.05	<10	97
3420		< 2	3.87	<5	45		0.16	<1	21	74	20	617	0.14	478	<1	10	570	12	<5	<20	0.47	<10	60
3430	<5	< 2	25	<5	50	20	0 12	<1	14	19	12	4 86	0.36	115	<1	14	470	12	<5	20	0.42	<10	27
3431	<5	0.6	2.62	25	120	5	0.16	<1	28	- 27	29	5.84	0.41	1623	6	26	1190	20	<5	<20	0.07	<10	106
3432	<5	<.2	3.28	15	50	<5	0.03	<1	15	43	28	5.22	0.78	618	6	58	570	18	<	<20	0.04	<10	118
3433	<5	<.2	2.89	15	55	10	0.1	<1	24	36	31	5.59	0.72	1253	<	43	1050	18	<5	<20	0.2	<10	120
3434	<5	0.4	2	<5	200	<5	0.24	<]	13	7	6	4.25	0.58	2741	4	5	1040	8	<5	<20	0.03	<10	64
3435	<5	0.4	4.2	10	45	<5	0.04	<1	21	23	21	4.97	0.16	1179	5	13	600		<5	40	0.09	<10	69
3436	<5	<.2	3.13	<5	130	<5	0.07	<1	8	11	6	4.27	0.44	316	2	6	680	12	<5	<20	0.06	<10	59
3437	<5	<.2	3.16	<5	40	15	0.02	<1	8	41	20	7.23	0.47	195	9	29	550	22	<5	20	0.06	<10	57
3438	<5	0.4	2.52	65	95	5	0.08	<1	14	9	16	6.5	0.18	1069	10	7	1280	18	<5	<20	0.04	<10	88
3439	<5	<.2	3,76	<5	40	20	0,1	</td <td>22</td> <td>28</td> <td>22</td> <td>7.74</td> <td>0.16</td> <td>452</td> <td><1</td> <td>10</td> <td>420</td> <td>28</td> <td><5</td> <td>60</td> <td>0,43</td> <td><10</td> <td>59</td>	22	28	22	7.74	0.16	452	<1	10	420	28	<5	60	0,43	<10	59
3440	<5	<.2	3.09	10	50	15	0.18	<1	15	25	17	4.45	0.46	511	<1	22	580	20	<5	<20	0.21	<10	75
3441	<5	<.2	2.37	15	55	10	0,06	<1	19	29	29	4.96	0.55	1131	2	38	910	18	<5	<20	0.15	<10	134
3442	<5	<.2	3.19	<5	60	10	0.07	<u> </u>	12	16	14	7.2	0.2	395	7	6	780	12	<5	20	0.09	<10	47
3443	<5	<.2	2.94	<5	105	15	0.09	2	17	36	20	10	0.23	364	6	22	320	22	<5	40	0.22	<10	86
3444	<5	<,2	2.27	<5	50	10	0.07	<]	28	17	16	6.2	0.16	2055	1	10	420	16	<5	20	0.2	<10	51
3445	<5	<.2	1.23	80	30	5	0.12	<1	8	9	7	3.09	0.23	511	1	10	390	28	<5	<20	0.12	<10	45
3446	<5	<.2	2.54	<5	95	10	0.21	<]	20	21	18	5.79	0,3	961	<1	11	700	16	<5	<20	0.21	<10	65
3447	<5	1.8	4.79	<5	60	<5	0.03	<1	8	11	21	5.76	0.07	481	5	5	560	26	<5	40	0.09	<10	65
3448	<5	<.2	2.75	10	85	<u>î</u> 0	0.14	<1	20	18	21	5,71	0.34	992	<1	13	1380	20	<5	<20	0.26	<10	81
3449	<5	0.6	4.19	<5	45	20	0.05	<1	23	25	20	· 11	0.05	1970	7	6	360	28	<5	80	0.23	<10	56
3450	<5	<.2	2.24	20	65	<5	0.18	<1	16	26	24	4.6	0.51	536	3	26	790	16	<5	<20	0.13	<10	85
3451	<5	<.2	4.31	ব	50	20	0.11	2	18	29	17	9.03	0.09	426	<1	7	320	24	<5	60	0.33	<10	51
3452	<5	<.2	2.51	20	150	10	0.44	<1	19	28	30	4.99	0.67	630	<1	35	1020	22	<5	<20	0.21	<10	133
3453	<5	<.2	5.19	ব	70	40	0.33	<1	35	29	30	7.03	0.61	566	<1	13	1370	16	<5	40	0.89	<10	64
3454	<5	<.2	2.06	20	145	5	0.27	<1	18	25	26	4.9	0.65	599	<1	33	1120	12	<5	<20	0.19	<10	112
3455	<5	2.8	5.02	20	25	15	0.04	<1	12	3	9	6.06	<.01	727	8	5	300	36	<5	60	0.14	<10	68
3456	<5	0.6	3.18	<5	45	25	0.05	2	12	20	12	8.92	0.02	280	2	6	390	34	<5	60	0.33	<10	38
[L	·	l	L	L	<u>ــــــــــــــــــــــــــــــــــــ</u>	L	J	L	1	1	L	ii	· · ·	<u> </u>	L	L	J	ـــــــــــــــــــــــــــــــــــــ

1

*Note: All results are in PPM exept where indicated

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cđ	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	<u>P</u>	Pb	Sb	Sn	Ti%	U	Zn
3457	<5	<.2	2.78	10	70	<5	0.1	<1	15	29	32	5.2	0.61	519	2	33	730	16	<5	<20	0.17	<10	139
3458	<5	0.6	1.83	110	80	<5	0.03	<1	18	17	29	3.69	0.15	1188	8	14	660	28	10	<20	0.05	<10	88
3459	<5	0.4	4.43	10	40	10	0.05	1	22	21	26	6.89	0.17	1511	4	17	560	26	<5	20	0.19	<10	112
3460	ব	0.4	2.15	55	75	5	0.06	1	19	32	41	5.46	0.61	1066	8	55	800	16	<5	<20	0.04	<10	262
3461	<5	<.2	3.63	<5	55	30	0.12	<1	16	31	19	8.66	0.16	221	<]	8	350	24	<5	60	0.49	<10	47
3462	<5	<.2	3.22	20	60	থ	0.24	<1	16	20	23	5.4	0.43	541	3	20	710	20	<5	<20	0.17	<10	116
3463	<5	<.2	4.76	<5	80	40	0.31	1	31	23	28	7.09	0.54	800	<1	14	1130	18	<5	40	0.67	<10	65
3464	<5	<.2	2.48	40	45	10	0.04	<1	22	34	33	5.49	0.7	1420	8	56	990	16	<5	<20	0.09	<10	225
3465	<5	1.4	1.31	<5	255	45	0.06	2	43	19	31	>15	0.17	>10000	26	41	1460	<2	<5	<20	0.02	<10	94
3466	<5	<.2	4.65	<5	55	30	0.2	<1	25	23	24	6.79	0.39	349	<]	11	1070	16	<5	40	0.71	<10	78
3467	<5	<.2	4.14	10	30	10	0.06	<1	11	24	18	5,6	0.11	261	<]	8	460	30	<5	40	0.3	<10	52
3468	<5	1	2.17	35	160	5	0.18	6	14	27	44	4.69	0,48	497	4	84	880	20	<5	<20	0.14	<10	684
3469	<5	<.2	2.77	5	65	10	0.11	2	16	23	23	5.61	0.3	563	3	19	580	10	<5	<20	0.12	<10	111
3470	<5	0.6	0.68	55	130	<5	0.23	2	13	4	40	3.66	0,11	711	11	24	720	14	<5	<20	<.01	<10	256
3471	<5	1	2.24	30	100	10	0.04	1	25	6	24	8.78	0.2	5420	10	24	840	18	<5	<20	0.02	<10	89
3472	<5	0.2	1.01	30	60	<5	0,05	<1	4	9	11	3	0.07	187	8	8	960	14	<5	<20	0,03	<10	52
3473	<5	<.2	2.64	5	55	<	0.07	<1	13	16	17	5.3	0.11	801	5	8	540	20	<5	20	0.12	<10	66
3474	<5	<.2	2.09	<5	50	IO	0.05	<1	11	47	18	7.11	0.58	416	7	35 -	630	14	<5	<20	0.07	<10	65
3475	<5	<.2	2.4	10	50	5	0.08	<1	11	25	24	4.11	0.38	248	3	25	570	12	<5	<20	0.1	<10	113
3476	<5	<.2	2.07	<5	40	20	0,1	<1	11	15	11	5,03	0.13	179	<1	6	410	16	<5	<20	0.29	<10	33
3477	<5	<.2	2.34	10	150	10	1.05	<1	43	10	43	7.42	1.26	1921	<1	29	1120	18	<5	<20	0.27	<10	114
3478	<5	0.4	1.76	35	70	<5	0.06	<1	26	26	32	4.19	0.48	1473	7	40	840	18	<5	<20	0.05	<10	144
3479	<5	<.2	3.31	15	70	10	0,13	<1	18	32	28	4.6	0.56	521	<1	32	900	18	<5	<20	0.31	<10	130
3480	<5	0.4	0,45	55	80	<5	0.04	<1	12	3	35	2.98	0.03	770	11	14	730	22	<5	<20	<.01	<10	135
3481	<5	<.2	4.41	<5	55	25	0.23	1	23	24	24	6.54	0.49	514	<1	13	900	14	<5	20	0.53	<10	65
3482	<5	<.2	2.88	<5	55	10	0.09	<1	12	25	18	6,11	0.25	310	3	16	590	12	<5	<20	0.14	<10	61
3483	<5	<.2	4.68	<5	75	30	0.29]	40	25	34	7.11	0,67	1879	<1	19	1460	20	<5		0.68	<10	93
3484	<5	<2	4.11	<5	50	30	0,2	1	17	21	18	6.61	0.32	195	<1	9	710	18	<5	20	0.52	<10	43
3485	<5	<.2	4.79	<5	45	20	0.1	<1	13	22	19	7,69	0.1	240	<1	7	400	26	<5	40	0.31	<10	65
3486	<5	<.2	4.6	<5	45	25	0.15	E	17	34	29	7.04	0.27	232	<1	10	720	22	<5	40	0.46	<10	63
3487	<5	<.2	4.2	<5	45	20	0.14	1	16	19	20	7,03	0.24	246	<1	8	380	22	<5	40	0.44	<10	46
3488	<5	<.2	3.91	<5	50	20	0.25	<1	22	27	23	5.93	0.49	357	<1	13	880	18	<5	<20	0.45	<10	62
3489	<5	<.2	3.89	<5	35	20	0.12	<1	15	22	19	6,63	0,18	161	<1	7	490	22	<5	40	0.49	<10	40
3490	<5	<.2	3.05	<5	50	15	0.08	<1	20	37	22	5,99	0.53	583		33	550	14	<5	<20	0.19	<10	99
3491	<5	<.2	3.45	<5	40	30	0.08	1	15	27	15	7.4	0.11	397	<1	8	340	28	<5	60	0.47	<10	55
3492	<5	<2	4.06	<5	65	25	0.23	<1	17	19	18	5.01	0.35	209	<1	9	580	20	<5	<20	0.47	<10	52
3493	<5	0.4	4.26	10	40	10	0.07	<	7	13	9	2.29	0.05	55	<1	8	530	40	<5	40	0.19	<10	48
3494	<5	<.2	2.51	5	100	<5	0.11	- 1	22	-11	26	5.53	0.18	1542	5	12	850	18	<5	<20	0.08	<10	77
3495	<5	0.6	4.04	15	30	15	0.08		10	17	16	5.69	0.16	230	<1	10	670	32	<5	20	0.27	<10	66
3496	<5	< 2	2.26	15	80	15	0.25	<۱	20	16	26	5.65	0.46	1093	<1	19	1560	16	<5	<20	0.19	<10	86
3497	<5	< 2	4 88	<5	35	20	0.08	<1	18	20	18	7.79	0.13	557	2	7	470	26	<5	40	0.28	<10	67
3498	<5	< 2	1.63	20	60	5	0.22	<1	23	10	25	471	0 34	1812	- 7	14	1490	14	<1	<20	0.11	<10	78
3499	<5	< 2	4 66	<5	40	20	0.11	1	19	29	22	8 18	0.16	361	<1	8	460	22	<5	40	0.39	<10	62
3500	<5	0.2	1.06	15	70	10	0.03	<1	20	3	42	7.23	0.02	1270	9	17	1040	18	ব	<20	<.01	<10	116
3501	<5	0.2	3.52	<5	55	10	0.09	<1	18	40	30	6.54	0.59	659	5	31	730	186	<5	<20	0.1	<10	63
3502	<5	< 2	0.62	<5	75		0.02	<1	12	4	49	5.84	< 01	743	6	8	1140	36	<5	20	0.01	<10	77
3503	<5	0.2	4.85	5	35	20	0.02	<1	13		19	7.01	0.18	496	2	9	710	34	<5	<20	0.22	<10	68
3504		< 2	1.05	10	65	10	0.22	<1	1.2	7	35	7 28	0.35	867	- 6	- 14	1010	16	<5	20	0.07	<10	68
3505		<2	1.15	<5	45	25	0.22	<1	16	24	78	8 58	0.34	154	<1	12	820	20	<5	<20	0.48	<10	59
3505	~3	<.2	4.00	~	40	20	0.2		17	14	20	9.72	0.13	1.74	7	6	630	20	~~~	20	0.40	<10	50
2507		~.4	4.14	~>	14	20	0.00	~1	$-\frac{17}{12}$	27	19	8 70	0.13	432	5	11	500	18	~	<20	0.24	<10	73
3500		~2	4.10			20	0.02	~1	12		22	g 1	0.15	262	ر بر ج	17	640	10	<5	20	0 14	<10	70
3008	~	<.2	3.24		13	14	0.00	1	41	22	54	0.1	0.17	3441	, 0	12	1360	12	~	20	0.14	<10	115
2510		0.4	2.21	10		10	0.52	1	41	12	17	10.0	0.00	061	0 	43 	220	20		20	0.14	<10	46
3310		<.2	2.19	<>>	22	20	\.UI	1	13	13	1/	7,23	I	507	2	0	500	20	->	20	0.20	~10	56
3511		<.2	4.0		50	<u></u> 2€	0.01	1	12	18	19	9.14	0.04	201		0	700	14	->	20	0.43	210	83
3512		<.2	2.15) //	70	15	0.03	<1	13	10	42	0.14	0.00	294		0	100	14	~3	20	0.00	<10	60
5315	< <u>,</u>	<,2	4.24	<>> 	10	40	0.11		29	29	20	8 71	0.10	1123	~1	7	000	34		20	0.37	~10	07
3514		<.2	3.33		80	15	0.26	<1	26	21	30	0./L	0.52	1001	3	21	990	12	<>>	1×20	0.22	<10 <10	91
3515	<>	0.4	2.3		/0	10	0.03	1>		44	- 21	10.5	0.2	417		1/	22/0	4		20	0.03	~10	0.7
3516		<.2	5.14	<>	95	45	0.43	<	54	25	41	9.10	0.79	3/4	 		1/20	0			0.93	~10	

_

Tag	Au(ppb)	Ag	AI%	As	Ba	Bi	Ca%	Cđ	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
3517	<5	0.4	3.2	<5	55	15	0.06	<1	42	18	33	9.07	0.31	2020	6	11	1060	16	<5	<20	0.14	<10	86
3518	<5	<.2	3.61	10	110	15	0.22	1	23	29	38	8.87	0.62	628	2	34	840	12	<5	<20	0.32	<10	128
3519	<5	<.2	2.87	<5	65	15	0.38	<1	23	14	25	6.27	0,55	1192	2	12	1220	12	<5	<20	0.17	<10	76
3520	<5	<,2	3.02	<5	40	30	0.11	<]	18	18	18	11.2	0.22	413	l	8	360	18	<5	<20	0.44	<10	50
3521	<5	<.2	2.87	10	55	10	0.06	<1	30	15	38	7.61	0.36	1843	6	12	1090	16	<5	<20	0,1	<10	80
3522	<5	1	5.72	<5	40	20	0.04	<1	22	12	25	9.01	0.04	1176	5	8	710	20	<5	<20	0.23	<10	81
3523	<5	<.2	4.42	<5	55	35	0.27	1	23	24	27	9,25	0.6	437	<}	16	1010	6	<5	<20	0.59	<10	82
3524	<	0.6	1.65	<5	160	10	0.13	1	21	13	49	8,65	0.15	1332	11	16	2080	16	<5	<20	0.01	<10	74
3525	<5	<.2	2.91	5	125	15	0.36	<1	22	22	34	6.23	0.43	1360	4	28	8 40	16	<5	<20	0.13	<10	153
3526	<5	0.2	4.33	<5	60	25	0.1	1	30	21	22	9.31	0.23	2138	<1	9	430	14	<5	<20	0.32	<10	79
3527	<5	<.2	3.85	<5	65	25	0,08	<1	26	15	37	7,53	0.35	1105	<1	11	820	18	<5	<20	0.3	<10	78
3528	<5	<.2	2.7	<5	70	10	0,04	1	10	24	27	7,65	0.08	303	8	15	820	8	<5	<20	0.08	<10	60
3529	<5	0.6	2.75	20	80	10	0.04	< i	31	10	52	9.88	0.4	1784	12	19	1550	22	<5	<20	0,01	<10	134
3530	<5	<.2	3,75	<5	60	15	0.04	<1	13	21	31	9.32	0.15	409	13	11	550	20	<5	<20	0.19	<10	77
3531	<5	0.2	3.32	<5	60	20	0,08	<1	11	14	22	5,97	0.18	286	<1	8	780	18	<5	<20	0.22	<10	69
3532	<5	0.2	1.19	15	65	<5	0.01	<]	10	4	272	7.52	<.01	284	10	9	1680	22	<5	<20	<.01	<10	63
3533	<5	<.2	3.19	<5	75	15	0.15	<1	17	13	28	7.79	0,33	791	3	12	880	12	<5	<20	0.2	<10	93
3534	<5	<.2	3.33	40	75	15	0.04	<1	10	26	34	8.64	0.21	349	16	11	1290	12	<5	<20	0.03	<10	81
3535	<5	<.2	2.42	10	70	10	0.02	1	29	16	35	8.31	0.3	1868	8	20	1630	18	<5	<20	0,07	<10	120
3536	<5	<.2	5.36	<5	60	40	0.3	<1	35	23	32	9.71	0.58	761	<]	12	1100	6	<5	<20	0.77	<10	70
3537	<5	<.2	2.66	<5	70	10	0.11	<1	20	22	32	6.83	0.51	1160	<1	26	1500	14	<5	<20	0.2	<10	100
3538	<5	<.2	3.43	10	40	20	0.03	<]	10	39	24	6.74	0.44	295	5	27	830	8	<5	<20	0,15	<10	87
3539	<5	<.2	2.69	<5	45	10	0.04	<1	8	25	19	6.72	0.2	150	5	14	490	8	<5	<20	0,11	<10	53
3540	<5	<.2	2.67	15	45	15	0.08	<1	11	34	25	5.58	0.57	319	2	30	780	10	<5	<20	0.14	<10	92
3542	<5	<.2	5.29	<5	40	25	0.13	1	15	19	20	9.25	0.23	261	<1	8	590	8	<5	<20	0.46	<10	39
3543	<5	<.2	3.63	<5	65	25	0.53	1	23	18	17	6.98	0.69	354	<1	11	690	6	<5	<20	0.55	<10	42
3544	<5	<.2	5.29	<5	75	40	0.29	<]	27	28	27	8.94	0.42	330	<i< td=""><td>11</td><td>1030</td><td>8</td><td><5</td><td><20</td><td>0.81</td><td><10</td><td>60</td></i<>	11	1030	8	<5	<20	0.81	<10	60
3545	<5	0.2	5.79	<5	45	25	0.05	<1	13	23	24	9.62	0.01	353	6	6	650	18	<5	<20	0.24	<10	68
3546	<5	<.2	3.24	<5	135	25	0.13	<1	21	30	15	10.2	0.27	1412	3	9	600	18	<5	<20	0,29	<10	57
3547	<5	<.2	3.85	15	75	25	0.2	1	27	37	30	8.34	0.71	1453	<1	27	1870	12	<5	<20	0.29	<10	142
3548	<5	1	3.25	15	160	10	0.3	15	38	24	56	9,3	0.56	6658	2	90	1770	14	<5	<20	0.4	<10	415
3549	<5	1.6	4.78	<5	50	30	0.12	<1	16	16	19	7.77	0.22	298	<1	7	770	6	<5	<20	0.48	<10	37
3550	<5	0,4	4.82	15	40	15	0.04	<1	12	20	17	7.75	0.27	476	7	20	490	14	<5	<20	0.12	<10	94
3551	<5	<.2	2.95	ব	40	25	0.05	<1	10	23	17	5.17	0.03	75	<1	3	350	26	<5	<20	0.45	<10	18
3552	<5	<.2	4	<5	40	30	0.05	1	15	16	26	12.3	0.11	264	3	6	330	26	<5	<20	0.42	<10	49
3553	<5	<.2	4.56	5	115	40	0.24	1	32	27	38	7.97	0.68	972	<1	27	1450	16	<5	<20	0,71	<10	96
3554	<5	<.2	5.24	<5	55	30	0.14	<1	16	26	21	7.94	0.24	377	<1	8	580	12	<5	<20	0,5	<10	40
3555	<5	<.2	4.82	<5	45	25	0.13	1	16	29	27	9.13	0,5	259	<1	22	580	10	<5	<20	0.39	<10	64
3556	<5	<.2	2.76	<5	245	10	0.32	<]	19	33	27	6.7	0.76	1364	5	34	680	8	<5	<20	0,07	<10	86
3557	<5	<.2	2,74	5	195	<5	0.12	<1	11	23	39	4.97	0.57	507	5	23	810	16	<5	<20	0.05	<10	85
5250	<5	<.2	3.31	<5	60	15	0.15	1	17	34	29	7.12	0.44	342	<1	21	590	28	<5	<20	0.48	<10	60
5251	<5	<.2	2.44	<5	70	15	0.12	<1	9	13	10	3.88	0.18	124	<1	6	570	26	<5	<20	0.27	<10	33
5252	<5	<.2	3.22	<5	55	40	0.43	<1	32	25	23	8.17	0.96	265	<1	15	870	22	<5	<20	1.14	<10	42
5253	<5	<.2	2.82	<5	45	20	0.17	<1	15	26	23	5.23	0,3	444	<1	13	1070	32	<5	<20	0.43	<10	60
5254	<5	<.2	4.03	<5	55	20	0.27	<1	31	29	31	6.7	0.49	2175	<1	16	1390	26	<5	<20	0.52	<10	60
5255	<5	0.4	4.13	<5	35	15	0.06	<]	15	14	15	6.46	0.15	618	<1	8	560	44	<5	<20	0.34	<10	68
5256	<5	<.2	4.05	ব	45	25	0.29	<1	20	23	18	6.29	0.44	341	<1	10	700	32	<5	<20	0.67	<10	47
5257	<5	<,2	3.17	<5	65	15	0.16	_<1	16	41	38	5.29	0.61	433	<1	44	860	30	<5	<20	0.29	<10	115
5258	<5	<,2	4.68	<5	45	30	0.31	<1	22	20	22	7.25	0.5	190	<1	10	820	30	<5	<20	0.81	<10	37
5259	<5	0.2	2	50	65	<5	0.12	<1	14	17	31	4,81	0.26	612	7	17	790	34	<5	<20	0.06	<10	82
5260	<5	0.2	3.36	<5	35	15	0.04	1	12	13	18	8.91	0.02	640	8	5	680	42	<5	<20	0.22	<10	62
5261	<5	1.8	4.33	5	30	10	0.07	<1	17	10	21	6,28	0.05	904	4	12	700	46	<5	<20	0.22	<10	95
5262	<5	<.2	3.48	<5	45	30	0.29	1	22	23	20	7.33	0.59	226	<i< td=""><td>13</td><td>690</td><td>24</td><td><5</td><td><20</td><td>0.71</td><td><10</td><td>43</td></i<>	13	690	24	<5	<20	0.71	<10	43
5263	<5	<.2	3.11	<5	80	10	0.05	<]	10	37	28	6.59	0.35	316	7	26	890	28	<5	<20	0.06	<10	73
5264	<5	<.2	2.97	<5	45	10	0.46	<1	11	43	22	7.65	0.67	674	8	17	3420	26	<5	<20	0.05	<10	99
5265	<5	<.2	4.01	<5	35	25	0.22	<1	18	21	20	6.24	0.23	100	<1	7	860	26	<5	<20	0.79	<10	39
5266	<5	<,2	2.28	<5	75	10	0.12	2	11	28	22	10.1	0.06	441	10	10	1530	18	<5	<20	0.07	<10	61
5267	<5	<.2	4.12	<5	40	20	0.12	<1	10	42	20	4.58	0.12	153	<1	8	640	42	<5	<20	0.37	<10	44
5268	<5	<2	2,46	<5	45	20	0,17	1	15	18	16	5.62	0.28	147	<1	7	720	22	<5	<20	0,53	<10	29
5269	<5	<2	4.58	<5	210	5	0.04	1	23	57	34	7.81	0.38	1560	9	18	2110	34	<5	<20	0.02	<10	45
			.,20				L	1	L		1	1	0.00	I	Í	L	<u> </u>		Ľ		L	1	

.

1710 43 42 43 43 43 43 14 15 10 10 10 10<	Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
171 43 44 45 55 55 55 55<	5270	<5	<.2	3.42	<5	75	20	0.88	<1	24	25	21	4.91	0.96	358	<1	23	860	28	<5	<20	0.58	<10	85
1 1	5271	<5	<.2	4.46	<5	50	25	0.27	<1	19	20	19	6.91	0.3	179	<1	9	740	34	<5	<20	0.68	<10	38
1 4 4 5 5 1 0 1 1 1 0 2 1 0	5272	<5	<.2	2.81	<5	55	5	0.05	<1	11	40	24	4.83	0.37	235	<1	27	630	28	<5	<20	0.27	<10	77
1 1 2	5273	<5	<.2	4.5	<5	45	20	0.1	1	18	42	28	8.8	0.15	281	<1	10	580	42	<5	<20	0.56	<10	58
1757 <td>5274</td> <td><5</td> <td><.2</td> <td>2.79</td> <td><5</td> <td>55</td> <td>10</td> <td>0.09</td> <td><1</td> <td>23</td> <td>26</td> <td>25</td> <td>5.62</td> <td>0.25</td> <td>1923</td> <td><1</td> <td>14</td> <td>920</td> <td>30</td> <td><5</td> <td><20</td> <td>0.23</td> <td><10</td> <td>74</td>	5274	<5	<.2	2.79	<5	55	10	0.09	<1	23	26	25	5.62	0.25	1923	<1	14	920	30	<5	<20	0.23	<10	74
1 2	5275	<5	<.2	4.13	<5	65	25	0.19	<1	16	32	24	6.12	0.21	155	<1	10	710	44	<5	<20	0.6	<10	60
177 < < < < < < < < < < < < < < <	5276	<5	<,2	5.68	<5	65	35	0.46	1	28	22	27	7.45	0.66	402	<1	12	930	34	<5	<20	0.93	<10	50
1797 <td>5277</td> <td><5</td> <td><,2</td> <td>4.85</td> <td><5</td> <td>65</td> <td>25</td> <td>0.21</td> <td><1</td> <td>20</td> <td>29</td> <td>34</td> <td>6.35</td> <td>0.32</td> <td>202</td> <td><1</td> <td>19</td> <td>1000</td> <td>44</td> <td><5</td> <td><20</td> <td>0.59</td> <td><10</td> <td>101</td>	5277	<5	<,2	4.85	<5	65	25	0.21	<1	20	29	34	6.35	0.32	202	<1	19	1000	44	<5	<20	0.59	<10	101
1279 <td>5278</td> <td><5</td> <td><,2</td> <td>3.16</td> <td><5</td> <td>85</td> <td>10</td> <td>0.17</td> <td>1</td> <td>22</td> <td>18</td> <td>27</td> <td>5.61</td> <td>0.33</td> <td>899</td> <td><1</td> <td>20</td> <td>1110</td> <td>42</td> <td><5</td> <td><20</td> <td>0.32</td> <td><10</td> <td>104</td>	5278	<5	<,2	3.16	<5	85	10	0.17	1	22	18	27	5.61	0.33	899	<1	20	1110	42	<5	<20	0.32	<10	104
1320 -5 2 50 75 90 20 10 90 10 90 10 90 10 90 10 90 10 90 10 90 10	5279	<5	<,2	3.84	<5	45	20	0.15	2	15	34	23	7.9	0.16	173	<1	9	620	42	<5	<20	0.54	<10	50
1 5 4.8 5 9 1.8 0.1 0 0 1 </td <td>5280</td> <td><5</td> <td><,2</td> <td>5.01</td> <td><5</td> <td>40</td> <td>25</td> <td>0.21</td> <td><1</td> <td>17</td> <td>30</td> <td>22</td> <td>6.98</td> <td>0.2</td> <td>378</td> <td><1</td> <td>8</td> <td>690</td> <td>46</td> <td><5</td> <td><20</td> <td>0.5</td> <td><10</td> <td>54</td>	5280	<5	<,2	5.01	<5	40	25	0.21	<1	17	30	22	6.98	0.2	378	<1	8	690	46	<5	<20	0.5	<10	54
1281 -3 1 <th1< th=""> 1 1 1</th1<>	5281	<5	<.2	4.82	5	50	15	0.21	<1	17	19	21	6.84	0.26	776	<1	11	760	44	<5	<20	0.37	<10	78
1384	5282	<5	1.4	5.67	10	40	10	0.1	<1	11	12	15	6.16	0.1	698	4	7	790	60	<5	<20	0.19	<10	80
3284	5283	<5	<.2	4.81	<5	50	20	0.26	<1	19	21	24	6.98	0.42	214	<1	10	640	32	<5	<20	0.6	<10	50
1326 2 0 1 1 3 2 1 3 0	5284	<5	0.4	4.65	10	55	10	0.1	<1	17	17	22	6.97	0.21	695	<1	17	\$20	48	<5	<20	0.33	<10	103
1287 - 2 2 0.0 0.0 8 - 1 10 <td>5285</td> <td><5</td> <td><.2</td> <td>4.56</td> <td><5</td> <td>55</td> <td>20</td> <td>0.14</td> <td>1</td> <td>37</td> <td>27</td> <td>32</td> <td>7.39</td> <td>0.42</td> <td>2004</td> <td><1</td> <td>20</td> <td>760</td> <td>42</td> <td><5</td> <td><20</td> <td>0,4</td> <td><10</td> <td>100</td>	5285	<5	<.2	4.56	<5	55	20	0.14	1	37	27	32	7.39	0.42	2004	<1	20	760	42	<5	<20	0,4	<10	100
1237 -5 -5 40 0.4 -7 31 35 8.14 0.7 38 -1 18 930 -1 18 930 30 52 20 73 0.7 30 0.7 300 0.7 300 0.7 300 0.7 300 0.7 300 0.7 300 0.7 0.0 10	5286	<5	<.2	2.06	<5	40	<5	0.63	<1	5	23	12	0.94	0.09	88	<1	11	750	18	<\$	<20	0.16	<10	14
1389 < < < < < < < < < < < < < < < < < < < < < < < < < <	5287	<5	<.2	5.69	<5	75	40	0.44	<1	31	33	35	8.34	0.7	398	<1	16	1300	34	<5	<20	0.99	<10	67
5290 < </td <td>5288</td> <td><5</td> <td><.2</td> <td>4.77</td> <td><5</td> <td>60</td> <td>40</td> <td>0.47</td> <td>1</td> <td>35</td> <td>27</td> <td>28</td> <td>8.74</td> <td>0.97</td> <td>489</td> <td><1</td> <td>18</td> <td>990</td> <td>30</td> <td><5</td> <td><20</td> <td>1.17</td> <td><10</td> <td>48</td>	5288	<5	<.2	4.77	<5	60	40	0.47	1	35	27	28	8.74	0.97	489	<1	18	990	30	<5	<20	1.17	<10	48
1250 < <	5289	<5	<.2	4.27	<5	80	20	0.14	1	22	27	24	6.46	0,46	887	<br	27	890	38	<5	<20	0.4	<10	127
1 -	5290	<5	<.2	2.7	<5	95	<5	0,17	<]	15	72	45	4.62	1.23	636	5	91	690	20	<5	<20	0.01	<10	121
5293 < < < < < < < < < < < < < < < < <	5291	<5	<.2	3.37	15	70	5	0.1	<1	14	40	27	4.33	0.44	707	2	36	1070	32	<5	<20	0.14	<10	130
5294 -5 <2 4.09 -5 0.00 25 25 26 26 26 26 28 -5 20 0.01 20 0.01 40 99 38 -5 20 0.01 40 99 38 -5 20 0.01 41 11 100 50 38 -5 20 0.01 41 5295 -5 -5 5 20 0.25 1 18 22 21 7.82 0.46 16 0.01 50 38 -5 20 0.24 41 11 100 36 -5 20 0.24 41 10 10 56 20 0.10 41 82 21 11 100 28 -5 20 20 10 11 100 28 -5 20 20 20 21 22 21 22 21 21 28 20 20 21 21 28 20 20 21 21 29 21 21 29 21	5292	<5	<.2	4.2	<5	55	20	0.17	<1	18	26	20	6.12	0.41	387	<1	16	700	34	<5	<20	0.54	<10	53
5295 -5 -2 3.03 -5 90 0.0 41 10 3.2 2.5 5.62 0.5 -1 10 90 10 70 8.4 -20 0.51 10 92 12 17 20 21 17 20 21 17 20 21 17 20 21 17 20 21 17 20 21 21 22 17 20 23 20 21 11 110 35 45 40 41	5293	<5	<.2	4.09	<5	60	25	0.44	1	24	27	24	7.58	0.59	205	<1	11	1000	28	<5	<20	0.81	<10	39
5256 <5 <2 52 <3 45 <25 <0.5 1 18 22 17.2 7.82 0.65 10 <1 10 57.0 18 <5 <0.2 14 111 11 111 1	5294	<5	<,2	3.93	<5	50	20	0.34	<1	18	32	25	5.62	0.5	250	<1	19	960	38	<5	<20	0.51	<10	69
5296 < </td <td>5295</td> <td><5</td> <td><.2</td> <td>5.82</td> <td><5</td> <td>45</td> <td>25</td> <td>0.25</td> <td>1</td> <td>18</td> <td>22</td> <td>21</td> <td>7.82</td> <td>0.46</td> <td>160</td> <td><1</td> <td>10</td> <td>570</td> <td>38</td> <td><5</td> <td><20</td> <td>0.54</td> <td><10</td> <td>41</td>	5295	<5	<.2	5.82	<5	45	25	0.25	1	18	22	21	7.82	0.46	160	<1	10	570	38	<5	<20	0.54	<10	41
5297 <5 <2 3.69 <5 55 20 0.22 <1 18 37 27 62 0.50 51 20 65 35 30 65 32 65 55 50 55 35 0.38 <1 27 20 65 65 55 12 12 980 34 <5 20 0.45 62 0.05 51 0.1 1 8 38 24 6.4 6.07 36 65 64 52 20 0.16 41 11 20 12 844 0.03 50 4 50 50 50 50 63 43 120 12 844 0.03 44 45 40 0.03 40 10	5296	<5	<.2	4.95	<5	65	35	0.37	1	27	26	32	8.66	0.52	194	<1	11	1190	36	<5	<20	1.07	<10	49
5299 <td>5297</td> <td><5</td> <td><.2</td> <td>3.69</td> <td><5</td> <td>55</td> <td>20</td> <td>0.22</td> <td><1</td> <td>18</td> <td>37</td> <td>27</td> <td>6.2</td> <td>0.52</td> <td>710</td> <td><1</td> <td>22</td> <td>820</td> <td>36</td> <td><5</td> <td><20</td> <td>0.41</td> <td><10</td> <td>82</td>	5297	<5	<.2	3.69	<5	55	20	0.22	<1	18	37	27	6.2	0.52	710	<1	22	820	36	<5	<20	0.41	<10	82
5299 20 0.22 1 24 28 31 6.36 6.47 392 <1 19 80 34 <5 20 0.46 20 97 3300 <5 0.8 4.37 10 55 10 0.11 1 8 14 20 12 8.44 0.03 600 4 6 5 20 0.64 14 10 11 20 12 8.44 0.03 600 4 6 5 20 0.64 4 10 71 3300 <5 22 0.34 1 20 32 5 5 5 5 5 6 70	5298	<5	<,2	4.26	<5	85	35	0.38	<1	27	27	20	6.5	0.6	558	<1	12	980	30	<5	<20	0.88	<10	52
5300 0.8 4.9 10 55 15 0.1 1 8 38 24 6.4 0.07 331 5 9 790 46 <5 <20 0.14 <10 11 20 12 8.44 0.07 331 5 9 790 46 <5 200 0.14 <10 75 303 600 4 6 540 65 <20 0.04 <10 77 5303 <5 <2 3.38 <5 400 20 0.34 1 20 12 62 0.31 11	5299	<5	<.2	3.88	10	95	20	0.32	1	24	28	31	6.36	0.43	392	<1	19	880	34	<5	<20	0.49	<10	97
5301 <	5300	<5	0,8	4.97	10	55	15	0.1	1	8	38	24	6.4	0.07	351	5	9	790	46	<5	<20	0.14	<10	44
5302 5 4 5 4 5 2 1 34 1280 36 < 100 77 3503 30 2 8 20 0.13 <1 20 22 0 137 <1 14 58 15 0.11 <1 14 58 15 0.11 <1 100 11 470 26 <5 20 0.03 <11 11 470 26 <5 20 0.03 711 <11 470 26 <5 20 0.03 711 <11 11 670 26 <5 20 0.03 711 <11 570 24 56 <20 0.03 710 71 710<	5301	<5	0.6	5.42	<5	35	20	0,06	<1	11	20	12	8.44	0.03	600	4	6	540	58	<5	<20	0.26	<10	64
5303 <5 <22 4.11 <5 80 20 0.34 1 20 32 20 7.67 0.51 374 <11 12 570 24 <5 <20 0.36 <10 54 5305 <5 <22 3.38 <5 125 <5 0.16 1 19 24 0.65 10.1 11 170 20 57 11 11 11 11 57 25 <5 0.5 1.4 5.69 <5 15 0.06 <1 12 18 15 7.31 0.08 378 5 9 450 56 <5 30 0.07 0.18 371 0.18 371 0.38 5 9 450 56 <50 0.17 100 17 100 17 100 17 100 17 100 17 100 17 100 17 100 17 100 17 100 118 100 118 100 118 100 118 100 118	5302	<5	<.2	3.93	<5	80	15	0.34	<1	19	55	45	5.28	0.8	281	<]	34	1280	36	<5	<20	0.44	<10	77
5304 < 20 0.13 <1 14 38 21 6.22 0.3 18 <1 670 40 <5 <20 0.13 <1 14 38 21 6.22 0.3 181 <1 19 24 20 6.27 0.3 711 <1 11 870 26 <5 0.0 0.12 0.0 20 0.3 210 0.0 20 0.3 210 20 0.3 210 20 0.3 210 20 0.3 210 20 0.3 210 20 130 20 210	5303	<5	<.2	4.41	<5	80	20	0.34	1	20	32	20	7.67	0.51	374	<1	12	570	24	<5	<20	0.36	<10	54
5305 1 1 2 2 0 6 7 1 1 70 26 < < 0.032 < 4 35 5306 < 0 3 5 12 <5 0.39 4 38 48 86 27 0.85 161 5 87 109 34 <5 20 0.13 <10 240 240 5307 <5 1.4 5.69 <5 9 40 88 75 9 40 85 5 9 40 85 5 9 40 88 48 86 20 88 108 31 168 19 176 22 <50 0.07 (10 118 171 <1 100 48 25 20 20 21 101 130 130 130 130 140 15 101 118 101 101 101 101 101 101 101 101 101 101 <th< td=""><td>5304</td><td><5</td><td><.2</td><td>3.38</td><td><5</td><td>40</td><td>20</td><td>0.13</td><td><]</td><td>14</td><td>38</td><td>21</td><td>6.22</td><td>0.3</td><td>181</td><td><1</td><td>14</td><td>670</td><td>40</td><td><5</td><td><20</td><td>0.41</td><td><10</td><td>51</td></th<>	5304	<5	<.2	3.38	<5	40	20	0.13	<]	14	38	21	6.22	0.3	181	<1	14	670	40	<5	<20	0.41	<10	51
5306 0.4 3.3 5 125 <5 0.39 4 38 48 86 6.27 0.85 1651 5 87 1090 34 <5 <20 0.13 <10 240 5307 <5 1.4 5.69 <5 35 15 0.06 <1 12 18 15 7.31 0.08 378 5 9 450 56 <2 2.0 0.17 <10 75 5308 <2 2.2 4.51 15 0.05 1 16 2.37 6.78 0.45 2.10 4 42 47 40 48 42 43 42 43 44 23 76.79 0.39 44 42 43 16 42 37 16 10.8 10 11.8 10.23 11.8 10.23 11.8 10.23 11.8 10.23 11.8 10.23 11.8 10.8 441 45 42 45 40 9.1 40.3 10.8 40.1 40.1 40.1	5305	<5	<.2	2.84	<5	45	15	0.16	1	19	24	20	6.97	0.3	711	<1	11	870	26	<5	<20	0.32	<10	45
5307 10 11 12 18 15 7.31 0.08 378 5 9 450 56 <5 <20 0.17 <00 75 5308	5306	<5	0.4	3.3	5	125	<5	0.39	4	38	48	86	6.27	0.85	1651	5	87	1090	34	<5	<20	0.13	<10	240
5308 <5 <2 2.9 <5 175 <5 0.25 <1 20 36 23 6.78 0.43 2108 5 19 1760 22 <5 <00 <107 <10 87 5309 <5	5307	<5	1.4	5.69	<5	35	15	0.06	<1	12	18	15	7.31	0.08	378	5	9	450	56	<5	<20	0.17	<10	75
5309 -5 -5 15 0.05 1 16 42 37 6.79 0.39 640 4 26 940 48 <5 -20 0.17 <10 118 5310 <5	5308	<5	<.2	2.9	<5	175	<5	0.25	<1	20	36	23	6.78	0.45	2108	5	19	1760	22	<5	<20	0.07	<10	87
5310 0.06 <1 11 33 21 8.1 0.23 212 3 16 40 42 <5 <20 0.66 <10 44 5311 <5 <	5309	<5	<.2	4.51	<5	55	15	0.05	١	16	42	37	6.79	0.39	640	4	26	940	48	<5	<20	0.17	<10	118
5311 50 35 0.28 2 27 25 22 9.41 0.63 185 <1 12 660 24 <5 <20 0.99 <10 39 5312 <5 <2 3.62 <5 65 20 0.05 1 13 29 16 11.3 0.15 840 9 12 500 50 <5 <20 0.2 <10 67 5313 <5 <2 2.6 15 70 15 0.12 1 20 30 36 6.6 64 859 <1 12 910 34 <5 <20 0.03 (10 0.27 <1 26 19 27 5.78 0.42 1763 <1 12 910 34 <5 <20 0.34 <10 84 5316 <2 2.85 <55 30 0.12 <1 18 22 20 36 36.5 <1 18 <50 30 8.5 <20 0.63	5310	<5	<.2	3.28	<5	75	15	0.06	<1	11	33	21	8.1	0.23	212	3	16	540	42	<5	<20	0.26	<10	44
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	5311	<5	<.2	2.89	<5	50	35	0.28	2	27	25	22	9.41	0.63	185	<]	12	660	24	<5	<20	0.99	<10	39
5313 <5 <2 2.6 15 70 15 0.12 1 20 30 56 0.64 859 <1 33 1010 28 <5 <20 0.22 <10 117 5314 <5 <2 3.09 <5 90 10 0.27 <1 26 19 27 5.78 0.42 1763 <1 12 910 34 <5 <20 0.34 <10 84 5315 <5 <5 <5 <55 <5 0.03 1 33 33 36 9.53 0.24 2932 10 18 1350 36 <5 20 0.05 <10 62 5316 <5 <2 <5.5 <30 0.25 <1 28 22 30 0.44 3327 10 40 1390 36 <5 20 0.64 232 200 <10 41 20 20 20 20 28 59 32 830 231 243 241 13	5312	<5	<.2	3.62	<5	65	20	0.05	1	13	29	16	11.3	0.15	840	9	12	500	50	<5	<20	0.2	<10	67
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5313	<5	<.2	2.6	15	70	15	0.12	1	20	30	30	5.6	0.64	859	<1	33	1010	28	<5	<20	0.25	<10	117
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5314	<5	<.2	3.09	<5	90	10	0.27	<1	26	19	27	5.78	0.42	1763	<1	12	910	34	<5	<20	0.34	<10	84
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5315	<5	<.2	2.85	<5	55	<5	0.03	t	33	33	36	9.53	0.24	2932	10	18	1350	36	<5	<20	0.05	<10	62
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5316	<5	<.2	4.02	<5	45	30	0.16	<1	16	22	20	7.49	0.22	200	<1	9	670	38	<5	<20	0.54	<10	45
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5317	<5	<.2	5.05	<5	55	30	0.25	_<1	28	22	32	8.06	0.36	636	<1	10	820	42	<5	<20	0.61	<10	64
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5318	90	2	3.2	75	135	<5	0.09	<1	29	19	93	8.7	0.44	3327	10	40	1390	36	<5	<20	0.08	<10	128
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5319	<5	<.2	4.65	<5	60	20	0.34	1	20	22	28	5.43	0.49	263	<1	13	1180	38	<5	<20	0.63	<10	75
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5320	<5	<.2	3.18	<5	75	20	0.08	1	15	39	32	8.99	0.32	338	4	20	640	34	<5	<20	0.27	<10	76
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5321	<5	1.4	4.86	<5	65	10	0.06	1	16	26	55	8.86	0.32	476	5	18	1290	48	<5	<20	0.33	<10	103
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	5322	<5	<.2	2.91	15	65	5	0.09	2	27	43	62	7.52	0.45	826	6	54	850	28	<5	<20	0.12	<10	183
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	5323	<5	<,2	3.88	<5	100	15	0.23	1	36	37	33	8.05	0.59	1529	<1	21	870	32	<5	<20	0.43	<10	104
5325	5324	<5	0.4	3,98	<5	45	15	0.08	1	17	32	29	10.8	0.1	762	4	10	840	48	<5	<20	0.29	<10	72
5326 50 5	5325	<5	1.2	4.47	10	50	5	0.12	<1	24	28	36	8.18	0.23	1107	4	21	740	52	<5	<20	0.28	<10	152
5327 <5 0.4 2.42 10 85 <5 0.07 1 33 15 105 10.1 0.13 3230 11 16 2310 38 <5 <20 0.02 <10 135 5328 <5 <2 3.81 <5 75 5 0.12 1 12 28 29 7.28 0.15 362 6 10 550 42 <5 <20 0.08 <10 71 5329 <5 <2 5.04 <5 60 30 0.26 1 19 29 31 8.66 0.31 213 <1 10 750 40 <5 <20 0.6 <10 63	5326	<5	0.2	3.94	10	50	5	0.06	<1	11	33	33	6.73	0.42	225	6	30	790	42	<5	<20	0.14	0</td <td>124</td>	124
5328 <5 <5 <5 <0.12 1 12 <28 29 <7.28 <0.15 362 <6 10 550 42 <5 <20 0.08 <10 <71 5329 <5	5327	<5	0.4	2.42	10	85	<5	0.07	1	33	15	105	10.1	0.13	3230	11	16	2310	38	<5	<20	0.02	<10	135
5329 <5 <.2 5.04 <5 60 30 0.26 1 19 29 31 8.66 0.31 213 <1 10 750 40 <5 <20 0.6 <10 63	5328	<5	<.2	3.81	<5	75	5	0.12	1	12	28	29	7.28	0.15	362	6	10	550	42	<5	<20	0.08	<10	71
	5329	<5	<,2	5.04	<5	60	30	0.26	1	19	29	31	8.66	0.31	213	<1	10	750	40	<5	<20	0.6	<10	63

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Мп	Мо	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
5330	ব	<.2	3.07	<5	45	20	0.17	<1	18	26	23	7.09	0.28	312	<1	П	790	34	<5	<20	0.56	<10	54
5331	<	0.8	5.37	5	40	15	0.08	1	14	14	14	6.55	0.2	710	5	15	690	58	<5	<20	0.18	<10	91
5332	<5	<.2	4.34	<5	70	15	0.16	1	24	31	33	7.02	0.44	1048	<1	18	1410	48	<5	<20	0.38	<10	112
5333	<5	< 2	5.25	ব	85	40	0.67	<1	33	29	36	8.9	0.89	321	<1	16	1610	36	<5	<20	1.2	<10	63

Soil Samples for Grid: Pmac 3

23-Nov-95

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	P	Pb	Sb	Sn	Ti%	U	Zn
5400	<5	0.2	3.26	<5	100	10	0.14	1	17	32	27	7.29	0.32	747	6	25	2140	20	<5	<20	0.09	<10	105
5401	<5	<.2	4.42	<5	85	45	0.35	<1	28	24	27	8.21	0.47	407	<1	12	910	24	<5	40	0.82	<10	54
5402	<5	0.2	3.29	<5	80	10	0.06	2	10	41	26	6.30	0.55	307	8	39	720	18	<5	<20	0.03	<10	108
5403	<5	<.2	4.51	<5	105	10	0.09	<1	14	48	33	5.33	0.46	256	2	21	900	22	<5	20	0.14	<10	65
5404	<5	1.2	2.90	10	90	10	0.06	<1	12	24	21	5.37	0.16	392	7	16	980	22	<5	<20	0.09	<10	88
5405	<5	<.2	3.51	<5	90	25	0.95	2	37	30	29	6.09	1.19	1792	<1	19	1330	14	<5	<20	0.47	<10	80
5406	5	1.2	1.56	20	100	<5	0.13	1	11	12	42	5.83	0.11	740	15	26	2920	16	<5	<20	0.02	<10	251
5407	<5	0.6	2.29	20	130	5	0.31	4	24	29	50	5.97	0.53	1691	6	39	1600	20	<5	<20	0.13	<10	238
5408	3	2.2	1.81	25	70	<>	0.06	<1	7	13	36	3.93	0.07	361	12	15	1380	16	<5	<20	0.01	<10	170
5409	<>	0.0	1.79	15	100	<>	0.46	2	25	28	24	5.10	0.71	3/3	5	43	1200	22	<>	<20	0.1	<10	245
5410	<3	0.4	1.92	25	70	3	0.55	4	17	20	54	5.30	0.43	400	0	- 32	1300	18	S	<20	10.09	<10	207
5411		0.2	1.20	15	200	10	0.10		17	3/	27	5.45	0.01	990	<u> </u>	31	1270	16	5	<20	0.24	<10	
5413	~ ~	< 2	4 45	- 15	200		0.37	-1	20	24	36	7 03	0.40	071		30	1180	27	~	<20	0.12	<10	- 86
5414	<5	<2	3.00	~	240	15	1 18		33	47	94	7 15	1.43	1189	<1	40	1100	12	<5	<20	0.41	<10	142
5415		< 2	4.93	<5	05	35	0.19	<1	43	29	30	7.99	0.65	1141	<1	14	1140	22	3	20	0.78	<10	66
5416	<5	< 2	4 53	<5	80	- 25	0.27	<1	23	26	- 27	6 04	0.42	428	<1	11	900	20	<5	<20	0.49	<10	- 69
5417	<5	<.2	4.60	10	55	10	0.14	<1	18	29	22	6.29	0.22	460	<1	11	800	30	<5	40	0.27	<10	54
5418	<5	<.2	3.99	<5	75	20	0.29	<1	20	21	26	5.11	0.38	435	<1	12	880	20	<5	<20	0.4	<10	78
5419	<5	<2	4.24	<5	125	35	0.47	2	36	38	36	7.01	0.62	971	<1	17	1140	22	<5	20	0.69	<10	97
5420	<5	0.6	2.45	10	105	10	0.16	2	28	30	48	6.18	0.51	2329	8	27	1270	22	<5	<20	0.09	<10	182
5421	<5	<.2	3.55	5	75	10	0.12	<1	26	42	36	6.02	0.63	1057	<1	45	780	24	<5	<20	0.23	<10	137
5422	<5	0.6	2.30	10	105	<5	0.34	2	21	28	55	6.07	0,47	1213	7	26	1350	20	<5	<20	0.1	<10	163
5423	<5	0.4	4.00	5	65	15	0.09	<1	13	40	23	5.73	0.45	441	5	30	750	26	<5	<20	0.11	<10	88
5424	5	0.4	2.54	15	190	<5	0.62	<1	23	49	58	5.85	1.01	1234	7	42	1540	18	<5	<20	0.03	<10	119
5425	<5	<.2	4.79	<5	60	30	0.25	<1	31	27	27	7.05	0.4	692	<1	9	800	28	<5	40	0.62	<10	49
5426	<5	<.2	2.95	5	135	10	0.61	2	26	30	52	6.55	0.64	1121	4	34	1390	26	<5	<20	0.22	<10	228
5427	5	1.0	5.28	<5	40	15	0.07	<1	8	21	17	8.01	0.03	165	4	5	650	42	<5	20	0,17	20	33
5428	<5	0.6	2.47	15	125	5	0.61	2	23	28	52	6.81	0.51	1442	12	31	1500	24	<5	<20	0.09	<10	211
5429	<5	0.8	4.55	<5	45	10	0.07	<1	8	37	23	7.14	0.08	143	4	7	730	60	<5	40	0.17	10	33
5430	ব	<.2	2.77	5	145	15	0.63	2	25	29	49	6.69	0.76	898	<1	35	1340	24	<5	<20	0.3	<10	207
5431	<5	0.8	0.90	250	95	5	0.12	<1	17	11	61	9.23	0.12	655	8	16	1350	124	<5	<20	0.05	<10	332
5432	<5	0.8	1,26	30	130	<5	0.41	2	12	23	48	4.59	0.34	561	8	36	1540	16	<5	<20	0.02	<10	252
5433	<5	<.2	6.36	ব	80	45	0.39	<1	30	27	30	8.91	0.7	238	<1	11	1160	24	<5	40	1.08	20	48
5434	5	0.4	1.92	25	130	10	0.43	4	26	24	56	5.68	0.4	1804	6	39	1440	18	<5	<20	0.1	<10	249
5435	<5	<.2	3.70	<5	85	30	0.16	<1	22	38	21	7.06	0.21	253	<1	8	600	34	<5	20	0.76	<10	41
5436	5	<.2	4.66	<5	80	40	0.56	<1	33	29	37	8.07	0.87	527	<1	17	1750	62	<5	<20	0.96	<10	61
5437	<5	0.8	3.81	<5	55	15	0.06	<1	7	41	16	6.21	0.13	158	4	8	560	32	<5	20	0.14	20	35
5438	<5	<.2	4.98	<5	70	30	0.30	<1	22	30	30	7.13	0.52	305	<1	11	970	26	<5	20	0.67	<10	55
5439	<5	<.2	5.31	<5	80	40	0.58	<1	36	25	30	8.26	0.9	438	<1	13	1300	18	<5	20	1.12	<10	46
5440	<5	<.2	4.05	15	80	15	0.33	<1	i 30	28	51	6.37	0.59	1172	<	22	1110	18	<5	<20	0.3	<10	81
5441	<5	<.2	3.29	<5	90	10	0.24	1	15	39	18	6.52	0.55	380		24	610	20	<5	<20	0.18	<10	
5442	<5	1.4	2.33	20	90	10	0.20	<1	23	22	26	5.37	0.2	1880	7	17	1040	14	<	<20	0.07	<10	99
5445	3	1.0	2.25	25	100	< <u>s</u> .	0.13	<1	14	30	42	0.44	9.54	813	13	10	1500	12	0	<20	0.05		122
5444	<>	0.8	2,09	20	95	10	0.28	<1	1/	21	30	4.74	0.41	2101	0	21	1540	14		<20	0.00		62.5
5445)	1.4	2.11	120	110	<>	0.12	<1	: 24	20	25	0.12	0.4	2234		10	1420	18	<>>	20	0.04	<10 <10	77 117
5440	~	0.8	2,88	10	100	10	0.19	4	1 21	21	29	6.04	0.51	1904		14	1120	14	~5	20	0.20	<10	112
5447	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.4	3.02	50	110	10	0.11	<1 21	25	15	50	5.07	0.55	1307	9	10	1340	10	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	20	0.01	<10	123
5440	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.0	1.33	10	125	~	0.00	21	10	27	35	6 77	0.13	682	0 9	16	1040	18	~~	20	0.04	<10	114
5450	~~	1.0	2.37	24	123	10	0.05	~1	24	21	30	646	0.21	1803	8	26	1350	10	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<20	0.05	<10	151
5451	~~~~	1.0	2.40	>>	120	10	0.07	1	15	16	50	6 97	0.45	657	0	14	1910	10	<5	<20	0.01	<10	- 95
5452	-<5	1.0	2.23	20	110	10	0.12		21	22	50	5.90	0 30	1466	8	24	1510	18	<	<20	0.04	<10	132
5453	 <5	1.0	1.62	5	125	<5	0.10	2	26	10	63	6.94	0.17	1326	10	17	1800	16	<5	<20	0.03	<10	195
5454		2.2	1.84	20	135	<5	0.17	<1	13	14	62	5.76	0.20	1476	7	14	2680	14	<5	<20	0.04	<10	98
5455	5	0.4	2.74	<5	70	10	0.09	<1	11	17	19	5.08	0.19	328	4	8	860	20	<5	<20	0.11	<10	58
		V.7	2.19	1			1		<u></u>		L					L		1-0	1	- 23	L	1.0	L

*Note: All results are in PPM exept where indicated
Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Ma	Mo	Ni	<u> </u>	Pb	Sb	Sn	Ti%	U	Zn
5456	<5	2.0	2.37	15	105	<5	0.17	<1	22	19	43	6.72	0.17	2160	8	16	1580	16	<5	<20	0.06	<10	115
5457	<5	1.8	4.80	<5	70	45	0.37	<1	28	26	29	7.88	0.76	463	<1	15	970	20	<5	<20	0.78	<10	61
5458	<5	0.2	2.49	<>	90	10	0.17	<1	31	21	43	7.16	0.32	1878	1	16	1900	16	<5	<20	0.07	<10	124
5459	<5	0.4	2,95	-5	100		0.10		1	21	76	4.11	0.07	1266	17	14	2810	20	3	<20	0.07	<10	32
5461	<5	0,4	3.86	<5	60		0.00	<1	17	20		7.34	0.37	249	<12	10	780	24	<5	40	0.01	10	51
5467	<5	< 7	3.80	<5	55	25	0.1		19	27	2.5	6.42	0.51	459	<1	10	850	20	<5	40	0.31	<10	57
5463	<5	1.0	2.83	<5	55	20	0.09	1	11	24	17	7.45	0.13	189	<1	9	960	26	<5	40	0.45	10	37
5464	<5	<.2	5,09	<5	70	30	0.38	<1	45	23		6.99	0.70	2159	<1	15	1260	24	<5	<20	0.70	<10	84
5465	<5	<.2	3.59	<5	85	35	0.22	<1	20	21	19	8.00	0.38	315	<1	10	1340	20	<5	20	0.59	20	40
5466	<5	0.8	1.85	25	130	<5	0.16	<1	19	28	43	6.77	0.39	945	8	29	1950	18	<5	<20	0.02	<10	126
5467	5	0.4	2.89	<5	110	<5	0.05	<1	19	14	161	6.75	0.29	856	13	11	1040	34	<5	<20	0.02	<10	81
5468	<5	0.2	1.39	10	85	5	0.21	<1	22	17	88	8.05	0.26	2099	11	20	1900	12	<5	<20	0.07	<10	69
5469	<5	0.4	4.85	<5	70	45	0.43	1	29	26	31	7.85	0.77	385	<1	13	1060	22	<5	40	0.9	<10	50
5470	<5	0.8	2.22	15	80	10	0.07	<1	10	37	33	5.84	0.63	388	7	39	1080	16	<5	<20	0.03	<10	115
5471	<5	<.2	2.15	<5	65	20	0.06	<1	12	27	16	7.37	0.16	223	2	9	1270	26	<5	40	0.27	10	38
5472	<5	<.2	4.90	<5	60	25	0.32	<1	23	26	26	6.86	0.58	321	<1	12	1000	22	<5	<20	0.69	10	57
5473	<5	<.2	3.76	<5	65	15	0.13	<1	15	28	23	6.48	0.35	666	<1	14	1540	28	<5	20	0.26	<10	70
5474	<5	<.2	3.06	<5	65	10	0.20	<1	12	20	24	5.58	0.24	155	<1	8	1120	20	<5	<20	0,26	<10	59
5475	<5	<.2	3.54	<5	100	20	0.16	1	15	24	18	6.99	0.31	217	<1	13	1090	18	<5	<20	0.31	10	66
5476	<5	<2	4.84	<5	50	30	0.25	<	17	20	22	6.62	0.37	186	<1	8	840	28	<5	<20	0.54	<10	47
5477	<	<.2	4.54	<	63	45	0.38		28	24	24	8.00	0.66	401	<		860	20	<5	<20	0.85	<10	4.3
5478	<	2.4	4.15	< <u>></u>	65	15	0.20	<i </i 	15	23	18	5.52	0.29	245	<1	12	730 900	18	< <u>-</u>	<20	0.39	10	40
5480		1.4	4,93	7	65	20	0,10		17	18	17	4 21	0.5	660		15	1150		-5	40	0.30	<10	58
5481	<5	7.4	3 37	<5	75	25	0.20		26	77	17	713	0.36	1682	<1	13	680	26	<5	20	0.30	<10	75
5482		2.2	2.07	10	50	20	0.34		20	26	21	6.67	0.43	577	<1	13	830	14	<5	20 ¢	0.33	<10	61
5483	5	<2	3 20	<5	70	30	0.33	1	26	20	19	6.33	0.52	992	<1	12	690	20	<	20	0.53	<10	53
5484	<5	<.2	3.78	<্য	70	25	0.45	<1	32	23	22	6.90	0.89	1293	<1	16	890	16	<5	<20	0.69	<10	67
5485	<5	<.2	3.66	<5	70	20	0.22	<1	28	28	29	6.85	0.4	1358	<1	15	860	24	<5	<20	0.32	<10	108
5486	<5	<.2	3.17	<5	70	25	0.11	<1	20	25	29	7.91	0.53	761	<1	11	920	24	<5	<20	0.40	<10	61
5487	<5	1.2	4.05	<5	75	30	0.28	1	37	32	28	6.98	0.66	1838	<1	15	730	22	<5	<20	0.53	<10	76
5488	<5	1.6	4.81	<5	40	25	0.14	1	13	22	20	7.17	0.21	429	<1	7	860	34	<5	<20	0.32	<10	60
5489	<5	<.2	4.29	<5	70	25	0.30	1	37	21	18	6.62	0.53	1849	<1	13	650	20	<5	<20	0.57	<10	70
5490	<5	0.6	2.26	20	125	10	0.28	1	40	19	85	8.89	0.53	4187	7	21	2610	26	ব	<20	0.10	<10	134
5491	<5	1.0	4.74	ব	70	15	0.28]	26	32	26	6.78	0.34	775	1	19	880	34	<5	20	0.23	<10	133
5492	<5	<.2	4.26	<5	60	20	0.26	<1	19	21	22	6.13	0.41	553	<1	9	910	24	<5	<20	0.45	<10	54
5493	<5	0.2	3.78	<5	65	20	0.16	<1	13	24	20	5.63	0.23	250	<1	9	900	30	<5	40	0.39	<10	71
5494	<5	<.2	4.97	10	60	30	0.34	<1	23	24	25	1.09	0.52	288	<1	10	1080	24	<5	<20	0,74	10	53
5495	<5	0.6	2.89	5	85	5	0.08	1	22	30	70	6.77	0.26	983	10	22	1140	26	<5	<20	0.06	<10	85
5496	<5	<.2	3.21	<5	65	20	0,15	<1	15	24	17	5.08	0.36	279	<	10	960	22	<5	<20	0.35	<10	4/
5497	<>	1.4	4.59) //	85	10	0.11	1	1/	25	24	0.24	0.19	155	0	15	700	20	<5	20	0.09	~10	94
5498		~2	3,33	~	20		0.19	<1	18	21	22	1.32	0.55	304		11	760	24		20	0.00	20 <10	47
5500	<5	04	3.01	~	65	20	0.10	<1	14	26	25	8.76	0.34	383		15	870	30	<5	<20	0.31	<10	63
5501	<5	0.7	4 15	<5	65	20	0.72	<1	13	19	14	5.36	018	71	<1	7	690	24	<5	20	0.39	10	34
5502	<5	<.2	5.31	5	60	25	0.28	<1	23	27	24	6.70	0.55	714	<1	12	1120	28	<5	20	0.63	<10	63
5503	<5	2.8	4.91	<5	50	25	0.08	<1	18	23	21	8.10	0.09	881	3	6	780	40	<5	20	0.24	<10	64
5504	<5	<.2	5.01	<5	60	30	0.33	<1	31	28	31	7.63	0.65	938	<1	18	1200	30	<5	<20	0.65	<10	78
5505	<5	<.2	4.53	<5	75	25	0.36	<1	26	25	30	6.96	0.54	620	<1	14	1080	24	<5	<20	0.55	<10	90
5506	<5	<.2	2.73	<5	55	35	0.32	1	31	26	20	8.50	0.96	789	<1	16	1170	16	<5	<20	0.89	<10	42
5507	<5	<.2	3.90	<5	55	25	0.30	<]	19	51	23	6.79	0.5	248	<1	18	940	28	<5	<20	0.49	<10	52
5508	<5	<.2	4.10	<5	40	20	0.29	<1	22	24	20	6.78	0.67	336	<1	8	960	36	<5	<20	0.74	20	49
5509	<5	<.2	4.75	<5	65	30	0.40	<1	33	24	26	7.09	0.68	908	<1	13	910	22	<5	<20	0,71	<10	52
5510	<5	<.2	4.52	<5	55	20	0.26	<1	18	29	21	6.94	0.52	272	<1	13	1070	24	<5	<20	0,46	<10	76
5511	<5	<.2	4.01	<5	90	15	0.20	<1	16	27	20	5.18	0.36	392	<1	10	730	26	<5	<20	0.29	<10	73
5512	<5	<.2	3.54	<5	45	25	0.23	<1	18	25	20	6.37	0.49	309	<1	12	850	22	<5	<20	0.50	<10	60
5513	<5	0.4	3.73	25	90	15	0.15	<1	26	44	65	6.96	0,78	1109	4	23	1300	20	<5	<20	0.16	<10	132
5514	<5	<.2	4.07	<5	50	30	0.27	<1	19	22	19	5.94	0.39	240	<1	9	850	22	<5	<20	0.62	<10	54
5515	<5	2.0	3.47	<5	95	15	0,14	<1	29	44	40	6.50	0,64	1407	5	18	1170	20	_ <5	<20	0.12	<10	

*Note: All results are in PPM exept where indicated

.

2

Tag	Au(ppb)	Ag	Al%	As	Ba	Bi	Ca%	Cd	Co	Cr	Cu	Fe%	Mg%	Mn	Mo	Ni	Р	Pb	Sb	Sn	Ti%	U	Zn
5516	<5	<.2	4.13	<5	70	25	0.20	<1	18	22	20	6.38	0.37	340	<1	12	840	20	<5	<20	0.44	<10	97
5517	<5	0.4	1.26	5	75	<5	0.14	1	17	14	32	4,61	0,22	1744	11	14	1920	12	<5	<20	0.04	<10	59
5518	<5	1,2	3,52	<5	55	15	0.12	<1	16	18	16	5,53	0.21	749	<1	7	830	26	<5	<20	0.28	<10	56
5519	<5	<,2	3.81	\$	85	60	0.50	<1	38	31	33	11.50	0.92	352	<1	13	2060	18	<5	<20	1.36	30	47
5520	<5	0.6	2.79	55	125	5	0.11	1	48	73	127	12.50	0.81	2201	14	33	2480	22	<5	<20	0.02	<10	140
5521	<5	0.2	1.42	10	80	<u></u> <5	0.41	1	26	17	76	6.22	0.66	2385	10	23	2170	12	<5	<20	0.13	<10	94
5522	<5	0.4	2.16	25	60	<5	0.13	1	32	22	79	8.01	0.71	2048	15	18	1640	10	<5	<20	0.02	<10	54
5523	<5	<.2	3.20	ব	75	15	0.15	1	16	43	24	6.14	0.5	740	2	29	1040	20	<5	<20	0.18	<10	105
5524	<5	<.2	1.87	<5	60	20	0.06	1	19	31	23	7.70	0.27	1115	<1	18	1220	16	<5	<20	0.31	<10	108
5525	<5	<,2	5.13	<5	50	15	0,12	<1	15	25	50	7.20	0.35	530	<1	7	1090	22	<5	<20	0.2	<10	40
5526	<5	<.2	5.46	5	65	30	0.44	<1	29	61	29	6,12	0.56	442	<1	18	700	32	<5	<20	0.63	<10	54
5527	<5	3.6	4.45	ৎ	70	15	0.14	1	16	19	24	8.19	0. 29	814	<1	10	1220	28	ৎ	<20	0.32	<10	135
5528	<5	0.2	4.99	<5	65	25	0.31	<1	18	34	26	6.40	0.38	232	<1	11	1260	24	<5	<20	0.56	10	49
5529	<5	7.0	2.00	40	295	10	0.18	6	11	17	46	7.34	0.14	1617	27	36	2520	14	<5	<20	0.02	<10	657
5530	ব	0.2	4.83	<5	50	30	0.32	<1	21	24	21	6,39	0.44	322	<1	9	900	26	<5	<20	0.69	<10	49
5531	<5	2.6	3.52	<5	70	15	0.13	<	11	18	19	5,91	0.23	303	<1	9	900	24	<5	<20	0.22	<10	101
5532	<5	2.4	4.29	<5	45	30	0.21	<1	16	21	24	7.35	0.36	269	<1	9	810	24	<5	<20	0.47	<10	54
5533	<5	0.4	4.44	<5	60	30	0.28	<1	28	26	34	7.91	0.58	987	<1	12	940	24	<5	<20	0.71	<10	72
5534	<5	0.4	2.87	<5	50	25	0.32	<1	15	24	14	5.43	0,33	199	<1	9	790	22	<5	<20	0.41	<10	41
5535	<5	0.8	4.20	<5	50	25	0.16	<1	14	20	22	6.54	0.23	243	<1	6	850	32	<5	<20	0.39	20	56
5536	<5	0.4	3.96	<5	60	25	0.16	<1	18	26	20	7,85	0.38	488	<1	12	1120	32	<5	<20	0.44	<10	90
5537	<5	<,2	4.64	<5	55	25	0.20	<1	22	23	22	7.24	0,34	428	<1	7	710	28	<5	<20	0.60	<10	64
5538	<5	2.2	3.58	<5	55	15	0.22	1	21	25	19	6.56	0.55	735	<1	13	840	18	<5	<20	0.36	<10	78
5539	<5	<.2	3.55	ব	65	10	0.12	1	18	42	29	6.54	0.48	895	6	25	1790	24	<5	<20	0.09	<10	113
5540	<5	1.0	3.12	ব	35	10	0.10	<1	21	31	16	6,47	0.29	1327	3	11	1150	28	<5	<20	0.16	<10	65
5541	<5	0.2	4.54	<5	40	20	0,15	<	23	32	25	6,43	0.35	989	<1	10	1030	34	<5	<20	0.35	<10	69
5542	<5	0.2	2,81	<5	55	30	0.41	<1	21	19	16	5.09	0.65	299	<1	11	650	18	থ	<20	0.54	<10	55
5543	ব	<.2	4.29	ব	40	20	0.17	<1	13	25	20	6.39	0,30	349	<1	8	1050	32	<5	<20	0.32	10	54
5544	-3	0.2	4.07	ব	40	20	0.25	<1	16	21	16	5.98	0.41	228	<1	10	840	24	<5	<20	0.41	10	58
5545	<5	< 2	2.96	<5	45	25	0.27	<	19	28	19	8.52	0.42	413	<1	10	900	30	<5	<20	0.47	<10	54
5546	<5	<.2	I.56	<5	80	20	0.20	<1	14	21	13	7.30	0.20	198	<1	8	2990	16	<5	<20	0.40	10	43
5547	<5	<.2	5.19	<5	55	35	0.40	<1	23	20	19	6.56	0,56	247	<1	11	1170	22	<5	<20	0.76	<10	43
5548	<5	1.2	2,47	25	105	<5	0.20	<1	33	26	66	6.54	0.51	3099	7	27	2450	30	<5	<20	0.11	<10	181
5549	<5	1.0	5.42	10	45	20	0.08	<1	10	28	18	8.49	0.07	362	4	6	1000	38	<5	<20	0.21	<10	77
5550	<5	0.8	2.82	5	55	15	0.08	<1	12	23	20	6,78	0.21	327	<1	10	1060	28	<5	<20	0.20	10	69
5551	<5	<.2	3.78	<	60	30	0.34	<1	26	26	30	7.99	0,69	387	<1	12	1080	22	<5	<20	0.77	<10	49
5552	<5	<.2	4.88	10	95	35	0.53	<1	37	26	47	6.86	0.64	1161	<1	19	1400	30	<5	<20	0.71	<10	121

APPENDIX 4

Rock Sample Descriptions

Sample #	Location	Туре	Description
	Map 1a	Grab	960m elev, 0.5m float, rhyolite breccia argillaceous matrix, <1% tetrahedrite
7101		N/A	
	Map 1a	Chip	1200 m elev., quartz vein at 070/90 in creek bank
7102		10 cm	
	Map 1a	Chip	Quartz, minor carbonate vein in fracture zone in creek bed, 180/70W
7103		20cm	
	Map 1a	Chip	1020m elev, 10 cm quartz vein in side of creek
7104		10cm	
	Map 1a	Grab	F - mg dacite, brecciated and fractured 2-3% py in fracs, possible hornblende phenos
7402		N/A	
Aftorn 19	Мар 4	Grab	Heterolithic dacite with rhyolitic clasts, has a Qtz/Chl vein in area, 5% py
7403		N/A	
Aftom 18	Мар 2	Grab	Brecciated Rhy with Qtz matrix, matrix also includes v.f. g. black minerals and 1-2% py
/404		N/A	
Αποπ 18	Map 2	Grad	F grained black rhyolite with 1-3% very fine disseminated by
7405	Man O	N/A	
	Map 2	Grad	Cream to burn white, it. grained myolite that is strongly fractured, 2% linely disseminated py
7400 Fred 15	Mon 1a	IN/A Orab	Diag when a part rich with translugant statish matrix to to (0/ wy appailed site
7407		Grag N/A	Plag phenocryst non with translucent qiz non matrix to 176 py possible dike
Fred 15	Man 1a	N/A Grab	Mudatana/Siltetana yang frishla yangtarad aut gasesangua olarta
7408	Wap 1a		Nuusionersiksione, very mable, weathered out gossanous clasis
Fred 15	Man 1a	Grab	Bouldar's of rhu/dacite, year fractured nassibly fault related 1 to 2% by
7400		N/A	boulder's of my/dacke, very fractured possibly fault related, if to 2 % py
Fred 15	Man 1a	Grab	Massive dark grey to medium grey thy (locally cherty) with tr - locally 2% disseminated by
7410		N/A	indesive dark grey to medium grey my (loodily onergy with a - loodily 2.0 disseminated by
Noot 2	Map 2	Grab	Shistose (rhv/dac)? very altered with only cb. sericite and possible minor atz left 5-15% dis
7411		N/A	py
Noot 2	Map 2	Grab	Shistose (rhv/dac)? very altered with only cb. sericte and possible minor gtz left 5-15% dis
7412		N/A	ру
Aftom 19	Map 4	Grab	Silfstone/mudstone o/c with the rare py rich thin bed, range from 1% to possibly 10% py.
7413	•	N/A	this sample contains 2-3% py
Aftom 19	Map 4	Grab	As 7413 but contains 10% py
7414		N/A	
Aftorn 19	Map 4	Grab	Boulders, spherical to subspherical, dac/rhy monolithic ash tuff with minor lapilli frags,
7415	-	N/A	brecciated with 20-25% py matrix
Aftorn 18	Map 4a	Grab	Boulder, from either east or upriver, siltstone, black with thin pyritic layers often at tr - 1%
7416		N/A	but sample has one that is 1-2mm thick and massive Py powderly diss py
Fred 15	Fred grid, 13+15E, 5+30N	Grab	Rhy/dac does not appear thick, massive, f.g. contains 2-3% very f.g. dis py
7424		N/A	
Fred 15	Fred grid, 12+40E, 5+29N	Grab	Rhy, cherty, medium grey slightly mottled, 1-3% fg dis py
7425		N/A	
Fred 15	Fred grid, 12+25E, 5+28N	Grab	Rhy, cherty, medium grey mottling, 1-3% dis py
7426		N/A	
Fred 15	Fred grid, 11+96E, 5+43N	Grab	Boulder, rhy, cherty, medium grey mottling 1-3% dis py
7427		N/A	
Fred 15	Fred grid, 11+96E, 5+45N	Grab	As 7427, boulder, possible flowbanding
7428		N/A	
Fred 15	Fred grid, 11+86E, 5+25N	Grab	As 7425 but fragmental texture, 2 - 5% py
7429		N/A	
Fred 15	Fred grid, 11+46E, 5+38N	Grab	Rhy/dac, small boulder in which a light grey felsic is bxed with medium grey sil matrix 1-5%
7430	E. 1. 11.40.077 7. 5.11	N/A	
Fred 15	rrea gria, 12+37E, 5+64N	Grab	Biack slitstone, mod-st sli, 1-5% very t g dusty py
7431	<u> </u>	N/A	

Sample #	Location	Туре	Description
Fred 15	Fred grid, 12+93E, 5+47N	Grab	Dk grey sandstone, immature with local patches of tr - 2% dis py, local malachite
7432		N/A	
Fred 15	Fred grid, 10+15E, 5+74N	Grab	O/c possible boulder, and/dac bx with slightly c.g. matrix, local amyg. 3% dis py
7433		N/A	
P-Mac 3	Pmac 3 grid, 10+30W, 9+92	Chip	Heterolithic ang - subang dac/and bx with weak siltstone, tr - 2% vfg sx.
7434		1 m	· · · · · · · · · · · · · · · · · · ·
P-Mac 3	Pmac 3 grid, 10+30W, 9+92	Chip	As 7434 but mod - strong sil and 2 - 4% sx
7435		1 m	
P-Mac 3	Pmac 3 grid, 10+30W, 9+92	Chip	As 7434 but tr - 2% sx and a zone of intense sil (massive gtz) and 5-10% f grained sx with
7436		1 m	cpy and sphalerite
P-Mac 3	Pmac 3 grid, 10+21W, 9+96	Grab	A large rounded clast in a silt/sandstone (possible epiclastic) it contains 5-7% f dis py,
7437		N/A	appears dacitic
P-Mac 3	Pmac 3 grid, 10+30W, 9+92	Grab	Sample of the intense sil material in 7436, it contains 10-20% v f g dis sx
7438		N/A	
Fred 15	Fred grid geology map	Grab	Float, 5 cm block of weathered rhyolite, 20% py
7570	0.000	N/A	······································
Fred 15	Fred grid geology map	Grab	Float, composite sample of 3 pieces of 15 cm diameter rhvolite, average 10% py
7571	·····	N/A	
Fred 15	Fred grid geology map	Grab	Black matrix rhvolite 1% pv
7572	···- 3··- 3···- 3···- 3···- 3···- 3···- 3··	N/A	
Fred 15	Fred arid geology map	Grab	Massive precipited rhyolite with sonty pyrite patches, average 25% by
7573	i iou giiu goology inap	N/A	nacene bicesated mysile min best prine patenes, average 2010 py
Fred 15	Fred arid geology map	Grab	Dacite with 5% ov
7575	i red grid geology map		Dacke with 5 to py
P Map 3	Pmaa 2 grid 10+52W(0+02	Chip	5% py 2% att voicing in allated anderita? Propage pacetably a fault tange leasted at 80m
	Finac 3 grid, 10+3244, 9+92	700m	in creek
7570 D.Man 2	Dana 2 mid 10 (SE)M 0:05	/00m	
F-IVIAC 3	Finac 5 ghd, 10+0500, 9+95	- Cinp 4 m	Sincined andesite breccia with 1% pyrile, at approximately 97m in creek
13//		Chin	Black and another shale
Attom /	мар 4а	Chip	Black cardonaceous snale
/ 363	ka 4_	50 cm	
AROM /	Мар 4а	Grab	Grab composite of source of carbonaceous snales
/564			
Dup 9	мар з	Chip	Aphantic med. grey silicitied rk. No sumdes
/051		1m	
Dup 9	мар 3	Chip	Aphantic med. grey silicitied rk. No sulfides
7652		1m	
Dup 9	Мар 3	Chip	Aphanitic med. grey silicified rk. No sulfides
7653		1	
Dup 9	Мар З	Chip	Aphanitic med. grey silicified rk. No sulfides
7654		1m	
Dup 9	Map 3	Chip	Aphanitic med. grey silicified rk. No sulfides
7655		1m	· · · · · · · · · · · · · · · · · · ·
Dup 9	Мар 3	Chip	Aphanitic med. grey silicified rk. trace sulphides
7656		1m	
Dup 9	Мар З	Chip	Aphanitic med. grey silicified rk. No sulphides
7657		1m	
Dup 9	Мар 3	Chip	Aphanitic med. grey silicified rk. trace sulphides
7658		1m	
Dup 9	Мар 3	Chip	Aphanitic med. grey silicified rk. trace sulphides
7659		1m	
Dup 9	Мар 3	Chip	Aphanitic med. grey silicified rk no sulphide
7660		1.9m	
Dup 9	Мар 3	Chip	Silicified dark matrix bx. No sulphides
7661		1m	
Dup 9	Мар 3	Chip	Silicified dark matrix bx. No sulphides
7662		1m	
		<u>هم در الم الم الم الم الم الم الم الم الم الم</u>	

Sample #	Location	Туре	Description
Dup 9	Map 3	Chip	Silicified dark matrix bx. No sulphides
7663		1m	
Dup 9	Map 3	Chip	Silicified dark matrix bx. No sulphides
7664		1m	
Dup 9	Map 3	Chip	Silicified dark matrix by No sulphides
7665	·····	1m	
	Man 2	Grab	Old tranch just off the NW/ corner of Afform 18, 30% discerning in silicified candetones
7705	map z	N/A	on the first on the NVV conter of Alton 10, 50 % dissent by in sinched sandstones
	Man 2	Crab	Selected areh of quests usining in above tranch, sucrease 25% statusin, reak in tranch
7706	leap z	GIGO	averages 2% of z vein
//00		N/A	
7707		Chip	40cm chip on contact zone in andesite preccia
7707		40cm	
Dup 9	Мар 3	Chip	Blk carbonaceous argillite, 5% py
7708		30cm	
Dup 9	Мар З	Grab	Blk matrix rhyolite, tr py, 1% qtz veining
7709		N/A	
Aftom 5	Map 12	Grab	Hyalociastic and amygdalodial, dacite
7710		N/A	
Aftom 5	Map 12	Grab	Rhyolite talus, 5% pyrite
7711		N/A	
Aftom 16	Map 4a	Grab	Thin qtz-py veins, 50% py
7712		N/A	
Aftom 16	Map 4a	Chip	Qtz - ankerite vein
7713		25 cm	
Aftom 16	Map 4a	Grab	Qtz - ankerite vein
7714		N/A	
Aftorn 16	Map 4a	Grab	Qtz - py veins, 50% py
7715		N/A	
Aftom 5	Map 12	Grab	basattic hyaloclastic tuff
7716		N/A	
Aftorn 5	Map 12	Grab	Rhyolite
7717		N/A	
Aftom 7	Map 4a	Grab	Rhyolite, 10% py
7718	•	N/A	
Aftom 7	Map 4a	Grab	Rhvolite. 5% pv
7719		N/A	
Aftom 7	Map 4a	Grab	Rhyolite
7720		N/A	
Aftom 7	Man 4a	Grah	Rhyolite 15% pv
7721		N/A	
Aftom 15	Map 6	Grah	Silicified shear in Bowser sedimentary rocks
7722		N/A	
Fred 15	Fred arid geology map	Grab	Fine rhyolite lanilli tuff 2% ov
7743	r red gild geology map	NIA	
Ered 15	Fred arid geology map	Grab	Massive fractured rhyalite 2% by
7744	r ica gila geology map	N/A	
Ered 15	Fred arid geology map	Grab	Float 25 cm black of siliceous rhyolite 2% ny
7745	r red grid geology map	SIAD N/A	ridat, 20 cm block of sincebus myone, 2 % by
	Fred grid seelenv man	Croh	Eleat 10am thick the lanili tuff 1006 m
7746	Fred grid geology map	Siab	rioat, rocartenick my appartent, roxo py
1/40 Ered 45		N/A	First 10cm thick theolite 104 pu
r red 15	r rea gria geology map	Grab	i rioai, room unice inyoille, 476 py
1141		N/A	
Fred 15	red grid geology map	Grab	rioat, 15 cm block, myolite, 2% py
//48		N/A	
Fred 15	Fred grid geology map	Grab	Knyolite, 2% very fine grained by
7749		N/A	<u> </u>

Sample #	Location	Туре	Description	
Fred 15	Fred grid geology map	Grab	Composite sample of 2 float blocks, 10 - 15 cm in diameter, 5% py	
7750		N/A		
	Pmac 3 grid, 10+74N, 10+2	Grab	Black, soft mudstone, minor bxed qtz clasts, 5% diss py	
7890		N/A		
	Fred grid, 9+01N, 14+99E	Grab	F.g. sil argillite to brecciated argillite, 3% diss py	
7928		N/A		
	Fred grid, 9+07N, 14+93E	Grab	Aphanitic I.grey sil mudstone, 5% sx	
7929		N/A		
	Fred grid, 8+92N, 14+73E	Grab	As above, 1% py or less	
7930		N/A		

APPENDIX 5

5



10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700 Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-559

CANAMERA GEOLOGICAL LTD. #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9 10-Aug-95

ATTENTION: K. HICKS/ J. DUPUIS

27 ROCK samples received August 2, 1995 *Project #: FD5CA0010 Shipment #: 5 P.O. #: 1991*

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
26	7451	1.01	0.029	38.1	1.11
QC DATA: Standard:					
STD-L MPIA		2.10	0.0 6 1 -	- 70.2	2.05

ECO-TECH LABORATORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

XLS/Canamera



10041 E. Trans Canada Hwy., R.R. #2. Kamloops, B.C. V2C 6T4 Phone (604) 573-5700 Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-608

21-Aug-95

CANAMERA GEOLOGICAL LTD. #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock sample received August 10, 1995 *Project #: FD5CA0010 Shipment #: 13 P.O. #: 5772*

<u>ET</u> #.	Tag #	Au (g/t)	Au (oz/t)	
6	7705	8.51	0.248	
QC DA	IA: rd:	2.04	0.059	

ECO-TECH LABORATORIES LTD.

Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

XLS/95Canamera#2



10041 E. Trans Canada Hwy., R.R. ≠2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700 Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-743

CANAMERA GEOLOGICAL LTD. #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received August 28, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 17 P.O. #: 5813 Samples submitted by: T. Drown

		Au Au
ET #.	Tag #	(g/t) (oz/t)
9	7410	2.84 0.083

O-TECH LABORATORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

XLS/95Canamera#3

6-Sep-95



10041 E. Trans Canada Hwy., R.R. #2, Kamloops, B.C. V2C 6T4 Phone (604) 573-5700 Fax (604) 573-4557

CERTIFICATE OF ASSAY AK 95-883

12-Oct-95

CANAMERA GEOLOGICAL LTD. #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

25 Rock samples received Sept. 27, 1995 PROJECT #: FD5CA0010 SHIPMENT #: None given P.O. #: 5968 Samples submitted by: T. Drown

		Au	Au	Ag	Ag
ET #.	Tag #	(g/t)	(oz/t)	(g/t)	(oz/t)
11	7432	3.60	0.105	-	-
12	7570	4.69	0.137	-	•
18	7744	1.61	0.047	-	-
20	7746	2.37	0.069	102.4	2.99

Standard:				
STD-L	2.10	0.061	-	-
Mp-IA	-	-	69.8	2.04

ECO-TECH LABORATORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

XLS/95Canamera#6

QC DATA:

9-Aug-95

.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4 - -

CANAMERA GEOLOGICAL LTD. AK 95-559 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

27 ROCK samples received August 2, 1995 Project #: FD5CA0010 Shipment #: 5 P.O. #: 1991 Samples submitted by: T. Drown

Values in ppm unless otherwise reported

...

Ē	t# Tag	#A	r(bbp)	Ag	Al %	As	Ba	Bi	Ca %	Cď	Co	Cr	Cu	Fe %	La	Mg %	Mn	Мо	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	v	W	Y	Zn
	1 - 710	1.3	5	<2	0.89	<5	105	15	> 15	<1	19	128	4	4.86	<10	6.58	2512	4	<.01	55	380	<2	25	<20	774	<.01	<10	34	<10	<1	28
	2 5 710	2	5	< 2	°0.27	. <5	10	<5	0.14	<1	4	168	19	1.31	<10	0.17	200	5	<.01	5	150	4	<5	<20	5	< 01	<10	20	<10	<1	25
	3 710	3	5 °	<2	0.07	· <5	20	<5	0.05	<1	3	187	15	0.99	<10	0.02	197	4	< 01	6	90	Ś	<5	<20	3	< 01	<10	7	<10	<1	18
	4 710-	4	5	<.2	0.05	<5	<5	<5	0.02	<1	1	220	4	0.48	<10	0.02	56	, A	< 01	Ā	۵ñ	ā	<5	-20	<1	< 01	<10	2	<10	<1	2
	5 733	1	10	0.2	0.31	5	90	. <5	.0.48	<1	3	114	8	1.72	<10	0.13	307	16	ก่อว		820	36	<5	<20	10	< 61	<10	3	<10	3	110
	L. T. WIL	2-6- S	1.5		17 B.	5		1.1	2.22.2	-	_	• • •	•			0.10	0.07		0.02		020		~	-2.0	12		-10	v		•	
	6 · ි733	2	5	< 2	3.21	· <5	60	30	1.56	<1	45	193	43	7.80	<10	3 17	1292	<1	0.02	87	1130	А	65	<20	7	0.28	<10	153	<10	8	94
	7 733	3	5	0.4	1.01	<5	60	<5	0.15	1	8	50	36	4 60	<10	0.48	660	e l	0.02	20	600		~5	-20	, ,	< 61	~10	27	<10	Ť	106
	8 7334	4	15	< 2	1.41	<5	60	<5	0.55	<1	11	44	44	4.61	<10	0.76	675	6	0.02	20	610	40	~5	~20	17	- 01	~10	31	<10	7	100
	9 733	5	5	<.2	3.72	<5	40	20	1 10	<1	36	51	47	738	~10	2 60	020	~1	0.02	20	010	12		~20		0.40	~10	127	~10	12	120
	10	5	5	<2	3 91	<5	50	20	1.07	-1	27	86	-70	7,00 0.E./	~10	2.03	040	~1	0.02	30	4740	40		~20	- 1	0.40	<10	131	~10	12	70
				•			50	20	1.01	~1	41	40	20	0.34	~10	4.21	1427	<1	0.02	10	1740	32	3	<20	10	0.29	<10	234	~10	a	18
	735 منديد . 1	, and the second se	80	3.2	3,96	20	100	15	3 44	з	41	180	86	11.90	~10	2 42	4104		< 04	40	4970	40	40	~70	100	0.00	~10	207	~10	6	601
1	12 735	2	105	1.4	3 15	55	130	15	12 00	-1	37	102	60	11.00	~10	3.43	4104	°	~.01	49	1370	12	10	~20	120	0.00	<10	307	~10	ມ ດ	4051
	13 735		25	14	1 72	50	76	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	474	-1	00	102	23	0.24	~10	6.62	6317	3	<.01	42	1080	<2	20	<20	308	80.0	<10	107	~10	ь С	120
	14 735	4	5	< 7	A -24	00	200		4.14	~	23	06	31	4.6/	<10	1.20	2463	3	<.01	29	740	2	10	<20	109	0.03	<~0	134	<10	4	11
	16 725	14. Î	40	0.4	T.AI	50	200	20	0.06	<1	48	148	65	9,75	<10	2.85	2708	6	0.01	52	1130	6	15	<20	136	0.07	<10	305	<10	5	113
			10	0.4	·9.02	85	155	20	4.43	<1	44	141	63	9,85	<10	4.07	2452	4	0.01	48	1110	4	10	<20	107	0.10	<10	307	<10	5	115
. 1	16 7354	s	5	22	267	EO	475	æ			~~	.												-						-	
1.1	7	, ····	າຈະ	40	4 62	-00	110	59	4.14	<1	30	81	44	5,95	<10	2.45	1565	3	<.01	34	800	2	30	<20	122	0.06	<10	172	<10	4	84
	19 795	, . D	200	1,0	4.92	200	90	15	2.58	<1	46	142	59	10.50	<10	4.16	2434	5	0.01	50	1070	12	15	<20	91	0.10	<10	326	<10	7	126
	10 7350		30	0.8	4./1	70	100	10	3.36	<1	47	152	57	10.60	<10	4.68	2341	5	<.01	50	1140	12	10	<20	147	0.08	<10	354	<10	5	121
1	19 735	9	5	1.0	3.07	30	95	20	0.70	1	33	115	69	9.07	<10	3.20	1279	5	<.01	34	1180	14	15	<20	23	0.09	<10	232	<10	4	159
2	20 7360	3	20	2.6	1.55	<5	80	-\$	0.36	3	12	42	77	7.42	<10	1.54	602	8	<.01	8	1250	12	<5	<20	14	0.04	<10	79	<10	8	407
	, t.,																	_		•	+		-		• •				•-	_	

. .

17-Aug-95	
ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4	CANAMERA GEOLOGICAL LTD. AK 95-567 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9
Phone: 604-573-5700 Fax: 2:604-573-4557	ATTENTION: K. HICKS/ J. DUPUIS
Values in ppm unless otherwise reported	82 Soil samples received August 2, 1995 Project #: FD5CA0011 Shipment #: 7 P.0 #: 1997
Et#, Tag# Au(ppb) Ag Al% As Ba BiCa% Cd Co Cr CuFe% LaMg% Mn MoNa% Ni P_Pb_S	b Sn Sr Ti% U V W Y Zn

- . .

.

CAN	i AMI	i Era gi	EOLO	SGICAL	 LTD. /	AK 95-56	7													Į	ECØ-TE	ЕСНЦ	ABORA'	tóries	LTD			
Et#	1	[ag #	Au	(ppb)	Ag	AI %	As	Ba	Bi Ca %	<u> </u>	Co	Cr	Cu Fe %	La Mg %	Mn	Mo Na %	Ni	P	Рь	SP	Sn	Sr	Ti %	IJ	_v_	w	Y	Zn

ı.

ł

Ç.

.

. .

		. •																													
80		3001	~5	1.4	2.10	30	200	5	0.56	8	27	21	62	5,98	<10	0.58	1834	10	0.04	62	1680	20	<5	<20	50	0.05	<10	55	<10	13	476
81 82	er Vites er Vetra Vites er Vetra	3002	র জন্ম জন্ম	0.2 0.8	3.33 1.60	<5 <5	120 190	5 5	0.68 0.43	7 8	46 25	44 23	38 62	5.13 5.94	<10 <10	0.93 0.69	2076 1569	4 12	0.05 0.04	135 136	1150 1060	18 14	<5 <5	<20 <20	75 42	0.08 0.04	<10 <10	48 45	<10 <10	16 8	620 608
					,																										
			97 17																												
ž			- 						*																~ _						

		Et #.	Tag #	Au	(ppb)	Ag	Al %	As	Ba	Bi Ca	& Cd	(Co	Cr	Cu	Fe %	La	Mg %	Мл	Mo	Na %	Ni	P	РЬ	Sb	Sn	Sr	Ti %	U	<u>v</u>	w	<u>Y</u>	Zn
	ئے۔ بت	<u>OC DA</u> Repea																															
	,	80	3001		- '	1.2	2.06	15	205	<5 0.	55 8	3	27	21	62	6.01	<10	0.61	1819	10	0.04	65	1640	18	<5	<20	50	0.04	<10	54	- <10	12	484
		Stand GEO9 GEO9 GEO9	ard: 5 5 15		150 150 150	1.2 1.2 1.2	2.00 1.90 1.80	55 80 75	180 180 180	5 1. <5 1. <5 1.	30 < 80 < 79 <	1 1 1	21 20 20	65 66 62	78 80 82	4,53 4,38 4,30	<10 <10 <10) 1.04) 1.03) 1.03	779 732 742	ণ ণ ণ	0,02 0,02 -0.02	22 24 22	720 710 710	18 20 20	<5 <5 10	<20 <20 <20	65 64 58	0.12 0.11 0.09	<10 <10 <10	88 85 80	<10 <10 <10	5 5 4	76 81 78
ì					,																					ECO-1	ECH	ABOR	NORIE	S LT	<u>).</u>		
l		di/567 XI 5/9	5Canar	nera	-																					Frank B.C. C	J. Pez ertifie	zotti, A.8 1 Assaye	Sc.T. er				
				j	<u>-</u> • • • •																												
											e																ñ.,	-					
	یند. بر ۲۰ ر																Ρ	age 4										·					
											į																						

17-Aug-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

ł

Phone: 604-573-5700 Fax : 604-573-4557

Et#. Tag# Au(ppb)

. . 🤹 1.1

2.3

df/592B XLS/95Canamera

i

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-591 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

6 Soii/Silt samples received August 4, 1995 Project #: FD5CA0010 Shipment #: 11 P.O. # 5752 Samples submitted by: T. Ormun

EL .	i ag ø	Au(pob)	Aa			_																		0/02						
1	3004	<5		741 78	AS	Ba	B	Ca %	Cd	Co	Cr	0	F										sample	s sub	nitled L	Y: T.D.	rown			
2.3	3005 3006	র্থ ক	<.2 1.0	2.79	۹ ۵	180 150	4	0.83 2.56	ব ব	20 16	20	43	6.49	La <10	<u>Mg %</u> 1.05	Mn 2742	<u>Mo</u> 4	Na %	<u>Ni</u> 22	P	Pb	Sb	Sn	Sr	11%	U	v	w	Y	Zn
4 5 6	3007 3008 3009	<u> </u>	0,2 1,2 0,6	2.12 3.39 4.34	\$ 85 7 83	235 260 315 140	10 15 <5 <5	1.42 1.09 0.96 0.64	4 1 3 <1	64 26 21 16	21 22 19 14	57 71 41 26	5.12 5.12 11,10 5.27 4.67	<10 <10 <10 20 <10	0.53 0.64 0.71 0.71	679 7512 2518 6771	<1 2 7 4	0.13 0.12 0.12 0.03	11 22 33 28	1130 1400 830 1110	30 6 26 8 10	\$ \$ \$ \$	ନ ନୁନ୍ନ ମୁନ୍ନ	44 131 85 90	0.08 0.10 0.14 0.13	<10 <10 <10 <10	47 37 62 50	<10 <10 <10 <10	10 14 15 5	219 67 480 105
QC DATA Repeat															0.10	1009	5	0.01	11	1640	28	<5	40	40 26	0.06	<10 <10	49 33	<10 <10	36 16	247 120
Standard: GEO95		< 5	0.2	2.71	10	175	10	0.77	1	19	10	36	6,46	<10	1.00	2650	5	0.05	22	700	30	<5	<20	40	0.06	<10	45	-10		
).:	150	1,2	1.64	65	165	<5	1.80	<1	20	61	84	3.80	<10	1.02	640	<1	0.02	24	620	20	45	<20	59	0.10	-10	40	<10	9	198
																						-		-00	9.10	<10	79	<10	4	74

۰.

ECO-TECH LAPORATORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

Ċ,

ECO 1004 KAML V2C (Phone Fax	-TECH LAE 1 East Tran -OOPS, B.(3T4 a: 604-573-4 : 604-573-4	SORATOR Is Canada C. 5700 4557	IES L' Highw	TD. vay																			CANAA #540-22 VANCC V6B 2M ATTEN	MERA 20 Cai OUVEF 19 TION;	GEOLO mbie St R, B.C. K, HIC	OGICAI reet KS/ J. I	LTD.	AK 98	5-564	
Value	s in ppm u Tag #	nless othe	erwise Ag	Al %	d As	Ва	Bi	Ca %	Cd	Go	Cr.	C	E. N										1 Silt sa Project Shipme P.O. #: Sample	ample #: Fl nt #: 1 1994 s subi	receive 05CA00 6 mitted 1	d Augus 111 by: T. E	st 1, 15 Srown	95		
1	3101	5	0.4	0.76	5	15	<5	0.79	26	8	18	59	2 27		Mg %	Mn	Mo	Na %	Ni	P	Pb	SÞ	Sn	Sr	Ti %	υ	ν	w	Ý	Zn
													2.21	-10	0.23	137	4	<.01	69	560	64	<5	<20	57	0.02	<10	15	<10	12	973
QC DA	TA:																													
Repeat 1 Standa	t: 3101	5	0.2	0.81	5	15	<5	0.83	27	8	19	61	2.37	<10	0.25	144	5	<.01	73	580	58	<5	<20	61	0.02	<10	16	<10	13	1011
GEO'9	5	150	1.2	1.78	65	160	<5	1.71	<1	18	62	86	3.75	<10	0.95	669	<i>c</i> 1	0.02	29	0.70		_						-		

86 3.76 <10 0.95 669 <1 0.02 28 630 20

.

df/546 XLS/95Canamera

101

11-Aug-95

5 <20

ECO-TECH LABORSTORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

62 0.12 <10 79 <10 4 72

17-Aug-95

)

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

}

2

1

Phone: 604-573-5700 Fax : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-590 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION; K. HICKS/ J. DUPUIS

Values in ppm unless otherwise reported

2 Rock samples received August 4, 1995 Project #: FD5CA0010

<u>Et#.</u>	Tag # 7404	Au(ppb) <5	Ag Al %	As	Ba Bi	Ca %	Ca	<u> </u> Co .	. Cr	Cu	Fo V		Nn								Shipme P.O. #:	6752	5CA00 11	10				
2	/405	<5	<.2 0.12	15	95 <5 75 <5	0.01 0.01	<1 <1	<1 1	92 109	ব ব	1.58 1.49	<10 <10	<u>Mg %</u> <.01 <.01	<u>Mn</u> 46 97	9 4	Na % 0.02 0.03	Ni 1 3	P 30 60	РЬ 12 10	Sb 10 <5	Sn 20 20	Sr <1	Ti % <.01 <.u1	<u>ย</u> <10 <10	V 1 <1	W <10 <10	Y	<u>Zn</u> 5

 \rangle

1

.

{

٦,

<u>QC DA1</u> Resplit:	A :					^	.																							
R/S 1	7404	<5	<.2	0.14	35	95	<5	< 01																						
Repeat:	7404	лF					•		~1	<1	89	<1	1.57	<10	<.01	47	g	0.02	1	30	14	10	~20							
Standam	 ŀ	<2	<.2	0.13	40	95	<5	<.01	<1	<1	91	ব	1.56	<10	- 01							.0	~20	<1	<.01	<10	<1	<10	<1	2
GEO'95	•	-	1.2	1.80	75	180	<5	1 70		۰,				-10	01	-39	9	0.02	1	20	14	ব	<20	<1	<01	<10	<1	<10	ব	2
							~	1.79	<1	20	62	82	4.30	<10	1.03	742	<1	0.02	22	710	20	10								-
																					20	10	<20	58	0.09	<10	80	<10	4	78

df/567 XLS/95Canamera

ECO-TECH LARGRATORIES LTD. Frank J. Pezzotti, A.Sc.T.

B.C. Certified Assayer

	1				
Age	•				
25-Aug-95					
ECO-TECH LABORATORIES LTD.					
KAMLOOPS, B.C.					
V2C 6T4					CANAMERA GEOLOGICAL LTD. AK 95-625 #540-220 Cambie Street
Phone: 604-573-5700					VANCOUVER, B.C.
Fax : 604-573-4557					V6B 2M9
					ATTENTION: K. HICKS/ J. DUPUIS
Making In -					231 soil samples received August 11, 1005
values in ppm unless otherwise reported	đ				PROJECT #: FD5CA0011
Read and a second se					STUPMENT #: 13 P.O. #: 54 06
Et . lag # Au(ppb) Ag Al	<u>% As Ba Bi</u> Ca% Cd	Cá Cr. Cu Turk u			Samples submitted by: R. Verzosa
		CU Fe % La Mg %	Mn Mo Na % N	i P Pb S	b Sn Sr Titk II V W V T
1					
·. ·					
		Page 1			
	i				
	ĺ.				

-

En	Tac	#	Au(ppt	<u>)</u>	Ag Al ?	<u>K</u>	As	Ba	Bi Ca	1 %	Cd	Co	<u>^-</u>	<u> </u>										EC	O-TECI	H LABO	RATOR	RIESIT	'n		
		-				-			<u></u>					Cu Fe	e %	<u>La Mg</u>	% 1	<u>An</u> t	<u>Mo Na</u>	<u>%</u>	Ni	<u>P 1</u>	ъ :	<u>Sb</u>	Sn :	Sr Ti	%	u ,	V I	~	v -
																											<u> </u>				
	• ••••																														
												· -																			
	: :																														
-																															
,																															
and the second	· · · ·	-									ù																				
227 228	3102 3103	<u>.</u>	<5	0.2	1.96	40	85	5	0.50	-1																					
229 230	3010 3011 -	1 1	ও ও	<.2 0.2 < 2	1.91 2.88 1.84	50 5	75 205	15 10	1.24 2.09	<1	28 26 19	25 15 21	33 16	3.68 4.47	10 <10	0.71 1.18	2541 844	14 7	0.05	27	1020	24	<5	<20	33	0.06	<10	56	~10	20	
231	3012		<5	0.2	1.71	30 40	170 140	র থ	0.52 0.46	<1 <1	24 27	20 19	19 179 70	4.04 6.12 6.21	10 <10	0.72	2795 1334	2 6	0.09 0.02	25 25 29	730 950 1310	10 12 26	<5 <5	<20 <20	117 107	0.28 0.11	<10 <10	74 50	<10 <10	42 13 20	97 89 161
															~10	0.97	1319	6	0.02	31	1310	32	<5	<20 <20	34 27	0.03 0.02	<10 <10	56 52	<10 <10	3 3	256 335
Ng la																															
															Page 7																
																				:											
							1					-																			

)

.)

}

}

Et #. Tag # QC DATA: Standard;	Ац(ррь)	<u> </u>	<u>AI %</u>	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	ECO-TI	ECH L	_ABOR/		S LTD	w	¥	7n
GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95	145 140 140 140 135 150 140 140	1.4 1.2 0.8 1.0 1.4 1.4 1.4 1.4 1.2	1.89 1.95 1.86 1.99 1.63 1.70 1.75 1.89 1.64	65 65 65 60 55 60 70	160 155 165 155 155 160 150 155	\$\$\$\$5 5 5 \$ 5	1.74 1.82 1.79 1.80 1.65 1.90 1.74 1.84 1.61	~~~~~	19 19 19 22 22 19 21 18	64 68 63 66 61 70 63 67 64	88 90 88 90 83 87 79 84 86	4.14 4.19 4.07 4.35 3.81 4.60 4.12 4.37 3.90	<10 <10 <10 <10 <10 <10 <10 <10 <10	0.97 1.01 0.97 1.01 0.85 0.98 0.98 0.95 0.91	662 679 661 673 652 731 670 697 645	55555 5555	0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02	26 28 26 20 28 20 28 24 25	640 680 690 670 680 700 730 710	24 24 22 24 24 24 24 24 22	<5 <5 <5 5 <5 5 5 5 5 5 5 5 5 5 5 5 5 5	<20 <20 <20 20 20 <20 <20 <20 <20 <20 <2	66 68 65 68 54 56 58 58 54	0.13 0.14 0.13 0.14 0.12 0.13 0.12 0.13	<10 <10 <10 <10 <10 <10 <10 <10 <10	83 86 84 87 70 74 77 70	<10 <10 <10 <10 10 10 <10 <10 <10	4 4 4 5 4	74 75 72 75 77 74 70
																-1	0.01	27	630	22	<5	<20	51	0.10	<10	72	<10	4	74 72

>

)

÷

)

)

)

df/634/625g+A285G XLS/95Canamera#2

11

)

ECO-TECH LANDRATORIES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4
n na sta na angela na sana sa
Phone: 604-573-5700

Fax ; 604-573-4557

21-Aug-95

df/592D XLS/95Canamera#2

. - :/...

7

Values	in j	ipm L	nless	other	wise	repor	ted
í.	÷	:	17		·	. •	
	1		A	ù 🐑	- ⁻	- <u>-</u>	

1

CANAMERA GEOLOGICAL LTD. AK 95-608 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

8 Rock sample received August 10, 1995 PROJECT #: FD5CA0010 SHIPMENT#: 13 P.O. #: 5772 Samples submitted by: T. Drown

	<u>Et #.</u>	1 ag #	(ppb)	Ag	<u>AI %</u>	As	Ba	Bi	Ca %	Cď	Co	_ Cr	Cu Fe 🕯	<mark>%</mark> L	a Mg %	Mn	Мо	Na %	Ni	Р	РЬ	Sb	Sn	Sr	Ti %	U	v	w	Y	Zπ
	1.	7343	5	. < 2	1.03	<5	. 45	10	0.53	1	5	48	6 1.9	15 <1	0 0.43	455	<1	0.02	3	460	14	<5	20	8	0.17	<10	9	<10	4	
	 	ु /344 ् जन्म	5	8.4	0.19	ु - 115	135	5	0.25	<1	5	64	17 3.8	14 <1	0 <.01	281	6	<.01	4	1450	30	<5	<20	34	<.01	<10	4	<10	1	27
	. 1	57345	5 . S	10	° 0.4 6	. 95	- 125	5	0.32	<1	3	60	14 3.8	7 <1	0 0.09	393	6	< 01	3	1840	6	<5	<20	35	<.01	<10	25	<10	3	117
	- 4 - 5	1390/2 7100	s≊≈:30 %.≮ ≺o	24	0.20	4365	75	्′<5	0.28	<1	5	73	9 2.6	i8 <1	0 <.01	214	4	<.01	4	1610	10	55	<20	30	<.01	<10	6	<10	4	39
	6	7705	≌	- < 2	- 1 9,55	530	30	-5	0.12	<1	30	50	12 5.1	6 <1	0 0.16	113	7	<.01	5	670	20	<5	<20	7	<.01	<10	30	<10	<1	27
	7	7706	21000 ÷	U.8	0.10	105	30	20	0.20	<1	6	69	9 11.7	10 <1	0 <.01	15	11	<.01	4	1030	4	<5	<20	24	<.01	20	8	<10	<1	4
 47-14	. R. 🕰	37707	ະ ເພິ່ງດີ ແລະ		.×0.13 ∾4.40	140 		. 10	0.21	<1	3	139	13 4.9	13 <1	0 <.01	64	8	<.01	Ś	1190	6	<5	<20	29	<.01	<10	8	<10	<1	2
7		3		, .	954:1Z~;	8 3 3 3 9 9	s as 4 ⊃ .	· <>	3.49	<1	15	34	128 4.9	6 <1	0 0.81	627	6	0.01	10	1510	10	<5	<20	108	<.01	<10	46	<10	4	73
12																														
	OC DA	TA:																												
	Respli																													
	RS/1	7343		<2	1.05	<5	50	6	0.66	~1	-	50	a 4 a		~ ~ · · -				_			_		_			_	_		
120			· · · · · · · · · · · · · · · · · · ·			~	00	0	0.00	~1	ə	28	6 1,9	8 <1	0 0.43	464	<1	0.02	3	460	14	<5	<20	8	0.19	<10	9	<10	4	23
	Repea		· .	-																										
	14	7343	5	< 2	1.09	<5	50	10	0.56	<1	5	50	6 20	7 -4	0 0 40	400		0.00	~	400		-5		~	0.40		•		,	~
	100				11	•			0.00	~ 1	5	52	0 2,0	17 CI	0 0,40	482	<1	0.02	3	480	14	<5	<20	9	0.18	<10	Ð	<10	4	24
	Standa	rd: 7	م دين جي وري	-(
	GEO9	5	150	1.2	1.57	75	1 5 0	<5	1.60	<1	18	EF.	88 3.8	0 -1	0 0.88	640	-1	0.01	25	640	22	~5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	51	0.00	~10	74	~10		70
1.47.4	10,10,000	827 T							•	•	.0	20	00 0.0	v ~1	0 0,00	049	~1	0.01	∠5	040	44	~9	~20	21	0.09	~ 10	71	~ IU	4	- 70

ECO-TECH LABORATORIES LTD. Fank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

26-Aug-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

in the p

Phone: 604-573-5700

Fax : 604-573-4557 ٠.

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-655 #540-220 Cambie Street VANCOUVER, 8.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

17 Rock samples received August 16, 1995 PROJECT #: FD5CA0010 SHIPMENT #:14 P.O. #: 5801

	Et #. Tag #	Au(ppb)	Ao	Al %	A c	Þ-																	F	.0. #: 2004:	5801 S subri	* itted by	: R. Ve	77053		
• •	1 7708 2 7709 3 7751 4 7752 5 7753	\$ \$ \$ \$ \$	<.2 <.2 <.2 <.2 <.2	0.55 0.86 0.17 0.42 0.24	5 25 15 20 15	40 45 95 75 85	10 <5 <5 15 15	Ca % 1.07 0.02 0.13 0.25 0.54	Cd	29 1 7 11 11	34 78 48 39 51	Cu 94 34 119 12 17	Fe % 6.39 1.77 3.74 3.75 4.22	La <10 <10 <10 <10 <10	Mg % 0.25 0.60 <.01 0.09 <.01	Mn 249 72 12 116 21	9 4 1 1	Na % 0.03 0.01 0.03 0.03	Ni 10 1 1 1	P 480 20 830 1150	Pb 6 20 18 16	\$2 তি ও ও ও ও	<mark>%</mark> । ସେସ୍ପ ସେସ୍ପ	Sr 25 3 4 2	Ti % 0.10 <.01 0.21 0.26	U <10 <10 10 <10	V 36 1 10 16	₩ <10 <10 <10 <10	Y 5 4 9	Zn 21 46 2 24
-	6 7754 7 7755 8 7756 9 7757 10 7758	ል	<.2 <.2 <.2 <.2 0.8	0.20 0.23 1.11 0.95 0.29	15 15 5 5 5	95 140 110 75 45	15 10 15 15 <5	0.42 0.14 0.23 0.34 0.12	ব ব ব ব ব	8 5 9 3	46 38 15 20 44	10 15 14 26 13	2.83 4.57 9.27 5.25 1.07	<10 <10 <10 <10 <10 <10	<.01 <.01 0.41 0.26 0.08	19 48 546 308 96	V1 V1 5 1 7	0.02 0.03 0.04 0.04 0.04	י ר ד ד ד י	2230 2340 1700 2250 2150 265	8 8 4 12	হ হ হ হ হ	ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ	10 13 8 12 7	0.24 0.19 0.16 0.09 0.14	10 <10 <10 <10 <10	14 9 10 30 43	<10 <10 <10 <10 <10	14 12 3 3 11	5 4 7 29 20
	12 7760 13 7761 14 7762 15 7763	ବ୍ର୍ ବ୍ର୍ ବ୍ର୍ ବ୍	0.6 0.4 0.4 0.4 0.4 0.4	0.69 0.52 0.46 0.60 0.66 0.36	ବ୍ର୍ର୍ର୍ର୍ର୍ ବ୍	65 45 50 60 65 45	10 10 5 10 5	0.16 0.12 0.19 0.19 0.09	2 2 1 51 51	8 3 4 5 5	37 53 60 52 34	29 14 18 15 21	3.10 3.12 2.18 3.70 3.16	<10 <10 <10 <10 <10	0.40 0.35 0.29 0.39 0.42	229 182 145 216 253	12 12 7 7 3	0.01 0.01 0.01 0.01 <.01	7 2 6 3 2	630 650 970 900 470	8 6 8 8	୬ ଟଟଟଟ	ଧି <u>ଧ</u> ି ଧି ଧି ଧି ଧି ଧି	3 2 2 6 3 3	0.07 0.13 0.10 0.08 0.13 0.12	<10 <10 <10 <10 <10 <10	23 31 29 22 17 11	<10 <10 <10 <10 <10 <10	6 9 6 7 8 7	50 162 99 80 41 68
		<5	0.4	0.43	<5	45	\$	0.11	ন ব	2	61 65	13 11 -	2.2 † 2.24	<10 <10	0.21 0.27	111 123	5 9	0.01 < 01	3 2	320 690	6 4	ণ্ড গ	<20 <20	1 3	0.05 0.01	<10 <10	17 20	<10 <10	2 3	42 59

٦.) 2 J)

CANAMERA GEOLOGICAL LTD. AK \$5-655

.

Ett	Tag #	Au(ppb	<u>) Ac</u>	L . AI %	As	Ba	R	. C. K	~ .	_														ECO-T	ECH LA	BORATC	RIESL	.TD.		
<u>QC DA</u> Respili	IA:								<u> </u>		<u>Cr</u>	Cu	<u>Fe %</u>	La	Mg %	<u>Mn</u>	Mo	Na %	<u>Ni</u>	P	Pb_	Sb	<u> </u>	Sr	<u>۳%</u>	<u> </u>	v	w	Y	Zn
R/S 1 Repeat	7708 .	~5	<2	0.49	25	40	ব	1.07	~1	29	27	96	6.46	<10	0.22	241	8	0.03	10	470	6	~6	~~~						== <u>-</u>	
1 10	7708 7758	45	<.2 0.8	0.53 0.29	5 5	40 45	5 ⊲5	1.06 0.11	<1	29	33	94	6.44	<10	0.23	243	9	0.03		400	•	9	<20	25	0.10	<10	33	<10	5	21
Standar GEO'95	rd:	145	0.8	1.77	65	160	c5	1.07		3	44	13	1.04	<10	0.08	96	7	0.01	3	490 350	6 6	\$ \$	<20 <20	26 2	0.10 0.06	<10 <10	35 22	<10 <10	6 6	21 51
							2	1.67	4	18	·. ⁶⁴	87	4.06	<10	0.92	657	<1	0.02	25	650	16	ব্হ	<20	55	0.11	<10	74	<10	4	72



.

.

Page 2

N.

ECO-TECH LABORATORDES LTD. Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

.

26-Aug-95

1

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

)

)

Phone: 604-573-5700 Fax : 804-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-653 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

24 Soil samples received August 15, 1995 PROJECT #: FDSCA0010 SHIPMENT #: 14 P.O. # 5801

		*																						P.O.	5801					
Eta	K Tag#	Au(ppb)	Ag	AI %	As	Ba	Bİ	Ca %	64	•	-													Sampl	s subro	itted by	c R. Ve	72053		
2	3013 3014	\$ \$	<.2 <.2	1.24 1.47	145 75	90 125	10 10	1,65	8	15	25	Cu 26	Fe %	La <10	Mg %	Ma 565	Mo	Na %	Ni	P	Pb	Sb	ŝn	Sr	TI %	U	<u>v</u>	w	Y	Zn
5 4 5 6 7 8 8	3015 3016 3017 3018 3019 3020	4 A A A A A A A	<2 0,4 <2 <2 <2 <2	1.71 2.08 1.97 1.43 1.78 . 1.98	215 365 200 60 35 20	175 290 255 120 110	10 10 10 5 5 5 5	0.57 0.81 0.70 0.74 0.29 0.30	³ 1 र र र र र र	14 21 27 26 19 21	25 47 41 53 43 72	17 45 52 43 47 37	4.20 5.82 7.71 7.02 4.62 4.00	<10 <10 <10 <10 <10 <10	0.92 0.97 0.91 1.02 1.05 1.31	2182 1747 3621 2100 1010 841	7 20 20 11 5 3	0.06 0.02 0.02 0.02 <.01	23 81 63 40 32 79 47	1300 840 870 1170 1010 1020 820	18 10 14 18 16 10	14 8888	ଏ କେ କେ କେ କେ କେ ଜେ କେ କେ କେ କେ	54 44 33 47 55 60	0.08 0.11 0.05 0.05 0.05 0.05	<10 <10 <10 <10 <10 <10	35 53 63 68 67 50	<10 <10 <10 <10 <10 <10	13 4 7 14 9 5	196 794 432 193 126 154
10 11	3022 3023	ু ক ক	<.2 <.2 <.2	1.58 1.72	15 15	85 130	\$	0.34 0.34	4	2222	60 63	44 35 36	4.21 3.79 3.90	<10 <10 <10	1.37 1.11 1.21	982 788 837	3 3 3	<.01 <.01 0.01	106 94 94	890 770 800	12 14 12 14	6 G G G	<20 <20 <20 <20	40 34 46 52	0.02 0.02 <.01	<10 <10 <10	35 37 30	<10 <10 <10	3 4 3	109 117 102
12 13 14 15 16	3024 3025 3026 3027 3028	A 444	0.6 <2 <2 <2 <2	2.05 2.13 1.80 1.82 2.23	20 15 15 15 30	155 215 185 105 110	୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫ ୫	0.32 1.30 0.33 0.30 0.49	~ ~ ~ ~ ~	24 33 26 20 19	68 47 70 68 45	37 39 43 30 15	4.05 4.04 4.39 3.68 5.30	<10 <10 <10 <10 <10	1.32 0.72 1.40 1.24 0.94	973 3068 1284 843 1100	3 4 3 1 2	0.01 0.02 0.02 0.02 0.07	99 95 103 63 53	810 1220 890 770 570	14 14 14 14	12 8 8 8 8	ୁ ବୁହୁହୁହୁ ବୁହୁ	65 332 75 58 111	0.02 0.03 0.03 0.04 0.12	<10 <10 <10 <10 <10	33 36 29 40 36	<10 <10 <10 <10 <10	4 14 5 4	105 116 185 124 93
17 18 19 20 21 22	3029 3030 3031 3032 3033 3034	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1.99 1.99 1.79 1.91 2.07	10 10 10 5 5 10	150 240 130 75 125	n ∜∜ % 5 12 5	0.57 0.61 0.68 0.73 0.63 0.63	र र र र र र र र	10 19 17 24 18 20	44 52 34 40 59	26 32 12 18 16	2.92 3.51 3.59 3.31 3.56	30 <10 10 <10 <10	0.81 0.93 0.81 0.86 1.23	541 1063 1947 2923 713	2 3 2 2 Z	0.02 0.02 0.11 0.07 0.10	59 82 67 64 62	710 920 610 950 590	14 14 12 16 12	ቆቆቆ ቆ ቆ	ର ର ର ର ର ର ର	159 152 135 124 97	0.09 0.03 0.12 0.09 0.16	<10 <10 <10 <10 <10 <10	38 36 32 37 51	<10 <10 <10 <10 <10 <10	6 22 7 12 10 4	80 100 153 153 116 80
23 24	3104 3105	9 9 F	<2 <2 <2	2.05 1.83 2.40	20 ≮5 ≮5	115 110 110	5 10 25	0.32 0.64 1.20	ন ন ন ন ন	24 34 31	72 39 34	21 36 11 18	3.60 4.03 4.46 4.51	<10 <10 <10 <10	1.09 1.24 0.90 1.59	1595 943 2727 581	3 2 7 7	0.03 0.02 0.09 0.35	79 91 54 44	640 800 580 800	12 14 10 12	\$ ₹ \$ \$ \$ \$ \$	ବ୍ୟ ବ୍ୟୁ ବ୍ୟୁ	104 79 120 148	0.06 0.05 0.17 0.44	<10 <10 <10 <10	39 41 47 87	<10 <10 <10 <10	g 5 6 11	115 103 112 94

1

1

Et#. Tag #	Au(ppb)	Ag	AI X	As	Ba	Bi	<u>_Ca %</u>	Cd	_ <u>Co</u>	Cr	Cu	Fe %	(.	ht- a/								1	ECO-TI	ECH LA	BORATC	RIES (TD.		
QC DATA: Repeat: 1 3013	ধ	<2	1 31	100										<u>nag 7</u>	<u>Mn</u>	Mo	Na %	<u>Ni</u>	P	<u>Pb</u>	_Sb	<u>Sn</u>	Sr	Π%	<u> </u>	<u>v</u>	<u>w</u>	Y	Zn
10 3022 	ণ্ড জ	<2 <2	1.73 1.73 1.73	130 15 ⊲5	100 125 125	5 10 5	1.62 0.33 0.70	9 <1 1	15 22 23	27 62 41	26 36 17	4.41 3.90 3.23	<10 <10 <10	0.44 1.21 0.90	580 873 2603	9 3 <1	0.05 0.01 0.07	25 95 64	1340 790	18 14	25 5	<20 <20	55 54	0.09 0.01	<10 <10	37 33	<10 <10	13 4	201
GE0'95	1 5 0	1.2	1.66	70	155	ৎ	1.62	<1	18	57	87	3.89	<10	0.92	600			•		14	0	<20	115	0.09	<10	37	<10	8	111
														0.92	090	<1	0.02	27	650	20	5	<20	55	0.10	<10	72	<10	4	72

2

)

÷

)

df/625G XLS/95Canameral/2

(~,¢><

: ..<u>.</u>

3

)

٠.

:

Page 2

•

ECO-TECH LABORA DOB Frank J. Pezzuti, A.Sc.T. B.C. Certified Assayer ES l'TTÍ

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

. 3

CANAMERA GEOLOGICAL LTD. AK 95-742 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

19 Soil samples received August 28,1995 PROJECT #: FD5CA0010 SHIPMENT #: 17 P.O. #: 5813

-					
1					
	N U83	sin ppm u	niess (otherwise reported	d
	6+#	T			

.

EL#. 130 #	Au(ppb)	. A	g Al%	A.	0.	_																	samo	es subr	nitted by	r. T. Di	00077		
1 3061 2 3062 3 3063 4 3064 5 3065 6 3065 7 3067	\$ \$ \$ \$ \$ \$	2222 22222 22222	2 1.94 2 1.28 2 1.28 2 1.47 2 1.47 2 1.40	20 105 65 15 30	Ba 160 240 55 75 80 100	ል ይይይ መ	0.86 0.86 1.19 3.06 2.10 3.65 4.06	3000000000	Co 19 19 17 17 16	Cr 26 24 33 31 34	Ci 8: 7: 7: 7: 7: 7:	Fe % 3 5.13 3 4.55 4.01 4.01 3 4.47 3 3.70	La <10 <10 <10 <10 <10	Mg % 1.07 0.59 1.17 1.22 1.26	Mn 1503 1413 662 638 786	- Ma 22 2 1	Na % 0.02 0.02 0.02 0.04 0.03	N 21 21 27 26 28	1620 1520 1760 1640 1910	Pb 12 28 16 18 12	Sb ସ ସ 15 5 10	ଅନ୍ନ ସ୍ମ ସ୍ମ ସ୍ମ	51 43 41 124 92 147	0.03 0.03 0.05 0.05 0.06	U <10 <10 <10 <10 <10 <10	V 111 64 84 91 85	₩ <10 30 <10 <10	Y 10 9 3 3	Zn 106 93 75 90
8 3068 9 3069 10 3070 11 3071 12 3072 13 3073	888 888 888	<2 <2 <2 <2 <2 <2 0.4	1.35 1.50 1.57 1.69 1.32 1.42	44 4440	155 135 105 140 150 230	ልል ፉልልል	0.75 0.72 1.06 0.60 0.75 1.21	TTTTTTTTTTTTT	15 15 14 17 16	15 16 20 16 15	53 51 58 37 57	4.42 4.39 4.69 3.72 5.21 4.50	<10 <10 <10 <10 <10	1.23 0.86 0.95 1.03 0.92 0.95	1098 891 897 728 1459 856	3 3 4 1 6	0.02 0.04 0.03 0.11 0.01	26 14 16 11 22	1890 1720 1920 1880 1480	22 12 8 8 10	15 5 √5 10 √5	ୟ ର ର ର ସ	188 51 46 69 38	0,02 0.06 0.05 0.07 0.03	<10 <10 <10 <10 <10	96 77 78 82 61	<10 <10 <10 <10 <10 <10	5 6 7 6 10	79 109 88 87 62 107
14 3074 15- 3075 16 3109 17 3110 18 3111	100 000	0.2 < 2 < 2 < 2	1.59 1.24 1.72 1.41	ବଟ ବଟ	145 290 225 95 105	৫৫ ৫৫৫	0.92 1.18 1.33 0.32 0.49	222 °C	14 20 13 25	25 16 16 46	47 78 111 76 45	3.84 6.02 5.00 3.92 4.24	<10 <10 <10 <10	0.53 0.37 0.91 0.68	1272 896 1496 709	6 6 4 2	0.02 <.01 0.02 0.03	12 34 21 18 17	970 1680 2100 1450	12 8 16 12 8	ধধধ্য	ର ର ର ର ର ଜ	53 97 46 65 73	0.11 0.02 0.06 0.03 0.04	<10 <10 <10 <10 <10	79 40 73 83 61	<10 <10 <10 <10 <10	7 11 5 9 8	93 134 77 101 87
19 - 3112 -	Ś	~.2 <2	1.82 1.61	<5 50	155 125	ፍ ፍ	0.79 0.54	4	21 21	22 18 17	34 27 35	5.20 4.31 4.68	<10 <10 <10	0.83 0.93 0.77	1350 1016 968	3 5 5 4	0.07 0.15 0.08	77 39 34 34	800 950 990 1180	12 12 16 18	ទី ទី ១ ឡ	8888 8888	52 44 67 37	0.01 0.09 0.23 0.11	<10 <10 <10 <10	40 41 58 56	<10 <10 <10 <10	4 5 12 11	202 110 171 191

۰.

<u> </u>	tal T	ag # _/	\u(ppb)	Ag	AI %	As	Ba	Bi	Ca %	64	-													£	ECO-T	ECH LA	BORATC)ries i	LTD.		
9 R	<u>C DATA:</u> Apeat: 1 30	061	ধ	<2	194	20	470					Cr	Cu	<u>Fe %</u>	<u>La</u>	Mg %	<u>Mn</u>	Mo	Na %	<u>N</u>	<u>р</u>	Рь	Sb	<u>Sn</u>	<u>Sr_</u>	<u>Ti %</u>	U	<u>v</u>	w	Y	Zn
St GE	andard: 1095	υχα	<5 (5)	<.2	1.37	10	130	ও জ	0.96 0.75	ন ন	19 16	25 18	87 44	5.10 4.82	<10 <10	1.03 1.02	1610 1263	4 4	0.02 0.03	22 27	1640 1550	10	<5	<20	49	0.03	<10	108	<10		
			150	1.0	1.65	65	1 5 5	<5	1.62	<1	15	63	84	3.70	<10	0.84	640		_		1000	10	10	<20	44	0.04	<10	72	<10	5	107 96
£																	040	<1	0.01	23	600	18	5	<20	56	0.08	<10	70	<10	з	69
												· .																			

.

dī/742 XLS/95Canamera#4

e e e e e e e a a a a e

Ċ

.

• .

Page 2

ECO-TECHTABORATORIES LTD. PYRraik J. Pezzotti, A.Sc.T. E.C. Certified Assayer

18-Sep-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700

Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-743 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received August 28, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 17 P.O. #: 5813

Ets. Tags 1 7711	Au(ppb) 5	A.	<u>9 Al%</u> 0 0.24	As	8a	B	Ca%	Cd	Co	, Cr	Cı	(Fe %		- -	_								SHIP P.O. # Sampi	lENT #: : 5813 ies subn	17 nitted by	r: T. Di	'own		
2 7/12 3 7713 4 7714 5 7715 6 7407 7 7408 8 7409 9 7410	5 5 15 5 5 5 5 ×1000	1.0 1.4 1.0 1.4 0.2 0.8 0.6 2.2	3 0.12 0.13 0.17 0.21 3.45 0.47 0.22 0.17	525 5 5 120 5 120 5 20 175 1570	23 35 195 50 25 100 175 55 30	\$ 10 5 5 7 8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	0.22 0.03 2.89 2.01 0.20 3.44 0.14 0.14	र र र र र र र र र र र र र र र र र र र	23 18 4 3 7 26 10 1	64 79 112 94 76 94 27 109	212 84 79 38 30 88 50 12	6.86 12.70 3.21 3.02 10.90 7.40 4.09 2.32	<10 <10 <10 <10 <10 <10 <10 <10	<pre>4 mg % </pre> <01 <01 <01 0.49 0.39 <01 <01 2.74 0.01	Mn 92 25 1023 1082 81 1169 402	<u>M</u> 1- 2: 7 36 6 7	 Na % 4 0.05 5 0.01 2 0.01 7 <.01 6 0.02 6 0.03 7 0.01 	N 3 2 4 3 47 14	I P 3 1420 5 <10 2 660 5 560 5 560 3340 1110	Pb 20 20 8 4 12 6	<u>\$b</u> ই ই ই ই ই ই ই ই	\$n ସେ ସ ସେ ସେ ସେ ସେ ସେ ସେ ସେ ସେ	8 3 147 109 16 175	TT % <.01 <.01 <.01 <.01 <.01	U 20 40 <10 <10 30 <10	v 79 6 25 9 5	₩ <10 <10 <10 <10 <10 <10	Y <1 5 5 1	Zn 115 21 55 48 17
QC DATA: Resplit: R/S 1 7711	5	3.2	0.22	15	20	থ ধ	0.04 0.21	ব ব	2 22	133	19	1.80	<10	<.01 <.01	32 51	8 9	0.01 <.01	3	80 30	10 18	<5 105	20 <20 <20	14 6 19	<.01 <.01 <.01	<10 <10 <10	11 1 <1	<10 <10 <10	3 71 71	71 5 36
1 7711 Standard:	5 -	4.2	0.24	20 -	25 -	<5	0.22	1	23 -	64 -	214	6.88	<10	<.01	85 92	10 14	0.04 0.05	2 4	1410 1420	18 22	ব্ <u>ড</u> ব্য	20 20	6	<.01	20	78	<10	<1	111
- GEO'95	150	1.4	1.65	50	155	<5	1.58	<1	17	56	88	3.70	<10	0.89	632	<1	- 0.02	25	~ 600	- 22	5	~ <u>~</u> <20	<u>'</u> 56	<.U1 0.10	20 - <10	79 - 73	<10 - <10	<1 - 4	116 - 66

df/744b

. .

4

XLS/95Canamera#3

ECO-TECH LABORATORIES LTD. per Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

.

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-739 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

72 Soil samples received August 28, 1995 PROJECT # FD5CA0010 SHIPMENT #: 18 P.O. #: 5773

	t#. Tag#	Autonh		-	-																			P.O. #	5773					
	1 3200	<5			As	Ba	B	i Ca%	Cd	Co	C -	~	_											Samp	les subr	nitted by	r Raul	Verzoes		
	2 3201	<5	1.	0 1.33	30	180	5	0.06	<1				u Fe X	<u> </u>	a_Mg 🤋	Mn.	M	o Na %												
	3 3202	~5	<	2 0.77	5	65	<5	0.11	<1	4	10	2	1 4.28	<1	0 0.1	179	2	4 < 01		4 P	Pb	Sb	Sn	Sr	11%	U	v	W	v	_
	4 3203	Ř		2 1.15	<5	150	15	0.20	2	0	16	6	5 3.57	<1	0.0	2 112	~			/ 860	18	<5	<20	24	<.01	<10	05			251
	5 3204	~	<	2 1.56	<5	85	10	0.29	~ 4		12	18	B 5.72	<1	0.05	430			-	5 1170	4	<5	<20	8	0.11	~10	20	<10 	<1	53
		-3	<:	2 1.88	10	290	<5	073		16	31	87	6.82	<10	0.32	1430		+ 0.01		5 1080	22	<5	<20	18	0.10	~10	7.3	<10	<1	11
	3206							0.75	1	19	24	48	3 4.85	<10	0.43	1007		0.01	1:	5 1610	10	<5	<20	, A	0.10	~10	64	<10	<1	42
	7 9300	<5	<.2	2 1.02	<5	135	<5	0.00							· · · ·	1207	:	× <.01	34	\$ 840	16	<5	<20	49	0.04	<10	135	<10	<1	32
i	3200	<5	0.2	1.63	<5	355	~	1.09	<1	9	18	53	4.27	<10	0.16	507									0.02	<10	43	<10	6	103
	3207	 <5 	0.2	2.24	. 5	175	~	1.63	1	22	24	67	4.60	<10	0.10	507	3	0.01	10	1230	2	<5	<20	20	0.07					
	3208) < 5	0,8	1.69	- 5	60	~2	204	<1	24	35	57	536	-10	0.34	1925	4	0.04	23	1170	12	<5	~20	20	0.05	<10	94	<10	<1	28
	3209	<5	<.2	1.61	-5	200	3	0.10	~1	9	32	41	7 53	~10	0.40	895	5	<.01	27	1040	16	-5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	62	0.04	<10	70	<10	10	71
					~	203	4	3.08	<1	18	31	78	6.10	<10	0.11	458	10	<.01	17	2560	22	~	20	- 29	0.04	<10	73	<10	11	58
11	3210	<5	<.2	1 23	~	105						,0	4.12	<10	0.20	2569	6	0.01	13	1180	8	 S 	<20	7	0.03	<10	46	<10	<1	57
12	3211	<5	< 2	272	-	125	10	0,22	1	9	32	42	7 60								0	C 3	<20	160	0.05	<10	96	<10	16	61
13	3212	· <5	<2	160	0	125	<5	1.85	1	16	41	403	7.00	<10	0.07	323	10	<.01	16	1340	40	-								01
14	3213	<5	< 2	2.00		300	<5	0,62	1	10	71		6.84	<10	0.28	872	8	< 01	14	4400	18	<5	<20	18	0.04	<10	119	<10	~1	
15	3214	<5	- 2	2.32	4	105	5	0.54		17	20	67	6.43	<10	0.04	207	9	< 01	10	1190	14	<5	<20	115	0.08	<10	142	~10		44
		-	~. £	1.84	<5	245	5	0,34	1	10	4/	26	7.02	<10	0.64	442	7	< 01	13	/10	18	<5	<20	45	0.06	<10	75	~10	13	36
16	3215		~ ~							10	34	49	5.94	<10	0.25	657	7	<.01	43	460	16	<5	<20	37	0.03	<10	F2	~10	5	32
[~] 17	3216		0.6	1.51	\$	125	5	0.08	~1	~							'	5.01	17	670	16	<5	<20	23	0.03	<10	00	<10	<1	51
18	3217	2	<2	3.06	<5	165	5	0.13			46	25	6.58	<10	019	472	•								4.00	~10	03	<10	<1	48
19	3218	< 5	0.8	1.88	<5	85	15	0.10	<1	g	31	49	7.22	<10	0.36	252		<.01	18	5640	14	<5	<20	12	0.02	~10				
20	2210	<5	C.8	2.19	<5	70	15	0.11	7	8	30	22	6.62	<10	0.00	202	8	<.01	17	610	20	<5	<20	16	0.03	<10	64	<10	<1	28
20	9218	<5	0.6	2.40	<5	80	-5	0.10	<1	7	33	24	8.73	<10	0.13	325	7	0.01	16	2150	26	<5	<20	11	0.02	<10	140	<10	<1	30
24		÷1					~	0,09	<1	5	33	19	4.89	-10	0.04	2/1	12	0.02	10	550	24	<5	20		0.06	<10	69	<10	<1	30
21	3220	<5	0.4	2.40	<5	05	-						1.40	~10	0.14	186	7	<.01	13	1810	20	~5	~20	9	0.02	<10	58	10	<1	44
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3221	<5	0.4	217	<5	95	10	0.01	2	10	45	40	0 11	~10								~	~~20	9	0.01	<10	58	<10	<1	27
23	3222	<5	0.2	232	ň	100	10	0.09	1	7	34	19	6.24	<0	0.38	243	12	<.01	37	460	22	~	~~~							
24	3223	<5	0.4	1.67	~	(25)	15	0.06	<1	9	25	76	7.04	<10	0.23	362	8	<.01	17	2170	14	~	<20	4	<.01	<10	53	<10	<1	117
25	3224	<5	0.2	1.26	5	210	<5	0.15	<1	5	16	14	1.31	<10	0.23	343	9	<.01	24	1340	20	5	<20	8	0.01	<10	65	<10	<1	20
				1.20	< <b>9</b>	285	<5	0.83	1	11	17	34	3.68	<10	0.09	399	5	< 01	7	2000	22	0	<20	6	<.01	<10	43	<10	~	67
26	3225	<5	0.6	2.00	~							31	3.88	<10	0.26	1060	4	0.01	24	3200	14	-5	<20	12	<.01	<10	39	<10	~1	37
27	3226	<5	~ 2	200	<5	105	10	0.29	<1	e	25	-						~.01	24	080	10	<5	<20	78	0.01	<10	33	210	10	17
28	3227	<5	~~	1.47	\$	165	<5	0.11	1	-	35	38	8.38	<10	0.10	480	41	< 01									55	~10	10	70
29	3228	~	0.4	2.50	\$	100	5	0.07		2	36	33	7.64	<10	0.13	193		<ul><li>&gt;.01</li></ul>	16	2030	28	<5	<20	23	0.05	<10	42			
		~2	0.2	1.81	\$	270	10	0.55	2	8	24	33	8.11	<10	0.16	363	40	<.U1	17	3300	14	<5	<20	12	0.07	10	43	<10	<1	36
1								0.00	2	14	40	28	7.15	<10	0.38	707	13	<.01	18	850	22	<5	<20	11	< 01	10	16	<10	<1	28
															Pane 1	101	9	<.01	32	1240	18	<5	<20	12	~.ui	<10	34	<10	<1	63
۱															~8e 1							-		-12	u.u2	<10	53	<10	<1	71

÷

ECO-TECH LABORATORIES LTD.

		Et#.	Tag #	Au(ppb)	Ag	Al %	As	Ba	Bi	Ca %	Сd	Co	Cr	Cu	Fe %	i.a	Ma %	Mn	Mo	Na %	Nì	Р	Ph	\$b	Sn	Sr	Ti %.	ы	ν	w	Y	75
	-	30	3229	<5	14	2.26	6	200	10	0.05		42			0.50	<10	0.40						10			<u> </u>						-
		31	3730	<5	17	1 80	- F	400	/C	0.00	~	13	14	30	6.59	< (0	0.78	6.19	21	<.01	30	640	16	<5	<20	8	<.01	<10	3/	<10	<1	127
		27	2291	~	1.2	1.00	-0	190	<5	0.73	1	13	45	- 38	6.96	<10	0.47	789	7	<.01	37	2320	18	<5	<20	46	0.05	<10	69	<10	<1	47
		32	3231	4	0.4	1.72	4	100	5	0.10	<1	8	49	34	7,49	<10	0.36	217	13	<,01	42	640	16	<5	<20	13	0.01	<10	57	<10	<1	79
		33	3232	<5	< 2	1.12	⊲5	285	10	0.73	2	11	21	34	9.25	<10	0.02	1136	13	< 01	g	1020	32	<5	40	57	0.16	<10	89	<10	<1	58
		34	3233	<5	<.2	1.26	<5	75	5	0.06	1	12	8	18	80.3	<10	0.11	164	ñ	- 101	*2	000	10	~~	~~~~~	6	< 01	~10	20	<10		407
									÷	0.00		12	J	10	0.50	~;0	0.71	104	9	<.U1	12	600	16	-0	~ <u>2</u> 0	•	5.01	~10	20	<10	<1	737
		35	3234	<5	0.8	2.62	~6	766	-6	4.07																						
		36	3795	~	0.0	232	~	233	<0	1.67	ſ	21	27	65	4,67	10	0.41	2579	4	0.02	39	1390	20	<5	<20	66	0.05	<10	48	<10	23	124
		00	3230	0	<.2	1.94	10	85	20	0.10	<	9	53	29	9,09	<10	0.26	134	10	<.01	24	560	16	<5	<20	7	0.02	<10	84	<10	<1	36
		3/	3236	<5	<.2	2.53	<>	125	<5	0.16	1	14	51	85	5,50	<10	0.66	458	5	< 01	36	710	14	<5	<20	10	0.03	<10	92	<10	15	62
		38	3237	<5	0.8	2,85	<5	80	5	0.04	<1	9	47	27	9.70	<10	0.33	211	11	< 05		950	20	-5	~~~~		0.04	~10	64	~10	~4	47
		39	3238	<5	< 2	0.56	20	340	5	0.21		44		20	4.10	-10	0.00	070	11	<.ui	20	550	30	0	~20	~	0.04	~10	01	<10	1	4/
						0.00		013		0.21	~1	11	5	20	4,19	×10	0.21	219	72	0.03	9	590	4	$\diamond$	<20	27	0.03	<10	20	<10	6	106
	1	40	3239	-5	- 2	1 22		~~	~			_	_																			
		44	2240	~	~~	1.22		OU.	5	0.09	1	- 17	° <del>6</del>	12	8.78	<10	0.02	472	10	0.01	4	400	2	<5	<20	5	0.03	<10	265	<10	<1	48
		41	5240	<5	1.0	3.12	<5	100	20	0.02	<1	12	25	22	11.10	<10	0.15	420	13	<.01	15	720	30	<5	<20	5	<វវា	10	57	<10	<1	57
		42	3241	<	<.2	1.37	-5	120	20	0.21	1	22	6	17	11.50	<10	0.02	856	73	0.02	e.	670	4.6	-6		40	0.03	~10	152	<10	-1	70
		43	3242	<5	0.6	1.96	-	125	10	0.05	1	q	77	33	0.67	~10	0.21	200	10	- 64	~~~	4000		~	-20		0.00	~10	64	<10		10
		44	3243	<5	< 2	2.15	-6	140	20	0.00	÷		23	33	3.02	-10	0.21	200	13	<.ui	23	1200	34	5	<20	3	<.01	<10	-04	<10	<1	135
		-				2.10	$\sim$	1.40	20	0.04	ι	(4	21	18	12.10	<10	0.10	596	14	0.01	11	970	18	<5	<20	7	0.02	<10	127	<10	<1	36
		1E	3744	~~	~~		-		_																							
		40	3244	~ 2	0.2	1.03	4	<b>Z</b> 55	<5	0.91	1	8	15	21	2.96	<10	0.21	854	4	0.02	14	600	6	<5	<20	90	0.01	<10	33	<10	6	51
		46	32/45	<5	0.4	1.27	5	105	10	0.07	2	10	28	34	9.03	<10	0.09	274	17	< 01	21	AAD	20	<5	<20	44	0.03	<10	92	<10	<1	50
		47	3246	<5	0.6	2.37	<	110	<5	0.07	1	8	36	38	6.42	~10	0.25	405		- 01	24	770	44	ž	~~~~	10	0.00	~10	ÉC.	-10	-4	50
		48	3247	<5	06	1 15	25	75	20	0.06			40		40.00	-10	0.00	10.3		<.01	24	120	54	9	~20	12	5,04	~10	36	<10	51	33
ı.		<b>4</b> 9	3248	-5	10	1 60	~	00	30	0.00	2	11	12	23	10,80	<10	0.01	-224	14	<.01	11	2850	38	<5	40	6	0.20	<10	183	<10	<1	32
		~		~	1.0	1.59	9	90	5	0.08	1	6	21.	32	5.63	<10	0.02	144	8	<.01	9	1110	14	<5	<20	8	0.01	<10	49	<10	<1	23
		-																														
		50	3249	<5	2.2	2.47	$\Leftrightarrow$	160	25	0.08	1	10	17	21	14.10	<10	0.06	372	15	0.03	13	470	54	<5	<20	10	0.14	10	27	<10	<1	41
		51	3250	<5	Ø.6	2.03	<5	135	5	0.07	1	8	31	29	642	~10	0.24	200	7	< 04	40	4400	~	~	-20	44		~~~~	40	-10	-4	20
		52	3251	<5	0.6	210	~	210	5	0.70				20	0.42	~ (0	0.24	330		<.01	19	1100	20	<9	<20	11	<.01	410	43	<10	<1	33
i		53	3252	-5	0.0	4 40	~	450	ž	0.72	E.	11	54	24	7.49	<10	0.65	505	9	<.01	57	890	14	<5	<20	71	0.02	<10	53	<10	2	69
í		54	2052	~	0.4	1,40		100	5	0.08	<1	3	12	13	4.41	<10	0.03	141	7	<.01	7	1290	20	< 5	<20	11	0.01	<10	51	<10	<1	15
Į			2205	\$	4.2	1.65	10	150	15	0.09	2	14	19	36	10,60	<10	0.03	1110	22	<.01	17	1410	18	-5	<20	23	0.02	<10	49	<10	<1	77
}	1	55	3255	<5	Ø.6	1.39	-	100	20	0.11	2	10	17	22	12.60	<10	0.04	207	16	0.01	14	4700	36	-6	~~~	40	0.42	40	en	~10	-4	EC
ł	(	56	3257	<5	2.0	1.67	15	275	5	0.26	14	6	12	20	0.04	~10	0.07	007		0.01	14	400	- 30		~20	12	0,13	~10	03	<10	<u> </u>	
•	N	57	3259	<5	10	1 79	-	440	*0	0.40	14		10	30	0.01	<10	0.05	397	25	<.01	35	670	20		<20	36	0.03	<10	64	<10	<1	632
		50	3261	~5	1.0	0.20	$\sim$	710	10	0.16	2	10	18	31	9.41	<10	0.09	247	9	0.01	15	1130	36	<5	20	17	0.18	<10	62	<10	<1	61
1		50	0201	10	1.0	247	<9	315	<5	0.54	2	17	60	41	5.42	<10	0.88	2988	6	<.01	97	1190	20	\$	<20	74	0.02	<10	47	<10	15	131
		28	3263	<5	0.8	2.69	<5	110	20	0.05	1	16	79	36	10,50	<10	0.18	1960	10	< 01	34	1280	20	<5	<20	5	0.02	<10	61	<10	<1	36
}																					0.	1200		~	-2.0	0	0.02	-10	Q,	-10		00
1		60	3265	<5	<.2	0.67	<5	60	<5	0.24	<1	11	20	20	2.00	~10	0.00	270				400	~	~	~~	~						
1		61	3267	<5	22	2.65	10	200	~5	0.07	-1	11	20	20	3,00	10	0.29	2/9	1	0.04	25	900	<2	\$	<20	19	0.09	<10	57	<10	<1	23
Į		62	3089	~5	~~	4.00	.0	200	~	0.07	2	18	50	71	4.62	<10	0.52	2773	4	0.01	83	2310	20	<5	<20	126	0.04	<10	37	<10	75	137
		62	0000	2	0.4	1.90	3	115	5	0.08	<1	6	37	18	5.22	<10	0.25	211	8	<.01	23	580	16	<5	<20	13	0.02	<10	59	<10	<1	33
		63	32/1	<5	0.4	2.85	<5	70	20	0.04	1	8	41	22	10.20	<10	013	290	11	0.01	16	1840	38	<5	<20	6	0.08	<10	75	<10	-1	38
1		64	3273	<5	0.6	1.41	<5	95	10	0.03	<1	9	28	17	5.58	<10	0.10	302		~ 01	26	1/60	42	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~1	0.00	~10	07	-10	-1	40
											•	•		••	0.00	-70	0.10	302		NU1	20	1450	12	-	~20	~1	0.02	~10	0/	<10	< I	40
1		65	3275	<5	02	0.83	20	75	~5	0 10	-	~	40	(1)							_			_								
1		66	3777	~5	4.0	0.00	20	000	~	0.10	1	9	18	42	4.98	<10	0.06	162	14	<.01	52	980	6	<≶	<20	12	< 01	<10	55	<10	<1	276
		67	9370	~	4.0	0.00	15	300	<2	0.49	2	6	6	35	2.66	<10	0.02	173	12	<.01	26	660	8	<5	<20	51	<.01	<10	30	<10	з	185
1		07	3213	<2	1.6	0.99	5	105	<5	0.13	<1	4	23	26	4,52	<10	0.08	57	g	< (11	13	780	8	<5	00	17	ሰጠ	<10	10	<10	-1	24
1		68	3281	<5	<.2	1.33	5	100	10	0.24	f	13	27	31	7.21	<10	0.44	320	ň	0.00		650	40	ž	~~~	~~~	0.07	-10	~~ ~~	-10		
1	-	69	3283	<5	2.0	271	≪5	395	<5	2.00	ż	10	40	50	0.00	~,0	N.41	300	9	0.02	28	550	10	\$	~20	21	0,07	<10	60	<10	<1	70
1.	~						~		~••	2.00	4	10	10	39	3.23	20	_0.17	7726	7	0.01	32	2160	12	<5	<20	250	0,05	<10	41	<10	34	183
1.																	Page 2															
	4																															

)

<u>_Et #.</u>	Tag #	Au(ppb)	Aa	AI *		-																								
70	3285	<5	<2	105	AS	<u> </u>	B	i Ca %	Cd	Co	Cr	CI	Fo M													ECO-TE	CH LAI	BORATC	RIES L	TD.
71 72	3287 3289	<5 <5	0.8 0.6	2.68 1.60	12 12 12 12 12 12 12 12 12 12 12 12 12 1	110 245 110	10 15 20	0.20 0.09 0.04	<1 2 1	46 10	6 26	17 19	10.90 7.05	<10 <10	0.05 0.05	Mn 616 604	<u>Ma</u> 1:	0.01	<u>Ni</u> 8	P 1590	<u>Pb</u> 14	Sb <5	<u>\$n</u> <20	<u>Sr</u> 16	<u>π %</u> 0.06	<u>u</u> <10	219		Y	Zn
QC D/ Repea									ť	0	6	20	11.00	<10	<.01	318	15	0.02	4	1120	32 22	হ ম	<20 <20	10 7	0.10 0.02	<10 <10	55 56	<10 <10	2	46 95 49
1 10 19 28 36 45 54 63	3200 3209 3218 3227 3235 3244 3253 3253 3271	<u> </u>	0.8 <.2 0.8 0.6 <.2 <.2 4.2 0.4	1.36 1.65 2.18 2.49 1.88 0.98 1.66 2.71	ୟେବବବବବବବ	175 205 75 105 90 265 150 70	5 (5 15 10 10 (5 15 15 15 15 15 15 15 15 15 15 15 15 15	0.07 3.01 0.06 0.11 0.09 0.82 0.07 0.04	51 2 1 2 1 51 51 51 51 51 51 51 51 51 51 51 51 5	4 18 7 8 7 14 9	10 32 34 24 51 14 19 40	20 79 22 34 27 19 36 21	4.34 4.19 8.77 8.01 9.07 2.62 10.70	<10 <10 <10 <10 <10 <10 <10	0.11 0.20 0.04 0.17 0.25 0.20 0.03	180 2616 265 372 141 811 1123	24 6 12 12 10 3 21	0.01 0.01 <.01 <.01 <.01 0.01 <.01	9 13 9 18 24 14 17	880 1240 570 860 540 620 1400	20 8 22 22 12 6	ትዓቆቆቆልል	ୡୡୡୡୡୡୡ	25 159 6 13 89	<.01 0.05 0.02 <.01 0.02 0.01	<10 <10 10 <10 10 <10	85 97 57 34 83 29	<10 <10 <10 <10 <10 <10		52 64 41 64 35 45
Standy GE0'96 GE0'96 GE0'96	đ:	140 150	1.0 0.8	1.56 1.54	55 50	150 150	5	1.51	4	16	53	79	3.75	<10	0.12	276	11	0.01	14	1880	36	Ø \$	<20	21 4	0.02 0.08	<10 <10	49 79	<10 <10	<1 <1	75 36
		100	1.0	1.55	50	155	\$	1.50	<1 <1	16 16	52 52	80 80	3.78 3.86	<10 <10	0.82 0.83	606 609	5 7 7	0.01 0.01 0.01	25 24 25	610 640 600	16 16 16	&	<20 <20 <20	57 55 53	0.09 0.09 0.09	<10 <10 <10	66 67 67	<10 <10 <10	4 5 4	68 70 72

d0715w

٠,

. .

)

í

XLS/95Canameral/3

Per trink J. Perzotti, A.Sc.T. B.C. Certified Assayer

Page 3

.

#### 16-Sep-95

C

۲

.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS B.C. V2C 6T4

1

Ì.

ì

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-744 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

109 Soil samples received August 28, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 19 P.O. #: 5774

	Tag #	Au(ppb)	۵.																					P.O.	5774	. 73				
1	3076	<5			As	Ba	E	i Ca%	Cd	Co	<b>C</b>	-												Sam	Has sub	mitteri h	~ ~ ~			
2	3077	~ জ	0.6	1,14	45	65	<	5 2,55	1	13	17		u Fe %	L	a Mg 🕈	4 Mn	M	o Na 🖌		11 m				•				JOWN		
з	3078	<5	0.4	3.13	70	80	2	0.88	2	41		04	3.71	<1	0 0.9	659	<	1 004			PD	Sb	Sn	S	<u> </u>	. U	v	/ w	v	~
4	3079	<5	02	100	40	190	10	) 1.09	2	47	9	17	7 13.00	<1	0 0.3	4109	4	. v.o. 1 ≼.04		0 1760 E 1700	8	-	<20	11	0.07	<10	66			
5	3254	<5	< 2	1.42	<5	150	10	3,25	1	32	2		10,40	10	0.79	3625	1.	1 000		0 (230	<2	<5	<20	30	0.01	<10	112	~10	5	64
			~~	1.12	-5	85	15	0.37	2	11	25	11	5.52	<10	0.65	3190		5 0.02		5 1/20	18	<5	<20	51	0.02	<10		<10	27	123
6	3256	<5	- 2						-	• • •	30	3/	6,53	<10	0.32	519				1570	10	<5	<20	115	0.01	~10	40	10	63	278
7	3258	<5	- 2	1.46	<	80	10	0.12	<1	0								0.01	2	1880	20	<5	<20	20	0.10	<10	43	<10	45	226
8	3260	-5	0.4	1.35	-6-	65	<5	0.06	-1		34	- 33	6.17	<10	0.27	403			_						0.10	-10	75	<10	<1	43
9	3262	-5	u.a	1.70	-5	100	10	0.00		5	19	51	3,75	<10	0.12	176		<.01	21	1720	14	<5	<20	5	0.05					
10	3284	~	0,4	1.69	<5	175	5	0.06	2	7	35	19	6.46	<10	0.13	267		<.01	12	200	12	<5	<20	ě	0.00	<10	103	<10	<1	26
		<5	0.2	1,99	<5	125	10	0.00	5	10	24	44	7.66	<10	0.10	207	8	0.01	12	6700	26	-5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		0.03	<10	65	<10	<1	16
11	2100	_					10	U, 10	<1	11	48	52	7.65	<10	0.11	6/3	9	<.01	9	1970	16	-5	~20	3	0.07	<10	66	<10	<1	15
12	3200	<5	0.2	2,12	<5	125		<b></b>						-10	0.39	528	8	<.01	29	5220	18	~5	~20	9	0.02	<10	127	<10	<1	20
13	-3208	<5	1.2	2.05	⊲5	90	10	0.10	2	9	32	75	6 31	-10							10	~5	<20	11	0.03	<10	84	<10	<1	24
	32/0	<5	0.2	1.24	-5	00	10	0.07	1	13	52	20	7.00	~10	0.30	340	8	<.01	22	1970	40									~
14	32/2	<5	1.2	1.80	-5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<	0.23	1	6	24	16	4.04	10	0.31	974	8	<.01	26	1450	10	<0	<20	- 11	0.04	<10	84	<10	c1	24
15	3274	<5	1.0	172	-6	90	<	0.03	<1	5	. 21	17	4.04	<10	0.36	187	6	<.01	23	800	-24	0	<20	9	0.06	<10	59	<10	~ 4	-34
					0	140	4	0.07	1	14	22	20	4.53	<10	0.38	154	6	< 01	40	2000	6	<5	<20	17	< 01	<18	42	-10	~ 1	6/
16	3276	<5	06	1.00						•••	A.4	-30	4.79	<10	0.36	863	7	< 04	~	160	12	<5	<23	3	<.01	<10	50	~10	51	49
17	3278	<5	0.0	1.00	\$	200	<5	0.10	1	16	20						•	01	20	870	14	<5	<20	8	0.01	<10	35	10	<1	61
18	3280	<5	0.0	1.00	<5	140	<5	0.32	2	10	23	46	5.29	<10	0.32	1051		- 04								-10	47	<10	<1	105
19	3282	<5	0.4	1.54	<5	145	10	0.06	5		16	28	4.58	<10	0.19	351		S.01	27	1210	14	<5	<20	11	0.02					
20	3284	~E	20	1.13	40	115	<5	0.04	2	14	21	38	5,59	<10	0.25	1167	-0	0.02	18	1600	8	<5	<20	20	0.02	10	53	<10	11	114
		-3	<.z	0.99	\$	105	10	0.05		1	13	33	6.17	<10	0.06	165	10	<.01	- 22	1320	14	<5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~	0.01	<10	40	<10	<1	60
21 🖤	3790							0.00	<1	7	28	21	4.71	<10	0.40	100	17	<.01	19	1970	14	<5	-20		<.01	<10	52	<10	<1	106
22	3790	<5	0.4	1.71	<5	90	20	0.00							V. 10	141	8	0.01	21	990	12	-5	~20	0	0.01	<10	67	<10	<1	82
29	3200	<5	0.4	1.53	<5 '	105	20	0.03	2	10	11	14	11 20	~10								-0	-20	12	0.02	<10	58	<10	<1	46
24	3230	<5	0.2	1.98	<5	165	10	0.12	2	8	24	30	7.20	-10	<.01	363	10	0.01	9	610	40									-10
25	3291	<5	0.8	3.80	-6	100	10	0.14	1	7	31	23	4.04	10	0.15	261	15	<.01	24 -			5	<20	6	0,18	<10	65	<10	-1	20
23	3292	<5	0.8	1.89	~	100	25	0.05	2	14	87	22	4,3(	<าบ	0.33	299	7	<.01	28	540	14 -	<5	~20	10	0,02	<10	64	<10	~	39
					4	105	<5	0.17	2	11	38	40	10,00	<10	0.12	1197	15	< 61	10	1440	12	<5	<20	16	<.01	<10	47	~10	-	63
26	3293	<5	04	1 07						••	-	40	1.14	<10	0.32	605	10	< 64	19	1410	42	<5	<20	10	0.09	<10	בר בל	10	<1	58
27	3294	<5	0.7	1.3/	<5	60	5	0.05	1	10	10				1.1		.0	01	22	1440	18	<5	<20	17	0.02	~10	13	<10	<1	39
29	3295	<5	0.2	1.71	<5	80	10	0.14	2	10	49	18	7.06	<10	0.37	451	7	0.04	-						0.02	-10	68	<10	<1	33
		~	0.4	1.74	<⊅	90	15	013	2	8	43	36	8.77	<10	0.16	272	10	0.01	27	1470	16	<5	<26	6	0.04					
								0.10	1	16	39	18	8.71	<10	0.41	213	12	<.01	18	1370	18	<5	~~~	14	0.04	<10	115	<10	<1	27
															V.41	2401	6	0.01	30	2180	22	<5	~20	14	0.03	<10	77	<10	<1	28
														Þ	ana f							~	120	12	0.14	<10	84	<10	<1	50

)

ð

1

Υ. `

)

Ś

}

)

N

	Et	#. Tag #	Au(ppb	<u>) A</u>	g Al 2	6A	s_B		Si Ca%	Cd	60	-															ECO-TE		BORAT	RIES	LTD.
	30	3296	<5	0.	4 1.3		5 6	5 1	0 0.15					u Fe	<u>6 L</u>	a_Mg %	<u>Mn</u>	M	o_Na %		Vi P	Ph	Sb	Sn	6	- Ti •/					
	31	3298	<5	0.	6 277	< <	5 8	5 2	5 0.09	2	16	30	3	6.2	4 <1	0 0.33	572		9 0.02	2	7 2760	18	<5				0	V	W	Y	Zn
	32	3299	~	0.	4 5.67	<	5 180	) <	5 0.28	<1	20	16	1	4 10.1	3 <1	0 0.09	3154	1	0 0.01	1.	4 3240	42	<5	~20	10	0.03	<10	70	<10	<1	51
	33	3300	~	<_	2 0.36	<b>i</b>	5 30	) <	5 0.04	<1	7	10	3	5.9	2	0 <.01	1363		6 <.01	1:	2 1570	42	<5	~20	20	0.12	<10	66	<10	<1	43
			$\sim$	<.	2 1.21	<	5 110	1	5 0.14	1	8	10	-	3 1.7	2 <10	0.02	96	:	3 <.01	3	2 240	~	<5	-20	20	0.07	<10	69	<10	18	19
	34	3301	<5							•	Ť	10	5	0,94	> <1(	0.07	440	8	B <.01	1:	2 2230	12	<5	<20	14	0.03	<10	54	<10	<1	8
	35	3302	~5	1.	2 0.52	<	5 350	4	5 D.41	<1	5	8	7	7 4 22										-20		0.08	<10	141	<10	<1	21
	36	3303	<5		4 1.11	10	0 180	15	60.08	1	ŷ	43	<u></u>	2 11.02	<10	0.08	162	<1	1 0.03	21	1 660	~	<5	<20	60	0.00					
	37	3304	<5	1.0	4 0.54	<	5 55	ŧ	0.21	<1	9	6	7	3 11.00	<7(	<.01	413	11	<.01	5	9 10000	36	<5	~20	10	0.00	<10	22	<10	6	26
	38	3305	<5	1.0	1.75	<	5 115	5	0.07	2	8	31	5	5 1.72 6 0.40	<10	0.26	107	<1	0.05	13	3 560	4	<5	00	20	0.14	<10	123	10	<1	19
			~	1.4	0.45	<	50	<	0.13	<1	6	10	21	+ 3,40 ∖ 3,90	<10	0.16	363	11	<.01	14	4880	26	<5	20	10	0.15	<10	40	<10	2	25
	/ <b>19</b>	3306	<5	1.8	0.47						_		~	2.34	<10	0.09	140	2	2 0.02	- 24	600	4	<5	<20	16	0.00	<10	119	<10	<1	40
	40	3307	<5	26	4.03	<	170	4	0.04	<1	4	.8	39	1 1 28	~10	0.04										0.00	<10	40	<วย	<1	48
	41	3306	<5	2.0	4.00	0	70	15	0.04	1	9	18	20	1060	<10	0.04	46	<1	<.01	6	620	6	<5	<20	12	0.05	~10	20			
	42	3309	<5	< 2	7.00	0	65	25	0.04	1	9	18	20	10.50	<10	<.01	147	9	0.02	6	640	54	<5	80	7	0.21	20	30	<10	1	20
	43	3310	<5	04	270	0	90	10	0.06	2	8	37	37	8 10	10	5.01	148	10	0.02	6	650	54	<5	80	. 6	0.21	20	- <del>74</del>	<10	<1	35
			-		2-10	10	95	<5	0.09	1	14	36	66	6.92	<10	0.30	249	9	<.01	29	1170	22	<5	<20	8	0.04	20	114	<10	<7	35
	44	3311	<5	1.8	3.44	Æ	445	-							-10	U.42	248	8	<.01	28	1030	26	<5	<20	8	0.02	<10	72	<10	4	40
	45	3312	<5	0.2	707	~ ~	415	<	0.77	2	15	73	50	4.03	40	0.24	20200								-			12	-10	<7	64
	46	3313	<5	3.2	3 40	~	210	10	0.08	2	11	25	55	8.66	<10	0.24	2866	4	0.02	72	1310	34	<5	<20	106	0.07	<10	30	<10	60	
	47	3314	<\$	<2	1 40	~	490	10	0.86	4	22	44	30	7.42	<10	0.10	0054	9	<.01	16	760	34	<5	20	15	0.10	<10	106	<10	50	151
	48	3315	<5	0.6	243	~	140	15	0.12	1	12	30	61	9.85	<10	0.44	8001	10	0.01	93	1950	24	<5	<20	137	0.06	<10	60	<10	20	58
					- TO	-	90	10	0.06	2	10	44	33	8.77	<10	0.70	5/6	11	<.01	18	2390	24	<5	<20	16	0.01	<10	173	~10	23	209
	49	3316	<5	<2	1.32	~5	~	-								0.20	341	11	<.01	22	1760	30	<5	20	11	0.06	<10		<10	~1	54
	50	3317	<5	0.6	0.89	<5	196	5	0.28	<1	8	28	40	5.95	<10	0.22	200											52	-10	~1	48
	51	3318	<5	0.4	1.37	~5	206	15	0.12	<1	6	13	14	5.19	<10	0.08	250	8	<.01	20	740	16	<5	<20	18	0.03	<10	103	<10	~	20
	52	3319	<5	1.4	1.90	-	220	10	0.20	1	9	31	47	7.24	<10	0.00	109	5	0.02	8	3590	28	<5	40	18	0.12	<10	68	<10	~1	38
	53	3320	<5	20	1.37	5	126	~9 -	0.49	1	6	21	22	3.69	<10	0.15	472	9	<.01	18	5410	24	<5	<20	23	0.03	<10	74	<10	~	47
		_				Ũ	120	ວ	0.04	<1	6,	16	41	6.65	<10	< 01	450	0	<.01	18	910	20	<5	<20	74	0.02	<10	38	<10	14	4/ 6/
	54	3321	<5	1.0	2.87	<5	80	45									1.12	9	<.01	9	6210	24	<5	20	12	0.01	20	57	<10	<1	40
	20	3322	<5	22	3.24	5	905	15	0.04	1	7	38	22	8.14	<10	0 17	353	40	- 04									-	- 10	- (	~
	56	3323	<5	0.4	2.17	< <u>5</u>	90	7	0.72	1	2	11	42	5.02	70	0.15	678	12	<.01	18	1170	32	<5	40	10	0.04	<10	60	<10	<1	67
•	51	3324	<5	0.6	2.97	<5	115	40	0.05	1	8	46	33	6.96	<10	0.33	450	4	0.03	29	520	36	<5	40	110	0.10	<10	12	<10	60	124
	26	3325	<5	<.2	2.31	<5	20	-26	0.17	2	9	13	17	7.39	<10	0.09	506	0	<.01	25	600	22	<5	<20	15	0.02	<10	59	<10	~	67
-	. 50					-	~	20	0.04	2	12	45	28	13.40	<10	0.15	408	12	0.02	14	530	38	<5	40	16	0.11	<10	24	<10	8	74
	509	3326	<5	0.2	2.38	<5	140	10	0.40		_							13	5.01	18	500	30	<5	60	7	0.09	20	143	<10	<1	56
	00	3327	<5	0.4	1.48	<5	55	20	0.18	2	8	34	29	6.91	<10	0.25	319	8	~ 01	~										- ,	30
	60	3328	<5	0.4	1.66	<5	130	5	0.00	2	10	17	19	10.50	<10	0.03	209	11	0.01	28	620	22	<5	<20	25	0.03	<10	50	<10	<1	83
1.1	62	3329	<5	<2	1.11	<5	60	š	0.02	1	6	14	42	7.92	<10	0.08	133	16	~ 04	10	610	24	<5	40	9	0.18	30	71	<10	<1	30
	00	3330	<5	22	2.48	<5	320	10	0.50	1	7	18	19	5.49	<10	0.09	157	a a	5.01 0.04	12	790	22	<5	<20	9	<.01	20	72	<10	<1	80
	64							••	0.30	э	20	28	31	5.55	10	0.36	2616	44	0.01	14	670	10	<5	20	11	0.01	10	103	<10	<1	55
	65	3331	<5	<.2	1.54	<5	80	15	0.06	~							2010	••	0.01	40	1590	26	<5	<20	85	0.05	<10	37	<10	30	155
	66	3332	<5	0,2	0.78	25	60	<5	0.00	2	16	9	18	9.46	<10	0.01	656	7	0.04	7	000		_								
	67	3333	<5	0.4	3.34	<5	100	10	0.11		5	4	13	3.85	<10	0.03	141	19	2.01	1	000	18	<5	20	11	0.15	<10	294	<10	<1	58
•	69	3334	<5	<.2	1.09	<5	50	<5	0.02	2	18	19	24	10.30	<10	0.07	636	12	< 01	40	4/0	12	<5	<20	11	0.02	<10	67	<10	<1	54
		3230	<5	0.4	0.97	<5	105	<5	0.102	51	1	7	13	4.09	<10	0.03	140	8	< 01	12	900	26	<5	40	11	0.03	<10	184	<10	<1	84
								-	0.10	<1	6	14	17	4.44	<10	0.08	487	7	< 01	11	000	16	<5	20	7	0.04	<10 ·	115	<10	<1	36
•															P	age 2		•	01		1150	16	<5 ·	-20	14	0.05	<10	67	<10	<1	43
																					2										

)

2

1

ì

_}

- t

(

·, .

٠

	Ett	I. Tag #	Au(ppb)	A		ډ ،	le l	<b>D</b> -																				Eco T	Court			
	69	3336	<5	1	2 23	È-	10 4		BICa	<u>% Co</u>	Co	Cr	C	u Fe	<b>%</b>	a Ma	*											ECO-1	CH L	ABORAT	Ories	LTD.
	70	3337	<5	<	2 1.5	8.	5 4	00	5 0.0	13 I	7	15		3 70	9 2	10 0	A MI	N	o Na 🤉	<u>/</u>	Ní	P	РЬ	Sþ	Sn	s	r Ti 44					
	71	3338	<5	1.	0 03	5	5 11 E	05	20 0.3	80 1	17	24	1	3 77	я —		5 187	1	5 <.0	1	10	900	26	<5	40		0.00		¥	W	γ	Zn
	72	3339	<5	1.	6 4.5	1		30	<5 3.6	64	2	3	1	2 119	2 -		28		5 <.0	1	17 1	1090	28	<5	40	3		10	64	<10	<1	45
	73	3340	<5	0.	6 2 14		E 44	~	5 0.0	62	5	19	4	6 51			579		2 0.0	2 '	19	590	4	5	-20	476	0.19	<10	80	<10	1	95
	-						5 14	a	<5 0.0	7 1	8	55	2	0 0.40 1 ∡.84			4 240	1	8 <.01	1 3	30 1	1050	48	<5	40	475	<.01	<10	7	<10	1	30
	74	3341	<5	1.4	4 183		E 44	-							~	0 0.4	4 422		6 <.01	1 3	32 1	270	20	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10	0.01	<10	21	<10	6	261
	75	3342	<5	< 3	2 0 14		5 11	5	15 0.0	3 1	8	33	2	- 770	1									~	~20	10	0.03	<10	82	<10	<1	64
	76	3343	-5	0.6	3 1 16		5 19	0	<5 3.1	1 <1	<1	2	Ĩ	5 0.26		0 0,1	0 336	10	) <.01	2	23 2	2330	28	<5	40	10						
	- 77	3344	<5	< 2	2 1 40			5	20 0.1	62	14	18	3	814		0 0.1	1 77	<	f 0.01	1	0	620	<2	5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10	0.03	<10	83	<10	<1	91
	78	3345	<5	0.2	163			0	5 0.0	5 <1	7	31	15			0.0	7 1637	1	3 <.01	1	4 2	850	32	-5	-20	324	<.01	<10	4	<10	1	15
	-						<b>1</b> /2	5	<5 0.96	3) 2	16	23	63	4.04	N	0.1	185	<1	<.01	1	6 1	060	22	<5	~0	13	0.17	<10	65	<10	<1	62
· ·	~'9	3346	<	0.8	274			_						9.01	<10	0.6	4 1397	3	0.04	2	7 1:	200	14	~	~20	8	0.13	<10	92	<10	<1	33
	<i>8</i> 0	3347	<5	04	1 00		100	0.	0.07	1	12	*45	18										.4	$\sim$	~20	56	0.06	<10	58	<10	11	84
	81	3348	<5	0.2	227		9		\$ 0.16	<b>i</b> 1	8	31	30	5.14 C 45	<70	0.26	850	g	0.01	2	3 28	830	34	-5	10							-
	82	3349	<\$	20	1 40	2	110		5 0.06	2	9	75	21	0.40	510	0.12	411	8	<.01	13	7 79	910	20	~	40	14	0.11	<10	93	<10	<1	57
	83	3350	\$	<2	0.83	5	4/5		5 2.59	1	13	22	49	3.12	<10	0,28	485	11	<.01	25	5 8	360	30	-	20	17	0.06	<10	89	<10	<1	44
		•		-	0.00	~5	15	5 1	5 0.07	1	10	7	14	5.90	<10	0.23	3699	3	0.01	25	5 16	300	16	~		9	0.05	<10	86	<10	<1	48
	84	3351	<5	1.6	3 97		-							0.00	<10	0.02	569	3	<.01	f	6 15	500	36	~	~20	200	0.05	<10	29	<10	20	90
	85	3352	<5	0.4	201	5	15	· <	5 0.15	<1	6	14	22	4 65										$\sim$	00	9	0,22	<10	108	<10	<1	58
	86	3353	⊲	0.6	175	0	90	2	5 0.09	2	12	42	20	9.03	<10	0.15	140	4	0.02	18	3 6	50	40	~	40							
	87	3354	<5	<2	200	- S - A	90		0.03	2	8	16	36	7 37	<10	0.24	807	8	<.01	23	1 12	10	32	~5	40	17	0.06	<10	20	<10	5	88
	<b>88</b> ·	3355	`⊲5	12	0.94	5	90	1	0.17	1	8	25	17	7.57	10	0.11	219	10	<.01	12	6	50	20	~	40	8	0.10	<10	72	<10	<1	118
					0.01	<b>~</b> 5	55	<	5 0.11	1	7	6	34	1.07	<10	0,13	569	a	<.01	13	12	30	36	-5	40	4	0.01	<10	59	<10	<1	76
	89	3356	<5	0.4	7 33	Æ						•	~	4.20	<1U	0,07	116	8	<.01	15	60	00		~~	-20	13	0.09	<10	69	<10	<1	62
	90	3357	<5	0.6	2 27	~	45	1	0.03	1	7	25	15	E 20										~	~20	13	<.01	10	43	<10	<1	121
	91	3359	<5	12	284	50 -/5	80	<	0.05	1	7	34	32	6.30	<10	0.15	160	9	<.01	14	75	50	36	-6	60							
	<b>9</b> 2	3361	⊲5	02	1 97	~	80	15	0.02	1	8	28	37	7.00	<10	0.24	194	11	<.01	23	90	00	20	~		6	0.09	<10	67	<10	<1	36
	<b>9</b> 3 '	3363	≪5	0.2	2.52	~ ~		20	0.06	2	9	26	21	11.10	<10	0.22	256	13	<.01	26	89	<b>a</b> 0	สก .	~	10	13	<.01	10	46	<10	<1	80
	·					9	10	15	0.06	1	11	31	27	0.00	10	0,06	172	14	0.02	12	178	30	24	~	40	6	0.01	<10	46	<10	<1	120
	94	3365	<5	<2	0.95	~	-							9.00	<10	0,23	380	9	0.01	21	78	30	n .	~	40		0.08	20	76	<10	<1	52
	95	3367	\$	<2	260	~	50	15	0.20	2	15	10	19	6 27	-10	• • •								~		9	0.02	30	131	<10	<1	80
	96	3369	<5	0.4	2.91	~	15	10	0.04	1	7	31	18	6.37	510	0.28	418	6	0.05	10	62	10 1	4	-6			-					
	87	3371	<5	1.0	273	~	100	10	0,13	1	13	14	15	6.20	10	0.30	239	8	<.01	27	70	0 2	и.	ž	~20	18	0.21	<10	263	<10	<1	47
	98	3373	<5	0.6	4 74	~	1/5	10	0.75	2	28	30	25	6.09	10	0.10	1088	9	<.01	12	98	i0 🗧	0	~ ~	20	0	0.01	<10	154	<10	<1	74
						-0	70	20	0.02	<1	11	96	23	11.90	10	0.31	4775	9	0.01	30	134	0 2	8	š.		13	0.01	<10	44	<10	з	59
	99	3375	\$	<2	1.40	-	-							11.00	~10	0.15	387	13	<.01	20	203	0 3	Ř .	ŝ	40	2	0.08	<10	60	<10	20	113
1	100	3377	<⊅	1.0	4.58	~	60	20	0.15	1	11	38	19	7 60										•	40	5	0.04	<10	126	<10	<1	37
1	01	3379	<5	1.0	361	~	70	10	0.05	<1	13	25	17	7.00	10	0.31	367	7	0.03	16	2730	0 2	2 -	6	10	4.5						
1	02	3381	-5	0.6	A 1 A	~5	65	10	0.06	<1	17	30	18	F 10	<10	0.06	742	5	0.02	9	3240			5	40	15	0.13	<10 1	131	<10	<1	37
1	03	3383	< s	30	2 20	50 /5	55	15	0.07	1	13	22	17	0.10 E.E.	<10	0.14	715	з	0.01	19	1420	0 3		6	60	8	0.13	<10	50	<10	<1	83
1	04	3385	5	0.8	261	~ ~	15	10	0.03	2	12	57		0.08	<10	0.12	1250	4	0.02	14	1560			5	40	12	0.13	<10	45	<10	<1	111
1	05	3387	<5 1	04	073	5	140	15	0.23	2	11	45	25	9.40	<10	<.01	386	11	<.01	30	73	 ) -		5	00	5	0.15	<10	44	<10	<1	103
1	06	3389	<5	0.8	2 10		60	<5	0.20	<1	6	12	16	0.10	<10	0.49	456	9	<.01	41	650	 ) ?*		ŝ	00	8	0.06	20	60	<10	<1	34
1	07	3391	< r	0.8	0.67	5	115	<5	0.05	<1	7	75	21	2.15	<10	0.23	154	2	0.03	16	450	- 3		-	40	35	0.05	<10	46	<10	<1	52
1	08	3393	<5 d	12	1 05	ŝ	65	\$	0.10	<1	7	18	4Ω	0.64	<10	0.36	245	7	<.01	29	2220			- <	-20	17	0.04	<10	45	<10	<1	35
1	90	3395	<5 r	14	1.60	\$	95	10	0.05	1	9	42	20	1.9/	<10	0.09	85	<1	0.02	16	720			· ·	-20	10	0.02	20	73	<10	<1	52
						\$	115	5	0.04	<1	7	49	20	r.41 C.4.4	<10	0.14	540	8	0.02	19	1130			· <	20	12	0.05	10	53	<10	<1	29
											• •	- V	20	0.14	<10	0.30	344	6	<.01	25	1120				40	10	0.05	10	68	<10	<1	65
															P	age 3					1120	, 5		~ <	20	10	0.02	20	99	<10	<1	67
																															- 4	

1

1

.1

.
2

)

)

J

١

Et#.	Tag #	Au(ppb)	Ag	AI %	As	Ba	21	C	~	-	-															ECO-TE	CHLA	ORATO	RIES L	ſD.
									Ca	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	<u> </u>	РЬ	Sb	Sn	Sr	Π%	υ	V	w	Y	Zn
<u>OC D</u> Repe	ATA: #:																													
1 10 19 28 36 45	3076 3264 3282 3285 3303 3312	<u> </u>	<2 0.2 2.0 0.4 0.4 0.2	1.15 1.98 1.14 1.74 0.56 1.95	<u> </u>	70 120 120 95 55 200	\$ 15 10 \$ \$ 10	2.47 0.10 0.04 0.12 0.21 0.08	5 7 1 2 7 1	13 11 7 16 9	17 49 13 40 7	60 49 34 20 10	3.80 7.62 6.35 8.76 1.82	<10 <10 <10 <10 <10	0.94 0.36 0.05 0.39 0.28	659 522 151 2287 110	1 8 17 8 <1	0.04 <.01 <.01 0.01 0.06	16 29 18 30 14	1710 5310 1870 2970 520	6 18 10 22 4	ণ্ ক ক ক ক ক ক ক ক ক ক ক ক ক ক ক ক ক ক ক	୫୫୫୫ ୧	113 7 9 10 28	0.07 0.03 0.01 0.14	<10 <10 <10 <10	68 83 69 85	<10 <10 <10 20	* 7 7 7 7	65 38 84 47
54 33 71 80 89 98 <b>Starrida</b>	3321 3330 3338 3347 3356 3373 <b>nd:</b>	\$ \$ \$ \$ \$ \$ \$	1.0 2.2 1.2 0.4 0.4 0.6	2.70 2.52 0.37 0.99 2.32 3.69	<b>AAAAA</b>	75 320 55 85 55 70	10 10 10 10 10 10 10 10 10 10 10 10 10 1	0.04 0.52 3.77 0.13 0.04 0.02	2 3 4 1 1	7 20 3 7 7 11	24 36 28 4 29 24 88	54 21 32 12 28 15 22	8.46 7.97 5.61 1.05 6.05 6.44 10.10	<10 <10 10 <10 <10 <10 <10 <10	0.09 0.16 0.37 0.13 0.11 0.14 0.30	846 344 2586 689 379 170 415	9 12 10 2 7 9 12	<.01 <.01 0.02 <.01 <.01 <.01	17 40 20 18 13 22	770 1130 1550 610 7360 740 1880	30 32 26 218 32 38	ଟ ନ୍ଦ୍ର୍ନ୍ ନ୍	ବି କ୍ରେମ୍ବର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦି କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦିର କୁନ୍ଦି କୁନ୍ଦି କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ତ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ କୁନ୍ଦୁ ନ୍ଦୁ ନ୍ଦୁ ନ୍ତ୍ର କୁନ୍ଦୁ ନ କୁନ୍ଦୁ ନ କୁନ୍ଦୁ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ	14 8 88 502 14 7 7	0.12 0.10 0.04 0.05 0.01 0.05 0.08 0.08	<10 <10 <10 <10 <10 <10 <10 <10 <10 <10	39 101 59 37 9 83 66 116	<10 <10 <10 <10 <10 <10 <10 <10 <10	10 080000	28 55 60 155 33 43 36 41
GE0'95 GE0'95 GE0'95 GE0'95	5 5 5	150 150 150 145	1.2 1.4 1.4	1.61 1.64 1.58	45 50 60	150 160 150	ት ት ት	1.54 1.57 1.53 -	444	17 17 16	55 56 54	80 87 84	4.07 3.77 3.63	<10 <10 <10	0.86 0.86 0.85	724 656 612	555	0.01 0.02 0.02	26 26 24	760 610 600	16 20 22	<b>አ</b> ማ	ର ରୁଧ୍ୟ ରୁଧ୍ୟ	51 56 53	0.10 0.10 0.10	<10 <10 <10	72 72 69	<10 <10 <10	344	67 69 70

)

)

1

dt/715w XLS/95Canamera#4

(₂

•

٠

FOP-TECH LABORATORIES LTD. FOP-TECH LABORATORIES LTD. Fight J. Pezzoti, A.Sc. T. B.C. Certified Assayer

# 19-Sep-95

),

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Ĵ)

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

.

CANAMERA GEOLOGICAL LTD. AK 95-753 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

22 Soil samples received August 28, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 20 P.O. #: 5775 Samples submitted by: T. Licours

1																									9//0					
- ( 및	. Tag#	_ Ац(ррь)	Ag	AI %	As	A=				_														Sampk	s subva	itted by	a T. De	own		
· 1	3358	4	<2	0.39		AF.		La 74	<u>C4</u>	<u>_Co</u>	Gr	Cu	Fe %	La	Ma X	Ma														
2	3360	4	7	1.50	9	85	4	0.22	<1	3	5	46	1 13	c10	0.00	mut	- 660	Na X	N	P	Pb	56	Sa	Sr	71 %		v	LA.		_
3	3362	×.	~~~	1.52	0	65	10	0.09	1	10	58	47	7 20	-10	0.03	42	<1	0.01	5	480	6	<5	<20	15	0.04		_			
4	3364	~	0,2	1.37	- ক	95	10	0.07	1	ġ	37		7.28	<10	0.25	409	10	0.01	23	3390	24	-5	~20	13	0.04	<10	22	<10	~	ž
5	2000	5	<2	1.24	<5	115	<5	0.06		ő	3/	30	8.19	<10	0.09	372	9	<.01	16	8900	27	0	<u>~</u> 20	4	0.05	<10	96	<10	<1	37
0	2300	<\$	0,4	1.82	-	130	10	D 43		9	22	54	6.08	<10	0.18	472	6	< 01	17	20000	20	<	<20	8	0.07	<10	63	<10	<1	53
-							10	0,13	<1	8	12	- 35	7.83	<10	0.01	631	ŏ	< 01		3920	16	<5	<20	7	0.02	<10	79	<10	<1	5.6
4	3368	<\$	0.4	0.61	6	290										001	3	<b>~</b> .01	9	1080	32	<5	<20	12	0.11	<10	56	<10	-1	
7	3370	<	02	1 44	4	2.30	-5	3.52	<1	-8	5	24	0.93	<10	0 12	407											~	410	-	- 34
8	3372	-	24	1 40	0	200	5	0.59	2	23	24	38	4 30	-10	0.12	40/	<1	0.02	9	720	16	<5	<20	184	< M	~10	~	- 4 5	_	
9	3374		2.4	1.10	•	790	10	1.37	5	21	16	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.00	-10	0.70	3160	3	0.02	32	1080	10	~5	-20	40	0.00	10		<10	7	31
10	3376	2	1.0	257	ৰ	55	10	0.09	2		46	40	8.24	<10	0,09	>10000	13	0.02	36	2130	2	-		440	0.03	<10	54	<10	з	113
	~~~~	-	<.2	1,60	<	100	10	< 01	~	ž	40	10	6.37	<10	0.18	310	9	<.01	20	1140	20	~	~20	115	0.03	<10	26	<10	3	123
	-								- 1	4	7	14	5.80	<10	0.07	73	5	< 01	20	690	30	<	<20	9	0.07	<10	56	<10	<1	53
13	3378	-	<.2	0.96	5	66	40	0.05	-									2.01	3	680	14	<5	<20	<1	<.01	<10	68	<10	<1	42
12	3380	<\$	<2	0.87	-5	~	10	0.05	<1	5	6	11	5.77	<10	0.03	117	~													44
13	3362	<	< 2	0.83	~	00	10	0.04	<1	7	10	18	5.05	<10	0.00		9	0.01	4	1200	28	<5	<20	7	0.09	~10				~
14	3384	5	0.2	4.02	9	35	10	0.05	<1	g	7	11	4.84		0.05	15	9	<.01	11	250	10	<5	<20	5	0.00	-10	30	<10	<1	28
15	3396	~	0.2	1.41	49	70	- 5	0.10	<1	9	16	10	4.04	10	0.01	86	7	0.01	7	140	12	-5	-20	Š	0.03	<10	134	<10	<1	42
-		7	0.4	1.04	\$	80	10	0.04	<1	ŏ	24	19	4.36	<10	0.22	181	6	6.02	14	770	12	-	~~~	2	0.07	<10	192	<10	<1	33
6. 16	0000								-1	ð	21	17	6.37	<10	0.12	501	7	0.01	17	1620	14	5	< <u>Z</u> J	10	0.02	<10	60	<10	<1	51
	2388	<	<2	0.23	<5	25	6	0.00		_							•	4,41		(330	14	<	<20	6	0.04	<10	105	<10	<1	46
. 11	3390	<\$	<.2	1.14	<5	50	10	0.00	<1	5	10	20	2.36	<10	0.04	76	2	0.04	~											
18	3392	<	0.4	0.80	-s	66	10	0.07	<	8	37	16	6.89	<10	0.20	10	3	0.01	35	370	2	<5	<20	2	0.01	<10	57	~10	-1	
19	3394	<5	0.6	2.20	2	35	10	0.05	2	11	39	27	4 61	<10	0.10	33		0.02	16	580	14	<5	<20	9	0.05	-10	74	-10		33
20	3396		< 2	4 70	\$	55	15	0.02	<1	11	27	18	7.60	~10	0.10	3058	4	0.02	25	830	14	ক	<20	Ă	0.00	-10	74	<10	<1	29
		~	~.4	1.79	4	75	10	0.12	<1	10	12	40	7.00	10	0.24	1222	7	0.01	20	1070	32	-5	-20		0.00	<10	92	<10	4	- 44
21	3307	~							-		12	10	9.23	<10	0.10	1284	8	0.02	8	1360	30	~	~20		0.09	<10	53	<10	<1	65
27	9900	\$	<.2	1.69	\$	70	10	0.10	~1		~~								-			-0	<20	8	0.13	<10	60	<10	<1	44
~	3396	\$	<.2	1.56	ৰ	100	15	0.05	-	11	52	15	6.21	<10	0.50	787	5	0.01	24	0000		_								
							10	0.00	1	8	33	16	9.61	<10	0 10	378	5	0.01	31	2600	20	<5	<20	7	0.07	<10	83	<10	~1	30
															2.70	020	9	0.01	12	1870	30	<5	<20	8	0 11	<10	100	~10		33
																											.00	- 10	<1	- 34

)

}

1

ł

λ.

.*

.

	_AS	Ba	BI C	a %	Cđ	Co	C -	.											E	СО-Т		ORATO	RIES I	TD		
									re %	La	Mg %	Mn	Mo	Na %	Ni	P_	_ <u>Pb</u>	Sb	<u>Sn</u>	Sr	<u>Tĩ %</u>	U	<u>v</u>	w_	<u>Y</u>	Zn
2 0.34 2 1.63	ধ - -	85 .100	<50 - 10 <).21 - .01	<1 - <1	3 - 4	5 - 7	4 5 - 14	1.15 - 5.70	<10 -	0.03	5 1 -	<1 _	0.01	5	470	6	4	<20	14	0.04	<10	22	<10	<1	73
D 1.70	60	155	5 1.	64	<1	17	61	85	3.00	~10	0.08	81	5	<.01	5	670	16	<5	<20	<1	<.01	<10	67	- <10	<1	- 43
								~	3.00	<10	0.89	634	<1	0.02	25	620	20	5	<20	58	0.12	<10	76	<10	4	75
	2 0.34 2 1.63 0 1.70	2 0.34 <5 2 1.63 <5 0 1.70 60	2 0.34 <5 85 2 1.63 <5 100 0 1.70 60 155	2 0.34 <5 85 <5 0 2 1.63 <5 100 10 < 0 1.70 60 155 5 1	2 0.34 <5 85 <5 0.21 2 1.63 <5 100 10 <.01 0 1.70 60 155 5 1.64	2 0.34 < 5 85 < 5 0.21 < 1 2 1.63 < 5 100 10 <.01 < 1 0 1.70 60 155 5 1.64 < 1	2 0.34 <5 85 <5 0.21 <1 3 2 1.63 <5 100 10 <01 <1 4 0 1.70 60 155 5 1.64 <1 17	2 0.34 <5 85 <5 0.21 <1 3 5 2 1.63 <5 100 10 <01 <1 4 7 0 1.70 60 155 5 1.64 <1 17 61	2 0.34 <5 85 <5 0.21 <1 3 5 45 2 1.63 <5 100 10 <.01 <1 4 7 14 0 1.70 60 155 5 1.64 <1 17 61 85	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 2 1.63 <5 100 10 <01 <1 4 7 14 5.70 0 1.70 60 155 5 1.64 <1 17 61 85 3.86	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 2 1.63 <5 100 10 <01 <1 4 7 14 5.70 <10 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 6 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 16 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620 20	<u>3</u> <u>N</u> <u>A</u> <u>A</u> <u>Ba</u> <u>BI Ca</u> <u>Ca</u> <u>Cd</u> <u>Co</u> <u>Cr</u> <u>Cu</u> <u>Fe</u> <u>La</u> <u>Mg</u> <u>Mn</u> <u>Mo</u> <u>Na</u> <u>Ni</u> <u>P</u> <u>Pb</u> <u>Sb</u> 2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 6 <5 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 16 <5 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620 20 5	2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 6 <5 <20 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 16 <5 <20 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620 20 5 <20	ECO-TI ECO-TI 2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 6 <5 <20 14 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 16 <5 <20 <1 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620 20 5 <20 58	ECO-TECH LAE ECO-TECH LAE 2 0.34 <5 85 <5 0.21 <1 3 5 45 1.15 <10 0.03 51 <1 0.01 5 470 6 <5 <20 14 0.04 2 1.63 <5 100 10 <.01 <1 4 7 14 5.70 <10 0.08 81 5 <.01 5 670 16 <5 <20 <1 <.01 0 1.70 60 155 5 1.64 <1 17 61 85 3.86 <10 0.89 634 <1 0.02 25 620 20 5 <20 58 0.12	S NA AS Ba BI Ca*/s Cd Co Cr Cu Fe*/s La Mg % Mn Mo Na P Pb Sb Sn Sr Ti % U 2 0.34 <5	S NA AS Ba BI Ca*/s Cd Co Cr Cu Fe*/s La Mg % Mn Mo Na Ni P Pb Sb Sn Sr Ti % U V 2 0.34 <5	S NA AS Ba BI Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr Ti % U V W 2 0.34 <5	S NA AS Ba BI Ca % Cd Co Cr Cu Fe % La Mg % Mn Mo Na % Ni P Pb Sb Sn Sr Ti % U V W Y 2 0.34 <5

df/674 XLS/95Canamera#4

.

εC

÷...

.

. 11

14 Q

.

FOP-TECH LABORATORIES LTD. Formk J. Pezzotti, A.Sc.T. B.C. Certited Assayer

Page 2

.

19-Sep-95

2

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

.)

- }-

.

1

١,

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-752 1540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

4 ROCK sample neceived Aug 28, 1995 PROJECT & FDSCA0010 SHPRENT #:20 P.O. # 5775

1	Tag # 7411	Au(ppb) 5	Ag 1.4	Al %	As	Ba	Bi	Ca %	Cđ	Co	Cr	Cu	Fe %	La	Ma V.	м.							2 F S	.0, \$	347 #:2 6775 8 \$46aa	0 Itlad by:	: T. Dr	own		
3	7412 7413 7414	5 5 5	<2 0.4 <2	0.03 0.94 0.69	200 15 <5	20 36 35 25	5 10 10 10	<.01 <.01 0.07 0.06	<1 <1 1	17 20 8 20	63 39 29 26	26 22 36 63	5.87 6.50 4.20 8.33	<10 <10 <10 <10	<.01 <.01 0.50 0.31	8 4 360 203	Mo 7 18 31	Nia % <.01 <.01 <.01 0.01	Ni 13 8 16 14	P 320 <10 600 370	Pb 58 32 10 6	80000	28 28 28 28 28 28 28 28	Sr 10 13 4 3	71 % <.01 <.01 0.12 0.18	บ 20 10 <10 10	V 6 1 66 25	* <10 <10 <10 <10	Y	Zn 6 193
REDATA Respire RASI 7	411	5	1.6	0.08	185	20	10	<.01	ব	16	50																	-	•	51

)

1

Repeat:									~1	76	59	25	5.74	<10	<.01	7	6	< 01	12											
1 7	7411 7412	۔ -	1.6	0.09	190	20	10	< D1									-		12	330	60	<5	<20	8	<.01	20	6	<10	<1	6
Standard;		5	-	-	-	-	-		<1	17	62	26	5.83	<t0 -</t0 	<.01	8	6	<.01	14	310	58	\$	<20	10	<.01	10	6	<10	-	-
C		-	1.2	1.60	60	150	ৎ	1.52	<1	16	49	83	3.43	<10	0.81	616			-	-	-	-	-	-	-	•	•	-	-	5
· · . ·	/															010	<)	0.01	24	610	20	10	<20	56	80.0	<10	72	<10	4	67

dv/52 XLS/95Canameral4

۰.

ECD-TECH LABORATORIES LTD. Frank J. Pezzotti, A.Sc.T. ନ୍ଧ B.C. Certified Assayer

Page 1

-

·

20-Sep-95

ì

.

.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

)

1

1

Phone: 604-573-5700

Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-783 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

18 Soil/Silt samples received September 1, 1995 PROJECT # FD5CA0010 SHIPMENT #: 23

5 139

E.	t#. Tag# 1 3080 2 3081	Au(ppb)		2 1.60	As 20	<u>Ba</u>) 210		5 0.65	5	Co	<u></u>	C	u Fe %	<u> </u>	Mg X	i Ma	Ma	8 1- 44						SHIP P.O. 1 Samp	NENT #: 1: 5779 Ten subu	23 Nitted by	юто 4: Тот	Drown		
3 4 5 6	3082 3083 3084 3085	র হ হ হ	0. 0. <	4 1.69 2 0.84 2 2.54	10 15 15 <5	85 155 240 150	24 - 24 24 - 24 24	5 0.41 5 0.66 5 3.26 3 2.37	5 5 5 5 5 5 5 5	26 19 6 37	19 32 22 7 12	3 3 3 12 14	2 5.04 1 8.54 0 5.44 2 1.49 1 5.44	<pre><10</pre>	0.77 0.53 0.93 0.45	1194 2478 1502 1000	5 13 5 7	0.05 0.02 0.06 0.12	N 25 22 24 7	970 970 2870 1290	Pb 18 32 18	S b ও ও ও ও ও	Sn <20 <20 <20	5 44 25 38	0.07 0.08 0.10	U <10 <10 <10	V 67 92 67	<10 <10 <10	Y 13 5	Zn 136 133
7 8 9 10	3086 3087 3088 3089	19889 888	<.2 0.6 2.0 <2	2.22 1.65 0.83	10 <5 25 165	240 160 160 275	√5 10 √5 5	3.17 0.79 1.40 1.73	<1 <1 13 31	7 31 24 30	6 20 15	8 26 66	1.81 5.98 5.55	<10 <10 <10	2.19 0.46 1.38 0.83	707 387 4083 2881	2 2 2 2	0.57 0.09 0.21	22 7 26	920 1000 1220	12 12 4 30	10 15 10 5	28 28 28	201 205 201	0.05 0.58 0.10	<10 <10	30 108 32	<10 <10 <10	14 6 15 9	107 52 87
11 12 13	3090 3091 3092	ও ও ও ও	0,6 <.2 <.2	1.78 2.10 2.24	5 √3 15	140 255 85	20 10 20	1.10 0.79 0.73	2	28 42 23	14 12 18	69 26 24	5.46 5.84 5.06	<10 <10 <10	0.50 1.28 0.86	>10000 1992	23 37 4	0.02 0.01 0.24	115 640 33	1330 1020 750	16 20 20	<5 15 <5	×8 88 88 88	94 30 51 73	0.27 0.04 0.02 0.30	<10 <10 <10 <10	92 63 41 95	<10 <10 <10 <10	7 14 32 8	102 818 4424 216
15 (- 16 (- 17	3113 3114 3115 3116	র ও ও ও	0.2 <.2 <.2	1.07 1.20 1.19	25 15 20	80 90 110	15 5 <5	0.18 0.58 1.98	रा 3 1	26 11 15	21 9 18	15 17 44 64	5.65 6.67 3.97 3.95	<10 <10 <10 <10	1.02 0.40 0.46 1.01	1448 1565 573 751	<1 7 35 3	0.09 0.18 0.01 0.03 0.04	17 15 10 79 23	1720 2090 1570 800 2050	22 18 24 20	5 5 5 10	ର ର ର ର	76 56 12 32	0.19 0.28 0.21 0.03	<10 <10 <10 <10	77 100 98	<10 <10 <10	13 5 4	77 65 67
18	3117	\$	<2	1.19 1.20	10 10	90 85	<5 10	1.59 1.55	2 1 1	16 14 14	17 18 18	67 59 61	4.09 3.87 3.87	<10 <10 <10	0,94 0.95 0.96	798 764 746	3 4 3	0.03 0.04 0.04	24 25 22	2030 1610 1670	14 14 14 12	10 <5 10 10	√20 √20 √20 √20	96 87 79 76	0.09 0.08 0.07 0.08	<10 <10 <10	72 71 69	<10 <10 <10	6 7 6 6	630 133 161 157
																								-		-10	03	<10	5	139

)

ł

Page 1

ì

2

7)))			}			I			>)))			3)
	28-Sep	≻ 95																												
EC 100 KAI V20	0-TECH LA 141 East Tra MLOOPS, B 2674	IBORATOR! Ins Canada (I.C.	ES LTI lighwa	D. Y						·														CAN	MERA	GEOLOG	GICAL L	.TD. AK	95-784	
Pho Fax	ne: 604-573 ; 604-573	1-5700 1-4557																						#540- VANC V68 2	220 Can COUVER M9	nbxie Stre , B.C.	et			
																								ATTE	NTION:	к. ніск	S/ J, DL	PUIS		
Valu	es in ppm (uniess othe	rwise (oported																				2 Roci PROJ SHIPI	k sample ECT #: IENT #:	s receive FD5CA0 23	ed Septe 1010	≆mber 1,	1995	
	<u>. Tag</u> 7718	<u>Au(ppb)</u> ⊲≶	<u> </u>	AI %	As	Ba	BI	Ca %	Cd	Co	· Cr	Cu	Fe V	1										P.O. # Sampl	: 5779 es subn	itted by	r: T. Dr	อพก		
2	7415	ব	< 2	2.29	60	45	10 35	0.80 0.68	ব ব	33 20	33 53	10	8.89	<10	0.71	<u>Mn</u> 455	<u>Mo</u> 8	Na %	<u>Ni</u>	i P 1400	<u>Pb</u>	Sb	Sn	Sr	Ti %	<u> </u>	v	w	Y	Zn
													~ 13	<10	0.95	612	46	0.01	8	290	Q	? \\$	<20 <20	14 13	<.01 <.01	<10 <10	276 96	<10 <10	ব	59 72
<u>QC D</u> Respi	ATA: it:																													
R/S 1 Repea	7718 It:	\$	<.2	0.81	10	25	10	0.78	ব	34	35	10	8.8 9	<10	0.72	460	8	0.05	د1	1420										
1 Stand	7718	-	<2	0.82	ৎ	25	15	0.82	1	34	34	10	9.13	<10	0 74	463	•			1430	4	<5	<20	13	<.01	<10	281	<10	<1	55
GEO9	5	150	1.0	1.69	70	150	<5	1.66	-	40.						403	8	0.05	3	1460	2	<5	<20	14	<.01	<10	28 3	<10	<1	61
									-1	10	60	82	3.87	<10	0.89	651	<1	0.02	25	620	24	<5	<20	55	0.10	<10	73	<10	5	74
d/856 XI SIDE/	: 	_																					ſ	11		>				
		>																					Rent	- TEC	HLAB	RATOR	UES LT	D.		
																							B.	C. Certi	fied Ass	A.SC.T. Byer				

21-Sep-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 674)

3

3

Phone: 604-573-5700 Fax : 604-573-4557

(.

.

.

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-803 #540-220 Cambie Street VANCOLVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

227 Soil samples received September 12, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 24 P.O. #: 5785 Samples submitted by: T. Drown

`t#	Tag #	fininab)																P.O. #: 5785												
1	3003	- mappor		<u>AI %</u>	A	B	2 E	Ca 🖌	Cd	<u> </u>	-													ies sube	mitted b	v: T. D	mun			
2	3094	0	<2	210	3	18	5 <	5 0.59			<u> </u>	<u></u> Ci	<u> </u>	L	a Mg X	Ma	м	Naw			-						,			
Э	3095	5	<2	1.98	<	i 8	5 2	1 0.00		17	17	22	6.58	<10	0.81	1435		0.04		<u>и р</u>	<u>Pb</u>	Sb.	Sn	S	π.	u	v	w	v	-
4	3096	2	0.2	2.24	75	80	1 14	0 19	4	29	12	16	5.82	<10	1.46	1020		0.01		5 1630	16	<5	<20	41	0.05	<10	66	<10		
5	3097	0	<2	1.75	4	100) 1	5 0 90	4	19	8	20	7.99	<10	0.62	2557		0.20	75	1770	10	10	<20	75	0.39	<10	08	<10	8	113
		~>	<.2	2.45	4	105	2	146	1	22	10	15	4.47	<10	1.02	607		0.01	72	2330	14	<5	<20	10	0.02	<10	51	~10	8	64
6	3098	-							'	38	10	14	6.42	<10	1.95	1276		0.49	73	1050	14	10	<20	74	0.30	<10	77	~10	16	152
7	3401	0	<.2	2.24	10	125	15	റഞ										0.42	20	1010	6	10	<20	125	0.51	<10	112	~10	8	57
â	3402	<5	<.2	4.65	~	105	15	0.04		19	18	15	6 41	-10	0.75	1507		0.40								-10	112	10	12	79
ă	2402	-5	<2	2.02	5	95	10	0.00	1	19	30	25	8.14	<10	0.47	1956		0.10	15	1020	10	<5	<20	45	0 12	-10	101			
10	3404	<5	<2	0.96	4	85	20	0.55	<1	21	27	31	5.11	<10	0.97	004	~	0.01	12	720	82	<	<20	2	0.27	~10	101	<10	<1	94
10	2404	<\$	<.2	1.69	10	55	20	0.15	<1	13	17	11	3.55	<10	0.07	10/	4	0.11	40	820	26	10	<20	49	0.21	~10	101	<10	6	86
								0.10	1	15	10	10	4.75	<10	0.26	4000	<1	<.01	10	180	32	<5	<20	18	0.45	~ 10	61	<10	10	105
11	3405	<5	<2	3,98	<5	65	40							-10	0.20	1993	5	0.02	7	1450	36	<5	<20	2	0.40	<10	169	<10	3	27
12	3406	<5	0.6	2.42	20	45	15	0.16	<1	20	30	19	7.37	<10	0.00	~~~						•	-2.0	3	0.11	<10	41	<10	9	75
13	3407	<	1.2	4.44	5	40	~	0.09	<1	16	7	24	5.66	10	0.35	653	<1	0.03	13	540	26	<5	-20	10						
14	3408	<5	<2	2.35	~	- 30	5	0.07	<1	9	17	7	8.78	-10	0.09	1424	7	0.02	22	1120	32	~5	~20	10	0.25	<10	95	<10	8	52
15	3409	<5	0.2	2 28	30	40	15	0.06	1	10	33	16	7 33	-10	0.04	406	6	0.02	6	320	36	-5	-20	<1	0.05	<10	17	<10	18	127
-					30	60	10	0.10	1	23	14	20	6 10	10	0.17	217	1	<.01	12	270	32	-6	40	<1	0.17	<10	37	<10	4	47
16	3410	<	<2	172	15							2.4	0,10	<10	0.47	1839	8	0.01	14	1780	30	~	40	5	0.26	<10	116	<10	<1	38
17	3411	<5	0.6	4 50	10	55	15	0.09	<1	15	16	18	E 05									\sim	20	<1	0.05	<10	66	<10	4	91
18	3412	<5	< 7	2 30	2	35	20	0.07	1	12	16	24	5.05	<10	0.15	877	5	0.02	12	560	16	-6								
19	3413	<5	<2	204	~	50	25	0.11	<1	16	22	49	0.46	<10	0.06	481	4	0.02	8	440	30	-5	<20	4	0.09	<10	60	<10	<1	80
20	3414	<5	< 7	4.00	25	145	15	0.36	1	24	17	13	6.09	<10	0.29	648	<1	0.02	14	430	10	9	60	1	0.25	<10	70	<10	11	48
			-4	4.00	4	40	15	0.07	1	12	20	33	6.07	<10	0.52	1180	<1	0.02	23	1470	40	0	<20	6	0.30	<10	107	<10	3	64
21	3415	<5	- 2		_						20	30	6.86	<10	0.18	267	<1	0.03	12	950	12	<	<20	31	0.28	<10	49	<10	12	
22	3416	š	~	3.87	4	65	15	0.27	<1	21	20								12	650	29	<5	20	6	0.28	<10	74	<10	10	70
23	3417	~	0.2	2.71	20	85	10	0.13	<1	40	28	26	5.36	<10	0.53	545	<1	0.05	~	000							••	-10	19	10
24	3418	~	\$2	3.22	15	155	30	0.91	1	10	11	26	6.54	<10	0.23	652	3	0.00	22	820	16	<5	<20	18	0.40	<10	89	-10		-
25	3419	ž	0.4	1.82	15	115	10	0.17	-1	33	16	26	8.87	<10	0.46	4386	<1	0.02	(3	1010	16	<5	<20	6	0.16	<10	72	~10	14	71
		~	<2	4.04	<5	50	25	0.22	-1	~1	11	24	6.88	<10	0.18	3834	8	0.03	22	1380	10	<5	<20	43	0.55	<10	104	~10	3	78
									-	17	19	20	6.26	<10	0.39	204	-1	0.01	12	1030	16	<5	<20	10	0.06	<10	67	~10	29	92
																201	~1	0.04	9	560	22	<5	40	14	0.54	<10	117	<10	<1	97
																									0.04	-10	117	<70	8	37

)

1

CANAMERA GEOLOGICAL LTD AK 95 500			
Et#. Tag# Au(ppb) Ag Al%	A <	P.	

	26	3420	<5			<u></u>	<u>6 1</u>	38	BiCa	6 C.	í Ce	o 0		Cu = -																		
	27	3421	-	u	.8 3.	36 1	(0 4	0	10 00	7 -				Cu re	74	a Mg	<u>%</u> M	a (Ma Na	a 44	617	~	-			ECO-	TECHL	ABORA	TORIES	(TD		
	29	2400	-	Q.	4 3.	50 <	5 e	0	10 0 4	2		> 14	t i	17 5.8	5 <	0 0:	24 147	7				- P	РЪ	<u>S</u> b	Sn	5	ir 119	4	1	(w		
		3422	<	<	2 3.9	N <	5 6	2	10 0.1	3 <	34	3	5	33 7.5	6 1	0 0	17 000	~	4 0	2.04	17	690	26	<5	<20	<	1 0.0			_	- <u> </u>	Zn
	29	3423	<5	<	2 46			0	30 0.1	7 <1	19	26		20 65	-	0.0	233	8	4 0).03	31	540	20	-5			. 0.2	J <1	3 34	+ <10	17	103
	30	3434		~	2 . 4.0	~ <	5 10	5	40 0.7) <1	34	~		20 0.0	G <1	0 0.3	13 301	8.	<1 0	02	44	450	~~~	~5	~20		5 0.1	3 <1() 95	ō <10	23	170
		0124	<	<	2 1.4	9 <	55	5	10 0.00			- 44		29 7.1	5 <1	0 0.9	1 714	đ.	-1 0	10		450	20	<5	<20	1	0 0,47	/ <1() 110	<10	12	120
	31	3426	_				- •	•	10 0.2/	່ 1	18	9	:	24 7.0	7 ~1		· · ·		- U	. 19	16	2040	14	<5	<20	6	5 0 97	-11		-10	13	57
	30	3723	<	<:	2 2.6	4 1/										0 0.4	0 720)	4 0.	.07	14	1400	14	-6		-	. 0.97	- 10	140	<10	20	66
	22	3426	<5	Ũ.1	5 20	9			10 0.07	ৰ প	9	12	1	4 40			_						(4	~	<20	24	1 0,08	<10	52	<10	<1	
	33	3427	<5	04	1 21				10 0.32	1	16	16		4,0		0.1	3 217	,	4 Q	01	10	620	40	_							~ (01
	34	3428	<5				9 60	2	5 0.10	<1	17			1 3.3	া বা	0.3	9 827	· <	1 0	06	10	000	16	<\$	<20	7	0.11	<10	53	<10		
	35	3429	~5			32	5 75	5	5 0.16	<1	10		4	0 6,9	<10	0.1:	3 843		6 01	04 04	10	960	12	<5	<20	27	0.19	<10	103	-10	<1	52
			~	· · ·	3.8/	<	i 45	; ;	25 0.16			14	2	8 5.80	<1(0.4	1 1229		2 01		13	1160	20	<5	<20	13	0.03	~10	103	×10	<1	52
	36	3430									21	24	2	0 6.17	′ <10	0 0 22	7 400		2 0.0	02	17	1530	12	<5	<20	3	0.00	-10	34	<10	3	84
	37	3434	20	<.2	2.50) <s< th=""><th>50</th><th></th><th>0 0 10</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>420</th><th><</th><th>1 0.0</th><th>02</th><th>10</th><th>570</th><th>18</th><th><5</th><th>\tilde{a}</th><th></th><th>0.11</th><th><10</th><th>66</th><th><10</th><th>15</th><th>92</th></s<>	50		0 0 10								420	<	1 0.0	02	10	570	18	<5	\tilde{a}		0.11	<10	66	<10	15	92
	28	2423	<5	0.6	2.62	25	120		5 0.12	<1	14	19	1:	2 4 86	=10	0~									-20	0	0.47	<10	113	<10	12	60
	20	3432	<5	<.2	3.28	15	60		5 0.16	<1	28	27	2	9 5 84	-10	0.30	115	<	1 0.0	D1 ·	14	470	10	~6							_	00
	-39	3433	<5	<.2	2 89	15	50	<	5 0.03	<1	15	43	2	2 5 20	30	0.41	1623		6 < 0	11	76	1100	20	<	20	14	0.42	<10	85	<10	4	77
	40	3434	<5	04	200	10	35	1	0 0.10	<1	24	36	20	5.22	<10	0.78	618		ŝ <0	7	10	530	20	<5	<20	13	0.07	<10	66	<10	24	21
				0.4		<0	200	<	5 0.24	<1	13	~	31	5,59	<10	0.72	1253	<	0.0	5		5/0	18	<5	<20	4	0.04	<10	A1	~10	21	106
	41	3435	65	~ ~							15	'	e	4.25	<10	0.58	2741			KZ 4	13 1	1050	18	<5	<20	4	0.20	~10	67	~10	10	118
	42	3436	-	- 4.4	4.20	10	45	4	5 004	~	~	_						•	0.0	n	5 1	1040	8	<5	<20	16	0.00	-10	02	<10	11	120
	43	3437	7	<.2	3.13	4	130	~	5 0.07		21	23	21	4.97	<10	016	1170										0.00	-10	60	<10	1	64
	44	3490	<5	<.2	3.16	<5	40	15	5 0.07	<1	8	11	6	4.27	<10	0.10	11/9	5	0.0	1 1	3	600	28	<5	40	~						
	45	3435	<5	0.4	2.52	65	05		0.02	<1	8	41	20	7 23	-10	0.44	316	2	< 0;	1	6	680	12	~		5	0.09	<10	36	<10	11	69
	40	3439	<5	<2	3.76		a0	-	0.08	<1	14	9	16	6.50	-10	0.47	195	9	<.01	1 2	9	550	20	~	~20	8	0.06	<10	66	<10	3	59
						1	40	20	0.10	<1	22	28		0.00	<10	0.18	1069	10	0.01	1 7	7 4	200	~	<5	20	<1	0.06	<10	56	<10	~	67
	46	3440	<5	< 2	3.00								44	1.14	<10	0.16	452	<1	0.02	а - т		400	18	<5	<20	5	0.04	<10	70	<10	~	5/
	47	3441	<5	- 2	3.00	UF	50	15	0.18	<1	15	-						-		- 1		420	28	<\$	60	6	0.43	<10	108	~10	-1	66
	48	3442	-5	~2	2.31	15	55	10	0.06		10	20	17	4.45	<10	0.46	511		0.00		_								100	-10	12	59
	49	3443	~	~2	3.19	<5	60	10	0.07		19	29	29	4.96	<10	0.55	1131	-1	0.05	? Z	2 4	580	20	<5	<20	13	0.24	~10				
	50 ·	3444	2	<2	2.94	\$	105	16	0.00	1	12	16	14	7.20	<10	0.20	205	2	0.01	- 30	3 9	910	18	<5	<20	~1	0.40	\$10	67	<10	8	75
		0114	~	<2	2.27	<	50	10	0.08	2	17	36	20	10.00	<10	6.20	395	7	<.01	•	5 7	780	12	~5	20	~1	0.15	<10	51	<10	15	134
	61	244-					~~	14	0,07	<1	28	17	16	6 20	-10	0.23	364	6	<.01	Z	2 3	320	22	~	20	6	0.09	<10	109	<10	<1	47
	5	3445	<5	<2	1.23	A0		-						0.20	10	0.76	2055	1	0.02	10		(20)	10	0	40	9	0.22	<10	135	<10	13	86
1	52	3446	\$	<2	254	~	30	5	0.12	<1	8	q	7	2 22								-20	10	<5	20	7	0.20	<10	9 2	<10	ĩ	64
- Ç	23	3447	<5	18	4 70	-	95	10	0.21	<1	20	21		3,09	10	0.23	511	1	0.03	- 10		-									2	51
•	54	3448	<5	- 2	7.1.9	-	60	ৰ্ণ	0.03	<1		44	18	5.79	<10	0.30	961	<1	0.00	10		390	28	<5	<20	4	0.12	<10	24	~	-	
	55	3449	5	~~	2.15	10	85	10	0.14	~1	~		21	5.76	<10	0.07	481		0.03	- 11		00	16	<5	<20	16	0.21	-10	01	~10	8	45
			~	0.6	4.19	<5	45	20	0.05		20	18	21	5.71	<10	0.34	997	5	0.01	5	- 5	60	26	<5	40	<1	0.00	~10	91	<10	9	65
	56	3450	-						4.44	~(23	25	20	11.00	<10	0.05	1070	51	0.02	13	13	80	20	<5	<20	7	0.03	<10	45	<10	10	65
	57	3461	5	<2	2.24	20	65	-	G 40						• -	0.00	1910	7	0.02	6	- 3	60	28	<5	an l	÷.	0.20	<10	80	<10	6	81
	59	3457	45	<2	4.31	5	50	~	0.18	ব	16	26	24	4 60	-10									~	æ	4	0,23	<10	61	<10	11	56
		3432	<5	<.2	2.51	20	160	20	0.11	2	18	29	17	9.00	-10	0.51	536	3	0.02	26	2	90	10									
	39	3453	<5	<2	510	~	130	10	0.44	<1	19	28	20	0.00	<10	0.09	426	<1	0.02	7		on o	10	<0	<20	9	0,13	<10	57	<10	•	OF.
	60	3454	<5	< 2	200	~	70	40	0.33	<1	35	20	30	4,59	<10	0.67	630	<1	0.04	26	400	a ~	24	<5	60	5	0.33	<10	100	~10	5	80
					e-00	<u>ک</u>	145	5	0.27	<1	18	26	30	1.03	<10	0.61	566	-	0.07	30	10	20	2	<5	<20	35	0.21	<10	67	~10	ð	51
	61	3455	65	20							10	23	26	4.90	<10	0.65	599	~	0.07	13	137	70	16	<5	40	20	180	~10	37	~10	18	133
(62	3456	Ã.	20	5.02	20	25	15	0.04									~1	0.02	33	112	20	12	<5 4	20	1.4	0.40	-10	130	<10	23	64
(63	3457	~	0.6	3.18	<5	45	26	0.05	1	12	3	9	6.06	<10	< 01	707	-									0.13	-10	53	<10	11	112
	54	3450	< <u>0</u>	<2 ;	2.78	10	70	~5	0.00	2	12	20	12	8.92	<10	0.03	12/	8	0.05	5	- 30	00	36	~5	20							
	86	0400	<5	0.6 1	.83	110	e0	5	0.10	~1	15	29	32	5 20	-10	0.02	280	2	< 01	6	39	an i	34	~	00	<1	0.14	<10	10	<10	14	68
•		2429	\$	0.4	43	10	40	0	0.03	<1	18	17	20	3.60	-10	0.61	519	2	0.02	33	79	n 1	10	\$	60	5	0.33	<10	115	<10	5	20
							40	10	0.05	1	22	21	20	0.03	<10	0.15	1188	8	< 01	14		× 1	10 ·	\$ <	20	3	0,17	<10	60	<10	12 .	30
										-			40	0.69	10	0.17	1511	4	0.00	47			28 .	10 <	20	<1	0.05	<10	13	-10	ן אי	39
															Pa	ade 2		-	0.02	17	56	0 2	26 •	<5	20	<1	0 19	-10		10	4	88
																										•		-10	יוכ	<10	23 1	12

-:

•

.

)

.

.

_	Et #.	ĭag≢	Autoob		6a 61 6																											
-	66	3460	<5	<u> </u>	24 21	<u>6 6</u>	<u>s</u> (la	BI Ca	<u>6 Co</u>	Co	Сг	с	u Fe												ECO	-TECH	LABOR	ATORIE	S LTD.		
	67 69	3461	<5	<	2 3.6	3 <	54	(5) 36	5 0.0	6 1	19	32	4	1 5.4	6 <1	4 Mg7	Mr Mr	1	Mo Na	a %	Ni	P	Pb	Sb	Sn		Sr 70					
	69	3462	<5	<	2 3.2	2 2	ōē	ົຄ	30 0.1 65 0.2	2 <1	16	31	1	9 8.6	6 <1	0.0	1068		8 <	.01	55	800	16	~5	<20		3 00	70	40	<u>v 1</u>	<u>v</u>	YZn
	70	3464	<5	<	2 4.7	5 <	5 6	io .	40 0.2	4 <1 1 1	16	20	2	3 5.40) <1	0 0.43	- 221 541		<1 0.	.02	8	350	24	<5	60		7 0.0	на < ю -	10 47	11 <1	D 1	4 262
		- 101		<	2 2.4	5 4	0 4	5	10 0.04	1 I	31	23	2	8 7.09	} <1	0 0.54	800		5 U) c1 A)	05	20	710	20	<5	<20	1	9 0.1	7 <	10 12	10 <]	U 1.	2 47
	71	3465	<5								22	34	3	3 5.49	1 <1	0 0.70	1420		8 04	01	14	1130	18	<5	40	1	9 0,6	7 <	10 12	N N		116
	72	3466	Ś	-	2 4 66		25	5	15 0.06	\$ 2	43	10	~						· •		30	990	16	<5	<20	<	1 0.0	9 <1	0 4	7 <10	אר יי	65
-	73	3467	<5	<	2 4.00 2 4.14		5 5	5 :	0 0.20	া ব	25	23	3	1 > 15	<1	0.17	>10000	2	26 <.0	01	41	1460	~								· ·	225
1	74	3468	<5	1.	0 217	/ 10 / 96	3	0 1	0 0.06	i <1	17	24	18	+ 0./9 3 5.cm	<1(0.39	349	<	1 0.0	04	11	1070	16	<5	<20		6 0.0	2 <1	0 6	1 <10	30	04
	15	3469	<5	<	2 2.77	5	100		5 0.18	6 1	14	27	44	469	<10	0.11	261	<	1 0.0	02	8	460	30	-5	40	14	4 0.7	<1	0 12	6 <10	20	78
7	76	7470						, 1	0 0.11	2	16	23	23	5.61	<10	0.48	497		4 0.0	01	84	880	20	<5	<20	< ; 1	0.30) <1	0 6	0 <10	16	52
,	7	3470	<5	0.0	6 0.68	55	130		5 0.00						- 1	0.30	563		3 0.0	02	19	580	10	<5	<20	10	0.14	1	0 3	3 <10	16	664
7	8	3472	<5	1.0	2.24	30	100	1	0 0.23	2	13	4	40	3.66	<10	0.11	714								-20		0.12	< 1	0 82	2 <10	4	111
7	9	3473	~ ~	0,2	2 1.01	30	60		5 0.05	-1	25	6	24	8.78	<10	0.20	5420	17	1 <.0	J1 .	24	720	14	<5	<20	18	< 01	-1	0 1/			
8	0	3474	~		2.64	5	- 55	<	5 0.07	<1	4	9	11	3.00	<10	0.07	187	5	0.7 0	л. м	24	840	18	<5	<20	<1	0.02	<10	10	· <10	10	256
			~	\sim	2.09	<5	50	10	0.05	<1	11	16	17	5.30	<10	0.11	801	5	5 < 10	/1 /1	8 a	960	14	<5	<20	11	0.03	<10) 44	<10	14	89
8	1 :	3475	<5	<2	240	10	-					~1	18	6.11	<10	0.58	416	7	7 <.01	n :	35	040 690	20	<5	20	7	0.12	<10) 71	<10	1	52
8,	2 :	3476	<5	<.2	2.07	10	50		0.08	<1	11	25	24	4 11								0.00	14	<5	<28	7	0.07	<10	89	<10	<1	65
8.	5	3477	<5	<2	234	10	40	2	0.10	<1	11	15	11	5.03	<10	0.38	248	3	i <.01	1 2	25	570	12	~ 5	~~~~	_					•	~
85	12	34/78	-5	0.4	1.76	35	70	π.	1.05	<1	43	10	43	7.42	<10	1.26	179	<1	0.02	2	6	410	16	<5	~20	3	0.10	<10	- 59	<10	1	113
~		9479	~	<2	3.31	15	70	10	0.05	<1	26	26	32	4.19	<10	0.48	1921	-1	0.33	3 2	29 1	120	18	<5	<20	99	0.29	<10	94	<10	4	33
86	1 3	Man	~					10	0.15	<1	18	32	28	4.60	<10	0.56	521	7	0.02	2 4	ю	840	18	<5	<20	2	0.27	<10	79	<10	10	114
87	3	481	~5	0,4	0.45	55	80	- 5	0.04	-1	40	-						1	0.03	5 3	2	900	18	<5	<20	6	0.31	<10	39	<10	7	144
88	3	482	<5	<2	4.41	<5	55	25	0.23	1	12	3	35	2.98	20	0.03	770	11	e 01							-		-10	01	<10	19	130
89	°.3	483	\$	~2	2.68	<	55	- 10	0.09	<1	12	24	24	6.54	<10	0.49	514	<1	0.04	1	4 .	730	22	<5	<20	<1	<.01	<10	7	<10		4.05
90	3	484	<5	<2	4.11	4	75	30	0.28	1	40	25	34	6.11	<10	0.25	310	3	0.01	1	6 6	500	14	<5	<20	14	0.53	<10	119	<10	13	135
						< 7	50	30	0.20	1	17	21	18	7.11	<10	0.67	1879	<1	0.05	1	9 1	460	12	<5	<20	з	0.14	<10	89	<10	4	80 61
୍ ମ	ී	485	<5	<2	4.79	<5	AE	~				_,		0.01	ราบ	0.32	195	<1	0.03		9 7	710	18	\$ 45	<20	20	0.68	<10	132	<10	21	93
- 2 2	3	486	<5	<2	4.60	<5	45	20	0.10	<1	13	22	19	7.69	<10	0.10							10	~	20	10	0.52	<10	102	<10	12	43
94		107	<5	<2	4.20	< <u>s</u>	45	20	0.15	1	17	34	29	7.04	<10	0.10	240	<1	0.02	- 7	7 4	400	26	<5	40	5	5.64					
95	3	100	<5	<2	3,91	<5	50	20	0.14	1	16	19	20	7.03	<10	0.24	232	<1	0.03	10	37	720	22	<5	40	8	0.31	<10	114	<10	14	65
		ιų.	~5	<2	3,89	<5	35	20	0.12	<1	22	27	23	5,93	<10	0.49	357	~1	0.02	8	3 3	380	22	<5	40	7	0.40	<10	130	<10	18	63
96	34	90	<5	- 2							12	22	19	6.63	<10	0.18	161	<1 <1	0.04	13	8	80	18	<5	<20	14	0.45	<10	112	<10	9	46
97	ं 3 4	91	Ś	22	3.05	<5	50	15	0.08	<1	20		•						0.02	6	4	90	22.	<5	40	6	0.49	<10	111	<10	14	62
98	34	92	Ś	~	3,45	45	40	30	0.08	1	15	37 27	22	5.99	<10	0.53	583	1	0.01	33		50		_						-10	12	40
99	. 34	93	<5	0.4	4.26	<5	65	25	0.23	<1	17	19	10	7.40 F.01	<10	0.11	397	4	0.01	~~ 8	3	40	14 ·	<5	<20	5	0,19	<10	76	<10	7	
100	34	94	<5	<2	2.51	10	40	10	0.07	<1	7	13	0	2.01	<10	0.35	209	<1	0.04	ğ	5	80 -	20 -	5	60	з	0.47	<10	116	<10	ģ	55
101	· · ·					5	100	\$	0.11	1	22	11	26	5.53	-30 ∠10	0.05	55	<1	0.02	8	5	30	40 .	5		14	0,47	<10	101	<10	12	52
102	- 34	95 20	<5	0.6	4.04	15	30	45	d oo					0.00	~10	0.18	1542	5	0.02	12	8	50 1	18	5.	40	6	0,19	<10	55	<10	22	48
103	340	30	< s	<2	2.26	15	80	15	0.08	1	10	17	16	5.69	20	D 16	230							•	-2.0	9	0.08	<10	54	<10	5	77
104	340	98	\$ \$	<2	4.88	\$	35	20	0.23	<1	20	16	26	5.65	<10	D.46	430	<1	0.05	10	67	70 3	32 <	5	20	2	0.27					
105	349	39	~ ~	<2	1.63	20	60	5	0.22	<1	18	20	18	7.79	<10	0.13	557	4	0.06	19	156	50 1	6 <	5 •	-20	19	0.2/	<10	53	<10	32	6 6
	- 4	~	~	< <u>2</u>	4.66	<5	40	20	0.11	4	10	10 ;	25	4.71	<10	0.34	1812	2	0.03	7	47	70 2	6 <	5	40	2	0.28	<10	64	<10	11	86
										,	1.3	8	22	8.18	<10	0.16	361	<u>د</u>	0.00 fim	14	149	90 1	4 <	5 <	20	11	0.11	<10	49	<70	12	67
															P	ige 3			0.02	8	46	NU 2	2 <	5	40	4	0.39	<10	128	<10	6	78
																					`								140	~10	15	62

.

-

.

(

-

	<u>Et</u>	#. Tag #	Au(p	eb)	Ag	AI %	As	64		Bi Cat																		FCO	JECUL	1000				
	10	7 3500	<	5	0.2	1.06	15	70		10 00	<u> </u>	Co	Ci	<u> </u>	u Fe	%	(a M	a *										200	ICCH I	ABORA	ORIE	S LTD,		
	10	4 3501	4	5	0.2	3.52	<5			ល បុព្វ	3 <1	20	3		2 7	23		<u>y / _</u>	mn		Vio Na	а %	Ni	Р	РЬ	SI								
		3 3502	<		<.2	0.62	~			10 0.0	9 <1	18	40		0 01		10 1	0.02	1270		9 <	<.01	17	1040	40				<u>n 1</u>	<u>6</u>	1	<u>v v</u>	¥ .	Y 7n
	10	3503	<5		02	4 95	2	/5	'	5 0.0	2 <1	12	4		0 0.3	94 4 V	10 1	0.59	659		5 0	0.03	31	720	100	<	<20		4 <.0	1 <1	0 1	4 <1	0	7 440
	110	3 3504	<5		< 3	4 45	5	35		20 0,04	3 <1	13	24		S 5.8	34 <	10 <	<.01	743		6 <	01		130	186	-	<20	1	2 0.1	0 <1	7 7	3 -1	- -	/ 116
			-			1.15	10	65	1	0 0.2	2 <1	10	24	1	9 7,0	יזי ≺	10 (0.18	496		2 0	03	0	1140	36	<5	<20		5 0.0	1 <1	1 2	6 -4	- 1/ -	8 63
	111	3506									,	10	1	3	5 7.2	8 <	10 C	.35	867		2 0		9	710	34	- 1	<20		9 0 2	2		0 1	, <	1 77
	112	3506	~		<2	4.86	<5	45	2	5 0.20											6 U	.06	14	1010	16	- 5	<20	2	1 0.2			3 <10) 1.	4 68
	113	3507			<.2	4.01	<5	40			<1	16	24	2	3 8.5	8 <	10 0	24	454							-		*	· U.U.	<1	4	9 <1() <	1 68
	44.6	3507	<5	•	<2 .	4.16	<5	26	~	0.06	্ৰ	17	14	2	97	2 2		.34	154	<	c1 0,	.04	12	820	20	æ	-							
	114	3508	<5	•	< 2 :	3 24	5	30	2	0 0,02	<1	12	27	1		~ ~	0 0	13	448	-	7 0.	03	6	630	24	9	<20	16	5 0.48	<10	10	3 <10) 7) 60
	115	3509	<5	6	14	2 71	40	/5	2	0.06	<1	11	22	~	0,7	9 < -	10 0	.13	423		5 0	01	11	600	24	-	<20		0.21	<10	5	\$ <10		59
	,					-	10	110	1:	5 0.32	1		12	4	8.1	o <	10 0.	17	262		5 0	01	11	500	18	<5	<20	5	0.24	<10	7		12	50
	116	3510	<5								•	41	12	56	10,8) <1	0 0.	58	3441			~	12	640	12	<5	<20	8	0.14	<10	~		8	73
	117	3511	~		~ 4	19	<5	55	2) < 01	-										0 0,0	ua .	25	1360	26	<5	<20	30	0 17	~10		s <10	11	70
	118	3612		<	.2 4	.60	<5	50	30	0.01		73	13	17	9,25	ō <1	0 <	01	004		-								0.12	~10	51	<10	10	115
	119	261-2	~5	<	2 2	15	5	60	16	0.01	1	12	18	19	12.00) <1	0 -1	01	301		5 < (01	6	330	20	<5	~							
	120	3013	<5	<	.2 4	.24	<5	70	10	0.03	<1	13	16	42	814				507	5	9 Q.Q	02	6	580	20	~	~20	4	0.28	<10	108	<10	3	46
	120	3014	<5	<	2 3	33	-6		45	0.11	1	29	29	25	11.10		0.0	6	294	7	7 <.0	21	8	700	2.4	9	<20	3	0.23	<10	72	<10	11	-10
							9	90	15	0.26	<1	26	21	20	0.10	<1	0 Q.1	16	1123	<1	0.0	22	0	300	(4	<5	<20	- 4	0.06	<10	53	<10		50
	121	3615	<5	0	4 2	30	-	-					~ '	-30	8.71	<1	0 0.5	2	1561	3		йо - х	3	390	34	-5	<23	10	0.59	<10	143	-10		68
	122	3616	<5		2 6	30	5	70	10	0.03	<1	11	22							_	- 4.4		21	3 90	12	\$	<20	25	0.22	<10	70		19	60
	123	3517	~5		~ 5.	14	\$	95	45	0.43	<1	24	44	27	10.50	<1(0.2	20	417	11	- 0									.,0	10	<10	17	97
	124	3518	~	0.	4 3.	20	9	55	15	0.06	~1	-34	25	41	9,16	<10	1 07	9	574	11	<.0	n 1	17 ;	2270	4	<5	<26	4	0.02		•			
	125	3510	~0	<	2 3.	61	10	110	15	0.20	~ (42	18	33	9.07	<10	1 03		2020	<1	0,1	02	21 ·	1720	6	<5	<20	- 20	0.03	<10	71	<10	<1	83
		wis.	~	<	2 24	87 .	⊲5	65	15	0.22	7	23	29	38	8.87	<10		· ·	2020	6	0.0	21	1	1060	16	<5	~	30	0.93	<10	130	<10	25	93
	1700							~~	13	0.38	<1	23	14	25	6.27	-10	0.0	2	628	2	0.03	3 3	4	840	12	~	~~~~		0.14	<10	69	<10	4	86
	120	3520	<5	<.2	2.3.0	1 2.	-6		_						0.27	~ 10	0.5	6 1	192	2	0.11	1 1	2 1	1220	12	-	<20	19	0.32	<10	84	<10	16	100
	12/	3521	<5	<2	21	7		40	30	0.11	<1	18	18	10	44.00									1420	12	<9	<20	37	0.17	<10	80	<10	-	120
	128	3622	<5	10	63		-	55	10	0.06	<1	30	16	10	11.20	<10	0.2	2	413	1	0.0/		Б										5	76
	129	3523 ~~	<5	- 7		~ <	5	40	20	0.04	<1	20	10	38	7.61	<10	0.36	6 1	843	a	0.04	* (°.	360	18	<5	<20	9	0.44	<10	100		_	
	130	3524	<5	~~~		k <	5	55	35	0.27		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	12	25	9.01	<10	0.04	4 1	176	Ĕ	0.01	1.	2 1	090	16	<5	<20	8	0.10	~10	100	<10	9	50
				0.0	1.6	rs <	5	160	10	013	-	23	24	27	9.25	<10	0.60		A37		0.04	÷ 8	8	710	20	<5	<20	4	0.70	~70	63	<10	6	80
	131	3525	æ							0.10	1	21	13	49	8.65	<10	0 15			57	0.04	16	61	010	6	\$	\overline{a}		0.23	<10	41	<10	29	81
6	132	9676		<2	2.9	1	5	125	15	0.20							0.10	· .	332	11	<.01	16	52	060	16	<5	~20	10	0,59	<10	116	<10	16	82
<u>۱</u>	192 -	00000	<	0.2	4.3	3 <	5	60	25	0.30	<1	22	22	34	623	~10	0.40									~	-20	11	0,01	<10	74	<10	4	74
	134	302/	-5	<2	3.8	5 <	5	85	20	0.10	1	30	21	22	9.31	~10	0.43	13	360	4	0.02	28	3 4	840	16	æ								
	134	3528	<5	<2	27	0 -	5	20	20	0.08	<1	26	15	37	750	<10	0.23	21	138	<1	0.03	9		430	10	2	<20	42	0.13	<10	50	<10	27	150
	135	3529	<\$	30	27		5	70	10	0.04	1	10	74	~~	7.03	<10	0.35	11	105	<1	0.02	44		000	14	<5	<20	11	0.32	<10	109	~10	21	100
					~	. 4	,	80	10	0.04	<1	31	10	21	7.65	<10	0.08	3	03	8	< 01	45		020	18	<5	<20	7	0.30	<10	82	-10	11	79
	136	3530	<5	- 2		-	_					0.	10	52	9.88	<10	0.40	17	84	12	~ 04	15		620	8	<5	<20	7	0.08	<10	110	10	12	78
	137 🤺	3531	-5	~~~	3.73	্ৰ	5	60	15	0.04	~									14	~ .01	19	15	550	22	<5	<20	6	0.01	-10	116	<10	<1	60
	138	3537	~	0.2	3.32	2 4	5	60	20	0.08		13	21	31	9.32	<10	0 15		200									-	4.41	~10	41	<10	1	134
•	139	9699	~	0.2	1.19) 15	5	65	-5	0.00	51	11	14	22	5.97	<10	0.10	-		13	0.02	11	5	50 ;	20 .	<5	~~	~						
1	140	9694	<	<2	3.19	1 4	; .	75	16	0.01	<1	10	4 ;	272	7.52	-10	0.10	4		<1	0.02	8	7	80	18 .	-	~~~	-	0.19	<10	80	<10	5	77
		3034	<5	<.2	3.33	40		75	13	U.15	<1	17	13	28	7 70	~10	5.01	2	84	10	<.01	9	16	80	22	~	20	9	0.22	<10	82	<10	â	60
		1				-			15	0.04	<1	10	26	34	0.04	<10	0.33	7	91	3	0.03	12		ien a		-	<20	7	<.01	<10	43	<10	~1	67
1	41	3035	<5	<2	240	40	-	-							0.04	<10	0.21	3	49	16	0.01	44	-	$\tilde{\mathbf{n}}$	4 4	5	<20	14	0.20	<10	79	<10		00
1	42	3536	<5	<2	6 20	10		10	10	0.02	1	29	16	00								• 1	12	au 1	12 4	5	<20	7	0.03	<10	67	-10	4	93
1	43	3537	<5	~ 2	0.30	45	6	60	40	0.30	<1	25	~	35	8.31	<10	0.30	18	88	9	- 04		- 5	_							07	<10	8	81
1	44 :	3538	~	~~	2.66	ক	7	70	10	0.11		30 ~~	23	32	9.71	<10	0.58		24	~	N.VI	20	16	30 1	8 <	5.	20	8	0.07		-			
1	45	3530	~	<2	3.43	10	4	1 0	20	0.09	-1	20 2	22	32	5,83	<10	0.51	444	30 ·	-1	0.07	12	11	00	6 <	5.	0	~~	0.07	-10	51	<10	8	120
			-3	<.2	2.69	<5	4	15	10	0.00	~ 1	10 ;	39	24 (6.74	<10	0.44	110		<1	0.02	26	150	1 00	4 ~	5	20	44	0.77	<10	130	<10	25	70
										0.04	<1	8	25	19	\$72	~10	0.44	2	5	5	0.01	27	83	30	8	5	20	14	0.20	<10	59	<10	12	100
																~10	0.20	15	x0	5	<.01	14	40	90	8	- ·	-20	3	0.15	<10	64	<10	5	87
																	age 4						~				20	5	0.11	<10	93	<10	4	57
																																		33

)

	Et#	Tag #	Autoni																														
	146	3540	<u>~~~~~~~~~</u>	<u> </u>	<u>NG A</u>	67	As (Ba	Bi Ca	%	Cd (20	Cr	Cu	Fo W												ECO	TECH	ABORA	TORIE	S LTD.		
	147	3541	\$	<	2 3	.87	15 .	45 56	15 0	.08	<1	11	34	25	5.58	<1/		<u> </u>	<u>n A</u>	<u>lo N</u>	la %	N	P	Pb	Sb	S	n :	Sr 17.	v .				
	149	3542	<5	<	2 5	29	କି ନ	40	25 0	15	1	19	21	15	8.14	<10	0.5/	315	9	2 (0.02	30	780	10	<	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		0 01	7 <u>0</u>	<u> </u>	<u>v</u> v	/	Y Zn
	150	3544	0	<	.2 3	63	<5 (5	25 0	13 53	1	5	19	20	9.25	<10	0.23	261		<1 (0.02	10	540	8	<5	<2	- 1 1	2 04	4 <1 2 <1	0 14	2 <10)	4 92
			~	<	.2 5.	29	5 7	35	40 0.	29	<1		18	17	6,98	<10	0.69	354		-i u	0.03	8	590	8	<5	<20) 1	1 0.4	6 <1	0 9	3 1/	, , ,	57
	151	3545		6	7 5	70	E.						28	27	8,94	<10	0.42	330) <	er o	0.12	11	690	6	<5	<20) 4	9 0.5	5 <1	0 11	4 <1	, i	2 39
	152	3546	<	<	2 3	24 .	60 4 15 10	5	25 0,)5	<1 1	3	23	24	667	~10				-		••	1030	8	<5	<20	2	4 0.8	f <1(13	5 <10	2	2 A2
	153	3547	<\$	<.	2 3.8	35	5 7	5	25 0.1	13	<1 2	1 3	30	15 1	0.20	<10	0.01	353		60).02 ·	6	650	18	~5	~~~							
	155	3548	\$	1.0	0 3,2	25 1	5 16	D	λΩ 0,2 10 0,2	20 20	1 2	7 3	37	30	8.34	<10	0.2/	1412		30	04	9	600	18	<5	<20	1	5 U.24 4 0 3	<10) 7	<10	14	68
		104 0	4	1.0	6 4.7	78 <	5 5	0	30 0.1	2.	15 3	8 2	24	56 9	9,30	<10	0.56	6658	<	10.	0.06	27	1870	12	<5	<20	1	7 0 2	i ~10	138	3 <10	e	57
· 1	156	3550	<	0.4	4 4 0	. .				~ `	SI 1	5 1	6	19	7.77	<10	0.22	298	<	ευ. 1 ο	05	90 7	1770	14	<5	<20	2	2 0.40	<10	89	1 <10	18	142
1	57	3551	~	< 2	• 4.8 2 2 0	2 1	5 40	} '	15 0.0	4 <	ci 1;	2 '2	'n	17 -	7 76						.42	1	//0	6	<5	<20	1.	0.46	<10	107	′ <10	20	415
1	58	3552	<	<.2	4.0		5 40		25 0.0	5 <	1 10	\tilde{z}	3 3	17 5	17	<10	0.27	476	1	7 0.0	.02	20	490	14	Æ								37
1	59 60	3553	<5	<.2	4.5	6	5 115		50 0 <u>0</u>	5	1 15	1	6	26 12	2.30	<10	0.03	75	<1	0.0	.01	3	350	26	2	<20		0.12	<10	39	<10	9	94
	~	3004	\$	<.2	5.2	4 <	5 55		10 0.24 20 0.14	₽ {	1 32	2	7	36 7	.97	<10	0.68	404	3	8 0.0	.02	6	330	26	<5	<20		0.45	<10	124	<10	8	18
1	61	3555	~5							• •	אר ר	26	6 :	21 7	.94	<10	0.24	377	<1	0,0	06	27	1450	16	<5	<20	19	0.42	<10	104	<10	17	49
1	62	3556	Ś	<2	4.62		45	2	5 0.13	з .	1 16	~	۔ د	77 0					-1	0.1	45	8	560	12	<5	<20	11	0.50	<10	85	<10 <10	27	96
10	63	3557	<5	<.2	2.74		245	1	0 0.32	? <'	1 19	33		279, 176	,73 76	<10	0.50	259	<1	0.0	04	22	580	10	-						10		40
10	24 35	3601	. 5	1.4	4.95	- -	135	~	5 0.12	<	11	23	1 3	94	97	<10	0.76	1364	5	0.0	01	34	680	8	~5	<20	12	0.39	<10	81	<10	12	64
		3003	\$	1.4	6.80	10	130		0 0,04		2 13	24	2	3 >	15	<10	< 01	507	5	0.0	01	23	810	16	Ś	<20	19	0.07	<10	70	<10	5	86
16	6	3605	æ		_				0.01	<1	9	47	3	2 10.	10	<10	0.27	267	10	0.0	01	12	340	26	<5	<20	11	0.05	<10	57	<10	7	8 5
16	7	3607	~ ≪	4.4	5.14	15	150	ŧ	5 0.03	2	15	77		• •-	_				14	<.0	л	32	880	12	<5	<20	5	0.02	<10	⊷∠ 59	<10	<1	63
16	8 :	3609	<\$	22	5.02	< 20	95	30	0.05	2	14	14	- 10 - 2	6 10,0	60 97	<10	0.37	413	19	<.0	ท	15	530							00	-10	5	216
16	9	3611	≪5 `	0.6	3.30	10	120	10	<.01	1	7	34	4	2 94	34	<10	0.07	285	<1	0.0	7	8	350	10	S	<20	5	<.01	<10	114	<10	2	177
17	0 3	3613	<\$	2.0	5.57	20	85	10	0.03	1	7	12	2	3 10.6	λõ.	<10	0.28	282	15	<.01	n	19	520	10	~ ≪5	<20	11	0.43	<10	130	<10	3	46
17	1 3	3615	Æ	.					×.01	1	7	31	4	5 10.4	10	<10	0.36	184	18	0.02	2	8	610	4	<5	20	â	0.02	<10	66	<10	<1	220
(17.	z s	3617	~5	5.8	5.65	25	85	10	<.01	<1		~~						200	16	<.01	1	21	850	10	<5	<20	Ă	0.02	<10	001	<10	<1	132
17:	3 3	91 9	Ś	1.4	3.69	15	75	10	0.02	2	8	21	4	6.6	· 7	<10	0.33	346	16	0.01	1 -	28	540		_				-10	0.5	<10	<1	207
174	4 3	621	<\$	2.2	4.15	- 20	95	10	0.08	1	9	21	39	022	9 9	<10	0.30	485	25	<.01	1 1	14 f	5340	14	<5	<20	5	0.04	<10	50	<10	4	303
1/5) 3	623	<	2.4	4.47	Ś	60	30	0.02	з	13	23	20	> 1	5 4	~10	0.27	383	15	0.02	2 1	14	540	16	<5	<20	3	0.02	<10	110	<10	<1	203
176	: 3	626	-					20	0.04	2	8	15	27	10.1	0 <	<10	0.09	212	15	<.01	1	6	290	30	Ś	<20	12	0.06	<10	64	<10	<1	169
177	3	627	2	0.4	218	\$	60	20	0.07	1	40							£12	16	0.02	2 1	4	420	20	<5	<20	8	0.11	<10	78	<10	<1	100
178	30	629	Ś	24	9.07	25	35	15	<.01	4	191 A	12	27	10.3	3 <	10	0.10	251	17	0.02	,	7	740					0.11	-10	45	<10	9	162
179	36	631	<5	8.4	4.83 5.60	25	115	5	<.01	ৰ	12	24	20	7.60	3 <	10	<.01	304	8	0.04	- -	7	710 600	4	< <u>-</u>	<20	16	0.09	<10	165	<10	~1	104
180	36	533	<5	3.6	4.45	20 15	65 75	25	0.09	2	15	28	86	· · · · · · · · · · · · · · · · · · ·	s <	-10 (-10 (0.47	349	13	<.01	3	6	570	10	<5 /	<20	4	0.08	<10	29	<10	2	94
181	20	206	· _				15	15	0.05	ব	10	24	34	9.18		10 1	1.04	728	20	0.04	1	1	700	Q I	~	-20	2	0.03	<10	56	<10	14	248
182	36	37	<5	8.6	7.45	25	80	10	0.06		_					10 1	5.52	212	16	0.02	1	3 !	520	10	<	20	01 A	0.20	<10	127	<10	<1	227
183	36	39	5	1.8	2.22	30	60	15	0.11	<1 -1	6	29	35	8.58	 	10 (1.26	143	16	0.00							Ŷ	0.22	<10	148	<10	2	113
184	36	41	45	1.6	3.68	49	115	30	0.05	2	13	22	38	7.85	<	10 0	0.05	32	23	0.02	1.	4 9	930	14	≪ <	20	13	0.06	<10	67	~10		
185	36	43	<5	<.2	1 45	\$	45	<5	0.35	3	2	20	31	> 15	<	10 0	0.06	134	18	0.02	1		000	8	<5 <	20	18	0.17	<10	106	<10	1 <1	130
						2	80	15	1.64	5	20	6	19	4.46	<	0 0	.05	8	1	0.02	3	3 10	90	4 ·	S	20	19	0.16	30	134	<10	<1	84
												-		7.63	<1	10 Q	1.62	539	<1	0.18	14	4 7	30	6 4	\$ 5	20	34	0.03	<1D	11	<10	4	13
																1.9	ge J					,	_		~ <	20	122	0.38	<10	65	<10	11	72

.

	Et	. Tag #	Au(pp	b) /	A AI	*	As B	La	Ri Ca		-														ECC	-тесн (ABORA	TORIES	LTD.		
	186	3645	<5	<	2 2	58	6 12		or car	M Cd	<u>C</u>	<u> </u>	<u>r (</u>	Cu Fe ?	6 L	a Mos	6 M.n					_									
	187	3647	4	<	2 1	97	-5 7	5	30 0.2	1 3	15	2	7	35 > 1	5 <1	0 < 0	1 127		U Na	7.	NI	P Pt	<u>s</u>	<u>b</u> s	n	Sr TI	ί ε	i v	w	~	7-
	188	3649	45	1	0 1	13		6	35 0.0	4 3	16	17	7	40 > 1	5 <1	0 < 0	1 (3/ 1 15/	1	8 0.0	n	9 31	0 14	<	5 <2	0	22 03	2 3	167	(10		<u>2n</u>
	189	3651	⊲5	2	2 50		~ ~ ~	5	Z5 0.0	42	11		1	77 11 10	1 -1	0 -0	4 104	1	9 0.0	12 1	11 23	0 12	<	5 <2	0	8 04	c - 20		10	<1	99
	190	3653	4	2	6 44		6 9 9	0	5 0.0	31	9	40) 3	16 7 8		0 .0	125	2	5 0.0	2 2	21 16	0 20	<	5 <2	ñ	7 0.7	20	209	<10	<1	196
				-	4.0	x0 2	au 11(0	10 0.02	2 1	12	25	i	10 11 44		0 0.40	5 287	1	3 <.0	п з	32 47	12	~	5 0	ñ	2 0.2		159	<10	<1	130
	191	3655	-5		- <u>`</u> .							20		11.40	/ < 1	0 0.2	5 627	2	1 0.0	1 1	18 92	12	-			20.0	<10	56	<10	<1	219
	192	3657	~	3.	2 3.9	6 1	0 60	0 2	20 0.02	2 1	10	47		~								. (2	~	· · 2	u	e 0.03	3 <10	94	<10	<1	196
	193	3659	~	1.	4 6.3	32	5 9X) 2	20 0.12	ंत				⇒ 12.00	· <1	0 0.27	′ 515	2	0 0 0	1	0 152	<u>م</u> ۱			-						
	194	3661	69	7.	28,3	91	0 55	5 2	5 0.01		0	21	3	4 9.2	<1(0 0.12	424	2	5 < 0		0 746		<	> <2)	9 0.14	<10	166	<10	<1	124
	195	3663	0	5.	2 5.5	23	0 100) 1	5 004		9	18	2	3 14.10	<1(0 <.01	276	14	6 0 0	2	2150	6	<	> <2	ז ר	5 0.06	<10	119	<10	<1	222
	130	3003	<5	3.	0 7.5	1 3	0 110	1 2	5 c.04	2	14	28	5	9 13,50	<1(0.33	508	2		•	5 72	34	<	×20)	4 0.21	10	45	<10		47
	100							· •	,ui	2	11	-36	7.	3 > 15	<10	0 19	463	40		1 1	/ 1050	10	<5	<20)	8 0.11	<10	190	<10	-1	~~~
	196	3665	-5	4.2	2 7.9	9 2	0 110		5 000									-40	<.01	1 1	4 1380	~2	<5	<20)	8 0.05	10	156	~10		201
	197	3667	\$	0.6	5 2.5	3 4	5 140		5 0.05	<1	9	31	5	7 13.30	<10	0.77	247											100	~10		270
	198	3669	<5	<.2	200	2 2	- 140	~	0.57	2	16	24	1	5 12.60	<10	0.27	247	18	0.03	32	1 750	~2	<5	<20	1	8 004	-20	70			
	199	3671	<5	10	3.2		110	- 4	p 1.21	2	15	12	16	6 14 50	<10	0.43	6913	16	0.02	2 18	6 800	16	<5	<20		6 0.04	20	78	<10	<1	217
	200	3673	-5	1 2	A 64		115	2	5 0.10	3	11	24	2	3 14.00	10	0.05	254	9	0.04	1 10	0 270	28	<5	<20	2 2	0 0.18 E 0.49	<10	103	<10	<1	199
			•	1.4	4.5	4	110	2) <.01	2	12	30	3		<10	0.07	117	16	0.02	2 8	8 470	8		~20		0.42	<10	135	<10	<1	110
	201	3675	-											- 15	<10	0.26	191	18	<.01	25	5 340	10	~	-20	1.	2 0.13	20	153	<10	<1	73
	202	3677	à	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	3.41	<	130	2	0.05	4	13	24	~							-		10	~3	<d <="" th=""><th>-</th><th>8 0.12</th><th>20</th><th>110</th><th><10</th><th><1</th><th>264</th></d>	-	8 0.12	20	110	<10	<1	264
	203	3679	~	1.6	3.49	~	140	25	0.85	17	20	24	30	> > 15	<10	0.08	544	26	<.01	13	1 760										
	204	3681	-	0.4	2.34	~	65	35	0.17		40	20	42	9.33	<10	0.60	3094	<1	0.05	20	7.00		<	<20	1:	0.12	<10	136	<10	<1	160
	205	3092	4	5.6	2.04	<	75	10	0.00	4	10	15	- 27	> 15	<10	<.01	206	15	0.02	32	2 700	76	<5	<20	4	0.54	<10	94	<10	27	570
	200	3003	4	7.6	7.66	20	45	15	- 01		2	12	27	7.04	<10	0.02	54	12	0.02		200	20	<\$	<20	15	0.41	20	155	<10	<1	109
	200									<1	7	28	32	11,90	<10	0.04	181	24	0.07		740	4	<\$	<20	17	0.07	<10	99	<10	~1	100
	200	3685	4	2.8	5,45	20	70	10	~ 04								101	¥1	0.02	15	740	30	<5	<20	5	0.10	20	36	<10		60
	207	3687	<5	2.0	4.09	20	116	10	S.07	1	10	35	38	11.90	<10	0.13	207										2.0	~~	~10	-1	150
	208	3689	\$	4.6	5.90	ĩ	00	15	0.04	1	10	28	53	10 50	<10	D 44	207	16	0.02	18	840	18	<5	<20	4	0.00	-10				
	209	3691	<5	64	6 09	15	00	10	0.07	2	11	30	56	9.89	~10	0.41	2/6	16	0.01	27	670	14	<5	<20	7	0.03	10	94	<10	<1	184
	210	3693	<5	16	4 14	10	65	25	80.0	4	14	28	39	13.10	-10	0.30	334	- 14	0.03	17	1190	6	<5	<20	,	0.10	510	110	<10	<1	320
					7.57	4	65	25	0.02	2	9	26	34	> 16	10	0.33	452	15	0.03	21	990	10	Ś	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10	0.22	<10	114	<10	4	216
	211	3695	5	10	4	_					-			- 15	<10	<.01	105	26	0.02	6	400	à	~	~20	10	0.25	<10	112	<10	6	338
ι -	212	3697	٠.	4.4	4.37	<5	80	45	<.01	3	15	32	67							-		ũ	-	~20	9	0.10	30	121	<10	<1	83
•	213	3699	ž	1.4	3.78	<5	70	45	0.11	4	20	26	- 33	> 15	<10	<.01	170	32	<.01	6	360	16	-		_						
	214	3701	~	1.4	3.25	<5	65	40	0.09	<1	10	20	2/	> 15	<10	0.12	190	<1	0.04		200	10	~	<20	6	0.26	40	171	<10	<1	96
	216	9702	3	1.8	3.66	<5	80	20	< 01	2	.0	19	25	13,10	<10	0.13	166	2	0.04	6	320	18	<5	<20	12	0.67	20	151	<10	3	65
		5705	4	5.4	5.40	30	80	10	< 01	2	5	13	42	13.10	<10	0.09	202	23	0.07		300	12	<5	<20	15	0.50	10	133	<10	<1	52
	216	9700	-							4	1	Z /	50	14.00	<10	0.02	118	26	0.02	5	400	4	<5	<20	15	0.04	<10	85	<10	-1	70
	210 .	-3705	<5	0.2	1.66	<5	35	10	0.10		_							20	v.u z	11	530	14	<5	<20	7	0.02	20	87	<10		207
	217	3/0/	<5	6.8	4.62	35	80	10	0.10	<1	6	6	8	1.32	<10	0 06	41	-										07	-10	~1	221
	218	4001	<5	<.2	2.98	40	120	~~~~	5.01	2	7	24	44	8,69	<10	0 14	407	~1	0.04	- 4	800	8	<5	<20	25	0.25	<10	24		-	
	219	4002	<	0.4	2.86	40	470	20	0.46	1	24	84	36	14 50	<10	1 74	107	28	<.01	24	570	12	<5	<20	1	0.05	<10	3)	<10	6	22
	220	4003	<5	< 2	2.61	46	1/3	15	0.63	<1	26	34	23	10.80	~10	1.34	1327	26	<.01	33	1130	10	<5	<20	30	0.00	10	172	<10	4	326
				_		13	130	4	0,59	3	29	86	63	7.00	~10	0.07	2221	17	0.02	18	1200	12	<5	-20	54 61	0.00	<10	118	<10	<1	163
- 1	221	4004	≪5	06	1 62								~	1.03	<10	1.56	1108	9	0.01	130	950	8	<5	-20	100	0.05	<10	82	<10	10	141
:	22	4005	جّ	2.0	1.03	40	65	\$	3,94	<1	18	348	83	E 00								٣	~	~20	126	0.02	<10	50	<10	5	333
1	223	4006	<5	-4	1.60	25	75	<\$	3.69	1	17	37	23	5,98	<10	1.39	832	4	0.03	35	1790	10	æ		400 -						
1	224	4007	a l	\sim	1.59	35	70	ৰ	4.13	~	17	37	12	5.68	<10	1.33	822	4	0.02	34	1700	12	0	<20	183	0.06	<10	9 6	<10	6	100
2	25	4008	2	U.4	218	10	140	-	234	4	20	30	18	5.76	<10	1.40	917	Å	0.03	30	1750	8	<	<20	168	0.06	<10	91	<10	6	89
•		1000	\$	<.2	1.59	80	45	-5	4.21	-	23	71	148	5.07	<10	1.08	1125	7	0.00	32	1700	14	15	<20	194	0.06	<10	95	<10	ē	07
								•		~1	A	37	88	6.22	<10	1.41	869	5	0.02	152	1460	4	<5	<20	341	0.02	<10	38	<10	16	314
															5	200 6		5	0.02	35	1930	16	<5	<20	192	0.06	<10	09	~10	10	314
																					<u>^</u>							20	~10	0	106

<u>`</u>.

)

)

)...

	Eta	t. Tag #	Au(ppt	a) a																											
	226	4009	<	0	4 1 0		<u>s</u> B	a	Bi Ca%	Cd	Co	Cr		. r_ /											ECO	-TECH L	ABORA	TORIES	LTD		
	227	4010	<5	<	2 1.85		0 9	0.	<5 0.72	1	22	53		A 12		a Mg	<u>6 Mn</u>	1	lo Na	%	Ni j										
	OC 1					-	0 10		\$ 2.05	<1	18	49	ē	~.o∠ na 36	0 <1 9 ~1	0 1.1	6 989	}	7 0.	02	70 148					Sr TI	<u> </u>	V	<u>w</u>	Y	Zn
	Rep														÷ 1	1.3	/ 860	1	5 0.	02 (55 1520	8	<	5 <2	tu e 10 10	86 0.00 NG 0.00	3 <10	71	<10	6	153
	1	3093	<5																					~ ~2		5 0.0	<10	75	<10	5	109
	10	3404	Ś	<	2 2.12	40	175	<	5 0.56	~1	47		_																		
	19	3413	ৰ্ব্য	< 2	200		50		5 0.10	<1	16	15	2	1 6.53	<1	0.85	1477		9 n/		0 40										
	28	3422	<5	<2	3 97	Z	145	1:	5 0.34	<1	24	10	1	4.83	-10	0.25	2027		4 6.0	ין אנ כו	୪ 1580 P 1400	16	<	i <2(0 3	7 0.05	\$10	64	<10		
	36	3430	<5	<2	2.51	9 	50	2	0.17	1	19	26	3	0 6.04	<10	0.54	1216	<	1 0.0	ים מ	o 1460 3 1360	30	<	<20	3 3	3 0.12	<10	42	<10	1	115
	45	2.100				~0	40	2	0.11	<1	14	19	12	2 6.62	<10	0.32	303	<	1 0.0	2 1	3 1300 1 450	14	5	<20	3 2	0.27	<10	49	<10	12	74
		3439	<5	<.2	3.77	<	35	~						30	~10	0.38	123	<	0.0	1 1	6 480	14	0	20	0 10	0.48	<10	112	<10	13	-00 57
	63	3457	ر ې د خ	<.2	2.63	10	80	15	0.11	1	21	27	22	7.54	<10	0.17	(00					14		20) 10	0.41	10	86	<10	3	27
	71	3465	<0 ∠5	<.2	2.77	10	70	5	0.10	<1	19	-17	21	5.69	<10	0.34	438	<	0.0	3 11	450	26	<	40		n					_,
	80	3474	~~ <5	12	1.36	5	255	40	0.06	4	16	30	32	5.25	<10	0.63	562	<	0.0	2 14	1400	20	<5	<20	5	0.45	<70	108	<10	11	57
			•	~~	2.08	<5	50	10	0.05	1	11	19	32	> 15	<10	0.19	>10000	26	0.0	2 34	740	14	<5	<20	6	0.18	<10	61	<10	5	81
	89	3483	<5	<2	4 43	-				•	••	40	18	7.01	<10	0.58	393	7	< 01	1 40 1 340	1410	<2	<5	<20	Э	0.02	<10	63	<10	11	144
	100	3492	<5	<2	4.08	~	70	30	0.26	1	38	24	31	673							010	12	4	<20	6	0.07	<10	87	<10	28 <1	94
-	100	3500	<5	0.4	1.11	20	70	20	0.23	<1	17	19	17	5.01	<10	0.62	1770	<1	0.05	j 16	1420	19	-6							~ 1	60
1	124	3510	<5 4	0.4	2.37	<\$	120	⊽ 16	0.02	<1	20	з	42	7.37	<10	0.34	201	<1	0.03	9	540	20	-	<20	18	0.66	<10	126	<10	20	88
		~~	< 0	<2	3.65	10	110	20	0.37	2	43	12	59	11.30	<10	0.07	1271	10	<.01	18	1020	18	~	<20	15	0.46	<10	101	<10	12	52
1	33	3527	~	- 2					0.22	<1	23	30	38	8.83	<10	0.60	34/1 574	8	0.10	27	1370	24	Ś	<20	39	<.01	<10	15	<10	7	117
1	41	3535	Ś	< <u>2</u>	3.90	10	70	20	0.08	<1	~					-/	5/4	<1	0.03	32	830	12	\$	<20	21	0.13	<10	55	<10	9	118
1	50	3544	< <u>s</u>	< 2	2.46	15	65	10	0.02	<1	27	15	38	7.61	<10	0.36	1108	<1	000	40						0.35	~10	89	<10	15	132
1	59	3553	<5	<2	4.81	40	75	40	0.28	<1	26	15	35	8.33	<10	0.31	1840	9	0.02	10	890	18	<5	<20	8	0.31	<10	87	~10		
74	68	3609	<5	22	5.11	26	125	30	0.26	1	33	28	20 40	8.69	<10	0.41	314	<1	0.06	20	1590	20	<5	<20	5	0.07	<10	51	<10	12	78
17	76	-				20	85	10	<.01	1	7	34	42	8.33	<10	0.71	1035	~1	0.07	28	1550	5	<5	<20	21	0.78	<10	132	<10	22	121
15	85	3023	<5	0,6	2.38	<5	60	45	0.07				-	10.20	<10	0.27	278	16	<.01	18	540	10	\$	<20	25	0.76	<10	109	<10	27	100
19	94	3661	9	<2	1.54	<5	85	20	1.75	2	10	12	28	10.90	<10	0.10	0.50					10		< <u>2</u> 0	5	0.02	<10	66	<10	<1	225
1 20	33	3679	5	5.0	5.71	35	105	10	0.04	5	21	7	21	4.37	<10	0.82	220	17	0.02	7	730	4	\$	<20	19	0.40					
<u></u> 21	1	3695	÷.	10	2.33	\$	65	35	0.17	∠ 2	14	30	62	14.00	<10	0.34	551	20	0.19	17	740	4	\$	<20	131	0.10	<10	175	<10	<1	107
22	0	4003	<5	<2 ·	4.03	<5	80	40	<.01	3	15	15	26	> 15	<10	<.01	191	14	0.01	19	1070	8	<5	<20	. 9	6 12	~10	69 107	<10	12	74
					4-40	10	130	<5	0.56	3	26	76	53	> 15	<10	<.01	181	34	< 01	6	240	18	\$	<20	16	0.41	20	182	<10	7	303
												10	00	6.97	<10	1.38	1086	8	0.01	127	340	14	\$	<20	5	0.25	40	175	<10	<1	103
																					010	D D	5	<20	116	0.04	-		-10	-1	36

)

<u>Et #. Tag #</u> <u>QC DATA:</u> Standard:	Au(ppb)	Ag	<u>AI %</u>	<u>As</u>	Ba	<u> </u>	<u>Ca %</u>	<u>_Cd</u>	<u></u>	Cr	Cu	Fe %	<u> </u>	Mg %	Ma	Mo	Na %	Ni	P	РЬ	_ <u>Sb</u>	і Sл	ECO-TI Sr	ECH LAF	BORATC)RIES (V	.TD.	.,	-
GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95 GE0'95	140 145 150 140 150 145 150	12 12 12 14 12 14 12 12	1.56 1.60 1.62 1.78 1.60 1.70 1.66 1.60	75 70 70 60 65 75 75	155 150 155 160 155 165 165 160	ቆቆና ይይያል	1.56 1.51 1.62 1.62 1.61 1.75 1.77 1.60	एएएए ए एए	17 15 16 18 17 19 19 17	62 61 60 54 53 62 63 65 5	83 82 82 84 84 82 84 82 84 82	3.67 3.54 3.53 3.70 3.80 3.85 3.75 3.84	<10 <10 <10 <10 <10 <10 <10 <10	0.83 0.80 0.86 0.86 0.84 0.85 0.81 0.88	629 615 608 620 625 624 630 631	<1 <1 2 2 2 1	0.01 <.01 0.01 0.01 0.02 0.02 0.02	25 25 26 26 25 24 26 25 24 26	630 610 590 650 640 640 630 630	20 18 20 18 16 16 18 16	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	୪୪୪୪ ୫୫୫୫୫ ୧୫୫୫୫	51 50 52 53 61 59 58	0.09 0.07 0.08 0.08 0.08 0.12 0.11 0.10	<10 <10 <10 <10 <10 <10 <10 <10 <10	68 63 64 68 69 71 70 71	<10 <10 <10 <10 <10 <10 <10 <10 <10	4 4 4 5 5 5 5 5 5	Zn 70 71 68 72 75 79 74 70

))))

di/803/788 XLS/95Canamena/4

-

(*.

.

ECO-TECH LABORATORIES LTD. Frank J. Pezzetti, A. Sc. T. B.C. Certified Assayer

)

)

)

Page 8

Ŧ

21-Sep-95

}

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

)

Į

Phone: 604-573-5700 Fax: : 604-573-4557

CANAMERA GEOLOGICAL LTD. AK 95-802 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION; K. HICKS/ J. DUPUIS

3 Rock samples received September 12, 1995 PROJECT #: PD5CA0010 SHIPMENT #: 24 P.O. #: 5705 Semples submitted for T. Deven

Values in ppm unless	otherwise reported
----------------------	--------------------

11111-0	#. Tag #	Au(ppb) 5	Ag 0.2	Al %	As 10	Ba	Bi	<u>Ca %</u>	Cd	Co	Ст.	Cu	Fe %	La	Ma %			•						P.O. # (Sample:	5785 5 subrat	tted by:	T. Dro	uwn		
3	Tr22	5 5	<.2 <.2	0.62 0.27	10 20	25 25	9 V V	0.30 1.46 5.13	র ব ব	2 7 9	60 38 56	4 7 13	2.32 4.61 5.10	<10 <10 <10	0.09 0.35 1.43	189 320 855	4 14 6	0.02 0.01 0.03	Ni 2 2 5	P 120 1500 660	Pb 24 18 12	Sb ৩ ৩ १০	Sn √20 √20 √20	Sr 6 24 434	0.02 <.01 <.01	U <10 <10 <10	V 5 7 36	W <10 <10 <10	Y 11 16 14	Zn 29 40 65

1

1

١

.

OC DAT Respile	&																													
R/S 1	7719	5	-		-	_																								
Repeat: 1	7719	-	52	0.20	-		-	-	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-			
2	7721	5	-	0.29	5	36 -	\$	0.31	4	2	75	4	2.42	<10	0.10	195	з	0.03	3	120	26	6		_				-		-
GEO 95	6	140	1.0	1.50	65	150	<	1.54	а		ē.		-	-	-	-	•	-	-	-	-	-	<20	. 9	0.03	<10	6	<10	12	31
	200								-1	16	54	80	3.64	-10	0.84	608	<1	0.01	25	620	18	⊲5	<20	50	0.09	<10	68	<10	4	70

d1/788

Ę

XLS/95Canamera#4

PCO-TECH LABORATORIES LTD. pcf Realth J. Pezzotti, A.Sc.T. B.C. Certified Assayer

10-Oct-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

-

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-804 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

154 Soil samples received Sept. 12, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 25 P.O. #: 5789

Et 1	#. Tag # 3118	Au(ppb <5	<u>) /</u>	4 52	<u>* A</u>	<u>s (</u>	ła	Bi Ca %	Cd	C/		-												SHIP P.O. (Same	MENT #	: 25				
2 3 4 5	3602 3604 3606 3608	র্থ হ হ হ	< 0 < 7 < 7	2 0.5 4 2.3 2 0.97 2 1.32		5 40 5 20 5 20 5 40 5 6	0 1 5 1 5 < 0 < 5 1	10 1.51 10 0.33 5 0.18 5 0.13 5 0.18		26 7 4 4	37		Ju Fe 39 5.9 8 1.2 21 0.6 1 0.8		La Mg 10 0.2 10 0.10 20 0.15	6 Mn 2 6549 3 93 5 44		10 Na % 7 <.01 1 0.04 7 0.03	1	Ní P 2 2620 4 580 3 740	Р <u>ь</u> 2 4 24		2 Sn 20 20 20		7 0.00 5 0.22		y; T.D V 36 16	rown W 	Y 19	<u>Zn</u> 305
6 7 8 9	3610 3612 3614 3616	ት ት ት ት	6.(<2 0.6 <2	3 5.45 2 1.54 3 1.38 2 0.33	<5 15 65	13: 70 130	; 1: ; :	5 0.98 5 0.68 5 1.01	32 2 2	9 80 16 23	13 25 11	3	4.56 2 6.36 0 6.75	5 <1 <1 <1	0 0.20 0 0.54 0 0.37	35 527 >10000 2357	2	0.02 0.02 0.10	2 10	4 180 0 300 9 870	30 24 14	হ হ হ হ	<20 <20 <20	13 9 11	0.15 0.15 0.18	<10 <10 <10	23 66 84	<10 <10 <10	5 10 3 3	22 48 32 159
10 11 12 13	3618 3620 3622 3624	ት ሌ ሌ	<2 0.8 1.2	0.53 0.87 1.34 1.47	15 15 10 5	50 55 50 130	5 25 15 25	0.15 0.05	√1 2 2	7 12 11	7 3 5 8	1: 1: 4) 3:2	5 13.30 3 2.64 7 8.59	<10 <10 <10	0 0.43	2244 102 116	5 9 2 4	0.02 0.12 0.02 0.02	2x 11 11 30	490 600 360 380	10 14 4 14	\$ \$ \$ \$ \$ \$	78 78 78 78 78 78	32 61 17 9	0.20 0.11 0.30 0.12 0.29	<10 <10 <10 <10 <10	65 83 74 87	<10 <10 <10 <18	24 5 5 5 5	820 242 53 86
14 15 16	3626 3628 3630	9 4 4 4 4 4	28 04 <2	1.37 1.28 0.84	15 15 25	125 63 30	10 36 5	0.34 0.35 0.06 0.09	3 1 2 <1	25 15 16 10	8 6 <1 6	19 28 23 42	12.80 5.74 9.20 3.85	<10 <10 <10 <10 <10	0.02	146 2200 242 241	39 40 26 7	0.02 0.05 0.11 0.01	17 15 30 9	320 730 520 240	18 14 12 38		8 8 8 8	13 37 51	0.25 0.23 0.19	<10 <10 <10	186 115 110	<10 <10 <10	ব ব ব	160 127 108
17 18 19 20	3632 3634 3636 3638	ት	1.0 2.4 <.2 2.4	1.96 2.46 1.66 1.37	5 5 15 20	55 75 75 90	20 35 20 20	0,11 0,15 0.02 0,52	2 2 4 <1	14 19 9 8	10 11 13 13	30 23 30	7.10 11.30 8.61	<10 <10 <10	0.15 0.12 0.05	137 236 296	44 8 5 31	0.02 0.02 0.03	30 18 14	240 340 470	4 14 28	°ব বি ধ	42 √20 √20 √20	13 9 19 20	0.61 0.18 0.45	<10 <10	148 218 162	<10 <10	2 1 2	87 187 151
21 22 23 74	3640 3642 3644	\$ \$ \$	<2 <2 94	1.94 1.58 6.91	15 45 15 5	60 95 50	15 35 15	0.18 0.56 0.16	1 2 1	11 13 9	7 10 10	27 24 19 23	10.30 7.68 13.90	<10 <10 <10	0.09 0.19 0.09	46 109 250	29 12 29	0.02 0.04	19 10 11	330 190 410	28 10 12	\$ \$ \$	√20 √20 √20	4 37 35	0.65 0.17 0.11 0.18	<10 <10 10 <10	159 114 161 83	<10 <10 <10 <10	1 <1 <1 <1	72 227 153 110
5.	3648	ধ ধ	1.0 <2	2.52 0.80	' শ্ব গ	7 88 55	40 15 30	0.14 0.17 0.14	1 1 <1	11 11 15	21 21 10	·20 41 14	5.27 10,30 7.84 3.46	<10 <10 <10 <10	0.16 0.09 0.15 0.13	91 140 878 113	18 6 17 <1	0.02 0.05 <.01 0.03	12 5 14 6	280 250 420 1460 250	40 12 36 14 12	<i>ব</i> ব ব ব ব	20 √20 40 √20 √20	33 17 23 19 17	0.33 0.15 0.26 0.09 0.58	<10 <10 20 <10 10	118 162 49 133 195	<10 <10 <10 <10 <10	く く く く く く く く く く く く く く く く く く く	232 157 49 211 32

1

ECO-TECH LABORATORIES LTD.

E	t#. Tag	# <u>Au(p</u>	pb)	Ag A	1 %	٨c	Π.																		ECO	ТЕСН	ABORA	TORIES	SLTD.		
2	6 365 7 365	0 <5		2.0 1	.82	25	90			<u> </u>	1 Co	<u> </u>	r(u Fe	%	a Mg	% Mr		0 10-	~											
2	8 365	4 <5		5.0 6 1.4 a	6.40	20	80	1	0 0.02	2 3	: t 3 15	i 15 5 34	5	25 4.0)6 <·	0 0.1	1 140		22 0.0	76	9 94	Pb	5	b St		ir ni	6	<u>u</u>	/ w	,	/ 7 -
2	9 365	s <s< th=""><th></th><th>2.2 7</th><th>.57</th><th>30 15</th><th>180 170</th><th>1</th><th>5 0.01</th><th>1</th><th>14</th><th>27</th><th>· ·</th><th>+0 11.(33 7.4</th><th>4 <</th><th>0 0.3</th><th>8 1258</th><th></th><th>18 0.0</th><th>11 1</th><th>8 550</th><th>) 22</th><th>4</th><th>o <20 5 <>r</th><th>) 1)</th><th>2 0.1</th><th>5 <1</th><th>0 159</th><th>) <10</th><th>1</th><th>131</th></s<>		2.2 7	.57	30 15	180 170	1	5 0.01	1	14	27	· ·	+0 11.(33 7.4	4 <	0 0.3	8 1258		18 0.0	11 1	8 550) 22	4	o <20 5 <>r) 1)	2 0.1	5 <1	0 159) <10	1	131
3	. 3656	t <5	(0.6 3.	.64	<5	90	2	0 0 <u>06</u> 0 006	া বা	16	23		7 10.1	0 <	0 0.6	7 606 9 1 <i>0</i> 33		14 <.0	1 3	4 420	18	<	5 <20	, i	4 <.0	8 <1. 1 <1.	ີ 112 ຄ. ⁊ດ	2 <10	<1	360
3	3660	<5	ſ	1.4 2	00		_				12	21	3	2 9.8	4 <1	0 0.0	9 396		4 < 0	22	9 1200 8 1160	12	<	<20	•	9 0.0	2 <10) 114	<10 <10	<1	353
3.	2 3662	<5		0 5	39	15 10	70 65	1:	5 0.06	2	11	16	з	3 7.5	5 <1	n 044					• 110 <u>0</u>	14	<	> <20	1	0 0.2	3 <10) 153	<10	<1	465 94
34	3664	<5	*	.2 1.	29	10	55	1: 2	0.17	2	13	32	2	7 11.9) <1	0 0.17	3 122 7 286	1	3 0.02	2 1	6 290	10	<5	<20		3 0 19	10	1 150			04
35	3668	9 <5	2	2 4.3	37 ·	10	70	15	0.06	2	- 22	8 25	2	5 5.06	5 <1	0.95	579		1 U.U4 8 0.17	1 1/ 7 1/	3 500	34	<5	20	1	0.20	<10	1.59	<10 <10	<1	165
				.z 1.6	- 64	45	160	15	0.28	1	16	- 20	- 3. 1)	5 10.90 7 3.92		0.15	172	2	0 <.01	17	7 340	20	10	<20	56	0.44	<10	130	<10	6	190
30	3670	<5	0	4 1.5	52 2	25	60	5	0.10		~	·.			1	0.55	1/2	<	1 0.09	1:	2 570	4	Ś	<20	30	0.06	<10	103	<10	<1	182
38	3674	\$ <5	1.	6 1.6 0 1.7	1 4	ю	70	10	0.08	1	10	7	37	5.60	~1(0.35	156	3	3 0.03	35	470	~	_			0.20	~10	131	<10	3	43
39	3676	<	<,	2 1.0	v < 1 3	5	90 20	15	0.04	2	12	10	22	6.95	<10	0.45	122	68	0.03	46	690	18	<5	<20	15	0.08	<10	90	<10	<1	269
40	3678	\$	0.	6 1.5	5 <	5	55	25	0.03	7	5	7	49	4.68	<10	0.04	248 62	18	3 0.01	18	230	22	<5	20	16	0.10	<10	102	<10	<1	257
41	3680	<5	1.	1 5 E		-			0.40	'	18	10	24	5.96	<10	0.65	307	6	0.12	20	310	8	<5	<20	7	0.04	<10	119	<10	<1	113
42	3682	<	1.6	5 290	; ;) ~	5	75 40	30	0.56	2	17	24	34	> 15	<10	0~				~~	650	14	45	<20	47	0.35	<10	107	<10	3	422
43 44	3686	<5	20	6.40		5	65	20 25	0.10	4	14	16	38	10.80	<10	0.14	694 414	20	0.07	15	1440	12	<5	<20	32	0.12	<10	122			
45	3688	\$ \$	3.6	i 4.42	2 4	5	75	30	0.04	3	12	29 31	31	> 15	<10	<.01	431	15	<.01	23	440	32	\$	<20	9	0.29	<10	82	<10 <10	<1 15	136
46	2000		0.0	1.00	, 16	, 1	75	10	0.30	5	12	16	28	8.35	<10	0.11	494	12	<.01	14	410	28	ন্থ ক	20	6	0.18	10	84	<10	<1	131
40	3690	<5	5.8	2.62	10		70	10	0.08	3	10				-10	0.00	407	14	<.01	17	850	22	<\$	20	20	0.23	<10	96 DE	<10	<1	216
48	3694	7 47	<.2	1.05	5	4	45	10	0.25	1	14	16 7	44	7.01	<10	0.22	913	14	0.03	11	780	40				0.,,	10	30	<10	11	288
49 50	3696	\$	0.4	249	10	5	50 15	10	0.09	<1	7	9	15	4.52 3.44	<10 <10	0.49	182	7	0.07	14	390	6	জ	<20 <20	14	0.10	<10	157	<10	<1	197
30	3098	<5	0.6	3.52	25	11	5	15	0.03	1	7	12	31	6.12	<10	0.05	-350 -96	3	0.02	6	580	38	<5	40	29	0.20	<10	143	<10	1	96
51	3700	<5	0.2	3.23	-	-				•	10	27	41	11.00	<10	0.24	133	21	0.04	10	320	6	<5	<20	4	0.08	<10	42 144	<10 <10	6 <1	78 53
52 53	3702	<5	1.6	5.27	25	8	0 0	15	0.07	<1	12	20	43	7.22	<10	0.24	500	_			0.00	10	\$	<20	14	80.0	<10	156	<10	<1	457
54	3706				~		υ U	ක	0.09	2	14			0.13	<70	0.12	125	-	0.02	10	~~~~	11	\$	<20	9	0.21	<16	1/3		-	
55	3708	<5	5.0 0.8	3.48	<5	7	0	25	0.26	2	14	13	32 10	12.60	<10	0.12	144	15	0.02	14	1650 220	28	\$	<20	13	0.08	<10	74	<10 <10	2	98
50	\$700				33	110	Ц	<5	0.05	3	16	12	90	6.78	<10 <10	0.25	202	2	0.08	8	440	26	<5	<20 <20	16	0.27	10	149	<10	<1	171
57	3710	<5	<2	2.33	55	175	5	15	0.93	3	~~				10	0.17	643	56	<.01	107	750	52	<5	20	34 9	<.01	<10 <10	80 47	<10	1	76
58	3711	2 19	<2 8.0	0.61	10	65	5 :	20	0.15	1	22 14	45 5	36 23	6.82	<10	1.12	1575	17	0.04	48	840	10	*		_		-10	47	<10	10	713
59 EX	3712	<5	1.0	2.09	10	40	, ,	5 20	0.03	<1	5	17	25 21	4.02 6.16	<10 <10	0.22	150	19	0.05	13	340	10	ধ ধ	<20 <20	59	0.07	<10	78	<10	11	304
	3/13	<5	1.0	3.84	30	65		5	0.02	2	12	14	32	9.64	<10	0.21	334 132	10	0.03	12	620	38	<\$	20	(5 5	0.43	<10	155	<10	5	104
										ſ	c	22	87 1	1.20	<10	0.48	225	66	<.01	15 72	430 560	22	<5	<20	16	0.23	<10	123	<10 <10	3	138
																					~~	20	S	<20	6	0.06	<10	95	<10	<1	528
				-																											

)

)

)

2000 2007

. . . * . .

Ē	t#. 51	Tag # 3714	Au(ppt	2	Ag Al	%	15	Ba	Bi Ca	6 C4	6.														EĈ	D-TECH	LABOR	VATORI	ES LTD,		
6 6 6 6	52 53 54 55 6 7 8	3715 3716 3717 3718 3718 3719 3720 3721	ነዓይ ይይይ	4 5 4 1	 <.2 1. 1.6 3. 2.8 3. 1.2 2.0 1.4 5.4 1.4 5.4 1.6 6.5 1.6 3.7 	05 27 88 52 49 10 60 3 7 <	5 20 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	45 75 70 95 25 20	35 0.0 15 0.0 30 0.0 15 0.2 10 0.5 0 1.03	7 1 2 2 3 2 7 2 1 7 36	18 10 13 23 37 36	12 21 27 9 19 31	3312	24 Fe 9 25 5,11 33 9,61 31 > 15 8 8,85 8 6,55 1 7,63		a Mg 10 0.0 10 0.4 10 0.0 0 0.0 0 0.1 10 0.3	% M 13 6, 18 17, 13 36, 1 103, 4 2410, 7 >100,000,	n 1 9 : 0 1	Io Na <1	% 11 12 33 33	NI 6 2 42 3 10 3 7 13 34 7	P 1 60 - 20 : 90 1 90 2	26	sb s ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব ব		Sr Ti 6 0. 4 0. 10 0. 17 0.1 29 0.	% 60 < 07 < 18 04 < 13 <	U 10 1: 10 1: 10 1- 10 4	V V 25 <11 25 <11 25 <11 23 <11 23 <11 23 <11	V 0 < 0 < 0 < 0 :	Y Zn 8 34 1 257 1 107 3 65 7 605
66 70 71 72 73		3722 3723 3724 3725 3726	ନ୍ୟର ବ୍ୟନ	4. 2. 8. 4 1.	2 4.0 6 2.4 2 2.6 2 2.0 4 7.3 1 3.6	2 3 8 2 8 2 8 2 8 2 9 15 3 0 15	5 11) 9 5 7 17 10	5 1 0 5 1 5 1	0 0.18 5 0.03 0 0.09 0 0.03 0 0.03	3 5 1 2 2 2	12 9 6 8 8	20 44 20 23 25	22 53 46 37 31	3 9.13 3 7.82 5 8.20 7 7.96 8.20	বা বা বা বা বা	0.30 0.30 0.05 0.05 0.05	193 193 242 73 134	22	1 0.01 8 0.03 3 <.01 4 0.01 4 0.01		38 166 12 37 15 47 8 83 15 59	80 1 10 2 10 1/ 0 1/ 0 1/		5 <20 5 <20 5 <20 5 <20 5 <20 5 <20) 6 2 1) 1) 1)	5 0.1 2 0.1 9 0.0 2 0.0 3 0.1	13 <1 9 <1 9 <1 4 <1 4 <1	0 7 0 16 0 9 0 13 0 12	1 <10 3 <10 7 <10 7 <10 8 <10	34 ব গ ব ব	1640 198 702 98 226
74 75 76 77 78	3 3 3 3 3 3	8727 8728 7729 730 731	<u>ଜଜଜ</u>	2.8 4.6 5.4	8.74 8.74	255 10	12: 10: 70 685 95	5 1: 5 1: 1: 1: 1: 1: 1:5	5 0.35 1.88 0.08 1.44 0.04	8 2 <1 39 2	27 9 7 157	25 10 31 18	54 39 22 32 30	8.12 7.85 2.94 7.42 > 15	<10 <10 <10 <10 <10	0.10 0.41 0.09 0.17 <.01	140 1337 99 154 >10000	28 15 1 9	0.02 0.04 0.03 0.03	233	2 1000 3 570 2 670 2 370	0 10 10 10 18 18 12 24	\$ \$ \$ \$ A	ବ୍ୟୁ ବ୍ୟୁ ବ୍ୟୁ ବ୍ୟୁ ବ୍ୟୁ	16 26 112 8	0.00 0.10 0.10 0.20 0.07	8 <1 6 <1 6 <1 6 <1 6 <1 7 <1) 176) 184) 76) 75) 44	<10 <10 <10 <10 <10	<1 3 8 8 1	216 268 548 102 151
79 80 81 82 83	37 37 37 37	732 :: 733 734 735	44 44	2.4 7.2 4.4 4.0	2.68 6.11 3.99 7.01	10 <5 30 40 <5	80 90 145 135 70	5 30 10 5	0.04 0.19 0.03 0.01	422	11 17 8 5	22 32 13 42 26	42 58 31 75 44	12.00 > 15 13.60 13.70 8.55	<10 <10 <10 <10	0.07 < 01 0.35 1.12	135 316 200 532	19 18 11 27	0.02 - 0.02 - 0.07 0.07 0.02	12 12 7 9 18	400 470 610 1180	√2 12 28 26 2	<u>ዓ</u> ዓ ዓ <u>ዓ</u> ዓ	ବ୍ୟ ସ୍ ବ୍ୟ ସ୍ ସ୍ ସ୍	112 12 11 25 8	0.11 0.13 0.16 0.34 0.02	<10 10 <10 <10 <10	116 140 82 81 207	<10 <10 <10 <10 <10	17 T 18 T T	2143 107 95 58 382
84 85 86 87 89	37: 37: 37: 37:	37 37 38 39 40	00 00	3.6 0.6 8.8 5.4 4.6	6.20 3.69 6.66 7.98 5.59	20 \5 10 25 25	135 115 85 70 95	10 40 10 20	0.03 0.07 0.15 0.22 0.01	1 3 4 6 2	12 12 15 19	43 26 22 36 31	25 71 51 88 55	> 15 12,70 > 15 6,28 9,82	<10 <10 <10 <10 <10	0.02 0.38 <.01 0.48	87 188 338 82 3479	28 14 20 34 10	0.02 0.02 0.02 0.02 0.02 0.05	11 7 18 10 23	460 690 830 870 2050	14 36 10 28 14	<u> </u>	<20 40 20 40 20 40 20	5 8 11 14 19	0.04 0.17 0.06 0.35 0.35	<10 20 <10 30 <10	164 80 144 278 103	<10 <10 <10 <10 <10	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	114 97 285 148 292
80 90 91 92 93	374 374 374 374	12 13 14 5	ୁ ଜ ଜ ୁ କ ଜ ଜ	2.4 0.2 4.0 <2	3.66 1.33 4.91 1.68	10 15 10 10	105 45 110 45	5 5 15 15 15 10	0.02 0.02 0.25 0.08	* <1 1 3	8 7 12 12	22 16 10 33	52 60 22 43	11.40 7.75 9.65 3.98 > 15	<10 <10 <10 <10 <10	0.11 0.19 0.15 0.40	749 191 157 167	19 15 20 12	0.02 <.01 0.02 0.02 0.07	10 11 8 9	520 1120 680 850 470	40 10 14 8 6	<u>ዓ</u> ዓ ዓ ዓ ይ	<23 <24 <24 <24 <24 <24 <24 <24 <24 <24 <24	2 12 8 6 22	0.04 0.03 0.01 0.03 0.16	<10 <10 <10 <10 <10	64 110 98 123 174	<10 <10 <10 <10 <10	55550	296 120 140 103
94 95	374	7 . B .	9 9 9 9	5.4 2.4 1.8	2.25 2.63 4.35	25 25 35	: 15 15 15 15 15 15 15 15 15 15 15 15 15	2 ସ ସ ସ	0.12 0.02 0.03	2 3 2 1	10 9 12 7	9 10 17 1 13	34 50 05 68	5.69 6.55 > 15 7.16	বা0 বা0 বা0 বা0	0.13 0.34 <.01 0.09	543 130 327 233 172	37 21 53 160 55	<.01 0.02 0.04 <.01 <.01	20 21 41 97 56	590 320 670 1060 910	22 10 14 30 28	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	ଧ୍ୟ ଷ୍ଟ ଷ୍ଟ ଷ	13 14 22 10 6	0.03 0.12 0.05 <.01 0.02	10 <10 <10 20 <10	201 208 118 220 84	<10 <10 <10 <10 <10		208 159 177 558 321

))))))))))))))))))))

Page 3

×

.

)

,)

)

)

	Et#	. Tag #	Auroph			_																				ECC)-TECH	LABOR	TORIE	SITD		
	96	3749			19 Al 7	A	<u>s</u> B	a i	Bi Ca%	Cd	6	· · ·																		PEID.		
	97	3750	~3	1	.0 3.88	4	5 9	5	000					u Fe	6 1	La Mg	% N	ln.	Moa	N- #/												
	99	3764	<5	<	.2 3.65	2	0 10	1 3		2	1.	4 5	1	21 >1	5 <	10 0	60 6			14 70		<u>р</u>	Pb	_ S	b S	'n	Sr Ti	ч.				
		3/31	<5	<	2 4.85	1	0 5		0.07	2	2	2 31	2	8 >1	5 <3	10 0			23	0.03	13	540	20	~~~~	5 2	n	6 0	()		<u>/</u> W	Υ	' Zn
	59	3752	<5	1.	2 414		6 12	4	0 0.18	1	24	12		4 11 0			30 70	6	26	<.01	16	620	30	_			o U.	12 <1	0 10	4 <10	<1	
	100	3753	<5	0	8 270		5 100	/ 3	0 0.02	3	18	1 47	-	- 11.0	1 <1	U D,	50 63	11	2 (0.03	8	500	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		2 <4	10	8 Q.	17 <1	0 15	3 <10		80
-	·		· · · · · ·	Q.	0 3.79	<	5 65	j 2	5 0.03	2				1 > 1	ō <1	0 0.	51 64	8	23 (603			24	<		0 1	5 Q.(3 <1	1 104		<1	95
	101	3754					• •			-		35	1	9 14,80) <1	0 0.0	19 38	5	<u> </u>	0.03	12	570	20	<	i <2	0	4 01	3 -1			11	61
	100	2765	5	<.	2 4.17	<	5 75	- 74	5 014								00	•	ia (0.04	5	370	42	<	4	n	3 01		110	<10	<1	84
	104	3/30	<5	<	2 241	đ	140		0.14	1	16	15	2	0 866	-1	0 0-		-								•	J 0.1	9 <10	27	<10	<1	69
	103	3756	<5	<	2 200	~		2	0.07	2	14	20	2	2 1 4 5			0 31	3 .	<1 (0.02	6	540	22	~6		-	-				-	
	104	3757	<5	-	2 200	2	80	20	0.18	2	13	16	~		<1	0 0.1	3 38	1 :	24 <	<.01	10	820	~	0	<2	1	2 0.5	0 <10	99	<10	-	
	105 -	3758	<5		2 3.99	- 55	105	- 25	0.01	2	- 22	70	2	11.70	<1	0 0.1	0 1291		14 0	102		030	20	<5	\sim) 1	2 0.1	9 <10	122	-10	э	50
			~	0.4	4.35	- 25	- 95	15	0.05		23	/5	- 37	14.20	<1(0.8	9 1230		24 0			2090	16	ৰ ব	~) 1	7 0.0	8 -10	120	<10	<1	ଗ
	106	9760	-						0.00		14	70	32	13.40	বা	0 0 5	1 22		~ U	1.01	30	670	18	ব	\sim)	5 0.0		29	<10	<1	63
	107	5759	<⊅	0.6	5.23	35	70	40									1 32		มป	1.02	20	620	20	<5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		, u.u	> <10	117	<10	<1	154
	107	3760	<5	<.2	4.78	25	400	10	0.03	1	27.	35	26	0.00										~	~24	r	0.0	10	117	<10	<1	100
	108	3761	<5	< 2	2.05	20	105	20	0.04	1	12	42		0.23	<10	0.4	1842	! 1	3 <	.01	17	1370	20	-							-1	103
	109	3762	<5	- 2	2.00	0	85	- 25	0.59	2	19	10	29	13,80	<10	ι ο.α	2 538	2	n 0	3		2000	30	<5	<20	<	0.0	<10	44	-10		
	110	3763	-	24	2.26	10	85	25	0.10	2	13	10	18	10,80	<10	0.1	566		2 0			2080	23	-5	<20	1	0.00	<10		10	17	157
			-	1.2	5.47	- 35	95	15	0.02	~	34	13	23	6.25	<10	0.11	775	•			6	3790	12	-	<28	36	0.14	-10	51	<10	10	ରୀ
	111	~ ~~ (0.03	<1	13	8	17	8.65	<10	0.00	000		1 10	.02	7	1410	20	~	-20	44	0.30	<10	139	<10	<1	27
		3/64	\$	0.2	1.03	30	60	-							-10	W.02	- 22	1	3 01	.01	3	940	47	~		11	0.30	<10	76	<10	2	46
	112	3765	<⊅	02	1.61	-	50	5	0.02	3	8	4		0.00									-	-	5	4	0.07	<10	26	<10	20	
	113	3766	≪5	- 2	1.01	0	160	23	0.21	2	40	4	14	0.02	<10	0.02	980	12	2 01	64	2	4 400									20	12
	114	3767	-6		2.32	-	100	20	0.13	2	44		10	15,00	<10	0.29	4145	*	1 01	ne		1430	22	-5	<20	4	<.01	<10	33	-10		
	115	3768	2	< <u>z</u>	265	10	95	20	0.07	-			18	13.20	<10	0.11	250				2	2010	8	<5	<20	32	0.04	-10	400	<10	4	72
		2700	0	<2	2.81	<5	20	20	0.07	2	8	· 3	8	11.60	<10	0.05	450	14	, m	2	7:	1120	8	5	.00	49	0.04	10	108	<10	з	87
	440							20	0.02	2	12	16	22	> 15	~10	0.00	103	16	5 0.0	03	3	1190	20	~	~~~~	1.0	0.00	<10	135	<10	<1	40
	116	3769	\$	<2	276	~							-	- 10	10	11.08	285	- 28	i 0.0	71	8	1200	10	2	<u>_</u>	12	0.05	<10	142	<10	<1	20
	117	3770	ৰ্ব্য	< 2	1.05	20	75	10	0.25	2	25	17	~										10	0	<20	7	0.05	20	115	<10		~
	118	3771	-	- 2	1.65	4	85	15	0.06		10	477	21	7.55	<10	0.44	1575	9	0.0	15		-								-10	~ (63
	119	3772	-	~~	3.86	<5	40	30	0.04	2	10	17	-14	7.52	<10	0.05	175	ē		2	<u>11</u> ;	2060	16	<	<20	21	ń 10	-10	~			
	120	9772	-	×2	3.37	<5	110	40	0.24	~	10	- 14	27	12.40	<10	< 01	224		-50	n	6	310	14	<5	<20	44	0.10	-10	91	<10	7	69
	State Mar	0113	\$	<.2	3.03	140	61	-	0.21	4	19	15	27	> 15	c10	< 04		14	0.0	3	5	390	40	65	. 40		0_21	<10	141	<10	<1	29
a a	1.1.1	2						25	0.03	1	20	14	23	14 20		201	259	- 15	0.0	2	11	510	54	~	-	3	0.26	<10	50	<10	8	63
	121	3774	\$	< 2	3 06	10	-					<i>s</i>	~~	14.20	<10	0.17	1532	36	<0	n' -	10	010	~	-	40	16	0.50	30	92	<10	~1	60
	122	3775	5	~ 2	3.00	10	80	30	0.04	1	14	-	~							•		410	Þ	4	<20	5	0.06	<10	115	<10	-1	38
	123	3776	-	~	2.53	<\$	75	15	0.06		17	31	30	13,10	<10	0.36	520	12	- 04	· .											8	87
	124	1777		<.2	2.18	5	55	10	0.02	2	12	35	22	8.09	<10	0.48	200	13			18	430	30	<5	<20		0.40	-10				
	126	5177	<⊅	<.2	2.96	10	70	20	0.03	1	8	25	19	6.83	~10	0.97	200		0.02	2 1	16	530	16	-5			0.15	<10	100	<10	<1	63
	:20	3/78	S	<2	642	10		30	0.09	3	13	17	25	14.00	-10	U.3(282	8	<.01	1	14	960	10	~	201	11	0.19	<10	137	<10	<1	A.A
		2				10	140	10	0.25	2	48	149	67	0.75	<10	0.09	551	23	0.03	3.	9	000	10	-	<20	9	0.05	<10	90	<10	~	56
· ·	126	4011	<5	-0								1.40	01	6.72	<10	2.38	1273	5	0.00	2 .	~	000	463	\$	<20	14	0.13	<10	70		~1	33
	127	4012	ž	~~	2.43	<5	70	5	0.36	~	•							•			24	610	8	10	3 0	17	614	-10	100	10	<1	76
	128	1/112	2	<2	2.50	5	85	20	1 19	-1	5	76	16	3.04	<10	105	310			_					-	••	v. 14	210	120	<10	8	90
	100	4013	<\$	<.2	2.88	<5	120	~	1.10	1	24	54	19	4 39	-10	4.40	310	1	0.05	5 5	9	600	8	10	~	-						
	123 4	4014	\$	<2	271	-		-0	0.48	1	37	115	47	634	-10	1.42	788	<1	0.26	6 6	2	660	8	40	~~~	58	0.05	<10	43	<10	6	50
	130 4	1015	-5	< 2	7 43	2	90	15	0.58	4	31	115	34	0.34	<10	1.81	1545	4	0.04	1 12	7	890	40	10	<20	144	0.35	<10	73	<10	41	67
					4 -)	0	70	10	0.50	1	30		31	4.87	<10	1.81	1262	2	0.09	44		7000	12	5	<20	89	0.07	<10	57	~10		97
	•									•		97	13	5.03	<10	1.74	1643	~	0.00			120	14	15	<20	88	013	-10	~	10	9.	141
																	1010	~1	0.11	9	8 1	540	6	5	20	66	0.10	-10	63	<10	11 1	121
																								•		00	0.15	<10	57	<10	5	105

3 J j

...

`

.)

Et 4	4016	Au(ppb	<u> </u>	g Al %	A	s <u>B</u> a	<u> </u>	Si Ca%	Cd	Co	C *			_											ECØ-	TECHL	ABORAT	ORIES	LTD.		
132 133 134 135	4017 4018 4019 4020	ራ ራ ራ ራ		2 2,57 2 3,08 2 2,85 2 2,50	4 4 4 A	5 420 5 80 5 145 185 130	10	5 1.74 5 0.60 0 0.95 5 1.31 5 1.23	5 <1 2 2 1	294 25 31 31 27	21 62 72 78 66	1 4 4 6 3	9 14.0 3 4.8 6 5.2 2 4.9 5 5 3		a Mg 1 0 0.0 0 1.1 0 1.4 0 1.6	6 Mn 9 >10000 5 1137 5 1539 5 1278	1	0 Na 9 9 0.00 4 0.00 5 0.04 4 0.04	5 5 5 7 4 11 4 13	NI 91 17 76 19 18 8 16 9	P 770 310 140	Pb <2 10 10	Sb 5 5 10	\$n 	196 103 151	r TI % 3 0.16 3 0.08 0.06	U <10 <10 <10		/ W <10 <10 <10		21 223 94
130 137 138 139	4021 4022 4023 4024	444	0.1 0.2 < 2	2 2.60 2 2.59 2 2.47	10 <5 5	115 120 95	< 10	1.05 0.64	2 2	30 41	94 68	59 27	5.43 6.42	<10) 1.64) 1.83	1595 1332		1 0.11 5 0.03	11	1 7: 9 100	50 20	4	10	<20 <20	197 183	0.04	<10 <10	50 57	<10 <10	9 9 5	198 216 194
140 141	4025	র ম ম	<2 <2	2.57 2.40	\$ \$	190 135	15 20	0.72 1.41	1 2 3	30 43 29	83 64 27	52 34 36	5.40 6.12 4.01	<10 <10 10	1.62 1.25 1.18	2648 1162 3629 676	5 5 5	5 0.06 5 0.02 5 0.08	91 11- 91	7 85 4 92 1 91	50 20 1 10	24	হ হ হ হ হ হ হ	√20 √20 √20	130 130 59 142	0.02 0.07 0.03 0.12	<10 <10 <10	49 48 45	<10 <10 <10	5 6 5	204 155 134
142 143 144	4027 4028 4029	প্ প্ প্ প্ প্ প্ প্ প্ প্ প্ প্ প্ প্	2 <.2 2.8 2.4	1.87 2.27 2.57 3.67	ትልልል	90 115 230	ধ্ ধৃ ১	0.26 0.26 1.72	<1 <1 2	18 23 26	45 96	15 44 20	3.64 4.68	<10 <10	0.76 1.74	986 874	4	0.06	44 52 130	• 97 ? 64	10 10 1	4 : 2 •	10 ·	<20 <20	192 42	0.34	<10 <10	52 67 35	<10 <10	10 25	145 111
145 146	4030	ধ ধ	<2	0.92	4 4 4	225 70	<5 25	2.41 0.46	2	42 25	23 12	29 38 13	3.20 2.54 3.90	10 30 <10	1.05 0.30 0.69	8459 5195 1086	ন 2 ব	0.21 0.07 0.10	45 47 14	/4 114 174		2 .<	5 5 5	<8 8 8 8 8	53 212 334	0.03 0.19 0.05	<10 <10 <10	50 51 25	<10 <10 <10	7 4 18	66 128 95
147 148 149	4032 4033 4034	ቆቆቆ	1.0 2.4 1.4	2.36	7 V 10 V	170 235 260	25 10 √5	2.01 0.64 2.73	1 2 3	59 32 49	13 45 26	21 23	4.91 5.15	<10 <10	1.70 0.86	3794 6927	ন 5	0.37	31	910	, 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1 , 1		5 5	<20 <20	38 247	0.58 0.46	<10	115	<10	10	137 40
151	4036	ধ্য ধ	1.4 0.6	2.62	8 8 8	305 435 205	5 10	1.92 0.99	3 2	32 50	25 64	30 41	3.79 6.26	20 <10 <10	0.58 0.62 1.13	8064 4951 9734	4 3 5	0.06 0.06 0.04	70 93 156	2020 1600		V 12 V	5	<28 <28 <28	103 362 305	0.05 0.05 0.06	<10 <10 <10	47 28 34	<10 <10 <10	3 18	69 207 153
152 153 154	4037 4038 4039	\$ \$ \$	<.2 1.6 0.4	2.53 2.77 2.34	> 5 10	230 115 310	\$ \$ \$ \$ \$	1.44 0.35 1.67	1 2 5	40 38 47	13 14 32	12 85 45	5.93 5.82	<10 <10	0.42 1.94	5013 1195	4 7	0.08 <.01	32 164	1750	6	4		<20 <20	166 208	0.05 0.09	ব0 ব0	57 45	<10	7	207 296
							5	0,57	3	34	74	56	5.04	<u>م</u> 10	0.96 1.23	6079 1639	3 6	0.18 0.01	99 118	1200 1210	10 12 16	10 45 45		20 20 20	54 213 95	<.01 0.17 0.02	ব0 ব0 ব0	52 60 45	<10 <10 <10	2 33 5	212 179 281

.

) , ,

Page 5

1

X.

1

. =	Et#. Tag#	Au(ppt) A	g Al%		s . 8=																		ECO-	ТЕСН U	BORAT	ORIES	LTD		
<u>C</u>	C DATA:	. <u>1</u> .					-		Cd	Co	<u> </u>	<u> </u>	u Fe	<u>× L</u>	a Mg 9	<u>Mn</u>	M	o <u>Na X</u>	61	<u>Vi p</u>	Pb	St	<u> </u>	\$	r_Ti%	<u>U</u>	v	W	Y	Zn
	13118 10 3618 19 3636 28 3654 36 3670	ঁ ওওও ওওও ও	1: <: 1.4 0.6	2 5.66 2 0.82 2 1.83 4 5.07 5 1.58	5 20 20 30 15	5 415) 50) 95 190 75	V X 10 V	5 1.56 0 0.04 0 0.54 5 0.01 5 0.10	3 1 1 1 2	29 10 9 15 8	40 5 14 29 8	4 4 2 8	0 6.3 2 8.4 7 10.3 6 7.7 1 5 8	2 <10 4 <10 0 <10 1 <10	0 0.27 0 0.06 0 0.12 0 0.60	6785 100 61 649	40 	\$ <.01 \$ <.01 \$ 0.02 \$ <.01	70 22 11 33	6 2640 7 360 1 210 3 450	2 16 8	\$ \$ \$ \$	<20 <20 <20	290 7 39	0.06 0.26 0.12	<10 <10 <10	39 142 168	<10 <10 <10	19 <1 <1	313 155 156
4 5 - 6	15 3688 54 3706 33 3716	\$ \$	0.4 5.2	1.86 3.74	5 <5	165 75	15 25	0.29 0.28	6 2	11 15	16 14	27	8.10	<10	0.05	166 391	38 13	0.03 <.01	40) 490 8 890	22	3	<20 <20	3 20	0.01 0.09	<10 <10	82 103	<10 <10	<1 <1	367 280
7 8 8	1 3724 0 3733	999	< <u>2</u> 7.6	3.82 2.03 6.15	<5 20 40	75 170 145	30 10 20	0.03 0.02 0.03	223	13 7 8	27 24 42	24 31 30 74	9.14 > 15 8.20 13.60	<10 <10 <10 <10	0.30 0.02 0.08 1.12	215 352 96 542	4 16 18	0.09 0.01 <.01	10 10 14	480 380 300	20 30 18 10	ሌ ሌ ሌ ሌ	√20 √20 √20 √20	19 35 11 8	0.17 0.38 0.20 0.06	<10 <10 <10	92 88 137 170	<10 <10 <10	11 2 51	275 84 105
9	8 3751 6 3759	থ থ থ থ	20 <2	3.69 5.27 5.04	15 <5	105 60	10 40	0.02 0.19	2 2	8 26	16 14	61 25	10.20	<10	0.14	163	20	<.01	19 9	1200 870	4	.<5	<20	6	0.01	<10	204	<10	<1 <1	213 385
11 12	5 3768 4 3777	\$	<2 <2	2.72 3.07	36 10 20	65 65 75	ళ 25 25	0.02 0.02 0.10	<1 2 2	24 12 13	31 16 18	2 22 22	9.03 > 15 14.80	<10 <10 <10 <10	0.55 0.95 0.08 0.11	696 1799 264 571	4 11 24	0.03 0.02 <.01	9 14 7	590 1290 1180	28 28 10	ቆሌሌሪ	√20 20 √20	6 15 3 8	0.02 0.65 0.02 0.05	<10 <10 <10 20	129 213 40	<10 <10 <10	<1 10 15	104 67 152
14 15	4026		04 <2	3.39 1.81 2.65	ণ্ড থ	155 85	5 10	1.05 0.26	2 <1	35 17	76 43	53 14	5.50	<10	1.47	1570	∠ı 5	0.03	9 125	940 860	48 14	<5 10	<20	16	0.14	<10	71	<10	<1 <1	61 76
Sta GEC	Maru: 195	145	1.2	1.58	دی ۲0	430	5	0.98	3	50	67	42	6.30	<10 <10	0. 73 1.17	955 9618	4 6	0.06 0.04	48 160	640 1560	10 10	5 5 5 5	~20 <20 <20	167 41 162	0.06 0.05 0.05	<10 <10 <10	55 34 57	<10 <10 <10	11 7 7	200 66 302
GEC GEC GEC GEC GEC	1925 1925 1925 1925 1925	150 150 150 145	12 12 10 14 12	1.63 1.61 1.64 1.63 1.66	70 70 65 70 65 70	150 160 165 155 170 155	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1.57 1.70 1.68 1.59 1.74 1.62	र र र र र र	17 17 17 18 19 18	53 62 63 6	83 94 95 85 83 87	3.74 3.78 3.80 3.78 3.80 3.89	40 40 40 40 40 40 40	0.84 0.82 0.84 0.90 1.02 0.88	620 630 620 614 638 653	~~~~~	0.01 0.02 0.02 0.02 0.02 0.02 0.02	25 24 25 25 24 28	640 640 660 630 670 670	16 18 18 20 18 18	5 5 5 7 10 10 10	8888888	52 64 62 65 60 53	0.10 0.12 0.11 0.12 0.12 0.12 0.10	<10 <10 <10 <10 <10 <10	70 72 72 74 81 74	<10 <10 <10 <10 <10 <10	4555555	71 72 74 76 72 77

)))) ,

dif804/869A XLS/95Cenameral/5

ECO-TECH LABORATORIES LTD. Frank J. Pezzoti, A.Sc.T. B.O. Certified Assayer

Υ.

													'																
2-Oct-95																													
ECO-TECH LAB 10041 East Trans KAMLOOPS, B.C V2C 6T4	ORATORI s Canada I C.	ES LTI Highwa	D. ay																				CAN	AMERA	GEOLO	GICALL			
Phone: 604-573-5 Fax : 604-573-4	5700 557																						#540 VANC V68 2	-220 Car COUVER 2M9	nbie Stre ₹, B.C.	et	. I <i>D.</i> AK	95-847	•
· · · · · · · · · · · · · · · · · · ·																							ATTE	NTION:	К. НІСК	S/ J. DI	UPUIS		
Values in ppm un	less othe	rwise (reported																				1 Roc PROJ SHIP	k sample ECT #: AENT #:	ª receiver FD5CA0 28	i Sept. : 1010	21, 1995	1	
Et #. Tag # 1 7416	Au(ppb)	Ag	Aí %	As	Ba	В	Ca %	64	6.	-	-												P.O. # Sampl	: 5798 les subr	nitted h	~ T D.	-		
	5	2.4	0.55	50	25	5	0.06	<1	4	 	30	Fe % 3.88	La <10	Mg %	<u>Mn</u>	Mo	Na %	Ni	<u> </u>	РЬ	Sb	Sn	Sr	Ti V		. 1. 04	OWI		
QC DATA: Resplit														0.15	42	49	0.01	17	660	10	4	<20	6	<_01	20	54 54	<u></u>	<1 <1	<u>Zn</u> 104
RIS1 7416 Repeat:	5	2.6	0.60	50	20	4	0.06	4	3	40	32	4.28	<10	0.17	44	5 0	0.01	17	690	10									
1 7416	-	2.4	0.56	50	25	<5	0.06	<1	3	45	30	200							000	10	<5	<20	4	<.01	20	57	<10	<1	108
Standard: GEO'95	150	1.0	1.89	65	160	<5	1.75	<1	10	~~		5.50	<10	0.16	41	49	0.01	17	670	12	ৎ	<20	4	<.01	10	5 5	<10	<1	103
							•	- 1	(3	63	80	3.80	<10	0.85	686	<1	0.02	24	750	22	<\$	<20	58	0.10	<10	76	<10	5	81
df/828																							۱, r						
XLS/95Canamera#5																					ſ	EC Ser FR	ALL CONTECT	H LABO	DRATOR ASc.T	ES LT	D.		
																						B.(C. Certi	fied Ass	ayer				

-

29-Sep-95

}

i

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 674

)

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-848 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

58 Soil samples received Sept. 21, 1995 PROJECT 4: FD6CA0010 SHIPMENT 4: 28 P.O. 4: 5798 Samples submitted by: T. Drown

16	f. Tan #	Animphi	4-		-																Samples submitted by: T. Drown											
47 1	3119	<5		AI 7	<u>A5</u>	Ba	Bi	Ca %	Cd	_Co	Cr.	Ca	Fe %	1.	Ha %	i dan	Ma	11 - A/		_												
2	4040	<5		1.40	40	315	-	0.73	7	18	21	52	5.08	<10	0.64	9300		NA 74	76	٢	Pb	Sb	Sn	<u> Sr</u>	Ti %	U	V.	W	Y	Zn		
3	4041	-5		1.40	10	25	<	0.86	<1	15	15	32	4 16	<10	0.54	4999		0.01	63	1010	28	<5	20	130	0.02	<10	46	<10	7	577		
4	3779	-5	~2	1.40	5	160	- 5	0.62	1	17	18	29	4.62	<10	0.70	1140	. 3	0.05	21	1120	10	\$	~70	-51	0.06	<10	55	<10	14	105		
5	3783			2.44	<5	65	15	0.22	2	15	24	27	9.92	210	0.04	1143	2	0.05	23	380	10	4	<20	39	0.09	<10	62	<10	8	100		
	-	\sim	∖.∠	3.40	4	25	5	0.13	1	12	34	21	748	<10	0.07	330	70	<.01	12	190	24	4	<20	11	0.48	<10	226	<10	<1	75		
6	3781	~5	- 2											-10	0.47	201	5	<.01	13	410	2	<5	<20	<1	0.19	<10	121	<10	<1	34		
7	3782	~	~ 2	2.49	<5	65	10	0.06	1	13	27	24	7 68	~10																		
8	3783	~	<2	2.73	<5	-40	20	0.10	1	15	41	36	12.40	~10	0.11	140	4	<.01	8	530	16	<5	<20	3	0.33	<10	173	<10	c1	40		
ģ	3784	2	<.2	3,27	65	40	10	0.13	<1	29	62	š	3.000	~10	0.23	58 488	~15	< 01	15	. 520 -	22	-	<28	4	0.33	<10	157	<10	2			
10	3705	5	<.2	218	20	105	10	0.55	<1	24	35	22	7.40		1.17	1644	11	0.02	26	1280	6	\$	<29	5	0 14	<10	146	~10	2	400		
	5/65	4	<.2	3.32	\$	60	20	0.06	2	16	~~~	12	14.20	<10	0.81	1184	.8	0.08	20	830	10	<5	<20	43	0.18	<10	100	<10	2	108		
41	2700								-		3	10	14,20	<10	0.08	519	12	<.01	2	720	<2	<5	<20	7	014	<10	145	~10		91		
12	-9707	\$	<.2	4,34	15	65	15	0.05	1	16	69	24	42.60											•		-10	140		-1	50		
42	3/0/	\$	<.2	2,58	\$	65	25	0.02	2	13	00	42	12.00	<10	0.78	368	o. 11	<.01	19	580	10	\$	<20	5	0 13	-10	125		~	~~		
44	3780	•	<.2	2.00	\$	60	10	0.14	2	18	47	13	> 15	<10	<01	- 95	-24	<.01	- 4	640	2	<	<20	1	110	~10	120	10	4	87		
45	3/89	49	<.2	3,66	25	80	15	0.06	ਜ	12 1	20	10	9,53	<10	0.36	930	19	0.01	11	410	20	5	<20	11	0.10	~10	432	<10	<1	32		
. 10	3/90	<\$	<2	1,91	< গ	75	15	0.06	2	10 1	30	31	10.00	<10	0.42	264	12	<.01	14	620	4	5	<20		0.20	10	137	<10	<1	68		
2.	-	_						0.00	*	10	76	34	13.90	<10	0.34	239	12	<.01	16	540	12	<5	<70	3	0.72	<10	133	90	<1	69		
~	3/81	<5	<.2	3,02	\$	70	25	0.09	2	24	-		·			- 1						~	-	-	9.22	<10	257	<10	<1	61		
1/	3/92	<5	<2	4,35	-	65	25	0.05	2	20	6	17	> 15	<10	0.23	1564	18	<.01	5	1150	0	<5	<70	11	0.04	-10						
18	3/93	<	<.2	1.20	<5	45	10	0.50	~	20	48	31	> 15	<10	0.04	138	10	<.01	7	350	16	-5	~~~~		0.04	<10	198	<10	<1	73		
19	3794	<5	<.2	1.78	<5	65	10	6.00		22	8	11	3.78	<10	0.84	266	<1	0.10	16	640		ž	20		0.52	<10	171	<10	<1	43		
20	3795	4	<.2	3.57	<5	70	~5	0.11	-	19	30	27	9.30	<10	0.11	199	7	<.01	14	390	1.4	ž	~10	10	0.42	<10	74	<10	5	40		
•	a da ser a ser A ser a s				-	••	~	0.13	4	31	214	97	10.60	<10	1.86	1307	9	< 01	70	3160	~	~	~~~	10	0.32	<10	174	<10	<1	43		
21	3796	<5	<.2	5.05	25	٨n	10	004	_							• • •	-			0100	~~	-9	~ 20	Э	0.13	<10	156	<10	<1	79		
22	3797	<5	<2	3.97	<5	50	26	0.01	<1	10	7	16	9.24	<10	0.10	518	9	< 61	3	600	2	-	~	-								
23	3798	</td <td>1.6</td> <td>1.21</td> <td>25</td> <td>75</td> <td>40</td> <td>0.12</td> <td>2</td> <td>15</td> <td>38</td> <td>25</td> <td>12.50</td> <td><10</td> <td>0.07</td> <td>121</td> <td>2</td> <td>< 01</td> <td>7</td> <td>250</td> <td>42</td> <td>2</td> <td>-20</td> <td>6</td> <td>0.03</td> <td><10</td> <td>131</td> <td><10</td> <td><1</td> <td>51</td>	1.6	1.21	25	75	40	0.12	2	15	38	25	12.50	<10	0.07	121	2	< 01	7	250	42	2	-20	6	0.03	<10	131	<10	<1	51		
24	3799	<\$	<.2	1.98	~	80	10	0.1/	~1	13	8	20	8.84	<10	0,36	211	21	0.04	16	960	12	2	<20	8	0.44	<10	178	<10	ব	41		
25	3800	-5	<2	4.02	ě	65	~	U.94	<	30	57	22	7.01	<10	1.45	2264	2	0.27	20	1220	12	0	<20	14	0.15	<10	67	<10	<1	58		
			-		\sim	8	25	0.09	3	20	61	33	> 15	<10	0.24	138	~	c 01	40	12/0	8	<5	<20	82	0.35	<10	167	<10	2	71		
																	~1	~.01	10	230	6	<5	<20	4	0.57	<10	269	<10	<1	47		

}

1

-e- .

1

Ì.

 \mathbf{i}

Υ.

>

•

~

>

1

)

3

1

Et #	. Tag #	Au(ppb)	Ac	AI%	45														ECO-TECH LABORATORIES LTD.												
26	3801	<5	<	2 08		04		s Ca %	Cd	Co	Cr	C	u Fe%	L	a Morw	i Mn					-										
27	3802	<5	1 4	1 4 63	5	/0	1	0 0.19	1	13	48	2	0 843	<1	0.20	2 650		o na 7		VI.	<u>P</u>	РЬ	Sb	\$n	Sr	Π%	U	v	w	v	7
28	3803	<5		9.02	9	40	1	0 0.04	<1	7	16	2	1 8/00		1 ~ 04	509	1	8 0.03	1	2	660	8	<5	<20	18	0 14	<10	147	(10		2.0
29	3804	<5		2.20	<5	70	1	0.07	<1	10	11	1	A 2 20	2		297	10	0.03		4	320	40	<5	<20	2	0 17	~10	192	-10	<1	40
30	3805	-6	4	2.98	<5	60	- 11	5 0,13	8	13	30	2	- 0.00	~10	0.21	215	1	9 <.01	:	9	500	18	-5	-20		0.17	10	13	~10	12	59
	4000	-	<.2	1.15	⊲5	100	10	021	e d	42		~	6.75	<1(0.13	69	<1	<.01	13	3	250	12	~	~~~~	10	0,17	<10	/6	<10	<1	47
31	2000									12	6	1	5 7.59	<1(0.14	221	5	i 0.02		7	5.40	30	2	<	10	0.38	<10	191	<10	2	33
20	3006	<5	<.2	2.29	10	70	-11	0.00	~	-										•	340	۵	<5	<20	18	0.30	<10	110	<10	<1	32
32	3807	<5	<.2	1.71	20	100	10	0.00	5	8	9	1	6 9.77	<10	0.03	828	46	201	-	-											
33	3808	<5	1.0	2.68	<5	100		0,18	<1	10	6	1:	3 7.78	<10	0.22	360					940	36	<5	<20	7	0.08	<10	51	<10	-1	50
34	3809	<5	<2	2 18	5	130	15	0.13	2	28	29	2	12.60	<10	0 10	8700		รงก	ŧ	6	710	14	-	<20	13	0.11	<10	61	<10		33
35	3810	<5	< 2	3.60		70	15	0.06	1	11	12	21	10.90	~10	0.10		11	<.01	8	3 17	760	18	<5	<20	12	0.23	<10	114	<10	~1	43
				3.60	10	120	15	0.02	2	11	12	25	111.60	~10	0.23	331	13	<.01	7	7 14	460	20	<	<20	7	0.16	~10	70	~10	22	94
16	3811	-5										-	13.30	~10	0.06	445	17	<.01	8	3 7	740	46	<5	<20		0.10	10	79	<10	<1	54
37	3812	~	~~~	1.29	15	95	- 30	80.0	1	17	~1	10											•	-20	U	0.13	<10	51	<10	<1	64
38	3813	~	0.8	3.03	<5	55	20	0.04	1	11	10		11.10	<10	0.03	525	49	<.01	6	5	590	42	15	~	~						
39	3814	9	0.6	4.27	45	115	10	0 12	, i		10	· 21	11.90	<10	0.04	190	8	0.02	4		340	-20	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	8	0.59	<10	112	<10	<1	51
40	2014	49	0.2	2.85	25	70	5	0.00		10	13	15	8.51	<10	0.18	939	9	0.01	ġ	10	160	30	-0	<20	4	0.32	<10	69	<10	<1	52
-10	3013	4	<.2	1.04	15	155	15	0.60		10	21	- 24	7.61	<10	0.39	464	12	< 01	19		120	14		<20	14	0.11	<10	43	<10	<1	35
							10	N. Z	~1	32	6	13	6.27	<10	0.26	393	a.	0.03	10		10	78	-5	<20	7	0.02	<10	42	<10	<1	101
41	3816	\$	<.2	277	10	85	46	0.00										0.03	10	8	00	14	<5	<20	31	0,19	<10	75	<10	<1	42
42	3817	<5	<.2	1 69	-5	140	15	0.06	1	14	27	27	14.80	<10	0 10	279	10		-											.,	42
43	3818	<5	<2	277	-6	110	10	0.13	2	12	7	13	8.90	<10	0.06	100	19	0.01	9	- 5	60	34	\$	<20	11	0.21	<10	117	<10		07
44	3819	<5	< 2	2.96	~	90	30	0.27	4	20	69	39	> 15	<10	0.00	103	10	0.02	- 7	3	40	18	<5	<20	16	0.24	<10	144	<10	~1	67
45	3820	<5	1.4	2.00	0	60	10	0.21	<1	13	18	19	675	-10	0.24	118	6	0.01	15	2	80	18	<5	<20	23	0.49	~10	240	~10	<1	47
		~	1.4	3.72	5	30	10	0.05	<1	7	32	10	6.07	-10	0.42	168	<1	0.03	11	6	90	8	<5	<20	16	0.40	10	290	~10	<1	42
46	3821	Æ								•		10	0.07	<10	0.03	307	9	0.02	5	2	60 .	0	-5	-20		0.24	<10	105	<10	5	34
47	3877	~	<2	2.92	65	86	10	0.03	<5	4.6	46	~									-	-	~	~20	4	0.16	<10	21	<10	6	58
48	3022	<	<.2	265	<5	65	20	0.09	2	10	15	20	10.50	<10	0.24	1373	15	<.01	8	a.	n	x a		-	_						
40	3023	<	<.2	2.60	30	110	15	0.02	2	10	45	36	14.40	<10	0.02	134	6	< 01	11	24		0	-5	<20	5	0.04	<10	34	<10	<1	72
43	3824	<5	<.2	5.76	45	90	36	0.02	2	75	20	30	> 15	<10	0.24	913	21	~ 04		31		2	<>	<20	9	0.54	<10	305	<10	<1	51
50	3825	<\$	<.2	0.49	<5	95	30	0.05	3	32	372	38	> 15	<10	0.78	614	-	01	GI ,	122	SU 3	0	<5	<20	5	0.06	<10	45	<10	~	01
					-	00	10	0.06	з	8	~1	8	> 15	<10	< 111	47		10	21	- 37	0	6	<	<20	1	0.84	<10	338	<10	~1	33
51	3826	<5	<2	3 10	£						4.5.					41	23	0.02	2	247	70	2	<5	<20	8	< 01	<10	30	<10	1	33
. 2	3827	<5	< 2	1 20	- -	30	20	0.14	2	16	39	27	12.00	-10	0.04	4	_											~	-10	~1	ν
53	3828	<5	10	0.00	0	100	15	0.07	<1	14	<1	10	17 20	-10	0.04	409	8	<.01	17	27	02	4	4 5	<20	8	0.30	-10				
54	3829		1.0	220	<⊅	125	15	0.13	3	67	10	24	14.00	10	0.16	863	37	0.03	3	155	0	8	5	-20	10	0.30	10	144	<10	<1	80
55	3830	~	~2	1.05	<5	130	15	0.09	1	74	~	24	14.20	<10	0.44	9892	33	<.01	9	149	0 1	ñ	25	~20	13	<_01	<10	82	<10	<1	43
	0000	-9	0.4	2.09	20	75	10	0.08	÷		-1	16	> 15	<10	0.07	1140	26	0.02	2	220	ñ i	š	~	20		0.03	<10	117	<10	10	108
50	0004	_							•	14	4	20	13.30	<10	0.11	606	23	< 01	5	10.4	ň	~	2	<20	15	0.02	<10	83	<10	<1	91
50	3631	<5	<2	273	15	85	5	040	~											104	0	2	< 5	<20	7	0,02	<10	64	<10	<1	64
0r	3832	<\$	<2	0.48	60	35	5	0.10	1	14	18	22	8.91	<10	0.29	758	14	~ 01			. .	_		-					-	5	÷.
96	3833	<	0.4	1.49	<u>ح</u>	75	10	0.04	<1	8	3	7	4.07	<10	002	01	44	01		660	U 1)	⊲5	<20	8	0.02	<10	92	<10	4	50
			-		-	4.75	tu.	0.09	2	31	4	21	> 15	<10	0.16	4200		NU1	з	910	ο.	1	<	<20	7,	0.12	<10	94	-10		35
															0.10	*333	20	9.01	4	2890	ינ	Ļ .	<5	<20	7	0.02	<10	124	~10	1	23
														•											•		~10	129	-10	<1	77

1

1 ,

ì,

<u>Et #.</u> Tag <u>QC DATA:</u> Repeat:	# Ац(ррb)	Ag	Ai %	As	Ba	Bi	Ca %	Cd	_ <u>Co</u>	Cr	C	1_Fe%	La	Mg %	Mn	Ma	Na %	N	P	Рь	Sb	Sn	ECO-1		BORATI	ÓRIES	LTD W	Y	Zπ
10 3785 19 3794 28 3803 36 3811 45 3820 54 3829 Standard: 3E0'95 JE0'95	<5 <5 <5 <5 <5 - 140 145	0.6 <.2 <.2 <.2 1.4 <.2 1.4	1.30 3.38 1.81 2.37 1.36 3.66 1.07	4999102999 102999 75	310 60 65 75 95 30 125	√5 20 15 15 20 10 20 √5	0.72 0.06 0.22 0.07 0.09 0.05 0.09	7 2 2 7 7 7 7 1	18 16 15 10 18 7 25	21 10 31 11 1 31 <1	53 19 27 15 15 18 18	5.18 14.50 9.34 9.19 11.40 7.91 > 15	<10 <10 <10 <10 <10 <10 <10	0.56 0.09 0.11 0.21 0.04 0.02 0.08	3250 531 201 217 554 307 1166	23 13 7 10 49 8 26	0.01 <.01 <.01 <.01 <.01 0.02 0.02	64 3 14 9 5 4 √1	1040 760 380 530 610 250 2240	30 <2 16 18 48 42 2	୫ ୫ ୫ ୫ ୫ ୫ ୫	ର ର ର ର ର ର ୪ ୪	127 7 15 8 5 14	0.03 0.14 0.32 0.16 0.57 0.16 0.01	<10 <10 <10 <10 <10 <10 <10	48 149 176 80 111 20 82	<10 <10 <10 <10 <10 <10 <10	7 <1 <1 <1 <1 <1 6 <1	580 52 44 48 52 58 90
		1.0	1.37	70	155	<5	1.62	<1	18	55	82 80	4.00 3.80	<10 <10	0.93 0.88	686 651	ণ ণ	0.01 0.01	27 26	660 620	18 18	<5 <5	<20 <20	55 51	0.10 0.09	<10 <10	74 70	<10 <10	4 4	78 75

df/846 XLS/95Canamera#5

FCD-TECH LABORATORIES LTD. Address LTD. B.C. Certified Assayer

Page 3

÷

12-Oct-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-883 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

25 Rock samples received Sept. 27, 1995 PROJECT #: FD5CA0010 SHIPMENT #: None given P.D. #: 5968 Samples submitted by: T. Drown

																					Samples submitted by: 1. Drown												
=	Et #.	Tag #	Au(ppb)	Ag	<u>Al %</u>	As	Ba	Bi	Ca %	Cd	Co	Cr.	Cu	Fe %	La	Mg %	Ma	Ma	Na %	Ni	₽	Ph	Sh	Sa	Sr	Ti %	11	v	w	v	75		
	1	7804	5	<.2	0.56	<	25	~5	0.32	<1	3	156	15	2.28	<10	0.40	733		201		410				40					÷			
	2	7805	5	<.2	0.74	35	35	<5	0.32	<1	16	114	38	3.87	<10	0.69	264	7	~.01	2	410	40	~	~20	19	5.01	<10	10	<10 cro	1	20		
	З	7424	220	0.8	3.51	<5	30	5	0.52	<1	26	64	26	10 10	~10	247	9900	Ś	. ~.01	0	1060	40	5	~20		0.07	<10	61	<10	3	149		
	4	7425	5	<.2	0.18	100	60	<5	0.29	<1	<u>~1</u>	100		1 40	10	2.17	3200	8	0.02	28	2580	50	<5	<20	17	<.01	<10	123	<10	3	180		
	5	7426	5	<2	0.18	130	40	ৰ	1 03	-1		05	2	4.70	10	N.01	50	9	0.03	3	100	16	10	<20	43	<.01	<10	<1	<10	<1	18		
								Ŭ		~!		30	3	1.70	10	<.01	746	5	0.02	4	90	18	15	<20	82	<.01	<10	<1	<10	5	41		
	6	7427	365	0.6	0.16	1975	15	<5	0.07	<1	1	71	A	724	~10	< 01	40	40	- 04	_	~~		~~	-04									
	7	7428	5	<.2	0.22	250	25	-	0.03	<1	1	92	-	4 80	~10	.	40	10	<.01	2	80	14	50	<20	16	<.01	<10	<1	<10	<1	28		
	8	7429	765	0.2	0.17	320	60	-5	0 16		-	04		4.99	. 40	N.07	25	. <u> </u>	<.01	4	90	28	10	<20	14	<.01	<10	<1	<10	<1	24		
-	9	7430	570	0.2	0 17	2235	15	-5	0.00		, ,	70	4	1.33	10	<.U1	49	7	- <.01	3	90	8	10	<20	20	< 01	<10	<1	<10	2	43		
	10	7431	60	24	0.24	565	-70	~	0.20		4	12	5	2.90	<10	<.01	59	8	<.01	5	80	16	270	<20	19	<.01	<10	<1	<10	<1	59		
					0.24		20	~	P.31	<1	12	50	29	3.28	<10	<.01	50	6	<.01	18	1030	40	<5	<20	39	<.01	<10	6	<10	<1	42		
	11	7432	>1000	6.4	0.19	265	35	<	0.77	<1	з	48	173	1 92	<10	< 01	160	2	< 01	E	240	- 10	Æ	\sim	40	- 01				-	~		
	12 .	7570	>1000	27.8	0.19	4695	85	10	<.01	<1	3	83	10	6 69	<10	< 01	14	- 3 4 E	~.01	5	240	20		~20	42	5.01	<10	1	<10	3	90		
	13	7928	5	<2	0.20	260	80	<5	<.01		<1	56	4	7 27	10	~ 01	47	10	~.01	3	40	10	180	20	5	<.01	<10	<1	<10	<1	18		
	14	7929	5	0.2	0.14	270	15	5	<.01	<1	2	73	7	A 15	~10	~.01	17	12	0.02	3	150	12	<5	<20		<.01	<10	<1	<10	<1	5		
÷.	15 🗧	7930	5	0.2	0.25	. 30	100	<	< 61	<1	<1	79	2	4.10	-10	01	17	18	0.02	2	60	ัวบ	~	<20		<.01	<10	<1	<10	<1	4		
								_				10	J	1.01	-30	.01	24	3	0.03	3	160	20	<	<20	13	<.01	<10	<1	<10	1	3		
S 2.	16 🗠		5	<2	0.15	65	200	<5	0.03	<1	<1	71	12	078	20	< 01	101	c	0.02	-	100	10	<u>ر</u>		40			,		~	~		
	17 👘	7743	750	<.2	0.24	1030	150	<5	<.01	<1	<1	81	3	1 81	~10	< 01	14	2	0.00	3	100	10	~	-20	10	<.01	<10	<1	<10	2	5		
	18	7744	>1000	9.6	0.18	1790	20	<5	<.01	<1	à	82	5	6.03	~10	< 01	20	2	10.01	3	80	8	20	<20	3	<.01	<10	<1	<10	<1	5		
	19	7745	5	<.2	0.17	315	20	10	0.38	<1	4	88	5	7 4 4	~10	~.01	38	11	<.01	3	40	20	50	<20	3	<.01	<10	<1	<10	<1	23		
<u>к</u> -	20 🖉	7746	>1000	>30	0.12	1095	55	<5	< 01	<1		110		7.44	~10	5.01	83	18	<.01	6	110	14	<5	<20	30	<.01	<10	<1	<10	<1	18		
			,				•••	Ť		~1	'	(13	ſ	2.48	<10	<.01	29	10	<.01	4	70	36	35	40	10	<.01	<10	<1	<10	<1	28		
	21	7747	650	42	0.19	1645	50	<\$	<.01	<1	2	66	4	3.09	<10	<.01	25	7	< 01	9	70	16	-26	~1		< 01	~10	~1	<10	-11	12		
	~	((48	620	7.0	0.16	860	20	<	0.25	<1	2	105	6	2.52	<10	< 01	51	10	< 01	5	on	10	10	20	-26	~.01	~10	~ 1	~10				
	23	7749	5	<2	1.22	45	65	\$	2.10	<1	10	52	4	3.03	<10	0.75	651	2	0.02	5	710	24	5	20	140	01	~10	~1	~10	~	20		
	24	7750	5	0.4	0.13	125	20	10	0.03	<1	3	π		5 38	<10	< M	34	20	0.00	5	10	24	5	~20	140	5.01	<10	8	<10	4	42		
	25	7571	5	<2	0.19	310	30	<5	0.16	<	2	90	6	2.59	-10	- 01	30	29	0.05	5	80	34	<5	~20	10	<.01	<10	<1	<10	<1	49		
								-			~	- 55	-	2.30	~10	NU1	39	15	U.01	3	90	- 38	15	20	17	<.01	<10	<1	<10	2	98		

١

<u> </u>	Tag #	Au(ppb)	Ag	AI %	As	Ba	8i	Ca %	Cd	Co	C ~	-											1	ECO-TI	ECH LA	BORATO	RIESI	τn		
<u>QC/DAT</u> Resplit: R/S 1	A 7804	5	<2	0.53	40								_ <u>Fe %</u>	<u> </u>	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	<u> </u>	V	W	Y	Zn
Repeat :				0.00	10	25	<5	0.26	<1	3	147	16	2.20	<10	0.37	216	3	<.01	7	370	c									
1 10 19	7804 7431	55	<.2 2.2	0.57 0.23	5 580	30 15	<5 (*	0.32	<1	3	158	15	234	<10	0.41	~~~			•	570	0	<5	<20	14	<.01	<10	10	<10	<1	29
20	7745 7746	>1000	<.2	0.16	305	15	10	0.31 0.37	ণ ণ	13 4	50 87	29 6	3.30 7.33	<10 <10	<.01	237 50 87	8 6	<.01 <.01	5 18	420 1040	10 40	<5 <5	<20 <20	19 37	<.01	<10	11	<10	<1	29
Standard GE095	•	150	1 7	1 70					•	-	-	-	-	-	-	-	-	<.01	6 -	110	14	<5 -	<20	28	<.01	<10	-5 -1	<10 <10	ব ব	43 18
			1.2	1.70	75	170	<5	1.78	<1	20	62	80	3.78	<10	0.85	622	<1	0.02	26								-	•	-	-
																	,	0.02	20	640	24	5	<20	63	0 10	<10	78	<10	5	74

df/901

XLS/95Canamera#6

.

ECO-TECH LABORATORIES LT Frank J. Pezzotti, A.Sc.T. B.C. Certified Assayer _

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-884 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

157 Soil samples received Sept. 27, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 33 P.O. # SOCO

4 0.02 <10 135 <10

.

ł

<1 222

Et #. Tag #	Au(ppb) Ag	Al %	4 <	Pa	e -																P.O. #	5968	30				
1 5001	\$	1.0	2.22	20	70		% Cd	C	<u>,</u> Cr		u Fe	6 L	a Ma W									samp	es subi	nitted b	y: T.D	rown		
2 5002 3 5003 4 ∂5004 5 5005	<u> </u>	2.0 5.6 2.2 5,6	7.49 2.54 5.14 5.69	15 15 30 25	70 70 75 65	20 0 20 0 15 0 10 0	06 3 05 <1 08 1 01 4	13 15 15 10	21 32 21 37	. 4 3 8	0 9.7 8 12.0 1 8.3 0 11.80		0 0.11 0 0.34 0 0.10 0 0.29	435 464 189	1: 1- 3	<u>o Na %</u> 3 < 01 4 < 01 3 0.01	15 15 13	li P 5 690 3 1150 3 450	Pb 34 38 26	<u>sp</u> হ হ	Sn <20 <20 <20	51 8 6 8	Ti %	10 <10 <10	116 84	₩ <10 <10	<u> </u>	Zn 212 177
6 5006 7 5007 8 5008	র এ ৫	1.8 8.0 4.4	3.71 2.09 2.70	15 170	65 115	15 0. 20 0.0	~~ ~ 3 1 6 <1	9 10	30 25 55	2	6 11.00 8.68	<10	0.06	285 173	11	<.01 0.01	26 12 23	3 770 2 710	28 56	ব্য ব্য	<20 <20	3	0.07 0.21	<10 <10 <10	153 65	<10 <10 <10	<1 <1 <1	141 407 150
9 (** 5009 10 5010 11 5011 12 5012	র ম ম ম ম ম ম ম ম ম ম ম ম ম ম ম ম ম ম ম	8,4 3,0 4,4	2.35 2.87 3.14	15 25 25 20	50 65 50 75	-5 - 0.0 10 0.0 5 0.0 10 0.0	12. <1 19 2 13 <1	5 10 7	20 22 26	4 51 39	5.45 11.30 8.14	<10 <10 <10 <10	<.01 0.26 0.10 0.29	164 164 267 178	45 17 17 21	0.01 <.01 0.01 <.01	18 24 14 29	2190 550 1410 540	34 22 30 32 32	ራ ሱ ሱ ሱ ሱ ራ	ବର ବର ବର ବର ବର	6 9 6 14	0.07 0.04 0.03 0.12	<10 10 <10 <10	66 167 57 105	<10 <10 <10 <10	2444	293 181 279 191
13 5013 14 5014 15 5015 16 5016 17 4 5016	ନେଜନ୍ଦ	1.2 1.0 <.2 4.0	4.76 2.83 1.81 3.67 1.60	30 10 225 30 40	75 50 230 65 90	<5 0.1 10 0.0 10 0.7 10 0.0 25 0.10	0 2 1 <1 2 1 7 1 3 3	11 6 9 21 12	28 23 24 46 36	31 33 30 54 47	10.00 5.06 7.59 6.46 11.90	<10 <10 <10 <10 <10	0.14 0.26 0.06 0.88 0.16	325 158 178 2213 293	13 13 14 23 16	<.01 <.01 <.01 0.02 <.01	18 32 15 64 17	830 480 600 980 950	32 34 32 16 30	ቆቆቆቆ	ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ ବ	8 11 5 46 8	0.15 0.03 0.09 0.07 0.13	<10 <10 <10 <10 <10	89 101 50 115 71	<10 <10 <10 <10 <10	<1 <1 <1 11	238 232 237 133 428
18 5018 19 5019 20 5020 21 5021 22 5022	।	5.8 <2 12.6 1.6 5.2	4.13 3.98 3.74 1.68	25 10 10 10 20	70 80 90 40 75	10 0.06 10 0.05 15 0.10 10 0.05	2 2 2 2	12 10 9 11 6	15 23 24 26 10	19 34 27 28 33	6.66 6.04 9.06 8.52 9.19	<10 <10 <10 <10 <10	0.08 0.24 0.30 0.18 0.03	161 377 177 229 128	4 10 11 8 27	<.01 <.01 <.01 0.02 <.01	10 20 21 21 40	240 830 340 720 460	22 38 32 32 40	ቆቆቆቆ	ର ର ର ର ଜୁ ର ର	7 8 9 15	0.32 0.08 0.09 0.21	<10 <10 <10 <10 <10	149 57 87 92	<10 <10 <10 <10 <10	<1 2 <1 <1 <1	190 74 178 171 197
23 5023 24 5024 25 5025	7	1.0 5.4 3.0 6.8	2.17 3.94 7.00 2.21	25 15 25 20	45 65 65 50	<pre><5 <.01 10 0.03 10 0.07 5 <.01</pre>	2 1 1 1	16 4 10 10 7	22 14 33 32 14	36 29 38 30 47	7.21 5.45 8.26 11.00 8.05	<10 <10 <10 <10 <10	0.31 0.23 0.26 0.15 0.15	736 98 298 163 133	12 38 14 40 53	0.03 <.01 <.01 <.01 <.01	25 34 21 40 44	870 430 740 980 540	34 20 34 46 16	<u>ዓ</u> ዓ ዓ ዓ ዓ	ବୟ ବୟ ବୟ ବୟ ବୟ ବୟ	7 4 5 9 4	0.14 <.01 0.10 0.07 0.02	<10 <10 <10 <10 10	34 74 124 71 54	<10 <10 <10 <10 <10	ব ধ ব ব ব ব	205 292 236 211 270

.

÷

	£t	4. Tag #	Aufoni	ы и																				ŧ	CO-T	ECH LA	BORAT	ORIES	LTD.		
	26	5026	<5	<u> </u>			IS BE		3i Ca%	Cd	Co	Cr	Cu	Fe %	La	Ma %	Mn	Mo	No 4/					_							
	27	5027	<5	1	3 10	D 14	0 375	5 3	0 0.67	<1	85	185	132	> 15	<10	1 44	8577					PD	Sb	Sn	Sr	<u>Ti %</u>	U	V	W	Y	Zn
	28	5028	<5		2 1.0) 4) ~	0 40	~ <	5 0.01	<1	8	8	69	7 13	<10	< 01	167	100	<.01	109	1040	2	<5	<20	13	0.27	<10	137	<10	3	120
	29	5029	<5	2	2 J.4		5 375	3	5 0.52	<1	73	184	84	> 15	<10	0.62	650-1	108	\$ <.01	117	900	8	<5	<20	2	0.03	<10	139	<10	<1	390
	30	5030	-5	2	0 1.3	3 2	0 75	<	5 0.03	<1	7	9	73	774	<10	< 04	0.302	44	<.01	- 59	710	2	<5	<20	14	0.30	<10	140	<10	<1	00
				-	.2 1.8	16	0 320		5 0.69	<1	19	49	33	5.01	<10	<.ul> .ul	114	58	<.01	70	790	18	<5	<20	13	<.01	<10	96	<10	<1	300
	31	5031		. ,										0.01	~10	0.93	1893	13	0.02	40	920	12	<5	<20	33	0.08	<10	68	<10	8	196
	32	5032	~	1.	6 2.54	30	0 60	10	80.0	<1	в	24	33	8 79		0.40		_												v	100
	33	5033	-	<.	2 3.19		5 80	30	0.11	3	52	231	60	> 15	~10	0.13	165	26	<.01	33	960	26	<5	<20	16	0.06	<10	131	<10	~1	240
	34	5034	0	U.	2 1.74	35	5 50	~	5 0.01	<1	8	17	44	572	~10	0.17	913	<1	<.01	45	740	12	<5	<20	16	0 49	<10	380	<10	~1	240
	35	5035	0	<.	2 5.32	10) 110	30	0.10	3	48	772	40	12.00	<10	0.08	161	58	<.01	88	500	16	<5	<20	1	0.09	<10	183	~10	~ 1	68
		5655	<9	1.	8 5.18	45	5 70	<	0.02	1	7	20	24	13.90	<10	1.63	2950	<1	<.01	38	1030	16	<5	<20	5	0.55	<10	240	~10	51	318
	36	5000		_						•	,	- 30	24	a. (S	<10	0.13	248	31	<.01	48	570	46	<5	20	4	0.07	~10	440	<10 cr0	2	105
	37	5030	0	3.	0 5.84	45	5 50	10	0.05	+	Q	24		7.00												0.07	~10	130	~10	<1	269
	31	5037	<5	6.	5 3.10	- 30	55	<5	0.06	2	7	14	44	7.36	<10	0.16	225	34	<.01	66	680	50	<5	<20	5	017	-10	67	-10		
		2036	<	1.0	2.45	20	100	<5	0.01	2	é	17	41	5.89	<10	0.14	197	34	0.01	59	760	24	<5	20	8	0.17	~10	31	<10	4	277
:	33	0039	<5	0.4	4 0.77	20	35	<5	0.14	1	6	. (/	51	7.55	<10	0.57	183	44	<.01	55	470	34	<5	00	ě	0.04	~10	84	< (Q	2	401
	40	5043	<\$	2.6	5 3.44	35	85	10	0.06	4	22	5	47	2.91	<10	0.12	135	23	0.02	27	510	10	<5	<20	15	0.07	<10	59	<10	<1	256
		Fo to	•							-	~~	10	46	6,14	<10	0.23	1105	26	<.01	45	820	24	<5	-20	7	0.07	<10	101	<10	<1	248
	41	5043	<	1.0	1.61	40	50	<5	0.05	4		40												~~~	'	0.10	< 10	73	<10	12	382
	42	5045	45	0.2	2 1.07	25	35	<5	0.13	4	0	10	58	7.41	<10	0.31	153	56	<.01	48	550	16	<5	-20	44	0.00		407			
	43	5047	<	2.2	3.07	25	55	10	0.02	2	4	8	17	3.87	<10	0.10	57	22	<.01	17	460	18	<5	00	41	0.02	<10	107	<78	<1	349
	44	5049	~	4.0	2.27	30	60	~	0.01	2	0	14	36	9.38	<10	0.06	156	30	<.01	28	650	52	~	~~~~	2	0.03	<10	83	<10	<1	147
	40	5051	<	24	1.94	ິ <5	80	15	0.06	2	40	15	55	7.36	<10	0.11	113 -	76	<.01	55	390	30	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	2	0.09	<10	68	<10	<1	146
			•				•••		2.00	2	12	20	27	9.77	<10	0.14	126	38	0.01	56	470	24	~	~20	~	0.04	<10	109	<10	<1	415
	46	5053	\$	0.4	0.75	30	35	<5	0.02		-									~~	470	24	~>	~20	12	0.21	<10	161	<10	<1	135
	47	5055	<5	4.6	5.78	5	65	25	0.02	<1	5	3	38	2.78	<10	0.13	92	56	< 01	72	770	E	Æ	~	~						
	48	5057	. <5	3.4	6.22	25	ຄິ	25	0.03	3	13	32	23	> 15	<10	<.01	243	18	< 01	15	690	77	5	~20	ົ	0.01	<10	117	<18	<1	291
	49	- 5059 🖓	ি ব	2.4	2.41	15	65	10	0.03	1	8	27	29	6.87	<10	0.28	235	22	< 01	44	710	12.	5	~~~	4	0.25	10	69	<10	<1	166
	50	5061	<5	<.2	2.43	10	110	20	0.03	2	10	12	46	9,94	<10	0.15	124	46	< 01	67	E20	40	5	<20	6	0.04	<10	43	<10	<1	291
								20	0.03	2	11	25	29	12.50	<10	0.12	167	24	< 01	10	400	30	5	<20	5	0.15	<10	92	<10	<1	293
	51	5063	5	0.8	0.60		55	Æ	0.00									~ '		10	400	32	<5	<20	3	0.15	10	119	<10	<1	130
<u>5</u> 4'	52	5 065 a	<5	<.2	4.41	5	<u>e</u>	2	0.30	1	7	2	6	1.11	<10	0.09	33	<1	0.04		620	~									
· · ·	53	2 5067 /	<5	<.2	1.56	<5	50	10	0.13	<1	11	36	21	7.03	<10	0.38	203	4	0.03	2	400	6	<	<20	41	0.11	<10	16	<10	3	22
	54 .:	5069	<5	0.8	408	20	00	20	0.07	З	15	19	29	11.00	<10	0.04	149	Ē	< 01	22	430	30	\$	<20	12	0.17	<10	87	<10	<1	147
	55	5071	<5	0.2	1.50		50	~	0.05	1	10	29	32	5.84	<10	0.50	247	ŏ	<.01	24	1350	28	<5	<20	4	0.47	<10	184	<10	<1	105
		2 M. N. L.				-	30	10	0.04	1	6	8	13	3,93	<10	0.02	76	8	< 01	31	390	38	<5	<20	4	0.05	<10	71	<10	з	208
	56	5073	. <5	2.2	202	45	60	~										0	~.01		360	32	<5	<20	6	0.17	<10	97	<10	4	55
	57	5075	<5	<2	1 59	40	50	20	0.05	1	13	13	39	7.90	<10	0.08	97	30	- 01												-
	58	5077	<5	12	1 74	20	20	15	0.08	2	11	10	26	7.86	<10	0.08	ŝ	32	<.U1	58	300	26	<5	<20	7	0.43	<10	214	<10	1	316
	59	5079	<5	17	1./ I	30	65	5	0.02	1	7	9	40	4.27	<10	0.00	120	24	0.02	16	510	26	<5	<20	11	0.23	<10	109	<10	<1	135
	60	5081	<5	11	2.40	40	50	10	0.08	1	21	12	68	6.75	<10	0.26	600	47	<.01	65	260	18	<5	<20	1	0.11	<10	139	<10	2	316
			•	1.4	2.33	40	60	5	0.12	1	10	14	58	5.50	<10	0.00	700	62	0.01	81	730	26	<5	<20	7	0.22	<10	66	<10	11	384
	61	5083	<5	0.0	2 45	~~									~10	4.20	204	49	<.01	75	480	28	\$	<20	6	0.14	<10	95	<10	10	391
	62	5085	<5	0.0	2.40	30	100	<5	0.10	2	12	16	40	7.00	<10	0.42	490			_											301
	63	5087	~	2	1.04	15	70	10	0.08	1	10	14	29	5.87	<10	0.12	188	49	<.01	57	520	26	<5	<20	4	0.21	<10	154	<10	6	4223
	64	5089	~	4.2	2.93	25	95	<5	1.47	22	20	18	54	676	~10	0.23	194	25	<.01	35	340	22	<5	<20	5	0.17	<10	112	~10	~1	444
	65	5091	~	<.2	2.15	20	75	5	0.04	2	7	13	38	6.07	40	0.32	2001	22	<.01	97	1400	24	<5	<20	53	0.04	<10	58	~10		1000
			~>	<.2	0.94	<5	115	20	0.37	<1	23	24	16	5.0/	<10	0.15	148	46	<.01	43	360	18	<5	<20	6	0.03	<10	124	~10	- 100	1338
												24	10	9.74	<10	0.37	170	<1	0.06	15	490	12	<5	<20	40	0.74	~10	1.60	~10	1	329
															F	'agé 2							-			w.(4	~10	108	<10	1	32

?

ECO-TECH LABORATORIES LTD.

66 5663 67 22 20 70 61 20 8	Et #	Tag #	Au(ppb)	Ag	AI %	As	Ba	Bi	Ca %	Cd	Co	Cr	Си	Fe %	Ŀэ	Ma %	64-		NI- 47		~	-	<u>.</u>	0	<u> </u>	÷					
67 6066 63 62 2.8 216 160 17 47 33 100 200 250 260	66	5093	<5	<.2	2,01	75	130	10	0.21	<1	20	60		7.60			mu	MO	Na 76	TNI .		40	50	20	<u> </u>	11%		<u> </u>	¥¥	Ŷ	<u>Zn</u>
66 667 65 2 23 100 23 400 100 23 400 43 400 43 24 43 400 41 24 400 41 24 400 41 24 41 24 41 24 400 11 400 11 40 41	67	5095	<5	<.2	2.58	215	185	15	0.11	~1	20	404	20	10,00	10	0.54	1203	10	0.02	20	680	24	<5	<20	18	0.08	<10	73	<10	<1	79
99 5668 6 2 4 6 2 4 6 70 510 70 510 70 510 70 510 70 510 70 510 70 510 70 510 70 510 70 510 70 510 70 500 70 500 70 500 70 500 70 500 70 500 70	68	5097	<5	< 2	2.31	196	295	~5	0.11	1	- 3-3	104	50	13.20	<10	0.56	2738	28	<.01	29	1030	24	-5	<20	10	0.11	<10	103	<10	<1	105
70 5101 -6 2.2 4.4.0 70 5.0 4.0.0 8.0 6.0 70 58.0 70 68.00 70 68.00 70 68.00 70 68.00 70 68.00 70 68.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70 70 60.00 70	69	5099	<5	24	6.89	165	2.00	~	0.04	<1	24	45	51	7,30	<10	0.97	2504	19	0.02	45	1180	24	<5	<20	67	0.07	<10	74	<10	13	226
71 510 -0 0 1 7 7 7 6 6 10 <th>70</th> <th>5101</th> <th><5</th> <th>32</th> <th>A QA</th> <th>100</th> <th>70</th> <th><5</th> <th>0.04</th> <th>8</th> <th>136</th> <th>25</th> <th>43</th> <th>4.77</th> <th>10</th> <th>0.17</th> <th>10000</th> <th>53</th> <th><.01</th> <th>420</th> <th>720</th> <th>58</th> <th>10</th> <th><28</th> <th>4</th> <th>0.08</th> <th><10</th> <th>23</th> <th><10</th> <th>37</th> <th>880</th>	70	5101	<5	32	A QA	100	70	<5	0.04	8	136	25	43	4.77	10	0.17	10000	53	<.01	420	720	58	10	<28	4	0.08	<10	23	<10	37	880
71 5103 -5 -2 166 20 75 5504 -5 -1 25 580 -10 22 15 10 20 15 11 25 15 00 100 226 15 00 100 226 15 00 122 15 00 122 15 00 122 15 00 122 15 00 122 15 00 122 14 30 30 55 00 01 302 25 00 14 40 10 302 25 01 10 302 40 10 302 40 10 302 40 10 302 40 10 302 40 10 10 10 10 302 10 302 40	-		~	V.2	4.34	10	15	10	0.05	1	7	24	22	6.36	<10	0.04	127	8	0.01	9	660	42	<5	<20	10	0.13	<10	73	<10	<1	68
72 5105 -5 0.6 -2 0.2 -4 -4 -6 -7 -6 -6 -7 -7 -6 -7 -7 -6 -7	71	5103	<5	<.2	1.68	20	75	<5	0.03	1	A	11	26	5 80	~10	. 0.00	4.000						_		_						
73 5107 45 10 266 40 00 20 45 40 010 20 15 16 000 20 45 400 15 16 10 17 40 15 16 10 17 40 25 26 10 10 10 11	72	5105	<5	0.6	1.21	55	50	-5	0.21	-1	2		20	5.00	~10	0.09	129	17	<.01	17	490	20	<5	<20	8	0.12	<10	136	<10	<1	132
74 5260 -6 -22 131 -3 0 -15 -10 0.19 322 25 -6 10 110 100 0.66 -10 12 100 130 22 24 400 40 -5 -20 110 126 61 120 100 0.66 -100 100 0.66 -100 100 0.66 -100 100 0.66 -100 100 0.66 -100 100 0.66 -100 100 0.66 -100 100 0.66 -100 16 130 120 150 100 156 100 110 110 100 0.66 100 110 100 0.66 100 <	73	5107	<5	1.0	2.96	<5	<u>an</u>	25	0.21			~~~	01	0.95	<10	0.29	115	61	0.02	61	600	20	<5	<20	15	0.16	<10	86	<10	5	523
75 5261 -5 -6 70 71 71 93 712 610 0.44 312 610 0.44 312 610 65 70 25 65 20 10 0.64 610 111 10 101	74	5250	<5	< 2	3 31	~5	60	45	0.13	~	14	30	30	> 15	<10	0.19	302	25	<.01	29	480	40	<5	<20	11	0.17	<10	98	<10	<1	265
76 552 -5 0 10 0.7 -1 9 13 10 368 -10 0.17 15 870 28 -5 20 10 0.27 -10 72 -10 7	75	5251	<5	< 2	2 14	ž	-70	15	0.10	1	17	-34	29	7.12	<10	0.44	342	<1	0.03	21	590	28	<5	<20	10	0.48	<10	101	<10	12	60
76 525 4 2 2 5 2 2 5 2 2 5 4 0 4 2 2 5 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 4 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0				~. 2	2.44	0	70	15	0.12	<1	9	13	10	3.88	<10	0.18	124	<1	0.01	6	570	26	<5	<20	10	0.27	<10	72	<10	3	33
77 5283 <5	76	5252	<5	<.2	3.22	<5	55	40	0.43	<1	32	25	22	8 17	~10	0.00	005		0.07		-7-		_								
78 5254 -5 -2 40 -23 -34 -23 -34 -23 -44 -1 0.04 13 1070 32 -55 -20 112 16 670 -10 0.04 15 1080 84 -55 -00 -10 15 16 10 0.04 15 1080 85 -50 10 670 -10 0.04 16 100 0.05 61 0.04 10 0.04 44 -5 -50 0.05 -60 10 0.05 616 -10 0.04 44 950 10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 620 -10 -10 -10 -10 -10 -10 -10 -10 -10	77	5253	<5	<.2	2.82	<5	45	20	0.17	~1	16	26	22	5.00	~10	0.30	200	<1	0.07	15	870	22	<5	<20	30	1.14	<10	165	<10	16	42
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	78	5254	<5	<.2	4.03	<5	55	20	0.27	~1	24	20	24	0.20	~10	0.30	444	<1	0.04	13	1070	32	<5	<20	15	0.43	<10	98	<10	8	60
80 626 -5 -62 4.00 -6 66 70 10.05 66 60 44 -60 56 70 10 10 10 10 10 10 70 20 23 10 10 10 10 70 20 23 77 70 10 10 10 10 70 20 23 77 70 10 10 10 70 20 23 74 75 10 13 47 82 5280 <5 22 20 10 14 11 <td>79</td> <td>5255</td> <td><5</td> <td>0.4</td> <td>4 13</td> <td><5</td> <td>35</td> <td>16</td> <td>0.00</td> <td></td> <td>10</td> <td>23</td> <td>21</td> <td>0.70</td> <td>510</td> <td>0,49</td> <td>21/5</td> <td><1</td> <td>0.04</td> <td>16</td> <th>1390</th> <td>26</td> <td><5</td> <td><20</td> <td>20</td> <td>0.52</td> <td><10</td> <td>127</td> <td><10</td> <td>8</td> <td>60</td>	79	5255	<5	0.4	4 13	<5	35	16	0.00		10	23	21	0.70	510	0,49	21/5	<1	0.04	16	1390	26	<5	<20	20	0.52	<10	127	<10	8	60
All Color Cl Dot	80	5256	<5	< 2	4.05	<5	45	26	0.00	~	10	14	15	6.46	10	0.15	618	<1	0.05	8	560	44	<5	<20	3	0.34	<10	56	<10	16	68
81 527 <5 < <2 3.17 <6 65 15 0.16 <1 12 20 22 7.25 <10 0.05 190 <1 0.05 10 800 30 <5 <20 14 0.22 20 21 0.21 17 31 4.81 0.00 100 <10 0.05 10 800 30 <5 <20 10 0.65 10 800 5 <20 11 12 13 18 81 27.25 <10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 10 27 28 20 7.3 410 0.05 10 0.05 10 10 27 28 63 66 20 10 10	·-		-	-	4.00	\sim	40	20	0.29	<1	20	23	18	6.29	~ <10	0.44	341	<1	0.04	10	700	32	<5	<20	21	0.67	<10	110	<10	13	47
62 526 -5 -5 -46 30 0.31 -1 22 20 22 725 -10 0.50 100 10 100 40 45 600 14 0.24 -10 0.51 15 115 115 115 145 5269 -5 601 14 0.24 -10 0.22 14 0.84 -10 0.22 14 0.84 -10 0.22 14 0.84 -10 0.22 14 0.84 -10 0.22 10 0.22 10 0.22 10 0.22 10 0.22 10 0.05 904 4 0.06 1 10 0.65 904 4 0.06 12 20 0.23 0.05 904 4 0.06 12 20 0.23 10 0.05 904 4 0.06 12 20 0.23 11 12 10 12 20 0.24 10 0.23 10 10.05 94 40.05 12 20 12 20 12 20 10	81	5257	<	<.2	3.17	<5	65	15	0.16	<1	16	41	38	5 29	<10	0.61	499					~	- 5	~				~~~			
83 5258 <5 0.2 2.00 50 65 <0.12 -1 4 77 91 4.31 <10 0.02 10 820 30 <5 20 21 0.06 10 620 30 <5 200 21 0.06 10 0.02 17 91 4.31 <10 0.02 17 90 4 5 200 5 680 42 <5 200 30 <5 200 30 <5 200 30 <5 200 30 22 40 0.06 10 22 90 10 0.02 17 700 4 65 620 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 20 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 10 0.05 <th< td=""><td>62</td><td>5258</td><td><5</td><td><.2</td><td>4.68</td><td><5</td><td>45</td><td>30</td><td>0.31</td><td><1</td><td>22</td><td>20</td><td>22</td><td>7.25</td><td>~10</td><td>0.01</td><td>400</td><td></td><td>0.04</td><td>44</td><th>860</th><td>30</td><td><5</td><td><20</td><td>74</td><td>0.29</td><td><10</td><td>75</td><td><10</td><td>15</td><td>115</td></th<>	62	5258	<5	<.2	4.68	<5	45	30	0.31	<1	22	20	22	7.25	~10	0.01	400		0.04	44	860	30	<5	<20	74	0.29	<10	75	<10	15	115
84 6230 -5 0.2 3.66 -6 35 15 0.01 1 15 16 16 10 0.26 692 7 0.002 17 790 34 -5 -50 10 0.05 500 10 0.07 -7 17 10 0.25 904 4 0.005 12 700 46 -5 <0.01 0.22 -10 0.22 -10 0.22 -10 0.25 904 4 0.005 12 700 46 -5 <0.01 0.02 -10 0.25 904 4 0.005 12 700 46 -5 <0.01 0.02 10 0.05 904 4 0.005 12 700 46 50 24 45 200 17 700 46 50 24 45 200 16 45 200 16 45 200 17 110 18 12 27 660 26 45 200 16 16 10 17 100 12 21 <	83	5259	<5	0.2	2.00	50	65	<5	0.12	<1	14	17	24	لىك. <i>ب</i> 101	- 10	0.00	190	<1	ຸບມວ	10	820	30	-5	<20	21	0.81	<10	121	<10	12	37
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	84	5260	<5	0.2	3.36	-5	35	15	0.02		41	10	40	4.01		. 0.20	612	7	0.02	L 17	790	34	\$	<20	14	0.06	<10	50	<10	4	82
B6 6 262	85	5261	<5	1.8	4 33	5	20	10	0.04		(2	13	18	8.91	- <10 -	0.02	640	8	~ 0.03	5	680	42	<5	<20	3	0.22	<10	47	<10	7	62
86 502 <5 <2 3.48 <5 45 30 0.20 1 22 23 20 7.33 <10 0.59 226 <1 0.04 13 680 24 <5 <20 17 0.71 <10 128 <10 17 37 28 659 <10 0.05 <1 17 37 28 659 <10 0.05 <17 37 28 659 <10 0.05 <17 37 28 659 <10 0.05 7 <10 78 80 78 80 70 71 <10 128 <10 14 43 27 75 70 0.06 <10 143 <10 0.05 74 80 0.06 74 10 0.07 70 12 13 0.05 74 80 0.06 74 10 0.05 74 80 0.06 74 10 0.05 74 80 0.06 74 10 0.05 74 74 10 13 550 14 <td>· · ·</td> <td></td> <td>-</td> <td></td> <td></td> <td>Ū</td> <td></td> <td>10</td> <td>0.07</td> <td>4</td> <td>И</td> <td>10</td> <td>21</td> <td>6.28</td> <td>10</td> <td>0.05</td> <td>904</td> <td>4</td> <td>0.05</td> <td>12</td> <th>700</th> <td>46</td> <td><5</td> <td><20</td> <td>4</td> <td>0.22</td> <td><10</td> <td>32</td> <td><10</td> <td>22</td> <td>95</td>	· · ·		-			Ū		10	0.07	4	И	10	21	6.28	10	0.05	904	4	0.05	12	700	46	<5	<20	4	0.22	<10	32	<10	22	9 5
57 6233 < 2 3 10 0.05 -1 0.03 2.0 10 10 37 28 6.59 10 37 28 6.59 10 37 28 6.59 7 0.06 10 37 28 6.59 10 0.46 7 0.067 674 8 0.01 17 3420 28 5 20 13 0.79 10 13 50 5265 2 2.11 28 22 110 <10 0.06 441 10 2.01 10 10 13 0.07 10 13 0.07 10 143 <10 29 90 5265 <2 2.41 5 40 20 0.12 1 10 42 20 458 <10 0.02 7 700 22 <5 20 13 0.07 10 92 40 10 44 45 20 10 17 41 10 45 <th>86</th> <th>5262</th> <th><5</th> <th><.2</th> <th>3.48</th> <th><5</th> <th>45</th> <th>30</th> <th>0.29</th> <th>1</th> <th>22</th> <th>23</th> <th>20</th> <th>7 23</th> <th>~10</th> <th>0.50</th> <th>~~~</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>_</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	86	5262	<5	<.2	3.48	<5	45	30	0.29	1	22	23	20	7 23	~10	0.50	~~~						_								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	87	5263	<5	<.2	3.11	<5	80	10	0.05		10	37	20	6 50	-10	0.05	220	~1	0.04	13	690	24	<5	<20	17	0.71	<10	128	<10	9	43
89 5286	88	5264	<5	<.2	2.97	<	45	10	0.46	-1	44	12	20	7.00		0.35	316		<.01	26	890	28	<5	<20	7	0.06	<10	55	<10	<1	73
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89	<u>_</u> 5265	<5	<.2	4.01	<5	35	25	0.70	~	410	~0	22	7.00	<10	0.67	6/4	8	0.01	. 17	3420	26	<5	<20	26	0.05	<10	135	<10	<1	- 99
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	90	5266	<5	<2	2.28	<5	75	10	0.42	1	10	21	20	6.24	<10	0.23	100	ধ	0.03	7	860	26	\$	<20	13	0.79	<10	143	<10	12	39
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	، میں ڈگریشو ا			~	2.20	~		10	U ,1∠	2	11	. 28	22	10.10	<10	0.06	441	10	<.01	10	1530	18	<5	<20	13	0.07	<10	159	<10	<1	61
92 5568 <5	91	5267	<5	<.2	4.12	<5	40	20	0.12	~	45	45	~~		-	÷			10 A.												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	92	5268	<5	<.2	2.4E	<5	45	20	0.12	-1	45	42	20	4.00	· <10	0.12	153	ব	0.02	8	640	42	<5	<20	- 7	0.37	<10	92	<10	10	44
94 5270 -5 2.10 -7 23 57 34 7.81 <10	9 3	5269	<5	<2	4 58	~	240	20	0.17	1	15	18	16	5.62	<10	0.28	147	<1	0.02	7	720	22	<5	<20	13	0.53	<10	109	<10	5	29
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2. ANE - 94	5270	-5	<2	3 42	Ã	210	~	0.04	1	2	57	34	7.81	<10	0.38	1560	9	<.01	18	2110	34	<5	<20	6	0.02	<10	107	<10	<1	45
96 5272 43 43 45 50 25 6.27 41 19 20 19 6.91 410 0.03 179 41 0.03 9 740 34 45 20 20 0.68 410 122 410 9 38 97 5273 45 42 45 20 0.10 1 18 42 28 8.80 410 0.037 225 41 40.02 10 580 42 45 42 48.83 410 0.037 225 41 40.02 40 41 42 28 8.80 410 0.037 225 41 40.02 40 41 42 48.83 410 0.027 41 40 42 48.83 410 0.027 41 630 28 45 420 43 43 410 620 30 45 420 45 420 45 420 45 420 45 410 45 410 44 45 420 45 420	Free 18 95	5271	~5	~2	J.42	2	10		0.88	<1	24	25	21	4.91	<10	0.96	358	<1	0.24	23	860	28	<	<20	81	0.58	<10	106	<10	17	85
96 5272 45 <2		CLII	~	~~	4.40	<9	50	25	0.27	<1	19	20	19	6.91	<10	0.30	179	<1	0.03	9	740	34	<5	<20	20	0.68	<10	122	<10	9	38
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	96	5272	<5	<2	2.81	<5	55	5	0.05	<1	44	40	-	4.00																	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	97	5273	<5	<2	4.50	4	45	20	0.10	4	40	40	24	4.02	~10	0.37	Z:5	<1	<.01	27	630	28	<5	<20	6	0.27	<10	91	<10	6	- 77
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	98	5274	<5	<2	2.79	<5	55	40	0.10		10	42	28	8.80	<10	0.15	281	<1	0.02	10	580	42	<5	<20	9	0.56	<10	131	<10	17	58
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	99	5275	-5	~ 2	1 1 2	~	OF OF	~~~	0.03	<1	23	26	25	5.62	<10	0.25	1923	<1	0.01	14	920	30	<5	<20	10	0.23	<10	79	<10	5	74
101 5277	100	5276	-5	~2	6.00	~	903 60	-	0.19	<1	16	32	24	6.12	<10	0.21	155	<1	0.03	10	710	44	<5	<20	12	0.60	<10	115	<10	17	60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4	ULI U	~	~2	9.00	<3	62	35	0.46	1	28	22	27	7.45	<10	0.66	402	<1	0.08	12	930	34	<5	<20	34	0.03	<10	146	~10	16	50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	101	5277	-55	< 2	4 85	~5	65	25	0.04									-						-200	94	0.00	-10	1-10	-14	10	50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	102	5278		~ 2	240	~	900 60	2	0.21	<1	20	29	34	6.35	<10	0.32	202	<1	0.05	19	1000	44	<5	<20	20	0.59	<10	112	<10	23	101
104 5280 <5 <2 5.01 <5 40 25 0.21 <1 17 30 22 6.98 <10 0.20 378 <1 0.04 8 690 46 <5 <20 11 0.54 <10 118 <10 14 50 105 5281 <5 <2 4.82 5 50 15 0.21 <1 17 19 21 6.84 <10 0.26 776 <1 0.05 11 760 44 <5 <20 17 0.37 <10 70 <10 16 78 Page 3	102	5270	~	~~~	3.10	2	65	10	0.17	1	22	18	27	5.61	10	0.33	899	<1	0.07	20	1110	42	~	<20	16	0 32	00	en.	~10	20	404
105 5281 <5 <2 5.01 <5 40 25 0.21 <1 17 30 22 6.98 <10 0.20 378 <1 0.04 8 690 46 <5 <20 14 0.50 <10 103 <10 12 54 105 5281 <5 <.2 4.82 5 50 15 0.21 <1 17 19 21 6.84 <10 0.26 776 <1 0.05 11 760 44 <5 <20 17 0.37 <10 70 <10 16 78 Page 3	100	5700	2	<.2	3.84	<	45	20	0.15	2	15	34	23	7.90	<10	0.16	173	<1	0.03		620	12	š	~20	4-1	0.02	~10	440	~10	34	104
Page 3		5200	0	<2	5.01	\$	40	25	0.21	<1	17	30	22	6.98	<10	0.20	378	21	0.00	5	600	-14. AG	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	11	0.04	×10	118	<10	14	50
Page 3	105	5261	4	<.2	4.82	5	50	15	0.21	<1	17	19	21	6.84	<10	0.26	776	24	0.04		2000	40	5	×20	14	0.50	<10	103	<10	12	- 54
										-			~.	0.04	-10	Page 3	110	~ 1	0.00	11	760	49	<5	<20	17	0.37	<10	70	<10	16	78

x

J.

Et #	Tag #	Au(ppb) <5			<u>A</u>	S E	a	Bi Ca	% с	d r		-	• -												ECO	-TECH	14800	ATOON			
147 148 149 150 151 152 153	5323 5324 5325 5326 5327 5328 5328	হে হে হে হে হে হে হে হে হ	< 0. 1. 0. 0. 0.	2 3.96 2 3.96 4 3.96 2 4.47 2 3.94 4 2.42 2 3.81	1 1: 3 4 3 4 1 10 1 10 10 5	5 6 5 10 5 4) 5 9 5 9 5 9 5 9 5	5 0 5 0 0	5 0.0 15 0.2 15 0.0 5 0.1 5 0.0 5 0.07	9 3 8 2 5 5 7 1	2 2 1 3 1 1 1 2 1 2 1 11 33	7 43 5 37 7 32 4 28 33	10	Cu Fe 62 73 33 8.0 29 10,6 36 8.1 33 6.7	% 52 < 05 < 80 < 18 < 73 < 1	La Mg 10 0. 10 0. 10 0. 10 0. 10 0.4	% Mr 45 826 59 1529 10 762 13 1107 12 225		Mo Na 6 0.0 1 0.0 4 0.0 4 0.0 6 0.0	% 12 14 12 5 5 2	Ni 54 21 10 21 30	P 850 870 840 740 790	РЬ 28 32 48 52 42	A A A A A	5 20 20 20 20 20 20 20 20	1	Sr Ti 0 0.1 9 0.4 6 0.2 0 0.2 4 0.1	% 12 < 43 < 29 <1 28 <1 4 <1	U 10 10 11 11	V V 73 <1 73 <1 73 <1 73 <1 75 <1 77 <1 77 <1 77 <1 78 <1 78 <1 78 <1 78 <1 77 <1 78 <1 77 <1 78 <1 79 <1 70 <	N 0 1 0 1 0 1	Y Zn 7 183 6 104 1 72 7 152
154 155 156 157	5330 5331 5332 5333	হ হ হ হ হ	<.2 <.2 0.8 <.2 <.2	2 5.04 2 3.07 1 5.37 4.34 5.25	ব্য ব্য ব্য ব্য ব্য ব্য ব্য ব্য ব্য ব্য	60 45 40 70 85	3 2 1 1/ 40	5 0.12 0 0.26 0 0.17 5 0.08 5 0.16 0 0.67	1 1 1 1 1	12 19 18 14 24 33	28 29 26 14 31	2 3 2 1 3	29 7.2 11 8.6 13 7.0 4 6.5 3 7.02	28 <1 6 <1 9 <1 5 1 2 <1	0 0.1 0 0.1 0 0.3 0 0.2 0 0.2	3 3230 5 362 1 213 3 312 710 1048	1	1 <.01 6 0.02 1 0.05 1 0.04 5 0.04		16 1 10 11 5	2310 550 750 790 690	38 42 40 34 58	\$ \$ \$ \$ \$ \$	ବ୍ ବ୍ ବ୍ ବ୍ ବ୍ ବ୍ ବ୍ ବ୍ ବ୍	12 17 15 4	4 0,0 2 0,0 7 0,6 0,5 0,1	2 <1 8 <1 0 <1 6 <1 3 <1	3 4 3 8 3 14 3 12 3 3	1 <10 5 <10 3 <10 7 <10 4 <10) () () () () () () () () () (124 135 71 63 54 91
Repeat 1	5001	<5	0.8	273	20						6	30	8.90) <1() 0.89	321	<1	0.14	10	8 14 6 14	410 610	48 36	<5 <5	<20 <20	15 54	0.38 1.20	<10 <10	134 186	<10 <10	11 18	112 63
10 19 28 36 45 54	5010 5019 5028 5036 5051 5069	ାଜ ଜନ୍ଜ୍ୱ ଜ	2.8 12.6 <.2 2.6 2.2	2.66 3.68 3.51 5.73	20 10 15 70 30 5	70 45 90 390 50 80	20 <5 15 30 5	0.06 0.03 0.10 0.52 0.05	2 1 2 1 2	13 7 11 75 9	21 24 25 186 30	41 37 29 85 51	10.20 7.54 8.51 > 15 6.98	<10 <10 <10 <10 <10	0.10 0.27 0.17 0.64 0.20	450 167 228 6860 240	14 20 9 48 44	<.01 <.01 0.02 <.01 <.01	16 26 22 60 72	7577	710 510 700 720 -	30 32 32 2	ት ይ ይ ይ ይ	28 28 28 28 28 28 28 28 28 28 28 28 28 2	7 8 16 17	0.23 0.03 0.21 0.28	<10 <10 <10 <10	117 82 92 142	<10 <10 <10 <10	ণ গ গ	219 222 196
63 71 80 89 98 98	5087 5103 5256 5265 5274	১৯৯৯ ৯৯	1.0 3.8 <.2 <.2 <.2 <.2	4.21 2.90 1.68 3.78 4.31 2.77	25 26 15 V V V	100 90 65 45 45	5 √5 5 25 25 25	0.05 1.47 0.03 0.27 0.21	7 51 23 51 51 51	12 10 20 8 20 18	19 30 18 11 23	25 32 53 24 17	9.38 6.02 5.69 5.59 5.96	<10 <10 40 <10 <10	0,12 0.50 0.30 0.09 0,40	118 256 2618 126 327	36 922 16 4	<.01 <.01 <.01 <.01 0.04	53 31 98 17 14	44 60 140 48 73	50 00 00 90 90	22 38 22 18 30	୬ ୫୫୫୫୬	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7 11 6 53 6 22	0.15 0.22 0.05 0.04 0.13 0.65	<10 <10 <10 <10 <10 <10	40 154 72 57 131	<10 <10 <10 <10 <10	3 <1 3 64 <1	124 283 214 1348 128
115 5 124 5 133 5 141 5 150 5	309 317 326	ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ্ ধ	1.4 <.2 0.6 <.2	5.80 3.37 4.96 4.44 5.26	10 10 10 10 10 10 10 10		10 10 5 10 10	0.09 0.09 0.10 0.10 0.05	र र र र र	23 11 14 8 16	25 13 40 38 42	25 15 26 24 37	5.58 6.27 4.31 6.47 6.81	<10 <10 10 <10 <10	0.29 0.24 0.10 0.45 0.08	117 1916 706 711 380	57425	0.03 0.01 0.04 0.02 0.02	10 14 7 36 8	80 94 78 105 81(10 10 10 10 10 10	34 32 60 30 46	<u>ዓ</u> ዓ ዓ ዓ ዓ	ନ୍ଧୁ ନ୍ଧୁ ନ୍ ନୁ ନ୍ଧୁ ନ୍	12 9 7 11 7	0.64 0.24 0.18 0.13 0.15	<10 <10 <10 <10 <10 <10	151 78 28 59 47	<10 <10 <10 <10 <10	14 10 5 13 11	44 48 74 81 130
, .		~ (U.4 A	4.23	10	55	10	0.06	ব ব	30 11	23 34	33 35	8.38 7.12	<10 <10	0.40 0.40 0.43	649 648 230	4 51 6	0.02 0.06 0.02	26 10 32	95(86(83(42 · 44 · 46 ·	ণ্ড প্	ଏହ ଏହ ଏହ	4 19 7	0.17 0.69 0.15	<10 <10 <10	67 127 61	<10 <10 <10	14 22 16	45 119 67 128

Page 5

"

•

)

)

١

٠-.

÷ .

)

<u>Et #. Tag #</u> QC DATA:	Au(ppb)	Ag	AI %	As	<u> </u>	Bi	<u>Ca %</u>	<u> </u>	<u> </u>	Cr	Cu	Fe %	La	Mg %	Mn	Ma	N- 4/		_				ECO-T	ECH LA	BORAT(ORIES (.TD.		
Standard: GE0'95 GE0'95 GE0'95 GE0'95 GE0'95	150 140 145 150 150	1.0 1.0 1.0 1.0 1.2	1.64 1.65 1.65 1.65 1.65	65 65 70 70 60	160 155 170 175 165	ও ও ও ও ও	1.79 1.65 1.74 1.76 1.70	~~ ~~~~	19 17 18 19 20	65 60 63 63 67	82 86 84 82 80	3.72 3.75 3.98 3.85 3.84	<10 <10 <10 <10 <10	0.88 0.85 0.86 0.94 0.88	629 642 624 630 640	र र र र र र र र	0.02 0.02 0.02 0.02 0.02 0.02	29 27 29 30 28	630 620 620 610 620	РЬ 22 20 24 24 24 22	<u>\$b</u> 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Sn <20 <20 <20 <20 <20 <20 <20	50 60 65 64 67	0.14 0.12 0.13 0.12 0.13	U <10 <10 <10 <10 <10 <10	70 75 74 71 71	<10 <10 <10 <10 <10 <10	6 5 5 5 5 5	Žn 77 77 79 73 72

.)

)

1

1

Ì

df/884 XLS/95Canamera#6

-

ECO-TECH LABORATORIES LTD. Frank J. Pezzotti, A.Sc. T. B.C. Certified Assayer

)

12-Oct-95

1

. ¹ 1.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

)

1

Ĵ.

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

..

CANAMERA GEOLOGICAL LTD. AK 95-898 #540-220 Cambie Street VANCOUVER, B.C. V68 21M9

ATTENTION: K. HICKS/ J. DUPUIS

76 Soil samples received Sept. 28, 1995 PROJECT # FD5CA0010 SHIPMENT #: 35

4 0.23 10 134 <10

<1 115

	Et#	Tag #	Au(ppb	<u>A</u>	<u>a Al %</u>	A	В	<u> </u>	Ca %	Cđ	G	• •													P.O. Sam	#EN/# f: 597 <u>2</u> x465 subj	: 35 mittuei h	w. т.г			
	2 3	5040 5042	4	0	4 1.87	105	i 180 220		5 0.38 5 0.71	2	2	5 51	ē	5 7.5	6 L	a Mg % 0 0.8:	Mn 2 2324		o Na X		Ni P	Pb	Sb	Sn	s	r 11%		y			
	4 5	5044 5046	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3.	3 6.40 2 3.63 9 3.70	75 10 20	105 80 145	1	5 0.03 5 0.05 5 0.06	<1 2 2	18	3 103 30	3	10 6,2 17 10,9 14 11,4	5 <10 D <10 D <10	0 0.60	3 1459 394 207	2	3 0.02 0 0.02 9 <.01	4 5 6	1 980 6 1000 5 780	18 18 36	র থ থ	28 28 28	1: 3:	3 0.04 5 0.05	<10 <10	78	<10 <10	<u>Y</u> 14 7	Zn 309 599
	6 7 8	5048 5050 5062	\$ \$	22 32	3.02 4.58	<5 15	65 80	15 15	0.02	2	6	26 18	6 2	4 8.40 5 8.16) <1(<1(0.38	669 120	17	5 <.01 7 <.01	2	9 560 4 920	34 28	ধ ধ	√3 √3	13	0.02 0.03	30 <10	60 108 122	<10 <10 <10	4 4 4	206 100 306
	9 - 10 10	\$054 5056	\$ \$ \$	4.8 3.0	5.76 4.55 4.43	5 5 15	.70 90 80	15 10 15	0.11 0.07 0.07	3	12 10 7	33 29 24 77	6 2 3	3 12,90 3 9,51 6,30	<10 <10	0.17 0.23 0.16	7 399 216 235	48 13	<.01 <.01 <.01	2 14	7 740 7 1650 4 760	20 20 32	র হ হ হ হ	୪୫ ୧	3 6 7	<.01 0.07 0.09	20 20	96 163	<10 <10	4	112 338
	11 12 13	5058 5060 5062	\$ \$ \$	3.0 0.4 5.4	8.01 2.05	20 190	40 220	10 5	0.19 0.73	23	4 22	22	14	9.90 4.72	<10 <10	0.16 0.02	231 253	17	<.01 0.07	16	520 720	36 28	ধ্য ধ্য	<20 <20	13 8	0.07 0.07	20 20	66 130	<10 <10 <10	<1 <1 <1	1 16 170 218
•	14 15 16	5064 5066 5068	হ হ হ	1.0 1.4	3.83 5.02	20 20 10	80 45	20 10 15	0.05 0.11 0.21	3 3 3	9 21 .9	33 19 10	42 28 15	13.60 7.24 9.11	<10 <10 <10	0.89 0.04 0.12	2583 123 480	24 48 13	6.02 <.01 0.01	67 14 20	1070 420 530	52 16 30 34	5 10 5 5	ଧିରୁ ରୁ ରୁ ବ	8 41 7	0.07 0.06 0.08	<10 <10 30	17 72 221	<10 <10 <10	6 11 <1	131 530 154
	17 18 19	5070. 5072 5074	1440	0.4 <.2 0.4	1.63 1.71 3.13	40: ≪5 20	70 140 65	15 15 10	0.05 3.22	1 18	8 14	10 11	- 57 15	7.79	<10	0.33	159	14 62	0.02 <.01	13 39	420 650	52 20	ৰ ব	40	6	0.08	<10 <10	85 27	<10 <10	16 8	282 235
	20 21 22	5076 5078 5080	\$ \$ \$ \$ \$ \$	0.6 2.2 0.2	3.84 2.37 2.29	≪5 5 255	95 95 285	30 5 5	0.08	2 3 14	11 23 28	20 37 16	31 42 37	7.70 14.00 6.72	10 <10 <10	0.14 0.22 0.37	328 479 1254	<1 25 26 19	0.10 <.01 <.01 <.01	92 27 46 131	870 570 520 620	10 34 32 22	? 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ନ୍ଧ ହ ବ୍ୟ ହ	3 120 13 7	0.02 0.36 0.21 0.49	<10 <10 <10 20	72 37 79 138	<10 <10 <10 <10	<1 11 27 <1	458 1049 393 566
	23 4 24 5 25 5	i082 i084 i086	' ধ ধ ধ ধ	0.8 <2 <2	5.29 1.00 3.05 0.89	15 15 5 √	40 35 80 25	5 5 10 10	0.07 0.07 0.06 0.04	5 5 2 1	5 6 11 9	58 7 4 24 9	45 17 18 30 30	7.69 5.17 2.61 9.06 4.90	<10 30 <10 <10 <10	1.09 0.03 0.13 0.52 0.02	2361 297 119 306 70	12 7 19 20	0.03 0.04 <.01 <.01	37 8 11 30	1110 650 570 270	18 48 32 28	১ ১ ১ ১	28 28<	45 2 7	0.12 0.07 0.10 0.17	<10 <10 <10 10	71 76 9 95	<10 <10 <10 <10	15 10 15 5	1250 200 127 91
																		30	<.01	26	140	10	<5	<20	4	0.08	10	76	<10	<1	283

>

1

Page 1

1

Et	#. Tag#		чь)	Ag Al	× .																										
26	5 5088	<5 <2 1.88 5 70 20 Ca Cd Co Cr Cu Fe % La Mark was													ECO-TECH LABORATORIES LTD																
28	5092		<5	1.6 5.0	0 1	0 4	5	20 0.04	2	12	2)	42 12.	80	10 0	17 20	<u>n (</u>	Mo Na	%	Ni	<u> </u>	Pb	s	b Se	1	Sr Ti	%	п			
29	5094		5	0.6 2.0	9 <	5 7	5	10 0.22	4	11	e f	5	12 5	60	30 D.	02 34	8	8 0	01	32	710	- 22	<	5 <20)	9 0	13	20 1	<u>v</u> v	<u> </u>	Y Zn
30	5096		5	2.0 3./3		5 50	מ	30 0.03	2	12	17		49 7.	28 4	10 0.	13 40	2	32 <	04 D1	19	400	46	<	5 <20)	2 0.	10 <	10	0 <10	· <	1 186
-	· · · _					9 9	5	15 1.01	16	15	12		34 14.) 25 6 3	r0, ≺ 70	10 <	01 14	5	17 <.()1	12	410	34	<	5 <20	}	0.0	2 <	10 6	6 <10	, 4	P 1/4 } ⊐e₁
37	5098	<	-s (0.6 3,04	4	5 50	,	0 0 00	_		_			0	(U U.)	09 44	1	14 <.()1	58	430	28	~	5 <20 5 <20		1 0.2	27	10 10	5 <10	· ~	100
33	5100	<	5 1	6 3.06	35	60		5 0.05	2	9	17	ŧ	53 8,9	8 <	10 0 3	24 47						2.0		-20		AS 0.1	9 <1	0 7	2 <10	19	881
34	5104	<	5 1	2 6.86	i 10	75	i 1	0 0.04	4	53	9	12	25 7.3	1	10 0.3	31 2212		x5 <.() ≥1	1	33	880	18	<	5 <20		6 00	· ·	<u> </u>			
35	5106	<	5 10	0 3.81	<5	95		5 0.11	2	17	20	2	27 10.8	0 <	10 0.0	9 388		// <,0 /0 ∠n	11 1 -	33 1	1210	28	~	5 <20	<	1 < 0	2 i 1 <i< th=""><th>0 5</th><th>2 <10 5 <10</th><th><1</th><th>249</th></i<>	0 5	2 <10 5 <10	<1	249
				3,52	25	65	2	0 0.05	3	15	20 44	12	9 7.8	1 <	10 0.1	9 137	, Z	1 0.0	2	13 1 13	1020	34	<5	j <20		7 0.0	7 <1	05	4 <10	27	723
36	5108	<	5 1.	8 1.72	10	40							1	5 4	0 0.2	0 370	4	6 <.0	1	30 2	2500	- 30	<5	<20	1	0 0.5	73	0 11	3 <10	3	132 61
38	5109	<	i 0.	8 1.45	25	100		0.03	1	10	t1-	. з	4 6.30	S <1	0 01	5 100		_				.0	~	<20		3 0,1	72	96 0) <10	2	354
39	5113	< 	2 1.	0 2.46	10	90	1	0.29	10 3	9	14	3	1 6.3	চ ব	0 0.1	3 287	3	6 <.0	•	52	430	28	<5	<20		4 0.24					
40	5115	<5		∠ 1,30) 2 1,360	10	90	<	0.05	~1	- 15 - 6	18	37	7 5.96	§ <1	0.4	8 790	1	5 <01		37 . 24 ·	440	30	<5	<20	20	3 0.17	/ <10) 130) 109	s <10	<1	229
		-		- 1.30	0	135	2	0.17	2	14	11	21	4.75	1	0 0.10	108	1	7 <.01	1	19 4	790 27n	24	<5	<20	14	0.12	<10	76	<10	16	573
41	5117	<5	<:	2 0.94	<5	45	40						0.01	<1	0.06	305	10	0 <.01	i	5	380	12 24	<5	<20	6	0,09	20	147	<10	<1	190
43	5119	<5	0.8	2.37	<5	90	25	0.24	1	10	7	25	6.23	<10	0 14	-						24	~0	~20	15	0,32	10	228	<10	<1	114
44 .	65123	<5	3.8	3.15	10	85	10	0.05	2	16	23	30	12.00	<1(0.42	200	11	0.03	1	4 4	420	12	<5	<20	18	0.17	-10				
45 🗍	5125	~ ≺5	3.8	2.50	10	75	15	0.05	ž	9	2/	38	12.90	<10	0.15	201	25	0.07	1	54	420	14	<5	<20	26	0.20	20	104	<10	<1	165
		•	0.0	2.20	<	- 80	20	0.07	3	12	20	38	8.21	<10	0.38	252	18	0.01	2	6 2 4 4	(60) (60)	22	<5	<20	8	0.08	30	126	<10	<1	102
46	5127	<5	2.8	2.94	<5	80	10					20	10.00	<10	0.13	211	15	0.02	1:	2 3	370	24	<5 <5	<20 ∕℃	4	0.06	20	83	<10	<1	301
-46 s.	5129 5131	<5	3.6	5.35	25	70	15	0.06 0.0a	2	12	23	28	9.18	<10	0 18	170					-	Q4.	~3	~20	5	0,23	30	119	<10	<1	145
49	5133	ঁক	3.2	5,59	35	100	5	0.03	2	12	31	65	7.82	<10	0.86	782	12	0.01	19	4	00	30	<5	<20	7	0.28	20	400			
50 🖗	5136	~ ⊲5	40	0.56	<5	20	<\$	0.04	1	10	31	40	7.89	<10	0.35	377	20	< 01	25	5	70	30	<5	<20	6	0.05	<10	138 R4	<10	<1	191
			4.0	213	15	90	10	0.01	2	6	28	37	2.10	<10	0.04	45	10	<.01	- 33	10,	20 60	40	<5	<20	2	0.05	<10	97	<10	2	319
วา ราช	3137	<5	6.4	3.32	25	75	~	:				v r	0.00	<10	9.11	101	36	<.01	17	4	80	18	<5 <5	20	12	0.18	10	112	<10	<1	3/0
53		· <5	1.8	4.74	25	120	10	0.16	9	31	23	81	7.82	<10	0.31	3496					- ,	10	~	~20	<1	0.02	20	296	<10	<1	449
54 💚	5(43	~5	1.2	2.59	<5	90	15	0.10	2	8	38	49	6.56	<10	0.56	417	29	0.02	37	195	50	18	<5	<20	15	0.07	-10	140			
55 🕱	5145	<5	0.0	2.64	<s< td=""><td>85</td><td>15</td><td>0.07</td><td>2</td><td>10</td><td>27</td><td>38</td><td>11.60</td><td><10</td><td>0.18</td><td>163</td><td>21</td><td>< 01</td><td>36</td><td>48</td><td>90</td><td>30</td><td><5</td><td><20</td><td>2</td><td>< 01</td><td><10</td><td>119</td><td><10</td><td>5</td><td>568</td></s<>	85	15	0.07	2	10	27	38	11.60	<10	0.18	163	21	< 01	36	48	90	30	<5	<20	2	< 01	<10	119	<10	5	568
			0.4		5	65	25	0.08	2	13	77	20	8.43	<10	0.15	178	19	0.02	10	20	λU An	20	<5	<20	12	0.07	30	159	<10	~	316
30 57	5147	<5	<2	1.17	<5	130	~						13.00	<10	0.09	111	24	<.01	14	21	ñ	28	0	<20	7	0.22	20	192	<10	<1	219 121
58	5154	<5	<2	1.25	<5	65	20 15	0.88	1	19	5	10	3.17	<10	0.97	200						20	~5	<20	4	0.27	30	171	<10	<1	109
59	5153	<5	0.2	2.44	<5	85	25	0.07	2	11	12	26	7.55	<10	0.07	ದು: ೫೯	~	0.17	13	71	0	8	5	<20	83	0.25					
60	5155	~> ≪5	<2	1.30	<5	50	15	0.04	2	13	22	30	9.94	<10	0.29	167	22	0.01	18	240	Q	12	<5	<20	ŝ	0.35	<10 20	62	<10	5	39
		-	9.0	9.4/	35	30	10	0.01	<1	6	34	19	8.61	<10	0.02	154	14	< 01	37	330	0	28	<5	<20	9	0.27	20	101	<10	<1	147
ត ា	5157	<5	8,0	2.63	<5	60				0		18	7.11	<10	0.33	189	8	<.01	10	4/(0	18	<5	<20	14	0.15	20	159	<10 <10	<1	217
62 1	5159	<5	1.6	5.23	<5	ou on	10	0.02	2	8	23	26	935	~10	.					000		u ∠	<5	<20	<1	0.05	20	60	<10	<1	00 97
64 :	5163	<5 ~5	3.2	3.04	<5	60	13 20	0.05	1	1	20	69	10.20	<10	0.11	140	16	<.01	14	570	0 2	22	<5	<20	2						57
65	5165	<5 <5	3.2	4.11	<5	70	15	0.03	7 3	0	25	29 1	12.80	<10	0.01	179	10	<.01	11	1400) 2	26	<5	20	7	0.11	30	164	<10	<1	160
-		~0	1.2	4.46	10	80	10	0.10	2 .	3	32	22	9.95	<10	0.16	187	10 11	<.01	9	520) 3	36	<5	<20	1	0.15	20	112	<10	<1	150
	•								-	~	29	40	8.33	<10	2.03	1926	27	0.02	16	510	3 3	34	<5	<20	12	0.09	<10	44	<10	<1	111
															Page 2			0.02	51	410	1 2	2	<5	<20	10	0.10	<10	288	<10	<1	139
																													viv.	~ }	94U

÷

)

د . مرکز کو ا

di/901 XLS/95Canamerai/6

٣.

-

Et #.	Tag #	Au(ppb)	A	g_ AL 7	6 A	s Ra		N C- #																ECO-	TECH	BORAT	ORIES			
66 67	5167 5168	4	0.	6 1.8	3 25	5 120	5 1	0 0.43	<u>Cd</u>	<u> </u>	C1 26	Cu	Fe%	La	Mg %	Mn	M	o Na %	N	i p	Pb	Sb	50				or near			
68	5171	~		C 1.4	1) 49	5	5 0.04	3	8	12	~	00.8	<10	0.36	345	2	9 <.01	19	520	22				1174	U	V	W	Y	Zn
69	5173	~		9 3.0	5 50) 75	، (5 0.05	1		12	- 24	8.00	<10	0.03	143	2	0 <.01	12	20	42	S	<20	2	0.04	10	115	<10	<1	136
70	5175	~	3.	2 1.55	> 10) 45	1	0.03	÷		24	66	7.09	<10	0.26	216	4	1 < 01	33	200	10	<5	<20	7	7 0.08	20	215	<10	<1	165
			7.8	5 3.14	4	i 80	2	0 0 06	,		9	24	5.82	<10	0.04	87	2	- 01	10	000	20	<5	<20	11	0.16	10	128	<10		200
71	5177	-				•••	· · · ·	0.00	4	11	25	32	10,80	<10	0.14	180	2		10	210	14	<5	<20	4	0.09	20	148	<10		390
72	5177	<	<2	1.54	5	- 50	2	0.02		_							. 24	0.01	16	660	26	<5	<20	7	0.12	20	154	<10	~1	163
79	5179	~5	0.8	0.39	30	50	~	0.03		9	14	- 33	7.83	<10	0.21	166	~	- 04										10	-1	169
73	5181	<5	0.4	2.91	20	65		0.31	<1	3	2	19	1.66	<10	0.05	40		<01	- 33	260	14	<5	<20	3	0.18	10	100			
(4	5183	<5	2.4	3.17	15	66	10	0.07	1	9	13	31	9.24	<10	0.14		24	<.01	9	580	4	<5	<20	41	0.01	10	109	<10	<1	182
75	5185	 S 	5.6	5.96	20		10	0.26	2	12	20	57	7 52	<10	0.00	205	2	<.01	13	620	46	<5	<20	5	0.40	20	40	<10	<1	78
-					~~	30	10	0.06	2	9	19	49	695	~10	0.20	217	25	0.03	28	970	26	<5	<20	ž	0.10	20	80	<10	<1	158
76	5187	<5	4.4	275	-	70								10	0.12	251	16	0.02	29	1070	48	<5	~70	20	0.20	20	114	<10	<1	190
					0	70	20	0.18	3	15	22.	24	8.21	-10	•							~	-20	Þ	0.20	<10	35	<10	10	254
QC/DA Repea												6.4	0.21	<10	0,13	866	14	0.01	17	710	48	<5	<20	14	0.35	<10	105	<10	6	185
1	5038	Æ	~~																											
10	5056	2	0.8	2.40	100	195	4	0.32		-	-																			
19	5074	2	3.0	4.38	10	75	10	0.09	2	20	- 53	67	8.04	<10	0.65	2460	25	000	-	4										
28	5002	~	1.0	4.11	<5	100	25	0.00	~	а	27	28	9,72	<10	0.16	213	16	0.02	43	1020	18	<5	<20	15	0.05	<10	84	<10	16	~
36	5100	-5	0.6	211	4	75	- 5	0.00	3	Z2	38	45	> 15	<10	0.20	504	- 10	<.03	W.	710	30	<5	<20	8	0.08	20	130	<10	13	331
	5105		1.6	1.74	10	40	15	0.00	4	11	14	50	7.21	<10	0.13	200	31	<01	49	503	34	<5	<20	5	0.40	20	1:10	~10	~1	200
Æ	5100							0.03	1	10	11	33	6.35	510	0.10	404	.35	<.03	36	323	34	<5	<20	10	0.12	<10	66	~10	<1	5/2
40	5125	<	4.0	2.34	<5	80	20						- 34			101 -	- 34	<.01	59	450	28	<5	<20	4	0.25	20	100	10	10	381
- 34	5143	<5	11.4	2.77	~5	nc	20	0.06	3	11	21	23	10.90	-10	6 40										0.10	40	136	<10	<1	224
63	5161	<5	4.0	3.03	-	60	15	0.08	2	10	25	28	8.67	-10	0.12	212	15	0.02	13	400	34	<5	<20		6.22					
71	5177	<\$	<2	1.66	~	30	25	0,01	2	8	22	27	13.00	-10	0.74	174	18	0.02	9	420	20	<5	<20	-	0.22	30	121	<18	<1	147
					0	50	15	0.02	2	10	14	36	0.44	10	<.01	168	15	<.01	6	500	34		~20	5	0.23	20	195	<18	<1	117
Standar	च					-						~	0.41	<10	0.21	163	29	<.01	36	280	16	~	~20	<1	0.10	40	87	<10	<1	107
E095		145	12	1 64																	10	~5	<20	<1	0.19	30	117	<10	<1	199
EO95		160	1.2	1.04	55	165	- 5	1,66	<1	18 9																				
E095		150	1.2	1.66	65	165	<5	1.78	तं	10	30	64	3,76	<10	0.87	613	<1	0.03	24	620	40	-								
		:50	1.2	1.62	6 5	160	\$	1.74	4	10	00	82	3,78	<10	0.98	620	4	0.02	26	640	18	<5	<20	65	0.13	<10	72	<10	5	77
								•		13	64	82	3,80	<10	0.97	625	~	0.02	20	040	20	5	<20	66	0.12	<10	72	<10	Ă	73
																		4.42	20	030	20	5	<20	62	0.12	<10	74	<10	7	73
																											, ,	-70	4	10

.

ECO-TECH LABORATORIES LTD. Frank J. Pezzoti, A.Sc. T. B.C. Certified Assayer <

13-Oct-95

1

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

) .)

)

·· ·

}

Phone: 604-573-5700 Fax : 604-573-4557 CANAMERA GEOLOGICAL LTD. AK 95-899 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

Zn 27

6 56

ATTENTION: K. HICKS/ J. DUPUIS

Values in ppm indexs other Et #. Tag # Au(ppb)	Ag Al % As Ba Bi Ca N on a		2 Rock samples received Sept. 28, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 35 P.O. #: 5972 Samples submitted by: T. Drown
1. 7572 5 2 7573 5	0.4 0.25 25 115 <5 0.11 2 2 55 <2 0.20 25 90 <5 2.18 <1 1 90	Cu Fe% La Mg% Mn Mo Na% Ni 12 1.79 <10 0.05 82 12 0.03 4 2 8 1.41 <10 <.01 288 11 0.02 2 1	P Pb Sb Sn Sr Ti % U V W Y 10 18 <5 <20 13 <01 <10 2 <10 <1 10 26 <5 <20 244 <.01 <10 <1 <10 6

OC DATA:	· · ·				⁻ .	. <u>.</u>																							
R/S1 7572	5	0.6	0.23	20	105	4	0.10	শ	1	45	10	1.83	<10	0.03	82	11	0.01	3	240	40									
GEOras		1.4	1.66	65	170	\$	1.70	<1	19	65	82	4.27	<10	0.96	~~~			5	240	10	শ্য	<20	10	<.01	10	2	<10	<1	26
									*			-		0,00	420	<1	0.02	24	630	18		<20	63	0.12	<10	8 2	<10	4	73
																						-			\geq	11			
XLS/95Canamera#6	ì																				\sim	<u>-</u>	СС-ТЕС	CHUN	RATOR		D.		
	/ .																					B.:	C. Cert	ified Ass	ALSC, I., Rayer				
	ъ., - с																												

••
··.

17-Oct-95

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phonië: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

.

CANAMERA GEOLOGICAL LTD. AK 95-923 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

<10

<1 301

and a star of the
ATTENTION: K. HICKS/ J. DUPUIS

230 Soil samples received Oct. 4, 1995 PROJECT #: FD5CA0010 SHIPMENT # 37 P.O. # 5387

Ett	#. Tag #	Au(ppb)	۵ (л в		•-	_					٠.													P.O. 1	5387	••				
1	4042	<	~ <	2 1	.52	85	Ba	8	Ca %	Cd	_Co	Cr	Ci	i Fe%		a Ma 4									Samp	les suba	nitted by	r. R. V	erzosa		
3	4043 4044	<5 25		2 1	50	40	70	÷ 4	4.24 3.41	 <!--</th--><th>17</th><th>38 29</th><th>6</th><th>4.31</th><th>্ ব</th><th>1.3</th><th>4 682</th><th>2</th><th>Na %</th><th>N 30</th><th><u>і Р</u>) 1910</th><th>Pb</th><th>Sb</th><th><u>Sn</u></th><th>S</th><th><u> </u></th><th>u</th><th>v</th><th>w</th><th>Ŷ</th><th>75</th>	17	38 29	6	4.31	্ ব	1.3	4 682	2	Na %	N 30	<u>і Р</u>) 1910	Pb	Sb	<u>Sn</u>	S	<u> </u>	u	v	w	Ŷ	75
45	4045 4046	<5 45	<	2 1. 2 1.	.56 .53	30 115	70 55	<5 10 <5	4.47 3.31 4.05	44	17 17 19	40 29 41	74 69 71	4.37 4.47 4.56	4 4 4	1.20 1.37 1.23 1.23	925 747 747 746	222	0.04 0.02 0.05	2 34 22	2 1970 2000 1950	40 22 18	5 10 10	5888 888	167 146 167	0.05 0,06 0.06	<10 <10 <10	91 90 93	<10 <10 <10	4 3 5	90 137 107
7 8	4047 4049 4050	35 ব্য ব্য	\sim	2 1. 2 1. 2 1.	.54 59 61	75 20	60 75	⊲ 5	4.24 3.35	ব	17 17	37 29	, 70 69	4.42	ः ्<10	1.34	886 891	2	0.02 0.03	33	1870	24	5	<20	143	0.05	<10 <10	92 94	<10 <10	3	82 101
9 10	5110 5112	ব্য ব্য	<.2 2.6	1.1 4.1	71 11	90 45	60 135 245	<5 10 <5	3.13 0.55 0.07	1 4 4	17 18 48	38 34 14	73 45 158	4.61 5.97 9.55	<10 <10 <10 <10	1.25 1.38 0.88	770 757 1592	3 2 15	0.05 0.03 0.01	24 27 47	2020 1830 930	18 16 16	10 10 <5	<20 <20 <20	166 144 122	0.05 0.06 0.06	<10 <10 <10	91 92 98	<10 <10 <10	5 4 4	99 95 107
12 13	5114 5116 5118	ধ ধ ধ	1.4 3.4 <2	2,9 3.1 2,0	99 17 13	20 10 15	100 160 70	5 10	0.03 0.43	1 2	12 7	27 17	52 37	7.05 9.14	<10	0.41	2605 565	18 27	<.01 <.01	34 48	920 490	30 24	~ ব্য ব্য	<20 <20	26	0.03 <.01	<10 <10	61 58	<10 <10	5 46	567 389
15 16	5120 5122 5124	ধ্য ধ্য	5.2 0.8	3.0 2.1	3 3	√5 10	730 150	45 20	0,11 1.01 - 0.46	2 5 3	8 44 9	12 21 22	21 11 26	6.28 > 15 - 8.87	<10 <10 <10	0.10	213 209 >10000 1003	35 14 82 19	<.01 <.01 <.01	18 15 28	440 300 4680	20 36 <2	হ হ হ হ হ হ	~20 20 40 <20	<1 21 3 68	0.01 0.01 0.17 0.12	<10 <10 <10	81 130 94	<10 <10 <10	<br </td <td>595 422 174</td>	595 422 174
17 18 19	5126 5128 5130	গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ	4.0 4.2 2.2	4.0 10.8 1.9	6 0 : 3 ·	10 30 ⊲5	95 90 85	10 15 20	0.31 0.68 -0.16	523	30 10	15 36	47 27	7.49 6.79	30 <10	0.07 0.15	1675 265	8 7	0.01	23 20	520 870	28 48	≪ ≮9	<20 20	22 13	0.03	<10	83	<10 <10	<1 <1	707 251
203 21	5132 5134	5	3.2	1.91	1.	15 45	70 85	20 50	0.06 0.10	1 2	12 11 15	10 14 25	25 32 34	8.48 7.04 > 15	<10 <10 <10	0.04 0.02 0.05	391 179 331	14 11 17	<.01 <.01 <.01	16 12 6	1000 540 3360	66 30 26	ও ও ও ও	40 40 20	33 9 <1	0.04 0.19 0.33	<10 <10 <10	27 34 136	<10 <10 <10	30 3 <1	298 187 133
12 13 14	5136 5138 5140	7991	4.4 3.4 3.8	4.62 2.29 5.07		55 55 55	100 115 80	15 10 35	0.21 0.09 0.05	1 2 ₄	12 9	18 15	34 72	7.09 8.09	<10 <10	0.14 0.02	590 292	15	<.01	9 16	700 1570	54 32	জ গ	<20 <20	8 21	0.30	30	96	<10 <10	<1	95 112
5	5142	7 (7	3.8 4.4	6.38 3.18	1	10 5 ·	60 100	≪5 10	0.03 0.02	33	9 10	17 17 24	39 76 60	> 15 6.43 8.10	<10 <10 <10	<.01 0.02 0.03	249 423 844	15 20 26	<.01 <.01 <.01 <.01	43 9 42 27	1500 1470 1300 4000	24 62 56 38	ও ও ও ও ও ও ও ও ও ও	<20 <20 20 <20	9 <1 <1 6	0.03 0.27 0.01 0.03	<10 20 <10	63 175 66 32	<10 <10 <10 <10	7 7 7 3	189 638 147 528

. .

E	t#. Tag# 6 5144	Au(p	<u>рь)</u> <5	Ag		A	s I	Ba	Bi Ca %	C	1 0	io o	`	C11 E2												ECC	-ТЕСН	LABOR	ATORIE.	S LTD.		
2 2 3 3 3 3 3 3	7 5146 8 5148 9 5150 0 5152 1 5154 2 5156 3 5158	~	\$ \$ 5 5 5 5 5 5	5.6 2.8 2.2 1.0 3.8 0.6	3.31 3.49 3.58 2.11 2.95 3.39	- 3 - 2 - 2 - 2 - 2 - 2 - 10	5 11 5 6 5 6 7 5 7 14	55 10 15 15 15 15 15 15 15 15 15 15 15 15 15	10 0.15 15 0.21 15 0.02 25 0.03 15 0.04 20 0.46 25 0.34	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 ? 1 1 1 1	9 1 4 2 8 2 3 3 1 1	3 3 3 5 4 4	38 4. 74 8. 47 9. 51 13.4 46 8.4	78 57 < 99 < 41 < 40 < 19 < 19 <	La Ma 10 0 10 0 10 0 10 0 10 0	1 7 312 1.17 312 312 1.24 87 311 1.11 16 17 22 1.15 20 37 03 37 37	In 21 20 44 9 3	Mo Na 37 < 33 < 21 < 57 <	a % .01 .01 .01 .01 .01	Ni 13 26 29 20 78	P 3030 1640 840 590 640	Pb 18 28 32 32 22	১ ৬ ৬ ৬ ৬ ৬ ৬ ৬ ৬	Sn <20 <20 20 40 <20	1	Sr Ti 6 0.0 0 0.0 1 0.0 1 0.2 1 0.1	% 12 <1 12 <1 15 <1 0 2 7 <1	U 6 0 9 0 12 0 14 0 12	V W 4 <10 4 <10 1 <10 7 <10 3 <10		Y Z 1 16 1 33 1 22 1 215 1 345
34 35 36 37 38	5160 5162 5164 5166 5168	~ ~ ~ ~ ~ ~ ~ ~ ~	> 5 5 5 5 5 5 5	2.2 1.2 2.2 0.8 1.0	3.57 2.58 5.86 1.34 5.59	10 20 15 70 15	120 95 65 65	0 2 5 1 5 1 5 1	0 0.26 5 0.13 0 0.10 0 0.02 5 0.03	2 3 2 2 7 1	24 13 13 8 8 8	4 57 40 20		89 9.7 7 9.1 6 7.1 9 8.0	8 1 8 1 7 1 7 1 7 1	0 0. 0 0. 0 0.0 0 0.0	62 2031 33 1000 56 4411 21 895		51 < 11 < 28 < 11 < 11 < 14 0 14 0	01 01 01 01 01	23 27 39 41 12	470 510 1010 1840 1100	50 30 28 28 56	র র র র র র র র	40 <20 <20 <20 <20	11 6 8 4 <1	5 0.2 5 0.2 3 0.07 1 0.04 0.11	4 <10 9 <10 7 <10 1 <10 <10	75 118 77 67 40	<10 <10 <10 <10 <10	5 20 5 7 8	287 149 172 198 128
39 40 41 42 43	5170 5172 5174 5176 5178	** * * *		.0).6 .4	1.54 3.38 1.75 2.54 5.75	55 15 85 20 20	50 95 195 130 , 60	10 10 15 10	0.06 0.03 0.83 0.83	2 2 7 1	10 9 25 9	12 34 52 14	3- 7: 6: 59 50	8.75 8.75 8.75 8.75	া না না না না	0.3	6 237 4 133 3 338 7 2063 9 373	1 10 1: 2:	4 < 0 3 0.0 3 < 0 4 0.0 4 0.0	12 7 12 7 14 3 12 7	uo 22 74 13 11 1	680 730 980 760 080	50 50 24 30 24	ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও	<20 40 <20 <20 <20	<1 <1 1 7 33	<.01 0.06 0.02 0.04 0.05	40 40 40 40	45 62 121 69 67	<10 <10 <10 <10 <10	~~~~~	488 153 505 211 652
44 45 46 47 48	5180 5182 5184 5186 5186	গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ গ	9. 2. 3.: 0.0	4 0 2 8	4.27 ÷ 6.27 3.14 5.10 1.37	~~~~5,∕ 15 30 15 20	85 45 70 50 55	*** 3 5 10 5 15	0.03 0.07 0.03 0.03	1 1	12 5 9 8	20 41 18 23 29	33 39 16 38 24	7.60 > 15 6.01 5.31 7.20	<10 <10 <10 <10 <10 <10 <10	0.2 0.1 <.01 0.46	4 353 300 212 377	12 20 6 15	2 <.01 <.01 0.02 <.01		3 9 6 (5 (1 7	900 630 550 840 740	26 52 44 58 34	୫ ୫୫ ୫	<20 40 <20 40 <20	8 <1 5 2 <1	0.06 0.05 0.15 0.07 0.03	<10 <10 30 <10 <10	90 49 96 17 55	<10 <10 <10 <10 <10	~~~~	178 223 155 67 331
49 50 51 52	5189 5190 5191 5192	5 হ হ হ হ হ হ হ	1.4 <1.4 <.2 1.6		3.67 2.16 2.06 1.82 2.07	35 120 50 50	80 160 85 170	10 10 10 10	0.22 0.13 0.35 0.26 0.24	2 3 2 6 2	5 11 13 18 21	10 17 68 14	35 48 37 81	4.91 8.00 8.18 6.55	<10 <10 <10 <10 10	0.13 0.26 0.72 0.60	1238 235 900 413 2925	19 31 38 35 48	<.01 <.01 <.01 <.01 0.01	27 17 36 30 97	7 13 7 24 6 43 9 10 17	330 100 150 150 140	40 16 36 24 26	\$ \$ \$ \$ \$	<20 <20 <20 <20 <20 <20 <20	9 11 10 30 8	0.03 0.01 0.03 0.02 0.04	<10 <10 <10 <10 <10	96 71 72 82 79	<10 <10 <10 <10 <10	<1 <1 <1 <1 18	212 157 273 292
55 56 57	5193 5194 5195 5196 5197	র্ র র র র র র র র র র র র র র র র র র	0.6 2.2 1.8 1.8 <2	1 2 2 5 2	1.80 2.00 2.56 13	8555	185 105 100 70	5 10 35 25 15	0.14 0.58 0.03 0.42 0.04	2 7 7 5	11 25 16 20 9	12 47 11 16 21	57 61 24 23	5.60 7.82 > 15 5.58	10 <10 <10 <10	0.85 0.54 0.70 <.01 0.12	1202 951 2067 815 1072	22 36 27 27 √1	0.02 <.01 0.01 <.01 0.01	40 74 67 20 11	8 18 10 111 37	00 50 50 70	20 28 24 42 38	~ ~ ~ ~ ~ ~ ~	<20 <20 <20 <20 <20 <20	11 <1 24 3 24	0.04 0.01 0.04 0.27 0.48	<10 <10 <10 <10 <10	76 52 69 141 82	<10 <10 <10 <10	5 9 6 <1	238 456 684 271
58 59 60	5198 5199 5200	5 হ্য হ্য	3.8 0.4 8.2	5.2	.78 .78 .86	3 ≪5 5 15	60 90 90	15 20 15 10	0.11 0.05 0.08 0.03	2 3 2 2	11 12 10 9	20 29 15 20	32 19 32 39	0.13 11.80 (1.00 (1.30 7.04	<10 <10 <10 <10 <10	0.39 0.11 0.04 0.05 0.28	523 361 830 229 716	57 21 13 22 14	<.01 <.01 0.01 <.01 <.01	38 16 13 11 18	163 56 124 37 60	10 6 10 2 10 7 10 2 0 3	58 26 26 2	ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ	20 40 20 20 20	7 3 5 1 2 1	0.03 0.02 0.17 0.05 0.04	<10 <10 <10 <10 <10	50 100 43 108 55	<10 <10 <10 <10 <10 <10	0 77774	263 242 212 219 147

Page 2

2

Υ.

CANAMERA GEOLOGICAL LTD. AK 95-923

ECO-TECH LABORATORIES LT	D.
--------------------------	----

<u> </u>	t#. Tag	3 #	Auíonb			v .																				ECO	-TECH	LABOR	ATORIE	S LTD.		
1	61 520	31	<u></u>	3	<u>8 56</u>		IS E	la	Bi Ca %	Cd	C	D CI		u Fe	%	1 - M	- •/															
(52 520	12	<	5 1	.6 3.7	3 1	NU 10	X0 VG	10 0.13	3	3	1 18		13 61	20 <	10 1	9%	Nn	Mo	Na %	h	ü P	РЬ	SE	Sn		Sz Ti	ν.				
•	ະ ສີ 520	ß	<	; 2	0 5.5	4 3	0 5	ю 5	15 0.04	2	ş	3 46		6 12	× ×	10 0	3.14 8 3.79 4	84	17	0.01	1	8 1500	42	~	<20		9 01	/*	<u>.</u>	<u>v</u> v	V	Y Zn
6	×4 520 ×5 620	14 v=	<	2	6 3.6	4 3	5 9	š.	10 0.02	1	8	29	1	8 6.3	4 <	10 0	1.34 2	52 11	21	<.01	2	3 490	34	<5	20		2 0.0	и и	10 1	78 <1	ე - ·	7 204
	N 520	Þ	<5	1.	8 3.6	42	0 6	o -	0 0.03	1	5	25	4	9 7.1	2 <	10 0	.35 3	71	3 16	<.01	2	5 540	50	<	<20	<	1 0.0	4 <		24 <79 19 -1	י> ל	260
6	6 520	6	~5						0.00	2	10	18	Э	6 5.5	0 <	10 0	21 3	50	19	0.01	31	1 690 1 700	36	<5	<20	<	1 0.0	1 <	0 4	.5 ≤µ 48 <1/	1 <	230
6	7 520	7	<5	2.	5 4.6		5 110	0 3	0.05	2	15	79			_					0.01	3	, 120	30	<5	<20		4 0.0	6 <1	0 e	15 <11	,	288
6	8 5206	в	 ⊲S	11	2.00	2	J 84	ê 2	5 0.34	4	11	21	2	7	5 <1	0 0	.07 84	1	34	<.01	15	5 1610	46	-5								240
6	5209	9	<5	3.8	3 1 40	/ JL			5 0.03	2	10	15	. 6	5 58			.16 .30	5	18	0.01	17	590	34	<5	40		5 0.1	3 <1	0 9	3 <10	1 <	136
70	5210)	5	0.6	3.12	34	, oc , en	> 1	0 0.04	3	6	10	3	2 6.2	1 1	0 0. 0 0.	.34 44	6	38	<.01	50	1640	26	<5	$\sqrt{20}$		4 U.1-	4 <1	09	8 <10	<1	295
7									5 0.03	3	14	13	79	5.4	4 1	0 0	34 54	4 5	26	<.01	20	650	22	<5	<20	ę	1 D.0 3 0.0	2 ~ 1	05	0 <10	1	306
7	5211	•	<5	8.4	6.49	20	60	1	รถักว (-	~		· .			- .		5	43	<.01	73	1580	28	<5	<20	<1	0.03	<1	0 7	1 <10	<1	244
73	5213		<5 (5)	<2	216	15	85	2	5 0.03	2	8	44	.2	8.5	' শ	0 0.	06 18	7	11	< 111	10	600	• ·							10	16	486
74	5214		~	3.4 ว.4	3.46	35	85	i (10	0.06	ž	17	20	54	12.20	<1	0 0.1	15 14) (53	<.01	49	380 710	44	<5	20	8	0.09	10) 76	o <10	<1	120
75	5215		<5	18	3.00	25	90	1	0.06	1	11	23	40	9.42	: <u> </u>	0 0	16 36	3 3	20	<.01	27	600	14	5	40	4	0.17	20	219) <10	<1	325
	5				2.07	10	45	1	0.08	2	6	14	38	5.65		J U.2	24 36-	4 6	52	<.01	56	1280	22	<5	~20	6	<.01	10	108	3 <10	<1	366
76	5216		5	1.6	2.67	15	85	1			ę	den a state	5. A.		and the second s		23	1	19	<.01	20	1410	22	<5	<20	16	0.21	30	106	<10	<1	189
78	5217		5	19.4	2.99	50	ŝŝ	10	0.08	2	9	18	24	13.00	~10	0.0	15 413										0.04	-10	, 25	<10	<1	117
79	5210		<5	2.6	2.99	15	95	35	0.06	2		24	53	6,69	<10	0.0	8 211	4	ыс и	<01	14	1900	30	<5	40	14	0.07	<10	208	<10	-1	6 0
80	5220		~5	4.0	1.47	25	65	10	0.11	1	12	18	18	> 15	<10	<.0	1 544	2	ģ.	<.01	-24 8	1710	18	<5	<20	9	0.05	<10	82	<10	2	224
	, '· '			~~	8,15	25	55	10	0.04	<1	7	28	40	4.98	<10	0.2	6 316	2	3.	<.01	15	1670	44	<5	20	6	0.19	20	148	<10	<1	97
81	5221		<5	3.6	6.48	30			14		-		10	0.93	<10	0.1	6 288	1	2 .	<.01	17	1150	46	5	<20	13	0.05	<10	71	<10	<1	136
82	5222		<5	3.0	2.84	10	90	10	0.02	<1	7	27	29	7.02	<10	0.4			-					~	40	6	0.05	<10	34	<10	<1	110
. 63	5223		<5	5.0	3.28	10	115	~ 20	0.02	2	13 - 2	; 29	41	> 15	<10	0.1	/ 139 B 170	1	7 -	<.01	21	960	36	<5	40	5	0.03	-	70			
85	5726		<5	<.2	2.08	15	100	. 15	0.06	2	11	34	38	11.60	<10	0.1	B 145	3	יו מי	<.01	31	1210	26	<5	<20	7	0.06	30	125	<10	<1	176
	1200		~	0.6	2.40	্ব	65	15	0.04	2	11	41	41	9,84	<10	0.0	B 210	33	3 4	01	20	710	28	⊲5	20	17	0.09	30	112	<10	4	175
86	5226		5	04	0.50				,	2		17	22	10,10	<10	0.21	1 183	12	2 <	.01	∠≀ 18	280 630	12	<\$	40	9	0.11	<10	208	<10	<1	150
87	5227		້	14	2.56	40	70	15	0.08	<1	11	103	29	E 44			_					0.50	30	<5	40	7	0.21	30	81	<10	<1	166
88	5228		<	12	2.45	20	10	10	0.01	1	10	23	57	11.00	<10	0.27	263	21	<	.01	23	330	20	<5	40							
89	5229		<5	0.8	2.52	10	80		0.06	2	7	22	54	7.20	<10	0.35	140	63	<pre></pre>	.01	69	460	26	ŝ	<20	4	0.11	<10	156	<10	<1	100
30	5230		<	3.6	5.74	20	125	15	0.02	1	8	32	17	7.71	<10	0.43	108	27	<	.01	43	440	26	<5	20	8	u.us < 01	20	101	<10	4	270
91	5231		-						0.06	3	11	29	30	8,54	<10	0.1	550	20		.01	19	370	18	<5	<20	õ	0.1	10	115	<10	<1	701
. 92 .	5232		S d	1.6	3.00	<5	115	25	0.02	1	17	40						25		.01	24	1050	42	<5	40	19	0.09	<10	B6	<10	4	122
83	5233		~	0.4	1.45	15	75	<5	0.05	<i .<="" td=""><td>7</td><td>42</td><td>25</td><td>12.40</td><td><10</td><td>0.21</td><td>230</td><td>15</td><td><</td><td>.01</td><td>20</td><td>310</td><td>22</td><td></td><td></td><td></td><td></td><td></td><td></td><td>-10</td><td>~1</td><td>104</td></i>	7	42	25	12.40	<10	0.21	230	15	<	.01	20	310	22							-10	~1	104
94	5234		~ 5	1.0	1 45	<5 20	95 ~~	15	0.07	1	9	24	30 27	0.08	<10	0.06	124	31	<	.01	18	570	18	5	40	5	0.11	30	96	<10	<1	153
95	5235		<5	0.6	3.96	30 25	156	<5	0.04	<1	5	9	46	5.69	<10 <10	0.22	157	14	<,	01	18	350	14	~) <5	20	6	0.12	<10	152	<10	<1	129
							130	50	U.16	3	39	164	53	> 15	<10	0.37	125	50	<,(01	55	850	16	< <u>s</u>	20	11	0.13	<10	117	<10	<1	124
																0.97	1208	38	<.	01	36	730	4	<5	20	12	0.01	20	59	<10	<1	302
																											0.02	20	282	<10	<1	159

~

ECO-TECH LABORATORIES LTD

· ·-- ···

.

E+ #	T #																									CONA	ONES	10		
LL#.	#	_Au(ppb)	Ag	AI%	As	Ba	B	i Ca #	~	~																				
96	5236	<5	06	1 1 59	36	CC		~ ~ ~		0	Cr	CL	<u>t</u> Fe %	La	Mg %	Mn	Mo	No %			D 1.	~ ~								
97	5237	<5	26	4.10	30	60		> <.01	1	6	11	36	5.65	<10	0.02	100		110 /0	1	<u> </u>	PD	Sb	<u>Sn</u>	Sr	TI %	U	v	w	v	-
98	5238		-5.0	4.16	15	110	10	0.10	6	24	28	20	200	-10	0.02	182	- 44	<.D1	55	5 310	20	<5	<20		0.03	(10	100			<u></u>
00	5200	~5	4.2	2.82	- 30	· 80	10	0.13	2	44	20	20	7.00	<10	0.26	583	14	<.01	33	3 730	22	<5	-20	10	0.00	~ 10	133	<10	<1	332
33	5238	<5	0,8	2.84	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	110		0.04	~		11	23	7.73	<10	0.16	1486	23	< (11	16	1960	10	5	~20	10	0.05	<10	77	<10	5	655
100	5240	<5	56	3.80	10	440	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	0.04	1	14	34	25	13.20	<10	0.12	650	20	- 04		1000	10	<5	<20	8	0.02	<10	44	<10	~1	150
					10	110	10	0.10	4	11	20	36	9.44	<10	0.21	400	~ ~ ~	×.01	- 17	1040	28	<5	40	8	0.22	10	153	-10		100
101	5241	~F												10	0,2,1	403	16	<.01	18	1020	20	<5	20	12	0.05	<10	70	10	<1	114
102	62.40	~5	1.5	1.46	20	65	5	0.05	2	-7	~	~													0.00	~10	19	<10	6	214
102	3242	<5	0,2	2.06	70	110	20	0.22		~	9	61	8.31	<10	<.01	127	72	< 01	71	630	20		-0-							
103	5243	<5	6.6	305	<5	100	40	0.22	<1	31	72	- 44	9.46	<10	0.79	1728	15	0.04	20	4050	30	<5	<20	6	<.01	20	92	<10	<1	420
104	5244	<5	04	1.07		130	10	0.26	3	12	18	- 39	11.50	<10	0 12	610	10	0.04	- 30	1050	14	<5	<20	13	0.09	<10	96	<10		720
105	5245	-5	1.0	1.82	50	195	10	0.30	1	23	58	31	8.69	~10	0.12	516	19	0.01	19	590	14	<5	20	27	0.07	10	106	-10	~1	79
		~>	1.0	4.16	25	85	5	0.10	3	17	. 20	~~~	7.00	-10	0.14	1209	16	0.03	23	740	14	<5	-20		0.00		120	<10	<1	362
100									~	12	22	37	1.47	<10	0,33	519	14	< 01	25	730		~	~20	- 22	0.09	<10	79	<10	<1	79
106	5246	<5	0,8	1.31	230	200	Æ	4.04											20	130	24	<5	<20	13	0.05	<10	52	<10	<1	269
107	5247	<5	70	4 60	40	4.00	-3	1.84	<1	24	40	32	5.43	<10	0.6	4/100													•	200
108	5248	65	10	4.00	- 40	105	20	0.08	3	10	40	47	13 10	-10	0.00	4055	13	0.04	34	1060	8	20	<20	77	0.05	<10	47	~10		
109	5240	~	1.0	3.84	i 5	65	25.	0.05	1	13	27	40	10.10	10	0.09	241	14	0.02	12	1180	20	<5	40	4.7	0.00	~10	41	<10	9	132
110	5245	<5	2.4	4.07	20	80	1 5	0.03	4	13	32	19	10.10	<10	0.17	260	8	0.01	15	620	26	ž	40	12	0.08	10	76	<10	<1	169
110	5334	<5	4.0	4.67	40	120	6	0.00		а	18	35	7.79	<10	0.12	437	19	< 01	17	1050	20	0	40	10	0.24	<10	100	<10	<1	111
					.0	120	-5	0.03	15	29	21	114	7.88	20	1 48	10000	10	01	14	1050	24	<5	20	8	0.06	<10	89	<10	~	225
111	533 5	5	03	100 -											0.10		48	<.m	152	1290	22	<5	<20	2	0.03	<10	63	~10	-1	233
112	6336	-	0.2	4.00	. 10	. 85	. 20	0.04	2	я	28	25	1250											_		10	0.5	-10	33	658
440	0000	~5	1.6	0.83	10	45	10	022	4	č	20		1230	_ <10	0.08	177	23	<.01	13	1070	28	~	40		^					
113	5337	<5	20	4.60	20	85	20	0.05	~!	9	9	20	3.15	<10	0.25	159	24	0.05	12	700	20	0	40	5	0.06	30	103	<10	<1	131
114	5338	<5	7.4	4 17	30	~	20	0.05	2	9	39	39	12.20	<10	0.16	231	27		12	140	8	4	<20	25	0.16	<10	131	<10	<1	85
115	5339	<5	24	470	30	90	10	0.08	2	9	37	72	8.83	<10	0.00	201	20	<.01	21	4780	22	<5	40	7	0.05	20	102	<10	-1	200
		~	2.4	4.70	35	110	5	0.06	1	7	30		7.00	-10	0.00	224	24	<.01	21	1760	18	<5	20	10	0.00	10	70	10	~1	235
116	53.40	_								•	50	35	1.08	<10	0,29	280	24	<,01	24	1070	28	~5	20		0.02	iu.	72	<10	<1	155
110	334 0	<5	2.4	1.69	15	85	20	042											-		20	1	20	4	0.02	<10	93	<10	<1	305
117	5341	<5	4.2	4.77	٨n	105	-		2	11	14	36	9.40	<10	0.17	236	34	~ 01	~7	15.00										
118	5342	<5	12	1 74	45	100	-5	0.04	<1	7	29	44	7.76	<10	0.17	250	34	~.01	20	1540	24	<	20	9	0.22	20	134	<10	~1	205
119	5343	-		1.21	15	65	5	0.12	1	5	8	18	507	~10	0.17	238	36	<.01	21	1190	24	<5	20	6	0.03	<10	107	-10		200
120	5344	~5	1,4	1.83	<\$	80	20 ·	0.24	1	12	45		0.02	~10	0.11	120	24	<.01	19	610	24	<5	~20		0.00	-10	121	<10	<1	265
	0044	<	3.4	1.91	15	80	10	0.03	à	10	13	24	6.35	<10	0.17	850	17	0.02	15	393/1	10	~	-20		0.09	<10	79	<10	<1	128
	11. H			÷		-		4.00	4	э	13	28	8,29	<10	0.5	400	42	< 01	20	540	10	S	<20	24	0.26	<10	113	<10	<1	106
121	5345	<5	22	155	10	e c											12	2.01	-35	040	24	<5	<20	10	0.1	<10	129	<10	<1	164
122	5346	<5	16	4.47	10	60	\$	0.05	<1	5	11	23	4 21	<10	0.14	100												10	- /	104
123	5347	~	4.0	4.17	<5	100	40	0.05	5	11	25	17	44.00	-10	0.11	132	20	0.01	12	950	14	<5	0	10	0.04					
124	60.40	5	20	1.68	<5	45	15 -	0.02	4		2.0	14	11.60	<10	0.03	658	11	<.01	13	630	56	~	40	10	0.04	<10	94	<10	<1	90
124	2348	<5	1.6	4.14	·<5	100	95	0.02		9	11	14	7.67	<10	<.01	282	14	< (11	44	200	~	0	40	14	0.15	10	54	<10	<1	189
125	5349	<5	32	4 25	-	~~~~	20	0.03	з	12	100	37	> 15	<10	0.04	146	24			100	26	<5	40	9	0.1	20	146	<10	~	67
			v	1-2-5	-0	90	15	0.05	1	12	26	29	9.58	<10	0.30	140	21	<.01	16	530	24	<5	20	10	014	20	444	<10		67
126	5350												0.00	~10	0.30	272	13	<.01	25	630	28	<5	40	ā	1 4 3	40		<10	<1	116
177	E904	<5	5.4	3.84	<5	65	20	0.04	2	a	-												-10	9	0.13	10	65	<10	<1	197
124	5351	<5	0.8	2.20	20	75	10	0.07	4	9	30	23 1	10.50	<10	<.01	288	19	001	9	710	-	-								
128	5352	<5	72	3 35	AD	90	10	0.07	<1	9	12	17	5.98	<10	0.25	220	40	0,01	0	710	36	<5	40	9	0.16	20	124	<10	~1	85
129	5354	<5	6.0	9.57	40	65	\$	0.02	1	14	21	78	676	-10	6.20	200	12	0,01	9	690	28	<5	<20	13	0.18	<10	81	-10		00
130	5355	~	0,0	3.57	50	90 _	10	0.02	2	7	10	66	0.7/	-10	0.3	006	45	<.01	50	1550	20	<5	<20	Ē	0.00	-10	21	×10	<1	82
		\$	6.0	3.41	35	130	10	0.07	3		10	00	3.(4	<10	0.13	165	56	<.01	33	1570	22	~5		-	0.03	~10	78	<10	з	321
									3	9	18	42	7.23	<10	0.15	407	23	0.04	~~	44.40	~~	~3	~20	7	0.05	30	114	<10	<1	277
				•													20	0.01	22	1140	26	<5	<20	16	0.04	<10	74	<10		204
																											· •	-10	~1	

ECO-TECH LABORATORIES LTD

Et	#. Tag #	Aurana				-																				FCO	TECHI	ABORA	TORIES	LTD		
13	1 5356	- Carlaber			<u> </u>	s	Ba	Bl	a X	Cd	Co	Cr	~																			
13	2 5357	9	1	.6 3.0	0 2	5 1	10	15	0.03	2	10			u rey	· ·	a Mg 9	6Ma		lo Na	%	Ni	P	Ph	54	· · · ·							
13	3 5358	<5	1.	6 47	1 <	5	80	20	0.06	2	10	28	3	5 12.5	0 <1	0 0.2	5 224		35 < 0	11	28	900	40		n ou		r tig		4	W	Y	75
13	6359	9	2	4 2.2	1 <	5	75	20	0.64	4	10	36	- 2	6 11.50] <1	0 0.0	7 331	1	13 < 0	н	10	1070	48	<	<20		7 0.0	4 30	165	<10		100
1.3	5360	0	2.	2 21	7 <	5 1	00	15	0.09	-	12	10	10	6 8.8 1	1 2	0 < 0	í 844		7 00		10	1020	34	<	20	1	0 0.1	2 20	97	<10	~1	188
10	/ 1000	<5	Ø,	4 0.41	2	0	30	<5	0.00	2	12	13	. 27	7 8.42	? <1	0 0.07	7 346	1	6 ~ 0		11	560	34	<5	20	4	0 0.2	2 <10	58	<10	51	102
134	5004	_						~	0,02	<1	6	з	31	2.99) <1	0 < 01	108		8 ~0	4	13	630	14	<5	20	1.	4 0.16	\$ <10	138	<10	10	222
100	5361	<5	4.	4 7.16	2	3 5	6	10	<u> </u>	_									0,7 0	1	31	330	4	<5	<20	(5 0.02	2 <10	97	~10	<1	147
100	5362	<5	5.0	0 211	<	5 6	5	20	0.02	<1	7	21	20	6.40	<1	0 0.07	100		0 00										01	× 10	<1	74
138	5363	- প	3.0	0 4.49	4	5 7	ñ	00 I	3.17	2	14	20	25	10.10	<1	0 0 03	336		0 0,0	1	10	690	42	<5	20	3	0.1	20	4.4			
139	5364	<5	8.0	2.69	2		ы. Б.		1,08	2	10	20	26	5.20	<10	0.07	961		3 0.0	3	9	640	28	<5	20	21	0.33	20	44	<10	<1	85
140	5365	<5	1.8	3 2.16	<6				0.09	Э	14	23	47	8.79	1	0.01	001		3 0.02	2 1	16	500	40	<5	40	15	0.17	<10	30	<10	<1	71
					~	·	0 2	(5)	0.31	2	15	^ 1 6	19	800	<10		012	2	0 <.01	1 2	21 1	1230	18	<5	<20	10	0.04	<10	45	<10	5	171
141	5366	<5	1.0	1.77	20		-	-				-		0.00	-14	0.00	632		3 0.01	1	9	550	20	<5	40	29	0.04	<10	155	<10	<1	208
142	5367	<5	2.6	470		8	5	5 (0.03	<1	10	13	41	587										-	-10	20	0.44	20	102	<10	3	131
143	5368	<5	22	200	- 20	. 8		5 (.05	<	10	16	30	5 77	1. 240	0,04	252	16	ŝ <.01	ſ	9	620	14	<5	-20		0.00					
144	5370	<5	90	2 80	 ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	: 8	5 1	0 0	14	2	12	30	37	770	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	0,17	1045	15	5 0.01	1	19 1	480	38	~5	20	0	0.02	<10	141	<10	<1	114
145	5400	<5	0.2	2.00	40	-8	i <	5 C	.07	3	16	18	Q1	1.13		0.31	438	2	0.02	: 1	17	780	20	~	~20	2	0.05	<10	47	<10	3	238
		-	0.2	3.20	0	100	1	0 Q	14	1	17	32	27	0.00	<10	0,44	1185	31	<.01	5	50 1	400	20	ž	~20	+1	0.07	<10	134	<10	<1	199
146	5401	55	- 2		-							46	21	1.29	-10	0.32	747	6	0.01	2	5 2	140	20	-	<20	14	<.01	<10	123	<10	<1	611
147	5402	-	~.4	4.42	্ৰ	्र ः 8	i 4	5 0	35	<1	- 2 8	24	27		:					_	~ ~	1-1-5	203	0	<20	13	0.09	<10	83	<10	<ŧ	105
148	5403	~	0.2	3.29	- প্র	F. 80	1.2. 1	0 0	06	5.35	10	24	21	8.21	<10	0.47	407	· 1	0.07	4	2 0	040	24	-								100
149	5404	2	<.2	4.51	ৰ	105	1	0 0	09	त ^क		41	26	- 6.30	2 <10	0.55	307	8	0.01	3	6 -	270	24	<0	40	27	0.82	<10	148	<10	15	54
150	5405	5	1.2	2.90	10	- 90	10	ם כ	60	~	40	48	33	5.33	~10	0.46	256	2	0.01	2		000	18	< 0	<20	12	0.03	<10	47	<10	<1	108
	0400	<	<.2	3.51	Ś	90	2	รัก	95	2	12	24	21	5.37	<10	0,16	392	7	< 01	2		900	22	<5	20	9	0.14	<10	117	<10	6	100
151	5400	-						- U.	~~	2	37	30	29	6.09	<10	1,19	1792	-1		10	0 2	980	Z 2	<5	<20	- 7	0.09	<10	71	<10	-1	én
157	5408	5	1.2	1.56	20	100	<4		12									- •	0.20	15	9 13	330	14	<5	<20	82	0.47	<10	115	<10	17	60
452	5407	<5	0.6	2.29	20	130	ŝ		1-3		11	12	42	5.83	<10	0.11	740	45	0.04											-10	11	20
100	5408	5	2.2	1.81	25	70		0.	21	4	24	29	50	5.97	10	0.53	1601	- 13	0.01	26	5 29	320	16	<5	<20	11	0.02	<10	46			
104	5409	<5	0.6	1.79	15	160	~	0.0	6	<1	7	13	36	3.93	<10	0.07	2031	D	0.02	39	9 16	500	20	<5	<20	24	0.13	~10	-70	<10	3	251
155	5410	<5	0.4	1.92	25	175	9	0.4	6	2 × ,	. 25 😳	28	56	5.10	10	0.74	301	12	<.01	15	5 13	80	16	<5	<20	5	0.01	~10	(3	<10	17	238
				-		. 1/3	5	0,	5	4	19	26	34	5.30	~10	0.71	5/3	5	0.05	43	3 12	00	22	<5	<20	35	0.01	10	31	<10	7	170
156	5411	<\$	<.2	3.25	-6					12-14	-				1.10	4.43	1233	6	0.02	32	2 13	00	18	<5	<20	22	0.1	<10	65	<10	15	245
157	5412	<5	02	1.80	46	70	10	0.1	6	<1	17	37	58	5 A5	-									_		55	0.09	<10	64	<10	14	207
158	5413	<5	< 2	1.03	10	200	10	0.5	7	1 .	18	24	37	6.62	10	0,81	490	<1	0.02	32	12	70	22	~5	~20	40						
159	5414	<5	- 2	9.90	0	85	- 25	0,2	3	4	29	34	30	7.00	<10	0.48	886	5	0.02	31	11	50	18	-	~20	12	0.24	<10	104	<10	6	80
160	5415	- S	~~	3.00	\$	240	15	1.1	8	2	33	47	30	1.03	<10	0,75	973	4	0.06	30	111	ŝ	20	2	<20	34	0.12	<10	59	<10	12	141
		\sim	~2	4.93	<5.	95	35	0,3	9.	त्	43		34	7.15	<10	1.43	1189	4	0.11	40	11/	nn	42	5	<20	22	0.58	<10	116	<10	13	86
161	5416	æ										23	39	7.99	<10	0.65	1141	4	0.09	14	11	40	2	0	<20	78	0.41	<10	132	<10	27	147
162	5417	2	<2	4.53	<⊅	80	25	02	7	~			_		·			-		14	1 (4	9U	22	<₽	20	31	0,78	<10	143	<10	22	60
163	5410	<5	<.2	4.60	10	55	10	01	4	~	23	26	27	6.04	<10	0,42	428	1	0.04									-			~	00
164	5/10	<	<2	3.99	<5	75	20	0.2		-1	18	29	22	6.29	<10	0.22	460	4	0.04		s		20	\$	<20	21	0.49	<10	119	<10	10	~
165	5418	<5	<.2	4.24	<5	125	35	0.2	, , ,	51	20	21	26	5.11	<10	0.38	435	2	0.02	11	80	00	30	<5	40	11	0.27	<10	77	~10	12	69
100	3420	<5	0.6	2.45	10	105	10	0.4	r S	2	36	38	36	7.01	<10	0.62	971	4	0.04	12	88	30	20	<5	<20	22	04	<10	105	NIU	17	54
							10	0.11	>	2	28	30	48	618	<10	0.51	2220	<1	0.06	17	114	10	22	<5	20	30	69.0	c10	100	~10	7	78
																0.01	~329	9	0.02	27	127	0	22	€	<20	15	0.03	~10	145	<10	24	97
																								-		.5	0.03	~10	89	<10	8	182

Page 5

2

÷.

Et #. Tag # Au(ppb) Ag Al% As Ba Bi Ca 🖌 Cd Co Cr Cu Fe% 166 5421 La Mig % Мл Mo Na% <5 <2 3.55 5 75 Ni Ρ 10 Рb Sb 0.12 त Sn Sr Ti% ប 167 5422 $2\tilde{6}$ 42 36 v 6.02 w v <5 0.6 <10 0.63 1057 Zn 2.30 <1 10 : 105 0.02 <5 45 780 0.34 24 <5 <20 2 14 168 0.23 5423 21 28 55 6.07 <10 73 <5 <10 0.47 1213 <10 10 -.0.4 4.00 137 7 5 0.03 15 0.09 26 1350 20 <5 <20 <1 13 25 0.1 169 5424 40 23 5.73 <10 <10 90 <10 0.45 5 0.4 2.54 441 9 163 15 190 <5 5 0.01 30 750 0.62 26 <5 <20 <1 23 11 0.11 170 5425 49 58 <10 56 5.85 <18 <10 1.01 <5 <.2 4.79 1234 5 88 <5 7 60 30 0.01 42 1540 0.25 18 <1 <5 <20 31 27 37 0.03 27 7.05 <10 <10 94 <10 04 692 <1 11 119 0.05 9 800 28 171 <5 40 18 0.62 5426 <10 121 <5 <10 <2 2,95 18 49 5 135 10 0.61 172 2 26 30 5427 52 6,55 10 5 1.0 0.64 5.28 1121 <5 0.03 40 4 15 0.07 34 1390 26 <5 <1 <20 43 173 5428 8 21 17 0.22 <5 8.01 10 0.03 <10 92 <10 0.6 19 2.47 165 228 15 0.03 125 5 4 5 650 0.61 42 <5 20 174 2 23 5 0.17 5429 28 52 6.81 20 42 <5 <10 <10 08 0.51 Q 33 1442 4.55 <5 45 12 0.03 10 0.07 31 1500 24 <1 <5 175 5430 8 ' 37 23 <20 39 0.09 <10 7.14 83 <5 <10 0.08 <10 <2 143 15 211 2.77 5 145 4 0.02 7 15 0.63 730 60 <5 2 25 29 40 6 0.17 49 10 52 669 <10 0.76 898 <10 7 33 <1 0.03 35 1340 24 <5 <20 41 176 5431 0,3 <18 93 <10 <5 0.8 18 207 0.90 250 95 5 0.12 <1 17 177 5432 11 61 9.23 <10 0.12 <5 0.8 1.26 30 655 130 8 0.02 45 0.41 16 1350 124 <5 2 12 <20 13 178 0.05 5433 <5 ` 23 48 4.59 <10 ::0.34 <10 85 <10 <2 6.36 561 <1 332 <5 **80** 45 0.39 8 <.01 36 1540 4 16 <5 <20 30 23 179 5434 27 30 8.91 <10 0.7 0.02 <10 41 5 0.4 1.92 <10 17 252 238 0.07 25 4 130 10 0.43 11 1160 4 24 <5 40 180 26 24 30 1 08 5435 56 5.68 20 168 <5 <10 <10 0.4 17 **₫**₿ <.2 3.70 <\$ 1804 6 0.02 85 30 0.16 39 1440 18 <1 22 <5 <20 27 38 01 21 7.06 <10 61 <10 <10 0.21 253 14 249 <1 0.02 8 600 34 <5 181 20 16 0.76 .5436 <10 5 <2 4.66 161 <10 9 41 <5 380 40 0.56 182 <1 - 33 5437 . 29 -37 <5 0.8 3.81 8.07 <10 -0.87 527 < চ <1 0.09 15 0.06 17 1750 62 <5 <1 <20 183 7 39 5438 41 16 6,21 0.96 <10 150 <5 <10 0.11 <10 <-2 4.98 158 19 61 <5 70 4 0.02 30 0.30 8 560 32 <5 <1 20 184 22 30 6 014 20 5439 30 66 <5 7,13 <10 0.52 <10 <2 305 2 35 5.31 <5 80 <1 0.05 40 0.58 11 970 26 185 <1 36 <5 20 23 0.67 25 30 8,26 <10 5440 147 <5 <10 <10 15 <.2 4.05 0.9 438 55 15 80 <1 0.10 15 0.33 13 1300 18 <5 <1 30 20 38 1.12 28 51 <10 171 6.37 <10 0,59 <10 18 46 1172 <1 0.06 22 1110 18 <5 186 <20 24 0.3 5441 <10 99 <5 <2 3.29 <10 13 81 <5 90 10 0.24 187 15 5442 1 39 18 6.52 <5 1.4 2.33 <10 0.55 380 20 90 1 0.04 10 24 610 0.20 <1 20 <5 188 5443 23 22 < 2023 0.18 26 5,37 <18 5 115 <10 .1.6 <10 0.2 4 56 2.25 1880 25 100 7 0.02 17 <5 0.13 1040 189 <1 14 <5 <20 16 0.07 5444 14 30 42 6.44 <10 71 <5 <10 0.6 2.09 <10 0.54 813 2 99 20 95 · 10 13 <.01 16 1560 0_28 <1 12 <5 <20 190 17 10 0.05 30 4,74 5445 21 <10 133 5 1.4 <10 0.41 <10 <1 83 211 2161 120 110 5 6 0.05 0.12 21 1540 14 <5 <1 24 <20 23 0.06 26 53 6.12 <10 72 <10 <10 0.4 з 123 2254 11 0.01 16 1420 18 <5 191 <20 9 0.04 5447 <10 <5 123 <10 D.4 3.02 6 99 125 100 10 0.11 192 5449 <1 28 34 34 <10 0.53 <5 6.96 0.4 257 10 1804 9 0.02 125 <5 0.05 16 1130 . 193 <1 15 18 <5 <20 27 11 5451 36 6,72 <10 0.21 0.08 <10 <5 136 <10 1.0 2.25 682 4 146 <5 120 8 <5 0.09 0.01 16 1040 18 194 1 15 <5 <20 5453 16 8 0.04 53 <10 77 <5 6,92 <10 0.45 <10 <1 114 1.0 1.62 657 5 125 9 <5 0.10 <.01 14 1910 14 195 2 26 <5 <20 10 0.01 5455 10 63 6.94 <10 62 <10 5 <10 0.4 274 0,17 1326 <1 95 <5 10 <.01 70 10 0.09 17 1800 16 <1 <5 <20 11 17 9 0.03 19 5.08 <10 <10 49 <10 0,19 -5 195 328 4 0.02 8 860 20 196 <5 <20 10 0.11 5457 <10 76 <5 <10 <1 1.8 4.80 <5 58 70 45 0.37 197 <1 5459 28 26 29 7,88 <5 D.4 <10 0.76 2.95 10 463 35 <f 0.06 <5 0.10 15 970 20 198 <1 <5 <20 5461 6 21 23 0.78 <5 13 4.11 <10 <10 148 <10 0.6 0.07 18 61 3,86 <5 275 60 6 <.01 25 6 0.19 800 20 <5 199 5463 <1 17 29 <20 7 0.07 23 7.72 <10 89 <5 <10 <10 32 1.0 2.83 <5 0.31 249 4 55 <1 0.04 20 10 780 0.09 28 <5 200 5465 1 11 24 40 15 D.51 <5 17 7.45 <10 10 112 <10 10 51 <.2 3,59 <5 0.13 189 <1 0.02 85 35 9 0.22 960 <1 26 <5 40 20 21 12 0,27 19 8,00 <10 10 103 <10 0.38 <1 37 315 <1 0.02 10 1340 20 <5 20 19 0.59

ECO-TECH LABORATORIES LTD.

20

139

<10

4

40

و و ر ر ر بی مرکز استان استان میکرد میکرد میکرد. و و با استان استان استان میکرد و استان استان استان استان استان

.

and a second
ECO-TECH LABORATORIES LTD.

.

1	Et#.	Tag #	Au(ppb	A	0 A!%				• .																	ECO-	IECH L	ABORA	TORIE	SLTD.		
	201 202 203 204 205	5467 5469 5471 5473 5475	4 4 4 4 4 4 4 4	0 0 < < <	4 2.89 4 4.85 2 2.15 2 3.76 2 3.54	8 8 8 8 8 8	- 111 71 62 100	a Br 0 <5 0 45 5 20 5 15 0 20	Ca % 0.05 0.43 0.06 0.13 0.16	्र प प प प प र 1	Co 19 29 12 15 15	Cr 14 26 27 28 24	16 3 1(2:	U Fe % 1 6.75 1 7.85 5 7.37 8 6.48	े दा दा दा दा	Mg % 0 0.29 0 0.77 0 0.16 0 0.35	Mn 856 385 223 656	1 1 ~	io Na i3 <.0 i1 0.0 2 0.0 i1 0.0	% 1 - 8 1 1 2 1	Ni 11 10 13 10 9 12 14 15	P 40 60 70 40	РЬ 34 22 26 28	\$b <5 <5 <5	Sn <20 40 40 20	Si 7 30 7	0.02 0.9 0.27	<u> </u>	1 \ 3 88 0 158 0 144	/ W 3 <10 7 <10 7 <10	¥ 6 16 <1	Zn 81 50
2	206 5 207 5	5477 5479	ব্য ক	<.2 1.4	4,54	<5 (5	65	45	0.38	1	28	24	24	5 0.99 1 8.00	<10	0.31	217	<	1 0.0;	2 1	3 10	90	18	<5	~20 ~20	10	0.26 0.31	<10 10	118 123	<10 <10	5 <1	70 66
2 2 2 2 2	108 5 109 5 110 5 111 5 12 5	481 483 485 487 489	ধ 5 ধ ধ ধ ধ	24 <2 <2 12	3.37 3.20 3.66 4.05	1 4 4 4 4 4	50 75 70 70 70	25 25 30 20	0.18 0.40 0.33 0.22 0.28	<r 1<br="">1 1 1 1</r>	16 26 26 28	26 27 20 28	27 19 19 29	6.84 7.13 6.33 6.85	<10 <10 <10 <10	0.3 0.43 0.52 0.4	401 345 1682 992 1358		1 0.07 1 0.04 1 0.11 1 0.06 1 0.04	1 1 1 1 1	1 84 3 84 3 63 2 63 5 86	30 30 30 30	20 34 26 20 24	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	<20 40 20 20 20 20 20 20 20	26 15 35 29 15	0.85 0.36 0.33 0.53 0.32	<10 <10 <10 <10 <10	149 81 101 116 110	<10 <10 <10 <10 <10	13 13 7 8 11	43 67 75 53 108
21 21 21 21	13 54 14 54 15 54	491 193 195 197	্ থ থ থ থ থ থ থ থ থ থ	1.0 0.2 0.6	4.74 3.78 2.89	ବ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ ଚ	70 70 65 85	25 15 20 5	0.30 0.28 0.16 0.08	1 1 1 1	37 26 13 22	21 32 24 30	28 18 26 20 70	6.62 6.78 5.63 6.77	<10 <10 20 <10 <10	0.66 0.53 0.34 0.23 0.26	1838 1849 775 250 983	<1 <1 1 <1 10	0.04 0.05 0.08 0.03 0.01	18 13 19 9 22	5 73 3 65 9 88 9 90 9 114		20 34 30	% % % % %	% 8 8 8 8 8 8 8	22 23 13	0.53 0.57 0.23 0.39	<10 <10 <10 <10	130 120 71 77	<10 <10 <10 <10	16 12 17 12	76 70 133 71
21 21 21 22 22	7 54 8 55 9 55 0 55 1 55 2 55	999 01 03 05 07 09	ନ୍ଦ୍ର ବ୍ୟ ବ୍ୟ	<2 02 28 <2 <2 <2 <2	4.26 4.15 4.91 4.53 3.90	4 4 4 4 4 4 4	85 70 65 50 75 55	0 36 20 25 25 25	0.11 0.34 0.22 0.08 0.36 0.30	र र र र र र र	17 25 13 18 26 19	25 25 19 23 25	24 22 14 21 30	6.24 7.35 5.36 8.10 6.96	<10 <10 <10 10 <10	0.19 0.66 0.18 0.09 0.54	733 304 71 881 620	6 <1 <1 3 <1	0.02 0.05 0.02 0.02 0.07	15 11 7 6 14	142 76 69 78		26 22 24 24 24 24	୬ ହନ୍ତ୍ର ବ୍ୟନ୍ତ୍ର	70 70 70 70 70 70 70	10 12 24 21 7 28	0,06 0,09 0,79 0,39 0,24 0,55	<10 <10 <10 10 <10 <10	79 57 133 115 72 133	<10 <10 <10 <10 <10 <10	<1 5 11 4 13 15	85 94 41 34 64 90
223 224 225 226 226 227	551 551 551 551 551	11 13 15 7 9	ራይ ይይ	<2 0.4 2.0 0.4	4.01 3.73 3.47	প্রার্থ প্রার্থ প্রার্থ	65 90 90 95 75	30 15 15 15 √5	0.40 0.20 0.15 0.14 0.14	र र र र र र	33 16 26 29 17	24 27 44 44	26 20 65 40	6.79 7.09 5.18 6.96 6.50	<10 <10 <10 <10 <10	0.5 0.68 0.36 0.78 0.64	248 906 392 1109 1407	<1 <1 <1 4 5	0.04 0.08 0.03 0.02 0.01	18 13 10 23 18	940 910 730 1300 1170	2 2 2 2 2 2	8 2 6 0 0	ବ ବ ବ ବ ବ ବ	ବ ବ ବ ବ ବ ବ ବ ବ	15 29 15 11	0.49 0.71 0.29 0.16 0.12	<10 <10 <10 <10 <10	123 141 111 131 145	<10 <10 <10 <10 <10	7 14 7 17 5	52 52 73 132 84
228 229 230	552 552 552	1 3 5	\$ \$ \$	02 <2 <2	1.42 3.20 5.13	? 12 15 15 15 15 15 15 15 15 15 15 15 15 15	80 75 50	60 (<5 (15 (15 (0.50 0.41 0.15 0.12	√ 1 7	38 26 16 15	31 17 43 25	33 76 24 50	4.51 11.50 6.22 6.14 7.20	<10 <10 <10 <10	0.22 0.92 0.66 0.5 0.35	1744 352 2385 740 530	11 <1 10 2 <1	0.02 0.09 0.09 0.02 0.02	14 13 23 29 7	1920 2060 2170 1040 1090	1) 10 10 20 21		55555	ବର ବର ବର ବର ବର ବର	11 31 31 14 10	0.04 1.36 0.13 0.18 0.2	<10 30 <10 <10 <10	92 226 101 101 168	<10 <10 <10 <10 <10	2 17 13 6	59 47 94 105 40

Done 7

-

T

Et	#.	Tag #	Au(pp	ь)	Ag	AI %	٨																			ECO-	TECHL	ABORA	TORIES	LTD		
<u>QC</u> Rej	DA Deat	TA:								<u>s Ca</u>	Cd		<u> </u>	<u> </u>	u Fe%	L	a <u>Mg</u> %	Mn	M	Na%		<u>Vi p</u>	РЬ	SI	Sn	S	Ti %	<u>i</u> L	<u> </u>	<u>/</u> w	Y	75
1 10 19 28 36 45 54	3 9 1	4042 5112 5130 5148 5164 5182 5194	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	5555555	<.2 2.4 1.2 2.6 1.0	1.56 4.07 1.90 3.50 1.42 3.09	- 75 40 15 20 65 25	6 23 6 4 60 70	0 4 4 4 5 24 5 24 5 24 5 24 5 24 5 24 5	5 4.31 5 0.05 0.06 0.02 5 <.01 0.04	7 3 1 1 1 2	. 18 46 10 8 8	38 14 14 24 8	7(15) 31 47 63	0 4.44 5 9.47 1 7.02 7 9.46 3 7.65	र र र र र र	0 1.37 0 0.31 0 0.02 0 0.12 0 <.01	906 2543 163 170 307	18 11 34 59	2 0.02 3 <.01 <.01 <.01 <.01	3 3 2 104	0 1950 3 910 7 3340 3 840 4 680	22 28 26 32 50	10 ४५ ४५ ४५	<20 <20 <20 40 <20	168 1 3 <1 <1	0.05 <.01 0.32 0.05 <.01	<10 <10 <10 10 <10	93 59 123 121 45	<10 <10 <10 <10 <10 <10	4 44 <1 <1	96 380 94 231 485
63 71 80 89 98		5203 5211 5220 5229 5238	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	5 2 5 8 2 0	.4	211 5.52 6.40 8.00 2.38	প্রহার প্রহার প্র	110 55 55 60 80	40 15 15 10	0.03 0.02 0.02 0.04	7 1 2 1 2	16 8 8 7 8	12 12 28 43 28 31	25 28 22 17	5_21 > 15 6.16 8.44 6.55	<10 <10 <10 <10 <10	0.49 0.36 0.05 0.17	388 850 239 185 230	14 28 10 13 11	<.01 <.01 <.01 <.01 <.01	31 20 25 11 17	720 1150 550 590 1110	32 42 46 40 44	\$ \$ \$ \$ \$ \$ \$ \$ \$	<20 <20 <20 <20 <20 <20 <20 <20 <20 <20	<1 4 <1 6	0.03 0.29 0.03 0.09 0.05	<10 <10 <10 <10 <10	55 147 48 74 35	<10 <10 <10 <10 <10	ব ব ব ব ব	334 277 230 126 114
106 115 124 133 141		5246 5339 5348 5358	<5 <5 <5	0 2 1 1 2	8 4 4 4	1.35 4.75 4.12 2.20	30 220 30 5 5 5	85 200 110 100 75	5 <5 50 20	0.10 1.89 0.02 0.03	1 2 1 2	12 21 7 12	10 39 29	28 33 34 37	7.33 5.51 7.08 > 15	<10 <10 <10 <10 <10	0.42 0.21 0.55 0.28 0.05	127 1524 4096 260 147	20 24 14 23 19	<.01 <.01 0.04 <.01 <.01	19 17 33 24 14	350 1780 1130 1020 540	16 20 10 26 22	ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও ও	୍ବର ବ୍ୟର ବ୍ୟର ସ	5 7 76 6 10	0.09 0.02 0.05 0.02 0.15	20 <10 <10 <10 20	113 45 47 97 112	<10 <10 <10 <10 <10	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	121 165 130 308
150 159 168 176 185	5555	5405 5414 5423 5431	প্র প্র প্র প্র	1.0 <:> 01 0.8	2	1.76 3.40 2.84 3.93 0.92	30 <5 <5 10 ,245	80 85 235 65 90	5 25 15 10 5	0.02 0.99 1.09 0.08	र 1 2 7 7	12 10 37 32 13	8 12 29 46 40	16 41 28 92 22	8,75 5,80 6,99 6,98 5,66	20 <10 <10 <10 <10	0.01 0.04 1.27 1.4 0.43	870 252 1646 1154 418	8 15 7 7 5	0.01 <.01 0.27 0.09 0.01	11 10 20 41 30	580 610 1320 103 0 720	36 14 14 12 26	ও ও ও ও ও ও	8 8 8 8 8 8	40 7 83 71 9	0.23 0.03 0.5 0.37 0.11	<10 <10 <10 <10 <10	59 138 114 126 55	<18 <10 <10 <10 <10 <10	11 <1 17 26 5	228 112 77 141 87
194 203 211 220 229	555	453 471 487 505	পধ্ধ ধ্ব ধ্ব	1.0 <2 1.0 <2		10 1.66 2.18 1.06	5 12 17 17 17 17 17 17 17 17 17 17 17 17 17	85 130 60 70 75	15 5 20 25 30	0.34 0.10 0.06 0.25	<1 2 √1 1	30 26 12 37	28 10 27 31	59 50 64 16 27	8.76 6.35 7.04 7.07 6.99	<10 <10 <10 <10 <10	0.14 0.58 0.18 0.18 0.62	611 1178 1325 232 1846	7 <1 10 1 <1	0.02 0.06 <.01 0.01 0.04	15 22 17 9 15	1280 1110 1850 1240 680	116 18 14 26 24	୫୫୫୫୫	ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ	14 27 11 6 16	0.06 0.31 0.03 0.27 0.52	<10 <10 <10 <10 <10	83 99 51 146 129	<10 <10 <10 <10 <10	<1 13 5 <1	324 79 197 40
		<i></i>	-	<.2	. 3	15	ৎ	70	15	0.14	1	26 16	25 41	30 24	6.95 6.03	<10 <10	0.53 0.47	634 712	শ 1	0.07 0.02	16 27	1100 1040	22 20	থ থ	<20 <20	29 13	0.56 0.19	<10 <10	133 101	<10 <10	14 7	90 101

Page 8

1

3

. .

Et#. Tag# A	u(ppb)	Ag	AI %	As	Ba	Bi	Ca 44	64	•														ECO-T	ECHLA	BORAT	ORIES	LTD.		
QC DATA:										<u> </u>	<u> </u>	Fe %	La	Mg %	Ma	Mo	Na %	Nî	P	Рь	Sb	Sn	s.	T: •/					
Standard: GEO'95 GEO'95	150	1.2	1.62~	75	- 165		1 66 -																<u>ə</u>	11 %	<u> </u>	V	W	<u> </u>	Zn
GE0'95 GE0'95 GE0'95	150 150 160 150	1.4 1.6 1.4 1.2	1.64 1.76 1.82 1.82	70 65 65 70	160 170 170 170	ሳ ሳ ሳ ሳ ሶ	1.57 1.71 1.73	5 5 5 5 7 7 7	19 19 18 19	60 60 65 62	84 82 82 84	3.70 3.80 4.06 4.25	<10 <10 <10 <10	0.98 0.96 0.94 0.95	640 630 684	<1 <1 <1	0.01 0.01 0.02	22 22 22	610 610 660	22 22 22	<5 10 5	<20 <20	52 52	0.09 0.09	<10 <10	76 76	<10 <10	4 4	72 74
GEO'95 GEO'95 GEO'95	150 150 150	1.2 1.4	1.80 1.80	60 60	165 170	\$ \$	1.70	ব	19 19	64 64	84 82	4,16 4,18	<10 <10	0.95	683 676	<1 <1	0.02	24 24	670 660	20 20	\$ \$	<20 <20	61 60	0.11 0.11 0.11	<10 <10 <10	77 81 79	<10 <10 <10	5 4 4	71 74 71
	1.20		-	-	-		-	•	-	65 [.] -	82	4.12	<10 -	0.94	679	<1 <1 -	0.02	22 26 -	660 650	22 22	5 <5	<20 <20	58 59	0.11 0.11 -	<10 <10	81 79	<10 <10	4 5	70 72

~- ...

df/923/923B XLS/95Canamera#6

;

.

~

EGO-TECH LABORATORIES LTD. Edank J. Pezzotti, A.Sc.T. B.C. Certified Assayer py

31-Aug-95 - . . ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C.

V2C 6T4 11 A 12 2 4 4 1 Phone: 604-573-5700

Fax : 604-573-4557

2068

• 1 H

2070

2071

2072

2073

2074

<5

<5

<5

35

10

25

<5

<5

11.4 4.30

0.2 3.29

1.2 5.66

- C+

2.87

3.37

4.20

0.4 1.14

i.

1.0

<2 0.87

1.2

<2

13 2062

20 2069

-

- 24

10

11

12

14

15.

17

18

19

21

22

23

25

.24 .

10.50

10 A 16 👬

나 아파와 노크

.

15

15

.15

5

10

<5

25

35

0.02

0.03

0.06

0.02

0,15

0.14

0.17

0.89

<5 0.06

<1

1

1

<1

1

<1

<1

2

<1

60

135

120

35

170

65

180

80

<5

10

-30

<5

<5

<5

<5

20

Values in ppm unless otherwise

E	t#. Tag # / 1 0124E 2 0125E	Lu(ppi	b) A 35 < 5 <	9 Al 9 2 22	As 4 65	B	<u>a</u> 5 1	Bi Ca %	Cd	Co	<u> </u>	C	u Fe %	6 L.	a Morse	. 1 1-								63 Soi PROJI SHIPH P.O. # Sampi	Sample: SCT #; IENT #; 5805 es subn	s receive FD5CA(15 titted b	ed Augu 1011 V: Ran	ist 18, 19	295
4 5 6 7 8	0126E 0128E 0128E 0129E 0129E 0130E	A A A A A A A	5 0,0 5 3 5 3 5 1.0 5 1.8	202 2 221 2 23 2 63 2 80 1.71	20 5 15 5 5 5	4 60 55 65 65 75	0 1 5 2 5 2 5 2 20 20	0 0.28 0 0.12 5 0.06 0 0.05	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	8 14 9 11 9 10	28 10 20 17 31 41	30 17 23 20 30 30	3 7.73 7 3.03 3 5 nº 1 7.90 1 7.38 8 70	त्र न न न न न न न न न न न न न न न न न न न	0.20 0.41 0.60 0.06 0.47	139 323 303 250 205	Ma <1 5 3 7	Na % <.01 0.06 <.01 0.01 <.01	Nii 8 18 5 17	P 480 590 430 320 490	5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	\$\$\$\$\$ \$	<u>୫</u> ୭ ବ୍ୟ	Sr 6 25 6 7 3	Ti % 0.16 0.27 0.10 0.34 0.14	1) 40 20 20 20	V 161 89 51 92	W <10 <10 <10 <10 <10	2 −
9 10 11 12 13	2059 2059 2060 2061 2062 2063	446 464	1.0 <2 0.4 0.4 2.0	261 342 2.18 1.68 1.73 4.26	য 60 হ হ হ হ হ হ হ হ	80 80 80 80 105 70	20 5 15 \$ \$ \$	0.09 0.54 0.08 0.18 0.19	र न र र र	11 9 18 8 18 18	17 39 22 27 65 65	18 26 24 33 34	5.32 8.10 4.21 7.46 3.31	<10 <10 <10 30 <10	0.42 0.43 0.19 0.19 1.29	399 164 244 1075 126 660	17 V1 5 5 5 7	<.01 0.06 <.01 <.01 <.01	18 9 16 14 8	290 590 290 940 460	8 8 8 8 8	ନ ନ ନ ନ ନ	ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ ବ୍ୟ	4 27 9 17 7	0.16 0.25 0.15 0.12 0.16	20 30 30 <10 40	91 74 89 98 76 155	<10 <10 <10 <10 <10 <10	<1 <1 <1 <1 <1 30 <1
5 67	2064 2065 2066 2067	9 8 8 8 8 8	1.0 1.2 0.6 0.8	1.01 2.78 1.45 3.02	< < < < < <	80 70 100 75	47 55 30 55 15	0.03	1 <1 4 <1	14 1 13 6	33 4 16 21	41 9 20 15	9.81 1.32 7.53	<10 <10 <10 <10	1.28 0.21 0.04 0.18	621 400 55 115	3 5 3 5 7	<.01 <.01 <.01 <.01 0.01	81 83 9 4 6	450 470 470 890 290	88888	ቆቆቆቆ	<28 <28 <28 <28 <28 <28 <28 <28	26 25 5 8 13	0.02 0.02 0.26 <.01	<10 <10 40 <10	37 38 286 14	<10 <10 <10 <10	2 2 <1 <1

9

<2

<2

<2

<2

6

<2

<2

<2

<2

<5

<5

<5

<5

<5

<5

<5

<5

<5

<≶

<20

<20

<20

<20

<20

<20

<20

<20

<20

<20

13

18

4 0.09

з

12 D.11

Э

12

9 0.01

19

45

10 0.02

0.46

0.10

0.24

0.06

0.14

0.10

0.57

CANAMERA GEOLOGICAL LTD. AK 95-659

114

91

71

105

103

69

60

96

58

23

135

40

20

30

50

30

30

30

20

10

<10

<10

<10

<10

<10

<10

<10

<10

<10

<10

<10

<10

<10

Zn 48

23

73

30

60

56

29

47

*9*0

38

81 89

48

17

30

26

27

37

72

46

75

23

90

20

96

2

<1

<1

<1

<1

<1

<1

<1

< ;

2

21

#540-220 Cambie Street

ATTENTION: K. HICKS/ J. DUPUIS

VANCOLIVER, B.C.

V6B 2M9

Page 1

<10 0.41

<10 0.09

<10 0.03

<10 0.21

<10 0.22

<10 0.23

0.11

0.14

0.18

0.58

<10

<10

<10

<10

112

81

128

221

129

373

69

424

70

538

<1

7

6

В <.01

15

9

<1 0.03

7

<1 0.05

0.03

<.01

0.02

<.01

<.01

<.01

<1 0.04

11

8

14

15

9 200

6

6 210

9 470

5

30

160

290

170

180

470

700

960

5 22

12

8 28

6

11

7 7

10 20

6

21

246

36

17

4

38

15 2.75

29 12.80

31 8.97

6.73

8.07

8.53

2.63

4.91

4.32

15

19

135

13

93

10 1.71

37

· • ?	2-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0		-		· ·				-		•				-		,												9 S (S	235
CANA	MERA GEOI	OGICAL	LTD.	AK 95-6	59				-														ŧ	ECO-TE		BORATO) Ries L	TD		SE .
Et #.	Tag 🛿	Au(ppb)	Ag	Ai %	<u>As</u>	Ba	Bì	Ca %	Cď	Co	Cr	Çu	Fe %	La	Mg %	Мл	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Π%	U	v	ः ः २ २ ४		
26	2075	<5	<2	2.48	<5	75	25	0.07	1	9	35	17	11.10	<10	0,07	75	8	0.01	6	270	<2	<5	<20	9	0.20	40	118	<10		
27	2076	. <s< td=""><td><.2</td><td>1.70</td><td>.<5</td><td>60</td><td>25</td><td>0.84</td><td>1</td><td>25</td><td>62</td><td>14</td><td>4.04</td><td><10</td><td>1.49</td><td>340</td><td><1</td><td>0.22</td><td>31</td><td>490</td><td>~</td><td>10</td><td><20</td><td>71</td><td>0.53</td><td><10</td><td>102</td><td>~10</td><td></td><td></td></s<>	<.2	1.70	.<5	60	25	0.84	1	25	62	14	4.04	<10	1.49	340	<1	0.22	31	490	~	10	<20	71	0.53	<10	102	~10		
28	2077	<5	<.2	0.85	-5	40	25	0.30	<1	14	14	16	3.05	<10	0.45	167	<1	0.07	10	240	0	<5	<20	29	0.00	20	120	~10	12	
29	2078	<5	0,6	2.53	<5	70	20	0.02	1	8	19	16	8.26	<10	0.08	155	6	< 01	10	100	~~~	~5	~20	20	0.42	20	1.30	10	6	
30	2079	<	26	1.95	40	200	<5	0.35	<1	10	23	77	3.68	<10	0.30	964	8	0.02	17	630	2	~5	<20	20	0.78	40 <10	90 62	<10 <10	<1 8	-
31	2080	. <5	30	186		345	. 15	1 22	2	445	22	47	7 70	-40	0.47	10000											-			•
32	2081	<5	· <2	0.67		60	45	0.40	1	113		14	1.12	×10	0.47	10000	5	0.10	-58	1410	<2	<5	<20	64	0.14	<10	63	<10	<1	
33	2082	<5	36	471		- 00	10	0.42		14	36	17	202	<10	0.50	235	<1	0.07	17	340	<2	<5	<20	34	0.38	10	88	<10	7	
34	2083	<5	<2	1.83	-5	65	20	0.04	<1	70	100	34	6.93	<10	0,50	281	5	< 01	35	360	<2	<5	<20	5	0.08	40	76	<10	<1	
35	3035	~5	2	1.64	~	~	20	0.14	2	-22	187	41	9.06	<10	0.67	219	<1	0.04	42	350	<2	<5	<20	17	0.29	30	420	<10	<1	
•-		÷	·	1.00		65	39	0.19	<1	17	110	28	7.75	<10	0,16	100	<1	0.01	13	150	<2	<5	<20	9	0.66	40	334 ′	<10	6	
36	3036	10	<.2	1.25	্ৰ	45	10	0,16	<1	9	· ′45	17	4.53	<10	0.17	72	<1	0.01	14	190	12	<5	<20	10	0.72	10	131	<10	-	
37	3037	20	<.2	6.29	<5	70	15	0.20	<1	32	307	41	10,70	<10	0,68	338	<1	< 01	84	450	36	<5	<70	11	0.53	20	154	<10	7	
38	3038	<5	<.2	1.48	15	130	10	0.67	1	18	49	46	4.45	<10	1.02	925	5	< 01	84	1000	14	<5	<20	52	0.00	<10	50	<10	- 1	
39	- 3039	<≤5	<.2	2.02	- 5	145	5	0.83	1	23	58	32	3.87	<10	1.12	1418	3	< 01	100	961	14	<5	20	211	- 0.00	<10	30	<10		
40	3040	⊊ < 5	<2	1.48	t s	135	5	0.66	2	18	49	42	4.41	<10	1.04	897	5	< 01	86	980	14	<s< td=""><td><20</td><td>53</td><td>0.03</td><td><10</td><td>49</td><td><10</td><td>4</td><td></td></s<>	<20	53	0.03	<10	49	<10	4	
41	3041	⊲s	<2	1.54	15	₹ 210	-	0.45	্ ব	19	52	43	4 69	<10	1 00	977	E	- 01	~	14.00		~5	~	40	0.04					
42	3042	<5	<2	1.45	্ৰ ব	140	-5	0.72	2	18	46	44	A A9	<10	4.04	0/7	5	<.01	83	1140	14	< <u>0</u>	<20	40	0.04	<10	55	<10	5	
43 .	3043	<5	<2	1.41	20	£ 125	ৰ	ាម	ेलें	17	47		A 93	~10	5.00	342	9	< 01	85 To	1040	16	10	<20	56	0.03	<10	50	<10	5	
44	3044	10	- <2	443 2	10	3 135	ંત	ิสสา	14. - 1	47	40	47	4.02	~10	4.00	770	4	<.01	78	1050	12	<5	<20	48	0.03	<10	50	<10	4	
45	30451	20	<2	1.41	2 9 10	130	5	0.63	1	17	47	42	4.40	<10	0.99	829	4 5	<.01 <.01	79 80	990 1040	12 14	<5 <5	<20 <20	50 47	0.02	<10 <10	48 48	<10 <10	4	
46	3046	 10	04	1.37	<5	145	6	3 20	2		~	~ 4	~																	
47	3047	20	<2	1.60	. 35	165	~	262	3	10		51	2.14	<10	0.51	1389	2	0.06	68	1230	14	<5	<20	471	0.01	<10	19	<10	15	
48	- 3048	15	<2	0.76	- in	- 455	~	2.92	2	21	ep 2	12	4.69	<10	1.25	976	Э	0.02	61	1640	20	10	<20	114	0.08	<10	83	<10	6	
49	3049	5	- 2	4 37	a in	200		0.19	2	15	5	48	5.10	<10	0.28	699	13	< 01	31	890	16	<5	<20	48	<.01	<10	36	<10	7	
50	3050		06	175	≈-sav. €	2 39U	5	0.92	· 2	15	34	40	4.70	<10	0.68	1979	8	< 01	62	980	12	<5	<20	48	0.01	<10	39	<10	6	
			0.0	یں ہے۔ در محص سب		200		C85	4	16	30	40	4.36	<10	0.57	1400	7	0,02	59	1310	18	<5	<20	140	0.02	<10	45	<10	13	
51 🥍	3051	°`<5	<2	0.47	<5	265	<	2.59	<1	12	7	43	2.83	<10	0.17	1439	4	0.02	15	1140	10	<5	<20	154	0.01	<10	19	<10	17	
52			<.2	0.73	~~15	14 0	5	୍ୟ .83 ି	: :-2	14	5	45	4.98	<10	0.26	583	13	< 01	29	880	14	<5	<20	47	< 61	<10	74	e10	7	
		25	<.2	0.72	10	ି 130	<5	0.84	<u>ं</u> 3	15	5	45	5.23	<10	0.24	635	14	< 61	31	990	16	~ 5	-70		ur.	~10	24	~10	6	
54	3054	. <5	<2	0.70	- 10	130	<5	0.90	1	15	4	46	5.30	<10	0.24	657	16	< 111	23	810	10	~5	~20	-1/ E4	~.01	~10	- 24	10	0	
55	3055	<u>`</u> , ⊲5	<.2	1.13	25	165	<Ś	1.01 🗔	<1	20	11	76	504	<10	0.50	877	5	~ 01	$\tilde{\tau}$	1695	20	2	~20		~.01	~10	33	<10	0	
56	9056	40			14:24	R						•-			0.00		2	~.01	~~~	1000	20	2	∼ 20	43	~.01	<10	53	<10	4	
50 ···		10	-4	ື່ມສຸດ	\$~~ ~ >	185	<5	0.96	<1	20	13	81	5.06	<10	0.61	900	5	<.01	22	1740	22	<5	<20	45	< 01	<10	61	<10	в	
57	3037	<0	<2	0.44	20	185	<5	0.72	<1	17	З	37	3.54	<10	0.06	771	5	< 01	13	1070	16	<5	<20	52	< 01	c10	14	~10	13	
00	3038	15	<.2	2.12	<5	215	<5	0.72	1	20	39	95	4.77	<10	1.08	1242	5	< 61	60	2010	22	~5	<20	26	0.03	c10	70	~10	44	
	3059	<5	<.2	1.34	<5	255	<5	0.77	<1	19	7	29	3.98	10	0.43	735	5	< 01	11	990	18	~5	~20	20	c 01	~10	20	~10	10	
oU	3060	<5	<2	0.83	10	75	<5	0.48	<1	19	12	45	3.65	<10	6.29	467	4	<.01	24	760	18	<5	<20	38	<.01	<10	-30 26	<10	5	
61	3106	10	<.2	1.22	45	180	<5	075	<1	22	14	01	5 60	~10	064	4004	~	0.04		1000		_								
62	3107	<5	0.2	1.02	75	170	<5	0.90	~1	24	14	10	0.05	510	0.54	1064	5	0.01	26	1980	30	<5	<20	44	<.01	<10	68	<10	6	
63	3108	15	0.2	1.01	40	205	<5	0.84	(-1	23	14	124	0.48	<18	0.42	1354	7	0.02	30	2440	40	<5	<20	48	01	10	74	<10	7	
						200	-0	0.04	٦	20	13	142	6.20	<10	043	1477	6	0.02	20	2510	78	<5	<20	49	0.02	<10	69	<10	8	

 $\overset{\mathcal{T}}{\overset{\mathcal{T}}{\overset{\mathcal{T}}}} \overset{\mathcal{T}}{\overset{\mathcal{T}}{\overset{\mathcal{T}}}} \overset{\mathcal{T}}{\overset{\mathcal{T}}{\overset{\mathcal{T}}}}$

CANAMERA GEOLOGICAL LTD. AK 95-659

Et s. <u>QC DAT/</u> Repeat: 1	Tag # .	Аи(ррь) <5	<u>A</u>	AI %	<u>As</u>	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	<u>L</u> a	Mg %	Mn	M	0_ Na %	N	i p	РЬ	Sb	Sn	ECO-T	ECH LA	BORAT	DRIES	LTD.	Y	Zn
 19 28 36 45 54 <i>Standard:</i> GEO'95	2059 2077 3036 3045 3054	5 5 5 5 10 20 5 10 20 5 140	<2 <2 <2 <2 <2 <2 <2 <2 <2	3.38 0.80 1.25 1.44 0.70	15 <5 <5 10 5	- 125 40 45 135 140	- 15 20 10 <5 <5	0.07 0.26 0.16 0.63 0.88	1 <1 1 2	9 13 10 17 15	28 17 45 48 4	29 15 16 50 46	9.00 2.94 4.48 4.43 5.19	<10 <10 <10 <10 <10	0.22 0.40 0.17 1.00 0.23	224 160 73 839 647	8 <1 <1 5 15	<.01 0.06 0.01 <.01 <.01	14 9 13 81 32	- 180 240 200 1030 830	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		 28 <28 <29 <29 <29 <29 <29 <29 <29 <29 <29 <29	11 28 11 49 51	0.12 0.41 0.23 0.02	30 10 20 <10	99 145 132 49	<10 <10 <10 <10	<1 6 <1 5	71 26 47 151
GEO'95	·· · · . ·	140	1.2 1.0	1.64 1.74	55 65	150 155	5 <5	1.57 1.74	<1 <1	15 19	56 63	81 84	3.32 3.85	<10 <10	0.86 0.90	620 666	44	0.02 0.02	21 24	620 630	20 22	~5 ~5	<20 <20 <20	54 57	<.01 0.13 0.13	<10 <10 <10	33 77 79	<10 <10 <10	8 6 4	207 74 74

df/651/4015 XLS/95Canamera#3

PCP TECH LABORATORIES LTD. Prask J. Pezzotti, A.Sc.T. B.C. Certified Assayer

Page 3

.

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-917 #540-220 Cambie Street VANCOUVER, B.C V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

10 Rock samples received Oct. 4, 1995 **PROJECT #:** FD5CA0010 SHIPMENT #: 37 P.O. #: 5387 Samples submitted by: P. Vocesson

Et #. Tag # 1 7433	Au(ppb	Ag	AI %	As	Ba	B	Ca %	CI	60	-													P.O.#	10:01 #: : 5387 Ins. subr	37	~ 0 1/			
2 7434 3 7435 4 7436 5 7437 6 7438 7 7574 8 7575	5 5 5 10 5 5 5	<:2 <:2 <:2 0.4 1.2 0.8 <:2	2.53 2.67 2.53 0.51 0.44 0.26 0.21 2.91	♥ 15 ♥ 70 ♥ 15 ♥ 70 ♥ 15 80	80 110 115 80 40 45 25	8888888	8.58 3.67 5.12 7.45 10.90 8.36 0.24	1 1 2 2 1 2 1 2 12	24 34 30 7 35 25 6	Cr 70 87 82 45 27 47 58	Cu 30 103 147 20 81 154	Fe % 7.13 8.24 8.20 3.44 7.42 8.12	La 10 <10 <10 <10 <10	Mg % 1.94 2.20 2.96 0.73 3.38 2.50	Mn 958 1259 1195 893 2679 1621	<u>Ma</u> 5 7 9 4 11	Na % 0.03 0.02 0.02 0.01 0.02 0.01 0.02	Ni 30 40 35 82 59 24	i P 4210 1200 1280 390 2170	Pb 14 V V V 6	50 5 5 10 10	<u></u> ସେ ସେ ସେ ସେ ସେ ସେ ସେ ସେ ସେ	Sr 258 113 164 111 515	Ti % 0.04 <.01 <.01 <.01 <.01	U <10 <10 <10 <10 <10 <10	r R. Ve 195 215 254 20 46	W <10 <10 <10 <10 <10 <10 <10	Y 5 4 5 4 4	Zn 90 109 95 159 64
9 7576 10 7577 <u>QC DATA:</u> Resplit: R/S 1: 7433	5 5 5	0.4 <.2 <.2	0.69 2.23 2.58	2 4 A A	55 70	\$ \$ \$ \$	2.33 7.27 2.19	1	28 19 28	78 51 35	90 208 150	9.46 7.94 5.70 7.62	<10 <10 <10 <10	0.02 2.24 1.48 2.05	55 796 1606 1132	22 11 9 7	0.01 0.03 0.02 0.05	8 25 5 11	<10 1410 1190 1010	2 24 6 2 2	****	ବି ସେ ସ ସ ସ ସ ସ ସ	290 10 85 314 90	<.01 <.01 <.01 <.01 0.04	<10 <10 <10 <10 <10	134 4 183 101 236	<10 <10 <10 <10 <10	6 <1 <1 6 6	145 17 104 43 117
Repeat: 1 7433 10 7577	5	<.2 -	2.51	<5	75	5	8.31	1	24 24	61 4 68	29 31	7.27 7.12	10 10	1.98 1.91	945 953	5	0.03	29	4270	10	\$	<20	260	0.04	<10	199	<10	4	88
Standard; GEO'95	150	1.0	1.64	60	175	ধ	1.66	<1	19	66	82	4.35	<10	- 0.85	- 620	4	0.02	20 - 26	4130 - 600	1D - 18	<5 - 10	<20 <20	256 - 63	0.04	<10	194	<10	4	90
																											~10	4	76

÷.

df/899 XLS/95Canamera#6 ECO-TECH LABORATORIES LTD. Frank J. Pezzetti, ASC.T. B.C. Certified Assayer

20-0ct-95

)

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

)

)

3

)

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

Et # Tag # Au(ppb) Ag Al %

CANAMERA GEOLOGICAL LTD. AK 95-952 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

ATTENTION: K. HICKS/ J. DUPUIS

1 Rock sample received Oct. 11, 1995 PROJECT #: FD5CA0010 SHIPMENT # 40 P.O. #: 5980

1	7890	Au(ppb) 5	Ag 0.6	A! %	<u>As</u> 35	Ba	B	Ca %	Cd	Co	<u>.</u>	Cu	Fe %		. Ma V	Ar.,								Samp	: 6980 es sub	nitted by	r: Rau	l Verzosa	J	
						3	5	, 8.89	2	16	29	80	4.80	ব	0.85	799	1	o Na % 1 0.02	<u> </u>	1910	<u>Рь</u> 10	<u>sp</u> ব্য	<u>Sn</u> <20	<u>Sr</u> 308	<u> </u>	<10	<u>v</u> 34	 <10	<u> </u>	Zn 105
QC DAT Resplit R/S 1	7890	5	0.8	0.35	45	55	∕5	9.21	2	17	10																			
Repeat: 1 Standard	7890	5	0,8	0.35	35	55	ବ	8.95	2	17	23 30	81	4.88 4.84	<10 <10	0.86	807 803	11	0.02	51	1930	8	5	<20	325	<.01	<10	34	<10	7	105
GE0'95	,	-	12	1.68	65	160	15	1.68	ন	21	60	84.	3.98	<10	0.85	630	ব	0.02	52 22	1920 610	12 24	শ্চ শ্ব	<20 <20	317 59	<.01 0.11	<10	34 84	<10	7	105
																											- 1			14

)

}

7

1

df/966 XLS/95Canamera#6

~

TECH LABORATORIES LTD. per Arahik J. Pezzotti, A.Sc.T. B.C. Certified Assayer

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

~

CANAMERA GEOLOGICAL LTD. AK 95-953 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

ATTENTION: K. HICKS/ J. DUPUIS

67 Soli samples received Oct 11, 1995 PROJECT #: FD5CA0010 SHPMENT #: 40 P.O. #: 5980 Samples submitted bus, Doubling and the

Et #	Tadat	Au(pob)																						P.O. 1	: 5980					
1	5446		Ag	AI %	As	Ba	E	X Ca%	Cđ	60	6-1		_											Samp	leş subn	nitted b	V Rau	Verzosi	,	
2	5448	হ হ	0.8 0.6	2.88 1.55	10 50	70	1	0 0.19	<1	21	21	<u> </u>	Fe % 9 4.97		Mg 9	6 <u>Mn</u>	Mo	Na %		Ni P	Pb	S6	Sn	Sr	. . .					
3	5450	<5	1.0	2.46	35	110		5 U.08	<1	18	15	5	9 5.07	<10	0.3	2/06	<1	0.02		14 1470	14	<5	<20	11	0.00		V	V	<u> </u>	Z
4	5452	<5	1.4	2.38	20	110	H	0.09	4	24	22	3	646	-10		5 1392	8	3 <.01	:	34 1340	10	<5	<20		0.20	<10	87	<10	<1	112
5	5454	<5	22	1.84	20	126	પ	J 0.12	4	21	22	50	590	-10	0.2	1893	8	0.02		26 1350	18	<5	~20	-	0.01	<10	43	<10	11	12
_					20	130	<	> 0.17	4	13	14	6	576	~10	0,30	J 1466	8	0.01	2	24 1510	18	<5	~20	5	0.05	<10	67	<10	<1	151
6	5456	<5	2.0	237	15	405								-10	0.2	1476	7	0.01	1	4 2680	14	-5	~20	4	0,04	<10	68	<10	3	132
7	5458	<5	02	249	15	105	~	0.17	<1	22	19	43	677			-						~	~20	20	0.04	<10	69	<10	<1	98
8	5460	<5	04	2 00	5	90	10	0.17	4	31	21	43	710	510	0.17	2160	8	0.01	1	6 1580	16	-5	~~~	~						
9	5462	<5	< 7	3.04		100	4	0.08	4	21	20	76	7.10	<10	0.32	1878	7	0.01	1	6 1900	16	~5	~20	9	0.06	<10	84	<10	<1	115
10	5464	<5	< 7	5.00	<5 	55	25	0.21	4	19	22	26	6.40	<10	0.37	1266	12	<.01	1	4 2810	24	2	<20	10	0.07	<10	100	<10	<1	124
		-	- 4	0.09	~5	70	30	0.38	<1	45	23	20	0.42	<10	0.44	459	<1	0.03	1	0 860	20	5	<20	5	0.01	<10	97	<10	2	105
11	5466	<5	n e	1.05						14	20	30	0.99	<10	0.70	2159	<1	0.06	1	5 1260	20	5	<20	10	0.43	<10	124	<10	<1	57
12	5468	<5	0.0	1.65	25	130	<5	0.16	<1	19	20	-							•	.200	24	<0	<20	22	0,70	<10	150	<10	12	84
13	5470	<5	0.2	1.39	10	85	5	0.21	<1	22	47	43	6.77	<10	0.39	9 45	8	< 01	2	9 1060	40	-								04
14	5472	<5	0.0	2.22	15	80	10	0.07	4	10	37	88	8.05	<10	0.26	2099	11	0.03	2	1 1000	18	<5	<20	6	0.02	<10	74	<10	<1	126
15	5474	~5	22	4.90	<5	60	25	0.32	<1	23	1 20	33	5.84	<1D	0.63	388	7	0.04	24	1000	12	<5	<20	14	0.07	<10	154	<10	1	120
		~	<.2	3.06	<5	65	10	0.20	4	10	- 26	26	6.86	<10	0.58	321	<1	0.01	4/	1080	16	<5	<20	6	0.03	<10	67	<10	c1	110
16	5476	~5								12	20	24	5.58	<10	0.24	155	<1	0.07	14	2 1000	22	<5	<20	17	0.69	10	127	<10	- 1	113
17	5478	~	<2	4.84	\$	50	30	0.25	c1	47	~	-						0.02	-	1120	20	<5	<20	12	0.26	<10	91	<10	~	57
18	5480		24	4.15	<5	60	15	020		17	20	22	6.62	<10	0.37	186	<1	0.04									0,	~10	~1	29
19	5482	5	1_2	3.51	<5	65	20	0.20	~1	13	23	18	5.52	<10	0,29	108	-1	0.04	2	840	28	<5	<20	13	0.54	<10	110	<10	0	
20	5484	2	22	2.07	10	50	20	034	~	17	18	17	5.21	<10	0.38	660	-1	0.02	5	730	18	<5	<20	13	0.39	10	106	<10	6	47
~~ .		<₽	<2	3.78	<5	70	25	0.45	1	20	26	21	6.67	<10	0.64	577	-1	0.02	10	1150	16	<5	<20	10	0.30	<10	104	<10	<1	40
21	5490							0.40	~1	32	23	22	6.90	<10	0.89	1793	~1	0.08	13	830	14	<5	<20	22	0.33	<10	174	~10	3	58
27	5400	<	<2	3.17	<\$	70	25	0.11	_						-100	12.00	~1	0.09	16	890	16	<5	<20	31	0.69	<10	107	<10	<1	61
22	5400	<5	1.6	4.81	<5	40	25	0.11	٩	20	25	29	7.91	<10	0.53	764									0.00	-10	121	<10	1	67
23	5490 5400	<5	0.6	2.26	20	125	10	0.14	1	13	22	20	7.17	<10	0.21	420	<1	0.02	11	920	24	<5	<20	5	0.40	~10	454			
25	6492 6494	<5	<.2	4.26	<5	60	20	0.20	1	40	19	85	8.89	<10	0.53	423	<1	0.03	7	860	34	<5	<20	ő	0.32	~10	154	<10	<1	61
20	2494	<5	<.2	4.97	10	ŝ	20	0.26	<1	19	21	22	6.13	<10	0.00	416/	7	0.02	21	2610	26	<5	$\sqrt{20}$	14	0.42	<10 (10	63	<10	4	60
						50	30	0.34	শ	23	24	25	7.09	<10	0.41	003	<1	0.04	9	910	24	<5	<20	45	0.10	<10	87	<10	21	134
														.10	0.52	288	<1	0.06	10	1080	24	<5	<20	10	0.40	<10	105	<18	4	54
																					-	2	-24	19	u.74	10	134	<10	5	53

} ;

ì

.

""

E	#. Tag#	Au(pp	b)	Ag A	*	As	ßa																			ECO	TECH	ABORA	TORIE	SLTD.		
2	5 5496 7 5498	\$ \$	~	.2 3. .2 3.	21 33	ৰ্জ ৰ	65 55	2	0.15	<u></u> ব	Co 15	Cr 24	C 1	<u>u Fe</u> 7 5.0	<u>x 1</u> 8 <1		<u>% Mn</u>		no Na	%	Ni	P	Pb	Sb	Sn	5	ir Tie					
2		<5	0	.4 3.	93 .	⊲5	65	20	0.19	<1	18	21	1	9 7.3	2 <1		5 2/9 F 201		<1 0.0	13	10	960	22	<5	- 20		1 0 0			<u>/ w</u>	YY	Zn
30		<5	<	2 5.	31	5	ŝ	- 24	0.10	<1	14	26	2	5 8.7	6 <1	0 03	3 264	•	<1 0.0	4	8	700	24	<5	<20		• U.3	> <10	124	4 <10	<1	47
~	5004	~ <	<	2 5,	л.	5		20	0.28	4	23	27	2	1 67	n	0 0,0	4 383	•	<1 0.0	2	15	870	30	-5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1	0.6	20	121	<10	<1	49
94							~	30	0.33	<1	- 31	28	3	76	3 ~1	0 0,0	0 /14	•	<1 0.0	4	12	1120	28	~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		0.3	<10	104	4 <10	<1	63
31	5506	<5	<	2 27	~s <	5	66	~					-		1	0 0,8	5 938	<	1 0.02	5	18	1200	30	~	~20	10	0.6	<10	127	<10	1	63
32	5508	<5	<	2 4	0 -	-c	30	35	0.32	1	31	26	2			• • •							50	69	<20	2	0.6	<10	133	/ <10	4	70
33	5510	<5	<.	2 4	2	5	40	20	0.29	<1	22	24	20	6.70		0,9	789	<	1 0.05	5.	16 :	1170	16		-							10
34	5512	<5	<	2 35	a d	e E	25	20	0.26	<1	18	29	21	0.70	P ≤1	0,6;	336	<	1 0.04	4	8	Gen	10	9	<20	19	0.89	<10	151	<10	-1	40
35	5514	<5	<	2 40	7	5	45	25	0.23	<1	18	26	20	0.94	<u></u>	0.5	272	<	1 0.03	3 1	13 1	1070	30	<5	<20	5	0.74	20	130	<10	-1	42
						5	50	30	0.27	4	19	22	40	0.3/	<10	0.49	309	<	1 0.05	5 1	10	960	24	<5	<20	13	0.46	<10	126	<10		49
36	5516	<5	< 3	2 44	a		-					-	19	5.94	<10	0.39	240	<	1 0.04		<u>م</u>	000	22	<5	<20	14	0.50	<10	117	<10	-1	76
37	5518	<5	1 2	2 36		2	70	25	0.20	<1	18	~	~								3	000	22	<5	<20	18	0.62	<10	120	~10	1	60
38	5520	<5		2 3.0		2	55	15	0.12	<1	16	10	20	6.38	<10	0.37	340	<	1 0.09		1								120	-10	3	54
39	5522	<5	n a	21		5 1	25	5	0.11	1	48	70	16	5.53	<10	0.21	749	<	0.00		4	840	20	<5	<20	12	0.44	<10	113	~10		
40	5524	<5	< 7		2		60	ৎ	0.13	1	30	20	12/	12.50	<10	0.81	2201	14	1 < 04			0.30	26	<5	<20	7	0.28	<10	96	~10	51	97
		-	-, z	1.64	<	,	60	20	0.06	1	10	24	79	8.01	<10	0.71	2048	14	1 201	3	0 2	480	22	<5	<20	4	0.02	<10	107	~10	<1	56
41	5526	<5								•	10	31	23	7.70	<10	0.27	1115		0.01	10	8 1	640	10	<5	<20	3	0.02	<10	120	~10	<1	140
42	5527	-5	~.2	5.46	5	1	35	30	0.44	~	~		_					~1	0.01	76	8 1;	220	16	<5	<20	4	0.31	<10	141	<10	2	54
43	⊴ 5528 -	~	3,0	4.45	্ৰ	1	70	15	0.14	-	23	61	29	6.12	<10	0.56	442	~	0.00		_							-10	141	<10	<1	108
44	5529	4	0.2	4.89	 S 	e	5	25-	631	-	16	19	-24	8,19	<10	0.29	814		0.06	10	87	700	32	<5	<20	23	0.63	~10	4 47			
45	5530	~	2.0	2.00	40	29	15	10	618		18	34	26	6.40	<10	0.38	292		0.03	10	0 12	220	28	<≶	<20	6	0.92	~10	147	<10	9	54
		~0	0.2	4.83	<5	5	Ð	30	0.32	0	11	17	46	7.34	<10	0 14	1617	~1	0.03	11	1 12	60	24	<₹	<20	18	0.52	10	103	<10	2	135
46	5631							-	0.32	4	21	24	21	6,39	<10	0.14	377	- 27	<.01	- 36	25	20	14	<5	<20		0.96	10	163	<10	<1	49
47	5637	<5	2.6	3.52	<5	7	a	16	0.12							0.77	322	<1	0.05	9	9 9	00	26	<5	<20	10	0.02	<10	66	<10	7	657
48	5627	<5	2.4	4.29	<5	4	5	จัก	0.13	<1	11	18	19	5.91	<10	0.22	-							-	-20	13	0.69	<10	124	<10	5	49
49	5634	<5	0,4	4.44	<5		ň	30	0.23	4	16	21	24	7.35	<10	0,23	303	<1	0.02	9	9	00 ;	24	5		F						
50	6595	<	0.4	2.87	<5		ñ	26	0.26	ব	28	26	34	7.91	<10	0.30	269	<	0.03	9	8	10	74	<5	~20	3	0.22	<10	95	<10	<1	101
	3030	<5	0.8	4.20	<5			20	0.32	~	15 ·	24	14	5.43	<10	0.36	967	<1	0.05	12	9	40	24	~	~20		0.47	<10	117	<10	2	54
54	ECON					~		-	a 16	4	14	20	22	6.54	-10	0.33	199	<	0.05	9	7	90	22	~	~20	14	0.71	<10	141	<10	2	72
57		<	0.4	3.96	<5	_F r	,	-							-10	0.23	243	<1	0.03	6	8	50	2	-5	~20	20	0.41	<10	132	<10	<1	41
62	0037	<5	<2	4.64	<5			~	Q.16	4	18	26	20	795	~~~						_			~	~~~	7	0.39	20	93	<10	5	56
53	5538	<5	2.2	3.58	<5			<i></i>	0.20	4	22	23	22	7.74	10	0.38	488	<1	0.03	12	112	n a		-r	-00							
34	5539	<5	<.2	3.55	-5	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		15	0.22	1	21	25	10	P.EC	~10	0.34	428	<1	0.03	7	71		0	\$	<20	8	0.44	<10	135	<10	<1	00
30	5540	<5	1.0	3.17	-	00		10	0.12	1	18	47	20	0.00	<10	0.55	735	<1	0.03	13		in 2	6	9	<20	14	0.60	<10	128	<10		84
in para k					~3	30		10 (0.10	<1	21	31	10	0.54	<10	0.48	895	8	<.01	25	470	ו יא	с .	9	<20	12	0.36	<10	133	<10	-1	70
56	5541	<5	02	1.51	~				•				10	0.4/	10	0.29	1327	3	0.03	11	446	0 2	4 '	≤	<20	6	0.09	<10	96	<10	-1	18
57	5542	<5	0.2	7.04	0	40	2	80 (0.15	<1	73	37	~	• ••				-	0.00	11	115	0 2	8 .	5	<20	5	0.16	<10	117	<10	~1	113
58	5543	<	< 2	4.20	-	55	3	0 0	1.41	4	21	10	<u>ک</u>	6.43	<10	0.35	989	<1	0.04	40	400									10	1	65
59	5544	<	0.2	4.25	~5	40	2	0 0	2.17	તં	12	18	16	5.09	<10	0,65	299	d	0.00	10	103	0 3	4 •	5	<20	8	0.35	<10	96	~10		
60	5545	<5	~ 2	4.0/	<5	40	2	0 0	25	~	10	20	20	6.39	<10	0.30	349	-1	0.00	11	65	0 11	3 <	5.	<20	27	0.64	<10	430	<10	13	69
		~	2	2.96	~ \$	45	2	5 C	27	-1	10	21	16	5.98	<10	0.41	228	-1	0.03	8	105	0 32	2 <	5.	<20	6	0.32	10	138	<10	<1	55
										-1	18	28	19	8.52	<10	0.42	413	~	0.02	10	84	D 24	•	5.	<20	9	0.41	10	96	<10	4	54
																	-15	<1	0.08	10	900	0 30	> <	5.	<20	19	0.41	iu	122	<10	<1	58
																										.0	U,47	<10	113	<10	<1	54

) . ,

Page 2

`

)

)

ECO-TECH LABORATORIES LTD. Et#. Tag # Au(ppb) Ag Al% A5 Ba Bí Ca 🖌 61 5546 Cđ Co 5 Сг Cu Fe % < 2 1.56 <5 La Mg % 80 62 5547 20 Ma Mo Na % 0.20 <5 <1 Ni P 14 21 Рb <.2 5.19 13 7.30 SЬ Sn <10 <5 Sr Ti 🖌 55 0.20 11 63 5548 35 0.40 198 v w <1 Y 0.02 <5 <1 23 8 2990 Zn 1.2 2.47 20 19 16 6.56 <5 25 105 <10 0.56 20 13 64 <5 247 0.40 10 5549 0.20 181 <1 <10 <5 <1 0.06 <1 1.0 5.42 33 26 11 1170 43 66 22 6 54 <10 0.51 <5 10 45 20 <20 27 0.76 65 3099 <10 5560 <5 3.08 7 131 <10 0.8 2.82 <1 10 0.03 27 2 28 2450 43 18 8.49 30 <5 5 <10 0.07 <20 55 12 0.11 15 362 0,08 <10 <1 4 0.02 80 <10 12 11 23 8 1000 38 181 20 6.78 <18 <5 <20 0.21 66 5551 327 4 0.21 <10 -65 <1 0.02 58 <10 <.2 3.78 10 1060 <1 77 28 <5 <5 <20 60 67 4 5552 30 0.34 0.20 10 89 <5 ~1 <10 26 <1 <.2 4.88 26 30 7.99 68 10 95 <10 0.69 35 0.53 387 <1 0.05 <1 37 26 12 1080 47 22 6.86 <5 OC DATA: <10 0.64 1161 <20 19 0.77 <1 <10 153 0.07 <10 19 1400 <1 49 30 <5 Repeat <20 27 0.71 <10 136 <10 13 121 1 5446 <5 1.0 2.95 10 65 10 5464 15 0,18 <5 <1 21 21. <.2 4.99 <5 29 5.04 0.32 2668 75 <10 19 30 5482 <5 0.39 <1 <1 0.02 14 1510 2.4 44 22 2.20 5 37 6.78 16 <5 <10 28 55 0.71 <20 7 0.20 5500 25 0,36 2065 <1 <1 <10 89 <5 0.06 <10 21 13 0,4 4.00 28 1270 20 <1 113 22 <5 7.15 <5 60 <10 <20 36 5516 25 0.10 0.68 602 25 0.73 <10 ৰ 1 15 <1 0.09 146 <10 <.2 26 13 890 11 4 16 25 16 80 <\$ 8.78 <10 <5 <20 75 25 0.33 25 379 0.36 0.22 <10 143 <1 18 1 0.01 16 <10 <1 22 880 21 32 65 6.46 <5 45 <10 0.36 <20 3 0.31 5530 356 <1 <10 105 ≪5 0.63 13 <10 0.4 4.86 <1 860 22 62 < <5 <20 55 25 0.32 11 54 0.44 5539 <5 <1 <10 114 <10 <.2 3.63 21 <1 24 105 <5 21 6.38 70 <10 63 15 0.12 0.44 5548 <1 319 <1 <5 0.05 1.0 19 43 8 2.50 30 910 26 20 6.63 <5 <10 <20 100 0.47 22 S. 85. 500 5 0.21 916 0.70 10 <1 4 124 <10 34 <.01 26 66 24 1830 24 5 47 6.60 <5 <10 0.52 <20 Standard 3100 9 0.10 <10 97 7 0.03 <10 27 2440 <1 112 32 <5 <20 11 0.12 GEO 95 <10 81 140 <10 11 1.4 1.65 185 70 160 <5 1.75 GEO'95 150 <1 1.2 1.66 18 59 75 80 4.14 175 <10 <5 1.74 0.96 <1 691 <1 0.02 20 63 26 750 87 4.32 20 <5 <20 <10 1.01 55 0.12 640 <10 <1 78 0.02 <10

1

24 700

N

22

<5

<20

60 0.12

1

.

1

df/953

XLS/95Canamera#6

ECO-TECH LABORATORIES LTD. Telank J. Pezzotti, A.Sc.T. Per B.C. Cartiliad Assayer

<10

81

<10

6

з

75

72

3-Nov-95

)

>

)

)

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4 .

Phone: 604-573-5700 Fax : 604-573-4557

Et #.

)

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-1013 #540-220 Cambie Street VANCOUVER, B.C. V68 2M9

)

)

ATTENTION: K. HICKS/ J. DUPUIS

)

8 Silt samples received October 24, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 45 P.O. # 5989

<u>Et #.</u> 1	Tag #	Au(ppb)	Ag	<u>AI %</u>	As	Ba	81	Ca %	64	6.		_												P.O. # Samol	: 5989 95 subm	ittad her	T 0	·		
2 3 4 5 6 7 8	4052 4053 4054 4055 4055 4056 4057 4058	ት ት ት ት ት ት ት	17.4 2.0 <.2 1.2 0.4 0.8 0.2 0.4	0.63 1.50 2.46 3.52 1.66 1.87 1.60 1.34	1050 20 5 30 35 35 35 15	1290 65 100 105 170 180 150 155	5 15 45 25 5 15 10 5	3.57 0.40 1.68 0.21 1.18 1.27 1.38 2.14	218 2 1 3 10 7 5 3	228 17 47 38 19 23 19 15	57 9 17 43 17 19 16 13	Cu 31 36 15 39 39 39 43 38 46	Fe % > 15 4.81 6.19 12.50 5.58 6.11 5.39 3.68	La 30 <10 <10 <10 <10 <10 <10 <10	Mg % 0.21 0.53 1.90 0.35 0.74 0.76 0.65 0.54	Mn >10000 1881 938 5416 1967 1935 1639 1837	Mo 71 18 <1 26 13 12 13 5	Na % 0.03 0.07 0.50 0.03 0.04 0.06 0.04 0.04	Ni 3366 37 25 34 75 66 41 26	р 1540 1730 1210 2070 1450 1450 1480 1420 1660	Pb <2 34 26 44 28 32 28 22 27	১১ ৪০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০০	<mark>୬ ଅଧିର ସହର ଅଧିର ଅଧିର ଅଧିର ଅଧିର ଅଧିର ଅଧିର ଅଧିର ଅଧି</mark>	Sr 157 25 152 13 37 40 41	Ti 0.22 0.19 1.03 0.17 0.07 0.10 0.07	U <10 <10 <10 <10 <10 <10 <10 <10	V 37 76 143 98 64 71 63	W <10 <10 <10 <10 <10 <10 <10 <10	Y 159 >10 3 14 <1 10 13 40	Zi 1000 287 92 273 664 544
<u>QC DATA</u> Repeat: 1 8 Standard: GEO'95	4051 4058	<5 - 145	17.6 0.4 1.2	0.63 1.34 1.72	1035 15 70	1275 160 160	5 10 5	3.56 2.05 1.70	220 3 <1	226 15 22	56 13 70	33 36 82	> 15 3.74 4.01	30 <10 <10	0.21 0.54 1.04	>10000 1781 871	67 5 <1	0.03 0.03 0.02	3335 26 24	1560 1800 710	<2 20 22	হ হ হ হ হ	√20 √20 √20 √20 √20	58 157 55 62	0.05 0.22 0.05 0.13	<10 <10 <10	44 36 4 5 72	<10 <10 <10 <10	159 >100 12 1	145 145 41 72

)

)

)

df/1024 XLS/95Canamera#7

5 ° .

-

ECO-TECH LADBRATORIES LTD. Frank J. Pezzeti, A.Sc.T. B.C. Certified Assayer

Page 1

``

31-Oct-95

>

ECO-TECH LABORATORIES LTD. 10041 East Trans Canada Highway KAMLOOPS, B.C. V2C 6T4

J

)

. 1

)

¥

Phone: 604-573-5700 Fax : 604-573-4557

Values in ppm unless otherwise reported

CANAMERA GEOLOGICAL LTD. AK 95-1014 #540-220 Cambie Street VANCOUVER, B.C. V6B 2M9

)

ATTENTION: K. HICKS/ J. DUPUIS

)

7 Rock samples received October 24, 1995 PROJECT #: FD5CA0010 SHIPMENT #: 45 P.O. #: 5989 Samples submitted by: T. Drown

Et #.	Tag #	Au(ppb)	Ag	AI %	As	Ba	Bi	Ca %	Ca	6	~	•	.										5	2.0. #: Sample	5989 s sưbm	tted by:	T. Dr	own		
7 <u>OC D</u> Repea	7583 7584	5 5	0.4 0.4	0.46 0.66	30 45	65 70	হ হ	0.21 0.02	2 <1	4 <1	105 52	15 5	Fe % 1.86 0,80	<u>La</u> <10 <10	Mg % 0.13 0.35	<u>Mn</u> 208 55	<u>Mo</u> 16 44	Na % 0.03 0.02	<u>Ni</u> 38 7	230 240	Рb 18 64	Sb <5 10	<u>Sn</u> 40 <20	<u>Sr</u> 8 4	Ti % <.01 <.01	U <10 <10	16 52		Y 1 <1	Zn 621 54
6 7 Standa	7583 7584	5	0.2	0. 4 9 -	35 -	75	\$	0.22 -	3	5	116 -	17	2.00	<10	0.14	215	17	0.03	40 -	230	20	<5	60	15	<.01	<10	17	<10	2	660
GEO'9	5		1.4	1.71	70	170	<5	2.09	ব	22 ·	71	88	4.06	<10	1.04	745	<1	0.01	24	670	24	5	<20	59	0.12	<10	82	<20	3	84

J

df/1000 XLS/95Canamera#7 Finith J. Pezzotti, A.Sc. T. βα/ Finith J. Pezzotti, A.Sc. T. B.C. Certified Assayer





6 272 000 N	FRED 15 253295		
6 271 000 N	NOT 3		
6 270 000 N		3001 3001 476 ZA 8 Cd 0.8 Ag 8 Cd 608 Za 3003 7 Cd 3002 620 Za	
6 269 000 N W 00 9	100 SOD F	407 QOO E	



Marca 65

				5	
6 274 000 N		X-7407 Rock	 Sail <li< th=""><th>7428 7428 7429 7431 X X 7430</th><th>Silt</th></li<>	7428 7428 7429 7431 X X 7430	Silt
				* 74 * 741	• silt 3112
6 273 000 N					CU
			Rock samples \uparrow \uparrow \uparrow \uparrow \downarrow \uparrow \uparrow \downarrow \downarrow \uparrow \downarrow \downarrow \uparrow \downarrow		
6 272 000 N					
6 271 000 N					
			+ 7707 Rock same	le	·
	405 000 E				406 000 E









	ł
	1
	ţ
	Legend
lurgonia	· · · · · · · · · · · · · · · · · · ·
JUIOSSIC	
Bowser Lak	e Group (Middle Bajocian to Kimmeridgian) undifferentiated sedimentary rocks
JrB1 JrB1	chert pebble to cobble conglomerate, interstratified sandstone fine to coarse grained sandstone, minor interstratified conglomerate or mudstone
JrB1 -	thinly-bedded mudstone and siltstone
JrH	
JrH5 JrH5F	– Bimodal volcanic unit (Upper Aalenian to Middle Bajocian) – Felsic volcanic rocks, undifferentiated
JrH5Fa JrHF5b	 massive, aphyric flow-banded flows, minor flow breccia ash, lapilli tuff, non-welded to densely welded; aphyric to qtz+kspar phyric
JrHF5c JrHF5d	— volcanic breccia, monolithic to slightly heterolithic — epiclastic breccia to subangular volcanic conglomerate
JrH5S JrH5Sa	 intercolated sedimentary rocks thinly bedded carbonaceous mudstone, turbiditic mudstone to siltstone, locally chert
JrH5Sb JrH5M	 "pyjama beds": thinly interbedded white tuffaceous mudstone and dark gray to black argillite Mafic volcanic rocks
JrH5Ma JrH5Mb	 massive andesitic to basaltic flows; plag (cpx phyric) pillowed flows, broken pillow breccia, interbedded mudstone
JrH5Mc JrH4	— volcanic breccia, hyaloclastite, interbedded mudstone — Sedimentary "marker" unit (Pliensbachian to Upper Aalenian)
JrH4 - JrH4a -	– undifferentiated sedimentary rocks – brown to tan fossiliferous sandstone / wacke, calcareous
JrH4D - JrH4c - JrH4d ·	– volcanic sanastone, conglomerate, local blocidstic sandy limestone intervals – turbiditic mudstone to siltstone – limestone, thinly bedded to massive
JrH4e -	- thinly to medium bedded red to green chert
JrH3 · JrH3 · JrH3a ·	 undifferentiated felsic volcanic and epiclastic rocks fine grained crystal tuff; epiclastic tuff; well-bedded
JrH3b - JrH3c -	– flow-banded dacite to rhyolite flows – lapilli tuff, variably welded
JrH2 JrH2	– undifferentiated andesitic volcanic and epiclastic rocks (Sinemurian to Pliensbachian) – undifferentiated andesitic and epiclastic rocks
JrH2a - JrH2b ·	 massive flows, hb+pl phyric epiclastic rocks; red to green coarse grained sandstone to conglomerate medium to thickly bedded, cross stratification common
JrH2c ·	– andesitic volcanic breccia / block tuff; hb+pl—phyric clasts, şome interstratified epiclastic rocks
JrH2c · JrH1 ·	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks
JrH2c · JrH1 · JrH1 · JrH1a · JrH1a ·	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone
JrH2c · JrH1 · JrH1 · JrH1a · JrH1b · Triassic	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone
JrH2c · JrH1 JrH1 · JrH1a · JrH1b · Triassic Stuhini (andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS – TrSi –	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS – TrSi – I1 – In I1a – In	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS – TrSi – I1 – Ii I1a – m I1b – ir I1c – fe	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ir I1a - m I1b - ir I1c - fe Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic netrue
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS – TrSi – I1 – In I1a – In I1b – in I1c – fo	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic ntermediate elsic aeologic contact (inferred)
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS – TrSi – I1 – II I1a – n I1b – ir I1c – fe Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic ntermediate elsic geologic contact (inferred) thrust fault (inferred)
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic ntermediate elsic geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic termendiate elsic geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - iI I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common aandstone, siltstone, turbiditic mudstone Graup Sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic stermediate selict selict selict isselice Graup Graup Graup Graup Graup Graup Graup Sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic na
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1a - II I1b - iII I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common sandstone, siltstone, turbiditic mudstone Group Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic termediate elsic geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1a - II I1b - III I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common Stroup sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias fremediate elsic geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common andstone, siltstone, turbiditic mudstone Group Sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias normality expected pebble to boulder conglomerate; grainitoid clasts common andstone, siltstone, turbiditic mudstone Group Sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias normalitie normalitie elsic geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fo Symbols	 andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks Basal sedimentary unit (Hettangian to Sinemurian) undifferentiated sedimentary rocks clast-supported pebble to boulder conglomerate; grainitoid clasts common Stroup Sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias Stroup Rocks andes andes andes andes and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias sedimentary Rocks andic andes and volcanic breccias
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fo Symbols	- andesitic volcanic breecia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks - Basal sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - clast-supported pebble to boulder conglomerate; grainitoid clasts common - sandstone, siltstone, turbiditic mudstone Sroup sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic termediate elsic geologic contact (inferred) thrust fault (inferred) fault CLOGIC 11 BRANCS SSESSMENT REPOR
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - n I1b - ii I1c - fo Symbols	- andesitic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks = Basal sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - clast-supported pebble to boulder conglomerate; grainitoid clasts common = andstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks nafic termediste sisic geologic contact (inferred) thrust fault (inferred) fault - fault - OLOGIC - I BRANCS - SSESSMENT REPOR
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fr Symbols	- andesitic volcanic breccia / block tuff; hb+pi-phyric clasts, some interstratified epiclastic rocks - Basel sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - clast-supported pebble to boulder conglomerate; grainitoid clasts common - andstone, siltstone, turbiditic mudstone Stoup sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks notic thermedicte geologic contact (inferred) thrust fault (inferred) fault - fault - fault - OLOGIC - 1 BRANES - SEESSMENT REPOR
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fo Symbols	- andesitic volcanic breacia / block tuff; hb+pl-phyric clasts, some interstratified epiclastic rocks = Boad sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks = clast-supported peble to boulder conglomerate; grainitoid clasts common = sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocka nation sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocka nation geologic contact (inferred) thrust fault (inferred) fault
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fo Symbols	- andesitic volcanic brecia / block tuff; hb+pl-phyric clasts, some interstratified epiclostic rocks - Boal sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - clast-supported pebble to boulder conglemerate; grainitoid clasts common - sandstone, siltstone, turbiditic mudstone Group sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breccias ntrusive Rocks notic termediate selic geologic contact (inferred) thrust fault (inferred) fault - fault - SEESSMENT REPOR - SEESSMENT REPOR - 244, 1776
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - n I1b - ii I1c - fi Symbols	- andesitic volcanic breacta / block tuff; hb+pl-phyric clasts, some interstutified epideatic rocks - basal sedimentary rocks - clast-supported pebble to boulder conglomerate; grainitaid clasts common - sandstone, sittstone, turbiditic mudstone Boop sedimentary and volcanic rocks, undifferentiated undifferentiated andesitic volcanic flows, tuffs, and volcanic breactas http:// the books of th
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fi Symbols	- andesilic volcanic breccia / block tuff; hb+pl-phyric clasts, some interstuffide epiclastic rocks - block supported pebble to boulder conglomerate; grainitaid clasts common - sandetone, siltstone, turbiditic mudstone - sondetone, siltstone, turbiditic mudstone - sondetone breccios - sondetone breccios - notatic mudstone - sondetone breccios - sond
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fo Symbols	- andesile volcanic braccia / block tuff; hb+pl-phyric clasts, some interstrutified gelecitie rocks - baad sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - clast-supported pebble to boulder conglomerate; grainitoid clasts common - sandstone, siltstone, turbiditic mudstone - sandstone, sandstone, turbiditic mudstone - sandstone, sandstone, sandstone - sandstone, sandstone, sandstone, sandstone - sandst
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - II I1b - II I1c - fu Symbols	- andesilic volconic braccia / block tuff; hb+pl-phyric clasts, arome interstrutified goldelic rocks - blocd sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rocks - elect-supported pebble to boulder conglomerate, grainitaid clasts common - sandstone, siltstone, turbiditic mudstone sedimentary and volconic rocks, undifferentiated undifferentiated andesilic volconic flows, tuffs, and volconic breccios ntrusive Rocks role geologic contact (inferred) thrust fourt (inferred) thrust fourt (inferred) fourt
JrH2c JrH1 JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - n I1b - ii I1c - fi Symbols	 andestic volcanic braccia / block tuff; hb+pl-phyric clasts, some interstrutified goldinetic rocks Boad sedimentary unit (Hettangian to Sinemurian) undifferenticated sedimentary rocks clast-supported pebble to boulder conglomerate; grainiteid clasts common sedimentary and volcanic rocks, undifferentiated undifferentiated andestitic volcanic flows, tuffs, and volcanic breccies stimmatoice and static volcanic flows, tuffs, and volcanic breccies thruster Rocks andet on the static volcanic flows, tuffs, and volcanic breccies thruster Rocks geologic contact (inferred) thrust fault (inferred) foult
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fi Symbols	 - oncestic volcanic breecia / block tuffs (hb+pl=phyric clasts, apres intervative epoints in consistent of consiste
JrH2c JrH1 JrH1a JrH1b Triassic Stuhini (TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fi Symbols	 - oncesitic volcanic breecia / block trutis - basid sedimentary unit (Hettangian to Sinemurian) - undifferentiated sedimentary rooks - contact consignmente; grainitoid cloats common - contacting cable to boular - contact (consignmente; grainitoid cloats common - andatone, sittatone, turbiditic mudatone - andatone, forker, turbiditic mudatone - andatone, forker, turbiditic mudatone - andatone, forker, turbiditic mudatone - geologic contact (inferred) - turbiditic mudatone - Gould Clifferentiated - Go
JrH2c JrH1 JrH10 JrH10 Triassic Stuhini (TrS - TrSi - I1 - II I1a - n I1b - ii I1c - fi Symbols	 - and entitie voicanic precisity / block tuffs, hb+pl-phyric clasts, some intervativitied entities racks communants. - based sectioned autometry protection of Simemurian (clasts common estimation) = endetioned autometry protection entities componence grainitoid clasts common estimation automatic mudstane - some tracks commentation in the section of the section estimation is endetioned automatic voicanic froms, tuffs, and volcanic breccios intravies faces relationed to the section of the section of the section estimation is endetioned automatic voicanic froms, tuffs, and volcanic breccios intravies faces relation to section for the section of the sec
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini (TrS - TrSi - I1 - II I1a - n I1b - ii I1c - fi Symbols	 - ndesite volcarie precis / block tuff; hb-pl-phyric closts, jonne interturtified epication roots - Boad sadimentory unit (Veltangian to Sinemurian) - underleveliated sudmentary roots - clost-supported public to boulder conglementer, grainitoid closts common - sendenne, sitztone, turbiditic mudelone - Singer sedimentary and volconic rooks, undifferentiated underentiated andealtic volconic flows, tuffs, and volconic breccias information encode and setting volconic flows, tuffs, and volconic breccias information in the flow of the setting of t
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini TrS - TrSi - I1 - Ii I1a - n I1b - ii I1c - fi Symbols	 - notestik volconic braccia / block tuff; hb+pl-phyric closts, emen intervitified epicient rocks. - basi sedimentary unit (jettangian to Sinemurian) - unit/envitified sedimentary rocki - clost-supported public to boulder conjomerote; grainitoid closts common - sendatore, sitstone, turbidite mudatone - sendatore, sitstone, turbidite, sitstone, turbidite, sitstone, turbidite, sitstone, turbidite, sitstone, turbidite, sitstone, sitstone, turbidite, sitstone, turbidite, sitstone, turbidite, sitstone, turbidite, sitstone, sitstone, turbidite, sitstone, sitstone, turbidite, si
JrH2c JrH1 JrH1 JrH1b Triassic Stuhini TrS - TrSi - I1 - II I1a - II I1b - III I1c - fi Symbols	 - and entire victorie bracela / block tuff; hb-pl-pyric closts, approximative rocks - basi and intentory unit (Nettongian to Sinemurian) - undefinentiated addimentary rocks - clost-supported pablie to boulder conglomerate, grainitoid closts common - sandstone, allistone, turbiditic mudetone - sandstone, allistone, turbiditic mudetone - and victoric rocks, undifferentiated undifferentiated and reacting and victoric rocks, undifferentiated and additic volconic flows, tuffs, and volconic braccias - and volconic rocks, undifferentiated undifferentiated undifferentiated and additic volconic flows, tuffs, and volconic braccias - and volconic rocks, undifferentiated undifferentiated undefine braccias - and volconic rocks, undifferentiated undifferentiated undefine braccias - and volconic rocks, undifferentiated undifferentiated undefine braccias - and volconic rocks, undifferentiated undefine braccias



<u>NIDT 5</u> 306727 6271 500 N	
	LEGEND Sample Location 0 5078 Sample Number
6271 000 N	* OLOGICAI BRANCE SSESSMENT REPOR 24, 176
6270 500 N	50 0 50 100 150 200 250 300 350 meters
H 000 FL 6270 000 N	CANAMERA GEOLOGICAL LTD. ESKAY PROJECT DUP 9 GRID SAMPLE LOCATIONS SCALE: 1:5,000 NTS: 104 B DATE:NOV.30/1995 APPROVED BY: FILE: DUP9.DWG MAP NO.: 18 CANAMERA GEOLOGICAL LTD









<u>NDDT 5</u> 306727 6271 500 N	
	LEGEND Geochem 285.00 Sample Location
6271 000 N	≠ČOLOGIC I BRANZS
	SSESSMENT REPOR
6270 500 N	50 0 50 100 150 200 250 300 350
	Meters CANAMERA GEOLOGICAL LTD.
12 500 E	ESKAY PROJECT DUP 9 GRID Ba (ppm) SCALE: 1:5,000 NTS: 104 B DATE:NOV.30/1995
6270 000 N	APPROVED BY: FILE: DUP9S.DWG MAP NO.: 18 Ba CANAMERA GEOLOGICAL LTD







NDDT 5 306727	
6271 500 N	
	<u>LEGEND</u>
	Geochem 20 O Sample Location
	Note: values <2.0 ppm are not shown
6271 000 N	
	SSESSMENT REPORT
	21176
	<u> </u>
6270 500 N	
$\left \right\rangle$	50 0 50 100 150 200 250 300 350
	CANAMERA GEOLOGICAL I TD
:	ESKAY PROJECT
	DUP 9 GRID
2 500 E	Pb (ppm) SCALE: 1:5.000 NTS: 104 B DATE:NOV.30/1995
6270 000 N	APPROVED BY: FILE: DUP9S2.DWG MAP NO.: 18 Pb CANAMERA GEOLOGICAL LTD






	,	
	i	
	1	
	6274 000 N	
	6274 000 N	
	:	
*		
	:	LEGEND
		Geochem 50 O Sample Location
$\forall \vdash \downarrow$		Note: values <5 .0 ppm are not shown
	6273 500 N	
1 _		
		* OLOGICAI BRANZO SSESSMENT REPORT
	t .	
3295		24,176
	6273 000 N	
		meters
		CANAMERA GEOLOGICAL LTD.
		ESKAY PROJECT
		FRED GRID
	i Lu	As (ppm)
	500	SCALE: 1:5,000 NTS: 104 B DATE:NOV.30/1995 APPROVED EVEN
	6272 500 N 4	CANAMERA GEOLOGICAL LTD





•

•

•

.





6772 500N	
$ \rangle \land $	
	LEGEND
Z	
	Geochem 5.0 O Sample Location
	Note: values <5.0 ppb are not shown
6772 400N	
	₹ÇOLOGIC AI BRAN & @
	SSESSMENT REPOR *
: (*	
 6772 300N	4
:	
:	meters
	CAINANNIENA GEULUGIUAL LID.
	ESKAY PROJECT PMAC 3 GRID
В	
20	
40	SCALE: 1:1,000 NTS: 104 B DATE:NOV.28,1995 APPROVED BY: FILE: PMAC 35 DWC MAR NO + 30AH
6Z72 200N	CANAMERA GEOLOGICAL LTD







