DIAMOND DRILLING REPORT
ON THE
TACKLE 1 & 3 and ELQUE 1 & 2 CLAIMS
FORT STEELE MINING DIVISION
BRITISH COLUMBIA
NTS 82G/12
49°45'N 115°32'W

by

FOX GEOLOGICAL SERVICES INC.
1409 - 409 Granville Street
Vancouver, BC V6C 1T8

Work Paid for
by
ALDRIDGE RESOURCES LTD.
#900 - 999 West Hastings Street
Vancouver, BC V6C 2W2

November 15, 1995

REPORT ON THE
TACKLE 1 & 3 and ELQUE 1 & 2 CLAIMS
FORT STEELE MINING DIVISION
BRITISH COLUMBIA
NTS 82G/12
49°45'N 115°32'W

by

FOX GEOLOGICAL SERVICES INC.
1409 - 409 Granville Street
Vancouver, BC V6C 1T8

for

ALDRIDGE RESOURCES LTD.
#900 - 999 West Hastings Street
Vancouver, BC V6C 2W2

Revised May 24, 1996

TABLE OF CONTENTS

List of Figures

Appendices

Fox Geological Services Inc. #1409-409 Granville Street, Vancouver, BC V6C 1T8
Telephone (604) 669-5736 Fax (604) 681-3920

SUMMARY

This report summarizes results of a work program performed during late September on the Tackle Creek property, Fort Steele Mining Division, southeastern B.C. During this period, seven diamond drill holes totalling 649 metres were drilled on two induced polarization targets. All holes cored pyritic Aldridge Formation siltstones and mudstones and a few porphyry dykes. Core was sampled and submitted for assay. These core samples returned gold tenors well below economic levels.

CONCLUSIONS

Both induced polarization targets have been adequately tested by drilling. Gold tenors are low and not of economic interest. The source of gold-bearing silts and soils in the target area remain unknown. No further work is warranted.

Fox Geological Services Inc. #1409-409 Granville Street, Vancouver, BC V6C 1T8
Telephone (604) 669-5736 Fax (604) 681-3920

INTRODUCTION

This report summarizes results of drilling work conducted between August 29 and October 4, 1995 on the Tackle property, Fort Steele Mining Division, southeastern B.C. The program was designed to drill test induced polarization and geochemical targets recommended by Harold Jones in his report to Aldridge Resources Ltd. on November 24, 1994. Results of the work program are presented herein and recommendations made to discontinue work on the property.

LOCATION AND ACCESS

The Tackle Creek property is situated ten kilometres north-northwest of Fort Steele in the watershed of the Wild Horse River (Figures 1 and 2). The claims lie at 115° 33'7" longitude and 49° 46'5" latitude. Access is by a logging road that follows the Wild Horse River from Fort Steele to the eastern edge of the Tackle property. Old logging roads were cleared to provide access along two kilometres of Tackle Creek . Work was done under Permit # MX5-322 pursuant to a refundable bond of $ 3,000.00 filed on behalf of Aldridge Resources Ltd. All disturbed areas were reclaimed at the close of the program and required filings made with the local inspector.

The claims lie within the Hughes Mountain Range between elevations 1,580 and 2,430 metres in fairly steep terrain. Vegetation, consisting of shrubs, alder, spruce and fir, is thin on south-facing slopes but thick on north-facing slopes.

CLAIM INFORMATION

The Tackle 1 to 4 mineral claims consist of 64 units situated within the Fort Steele Mining Division on NTS map sheet 82G/12, 13. Expiry dates area tabulated below.

Claim Name	Record #	Units	Expiry Date
Tackle 1	210057	16	September 20, 1997
Tackle 3	210059	16	September 20, 1997
Elque 1	329191	16	July 29, 1997
Elque 2	327350	16	July 6, 1997



PROFESSIONAL ENGINEER
H. M. JONES

ALDRIDGE RESOURCES LTD.		
H. M. JONES & ASSOCIATES INC.	VANCOUVER, B.C.	
TACKLE CREEK PROPERTY LOCATION MAP CRANBROOK AREA N.T.S. 82G-12E, 13E	FORT STEELE M.D., B.C.	
SCALE · AS SHOWN H. M. JONES	NOV. 1994	FIG. 1



ALDRIDGE RESOURCES LTD.		
H M JONES & ASSOCIATES INC. VANCOUVER, B C		
TACKLE CREEK PROPERTY CLAIM MAP CRANBROOK AREA N.T.S. 82G-12E, 13E FORT STEELE M.D., B.C 0 1 2 3 KM		
SCALE AS SHOWN H M JONES	NOV 1994	FIG 2

REGIONAL GEOLOGY

The Tackle claims are underlain by rocks of the Proterozoic Aldridge and Creston Formations. These formations are composed of thick successions of basinal and subtidal quartzite, siltite and argillite. The Aldridge Formation is divided into three units. The Lower Aldridge consists of very fine to medium grained argillites, siltstones, carbonates and quartzites. The carbonate and quartzite layers are generally thick and massive. The overall thickness of the lower member is 1,500 metres to 2,600 metres.

The Middle Aldridge consists of a 500-metre thickness of interlayered siltstone and quartzite. A rusty weathering argillite, varying in thickness from a few centimetres to hundreds of metres and locally containing graded siltstone layers, occurs within this member.

The Upper Aldridge consists of finely laminated dark argillite and siltstone over a thickness of 500 metres to 800 metres. Local thin light green siltstone layers become more prominent towards the top of the unit. The contact with the overlying Creston Formation may be sharp or gradational over several hundred metres.

The Creston Formation is composed of a 1500-metre thickness of green, purple and white quartzite, siltstone and argillite. A massive, greenish-grey to buff-coloured siltstone generally overlies the Aldridge Formation. Dark grey, thinly laminated argillite, occasionally with white quartzite layers are common in this unit.

Numerous major and minor amphibole and plagioclase dykes and sills occur throughout the Aldridge and Creston Formations.

The Kootenay King Pb, Zn, Ag deposit, located one kilometre south of the Tackle property, is hosted in a coarse sandstone-argillite unit at the top of the Lower Aldridge. Principle economic minerals are galena, sphalerite and pyrite. The Estella Zn, Pb, Ag mine, three kilometres northwest of the Tackle claims, is located in a zone of fracturing and shearing within the Middle Aldridge. A small syenite stock intrudes the Middle Aldridge to the east of the Estella mine.

PROPERTY GEOLOGY

Aldridge Formation quartzite and argillite/slate and Creston Formation limonitic siltite, green argillite and green arenite outcrop on the Tackle claims. The units trend northerly with bedding planes dipping 25° to 60° to the west. Gradational bedding, cross-bedding features and contact relationships indicate an overturned succession. At least two northwest-trending thrust faults are located on the property, which thrust Middle Aldridge onto Upper Aldridge and Creston Formation rocks.

The oldest unit on the property, the Middle Aldridge quartzite, is tan to brown-coloured and white-weathering. Stratigraphically overlying this quartzite unit is a carbonaceous slate of the Upper Aldridge. This unit is characterised by dark grey, well-bedded slate and commonly contains pyrite cubes and is rusty-weathering.

Overlying the Aldridge Formation is a limonitic siltite of the Creston Formation. This unit is composed of thinly bedded, fissile, light grey siltite, brown- to tan-coloured, limonitic, coarse grained siltite and fine grained, light grey-coloured quartzite. Above the siltite are light green argillite and dark green siltite couplets which contain abundant sedimentary structures. The youngest member of the sedimentary sequence observed on the Tackle property is a dark green to maroon, medium grained quartz arenite of the Creston Formation. Medium to coarse grained syenite sills intrude both the Aldridge and Creston Formations in several localities on the property. Contact alteration and minor sulphides are associated with the intrusions.

1995 WORK PROGRAM

The work program on targets recommended by H. Jones, P. Eng. on November 25, 1994, was completed between August 27 and October 4, 1995. Seven NQWL drill holes were completed on targets A and B (reproduced in Figure 3) recommended by H. Jones, P. Eng. A total of 649 metres was drilled by Leclerc drilling. Core was logged by Greg Kulla, B.Sc and is stored in two locations on the property. A drill plan and core storage locations are shown in Figure 3, drill logs in Appendix I and assay certificates in Appendix II.

DRILLING

Drill holes 95-1, 2, 3 were collared within the west part of Anomaly B, hole 95-4 in the core, and holes 95-5 and 6 in the east part of the anomaly. Hole 95-7 tested Anomaly A just south of Tackle Creek. Holes 95-1,2,3 and part of 4 were drilled prior to September 20th. All holes were vertical except for 95-5 and 7, which were angled easterly and northeasterly respectively.

All holes collared pyritic, laminated siltstones of the Aldridge Formation. Thin dykes were intersected in holes 95-1 and 2. Elsewhere, the holes cored monotonous siltstone and argillite containing variable amounts of pyrite. Core sampling on two- to three-metre composites returned gold assays in the low ppb range. Sample details and assays for copper, molybdenum, gold, zinc, lead, and silver are tabulated in the drill logs appended hereto. Complete analytical results are given in Appendix II.



Fox Geological Consultants Ltd.
1409 - 409 Granville Street
Vancouver, BC
V6C 1T8

DATE: 11/15/95 TIME: 15:16:55

SCALE (HOR) 1:5000 SCALE (VERT) 1:5000

ALDRIDGE RESOURCES

Figure 3

DRILL PLAN

TACKLE CREEK PROPERTY
1995 DRILLING

PROJECT 173

⊕ Drill hole collar

x——x——x I.P Anomaly

Software by GEMCOM Services Inc

DISCUSSION

The 1995 drill program tested both A and B induced polarization anomalies that were thought to reflect potential source rocks for the auriferous soils, tills and stream sediments from Tackle Creek and its tributaries. The drilling work failed to identify such a source rock. The provenance for the gold remains unknown. Prospecting at the head of the valley failed to identify any obvious source here other than a number of small quartz veins within Aldridge rocks.

DISBURSEMENTS

Disbursements for the project are tabulated below.

Diamond Drilling	- August 30 to September 20 - 367m@$82/metre - September 21 to October 4 - 282m	$ 30,090
	(note - work filed for assessment purposes comprises drilling costs to September 20 only, no other associated costs have been applied)	
Total Disbursements		**$ 30,090**

Prepared by:

FOX GEOLOGICAL SERVICES INC.

Per: _____
P. E. Fox, Ph.D., P. Eng.
May 24, 1996

CERTIFICATE

I, *Greg Kenneth Kulla, certify to the following:*

1. I am a consulting geologist residing at 9756 Crown Crescent, Surrey, B.C.

2. My academic qualifications are:

   B.Sc. University of British Columbia, 1988.

3. I have been engaged in geological work since graduation in 1988.



Greg Kulla, B.Sc.
Vancouver, B.C.
May 24, 1996

CERTIFICATE

I, Peter Edward Fox, certify to the following:

1. I am a consulting geologist residing at #902 - 2077 Nelson Street, Vancouver, B.C.

2. I am a Professional Engineer registered in the Association of Professional Engineers in British Columbia.

3. My academic qualifications are:

   B.Sc. and M.Sc., Queens University, Kingston, Ontario
   Ph.D., Carleton University, Ottawa, Ontario

4. I have been engaged in geological work since graduation in 1966.



Peter E. Fox, Ph.D., P. Eng.
Vancouver, B.C.
May 24, 1996

APPENDIX I
Drill Logs
Cu = Copper in ppm
Mo = molybdenum in ppm
Zn = zinc in ppm
Ag = silver in ppm
Au = gold in ppb

Py = pyrite
Pyh = pyrrhotite
Sph = sphalerite
Cpy = chalcopyrite

ALDRIDGE RESOURCES LIMITED
PROJECT 173 - TACKLE CREEK PROPERTY
1995 DRILL PROGRAM

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-01	9305.00	10625.00	1665.00	98.20

DISTANCE	AZIMUTH	DIP
0.00	0.0	-90.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	18.3	Casing	Casing to 18.3m ℄							
18.3	54.5	Mudstone/Wacke	Medium to dark grey, thinly and well bedded alternating mudstone and wacke. Dark wacke beds contain very thin wavy laminations. Mudstone is weakly argillaceous. Fine grained pyrite occurs disseminated and rarely as laminations along bedding planes. Discordant quartz-calcite vienlets 1 to 3mm wide are common. Fracture surfaces are smooth, irregular, black and sericitic with local very soft talc-like spots. Locally mudstone beds are light gray albitically altered over 10 to 15cm and contain porphyroblastic pyrite. Wacke beds become thinner and less common below 54.5 metres.	500319	23.0	4	99	44	0.1	2
				500322	27.0	9	46	99	0.1	5
				500325	30.0	6	51	116	0.1	3
				500328	33.0	2	40	48	0.1	2
				500331	36.0	1	31	61	0.1	3
				500334	39.0	1	41	61	0.1	4
				500337	42.0	6	37	54	0.1	4
				500340	45.0	1	17	63	0.1	6
				500343	48.0	1	43	56	0.1	6
				500346	51.0	3	41	53	0.1	2
				500349	54.5	1	41	74	0.1	1
54.5	55.4	Felsic dike	Pale green with sub-rounded quartz to 3mm in diametre in a feldspar microlitic weakly propylitically altered groundmass. Two quartz-calcite	500350	55.4	2	28	78	0.1	1

FROM	TO	ROCK-TYPE	DESCRIPTION
			viens 15 to 30 cm wide cut the dike at 30 degrees to core axis. Intrusion and quartz-calcite contain trace disseminated pyrite.
55.4	98.2	Mudstone/Wacke	Alternating beds of mudstone and wacke, thinly and well bedded. Locally albatized. Minor disseminated and lamellar pyrite. Faint white spots through core are possibly sericitic porphyroblastic garnets. Fining sequences down-hole indicate overturned beds.

SAMPLE	TO	MO	CU	ZN	AG	AU
500353	59.0	1	45	59	0.1	3
500356	62.0	7	39	47	0.1	2
500359	65.0	1	48	51	0.1	26
500362	68.0	1	33	57	0.1	2
500365	71.0	2	37	58	0.1	4
500368	74.0	3	53	58	0.1	1
500371	77.0	2	36	61	0.3	2
500374	80.0	1	42	63	0.1	1
500377	83.0	16	46	65	0.1	1
500380	86.0	1	40	64	0.3	<0
500383	89.0	1	42	64	0.3	1
500386	92.0	1	40	60	0.1	<0
500389	95.0	2	48	60	0.1	1
500392	98.2	1	38	67	0.1	19

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY
19.00	500317		3	0	0	0
21.00	500318		2	0	0	0
23.00	500319		2	0	0	0
24.00	500320	flame structures in pyrite lamena	3	0	0	0
25.00	500321		3	0	0	0
27.00	500322		3	0	0	0
28.00	500323	porphyroblastic pyrite in bleached bed	3	0	0	0
29.00	500324		2	0	0	0
30.00	500325	small quartz-calcite vein at 29.5	2	0	0	0
31.00	500326	micro-breccia with quartz-calcit matri	3	0	0	0
32.00	500327		3	0	0	0

MO	CU	ZN	AG	AU

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
33.00	500328	small fold axis perpendicular to core	2	0	0	0					
34.00	500329		2	0	0	0					
35.00	500330		3	0	0	0					
36.00	500331	auto breccia - no matrix	2	0	0	0					
37.00	500332		3	0	0	0					
38.00	500333	3cm wide quartz vein perpendicular to	2	0	0	0					
39.00	500334		2	0	0	0					
40.00	500335	albitic alteration	2	0	0	0					
41.00	500336		2	0	0	0					
42.00	500337		2	0	0	0					
43.00	500338		2	0	0	0					
44.00	500339		3	0	0	0					
45.00	500340	auto breccia - very hard	2	0	0	0					
46.00	500341		2	0	0	0					
47.00	500342	1cm wide quartz vein	2	0	0	0					
48.00	500343	blue coating on fracture surfaces	3	0	0	0					
49.00	500344	albitic alteration	2	0	0	0					
50.00	500345		1	0	0	0					
51.00	500346	porphyroblastic pyrite in bleached bed	1	0	0	0					
52.00	500347		2	0	0	0					
53.00	500348		2	0	0	0					
54.50	500349		1	0	0	0					
55.40	500350		1	0	0	0					
57.00	500351		2	0	0	0					
58.00	500352		2	0	0	0					
59.00	500353	59.5 to 61.3 wacke with disseminated p	1	0	0	0					
60.00	500354		2	0	0	0					
61.00	500355	sedimentary structures indicate beds o	2	0	0	0					
62.00	500356	strong albitic alteration at 61.5m	3	0	0	0					
63.00	500357		3	0	0	0					
64.00	500358		3	0	0	0					
65.00	500359	65.9m - 10cm albitic alteration	2	0	0	0					
66.00	500360		2	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
67.00	500361		2	0	0	0						
68.00	500362		2	0	0	0						
69.00	500363		1	0	0	0						
70.00	500364	albitic alteration with minor quartz v	1	0	0	0						
71.00	500365		1	0	0	0						
72.00	500366		2	0	0	0						
73.00	500367	albitic alteration	2	0	0	0						
74.00	500368		2	0	0	0						
75.00	500369		2	0	0	0						
76.00	500370		3	0	0	0						
77.00	500371		1	0	0	0						
78.00	500372		3	0	0	0						
79.00	500373		2	0	0	0						
80.00	500374		2	0	0	0						
81.00	500375		1	0	0	0						
82.00	500376	albitic alteration	2	0	0	0						
83.00	500377		3	0	0	0						
84.00	500378		3	0	0	0						
85.00	500379		2	0	0	0						
86.00	500380		2	0	0	0						
87.00	500381		3	0	0	0						
88.00	500382		3	0	0	0						
89.00	500383		2	0	0	0						
90.00	500384		1	0	0	0						
91.00	500385		1	0	0	0						
92.00	500386		1	0	0	0						
93.00	500387	albitic alteration	3	0	0	0						
94.00	500388		2	0	0	0						
95.00	500389		2	0	0	0						
96.00	500390		2	0	0	0	98.2	1	38	67	0.1	19
97.00	500391		1	0	0	0	98.2	1	38	67	0.1	19
98.20	500392	argillite	1	0	0	0	98.2	1	38	67	0.1	19

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-02	9325.00	10499.00	1685.00	99.40

DISTANCE	AZIMUTH	DIP
0.00	0.0	-90.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	9.5	Casing	Casing to 21.3m, core recovered from 9.1m							
9.5	34.4	Mudstone/Wacke	Medium to dark gray, medium to thinly bedded, moderate to well bedded mudstone and wacke. Very thin wavy black laminations within wacke. Mudstone is moderate to strongly argillaceous. dewatering structure indicate beds are overturned. Some slump folds. Fine grain disseminated pyrite 1-5% occurs along bedding planes and through-out coarser grained beds. Pyrite also occurs as veinlets with quartz and calcite. Bedding planes vary from 40 to 70 degrees to core axis and 5 to 15cm wide breccias with quartz-calcite matrix are common. Local porphyroblastic pyrite within hard bleached (albitic) beds.	500395	13.0	2	98	57	0.0	14
				500397	17.0	3	55	48	0.0	2
				500398	21.6	4	38	47	1.0	3
				500401	25.0	3	36	34	0.0	1
				500404	28.0	4	49	58	0.0	1
				500406	31.0	3	51	56	0.0	3
				500409	34.4	1	30	71	0.0	1
34.4	35.6	Felsic dike	Pale green, quartz-eye intrusive with	500410	35.6	2	42	89	0.0	1

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
			propylitic, feldspar microlitic groundmass. 10cm barren quartz-calcite vein							
35.6	99.4	Mudstone/Wacke	continued from 9.5 to 34.4..... 70/30 mud to wacke. Beds are locally folded at 30cm wave length.. Core is blocky, fractures are clay rich, joints are black smooth, irregular and sericitic. Mudstone is locally argilaceous and wackes commonly split along bedding planes.	500412	39.0	2	49	102	0.0	1
				500415	42.0	5	39	51	0.0	1
				500418	45.0	2	38	46	0.0	2
				500421	49.0	2	33	57	0.0	6
				500424	52.0	2	50	60	0.0	5
				500427	55.0	2	46	58	0.0	29
				500430	58.0	4	54	56	0.0	4
				500433	61.0	2	36	62	0.0	2
				500436	64.0	5	32	55	0.0	5
				500439	67.0	6	56	83	0.0	3
				500441	70.0	1	38	88	0.0	12
				500444	73.0	2	41	63	0.0	10
				500447	76.0	1	34	82	0.0	4
				500450	79.0	2	39	98	0.0	4
				500453	82.0	1	44	78	0.0	5
				500456	85.0	2	40	61	0.0	11
				500459	88.0	1	35	72	0.0	3
				500462	91.0	1	38	83	0.0	3
				500465	94.0	1	40	92	0.0	27
				500468	97.0	2	45	83	0.0	23
				500470	99.4	1	29	103	0.0	120

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
11.00	500393		1	0	0	0					
12.00	500394		1	0	0	0					
13.00	500395		1	0	0	0					
15.00	500396		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
17.00	500397	10cm bleached hard breccia	1	0	0	0					
21.60	500398	fault gouge	0	0	0	0					
23.00	500399		1	0	0	0					
24.00	500400		1	0	0	0					
25.00	500401		2	0	0	0					
26.00	500402		1	0	0	0					
27.00	500403		1	0	0	0					
28.00	500404		1	0	0	0					
29.00	500405		2	0	0	0					
31.00	500406		2	0	0	0					
32.00	500407		2	0	0	0					
33.00	500408		2	0	0	0					
34.40	500409	10cm bleached hard	2	0	0	0					
35.60	500410	felsic dike	1	0	0	0					
37.00	500411	albitic	1	0	0	0					
39.00	500412		1	0	0	0					
40.00	500413		2	0	0	0					
41.00	500414		2	0	0	0					
42.00	500415		1	0	0	0					
43.00	500416		1	0	0	0					
44.00	500417		2	0	0	0					
45.00	500418	fault gouge	1	0	0	0					
46.00	500419		1	0	0	0					
47.00	500420		1	0	0	0					
49.00	500421		1	0	0	0					
50.00	500422		1	0	0	0					
51.00	500423		1	0	0	0					
52.00	500424	10cn fault breccia	1	0	0	0					
53.00	500425	bleached, hard	2	0	0	0					
54.00	500426		2	0	0	0					
55.00	500427		2	0	0	0					
56.00	500428		2	0	0	0					
57.00	500429	10cm fault breccia	1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
58.00	500430		1	0	0	0					
59.00	500431		1	0	0	0					
60.00	500432		1	0	0	0					
61.00	500433	minor fold axis	2	0	0	0					
62.00	500434	minor fold axis	2	0	0	0					
63.00	500435	10cm breciated fold axis	2	0	0	0					
64.00	500436		2	0	0	0					
65.00	500437		2	0	0	0					
66.00	500438		2	0	0	0					
67.00	500439		2	0	0	0					
69.00	500440		2	0	0	0					
70.00	500441	discordant pyrite veinlet in wacke	2	0	0	0					
71.00	500442		2	0	0	0					
72.00	500443		2	0	0	0					
73.00	500444		1	0	0	0					
74.00	500445	10 cm breccia	1	0	0	0					
75.00	500446		1	0	0	0					
76.00	500447		1	0	0	0					
77.00	500448		2	0	0	0					
78.00	500449		1	0	0	0					
79.00	500450		1	0	0	0					
80.00	500451		1	0	0	0					
81.00	500452		2	0	0	0					
82.00	500453		2	0	0	0					
83.00	500454		1	0	0	0					
84.00	500455	fault gouge/breccia	1	0	0	0					
85.00	500456	slump folds? + porphyroblasts of pyri	1	0	0	0					
86.00	500457		1	0	0	0					
87.00	500458		2	0	0	0					
88.00	500459		2	0	0	0					
89.00	500460		1	0	0	0					
90.00	500461		1	0	0	0					
91.00	500462		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
92.00	500463	92.3 tourmalinite bed	1	0	0	0						
93.00	500464		2	0	0	0						
94.00	500465		1	0	0	0						
95.00	500466	mud chip breccia	1	0	0	0						
96.00	500467		1	0	0	0						
97.00	500468		1	0	0	0						
98.00	500469		1	0	0	0	99.4	1	29	103	0.0	120
99.40	500470		1	0	0	0	99.4	1	29	103	0.0	120

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-03	9350.00	10403.00	1665.00	98.20

DISTANCE	AZIMUTH	DIP
0.00	0.0	-90.0

FROM	TO	ROCK-TYPE	DESCRIPTION
0.0	4.3	Casing	Casing to 4.3m
4.3	98.2	Argillite	Medium to dark gray, massive to weakly laminated with light gray to green thin arkosic interbeds. Common quartz-calcite veinlets 1 to 2mm wide. Fine grain pyrite occurs disseminated to 5% in the light grey coarser beds and along bedding planes. Pyrite also occurs as veinlets and rare in fine grain argillite. Fining sequence defined by light to dark bands indicate overtured beds. Local minor slump folds. Minor light gray to pale green quartz sandstone with disseminated pyrite to 5%. Joints are dominantly parallel to bedding, occasionally oblique and are clay rich.

SAMPLE	TO	MO	CU	ZN	AG	AU
500473	9.0	2	35	56	0.1	2
500476	12.0	2	36	61	0.3	2
500479	15.0	2	36	57	0.1	5
500481	19.0	3	42	56	0.1	1
500483	23.0	2	50	55	0.1	5
500485	26.0	2	41	93	0.1	2
500488	29.0	1	38	82	0.1	4
500491	32.0	2	37	70	0.1	3
500494	35.0	2	51	104	0.1	2
500497	38.0	1	38	180	0.1	3
500500	41.0	2	48	123	0.1	4
500503	44.0	1	32	116	0.1	3
500506	48.0	1	32	113	0.1	2
500509	51.0	3	38	78	0.1	2
500512	54.0	7	42	85	0.1	2
500515	57.0	1	34	108	0.1	2
500518	60.0	4	41	90	0.1	5
500521	63.0	2	39	106	0.1	21
500524	66.0	1	23	100	0.1	2
500527	69.0	2	34	76	0.1	19
500530	72.0	2	41	72	0.1	18
500533	75.0	1	31	86	0.1	3
500536	78.0	1	27	90	0.1	3

FROM	TO	ROCK-TYPE	DESCRIPTION

SAMPLE	TO	MO	CU	ZN	AG	AU
500539	81.0	2	41	84	0.1	533
500542	84.0	2	35	95	0.1	5
500545	88.0	2	41	89	0.1	5
500548	91.0	3	39	179	0.1	37
500551	94.0	1	39	106	0.1	5
500553	96.0	1	33	140	0.1	3
500555	98.2	2	32	85	0.1	3

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY
8.00	500472		1	0	0	0
9.00	500473	blaeched. Quartz-calcite vein	1	0	0	0
10.00	500474		2	0	0	0
11.00	500475		1	0	0	0
12.00	500476		2	0	0	0
13.00	500477		1	0	0	0
14.00	500478		1	0	0	0
15.00	500479	contorted quartz-calcite veinlet	1	0	0	0
17.00	500480		1	0	0	0
19.00	500481		1	0	0	0
21.00	500482		1	0	0	0
23.00	500483	bedding parallel to CA. Minor fault br	1	0	0	0
25.00	500484		2	0	0	0
26.00	500485		1	0	0	0
27.00	500486		1	0	0	0
28.00	500487	minor fault	1	0	0	0
29.00	500488		1	0	0	0
30.00	500489		2	0	0	0
31.00	500490		2	0	0	0
32.00	500491		2	0	0	0
33.00	500492		2	0	0	0
34.00	500493		2	0	0	0
35.00	500494		2	0	0	0

MO	CU	ZN	AG	AU

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
36.00	500495		2	0	0	0					
37.00	500496		2	0	0	0					
38.00	500497		2	0	0	0					
39.00	500498		2	0	0	0					
40.00	500499	fault breccia	2	0	0	0					
41.00	500500		2	0	0	0					
42.00	500501		2	0	0	0					
43.00	500502		2	0	0	0					
44.00	500503		1	0	0	0					
45.00	500504		1	0	0	0					
46.00	500505		1	0	0	0					
48.00	500506		2	0	0	0					
49.00	500507		1	0	0	0					
50.00	500508		2	0	0	0					
51.00	500509		1	0	0	0					
52.00	500510		2	0	0	0					
53.00	500511		2	0	0	0					
54.00	500512		1	0	0	0					
55.00	500513		2	0	0	0					
56.00	500514		1	0	0	0					
57.00	500515		2	0	0	0					
58.00	500516	10cm fault breccia	1	0	0	0					
59.00	500517		1	0	0	0					
60.00	500518		2	0	0	0					
61.00	500519		2	0	0	0					
62.00	500520	albitic with coarse grain pyrite.	2	0	0	0					
63.00	500521		2	0	0	0					
64.00	500522		1	0	0	0					
65.00	500523		1	0	0	0					
66.00	500524		1	0	0	0					
67.00	500525	pale blue fracture coating	1	0	0	0					
68.00	500526	light gray quartzite	1	0	0	0					
69.00	500527		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
70.00	500528		1	0	0	0						
71.00	500529		1	0	0	0						
72.00	500530		1	0	0	0						
73.00	500531		1	0	0	0						
74.00	500532		1	0	0	0						
75.00	500533		1	0	0	0						
76.00	500534		1	0	0	0						
77.00	500535		1	0	0	0						
78.00	500536	light gray sandstone 78.3 to 80.1m	1	0	0	0						
79.00	500537	with fine grained disseminated pyrite	1	0	0	0						
80.00	500538		1	0	0	0						
81.00	500539		1	0	0	0						
82.00	500540		1	0	0	0						
83.00	500541	10cm fault breccia	1	0	0	0						
84.00	500542		1	0	0	0						
85.00	500543		1	0	0	0						
86.00	500544		2	0	0	0						
88.00	500545	albitic with pyrite 10cm at 86.1m	2	0	0	0						
89.00	500546	fault gouge 86 to 87m	1	0	0	0						
90.00	500547	sandstone with pyrite 89 to 91m	1	0	0	0						
91.00	500548		1	0	0	0						
92.00	500549		1	0	0	0						
93.00	500550		2	0	0	0						
94.00	500551		2	0	0	0						
95.00	500552		2	0	0	0						
96.00	500553		1	0	0	0						
97.00	500554		1	0	0	0	98.2	2	32	85	0.1	3
98.20	500555		1	0	0	0	98.2	2	32	85	0.1	3

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-04	9465.00	10502.00	1650.00	98.20

DISTANCE	AZIMUTH	DIP
0.00	0.0	-90.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	28.0	Casing	Casing and overburden to 28m							
28.0	46.7	Argillite/Quartzite	Medium to dark gray thinly bedded well bedded, argillaceous mudstone with bedding parallel disseminated pyrite and light to medium gray medium to fine grain mottled sandstone from 36 to 43m with minor pyrite. Gradational contacts ỷ	500558	34.0	10	20	18	0.1	3
				500561	37.0	1	17	28	0.1	5
				500564	40.0	1	15	22	0.1	7
				500567	43.0	1	38	30	0.1	1
				500570	46.0	3	31	28	0.1	2
				500573	49.0	3	8	5	0.1	6
46.7	78.0	Quartzite	Light gray to very pale green fine grain massive quartzite with trace to 1% disseminated pyrite and rare pyrite veinlets. Local dark argillaceous interbeds. Common small breccia/shatter zones and minor offsets. ỷ	500573	49.0	3	8	5	0.1	6
				500576	52.0	1	9	16	0.1	7
				500579	55.0	1	13	22	0.1	1
				500582	58.0	2	16	19	0.1	5
				500585	61.0	2	12	15	0.1	72
				500588	64.0	2	4	12	0.1	45
				500591	67.0	2	9	18	0.1	34
				500594	70.0	1	11	20	0.1	18
				500597	73.0	1	19	55	0.1	2
				500600	76.0	1	21	69	0.1	1
				500603	79.0	4	22	119	0.1	3
78.0	83.0	Argillite	Medium to dark gray sheared/brecciated with 1 to 3% disseminated pyrite. ỷ	500603	79.0	4	22	119	0.1	3
				500606	82.0	4	41	59	0.1	1
				500609	85.0	3	24	55	0.1	1
83.0	98.2	Quarzite/Argillite	Light gray to pale green quartzite.	500609	85.0	3	24	55	0.1	1

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
			Massive fractured with trace of pyrite.	500612	88.0	1	22	57	0.1	1
			Mediun to dark gray sheared weakly	500615	91.0	2	6	21	0.1	42
			pyritic argillite. Core is shattered,	500618	94.0	1	13	29	0.1	8
			sheared, broken with bedding dips	500622	98.2	1	25	42	0.1	2
			variable from 0 to 60 degrees to core axis.							

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
32.00	500556		1	0	0	0					
33.00	500557		2	0	0	0					
34.00	500558		2	0	0	0					
35.00	500559		1	0	0	0					
36.00	500560		1	0	0	0					
37.00	500561		1	0	0	0					
38.00	500562		1	0	0	0					
39.00	500563		0	0	0	0					
40.00	500564		1	0	0	0					
41.00	500565		0	0	0	0					
42.00	500566		0	0	0	0					
43.00	500567		0	0	0	0					
44.00	500568		0	0	0	0					
45.00	500569	pyrite veinlet at 44.5m	2	0	0	0					
46.00	500570		1	0	0	0					
47.00	500571	very hard, glassy	1	0	0	0					
48.00	500572		1	0	0	0					
49.00	500573		1	0	0	0					
50.00	500574		1	0	0	0					
51.00	500575		1	0	0	0					
52.00	500576		1	0	0	0					
53.00	500577		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
54.00	500578		1	0	0	0					
55.00	500579		1	0	0	0					
56.00	500580		1	0	0	0					
57.00	500581		1	0	0	0					
58.00	500582	olive-green fracture surfaces	1	0	0	0					
59.00	500583		1	0	0	0					
60.00	500584	albitic, euhedral pyrite and feldspar	1	0	0	0					
61.00	500585		1	0	0	0					
62.00	500586		1	0	0	0					
63.00	500587		1	0	0	0					
64.00	500588		1	0	0	0					
65.00	500589	10cm shear at 65.2m	1	0	0	0					
66.00	500590		1	0	0	0					
67.00	500591		1	0	0	0					
68.00	500592		1	0	0	0					
69.00	500593		1	0	0	0					
70.00	500594		1	0	0	0					
71.00	500595		1	0	0	0					
72.00	500596	50cm fault breccia parallel to CA	1	0	0	0					
73.00	500597		1	0	0	0					
74.00	500598		1	0	0	0					
75.00	500599		1	0	0	0					
76.00	500600		1	0	0	0					
77.00	500601		1	0	0	0					
78.00	500602		2	0	0	0					
79.00	500603		2	0	0	0					
80.00	500604		2	0	0	0					
81.00	500605		2	0	0	0					
82.00	500606	minor offsets, irregular contacts 82-8	2	0	0	0					
83.00	500607		1	0	0	0					
84.00	500608		2	0	0	0					
85.00	500609		1	0	0	0					
86.00	500610		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
87.00	500611		1	0	0	0						
88.00	500612		1	0	0	0						
89.00	500613		1	0	0	0						
90.00	500614		1	0	0	0						
91.00	500615		1	0	0	0						
92.00	500616		1	0	0	0						
93.00	500617		1	0	0	0						
94.00	500618		1	0	0	0						
95.00	500619		1	0	0	0	98.2	1	25	42	0.1	2
96.00	500620		1	0	0	0	98.2	1	25	42	0.1	2
97.00	500621		1	0	0	0	98.2	1	25	42	0.1	2
98.20	500622		1	0	0	0	98.2	1	25	42	0.1	2

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-05	9525.00	10401.00	1615.00	98.20

DISTANCE	AZIMUTH	DIP
0.00	100.0	-50.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	27.4	Casing	Casing and overburden to 27.4m							
27.4	32.0	Argillite	Medium to dark gray mudstone with minor coarser beds. Fine grain disseminated pyrite 1 to 3%.	500625	32.0	1	32	77	0.1	1
32.0	43.0	Quartzite	Light gray to very pale green fine grained. Trace to 1% fine grain euhedral pyrite. Minor shatter/breccia zones.	500628	35.0	1	11	24	0.1	2
				500631	38.0	1	4	19	0.1	31
				500634	41.0	1	8	15	0.1	42
				500637	44.0	1	26	76	0.1	13
43.0	51.3	Argillite	Medium to dark gray, moderate to thin bedded. Pyritic coarser beds. Common crushed, broken rubble zones. Minor quartz-calcite +/- pyrite veinlets.	500637	44.0	1	26	76	0.1	13
				500640	47.0	1	21	103	0.1	2
				500643	50.0	5	33	89	0.1	1
				500646	53.0	1	22	49	0.1	3
51.3	60.4	Quartzite	Light gray to very pale green, locally argilaceous.	500646	53.0	1	22	49	0.1	3
				500649	56.0	1	11	31	0.1	15
				500652	59.0	1	13	29	0.1	3
				500655	62.0	2	26	64	0.1	1
60.4	64.0	Argillite	Medium to dark gray thinly and well bedded. Minor pyritic wacke.	500655	62.0	2	26	64	0.1	1
				500657	64.0	1	38	111	0.1	1

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
64.0	64.5	Felsic dike	Pale green. Quartz eyes. Foliated with sharp contacts. ÿ	500658	64.8	1	54	79	0.1	1
64.5	98.2	Argillite	Medium to dark gray thin and well bedded with minor pyritic wacke. Minor quartz-calcite +/_ pyrite veinlets. Locally sheared with rubble zones. Rare pale green bleached beds showing a fining sequence down-hole. Coarser wacke beds have thin black wavy laminations. ÿ	500658	64.8	1	54	79	0.1	1
				500661	68.0	5	40	79	0.1	3
				500664	71.0	2	43	89	0.1	2
				500667	74.0	1	42	89	0.1	2
				500670	77.0	<0	33	71	0.1	1
				500673	80.0	<0	42	85	0.1	1
				500676	83.0	<0	42	103	0.1	1
				500679	86.0	<0	34	77	0.1	1
				500682	89.0	1	36	51	0.1	1
				500685	92.0	<0	40	59	0.1	1
				500688	95.0	1	54	67	0.1	1
				500691	98.2	<0	40	62	0.1	1

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
30.00	500623		1	0	0	0					
31.00	500624		1	0	0	0					
32.00	500625		1	0	0	0					
33.00	500626		1	0	0	0					
34.00	500627		1	0	0	0					
35.00	500628		1	0	0	0					
36.00	500629		1	0	0	0					
37.00	500630		1	0	0	0					
38.00	500631		1	0	0	0					
39.00	500632		1	0	0	0					
40.00	500633		1	0	0	0					
41.00	500634	3cm wide pink albitic band	1	0	0	0					
42.00	500635		1	0	0	0					
43.00	500636		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
44.00	500637		2	0	0	0					
45.00	500638		2	0	0	0					
46.00	500639		2	0	0	0					
47.00	500640		1	0	0	0					
48.00	500641		1	0	0	0					
49.00	500642		2	0	0	0					
50.00	500643		2	0	0	0					
51.00	500644		1	0	0	0					
52.00	500645		1	0	0	0					
53.00	500646		1	0	0	0					
54.00	500647		1	0	0	0					
55.00	500648		1	0	0	0					
56.00	500649		1	0	0	0					
57.00	500650		1	0	0	0					
58.00	500651		1	0	0	0					
59.00	500652		1	0	0	0					
60.00	500653		1	0	0	0					
61.00	500654		2	0	0	0					
62.00	500655		2	0	0	0					
63.00	500656		2	0	0	0					
64.00	500657		2	0	0	0					
64.80	500658		1	0	0	0					
66.00	500659		2	0	0	0					
67.00	500660		2	0	0	0					
68.00	500661		2	0	0	0					
69.00	500662		2	0	0	0					
70.00	500663		2	0	0	0					
71.00	500664		2	0	0	0					
72.00	500665		2	0	0	0					
73.00	500666		2	0	0	0					
74.00	500667		2	0	0	0					
75.00	500668	20cm fault zone	2	0	0	0					
76.00	500669		2	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
77.00	500670		2	0	0	0						
78.00	500671		2	0	0	0						
79.00	500672		2	0	0	0						
80.00	500673		2	0	0	0						
81.00	500674		2	0	0	0						
82.00	500675		2	0	0	0						
83.00	500676		2	0	0	0						
84.00	500677		2	0	0	0						
85.00	500678		2	0	0	0						
86.00	500679		2	0	0	0						
87.00	500680		2	0	0	0						
88.00	500681		2	0	0	0						
89.00	500682	bedding parallel to core axis	2	0	0	0						
90.00	500683		2	0	0	0						
91.00	500684		2	0	0	0						
92.00	500685		2	0	0	0						
93.00	500686		2	0	0	0						
94.00	500687		2	0	0	0						
95.00	500688	quartz-calcite veinlet	2	0	0	0						
96.00	500689		2	0	0	0	98.2	<0	40	62	0.1	1
97.00	500690		2	0	0	0	98.2	<0	40	62	0.1	1
98.20	500691	brecciated pyrite vein	2	0	0	0	98.2	<0	40	62	0.1	1

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-06	9625.00	10500.00	1600.00	45.10

DISTANCE	AZIMUTH	DIP
0.00	90.0	-50.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	21.3	Casing	Casing and overburrden to 21.3m.							
21.3	29.0	Siltstone	Light to medium gray, thin bedded, minor slump folds, common breccia with muddy matrix.	500693	24.0	0	39	45	0.1	19
				500695	27.0	1	10	20	0.1	5
				500698	30.0	2	43	60	0.1	2
29.0	31.1	Felsic dike	Light gray to pale green, mnor disseminated fine grain pyrite. Oxidized fractures.	500698	30.0	2	43	60	0.1	2
				500700	34.0	7	86	102	0.1	3
31.1	35.3	Argillite	Medium to dark gray, thin and well bedded. Pyritic wacky interbeds.	500700	34.0	7	86	102	0.1	3
				228830	37.0	1	26	38	0.1	2
35.3	45.1	Quartzite	Massive, fine grained, mostly rubble.	228830	37.0	1	26	38	0.1	2
			Oxidized fractures, localquartz veins.	228832	41.0	1	12	23	0.1	1
			Minor disseminated pyrite.	228834	45.1	1	21	28	0.1	1

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
22.00	500691		1	0	0	0					
24.00	500692	23 to 24 fault	1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
25.00	500693		1	0	0	0						
27.00	500694		1	0	0	0						
28.00	500695		1	0	0	0						
29.00	500696	28.3 to 29 fault	1	0	0	0						
30.00	500697		1	0	0	0						
31.00	500698		1	0	0	0						
34.00	500699		1	0	0	0						
35.00	500700		1	0	0	0						
37.00	500701		1	0	0	0						
38.00	500702		1	0	0	0						
41.00	500703		1	0	0	0						
43.00	500704		1	0	0	0	45.1	1	21	28	0.1	1
45.10	500705	hole caved tore up bit.	1	0	0	0	45.1	1	21	28	0.1	1

HOLE-ID	EAST	NORTH	ELEV.	LENGTH
95-07	10030.00	10690.00	1605.00	111.60

DISTANCE	AZIMUTH	DIP
0.00	50.0	-60.0

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
0.0	5.2	Casing	Casing, overburden ψ	228835	5.2	2	21	67	0.1	0
5.2	48.8	Laminated siltstone	Medium to dark gray, graded, thin bedded. 1-2% disseminated pyrite cubes 1 to 5mm across. 1-5% disseminated bedding parallel pyrite and pyrrhotite. Local pyrite-pyrrhotite +/- quartz veinlets. Rare chalcopyrite within bedded pyrrhotite. Bedded sulphides are sheared, disrupted/offset. Rare sphalerite. Minor clast supported quartz matrix breccia.	228836	9.0	4	25	1047	0.1	2
				228839	12.0	2	38	249	0.1	4
				228842	15.0	4	43	206	0.1	2
				228845	18.0	4	42	168	0.1	2
				228848	21.0	5	32	231	0.1	5
				228851	24.0	2	34	124	0.1	2
				228854	27.0	5	35	162	0.3	2
				228857	30.0	4	37	149	0.1	2
				228860	33.0	2	19	41	0.1	0
				228863	36.0	2	23	49	0.1	1
				228866	39.0	3	41	117	0.1	4
				228869	42.0	3	38	136	0.1	3
				228872	45.0	5	44	108	0.1	3
				228875	48.0	4	46	72	0.1	3
				228878	51.0	3	31	262	0.1	3
48.8	76.8	Siltstone/Argillite	Dark gray, weakly argillaceous. Laminated to massive, minor carconaceous zones. Minor bedding parallel and disseminated pyrite and pyrrhotite locally up to 1cm thick. Common offset truncated pyrite veinlets. Many narrow weakly calcareous irregular veinlets. ψ	228878	51.0	3	31	262	0.1	3
				228881	54.0	5	30	94	0.1	1
				228884	57.0	4	45	118	0.1	1
				228887	60.0	5	46	95	0.1	2
				228890	63.0	6	41	130	0.1	2
				228893	66.0	5	44	76	0.1	1
				228896	69.0	2	37	234	0.1	2
				228899	72.0	4	33	134	0.1	1
				228903	76.0	3	30	33	0.1	1

FROM	TO	ROCK-TYPE	DESCRIPTION	SAMPLE	TO	MO	CU	ZN	AG	AU
				228906	79.0	3	63	167	0.1	1
76.8	79.0	Tuffaceous siltstone	Yellow to olive-green to khaki, medium to coarse grained. Fragmental appearance, with pervasive wispy very fine grained sericitic mud. 1 to 3% fine grain disseminated pyrite. Trace of red sphalerite and galena. Rare pyrrhotite. 79 to 79.1 quartz-calcite matrix breccia.	228906	79.0	3	63	167	0.1	1
79.0	109.8	Laminated siltstone	Medium to dark gray. Alternating fine grained mun and coarser grained black wavy laminated beds. 1 to 5% disseminated pyrite blebs in coarser beds and common along bedding planes. Common truncated/offset pyrite +/- quartz-calcite veinlets. Rare pyrrhotite. Minor sluump folds	228909	82.0	4	26	57	0.1	1
				228912	85.0	4	27	102	0.1	3
				228914	87.0	5	33	23	0.1	3
				228915	90.0	6	31	30	0.1	2
				228918	93.0	3	41	39	0.3	2
				228921	96.0	3	44	38	0.1	2
				228924	99.0	2	28	26	0.1	5
				228927	102.0	3	41	28	0.1	3
				228930	105.0	4	25	18	0.1	3
				228934	109.0	3	17	22	0.1	2
				228935	109.8	2	34	1047	0.3	2
109.8	110.7	Tuffaceous siltstone	Pale green, bedding parallel lineation of lithic fragments. Trace of disseminated pyrite. Pervasiv very fine grained sericite.	228937	111.6	4	27	68	0.1	0
110.7	111.6	Laminated siltstone	as with 79 to 109.8m	228937	111.6	4	27	68	0.1	0

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
5.20	228835		0	0	0	0					
6.70		mislatch	0	0	0	0					
9.00	228836		0	0	0	0					
10.00	228837		1	2	0	0					
11.00	228838	pyrrhotite veinlet	2	3	0	0					
12.00	228839		2	3	0	0					
13.00	228840	pyrrhotite occurs as conformable lense	2	3	0	0					
14.00	228841	and scattered blebs	1	3	0	1					
15.00	228842		2	2	0	0					
16.00	228843	pyrite cubes cut bedding and locally a	2	3	0	0					
17.00	228844	rims around silt grains	2	2	0	0					
18.00	228845		1	1	0	0					
19.00	228846		1	1	0	0					
20.00	228847		2	2	0	0					
21.00	228848		2	2	0	0					
22.00	228849		2	2	0	0					
23.00	228850		1	2	0	0					
24.00	228851		2	2	0	0					
25.00	228852		2	2	0	0					
26.00	228853		2	3	0	0					
27.00	228854		1	2	0	0					
28.00	228855		1	2	0	0					
29.00	228856		2	3	0	0					
30.00	228857		2	2	0	0					
31.00	228858		2	1	0	0					
32.00	228859		2	2	0	0					
33.00	228860		2	2	0	0					
34.00	228861	small fold	1	1	0	0					
35.00	228862		2	1	0	0					
36.00	228863		2	2	0	0					
37.00	228864		2	2	0	0					
38.00	228865		1	2	0	0					
39.00	228866		1	2	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
40.00	228867		1	1	0	0					
41.00	228868		1	2	0	0					
42.00	228869		2	2	0	0					
43.00	228870		1	1	0	0					
44.00	228871		2	2	0	0					
45.00	228872		2	1	0	0					
46.00	228873		2	3	0	0					
47.00	228874		2	1	0	0					
48.00	228875		2	2	0	0					
49.00	228876	carbonaceous/graphitic	2	1	0	0					
50.00	228877		2	1	0	0					
51.00	228878		2	0	0	0					
52.00	228879		1	0	0	0					
53.00	228880		1	0	0	0					
54.00	228881		1	1	0	0					
55.00	228882		2	1	0	0					
56.00	228883		1	2	0	0					
57.00	228884		1	1	0	0					
58.00	228885		2	0	0	0					
59.00	228886		2	1	0	0					
60.00	228887		2	0	0	0					
61.00	228888		2	0	0	0					
62.00	228889		2	0	0	0					
63.00	228890		2	0	0	0					
64.00	228891		2	0	0	0					
65.00	228892		2	0	0	0					
66.00	228893		2	0	0	0					
67.00	228894		2	0	0	0					
68.00	228895		2	0	0	0					
69.00	228896		2	0	0	0					
70.00	228897		2	0	0	0					
71.00	228898		2	0	0	0					
72.00	228899		2	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY	MO	CU	ZN	AG	AU
73.00	228900		2	0	0	0					
74.00	228901		2	0	0	0					
75.00	228902		2	0	0	0					
76.00	228903		2	0	0	0					
76.80	228904		2	1	1	0					
78.00	228905		2	1	1	0					
79.00	228906		2	0	0	0					
80.00	228907		2	0	0	0					
81.00	228908		2	0	0	0					
82.00	228909		2	0	0	0					
83.00	228910		2	0	0	0					
84.00	228911		2	0	0	0					
85.00	228912		2	0	0	0					
86.00	228913		2	0	0	0					
87.00	228914		2	0	0	0					
90.00	228915		2	0	0	0					
91.00	228916		2	0	0	0					
92.00	228917		2	0	0	1					
93.00	228918		2	0	0	0					
94.00	228919		2	0	0	0					
95.00	228920		2	0	0	0					
96.00	228921		2	0	0	0					
97.00	228922		2	0	0	0					
98.00	228923		2	0	0	0					
99.00	228924		2	0	0	0					
100.00	228925		2	0	0	0					
101.00	228926		2	0	0	0					
102.00	228927		2	0	0	0					
103.00	228928	10cm quartz-calcite	2	0	0	0					
104.00	228929		2	0	0	0					
105.00	228930	10cm quartz-calcite	2	0	0	0					
106.00	228931		2	0	0	0					
107.00	228932		1	0	0	0					

TO	SAMPLE NO.	COMMENTS	PY	PYH	SPH	CPY		MO	CU	ZN	AG	AU
108.00	228933	10cm yellow mud	1	0	0	0						
109.00	228934		1	0	0	0						
109.80	228935	minor slump, pyrrhotite + sphalerite	2	1	1	0						
110.70	228936	reworked tuff	1	0	0	0	111.6	4	27	68	0.1	0
111.60	228937		1	0	0	0	111.6	4	27	68	0.1	0

APPENDIX II
Assay Certificates

.500 gram sample is digested with 3 ml 3-1-2 HCl-HN03-H20 at 95°C. fro one hour and is diluted to 10 ml with water. This leach is partial for Mn, Fe, Sr, Ca, P, La, Cr, Mg, Ba, Ti, B, W and limited for Na, K and Al.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE (604) 253-3158 FAX (604) 253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Aldridge Resources PROJECT 173 File # 95-3666 Page 4

c/o Fox Geological Consul, Vancouver BC V6C 1T8 Submitted by: G. Kulla

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500317/500318/500319	4	99	22	44	<.3	28	12	477	3.45	11	<5	<2	10	62	<.2	2	<2	7	1.09	.048	10	11	.98	59	<.01	<3	1.03	.01	.32	<2	2
500320/500321/500322	9	46	39	99	<.3	31	12	554	3.78	4	<5	<2	10	71	<.2	<2	4	6	1.06	.033	13	10	1.00	56	<.01	6	.93	.02	.35	<2	5
500323/500324/500325	6	51	39	116	<.3	30	12	539	3.66	4	<5	<2	9	72	.6	<2	3	4	1.17	.027	10	10	.97	33	<.01	3	.68	.01	.26	<2	3
500326/500327/500328	2	40	8	48	<.3	28	10	359	3.55	17	<5	<2	9	67	.4	<2	<2	7	1.05	.041	13	13	1.20	45	<.01	<3	1.06	.01	.30	<2	2
500329/500330/500331	1	31	26	61	<.3	33	14	181	4.28	28	<5	<2	13	40	<.2	2	<2	9	.44	.023	12	19	1.28	50	<.01	4	1.59	.02	.30	<2	3
500332/500333/500334	1	41	25	61	<.3	31	13	159	4.73	19	<5	<2	12	88	<.2	<2	3	7	.37	.027	13	14	1.41	55	<.01	<3	1.14	.02	.30	<2	4
500335/500336/500337	6	37	46	54	<.3	42	20	214	4.92	51	<5	<2	10	59	<.2	<2	<2	13	.80	.032	8	20	1.54	41	<.01	<3	1.63	.03	.23	<2	4
500338/500339/500340	1	17	6	63	<.3	30	13	323	5.26	8	<5	<2	11	38	<.2	<2	<2	14	.47	.026	14	25	1.73	52	.01	<3	2.19	.03	.30	<2	6
500341/500342/500343	1	43	17	56	<.3	34	15	287	4.77	13	<5	<2	12	172	<.2	<2	<2	5	.27	.029	16	10	1.14	60	<.01	6	.68	.01	.32	<2	6
500344/500345/500346	3	41	15	53	<.3	34	15	491	4.43	7	<5	<2	12	59	<.2	<2	<2	7	.66	.030	12	15	1.13	54	<.01	3	1.34	.02	.30	<2	2
500347/500348/500349	1	41	24	74	<.3	34	16	279	4.69	5	<5	<2	12	35	.5	<2	<2	9	.39	.025	13	19	1.21	52	<.01	<3	1.81	.02	.30	<2	1
500350	2	28	14	78	<.3	309	34	1317	6.16	3	<5	<2	2	512	.6	<2	<2	69	6.84	.102	12	314	5.40	22	.01	<3	2.67	.01	.08	<2	1
500351/599352/500353	1	45	17	59	<.3	31	14	190	4.48	10	<5	<2	12	79	.9	3	3	9	.28	.028	15	18	1.15	65	<.01	<3	1.56	.02	.33	<2	3
500354/599355/500356	7	39	29	47	<.3	28	12	911	3.92	14	<5	<2	7	100	.2	<2	<2	5	1.55	.040	10	11	1.10	43	<.01	<3	.98	.01	.24	<2	2
500357/599358/500359	1	48	18	51	<.3	30	13	281	4.05	16	<5	<2	13	100	.4	2	4	6	.41	.025	15	11	.96	61	<.01	5	.99	.02	.32	<2	26
500360/599361/500362	1	33	13	57	<.3	28	13	178	4.24	9	<5	<2	14	30	<.2	2	3	9	.27	.032	16	18	1.07	57	.01	<3	1.76	.02	.34	<2	2
500363/599364/500365	2	37	17	58	<.3	25	12	285	4.12	13	<5	<2	11	53	<.2	<2	<2	7	.41	.025	14	14	.97	49	<.01	5	1.15	.02	.29	<2	4
500366/599367/500368	3	53	23	58	<.3	31	13	211	4.33	27	<5	<2	13	31	.4	2	2	10	.33	.028	14	21	1.15	50	.01	6	1.94	.01	.32	<2	1
500369/599370/500371	2	36	13	61	.3	28	13	213	4.52	<2	<5	<2	13	40	.2	3	<2	10	.26	.026	14	19	1.14	42	.01	4	1.90	.02	.29	<2	2
500372/599373/500374	1	42	20	63	<.3	29	15	326	4.34	2	<5	<2	10	49	<.2	<2	<2	9	.43	.025	14	20	1.10	47	.01	<3	1.79	.02	.29	<2	1
500375/599376/500377	16	46	19	65	<.3	26	9	512	3.93	<2	<5	<2	9	68	.5	<2	<2	8	.92	.025	13	16	1.16	41	<.01	<3	1.52	.01	.28	<2	1
RE 500375/599376/500377	16	51	25	66	<.3	28	10	523	3.97	<2	<5	<2	9	71	<.2	<2	<2	8	.94	.026	14	16	1.18	36	<.01	6	1.54	.01	.29	<2	1
500378/599379/500380	1	40	28	64	.3	29	10	489	3.86	2	<5	<2	11	55	<.2	<2	<2	8	.69	.027	16	18	1.11	39	<.01	<3	1.70	.01	.29	<2	<1
500381/500382/500383	1	42	17	64	.3	30	12	237	4.14	8	<5	<2	13	33	.3	2	<2	10	.26	.026	15	21	1.14	52	<.01	<3	1.96	.02	.27	<2	1
500384/500385/500386	1	40	8	60	<.3	32	14	305	4.17	8	<5	<2	12	39	<.2	<2	8	10	.37	.020	17	19	1.16	55	<.01	3	1.94	.02	.30	<2	<1
500387/500388/500389	2	48	20	60	<.3	29	13	420	4.22	11	<5	<2	12	46	.5	2	6	9	.51	.022	11	19	1.06	43	<.01	3	1.76	.01	.30	<2	1
500390/500391/500392	1	38	8	67	<.3	27	13	195	4.42	14	<5	<2	12	34	.4	<2	<2	10	.22	.019	14	20	1.16	48	.01	<3	1.99	.02	.28	<2	19
STANDARD C/AU-R	22	59	38	132	6.6	66	35	1010	4.18	41	19	7	40	53	19.0	19	18	57	.53	.096	41	66	.95	186	.09	28	1.96	.07	.16	11	460

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
- SAMPLE TYPE: COMPOSITE AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 20 1995 **DATE REPORT MAILED:** Sept 22/95 **SIGNED BY** ..... D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Aldridge Resources PROJECT 173 File # 95-3715 Page 4

c/o Fox Geological Consul, Vancouver BC V6C 1T8 Submitted by: G. Kulla

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500393/500394/500395	2	98	25	57	<.3	25	14	229	4.03	22	<5	<2	9	24	<.2	<2	<2	9	.31	.035	11	12	1.28	47	<.01	<3	1.30	.02	.28	<2	14
500396/500397	3	55	17	48	<.3	22	12	352	3.33	15	<5	<2	8	33	<.2	<2	<2	9	.62	.019	10	12	1.16	53	<.01	<3	1.40	.02	.27	<2	2
500398	4	38	19	47	.8	26	12	363	3.61	15	<5	<2	8	41	.5	<2	<2	6	.83	.024	7	10	1.17	35	<.01	<3	.98	.01	.17	2	3
500399/500400/500401	3	36	29	34	<.3	27	12	464	3.41	15	<5	<2	8	46	<.2	<2	3	6	.68	.025	12	9	.88	45	<.01	3	.80	.02	.29	<2	<1
500402/500403/500404	4	49	19	58	.3	33	17	257	4.36	9	<5	<2	9	24	<.2	<2	2	8	.35	.026	10	11	1.03	41	<.01	<3	1.28	.01	.28	<2	<1
500405/500406	3	51	29	56	<.3	33	19	544	4.37	11	<5	<2	9	50	.4	<2	<2	8	.77	.028	8	11	.99	44	<.01	<3	1.14	.02	.30	<2	3
500407/500408/500409	1	30	19	71	<.3	27	12	309	4.06	8	<5	<2	10	32	.3	<2	<2	10	.40	.026	15	15	1.11	42	<.01	<3	1.69	.01	.26	<2	1
500410	2	42	26	89	<.3	162	30	1247	5.21	22	<5	<2	7	393	.3	<2	<2	34	4.77	.071	5	126	3.26	24	<.01	<3	1.93	.01	.14	<2	1
500411/500412	2	49	28	102	<.3	30	15	407	3.97	7	<5	<2	9	45	.3	<2	<2	10	.67	.022	10	14	1.06	46	<.01	<3	1.57	.01	.29	<2	1
500413/500414/500415	5	39	24	51	.3	25	10	670	3.35	5	<5	<2	6	95	<.2	<2	<2	7	1.32	.037	8	10	.96	39	<.01	<3	1.09	.01	.26	<2	1
500416/500417/500418	2	38	28	46	.3	24	12	333	3.13	24	<5	<2	12	51	<.2	<2	2	6	.63	.016	12	9	.89	43	<.01	<3	1.11	.01	.28	<2	2
RE 500416/500417/500418	2	38	25	45	<.3	23	12	328	3.10	24	<5	<2	10	50	<.2	<2	3	6	.62	.016	11	8	.88	42	<.01	<3	1.09	.01	.27	<2	2
500419/500420/500421	2	33	21	57	<.3	24	13	180	3.87	23	<5	<2	12	32	.3	<2	2	7	.26	.020	17	10	.98	46	<.01	<3	.90	.02	.34	<2	6
500422/500423/500424	2	50	26	60	<.3	30	15	349	4.55	8	<5	<2	10	53	.3	<2	<2	8	.44	.025	10	11	1.01	38	<.01	<3	1.30	.01	.26	<2	5
500425/500426/500427	2	46	23	58	<.3	26	15	347	4.32	10	<5	<2	9	65	.3	<2	2	7	.36	.023	12	10	1.00	42	<.01	<3	1.03	.01	.28	<2	29
500428/500429/500430	4	54	42	56	.3	29	13	288	4.18	24	<5	<2	10	50	.2	<2	<2	9	.42	.027	13	13	1.12	42	<.01	<3	1.37	.01	.31	<2	4
500431/500432/500433	2	36	18	62	.3	25	13	286	4.19	13	<5	<2	10	37	.2	<2	<2	11	.34	.022	13	15	1.18	37	<.01	<3	1.69	.01	.26	<2	2
500434/500435/500436	5	32	58	55	<.3	21	12	428	3.78	8	<5	<2	8	65	.4	<2	2	6	.70	.028	14	7	1.08	41	<.01	<3	.79	.01	.31	<2	5
500437/500438/500439	6	56	43	83	.3	34	18	442	4.40	12	<5	<2	8	40	.3	<2	<2	8	.54	.032	8	12	1.03	34	<.01	<3	1.33	.01	.25	<2	3
500440/500441	1	38	27	88	.3	26	12	371	4.48	7	<5	<2	9	34	.4	<2	<2	9	.40	.024	14	11	1.20	42	<.01	4	1.26	.01	.31	<2	12
500442/500443/500444	2	41	28	63	<.3	28	14	478	4.05	6	<5	<2	9	60	.3	<2	4	7	.60	.033	16	7	1.00	50	<.01	<3	.86	.02	.38	<2	10
500445/500446/500447	1	34	29	82	<.3	27	12	305	4.24	9	<5	<2	12	47	.2	<2	3	10	.34	.025	18	12	1.11	64	<.01	4	1.46	.02	.47	<2	4
500448/500449/500450	2	39	26	98	.3	26	13	454	4.09	8	<5	<2	11	51	.4	<2	<2	10	.54	.022	14	12	1.05	62	<.01	4	1.34	.02	.48	<2	4
500451/500452/500453	1	44	29	78	.3	28	14	462	4.28	9	<5	<2	11	76	.4	<2	4	7	.68	.023	10	8	1.08	38	<.01	<3	.87	.01	.28	<2	5
500454/500455/500456	2	40	19	61	<.3	29	14	485	4.13	10	<5	<2	11	66	.4	<2	6	6	.57	.024	14	8	1.01	41	<.01	<3	.74	.02	.31	<2	11
500457/500458/500459	1	35	22	72	<.3	24	11	261	4.44	12	<5	<2	12	49	.2	<2	<2	11	.37	.023	16	15	1.24	41	<.01	<3	1.69	.01	.24	<2	3
500460/500461/500462	1	38	25	83	<.3	28	15	342	4.46	10	<5	<2	11	44	.5	2	<2	9	.36	.025	14	15	1.16	40	<.01	<3	1.47	.01	.26	<2	3
500463/500464/500465	1	40	36	92	<.3	27	15	298	4.50	10	<5	<2	12	36	.5	<2	3	9	.32	.023	12	13	1.14	40	<.01	<3	1.31	.01	.28	<2	27
500466/500467/500468	2	45	29	83	.3	29	15	286	4.69	13	<5	<2	12	52	<.2	2	<2	10	.21	.020	15	15	1.14	39	<.01	<3	1.61	.01	.26	<2	23
500469/500470	1	29	27	103	<.3	21	9	343	4.14	6	<5	<2	11	43	.3	2	<2	11	.41	.023	19	15	1.19	45	<.01	3	1.77	.01	.30	<2	120
STANDARD C/AU-R	21	58	40	127	6.8	68	32	980	3.94	40	18	6	34	52	19.4	18	22	67	.50	.087	37	55	.90	166	.09	28	1.83	.06	.15	12	520

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
- SAMPLE TYPE: COMPOSITE AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 22 1995 **DATE REPORT MAILED:** Sept 30/95 **SIGNED BY** .....D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Aldridge Resources PROJECT 173 File # 95-3795 Page 4

c/o Fox Geological Consul, Vancouver BC V6C 1T8 Submitted by: G. Kulla

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500471/500472/500473	2	35	17	56	<.3	21	12	355	4.07	6	<5	<2	11	30	<.2	6	5	9	.35	.023	13	16	.95	52	<.01	4	1.56	.01	.25	<2	2
500474/500475/500476	2	36	18	61	.3	23	12	336	4.13	6	<5	<2	12	26	.2	4	5	9	.36	.025	11	17	1.02	42	<.01	4	1.68	.01	.26	<2	2
500477/500478/500479	2	36	10	57	<.3	24	14	337	4.37	5	<5	<2	12	26	<.2	5	5	8	.35	.024	12	15	1.07	47	<.01	3	1.53	.01	.30	<2	5
500480/500481	3	42	20	56	<.3	31	16	462	4.37	7	<5	<2	10	40	<.2	5	6	8	.58	.027	14	15	1.12	43	<.01	4	1.48	.01	.27	<2	1
500482/500483	2	50	14	55	<.3	30	16	351	4.20	15	<5	<2	10	34	<.2	4	5	8	.45	.029	14	15	1.09	42	<.01	3	1.41	.01	.26	<2	5
500484/500485	2	41	20	93	<.3	31	15	312	4.92	9	<5	<2	11	27	<.2	7	5	12	.31	.034	15	21	1.27	47	<.01	3	2.08	.01	.29	<2	2
500486/500487/500488	1	38	21	82	<.3	25	12	321	4.48	6	<5	<2	11	29	<.2	5	5	8	.28	.025	15	17	1.18	44	<.01	4	1.61	.01	.28	<2	4
500489/500490/500491	2	37	16	70	<.3	23	13	410	4.42	8	<5	<2	11	131	<.2	4	5	7	.32	.023	16	13	1.10	44	<.01	3	1.32	.01	.28	<2	3
500492/500493/500494	2	51	31	104	<.3	24	13	407	4.28	6	<5	<2	11	43	.3	4	6	9	.50	.024	11	16	1.12	45	<.01	<3	1.70	.01	.28	<2	2
500495/500496/500497	1	38	33	180	<.3	29	16	299	4.75	9	<5	<2	11	39	.4	7	6	11	.36	.030	14	18	1.29	48	<.01	3	2.12	.01	.29	<2	3
500498/500499/500500	2	48	45	123	<.3	31	17	351	4.91	13	<5	<2	12	60	<.2	5	6	11	.24	.025	16	19	1.30	50	<.01	3	2.15	.01	.28	<2	4
500501/500502/500503	1	32	18	116	<.3	25	11	269	4.77	4	5	<2	12	43	<.2	9	5	13	.20	.023	18	22	1.35	50	<.01	3	2.39	.01	.29	<2	3
500505/500506	1	32	20	113	<.3	26	12	289	4.67	4	<5	<2	12	58	<.2	5	5	12	.25	.023	19	20	1.31	47	<.01	3	2.18	.01	.27	<2	2
500507/500508/500509	3	38	21	78	<.3	24	13	705	4.12	6	<5	<2	10	72	<.2	6	4	8	.77	.021	13	14	1.17	50	<.01	<3	1.62	.01	.30	<2	2
500510/500511/500512	7	42	28	85	<.3	29	14	555	4.25	7	<5	<2	11	61	<.2	6	4	8	.57	.020	11	16	1.15	45	<.01	3	1.71	.01	.27	<2	2
500513/500514/500515	1	34	21	108	<.3	24	11	281	4.48	2	<5	<2	12	47	<.2	5	6	8	.22	.022	14	15	1.23	48	<.01	3	1.36	.01	.30	<2	2
500516/500517/500518	4	41	29	90	<.3	24	14	311	3.96	10	<5	<2	12	55	<.2	4	6	8	.32	.026	14	15	1.13	54	<.01	3	1.55	.01	.29	<2	5
500519/500520/500521	2	39	86	106	<.3	26	13	410	4.28	6	<5	<2	10	56	<.2	5	5	9	.38	.024	15	17	1.21	47	<.01	<3	1.91	.01	.28	<2	21
RE 500519/500520/500521	2	38	83	108	<.3	28	14	423	4.41	8	<5	<2	11	57	.3	6	5	9	.40	.023	15	17	1.25	49	<.01	4	1.97	.01	.29	<2	26
500522/500523/500524	1	23	18	100	<.3	19	9	296	4.10	3	<5	<2	11	35	.4	5	4	9	.25	.023	20	17	1.24	50	<.01	4	1.86	.01	.30	<2	2
500525/500526/500527	2	34	27	76	<.3	22	13	652	4.11	8	<5	<2	10	103	.3	4	7	5	.86	.024	13	6	1.16	47	<.01	3	.54	.02	.32	<2	19
500528/500529/500530	2	41	21	72	<.3	21	14	423	4.45	9	<5	<2	11	51	.2	4	5	4	.38	.032	23	6	1.16	50	<.01	4	.52	.01	.35	<2	18
500531/500532/500533	1	31	19	86	<.3	22	14	346	4.10	10	<5	<2	9	40	.5	6	4	6	.35	.026	15	10	1.21	46	<.01	3	1.14	.01	.30	<2	3
500534/500535/500536	1	27	21	90	<.3	21	11	384	4.24	4	<5	<2	10	41	<.2	4	6	6	.32	.021	16	12	1.21	49	<.01	3	1.17	.01	.32	<2	3
500537/500538/500539	2	41	25	84	<.3	24	14	515	4.31	6	<5	<2	10	75	<.2	4	6	5	.60	.025	15	7	1.12	45	<.01	<3	.56	.02	.30	<2	533
500540/500541/500542	2	35	28	95	<.3	24	12	347	4.18	12	<5	<2	10	52	<.2	5	4	6	.36	.024	14	13	1.08	52	<.01	<3	1.17	.01	.30	<2	5
500543/500544/500545	2	41	39	89	<.3	24	13	403	4.03	6	<5	<2	11	52	.3	6	4	6	.39	.029	11	14	1.00	46	<.01	3	1.33	.01	.26	<2	5
500546/500547/500548	3	39	42	179	<.3	21	13	524	3.85	11	<5	<2	10	84	.6	3	4	5	.77	.037	15	8	1.05	67	<.01	3	.74	.02	.32	<2	37
500549/500550/500551	1	39	31	106	<.3	28	15	265	4.41	8	<5	<2	12	37	<.2	6	5	9	.16	.048	15	16	1.06	56	<.01	4	1.65	.02	.30	<2	5
500552/500553	1	33	38	140	<.3	26	12	269	4.03	3	<5	<2	12	31	.3	8	4	8	.17	.033	16	16	1.02	56	<.01	4	1.83	.01	.32	<2	3
500554/500555	2	32	33	85	<.3	22	13	395	3.83	8	<5	<2	11	42	.3	7	4	8	.39	.031	13	15	1.03	49	<.01	4	1.66	.02	.28	<2	3
STANDARD C/AU-R	21	62	38	134	6.6	67	33	1073	4.11	40	21	6	36	51	18.0	20	24	61	.48	.096	39	59	.94	188	.09	25	1.95	.06	.15	9	421

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: P1 TO P3 CORE P4 COMPOSITE AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: SEP 27 1995 **DATE REPORT MAILED:** Oct 5/95 **SIGNED BY.....** D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Aldridge Resources PROJECT 173 File # 95-3934 Page 5

c/o Fox Geological Consul, Vancouver BC V6C 1T8 Submitted by: G. Kulla

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500556/500557/500558	10	20	14	18	<.3	28	14	256	2.79	19	<5	<2	8	37	<.2	<2	3	4	.67	.032	14	6	.65	60	<.01	5	.45	.02	.31	<2	3
500559/500560/500561	1	17	12	28	<.3	16	9	245	2.90	13	<5	<2	10	32	<.2	<2	<2	4	.39	.026	22	4	.67	71	<.01	<3	.53	.01	.38	<2	5
500562/500563/500564	1	15	30	22	<.3	12	8	321	2.15	11	<5	<2	8	37	<.2	<2	3	4	.54	.016	20	5	.51	54	<.01	3	.38	.02	.27	<2	7
500565/500566/500567	1	38	11	30	<.3	18	11	234	2.75	19	<5	<2	9	25	.2	<2	<2	4	.41	.020	21	6	.64	62	<.01	4	.60	.02	.32	<2	1
500568/500569/500570	3	31	14	28	<.3	21	12	154	3.06	28	<5	<2	12	27	<.2	<2	<2	4	.24	.025	23	5	.63	67	<.01	4	.45	.02	.35	<2	2
500571/500572/500573	3	8	4	5	<.3	8	4	117	.88	4	<5	<2	10	22	<.2	<2	<2	4	.20	.023	39	6	.18	43	<.01	<3	.31	.07	.19	<2	6
500574/500575/500576	1	9	7	16	<.3	14	7	183	2.18	<2	<5	<2	9	21	<.2	<2	<2	3	.17	.018	32	7	.46	54	<.01	<3	.36	.03	.28	<2	7
500577/500578/500579	1	13	5	22	<.3	14	8	181	2.54	11	<5	<2	10	30	<.2	<2	<2	4	.22	.020	31	6	.53	56	<.01	3	.43	.03	.32	<2	1
RE 500577/500578/500579	2	12	6	22	<.3	15	9	180	2.55	5	<5	<2	9	29	<.2	<2	4	4	.22	.019	32	7	.53	54	<.01	<3	.43	.03	.32	<2	1
500580/500581/500582	2	16	3	19	<.3	16	5	323	1.97	8	<5	<2	8	25	<.2	<2	2	3	.43	.016	29	7	.45	194	<.01	3	.33	.03	.25	<2	5
500583/500584/500585	2	12	6	15	<.3	14	7	379	2.63	6	<5	<2	12	27	<.2	<2	<2	4	.22	.019	36	8	.58	338	<.01	4	.30	.05	.19	<2	72
500586/500587/500588	2	4	6	12	<.3	13	7	233	1.85	6	<5	<2	11	32	<.2	<2	2	4	.36	.018	33	8	.44	329	<.01	<3	.35	.04	.27	<2	45
500589/500590/500591	2	9	7	18	<.3	16	9	250	2.35	3	<5	<2	10	37	.2	<2	3	4	.19	.017	33	7	.46	61	<.01	<3	.46	.03	.33	<2	34
500592/500593/500594	1	11	5	20	<.3	13	6	303	1.86	6	<5	<2	10	35	<.2	<2	<2	4	.51	.028	28	8	.40	311	<.01	3	.39	.03	.27	<2	18
500595/500596/500597	1	19	22	55	<.3	17	6	315	2.24	<2	<5	<2	9	31	.4	<2	2	5	.31	.017	31	10	.45	96	<.01	<3	.75	.03	.26	<2	2
500598/500599/500600	1	21	23	69	<.3	16	8	308	2.70	6	<5	<2	11	33	.6	<2	<2	6	.30	.022	33	14	.54	69	<.01	<3	1.06	.03	.31	<2	1
500601/500602/500603	4	22	32	119	<.3	18	8	605	2.30	5	<5	<2	7	54	.2	<2	4	4	.95	.019	17	8	.46	108	<.01	3	.52	.03	.26	<2	3
500604/500605/500606	4	41	25	59	<.3	33	13	304	4.32	2	<5	<2	10	65	<.2	<2	3	8	.12	.028	21	12	.69	58	<.01	<3	1.31	.01	.35	<2	1
500607/500608/500609	3	24	18	55	<.3	18	8	651	2.54	2	<5	<2	7	89	.2	<2	<2	5	1.27	.020	17	8	.75	80	<.01	<3	.68	.03	.30	<2	1
500610/500611/500612	1	22	25	57	<.3	17	8	268	2.55	3	<5	<2	11	78	<.2	<2	2	7	.32	.023	36	11	.54	188	<.01	3	1.00	.03	.36	<2	1
500613/500614/500615	2	6	5	21	<.3	15	5	221	1.72	6	<5	<2	9	37	<.2	<2	<2	4	.35	.014	27	9	.40	205	<.01	3	.39	.04	.23	<2	42
500616/500617/500618	1	13	6	29	<.3	16	6	198	2.09	7	<5	<2	10	30	.3	<2	<2	4	.31	.017	31	9	.47	141	<.01	<3	.51	.03	.27	<2	8
500619/620/621/622	1	25	10	42	<.3	20	9	177	2.58	7	<5	<2	12	28	<.2	2	6	7	.17	.019	34	12	.54	71	<.01	<3	1.03	.03	.31	<2	2
500623/500624/500625	1	32	23	77	<.3	24	10	300	3.47	2	<5	<2	11	29	<.2	<2	5	6	.29	.024	25	10	.63	73	<.01	<3	1.17	.01	.36	<2	1
500626/500627/500628	1	11	12	24	<.3	11	5	399	1.78	<2	<5	<2	9	39	<.2	<2	<2	4	.79	.015	28	6	.36	97	<.01	<3	.45	.03	.25	<2	2
500629/500630/500631	1	4	5	19	<.3	8	5	346	1.60	4	<5	<2	11	52	.3	<2	2	3	.76	.016	36	5	.38	620	<.01	<3	.34	.04	.23	<2	31
500632/500633/500634	1	8	4	15	<.3	9	5	321	1.50	<2	<5	<2	12	52	<.2	<2	3	4	.70	.018	36	6	.34	561	<.01	<3	.37	.04	.24	<2	42
500635/500636/500637	1	26	21	76	<.3	15	8	383	2.44	12	<5	<2	8	45	.3	3	3	5	.82	.015	21	7	.52	100	<.01	<3	.68	.03	.27	<2	13
500638/500639/500640	1	21	44	103	<.3	15	9	375	2.70	<2	<5	<2	11	54	<.2	<2	<2	5	.61	.019	24	7	.61	72	<.01	<3	.98	.01	.37	<2	2
500641/500642/500643	5	33	52	89	.3	21	9	553	2.75	2	<5	<2	10	73	<.2	<2	2	4	.99	.030	18	5	.60	68	<.01	<3	.65	.01	.34	<2	1
500644/500645/500646	1	22	37	49	<.3	17	8	466	2.29	8	<5	<2	8	65	<.2	<2	2	4	1.13	.015	17	5	.56	47	<.01	<3	.39	.03	.28	<2	3
500647/500648/500649	1	11	12	31	<.3	10	5	423	1.94	<2	<5	<2	9	44	<.2	<2	<2	3	1.09	.016	26	5	.63	107	<.01	<3	.35	.03	.26	<2	15
500650/500651/500652	1	13	11	29	<.3	13	5	371	1.98	9	<5	<2	9	37	.2	<2	<2	3	.81	.011	27	4	.61	96	<.01	<3	.41	.02	.26	<2	3
500653/500654/500655	2	26	19	64	<.3	19	9	364	2.82	4	<5	<2	9	39	.4	<2	5	5	.53	.017	19	7	.62	53	<.01	3	.78	.02	.29	<2	1
500656/500657	1	38	29	111	<.3	32	11	309	3.89	4	<5	<2	9	47	.2	2	<2	9	.41	.025	20	13	.91	57	<.01	<3	1.62	.02	.32	<2	1
STANDARD C/AU-R	19	60	39	124	6.2	65	30	1073	3.95	40	19	7	36	50	16.7	18	20	64	.49	.090	38	57	.90	194	.08	26	1.88	.06	.15	11	572

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: P1 TO P4 CORE P5 TO P6 COMPOSITE AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 4 1995 DATE REPORT MAILED: Oct 16/95 SIGNED BY. J.T.W. .D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500658	1	54	4	79	<.3	212	36	939	5.77	12	<5	<2	10	440	<.2	<2	3	70	5.38	.159	21	152	4.71	28	<.01	<3	3.05	.01	.10	<2	1
500659/500660/500661	5	40	21	79	<.3	28	11	441	3.47	<2	<5	<2	12	73	.2	<2	4	8	.67	.028	17	14	.92	56	<.01	<3	1.44	.01	.31	<2	3
500662/500663/500664	2	43	24	89	<.3	27	12	397	4.11	2	<5	<2	16	63	<.2	<2	3	9	.50	.030	17	15	1.00	76	<.01	<3	1.75	.02	.34	<2	2
500665/500666/500667	1	42	20	89	<.3	27	13	347	4.31	5	<5	<2	16	58	<.2	<2	4	10	.34	.029	20	17	1.07	53	<.01	<3	1.88	.01	.32	<2	2
500668/500669/500670	<1	33	15	71	<.3	26	12	265	3.93	6	<5	<2	18	51	<.2	<2	4	9	.25	.031	23	15	.98	54	<.01	<3	1.76	.01	.32	<2	1
500671/500672/500673	<1	42	21	85	<.3	30	14	409	4.30	6	<5	<2	15	57	<.2	<2	4	9	.40	.025	19	15	1.02	54	<.01	<3	1.74	.02	.33	<2	1
500674/500675/500676	<1	42	24	103	<.3	30	14	364	4.25	9	<5	<2	17	57	<.2	<2	4	9	.35	.024	19	15	1.00	54	<.01	<3	1.75	.02	.34	<2	1
500677/500678/500679	<1	34	18	77	<.3	28	12	230	4.15	9	<5	<2	16	46	<.2	<2	5	10	.19	.026	19	16	1.02	55	<.01	<3	1.86	.01	.34	<2	1
RE 500677/500678/500679	<1	34	13	74	<.3	27	12	224	4.06	11	<5	<2	16	45	.2	2	4	10	.19	.025	19	17	1.00	54	<.01	<3	1.82	.01	.34	<2	1
500680/500681/500682	1	36	16	51	<.3	21	11	506	3.64	21	<5	<2	13	83	<.2	<2	3	8	1.03	.034	16	12	1.22	49	<.01	<3	1.61	.02	.32	<2	1
500683/500684/500685	<1	40	13	59	<.3	21	8	485	3.84	5	<5	<2	14	77	<.2	<2	3	9	.70	.030	22	14	1.16	50	<.01	<3	1.82	.02	.32	<2	1
500686/500687/500688	1	54	27	67	<.3	34	19	709	4.39	15	<5	<2	13	90	<.2	2	4	9	.84	.029	14	12	1.05	52	<.01	<3	1.55	.02	.31	<2	1
500689/500690/500691	<1	40	21	62	<.3	26	14	888	3.92	9	<5	<2	11	113	<.2	2	3	8	1.29	.031	14	11	1.07	55	<.01	<3	1.34	.02	.32	<2	1

Sample type: COMPOSITE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.
AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Aldridge Resources PROJECT 173 File # 95-3939 Page 5

c/o Fox Geological Consul, Vancouver BC V6C 1T8 Submitted by: G. Kulla

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
500692/500693	<1	39	19	45	<.3	27	13	239	3.23	11	<5	<2	13	12	<.2	<2	<2	5	.12	.024	27	14	.59	60	<.01	6	1.32	.02	.32	<2	19
500694/500695	1	10	25	20	<.3	8	5	675	1.41	7	<5	<2	14	55	<.2	<2	<2	2	1.03	.019	35	4	.35	60	<.01	6	.58	.02	.34	<2	5
500696/500697/500698	2	43	42	60	<.3	71	17	572	3.82	7	<5	<2	9	63	<.2	<2	<2	34	1.62	.045	20	137	1.79	48	<.01	4	1.63	.02	.26	<2	2
500699/500700	7	86	51	102	<.3	147	28	718	6.06	9	<5	<2	4	115	<.2	2	<2	72	2.65	.067	9	305	2.83	44	.01	6	2.29	.02	.20	<2	3
228829/228830	1	26	16	38	<.3	22	10	408	2.86	10	<5	<2	10	41	<.2	<2	<2	7	.67	.019	21	19	.63	55	<.01	6	.92	.02	.29	<2	2
228831/228832	1	12	9	23	<.3	12	6	279	1.94	7	<5	<2	12	32	<.2	<2	<2	3	.54	.013	33	8	.48	46	<.01	6	.58	.03	.29	<2	1
228833/228834	1	21	8	28	<.3	13	6	318	2.03	9	<5	<2	10	39	<.2	<2	<2	3	.63	.013	30	13	.59	34	<.01	6	.58	.04	.22	27	1
228835	2	21	9	67	<.3	15	4	408	1.89	5	<5	<2	7	17	.3	<2	<2	5	.43	.033	22	12	.56	137	.01	5	.77	.02	.19	34	<1
228836	4	25	233	1047	<.3	23	8	204	2.88	12	<5	<2	6	19	3.8	<2	<2	7	.23	.042	18	12	.86	67	<.01	4	1.25	.02	.29	<2	2
228837/228838/228839	2	38	62	249	<.3	31	12	374	3.64	20	<5	<2	8	41	.7	<2	2	8	.74	.047	14	14	1.16	70	<.01	4	1.34	.02	.30	<2	4
228840/228841/228842	4	43	25	206	<.3	29	13	551	3.49	53	<5	<2	6	76	.6	<2	<2	6	1.41	.046	12	11	1.09	67	<.01	4	.98	.02	.32	<2	2
RE 228840/228841/228842	4	40	24	188	<.3	27	13	521	3.28	49	<5	<2	6	72	.5	<2	<2	6	1.33	.043	12	6	1.03	65	<.01	3	.93	.02	.31	<2	2
228843/228844/228845	4	42	17	168	<.3	27	11	513	3.24	5	<5	<2	6	82	.5	<2	2	5	1.64	.044	11	8	.98	67	<.01	5	.80	.02	.33	<2	2
228846/228847/228848	5	32	43	231	<.3	27	9	798	2.96	6	<5	<2	5	122	.7	2	<2	3	2.78	.043	10	6	1.22	63	<.01	4	.46	.02	.32	<2	5
228849/228850/228851	2	34	71	124	<.3	24	10	732	2.81	9	<5	<2	5	113	.2	<2	<2	3	2.61	.042	9	5	1.19	68	<.01	3	.51	.02	.34	<2	2
228852/228853/228854	5	35	62	162	.3	26	11	845	3.04	8	<5	<2	5	129	.5	<2	<2	3	2.95	.044	8	3	1.35	66	<.01	5	.49	.02	.33	<2	2
228855/228856/228857	4	37	53	149	<.3	30	13	860	3.21	5	<5	<2	6	127	.5	2	<2	3	2.91	.046	9	4	1.31	65	<.01	5	.48	.02	.34	<2	2
228858/228859/228860	2	19	20	41	<.3	18	7	809	2.16	10	<5	<2	4	117	<.2	<2	<2	2	2.60	.035	13	4	1.27	58	<.01	<3	.48	.02	.30	<2	<1
228861/228862/228863	2	23	16	49	<.3	19	7	740	2.48	9	<5	<2	5	97	<.2	<2	<2	4	2.10	.036	14	9	1.42	59	<.01	4	.88	.02	.30	<2	1
228864/228865/228866	3	41	18	117	<.3	30	14	234	3.38	30	<5	<2	7	26	.3	<2	<2	9	.51	.045	16	16	1.38	60	<.01	3	1.58	.02	.31	<2	4
228867/228868/228869	3	38	23	136	<.3	30	12	454	3.32	18	<5	<2	6	56	.3	<2	<2	8	1.17	.045	14	12	1.43	64	<.01	3	1.37	.02	.32	<2	3
228870/228871/228872	5	44	20	108	<.3	29	10	696	3.15	15	<5	<2	6	95	.2	<2	<2	5	2.10	.044	11	10	1.36	61	<.01	3	.91	.02	.32	<2	3
228873/228874/228875	4	46	23	72	<.3	31	14	652	3.57	21	<5	<2	5	101	<.2	<2	<2	4	2.26	.042	9	9	1.27	63	<.01	5	.78	.02	.35	<2	3
228876/228877/228878	3	31	100	262	<.3	26	9	977	2.87	5	<5	<2	7	126	.9	3	<2	3	3.53	.041	11	5	1.61	57	<.01	<3	.51	.02	.32	<2	3
228879/228880/228881	5	30	44	94	<.3	29	12	982	2.93	2	<5	<2	8	134	.3	2	<2	3	3.58	.046	12	4	1.58	59	<.01	3	.50	.02	.33	<2	1
228882/228883/228884	4	45	38	118	<.3	38	9	889	3.22	2	<5	<2	7	127	.3	2	<2	3	3.25	.045	12	1	1.44	58	<.01	3	.51	.02	.31	<2	1
228885/228886/228887	5	46	39	95	<.3	30	12	701	3.25	8	<5	<2	7	100	.2	2	<2	4	2.35	.043	11	9	1.23	66	<.01	3	.79	.02	.35	<2	2
228888/228889/228890	6	41	31	130	<.3	27	13	438	3.45	21	<5	<2	5	53	.2	<2	<2	5	1.04	.037	15	10	1.16	60	<.01	3	1.28	.02	.34	<2	2
228891/228892/228893	5	44	21	76	<.3	27	12	337	3.44	44	<5	<2	6	42	<.2	<2	<2	7	.71	.039	16	13	1.22	59	<.01	<3	1.45	.02	.33	<2	1
228894/228895/228896	2	37	32	234	<.3	26	14	633	3.34	23	<5	<2	5	85	.6	<2	<2	5	1.62	.040	13	11	1.30	56	<.01	<3	.93	.02	.33	<2	2
228897/228898/228899	4	33	18	134	<.3	25	10	974	3.12	9	<5	<2	5	122	.4	<2	<2	4	2.71	.038	10	8	1.53	53	<.01	<3	.74	.02	.31	<2	1
228900/901/902/903	3	30	13	33	<.3	25	10	873	3.00	15	<5	<2	5	122	<.2	2	<2	5	2.67	.038	12	8	1.60	57	<.01	<3	.83	.02	.34	<2	1
228904/228905/228906	3	63	83	167	<.3	274	39	947	6.85	34	<5	<2	3	174	.4	4	<2	65	4.01	.082	5	311	3.20	77	<.01	4	2.09	.01	.23	<2	1
228907/228908/228909	4	26	18	57	<.3	26	10	1107	2.61	11	<5	<2	5	134	<.2	<2	<2	5	2.92	.041	10	16	1.63	49	<.01	<3	.68	.02	.31	<2	1
228910/228911/228912	4	27	18	102	<.3	25	9	1346	2.52	8	<5	<2	4	151	.3	2	<2	3	3.27	.042	9	10	1.65	48	<.01	3	.52	.02	.29	<2	3
STANDARD C/AU-R	21	63	36	129	7.0	72	32	1053	4.17	41	20	8	40	56	19.3	15	17	60	.49	.089	43	66	.97	182	.09	25	2.01	.07	.16	11	482

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
- SAMPLE TYPE: P1 TO P4 CORE P5 TO P6 COMPOSITE AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 5 1995 DATE REPORT MAILED: Oct 17/95 SIGNED BY. J. Wang .D.TOYE, C.LEONG, J.WANG; CERTIFIED B.C. ASSAYERS

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb
228913/228914	5	33	14	23	<.3	22	10	1083	2.66	9	<5	<2	5	97	<.2	<2	<2	5	2.20	.050	11	32	1.25	47	<.01	<3	.78	.02	.29	<2	3
RE 228913/228914	5	34	13	23	.3	23	10	1089	2.70	10	<5	<2	5	98	<.2	<2	<2	5	2.23	.051	10	11	1.27	47	<.01	3	.79	.02	.29	<2	2
228915	6	31	26	30	<.3	24	12	882	3.08	11	<5	<2	5	74	<.2	<2	<2	6	1.70	.049	10	12	1.29	42	<.01	<3	1.02	.02	.25	<2	2
228916/228917/228918	3	41	16	39	.3	24	9	834	2.86	9	<5	<2	5	72	<.2	<2	<2	6	1.51	.050	13	12	1.30	49	<.01	4	1.14	.02	.29	<2	2
228919/228920/228921	3	44	15	38	<.3	31	12	754	3.20	10	<5	<2	5	60	<.2	<2	<2	8	1.21	.054	14	17	1.40	51	<.01	3	1.39	.02	.30	<2	2
228922/228923/228924	2	28	14	26	<.3	28	12	1219	3.17	13	<5	<2	5	91	.3	<2	<2	7	2.11	.052	11	14	1.61	45	<.01	<3	1.16	.03	.25	<2	5
228925/228926/228927	3	41	17	28	<.3	29	12	910	3.28	21	<5	<2	5	81	<.2	<2	<2	8	1.78	.056	11	17	1.53	62	<.01	<3	1.18	.03	.27	<2	3
228928/228929/228930	4	25	13	18	<.3	27	11	554	3.28	20	<5	<2	5	54	<.2	<2	<2	5	1.32	.043	11	10	1.23	45	<.01	<3	.85	.02	.25	<2	3
228931/932/933/934	3	17	11	22	<.3	37	11	706	4.03	10	<5	<2	5	143	<.2	2	<2	4	2.82	.049	11	11	1.89	55	<.01	<3	.78	.02	.31	<2	2
228935	2	34	210	1047	.3	22	11	505	2.92	5	<5	<2	5	109	3.2	<2	<2	4	1.84	.039	12	9	1.24	60	<.01	<3	1.02	.01	.27	<2	2
228936/228937	4	27	12	68	<.3	81	17	932	3.95	22	<5	<2	5	300	<.2	2	<2	23	4.14	.113	27	80	2.67	59	<.01	<3	1.43	.03	.22	<2	<1
STANDARD C/AU-R	20	61	36	125	6.8	70	31	1122	4.07	39	21	8	38	55	18.9	15	16	59	.53	.094	41	61	.95	183	.09	23	1.98	.06	.16	10	555

Sample type: COMPOSITE. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.
AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.



REPORT
24,211

Vancouver Office 1409 - 409 Granville Street Vancouver, BC V6C 1T8		
	DATE: 05/22/96	TIME: 09:25:18
1		
2		
3		
4		
5		

Fox Geological Consultants Ltd.

ALDRIDGE RESOURCES PROJECT 173

CROSS SECTION 104+00N

TACKLE CREEK PROPERTY - GOLD in ppb

1995 DRILLING **FIGURE 4a**

SCALE (HORIZONTAL) 1: 1250 SCALE (VERTICAL) 1: 1250



REPORT
24,211

Vancouver Office 1409 - 409 Granville Street Vancouver, BC V6C 1T8		
	DATE: 05/22/96	TIME: 09:36:49
1		
2		
3		
4		
5		

Fox Geological Consultants Ltd.

ALDRIDGE RESOURCES PROJECT 173

CROSS SECTION 105+00N

TACKLE CREEK PROPERTY - GOLD in ppb

1995 DRILLING **FIGURE 4b**

SCALE (HORIZONTAL) 1: 1250 SCALE (VERTICAL) 1: 1250

Software by GEMCOM Services Inc.



REPORT
24,211

Vancouver Office 1409 - 409 Granville Street Vancouver, BC V6C 1T8		
	DATE: 05/22/96	TIME: 09:46:39
1		
2		
3		
4		
5		

Fox Geological Consultants Ltd.

ALDRIDGE RESOURCES PROJECT 173

CROSS SECTION 106+50N

TACKLE CREEK PROPERTY - GOLD in ppb

1995 DRILLING **FIGURE 4c**

SCALE (HORIZONTAL) 1: 1250 SCALE (VERTICAL) 1: 1250

Software by GEMCOM Services Inc.



REPORT
24,211

Vancouver Office 1409 - 409 Granville Street Vancouver, BC V6C 1T8		
	DATE: 05/22/96	TIME: 09:55:07
1		
2		
3		
4		
5		

Fox Geological Consultants Ltd.

ALDRIDGE RESOURCES PROJECT 173

CROSS SECTION 107+00NE

TACKLE CREEK PROPERTY - GOLD in ppb

1995 DRILLING **FIGURE 4d**

SCALE (HORIZONTAL) 1: 1250 SCALE (VERTICAL) 1: 1250 (4)

Software by GEMCOM Services Inc.