

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS

DATE RECEIVED
JAN 26 1996

**GEOLOGICAL AND GEOCHEMICAL ASSESSMENT REPORT
ON THE
JASPER PROPERTY, VICTORIA M.D.
VANCOUVER ISLAND, B.C.**

NTS: 092C 088

LAT: 48° 52'; LONG: 124° 36'

RECEIVED

JAN 24 1996

Gold Commissioner's Office
VANCOUVER, B.C.

REPORT BY OWNER

ARNE O. BIRKELAND, P.ENG.

ARNEX RESOURCES LTD.

FILMED

January 9, 1996

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,232

TABLE OF CONTENTS

	PAGE
1.0 INTRODUCTION	1
1.1 General	1
1.2 Property Tenure	1
1.3 Location and Access	2
1.4 History	5
2.0 GEOLOGY	6
2.1 Regional Geology	6
2.2 Property Geology	10
2.3 Structure and Alteration	13
2.4 Mineralization	13
3.0 SOIL AND STREAM SEDIMENT GEOCHEMISTRY	16
3.1 Methodology	17
3.2 Results	17
4.0 CONCLUSIONS	19

APPENDIX

- APPENDIX I STATEMENT OF EXPENDITURES**
- APPENDIX II CERTIFICATE OF QUALIFICATION**
- APPENDIX III GEOCHEMICAL DATA SHEETS**
- APPENDIX IV ANALYTICAL RESULTS AND CERTIFICATES**
- APPENDIX V BIBLIOGRAPHY**
-

LIST OF FIGURES

<u>Figure Number</u>	<u>NTS#</u>	<u>Figure Name</u>	<u>Scale</u>	<u>Page</u>
1	92C	Property Location Map	1:250,000	3
2	92C 088	Claim Location Map	1:20,000	4
3	92	Regional Geology	1:2,000,000	7
4	92C/15	Roadcut Geology, North Sheet	1:5,000	In Pocket
5	92C/15	Roadcut Geology, South Sheet	1:5,000	In Pocket
6	92C/15	Soil and Stream Sediment Geochemistry, North Sheet	1:5,000	In Pocket
7	92C/15	Soil and Stream Sediment Geochemistry, South Sheet	1:5,000	In Pocket
8	92C/15	Soil and Stream Sediment Geochemistry, Anomalous Values, North Sheet	1:5,000	In Pocket
9	92C/15	Soil and Stream Sediment Geochemistry, Anomalous Values, South Sheet	1:5,000	In Pocket
10		Pan Road Showing, Detailed Sketch Map	1:200	14
11		Upper Camp Creek Showing	1:10	15

GEOLOGICAL AND GEOCHEMICAL REPORT**JAS PROPERTY, VICTORIA M.D.****1.0 INTRODUCTION****1.1 General**

A 38 man-day field program was conducted on the Jas 1 and Jas 2 Mineral Claims during the period August 15 to August 31, 1994. The field work consisted of reconnaissance road-cut geologic mapping over a 1,000 Ha area, rock chip sampling, road-cut and grid soil geochemical sampling, and stream sediment sampling. Thirty-nine rock chip, 133 soil and 40 stream sediment samples were taken and analyzed by Chemex Labs. A total expenditure of \$22,953 was incurred (APPENDIX I). The work was conducted under work permit number NAN950800949-56.

1.2 Property Tenure

The Jasper Claim group consists of the Jas 1 and 2 Mineral Claims which total 40 units (Table 1, Figure 2). The property is 100% owned by A. O. Birkeland of North Vancouver, B.C.

Table 1
Jas 1 Claim - Mineral Tenure


Claim Name	Record #	No of Units	Expiry Date
Jas 1	328705	20	07/23/99
Jas 2	331922	20	10/22/99

1.3 Location, Access, Physiography and Climate

The Jasper Property is located in BCGS Map Sheet 092C 088 (NTS 92C/15, Figures 1 and 2). The Jasper property lies along Four Mile Creek and extends over the height of land to the tributaries of Jasper Creek. Logging road access is via Port Alberni or Cowichan Lake. J Branch road accesses the northern portion of the property; Caycuse main the southern portion.

Steep, incised drainages with rugged relief to approximately 300 metres characterizes the physiography of the area. Much of the region has been logged in recent years and young second growth forest is present over most of the claims. Climatic conditions are temperate.

MÉTRIQUE

CAPE FLATTERY
92 C




Figure 2

1.4 History

The current Jasper Property consists of three former Minfile occurrences known from north to south as the Jasper 1 (092C 080), Tam 16 (092C 081) and Pan-Easy (092C 088) prospects. The Tam and Easy properties were previously staked by Hudson Bay Mining and Smelting who conducted geological mapping, soil and rock chip geochemistry and an IP geophysical survey in 1970 and 1971. Also in 1971, Marshall Creek Copper conducted an extensive soil sampling program on the Pan, Easy and Tam properties. It is reported that Noranda conducted a regional magnetic survey during this era, but no information regarding the results were filed as a matter of public record.

The next period of exploration activity occurred in 1980 and 1981 when Malibar Mines conducted soil sampling on the Jasper property. In 1984 a prospecting program was carried out by Ron Bilquest followed by a geological, soil and VLF-EM program by Falconbridge in 1985. Asamara then conducted a brief geology, soil sampling and EM program in 1987.

The properties were then allowed to lapse and were relocated by the current owner in the summer and fall of 1994. This was the first time the all the prospects were held under one ownership. A detailed geologic mapping and sampling program was then carried out by the author in August, 1994 on the J Branch Main Showing.

2.0 GEOLOGY


2.1 Regional Geology

Vancouver Island lies within the Canadian Cordillera within terrain classified as Wrangellia. Central and western Vancouver Island is predominantly underlain by Paleozoic and Mesozoic strata intruded by Jurassic and Tertiary Intrusions (Fig 3).

The Jasper property is hosted in a belt of rocks mapped as lower Jurassic Bonanza group which trends southeasterly from Nitinat Lake through Gordon River, south of Cowichan Lake.

The Bonanza Group in this vicinity consists of a variety of maroon to grey-green, feldspar phryic basalt and andesite flows, dacite and felsic lapilli tuff containing various minor gabbro, andesite and dacite dykes. There is a lack of lithologic continuity and distinct marker beds are absent. In the basal part of the sequence, sedimentary rocks are found interbedded with lapilli and crystal tuffs and a sub-aqueous environment is indicated.

Several granodiorite Island Intrusion stocks occur in the area. The coeval stocks are regular to elongated in shape with steep sides. The major lithology is granodiorite to quartz-diorite and most of the stocks are rich in mafic inclusions, particularly in



TECTONIC ASSEMBLAGE MAP LEGEND

UPPER CRETACEOUS - OLIGOCENE		MIDDLE AND UPPER JURASSIC	
KTN	NANAIMO fault-trough clastic wedge	JBL	BOWSER LAKE back-arc (?) and foredeep clastic wedge on Stikinia
KTB	BRAZEAU foredeep clastic wedge	JB	BONANZA arc volcanics and near-shore clastics in Wrangellia
UPPER UPPER CRETACEOUS		LOWER AND MIDDLE JURASSIC	
uKc	CARMACKS transtensional arc volcanics	JHL	HARRISON LAKE arc volcanics
uKy	YAKUTAT accretionary prism	Js	SHUKSAN near-arc oceanic marginal basin crust and sediments
UPPER CRETACEOUS		JL	LADNER arc clastics and volcanics
uKm	MIDNIGHT PEAK transpressional arc volcanics	JH	HAZELTON volcanic arc complexes in Stikinia
uKh	HONNA easterly derived clastic wedge	JT	TAKWAHONI Stikinia arc-derived clastics
uKv	VIRGINIAN RIDGE westerly derived clastic wedge	Ji	INKLIN arc clastics above Cache Creek Terrane
uKt	TREVOR southwesterly derived clastic wedge	JHA	HALL Quesnelia arc-derived clastics
uKs	SMOKY foredeep marine shales	TRIASSIC - JURASSIC	
CRETACEOUS		TJS	SPRAY RIVER continental margin prism; TJSA in Arctic Alaska Terrane; TJSP in Porcupine Terrane; TJSC in Cassiar Terrane; TJSCA in Cariboo Subterrane
Kv	VALDEZ accretionary prism	UPPER TRIASSIC - LOWER JURASSIC	
Ks	SKEENA easterly derived back-arc clastics	TJSE	SETTLER oceanic crust and oceanic sediments
MID-CRETACEOUS		TJC	CULTUS arc clastics in Chilliwack Terrane
mKs	SOUTH FORK transtensional cauldron-subsidence and arc volcanics	TJN	NICOLA arc volcanics in Quesnelia
mKb	BLAIRMORE foredeep clastic wedge	UPPER TRIASSIC	
LOWER CRETACEOUS		TK	KARMUTSEN rift volcanics in Wrangellia
IKL	LONGARM clastic wedge	TH	HYD bimodal rift volcanics in Alexander Terrane
UPPER JURASSIC - LOWER CRETACEOUS		Tc	CADWALLADER arc clastics and volcanics
JKPR	PACIFIC RIM mélange and chert-volcanic assemblage on Upper Triassic calc-alkaline arc volcanics	Ts	STUHIINI arc volcanics in Stikinia
JKs	SAN JUAN imbricate, amalgamated mélange terrane	TL	LEWES RIVER arc clastics, in part in Cache Creek Terrane
JKg	GAMBIER arc and locally, rift volcanics	TKU	KUTCHO arc volcanics in Cache Creek Terrane
JKR	RELAY MOUNTAIN easterly derived clastics	PKT	undivided TAKU assemblage
JKK	KOOTENAY foredeep clastic wedge	PERMIAN - TRIASSIC	
JKP	PARSONS continental margin clastics; JKPA in Arctic Alaska Terrane; JKPP in Porcupine Terrane	PTA	Undivided Alexander Terrane sediments and volcanics

TECTONIC ASSEMBLAGE MAP LEGEND

PERMIAN - JURASSIC

PJs BRIDGE RIVER accretionary prism and oceanic crust

PJO ORCAS oceanic volcanics and sediments

PERMIAN

Pp PYBUS platform sediments and volcanics

Ph HALLECK sediments and volcanics

PJ JUNGLE CREEK clastics mainly derived from uplift of ancestral Aklavik Arch; PJP in Porcupine Terrane

CARBONIFEROUS - JURASSIC

CTt TOZITNA oceanic volcanics and sediments

Mts SHEENJEK oceanic volcanics and sediments

PENNSYLVANIAN - PERMIAN

PPs SKOLAI arc volcanics and sediments in Wrangellia

PPi ISHBEL faulted passive continental margin sediments; PPICA in Cariboo Subterrane

MISSISSIPPIAN - UPPER TRIASSIC

Mtc CACHE CREEK oceanic volcanics and sediments and local accretionary prism mélange

DEVONIAN - TRIASSIC

DTh HARPER RANCH arc clastics; basement of Quesnelia

Dts SLIDE MOUNTAIN oceanic marginal basin volcanics and sediments

DEVONIAN - PERMIAN

Dpc CANNERY offshore clastics

DPch CHILLIWACK arc volcanics and clastics

Dpa ASITKA arc volcanics and platform carbonates; basement of Stikinia

Dps SICKER arc volcanics clastics and platform carbonates; basement of Wrangellia

CARBONIFEROUS - PERMIAN

Cpa ANARCHIST oceanic volcanics and sediments; basement of Quesnelia

Cpo Outer detrital clastics; CPOP in Porcupine Terrane

CARBONIFEROUS

Ci IYOUKEEN platform carbonate

Cd DORSEY marginal basin chert and clastics

DEVONIAN - MISSISSIPPIAN

Dme EARN fault-trough clastic wedge; DMEP in Porcupine Terrane; DMEC in Cassiar Terrane; DMECA in Cariboo Subterrane

Dmi IMPERIAL distal northerly derived clastic wedge; DMIA Arctic Alaska Terrane

Dmb BESA RIVER most distal part of northerly derived Imperial Assemblage and westerly derived Earn Assemblage; upper Devonian shale partly derived from craton

DEVONIAN - CARBONIFEROUS

Dcr RUNDLE continental shelf carbonate and shale; DCRC in Cassiar Terrane

DEVONIAN - CRETACEOUS

DKwr WHITE RIVER mixed assemblage of Paleozoic-lower Mesozoic oceanic rocks including undated clastics like those in the Gambier Assemblage

DEVONIAN

Dc CEDAR COVE platform carbonate and rift volcanics

Dk KARHEEN post-Klakas Orogeny clastic wedge

ORDOVICIAN - TRIASSIC

ota Undivided phyllite in Alexander Terrane; OTAD includes Devonian to Triassic rocks in Duncan Canal Shear Zone

ots SHOEMAKER enigmatic assemblage of Paleozoic oceanic tuffs and sediments and Triassic arc (?) volcanics and sediments in Okanagan subterrane of Quesnel Terrane

ORDOVICIAN - DEVONIAN

odk KASKAWULSH back-arc carbonate and pelite

odd DONJEK back-arc volcanic clastics

ORDOVICIAN - SILURIAN

osd DESCON oceanic arc volcanics and sediments

UPPER PROTEROZOIC - PALEOZOIC

ppe EAGLE BAY clastics and volcanics of pericratonic Kootenay Terrane and Devonian and older magmatic arc rocks in Yukon-Tanana Terrane

UPPER PROTEROZOIC - TRIASSIC

ptnk NISUTLIN cataclastic sediments and volcanics of pericratonic Kootenay Terrane

CAMBRIAN - DEVONIAN

cdn NASINA partly metamorphosed carbonaceous and siliceous offshore sediments

cdr ROCKY MOUNTAINS passive continental margin sediments; CDRA in Arctic Alaska Terrane; CDRP in Porcupine Terrane; CDRC in Cassiar displaced passive margin terrane; CDRCA in Cariboo displaced offshore passive margin terrane

MIDDLE CAMBRIAN

mcr Rift assemblage

UPPER PROTEROZOIC - LOWER CAMBRIAN

pw WALES metamorphosed oceanic arc volcanics

pcn NISLING metamorphosed passive continental margin assemblage

marginal zones where magmatic intrusive breccias are developed. Stocks are rounded in outcrop shape.

Numerous RGS anomalies and Minfile occurrences are known within this belt and both porphyry and VMS style mineralization has been reported by BCGS geologists. Porphyry style Cu-Mo occurrences are commonly associated with high level sub-volcanic dykes and sills. Massey and Friday note VMS stratigraphic mineral potential where reported "sulfidic argillites are found *interbedded with tuffs*" in the basal part of the Bonanza sequence.

2.2 Property Geology

The Jasper property is underlain by mafic to felsic volcanic rocks which have been previously mapped as Bonanza group. The central part of the property is underlain by a north-south trending sequence of intermediate flows and flow breccias which are flanked to the east by mafic flows (Figures 4 and 5). A wedge shaped body of felsic flows overlies the mafic rocks to the east. Felsite dykes intrude the intermediate and mafic volcanics and are likely feeders to the younger felsic flows. Often the intermediate and mafic flows and flow breccias are massive and bedding orientation is impossible to determine. Local foliation is oriented north-south.

Lithologic descriptions for the map units depicted in Figures 4 and 5, Roadcut Geology, are as follows:

Map Unit 1. Mafic Volcanics

A thick monotonous massive mafic volcanic assemblage appears to be the lowest stratigraphic unit on the property. The sequence is made up of thick featureless flows and minor flow breccias. The rocks are dark green in color, are fine grained and are locally feldspar phryric. Epidote and hematite alteration is often present as well as quartz and calcite stringers and veins. Remnant pillow structures and calcite clots (occurring at the interstices of pillows) are evidence of a subaqueous depositional environment.

Map Unit 2. Intermediate Volcanics

Map Unit 2 consists of a thick succession of andesitic to dacitic flows and flow breccias. The rocks are light green to light grey in colour and are predominantly fine grained in the featureless flows. Flow breccias are often dacitic in composition and contain angular heterolithic fragments to 30 cm in size.

Map Unit 3. Felsic Volcanics

The felsic volcanic unit occurs to the east of the Main Showing area in the central portion of the north map sheet.

The unit consists of a pale apple green to creamy grey, very fine grained (glassy) rhyolite, commonly with conchoidal fracture. Flow banded textures are locally common.

Map Unit 4. Argillite

The argillite unit has only been found locally on the road to the east of the Main Showing. Large blocks of subcrop consist of medium to thick bedded, dark grey, very fine grained agrillite. The beds are locally calcarious and/or graphitic.

Map Unit 5. Hematite Breccia

The hematite breccia unit occurs in the spur road to the northeast of the Main Showing and on the lower J Branch road. The unit consists of rouge, friable poorly consolidated agglomerate of subrounded mafic volcanic clasts in a hematitic matrix.

Map Unit 6. Hornblend Porphyry Dyke

A thick (20 m) hornblend porphyry dyke was mapped in the extreme southern portion of Figure 5 map sheet. The rock contains light to medium grey, fine grained andesitic matrix with coarse euhedral hornblend and felspar porphyroblasts.

Argillic alteration and pyrite mineralization occurs at the dyke margins.

2.3 Structure and Alteration


A late major fault suture cuts Vancouver Island from the mouth of the Carmanah River on the west coast to Qualicum Beach on the east coast. Four Mile Creek and the Main Showing on Jasper Ridge occur along the major fault structure. A north trending gossanous alteration zone with a strike length greater than 5 km lies along the fault from the Caycuse Creek drainage in the south to the Nitinat Valley in the north. The alteration zone is characterized by moderate to intense argillization and silicification accompanied by ubiquitous pyrite flooding. Coincidental narrow fault and fracture zones often emanate at right angles to the main north trending fault system.

2.4 Mineralization

At least nine high-grade Cu, Zn +/- Pb sulphide showings have been identified on the property to date.

At the J-Branch Main Showing at the Jasper Minfile Occurrence, two massive sulphide lenses are traceable in outcrop in road-cuts over a strike length of +44 m. Representative continuous chip sampling reported in a previous assessment report returned

SAMPLE NO.	Cu %	Zn %	Pb %	WIDTH M	Cu %*M	Zn %*M	Pb %*M
95121	2.50	9.90	0.13	0.86	2.15	8.51	0.11
95122	7.12	19.30	1.81	0.50	6.12	16.60	1.56
95123	1.00	11.00	0.12	0.63	0.86	9.46	0.10
SUM %*M				1.99	9.13	34.57	1.77
SUM/WIDTH %				4.59	17.37	0.89	



ARNEX RESOURCES LTD.

Jasper Property, Pan Road Showing

Scale: 1:200

Figure 10

Cu/Zn/Pb
Width (m)


0 50 100m

J95116 2.1% / 22.3% / 1.2% 1.86

J95115 175/130/75 .5 m Aq, Aq

Z

S



ARNEX RESOURCES LTD.

Jasper Property, Upper Camp Creek
ShowingCross Section Sketch Map,
Looking East

Scale: 1:10

Figure 11

weighted grades of over 2% Cu and 3% Zn over true widths of up to 2.7 m.

To the north, a narrow massive pyrite and chalcopyrite zone returned values of 13.3% Cu over 0.3 m width at sample Rx J95100. To the south in the vicinity of Four Mile Creek, values of up to 2.1% Cu and 7.9% Zn occur in narrow massive sulphide zones at samples Rx J95101 and Rx J95107 respectively (Figure 4).

The best showing sampled to date in the south map sheet occurs at the Pan Road Showing (see Figure 5 and Figure 10). A weighted average interval over 1.99 m width returned values of 4.59% Cu, 17.37% Zn and 0.89% Pb with precious metal credits. A showing approximately 100 m to the south at sample Rx J95116 returned 2.13% Cu, 22.3% Zn and 17.2% Pb over 1.86 m. Approximately 700 m north of the Pan Road Showing is the Upper Camp Creek Road Showing (Figure 11) where anomalous Cu and Zn values occur over a 3.6 m width.

3.0 SOIL AND STREAM SEDIMENT GEOCHEMISTRY

Over 4,000 soil samples located on three principle grids are reported to have been taken historically on the property, although only limited soil sampling was conducted on the J-Branch Main Showing. Essentially, previous soil sampling indicates coincident anomalous Cu-Zn +/- Ag-Au over a +4 km strike length within the altered gossan zone.

3.1 Methodology

The objectives and the resulting geochemical program being reported is as follows:

- to sample the J Branch Main Showing, a detailed soil grid was established with 100 m line spacing and 50 m sample spacing,
- to soil sample all roadcuts not previously sampled, sampling was carried out along the Caycuse logging road system in Four Mile Creek,
- to confirm previous soil anomalies reported in the Pan showing area, a reconnaissance soil line was run down the ridge with a sample spacing of approximately 50 m.,
- to moss mat or stream sediment sample drainages not previously sampled, sampling was conducted in the Four Mile drainages and in tributaries of Jasper Creek.

Sample observations were recorded and are reported in Appendix III, Geochemical Data Sheets.

Soil and Stream Samples were dried and sieved to -80 mesh and analyzed by ICP-32 analytical techniques (See Sample Preparation, Analytical Techniques and Certificates of Analysis, Appendix IV).

3.2 Results

Analytical Results, Analytical Certificates and geostatistics for selected elements are appended as Appendix IV. Soil and Stream

sediment locations and results are appended as Figures 6 and 7. Anomalous results are plotted on Figures 8 and 9.

Highly anomalous values were encountered from the soil grid on the Main Showing. Values of up to 810 ppm Cu and 342 ppm Zn occur within a minimum 300 m long anomaly. Stream sampling in this area was also highly anomalous returning values of up to 527 ppm Cu and 574 ppm Zn.

Stream sediments and soil samples taken along the highest logging road in both flanks of the headwaters of Four Mile Creek are also highly anomalous. Soil values of up to 458 ppm Cu and stream sediment values to 612 ppm Cu and 830 ppm Zn occur near the road along the creek; values to 544 ppm Cu, 184 Zn, 20 ppb Au and 2.0 ppm Ag occur along the upper road approximately 150 ft vertically above the creek side anomalies. The anomalous zone in this area has an apparent width of approximately 500 m and indicates approximately a 1.5 km strike length to the Main Showing. The anomaly is open at both ends. Stream sediment sampling in tributaries of Jasper Creek approximately 600 m northwest of the Main Showing also encountered highly anomalous values of up to 153 ppm Cu and 872 ppm Zn.

In the south map sheet, the reconnaissance soil line down Pan Ridge encountered very highly anomalous results. Of 12 samples taken, 6 returned Cu values >210 ppm Cu (max. 741 ppm) and 4 samples had values >260 ppm Zn (max. 796 ppm). The soil anomaly

down Pan Ridge appears to have an apparent width of +500 m. Stream sediment sampling from Four Mile and Pan Creek in this vicinity returned values of 140 and 120 ppb Au respectively.

Numerous soil and stream sediment samples are also strongly anomalous in the vicinity of the Pan Road Showing. Anomalies occur along three road switch-back levels which transgress an elevation difference of approximately 200 ft over an apparent width of 900 m.

Soil and Stream sediment anomalies also occur between the Pan showing areas and the anomalies in upper Four Mile Creek. Stream sediment values of up to 308 ppm Cu and 624 ppm Zn also occur at the souther boundary of the claim group.

All geochemical anomalies appear to be related to the argillitic, pyritic alteration zones which are the host of the known sulphide showings. Numerous anomalies occur where no mineralization has been identified to date indicating additional showings have yet to be found.

4.0 CONCLUSIONS

On the Jasper property, a very large hydrothermal system has resulted in the formation of a northerly trending extensive alteration zone with a strike length >5 km. Within the alteration zone, three documented Minfile occurrences are present

which have seen historical geological, geochemical and prospecting programs conducted with encouraging results and several mineralized showings are also known.

At the J Branch Main Showing, two massive sulphide lenses approximately of 0.8 m to 1.2 m (up to 2.7 m) width grading +2% Cu and + 3% Zn outcrop over a strike length of 44 m. At the Pan Road Showing, an average weighted interval over 1.99 m width grades 4.6% Cu and 17.4% Zn. At least nine massive sulphide showings are reported hosted in the altered gossan zone.

Soil and stream sediment sampling indicates coincident anomalous Cu-Zn +/- Ag-Au over a +4 km strike length within the altered gossan zone. At the J Branch Main Showing, a +300 m long anomaly contains soil values of up to 810 ppm Cu and 342 ppm Zn and stream sediment values of up to 527 ppm Cu and 574 ppm Zn. Highly anomalous values were also encountered on the Pan soil line where values were up to 741 ppm Cu and 796 ppm Zn.

It is possible that some of the known mineralized outcrop showings are of the volcanogenic massive sulphide class and have previously not been readily recognizable because recent Tertiary age faulting and alteration has slightly dislocated, re-mobilized and overprinted the original metallogenetic setting.

The property exhibits the following characteristics common to volcanogenic environments:

Massive sulphide showings are stratabound with (poorly developed) foliation and are generally at the contacts between subaqueous mafic, intermediate and felsic differentiated volcanic units.

At the J Branch Main Showing, chloritic alteration is present in what appears to be the structural footwall of the mineralized zone; re-mobilized chert? appears present in the structural hangingwall and is reported elsewhere on the property.


Massive sulphide mineralization commonly demonstrates compositional layering or crude banding of chalcopyrite, sphalerite and pyrite. Large (up to 1 m) massive sulphide fragments are present in some massive sulphide lenses which also contain (co-genetic?) mafic and felsic volcanic (and chert?) wallrock fragments.

A characteristic volcanogenic mineral assemblage containing Cu, Zn, Pb, Ag, Au, Cd, and Ba is present.

It is concluded that the property offers excellent exploration potential based on the large scale size of the hydrothermal system, positive geochemical responses from areas tested to date and the presence of high grade outcrop showings in several localities. Additional exploration work is warranted.

Dated in North Vancouver, British Columbia this 9th day of
January, 1996.

A. O. Birkeland



Arne O. Birkeland, P.Eng.

APPENDIX I

=====

ARNEX RESOURCES LTD

=====

1995 STATEMENT OF EXPENDITURE

=====

JASPER PROPERTY - GEOLOGICAL, GEOCHEMICAL WORK

=====


COSTS APPLIED TO ASSESSMENT WORK

=====

DESCRIPTION		# UNITS		COST/UNIT		AMOUNT
TRAVEL:	Ferry	2.0	trips	\$116.00	/ rd trip	\$232.00
	Truck	38.0	day	\$85.87	/ day	\$3,262.97
	Gas	960.0	l	\$0.58	/ l	\$556.80
						\$4,052
ANALYSES:	Seds, soils	173.0	samples	\$15.05	/ sample	\$2,603.11
	Rocks	29.0	samples	\$19.58	/ sample	\$567.89
	Assay	10.0	samples	\$20.06	/ sample	\$200.63
						\$3,372
EQUIPMENT:	Rental - chainsaw	38.0	days	\$8.86	/ day	\$336.82
	- camper	38.0	days	\$26.75	/ day	\$1,016.50
	- field eq	38.0	days	\$16.05	/ day	\$609.90
						\$1,963
FOOD:		38.0	days	\$45.00	/ day	\$1,710.00
ACCOMMODATION:		0.0	days	\$50.00	/ day	\$0.00
						\$1,710
REPORT PREPARATION:						\$182
WAGES:	Wages - P.Eng.	21.0	days	\$454.75	/ day	\$9,549.75
	Wages - gchm sampler	17.0	days	\$125.00	/ day	\$2,125.00
						\$11,675
TOTAL						\$22,953

1995 EXPENDITURES

APPENDIX I



APPENDIX II

CERTIFICATE OF QUALIFICATION


I, ARNE O. BIRKELAND, DO HEREBY CERTIFY THAT:

1. I am a Geological Engineer in the employ of Arnex Resources Ltd. with offices at 4005 Brockton Crescent, North Vancouver, British Columbia.
2. I am a 1972 graduate of the Colorado School of Mines with a Bachelor of Science Degree in Geological Engineering.
3. I have been a registered Professional Engineer with the Association of Professional Engineers of British Columbia (Registration No. 9870) since 1975.
4. My primary employment since 1966 has been in the field of mineral exploration, namely as a Geological Engineer.
5. My experience has encompassed a wide range of geological environments and has allowed considerable familiarization with geophysical, geochemical and diamond drilling techniques.
6. I have conducted the exploration work on the property reported on herein. This report is based on data acquired and also draws from researched published information available on the area.

DATED at North Vancouver, British Columbia,

this 9th day of January, 1996

A. O. Birkeland
ARNE O. BIRKELAND, P.ENG.



APPENDIX III
GEOCHEMICAL DATA SHEETS

APPENDIX III

GEOCHEMICAL DATA SHEET - SOIL SAMPLING

NTS: 92C\15, 92C 088

REF. MAPS: FIGURES 6 TO 9

SCALE: 1:5,000

C:\JASGC95\SOGDS1.WK1

SAMPLE NO.	LOCATION	DEPTH (CM)	HORIZ	Colour	DESCRIPTION Part Size	% Org	SLOPE GRADIENT	ADDITIONAL OBSERVATIONS
5100	5000N/5000E	25	B	or	silt	low	flat, mod	directly above Main Showing
5101	5000N/5005E	20	B	or	silt	low	mod	
5102	5000N/5166E	25	B	or	silt	low	steep	taken just above road cut
5103	5000N/4928E	20	B	or	silt	low	flat, mod	
5104	5000N/4900E	25	B	or	silt	low	flat, mod	creek @ 10350 N
5105	5000N/4850E	20	B	or	silt, pebble	low	mod	
5106	5000N/4800E	35	B	or	silt	low	steep	
5107	5000N/4750	20	B	or br	sand, silt	low	steep	
5108	4900N/5000E	30	B	or	silt	low, mod	mod-steep	sample taken from fallen tree roots
5109	4900N/5050E	10	B	or	silt	low	flat	sample taken next to outcrop
5110	4900N/5187E	10	B	or	silt	low	low, mod	sample taken above road cut
5111	4900N/4940E	10	B	or	silt	low	mod	sample taken above road cut
5112	4900N/4900E	30	B	or	silt	low, mod	mod	
5113	4900N/4840E	15	B	or	silt	low	steep	
5114	4900N/4800E	20	B	or	silt, pebble	high, mod	steep	
5115	4800N/4950	30	B	or	silt	low, mod	mod	
5116	4800N/4900	15	B	or	silt	mod	steep	
5117	4800N/4850	30	B+A	or	silt	low, mod	low, mod	
5118	4800N/4785	25	B+A	or	silt, pebble	mod	mod	
5119	5700N/5000E	35	B	or	silt	low, mod	low, mod	
5120	STREAM SILTS							
5121	5700N/5050	10	B	or	silt	low, mod	flat	
5122	5700N/5100E	25	B	or br	clay, silt	low	flat	
5123	5700N/5140E	10	B	or	silt	low, mod	mod	
5124	RD CUT	5	B	or	silt	low	steep	
5125	RD CUT	30	B	or	silt	low	mod, steep	
5126	RD CUT	20	B	or	silt	low	steep	
5127	RD CUT/44M FROM	20	B	or	silt	low	steep	
5128	STREAM SILT							
5129	4500N/4490N	25	B	or	silt	mod, high	flat, mod	
5130	4500N/4963E	15	B	or	silt	low, mod	steep	
5131	4500N/4850E	15	B	or	silt	low	flat	
5132	4500N/4800E	20	B	or	silt	low	steep	
5133	4500N/4750E	25	B	or	silt	low	steep	
5134	4500N/4695E	10	B	or	silt, pebble	mod	steep	
5135	ROAD CUT/OM	30	B	or	silt, pebble	low	steep	
5136	ROAD CUT/+75M	30	B	or	silt, pebble	low	steep	
5137	ROAD CUT/+60M	20	B	or	silt, pebble	low	steep	
5138	ROAD CUT/+50M	20	B	or	silt	low	mod	
5139	ROAD CUT/+58M	15	B	or	silt	low	flat, mod	

APPENDIX III

GEOCHEMICAL DATA SHEET - SOIL SAMPLING

NTS: 92C15, 92C 088 REF. MAPS: FIGURES 6 TO 9 SCALE: 1:5,000 C:\JASGC95\SOGDS1.WK1

SAMPLE NO.	LOCATION	DEPTH (CM)	HORIZ	Colour	DESCRIPTION Part Size	% Org	SLOPE GRADIENT	ADDITIONAL OBSERVATIONS
5140	ROAD CUT/+30M	15	B	or	silt	low	mod, steep	
5141	ROAD CUT/+79M	10	B	or	silt	low	steep	
5142	ROAD CUT/+45M	15	B	or	silt	low, mod	flat, mod	
5143	ROAD CUT/+55M	10	B	or red	silt	mod, low	flat, mod	
5144	ROAD CUT/+70M	30	B	or	silt	low	mod, steep	
5145	ROAD CUT/+35M	70	B	or	silt	low	steep	
5146	ROAD CUT/+46M	35	B	or	silt	low, mod	steep	
5147	ROAD CUT/+50M	20	B	or	silt	low, mod	mod, flat	
5148	ROAD CUT/+60M	25	B	or	silt, pebble	low, mod	mod, low	
5149	ROAD CUT/+70M	20	B	or	silt, pebble	low	low, mod	
5150	ROAD CUT/+70M	20	B+C	or	silt, gravel	low	low, mod	talus
						low	flat, mod	
5151	ROAD CUT/+30M	15	B	or	silt	low	mod, steep	
5152	ROAD CUT/+60M	15	B	or	silt	low	flat	
5153	ROAD CUT/+55M	15	B	or	silt	low	mod, steep	
5154	ROAD CUT/+57M	15	B	or	silt	low, mod	steep	
5155	ROAD CUT/+50M	10	B	or	silt	low	steep, mod	
5156	ROAD CUT/+57M	15	B+A	or, gray	silt, clay	low, mod	flat	
5157	ROAD CUT/+170M	15	B	or	silt	mod	steep	
5158	ROAD CUT/+30M	30	B	or	silt	low	steep	
5159	ROAD CUT/+140M	45	B+C	or	silt	low, mod	steep	
5160	ROAD CUT/+60M	40	B	or	silt	low	steep, mod	
5161	ROAD CUT/+53M	30	B	or	silt	low, mod	mod	
5162	ROAD CUT/+32M	30	B	or	silt, pebble	low, mod	mod	
5163	ROAD CUT/+50M	20	B+C	or	silt, sand	low	mod	
5164	ROAD CUT/+46M	35	B+A	or, br	silt, pebble	mod, high	mod	
5165	ROAD CUT/+57M	30	B	or	silt	low, mod	mod	
5166	ROAD CUT/+54M	30	B	or	silt	low, mod	mod, steep	
5167	ROAD CUT/+50M	20	B	or	silt	low	mod	
5168	ROAD CUT/+50M	15	B	or	silt, pebble	low	mod	
5169	ROAD CUT/+67M	25	B+A	br or	sand, silt	high	steep	
5170	ROAD CUT/+88M	20	B	or	silt	low	steep, mod	
5171	ROAD CUT/+64M	20	B	or	silt	low	steep	
5172	ROAD CUT/+70M	25	B	or	silt	low, mod	steep	
5173	ROAD CUT/+59M	10	B	or	silt	low	mod	
5174	ROAD CUT/+115M	20	B	or	silt	low	steep	
5175	ROAD CUT/+50M	10	B	or	silt	mod, low	mod	
5176	ROAD CUT/+58M	35	B	or	silt	low	mod, steep	
5177	ROAD CUT/+54M	25	B	or	silt	low	low, mod	
5178	ROAD CUT/+45M	30	B	or	silt	low	steep	
5179	ROAD CUT/+58M	25	B	or	silt	low, mod	mod, steep	
5180	ROAD CUT/+50M	30	B	or	silt	low, mod	mod	
5181	ROAD CUT/+50M	30	B	or	silt	low, mod	mod, low	

APPENDIX III

GEOCHEMICAL DATA SHEET - SOIL SAMPLING

NTS: 92C115, 92C 068 REF. MAPS: FIGURES 6 TO 9 SCALE: 1:5,000 C:\JASGC95\SOGDS1.WK1

SAMPLE NO.	LOCATION	DEPTH (CM)	HORIZ	Colour	DESCRIPTION Part Size	% Org	SLOPE GRADIENT	ADDITIONAL OBSERVATIONS
5182	ROAD CUT/+136M	25	B	or	silt	mod	mod	
5183	ROAD CUT/+45M	20	B	or	silt, pebble	mod	mod, steep	
5184	STREAM SILTS							
5185	ROAD CUT/+140M	30	B	or	silt	low	steep	
5186	ROAD CUT/+50M	40	B	or	silt, pebble	low	steep	
5187	ROAD CUT/+50M	35	B	or	silt, gravel	mod	steep	
5188	ROAD CUT/+50M	40	B	or	silt, sand	low	steep	
5189	ROAD CUT/+80M	40	B	or	silt, gravel	low	steep	
5190	ROAD CUT/+85M	30	B	or	silt	low	steep	
5191	ROAD CUT/+90M	35	B	or	silt	low	steep	from fork
5192	STREAM SILT							
5193	ROAD CUT/+70M	35	B+C	gr, tn	silt, sand	mod, high	steep	
5194	STREAM SILT							
5195	ROAD CUT/+52M	20	B	or	silt, pebble	low	steep	
5196	ROAD CUT/+66M	35	B	or	silt, pebble	mod	steep	
5197	ROAD CUT/+45M	30	B+C	or	silt, pebble	low	steep	
5198	ROAD CUT/+73M	25	B	or	silt, pebble	low	steep	
5199	ROAD CUT/+98m	20	B	or	silt, pebble	low	steep	
5200	STREAM SILT							
5201	ROAD CUT/+27M	20	B	or	silt	low	steep	
5202	ROAD CUT/+50M	15	B	or	silt	mod	steep	
5203	ROAD CUT/+55M	20	B	or	silt, pebble	low	steep	
5204	ROAD CUT/+50M	25	B	or	silt, pebble	low	steep	
5205	ROAD CUT/+30M	10	B	or	silt, pebble	low	steep	
5206	ROAD CUT/+60M	20	B	or	silt, pebble	mod, high	mod	
5207	ROAD CUT	15	B	or	silt, pebble	low	steep	
5208	ROAD CUT/+47M	15	B	or	silt, pebble	low	steep	
5209	ROAD CUT/+20M	20	B	or	silt, pebble	low	steep	
5210	ROAD CUT/+60M	20	B	or	silt, pebble, gra sand, silt	low, mod	steep	
5211	ROAD CUT/+75M	25	B	or	silt, pebble, gra sand, silt	low	steep	main road +18M
5212	ROAD CUT/+83M	10	B	or	silt, pebble	low, mod	mod, steep	
5213	ROAD CUT/+85M	20	B	or	silt, pebble	low	steep	
5214	ROAD CUT/+45M	10	B	or, br	silt, pebble	high	mod	
5215	ROAD CUT/+25M	20	B	or	silt, pebble	low, mod	mod	
5216	ROAD CUT/+45M	25	B	or	silt, pebble	low, mod	mod	
5217	ROAD CUT/+25M	25	B	or	silt	low	mod	
5218	ROAD CUT/+50M	25	B	or	silt, pebble	low, mod	mod, steep	
5219	ROAD CUT/+57M	20	B	or	silt	low	steep	
5220	ROAD CUT/+42M	20	B	or	silt	low	steep	
5221	ROAD CUT/+57M	25	B	or, tn	silt	high	mod	

APPENDIX III

GEOCHEMICAL DATA SHEET - SOIL SAMPLING

NTS: 92C15, 92C 088

REF. MAPS: FIGURES 6 TO 9

SCALE: 1:5,000

C:\JASGC95\SOGDS1.WK1

SAMPLE NO.	LOCATION	DEPT (CM)	HORIZ	Colour	DESCRIPTION Part Size	% Org	SLOPE GRADIENT	ADDITIONAL OBSERVATIONS
5222	ROAD CUT/+100M	35	B	or	silt	low	mod	
5223	ROAD CUT/+56M	15	B	or	pebble, sand	mod	low, mod	
5224	ROAD CUT/+73M	20	B	or, br	silt, pebble	mod, high	low, mod	
5225	ROAD CUT/+50M	20	B	or	silt	low	steep	
5226	ROAD CUT/+50M	25	B	or	silt	low	steep	
5227	ROAD CUT/+75M	25	B	or	silt	low, mod	steep	
5228	ROAD CUT/+50M	20	B	or	silt, pebble	low	steep	
5229	ROAD CUT/+50M	25	B	or	silt, pebble	low	steep	
5230	ROAD CUT/+50M	25	B	or	silt	low	steep	
5231	ROAD CUT/+75M	15	B	or	silt	low	steep	
5232	ROAD CUT/+50M	20	B	or	silt	low	steep	
5233	ROAD CUT/+50M	30	B	or	silt	low	steep	
5234	ROAD CUT/+50M	15	B	or	silt, pebble	low	steep	
5235	ROAD CUT/+70M	30	B	or	silt, pebble	low	steep	
5236	ROAD CUT/+50M	30	B+A	or	silt, pebble	low, mod	steep	
5237	STREAM SILT							
5238	STREAM SILT							
5239	STREAM SILT							
5240	STREAM SILT							
5241	ROAD CUT/+150M	35	B+C	or	sand, silt	low, mod	steep	
5242	ROAD CUT/+60M	35	B	or, tn	silt, pebble	mod, low	steep	
5243	ROAD CUT/+75M	20	B	or	silt	low	mod	
5244	ROAD CUT/+55M	15	B	or	silt	low, mod	mod	

APPENDIX III

GEOCHEMICAL DATA SHEET - STREAM SEDIMENT SAMPLING

PROJECT: JAS NTS: 92C/15, 92C 088 REF. MAPS: FIGURES 6 TO 9 SCALE: 1:5,000 C:\JASC\GC95\SXGDS2.WK1

SAMPLE NO.	LOCATION	Width	DRAINAGE Depth	Gradient	TYPE	Colour	DESCRIPTION Texture	% Org	ADDITIONAL OBSERVATIONS
5120	JAS	2.0 m	25 cm		MM	or br	silt, sand	low	@ 4700N at 5020E
5128	JAS	1.0 m	40 cm		MM	or dk br	silt	mod	low silt in MM
5184	JAS	2.0 m	15 cm		silt	or		low	
5192	JAS	0.8 m	dry	steep	MM	dk br	silt	low	+33M from 5191
5194	JAS	3.0 m	falls	steep	MM	dk br	silt, sand	low	+33M from 5193
5200	JAS	2.5 m	trickle		MM	dk br	silt, sand	low	+12M from 5199
5237	JAS	5.0 m	50 cm		MM	tn br	sand, silt	low	
5238	JAS	8.0 m	1.3 m		MM	tn br	sand, silt	low	
5239	JAS	5.0 m	.5-2 m		MM	gr br	sand	low	
5240	JAS	1.5 m	50 cm		MM	br tn	silt, sand	low	

SAMPLE A

A. O. BIRKELAND

PROJECT JAS

DATE

08/15/95

NTS 0924 115

0924 / 15

0924 088

Plotted 1:5,000

**ARNEX
RESOURCES LTD**

GEOCHEMICAL DATA SHEET – STREAM SILTS

NTS 092C/15

092 088

Plotted 1:5,000

SAMPLER H.O. BIKKELAND
DATE 08/15/95

PROJECT

JAS

GEOCHEMICAL DATA SHEET – STREAM SILTS

AMPLER A.O. DIRECCLAND
DATE 08/16/95

PROJECT NEC

NTS 092C/15
92C 088
1:5000

GEOCHEMICAL DATA SHEET – SOIL SAMPLING

SAMPLER H-O. DIRKELAAN
DATE 08/16/95

PROJECT

JAS

NTS

92c / 15

BL 088

1500

NTS 92C/15

92C 088

1:5,000

SAMPLER

A.O. BIRKELAND

PROJECT JAS

DATE

08/17/95

SAMPLE NO.	VOLUME	DRAIN	PH	TYPE OF SAMPLE	COLOUR	TEXTURE	% ORGANIC MATERIAL	PETROLOGY OF BEDROCK AND/OR FLOAT	ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS	
	Width	Depth									
5X	.5	.2	ST	MM	DK Br	Silt	Low	SB	Mafic Volc o.c.; hem.		
5611									655 m. elev.		
5612	.3	.1	ST	MM	DK Br	Silt	Low	SB	4 Mile Creek headwaters - fpa - purplistic Rx 95102		
5613	.3	.1	Mod	MM	Dk Gr	Silt	Mod	SB	Fresh fpa / contact w/ BI Muck		
5614	Dry	Mod		MM	Br	Grit	Low	SB	Arg. Py. atth zone Runns in fusillette		
5615	.1	.05	Mod	MM	DK Br	Silt	Low	SB	Maroon + M.V.		
5616	1	.2	Mod	MM	Or	Silt	Low	SB	415m Mass arg. py atth gn. and. Rx J95107		
5617	.3	.1	Mod	MM	DK	Silt	Low	SB	Local Py Flooding gn and Rx J95108		
					gr						

GEOCHEMICAL DATA SHEET – STREAM SILTS

NTS 92C 115
92C 088
1:5000

SAMPLER STO BIRKELAND
DATE 08/17/95

PROJECT JAS

GEOCHEMICAL DATA SHEET – STREAM SILTS

NTS

92c 1/15

SAMPLER A.O. BIRKELAND
DATE 08/18/95

PROJECT JAS

SAMPLE NO.	VOLUME		DRAIN AGE	Ph	TYPE OF SAMPLE	COLOUR	TEXTURE	% ORGANIC MATERIAL	PETROLOGY OF BEDROCK AND/OR FLOAT	ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
	Width m	Depth m											
5x	2	.5	Mod		MM	DK	Silt	Low	JBV	Fpa, altered py arg, sil.			
5622	m	m				Bv				Rx J95110 a = 130m			
5623	.6	.2	mod		MM	lt	Silt	Very	JBV	And; sample taken from Calcareous Creek-Bed elev = 130m			
						gr		Low					
5624	.8	.2	mod		MM	Bv	Silt	Low	JBV	Mass arg. altn Rx J95111			
5625	2.5	1m	Mod		MM	Bv	Silt	Low	JBV	Hld feld per - dike?; alt fracture zones @ 110°/steep E SPEC			
	m												
5626	2.0	.8	Mod		MM	DK	Sandy	Low	JBV	Alt fract. C 110°/steep E; hld feld per dolomite dike? SPEC elev = 225m			
						Bv	Silt						

GEOCHEMICAL DATA SHEET – STREAM SILTS

SAMPLER H.O. WIRKELMANS
DATE 06/20/95

PROJECT JB

NTS

92C 088

SAMPLE NO.	VOLUME		DRAIN AGE	Ph	TYPE OF SAMPLE	COLOUR	TEXTURE	% ORGANIC MATERIAL	PETROLOGY OF BEDROCK AND/OR FLOAT	ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS	
	Width	Depth										
5627	Dry- Run in frostette	met	S.S.	Or	Pebbles	Low	JBu		Fines from dry creek; unalt. and/or dyke o.c.			
5628	.1 .01 Almost dry	ST.	mm	DK	Vfg	Mod	JBu		Py weak arg att. and.			
5629	1m	.2	ST.	S.S.	Br	coarse grained	Very low	JBu	F.p.a., local py, large qtz boulders to 1m x 3m, Epothermal style qtz w/ minor sulphides elev = 405 m			

GEOCHEMICAL DATA SHEET – ROCK CHIP SAMPLING

SAMPLER A.O. BIRKELAND
DATE 08/16/95

PROJECT. JAS

NTS 092C / 15
92C 088
1:5 ov

SAMPLER A.O. BIRKELAND

PROJECT JAS

DATE 08/17/95

NTS 92C/15

92C 088
1:5,xx0

SAMPLE NO.	LOCATION	ROCK TYPE	DESCRIPTION				ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
			Sample Type	APPARENT WIDTH	TRUE WIDTH	Alteration		ICP Assay	WHOLE Rock	NAA
Rx	4 Mile	Alt. fpa	Chip	4cm	Arg.	Mod.	Massive	Narrow (to 4cm)		
J95102	ck head	feldspar pyrrhotic and + ms.					Py stringer massive py stringer Py = 50% min along arg. altered over 4cm fractures; In-Place Float			
J95103	Arg-Altin + Sub.	Chip		15cm	Mass. arg	Poor	Euhedral Py + dol	Stringer, mass altin.		
					altin flanked					
					by blocky altn, qn chlt + prop.		Py.			
J95104	Arg. alt fpa + Sub.	Chip	1m	Arg-mass	Mod.	Dol + Stringer Py = 30%	Stringer zone Py.			
J95105	Qtz vein in alt fpa		8cm.	Local Arg Prop. Sil.	Mod - Poor	None noted	Euhedral + quartz veining Check for Au			

SAMPLER A. O. BIRKELAND

PROJECT JAS

DATE 08/17/95

NTS

92C115

92C 088

1:5,000

SAMPLE NO.	LOCATION	ROCK TYPE	DESCRIPTION				ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
			Sample Type	APPARENT WIDTH	TRUE WIDTH	Alteration		ICP Assay	Whole Rock	NAA
J95106	Layerce	Muss.	Chip	45cm		mass arg	Very	Py = 50%	Character sample of py alter zone	
	TAN	arg/py atta				Py	Poor - leached	Jarosite		
J95107	"	Arg/py gn and	chip	30cm 30cm?	30cm?	mass	Very	Py 50%	Sulphide stringer vein in mass Cpy 15-20% altin zone	
						arg/py	Poor	Sph?		
J95108	"	And.	grab chip	10m		local arg/py	Poor	Des Py 1-5%	Character sample of 10 m altin zone	
								Tr Cpy		
J95109	"	Dacite	chip	25cm	local py	Very	Mass Py Py = 50%	Py s stringer zone		
					arg	Poor				

NTS

92C 1/5

SAMPLER A.O. BIKKELAND

PROJECT JAS

DATE 08/18/95

SAMPLE NO.	LOCATION	ROCK TYPE	DESCRIPTION				ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
			Sample Type	APPARENT WIDTH	TRUE WIDTH	Alteration		ICP Assay	Whole Rock	AAA
Jx	Lowest Cayusee	Fpor	chip	1m		chl, epi,	Poor	Py locally	Attenuation zone; py aug.	
J95110	Cayusee					mod. arg.		to 5%	+ prop.; Character chip	
	Bv.					qtz veining			rep. of att. rock.	
J95111	"	And.	GRAB	6m		Intense	Poor -	Py = 5-10%	Intense advanced argillite	
		Alt.	CHIP			arg/f4			zone - sulphidized - acid sulphate	
			R.EP.			5-10% prop. (chl, epi)	Mod		6m character such of atten.	
J95112	"	Intense att. and	Grab chip	3m		Intense advanced	Poor -	Py + 50%	AA zone as above;	
			Character			argillite (AA)	Mod		bx; alunite (pink) veining	
									and as clots and bx frags.	
J95113	"	And.	Grab	2m		Prop -	Good	Py 5-10%	Prop. atten zone flanking	
		chip	Character			epi chl		Cpy?	AA zone above	
						well developed			145 m. elev.	
J95114	F-10	Alt and	Grab	2m		minor AA, arg, Py	Poor -	Py = 5-10%	Character Grab of	
		chip	Character				Mod		5m with atten zone	
									elev = 555 m	

**ARNEX
RESOURCES LTD**

GEOCHEMICAL DATA SHEET – ROCK CHIP SAMPLING

SAMPLER A.O. BIRKELAND
DATE 08/19/95

PROJECT JAS

NTS

92c 086
1:5,000

SAMPLER A.O. BIRKELAND

PROJECT JAS

DATE 08/19/95

NTS

92C 088

1:5,000

SAMPLE NO.	LOCATION	ROCK TYPE	Sample Type	DESCRIPTION			ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
				APPARENT WIDTH	TRUE WIDTH	Alteration		ICP ASSAY	WHOLE ROCK ASSAY	
Rx	PAN	Alt	chip	1.85 m		Argillite, Mod- some leaching	Sph.	Massive sulphide		
595116	ROAD	And					Galena.	Stringer vein, 090/-60° N		
	Sitwinko	M.S.				Sulphidation	Cpy, Az, Stal.	Locally faulted,		
	Stringer					Bl Chl, Mn,		Flanked by Int. Arg. attn.		
	Vein					Calcite		ASSAY. SPEC		
Rx	"	Mass.	chip	45 cm		A.A., Poor	Mass Py	Mass sulphide lens, brecciating		
595117		Sul.				Sulphidation	Gph = 10%	fault 055°/-65 SE cuts in;		
	Lens						Minigrn,	Feld por w/w rock -		
							Cpy	Phenos alt to clay Assay		
595118	Playcuse	Arg.		2.7m		A.A. very Sulphidation Poor	I fg. aphanitic sulphides?	acid sulphate leached zone; Fracture controlled 325° stop		
	m.l.	feld por				Heavy jarosit		Feld pheno alt to clay -		
		dyke?						May be flanked by mafic dykes		
595119		Sphalerite		25cm	lit.	OK	Massive sphalerite des. cpy py	Sph. lens or vein Exposed over 12 m strike Covered to 5', Faulted to N.		
		vein						Assay		

SAMPLER A.O. BIRKELAND

PROJECT JAS

DATE 08/19/95

NTS

92C 088

1:5000

SAMPLE NO.	LOCATION	ROCK TYPE	DESCRIPTION					ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
			Sample Type	APPARENT WIDTH	TRUE WIDTH	Alteration	Freshness				
Rx	Cayuse	Sph. chip		5cm	Sil.	Mod	Mass sph, des cpy	Mass sph w/in 110°/step			
J95120	M.L.	vein					py	Flanked by fault; cuts off 595119 band. ASSAY			
J95121	"	Py Sph chip Vein-Bx		86cm	Sil, py	Mod	Des to mass py, sph blebs and bands	Hanging wall contact 095°/step south ASSAY			
J95122	"	Mass sulphide vein	chip	50cm	sil py		Mass Py = 50% - sph = 40% Cpy = 10%+	Mass sulphide vein flanked on hanging wall by fault 095°/step Continuation of Rx J95120 Vein			
J95123	"	Fault zone with mass sul. lens	chip	63cm	Mass. Intense Arg alt., Mod 94%	Sph, cpy py breccia	long Sph 40% Cpy 10% Py 10% 60% 40%	Hanging wall Fault Gouge Zone.			

SAMPLER

A.O. BIRKELAND

PROJECT

N

JAS

DATE

08/09/95

NTS

92C 088

1:5,000

SAMPLE NO.	LOCATION	ROCK TYPE	DESCRIPTION					ADDITIONAL OBSERVATIONS OR REMARKS	ASSAYS		
			Sample Type	APPARENT WIDTH / TRUE WIDTH	Alteration	Freshness	Mineralization		ICP Assay	WHOLE ROCK	AAA
Rx	Caveuse	Act	Chip	3cm	Avg, py,	Mod	Py, sph,	Sulphide stringer zone,			
J95124	ML	And/			Chl, Mn,		Cpy	high-grade sph.			
	BRAN #	Sulphide			Prop			photo 33,34			
	RD.	Vein									
J95125	"	And + Sulphide	chip	1m	Avg, chl	Mod	Py, sph,	Low-grade des. +			
					Mn,		Cpy	fracture sulphide zone			
					Qtz veining			Contact 280°/-555			
J95126	"	Silicified And	Chip	1m	chl,	Mod	Des py	Low-grade fracture			
					sil. arg.		minor sph cpy	zone, locally well mineralized			
J95127	"	Silicified And	Chip	1.3m	chl	Mod	Py sph	Layered mineralization			
					sil. arg.		Cpy minor gn	Well mineralized along Contact 310°/vert.			

GEOCHEMICAL DATA SHEET -- ROCK CHIP SAMPLING

SAMPLER A.O. BIRKELAND
DATE 08/20/95

PROJECT JAS

NTS

97C 088

1:5000 1:2000

APPENDIX IV
ANALYTICAL RESULTS AND CERTIFICATES

1986 ANALYTICAL RESULTS
ARNEK RESOURCES LTD. PROJECT JAS
C:\USAGC\95\A952743\WK1

SAMPLE NO.	Au ppb	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Pb ppm	Ni ppm	Co ppm	Cr ppm	V ppm	W ppm	As ppm	Sb ppm	Hg ppm	Cd ppm	Ba ppm	Mn ppm	Fe %	K %	Mg %	Al %	P ppm	Sc ppm	Sr ppm	Tl %
5100	-5	0.2	581	1	164	54	4	4	31	183	-10	8	-2	-1	0.5	20	370	9.54	0.03	0.89	5.53	1330	6	10	0.14
5101	-5	-0.2	15	-1	28	8	3	4	20	211	-10	-2	-2	-1	-0.5	20	270	8.43	0.02	0.39	2.92	860	5	10	0.15
5102	-5	-0.2	7	-1	38	4	1	1	7	35	-10	-2	-2	-1	-0.5	40	85	8.32	0.02	0.16	8.79	790	2	2	0.05
5103	-5	0.2	154	3	248	32	4	8	17	135	-10	8	-2	-1	-0.5	100	580	7.59	0.04	0.82	5.52	1020	7	15	0.09
5104	-5	-0.2	237	3	114	10	2	6	13	118	-10	4	-2	-1	-0.5	40	336	6.38	0.01	0.16	4.36	510	5	17	0.14
5105	-5	-0.2	39	-1	70	14	2	3	14	180	-10	4	-2	-1	-0.5	50	185	6.53	0.02	0.45	4.37	880	4	18	0.12
5106	-5	-0.2	41	-1	80	14	2	4	16	188	-10	6	2	-1	-0.5	110	480	5.33	0.04	0.50	5.98	990	6	16	0.15
5107	-5	0.2	80	2	130	16	4	9	18	147	-10	6	2	-1	-0.5	60	1725	8.15	0.03	0.67	4.95	850	11	20	0.07
5108	-5	1.6	100	-1	294	164	5	18	50	200	-10	28	2	-1	-0.5	60	1725	8.15	0.03	0.67	4.95	850	11	20	0.07
5109	-5	-0.2	85	-1	46	4	4	7	24	259	-10	-2	2	1	-0.5	20	325	7.27	0.02	0.93	4.97	1050	9	7	0.16
5110	-5	-0.2	32	-1	42	6	6	7	30	216	-10	8	2	-1	-0.5	30	245	6.87	0.02	0.56	5.40	810	9	12	0.17
5111	-5	0.2	110	4	88	14	2	4	19	152	-10	14	2	-1	-0.5	40	370	6.88	0.04	0.48	5.90	910	6	15	0.11
5112	-5	0.2	83	2	124	16	3	8	14	137	-10	6	-2	-1	-0.5	40	450	5.49	0.02	0.43	4.74	840	4	13	0.09
5113	-5	-0.2	108	1	70	4	3	4	12	141	-10	14	2	-1	-0.5	70	465	9.98	0.04	0.65	8.43	1300	14	9	0.09
5114	-5	-0.2	54	-1	48	16	2	4	12	183	-10	4	-2	-1	-0.5	50	525	6.83	0.03	0.42	4.23	1200	6	11	0.11
5115	-5	0.4	103	3	304	44	4	8	15	87	-10	6	4	-1	1.0	80	345	6.68	0.04	0.51	5.39	930	4	9	0.07
5116	15	0.2	29	3	78	84	1	1	8	90	-10	4	-2	2	-0.5	40	145	8.31	0.03	0.17	3.75	770	3	7	0.07
5117	-5	-0.2	25	3	28	28	1	2	7	112	-10	6	-2	-1	-0.5	50	195	5.47	0.04	0.29	2.95	880	3	13	0.09
5118	-5	0.2	37	1	46	12	2	3	12	138	-10	8	-2	-1	-0.5	60	270	6.03	0.02	0.36	3.51	830	4	14	0.10
5119	-5	-0.2	114	1	38	18	2	2	19	207	-10	8	-2	-1	-0.5	30	220	7.80	0.02	0.31	2.27	570	5	8	0.15
5120	-5	-0.2	810	1	342	22	2	3	36	3	-10	2	2	-1	4.0	80	3380	2.58	0.15	0.21	7.02	850	2	15	0.03
5121	-5	-0.2	62	-1	182	12	3	10	10	244	-10	6	-2	-1	-0.5	40	785	7.75	0.03	1.97	8.14	1010	10	30	0.14
5122	-5	-0.2	13	2	40	8	3	5	20	160	-10	-2	2	1	-0.5	70	480	5.03	0.02	0.51	3.49	370	6	13	0.14
5123	-5	-0.2	31	1	48	8	5	6	31	214	-10	6	-2	-1	-0.5	30	340	7.98	0.04	0.87	8.14	610	10	11	0.21
5124	25	0.2	114	2	104	114	-1	1	6	74	-10	6	-2	-1	-0.5	110	270	9.98	0.06	0.23	6.66	1720	7	8	0.09
5125	-5	0.2	66	1	106	28	2	2	16	140	-10	4	2	1	-0.5	40	210	6.47	0.03	0.35	6.79	910	6	13	0.12
5126	10	0.6	45	4	104	22	1	2	10	94	-10	6	2	-1	-0.5	50	170	7.38	0.03	0.31	6.90	810	8	9	0.06
5127	-5	-0.2	33	2	98	12	2	4	12	154	-10	8	-2	-1	-0.5	40	305	6.13	0.02	0.38	4.34	490	5	22	0.12
5128	-5	-0.2	527	1	574	16	3	77	3	37	-10	-2	2	1	4.5	130	6090	2.26	0.06	0.29	4.98	1120	1	21	0.04
5129	-5	-0.2	47	1	58	10	2	4	16	165	-10	-2	2	1	-0.5	30	345	6.39	0.04	0.47	3.44	820	4	11	0.12
5130	-5	-0.2	70	-1	78	-14	3	3	21	181	-10	4	-2	1	-0.5	30	340	6.87	0.03	0.52	4.18	670	6	13	0.15
5131	-5	-0.2	95	2	86	16	3	6	20	162	-10	4	-2	1	-0.5	40	495	7.18	0.03	0.60	5.33	1260	7	17	0.16
5132	-5	-0.2	44	-1	56	8	1	4	5	116	-10	2	2	-1	-0.5	40	300	5.26	0.06	0.58	4.84	420	6	22	0.06
5133	-5	-0.2	69	1	198	15	4	16	16	109	-10	8	-2	-1	-0.5	80	635	6.16	0.03	0.37	7.66	910	7	14	0.16
5134	-5	-0.2	60	-1	66	10	3	9	14	198	-10	2	-2	-1	-0.5	30	465	6.68	0.02	0.47	4.02	810	7	30	0.19
5135	-5	-0.2	94	1	136	12	6	8	22	114	-10	15	-2	-1	-0.5	40	570	5.89	0.04	0.88	6.77	1320	10	9	0.12
5136	50	2	183	2	148	22	3	30	19	136	-10	14	2	2	-0.5	70	3080	7.78	0.03	0.37	7.53	1490	7	17	0.13
5137	-5	1.4	103	-1	66	8	2	23	20	86	-10	48	-2	-1	-0.5	100	1800	7.73	0.20	0.27	6.03	1890	9	3	0.03
5138	30	0.4	262	-1	140	22	4	6	10	123	-10	12	-2	1	-0.5	80	730	8.14	0.04	1.19	6.66	740	7	15	0.16
5139	-5	-0.2	81	2	46	10	1	4	8	161	-10	8	-2	-1	-0.5	30	365	6.62	0.03	0.39	3.87	980	4	22	0.24
5140	-5	-0.2	544	2	184	16	5	12	17	135	-10	6	2	1	-0.5	80	735	8.02	0.06	0.99	8.25	1030	9	23	0.16
5141	-5	-0.2	139	-1	58	8	2	10	7	119	-10	6	-2	2	-0.5	90	880	6.89	0.06	0.74	6.27	610	8	23	0.09
5142	-5	0.2	132	3	28	26	1	1	8	117	-10	2	-2	-1	-0.5	60	195	7.34	0.04	0.25	4.06	1050	4	9	0.04
5143	-5	-0.2	57	1	56	18	1	6	14	203	-10	6	-2	1	-0.5	60	460	7.07	0.03	0.50	5.04	540	11	27	0.22
5144	-5	-0.2	36	-1	42	4	3	4	23	199	-10	4	-2	-1	-0.5	30	190	6.89	0.01	0.37	5.02	510	6	9	0.17
5145	-5	-0.2	44	-1	74	4	4	6	32	163	-10	4	4	1	-0.5	30	160	6.19	0.02	0.33	8.37	580	8	8	0.13
5146	-5	0.2	119	-1	82	8	2	6	21	186	-10	4	6	-1	-0.5	40	240	6.71	0.02	0.28	7.96	780	10	18	0.18
5147	-5	0.2	35	1	30	8	1	1	9	136	-10	8	2	-1	-0.5	40	155	5.91	0.02	0.30	4.07	600	5	9	0.07
5148	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999
5149	-5	-0.2	52	1	94	14	2	9	7	182	-10	18	-2	-1	-0.5	40	445	6.97	0.02	0.57	5.11	360	6	31	0.27
5150	-5	-0.2	92	1	142	14	6	9	21	170	-10	8	2	-1	-0.5	50	445	6.78	0.03	0.75	6.00	380	9	22	0.19
5151	-5	-0.2	44	-1	116	12	1	4	11	147	-10	2	-2	-1	-0.5	40	285	5.43	0.02	0.35	3.87	420	6	27	0.18
5152	-5	-0.2	145	1	128	16	5	9	21	192	-10	14	-2	1	-0.5	30	530	7.53	0.03	0.68	6.38	830	10	25	0.25
5153	-5	-0.2	51	1	74	6	2	4	12	216	-10	4	4	1	-0.5	20	330	6.77	0.01	0.36	4.06	270	4	30	0.22
5154	-5	0.2	96	1	134	14	2	4	15	212	-10	-2	2	-1	-0.5	50	250	7.61	0.02	0.33	7.25	540	6	15	0.22
5																									

1995 ANALYTICAL RESULTS
 ARNEX RESOURCES LTD. PROJECT JAS
 C:\JAS\GC95\A9527434.WK1

SAMPLE NO.	Au ppb	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Pb ppm	Ni ppm	Co ppm	Cr ppm	V ppm	W ppm	As ppm	Sb ppm	Hg ppm	Cd ppm	Ba ppm	Mn ppm	Fe %	K %	Mg %	Al %	P ppm	Sc ppm	Br ppm	Tl %
5166	-5	-0.2	83	-1	110	12	4	11	20	190	-10	14	-2	-1	-0.5	40	935	7.27	0.02	0.61	7.12	1110	10	21	0.25
5167	-5	-0.2	124	-1	114	8	7	14	23	217	-10	2	1	-0.5	40	850	7.73	0.04	0.62	6.37	810	12	29	0.27	
5168	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	
5169	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	
5170	-5	0.4	244	1	226	48	7	60	16	185	-10	8	-2	-1	0.5	140	1255	8.76	0.03	0.33	6.34	1150	10	16	0.15
5171	-5	0.6	158	1	238	32	4	8	16	183	-10	6	2	-1	-0.5	80	880	8.90	0.03	0.73	7.04	840	8	12	0.16
5172	-5	0.2	76	1	130	22	3	6	14	136	-10	6	-2	-1	-0.5	50	535	5.71	0.04	0.44	6.10	1010	9	11	0.13
5173	-5	0.2	38	-1	138	20	1	3	10	171	-10	2	-2	-1	-0.5	70	420	7.17	0.03	0.40	4.84	640	8	16	0.15
5174	-5	0.4	138	1	134	18	2	4	16	149	-10	6	-2	1	-0.5	60	580	8.88	0.03	0.44	5.91	1520	8	16	0.12
5175	-5	-0.2	84	-1	104	14	3	8	16	144	-10	6	2	1	-0.5	40	990	5.98	0.03	0.48	5.07	1180	7	17	0.16
5176	15	-0.2	91	-1	140	14	5	9	19	181	-10	8	2	-1	-0.5	40	460	5.97	0.03	0.64	5.66	800	13	25	0.21
5177	-5	-0.2	100	-1	108	8	4	9	21	159	-10	8	-2	1	-0.5	30	545	6.35	0.03	0.75	6.77	1290	16	18	0.21
5178	-5	0.4	278	1	180	24	3	9	14	148	-10	8	-2	-1	-0.5	70	450	6.84	0.04	0.46	6.02	790	8	20	0.12
5179	15	0.2	87	1	134	20	2	3	13	106	-10	12	-2	-1	-0.5	60	345	5.79	0.04	0.41	7.50	1170	8	12	0.09
5180	-5	-0.2	37	-1	54	20	1	2	11	155	-10	6	-2	-1	-0.5	40	230	5.82	0.02	0.27	3.79	810	4	9	0.10
5181	-5	-0.2	27	1	94	20	1	2	13	149	-10	4	-2	-1	-0.5	30	180	5.83	0.01	0.24	3.83	440	6	10	0.10
5182	-5	-0.2	47	1	70	14	4	6	16	180	-10	2	-2	-1	-0.5	60	305	5.79	0.04	0.58	4.85	480	7	11	0.14
5183	-5	-0.2	56	-1	80	14	5	6	17	185	-10	10	-2	-1	-0.5	60	335	6.13	0.04	0.61	5.96	680	10	14	0.19
5184	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	-999	
5185	-5	0.2	20	-1	56	10	3	4	12	107	-10	6	-2	-1	-0.5	40	180	5.94	0.03	0.36	5.41	1200	4	6	0.06
5186	-5	0.2	17	-1	54	10	2	3	12	107	-10	6	-2	1	-0.5	40	185	5.76	0.03	0.34	4.85	1100	3	6	0.07
5188	-5	0.2	68	1	84	8	4	55	-1	57	-10	18	-2	1	1.0	230	6360	15.00	0.03	0.20	6.88	710	3	14	0.03
5187	-5	-0.2	15	-1	50	10	2	4	13	87	-10	6	-2	-1	-0.5	30	240	5.32	0.02	0.29	5.45	1510	3	3	0.06
5188	10	-0.2	46	1	84	14	9	12	17	97	-10	12	4	-1	-0.5	100	765	4.63	0.06	1.11	4.45	1520	6	6	0.06
5189	-5	0.8	58	-1	82	6	7	21	13	57	-10	4	-2	-1	-0.5	210	895	5.51	0.17	0.77	3.61	990	3	6	-0.01
5190	-5	-0.2	66	-1	194	22	7	12	21	155	-10	4	-2	-1	-0.5	160	470	6.42	0.05	0.64	5.02	440	9	10	0.06
5191	-5	-0.2	9	-1	64	12	1	2	8	38	-10	10	-2	-1	-0.5	40	420	3.76	0.03	0.21	7.59	2110	2	2	0.03
5192	-5	-0.2	10	-1	52	14	1	5	4	28	-10	4	-2	-1	-0.5	420	1240	1.89	0.12	0.56	2.15	1070	1	32	0.03
5193	-5	-0.2	7	-1	58	8	1	3	5	42	-10	6	-2	-1	-0.5	80	180	3.20	0.03	0.36	3.68	880	2	4	0.03
5194	-5	-0.2	8	-1	68	16	1	3	4	20	-10	2	-2	-1	1.0	470	1420	1.42	0.19	1.18	2.05	1820	1	46	0.01
5195	-5	-0.2	20	1	68	10	3	6	12	119	-10	6	-2	-1	-0.5	70	400	4.63	0.02	0.39	3.80	800	3	8	0.06
5196	-5	0.2	81	1	182	20	4	7	13	107	-10	4	2	1	-0.5	100	280	5.42	0.04	0.62	6.62	1010	7	14	0.06
5197	-5	-0.2	332	3	194	28	4	11	14	120	-10	14	2	-1	-0.5	110	535	6.15	0.06	0.69	5.56	730	6	14	0.02
5198	-5	-0.2	72	1	84	8	3	7	9	108	-10	4	2	-1	-0.5	60	400	4.65	0.06	0.70	4.33	610	8	21	0.01
5199	-5	-0.2	38	1	98	6	5	11	18	154	-10	2	-2	1	-0.5	100	470	5.95	0.05	0.86	5.54	680	8	13	0.06
5200	-5	-0.2	40	-1	326	36	3	10	8	49	-10	8	2	-1	-0.5	300	2080	1.97	0.12	0.72	2.75	1670	2	56	0.02
5201	-5	0.2	141	1	182	16	6	11	15	148	-10	2	-2	-1	-0.5	80	685	5.99	0.05	0.77	6.54	920	7	17	0.12
5202	-5	-0.2	28	-1	56	14	3	3	8	131	-10	8	-2	-1	-0.5	50	250	5.58	0.02	0.40	3.04	510	4	14	0.12
5203	-5	-0.2	220	1	148	96	2	8	9	137	-10	4	-2	-1	-0.5	90	400	6.08	0.03	0.41	4.32	800	5	15	0.09
5204	-5	-0.2	128	-1	142	34	4	7	14	150	-10	12	-2	1	-0.5	60	715	6.24	0.04	0.76	6.06	1140	8	18	0.13
5206	-5	-0.2	413	2	232	108	7	18	17	146	-10	12	2	-1	-0.5	110	1430	8.68	0.12	1.08	9.92	1330	11	27	0.13
5207	-5	0.2	110	1	378	56	3	8	16	152	-10	16	-2	1	-0.5	60	435	8.99	0.04	0.58	7.61	1580	7	12	0.15
5208	-5	0.4	96	-1	148	28	3	7	18	156	-10	14	-2	-1	-0.5	50	330	6.21	0.04	0.74	8.45	900	8	9	0.12
5209	-5	-0.2	76	1	116	28	3	6	13	141	-10	2	-2	-1	-0.5	60	380	5.37	0.02	0.49	4.49	730	6	16	0.13
5210	-5	-0.2	82	1	152	30	3	8	6	127	-10	8	-2	1	-0.5	90	365	6.23	0.04	0.61	5.14	880	7	9	0.05
5211	-5	-0.2	51	-1	232	18	3	7	17	147	-10	8	-2	-1	-0.5	60	400	5.78	0.04	0.72	5.90	710	7	9	0.09
5212	-5	-0.2	157	2	208	34	10	21	15	112	-10	10	2	-1	-0.5	140	1260	5.28	0.06	1.27	4.92	1020	9	15	0.14
5213	-5	-0.2	30	1	42	16	2	3	12	171	-10	12	2	1	-0.5	40	285	5.91	0.06	0.45	2.95	840	4	12	0.08
5214	-5	-0.2	206	2	38	14	2	2	8	50	-10	12	2	1	-0.5	70	885	4.42	0.06	0.46	2.94	1880	2	6	-0.01
5215	-5	-0.2	139	2	106	14	4	11	17	152	-10	8	-2	1	-0.5	80	1245	7.28	0.04	0.97	4.62	1120	7	11	0.07
5216	-5	-0.2	71	1	136	18	3	6	17	152	-10	6	-2	-1	-0.5	70	580	5.47	0.02	0.56	3.95	810	6	13	0.10
5217	-5	-0.2	105	-1	212	16	4	6	20	170	-10	6	-2	1	-0.5	40	615	5.60	0.03	0.63	5.55	820	8	14	0.16
5218	-5	0.2	157	-1	182	18	4	7	17	127	-10	12	-2	1	-0.5	30	805	5.48	0.04	0.74	7.08	1340	8	9	0.10
5219	-5	0.2	58	-1	114	14	4	9	17	181	-10	6	-2	-1	-0.5	40	515	8.44	0.04	0.65	4.53	820	9	17	0.12
5220	-5	0.4	73	1	178	12	6	9	20	132	-10	2	-2	1	-0.5	60	480	5.57	0.06						

1995 ANALYTICAL RESULTS
 ARNEX RESOURCES LTD. PROJECT JAS
 C:\JASGC\95\A9527434.WK1

SAMPLE NO.	Au ppb	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Pb ppm	Ni ppm	Co ppm	Cr ppm	V ppm	W ppm	As ppm	Sb ppm	Hg ppm	Cd ppm	Ba ppm	Mn ppm	Fe %	K %	Mg %	Al %	P ppm	Sc ppm	Sr ppm	Tl %
5231	-5	0.6	61	1	102	20	1	3	13	181	-10	8	-2	1	-0.5	60	605	6.84	0.07	0.48	6.29	720	11	15	0.10
5232	-5	0.6	190	-1	186	24	2	5	14	149	-10	16	-2	2	-0.5	60	645	6.52	0.04	0.61	6.31	1330	12	17	0.11
5233	-5	0.4	182	1	270	16	6	7	17	133	-10	12	-2	1	-0.5	120	620	6.69	0.06	1.02	7.91	1330	13	12	0.06
5234	30	0.4	147	1	134	20	6	9	15	176	-10	12	-2	1	-0.5	250	910	7.72	0.18	1.88	5.04	1280	15	41	0.20
5235	-5	0.6	237	1	136	16	7	10	18	169	-10	16	-2	1	-0.5	70	360	6.35	0.04	0.89	7.08	810	11	21	0.14
5236	-5	1.4	741	1	124	14	7	10	14	136	-10	6	-2	-1	-0.5	90	390	5.53	0.03	0.86	6.63	700	10	29	0.15
5237	120	0.4	103	-1	146	22	6	16	18	146	-10	12	-2	1	-0.5	120	860	5.85	0.10	1.51	2.64	800	10	33	0.18
5238	140	-0.2	70	-1	128	12	10	19	24	187	-10	10	-2	1	-0.5	100	840	5.83	0.09	1.43	2.64	670	10	82	0.21
5239	-5	0.2	96	-1	146	14	10	21	23	161	-10	10	-2	2	-0.5	130	860	6.22	0.08	1.71	3.03	710	10	57	0.20
5240	-5	0.4	154	2	114	6	10	23	16	140	-10	16	-2	1	-0.5	120	940	7.20	0.04	1.97	4.21	980	10	87	0.20
5241	-5	-0.2	89	1	78	8	8	11	13	116	-10	4	-2	1	-0.5	140	660	5.29	0.04	1.49	3.73	920	9	40	0.14
5242	-5	0.2	48	-1	62	8	5	7	12	139	-10	6	-2	-1	-0.5	60	480	5.20	0.03	1.11	2.90	530	7	28	0.14
5243	-5	-0.2	65	3	40	10	5	41	13	85	-10	12	-2	-1	-0.5	30	755	4.90	0.02	0.61	7.74	1770	10	16	0.15
5244	-5	-0.2	97	2	46	4	6	24	14	102	-10	8	-2	-1	-0.5	30	825	5.25	0.02	0.64	7.24	1820	11	17	0.13
5800	-5	-0.2	679	2	196	20	2	59	3	17	-10	4	-2	-1	2.0	60	4020	1.89	0.11	0.10	6.66	680	2	11	0.01
5801	-5	0.2	52	-1	114	8	4	6	17	130	-10	4	-2	-1	-0.5	40	525	4.58	0.08	0.36	5.98	1150	9	14	0.16
5802	375	-0.2	77	-1	80	6	19	22	46	194	-10	8	-2	-1	-0.5	80	875	6.65	0.10	1.42	2.98	950	12	48	0.21
5803	40	0.2	81	-1	84	6	12	20	27	256	-10	2	-2	1	-0.5	120	910	7.11	0.09	1.71	3.30	730	15	44	0.22
5804	30	0.2	126	-1	226	26	8	20	19	147	-10	6	-2	-1	0.5	140	1030	6.18	0.10	1.28	3.38	590	10	85	0.20
5805	10	-0.2	138	1	530	52	4	16	7	97	-10	12	-2	-1	1.5	190	1910	4.60	0.14	1.55	3.37	820	9	55	0.15
5806	-5	-0.2	45	-1	85	16	4	8	9	76	-10	-2	-2	1	-0.5	130	1120	2.58	0.28	0.43	2.84	1180	4	44	0.06
5807	-5	-0.2	50	-1	78	14	5	9	9	63	-10	-2	-2	-1	-0.5	130	990	2.03	0.14	0.41	2.54	1020	4	42	0.06
5808	-5	0.2	88	-1	230	22	4	7	7	47	-10	-2	-2	-1	3.0	370	1150	1.88	0.18	0.38	2.44	1170	2	52	0.04
5809	-5	0.2	153	1	872	18	8	23	12	71	-10	8	-2	1	3.5	250	1345	3.30	0.10	0.72	3.44	920	6	37	0.07
5810	-5	0.2	71	3	170	26	6	15	17	151	-10	8	-2	-1	-0.5	70	340	5.23	0.04	0.27	8.79	940	12	10	0.13
5811	-5	-0.2	38	-1	92	8	7	14	15	133	-10	8	-2	1	-0.5	130	1025	4.58	0.13	1.32	3.63	810	9	28	0.14
5812	-5	0.4	406	2	488	22	6	80	6	54	-10	10	-2	-1	4.0	100	3300	3.18	0.19	0.47	4.75	1080	4	35	0.07
5813	-5	-0.2	133	1	164	14	4	16	8	48	-10	6	-2	-1	0.5	230	1875	1.67	0.11	0.44	2.77	1140	2	64	0.05
5814	-5	-0.2	97	1	98	22	7	14	12	74	-10	6	-2	-1	0.5	210	1260	2.47	0.14	0.89	2.28	1020	4	48	0.10
5815	-5	0.2	47	-1	114	14	6	14	18	129	-10	2	-2	-1	0.5	100	1150	3.49	0.11	1.32	3.08	1080	9	45	0.14
5816	10	0.2	365	2	516	28	12	54	9	69	-10	30	-2	1	2.0	180	2580	6.58	0.15	0.83	4.71	1090	8	28	0.14
5817	25	0.2	812	3	830	24	10	46	10	105	-10	24	2	1	3.0	150	1490	5.47	0.13	1.48	3.92	1010	9	56	0.13
5818	15	0.4	187	1	220	14	7	34	10	101	-10	10	-2	1	1.0	140	1580	4.41	0.11	0.98	3.77	920	8	47	0.13
5819	-5	0.4	195	1	422	18	9	36	14	118	-10	8	-2	2	2.0	170	1700	5.70	0.11	1.31	3.81	820	9	61	0.17
5820	-5	0.4	371	3	232	12	20	175	11	144	-10	20	-2	1	0.5	110	2800	9.25	0.10	2.11	5.09	1440	12	71	0.19
5821	-5	-0.2	150	1	208	18	10	17	13	84	-10	8	-2	-1	1.0	200	1250	3.63	0.15	0.89	2.70	880	6	58	0.09
5822	-5	0.2	70	1	624	16	7	34	9	92	-10	6	-2	1	2.0	280	2640	4.23	0.08	0.64	3.41	1070	8	37	0.12
5823	-5	0.4	92	-1	92	8	11	23	23	199	-10	6	-2	2	-0.5	210	1050	7.21	0.10	1.36	3.49	920	11	68	0.26
5824	-5	-0.2	62	-1	70	6	18	17	26	114	-10	2	-2	-1	-0.5	210	885	4.81	0.17	1.32	2.60	1140	9	46	0.10
5825	-5	0.4	308	-1	50	8	6	9	9	46	-10	2	-2	-1	0.5	740	410	1.41	0.41	0.40	1.07	2730	-1	52	0.01
5826	-5	-0.2	169	1	130	14	11	25	16	124	-10	12	-2	-1	-0.5	140	950	5.69	0.08	1.60	3.16	980	10	66	0.19
5827	-5	-0.2	355	3	246	44	9	30	10	104	-10	10	-2	-1	-0.5	100	1375	6.67	0.06	1.20	5.44	1130	10	51	0.13
5828	-5	1.2	689	2	738	686	10	43	7	49	-10	10	-2	-1	7.5	270	2790	2.87	0.15	0.79	3.53	1380	4	48	0.07
5829	105	0.2	249	2	380	48	12	32	10	93	-10	20	-2	1	0.5	240	1980	6.44	0.15	1.81	4.08	830	8	31	0.06

1995 ANALYTICAL RESULTS
 ARNEX RESOURCES LTD. PROJECT JAS
 C:\JASGC95\A9527432.WK1

SAMPLE NO.	Au ppb	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Pb ppm	Ni ppm	Co ppm	Cr ppm	V ppm	W ppm	As ppm
95100	110	71	50000	10	115	75	5	110	20	40	-20	40
95104	20	1	265	-5	105	5	20	15	30	20	-20	-10
95106	25	1	670	-5	200	40	15	20	60	40	-20	20
95107	70	4	3410	40	50000	15	20	45	20	80	60	20
95109	30	1	225	5	375	10	5	45	30	120	-20	10
95111	10	-1	40	-5	115	15	10	25	50	-20	-20	10
95112	-5	-1	75	-5	15	5	20	20	120	-20	-20	10
95115	15	-1	175	5	530	75	5	20	180	-20	-20	20
95116	15	26	22900	-5	50000	50000	10	10	20	40	480	70
95117	35	3	1665	5	50000	3320	10	20	10	40	360	30
95119	115	11	3050	-5	50000	28600	10	10	60	20	300	70
95120	120	6	5150	5	50000	1015	10	15	80	40	80	20
95121	100	18	25400	5	50000	1180	5	20	60	20	120	20
95122	175	15	9890	-5	50000	1170	10	20	30	40	160	30
95123	25	55	50000	-5	50000	18140	15	15	50	-20	440	40
95124	45	3	1345	130	935	125	-5	45	10	40	-20	90
95127	190	-1	75	65	495	335	-5	5	40	-20	-20	30

SAMPLE NO.	Hg ppm	Cd ppm	Ba ppm	Mn ppm	Fe %	K %	Mg %	Al %	P ppm	Sc ppm	Sr ppm	Ti %
95100	-10	-5	320	640	29.50	0.08	1.65	2.10	400	-5	10	0.01
95104	-10	-5	780	1310	15.35	0.32	1.08	1.89	800	-5	35	0.10
95106	-10	-5	380	450	17.50	0.18	0.99	1.11	400	-5	20	0.16
95107	80	280	380	1970	9.86	0.23	2.60	2.83	1000	5	45	0.10
95109	-10	-5	580	2700	18.95	0.34	2.15	3.04	300	5	20	0.18
95111	-10	-5	460	30	8.65	0.17	0.06	0.27	100	-5	10	0.04
95112	-10	-5	520	60	5.47	0.31	0.04	0.52	900	-5	20	-0.01
95115	-10	-5	640	280	9.22	0.21	0.26	0.59	100	-5	20	0.06
95116	20	1000	460	7140	9.24	0.07	1.41	1.55	600	-5	25	-0.01
95117	20	1000	260	2510	9.46	0.22	1.75	2.42	1000	-5	5	0.01
95119	20	905	320	1160	8.58	0.24	0.51	0.86	600	-5	10	-0.01
95120	20	355	260	1900	14.45	0.39	1.25	1.98	800	-5	5	0.04
95121	30	535	820	680	9.86	0.29	0.49	0.87	700	-5	15	0.02
95122	40	435	460	2250	16.15	0.29	1.32	2.06	800	5	10	0.07
95123	70	850	400	250	17.05	0.18	0.12	0.29	700	-5	10	0.01
95124	-10	-5	580	2340	10.95	0.10	4.47	4.98	400	-5	5	-0.01
95127	-10	-5	120	1740	2.85	0.45	1.94	2.56	600	-5	5	-0.01

1995 ANALYTICAL RESULTS
 ARNEX RESOURCES LTD. PROJECT JAS
 C:\JASGC95\A9527433.WK1

SAMPLE NO.	Au ppb	Ag ppm	Cu ppm	Mo ppm	Zn ppm	Pb ppm	Ni ppm	Co ppm	Cr ppm	V ppm	W ppm	As ppm	Sb ppm	Hg ppm	Cd ppm	Be ppm	Ba ppm
95101	175	-0.2	47	8	128	18	7	14	134	48	-10	30	-2	-1	-0.5	-2	30
95102	.5	3	10000	.1	80	2	2	12	87	45	-10	12	-2	-1	-0.5	-8888	-10
95103	115	2	48	19	34	30	2	36	97	22	-10	6	-2	1	-0.5	2	-10
95105	.5	-0.2	22	-1	40	6	2	4	115	37	-10	56	-2	-1	-0.5	-2	100
95108	15	0.4	64	32	398	6	10	20	93	109	-10	6	-2	1	1.5	-2	40
95110	.5	-0.2	47	3	50	2	9	8	175	60	-10	20	-2	-1	-0.5	2	140
95113	.5	-0.2	6	1	24	-2	26	21	118	67	-10	4	-2	-1	-0.5	-2	110
95114	.5	0.6	4020	21	92	6	7	30	204	58	-10	50	2	-1	-0.5	2	20
95118	15	0.2	52	2	288	30	5	12	27	55	-10	4	2	-1	1.5	-2	60
95125	45	0.6	34	23	344	62	1	7	121	15	-10	58	-2	-1	4.5	-2	100
95126	370	0.6	11	56	310	146	-1	4	88	12	-10	22	2	-1	3	-2	130
95128	.5	-0.2	46	1	60	22	11	14	96	75	-10	10	-2	-1	-0.5	-2	40


SAMPLE NO.	Mn ppm	Fe %	K %	Ca %	Mg %	Tl ppm	Al %	Be ppm	Ga ppm	La ppm	Na %	P ppm	Sc ppm	Sr ppm	Ti %	U ppm	U ppm
95101	945	5.78	0.26	0.24	1.32	-10	2.03	-0.5	-10	-10	-0.01	600	3	12	0.05	-10	-10
95102	715	12.55	0.38	0.53	0.81	-10	1.88	-0.5	-10	-10	0.03	1100	4	23	0.17	-10	-10
95103	40	15	0.43	0.02	0.06	-10	0.83	-0.5	-10	-10	-0.01	170	1	1	0.01	-10	-10
95105	880	2.69	0.34	0.07	0.55	-10	1.41	-0.5	-10	-10	-0.01	680	3	3	0.04	-10	-10
95108	1270	6.11	0.23	0.65	2.12	-10	2.79	-0.5	-10	-10	-0.01	770	8	41	0.24	-10	-10
95110	415	4.66	0.34	0.44	1.04	-10	1.95	-0.5	-10	-10	0.01	800	6	32	0.09	-10	-10
95113	640	3.89	0.15	1.32	1.58	-10	2.79	-0.5	-10	-10	0.03	1110	6	111	0.16	-10	-10
95114	1170	7.65	0.18	0.1	1.61	-10	2.26	-0.5	-10	-10	-0.01	410	3	6	0.01	-10	-10
95118	1040	5.97	0.33	0.13	1.17	-10	1.92	-0.5	-10	-10	0.01	1190	4	3	0.01	-10	-10
95125	1745	3.83	0.2	0.16	2.76	-10	3.08	-0.5	-10	-10	0.01	580	-1	2	-0.01	-10	-10
95126	2170	2.93	0.26	0.18	2.26	-10	2.49	-0.5	-10	-10	0.02	680	-1	3	-0.01	-10	-10
95128	780	4.94	0.23	0.61	1.38	-10	1.65	-0.5	-10	-10	0.04	1000	7	13	0.23	-10	-10

1995 ANALYTICAL RESULTS
 OVERLIMIT ASSAYS
 ARNEX RESOURCES LTD. PROJECT JAS
 C:\JASGC95\A9529226.WK1

SAMPLE NO.	Cu %	Zn %	Pb %	WIDTH M
95102	2.11	-	-	0.04
95100	13.30	-	-	0.30
95107	-	7.88	-	0.30
95116	2.13	22.30	17.20	1.86
95117	-	18.00	-	0.45
95119	0.29	16.20	2.65	0.25
95120	-	6.76	-	0.50
95121	2.50	9.90	0.13	0.86
95122	7.12	19.30	1.81	0.50
95123	1.00	11.00	0.12	0.63

WEIGHTED INTERVAL - PAN ROAD SHOWING

SAMPLE NO.	Cu %	Zn %	Pb %	WIDTH M	Cu %*M	Zn %*M	Pb %*M
95121	2.50	9.90	0.13	0.86	2.15	8.51	0.11
95122	7.12	19.30	1.81	0.50	6.12	16.60	1.56
95123	1.00	11.00	0.12	0.63	0.86	9.46	0.10
SUM %*M				1.99	9.13	34.57	1.77
SUM/WIDTH %					4.59	17.37	0.89



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

A9527434

Comments: ATTN: A. O. BIRKELAND

CERTIFICATE

A9527434

(AN) - ARNEX RESOURCES LIMITED

Project: JAS
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 18-SEP-95.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	173	Dry, sieve to -80 mesh
202	173	save reject
229	173	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	173	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	173	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	173	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	173	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	173	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	173	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	173	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	173	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	173	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	173	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	173	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	173	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	173	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	173	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	173	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	173	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	173	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	173	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	173	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	173	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	173	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	173	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	173	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	173	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	173	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	173	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	173	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	173	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	173	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	173	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	173	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	173	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	173	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project: JAS
 Comments: ATTN: A. O. BIRKELAND


Page Number : 1-A
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : I9527434
 P.O. Number :
 Account : AN

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5100	201 202		< 5	0.2	5.53	8	20	< 0.5	< 2	0.08	0.5	4	31	581	9.54	10	< 1	0.03	< 10	0.69	370
SX5101	201 202		< 5	< 0.2	2.92	< 2	20	< 0.5	< 2	0.10	< 0.5	4	20	15	6.43	10	< 1	0.02	< 10	0.39	270
SX5102	201 202		< 5	< 0.2	8.79	< 2	40	< 0.5	< 2	0.03	< 0.5	1	7	7	3.52	< 10	< 1	0.02	10	0.16	85
SX5103	201 202		< 5	0.2	4.98	8	80	< 0.5	< 2	0.16	< 0.5	8	17	154	6.35	< 10	< 1	0.06	< 10	1.02	725
SX5104	201 202		< 5	< 0.2	5.52	4	100	< 0.5	< 2	0.15	< 0.5	6	13	237	7.59	< 10	1	0.04	< 10	0.82	560
SX5105	201 202		< 5	< 0.2	4.35	4	50	< 0.5	< 2	0.16	< 0.5	3	14	39	6.38	10	1	0.01	< 10	0.16	185
SX5106	201 202		< 5	< 0.2	4.37	6	40	< 0.5	< 2	0.17	< 0.5	4	16	41	6.53	10	< 1	0.02	< 10	0.45	335
SX5107	201 202		< 5	0.2	5.99	6	110	< 0.5	< 2	0.20	< 0.5	9	18	80	5.33	< 10	< 1	0.04	< 10	0.50	480
SX5108	201 202		< 5	1.6	4.95	26	60	< 0.5	< 2	0.13	< 0.5	18	50	100	8.15	10	< 1	0.03	< 10	0.97	1725
SX5109	201 202		< 5	< 0.2	4.97	< 2	20	< 0.5	< 2	0.06	< 0.5	7	24	85	7.27	10	1	0.02	< 10	0.93	325
SX5110	201 202		< 5	< 0.2	5.40	6	30	< 0.5	< 2	0.11	< 0.5	7	30	32	6.87	10	< 1	0.02	< 10	0.56	245
SX5111	201 202		< 5	0.2	5.90	14	40	< 0.5	< 2	0.16	< 0.5	4	19	110	6.88	10	< 1	0.04	< 10	0.46	370
SX5112	201 202		< 5	0.2	4.74	6	40	< 0.5	< 2	0.14	0.5	8	14	83	5.49	10	< 1	0.02	< 10	0.43	450
SX5113	201 202		< 5	< 0.2	8.43	14	70	< 0.5	< 2	0.07	< 0.5	4	12	106	9.98	< 10	< 1	0.04	< 10	0.65	465
SX5114	201 202		< 5	< 0.2	4.23	4	50	< 0.5	< 2	0.12	< 0.5	4	12	54	6.83	< 10	< 1	0.03	< 10	0.42	525
SX5115	201 202		< 5	0.4	5.39	6	90	< 0.5	< 2	0.09	1.0	8	15	103	5.68	< 10	< 1	0.04	< 10	0.51	345
SX5116	201 202		15	0.2	3.75	4	40	< 0.5	< 2	0.07	< 0.5	1	8	29	6.31	< 10	2	0.03	< 10	0.17	145
SX5117	201 202		< 5	< 0.2	2.95	6	50	< 0.5	< 2	0.12	< 0.5	2	7	25	5.47	< 10	< 1	0.04	< 10	0.29	195
SX5118	201 202		< 5	0.2	3.51	8	60	< 0.5	< 2	0.14	< 0.5	3	12	37	6.03	10	< 1	0.02	< 10	0.36	270
SX5119	201 202		< 5	< 0.2	2.27	8	30	< 0.5	< 2	0.07	< 0.5	2	19	114	7.80	10	< 1	0.02	< 10	0.31	220
SX5120	201 202		< 5	< 0.2	7.02	2	80	0.5	< 2	0.29	4.0	38	3	810	2.58	< 10	< 1	0.15	< 10	0.21	3360
SX5121	201 202		< 5	< 0.2	6.14	6	40	< 0.5	< 2	0.21	< 0.5	10	10	62	7.75	10	< 1	0.03	< 10	1.97	785
SX5122	201 202		< 5	< 0.2	3.49	< 2	70	< 0.5	< 2	0.13	< 0.5	5	20	13	5.03	10	1	0.02	< 10	0.51	480
SX5123	201 202		< 5	< 0.2	6.14	6	30	< 0.5	< 2	0.11	< 0.5	6	31	31	7.98	10	< 1	0.04	< 10	0.87	340
SX5124	201 202		25	0.2	6.65	6	110	< 0.5	< 2	0.06	< 0.5	1	6	114	9.98	< 10	< 1	0.08	< 10	0.23	270
SX5125	201 202		< 5	0.2	6.79	4	40	< 0.5	< 2	0.12	< 0.5	2	16	66	6.47	10	1	0.03	< 10	0.35	210
SX5126	201 202		10	0.6	6.80	6	50	< 0.5	< 2	0.09	< 0.5	2	10	45	7.38	10	< 1	0.03	< 10	0.31	170
SX5127	201 202		< 5	< 0.2	4.34	6	40	< 0.5	< 2	0.26	< 0.5	4	12	33	6.13	10	< 1	0.02	< 10	0.38	305
SX5128	201 202		< 5	< 0.2	4.98	< 2	130	0.5	< 2	0.33	4.5	77	3	527	2.28	< 10	1	0.06	< 10	0.29	6090
SX5129	201 202		< 5	< 0.2	3.44	< 2	30	< 0.5	< 2	0.11	< 0.5	4	16	47	6.39	10	< 1	0.04	< 10	0.47	345
SX5130	201 202		< 5	< 0.2	4.18	4	30	< 0.5	< 2	0.13	< 0.5	3	21	70	6.87	10	1	0.03	< 10	0.52	340
SX5131	201 202		< 5	< 0.2	5.33	4	40	< 0.5	< 2	0.17	< 0.5	6	20	95	7.18	< 10	1	0.03	< 10	0.60	495
SX5132	201 202		< 5	< 0.2	4.84	2	40	< 0.5	< 2	0.21	< 0.5	4	5	44	5.26	< 10	< 1	0.05	< 10	0.55	300
SX5133	201 202		< 5	< 0.2	7.66	8	90	0.5	< 2	0.14	< 0.5	18	16	69	6.16	< 10	< 1	0.03	< 10	0.37	635
SX5134	201 202		< 5	< 0.2	4.02	2	30	< 0.5	< 2	0.30	< 0.5	9	14	60	6.68	10	< 1	0.02	< 10	0.47	465
SX5135	201 202		< 5	< 0.2	9.77	16	40	< 0.5	< 2	0.09	< 0.5	8	22	94	5.99	< 10	< 1	0.04	< 10	0.88	570
SX5136	201 202		50	2.0	7.53	14	70	< 0.5	< 2	0.16	< 0.5	30	19	183	7.78	< 10	2	0.03	< 10	0.37	3080
SX5137	201 202		< 5	1.4	6.03	48	100	< 0.5	< 2	0.02	< 0.5	23	20	103	7.73	< 10	< 1	0.20	10	0.27	1930
SX5138	201 202		30	0.4	5.66	12	60	< 0.5	< 2	0.12	< 0.5	6	19	262	8.14	< 10	1	0.04	< 10	1.19	730
SX5139	201 202		< 5	< 0.2	3.87	8	30	< 0.5	< 2	0.17	< 0.5	4	8	81	6.52	< 10	< 1	0.03	< 10	0.39	365

CERTIFICATION: *Mark Bachelor*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 1-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN


Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Tl	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SX5100	201	202	1 < 0.01	4	1330	54	< 2	6	10	0.14	< 10	< 10	183	< 10	164	
SX5101	201	202	< 1 < 0.01	3	660	6	< 2	5	10	0.15	< 10	< 10	211	< 10	28	
SX5102	201	202	< 1 < 0.01	1	790	4	< 2	2	2	0.05	< 10	< 10	35	< 10	38	
SX5103	201	202	3 < 0.01	4	710	32	< 2	6	16	0.12	< 10	< 10	135	< 10	248	
SX5104	201	202	3 < 0.01	2	1020	10	< 2	7	15	0.09	< 10	< 10	119	< 10	114	
SX5105	201	202	< 1 < 0.01	2	510	14	< 2	5	17	0.14	< 10	< 10	180	< 10	70	
SX5106	201	202	< 1 < 0.01	2	880	14	< 2	4	18	0.12	< 10	< 10	168	< 10	60	
SX5107	201	202	2 < 0.01	4	990	16	< 2	6	16	0.15	< 10	< 10	147	< 10	130	
SX5108	201	202	< 1 < 0.01	5	850	164	< 2	11	20	0.07	< 10	< 10	200	< 10	294	
SX5109	201	202	< 1 < 0.01	4	1050	4	< 2	9	7	0.16	< 10	< 10	259	< 10	46	
SX5110	201	202	< 1 < 0.01	6	610	6	2	9	12	0.17	< 10	< 10	216	< 10	42	
SX5111	201	202	4 < 0.01	2	910	14	< 2	6	15	0.11	< 10	< 10	152	< 10	68	
SX5112	201	202	2 < 0.01	3	640	16	< 2	4	13	0.09	< 10	< 10	137	< 10	124	
SX5113	201	202	1 < 0.01	3	1300	4	< 2	14	9	0.09	< 10	< 10	141	< 10	70	
SX5114	201	202	< 1 < 0.01	2	1200	16	< 2	6	11	0.11	< 10	< 10	163	< 10	48	
SX5115	201	202	3 < 0.01	4	930	44	4	4	9	0.07	< 10	< 10	87	< 10	394	
SX5116	201	202	3 < 0.01	1	770	84	< 2	3	7	0.07	< 10	< 10	90	< 10	78	
SX5117	201	202	3 < 0.01	1	880	28	< 2	3	13	0.09	< 10	< 10	112	< 10	28	
SX5118	201	202	1 < 0.01	2	830	12	< 2	4	14	0.10	< 10	< 10	138	< 10	46	
SX5119	201	202	1 < 0.01	2	670	16	< 2	5	8	0.15	< 10	< 10	207	< 10	38	
SX5120	201	202	1 < 0.02	2	850	22	2	2	15	0.03	< 10	< 10	29	< 10	342	
SX5121	201	202	< 1 < 0.01	3	1010	12	< 2	10	30	0.14	< 10	< 10	244	< 10	182	
SX5122	201	202	2 < 0.01	3	370	6	< 2	5	13	0.14	< 10	< 10	160	< 10	40	
SX5123	201	202	1 < 0.01	5	610	6	< 2	10	11	0.21	< 10	< 10	214	< 10	46	
SX5124	201	202	2 < 0.01	< 1	1720	114	< 2	7	8	0.09	< 10	< 10	74	< 10	104	
SX5125	201	202	1 < 0.02	2	910	26	2	6	13	0.12	< 10	< 10	140	< 10	108	
SX5126	201	202	4 < 0.01	1	810	22	2	8	9	0.06	< 10	< 10	94	< 10	104	
SX5127	201	202	2 < 0.01	2	490	12	< 2	5	22	0.12	< 10	< 10	154	< 10	96	
SX5128	201	202	1 < 0.01	3	1120	16	< 2	1	21	0.04	< 10	< 10	37	< 10	574	
SX5129	201	202	1 < 0.01	2	820	10	2	4	11	0.12	< 10	< 10	165	< 10	58	
SX5130	201	202	1 < 0.01	3	670	14	< 2	6	13	0.15	< 10	< 10	161	< 10	78	
SX5131	201	202	2 < 0.01	3	1260	16	< 2	7	17	0.16	< 10	< 10	162	< 10	86	
SX5132	201	202	< 1 < 0.01	1	420	8	< 2	6	22	0.06	< 10	< 10	116	< 10	56	
SX5133	201	202	1 < 0.01	4	910	16	< 2	7	14	0.16	< 10	< 10	109	< 10	198	
SX5134	201	202	< 1 < 0.01	3	610	10	< 2	7	30	0.19	< 10	< 10	198	< 10	56	
SX5135	201	202	1 < 0.01	6	1320	12	< 2	10	9	0.12	< 10	< 10	114	< 10	136	
SX5136	201	202	2 < 0.01	3	1490	22	2	7	17	0.13	< 10	< 10	136	< 10	148	
SX5137	201	202	< 1 < 0.01	2	1690	6	< 2	9	3	0.03	< 10	< 10	86	< 10	66	
SX5138	201	202	< 1 < 0.01	4	740	22	< 2	7	15	0.16	< 10	< 10	123	< 10	140	
SX5139	201	202	2 < 0.02	1	990	10	< 2	4	22	0.24	< 10	< 10	161	< 10	46	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

Page Number :2-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No.: 19527434
 P.O. Number:
 Account :AN

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5140	201	202	< 5	< 0.2	8.25	8	80	< 0.5	< 2	0.17	< 0.5	12	17	544	8.02	< 10	1	0.06	< 10	0.99	735
SX5141	201	202	< 5	< 0.2	6.27	6	90	< 0.5	< 2	0.18	< 0.5	10	7	139	6.69	10	2	0.06	< 10	0.74	890
SX5142	201	202	< 5	0.2	4.06	2	60	< 0.5	< 2	0.09	< 0.5	1	8	132	7.34	< 10	< 1	0.04	< 10	0.25	195
SX5143	201	202	< 5	< 0.2	5.04	6	60	< 0.5	< 2	0.18	< 0.5	6	14	57	7.07	10	1	0.03	< 10	0.50	460
SX5144	201	202	< 5	< 0.2	5.02	4	30	< 0.5	< 2	0.08	< 0.5	4	23	36	6.89	10	< 1	0.01	< 10	0.37	190
SX5145	201	202	< 5	< 0.2	8.37	4	30	< 0.5	< 2	0.07	< 0.5	6	32	44	6.18	< 10	1	0.02	< 10	0.33	160
SX5146	201	202	< 5	0.2	7.98	4	40	< 0.5	< 2	0.13	< 0.5	6	21	119	6.71	10	< 1	0.02	< 10	0.28	240
SX5147	201	202	< 5	0.2	4.07	8	40	< 0.5	< 2	0.08	< 0.5	1	9	35	5.91	10	< 1	0.02	< 10	0.30	155
SX5148	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5149	201	202	< 5	< 0.2	5.11	18	40	< 0.5	< 2	0.28	< 0.5	9	7	52	6.97	10	< 1	0.02	< 10	0.57	445
SX5150	201	202	< 5	< 0.2	6.00	8	50	< 0.5	< 2	0.20	< 0.5	9	21	92	6.78	< 10	< 1	0.03	< 10	0.75	445
SX5151	201	202	< 5	< 0.2	3.87	2	40	< 0.5	< 2	0.25	< 0.5	4	11	44	5.43	< 10	< 1	0.02	< 10	0.35	285
SX5152	201	202	< 5	< 0.2	6.36	14	30	< 0.5	< 2	0.19	< 0.5	9	21	145	7.53	< 10	1	0.03	< 10	0.88	530
SX5153	201	202	< 5	< 0.2	4.05	4	20	< 0.5	< 2	0.26	< 0.5	4	12	51	6.77	10	1	0.01	< 10	0.35	330
SX5154	201	202	< 5	0.2	7.25	< 2	50	< 0.5	< 2	0.12	< 0.5	4	15	96	7.61	10	< 1	0.02	< 10	0.33	250
SX5155	201	202	< 5	0.2	5.91	6	70	< 0.5	< 2	0.19	< 0.5	9	14	458	6.62	10	< 1	0.02	< 10	0.58	380
SX5156	201	202	< 5	0.2	6.67	6	50	< 0.5	< 2	0.24	< 0.5	13	21	161	6.61	< 10	1	0.03	< 10	0.87	570
SX5157	201	202	< 5	0.2	6.48	4	110	0.5	< 2	0.13	0.5	12	18	90	6.99	10	1	0.06	< 10	0.77	515
SX5158	201	202	< 5	0.2	6.43	< 2	90	0.5	< 2	0.10	0.5	20	14	84	6.08	< 10	< 1	0.04	< 10	0.39	920
SX5159	201	202	< 5	< 0.2	7.00	8	80	0.5	< 2	0.14	< 0.5	12	18	90	6.43	< 10	1	0.03	< 10	0.49	1050
SX5160	201	202	< 5	< 0.2	8.79	8	60	< 0.5	< 2	0.11	< 0.5	11	23	76	6.70	< 10	1	0.02	< 10	0.44	410
SX5161	201	202	< 5	< 0.2	5.19	8	110	0.5	< 2	0.23	< 0.5	18	18	65	6.77	< 10	< 1	0.04	< 10	0.72	895
SX5162	201	202	< 5	< 0.2	7.36	8	70	< 0.5	< 2	0.24	< 0.5	12	20	91	5.98	< 10	1	0.04	< 10	0.62	690
SX5163	201	202	< 5	< 0.2	4.48	6	120	< 0.5	< 2	0.21	0.5	15	18	72	5.93	< 10	< 1	0.03	< 10	0.57	1120
SX5164	201	202	< 5	< 0.2	4.54	< 2	110	< 0.5	< 2	0.20	< 0.5	16	17	65	6.51	10	< 1	0.03	< 10	0.51	785
SX5165	201	202	< 5	< 0.2	6.60	< 2	40	< 0.5	< 2	0.11	< 0.5	12	20	89	6.25	< 10	< 1	0.03	< 10	0.69	710
SX5166	201	202	< 5	0.2	7.12	14	40	< 0.5	< 2	0.14	< 0.5	11	20	83	7.27	< 10	< 1	0.02	< 10	0.61	935
SX5167	201	202	< 5	< 0.2	6.37	< 2	40	< 0.5	< 2	0.22	< 0.5	14	23	124	7.73	< 10	1	0.04	< 10	0.92	650
SX5168	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5169	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5170	201	202	< 5	0.4	6.34	8	140	0.5	< 2	0.14	0.5	60	16	244	6.76	10	< 1	0.03	10	0.33	1255
SX5171	201	202	< 5	0.6	7.04	6	60	< 0.5	< 2	0.10	< 0.5	8	18	156	6.90	< 10	< 1	0.03	< 10	0.73	560
SX5172	201	202	< 5	0.2	6.10	6	50	< 0.5	< 2	0.10	< 0.5	6	14	76	5.71	< 10	< 1	0.04	< 10	0.44	535
SX5173	201	202	< 5	0.2	4.84	2	70	< 0.5	< 2	0.12	< 0.5	3	10	38	7.17	10	< 1	0.03	< 10	0.40	420
SX5174	201	202	< 5	0.4	5.91	6	60	< 0.5	< 2	0.10	< 0.5	4	16	136	6.88	< 10	1	0.03	< 10	0.44	590
SX5175	201	202	< 5	< 0.2	5.07	6	40	< 0.5	< 2	0.13	< 0.5	8	15	84	5.98	< 10	1	0.03	< 10	0.46	990
SX5176	201	202	15	< 0.2	5.65	8	40	< 0.5	< 2	0.18	< 0.5	9	19	91	5.97	< 10	< 1	0.03	< 10	0.64	460
SX5177	201	202	< 5	< 0.2	6.77	8	30	< 0.5	< 2	0.13	< 0.5	9	21	100	6.35	< 10	1	0.03	< 10	0.75	545
SX5178	201	202	< 5	0.4	6.02	8	70	< 0.5	< 2	0.13	< 0.5	9	14	278	6.84	< 10	< 1	0.04	< 10	0.46	450
SX5179	201	202	15	0.2	7.50	12	80	< 0.5	< 2	0.08	< 0.5	3	13	87	5.79	< 10	< 1	0.04	< 10	0.41	345

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 2-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN


Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5140	201	202	2 < 0.01	5	1030	16	2	9	23	0.16	< 10	< 10	135	< 10	184	
SX5141	201	202	< 1 0.01	2	610	8	< 2	8	23	0.09	< 10	< 10	119	< 10	68	
SX5142	201	202	3 0.01	1	1050	26	< 2	4	9	0.04	< 10	< 10	117	< 10	28	
SX5143	201	202	1 < 0.01	1	540	18	< 2	11	27	0.22	< 10	< 10	203	< 10	56	
SX5144	201	202	< 1 < 0.01	3	510	4	< 2	6	9	0.17	< 10	< 10	199	< 10	42	
SX5145	201	202	< 1 < 0.01	4	580	4	4	9	8	0.13	< 10	< 10	163	< 10	74	
SX5146	201	202	< 1 < 0.01	2	780	8	6	10	18	0.18	< 10	< 10	166	< 10	82	
SX5147	201	202	1 < 0.01	1	600	8	2	6	9	0.07	< 10	< 10	136	< 10	30	
SX5148	--	--	miss.													
SX5149	201	202	1 < 0.01	2	390	14	< 2	6	31	0.27	< 10	< 10	182	< 10	94	
SX5150	201	202	1 < 0.01	6	380	14	2	9	22	0.19	< 10	< 10	170	< 10	142	
SX5151	201	202	< 1 < 0.01	1	420	12	< 2	6	27	0.18	< 10	< 10	147	< 10	116	
SX5152	201	202	1 < 0.01	5	830	16	< 2	10	25	0.25	< 10	< 10	192	< 10	128	
SX5153	201	202	1 < 0.01	2	270	6	4	4	30	0.22	< 10	< 10	216	< 10	74	
SX5154	201	202	1 < 0.01	2	540	14	2	8	15	0.22	< 10	< 10	212	< 10	134	
SX5155	201	202	2 < 0.01	3	330	14	4	9	25	0.16	< 10	< 10	182	< 10	214	
SX5156	201	202	< 1 < 0.01	8	770	14	2	12	24	0.21	< 10	< 10	187	< 10	132	
SX5157	201	202	< 1 < 0.01	6	920	26	< 2	12	15	0.20	< 10	< 10	176	< 10	222	
SX5158	201	202	< 1 < 0.01	3	1170	72	< 2	11	13	0.12	< 10	< 10	120	< 10	172	
SX5159	201	202	< 1 < 0.01	5	1550	14	< 2	10	16	0.18	< 10	< 10	160	< 10	192	
SX5160	201	202	< 1 < 0.01	4	980	12	2	14	17	0.20	< 10	< 10	153	< 10	178	
SX5161	201	202	1 < 0.01	6	940	16	< 2	9	24	0.23	< 10	< 10	173	< 10	164	
SX5162	201	202	1 < 0.01	6	1500	10	2	11	17	0.21	< 10	< 10	137	< 10	152	
SX5163	201	202	1 < 0.01	5	1040	24	< 2	10	20	0.18	< 10	< 10	165	< 10	192	
SX5164	201	202	< 1 < 0.01	4	690	26	2	8	25	0.17	< 10	< 10	188	< 10	142	
SX5165	201	202	< 1 < 0.01	4	1640	12	< 2	13	13	0.18	< 10	< 10	163	< 10	166	
SX5166	201	202	< 1 < 0.01	4	1110	12	< 2	10	21	0.25	< 10	< 10	199	< 10	110	
SX5167	201	202	< 1 < 0.01	7	810	8	2	12	29	0.27	< 10	< 10	217	< 10	114	
SX5168	--	--	miss.													
SX5169	--	--	miss.													
SX5170	201	202	1 < 0.01	7	1150	48	< 2	10	16	0.15	< 10	< 10	165	< 10	226	
SX5171	201	202	1 < 0.01	4	840	32	2	8	12	0.16	< 10	< 10	163	< 10	238	
SX5172	201	202	1 < 0.01	3	1010	22	< 2	9	11	0.13	< 10	< 10	136	< 10	130	
SX5173	201	202	< 1 < 0.01	1	640	20	< 2	8	16	0.15	< 10	< 10	171	< 10	138	
SX5174	201	202	1 < 0.01	2	1520	18	< 2	8	16	0.12	< 10	< 10	149	< 10	134	
SX5175	201	202	< 1 < 0.01	3	1180	14	2	7	17	0.16	< 10	< 10	144	< 10	104	
SX5176	201	202	< 1 < 0.01	5	800	14	2	13	25	0.21	< 10	< 10	181	< 10	140	
SX5177	201	202	< 1 < 0.01	4	1290	8	< 2	18	18	0.21	< 10	< 10	159	< 10	108	
SX5178	201	202	1 < 0.01	3	790	24	< 2	8	20	0.12	< 10	< 10	146	< 10	180	
SX5179	201	202	1 < 0.01	2	1170	20	< 2	8	12	0.09	< 10	< 10	106	< 10	134	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project: JAS
 Comments: ATTN: A. O. BIRKELAND


Page Number :3-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No. :19527434
 P.O. Number:
 Account :AN

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5180	201	202	< 5	< 0.2	3.79	6	40	< 0.5	< 2	0.07	< 0.5	2	11	37	5.82	10	< 1	0.02	< 10	0.27	230
SX5181	201	202	< 5	< 0.2	3.83	4	30	< 0.5	< 2	0.08	< 0.5	2	13	27	5.63	10	< 1	0.01	< 10	0.24	160
SX5182	201	202	< 5	< 0.2	4.85	2	60	< 0.5	< 2	0.09	< 0.5	6	16	47	5.79	10	< 1	0.04	< 10	0.58	305
SX5183	201	202	< 5	< 0.2	5.96	10	60	< 0.5	< 2	0.12	< 0.5	8	17	55	6.13	10	< 1	0.04	< 10	0.61	335
SX5184	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5185	201	202	< 5	0.2	5.41	6	40	< 0.5	< 2	0.04	< 0.5	4	12	20	5.94	10	< 1	0.03	< 10	0.36	180
SX5186	201	202	< 5	0.2	4.85	6	40	< 0.5	< 2	0.03	< 0.5	3	12	17	5.76	10	1	0.03	< 10	0.34	185
SX5186A	201	202	< 5	< 0.2	0.88	18	230	< 0.5	< 2	0.21	1.0	55	< 1	68	>15.00	< 10	1	0.03	< 10	0.20	6360
SX5187	201	202	< 5	< 0.2	5.45	6	30	< 0.5	< 2	0.02	< 0.5	4	13	15	5.32	< 10	< 1	0.02	< 10	0.29	240
SX5188	201	202	10	< 0.2	4.45	12	100	< 0.5	< 2	0.07	< 0.5	12	17	46	4.63	< 10	< 1	0.06	< 10	1.11	765
SX5189	201	202	< 5	0.8	3.81	4	210	< 0.5	< 2	0.04	< 0.5	21	13	58	5.51	< 10	< 1	0.17	< 10	0.77	995
SX5190	201	202	< 5	< 0.2	5.02	4	160	< 0.5	< 2	0.09	< 0.5	12	21	66	6.42	< 10	< 1	0.05	10	0.64	470
SX5191	201	202	< 5	< 0.2	7.69	10	40	< 0.5	< 2	0.01	< 0.5	2	8	9	3.76	< 10	< 1	0.03	< 10	0.21	420
SX5192	201	202	< 5	< 0.2	2.15	4	420	0.5	< 2	0.59	0.5	5	4	10	1.69	< 10	< 1	0.12	10	0.58	1240
SX5193	201	202	< 5	< 0.2	3.68	6	80	< 0.5	< 2	0.03	< 0.5	3	6	7	3.20	< 10	< 1	0.03	< 10	0.36	180
SX5194	201	202	< 5	< 0.2	2.05	2	470	1.0	< 2	1.11	1.0	3	4	8	1.42	< 10	< 1	0.19	10	1.18	1420
SX5195	201	202	< 5	< 0.2	3.80	6	70	< 0.5	< 2	0.08	< 0.5	6	12	20	4.83	< 10	< 1	0.02	< 10	0.39	400
SX5196	201	202	< 5	< 0.2	6.62	4	100	< 0.5	< 2	0.10	< 0.5	7	13	81	5.42	10	1	0.04	< 10	0.52	280
SX5197	201	202	< 5	< 0.2	5.58	14	110	< 0.5	< 2	0.14	< 0.5	11	14	332	6.15	10	< 1	0.08	< 10	0.89	535
SX5198	201	202	< 5	< 0.2	4.33	4	80	< 0.5	< 2	0.20	< 0.5	7	9	72	4.65	< 10	< 1	0.06	< 10	0.70	400
SX5199	201	202	< 5	< 0.2	5.54	< 2	100	< 0.5	< 2	0.13	< 0.5	11	18	39	5.95	10	1	0.05	< 10	0.66	470
SX5200	201	202	< 5	< 0.2	2.75	8	390	0.5	< 2	1.44	2.5	10	8	40	1.97	< 10	< 1	0.12	10	0.72	2080
SX5201	201	202	< 5	0.2	6.54	< 2	80	< 0.5	< 2	0.17	< 0.5	11	15	141	5.99	< 10	< 1	0.05	< 10	0.77	685
SX5202	201	202	< 5	< 0.2	3.04	8	50	< 0.5	< 2	0.16	< 0.5	3	8	25	5.58	10	< 1	0.02	< 10	0.40	250
SX5203	201	202	< 5	< 0.2	4.32	4	90	< 0.5	< 2	0.14	< 0.5	8	9	220	6.08	10	< 1	0.03	< 10	0.41	400
SX5204	201	202	< 5	< 0.2	6.06	12	60	< 0.5	< 2	0.16	< 0.5	7	14	126	6.24	< 10	1	0.04	< 10	0.76	715
SX5205	201	202	< 5	< 0.2	6.92	12	110	< 0.5	< 2	0.34	< 0.5	18	17	413	6.68	10	< 1	0.12	< 10	1.06	1430
SX5206	201	202	< 5	0.2	7.61	16	80	< 0.5	< 2	0.12	< 0.5	8	16	110	6.99	10	1	0.04	< 10	0.58	435
SX5207	201	202	< 5	0.4	6.46	14	50	< 0.5	< 2	0.09	< 0.5	7	18	95	6.21	10	< 1	0.04	< 10	0.74	330
SX5208	201	202	< 5	< 0.2	4.49	< 2	60	< 0.5	< 2	0.16	< 0.5	6	13	76	5.37	10	< 1	0.02	< 10	0.49	360
SX5209	201	202	< 5	< 0.2	5.14	8	90	< 0.5	< 2	0.09	< 0.5	8	8	82	6.23	< 10	1	0.04	< 10	0.61	365
SX5210	201	202	< 5	< 0.2	5.90	8	80	< 0.5	< 2	0.08	< 0.5	7	17	51	5.78	10	< 1	0.04	< 10	0.72	400
SX5211	201	202	< 5	< 0.2	4.92	10	140	0.5	< 2	0.19	< 0.5	21	15	157	5.28	< 10	< 1	0.08	10	1.27	1260
SX5212	201	202	< 5	< 0.2	2.95	12	40	< 0.5	< 2	0.12	< 0.5	3	12	30	5.91	10	1	0.06	< 10	0.45	265
SX5213	201	202	< 5	0.2	6.58	6	80	0.5	< 2	0.07	< 0.5	3	8	151	6.03	10	1	0.05	10	0.56	475
SX5214	201	202	< 5	< 0.2	2.94	12	70	< 0.5	< 2	0.12	< 0.5	2	8	206	4.42	< 10	1	0.08	< 10	0.46	885
SX5215	201	202	< 5	< 0.2	4.62	8	80	< 0.5	< 2	0.11	< 0.5	11	17	139	7.28	10	< 1	0.04	< 10	0.97	1245
SX5216	201	202	< 5	< 0.2	3.95	6	70	< 0.5	< 2	0.12	< 0.5	6	17	71	5.47	< 10	< 1	0.02	< 10	0.56	560
SX5217	201	202	< 5	< 0.2	5.55	6	40	< 0.5	< 2	0.12	< 0.5	6	20	106	5.60	< 10	1	0.03	< 10	0.63	615
SX5218	201	202	< 5	0.2	7.08	12	30	< 0.5	< 2	0.08	< 0.5	7	17	157	5.48	< 10	1	0.04	< 10	0.74	605

CERTIFICATION:

100% Certified



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5


Page Number : 3-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : I9527434
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5180	201	202	< 1	< 0.01	1	810	20	< 2	4	9	0.10	< 10	< 10	155	< 10	54
SX5181	201	202	1	< 0.01	1	440	20	< 2	6	10	0.10	< 10	< 10	149	< 10	94
SX5182	201	202	1	0.01	4	480	14	< 2	7	11	0.14	< 10	< 10	180	< 10	70
SX5183	201	202	< 1	0.01	5	580	14	< 2	10	14	0.19	< 10	< 10	195	< 10	80
SX5184	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
SX5185	201	202	< 1	< 0.01	3	1200	10	< 2	4	6	0.08	< 10	< 10	107	< 10	56
SX5186	201	202	< 1	< 0.01	2	1100	10	< 2	3	6	0.07	< 10	< 10	107	< 10	54
SX5186A	201	202	1	< 0.01	4	710	8	< 2	3	14	0.03	< 10	< 10	57	< 10	84
SX5187	201	202	< 1	< 0.01	2	1510	10	< 2	3	3	0.06	< 10	< 10	87	< 10	50
SX5188	201	202	1	< 0.01	9	1520	14	4	6	6	0.06	< 10	< 10	97	< 10	84
SX5189	201	202	< 1	0.01	7	990	8	< 2	8	6	< 0.01	< 10	< 10	57	< 10	62
SX5190	201	202	< 1	< 0.01	7	440	22	< 2	9	10	0.08	< 10	< 10	155	< 10	194
SX5191	201	202	< 1	0.01	1	2110	12	< 2	2	2	0.03	< 10	< 10	38	< 10	64
SX5192	201	202	< 1	0.01	1	1070	14	< 2	1	32	0.03	< 10	< 10	28	< 10	52
SX5193	201	202	< 1	0.01	1	660	8	< 2	2	4	0.03	< 10	< 10	42	< 10	58
SX5194	201	202	< 1	0.02	1	1620	16	< 2	1	46	0.01	< 10	< 10	20	< 10	68
SX5195	201	202	1	0.01	3	600	10	< 2	3	8	0.06	< 10	< 10	119	< 10	68
SX5196	201	202	1	< 0.01	4	1010	20	2	7	14	0.06	< 10	< 10	107	< 10	162
SX5197	201	202	3	0.01	4	730	28	2	6	14	0.02	< 10	< 10	120	< 10	194
SX5198	201	202	1	0.01	3	610	8	2	6	21	0.01	< 10	< 10	108	< 10	84
SX5199	201	202	1	0.01	6	660	8	< 2	8	13	0.06	< 10	< 10	154	< 10	98
SX5200	201	202	< 1	0.01	3	1670	36	2	2	56	0.02	< 10	< 10	49	< 10	326
SX5201	201	202	1	0.01	6	920	16	< 2	7	17	0.12	< 10	< 10	146	< 10	182
SX5202	201	202	< 1	< 0.01	3	510	14	< 2	4	14	0.12	< 10	< 10	131	< 10	56
SX5203	201	202	1	< 0.01	2	800	66	< 2	5	15	0.09	< 10	< 10	137	< 10	146
SX5204	201	202	< 1	< 0.01	4	1140	34	< 2	8	18	0.13	< 10	< 10	150	< 10	142
SX5205	201	202	2	< 0.01	7	1330	106	2	11	27	0.13	< 10	< 10	146	< 10	232
SX5206	201	202	1	< 0.01	3	1580	56	< 2	7	12	0.15	< 10	< 10	152	< 10	378
SX5207	201	202	< 1	< 0.01	3	900	28	< 2	8	9	0.12	< 10	< 10	156	< 10	148
SX5208	201	202	1	< 0.01	3	730	28	< 2	6	16	0.13	< 10	< 10	141	< 10	116
SX5209	201	202	1	0.01	3	660	30	< 2	7	9	0.05	< 10	< 10	127	< 10	152
SX5210	201	202	< 1	< 0.01	3	710	18	< 2	7	9	0.09	< 10	< 10	147	< 10	232
SX5211	201	202	2	< 0.01	10	1020	34	2	9	15	0.14	< 10	< 10	112	< 10	208
SX5212	201	202	1	< 0.01	2	840	16	2	4	12	0.08	< 10	< 10	171	< 10	42
SX5213	201	202	7	0.01	1	1600	20	< 2	3	7	0.02	< 10	< 10	70	< 10	126
SX5214	201	202	2	0.01	2	1890	14	2	2	6	< 0.01	< 10	< 10	59	< 10	38
SX5215	201	202	2	< 0.01	4	1120	14	< 2	7	11	0.07	< 10	< 10	153	< 10	105
SX5216	201	202	1	< 0.01	3	810	18	< 2	6	13	0.10	< 10	< 10	152	< 10	136
SX5217	201	202	< 1	< 0.01	4	820	16	< 2	8	14	0.16	< 10	< 10	170	< 10	212
SX5218	201	202	< 1	< 0.01	4	1340	18	< 2	8	9	0.10	< 10	< 10	127	< 10	182

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :4-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No. :19527434
 P.O. Number :
 Account :AN


Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5219	201	202	< 5	0.2	4.53	6	40	< 0.5	< 2	0.16	< 0.5	9	17	56	6.44	10	< 1	0.04	< 10	0.65	515
SX5220	201	202	< 5	0.4	6.70	2	60	< 0.5	2	0.13	< 0.5	9	20	73	5.57	10	1	0.06	< 10	0.61	480
SX5221	201	202	< 5	< 0.2	5.05	6	30	< 0.5	< 2	0.08	< 0.5	18	15	90	6.31	10	1	0.02	< 10	0.36	1200
SX5222	201	202	< 5	0.2	6.21	8	60	< 0.5	< 2	0.13	< 0.5	12	16	71	6.21	10	< 1	0.04	< 10	0.58	945
SX5223	201	202	< 5	< 0.2	4.33	6	180	< 0.5	< 2	0.54	< 0.5	16	9	130	5.47	< 10	1	0.08	< 10	1.36	1250
SX5224	201	202	< 5	0.2	4.73	6	70	0.5	8	0.19	< 0.5	11	13	67	6.35	10	1	0.03	< 10	0.53	600
SX5225	201	202	< 5	0.6	5.03	2	80	< 0.5	< 2	0.18	< 0.5	16	14	301	7.57	10	< 1	0.04	< 10	0.90	1570
SX5226	201	202	< 5	0.2	4.60	6	70	< 0.5	< 2	0.23	< 0.5	16	9	229	6.34	10	< 1	0.03	< 10	0.75	1230
SX5227	201	202	< 5	0.2	7.04	14	160	0.5	< 2	0.28	0.5	28	12	665	7.55	10	1	0.05	< 10	1.08	1170
SX5228	201	202	< 5	< 0.2	5.98	10	120	< 0.5	< 2	0.19	< 0.5	17	14	169	5.76	10	< 1	0.06	< 10	0.97	860
SX5229	201	202	< 5	0.6	7.00	4	160	0.5	< 2	0.20	0.5	18	16	334	5.32	10	1	0.05	< 10	0.74	1915
SX5230	201	202	< 5	0.4	7.62	14	70	< 0.5	< 2	0.20	< 0.5	13	14	188	6.14	10	< 1	0.03	< 10	0.64	960
SX5231	201	202	< 5	0.6	5.29	8	60	< 0.5	4	0.11	< 0.5	3	13	61	6.84	10	1	0.07	< 10	0.48	605
SX5232	201	202	< 5	0.8	6.31	18	60	< 0.5	2	0.11	< 0.5	5	14	190	6.52	10	2	0.04	< 10	0.61	645
SX5233	201	202	< 5	0.4	7.91	12	120	< 0.5	< 2	0.07	< 0.5	7	17	182	6.69	10	1	0.06	< 10	1.02	620
SX5234	201	202	30	0.4	5.04	12	260	< 0.5	8	0.28	< 0.5	9	15	147	7.72	10	1	0.18	< 10	1.88	910
SX5235	201	202	< 5	0.6	7.08	16	70	< 0.5	< 2	0.14	< 0.5	10	18	237	6.35	10	1	0.04	< 10	0.69	380
SX5236	201	202	< 5	1.4	6.63	6	.90	< 0.5	4	0.19	< 0.5	10	14	741	5.53	10	< 1	0.03	< 10	0.88	390
SX5237	201	202	120	0.4	2.64	12	120	< 0.5	4	0.63	< 0.5	18	18	103	5.85	< 10	1	0.10	< 10	1.51	890
SX5238	201	202	140	< 0.2	2.64	10	100	< 0.5	2	0.74	< 0.5	19	24	70	5.83	10	1	0.09	< 10	1.43	840
SX5239	201	202	< 5	0.2	3.03	10	130	< 0.5	2	0.76	< 0.5	21	23	96	6.22	< 10	2	0.08	< 10	1.71	950
SX5240	201	202	< 5	0.4	4.21	16	120	< 0.5	4	1.28	< 0.5	23	16	154	7.20	10	1	0.04	< 10	1.97	940
SX5241	201	202	< 5	< 0.2	3.73	4	140	< 0.5	< 2	0.32	< 0.5	11	13	89	5.29	10	1	0.04	< 10	1.49	660
SX5242	201	202	< 5	0.2	2.90	6	60	< 0.5	< 2	0.23	< 0.5	7	12	48	5.20	< 10	< 1	0.03	< 10	1.11	460
SX5243	201	202	< 5	< 0.2	7.74	12	30	0.5	< 2	0.13	< 0.5	41	13	65	4.90	< 10	< 1	0.02	< 10	0.61	755
SX5244	201	202	< 5	< 0.2	7.24	8	30	0.5	4	0.14	< 0.5	24	14	97	5.25	< 10	< 1	0.02	< 10	0.54	825
SX5600	201	202	< 5	< 0.2	6.86	4	60	1.0	< 2	0.20	2.0	59	3	679	1.89	< 10	< 1	0.11	< 10	0.10	4020
SX5601	201	202	< 5	0.2	5.98	4	40	< 0.5	< 2	0.15	< 0.5	8	17	52	4.58	10	< 1	0.08	< 10	0.36	525
SX5602	201	202	375	< 0.2	2.98	8	80	< 0.5	< 2	1.08	< 0.5	22	46	77	6.65	10	< 1	0.10	< 10	1.42	875
SX5603	201	202	40	0.2	3.30	2	120	< 0.5	< 2	1.00	< 0.5	20	27	61	7.11	10	1	0.09	< 10	1.71	910
SX5604	201	202	30	0.2	3.38	6	140	< 0.5	< 2	1.04	0.5	20	19	126	5.18	< 10	1	0.10	< 10	1.26	1030
SX5605	201	202	10	< 0.2	3.37	12	190	< 0.5	< 2	0.80	1.5	18	7	139	4.60	< 10	< 1	0.14	< 10	1.55	1910
SX5606	201	202	< 5	< 0.2	2.84	< 2	130	< 0.5	< 2	1.79	< 0.5	8	9	45	2.58	< 10	1	0.26	< 10	0.43	1120
SX5607	201	202	< 5	< 0.2	2.54	< 2	130	< 0.5	< 2	1.86	< 0.5	9	9	50	2.03	< 10	< 1	0.14	< 10	0.41	990
SX5608	201	202	< 5	0.2	2.44	< 2	370	< 0.5	< 2	1.67	3.0	7	7	88	1.88	< 10	< 1	0.18	< 10	0.38	1150
SX5609	201	202	< 5	0.2	3.44	8	250	< 0.5	< 2	0.90	3.5	23	12	153	3.30	< 10	1	0.10	< 10	0.72	1345
SX5610	201	202	< 5	0.2	8.79	8	70	0.5	< 2	0.13	< 0.5	15	17	71	5.23	10	< 1	0.04	< 10	0.27	340
SX5611	201	202	< 5	< 0.2	3.53	8	130	< 0.5	< 2	0.47	< 0.5	14	15	38	4.58	< 10	1	0.13	< 10	1.32	1025
SX5612	201	202	< 5	0.4	4.75	10	100	0.5	< 2	0.82	4.0	69	6	406	3.18	< 10	< 1	0.19	< 10	0.47	3300
SX5613	201	202	< 5	< 0.2	2.77	6	230	< 0.5	< 2	1.16	0.5	18	8	133	1.87	< 10	< 1	0.11	< 10	0.44	1875

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 4-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND


CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5219	201	202	< 1	< 0.01	4	820	14	< 2	9	17	0.12	< 10	< 10	181	< 10	114
SX5220	201	202	1	< 0.01	6	1020	12	< 2	9	16	0.11	< 10	< 10	132	< 10	178
SX5221	201	202	< 1	< 0.01	2	1320	12	< 2	6	9	0.08	< 10	< 10	121	< 10	78
SX5222	201	202	1	< 0.01	5	1150	8	< 2	10	12	0.08	< 10	< 10	118	< 10	116
SX5223	201	202	2	< 0.01	4	1220	98	2	9	33	0.18	< 10	< 10	88	< 10	178
SX5224	201	202	1	< 0.01	4	1130	14	< 2	9	20	0.19	< 10	< 10	145	< 10	112
SX5225	201	202	1	< 0.01	6	1430	6	< 2	11	29	0.07	< 10	< 10	163	< 10	210
SX5226	201	202	< 1	< 0.01	3	740	14	< 2	8	34	0.10	< 10	< 10	155	< 10	190
SX5227	201	202	< 1	< 0.01	8	1270	6	< 2	11	42	0.10	< 10	< 10	154	< 10	640
SX5228	201	202	< 1	< 0.01	7	790	12	< 2	15	40	0.10	< 10	< 10	133	< 10	272
SX5229	201	202	1	< 0.01	8	1320	12	< 2	12	39	0.06	< 10	< 10	117	< 10	796
SX5230	201	202	< 1	< 0.01	6	1290	22	< 2	16	27	0.13	< 10	< 10	156	< 10	330
SX5231	201	202	1	< 0.01	1	720	20	< 2	11	15	0.10	< 10	< 10	181	< 10	102
SX5232	201	202	< 1	< 0.01	2	1330	24	< 2	12	17	0.11	< 10	< 10	149	< 10	186
SX5233	201	202	1	< 0.01	6	1330	16	2	13	12	0.06	< 10	< 10	133	< 10	270
SX5234	201	202	1	0.01	6	1280	20	< 2	15	41	0.20	< 10	< 10	176	< 10	134
SX5235	201	202	1	< 0.01	7	810	16	< 2	11	21	0.14	< 10	< 10	169	< 10	136
SX5236	201	202	1	< 0.01	7	-700-	14	< 2	10	29	0.15	< 10	< 10	136	< 10	124
SX5237	201	202	< 1	< 0.01	8	800	22	< 2	10	33	0.18	< 10	< 10	146	< 10	146
SX5238	201	202	< 1	< 0.01	10	670	12	< 2	10	62	0.21	< 10	< 10	167	< 10	128
SX5239	201	202	< 1	< 0.01	10	710	14	< 2	10	57	0.20	< 10	< 10	161	< 10	146
SX5240	201	202	2	< 0.01	10	960	6	< 2	10	97	0.20	< 10	< 10	140	< 10	114
SX5241	201	202	1	< 0.01	8	920	8	< 2	9	40	0.14	< 10	< 10	116	< 10	78
SX5242	201	202	< 1	< 0.01	5	530	8	< 2	7	26	0.14	< 10	< 10	139	< 10	62
SX5243	201	202	3	< 0.01	5	1770	10	< 2	10	16	0.15	< 10	< 10	85	< 10	40
SX5244	201	202	2	< 0.01	6	1820	4	< 2	11	17	0.13	< 10	< 10	102	< 10	46
SX5600	201	202	2	0.01	2	660	20	< 2	2	11	0.01	< 10	< 10	17	< 10	196
SX5601	201	202	< 1	< 0.01	4	1150	8	< 2	9	14	0.16	< 10	< 10	130	< 10	114
SX5602	201	202	< 1	< 0.01	19	950	6	< 2	12	48	0.21	< 10	< 10	194	< 10	80
SX5603	201	202	< 1	< 0.01	12	730	6	< 2	15	44	0.22	< 10	< 10	256	< 10	84
SX5604	201	202	< 1	< 0.01	8	580	26	< 2	10	85	0.20	< 10	< 10	147	< 10	226
SX5605	201	202	1	< 0.01	4	820	52	< 2	9	55	0.15	< 10	< 10	97	< 10	530
SX5606	201	202	< 1	0.02	4	1160	16	< 2	4	44	0.08	< 10	< 10	76	< 10	88
SX5607	201	202	< 1	0.01	5	1020	14	< 2	4	42	0.06	< 10	< 10	63	< 10	76
SX5608	201	202	< 1	0.01	4	1170	22	< 2	2	52	0.04	< 10	< 10	47	< 10	230
SX5609	201	202	1	< 0.01	8	920	18	< 2	6	37	0.07	< 10	< 10	71	< 10	872
SX5610	201	202	3	< 0.01	6	940	28	< 2	12	10	0.13	< 10	< 10	151	< 10	170
SX5611	201	202	< 1	0.01	7	810	8	< 2	9	28	0.14	< 10	< 10	133	< 10	92
SX5612	201	202	2	0.01	6	1080	22	< 2	4	35	0.07	< 10	< 10	54	< 10	488
SX5613	201	202	1	0.01	4	1140	14	< 2	2	64	0.05	< 10	< 10	48	< 10	164

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 5-A
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : I9527434
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5614	201 202		< 5	< 0.2	2.28	6	210	< 0.5	< 2	0.81	0.5	14	12	97	2.47	< 10	< 1	0.14	< 10	0.89	1250
SX5615	201 202		< 5	0.2	3.08	2	100	< 0.5	< 2	1.02	0.5	14	18	47	3.49	< 10	< 1	0.11	< 10	1.32	1150
SX5616	201 202		10	0.2	4.71	30	160	1.0	< 2	0.49	2.0	54	9	365	6.59	< 10	1	0.15	< 10	0.83	2590
SX5617	201 202		25	0.2	3.92	24	150	0.5	2	0.93	3.0	46	10	612	5.47	< 10	1	0.13	< 10	1.48	1490
SX5618	201 202		15	0.4	3.77	10	140	0.5	2	0.95	1.0	34	10	187	4.41	< 10	1	0.11	< 10	0.98	1560
SX5619	201 202		< 5	0.4	3.81	8	170	< 0.5	< 2	0.78	2.0	35	14	195	5.70	< 10	2	0.11	< 10	1.31	1700
SX5620	201 202		< 5	0.4	5.09	20	110	0.5	< 2	1.20	0.5	175	11	371	9.25	10	1	0.10	< 10	2.11	2660
SX5621	201 202		< 5	< 0.2	2.70	8	200	< 0.5	< 2	1.93	1.0	17	13	150	3.53	< 10	< 1	0.15	< 10	0.89	1250
SX5622 A	201 202		< 5	0.2	3.41	6	280	< 0.5	< 2	0.84	2.0	34	9	70	4.23	< 10	1	0.09	< 10	0.64	2640
SX5622 B	201 202		< 5	0.4	3.49	6	210	< 0.5	2	1.18	< 0.5	23	23	92	7.21	< 10	2	0.10	< 10	1.36	1050
SX5623	201 202		< 5	< 0.2	2.60	2	210	< 0.5	< 2	1.43	< 0.5	17	26	62	4.81	< 10	< 1	0.17	< 10	1.32	885
SX5624	201 202		< 5	0.4	1.07	2	740	< 0.5	< 2	2.59	0.5	9	9	308	1.41	< 10	< 1	0.41	< 10	0.40	410
SX5625	201 202		10	< 0.2	3.63	8	210	< 0.5	< 2	0.89	< 0.5	27	19	156	6.20	< 10	< 1	0.09	< 10	1.63	1100
SX5626	201 202		< 5	< 0.2	3.16	12	140	< 0.5	8	0.67	< 0.5	25	16	169	5.69	< 10	< 1	0.09	< 10	1.50	950
SX5627	201 202		< 5	< 0.2	5.44	10	100	0.5	6	0.88	< 0.5	30	10	355	5.57	10	1	0.06	< 10	1.20	1375
SX5628	201 202		< 5	1.2	3.53	10	270	2.0	< 2	1.10	7.5	43	7	689	2.87	< 10	< 1	0.15	20	0.79	2790
SX5629	201 202		105	0.2	4.08	20	240	0.5	< 2	0.44	0.5	32	10	249	5.44	< 10	1	0.15	< 10	1.81	1960

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :5-B
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No. :19527434
 P.O. Number :
 Account :AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
SX5614	201	202	1 < 0.01	7	1020	22	< 2	4	48	0.10	< 10	< 10	74	< 10	98	
SX5615	201	202	< 1 < 0.01	8	1060	14	< 2	9	45	0.14	< 10	< 10	129	< 10	114	
SX5616	201	202	2 < 0.01	12	1080	28	< 2	8	29	0.14	< 10	< 10	69	< 10	516	
SX5617	201	202	3 < 0.01	10	1010	24	< 2	9	56	0.13	< 10	< 10	105	< 10	830	
SX5618	201	202	1 < 0.01	7	920	14	< 2	8	47	0.13	< 10	< 10	101	< 10	220	
SX5619	201	202	1 < 0.01	9	820	18	< 2	9	51	0.17	< 10	< 10	118	< 10	422	
SX5620	201	202	3 < 0.01	20	1440	12	< 2	12	71	0.19	< 10	< 10	144	< 10	232	
SX5621	201	202	1 < 0.01	10	880	18	< 2	6	56	0.09	< 10	< 10	84	< 10	208	
SX5622 A	201	202	1 < 0.01	7	1070	16	< 2	6	37	0.12	< 10	< 10	92	< 10	624	
SX5622 B	201	202	< 1 < 0.01	11	920	8	< 2	11	68	0.26	< 10	< 10	199	< 10	92	
SX5623	201	202	< 1 0.03	18	1140	8	< 2	9	46	0.10	< 10	< 10	114	< 10	70	
SX5624	201	202	< 1 0.09	6	2730	8	< 2	< 1	52	0.01	< 10	< 10	46	< 10	50	
SX5625	201	202	1 < 0.01	13	980	8	< 2	10	65	0.19	< 10	< 10	146	< 10	114	
SX5626	201	202	1 < 0.01	11	960	14	< 2	8	55	0.15	< 10	< 10	124	< 10	130	
SX5627	201	202	3 < 0.01	9	1130	44	< 2	10	51	0.13	< 10	< 10	104	< 10	246	
SX5628	201	202	2 0.02	10	1380	686	< 2	4	48	0.07	< 10	< 10	49	< 10	738	
SX5629	201	202	2 0.01	12	830	48	< 2	8	31	0.06	< 10	< 10	93	< 10	360	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 1-A
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5100	201 202	< 5	0.2	5.53	8	20	< 0.5	< 2	0.08	0.5	4	31	581	9.54	10	< 1	0.03	< 10	0.69	370
SX5101	201 202	< 5	< 0.2	2.92	< 2	20	< 0.5	< 2	0.10	< 0.5	4	20	15	6.43	10	< 1	0.02	< 10	0.39	270
SX5102	201 202	< 5	< 0.2	8.79	< 2	40	< 0.5	< 2	0.03	< 0.5	1	7	7	3.52	< 10	< 1	0.02	10	0.16	85
SX5103	201 202	< 5	0.2	4.98	8	80	< 0.5	< 2	0.16	< 0.5	8	17	154	6.35	< 10	< 1	0.06	< 10	1.02	725
SX5104	201 202	< 5	< 0.2	5.52	4	100	< 0.5	< 2	0.15	< 0.5	6	13	237	7.59	< 10	1	0.04	< 10	0.82	560
SX5105	201 202	< 5	< 0.2	4.35	4	50	< 0.5	< 2	0.16	< 0.5	3	14	39	6.38	10	1	0.01	< 10	0.16	185
SX5106	201 202	< 5	< 0.2	4.37	6	40	< 0.5	< 2	0.17	< 0.5	4	16	41	6.53	10	< 1	0.02	< 10	0.45	335
SX5107	201 202	< 5	0.2	5.99	6	110	< 0.5	< 2	0.20	< 0.5	9	18	80	5.33	< 10	< 1	0.04	< 10	0.50	480
SX5108	201 202	< 5	1.6	4.95	26	60	< 0.5	< 2	0.13	< 0.5	18	50	100	8.15	< 10	< 1	0.03	< 10	0.97	1725
SX5109	201 202	< 5	< 0.2	4.97	< 2	20	< 0.5	< 2	0.06	< 0.5	7	24	85	7.27	10	1	0.02	< 10	0.93	325
SX5110	201 202	< 5	< 0.2	5.40	6	30	< 0.5	< 2	0.11	< 0.5	7	30	32	6.87	10	< 1	0.02	< 10	0.56	245
SX5111	201 202	< 5	0.2	5.90	14	40	< 0.5	< 2	0.16	< 0.5	4	19	110	6.88	10	< 1	0.04	< 10	0.46	370
SX5112	201 202	< 5	0.2	4.74	6	40	< 0.5	< 2	0.14	0.5	8	14	83	5.49	10	< 1	0.02	< 10	0.43	450
SX5113	201 202	< 5	< 0.2	8.43	14	70	< 0.5	< 2	0.07	< 0.5	4	12	106	9.98	< 10	< 1	0.04	< 10	0.65	465
SX5114	201 202	< 5	< 0.2	4.23	4	50	< 0.5	< 2	0.12	< 0.5	4	12	54	6.83	< 10	< 1	0.03	< 10	0.42	525
SX5115	201 202	< 5	0.4	5.39	6	90	< 0.5	< 2	0.09	1.0	8	15	103	5.68	< 10	< 1	0.04	< 10	0.51	345
SX5116	201 202	15	0.2	3.75	4	40	< 0.5	< 2	0.07	< 0.5	1	8	29	6.31	< 10	2	0.03	< 10	0.17	145
SX5117	201 202	< 5	< 0.2	2.95	6	50	< 0.5	< 2	0.12	< 0.5	2	7	25	5.47	< 10	< 1	0.04	< 10	-0.29	195-
SX5118	201 202	< 5	0.2	3.51	8	60	< 0.5	< 2	0.14	< 0.5	3	12	37	6.03	< 10	< 1	0.02	< 10	0.36	270
SX5119	201 202	< 5	< 0.2	2.27	8	30	< 0.5	< 2	0.07	< 0.5	2	19	114	7.80	10	< 1	0.02	< 10	0.31	220
SX5120	201 202	< 5	< 0.2	7.02	2	80	0.5	< 2	0.29	4.0	38	3	810	2.58	< 10	< 1	0.15	< 10	0.21	3360
SX5121	201 202	< 5	< 0.2	6.14	6	40	< 0.5	< 2	0.21	< 0.5	10	10	62	7.75	10	< 1	0.03	< 10	1.97	785
SX5122	201 202	< 5	< 0.2	3.49	< 2	70	< 0.5	< 2	0.13	< 0.5	5	20	13	5.03	10	1	0.02	< 10	0.51	480
SX5123	201 202	< 5	< 0.2	6.14	6	30	< 0.5	< 2	0.11	< 0.5	6	31	31	7.98	10	< 1	0.04	< 10	0.87	340
SX5124	201 202	25	0.2	6.65	6	110	< 0.5	< 2	0.06	< 0.5	1	6	114	9.98	< 10	< 1	0.08	< 10	0.23	270
SX5125	201 202	< 5	0.2	6.79	4	40	< 0.5	< 2	0.12	< 0.5	2	16	66	6.47	10	1	0.03	< 10	0.35	210
SX5126	201 202	10	0.6	6.80	6	50	< 0.5	< 2	0.09	< 0.5	2	10	45	7.38	10	< 1	0.03	< 10	0.31	170
SX5127	201 202	< 5	< 0.2	4.34	6	40	< 0.5	< 2	0.26	< 0.5	4	12	33	6.13	10	< 1	0.02	< 10	0.38	305
SX5128	201 202	< 5	< 0.2	4.98	< 2	130	0.5	< 2	0.33	4.5	77	3	527	2.28	< 10	1	0.06	< 10	0.29	6090
SX5129	201 202	< 5	< 0.2	3.44	< 2	30	< 0.5	< 2	0.11	< 0.5	4	16	47	6.39	10	< 1	0.04	< 10	0.47	345
SX5130	201 202	< 5	< 0.2	4.18	4	30	< 0.5	< 2	0.13	< 0.5	3	21	70	6.87	10	1	0.03	< 10	0.52	340
SX5131	201 202	< 5	< 0.2	5.33	4	40	< 0.5	< 2	0.17	< 0.5	6	20	95	7.18	< 10	1	0.03	< 10	0.60	495
SX5132	201 202	< 5	< 0.2	4.84	2	40	< 0.5	< 2	0.21	< 0.5	4	5	44	5.26	< 10	< 1	0.05	< 10	0.55	300
SX5133	201 202	< 5	< 0.2	7.66	8	90	0.5	< 2	0.14	< 0.5	18	16	69	6.16	< 10	< 1	0.03	< 10	0.37	635
SX5134	201 202	< 5	< 0.2	4.02	2	30	< 0.5	< 2	0.30	< 0.5	9	14	60	6.68	10	< 1	0.02	< 10	0.47	465
SX5135	201 202	< 5	< 0.2	9.77	16	40	< 0.5	< 2	0.09	< 0.5	8	22	94	5.99	< 10	< 1	0.04	< 10	0.88	570
SX5136	201 202	50	2.0	7.53	14	70	< 0.5	< 2	0.16	< 0.5	30	19	183	7.78	< 10	2	0.03	< 10	0.37	3080
SX5137	201 202	< 5	1.4	6.03	48	100	< 0.5	< 2	0.02	< 0.5	23	20	103	7.73	< 10	< 1	0.20	10	0.27	1930
SX5138	201 202	30	0.4	5.66	12	60	< 0.5	< 2	0.12	< 0.5	6	19	262	8.14	< 10	1	0.04	< 10	1.19	730
SX5139	201 202	< 5	< 0.2	3.87	8	30	< 0.5	< 2	0.17	< 0.5	4	8	81	6.52	< 10	< 1	0.03	< 10	0.39	365

CERTIFICATION: *Mark Bickler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver,
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 1-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5100	201 202	1 < 0.01	4	1330	54	< 2	6	10	0.14	< 10	< 10	183	< 10	164	
SX5101	201 202	< 1 < 0.01	3	660	6	< 2	5	10	0.15	< 10	< 10	211	< 10	28	
SX5102	201 202	< 1 0.01	1	790	4	< 2	2	2	0.05	< 10	< 10	35	< 10	38	
SX5103	201 202	3 < 0.01	4	710	32	< 2	6	16	0.12	< 10	< 10	135	< 10	248	
SX5104	201 202	3 < 0.01	2	1020	10	< 2	7	15	0.09	< 10	< 10	119	< 10	114	
SX5105	201 202	< 1 < 0.01	2	510	14	< 2	5	17	0.14	< 10	< 10	180	< 10	70	
SX5106	201 202	< 1 < 0.01	2	880	14	< 2	4	18	0.12	< 10	< 10	168	< 10	60	
SX5107	201 202	2 0.01	4	990	16	< 2	6	16	0.15	< 10	< 10	147	< 10	130	
SX5108	201 202	< 1 < 0.01	5	850	164	2	11	20	0.07	< 10	< 10	200	< 10	294	
SX5109	201 202	< 1 < 0.01	4	1050	4	2	9	7	0.16	< 10	< 10	259	< 10	46	
SX5110	201 202	< 1 < 0.01	6	610	6	2	9	12	0.17	< 10	< 10	216	< 10	42	
SX5111	201 202	4 < 0.01	2	910	14	2	6	15	0.11	< 10	< 10	152	< 10	68	
SX5112	201 202	2 < 0.01	3	640	16	< 2	4	13	0.09	< 10	< 10	137	< 10	124	
SX5113	201 202	1 < 0.01	3	1300	4	2	14	9	0.09	< 10	< 10	141	< 10	70	
SX5114	201 202	< 1 < 0.01	2	1200	16	< 2	6	11	0.11	< 10	< 10	163	< 10	48	
SX5115	201 202	3 0.01	4	930	44	4	4	9	0.07	< 10	< 10	87	< 10	394	
SX5116	201 202	3 < 0.01	1	770	84	< 2	3	7	0.07	< 10	< 10	90	< 10	78	
SX5117	201 202	3 < 0.01	1	880	28	< 2	3	13	0.09	< 10	< 10	112	< 10	28	
SX5118	201 202	1 < 0.01	2	830	12	< 2	4	14	0.10	< 10	< 10	138	< 10	46	
SX5119	201 202	1 < 0.01	2	670	16	< 2	5	8	0.15	< 10	< 10	207	< 10	38	
SX5120	201 202	1 0.02	2	850	22	2	2	15	0.03	< 10	< 10	29	< 10	342	
SX5121	201 202	< 1 < 0.01	3	1010	12	< 2	10	30	0.14	< 10	< 10	244	< 10	182	
SX5122	201 202	2 < 0.01	3	370	6	< 2	5	13	0.14	< 10	< 10	160	< 10	40	
SX5123	201 202	1 < 0.01	5	610	6	< 2	10	11	0.21	< 10	< 10	214	< 10	46	
SX5124	201 202	2 < 0.01	< 1	1720	114	< 2	7	8	0.09	< 10	< 10	74	< 10	104	
SX5125	201 202	1 0.02	2	910	26	2	6	13	0.12	< 10	< 10	140	< 10	108	
SX5126	201 202	4 0.01	1	810	22	2	8	9	0.06	< 10	< 10	94	< 10	104	
SX5127	201 202	2 0.01	2	490	12	< 2	5	22	0.12	< 10	< 10	154	< 10	96	
SX5128	201 202	1 0.01	3	1120	16	< 2	1	21	0.04	< 10	< 10	37	< 10	574	
SX5129	201 202	1 < 0.01	2	820	10	2	4	11	0.12	< 10	< 10	165	< 10	58	
SX5130	201 202	1 < 0.01	3	670	14	< 2	6	13	0.15	< 10	< 10	161	< 10	78	
SX5131	201 202	2 < 0.01	3	1260	16	< 2	7	17	0.16	< 10	< 10	162	< 10	86	
SX5132	201 202	< 1 < 0.01	1	420	8	2	6	22	0.06	< 10	< 10	116	< 10	56	
SX5133	201 202	1 < 0.01	4	910	16	< 2	7	14	0.16	< 10	< 10	109	< 10	198	
SX5134	201 202	< 1 < 0.01	3	610	10	< 2	7	30	0.19	< 10	< 10	198	< 10	56	
SX5135	201 202	1 < 0.01	6	1320	12	< 2	10	9	0.12	< 10	< 10	114	< 10	136	
SX5136	201 202	2 < 0.01	3	1490	22	2	7	17	0.13	< 10	< 10	136	< 10	148	
SX5137	201 202	< 1 < 0.01	2	1690	6	< 2	9	3	0.03	< 10	< 10	86	< 10	66	
SX5138	201 202	< 1 < 0.01	4	740	22	< 2	7	15	0.16	< 10	< 10	123	< 10	140	
SX5139	201 202	2 0.02	1	990	10	< 2	4	22	0.24	< 10	< 10	161	< 10	46	

CERTIFICATION:

100% Q.C.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :2-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No.: 19527434
 P.O. Number :
 Account :AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5140	201 202	< 5 < 0.2	8.25	8	80 < 0.5	< 2	0.17 < 0.5	< 12	17	544	8.02	< 10	1	0.06 < 10	0.99	735				
SX5141	201 202	< 5 < 0.2	6.27	6	90 < 0.5	< 2	0.18 < 0.5	< 10	7	139	6.69	< 10	2	0.06 < 10	0.74	890				
SX5142	201 202	< 5 < 0.2	4.06	2	60 < 0.5	< 2	0.09 < 0.5	< 1	8	132	7.34	< 10	< 1	0.04 < 10	0.25	195				
SX5143	201 202	< 5 < 0.2	5.04	6	60 < 0.5	< 2	0.18 < 0.5	< 6	14	57	7.07	< 10	1	0.03 < 10	0.50	460				
SX5144	201 202	< 5 < 0.2	5.02	4	30 < 0.5	< 2	0.08 < 0.5	< 4	23	36	6.89	< 10	< 1	0.01 < 10	0.37	190				
SX5145	201 202	< 5 < 0.2	8.37	4	30 < 0.5	< 2	0.07 < 0.5	< 6	32	44	6.18	< 10	1	0.02 < 10	0.33	160				
SX5146	201 202	< 5 0.2	7.98	4	40 < 0.5	< 2	0.13 < 0.5	< 6	21	119	6.71	< 10	< 1	0.02 < 10	0.28	240				
SX5147	201 202	< 5 0.2	4.07	8	40 < 0.5	< 2	0.08 < 0.5	< 1	9	35	5.91	< 10	< 1	0.02 < 10	0.30	155				
SX5148	-- --	miss.																		
SX5149	201 202	< 5 < 0.2	5.11	18	40 < 0.5	< 2	0.28 < 0.5	< 9	7	52	6.97	< 10	< 1	0.02 < 10	0.57	445				
SX5150	201 202	< 5 < 0.2	6.00	8	50 < 0.5	< 2	0.20 < 0.5	< 9	21	92	6.78	< 10	< 1	0.03 < 10	0.75	445				
SX5151	201 202	< 5 < 0.2	3.87	2	40 < 0.5	< 2	0.25 < 0.5	< 4	11	44	5.43	< 10	< 1	0.02 < 10	0.35	285				
SX5152	201 202	< 5 < 0.2	6.36	14	30 < 0.5	< 2	0.19 < 0.5	< 9	21	145	7.53	< 10	1	0.03 < 10	0.88	530				
SX5153	201 202	< 5 < 0.2	4.05	4	20 < 0.5	< 2	0.26 < 0.5	< 4	12	51	6.77	< 10	1	0.01 < 10	0.35	330				
SX5154	201 202	< 5 0.2	7.25	< 2	50 < 0.5	< 2	0.12 < 0.5	< 4	15	96	7.61	< 10	< 1	0.02 < 10	0.33	250				
SX5155	201 202	< 5 0.2	5.91	6	70 < 0.5	< 2	0.19 < 0.5	< 9	14	458	6.62	< 10	< 1	0.02 < 10	0.58	380				
SX5156	201 202	< 5 < 0.2	6.67	6	50 < 0.5	< 2	0.24 < 0.5	< 13	21	161	6.61	< 10	1	0.03 < 10	0.87	570				
SX5157	201 202	< 5 < 0.2	6.48	4	110 0.5	< 2	0.13 0.5	< 12	18	90	6.99	< 10	1	0.06 < 10	0.77	515				
SX5158	201 202	< 5 < 0.2	6.43	< 2	90 0.5	< 2	0.10 0.5	< 20	14	84	6.08	< 10	< 1	0.04 < 10	0.39	920				
SX5159	201 202	< 5 < 0.2	7.00	8	80 0.5	< 2	0.14 < 0.5	< 12	18	90	6.43	< 10	1	0.03 < 10	0.49	1050				
SX5160	201 202	< 5 < 0.2	8.79	8	60 < 0.5	< 2	0.11 < 0.5	< 11	23	76	6.70	< 10	1	0.02 < 10	0.44	410				
SX5161	201 202	< 5 < 0.2	5.19	8	110 0.5	< 2	0.23 < 0.5	< 18	18	65	6.77	< 10	< 1	0.04 < 10	0.72	895				
SX5162	201 202	< 5 < 0.2	7.36	8	70 < 0.5	< 2	0.24 < 0.5	< 12	20	91	5.98	< 10	1	0.04 < 10	0.62	690				
SX5163	201 202	< 5 < 0.2	4.48	6	120 < 0.5	< 2	0.21 < 0.5	< 15	18	72	5.93	< 10	< 1	0.03 < 10	0.67	1120				
SX5164	201 202	< 5 < 0.2	4.54	< 2	110 < 0.5	< 2	0.20 < 0.5	< 16	17	65	6.51	< 10	< 1	0.03 < 10	0.51	785				
SX5165	201 202	< 5 < 0.2	6.60	< 2	40 < 0.5	< 2	0.11 < 0.5	< 12	20	89	6.25	< 10	< 1	0.03 < 10	0.69	710				
SX5166	201 202	< 5 < 0.2	7.12	14	40 < 0.5	< 2	0.14 < 0.5	< 11	20	83	7.27	< 10	< 1	0.02 < 10	0.61	935				
SX5167	201 202	< 5 < 0.2	6.37	< 2	40 < 0.5	< 2	0.22 < 0.5	< 14	23	124	7.73	< 10	1	0.04 < 10	0.92	650				
SX5168	-- --	miss.																		
SX5169	-- --	miss.																		
SX5170	201 202	< 5 0.4	6.34	8	140 0.5	< 2	0.14 0.5	< 60	16	244	6.76	< 10	< 1	0.03 < 10	0.33	1255				
SX5171	201 202	< 5 0.6	7.04	6	60 < 0.5	< 2	0.10 < 0.5	< 8	18	156	6.90	< 10	< 1	0.03 < 10	0.73	560				
SX5172	201 202	< 5 0.2	6.10	6	50 < 0.5	< 2	0.10 < 0.5	< 6	14	76	5.71	< 10	< 1	0.04 < 10	0.44	535				
SX5173	201 202	< 5 0.2	4.84	2	70 < 0.5	< 2	0.12 < 0.5	< 3	10	38	7.17	< 10	< 1	0.03 < 10	0.40	420				
SX5174	201 202	< 5 0.4	5.91	6	60 < 0.5	< 2	0.10 < 0.5	< 4	16	136	6.88	< 10	1	0.03 < 10	0.44	590				
SX5175	201 202	< 5 < 0.2	5.07	6	40 < 0.5	< 2	0.13 < 0.5	< 8	15	84	5.98	< 10	1	0.03 < 10	0.46	990				
SX5176	201 202	15 < 0.2	5.65	8	40 < 0.5	< 2	0.18 < 0.5	< 9	19	91	5.97	< 10	< 1	0.03 < 10	0.64	460				
SX5177	201 202	< 5 < 0.2	6.77	8	30 < 0.5	< 2	0.13 < 0.5	< 9	21	100	6.35	< 10	1	0.03 < 10	0.75	545				
SX5178	201 202	< 5 0.4	6.02	8	70 < 0.5	< 2	0.13 < 0.5	< 9	14	278	6.84	< 10	< 1	0.04 < 10	0.46	450				
SX5179	201 202	15 0.2	7.50	12	80 < 0.5	< 2	0.08 < 0.5	< 3	13	87	5.79	< 10	< 1	0.04 < 10	0.41	345				

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :2-B
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No. :19527434
 P.O. Number :
 Account :AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5140	201	202	2 < 0.01	5	1030	16	2	9	23	0.16	< 10	< 10	135	< 10	184	
SX5141	201	202	< 1 0.01	2	610	8	< 2	8	23	0.09	< 10	< 10	119	< 10	68	
SX5142	201	202	3 0.01	1	1050	26	< 2	4	9	0.04	< 10	< 10	117	< 10	28	
SX5143	201	202	1 < 0.01	1	540	18	< 2	11	27	0.22	< 10	< 10	203	< 10	56	
SX5144	201	202	< 1 < 0.01	3	510	4	< 2	6	9	0.17	< 10	< 10	199	< 10	42	
SX5145	201	202	< 1 < 0.01	4	580	4	4	9	8	0.13	< 10	< 10	163	< 10	74	
SX5146	201	202	< 1 < 0.01	2	780	8	6	10	18	0.18	< 10	< 10	166	< 10	82	
SX5147	201	202	1 < 0.01	1	600	8	2	6	9	0.07	< 10	< 10	136	< 10	30	
SX5148	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5149	201	202	1 < 0.01	2	390	14	< 2	6	31	0.27	< 10	< 10	182	< 10	94	
SX5150	201	202	1 < 0.01	6	380	14	2	9	22	0.19	< 10	< 10	170	< 10	142	
SX5151	201	202	< 1 < 0.01	1	420	12	< 2	6	27	0.18	< 10	< 10	147	< 10	116	
SX5152	201	202	1 < 0.01	5	830	16	< 2	10	25	0.25	< 10	< 10	192	< 10	128	
SX5153	201	202	1 < 0.01	2	270	6	4	4	30	0.22	< 10	< 10	216	< 10	74	
SX5154	201	202	1 < 0.01	2	540	14	2	8	15	0.22	< 10	< 10	212	< 10	134	
SX5155	201	202	2 < 0.01	3	330	14	4	9	25	0.16	< 10	< 10	182	< 10	214	
SX5156	201	202	< 1 < 0.01	8	770	14	2	12	24	0.21	< 10	< 10	187	< 10	132	
SX5157	201	202	< 1 < 0.01	6	920	26	< 2	12	15	0.20	< 10	< 10	176	< 10	222	
SX5158	201	202	< 1 < 0.01	3	1170	72	< 2	11	13	0.12	< 10	< 10	120	< 10	172	
SX5159	201	202	< 1 < 0.01	5	1550	14	< 2	10	16	0.18	< 10	< 10	160	< 10	192	
SX5160	201	202	< 1 < 0.01	4	980	12	2	14	17	0.20	< 10	< 10	153	< 10	178	
SX5161	201	202	1 < 0.01	6	940	16	< 2	9	24	0.23	< 10	< 10	173	< 10	164	
SX5162	201	202	1 < 0.01	6	1500	10	2	11	17	0.21	< 10	< 10	137	< 10	152	
SX5163	201	202	1 < 0.01	5	1040	24	< 2	10	20	0.18	< 10	< 10	165	< 10	192	
SX5164	201	202	< 1 < 0.01	4	690	26	2	8	25	0.17	< 10	< 10	188	< 10	142	
SX5165	201	202	< 1 < 0.01	4	1640	12	< 2	13	13	0.18	< 10	< 10	163	< 10	166	
SX5166	201	202	< 1 < 0.01	4	1110	12	< 2	10	21	0.25	< 10	< 10	199	< 10	110	
SX5167	201	202	< 1 < 0.01	7	810	8	2	12	29	0.27	< 10	< 10	217	< 10	114	
SX5168	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5169	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	
SX5170	201	202	1 < 0.01	7	1150	48	< 2	10	16	0.15	< 10	< 10	165	< 10	226	
SX5171	201	202	1 < 0.01	4	840	32	2	8	12	0.16	< 10	< 10	163	< 10	238	
SX5172	201	202	1 < 0.01	3	1010	22	< 2	9	11	0.13	< 10	< 10	136	< 10	130	
SX5173	201	202	< 1 < 0.01	1	640	20	< 2	8	16	0.15	< 10	< 10	171	< 10	138	
SX5174	201	202	1 < 0.01	2	1520	18	< 2	8	16	0.12	< 10	< 10	149	< 10	134	
SX5175	201	202	< 1 < 0.01	3	1180	14	2	7	17	0.16	< 10	< 10	144	< 10	104	
SX5176	201	202	< 1 < 0.01	5	800	14	2	13	25	0.21	< 10	< 10	181	< 10	140	
SX5177	201	202	< 1 < 0.01	4	1290	8	< 2	18	18	0.21	< 10	< 10	159	< 10	108	
SX5178	201	202	1 < 0.01	3	790	24	< 2	8	20	0.12	< 10	< 10	146	< 10	180	
SX5179	201	202	1 < 0.01	2	1170	20	< 2	8	12	0.09	< 10	< 10	106	< 10	134	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

Page Number :3-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No. :19527434
 P.O. Number :
 Account :AN

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5180	201 202	< 5 < 0.2	3.79	6	40	< 0.5	< 2	0.07	< 0.5	2	11	37	5.82	10	< 1	0.02	< 10	0.27	230	
SX5181	201 202	< 5 < 0.2	3.83	4	30	< 0.5	< 2	0.08	< 0.5	2	13	27	5.63	10	< 1	0.01	< 10	0.24	160	
SX5182	201 202	< 5 < 0.2	4.85	2	60	< 0.5	< 2	0.09	< 0.5	6	16	47	5.79	10	< 1	0.04	< 10	0.58	305	
SX5183	201 202	< 5 < 0.2	5.96	10	60	< 0.5	< 2	0.12	< 0.5	8	17	55	6.13	10	< 1	0.04	< 10	0.61	335	
SX5184	-- --	miss.																		
SX5185	201 202	< 5 0.2	5.41	6	40	< 0.5	< 2	0.04	< 0.5	4	12	20	5.94	10	< 1	0.03	< 10	0.36	180	
SX5186	201 202	< 5 0.2	4.85	6	40	< 0.5	< 2	0.03	< 0.5	3	12	17	5.76	10	< 1	0.03	< 10	0.34	185	
SX5186A	201 202	< 5 < 0.2	0.88	18	230	< 0.5	< 2	0.21	1.0	55	< 1	68	>15.00	< 10	< 1	0.03	< 10	0.20	6360	
SX5187	201 202	< 5 < 0.2	5.45	6	30	< 0.5	< 2	0.02	< 0.5	4	13	15	5.32	< 10	< 1	0.02	< 10	0.29	240	
SX5188	201 202	10 < 0.2	4.45	12	100	< 0.5	< 2	0.07	< 0.5	12	17	46	4.63	< 10	< 1	0.06	< 10	1.11	765	
SX5189	201 202	< 5 0.8	3.81	4	210	< 0.5	< 2	0.04	< 0.5	21	13	58	5.51	< 10	< 1	0.17	< 10	0.77	995	
SX5190	201 202	< 5 < 0.2	5.02	4	160	< 0.5	< 2	0.09	< 0.5	12	21	66	6.42	< 10	< 1	0.05	10	0.64	470	
SX5191	201 202	< 5 < 0.2	7.69	10	40	< 0.5	< 2	0.01	< 0.5	2	8	9	3.76	< 10	< 1	0.03	< 10	0.21	420	
SX5192	201 202	< 5 < 0.2	2.15	4	420	0.5	< 2	0.59	0.5	5	4	10	1.69	< 10	< 1	0.12	10	0.58	1240	
SX5193	201 202	< 5 < 0.2	3.68	6	80	< 0.5	< 2	0.03	< 0.5	3	6	7	3.20	< 10	< 1	0.03	< 10	0.36	180	
SX5194	201 202	< 5 < 0.2	2.05	2	470	1.0	< 2	1.11	1.0	3	4	8	1.42	< 10	< 1	0.19	10	1.18	1420	
SX5195	201 202	< 5 < 0.2	3.80	6	70	< 0.5	< 2	0.08	< 0.5	6	12	20	4.83	< 10	< 1	0.02	< 10	0.39	400	
SX5196	201 202	< 5 0.2	6.62	4	100	< 0.5	< 2	0.10	< 0.5	7	13	81	5.42	< 10	< 1	0.04	< 10	0.52	280	
SX5197	201 202	< 5 < 0.2	5.58	14	110	< 0.5	< 2	0.14	< 0.5	11	14	332	6.15	< 10	< 1	0.08	< 10	0.89	535	
SX5198	201 202	< 5 < 0.2	4.33	4	80	< 0.5	< 2	0.20	< 0.5	7	9	72	4.65	< 10	< 1	0.06	< 10	0.70	400	
SX5199	201 202	< 5 < 0.2	5.54	< 2	100	< 0.5	< 2	0.13	< 0.5	11	18	39	5.95	10	1	0.05	< 10	0.66	470	
SX5200	201 202	< 5 < 0.2	2.75	8	390	0.5	< 2	1.44	2.5	10	8	40	1.97	< 10	< 1	0.12	10	0.72	2080	
SX5201	201 202	< 5 0.2	6.54	< 2	80	< 0.5	< 2	0.17	< 0.5	11	15	141	5.99	< 10	< 1	0.05	< 10	0.77	685	
SX5202	201 202	< 5 < 0.2	3.04	8	50	< 0.5	< 2	0.16	< 0.5	3	8	25	5.58	10	< 1	0.02	< 10	0.40	250	
SX5203	201 202	< 5 < 0.2	4.32	4	90	< 0.5	< 2	0.14	< 0.5	8	9	220	6.08	10	< 1	0.03	< 10	0.41	400	
SX5204	201 202	< 5 < 0.2	6.06	12	60	< 0.5	< 2	0.16	< 0.5	7	14	126	6.24	< 10	1	0.04	< 10	0.76	715	
SX5205	201 202	< 5 < 0.2	6.92	12	110	< 0.5	< 2	0.34	< 0.5	18	17	413	6.68	10	< 1	0.12	< 10	1.06	1430	
SX5206	201 202	< 5 0.2	7.61	16	80	< 0.5	< 2	0.12	< 0.5	8	16	110	6.99	10	1	0.04	< 10	0.58	435	
SX5207	201 202	< 5 0.4	6.46	14	50	< 0.5	< 2	0.09	< 0.5	7	18	95	6.21	10	< 1	0.04	< 10	0.74	330	
SX5208	201 202	< 5 < 0.2	4.49	< 2	60	< 0.5	< 2	0.16	< 0.5	6	13	76	5.37	10	< 1	0.02	< 10	0.49	360	
SX5209	201 202	< 5 < 0.2	5.14	8	90	< 0.5	< 2	0.09	< 0.5	8	8	82	6.23	< 10	1	0.04	< 10	0.61	365	
SX5210	201 202	< 5 < 0.2	5.90	8	80	< 0.5	< 2	0.08	< 0.5	7	17	51	5.78	10	< 1	0.04	< 10	0.72	400	
SX5211	201 202	< 5 < 0.2	4.92	10	140	0.5	< 2	0.19	< 0.5	21	15	157	5.28	< 10	< 1	0.08	10	1.27	1260	
SX5212	201 202	< 5 < 0.2	2.95	12	40	< 0.5	< 2	0.12	< 0.5	3	12	30	5.91	10	1	0.06	< 10	0.45	265	
SX5213	201 202	< 5 0.2	6.58	6	80	0.5	< 2	0.07	< 0.5	3	8	151	6.03	10	1	0.05	10	0.56	475	
SX5214	201 202	< 5 < 0.2	2.94	12	70	< 0.5	< 2	0.12	< 0.5	2	8	206	4.42	< 10	1	0.08	< 10	0.46	885	
SX5215	201 202	< 5 < 0.2	4.62	8	80	< 0.5	< 2	0.11	< 0.5	11	17	139	7.28	10	< 1	0.04	< 10	0.97	1245	
SX5216	201 202	< 5 < 0.2	3.95	6	70	< 0.5	< 2	0.12	< 0.5	6	17	71	5.47	< 10	< 1	0.02	< 10	0.56	560	
SX5217	201 202	< 5 < 0.2	5.55	6	40	< 0.5	< 2	0.13	< 0.5	6	20	106	5.60	< 10	1	0.03	< 10	0.63	615	
SX5218	201 202	< 5 0.2	7.08	12	30	< 0.5	< 2	0.08	< 0.5	7	17	157	5.48	< 10	1	0.04	< 10	0.74	605	

CERTIFICATION: *[Handwritten Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :3-B
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No.: I9527434
 P.O. Number:
 Account :AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
sX5180	201 202	< 1	< 0.01	1	810	20	< 2	4	9	0.10	< 10	< 10	155	< 10	54
sX5181	201 202	1	< 0.01	1	440	20	< 2	6	10	0.10	< 10	< 10	149	< 10	94
sX5182	201 202	1	< 0.01	4	480	14	< 2	7	11	0.14	< 10	< 10	180	< 10	70
sX5183	201 202	< 1	0.01	5	580	14	< 2	10	14	0.19	< 10	< 10	195	< 10	80
sX5184	-- --	miss.													
sX5185	201 202	< 1	< 0.01	3	1200	10	< 2	4	6	0.08	< 10	< 10	107	< 10	56
sX5186	201 202	< 1	< 0.01	2	1100	10	< 2	3	6	0.07	< 10	< 10	107	< 10	54
sX5186A	201 202	1	< 0.01	4	710	8	< 2	3	14	0.03	< 10	< 10	57	< 10	84
sX5187	201 202	< 1	< 0.01	2	1510	10	< 2	3	3	0.06	< 10	< 10	87	< 10	50
sX5188	201 202	1	< 0.01	9	1520	14	4	6	6	0.06	< 10	< 10	97	< 10	84
sX5189	201 202	< 1	0.01	7	990	8	< 2	8	6	< 0.01	< 10	< 10	57	< 10	62
sX5190	201 202	< 1	< 0.01	7	440	22	< 2	9	10	0.08	< 10	< 10	155	< 10	194
sX5191	201 202	< 1	0.01	1	2110	12	< 2	2	2	0.03	< 10	< 10	38	< 10	64
sX5192	201 202	< 1	0.01	1	1070	14	< 2	1	32	0.03	< 10	< 10	28	< 10	52
sX5193	201 202	< 1	0.01	1	660	8	< 2	2	4	0.03	< 10	< 10	42	< 10	58
sX5194	201 202	< 1	0.02	1	1620	16	< 2	1	46	0.01	< 10	< 10	20	< 10	68
sX5195	201 202	1	0.01	3	600	10	< 2	3	8	0.06	< 10	< 10	119	< 10	68
sX5196	201 202	1	< 0.01	4	1010	20	2	7	14	0.06	< 10	< 10	107	< 10	162
sX5197	201 202	3	0.01	4	730	28	2	6	14	0.02	< 10	< 10	120	< 10	194
sX5198	201 202	1	0.01	3	610	8	2	6	21	0.01	< 10	< 10	108	< 10	84
sX5199	201 202	1	0.01	6	660	8	< 2	8	13	0.06	< 10	< 10	154	< 10	98
sX5200	201 202	< 1	0.01	3	1670	36	2	2	56	0.02	< 10	< 10	49	< 10	326
sX5201	201 202	1	0.01	6	920	16	< 2	7	17	0.12	< 10	< 10	146	< 10	182
sX5202	201 202	< 1	< 0.01	3	510	14	< 2	4	14	0.12	< 10	< 10	131	< 10	56
sX5203	201 202	1	< 0.01	2	800	66	< 2	5	15	0.09	< 10	< 10	137	< 10	146
sX5204	201 202	< 1	< 0.01	4	1140	34	< 2	8	18	0.13	< 10	< 10	150	< 10	142
sX5205	201 202	2	< 0.01	7	1330	106	2	11	27	0.13	< 10	< 10	146	< 10	232
sX5206	201 202	1	< 0.01	3	1580	56	< 2	7	12	0.15	< 10	< 10	152	< 10	378
sX5207	201 202	< 1	< 0.01	3	900	28	< 2	8	9	0.12	< 10	< 10	156	< 10	148
sX5208	201 202	1	< 0.01	3	730	28	< 2	6	16	0.13	< 10	< 10	141	< 10	116
sX5209	201 202	1	0.01	3	660	30	< 2	7	9	0.05	< 10	< 10	127	< 10	152
sX5210	201 202	< 1	< 0.01	3	710	18	< 2	7	9	0.09	< 10	< 10	147	< 10	232
sX5211	201 202	2	< 0.01	10	1020	34	2	9	15	0.14	< 10	< 10	112	< 10	208
sX5212	201 202	1	< 0.01	2	840	16	2	4	12	0.08	< 10	< 10	171	< 10	42
sX5213	201 202	7	0.01	1	1600	20	< 2	3	7	0.02	< 10	< 10	70	< 10	126
sX5214	201 202	2	0.01	2	1890	14	2	2	6	< 0.01	< 10	< 10	59	< 10	38
sX5215	201 202	2	< 0.01	4	1120	14	< 2	7	11	0.07	< 10	< 10	152	< 10	106
sX5216	201 202	1	< 0.01	3	810	18	< 2	6	13	0.10	< 10	< 10	152	< 10	136
sX5217	201 202	< 1	< 0.01	4	820	16	< 2	8	14	0.16	< 10	< 10	170	< 10	212
sX5218	201 202	< 1	< 0.01	4	1340	18	< 2	8	9	0.10	< 10	< 10	127	< 10	182

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5


Page Number : 4-A
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : I9527434
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS A9527434

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5219	201 202	< 5	0.2	4.53	6	40	< 0.5	< 2	0.16	< 0.5	9	17	56	6.44	10	< 1	0.04	< 10	0.65	515
SX5220	201 202	< 5	0.4	6.70	2	60	< 0.5	2	0.13	< 0.5	9	20	73	5.57	10	1	0.06	< 10	0.61	480
SX5221	201 202	< 5	< 0.2	5.05	6	30	< 0.5	< 2	0.08	< 0.5	18	15	90	6.31	10	1	0.02	< 10	0.36	1200
SX5222	201 202	< 5	0.2	6.21	8	60	< 0.5	< 2	0.13	< 0.5	12	16	71	6.21	10	< 1	0.04	< 10	0.58	945
SX5223	201 202	< 5	< 0.2	4.33	6	180	< 0.5	< 2	0.54	< 0.5	16	9	130	5.47	< 10	1	0.08	< 10	1.36	1250
SX5224	201 202	< 5	0.2	4.73	6	70	0.5	8	0.19	< 0.5	11	13	67	6.35	10	1	0.03	< 10	0.53	600
SX5225	201 202	< 5	0.6	5.03	2	80	< 0.5	< 2	0.18	< 0.5	16	14	301	7.57	10	< 1	0.04	< 10	0.90	1570
SX5226	201 202	< 5	0.2	4.60	6	70	< 0.5	< 2	0.23	< 0.5	16	9	229	6.34	10	< 1	0.03	< 10	0.75	1230
SX5227	201 202	< 5	0.2	7.04	14	160	0.5	< 2	0.28	0.5	28	12	665	7.55	10	1	0.05	< 10	1.08	1170
SX5228	201 202	< 5	< 0.2	5.98	10	120	< 0.5	< 2	0.19	< 0.5	17	14	169	5.76	10	< 1	0.06	< 10	0.97	860
SX5229	201 202	< 5	0.6	7.00	4	160	0.5	< 2	0.20	0.5	18	16	334	5.32	10	1	0.05	< 10	0.74	1915
SX5230	201 202	< 5	0.4	7.62	14	70	< 0.5	< 2	0.20	< 0.5	13	14	188	6.14	10	< 1	0.03	< 10	0.64	960
SX5231	201 202	< 5	0.6	5.29	8	60	< 0.5	4	0.11	< 0.5	3	13	61	6.84	10	1	0.07	< 10	0.48	605
SX5232	201 202	< 5	0.8	6.31	18	60	< 0.5	2	0.11	< 0.5	5	14	190	6.52	10	2	0.04	< 10	0.61	645
SX5233	201 202	< 5	0.4	7.91	12	120	< 0.5	< 2	0.07	< 0.5	7	17	182	6.69	10	1	0.06	< 10	1.02	620
SX5234	201 202	30	0.4	5.04	12	260	< 0.5	8	0.28	< 0.5	9	15	147	7.72	10	1	0.18	< 10	1.88	910
SX5235	201 202	< 5	0.6	7.08	16	70	< 0.5	< 2	0.14	< 0.5	10	18	237	6.35	10	1	0.04	< 10	0.69	380
SX5236	201 202	< 5	1.4	6.63	6	90	< 0.5	4	0.19	< 0.5	10	14	741	5.53	10	< 1	0.03	< 10	0.88	390
SX5237	201 202	120	0.4	2.64	12	120	< 0.5	4	0.63	< 0.5	18	18	103	5.85	< 10	1	0.10	< 10	1.51	890
SX5238	201 202	140	< 0.2	2.64	10	100	< 0.5	2	0.74	< 0.5	19	24	70	5.83	10	1	0.09	< 10	1.43	840
SX5239	201 202	< 5	0.2	3.03	10	130	< 0.5	2	0.76	< 0.5	21	23	96	6.22	< 10	2	0.08	< 10	1.71	950
SX5240	201 202	< 5	0.4	4.21	16	120	< 0.5	4	1.28	< 0.5	23	16	154	7.20	10	1	0.04	< 10	1.97	940
SX5241	201 202	< 5	< 0.2	3.73	4	140	< 0.5	< 2	0.32	< 0.5	11	13	89	5.29	10	1	0.04	< 10	1.49	660
SX5242	201 202	< 5	0.2	2.90	6	60	< 0.5	< 2	0.23	< 0.5	7	12	48	5.20	< 10	< 1	0.03	< 10	1.11	460
SX5243	201 202	< 5	< 0.2	7.74	12	30	0.5	< 2	0.13	< 0.5	41	13	65	4.90	< 10	< 1	0.02	10	0.61	755
SX5244	201 202	< 5	< 0.2	7.24	8	30	0.5	4	0.14	< 0.5	24	14	97	5.25	< 10	< 1	0.02	< 10	0.54	825
SX5600	201 202	< 5	< 0.2	6.86	4	60	1.0	< 2	0.20	2.0	59	3	679	1.89	< 10	< 1	0.11	< 10	0.10	4020
SX5601	201 202	< 5	0.2	5.98	4	40	< 0.5	< 2	0.15	< 0.5	8	17	52	4.58	10	< 1	0.08	< 10	0.36	525
SX5602	201 202	375	< 0.2	2.98	8	80	< 0.5	< 2	1.08	< 0.5	22	46	77	6.65	10	< 1	0.10	< 10	1.42	875
SX5603	201 202	40	0.2	3.30	2	120	< 0.5	< 2	1.00	< 0.5	20	27	61	7.11	10	1	0.09	< 10	1.71	910
SX5604	201 202	30	0.2	3.38	6	140	< 0.5	< 2	1.04	0.5	20	19	126	5.18	< 10	1	0.10	< 10	1.26	1030
SX5605	201 202	10	< 0.2	3.37	12	190	< 0.5	< 2	0.80	1.5	18	7	139	4.60	< 10	< 1	0.14	< 10	1.55	1910
SX5606	201 202	< 5	< 0.2	2.84	< 2	130	< 0.5	< 2	1.79	< 0.5	8	9	45	2.58	< 10	1	0.26	< 10	0.43	1120
SX5607	201 202	< 5	< 0.2	2.54	< 2	130	< 0.5	< 2	1.86	< 0.5	9	9	50	2.03	< 10	< 1	0.14	< 10	0.41	990
SX5608	201 202	< 5	0.2	2.44	< 2	370	< 0.5	< 2	1.67	3.0	7	7	88	1.88	< 10	< 1	0.18	< 10	0.38	1150
SX5609	201 202	< 5	0.2	3.44	8	250	< 0.5	< 2	0.90	3.5	23	12	153	3.30	< 10	1	0.10	< 10	0.72	1345
SX5610	201 202	< 5	0.2	8.79	8	70	0.5	< 2	0.13	< 0.5	15	17	71	5.23	10	< 1	0.04	< 10	0.27	340
SX5611	201 202	< 5	< 0.2	3.53	8	130	< 0.5	< 2	0.47	< 0.5	14	15	38	4.58	< 10	1	0.13	< 10	1.32	1025
SX5612	201 202	< 5	0.4	4.75	10	100	0.5	< 2	0.82	4.0	69	6	406	3.18	< 10	< 1	0.19	< 10	0.47	3300
SX5613	201 202	< 5	< 0.2	2.77	6	230	< 0.5	< 2	1.16	0.5	18	8	133	1.87	< 10	< 1	0.11	< 10	0.44	1875

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N VANCOUVER, BC
 V7G 1E5

Page Number : 4-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No.: 19527434
 P.O. Number :
 Account : AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5219	201 202	< 1	< 0.01	4	820	14	< 2	9	17	0.12	< 10	< 10	181	< 10	114
SX5220	201 202	1	< 0.01	6	1020	12	< 2	9	16	0.11	< 10	< 10	132	< 10	178
SX5221	201 202	< 1	< 0.01	2	1320	12	< 2	6	9	0.08	< 10	< 10	121	< 10	78
SX5222	201 202	1	< 0.01	5	1150	8	< 2	10	12	0.08	< 10	< 10	118	< 10	116
SX5223	201 202	2	< 0.01	4	1220	98	2	9	33	0.18	< 10	< 10	88	< 10	178
SX5224	201 202	1	< 0.01	4	1130	14	< 2	9	20	0.19	< 10	< 10	145	< 10	112
SX5225	201 202	1	< 0.01	6	1430	6	< 2	11	29	0.07	< 10	< 10	163	< 10	210
SX5226	201 202	< 1	< 0.01	3	740	14	< 2	8	34	0.10	< 10	< 10	155	< 10	190
SX5227	201 202	< 1	< 0.01	8	1270	6	< 2	11	42	0.10	< 10	< 10	154	< 10	640
SX5228	201 202	< 1	< 0.01	7	790	12	< 2	15	40	0.10	< 10	< 10	133	< 10	272
SX5229	201 202	1	< 0.01	8	1320	12	< 2	12	39	0.06	< 10	< 10	117	< 10	796
SX5230	201 202	< 1	< 0.01	6	1290	22	< 2	16	27	0.13	< 10	< 10	156	< 10	330
SX5231	201 202	1	< 0.01	1	720	20	< 2	11	15	0.10	< 10	< 10	181	< 10	102
SX5232	201 202	< 1	< 0.01	2	1330	24	< 2	12	17	0.11	< 10	< 10	149	< 10	186
SX5233	201 202	1	< 0.01	6	1330	16	2	13	12	0.06	< 10	< 10	133	< 10	270
SX5234	201 202	1	0.01	6	1280	20	< 2	15	41	0.20	< 10	< 10	176	< 10	134
SX5235	201 202	1	< 0.01	7	810	16	< 2	11	21	0.14	< 10	< 10	169	< 10	136
SX5236	201 202	1	< 0.01	7	700	14	< 2	10	29	0.15	< 10	< 10	136	< 10	124
SX5237	201 202	< 1	< 0.01	8	800	22	< 2	10	33	0.18	< 10	< 10	146	< 10	146
SX5238	201 202	< 1	< 0.01	10	670	12	< 2	10	62	0.21	< 10	< 10	167	< 10	128
SX5239	201 202	< 1	< 0.01	10	710	14	< 2	10	57	0.20	< 10	< 10	161	< 10	146
SX5240	201 202	2	< 0.01	10	960	6	< 2	10	97	0.20	< 10	< 10	140	< 10	114
SX5241	201 202	1	< 0.01	8	920	8	< 2	9	40	0.14	< 10	< 10	116	< 10	78
SX5242	201 202	< 1	< 0.01	5	530	8	< 2	7	26	0.14	< 10	< 10	139	< 10	62
SX5243	201 202	3	< 0.01	5	1770	10	< 2	10	16	0.15	< 10	< 10	85	< 10	40
SX5244	201 202	2	< 0.01	6	1820	4	< 2	11	17	0.13	< 10	< 10	102	< 10	46
SX5600	201 202	2	0.01	2	660	20	< 2	2	11	0.01	< 10	< 10	17	< 10	196
SX5601	201 202	< 1	< 0.01	4	1150	8	< 2	9	14	0.16	< 10	< 10	130	< 10	114
SX5602	201 202	< 1	0.01	19	950	6	< 2	12	48	0.21	< 10	< 10	194	< 10	80
SX5603	201 202	< 1	0.01	12	730	6	< 2	15	44	0.22	< 10	< 10	256	< 10	84
SX5604	201 202	< 1	< 0.01	8	580	26	< 2	10	85	0.20	< 10	< 10	147	< 10	226
SX5605	201 202	1	< 0.01	4	820	52	< 2	9	55	0.15	< 10	< 10	97	< 10	530
SX5606	201 202	< 1	0.02	4	1160	16	< 2	4	44	0.08	< 10	< 10	76	< 10	88
SX5607	201 202	< 1	0.01	5	1020	14	< 2	4	42	0.06	< 10	< 10	63	< 10	76
SX5608	201 202	< 1	0.01	4	1170	22	< 2	2	52	0.04	< 10	< 10	47	< 10	230
SX5609	201 202	1	< 0.01	8	920	18	< 2	6	37	0.07	< 10	< 10	71	< 10	872
SX5610	201 202	3	< 0.01	6	940	28	< 2	12	10	0.13	< 10	< 10	151	< 10	170
SX5611	201 202	< 1	0.01	7	810	8	< 2	9	28	0.14	< 10	< 10	133	< 10	92
SX5612	201 202	2	0.01	6	1080	22	< 2	4	35	0.07	< 10	< 10	54	< 10	488
SX5613	201 202	1	0.01	4	1140	14	< 2	2	64	0.05	< 10	< 10	48	< 10	164

CERTIFICATION: _____



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :5-A
 Total Pages :5
 Certificate Date: 18-SEP-95
 Invoice No.: I9527434
 P.O. Number:
 Account :AN

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
SX5614	201 202	< 5	< 0.2	2.28	6	210	< 0.5	< 2	0.81	0.5	14	12	97	2.47	< 10	< 1	0.14	< 10	0.89	1250
SX5615	201 202	< 5	0.2	3.08	2	100	< 0.5	< 2	1.02	0.5	14	18	47	3.49	< 10	< 1	0.11	< 10	1.32	1150
SX5616	201 202	10	0.2	4.71	30	160	1.0	< 2	0.49	2.0	54	9	365	6.59	< 10	1	0.15	< 10	0.83	2590
SX5617	201 202	25	0.2	3.92	24	150	0.5	2	0.93	3.0	46	10	612	5.47	< 10	1	0.13	< 10	1.48	1490
SX5618	201 202	15	0.4	3.77	10	140	0.5	2	0.95	1.0	34	10	187	4.41	< 10	1	0.11	< 10	0.98	1560
SX5619	201 202	< 5	0.4	3.81	8	170	< 0.5	< 2	0.78	2.0	35	14	195	5.70	< 10	2	0.11	< 10	1.31	1700
SX5620	201 202	< 5	0.4	5.09	20	110	0.5	< 2	1.20	0.5	175	11	371	9.25	10	1	0.10	< 10	2.11	2660
SX5621	201 202	< 5	< 0.2	2.70	8	200	< 0.5	< 2	1.93	1.0	17	13	150	3.53	< 10	< 1	0.15	< 10	0.89	1250
SX5622 A	201 202	< 5	0.2	3.41	6	280	< 0.5	< 2	0.84	2.0	34	9	70	4.23	< 10	1	0.09	< 10	0.64	2640
SX5622 B	201 202	< 5	0.4	3.49	6	210	< 0.5	2	1.18	< 0.5	23	23	92	7.21	< 10	2	0.10	< 10	1.36	1050
SX5623	201 202	< 5	< 0.2	2.60	2	210	< 0.5	< 2	1.43	< 0.5	17	26	62	4.81	< 10	< 1	0.17	< 10	1.32	885
SX5624	201 202	< 5	0.4	1.07	2	740	< 0.5	< 2	2.59	0.5	9	9	308	1.41	< 10	< 1	0.41	< 10	0.40	410
SX5625	201 202	10	< 0.2	3.63	8	210	< 0.5	< 2	0.89	< 0.5	27	19	156	6.20	< 10	< 1	0.09	< 10	1.63	1100
SX5626	201 202	< 5	< 0.2	3.16	12	140	< 0.5	8	0.67	< 0.5	25	16	169	5.69	< 10	< 1	0.09	< 10	1.50	950
SX5627	201 202	< 5	< 0.2	5.44	10	100	0.5	6	0.88	< 0.5	30	10	355	5.57	10	1	0.06	< 10	1.20	1375
SX5628	201 202	< 5	1.2	3.53	10	270	2.0	< 2	1.10	7.5	43	7	689	2.87	< 10	< 1	0.15	20	0.79	2790
SX5629	201 202	105	0.2	4.08	20	240	0.5	< 2	0.44	0.5	32	10	249	5.44	< 10	1	0.15	< 10	1.81	1960

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 5-B
 Total Pages : 5
 Certificate Date: 18-SEP-95
 Invoice No. : 19527434
 P.O. Number :
 Account : AN


Project : JAS
 Comments: ATTN: A. O. BIRKELAND

CERTIFICATE OF ANALYSIS

A9527434

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
SX5614	201	202	1 < 0.01	7	1020	22	< 2	4	48	0.10	< 10	< 10	74	< 10	98	
SX5615	201	202	< 1 < 0.01	8	1060	14	< 2	9	45	0.14	< 10	< 10	129	< 10	114	
SX5616	201	202	2 < 0.01	12	1080	28	< 2	8	29	0.14	< 10	< 10	69	< 10	516	
SX5617	201	202	3 < 0.01	10	1010	24	2	9	56	0.13	< 10	< 10	105	< 10	830	
SX5618	201	202	1 < 0.01	7	920	14	< 2	8	47	0.13	< 10	< 10	101	< 10	220	
SX5619	201	202	1 < 0.01	9	820	18	< 2	9	51	0.17	< 10	< 10	118	< 10	422	
SX5620	201	202	3 < 0.01	20	1440	12	< 2	12	71	0.19	< 10	< 10	144	< 10	232	
SX5621	201	202	1 < 0.01	10	880	18	< 2	6	56	0.09	< 10	< 10	84	< 10	208	
SX5622 A	201	202	1 < 0.01	7	1070	16	< 2	6	37	0.12	< 10	< 10	92	< 10	624	
SX5622 B	201	202	< 1 < 0.01	11	920	8	< 2	11	68	0.26	< 10	< 10	199	< 10	92	
SX5623	201	202	< 1 0.03	18	1140	8	< 2	9	46	0.10	< 10	< 10	114	< 10	70	
SX5624	201	202	< 1 0.09	6	2730	8	< 2	< 1	52	0.01	< 10	< 10	46	< 10	50	
SX5625	201	202	1 < 0.01	13	980	8	< 2	10	65	0.19	< 10	< 10	146	< 10	114	
SX5626	201	202	1 < 0.01	11	960	14	< 2	8	55	0.15	< 10	< 10	124	< 10	130	
SX5627	201	202	3 < 0.01	9	1130	44	< 2	10	51	0.13	< 10	< 10	104	< 10	246	
SX5628	201	202	2 0.02	10	1380	686	< 2	4	48	0.07	< 10	< 10	49	< 10	738	
SX5629	201	202	2 0.01	12	830	48	< 2	8	31	0.06	< 10	< 10	93	< 10	360	

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brookbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

A9527433

CERTIFICATE

A9527433

(AN) - ARNEX RESOURCES LIMITED

Project: JAS
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 18-SEP-95.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	12	Geochem ring to approx 150 mesh
226	12	0-3 Kg crush and split
3202	12	Rock - save entire reject
229	12	ICP - AQ Digestion charge


* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	12	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	12	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	12	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	12	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	12	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	12	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	12	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	12	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	12	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	12	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	12	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	12	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	12	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	12	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	12	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	12	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	12	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	12	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	12	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	12	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	12	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	12	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	12	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	12	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	12	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	12	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	12	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	12	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	12	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	12	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	12	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	12	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	12	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Comments: ATTN: A. O. BIRKELAND



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number :1-A
 Total Pages :1
 Certificate Date: 18-SEP-95
 Invoice No.: I9527433
 P.O. Number:
 Account :AN


Project: JAS
 Comments: ATTN: A. O. BIRKELAND

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527433

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
RX-J95101	205 226	175	< 0.2	2.03	30	30	< 0.5	< 2	0.24	< 0.5	14	134	47	5.78	< 10	< 1	0.26	< 10	1.32	945
RX-J95102	205 226	< 5	3.0	1.88	12	< 10	< 0.5	Intf*	0.53	< 0.5	12	87	>10000	12.55	< 10	< 1	0.38	< 10	0.81	715
RX-J95103	205 226	115	2.0	0.83	6	< 10	< 0.5	2	0.02	< 0.5	36	97	48	>15.00	< 10	1	0.43	< 10	0.06	40
RX-J95105	205 226	< 5	< 0.2	1.41	56	100	< 0.5	< 2	0.07	< 0.5	4	115	22	2.69	< 10	< 1	0.34	< 10	0.55	880
RX-J95108	205 226	15	0.4	2.79	6	40	< 0.5	< 2	0.65	1.5	20	93	64	6.11	< 10	1	0.23	< 10	2.12	1270
RX-J95110	205 226	< 5	< 0.2	1.95	20	140	< 0.5	2	0.44	< 0.5	8	175	47	4.66	< 10	< 1	0.34	< 10	1.04	415
RX-J95113	205 226	< 5	< 0.2	2.79	4	110	< 0.5	< 2	1.32	< 0.5	21	118	6	3.89	< 10	< 1	0.15	< 10	1.58	640
RX-J95114	205 226	< 5	0.6	2.26	50	20	< 0.5	2	0.10	< 0.5	30	204	4020	7.65	< 10	< 1	0.18	< 10	1.61	1170
RX-J95118	205 226	15	0.2	1.92	4	60	< 0.5	< 2	0.13	1.5	12	27	52	5.97	< 10	< 1	0.33	< 10	1.17	1040
RX-J95125	205 226	45	0.6	3.08	58	100	< 0.5	< 2	0.16	4.5	7	121	34	3.83	< 10	< 1	0.20	< 10	2.76	1745
RX-J95126	205 226	370	0.6	2.49	22	130	< 0.5	< 2	0.18	3.0	4	88	11	2.93	< 10	< 1	0.26	10	2.26	2170
RX-J95128	205 226	< 5	< 0.2	1.65	10	40	< 0.5	< 2	0.61	< 0.5	14	96	46	4.94	< 10	< 1	0.23	< 10	1.38	780

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 18-SEP-95
 Invoice No. : I9527433
 P.O. Number :
 Account : AN

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

* PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527433

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
RX-J95101	205 226	8 < 0.01	7	600	18	< 2	3	12	0.05	< 10	< 10	48	< 10	128	
RX-J95102	205 226	< 1 0.03	2	1100	2	< 2	4	23	0.17	< 10	< 10	45	< 10	80	
RX-J95103	205 226	19 < 0.01	2	170	30	< 2	1	1	0.01	< 10	< 10	22	< 10	34	
RX-J95105	205 226	< 1 < 0.01	2	680	6	< 2	3	3	0.04	< 10	< 10	37	< 10	40	
RX-J95108	205 226	32 < 0.01	10	770	6	< 2	8	41	0.24	< 10	< 10	109	< 10	398	
RX-J95110	205 226	3 0.01	9	800	2	< 2	6	32	0.09	< 10	< 10	60	< 10	50	
RX-J95113	205 226	1 0.03	26	1110	< 2	< 2	6	111	0.16	< 10	< 10	67	< 10	24	
RX-J95114	205 226	21 < 0.01	7	410	6	2	3	6	0.01	< 10	< 10	58	< 10	92	
RX-J95118	205 226	2 0.01	5	1190	30	2	4	3	0.01	< 10	< 10	55	< 10	288	
RX-J95125	205 226	23 0.01	1	580	62	< 2	< 1	2	< 0.01	< 10	< 10	15	< 10	344	
RX-J95126	205 226	56 0.02	< 1	680	146	2	< 1	3 < 0.01	< 10	< 10	12	< 10	310		
RX-J95128	205 226	1 0.04	11	1000	22	< 2	7	13 0.23	< 10	< 10	75	< 10	60		

CERTIFICATION:

* Bi SAMPLE RX-J95102 IS UNAVAILABLE DUE TO INTERFERENCE FROM HIGH Cu



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project: JAS
 Comments: ATTN: A. O. BIRKELAND

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 18-SEP-95
 Invoice No. : 19527433
 P.O. Number :
 Account : AN

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9527433

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
RX-J95101	205 226		175	< 0.2	2.03	30	30	< 0.5	< 2	0.24	< 0.5	14	134	47	5.78	< 10	< 1	0.26	< 10	1.32	945
RX-J95102	205 226		< 5	3.0	1.88	12	< 10	< 0.5	Intf*	0.53	< 0.5	12	87	>10000	12.55	< 10	< 1	0.38	< 10	0.81	715
RX-J95103	205 226		115	2.0	0.83	6	< 10	< 0.5	2	0.02	< 0.5	36	97	48	>15.00	< 10	1	0.43	< 10	0.06	40
RX-J95105	205 226		< 5	< 0.2	1.41	56	100	< 0.5	< 2	0.07	< 0.5	4	115	22	2.69	< 10	< 1	0.34	< 10	0.55	880
RX-J95108	205 226		15	0.4	2.79	6	40	< 0.5	< 2	0.65	1.5	20	93	64	6.11	< 10	1	0.23	< 10	2.12	1270
RX-J95110	205 226		< 5	< 0.2	1.95	20	140	< 0.5	2	0.44	< 0.5	8	175	47	4.66	< 10	< 1	0.34	< 10	1.04	415
RX-J95113	205 226		< 5	< 0.2	2.79	4	110	< 0.5	< 2	1.32	< 0.5	21	118	6	3.89	< 10	< 1	0.15	< 10	1.58	640
RX-J95114	205 226		< 5	0.6	2.26	50	20	< 0.5	2	0.10	< 0.5	30	204	4020	7.65	< 10	< 1	0.18	< 10	1.61	1170
RX-J95118	205 226		15	0.2	1.92	4	60	< 0.5	< 2	0.13	1.5	12	27	52	5.97	< 10	< 1	0.33	< 10	1.17	1040
RX-J95125	205 226		45	0.6	3.08	58	100	< 0.5	< 2	0.16	4.5	7	121	34	3.83	< 10	< 1	0.20	< 10	2.76	1745
RX-J95126	205 226		370	0.6	2.49	22	130	< 0.5	< 2	0.18	3.0	4	88	11	2.93	< 10	< 1	0.26	10	2.26	2170
RX-J95128	205 226		< 5	< 0.2	1.65	10	40	< 0.5	< 2	0.61	< 0.5	14	96	46	4.94	< 10	< 1	0.23	< 10	1.38	780

* Bi SAMPLE RX-J95102 IS UNAVAILABLE DUE TO INTERFERENCE FROM HIGH Cu

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
 N.VANCOUVER, BC
 V7G 1E5

Project : JAS
 Comments: ATTN: A. O. BIRKELAND

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 18-SEP-95
 Invoice No. : 19527433
 P.O. Number :
 Account : AN

* PLEASE NOTE

CERTIFICATE OF ANALYSIS

A9527433

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
RX-J95101	205 226	8 < 0.01	7	600	18	< 2	3	12	0.05	< 10	< 10	48	< 10	128	
RX-J95102	205 226	< 1 0.03	2	1100	2	< 2	4	23	0.17	< 10	< 10	45	< 10	80	
RX-J95103	205 226	19 < 0.01	2	170	30	< 2	1	1	0.01	< 10	< 10	22	< 10	34	
RX-J95105	205 226	< 1 < 0.01	2	680	6	< 2	3	3	0.04	< 10	< 10	37	< 10	40	
RX-J95108	205 226	32 < 0.01	10	770	6	< 2	8	41	0.24	< 10	< 10	109	< 10	398	
RX-J95110	205 226	3 0.01	9	800	2	< 2	6	32	0.09	< 10	< 10	60	< 10	50	
RX-J95113	205 226	1 0.03	26	1110	< 2	< 2	6	111	0.16	< 10	< 10	67	< 10	24	
RX-J95114	205 226	21 < 0.01	7	410	6	2	3	6	0.01	< 10	< 10	58	< 10	92	
RX-J95118	205 226	2 0.01	5	1190	30	2	4	3	0.01	< 10	< 10	55	< 10	288	
RX-J95125	205 226	23 0.01	1	580	62	< 2	< 1	2	< 0.01	< 10	< 10	15	< 10	344	
RX-J95126	205 226	56 0.02	< 1	680	146	2	< 1	3 < 0.01	< 10	< 10	12	< 10	310		
RX-J95128	205 226	1 0.04	11	1000	22	< 2	7	13	0.23	< 10	< 10	75	< 10	60	

* BI SAMPLE RX-J95102 IS UNAVAILABLE DUE TO INTERFERENCE FROM HIGH Cu

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
N.VANCOUVER, BC
V7G 1E5

A9529226

CERTIFICATE

A9529226

(AN) - ARNEX RESOURCES LIMITED

Project: JAS
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 3-OCT-95.

Comments: ATTN: A.O. BIRKELAND

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
301	7	Cu %: Reverse Aqua-Regia digest	AAS	0.01	100.0
312	5	Pb %: Reverse Aqua-Regia digest	AAS	0.01	100.0
316	8	Zn %: Reverse Aqua-Regia digest	AAS	0.01	100.0

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
244	10	Pulp; prev. prepared at Chemex



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ARNEX RESOURCES LIMITED

4005 BROCKTON CR.
N.VANCOUVER, BC
V7G 1E5

Project: JAS
Comments: ATTN: A.O. BIRKELAND

Page Number :1
Total Pages :1
Certificate Date: 03-OCT-95
Invoice No.: 19529226
P.O. Number:
Account : AN

CERTIFICATE OF ANALYSIS

A9529226

SAMPLE	PREP CODE	Cu %	Pb %	Zn %								
RX-J95102	244 --	2.11	-----	-----								
RX-J95100	244 --	13.30	-----	-----								
RX-J95107	244 --	-----	-----	7.88								
RX-J95116	244 --	2.13	17.20	22.3								
RX-J95117	244 --	-----	-----	18.00								
RX-J95119	244 --	0.29	2.65	16.20								
RX-J95120	244 --	-----	-----	6.76								
RX-J95121	244 --	2.50	0.13	9.90								
RX-J95122	244 --	7.12	1.81	19.30								
RX-J95123	244 --	1.00	0.12	11.00								

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ABNEX RESOURCES LIMITED

4005 BROCKTON CR.
N.VANCOUVER, BC
V7G 1E5

Project : JAS
Comments: ATTN: A.O. BIRKELAND

Page Number : 1
Total Pages : 1
Certificate Date: 03-OCT-95
Invoice No. : 19529226
P.O. Number :
Account : AN

CERTIFICATE OF ANALYSIS


A9529226

CERTIFICATION

Saijung

File Edit Setup Connect Fax
Var : Cu ppm Col# 15
D.Limit : 1.0000 Int.Width: 15.000
Total # of occurrences : 173


TTY 2400-8-N-1



Option :

File Edit Setup Connect Fax
Var : Zn ppm Col# 36
D.Limit : 2.0000 Int.Width: 16.000
Total # of occurrences : 173

TTY 2400-8-N-1



Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

Var : Au ppb FA+AA Col# 3

D.Limit : 5.0000 Int.Width: 5.000

Total # of occurrences : 20

#OCCU. PERC

8 40.0+

PERC

+

40.0

6 30.0+

PERC

+

30.0

4 20.0+

PERC

+

20.0

2 10.0+

PERC

+

10.0

0 0.0+

PERC

+

0.0

10.00

60.00

110.00

30

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

Var : Aa ppm Col# 5

D.Limit : 0.2000 Int.Width: 0.200

Total # of occurrences : 73

#OCCU. PERC

58 80.0+

PERC

+

80.0

44 60.0+

PERC

+

60.0

29 40.0+

PERC

+

40.0

15 20.0+

PERC

+

20.0

0 0.0+

PERC

+

0.0

0.20

.60

1.10

2.00

Option :

File Edit Setup Connect Fax
 Var : Mo ppm Col# 23
 D.Limit : 1.0000 Int.Width: 1.000
 Total # of occurrences : 101
 #OCCU. PERC
 81 80.0+ PERC
 + 80.0
 |
 | *
 61 60.0+ * + 60.0
 | *
 | *
 | *
 40 40.0+ * + 40.0
 | *
 | *
 | *
 20 20.0+ * * + 20.0
 | * * *
 | * * *
 | * * * * *
 0 0.0+-----+-----+ 0.0
 1.00 6.00 11.00

TTY 2400-8-N-1

Option :


File Edit Setup Connect Fax
 Var : Pb ppm Col# 27
 D.Limit : 2.0000 Int.Width: 4.000
 Total # of occurrences : 173
 #OCCU. PERC
 69 40.0+ PERC
 + 40.0
 |
 |
 52 30.0+ + 30.0
 | *
 | *
 | *
 35 20.0+ ● + 20.0
 | * * *
 | * * *
 | * * * * *
 17 10.0+ * * * * * + 10.0
 | * * * * * * *
 | * * * * * * * * * * * * *
 0 0.0+-----+-----+ 0.0
 4.00 34 42.00 80.00

TTY 2400-8-N-1

Option :

File Edit Setup Connect Fax
Var : Fe % Col# 16
D.Limit : 0.0100 Int.Width: 0.490
Total # of occurrences : 173
#OCCU. PERC

TTY 2400-8-N-1



Option :

File Edit Setup Connect Fax
DETECTION LIMIT : 0.0100
NUMBER OF OBSERVATIONS : 173
MINIMUM : 1.410
MAXIMUM : 15.000
MEAN : 5.941
STANDARD ERROR OF MEAN : 0.130
STANDARD DEVIATION : 1.710
COEFFICIENT OF VARIATION : 28.776
SKEWNESS : 0.194
KURTOSIS : 4.612

TTY 2400-8-N-1

Option : Show Fe
VARIABLE : Fe %
COLUMN NUMBER : 16
DETECTION LIMIT : 0.0100
NUMBER OF OBSERVATIONS : 173
MINIMUM : 1.410
MAXIMUM : 15.000
MEAN : 5.941
STANDARD ERROR OF MEAN : 0.130
STANDARD DEVIATION : 1.710
COEFFICIENT OF VARIATION : 28.776
SKEWNESS : 0.194
KURTOSIS : 4.612

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

Project : JAS

Comments : ATTN: A. O. BIRKELAND

=: cstat
Option : dselect
Ignoring "less than" data. [Y] ? v
Ignoring "greater than" data. [Y] ? n
Option : show
Select : Cu
VARIABLE : Cu DDM
COLUMN NUMBER : 15
DETECTION LIMIT : 1.0000
NUMBER OF OBSERVATIONS : 173
MINIMUM : 7.000
MAXIMUM : 810.000
MEAN : 136.647
STANDARD ERROR OF MEAN : 11.310
STANDARD DEVIATION : 148.758
COEFFICIENT OF VARIATION : 108.863
SKEWNESS : 2.465
KURTOSIS : 6.201
Option :

File Edit Setup Connect Fax
NUMBER OF OBSERVATIONS : 173
MINIMUM : 28.000
MAXIMUM : 872.000
MEAN : 161.942
STANDARD ERROR OF MEAN : 11.318
STANDARD DEVIATION : 148.861
COEFFICIENT OF VARIATION : 91.922
SKEWNESS : 2.643
KURTOSIS : 7.825

Option : show

Select : Zn

VARIABLE : Zn DDM
COLUMN NUMBER : 36
DETECTION LIMIT : 2.0000
NUMBER OF OBSERVATIONS : 173
MINIMUM : 28.000
MAXIMUM : 872.000
MEAN : 161.942
STANDARD ERROR OF MEAN : 11.318
STANDARD DEVIATION : 148.861
COEFFICIENT OF VARIATION : 91.922
SKEWNESS : 2.643
KURTOSIS : 7.825

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

DETECTION LIMIT : 5.0000
NUMBER OF OBSERVATIONS : 20
MINIMUM : 10.000
MAXIMUM : 375.000
MEAN : 54.000
STANDARD ERROR OF MEAN : 18.972
STANDARD DEVIATION : 84.847
COEFFICIENT OF VARIATION : 157.123
SKEWNESS : 2.732
KURTOSIS : 7.351

Option : Show Au

VARIABLE : Au DDB FA+AA
COLUMN NUMBER : 3
DETECTION LIMIT : 5.0000
NUMBER OF OBSERVATIONS : 20
MINIMUM : 10.000
MAXIMUM : 375.000
MEAN : 54.000
STANDARD ERROR OF MEAN : 18.972
STANDARD DEVIATION : 84.847
COEFFICIENT OF VARIATION : 157.123
SKEWNESS : 2.732
KURTOSIS : 7.351

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

DETECTION LIMIT : 0.2000
NUMBER OF OBSERVATIONS : 73
MINIMUM : 0.200
MAXIMUM : 2.000
MEAN : 0.389
STANDARD ERROR OF MEAN : 0.041
STANDARD DEVIATION : 0.351
COEFFICIENT OF VARIATION : 90.226
SKEWNESS : 2.682
KURTOSIS : 7.404

Option : show Aa

VARIABLE : Aa DDM
COLUMN NUMBER : 5
DETECTION LIMIT : 0.2000
NUMBER OF OBSERVATIONS : 73
MINIMUM : 0.200
MAXIMUM : 2.000
MEAN : 0.389
STANDARD ERROR OF MEAN : 0.041
STANDARD DEVIATION : 0.351
COEFFICIENT OF VARIATION : 90.226
SKEWNESS : 2.682
KURTOSIS : 7.404

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

DETECTION LIMIT : 1.0000
NUMBER OF OBSERVATIONS : 101
MINIMUM : 1.000
MAXIMUM : 7.000
MEAN : 1.574
STANDARD ERROR OF MEAN : 0.095
STANDARD DEVIATION : 0.952
COEFFICIENT OF VARIATION : 60.494
SKEWNESS : 2.437
KURTOSIS : 8.955

Option : show Mo

VARIABLE : Mo DDM
COLUMN NUMBER : 23
DETECTION LIMIT : 1.0000
NUMBER OF OBSERVATIONS : 101
MINIMUM : 1.000
MAXIMUM : 7.000
MEAN : 1.574
STANDARD ERROR OF MEAN : 0.095
STANDARD DEVIATION : 0.952
COEFFICIENT OF VARIATION : 60.494
SKEWNESS : 2.437
KURTOSIS : 8.955

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

DETECTION LIMIT : 2.0000
NUMBER OF OBSERVATIONS : 173
MINIMUM : 4.000
MAXIMUM : 686.000
MEAN : 23.803
STANDARD ERROR OF MEAN : 4.143
STANDARD DEVIATION : 54.497
COEFFICIENT OF VARIATION : 228.944
SKEWNESS : 10.539
KURTOSIS : 123.380

Option : show Pb


VARIABLE : Pb DDM
COLUMN NUMBER : 27
DETECTION LIMIT : 2.0000
NUMBER OF OBSERVATIONS : 173
MINIMUM : 4.000
MAXIMUM : 686.000
MEAN : 23.803
STANDARD ERROR OF MEAN : 4.143
STANDARD DEVIATION : 54.497
COEFFICIENT OF VARIATION : 228.944
SKEWNESS : 10.539
KURTOSIS : 123.380

Option :

File Edit Setup Connect Fax

TTY 2400-8-N-1

Y : Zn X : Cu




File a9527434 28 pts. out of range

Rescale the plot [N1] ? :

File Edit Setup Connect Fax

TTY 2400-8-N-1

Y : Pb X : Zn



File a9527434 29 pts. out of range

Rescale the plot [N1] ? :

APPENDIX V

BIBLIOGRAPHY, SELECTED REFERENCES

- Birkeland, A.O. (1995): Geological and Geochemical Report, Jas 1 Mineral Claim, Victoria M.D.
- Carson, D.J.T. (1973): Plutonic Rocks of Vancouver Island, GSC Paper 72-44.
- Fyles, James T. (1955): Geology of the Cowichan Lake Area, Vancouver Island, British Columbia, BCDM Bulletin No. 37.
- Gravel, J.L. and Matysek, P.F. (1989): 1988 Regional Geochemical Survey, MEMPR Paper 1981-1.
- Jeletzky, J.A. (1970): Some Salient Features of Early Meozoic History of Insuk Tectonic Belt, Western British Columbia, GSC Paper 19-14.
- Lamb, J. (1981): The Island Copper Mine, CIM District 6 Paper.
- Massey, N.W.D. and Friday, S.J. (1987): Geology of the Chemainus River-Duncan Area, Vancouver Island, 92C/16; 92B/13.
- Massey, N.W.D., Friday, S.J., Tercier, P.E., Rublee, V.J. and Potter, T.E. (1986-87): Geology of the Cowichan Lake Area, NTS 092C/16, Geoscience Map 1991-2.
- Massey, N.W.D., Friday, S.J., Tercier, P.E., and Potter, T.E. (1987): Geology of the Duncan Area, NTS 092B/13, Geoscience Map 1991-3.
- Massey, S.J., Friday, J.M., Riddell and S.E. Dumais (1988): Geology of the Port Alberni - Nanaimo Lakes Area, NTS 92F/1W, 2E and Part of 92F/7E, Geoscience Map 1991-1.
- Matysek, P.F., Gravel, J.L., and Jackaman, W. (1990): Victoria/Cape Flattery - NTS 92B, 92C, RGS 24, GSC O.F. 2182.
- Matysek, P.F., Gravel, J.L., and Jackaman, W. (1990): Alberni - NTS 92F, RGS 25, GSC O.F. 2183.
- MEMPR MINFILE, (1990): 092F - Alberni.
- MEMPR MINFILE, (1991): 092C - Cape Flattery.
- Muller, J.E., Northcote, K.E., and Carlisle, D. (1974): Geology and Mineral Deposits of Alert Bay - Cape Scott, GSC Paper 74-8.
- Muller, J.E. (1977): Geology of Vancouver Island, GSC O.F. 463.
- Muller, J.E. (1977): Geology of Vancouver Island, Field Trip 7: Guidebook.

Muller, J.E. and Carson, D.J.T. (1969): Geology and Mineral Possibilities of Vancouver Island, Canadian Mining Journal (May).

Muller, J.E. and Carson, D.J.T. (1969): Geology and Mineral Deposits of Alberni Map-Area British Columbia (92F), Geological Survey of Canada, Paper 68-50.

Northcote, K.E., (1972): The Geology of the Nitinat Triangle.


Stevenson, J.S. (1944): Lode-Gold Deposits Vancouver Island, BCDM Bulletin No. 20-Part V.

Sutherland Brown, A. (1989): Mineral Inventory of the Alberni Region Vancouver Island, British Columbia (092C, 092F).

Wheeler, J.O. and McFeely, P. (1991): Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America; Geological Survey of Canada, Map 1712A, Scale 1:2,000,000.

Wilton, P. (1980): Sicker Group Workshop and Personal Communication, B.S.G.S.

Wilton, H. Paul (1989): Geology and Metallogeny, Southern Vancouver Island and Adjacent Mainland.




Jasper

GEOLOGICAL LEGEND	
Q	Quaternary colluvium
6	Hornblend feldspar porphyry dyke
5	Hematitic breccia
4	Argillite
3	Felsic volcanics - flow banded rhyolite, tuffaceous rhyolite, minor cherty tuffs
2	Intermediate volcanics - andesite to dacite flows; pyroclastic flow breccias, crystal-lithic tuffs
1	Mafic volcanics - undifferentiated basalt and andesite flows

GEOLOGICAL ABBREVIATIONS	
mv	mafic volcanics
and	andesite
dac	dacite
rhy	rhyolite
arg	argillite
py	pyrite
po	pyrrhotite
cpx	chalcocite
sph	sphalerite
arg	argillic alteration
chl	chloritic alteration
sil	silicification
prop	propylitic
epi	epidote
hem	hematite
bx	breccia
fp	feldspar phryric
gn	galena

GEOLOGICAL SYMBOLS	
O	Outcrop
—	Bedding
→	Foliation, cleavage
~~	Faulting, fracturing, shearing
x Rx J95105	Cu/Zn/Pb (ppm) Rock chip grab sample
— Rx J95114	Cu/Zn/Pb (ppm) Width (m) Rock chip channel sample



Jasper

Soil and Stream Sediment Analytical Results - Jasper Property																	
SAMPL. NO.	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Au ppm	SAMPL. NO.	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Au ppm	SAMPL. NO.	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Au ppm
5100	581	164	54	.5	.02	5159	90	192	14	.5	.02	5219	56	114	14	.5	.02
5101	15	28	4	.5	.02	5160	65	164	16	.5	.02	5221	96	78	12	.5	.04
5102	154	248	32	.5	.02	5162	91	152	24	.5	.02	5223	130	178	36	.5	.02
5104	237	114	10	.5	.02	5163	72	192	24	.5	.02	5225	107	116	37	.5	.02
5105	39	70	14	.5	.02	5164	42	24	26	.5	.02	5226	301	210	6	.5	.06
5106	41	60	14	.5	.02	5165	89	164	12	.5	.02	5228	229	190	6	.5	.06
5107	80	130	18	.5	.02	5166	83	110	12	.5	.02	5229	190	144	12	.5	.06
5108	100	294	16	.5	.02	5167	124	114	8	.5	.02	5231	66	640	6	.5	.02
5109	85	46	4	.5	.02	5170	244	226	48	.5	.02	5228	169	272	12	.5	.06
5110	32	42	6	.5	.02	5171	156	238	32	.5	.02	5229	334	796	12	.5	.06
5111	100	56	14	.5	.02	5172	100	100	20	.5	.02	5230	183	225	12	.5	.06
5112	83	124	16	.5	.02	5173	38	138	20	.5	.02	5231	61	102	20	.5	.02
5113	106	70	4	.5	.02	5174	106	134	18	.5	.02	5232	190	196	24	.5	.08
5114	54	48	16	.5	.02	5175	84	104	14	.5	.02	5233	182	270	16	.5	.04
5115	103	394	44	.5	.04	5176	91	140	14	.5	.02	5234	147	134	20	.50	.04
5116	29	78	84	.5	.02	5177	100	106	8	.5	.02	5235	237	160	16	.5	.04
5117	25	29	20	.5	.02	5178	279	180	20	.5	.02	5236	141	144	14	.5	.04
5118	37	46	12	.5	.02	5179	87	134	20	.5	.02	5237	103	146	22	.20	.04
5119	114	38	16	.5	.02	5180	37	54	20	.5	.02	5238	70	128	12	140	.02
5120	810	342	22	.5	.02	5181	27	94	20	.5	.02	5239	96	146	14	.5	.02
5121	42	182	12	.5	.02	5182	47	70	14	.5	.02	5240	154	114	6	.5	.04
5122	13	40	8	.5	.02	5183	55	80	14	.5	.02	5241	89	89	8	.5	.02
5123	50	136	16	.5	.02	5184	50	50	10	.5	.02	5242	48	62	9	.5	.02
5124	114	104	114	.5	.02	5185	17	54	10	.5	.02	5243	65	40	16	.5	.02
5125	66	108	22	.5	.02	5186	68	84	9	.5	.02	5244	97	46	4	.5	.02
5126	45	104	22	.5	.02	5187	15	50	10	.5	.02	5245	679	196	20	.5	.02
5127	38	96	12	.5	.02	5188	48	84	14	.5	.02	5246	52	114	8	.5	.02
5128	527	54	18	.5	.02	5189	48	92	42	.5	.02	5247	77	96	6	.5	.02
5129	47	48	10	.5	.02	5190	66	194	22	.5	.02	5248	61	84	6	40	.02
5130	70	78	14	.5	.02	5191	5	64	12	.5	.02	5249	126	296	26	30	.02
5131	95	86	16	.5	.02	5192	10	52	14	.5	.02	5250	52	10	.02		
5132	44	56	6	.5	.02	5193	7	58	8	.5	.02	5251	45	85	16	.5	.02
5133	69	198	16	.5	.02	5194	8	68	16	.5	.02	5252	56	76	14	.5	.02
5134	60	92	5	.5	.02	5195	25	56	5	.5	.02	5253	56	56	22	.5	.02
5135	64	138	19	.5	.02	5196	81	182	20	.5	.02	5254	153	872	18	.5	.02
5136	183	148	22	.5	.02	5197	332	194	28	.5	.02	5255	71	170	28	.5	.02
5137	103	66	8	.5	.02	5198	72	84	6	.5	.02	5256	38	92	8	.5	.02
5138	264	140	22	.30	.04	5199	39	98	8	.5	.02	5257	406	486	22	.5	.04
5139	81	46	10	.5	.02	5200	40	326	26	.5	.02	5258	133	164	14	.5	.02
5140	544	184	17	.5	.02	5201	11	56	56	.5	.02	5259	22	22	22	.5	.02
5141	130	68	9	.5	.02	5202	28	56	14	.5	.02	5260	47	114	14	.5	.02
5142	128	28	12	.5	.02	5203	220	146	66	.5	.02	5261	365	516	28	10	.02
5143	57	56	18	.5	.02	5204	126	142	35	.5	.02	5262	612	830	24	25	.02
5144	36	42	4	.5	.02	5205	413	232	100	.5	.02	5263	187	220	14	15	.04
5145	44	74	4	.5	.02	5206	110	378	56	.5	.02	5264	195	422	18	5	.04
5146	116	92	8	.5	.02	5207	55	56	14	.5	.02	5265	150	373	12	.5	.04
5147	35	30	8	.5	.02	5208	75	116	28	.5	.02	5266	150	208	16	.5	.02
5148	52	94	14	.5	.02	5209	82	152	30	.5	.02	5267	70	624	16	.5	.02
5149	92	142	12	.5	.02	5210	51	233	18	.5	.02	5268	92	8	5	.04	
5150	44	116	12	.5	.02	5211	157	208	34	.5	.02	5269	62	70	8	.5	.02
5151	145	128	16	.5	.02	5212	30	42	16	.5	.02	5270	50	8	5	.02	
5152	51	72	14	.5	.02	5213	196	196	45	.5	.02	5271	141	14	14	.5	.02
5153	46	134	14	.5	.02												

