

GEOLOGICAL SURVEY BRANCH ASSESSMENT REPORTS
DATE RECEIVED FEB 15 1996

**1995
JODI CLAIMS
ASSESSMENT REPORT**

FILMED

**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,287

**RECEIVED
GOVERNMENT AGENT
CRANBROOK**

FEB - 8 1996
NOT AN OFFICIAL RECEIPT
TRANS # _____



TYPE OF REPORT/SURVEY(S) Geochemical, prospecting	TOTAL COST \$ 7868.90
--	--------------------------

AUTHOR(S) Gordon Johnstone SIGNATURE(S) *G. Johnstone*

DATE STATEMENT OF EXPLORATION AND DEVELOPMENT FILED Feb 8th YEAR OF WORK 95

PROPERTY NAME(S) Jodi Claims

COMMODITIES PRESENT Silver, Lead and Zinc

B.C. MINERAL INVENTORY NUMBER(S), IF KNOWN

MINING DIVISION Fort Steele NTS 82/F10E

LATITUDE 49/30' LONGITUDE 116/30'

NAMES and NUMBERS of all mineral tenures in good standing (when work was done) that form the property (Examples: TAX 1-4, FIRE 2 (12 units); PHOENIX (Lot 1706); Mineral Lease M 123; Mining or Certified Mining Lease ML 12 (claims involved)):

Jodi #1 /337095 Jodi #2 /337096 Jodi #3 /337097 Jodi #4 /337098

OWNER(S)

(1) Gordon Johnstone (2)

MAILING ADDRESS

1200 2nd Ave. South
Cranbrook B.C. VIC-2B3

OPERATOR(S) (that is, Company paying for the work)

(1) Same (2)

MAILING ADDRESS

Same

SUMMARY GEOLOGY (lithology, age, structure, alteration, mineralization, size, and attitude):

Formations are Horse Thief, Mount Nelson Carbonates, Black Argillites and Dolomitic Limestones. The strike is 20 degrees North and a vertical dip. Sulphide mineralization is evident in several outcrops extending over a 100 meter strike length. The mineralization is Silver, Lead and Zinc.

REFERENCES TO PREVIOUS WORK

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	COST APPORTIONED
GEOLOGICAL (scale, area)			
Ground			
Photo			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for)			
Soil	88 soil samples were taken	Jodi #1/#2/#3/#4	
Silt			
Rock	12 rock samples were taken	Jodi #1/#2/#3/#4	
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralogic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY/PHYSICAL			
Legal surveys (scale, area)			
Topographic (scale, area)			
Photogrammetric (scale, area)			
Line/grid (kilometres)			
Road, local access (kilometres)			
Trench (metres)			
Underground (metres)			
			TOTAL COST

FOR MINISTRY USE ONLY	NAME OF PAC ACCOUNT	DEBIT	CREDIT	REMARKS:
Value work done (from report)				
Value of work approved				
Value claimed (from statement)				
Value credited to PAC account				
Value debited to PAC account				
Accepted Date	Rept. No			Information Class

INDEX

Property Location Map	pg. 1
Mineral Claims Map	pg. 2
Access to Jodi Claims	pg. 3
Prospecting Activity	pg. 3
Formations & Mineralization	pg. 3
Expenses	pg. 4
Conclusion	pg. 4


APPENDICES

ICP Analytical Reports	Appendix A continued
Jodi Property Examination Report	Appendix B
Qualifications	Appendix C

ILLUSTRATIONS


Map 1 in back pocket.

Map 1A in back pocket.



PROPERTY LOCATION

LOCATION MAP




MINERAL TITLES REFERENCE

MAP 082F10E

U.T.M. ZONE II


LAST MAP UPDATE: 1995 AUG 16

ORIGINAL PRODUCED AT 1:31680




SON N M.D.
M.D.

Cr.



BURDETT PH



REV. CG
232597
113
232598
REV. CG
17230

WALL 4 232598
235343
156170
232598
113
232598
17230
232598
17230

EC

ACCESS TO JODI CLAIMS

Access to the Jodi claims was by 4x4 truck, from Cranbrook to 39 1/2 km on the St Mary's road, then take Gray Creek Pass road for 30.8 km turn south onto old logging road and go 2.8 1/2 km to initial post of Jodi claims, where we set up camp.

PROSPECTING ACTIVITY

From camp we traveled a short distance by truck and then hiked the mountainside. Thirteen days for two prospectors or a total of Twenty six days were spent on the Jodi claims, general prospecting, taking rock samples and soil sampling. 12 chip samples were taken from mineralized outcrops and grid line soil samples were taken from the area next to the rock outcrops which were covered by over burden. 88 soil samples were taken.

ROCK FORMATIONS AND MINERALIZATION

The rock formations include Horse Thief, Mount Nelson Carbonates, Black Argillites and Dolomitic Limestone, to the west broken and twisted peices of the Toby Congomerates exist.

Several rock outcrops revealed nicely bedded silver, lead and zinc, this was found in two separate zones of Dolomitic Limestone which were separated by Green Phyllite and Black Argillite. The best Mineral values seem to be coming from the west side of the two zones and has Black Argillite as a contact rock. Just to the north of the Jodi Claims I also have the Sawyer Claims which are on the same formation and contain high grade silver, lead and zinc, at the present time these claims are optioned to Focal Resources. To the north the town of Invermere boasted of having two mines (past producers) on the same formation of rock.

EXPENSES

WAGES 26 man days @ \$150.00 per. day.----- \$ 3900.00
 Thirteen days for two prospectors or a total of 26 man days, 1995 June 17th, 18th, 25th, 26th, 27th, 28th, August 2nd, 3rd, 4th, 5th, September 7th, 8th, 9th.

TRANSPORTATION 4x4 truck for Thirteen days at \$75.00 per day---- \$ 975.00

LIVING EXPENSE tent food etc. 26 man days @ \$ 60.00 per. day.----\$ 1560.00

ASSAYING COSTS ----- \$ 307.73
 Twelve chip samples @ \$ 12.10 per. sample
 Eighty eight soil samples @ \$ 1.25 per samples
 Shipping costs by Greyhound \$ 34.67
 Seven percent G.S.T.

PROSPECTING SUPPLIES, REPORT PREPARATION----- \$ 601.17
 Flagging tape, Soil sample bags, Rock sample bags, Tags, Etc.

BAPTY RESEARCH SERVICES----- \$ 525.00
 Three men @ \$ 150.00
 One 4x4 truck @ \$75.00

TOTAL EXPENSES----- \$ 7868.90

CONCLUSION

The rock samples taken had significant values in silver and zinc. The soil samples had high anomalies in silver and zinc.

The property warrants having a few diamond drill holes to establish the size of the ore body..

MICHAEL BAPTY (P. ENG.) of BAPTY RESEARCH LTD. was contacted to evaluate the property for me. After looking at the JODI CLAIMS he agreed to handle the property for me and it was optioned to BARKHOR RESOURCES INC. and NEWEN ENTERPRISES.



GEOCHEMICAL ANALYSIS CERTIFICATE



Ram Exploration File # 95-3655 Page 1

1200 2nd Ave South, Cranbrook BC V1C 2B3 Submitted by: Gordon Johnstone

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Tl	Hg	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppb
J001 #1	2	4	476	688	2.1	8	3	395	.84	3	7	<2	10	36	5.2	<2	4	2	10.88	.007	8	4	8.49	14<.01	<3	.03	.01	.01	<2	<1	<1	<1	<1
J001 #2	14	31	15341	1305	114.4	23	6	3271	3.30	4	17	<2	21	333	54.1	141	5	4	6.32	.030	5	11	3.96	8<.01	<3	.14	.01	.01	<2	6	1	25	
J001 #3	7	44	15421	12795	103.6	8	3	2770	2.13	2	5	<2	17	772	241.1	139	5	2	6.52	.018	6	<1	2.87	9<.01	<3	.09	<.01	<.01	<2	3	4	22	
J001 #4	2	205	4088	861	7.5	62	32	2464	7.41	8	<5	<2	12	97	10.6	<2	4	527	2.12	.072	<1	38	2.09	18 .39	<3	2.39	.04	2.47	2	6	1	3	
J001 #5	1	12	2075	487	5.1	9	6	1206	1.24	13	14	<2	14	65	7.4	9	3	2	11.18	.012	6	2	8.60	88<.01	<3	.04	<.01	.03	<2	3	<1	1	
J001 #6	7	238	2475	724	2.9	9	1	56	.85	14	<5	<2	<2	41	5.6	10	<2	<1	.18	.002	<1	8	.10	55<.01	<3	.03	.01	.01	2	<1	1	3	
J001 #7	2	966	17126	249	184.4	5	2	88	5.53	537	<5	<2	4	13	2.5	2029	1260	2	.50	.007	8	10	.32	75<.01	<3	.09	.01	.11	<2	1	2	120	
J001 #8	2	63	259	122	7.6	28	19	1444	5.19	5	8	<2	9	47	.7	28	14	48	4.02	.042	5	10	.76	81<.01	<3	.15	.02	.10	<2	3	<1	3	
RE J001 #8	2	67	253	126	7.0	31	19	1501	5.33	3	<5	<2	8	49	.3	24	10	50	4.06	.042	3	11	.77	86 .01	<3	.15	.02	.08	<2	2	<1	3	
J001 #9	2	40	405	5065	2.8	11	3	3680	2.81	9	7	<2	22	162	20.0	6	9	2	8.39	.023	7	<1	2.76	31<.01	<3	.10	.01	.08	<2	4	1	4	
J001 #10	6	209	17649	287	68.4	17	4	3341	2.63	15	<5	<2	8	332	5.7	103	29	5	2.42	.027	1	34	1.18	15<.01	<3	.07	<.01	.03	14	5	<1	19	
J001 #11	24	20	15379	6154	54.2	11	3	2488	1.80	<2	<5	<2	15	664	147.3	61	<2	5	6.02	.016	5	<1	3.67	21<.01	<3	.14	<.01	<.01	<2	4	2	8	
J001 #12	4	21	16442	3632	117.7	11	3	2422	1.46	7	10	<2	18	1629	76.2	141	2	3	10.08	.009	10	<1	3.16	10<.01	<3	.07	<.01	<.01	<2	4	<1	16	

ICP - .500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR MN FE SR CA P LA CR MG BA TI B W AND LIMITED FOR NA K AND AL.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: P1 ROCK P2 TO P4 SOIL AU* - IGNITED, AQUA-REGIA/MIBK EXTRACT, GF/AA FINISHED.
 Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

DATE RECEIVED: SEP 19 1995 DATE REPORT MAILED: *Sept 27/95* SIGNED BY: *C. Leong* DIOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

APPENDIX A



Ram Exploration FILE # 95-3655



SAMPLE#	ANALYTICAL																													
	No	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
J001 #1 0+0S	1	25	86	294	<.3	14	9	1378	2.79	12	<5	<2	2	6	1.1	<2	<2	18	.23	.042	18	11	.36	139	.05	<3	1.03	<.01	.10	6
J001 #1 25S	1	7	14	33	.3	3	1	71	1.83	8	<5	<2	3	3	<.2	3	<2	18	.02	.016	12	7	.06	26	.05	<3	2.22	.01	.02	3
J001 #1 50S	2	14	24	79	<.3	4	2	183	2.93	5	<5	<2	<2	4	.5	<2	<2	24	.04	.031	9	8	.10	49	.07	<3	3.03	.01	.03	2
J001 #1 75S	2	22	13	80	1.3	9	2	252	1.92	6	<5	<2	<2	12	.3	6	<2	19	.17	.058	16	11	.22	65	.08	<3	2.58	.02	.06	<2
J001 #1 100S	4	20	16	323	1.1	13	4	94	1.74	2	<5	<2	<2	13	.6	<2	2	17	.28	.043	20	9	.34	178	.05	<3	2.09	.01	.08	5
J001 #1 125S	4	34	42	348	1.3	13	5	441	2.76	14	11	<2	2	15	1.2	5	2	21	.34	.041	15	11	.23	148	.15	<3	4.46	.03	.05	3
J001 #1 150S	2	12	25	134	<.3	8	2	80	2.84	8	<5	<2	2	5	.3	<2	<2	27	.08	.017	15	14	.20	104	.07	<3	3.01	.01	.05	2
J001 #1 175S	3	36	64	579	.6	17	11	771	3.04	17	U	<2	<2	8	.9	8	4	20	.25	.053	20	18	.55	183	.04	<3	1.92	.01	.12	6
J001 #1 200S	2	34	94	638	<.3	14	10	342	3.51	15	<5	<2	3	8	.3	<2	3	24	.23	.028	19	14	.44	143	.09	<3	3.19	.01	.09	6
J001 #2 0+0S	3	27	32	103	2.1	11	7	1223	2.80	8	<5	<2	<2	14	.3	3	2	25	.25	.081	19	12	.24	50	.11	<3	3.26	.03	.06	<2
J001 #2 25S	1	11	28	48	.3	3	1	137	1.99	4	<5	<2	<2	4	.8	2	2	21	.04	.028	10	6	.06	49	.09	<3	1.76	.01	.03	<2
J001 #2 50S	2	14	19	74	<.3	5	3	95	3.70	9	<5	<2	<2	2	.2	<2	<2	19	.03	.014	21	8	.14	27	.04	<3	.90	<.01	.04	4
J001 #2 75S	2	9	17	45	<.3	6	3	80	3.13	7	<5	<2	4	2	.4	5	4	23	.01	.018	26	8	.23	42	.03	<3	.88	<.01	.09	3
RE J001 #2 75S	1	9	18	46	<.3	5	3	82	3.19	8	<5	<2	2	3	.3	<2	<2	23	.01	.018	25	10	.23	45	.03	<3	.92	<.01	.08	4
J001 #2 100S	3	21	23	107	<.3	9	4	127	3.42	6	<5	<2	<2	10	.7	2	<2	24	.16	.027	19	11	.30	170	.07	<3	1.34	.01	.09	<2
J001 #2 125S	1	34	15	153	<.3	8	2	45	1.33	<2	<5	<2	<2	12	1.2	<2	<2	14	.29	.020	21	7	.11	125	.03	<3	1.76	.01	.05	6
J001 #2 150S	1	12	12	79	<.3	3	1	27	.90	<2	<5	<2	<2	4	.4	<2	<2	14	.03	.009	19	5	.07	53	.05	<3	.90	.02	.03	2
J001 #2 175S	2	57	21	507	.9	14	2	497	2.66	8	19	<2	<2	29	1.2	<2	<2	19	1.12	.054	13	10	.27	257	.17	<3	2.60	.03	.04	4
J001 #2 200S	4	96	128	1173	.9	17	12	4455	2.66	23	39	<2	8	30	4.0	5	3	21	1.31	.113	17	17	.41	400	.07	<3	3.00	.02	.08	5
J001 #3 0+150W	1	8	97	74	<.3	5	1	148	1.73	9	<5	<2	<2	3	<.2	<2	<2	15	.03	.019	30	10	.27	25	.09	<3	1.14	.01	.13	<2
J001 #3 0+125W	2	21	86	232	.3	13	.6	303	3.97	26	<5	<2	8	2	.2	4	3	20	.01	.030	28	13	.58	22	.12	<3	1.57	<.01	.23	<2
J001 #3 0+100W	1	23	140	241	<.3	12	7	1191	4.65	21	<5	<2	6	2	.4	<2	2	12	.02	.037	26	11	.53	35	.12	<3	1.62	<.01	.20	<2
J001 #3 0+75W	2	18	36	45	<.3	16	5	205	2.87	21	<5	<2	4	3	.2	2	<2	22	.03	.028	21	16	.31	29	.09	<3	1.10	.01	.19	<2
J001 #3 0+50W	1	14	16	43	.3	8	3	118	3.06	14	<5	<2	5	3	<.2	2	<2	26	.01	.028	12	9	.20	29	.10	<3	2.00	.01	.11	<2
J001 #3 0+25W	1	18	14	44	<.3	12	4	258	3.71	27	<5	<2	6	2	<.2	<2	<2	37	.01	.036	29	14	.29	34	.10	<3	1.12	<.01	.17	<2
J001 #3 0+0W	1	12	26	116	<.3	8	4	1037	1.59	5	<5	<2	<2	5	.5	4	<2	21	.04	.033	23	11	.19	85	.05	<3	1.29	.01	.08	<2
J001 #4 0+150W	2	37	155	302	<.3	13	6	394	3.85	20	<5	<2	4	3	<.2	<2	<2	15	.04	.044	24	10	.57	26	.11	<3	1.58	.01	.21	<2
J001 #4 0+125W	1	8	55	94	<.3	7	2	159	2.69	9	<5	<2	2	3	<.2	<2	<2	20	.02	.034	19	8	.48	24	.13	<3	1.23	.01	.19	<2
J001 #4 0+100W	1	11	22	36	<.3	5	2	104	1.91	14	<5	<2	<2	2	<.2	<2	<2	19	.01	.017	19	9	.19	31	.07	<3	1.17	.01	.10	<2
J001 #4 0+75W	2	19	14	43	.6	10	3	157	2.96	24	<5	<2	5	3	.2	4	<2	31	.01	.021	19	10	.21	28	.09	<3	1.03	.01	.14	<2
J001 #4 0+50W	1	53	23	88	<.3	23	11	291	5.64	43	<5	<2	6	2	<.2	<2	<2	82	.03	.054	18	34	.67	25	.14	<3	1.65	<.01	.27	<2
J001 #4 0+25W	1	11	9	94	<.3	10	6	372	3.31	16	<5	<2	2	6	<.2	3	<2	23	.13	.034	13	11	.31	136	.07	<3	2.02	.01	.15	<2
J001 #4 0+0W	<1	11	13	46	<.3	8	5	76	1.94	4	<5	<2	4	3	<.2	<2	<2	14	.04	.024	26	7	.19	18	.02	<3	.49	<.01	.06	<2
J001 #5 0+150W	2	37	59	143	1.3	7	3	563	2.27	11	<5	<2	<2	7	1.0	<2	<2	22	.07	.049	17	8	.11	147	.13	<3	1.52	.02	.05	<2
J001 #5 0+125W	2	32	124	260	.4	16	11	1073	3.85	23	<5	<2	4	5	.2	3	<2	46	.09	.032	18	15	.45	120	.08	<3	1.46	.01	.18	<2
STANDARD C	21	62	40	133	6.6	70	32	937	4.03	39	17	7	38	53	18.0	18	20	60	.52	.094	39	60	.92	171	.09	29	1.95	.06	.17	11

CONTINUED

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'BRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	B	Al	Na	K	V		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm																															
J001 #5 0+100W	1	22	26	56	<.3	10	4	153	3.50	21	<.5	<.2	3	2	<.2	<.2	<.2	24	.01	.025	12	13	.28	47	.08	<.3	2.01	.01	.18	<.2																															
J001 #5 0+75W	1	16	20	32	<.3	7	3	129	1.93	20	<.5	<.2	<.2	1	<.2	3	<.2	19	.01	.015	21	11	.17	24	.03	<.3	.96	<.01	.09	<.2																															
J001 #5 0+50W	<.1	36	30	88	<.3	10	6	130	3.06	2	<.5	<.2	<.2	3	<.2	<.2	<.2	50	.02	.024	23	13	.38	59	.04	<.3	1.35	<.01	.12	<.2																															
J001 #5 0+25W	<.1	22	69	86	<.3	8	6	199	3.71	5	<.5	<.2	<.2	4	.2	<.2	<.2	22	.04	.040	14	9	.13	110	.05	<.3	2.68	.01	.05	2																															
RE J001 #5 0+25W	1	23	68	89	<.3	8	6	209	3.83	8	<.5	<.2	<.2	4	.4	<.2	<.2	24	.04	.041	14	9	.13	113	.05	<.3	2.78	.01	.04	<.2																															
J001 #5 0+0W	1	13	28	48	<.3	8	5	295	3.01	13	<.5	<.2	2	4	<.2	2	4	31	.03	.041	21	9	.12	28	.04	<.3	.85	.01	.05	<.2																															
J001 #6 0+150W	4	70	45	128	<.3	20	9	520	4.70	62	8	<.2	9	5	.3	3	5	19	.11	.022	18	14	.45	48	.13	<.3	1.30	<.01	.28	<.2																															
J001 #6 0+125W	1	32	78	96	<.3	12	10	853	2.99	19	<.5	<.2	2	4	<.2	<.2	<.2	33	.02	.035	14	13	.26	80	.07	<.3	1.82	.01	.11	<.2																															
J001 #6 0+100W	1	26	36	69	<.3	10	5	326	3.79	30	<.5	<.2	5	2	<.2	<.2	4	39	.01	.021	15	15	.36	56	.12	<.3	1.39	.01	.17	<.2																															
J001 #6 0+75W	1	22	179	86	.3	9	6	558	3.98	20	<.5	<.2	4	4	<.2	<.2	<.2	30	.03	.043	12	13	.22	56	.08	<.3	2.49	.01	.14	<.2																															
J001 #6 0+50W	<.1	42	46	114	<.3	14	13	176	3.57	20	<.5	<.2	<.2	2	<.2	<.2	<.2	13	.02	.041	27	8	.20	51	.02	<.3	1.03	<.01	.07	<.2																															
J001 #6 0+25W	<.1	8	18	69	<.3	4	3	259	1.87	5	<.5	<.2	<.2	3	<.2	<.2	<.2	25	.01	.023	25	6	.09	58	.04	<.3	.59	.01	.05	<.2																															
J001 #6 0+0W	1	26	88	123	<.3	10	8	2247	3.21	13	<.5	<.2	<.2	4	.4	3	<.2	19	.03	.047	19	10	.16	71	.03	<.3	1.32	.01	.07	<.2																															
J001 #7 0+150W	2	57	85	278	<.3	18	12	667	4.19	31	<.5	<.2	7	3	.5	<.2	3	22	.03	.030	23	14	.52	68	.12	<.3	1.68	.01	.21	<.2																															
J001 #7 0+125W	1	19	56	62	.9	8	5	302	2.04	16	8	<.2	3	3	<.2	2	5	36	.02	.021	16	18	.35	47	.12	<.3	1.40	.01	.15	<.2																															
J001 #7 0+100W	1	30	89	239	5.0	13	8	529	2.80	10	<.5	<.2	4	5	<.2	<.2	<.2	24	.06	.026	19	9	.30	245	.04	<.3	1.61	.01	.10	3																															
J001 #7 0+75W	2	30	21	57	.9	8	4	212	2.71	4	<.5	<.2	4	5	.4	5	<.2	23	.05	.068	9	11	.13	41	.11	<.3	4.82	.02	.05	<.2																															
J001 #7 0+50W	<.1	13	44	48	<.3	3	5	796	1.56	7	<.5	<.2	<.2	3	.2	<.2	<.2	21	.01	.053	25	6	.10	55	.04	<.3	.66	.01	.06	<.2																															
J001 #7 0+25W	1	27	64	170	<.3	11	8	553	2.82	9	6	<.2	3	8	<.2	2	<.2	13	.02	.031	25	8	.23	431	.02	<.3	.80	<.01	.09	<.2																															
J001 #7 0+0W	<.1	41	14	57	<.3	13	7	453	3.73	8	<.5	<.2	2	2	.2	<.2	<.2	10	.01	.036	17	6	.12	26	.01	<.3	.69	<.01	.03	<.2																															
J001 #8 0+150W	3	73	169	512	1.1	20	16	1834	4.70	31	17	<.2	5	6	.9	3	6	30	.07	.060	24	17	.48	94	.13	<.3	2.67	.01	.22	<.2																															
J001 #8 0+125W	1	37	69	163	<.3	10	12	1670	4.50	3	<.5	<.2	3	5	.7	<.2	3	58	.04	.055	15	15	.29	149	.09	<.3	3.01	.01	.13	<.2																															
J001 #8 0+100W	2	45	55	131	.8	25	18	1636	6.18	62	<.5	<.2	6	4	.2	2	<.2	56	.04	.068	16	27	.56	88	.13	<.3	1.97	.01	.23	<.2																															
J001 #8 0+75W	2	34	44	100	<.3	18	14	781	5.20	35	8	<.2	5	2	<.2	5	4	56	.01	.048	24	17	.47	60	.08	<.3	1.52	<.01	.21	<.2																															
J001 #8 0+50W	1	28	67	80	<.3	10	7	1100	4.37	9	<.5	<.2	<.2	4	.7	<.2	<.2	51	.03	.064	15	14	.27	71	.11	<.3	1.28	.01	.11	<.2																															
J001 #8 0+25W	1	25	62	76	<.3	8	9	653	3.64	6	6	<.2	<.2	3	<.2	4	4	29	.02	.041	21	9	.16	62	.03	<.3	1.19	.01	.07	<.2																															
J001 #8 0+0W	1	14	29	68	<.3	6	3	439	2.86	7	<.5	<.2	<.2	2	<.2	<.2	<.2	17	.01	.031	17	8	.10	30	.04	<.3	1.31	.01	.04	<.2																															
J001 #9 0+150W	2	31	89	452	.4	18	9	323	5.00	36	<.5	<.2	6	4	.4	<.2	5	24	.05	.034	20	17	.52	58	.09	<.3	1.75	<.01	.15	4																															
J001 #9 0+125W	2	36	220	307	.7	12	11	1111	4.47	27	7	<.2	3	3	.3	3	3	39	.05	.057	18	13	.37	101	.06	<.3	2.00	.01	.15	<.2																															
J001 #9 0+100W	1	21	57	68	.6	9	5	380	2.82	20	7	<.2	4	3	.2	4	2	97	.01	.030	22	10	.27	121	.13	<.3	1.07	.01	.13	<.2																															
J001 #9 0+75W	<.1	147	88	174	<.3	35	26	1512	7.14	22	<.5	<.2	8	3	<.2	<.2	<.2	157	.05	.072	14	32	.88	173	.20	<.3	2.39	<.01	.54	<.2																															
J001 #9 0+50W	1	41	127	150	.5	18	18	1244	3.85	17	<.5	<.2	2	6	.5	<.2	<.2	38	.08	.061	19	15	.31	267	.08	<.3	2.46	.01	.18	<.2																															
J001 #9 0+25W	1	22	62	104	.6	9	9	1017	4.66	12	6	<.2	3	4	<.2	2	2	38	.02	.064	21	10	.18	55	.06	<.3	1.37	.01	.09	<.2																															
J001 #9 0+0W	1	44	46	196	<.3	15	11	1525	4.24	20	<.5	<.2	2	3	<.2	<.2	<.2	11	.03	.066	17	8	.18	34	.03	<.3	.97	<.01	.06	2																															
STANDARD C	20	61	38	132	6.2	69	32	969	4.05	38	16	7	37	53	18.0	18	21	62	.52	.094	39	62	.91	192	.09	28	1.95	.06	.15	11																															

CONTINUED

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

SEP 27 95 14:28 FR ACME LABS 604 233 1716 10 18044257850 05706



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
J001 #10 0+150W	3	33	345	530	1.3	16	12	1212	3.55	28	<5	<2	8	7	.5	5	5	22	.05	.046	24	10	.45	240	.07	<3	1.36	.01	.19	4
J001 #10 0+125W	1	23	126	102	.7	8	4	407	3.41	11	<5	<2	3	4	<2	<2	2	55	.02	.035	18	13	.28	65	.13	<3	1.44	.01	.13	3
J001 #10 0+100W	1	51	233	315	<.3	17	12	875	4.63	14	<5	<2	7	4	.7	<2	<2	55	.04	.045	21	16	.56	123	.08	<3	1.79	.01	.16	3
J001 #10 0+75W	1	118	166	205	.6	37	26	2196	7.88	19	<5	<2	12	5	.9	<2	<2	202	.12	.094	13	31	1.18	169	.18	<3	2.67	.01	.33	<2
J001 #10 0+50W	2	36	38	91	.3	18	10	532	4.89	26	<5	<2	5	4	.6	<2	<2	99	.02	.045	17	19	.51	60	.15	<3	1.48	.01	.23	<2
J001 #10 0+25W	1	58	309	245	.4	28	39	15737	15.80	28	<5	<2	83	5	2.2	<2	27	8	.02	.085	30	8	.12	361	.02	<3	1.66	<.01	.03	<2
J001 #10 0+0W	1	20	30	131	.4	8	7	1032	3.05	9	<5	<2	5	3	.5	5	<2	18	.02	.030	16	13	.22	30	.06	<3	1.40	.01	.06	<2
J001 #11 0+150W	2	23	134	270	<.3	10	5	372	2.64	16	<5	<2	<2	4	<.2	<2	<2	24	.05	.033	22	10	.38	213	.06	<3	1.41	.01	.14	3
J001 #11 0+125W	2	35	133	292	1.0	13	10	697	3.70	23	<5	<2	5	5	.8	2	<2	24	.04	.050	23	12	.41	203	.06	<3	1.55	.01	.19	<2
J001 #11 0+100W	3	44	153	361	.8	20	12	951	6.30	45	<5	<2	9	4	.2	3	3	64	.03	.074	20	18	.57	107	.11	<3	1.84	.01	.25	<2
J001 #11 0+75W	2	31	172	180	.7	13	11	1512	4.84	25	<5	<2	7	4	.5	2	<2	57	.02	.086	13	14	.41	116	.13	<3	1.58	.01	.19	<2
J001 #11 0+50W	2	40	136	177	<.3	17	14	2239	4.18	21	<5	<2	6	5	.8	<2	<2	69	.05	.056	19	18	.46	136	.11	<3	1.79	.01	.20	2
J001 #11 0+25W	2	21	81	266	<.3	8	7	3323	3.70	30	<5	<2	6	8	1.5	4	<2	17	.26	.109	17	7	.16	110	.02	<3	.98	.01	.08	<2
J001 #11 0+0W	1	31	128	415	<.3	14	11	3625	3.88	24	<5	<2	9	4	3.4	2	<2	11	.11	.044	22	5	.24	82	.02	<3	.78	<.01	.08	<2
J001 #12 0+150W	4	102	649	476	1.2	18	16	3244	6.15	36	<5	<2	14	8	.3	2	<2	43	.02	.047	22	12	.36	904	.06	<3	1.53	.01	.13	<2
RE J001 #12 0+150W	4	97	650	466	1.6	19	16	3110	6.09	41	7	<2	13	8	.6	4	3	42	.02	.047	21	13	.36	856	.06	<3	1.47	.01	.13	<2
J001 #12 0+125W	1	36	327	762	.4	19	10	1346	3.48	18	<5	<2	3	7	1.8	<2	<2	25	.13	.065	20	13	.42	431	.07	<3	1.51	.01	.21	<2
J001 #12 0+100W	2	86	167	278	.3	30	16	958	6.63	26	<5	<2	8	4	.4	3	<2	128	.07	.075	15	25	.85	133	.17	<3	2.05	.01	.25	<2
J001 #12 0+75W	2	49	225	535	<.3	20	12	567	4.47	17	<5	<2	5	3	.4	<2	<2	30	.09	.066	22	12	.47	107	.05	<3	1.90	<.01	.12	<2
J001 #12 0+50W	2	41	82	372	1.0	20	10	952	3.62	11	8	<2	2	12	1.0	2	<2	36	.67	.083	18	14	.36	367	.07	<3	2.76	.02	.09	<2
J001 #12 0+25W	<1	18	104	305	<.3	8	5	1853	3.71	17	<5	<2	2	7	1.0	<2	<2	23	.10	.074	12	8	.14	101	.07	<3	2.30	.01	.05	<2
J001 #12 0+0W	2	14	28	62	.3	7	2	451	3.22	4	<5	<2	4	8	.3	<2	<2	22	.11	.073	4	7	.09	33	.11	<3	3.37	.02	.04	<2
STANDARD C	21	59	40	133	6.6	69	33	986	3.94	43	23	10	42	52	18.4	19	22	62	.51	.094	41	61	.90	185	.09	29	1.88	.06	.17	13

Sample type: SOIL. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

CONTINUED

BAPTY RESEARCH LIMITED

901 Industrial Rd. No. 2
Cranbrook, B.C. V1C 4C9

Telephone (604) 426-6277
Fax (604) 426-6219

JODI PROPERTY EXAMINATION REPORTLOCATION

South side of Gray Ck. Pass Road, 46 km west of Kimberley 6200 ft. elev.

CLAIMS

4 only 2 post claims Jodi 1-4

MINERALIZATION

The claims overlie a NW flowing drainage about 1 km east of the height of land separating the E/W Kootenays, and include the Horsethief Creek/Mount Nelson contact series of rocks (specifically, green siltstones, black argillite, dolomitic limestone and grey green phyllites.) The strike is N 20° W with vertical dip. The zone of interest was partly covered by a geochemical grid carried out by the prospectors.

Sulphide mineralization is evident in several outcrop locations extending over a 100 meter strike length in two dolomitic limestone zones separated by about 100 meters of phyllite and argillite. The better zone is the westmost section where mineralization thickness of up to 2 meters is evident with lead/zinc/silver grades showing 6.7%/1.2%/3.0 oz/tn.

Zone	Sample #	Approx. Grid Ref.		Pb	Zn	Oz/tn
		Line #	Station			Ag
1(E)	B81212	11	0 + 50	1.89	1.22	0.46
1	B81213	8	0 + 50	3.75	0.33	1.67
Argillite	B81214	7	1 + 00	0.04	0.06	0.05
2(W)	B81215	7	1 + 75	5.68	0.75	2.63
2	B81216	11	1 + 75	7.73	1.59	3.48

POTENTIAL


Host rock in this location might support -
800 m x 500 m x 3 m x 3.0 > 3 million tonnes
of material, with economic grades of lead/zinc/silver.

WORK REQUIRED

An IP or EM survey will define the areas offering the best target, and two holes should be budgetted to test the conductors at depth.

RECOMMENDATION

Follow up with a Max-Min EM survey, with some drilling for the best conductors.


M. Bapty, P.Eng.
Jan. 10, 1995


QUALIFACATIONS

I have been a independent prospector for the past 23 years. I have worked for Focal Resources from Calgary Alberta and Bapty Research from Cranbrook, B. C.

I also have mineral property optioned to the following companies, (Wolf claims) to Ottis J Exploration, (Sawyer claims) to Focal Resources and (Jodi claims) to Barkhor Resources.

BAKER CREEK AREA JODI CLAIMS SOIL SAMPLES

MAP NO 1A



**GEOLOGICAL BRANCH
ASSESSMENT REPORT**

24,287




1995

MAP NO.1

BAKER CREEK AREA


MOLY + JODI CLAIMS



LEGEND

- TRANSMISSION LINE
- CONTOUR ELEVATION LINE
- ROCK SAMPLES J. no.1 / M. no.1
- SOIL SAMPLE GRID LINE SEE MAP NO. 1A
- TRAVERSE LINE
- TRANSMISSION LINE ROAD
- BAKER CR. FORESTRY ROAD
- LOGGING ROAD
- NOTE FOR ICP ANALYTICAL RESULTS SEE APPENDIX A

SCALE 1:5000



GEOLOGICAL BRANCH
ASSESSMENT REPORT

24,287