

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS

DATE RECEIVED
APR 03 1996

1995 DIAMOND DRILLING REPORT

SIWASH GOLD MINE AREA, ELK PROPERTY

Similkameen Mining Division, B. C.
Siwash Lake Area, British Columbia
NTS: 92H-16W; Lat. 49°50'N; Long. 120°19'W

February, 1996

VOLUME VII: APPENDIX "C"

This report consists of seven volumes:

Volume I: Text, Tables & Figures
Volume II: Plates 1 - 15
Volume III: Plates 16 - 30
Volume IV: Plates 31 - 45
Volume V: Plates 46 - 68
Volume VI: Appendices A & B
Volume VII: Appendix C

By

Wojtek Jakubowski, B.Sc., P.Geo.

&

Paul Conroy, B.Sc., P. Geo.

FILMED

GEOLOGICAL SURVEY BRANCH
1980 - 1055 West Hastings Street
Vancouver, B.C. V6E 2E9
ASSESSMENT REPORT

24,374

PART 7 OF 7

TABLE OF CONTENTS

VOLUME VII

APPENDIX

Appendix "C": Diamond Drill Hole Summary Logs

APPENDIX "C"

DIAMOND DRILL HOLE SUMMARY LOGS

**UNDERGROUND DIAMOND DRILL CORE
SUMMARY LOGS**

FAIRFIELD MINERALS LTD.

KEY FOR GEOLOGICAL ABBREVIATIONS

ROCK TYPE CODE:

AD	andesite dyke	GG	gouge (fault, shear)
AN	andesite	GR	granite
AV	andesitic volcanic	MI	missing core
AP	aplite	OB	overburden
BR	breccia	PV	porphyritic volcanic
CS	casing+overburden	QF	quartz feldspar porphyry
DB	diatreme breccia	QM	quartz monzonite
FP	feldspar porphyry	QV	quartz vein
GD	granodiorite	SP	sparse porphyry
GC	granodiorite contact phase	VB	volcanic breccia

ALTERATION CODES: prefix to rock type code (eg K2GR)

Ax	argillic	Px	propylitic
Fx	phyllic	Sx	sericitic
FK	K-spar stable phyllic	Xx	silicification
Kx	potassic		

x = 1 to 5 (weak to intense)

Note: no qualifier for K-spar stable phyllic alteration, as it is considered moderate alteration (x = 2 to 3).

PROPERTY ELK D.D.H. SUD95-85 PAGE 1 OF 3
 AREA: Siwash North DIP: -16.0 AZIMUTH (t): 181.4 DEPTH: 72.54 m
 CLAIM: Elk 21 NORTHING: 3265.43 DATE STARTED: 13-Apr-1995
 SECTION: 2350E- EASTING: 2349.81 DATE FINISHED: 14-Apr-1995
 CORE SIZE: NIW ELEVATION: 1513.35 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.82% RQD: 55.31% CORE STORED AT: Elk Rack B Bay 1 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-16.0	181.4	1.77	2.27	0.50		P3QM									
15.85	-19.0	181.4	2.27	3.59	1.32		S3QM									
46.33	-19.5	181.4	3.59	3.69	0.10		Y3QV									
			3.69	5.36	1.67		S3QM									
			5.36	6.42	1.06		P2QM									
			6.42	7.70	1.28		PKQM									
			7.70	10.14	2.44		P3QM									
			10.14	11.50	1.36		PKQM									
			11.50	14.48	2.98		P3QM									
			12.10	12.27	0.17		S3QM									
			14.48	15.10	0.62		S3QM									
			15.08	16.71	1.63		P3QM									
			16.71	17.64	0.93		K3QM									
			17.64	19.87	2.23		P3QM									
			19.87	20.41	0.54		S3QM									
			20.41	22.17	1.76		P3QM									
			22.17	23.90	1.73		P2QM									
			23.90	24.51	0.61		F5QM									
			24.51	25.15	0.64		S2QM									
			25.15	25.60	0.45		P3QM									
			25.60	27.53	1.93		K2QM									
			27.53	28.56	1.03		P2QM									
			28.56	34.34	5.78		P3QM									
			34.34	35.17	0.83		S3QM									
			35.17	36.20	1.03		S4QM									
			36.20	37.15	0.95		P3QM									
			37.15	38.02	0.87		S3QM									
			38.02	38.22	0.20		F5QM									
			38.22	39.02	0.80		S3QM									
			39.02	39.23	0.21		F5QM									
			39.23	39.55	0.32		P3QM									

CONTD

PROPERTY ELK D.D.H. SUD95-86 PAGE 1 OF 3
 AREA: Siwash North DIP: -1.0 AZIMUTH (t): 179.0 DEPTH: 51.51 m
 CLAIM: Elk 21 NORTHING: 3265.46 DATE STARTED: 14-Apr-1995
 SECTION: 2350E- EASTING: 2349.88 DATE FINISHED: 15-Apr-1995
 CORE SIZE: NIW ELEVATION: 1513.77 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.79% RQD: 55.64% CORE STORED AT: Elk Rack B Bay 1 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-1.0	179.0	1.22	2.14	0.92		QM									
25.76	-1.0	179.0	2.14	3.30	1.16		S4QM									
			3.30	5.88	2.58		P1QM									
			5.88	6.14	0.26		F5QM									
			6.14	8.06	1.92		QM									
			8.06	8.43	0.37		PKQM									
			8.43	10.92	2.49		P3QM									
			10.92	11.30	0.38		PKQM									
			11.30	13.59	2.29		S3QM									
			13.59	15.07	1.48		P3QM									
			15.07	18.03	2.96		S3QM									
			18.03	19.50	1.47		P3QM									
			19.50	20.66	1.16		P1QM									
			20.66	21.05	0.39		K2QM									
			21.05	23.91	2.86		P3QM									
			23.91	25.69	1.78		S4QM									
			25.69	25.90	0.21		F5QM									
			25.90	26.15	0.25		Y3QV									
			26.15	26.53	0.38		F5QM									
			26.53	27.03	0.50		S4QM									
			27.03	27.93	0.90		PKQM									
			27.93	28.70	0.77		F5QM									
			28.70	29.45	0.75		S4QM									
			29.45	30.07	0.62		QV									
			30.07	30.34	0.27		F4QM									
			30.34	37.78	7.44		P3QM									
			37.78	39.44	1.66		P3QM									
			39.44	39.90	0.46		S3QM									
			39.90	40.20	0.30		GG									
			40.20	48.78	8.58		P3QM									
			48.78	50.73	1.95		K2QM									

CONTD

PROPERTY ELK D.D.H. SUD95-86 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			50.73	51.51	0.78		P3QM									
			.0	1.00	1.00	00.57		86-1						00510		
			2.28	2.58	0.30	00.17		86-2					0.002			
			5.86	6.16	0.30	00.19		86-3						00510		
			11.00	11.30	0.30	00.17		86-4					0.006			
			25.69	26.17	0.48	00.24		86-5			2.784				1.460	
			26.17	27.03	0.86	00.49		86-6					0.146			
			27.93	28.70	0.77	00.50		86-7					1.292			
			29.45	30.12	0.67	00.58		86-8			0.021				0.035	

PROPERTY ELK D.D.H. SUD95-87 PAGE 1 OF 2
 AREA: Siwash North DIP: 41.0 AZIMUTH (t): 178.0 DEPTH: 29.87 m
 CLAIM: Elk 21 NORTHING: 3266.15 DATE STARTED: 15-Apr-1995
 SECTION: 2350E EASTING: 2349.87 DATE FINISHED: 16-Apr-1995
 CORE SIZE: NIW ELEVATION: 1515.76 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.39% RQD: 64.28% CORE STORED AT: Elk Rack B Bay 1 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.80	41.0	178.0	.90	5.00	4.10		P10M									
14.94	41.0	178.0	5.00	5.42	0.42		P40M									
			5.42	7.68	2.26		P10M									
			7.68	13.07	5.39		QM									
			13.07	15.77	2.70		P10M									
			15.77	17.76	1.99		S30M									
			17.76	18.12	0.36		F50M									
			18.12	18.98	0.86		S30M									
			18.98	19.57	0.59		K20M									
			19.57	19.97	0.40		S30M									
			19.97	20.03	0.06		Y30V									
			20.03	20.28	0.25		F40M									
			20.28	20.38	0.10		Y30V									
			20.38	29.87	9.49		P20M									
			2.40	2.70	0.30	00.26		87-1					0.012			
			5.00	5.40	0.40	00.38		87-2						00039		
			17.00	17.80	0.80	00.69		87-3					0.060			
			17.80	18.10	0.30	00.27		87-4			0.082				0.045	
			18.10	18.80	0.70	00.66		87-5						00013		
			18.80	19.50	0.70	00.66		87-6						00018		
			19.50	19.90	0.40	00.38		87-7					0.018			
			19.90	20.38	0.48	00.45		87-8			0.185				0.135	
			20.38	21.38	1.00	00.94		87-9						00003		

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SUD95-88 PAGE 1 OF 2

AREA: Siwash North DIP: 87.0 AZIMUTH (t): 194.0 DEPTH: 31.70 m

CLAIM: Elk 21 NORTHING: 3267.57 DATE STARTED: 16-Apr-1995

SECTION: 2350E- EASTING: 2349.81 DATE FINISHED: 16-Apr-1995

CORE SIZE: NIW ELEVATION: 1516.35 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.11% RQD: 56.21% CORE STORED AT: Elk Rack B Bay 1 LOGGED BY: P. Conroy/D. Ritc

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	87.0	194.0	1.63	2.19	0.56		P3QM									
15.85	89.0	194.0	2.19	2.55	0.36		F5QM									
			2.55	5.30	2.75		P3QM									
			5.30	5.58	0.28		F4QM									
			5.58	7.66	2.08		P2QM									
			7.66	8.09	0.43		PKQM									
			8.09	8.92	0.83		P2QM									
			8.92	12.71	3.79		QM									
			12.71	14.34	1.63		P2QM									
			14.34	14.66	0.32		F3QM									
			14.66	17.34	2.68		P2QM									
			17.34	17.60	0.26		F3QM									
			17.60	18.56	0.96		P2QM									
			18.56	19.16	0.60		F2QM									
			19.16	19.86	0.70		P2QM									
			19.86	20.14	0.28		F3QM									
			20.14	20.65	0.51		P2QM									
			20.65	20.96	0.31		F4QM									
			20.96	22.04	1.08		P2QM									
			22.04	22.39	0.35		F2QM									
			22.39	23.53	1.14		P2QM									
			23.53	25.09	1.56		F4QM									
			25.09	25.30	0.21		VQGV									
			25.30	25.66	0.36		S4QM									
			25.66	26.06	0.40		K3QM									
			26.06	26.35	0.29		GG									
			26.35	31.70	5.35		P1QM									
			.0	.44	0.44	00.31		88-1						00440		
			2.20	2.50	0.30	00.26		88-2				0.053				
								CONTD								

PROPERTY ELK D.D.H. SUD95-89 PAGE 1 OF 2
 AREA: Siwash North DIP: -12.0 AZIMUTH (I): 181.0 DEPTH: 50.29 m
 CLAIM: Elk 21 NORTHING: 3265.52 DATE STARTED: 16-Apr-1995
 SECTION: 2350E- EASTING: 2349.84 DATE FINISHED: 17-Apr-1995
 CORE SIZE: NIW ELEVATION: 1513.51 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.25% RQD: 53.49% CORE STORED AT: Elk Rack B Bay 1,2 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: Hole SUD9589 was drilled to outline mineable reserves.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-12.0	181.0	.87	1.75	0.88		S4QM									
12.65	-11.0	181.0	1.75	2.07	0.32		P4QM									
37.80	-9.0	181.0	2.07	3.04	0.97		S4QM									
			3.04	3.89	0.85		P1QM									
			3.89	4.44	0.55		FKQM									
			4.44	5.22	0.78		P1QM									
			5.22	5.68	0.46		S3QM									
			5.68	7.88	2.20		QM									
			7.88	8.51	0.63		K2QM									
			8.51	8.75	0.24		F4QM									
			8.75	9.69	0.94		FKQM									
			9.69	10.40	0.71		P3QM									
			10.40	11.58	1.18		QM									
			11.58	12.60	1.02		S2QM									
			12.60	13.44	0.84		P1QM									
			13.44	13.93	0.49		K3QM									
			13.93	15.05	1.12		P3QM									
			15.05	16.84	1.79		S3QM									
			16.84	17.76	0.92		P3QM									
			17.76	20.00	2.24		S3QM									
			20.00	21.61	1.61		P3QM									
			21.61	22.20	0.59		S3QM									
			22.20	23.48	1.28		P2QM									
			23.48	23.99	0.51		S3QM									
			23.99	28.48	4.49		P3QM									
			28.48	29.06	0.58		K2QM									
			29.06	30.38	1.32		P2QM									
			30.38	30.71	0.33		FKQM									
			30.71	31.18	0.47		P3QM									
			31.18	32.10	0.92		S3QM									
			32.10	32.94	0.84		S5QM									
								CONTD								

PROPERTY ELK D.D.H. SUD95-89 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			32.94	33.21	0.27		F50M										
			33.21	33.26	0.05		Y20V										
			33.26	33.49	0.23		F50M										
			33.49	33.54	0.05		GG										
			33.54	34.00	0.46		S40M										
			34.00	36.04	2.04		P20M										
			36.04	39.97	3.93		K20M										
			39.97	41.54	1.57		P20M										
			41.54	41.69	0.15		GG										
			41.69	42.13	0.44		F30M										
			42.13	42.28	0.15		Y10V										
			42.28	42.56	0.28		F50M										
			42.56	43.22	0.66		S40M										
			43.22	43.54	0.32		F50M										
			43.54	43.85	0.31		GG										
			43.85	50.29	6.44		P30M										
			1.60	2.10	0.50	00.25		89-1					0.368				
			4.15	4.45	0.30	00.08		89-2						00210			
			8.50	8.80	0.30	00.17		89-3						00330			
			32.10	32.74	0.64	00.32		89-4						00370			
			32.74	33.14	0.40	00.20		89-5					0.111				
			33.14	33.57	0.43	00.28		89-6			0.612				0.220		
			33.57	34.00	0.43	00.28		89-7						00130			
			41.59	42.12	0.53	00.34		89-8					0.006				
			42.12	42.52	0.40	00.20		89-9			0.570				0.045		
			42.52	43.23	0.71	00.36		89-10						00062			
			43.23	43.54	0.31	00.08		89-11			0.112				0.190		
			43.54	43.89	0.35	00.30		89-12					0.007				

PROPERTY ELK D.D.H. SUD95-90 PAGE 1 OF 2
 AREA: Siwash North DIP: 16.0 AZIMUTH (I): 179.0 DEPTH: 32.92 m
 CLAIM: Elk 21 NORTHING: 3265.62 DATE STARTED: 17-Apr-1995
 SECTION: 2350E- EASTING: 2349.88 DATE FINISHED: 17-Apr-1995
 CORE SIZE: NTW ELEVATION: 1514.33 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 88.62% RQD: 48.00% CORE STORED AT: Elk Rack B Bay 2 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: Hole SUD9590 was drilled to outline mineable reserves.
 LCPM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	16.0	179.0	.63	1.03	0.40		P1QM									
16.46	14.0	179.0	1.03	1.77	0.74		PKQM									
			1.77	2.75	0.98		P1QM									
			2.75	3.67	0.92		QM									
			3.67	4.39	0.72		S3QM									
			4.39	6.38	1.99		QM									
			6.38	7.48	1.10		P1QM									
			7.48	7.83	0.35		S3QM									
			7.83	11.54	3.71		P2QM									
			11.54	12.89	1.35		P1QM									
			12.89	13.21	0.32		PKQM									
			13.21	19.19	5.98		P3QM									
			19.19	19.60	0.41		S3QM									
			19.60	20.12	0.52		P3QM									
			20.12	21.87	1.75		S4QM									
			21.87	23.45	1.58		P5QM									
			23.45	24.08	0.63		GG									
			24.08	25.41	1.33		A3QM									
			25.41	25.97	0.56		S5QM									
			25.97	26.32	0.35		P3QM									
			26.32	26.70	0.38		S3QM									
			26.70	26.82	0.12		GG									
			26.82	27.60	0.78		S3QM									
			27.60	29.40	1.80		P3QM									
			29.40	29.85	0.45		K2QM									
			29.80	32.92	3.12		P3QM									
			1.00	1.30	0.30	00.21		90-1						00033		
			3.75	4.25	0.50	00.35		90-2				0.014				
			5.25	5.55	0.30	00.21		90-3						00046		
								CONTD								

PROPERTY ELK D.D.H. SUD95-90 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t		PA	MIBK	Ag oz/t	Ag ppm
			7.48	7.83	0.35	00.25		90-4						00300		
			20.85	21.85	1.00	00.64		90-5						01180		
			21.85	22.85	1.00	00.64		90-6					0.685			
			22.85	23.45	0.60	00.49		90-7					0.140			
			23.45	24.08	0.63	00.52		90-8					0.571			
			25.97	26.32	0.35	00.23		90-9						00041		

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95-92</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>70.5</u> AZIMUTH (t): <u>359.0</u>	DEPTH: <u>48.16</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3267.85</u>	DATE STARTED: <u>18-Apr-1995</u>
SECTION: <u>2350E-</u>	EASTING: <u>2349.04</u>	DATE FINISHED: <u>19-Apr-1995</u>
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1516.52</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>91.94%</u> RQD: <u>63.43%</u> CORE STORED AT: <u>Elk Rack B Bay 1</u>		LOGGED BY: <u>P. Conroy/D. Ritc</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	70.5	359.0	.40	1.21	0.81		F30M									
24.08	69.0	359.0	1.21	2.97	1.76		P20M									
			2.97	3.60	0.63		F30M									
			3.60	7.03	3.43		P10M									
			7.03	7.32	0.29		S20M									
			7.32	8.63	1.31		P10M									
			8.63	9.02	0.39		S30M									
			9.02	11.83	2.81		P10M									
			11.83	13.32	1.49		P20M									
			13.32	26.50	13.18		P10M									
			26.50	26.95	0.45		S20M									
			26.95	30.35	3.40		P10M									
			30.35	30.60	0.25		F30M									
			30.60	33.50	2.90		P10M									
			33.50	34.31	0.81		S10M									
			34.31	36.03	1.72		S40M									
			36.03	36.09	0.06		Y10V									
			36.09	37.33	1.24		S40M									
			37.33	37.43	0.10		Y50M									
			37.43	37.72	0.29		F30M									
			37.72	38.97	1.25		F40M									
			38.97	39.01	0.04		Y20V									
			39.01	39.72	0.71		S40M									
			39.72	40.05	0.33		GG									
			40.05	40.88	0.83		S40M									
			40.88	42.00	1.12		K20M									
			42.00	42.92	0.92		A20M									
			42.92	43.36	0.44		GG									
			43.36	43.75	0.39		A20M									
			43.75	48.16	4.41		P20M									
CONTD																

PROPERTY ELK D.D.H. SUD95-92 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metals		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			.40	.70	0.30	00.21		92-1			0.047					0.035	
			3.20	3.50	0.30	00.21		92-2					0.047				
			35.97	36.27	0.30	00.19		92-3			0.002					0.005	
			36.27	37.25	0.98	00.63		92-4						00016			
			37.25	37.55	0.30	00.17		92-5			1.011					0.265	
			37.55	38.70	1.15	01.00		92-6					0.011				
			38.70	39.09	0.39	00.34		92-7			0.086					0.085	
			39.09	40.05	0.96	00.62		92-8						00900			

DDR-91-IU

PROPERTY ELK D.D.H. SUD95-93 PAGE 1 OF 2

AREA: Siwash North DIP: 80.5 AZIMUTH (t): 000.0 DEPTH: 40.54 m
 CLAIM: Elk 21 NORTHING: 3267.68 DATE STARTED: 19-Apr-1995
 SECTION: 2350E- EASTING: 2349.03 DATE FINISHED: 20-Apr-1995
 CORE SIZE: NIW ELEVATION: 1516.74 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.23% RQD: 55.38% CORE STORED AT: Elk Rack B Bay 2,3 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	80.5	000.0	.61	2.55	1.94		P10M										
20.42	77.5	000.0	2.55	2.94	0.39		P40M										
			2.94	6.96	4.02		P10M										
			6.96	7.44	0.48		S30M										
			7.44	9.20	1.76		P10M										
			9.20	9.72	0.52		P20M										
			9.72	11.35	1.63		P10M										
			11.35	14.02	2.67		OM										
			14.02	20.06	6.04		P10M										
			20.06	20.90	0.84		S30M										
			20.90	24.95	4.05		P10M										
			24.95	25.50	0.55		P40M										
			25.50	26.42	0.92		S20M										
			26.42	29.31	2.89		S20M										
			29.31	29.84	0.53		S40M										
			29.84	29.94	0.10		F50M										
			29.94	29.95	0.01		VG0V										
			29.95	30.13	0.18		F50M										
			30.13	30.20	0.07		Y10V										
			30.20	30.30	0.10		GG										
			30.30	30.90	0.60		F50M										
			30.90	31.09	0.19		OV										
			31.09	31.39	0.30		GG										
			31.39	31.78	0.39		F50M										
			31.78	32.82	1.04		A20M										
			32.82	36.12	3.30		S20M										
			36.12	36.91	0.79		P20M										
			36.91	37.96	1.05		S20M										
			37.96	40.54	2.58		OM										

CONTD

PROPERTY ELK D.D.H. SUD95-93 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
			. 0	.60	0.60	00.42		93-1			0.064					
			2.55	2.85	0.30	00.23		93-2					0.013		0.090	
			24.95	25.50	0.55	00.28		93-3						00074		
			28.29	29.29	1.00	00.82		93-4						00040		
			29.29	29.87	0.58	00.50		93-5					0.012			
			29.87	30.32	0.45	00.39		93-6			0.519				0.210	
			30.32	30.90	0.58	00.44		93-7					0.012			
			30.90	31.39	0.49	00.38		93-8			0.067				0.140	
			31.39	31.79	0.40	00.33		93-9					0.010			
			31.79	32.79	1.00	00.82		93-10						00021		

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95-94</u>	PAGE <u>1</u>	OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>72.0</u>	AZIMUTH (t): <u>174.5</u>	DEPTH: <u>25.60</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3267.05</u>		DATE STARTED: <u>20-Apr-1995</u>
SECTION: <u>2350E-</u>	EASTING: <u>2349.89</u>		DATE FINISHED: <u>20-Apr-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1516.21</u>		CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>93.16%</u>	RQD: <u>66.80%</u>	CORE STORED AT: <u>Elk Rack B Bay 3</u>	LOGGED BY: <u>P. Conroy/D. Ritc</u>
COMMENTS: <u>Hole SUD9594 was drilled to outline mineable reserves.</u>			
LCM			

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	72.0	174.5	1.95	2.28	0.33		P30M									
13.57	70.5	174.5	2.28	3.17	0.89		P30M									
			3.17	4.75	1.58		P10M									
			4.75	5.57	0.82		P30M									
			5.57	6.69	1.12		QM									
			6.69	7.23	0.54		S30M									
			7.23	10.29	3.06		QM									
			10.29	13.98	3.69		P30M									
			13.98	15.70	1.72		P20M									
			15.70	16.06	0.36		S30M									
			16.06	16.54	0.48		F50M									
			16.96	18.63	1.67		P20M									
			18.63	19.02	0.39		F40M									
			19.02	19.09	0.07		QV									
			19.09	19.61	0.52		F40M									
			19.61	19.92	0.31		P20M									
			19.92	20.36	0.44		F50M									
			20.36	21.00	0.64		P30M									
			21.00	21.74	0.74		F50M									
			21.74	21.80	0.06		Y1QV									
			21.80	22.02	0.22		GG									
			22.77	25.60	2.83		P20M									
			1.95	2.25	0.30	00.30		94-1						01920		
			4.70	5.00	0.30	00.30		94-2						00052		
			16.00	16.54	0.54	00.49		94-3						00220		
			18.84	19.39	0.55	00.48		94-4			0.009				0.030	
			19.39	19.92	0.53	00.46		94-5						00190		
			19.92	20.36	0.44	00.31		94-6				0.012				
			20.36	21.33	0.97	00.88		94-7						00180		
								CONTD								

PROPERTY ELK D.D.H. SUD95-94 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			21.33	22.02	0.69	00.63		94-8			0.082				0.095	

PROPERTY ELK D.D.H. SUD95-95 PAGE 1 OF 2
 AREA: Siwash North DIP: 31.5 AZIMUTH (t): 120.0 DEPTH: 39.32 m
 CLAIM: Elk 21 NORTHING: 3266.86 DATE STARTED: 20-Apr-1995
 SECTION: 2370E-- EASTING: 2351.31 DATE FINISHED: 21-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1515.88 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.45% RQD: 56.71% CORE STORED AT: Elk Rack B Bay 3 LOGGED BY: P. Conroy/D. Ritc
 COMMENTS: Hole SUD9595 was drilled to outline mineable reserves.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	31.5	120.0	.42	1.21	0.79		S3QM									
19.66	29.0	120.0	1.21	1.99	0.78		P1QM									
			1.99	2.78	0.79		S3QM									
			2.39	2.53	0.14		P3QM									
			2.78	3.39	0.61		P2QM									
			3.39	3.83	0.44		S3QM									
			3.83	9.62	5.79		P1QM									
			9.62	14.28	4.66		QM									
			14.28	14.94	0.66		P1QM									
			14.94	15.00	0.06		Y2QV									
			15.00	15.30	0.30		F3QM									
			15.30	16.60	1.30		P2QM									
			16.60	17.15	0.55		F3QM									
			17.15	21.91	4.76		P2QM									
			21.91	22.23	0.32		F5QM									
			22.23	22.70	0.47		S2QM									
			22.70	23.21	0.51		F5QM									
			23.21	23.81	0.60		P3QM									
			23.81	25.65	1.84		S3QM									
			25.65	26.52	0.87		P2QM									
			26.52	26.82	0.30		F2QM									
			26.82	29.60	2.78		P3QM									
			29.60	30.20	0.60		S3QM									
			30.20	30.33	0.13		Y4QV									
			30.33	30.58	0.25		F5QM									
			30.58	30.74	0.16		A4QM									
			30.74	31.10	0.36		GC									
			31.10	31.52	0.42		A3QM									
			31.52	31.98	0.46		S4QM									
			31.98	32.42	0.44		F4QM									
			32.42	32.64	0.22		MI									

CONTD

PROPERTY ELK D.D.H. SUD95-95 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			32.64	32.70	0.06		Y1QV									
			32.70	32.97	0.27		P5QM									
			32.97	35.42	2.45		P3QM									
			35.42	39.32	3.90		P1QM									
			2.00	2.75	0.75	00.58		95-1						00140		
			13.85	14.85	1.00	00.94		95-2						00025		
			14.85	15.15	0.30	00.30		95-3			0.366				0.215	
			15.15	15.95	0.80	00.75		95-4						00004		
			15.95	16.25	0.30	00.26		95-5					0.255			
			16.25	16.67	0.42	00.36		95-6						00007		
			16.67	17.15	0.48	00.42		95-7					0.008			
			21.90	22.25	0.35	00.30		95-8					0.027			
			22.25	22.70	0.45	00.44		95-9						00004		
			22.70	23.20	0.50	00.48		95-10					0.159			
			26.49	26.79	0.30	00.21		95-11						00043		
			29.10	30.10	1.00	00.64		95-12						01370		
			30.10	30.40	0.30	00.19		95-13			0.229				0.220	
			30.40	31.64	1.24	00.95		95-14						00035		
			31.64	32.42	0.78	00.55		95-15					0.003			
			32.42	32.94	0.52	00.37		95-16			0.020				0.145	

PROPERTY ELK D.D.H. SUD95-96 PAGE 1 OF 2
 AREA: Siwash North DIP: -15.0 AZIMUTH (t): 180.0 DEPTH: 54.56 m
 CLAIM: ELK 21 NORTHING: 3266.7 DATE STARTED: 21-Apr-1995
 SECTION: 2340E- EASTING: 2339.96 DATE FINISHED: 24-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1515.53 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 91.26% RQD: 51.45% CORE STORED AT: Elk Rack 2 Bay 3 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-15.0	180.0	.85	5.44	4.59		QM									
21.95	-13.5	180.0	5.44	6.01	0.57		S1QM									
			6.01	6.85	0.84		QM									
			6.85	9.12	2.27		K2QM									
			9.12	9.89	0.77		FKQM									
			9.89	12.49	2.60		S2QM									
			12.49	13.75	1.26		P2QM									
			13.75	15.94	2.19		K1QM									
			15.94	16.28	0.34		FKQM									
			16.28	17.50	1.22		K2QM									
			17.50	21.04	3.54		S2QM									
			21.04	25.56	4.52		P2QM									
			25.56	28.75	3.19		S2QM									
			28.75	29.78	1.03		P3QM									
			29.78	30.30	0.52		S3QM									
			30.30	30.88	0.58		S2QM									
			30.88	31.44	0.56		P3QM									
			31.44	32.28	0.84		S2QM									
			32.28	32.76	0.48		FKQM									
			32.76	35.15	2.39		S2QM									
			35.15	36.05	0.90		P5QM									
			36.05	36.25	0.20		X5QM									
			36.25	37.13	0.88		P5QM									
			37.13	37.23	0.10		QV									
			37.23	37.90	0.67		GG									
			37.90	38.48	0.58		P2QM									
			38.48	40.64	2.16		S3QM									
			40.64	40.73	0.09		GG									
			40.73	44.07	3.34		S2QM									
			44.07	44.56	0.49		K1QM									
			44.56	46.88	2.32		P1QM									

CONTD

PROPERTY ELK D.D.H. SUD95-96 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBX	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			46.88	49.00	2.12		KIQM									
			49.00	51.42	2.42		PIQM									
			51.42	54.56	3.14		PIQM									
			34.15	35.15	1.00	00.87		96-1						00058		
			35.15	35.97	0.82	00.71		96-2					0.022			
			35.97	36.27	0.30	00.26		96-3			0.009				0.025	
			36.27	36.85	0.58	00.50		96-4					0.022			
			36.85	37.33	0.48	00.42		96-5			0.033				0.070	
			37.33	38.48	1.15	01.00		96-6						01100		

PROPERTY ELK D.D.H. SUD95-97 PAGE 1 OF 2
 AREA: Siwash North DIP: 15.0 AZIMUTH (t): 179.0 DEPTH: 29.26 m
 CLAIM: ELK 21 NORTHING: 3266.7 DATE STARTED: 22-Apr-1995
 SECTION: 2340E- EASTING: 2339.97 DATE FINISHED: 22-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1516.14 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 89.58% RQD: 38.35% CORE STORED AT: Elk Rack 2 Bay 3 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	15.0	179.0	.98	3.20	2.22		P20M									
14.79	15.0	179.0	3.20	3.85	0.65		S30M									
			3.36	9.11	5.75		P20M									
			3.85	6.22	2.37		PI0M									
			6.22	7.36	1.14		F30M									
			9.11	10.95	1.84		P20M									
			10.95	11.25	0.30		F20M									
			11.25	12.88	1.63		P20M									
			12.88	15.00	2.12		P30M									
			15.00	16.07	1.07		K10M									
			16.07	16.42	0.35		P20M									
			16.42	16.75	0.33		S20M									
			16.75	17.87	1.12		P30M									
			17.87	19.25	1.38		F50M									
			19.25	19.30	0.05		Y20V									
			19.30	19.90	0.60		F50M									
			19.90	20.20	0.30		P30M									
			20.20	21.15	0.95		F50M									
			21.15	21.25	0.10		Y30V									
			21.25	21.45	0.20		MI									
			21.45	21.96	0.51		S30M									
			21.96	24.00	2.04		P20M									
			24.00	24.47	0.47		F30M									
			24.47	29.41	4.94		P20M									
			6.42	6.72	0.30	00.23		97-1						00960		
			18.08	19.04	0.96	00.62		97-2				0.166				
			19.04	19.44	0.40	00.20		97-3		0.032				0.060		
			19.44	20.20	0.76	00.58		97-4				0.006				
			20.20	20.88	0.68	00.59		97-5				0.034				

CONTD

PROPERTY ELK D.D.H. SUD95-97 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals	FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			20.88	21.50	0.62	00.48		97-6			0.006				0.055	
			23.95	24.25	0.30	00.17		97-7					00120			

PROPERTY ELK D.D.H. SUD95-98 PAGE 1 OF 1
 AREA: Siwash North DIP: 44.0 AZIMUTH (t): 180.0 DEPTH: 23.77 m
 CLAIM: ELK 21 NORTHING: 3266.47 DATE STARTED: 22-Apr-1995
 SECTION: 2340E- EASTING: 2339.98 DATE FINISHED: 23-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1517.53 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 91.00% RQD: 45.98% CORE STORED AT: Elk Rack 2 Bay 3 LOGGED BY: P. Conroy
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	44.0	180.0	4.70	5.27	0.57		P3QM									
11.89	42.0	180.0	5.27	11.51	6.24		P1QM									
			11.51	15.39	3.88		P2QM									
			15.39	16.61	1.22		S3QM									
			16.61	16.94	0.33		P5QM									
			16.94	17.10	0.16		VGGV									
			17.10	18.00	0.90		P5QM									
			18.00	23.77	5.77		P3QM									
			2.24	2.54	0.30	00.29		98-1					0.039			
			4.69	5.27	0.58	00.55		98-2						01380		
			15.39	16.61	1.22	01.06		98-3						00630		
			16.61	17.21	0.60	00.59		98-4			0.837				0.520	
			17.21	18.01	0.80	00.75		98-5					0.471			
			18.01	19.01	1.00	00.94		98-6						00022		

PROPERTY ELK D.D.H. SUD95-99 PAGE 1 OF 2

AREA: Siwash North DIP: -5.5 AZIMUTH (t): 182.0 DEPTH: 48.46 m
 CLAIM: ELK 21 NORTHING: 3266.21 DATE STARTED: 23-Apr-1995
 SECTION: 2340E- EASTING: 2340.27 DATE FINISHED: 24-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1516.45 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.66% RQD: 48.12% CORE STORED AT: Elk Rack 2 Bay 3, 4 LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-5.5	182.0	2.36	2.69	0.33		P30M									
12.04	-2.0	182.0	2.69	3.74	1.05		P10M									
36.27	-1.0	182.0	3.74	4.46	0.72		S30M									
			4.46	5.99	1.53		P10M									
			5.99	6.63	0.64		S30M									
			6.63	9.59	2.96		P20M									
			9.59	11.55	1.96		P20M									
			11.55	12.31	0.76		S30M									
			12.31	13.30	0.99		P20M									
			13.30	13.98	0.68		S20M									
			13.98	18.68	4.70		P20M									
			18.68	19.28	0.60		S30M									
			19.28	19.71	0.43		F50M									
			19.71	20.32	0.61		S30M									
			20.32	25.28	4.96		P20M									
			25.28	25.58	0.30		F40M									
			25.58	26.59	1.01		P20M									
			26.59	26.85	0.26		F50M									
			26.85	28.65	1.80		S20M									
			28.65	29.65	1.00		F50M									
			29.65	29.90	0.25		QV									
			29.90	30.34	0.44		S20M									
			30.34	35.74	5.40		P30M									
			35.74	36.52	0.78		S20M									
			36.52	38.22	1.70		P30M									
			38.22	41.03	2.81		S20M									
			41.03	42.40	1.37		P20M									
			42.40	48.46	6.06		P10M									
			19.17	19.72	0.55	00.19		99-1						00092		
								CONFID								

PROPERTY ELK D.D.H. SUD95-99 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallurgics		FA		MIBX		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			26.57	26.87	0.30	00.17		99-2						0.018			
			26.87	27.50	0.63	00.32		99-3								00190	
			27.50	28.65	1.15	00.58		99-4								00047	
			28.65	29.55	0.90	00.52		99-5						0.037			
			29.55	29.90	0.35	00.25		99-6			0.018						0.030
			29.90	30.90	1.00	00.42		99-7								00020	

PROPERTY ELK D.D.H. SUD95100 PAGE 1 OF 1
 AREA: Siwash North DIP: 84.0 AZIMUTH (t): 169.0 DEPTH: 28.65 m
 CLAIM: ELK 21 NORTHING: 3267.91 DATE STARTED: 24-Apr-1995
 SECTION: 2340E EASTING: 2340.08 DATE FINISHED: 25-Apr-1995
 CORE SIZE: NTW ELEVATION: 1518.14 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.96% RQD: 68.66% CORE STORED AT: Elk Rack 2 Bay 4 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	84.0	169.0	3.74	3.95	0.21		S40M										
14.33	80.0	169.0	3.95	5.41	1.46		P30M										
			5.41	5.87	0.46		P20M										
			5.87	6.93	1.06		P30M										
			6.93	7.26	0.33		F30M										
			7.26	8.46	1.20		P20M										
			8.46	8.97	0.51		S30M										
			8.97	12.42	3.45		P20M										
			12.42	16.79	4.37		P10M										
			16.79	17.84	1.05		S40M										
			17.84	20.57	2.73		P20M										
			20.57	20.98	0.41		S40M										
			20.98	21.53	0.55		F50M										
			21.53	21.82	0.29		Y30V										
			21.82	22.22	0.40		F30M										
			22.22	26.14	3.92		S20M										
			26.14	28.65	2.51		P20M										
			3.70	4.00	0.30	00.23		100-1			0.038					0.060	
			6.95	7.25	0.30	00.23		100-2					0.065				
			20.90	21.53	0.63	00.57		100-3					0.063				
			21.53	21.82	0.29	00.28		100-4			2.701					1.420	
			21.82	23.00	1.18	00.97		100-5			0.043					0.040	
			23.00	23.32	0.32	00.21		100-6					0.004				
			23.32	24.32	1.00	00.87		100-7								03030	

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SUD95101 PAGE 1 OF 2

AREA: Siwash North DIP: -23.0 AZIMUTH (t): 182.0 DEPTH: 60.04 m

CLAIM: ELK 21 NORTHING: 3266.13 DATE STARTED: 25-Apr-1995

SECTION: 2340E- EASTING: 2340.18 DATE FINISHED: 27-Apr-1995

CORE SIZE: NIW ELEVATION: 1515.88 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.09% RQD: 54.31% CORE STORED AT: Elk Rack 2 Bay 4 LOGGED BY: D. Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-23.0	182.0	2.00	7.73	5.73		QM									
14.94	-22.5	182.0	7.73	8.90	1.17		P1QM									
44.35	-22.5	182.0	8.90	10.66	1.76		S2QM									
			10.66	12.30	1.64		P1QM									
			12.30	12.83	0.53		S2QM									
			12.83	14.10	1.27		P2QM									
			14.10	14.51	0.41		S2QM									
			14.51	15.35	0.84		P1QM									
			15.35	16.13	0.78		S3QM									
			16.13	16.57	0.44		FKQM									
			16.57	17.03	0.46		S2QM									
			17.03	17.63	0.60		S3QM									
			17.63	19.04	1.41		S2QM									
			19.04	19.80	0.76		P2QM									
			19.80	23.43	3.63		S2QM									
			23.43	23.92	0.49		P1QM									
			23.92	27.27	3.35		QM									
			27.27	28.48	1.21		P1QM									
			27.86	58.58	30.72		S2QM									
			28.48	29.63	1.15		S2QM									
			29.63	31.08	1.45		P3QM									
			31.08	31.84	0.76		S2QM									
			31.84	33.42	1.58		FKQM									
			33.42	33.80	0.38		F3QM									
			33.80	34.60	0.80		S3QM									
			34.60	35.96	1.36		P2QM									
			35.96	39.50	3.54		S2QM									
			39.50	40.45	0.95		S3QM									
			40.45	40.80	0.35		F2QM									
			40.80	41.44	0.64		F5QM									
			41.44	42.89	1.40		A2QM									

CONTD

PROPERTY ELK D.D.H. SUD95101 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			42.89	43.35	0.46		PAQM										
			43.35	43.40	0.05		GG										
			43.40	43.56	0.16		P5QM										
			43.56	43.87	0.31		GG										
			43.87	44.45	0.58		P5QM										
			44.45	45.12	0.67		A3QM										
			45.12	46.73	1.61		S3QM										
			46.73	54.00	7.27		P1QM										
			54.00	55.37	1.37		QM										
			55.37	57.68	2.31		P1QM										
			57.68	57.86	0.18		GG										
			58.58	59.83	1.25		P1QM										
			59.83	60.05	0.22		QM										
			16.15	16.55	0.40	00.14		101-1					0.033				
			32.10	32.90	0.80	00.17		101-2						00090			
			32.90	33.50	0.60	00.25		101-3						00076			
			33.50	34.20	0.70	00.30		101-4						00037			
			40.80	41.50	0.70	00.45		101-5					0.010				
			41.50	42.60	1.10	00.71		101-6						00220			
			42.60	43.20	0.60	00.34		101-7					0.003				
			43.20	43.87	0.67	00.47		101-8			0.030					0.040	
			43.87	44.87	1.00	00.71		101-9						00024			

PROPERTY ELK D.D.H. SUD95102 PAGE 1 OF 2

AREA: Siwash North DIP: -12.0 AZIMUTH (t): 183.0 DEPTH: 48.16 m

CLAIM: ELK 21 NORTHING: 3329.79 DATE STARTED: 27-Apr-1995

SECTION: 2350E- EASTING: 2349.25 DATE FINISHED: 29-May-1995

CORE SIZE: NQ2 ELEVATION: 1568.98 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 98.28% RQD: 64.20% CORE STORED AT: Elk Rack 2 Bay 4 LOGGED BY: D. Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-12.0	183.0	2.98	3.50	0.52		P20M									
14.18	-10.5	183.0	3.50	4.28	0.78		OM									
38.26	-10.5	183.0	4.28	4.63	0.35		P30M									
			4.63	5.08	0.45		P10M									
			5.08	7.18	2.10		P30M									
			7.18	7.90	0.72		P10M									
			7.90	8.20	0.30		P30M									
			8.20	12.05	3.85		P10M									
			12.05	12.58	0.53		P20M									
			12.58	13.81	1.23		S30M									
			13.81	16.33	2.52		P20M									
			16.33	18.37	2.04		OM									
			18.37	18.67	0.30		S20M									
			18.67	19.80	1.13		OM									
			19.80	20.91	1.11		P10M									
			20.91	24.27	3.36		OM									
			24.27	24.90	0.63		P10M									
			24.90	25.28	0.38		S20M									
			25.28	26.92	1.64		P10M									
			26.92	28.45	1.53		P30M									
			28.45	29.45	1.00		P10M									
			29.45	29.88	0.43		S30M									
			29.88	30.93	1.05		P10M									
			30.93	35.16	4.23		P30M									
			35.16	36.08	0.92		S40M									
			36.08	37.71	1.63		S30M									
			37.71	38.09	0.38		P50M									
			38.09	39.00	0.91		VGOV									
			39.00	39.85	0.85		P50M									
			39.85	40.42	0.57		P30M									
			40.42	40.63	0.21		P50M									

CONTD.

PROPERTY ELK D.D.H. SUD95102 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			40.63	42.44	1.81		S30M									
			42.44	45.15	2.71		P30M									
			45.15	45.64	0.49		S30M									
			45.64	46.40	0.76		K30M									
			46.40	47.09	0.69		P30M									
			47.09	47.64	0.55		K20M									
			47.64	48.16	0.52		S20M									
			12.55	13.15	0.60	00.21		102-1						00013		
			32.57	32.97	0.40			102-2						00140		
			37.60	38.20	0.60	00.13		102-3			1.222				0.510	36.80
			38.20	38.80	0.60	00.13		102-4			0.446				0.240	14.40
			38.80	39.40	0.60	00.13		102-5			0.225				0.160	06.90
			39.40	40.10	0.70	00.30		102-6					0.037			02.80
			40.10	40.80	0.70	00.45		102-7					0.016			03.60

PROPERTY ELK D.D.H. SUD95103 PAGE 1 OF 2
 AREA: Siwash North DIP: -2.0 AZIMUTH (I): 183.0 DEPTH: 39.01 m
 CLAIM: ELK 21 NORTHING: 3329.73 DATE STARTED: 29-Apr-1995
 SECTION: 2350E- EASTING: 2349.26 DATE FINISHED: 29-May-1995
 CORE SIZE: NQ2 ELEVATION: 1569.32 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.08% RQD: 60.06% CORE STORED AT: Elk Rack 2 Bay 4 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-2.0	183.0	1.83	2.18	0.35		K20M									
16.46	-2.0	183.0	2.18	2.84	0.66		P30M									
			2.84	3.32	0.48		S30M									
			3.32	4.26	0.94		P30M									
			4.26	7.60	3.34		P20M									
			7.60	13.11	5.51		P30M									
			13.11	15.92	2.81		QM									
			15.92	17.30	1.38		P10M									
			17.30	17.78	0.48		K20M									
			17.78	18.95	1.17		P20M									
			18.95	20.68	1.73		QM									
			20.68	23.11	2.43		P20M									
			23.11	24.57	1.46		P30M									
			24.57	25.46	0.89		S20M									
			25.46	26.20	0.74		P30M									
			26.20	26.61	0.41		S20M									
			26.61	27.31	0.70		P20M									
			27.31	27.63	0.32		S30M									
			27.63	27.91	0.28		F50M									
			27.91	28.35	0.44		QV									
			28.35	29.45	1.10		F50M									
			29.45	29.76	0.31		S30M									
			29.76	29.96	0.20		F50M									
			29.96	30.50	0.54		P20M									
			30.50	30.70	0.20		F50M									
			30.70	30.80	0.10		Y20V									
			30.80	30.98	0.18		F50M									
			30.98	31.77	0.79		S30M									
			31.77	35.51	3.74		K20M									
			35.51	39.01	3.50		P20M									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95104</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>31.0</u> AZIMUTH (t): <u>182.0</u>	DEPTH: <u>21.95</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3329.57</u>	DATE STARTED: <u>29-Apr-1995</u>
SECTION: <u>2350E-</u>	EASTING: <u>2349.27</u>	DATE FINISHED: <u>30-Apr-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1570.62</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>96.49%</u> RQD: <u>61.64%</u> CORE STORED AT: <u>Elk Rack 2 Bays 4.5</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	31.0	182.0	2.67	5.81	3.14		P20M									
10.98	29.2	182.0	5.81	7.21	1.40		P10M									
			7.21	9.92	2.71		P20M									
			9.92	11.38	1.46		S20M									
			11.38	14.14	2.76		P20M									
			14.14	15.50	1.36		S20M									
			15.50	15.91	0.41		F50M									
			15.91	16.03	0.12		VGQV									
			16.03	16.65	0.62		F50M									
			16.65	16.75	0.10		QV									
			16.75	16.87	0.12		F50M									
			16.87	17.32	0.45		S30M									
			17.32	21.95	4.63		P20M									
			14.80	15.80	1.00	00.82		104-1					0.007			00.90
			15.80	16.10	0.30	00.27		104-2			3.007				0.970	55.70
			16.10	16.60	0.50	00.38		104-3					0.045			02.90
			16.60	16.90	0.30	00.25		104-4			0.148				0.120	09.10
			16.90	17.90	1.00	00.87		104-5						00035		

PROPERTY ELK D.D.H. SUD95105 PAGE 1 OF 1
 AREA: Siwash North DIP: 86.0 AZIMUTH (t): 020.0 DEPTH: 25.60 m
 CLAIM: ELK 21 NORTHING: 3331.78 DATE STARTED: 30-Apr-1995
 SECTION: 2350E- EASTING: 2349.45 DATE FINISHED: 30-Apr-1995
 CORE SIZE: NQ2 ELEVATION: 1572.04 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.55% RQD: 63.01% CORE STORED AT: Elk Rack 2 Bay 5 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	86.0	020.0	3.20	3.72	0.52		QM									
12.80	87.0	020.0	3.72	4.38	0.66		P1QM									
			4.38	5.63	1.25		QM									
			5.63	10.82	5.19		P2QM									
			10.82	11.67	0.85		QM									
			11.67	14.95	3.28		P2QM									
			14.95	15.00	0.05		Y1QV									
			15.00	15.50	0.50		S3QM									
			15.50	15.66	0.16		F5QM									
			15.66	15.72	0.06		Y1QV									
			15.72	16.51	0.79		S3QM									
			16.51	16.81	0.30		P2QM									
			16.81	17.49	0.68		P2QM									
			17.49	17.81	0.32		S4QM									
			17.81	18.08	0.27		V6QV									
			18.08	18.99	0.91		F4QM									
			18.99	19.99	1.00		F3QM									
			19.99	20.83	0.84		S3QM									
			20.83	21.50	0.67		F3QM									
			21.50	22.63	1.13		S3QM									
			22.63	23.02	0.39		F3QM									
			23.02	25.60	2.58		P2QM									
			14.86	15.36	0.50	00.47		105-1					0.948			20.80
			15.36	15.86	0.50	00.47		105-2					1.087			24.40
			17.40	17.80	0.40	00.36		105-3					0.067			06.00
			17.80	18.15	0.35	00.33		105-4			5.799				2.190	
			18.15	19.00	0.85	00.70		105-5					0.065			05.00
			19.00	19.60	0.60	00.46		105-6						00500		
			19.60	20.10	0.50	00.38		105-7					0.119			06.60
								CONTD								

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95106</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>60.6</u> AZIMUTH (t): <u>006.8</u>	DEPTH: <u>45.11</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3332.78</u>	DATE STARTED: <u>30-Apr-1995</u>
SECTION: <u>2350E-</u>	EASTING: <u>2349.53</u>	DATE FINISHED: <u>1-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1572.13</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>93.75%</u> RQD: <u>45.36%</u> CORE STORED AT: <u>Elk Rack 2 Bay 5</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	60.6	006.8	.0	2.61	2.61		P10M									
22.56	60.0	006.8	2.61	5.34	2.73		QM									
			5.34	10.36	5.02		P10M									
			10.36	11.83	1.47		QM									
			11.83	15.51	3.68		PP1Q									
			15.51	16.16	0.65		K10M									
			16.16	16.62	0.46		P20M									
			16.62	19.09	2.47		P10M									
			19.09	21.97	2.88		P20M									
			21.97	22.74	0.77		S30M									
			22.74	23.27	0.53		F50M									
			23.27	23.63	0.36		S40M									
			23.63	26.50	2.87		P20M									
			26.50	27.13	0.63		F50M									
			27.13	27.32	0.19		Y10V									
			27.32	28.23	0.91		P20M									
			28.23	28.52	0.29		A30M									
			28.52	29.30	0.78		F50M									
			29.30	29.42	0.12		Y10V									
			29.42	29.88	0.46		F20M									
			29.88	31.05	1.17		P30M									
			31.05	31.89	0.84		S20M									
			31.89	33.70	1.81		P20M									
			33.70	34.25	0.55		F50M									
			34.25	34.71	0.46		S20M									
			34.71	35.60	0.89		F50M									
			35.60	36.53	0.93		P30M									
			36.53	36.85	0.32		F20M									
			36.85	37.27	0.42		P30M									
			37.27	37.67	0.40		S40M									
			37.67	37.85	0.18		AP									

CONTD

PROPERTY ELK D.D.H. SUD95106 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA	MIBR	Ag oz/t	Ag ppm
			37.85	37.94	0.09		Y1QV									
			37.94	38.21	0.27		S3QM									
			38.21	38.80	0.59		P3QM									
			38.80	39.67	0.87		S3QM									
			39.67	40.24	0.57		P3QM									
			40.24	42.29	2.05		S3QM									
			42.29	43.34	1.05		F3QM									
			43.34	43.89	0.55		S3QM									
			43.89	44.57	0.68		P3QM									
			44.57	44.70	0.13		AP									
			44.57	44.89	0.32		S3QM									
			44.89	45.11	0.22		F3QM									
			26.60	27.40	0.80	00.57		106-1						02910		
			28.25	28.75	0.50	00.35		106-2						02980		
			29.10	29.50	0.40	00.26		106-3			0.610				0.625	38.40
			29.50	30.50	1.00	00.64		106-4						07990		
			33.75	34.25	0.50	00.13		106-5						01120		
			35.00	35.25	0.25	00.18		106-6					0.187			09.90
			37.27	37.67	0.40	00.31		106-7						01020		
			37.67	38.07	0.40	00.23		106-8			0.030				0.105	02.40
			44.71	45.11	0.40	00.26		106-9						00053		

PROPERTY ELK D.D.H. SUD95107 PAGE 1 OF 2
 AREA: Siwash North DIP: 55.0 AZIMUTH (t): 006.5 DEPTH: 45.42 m
 CLAIM: ELK 21 NORTHING: 3332.76 DATE STARTED: 1-May-1995
 SECTION: 2350E- EASTING: 2349.55 DATE FINISHED: 2-May-1995
 CORE SIZE: NQ2 ELEVATION: 1572.05 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.43% RQD: 57.22% CORE STORED AT: Elk Rack 2 Bay 5 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	55.0	006.5	.87	7.48	6.61		P2QM									
19.66	53.0	006.5	7.48	8.46	0.98		QM									
			8.46	12.60	4.14		P2QM									
			12.60	15.41	2.81		P3QM									
			15.41	16.12	0.71		S2QM									
			16.12	24.68	8.56		P3QM									
			24.68	25.16	0.48		F1QM									
			25.16	26.04	0.88		P3QM									
			26.04	26.68	0.64		F4QM									
			26.68	27.62	0.94		P3QM									
			27.62	28.44	0.82		PKQM									
			28.44	30.41	1.97		P3QM									
			30.41	31.46	1.05		F3QM									
			31.46	32.00	0.54		P3QM									
			32.00	32.07	0.07		Y2QV									
			32.07	32.35	0.28		F3QM									
			32.35	33.15	0.80		P3QM									
			33.15	33.98	0.83		A3QM									
			33.98	34.64	0.66		F5QM									
			34.64	37.36	2.72		P3QM									
			37.36	37.75	0.39		S2AP									
			37.75	38.25	0.50		P3QM									
			38.25	39.09	0.84		S3QM									
			39.09	39.50	0.41		A2QM									
			39.50	39.78	0.28		F5QM									
			39.78	40.13	0.35		GG									
			40.13	40.38	0.25		F5QM									
			40.38	40.47	0.09		QV									
			40.47	40.78	0.31		F5QM									
			40.78	41.35	0.57		F4QM									
			41.35	42.24	0.89		S4QM									
								CONTD								

PROPERTY ELK D.D.H. SUD95107 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	RA	MIBK	Ag oz/t	Ag ppm
			42.24	42.42	0.18		FRQM									
			42.42	43.12	0.70		S3QM									
			43.12	43.40	0.28		FRQM									
			43.40	43.92	0.52		A2QM									
			43.92	44.26	0.34		FRQM									
			44.26	45.42	1.16		P3QM									
			26.10	26.50	0.40	00.26		107-1					0.207			16.50
			30.49	30.79	0.30	00.15		107-2					0.042			03.10
			30.79	31.90	1.11	00.56		107-3						00012		
			31.90	32.30	0.40	00.23		107-4			0.150				0.110	08.80
			34.08	34.60	0.52	00.30		107-5					1.084			44.80
			38.75	39.75	1.00	00.57		107-6						00065		
			39.75	40.50	0.75	00.48		107-7					0.007			00.30
			40.50	42.15	1.65	01.06		107-8						00470		
			42.15	42.45	0.30	00.17		107-9						06440		
			43.10	43.40	0.30	00.15		107-10						01210		

PROPERTY ELK D.D.H. SUD95108 PAGE 1 OF 2
 AREA: Siwash North DIP: 69.0 AZIMUTH (t): 006.0 DEPTH: 37.49 m
 CLAIM: ELK 21 NORTHING: 3332.27 DATE STARTED: 2-May-1995
 SECTION: 2350E- EASTING: 2349.51 DATE FINISHED: 2-May-1995
 CORE SIZE: NQ2 ELEVATION: 1571.99 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.05% RQD: 57.08% CORE STORED AT: Elk Rack 2 Bay 5 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	69.0	006.0	2.86	4.04	1.18		OM									
10.67	67.0	006.0	4.04	5.87	1.83		P10M									
			5.87	10.66	4.79		P20M									
			10.66	11.22	0.56		OM									
			11.22	12.71	1.49		P10M									
			12.71	15.96	3.25		P20M									
			15.96	18.65	2.69		P20M									
			18.65	18.99	0.34		S30M									
			18.99	19.05	0.06		Y10V									
			19.05	19.56	0.51		F50M									
			19.56	20.02	0.46		P20M									
			20.02	21.79	1.77		P20M									
			21.79	22.74	0.95		A20M									
			22.74	22.81	0.07		Y10V									
			22.81	23.49	0.68		F50M									
			23.49	23.56	0.07		Y30V									
			23.56	23.86	0.30		S30M									
			23.88	25.20	1.32		F50M									
			25.20	25.60	0.40		F40M									
			25.60	25.62	0.02		VGOV									
			25.62	26.35	0.73		S30M									
			26.35	26.67	0.32		FK0M									
			26.67	27.31	0.64		P20M									
			27.31	28.70	1.39		K20M									
			28.70	29.72	1.02		S30M									
			29.72	30.08	0.36		S30M									
			30.08	30.84	0.76		F40M									
			30.84	32.78	1.94		K20M									
			32.78	33.50	0.72		F40M									
			33.50	34.63	1.13		P20M									
			34.63	35.05	0.42		S30M									

CONTD

PROPERTY ELK D.D.H. SUD95108 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			35.05	35.33	0.28		F4QM									
			35.33	36.17	0.84		P2QM									
			36.17	37.49	1.32		S3QM									
			18.85	19.65	0.80	00.61		108-9					0.295			08.60
			22.60	23.30	0.70	00.54		108-1					0.138			07.90
			23.30	23.75	0.45	00.35		108-2			2.639				1.245	65.60
			23.75	24.80	1.05	00.74		108-3						68800		
			24.80	25.45	0.65	00.50		108-4					0.103			04.50
			25.45	25.80	0.35	00.27		108-5			3.591				0.680	43.60
			30.08	30.78	0.70	00.45		108-6						09120		
			32.75	33.45	0.70	00.57		108-7						00160		
			34.90	35.35	0.45	00.35		108-8						00860		

PROPERTY ELK D.D.H. SUD95109 PAGE 1 OF 2
 AREA: Siwash North DIP: 63.5 AZIMUTH (t): 183.5 DEPTH: 18.90 m
 CLAIM: ELK 21 NORTHING: 3330.95 DATE STARTED: 2-May-1995
 SECTION: 2350E- EASTING: 2349.36 DATE FINISHED: 3-May-1995
 CORE SIZE: NQ2 ELEVATION: 1571.7 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.24% ROD: 56.56% CORE STORED AT: Elk Rack 2 Bay 5 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	63.5	183.5	5.43	5.90	0.47		P10M									
6.71	63.0	183.5	5.90	6.27	0.37		A20M									
			6.27	10.63	4.36		P20M									
			10.63	12.67	2.04		OM									
			12.67	12.97	0.30		P20M									
			12.97	13.52	0.55		P20M									
			13.52	13.61	0.09		Y4QV									
			13.61	14.74	1.13		S30M									
			14.74	14.80	0.06		Y10V									
			14.80	15.33	0.53		P20M									
			15.33	15.88	0.55		F20M									
			15.88	16.10	0.22		VGQV									
			16.10	16.55	0.45		S20M									
			16.55	16.92	0.37		P20M									
			16.92	17.30	0.38		FKOM									
			17.30	17.76	0.46		P20M									
			17.76	18.00	0.24		FKOM									
			18.00	18.40	0.40		P10M									
			18.40	18.90	0.50		S30M									
			13.40	13.70	0.30	00.30		109-1			2.580				0.610	29.50
			14.05	14.90	0.85	00.84		109-2					0.102			03.60
			15.72	16.20	0.48	00.48		109-3			4.529				1.435	89.00
			16.90	17.40	0.50	00.49		109-4						00260		
			17.75	18.40	0.65	00.63		109-5						01980		

PROPERTY ELK D.D.H. SUD95110 PAGE 1 OF 1

AREA: Siwash North DIP: 8.5 AZIMUTH (t): 185.0 DEPTH: 25.91 m

CLAIM: ELK 21 NORTHING: 3329.3 DATE STARTED: 3-May-1995

SECTION: 2350-E EASTING: 2349.18 DATE FINISHED: 3-May-1995

CORE SIZE: NQ2 ELEVATION: 1569.82 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.68% RQD: 65.03% CORE STORED AT: Elk Rack 2 Bay 5 LOGGED BY: P. Conroy

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	8.5	185.0	1.48	6.78	5.30		P10M									
12.96	7.0	185.0	6.78	7.09	0.31		P10M									
			7.09	8.13	1.04		P10M									
			8.13	13.46	5.33		P30M									
			13.46	15.33	1.87		P20M									
			15.33	15.75	0.42		A20M									
			15.75	19.20	3.45		P20M									
			19.20	19.93	0.73		S30M									
			19.93	20.65	0.72		F30M									
			20.65	20.88	0.23		F50M									
			20.88	21.04	0.16		Y10V									
			21.04	22.58	1.54		S40M									
			22.58	22.68	0.10		Y20V									
			22.68	23.53	0.85		F50M									
			23.53	24.51	0.98		S30M									
			23.96	25.91	1.95		P20M									
			20.65	21.20	0.55	00.32		110-1					0.025			03.70
			22.47	22.82	0.35	00.29		110-2			0.626			0.275		16.60
			22.82	23.50	0.68	00.39		110-3					0.035			04.40

PROPERTY ELK D.D.H. SUD95111 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		FA	MIBK		Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb				
			10.47	10.77	0.30	00.10		111-1										
			28.10	28.45	0.35	00.12		111-2										
			33.60	34.00	0.40	00.20		111-3										
			34.00	34.50	0.50	00.38		111-4										
			34.50	34.90	0.40	00.31		111-5										
			34.90	35.20	0.30	00.21		111-6										
			36.50	36.80	0.30	00.15		111-7										

PROPERTY ELK D.D.H. SUD95112 PAGE 1 OF 2
 AREA: Siwash North DIP: 2.0 AZIMUTH (t): 181.0 DEPTH: 30.48 m
 CLAIM: ELK 21 NORTHING: 3328.68 DATE STARTED: 4-May-1995
 SECTION: 2340E- EASTING: 2338.24 DATE FINISHED: 4-May-1995
 CORE SIZE: NQ2 ELEVATION: 1571.38 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.29% RQD: 64.67% CORE STORED AT: Elk Rack 2 Bay 6 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	2.0	181.0	.63	5.99	5.36		OM									
15.24	2.0	181.0	5.99	8.32	2.33		P30M									
			8.32	9.30	0.98		P10M									
			9.30	10.02	0.72		P30M									
			10.02	11.57	1.55		P10M									
			11.57	11.87	0.30		S20M									
			11.87	12.46	0.59		P20M									
			12.46	13.37	0.91		P10M									
			13.37	18.99	5.62		P20M									
			18.99	19.57	0.58		P30M									
			19.57	21.26	1.69		P10M									
			21.26	22.55	1.29		P20M									
			22.55	24.23	1.68		S30M									
			24.23	24.80	0.57		OV									
			24.80	25.96	1.16		S30M									
			25.96	26.23	0.27		P40M									
			26.23	26.36	0.13		OV									
			26.36	26.58	0.22		P40M									
			26.58	28.22	1.64		P20M									
			28.22	28.65	0.43		P40M									
			28.65	28.99	0.34		S40M									
			28.99	29.80	0.81		P20M									
			29.80	30.48	0.68		K20M									
			24.20	24.86	0.66	00.23		112-1					0.004			01.70
			24.86	26.06	1.20	00.60		112-2						00163		
			26.06	26.56	0.50	00.35		112-3					0.007			01.30
			28.35	28.65	0.30	00.15		112-4					0.016			03.20

PROPERTY ELK D.D.H. SUD95113 PAGE 1 OF 1
 AREA: Siwash North DIP: 65.5 AZIMUTH (t): 179.0 DEPTH: 17.98 m
 CLAIM: ELK 21 NORTHING: 3330.57 DATE STARTED: 4-May-1995
 SECTION: 2340E- EASTING: 2338.28 DATE FINISHED: 5-May-1995
 CORE SIZE: NQ2 ELEVATION: 1573.01 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.83% RQD: 64.57% CORE STORED AT: Elk Rack 2 Bay 6 LOGGED BY: p. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	65.5	179.0	9.25	12.47	3.22		QM									
8.99	64.8	179.0	12.47	12.74	0.27		P2QM									
			12.74	12.91	0.17		S3QM									
			12.91	13.21	0.30		MI									
			13.21	13.33	0.12		VGQV									
			13.33	13.57	0.24		F5QM									
			13.57	13.95	0.38		S4QM									
			13.95	14.75	0.80		F5QM									
			14.75	14.84	0.09		Y10V									
			14.84	15.18	0.34		F5QM									
			15.18	15.60	0.42		S4QM									
			15.60	15.77	0.17		F5QM									
			15.77	15.90	0.13		Y20V									
			15.90	16.09	0.19		F5QM									
			16.09	16.50	0.41		S3QM									
			16.50	16.82	0.32		F5QM									
			16.82	17.99	1.17		S2QM									
			13.21	13.57	0.36	00.36		113-1			0.746				0.310	17.30
			13.57	14.67	1.10	01.08		113-2				0.099				04.10
			14.67	15.15	0.48	00.47		113-3				0.583				12.70
			15.63	16.09	0.46	00.43		113-4				0.449				15.40
			16.46	16.84	0.38	00.36		113-5					02180			

PROPERTY ELK D.D.H. SUD95114 PAGE 1 OF 2

AREA: Siwash North DIP: 57.8 AZIMUTH (t): 000.0 DEPTH: 52.73 m

CLAIM: ELK 21 NORTHING: 3331.67 DATE STARTED: 5-May-1995

SECTION: 2340E- EASTING: 2338.27 DATE FINISHED: 6-May-1995

CORE SIZE: NQ2 ELEVATION: 1572.84 CONTRACTOR: Boisvenu Drilling L.

CORE RECOVERY: 90.88% RQD: 52.57% CORE STORED AT: Elk Rack 2 Bay 6 LOGGED BY: D. Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	57.8	000.0	1.86	3.49	1.63		OM										
24.84	57.8	000.0	3.49	10.21	6.72		P10M										
			10.21	13.23	3.02		P20M										
			13.23	14.61	1.38		OM										
			14.61	22.06	7.45		P20M										
			22.06	22.53	0.47		P30M										
			22.53	23.45	0.92		P20M										
			23.45	27.65	4.20		P20M										
			27.65	28.74	1.09		P20M										
			28.74	28.91	0.17		Y10V										
			28.91	29.35	0.44		S30M										
			29.35	30.20	0.85		P10M										
			30.20	30.51	0.31		P30M										
			30.51	32.52	2.01		P10M										
			32.52	34.14	1.62		K10M										
			34.14	34.44	0.30		S40M										
			34.44	34.89	0.45		P40M										
			34.89	36.41	1.52		P10M										
			36.41	37.49	1.08		S30M										
			37.49	40.00	2.51		P30M										
			40.00	41.03	1.03		P30M										
			40.98	41.03	0.05		Y10V										
			41.03	42.25	1.22		P50M										
			42.25	42.43	0.18		AP										
			42.43	46.29	3.86		S20M										
			46.29	46.49	0.20		P50M										
			46.49	46.63	0.14		OV										
			46.63	48.35	1.72		S40M										
			48.03	48.10	0.07		P30M										
			48.35	48.45	0.10		P40M										
			48.45	49.68	1.23		GG										

(CONT)

PROPERTY ELK D.D.H. SUD95114 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			49.68	52.73	3.05		S4QM									
			24.10	24.40	0.30	00.19		114-1						06040		
			25.85	26.20	0.35	00.23		114-2					0.313			16.70
			28.67	29.02	0.35	00.23		114-3			0.229				0.235	
			30.20	30.50	0.30	00.21		114-4					0.203			11.60
			34.44	34.89	0.45	00.23		114-5						00170		
			40.50	41.70	1.20	00.85		114-6						00122		
			41.70	42.25	0.55	00.35		114-7						08250		
			46.25	46.80	0.55	00.35		114-8					0.006			02.20

PROPERTY ELK D.D.H. SUD95115 PAGE 1 OF 2
 AREA: Siwash North DIP: 80.0 AZIMUTH (t): 355.0 DEPTH: 25.60 m
 CLAIM: ELK 21 NORTHING: 3331.23 DATE STARTED: 6-May-1995
 SECTION: 2340E- EASTING: 2338.25 DATE FINISHED: 6-May-1995
 CORE SIZE: NQ2 ELEVATION: 1572.86 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.22% RQD: 56.91% CORE STORED AT: Elk Rack 2 Bay 6 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppt	Ag oz/t	Ag ppm
.00	80.0	355.0	1.71	5.83	4.12		P30M									
12.80	80.0	355.0	5.83	10.24	4.41		P20M									
			10.24	13.55	3.31		OM									
			13.55	16.35	2.80		P20M									
			16.35	17.06	0.71		F40M									
			17.06	19.20	2.14		S30M									
			19.20	19.36	0.16		Y10V									
			19.36	20.01	0.65		F50M									
			20.01	20.24	0.23		Y30V									
			20.24	20.95	0.71		F50M									
			20.95	22.14	1.19		P30M									
			22.14	22.44	0.30		F50M									
			22.44	22.63	0.19		S30M									
			22.63	23.43	0.80		F50M									
			23.43	24.35	0.92		P30M									
			24.35	24.57	0.22		F50M									
			24.57	25.60	1.03		S20M									
			16.30	17.09	0.79	00.68		115-1						05340		
			19.12	19.42	0.30	00.23		115-2				0.094				05.20
			19.42	19.90	0.48	00.39		115-3					00454			
			19.90	20.30	0.40	00.33		115-4			2.803				0.895	56.50
			20.30	21.03	0.73	00.60		115-5					01570			
			22.63	23.43	0.80	00.66		115-6					00075			

PROPERTY: <u>ELK</u>	D.D.H. <u>SUD95116</u>	PAGE <u>1</u>	OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>24.5</u>	AZIMUTH (t): <u>178.0</u>	DEPTH: <u>21.34</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3328.82</u>		DATE STARTED: <u>6-May-1995</u>
SECTION: <u>2340E-</u>	EASTING: <u>2338.34</u>		DATE FINISHED: <u>6-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1572.49</u>		CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>96.11%</u>	RQD: <u>60.78%</u>	CORE STORED AT: <u>Elk Rack 2 Bay 6</u>	LOGGED BY: <u>D. Ritcey</u>
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	24.5	178.0	.97	5.00	4.03		P20M									
10.67	24.5	178.0	5.00	6.96	1.96		OM									
			6.96	14.71	7.75		P20M									
			14.71	15.00	0.29		OV									
			15.00	17.24	2.24		P50M									
			17.24	18.93	1.69		PKOM									
			18.93	21.34	2.41		P20M									
			14.65	15.00	0.35	00.30		116-1					0.128			12.10
			15.00	16.30	1.30	00.84		116-2						00239		

PROPERTY ELK D.D.H. SUD95117 PAGE 1 OF 2

AREA: Siwash North DIP: -12.4 AZIMUTH (t): 180.9 DEPTH: 52.12 m

CLAIM: ELK 21 NORTHING: 3328.18 DATE STARTED: 7-May-1995

SECTION: 2320E- EASTING: 2317.78 DATE FINISHED: 7-May-1995

CORE SIZE: NQ2 ELEVATION: 1573.18 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 93.92% RQD: 57.04% CORE STORED AT: Elk Rack 2 Bay 6 LOGGED BY: D. Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-12.4	180.9	2.53	5.35	2.82		QM									
13.87	-12.8	180.9	5.35	5.95	0.60		P2QM									
39.93	-13.5	180.9	5.95	8.29	2.34		QM									
			8.29	8.90	0.61		P2QM									
			8.90	10.81	1.91		QM									
			10.81	11.65	0.84		P2QM									
			11.65	14.15	2.50		QM									
			14.15	14.69	0.54		P2QM									
			14.69	17.50	2.81		P1QM									
			17.50	20.15	2.65		P2QM									
			20.15	20.91	0.76		QM									
			20.91	21.81	0.90		P2QM									
			21.81	25.56	3.75		P1QM									
			25.56	26.68	1.12		P2QM									
			26.68	29.43	2.75		F4QM									
			29.43	30.41	0.98		FKQM									
			30.41	38.53	8.12		P1QM									
			38.53	39.80	1.27		F3QM									
			39.80	40.09	0.29		P2QM									
			40.09	40.42	0.33		F3QM									
			40.42	41.48	1.06		S4QM									
			41.48	42.83	1.35		F3QM									
			42.83	43.70	0.87		S2QM									
			43.70	46.13	2.43		F3QM									
			46.13	46.47	0.34		F5QM									
			46.47	47.35	0.88		QV									
			47.35	48.10	0.75		F5QM									
			48.10	48.52	0.42		QV									
			48.52	49.15	0.63		F5QM									
			49.15	50.02	0.87		FKQM									
			50.02	52.12	2.10		K2QM									

CONTD

PROPERTY ELK D.D.H. SUD95117 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t		FA	MIBX	Ag oz/t	Ag ppm	
											metals	metalics	Au oz/t	Au ppb			
			46.02	46.35	0.33	00.11		117-1									
			46.35	47.38	1.03	00.35		117-2					0.016				00150
			47.38	47.96	0.58	00.15		117-3					0.029				
			47.96	48.58	0.62	00.11		117-4					0.018				
			48.58	49.07	0.49	00.35		117-5									00780

PROPERTY ELK D.D.H. SUD95118 PAGE 1 OF 2
 AREA: Siwash North DIP: 6.4 AZIMUTH (t): 179.8 DEPTH: 36.88 m
 CLAIM: ELK 21 NORTHING: 3328.55 DATE STARTED: 8-May-1995
 SECTION: 2320E EASTING: 2317.79 DATE FINISHED: 8-May-1995
 CORE SIZE: NQ2 ELEVATION: 1573.66 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 52.85% RQD: 39.72% CORE STORED AT: Elk Rack 2 Bay 7 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	6.4	179.8	7.70	9.32	1.62		QM									
18.44	5.3	179.8	9.32	10.29	0.97		P1QM									
			10.29	10.51	0.22		S3QM									
			10.51	17.17	6.66		P2QM									
			17.17	17.69	0.52		S3QM									
			17.69	20.27	2.58		P2QM									
			20.27	20.89	0.62		S4QM									
			20.89	22.35	1.46		F5QM									
			22.35	22.54	0.19		QV									
			22.54	24.12	1.58		F5QM									
			24.12	25.16	1.04		P2QM									
			25.16	25.75	0.59		F3QM									
			25.75	26.68	0.93		P2QM									
			26.68	27.08	0.40		F5QM									
			27.08	27.38	0.30		VGQV									
			27.38	28.00	0.62		F5QM									
			28.00	29.14	1.14		P2QM									
			29.14	29.22	0.08		Y5QV									
			29.22	29.51	0.29		F5QM									
			29.51	30.90	1.39		P2QM									
			30.90	31.24	0.34		F5QM									
			31.24	31.30	0.06		Y5QV									
			31.30	31.50	0.20		F5QM									
			31.50	31.79	0.29		P3QM									
			31.79	32.11	0.32		F5QM									
			32.11	32.52	0.41		P2QM									
			32.52	33.00	0.48		F5QM									
			33.00	34.25	1.25		S4QM									
			34.25	36.88	2.63		S2QM									

CONTD

PROPERTY ELK D.D.H. SUD95119 PAGE 1 OF 2

AREA: Siwash North DIP: 57.1 AZIMUTH (t): 178.0 DEPTH: 21.03 m
 CLAIM: ELK 21 NORTHING: 3329.31 DATE STARTED: 8-May-1995
 SECTION: 2320E EASTING: 2317.86 DATE FINISHED: 8-May-1995
 CORE SIZE: NQ2 ELEVATION: 1576.38 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.10% RQD: 59.77% CORE STORED AT: Elk Rack 2 Bay 7 LOGGED BY: P. Conroy
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	57.1	178.0	9.62	10.98	1.36		P20M									
10.52	53.8	178.0	10.98	11.38	0.40		F50M									
			11.38	11.78	0.40		P30M									
			11.78	12.06	0.28		F50M									
			12.06	12.13	0.07		Y20V									
			12.13	12.95	0.82		F50M									
			12.95	13.25	0.30		P20M									
			13.25	13.46	0.21		F50M									
			13.46	13.85	0.39		P20M									
			13.85	14.50	0.65		F50M									
			14.50	14.95	0.45		P30M									
			14.95	15.27	0.32		S40M									
			15.27	15.51	0.24		F50M									
			15.51	17.15	1.64		P20M									
			17.15	17.40	0.25		F50M									
			17.40	17.48	0.08		QV									
			17.48	18.64	1.16		F50M									
			18.64	18.74	0.10		Y20V									
			18.74	20.09	1.35		S20M									
			20.09	20.26	0.17		F50M									
			20.26	21.03	0.77		S40M									
			11.00	11.30	0.30	00.28		119-1			0.118				0.100	05.30
			11.30	11.98	0.68	00.64		119-2						00064		
			11.98	12.48	0.50	00.47		119-3					0.091			
			13.20	13.85	0.65	00.61		119-4						00810		
			13.85	14.50	0.65	00.61		119-5						01040		
			15.20	15.50	0.30	00.28		119-6					0.028			
			17.16	17.81	0.65	00.59		119-7					0.034			
			17.81	18.34	0.53	00.46		119-8					1.366			

CONTD

PROPERTY ELK D.D.H. SUD95119 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t <small>metallics</small>	Au oz/t	PA Au oz/t	MIBX Au ppb	Ag oz/t	Ag ppm
			18.34	18.80	0.46	00.43		119-9			0.537				0.460	18.40

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95120</u>	PAGE <u>1</u>	OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>74.8</u>	AZIMUTH (t): <u>007.8</u>	DEPTH: <u>36.27</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3331.27</u>		DATE STARTED: <u>8-May-1995</u>
SECTION: <u>2320E</u>	EASTING: <u>2317.93</u>		DATE FINISHED: <u>8-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1576.91</u>		CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>90.76%</u>	RQD: <u>55.86%</u>	CORE STORED AT: <u>Elk Rack 2 Bay 7</u>	LOGGED BY: <u>P. Conroy</u>
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	74.8	007.8	.55	3.29	2.74		P20M									
18.14	73.0	007.8	3.29	4.21	0.92		OM									
			4.21	6.90	2.69		P20M									
			6.90	7.20	0.30		F30M									
			7.20	10.88	3.68		P30M									
			10.88	12.50	1.62		P20M									
			12.50	13.25	0.75		P10M									
			13.25	16.72	3.47		P20M									
			16.72	18.36	1.64		F20M									
			18.36	18.78	0.42		F50M									
			18.78	19.20	0.42		P20M									
			19.20	21.05	1.85		F20M									
			21.05	21.36	0.31		P20M									
			21.36	21.78	0.42		F20M									
			21.78	23.72	1.94		P20M									
			23.72	24.08	0.36		F50M									
			24.08	24.13	0.05		VQOV									
			24.13	24.53	0.40		F30M									
			24.53	24.88	0.35		S30M									
			24.88	25.15	0.27		F50M									
			25.15	25.95	0.80		F40M									
			25.95	26.71	0.76		F50M									
			26.71	27.08	0.37		S30M									
			27.08	30.70	3.62		P20M									
			30.70	31.15	0.45		K20M									
			31.15	31.50	0.35		F40M									
			31.50	33.22	1.72		S40M									
			33.22	36.27	3.05		K20M									
			16.85	17.17	0.32	00.28		120-1						04040		
								CONTD								

PROPERTY ELK	D.D.H. SUD95120	PAGE 2	OF 2
AREA: _____	DIP: _____	AZIMUTH (t): _____	DEPTH: _____
CLAIM: _____	NORTHING: _____		DATE STARTED: _____
SECTION: _____	EASTING: _____		DATE FINISHED: _____
CORE SIZE: _____	ELEVATION: _____		CONTRACTOR: _____
CORE RECOVERY: _____	CORE STORED AT: _____		LOGGED BY: _____
COMMENTS: _____ _____ _____			

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics			PA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb				
			18.34	18.79	0.45	00.32		120-2										01590
			19.20	19.65	0.45	00.37		120-3										01140
			19.65	20.15	0.50	00.25		120-4										13260
			20.15	20.50	0.35	00.27		120-5										09380
			20.50	20.80	0.30	00.26		120-6					0.335					
			23.66	23.96	0.30	00.25		120-7										01060
			23.96	24.26	0.30	00.24		120-8				0.034					0.050	02.20
			24.85	25.50	0.65	00.50		120-9										00920
			25.98	26.73	0.75	00.53		120-10										00662

PROPERTY ELK D.D.H. SUD95121 PAGE 1 OF 2
 AREA: Siwash North DIP: 57.9 AZIMUTH (t): 003.6 DEPTH: 50.86 m
 CLAIM: ELK 21 NORTHING: 3331.46 DATE STARTED: 9-May-1995
 SECTION: 2320E EASTING: 2317.88 DATE FINISHED: 9-May-1995
 CORE SIZE: NQ2 ELEVATION: 1576.00 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 91.98% RQD: 54.62% CORE STORED AT: Elk Rack 2 Bay 7 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	57.9	003.6	.0	1.06	1.06		QM									
22.56	57.5	003.6	1.06	2.75	1.69		P2QM									
			2.75	4.38	1.63		QM									
			4.38	6.35	1.97		P2QM									
			6.35	6.75	0.40		QM									
			6.75	9.56	2.81		P1QM									
			9.56	11.14	1.58		QM									
			11.14	14.44	3.30		P2QM									
			14.44	15.30	0.86		P3QM									
			15.30	16.34	1.04		QM									
			16.34	16.92	0.58		P1QM									
			16.92	17.79	0.87		QM									
			17.79	19.15	1.36		P1QM									
			19.15	19.58	0.43		QM									
			19.58	21.38	1.80		P1QM									
			21.38	22.15	0.77		QM									
			22.15	22.72	0.57		P1QM									
			22.72	23.88	1.16		P2QM									
			23.88	26.00	2.12		F2QM									
			26.00	26.97	0.97		P3QM									
			26.97	29.33	2.36		F2QM									
			29.33	29.94	0.61		P2QM									
			29.94	30.96	1.02		F2QM									
			30.96	31.56	0.60		P2QM									
			31.56	31.96	0.40		FXQM									
			31.96	32.59	0.63		P2QM									
			32.59	32.79	0.20		F3QM									
			32.79	32.92	0.13		MI									
			32.92	33.40	0.48		P2QM									
			33.40	33.95	0.55		K2QM									
			33.95	38.40	4.45		P2QM									

CONTD

PROPERTY ELK D.D.H. SUD95121 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			38.40	39.25	0.85		F40M									
			39.25	39.67	0.42		S40M									
			39.67	43.27	3.60		P20M									
			43.27	43.67	0.40		F50M									
			43.67	43.89	0.22		S30M									
			43.89	44.71	0.82		F50M									
			44.70	45.06	0.36		S40M									
			45.06	46.96	1.90		P20M									
			46.96	51.21	4.25		S30M									
			48.20	48.30	0.10		MI									
			27.45	28.45	1.00	00.50		121-1						01380		
			32.50	32.97	0.47	00.30		121-2						00649		
			38.40	39.20	0.80	00.57		121-3						00070		
			43.25	43.70	0.45	00.29		121-4						00041		
			43.85	44.75	0.90	00.58		121-5					0.003			
			47.90	48.25	0.35	00.23		121-6					0.335			

PROPERTY ELK D.D.H. SUD95122 PAGE 1 OF 2

AREA: Siwash North DIP: 64.5 AZIMUTH (t): 006.4 DEPTH: 45.11 m

CLAIM: ELK 21 NORTHING: 3331.46 DATE STARTED: 9-May-1995

SECTION: 2320E EASTING: 2317.93 DATE FINISHED: 9-May-1995

CORE SIZE: NQ2 ELEVATION: 1576.38 CONTRACTOR: Boisvenu Drilling L.

CORE RECOVERY: 94.15% RQD: 58.83% CORE STORED AT: Elk Rack 2 Bay 7 LOGGED BY: P. Conroy

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		Ag ppb	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm		
.00	64.5	006.4	.0	.81	0.81		P10M											
22.56	62.0	006.4	.81	2.73	1.92		P20M											
			2.73	4.53	1.80		P10M											
			4.53	7.47	2.94		P20M											
			7.47	7.76	0.29		P20M											
			7.76	13.45	5.69		P20M											
			13.45	15.51	2.06		OM											
			15.51	19.62	4.11		P20M											
			19.62	21.14	1.52		P20M											
			21.14	22.04	0.90		P30M											
			22.04	22.79	0.75		P20M											
			22.79	24.44	1.65		P30M											
			24.44	25.92	1.48		P30M											
			25.92	26.12	0.20		A30M											
			26.12	27.94	1.82		P30M											
			27.94	28.00	0.06		P10V											
			28.00	28.86	0.86		P30M											
			28.86	30.37	1.51		A30M											
			30.37	31.81	1.44		P50M											
			31.81	31.88	0.07		P10V											
			31.88	33.33	1.45		P50M											
			33.33	36.40	3.07		P20M											
			36.40	36.80	0.40		PK0M											
			36.80	37.61	0.81		P20M											
			37.61	38.01	0.40		S30M											
			38.01	38.07	0.06		P20V											
			38.07	34.86	-3.21		P50M											
			39.00	41.40	2.40		K30M											
			41.40	41.62	0.22		P50M											
			41.62	43.00	1.38		K30M											
			43.00	43.09	0.09		GG											

CONTD

PROPERTY ELK D.D.H. SUD95122 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

Table with columns: SURVEY DATA (Depth, Dip, Az (t)) and GEOLOGY AND ASSAY RECORD (From, To, Int., T.W., Geology, Sample No., Rec. %, S.G., Au oz/t, PA, Au oz/t, MIBK, Au ppb, Ag oz/t, Ag ppm). Data includes geology 'K3QM' and assay values for Au and Ag at various depths.

PROPERTY ELK D.D.H. SUD95124 PAGE 1 OF 2
 AREA: Siwash North DIP: 88. AZIMUTH (t): 138.9 DEPTH: 26.82 m
 CLAIM: ELK 21 NORTHING: 3330.56 DATE STARTED: 10-May-1995
 SECTION: 2320F EASTING: 2317.89 DATE FINISHED: 11-May-1995
 CORE SIZE: NQ2 ELEVATION: 1576.91 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.17% RQD: 54.55% CORE STORED AT: Elk Rack 2 Bay 8 LOGGED BY: W. Jakubowski
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	88.	138.9	.0	6.09	6.09		P10M									
			6.09	6.29	0.20		P30M									
			6.29	13.27	6.98		P10M									
			13.27	13.67	0.40		S40M									
			13.67	13.81	0.14		P50M									
			13.81	13.95	0.14		Y10V									
			13.95	14.06	0.11		P50M									
			14.06	14.67	0.61		S50M									
			14.67	14.83	0.16		P30M									
			14.83	15.07	0.24		P40M									
			15.07	16.10	1.03		S40M									
			16.10	16.60	0.50		P10M									
			16.60	16.78	0.18		S50M									
			16.78	17.28	0.50		P50M									
			17.28	17.50	0.22		S50M									
			17.50	17.69	0.19		P20M									
			17.69	18.37	0.68		S20M									
			18.37	18.86	0.49		P40M									
			18.86	19.43	0.57		P30M									
			19.43	19.85	0.42		S40M									
			19.85	20.20	0.35		P50M									
			20.20	20.40	0.20		Y10V									
			20.40	20.57	0.17		S40M									
			20.57	21.20	0.63		S10M									
			21.20	21.25	0.05		GG									
			21.25	24.15	2.90		P30M									
			24.15	24.85	0.70		P50M									
			24.85	24.92	0.07		GG									
			24.92	25.50	0.58		S30M									
			25.50	26.82	1.32		P20M									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95125</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>70.0</u> AZIMUTH (t): <u>356.5</u>	DEPTH: <u>45.42</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3268.32</u>	DATE STARTED: <u>10-May-1995</u>
SECTION: <u>2340E</u>	EASTING: <u>2338.98</u>	DATE FINISHED: <u>11-May-1995</u>
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1518.38</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>95.77%</u> RQD: <u>69.84%</u> CORE STORED AT: <u>Elk Rack 2 Bay 8</u>	LOGGED BY: <u>D. Ritcey</u>	
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	70.0	356.5	3.20	4.14	0.94		P1QM									
22.71	67.5	356.5	4.14	5.52	1.38		P2QM									
			5.52	6.92	1.40		QM									
			6.92	7.57	0.65		P2QM									
			7.57	7.87	0.30		F3QM									
			7.87	11.52	3.65		P1QM									
			11.52	16.16	4.64		P2QM									
			16.16	17.86	1.70		P1QM									
			17.86	21.86	4.00		P2QM									
			21.86	22.86	1.00		F2QM									
			22.86	25.06	2.20		P2QM									
			25.06	25.93	0.87		P1QM									
			25.93	32.60	6.67		P2QM									
			32.60	34.08	1.48		F3QM									
			33.58	45.11	11.53		P2QM									
			34.08	34.90	0.82		F5QM									
			34.90	35.06	0.16		Y2QV									
			35.06	35.92	0.86		F5QM									
			35.90	36.25	0.35		F3QM									
			36.25	37.15	0.90		F5QM									
			37.15	37.98	0.83		F2QM									
			37.98	38.58	0.60		S4QM									
			34.05	34.85	0.80	00.57		125-1						03160		
			34.85	35.25	0.40	00.28		125-2				0.448				
			35.25	36.05	0.80	00.61		125-3						07370		
			36.05	37.15	1.10	00.90		125-4						06480		

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95126</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-4.1</u> AZIMUTH (I): <u>181.2</u>	DEPTH: <u>39.93</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3328.50</u>	DATE STARTED: <u>11-May-1995</u>
SECTION: <u>2320E</u>	EASTING: <u>2317.75</u>	DATE FINISHED: <u>11-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1573.59</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>95.87%</u> RQD: <u>64.81%</u> CORE STORED AT: <u>Elk Rack 2 Bay 8</u>	LOGGED BY: <u>D. Ritcey</u>	
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-4.1	181.2	3.05	5.52	2.47		QM									
19.97	-5.5	181.2	5.52	6.28	0.76		P1QM									
			6.28	8.80	2.52		QM									
			8.80	19.40	10.60		P1QM									
			19.40	19.80	0.40		S4QM									
			19.80	22.69	2.89		P2QM									
			22.69	23.20	0.51		S3QM									
			23.20	24.00	0.80		F5QM									
			24.00	24.22	0.22		S4QM									
			24.22	26.10	1.88		P2QM									
			24.26	34.45	10.19		F5QM									
			26.10	26.58	0.48		F2QM									
			26.58	28.11	1.53		F5QM									
			28.11	30.48	2.37		P2QM									
			30.48	31.15	0.67		F2QM									
			31.15	31.77	0.62		P2QM									
			31.77	33.16	1.39		S4QM									
			33.16	33.50	0.34		F5QM									
			33.50	34.16	0.66		Y4QV									
			34.16	34.26	0.10		Y2QV									
			34.45	35.27	0.82		S3QM									
			35.27	35.68	0.41		F5QM									
			35.68	36.12	0.44		S3QM									
			36.12	39.93	3.81		P2QM									
			26.55	27.38	0.83	00.17		126-1						07040		
			27.38	27.85	0.47	00.15		126-2						01271		
			33.10	33.44	0.34	00.22		126-3						01490		
			33.44	34.16	0.72	00.21		126-4			3.562				0.945	54.80
			34.16	34.51	0.35	00.18		126-5						04120		
CONTD																

PROPERTY ELK D.D.H. SUD95128 PAGE 1 OF 2
 AREA: Siwash North DIP: 27. AZIMUTH (t): 180.5 DEPTH: 24.99 m
 CLAIM: ELK 21 NORTHING: 3328.21 DATE STARTED: 12-May-1995
 SECTION: 2320E EASTING: 2317.80 DATE FINISHED: 13-May-1995
 CORE SIZE: NQ2 ELEVATION: 1575.09 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.20% RQD: 56.50% CORE STORED AT: Elk Rack 2 Bay 9 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	27.	180.5	.0	1.93	1.93		QM									
			1.93	6.10	4.17		P2QM									
			6.10	7.40	1.30		P1QM									
			7.40	9.90	2.50		P3QM									
			9.90	12.43	2.53		P1QM									
			12.43	13.45	1.02		S3QM									
			13.45	13.89	0.44		F5QM									
			13.89	14.40	0.51		P2QM									
			14.40	15.40	1.00		F5QM									
			15.40	15.63	0.23		Y1QV									
			15.63	16.27	0.64		F5QM									
			16.27	18.72	2.45		P2QM									
			18.72	18.92	0.20		F3QM									
			18.92	19.82	0.90		P2QM									
			19.82	22.03	2.21		F5QM									
			22.03	22.06	0.03		VGQV									
			22.06	22.57	0.51		F5QM									
			22.57	23.27	0.70		S3QM									
			23.27	23.47	0.20		F4QM									
			23.47	23.55	0.08		GG									
			23.55	24.99	1.44		P2QM									
			12.45	13.20	0.75	00.53		128-1						05110		
			13.40	13.80	0.40	00.27		128-2				0.476				
			14.44	15.35	0.91	00.59		128-3				0.258				
			15.35	15.70	0.35	00.23		128-4			0.069				0.105	05.30
			15.70	16.27	0.57	00.40		128-5						00500		
			18.65	19.00	0.35	00.27		128-6						00203		
			20.45	21.45	1.00	00.77		128-7						03450		
			21.45	21.95	0.50	00.32		128-8				0.026				

CONTD

PROPERTY ELK D.D.H. SUD95129 PAGE 1 OF 2

AREA: Siwash North DIP: -10.6 AZIMUTH (t): 182.7 DEPTH: 35.97 m

CLAIM: ELK 21 NORTHING: 3266.20 DATE STARTED: 13-May-1995

SECTION: 2320F EASTING: 2321.92 DATE FINISHED: 14-May-1995

CORE SIZE: NTW ELEVATION: 1517.96 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 98.86% RQD: 41.12% CORE STORED AT: Elk Rack 2 Bay 9 LOGGED BY: P. Conroy, Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
0	-10.6	182.7	2.04	3.13	1.09		S30M									
17.99	-11.0	182.7	3.13	3.60	0.47		P20M									
			3.60	5.71	2.11		S30M									
			5.71	6.09	0.38		P50M									
			6.09	7.81	1.72		S30M									
			7.81	10.15	2.34		P20M									
			10.15	11.47	1.32		K20M									
			11.47	12.52	1.05		P20M									
			12.52	12.84	0.32		K20M									
			12.84	16.25	3.41		P20M									
			16.25	16.65	0.40		F10M									
			16.65	19.55	2.90		P20M									
			19.55	19.91	0.36		FK0M									
			19.91	20.83	0.92		P20M									
			20.83	21.25	0.42		FK0M									
			21.25	22.35	1.10		P20M									
			22.35	22.85	0.50		K20M									
			22.85	23.21	0.36		F30M									
			23.21	23.86	0.65		K30M									
			23.86	24.72	0.86		P20M									
			24.72	26.58	1.86		K30M									
			26.58	26.82	0.24		K40M									
			26.82	27.34	0.52		K20M									
			27.34	27.79	0.45		P20M									
			27.79	28.43	0.64		F30M									
			28.43	28.60	0.17		GG									
			28.60	29.71	1.11		Y30V									
			28.71	29.23	0.52		S40M									
			29.09	33.05	3.96		P20M									
			29.23	29.29	0.06		Y10V									
			29.29	29.90	0.61		S30M									

CONTD

PROPERTY ELK D.D.H. SUD95130 PAGE 1 OF 2
 AREA: Siwash North DIP: -7.1 AZIMUTH (t): 181.3 DEPTH: 43.59 m
 CLAIM: ELK21 NORTHING: 3327.25 DATE STARTED: 12-May-1995
 SECTION: 2300E EASTING: 2300.98 DATE FINISHED: 13-May-1995
 CORE SIZE: NQ2 ELEVATION: 1576.03 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.80% ROD: 59.44% CORE STORED AT: Elk Rack 2 Bay 9 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-7.1	181.3	.48	4.00	3.52		P10M									
21.03	-8.3	181.3	4.00	8.53	4.53		P20M									
			8.53	10.08	1.55		S20M									
			10.08	11.95	1.87		P20M									
			11.95	12.99	1.04		QM									
			12.99	22.77	9.78		P20M									
			22.77	23.20	0.43		K30M									
			23.20	23.79	0.59		P20M									
			23.79	24.20	0.41		K2AP									
			24.20	24.69	0.49		K30M									
			24.69	26.42	1.73		P30M									
			26.42	26.72	0.30		K30M									
			26.72	27.11	0.39		P20M									
			27.11	27.36	0.25		S30M									
			27.36	28.77	1.41		FK0M									
			28.77	29.52	0.75		P20M									
			29.52	29.79	0.27		S30M									
			29.79	30.91	1.12		P40M									
			30.91	32.29	1.38		P20M									
			32.29	33.15	0.86		P20M									
			33.15	34.58	1.43		P30M									
			34.58	34.99	0.41		P50M									
			34.99	35.10	0.11		OV									
			35.10	36.31	1.21		P50M									
			36.31	36.70	0.39		P20M									
			36.70	36.97	0.27		P50M									
			36.97	37.86	0.89		P30M									
			37.86	38.61	0.75		A30M									
			38.61	39.80	1.19		P50M									
			39.80	40.15	0.35		Y30V									
			40.15	40.22	0.07		P50M									

CONTD

PROPERTY ELK D.D.H. SUD95131 PAGE 1 OF 2
 AREA: Siwash North DIP: 2.1 AZIMUTH (t): 181.5 DEPTH: 37.49 m
 CLAIM: Elk 21 NORTHING: 3327.25 DATE STARTED: 15-May-1995
 SECTION: 2300E EASTING: 2300.98 DATE FINISHED: 15-May-1995
 CORE SIZE: NQ2 ELEVATION: 1576.77 CONTRACTOR: Boisevenu Drilling
 CORE RECOVERY: 97.25% RQD: 61.11% CORE STORED AT: Elk Rack 2 Bay 10 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	2.1	181.5	.95	2.36	1.41		P1QM									
18.75	-1.2	181.5	2.36	3.28	0.92		P2QM									
			3.28	3.75	0.47		F2QM									
			3.75	7.73	3.98		P2QM									
			7.73	8.43	0.70		QM									
			8.43	14.84	6.41		P1QM									
			14.84	17.18	2.34		P2QM									
			17.18	17.70	0.52		S2AP									
			17.70	18.05	0.35		P2QM									
			18.05	18.36	0.31		F3QM									
			18.36	19.09	0.73		P2QM									
			19.09	20.22	1.13		F3QM									
			20.22	22.34	2.12		P1QM									
			22.34	22.67	0.33		F5QM									
			22.67	22.75	0.08		Y3QV									
			22.75	23.54	0.79		F3QM									
			23.54	24.06	0.52		P2QM									
			24.06	25.04	0.98		S4QM									
			25.04	25.70	0.66		P2QM									
			25.70	26.31	0.61		F5QM									
			26.31	26.39	0.08		VGQV									
			26.39	26.61	0.22		F5QM									
			26.61	26.66	0.05		VGQV									
			26.66	27.53	0.87		F5QM									
			27.53	28.30	0.77		S1QM									
			28.30	28.91	0.61		S4QM									
			28.91	29.44	0.53		F5QM									
			29.44	30.46	1.02		K1QM									
			30.46	36.71	6.25		F5QM									
			31.71	31.77	0.06		VGQV									
			31.77	31.94	0.17		F5QM									

CONTD

PROPERTY ELK D.D.H. SUD95131 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			31.94	32.18	0.24		Y10V									
			32.18	32.63	0.45		P50M									
			32.63	32.89	0.26		VGQV									
			32.89	33.52	0.63		P50M									
			33.52	34.23	0.71		P30M									
			34.23	34.54	0.31		GG									
			34.54	35.34	0.80		S50M									
			35.34	36.20	0.86		S40M									
			36.20	36.79	0.59		K20M									
			36.79	37.49	0.70		P20M									
			22.58	22.88	0.30	00.13		131-1			0.606				0.365	20.60
			22.88	23.58	0.70	00.30		131-2						00336		
			25.64	26.24	0.60	00.46		131-3						01743		
			26.24	26.82	0.58	00.29		131-4			2.428				1.770	89.70
			26.82	27.52	0.70	00.24		131-5						04284		
			28.91	29.44	0.53	00.22		131-6						01155		
			30.44	31.39	0.95	00.33		131-7						03480		
			31.39	31.87	0.48	00.20		131-8			0.873				0.715	35.80
			31.87	32.58	0.71	00.30		131-9					0.275			
			32.58	32.92	0.34	00.17		131-10			2.164				1.195	68.60
			32.92	33.52	0.60	00.25		131-11						05460		

PROPERTY ELK D.D.H. SUD95132 PAGE 1 OF 2
 AREA: Siwash North DIP: 18.4 AZIMUTH (I): 180.5 DEPTH: 27.13 m
 CLAIM: ELK 21 NORTHING: 3327.25 DATE STARTED: 13-May-1995
 SECTION: 2300E EASTING: 2301.00 DATE FINISHED: 13-May-1995
 CORE SIZE: NQ2 ELEVATION: 1577.05 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 99.71% RQD: 64.98% CORE STORED AT: Elk Rack 2 Bay 9 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	18.4	180.5	1.80	7.10	5.30		P2QM									
13.57	18.0	180.5	7.10	8.70	1.60		P1QM									
			8.70	11.82	3.12		P2QM									
			11.82	12.36	0.54		AP									
			12.36	13.34	0.98		P2QM									
			13.34	16.23	2.89		S3QM									
			16.23	16.85	0.62		F5QM									
			16.85	18.28	1.43		F3QM									
			18.28	19.18	0.90		P2QM									
			19.18	20.06	0.88		F2QM									
			20.06	21.96	1.90		P2QM									
			21.96	22.31	0.35		F5QM									
			22.31	22.82	0.51		Y1QV									
			22.82	24.36	1.54		F5QM									
			24.36	25.20	0.84		P2QM									
			25.20	25.49	0.29		F5QM									
			25.49	25.55	0.06		Y1QV									
			25.55	27.13	1.58		P1QM									
			16.20	16.85	0.65	00.37		132-1						28500		
			19.50	19.80	0.30	00.19		132-2						00266		
			21.95	22.29	0.34	00.20		132-3						01990		
			22.29	22.85	0.56	00.32		132-4				0.491				
			22.85	23.63	0.78	00.45		132-5						07870		
			23.63	24.35	0.72	00.65		132-6						03060		
			25.20	25.55	0.35	00.27		132-7						02210		

PROPERTY ELK D.D.H. SUD95133 PAGE 1 OF 2
 AREA: Siwash North DIP: 46. AZIMUTH (t): 179.5 DEPTH: 24.08 m
 CLAIM: ELK 21 NORTHING: 3328.19 DATE STARTED: 15-May-1995
 SECTION: 2300E EASTING: 2301.07 DATE FINISHED: 15-May-1995
 CORE SIZE: NQ2 ELEVATION: 1578.76 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 92.90% RQD: 59.93% CORE STORED AT: Elk Rack 2 Bay 10 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Aq oz/t	Aq ppm
.00	46.	179.5	.0	7.10	7.10		QM									
			7.10	7.82	0.72		P1QM									
			7.82	8.16	0.34		F1QM									
			8.16	8.80	0.64		P1QM									
			8.80	9.27	0.47		S2AP									
			9.27	10.08	0.81		S3QM									
			10.08	11.40	1.32		S2QM									
			11.40	12.16	0.76		F3QM									
			12.16	12.77	0.61		F5QM									
			12.77	13.77	1.00		QM									
			13.77	14.02	0.25		F5QM									
			14.02	15.76	1.74		QM									
			15.76	15.84	0.08		QV									
			15.84	16.13	0.29		F4QM									
			16.13	16.78	0.65		QM									
			16.78	17.40	0.62		P1QM									
			17.40	17.69	0.29		S4QM									
			17.69	18.00	0.31		QV									
			18.00	18.28	0.28		F5QM									
			18.28	20.00	1.72		P1QM									
			20.00	20.30	0.30		F3QM									
			20.30	20.48	0.18		F5QM									
			20.48	21.04	0.56		GG									
			21.04	21.39	0.35		S5QM									
			21.39	22.25	0.86		K2QM									
			22.25	24.08	1.83		P2QM									
			12.16	12.78	0.62	00.56		133-1						11050		
			15.69	16.13	0.44	00.41		133-2						00256		
			17.61	18.18	0.57	00.52		133-3				0.015				

CONTD

PROPERTY ELK D.D.H. SUD95135 PAGE 1 OF 1
 AREA: Siwash North DIP: 33. AZIMUTH (t): 181.3 DEPTH: 21.64 m
 CLAIM: ELK 21 NORTHING: 3267.53 DATE STARTED: 14-May-1995
 SECTION: 2320E EASTING: 2322.04 DATE FINISHED: 14-May-1995
 CORE SIZE: NIW ELEVATION: 1519.76 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.80% RQD: 45.01% CORE STORED AT: Elk Rack 2 Bay 9 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Aq oz/t	Aq ppm
.00	33.	181.3	.0	1.88	1.88		P2QM									
			1.88	2.56	0.68		P2QM									
			2.56	5.60	3.04		P2QM									
			5.60	6.03	0.43		S2QM									
			6.03	6.58	0.55		P3QM									
			6.58	8.22	1.64		S2QM									
			8.22	8.84	0.62		P2QM									
			8.84	9.31	0.47		S2QM									
			9.31	9.90	0.59		P2QM									
			9.90	10.49	0.59		S3QM									
			10.49	11.13	0.64		P2QM									
			11.13	14.05	2.92		S2QM									
			14.05	16.26	2.21		P2QM									
			16.26	17.33	1.07		S2QM									
			17.33	17.69	0.36		F5QM									
			17.69	17.89	0.20		Y4QV									
			17.89	18.47	0.58		F5QM									
			18.47	18.52	0.05		MI									
			18.52	21.64	3.12		P2QM									
			17.33	17.67	0.34	00.20		135-1						14600		
			17.67	17.98	0.31	00.27		135-2		2.418					1.705	94.50
			17.98	18.47	0.49	00.42		135-3				0.183				

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95136</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>70.7</u> AZIMUTH (t): <u>005.4</u>	DEPTH: <u>40.50</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3330.01</u>	DATE STARTED: <u>13-May-1995</u>
SECTION: <u>2300E</u>	EASTING: <u>2301.13</u>	DATE FINISHED: <u>14-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1578.95</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>93.65%</u> RQD: <u>55.36%</u> CORE STORED AT: <u>Elk Rack 2 Bay 10</u>	LOGGED BY: <u>D. Ritcey</u>	
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	70.7	005.4	1.50	2.20	0.70		P10M									
20.42	68.0	005.4	2.20	5.49	3.29		OM									
			5.49	7.58	2.09		P10M									
			7.58	9.33	1.75		OM									
			9.33	9.84	0.51		P10M									
			9.89	10.69	0.80		P20M									
			10.69	14.85	4.16		P10M									
			14.85	16.01	1.16		OM									
			16.01	17.88	1.87		P10M									
			17.88	18.91	1.03		P50M									
			18.91	21.65	2.74		P20M									
			21.65	22.28	0.63		AP									
			22.28	23.42	1.14		P20M									
			23.42	24.01	0.59		S40M									
			24.01	24.15	0.14		OV									
			24.15	24.28	0.13		MI									
			24.28	25.41	1.13		P20M									
			25.41	25.80	0.39		S40M									
			25.80	32.55	6.75		P20M									
			32.55	32.90	0.35		S40M									
			32.90	34.95	2.05		P10M									
			34.95	35.70	0.75		S40M									
			35.70	36.68	0.98		P50M									
			36.68	40.84	4.16		K20M									
			17.93	18.29	0.36	00.23		136-1					0.721			
			23.90	24.35	0.45	00.29		136-2						00370		
			25.42	25.82	0.40	00.26		136-3						00022		
			35.05	35.70	0.65	00.46		136-4						02440		
			35.70	36.02	0.32	00.23		136-5			0.392				0.265	15.50

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95139</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>82.3</u> AZIMUTH (t): <u>019.1</u>	DEPTH: <u>37.49</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3269.91</u>	DATE STARTED: <u>15-May-1995</u>
SECTION: <u>2320E</u>	EASTING: <u>2322.20</u>	DATE FINISHED: <u>16-May-1995</u>
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1521.01</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>93.76%</u> ROD: <u>41.50%</u> CORE STORED AT: <u>Elk Rack 2 Bay 10</u>		LOGGED BY: <u>P. Conroy</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	82.3	019.1	1.39	1.93	0.54		QM									
18.14	79.0	019.1	1.93	4.79	2.86		K3QM									
			4.79	13.47	8.68		P2QM									
			13.47	13.85	0.38		PKQM									
			13.85	14.76	0.91		P2QM									
			14.76	15.00	0.24		PKQM									
			15.00	16.73	1.73		P2QM									
			16.73	16.98	0.25		PKQM									
			16.98	17.96	0.98		P2QM									
			17.96	18.30	0.34		S3QM									
			18.30	21.30	3.00		P2QM									
			21.30	24.09	2.79		P2QM									
			24.09	24.74	0.65		P5QM									
			24.74	25.32	0.58		A3QM									
			25.32	26.08	0.76		P5QM									
			26.08	26.15	0.07		QV									
			26.15	26.71	0.56		P5QM									
			26.71	26.99	0.28		QV									
			26.99	27.21	0.22		P5QM									
			27.21	27.34	0.13		Y1QV									
			27.34	28.51	1.17		P5QM									
			28.51	28.70	0.19		Y1QV									
			28.70	29.80	1.10		F4QM									
			29.80	30.95	1.15		P5QM									
			30.95	31.80	0.85		P2QM									
			31.80	33.30	1.50		K3QM									
			33.30	34.41	1.11		P2QM									
			34.41	35.48	1.07		K3QM									
			35.48	37.19	1.71		GG									
			37.19	37.49	0.30		K3QM									

CONTD

PROPERTY ELK D.D.H. SUD95141 PAGE 1 OF 1
 AREA: Siwash North DIP: 65. AZIMUTH (t): 178.0 DEPTH: 22.56 m
 CLAIM: ELK 21 NORTHING: 3268.67 DATE STARTED: 16-May-1995
 SECTION: 2320E EASTING: 2322.13 DATE FINISHED: 16-May-1995
 CORE SIZE: NIW ELEVATION: 1520.72 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 92.07% RQD: 39.67% CORE STORED AT: Elk Rack 2 Bay 11 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	65.	178.0	.0	.76	0.76		P1QM									
			.76	1.87	1.11		FRQM									
			1.87	7.40	5.53		P2QM									
			7.40	9.00	1.60		P1QM									
			9.00	10.25	1.25		S4QM									
			10.25	11.98	1.73		P2QM									
			11.98	12.43	0.45		S3QM									
			12.43	15.33	2.90		P2QM									
			15.33	15.53	0.20		S4QM									
			15.53	16.72	1.19		P2QM									
			16.72	19.18	2.46		P5QM									
			19.18	20.25	1.07		K2QM									
			20.25	20.65	0.40		GG									
			20.65	22.56	1.91		K2QM									
			16.77	17.21	0.44			141-1						00450		
			17.56	18.64	1.08			141-2						05960		
			18.64	19.26	0.62			141-3				0.035				

PROPERTY ELK D.D.H. SUD95145 PAGE 1 OF 1

AREA: Siwash North DIP: 13. AZIMUTH (I): 178.6 DEPTH: 22.56 m

CLAIM: ELK 21 NORTHING: 3270.81 DATE STARTED: 17-May-1995

SECTION: 2300E EASTING: 2299.52 DATE FINISHED: 17-May-1995

CORE SIZE: NTW ELEVATION: 1522.62 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 99.99% RQD: 25.40% CORE STORED AT: Elk Rack 2 Bay 11 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	13.	178.6	.0	.42	0.42		P1GD									
			.42	2.29	1.87		P20M									
			2.29	2.73	0.44		S30M									
			2.73	9.50	6.77		P20M									
			9.50	10.45	0.95		S30M									
			10.45	10.97	0.52		P20M									
			10.97	12.10	1.13		S30M									
			12.10	12.70	0.60		S20M									
			12.70	13.48	0.78		P20M									
			13.48	13.65	0.17		S20M									
			13.65	16.59	2.94		P20M									
			16.59	17.01	0.42		K20M									
			17.01	17.72	0.71		S20M									
			17.72	18.47	0.75		S40M									
			18.47	18.69	0.22		GG									
			18.69	19.00	0.31		P40M									
			19.00	20.66	1.66		S40M									
			20.66	22.56	1.90		P20M									
			18.26	18.69	0.43			145-1				0.031				03.20
			18.69	19.00	0.31			145-2					00025			

PROPERTY ELK D.D.H. SUD95146 PAGE 1 OF 2
 AREA: Siwash North DIP: 66.8 AZIMUTH (t): 359.9 DEPTH: 42.68 m
 CLAIM: ELK 21 NORTHING: 3329.80 DATE STARTED: 17-May-1995
 SECTION: 2280E EASTING: 2280.64 DATE FINISHED: 17-May-1995
 CORE SIZE: NQ2 ELEVATION: 1581.35 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 88.57% RQD: 43.67% CORE STORED AT: Elk Rack 2 Bay 11 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	66.8	359.9	0	6.04	6.04		P2QM									
21.34	64.0	359.9	6.04	7.02	0.98		QM									
			7.02	9.31	2.29		P1QM									
			9.31	9.71	0.40		F2QM									
			9.71	14.48	4.77		QM									
			14.48	16.53	2.05		P1QM									
			16.53	18.97	2.44		F2QM									
			18.97	19.74	0.77		QM									
			19.74	22.08	2.34		P1QM									
			22.08	24.93	2.85		S2QM									
			24.93	26.11	1.18		S3QM									
			26.11	26.28	0.17		Y3QV									
			26.28	27.34	1.06		S3QM									
			27.34	27.54	0.20		FAQM									
			27.54	28.28	0.74		A3QM									
			28.28	28.47	0.19		FAQM									
			28.47	29.05	0.58		S2QM									
			29.05	31.50	2.45		P3QM									
			31.50	32.10	0.60		FAQM									
			32.10	32.56	0.46		S3QM									
			32.56	33.51	0.95		QM									
			33.51	35.52	2.01		P2QM									
			35.52	35.74	0.22		F2QM									
			35.74	36.40	0.66		P2QM									
			36.40	36.90	0.50		F2QM									
			36.90	38.20	1.30		P2QM									
			38.20	39.30	1.10		F3QM									
			39.30	39.90	0.60		S3QM									
			39.90	42.68	2.78		K3QM									

PROPERTY ELK D.D.H. SUD95147 PAGE 1 OF 2

AREA: Siwash North DIP: -19.3 AZIMUTH (t): 179.2 DEPTH: 43.89 m

CLAIM: ELK 21 NORTHING: 3270.43 DATE STARTED: 17-May-1995

SECTION: 2300E EASTING: 2299.50 DATE FINISHED: 17 May 1995

CORE SIZE: NTW ELEVATION: 1521.50 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 91.62% RQD: 25.54% CORE STORED AT: Elk Rack 2 Bay 11 LOGGED BY: P. Conroy

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-19.3	179.2	6.33	9.38	3.05		S30M									
21.95	-19.5	179.2	9.38	12.67	3.29		P30M									
			12.67	14.85	2.18		P20M									
			14.85	15.39	0.54		PKOM									
			15.39	19.59	4.20		P20M									
			19.59	20.90	1.31		S20M									
			20.90	22.95	2.05		S30M									
			22.95	24.63	1.68		S30M									
			24.63	27.50	2.87		P20M									
			27.50	30.18	2.68		S40M									
			30.18	30.56	0.38		GG									
			30.56	30.67	0.11		QV									
			30.67	31.50	0.83		S50M									
			31.50	32.53	1.03		S30M									
			32.53	35.88	3.35		P20M									
			35.88	36.97	1.09		P10M									
			36.97	40.23	3.26		P20M									
			40.23	40.63	0.40		GG									
			40.63	42.67	2.04		P20M									
			42.67	43.89	1.22		P10M									
			30.18	31.24	1.06			147-1					0.016			05.70
			40.23	40.63	0.40			147-2						06280		

PROPERTY ELK D.D.H. SUD95149 PAGE 1 OF 1
 AREA: Siwash North DIP: 74.8 AZIMUTH (t): 174.5 DEPTH: 27.13 m
 CLAIM: ELK 21 NORTHING: 3272.55 DATE STARTED: 17-May-1995
 SECTION: 2300E EASTING: 2299.50 DATE FINISHED: 18-May-1995
 CORE SIZE: NTW ELEVATION: 1524.24 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 90.27% RQD: 41.14% CORE STORED AT: Elk Rack 2 Bay 12 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	74.8	174.5	0	3.07	3.07		P1GD									
16.61	76.0	174.5	3.07	4.90	1.83		GD									
			4.90	8.53	3.63		P1QM									
			8.53	9.53	1.00		K1QM									
			9.53	11.89	2.36		P1QM									
			11.89	12.22	0.33		S3QM									
			12.22	15.71	3.49		P1QM									
			15.71	16.11	0.40		P1QM									
			16.11	20.04	3.93		P2QM									
			20.04	20.25	0.21		P4QM									
			20.25	21.23	0.98		Y2QV									
			21.23	21.56	0.33		S4QM									
			21.56	21.94	0.38		K3QM									
			21.94	23.05	1.11		S2QM									
			23.05	23.25	0.20		GG									
			23.25	25.18	1.93		S4QM									
			25.18	25.82	0.64		A2QM									
			25.82	27.13	1.31		S2QM									
			20.20	20.76	0.56	00.40		149-1					0.120			07.00
			20.76	21.25	0.49	00.35		149-2			1.247				1.235	64.40

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95150</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>5.0</u> AZIMUTH (t): <u>180.8</u>	DEPTH: <u>35.66</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3326.81</u>	DATE STARTED: <u>18-May-1995</u>
SECTION: <u>2280E</u>	EASTING: <u>2280.61</u>	DATE FINISHED: <u>18-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1579.32</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>94.67%</u> RQD: <u>47.45%</u> CORE STORED AT: <u>Elk Rack 2 Bay 12</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	5.0	180.8	3.35	3.60	0.25		K3QM									
17.83	4.5	180.8	3.60	4.83	1.23		P1QM									
			4.83	5.10	0.27		K3QM									
			5.10	7.55	2.45		P1QM									
			7.55	7.80	0.25		K3QM									
			7.80	8.10	0.30		P1QM									
			8.10	8.35	0.25		P1QM									
			8.35	11.49	3.14		P1QM									
			11.49	11.85	0.36		S3QM									
			11.85	11.86	0.01		QV									
			11.86	11.96	0.10		S3QM									
			11.96	12.22	0.26		P1QM									
			12.22	12.43	0.21		K3QM									
			12.43	12.74	0.31		P1QM									
			12.74	13.03	0.29		S3QM									
			13.03	16.10	3.07		QM									
			16.10	16.35	0.25		K2QM									
			16.35	16.60	0.25		P1QM									
			16.60	16.78	0.18		AP									
			16.78	17.80	1.02		P3QM									
			17.80	18.36	0.56		S4QM									
			18.36	18.80	0.44		P4QM									
			18.80	19.23	0.43		S4QM									
			19.23	20.10	0.87		P5QM									
			20.10	20.80	0.70		S2QM									
			20.80	21.08	0.28		KFQM									
			21.08	21.70	0.62		S3QM									
			21.70	22.98	1.28		P4QM									
			22.98	23.28	0.30		S4QM									
			23.28	25.04	1.76		P3QM									
			25.04	26.93	1.89		P4QM									

CONTD

PROPERTY ELK D.D.H. SUD95150 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t		PA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			26.93	29.30	2.37		S50M										
			29.30	29.38	0.08		P50M										
			29.38	29.57	0.19		Y30V										
			29.57	34.14	4.57		S50M										
			34.14	35.66	1.52		S40M										
			28.80	29.38	0.58			150-1						00160			
			29.38	30.25	0.87			150-2			0.508				0.580	24.60	

PROPERTY ELK D.D.H. SUD95151 PAGE 1 OF 1
 AREA: Siwash North DIP: 88.9 AZIMUTH (t): 048.0 DEPTH: 33.53 m
 CLAIM: ELK 21 NORTHING: 3273.03 DATE STARTED: 18-May-1995
 SECTION: 2300E EASTING: 2299.47 DATE FINISHED: 18-May-1995
 CORE SIZE: NTW ELEVATION: 1524.30 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.84% RQD: 36.65% CORE STORED AT: Elk Rack 2 Bay 12 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	88.9	048.0	.0	2.08	2.08		GD									
16.50	86.0	048.0	2.08	2.35	0.27		F3GD									
			2.35	7.59	5.24		GD									
			7.59	9.22	1.63		P1QM									
			9.22	10.13	0.91		S2QM									
			10.13	11.25	1.12		K3QM									
			11.25	13.89	2.64		P1QM									
			13.89	14.89	1.00		S1QM									
			14.89	28.37	13.48		P1QM									
			28.37	28.78	0.41		S4QM									
			28.78	29.08	0.30		Y2QV									
			29.08	30.48	1.40		S5QM									
			30.48	31.45	0.97		P1QM									
			31.45	32.45	1.00		AP									
			32.45	33.53	1.08		S2QM									
			28.76	29.12	0.36			151-1			0.926				0.880	51.60

PROPERTY ELK D.D.H. SUD95152 PAGE 1 OF 1

AREA: Siwash North DIP: 78.3 AZIMUTH (t): 356.4 DEPTH: 38.10 m

CLAIM: ELK 21 NORTHING: 3329.42 DATE STARTED: 18-May-1995

SECTION: 2280E EASTING: 2280.63 DATE FINISHED: 18-May-1995

CORE SIZE: NQ2 ELEVATION: 1581.34 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.40% RQD: 48.48% CORE STORED AT: Elk Rack 2 Bay 12 LOGGED BY: P. Conroy

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	78.3	356.4	4.00	4.54	0.54		S20M									
19.05	77.3	356.4	4.54	8.18	3.64		P10M									
			8.18	14.20	6.02		OM									
			14.20	15.22	1.02		P20M									
			15.22	17.91	2.69		P10M									
			17.91	18.33	0.42		P20M									
			18.33	21.15	2.82		P10M									
			21.15	21.66	0.51		P20M									
			21.66	21.78	0.12		Y10V									
			21.78	22.72	0.94		P50M									
			22.72	23.06	0.34		P20M									
			23.06	25.87	2.81		P10M									
			25.87	26.23	0.36		P50M									
			26.23	26.28	0.05		Y50V									
			26.28	26.42	0.14		P40M									
			26.42	26.86	0.44		P10M									
			26.86	27.10	0.24		P20M									
			27.10	30.37	3.27		P10M									
			30.37	31.71	1.34		P50M									
			31.71	31.90	0.19		Y20V									
			31.90	33.71	1.81		K20M									
			33.71	34.36	0.65		P10M									
			34.36	34.75	0.39		K20M									
			34.75	38.10	3.35		OM									
			21.60	21.90	0.30			152-1					0.080			02.90
			21.90	22.72	0.82			152-2						00190		
			25.91	26.44	0.53			152-3					3.750			39.80
			30.35	31.65	1.30			152-4						00290		
			31.65	32.00	0.35			152-5			0.774				0.235	12.60

PROPERTY ELK D.D.H. SUD95153 PAGE 1 OF 2

AREA: Siwash North DIP: 79.1 AZIMUTH (t): 003.5 DEPTH: 42.06 m

CLAIM: ELK 21 NORTHING: 3273.40 DATE STARTED: 19-May-1995

SECTION: 2300E EASTING: 2299.47 DATE FINISHED: 20-May-1995

CORE SIZE: NTW ELEVATION: 1524.44 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 94.75% RQD: 42.04% CORE STORED AT: Elk Rack 2 Bay 12 LOGGED BY: P. Conroy

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	79.1	003.5	5.00	5.64	0.64		S2GD										
15.85	76.3	003.5	5.64	6.74	1.10		P1GD										
			6.74	10.06	3.32		GD										
			10.06	10.30	0.24		F3GD										
			10.30	10.66	0.36		GD										
			10.66	11.13	0.47		P1GD										
			11.13	12.55	1.42		P2QM										
			12.55	13.48	0.93		S2QM										
			13.48	15.79	2.31		P2QM										
			15.79	16.68	0.89		QM										
			16.68	17.98	1.30		S2QM										
			17.98	20.49	2.51		P1QM										
			20.49	20.83	0.34		K2QM										
			20.83	22.41	1.58		QM										
			22.41	24.13	1.72		P1QM										
			24.13	24.71	0.58		S3QM										
			24.71	33.48	8.77		P2QM										
			33.48	34.00	0.52		K1QM										
			34.00	35.05	1.05		QM										
			35.05	35.58	0.53		S3QM										
			35.58	36.10	0.52		F5QM										
			36.10	36.57	0.47		F5AP										
			36.57	36.80	0.23		F5QM										
			36.80	37.20	0.40		Y2QV										
			37.20	37.43	0.23		F3QM										
			37.43	38.49	1.06		S4QM										
			38.49	38.65	0.16		GG										
			38.65	39.48	0.83		S4QM										
			39.48	42.06	2.58		S2QM										

CONTD

PROPERTY ELK D.D.H. SUD95154 PAGE 1 OF 2

AREA: Siwash North DIP: 54.0 AZIMUTH (t): 359.7 DEPTH: 39.32 m

CLAIM: ELK 21 NORTHING: 3330.60 DATE STARTED: 19-May-1995

SECTION: 2280E EASTING: 2280.64 DATE FINISHED: 19-May-1995

CORE SIZE: NQ2 ELEVATION: 1581.71 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 98.80% RQD: 61.72% CORE STORED AT: Elk Rack 2 Bay 13 LOGGED BY: P. Conroy

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	54.0	359.7	5.58	5.94	0.36		F10M									
15.85	51.0	359.7	5.84	7.88	2.04		P10M									
			7.88	8.37	0.49		S20M									
			8.37	9.64	1.27		P10M									
			9.64	11.39	1.75		OM									
			11.39	11.72	0.33		P10M									
			11.72	12.03	0.31		P10M									
			12.03	12.65	0.62		F20M									
			12.65	13.66	1.01		P10M									
			13.66	13.91	0.25		F20M									
			13.91	16.80	2.89		P20M									
			16.80	17.83	1.03		P10M									
			17.83	20.37	2.54		P20M									
			20.37	20.99	0.62		FK0M									
			20.99	21.74	0.75		S30M									
			21.74	25.06	3.32		P10M									
			25.06	25.38	0.32		S30M									
			25.38	25.71	0.33		P10M									
			25.71	26.09	0.38		F20M									
			26.09	28.61	2.52		P10M									
			28.61	29.60	0.99		S20M									
			29.60	31.09	1.49		P10M									
			31.09	31.70	0.61		F20M									
			31.70	32.78	1.08		P10M									
			32.78	34.12	1.34		F20M									
			34.12	35.16	1.04		S20M									
			35.16	35.67	0.51		F30M									
			35.67	36.05	0.38		Y30V									
			36.05	36.19	0.14		F40M									
			36.19	36.86	0.67		P20M									
			36.86	39.32	2.46		P10M									

CONTD

PROPERTY ELK D.D.H. SUD95154 PAGE 2 OF 2
AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD <small>metallics</small>													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			21.40	21.70	0.30			154-1						26200		
			35.65	36.10	0.45			154-2			0.501				0.175	08.80

PROPERTY ELK D.D.H. SUD95155 PAGE 1 OF 2

AREA: Siwash North DIP: 46. AZIMUTH (t): 176.9 DEPTH: 21.95 m

CLAIM: ELK 21 NORTHING: 3271.65 DATE STARTED: 20-May-1995

SECTION: 2300E EASTING: 2299.53 DATE FINISHED: 21-May-1995

CORE SIZE: NTW ELEVATION: 1524.03 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 91.53% RQD: 41.78% CORE STORED AT: Elk Rack 2 Bay 13 LOGGED BY: P. Conroy

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	46.	176.9	.0	1.28	1.28		P1GD									
			1.28	1.44	0.16		F3GD									
			1.44	3.00	1.56		S10M									
			3.00	5.72	2.72		P10M									
			5.72	7.51	1.79		S20M									
			7.51	10.48	2.97		P10M									
			10.48	11.16	0.68		S20M									
			11.16	16.04	4.88		P10M									
			16.04	16.09	0.05		GG									
			16.09	16.33	0.24		F50M									
			16.33	16.38	0.05		QV									
			16.38	16.46	0.08		F50M									
			16.46	16.47	0.01		Y30V									
			16.47	17.49	1.02		S30M									
			17.49	19.75	2.26		P20M									
			19.75	20.27	0.52		S20M									
			20.27	21.95	1.68		P10M									
			16.00	16.56	0.56			155-1								

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95157</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>6.0</u>	DEPTH: <u>28.04</u> m
CLAIM: <u>Elk 21</u>	AZIMUTH (t): <u>179.5</u>	DATE STARTED: <u>21-May-1995</u>
SECTION: <u>2280E</u>	NORTHING: <u>3275.64</u>	DATE FINISHED: <u>21-May-1995</u>
CORE SIZE: <u>NIW</u>	EASTING: <u>2281.88</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>95.36%</u>	ELEVATION: <u>1524.94</u>	LOGGED BY: <u>D. Ritcey</u>
RQD: <u>39.16%</u> CORE STORED AT: <u>Elk Rack B Bay 13</u>		
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals			FA	MIBK			
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm		
.00	6.0	179.5	2.18	3.20	1.02		P1GD											
14.02	5.3	179.5	3.20	3.75	0.55		S3GD											
			3.75	12.08	8.33		P1GD											
			12.08	15.45	3.37		P2GD											
			15.45	15.76	0.31		P5GD											
			15.76	16.55	0.79		S4GD											
			16.55	18.53	1.98		P5GD											
			18.53	19.66	1.13		P4GD											
			19.66	20.54	0.88		S2AP											
			20.54	23.30	2.76		P2GD											
			23.30	24.73	1.43		P1GD											
			24.73	26.29	1.56		S1AP											
			26.29	28.04	1.75		P1GD											
			18.40	18.70	0.30			157-1										
			18.70	19.10	0.40			157-2										
			19.10	19.66	0.56			157-3										

PROPERTY ELK D.D.H. SUD95158 PAGE 1 OF 1

AREA: Siwash North DIP: 16. AZIMUTH (t): 181.7 DEPTH: 26.81 m

CLAIM: ELK 21 NORTHING: 3328.80 DATE STARTED: 20-May-1995

SECTION: 2330E EASTING: 2330.15 DATE FINISHED: 20-May-1995

CORE SIZE: NQ2 ELEVATION: 1572.98 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 97.80% RQD: 60.80% CORE STORED AT: Elk Rack 2 LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	16.	181.7	.0	11.81	11.81		QM									
			11.81	15.79	3.98		P1QM									
			15.79	16.40	0.61		S3QM									
			16.40	17.02	0.62		P1QM									
			17.02	17.99	0.97		S4QM									
			17.99	18.10	0.11		Y2QV									
			18.10	18.62	0.52		S4QM									
			18.62	18.78	0.16		P5QM									
			18.78	18.87	0.09		Y1QV									
			18.87	19.21	0.34		P5QM									
			19.21	19.74	0.53		VGQV									
			19.74	19.91	0.17		P5QM									
			19.91	20.37	0.46		S4QM									
			20.37	21.58	1.21		S2QM									
			21.58	22.09	0.51		P1QM									
			22.09	22.58	0.49		P5QM									
			22.58	24.91	2.33		P1QM									
			24.91	25.61	0.70		S3QM									
			25.61	26.81	1.20		P1QM									
			17.90	18.60	0.70			158-1					0.210			11.60
			18.60	19.20	0.60			158-2					0.060			03.20
			19.20	19.80	0.60			158-3			2.610				0.940	34.60
			22.25	22.55	0.30			158-4					0.464			12.60

PROPERTY ELK D.D.H. SUD95160 PAGE 1 OF 2
 AREA: Siwash North DIP: -9.8 AZIMUTH (t): 182.7 DEPTH: 45.11 m
 CLAIM: ELK 21 NORTHING: 3329.05 DATE STARTED: 20-May-1995
 SECTION: 2330E EASTING: 2330.14 DATE FINISHED: 20-May-1995
 CORE SIZE: NQ2 ELEVATION: 1571.73 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 99.99% RQD: 66.02% CORE STORED AT: Elk Rack 2 Bay 13 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-9.8	182.7	3.80	4.03	0.23		S20M									
22.56	-10.5	182.7	4.03	9.62	5.59		OM									
			9.62	9.71	0.09		K20M									
			9.71	11.41	1.70		OM									
			11.41	11.51	0.10		S30M									
			11.51	14.02	2.51		OM									
			14.02	14.13	0.11		K30M									
			14.13	15.36	1.23		OM									
			15.36	15.75	0.39		K30M									
			15.75	17.27	1.52		OM									
			17.27	17.65	0.38		S40M									
			17.65	19.26	1.61		P10M									
			19.26	19.36	0.10		K30M									
			19.36	20.73	1.37		OM									
			19.66	19.74	0.08		S40M									
			20.73	21.74	1.01		P10M									
			21.74	22.70	0.96		K10M									
			22.70	24.10	1.40		P10M									
			24.10	26.15	2.05		S40M									
			26.15	26.82	0.67		S50M									
			26.82	27.20	0.38		F50M									
			27.20	28.57	1.37		S50M									
			28.57	28.86	0.29		F40M									
			28.86	29.06	0.20		S30M									
			29.06	29.35	0.29		P10M									
			29.35	29.78	0.43		S50M									
			29.78	30.40	0.62		S10M									
			30.40	31.03	0.63		S40M									
			31.03	31.13	0.10		F40M									
			31.13	31.44	0.31		S20M									
			31.44	32.25	0.81		P10M									

CONTD.

PROPERTY ELK D.D.H. SUD95160 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK			
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			32.25	32.90	0.65		S3QM										
			32.90	33.73	0.83		P5QM										
			33.73	34.44	0.71		Y1QV										
			34.44	35.12	0.68		P5QM										
			35.12	35.88	0.76		S4QM										
			35.88	36.53	0.65		S3QM										
			36.53	37.90	1.37		P3QM										
			37.90	39.30	1.40		S4QM										
			39.30	39.70	0.40		P5QM										
			39.70	39.80	0.10		Y1QV										
			39.80	40.10	0.30		P5QM										
			40.10	40.14	0.04		QV										
			40.14	40.35	0.21		P5QM										
			40.35	40.38	0.03		Y3QV										
			40.38	42.18	1.80		P5QM										
			42.18	42.66	0.48		S4QM										
			42.66	43.67	1.01		S5QM										
			43.67	44.55	0.88		S4QM										
			44.55	45.11	0.56		S1QM										
			32.95	33.73	0.78			160-1						00420			
			33.73	34.44	0.71			160-2					0.016			00.60	
			34.44	35.12	0.68			160-3						00200			
			39.50	40.46	0.96			160-4					0.107			06.20	
			40.46	41.00	0.54			160-5						00100			
			41.00	42.18	1.18			160-6						01150			

PROPERTY ELK D.D.H. SUD95161 PAGE 1 OF 2
 AREA: Siwash North DIP: -17.7 AZIMUTH (t): 180.3 DEPTH: 44.81 m
 CLAIM: Elk 21 NORTHING: 3275.48 DATE STARTED: 21-May-1995
 SECTION: 2280E EASTING: 2281.84 DATE FINISHED: 22-May-1995
 CORE SIZE: NIW ELEVATION: 1523.87 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.25% RQD: 49.90% CORE STORED AT: Elk Rack B Bay 14 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
.00	-17.7	180.3	.0	3.36	3.36		GD									
21.80	-20.0	180.3	3.36	4.50	1.14		S2GD									
			4.50	9.17	4.67		P1GD									
			9.17	9.47	0.30		S4GD									
			9.47	10.61	1.14		P3GD									
			10.61	13.57	2.96		P2GD									
			13.57	14.37	0.80		F5GD									
			14.37	17.69	3.32		P2GD									
			17.69	18.14	0.45		F5GD									
			18.14	18.55	0.41		P5GD									
			18.55	21.09	2.54		P2GD									
			21.09	23.44	2.35		P4GD									
			23.44	24.11	0.67		S4GD									
			24.11	25.60	1.49		P5GD									
			25.60	27.74	2.14		P3GD									
			27.74	28.04	0.30		F4GD									
			28.04	28.62	0.58		P4QM									
			28.62	29.75	1.13		F5GD									
			29.75	32.80	3.05		P1GD									
			32.80	33.20	0.40		P3GD									
			33.20	36.30	3.10		GD									
			36.30	36.32	0.02		QM									
			36.32	37.27	0.95		K2QM									
			37.27	43.89	6.62		QM									
			43.89	44.81	0.92		AP									
			13.65	14.25	0.60			161-1						01590		
			17.75	18.05	0.30			161-2				0.207			05.90	
			28.72	29.48	0.76			161-3				0.155			07.10	
			29.48	29.79	0.31			161-4						00120		

PROPERTY ELK D.D.H. SUD95162 PAGE 1 OF 2
 AREA: Siwash North DIP: -.4 AZIMUTH (t): 182.0 DEPTH: 37.19 m
 CLAIM: ELK 21 NORTHING: 3328.50 DATE STARTED: 21-May-1995
 SECTION: 2330E EASTING: 2330.16 DATE FINISHED: 21-May-1995
 CORE SIZE: NQ2 ELEVATION: 1572.03 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.35% RQD: 63.16% CORE STORED AT: Elk Rack B Bay 13 LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-.4	182.0	.0	1.08	1.08		QM									
18.60	-.8	182.0	1.08	3.40	2.32		P1QM									
			3.40	4.79	1.39		QM									
			4.79	7.13	2.34		P1QM									
			7.13	10.25	3.12		QM									
			10.25	12.26	2.01		P1QM									
			12.26	12.51	0.25		S3QM									
			12.51	13.93	1.42		QM									
			13.93	15.67	1.74		P1QM									
			15.67	16.54	0.87		QM									
			16.54	17.06	0.52		P1QM									
			17.06	17.28	0.22		PKQM									
			17.28	19.40	2.12		QM									
			19.51	19.75	0.24		S3QM									
			19.75	21.22	1.47		P1QM									
			21.22	21.62	0.40		S4QM									
			21.62	22.26	0.64		F5QM									
			22.26	26.67	4.41		P1QM									
			26.67	27.08	0.41		F3QM									
			27.08	27.18	0.10		GG									
			27.18	28.07	0.89		Y1QV									
			28.07	28.42	0.35		F5QM									
			28.42	28.48	0.06		QV									
			28.48	29.11	0.63		F5QM									
			29.11	29.16	0.05		Y2QV									
			29.16	29.35	0.19		F5QM									
			29.35	30.55	1.20		S1QM									
			30.55	30.80	0.25		PKQM									
			30.80	32.26	1.46		P2QM									
			32.26	33.32	1.06		S2QM									
			33.32	33.81	0.49		F5QM									

CONTD

PROPERTY ELK D.D.H. SUD95164 PAGE 1 OF 2

AREA: Siwash North DIP: 79.1 AZIMUTH (t): 358.2 DEPTH: 34.44 m

CLAIM: ELK 21 NORTHING: 3331.37 DATE STARTED: 21-May-1995

SECTION: 2330E EASTING: 2330.23 DATE FINISHED: 22-May-1995

CORE SIZE: NQ2 ELEVATION: 1574.73 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 97.36% RQD: 57.90% CORE STORED AT: Elk Rack B Bay 14 LOGGED BY:

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	79.1	358.2	.0	12.15	12.15		OM									
17.22	77.0	358.2	3.22	3.35	0.13		P10M									
			12.15	15.17	3.02		P10M									
			15.17	16.11	0.94		OM									
			16.11	17.10	0.99		S30M									
			17.10	17.76	0.66		P10M									
			17.76	18.50	0.74		P50M									
			18.50	19.02	0.52		S20M									
			19.02	19.54	0.52		P50M									
			19.54	19.60	0.06		Y20V									
			19.60	19.68	0.08		P50M									
			19.68	19.75	0.07		Y10V									
			19.75	21.72	1.97		P50M									
			21.32	22.15	0.83		S20M									
			22.15	23.20	1.05		P50M									
			23.20	24.79	1.59		P10M									
			24.79	25.30	0.51		P40M									
			25.30	25.73	0.43		S40M									
			25.73	26.53	0.80		P50M									
			27.53	27.61	0.08		OV									
			27.61	27.91	0.30		GG									
			27.91	28.46	0.55		S30M									
			28.46	28.81	0.35		P20M									
			28.81	29.56	0.75		K20M									
			29.56	33.77	4.21		P20M									
			33.77	34.44	0.67		S30M									
			19.02	19.45	0.43	00.37		164-1						04680		
			19.45	19.77	0.32	00.28		164-2				0.055				05.80
			19.77	20.37	0.60	00.52		164-3						04520		

CONTD

PROPERTY ELK D.D.H. SUD95166 PAGE 1 OF 2
 AREA: Siwash North DIP: 42. AZIMUTH (t): 183.8 DEPTH: 24.08 m
 CLAIM: ELK 21 NORTHING: 3328.80 DATE STARTED: 21-May-1995
 SECTION: 2330E EASTING: 2330.10 DATE FINISHED: 22-May-1995
 CORE SIZE: NQ2 ELEVATION: 1574.68 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.55% RQD: 76.90% CORE STORED AT: Elk Rack B Bay 14 LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	42.	183.8	.0	12.92	12.92		P1QM									
			12.92	13.28	0.36		S4QM									
			13.28	13.62	0.34		P1QM									
			13.62	13.70	0.08		Y2QV									
			13.70	14.25	0.55		F5QM									
			14.25	14.65	0.40		Y1QV									
			14.65	15.17	0.52		F5QM									
			15.17	16.69	1.52		S2QM									
			16.69	17.57	0.88		F5QM									
			17.57	17.67	0.10		QV									
			17.67	18.20	0.53		F5QM									
			18.20	20.87	2.67		S3QM									
			20.87	22.07	1.20		S5QM									
			22.07	22.56	0.49		GG									
			22.56	23.56	1.00		F3QM									
			23.56	24.08	0.52		S3QM									
			13.58	14.24	0.66			166-1						11120		
			14.24	14.67	0.43			166-2						05090		
			14.67	15.17	0.50			166-3					0.072			04.40
			16.70	17.45	0.75			166-4					0.067			06.10
			17.45	18.20	0.75			166-5					0.102			07.70

PROPERTY ELK D.D.H. SUD95167 PAGE 1 OF 2
 AREA: Siwash North DIP: 80.1 AZIMUTH (t): 001.6 DEPTH: 44.20 m
 CLAIM: Elk 21 NORTHING: 3278.41 DATE STARTED: 23-May-1995
 SECTION: 2280E EASTING: 2281.83 DATE FINISHED: 24-May-1995
 CORE SIZE: NTW ELEVATION: 1526.68 CONTRACTOR: Boisvenu Drilling I
 CORE RECOVERY: 92.40% RQD: 41.56% CORE STORED AT: Elk Rack B Bay 14 LOGGED BY: D. Ritcey
 COMMENTS: Hole SUD95-167 was drilled to test the grade and continuity of gold mineralization. A quartz vein 5 cm wide was intersected in the "B" zone, and a pyritic fault gouge was encountered in the "B" zone, and a pyritic fault gouge was encountered 3 m downhole from this main zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	80.1	001.6	.0	3.38	3.38		GD									
22.10	77.0	001.6	3.38	8.94	5.56		P2GD									
			8.94	10.67	1.73		P3GD									
			10.67	11.13	0.46		P4GD									
			11.13	14.04	2.91		P2GD									
			14.04	14.56	0.52		P3GD									
			14.56	15.19	0.63		AP									
			15.19	17.53	2.34		P2GD									
			17.53	18.35	0.82		GD									
			18.35	19.40	1.05		P1GD									
			19.40	21.30	1.90		P4GD									
			21.30	22.90	1.60		P1GD									
			22.90	23.24	0.34		P4GD									
			23.24	23.83	0.59		P2GD									
			23.83	25.05	1.22		P5GD									
			25.05	26.31	1.26		S4GD									
			26.31	26.75	0.44		P5GD									
			26.75	27.21	0.46		S5GD									
			27.21	27.96	0.75		P4GD									
			27.96	29.20	1.24		P2GD									
			29.20	32.00	2.80		P1GD									
			32.00	32.91	0.91		P1QM									
			32.91	34.55	1.64		S3QM									
			34.55	35.85	1.30		P2QM									
			35.85	36.31	0.46		S3QM									
			36.31	36.41	0.10		Y2QV									
			36.41	38.85	2.44		S3QM									
			38.85	39.33	0.48		F5QM									
			39.33	40.88	1.55		GG									
			40.88	42.24	1.36		F2QM									
			42.27	43.34	1.07		S3QM									

CONTD

PROPERTY ELK D.D.H. SUD95168 PAGE 1 OF 2

AREA: Siwash North DIP: 87.0 AZIMUTH (I): 312.2 DEPTH: 30.48 m

CLAIM: Elk 21 NORTHING: 3330.00 DATE STARTED: 22-May-1995

SECTION: 2310E EASTING: 2308.91 DATE FINISHED: 24-May-1995

CORE SIZE: NQ2 ELEVATION: 1577.97 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.03% RQD: 59.55% CORE STORED AT: Elk Rack B Bay 15 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	87.0	312.2	0	1.95	1.95		P1QM									
15.24	86.5	312.2	1.95	5.89	3.94		QM									
			5.89	13.69	7.80		P1QM									
			13.69	13.99	0.30		F2QM									
			13.99	14.80	0.81		F5QM									
			14.80	15.35	0.55		F3QM									
			15.35	15.66	0.31		S3QM									
			15.66	15.98	0.32		F5QM									
			15.98	16.70	0.72		P2QM									
			16.70	17.18	0.48		F5QM									
			17.18	17.67	0.49		P2QM									
			17.67	18.37	0.70		F2QM									
			18.37	19.75	1.38		P2QM									
			19.75	20.12	0.37		F5QM									
			20.12	20.38	0.26		QV									
			20.38	20.75	0.37		F2QM									
			20.75	21.11	0.36		F5QM									
			21.11	22.41	1.30		P2QM									
			22.44	22.89	0.45		AP									
			22.89	24.85	1.96		P1QM									
			24.85	25.17	0.32		F5QM									
			25.17	26.62	1.45		K1QM									
			26.62	27.12	0.50		F5QM									
			27.12	27.95	0.83		K1QM									
			27.95	28.13	0.18		F5QM									
			28.13	28.96	0.83		S2QM									
			28.96	29.40	0.44		K1QM									
			29.40	29.85	0.45		QM									
			29.85	30.48	0.63		P1QM									

CONTD

PROPERTY ELK D.D.H. SUD95171 PAGE 1 OF 1

AREA: Siwash North DIP: -8.5 AZIMUTH (t): 182.2 DEPTH: 30.18 m

CLAIM: ELK 21 NORTHING: 3281.76 DATE STARTED: 25-May-1995

SECTION: 2260E EASTING: 2261.75 DATE FINISHED: 26-May-1995

CORE SIZE: NIW ELEVATION: 1527.35 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.49% RQD: 57.46% CORE STORED AT: Elk Rack B Bay 15 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
.00	-8.5	182.2	.0	1.26	1.26		GD									
15.09	-9.3	182.2	1.26	2.73	1.47		P2GD									
			2.73	8.21	5.48		GD									
			8.21	8.73	0.52		P1GD									
			8.73	13.62	4.89		GD									
			13.62	14.60	0.98		P1GD									
			14.60	14.96	0.36		P3GD									
			14.96	15.62	0.66		GD									
			15.62	15.95	0.33		S4GD									
			15.95	16.55	0.60		P4GD									
			16.55	17.09	0.54		P2GD									
			17.09	18.68	1.59		P1GD									
			18.68	20.32	1.64		GD									
			20.32	21.47	1.15		P2GD									
			21.47	22.01	0.54		P5GD									
			22.01	22.06	0.05		QV									
			22.06	22.29	0.23		MT									
			22.29	22.79	0.50		P5GD									
			22.79	24.30	1.51		P1GD									
			24.30	25.15	0.85		P3GD									
			25.15	30.18	5.03		GD									
			15.67	15.98	0.31	00.16		171-1						00010		
			21.90	22.47	0.57	00.40		171-2		0.025					0.065	0.60
			22.47	22.80	0.33	00.23		171-3						00054		

PROPERTY ELK D.D.H. SUD95172 PAGE 1 OF 2
 AREA: Siwash North DIP: -1.3 AZIMUTH (t): 177.3 DEPTH: 40.54 m
 CLAIM: ELK 21 NORTHING: 3327.89 DATE STARTED: 25-May-1995
 SECTION: 2310E EASTING: 2309.09 DATE FINISHED: 25-May-1995
 CORE SIZE: NQ2 ELEVATION: 1575.12 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.84% RQD: 66.11% CORE STORED AT: Elk Rack B Bay 15 LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-1.3	177.3	.0	4.04	4.04		P1QM									
20.27	-2.0	177.3	4.04	4.40	0.36		S3QM									
			4.40	7.13	2.73		P1QM									
			7.13	9.93	2.80		QM									
			9.93	17.86	7.93		P1QM									
			17.86	19.30	1.44		F2QM									
			19.30	22.38	3.08		P1QM									
			22.38	23.20	0.82		S1QM									
			23.20	23.39	0.19		F5QM									
			23.39	23.46	0.07		Y3QV									
			23.46	24.43	0.97		F5QM									
			24.43	24.94	0.51		F3QM									
			24.94	25.96	1.02		P2QM									
			25.96	26.27	0.31		F3QM									
			26.27	26.46	0.19		F5QM									
			26.46	26.63	0.17		Y3QV									
			26.63	26.91	0.28		F5QM									
			26.91	28.86	1.95		P2QM									
			27.38	28.86	1.48		P2QM									
			28.86	29.06	0.20		F5QM									
			29.06	29.17	0.11		QV									
			29.17	29.70	0.53		F5QM									
			29.70	29.95	0.25		VGQV									
			29.95	30.89	0.94		F5QM									
			30.89	31.52	0.63		F2QM									
			31.52	32.02	0.50		P2QM									
			32.02	36.72	4.70		F5QM									
			36.72	36.81	0.09		Y5QV									
			36.81	37.02	0.21		F5QM									
			37.02	37.27	0.25		GG									
			37.27	38.74	1.47		S3QM									

CONTD

PROPERTY ELK D.D.H. SUD95172 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			38.74	40.54	1.80		K3QM									
			23.21	24.31	1.10			172-1						04110		
			26.31	26.70	0.39			172-2			1.214		1.214		0.970	56.70
			28.95	29.65	0.70			172-3						01090		
			29.65	30.05	0.40			172-4			1.546		1.546		1.145	66.40
			30.05	30.85	0.80			172-5						22600		
			32.42	32.92	0.50			172-6						05080		
			34.12	34.87	0.75			172-7						02760		
			35.52	36.62	1.10			172-8						02650		
			36.62	37.02	0.40			172-9			3.324		3.324		1.885	120.01

PROPERTY ELK D.D.H. SUD95174 PAGE 1 OF 1
 AREA: Siwash North DIP: 64. AZIMUTH (t): 181.9 DEPTH: 25.30 m
 CLAIM: ELK 21 NORTHING: 3329.20 DATE STARTED: 25-May-1995
 SECTION: 2310E EASTING: 2308.94 DATE FINISHED: 25-May-1995
 CORE SIZE: NQ2 ELEVATION: 1577.71 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 90.91% RQD: 51.07% CORE STORED AT: Elk Rack B Bay 15 LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBX Au ppb	Ag oz/t	Ag ppm
.00	64.	181.9	.0	1.36	1.36		OM									
			1.36	2.79	1.43		P10M									
			2.79	8.77	5.98		OM									
			8.77	10.44	1.67		P20M									
			10.44	11.24	0.80		S30M									
			11.24	12.20	0.96		P50M									
			12.20	12.27	0.07		Y10V									
			12.27	12.80	0.53		P50M									
			12.80	13.27	0.47		S40M									
			13.27	13.74	0.47		P10M									
			13.74	17.25	3.51		S30M									
			17.25	17.35	0.10		QV									
			17.35	17.94	0.59		S30M									
			17.94	18.09	0.15		P5AP									
			18.09	18.80	0.71		S5AP									
			18.80	20.15	1.35		S30M									
			20.15	20.54	0.39		K20M									
			20.54	20.75	0.21		P50M									
			20.75	21.10	0.35		GG									
			21.10	21.68	0.58		P50M									
			21.68	22.66	0.98		S40M									
			22.66	22.54	-0.12		P40M									
			22.54	25.30	2.76		S30M									
			10.85	12.10	1.25	01.18		174-1						00220		
			12.10	12.50	0.40	00.26		174-2					0.022			01.70
			14.10	14.40	0.30	00.28		174-3						03250		
			17.15	17.55	0.40	00.38		174-4					0.050			00.80
			20.49	21.74	1.25	01.18		174-5						00130		

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95175</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>85.2</u> AZIMUTH (t): <u>359.9</u>	DEPTH: <u>40.84</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3284.51</u>	DATE STARTED: <u>26-May-1995</u>
SECTION: <u>2260E</u>	EASTING: <u>2261.83</u>	DATE FINISHED: <u>27-May-1995</u>
CORE SIZE: <u>NIW</u>	ELEVATION: <u>1530.09</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>95.35%</u> RQD: <u>53.11%</u> CORE STORED AT: <u>Elk Rack B Bay 16</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	85.2	359.9	.0	11.61	11.61		GD									
20.42	84.5	359.9	3.56	32.75	29.19		Y2QV									
			11.61	13.77	2.16		P2GD									
			13.77	14.48	0.71		GD									
			14.48	17.02	2.54		P2GD									
			17.02	19.55	2.53		GD									
			19.55	20.12	0.57		P1GD									
			20.12	21.85	1.73		GD									
			21.85	23.26	1.41		P2GD									
			23.26	23.75	0.49		P4GD									
			23.75	24.00	0.25		P5GD									
			24.00	24.32	0.32		P3GD									
			24.32	27.57	3.25		P1GD									
			27.57	27.96	0.39		P4GD									
			27.95	29.65	1.70		P2GD									
			29.65	31.36	1.71		P3GD									
			31.36	31.64	0.28		P5GD									
			31.64	31.70	0.06		Y1QV									
			31.70	32.56	0.86		P5GD									
			32.75	33.00	0.25		Y3QV									
			33.00	33.70	0.70		P5GD									
			33.70	35.45	1.75		S5GD									
			35.45	37.23	1.78		P4GD									
			37.23	38.06	0.83		P2GD									
			38.06	38.56	0.50		P1GD									
			38.56	40.84	2.28		P3GD									
			31.52	31.86	0.34			175-1					0.026			03.20
			31.86	32.43	0.57			175-2						00597		
			32.43	32.73	0.30			175-3					0.041			08.90
								CONTD								

PROPERTY ELK D.D.H. SUD95177 PAGE 1 OF 2

AREA: Siwash North DIP: 45. AZIMUTH (t): 182.3 DEPTH: 21.34 m

CLAIM: ELK 21 NORTHING: 3283.21 DATE STARTED: 27-May-1995

SECTION: 2260E EASTING: 2261.82 DATE FINISHED: 27-May-1995

CORE SIZE: NTW ELEVATION: 1529.70 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 93.81% RQD: 60.59% CORE STORED AT: Elk Rack B Bay 16 LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	MIBR Au ppb	Ag oz/t	Ag ppb
.00	45.	182.3	.0	7.92	7.92		GD									
			7.92	8.85	0.93		S4GD									
			8.85	14.92	6.07		GD									
			14.92	15.67	0.75		P1GD									
			15.51	15.54	0.03		P5GD									
			15.54	18.14	2.60		P1GD									
			15.67	15.96	0.29		P5GD									
			15.96	16.25	0.29		Y3QV									
			16.25	16.56	0.31		MI									
			16.56	18.14	1.58		P1GD									
			18.14	19.40	1.26		GD									
			19.40	19.50	0.10		GG									
			19.50	19.80	0.30		P1GD									
			19.80	21.34	1.54		GD									
			15.86	16.62	0.76			177-1			0.097				0.080	03.90

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95178</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>11.1</u> AZIMUTH (t): <u>177.1</u>	DEPTH: <u>32.92</u> m
CLAIM: <u>ELK 21</u>	NORTHING: <u>3327.92</u>	DATE STARTED: <u>26-May-1995</u>
SECTION: <u>2310E</u>	EASTING: <u>2309.10</u>	DATE FINISHED: <u>26-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1575.65</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>96.66%</u> RQD: <u>63.82%</u> CORE STORED AT: <u>Elk Rack B Bay 16</u>		LOGGED BY: _____
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	11.1	177.1	.0	1.10	1.10		QM									
16.46	9.5	177.1	1.10	1.34	0.24		S3QM									
			1.34	4.06	2.72		QM									
			4.06	6.16	2.10		P1QM									
			6.16	11.42	5.26		QM									
			11.42	16.17	4.75		P1QM									
			16.17	16.62	0.45		F2QM									
			16.62	17.72	1.10		P1QM									
			17.72	18.09	0.37		F5QM									
			18.09	18.21	0.12		Y2QV									
			18.21	18.58	0.37		F5QM									
			18.58	18.69	0.11		Y3QV									
			18.69	18.88	0.19		F5QM									
			18.88	21.62	2.74		P1QM									
			21.62	22.48	0.86		F5QM									
			22.48	22.73	0.25		Y1QV									
			22.73	23.18	0.45		F5QM									
			23.18	23.26	0.08		Y2QV									
			23.26	23.52	0.26		F5QM									
			23.52	25.70	2.18		P1QM									
			25.70	27.21	1.51		S4QM									
			27.21	28.30	1.09		F4QM									
			28.30	28.76	0.46		F5QM									
			28.76	29.70	0.94		GG									
			29.70	32.92	3.22		S1QM									
			17.80	18.35	0.55			178-1					0.510			14.90
			18.35	18.90	0.55			178-2			0.235		0.235		0.165	09.40
			21.60	22.40	0.80			178-3						16900		
			22.40	22.80	0.40			178-4					0.050			05.30

CONTD

PROPERTY ELK D.D.H. SUD95179 PAGE 1 OF 1

AREA: Siwash North DIP: 84.7 AZIMUTH (t): 183.3 DEPTH: 33.53 m

CLAIM: Elk 21 NORTHING: 3284.21 DATE STARTED: 27-May-1995

SECTION: 2260E EASTING: 2261.81 DATE FINISHED: 28-May-1995

CORE SIZE: NTW ELEVATION: 1530.07 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 88.91% RQD: 47.99% CORE STORED AT: Elk Rack B Bay 16 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	84.7	183.3	.0	11.21	11.21		GD									
16.77	82.5	183.3	11.21	12.36	1.15		P1GD									
			12.36	16.14	3.78		GD									
			16.14	16.55	0.41		P2GD									
			16.55	18.66	2.11		GD									
			18.66	19.28	0.62		P1GD									
			19.28	22.73	3.45		P2GD									
			22.73	25.05	2.32		P3GD									
			24.38	25.05	0.67		P2GD									
			24.38	25.20	0.82		P5GD									
			25.20	25.89	0.69		P4GD									
			25.89	26.20	0.31		S4GD									
			26.20	27.30	1.10		P5GD									
			27.30	27.43	0.13		Y2QV									
			27.43	28.11	0.68		P5GD									
			28.11	28.23	0.12		GG									
			28.23	29.13	0.90		P4GD									
			29.13	33.27	4.14		P3GD									
			32.27	33.53	1.26		P2GD									
			26.20	27.43	1.23			179-1				0.611			19.20	

PROPERTY FLK D.D.H. SUD95180 PAGE 1 OF 2

AREA: Siwash North DIP: -10.5 AZIMUTH (t): 176.7 DEPTH: 47.85 m

CLAIM: ELK 21 NORTHING: 3327.86 DATE STARTED: 26-May-1995

SECTION: 2310E EASTING: 2309.12 DATE FINISHED: 26-May-1995

CORE SIZE: NQ2 ELEVATION: 1574.88 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.53% RQD: 59.00% CORE STORED AT: Elk Rack B Bay 16 LOGGED BY: P. Conroy

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-10.5	176.7	.0	6.00	6.00		P10M									
23.93	-10.3	176.7	6.00	6.29	0.29		S30M									
			6.29	10.44	4.15		P20M									
			10.44	11.28	0.84		S40M									
			11.28	15.52	4.24		P10M									
			15.52	18.69	3.17		P20M									
			18.69	19.62	0.93		S40M									
			19.62	21.26	1.64		P10M									
			21.26	23.96	2.70		OM									
			23.96	24.59	0.63		P10M									
			24.59	24.92	0.33		S30M									
			24.92	25.67	0.75		P20M									
			25.67	26.98	1.31		S30M									
			26.98	28.04	1.06		P20M									
			28.04	28.56	0.52		S10M									
			28.56	29.08	0.52		P20M									
			29.08	29.76	0.68		S30M									
			29.76	30.25	0.49		P30M									
			30.25	30.81	0.56		S30M									
			30.81	31.95	1.14		P20M									
			31.95	32.90	0.95		P20M									
			32.90	34.38	1.48		P10M									
			34.38	35.71	1.33		S30M									
			35.71	36.68	0.97		P20M									
			36.68	37.16	0.48		P50M									
			37.16	37.96	0.80		S40M									
			37.96	39.45	1.49		P50M									
			39.45	39.89	0.44		VGQV									
			39.89	40.07	0.18		P50M									
			40.07	44.55	4.48		P20M									
			44.55	45.00	0.45		S40M									

CONTD

PROPERTY ELK D.D.H. SUD95181 PAGE 1 OF 1

AREA: Siwash North DIP: 26.2 AZIMUTH (t): 180.0 DEPTH: 32.92 m

CLAIM: ELK 21 NORTHING: 3339.84 DATE STARTED: 27-May-1995

SECTION: 2260E EASTING: 2261.50 DATE FINISHED: 27-May-1995

CORE SIZE: NQ2 ELEVATION: 1583.98 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 94.93% RQD: 42.53% CORE STORED AT: Elk Rack B Bay 16 LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	26.2	180.0	.0	25.76	25.76		P2QM									
16.46	25.5	180.0	25.76	26.54	0.78		S4QM									
			26.54	26.90	0.36		F4QM									
			26.90	26.97	0.07		Y1QV									
			26.97	27.33	0.36		F5QM									
			27.33	27.45	0.12		Y3QV									
			27.45	28.33	0.88		F5QM									
			28.33	28.61	0.28		VGQV									
			28.61	29.02	0.41		F5QM									
			29.02	29.07	0.05		Y2QV									
			29.07	29.49	0.42		F5QM									
			29.49	29.62	0.13		S4QM									
			29.62	30.21	0.59		K2QM									
			30.21	30.75	0.54		F5QM									
			30.75	31.70	0.95		P3QM									
			31.70	32.10	0.40		A2QM									
			32.10	32.92	0.82		P3QM									
			26.80	27.20	0.40			181-1					0.014			02.20
			27.20	27.50	0.30			181-2			0.138				0.130	07.00
			27.50	28.30	0.80			181-3					00304			
			28.30	28.65	0.35			181-4			0.667				0.210	09.10
			28.65	29.50	0.85			181-5					00792			

PROPERTY <u>ETK</u>		D.D.H. <u>SUD95182</u>		PAGE <u>1</u> OF <u>1</u>	
AREA: <u>Siwash North</u>	DIP: <u>-2.0</u>	AZIMUTH (t): <u>179.2</u>		DEPTH: <u>46.33</u> m	
CLAIM: <u>Elk 21</u>	NORTHING: <u>3339.13</u>			DATE STARTED: <u>27-May-1995</u>	
SECTION: <u>2260E</u>	EASTING: <u>2261.56</u>			DATE FINISHED: <u>28-May-1995</u>	
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1582.08</u>			CONTRACTOR: <u>Boisvenu Drilling L</u>	
CORE RECOVERY: <u>96.59%</u>	RQD: <u>47.29%</u>	CORE STORED AT: <u>Elk Rack B Bay 17</u>		LOGGED BY: <u>D. Ritcey</u>	
COMMENTS:					

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-2.0	179.2	.0	.47	0.47		S2QM									
23.17	-3.0	179.2	.47	1.87	1.40		P1QM									
			1.87	2.55	0.68		S2QM									
			2.55	6.33	3.78		P1QM									
			6.33	6.97	0.64		QM									
			6.97	8.10	1.13		P1QM									
			8.10	9.04	0.94		QM									
			9.04	9.43	0.39		P1QM									
			9.43	12.98	3.55		QM									
			12.98	14.56	1.58		P1QM									
			14.56	17.62	3.06		QM									
			17.62	20.40	2.78		P1QM									
			20.40	24.50	4.10		QM									
			24.50	25.85	1.35		P1QM									
			25.85	26.67	0.82		QM									
			26.67	30.53	3.86		P1QM									
			30.53	30.96	0.43		S3QM									
			30.96	38.58	7.62		P1QM									
			38.58	38.90	0.32		VGQV									
			38.90	39.43	0.53		F4QM									
			39.43	39.98	0.55		S3QM									
			39.98	45.90	5.92		P2QM									
			45.90	46.33	0.43		S2QM									
			38.49	38.90	0.41			182-1			1.094			0.560	34.10	

PROPERTY ELK D.D.H. SUD95183 PAGE 1 OF 1
 AREA: Siwash North DIP: 7.6 AZIMUTH (I): 182.0 DEPTH: 39.01 m
 CLAIM: Elk 21 NORTHING: 3339.67 DATE STARTED: 28-May-1995
 SECTION: 2260E EASTING: 2261.75 DATE FINISHED: 28-May-1995
 CORE SIZE: NTW ELEVATION: 1582.52 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.00% RQD: 50.24% CORE STORED AT: Elk Rack B Bay LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	7.6	182.0	.0	4.07	4.07		P1QM									
19.51	8.0	182.0	4.07	5.64	1.57		QM									
			5.64	20.26	14.62		P2QM									
			20.26	25.49	5.23		P1QM									
			25.49	25.76	0.27		K3QM									
			25.76	27.89	2.13		P1QM									
			27.89	28.04	0.15		AP									
			28.04	29.35	1.31		P2QM									
			29.34	30.25	0.91		S3QM									
			30.25	30.49	0.24		FKQM									
			30.49	34.42	3.93		P2QM									
			34.42	34.74	0.32		S4QM									
			34.74	34.89	0.15		Y3QV									
			34.89	35.35	0.46		GG									
			35.35	35.40	0.05		Y1QV									
			35.40	35.83	0.43		S4QM									
			35.83	36.09	0.26		K2QM									
			36.09	36.52	0.43		P2QM									
			36.52	37.17	0.65		K3QM									
			37.17	37.53	0.36		S3QM									
			37.53	39.01	1.48		S1QM									
			34.66	35.06	0.40			183-1			0.165				0.405	26.30
			35.06	35.95	0.89			183-2				0.078				12.40

PROPERTY: <u>ELK</u>	D.D.H. <u>SUD95184</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-10.7</u> AZIMUTH (t): <u>179.1</u>	DEPTH: <u>50.60</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3338.51</u>	DATE STARTED: <u>29-May-1995</u>
SECTION: <u>2260E</u>	EASTING: <u>2261.56</u>	DATE FINISHED: <u>29-May-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1581.61</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>96.54%</u> RQD: <u>46.82%</u> CORE STORED AT: <u>Elk Rack B Bay 17</u>		LOGGED BY: <u>B.Post/D.Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-10.7	179.1	.0	2.85	2.85		P10M									
25.30	-8.8	179.1	2.85	4.33	1.48		S20M									
			4.33	6.36	2.03		P10M									
			6.36	8.63	2.27		S10M									
			8.63	9.00	0.37		P10M									
			9.00	9.75	0.75		S20M									
			9.75	10.20	0.45		P10M									
			10.20	12.04	1.84		P20M									
			12.04	13.23	1.19		S20M									
			13.23	16.83	3.60		P20M									
			16.83	17.25	0.42		FK0M									
			17.25	38.40	21.15		P10M									
			38.40	38.72	0.32		S20M									
			38.72	43.60	4.88		P10M									
			43.60	44.16	0.56		S30M									
			44.16	44.38	0.22		P50M									
			44.38	44.60	0.22		Y10V									
			44.60	45.43	0.83		P40M									
			45.43	45.94	0.51		S20M									
			45.94	47.81	1.87		P20M									
			47.81	48.06	0.25		S20M									
			48.06	50.60	2.54		P20M									
			44.19	44.60	0.41			184-1				0.121				10.40
			44.60	45.43	0.83			184-2					00159			

PROPERTY ELK D.D.H. SUD95185 PAGE 1 OF 2
 AREA: Siwash North DIP: -23.6 AZIMUTH (t): 181.3 DEPTH: 42.37 m
 CLAIM: Elk 21 NORTHING: 3281.73 DATE STARTED: 28-May-1995
 SECTION: 2260E EASTING: 2261.78 DATE FINISHED: 28-May-1995
 CORE SIZE: NTW ELEVATION: 1526.79 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.24% ROD: 58.32% CORE STORED AT: Elk Rack B Bay 17 LOGGED BY: P.Conroy/B.Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-23.6	181.3	.0	8.63	8.63		GD									
13.57	-23.5	181.3	8.63	8.84	0.21		S1GD									
			8.84	9.29	0.45		P1GD									
			9.29	11.08	1.79		GD									
			11.08	11.13	0.05		AP									
			11.13	14.85	3.72		GD									
			14.85	17.12	2.27		P1GD									
			17.12	20.25	3.13		GD									
			20.25	20.40	0.15		F2GD									
			20.40	21.64	1.24		GD									
			21.64	22.00	0.36		S3GD									
			22.00	23.30	1.30		GD									
			23.30	23.71	0.41		P1GD									
			23.71	24.05	0.34		P4GD									
			24.05	24.39	0.34		S4GD									
			24.39	24.60	0.21		S5GD									
			24.60	25.54	0.94		K2GD									
			25.54	26.29	0.75		P1GD									
			26.29	27.26	0.97		S5GD									
			27.26	27.87	0.61		P4GD									
			27.87	28.59	0.72		K1GD									
			28.59	29.76	1.17		S3GD									
			29.76	30.00	0.24		S5GD									
			30.00	30.18	0.18		F5GD									
			30.18	30.70	0.52		Y20V									
			30.70	30.87	0.17		F5GD									
			30.87	31.25	0.38		P5GD									
			31.25	31.76	0.51		P2GD									
			31.76	33.09	1.33		P1GD									
			33.09	33.36	0.27		S5GD									
			33.36	35.21	1.85		P1GD									

(CONTD)

PROPERTY ELK D.D.H. SUD95186 PAGE 1 OF 2

AREA: SIWASH NORTH DIP: 49. AZIMUTH (t): 179.9 DEPTH: 30.18 m

CLAIM: ELK21 NORTHING: 3340.27 DATE STARTED: 29-May-1995

SECTION: 2260E EASTING: 2261.49 DATE FINISHED: 29-May-1995

CORE SIZE: NQ2 ELEVATION: 1584.25 CONTRACTOR: X

CORE RECOVERY: 94.00% RQD: 42.28% CORE STORED AT: XX LOGGED BY: X

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	49.	179.9	.0	1.90	1.90		P20M									
			1.90	2.84	0.94		K20M									
			2.84	6.12	3.28		P20M									
			6.12	8.14	2.02		P10M									
			8.14	11.72	3.58		P20M									
			11.72	14.52	2.80		P20M									
			14.52	14.85	0.33		F20M									
			14.85	20.06	5.21		P10M									
			20.06	20.35	0.29		F50M									
			20.35	20.40	0.05		GG									
			20.40	20.80	0.40		F50M									
			20.80	21.75	0.95		P20M									
			21.75	21.97	0.22		F50M									
			21.97	22.14	0.17		Y10V									
			22.14	22.40	0.26		F50M									
			22.40	23.39	0.99		P20M									
			23.39	24.14	0.75		F40M									
			24.14	24.81	0.67		P20M									
			24.81	25.26	0.45		F40M									
			25.26	25.33	0.07		Y10V									
			25.33	25.66	0.33		S40M									
			25.66	26.47	0.81		P20M									
			26.47	27.70	1.23		S40M									
			27.70	27.75	0.05		Y30V									
			27.75	30.18	2.43		P30M									
			20.06	20.80	0.74			186-1						00757		
			21.90	22.40	0.50			186-2			0.526				0.460	08.20
			25.05	25.35	0.30			186-3					0.147			03.50
			27.10	28.10	1.00			186-4					0.147			29.00

PROPERTY ELK D.D.H. SUD95187 PAGE 1 OF 1

AREA: Siwash North DIP: -16. AZIMUTH (t): 181.8 DEPTH: 11.89 m

CLAIM: Elk 21 NORTHING: 3281.78 DATE STARTED: 28-May-1995

SECTION: 2260E EASTING: 2261.78 DATE FINISHED: 29-May-1995

CORE SIZE: NIW ELEVATION: 1527.07 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.96% RQD: 69.72% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-16.	181.8	.0	4.80	4.80		GD									
			4.80	5.39	0.59		P2GD									
			5.39	7.85	2.46		P1GD									
					0.00											
			21.90	22.40	0.50			186-2			0.526				0.460	08.20
			25.05	25.35	0.30			186-3					0.147			03.50
			27.10	28.10	1.00			186-4					0.147			29.00

PROPERTY ELK D.D.H. SUD95188 PAGE 1 OF 1

AREA: Siwash North DIP: 74.0 AZIMUTH (t): 182.4 DEPTH: 32.00 m

CLAIM: Elk 21 NORTHING: 3341.06 DATE STARTED: 29-May-1995

SECTION: 2260E EASTING: 2261.48 DATE FINISHED: 30-May-1995

CORE SIZE: NQ2 ELEVATION: 1584.29 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 94.59% RQD: 39.03% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
.00	74.0	182.4	.0	3.91	3.91		P10M									
16.00	71.0	182.4	3.91	5.75	1.84		S20M									
			5.75	7.15	1.40		P10M									
			7.15	7.87	0.72		S20M									
			7.87	11.96	4.09		P10M									
			11.96	12.62	0.66		S20M									
			12.62	18.02	5.40		P10M									
			18.02	18.36	0.34		F40M									
			18.36	21.28	2.92		P10M									
			21.28	21.39	0.11		Y20V									
			21.39	22.06	0.67		S30M									
			22.07	22.99	0.92		F50M									
			22.99	24.58	1.59		P10M									
			24.58	24.73	0.15		F50M									
			24.73	28.25	3.52		P20M									
			28.25	28.76	0.51		F40M									
			28.76	30.11	1.35		S40M									
			30.11	32.00	1.89		P10M									
			21.23	21.55	0.32			188-1					0.011			02.40
			22.07	22.99	0.92			188-2						01510		
			24.50	24.80	0.30			188-3					0.146			04.10
			26.09	26.40	0.31			188-4						55600		
			28.28	28.76	0.48			188-5						02850		

PROPERTY ELK D.D.H. SUD95189 PAGE 1 OF 2

AREA: Siwash North DIP: -34. AZIMUTH (t): 181.1 DEPTH: 47.85 m

CLAIM: Elk 21 NORTHING: 3281.89 DATE STARTED: 29-May-1995

SECTION: 2260E EASTING: 2261.78 DATE FINISHED: 29-May-1995

CORE SIZE: NTW ELEVATION: 1526.62 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.65% RQD: 52.00% CORE STORED AT: Elk Rack B Bay 17 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-34.	181.1	.0	.96	0.96		P2GD									
			.96	2.91	1.95		PIGD									
			2.91	5.17	2.26		GD									
			5.17	5.96	0.79		PIGD									
			5.91	11.21	5.30		GD									
			11.21	12.12	0.91		STGD									
			12.12	16.02	3.90		GD									
			16.02	16.59	0.57		P2GD									
			16.59	17.10	0.51		PIGD									
			17.10	19.27	2.17		GD									
			19.27	22.33	3.06		PIGD									
			22.33	25.03	2.70		GD									
			25.03	27.92	2.89		PIGD									
			27.92	28.37	0.45		S3GD									
			28.37	28.87	0.50		P2GD									
			28.87	29.33	0.46		P3GD									
			29.33	30.28	0.95		P5GD									
			30.28	31.60	1.32		GD									
			31.60	33.90	2.30		P2GD									
			33.90	34.20	0.30		GD									
			34.20	36.10	1.90		PIGD									
			36.10	36.84	0.74		P2GD									
			36.84	37.15	0.31		P4GD									
			37.15	37.80	0.65		P2GD									
			37.80	38.60	0.80		PIGD									
			38.60	39.82	1.22		P2GD									
			39.82	40.54	0.72		P3GD									
			40.54	40.97	0.43		K3GD									
			40.97	41.30	0.33		P2GD									
			41.30	41.53	0.23		S3GD									
			41.53	41.80	0.27		P5GD									

CONTD

PROPERTY ELK D.D.H. SUD95189 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA		MIBK		Ag ppw	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppw		
			41.80	41.89	0.09		Y40V											
			41.89	42.40	0.51		P5GD											
			42.40	43.48	1.08		GG											
			43.48	44.78	1.30		P4GD											
			44.78	44.98	0.20		P4GD											
			44.98	45.49	0.51		K3GD											
			45.49	46.33	0.84		P2GD											
			46.33	46.95	0.62		P4GD											
			46.95	47.85	0.90		P2GD											
			41.59	42.06	0.47			189-1					0.526					
			42.06	42.40	0.34			189-2					0.007					01.50
			42.40	43.55	1.15			189-3							00177			

PROPERTY ELK D.D.H. SUD95190 PAGE 1 OF 2

AREA: Siwash North DIP: 80. AZIMUTH (t): 166.5 DEPTH: 24.08 m

CLAIM: Elk 21 NORTHING: 3331.19 DATE STARTED: 5-Jun-1995

SECTION: 2360E EASTING: 2357.63 DATE FINISHED: 5-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1571.03 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.68% RQD: 57.23% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Aq oz/t	Aq ppm
.00	80.	166.5	.0	7.54	7.54		P2QM									
			7.54	13.13	5.59		P2QM									
			13.13	13.98	0.85		S4QM									
			13.98	16.60	2.62		P5QM									
			16.60	17.01	0.41		VGQV									
			17.01	17.41	0.40		S3QM									
			17.41	17.76	0.35		P5QM									
			17.76	18.90	1.14		P2QM									
			18.90	19.17	0.27		S3QM									
			19.17	19.29	0.12		GG									
			19.29	19.78	0.49		P2QM									
			19.78	20.73	0.95		P5QM									
			20.73	21.19	0.46		K2QM									
			21.19	22.56	1.37		S3QM									
			22.56	24.08	1.52		P2QM									
			13.98	14.65	0.67			190-1						15200		
			14.90	15.72	0.82			190-2						07720		
			16.54	17.05	0.51			190-3			3.676				2.045	109.70
			19.06	19.37	0.31			190-4					0.013			03.90
			19.99	20.71	0.72			190-5						03110		

PROPERTY ELK D.D.H. SUD95191 PAGE 1 OF 1
 AREA: Siwash North DIP: 23. AZIMUTH (t): 186.8 DEPTH: 24.08 m
 CLAIM: Elk 21 NORTHING: 3291.20 DATE STARTED: 5-Jun-1995
 SECTION: 2240E EASTING: 2238.67 DATE FINISHED: 5-Jun-1995
 CORE SIZE: NTW ELEVATION: 1532.46 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 84.39% RQD: 59.55% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Aq ppm
.00	23.	186.8	.0	16.76	16.76		GD									
			16.76	17.00	0.24		P1GD									
			17.00	17.13	0.13		P4GD									
			17.13	17.35	0.22		VGQV									
			17.35	17.58	0.23		GG									
			17.58	18.29	0.71		P5GD									
			18.29	19.81	1.52		GD									
			19.81	20.10	0.29		S3GD									
			20.10	21.34	1.24		GD									
			17.13	17.45	0.32			191-1			5.893				2.865	

PROPERTY ELK D.D.H. SUD95192 PAGE 1 OF 1
 AREA: Siwash North DIP: 19. AZIMUTH (t): 180.5 DEPTH: 23.77 m
 CLAIM: Elk 21 NORTHING: 3329.62 DATE STARTED: 5-Jun-1995
 SECTION: 2360E EASTING: 2357.53 DATE FINISHED: 5-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1569.1 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.61% RQD: 64.28% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	19.	180.5	. 0	3.63	3.63		P20M									
			3.63	5.61	1.98		P10M									
			5.61	7.54	1.93		P20M									
			7.54	7.96	0.42		P10M									
			7.96	11.85	3.89		P20M									
			11.85	15.90	4.05		P10M									
			15.90	16.44	0.54		P20M									
			16.44	16.87	0.43		S30M									
			16.87	16.92	0.05		Y50V									
			16.92	17.80	0.88		P50M									
			17.80	18.56	0.76		S40M									
			18.56	18.93	0.37		P50M									
			18.93	19.27	0.34		VG0V									
			19.27	19.54	0.27		P50M									
			19.54	23.77	4.23		P20M									
			16.75	17.06	0.31			192-1			1.261				0.775	43.40
			17.06	17.80	0.74			192-2						00510		
			18.54	18.93	0.39			192-3						00540		
			18.93	19.27	0.34			192-4			16.584				3.040	173.4

PROPERTY ELK D.D.H. SUD95193 PAGE 1 OF 1
 AREA: Siwash North DIP: -16.9 AZIMUTH (t): 188.8 DEPTH: 36.27 m
 CLAIM: Elk 21 NORTHING: 3290.76 DATE STARTED: 5-Jun-1995
 SECTION: 2240E EASTING: 2238.64 DATE FINISHED: 5-Jun-1995
 CORE SIZE: NIW ELEVATION: 1531.12 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.70% RQD: 66.06% CORE STORED AT: Elk Rack B Bay 18 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-16.9	188.8	.0	13.00	13.00		GD									
18.14	-19.5	188.8	13.00	21.10	8.10		GD									
			21.10	21.95	0.85		P2GD									
			21.95	22.50	0.55		P1GD									
			22.50	22.95	0.45		P3GD									
			22.95	23.65	0.70		P1GD									
			23.65	26.84	3.19		P5GD									
			26.84	27.33	0.49		F5GD									
			27.33	27.39	0.06		Y3QV									
			27.39	28.08	0.69		F5GD									
			28.08	28.66	0.58		P5GD									
			28.66	29.20	0.54		P3GD									
			29.20	29.77	0.57		P2GD									
			29.77	36.27	6.50		GD									
			26.97	27.45	0.48			193-1					0.067			05.00

PROPERTY ELK D.D.H. SUD95195 PAGE 1 OF 1
 AREA: Siwash North DIP: 84.5 AZIMUTH (t): 006.1 DEPTH: 40.84 m
 CLAIM: Elk 21 NORTHING: 3293.50 DATE STARTED: 5-Jun-1995
 SECTION: 2240E EASTING: 2238.97 DATE FINISHED: 5-Jun-1995
 CORE SIZE: NTW ELEVATION: 1533.61 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.55% RQD: 76.90% CORE STORED AT: Elk Rack B Bay 19 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	84.5	006.1	.0	17.78	17.78		GD									
20.42	86.5	006.1	17.78	18.12	0.34		P1GD									
			18.12	18.29	0.17		GG									
			18.29	19.15	0.86		P1GD									
			19.15	21.31	2.16		GD									
			21.31	22.42	1.11		P1GD									
			22.42	23.23	0.81		P4GD									
			23.23	31.09	7.86		P1GD									
			31.09	33.87	2.78		GD									
			33.87	36.59	2.72		P1GD									
			36.59	37.15	0.56		P4GD									
			37.15	37.40	0.25		P4GD									
			37.40	37.66	0.26		Y1QV									
			37.66	37.84	0.18		GG									
			37.84	39.27	1.43		F5GD									
			39.27	39.78	0.51		P5GD									
			39.78	40.84	1.06		P2GD									
			37.34	37.88	0.54			195-1					0.922			46.00
			37.88	38.17	0.29			195-2						00960		

PROPERTY ELK D.D.H. SUD95196 PAGE 1 OF 1

AREA: Siwash North DIP: 62.7 AZIMUTH (t): 005.2 DEPTH: 37.19 m

CLAIM: Elk 21 NORTHING: 3332.51 DATE STARTED: 7-Jun-1995

SECTION: 2360E EASTING: 2357.72 DATE FINISHED: 7-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1571.29 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.27% RQD: 55.69% CORE STORED AT: Elk Rack B Bay 19 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	62.7	005.2	.0	4.01	4.01		P20M									
18.60	60.0	005.2	4.01	5.32	1.31		QM									
			5.32	6.43	1.11		P10M									
			6.43	8.49	2.06		P20M									
			8.49	8.93	0.44		S50M									
			8.93	21.16	12.23		P20M									
			21.16	22.52	1.36		P50M									
			22.52	25.70	3.18		P40M									
			25.70	28.22	2.52		S40M									
			28.22	28.64	0.42		VGOV									
			28.64	28.83	0.19		P50M									
			28.83	29.22	0.39		A30M									
			29.22	37.08	7.86		S30M									
			37.08	37.19	0.11		P5AP									
			28.16	28.80	0.64			196-1			2.651				1.150	69.70

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SUD95197 PAGE 1 OF 1

AREA: Siwash North DIP: 54. AZIMUTH (t): 188.5 DEPTH: 25.91 m

CLAIM: Elk 21 NORTHING: 3292.33 DATE STARTED: 6-Jun-1995

SECTION: 2240E EASTING: 2238.81 DATE FINISHED: 7-Jun-1995

CORE SIZE: NIW ELEVATION: 1533.57 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 97.14% RQD: 74.14% CORE STORED AT: Elk Rack B Bay 19 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metals			FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm		
.00	54.	188.5	.0	5.20	5.20		GD											
			5.20	6.20	1.00		P1GD											
			6.20	16.76	10.56		GD											
			16.76	17.35	0.59		P1GD											
			17.35	17.89	0.54		P3GD											
			17.89	18.31	0.42		F5GD											
			18.31	18.90	0.59		P5GD											
			18.90	19.18	0.28		S5GD											
			19.18	19.40	0.22		F5GD											
			19.40	19.74	0.34		Y1GV											
			19.74	19.86	0.12		F5GD											
			19.86	20.20	0.34		P4GD											
			20.20	21.21	1.01		GD											
			21.21	22.70	1.49		P1GD											
			22.70	25.91	3.21		GD											
			19.08	19.40	0.32			197-1								01240		
			19.40	19.76	0.36			197-2					0.345					50.80

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY: <u>ELK</u>	D.D.H. <u>SUD95198</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>76.</u>	DEPTH: <u>28.04</u> m
CLAIM: <u>Elk 21</u>	AZIMUTH (t): <u>010.2</u>	DATE STARTED: <u>7-Jun-1995</u>
SECTION: <u>2360E</u>	NORTHING: <u>3331.99</u>	DATE FINISHED: <u>8-Jun-1995</u>
CORE SIZE: <u>NQ2</u>	EASTING: <u>2357.72</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>94.51%</u>	ELEVATION: <u>1571.38</u>	LOGGED BY: <u>D. Ritcey</u>
RQD: <u>53.28%</u> CORE STORED AT: <u>Elk Rack B Bay 19</u>		
COMMENTS: <u>Hole SUD95-198 was drilled to outline mineable reserves. A quartz vein about 30 cm wide was intersected in the B zone. quartz vein about 30 cm wide was intersected in the B zone.</u>		
LCTM		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	PA	MIBR	Ag oz/t	Ag ppm
.00	76.	010.2	.0	1.55	1.55		P1QM									
			1.55	2.45	0.90		QM									
			2.45	3.60	1.15		P1QM									
			3.60	5.18	1.58		QM									
			5.18	7.30	2.12		P1QM									
			7.30	7.66	0.36		S2QM									
			7.66	8.28	0.62		P1QM									
			8.28	8.94	0.66		QM									
			8.94	10.85	1.91		P1QM									
			10.85	17.02	6.17		P2QM									
			17.02	17.62	0.60		P5QM									
			17.62	18.17	0.55		P2QM									
			18.17	18.54	0.37		S2QM									
			18.54	19.40	0.86		P2QM									
			19.40	19.70	0.30		S3QM									
			19.70	20.56	0.86		P5QM									
			20.56	20.88	0.32		Y3QV									
			20.88	21.16	0.28		P5QM									
			21.16	22.70	1.54		P2QM									
			22.70	23.20	0.50		K2QM									
			23.20	23.47	0.27		P2QM									
			23.47	24.62	1.15		P2QM									
			24.62	25.32	0.70		S4QM									
			25.32	25.94	0.62		P4QM									
			25.94	26.50	0.56		S4QM									
			26.50	28.04	1.54		S3QM									
			17.12	17.62	0.50	00.38		198-1						08590		
			19.96	20.56	0.60	00.49		198-2						06050		
			20.56	20.96	0.40	00.33		198-3					2.037			
								CONTD								

PROPERTY ELK D.D.H. SUD95198 PAGE 2 OF 1

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallurgy		FA	MIBK			
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			23.08	23.47	0.39	00.32		198-4							10970		

PROPERTY ELK D.D.H. SUD95199 PAGE 1 OF 1
 AREA: Siwash North DIP: -9 AZIMUTH (t): 188.1 DEPTH: 27.13 m
 CLAIM: Elk 21 NORTHING: 3290.94 DATE STARTED: 7-Jun-1995
 SECTION: 2240E EASTING: 2238.67 DATE FINISHED: 7-Jun-1995
 CORE SIZE: NTW ELEVATION: 1531.67 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.73% RQD: 70.29% CORE STORED AT: Elk Rack B Bay 19 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	-9	188.1	.0	13.12	13.12		GD										
			13.12	13.76	0.64		PIGD										
			13.76	14.65	0.89		GD										
			14.65	15.30	0.65		PIGD										
			15.30	16.46	1.16		SIGD										
			16.46	17.41	0.95		GD										
			17.41	17.98	0.57		PIGD										
			17.98	19.98	2.00		GD										
			19.98	20.38	0.40		PIGD										
			20.38	20.71	0.33		P5GD										
			20.71	21.36	0.65		GG										
			21.36	21.60	0.24		P4GD										
			21.60	23.72	2.12		PIGD										
			23.72	27.13	3.41		GD										
			20.65	21.38	0.73			199-1					0.016			03.60	

PROPERTY ELK D.D.H. SUD95200 PAGE 1 OF 1
 AREA: SIWASH NORTH DIP: 47. AZIMUTH (t): 176.3 DEPTH: 19.51 m
 CLAIM: ELK21 NORTHING: 3330.30 DATE STARTED: 8-Jun-1995
 SECTION: 2360 EASTING: 2357.63 DATE FINISHED: 8-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1570.09 CONTRACTOR: BOISVENUE DD LTD
 CORE RECOVERY: 97.64% RQD: 65.81% CORE STORED AT: ELK RACK B BAY 19 LOGGED BY: B. POST
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	47.	176.3	.0	6.74	6.74		P1QM									
			6.74	7.44	0.70		QM									
			7.44	9.08	1.64		P1QM									
			7.77	7.91	0.14		S4QM									
			9.08	9.80	0.72		QM									
			9.80	12.25	2.45		P2QM									
			12.25	12.60	0.35		S2QM									
			12.60	13.64	1.04		P2QM									
			13.64	13.96	0.32		S3QM									
			13.96	14.41	0.45		F5QM									
			14.41	14.48	0.07		Y4QV									
			14.48	15.13	0.65		F5QM									
			15.13	15.32	0.19		Y4QV									
			15.32	16.12	0.80		F5QM									
			16.12	19.51	3.39		P1QM									
			14.25	14.60	0.35			200-1								
			14.60	15.00	0.40			200-2								
			15.00	15.32	0.32			200-3								
			15.32	15.98	0.66			200-4								

PROPERTY ELK D.D.H. SUD95201 PAGE 1 OF 1

AREA: Siwash North DIP: -30.0 AZIMUTH (t): 188.8 DEPTH: 44.50 m
 CLAIM: Elk 21 NORTHING: 3290.75 DATE STARTED: 7-Jun-1995
 SECTION: 2240E EASTING: 2238.63 DATE FINISHED: 8-Jun-1995
 CORE SIZE: NIW ELEVATION: 1530.75 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.96% RQD: 63.93% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-30.0	188.8	.0	26.78	26.78		GD									
22.25	-31.0	188.8	26.78	28.39	1.61		P1GD									
			28.39	32.24	3.85		GD									
			32.24	34.94	2.70		P1GD									
			34.94	36.02	1.08		P2GD									
			36.02	36.99	0.97		S5GD									
			36.99	37.49	0.50		P5GD									
			37.49	38.01	0.52		Y1QV									
			38.01	38.29	0.28		P5GD									
			38.29	39.22	0.93		P5GD									
			39.22	39.88	0.66		S5GD									
			39.88	44.50	4.62		GD									
			37.01	37.49	0.48	00.34		201-1						00150		
			37.49	38.11	0.62	00.31		201-2				0.272				23.60

PROPERTY ELK D.D.H. SUD95202 PAGE 1 OF 1

AREA: Siwash North DIP: 1.1 AZIMUTH (t): 181.2 DEPTH: 33.22 m

CLAIM: Elk 21 NORTHING: 3329.74 DATE STARTED: 8-Jun-1995

SECTION: 2360E EASTING: 2357.52 DATE FINISHED: 8-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1568.39 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.81% RQD: 62.49% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	1.1	181.2	.0	4.01	4.01		P2QM									
16.61	.5	181.2	4.01	6.48	2.47		QM									
			6.48	8.17	1.69		P1QM									
			8.17	11.18	3.01		P2QM									
			11.18	16.51	5.33		P1QM									
			16.51	19.39	2.88		P2QM									
			19.39	19.97	0.58		S3QM									
			19.97	22.26	2.29		P2QM									
			22.26	23.32	1.06		S3QM									
			22.32	25.56	3.24		P2QM									
			25.56	26.77	1.21		S3QM									
			26.77	28.59	1.82		F5QM									
			28.59	29.10	0.51		S3QM									
			29.10	30.36	1.26		P2QM									
			30.36	30.83	0.47		S3QM									
			30.83	31.98	1.15		S2QM									
			31.98	33.22	1.24		S3QM									
			26.91	27.53	0.62	00.48		202-1					0.012			02.20

PROPERTY ELK D.D.H. SUD95203 PAGE 1 OF 2

AREA: Siwash North DIP: -34.6 AZIMUTH (t): 188.3 DEPTH: 57.61 m

CLAIM: Elk 21 NORTHING: 3290.84 DATE STARTED: 8-Jun-1995

SECTION: 2240E EASTING: 2238.65 DATE FINISHED: 9-Jun-1995

CORE SIZE: NIW ELEVATION: 1530.60 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.88% RQD: 66.15% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-34.6	188.3	.0	12.95	12.95		GD									
16.61	-34.5	188.3	12.45	13.80	1.35		P1GD									
45.42	-35.0	188.3	13.80	22.10	8.30		GD									
			22.10	24.60	2.50		P1GD									
			24.60	27.32	2.72		GD									
			27.32	28.68	1.36		P1GD									
			28.68	31.38	2.70		GD									
			31.38	31.99	0.61		P2GD									
			31.99	33.05	1.06		GD									
			33.05	36.35	3.30		P1GD									
			36.35	37.42	1.07		GD									
			37.42	39.60	2.18		P1GD									
			39.60	40.43	0.83		GD									
			40.43	40.84	0.41		P2GD									
			40.84	41.13	0.29		P1GD									
			41.13	41.60	0.47		P5GD									
			41.60	42.26	0.66		P5GD									
			42.26	42.95	0.69		P5GD									
			42.95	43.30	0.35		P5GD									
			43.30	43.40	0.10		Y3QV									
			43.40	43.89	0.49		P5GD									
			43.89	44.96	1.07		S5GD									
			44.96	45.33	0.37		P4GD									
			45.33	47.58	2.25		GD									
			47.58	49.90	2.32		P2GD									
			49.90	50.65	0.75		P3GD									
			50.65	55.03	4.38		GD									
			55.03	55.54	0.51		K1AP									
			55.54	56.00	0.46		P1QM									
			56.00	57.61	1.61		GD									

CONTD

PROPERTY ETK D.D.H. SUD95203 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			41.60	42.25	0.65	00.42		203-1						02500		
			43.00	43.30	0.30	00.13		203-2						00470		
			43.30	43.65	0.35	00.15		203-3					0.207			14.70

PROPERTY ETK D.D.H. SUD95204 PAGE 1 OF 2
 AREA: Siwash North DIP: 64. AZIMUTH (t): 085.0 DEPTH: 23.77 m
 CLAIM: Elk 21 NORTHING: 3333.02 DATE STARTED: 8-Jun-1995
 SECTION: 2370E EASTING: 2355.45 DATE FINISHED: 8-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1571.07 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.85% RQD: 61.93% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	64.	085.0	.0	3.71	3.71		P1QM									
			3.71	5.26	1.55		QM									
			5.26	11.06	5.80		P1QM									
			11.06	12.75	1.69		QM									
			12.75	15.53	2.78		P1QM									
			15.53	15.88	0.35		S2QM									
			15.88	16.23	0.35		P4QM									
			16.23	16.63	0.40		S2QM									
			16.63	18.23	1.60		S3QM									
			18.23	18.91	0.68		P5QM									
			18.91	19.22	0.31		VGQV									
			19.22	19.58	0.36		S3QM									
			19.58	20.73	1.15		P2QM									
			20.73	21.35	0.62		S2QM									
			21.35	23.53	2.18		P1QM									
			23.53	23.77	0.24		S2QM									
			18.24	18.86	0.62	00.31		204-1					0.037			03.20
			18.86	19.21	0.35	00.18		204-2			2.119			1.975		

PROPERTY ELK D.D.H. SUD95205 PAGE 1 OF 1
 AREA: Siwash North DIP: -4. AZIMUTH (t): 187.5 DEPTH: 28.96 m
 CLAIM: Elk 21 NORTHING: 3298.26 DATE STARTED: 9-Jun-1995
 SECTION: 2220E EASTING: 2218.02 DATE FINISHED: 9-Jun-1995
 CORE SIZE: NTW ELEVATION: 1534.91 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.61% RQD: 60.95% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-4.	187.5	.0	1.82	1.82		P1GD									
			1.82	4.40	2.58		GD									
			4.40	5.97	1.57		P1GD									
			5.97	6.50	0.53		P2GD									
			6.50	7.00	0.50		S4GD									
			7.00	7.92	0.92		P2GD									
			7.92	18.67	10.75		GD									
			18.67	19.70	1.03		P1GD									
			19.70	20.08	0.38		P3GD									
			20.08	21.50	1.42		P1GD									
			21.50	22.07	0.57		P3GD									
			22.07	22.47	0.40		P5GD									
			22.47	23.45	0.98		S5GD									
			23.45	23.90	0.45		GG									
			23.90	24.10	0.20		Y1QV									
			24.10	24.25	0.15		F5GD									
			24.25	24.80	0.55		P5GD									
			24.80	28.40	3.60		GD									
			28.40	28.96	0.56		P1GD									
			23.65	24.17	0.52	00.37		205-1					0.182			06.20

PROPERTY ELK D.D.H. SUD95206 PAGE 1 OF 1

AREA: Siwash North DIP: 21. AZIMUTH (t): 170.5 DEPTH: 25.60 m

CLAIM: Elk 21 NORTHING: 3329.67 DATE STARTED: 9-Jun-1995

SECTION: 2370E EASTING: 2357.64 DATE FINISHED: 9-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1569.12 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 94.06% RQD: 59.38% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	21.	170.5	.0	4.33	4.33		P1QM									
			4.33	5.98	1.65		QM									
			5.98	6.43	0.45		P2QM									
			6.43	9.68	3.25		P1QM									
			9.68	11.02	1.34		QM									
			11.02	14.85	3.83		P1QM									
			14.85	16.30	1.45		QM									
			16.30	17.20	0.90		P1QM									
			17.20	17.73	0.53		S2QM									
			17.73	18.12	0.39		P5QM									
			18.12	19.70	1.58		P2QM									
			19.70	20.41	0.71		P5QM									
			20.41	20.72	0.31		Y2QV									
			20.72	21.05	0.33		P5QM									
			21.05	23.16	2.11		P2QM									
			23.09	23.16	0.07		VGQV									
			23.22	24.38	1.16		S4QM									
			24.38	25.60	1.22		P1QM									
			17.73	18.10	0.37	00.32		206-1					01240			
			19.16	19.51	0.35	00.30		206-2					00120			
			19.81	20.41	0.60	00.56		206-3					04660			
			20.41	20.72	0.31	00.29		206-4				1.616			67.80	
			20.72	21.02	0.30	00.28		206-5					08480			
			23.05	23.65	0.60	00.52		206-6				0.271			10.60	

PROPERTY ELK D.D.H. SUD95207 PAGE 1 OF 1
 AREA: Siwash North DIP: 52. AZIMUTH (t): 186.1 DEPTH: 25.91 m
 CLAIM: Elk 21 NORTHING: 3299.39 DATE STARTED: 10-Jun-1995
 SECTION: 2220E EASTING: 2218.19 DATE FINISHED: 10-Jun-1995
 CORE SIZE: NIW ELEVATION: 1536.88 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.13% RQD: 58.28% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	52.	186.1	.0	4.84	4.84		GD									
			4.84	5.85	1.01		P1GD									
			5.85	17.30	11.45		GD									
			17.30	18.65	1.35		P5GD									
			18.65	19.03	0.38		P5GD									
			19.03	19.40	0.37		S3GD									
			19.40	21.42	2.02		P5GD									
			21.42	22.67	1.25		S5GD									
			22.67	25.91	3.24		GD									
			18.70	19.03	0.33	00.25		207-1					0.039			06.40

PROPERTY ELK D.D.H. SUD95208 PAGE 1 OF 1
 AREA: Siwash North DIP: 17. AZIMUTH (t): 180.4 DEPTH: 28.35 m
 CLAIM: Elk 21 NORTHING: 3327.28 DATE STARTED: 9-Jun-1995
 SECTION: 2290E EASTING: 2289.54 DATE FINISHED: 9-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1579.07 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.79% RQD: 55.24% CORE STORED AT: Elk Rack B Bay 20 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	17.	180.4	.0	.58	0.58		P20M									
			.58	3.10	2.52		OM									
			3.10	5.99	2.89		P10M									
			5.99	11.54	5.55		P20M									
			11.54	12.05	0.51		F30M									
			12.05	16.03	3.98		P20M									
			16.03	23.56	7.53		S30M									
			23.56	24.55	0.99		F50M									
			24.55	25.08	0.53		Y10V									
			25.08	25.20	0.12		F50M									
			25.20	26.27	1.07		S20M									
			26.27	26.54	0.27		F40M									
			26.54	26.84	0.30		GG									
			26.84	28.35	1.51		FK0M									
			16.74	17.36	0.62	00.51		208-1						03620		
			23.68	24.43	0.75	00.58		208-2						00340		
			24.43	25.08	0.65	00.50		208-3					0.302			08.60

PROPERTY ELK D.D.H. SUD95209 PAGE 1 OF 2
 AREA: Siwash North DIP: -29.0 AZIMUTH (t): 188.7 DEPTH: 48.16 m
 CLAIM: Elk 21 NORTHING: 3298.24 DATE STARTED: 10-Jun-1995
 SECTION: 2220E EASTING: 2218.00 DATE FINISHED: 10-Jun-1995
 CORE SIZE: NTW ELEVATION: 1534.24 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.55% RQD: 76.90% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-29.0	188.7	.0	3.95	3.95		GD									
12.04	-29.0	188.7	3.95	5.00	1.05		P1GD									
36.12	-29.5	188.7	5.00	12.10	7.10		GD									
			12.10	12.70	0.60		P1GD									
			12.70	14.80	2.10		GD									
			14.80	15.06	0.26		P1GD									
			15.06	17.65	2.59		GD									
			17.65	21.65	4.00		P1GD									
			21.65	23.80	2.15		GD									
			23.80	25.18	1.38		P1GD									
			25.18	26.55	1.37		P2GD									
			26.55	27.13	0.58		P3GD									
			27.13	28.30	1.17		P2GD									
			28.30	28.87	0.57		GD									
			28.87	29.35	0.48		P2GD									
			29.35	31.60	2.25		GD									
			31.60	32.30	0.70		P1GD									
			32.30	32.95	0.65		P3GD									
			32.95	33.92	0.97		P2GD									
			33.92	34.65	0.73		P4GD									
			34.65	35.68	1.03		S3GD									
			35.68	36.16	0.48		S5GD									
			36.16	36.60	0.44		GG									
			36.60	37.05	0.45		F5GD									
			37.05	37.38	0.33		GG									
			37.38	37.73	0.35		S5GD									
			37.73	38.35	0.62		P5GD									
			38.35	38.60	0.25		S4GD									
			38.60	40.25	1.65		P1GD									
			40.25	48.16	7.91		GD									

CONTD

PROPERTY ET.K D.D.H. SUD95209 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	metallies				
												Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
			36.00	36.75	0.75	00.43		209-1				0.031			04.40	
			36.75	37.50	0.75	00.38		209-2				0.012			02.50	

PROPERTY ELK D.D.H. SUD95210 PAGE 1 OF 2
 AREA: Siwash North DIP: 68.4 AZIMUTH (t): 001.2 DEPTH: 40.84 m
 CLAIM: Elk 21 NORTHING: 3329.74 DATE STARTED: 9-Jun-1995
 SECTION: 2290E EASTING: 2289.56 DATE FINISHED: 10-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1580.53 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 93.83% RQD: 58.33% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	68.4	001.2	. 0	5.21	5.21		P1QM									
20.42	66.0	001.2	5.21	5.97	0.76		P2QM									
			5.97	8.18	2.21		P1QM									
			8.18	8.73	0.55		F5QM									
			8.73	11.40	2.67		P1QM									
			11.40	13.18	1.78		P2QM									
			13.18	15.19	2.01		P1QM									
			15.19	15.75	0.56		S3QM									
			15.75	17.68	1.93		P1QM									
			17.68	22.49	4.81		P2QM									
			22.49	23.71	1.22		S2QM									
			23.71	25.31	1.60		P3QM									
			25.31	25.94	0.63		S4QM									
			25.94	26.40	0.46		P3QM									
			26.40	27.13	0.73		F3QM									
			27.13	27.77	0.64		P2QM									
			27.77	29.23	1.46		A3QM									
			29.23	36.76	7.53		P2QM									
			36.76	36.90	0.14		Y3QV									
			36.90	37.80	0.90		MI									
			37.80	38.69	0.89		S2QM									
			38.69	39.84	1.15		P1QM									
			39.84	40.84	1.00		FKQM									
			24.62	24.95	0.33	00.25		210-1					0.170			14.40
			36.60	36.91	0.31	00.24		210-2					0.084			08.10

PROPERTY ELK D.D.H. SUD95211 PAGE 1 OF 1
 AREA: Siwash North DIP: -37.2 AZIMUTH (t): 181.1 DEPTH: 49.99 m
 CLAIM: Elk 21 NORTHING: 3302.84 DATE STARTED: 11-Jun-1995
 SECTION: 2200E EASTING: 2199.42 DATE FINISHED: 11-Jun-1995
 CORE SIZE: NIW ELEVATION: 1537.71 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.98% RQD: 49.51% CORE STORED AT: Elk Rack B Bay 22 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-37.2	181.1	.0	27.88	27.88		GD									
12.04	-37.3	181.1	27.88	31.35	3.47		P1GD									
37.04	-36.5	181.1	31.35	36.13	4.78		GD									
			36.13	39.03	2.90		P3GD									
			39.03	40.24	1.21		P5GD									
			40.24	43.65	3.41		S3GD									
			43.65	44.93	1.28		P3GD									
			44.93	45.93	1.00		P2GD									
			45.93	49.18	3.25		GD									
			49.18	49.99	0.81		S5GD									
			43.03	43.46	0.43	00.28		211-1				0.024				03.30

PROPERTY ELK D.D.H. SUD95212 PAGE 1 OF 2

AREA: Siwash North DIP: 59.1 AZIMUTH (t): 001.6 DEPTH: 48.77 m

CLAIM: Elk 21 NORTHING: 3329.87 DATE STARTED: 10-Jun-1995

SECTION: 2290E EASTING: 2289.58 DATE FINISHED: 10-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1580.45 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.24% RQD: 56.80% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	59.1	001.6	.0	4.77	4.77		QM									
13.72	58.0	001.6	4.77	5.70	0.93		P1QM									
38.10	57.8	001.6	5.70	8.30	2.60		QM									
			8.30	9.68	1.38		P1QM									
			9.68	10.67	0.99		S3QM									
			10.67	12.40	1.73		P1QM									
			12.40	13.50	1.10		QM									
			13.50	14.20	0.70		P1QM									
			14.20	14.93	0.73		QM									
			14.93	15.26	0.33		S3QM									
			15.26	16.89	1.63		P1QM									
			16.89	18.07	1.18		P2QM									
			18.07	18.51	0.44		F3QM									
			18.51	19.27	0.76		P4QM									
			19.27	21.28	2.01		P2QM									
			21.28	21.82	0.54		S3QM									
			21.82	24.80	2.98		P2QM									
			24.80	25.30	0.50		S3QM									
			25.30	26.37	1.07		P2QM									
			26.37	28.00	1.63		S4QM									
			28.00	29.06	1.06		F2QM									
			29.06	30.29	1.23		P2QM									
			30.29	30.47	0.18		Y1QV									
			30.47	30.85	0.38		F5QM									
			30.85	31.90	1.05		P2QM									
			31.90	32.20	0.30		S4QM									
			32.20	32.54	0.34		F5QM									
			32.54	34.83	2.29		S5QM									
			34.83	35.00	0.17		F5QM									
			35.00	35.05	0.05		Y3QV									
			35.05	35.50	0.45		F2QM									

CONTD

PROPERTY ELK D.D.H. SUD95212 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			35.50	36.18	0.68		S30M										
			36.18	44.62	8.44		P20M										
			44.62	45.20	0.58		F50M										
			45.20	48.77	3.57		P20M										
			30.21	30.70	0.49	00.30		212-1					0.062				02.60
			32.20	32.56	0.36	00.21		212-2						02660			
			34.84	35.17	0.33	00.21		212-3					0.181				08.90

PROPERTY ELK D.D.H. SUD95213 PAGE 1 OF 2

AREA: Siwash North DIP: 11. AZIMUTH (I): 181.1 DEPTH: 24.08 m

CLAIM: Elk 21 NORTHING: 3302.53 DATE STARTED: 11-Jun-1995

SECTION: 2200E EASTING: 2199.41 DATE FINISHED: 11-Jun-1995

CORE SIZE: NIW ELEVATION: 1539.15 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 93.52% ROD: 47.72% CORE STORED AT: Elk Rack B Bay 22 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	11.	181.1	.0	1.10	1.10		GD									
			1.10	1.40	0.30		P3GD									
			1.40	2.55	1.15		P1GD									
			2.55	9.80	7.25		GD									
			9.80	11.80	2.00		P2GD									
			11.80	13.80	2.00		GD									
			13.80	14.30	0.50		P2GD									
			14.30	14.85	0.55		GD									
			14.85	15.35	0.50		P4GD									
			15.35	16.90	1.55		S4GD									
			16.90	17.43	0.53		P4GD									
			17.43	18.05	0.62		P1GD									
			18.05	18.40	0.35		P3GD									
			18.40	18.74	0.34		P4GD									
			18.74	19.70	0.96		S5GD									
			19.70	20.05	0.35		Y1QV									
			20.05	20.30	0.25		GG									
			20.30	20.60	0.30		F5GD									
			20.60	21.18	0.58		P4GD									
			21.18	21.91	0.73		P2GD									
			21.91	24.08	2.17		GD									
			19.60	20.05	0.45	00.39		213-1					0.284			13.20
			20.05	20.53	0.48	00.42		213-2					0.062			86.20

PROPERTY ELK D.D.H. SUD95214 PAGE 1 OF 1

AREA: Siwash North DIP: 2.5 AZIMUTH (t): 180.3 DEPTH: 35.97 m

CLAIM: Elk 21 NORTHING: 3327.22 DATE STARTED: 11-Jun-1995

SECTION: 2290E EASTING: 2289.54 DATE FINISHED: 11-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1578.36 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.89% RQD: 50.63% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	2.5	180.3	.0	1.60	1.60		OM									
17.99	2.5	180.3	1.60	2.64	1.04		S3QM									
			2.64	8.47	5.83		P1QM									
			8.47	10.07	1.60		FKQM									
			10.07	20.55	10.48		P2QM									
			20.55	21.80	1.25		F3QM									
			21.80	23.59	1.79		P2QM									
			23.59	23.92	0.33		FKQM									
			23.92	27.04	3.12		P2QM									
			27.04	27.86	0.82		P2QM									
			27.86	31.15	3.29		F5QM									
			31.15	31.45	0.30		P2QM									
			31.45	32.00	0.55		S4QM									
			32.00	32.40	0.40		F3QM									
			32.40	32.92	0.52		F5QM									
			32.92	33.04	0.12		OV									
			33.04	33.40	0.36		S4QM									
			33.40	33.80	0.40		S2QM									
			33.80	34.74	0.94		P2QM									
			34.74	35.02	0.28		S3QM									
			35.02	39.97	4.95		P2QM									
			27.86	28.66	0.80	00.40		214-1						08040		
			28.66	29.60	0.94	00.47		214-2						07350		
			30.00	31.15	1.15	00.49		214-3						02020		
			32.39	32.72	0.33	00.29		214-4						06870		
			32.72	33.05	0.33	00.27		214-5					0.033			07.50

PROPERTY: <u>ELK</u>	D.D.H. <u>SUD95215</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>37.</u> AZIMUTH (t): <u>180.2</u>	DEPTH: <u>26.52</u> m
CLAIM: <u>Elk21</u>	NORTHING: <u>3302.67</u>	DATE STARTED: <u>11-Jun-1995</u>
SECTION: <u>2200E</u>	EASTING: <u>2199.43</u>	DATE FINISHED: <u>12-Jun-1995</u>
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1540.38</u>	CONTRACTOR: <u>Boisvenue Drilling</u>
CORE RECOVERY: <u>97.21%</u> RQD: <u>61.16%</u> CORE STORED AT: <u>Siwash North Rack</u>		LOGGED BY: <u>B. Post</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	37.	180.2	.0	14.06	14.06		GD									
			14.06	14.90	0.84		S2GD									
			14.90	16.25	1.35		GD									
			16.25	16.87	0.62		P2GD									
			16.87	17.74	0.87		P5GD									
			17.74	18.02	0.28		P5GD									
			18.02	18.53	0.51		S3GD									
			18.53	18.82	0.29		P5GD									
			18.82	20.42	1.60		P2GD									
			20.42	26.52	6.10		GD									
			17.74	18.03	0.29	00.22		215-1						00140		
			18.52	18.83	0.31	00.31		215-2					0.040			05.50

PROPERTY ELK D.D.H. SUD95216 PAGE 1 OF 1
 AREA: Siwash North DIP: 42. AZIMUTH (t): 180.3 DEPTH: 24.38 m
 CLAIM: Elk 21 NORTHING: 3328.04 DATE STARTED: 11-Jun-1995
 SECTION: 2290E EASTING: 2289.55 DATE FINISHED: 11-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1580.07 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.08% RQD: 61.94% CORE STORED AT: Elk Rack B Bay 21 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	42.	180.3	.0	7.33	7.33		P1QM									
			7.33	8.93	1.60		P2QM									
			8.93	11.53	2.60		P1QM									
			11.53	13.25	1.72		F3QM									
			13.25	16.94	3.69		P2QM									
			16.94	18.17	1.23		F3QM									
			18.17	18.95	0.78		F5QM									
			18.95	19.25	0.30		Y1QV									
			19.25	19.73	0.48		F3QM									
			19.73	21.42	1.69		P2QM									
			21.42	22.04	0.62		F4QM									
			22.04	22.36	0.32		Y5QV									
			22.36	22.69	0.33		F5QM									
			22.69	24.38	1.69		P3QM									
			18.90	19.23	0.33	00.30		216-1					0.019			02.40
			21.98	22.52	0.54	00.49		216-2			1.609			0.975		53.00

PROPERTY ELK D.D.H. SUD95217 PAGE 1 OF 1
 AREA: Siwash North DIP: 19. AZIMUTH (t): 184.4 DEPTH: 21.03 m
 CLAIM: Elk 21 NORTHING: 3306.80 DATE STARTED: 12-Jun-1995
 SECTION: 2180E EASTING: 2181.15 DATE FINISHED: 12-Jun-1995
 CORE SIZE: NTW ELEVATION: 1542.14 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 92.91% RQD: 65.10% CORE STORED AT: Elk Rack B Bay 22 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	19.	184.4	.0	.50	0.50		GD									
			.50	1.10	0.60		P1GD									
			1.10	8.95	7.85		GD									
			8.95	9.70	0.75		P1GD									
			9.70	10.80	1.10		P2GD									
			15.90	16.55	0.65		P3GD									
			16.55	16.99	0.44		P5GD									
			16.99	17.09	0.10		Y1GV									
			17.09	17.29	0.20		MI									
			17.29	17.45	0.16		GG									
			17.45	17.62	0.17		P5GD									
			17.62	17.94	0.32		P5GD									
			17.94	18.85	0.91		P4GD									
			18.85	20.33	1.48		P2GD									
			20.33	21.03	0.70		GD									
			16.65	16.99	0.34			217-1					0.025			02.50
			16.99	17.55	0.56	00.56		217-2					0.297			11.60

PROPERTY: <u>ELK</u>	D.D.H.: <u>SUD95218</u>	PAGE: <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>82.</u>	DEPTH: <u>28.96</u> m
CLAIM: <u>Elk 21</u>	AZIMUTH (t): <u>003.3</u>	DATE STARTED: <u>11-Jun-1995</u>
SECTION: <u>2290E</u>	NORTHING: <u>3329.33</u>	DATE FINISHED: <u>11-Jun-1995</u>
CORE SIZE: <u>NQ2</u>	EASTING: <u>2289.57</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>94.27%</u>	ELEVATION: <u>1580.64</u>	LOGGED BY: <u>D. Ritcey</u>
CORE STORED AT: <u>Elk Rack B Bay 22</u>		
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	82.	003.3	.0	3.30	3.30		P1QM									
			3.30	4.40	1.10		QM									
			4.40	6.42	2.02		P1QM									
			6.42	6.92	0.50		S2QM									
			6.92	7.23	0.31		F3QM									
			7.23	9.76	2.53		P2QM									
			9.76	10.90	1.14		P1QM									
			10.90	12.37	1.47		QM									
			12.37	13.30	0.93		F2QM									
			13.30	14.25	0.95		P1QM									
			14.25	14.62	0.37		S3QM									
			14.62	15.80	1.18		P1QM									
			15.80	16.30	0.50		QM									
			16.30	18.35	2.05		P1QM									
			18.35	19.31	0.96		QM									
			19.31	19.66	0.35		F2QM									
			19.66	20.18	0.52		S2QM									
			20.18	20.28	0.10		Y1QV									
			20.28	20.55	0.27		F5QM									
			20.55	21.24	0.69		P1QM									
			21.24	21.31	0.07		Y2QV									
			21.31	22.29	0.98		P1QM									
			22.29	22.52	0.23		F5QM									
			22.52	23.04	0.52		P2QM									
			23.04	23.24	0.20		F5QM									
			23.24	23.75	0.51		P2QM									
			23.75	24.02	0.27		F5QM									
			24.02	27.57	3.55		P1QM									
			27.57	28.96	1.39		S3QM									

CONTD

PROPERTY ELK D.D.H. SUD95218 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			20.13	20.49	0.36	00.30		218-1					0.067				04.10
			21.16	21.47	0.31	00.25		218-2					0.025				01.70
			22.25	22.56	0.31	00.30		218-3						00950			
			22.98	23.28	0.30	00.23		218-4						00500			
			23.67	24.05	0.38	00.33		218-5						00380			

PROPERTY ELK D.D.H. SUD95219 PAGE 1 OF 2
 AREA: Siwash North DIP: -25.7 AZIMUTH (t): 183.3 DEPTH: 34.44 m
 CLAIM: Elk 21 NORTHING: 3306.83 DATE STARTED: 12-Jun-1995
 SECTION: A EASTING: 2181.19 DATE FINISHED: 13-Jun-1995
 CORE SIZE: _____ ELEVATION: 1540.50 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.79% RQD: 58.68% CORE STORED AT: Elk Rack B Bay 22 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-25.7	183.3	.0	.38	0.38		F5GD									
17.52	-25.5	183.3	.38	1.14	0.76		GD									
			1.14	1.54	0.40		F5GD									
			1.54	4.70	3.16		GD									
			4.70	6.80	2.10		P1GD									
			6.80	9.10	2.30		GD									
			9.10	10.20	1.10		P1GD									
			10.20	15.32	5.12		GD									
			15.32	15.90	0.58		K2GD									
			15.90	17.20	1.30		GD									
			17.20	18.29	1.09		P1GD									
			18.29	19.50	1.21		P2GD									
			19.50	20.63	1.13		P1GD									
			20.63	22.68	2.05		GD									
			22.68	24.41	1.73		P2GD									
			24.41	25.28	0.87		S4GD									
			25.28	25.50	0.22		P5GD									
			25.50	25.91	0.41		P4GD									
			25.91	26.47	0.56		S5GD									
			26.47	26.70	0.23		GG									
			26.70	27.48	0.78		P4GD									
			27.48	28.40	0.92		GD									
			28.40	28.90	0.50		P3GD									
			28.90	31.53	2.63		P1GD									
			31.53	32.15	0.62		S5GD									
			32.15	33.83	1.68		P3GD									
			33.83	34.44	0.61		S4GD									
			26.31	26.73	0.42			219-1				0.012			00.90	

PROPERTY ELK D.D.H. SUD95221 PAGE 2 OF 1

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD <small>metallies</small>													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
			50.35	50.71	0.36			221-7								
			51.71	52.35	0.64			221-8					0.107	00670		05.60

PROPERTY	ELK	D.D.H.	SUD95222	PAGE	1	OF	1
AREA:	Siwash North	DIP:	-25.	AZIMUTH (t):	181.0	DEPTH:	24.99 m
CLAIM:	Elk 21	NORTHING:	3330.7	DATE STARTED:	12-Jun-1995	DATE FINISHED:	12-Jun-1995
SECTION:	E	EASTING:	2150	CONTRACTOR:	Boisvenu Drilling L	LOGGED BY:	D. Ritcey
CORE SIZE:	NQ	ELEVATION:	1595	CORE RECOVERY:	97.12%	RQD:	42.22%
CORE STORED AT:				Elk Rack B Bay 22			
COMMENTS: Hole SUD95-222 was drilled in error at the wrong azimuth. A 2 cm quartz vein with adjacent phyllite alteration was intersected.							

ICPM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK	Ag	
.00	-25.	181.0	.0	5.74	5.74		P2QM				Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			21.95	22.47	0.52			222-1						00560		

PROPERTY ELK D.D.H. SUD95223 PAGE 1 OF 1
 AREA: Siwash North DIP: -37.0 AZIMUTH (t): 181.7 DEPTH: 45.42 m
 CLAIM: Elk 21 NORTHING: 3306.84 DATE STARTED: 13-Jun-1995
 SECTION: 2180E EASTING: 2181.23 DATE FINISHED: 14-Jun-1995
 CORE SIZE: NTW ELEVATION: 1540.31 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.17% ROD: 66.25% CORE STORED AT: Elk Rack B Bay 23 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-223 was drilled to outline mineable reserves. A 14 cm quartz vein was intercepted in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
.00	-37.0	181.7	.0	31.65	31.65		GD									
22.71	-35.0	181.7	31.65	32.57	0.92		P2GD									
			32.57	33.30	0.73		S5GD									
			33.30	33.44	0.14		Y3QV									
			33.44	33.61	0.17		P5GD									
			33.61	33.73	0.12		GG									
			33.73	34.44	0.71		S5GD									
			34.44	35.24	0.80		S2GD									
			35.24	35.90	0.66		P1GD									
			35.90	44.33	8.43		GD									
			44.33	45.42	1.09		P2GD									
			33.30	33.73	0.43			223-1					0.104			06.90

PROPERTY: <u>ELK</u>	D.D.H.: <u>SUD95224</u>	PAGE: <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>55.9</u>	DEPTH: <u>33.22</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3330.13</u>	DATE STARTED: <u>13-Jun-1995</u>
SECTION: <u>2250E</u>	EASTING: <u>2250.41</u>	DATE FINISHED: <u>13-Jun-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1598.13</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>92.93%</u> RQD: <u>40.13%</u>	CORE STORED AT: <u>Elk Rack B Bay 23</u>	
LOGGED BY: <u>B. Post</u>		
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	55.9	359.7	.0	3.41	3.41		P2QM									
16.61	53.0	359.7	3.41	4.01	0.60		F4QM									
			4.01	6.36	2.35		P2QM									
			6.36	8.03	1.67		P3QM									
			8.03	8.66	0.63		S2QM									
			8.66	9.50	0.84		P3QM									
			9.50	9.70	0.20		F5QM									
			9.70	9.95	0.25		Y5QV									
			9.95	10.27	0.32		F5QM									
			10.27	10.42	0.15		Y4QV									
			10.42	11.95	1.53		P3QM									
			11.95	18.61	6.66		P2QM									
			18.61	20.32	1.71		S2QM									
			20.32	24.67	4.35		P2QM									
			24.67	25.61	0.94		K3QM									
			25.61	26.37	0.76		F5QM									
			26.37	26.58	0.21		Y1QV									
			26.58	27.13	0.55		F5QM									
			27.13	28.37	1.24		F3QM									
			28.37	31.08	2.71		S4QM									
			31.08	33.22	2.14		P2QM									
			3.54	3.85	0.31			224-1				0.044				02.70
			9.64	10.11	0.47			224-2			0.390			0.195		21.80
			10.11	10.65	0.54			224-3			0.521			0.261		07.00
			26.28	26.96	0.68			224-4					0.037			06.10
			26.96	27.50	0.54			224-5					0.030			06.90

PROPERTY ELK D.D.H. SUD95226 PAGE 1 OF 1
 AREA: Siwash North DIP: 84. AZIMUTH (t): 352.9 DEPTH: 24.38 m
 CLAIM: Elk 21 NORTHING: 3329.13 DATE STARTED: 13-Jun-1995
 SECTION: E EASTING: 2250.38 DATE FINISHED: 13-Jun-1995
 CORE SIZE: NQ ELEVATION: 1598.12 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 92.25% ROD: 26.58% CORE STORED AT: Elk Rack B Bay 23 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	84.	352.9	.0	2.01	2.01		P20M									
			2.01	2.08	0.07		Y20V									
			2.08	2.74	0.66		F50M									
			2.74	4.38	1.64		P20M									
			4.38	5.30	0.92		F50M									
			5.30	5.95	0.65		S30M									
			5.95	6.33	0.38		Y10V									
			6.33	6.70	0.37		F50M									
			6.70	7.47	0.77		P20M									
			7.47	7.97	0.50		S30M									
			7.97	8.70	0.73		P20M									
			8.70	10.65	1.95		S30M									
			10.65	12.66	2.01		P20M									
			12.66	12.72	0.06		Y10V									
			12.72	13.42	0.70		F50M									
			13.42	13.92	0.50		P20M									
			13.92	14.40	0.48		PKOM									
			14.40	14.87	0.47		GG									
			14.87	15.19	0.32		VG0V									
			15.19	15.50	0.31		F50M									
			15.50	21.34	5.84		P20M									
			21.34	23.40	2.06		S30M									
			23.40	24.38	0.98		P20M									
			1.93	2.60	0.67			226-1						00410		
			4.40	4.82	0.42			226-2					0.023			03.30
			4.82	5.22	0.40			226-3						00280		
			5.80	6.33	0.53			226-4					0.063			05.00
			6.33	6.64	0.31			226-5						03210		
			12.60	13.40	0.80			226-6						05480		

PROPERTY ELK D.D.H. SUD95226 PAGE 2 OF 1

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			14.40	14.87	0.47			226-7						0.005			01.00
			14.87	15.19	0.32			226-8			4.263					2.132	

PROPERTY ELK D.D.H. SUD95227 PAGE 1 OF 1
 AREA: Siwash North DIP: 50. AZIMUTH (t): 175.7 DEPTH: 22.56 m
 CLAIM: Elk 21 NORTHING: 3312.82 DATE STARTED: 14-Jun-1995
 SECTION: 2160E EASTING: 2159.82 DATE FINISHED: 15-Jun-1995
 CORE SIZE: NIW ELEVATION: 1545.68 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 93.44% RQD: 68.31% CORE STORED AT: Elk Rack B Bay 24 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-227 was drilled to outline mineable reserves. An 8 cm quartz vein was intercepted in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	metallics					FA		MIBK		
								Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
.00	50.	175.7	.0	16.76	16.76		GD										
			16.76	17.87	1.11		P1GD										
			17.87	17.98	0.11		MI										
			17.98	18.06	0.08		Y3QV										
			18.06	18.64	0.58		F5GD										
			18.64	19.05	0.41		S3GD										
			19.05	19.76	0.71		P2GD										
			19.76	21.65	1.89		P1GD										
			21.65	22.56	0.91		GD										
			17.98	18.33	0.35			227-1					0.482				18.10
			18.33	18.69	0.36			227-2					0.013				82.20

PROPERTY ELK D.D.H. SUD95228 PAGE 1 OF 1
 AREA: Siwash North DIP: 66.4 AZIMUTH (t): 000.8 DEPTH: 32.92 m
 CLAIM: Elk 21 NORTHING: 3355.19 DATE STARTED: 15-Jun-1995
 SECTION: 2160E EASTING: 2257.85 DATE FINISHED: 15-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1603.15 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 92.92% RQD: 40.95% CORE STORED AT: Elk Rack B Bay 24 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-228 was drilled to outline mineable reserves. A 13 cm, a 16 cm, and a 25 cm quartz vein were intercepted in the B zone.
zone:
LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppb
.00	66.4	000.8	.0	13.92	13.92		P2QM									
16.46	64.0	000.8	13.92	14.53	0.61		S5QM									
			14.53	15.21	0.68		F5QM									
			15.21	15.34	0.13		Y5QV									
			15.34	16.59	1.25		S3QM									
			16.59	17.68	1.09		P2QM									
			17.68	18.49	0.81		F5QM									
			18.49	23.20	4.71		P2QM									
			23.20	23.51	0.31		S3QM									
			23.51	23.67	0.16		Y2QV									
			23.67	23.71	0.04		F5QM									
			23.71	24.93	1.22		S2QM									
			24.93	25.37	0.44		F5QM									
			25.37	25.62	0.25		Y2QV									
			25.62	26.13	0.51		F5QM									
			26.13	27.42	1.29		S2QM									
			27.42	29.43	2.01		P2QM									
			29.43	29.78	0.35		AP									
			29.78	32.92	3.14		P2QM									
			14.63	15.15	0.52			228-1					0.016			01.20
			15.15	15.37	0.22			228-2			0.280				0.140	09.40
			17.72	18.29	0.57			228-3						00260		
			23.48	23.77	0.29			228-4					3.113			11.40
			24.94	25.32	0.38			228-5					0.102			08.40
			25.32	25.70	0.38			228-6					0.149			02.30

PROPERTY ELK D.D.H. SUD95229 PAGE 1 OF 1
 AREA: Siwash North DIP: -11. AZIMUTH (t): 180.4 DEPTH: 23.47 m
 CLAIM: Elk 21 NORTHING: 3311.60 DATE STARTED: 15-Jun-1995
 SECTION: A EASTING: 2159.70 DATE FINISHED: 15-Jun-1995
 CORE SIZE: _____ ELEVATION: 1543.54 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.25% RQD: 65.53% CORE STORED AT: Elk Rack B Bay 24 LOGGED BY: D. Ritcey
 COMMENTS: Hole SUD95-229 was drilled to outline mineable reserves. A quartz vein 20 cm wide was intersected in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	-11.	180.4	.0	15.95	15.95		GD									
			15.95	16.90	0.95		P1GD									
			16.90	17.95	1.05		P4GD									
			17.95	18.52	0.57		F5GD									
			18.52	18.73	0.21		VGQV									
			18.73	19.17	0.44		GG									
			19.17	19.66	0.49		S5GD									
			19.66	20.35	0.69		P4GD									
			20.35	23.47	3.12		P3GD									
			18.15	18.48	0.33			229-1						02100		
			18.48	18.85	0.37			229-2			0.700				0.350	39.60

PROPERTY ELK D.D.H. SUD95230 PAGE 1 OF 1
 AREA: Siwash North DIP: -25.0 AZIMUTH (t): 181.2 DEPTH: 33.53 m
 CLAIM: Elk 21 NORTHING: 3326.50 DATE STARTED: 14-Jun-1995
 SECTION: 2250E EASTING: 2250.36 DATE FINISHED: 14-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1594.69 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.82% RQD: 37.52% CORE STORED AT: Elk Rack B Bay 23 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t	Ag ppm
.00	-25.0	181.2	.0	3.55	3.55		P20M									
16.77	-26.8	181.2	3.55	4.35	0.80		S20M									
			4.35	9.92	5.57		P20M									
			9.92	21.01	11.09		P20M									
			21.01	22.24	1.23		P10M									
			22.24	23.86	1.62		P20M									
			23.86	24.36	0.50		P50M									
			24.36	24.53	0.17		GG									
			24.53	24.58	0.05		Y50V									
			24.58	24.64	0.06		GG									
			24.64	24.78	0.14		P50M									
			24.78	27.21	2.43		S30M									
			27.21	33.53	6.32		P20M									
			24.07	24.53	0.46			230-1					0.966			16.10
			24.53	24.83	0.30			230-2			7.322			3.661		

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY	ELK	D.D.H.	SUD95232	PAGE	1	OF	1
AREA:	Siwash North	DIP:	-11	AZIMUTH (t):	181.8	DEPTH:	24.54 m
CLAIM:	Elk 21	NORTHING:	3326.81	DATE STARTED:	14-Jun-1995		
SECTION:	E	EASTING:	2250.33	DATE FINISHED:	14-Jun-1995		
CORE SIZE:	NQ	ELEVATION:	1595.41	CONTRACTOR:	Boisvenu Drilling L		
CORE RECOVERY:	93.56%	RQD:	37.90%	CORE STORED AT:	Elk Rack B Bay 24	LOGGED BY:	D. Ritcey
COMMENTS:							

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-11.	181.8	.0	1.80	1.80		P2QM									
			1.80	5.00	3.20		P5QM									
			5.00	10.65	5.65		P2QM									
			10.65	11.30	0.65		S3QM									
			11.30	12.13	0.83		P2QM									
			12.13	13.03	0.90		S2QM									
			13.03	13.85	0.82		P2QM									
			13.85	15.15	1.30		S2QM									
			15.15	16.65	1.50		P2QM									
			16.65	17.18	0.53		S2QM									
			17.18	18.38	1.20		S4QM									
			18.38	18.46	0.08		Y4QV									
			18.46	18.49	0.03		GG									
			18.49	18.68	0.19		Y5QV									
			18.68	18.74	0.06		P5QM									
			18.74	18.86	0.12		Y1QV									
			18.86	19.20	0.34		S5QM									
			19.20	20.06	0.86		S4QM									
			20.06	20.28	0.22		GG									
			20.28	20.42	0.14		NI									
			20.42	22.50	2.08		S4QM									
			22.50	23.16	0.66		P2QM									
			23.16	23.52	0.36		S3QM									
			23.52	24.54	1.02		P2QM									
			18.35	18.86	0.51			232-1			1.004				0.502	64.00

PROPERTY ELK D.D.H. SUD95233 PAGE 1 OF 1

AREA: Siwash North DIP: -26.7 AZIMUTH (t): 180.8 DEPTH: 32.92 m

CLAIM: Elk 21 NORTHING: 3311.78 DATE STARTED: 15-Jun-1995

SECTION: A EASTING: 2159.68 DATE FINISHED: 16-Jun-1995

CORE SIZE: _____ ELEVATION: 1543.06 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 95.84% RQD: 67.71% CORE STORED AT: Elk Rack B Bay 25 LOGGED BY: D. Ritcey

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-26.7	180.8	0	10.12	10.12		GD									
16.46	-27.0	180.8	10.12	10.70	0.58		P1GD									
			10.70	11.34	0.64		P2GD									
			11.34	14.10	2.76		P1GD									
			14.10	22.70	8.60		GD									
			22.70	23.26	0.56		P1GD									
			23.26	24.11	0.85		P4GD									
			24.11	24.52	0.41		S5GD									
			24.52	24.66	0.14		Y2QV									
			24.66	24.85	0.19		GG									
			24.85	25.33	0.48		F5GD									
			25.33	25.85	0.52		P2GD									
			25.85	31.05	5.20		P1GD									
			31.05	31.43	0.38		P2GD									
			31.43	31.82	0.39		S5GD									
			31.82	32.92	1.10		P3GD									
			24.46	24.85	0.39			233-1					0.181			18.90
			24.85	25.25	0.40			233-2					0.024			04.50

PROPERTY ELK D.D.H. SUD95234 PAGE 1 OF 1
 AREA: Siwash North DIP: 88. AZIMUTH (t): 135.8 DEPTH: 24.08 m
 CLAIM: Elk 21 NORTHING: 3354.35 DATE STARTED: 14-Jun-1995
 SECTION: E EASTING: 2257.85 DATE FINISHED: 14-Jun-1995
 CORE SIZE: NQ ELEVATION: 1603.11 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 90.24% RQD: 48.84% CORE STORED AT: Elk Rack B Bay 23 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	88.	135.8	.0	8.90	8.90		P20M									
			8.90	9.41	0.51		K20M									
			9.41	9.61	0.20		Y50V									
			9.61	9.94	0.33		P50M									
			9.94	10.38	0.44		S30M									
			10.38	11.27	0.89		P20M									
			11.27	11.40	0.13		P50M									
			11.40	11.96	0.56		P20M									
			11.96	12.48	0.52		S40M									
			12.48	17.98	5.50		P20M									
			13.38	20.07	6.69		S40M									
			17.98	18.34	0.36		S40M									
			18.34	18.38	0.04		VG0V									
			20.07	20.22	0.15		Y20V									
			20.22	20.64	0.42		MT									
			20.64	23.41	2.77		P20M									
			23.41	24.08	0.67		S30M									
			9.32	9.72	0.40			234-1			0.194				0.097	06.20
			11.20	11.50	0.30			234-2						00043		
			18.20	18.51	0.31			234-3			1.413				0.707	10.00
			19.93	20.68	0.75			234-4					0.093			06.40

PROPERTY ELK D.D.H. SUD95235 PAGE 1 OF 1
 AREA: Siwash North DIP: -44.4 AZIMUTH (t): 182.3 DEPTH: 57.91 m
 CLAIM: Elk 21 NORTHING: 3311.92 DATE STARTED: 16-Jun-1995
 SECTION: 2160E EASTING: 2159.67 DATE FINISHED: 17-Jun-1995
 CORE SIZE: NTW ELEVATION: 1542.76 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.00% RQD: 59.80% CORE STORED AT: Elk Rack B Bay 25 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-235 was drilled to outline mineable reserves. A 29 cm and a 30 cm quartz vein were intercepted in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-44.4	182.3	.0	41.09	41.09		GD									
28.96	-45.0	182.3	41.09	42.59	1.50		P2GD									
			42.59	42.77	0.18		S3GD									
			42.77	43.46	0.69		P3GD									
			43.46	43.66	0.20		S3GD									
			43.66	43.96	0.30		Y3QV									
			43.96	44.62	0.66		P5GD									
			44.62	45.16	0.54		S5GD									
			45.16	45.31	0.15		P5GD									
			45.31	48.48	3.17		P3GD									
			48.48	49.21	0.73		P4GD									
			49.21	49.80	0.59		P5GD									
			49.80	54.52	4.72		P3GD									
			54.52	54.81	0.29		P5GD									
			54.81	55.10	0.29		Y3QV									
			55.10	56.11	1.01		S3GD									
			56.11	56.39	0.28		P3GD									
			56.39	56.64	0.25		GG									
			56.64	57.91	1.27		P2GD									
			43.66	44.01	0.35			235-1					0.446			23.90
			44.01	44.62	0.61			235-2						00500		
			54.63	55.13	0.50			235-3					0.437			71.70

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95236</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>51.</u> AZIMUTH (t): <u>180.7</u>	DEPTH: <u>21.95</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3352.99</u>	DATE STARTED: <u>14-Jun-1995</u>
SECTION: <u>E</u>	EASTING: <u>2257.84</u>	DATE FINISHED: <u>14-Jun-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1602.95</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>88.70%</u> RQD: <u>30.25%</u> CORE STORED AT: <u>Elk Rack B Bay 24</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	51.	180.7	.0	3.75	3.75		P20M									
			3.75	5.79	2.04		S20M									
			5.79	7.39	1.60		P20M									
			7.39	8.18	0.79		S20M									
			8.18	9.30	1.12		S30M									
			9.30	11.15	1.85		S20M									
			11.15	11.69	0.54		S30M									
			11.69	12.00	0.31		F50M									
			12.00	14.18	2.18		S30M									
			14.18	17.55	3.37		P20M									
			17.55	17.83	0.28		F50M									
			17.83	18.71	0.88		S30M									
			18.71	18.91	0.20		Y10V									
			18.91	20.63	1.72		S40M									
			20.63	21.95	1.32		P20M									
			18.50	19.05	0.55			236-1					0.516			26.10

PROPERTY ELK D.D.H. SUD95237 PAGE 1 OF 1

AREA: Siwash North DIP: 18. AZIMUTH (t): 179.2 DEPTH: 19.81 m
 CLAIM: Elk 21 NORTHING: 3311.72 DATE STARTED: 17-Jun-1995
 SECTION: A EASTING: 2159.74 DATE FINISHED: 17-Jun-1995
 CORE SIZE: _____ ELEVATION: 1544.59 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.17% RQD: 74.15% CORE STORED AT: Elk Rack B Bay 25 LOGGED BY: D. Ritcey
 COMMENTS: Hole SUD95-237 was drilled to outline mineable reserves. A quartz vein about 13 cm wide was intersected in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	18.	179.2	.0	2.74	2.74		GD									
			2.74	3.13	0.39		P2GD									
			3.13	4.74	1.61		GD									
			4.74	5.14	0.40		P1GD									
			5.14	14.95	9.81		GD									
			14.95	15.15	0.20		P2GD									
			15.15	15.48	0.33		S5GD									
			15.48	15.61	0.13		Y1QV									
			15.61	16.03	0.42		S5GD									
			16.03	16.70	0.67		P3GD									
			16.70	17.14	0.44		P4GD									
			17.14	17.68	0.54		S5GD									
			17.68	18.02	0.34		P2GD									
			18.02	18.41	0.39		P1GD									
			18.41	19.81	1.40		P2GD									
			15.41	15.81	0.40			237-1					0.093			03.00

PROPERTY ELK D.D.H. SUD95238 PAGE 1 OF 1
 AREA: Siwash North DIP: 88. AZIMUTH (t): 273.4 DEPTH: 24.38 m
 CLAIM: Elk 21 NORTHING: 3359.21 DATE STARTED: 16-Jun-1995
 SECTION: 2250E EASTING: 2249.39 DATE FINISHED: 16-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1604.69 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 91.35% RQD: 40.81% CORE STORED AT: Elk Rack B Bay 25 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-238 was drilled to outline mineable reserves. A 12 cm and a 30 cm quartz vein were intercepted in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	88.	273.4	.0	13.14	13.14		P20M									
			13.14	13.72	0.58		S20M									
			13.72	13.85	0.13		P50M									
			13.85	13.97	0.12		Y50V									
			13.97	14.32	0.35		S30M									
			14.32	14.61	0.29		P50M									
			14.61	15.04	0.43		S30M									
			15.04	18.55	3.51		P20M									
			18.55	19.88	1.33		P50M									
			19.88	20.10	0.22		Y50V									
			20.10	20.51	0.41		K20M									
			20.51	24.38	3.87		P20M									
			13.78	14.09	0.31			238-1			0.033				0.017	03.10
			14.28	14.59	0.31			238-2					0.365			04.10
			18.79	19.35	0.56			238-3					0.027			01.30
			19.35	19.73	0.38			238-4					0.159			06.40
			19.73	20.10	0.37			238-5			0.674				0.337	28.00

PROPERTY ELK D.D.H. SUD95239 PAGE 1 OF 1
 AREA: Siwash North DIP: 4. AZIMUTH (t): 179.3 DEPTH: 22.86 m
 CLAIM: Elk 21 NORTHING: 3317.46 DATE STARTED: 18-Jun-1995
 SECTION: EASTING: 2141.11 DATE FINISHED: 18-Jun-1995
 CORE SIZE: ELEVATION: 1546.80 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.98% ROD: 57.79% CORE STORED AT: Elk Rack B Bay 26 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	4.	179.3	.0	16.39	16.39		GD									
			16.39	16.76	0.37		P1GD									
			16.76	17.03	0.27		VGQV									
			17.03	17.34	0.31		P5GD									
			17.34	18.30	0.96		P2GD									
			18.30	19.74	1.44		GD									
			19.74	22.14	2.40		P1GD									
			16.72	17.03	0.31	00.29		239-1			5.229				0.885	67.80
			17.03	17.34	0.31	00.29		239-2					0.066			09.00

PROPERTY ELK D.D.H. SUD95241 PAGE 1 OF 1
 AREA: Siwash North DIP: -20. AZIMUTH (t): 179.7 DEPTH: 28.65 m
 CLAIM: Elk 21 NORTHING: 3317.40 DATE STARTED: 18-Jun-1995
 SECTION: EASTING: 2141.13 DATE FINISHED: 18-Jun-1995
 CORE SIZE: ELEVATION: 1546.06 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.64% ROD: 61.78% CORE STORED AT: Elk Rack B Bay 26 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-241 was drilled to outline mineable reserves. 61cm of fault gouge was intersected in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	-20.	179.7	.0	10.56	10.56		GD									
			10.56	11.31	0.75		P1GD									
			11.31	22.68	11.37		GD									
			22.68	22.86	0.18		P5GD									
			22.86	23.47	0.61		GG									
			23.47	24.37	0.90		P2GD									
			24.37	27.98	3.61		GD									
			27.98	28.65	0.67		P1GD									
			22.86	23.47	0.61	00.47		241-1					0.006			01.30

PROPERTY ELK D.D.H. SUD95242 PAGE 1 OF 1
 AREA: Siwash North DIP: 8.2 AZIMUTH (t): 180.5 DEPTH: 35.66 m
 CLAIM: Elk 21 NORTHING: 3329.82 DATE STARTED: 17-Jun-1995
 SECTION: 2270E EASTING: 2269.53 DATE FINISHED: 17-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1580.56 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.33% ROD: 38.47% CORE STORED AT: Elk Rack B Bay 25 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-242 was drilled to outline mineable reserves. A 14c m quartz vein was intercepted in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	8.2	180.5	.0	18.60	18.60		P20M									
16.31	8.3	180.5	18.60	19.90	1.30		S30M									
			19.90	24.83	4.93		P20M									
			24.83	26.20	1.37		S30M									
			26.20	27.21	1.01		P20M									
			27.21	28.17	0.96		S30M									
			28.17	28.31	0.14		P50M									
			28.31	28.76	0.45		GG									
			28.76	28.90	0.14		Y20V									
			28.90	29.42	0.52		S50M									
			29.42	30.05	0.63		S30M									
			30.05	35.66	5.61		P20M									
			28.22	28.90	0.68			242-1					0.055			04.30

PROPERTY ELK D.D.H. SUD95244 PAGE 1 OF 1
 AREA: Siwash North DIP: 59. AZIMUTH (t): 179.0 DEPTH: 25.41 m
 CLAIM: Elk 21 NORTHING: 3331.37 DATE STARTED: 17-Jun-1995
 SECTION: E EASTING: 2269.58 DATE FINISHED: 17-Jun-1995
 CORE SIZE: NQ ELEVATION: 1582.77 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 89.41% ROD: 44.63% CORE STORED AT: Elk Rack B Bay 26 LOGGED BY: D. Ritcey
 COMMENTS: Hole SUD95-244 was drilled to outline mineable reserves. A quartz vein about 18 cm wide was intersected in the B zone.
 ICM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	59.	179.0	.0	9.91	9.91		P20M									
			9.91	10.31	0.40		P20M									
			10.31	14.15	3.84		P20M									
			14.15	14.51	0.36		S30M									
			14.51	17.18	2.67		P20M									
			17.18	17.68	0.50		F50M									
			17.68	18.94	1.26		S30M									
			18.94	19.13	0.19		QV									
			19.13	19.97	0.84		P20M									
			19.97	20.66	0.69		S30M									
			20.66	20.90	0.24		P20M									
			20.90	21.75	0.85		F50M									
			21.75	21.95	0.20		P20M									
			21.95	22.75	0.80		S40M									
			22.75	23.70	0.95		S20M									
			23.70	24.40	0.70		S40M									
			24.40	25.41	1.01		P20M									
			18.81	19.31	0.50			244-1					0.107			01.10
			19.97	20.28	0.31			244-2					0.109			05.30
			20.90	21.70	0.80			244-3						00430		

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95245</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>70.</u> AZIMUTH (t): <u>180.6</u>	DEPTH: <u>28.04</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3317.95</u>	DATE STARTED: <u>19-Jun-1995</u>
SECTION: <u>A</u>	EASTING: <u>2144.10</u>	DATE FINISHED: <u>19-Jun-1995</u>
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1548.13</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>96.58%</u> RQD: <u>66.08%</u> CORE STORED AT: <u>Elk Rack B Bay 27</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t		FA	MIBK		Ag ppm
.00	70.	180.6	.0	1.15	1.15		P1GD									
			1.15	1.50	0.35		GD									
			1.50	1.90	0.40		P1GD									
			1.90	3.60	1.70		GD									
			3.60	4.57	0.97		P1GD									
			4.57	18.40	13.83		GD									
			18.40	21.13	2.73		P1GD									
			21.13	22.39	1.26		P2GD									
			22.39	22.48	0.09		S5GD									
			22.48	22.68	0.20		GG									
			22.68	23.00	0.32		P5GD									
			23.00	24.30	1.30		P1GD									
			24.30	26.80	2.50		P2GD									
			26.80	28.04	1.24		P1GD									
			22.39	22.79	0.40	00.31		245-1					0.018			03.90

PROPERTY ELK D.D.H. SUD95247 PAGE 1 OF 2
 AREA: Siwash North DIP: -46.7 AZIMUTH (t): 179.3 DEPTH: 64.00 m
 CLAIM: Elk 21 NORTHING: 3317.38 DATE STARTED: 19-Jun-1995
 SECTION: EASTING: 2141.14 DATE FINISHED: 20-Jun-1995
 CORE SIZE: ELEVATION: 1545.03 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.48% RQD: 56.83% CORE STORED AT: Elk Rack B Bay 26 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-247 was drilled to outline mineable reserves. Several phyllic altered zones were intersected.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-46.7	179.3	.0	25.02	25.02		GD									
16.77	-48.5	179.3	25.02	25.70	0.68		P1GD									
48.77	-48.5	179.3	25.70	38.45	12.75		GD									
			38.45	38.75	0.30		S5GD									
			38.75	39.23	0.48		GG									
			39.23	39.67	0.44		P2GD									
			39.67	39.94	0.27		S5GD									
			39.94	40.94	1.00		GD									
			40.94	41.64	0.70		P2GD									
			41.64	48.03	6.39		GD									
			48.03	49.02	0.99		P3GD									
			49.02	49.86	0.84		P1GD									
			49.86	51.56	1.70		P4GD									
			51.56	52.16	0.60		GD									
			52.16	52.48	0.32		P2GD									
			52.48	53.86	1.38		P4GD									
			53.86	54.96	1.10		S3GD									
			54.96	57.37	2.41		P5GD									
			57.37	59.24	1.87		S2GD									
			59.24	60.17	0.93		P5GD									
			60.17	61.61	1.44		S5GD									
			61.61	62.12	0.51		P5GD									
			62.12	62.48	0.36		S5GD									
			62.48	62.99	0.51		P5GD									
			62.99	64.00	1.01		S5GD									
			54.01	54.31	0.30	00.15		247-1				0.003				00.60
			55.28	56.61	1.33	00.34		247-2					00220			
			59.60	60.17	0.57	00.10		247-3				0.002				00.70
			62.48	62.99	0.51	00.17		247-4				0.038				04.40

PROPERTY ELK D.D.H. SUD95248 PAGE 1 OF 1
 AREA: Siwash North DIP: -12.5 AZIMUTH (t): 180.0 DEPTH: 36.88 m
 CLAIM: Elk 21 NORTHING: 3339.56 DATE STARTED: 19-Jun-1995
 SECTION: EASTING: 2077.22 DATE FINISHED: 19-Jun-1995
 CORE SIZE: ELEVATION: 1553.64 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.90% RQD: 50.41% CORE STORED AT: Elk Rack B Bay 26 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-248 was drilled to outline mineable reserves. 5 cm of gouge containing quartz vein fragments was intersected in the B zone.
he B zone.
 LCM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-12.5	180.0	.0	1.52	1.52		P10M									
18.29	-12.0	180.0	1.52	5.88	4.36		K30M									
			5.88	14.47	8.59		P10M									
			14.47	20.76	6.29		OM									
			20.76	22.74	1.98		P10M									
			22.74	23.44	0.70		S20M									
			23.44	25.82	2.38		P20M									
			25.82	26.55	0.73		S5GD									
			26.55	28.87	2.32		P1GD									
			28.87	29.08	0.21		S1GD									
			29.08	29.26	0.18		P5GD									
			29.26	29.34	0.08		GG									
			29.34	29.49	0.15		P5GD									
			29.49	29.64	0.15		GG									
			29.64	30.19	0.55		S1GD									
			30.19	31.44	1.25		P1GD									
			31.44	36.88	5.44		GD									
			29.08	29.64	0.56	00.36		248-1					0.025			03.20

PROPERTY ELK D.D.H. SUD95249 PAGE 1 OF 1

AREA: Siwash North DIP: -5. AZIMUTH (t): 179.1 DEPTH: 33.22 m

CLAIM: Elk 21 NORTHING: 3324.29 DATE STARTED: 21-Jun-1995

SECTION: EASTING: 2119.21 DATE FINISHED: 21-Jun-1995

CORE SIZE: ELEVATION: 1549.27 CONTRACTOR: Boisvenu Drilling L

CORE RECOVERY: 96.45% RQD: 54.12% CORE STORED AT: Elk Rack B Bay 27 LOGGED BY: B. Post

COMMENTS: Hole SUD95-249 was drilled to outline mineable reserves. A zone of phyllic alteration was intersected.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-5.	179.1	.0	12.68	12.68		GD									
			12.68	13.26	0.58		P1GD									
			13.26	20.45	7.19		GD									
			20.45	20.97	0.52		S2GD									
			20.97	21.04	0.07		GG									
			21.04	22.08	1.04		P5GD									
			22.08	22.33	0.25		F5GD									
			22.33	22.46	0.13		GG									
			22.46	22.60	0.14		F5GD									
			22.60	22.80	0.20		S4GD									
			22.80	23.54	0.74		P4GD									
			23.54	24.71	1.17		P1GD									
			24.71	33.22	8.51		GD									
			22.10	22.60	0.50	00.43		249-1					0.062			06.20

PROPERTY ELK D.D.H. SUD95250 PAGE 1 OF 2

AREA: Siwash North DIP: -31.1 AZIMUTH (t): 179.3 DEPTH: 60.96 m

CLAIM: Elk 21 NORTHING: 3339.77 DATE STARTED: 20-Jun-1995

SECTION: EASTING: 2077.26 DATE FINISHED: 20-Jun-1995

CORE SIZE: NQ2 ELEVATION: 1553.24 CONTRACTOR: Boisvenu Drilling L.

CORE RECOVERY: 97.34% RQD: 52.87% CORE STORED AT: Elk Rack B Bay 27 LOGGED BY: D. Ritcey

COMMENTS: Hole SUD95-250 was drilled to outline mineable reserves. A quartz vein about 5 cm wide was intersected in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-31.1	179.3	.0	3.19	3.19		OM									
15.24	-29.0	179.3	3.19	3.51	0.32		P1OM									
45.72	-29.5	179.3	3.51	3.98	0.47		S2OM									
			3.98	5.70	1.72		P1OM									
			5.70	7.10	1.40		P5OM									
			7.10	7.58	0.48		S4OM									
			7.58	8.20	0.62		S5OM									
			8.20	8.76	0.56		S3OM									
			8.76	11.18	2.42		P2OM									
			11.18	11.48	0.30		PKOM									
			11.48	12.71	1.23		P2OM									
			12.71	17.00	4.29		P1OM									
			17.00	18.04	1.04		OM									
			18.04	18.90	0.86		P1OM									
			18.90	22.27	3.37		OM									
			22.27	22.61	0.34		K3OM									
			22.61	26.50	3.89		P1OM									
			26.50	27.08	0.58		P3OM									
			27.08	28.02	0.94		P1OM									
			28.02	29.85	1.83		P2OM									
			29.85	30.29	0.44		P1OM									
			30.29	32.96	2.67		P2OM									
			32.96	33.59	0.63		OM									
			33.59	35.40	1.81		P2OM									
			35.40	35.70	0.30		P1OM									
			35.70	36.69	0.99		P2OM									
			36.69	36.98	0.29		P5GD									
			36.98	37.22	0.24		Y5QV									
			37.22	37.75	0.53		P5GD									
			37.75	39.08	1.33		S5GD									
			39.08	39.40	0.32		P5GD									

CONF

PROPERTY ELK D.D.H. SUD95250 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			39.40	40.16	0.76		S4GD									
			40.16	40.98	0.82		F5GD									
			40.98	41.46	0.48		S5GD									
			41.46	41.81	0.35		F5GD									
			41.81	43.90	2.09		S5GD									
			43.90	44.28	0.38		F5GD									
			44.28	44.38	0.10		Y1QV									
			44.38	45.66	1.28		S5GD									
			45.66	48.30	2.64		P1GD									
			48.30	50.89	2.59		P1QM									
			50.89	60.96	10.07		P1GD									
			36.75	37.30	0.55	00.10		250-1			0.041				0.110	07.20
			37.30	37.80	0.50	00.09		250-2						00110		
			38.30	39.50	1.20	00.77		250-3						00140		
			39.80	40.60	0.80	00.40		250-4						01370		
			41.20	41.80	0.60	00.39		250-5						00290		
			43.80	45.00	1.20	00.04		250-6						00250		

PROPERTY ELK D.D.H. SUD95251 PAGE 1 OF 1
 AREA: Siwash North DIP: -34.2 AZIMUTH (I): 180.3 DEPTH: 45.72 m
 CLAIM: Elk 21 NORTHING: 3324.41 DATE STARTED: 22-Jun-1995
 SECTION: EASTING: 2119.20 DATE FINISHED: 22-Jun-1995
 CORE SIZE: ELEVATION: 1548.27 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 97.86% RQD: 64.68% CORE STORED AT: Elk Rack B Bay 28 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA		MIRK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
.00	-34.2	180.3	.0	13.15	13.15		GD										
22.86	-33.0	180.3	13.15	13.72	0.57		S4GD										
			13.72	28.87	15.15		GD										
			28.87	30.15	1.28		P1GD										
			30.15	34.59	4.44		GD										
			34.59	36.41	1.82		P1GD										
			36.41	36.77	0.36		P5GD										
			36.77	37.22	0.45		Y4QV										
			37.22	37.36	0.14		GC										
			37.36	37.50	0.14		P5GD										
			37.50	38.00	0.50		P3GD										
			38.00	41.65	3.65		P2GD										
			41.65	45.72	4.07		GD										
			27.49	27.83	0.34	00.17		251-1					0.017				01.30
			36.48	36.78	0.30	00.15		251-2						00170			
			36.78	37.23	0.45	00.23		251-3					0.666				34.60
			37.23	37.53	0.30	00.15		251-4					0.021				02.70

PROPERTY ELK D.D.H. SUD95253 PAGE 1 OF 1
 AREA: Siwash North DIP: -36.6 AZIMUTH (t): 184.0 DEPTH: 43.89 m
 CLAIM: Elk 21 NORTHING: 3327.32 DATE STARTED: 23-Jun-1995
 SECTION: EASTING: 2099.67 DATE FINISHED: 23-Jun-1995
 CORE SIZE: ELEVATION: 1551.27 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.79% RQD: 52.95% CORE STORED AT: Elk Rack B Bay 28 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-36.6	184.0	.0	27.86	27.86		GD									
21.95	-36.0	184.0	27.86	28.65	0.79		P1GD									
			28.65	30.18	1.53		GD									
			30.18	30.53	0.35		K3GD									
			30.53	31.12	0.59		P4GD									
			31.12	31.83	0.71		K3GD									
			31.83	32.35	0.52		P4GD									
			32.35	33.01	0.66		P5GD									
			33.01	33.35	0.34		P4GD									
			33.35	33.72	0.37		P5GD									
			33.72	33.87	0.15		Y3QV									
			33.87	34.95	1.08		P5GD									
			34.95	36.05	1.10		P3GD									
			36.05	43.89	7.84		GD									
			32.35	33.01	0.66	00.42		253-1						00190		
			33.62	33.95	0.33	00.21		253-2				0.045			04.10	
			33.95	34.44	0.49	00.25		253-3						00120		

PROPERTY ELK D.D.H. SUD95254 PAGE 1 OF 1
 AREA: Siwash North DIP: -6. AZIMUTH (t): 179.3 DEPTH: 19.20 m
 CLAIM: Elk 21 NORTHING: 3364.56 DATE STARTED: 21-Jun-1995
 SECTION: 2065E EASTING: 2065.47 DATE FINISHED: 21-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1558.84 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 89.74% RQD: 22.08% CORE STORED AT: Elk Rack B Bay 28 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-6.	179.3	.0	.86	0.86		K3GD									
			.86	1.60	0.74		P2AV									
			1.60	2.65	1.05		P2GD									
			2.65	3.25	0.60		P3GD									
			3.25	4.00	0.75		K4GR									
			4.00	5.46	1.46		P2GD									
			5.46	10.59	5.13		P3AV									
					0.00											
			33.62	33.95	0.33	00.21		253-2					0.045			04.10
			33.95	34.44	0.49	00.25		253-3						00120		

PROPERTY ELK D.D.H. SUD95255 PAGE 1 OF 1
 AREA: Siwash North DIP: -35.9 AZIMUTH (t): 183.8 DEPTH: 67.06 m
 CLAIM: Elk 21 NORTHING: 3327.14 DATE STARTED: 21-Jun-1995
 SECTION: 2100E EASTING: 2099.66 DATE FINISHED: 21-Jun-1995
 CORE SIZE: NTW ELEVATION: 1551.67 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.96% RQD: 47.32% CORE STORED AT: Elk Rack B Bay 28 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MTRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-35.9	183.8	0	9.94	9.94		GD									
17.52	-47.0	183.8	9.94	12.67	2.73		P1GD									
51.06	-48.5	183.8	12.67	13.72	1.05		GD									
			13.72	15.74	2.02		P1GD									
			15.74	16.91	1.17		GD									
			16.91	17.98	1.07		P1GD									
			17.98	49.21	31.23		GD									
			49.21	50.09	0.88		P1GD									
			50.09	50.18	0.09		Y2QV									
			50.18	50.37	0.19		P5GD									
			50.37	51.41	1.04		S4GD									
			51.41	55.93	4.52		S2GD									
			55.93	62.26	6.33		K3GD									
			62.26	64.29	2.03		P1GD									
			64.29	65.27	0.98		P5GD									
			65.27	67.06	1.79		P1GD									
			50.05	50.37	0.32	00.11		255-1					0.021			01.30
			64.61	64.91	0.30	00.10		255-2					0.561			22.00

PROPERTY ELK D.D.H. SUD95256 PAGE 1 OF 1
 AREA: Siwash North DIP: -37.1 AZIMUTH (t): 180.4 DEPTH: 37.49 m
 CLAIM: Elk 21 NORTHING: 3364.79 DATE STARTED: 21-Jun-1995
 SECTION: 2070E EASTING: 2065.45 DATE FINISHED: 22-Jun-1995
 CORE SIZE: NQ2 ELEVATION: 1558.13 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 95.36% RQD: 50.49% CORE STORED AT: Elk Rack B Bay 28 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-37.1	180.4	.0	1.09	1.09		K3GD									
18.75	-38.0	180.4	1.09	3.96	2.87		GD									
			3.96	11.63	7.67		GM									
			11.34	11.82	0.48		PIAV									
			11.63	13.11	1.48		K4GR									
			11.82	15.00	3.18		PIGR									
			13.11	11.34	-1.77		PIGR									
			15.00	16.96	1.96		PIAV									
			16.96	19.79	2.83		GR									
			19.79	20.10	0.31		AV									
			20.10	25.07	4.97		GR									
			25.07	25.73	0.66		AV									
			25.73	27.32	1.59		GR									
			27.32	27.85	0.53		AV									
			27.85	29.21	1.36		GR									
			29.21	29.87	0.66		AV									
			29.87	30.61	0.74		GR									
			30.61	31.16	0.55		AV									
			31.16	31.42	0.26		GR									
			31.42	31.78	0.36		AV									
			31.78	33.64	1.86		GR									
			33.64	34.44	0.80		AV									
			34.44	34.88	0.44		GR									
			34.88	35.25	0.37		AV									
					0.00											
			64.61	64.91	0.30	00.10		255-2					0.561			22.00

PROPERTY ELK D.D.H. SUD95257 PAGE 1 OF 2
 AREA: Siwash North DIP: 84.0 AZIMUTH (t): 358.8 DEPTH: 36.58 m
 CLAIM: Elk 21 NORTHING: 3269.36 DATE STARTED: 13-Jul-1995
 SECTION: 2330E EASTING: 2329.61 DATE FINISHED: 14-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1519.79 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 96.77% RQD: 53.17% CORE STORED AT: Elk Rack B Bay 29 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	84.0	358.8	0.00	8.66	8.66		P1QM									
18.29	83.5	358.8	8.66	11.78	3.12		P1QM									
			11.78	23.53	11.75		P2QM									
			23.53	23.76	0.23		P5QM									
			23.76	23.98	0.22		P3QM									
			23.98	24.09	0.11		P5QM									
			24.09	24.19	0.10		VGQV									
			24.19	24.28	0.09		P5QM									
			24.28	24.35	0.07		QV									
			24.35	24.70	0.35		P5QM									
			24.70	24.87	0.17		S3QM									
			24.87	25.33	0.46		P5QM									
			25.33	26.33	1.00		S3QM									
			26.33	28.02	1.69		P5QM									
			28.02	28.16	0.14		VGQV									
			28.16	28.46	0.30		P5QM									
			28.46	29.57	1.11		S3QM									
			29.57	31.02	1.45		S2QM									
			31.02	31.86	0.84		K4QM									
			31.86	32.15	0.29		S2QM									
			32.15	32.33	0.18		GG									
			32.33	33.39	1.06		S2QM									
			33.39	36.58	3.19		P2QM									
			23.53	23.92	0.39	00.37		257-1					0.049			03.60
			23.92	24.25	0.33	00.29		257-2		1.433					0.385	24.80
			24.25	24.77	0.52	00.49		257-3					0.028			02.50
			24.77	25.33	0.56	00.53		257-4					0.079			05.50
			25.33	26.33	1.00	00.94		257-5						00150		
			26.33	26.82	0.49	00.46		257-6					0.265			06.30

CONTD

PROPERTY ELK D.D.H. SUD95259 PAGE 1 OF 1
 AREA: Siwash North DIP: 73.3 AZIMUTH (t): 359.9 DEPTH: 44.20 m
 CLAIM: Elk 21 NORTHING: 3269.66 DATE STARTED: 14-Jul-1995
 SECTION: 2330E EASTING: 2329.63 DATE FINISHED: 15-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1519.36 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 97.53% RQD: 63.30% CORE STORED AT: Elk Rack B Bay 29 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	73.3	359.9	.0	7.90	7.90		P10M									
22.10	70.0	359.9	7.90	11.18	3.28		QM									
			11.18	16.49	5.31		P10M									
			16.49	23.32	6.83		P10M									
			23.32	29.75	6.43		P20M									
			29.75	29.82	0.07		Y30V									
			29.82	30.48	0.66		S20M									
			30.48	31.18	0.70		P50M									
			31.18	32.34	1.16		S30M									
			32.34	32.86	0.52		P50M									
			32.86	32.89	0.03		V30V									
			32.89	32.92	0.03		P50M									
			32.92	33.00	0.08		Y10V									
			33.00	33.46	0.46		S30M									
			33.46	33.73	0.27		P50M									
			33.73	35.24	1.51		S30M									
			35.24	35.47	0.23		P50M									
			35.47	35.86	0.39		QV									
			35.86	37.85	1.99		P30M									
			37.85	44.20	6.35		P10M									
			29.56	30.03	0.47	00.36		259-1			0.960				0.485	30.80
			30.73	31.18	0.45	00.39		259-2					0.210			08.60
			32.34	32.76	0.42	00.32		259-3					0.252			12.00
			32.76	33.07	0.31	00.24		259-4			1.904				0.935	57.40
			33.07	33.73	0.66	00.51		259-5						00360		
			35.40	35.90	0.50	00.09		259-6			0.046				0.105	07.00
			35.90	36.80	0.90	00.58		259-7						00420		
			36.80	37.10	0.30	00.08		259-8					0.117			07.00

PROPERTY ELK D.D.H. SUD95260 PAGE 1 OF 1
 AREA: Siwash North DIP: 21 AZIMUTH (t): 178.0 DEPTH: 23.47 m
 CLAIM: Elk 21 NORTHING: 3266.67 DATE STARTED: 15-Jul-1995
 SECTION: 2330E EASTING: 2329.68 DATE FINISHED: 15-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1518.33 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 93.27% RQD: 56.58% CORE STORED AT: Elk Rack B Bay 29 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	21	178.0	.0	17.10	17.10		P20M									
			17.10	17.47	0.37		P40M									
			17.47	18.78	1.31		S20M									
			18.78	19.14	0.36		P30M									
			19.14	19.84	0.70		F50M									
			19.84	19.93	0.09		Y50V									
			19.93	20.13	0.20		MT									
			20.13	21.02	0.89		P20M									
			21.02	21.84	0.82		P30M									
			21.84	23.47	1.63		P20M									
			18.78	19.63	0.85	00.55		260-1						00530		
			19.63	20.13	0.50	00.43		260-2			5.406				3.060	

PROPERTY ELK D.D.H. SUD95261 PAGE 1 OF 1
 AREA: Siwash North DIP: 78. AZIMUTH (t): 178.2 DEPTH: 25.60 m
 CLAIM: Elk 21 NORTHING: 3268.75 DATE STARTED: 15-Jul-1995
 SECTION: 2330E EASTING: 2329.61 DATE FINISHED: 16-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1519.90 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 95.70% RQD: 37.66% CORE STORED AT: Elk Rack B Bay 29 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	78.	178.2	.0	12.32	12.32		P1QM										
			12.32	12.80	0.48		S2QM										
			12.80	15.95	3.15		P1QM										
			15.95	18.31	2.36		S2QM										
			18.31	18.85	0.54		F5QM										
			18.85	18.93	0.08		Y4QV										
			18.93	19.61	0.68		F5QM										
			19.61	19.96	0.35		F3QM										
			19.96	20.54	0.58		F5QM										
			20.54	20.73	0.19		Y1QV										
			20.73	21.36	0.63		F5QM										
			21.36	21.96	0.60		F3QM										
			21.96	22.08	0.12		GG										
			22.08	23.80	1.72		S2QM										
			23.80	24.90	1.10		P2QM										
			24.90	25.00	0.10		GG										
			25.00	25.60	0.60		S2QM										
			18.22	18.70	0.48	00.31		261-1					0.127			02.80	
			18.70	19.03	0.33	00.31		261-2			0.583				0.375	19.90	
			19.03	19.61	0.58	00.55		261-3					0.025			04.10	
			19.61	19.96	0.35	00.33		261-4						00110			
			19.96	20.48	0.52	00.51		261-5					0.026			71.40	
			20.48	20.81	0.33	00.33		261-6					0.966				
			20.81	21.36	0.55	00.54		261-7					0.085			02.10	
			21.36	22.08	0.72	00.62		261-8						00250			

PROPERTY ELK D.D.H. SUD95262 PAGE 1 OF 1
 AREA: Siwash North DIP: - .7 AZIMUTH (t): 178.3 DEPTH: 33.22 m
 CLAIM: Elk 21 NORTHING: 3266.49 DATE STARTED: 16-Jul-1995
 SECTION: 2330E EASTING: 2329.69 DATE FINISHED: 16-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1517.47 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.82% RQD: 48.16% CORE STORED AT: Elk Rack B Bay 29 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au pph		
.00	- .7	178.3	.0	3.18	3.18		P1QM									
14.17	-2.2	178.3	3.18	4.27	1.09		S2QM									
			4.27	7.78	3.51		P1QM									
			7.78	8.88	1.10		S2QM									
			8.88	21.56	12.68		P1QM									
			21.56	23.42	1.86		S2QM									
			23.42	23.68	0.26		FAQM									
			23.68	26.72	3.04		S2QM									
			26.72	27.29	0.57		F5QM									
			27.29	27.38	0.09		GG									
			27.38	28.13	0.75		F5QM									
			28.13	28.22	0.09		GG									
			28.22	28.49	0.27		F5QM									
			28.49	31.70	3.21		S2QM									
			31.70	33.22	1.52		P1QM									
			23.36	23.93	0.57	00.20		262-1						01240		
			26.72	27.21	0.49	00.38		262-2						00890		
			27.21	27.84	0.63	00.48		262-3					0.022			04.50
			27.84	28.48	0.64	00.49		262-4					0.083			09.00

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95263</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>81.5</u> AZIMUTH (t): <u>359.8</u>	DEPTH: <u>43.89</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3271.77</u>	DATE STARTED: <u>16-Jul-1995</u>
SECTION: <u>2310E</u>	EASTING: <u>2308.84</u>	DATE FINISHED: <u>18-Jul-1995</u>
CORE SIZE: <u>NQ2</u>	ELEVATION: <u>1522.64</u>	CONTRACTOR: <u>Boisvenu Drilling L</u>
CORE RECOVERY: <u>93.92%</u> RQD: <u>47.64%</u> CORE STORED AT: <u>Elk Rack B Bay 30</u>		LOGGED BY: <u>B. Post</u>
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppt		
0.00	81.5	359.8	.0	2.78	2.78		P1QM									
21.95	83.0	359.8	2.78	3.98	1.20		S2QM									
			3.98	7.02	3.04		P2QM									
			7.02	32.16	25.14		P2QM									
			32.16	33.77	1.61		P5QM									
			33.77	33.87	0.10		Y3QV									
			33.87	34.28	0.41		P3QM									
			34.28	34.75	0.47		P5QM									
			34.75	35.26	0.51		P3QM									
			35.26	36.49	1.23		P5QM									
			36.49	36.56	0.07		QV									
			36.56	36.76	0.20		P5QM									
			36.76	37.33	0.57		QV									
			37.33	37.37	0.04		GC									
			37.37	37.80	0.43		MT									
			37.80	39.90	2.10		S3QM									
			39.90	42.11	2.21		S2QM									
			42.11	43.89	1.78		P2QM									
			32.16	32.95	0.79	00.68		263-1						00750		
			32.95	33.69	0.74	00.64		263-2						00510		
			33.69	33.99	0.30	00.23		263-3			1.183				0.560	32.80
			33.99	34.75	0.76	00.58		263-4						00130		
			34.75	35.26	0.51	00.39		263-5						00034		
			35.26	35.66	0.40	00.31		263-6					0.020			02.20
			35.66	36.28	0.62	00.54		263-7						01940		
			36.28	36.76	0.48	00.44		263-8					0.020			01.80
			36.76	37.80	1.04	00.90		263-9					0.006			02.20

PROPERTY ELK D.D.H. SUD95264 PAGE 1 OF 1
 AREA: Siwash North DIP: 67.7 AZIMUTH (t): 180.2 DEPTH: 32.00 m
 CLAIM: Elk 21 NORTHING: 3270.80 DATE STARTED: 18-Jul-1995
 SECTION: 2310E EASTING: 2308.84 DATE FINISHED: 19-Jul-1995
 CORE SIZE: NQ2 ELEVATION: 1522.86 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.09% RQD: 39.25% CORE STORED AT: Elk Back B Bay 30 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	67.7	180.2	.0	15.73	15.73		P1QM									
16.00	66.0	180.2	15.73	19.05	3.32		S2QM									
			19.05	19.23	0.18		Y1QV									
			19.23	20.62	1.39		S3QM									
			20.62	24.70	4.08		S2QM									
			24.70	24.95	0.25		S2QM									
			24.95	27.27	2.32		P1QM									
			27.27	32.00	4.73		P1QM									
			18.93	19.28	0.35	00.27		264-1					0.235			07.20

PROPERTY ELK D.D.H. SUD95266 PAGE 1 OF 1
 AREA: Siwash North DIP: 85 AZIMUTH (t): 039.6 DEPTH: 22.86 m
 CLAIM: Elk 21 NORTHING: 3275.49 DATE STARTED: 19-Jul-1995
 SECTION: 2290E EASTING: 2289.71 DATE FINISHED: 19-Jul-1995
 CORE SIZE: NTW ELEVATION: 1526.5 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.76% RQD: 64.17% CORE STORED AT: Elk Rack B Bay 30 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	85	039.6	0	5.31	5.31		GD									
			5.31	5.99	0.68		P2GD									
			5.99	7.90	1.91		P1GD									
			7.90	8.12	0.22		P5GD									
			8.12	10.12	2.00		GD									
			10.12	10.28	0.16		P5GD									
			10.28	11.21	0.93		P2GD									
			11.21	11.33	0.12		P5GD									
			11.33	14.35	3.02		GD									
			14.35	15.85	1.50		P3GD									
			15.85	22.86	7.01		GD									
			7.86	8.16	0.30	00.26		266-1					0.024			01.60
			10.05	10.35	0.30	00.26		266-2					0.398			15.70
			15.47	15.85	0.38	00.33		266-3					0.008			00.80

PROPERTY ELK D.D.H. SUD95268 PAGE 1 OF 1
 AREA: Siwash North DIP: 34 AZIMUTH (t): 180.7 DEPTH: 21.34 m
 CLAIM: Elk 21 NORTHING: 3280.11 DATE STARTED: 20-Jul-1995
 SECTION: 2270E EASTING: 2269.21 DATE FINISHED: 20-Jul-1995
 CORE SIZE: NTW ELEVATION: 1527.91 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.50% RQD: 51.64% CORE STORED AT: Elk Rack B Bay 30 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	34	180.7	.0	6.10	6.10		GD									
			6.10	12.10	6.00		P1GD									
			12.10	12.57	0.47		P2GD									
			12.57	14.27	1.70		P1GD									
			14.27	14.82	0.55		P2GD									
			14.82	15.87	1.05		P4GD									
			15.87	15.99	0.12		V1QV									
			15.99	16.18	0.19		P5GD									
			16.18	16.47	0.29		S5GD									
			16.47	16.80	0.33		P5GD									
			16.80	17.76	0.96		P3GD									
			17.76	18.02	0.26		P1GD									
			18.02	19.73	1.71		P2GD									
			19.73	21.34	1.61		GD									
			15.87	16.23	0.36	00.34		268-1					0.004			01.90

PROPERTY ELK D.D.H. SUD95269 PAGE 1 OF 1
 AREA: Siwash North DIP: 62. AZIMUTH (t): 183.6 DEPTH: 22.25 m
 CLAIM: Elk 21 NORTHING: 3280.90 DATE STARTED: 20-Jul-1995
 SECTION: 2270E EASTING: 2269.19 DATE FINISHED: 21-Jul-1995
 CORE SIZE: NTW ELEVATION: 1528.35 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 94.29% RQD: 50.29% CORE STORED AT: Elk Rack C Bay 5 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	62.	183.6	.0	6.63	6.63		GD									
			6.63	6.80	0.17		GG									
			6.80	13.72	6.92		GD									
			13.72	15.67	1.95		P2GD									
			15.67	16.05	0.38		S2GD									
			16.05	17.54	1.49		P3GD									
			17.54	18.03	0.49		F5GD									
			18.03	18.10	0.07		Y1QV									
			18.10	18.13	0.03		GG									
			18.13	18.31	0.18		F5GD									
			18.31	22.25	3.94		GD									
			17.54	17.94	0.40	00.38		269-1						00081		
			17.94	18.36	0.42	00.40		269-2				0.130			09.60	

PROPERTY ELK D.D.H. SUD95270 PAGE 1 OF 2
 AREA: Siwash North DIP: 86.7 AZIMUTH (t): 344.3 DEPTH: 38.10 m
 CLAIM: Elk 21 NORTHING: 3281.95 DATE STARTED: 21-Jul-1995
 SECTION: 2270E EASTING: 2269.16 DATE FINISHED: 21-Jul-1995
 CORE SIZE: NTW ELEVATION: 1528.84 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 94.49% RQD: 47.85% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppb	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	86.7	344.3	0	6.80	6.80		GD										
19.05	84.0	344.3	6.80	7.94	1.14		P2GD										
			7.94	8.34	0.40		S5GD										
			8.34	8.63	0.29		P2GD										
			8.63	8.98	0.35		S4GD										
			8.98	10.30	1.32		P2GD										
			10.30	18.40	8.10		P1GD										
			18.40	18.80	0.40		P3GD										
			18.80	19.40	0.60		P1GD										
			19.40	19.85	0.45		P2GD										
			19.85	20.20	0.35		P4GD										
			20.20	23.40	3.20		P1GD										
			23.40	25.10	1.70		P2GD										
			25.10	26.20	1.10		P1GD										
			26.20	26.67	0.47		P3GD										
			26.67	28.15	1.48		P2GD										
			28.15	29.00	0.85		P4GD										
			29.00	29.32	0.32		P2GD										
			29.32	30.05	0.73		P3GD										
			30.05	30.42	0.37		S5GD										
			30.42	30.85	0.43		Y2QV										
			30.85	33.60	2.75		S5GD										
			33.60	35.30	1.70		S3GD										
			35.30	35.60	0.30		GG										
			35.60	37.00	1.40		S3GD										
			37.00	37.47	0.47		P2GD										
			37.47	38.10	0.63		S3GD										
			21.55	21.75	0.20	00.16		270-1									
			23.65	23.95	0.30	00.25		270-2					0.105	00220			01.50

CONTD

PROPERTY ELK D.D.H. SUD95271 PAGE 1 OF 2
 AREA: Siwash North DIP: 79.7 AZIMUTH (t): 352.2 DEPTH: 48.46 m
 CLAIM: Elk 21 NORTHING: 3290.75 DATE STARTED: 21-Jul-1995
 SECTION: 2250E EASTING: 2248.81 DATE FINISHED: 22-Jul-1995
 CORE SIZE: NTW ELEVATION: 1532.38 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 95.96% RQD: 57.59% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	79.7	352.2	.0	19.51	19.51		GD									
24.23	77.5	352.2	19.51	20.62	1.11		P2GD									
			20.62	21.03	0.41		GD									
			21.03	24.76	3.73		P1GD									
			24.76	24.88	0.12		GG									
			24.88	30.22	5.34		GD									
			30.22	30.56	0.34		F5GD									
			30.56	31.88	1.32		P1GD									
			31.88	33.84	1.96		GD									
			33.84	35.59	1.75		P1GD									
			35.59	38.01	2.42		GD									
			38.01	43.85	5.84		P1GD									
			43.85	44.96	1.11		P2GD									
			44.96	45.10	0.14		F5GD									
			45.10	45.78	0.68		Y2QV									
			45.78	46.32	0.54		S5GD									
			46.32	46.99	0.67		P5GD									
			46.99	48.46	1.47		S4GD									
			45.05	45.80	0.75	00.19		271-1			0.413				0.390	23.80

PROPERTY ELK D.D.H. SUD95272 PAGE 1 OF 2
 AREA: Siwash North DIP: 85.9 AZIMUTH (t): 344.0 DEPTH: 45.72 m
 CLAIM: Elk 21 NORTHING: 3290.48 DATE STARTED: 22-Jul-1995
 SECTION: 2250E EASTING: 2248.81 DATE FINISHED: 22-Jul-1995
 CORE SIZE: NTW ELEVATION: 1532.22 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 95.54% RQD: 50.70% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	85.9	344.0	.0	5.90	5.90		GD									
22.86	83.0	344.0	5.90	8.60	2.70		P1GD									
			8.60	9.30	0.70		GD									
			9.30	13.30	4.00		P1GD									
			13.30	13.62	0.32		P2GD									
			13.62	14.85	1.23		GD									
			14.85	15.23	0.38		P2GD									
			15.23	16.63	1.40		P1GD									
			16.63	17.37	0.74		P2GD									
			17.37	18.04	0.67		P1GD									
			18.04	19.55	1.51		P2GD									
			19.55	20.90	1.35		P1GD									
			20.90	23.25	2.35		P2GD									
			23.25	23.68	0.43		P4GD									
			23.68	24.55	0.87		P2GD									
			24.55	25.16	0.61		P1GD									
			25.16	27.45	2.29		P3GD									
			27.45	32.20	4.75		P1GD									
			32.20	34.29	2.09		P2GD									
			34.29	34.55	0.26		P5GD									
			34.55	34.89	0.34		Y2QV									
			34.89	35.03	0.14		GC									
			35.03	35.56	0.53		P5GD									
			35.56	36.50	0.94		P4GD									
			36.50	38.02	1.52		P2GD									
			38.02	40.40	2.38		P4GD									
			40.40	41.20	0.80		S5GD									
			41.20	44.20	3.00		P4GD									
			44.20	45.02	0.82		S5GD									
			45.02	45.72	0.70		P2GD									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SUD95272</u>	PAGE <u>2</u> OF <u>2</u>
AREA: _____	DIP: _____	AZIMUTH (t): _____
CLAIM: _____	NORTHING: _____	DEPTH: _____
SECTION: _____	EASTING: _____	DATE STARTED: _____
CORE SIZE: _____	ELEVATION: _____	DATE FINISHED: _____
CORE RECOVERY: _____	CORE STORED AT: _____	CONTRACTOR: _____
COMMENTS: _____		LOGGED BY: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			34.37	34.89	0.52	00.26		272-1			1.305					0.740	47.80
			34.89	35.30	0.41	00.21		272-2					0.041				15.30

PROPERTY ELK D.D.H. SUD95273 PAGE 1 OF 2
 AREA: Siwash North DIP: 67. AZIMUTH (t): 184.7 DEPTH: 27.43 m
 CLAIM: Elk 21 NORTHING: 3289.61 DATE STARTED: 23-Jul-1995
 SECTION: 2250E EASTING: 2248.85 DATE FINISHED: 23-Jul-1995
 CORE SIZE: NTW ELEVATION: 1532.01 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.24% RQD: 59.35% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-273 was drilled to outline mineable reserves. A 13 cm quartz vein was intercepted in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	67.	184.7	.0	18.29	18.29		GD									
			18.29	20.65	2.36		P2GD									
			20.65	20.83	0.18		S3GD									
			20.83	21.01	0.18		GG									
			21.01	21.14	0.13		QV									
			21.14	21.19	0.05		F5GD									
			21.19	25.36	4.17		P3GD									
			25.36	25.71	0.35		P2GD									
			25.71	27.43	1.72		GD									
			20.82	21.19	0.37	00.28		273-1					0.060			03.80

PROPERTY ELK D.D.H. SUD95274 PAGE 1 OF 1
 AREA: Siwash North DIP: 15. AZIMUTH (t): 180.3 DEPTH: 23.77 m
 CLAIM: Elk 21 NORTHING: 3287.70 DATE STARTED: 23-Jul-1995
 SECTION: 2250E EASTING: 2248.90 DATE FINISHED: 23-Jul-1995
 CORE SIZE: NIW ELEVATION: 1530.53 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.49% RQD: 69.96% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-274 was drilled to outline mineable reserves. A 25 cm quartz vein was intercepted in the B zone.
 I.C.M.

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	PA	MIBK	Ag oz/t	Ag ppm
.00	15.	180.3	.0	15.96	15.96		GD									
			15.96	17.03	1.07		P2GD									
			17.03	17.27	0.24		P4GD									
			17.27	17.68	0.41		P5GD									
			17.68	17.93	0.25		Y1QV									
			17.93	18.15	0.22		P5GD									
			18.15	18.21	0.06		QV									
			18.21	18.64	0.43		P3GD									
			18.64	18.87	0.23		S2GD									
			18.87	19.29	0.42		P2GD									
			19.29	23.77	4.48		GD									
			17.27	17.68	0.41	00.39		274-1					0.006			00.80
			17.68	17.93	0.25	00.24		274-2					0.523			23.30
			17.93	18.22	0.29	00.27		274-3					0.075			16.40

PROPERTY ELK D.D.H. SUD95275 PAGE 1 OF 1
 AREA: Siwash North DIP: 83.5 AZIMUTH (t): 197.8 DEPTH: 35.05 m
 CLAIM: Elk 21 NORTHING: 3290.17 DATE STARTED: 23-Jul-1995
 SECTION: 2250E EASTING: 2248.81 DATE FINISHED: 23-Jul-1995
 CORE SIZE: NIW ELEVATION: 1532.17 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.24% RQD: 53.58% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: D. Ritcey
 COMMENTS: Hole SUD95-275 was drilled to outline mineable reserves. A quartz vein about 30 cm wide was intersected in the B zone.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	83.5	197.8	.0	7.42	7.42		GD									
17.52	83.5	197.8	7.42	8.45	1.03		P1GD									
			8.45	12.03	3.58		GD									
			12.03	15.56	3.53		P1GD									
			15.56	22.80	7.24		P2GD									
			22.80	25.80	3.00		P3GD									
			25.80	26.54	0.74		P4GD									
			26.54	26.82	0.28		F5GD									
			26.82	27.22	0.40		Y2QV									
			27.22	27.50	0.28		S5GD									
			27.50	29.28	1.78		P5GD									
			29.28	29.58	0.30		S5GD									
			29.58	30.90	1.32		P2GD									
			30.90	35.05	4.15		P1GD									
			26.54	26.79	0.25	00.18		275-1					00850			
			26.79	27.24	0.45	00.32		275-2			0.111			0.165	10.10	

PROPERTY ELK D.D.H. SUD95276 PAGE 1 OF 1
 AREA: Siwash North DIP: 42. AZIMUTH (t): 180.2 DEPTH: 22.56 m
 CLAIM: Elk 21 NORTHING: 3288.51 DATE STARTED: 24-Jul-1995
 SECTION: 2250E EASTING: 2248.89 DATE FINISHED: 24-Jul-1995
 CORE SIZE: NTW ELEVATION: 1531.74 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.25% RQD: 71.28% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-276 was drilled to outline mineable reserves. A 16 cm quartz vein was intercepted in the B zone.
 LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	42.	180.2	.0	14.30	14.30		GD									
			14.30	14.63	0.33		S2GD									
			14.63	15.63	1.00		P1GD									
			15.63	16.63	1.00		P4GD									
			16.63	16.72	0.09		S4GD									
			16.72	16.75	0.03		GG									
			16.75	16.91	0.16		OV									
			16.91	17.33	0.42		F5GD									
			17.33	17.57	0.24		S5GD									
			17.57	17.98	0.41		P5GD									
			17.98	18.31	0.33		S3GD									
			18.31	22.56	4.25		GD									
			16.72	17.33	0.61	00.57		276-1					0.115			11.40

PROPERTY ELK D.D.H. SUD95277 PAGE 1 OF 1
 AREA: Siwash North DIP: -3.8 AZIMUTH (t): 180.2 DEPTH: 32.00 m
 CLAIM: Elk 21 NORTHING: 3287.74 DATE STARTED: 24-Jul-1995
 SECTION: 2250E EASTING: 2248.92 DATE FINISHED: 24-Jul-1995
 CORE SIZE: NTW ELEVATION: 1529.82 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 95.88% RQD: 61.69% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-3.8	180.2	0	20.22	20.22		GD									
16.00	-5.5	180.2	20.22	21.19	0.97		P2GD									
			21.19	21.77	0.58		P4GD									
			21.77	22.25	0.48		P5GD									
			22.25	22.44	0.19		GG									
			22.44	22.67	0.23		P5GD									
			22.67	24.30	1.63		P4GD									
			24.30	32.00	7.70		GD									
			21.77	22.12	0.35	00.30		277-1						02390		
			22.12	22.53	0.41	00.36		277-2					0.010			02.30

PROPERTY <u>ELK</u>		D.D.H. <u>SUD95279</u>		PAGE <u>1</u> OF <u>1</u>	
AREA: <u>Siwash North</u>	DIP: <u>14.</u>	AZIMUTH (t): <u>182.5</u>		DEPTH: <u>24.08</u> m	
CLAIM: <u>Elk 21</u>	NORTHING: <u>3293.04</u>		DATE STARTED: <u>25-Jul-1995</u>		
SECTION: <u>2230E</u>	EASTING: <u>2230.80</u>		DATE FINISHED: <u>25-Jul-1995</u>		
CORE SIZE: <u>NTW</u>	ELEVATION: <u>1533.63</u>		CONTRACTOR: <u>Boisvenu Drilling L.</u>		
CORE RECOVERY: <u>97.05%</u>		RQD: <u>73.71%</u>		CORE STORED AT: <u>Elk Rack C Bay 6</u>	
LOGGED BY: <u>B. Post</u>					
COMMENTS:					

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	14.	182.5	.0	17.48	17.48		GR									
			17.48	17.83	0.15		P3GD									
			17.83	17.94	0.11		P5GD									
			17.94	18.03	0.09		Y2QV									
			18.03	18.33	0.30		GG									
			18.33	18.38	0.05		P5GD									
			18.38	19.57	1.19		P2GD									
			19.57	20.01	0.44		S1GD									
			20.01	24.08	4.07		GD									
			17.94	18.33	0.39	00.37		279-1			1.154				0.530	41.80

PROPERTY ELK D.D.H. SUD95280 PAGE 1 OF 1
 AREA: Siwash North DIP: -25.4 AZIMUTH (t): 183.7 DEPTH: 53.04 m
 CLAIM: Elk 21 NORTHING: 3292.85 DATE STARTED: 25-Jul-1995
 SECTION: 2230E EASTING: 2230.76 DATE FINISHED: 26-Jul-1995
 CORE SIZE: NTW ELEVATION: 1531.88 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.89% RQD: 62.39% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Aq oz/t	Aq ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-25.4	183.7	0	32.20	32.20		GD									
15.24	-28.5	183.7	33.20	34.24	1.04		P1GD									
41.76	-28.0	183.7	34.24	34.49	0.25		P2GD									
			34.49	34.87	0.38		S3GD									
			34.87	35.15	0.28		P5GD									
			35.15	35.47	0.32		S3GD									
			35.47	35.61	0.14		P5GD									
			35.61	35.73	0.12		Y1QV									
			35.73	35.89	0.16		P5GD									
			35.89	36.01	0.12		GG									
			36.01	36.37	0.36		P5GD									
			36.37	36.53	0.16		GG									
			36.53	36.63	0.10		P5GD									
			36.63	37.80	1.17		S2GD									
			37.80	38.56	0.76		P2GD									
			38.56	42.24	3.68		GD									
			42.24	42.75	0.51		P1GD									
			42.75	53.04	10.29		GD									
			34.82	35.06	0.24	00.12		280-1					0.003			00.70
			35.06	35.47	0.41	00.21		280-2						00035		
			35.47	35.84	0.37	00.19		280-3					0.036			09.00
			35.84	36.27	0.43	00.22		280-4						02210		
			36.27	36.63	0.36	00.26		280-5					0.056			04.00

PROPERTY ELK D.D.H. SUD95281 PAGE 1 OF 1
 AREA: Siwash North DIP: -9.7 AZIMUTH (t): 182.1 DEPTH: 31.70 m
 CLAIM: Elk 21 NORTHING: 3292.85 DATE STARTED: 27-Jul-1995
 SECTION: 2230E EASTING: 2230.8 DATE FINISHED: 27-Jul-1995
 CORE SIZE: NTW ELEVATION: 1532.68 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 98.26% RQD: 65.99% CORE STORED AT: Elk Rack C Bay 6 LOGGED BY: B. Post
 COMMENTS: Hole SUD95-281 was drilled to outline mineable reserves.

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-9.7	182.1	.0	21.50	21.50		GD									
15.85	-10.3	182.1	21.50	22.56	1.06		P1GD									
			22.56	23.37	0.81		P3GD									
			23.37	23.89	0.52		P5GD									
			23.89	24.17	0.28		Y1QV									
			24.17	24.25	0.08		GG									
			24.25	25.47	1.22		P3GD									
			25.47	31.70	6.23		GD									
			23.35	23.80	0.45	00.35		281-1					0.477			21.00
			23.80	24.31	0.51	00.39		281-2					0.332			16.00

PROPERTY: ELK	D.D.H.: SUD95282	PAGE: 1	OF: 1
AREA: Siwash North	DIP: 41.	AZIMUTH (t): 183.3	DEPTH: 22.86 m
CLAIM: Elk 21	NORTHING: 3293.84	DATE STARTED: 27-Jul-1995	
SECTION: 2230E	EASTING: 2230.87	DATE FINISHED: 27-Jul-1995	
CORE SIZE: NIW	ELEVATION: 1534.64	CONTRACTOR: Boisvenu Drilling L	
CORE RECOVERY: 96.39%	RQD: 62.75%	CORE STORED AT: Elk Rack C Bay 6	LOGGED BY: B. Post
COMMENTS: Hole SUD95-282 was drilled to outline mineable reserves.			

LCTM

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	41.	183.3	. 0	16.56	16.56		GD									
			16.56	17.24	0.68		P2GD									
			17.24	17.60	0.36		Y1OV									
			17.60	18.13	0.53		P2GD									
			18.13	18.46	0.33		P1GD									
			18.46	21.34	2.88		GD									
			21.34	22.64	1.30		MI									
			22.64	22.86	0.22		P1GD									
			17.24	17.66	0.42	00.41		282-1					0.122			12.70

PROPERTY ELK D.D.H. SUD95283 PAGE 1 OF 1
 AREA: Siwash North DIP: 84.6 AZIMUTH (t): 173.1 DEPTH: 38.10 m
 CLAIM: Elk 21 NORTHING: 3300.81 DATE STARTED: 27-Jul-1995
 SECTION: 2220E EASTING: 2218.54 DATE FINISHED: 28-Jul-1995
 CORE SIZE: NTW ELEVATION: 1537.04 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 96.17% RQD: 65.96% CORE STORED AT: Elk Rack C Bay 8 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	84.6	173.1	0	6.00	6.00		GD									
16.00	83.3	173.1	6.00	7.60	1.60		P1GD									
			7.60	8.40	0.80		GD									
			8.40	9.10	0.70		P2GD									
			9.10	18.20	9.10		GD									
			18.20	19.90	1.70		P2GD									
			19.90	20.98	1.08		GD									
			20.98	21.32	0.34		P2GD									
			21.32	22.35	1.03		GD									
			22.35	25.95	3.60		P2GD									
			25.95	26.60	0.65		P3GD									
			26.60	30.24	3.64		P1GD									
			30.24	31.49	1.25		P3GD									
			31.49	32.06	0.57		S5GD									
			32.06	32.41	0.35		P4GD									
			32.41	33.35	0.94		S5GD									
			33.35	33.49	0.14		Y2QV									
			33.49	33.77	0.28		GG									
			33.77	34.06	0.29		P5GD									
			34.06	35.30	1.24		P4GD									
			35.30	38.10	2.80		GD									
			31.50	32.00	0.50	00.35		283-1					0.005			02.20
			33.25	33.77	0.52	00.30		283-2					0.075			05.00
			33.77	34.07	0.30	00.17		283-3						01030		

PROPERTY ELK D.D.H. SUD95284 PAGE 1 OF 1
 AREA: Siwash North DIP: 26.8 AZIMUTH (t): 184.3 DEPTH: 22.25 m
 CLAIM: Elk 21 NORTHING: 3304.67 DATE STARTED: 28-Jul-1995
 SECTION: 2190 E EASTING: 2189.37 DATE FINISHED: 28-Jul-1995
 CORE SIZE: NTW ELEVATION: 1540.41 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.55% RQD: 76.90% CORE STORED AT: Elk Rack C Bay 8 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	26.8	184.3	.0	.75	0.75		P2GD										
11.13	26.8	184.3	.75	4.70	3.95		GD										
			4.70	5.13	0.43		P2GD										
			5.13	15.15	10.02		GD										
			15.15	16.27	1.12		P5GD										
			16.27	16.94	0.67		S5GD										
			16.94	17.40	0.46		P5GD										
			17.40	17.90	0.50		P5GD										
			17.90	18.64	0.74		S5GD										
			18.64	18.69	0.05		Y1QV										
			18.69	19.04	0.35		S5GD										
			19.04	19.50	0.46		P5GD										
			19.50	20.24	0.74		P2GD										
			20.24	22.25	2.01		GD										
			17.57	17.92	0.35	00.15		284-1					0.050				04.30
			18.45	18.80	0.35	00.33		284-2					0.005				01.70

PROPERTY ELK D.D.H. SUD95285 PAGE 1 OF 1
 AREA: Siwash North DIP: 54.0 AZIMUTH (t): 183.6 DEPTH: 25.91 m
 CLAIM: Elk 21 NORTHING: 3306.27 DATE STARTED: 28-Jul-1995
 SECTION: 2190 E EASTING: 2189.50 DATE FINISHED: 28-Jul-1995
 CORE SIZE: NTW ELEVATION: 1541.03 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.76% RQD: 54.50% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA		MTBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t	Ag ppm	
0.00	54.0	183.6	0	3.65	3.65		GD										
12.96	54.0	183.6	3.65	5.10	1.45		P3GD										
			5.10	10.92	5.82		GD										
			10.92	14.62	3.70		P1GD										
			14.62	16.25	1.63		P2GD										
			16.25	16.55	0.30		P4GD										
			16.55	17.35	0.80		P2GD										
			17.35	18.63	1.28		P5GD										
			18.63	19.35	0.72		S5GD										
			19.35	19.81	0.46		P5GD										
			19.81	21.08	1.27		S5GD										
			21.08	21.34	0.26		Y2QV										
			21.34	21.40	0.06		GG										
			21.40	21.72	0.32		P5GD										
			21.72	22.70	0.98		P5GD										
			22.70	25.91	3.21		P2GD										
			19.35	19.81	0.46	00.40		285-1					0.046				05.20
			19.81	21.00	1.19	00.84		285-2						00113			
			21.00	21.40	0.40	00.35		285-3			0.546					0.410	
			21.40	21.70	0.30	00.26		285-4						01230			

PROPERTY ELK D.D.H. SUD95286 PAGE 1 OF 1
 AREA: Siwash North DIP: 52.2 AZIMUTH (t): 181.0 DEPTH: 21.64 m
 CLAIM: Elk 21 NORTHING: 3315.15 DATE STARTED: 29-Jul-1995
 SECTION: 2150 E EASTING: 2150.17 DATE FINISHED: 29-Jul-1995
 CORE SIZE: NTW ELEVATION: 1547.57 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 96.67% RQD: 65.02% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	52.2	181.0	.0	16.28	16.28		GD									
10.82	52.2	181.0	16.28	17.05	0.77		P2GD									
			17.05	17.09	0.04		GG									
			17.09	17.34	0.25		Y1QV									
			17.34	17.41	0.07		GG									
			17.41	17.54	0.13		P5GD									
			17.54	18.96	1.42		P2GD									
			18.96	21.64	2.68		P1GD									
			17.05	17.52	0.47	00.41		286-1					0.140			19.40

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SUD95287 PAGE 1 OF 2
 AREA: Siwash North DIP: -49.0 AZIMUTH (t): 179.5 DEPTH: 91.14 m
 CLAIM: Elk 21 NORTHING: 3313.89 DATE STARTED: 29-Jul-1995
 SECTION: 2150 E EASTING: 2150.27 DATE FINISHED: 30-Jul-1995
 CORE SIZE: NTW ELEVATION: 1543.80 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 98.45% RQD: 67.28% CORE STORED AT: Elk Rack C Bay 8 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-49.0	179.5	.0	46.89	46.89		GD									
22.86	-50.0	179.5	46.89	47.69	0.80		P1GD									
68.43	-49.0	179.5	47.69	50.48	2.79		GD									
91.14	-49.5	179.5	50.48	60.30	9.82		P1GD									
			60.30	60.54	0.24		GD									
			60.54	61.14	0.60		P4GD									
			61.14	63.70	2.56		GD									
			63.70	65.31	1.61		P2GD									
			65.31	65.63	0.32		P5GD									
			65.63	66.13	0.50		P2GD									
			66.13	68.68	2.55		GD									
			68.68	70.11	1.43		P1GD									
			70.11	70.59	0.48		P4GD									
			70.59	74.37	3.78		P1GD									
			74.37	74.50	0.13		P4GD									
			74.50	75.20	0.70		P5GD									
			75.20	76.64	1.44		VGOV									
			76.64	77.18	0.54		P5GD									
			77.18	79.94	2.76		S2GD									
			79.94	80.49	0.55		P2GD									
			80.49	81.61	1.12		GD									
			81.61	81.92	0.31		P5GD									
			81.92	82.77	0.85		P1GD									
			82.77	84.50	1.73		GD									
			84.50	84.95	0.45		P1GD									
			84.95	91.14	6.19		GD									
			60.54	61.14	0.60	00.21		287-1					0.002			00.60
			65.31	65.63	0.32	00.16		287-2					0.001			00.60
			74.65	75.08	0.43	00.11		287-3						01040		
								CONTD								

PROPERTY ELK D.D.H. SUD95288 PAGE 1 OF 2
 AREA: Siwash North DIP: -43.0 AZIMUTH (t): 178.6 DEPTH: 56.08 m
 CLAIM: Elk 21 NORTHING: 3313.82 DATE STARTED: 30-Jul-1995
 SECTION: 2150 E EASTING: 2150.29 DATE FINISHED: 30-Jul-1995
 CORE SIZE: NTW ELEVATION: 1544.06 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.86% RQD: 63.53% CORE STORED AT: Elk Rack C Bay 10 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD																
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK					
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm			
.00	-43.0	178.6	0	38.30	38.30		GD												
13.72	-44.0	178.6	38.30	39.10	0.80		P1GD												
41.76	-43.0	178.6	39.10	39.90	0.80		GD												
56.08	-44.0	178.6	39.90	40.37	0.47		P3GD												
			40.37	40.57	0.20		P5GD												
			40.57	40.96	0.39		Y3QV												
			40.96	42.59	1.63		P5GD												
			42.59	42.78	0.19		Y3QV												
			42.78	43.27	0.49		P5GD												
			43.27	43.60	0.33		S4GD												
			43.60	44.47	0.87		P3GD												
			44.47	44.80	0.33		P5GD												
			44.80	50.88	6.08		P2GD												
			50.88	51.37	0.49		P5GD												
			51.37	53.31	1.94		S3GD												
			53.31	56.08	2.77		GD												
			40.48	41.02	0.54	00.19		288-1					2.936				135.80		
			41.02	41.64	0.62	00.21		288-2						01980					
			41.64	42.51	0.87	00.44		288-3						02540					
			42.51	42.84	0.33	00.17		288-4			0.040				0.200		17.30		
			42.84	43.15	0.31	00.16		288-5						00120					
			44.54	44.80	0.26	00.13		288-6						00430					
			46.36	46.71	0.35	00.18		288-7						00087					
			50.88	51.37	0.49	00.25		288-8					0.019				01.80		

PROPERTY ELK D.D.H. SUD95289 PAGE 1 OF 1
 AREA: Siwash North DIP: -31.3 AZIMUTH (t): 178.3 DEPTH: 42.37 m
 CLAIM: Elk 21 NORTHING: 3313.80 DATE STARTED: 31-Jul-1995
 SECTION: 2150 E EASTING: 2150.29 DATE FINISHED: 31-Jul-1995
 CORE SIZE: NTW ELEVATION: 1544.09 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.72% RQD: 65.02% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-31.3	178.3	0	4.42	4.42		GD									
21.19	-34.0	178.3	4.42	5.40	0.98		P2GD									
42.37	-31.3	178.3	5.40	17.75	12.35		GD									
			17.75	18.10	0.35		P2GD									
			18.10	18.85	0.75		P1GD									
			18.85	26.77	7.92		GD									
			26.77	29.10	2.33		P1GD									
			29.10	29.40	0.30		P3GD									
			29.40	29.76	0.36		S5GD									
			29.76	29.96	0.20		Y3QV									
			29.96	30.30	0.34		S5GD									
			30.30	30.65	0.35		P3GD									
			30.65	32.90	2.25		P2GD									
			32.90	36.27	3.37		P1GD									
			36.27	37.00	0.73		P2GD									
			37.00	38.60	1.60		P1GD									
			38.60	39.88	1.28		P2GD									
			39.88	40.60	0.72		S5GD									
			40.60	41.10	0.50		GC									
			41.10	41.45	0.35		P4GD									
			41.45	42.37	0.92		P2GD									
			29.68	30.18	0.50	00.25		289-1			0.099				0.110	08.50
			40.45	40.95	0.50	00.32		289-2				0.011				01.40

PROPERTY ELK D.D.H. SUD95290 PAGE 1 OF 1
 AREA: Siwash North DIP: -23.4 AZIMUTH (t): 178.3 DEPTH: 32.00 m
 CLAIM: Elk 21 NORTHING: 3313.96 DATE STARTED: 31-Jul-1995
 SECTION: 2150 E EASTING: 2150.29 DATE FINISHED: 31-Jul-1995
 CORE SIZE: NTW ELEVATION: 1544.58 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 98.28% RQD: 76.97% CORE STORED AT: Elk Rack C Bay 10 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-23.4	178.3	0	22.41	22.41		GD									
16.00	-23.4	178.3	22.41	22.97	0.56		P2GD									
32.00	-23.8	178.3	22.97	23.08	0.11		P5GD									
			23.08	23.20	0.12		P5GD									
			23.20	23.45	0.25		VGQV									
			23.45	23.62	0.17		P5GD									
			23.62	23.89	0.27		S4GD									
			23.89	24.46	0.57		P3GD									
			24.46	29.95	5.49		GD									
			29.95	30.25	0.30		S1GD									
			30.25	30.63	0.38		P2GD									
			30.63	30.80	0.17		S1GD									
			30.80	32.00	1.20		GD									
			23.18	23.48	0.30	00.19		290-1			1.238				0.790	52.10
			23.48	23.76	0.28	00.21		290-2					00240			

PROPERTY ELK D.D.H. SUD95291 PAGE 1 OF 1
 AREA: Siwash North DIP: -6.0 AZIMUTH (t): 179.8 DEPTH: 22.56 m
 CLAIM: Elk 21 NORTHING: 3314.00 DATE STARTED: 1-Aug-1995
 SECTION: 2150 E EASTING: 2150.28 DATE FINISHED: 1-Aug-1995
 CORE SIZE: NTW ELEVATION: 1545.24 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 93.13% RQD: 64.76% CORE STORED AT: Elk Rack C Bay 10 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MTBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-6.0	179.8	0	1.50	1.50		GD									
11.28	-6.0	179.8	1.50	2.10	0.60		P1GD									
			2.10	6.50	4.40		GD									
			6.50	7.60	1.10		P1GD									
			7.60	12.60	5.00		GD									
			12.60	13.24	0.64		P1GD									
			13.24	13.70	0.46		P3GD									
			13.70	17.29	3.59		GD									
			17.29	17.50	0.21		F5GD									
			17.50	17.74	0.24		VGQV									
			17.74	17.85	0.11		GG									
			17.85	17.98	0.13		S5GD									
			17.98	19.00	1.02		P2GD									
			19.00	22.56	3.56		P1GD									
			17.26	17.50	0.30	00.23		291-1								
			17.50	17.92	0.42	00.32		291-2			3.208				0.760	

PROPERTY ELK D.D.H. SUD95292 PAGE 1 OF 1
 AREA: Siwash North DIP: 11.9 AZIMUTH (t): 179.9 DEPTH: 24.08 m
 CLAIM: Elk 21 NORTHING: 3314.17 DATE STARTED: 1-Aug-1995
 SECTION: 2150 E EASTING: 2150.25 DATE FINISHED: 1-Aug-1995
 CORE SIZE: NIW ELEVATION: 1545.88 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 98.42% RQD: 66.78% CORE STORED AT: Elk Rack C Bay 10 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
0.00	11.9	179.9	0.00	1.66	1.66		GD										
12.04	11.9	179.9	1.66	2.33	0.67		P2GD										
			2.33	6.80	4.47		GD										
			6.80	7.27	0.47		P2GD										
			7.27	13.80	6.53		GD										
			13.80	14.84	1.04		P2GD										
			15.02	15.31	0.29		Y2QV										
			15.31	15.55	0.24		GG										
			15.55	15.86	0.31		S5GD										
			15.86	16.67	0.81		P3GD										
			16.67	16.92	0.25		S5GD										
			16.92	17.30	0.38		P2GD										
			17.30	19.64	2.34		P1GD										
			19.64	19.99	0.35		S5GD										
			19.99	20.23	0.24		P3GD										
			20.23	24.08	3.85		GD										
			14.94	15.31	0.37	00.34		292-1			1.099				0.425	32.60	
			15.31	15.61	0.30	00.29		292-2				0.020				01.40	

PROPERTY ELK D.D.H. SUD95293 PAGE 1 OF 1

AREA: Siwash North DIP: -5.4 AZIMUTH (t): 181.6 DEPTH: 27.43 m

CLAIM: Elk 21 NORTHING: 3321.63 DATE STARTED: 2-Aug-1995

SECTION: 2130 E EASTING: 2129.51 DATE FINISHED: 2-Aug-1995

CORE SIZE: NTW ELEVATION: 1547.55 CONTRACTOR: Boisvenu Drilling L.

CORE RECOVERY: 95.44% RQD: 44.08% CORE STORED AT: Elk Rack C Bay 11 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		PA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
0.00	-5.4	181.6	0	4.02	4.02		GD										
13.72	-5.4	181.6	4.02	5.20	1.18		P1GD										
			5.20	18.18	12.98		GD										
			18.18	19.14	0.96		P1GD										
			19.14	19.96	0.82		P2GD										
			19.96	20.45	0.49		P5GD										
			20.45	20.54	0.09		S5GD										
			20.54	20.66	0.12		P5GD										
			20.66	21.76	1.10		Y1QV										
			21.05	21.93	0.88		Y1QV										
			21.76	21.05	-0.71		P5GD										
			21.93	21.99	0.06		GG										
			21.99	22.22	0.23		S5GD										
			22.22	25.83	3.61		P2GD										
			25.83	27.43	1.60		GD										
			19.95	20.54	0.59	00.38		293-1					0.010				02.20
			20.54	20.96	0.42	00.27		293-2					0.098				10.10
			20.96	21.55	0.59	00.45		293-3					0.292				48.90
			21.55	22.00	0.45	00.35		293-4					0.421				26.70

PROPERTY ELK D.D.H. SUD95294 PAGE 1 OF 1

AREA: Siwash North DIP: -34.9 AZIMUTH (t): 181.6 DEPTH: 47.24 m

CLAIM: Elk 21 NORTHING: 3321.73 DATE STARTED: 2-Aug-1995

SECTION: 2130 E EASTING: 2129.50 DATE FINISHED: 2-Aug-1995

CORE SIZE: NIW ELEVATION: 1546.49 CONTRACTOR: Boisvenu Drilling L.

CORE RECOVERY: 96.89% RQD: 46.13% CORE STORED AT: Elk Rack C Bay 11 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-34.9	181.6	.0	1.95	1.95		GD									
23.62	-34.5	181.6	1.95	2.70	0.75		P2GD									
47.24	-34.9	181.6	2.70	8.27	5.57		GD									
			8.27	9.32	1.05		P2GD									
			9.32	17.50	8.18		GD									
			17.50	18.18	0.68		P3GD									
			18.18	18.50	0.32		P2GD									
			18.50	21.45	2.95		P1GD									
			21.45	27.55	6.10		P2GD									
			27.55	28.71	1.16		S3GD									
			28.71	31.49	2.78		GD									
			31.49	34.00	2.51		P2GD									
			34.00	34.90	0.90		P3GD									
			34.90	37.17	2.27		P2GD									
			37.17	39.05	1.88		P4GD									
			39.05	39.58	0.53		S5GD									
			39.56	.0	-39.56		Y3QV									
			39.58	39.68	0.10		GG									
			39.68	39.87	0.19		S5GD									
			39.87	41.22	1.35		P3GD									
			41.22	43.38	2.16		P2GD									
			43.38	44.04	0.66		S3GD									
			44.04	45.05	1.01		P1GD									
			45.05	47.24	2.19		GD									
			39.33	39.73	0.40	00.20		294-1					0.735			41.50

PROPERTY ELK D.D.H. SUD95296 PAGE 1 OF 1
 AREA: Siwash North DIP: 25.8 AZIMUTH (I): 181.3 DEPTH: 22.56 m
 CLAIM: Elk 21 NORTHING: 3321.78 DATE STARTED: 4-Aug-1995
 SECTION: 2130 E EASTING: 2129.46 DATE FINISHED: 4-Aug-1995
 CORE SIZE: NTW ELEVATION: 1548.81 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.99% RQD: 39.14% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au pob	Ag oz/t	Ag ppm	
0.00	25.8	181.3	0.00	0.37	0.37		P2GD										
11.28	25.8	181.3	0.37	2.80	2.43		GD										
			2.80	3.13	0.33		P2GD										
			3.13	5.72	2.59		GD										
			5.72	7.15	1.43		P2GD										
			7.15	9.98	2.83		P1GD										
			9.98	12.74	2.76		P3GD										
			12.74	13.10	0.36		P2GD										
			13.10	13.40	0.30		P1GD										
			13.40	15.04	1.64		P2GD										
			15.04	15.30	0.26		P4GD										
			15.30	15.70	0.40		S5GD										
			15.70	15.82	0.12		GG										
			15.82	15.98	0.16		F5GD										
			15.98	18.95	2.97		P4GD										
			18.95	21.08	2.13		P3GD										
			21.08	21.38	0.30		S5GD										
			21.38	22.56	1.18		P3GD										
			15.50	15.95	0.45	00.44		296-1					0.107				06.40

PROPERTY ELK D.D.H. SUD95297 PAGE 1 OF 1
 AREA: Siwash North DIP: -89.0 AZIMUTH (t): 031.4 DEPTH: 56.39 m
 CLAIM: Elk 21 NORTHING: 3323.19 DATE STARTED: 4-Aug-1995
 SECTION: 2130 E EASTING: 2129.53 DATE FINISHED: 5-Aug-1995
 CORE SIZE: NTW ELEVATION: 1546.19 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 97.85% RQD: 43.61% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MTBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	-89.0	031.4	.0	2.33	2.33		GD										
14.48	-89.5	031.4	2.33	2.93	0.60		P2GD										
42.68	-89.0	031.4	2.93	9.14	6.21		GD										
56.39	-89.0	031.4	9.14	9.73	0.59		K2GD										
			9.73	10.83	1.10		GD										
			10.83	11.30	0.47		P1GD										
			11.30	12.08	0.78		P2GD										
			12.08	15.31	3.23		GD										
			15.31	16.10	0.79		P2GD										
			16.10	16.68	0.58		S4GD										
			16.68	17.20	0.52		P3GD										
			17.20	21.27	4.07		GD										
			21.27	24.33	3.06		P2GD										
			24.33	28.50	4.17		GD										
			28.50	29.73	1.23		P1GR										
			29.73	34.84	5.11		GR										
			34.84	37.07	2.23		P1GR										
			37.07	37.90	0.83		K4GR										
			37.90	38.85	0.95		GR										
			38.85	40.30	1.45		P1GD										
			40.30	42.64	2.34		P1GC										
			42.64	43.15	0.51		P2GC										
			43.15	45.64	2.49		GC										
			45.64	46.18	0.54		P2GC										
			46.18	46.37	0.19		S5GC										
			46.37	47.40	1.03		P2GD										
			47.40	56.39	8.99		GC										
			46.18	46.38	0.20	00.16		297-1						00020			

PROPERTY ELK D.D.H. SUD95298 PAGE 1 OF 1
 AREA: Siwash North DIP: -20.2 AZIMUTH (t): 181.6 DEPTH: 34.75 m
 CLAIM: Elk 21 NORTHING: 3324.16 DATE STARTED: 6-Aug-1995
 SECTION: 2120 E EASTING: 2119.81 DATE FINISHED: 7-Aug-1995
 CORE SIZE: NTW ELEVATION: 1548.7 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 98.39% RQD: 58.24% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-20.2	181.6	.0	11.84	11.84		GD									
17.38	-21.0	181.6	11.84	12.88	1.04		P1GD									
			12.88	25.41	12.53		GD									
			25.41	25.87	0.46		P2GD									
			25.87	26.03	0.16		S5GD									
			26.03	26.17	0.14		P5GD									
			26.17	26.23	0.06		Y2QV									
			26.23	26.61	0.38		P5GD									
			26.61	26.88	0.27		S5GD									
			26.88	27.10	0.22		P5GD									
			27.10	27.18	0.08		Y1QV									
			27.18	27.27	0.09		GG									
			27.27	27.52	0.25		P5GD									
			27.52	28.98	1.46		P2GD									
			28.98	30.50	1.52		GD									
			30.50	30.99	0.49		S2GD									
			30.99	34.75	3.76		GD									
			26.03	26.56	0.53	00.46		298-1					0.070			07.80
			26.56	27.04	0.48	00.42		298-2						00220		
			27.04	27.52	0.48	00.37		298-3					0.037			04.60

PROPERTY ELK D.D.H. SUD95299 PAGE 1 OF 2
 AREA: Siwash North DIP: -43.6 AZIMUTH (t): 180.1 DEPTH: 62.48 m
 CLAIM: Elk 21 NORTHING: 3324.33 DATE STARTED: 7-Aug-1995
 SECTION: 2120 E EASTING: 2119.83 DATE FINISHED: 8-Aug-1995
 CORE SIZE: NTW ELEVATION: 1548.4 CONTRACTOR: Boisvenu Drilling L.
 CORE RECOVERY: 97.28% RQD: 60.96% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MTBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-43.6	180.1	.0	15.05	15.05		GD									
15.24	-44.5	180.1	15.05	16.02	0.97		P4GD									
46.48	-43.9	180.1	16.02	20.38	4.36		GD									
			20.38	20.82	0.44		P2GD									
			20.82	21.06	0.24		P5GD									
			21.06	21.70	0.64		P2GD									
			21.70	22.70	1.00		P1GD									
			22.70	29.61	6.91		GD									
			29.61	30.73	1.12		P1GD									
			30.73	36.70	5.97		GD									
			36.70	39.53	2.83		P1GD									
			39.53	41.35	1.82		P2GD									
			41.35	42.20	0.85		GD									
			42.20	44.16	1.96		P1GD									
			44.16	48.80	4.64		P2GD									
			48.80	49.22	0.42		P3GD									
			49.22	49.55	0.33		S5GD									
			49.55	50.90	1.35		P3GD									
			50.90	51.24	0.34		P5GD									
			51.24	53.25	2.01		P4GD									
			53.25	53.90	0.65		S5GD									
			53.90	54.10	0.20		GV									
			54.10	54.47	0.37		GG									
			54.47	54.70	0.23		P5GD									
			54.70	55.54	0.84		S5GD									
			55.54	56.85	1.31		P4GD									
			56.85	57.45	0.60		GD									
			57.45	59.80	2.35		P2GD									
			59.80	62.48	2.68		GD									

PROPERTY ELK D.D.H. SUD95300 PAGE 1 OF 2
 AREA: Siwash North DIP: -42.4 AZIMUTH (t): 172.8 DEPTH: 68.58 m
 CLAIM: Elk 21 NORTHING: 3339.94 DATE STARTED: 9-Aug-1995
 SECTION: 2080 E EASTING: 2077.08 DATE FINISHED: 10-Aug-1995
 CORE SIZE: NTW ELEVATION: 1554.40 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 95.20% RQD: 38.22% CORE STORED AT: Elk Rack C Bay 13 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	-42.4	172.8	.0	3.20	3.20		P1GR										
15.24	-42.5	172.8	3.20	5.31	2.11		P5GR										
44.20	-42.4	172.8	5.31	8.95	3.64		P2GR										
60.20	-42.5	172.8	8.95	15.99	7.04		GR										
			15.99	52.39	36.40		P1GR										
			52.39	58.28	5.89		S2GR										
			58.28	59.83	1.55		S2GR										
			59.83	60.00	0.17		P5GR										
			60.00	60.87	0.87		VGQV										
			60.87	60.96	0.09		GG										
			60.96	61.92	0.96		P5AV										
			61.92	62.46	0.54		S5GR										
			62.46	64.86	2.40		S2AV										
			64.86	65.20	0.34		S4GR										
			65.20	65.89	0.69		P5AV										
			65.89	66.30	0.41		S2AV										
			66.30	66.65	0.35		GG										
			66.65	67.66	1.01		S2AV										
			67.66	68.58	0.92		GG										
			3.20	3.72	0.52	00.18		300-1					0.005			00.90	
			3.72	4.25	0.53	00.18		300-2						00150			
			4.25	4.75	0.50	00.25		300-3						00270			
			4.75	5.31	0.56	00.28		300-4					0.006			02.00	
			59.83	60.49	0.66	00.12		300-5		12.990					25.570	95.90	
			60.49	61.04	0.55	00.10		300-6		5.775					3.115	93.20	
			61.04	61.54	0.50	00.09		300-7					0.041			06.10	
			65.22	65.89	0.67	00.23		300-8					0.014			05.70	
			66.20	66.65	0.45	00.15		300-9					0.068			09.30	
			67.54	68.05	0.51	00.09		300-10					0.033			01.40	

CONTD

PROPERTY ELK D.D.H. SUD95300 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	<small>metals</small>		FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			68.05	68.58	0.53	00.09		300-11						0.020			02.20

PROPERTY ELK D.D.H. SUD95301 PAGE 1 OF 2
 AREA: Siwash North DIP: -38.2 AZIMUTH (t): 172.9 DEPTH: 57.91 m
 CLAIM: Elk 21 NORTHING: 3339.93 DATE STARTED: 11-Aug-1995
 SECTION: 2080 E EASTING: 2077.09 DATE FINISHED: 12-Aug-1995
 CORE SIZE: NTW ELEVATION: 1554.42 CONTRACTOR: Boisvenu Drilling L
 CORE RECOVERY: 96.55% RQD: 45.05% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: P. Conroy
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MTBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-38.2	172.9	.0	2.80	2.80		GD									
17.52	-37.5	172.9	2.80	4.07	1.27		P1GD									
46.48	-39.0	172.9	4.07	7.23	3.16		P5GD									
63.25	-38.2	172.9	7.23	10.39	3.16		P2GD									
			10.39	14.19	3.80		P1GD									
			14.19	15.07	0.88		P2GD									
			15.07	20.04	4.97		GD									
			20.04	20.62	0.58		P2GD									
			20.62	21.84	1.22		GD									
			21.84	22.44	0.60		S2GD									
			22.44	25.15	2.71		P1GD									
			25.15	26.94	1.79		P2GD									
			26.94	28.21	1.27		K4GD									
			28.21	33.19	4.98		P1GD									
			33.19	34.63	1.44		K3GD									
			34.63	35.83	1.20		P2GD									
			35.83	37.63	1.80		P1GD									
			37.63	38.33	0.70		PKGD									
			38.33	39.13	0.80		S4GD									
			39.13	40.04	0.91		P3GD									
			40.04	42.40	2.36		K1GD									
			42.40	44.33	1.93		P1GD									
			44.33	44.90	0.57		K1GD									
			44.90	45.63	0.73		P1GD									
			45.63	48.08	2.45		P2GD									
			48.08	49.52	1.44		K3GD									
			49.52	49.72	0.20		A2GD									
			49.72	49.83	0.11		V1GV									
			49.83	50.00	0.17		P3GD									
			50.00	50.05	0.05		GG									
			50.05	51.24	1.19		P2GD									

CONTD

PROPERTY ELK D.D.H. SUD95301 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			51.24	52.79	1.55		K3GD									
			52.79	54.32	1.53		P1GD									
			54.32	56.20	1.88		K3GD									
			56.20	56.50	0.30		GG									
			56.50	57.91	1.41		K3GD									
			4.00	5.00	1.00	00.34		301-1								
			5.00	6.50	1.50	00.51		301-2								
			6.50	7.20	0.70	00.18		301-3								
			49.65	50.20	0.55	00.35		301-4								
			52.50	52.80	0.30	00.19		301-5								

**SURFACE DIAMOND DRILL CORE
SUMMARY LOGS**

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SND95112 PAGE 1 OF 1

AREA: Siwash North DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 40.23 m
 CLAIM: Elk 21 NORTHING: 3356.07 DATE STARTED: 21-Jun-1995
 SECTION: 2360E EASTING: 2359.50 DATE FINISHED: 21-Jun-1995
 CORE SIZE: NQ ELEVATION: 1631.96 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 87.30% RQD: 40.94% CORE STORED AT: Elk Rack A Bay 26 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics			FA		MIBK	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb	
0.00	-90.0	000.0	0	11.70	11.70		P20M										
19.36	-89.5	000.0	11.70	14.30	2.60		S30M										
			14.30	15.37	1.07		P40M										
			15.37	17.52	2.15		P20M										
			17.52	20.15	2.63		S20M										
			20.15	20.45	0.30		P50M										
			20.45	22.05	1.60		S20M										
			22.05	23.00	0.95		P20M										
			23.00	23.59	0.59		S20M										
			23.59	24.50	0.91		MT										
			24.50	24.54	0.04		Y20V										
			24.54	26.44	1.90		S20M										
			26.44	27.95	1.51		P20M										
			27.95	28.39	0.44		P50M										
			28.39	31.17	2.78		P10M										
			31.17	31.55	0.38		P50M										
			31.55	31.60	0.05		Y20V										
			31.60	31.86	0.26		S20M										
			31.86	32.45	0.59		P10M										
			32.45	32.98	0.43		S2AP										
			32.98	35.24	2.26		P20M										
			35.24	36.82	1.58		S30M										
			36.82	39.57	2.75		P20M										
			39.57	40.23	0.66		S20M										
			23.42	24.68	1.26	01.09		112-1					0.027				01.80
			27.90	28.40	0.50	00.48		112-2					0.314				24.10
			31.33	31.66	0.33	00.32		112-3					0.318				11.20
			35.28	35.60	0.32	00.31		112-4						04829			

PROPERTY ELK D.D.H. SND95113 PAGE 1 OF 2
 AREA: Siwash North DIP: -42.6 AZIMUTH (t): 000.0 DEPTH: 42.98 m
 CLAIM: Elk 21 NORTHING: 3357.55 DATE STARTED: 22-Jun-1995
 SECTION: 2360E EASTING: 2359.50 DATE FINISHED: 23-Jun-1995
 CORE SIZE: NQ ELEVATION: 1631.96 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 86.23% ROD: 42.21% CORE STORED AT: Elk Rack A Bay 26 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-42.6	000.0	0	19.33	19.33		P10M									
20.73	-42.6	000.0	19.33	22.69	3.36		P20M									
			22.69	22.97	0.28		S20M									
			22.97	26.36	3.39		P10M									
			26.36	26.80	0.44		F50M									
			26.80	34.99	8.19		P10M									
			34.99	35.62	0.63		S20M									
			35.62	42.98	7.36		P10M									
			16.93	17.17	0.24	00.23		113-1						00041		
			17.89	18.24	0.35	00.33		113-2					0.002			01.20
			19.92	20.32	0.40	00.38		113-3					0.156			10.10
			25.06	25.32	0.26	00.24		113-4						00075		
			26.48	26.75	0.27	00.16		113-5						01540		
			28.87	29.19	0.32	00.29		113-6								01.10
			32.10	32.37	0.27	00.25		113-7					0.009			00.30
			33.03	33.23	0.20	00.19		113-8					0.002			
														00022		

PROPERTY <u>ELK</u>	D.D.H. <u>SND95114</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-48.3</u> AZIMUTH (t): <u>000.0</u>	DEPTH: <u>18.29</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3383.90</u>	DATE STARTED: <u>23-Jun-1995</u>
SECTION: <u>2360E</u>	EASTING: <u>2360.60</u>	DATE FINISHED: <u>23-Jun-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1628.59</u>	CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>46.58%</u> RQD: <u>6.18%</u> CORE STORED AT: <u>Elk Rack A Bay 26</u>	LOGGED BY: <u>B. Post</u>	
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-48.3	000.0	.0	8.40	8.40		CS									
8.38	-48.3	000.0	8.40	8.63	0.23		QM									
			8.63	8.80	0.17		QV									
			8.80	10.36	1.56		S4QM									
			10.36	10.97	0.61		S3QM									
			10.97	18.29	7.32		P2QM									
			8.63	9.12	0.49	00.42		114-1					0.002			01.00
			9.51	9.76	0.25	00.07		114-2						00060		
			16.94	17.26	0.32	00.28		114-3					0.001			00.30

PROPERTY ELK D.D.H. SND95115 PAGE 1 OF 1

AREA: Siwash North DIP: -90.0 AZIMUTH (I): 000.0 DEPTH: 96.62 m

CLAIM: Elk 21 NORTHING: 3305.60 DATE STARTED: 23-Jun-1995

SECTION: 2380E EASTING: 2379.79 DATE FINISHED: 25 Jun 1995

CORE SIZE: NQ ELEVATION: 1636.09 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 94.22% RQD: 68.11% CORE STORED AT: Elk Rack A Bay 26 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-90.0	000.0	.0	2.03	2.03		CS									
23.17	-89.5	000.0	2.03	25.93	23.90		P1QM									
70.72	-89.0	000.0	25.93	31.97	6.04		QM									
			31.97	38.51	6.54		P1QM									
			38.51	48.21	9.70		QM									
			48.21	49.50	1.29		P1QM									
			49.50	55.66	6.16		QM									
			55.66	57.34	1.68		P1QM									
			57.34	57.70	0.36		S3QM									
			57.70	58.19	0.49		P5QM									
			58.19	62.30	4.11		S2QM									
			62.30	62.88	0.58		P5QM									
			62.88	64.03	1.15		P2QM									
			64.03	64.19	0.16		P5QM									
			64.19	64.26	0.07		Y2QV									
			64.26	64.37	0.11		P5QM									
			64.37	64.70	0.33		P1QM									
			64.70	65.44	0.74		P3QM									
			65.44	70.54	5.10		P1QM									
			70.54	71.07	0.53		S3QM									
			71.07	88.75	17.68		P1QM									
			88.75	89.20	0.45		S2QM									
			89.20	96.62	7.42		P1QM									
			57.70	58.00	0.30			115-1					0.034			02.90
			62.30	62.83	0.53			115-2						02470		
			64.03	64.37	0.34			115-3					0.183			04.40
			64.85	65.15	0.30			115-4					0.007			01.10
			88.79	89.06	0.27			115-5						00190		

PROPERTY ELK D.D.H. SND95116 PAGE 1 OF 1
 AREA: Siwash North DIP: -72.5 AZIMUTH (t): 000.0 DEPTH: 63.09 m
 CLAIM: Elk 21 NORTHING: 3306.18 DATE STARTED: 25-Jun-1995
 SECTION: 2380E EASTING: 2379.79 DATE FINISHED: 26-Jun-1995
 CORE SIZE: NQ ELEVATION: 1636.09 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 93.09% RQD: 63.15% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: D.Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		PA	MIRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-72.5	000.0	.0	2.58	2.58		S2QM									
30.79	-69.0	000.0	2.58	13.70	11.12		P1QM									
			13.70	16.30	2.60		QM									
			16.30	16.73	0.43		P1QM									
			16.73	25.85	9.12		QM									
			25.85	27.60	1.75		P1QM									
			27.60	28.05	0.45		QM									
			28.05	31.04	2.99		P1QM									
			31.04	32.05	1.01		QM									
			32.05	36.05	4.00		P1QM									
			36.05	38.72	2.67		QM									
			38.72	45.40	6.68		P1QM									
			45.40	45.80	0.40		QM									
			45.80	46.96	1.16		P1QM									
			46.96	47.97	1.01		S3QM									
			47.97	48.58	0.61		P2QM									
			48.58	49.55	0.97		S2QM									
			49.55	49.94	0.39		S2QM									
			49.94	54.36	4.42		S3QM									
			54.36	54.54	0.18		GG									
			54.54	55.50	0.96		S3QM									
			55.50	56.12	0.62		P5QM									
			56.12	56.31	0.19		VGQV									
			56.31	57.16	0.85		P5QM									
			57.16	59.60	2.44		S2QM									
			59.60	63.09	3.49		P2QM									
			54.36	54.76	0.40			116-1					0.174			06.80
			55.51	56.08	0.57			116-2						02770		
			56.08	56.39	0.31			116-3			2.357				0.930	61.70

CONTD

PROPERTY ELK D.D.H. SND95116 PAGE 2 OF 1

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics			MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			56.39	57.00	0.61			116-4					00120			
			57.00	57.61	0.61			116-5					00230			

PROPERTY ELK D.D.H. SND95117 PAGE 1 OF 1

AREA: Siwash North DIP: -51.0 AZIMUTH (t): 000.0 DEPTH: 63.70 m

CLAIM: Elk 21 NORTHING: 3306.99 DATE STARTED: 26-Jun-1995

SECTION: 2380E EASTING: 2379.82 DATE FINISHED: 27 Jun 1995

CORE SIZE: NO ELEVATION: 1636.05 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 91.08% ROD: 52.45% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-51.0	000.0	.0	30.06	30.06		P1QM									
31.24	-50.0	000.0	30.06	30.50	0.44		S3QM									
			30.50	33.36	2.86		P2QM									
			33.36	35.69	2.33		S2QM									
			35.69	40.01	4.32		S2QM									
			40.01	43.52	3.51		P1QM									
			43.52	50.60	7.08		S2QM									
			50.60	52.80	2.20		S2QM									
			52.80	54.79	1.99		P2QM									
			54.79	54.89	0.10		GG									
			54.89	55.62	0.73		P2QM									
			55.62	55.84	0.22		MI									
			55.84	56.44	0.60		S2QM									
			56.44	56.94	0.50		F5QM									
			56.94	57.65	0.71		S3QM									
			57.65	57.76	0.11		VGQV									
			57.76	63.70	5.94		S3QM									
			44.85	45.05	0.20			117-1						08330		
			51.52	51.73	0.21			117-2						00055		
			56.49	56.94	0.45			117-3						00850		
			57.47	57.81	0.34			117-4			2.768				0.830	54.10

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY <u>ELK</u>	D.D.H. <u>SND95120</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-86.0</u> AZIMUTH (t): <u>000.0</u>	DEPTH: <u>38.10</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3357.60</u>	DATE STARTED: <u>30-Jun-1995</u>
SECTION: <u>2380E</u>	EASTING: <u>2379.73</u>	DATE FINISHED: <u>30-Jun-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1630.16</u>	CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>82.57%</u> RQD: <u>32.70%</u> CORE STORED AT: <u>Elk Rack A Bay 27</u>	LOGGED BY: <u>B. Post</u>	
COMMENTS: _____	_____	

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	^{metallics} Au oz/t		FA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-86.0	000.0	.0	2.05	2.05		CS									
18.60	-86.0	000.0	2.05	7.52	5.47		P1QM									
			7.52	8.90	1.38		K4QM									
			8.90	10.24	1.34		P1QM									
			10.24	13.11	2.87		S3QM									
			13.11	15.35	2.24		P1QM									
			15.35	19.06	3.71		S2QM									
			19.06	19.59	0.53		S3QM									
			19.59	21.03	1.44		GG									
			21.03	21.47	0.44		S3QM									
			21.47	24.47	3.00		P2QM									
			24.47	25.10	0.63		S4QM									
			25.10	26.11	1.01		S1QM									
			26.11	26.96	0.85		S3QM									
			26.96	27.08	0.12		Y1QV									
			27.08	27.51	0.43		P3QM									
			27.51	27.56	0.05		Y2QV									
			27.56	29.67	2.11		S3QM									
			29.67	29.73	0.06		Y1QV									
			29.73	30.02	0.29		S3QM									
			30.02	38.10	8.08		P2QM									
			23.15	23.41	0.26			120-1						00008		
			26.89	27.19	0.30			120-2				0.333				08.90
			27.32	27.63	0.31			120-3				0.219				13.40
			29.54	29.84	0.30			120-4				0.047				03.30

PROPERTY ELK D.D.H. SND95121 PAGE 1 OF 1
 AREA: Siwash North DIP: -45.5 AZIMUTH (t): 000.0 DEPTH: 41.15 m
 CLAIM: Elk 21 NORTHING: 3359.05 DATE STARTED: 1-Jul-1995
 SECTION: 2380F EASTING: 2379.73 DATE FINISHED: 1-Jul-1995
 CORE SIZE: NQ ELEVATION: 1630.14 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 84.62% ROD: 24.67% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: D.Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	-45.5	000.0	.0	3.05	3.05		CS										
20.11	-45.2	000.0	3.05	4.72	1.67		S2QM										
			4.72	11.15	6.43		P2QM										
			11.15	17.26	6.11		S2QM										
			17.26	17.46	0.20		P2QM										
			17.46	17.73	0.27		S2AP										
			17.73	20.58	2.85		S3QM										
			20.58	21.77	1.19		P5QM										
			21.77	22.07	0.30		S3QM										
			22.07	22.25	0.18		GG										
			22.25	23.48	1.23		S3QM										
			23.48	23.68	0.20		P5QM										
			23.68	27.45	3.77		S3QM										
			27.45	27.78	0.33		P5QM										
			27.78	28.36	0.58		S4QM										
			28.36	28.66	0.30		P3QM										
			28.66	31.78	3.12		S3QM										
			31.78	34.64	2.86		P2QM										
			34.64	41.15	6.51		K2QM										
			20.58	21.28	0.70			121-1						00063			
			21.28	21.77	0.49			121-2					0.006			01.80	
			21.77	22.25	0.48			121-3					0.003			00.40	
			23.40	23.72	0.32			121-4					0.064			04.10	
			27.22	27.78	0.56			121-5						00720			
			28.36	28.66	0.30			121-6						00260			

PROPERTY ELK D.D.H. SND95122 PAGE 1 OF 2

AREA: Siwash North DIP: -79.0 AZIMUTH (t): 180.0 DEPTH: 44.81 m

CLAIM: Elk 21 NORTHING: 3358.66 DATE STARTED: 2-Jul-1995

SECTION: 2380E EASTING: 2379.69 DATE FINISHED: 2-Jul-1995

CORE SIZE: NQ ELEVATION: 1630.14 CONTRACTOR: LeClerc Drilling Lt

CORE RECOVERY: 87.23% RQD: 29.32% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: D.Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-79.0	180.0	.0	2.40	2.40		CS									
21.64	-78.0	180.0	2.40	4.40	2.00		S2QM									
			4.40	9.12	4.72		P2QM									
			9.12	12.23	3.11		S2QM									
			12.23	12.72	0.49		P2QM									
			12.72	13.29	0.57		S2QM									
			13.29	14.37	1.08		P2QM									
			14.37	14.80	0.43		S2QM									
			14.80	17.60	2.80		P2QM									
			17.60	19.69	2.09		K2QM									
			19.69	20.25	0.56		P2QM									
			20.25	21.12	0.87		S3QM									
			21.12	21.66	0.54		S2QM									
			21.66	22.06	0.40		P2QM									
			22.06	22.53	0.47		S3QM									
			22.53	23.82	1.29		P2QM									
			23.82	24.42	0.60		S2QM									
			24.42	26.80	2.38		P2QM									
			26.80	27.58	0.78		A2QM									
			27.58	31.38	3.80		P2QM									
			31.38	31.50	0.12		F5QM									
			31.50	31.78	0.28		V6QV									
			31.78	32.05	0.27		F5QM									
			32.05	32.86	0.81		P2QM									
			32.86	33.30	0.44		AP									
			33.30	38.70	5.40		P2QM									
			38.70	40.92	2.22		P2QM									
			40.92	42.75	1.83		S2QM									
			42.75	44.81	2.06		P2QM									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SND95122</u>	PAGE <u>2</u>	OF <u>2</u>
AREA: _____	DIP: _____	AZIMUTH (I): _____	
CLAIM: _____	NORTHING: _____	DEPTH: _____	
SECTION: _____	EASTING: _____	DATE STARTED: _____	
CORE SIZE: _____	ELEVATION: _____	DATE FINISHED: _____	
CORE RECOVERY: _____	CORE STORED AT: _____	CONTRACTOR: _____	
COMMENTS: _____	LOGGED BY: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	Cu oz/t	Au ppb	Ag oz/t	Ag ppm
			20.40	20.71	0.31			122-1						00400		
			22.13	22.47	0.34			122-2						00990		
			28.12	28.42	0.30			122-3						02040		
			31.38	31.93	0.55			122-4			2.527				1.270	80.20
			31.93	32.38	0.45			122-5						00530		

PROPERTY ELK D.D.H. SND95123 PAGE 1 OF 2
 AREA: Siwash North DIP: -88.0 AZIMUTH (t): 000.0 DEPTH: 35.66 m
 CLAIM: Elk 21 NORTHING: 3377.32 DATE STARTED: 2-Jul-1995
 SECTION: 2405E EASTING: 2404.79 DATE FINISHED: 3-Jul-1995
 CORE SIZE: NQ ELEVATION: 1629.66 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 86.68% ROD: 33.09% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-88.0	000.0	.0	2.00	2.00		CS									
17.07	-88.0	000.0	2.00	3.70	1.70		S30M									
			3.70	8.25	4.55		P20M									
			8.25	10.51	2.26		S30M									
			10.51	11.01	0.50		P20M									
			11.01	11.56	0.55		S20M									
			11.56	12.74	1.18		P20M									
			12.74	16.62	3.88		FK0M									
			16.62	17.20	0.58		S30M									
			17.20	17.78	0.58		FK0M									
			17.78	19.29	1.51		S30M									
			19.29	23.78	4.49		P20M									
			23.78	25.90	2.12		FK0M									
			25.90	28.77	2.87		S30M									
			28.77	29.24	0.47		S40M									
			29.24	29.46	0.22		FK0M									
			29.46	29.60	0.14		GG									
			29.60	31.90	2.30		S40M									
			31.90	32.15	0.25		P50M									
			32.15	32.88	0.73		S40M									
			32.88	33.25	0.37		P50M									
			33.25	35.66	2.41		S40M									
			29.35	29.75	0.40			123-1					0.034			07.90
			31.09	31.40	0.31			123-2					0.357			20.50
			31.89	32.25	0.36			123-3						09090		
			32.75	33.20	0.45			123-4					1.084			63.30

PROPERTY ELK D.D.H. SND95124 PAGE 1 OF 2
 AREA: Siwash North DIP: -64.0 AZIMUTH (t): 000.0 DEPTH: 75.29 m
 CLAIM: Elk 21 NORTHING: 3295.53 DATE STARTED: 3-Jul-1995
 SECTION: 2405E EASTING: 2404.77 DATE FINISHED: 4-Jul-1995
 CORE SIZE: NQ ELEVATION: 1634.48 CONTRACTOR: LeClerc Drilling Lt.
 CORE RECOVERY: 91.49% RQD: 46.53% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-64.0	000.0	.0	1.40	1.40		CS									
36.88	-64.0	000.0	1.40	3.60	2.20		S3QM									
			3.60	6.90	3.30		P2QM									
			6.90	7.29	0.39		S2QM									
			7.29	10.28	2.99		P2QM									
			10.28	13.08	2.80		P1QM									
			13.08	13.70	0.62		QM									
			13.70	24.20	10.50		P2QM									
			24.20	24.91	0.71		P1QM									
			24.91	28.30	3.39		P2QM									
			28.30	30.17	1.87		QM									
			30.17	38.83	8.66		P2QM									
			38.83	39.17	0.34		QM									
			39.17	50.50	11.33		P2QM									
			50.50	51.24	0.74		S3QM									
			51.24	53.93	2.69		P2QM									
			53.93	54.73	0.80		S2QM									
			54.73	55.08	0.35		P5QM									
			55.08	55.83	0.75		P2QM									
			55.83	56.40	0.57		S2QM									
			56.40	57.00	0.60		A3QM									
			57.00	58.27	1.27		S4QM									
			58.27	58.50	0.23		GG									
			58.50	58.74	0.24		S4QM									
			58.74	59.30	0.56		PKQM									
			59.30	59.65	0.35		S3QM									
			59.65	59.73	0.08		VQQV									
			59.73	61.23	1.50		S4QM									
			61.23	61.85	0.62		P2QM									
			61.85	62.84	0.99		S3QM									
			62.84	63.04	0.20		P5QM									

CONTD

PROPERTY ELK D.D.H. SND95124 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			63.04	65.56	2.52		S3QM									
			65.56	66.61	1.05		P2QM									
			66.61	68.47	1.86		S3QM									
			68.47	69.32	0.85		GG									
			69.32	70.19	0.87		S4QM									
			70.19	72.54	2.35		P2QM									
			72.54	73.16	0.62		S2QM									
			73.16	74.66	1.50		P2QM									
			74.66	75.29	0.63		S3QM									
			54.73	55.08	0.35	00.35		124-1						13280		
			58.00	58.60	0.60	00.52		124-2					0.062			01.10
			59.40	59.80	0.40	00.39		124-3			0.622				1.585	
			60.73	61.05	0.32	00.30		124-4						00260		
			62.78	63.09	0.31	00.30		124-5						00480		
			68.47	69.32	0.85	00.83		124-6						00630		

PROPERTY ELK D.D.H. SND95125 PAGE 1 OF 2
 AREA: Siwash North DIP: -89.0 AZIMUTH (t): 000.0 DEPTH: 75.29 m
 CLAIM: Elk 21 NORTHING: 3306.29 DATE STARTED: 4-Jul-1995
 SECTION: 2390E EASTING: 2389.83 DATE FINISHED: 5-Jul-1995
 CORE SIZE: NQ ELEVATION: 1634.77 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 94.37% RQD: 69.29% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t	Ag ppt
.00	-89.0	000.0	.0	.55	0.55		CS									
36.88	-89.0	000.0	.55	3.64	3.09		S3QM									
			3.64	4.35	0.71		P1QM									
			4.35	6.45	2.10		P2QM									
			6.45	16.45	10.00		P1QM									
			16.45	18.59	2.14		QM									
			18.59	20.74	2.15		P1QM									
			20.74	22.28	1.54		QM									
			22.28	23.53	1.25		P1QM									
			23.53	27.75	4.22		QM									
			27.75	30.30	2.55		P1QM									
			27.93	59.28	31.35		S2QM									
			30.30	31.85	1.55		P2QM									
			31.85	32.32	0.47		S2QM									
			32.32	33.30	0.98		P2QM									
			33.30	35.76	2.46		P1QM									
			35.76	38.35	2.59		P2QM									
			38.35	39.34	0.99		S2QM									
			39.34	42.20	2.86		P1QM									
			42.20	43.40	1.20		QM									
			43.40	44.08	0.68		P1QM									
			44.08	44.50	0.42		QM									
			44.50	50.65	6.15		P1QM									
			50.65	51.15	0.50		QM									
			51.15	51.50	0.35		P1QM									
			51.50	54.97	3.47		QM									
			54.97	57.93	2.96		P2QM									
			59.28	60.40	1.12		S4QM									
			60.40	60.78	0.38		MI									
			60.78	61.02	0.24		R5QM									
			61.02	61.93	0.91		VGQV									

CONTD

PROPERTY ELK D.D.H. SND95125 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		PA		MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au pob	Ag oz/t	Ag ppm		
			61.03	61.65	0.62		S3QM											
			61.65	62.15	0.50		P5QM											
			62.15	62.21	0.06		VGOV											
			62.21	62.29	0.08		P5QM											
			62.29	65.58	3.29		P2QM											
			65.58	68.88	3.30		S3QM											
			65.88	65.90	0.02		VGOV											
			65.90	66.66	0.76		S4QM											
			66.66	68.33	1.67		P2QM											
			68.35	68.75	0.40		P5QM											
			68.75	70.70	1.95		P2QM											
			70.70	71.80	1.10		QM											
			71.80	72.14	0.34		P1QM											
			72.14	73.19	1.05		S2QM											
			73.19	75.29	2.10		P1QM											
			59.80	60.25	0.45	00.29		125-8					0.009				01.10	
			60.78	61.12	0.34	00.32		125-1					0.326				14.70	
			61.65	61.97	0.32	00.29		125-2					0.085				05.90	
			61.97	62.30	0.33	00.31		125-3								0.475	32.40	
			65.83	66.04	0.21	00.20		125-4		2.239						0.855	38.10	
			68.37	68.74	0.37	00.24		125-5							02140			
			68.91	69.22	0.31	00.25		125-6							00790			
			69.65	69.95	0.30	00.25		125-7							00190			

PROPERTY ELK D.D.H. SND95126 PAGE 1 OF 2
 AREA: Siwash North DIP: -74.0 AZIMUTH (t): 000.0 DEPTH: 58.83 m
 CLAIM: Elk 21 NORTHING: 3306.54 DATE STARTED: 5-Jul-1995
 SECTION: 2390E EASTING: 2389.77 DATE FINISHED: 5-Jul-1995
 CORE SIZE: NQ ELEVATION: 1634.81 CONTRACTOR: Leclerc Drilling Lt.
 CORE RECOVERY: 6.90% RQD: 3.77% CORE STORED AT: Elk Rack A Bay 27 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MLBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-74.0	000.0	0.0	8.00	8.00		P1QM									
29.42	-74.0	000.0	8.00	17.91	9.91		P1QM									
			17.91	29.70	11.79		P2QM									
			29.70	30.31	0.61		S2QM									
			30.31	31.66	1.35		P2QM									
			31.66	32.10	0.44		S2QM									
			32.10	33.37	1.27		P2QM									
			33.37	38.60	5.23		P1QM									
			38.60	39.56	0.96		K2QM									
			39.56	40.81	1.25		P2QM									
			40.81	41.17	0.36		K2QM									
			41.17	49.37	8.20		P2QM									
			49.37	50.32	0.95		K2QM									
			50.32	50.76	0.44		P2QM									
			50.76	53.21	2.45		S3QM									
			53.21	53.29	0.08		GG									
			53.29	53.60	0.31		S3QM									
			53.60	53.82	0.22		Y1QV									
			53.82	54.56	0.74		S2QM									
			54.56	54.65	0.09		P5QM									
			54.65	54.77	0.12		QV									
			54.77	54.88	0.11		P5QM									
			54.88	56.15	1.27		P3QM									
			56.15	57.00	0.85		S2QM									
			57.00	57.06	0.06		Y1QV									
			57.06	58.83	1.77		S2QM									
			51.06	51.29	0.23	00.23		126-1						00130		
			53.09	53.39	0.30	00.30		126-2					0.006			01.60
			53.55	53.87	0.32	00.32		126-3					0.604			18.40

CONTD

PROPERTY ELK D.D.H. SND95127 PAGE 1 OF 2
 AREA: Siwash North DIP: -49.8 AZIMUTH (t): 000.0 DEPTH: 63.09 m
 CLAIM: Elk 21 NORTHING: 3307.68 DATE STARTED: 5-Jul-1995
 SECTION: 2390E EASTING: 2389.78 DATE FINISHED: 6-Jul-1995
 CORE SIZE: NQ ELEVATION: 1634.73 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 90.13% RQD: 46.19% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-49.8	000.0	.0	1.20	1.20		CS									
30.79	-49.8	000.0	1.20	3.23	2.03		S2QM									
			3.23	5.35	2.12		P2QM									
			5.35	7.17	1.82		S1AP									
			7.17	12.80	5.63		P2QM									
			12.80	13.56	0.76		S2QM									
			13.56	14.70	1.14		P1QM									
			14.70	16.00	1.30		QM									
			16.00	18.05	2.05		P1QM									
			18.05	22.42	4.37		QM									
			22.42	23.34	0.92		P1QM									
			23.34	29.12	5.78		QM									
			29.12	31.94	2.82		P2QM									
			31.94	32.23	0.29		P2QM									
			32.23	32.68	0.45		P2QM									
			32.68	33.74	1.06		S2QM									
			35.30	38.04	2.74		P2QM									
			38.04	38.85	0.81		S3QM									
			38.85	39.84	0.99		S2QM									
			39.84	40.70	0.86		P2QM									
			40.70	42.00	1.30		S3QM									
			42.00	42.65	0.65		GG									
			42.65	46.10	3.45		S2QM									
			46.10	46.97	0.87		S3QM									
			46.97	47.35	0.38		GG									
			47.35	49.40	2.05		S4QM									
			49.40	49.61	0.21		F5QM									
			49.61	50.04	0.43		S4QM									
			50.04	50.50	0.46		P2QM									
			50.50	50.97	0.47		S2QM									
			50.97	51.21	0.24		K2QM									

CONTD

PROPERTY ELK D.D.H. SND95127 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA	MIBK	Ag oz/t	Ag ppm
			51.21	52.48	1.27		S2QM									
			52.48	52.87	0.39		F3QM									
			52.87	54.63	1.76		S2QM									
			54.63	55.56	0.93		P2QM									
			55.56	56.05	0.49		S4QM									
			56.05	56.87	0.82		P2QM									
			56.82	57.00	0.18		MI									
			57.00	63.09	6.09		P2QM									
			48.90	49.34	0.44	00.40		127-1						00140		
			49.34	49.64	0.30	00.27		127-2					0.191			08.20
			52.47	52.87	0.40	00.38		127-3						00130		
			56.60	57.09	0.49	00.48		127-4						00930		

PROPERTY ELK D.D.H. SND95128 PAGE 1 OF 2
 AREA: Siwash North DIP: -82. AZIMUTH (t): 000.0 DEPTH: 69.19 m
 CLAIM: Elk 21 NORTHING: 3306.54 DATE STARTED: 6-Jul-1995
 SECTION: 2390E EASTING: 2389.83 DATE FINISHED: 6-Jul-1995
 CORE SIZE: NQ ELEVATION: 1634.77 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 94.15% RQD: 64.40% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	-82.	000.0	.0	5.44	5.44		P1QM										
			5.44	9.21	3.77		P1QM										
			9.21	10.89	1.68		P2QM										
			10.89	14.75	3.86		P1QM										
			14.75	15.60	0.85		P2QM										
			15.60	18.26	2.66		P1QM										
			18.26	21.89	3.63		P2QM										
			21.89	28.02	6.13		P1QM										
			28.02	34.76	6.74		P3QM										
			34.76	36.69	1.93		P1QM										
			36.69	41.94	5.25		P3QM										
			41.94	45.25	3.31		P1QM										
			45.25	45.88	0.63		S2QM										
			45.88	48.11	2.23		P2QM										
			48.11	49.34	1.23		S2QM										
			49.34	53.53	4.19		P2QM										
			53.53	53.85	0.32		S3QM										
			53.85	54.47	0.62		GG										
			54.47	54.68	0.21		F3QM										
			54.68	54.82	0.14		Y1QV										
			54.82	55.04	0.22		F5QM										
			55.04	55.97	0.93		S2QM										
			55.97	56.02	0.05		Y1QV										
			56.02	56.64	0.62		S2QM										
			56.64	56.73	0.09		Y1QV										
			56.73	56.93	0.20		S2QM										
			56.93	57.84	0.91		P2QM										
			57.84	57.99	0.15		F3QM										
			57.99	58.03	0.04		QV										
			58.03	58.75	0.72		S3QM										
			58.75	59.31	0.56		S2QM										

PROPERTY ELK D.D.H. SND95128 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Metallurgy		FA		MIBK		
												Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			59.31	61.82	2.51		P2QM											
			61.82	62.75	0.93		S2QM											
			62.75	66.29	3.54		PIQM											
			66.29	66.79	0.50		S2QM											
			66.79	69.19	2.40		PIQM											
			54.61	55.04	0.43	00.42		128-1						0.218				10.90
			55.86	56.16	0.30	00.29		128-2						0.148				07.50
			56.46	56.84	0.38	00.36		128-3						0.025				03.10
			57.84	58.14	0.30	00.28		128-4						0.007				01.10
			58.33	58.71	0.38	00.36		128-5								00061		
			61.85	62.05	0.20	00.19		128-6								00550		

PROPERTY ELK D.D.H. SND95129 PAGE 1 OF 2

AREA: Siwash North DIP: -84.0 AZIMUTH (t): 000.0 DEPTH: 84.43 m

CLAIM: Elk 21 NORTHING: 3290.13 DATE STARTED: 6-Jul-1995

SECTION: 2390E EASTING: 2389.17 DATE FINISHED: 6-Jul-1995

CORE SIZE: NQ ELEVATION: 1635.78 CONTRACTOR: LeClerc Drilling Lt

CORE RECOVERY: 95.40% RQD: 66.88% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		PA	MIBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-84.0	000.0	.0	.50	0.50		CS									
41.46	-84.0	000.0	.50	2.54	2.04		S3QM									
			2.54	9.40	6.86		P2QM									
			9.40	11.05	1.65		P1QM									
			11.05	13.18	2.13		P2QM									
			13.18	14.80	1.62		QM									
			14.80	16.18	1.38		P1QM									
			16.18	21.28	5.10		QM									
			21.28	21.80	0.52		P1QM									
			21.80	23.70	1.90		QM									
			23.70	24.78	1.08		P1QM									
			24.78	25.11	0.33		S2QM									
			25.11	27.03	1.92		P1QM									
			27.03	29.88	2.85		QM									
			29.88	31.10	1.22		P1QM									
			31.10	37.10	6.00		QM									
			37.10	43.70	6.60		P1QM									
			43.70	46.50	2.80		QM									
			46.50	48.23	1.73		P1QM									
			48.23	49.40	1.17		QM									
			49.40	49.80	0.40		P2QM									
			49.80	54.85	5.05		QM									
			54.85	55.53	0.68		P2QM									
			55.53	56.27	0.74		QM									
			56.27	56.80	0.53		P2QM									
			56.80	58.47	1.67		QM									
			58.47	61.30	2.83		P2QM									
			61.30	62.36	1.06		S2QM									
			62.36	62.71	0.35		S3QM									
			62.71	63.30	0.59		S2QM									
			63.30	65.42	2.12		P2QM									

CONTD

PROPERTY ELK D.D.H. SND95129 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			65.42	65.84	0.42		S20M									
			65.84	66.15	0.31		P20M									
			66.15	67.89	1.74		S30M									
			67.89	69.28	1.39		P20M									
			69.28	69.96	0.68		S30M									
			69.96	70.38	0.42		GG									
			70.38	70.69	0.31		F50M									
			70.69	70.77	0.08		VGOV									
			70.77	71.57	0.80		F50M									
			71.57	71.67	0.10		VGOV									
			71.67	71.84	0.17		F50M									
			71.84	74.82	2.98		P20M									
			74.82	75.32	0.50		F50M									
			75.32	75.71	0.39		S30M									
			75.71	76.68	0.97		P20M									
			76.68	76.99	0.31		S30M									
			76.99	77.91	0.92		P20M									
			77.91	78.67	0.76		S30M									
			78.67	84.43	5.76		P10M									
			62.36	62.71	0.35	00.32		129-1					0.002			00.50
			69.96	70.38	0.42	00.34		129-2					0.016			01.50
			70.38	70.69	0.31	00.27		129-3					00046			
			70.69	71.02	0.33	00.29		129-4			0.412				0.355	22.10
			71.02	71.54	0.52	00.45		129-5					0.021			02.00
			71.54	71.87	0.33	00.29		129-6			0.426				0.220	13.70
			74.82	75.28	0.46	00.35		129-7						02320		

PROPERTY ELK D.D.H. SND95130 PAGE 1 OF 2
 AREA: Siwash North DIP: -88.5 AZIMUTH (t): 000.0 DEPTH: 90.53 m
 CLAIM: Elk 21 NORTHING: 3289.98 DATE STARTED: 8-Jul-1995
 SECTION: 2390E EASTING: 2389.16 DATE FINISHED: 8-Jul-1995
 CORE SIZE: NQ ELEVATION: 1635.74 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 93.83% RQD: 59.33% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-88.5	000.0	.0	.70	0.70		CS									
44.50	-88.5	000.0	.70	4.14	3.44		S2QM									
			4.14	12.48	8.34		P1QM									
			12.48	12.95	0.47		QM									
			12.95	17.93	4.98		P1QM									
			17.93	19.73	1.80		P2QM									
			19.73	21.00	1.27		P1QM									
			21.00	22.18	1.18		QM									
			22.18	23.77	1.59		P1QM									
			23.77	26.37	2.60		QM									
			26.37	27.90	1.53		P1QM									
			27.90	34.47	6.57		QM									
			34.47	36.00	1.53		P1QM									
			36.00	37.00	1.00		QM									
			37.00	53.08	16.08		P1QM									
			53.08	56.45	3.37		QM									
			56.45	59.30	2.85		P1QM									
			59.30	62.45	3.15		P2QM									
			62.45	62.79	0.34		S2QM									
			62.79	63.31	0.52		P2QM									
			63.31	64.65	1.34		S3QM									
			64.65	67.47	2.82		P2QM									
			67.47	68.23	0.76		S3QM									
			68.23	73.76	5.53		P2QM									
			73.76	74.60	0.84		S2QM									
			74.60	75.24	0.64		S4QM									
			75.24	76.02	0.78		GG									
			76.02	76.89	0.87		F5QM									
			76.89	77.01	0.12		P2QM									
			77.01	77.49	0.48		Y1QV									
							F5QM									

CONTD

PROPERTY ELK D.D.H. SND95130 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			77.49	78.61	1.12		S30M										
			79.02	80.26	1.24		S40M										
			80.26	81.81	1.55		P20M										
			81.81	82.59	0.78		S30M										
			82.59	88.70	6.11		P20M										
			88.70	90.53	1.83		OM										
			74.93	75.24	0.31	00.20		130-1							00040		
			75.24	76.02	0.78	00.60		130-2					0.006				01.60
			76.02	76.32	0.30	00.30		130-3					0.005				03.30
			76.32	76.57	0.25	00.19		130-4							00017		
			76.57	77.02	0.45	00.41		130-5					0.006				02.30
			77.02	77.50	0.48	00.45		130-6							04160		
			81.85	82.20	0.35	00.23		130-7							02710		

PROPERTY ELK D.D.H. SND95131 PAGE 1 OF 1

AREA: Siwash North DIP: -77.0 AZIMUTH (t): 000.0 DEPTH: 38.71 m

CLAIM: Elk 21 NORTHING: 3350.22 DATE STARTED: 8-Jul-1995

SECTION: 2390E EASTING: 2389.72 DATE FINISHED: 9-Jul-1995

CORE SIZE: NQ ELEVATION: 1630.58 CONTRACTOR: LeClerc Drilling Lt

CORE RECOVERY: 87.32% RQD: 29.94% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-77.0	000.0	.0	3.13	3.13		CS									
19.10	-77.0	000.0	3.13	3.77	0.64		S2QM									
			3.77	4.13	0.36		P2QM									
			4.13	6.65	2.52		S2QM									
			6.65	7.12	0.47		P2QM									
			7.12	17.44	10.32		S2QM									
			17.44	23.28	5.84		P2QM									
			23.28	24.05	0.77		S2QM									
			25.15	26.05	0.90		S3QM									
			26.05	26.70	0.65		P2QM									
			26.70	28.62	1.92		S3QM									
			28.62	30.73	2.11		S2QM									
			30.73	31.07	0.34		P5QM									
			31.07	31.10	0.03		VGQV									
			31.10	31.39	0.29		S3QM									
			31.39	33.03	1.64		P2QM									
			33.03	33.90	0.87		S2QM									
			33.90	38.71	4.81		P2QM									
			23.28	23.58	0.30	00.28		131-3								
			30.70	31.00	0.30	00.29		131-1					04130			
			31.00	31.32	0.32	00.31		131-2			0.700			0.390	21.90	

PROPERTY ELK D.D.H. SND95132 PAGE 1 OF 1
 AREA: Siwash North DIP: -42.0 AZIMUTH (t): 000.0 DEPTH: 40.23 m
 CLAIM: Elk 21 NORTHING: 3351.63 DATE STARTED: 9-Jul-1995
 SECTION: 2390E EASTING: 2389.60 DATE FINISHED: 9-Jul-1995
 CORE SIZE: NQ ELEVATION: 1630.56 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 73.18% RQD: 16.73% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-42.0	000.0	. 0	4.70	4.70		CS									
20.11	-41.5	000.0	4.70	11.04	6.34		S2QM									
			11.04	14.07	3.03		PKQM									
			14.07	18.02	3.95		P2QM									
			18.02	20.57	2.55		S3QM									
			20.57	21.05	0.48		P5QM									
			21.05	22.86	1.81		S3QM									
			22.86	29.39	6.53		S4QM									
			29.39	31.10	1.71		S3QM									
			31.10	31.44	0.34		P5QM									
			31.44	37.72	6.28		S4QM									
			37.72	37.84	0.12		GG									
			37.85	38.18	0.33		A5AD									
			38.18	40.23	2.05		P5AD									
			20.57	21.05	0.48	00.45		132-1						00120		
			23.48	23.78	0.30	00.26		132-4								
			31.10	31.44	0.34	00.20		132-2						00049		
			37.70	38.03	0.33	00.33		132-3					0.017			01.70

PROPERTY ELK D.D.H. SND95133 PAGE 1 OF 2
 AREA: Siwash North DIP: -43.5 AZIMUTH (t): 310.0 DEPTH: 44.50 m
 CLAIM: Elk 21 NORTHING: 3343.15 DATE STARTED: 9-Jul-1995
 SECTION: 2270E EASTING: 2284.36 DATE FINISHED: 10-Jul-1995
 CORE SIZE: NQ ELEVATION: 1649.50 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 88.43% RQD: 48.38% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MTBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppt		
.00	-43.5	310.0	1.95	2.29	0.34		S2QM									
21.49	-43.5	310.0	2.29	4.53	2.24		QM									
			4.53	4.88	0.35		S2QM									
			4.88	5.18	0.30		QM									
			5.18	5.89	0.71		S2QM									
			5.89	6.90	1.01		QM									
			6.90	7.30	0.40		S1QM									
			7.30	11.95	4.65		QM									
			11.95	13.81	1.86		P1QM									
			13.81	14.30	0.49		QM									
			14.30	15.00	0.70		P1QM									
			15.00	18.80	3.80		P2QM									
			18.80	21.10	2.30		QM									
			21.10	21.53	0.43		P1QM									
			21.53	22.15	0.62		AP									
			22.15	23.14	0.99		P1QM									
			23.14	23.77	0.63		S2QM									
			23.77	25.20	1.43		P2QM									
			25.20	26.00	0.80		QM									
			26.00	28.80	2.80		P1QM									
			28.80	29.89	1.09		S3QM									
			29.89	35.60	5.71		P2QM									
			35.60	37.58	1.98		P1QM									
			37.58	37.75	0.17		GG									
			37.75	38.32	0.57		S3QM									
			38.32	38.39	0.07		QV									
			38.39	38.95	0.56		P2QM									
			38.95	40.80	1.85		S3QM									
			40.80	44.50	3.70		P1QM									

CONTD

PROPERTY ELK D.D.H. SND95133 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA **GEOLOGY AND ASSAY RECORD**

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			37.58	37.98	0.40			133-1					0.004			01.80
			37.98	38.43	0.45			133-2					0.030			01.80
			39.87	40.25	0.38			133-3						00200		
			40.25	40.75	0.50			133-4						01430		

PROPERTY ELK D.D.H. SND95134 PAGE 1 OF 2
 AREA: Siwash North DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 68.88 m
 CLAIM: Elk 21 NORTHING: 3418.55 DATE STARTED: 10-Jul-1995
 SECTION: 2515E EASTING: 2514.47 DATE FINISHED: 10-Jul-1995
 CORE SIZE: NQ ELEVATION: 1645.89 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 84.36% RQD: 31.05% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-90.0	000.0	.0	4.27	4.27		CS									
33.94	-90.0	000.0	4.27	7.74	3.47		S3QM									
			7.74	11.96	4.22		P2QM									
			11.96	13.58	1.62		S3QM									
			13.58	14.78	1.20		P2QM									
			14.78	17.37	2.59		S2QM									
			17.37	18.73	1.36		P2QM									
			18.73	19.13	0.40		S2QM									
			19.13	23.39	4.26		P2QM									
			23.39	25.00	1.61		S3QM									
			25.00	26.26	1.26		P2QM									
			26.26	26.98	0.72		S2QM									
			26.98	29.43	2.45		S3QM									
			29.43	35.95	6.52		P2QM									
			35.95	36.62	0.67		P2QM									
			36.62	41.30	4.68		P2QM									
			41.30	41.82	0.52		S3QM									
			41.82	41.89	0.07		Y4QV									
			41.89	43.20	1.31		S3QM									
			43.20	43.71	0.51		P2QM									
			43.71	44.30	0.59		S3QM									
			44.30	44.71	0.41		F5QM									
			44.71	44.81	0.10		VGGV									
			44.81	47.40	2.59		P2QM									
			47.40	47.87	0.47		S2QM									
			47.87	48.27	0.40		P2QM									
			48.27	48.48	0.21		F5QM									
			48.48	51.40	2.92		S2QM									
			51.40	55.05	3.65		P2QM									
			55.05	55.38	0.33		S2QM									
			55.38	57.63	2.25		P2QM									

CONTD

PROPERTY ELK D.D.H. SND95134 PAGE 2 OF 2
 AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			57.63	58.27	0.64		S20M										
			58.27	59.16	0.89		P30M										
			59.16	59.20	0.04		VGOV										
			59.20	59.74	0.54		P20M										
			59.74	60.12	0.38		F50M										
			60.12	60.72	0.60		S30M										
			60.72	61.10	0.38		P20M										
			61.10	61.55	0.45		S30M										
			61.55	68.88	7.33		P20M										
			29.18	29.48	0.30			134-1					0.031			02.20	
			41.70	42.02	0.32			134-2			0.323				0.160	10.10	
			43.75	44.05	0.30			134-3					0.075			06.50	
			44.30	44.81	0.51			134-4			1.716				0.475	24.90	
			48.20	48.50	0.30			134-5						00150			
			59.00	59.30	0.30			134-6			2.957				1.095	62.80	

PROPERTY ELK D.D.H. SND95135 PAGE 1 OF 2
 AREA: Siwash North DIP: -89.0 AZIMUTH (t): 000.0 DEPTH: 75.29 m
 CLAIM: Elk 21 NORTHING: 3422.90 DATE STARTED: 10-Jul-1995
 SECTION: 2565E EASTING: 2564.47 DATE FINISHED: 11-Jul-1995
 CORE SIZE: NQ ELEVATION: 1651.00 CONTRACTOR: LeClerc Drilling Lt.
 CORE RECOVERY: 94.28% RQD: 43.31% CORE STORED AT: Elk Rack A Bay 28 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	-89.0	000.0	.0	.60	0.60		CS										
38.41	-89.0	000.0	.60	2.62	2.02		S2QM										
			2.62	3.40	0.78		P1QM										
			3.40	3.94	0.54		S2QM										
			3.94	4.37	0.43		P1QM										
			4.37	6.42	2.05		S2QM										
			6.42	7.32	0.90		P1QM										
			7.32	8.08	0.76		S2QM										
			8.08	19.23	11.15		P1QM										
			19.23	19.80	0.57		S2QM										
			19.80	20.80	1.00		P1QM										
			20.80	22.00	1.20		S1QM										
			22.00	25.80	3.80		P2QM										
			25.80	35.62	9.82		P1QM										
			35.62	36.22	0.60		S2QM										
			36.22	36.80	0.58		P1QM										
			36.80	38.63	1.83		S2QM										
			38.63	41.92	3.29		P1QM										
			41.92	42.72	0.80		S2QM										
			42.72	49.85	7.13		P1QM										
			49.85	50.37	0.52		S2QM										
			50.37	51.74	1.37		P2QM										
			51.74	51.98	0.24		S3QM										
			51.98	52.34	0.36		P2QM										
			52.34	53.08	0.74		S2QM										
			53.08	53.53	0.45		P2QM										
			53.53	53.96	0.43		S2QM										
			53.96	57.18	3.22		P1QM										
			57.18	57.68	0.50		P2QM										
			57.68	58.60	0.92		P1QM										
			58.60	58.65	0.05		Y3QV										

CONTD

PROPERTY ELK D.D.H. SND95135 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			58.65	59.48	0.83		PLQM										
			59.48	59.69	0.21		P4QM										
			59.69	65.09	5.40		PLQM										
			65.09	66.41	1.32		S2QM										
			66.41	67.95	1.54		PLQM										
			67.95	69.20	1.25		S2QM										
			69.20	72.95	3.75		PLQM										
			72.95	73.40	0.45		S2QM										
			73.40	75.29	1.89		PLQM										
			42.47	42.72	0.25			135-1						04580			
			49.90	50.24	0.34			135-2						00230			
			52.55	52.85	0.30			135-3					0.061			02.90	
			53.55	53.85	0.30			135-4						00180			
			57.18	57.68	0.50			135-5						00680			
			58.50	58.80	0.30			135-6					0.099			05.40	
			59.44	59.74	0.30			135-7						00190			
			65.19	65.49	0.30			135-8						00330			

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY <u>ELK</u>	D.D.H. <u>SND95136</u>	PAGE <u>1</u> OF <u>2</u>
AREA: <u>Siwash North</u>	DIP: <u>-88.0</u> AZIMUTH (t): <u>000.0</u>	DEPTH: <u>63.10</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3425.34</u>	DATE STARTED: <u>11-Jul-1995</u>
SECTION: <u>2620E</u>	EASTING: <u>2619.50</u>	DATE FINISHED: <u>11-Jul-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1651.62</u>	CONTRACTOR: <u>LeClerc Drilling Lt</u>
CORE RECOVERY: <u>94.58%</u> RQD: <u>64.07%</u> CORE STORED AT: <u>Elk Rack A Bay 29</u>	LOGGED BY: <u>D.Ritcey</u>	
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-88.0	000.0	.0	1.00	1.00		CS									
31.55	-88.0	000.0	1.00	2.52	1.52		S2QM									
			2.52	30.25	27.73		P1QM									
			30.25	30.33	0.08		GG									
			30.33	48.25	17.92		P1QM									
			48.25	50.38	2.13		S2QM									
			50.38	52.62	2.24		P1QM									
			52.62	52.86	0.24		S2QM									
			52.86	53.11	0.25		P3QM									
			53.11	53.28	0.17		P5QM									
			53.28	53.46	0.18		Y1QV									
			53.46	53.81	0.35		S3QM									
			53.81	55.50	1.69		P2QM									
			55.50	59.15	3.65		S2QM									
			59.15	59.45	0.30		P2QM									
			59.45	60.00	0.55		S2QM									
			60.00	61.18	1.18		P2QM									
			61.18	61.94	0.76		S2QM									
			61.94	63.10	1.16		P1QM									
			50.60	50.90	0.30	00.29		136-1						00200		
			52.81	53.11	0.30	00.28		136-2						00320		
			53.11	53.58	0.47	00.45		136-3					0.029			03.80
			59.65	59.95	0.30	00.26		136-4					0.004			00.30

PROPERTY ELK D.D.H. SND95137 PAGE 1 OF 2
 AREA: Siwash North DIP: -88.0 AZIMUTH (t): 000.0 DEPTH: 60.05 m
 CLAIM: Elk 21 NORTHING: 3429.22 DATE STARTED: 12-Jul-1995
 SECTION: 2670E EASTING: 2663.41 DATE FINISHED: 12-Jul-1995
 CORE SIZE: NQ ELEVATION: 1649.97 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 95.04% RQD: 51.04% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-88.0	000.0	.0	1.70	1.70		CS									
29.26	-88.0	000.0	1.70	4.18	2.48		S2QM									
			4.18	6.20	2.02		P1QM									
			6.20	7.55	1.35		QM									
			7.55	7.92	0.37		S2QM									
			7.92	8.40	0.48		P1QM									
			8.40	9.33	0.93		S2QM									
			9.33	10.49	1.16		P1QM									
			10.49	11.34	0.85		S2QM									
			11.34	12.17	0.83		P1QM									
			12.17	12.50	0.33		S2QM									
			12.50	15.19	2.69		P1QM									
			15.19	15.60	0.41		S2QM									
			15.60	18.15	2.55		P1QM									
			18.15	19.60	1.45		S2QM									
			19.60	25.55	5.95		P1QM									
			25.55	25.91	0.36		S2QM									
			25.91	29.99	4.08		P2QM									
			29.99	30.94	0.95		S2QM									
			30.94	45.20	14.26		P2QM									
			45.20	48.50	3.30		S2QM									
			48.50	50.00	1.50		P2QM									
			50.00	51.30	1.30		S2QM									
			51.30	51.64	0.34		P2QM									
			51.64	52.57	0.93		S2QM									
			52.57	53.03	0.46		P2QM									
			53.03	53.72	0.69		S2QM									
			53.72	54.20	0.48		P1QM									
			54.20	55.02	0.82		S2QM									
			55.02	55.18	0.16		VGOV									
			55.18	55.44	0.26		S3QM									

(CONT)

PROPERTY ELK D.D.H. SND95138 PAGE 1 OF 2
 AREA: Siwash North DIP: -89.5 AZIMUTH (t): 000.0 DEPTH: 65.63 m
 CLAIM: Elk 21 NORTHING: 3424.83 DATE STARTED: 12-Jul-1995
 SECTION: 2715E EASTING: 2714.57 DATE FINISHED: 12-Jul-1995
 CORE SIZE: NQ ELEVATION: 1650.72 CONTRACTOR: LeClerc Drilling Lt
 CORE RECOVERY: 95.43% RQD: 62.14% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: D.Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-89.5	000.0	.0	.40	0.40		CS									
32.77	-89.5	000.0	.40	4.13	3.73		S2QM									
			4.13	4.49	0.36		P2QM									
			4.49	4.96	0.47		S2QM									
			4.96	6.28	1.32		P2QM									
			6.28	9.28	3.00		P1QM									
			9.28	10.64	1.36		QM									
			10.64	11.80	1.16		P2QM									
			11.80	12.62	0.82		QM									
			12.62	12.95	0.33		P1QM									
			12.95	16.60	3.65		QM									
			16.60	17.08	0.48		P1QM									
			17.08	18.80	1.72		QM									
			18.80	20.05	1.25		P1QM									
			20.05	21.70	1.65		QM									
			21.70	22.75	1.05		P1QM									
			22.75	26.78	4.03		P2QM									
			26.78	27.37	0.59		S2QM									
			27.37	31.46	4.09		P2QM									
			31.46	32.90	1.44		P1QM									
			32.90	36.70	3.80		P2QM									
			36.70	37.70	1.00		P1QM									
			37.70	42.99	5.29		P2QM									
			42.99	43.27	0.28		S2QM									
			43.27	47.47	4.20		P2QM									
			47.47	47.78	0.31		S2QM									
			47.78	48.55	0.77		P1QM									
			48.55	50.63	2.08		P2QM									
			50.63	56.50	5.87		S2QM									
			56.50	57.00	0.50		P2QM									
			57.00	57.88	0.88		S2QM									

CONTD

PROPERTY ELK D.D.H. SND95138 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		Ag ppb	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			57.88	58.18	0.30		QV										
			58.18	58.27	0.09		GG										
			58.27	58.89	0.62		S3QM										
			58.89	61.23	2.34		P2QM										
			61.23	61.40	0.17		P2QM										
			61.40	61.70	0.30		P2QM										
			61.70	62.55	0.85		P1QM										
			62.55	65.33	2.78		P2QM										
			57.50	57.88	0.38	00.38		138-1					0.296				07.30
			57.88	58.30	0.42	00.42		138-2					0.335				35.20
			58.30	58.70	0.40	00.40		138-3					0.064				02.70
			61.17	61.47	0.30	00.30		138-4							02110		

PROPERTY ELK D.D.H. SND95139 PAGE 1 OF 2
 AREA: Siwash North DIP: -88.5 AZIMUTH (t): 000.0 DEPTH: 26.52 m
 CLAIM: Elk 21 NORTHING: 3416.39 DATE STARTED: 13-Jul-1995
 SECTION: 2430E EASTING: 2429.77 DATE FINISHED: 13-Jul-1995
 CORE SIZE: NQ ELEVATION: 1632.74 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 88.31% ROD: 43.93% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-88.5	000.0	.0	1.45	1.45		CS									
12.50	-88.5	000.0	1.45	5.89	4.44		P10M									
			5.89	6.73	0.84		P20M									
			6.73	8.26	1.53		P30M									
			8.26	15.20	6.94		P20M									
			15.20	15.76	0.56		PK0M									
			15.76	18.76	3.00		S20M									
			18.76	18.90	0.14		P50M									
			18.90	19.02	0.12		MT									
			19.02	19.06	0.04		Y50V									
			19.06	19.16	0.10		F50M									
			19.16	19.28	0.12		MT									
			19.28	20.09	0.81		S20M									
			20.09	26.52	6.43		P20M									
			12.92	13.22	0.30	00.25		139-1					0.003			01.90
			18.75	19.25	0.50	00.41		139-2					0.609			32.20
			24.90	25.10	0.20	00.19		139-3						00096		

PROPERTY ELK D.D.H. SND95140 PAGE 1 OF 1
 AREA: Siwash North DIP: -56.0 AZIMUTH (t): 090.0 DEPTH: 26.52 m
 CLAIM: Elk 21 NORTHING: 3374.73 DATE STARTED: 13-Jul-1995
 SECTION: 3375E EASTING: 1989.52 DATE FINISHED: 13-Jul-1995
 CORE SIZE: NQ ELEVATION: 1650.80 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 57.20% RQD: 4.75% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-56.0	090.0	.0	3.63	3.63		CS									
13.26	-56.0	090.0	3.63	4.20	0.57		S1GD									
			4.20	4.35	0.15		GG									
			4.35	5.49	1.14		S1GD									
			5.49	10.95	5.46		S1GD									
			10.95	11.28	0.33		GG									
			11.28	12.54	1.26		S3QM									
			12.54	13.01	0.47		GG									
			13.01	14.33	1.32		S2QM									
			14.33	15.24	0.91		P5QM									
			15.24	16.05	0.81		S2QM									
			16.05	18.25	2.20		P5QM									
			18.25	18.79	0.54		P2QM									
			18.79	19.00	0.21		F5QM									
			19.00	19.20	0.20		GG									
			19.20	19.85	0.65		P5QM									
			19.85	20.20	0.35		Y1QV									
			20.20	20.42	0.22		P5QM									
			20.42	22.26	1.84		S2QM									
			22.26	22.55	0.29		P2QM									
			22.55	23.77	1.22		S1GD									
			23.77	26.52	2.75		GG									
			14.33	14.89	0.56	00.28		140-1					00150			
			14.89	15.36	0.47	00.24		140-2				0.033				03.30
			16.05	16.47	0.42	00.36		140-3				0.059				06.70
			17.23	17.53	0.30	00.17		140-4					01940			
			19.00	19.31	0.31	00.27		140-5				0.030				03.80
			19.80	20.25	0.45	00.26		140-6				0.018				02.20

PROPERTY ELK D.D.H. SND95141 PAGE 1 OF 2
 AREA: Siwash North DIP: -44.0 AZIMUTH (t): 090.0 DEPTH: 49.07 m
 CLAIM: Elk 21 NORTHING: 3365.65 DATE STARTED: 13-Jul-1995
 SECTION: 3366N EASTING: 1989.43 DATE FINISHED: 14-Jul-1995
 CORE SIZE: NQ ELEVATION: 1651.15 CONTRACTOR: Leclerc Diamond Dri
 CORE RECOVERY: 81.84% ROD: 8.80% CORE STORED AT: Elk core rack A Bay LOGGED BY: P. Conroy
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-44.0	090.0	.0	2.00	2.00		OB									
23.78	-44.0	090.0	2.00	4.00	2.00		GD									
			4.00	5.00	1.00		K4GD									
			5.00	9.20	4.20		P1GD									
			9.20	9.88	0.68		K3GD									
			9.88	10.20	0.32		A2GD									
			10.20	12.46	2.26		P1GD									
			12.46	12.76	0.30		GG									
			12.76	13.08	0.32		P2GD									
			13.08	14.64	1.56		K5GD									
			14.64	14.74	0.10		K4AP									
			14.74	17.01	2.27		P2GD									
			17.01	17.32	0.31		F5GD									
			17.32	17.42	0.10		GG									
			17.42	17.70	0.28		F5GD									
			17.70	19.70	2.00		P2GD									
			19.70	20.20	0.50		F5GD									
			20.20	21.60	1.40		FKGD									
			21.60	25.62	4.02		AP									
			25.62	26.05	0.43		F5GD									
			26.05	26.82	0.77		GG									
			26.82	27.16	0.34		S4GD									
			27.16	27.47	0.31		F5GD									
			27.47	28.07	0.60		K2GD									
			28.07	28.39	0.32		F5GD									
			28.39	29.40	1.01		K3GD									
			29.40	35.25	5.85		P2GD									
			35.25	35.74	0.49		F4GD									
			35.74	36.88	1.14		K5GD									
			36.88	37.20	0.32		F5GD									
			37.20	37.68	0.48		S4GD									

CONTD

PROPERTY ELK D.D.H. SND95141 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA		MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm		
			37.68	38.15	0.47		GG											
			38.15	38.71	0.56		P2GD											
			38.71	39.06	0.35		K4GD											
			39.06	39.53	0.47		GG											
			39.53	40.73	1.20		F5GD											
			40.73	41.00	0.27		P2GD											
			41.00	41.17	0.17		GG											
			41.17	46.52	5.35		P1GD											
			46.52	48.17	1.65		F5GD											
			48.17	48.51	0.34		Y3QV											
			48.51	48.76	0.25		F5GD											
			48.76	49.07	0.31		P2GD											
			17.07	17.47	0.40	00.20		141-1					0.002				01.00	
			28.09	28.39	0.30	00.15		141-2					0.045				04.30	
			36.88	37.45	0.57	00.29		141-3					0.015				01.70	
			39.50	40.60	1.10	00.55		141-4						00750				
			46.50	47.28	0.78	00.50		141-5					0.143				07.40	
			47.28	48.11	0.83	00.53		141-6						01160				
			48.11	48.39	0.28	00.18		141-7			1.602					2.155		

PROPERTY ELK D.D.H. SND95142 PAGE 1 OF 2

AREA: Siwash North DIP: -72.0 AZIMUTH (t): 090.0 DEPTH: 46.03 m

CLAIM: Elk 21 NORTHING: 3365.65 DATE STARTED: 14-Jul-1995

SECTION: 3366N EASTING: 1989.43 DATE FINISHED: 15-Jul-1995

CORE SIZE: NQ ELEVATION: 1651.15 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 83.68% RQD: 14.21% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-72.0	090.0	.0	2.74	2.74		CS									
23.01	-73.0	090.0	2.74	10.72	7.98		P1GD									
			10.72	11.89	1.17		K5GD									
			11.89	15.54	3.65		P3AV									
			15.54	20.33	4.79		P1GD									
			20.33	24.69	4.36		K5GD									
			24.69	26.13	1.44		F5GD									
			26.13	27.28	1.15		K5GD									
			27.28	27.55	0.27		F5GD									
			27.55	27.63	0.08		GG									
			27.63	27.96	0.33		F5GD									
			27.96	27.41	-0.55		S2GD									
			29.56	30.11	0.55		K3GD									
			30.11	30.43	0.32		F5GD									
			30.43	36.14	5.71		AP									
			36.14	40.30	4.16		K5GD									
			40.30	41.17	0.87		P1GD									
			41.17	45.00	3.83		K5GD									
			45.00	46.03	1.03		P1AV									
			24.69	25.70	1.01	00.77		142-1						00016		
			25.70	26.13	0.43	00.22		142-2					0.003			01.50
			27.42	27.96	0.54	00.23		142-3					0.009			01.40
			28.82	29.14	0.32	00.28		142-4					0.079			06.10
			30.11	30.43	0.32	00.11		142-5					0.003			01.10

PROPERTY ELK D.D.H. SND95143 PAGE 1 OF 1

AREA: Siwash North DIP: -54.5 AZIMUTH (t): 090.0 DEPTH: 60.05 m

CLAIM: Elk 21 NORTHING: 3357.27 DATE STARTED: 15-Jul-1995

SECTION: 3357.6 EASTING: 1989.76 DATE FINISHED: 15-Jul-1995

CORE SIZE: NQ ELEVATION: 1652.01 CONTRACTOR: Leclerc Drilling Lt.

CORE RECOVERY: 87.43% RQD: 25.81% CORE STORED AT: Elk Rack A Bay 29 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MTBK Au ppb	Ag oz/t	Ag ppm
0.00	-54.5	090.0	0	2.74	2.74		CS									
30.03	-54.5	090.0	2.74	11.47	8.73		P1GD									
			11.47	11.69	0.22		GG									
			11.69	18.42	6.73		P1GD									
			18.42	20.23	1.81		AP									
			20.23	21.53	1.30		GG									
			21.53	23.82	2.29		AP									
			23.82	29.91	6.09		P1GD									
			29.91	31.52	1.61		K3GD									
			31.52	34.82	3.30		P1GD									
			34.82	36.54	1.72		K3GD									
			36.54	36.88	0.34		F5GD									
			36.88	38.93	2.05		K3GD									
			38.93	41.93	3.00		P1GD									
			41.93	42.48	0.55		F5GD									
			42.48	46.61	4.13		P2GD									
			46.61	47.72	1.11		S2GD									
			47.72	48.58	0.86		F5GD									
			48.58	54.35	5.77		P1GD									
			54.35	60.05	5.70		K3GD									
			36.46	36.90	0.44	00.15		143-1					0.031			04.40
			41.93	42.48	0.55	00.14		143-2					0.001			01.00
			43.48	43.78	0.30	00.10		143-3						00320		
			47.24	47.88	0.64	00.22		143-4					0.002			01.30
			47.88	48.40	0.52	00.22		143-5					0.015			07.50

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY: <u>ELK</u>	D.D.H.: <u>SND95144</u>	PAGE: <u>1</u> OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-78.0</u>	DEPTH: <u>71.63</u> m
CLAIM: <u>Elk 21</u>	AZIMUTH (t): <u>090.0</u>	DATE STARTED: <u>16-Jul-1995</u>
SECTION: <u>3357.6</u>	NORTHING: <u>3357.27</u>	DATE FINISHED: <u>16-Jul-1995</u>
CORE SIZE: <u>NQ</u>	EASTING: <u>1989.76</u>	CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>89.14%</u>	ELEVATION: <u>1652.01</u>	LOGGED BY: <u>B. Post</u>
RQD: <u>24.35%</u>	CORE STORED AT: <u>Elk Rack A Bay 29</u>	
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-78.0	090.0	.0	10.63	10.63		PIGD									
19.36	-78.0	090.0	10.63	12.92	2.29		K3GD									
			12.92	13.58	0.66		GG									
			13.58	15.06	1.48		PIGD									
			15.06	17.72	2.66		K2GD									
			17.72	23.57	5.85		PIAV									
			23.57	25.30	1.73		PIGD									
			25.30	31.45	6.15		AP									
			31.45	36.54	5.09		PIGD									
			36.54	37.39	0.85		F5GD									
			37.39	38.89	1.50		K3GD									
			38.89	39.32	0.43		GG									
			39.32	41.53	2.21		PIAV									
			41.53	41.81	0.28		F5AV									
			41.81	42.64	0.83		PIAV									
			42.64	43.88	1.24		F5AV									
			43.88	44.01	0.13		Y1QV									
			44.01	44.20	0.19		F5AV									
			44.20	61.26	17.06		PIAV									
			61.26	63.19	1.93		GR									
			63.19	70.36	7.17		SKRN									
			70.36	71.63	1.27		GR									
			36.54	37.39	0.85	00.49		144-1					00350			
			39.90	40.20	0.30	00.23		144-2				0.189			19.70	
			41.53	41.83	0.30	00.23		144-3			0.028			0.065	04.70	
			42.66	43.28	0.62	00.31		144-4				0.011			05.60	
			43.28	43.76	0.48	00.24		144-5					00530			
			43.76	44.20	0.44	00.22		144-6				0.431			46.80	

PROPERTY <u>ELK</u>	D.D.H. <u>SND95145</u>	PAGE <u>1</u>	OF <u>1</u>
AREA: <u>Siwash North</u>	DIP: <u>-46.5</u>	AZIMUTH (t): <u>000.0</u>	DEPTH: <u>30.48</u> m
CLAIM: <u>Elk 21</u>	NORTHING: <u>3363.64</u>		DATE STARTED: <u>16-Jul-1995</u>
SECTION: <u>1980E</u>	EASTING: <u>1980.62</u>		DATE FINISHED: <u>17-Jul-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1651.45</u>		CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>60.53%</u>	ROD: <u>9.15%</u>	CORE STORED AT: <u>Elk Rack A Bay 29</u>	LOGGED BY: <u>B. Post</u>
COMMENTS:			

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-46.5	000.0	.0	10.55	10.55		AV									
15.24	-46.5	000.0	10.55	10.88	0.33		S5AV									
			10.88	11.22	0.34		GG									
			11.22	11.62	0.40		AV									
			11.62	11.82	0.20		GG									
			11.82	12.62	0.80		AV									
			12.62	12.74	0.12		GG									
			12.74	16.67	3.93		K5GD									
			16.67	16.83	0.16		F5GD									
			16.83	17.25	0.42		Y1OV									
			17.25	17.41	0.16		F5GD									
			17.41	19.51	2.10		Y2OV									
			19.51	21.19	1.68		PIAV									
			21.19	21.76	0.57		GG									
			21.76	22.42	0.66		PIAV									
			22.42	23.03	0.61		AP									
			23.03	30.48	7.45		AV									
			16.12	16.67	0.55	00.48		145-1					0.002			01.50
			16.67	17.37	0.70	00.54		145-2					0.059			04.70
			17.37	19.51	2.14	01.64		145-3					0.034			06.30

PROPERTY ELK D.D.H. SND95146 PAGE 1 OF 2

AREA: Siwash North DIP: -84.5 AZIMUTH (t): 000.0 DEPTH: 53.95 m

CLAIM: Elk 21 NORTHING: 3353.38 DATE STARTED: 17-Jul-1995

SECTION: 1980E EASTING: 1980.70 DATE FINISHED: 17-Jul-1995

CORE SIZE: NQ ELEVATION: 1653.00 CONTRACTOR: LeClerc Drilling Lt

CORE RECOVERY: 90.32% RQD: 32.44% CORE STORED AT: Elk Rack A Bay 30 LOGGED BY: D.Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-84.5	000.0	. 0	1.90	1.90		CS									
26.98	-84.5	000.0	1.90	2.69	0.79		P2AV									
			5.05	6.22	1.17		P2AV									
			6.22	8.23	2.01		S2GR									
			8.23	9.24	1.01		P2AV									
			9.24	11.11	1.87		S1GR									
			11.11	17.70	6.59		P2AV									
			17.70	18.70	1.00		S5AV									
			18.70	20.36	1.66		P2AV									
			20.36	21.90	1.54		S1GR									
			21.90	23.00	1.10		S2GR									
			23.00	23.53	0.53		P2AV									
			25.42	26.09	0.67		P3AV									
			26.09	27.84	1.75		S1GR									
			27.84	28.38	0.54		F5GR									
			28.38	28.82	0.44		S2GR									
			28.82	30.80	1.98		S4AV									
			30.80	31.93	1.13		S2GR									
			31.93	33.02	1.09		P4AV									
			33.02	33.43	0.41		F5AP									
			33.43	34.69	1.26		S2AP									
			34.69	34.77	0.08		Y5OV									
			34.77	35.18	0.41		S5AP									
			35.18	35.33	0.15		QV									
			35.33	36.60	1.27		S3AP									
			36.60	37.11	0.51		GG									
			37.11	46.64	9.53		P3AV									
			46.64	49.62	2.98		P1GR									
			49.62	53.04	3.42		P2AV									
			53.04	53.95	0.91		P1GR									

CONTD

PROPERTY ELK D.D.H. SND95146 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MTBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	
			27.83	28.40	0.57	00.49		146-1								
			32.92	33.42	0.50	00.35		146-2					0.023		00040	05.80
			34.52	34.87	0.35	00.30		146-3			0.077				0.310	23.50
			34.87	35.51	0.64	00.55		146-4					0.014			58.50
			36.60	37.11	0.51	00.36		146-5					0.018			06.60

PROPERTY ELK D.D.H. SND95147 PAGE 1 OF 2

AREA: Siwash North DIP: -65.0 AZIMUTH (t): 000.0 DEPTH: 39.62 m

CLAIM: Elk 21 NORTHING: 3353.83 DATE STARTED: 18-Jul-1995

SECTION: 1980 E EASTING: 1980.67 DATE FINISHED: 19-Jul-1995

CORE SIZE: NQ ELEVATION: 1652.62 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 89.02% RQD: 33.06% CORE STORED AT: Elk Rack A Bay 30 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au pob	Ag oz/t	Ag ppr
.00	-65.0	000.0	.0	4.57	4.57		GR									
19.20	-64.6	000.0	4.57	5.54	0.97		AV									
			5.54	7.63	2.09		GR									
			7.63	8.62	0.99		GG									
			8.62	12.50	3.88		GR									
			12.50	22.72	10.22		S2AV									
			22.72	23.80	1.08		K1GR									
			23.80	24.62	0.82		F5GR									
			24.62	26.10	1.48		K1GR									
			26.10	26.21	0.11		GG									
			26.21	27.47	1.26		K1GR									
			27.47	28.78	1.31		SKAV									
			28.78	29.80	1.02		S2GR									
			29.80	30.18	0.38		GG									
			30.18	31.76	1.58		SKAV									
			31.76	32.00	0.24		Y4QV									
			32.00	32.31	0.31		SKAV									
			32.31	35.34	3.03		K2GR									
			35.34	36.43	1.09		SKAV									
			36.43	39.62	3.19		K2GR									
			23.80	24.28	0.48	00.31		147-1					0.003			00.70
			24.28	24.62	0.34	00.22		147-2					0.006			02.40
			31.09	31.62	0.53	00.50		147-3					0.018			08.50
			31.62	32.04	0.42	00.40		147-4			0.413				1.160	87.30

PROPERTY ELK D.D.H. SLD95148 PAGE 1 OF 1
 AREA: Siwash Lake DIP: -66.0 AZIMUTH (t): 000.0 DEPTH: 53.04 m
 CLAIM: Elk 21 NORTHING: 2519.32 DATE STARTED: 22-Jul-1995
 SECTION: 2460 E EASTING: 2461.19 DATE FINISHED: 23-Jul-1995
 CORE SIZE: NQ ELEVATION: 1640.12 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 88.52% RQD: 45.66% CORE STORED AT: Elk Rack A Bay 30 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA	MTBK	Ag oz/t	Ag ppb
.00	-66.0	000.0	.0	3.74	3.74		OB									
25.45	-63.0	000.0	3.74	21.89	18.15		P2QM									
			21.89	22.40	0.51		F5QM									
			22.40	35.22	12.82		P2QM									
			35.22	36.88	1.66		S5QM									
			36.88	37.28	0.40		GG									
			37.28	38.20	0.92		S3AV									
			38.20	38.27	0.07		Y2QV									
			38.27	41.76	3.49		P4QM									
			41.76	48.75	6.99		P3QM									
			48.75	50.75	2.00		P2QM									
			50.75	53.04	2.29		P3QM									
			21.89	22.77	0.88			148-1						00760		
			22.77	23.07	0.30			148-2					0.194			21.00
			36.34	36.88	0.54			148-3						03920		
			36.88	37.28	0.40			148-4					0.124			38.40
			38.03	38.34	0.31			148-5					0.004			00.50

PROPERTY ELK D.D.H. SLD95149 PAGE 1 OF 2

AREA: Siwash Lake DIP: -80.0 AZIMUTH (t): 000.0 DEPTH: 75.29 m
 CLAIM: Elk 21 NORTHING: 2500.54 DATE STARTED: 23-Jul-1995
 SECTION: 2460 E EASTING: 2460.63 DATE FINISHED: 24-Jul-1995
 CORE SIZE: NQ ELEVATION: 1641.37 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 90.81% RQD: 50.30% CORE STORED AT: Elk Rack A Bay 30 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au pcb	Ag oz/t	Ag ppm
.00	-80.0	000.0	.0	3.25	3.25		OB									
36.12	-81.0	000.0	3.25	4.57	1.32		S20M									
			4.57	6.35	1.78		P20M									
			6.35	6.72	0.37		S20M									
			6.72	9.20	2.48		P20M									
			9.20	9.71	0.51		S30M									
			9.71	14.50	4.79		P20M									
			14.50	14.80	0.30		P20M									
			14.80	29.68	14.88		P20M									
			29.68	29.84	0.16		S30M									
			29.84	33.30	3.46		P20M									
			33.30	33.80	0.50		F30M									
			33.80	42.32	8.52		P20M									
			42.32	42.65	0.33		S40M									
			42.65	44.97	2.32		P20M									
			44.97	45.51	0.54		S4AP									
			45.51	59.98	14.47		P20M									
			59.98	62.83	2.85		P50M									
			62.83	63.09	0.26		GG									
			63.09	64.60	1.51		P4AD									
			64.60	64.71	0.11		F50M									
			64.71	64.75	0.04		Y20V									
			64.75	65.03	0.28		F50M									
			65.03	65.70	0.67		S50M									
			65.70	66.47	0.77		P30M									
			66.47	67.04	0.57		S30M									
			67.04	75.29	8.25		P20M									
			29.68	29.98	0.30			149-1						01500		
			33.25	33.80	0.55			149-2						06000		

PROPERTY ELK D.D.H. SLD95149 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK			
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			37.56	37.81	0.25			149-3							04270		
			41.61	41.85	0.24			149-4							00550		
			42.32	42.65	0.33			149-5							00170		
			61.70	62.70	1.00			149-6							00470		
			62.70	63.20	0.50			149-7					0.251				
			64.50	64.90	0.40			149-8					0.246				14.70
			64.90	65.30	0.40			149-9							00410		
			66.50	67.05	0.55			149-10							06460		

PROPERTY ELK D.D.H. SLD95152 PAGE 1 OF 1

AREA: Siwash Lake DIP: -80.0 AZIMUTH (t): 000.0 DEPTH: 72.24 m

CLAIM: Elk 21 NORTHING: 2513.27 DATE STARTED: 25-Jul-1995

SECTION: 2310 E EASTING: 2308.03 DATE FINISHED: 25-Jul-1995

CORE SIZE: NQ ELEVATION: 1671.83 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 89.17% RQD: 41.86% CORE STORED AT: Elk Rack A Bay 30 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-80.0	000.0	.0	4.15	4.15		OB									
36.12	-79.5	000.0	4.15	8.50	4.35		P10M									
			8.50	17.40	8.90		P20M									
			17.40	18.32	0.92		S30M									
			18.32	22.90	4.58		P20M									
			22.90	23.70	0.80		S30M									
			23.70	46.95	23.25		P20M									
			46.95	51.05	4.10		S30M									
			51.05	52.20	1.15		S50M									
			52.20	53.95	1.75		S5AD									
			53.95	55.80	1.85		F50M									
			55.80	60.05	4.25		S50M									
			60.05	60.46	0.41		F50M									
			60.46	67.70	7.24		S4AD									
			62.70	62.92	0.22		GG									
			62.92	63.25	0.33		F50M									
			63.25	63.75	0.50		S40M									
			63.75	72.24	8.49		P20M									
			51.60	51.90	0.30			152-1						00150		
			51.90	52.55	0.65			152-2				0.005				05.20
			52.55	53.95	1.40			152-3						00079		
			53.95	55.50	1.55			152-4						00046		
			60.25	60.55	0.30			152-5					0.003			00.40
			62.70	63.05	0.35			152-6					0.015			04.60

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. EZD95153 PAGE 1 OF 1

AREA: End Zone DIP: -65.0 AZIMUTH (t): 000.0 DEPTH: 41.76 m
 CLAIM: Elk 2 NORTHING: 1618.15 DATE STARTED: 26-Jul-1995
 SECTION: EASTING: 2243.00 DATE FINISHED: 26-Jul-1995
 CORE SIZE: NQ ELEVATION: 1611.93 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 82.40% RQD: 18.94% CORE STORED AT: Elk Rack C Bay 7 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-65.0	000.0	0	2.32	2.32		CS									
20.88	-64.0	000.0	2.32	2.70	0.38		QM									
			2.70	2.87	0.17		PP									
			2.87	6.72	3.85		QM									
			6.72	14.02	7.30		PP									
			14.02	14.13	0.11		GG									
			14.13	19.30	5.17		PP									
			19.30	22.55	3.25		S2QM									
			22.55	22.62	0.07		P5QM									
			22.62	22.90	0.28		GG									
			22.90	24.69	1.79		S1QM									
			24.69	25.90	1.21		QM									
			25.90	28.48	2.58		S1QM									
			28.48	29.10	0.62		QM									
			29.10	31.12	2.02		S1QM									
			31.12	33.94	2.82		QM									
			33.94	41.76	7.82		QM									
			22.44	23.00	0.56			153-1					0.293			18.30
			23.40	23.67	0.27			153-2						00130		

PROPERTY ELK D.D.H. GWD95155 PAGE 1 OF 1
 AREA: Great Wall DIP: -45.0 AZIMUTH (t): 000.0 DEPTH: 46.48 m
 CLAIM: Elk 2 NORTHING: 1977.57 DATE STARTED: 27-Jul-1995
 SECTION: EASTING: 2291.46 DATE FINISHED: 27-Jul-1995
 CORE SIZE: NQ ELEVATION: 1630.46 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 88.60% RQD: 26.51% CORE STORED AT: Elk Rack C Bay 8 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-45.0	000.0	.0	1.52	1.52		CS									
23.47	-43.5	000.0	1.52	4.71	3.19		QM									
			4.71	10.61	5.90		P2QM									
			10.61	12.07	1.46		S1QM									
			12.07	16.76	4.69		P1QM									
			16.76	18.71	1.95		K3QM									
			18.71	22.17	3.46		P1QM									
			22.17	24.75	2.58		K2QM									
			24.75	24.90	0.15		F3QM									
			24.90	25.02	0.12		Y2QV									
			25.02	26.64	1.62		S2QM									
			26.64	27.13	0.49		P2QM									
			27.13	31.03	3.90		K2QM									
			31.03	37.65	6.62		P2QM									
			37.65	46.94	9.29		P2QM									
			24.86	25.19	0.33			155-1					0.027			01.50

PROPERTY ELK D.D.H. EZD95157 PAGE 1 OF 1
 AREA: End Zone DIP: -45.0 AZIMUTH (t): 000.0 DEPTH: 39.93 m
 CLAIM: Elk 2 NORTHING: 1753.81 DATE STARTED: 28-Jul-1995
 SECTION: EASTING: 2385.13 DATE FINISHED: 28-Jul-1995
 CORE SIZE: NQ ELEVATION: 1597.30 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 73.70% RQD: 15.65% CORE STORED AT: Elk Rack C Bay 8 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-45.0	000.0	.0	3.80	3.80		OB									
19.97	-41.5	000.0	3.80	10.65	6.85		P10M									
			10.65	15.29	4.64		P20M									
			15.29	18.45	3.16		S20M									
			18.45	18.70	0.25		P50M									
			18.70	18.80	0.10		GG									
			18.80	21.82	3.02		S30M									
			21.82	23.76	1.94		S20M									
			23.76	29.30	5.54		P20M									
			29.30	31.60	2.30		P10M									
			31.60	37.65	6.05		P20M									
			37.65	39.93	2.28		P10M									
			18.40	19.00	0.60			157-1					0.002			00.40
			21.00	21.64	0.64			157-2					0.010			01.10

PROPERTY ELK D.D.H. EZD95158 PAGE 1 OF 1
 AREA: End Zone DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 59.74 m
 CLAIM: Elk 2 NORTHING: 1749.07 DATE STARTED: 29-Jul-1995
 SECTION: EASTING: 2385.34 DATE FINISHED: 29-Jul-1995
 CORE SIZE: NQ ELEVATION: 1597.21 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 83.31% RQD: 22.73% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-90.0	000.0	.0	2.74	2.74		CS									
27.74	-89.5	000.0	2.74	4.00	1.26		QM									
			4.00	22.39	18.39		P2QM									
			22.39	29.08	6.69		P1QM									
			29.08	37.94	8.86		QM									
			37.94	40.02	2.08		P1QM									
			40.02	40.23	0.21		S2QM									
			40.23	40.42	0.19		Y4QV									
			40.42	40.73	0.31		F5QM									
			40.73	40.86	0.13		P3QM									
			40.86	45.62	4.76		P2QM									
			45.62	56.04	10.42		P1QM									
			56.04	59.15	3.11		QM									
			59.15	59.56	0.41		K2QM									
			59.56	59.74	0.18		QM									
			40.23	40.73	0.50			158-1			0.712				0.400	

PROPERTY ELK D.D.H. DSD95159 PAGE 1 OF 2
 AREA: Discovery DIP: -55.0 AZIMUTH (t): 000.0 DEPTH: 60.96 m
 CLAIM: Elk 1 NORTHING: 1380.95 DATE STARTED: 29-Jul-1995
 SECTION: 1470E EASTING: 1559.96 DATE FINISHED: 30-Jul-1995
 CORE SIZE: NQ ELEVATION: 1638.10 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 86.53% RQD: 19.01% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MTBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-55.0	000.0	.0	2.74	2.74		CS									
14.79	-57.0	000.0	2.74	4.88	2.14		SP									
44.81	-57.0	000.0	4.88	5.34	0.46		AN									
			5.34	6.17	0.83		K5GR									
			6.17	9.73	3.56		FP									
			9.73	13.47	3.74		SP									
			13.47	19.32	5.85		FP									
			19.32	19.48	0.16		S2FP									
			19.48	20.42	0.94		AN									
			20.42	21.69	1.27		K4FP									
			21.69	21.82	0.13		GG									
			21.82	23.75	1.93		S3AN									
			23.75	24.60	0.85		AN									
			24.60	25.05	0.45		K5GR									
			25.05	25.50	0.45		S3GR									
			25.50	27.80	2.30		S2AN									
			27.80	28.04	0.24		S3GR									
			28.04	28.45	0.41		S1AN									
			28.45	28.63	0.18		Y3QV									
			28.63	28.87	0.24		S1AN									
			28.87	28.96	0.09		Y5QV									
			28.96	32.13	3.17		S1AN									
			32.13	43.13	11.00		SP									
			43.13	44.11	0.98		AN									
			44.11	49.59	5.48		FP									
			49.59	52.56	2.97		SP									
			52.56	52.64	0.08		Y4QV									
			52.64	58.52	5.88		S1AN									
			58.52	59.01	0.49		S3GR									
			59.01	59.44	0.43		K2GR									
			59.44	60.96	1.52		SP									

CONTD

PROPERTY ELK D.D.H. DSD95160 PAGE 1 OF 2

AREA: Discovery DIP: -82.0 AZIMUTH (t): 000.0 DEPTH: 97.84 m

CLAIM: Elk 1 NORTHING: 1362.90 DATE STARTED: 30-Jul-1995

SECTION: 1470E EASTING: 1560.59 DATE FINISHED: 30-Jul-1995

CORE SIZE: NQ ELEVATION: 1642.32 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 93.41% RQD: 27.53% CORE STORED AT: Elk Rack C Bay 9 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MTBK		Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	
.00	-82.0	000.0	.0	1.50	1.50		OB									
23.93	-80.0	000.0	1.50	22.48	20.98		QP									
72.85	-80.5	000.0	22.48	23.47	0.99		S3GR									
			23.47	28.30	4.83		P4GR									
			23.80	24.02	0.22		P4AN									
			24.02	24.37	0.35		GC									
			24.37	48.60	24.23		PP									
			48.60	49.18	0.58		K1FP									
			49.18	49.30	0.12		K2GR									
			49.30	49.60	0.30		P2AN									
			49.60	51.00	1.40		GC									
			51.00	52.00	1.00		A3AN									
			52.00	52.43	0.43		GC									
			52.43	52.87	0.44		S3QM									
			52.87	55.30	2.43		K4QM									
			55.30	55.70	0.40		S5QM									
			55.70	59.50	3.80		SP									
			59.50	79.25	19.75		PP									
			79.25	80.58	1.33		P2AN									
			80.58	97.84	17.26		PP									
			49.60	49.90	0.30			160-1					0.003			02.50
			51.51	52.43	0.92			160-2					0.001			06.30
			55.30	55.70	0.40			160-3					0.001			08.60

PROPERTY <u>ELK</u>	D.D.H. <u>DSD95161</u>	PAGE <u>1</u> OF <u>1</u>
AREA: <u>Discovery</u>	DIP: <u>-60.0</u> AZIMUTH (t): <u>000.0</u>	DEPTH: <u>40.23</u> m
CLAIM: <u>Elk 1</u>	NORTHING: <u>1363.41</u>	DATE STARTED: <u>31-Jul-1995</u>
SECTION: <u>1420E</u>	EASTING: <u>1511.48</u>	DATE FINISHED: <u>31-Jul-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1644.85</u>	CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>77.48%</u> RQD: <u>22.50%</u> CORE STORED AT: <u>Elk Rack C Bay 10</u>		LOGGED BY: <u>D. Ritcey</u>
COMMENTS:		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-60.0	000.0	.0	1.25	1.25		OB									
19.36	-63.5	000.0	1.25	10.55	9.30		PP									
			10.55	10.70	0.15		GG									
			10.70	13.27	2.57		S2GR									
			13.27	14.33	1.06		GG									
			14.33	14.70	0.37		S3GR									
			14.70	16.82	2.12		GG									
			16.82	17.30	0.48		K4QM									
			17.30	17.87	0.57		K2FP									
			17.87	18.50	0.63		AN									
			18.50	19.12	0.62		KPQM									
			19.12	20.12	1.00		P2AN									
			20.12	20.29	0.17		Y2QV									
			20.29	28.96	8.67		PP									
			28.96	30.58	1.62		P2AN									
			30.58	30.96	0.38		K3QM									
			30.96	32.05	1.09		P2AN									
			32.05	33.33	1.28		K3QM									
			33.33	33.98	0.65		AN									
			33.98	37.00	3.02		KPQM									
			37.00	39.15	2.15		SP									
			39.15	40.23	1.08		FP									
			13.53	14.33	0.80			161-1					0.001			00.50
			20.06	20.36	0.30			161-2			0.130				0.375	28.96

PROPERTY ELK D.D.H. DSD95162 PAGE 1 OF 1

AREA: Discovery DIP: -85. AZIMUTH (t): 000.0 DEPTH: 52.43 m

CLAIM: Elk 1 NORTHING: 1342.77 DATE STARTED: 31-Jul-1995

SECTION: 1420E EASTING: 1511.45 DATE FINISHED: 31-Jul-1995

CORE SIZE: NQ ELEVATION: 1643.86 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 87.28% RQD: 23.63% CORE STORED AT: _____ LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		PA	MTBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
.00	-85.	000.0	.0	2.74	2.74		CS										
			2.74	4.26	1.52		S2AN										
			4.26	4.93	0.67		PP										
			4.93	5.33	0.40		GG										
			5.33	9.47	4.14		K2QM										
			9.47	9.63	0.16		GG										
			9.63	10.02	0.39		S1QM										
			10.02	40.94	30.92		PP										
			40.94	44.42	3.48		SP										
			44.42	46.33	1.91		S2QM										
			46.33	46.70	0.37		GG										
			46.70	52.43	5.73		S2QM										
					0.00												
			20.06	20.36	0.30			161-2			0.130				0.375	28.90	

PROPERTY ELK D.D.H. SSD95164 PAGE 1 OF 2

AREA: South Showing DIP: -45. AZIMUTH (t): 330.0 DEPTH: 60.66 m
 CLAIM: Elk 1 NORTHING: 250.623 DATE STARTED: 1-Aug-1995
 SECTION: EASTING: 1634.00 DATE FINISHED: 2-Aug-1995
 CORE SIZE: NQ ELEVATION: 1608.41 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 80.33% RQD: 18.63% CORE STORED AT: Elk Rack C Bay 11 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-45.	330.0	.0	10.04	10.04		QM									
			10.04	14.33	4.29		P2QM									
			14.33	19.14	4.81		S2QM									
			19.14	20.54	1.40		S2AD									
			20.54	21.02	0.48		P2QM									
			21.02	22.86	1.84		S2QM									
			22.86	23.14	0.28		F3QM									
			23.14	23.27	0.13		GG									
			23.27	24.08	0.81		S2QM									
			24.08	27.72	3.64		S2QM									
			27.72	28.00	0.28		GG									
			28.00	28.83	0.83		S2QM									
			28.83	33.53	4.70		P2QM									
			33.53	34.69	1.16		S2QM									
			34.69	35.41	0.72		S3QM									
			35.41	59.31	23.90		P2QM									
			59.31	60.47	1.16		S2QM									
			60.47	60.66	0.19		P2QM									
			15.30	15.60	0.30	00.26		164-3						02480		
			15.60	16.10	0.50	00.47		164-4						00140		
			18.85	19.15	0.30	00.28		164-5						00550		
			21.30	21.80	0.50	00.47		164-6						02670		
			21.80	22.50	0.70	00.66		164-7						00051		
			22.50	23.14	0.64	00.62		164-8						00560		
			23.14	24.08	0.94	00.88		164-1					0.063		09.50	
			24.60	25.20	0.60	00.54		164-9						00140		
			25.20	25.85	0.65	00.61		164-10						00200		
			25.85	26.45	0.60	00.56		164-11						00004		
			27.00	27.40	0.40	00.38		164-12						00075		
								CONTD								

PROPERTY ELK D.D.H. SSD95164 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

Table with columns for SURVEY DATA (Depth, Dip, Az (t), From, To, Int., T.W.) and GEOLOGY AND ASSAY RECORD (Geology, Sample No., Rec. %, S.G., Au oz/t, FA, MIBK, Ag oz/t, Ag ppm).

PROPERTY ELK D.D.H. SSD95165 PAGE 1 OF 2

AREA: South Showing DIP: -54.0 AZIMUTH (t): 150.0 DEPTH: 53.95 m
 CLAIM: Elk 1 NORTHING: 350.179 DATE STARTED: 2-Aug-1995
 SECTION: EASTING: 1678.53 DATE FINISHED: 2-Aug-1995
 CORE SIZE: NQ ELEVATION: 1620.24 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 87.78% RQD: 36.83% CORE STORED AT: Pallet LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBX	Ag oz/t	Ag ppm
.00	-54.0	150.0	.0	2.74	2.74		CS									
26.98	-56.5	150.0	2.74	25.92	23.18		P2QM									
			25.92	27.60	1.68		P2QM									
			27.60	28.41	0.81		P1QM									
			28.41	41.00	12.59		P2QM									
			41.00	41.76	0.76		P1QM									
			41.76	51.61	9.85		P2QM									
					0.00											
			15.60	16.10	0.50	00.47		164-4						00140		
			18.85	19.15	0.30	00.28		164-5						00550		
			21.30	21.80	0.50	00.47		164-6						02670		
			21.80	22.50	0.70	00.66		164-7						00051		
			22.50	23.14	0.64	00.62		164-8						00560		
			23.14	24.08	0.94	00.88		164-1					0.063			09.50
			24.60	25.20	0.60	00.54		164-9						00140		
			25.20	25.85	0.65	00.61		164-10						00200		
			25.85	26.45	0.60	00.56		164-11						00084		
			27.00	27.40	0.40	00.38		164-12						00075		
			27.40	28.60	1.20	01.13		164-13						00075		
			29.80	30.40	0.60	00.56		164-14						00120		
			33.65	34.35	0.70	00.66		164-15						00270		
			34.69	34.97	0.28	00.26		164-2						02070		

PROPERTY ELK D.D.H. SSD95166 PAGE 1 OF 2
 AREA: South Showing DIP: -55.0 AZIMUTH (t): 330.0 DEPTH: 40.23 m
 CLAIM: Elk 1 NORTHING: 351.786 DATE STARTED: 3-Aug-1995
 SECTION: EASTING: 1817.29 DATE FINISHED: 3-Aug-1995
 CORE SIZE: NQ ELEVATION: 1605.51 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 82.70% ROD: 20.71% CORE STORED AT: Elk Rack C Bay 11 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
0.00	-55.0	330.0	0.0	2.74	2.74		OB									
20.11	-55.0	330.0	2.74	6.30	3.56		S2QM									
			6.30	7.75	1.45		P2QM									
			7.75	8.00	0.25		S3QM									
			8.00	9.10	1.10		F2QM									
			9.10	9.55	0.45		S3QM									
			9.55	10.15	0.60		P2QM									
			10.15	14.02	3.87		S3QM									
			14.02	14.35	0.33		S5AD									
			14.35	17.26	2.91		S3QM									
			17.26	17.37	0.11		F4QM									
			17.37	18.83	1.46		S2QM									
			18.83	19.86	1.03		S2AN									
			19.86	21.64	1.78		S3QM									
			21.64	22.27	0.63		S2QM									
			22.27	23.04	0.77		S4QM									
			23.04	25.09	2.05		S2QM									
			25.09	25.98	0.89		DB									
			25.98	26.29	0.31		S2QM									
			26.29	26.39	0.10		Y3QV									
			26.39	27.30	0.91		S3QM									
			27.30	29.45	2.15		S2QM									
			29.45	30.98	1.53		S3QM									
			30.98	31.45	0.47		S2QM									
			31.45	33.90	2.45		P1QM									
			33.90	37.27	3.37		S2QM									
			37.27	40.23	2.96		P1QM									
			8.35	8.65	0.30	00.26		166-1						00640		
			8.65	9.15	0.50	00.38		166-8						00560		

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SSD95167</u>	PAGE <u>1</u> OF <u>3</u>
AREA: <u>South Showing</u>	DIP: <u>-90.0</u> AZIMUTH (t): <u>000.0</u>	DEPTH: <u>69.19</u> m
CLAIM: <u>Elk 1</u>	NORTHING: <u>350.864</u>	DATE STARTED: <u>3-Aug-1995</u>
SECTION: _____	EASTING: <u>1817.87</u>	DATE FINISHED: <u>4-Aug-1995</u>
CORE SIZE: <u>NQ</u>	ELEVATION: <u>1605.61</u>	CONTRACTOR: <u>Leclerc Drilling Lt</u>
CORE RECOVERY: <u>88.05%</u> RQD: <u>22.37%</u> CORE STORED AT: <u>Elk Rack C Bay 11</u>	LOGGED BY: <u>D. Ritcey</u>	
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-90.0	000.0	.0	3.60	3.60		OB									
33.80	-88.0	000.0	3.60	7.60	4.00		S2QM									
			7.60	8.62	1.02		P1QM									
			8.62	9.30	0.68		S2QM									
			9.30	11.95	2.65		P2QM									
			11.95	14.10	2.15		S2QM									
			14.10	22.50	8.40		S3QM									
			22.50	23.60	1.10		S3QM									
			23.60	27.85	4.25		S3QM									
			27.85	28.15	0.30		S2QM									
			28.15	32.73	4.58		S3QM									
			32.73	33.80	1.07		S3AD									
			33.80	34.20	0.40		S3QM									
			34.20	38.00	3.80		S2QM									
			38.00	39.04	1.04		S3QM									
			39.04	39.56	0.52		S2AD									
			39.56	43.39	3.83		S3QM									
			43.39	43.59	0.20		GG									
			43.59	49.41	5.82		S3QM									
			49.41	50.55	1.14		P2QM									
			50.55	52.82	2.27		S2QM									
			52.82	53.40	0.58		P4QM									
			53.40	55.35	1.95		S3QM									
			55.35	56.35	1.00		S4QM									
			56.35	57.07	0.72		S3QM									
			57.07	57.52	0.45		P3QM									
			57.52	58.62	1.10		S3QM									
			58.62	59.13	0.51		P3QM									
			59.13	59.90	0.77		S3QM									
			59.90	60.20	0.30		P3QM									
			60.20	60.74	0.54		S3QM									
CONTD																

PROPERTY ELK D.D.H. SSD95167 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			60.74	61.61	0.87		DB										
			61.61	62.20	0.59		S30M										
			62.20	63.09	0.89		S20M										
			63.09	64.50	1.41		P20M										
			64.50	65.90	1.40		S20M										
			65.90	67.40	1.50		K30M										
			67.40	68.04	0.64		P20M										
			68.04	68.69	0.65		S20M										
			68.69	69.19	0.50		P20M										
			14.15	14.45	0.30	00.17		167-12					0.003				01.70
			15.65	15.95	0.30	00.15		167-13						00070			
			18.05	18.40	0.35	00.25		167-14					0.026				00.80
			18.40	18.90	0.50	00.35		167-15						00015			
			21.40	21.80	0.40	00.20		167-16						00570			
			21.80	22.10	0.30	00.17		167-17						00082			
			24.75	25.15	0.40	00.20		167-18						00160			
			29.70	30.00	0.30	00.15		167-19						00054			
			32.61	32.81	0.20	00.09		167-1					0.126				04.20

PROPERTY ELK D.D.H. SSD95168 PAGE 1 OF 3

AREA: South Showing DIP: -60.0 AZIMUTH (t): 330.0 DEPTH: 26.52 m

CLAIM: Elk 1 NORTHING: 316.198 DATE STARTED: 4-Aug-1995

SECTION: EASTING: 1708.02 DATE FINISHED: 4-Aug-1995

CORE SIZE: NQ ELEVATION: 1611.49 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 76.58% RQD: 25.49% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Aq oz/t	Aq ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-60.0	330.0	.0	2.90	2.90		OB									
13.26	-56.0	330.0	2.90	3.19	0.29		AN									
			3.19	5.18	1.99		QM									
			5.18	5.56	0.38		S2QM									
			5.56	6.02	0.46		GG									
			6.02	6.86	0.84		S2QM									
			6.86	9.38	2.52		S3QM									
			9.38	10.71	1.33		S2QM									
			10.71	11.51	0.80		S4QM									
			11.51	12.14	0.63		DB									
			12.14	12.66	0.52		S5QM									
			12.66	13.87	1.21		S2QM									
			13.87	19.44	5.57		P2QM									
			19.44	23.05	3.61		S2QM									
			23.05	26.52	3.47		P2QM									
			10.77	11.47	0.70	00.57		168-2			0.111				0.045	04.30
			11.47	12.16	0.69	00.60		168-1					0.017			13.20
			12.16	12.66	0.50	00.38		168-3						00340		

PROPERTY ELK D.D.H. SSD95169 PAGE 1 OF 2
 AREA: South Showing DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 32.61 m
 CLAIM: Elk 1 NORTHING: 312.325 DATE STARTED: 5-Aug-1995
 SECTION: EASTING: 1710.33 DATE FINISHED: 5-Aug-1995
 CORE SIZE: NQ ELEVATION: 1611.70 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 83.78% RQD: 21.04% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-90.0	000.0	.0	3.50	3.50		QB									
14.79	-88.0	000.0	3.50	5.20	1.70		S4QM									
			5.20	6.71	1.51		S3QM									
			6.71	7.50	0.79		P2QM									
			7.50	8.58	1.08		S3QM									
			8.58	9.04	0.46		P2QM									
			9.04	10.10	1.06		S3QM									
			10.10	11.20	1.10		S2QM									
			11.20	11.75	0.55		P2QM									
			11.75	12.25	0.50		S3QM									
			12.25	15.27	3.02		P2QM									
			15.27	15.95	0.68		S3QM									
			15.95	16.43	0.48		F3QM									
			16.43	16.78	0.35		P2QM									
			16.78	18.50	1.72		S4AD									
			18.50	19.70	1.20		S4QM									
			19.70	21.33	1.63		S3QM									
			21.33	23.10	1.77		S4QM									
			23.10	24.18	1.08		F4QM									
			24.18	24.80	0.62		P2QM									
			24.80	27.66	2.86		S3QM									
			27.66	27.91	0.25		DB									
			27.91	28.24	0.33		S3QM									
			28.24	28.26	0.02		DB									
			28.26	29.30	1.04		P2QM									
			29.30	29.31	0.01		VCCV									
			29.31	31.20	1.89		P2QM									
			31.20	32.61	1.41		S3QM									
			9.60	10.10	0.50	00.32		169-1						00800		

PROPERTY ELK D.D.H. SSD95169 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MRK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			11.70	12.07	0.37	00.11		169-2							00440	
			15.35	15.95	0.60	00.34		169-15							00029	
			15.95	16.43	0.48	00.28		169-3							00140	
			17.68	18.83	1.15	00.94		169-16							00430	
			18.83	19.13	0.30	00.19		169-4					0.035			01.30
			22.17	23.12	0.95	00.73		169-17					0.017			00.50
			23.12	23.52	0.40	00.26		169-5					0.881	34600		
			23.52	24.18	0.66	00.47		169-18			0.045				0.020	01.10
			25.27	25.72	0.50	00.21		169-6						08200		
			25.72	26.28	0.56	00.43		169-19					0.003			01.40
			26.28	26.73	0.45	00.23		169-7						01410		
			26.99	27.59	0.60	00.30		169-8						00820		
			27.59	27.94	0.35	00.33		169-9								34.70
			28.12	28.32	0.20	00.11		169-10					0.170			08.60
			28.32	28.82	0.50	00.25		169-11					0.145		02510	
			29.24	29.37	0.13	00.07		169-12								02.00
			29.36	29.56	0.20	00.10		169-13					0.139		00390	
			31.50	31.70	0.20	00.12		169-14							00120	

PROPERTY ELK D.D.H. SSD95170 PAGE 1 OF 2

AREA: South Showing DIP: -55.0 AZIMUTH (t): 330.0 DEPTH: 50.29 m
 CLAIM: Elk 1 NORTHING: 510.447 DATE STARTED: 5-Aug-1995
 SECTION: EASTING: 2134.26 DATE FINISHED: 6-Aug-1995
 CORE SIZE: NQ ELEVATION: 1602.62 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 89.40% RQD: 28.71% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-55.0	330.0	.0	2.74	2.74		OB									
25.15	-54.5	330.0	2.74	5.31	2.57		QM									
			5.31	12.80	7.49		P1QM									
			12.80	23.47	10.67		QM									
			23.47	24.38	0.91		S2QM									
			24.38	29.43	5.05		QM									
			29.43	30.02	0.59		S2QM									
			30.02	35.36	5.34		QM									
			35.36	40.94	5.58		P1QM									
			40.94	42.25	1.31		S3QM									
			42.25	47.65	5.40		P1QM									
			47.65	47.86	0.21		S3QM									
			47.86	47.95	0.09		CC									
			47.95	48.26	0.31		F3QM									
			48.26	50.29	2.03		K2QM									
			47.78	48.27	0.49			170-1					0.046		00.40	

PROPERTY ELK D.D.H. SSD95171 PAGE 1 OF 1

AREA: South Showing DIP: -50.0 AZIMUTH (t): 330.0 DEPTH: 71.32 m

CLAIM: Elk 1 NORTHING: 113.525 DATE STARTED: 6-Aug-1995

SECTION: EASTING: 2260.98 DATE FINISHED: 7-Aug-1995

CORE SIZE: NQ ELEVATION: 1584.17 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 90.79% RQD: 54.00% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		PA		MTRK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
.00	-50.0	330.0	.0	4.49	4.49		OB										
34.14	-52.0	330.0	4.49	14.64	10.15		QM										
			14.64	15.73	1.09		QM										
			15.73	17.78	2.05		P1QM										
			17.78	18.20	0.42		A4QM										
			18.20	24.12	5.92		P1QM										
			24.12	24.49	0.37		K2QM										
			24.49	25.52	1.03		A3QM										
			25.52	28.07	2.55		P1QM										
			28.07	28.38	0.31		AD										
			28.38	34.59	6.21		P1QM										
			34.59	35.67	1.08		S3QM										
			35.67	40.09	4.42		P1QM										
			40.09	41.30	1.21		S2QM										
			41.30	41.58	0.28		P1QM										
			41.58	43.88	2.30		K2QM										
			43.88	44.69	0.81		S1AN										
			44.69	45.47	0.78		K2QM										
			45.47	45.56	0.09		GG										
			45.56	46.47	0.91		S2QM										
			46.47	49.68	3.21		P1QM										
			49.68	50.41	0.73		S2QM										
			50.41	51.07	0.66		P1QM										
			51.07	51.68	0.61		S2QM										
			51.68	71.32	19.64		QM										
			34.55	35.15	0.60	00.56		171-1							00020		
			35.15	35.55	0.40	00.38		171-2							00016		
			40.20	40.75	0.55	00.23		171-3					0.001				00.30
			40.75	41.30	0.55	00.50		171-4							00034		

CONTD

PROPERTY: ELK D.D.H.: SND95172 PAGE: 1 OF: 2
 AREA: Siwash North DIP: -90.0 AZIMUTH (0): 000.0 DEPTH: 81.38 m
 CLAIM: Elk 21 NORTHING: 3304.70 DATE STARTED: 7-Aug-1995
 SECTION: 2370E EASTING: 2369.78 DATE FINISHED: 8-Aug-1995
 CORE SIZE: NQ ELEVATION: 1637.48 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 94.05% RQD: 61.83% CORE STORED AT: Elk Rack C Bay 12 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
.00	-90.0	000.0	.0	5.90	5.90		P1QM									
38.56	-89.0	000.0	5.90	7.50	1.60		P2QM									
			7.50	10.10	2.60		P1QM									
			10.10	12.91	2.81		P2QM									
			12.91	13.35	0.44		S2QM									
			13.35	19.60	6.25		P2QM									
			19.60	22.85	3.25		QM									
			22.85	25.13	2.28		P2QM									
			25.13	28.84	3.71		QM									
			28.84	30.40	1.56		P2QM									
			30.40	33.10	2.70		P1QM									
			33.10	34.04	0.94		P2QM									
			34.04	38.52	4.48		QM									
			38.52	40.35	1.83		P1QM									
			40.35	41.65	1.30		P2QM									
			41.65	42.15	0.50		P1QM									
			42.15	43.35	1.20		P2QM									
			43.35	50.35	7.00		QM									
			50.35	51.00	0.65		P2QM									
			51.00	51.89	0.89		P1QM									
			51.89	58.10	6.21		P2QM									
			58.10	58.80	0.70		A3QM									
			58.80	59.40	0.60		S2QM									
			59.40	61.60	2.20		S3QM									
			61.60	61.78	0.18		GG									
			61.78	62.14	0.36		S4QM									
			62.14	64.11	1.97		S3QM									
			64.11	64.62	0.51		P4QM									
			64.62	64.92	0.30		S4QM									
			64.92	65.11	0.19		P5QM									
			65.11	66.10	0.99		S3QM									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SND95172</u>	PAGE <u>2</u>	OF <u>2</u>
AREA: _____	DIP: _____	AZIMUTH (t): _____	
CLAIM: _____	NORTHING: _____	DEPTH: _____	
SECTION: _____	EASTING: _____	DATE STARTED: _____	
CORE SIZE: _____	ELEVATION: _____	DATE FINISHED: _____	
CORE RECOVERY: _____	CORE STORED AT: _____	CONTRACTOR: _____	
COMMENTS: _____		LOGGED BY: _____	

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			66.10	66.37	0.27		P3QM									
			66.37	66.77	0.40		S3QM									
			66.77	67.07	0.30		OV									
			67.07	67.66	0.59		P5QM									
			67.66	68.71	1.05		S3QM									
			68.71	68.76	0.05		Y2OV									
			68.76	69.03	0.27		S2QM									
			69.03	72.40	3.37		P2QM									
			72.40	73.10	0.70		P1QM									
			73.10	79.30	6.20		P2QM									
			79.30	81.38	2.08		QM									
			63.99	64.62	0.63			172-1					0.003			01.70
			64.92	65.27	0.35			172-2					0.053			04.10
			65.53	66.00	0.47			172-3						00120		
			66.43	66.75	0.32			172-4						00400		
			66.75	67.07	0.32			172-5					0.132			02.80
			67.07	67.66	0.59			172-6						00380		
			68.28	68.58	0.30			172-7						00130		
			68.58	68.88	0.30			172-8					0.002			02.50

PROPERTY ELK D.D.H. SND95173 PAGE 1 OF 2

AREA: Siwash North DIP: -72.5 AZIMUTH (t): 000.0 DEPTH: 65.23 m
 CLAIM: Elk 21 NORTHING: 3305.26 DATE STARTED: 8-Aug-1995
 SECTION: 2370E EASTING: 2369.81 DATE FINISHED: 8-Aug-1995
 CORE SIZE: NQ ELEVATION: 1637.54 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 92.20% RQD: 59.44% CORE STORED AT: Elk Rack C Bay 13 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MTRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-72.5	000.0	.0	1.27	1.27		CS									
30.63	-70.7	000.0	1.27	10.45	9.18		P1QM									
			10.45	11.38	0.93		P2QM									
			11.38	16.46	5.08		P1QM									
			16.46	28.70	12.24		QM									
			28.70	29.98	1.28		P1QM									
			29.98	34.87	4.89		P2QM									
			34.87	37.88	3.01		P2QM									
			37.88	42.34	4.46		QM									
			42.34	47.16	4.82		P1QM									
			47.16	48.29	1.13		K3QM									
			48.29	48.38	0.09		P5QM									
			48.38	48.47	0.09		GC									
			48.47	49.38	0.91		P5QM									
			49.38	49.88	0.50		S2QM									
			49.88	49.99	0.11		GC									
			49.99	53.95	3.96		S2QM									
			53.95	58.04	4.09		P2QM									
			58.04	58.26	0.22		P3QM									
			58.26	58.30	0.04		P5QM									
			58.30	58.45	0.15		Y3QV									
			58.45	58.58	0.13		P5QM									
			58.58	58.78	0.20		QV									
			58.78	59.03	0.25		P5QM									
			59.03	63.72	4.69		P2QM									
			63.72	65.23	1.51		P2QM									
			48.29	49.38	1.09			173-1					0.006			00.70
			54.38	55.04	0.66			173-2						00210		
			56.03	56.23	0.20			173-3						00026		

CONTD

PROPERTY ELK D.D.H. SND95174 PAGE 1 OF 2

AREA: Siwash North DIP: -53.5 AZIMUTH (t): 000.0 DEPTH: 65.53 m

CLAIM: Elk 21 NORTHING: 3306.03 DATE STARTED: 9-Aug-1995

SECTION: 2370E EASTING: 2369.74 DATE FINISHED: 9-Aug-1995

CORE SIZE: NQ ELEVATION: 1637.56 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 92.37% RQD: 50.92% CORE STORED AT: Elk Rack C Bay 13 LOGGED BY: R. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t	Ag ppt
.00	-53.5	000.0	.0	4.27	4.27		CS									
31.40	-50.3	000.0	4.27	13.79	9.52		P2QM									
			13.79	16.86	3.07		P1QM									
			16.86	26.98	10.12		OM									
			26.98	34.15	7.17		P1QM									
			34.15	40.25	6.10		P2QM									
			40.25	44.96	4.71		P1QM									
			44.96	45.50	0.54		S2QM									
			45.50	46.22	0.72		S3QM									
			46.22	46.56	0.34		F3QM									
			46.56	46.63	0.07		GG									
			46.63	46.76	0.13		F5QM									
			46.76	47.38	0.62		F3QM									
			47.38	48.91	1.53		P2QM									
			48.91	50.34	1.43		S2QM									
			50.34	52.86	2.52		P2QM									
			52.86	55.38	2.52		P1QM									
			55.38	55.74	0.36		S2QM									
			55.74	56.24	0.50		F5QM									
			56.24	56.45	0.21		Y3QV									
			56.45	56.57	0.12		F5QM									
			56.57	56.95	0.38		S3QM									
			56.95	58.99	2.04		P2QM									
			58.99	59.86	0.87		S2QM									
			59.86	60.52	0.66		S3QM									
			60.52	60.64	0.12		F5QM									
			60.64	61.48	0.84		S2QM									
			61.48	65.53	4.05		P2QM									
			46.56	46.96	0.40			174-1						00260		

PROPERTY ELK D.D.H. SND95176 PAGE 1 OF 2
 AREA: Siwash North DIP: -45.0 AZIMUTH (t): 000.0 DEPTH: 42.67 m
 CLAIM: Elk 21 NORTHING: 3345.68 DATE STARTED: 10-Aug-1995
 SECTION: 2370E EASTING: 2368.24 DATE FINISHED: 10-Aug-1995
 CORE SIZE: NQ ELEVATION: 1633.59 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 83.15% RQD: 37.73% CORE STORED AT: Elk Rack C Bay 13 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
0.00	-45.0	000.0	0	4.27	4.27		CS									
19.81	-44.0	000.0	4.27	15.07	10.80		P2QM									
			15.07	19.81	4.74		P1QM									
			19.81	20.79	0.98		S3QM									
			20.79	22.32	1.53		S2QM									
			22.32	23.73	1.41		S2QM									
			23.73	25.24	1.51		P2QM									
			25.24	25.43	0.19		P5QM									
			25.43	26.88	1.45		S3QM									
			26.88	27.33	0.45		P5QM									
			27.33	27.38	0.05		Y1QV									
			27.38	27.91	0.53		P5QM									
			27.91	28.20	0.29		S4QM									
			28.20	29.65	1.45		P5QM									
			29.65	31.87	2.22		S3QM									
			31.87	31.94	0.07		P5QM									
			31.94	32.01	0.07		QV									
			32.01	32.07	0.06		P5QM									
			32.07	32.24	0.17		S3QM									
			32.24	32.35	0.11		P5QM									
			32.35	35.10	2.75		P2QM									
			35.10	35.23	0.13		P5QM									
			35.23	35.92	0.69		S3QM									
			35.92	36.01	0.09		P5QM									
			36.01	36.06	0.05		Y1QV									
			36.06	36.13	0.07		P5QM									
			36.13	37.33	1.20		P1QM									
			37.33	37.37	0.04		Y3QV									
			37.37	40.94	3.57		P1QM									
			40.94	41.26	0.32		P5QM									
			41.26	42.67	1.41		P1QM									

CONTD.

PROPERTY ELK D.D.H. SND95176 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			25.24	25.45	0.21			176-1						00220		
			26.88	27.33	0.45			176-2					0.015			01.00
			27.33	27.91	0.58			176-3					0.005			01.30
			27.91	28.45	0.54			176-4					0.003			00.90
			28.45	29.23	0.78			176-5					0.007			00.70
			29.23	29.65	0.42			176-6						00160		
			30.18	30.38	0.20			176-7						00110		
			31.40	31.87	0.47			176-8						01150		
			31.87	32.35	0.48			176-9					0.142			10.30
			35.05	35.25	0.20			176-10						02580		
			35.88	36.19	0.31			176-11					0.013			02.10
			37.20	37.50	0.30			176-12					1.368			52.90
			39.72	40.01	0.29			176-13						00077		
			40.94	41.26	0.32			176-14						00140		

PROPERTY ELK D.D.H. SND95177 PAGE 1 OF 2
 AREA: Siwash North DIP: -60.0 AZIMUTH (t): 000.0 DEPTH: 20.42 m
 CLAIM: Elk 21 NORTHING: 3387.14 DATE STARTED: 11-Aug-1995
 SECTION: 2370E EASTING: 2367.10 DATE FINISHED: 11-Aug-1995
 CORE SIZE: NQ ELEVATION: 1628.72 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 57.84% ROD: 11.75% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MTBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-60.0	000.0	.0	4.27	4.27		CS									
9.45	-59.0	000.0	4.27	11.28	7.01		S20M									
			11.28	11.80	0.52		S30M									
			11.80	11.86	0.06		P50M									
			11.86	11.92	0.06		GG									
			11.92	12.11	0.19		S30M									
			12.11	12.35	0.24		P50M									
			12.35	13.94	1.59		S20M									
			13.94	14.33	0.39		P20M									
			14.33	15.26	0.93		S20M									
			15.26	20.42	5.16		P20M									
			11.80	12.35	0.55			177-1					0.022		02.80	

PROPERTY ELK D.D.H. SND95178 PAGE 2 OF 1

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metalics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			44.50	44.85	0.35			178-6						03420		

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SND95179 PAGE 1 OF 1

AREA: Siwash North DIP: -58.0 AZIMUTH (t): 000.0 DEPTH: 46.63 m

CLAIM: Elk 21 NORTHING: 3344.92 DATE STARTED: 12-Aug-1995

SECTION: 2290E EASTING: 2288.80 DATE FINISHED: 13-Aug-1995

CORE SIZE: NQ ELEVATION: 1649.37 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 92.39% RQD: 56.23% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
0.00	-58.0	000.0	0	25.47	25.47		P10M										
21.64	-59.5	000.0	25.47	26.10	0.63		AP										
			26.10	29.26	3.16		P10M										
			29.26	30.94	1.68		S30M										
			30.94	34.14	3.20		P20M										
			34.14	34.21	0.07		P50M										
			34.21	34.27	0.06		GG										
			34.27	34.32	0.05		Y50V										
			34.32	34.38	0.06		P50M										
			34.38	34.77	0.39		S20M										
			34.77	37.88	3.11		P20M										
			37.88	38.49	0.61		P50M										
			38.49	39.53	1.04		P20M										
			39.53	39.75	0.22		P50M										
			39.75	39.80	0.05		Y10V										
			39.80	39.91	0.11		P50M										
			39.91	40.15	0.24		P20M										
			40.15	40.28	0.13		P50M										
			40.28	42.91	2.63		P20M										
			42.91	43.34	0.43		P50M										
			43.34	43.46	0.12		Y20V										
			43.46	43.52	0.06		P50M										
			43.52	46.63	3.11		P20M										
			33.44	33.67	0.23			179-1						17500			
			34.14	34.44	0.30			179-2							0.400	14.40	
			37.88	38.49	0.61			179-3						00320			
			39.53	39.91	0.38			179-4					0.030			01.40	
			39.91	40.31	0.40			179-5					0.002			00.30	
			42.91	43.52	0.61			179-6					0.041			02.50	

PROPERTY ELK D.D.H. SND95180 PAGE 1 OF 1

AREA: Siwash North DIP: -82.0 AZIMUTH (t): 000.0 DEPTH: 29.57 m

CLAIM: Elk 21 NORTHING: 3372.05 DATE STARTED: 13-Aug-1995

SECTION: 2270E EASTING: 2269.70 DATE FINISHED: 13-Aug-1995

CORE SIZE: NQ ELEVATION: 1641.97 CONTRACTOR: Leclerc Drilling Lt.

CORE RECOVERY: 86.68% RQD: 25.26% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
0.00	-82.0	000.0	0	13.56	13.56		P2QM									
14.02	-80.5	000.0	13.56	13.70	0.14		P5QM									
			13.70	13.81	0.11		Y3QV									
			13.81	13.99	0.18		P5QM									
			13.99	14.06	0.07		Y1QV									
			14.06	14.33	0.27		P5QM									
			14.33	15.65	1.32		P2QM									
			15.65	15.97	0.32		P5QM									
			15.97	16.22	0.25		S2QM									
			16.22	20.11	3.89		P2QM									
			20.11	21.13	1.02		P3QM									
			21.13	21.43	0.30		P5QM									
			21.49	21.56	0.07		P4QM									
			21.56	21.65	0.09		Y1QV									
			21.65	27.11	5.46		P2QM									
			27.11	27.73	0.62		P2AP									
			27.73	29.57	1.84		P2QM									
			13.56	13.87	0.31			180-1				0.575			22.00	
			13.87	14.33	0.46			180-2				0.009			02.00	
			15.65	15.97	0.32			180-3				0.355			11.60	
			21.13	21.65	0.52			180-4				0.043			02.00	

PROPERTY ELK D.D.H. SND95181 PAGE 1 OF 1
 AREA: Siwash North DIP: -60.0 AZIMUTH (t): 000.0 DEPTH: 26.52 m
 CLAIM: Elk 21 NORTHING: 3370.38 DATE STARTED: 13-Aug-1995
 SECTION: 2290E EASTING: 2289.16 DATE FINISHED: 14-Aug-1995
 CORE SIZE: NQ ELEVATION: 1640.06 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 74.28% RQD: 31.56% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallurgics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-60.0	000.0	.0	11.28	11.28		QM									
13.26	-62.0	000.0	11.28	12.56	1.28		P20M									
			12.56	13.67	1.11		S20M									
			13.67	13.73	0.06		Y50V									
			13.73	14.14	0.41		S30M									
			14.14	14.86	0.72		P20M									
			14.86	14.89	0.03		Y30V									
			14.89	17.37	2.48		P20M									
			17.37	17.63	0.26		F50M									
			17.63	18.75	1.12		S20M									
			18.75	21.80	3.05		P20M									
			21.80	22.11	0.31		F50M									
			22.11	22.22	0.11		Y20V									
			22.22	22.29	0.07		F50M									
			22.29	26.52	4.23		P20M									
			12.76	13.22	0.46			181-1							0.340	24.10
			14.72	14.98	0.26			181-2						07710		
			17.37	17.63	0.26			181-3						00880		
			21.80	22.29	0.49			181-4				0.061				01.60

PROPERTY ELK D.D.H. SND95182 PAGE 1 OF 1
 AREA: Siwash North DIP: -80.0 AZIMUTH (I): 000.0 DEPTH: 35.66 m
 CLAIM: Elk 21 NORTHING: 3355.99 DATE STARTED: 14-Aug-1995
 SECTION: 2310E EASTING: 2308.94 DATE FINISHED: 14-Aug-1995
 CORE SIZE: NQ ELEVATION: 1639.93 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 89.01% RQD: 37.32% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK		Aq ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Aq oz/t	Aq ppm
0.00	-80.0	000.0	0	5.79	5.79		QM									
17.83	-78.0	000.0	5.79	11.73	5.94		P2QM									
			11.73	12.96	1.23		S1QM									
			12.96	17.07	4.11		P2QM									
			17.07	17.77	0.70		S2QM									
			17.77	20.73	2.96		GC									
			20.73	20.85	0.12		F5QM									
			20.85	21.01	0.16		S3AP									
			21.01	23.26	2.25		P2QM									
			23.26	23.38	0.12		F5QM									
			23.38	23.42	0.04		QV									
			23.42	23.48	0.06		F5QM									
			23.48	25.21	1.73		P2QM									
			25.21	26.21	1.00		S2AP									
			26.21	27.78	1.57		P2QM									
			27.78	27.92	0.14		S3QM									
			27.92	28.01	0.09		Y2QV									
			28.01	28.14	0.13		F5QM									
			28.14	30.32	2.18		P2QM									
			30.32	30.43	0.11		F5QM									
			30.43	30.53	0.10		Y1QV									
			30.53	35.66	5.13		P2QM									
			19.06	19.44	0.38			182-1					0.004			01.30
			20.73	21.03	0.30			182-2					0.015			01.10
			23.26	23.57	0.31			182-3					0.002			01.60
			27.78	28.14	0.36			182-4					0.037			01.90
			30.24	30.61	0.37			182-5					0.012			00.40
			32.46	32.66	0.20			182-6						01020		

PROPERTY ELK D.D.H. SND95183 PAGE 1 OF 1

AREA: Siwash North DIP: -49.0 AZIMUTH (t): 000.0 DEPTH: 38.40 m

CLAIM: Elk 21 NORTHING: 3357.05 DATE STARTED: 14-Aug-1995

SECTION: 2310E EASTING: 2308.91 DATE FINISHED: 14-Aug-1995

CORE SIZE: NQ ELEVATION: 1639.99 CONTRACTOR: Teclerc Drilling Lt.

CORE RECOVERY: 82.66% RQD: 26.59% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD												
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag ppm
.00	-49.0	000.0	.0	7.32	7.32		QM								
18.44	-49.5	000.0	7.32	14.02	6.70		P2QM								
			14.02	16.76	2.74		S2QM								
			16.76	18.46	1.70		P2QM								
			18.46	18.56	0.10		GG								
			18.56	21.00	2.44		P2QM								
			21.00	21.10	0.10		P3QM								
			21.10	21.34	0.24		GG								
			21.34	21.43	0.09		P5QM								
			21.43	25.67	4.24		P2QM								
			25.67	25.77	0.10		P5QM								
			25.77	25.81	0.04		Y2QV								
			25.81	25.88	0.07		P5QM								
			25.88	28.49	2.61		P2QM								
			28.49	28.60	0.11		P5QM								
			28.60	28.73	0.13		Y5QV								
			28.73	29.27	0.54		P2QM								
			29.27	29.43	0.16		P5QM								
			29.43	31.56	2.13		P2QM								
			31.56	31.61	0.05		Y1QV								
			31.61	38.40	6.79		P2QM								
			21.10	21.43	0.33			183-1					0.563		24.90
			23.05	23.30	0.25			183-2						31120	
			23.79	24.14	0.35			183-3						00850	
			24.40	24.60	0.20			183-4						00660	
			25.67	26.01	0.34			183-5					0.090		01.60
			28.49	28.80	0.31			183-6							0.065
			29.20	29.50	0.30			183-7						00024	65.90
			31.38	31.68	0.30			183-8					0.009		06.90

PROPERTY ELK D.D.H. SND95184 PAGE 1 OF 2

AREA: Siwash North DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 38.71 m
 CLAIM: Elk 21 NORTHING: 3352.49 DATE STARTED: 14-Aug-1995
 SECTION: 2330E EASTING: 2329.75 DATE FINISHED: 14-Aug-1995
 CORE SIZE: NQ ELEVATION: 1636.46 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 84.04% RQD: 32.55% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIRK	Ag oz/t	Ag ppt	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
0.00	-90.0	000.0	0.0	5.94	5.94		QM										
18.60	-87.0	000.0	5.94	13.09	7.15		P2QM										
			13.09	14.94	1.85		S2QM										
			14.94	16.53	1.59		P2QM										
			16.53	17.57	1.04		S2QM										
			17.57	17.80	0.23		S2AP										
			17.80	18.48	0.68		P2QM										
			18.48	23.83	5.35		S2QM										
			23.83	24.31	0.48		GG										
			24.31	24.75	0.44		S2QM										
			24.75	25.10	0.35		GG										
			25.10	25.40	0.30		F4QM										
			25.40	25.51	0.11		GG										
			25.51	25.57	0.06		Y4QV										
			25.57	25.65	0.08		F5QM										
			25.65	26.43	0.78		S2QM										
			26.43	26.55	0.12		F5QM										
			26.55	26.62	0.07		QV										
			26.62	26.66	0.04		F5QM										
			26.66	28.35	1.69		P2QM										
			28.35	28.55	0.20		F5QM										
			28.55	32.45	3.90		P2QM										
			32.45	32.52	0.07		Y1QV										
			32.52	38.71	6.19		P2QM										
			23.83	24.54	0.71			184-1					0.011				02.00
			24.54	25.10	0.56			184-2					0.130				05.30
			25.10	25.65	0.55			184-3							0.070		03.20
			26.41	26.74	0.33			184-4					0.021				02.50
			28.29	28.59	0.30			184-5					0.047				02.90

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SND95185 PAGE 1 OF 2
 AREA: Siwash North DIP: -54.0 AZIMUTH (t): 000.0 DEPTH: 30.48 m
 CLAIM: Elk 21 NORTHING: 3353.79 DATE STARTED: 14-Aug-1995
 SECTION: 2330E EASTING: 2329.70 DATE FINISHED: 15-Aug-1995
 CORE SIZE: NQ ELEVATION: 1636.37 CONTRACTOR: Leclerc Drilling Lt.
 CORE RECOVERY: 75.52% RQD: 15.55% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t		MIBK		Ag	
											Au	Ag	Au	Ag	Au	Ag
0.00	-54.0	000.0	0	7.92	7.92		QM									
14.02	-52.0	000.0	7.92	14.09	6.17		P2QM									
			14.09	14.47	0.38		S2QM									
			14.47	14.57	0.10		GC									
			14.57	21.95	7.38		P2QM									
			21.95	22.01	0.06		Y3QV									
			22.01	22.09	0.08		P5QM									
			22.09	23.05	0.96		P2QM									
			23.05	23.98	0.93		S2QM									
			23.98	24.08	0.10		QV									
			24.08	30.48	6.40		P2QM									
			21.82	22.12	0.30			185-1				0.144			0.270	
			23.94	24.25	0.31			185-2				0.067			0.270	

PROPERTY ELK D.D.H. SND95186 PAGE 1 OF 2
 AREA: Siwash North DIP: -81.0 AZIMUTH (t): 180.0 DEPTH: 38.71 m
 CLAIM: Elk 21 NORTHING: 3357.03 DATE STARTED: 15-Aug-1995
 SECTION: 2310 E EASTING: 2309.20 DATE FINISHED: 15-Aug-1995
 CORE SIZE: NQ ELEVATION: 1639.93 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 92.59% ROD: 37.97% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-81.0	180.0	0	5.18	5.18		QM									
18.60	-80.2	180.0	5.18	15.33	10.15		P2QM									
			15.33	20.42	5.09		P1QM									
			20.42	23.86	3.44		P2QM									
			23.15	23.25	0.10		GG									
			23.25	23.34	0.09		S3AP									
			23.34	31.68	8.34		P2QM									
			31.68	32.22	0.54		P5QM									
			32.22	32.27	0.05		QV									
			32.27	32.32	0.05		GG									
			32.32	32.36	0.04		P5QM									
			32.36	32.42	0.06		GG									
			32.42	32.51	0.09		P5QM									
			32.51	33.18	0.67		S3QM									
			33.18	33.37	0.19		GG									
			33.37	33.46	0.09		P5QM									
			33.46	34.39	0.93		P2QM									
			34.39	34.71	0.32		S3QM									
			34.71	34.83	0.12		P5QM									
			34.83	34.87	0.04		QV									
			34.87	38.71	3.84		P2QM									
			20.99	21.27	0.28			186-1						00016		
			22.58	22.94	0.36			186-9					0.016			02.30
			23.07	23.39	0.32			186-2					0.148			13.30
			26.52	26.75	0.23			186-3						00200		
			31.68	32.14	0.46			186-4						00098		
			32.14	32.61	0.47			186-5					0.017			01.50
			32.61	32.94	0.33			186-6					0.005			01.10
			32.94	33.46	0.52			186-7					0.024			01.70
								COND								

PROPERTY ELK D.D.H. SND95186 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____

CLAIM: _____ NORTHING: _____ DATE STARTED: _____

SECTION: _____ EASTING: _____ DATE FINISHED: _____

CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____

CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____

COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	<i>metallics</i>		FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
			34.50	34.92	0.42			186-8						0.032			01.60

PROPERTY ELK D.D.H. SND95187 PAGE 1 OF 1
 AREA: Siwash North DIP: -65.0 AZIMUTH (t): 000.0 DEPTH: 38.71 m
 CLAIM: Elk 21 NORTHING: 3359.46 DATE STARTED: 15-Aug-1995
 SECTION: 2350 E EASTING: 2349.86 DATE FINISHED: 15-Aug-1995
 CORE SIZE: NQ ELEVATION: 1632.23 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 79.98% RQD: 27.51% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	-65.0	000.0	.0	6.10	6.10		QM									
18.60	-62.0	000.0	6.10	17.57	11.47		P2QM									
			17.57	18.52	0.95		A4QM									
			18.52	21.88	3.36		P2QM									
			21.88	22.59	0.71		S3QM									
			22.59	23.84	1.25		P2QM									
			23.84	24.37	0.53		S3QM									
			24.37	25.09	0.72		P2QM									
			25.09	27.86	2.77		S3QM									
			27.86	28.31	0.45		P2QM									
			28.31	28.37	0.06		Y1QV									
			28.37	28.80	0.43		S3QM									
			28.80	38.71	9.91		P2QM									
			24.07	24.37	0.30	00.30		187-1					0.005			01.40
			24.75	25.22	0.48	00.46		187-2						00075		
			28.26	28.77	0.51	00.44		187-3					0.024			03.00
			33.41	34.05	0.64	01.62		187-4						00220		
			34.45	34.68	0.23	00.23		187-5						00230		

PROPERTY ELK D.D.H. SND95188 PAGE 1 OF 1
 AREA: Siwash North DIP: -74.0 AZIMUTH (t): 000.0 DEPTH: 17.37 m
 CLAIM: Elk 21 NORTHING: 3371.25 DATE STARTED: 15-Aug-1995
 SECTION: 2340 E EASTING: 2339.24 DATE FINISHED: 15-Aug-1995
 CORE SIZE: NQ ELEVATION: 1630.26 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 90.96% RQD: 45.71% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: P. Conroy
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	FA	MIBK	Ag oz/t	Ag ppm
.00	-74.0	000.0	.0	6.22	6.22		P2QM									
8.16	-72.5	000.0	6.22	9.72	3.50		P3QM									
			9.72	10.05	0.33		PKOM									
			10.05	11.10	1.05		P3QM									
			11.10	11.18	0.08		GG									
			11.18	12.77	1.59		K1QM									
			12.77	13.45	0.68		P3QM									
			13.45	14.25	0.80		A2QM									
			14.25	14.69	0.44		S4QM									
			14.69	14.75	0.06		Y4GG									
			14.75	14.95	0.20		P5QM									
			14.95	17.37	2.42		P2QM									
			9.70	10.05	0.35			188-1						00009		
			10.78	11.28	0.50			188-2						00078		
			14.25	14.60	0.35			188-3						00015		
			14.60	14.95	0.35			188-4				0.004			02.50	

PROPERTY ELK D.D.H. SND95189 PAGE 1 OF 1
 AREA: Siwash North DIP: -50.0 AZIMUTH (t): 000.0 DEPTH: 26.52 m
 CLAIM: Elk 21 NORTHING: 3383.71 DATE STARTED: 15-Aug-1995
 SECTION: 2350 E EASTING: 2349.23 DATE FINISHED: 16-Aug-1995
 CORE SIZE: NQ ELEVATION: 1628.46 CONTRACTOR: Leclerc Drilling Lt.
 CORE RECOVERY: 80.20% RQD: 33.82% CORE STORED AT: Elk Rack C Bay 14 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metals		FA		MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb	
0.00	-50.0	000.0	0.0	4.47	4.47		OR										
12.50	-55.0	000.0	4.47	15.36	10.89		P2QM										
			15.36	15.57	0.21		P5QM										
			15.57	26.52	10.95		P2QM										
			6.77	7.01	0.24			189-1						00170			
			15.36	15.60	0.24			189-2						00064			

PROPERTY ELK D.D.H. SND95190 PAGE 1 OF 1
 AREA: Siwash North DIP: -50. AZIMUTH (t): 240.0 DEPTH: 36.58 m
 CLAIM: Elk 21 NORTHING: 3390.42 DATE STARTED: 16-Aug-1995
 SECTION: 2405 E EASTING: 2402.65 DATE FINISHED: 16-Aug-1995
 CORE SIZE: NQ ELEVATION: 1629.39 CONTRACTOR: Leclerc Drilling Lt.
 CORE RECOVERY: 74.99% RQD: 14.65% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: P. Conroy
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t		
.00	-50.	240.0	.0	4.27	4.27		CS										
			4.27	12.26	7.99		P30M										
			12.26	13.27	1.01		P40M										
			13.27	13.45	0.18		A20M										
			13.45	14.02	0.57		GG										
			14.02	15.30	1.28		A20M										
			15.30	15.62	0.32		F40M										
			15.62	16.12	0.50		K10M										
			16.12	16.54	0.42		P30M										
			16.54	20.47	3.93		K10M										
			20.47	20.92	0.45		P30M										
			20.92	22.02	1.10		K20M										
			22.02	23.45	1.43		A20M										
			23.45	24.49	1.04		P44D										
			24.49	24.64	0.15		GG										
			24.64	25.00	0.36		P44D										
			25.00	25.60	0.60		GG										
			25.60	26.10	0.50		P44D										
			26.10	26.21	0.11		GG										
			26.21	29.87	3.66		P44D										
			29.87	30.40	0.53		K30M										
			30.40	30.56	0.16		GG										
			30.56	36.08	5.52		K30M										
			36.08	36.58	0.50		P20M										
			15.25	15.64	0.39			190-1						00100			

PROPERTY ELK D.D.H. SND95192 PAGE 1 OF 1
 AREA: Siwash North DIP: -66.0 AZIMUTH (t): 000.0 DEPTH: 73.76 m
 CLAIM: Elk 21 NORTHING: 3326.64 DATE STARTED: 16-Aug-1995
 SECTION: 2000 E EASTING: 2000.01 DATE FINISHED: 17-Aug-1995
 CORE SIZE: NQ ELEVATION: 1654.91 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 91.84% RQD: 27.55% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: B. Post
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIRK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
0.00	-66.0	000.0	0.0	4.27	4.27		CS									
36.12	-66.0	000.0	4.27	8.73	4.46		GD									
			8.73	9.55	0.82		K3GD									
			9.55	10.53	0.98		K4GD									
			10.53	17.85	7.32		GD									
			17.85	18.50	0.65		P1GD									
			18.50	20.81	2.31		P1AP									
			20.81	22.51	1.70		P1GR									
			22.51	28.02	5.51		GR									
			28.02	30.81	2.79		P1GR									
			30.81	35.00	4.19		P1AV									
			35.00	36.56	1.56		P1GR									
			36.56	40.46	3.90		P1AV									
			40.46	42.18	1.72		K5GR									
			42.18	49.10	6.92		P1GR									
			49.10	49.81	0.71		K5GR									
			49.81	49.88	0.07		GG									
			49.88	49.99	0.11		GG									
			49.99	53.40	3.41		P1AV									
			53.40	53.63	0.23		GG									
			53.63	57.27	3.64		P1AV									
			57.27	57.60	0.33		P5AV									
			57.60	66.53	8.93		P1AV									
			66.53	66.62	0.09		GG									
			66.62	73.76	7.14		P1AV									
			49.76	50.10	0.34	00.32		192-1					0.003			02.00
			53.34	53.72	0.38	00.38		192-2					0.009			04.30
			57.27	57.60	0.33	00.31		192-3					0.086			14.70

PROPERTY ELK D.D.H. SND95193 PAGE 1 OF 2
 AREA: Siwash North DIP: -55.0 AZIMUTH (t): 000.0 DEPTH: 87.48 m
 CLAIM: Elk 21 NORTHING: 3306.34 DATE STARTED: 17-Aug-1995
 SECTION: 2020 E EASTING: 2021.43 DATE FINISHED: 18-Aug-1995
 CORE SIZE: NQ ELEVATION: 1659.40 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 88.00% RQD: 45.72% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: B. Post
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-55.0	000.0	.0	4.27	4.27		CS									
28.50	-54.0	000.0	4.27	18.58	14.31		P1GD									
			18.58	52.40	33.82		GD									
			52.40	53.16	0.76		P1GD									
			53.16	53.46	0.30		S3GD									
			53.46	55.04	1.58		P1GD									
			55.04	56.22	1.18		GD									
			56.22	57.01	0.79		S2GD									
			57.01	58.59	1.58		P1GD									
			58.59	61.98	3.39		GD									
			61.98	62.48	0.50		P1GD									
			62.48	62.62	0.14		S4GD									
			62.62	62.73	0.11		P5GD									
			62.73	63.35	0.62		K4GD									
			63.35	65.46	2.11		P2GR									
			65.46	65.93	0.47		K4GR									
			65.93	68.93	3.00		P1GR									
			68.93	73.22	4.29		GR									
			73.22	76.02	2.80		P1GR									
			76.02	76.50	0.48		P5GR									
			76.50	77.56	1.06		K3GR									
			77.56	80.96	3.40		P1GR									
			80.96	82.25	1.29		P5GR									
			82.25	84.43	2.18		AV									
			84.43	85.63	1.20		GR									
			85.63	86.19	0.56		DR									
			86.19	86.52	0.33		AV									
			86.52	86.69	0.17		P1GR									
			86.69	87.09	0.40		S2AV									
			87.09	87.48	0.39		P1GR									

CONTD

PROPERTY ELK D.D.H. SND95193 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metals		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			62.48	62.82	0.34	00.32		193-1					0.002			00.50
			76.02	76.50	0.48	00.45		193-2						00001		
			80.96	81.61	0.65	00.02		193-3					0.180			11.10
			81.61	82.25	0.64	00.02		193-4					0.021			03.90

PROPERTY ELK D.D.H. SND95194 PAGE 1 OF 2
 AREA: Siwash North DIP: -52.0 AZIMUTH (t): 000.0 DEPTH: 66.14 m
 CLAIM: Elk 21 NORTHING: 3302.08 DATE STARTED: 18-Aug-1995
 SECTION: 2120 E EASTING: 2119.83 DATE FINISHED: 18-Aug-1995
 CORE SIZE: NQ ELEVATION: 1659.76 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 92.26% ROD: 57.09% CORE STORED AT: Elk Rack C Bay 15 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-52.0	000.0	.0	1.50	1.50		OB									
32.31	-52.0	000.0	1.50	4.82	3.32		P1GM									
			4.82	8.92	4.10		P2GR									
			8.92	14.40	5.48		P2GD									
			14.40	17.50	3.10		P1GD									
			17.50	20.05	2.55		P2GD									
			20.05	20.18	0.13		F5GD									
			20.18	25.12	4.94		P2GD									
			25.12	25.17	0.05		Y2QV									
			25.17	28.83	3.66		P3GD									
			28.83	31.00	2.17		GD									
			31.00	32.30	1.30		P2GD									
			32.30	39.10	6.80		P1GD									
			39.10	39.90	0.80		P2GD									
			39.90	42.97	3.07		P1GD									
			42.97	43.23	0.26		P3GD									
			43.23	44.22	0.99		P1GD									
			44.22	44.54	0.32		P2GD									
			44.54	50.21	5.67		GD									
			50.21	50.37	0.16		P5GD									
			50.37	50.42	0.05		QV									
			50.42	50.47	0.05		GG									
			50.47	51.00	0.53		MT									
			51.00	51.40	0.40		S5GD									
			51.40	54.85	3.45		P4GD									
			54.85	55.94	1.09		P2GD									
			55.94	56.08	0.14		Y4QV									
			56.08	56.42	0.34		P5GD									
			56.42	56.90	0.48		P4GD									
			56.90	58.54	1.64		P3GD									
			58.54	59.22	0.68		P4GD									

CONTD

PROPERTY ELK D.D.H. SND95194 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			59.22	59.39	0.17		S5GD										
			59.39	59.67	0.28		Y1GV										
			59.67	59.73	0.06		S5GD										
			59.73	59.98	0.25		MT										
			59.98	60.45	0.47		P3GD										
			60.45	60.65	0.20		P5GD										
			60.65	60.83	0.18		Y2GV										
			60.83	61.04	0.21		P2GD										
			61.04	66.14	5.10		GD										
			20.00	20.31	0.31	00.31		194-1						00130			
			25.04	25.28	0.24	00.23		194-2					0.033				03.30
			25.52	25.75	0.23	00.23		194-3					0.005				00.30
			50.21	51.00	0.79	00.76		194-4					0.003				02.10
			55.87	56.17	0.30	00.29		194-5							0.475		29.90
			56.17	56.45	0.28	00.26		194-6						01260			
			57.08	57.28	0.20	00.19		194-7						01270			
			59.36	59.98	0.62	00.62		194-8					0.058				03.20
			60.48	60.88	0.40	00.40		194-9					0.349				21.40

PROPERTY ELK D.D.H. SND95195 PAGE 1 OF 2
 AREA: Siwash North DIP: -52.0 AZIMUTH (t): 000.0 DEPTH: 74.98 m
 CLAIM: Elk 21 NORTHING: 3305.91 DATE STARTED: 18-Aug-1995
 SECTION: 2060 E EASTING: 2061.96 DATE FINISHED: 19-Aug-1995
 CORE SIZE: NQ ELEVATION: 1663.27 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 90.08% RQD: 46.68% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-52.0	000.0	.0	2.10	2.10		OB									
36.88	-51.5	000.0	2.10	8.12	6.02		P1GD									
			8.12	9.60	1.48		P2GD									
			9.60	10.20	0.60		S3GD									
			10.20	11.28	1.08		P2GD									
			11.28	11.52	0.24		S4GD									
			11.52	16.40	4.88		P1GD									
			16.40	19.02	2.62		P2GD									
			19.02	21.70	2.68		GD									
			21.70	22.97	1.27		P2GD									
			22.97	23.58	0.61		S5GD									
			23.58	24.17	0.59		P3GD									
			24.17	25.08	0.91		P2GD									
			25.08	35.60	10.52		GD									
			35.60	36.20	0.60		P2GD									
			36.20	36.74	0.54		GD									
			36.74	37.65	0.91		P2GD									
			37.65	49.50	11.85		GD									
			47.60	48.50	0.90		P1GD									
			48.50	49.17	0.67		P2GD									
			49.17	50.24	1.07		GD									
			50.24	50.80	0.56		P1GD									
			50.80	52.60	1.80		P2GD									
			52.60	54.80	2.20		P1GD									
			54.80	55.28	0.48		P2GD									
			55.28	56.10	0.82		P4GD									
			56.10	56.30	0.20		GG									
			56.30	56.80	0.50		MT									
			56.80	57.70	0.90		P4GD									
			57.70	58.00	0.30		S5GD									
			58.00	58.25	0.25		GG									

(CONT)

PROPERTY ELK D.D.H. SND95195 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			58.25	58.90	0.65		MT										
			58.90	59.89	0.99		S5GD										
			59.89	62.39	2.50		P4GD										
			62.39	62.90	0.51		P5GD										
			62.90	62.95	0.05		Y1QV										
			62.95	63.70	0.75		S5GD										
			63.70	64.00	0.30		P4GD										
			64.00	66.10	2.10		S5GD										
			66.10	68.02	1.92		P3GD										
			68.02	68.30	0.28		P5GD										
			68.30	68.81	0.51		P3GD										
			68.81	69.13	0.32		S5GD										
			69.13	69.72	0.59		P3GD										
			69.72	74.98	5.26		P1GD										
			23.10	23.50	0.40	00.39		195-1						00160			
			58.00	59.00	1.00	00.91		195-2					0.003				01.30
			59.50	59.80	0.30	00.25		195-3					0.011				02.40
			62.39	63.10	0.71	00.70		195-4					0.042				05.70
			64.10	64.60	0.50	00.50		195-5					0.037				03.70
			67.99	68.31	0.32	00.29		195-6						00150			
			68.81	69.13	0.32	00.32		195-7					0.003				00.90

PROPERTY ELK D.D.H. SND95196 PAGE 1 OF 3
 AREA: Siwash North DIP: -50.0 AZIMUTH (t): 000.0 DEPTH: 71.32 m
 CLAIM: Elk 21 NORTHING: 3302.01 DATE STARTED: 19-Aug-1995
 SECTION: 2110 E EASTING: 2109.87 DATE FINISHED: 19-Aug-1995
 CORE SIZE: NQ ELEVATION: 1660.12 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 92.11% RQD: 46.02% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA		MTBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm	
.00	-50.0	000.0	.0	6.06	6.06		P1GM										
35.35	-50.0	000.0	6.06	7.00	0.94		P2GD										
			7.00	7.30	0.30		P1GM										
			7.30	18.35	11.05		P2GD										
			18.35	21.90	3.55		GD										
			21.90	22.25	0.35		P1GD										
			22.25	23.36	1.11		P2GD										
			23.36	24.21	0.85		P1GD										
			24.21	24.70	0.49		S5GD										
			24.70	26.36	1.66		P2GD										
			26.36	30.08	3.72		GD										
			30.08	31.28	1.20		P1GD										
			31.28	31.89	0.61		GD										
			31.89	33.70	1.81		P1GD										
			33.70	37.47	3.77		GD										
			37.47	41.30	3.83		P1GD										
			41.30	41.63	0.33		P2GD										
			41.63	43.74	2.11		GD										
			43.74	45.55	1.81		P1GD										
			45.55	46.60	1.05		GD										
			46.60	47.35	0.75		P1GD										
			47.35	48.99	1.64		GD										
			48.99	50.06	1.07		P1GD										
			50.06	50.80	0.74		P2GD										
			50.80	51.46	0.66		P1GD										
			51.46	52.23	0.77		S5GD										
			52.23	52.30	0.07		GG										
			52.30	55.60	3.30		P2GD										
			55.60	55.90	0.30		P3GD										
			55.90	56.08	0.18		MI										
			56.08	56.99	0.01		GG										

CONTD

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SND95196 PAGE 3 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

SURVEY DATA

GEOLOGY AND ASSAY RECORD

Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA		MIBK		Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb				
			60.11	60.96	0.85	00.77		196-5						8.297				95.10
			62.08	62.39	0.31	00.29		196-6						0.065				02.20

PROPERTY ELK D.D.H. SND95197 PAGE 1 OF 2
 AREA: Siwash North DIP: -50.0 AZIMUTH (t): 000.0 DEPTH: 70.71 m
 CLAIM: Elk 21 NORTHING: 3302.21 DATE STARTED: 20-Aug-1995
 SECTION: 2130 E EASTING: 2129.52 DATE FINISHED: 20-Aug-1995
 CORE SIZE: NQ ELEVATION: 1659.26 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 89.03% RQD: 48.51% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MTBK	Ag	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
0.00	-50.0	000.0	0	10.78	10.78		P1QM									
35.21	-50.0	000.0	10.78	13.51	2.73		QM									
			13.51	20.30	6.79		P1QM									
			20.30	22.98	2.68		P1GD									
			22.98	23.50	0.52		P2GD									
			23.50	24.29	0.79		P3GD									
			24.29	24.59	0.30		S5GD									
			24.59	24.84	0.25		MI									
			24.84	24.99	0.15		P3GD									
			24.99	25.50	0.51		S5GD									
			25.50	27.13	1.63		MI									
			27.13	27.40	0.27		S3GD									
			27.40	31.91	4.51		GD									
			31.91	32.72	0.81		P1GD									
			32.72	37.98	5.26		GD									
			37.98	39.36	1.38		P1GD									
			39.36	42.12	2.76		GD									
			42.12	44.29	2.17		P1GD									
			44.29	44.90	0.61		GD									
			44.90	45.67	0.77		P2GD									
			45.67	46.24	0.57		S5GD									
			46.24	47.24	1.00		MI									
			47.24	47.45	0.21		F5GD									
			47.45	47.50	0.05		Y3QV									
			47.50	47.78	0.28		F5GD									
			47.78	49.20	1.42		P4GD									
			49.20	49.40	0.20		S5GD									
			49.40	50.10	0.70		P4GD									
			50.10	51.05	0.95		S5GD									
			51.05	55.90	4.85		P2GD									
			55.90	56.10	0.20		S5GD									

CONTD

PROPERTY ELK D.D.H. SND95197 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			56.10	56.40	0.30		MI										
			56.40	56.47	0.07		Y5QV										
			56.47	56.70	0.23		P5GD										
			56.70	57.10	0.40		P2GD										
			57.10	57.87	0.77		P1GD										
			57.87	58.40	0.53		P2GD										
			58.40	58.67	0.27		S5GD										
			58.67	58.72	0.05		Y1QV										
			58.72	58.98	0.26		P5GD										
			58.98	59.30	0.32		P2GD										
			59.30	59.89	0.59		P4GD										
			59.89	60.14	0.25		P5GD										
			60.14	60.26	0.12		QV										
			60.26	60.53	0.27		P5GD										
			60.53	61.00	0.47		P3GD										
			61.00	62.07	1.07		P2GD										
			62.07	63.35	1.28		GD										
			63.35	67.00	3.65		P1GD										
			67.00	68.04	1.04		GD										
			68.04	68.30	0.26		P2GD										
			68.30	69.20	0.90		GD										
			69.20	70.71	1.51		P2GD										
			46.00	47.30	1.30	01.13		197-1					0.035				04.90
			47.30	47.70	0.40	00.36		197-2					0.154				12.70
			55.90	56.58	0.68	00.64		197-3			0.477				0.140		09.00
			58.61	59.91	0.30	00.28		197-4					0.006				04.40
			60.02	60.47	0.45	00.44		197-5					0.019				02.40

PROPERTY ELK D.D.H. SND95198 PAGE 1 OF 2
 AREA: Siwash North DIP: -65.0 AZIMUTH (t): 000.0 DEPTH: 71.63 m
 CLAIM: Elk 21 NORTHING: 3309.40 DATE STARTED: 20-Aug-1995
 SECTION: 2040 E EASTING: 2039.94 DATE FINISHED: 20-Aug-1995
 CORE SIZE: NQ ELEVATION: 1661.47 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 92.85% RQD: 57.11% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		RA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
0.00	-65.0	000.0	0	3.00	3.00		OB										
35.35	-65.0	000.0	3.00	8.03	5.03		GD										
			8.03	8.93	0.90		P2GD										
			8.93	9.10	0.17		S3GD										
			9.10	9.80	0.70		P2GD										
			9.80	10.70	0.90		P1GD										
			10.70	12.20	1.50		P2GD										
			12.20	14.00	1.80		P1GD										
			14.00	17.65	3.65		P2GD										
			17.65	17.84	0.19		P5GD										
			17.84	38.90	21.06		GD										
			38.90	39.12	0.22		P2GD										
			39.12	56.42	17.30		GD										
			56.42	57.30	0.88		P2GD										
			57.30	57.95	0.65		P4GD										
			57.95	58.33	0.38		P2GD										
			58.33	59.40	1.07		P1GD										
			59.40	59.69	0.29		S5GD										
			59.69	60.29	0.60		P3GD										
			60.29	61.15	0.86		P2GD										
			61.15	61.80	0.65		P3GD										
			61.80	63.40	1.60		P2GD										
			63.40	67.36	3.96		P3GD										
			67.36	68.25	0.89		S5GD										
			68.25	68.86	0.61		P5GD										
			68.86	69.13	0.27		S5GD										
			69.13	69.17	0.04		Y40V										
			69.17	70.13	0.96		P2GD										
			70.13	70.59	0.46		P1GD										
			70.59	71.64	0.45		P4GD										
			71.04	71.63	0.59		P2GD										

CONTD

PROPERTY ELK D.D.H. SLD95199 PAGE 1 OF 2
 AREA: Lake Zone DIP: -54.0 AZIMUTH (t): 000.0 DEPTH: 96.32 m
 CLAIM: Elk 21 NORTHING: 2470.79 DATE STARTED: 21-Aug-1995
 SECTION: 2360 E EASTING: 2357.80 DATE FINISHED: 21-Aug-1995
 CORE SIZE: NQ ELEVATION: 1667.18 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 95.55% RQD: 76.90% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-54.0	000.0	.0	1.50	1.50		OB									
47.40	-52.0	000.0	1.50	3.77	2.27		P1QM									
			3.77	10.90	7.13		QM									
			10.90	14.37	3.47		P1QM									
			14.37	18.00	3.63		QM									
			20.09	24.70	4.61		P2QM									
			24.70	28.17	3.47		P1QM									
			28.17	32.84	4.67		QM									
			32.84	34.40	1.56		P1QM									
			34.40	36.85	2.45		P2QM									
			36.85	38.70	1.85		P3QM									
			38.70	39.72	1.02		P2QM									
			39.72	40.30	0.58		P3QM									
			40.30	46.67	6.37		P2QM									
			46.67	50.57	3.90		P3QM									
			50.57	68.53	17.96		P2QM									
			68.53	69.42	0.89		P1QM									
			69.42	70.79	1.37		QM									
			70.79	71.17	0.38		P2QM									
			71.17	74.21	3.04		P1QM									
			74.21	77.57	3.36		P2QM									
			77.57	78.21	0.64		P3QM									
			78.21	80.89	2.68		S5QM									
			80.89	81.83	0.94		S5AD									
			81.83	82.24	0.41		Y3QV									
			82.24	84.40	2.16		S5QM									
			84.40	85.80	1.40		P3QM									
			85.80	87.38	1.58		S4QM									
			87.38	96.32	8.94		P2QM									

CONTD

PROPERTY <u>ELK</u>	D.D.H. <u>SLD95199</u>	PAGE <u>2</u> OF <u>2</u>
AREA: _____	DIP: _____ AZIMUTH (t): _____	DEPTH: _____
CLAIM: _____	NORTHING: _____	DATE STARTED: _____
SECTION: _____	EASTING: _____	DATE FINISHED: _____
CORE SIZE: _____	ELEVATION: _____	CONTRACTOR: _____
CORE RECOVERY: _____	CORE STORED AT: _____	LOGGED BY: _____
COMMENTS: _____		

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metals		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			58.60	58.85	0.25	00.25		199-1						00350		
			59.64	59.84	0.20	00.19		199-2						00140		
			80.71	81.02	0.31	00.30		199-3						00190		
			81.80	82.30	0.50	00.50		199-4							0.720	48.20

PROPERTY ELK D.D.H. SLD95200 PAGE 1 OF 2
 AREA: Lake Zone DIP: -84.0 AZIMUTH (t): 000.0 DEPTH: 117.96 m
 CLAIM: Elk 21 NORTHING: 2469.75 DATE STARTED: 21-Aug-1995
 SECTION: 2360 E EASTING: 2357.74 DATE FINISHED: 22-Aug-1995
 CORE SIZE: NQ ELEVATION: 1667.24 CONTRACTOR: Leclerc Drilling Lt
 CORE RECOVERY: 94.70% RQD: 64.99% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-84.0	000.0	.0	.60	0.60		OB									
30.63	-82.5	000.0	.60	25.14	24.54		P10M									
88.85	-83.0	000.0	25.14	25.42	0.28		S20M									
			25.42	30.66	5.24		P20M									
			30.66	31.50	0.84		P30M									
			31.50	53.85	22.35		P20M									
			53.85	54.07	0.22		S20M									
			54.07	61.53	7.46		P20M									
			61.53	61.82	0.29		S30M									
			61.82	62.60	0.78		P20M									
			62.60	63.40	0.80		P30M									
			63.40	69.20	5.80		P20M									
			69.20	71.31	2.11		P10M									
			71.31	76.81	5.50		P20M									
			76.81	78.20	1.39		P10M									
			78.20	79.80	1.60		P20M									
			79.80	91.40	11.60		P30M									
			91.40	91.88	0.48		S40M									
			91.88	92.30	0.42		P30M									
			92.30	93.31	1.01		P20M									
			93.31	96.65	3.34		P30M									
			96.65	103.80	7.15		P20M									
			103.80	103.95	0.15		S50M									
			103.95	104.35	0.40		MI									
			104.35	105.15	0.80		S50M									
			105.15	105.70	0.55		S5AD									
			105.70	106.10	0.40		MI									
			106.10	106.30	0.20		QV									
			106.30	108.41	2.11		S50M									
			108.41	108.81	0.40		MI									
			108.81	111.00	2.19		S5AD									

CONTD

PROPERTY ELK D.D.H. SLD95200 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			111.00	111.10	0.10		MT										
			111.10	111.27	0.17		F50M										
			111.27	111.35	0.08		QV										
			111.35	117.30	5.95		S50M										
			117.30	117.96	0.66		S30M										
			91.49	91.88	0.39	00.30		200-1						00260			
			105.70	106.50	0.80	00.40		200-2					0.014			10.60	
			107.45	107.87	0.42	00.32		200-3						00070			
			107.87	108.28	0.41	00.31		200-4						00180			
			108.28	108.95	0.67	00.34		200-5					0.464			65.20	
			109.30	109.72	0.42	00.21		200-6						01020			
			109.72	110.07	0.35	00.25		200-7					0.009			26.00	
			110.07	110.78	0.71	00.50		200-8						00320			
			110.78	111.14	0.36	00.28		200-9					0.047			07.90	
			111.14	111.49	0.35	00.23		200-10					0.004			00.40	

PROPERTY ELK D.D.H. DSD95201 PAGE 1 OF 2

AREA: Discovery Showing DIP: -50.0 AZIMUTH (t): 000.0 DEPTH: 87.17 m

CLAIM: Elk 1 NORTHING: 1357.86 DATE STARTED: 23-Aug-1995

SECTION: 1520E EASTING: 1609.62 DATE FINISHED: 23-Aug-1995

CORE SIZE: NQ ELEVATION: 1634.88 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 87.09% RQD: 31.02% CORE STORED AT: Elk Rack C Bay 16 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MIBK				
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb		
.00	-50.0	000.0	.0	6.10	6.10		CS											
18.44	-51.0	000.0	6.10	13.50	7.40		A2QF											
61.27	-50.5	000.0	13.50	38.45	24.95		QF											
			38.45	38.95	0.50		BR											
			38.95	57.61	18.66		PP											
			57.61	57.80	0.19		K4GR											
			57.80	58.10	0.30		A3AN											
			58.10	58.30	0.20		BR											
			58.30	59.25	0.95		S2GR											
			59.25	59.70	0.45		BR											
			59.70	60.80	1.10		S3GR											
			60.80	62.20	1.40		AN											
			62.20	62.55	0.35		GG											
			62.55	63.25	0.70		S3GR											
			63.25	63.72	0.47		A3AN											
			63.72	64.19	0.47		K3GR											
			64.19	64.62	0.43		A4AN											
			64.62	64.75	0.13		GG											
			64.75	65.05	0.30		S5GR											
			65.05	69.22	4.17		AN											
			69.22	69.83	0.61		PP											
			69.83	70.00	0.17		A2AN											
			70.00	70.60	0.60		S4GR											
			70.60	70.96	0.36		A2AN											
			70.96	71.62	0.66		S4GR											
			71.62	71.76	0.14		Y1QV											
			71.76	72.53	0.77		P2AN											
			72.53	73.00	0.47		K4GR											
			73.00	73.26	0.26		Y1QV											
			73.26	78.20	4.94		P1AN											
			78.20	79.63	1.43		P3AN											

CONTD

PROPERTY ELK D.D.H. DSD95201 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (I): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	NIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
			79.63	80.23	0.60		K3GR									
			80.23	81.20	0.97		P2AN									
			81.20	84.80	3.60		A2AN									
			84.80	86.60	1.80		RR									
			86.60	87.17	0.57		FP									
			38.65	38.95	0.30	00.27		201-1			0.001				0.005	00.30
			56.25	56.55	0.30	00.30		201-2						00043		
			57.80	58.10	0.30	00.23		201-3						00033		
			58.10	58.40	0.30	00.23		201-4						00035		
			59.25	59.70	0.45	00.45		201-5						00036		
			62.20	62.55	0.35	00.35		201-6						00070		
			64.55	64.85	0.30	00.30		201-7						00043		
			70.80	71.40	0.60	00.30		201-8						00018		
			71.40	71.80	0.40	00.31		201-9			0.030				0.015	01.50
			71.80	72.06	0.26	00.21		201-10						00045		
			72.40	72.70	0.30	00.15		201-11						00067		
			72.90	73.29	0.39	00.20		201-12			0.022				0.005	00.60
			73.29	73.59	0.30	00.15		201-13						00024		

PROPERTY ELK D.D.H. SSD95202 PAGE 1 OF 2

AREA: South Showing DIP: -60.0 AZIMUTH (t): 330.0 DEPTH: 76.20 m

CLAIM: Elk 1 NORTHING: 268.31 DATE STARTED: 23-Aug-1995

SECTION: EASTING: 1736.29 DATE FINISHED: 24-Aug-1995

CORE SIZE: NQ ELEVATION: 1604.06 CONTRACTOR: Leclerc Drilling Lt

CORE RECOVERY: 86.36% RQD: 19.38% CORE STORED AT: Elk Rack C Bay 17 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		PA	MTBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-60.0	330.0	.0	1.50	1.50		OB									
22.41	-60.0	330.0	1.50	19.80	18.30		P20M									
			19.80	27.28	7.48		P20M									
			27.28	28.00	0.72		S30M									
			28.00	29.65	1.65		S40M									
			29.65	31.70	2.05		S20M									
			31.70	36.58	4.88		P20M									
			36.58	38.10	1.52		S20M									
			38.10	38.66	0.56		P20M									
			38.66	39.15	0.49		S30M									
			39.15	46.94	7.79		P20M									
			46.94	47.40	0.46		S40M									
			47.40	48.49	1.09		S30M									
			48.49	48.94	0.45		P20M									
			48.94	49.36	0.42		S30M									
			49.36	49.93	0.57		S50M									
			49.93	50.10	0.17		GG									
			50.10	50.55	0.45		S50M									
			50.55	52.10	1.55		S40M									
			52.10	52.80	0.70		P2AD									
			52.80	57.79	4.99		S30M									
			57.79	58.73	0.94		S40M									
			58.73	59.10	0.37		P3AD									
			59.10	63.50	4.40		S30M									
			63.50	63.84	0.34		DB									
			63.84	64.31	0.47		S30M									
			64.31	64.67	0.36		DB									
			64.67	65.00	0.33		S30M									
			65.00	66.20	1.20		S20M									
			66.20	67.70	1.50		S30M									
			67.70	69.51	1.81		S20M									

CONTD

PROPERTY ELK D.D.H. SSD95202 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			69.51	71.22	1.71		P20M										
			71.22	72.12	0.90		P10M										
			72.12	73.58	1.46		P20M										
			73.58	74.60	1.02		S20M										
			74.60	75.38	0.78		S30M										
			75.38	76.20	0.82		P10M										
			27.95	28.28	0.33	00.29		202-1									00091
			30.70	31.70	1.00	00.87		202-2									00059
			33.01	33.33	0.32	00.25		202-3									00099
			38.66	38.98	0.32	00.25		202-4					0.003				00.30
			45.49	45.79	0.30	00.17		202-5									00034
			46.96	47.29	0.33	00.29		202-6									00088
			49.26	49.56	0.30	00.26		202-7									00330
			49.85	50.38	0.53	00.46		202-8									00610
			51.65	52.05	0.40	00.35		202-9									00530
			52.70	53.00	0.30	00.26		202-10									00140
			54.07	54.42	0.35	00.30		202-11			0.034						0.045
			58.32	58.62	0.30	00.30		202-12									00230
			59.70	60.30	0.60	00.56		202-13									02080
			61.20	61.70	0.50	00.45		202-14									01520
			62.18	62.48	0.30	00.15		202-15									00850
			63.43	63.84	0.41	00.29		202-16			0.014						0.010
			64.31	64.80	0.49	00.42		202-17			0.038						0.055
			66.89	67.19	0.30	00.26		202-18			0.013						0.005

PROPERTY ELK D.D.H. SND95203 PAGE 1 OF 2
 AREA: Siwash North DIP: -90.0 AZIMUTH (t): 000.0 DEPTH: 53.34 m
 CLAIM: Elk 21 NORTHING: 3378.59 DATE STARTED: 11-Sep-1995
 SECTION: 2420 E EASTING: 2420.49 DATE FINISHED: 11-Sep-1995
 CORE SIZE: NQ ELEVATION: 1630.14 CONTRACTOR: Britton Brothers Dr
 CORE RECOVERY: 92.69% RQD: 44.71% CORE STORED AT: Elk Rack C Bay 17 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppb
.00	-90.0	000.0	.0	3.05	3.05		CS									
26.67	-89.5	000.0	3.05	6.14	3.09		P1QM									
			6.14	7.37	1.23		S2QM									
			7.37	10.96	3.59		P2QM									
			10.96	11.31	0.35		S2QM									
			16.77	18.35	1.58		S2QM									
			18.35	18.40	0.05		GG									
			18.40	19.80	1.40		S4QM									
			19.80	21.56	1.76		S2QM									
			21.56	22.72	1.16		P2QM									
			22.72	31.33	8.61		S3QM									
			31.33	31.41	0.08		P5QM									
			31.41	31.49	0.08		GG									
			31.49	31.57	0.08		P5QM									
			31.57	32.40	0.83		S3QM									
			32.40	33.75	1.35		P2QM									
			33.75	34.40	0.65		S2QM									
			34.40	35.80	1.40		P2QM									
			35.80	36.15	0.35		S4QM									
			36.15	36.71	0.56		P5QM									
			36.71	37.19	0.48		S3QM									
			37.19	38.36	1.17		P2QM									
			38.36	39.06	0.70		S3QM									
			39.06	39.31	0.25		P2QM									
			39.31	39.58	0.27		P5QM									
			39.58	42.82	3.24		P2QM									
			42.82	43.69	0.87		S3QM									
			43.69	43.73	0.04		VGQV									
			43.73	44.06	0.33		S4QM									
			44.06	44.38	0.32		S4AP									
			44.38	46.94	2.56		S3QM									

CONTD

PROPERTY ELK D.D.H. SND95203 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			46.94	53.34	6.40		P2QM									
			18.29	18.59	0.30	00.23		203-1					0.011			00.80
			28.30	28.60	0.30	00.27		203-2						00360		
			29.85	30.82	0.97	00.88		203-3						00076		
			31.30	31.60	0.30	00.30		203-4					0.001			01.20
			35.95	36.25	0.30	00.21		203-5						00820		
			36.25	36.60	0.35	00.23		203-6					0.232			22.30
			36.60	37.10	0.50	00.45		203-7						00780		
			39.31	39.63	0.32	00.32		203-8						02480		
			43.56	43.86	0.30	00.28		203-9			0.020				0.045	02.80

PROPERTY ELK D.D.H. SND95204 PAGE 1 OF 2

AREA: Siwash North DIP: -59.0 AZIMUTH (t): 000.0 DEPTH: 66.14 m

CLAIM: Elk 21 NORTHING: 3303.25 DATE STARTED: 11-Sep-1995

SECTION: 2390 E EASTING: 2389.88 DATE FINISHED: 12-Sep-1995

CORE SIZE: NQ ELEVATION: 1635.01 CONTRACTOR: Britton Brothers Dr

CORE RECOVERY: 93.79% RQD: 60.22% CORE STORED AT: Elk Rack C Bay 17 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Au oz/t	Ag oz/t	PA Au oz/t	MIBK Au ppb	Ag oz/t	Ag ppm
.00	-59.0	000.0	.0	3.05	3.05		CS									
33.07	-58.1	000.0	3.05	17.80	14.75		P1QM									
			17.80	21.40	3.60		QM									
			21.40	27.96	6.56		P1QM									
			27.96	29.35	0.39		S2QM									
			28.35	29.14	0.79		P2QM									
			29.14	29.44	0.30		S2QM									
			29.44	31.65	2.21		P2QM									
			31.65	32.17	0.52		S3QM									
			32.17	33.49	1.32		P2QM									
			33.49	34.51	1.02		S2QM									
			34.51	37.30	2.79		P2QM									
			37.30	38.60	1.30		S2QM									
			38.60	40.92	2.32		P2QM									
			40.92	41.72	0.80		S2QM									
			41.72	47.80	6.08		P1QM									
			47.80	48.51	0.71		S3QM									
			48.51	48.61	0.10		F5QM									
			48.61	50.03	1.42		S3QM									
			50.03	50.30	0.27		GG									
			50.30	53.39	3.09		P2QM									
			53.39	53.64	0.25		S2QM									
			53.64	53.83	0.19		P2QM									
			53.83	54.95	1.12		S2QM									
			54.95	55.09	0.14		GG									
			55.09	57.09	2.00		S3QM									
			57.09	57.28	0.19		Y2QV									
			57.28	57.64	0.36		S2QM									
			57.64	66.14	8.50		P2QM									

PROPERTY ELK D.D.H. SND95204 PAGE 2 OF 2

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallies		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			48.41	48.73	0.32	00.28		204-1					0.080			08.20	
			53.80	54.10	0.30	00.26		204-2						00082			
			55.25	55.55	0.30	00.29		204-3						00031			
			55.55	55.90	0.35	00.35		204-4						00044			
			56.96	57.31	0.35	00.33		204-5					0.346			44.70	

PROPERTY ELK D.D.H. SND95205 PAGE 1 OF 3
 AREA: Siwash North DIP: -67.0 AZIMUTH (t): 000.0 DEPTH: 245.97 m
 CLAIM: Elk 21 NORTHING: 3171.2 DATE STARTED: 12-Sep-1995
 SECTION: 2170 E EASTING: 2170.27 DATE FINISHED: 14-Sep-1995
 CORE SIZE: NQ ELEVATION: 1654.0 CONTRACTOR: Britton Brothers Dr.
 CORE RECOVERY: 94.31% RQD: 54.23% CORE STORED AT: Elk Rack C Bay 17 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-67.0	000.0	.0	6.71	6.71		CS									
15.24	-65.9	000.0	6.71	23.85	17.14		P2QM									
60.96	-66.0	000.0	23.85	24.27	0.42		S2QM									
106.68	-66.0	000.0	24.27	25.80	1.53		P2QM									
137.16	-66.5	000.0	25.80	27.02	1.22		A2QM									
169.93	-67.0	000.0	27.02	28.09	1.07		P3AD									
200.41	-66.4	000.0	28.09	28.17	0.08		QV									
228.60	-66.5	000.0	28.17	28.40	0.23		P5QM									
			28.40	29.20	0.80		S3QM									
			29.20	34.89	5.69		P2QM									
			34.89	35.20	0.31		S3QM									
			35.20	42.23	7.03		P2QM									
			42.23	42.52	0.29		S2QM									
			42.52	45.38	2.86		P2QM									
			45.38	48.80	3.42		P1QM									
			48.80	56.11	7.31		P2QM									
			56.11	60.23	4.12		S3QM									
			60.23	60.49	0.26		GC									
			60.49	62.38	1.89		P2QM									
			62.38	69.61	7.23		S3QM									
			69.61	75.04	5.43		P2QM									
			75.04	75.42	0.38		S2QM									
			75.42	81.55	6.13		P2QM									
			81.55	82.80	1.25		P1QM									
			82.80	89.30	6.50		P2QM									
			89.30	91.90	2.60		P2GD									
			91.90	93.14	1.24		GD									
			93.14	99.54	6.40		P2GD									
			99.54	99.97	0.43		S4GD									
			99.97	102.05	2.08		P3GD									
			102.05	102.33	0.28		P5GD									

CONTD

PROPERTY ELK D.D.H. SND95205 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			102.33	102.60	0.27		P2GD										
			102.60	103.38	0.78		S5GD										
			103.38	108.40	5.02		P1GD										
			108.40	111.29	2.89		GD										
			111.29	112.50	1.21		P2GD										
			112.50	116.13	3.63		GD										
			116.13	118.85	2.72		P2GD										
			118.85	151.63	32.78		GD										
			151.63	154.20	2.57		P1GD										
			154.20	160.70	6.50		GD										
			160.70	162.65	1.95		P1GD										
			162.65	163.08	0.43		P2GD										
			163.08	168.25	5.17		AP										
			168.25	168.64	0.39		P3GD										
			168.64	168.94	0.30		S5GD										
			168.94	169.00	0.06		GG										
			169.00	171.70	2.70		AP										
			171.70	173.16	1.46		P2GD										
			173.16	175.90	2.74		GD										
			175.90	176.22	0.32		P2GD										
			176.22	177.76	1.54		AP										
			177.76	196.35	18.59		GD										
			196.35	197.43	1.08		P2GD										
			197.43	197.59	0.16		P5GD										
			197.59	197.63	0.04		Y2QV										
			197.63	198.48	0.85		GD										
			198.48	199.39	0.91		P1GD										
			199.39	200.38	0.99		GD										
			200.38	201.74	1.36		P2GD										
			201.74	201.97	0.23		P5GD										
			201.97	204.10	2.13		GD										

CONTD

PROPERTY ELK D.D.H. SND95205 PAGE 3 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm
			204.10	204.50	0.40		P2GD									
			204.50	205.14	0.64		S5GD									
			205.14	205.84	0.70		P3GD									
			205.84	206.20	0.36		S5GD									
			206.20	206.63	0.43		F5GD									
			206.63	206.80	0.17		P2GD									
			206.80	209.57	2.77		S4GD									
			209.57	210.07	0.50		P2GD									
			210.07	210.54	0.47		S4GD									
			210.54	214.90	4.36		P2GD									
			214.90	215.22	0.32		S4GD									
			215.22	217.26	2.04		P2GD									
			217.26	220.68	3.42		GD									
			220.68	222.28	1.60		P1GC									
			222.28	228.27	5.99		GD									
			228.27	230.20	1.93		P1GD									
			230.20	234.31	4.11		GD									
			234.31	239.51	5.20		P2GD									
			239.51	245.97	6.46		GD									
			28.05	28.40	0.35	00.34		205-1					0.015			01.90
			99.67	99.97	0.30	00.26		205-2						00069		
			100.60	100.90	0.30	00.29		205-3						00015		
			102.63	103.05	0.42	00.42		205-4						00180		
			197.40	197.70	0.30	00.28		205-5					0.102			01.60
			201.70	202.00	0.30	00.30		205-6					0.019			01.30
			206.18	206.63	0.45	00.35		205-7						00240		
			209.24	209.54	0.30	00.23		205-8						00560		

PROPERTY ELK D.D.H. SND95206 PAGE 1 OF 4
 AREA: Siwash North DIP: -76.0 AZIMUTH (t): 000.0 DEPTH: 267.31 m
 CLAIM: Elk 21 NORTHING: 3170.91 DATE STARTED: 14-Sep-1995
 SECTION: 2170 E EASTING: 2170.37 DATE FINISHED: 16-Sep-1995
 CORE SIZE: NQ ELEVATION: 1653.97 CONTRACTOR: Britton Brothers Dr
 CORE RECOVERY: 94.35% RQD: 59.55% CORE STORED AT: Elk Rack C Bay 17 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallurgy		PA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
.00	-76.0	000.0	.0	8.30	8.30		OB										
30.48	-76.5	000.0	8.30	26.57	18.27		P2QM										
91.44	-76.5	000.0	26.57	27.02	0.45		S3QM										
152.40	-77.5	000.0	27.02	28.08	1.06		P2QM										
224.03	-77.5	000.0	28.08	28.14	0.06		GG										
			28.14	28.58	0.44		P5QM										
			28.58	28.81	0.23		S3QM										
			28.81	33.37	4.56		P2QM										
			33.37	33.49	0.12		GG										
			33.49	36.52	3.03		P2AD										
			36.52	41.85	5.33		P1QM										
			41.85	47.55	5.70		P2QM										
			47.55	49.71	2.16		P1QM										
			49.71	49.78	0.07		A4AD										
			49.78	52.40	2.62		P2QM										
			52.40	53.90	1.50		P1QM										
			53.90	61.60	7.70		P2QM										
			61.60	65.59	3.99		S3QM										
			65.59	67.04	1.45		P2QM										
			67.04	67.81	0.77		S3QM										
			67.81	68.40	0.59		P1QM										
			68.40	91.53	23.13		QM										
			91.53	92.48	0.95		P1GD										
			92.48	94.38	1.90		GD										
			94.38	99.30	4.92		P3GD										
			99.30	111.54	12.24		P2GD										
			111.54	112.05	0.51		S5GD										
			112.05	112.12	0.07		Y2QV										
			112.12	112.25	0.13		F5GD										
			112.25	112.73	0.48		P2GD										
			112.73	113.39	0.66		GD										

CONTD

PROPERTY ELK D.D.H. SND95206 PAGE 2 OF 4

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t		
			113.39	115.77	2.38		P2GD										
			115.77	119.87	4.10		GD										
			119.87	120.54	0.67		P1GD										
			120.54	121.36	0.82		P4GD										
			121.36	127.80	6.44		P1GD										
			127.80	149.47	21.67		GD										
			149.47	150.87	1.40		S5GD										
			150.87	151.60	0.73		P2GD										
			151.60	190.49	38.89		GD										
			190.49	190.66	0.17		P5GD										
			190.66	194.91	4.25		GD										
			194.91	195.23	0.32		P5GD										
			195.23	202.99	7.76		GD										
			202.99	205.43	2.44		P2GD										
			205.43	205.56	0.13		VGQV										
			205.56	207.26	1.70		GD										
			207.26	207.45	0.19		P5GD										
			207.45	243.86	36.41		GD										
			243.86	243.96	0.10		P5GD										
			243.96	244.00	0.04		GG										
			244.00	244.15	0.15		S5GD										
			244.15	245.53	1.38		P2GD										
			245.53	245.87	0.34		P5GD										
			245.87	246.30	0.43		P3GD										
			246.30	246.59	0.29		P5GD										
			246.59	246.66	0.07		V5QV										
			246.66	246.92	0.26		P5GD										
			246.92	247.14	0.22		P3GD										
			247.14	248.44	1.30		S4GD										
			248.44	250.36	1.92		P3GD										
			250.36	258.53	8.17		GD										

CONTD

PROPERTY ELK D.D.H. SND95206 PAGE 3 OF 4

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au pcb	Ag oz/t	Ag ppm
			258.53	259.48	0.95		P2GD									
			259.48	259.90	0.42		P4GD									
			259.90	260.10	0.20		GG									
			260.10	262.70	2.60		S4GD									
			262.70	254.13	1.43		P3GD									
			264.13	267.31	3.18		P1GD									
			28.08	28.58	0.50	00.49		206-1					0.020			02.40
			111.95	112.25	0.30	00.26		206-2					0.037			03.90
			190.43	190.73	0.30	00.29		206-3						00022		
			194.91	195.40	0.49	00.48		206-4						00015		
			205.18	205.38	0.20	00.20		206-5						00210		
			205.38	205.60	0.22	00.22		206-6			3.920				1.190	55.40
			207.25	207.45	0.20	00.19		206-7					0.002			01.10
			243.55	243.85	0.30	00.30		206-8					1.216	41700		
			243.85	244.15	0.30	00.30		206-9					0.013			03.50
			245.53	245.83	0.30	00.29		206-10					0.012			02.20
			246.40	246.80	0.40	00.28		206-11			1.025				0.685	40.40
			259.90	260.25	0.35	00.25		206-12					0.008			00.90

PROPERTY ELK D.D.H. SND95207 PAGE 1 OF 3
 AREA: Siwash North DIP: -82.0 AZIMUTH (t): 000.0 DEPTH: 249.02 m
 CLAIM: Elk 21 NORTHING: 3213.58 DATE STARTED: 16-Sep-1995
 SECTION: 2120 E EASTING: 2119.79 DATE FINISHED: 18-Sep-1995
 CORE SIZE: NQ ELEVATION: 1656.18 CONTRACTOR: Britton Brothers Dr
 CORE RECOVERY: 96.88% RQD: 62.69% CORE STORED AT: Elk Rack C Bay 18 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		PA	MIBK		
											Au oz/t	Au oz/t	Au oz/t	Au ppt	Ag oz/t	Ag ppt
.00	-82.0	000.0	.0	3.80	3.80		OB									
15.24	-79.5	000.0	3.80	28.29	24.49		P2QM									
60.96	-79.5	000.0	28.29	28.87	0.58		S2QM									
121.92	-80.0	000.0	28.87	30.91	2.04		P2QM									
182.88	-80.5	000.0	30.91	31.23	0.32		S2QM									
228.60	-80.7	000.0	31.23	32.10	0.87		P1QM									
			32.10	38.57	6.47		P2QM									
			38.57	39.34	0.77		S2QM									
			39.34	40.19	0.85		P2QM									
			40.19	42.00	1.81		S3QM									
			42.00	42.50	0.50		GG									
			42.50	46.59	4.09		S2QM									
			46.59	53.47	6.88		P1QM									
			53.47	55.40	1.93		P1GD									
			55.40	59.99	4.59		P2GD									
			59.99	60.51	0.52		S5GD									
			60.51	67.13	6.62		GD									
			67.13	68.56	1.43		P2GD									
			68.56	70.14	1.58		GD									
			70.14	71.30	1.16		P3GD									
			71.30	72.39	1.09		S5GD									
			72.39	74.44	2.05		P2GD									
			74.44	77.20	2.76		P3GD									
			77.20	77.24	0.04		BR									
			77.24	77.38	0.14		GG									
			77.38	77.60	0.22		S5GD									
			77.60	79.76	2.16		P4GD									
			79.76	80.08	0.32		S5GD									
			80.08	80.16	0.08		GV									
			80.16	81.13	0.97		F5GD									
			81.13	84.05	2.92		P2GD									

CONTD

PROPERTY ELK D.D.H. SND95207 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			84.05	85.00	0.95		GD										
			85.00	85.56	0.56		P4GD										
			85.56	90.00	4.44		P2GD										
			90.00	95.54	5.54		P1GD										
			95.54	96.15	0.61		P3GD										
			96.15	98.42	2.27		GD										
			98.42	99.04	0.62		P3GD										
			99.04	102.72	3.68		P1GD										
			102.72	103.37	0.65		P2GD										
			103.37	148.20	44.83		GD										
			148.20	148.54	0.34		S3GD										
			148.54	155.09	6.55		GD										
			155.09	155.14	0.05		GG										
			155.14	155.17	0.03		GV										
			155.17	179.30	24.13		GD										
			179.30	180.02	0.72		P1GD										
			180.02	182.03	2.01		AP										
			182.03	183.48	1.45		GD										
			183.48	183.93	0.45		F5GD										
			183.93	183.98	0.05		VGOV										
			183.98	184.26	0.28		F5GD										
			184.26	185.29	1.03		P1GD										
			185.29	185.59	0.30		F5GD										
			185.59	210.94	25.35		GD										
			210.94	211.52	0.58		P3GD										
			211.52	219.10	7.58		GD										
			219.10	220.60	1.50		S4GD										
			220.60	221.84	1.24		P1GD										
			221.84	222.55	0.71		S5GD										
			222.55	222.75	0.20		F5GD										
			222.75	222.85	0.10		Y2GV										

CONTD

PROPERTY ELK D.D.H. SND95207 PAGE 3 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
			222.85	223.11	0.26		P5GD									
			223.11	223.85	0.74		P4GD									
			223.85	223.93	0.08		GG									
			223.93	224.22	0.29		P5GD									
			224.22	246.69	22.47		GD									
			246.69	247.46	0.77		S4GD									
			247.46	249.02	1.56		GD									
			77.10	77.40	0.30	00.28		207-1					0.010			01.80
			79.90	80.20	0.30	00.23		207-2					0.010			02.60
			80.20	80.76	0.56	00.49		207-3						00290		
			80.76	81.10	0.34	00.33		207-4					0.005			01.50
			155.05	155.30	0.25	00.22		207-5					0.001			00.30
			183.65	183.98	0.33	00.33		207-6			0.775				0.390	20.20
			183.98	184.28	0.30	00.30		207-7					0.133			07.90
			185.29	185.59	0.30	00.25		207-8					0.123			02.60
			186.95	187.25	0.30	00.26		207-9						00057		
			222.10	222.55	0.45	00.42		207-10						00186		
			222.55	222.90	0.35	00.18		207-11					0.022			04.10
			223.82	224.17	0.35	00.25		207-12					0.043			03.00

PROPERTY ELK D.D.H. SND95208 PAGE 1 OF 3
 AREA: Siwash North DIP: -86.0 AZIMUTH (t): 000.0 DEPTH: 218.54 m
 CLAIM: Elk 21 NORTHING: 3251.65 DATE STARTED: 18-Sep-1995
 SECTION: 2080 E EASTING: 2079.88 DATE FINISHED: 20-Sep-1995
 CORE SIZE: NQ ELEVATION: 1662.2 CONTRACTOR: Britton Brothers Dr
 CORE RECOVERY: 94.93% RQD: 63.57% CORE STORED AT: Elk Rack C Bay 18 LOGGED BY: D. Ritcey
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm
											Au oz/t	Au oz/t	Au oz/t	Au ppb		
.00	-86.0	000.0	.0	6.71	6.71		CS									
15.24	-84.0	000.0	6.71	12.50	5.79		P1QM									
60.96	-84.5	000.0	12.50	15.40	2.90		QM									
121.92	-84.0	000.0	15.40	28.90	13.50		GD									
182.88	-84.7	000.0	28.90	29.57	0.67		S4GD									
			29.57	30.22	0.65		P3GD									
			30.22	42.50	12.28		GD									
			42.50	43.40	0.90		P2GD									
			43.40	43.70	0.30		S4GD									
			43.70	48.68	4.98		GD									
			48.68	48.77	0.09		F5GD									
			48.77	48.90	0.13		GG									
			48.90	51.40	2.50		P3GD									
			51.40	51.76	0.36		S5GD									
			51.76	53.90	2.14		P2GD									
			53.90	55.00	1.10		S5GD									
			55.00	55.14	0.14		GG									
			55.14	55.71	0.57		F5GD									
			55.71	55.75	0.04		Y3QV									
			55.75	62.75	7.00		GD									
			62.75	63.09	0.34		S5GD									
			63.09	63.25	0.16		P3GD									
			63.25	64.62	1.37		GD									
			64.62	64.67	0.05		GG									
			64.67	71.10	6.43		GD									
			71.10	71.47	0.37		P3GD									
			71.47	82.38	10.91		GD									
			82.38	82.80	0.42		P3GD									
			82.80	138.98	56.18		GD									
			138.98	139.66	0.68		P2GD									
			139.66	155.28	15.62		GD									

CONTD

CORDILLERAN ENGINEERING

DIAMOND DRILL RECORD

PROPERTY ELK D.D.H. SND95208 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
CLAIM: _____ NORTHING: _____ DATE STARTED: _____
SECTION: _____ EASTING: _____ DATE FINISHED: _____
CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
COMMENTS: _____

Table with columns: SURVEY DATA (Depth, Dip, Az (t), From, To, Int., T.W.), GEOLOGY AND ASSAY RECORD (Geology, Sample No., Rec. %, S.G., Au oz/t, Ag oz/t, etc.).

PROPERTY ELK D.D.H. SND95209 PAGE 1 OF 3

AREA: Siwash North DIP: -80.0 AZIMUTH (t): 000.0 DEPTH: 227.69 m

CLAIM: Elk 21 NORTHING: 3198.79 DATE STARTED: 20-Sep-1995

SECTION: 2200 E EASTING: 2199.45 DATE FINISHED: 22-Sep-1995

CORE SIZE: NQ ELEVATION: 1653.39 CONTRACTOR: Britton Brothers Dr

CORE RECOVERY: 96.36% RQD: 68.49% CORE STORED AT: Elk Rack C Bay 18 LOGGED BY: D. Ritcey

COMMENTS:

SURVEY DATA			GEOLOGY AND ASSAY RECORD													
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA	MIBK		
											Au oz/t	Au ppt	Au oz/t	Ag ppt	Ag oz/t	Ag ppt
.00	-80.0	000.0	.0	3.66	3.66		CS									
15.24	-79.7	000.0	3.66	10.00	6.34		P1QM									
60.96	-80.2	000.0	10.00	10.22	0.22		F5GM									
121.92	-80.0	000.0	10.22	15.58	5.36		P1QM									
185.93	-80.0	000.0	15.58	16.67	1.09		QM									
			16.67	17.35	0.68		P2QM									
			17.35	17.92	0.57		S3QM									
			17.92	18.93	1.01		P2QM									
			18.93	19.80	0.87		S3QM									
			19.80	20.89	1.09		P2QM									
			20.89	22.40	1.51		S2QM									
			22.40	32.40	10.00		P2QM									
			32.40	40.33	7.93		P1QM									
			40.33	41.21	0.88		S2QM									
			41.21	48.35	7.14		P2QM									
			48.35	54.60	6.25		P1QM									
			54.60	79.75	25.15		QM									
			79.75	87.15	7.40		P1QM									
			85.90	94.45	8.55		P1QM									
			87.15	87.40	0.25		S2QM									
			87.40	87.48	0.08		GG									
			87.48	94.45	6.97		P2QM									
			94.45	95.86	1.41		P1GD									
			95.86	96.13	0.27		F5GD									
			96.13	97.19	1.06		P2GD									
			97.19	97.88	0.69		S5GD									
			97.88	97.93	0.05		Y2QV									
			97.93	98.08	0.15		F5GD									
			98.08	101.10	3.02		GD									
			101.10	102.56	1.46		P2GD									
			102.56	103.80	1.24		GD									

CONTD

PROPERTY ELK D.D.H. SND95209 PAGE 2 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD															
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	Metallics		FA		MIBK		Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb	Ag oz/t	Ag ppm		
			103.80	104.99	1.19		P2GD											
			104.99	110.50	5.51		GD											
			110.50	113.14	2.64		P2GD											
			113.14	113.75	0.61		GD											
			113.75	116.04	2.29		P3GD											
			116.04	117.75	1.71		GR											
			117.75	118.25	0.50		P1GD											
			118.25	118.93	0.68		P1GR											
			118.93	193.08	74.15		GD											
			193.08	193.70	0.62		P2GD											
			193.70	194.40	0.70		PG											
			194.40	195.08	0.68		P2GD											
			195.08	196.03	0.95		S5GD											
			196.03	196.18	0.15		P5GD											
			196.18	196.25	0.07		Y4QV											
			196.25	196.48	0.23		S5GD											
			196.48	199.15	2.67		P2GD											
			199.15	205.45	6.30		GD											
			205.45	206.79	1.34		P2GD											
			206.79	208.04	1.25		S4GD											
			208.04	211.37	3.33		P2GD											
			211.37	211.42	0.05		Y1QV											
			211.42	211.86	0.44		S5GD											
			211.86	212.56	0.70		P5GD											
			212.56	212.60	0.04		GG											
			212.60	212.65	0.05		QV											
			212.65	212.70	0.05		S5GD											
			212.70	212.87	0.17		Y5QV											
			212.87	212.91	0.04		GG											
			212.91	214.00	1.09		P2GD											
			214.00	218.05	4.05		GD											

CONTD

PROPERTY ELK D.D.H. SND95209 PAGE 3 OF 3

AREA: _____ DIP: _____ AZIMUTH (t): _____ DEPTH: _____
 CLAIM: _____ NORTHING: _____ DATE STARTED: _____
 SECTION: _____ EASTING: _____ DATE FINISHED: _____
 CORE SIZE: _____ ELEVATION: _____ CONTRACTOR: _____
 CORE RECOVERY: _____ CORE STORED AT: _____ LOGGED BY: _____
 COMMENTS: _____

SURVEY DATA			GEOLOGY AND ASSAY RECORD														
Depth	Dip	Az (t)	From	To	Int.	T.W.	Geology	Sample No.	Rec. %	S.G.	metallics		FA	MIBK	Ag oz/t	Ag ppm	
											Au oz/t	Au oz/t	Au oz/t	Au ppb			
			218.05	218.54	0.49		S5GD										
			218.54	221.47	2.93		P1GD										
			221.47	221.53	0.06		GG										
			221.53	223.30	1.77		P2GD										
			223.30	225.76	2.46		GD										
			225.76	227.69	1.93		P1GD										
			8.15	8.45	0.30	00.30		209-1						02810			
			9.95	10.25	0.30	00.21		209-2					0.929			15.40	
			17.56	17.86	0.30	00.28		209-3						00192			
			92.24	92.54	0.30	00.27		209-4						01220			
			95.85	96.15	0.30	00.29		209-5						06065			
			97.19	97.70	0.51	00.48		209-6						00431			
			97.70	98.02	0.32	00.30		209-7					0.038				03.00
			196.03	196.36	0.33	00.33		209-8			0.692				0.300		17.90
			211.30	211.55	0.25	00.21		209-9					0.006				00.90
			211.55	211.86	0.31	00.29		209-10						00473			
			211.86	212.20	0.34	00.22		209-11					0.004				01.90
			212.20	212.60	0.40	00.33		209-12					0.025				04.40
			212.60	212.92	0.32	00.26		209-13			14.616				27.450		184.20