

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS

DATE RECEIVED

JUN 07 1996

GEOLOGICAL, GEOCHEMICAL AND GEOPHYSICAL REPORT ON THE
TOUGHOAKS AND STONEY CROW CLAIMS

RECEIVED
JUN 04 1996
Gold Commissioner's Office
VANCOUVER, B.C.

HEDLEY AREA
OSOYOOS MINING DIVISION
BRITISH COLUMBIA

N.T.S. 82E/5W
LATITUDE 49°27'N
LONGITUDE 119°58'W

OWNER: TICINO RESOURCES CORPORATION

OPERATOR: TICINO RESOURCES CORPORATION

REPORT BY: LEONARD GAL M.SC. P. GEO.
WHITE WOLF EXPLORATIONS LTD.

DATE: MAY 27 1996

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORTS**

24,435

FILMED

TABLE OF CONTENTS

SUMMARY AND CONCLUSIONS	1
INTRODUCTION	1
LOCATION AND ACCESS	1
PHYSIOGRAPHY, VEGETATION AND CLIMATE	1
CLAIM INFORMATION	3
PROPERTY HISTORY AND PREVIOUS WORK	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	6
MINERALIZATION	7
SOIL GEOCHEMICAL SURVEY	9
GEOPHYSICAL SURVEY	10
RECOMMENDATIONS	11
REFERENCES	13
CERTIFICATE	14
STATEMENT OF COSTS	15

LIST OF FIGURES

1. LOCATION MAP	2
2. CLAIM MAP	4
3. HEDLEY DISTRICT GEOLOGY	5
4. PROPERTY GEOLOGY AND SAMPLE LOCATIONS	pocket
5. GOLD IN SOIL SAMPLES	pocket
6. ARSENIC IN SOIL SAMPLES	pocket
7. COPPER IN SOIL SAMPLES	pocket
8. ZINC IN SOIL SAMPLES	pocket
9. TOTAL FIELD MAGNETICS	pocket
10. MAGNETOMETER READINGS	pocket
12. COMPILATION MAP	12

APPENDICES

- I. ROCK SAMPLE DESCRIPTIONS
- II. ROCK SAMPLE ASSAYS
- III. SOIL SAMPLE ASSAYS

SUMMARY

The Toughoaks Property in the Hedley gold mining district covers a roof pendant of Nicola Group volcanic and sedimentary rocks which lie within the Jurassic Bromley batholith and Lookout Ridge pluton. Alteration at the margins of the Nicola Group rocks has produced biotite hornfels, silicification and garnet and garnet - pyroxene skarns. Silicification is pervasive or limited to quartz stockworks or veins, and is often accompanied by varying amounts of sulphide mineralization comprising disseminated pyrrhotite, pyrite, arsenopyrite and chalcopyrite. Most of the showings are developed by old workings. No economic gold values were obtained in sampling the old workings, but a series of anomalous soil geochemistry areas were outlined, some of which correspond to old showings. The magnetic survey was not conclusive in its results, although it did reflect generally the Bromley batholith - Nicola Group contact. Previous EM surveys have indicated several linear anomalies. The alteration and geological setting are permissive for skarn or vein hosted gold mineralization. The best gold values to date seem to have come from vein - hosted showings.

INTRODUCTION

From July 1 to August 25, 1995, a crew of 2 to 5 persons employed by White Wolf Explorations Ltd. carried out an exploration program on the Toughoaks and Stoney Crow claims (Toughoaks Property) on behalf of Ticino Resources Corp., optionee of the property. This work program consisted of reestablishing a 4.1km cut and picketed baseline, and placing 61.925km of flagged crosslines at 100m intervals along the baseline. The grid was used for mapping control and for geochemical and geophysical surveys. Geological mapping was carried out on the grid at a scale of 1:5000. A total of 1313 soil samples, 5 silt samples and 48 rock samples were collected for multielement analysis. Thirty-two km of magnetometer (vertical gradient and total field) survey was completed.

LOCATION AND ACCESS

The Toughoaks Property is located 14km northwest of the town of Hedley, at 49°27' N latitude and 119°58' W longitude, on N.T.S. map sheet 82E/5W (Figure 1). The nearest major supply centre is Penticton, situated some 30km to the east. The property covers the Broken Creek valley, west and south of Sheep Rock.

Access is from Penticton along the Apex Mountain (Green Mountain) Road. From the parking lots at the Apex Mountain Ski Hill, the route is by gravel road to Nickle Plate Provincial Park, and thence along a rough 4-wheel-drive road to the property. The road / trail continues from Broken Creek across the Stoney Crow claim block, and south of Sheep Rock. A short trail and the cut baseline afford access to the Toughoaks claim.


Alternate access from the town of Hedley is presently impassable for vehicles. This road leads north from Hedley along Hedley Creek for 10km, thence 5km east and 2km north to the property.

PHYSIOGRAPHY, VEGETATION AND CLIMATE

The topography of the property is moderate with rounded tree covered slopes, elevation ranges from 1660 to 1991m above sea level. Broken Creek crosses the southern portion of the property, flowing from southeast to northwest, and supplies sufficient water for exploration purposes.

The property is covered by moderately dense second growth stands of fir, pine, balsam and cedar, with relatively sparse underbrush. In the lowlands are several open swampy areas and old burns. The creek valleys are covered in Pleistocene glacial deposits and reworked stream gravels. Outcrops are very sparse, small and widely spaced. The best outcrops occur on ridge crests.

The climate is typical of the southern interior of British Columbia; summers are warm with cool nights and precipitation is generally low. In the winter snowfall is heavy, restricting field work to midsummer and fall.



YUKON

N.W.T.

ALASKA

Stewart

Ft. St. John

BRITISH

Dawson Creek

ALBERTA

Prince Rupert

Smithers

Prince George

COLUMBIA

Bella Coola

Williams Lake

Pacific Ocean

Kamloops

TOUGHOAKS PROPERTY

Kelowna

Vancouver

Cranbrook

U.S.A.

Trail

Victoria

TICINO RESOURCES CORP.

TOUGHOAKS PROJECT

Osoyoos M. D. N.T.S. 82 E/5

LOCATION MAP

0 100 200 300 400 km

SCALE

MAY 1996

Figure 1

CLAIM INFORMATION

The Toughoaks property is in the Osoyoos Mining Division and consists of 2 contiguous 20 claim blocks, for a total of 40 units. The claims were staked in June 1993, and held in the title of Mr. Charles Marshall of Burnaby, B.C. The claims were then transferred through a Bill of Sale to Madman Mining Co. Ltd., and then title was transferred to Ticino Resources Corp. through an option agreement whose terms which are beyond the scope of this report. A map of the claims is shown in Figure 2.

CLAIM	RECORD NUMBER	TAG NUMBER	EXPIRY DATE *
Toughoaks	318834	226599	June 18 2002
Stoney Crow	318835	226600	June 19, 2002

* after acceptance of this report for Assessment purposes

PROPERTY HISTORY AND PREVIOUS WORK

The Hedley area is home to major gold skarn producers and lesser quartz-carbonate vein deposits. Economic gold mineralization was discovered on Nickle Plate Mountain north of Hedley in 1896 and production started in 1899. The Nickle Plate and Hedley - Mascot mines produced 1.6 million ounces of gold (51,000kg) to 1955. In 1987 Mascot Gold Mines reopened the Nickle Plate Mine and worked it as an open pit operation with reserves of 6.5 million tonnes grading 5.1 g/tonne Au. To 1991, 62,000kg of gold was produced from 8.4 million tonnes of ore for an average grade (underground and open pit) of 7.43 g/tonne Au.

In 1900 the Golden Zone veins (Crown Grants L902s - L905s) were discovered adjacent to the east side of the Toughoaks Property, and sporadically developed through to the 1930s. Selected samples assayed as high as 66g/tonne Au and over 300g/tonne Ag, but production was very limited. Further work continued in the 1980s.


The Toughoaks property was likely prospected in the early 1900s. Several workings at showings throughout the property date from this time up to the 1950s. The first recorded work on the property is from the 1960s when Mr. Charles Marshall undertook blasting, trenching and prospecting. In 1976 Sumagro Mining Ltd. did prospecting, mapping and sampling. In the same year UMEX carried out a soil geochemical survey over the Wheelbarrow showing. In 1980, Tricor Resources Ltd. performed ground magnetic and VLF-EM surveys. In 1981 Tricor carried out limited IP survey and drilled 4 BQ diamond drill holes totalling 287m on the Creek and Wheelbarrow showings. The 1980 VLF-EM survey outlined a NE trending anomaly extending to the NW of the Creek and Wheelbarrow showings and an intersecting anomaly paralleling Broken Creek. The ground magnetic survey indicated a magnetic low corresponding with the VLF-EM anomaly. The 1981 test IP survey delineated a chargeability anomaly that encompassed and paralleled the creek and Wheelbarrow showings, and corresponded to an intrusive - sedimentary contact. In 1985, Mr. Marshall commissioned an airborne magnetic and VLF-EM survey. A major feature was outlined on the property along which the Wheelbarrow and Creek showings occur. Two linear features were shown to intersect at the Creek showing, and a third linear anomaly was outlined on the east side of the property, at the contact between intrusive and tuffs.

All twelve of the known showings on the Toughoaks property were explored by pits or adits between the 1920s and the 1950s. Apart from 4 short drill holes on the property, no recent physical work has been done.

REGIONAL GEOLOGY

The geology of the Hedley area is described by G.E. Ray and G.L. Dawson in BCMEMPR Bulletin 87. Figure 3 is a reproduction of their Figure 2, showing the location of the Toughoaks Property relative to Hedley camp geology. The area is underlain by Upper Triassic Nicola Group volcanosedimentary rocks. To the east are Upper Devonian to Upper Triassic rocks of the Apex Mountain ophiolitic complex. The Nicola Group here comprises island arc volcanics, overlain by tuffs, siltstones, turbidites and limestones.

119° 58'



49° 27'



TICINO RESOURCES CORP.

TOUGHOAKS PROJECT
Osyoos M. D. N.T.S. 82 E/5

CLAIM MAP

Oct 1995

Figure 2




Figure 4. Geology of the Hedley district, southern British Columbia.

TICINO RESOURCES CORP.

TOUGHOKS PROJECT

Osoyoos M. D. N.T.S. 82 E/5

HEDLEY DISTRICT GEOLOGY
SHOWING MINERAL OCCURRENCES

Oct 1995

Figure 3

After a period of regional faulting, the Nicola Group rocks were intruded by Late Triassic to Cretaceous alkaline to calc-alkaline gabbros to granodiorites. Major intrusions of this age include the Bromley Batholith, Hedley intrusions, Lookout Ridge and Cahill Creek plutons and the Mount Riordan stock. The Nicola Group is locally overlain by the middle Jurassic Skwel Formation of dacitic and andesitic tuffs. The Nicola Group in the Hedley area is divided into the Whistle Creek Formation of tuffs and tuffaceous sediments which are underlain by the French Mine Formation limestone in the east, the Hedley and Chuchuwayha Formation siltstones in the central part of the district, and the Stemwinder Formation argillites in the west. The east to west sedimentary facies changes are separated by long active growth faults. The Oregon Claims Formation (mafic tuffs, limestone and chert pebble conglomerate) underlie the French Mine, Hedley and Chuchuwayha Formations.

Late Triassic to early Jurassic plutonism produced the Hedley quartz diorites and gabbros that are related to the gold skarns of the district. These intrusions occur as sills, dykes and stocks within the Nicola Group. The early Jurassic Bromley batholith intrudes the Nicola Group northeast of the Hedley area. This intrusion hornfelsed the adjacent country rocks, and caused local skarn mineralization. The Mt. Riordan stock, east of the property, may be a satellite of the Bromley batholith.

Gold mineralization is found both within skarns and veins in the Hedley camp. The skarns are most important volumetrically and economically and contain gold + sulphides within garnet - pyroxene - carbonate - scapolite alteration. Economic concentrations of gold tend to be associated with disseminated arsenopyrite and pyrrhotite with lesser pyrite, chalcopyrite and traces of sphalerite and bismuth minerals in the exoskarn. At the Banbury and Gold Hill properties in the Hedley Camp gold occurs with sulphides in quartz - carbonate veins that are related to skarn mineralization. At the Golden Zone property to the west, gold sulphide quartz veins are apparently not related to skarn mineralization but may be related to intrusion of the Bromley batholith.

TOUGHOKS PROPERTY GEOLOGY

The Toughoaks property covers an arcuate, east-west trending roof pendant of Nicola Group volcanic and sedimentary rocks within granitic rocks of the Bromley batholith. Granites of the Lookout Ridge pluton outcrop on the south side of the property. Figure 4 shows the property geology and sample locations. The main lithologies present are ash and crystal tuffs, clastic sediments, and carbonate rocks. Hornfelsing of the volcanosedimentary rocks is common. Dykes, sills and small plugs occur throughout the property. Two parallel bands of carbonate rock outcrop along two ridges in the north central part of the property. Government mappers have suggested that these two bands represent limbs of a shallowly southwest plunging syncline, terminated on the northeast by the Bromley batholith and on the southwest by a supposed fault in Broken Creek. The carbonate rocks are composed of light grey fine grained limestone, coarse white marble, with interbeds of tuffaceous siltstone and local chert pebble conglomerate. This unit has been tentatively correlated with the French Mine Formation which outcrops east of Hedley at the French and Good Hope Mines.

Massive ash tuffs outcrop structurally above and below the carbonate unit. These are generally fine grained, maroon to dark grey or brown in colour. Where hornfelsing has occurred, silicification and small biotite porphyroblasts are common. The silicified tuffs are frequently cut by thin white or green-grey quartz stringers and mineralized with traces to 10% disseminated pyrrhotite and lesser pyrite and arsenopyrite. Crystal tuffs southwest of Broken Creek consist of greenish plagioclase crystal tuffs with small unbroken plagioclase crystals, appearing similar to an andesite flow. This likely correlates with the Whistle Creek Formation. A second type of crystal tuff is found northwest of Broken Creek. It is greyish coloured, with broken or abraded plagioclase crystals and small dark lapilli.

Thin bedded argillite - turbidites interbedded with calcareous wacke and rare limestone outcrop southwest of Broken Creek in the south central part of the Toughoaks claim. This sedimentary unit is structurally below the crystal tuffs and may be correlative with the Whistle Creek Formation in the Hedley area. Numerous dykes and sills intrude the volcanic and sedimentary units. These may be related to Jurassic plutonism or later events. Granodiorite dykes and sills are common throughout the property. These are locally altered by silicification, bleaching and may carry sulphides. Diorite intrusives occur at the Wheelbarrow and Ladder showings and elsewhere. The diorites often carry disseminated pyrite, minor

arsenopyrite and pyrrhotite. At the Ladder showing, a diorite dyke intrusion has inclusions of skarn altered rock.

The Bromley batholith is a medium to coarse grained granodiorites, and resembles the dyke rocks. The Lookout Ridge pluton on the south boundary of the property is a pink granite with orthoclase megacrysts in a medium to coarse grained groundmass.

Skarn alteration of the marble beds can range from sparsely distributed fine pink-orange to brown garnet to beds of massive brown garnet. The skarn seems to mostly replace bedding horizons. Garnet - pyroxene or pyroxene skarn is less common. The pyroxene skarn appears to replace siltstone or tuff beds in the marble but also occurs as irregular crosscutting bodies.

Two major faults are inferred to occur on the claims. The first lies along Broken Creek, trending southeast across the property and thence turning southward toward Apex Mountain. This fault is supported by geophysical and geological evidence. This fault cuts off the postulated southwest plunging syncline outlined by the carbonate unit. The second fault trends NNW across the centre of the Stoney Crow claim. This fault is thought to be related to the contact of the Bromley batholith and the Nicola Group Rocks.

MINERALIZATION

Both skarn related and vein related showings have been recorded on the property. During the course of this program, six vein hosted occurrences and six skarn hosted occurrences were sampled and are described below. Their locations are shown on Figure 12.

1. Vein-type occurrences

a) Creek Showing: The Creek showing consists of a short trench and small pit dug adjacent to Broken Creek. A narrow 1-2m dioritic dyke intrudes maroon ash tuff which is hornfelsed and silicified. Both the dyke and the tuff are mineralized with disseminated pyrrhotite and pyrite. A zone of discontinuous quartz stringers, .5-3cm wide, is exposed over a width of less than 1m in the pit. Previous sampling returned values of 0.01oz/ton Ag and 0.001 oz/ton Au; although values up to 0.236oz/ton Au have been reported. Sample TORL-23, a grab sample from the pit dump, yielded 160ppb Au. In 1981, three drill holes beneath the Creek showing intersected a metasediment - diorite contact. Observed mineralization consisted of disseminated pyrite and arsenopyrite, with assays from 30 to 160 ppb Au (Sookchoff, 1981).

b) Wheelbarrow showing: This showing is about 250m southwest of the Creek showing in silicified and hornfelsed tuffs. The working consist of two trenches and an open cut exposing maroon ash tuffs cut by quartz stringers and hosting disseminated pyrite and arsenopyrite. Previous results have yielded up to 0.114 oz/ton Au. The Creek and Wheelbarrow showings lie adjacent to a VLF-EM conductor, lying parallel to a line between the two showings as well as measured quartz stringers at the Wheelbarrow showing. A shallow diamond drill hole was drilled in 1981 at -45° at the Wheelbarrow showing, with the best assay of 0.075oz/ton Au over 3.5 feet of chert with arsenopyrite. The projection of this intersection corresponded to a surface trench sample of 0.046oz/ton over 6.5 feet. Samples from the current program included TORL-03, an 8m chip sample along the back wall of the pit, which assayed 352 ppb Au. A grab sample from the dump TORL-24, yielded 1016 ppb Au.

c) 102 Pit showing. This showing is located near line 101E at 102+75 N and comprises a 2x2m pit in silicified biotite hornfels (altered maroon ash tuff). Sulphide mineralization consisted of massive to disseminated pyrrhotite, chalcopyrite with minor pyrite and arsenopyrite. Sample TORL-33 assayed 33ppb Au, and sample Y-0107 yielded 22ppb Au and 1205ppm Cu.

d) Blacksmith showing: The Blacksmith showing is developed by a caved adit, two large trenches and several smaller pits in an area of contact between silified maroon to green tuffs (hornfelsed) and dioritic dykes and marble. The adit is driven into silicified maroon tuff and across the strike of a narrow shear - hosted quartz vein at 010°/85W. Pyrrhotite, chalcopyrite and arsenopyrite (?) are found at the portal and in the dump, as well as some quartz stinger stockwork in the tuff, pyritic dyke rock and quartz with

minor tourmaline. A 1981 sample taken from "chert" in the easternmost workings assayed 0.015 oz/ton Au (Sookochoff, 1981). Sample TORL-08 yielded 46ppb Au over 2.5m in intrusive rock in the west pit. Sample TORL-41 from the south pit in quartz veinlets in silicified tuff yielded 178ppb Au. A sample TORL-02 from the adit portal returned 351ppb across 1m.

e) Three Holes Showing: This showing consists of three pits and a short adit. The adit exposes a contact between a plagioclase porphyry sill mineralized with disseminated and stringer pyrrhotite and arsenopyrite, and a siliceous marble with stringers of pyrite, chalcopyrite and sphalerite. One pit exposes the porphyry in contact with a siliceous tuff hosting pyrrhotite and chalcopyrite. A 1.5m chip sample on the tuff (TORL-38) assayed only 15 ppb Au, however. A second pit exposes siliceous tuff, porphyry and rusty weathered granodiorite. Of the three rock types here, mineralization was strongest in the tuff, although gold values were weak (9 ppb Au over 3m chip sample in tuff). A 2m chip sample across the granodiorite (TORL-36) yielded 109ppb Au. About 50m north of this showing, sample TORL-10 was taken from a 1-3cm sulphide veinlet trending 171° in marble and yielded 279ppb Au and 6.4% Zn.

f) West Ladder Showing: This showing in the southeastern part of the Stoney Crow claim consists of an open cut and a small trench exposing rusty siliceous marble and tuff in contact with a less fractured white marble. Sulphide stringers and quartz - carbonate veinlets cut the rusty marble. A 1.5m chip sample across this unit yielded 141ppb Au (TORL-20).

2) Skarn occurrences

a) Sitting Rock showing: This showing is located on L100E at 1+07N and is underlain by a northeast trending band of massive to foliated white marble interbedded with siliceous wacke or tuff. A small pit exposes marble and pyroxene garnet skarn with irregular quartz stringers. Disseminated mineralization associated with the quartz and pyroxene skarn consists of pyrrite, pyrrhotite, chalcopyrite and trace sphalerite. Scheelite occurs in 1-2cm quartz carbonate veins exposed in the pit. Gold values were very low. Sample TORL-04 across 4m of skarn, yielded only 14 ppb Au.

b) Skarn Pits Showing: This showing at L107E and 103N consists of 2 small pits about 40m apart, in white marble that has been intruded by medium grained diorite. Pyroxene skarn with garnet and epidote occurs as bands within the marble, likely replacing original siltstone or tuffaceous beds. Sample TORL-01 was a 2.5m chip sample across skarn that assayed under the detection limit for gold.

c) Cabin Showing: This showing is located at 117E and 106N near the contact with the Bromley batholith and carbonate rocks. Two trenches expose intrusive and skarn mineralization. The southern trench exposed strongly fractured garnet - pyroxene (plus epidote skarn) within an east - west trending fracture - fault zone. A thin dyke lies within this zone. Pyrrhotite and minor pyrite occur as disseminations within the skarn and dyke rock. The northern trench exposes altered, bleached and pyritic Bromley granodiorite. Sulphides (pyrite) occur in a 40cm wide, 120° trending fracture - veinlet zone. A 45 cm chip sample across this zone (TORL-18) assayed 1796 ppb Au. Sample TORL-17, a 4.0m chip sample across the garnet skarn in the southern trench yielded 319ppb Au.

d) Ladder Showing: The Ladder Showing, at 125E, 95N consists of a short caved shaft and three pits. The workings cover garnet - pyroxene skarn which has been sheared and intruded by narrow quartz stringers and thin 3-5cm granitic dykes. Quartz - carbonate and quartz - feldspar veinlets were also observed. In the southernmost pit, quartz stringers with pyrrhotite, pyrite and chalcopyrite cut garnet - pyroxene skarn and marble, both rock types also host stringers and blebs of sulphide. The shaft and adjoining pit are in skarn and marble as well. The band of skarn has been exposed for a length of more than 40m and a width of 4-5m. The skarn here seems to have developed along favourable bedding structures rather than an intrusive contact, although intrusive dykes are nearby. Scheelite and wollastonite were observed in some workings. Sample TORL-15, a chip sample across 4m of skarn, yielded only 26ppb Au. A sulphide mineralized grab from the dump (TORL-22) assayed 12 ppb Au.

e) Ladder SW Showing: This showing located 275m SW of the Ladder showing consists of two pits that expose coarse grained, pyritic, Hedley type diorite in contact with biotite hornfelsed plagioclase crystal tuff and ash tuff. Pyrrhotite occurs as disseminations and specks within the tuffs. Thin sulphide bearing quartz stringers and a quartz - carbonate vein cut the tuff. Samples yielded a maximum value of 12ppb Au over 4m of hornfelsed tuff (TORL-25).

f) Embryo Hill Showing: A small pit near line 113E 112N was developed on garnet skarn gradational to garnet bearing marble. The skarn is only weakly mineralized with pyrrhotite and pyrite, and sample TORL-12 yielded less than 5ppb Au.

From the samples collected during this study, it is apparent that the quartz veinlet / fracture type mineralization appears more prospective for gold. Gold mineralization in skarn rock with disseminated sulphides seems generally low, although there may be geochemical anomalies associated with it. Of the skarn hosted showings, only the Cabin showing yielded appreciable gold, and mineralization here seems to be a combination of skarn and vein- fracture hosted.

GEOCHEMICAL SURVEY

A total of 1313 soil samples were collected on established grid lines at 25m intervals. Soil samples were taken from the C horizon where possible. These samples were placed in kraft envelopes and shipped to Bondar Clegg Laboratories in Vancouver. Atomic absorption analysis was carried out on the samples for 35 elements including gold. The analytical methods and results are presented in Appendix III. The soil geochemical results are plotted on the grid for Au, As, Cu and Zn on Figures 5 to 8. Sanguinetti (1995) suggested using the mean value plus one standard deviation as a threshold level for Au, Cu, As and Zn. From contouring the soil geochemical data based on threshold levels, several soil geochemical anomalies are present. Sanguinetti recommended five areas of high values for further examination. His discussion is reproduced below, and the five anomalous areas (A to E) are depicted in Figure 12.

“Several above background values are indicated from a plot of the soil values of which five warrant closer investigation. Area “A” is located close to the granite - tuff contact at line 117E and 93N about 300m southwest of the Ladder showing. Maximum values reported are 34ppb Au, 615 ppm As, 863 ppm Zn and 111 ppm Cu. Most of the higher value sites are underlain by intrusive.

Area “B” extends 1200m east - west, parallel to and north of the baseline from the 102 Pit east to line 113E. This covers both the Three Holes and Blacksmith showings. Coincident high gold, zinc, arsenic and copper values are noted by each showing but arsenic values extend to the west (downslope) and gold values extend up to 800m east of the old workings. Portions of the carbonate - tuff contact are covered by this area.

Area “C” which lies upslope of the Sitting Rock showing is centred near 101E-108N and is underlain by two carbonate - tuff contacts. Maximum values of 35 ppb Au, 274 ppm As, 321 ppm Zn and 137 ppm Cu are reported in this area.

Area “D” is located at the eastern edge of the grid at 115E from 103N to 110N. Arsenic values are low but copper values extend up to 346 ppm and are high throughout the whole area. Coincident zinc values extend over 100 metres on line 118E with values up to 1155 ppm. Gold values up to 35 ppb are coincident with the zinc as well as some of the copper values. A major north south fault lies along the trend of this area and also lies close along the contact of the tuffs with the Bromley batholith.

Area “E” is an area of high gold values on lines 104 to 107E from 108 to 111N which is underlain by the carbonate - tuff contact, similar to area “C”. Gold values up to 96 ppb occur on the crest of the ridge. Apart from scattered two to five site areas of high values, the only other area which warrants evaluation is located between the Creek and Wheelbarrow showings near the 100N baseline at line 98E. Here coincident Au - As values up to 27 ppb Au and 129 ppm As are underlain by hornfelsed tuff.” A summary of these areas is plotted with geology and showing locations on Figure 12.

GEOPHYSICAL SURVEYS

A Scintrex ENVI-Mag / Gradiometer system with base station was used to perform a magnetometer (total field and vertical gradient) survey on part of the grid. A total of 32 km of grid lines were surveyed, with readings taken at 25m stations on the cross lines. Data reduction and correction for diurnal variation was performed by T. Hasek of Scintrex in Vancouver, who also constructed the contoured data.

The contoured map of the total field magnetic survey is presented in Figure 9, with the measured magnetic field data plotted on Figure 10. The vertical gradient data was not deemed useful and is not presented here.


The results of the contoured total field data indicate that there is a general trend from highs in the north part of the survey area towards lows in the Broken Creek valley. The intrusives of the Bromley batholith stand out quite clearly in the north part of the survey area. There is a slight ENE trending high between lines 101E and 109E at approximately 102N which corresponds roughly to the south limb of the syncline outlined by the carbonate unit, as well as the Blacksmith, Three Holes and 102 Pit showings. A pair of possible weak NNW trending highs, extending along line 101-102E and 105-106E from 100N to 110N, might be related to pyrrhotite mineralization, particularly the high along lines 105-106E. These highs appear to extend from out of the Bromley batholith, at high angles to geological contacts, and may also be related to some sort of structure. Another high occurs just south of the Wheelbarrow showing at 98N, 97E. The magnetic high in the southwest corner of the grid (86-89E, 100-102N) probably is a result of the contrast between volcanic outcrops on the knoll and surrounding thick glacial deposits in the valley.

In 1985 airborne survey (Hansen, 1985) was flown over much of the Property area. A central magnetic low corresponding to the Hedley Group rocks was flanked by highs of the Bromley and Lookout Ridge intrusions. Several linears and anomalous features were revealed by the airborne EM survey. Some of these features corresponded to magnetic anomalies, others may represent shears or faults. Previous work in 1980 showed a NE trending EM anomaly extending from the Wheelbarrow showing to the Creek showing, and a second intersecting anomaly along Broken Creek. The accompanying magnetic survey revealed a general low correlating with the EM anomaly. The IP test survey revealed a chargeability high trending parallel to and encompassing the Wheelbarrow and Creek showings.

Previous geophysical data has been incorporated in to the compilation of Figure 12.

RECOMMENDATIONS

Sanguinetti (1995) has recommended a program of continued prospecting, mapping and sampling, in conjunction with completing soil sampling over the remaining untested portion of the property. An evaluation should be made of the above threshold soil geochemical values, as well as EM anomalies obtained during previous work. VLF-EM survey should also be conducted in specific areas, particularly to further define airborne VLF-EM anomalies obtained during past work. A small excavator should be employed to uncover bedrock in geochemically anomalous areas.



REFERENCES

British Columbia: Report of the Minister of Mines, 1928, 1930, 1937, 1957.

Ettlinger, A.D. and Ray, G.E., 1987: Gold - Enriched Skarn Deposits of British Columbia, in Geological Fieldwork, 1987, BCMEMPR, paper 1988-1.

Gal, L., 1995: Draft Report on the Geology of the Toughoaks Property, Private Report for Ticino Resources Corp.

Hansen, M.C., 1985: Geophysical Report on the Airborne Magnetic and VLF-EM Surveys over the Tough Oaks Claim Group, private Report for Charles Marshall.

Mark, D.G., 1985: Geophysical Report on Airborne Magnetic and VLF-EM Surveys over the Golden Zone Property, Strayhorse Creek, Hedley Area, Private Report for R.B. Stewart and Okanagan Mining Syndicate.

Ray, G.E. and Dawson, G.L., 1994: The Geology and Mineral Deposits of the Hedley Gold Skarn district, Southern British Columbia, BCMEMPR Bulletin 87.

Ray, G.E., Dawson, G.L. and Simpson, R., 1988: Geology, Geochemistry and Metallogenic Zoning in the Hedley Gold-Skarn Camp, in Geological Fieldwork, 1987, BCMEMPR, Paper 1988-1

Ray, G.E., Dawson, G.L. and Simpson, R., 1987: The Geology and Controls of Skarn Mineralization in the Hedley Gold Camp, Southern British Columbia, in Geological Fieldwork, 1986, paper 1987-1.

Rice, H.M.A., 1960: Geology and Mineral Deposits of the Princeton Map-area, B.C., G.S.C. Memoir 243.

Sanguinetti, M.H., 1995: Geological Report on the Toughoaks and Stoney Crow Mineral Claims, Hedley Area. Report for Ticino Resources Corp.

Singhai, G.C., 1976: Report on Tough Oaks, Bwinaby, and Glynne Hill Mineral Claims, Broken Creek, Osoyoos Mining Division, B.C. for Charles Marshall, Assessment Report No. 6091.

Sookochoff, L., 1981: 1981 Assessment Report, Diamond Drilling, Tough Oaks Property, for Tricor Resources Ltd., Assessment Report No.9780.

Sookochoff, L., 1980: 1980 Assessment Report, Geophysical Surveys (VLF-EM and Magnetometer), Tough Oaks Property, for Tricor Resources Ltd., Assessment Report No. 8736.

AUTHOR'S CERTIFICATE

I, Leonard Gal, of Kelowna, British Columbia; hereby certify that:

1. I am a geologist in the employ of White Wolf Exploration, 548 Beatty St., Vancouver B.C. V6B 2L3.
2. I am a graduate of the University of British Columbia, B.Sc. 1986 and the University of Calgary, M.Sc. 1990 with degrees in Geological Sciences.
3. Since graduation I have practised my profession, more or less continuously, and I am a member of the Association of professional Engineers and Geoscientists of British Columbia.
4. I am the author of this report.
5. This report is based on a study of private and published reports, as well as geological mapping and sampling conducted on the property by myself from July 12 to August 10, 1996.
6. I own no direct or indirect interest in the Toughoaks Property, or in the shares or securities of Ticino Resources Corp.

Signed this 27 day of May, 1996; at Vancouver, British Columbia.



Leonard Gal, M.Sc., P.Geo.

STATEMENT OF COSTS

DESCRIPTION	DATES	RATE	SUB - TOTAL
Leonard Gal, M.Sc, P. Geo.	July 12 - Aug 10	25 days @ \$375.00	\$9,375.00
John Young, B.Sc. (Geology)	Aug 16 - Aug 25	9 days @ \$275.00	2,475.00
Gerard Gallissant, B.Sc. (Geography)	July 3 - Aug 25 various dates	35 days @ \$265.00	9,275.00
Greg Mowatt, B.Sc.	July 1 - August 9	40 days @ \$265.00	10,600.00
J Gates - field tech	July 1 - July 18	24 days @ \$200.00	4,800.00
P Brampton - field tech	Aug 16 - Aug 25	12 days @ \$200.00	2,400.00
Consulting T. Hasek, Scintrex.			1,360.00
Crew board (food)		145 man/days @ \$52.00 m/d	7,540.00
Camp rental	1 x 12 x 14, 1 x 10 x 12 and 1 x 14 x 16 tents, c/w propane heat-stove, tarps, cots, kitchen equipment, dimension lumber to construct camp, 4kw & 600 watt generators, electrical - hand tools, camp chain saw	2 months @ \$2,650.00/month	5,300.00
Vehicle rental (2) 1 ton 4x4 crewcabs	July 1 - Aug 30	60 days @ \$150.00	9,000.00
Magnetometer & related equipment rental	Scintrex Envi Mag- Gradiometer c/w Base Station - 486 portable computer etc.	3 weeks - @ \$900.00 + set up \$200.00	2,900.00
ATC rental	Honda 250cc - Big Red	60 days @ \$30.00	1,800.00
Survey supplies, fuel & oils (consumable)	Flagging, Topofil, sample bags, pickets etc.		1,520.00
Analytical analysis (Bondar Clegg Inchape) North Vancouver	All samples: Au by FA c/w AA finish 34 element ICP Analysis	1,313 soils samples 5 silts samples 42 rocks samples	23,330.00
Drafting and digital base map preparation	Lumina Drafting & Norman Wade		2,640.00
Data plot & processing	in house labour		720.00
Communications	BC-Tel Autotel in camp	Auto tel - 2 months @ 200.00 plus long distance charges	915.00
Freight	Greyhound Bus	samples and supplies	320.00
Engineering	M.H. Sanguinetti P.Eng	property visit - check assays and qualifying report	5,800.00
Compilation of previous data	B.C. Yukon Chamber of Mines, BC Geological Branch		820.00
Project supervision office overhead			7,110.00
SUBTOTAL			\$110,000.00
GST	#R137581930	\$110,000 @ 7.0%	7,700.00
TOTAL			\$117,700.00

APPENDIX I
ROCK SAMPLE DESCRIPTIONS

SAMPLE DESCRIPTIONS - TOUGHOKS PROPERTY
1995 FIELD PROGRAM SAMPLES

Skarn Pit Showing

TORL-01 2.5m chip <5 ppb Au Across pyroxene skarn between marble and intrusive dyke.

Blacksmith Showing

TORL-02 1m chip 351 ppb Au Across rusty fracture zone at mouth of adit; chalcopyrite observed.

TORL-08 2.5m chip 46 ppb Au In lower pit within intrusive.

TORL-09 2.0m chip 10 ppb Au In lower pit in tuffs.

TORL-32 Grab 148 ppb Au High grade representative grabs from rustiest rock in dump of main adit; best material.

TORL-40 35 cm chip 9 ppb Au In nearby pit, in rusty tuff, across bedding below marble.

TORL-41 Grab 178 ppb Au Pyrite-chalcopyrite fracture veinlets in siliceous tuff, west side of pit, high grade.

TORL-42 4.5m chip 24 ppb Au True width across pit perpendicular to main sulphide trend.

Wheelbarrow Showing

TORL-03 8m chip 352 ppb Au Across wall of open cut/pit; high angle to bedding and some quartz veins, representative of outcrop.

TORG-01 Grab 14 ppb Au Dioritic intrusion (Hedley type) with abundant disseminated arsenopyrite with other sulphides and chalcopyrite from westernmost trench.

TORL-24 Grab 1016 ppb Au High-grade from dump, pyrite + pyrrhotite with arsenopyrite, chalcopyrite noted; the best material.

Creek Showing

TORL-23 Grab 160 ppb Au Best looking mineralization (arsenopyrite, pyrrhotite) in siliceous tuff with thin quartz veins.

3 Holes Showing

TORL-31 Grab <5 ppb Au Grabs from main adit.

TORL-37 3m chip 9 ppb Au South pit, across silicified tuff with disseminated pyrrhotite and abundant pyrite.

TORL-38 1.5m chip 15 ppb Au In pit, tuff in contact with dyke at top of back wall; pyrrhotite and chalcopyrite noted.

TORL-39 Grab <5 ppb Au From main adit, mineralized marble in dump.

"102 Pit" Showing

TORL-33	Chips	37 ppb Au	Representative from dump with pyrrhotite, minor pyrite, arsenopyrite, chalcopyrite in siliceous tuff.
---------	-------	-----------	---

Sitting Rock Showing

TORL-04	4m chip	14 ppb Au	Representative across garnet skarn and skarn altered tuffs, few sulphides noted.
TORL-05	10m chip	26 ppb Au	Across marble, perpendicular from garnet-skarn contact, some possible quartz-carbonate veins with scheelite.
TORL-06	4m chip	19 ppb Au	East wall of pit, high angle to bedding and some sulphide bearing fractures in garnet / pyroxene skarn.
TORL-07	Grab	<5 ppb Au	High grade sulphide mineralization (Cu) from pit dump.
TORL-34	Grab	10 ppb Au	Select from pit dump; garnet skarn cut by 1-2 cm quartz-carbonate-scheelite stringers.
TORL-35	45cm chip	<5 ppb Au	Across wacke-tuff interbed in marble.

Embryo Hill Showing

TORL-12	1.5m chip	<5 ppb Au	Across bedding of garnet skarn layer, on back wall of pit.
---------	-----------	-----------	--

Ladder Showing

TORL-14	2.8m chip	<5 ppb Au	In skarn in shaft, NW from contact with marble.
TORL-15	4m chip	26 ppb Au	In skarn along NE wall of lower pit, possibly across bedding.
TORL-22	Grab	12 ppb Au	High grade representative from dump at shaft, best mineralized.

West Ladder Showing

TORL-19	1.5m chip	63 ppb Au	Across rusty siliceous marble W of contact with white marble.
TORL-20	1.5m chip	141 ppb Au	Across rusty tuff or impure marble in small pit N of main outcrop.
TORL-21	Grab	7 ppb Au	Siliceous mottled marble with scheelite (?), pyrite, pyrrhotite.

Ladder SW Showing

TORL-25	4m chip	12 ppb Au	Rusty hornfelsed tuff + intrusive, downslope side of lower pit.
TORL-26	7cm chip	6 ppb Au	7cm quartz-carbonate vein, minor pyrite(?), back of lower pit

TORL-27 2.5m chip 7 ppb Au Across rusty tuffs from back of lower pit, N end, best material.

TORL-28 Grab <5 ppb Au Pyrite-mineralized "Hedley type" diorite.

Cabin Showing

TORL-16 1.5m chip 39 ppb Au Across fault or fracture zone on N side of main pit, in skarn at intrusive contact.

TORL-17 4m chip 319 ppb Au Along S side of trench in garnet skarn.

TORL-18 45cm chip 1796 ppb Au In N trench, intrusive, but across rusty veinlet / fracture zone.

Miscellaneous Sampling

TORL-10 2.5-3cm chip 279 ppb Au Pit NE of 3 Hole, "massive sulphide" vein in marble with sphalerite, chalcopyrite and galena (?).

TORL-13 3m chip 24 ppb Au Pit SE of Blacksmith, across rusty tuff, perpendicular to bedding, at back wall of pit.

TORL-11 3m chip 46 ppb Au Tuffs along creek with sulphides and some quartz.

SAMPLE DESCRIPTIONS - TOUGHOKS PROPERTY
PROPERTY EXAMINATION SAMPLES

Creek Showing

Y-0105 Cr-1 1m chip 15 ppb Au Dark maroon siliceous biotite
hornfels (maroon ash tuff), locally magnetic, calcareous, limonitic, with minor pyrrhotite.
Y-0106 Cr-2 1m chip 39 ppb Au Upper pit; ¼" to 1" quartz stockwork
beside diorite dyke; pyritic, non-magnetic, biotite rich, layered.

102 Pit Showing

Y-0107 102-P Grab 22 ppb Au Dump beside pit, siliceous biotite
hornfels, locally up to 50% pyrrhotite and 5% chalcopyrite as fine-grained disseminated blebs and
clots, on fractures, limonitic, strongly magnetic.

Skarn Pit Showing

Y-0108 SP-1 1.5m chip <5 ppb Au Contact between grey/tan marble and
fine-grained granodiorite, parallel bands of pyroxene-garnet skarn.

Blacksmith Showing

Y-0109 BLS-1 1m chip 35 ppb Au South trench, dark grey silicified
(hornfels) tuff, with locally sub-massive pyrrhotite and arsenopyrite(?), limonitic, weakly
magnetic, fractured and silicified at 188°/86°E.
Y-0110 BLS-2 1m chip 35 ppb Au Middle pit, local blebs of pyrrhotite,
minor chalcopyrite in maroon siliceous hornfels in contact(?) with tan carbonate, grey chert layers,
fractured and silicified at 040°/80°W.
Y-0111 BLS-3 1.5m grab 11 ppb Au At portal trending 105°; cross veining
or sulphide filled shear across portal at 011°/85°W; siliceous purple-brown biotite hornfels with
local sub-massive pyrrhotite, local quartz stockwork with muscovite, tourmaline, garnet;
limonitic, non-calcareous.

Ladder Showing

Y-0112 LZ-1 4.0m chip 10 ppb Au South pit, limonite stained, locally
fine pyrrhotite (+ arsenopyrite?), brown and green garnet in pyroxene skarn, weakly calcareous,
locally silicified.
Y-0113 LZ-2 grab <5 ppb Au Dump material of sulphide-rich skarn
beside shaft, quartz stockwork in garnet-pyroxene skarn, local epidote and wollastonite,
pyrrhotite with minor chalcopyrite on fractures.
Y-0114 LZ-3 grab <5 ppb Au Shallow pit NE of shaft, garnet-
pyroxene skarn mineralized with minor pyrrhotite, wollastonite, scheelite(?), local granodiorite
stringers, some quartz stockwork, on limestone contact.

APPENDIX II
ROCK SAMPLE ASSAYS

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01098.0 (COMPLETE)

PROJECT: NONE GIVEN
DATE PRINTED: 17-OCT-95 PAGE 1A

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	Au OPT	Ag PPM	AgOL PPM	Cu PPM	Pb PPM	Zn PPM	ZnOL PCT	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM
MADG-S-01		75		0.7		135	5	205		23	216	51	1.1	5	317	7	6.06	2437	<10	28	65	204	<20	<20	10	1.32	1.25	5.41	0.04	0.09	73	10	<2	16	<1	6
TOPL-01		23		0.3		18	<2	73		10	8	25	0.5	14	<5	<5	>10.00	647	<10	40	64	466	<20	<20	32	0.86	0.39	0.68	0.02	0.06	22	5	<2	12	1	<5
TOPL-02		6		0.2		62	6	219		5	15	16	1.3	<5	9	<5	4.20	1020	<10	87	16	83	<20	<20	4	1.90	0.50	1.31	0.02	0.16	76	6	<2	19	<1	<5
TOPL-03		<5		<0.2		18	4	80		8	6	14	<0.2	6	<5	<5	4.96	932	<10	57	15	111	<20	<20	3	1.21	0.67	0.57	0.03	0.08	23	5	<2	15	1	<5
TOPL-04		303		<0.2		15	<2	65		10	12	28	<0.2	17	<5	<5	>10.00	503	<10	44	86	452	20	<20	39	0.61	0.25	0.48	0.02	0.08	18	4	<2	8	2	<5
TOPL-05		12		<0.2		8	<2	63		3	5	11	<0.2	<5	<5	<5	4.23	607	<10	64	18	98	<20	<20	6	0.96	0.42	0.68	0.03	0.10	34	5	<2	9	<1	<5
GABE-R-01		5849		42.1		295	7853	14753		17	3	15	246.4	13	321	6	6.57	398	<10	12	141	<1	<20	<20	<1	0.24	0.04	0.24	<0.01	0.16	8	<1	<2	1	<1	<5
MADG-R-01		288		1.4		1016	<2	75		18	45	65	0.7	31	<5	<5	>10.00	629	<10	12	51	53	<20	<20	29	0.60	0.52	0.77	0.02	0.06	18	7	<2	6	2	<5
MADG-R-02		1066		1.5		914	4	95		13	117	75	1.2	29	18	7	>10.00	324	<10	10	84	22	20	<20	22	0.58	0.19	0.75	0.09	0.07	24	5	<2	3	3	<5
MADG-R-04		9		0.4		96	4	18		17	15	9	<0.2	<5	14	<5	1.65	165	<10	70	127	36	<20	<20	6	0.84	0.63	0.30	0.05	0.43	25	4	<2	3	<1	<5
MADG-R-05		13		0.3		144	8	74		6	27	7	1.9	<5	16	<5	1.10	82	<10	22	126	5	<20	<20	3	0.22	0.18	0.04	<0.01	0.06	2	3	<2	3	<1	<5
MAD-M-R-01		6		0.3		81	<2	36		8	42	15	<0.2	<5	<5	<5	1.70	133	<10	154	193	26	<20	<20	5	0.47	0.30	0.40	0.04	0.10	15	5	<2	3	<1	<5
TOR-G-01		14		0.5		181	8	29		4	2	19	<0.2	<5	<5	<5	4.13	147	<10	41	45	43	<20	<20	<1	2.84	0.56	2.13	0.28	0.16	106	5	2	9	<1	<5
TORL-01		<5		<0.2		15	2	77		4	14	6	<0.2	<5	<5	<5	1.82	820	<10	49	68	41	<20	59	5	0.85	0.84	1.95	0.04	0.37	22	8	<2	23	<1	<5
TORL-02		351		2.8		478	9	3926		5	14	50	45.4	<5	4372	<5	6.48	299	<10	28	73	20	<20	<20	3	1.56	0.59	0.96	0.18	0.21	75	5	<2	12	<1	<5
TORL-03		352		1.0		38	9	98		7	9	12	<0.2	<5	2785	<5	3.41	477	<10	133	69	49	<20	<20	4	2.12	1.22	0.43	0.16	0.99	56	4	<2	23	<1	8
TORL-04		14		<0.2		39	9	75		2	3	6	0.4	<5	39	<5	1.33	509	<10	27	56	37	<20	<20	5	2.13	0.19	4.00	0.17	0.08	98	5	<2	4	<1	<5
TORL-05		26		<0.2		3	4	19		<1	<1	<1	0.3	<5	13	<5	0.17	230	<10	5	13	10	<20	<20	4	0.60	0.03	>10.00	0.02	0.01	183	5	<2	2	<1	<5
TORL-06		19		0.7		237	17	39		2	2	6	0.6	<5	9	<5	1.79	598	<10	8	45	37	<20	<20	6	1.80	0.08	8.10	0.02	0.01	64	5	<2	2	<1	<5
TORL-07		<5		1.1		473	3	42		5	3	12	0.5	<5	<5	<5	3.76	743	<10	11	49	35	<20	<20	4	1.20	0.09	6.98	0.03	0.05	24	6	<2	2	<1	<5
TORL-08		46		1.9		229	<2	46		5	11	19	0.5	<5	103	<5	7.24	184	<10	11	95	9	<20	<20	<1	0.61	0.21	0.45	0.03	0.05	24	3	<2	7	1	<5
TORL-09		10		0.5		90	8	73		6	17	11	0.3	<5	27	<5	3.73	421	<10	109	79	75	<20	<20	6	3.41	1.27	2.14	0.23	0.69	144	7	5	21	<1	9
TORL-10		279		31.0		2438	4429	>20000	6.4	5	10	20	341.2	53	<5	<5	8.25	846	<10	6	31	<1	<20	98	<1	0.72	0.01	3.41	<0.01	0.04	28	3	<2	<1	1	<5
TORL-11		46		0.8		119	39	722		6	26	17	4.0	<5	976	<5	3.19	232	<10	45	93	42	<20	<20	6	1.53	0.61	1.34	0.18	0.27	55	8	2	14	<1	<5
TORL-12		<5		0.5		79	30	549		1	3	6	5.2	<5	7	<5	1.90	491	<10	4	60	66	<20	<20	4	1.70	0.07	8.71	<0.01	<0.01	137	6	<2	1	<1	7
TORL-13		24		0.3		72	18	62		4	10	8	0.4	<5	44	<5	1.52	258	<10	20	45	16	<20	<20	5	2.38	0.24	7.72	0.23	0.09	249	5	3	6	<1	<5
TORL-14		<5		0.4		77	<2	77		9	2	8	1.3	<5	<5	<5	7.77	1890	<10	2	50	11	<20	81	3	1.52	0.03	8.51	<0.01	<0.01	7	7	<2	<1	<1	<5
TORL-15		26		0.4		104	<2	40		11	4	9	0.8	<5	<5	<5	6.88	1614	<10	7	48	21	<20	57	3	1.56	0.04	7.79	0.04	0.02	30	8	<2	1	<1	<5
TORL-16		39		2.1		293	203	380		30	7	19	4.2	6	18	7	4.03	1312	<10	40	48	45	<20	<20	7	1.93	0.51	2.07	0.05	0.19	120	10	<2	5	<1	7
TORL-17		319		5.9		1319	<2	192		17	5	35	3.1	7	<5	<5	9.57	5176	<10	1	53	21	<20	<20	3	1.15	0.07	8.27	<0.01	<0.01	5	6	<2	<1	<1	<5



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01098.0 (COMPLETE)

PROJECT: NONE GIVEN

DATE PRINTED: 17-OCT-95

PAGE 1B

SAMPLE NUMBER	ELEMENT UNITS	Ta PPM	Ti PCT	Zr PPM
MADG-S-01	<10	0.06	9	
TOPL-01	<10	0.07	<1	
TOPL-02	<10	0.06	<1	
TOPL-03	<10	0.09	<1	
TOPL-04	<10	0.08	2	
TOPL-05	<10	0.08	<1	
GABE-R-01	<10	<.01	<1	
MADG-R-01	<10	0.09	8	
MADG-R-02	<10	0.12	10	
MADG-R-04	<10	0.06	5	
MADG-R-05	<10	<.01	2	
MAD-M-R-01	<10	0.09	5	
TOR-G-01	<10	0.16	2	
TORL-01	<10	0.14	9	
TORL-02	<10	0.11	2	
TORL-03	<10	0.14	<1	
TORL-04	<10	0.13	6	
TORL-05	<10	0.04	1	
TORL-06	<10	0.09	7	
TORL-07	<10	0.08	7	
TORL-08	<10	0.03	1	
TORL-09	<10	0.25	3	
TORL-10	<10	0.01	<1	
TORL-11	<10	0.16	4	
TORL-12	<10	0.12	6	
TORL-13	<10	0.10	2	
TORL-14	<10	0.04	6	
TORL-15	<10	0.04	6	
TORL-16	<10	0.08	6	
TORL-17	<10	0.01	2	



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01098.0 (COMPLETE)

PROJECT: NONE GIVEN
DATE PRINTED: 17-OCT-95 PAGE 2A

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	Au OPT	Ag PPM	AgOL PPM	Cu PPM	Pb PPM	Zn PPM	ZnOL PCT	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM
TORL-18		1796	>50.0	62	1253	<2	265	17	7	23	0.9	16	<5	<5	>10.00	452	<10	2	63	51	<20	<20	<1	1.11	0.12	1.13	<.01	0.02	86	5	<2	3	2	<5		
TORL-19		63	0.2		72	4	56	3	9	8	<0.2	<5	<5	<5	2.44	1231	<10	27	24	37	<20	<20	5	2.33	0.76	8.24	0.06	0.10	144	4	<2	17	<1	<5		
TORL-20		141	0.6		149	6	66	4	17	14	<0.2	<5	<5	<5	4.35	877	<10	46	46	84	<20	<20	6	3.90	0.98	3.60	0.05	0.06	143	9	4	18	<1	9		
TORL-21		7	2.1		1143	<2	104	7	17	80	0.8	9	<5	<5	9.35	1872	<10	9	19	<1	<20	<20	4	0.13	0.50	7.35	<.01	<.01	49	3	<2	5	<1	<5		
TORL-22		12	2.1		1001	<2	46	11	12	75	1.0	13	<5	<5	>10.00	1052	<10	<1	23	<1	<20	<20	23	0.52	0.02	4.38	<.01	<.01	3	5	<2	<1	1	<5		
TORL-24		1016	1.3		74	5	94	8	9	14	1.2	<5	6048	10	3.93	524	<10	64	43	43	<20	<20	2	1.70	1.33	0.37	0.08	0.92	28	5	<2	20	<1	8		
TORL-25		12	0.3		106	2	55	5	20	16	<0.2	<5	8	<5	3.03	256	<10	101	86	53	<20	<20	5	1.41	1.15	1.10	0.15	0.37	42	8	<2	17	<1	6		
TORL-26		6	<0.2		26	16	30	3	7	7	<0.2	<5	20	<5	0.97	197	<10	6	43	16	<20	<20	12	5.04	0.16	6.91	<.01	0.02	41	3	9	3	<1	<5		
TORL-27		7	0.3		125	2	55	3	14	16	<0.2	<5	<5	<5	2.59	238	<10	59	73	46	<20	<20	5	1.21	0.88	0.97	0.11	0.25	35	7	<2	11	<1	6		
TORL-28		<5	<0.2		110	3	48	4	43	30	<0.2	<5	<5	<5	2.86	358	<10	98	36	69	<20	<20	1	2.20	1.40	1.69	0.19	0.31	62	2	<2	18	<1	<5		
TORL-29		<5	0.7		327	<2	54	11	18	106	<0.2	9	<5	<5	7.65	513	<10	32	165	170	<20	<20	13	1.44	1.19	2.31	0.10	0.30	33	24	<2	8	<1	7		
TORL-30		<5	0.4		30	<2	36	10	7	13	1.0	7	<5	<5	8.95	2483	<10	7	52	11	<20	27	4	1.01	0.03	8.88	<.01	<.01	3	7	<2	<1	<1	<5		
TORL-31		<5	1.4		943	<2	40	12	6	19	1.2	6	<5	<5	5.47	619	<10	5	30	7	<20	<20	8	0.67	0.04	9.45	0.04	<.01	58	5	<2	<1	<1	<5		
TORL-32		148	3.8		478	<2	971	15	14	36	10.8	15	47	<5	>10.00	103	<10	6	31	<1	<20	80	28	1.46	0.07	0.81	0.12	0.05	96	6	<2	5	1	<5		
TORL-33		37	2.3		1143	<2	35	10	9	51	0.5	12	<5	<5	>10.00	182	<10	20	17	27	<20	31	17	3.46	0.42	1.68	0.33	0.10	151	5	<2	8	2	<5		
TORL-34		10	<0.2		65	3	42	3	2	5	0.5	<5	8	<5	1.44	725	<10	2	46	22	<20	<20	5	1.11	0.03	>10.00	<.01	<.01	74	3	<2	<1	<1	<5		
TORL-35		<5	0.5		38	<2	18	3	<1	4	<0.2	<5	<5	<5	3.11	219	<10	45	30	67	<20	<20	3	0.82	0.86	0.82	0.12	0.10	78	6	<2	8	<1	<5		
TORL-36		109	0.4		65	7	31	4	3	12	<0.2	<5	1900	<5	2.64	215	<10	37	46	30	<20	<20	2	2.00	0.40	1.87	0.25	0.10	75	5	2	11	<1	<5		
TORL-37		9	0.4		177	5	31	5	23	12	0.3	<5	27	<5	3.04	176	<10	60	84	49	<20	<20	5	2.26	0.97	1.81	0.21	0.44	112	8	4	13	<1	6		
TORL-38		15	0.5		185	3	20	6	19	11	0.3	<5	52	<5	2.15	133	<10	14	76	21	<20	<20	8	1.50	0.08	2.04	0.14	0.03	62	8	2	3	<1	<5		
TORL-39		<5	0.7		245	<2	16	8	4	12	0.3	<5	<5	<5	3.29	527	<10	6	8	2	<20	<20	4	0.21	0.02	>10.00	<.01	0.01	318	3	<2	<1	<1	<5		
TORL-40		9	0.3		32	4	17	4	9	18	<0.2	<5	<5	<5	2.56	123	<10	20	48	24	<20	<20	6	1.09	0.31	1.39	0.17	0.06	84	6	<2	15	<1	<5		
TORL-41		178	3.4		699	<2	64	10	13	31	1.0	12	<5	<5	>10.00	147	<10	19	40	4	<20	<20	12	2.64	0.19	1.42	0.19	0.10	192	6	<2	8	2	<5		
TORL-42		24	0.8		125	<2	737	7	12	11	10.2	<5	<5	<5	4.19	209	<10	48	71	29	<20	<20	4	1.13	0.64	0.93	0.15	0.26	72	10	<2	8	<1	<5		
95-DAD-E-G-01		>10000	0.553	>50.0	66	15575	11	71	4	12	21	3.7	<5	<5	<5	3.86	960	11	33	88	13	<20	<20	4	0.98	0.67	1.80	0.02	0.27	58	7	<2	13	<1	<5	
95-DAD-E-M-01		>10000	0.460	31.3	1144	3	44	12	8	27	0.8	19	<5	<5	5.62	629	<10	13	123	8	<20	<20	<1	0.70	0.50	1.27	<.01	0.24	54	3	<2	10	<1	<5		
95-DAD-G-01		>10000	1.219	46.5	5311	7933	>20000	5.2	7	4	44	499.7	18	338	<5	9.92	299	<10	9	94	<1	<20	57	<1	0.18	0.08	0.55	<.01	0.05	15	2	<2	2	1	<5	
95-DAD-G-02		>10000	0.679	40.8	6890	>10000	14092		8	7	28	382.7	12	175	<5	6.79	411	<10	14	119	<1	<20	<20	<1	0.34	0.17	1.33	<.01	0.10	30	2	<2	4	<1	<5	
95-DAD-G-03		2400	3.2		399	414	1881		14	4	8	14.7	<5	5	<5	1.19	534	<10	43	141	7	<20	<20	5	0.58	0.28	1.35	<.01	0.23	23	5	<2	8	<1	<5	
95-DAD-M-01		>10000	0.448	13.1	706	481	2932		19	6	18	26.0	9	339	<5	6.12	308	<10	27	130	1	<20	<20	<1	0.51	0.16	0.18	<.01	0.24	6	3	<2	3	<1	<5	



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01098.0 (COMPLETE)

PROJECT: NONE GIVEN
DATE PRINTED: 17-OCT-95 PAGE 2B

SAMPLE NUMBER	ELEMENT UNITS	Ta PPM	Ti PCT	Zr PPM
TORL-18	<10	0.11	7	
TORL-19	<10	0.10	4	
TORL-20	<10	0.11	4	
TORL-21	<10	<.01	<1	
TORL-22	<10	0.02	3	
TORL-24	<10	0.11	<1	
TORL-25	<10	0.20	3	
TORL-26	<10	0.02	<1	
TORL-27	<10	0.18	3	
TORL-28	<10	0.13	2	
TORL-29	<10	0.06	<1	
TORL-30	<10	0.02	4	
TORL-31	<10	0.06	6	
TORL-32	<10	0.07	1	
TORL-33	<10	0.13	2	
TORL-34	<10	0.04	4	
TORL-35	<10	0.24	3	
TORL-36	<10	0.09	1	
TORL-37	<10	0.20	3	
TORL-38	<10	0.15	6	
TORL-39	<10	0.01	2	
TORL-40	<10	0.13	3	
TORL-41	<10	0.10	1	
TORL-42	<10	0.17	4	
95-DAD-E-G-01	<10	<.01	<1	
95-DAD-E-M-01	<10	<.01	<1	
95-DAD-G-01	<10	<.01	<1	
95-DAD-G-02	<10	<.01	<1	
95-DAD-G-03	<10	<.01	<1	
95-DAD-M-01	<10	<.01	<1	



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01201.0 (COMPLETE)

PROJECT: TO
DATE PRINTED: 5-OCT-95 PAGE 1

SAMPLE NUMBER	ELEMENT																																			
	Au	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr	
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
ORL-23	160	<.2	55	12	136	6	14	16	<.2	<5	4962	<5	4.17	623	<10	150	61	105	<20	<20	3	3.33	1.64	1.33	0.33	1.46	54	7	3	27	<1	14	<10	0.20	<1	
-0105	15	<.2	30	15	106	4	10	13	<.2	<5	377	<5	4.81	846	<10	471	89	140	<20	<20	7	3.75	1.75	1.40	0.32	2.08	90	10	2	33	<1	17	<10	0.34	<1	
-0106	39	<.2	62	13	40	11	4	8	<.2	<5	864	<5	2.26	290	<10	94	172	39	<20	<20	5	1.45	0.64	0.96	0.26	0.26	54	7	<2	13	<1	<5	<10	0.12	2	
-0107	22	2.0	1205	7	44	9	10	43	<.2	7	67	<5	>10.00	240	11	17	35	65	<20	43	20	3.26	0.75	2.82	0.28	0.24	127	6	4	11	1	<5	<10	0.17	1	
-0108	<5	<.2	16	7	48	3	11	4	<.2	<5	9	<5	1.28	783	<10	36	66	24	<20	<20	6	0.98	0.47	6.57	0.05	0.19	130	8	<2	13	<1	<5	<10	0.10	7	
-0109	35	0.6	98	7	34	17	11	6	0.2	<5	107	<5	3.13	161	<10	15	337	16	<20	<20	<1	0.43	0.18	0.29	0.02	0.07	10	2	<2	6	<1	<5	<10	0.02	1	
-0110	35	1.6	387	3	58	9	17	16	<.2	<5	<5	<5	7.29	265	<10	21	156	23	<20	52	4	1.13	0.38	1.69	0.08	0.22	70	9	<2	5	1	<5	<10	0.16	4	
-0111	11	1.0	234	11	405	11	15	11	3.0	<5	241	<5	5.43	355	<10	28	160	51	<20	<20	6	2.11	0.98	1.39	0.23	0.49	98	9	<2	16	<1	6	<10	0.17	2	
-0112	10	0.4	130	5	46	13	8	12	1.0	<5	<5	<5	6.73	1757	<10	14	91	22	<20	85	9	1.89	0.08	7.72	0.09	0.03	59	8	<2	1	<1	<5	<10	0.06	9	
-0113	<5	2.7	1888	<2	68	13	15	71	1.6	11	<5	<5	>10.00	1400	23	<1	85	7	<20	91	40	0.96	0.03	6.35	<.01	<.01	7	6	<2	<1	1	<5	<10	0.03	6	
-0114	<5	<.2	24	7	56	14	5	7	1.2	<5	<5	<5	5.29	2031	<10	9	100	21	<20	45	9	1.57	0.06	8.13	0.02	0.03	29	7	<2	1	<1	<5	<10	0.06	13	



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-102E 100+00N		11	<.2	23	7	54	3	8	11	<.2	<5	112	<5	2.94	306	<10	165	11	63	<20	<20	15	1.68	0.66	0.38	0.02	0.30	28	4	3	14	<1	<5	<10	0.09	2
95TOS-102E 100+25N		9	<.2	17	10	58	3	8	9	<.2	<5	26	<5	2.42	294	<10	95	9	49	<20	<20	14	1.81	0.47	0.18	0.01	0.09	20	3	3	12	1	<5	<10	0.09	6
95TOS-102E 100+50N		<5	<.2	13	10	69	3	9	8	<.2	<5	16	<5	2.32	284	<10	86	11	43	<20	<20	15	2.22	0.38	0.25	0.02	0.05	17	4	4	14	1	<5	<10	0.10	11
95TOS-102E 100+75N		<5	<.2	25	6	60	3	8	13	<.2	<5	79	<5	2.89	740	<10	99	12	52	<20	<20	19	1.34	0.73	0.66	0.02	0.24	49	6	<2	13	<1	<5	<10	0.10	5
95TOS-102E 101+50N		<5	<.2	16	8	62	2	8	9	<.2	<5	9	<5	2.29	326	<10	84	9	44	<20	<20	14	1.74	0.47	0.19	0.02	0.08	20	3	4	11	1	<5	<10	0.10	5
95TOS-102E 101+75N		10	<.2	22	10	54	3	9	9	<.2	<5	29	<5	2.38	273	<10	133	9	42	<20	<20	19	2.04	0.40	0.46	0.02	0.09	29	8	4	28	<1	<5	<10	0.10	7
95TOS-102E 102+00N		9	<.2	48	6	70	3	11	10	<.2	<5	83	<5	2.90	547	<10	110	13	55	<20	<20	23	1.64	0.65	0.75	0.03	0.19	40	18	<2	19	<1	<5	<10	0.09	3
95TOS-102E 102+75N		6	<.2	17	8	64	3	8	10	<.2	<5	15	<5	2.58	289	<10	111	9	50	<20	<20	14	1.70	0.50	0.23	0.01	0.15	24	3	3	11	<1	<5	<10	0.10	4
95TOS-102E 103+00N		<5	<.2	26	7	72	4	10	12	<.2	<5	25	<5	2.90	358	<10	141	9	56	<20	<20	16	2.03	0.82	0.22	0.02	0.30	22	3	4	15	<1	<5	<10	0.13	5
95TOS-102E 103+25N		<5	<.2	19	6	62	2	8	9	<.2	<5	<5	<5	2.01	373	<10	96	11	42	<20	<20	21	1.49	0.77	0.48	0.03	0.16	41	6	4	15	<1	<5	<10	0.16	5
95TOS-102E 103+50N		<5	0.2	22	8	73	3	9	9	<.2	<5	27	<5	2.39	241	<10	112	9	46	<20	<20	15	1.93	0.48	0.28	0.02	0.13	24	4	4	15	1	<5	<10	0.10	6
95TOS-102E 103+75N		<5	0.3	14	10	66	3	9	9	<.2	<5	13	<5	2.28	217	<10	89	8	46	<20	<20	12	1.53	0.31	0.19	0.01	0.08	19	2	4	10	<1	<5	<10	0.08	3
95TOS-102E 104+00N		<5	0.2	29	7	82	3	9	11	<.2	<5	23	<5	2.80	291	<10	165	11	58	<20	<20	12	1.77	0.63	0.20	0.02	0.24	24	3	4	13	<1	<5	<10	0.11	3
95TOS-102E 104+25N		<5	0.3	29	10	111	3	10	11	<.2	<5	44	<5	2.75	273	<10	127	8	57	<20	<20	10	1.88	0.61	0.21	0.01	0.18	19	2	4	16	<1	<5	<10	0.11	2
95TOS-102E 104+50N		<5	0.3	25	10	111	3	11	11	<.2	<5	21	<5	2.39	325	<10	133	7	50	<20	<20	10	2.03	0.57	0.21	0.02	0.14	18	2	4	15	<1	<5	<10	0.12	3
95TOS-102E 104+75N		<5	<.2	19	10	106	4	10	11	0.2	<5	21	<5	2.56	449	<10	105	8	47	<20	<20	13	1.85	0.31	0.13	0.02	0.07	16	3	2	10	<1	<5	<10	0.09	5
95TOS-102E 105+00N		5	<.2	27	10	100	3	10	12	<.2	<5	28	<5	2.51	405	<10	139	7	51	<20	<20	10	1.73	0.48	0.26	0.02	0.10	19	2	3	13	1	<5	<10	0.11	2
95TOS-102E 105+25N		<5	0.2	38	8	85	3	11	12	<.2	<5	35	<5	2.73	379	<10	127	9	51	<20	<20	13	1.66	0.52	0.25	0.02	0.21	22	3	2	10	<1	<5	<10	0.09	4
95TOS-102E 105+50N		7	<.2	25	11	105	3	10	12	<.2	<5	20	<5	2.51	397	<10	114	9	48	<20	<20	12	2.06	0.49	0.30	0.02	0.12	21	3	4	14	1	<5	<10	0.11	5
95TOS-102E 105+75N		6	<.2	22	12	72	4	8	9	0.4	<5	33	<5	2.26	205	<10	85	6	42	<20	<20	10	1.37	0.41	0.24	0.01	0.13	18	2	3	9	<1	<5	<10	0.08	2
95TOS-102E 106+00N		<5	0.2	28	13	107	3	13	13	<.2	<5	38	<5	2.76	503	<10	126	11	52	<20	<20	13	2.41	0.57	0.25	0.03	0.14	21	3	3	15	1	<5	<10	0.11	6
95TOS-102E 106+25N		<5	0.2	35	14	107	3	14	15	0.3	<5	72	<5	3.06	363	<10	95	11	57	<20	<20	14	2.18	0.59	0.32	0.03	0.12	23	3	3	14	1	<5	<10	0.10	3
95TOS-102E 106+50N		<5	0.2	31	14	115	3	11	11	0.2	<5	32	<5	2.43	413	<10	118	8	43	<20	<20	15	2.37	0.42	0.27	0.03	0.08	19	5	4	12	<1	<5	<10	0.10	14
95TOS-102E 106+75N		<5	<.2	44	15	117	3	10	13	0.4	<5	16	<5	2.64	675	<10	98	8	48	<20	<20	11	2.20	0.43	0.37	0.02	0.05	18	3	2	13	1	<5	<10	0.10	3
95TOS-102E 107+00N		<5	0.3	38	13	69	3	10	14	<.2	<5	23	<5	2.76	377	<10	78	8	48	<20	<20	13	2.04	0.59	0.55	0.03	0.05	30	4	3	12	<1	<5	<10	0.10	3
95TOS-102E 107+25N		<5	0.2	30	21	145	4	13	11	0.4	<5	74	<5	2.85	599	<10	151	9	54	<20	<20	16	2.86	0.46	0.52	0.02	0.06	24	6	3	21	<1	<5	<10	0.11	11
95TOS-102E 107+50N		35	0.2	18	15	102	4	11	10	<.2	<5	40	<5	2.33	513	<10	102	8	43	<20	<20	10	2.27	0.42	0.40	0.02	0.04	20	2	4	15	1	<5	<10	0.09	2
95TOS-102E 107+75N		<5	0.3	44	16	103	5	16	17	<.2	<5	52	<5	3.32	361	<10	210	8	58	<20	<20	13	3.32	0.64	0.40	0.02	0.10	27	3	7	18	1	<5	<10	0.11	4
95TOS-102E 108+00N		<5	0.5	100	11	91	4	14	12	<.2	<5	53	<5	2.68	722	<10	128	8	45	<20	<20	12	2.23	0.44	0.27	0.02	0.07	15	4	<2	16	1	<5	<10	0.11	9
95TOS-102E 108+25N		<5	0.4	65	6	161	5	31	19	<.2	<5	71	<5	4.53	605	<10	149	11	91	<20	<20	17	2.18	0.82	0.11	0.01	0.18	15	6	<2	17	<1	9	<10	0.10	4

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Al ₂ O ₃ PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
95TOS-102E 108+50N		<5	0.5	39	6	102	5	17	15	<.2	<5	20	<5	3.72	441	<10	150	9	81	<20	<20	14	1.84	0.75	0.09	0.01	0.18	20	4	2	16	<1	7	<10	0.12	2
95TOS-102E 108+75N		<5	0.3	22	13	103	5	9	11	<.2	<5	23	<5	3.01	434	<10	126	7	52	<20	<20	11	1.95	0.46	0.14	0.01	0.09	15	3	3	15	1	<5	<10	0.11	4
95TOS-102E 109+00N		<5	0.3	27	12	77	4	8	10	<.2	<5	34	<5	2.53	311	<10	113	6	47	<20	<20	12	2.39	0.38	0.13	0.02	0.07	19	6	4	24	1	<5	<10	0.13	8
95TOS-102E 109+25N		9	0.2	30	10	85	4	6	11	<.2	<5	38	<5	3.05	279	<10	141	5	51	<20	<20	11	1.83	0.47	0.10	0.01	0.10	20	3	3	11	<1	<5	<10	0.11	4
95TOS-102E 109+50N		9	0.5	21	12	72	5	6	8	<.2	<5	49	<5	2.28	269	<10	130	5	42	<20	<20	15	1.78	0.31	0.25	0.02	0.06	26	7	4	36	<1	<5	<10	0.10	2
95TOS-102E 109+75N		7	<.2	22	8	78	4	7	10	<.2	<5	27	<5	2.64	275	<10	155	6	52	<20	<20	11	1.91	0.37	0.16	0.02	0.10	24	3	4	10	<1	<5	<10	0.11	5
95TOS-102E 110+00N		<5	0.3	38	10	125	5	14	17	<.2	<5	34	<5	3.46	495	<10	173	8	62	<20	<20	14	2.74	0.61	0.17	0.02	0.17	27	5	5	32	1	<5	<10	0.16	7
95TOS-102E 110+25N		<5	<.2	16	11	84	3	6	9	<.2	<5	26	<5	2.46	332	<10	142	6	47	<20	<20	12	1.94	0.27	0.23	0.02	0.08	31	2	4	15	1	<5	<10	0.11	4
95TOS-102E 110+50N		<5	0.3	23	7	79	3	5	10	<.2	<5	32	<5	2.87	225	<10	140	8	61	<20	<20	14	1.65	0.39	0.11	0.01	0.13	16	3	4	9	<1	<5	<10	0.11	5
95TOS-102E 110+75N		<5	0.3	31	12	136	5	12	12	<.2	<5	25	<5	3.30	266	<10	191	9	59	<20	<20	15	2.29	0.47	0.13	0.02	0.10	18	3	5	14	1	<5	<10	0.14	6
95TOS-102E 111+00N		9	0.4	68	12	228	4	14	13	0.3	<5	51	<5	2.89	345	<10	151	9	59	<20	<20	25	2.05	0.56	0.26	0.02	0.09	30	14	6	55	<1	<5	<10	0.13	2
95TOS-102E 111+25N		15	0.3	21	12	92	3	10	8	<.2	<5	17	<5	2.58	181	<10	116	9	51	<20	<20	13	2.00	0.31	0.17	0.02	0.07	20	4	6	25	1	<5	<10	0.11	4
95TOS-102E 111+50N		11	<.2	18	11	78	4	8	8	<.2	<5	26	<5	2.98	198	<10	94	9	55	<20	<20	15	2.10	0.30	0.11	0.02	0.07	19	3	4	12	1	<5	<10	0.08	4
95TOS-102E 111+75N		<5	0.4	42	13	156	5	15	13	<.2	<5	76	<5	3.03	413	<10	157	9	59	<20	<20	18	2.50	0.37	0.17	0.02	0.07	23	10	7	32	1	<5	<10	0.14	7
95TOS-102E 112+00N		21	0.2	21	11	142	4	9	10	<.2	<5	31	<5	2.56	369	<10	103	9	52	<20	<20	15	1.95	0.31	0.17	0.02	0.06	22	5	5	17	1	<5	<10	0.12	4
95TOS-102E 112+25N		11	<.2	19	7	104	3	8	8	<.2	<5	19	<5	2.47	204	<10	100	9	57	<20	<20	15	1.62	0.37	0.20	0.02	0.06	29	5	5	23	1	<5	<10	0.12	3
95TOS-102E 112+50N		6	0.3	16	10	67	3	7	7	<.2	<5	9	<5	2.18	179	<10	95	7	49	<20	<20	17	1.60	0.40	0.25	0.02	0.08	38	6	5	17	<1	<5	<10	0.09	1
95TOS-103E 100+00N		18	<.2	70	8	63	4	15	11	<.2	<5	122	<5	3.17	552	<10	116	18	64	<20	<20	28	1.96	0.66	0.71	0.03	0.21	29	22	3	43	<1	<5	<10	0.12	5
95TOS-103E 100+25N		<5	<.2	15	11	80	3	9	9	<.2	<5	18	<5	2.14	406	<10	88	9	42	<20	<20	13	2.27	0.38	0.17	0.02	0.07	16	4	4	13	1	<5	<10	0.11	12
95TOS-103E 100+50N		11	<.2	16	10	70	4	9	9	<.2	<5	57	<5	2.74	290	<10	78	8	54	<20	<20	14	1.93	0.42	0.12	0.01	0.08	11	3	4	15	2	<5	<10	0.11	4
95TOS-103E 100+75N		22	<.2	23	11	76	3	11	11	<.2	<5	85	<5	2.81	398	<10	83	11	59	<20	<20	16	2.10	0.61	0.17	0.02	0.15	14	5	4	15	1	<5	<10	0.12	4
95TOS-103E 101+00N		20	0.2	30	12	106	4	12	12	<.2	<5	420	<5	3.33	437	<10	111	12	66	<20	<20	17	2.61	0.80	0.20	0.02	0.17	17	3	4	20	1	<5	<10	0.14	5
95TOS-103E 101+25N		18	0.2	24	11	116	4	15	14	<.2	<5	113	<5	3.26	460	<10	144	12	67	<20	<20	15	2.44	0.78	0.23	0.02	0.21	21	3	4	19	1	5	<10	0.14	4
95TOS-103E 101+50N		20	<.2	27	10	103	4	14	14	<.2	<5	122	<5	3.11	294	<10	129	11	63	<20	<20	13	2.25	0.75	0.18	0.02	0.24	19	3	5	17	1	<5	<10	0.14	4
95TOS-103E 101+75N		8	<.2	21	10	108	4	14	14	<.2	<5	110	<5	3.08	309	<10	108	11	62	<20	<20	12	2.12	0.54	0.19	0.02	0.12	18	2	5	17	1	<5	<10	0.12	3
95TOS-103E 102+00N		29	<.2	21	7	94	3	11	11	<.2	<5	143	<5	2.94	326	<10	128	11	65	<20	<20	12	2.29	0.62	0.30	0.02	0.13	19	2	4	27	<1	<5	<10	0.12	3
95TOS-103E 102+25N		10	0.3	21	7	88	4	10	11	<.2	<5	73	<5	2.94	241	<10	116	11	65	<20	<20	13	2.04	0.57	0.18	0.02	0.13	18	3	5	15	<1	<5	<10	0.12	4
95TOS-103E 102+50N		7	0.2	25	8	75	3	11	12	<.2	<5	73	<5	2.99	239	<10	106	12	64	<20	<20	13	2.19	0.59	0.18	0.02	0.09	19	3	5	14	1	<5	<10	0.11	6
95TOS-103E 102+75N		<5	<.2	22	12	70	4	10	11	<.2	<5	39	<5	2.84	218	<10	98	12	61	<20	<20	13	2.10	0.50	0.18	0.02	0.08	19	3	5	16	1	<5	<10	0.11	6
95TOS-103E 103+00N		6	<.2	31	10	84	3	11	13	<.2	<5	63	<5	3.08	279	<10	141	12	64	<20	<20	14	2.24	0.67	0.29	0.03	0.16	26	4	4	16	<1	<5	<10	0.12	5

CLIENT: WHITE WOLF EXPLORATION
 REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
 DATE PRINTED: 25-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-103E 103+25N		12	<.2	35	10	69	3	12	11	<.2	<5	119	<5	2.84	308	<10	135	11	63	<20	<20	17	2.23	0.58	0.61	0.03	0.12	30	6	5	33	<1	<5	<10	0.11	3
95TOS-103E 103+50N		18	0.3	39	12	69	3	16	9	<.2	<5	97	<5	2.75	382	<10	159	11	50	<20	<20	20	2.39	0.45	0.72	0.04	0.13	33	9	4	41	1	<5	<10	0.12	6
95TOS-103E 104+00N		12	0.3	28	7	70	4	11	12	<.2	<5	18	<5	3.47	566	<10	122	16	79	<20	<20	20	2.35	0.93	0.57	0.04	0.27	56	8	4	23	<1	6	<10	0.14	3
95TOS-103E 104+25N		8	0.3	31	6	85	4	12	12	<.2	<5	30	<5	2.84	273	<10	161	15	61	<20	<20	14	2.55	0.72	0.24	0.03	0.17	22	4	6	16	1	<5	<10	0.14	6
95TOS-103E 104+50N		<5	0.4	37	8	75	3	12	10	<.2	<5	28	<5	2.63	339	<10	113	13	58	<20	<20	26	2.16	0.69	0.48	0.03	0.12	46	12	5	25	1	<5	<10	0.10	1
95TOS-103E 104+75N		<5	0.3	23	12	101	3	14	12	<.2	<5	26	<5	2.66	274	<10	107	13	58	<20	<20	13	2.55	0.56	0.23	0.03	0.07	18	3	6	30	1	<5	<10	0.14	6
95TOS-103E 105+00N		<5	0.2	24	13	89	3	14	11	<.2	<5	28	<5	2.54	305	<10	122	12	55	<20	<20	13	2.53	0.51	0.27	0.03	0.05	20	3	6	33	1	<5	<10	0.13	8
95TOS-103E 105+25N		<5	<.2	28	13	144	3	19	11	<.2	<5	31	<5	2.62	361	<10	125	13	57	<20	<20	14	2.60	0.67	0.40	0.04	0.08	23	4	4	67	1	<5	<10	0.15	9
95TOS-103E 105+50N		<5	0.3	26	11	90	3	13	12	<.2	<5	22	<5	2.63	194	<10	95	12	56	<20	<20	12	2.15	0.49	0.19	0.02	0.09	16	3	5	14	1	<5	<10	0.11	6
95TOS-103E 105+75N		<5	0.3	19	11	97	3	14	11	<.2	<5	21	<5	2.59	284	<10	90	12	54	<20	<20	11	2.32	0.43	0.17	0.02	0.07	14	2	5	14	1	<5	<10	0.11	5
95TOS-103E 106+00N		6	<.2	20	11	78	3	14	13	<.2	<5	23	<5	3.16	250	<10	95	15	70	<20	<20	13	2.32	0.65	0.25	0.03	0.13	17	3	6	15	1	<5	<10	0.13	6
95TOS-103E 106+25N		<5	0.3	20	10	80	3	12	11	<.2	<5	26	<5	2.93	309	<10	89	14	67	<20	<20	14	2.47	0.59	0.49	0.04	0.09	21	3	5	24	1	<5	<10	0.11	5
95TOS-103E 106+50N		16	<.2	13	7	41	3	9	9	<.2	<5	9	<5	2.69	223	<10	78	12	62	<20	<20	10	1.57	0.43	0.26	0.02	0.13	21	2	3	10	<1	<5	<10	0.10	2
95TOS-103E 106+75N		<5	<.2	20	11	77	3	10	11	<.2	<5	22	<5	2.67	379	<10	112	13	59	<20	<20	13	2.22	0.54	0.26	0.03	0.07	22	4	5	13	<1	<5	<10	0.11	6
95TOS-103E 107+00N		<5	<.2	35	11	68	3	15	16	<.2	<5	25	<5	3.40	397	<10	116	23	81	<20	<20	22	2.97	1.09	1.25	0.22	0.46	69	11	5	15	<1	8	<10	0.17	8
95TOS-103E 107+25N		<5	0.2	18	12	65	3	11	11	<.2	<5	9	<5	2.66	337	<10	125	14	57	<20	<20	15	2.48	0.61	0.34	0.03	0.15	20	4	5	16	1	<5	<10	0.13	7
95TOS-103E 107+50N		<5	<.2	15	7	64	3	10	10	<.2	<5	13	<5	2.68	299	<10	104	13	60	<20	<20	13	2.12	0.53	0.27	0.03	0.12	18	3	5	14	1	<5	<10	0.13	4
95TOS-103E 107+75N		<5	<.2	23	12	96	3	12	11	0.2	<5	12	<5	2.53	633	<10	130	14	50	<20	<20	17	2.33	0.63	0.36	0.03	0.09	28	8	<2	15	<1	<5	<10	0.11	6
95TOS-103E 108+00N		7	<.2	25	13	105	2	11	11	0.8	<5	17	<5	2.43	1232	<10	154	8	43	<20	<20	15	2.19	0.75	0.66	0.02	0.12	31	10	<2	17	<1	<5	<10	0.09	3
95TOS-103E 108+25N		<5	<.2	14	12	71	3	9	10	<.2	<5	11	<5	2.62	560	<10	137	9	56	<20	<20	12	2.38	0.58	0.27	0.02	0.09	21	3	4	16	1	<5	<10	0.12	3
95TOS-103E 108+50N		<5	<.2	13	10	60	3	9	9	<.2	<5	11	<5	2.57	354	<10	81	9	57	<20	<20	11	1.87	0.40	0.29	0.02	0.05	16	3	5	11	1	<5	<10	0.10	1
95TOS-103E 108+75N		<5	<.2	14	8	60	3	8	9	<.2	<5	<5	<5	2.62	266	<10	105	12	58	<20	<20	13	1.85	0.40	0.22	0.02	0.07	19	3	4	10	1	<5	<10	0.10	3
95TOS-103E 109+00N		<5	<.2	17	11	84	3	9	10	<.2	<5	9	<5	2.68	528	<10	79	9	56	<20	<20	12	2.36	0.42	0.21	0.02	0.05	15	3	4	11	1	<5	<10	0.11	3
95TOS-103E 109+25N		<5	0.2	34	13	98	3	16	13	0.2	<5	24	<5	2.57	432	<10	79	9	48	<20	<20	11	2.25	0.33	0.33	0.04	0.04	23	3	4	12	1	<5	<10	0.10	5
95TOS-103E 109+50N		<5	0.3	23	12	138	4	15	11	0.2	<5	13	<5	2.66	377	<10	79	12	59	<20	<20	11	1.86	0.41	0.14	0.02	0.06	18	2	5	12	1	<5	<10	0.12	5
95TOS-103E 109+75N		<5	0.4	15	13	78	4	9	9	<.2	<5	23	<5	2.17	191	<10	59	6	37	<20	<20	9	2.59	0.14	0.11	0.02	0.03	14	3	6	9	2	<5	<10	0.11	11
95TOS-103E 110+00N		<5	<.2	22	10	111	4	11	13	<.2	<5	24	<5	3.10	588	<10	112	9	60	<20	<20	12	2.25	0.45	0.13	0.02	0.09	18	3	4	14	1	<5	<10	0.13	4
95TOS-103E 110+25N		<5	0.4	22	13	100	4	11	12	<.2	<5	106	<5	2.81	590	<10	110	9	56	<20	<20	14	2.37	0.46	0.19	0.02	0.08	22	5	4	21	1	<5	<10	0.13	3
95TOS-103E 110+50N		<5	0.3	19	11	76	4	7	11	<.2	<5	22	<5	2.61	328	<10	111	7	54	<20	<20	12	2.34	0.37	0.13	0.02	0.08	17	4	5	14	1	<5	<10	0.13	6
95TOS-103E 110+75N		12	0.4	20	11	78	4	7	11	<.2	<5	16	<5	2.76	346	<10	101	8	57	<20	<20	11	2.15	0.31	0.13	0.02	0.08	15	3	5	13	1	<5	<10	0.12	6

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-103E 111+00N		<5	0.3	44	7	80	5	10	16	<.2	<5	40	<5	3.42	244	<10	129	8	75	<20	<20	12	2.17	0.41	0.16	0.01	0.09	17	3	5	14	1	<5	<10	0.11	3
95TOS-103E 111+25N		7	0.4	25	8	66	4	8	9	<.2	<5	19	<5	2.54	148	<10	101	8	57	<20	<20	12	1.94	0.28	0.16	0.02	0.06	18	4	6	15	1	<5	<10	0.11	6
95TOS-103E 111+50N		8	0.2	39	7	80	5	8	14	<.2	<5	33	<5	3.24	251	<10	129	6	69	<20	<20	12	1.83	0.46	0.13	0.01	0.13	13	3	4	14	1	<5	<10	0.12	3
95TOS-103E 111+75N		<5	<.2	20	11	67	4	6	9	<.2	<5	13	<5	2.73	301	<10	134	6	54	<20	<20	13	1.84	0.41	0.16	0.01	0.12	19	4	5	13	<1	<5	<10	0.11	2
95TOS-103E 112+00N		<5	0.3	34	11	74	4	11	10	<.2	<5	13	<5	2.49	417	<10	115	8	50	<20	<20	22	1.87	0.36	0.21	0.02	0.06	25	11	4	26	1	<5	<10	0.11	3
95TOS-103E 112+25N		<5	0.3	28	12	79	4	10	10	<.2	<5	25	<5	2.21	410	<10	140	8	48	<20	<20	17	1.93	0.48	0.30	0.02	0.07	36	8	5	42	1	<5	<10	0.13	3
95TOS-103E 112+50N		<5	0.2	21	11	85	4	9	10	<.2	<5	9	<5	2.67	239	<10	95	11	56	<20	<20	14	2.09	0.28	0.13	0.02	0.05	16	4	6	20	1	<5	<10	0.11	5
95TOS-103E 112+75N		<5	<.2	16	10	78	4	8	9	<.2	5	<5	<5	2.77	273	<10	112	9	59	<20	<20	11	1.55	0.34	0.18	0.02	0.08	24	2	5	21	2	<5	<10	0.12	2
95TOS-103E 113+00N		<5	<.2	23	12	96	4	12	12	<.2	<5	5	<5	2.62	515	<10	140	9	54	<20	<20	15	2.13	0.41	0.24	0.02	0.07	31	5	4	30	1	<5	<10	0.13	2
95TOS-103E 113+25N		11	<.2	14	8	51	3	8	8	<.2	<5	8	<5	2.48	170	<10	96	11	55	<20	<20	14	1.53	0.27	0.17	0.02	0.06	28	4	5	21	1	<5	<10	0.10	2
95TOS-103E 113+50N		<5	<.2	14	10	48	3	8	7	<.2	<5	<5	<5	1.98	209	<10	114	9	44	<20	<20	13	1.59	0.36	0.24	0.02	0.05	34	4	7	23	1	<5	<10	0.12	2
95TOS-103E 113+75N		<5	<.2	16	10	36	4	6	6	<.2	<5	7	<5	2.25	126	<10	82	8	48	<20	<20	13	1.31	0.22	0.17	0.02	0.05	27	4	6	14	1	<5	<10	0.10	2
95TOS-103E 114+00N		<5	<.2	13	11	38	3	5	5	<.2	<5	<5	<5	1.56	136	<10	113	9	38	<20	<20	14	1.21	0.27	0.23	0.02	0.06	36	4	7	14	1	<5	<10	0.12	2
95TOS-103E 114+25N		<5	0.6	22	12	74	4	11	10	<.2	<5	14	<5	2.49	896	<10	267	11	55	<20	<20	23	2.70	0.60	0.50	0.02	0.08	75	9	2	32	<1	<5	<10	0.07	1
95TOS-103E 114+50N		6	0.3	14	12	62	3	8	8	<.2	<5	9	<5	1.95	256	<10	193	8	45	<20	<20	14	2.35	0.68	0.31	0.02	0.12	52	3	7	28	1	<5	<10	0.13	2
95TOS-103E 114+75N		<5	<.2	15	11	47	3	6	7	<.2	<5	13	<5	1.76	256	<10	154	7	39	<20	<20	19	1.76	0.33	0.32	0.02	0.07	55	6	5	18	1	<5	<10	0.09	2
95TOS-103E 115+00N		<5	<.2	15	10	47	4	8	8	<.2	<5	6	<5	2.52	218	<10	89	13	56	<20	<20	17	2.17	0.33	0.17	0.02	0.07	28	4	5	13	1	<5	<10	0.10	8
95TOS-103E 115+25N		<5	<.2	15	11	57	5	8	10	<.2	<5	7	<5	2.67	319	<10	108	11	63	<20	<20	17	2.30	0.77	0.32	0.01	0.23	45	4	5	16	<1	<5	<10	0.10	2
95TOS-103E 115+50N		<5	<.2	15	8	47	5	8	9	<.2	<5	6	<5	3.18	275	<10	70	16	69	<20	<20	16	2.14	0.27	0.19	0.02	0.05	19	3	5	16	2	<5	<10	0.10	6
95TOS-104E 100+00N		<5	0.3	21	8	108	3	12	12	<.2	<5	14	<5	2.85	382	<10	137	13	60	<20	<20	13	2.28	0.67	0.29	0.02	0.14	28	3	5	17	2	<5	<10	0.13	4
95TOS-104E 100+25N		<5	<.2	20	7	67	3	9	10	<.2	<5	17	<5	2.64	257	<10	118	11	58	<20	<20	12	1.66	0.48	0.22	0.02	0.17	24	3	3	11	<1	<5	<10	0.10	3
95TOS-104E 100+50N		15	<.2	48	8	114	4	16	13	<.2	<5	52	<5	2.94	749	<10	106	8	46	<20	<20	11	1.80	0.38	0.36	0.03	0.08	22	2	<2	14	1	<5	<10	0.10	2
95TOS-104E 100+75N		7	0.3	71	11	100	5	19	14	0.3	<5	103	<5	2.91	657	<10	88	6	35	<20	<20	12	1.96	0.26	0.43	0.03	0.07	22	3	<2	13	1	<5	<10	0.10	3
95TOS-104E 101+00N		13	<.2	29	16	85	3	23	13	0.3	<5	79	<5	2.61	882	<10	62	6	28	<20	<20	11	1.75	0.17	0.41	0.04	0.05	23	3	<2	11	1	<5	<10	0.09	6
95TOS-104E 101+25N		24	0.3	69	12	54	2	22	13	1.0	<5	29	<5	2.47	1575	<10	74	5	19	<20	<20	13	1.09	0.26	3.35	0.03	0.12	101	11	<2	8	<1	<5	<10	0.04	2
95TOS-104E 101+50N		12	<.2	19	21	133	3	24	14	1.2	<5	40	<5	2.69	1482	<10	88	7	28	<20	<20	16	1.66	0.35	0.76	0.03	0.07	38	12	<2	11	<1	<5	<10	0.06	2
95TOS-104E 101+75N		17	<.2	17	16	143	3	17	13	0.9	<5	43	<5	2.89	1493	<10	96	9	43	<20	<20	16	1.89	0.49	0.57	0.04	0.12	39	11	<2	15	<1	<5	<10	0.11	3
95TOS-104E 102+00N		<5	<.2	16	13	121	3	21	12	<.2	<5	61	<5	2.75	1048	<10	67	12	48	<20	<20	14	2.15	0.56	0.44	0.03	0.07	27	6	<2	20	1	<5	<10	0.13	3
95TOS-104E 102+25N		<5	<.2	18	13	118	3	23	14	<.2	<5	66	<5	3.09	791	<10	103	13	54	<20	<20	13	2.34	0.59	0.25	0.02	0.12	20	3	2	18	2	<5	<10	0.14	4
95TOS-104E 102+50N		33	1.3	17	18	170	4	17	12	0.5	<5	44	<5	2.94	842	<10	95	11	46	<20	<20	15	2.48	0.40	0.41	0.02	0.05	28	5	<2	13	1	<5	<10	0.11	4

APPENDIX III
SOIL SAMPLE ASSAYS

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-86E 100+00N	<5	<2	10	6	62	3	6	7	<2	<5	10	<5	2.00	217	<10	74	9	50	<20	<20	6	1.36	0.47	0.34	0.02	0.08	27	4	3	14	1	<5	<10	0.11	1	
95TOS-86E 100+50N	5	0.8	61	11	36	4	17	10	<2	<5	24	<5	1.69	695	<10	96	7	41	<20	<20	30	2.49	0.12	0.75	0.03	0.04	38	25	<2	18	<1	<5	<10	0.04	8	
95TOS-86E 101+00N	<5	0.4	26	6	38	2	8	3	0.2	<5	36	<5	0.92	185	<10	86	6	21	<20	<20	5	1.18	0.10	1.97	0.03	0.04	50	4	<2	18	<1	<5	<10	0.03	3	
95TOS-86E 101+25N	<5	<2	15	10	89	4	13	9	<2	<5	30	<5	2.45	230	<10	115	9	58	<20	<20	6	2.14	0.35	0.22	0.02	0.05	18	4	5	21	1	<5	<10	0.12	5	
95TOS-86E 101+50N	<5	<2	17	10	88	3	13	10	<2	<5	23	<5	2.44	269	<10	118	9	53	<20	<20	6	1.90	0.40	0.20	0.02	0.07	17	4	3	15	1	<5	<10	0.10	5	
95TOS-86E 101+75N	<5	0.2	22	12	93	3	13	11	<2	<5	31	<5	2.65	287	<10	139	10	60	<20	<20	6	2.09	0.48	0.27	0.02	0.09	21	4	4	16	<1	<5	<10	0.12	6	
95TOS-86E 102+00N	<5	<2	18	9	80	3	12	10	<2	<5	15	<5	2.39	343	<10	118	9	53	<20	<20	6	2.09	0.42	0.25	0.02	0.06	20	4	3	14	<1	<5	<10	0.11	5	
95TOS-86E 102+25N	<5	<2	26	9	69	4	13	12	<2	<5	14	<5	2.57	302	<10	121	9	57	<20	<20	5	2.31	0.44	0.32	0.03	0.07	23	4	3	15	<1	<5	<10	0.12	8	
95TOS-86E 102+50N	<5	<2	15	9	76	3	12	10	<2	<5	15	<5	2.50	375	<10	110	10	58	<20	<20	5	2.09	0.41	0.18	0.02	0.09	20	3	4	14	1	<5	<10	0.12	5	
95TOS-86E 102+75N	<5	<2	15	8	92	4	14	10	<2	<5	11	<5	2.57	291	<10	114	10	58	<20	<20	5	2.08	0.42	0.19	0.02	0.07	22	3	4	15	1	<5	<10	0.12	4	
95TOS-86E 103+00N	<5	0.2	19	9	149	4	18	10	<2	<5	28	<5	2.78	340	<10	103	12	58	<20	<20	9	2.41	0.43	0.26	0.02	0.07	22	5	4	37	1	<5	<10	0.12	6	
95TOS-86E 103+25N	<5	<2	26	11	244	4	17	12	<2	<5	163	<5	2.99	422	<10	100	12	65	<20	<20	6	2.66	0.51	0.17	0.02	0.08	20	4	4	19	1	<5	<10	0.14	6	
95TOS-86E 103+50N	7	<2	28	24	831	3	12	11	<2	<5	836	<5	2.48	1051	<10	100	8	44	<20	<20	5	2.77	0.47	0.22	0.02	0.05	21	3	<2	15	1	<5	<10	0.11	8	
95TOS-86E 103+75N	<5	<2	18	10	92	4	13	9	<2	<5	13	<5	3.36	543	<10	66	13	78	<20	<20	5	2.33	0.55	0.12	0.01	0.07	14	3	4	16	2	<5	<10	0.15	5	
95TOS-86E 104+00N	<5	<2	23	9	82	4	13	13	<2	<5	<5	<5	3.34	361	<10	137	12	68	<20	<20	6	2.85	0.70	0.17	0.02	0.12	26	3	5	19	1	<5	<10	0.17	7	
95TOS-86E 104+25N	<5	<2	19	9	73	4	12	12	<2	<5	10	<5	3.17	320	<10	128	13	65	<20	<20	6	2.91	0.54	0.17	0.02	0.10	27	4	6	17	1	<5	<10	0.14	7	
95TOS-86E 104+50N	<5	<2	20	9	74	4	10	12	<2	<5	8	<5	2.92	410	<10	99	12	66	<20	<20	7	2.37	0.58	0.24	0.02	0.11	31	4	3	21	1	<5	<10	0.13	3	
95TOS-86E 104+75N	<5	<2	27	8	76	5	10	11	<2	<5	10	<5	3.36	405	<10	132	14	72	<20	<20	10	2.59	0.72	0.26	0.02	0.16	32	5	5	17	<1	<5	<10	0.14	3	
95TOS-86E 105+00N	<5	<2	22	7	98	5	11	12	<2	<5	<5	<5	3.30	768	<10	105	13	72	<20	<20	9	2.40	0.63	0.36	0.02	0.13	39	5	<2	28	1	<5	<10	0.14	2	
95TOS-86E 105+25N	<5	<2	22	9	90	4	12	12	<2	<5	9	<5	3.09	427	<10	122	12	65	<20	<20	7	2.66	0.53	0.21	0.02	0.10	23	3	3	21	1	<5	<10	0.13	6	
95TOS-86E 105+50N	<5	<2	25	8	91	4	12	11	<2	<5	7	<5	2.76	434	<10	102	12	61	<20	<20	9	2.19	0.52	0.25	0.02	0.11	28	4	3	21	1	<5	<10	0.11	2	
95TOS-86E 105+75N	<5	<2	22	8	100	4	11	11	<2	<5	7	<5	2.85	436	<10	102	13	61	<20	<20	9	2.31	0.50	0.22	0.02	0.09	26	5	4	20	1	<5	<10	0.11	3	
95TOS-86E 106+00N	<5	<2	30	6	88	4	10	10	<2	<5	5	<5	2.62	512	<10	71	13	61	<20	<20	15	1.77	0.54	0.33	0.02	0.08	35	8	<2	23	1	<5	<10	0.12	2	
95TOS-86E 106+25N	<5	<2	21	5	69	4	9	10	<2	<5	5	<5	2.81	322	<10	74	14	64	<20	<20	15	1.69	0.56	0.31	0.02	0.11	39	11	2	17	<1	<5	<10	0.12	2	
95TOS-86E 106+50N	<5	<2	17	8	81	4	11	12	<2	<5	8	<5	3.31	322	<10	119	14	69	<20	<20	7	2.60	0.59	0.15	0.02	0.09	24	3	4	15	1	<5	<10	0.12	5	
95TOS-86E 106+75N	<5	<2	18	8	71	4	10	12	<2	<5	7	<5	2.85	419	<10	120	12	60	<20	<20	6	2.29	0.46	0.19	0.02	0.10	28	3	3	13	1	<5	<10	0.11	4	
95TOS-86E 107+00N	<5	<2	22	9	76	5	11	13	<2	<5	15	<5	3.53	423	<10	162	15	77	<20	<20	9	2.87	0.76	0.22	0.02	0.14	34	4	4	16	1	<5	<10	0.13	6	
95TOS-87E 100+00N	<5	0.2	19	9	77	3	16	8	<2	<5	11	<5	2.07	249	<10	83	10	43	<20	<20	8	2.12	0.38	0.46	0.04	0.07	28	6	5	42	1	<5	<10	0.11	4	
95TOS-87E 100+25N	<5	<2	17	8	68	4	11	8	<2	<5	12	<5	2.27	137	<10	71	9	50	<20	<20	5	1.94	0.32	0.16	0.02	0.05	13	3	5	16	1	<5	<10	0.11	6	
95TOS-87E 101+00N	<5	0.3	18	8	49	2	8	5	<2	<5	13	<5	1.39	88	<10	70	5	29	<20	<20	8	1.59	0.14	0.64	0.02	0.03	23	5	4	15	<1	<5	<10	0.05	3	

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	
95TOS-87E 101+25N	<5	<.2	12	5	22	1	4	3	<.2	<5	29	<5	0.81	472	<10	53	3	26	<20	<20	6	0.90	0.11	0.77	0.05	0.02	25	4	<2	9	<1	<5	<10	0.06	2	
95TOS-87E 102+00N	<5	0.3	23	10	94	4	19	9	<.2	<5	29	<5	2.55	489	<10	157	11	54	<20	<20	11	2.25	0.38	0.53	0.03	0.08	31	7	3	34	<1	<5	<10	0.11	6	
95TOS-87E 102+25N	<5	<.2	17	8	86	4	13	9	<.2	<5	33	<5	2.34	381	<10	127	10	54	<20	<20	8	1.91	0.39	0.42	0.03	0.06	27	5	3	24	<1	<5	<10	0.12	3	
95TOS-87E 102+50N	<5	0.3	24	9	105	4	19	12	<.2	<5	32	<5	3.23	482	<10	167	15	73	<20	<20	9	2.25	0.59	0.47	0.03	0.15	34	6	3	35	1	<5	<10	0.14	3	
95TOS-87E 102+75N	<5	0.3	24	10	135	4	21	10	<.2	<5	29	<5	2.88	623	<10	129	12	60	<20	<20	9	2.40	0.47	0.54	0.03	0.11	32	8	2	43	1	<5	<10	0.12	6	
95TOS-87E 103+00N	<5	0.8	43	14	142	6	29	11	<.2	<5	40	<5	3.28	839	<10	166	14	64	<20	<20	19	3.21	0.47	0.61	0.03	0.11	36	19	<2	52	<1	7	<10	0.13	8	
95TOS-87E 103+25N	<5	0.2	32	13	130	4	19	10	<.2	<5	23	<5	2.89	580	<10	133	12	59	<20	<20	16	2.63	0.52	0.46	0.03	0.10	31	13	3	46	<1	5	<10	0.12	5	
95TOS-87E 103+50N	<5	<.2	29	11	173	5	22	14	0.4	<5	14	<5	3.30	827	<10	130	13	66	<20	<20	6	2.65	0.48	0.24	0.02	0.10	19	3	<2	20	1	<5	<10	0.13	5	
95TOS-87E 103+75N	<5	<.2	21	9	88	4	14	13	<.2	<5	13	<5	3.29	572	<10	122	14	73	<20	<20	8	2.84	0.66	0.19	0.02	0.13	21	4	4	19	1	<5	<10	0.15	4	
95TOS-87E 104+00N	<5	<.2	20	8	91	5	13	12	<.2	<5	6	<5	3.15	427	<10	119	15	71	<20	<20	12	2.62	0.66	0.26	0.02	0.13	29	5	4	19	1	<5	<10	0.14	3	
95TOS-87E 104+25N	<5	<.2	20	9	80	4	10	13	<.2	<5	9	<5	3.36	549	<10	129	14	71	<20	<20	9	2.73	0.69	0.21	0.02	0.15	22	4	3	17	1	<5	<10	0.15	5	
95TOS-87E 104+50N	7	<.2	15	9	74	4	10	10	<.2	<5	<5	<5	2.89	462	<10	99	11	58	<20	<20	5	2.70	0.46	0.14	0.02	0.08	19	3	4	15	2	<5	<10	0.12	4	
95TOS-87E 104+75N	<5	<.2	15	9	76	4	11	12	<.2	<5	5	<5	2.87	339	<10	113	12	64	<20	<20	5	2.66	0.53	0.19	0.02	0.11	22	2	6	18	1	<5	<10	0.14	3	
95TOS-87E 105+00N	<5	<.2	16	7	68	4	9	11	<.2	<5	7	<5	2.76	328	<10	121	13	63	<20	<20	8	2.29	0.49	0.22	0.02	0.10	26	3	4	16	1	<5	<10	0.12	3	
95TOS-87E 105+25N	<5	<.2	18	7	73	4	10	12	<.2	<5	11	<5	3.06	285	<10	120	14	71	<20	<20	7	2.27	0.58	0.18	0.02	0.13	23	3	4	16	1	<5	<10	0.13	4	
95TOS-87E 105+50N	8	<.2	24	9	80	5	12	13	<.2	<5	12	<5	2.97	295	<10	115	13	64	<20	<20	8	2.62	0.54	0.18	0.02	0.11	22	3	5	18	1	<5	<10	0.12	4	
95TOS-87E 105+75N	<5	<.2	20	11	85	4	12	13	<.2	<5	11	<5	2.99	441	<10	130	13	64	<20	<20	7	2.71	0.49	0.15	0.02	0.09	19	3	4	17	1	<5	<10	0.13	6	
95TOS-87E 106+00N	<5	<.2	28	8	88	4	13	13	<.2	<5	9	<5	3.00	714	<10	112	14	66	<20	<20	10	2.49	0.60	0.30	0.02	0.12	30	4	<2	23	<1	<5	<10	0.12	1	
95TOS-87E 106+25N	<5	<.2	16	9	85	4	10	11	<.2	<5	9	<5	2.77	502	<10	131	11	59	<20	<20	7	2.46	0.40	0.18	0.02	0.09	22	3	4	16	1	<5	<10	0.12	4	
95TOS-87E 106+50N	<5	<.2	16	7	76	3	9	10	<.2	<5	14	<5	2.63	476	<10	123	10	58	<20	<20	7	2.18	0.45	0.22	0.02	0.12	27	3	<2	14	<1	<5	<10	0.11	3	
95TOS-87E 106+75N	<5	<.2	19	8	85	4	9	12	<.2	<5	7	<5	2.84	510	<10	105	11	64	<20	<20	9	2.16	0.52	0.31	0.02	0.11	40	5	3	16	1	<5	<10	0.11	1	
95TOS-87E 107+00N	<5	<.2	15	8	78	4	11	11	<.2	<5	11	<5	2.80	338	<10	112	10	60	<20	<20	8	2.62	0.45	0.18	0.02	0.08	25	4	5	17	1	<5	<10	0.12	3	
95TOS-88E 100+00N	<5	<.2	16	10	93	3	13	10	<.2	<5	11	<5	2.41	703	<10	130	11	53	<20	<20	8	2.52	0.42	0.49	0.04	0.07	30	4	<2	21	1	<5	<10	0.12	3	
95TOS-88E 100+25N	<5	<.2	13	8	63	4	10	9	<.2	<5	9	<5	2.14	229	<10	87	12	50	<20	<20	6	1.98	0.37	0.30	0.02	0.06	23	3	4	19	<1	<5	<10	0.10	2	
95TOS-88E 100+50N	<5	<.2	20	9	57	3	11	10	<.2	<5	6	<5	2.75	399	<10	59	16	58	<20	<20	8	2.12	0.55	0.75	0.05	0.13	40	7	3	41	<1	5	<10	0.11	4	
95TOS-88E 100+75N	11	<.2	18	10	63	3	12	7	0.2	<5	23	<5	2.23	335	<10	117	11	49	<20	<20	10	2.40	0.37	0.97	0.04	0.06	34	7	3	42	<1	<5	<10	0.09	4	
95TOS-88E 101+00N	5	<.2	12	8	42	4	6	6	0.3	<5	34	<5	1.32	3353	<10	134	5	35	<20	<20	7	1.62	0.23	2.08	0.04	0.04	42	5	<2	22	<1	<5	<10	0.04	4	
95TOS-88E 101+25N	<5	0.3	9	7	35	1	5	3	<.2	<5	14	<5	0.92	288	<10	46	4	24	<20	<20	6	1.27	0.11	1.30	0.05	0.03	31	6	<2	11	<1	<5	<10	0.04	3	
95TOS-88E 102+25N	7	<.2	16	7	76	3	11	9	<.2	<5	10	<5	2.22	339	<10	108	10	52	<20	<20	7	1.94	0.48	0.55	0.04	0.10	31	5	3	34	<1	<5	<10	0.12	4	
95TOS-88E 102+50N	<5	0.2	44	15	111	4	40	8	<.2	<5	25	<5	2.54	337	<10	357	9	50	<20	<20	13	3.62	0.31	0.47	0.04	0.07	49	10	6	63	<1	<5	<10	0.15	21	

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-88E 102+75N		<5	0.2	21	9	108	4	21	11	<2	<5	11	<5	2.44	234	<10	123	10	58	<20	<20	7	2.24	0.40	0.21	0.02	0.05	18	4	5	24	1	<5	<10	0.13	5
95TOS-88E 103+00N		<5	<2	25	8	100	4	20	12	<2	<5	17	<5	2.57	249	<10	119	11	59	<20	<20	6	1.88	0.42	0.24	0.02	0.07	21	4	3	16	<1	<5	<10	0.12	4
95TOS-88E 103+25N		<5	<2	20	9	105	5	17	11	<2	<5	14	<5	2.70	291	<10	115	11	58	<20	<20	6	2.19	0.42	0.16	0.02	0.07	18	3	4	15	1	<5	<10	0.12	7
95TOS-88E 103+50N		<5	<2	17	8	117	4	16	10	<2	<5	7	<5	2.59	372	<10	101	9	52	<20	<20	5	2.14	0.34	0.14	0.02	0.07	16	3	3	14	1	<5	<10	0.12	7
95TOS-88E 103+75N		<5	<2	15	10	107	5	13	10	<2	<5	11	<5	2.46	526	<10	117	10	52	<20	<20	6	2.32	0.34	0.13	0.02	0.06	16	3	4	15	1	<5	<10	0.12	8
95TOS-88E 104+00N		<5	<2	18	6	102	3	13	11	<2	<5	12	<5	2.69	363	<10	125	10	60	<20	<20	5	2.16	0.44	0.17	0.02	0.11	22	3	4	16	1	<5	<10	0.13	6
95TOS-88E 104+25N		<5	<2	15	8	100	4	11	11	<2	<5	12	<5	2.75	561	<10	123	10	59	<20	<20	6	2.29	0.47	0.19	0.02	0.10	22	3	2	15	1	<5	<10	0.11	4
95TOS-88E 104+50N		<5	<2	21	9	90	4	9	11	<2	<5	20	<5	3.23	456	<10	163	13	69	<20	<20	8	2.66	0.68	0.20	0.02	0.15	29	4	3	15	<1	<5	<10	0.13	6
95TOS-88E 104+75N		6	<2	25	8	66	6	8	11	<2	<5	33	<5	3.64	381	<10	148	12	77	<20	<20	13	2.76	0.81	0.21	0.02	0.19	31	6	4	16	<1	6	<10	0.14	5
95TOS-88E 105+00N		6	<2	18	9	70	5	9	11	<2	<5	19	<5	3.12	427	<10	104	10	65	<20	<20	8	2.95	0.52	0.12	0.02	0.09	17	4	5	15	1	<5	<10	0.13	6
95TOS-88E 105+25N		<5	<2	16	8	74	5	9	11	<2	<5	12	<5	2.74	535	<10	129	9	58	<20	<20	6	2.46	0.42	0.15	0.02	0.09	20	3	2	14	1	<5	<10	0.11	6
95TOS-88E 105+50N		<5	<2	22	9	73	5	10	12	<2	<5	<5	<5	2.76	413	<10	121	9	57	<20	<20	7	2.79	0.43	0.15	0.02	0.09	19	4	4	16	1	<5	<10	0.12	11
95TOS-88E 105+75N		5	<2	23	10	59	4	9	11	<2	<5	<5	<5	2.45	313	<10	80	8	50	<20	<20	7	2.45	0.27	0.12	0.02	0.06	16	4	5	14	2	<5	<10	0.11	9
95TOS-88E 106+00N		7	<2	32	8	72	4	10	14	<2	<5	8	<5	2.80	335	<10	125	9	62	<20	<20	6	2.44	0.44	0.13	0.02	0.08	15	3	4	15	1	<5	<10	0.13	8
95TOS-88E 106+25N		6	<2	21	9	70	3	10	12	<2	<5	6	<5	2.57	342	<10	107	9	56	<20	<20	5	2.37	0.36	0.12	0.02	0.07	15	3	3	14	1	<5	<10	0.12	8
95TOS-88E 106+50N		8	<2	26	7	70	4	10	13	<2	<5	<5	<5	2.83	296	<10	126	10	62	<20	<20	8	2.32	0.49	0.21	0.02	0.09	25	5	5	18	1	<5	<10	0.12	4
95TOS-88E 106+75N		<5	<2	16	8	71	4	10	11	<2	<5	9	<5	2.89	334	<10	109	11	63	<20	<20	6	2.40	0.43	0.18	0.02	0.07	19	3	5	16	1	<5	<10	0.12	5
95TOS-88E 107+00N		7	<2	12	9	77	4	10	11	<2	<5	5	<5	2.85	302	<10	100	10	60	<20	<20	4	2.37	0.42	0.16	0.02	0.07	17	2	5	14	1	<5	<10	0.12	4
95TOS-96E 98+00E		<5	<2	17	7	69	4	11	10	<2	<5	11	<5	3.11	267	<10	95	13	64	<20	<20	7	1.97	0.47	0.18	0.02	0.06	18	3	4	37	2	<5	<10	0.12	3
95TOS-96E 98+25E		<5	<2	25	9	94	4	16	12	<2	<5	20	<5	3.15	382	<10	135	10	64	<20	<20	7	2.40	0.64	0.27	0.03	0.11	25	4	5	46	1	<5	<10	0.16	3
95TOS-96E 98+50E		<5	<2	28	8	76	4	15	11	<2	<5	19	<5	2.71	309	<10	108	10	56	<20	<20	7	2.13	0.52	0.36	0.03	0.08	27	5	5	41	1	<5	<10	0.14	4
95TOS-96E 98+75E		7	<2	23	8	73	4	13	10	<2	<5	25	<5	2.71	330	<10	98	9	58	<20	<20	9	2.18	0.59	0.33	0.04	0.08	28	5	4	38	1	<5	<10	0.15	4
95TOS-96E 99+00E		9	<2	19	7	74	3	9	10	<2	<5	99	<5	2.85	276	<10	135	9	57	<20	<20	6	2.21	0.56	0.28	0.02	0.08	24	3	5	20	2	<5	<10	0.13	5
95TOS-96E 99+25E		6	<2	28	10	80	4	15	11	<2	<5	62	<5	2.84	373	<10	165	10	58	<20	<20	8	2.64	0.68	0.56	0.05	0.10	37	5	5	55	1	5	<10	0.16	5
95TOS-96E 99+50E		6	<2	15	6	78	4	12	10	<2	<5	65	<5	2.82	178	<10	141	9	63	<20	<20	6	2.31	0.58	0.24	0.03	0.07	21	2	6	34	1	<5	<10	0.15	3
95TOS-96E 99+75E		<5	<2	20	7	83	4	11	11	<2	<5	17	<5	2.93	274	<10	118	11	63	<20	<20	6	2.23	0.57	0.19	0.02	0.09	18	3	4	20	2	<5	<10	0.13	5
95TOS-96E 100+00E		<5	<2	18	8	74	4	12	11	<2	<5	15	<5	2.85	239	<10	109	10	62	<20	<20	5	2.35	0.54	0.21	0.03	0.10	18	3	5	20	2	<5	<10	0.14	5
95TOS-96E 100+25E		<5	<2	23	7	72	3	11	11	<2	<5	29	<5	2.80	295	<10	119	9	64	<20	<20	5	2.22	0.62	0.19	0.03	0.10	19	3	4	18	1	<5	<10	0.13	4
95TOS-96E 100+50E		7	<2	22	7	72	4	12	11	<2	<5	25	<5	2.87	298	<10	116	9	63	<20	<20	6	2.29	0.57	0.22	0.03	0.09	22	3	5	19	1	<5	<10	0.13	5
95TOS-96E 100+75E		<5	<2	23	7	90	4	12	11	<2	<5	33	<5	2.87	322	<10	97	11	67	<20	<20	5	2.40	0.75	0.49	0.05	0.09	28	4	5	33	1	6	<10	0.14	5

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-96E 101+00E		<5	0.3	33	8	91	4	15	11	<.2	<5	25	<5	2.70	327	<10	98	10	63	<20	<20	11	2.52	0.75	0.40	0.06	0.07	36	7	5	42	1	6	<10	0.15	4
95TOS-96E 101+25E		6	<.2	28	8	69	5	12	12	<.2	<5	34	<5	2.93	225	<10	106	9	66	<20	<20	9	2.35	0.68	0.27	0.04	0.09	27	5	5	25	2	6	<10	0.15	3
95TOS-96E 101+50E		<5	<.2	42	7	95	5	14	13	<.2	<5	38	<5	3.40	319	<10	137	8	73	<20	<20	8	2.43	0.81	0.24	0.03	0.15	26	5	6	29	2	7	<10	0.18	4
95TOS-96E 101+75E		<5	<.2	24	5	90	4	13	12	<.2	<5	31	<5	3.03	295	<10	98	11	69	<20	<20	6	2.46	0.71	0.22	0.04	0.10	22	3	5	24	2	5	<10	0.15	3
95TOS-96E 102+00E		6	<.2	18	8	75	4	11	10	<.2	<5	9	<5	2.70	200	<10	89	10	61	<20	<20	6	2.07	0.52	0.15	0.03	0.07	17	2	5	19	2	<5	<10	0.14	3
95TOS-97E 98+00N		7	<.2	17	6	68	4	10	10	<.2	<5	21	<5	2.81	228	<10	95	10	57	<20	<20	7	2.10	0.44	0.15	0.02	0.08	16	3	4	18	2	<5	<10	0.12	5
95TOS-97E 98+25N		<5	<.2	16	7	70	4	10	10	<.2	<5	17	<5	2.90	272	<10	93	12	60	<20	<20	7	2.21	0.50	0.27	0.02	0.07	24	3	5	24	2	<5	<10	0.13	6
95TOS-97E 98+50N		<5	<.2	19	6	65	3	11	10	<.2	<5	15	<5	2.59	331	<10	96	11	56	<20	<20	11	2.07	0.56	0.37	0.02	0.06	34	5	5	22	2	<5	<10	0.13	2
95TOS-97E 98+75N		<5	<.2	23	8	77	4	14	10	<.2	<5	21	<5	2.69	502	<10	105	11	56	<20	<20	10	2.26	0.56	0.38	0.04	0.07	31	5	3	44	1	<5	<10	0.14	4
95TOS-97E 99+00N		10	<.2	52	7	62	4	14	8	<.2	<5	60	<5	2.44	335	<10	87	8	48	<20	<20	21	1.91	0.46	0.53	0.03	0.07	34	15	3	63	<1	<5	<10	0.10	2
95TOS-97E 99+25N		<5	<.2	15	6	56	3	9	8	<.2	<5	21	<5	2.67	254	<10	63	13	53	<20	<20	8	1.47	0.30	0.45	0.02	0.06	27	2	4	27	2	<5	<10	0.08	2
95TOS-97E 99+50N		<5	<.2	30	6	79	4	13	11	<.2	<5	87	<5	2.95	420	<10	151	10	60	<20	<20	8	2.32	0.66	0.49	0.04	0.11	35	4	3	52	1	5	<10	0.15	4
95TOS-97E 99+75N		<5	<.2	21	7	80	4	12	10	<.2	<5	80	<5	2.86	283	<10	105	11	61	<20	<20	10	2.16	0.50	0.35	0.03	0.06	24	4	5	30	2	<5	<10	0.13	4
95TOS-97E 100+00N		7	<.2	25	5	58	3	12	10	<.2	<5	72	<5	2.86	436	<10	117	11	56	<20	<20	10	1.84	0.67	0.64	0.05	0.20	34	5	<2	42	1	5	<10	0.13	4
95TOS-97E 100+25N		<5	<.2	16	8	62	3	10	9	<.2	<5	12	<5	2.87	241	<10	84	11	64	<20	<20	6	2.15	0.43	0.17	0.02	0.07	17	3	4	16	2	<5	<10	0.11	5
95TOS-97E 100+50N		7	<.2	21	6	57	3	12	11	<.2	<5	25	<5	2.95	318	<10	112	11	63	<20	<20	10	2.19	0.70	0.25	0.03	0.11	27	4	4	19	1	5	<10	0.14	4
95TOS-97E 100+75N		<5	<.2	23	7	69	4	12	11	<.2	<5	28	<5	2.96	287	<10	139	9	65	<20	<20	9	2.45	0.63	0.30	0.03	0.11	21	4	5	23	1	5	<10	0.15	5
95TOS-97E 101+00N		15	<.2	30	6	81	4	13	12	<.2	<5	49	<5	3.08	502	<10	169	10	63	<20	<20	12	2.27	0.79	0.55	0.06	0.30	41	7	3	33	<1	7	<10	0.16	4
95TOS-97E 101+25N		8	<.2	40	8	82	4	15	11	<.2	<5	47	<5	3.05	578	<10	160	10	58	<20	<20	11	2.42	0.82	0.80	0.06	0.24	42	7	2	48	1	7	<10	0.19	7
95TOS-97E 101+50N		<5	<.2	19	4	58	3	9	10	<.2	<5	15	<5	2.64	544	<10	111	13	63	<20	<20	17	1.70	0.86	0.71	0.04	0.21	40	6	<2	18	2	<5	<10	0.18	4
95TOS-97E 102+00N		<5	<.2	20	4	56	3	10	10	<.2	<5	22	<5	2.96	472	<10	115	15	67	<20	<20	15	1.75	0.78	0.62	0.03	0.20	47	5	<2	19	1	<5	<10	0.15	3
95TOS-97E 102+25N		7	<.2	30	6	74	3	11	12	<.2	<5	7	<5	3.10	745	<10	126	14	68	<20	<20	22	1.80	0.93	0.70	0.03	0.27	71	8	<2	20	<1	<5	<10	0.17	4
95TOS-97E 102+50N		<5	<.2	19	4	51	3	9	9	<.2	<5	<5	<5	2.62	478	<10	80	14	61	<20	<20	19	1.52	0.85	0.60	0.03	0.17	45	7	2	17	1	<5	<10	0.18	3
95TOS-97E 102+75N		5	<.2	24	5	64	4	11	11	<.2	<5	6	<5	2.84	687	<10	114	14	66	<20	<20	18	1.75	0.95	0.69	0.03	0.24	63	7	<2	18	1	<5	<10	0.18	3
95TOS-97E 103+00N		<5	<.2	27	7	65	4	11	10	<.2	<5	50	<5	3.01	523	<10	151	13	69	<20	<20	17	2.50	0.84	0.66	0.08	0.23	51	6	3	34	2	5	<10	0.17	4
95TOS-97E 103+25N		<5	<.2	22	4	56	3	11	11	<.2	<5	10	<5	3.03	636	<10	92	16	67	<20	<20	20	1.52	0.88	0.66	0.03	0.22	40	7	<2	20	1	<5	<10	0.15	3
95TOS-97E 103+50N		<5	<.2	25	5	54	3	10	10	<.2	<5	28	<5	2.76	531	<10	92	14	62	<20	<20	19	1.56	0.79	0.67	0.03	0.18	42	7	2	20	2	<5	<10	0.14	3
95TOS-97E 103+75N		<5	<.2	18	5	54	3	9	10	<.2	5	<5	<5	2.56	515	<10	87	13	59	<20	<20	16	1.60	0.81	0.62	0.03	0.19	42	5	<2	16	2	<5	<10	0.16	3
95TOS-97E 104+00N		<5	<.2	24	6	71	4	11	11	<.2	<5	<5	<5	3.03	437	<10	106	14	65	<20	<20	19	2.26	0.80	0.35	0.02	0.14	40	6	3	18	1	<5	<10	0.14	3
95TOS-97E 104+25N		11	<.2	16	6	46	3	6	8	<.2	<5	8	<5	2.65	230	<10	70	11	60	<20	<20	11	1.83	0.37	0.20	0.02	0.06	23	4	3	12	1	<5	<10	0.09	3

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr	
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-97E 104+75N		<5	<.2	20	5	64	3	11	12	<.2	<5	34	<5	2.85	498	<10	125	12	65	<20	<20	12	1.80	0.89	0.66	0.04	0.29	37	5	3	24	2	5	<10	0.21	5	
95TOS-97E 105+00N		11	<.2	16	4	45	4	7	11	<.2	<5	27	<5	3.71	344	<10	96	14	83	<20	<20	8	1.53	0.36	0.46	0.02	0.06	31	4	<2	25	1	<5	<10	0.08	2	
95TOS-97E 105+50N		11	<.2	18	<2	54	5	6	9	0.3	5	28	<5	3.24	541	<10	66	13	79	<20	<20	13	1.14	0.45	0.67	0.03	0.08	32	7	<2	19	<1	<5	<10	0.07	<1	
95TOS-97E 105+75N		8	<.2	20	5	52	3	9	10	<.2	<5	8	<5	3.11	325	<10	121	13	71	<20	<20	12	1.62	0.55	0.37	0.02	0.13	38	5	<2	13	<1	<5	<10	0.09	4	
95TOS-97E 106+00N		6	<.2	18	4	72	4	10	11	<.2	<5	<5	<5	3.21	534	<10	108	14	70	<20	<20	16	1.62	0.79	0.58	0.03	0.20	46	6	<2	19	<1	<5	<10	0.16	6	
95TOS-97E 106+25N		6	<.2	13	9	81	3	10	8	<.2	<5	<5	<5	2.31	322	<10	98	9	46	<20	<20	10	2.20	0.31	0.24	0.02	0.06	24	4	4	16	1	<5	<10	0.11	10	
95TOS-98E 99+00N		<5	<.2	34	9	69	4	13	9	<.2	<5	75	<5	2.52	415	<10	135	9	51	<20	<20	18	2.28	0.45	0.56	0.03	0.06	36	9	3	49	1	<5	<10	0.12	3	
95TOS-98E 99+25N		<5	<.2	29	10	85	4	14	9	0.6	<5	44	<5	2.44	386	<10	118	8	51	<20	<20	12	2.10	0.57	0.58	0.03	0.07	37	5	5	54	2	<5	<10	0.16	2	
95TOS-98E 99+50N		9	<.2	40	10	79	4	14	10	<.2	<5	68	<5	2.71	481	<10	138	10	53	<20	<20	22	2.41	0.59	0.47	0.03	0.10	37	12	3	45	2	<5	<10	0.14	3	
95TOS-98E 99+75N		14	<.2	27	7	60	3	10	8	<.2	<5	55	<5	2.40	293	<10	84	10	52	<20	<20	16	1.89	0.55	0.53	0.03	0.07	36	7	4	31	2	<5	<10	0.12	1	
95TOS-98E 100+25N		22	<.2	27	5	74	4	12	10	<.2	<5	122	<5	3.15	589	<10	117	15	66	<20	<20	14	1.80	0.63	0.60	0.03	0.16	40	7	<2	27	2	<5	<10	0.13	2	
95TOS-98E 100+50N		9	<.2	22	5	51	3	10	9	<.2	<5	73	<5	2.72	258	<10	78	12	57	<20	<20	20	1.79	0.49	0.46	0.02	0.06	32	8	4	24	2	<5	<10	0.12	2	
95TOS-98E 100+75N		12	<.2	47	8	59	3	15	7	<.2	<5	129	<5	2.03	413	<10	141	9	41	<20	<20	17	2.08	0.37	0.91	0.04	0.07	38	10	2	42	1	<5	<10	0.09	4	
95TOS-98E 101+00N		<5	<.2	15	8	64	4	8	8	<.2	<5	12	<5	2.40	225	<10	76	10	50	<20	<20	10	2.23	0.46	0.20	0.02	0.06	24	4	5	18	2	<5	<10	0.13	7	
95TOS-98E 101+25N		<5	<.2	15	9	55	4	9	8	<.2	<5	27	<5	2.34	231	<10	104	10	48	<20	<20	11	2.18	0.39	0.31	0.02	0.05	24	4	5	20	2	<5	<10	0.10	3	
95TOS-98E 101+50N		<5	<.2	14	8	55	3	8	8	<.2	<5	<5	<5	2.24	204	<10	64	10	47	<20	<20	10	2.07	0.41	0.20	0.02	0.05	20	4	5	14	2	<5	<10	0.11	7	
95TOS-98E 101+75N		<5	<.2	28	9	49	3	10	7	<.2	<5	44	<5	2.02	390	<10	119	9	43	<20	<20	11	1.85	0.38	0.73	0.03	0.05	32	11	<2	35	1	<5	<10	0.10	5	
95TOS-98E 102+00N		17	<.2	40	8	46	2	10	6	<.2	<5	64	<5	1.79	515	<10	147	8	36	<20	<20	15	1.90	0.28	1.04	0.03	0.06	36	9	<2	34	1	<5	<10	0.07	5	
95TOS-98E 102+25N		6	<.2	43	7	61	3	13	8	<.2	<5	54	<5	2.14	563	<10	152	10	41	<20	<20	16	1.88	0.41	0.94	0.04	0.09	43	10	<2	27	1	<5	<10	0.08	4	
95TOS-98E 102+50N		<5	<.2	33	7	55	3	10	7	<.2	<5	51	<5	2.08	360	<10	134	9	45	<20	<20	15	1.71	0.33	0.96	0.03	0.08	41	8	<2	28	1	<5	<10	0.08	3	
95TOS-98E 103+00N		12	<.2	14	5	59	3	8	9	<.2	<5	<5	<5	2.35	453	<10	89	12	53	<20	<20	13	1.49	0.77	0.73	0.03	0.14	43	5	2	16	2	<5	<10	0.15	2	
95TOS-99E 99+25N		<5	<.2	20	8	64	4	11	11	<.2	<5	<5	<5	2.56	407	<10	113	13	56	<20	<20	18	1.90	0.81	0.53	0.03	0.13	40	6	4	20	3	<5	<10	0.16	2	
95TOS-99E 99+50N		6	<.2	23	7	69	4	10	11	<.2	<5	50	<5	3.22	566	<10	193	13	66	<20	<20	16	1.96	0.89	0.64	0.02	0.32	41	6	2	29	1	6	<10	0.15	2	
95TOS-99E 99+75N		14	<.2	21	7	66	3	12	10	<.2	<5	16	<5	2.65	589	<10	103	14	59	<20	<20	17	1.64	0.90	0.69	0.03	0.19	47	6	<2	21	2	<5	<10	0.16	2	
95TOS-99E 100+00N		13	<.2	27	7	65	3	11	11	<.2	<5	39	<5	2.54	623	<10	101	13	57	<20	<20	19	1.62	0.86	0.65	0.03	0.20	49	7	<2	21	2	<5	<10	0.15	2	
95TOS-99E 100+25N		6	<.2	42	9	72	6	16	10	<.2	<5	120	<5	2.79	663	<10	123	14	56	<20	<20	22	2.33	0.68	0.66	0.03	0.15	47	9	<2	36	2	<5	<10	0.12	3	
95TOS-99E 100+50N		<5	<.2	19	8	63	4	10	9	<.2	<5	33	<5	2.52	406	<10	102	12	53	<20	<20	16	1.93	0.63	0.52	0.02	0.08	36	6	4	23	2	<5	<10	0.12	2	
95TOS-99E 100+75N		<5	<.2	13	8	51	3	7	7	<.2	<5	6	<5	2.26	206	<10	53	10	51	<20	<20	9	2.06	0.29	0.16	0.02	0.04	19	3	5	12	2	<5	<10	0.10	4	
95TOS-99E 101+00N		7	0.2	43	14	68	5	14	9	<.2	<5	140	<5	2.57	694	<10	191	11	52	<20	<20	27	3.14	0.49	0.77	0.03	0.09	42	11	3	37	1	<5	<10	0.12	5	
95TOS-99E 101+25N		27	<.2	18	7	55	4	9	10	<.2	<5	95	<5	2.71	518	<10	100	13	63	<20	<20	16	1.50	0.78	0.66	0.03	0.18	59	6	2	16	1	<5	<10	0.14	3	



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00963.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 6

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
95TOS-99E 101+50N		13	<.2	17	8	55	4	9	9	<.2	<5	<5	2.72	326	<10	73	14	63	<20	<20	13	1.88	0.57	0.31	0.02	0.09	27	4	3	13	1	<5	<10	0.12	5	
95TOS-99E 101+75N		<5	<.2	18	10	61	3	9	9	<.2	<5	8	2.55	301	<10	81	12	57	<20	<20	9	2.43	0.49	0.16	0.02	0.07	23	3	4	14	1	<5	<10	0.12	9	
95TOS-99E 102+00N		11	<.2	26	6	56	4	8	9	<.2	<5	38	2.77	469	<10	97	12	65	<20	<20	18	1.51	0.61	0.52	0.02	0.14	60	9	<2	20	<1	<5	<10	0.08	<1	
95TOS-99E 102+25N		<5	<.2	31	5	64	6	10	10	<.2	<5	38	3.02	609	<10	97	12	62	<20	<20	24	1.92	0.57	0.39	0.02	0.06	34	14	<2	26	<1	<5	<10	0.09	2	
95TOS-99E 102+50N		<5	<.2	22	5	60	5	8	10	<.2	<5	39	2.82	358	<10	86	12	68	<20	<20	17	1.39	0.55	0.52	0.02	0.08	31	9	<2	23	<1	<5	<10	0.07	<1	

CLIENT: WHITE WOLF EXPLORATION
 REPORT: V95-00988.0 (COMPLETE)

PROJECT: HEDLEY
 DATE PRINTED: 25-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-100E	100+00N	7	<.2	31	7	63	4	9	11	<.2	5	21	<5	3.22	358	<10	127	14	65	<20	<20	25	1.86	0.82	0.33	0.02	0.09	44	9	3	14	<1	5	<10	0.11	2
95TOS-100E	100+25N	<5	<.2	24	4	49	5	9	12	<.2	5	11	<5	4.75	357	<10	95	20	107	<20	<20	22	1.54	0.56	0.30	0.01	0.09	28	5	2	11	1	<5	<10	0.08	2
95TOS-100E	100+50N	8	<.2	29	5	81	4	8	13	<.2	<5	18	<5	3.54	633	<10	139	14	75	<20	<20	24	1.47	0.90	0.68	0.03	0.25	100	9	<2	16	<1	5	<10	0.12	2
95TOS-100E	100+75N	<5	0.3	34	8	61	5	11	10	<.2	<5	54	<5	3.26	527	<10	163	12	68	<20	<20	26	2.03	0.56	0.64	0.03	0.07	42	12	3	31	1	<5	<10	0.09	3
95TOS-100E	101+00N	<5	<.2	26	10	74	4	11	10	<.2	<5	24	<5	2.83	410	<10	135	12	57	<20	<20	22	2.21	0.58	0.50	0.02	0.08	38	7	4	24	2	<5	<10	0.10	2
95TOS-100E	101+25N	13	<.2	22	5	49	3	7	9	<.2	<5	19	<5	2.56	366	<10	95	11	54	<20	<20	18	1.36	0.47	0.39	0.02	0.11	34	5	2	11	<1	<5	<10	0.07	1
95TOS-100E	101+50N	<5	0.6	63	12	59	4	15	10	<.2	<5	78	<5	2.67	555	<10	208	11	61	<20	<20	29	2.51	0.51	0.88	0.04	0.08	49	16	4	34	1	<5	<10	0.10	4
95TOS-100E	101+75N	11	<.2	22	6	59	3	9	10	<.2	<5	44	<5	3.04	378	<10	109	14	71	<20	<20	18	1.59	0.79	0.52	0.03	0.21	51	6	4	16	1	<5	<10	0.14	3
95TOS-100E	102+00N	10	<.2	28	7	63	4	9	10	<.2	<5	59	<5	2.84	541	<10	116	14	66	<20	<20	25	1.80	0.73	0.56	0.03	0.17	50	9	3	18	1	<5	<10	0.14	4
95TOS-100E	102+25N	<5	<.2	17	3	45	4	8	10	<.2	5	40	<5	3.44	399	<10	82	15	78	<20	<20	19	1.21	0.51	0.53	0.02	0.14	34	5	<2	12	<1	<5	<10	0.08	3
95TOS-100E	102+50N	<5	<.2	17	7	60	4	10	10	<.2	<5	40	<5	2.95	503	<10	124	16	63	<20	<20	20	1.84	0.62	0.59	0.03	0.13	40	7	3	17	1	<5	<10	0.13	5
95TOS-100E	102+75N	<5	<.2	12	8	61	3	10	10	<.2	<5	20	<5	3.02	340	<10	91	14	66	<20	<20	15	1.94	0.46	0.33	0.02	0.08	23	3	5	16	2	<5	<10	0.13	6
95TOS-100E	103+00N	<5	<.2	25	8	85	4	9	10	<.2	<5	12	<5	3.25	461	<10	138	14	67	<20	<20	23	1.75	0.80	0.46	0.02	0.25	77	6	3	13	<1	<5	<10	0.12	4
95TOS-100E	103+25N	<5	<.2	18	7	55	3	9	10	<.2	<5	<5	<5	2.80	382	<10	103	14	59	<20	<20	22	1.70	0.69	0.45	0.02	0.13	37	5	4	16	2	<5	<10	0.15	4
95TOS-100E	103+50N	<5	<.2	21	10	71	4	12	10	<.2	<5	15	<5	2.64	448	<10	121	13	51	<20	<20	20	2.43	0.68	0.40	0.03	0.11	32	6	5	21	2	<5	<10	0.16	8
95TOS-100E	103+75N	<5	<.2	20	5	59	3	10	10	<.2	<5	<5	<5	2.71	410	<10	107	14	60	<20	<20	24	1.60	0.83	0.49	0.03	0.20	43	6	4	14	1	<5	<10	0.17	3
95TOS-100E	104+00N	<5	<.2	18	7	61	3	9	10	<.2	<5	<5	<5	2.83	345	<10	86	14	60	<20	<20	18	1.71	0.55	0.34	0.02	0.10	24	4	4	13	2	<5	<10	0.13	5
95TOS-100E	104+25N	16	<.2	28	7	83	3	14	13	<.2	<5	9	<5	2.75	480	<10	142	14	59	<20	<20	21	2.12	0.98	0.42	0.03	0.21	33	5	5	20	1	<5	<10	0.20	4
95TOS-100E	104+50N	<5	<.2	24	7	108	3	14	13	<.2	<5	12	<5	2.85	418	<10	149	14	60	<20	<20	19	2.33	0.84	0.35	0.03	0.17	33	5	5	18	2	<5	<10	0.20	7
95TOS-100E	104+75N	<5	<.2	23	6	64	3	10	12	<.2	<5	12	<5	3.83	399	<10	117	18	82	<20	<20	23	1.68	0.76	0.40	0.02	0.21	36	5	3	14	1	<5	<10	0.15	4
95TOS-100E	105+00N	10	<.2	20	7	71	3	9	10	<.2	<5	11	<5	3.14	322	<10	122	15	68	<20	<20	18	1.66	0.64	0.30	0.02	0.18	39	5	4	12	1	<5	<10	0.15	4
95TOS-100E	105+25N	10	<.2	32	7	119	4	10	14	<.2	<5	22	<5	4.09	397	<10	229	15	86	<20	<20	19	2.05	0.86	0.36	0.02	0.38	45	5	4	15	<1	5	<10	0.15	5
95TOS-100E	105+50N	<5	<.2	17	9	94	4	9	10	<.2	<5	13	<5	2.85	274	<10	133	12	57	<20	<20	15	1.97	0.56	0.62	0.02	0.11	37	4	4	13	1	<5	<10	0.12	5
95TOS-100E	105+75N	12	<.2	29	13	138	3	11	12	<.2	<5	33	<5	2.80	508	<10	125	12	56	<20	<20	16	2.19	0.42	0.48	0.03	0.10	27	5	4	15	1	<5	<10	0.13	6
95TOS-100E	106+00N	7	<.2	26	9	128	5	11	14	<.2	6	21	<5	4.25	437	<10	195	17	88	<20	<20	20	2.33	0.87	0.33	0.02	0.30	49	5	5	15	1	<5	<10	0.15	4
95TOS-100E	106+25N	25	0.2	35	11	200	4	12	14	<.2	6	36	<5	3.94	501	<10	227	14	77	<20	<20	18	2.78	0.97	0.35	0.02	0.41	42	4	5	19	<1	6	<10	0.16	4
95TOS-100E	106+50N	10	0.4	43	9	177	5	14	16	<.2	<5	28	<5	4.64	535	<10	202	23	94	<20	<20	19	2.33	1.13	0.37	0.02	0.62	65	5	4	15	<1	7	<10	0.16	3
95TOS-100E	106+75N	11	<.2	40	10	240	4	14	14	<.2	<5	24	<5	4.37	522	<10	250	16	83	<20	<20	17	2.78	1.12	0.32	0.02	0.59	71	5	5	21	<1	8	<10	0.17	3
95TOS-100E	107+00N	22	0.4	43	12	264	4	14	13	<.2	<5	23	<5	4.18	519	<10	224	18	80	<20	<20	16	2.86	1.07	0.35	0.02	0.50	52	4	5	22	<1	7	<10	0.16	2
95TOS-100E	107+25N	<5	<.2	28	9	219	4	13	13	0.4	<5	16	<5	3.68	395	<10	155	16	74	<20	<20	14	2.33	0.89	0.26	0.02	0.27	29	4	5	19	1	6	<10	0.16	3

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00988.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-100E 107+50N		15	<.2	24	11	204	4	12	13	<.2	<5	24	<5	3.34	428	<10	132	14	66	<20	<20	14	2.30	0.73	0.31	0.02	0.17	32	3	6	22	1	<5	<10	0.15	3
95TOS-100E 107+75N		8	<.2	24	7	113	5	11	12	<.2	5	12	<5	4.24	378	<10	130	19	85	<20	<20	20	1.95	0.70	0.29	0.02	0.24	51	5	4	14	<1	<5	<10	0.12	3
95TOS-100E 108+00N		<5	<.2	26	8	116	4	10	12	<.2	<5	12	<5	4.01	337	<10	124	15	79	<20	<20	19	2.01	0.72	0.28	0.01	0.23	52	5	5	14	1	<5	<10	0.10	2
95TOS-100E 108+25N		<5	<.2	26	9	142	6	12	15	<.2	6	12	<5	4.40	413	<10	146	19	90	<20	<20	19	2.31	0.64	0.28	0.02	0.15	40	4	5	17	1	<5	<10	0.13	5
95TOS-100E 108+50N		<5	<.2	26	8	98	5	14	14	<.2	<5	6	<5	4.30	404	<10	165	25	90	<20	<20	22	2.00	0.70	0.28	0.02	0.17	76	5	3	13	<1	<5	<10	0.11	4
95TOS-100E 108+75N		<5	<.2	25	6	77	5	11	13	0.2	6	<5	<5	4.55	462	<10	159	21	93	<20	<20	27	1.75	0.61	0.37	0.02	0.18	111	6	3	11	<1	<5	<10	0.10	5
95TOS-100E 109+00N		<5	<.2	24	5	83	5	11	13	<.2	6	<5	<5	5.22	362	<10	117	26	111	<20	<20	22	1.79	0.72	0.28	0.01	0.12	32	4	4	15	1	<5	<10	0.11	3
95TOS-100E 109+25N		8	0.3	29	5	85	4	11	11	<.2	8	6	<5	4.43	310	<10	113	22	91	<20	<20	21	1.65	0.58	0.23	0.01	0.12	34	4	4	14	1	<5	<10	0.11	4
95TOS-100E 109+50N		<5	<.2	28	7	110	4	14	12	<.2	<5	7	<5	3.04	432	<10	138	19	63	<20	<20	20	1.94	0.96	0.30	0.02	0.22	37	5	4	18	2	<5	<10	0.17	4
95TOS-100E 109+75N		<5	<.2	36	8	126	5	17	15	<.2	6	13	<5	4.00	453	<10	168	23	81	<20	<20	20	2.64	1.00	0.24	0.02	0.21	59	5	6	20	1	<5	<10	0.14	5
95TOS-100E 110+00N		<5	<.2	16	9	107	4	10	9	<.2	<5	11	<5	2.32	378	<10	94	11	46	<20	<20	14	2.29	0.39	0.15	0.02	0.07	21	4	5	14	1	<5	<10	0.12	12
95TOS-101E 100+00N		<5	<.2	21	8	66	3	10	11	<.2	<5	81	<5	2.73	670	<10	133	13	56	<20	<20	22	1.80	0.85	0.69	0.03	0.23	51	6	3	21	1	<5	<10	0.15	5
95TOS-101E 100+25N		<5	<.2	23	5	87	4	11	16	<.2	5	79	<5	4.43	867	<10	127	17	96	<20	<20	22	2.14	1.19	0.85	0.02	0.26	51	6	3	27	1	<5	<10	0.16	4
95TOS-101E 100+50N		<5	0.2	31	8	105	5	12	16	<.2	5	64	<5	4.33	788	<10	174	14	100	<20	<20	24	2.82	1.21	0.92	0.04	0.32	41	7	5	48	1	6	<10	0.20	4
95TOS-101E 100+75N		<5	<.2	23	5	57	3	9	11	<.2	<5	34	<5	3.11	303	<10	151	14	70	<20	<20	15	1.85	0.69	0.29	0.02	0.25	55	3	4	12	<1	<5	<10	0.12	3
95TOS-101E 101+00N		17	<.2	17	6	56	4	8	11	<.2	<5	21	<5	2.91	316	<10	137	13	65	<20	<20	15	1.85	0.66	0.33	0.02	0.16	39	4	4	21	1	<5	<10	0.13	4
95TOS-101E 101+25N		11	<.2	23	5	59	4	9	12	<.2	<5	45	<5	3.44	453	<10	126	13	82	<20	<20	19	1.67	0.88	0.46	0.03	0.27	51	5	3	17	<1	<5	<10	0.14	5
95TOS-101E 101+50N		11	<.2	17	8	67	3	9	10	<.2	<5	27	<5	2.74	295	<10	97	12	57	<20	<20	14	1.91	0.54	0.22	0.02	0.10	22	3	5	16	1	<5	<10	0.11	4
95TOS-101E 101+75N		10	<.2	28	8	96	4	11	12	<.2	<5	34	<5	3.24	421	<10	120	13	67	<20	<20	19	2.03	0.64	0.26	0.02	0.13	27	5	4	17	1	<5	<10	0.11	6
95TOS-101E 102+00N		7	0.5	43	10	64	4	13	10	<.2	<5	75	<5	2.89	351	<10	141	12	61	<20	<20	26	2.24	0.65	0.70	0.04	0.11	35	11	5	38	<1	5	<10	0.12	5
95TOS-101E 102+25N		11	<.2	18	5	51	4	9	10	<.2	<5	26	<5	3.08	325	<10	113	14	66	<20	<20	17	1.54	0.67	0.35	0.02	0.21	40	4	3	12	1	<5	<10	0.11	5
95TOS-101E 102+50N		12	<.2	20	8	54	3	9	11	<.2	<5	45	<5	2.75	292	<10	103	11	61	<20	<20	16	1.82	0.80	0.45	0.03	0.16	30	4	5	26	1	<5	<10	0.15	3
95TOS-101E 102+75N		22	<.2	26	8	65	4	11	12	<.2	<5	107	<5	2.94	318	<10	125	12	60	<20	<20	17	2.18	0.70	0.41	0.03	0.10	28	4	5	27	1	<5	<10	0.13	4
95TOS-101E 103+00N		19	<.2	39	7	58	3	12	10	<.2	<5	50	<5	2.69	507	<10	112	23	48	<20	<20	20	1.61	0.62	0.72	0.03	0.15	38	9	2	29	1	<5	<10	0.11	4
95TOS-101E 103+25N		6	<.2	21	9	74	3	11	9	<.2	<5	62	<5	2.50	329	<10	80	12	47	<20	<20	15	2.12	0.35	0.52	0.02	0.06	25	5	4	33	1	<5	<10	0.10	6
95TOS-101E 103+50N		<5	0.4	26	7	56	4	10	9	<.2	6	189	<5	2.73	289	<10	97	11	50	<20	<20	19	1.62	0.41	0.73	0.02	0.08	30	7	4	39	1	<5	<10	0.07	2
95TOS-101E 103+75N		<5	<.2	20	4	57	4	10	11	<.2	7	12	<5	3.38	325	<10	93	16	74	<20	<20	18	1.52	0.65	0.36	0.02	0.12	25	3	4	15	1	<5	<10	0.11	2
95TOS-101E 104+00N		<5	0.2	19	9	88	4	10	11	<.2	<5	18	<5	2.63	294	<10	103	11	51	<20	<20	13	2.00	0.44	0.17	0.02	0.08	20	3	5	14	1	<5	<10	0.11	7
95TOS-101E 104+25N		<5	0.2	34	7	92	4	10	13	<.2	<5	33	<5	2.88	374	<10	197	9	61	<20	<20	13	1.93	0.70	0.21	0.02	0.20	32	3	4	16	1	<5	<10	0.13	3
95TOS-101E 104+50N		<5	0.2	24	9	157	4	12	14	<.2	<5	22	<5	3.10	392	<10	165	12	62	<20	<20	14	2.29	0.60	0.21	0.02	0.14	25	3	5	16	1	<5	<10	0.14	7



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00988.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-101E	104+75N	<5	0.2	47	9	155	5	12	17	<.2	<5	35	<5	3.31	418	<10	224	9	68	<20	<20	14	2.54	0.83	0.18	0.02	0.23	28	3	5	20	1	<5	<10	0.18	8
95TOS-101E	105+00N	<5	<.2	29	7	105	4	12	14	<.2	<5	16	<5	2.96	506	<10	151	12	62	<20	<20	17	1.94	1.01	0.37	0.02	0.33	35	5	4	18	2	<5	<10	0.18	3
95TOS-101E	105+25N	5	0.2	30	7	122	4	13	14	<.2	<5	35	<5	3.11	339	<10	178	11	64	<20	<20	12	1.95	0.67	0.25	0.02	0.26	27	3	4	16	1	<5	<10	0.14	2
95TOS-101E	105+50N	<5	<.2	21	9	119	5	13	12	<.2	5	43	<5	2.91	331	<10	130	8	61	<20	<20	10	1.85	0.46	0.26	0.02	0.10	21	2	5	17	1	<5	<10	0.14	2
95TOS-101E	105+75N	<5	<.2	19	14	127	4	11	11	<.2	<5	21	<5	2.66	423	<10	158	9	45	<20	<20	11	2.34	0.62	0.28	0.02	0.07	25	3	4	17	1	<5	<10	0.11	4
95TOS-101E	106+00N	<5	0.2	27	15	150	4	14	12	0.3	<5	36	<5	2.95	263	<10	102	9	55	<20	<20	12	2.35	0.51	0.17	0.02	0.05	14	3	5	15	2	<5	<10	0.13	9
95TOS-101E	106+25N	<5	1.0	79	11	321	4	32	12	2.2	<5	274	<5	2.82	745	<10	61	9	51	<20	<20	27	2.10	0.53	0.57	0.03	0.08	23	23	<2	96	<1	<5	<10	0.12	4
95TOS-101E	106+50N	8	0.6	55	12	229	3	12	12	2.8	<5	124	<5	2.71	411	<10	129	7	47	<20	<20	17	2.53	0.41	0.36	0.03	0.08	25	8	5	36	1	<5	<10	0.13	16
95TOS-101E	106+75N	14	0.4	137	11	162	4	8	12	1.2	7	28	<5	3.57	597	<10	136	7	45	<20	<20	15	1.83	0.44	0.63	0.02	0.10	27	3	<2	11	<1	<5	<10	0.10	3
95TOS-101E	107+00N	19	<.2	36	12	145	3	10	11	0.9	<5	25	<5	2.63	546	<10	128	8	50	<20	<20	13	2.12	0.55	0.42	0.02	0.06	24	4	3	14	1	<5	<10	0.11	5
95TOS-101E	107+25N	<5	0.2	13	22	124	3	8	10	0.5	<5	8	<5	2.16	615	<10	105	6	38	<20	<20	10	1.98	0.40	0.36	0.02	0.04	32	2	4	18	1	<5	<10	0.09	2
95TOS-101E	107+50N	<5	<.2	16	11	131	4	9	10	0.5	<5	15	<5	2.39	379	<10	128	8	46	<20	<20	11	2.21	0.39	0.20	0.02	0.09	17	3	5	14	1	<5	<10	0.12	10
95TOS-101E	107+75N	<5	0.3	25	12	146	4	13	11	<.2	<5	70	<5	2.50	420	<10	88	7	48	<20	<20	11	2.24	0.30	0.15	0.02	0.05	14	3	4	21	2	<5	<10	0.12	10
95TOS-101E	108+00N	<5	0.2	26	12	167	5	20	14	<.2	<5	66	<5	3.19	412	<10	111	11	64	<20	<20	12	2.53	0.53	0.19	0.02	0.07	17	2	6	40	2	<5	<10	0.15	6
95TOS-101E	108+25N	<5	0.3	26	9	208	7	24	12	<.2	<5	62	<5	3.08	348	<10	119	16	65	<20	<20	13	1.84	0.45	0.17	0.02	0.08	24	3	4	14	1	<5	<10	0.12	4
95TOS-101E	108+50N	<5	0.2	17	10	120	5	12	11	<.2	<5	33	<5	2.95	219	<10	99	9	57	<20	<20	10	1.99	0.39	0.13	0.02	0.07	17	2	6	16	2	<5	<10	0.14	6
95TOS-101E	108+75N	<5	<.2	19	11	78	6	9	9	<.2	5	19	<5	2.88	222	<10	136	7	57	<20	<20	13	2.10	0.46	0.18	0.02	0.09	22	4	5	39	1	<5	<10	0.15	6
95TOS-101E	109+00N	<5	0.2	44	7	52	13	6	11	<.2	<5	13	<5	3.31	240	<10	188	6	66	<20	<20	13	1.80	0.59	0.20	0.02	0.15	30	2	5	14	1	<5	<10	0.14	2
95TOS-101E	109+25N	9	<.2	25	9	70	5	9	11	<.2	<5	291	<5	2.75	208	<10	126	7	51	<20	<20	14	1.92	0.36	0.16	0.02	0.08	25	3	5	13	1	<5	<10	0.12	6
95TOS-101E	109+50N	<5	<.2	18	11	90	7	9	11	<.2	<5	31	<5	2.50	170	<10	101	7	50	<20	<20	11	2.15	0.31	0.17	0.02	0.05	18	3	7	47	1	<5	<10	0.15	7
95TOS-101E	109+75N	<5	<.2	23	9	89	7	10	15	<.2	<5	19	<5	2.52	565	<10	123	7	54	<20	<20	13	2.03	0.41	0.29	0.02	0.07	33	3	4	32	1	<5	<10	0.15	3
95TOS-101E	110+00N	<5	<.2	18	10	96	4	7	10	<.2	<5	17	<5	2.48	276	<10	84	7	49	<20	<20	10	2.06	0.25	0.13	0.02	0.06	17	2	5	12	2	<5	<10	0.13	8

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-104E 102+75N	<5	<2	18	10	93	4	12	11	<2	<5	20	<5	2.96	281	<10	124	12	64	<20	<20	13	2.36	0.58	0.22	0.02	0.08	21	3	5	14	1	<5	<10	0.13	4	
95TOS-104E 103+00N	<5	<2	29	10	103	4	17	12	<2	<5	30	<5	3.17	250	<10	115	13	64	<20	<20	14	2.44	0.62	0.19	0.02	0.09	20	3	6	15	1	<5	<10	0.13	5	
95TOS-104E 103+25N	12	0.3	56	10	122	4	18	14	<2	<5	196	<5	3.35	336	<10	107	11	67	<20	<20	18	2.51	0.85	0.62	0.03	0.10	32	10	6	41	1	5	<10	0.15	4	
95TOS-104E 103+50N	18	0.5	44	12	136	3	21	12	0.2	<5	108	<5	2.90	670	<10	144	12	54	<20	<20	19	2.38	0.63	0.71	0.03	0.19	36	9	2	36	<1	<5	<10	0.14	6	
95TOS-104E 103+75N	<5	0.2	16	8	74	3	8	9	<2	<5	57	<5	2.20	466	<10	73	8	38	<20	<20	12	1.91	0.42	0.81	0.04	0.10	33	3	3	27	<1	<5	<10	0.11	4	
95TOS-104E 104+00N	<5	0.4	24	11	78	3	12	11	<2	<5	56	<5	2.68	498	<10	92	12	55	<20	<20	17	2.29	0.57	0.65	0.03	0.15	42	8	4	36	1	<5	<10	0.12	3	
95TOS-104E 104+25N	<5	0.2	22	11	91	3	12	11	<2	<5	20	<5	2.73	295	<10	133	12	60	<20	<20	15	2.43	0.57	0.36	0.03	0.09	39	4	6	33	1	<5	<10	0.13	4	
95TOS-104E 104+50N	<5	0.4	33	12	109	5	14	12	<2	<5	25	<5	2.98	584	<10	131	14	62	<20	<20	18	2.86	0.74	0.44	0.03	0.19	55	8	4	47	<1	5	<10	0.13	3	
95TOS-104E 104+75N	<5	0.4	29	11	85	3	11	10	<2	<5	18	<5	2.49	351	<10	107	11	55	<20	<20	19	2.25	0.49	0.37	0.03	0.09	43	8	5	38	<1	<5	<10	0.12	3	
95TOS-104E 105+00N	<5	<2	18	11	67	3	9	9	<2	<5	14	<5	2.36	279	<10	99	9	56	<20	<20	14	2.01	0.56	0.34	0.02	0.08	37	5	5	28	1	<5	<10	0.12	2	
95TOS-104E 105+25N	<5	<2	10	10	53	2	7	7	<2	<5	6	<5	1.76	203	<10	72	8	44	<20	<20	10	1.46	0.37	0.26	0.02	0.05	28	3	5	18	1	<5	<10	0.12	2	
95TOS-104E 105+50N	22	0.4	17	10	64	3	8	9	<2	<5	17	<5	2.43	179	<10	94	9	54	<20	<20	13	2.15	0.36	0.21	0.02	0.07	23	4	6	16	1	<5	<10	0.11	5	
95TOS-104E 105+75N	14	0.2	19	11	71	3	12	11	<2	<5	16	<5	2.66	396	<10	133	9	58	<20	<20	16	2.33	0.55	0.52	0.03	0.09	32	4	5	33	1	<5	<10	0.13	3	
95TOS-104E 106+00N	<5	0.4	28	13	71	3	16	10	<2	<5	22	<5	2.63	407	<10	120	11	48	<20	<20	15	2.16	0.54	0.66	0.04	0.07	40	6	4	33	1	<5	<10	0.13	7	
95TOS-104E 106+25N	14	0.3	38	11	86	3	20	11	0.3	<5	25	<5	2.99	523	<10	160	12	52	<20	<20	19	2.30	0.60	0.69	0.04	0.07	40	9	3	50	<1	<5	<10	0.12	5	
95TOS-104E 106+50N	8	0.2	47	10	92	3	15	10	0.2	5	28	<5	2.62	309	<10	106	12	59	<20	<20	22	2.09	0.49	0.68	0.03	0.07	25	12	4	41	<1	<5	<10	0.11	4	
95TOS-104E 106+75N	12	<2	16	8	72	3	8	9	<2	<5	8	<5	2.53	221	<10	86	11	57	<20	<20	13	1.88	0.35	0.19	0.02	0.05	16	3	5	11	1	<5	<10	0.11	7	
95TOS-104E 107+00N	<5	<2	17	11	94	3	10	11	<2	<5	18	<5	2.61	351	<10	88	11	55	<20	<20	13	2.40	0.42	0.22	0.02	0.05	15	3	4	16	2	<5	<10	0.12	8	
95TOS-104E 107+25N	<5	<2	29	11	91	3	11	13	<2	<5	14	<5	2.83	430	<10	122	11	59	<20	<20	16	2.36	0.61	0.31	0.03	0.08	26	6	4	15	<1	<5	<10	0.12	9	
95TOS-104E 107+50N	<5	0.2	29	12	82	3	12	14	<2	<5	17	<5	2.92	382	<10	108	13	61	<20	<20	14	2.33	0.67	0.35	0.04	0.08	23	5	5	14	1	<5	<10	0.13	7	
95TOS-104E 107+75N	<5	<2	26	10	72	3	11	13	<2	<5	21	<5	2.93	330	<10	99	12	63	<20	<20	14	2.07	0.63	0.28	0.02	0.08	21	4	4	14	<1	<5	<10	0.12	4	
95TOS-104E 108+00N	7	<2	30	12	78	3	13	13	<2	<5	24	<5	2.75	300	<10	112	11	54	<20	<20	15	2.33	0.55	0.30	0.03	0.08	22	6	5	14	<1	<5	<10	0.12	10	
95TOS-104E 108+25N	10	<2	18	12	86	4	9	11	<2	5	13	<5	2.52	320	<10	102	9	52	<20	<20	13	2.18	0.47	0.27	0.02	0.06	17	4	6	14	1	<5	<10	0.12	8	
95TOS-104E 108+50N	<5	<2	16	11	82	3	9	10	<2	<5	12	<5	2.44	389	<10	93	9	52	<20	<20	12	1.97	0.43	0.25	0.02	0.07	18	3	4	13	1	<5	<10	0.11	5	
95TOS-104E 108+75N	<5	<2	17	11	64	4	10	11	<2	<5	21	<5	2.66	295	<10	88	9	60	<20	<20	12	2.04	0.47	0.22	0.02	0.06	19	3	5	12	1	<5	<10	0.11	3	
95TOS-104E 109+00N	<5	0.2	15	10	97	3	11	9	<2	<5	8	<5	2.46	369	<10	81	11	54	<20	<20	12	2.09	0.34	0.16	0.02	0.06	15	3	5	11	1	<5	<10	0.10	5	
95TOS-104E 109+25N	<5	0.2	19	8	124	4	16	10	<2	<5	15	<5	2.72	582	<10	99	11	58	<20	<20	12	1.97	0.39	0.19	0.02	0.06	20	3	2	11	1	<5	<10	0.10	3	
95TOS-104E 109+50N	<5	<2	19	11	87	4	11	9	<2	<5	11	<5	2.61	417	<10	96	11	57	<20	<20	11	2.11	0.41	0.12	0.02	0.05	13	2	4	11	1	<5	<10	0.10	4	
95TOS-104E 109+75N	<5	0.2	22	12	104	4	14	10	<2	<5	19	<5	2.66	360	<10	76	11	50	<20	<20	14	2.57	0.38	0.12	0.01	0.05	14	3	4	13	2	<5	<10	0.11	8	
95TOS-104E 110+25N	5	0.2	18	8	67	3	8	10	<2	<5	11	<5	2.61	469	<10	93	9	54	<20	<20	13	2.00	0.38	0.13	0.01	0.07	20	3	2	10	1	<5	<10	0.09	3	



Bondar Clegg

Inchcape Testing Services

Ge chemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00981.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 6

SAMPLE NUMBER	ELEMENT UNITS	Au	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr	
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-104E 110+50N		<5	0.2	15	12	82	4	8	9	<.2	<5	18	<5	2.28	533	<10	92	8	47	<20	<20	11	2.14	0.27	0.19	0.02	0.05	23	3	4	12	2	<5	<10	0.11	5	
95TOS-104E 110+75N		7	<.2	23	10	75	4	8	11	<.2	<5	17	<5	2.89	427	<10	139	7	59	<20	<20	13	2.17	0.40	0.17	0.02	0.10	23	3	4	13	1	<5	<10	0.12	3	
95TOS-104E 111+00N		<5	<.2	23	10	67	4	8	11	<.2	<5	11	<5	2.55	569	<10	105	7	56	<20	<20	12	1.92	0.36	0.16	0.02	0.08	21	3	3	15	1	<5	<10	0.11	3	
95TOS-104E 111+25N		16	0.5	19	8	62	3	7	10	<.2	<5	7	<5	2.38	242	<10	77	7	52	<20	<20	11	1.94	0.27	0.11	0.02	0.06	14	3	5	13	1	<5	<10	0.11	5	
95TOS-104E 111+50N		<5	0.3	23	10	62	4	8	11	<.2	<5	49	<5	2.51	623	<10	124	11	57	<20	<20	25	1.67	0.44	0.27	0.02	0.06	35	11	2	23	<1	<5	<10	0.11	1	
95TOS-104E 111+75N		<5	0.2	21	6	56	4	8	10	<.2	<5	9	<5	2.60	214	<10	88	9	55	<20	<20	15	2.02	0.30	0.12	0.02	0.06	17	5	4	12	1	<5	<10	0.10	5	
95TOS-104E 112+00N		7	0.3	19	10	63	3	8	9	<.2	<5	9	<5	2.43	287	<10	105	9	52	<20	<20	12	2.06	0.29	0.12	0.02	0.08	19	3	5	11	2	<5	<10	0.11	5	
95TOS-104E 112+25N		<5	<.2	23	7	55	4	8	11	<.2	<5	14	<5	2.75	306	<10	114	11	62	<20	<20	15	1.87	0.34	0.12	0.01	0.09	17	4	4	11	1	<5	<10	0.10	3	
95TOS-104E 112+50N		<5	<.2	18	10	55	4	8	9	<.2	<5	8	<5	2.34	237	<10	126	8	50	<20	<20	14	1.72	0.26	0.16	0.02	0.08	23	4	5	15	1	<5	<10	0.09	2	
95TOS-104E 112+75N		<5	<.2	35	6	61	4	8	12	<.2	<5	<5	<5	2.94	184	<10	134	7	69	<20	<20	12	1.75	0.46	0.11	0.01	0.17	14	2	6	15	1	<5	<10	0.14	3	
95TOS-104E 113+00N		12	<.2	24	8	60	4	8	10	<.2	<5	<5	<5	3.01	256	<10	129	8	64	<20	<20	17	1.96	0.56	0.20	0.01	0.20	29	5	5	13	1	<5	<10	0.11	3	
95TOS-104E 113+25N		<5	0.3	21	8	60	3	9	9	<.2	<5	19	<5	2.66	227	<10	111	9	56	<20	<20	14	1.90	0.39	0.12	0.02	0.08	21	4	6	14	1	<5	<10	0.11	3	
95TOS-104E 113+50N		<5	<.2	16	7	48	3	8	8	<.2	<5	7	<5	2.53	194	<10	84	12	51	<20	<20	15	1.47	0.26	0.20	0.02	0.05	26	5	4	13	1	<5	<10	0.09	2	
95TOS-104E 113+75N		<5	0.2	13	7	55	3	8	8	0.3	<5	<5	<5	2.46	224	<10	80	13	51	<20	<20	13	1.35	0.23	0.18	0.02	0.05	23	3	5	22	1	<5	<10	0.10	3	
95TOS-104E 114+00N		<5	<.2	18	5	55	3	7	8	<.2	<5	11	<5	2.60	193	<10	118	12	55	<20	<20	15	1.39	0.34	0.17	0.01	0.07	28	4	4	14	1	<5	<10	0.08	<1	
95TOS-104E 114+25N		<5	0.4	20	8	61	4	9	8	<.2	<5	14	<5	2.94	228	<10	152	12	60	<20	<20	17	1.95	0.41	0.26	0.02	0.07	38	6	6	25	1	<5	<10	0.11	2	
95TOS-104E 114+50N		<5	0.2	16	8	49	3	7	7	<.2	<5	6	<5	2.39	184	<10	105	9	51	<20	<20	15	1.73	0.27	0.16	0.01	0.06	35	3	5	10	1	<5	<10	0.07	2	
95TOS-104E 115+50N		<5	<.2	10	8	47	3	8	7	<.2	<5	<5	<5	2.34	215	<10	61	14	50	<20	<20	14	1.80	0.29	0.17	0.01	0.06	17	3	5	11	2	<5	<10	0.10	5	



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00990.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr	
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-105E 100+00N	<5	<.2	17	14	91	3	11	9	<.2	<5	25	<5	2.26	237	<10	87	8	45	<20	<20	10	2.15	0.41	0.18	0.03	0.07	16	3	5	17	1	<5	<10	0.12	9		
95TOS-105E 100+25N	<5	<.2	18	12	134	4	18	12	<.2	<5	38	<5	2.67	366	<10	106	12	48	<20	<20	11	2.29	0.49	0.32	0.03	0.09	24	3	5	17	1	<5	<10	0.13	5		
95TOS-105E 100+50N	<5	<.2	26	14	68	2	23	12	0.2	<5	32	<5	2.22	723	<10	52	8	19	<20	<20	13	1.48	0.36	1.79	0.10	0.11	96	18	<2	10	<1	<5	<10	0.07	4		
95TOS-105E 100+75N	<5	0.2	38	13	69	3	21	12	0.7	<5	13	<5	2.34	966	<10	48	7	24	<20	<20	13	1.34	0.37	3.22	0.09	0.17	131	14	<2	8	<1	<5	<10	0.06	2		
95TOS-105E 101+00N	<5	0.3	38	15	74	2	23	12	0.8	<5	13	<5	2.07	1029	<10	45	5	16	<20	<20	12	1.12	0.29	4.46	0.07	0.10	140	13	<2	7	<1	<5	<10	0.04	2		
95TOS-105E 101+25N	15	<.2	21	22	147	4	18	20	0.3	<5	97	<5	3.08	1827	<10	168	8	41	<20	<20	13	2.22	0.57	0.61	0.04	0.18	47	5	<2	19	2	<5	<10	0.11	6		
95TOS-105E 101+50N	6	<.2	19	112	769	4	20	14	1.1	<5	70	<5	2.85	1507	<10	101	14	45	<20	<20	15	2.14	0.61	0.64	0.04	0.08	42	8	<2	14	1	<5	<10	0.11	3		
95TOS-105E 101+75N	<5	<.2	25	45	515	4	40	20	1.3	<5	55	<5	3.51	1609	<10	103	15	40	<20	<20	16	2.41	0.51	0.93	0.03	0.07	53	9	<2	15	<1	<5	<10	0.11	12		
95TOS-105E 102+00N	<5	<.2	15	13	109	4	11	11	<.2	6	28	<5	2.89	357	<10	104	11	59	<20	<20	12	2.28	0.78	0.27	0.02	0.08	24	3	5	20	1	<5	<10	0.15	3		
95TOS-105E 102+25N	<5	<.2	14	14	112	4	17	12	<.2	<5	38	<5	2.91	318	<10	84	11	54	<20	<20	11	2.40	0.73	0.30	0.03	0.05	21	3	6	19	2	<5	<10	0.15	5		
95TOS-105E 102+50N	<5	<.2	14	18	150	4	12	9	<.2	<5	37	<5	2.64	473	<10	88	9	45	<20	<20	11	2.49	0.41	0.19	0.02	0.05	17	3	5	15	2	<5	<10	0.13	11		
95TOS-105E 102+75N	7	<.2	15	20	100	3	15	10	<.2	<5	9	<5	2.64	802	<10	79	9	41	<20	<20	13	2.44	0.48	0.46	0.03	0.04	36	9	<2	13	1	<5	<10	0.11	6		
95TOS-105E 103+00N	6	<.2	14	18	120	3	16	11	<.2	<5	14	<5	2.83	644	<10	75	9	43	<20	<20	12	2.37	0.43	0.37	0.03	0.04	34	7	2	12	1	<5	<10	0.12	5		
95TOS-105E 103+25N	22	<.2	22	15	179	5	16	13	<.2	<5	58	<5	3.55	506	<10	95	12	66	<20	<20	14	2.67	0.95	0.26	0.02	0.10	23	4	6	25	1	5	<10	0.17	3		
95TOS-105E 103+50N	10	0.3	28	13	236	4	23	12	<.2	<5	171	<5	3.18	1006	<10	123	12	60	<20	<20	15	2.64	0.63	0.64	0.04	0.13	35	6	<2	38	<1	<5	<10	0.14	5		
95TOS-105E 103+75N	<5	<.2	18	12	122	4	15	11	<.2	<5	37	<5	2.98	390	<10	98	11	60	<20	<20	12	2.38	0.60	0.41	0.03	0.09	25	4	5	27	1	<5	<10	0.15	4		
95TOS-105E 104+00N	<5	0.8	49	12	127	4	21	11	0.3	<5	80	<5	2.90	697	<10	102	14	50	<20	<20	24	2.62	0.47	0.74	0.03	0.09	41	26	3	41	<1	5	<10	0.12	5		
95TOS-105E 104+25N	<5	<.2	50	11	90	5	13	12	<.2	<5	39	<5	3.78	341	<10	316	15	93	<20	<20	16	3.94	1.34	0.42	0.06	0.57	77	5	8	39	<1	6	<10	0.17	2		
95TOS-105E 104+50N	<5	0.8	54	13	83	5	13	12	<.2	<5	73	<5	2.70	606	<10	132	7	50	<20	<20	28	2.58	0.49	1.01	0.03	0.11	100	26	4	32	<1	<5	<10	0.08	2		
95TOS-105E 104+75N	<5	0.3	21	8	70	4	8	9	<.2	<5	17	<5	2.55	298	<10	83	11	57	<20	<20	13	1.86	0.61	0.45	0.03	0.10	47	5	5	29	1	<5	<10	0.13	2		
95TOS-105E 105+00N	<5	0.2	26	7	73	3	11	9	<.2	<5	18	<5	2.66	376	<10	80	12	61	<20	<20	19	2.06	0.52	0.37	0.02	0.08	39	8	4	29	<1	<5	<10	0.13	2		
95TOS-105E 105+25N	<5	0.2	21	11	66	3	10	9	<.2	<5	19	<5	2.53	228	<10	99	9	55	<20	<20	15	2.22	0.41	0.31	0.02	0.07	35	5	6	27	1	<5	<10	0.12	2		
95TOS-105E 105+50N	<5	<.2	16	8	66	3	9	9	<.2	<5	6	<5	2.39	287	<10	95	12	55	<20	<20	13	1.80	0.59	0.38	0.03	0.07	39	4	5	34	1	<5	<10	0.13	1		
95TOS-105E 105+75N	<5	<.2	13	8	50	2	6	7	<.2	<5	6	<5	1.70	217	<10	79	7	41	<20	<20	12	1.68	0.37	0.34	0.03	0.05	34	4	4	18	1	<5	<10	0.13	2		
95TOS-105E 106+00N	<5	<.2	13	7	50	3	6	7	<.2	<5	8	<5	2.07	363	<10	97	8	50	<20	<20	13	1.62	0.59	0.46	0.03	0.10	51	5	4	14	<1	<5	<10	0.14	2		
95TOS-105E 106+25N	<5	0.5	35	11	77	4	15	11	<.2	5	22	<5	2.63	735	<10	134	9	46	<20	<20	21	2.43	0.54	0.73	0.03	0.05	39	12	<2	36	<1	<5	<10	0.10	5		
95TOS-105E 106+50N	<5	<.2	16	7	61	4	8	9	<.2	<5	16	<5	2.71	319	<10	89	9	63	<20	<20	12	1.68	0.52	0.53	0.02	0.05	29	4	3	27	1	<5	<10	0.12	2		
95TOS-105E 106+75N	<5	<.2	15	9	97	4	12	11	<.2	<5	18	<5	3.03	483	<10	123	9	61	<20	<20	12	2.25	0.80	0.67	0.03	0.10	36	3	5	50	1	<5	<10	0.16	4		
95TOS-105E 107+00N	<5	0.4	25	9	75	3	10	7	<.2	<5	7	<5	2.10	214	<10	95	7	41	<20	<20	14	1.68	0.32	0.69	0.03	0.04	31	6	4	31	<1	<5	<10	0.07	1		
95TOS-105E 107+25N	<5	0.2	19	8	67	4	9	9	<.2	<5	17	<5	2.73	191	<10	70	9	59	<20	<20	12	1.79	0.42	0.28	0.02	0.05	24	4	5	16	1	<5	<10	0.10	2		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00990.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-105E 107+50N	<5	0.3	30	12	88	4	15	11	<.2	<5	28	<5	3.06	695	<10	160	11	58	<20	<20	18	2.77	0.48	0.58	0.03	0.07	31	8	3	41	<1	<5	<10	0.13	5	
95TOS-105E 107+75N	24	0.2	21	7	68	4	10	10	<.2	<5	20	<5	3.12	265	<10	81	12	68	<20	<20	13	1.79	0.41	0.25	0.02	0.06	18	4	4	14	1	<5	<10	0.11	2	
95TOS-105E 108+00N	35	0.3	27	12	97	4	13	11	<.2	<5	21	<5	2.73	432	<10	88	9	56	<20	<20	16	2.20	0.46	0.33	0.03	0.05	20	7	5	18	1	<5	<10	0.12	6	
95TOS-105E 108+25N	67	<.2	23	11	89	4	13	11	<.2	<5	30	<5	2.77	249	<10	71	11	55	<20	<20	11	1.86	0.43	0.19	0.02	0.04	15	3	4	12	1	<5	<10	0.10	3	
95TOS-105E 108+50N	57	0.5	31	13	116	5	17	14	<.2	7	53	<5	3.34	368	<10	108	15	72	<20	<20	13	2.38	0.68	0.27	0.02	0.07	19	4	6	25	1	<5	<10	0.13	4	
95TOS-105E 108+75N	<5	<.2	21	12	132	4	12	12	<.2	<5	20	<5	2.85	308	<10	88	9	56	<20	<20	12	2.28	0.46	0.22	0.02	0.09	18	3	5	15	1	<5	<10	0.13	7	
95TOS-105E 109+00N	12	0.2	23	9	124	4	12	14	<.2	<5	8	<5	2.90	341	<10	94	9	55	<20	<20	11	2.04	0.41	0.35	0.02	0.07	22	3	5	14	1	<5	<10	0.12	2	
95TOS-105E 109+25N	<5	<.2	27	11	99	4	11	13	<.2	<5	14	<5	2.84	437	<10	101	9	57	<20	<20	12	2.08	0.57	0.30	0.02	0.08	21	3	4	13	1	<5	<10	0.13	6	
95TOS-105E 109+50N	16	0.3	24	14	105	4	11	12	<.2	<5	10	<5	2.76	488	<10	91	9	54	<20	<20	12	2.38	0.48	0.24	0.03	0.06	18	4	4	13	1	<5	<10	0.12	7	
95TOS-105E 109+75N	<5	<.2	20	13	84	4	11	11	<.2	5	31	<5	2.67	431	<10	96	8	52	<20	<20	11	2.27	0.47	0.31	0.02	0.06	18	3	4	14	1	<5	<10	0.12	4	
95TOS-105E 110+00N	34	<.2	26	8	74	5	11	12	<.2	5	15	<5	2.95	327	<10	110	11	66	<20	<20	12	2.30	0.72	0.24	0.03	0.12	22	3	4	16	<1	<5	<10	0.13	3	
95TOS-105E 110+25N	35	0.3	26	11	105	5	16	10	<.2	5	24	<5	2.74	471	<10	82	9	50	<20	<20	12	2.12	0.30	0.14	0.02	0.05	20	3	4	10	<1	<5	<10	0.10	4	
95TOS-105E 110+50N	11	<.2	22	8	85	4	9	10	<.2	<5	28	<5	2.59	417	<10	103	8	50	<20	<20	12	2.22	0.44	0.15	0.02	0.08	19	3	3	12	<1	<5	<10	0.12	5	
95TOS-105E 110+75N	16	<.2	12	12	69	4	6	8	<.2	<5	13	<5	2.07	487	<10	77	6	35	<20	<20	10	2.38	0.20	0.10	0.02	0.05	14	3	4	10	1	<5	<10	0.10	6	
95TOS-105E 111+00N	<5	<.2	14	11	56	5	7	9	<.2	6	13	<5	2.39	271	<10	89	7	45	<20	<20	15	1.99	0.27	0.17	0.02	0.05	26	7	5	15	1	<5	<10	0.12	4	
95TOS-105E 111+25N	<5	<.2	16	9	99	5	9	11	<.2	5	17	<5	2.84	563	<10	109	8	54	<20	<20	13	2.06	0.45	0.25	0.02	0.06	25	4	5	20	1	<5	<10	0.13	2	
95TOS-105E 111+50N	<5	<.2	13	11	64	5	6	8	<.2	<5	13	<5	2.41	296	<10	109	6	39	<20	<20	10	2.26	0.24	0.14	0.02	0.06	17	3	5	12	1	<5	<10	0.10	6	
95TOS-105E 111+75N	16	<.2	17	8	67	4	6	9	<.2	<5	12	<5	2.54	257	<10	162	5	42	<20	<20	10	1.96	0.36	0.14	0.02	0.11	24	3	4	12	1	<5	<10	0.11	4	
95TOS-105E 112+00N	<5	<.2	31	8	75	5	8	13	<.2	<5	15	<5	3.49	323	<10	161	7	70	<20	<20	12	2.35	0.59	0.16	0.02	0.18	26	3	5	13	<1	<5	<10	0.15	3	
95TOS-105E 112+25N	<5	<.2	22	8	72	6	8	11	<.2	<5	5	<5	2.80	244	<10	122	8	58	<20	<20	11	2.14	0.41	0.14	0.02	0.09	20	3	5	18	1	<5	<10	0.12	3	
95TOS-105E 112+50N	<5	0.2	22	9	78	4	8	12	<.2	<5	10	<5	2.78	494	<10	150	7	58	<20	<20	12	2.11	0.48	0.22	0.02	0.11	28	4	4	17	<1	<5	<10	0.13	1	
95TOS-105E 112+75N	<5	<.2	26	8	67	6	10	11	<.2	<5	12	<5	2.77	314	<10	154	8	56	<20	<20	18	2.29	0.41	0.18	0.02	0.12	29	6	6	16	1	<5	<10	0.11	3	
95TOS-105E 113+00N	<5	0.2	35	8	73	6	8	11	<.2	<5	17	<5	3.16	274	<10	139	6	61	<20	<20	12	2.10	0.51	0.12	0.01	0.19	23	3	4	12	<1	<5	<10	0.13	3	
95TOS-105E 113+25N	<5	<.2	16	9	55	4	8	8	<.2	<5	7	<5	2.47	253	<10	105	8	51	<20	<20	12	2.05	0.32	0.14	0.02	0.07	24	3	5	10	1	<5	<10	0.09	5	
95TOS-105E 113+50N	<5	0.2	22	13	82	5	13	8	<.2	<5	47	<5	2.49	362	<10	260	7	43	<20	<20	14	2.22	0.33	0.25	0.02	0.06	41	8	6	33	1	<5	<10	0.12	4	
95TOS-105E 113+75N	<5	<.2	20	8	54	4	7	7	0.2	<5	18	<5	2.33	163	<10	108	7	49	<20	<20	10	1.83	0.26	0.14	0.02	0.08	19	3	5	11	1	<5	<10	0.11	5	
95TOS-105E 114+00N	<5	0.3	17	7	36	3	6	6	<.2	<5	7	<5	2.02	105	<10	111	6	39	<20	<20	13	1.46	0.20	0.18	0.02	0.06	27	5	6	12	1	<5	<10	0.11	2	
95TOS-105E 114+50N	<5	<.2	21	11	39	3	7	7	<.2	<5	9	<5	1.66	551	<10	179	8	39	<20	<20	19	1.81	0.36	0.33	0.03	0.07	57	8	5	17	<1	<5	<10	0.09	2	
95TOS-105E 115+25N	<5	<.2	38	8	74	3	11	8	<.2	<5	17	<5	2.30	156	<10	104	7	46	<20	<20	17	1.61	0.40	0.20	0.02	0.08	28	14	7	29	1	<5	<10	0.12	3	
95TOS-105E 115+50N	9	0.2	16	8	66	3	10	9	<.2	<5	15	<5	2.68	264	<10	83	12	51	<20	<20	13	2.14	0.33	0.13	0.02	0.05	15	4	4	16	2	<5	<10	0.12	9	



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00990.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-106E 108+75N	<5	0.3	23	8	77	4	9	8	<.2	<5	28	<5	2.44	237	<10	84	8	48	<20	<20	11	2.17	0.32	0.10	0.02	0.05	14	3	5	11	1	<5	<10	0.10	8	
95TOS-106E 109+00N	15	0.3	30	9	115	5	20	12	<.2	<5	28	<5	2.82	302	<10	97	9	57	<20	<20	12	2.15	0.55	0.12	0.02	0.11	14	4	5	20	1	<5	<10	0.12	6	
95TOS-106E 109+25N	10	0.3	28	11	132	4	26	12	<.2	<5	22	<5	2.58	419	<10	97	8	52	<20	<20	11	1.88	0.36	0.17	0.02	0.06	15	3	4	14	1	<5	<10	0.12	5	
95TOS-106E 109+50N	<5	0.2	17	9	87	4	11	9	<.2	<5	25	<5	2.54	269	<10	84	8	50	<20	<20	9	1.92	0.27	0.13	0.02	0.05	15	2	5	12	2	<5	<10	0.10	5	
95TOS-106E 109+75N	<5	0.4	22	9	86	4	18	9	<.2	<5	37	<5	2.52	238	<10	77	8	46	<20	<20	11	1.84	0.24	0.13	0.02	0.05	17	4	4	11	1	<5	<10	0.09	6	
95TOS-106E 110+00N	21	0.3	25	8	106	4	18	11	<.2	<5	24	<5	2.66	310	<10	104	9	54	<20	<20	11	1.95	0.38	0.14	0.02	0.07	17	3	4	13	1	<5	<10	0.11	4	
95TOS-106E 110+25N	<5	0.2	31	6	99	6	14	10	<.2	<5	18	<5	2.90	204	<10	94	12	57	<20	<20	11	1.62	0.41	0.12	0.02	0.07	15	3	4	12	1	<5	<10	0.11	3	
95TOS-106E 110+50N	<5	<.2	21	9	89	4	12	10	<.2	<5	19	<5	2.54	340	<10	81	9	50	<20	<20	11	1.91	0.29	0.12	0.02	0.05	18	2	4	11	2	<5	<10	0.11	5	
95TOS-106E 110+75N	<5	<.2	17	9	74	4	10	10	<.2	<5	10	<5	2.53	375	<10	102	9	51	<20	<20	13	2.20	0.37	0.14	0.02	0.07	22	3	4	11	1	<5	<10	0.10	4	
95TOS-106E 111+00N	6	<.2	18	9	65	3	6	9	<.2	<5	10	<5	2.45	366	<10	84	7	47	<20	<20	10	2.01	0.28	0.11	0.02	0.06	15	2	4	10	1	<5	<10	0.09	3	
95TOS-106E 111+25N	<5	<.2	24	9	54	4	10	10	<.2	<5	10	<5	2.91	306	<10	201	9	61	<20	<20	14	2.25	0.58	0.20	0.02	0.14	39	3	4	12	1	<5	<10	0.11	3	
95TOS-106E 111+50N	<5	<.2	19	7	59	4	8	9	<.2	<5	5	<5	2.68	298	<10	96	8	54	<20	<20	11	2.19	0.33	0.13	0.02	0.07	18	3	5	17	1	<5	<10	0.11	3	
95TOS-106E 111+75N	<5	<.2	23	6	53	3	8	9	<.2	<5	18	<5	2.76	209	<10	97	12	58	<20	<20	11	1.94	0.39	0.10	0.02	0.08	13	3	4	12	1	<5	<10	0.11	4	
95TOS-106E 112+00N	<5	0.2	23	7	61	4	8	10	<.2	<5	17	<5	2.99	253	<10	107	9	58	<20	<20	13	2.18	0.38	0.11	0.02	0.10	18	4	5	12	1	<5	<10	0.13	6	
95TOS-106E 112+25N	8	<.2	28	6	68	5	8	13	<.2	<5	53	<5	3.42	323	<10	145	8	64	<20	<20	13	2.13	0.50	0.12	0.02	0.17	20	4	5	16	1	<5	<10	0.15	4	
95TOS-106E 112+50N	6	<.2	24	6	67	4	8	11	<.2	<5	31	<5	3.18	275	<10	124	8	62	<20	<20	13	2.05	0.48	0.13	0.02	0.11	20	4	4	15	1	<5	<10	0.11	3	
95TOS-106E 112+75N	<5	0.2	20	7	55	4	8	9	<.2	<5	18	<5	3.10	235	<10	126	11	60	<20	<20	12	1.84	0.45	0.18	0.01	0.11	24	3	4	12	1	<5	<10	0.11	2	
95TOS-106E 113+00N	<5	<.2	24	5	62	4	8	10	<.2	6	25	<5	3.40	376	<10	209	13	68	<20	<20	14	1.90	0.76	0.29	0.02	0.25	46	4	4	13	<1	5	<10	0.14	2	
95TOS-106E 113+25N	<5	<.2	21	8	68	4	7	11	<.2	<5	47	<5	3.06	489	<10	161	8	59	<20	<20	13	1.97	0.54	0.23	0.02	0.09	33	4	4	20	<1	<5	<10	0.13	2	
95TOS-106E 113+50N	6	<.2	18	8	60	4	7	10	<.2	<5	23	<5	2.55	434	<10	237	8	61	<20	<20	13	1.70	0.59	0.29	0.02	0.11	39	5	4	28	1	<5	<10	0.15	1	
95TOS-106E 113+75N	<5	0.2	21	9	58	4	8	9	<.2	<5	27	<5	2.87	194	<10	121	11	56	<20	<20	17	1.66	0.33	0.21	0.02	0.07	33	5	5	14	1	<5	<10	0.08	2	
95TOS-106E 114+75N	<5	<.2	12	4	39	3	6	7	<.2	6	6	<5	3.21	230	<10	129	18	77	<20	<20	14	1.31	0.62	0.27	0.02	0.16	40	4	4	12	2	<5	<10	0.15	2	
95TOS-106E 115+00N	<5	<.2	9	6	45	4	7	7	<.2	<5	5	<5	2.75	186	<10	54	16	55	<20	<20	15	1.75	0.20	0.16	0.02	0.04	18	3	4	9	1	<5	<10	0.07	3	
95TOS-106E 115+50N	<5	<.2	14	9	75	4	10	8	<.2	<5	5	<5	2.62	222	<10	60	14	51	<20	<20	15	2.09	0.27	0.14	0.02	0.04	19	3	5	11	2	<5	<10	0.10	8	
95TOS-107E 100+00N	<5	<.2	18	11	88	4	12	12	<.2	<5	5	<5	2.92	362	<10	99	12	59	<20	<20	13	2.39	0.61	0.30	0.02	0.11	27	3	5	16	1	<5	<10	0.13	3	
95TOS-107E 100+25N	<5	<.2	13	9	67	4	10	10	<.2	<5	6	<5	2.75	303	<10	88	12	61	<20	<20	11	1.88	0.45	0.29	0.02	0.08	22	3	4	15	1	<5	<10	0.12	2	
95TOS-107E 100+50N	17	<.2	23	13	95	5	24	13	<.2	<5	18	<5	3.10	433	<10	108	15	58	<20	<20	15	2.62	0.55	0.48	0.03	0.08	28	6	5	27	1	<5	<10	0.14	6	
95TOS-107E 100+75N	<5	<.2	35	14	102	5	22	15	<.2	7	15	<5	3.55	493	<10	108	15	61	<20	<20	15	2.81	0.67	0.40	0.03	0.18	27	4	5	27	1	6	<10	0.15	4	
95TOS-107E 101+00N	20	0.2	24	9	61	4	27	14	<.2	6	5	<5	3.86	583	<10	65	9	37	<20	<20	19	1.61	0.41	0.75	0.04	0.05	47	10	<2	11	<1	<5	<10	0.09	5	
95TOS-107E 101+25N	<5	0.2	18	11	89	4	29	15	<.2	<5	19	<5	3.17	521	<10	73	12	44	<20	<20	11	2.05	0.50	0.41	0.04	0.07	30	3	<2	18	1	<5	<10	0.10	2	

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00990.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-107E 101+50N		<5	<.2	25	13	104	5	28	12	<.2	<5	83	<5	2.96	520	<10	74	17	50	<20	<20	13	2.46	0.55	0.30	0.03	0.05	22	5	5	28	1	<5	<10	0.13	5
95TOS-107E 101+75N		<5	<.2	21	12	112	4	20	12	<.2	<5	20	<5	2.65	691	<10	89	9	43	<20	<20	13	2.32	0.43	0.38	0.03	0.06	25	5	3	21	1	<5	<10	0.12	5
95TOS-107E 102+00N		<5	<.2	19	11	80	3	20	12	0.6	<5	9	<5	2.45	1279	<10	94	8	30	<20	<20	19	1.92	0.34	0.77	0.04	0.10	57	20	<2	14	<1	<5	<10	0.08	4
95TOS-107E 102+25N		<5	<.2	17	12	73	2	16	10	0.6	<5	<5	<5	2.06	1505	<10	65	6	20	<20	<20	12	1.30	0.30	0.93	0.05	0.10	65	19	<2	11	<1	<5	<10	0.04	4
95TOS-107E 102+50N		<5	0.2	20	12	62	2	14	10	0.6	<5	10	<5	2.07	1048	<10	78	5	24	<20	<20	14	1.35	0.30	1.29	0.04	0.13	66	21	<2	11	<1	<5	<10	0.04	4
95TOS-107E 102+75N		<5	<.2	14	14	64	3	14	10	0.3	<5	<5	<5	2.38	1079	<10	70	8	35	<20	<20	16	1.69	0.25	0.76	0.04	0.05	45	13	<2	11	<1	<5	<10	0.07	3
95TOS-107E 103+00N		<5	<.2	16	15	108	4	11	10	<.2	5	16	<5	2.94	823	<10	85	11	57	<20	<20	13	2.05	0.60	0.28	0.02	0.07	23	4	2	14	1	<5	<10	0.12	2
95TOS-107E 103+25N		<5	<.2	14	14	97	4	10	9	0.3	<5	9	<5	2.74	523	<10	75	11	55	<20	<20	11	2.11	0.53	0.23	0.02	0.07	19	3	4	13	1	<5	<10	0.11	2
95TOS-107E 103+50N		<5	<.2	17	12	88	4	11	10	<.2	<5	18	<5	2.83	475	<10	88	11	58	<20	<20	12	2.30	0.57	0.31	0.02	0.08	22	3	4	12	1	<5	<10	0.11	2
95TOS-107E 103+75N		9	<.2	38	12	150	4	20	11	0.4	<5	63	<5	2.81	837	<10	64	12	47	<20	<20	17	2.44	0.68	0.77	0.04	0.09	41	19	<2	38	<1	<5	<10	0.12	4
95TOS-107E 104+00N		<5	<.2	15	11	115	4	13	10	<.2	<5	10	<5	3.01	321	<10	91	9	57	<20	<20	13	2.40	0.71	0.20	0.02	0.08	18	3	7	22	2	<5	<10	0.16	3
95TOS-107E 104+25N		<5	0.3	25	9	115	4	12	11	<.2	<5	12	<5	2.77	347	<10	85	7	59	<20	<20	13	2.22	0.68	0.31	0.02	0.10	30	4	5	42	1	<5	<10	0.14	2
95TOS-107E 104+50N		15	<.2	19	11	88	5	11	11	<.2	5	27	<5	3.09	503	<10	98	11	63	<20	<20	14	2.63	0.61	0.24	0.02	0.12	27	3	5	23	1	<5	<10	0.13	2
95TOS-107E 104+75N		<5	0.3	20	12	103	4	10	11	<.2	<5	21	<5	2.95	552	<10	102	8	59	<20	<20	15	2.54	0.64	0.35	0.02	0.10	40	5	5	31	1	<5	<10	0.13	1
95TOS-107E 105+00N		<5	0.2	28	13	121	5	12	13	<.2	5	15	<5	3.39	871	<10	143	9	66	<20	<20	18	3.30	0.79	0.47	0.03	0.23	55	8	4	63	1	6	<10	0.13	2
95TOS-107E 105+25N		8	<.2	31	12	122	5	11	13	<.2	5	19	<5	3.32	427	<10	166	9	66	<20	<20	15	2.69	0.88	0.31	0.02	0.22	37	4	5	35	1	5	<10	0.13	<1
95TOS-107E 105+50N		<5	0.2	20	12	91	5	10	10	<.2	<5	29	<5	2.56	441	<10	113	8	49	<20	<20	12	2.77	0.47	0.28	0.02	0.12	32	4	6	33	1	<5	<10	0.12	2
95TOS-107E 105+75N		<5	<.2	19	8	79	4	9	9	<.2	<5	23	<5	2.44	264	<10	89	8	46	<20	<20	12	1.83	0.35	0.18	0.02	0.07	22	3	3	12	<1	<5	<10	0.09	3
95TOS-107E 106+00N		<5	<.2	25	8	71	4	11	10	<.2	<5	14	<5	2.74	353	<10	99	12	59	<20	<20	15	1.91	0.52	0.23	0.02	0.10	24	4	4	10	<1	<5	<10	0.10	2
95TOS-107E 106+25N		<5	<.2	22	11	91	4	12	10	<.2	<5	20	<5	2.58	360	<10	90	12	52	<20	<20	13	2.24	0.48	0.20	0.02	0.07	21	3	4	14	1	<5	<10	0.10	3
95TOS-107E 106+50N		<5	0.2	22	12	87	4	11	9	<.2	<5	16	<5	2.32	355	<10	84	11	47	<20	<20	11	1.94	0.36	0.19	0.02	0.06	20	3	4	13	1	<5	<10	0.09	3
95TOS-107E 106+75N		<5	0.3	33	11	87	4	14	10	<.2	<5	22	<5	2.58	262	<10	97	16	54	<20	<20	12	1.91	0.57	0.21	0.02	0.08	20	3	4	12	<1	<5	<10	0.08	2
95TOS-107E 107+00N		8	0.6	50	12	92	4	17	9	<.2	<5	52	<5	2.67	226	<10	108	17	56	<20	<20	19	2.20	0.56	0.64	0.02	0.09	37	12	5	44	<1	<5	<10	0.05	<1
95TOS-108E 108+50N		20	<.2	22	8	72	4	12	10	<.2	<5	22	<5	2.65	205	<10	102	13	58	<20	<20	12	1.98	0.43	0.20	0.02	0.06	19	4	5	18	1	<5	<10	0.12	5
95TOS-108E 108+75N		<5	0.3	22	8	79	4	13	10	<.2	<5	32	<5	2.61	230	<10	83	11	58	<20	<20	12	2.17	0.40	0.14	0.02	0.06	15	3	5	13	1	<5	<10	0.12	8
95TOS-108E 109+00N		<5	0.2	26	11	92	4	16	12	<.2	<5	37	<5	2.78	340	<10	84	11	58	<20	<20	13	2.40	0.40	0.15	0.02	0.06	16	4	5	16	1	<5	<10	0.11	5
95TOS-108E 109+25N		<5	<.2	25	8	77	4	13	10	<.2	<5	34	<5	2.54	315	<10	84	11	52	<20	<20	12	2.19	0.34	0.15	0.02	0.06	17	4	4	12	1	<5	<10	0.10	7
95TOS-108E 109+50N		<5	<.2	28	7	78	3	14	8	<.2	<5	34	<5	2.50	424	<10	120	11	56	<20	<20	15	1.87	0.54	0.37	0.02	0.07	20	5	3	18	<1	<5	<10	0.10	3
95TOS-108E 109+75N		<5	0.4	40	14	106	3	25	10	0.2	<5	45	<5	2.67	598	<10	194	9	50	<20	<20	19	2.73	0.36	0.46	0.03	0.05	43	9	4	42	<1	<5	<10	0.13	11
95TOS-108E 110+00N		<5	0.5	47	15	182	4	47	12	0.5	<5	58	<5	2.51	780	<10	174	9	46	<20	<20	22	2.78	0.40	0.42	0.03	0.05	42	16	3	53	<1	<5	<10	0.12	3



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00990.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95 PAGE 6

SAMPLE NUMBER	ELEMENT	AU30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-108E	110+25N	6	0.4	43	12	103	.6	16	8	<.2	<5	65	<5	3.28	223	<10	118	11	57	<20	<20	17	1.85	0.32	0.22	0.02	0.07	38	6	5	18	1	<5	<10	0.10	2
95TOS-108E	110+50N	<5	0.3	26	11	95	5	13	10	<.2	<5	29	<5	2.48	353	<10	69	8	44	<20	<20	15	2.15	0.26	0.16	0.03	0.04	21	8	5	15	1	<5	<10	0.11	6
95TOS-108E	110+75N	20	0.3	26	8	105	6	13	10	<.2	<5	33	<5	2.97	280	<10	110	9	54	<20	<20	12	2.07	0.39	0.13	0.02	0.07	19	3	4	13	1	<5	<10	0.12	6
95TOS-108E	111+00N	5	<.2	21	9	95	4	10	10	<.2	<5	12	<5	2.74	561	<10	99	8	49	<20	<20	12	2.17	0.39	0.15	0.02	0.07	19	5	3	14	1	<5	<10	0.11	4
95TOS-108E	111+25N	<5	<.2	18	8	74	3	7	10	<.2	<5	12	<5	2.56	320	<10	97	8	50	<20	<20	11	2.37	0.36	0.09	0.02	0.08	14	3	5	13	1	<5	<10	0.12	6
95TOS-108E	111+50N	<5	<.2	23	7	66	3	9	11	<.2	<5	15	<5	2.89	306	<10	189	12	59	<20	<20	13	2.45	0.55	0.12	0.02	0.13	22	4	5	12	1	<5	<10	0.12	4
95TOS-108E	111+75N	19	<.2	36	6	72	3	7	13	<.2	<5	14	<5	3.29	335	<10	166	6	69	<20	<20	10	2.23	0.66	0.10	0.02	0.15	15	3	4	13	<1	5	<10	0.14	3
95TOS-108E	112+00N	<5	<.2	21	7	65	3	7	11	<.2	<5	9	<5	2.68	452	<10	108	8	54	<20	<20	10	1.99	0.41	0.14	0.02	0.11	18	2	4	13	1	<5	<10	0.11	4
95TOS-108E	112+25N	<5	<.2	21	7	68	4	8	11	<.2	<5	12	<5	2.93	293	<10	128	8	55	<20	<20	13	2.02	0.48	0.18	0.02	0.12	20	4	5	17	1	<5	<10	0.13	3
95TOS-108E	112+50N	<5	<.2	22	8	76	4	7	11	<.2	<5	18	<5	3.06	357	<10	152	6	55	<20	<20	15	2.22	0.55	0.20	0.02	0.13	21	6	5	21	<1	5	<10	0.13	3
95TOS-108E	112+75N	33	<.2	20	8	68	4	9	10	<.2	<5	17	<5	2.88	421	<10	115	9	56	<20	<20	14	2.20	0.40	0.16	0.02	0.08	22	4	5	14	1	<5	<10	0.11	4
95TOS-108E	113+00N	<5	<.2	21	9	61	3	10	10	<.2	<5	16	<5	2.79	321	<10	108	12	58	<20	<20	17	2.07	0.38	0.18	0.02	0.10	30	5	5	13	1	<5	<10	0.12	4
95TOS-108E	113+25N	<5	<.2	23	9	61	3	10	10	<.2	<5	15	<5	2.74	357	<10	172	11	60	<20	<20	17	1.98	0.49	0.25	0.02	0.10	46	6	5	25	<1	5	<10	0.13	3
95TOS-108E	113+50N	<5	<.2	23	7	67	4	9	10	<.2	<5	19	<5	2.73	329	<10	137	9	56	<20	<20	15	1.84	0.46	0.23	0.02	0.08	39	5	4	22	<1	5	<10	0.11	2
95TOS-108E	113+75N	7	<.2	19	9	72	3	9	9	<.2	<5	12	<5	2.48	334	<10	110	9	49	<20	<20	12	1.87	0.41	0.19	0.02	0.07	28	3	4	19	1	<5	<10	0.12	3
95TOS-108E	114+00N	<5	<.2	33	9	67	3	11	10	<.2	<5	17	<5	2.49	447	<10	135	8	54	<20	<20	26	2.11	0.45	0.25	0.02	0.06	38	12	5	34	<1	5	<10	0.12	2
95TOS-108E	114+25N	<5	<.2	38	11	76	3	10	10	<.2	<5	25	<5	2.83	351	<10	140	12	61	<20	<20	29	1.81	0.48	0.29	0.02	0.09	42	16	4	33	<1	5	<10	0.11	1
95TOS-108E	114+50N	18	<.2	22	9	65	4	9	9	<.2	<5	21	<5	2.68	370	<10	116	9	57	<20	<20	15	1.67	0.38	0.20	0.02	0.06	46	4	4	19	<1	5	<10	0.08	<1
95TOS-108E	114+75N	<5	0.6	28	20	53	3	11	7	<.2	<5	24	<5	2.13	343	<10	212	8	45	<20	<20	21	2.46	0.33	0.30	0.02	0.05	46	13	6	33	<1	5	<10	0.08	2
95TOS-108E	115+00N	<5	<.2	11	11	41	3	8	6	<.2	<5	5	<5	2.08	186	<10	66	9	43	<20	<20	18	2.06	0.18	0.16	0.02	0.04	27	4	5	10	1	<5	<10	0.07	3
95TOS-108E	115+25N	<5	<.2	9	8	39	3	6	6	<.2	<5	<5	<5	2.52	169	<10	52	14	51	<20	<20	14	1.85	0.16	0.15	0.02	0.03	19	3	5	11	2	<5	<10	0.09	5
95TOS-108E	115+50N	<5	<.2	13	6	44	3	7	6	0.4	<5	<5	<5	2.89	176	<10	75	18	57	<20	<20	17	1.31	0.17	0.24	0.02	0.04	27	4	5	11	2	<5	<10	0.07	2



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95

PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	AURew1 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PPM	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
95TOS-108E 100+00N	<5	<.2	19	11	95	4	15	11	<.2	<5	18	<5	2.78	296	<10	102	12	52	<20	<20	13	2.50	0.58	0.29	0.03	0.09	26	3	6	17	1	<5	<10	0.13	5		
95TOS-108E 100+25N	11	<.2	17	7	60	3	10	9	<.2	<5	15	<5	2.74	296	<10	107	12	57	<20	<20	14	1.68	0.65	0.29	0.02	0.17	25	4	3	12	<1	<5	<10	0.13	4		
95TOS-108E 100+50N	<5	<.2	19	7	68	4	14	11	<.2	<5	19	<5	3.02	328	<10	111	13	63	<20	<20	14	2.24	0.62	0.40	0.02	0.08	28	4	4	18	1	<5	<10	0.13	3		
95TOS-108E 100+75N	10	<.2	27	10	104	5	17	13	<.2	<5	32	<5	3.33	422	<10	115	13	65	<20	<20	15	2.80	0.72	0.34	0.03	0.12	29	4	6	37	1	<5	<10	0.15	5		
95TOS-108E 101+00N	<5	<.2	22	10	99	4	13	11	<.2	<5	17	<5	3.15	510	<10	135	13	58	<20	<20	19	2.64	0.69	0.54	0.03	0.13	48	8	4	19	<1	<5	<10	0.13	7		
95TOS-108E 101+25N	6	<.2	22	13	120	4	14	10	<.2	<5	24	<5	2.77	603	<10	133	12	51	<20	<20	19	2.58	0.65	0.52	0.03	0.14	34	10	4	25	<1	<5	<10	0.13	7		
95TOS-108E 101+50N	<5	<.2	30	16	120	4	18	11	0.4	<5	35	<5	3.36	823	<10	145	12	56	<20	<20	20	2.90	0.91	0.76	0.04	0.23	60	15	3	34	<1	7	<10	0.14	9		
95TOS-108E 101+75N	<5	<.2	16	11	92	5	11	9	<.2	<5	27	<5	2.72	350	<10	108	9	51	<20	<20	15	2.16	0.69	0.26	0.02	0.16	22	4	4	21	1	<5	<10	0.12	2		
95TOS-108E 102+00N	<5	<.2	22	8	68	3	10	9	<.2	<5	37	<5	2.77	289	<10	102	8	50	<20	<20	16	1.69	0.83	0.18	0.02	0.32	20	4	4	14	<1	5	<10	0.13	2		
95TOS-108E 102+25N	7	<.2	17	11	116	4	12	10	<.2	<5	29	<5	2.80	351	<10	114	9	54	<20	<20	15	2.32	0.64	0.20	0.02	0.14	19	4	5	16	1	<5	<10	0.13	7		
95TOS-108E 102+50N	9	<.2	20	16	159	5	13	11	<.2	<5	50	<5	2.92	456	<10	140	11	52	<20	<20	15	2.87	0.57	0.22	0.02	0.12	22	4	5	19	1	<5	<10	0.12	6		
95TOS-108E 102+75N	<5	<.2	17	11	159	4	12	11	<.2	<5	40	<5	3.00	821	<10	132	11	57	<20	<20	15	2.50	0.69	0.29	0.02	0.16	25	4	3	16	1	<5	<10	0.12	3		
95TOS-108E 103+00N	<5	<.2	29	15	173	3	18	12	1.5	<5	25	<5	2.93	1734	<10	116	12	47	<20	<20	20	1.97	0.69	0.78	0.04	0.26	59	16	<2	13	<1	<5	<10	0.08	2		
95TOS-108E 103+25N	7	<.2	21	11	83	3	11	10	0.4	<5	13	<5	2.82	1100	<10	143	11	57	<20	<20	19	2.10	0.76	0.98	0.03	0.17	55	13	<2	14	<1	<5	<10	0.09	4		
95TOS-108E 103+50N	34	<.2	17	14	85	4	10	10	<.2	<5	21	<5	2.97	387	<10	108	12	63	<20	<20	13	2.59	0.79	0.35	0.02	0.12	30	3	6	18	1	<5	<10	0.12	2		
95TOS-108E 103+75N	<5	<.2	21	13	94	4	13	11	<.2	<5	9	<5	3.12	490	<10	113	13	62	<20	<20	16	2.95	0.79	0.23	0.02	0.10	24	5	5	17	1	<5	<10	0.14	6		
95TOS-108E 104+00N	<5	<.2	21	9	92	4	11	11	<.2	5	19	<5	2.84	427	<10	94	9	60	<20	<20	15	2.54	0.61	0.22	0.02	0.09	20	5	5	19	1	<5	<10	0.12	2		
95TOS-108E 104+25N	6	<.2	22	10	86	4	11	11	<.2	<5	12	<5	2.78	675	<10	113	11	61	<20	<20	17	2.52	0.67	0.38	0.02	0.11	39	7	4	40	<1	<5	<10	0.12	2		
95TOS-108E 104+50N	9	<.2	20	9	72	4	10	11	<.2	<5	12	<5	2.77	373	<10	106	12	61	<20	<20	14	2.33	0.54	0.25	0.02	0.12	26	4	5	18	1	<5	<10	0.12	3		
95TOS-108E 104+75N	<5	<.2	25	10	85	5	13	12	<.2	<5	20	<5	3.13	419	<10	112	11	65	<20	<20	15	2.90	0.67	0.18	0.02	0.11	19	4	6	22	1	<5	<10	0.13	4		
95TOS-108E 105+00N	<5	<.2	20	12	94	4	11	12	<.2	<5	14	<5	2.97	641	<10	115	12	62	<20	<20	14	2.79	0.62	0.27	0.02	0.13	30	4	3	22	1	<5	<10	0.12	3		
95TOS-108E 105+25N	<5	<.2	16	10	90	4	10	10	<.2	<5	12	<5	2.60	375	<10	90	11	55	<20	<20	13	2.40	0.48	0.19	0.02	0.09	20	3	5	17	1	<5	<10	0.12	4		
95TOS-108E 105+50N	<5	<.2	15	10	82	3	10	10	<.2	<5	12	<5	2.56	352	<10	90	11	55	<20	<20	13	2.28	0.44	0.19	0.02	0.08	21	3	4	13	1	<5	<10	0.11	3		
95TOS-108E 105+75N	<5	<.2	21	9	83	4	11	12	<.2	<5	23	<5	2.92	428	<10	121	12	62	<20	<20	14	2.53	0.60	0.23	0.02	0.14	27	3	4	15	1	<5	<10	0.12	3		
95TOS-108E 106+00N	6	<.2	22	8	92	4	11	12	<.2	<5	33	<5	2.68	417	<10	114	9	57	<20	<20	13	2.52	0.56	0.22	0.02	0.12	25	3	4	18	1	<5	<10	0.12	4		
95TOS-108E 106+25N	<5	<.2	18	9	74	4	10	11	<.2	<5	23	<5	2.71	425	<10	108	11	58	<20	<20	12	2.36	0.57	0.25	0.02	0.12	25	3	5	16	1	<5	<10	0.12	3		
95TOS-108E 106+50N	<5	<.2	26	12	84	4	11	12	<.2	<5	27	<5	2.93	282	<10	103	8	51	<20	<20	13	3.24	0.68	0.18	0.02	0.16	28	4	7	28	1	<5	<10	0.13	5		
95TOS-108E 106+75N	10	<.2	16	9	60	4	10	10	<.2	<5	15	<5	2.52	278	<10	88	11	56	<20	<20	12	2.25	0.47	0.24	0.02	0.09	21	3	5	15	1	<5	<10	0.11	3		
95TOS-108E 107+00N	<5	<.2	21	8	62	4	9	10	<.2	<5	19	<5	2.64	252	<10	99	11	59	<20	<20	14	2.13	0.56	0.26	0.02	0.12	25	3	5	14	<1	<5	<10	0.11	2		
95TOS-108E 107+25N	<5	0.2	23	11	83	4	11	11	<.2	<5	24	<5	2.78	391	<10	104	9	57	<20	<20	14	2.71	0.62	0.23	0.02	0.10	23	4	6	27	2	<5	<10	0.13	3		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-00988.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 25-AUG-95
PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au	30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT
95TOS-100E 107+50N	15	<.2	24	11	204	4	12	13	<.2	<5	24	<5	3.34	428	<10	132	14	66	<20	<20	14	2.30	0.73	0.31	0.02	0.17	32	3	6	22	1	<5	<10	0.15	3		
95TOS-100E 107+75N	8	<.2	24	7	113	5	11	12	<.2	5	12	<5	4.24	378	<10	130	19	85	<20	<20	20	1.95	0.70	0.29	0.02	0.24	51	5	4	14	<1	<5	<10	0.12	3		
95TOS-100E 108+00N	<5	<.2	26	8	116	4	10	12	<.2	<5	12	<5	4.01	337	<10	124	15	79	<20	<20	19	2.01	0.72	0.28	0.01	0.23	52	5	5	14	1	<5	<10	0.10	2		
95TOS-100E 108+25N	<5	<.2	26	9	142	6	12	15	<.2	6	12	<5	4.40	413	<10	146	19	90	<20	<20	19	2.31	0.64	0.28	0.02	0.15	40	4	5	17	1	<5	<10	0.13	5		
95TOS-100E 108+50N	<5	<.2	26	8	98	5	14	14	<.2	<5	6	<5	4.30	404	<10	165	25	90	<20	<20	22	2.00	0.70	0.28	0.02	0.17	76	5	3	13	<1	<5	<10	0.11	4		
95TOS-100E 108+75N	<5	<.2	25	6	77	5	11	13	0.2	6	<5	<5	4.55	462	<10	159	21	93	<20	<20	27	1.75	0.61	0.37	0.02	0.18	111	6	3	11	<1	<5	<10	0.10	5		
95TOS-100E 109+00N	<5	<.2	24	5	83	5	11	13	<.2	6	<5	<5	5.22	362	<10	117	26	111	<20	<20	22	1.79	0.72	0.28	0.01	0.12	32	4	4	15	1	<5	<10	0.11	3		
95TOS-100E 109+25N	8	0.3	29	5	85	4	11	11	<.2	8	6	<5	4.43	310	<10	113	22	91	<20	<20	21	1.65	0.58	0.23	0.01	0.12	34	4	4	14	1	<5	<10	0.11	4		
95TOS-100E 109+50N	<5	<.2	28	7	110	4	14	12	<.2	<5	7	<5	3.04	432	<10	138	19	63	<20	<20	20	1.94	0.96	0.30	0.02	0.22	37	5	4	18	2	<5	<10	0.17	4		
95TOS-100E 109+75N	<5	<.2	36	8	126	5	17	15	<.2	6	13	<5	4.00	453	<10	168	23	81	<20	<20	20	2.64	1.00	0.24	0.02	0.21	59	5	6	20	1	<5	<10	0.14	5		
95TOS-100E 110+00N	<5	<.2	16	9	107	4	10	9	<.2	<5	11	<5	2.32	378	<10	94	11	46	<20	<20	14	2.29	0.39	0.15	0.02	0.07	21	4	5	14	1	<5	<10	0.12	12		
95TOS-101E 100+00N	<5	<.2	21	8	66	3	10	11	<.2	<5	81	<5	2.73	670	<10	133	13	56	<20	<20	22	1.80	0.85	0.69	0.03	0.23	51	6	3	21	1	<5	<10	0.15	5		
95TOS-101E 100+25N	<5	<.2	23	5	87	4	11	16	<.2	5	79	<5	4.43	867	<10	127	17	96	<20	<20	22	2.14	1.19	0.85	0.02	0.26	51	6	3	27	1	<5	<10	0.16	4		
95TOS-101E 100+50N	<5	0.2	31	8	105	5	12	16	<.2	5	64	<5	4.33	788	<10	174	14	100	<20	<20	24	2.82	1.21	0.92	0.04	0.32	41	7	5	48	1	6	<10	0.20	4		
95TOS-101E 100+75N	<5	<.2	23	5	57	3	9	11	<.2	<5	34	<5	3.11	303	<10	151	14	70	<20	<20	15	1.85	0.69	0.29	0.02	0.25	55	3	4	12	<1	<5	<10	0.12	3		
95TOS-101E 101+00N	17	<.2	17	6	56	4	8	11	<.2	<5	21	<5	2.91	316	<10	137	13	65	<20	<20	15	1.85	0.66	0.33	0.02	0.16	39	4	4	21	1	<5	<10	0.13	4		
95TOS-101E 101+25N	11	<.2	23	5	59	4	9	12	<.2	<5	45	<5	3.44	453	<10	126	13	82	<20	<20	19	1.67	0.88	0.46	0.03	0.27	51	5	3	17	<1	<5	<10	0.14	5		
95TOS-101E 101+50N	11	<.2	17	8	67	3	9	10	<.2	<5	27	<5	2.74	295	<10	97	12	57	<20	<20	14	1.91	0.54	0.22	0.02	0.10	22	3	5	16	1	<5	<10	0.11	4		
95TOS-101E 101+75N	10	<.2	28	8	96	4	11	12	<.2	<5	34	<5	3.24	421	<10	120	13	67	<20	<20	19	2.03	0.64	0.26	0.02	0.13	27	5	4	17	1	<5	<10	0.11	6		
95TOS-101E 102+00N	7	0.5	43	10	64	4	13	10	<.2	<5	75	<5	2.89	351	<10	141	12	61	<20	<20	26	2.24	0.65	0.70	0.04	0.11	35	11	5	38	<1	5	<10	0.12	5		
95TOS-101E 102+25N	11	<.2	18	5	51	4	9	10	<.2	<5	26	<5	3.08	325	<10	113	14	66	<20	<20	17	1.54	0.67	0.35	0.02	0.21	40	4	3	12	1	<5	<10	0.11	5		
95TOS-101E 102+50N	12	<.2	20	8	54	3	9	11	<.2	<5	45	<5	2.75	292	<10	103	11	61	<20	<20	16	1.82	0.80	0.45	0.03	0.16	30	4	5	26	1	<5	<10	0.15	3		
95TOS-101E 102+75N	22	<.2	26	8	65	4	11	12	<.2	<5	107	<5	2.94	318	<10	125	12	60	<20	<20	17	2.18	0.70	0.41	0.03	0.10	28	4	5	27	1	<5	<10	0.13	4		
95TOS-101E 103+00N	19	<.2	39	7	58	3	12	10	<.2	<5	50	<5	2.69	507	<10	112	23	48	<20	<20	20	1.61	0.62	0.72	0.03	0.15	38	9	2	29	1	<5	<10	0.11	4		
95TOS-101E 103+25N	6	<.2	21	9	74	3	11	9	<.2	<5	62	<5	2.50	329	<10	80	12	47	<20	<20	15	2.12	0.35	0.52	0.02	0.06	25	5	4	33	1	<5	<10	0.10	6		
95TOS-101E 103+50N	<5	0.4	26	7	56	4	10	9	<.2	6	189	<5	2.73	289	<10	97	11	50	<20	<20	19	1.62	0.41	0.73	0.02	0.08	30	7	4	39	1	<5	<10	0.07	2		
95TOS-101E 103+75N	<5	<.2	20	4	57	4	10	11	<.2	7	12	<5	3.38	325	<10	93	16	74	<20	<20	18	1.52	0.65	0.36	0.02	0.12	25	3	4	15	1	<5	<10	0.11	2		
95TOS-101E 104+00N	<5	0.2	19	9	88	4	10	11	<.2	<5	18	<5	2.63	294	<10	103	11	51	<20	<20	13	2.00	0.44	0.17	0.02	0.08	20	3	5	14	1	<5	<10	0.11	7		
95TOS-101E 104+25N	<5	0.2	34	7	92	4	10	13	<.2	<5	33	<5	2.88	374	<10	197	9	61	<20	<20	13	1.93	0.70	0.21	0.02	0.20	32	3	4	16	1	<5	<10	0.13	3		
95TOS-101E 104+50N	<5	0.2	24	9	157	4	12	14	<.2	<5	22	<5	3.10	392	<10	165	12	62	<20	<20	14	2.29	0.60	0.21	0.02	0.14	25	3	5	16	1	<5	<10	0.14	7		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95
PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	AuRew1 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PCT	Ti PPM	Zr PPM
95TOS-108E 107+50N	<5	<.2	17	8	70	3	9	9	<.2	<5	13	<5	2.33	392	<10	76	11	56	<20	<20	14	1.96	0.56	0.37	0.02	0.07	34	5	5	34	<1	<5	<10	0.12	1		
95TOS-108E 107+75N	<5	<.2	27	9	78	3	11	10	<.2	<5	23	<5	2.64	422	<10	106	14	62	<20	<20	23	2.14	0.63	0.56	0.02	0.11	44	9	5	26	<1	<5	<10	0.11	2		
95TOS-108E 108+50N	<5	<.2	33	9	77	4	10	11	<.2	<5	27	<5	3.03	233	<10	104	11	67	<20	<20	13	1.96	0.56	0.19	0.02	0.09	20	4	5	16	1	<5	<10	0.11	3		
95TOS-108E 109+25N	<5	0.2	25	8	78	5	12	10	<.2	<5	25	<5	2.73	259	<10	97	11	56	<20	<20	13	2.01	0.41	0.20	0.02	0.06	20	3	5	12	1	<5	<10	0.10	3		
95TOS-108E 109+50N	<5	<.2	22	11	107	4	12	8	<.2	<5	44	<5	2.29	493	<10	69	8	43	<20	<20	12	2.48	0.28	0.29	0.02	0.04	15	4	4	16	1	<5	<10	0.10	8		
95TOS-108E 109+75N	9	<.2	26	11	99	4	13	9	<.2	<5	35	<5	2.53	273	<10	72	8	44	<20	<20	12	2.17	0.27	0.16	0.02	0.04	14	3	4	16	1	<5	<10	0.09	5		
95TOS-108E 110+00N	<5	<.2	23	13	113	4	11	10	<.2	<5	18	<5	2.43	491	<10	96	11	46	<20	<20	13	2.30	0.32	0.36	0.02	0.05	19	4	4	13	1	<5	<10	0.11	6		
95TOS-108E 110+25N	11	<.2	38	14	140	4	20	13	<.2	<5	75	<5	3.18	592	<10	95	13	61	<20	<20	13	2.46	0.49	0.32	0.01	0.06	22	3	3	16	1	<5	<10	0.10	2		
95TOS-108E 110+50N	<5	0.2	32	15	129	4	11	10	<.2	<5	32	<5	2.51	331	<10	93	8	47	<20	<20	11	2.33	0.30	0.17	0.02	0.04	18	4	5	13	1	<5	<10	0.09	6		
95TOS-108E 110+75N	<5	<.2	101	11	97	4	7	16	0.2	5	7	<5	4.25	496	<10	75	4	70	<20	<20	15	2.37	0.84	0.31	0.01	0.09	38	5	3	13	<1	5	<10	0.05	<1		
95TOS-108E 111+00N	<5	0.5	51	14	128	5	12	12	<.2	5	23	<5	2.88	352	<10	72	7	52	<20	<20	16	2.59	0.47	0.22	0.02	0.06	24	8	6	23	<1	<5	<10	0.10	3		
95TOS-108E 111+25N	6	<.2	39	18	86	5	10	9	<.2	<5	20	<5	2.93	315	<10	83	11	58	<20	<20	13	1.89	0.33	0.20	0.01	0.05	26	5	3	9	<1	<5	<10	0.05	<1		
95TOS-108E 111+50N	<5	<.2	27	11	96	4	12	10	<.2	<5	21	<5	2.72	428	<10	94	9	51	<20	<20	13	1.82	0.38	0.22	0.02	0.05	23	4	3	11	<1	<5	<10	0.10	2		
95TOS-108E 111+75N	<5	<.2	25	8	87	4	13	10	<.2	<5	26	<5	2.63	316	<10	86	11	51	<20	<20	14	2.07	0.33	0.15	0.02	0.04	17	4	4	12	1	<5	<10	0.10	3		
95TOS-108E 112+00N	<5	<.2	29	9	90	5	14	11	<.2	<5	31	<5	2.86	488	<10	101	11	54	<20	<20	12	2.36	0.42	0.16	0.02	0.06	21	3	4	15	1	<5	<10	0.09	2		
95TOS-108E 112+25N	<5	<.2	28	10	80	4	16	11	<.2	<5	28	<5	2.92	288	<10	102	14	59	<20	<20	13	2.39	0.53	0.17	0.01	0.08	25	4	5	13	<1	<5	<10	0.10	2		
95TOS-108E 112+50N	12	<.2	23	8	64	4	10	10	<.2	<5	18	<5	2.81	297	<10	122	9	57	<20	<20	17	2.06	0.49	0.15	0.01	0.10	28	5	4	9	<1	<5	<10	0.11	4		
95TOS-108E 112+75N	7	<.2	13	9	67	3	9	9	<.2	<5	12	<5	2.34	352	<10	92	8	46	<20	<20	14	2.24	0.33	0.13	0.02	0.07	21	3	4	11	1	<5	<10	0.10	4		
95TOS-108E 113+00N	14	<.2	16	8	64	3	9	9	<.2	<5	13	<5	2.57	386	<10	113	8	46	<20	<20	15	2.15	0.42	0.29	0.02	0.10	41	4	4	12	1	<5	<10	0.09	3		
95TOS-108E 113+25N	13	<.2	25	10	72	4	9	11	<.2	<5	21	<5	2.88	375	<10	116	8	57	<20	<20	16	2.33	0.51	0.23	0.02	0.09	26	5	6	21	1	<5	<10	0.12	3		
95TOS-108E 113+50N	22	<.2	25	8	69	4	7	12	<.2	<5	15	<5	2.84	312	<10	93	8	58	<20	<20	12	1.98	0.41	0.18	0.02	0.07	20	4	5	20	1	<5	<10	0.12	2		
95TOS-108E 113+75N	8	<.2	35	10	84	5	8	14	<.2	<5	47	<5	3.55	332	<10	117	6	75	<20	<20	14	2.29	0.62	0.14	0.02	0.15	17	4	5	16	1	5	<10	0.13	3		
95TOS-108E 114+00N	6	0.2	28	13	99	4	9	12	<.2	5	27	<5	3.15	421	<10	130	6	62	<20	<20	15	2.40	0.57	0.27	0.02	0.11	30	8	5	27	<1	<5	<10	0.13	2		
95TOS-108E 114+25N	8	<.2	39	6	83	4	7	15	<.2	<5	61	<5	3.96	395	<10	148	7	91	<20	<20	13	2.16	0.89	0.20	0.01	0.44	21	4	4	18	<1	7	<10	0.17	2		
95TOS-108E 114+50N	8	<.2	29	8	70	4	9	11	<.2	<5	17	<5	2.92	370	<10	128	7	61	<20	<20	16	2.01	0.54	0.25	0.02	0.10	30	8	5	20	<1	<5	<10	0.13	1		
95TOS-108E 114+75N	18	<.2	21	9	59	5	11	11	<.2	<5	7	<5	3.18	278	<10	153	13	71	<20	<20	17	2.24	0.60	0.22	0.02	0.15	44	4	4	13	1	<5	<10	0.12	5		
95TOS-108E 115+00N	26	<.2	23	12	79	3	10	8	<.2	<5	18	<5	2.25	317	<10	128	8	48	<20	<20	15	2.06	0.40	0.22	0.02	0.05	34	8	5	34	1	<5	<10	0.12	3		
95TOS-108E 115+25N	5	6	0.8	49	20	161	5	27	10	1.4	<5	102	<5	2.88	648	<10	161	11	52	<20	<20	34	2.92	0.44	0.43	0.02	0.06	58	24	5	46	<1	5	<10	0.11	3	
95TOS-108E 115+50N	23	<.2	17	8	53	3	9	7	<.2	<5	16	<5	2.62	144	<10	90	13	55	<20	<20	19	1.75	0.26	0.21	0.02	0.05	38	5	6	15	1	<5	<10	0.10	2		
95TOS-109E 100+25N	23	<.2	13	10	103	3	11	9	<.2	<5	20	<5	2.36	470	<10	128	9	51	<20	<20	11	2.29	0.42	0.28	0.02	0.07	20	3	5	23	1	<5	<10	0.12	4		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95

PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	AuRew1 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
95TOS-109E 100+50N	24	<.2	16	8	71	4	10	10	<.2	<5	12	<5	2.78	222	<10	79	12	59	<20	<20	11	1.90	0.51	0.24	0.02	0.09	20	3	5	14	1	<5	<10	0.12	2		
95TOS-109E 100+75N	<5	<.2	22	9	65	4	10	10	<.2	<5	32	<5	2.72	608	<10	88	11	54	<20	<20	18	2.14	0.54	0.73	0.03	0.13	37	6	4	37	<1	<5	<10	0.13	5		
95TOS-109E 101+00N	<5	<.2	13	8	60	3	8	9	<.2	<5	32	<5	2.53	384	<10	83	12	52	<20	<20	15	1.91	0.49	0.56	0.03	0.14	28	4	4	31	<1	<5	<10	0.12	3		
95TOS-109E 101+25N	21	<.2	21	8	71	4	9	11	<.2	<5	28	<5	2.96	684	<10	96	12	60	<20	<20	17	1.94	0.77	0.73	0.03	0.26	35	7	2	27	1	5	<10	0.13	4		
95TOS-109E 101+50N	12	<.2	37	8	69	3	9	9	<.2	<5	33	<5	2.50	393	<10	84	11	52	<20	<20	23	1.98	0.53	0.94	0.02	0.14	35	20	4	40	<1	<5	<10	0.10	2		
95TOS-109E 101+75N	6	<.2	13	8	73	4	8	9	<.2	<5	14	<5	2.41	270	<10	96	11	51	<20	<20	13	1.83	0.45	0.25	0.02	0.10	26	3	5	13	1	<5	<10	0.11	2		
95TOS-109E 102+00N	<5	<.2	13	8	77	3	8	9	<.2	<5	10	<5	2.43	288	<10	102	11	51	<20	<20	12	1.97	0.47	0.27	0.02	0.10	26	3	4	16	<1	<5	<10	0.11	2		
95TOS-109E 102+25N	<5	<.2	15	6	59	3	7	8	<.2	<5	9	<5	2.42	293	<10	105	11	54	<20	<20	13	1.47	0.49	0.29	0.02	0.17	39	4	3	9	<1	<5	<10	0.11	2		
95TOS-109E 102+50N	<5	<.2	12	9	80	4	9	9	<.2	<5	11	<5	2.49	249	<10	87	11	52	<20	<20	13	2.09	0.43	0.25	0.02	0.10	19	3	6	13	1	<5	<10	0.11	2		
95TOS-109E 102+75N	<5	<.2	14	11	91	4	10	10	<.2	<5	9	<5	2.64	587	<10	108	11	56	<20	<20	14	2.11	0.50	0.34	0.02	0.12	25	3	4	15	1	<5	<10	0.11	2		
95TOS-109E 103+00N	9	<.2	13	11	92	4	10	10	<.2	<5	5	<5	2.56	561	<10	111	11	52	<20	<20	14	2.02	0.55	0.34	0.02	0.15	29	4	4	12	<1	<5	<10	0.12	2		
95TOS-109E 103+25N	<5	<.2	23	12	127	3	14	10	0.9	<5	11	<5	2.54	1286	<10	112	12	42	<20	<20	19	2.01	0.60	0.72	0.04	0.18	45	16	<2	13	<1	<5	<10	0.08	2		
95TOS-109E 103+50N	6	<.2	25	17	118	2	16	8	2.5	<5	12	<5	1.54	1775	<10	82	5	19	<20	<20	16	1.42	0.46	1.43	0.03	0.11	54	21	<2	9	<1	<5	<10	0.03	3		
95TOS-109E 103+75N	<5	<.2	19	16	95	2	9	7	0.8	<5	<5	<5	1.61	1307	<10	96	5	22	<20	<20	12	1.39	0.62	1.68	0.04	0.14	56	13	<2	13	<1	<5	<10	0.04	2		
95TOS-109E 104+00N	<5	<.2	20	9	92	4	12	11	<.2	<5	16	<5	2.92	321	<10	103	11	60	<20	<20	13	2.74	0.75	0.17	0.02	0.10	17	3	6	18	2	<5	<10	0.13	4		
95TOS-109E 104+25N	<5	<.2	23	11	95	4	11	11	<.2	<5	15	<5	2.76	679	<10	123	9	58	<20	<20	14	2.70	0.61	0.18	0.02	0.10	19	3	4	15	1	<5	<10	0.11	3		
95TOS-109E 104+50N	15	<.2	36	12	102	5	16	12	<.2	<5	59	<5	2.94	585	<10	87	11	59	<20	<20	18	2.86	0.68	0.29	0.02	0.14	26	12	5	33	<1	<5	<10	0.12	3		
95TOS-109E 104+75N	<5	<.2	35	11	104	5	14	14	<.2	<5	11	<5	3.28	641	<10	125	9	61	<20	<20	15	2.97	0.74	0.19	0.02	0.16	21	4	4	20	1	<5	<10	0.13	5		
95TOS-109E 105+00N	<5	<.2	32	9	104	5	15	15	<.2	<5	22	<5	3.34	602	<10	149	11	63	<20	<20	16	2.81	0.80	0.20	0.02	0.23	23	4	4	20	<1	5	<10	0.13	2		
95TOS-109E 105+25N	6	<.2	24	11	117	4	15	13	<.2	<5	16	<5	2.95	613	<10	134	12	58	<20	<20	15	2.64	0.72	0.24	0.02	0.15	25	3	4	17	1	<5	<10	0.12	3		
95TOS-109E 105+50N	<5	<.2	18	10	90	5	11	11	<.2	<5	8	<5	2.63	515	<10	116	11	52	<20	<20	14	2.47	0.53	0.23	0.02	0.12	23	3	5	15	1	<5	<10	0.11	3		
95TOS-109E 105+75N	<5	<.2	17	11	88	4	11	10	<.2	<5	11	<5	2.61	486	<10	107	11	54	<20	<20	14	2.35	0.52	0.25	0.02	0.10	23	3	4	15	1	<5	<10	0.11	2		
95TOS-109E 106+00N	<5	<.2	17	9	72	4	10	10	<.2	<5	15	<5	2.52	368	<10	104	11	54	<20	<20	13	2.26	0.58	0.24	0.02	0.13	22	3	4	18	1	<5	<10	0.12	2		
95TOS-109E 106+25N	<5	<.2	18	9	81	4	10	10	<.2	<5	25	<5	2.50	424	<10	89	9	51	<20	<20	12	2.43	0.50	0.21	0.02	0.10	19	3	5	17	1	<5	<10	0.11	3		
95TOS-109E 106+50N	<5	<.2	22	12	82	4	12	11	<.2	<5	17	<5	2.68	450	<10	90	9	55	<20	<20	14	2.70	0.55	0.17	0.02	0.09	15	4	5	17	1	<5	<10	0.11	3		
95TOS-109E 106+75N	<5	<.2	28	9	82	4	11	12	<.2	<5	20	<5	2.88	359	<10	138	9	60	<20	<20	15	2.68	0.75	0.19	0.02	0.19	21	4	5	17	<1	<5	<10	0.12	5		
95TOS-109E 107+00N	<5	<.2	33	10	81	4	11	13	<.2	<5	16	<5	3.04	323	<10	132	9	64	<20	<20	14	2.87	0.87	0.16	0.02	0.18	20	3	6	21	1	5	<10	0.14	5		
95TOS-109E 107+25N	<5	<.2	21	11	78	4	12	11	<.2	<5	21	<5	2.78	449	<10	95	11	58	<20	<20	13	2.66	0.60	0.18	0.02	0.10	23	3	5	16	1	<5	<10	0.12	5		
95TOS-109E 107+50N	<5	<.2	23	11	68	4	11	11	<.2	<5	<5	<5	2.67	284	<10	109	9	55	<20	<20	13	2.69	0.60	0.19	0.02	0.10	21	3	6	17	1	<5	<10	0.12	5		
95TOS-109E 107+75N	6	<.2	18	8	71	4	11	10	<.2	<5	26	<5	2.56	350	<10	103	12	58	<20	<20	14	2.24	0.69	0.40	0.02	0.10	34	4	5	41	<1	<5	<10	0.13	2		



Bondar Clegg Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95
PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	AuRew1 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
95TOS-109E 108+00N	<5	<.2	16	9	71	4	9	11	<.2	<5	15	<5	2.61	446	<10	96	12	60	<20	<20	14	2.19	0.72	0.38	0.02	0.10	36	4	5	30	1	<5	<10	0.13	1		
95TOS-109E 108+25N	<5	<.2	21	12	77	5	14	11	<.2	<5	11	<5	2.85	364	<10	99	15	63	<20	<20	16	2.61	0.70	0.26	0.02	0.12	28	4	6	20	1	<5	<10	0.12	1		
95TOS-109E 108+50N	<5	<.2	28	6	63	3	11	10	<.2	<5	20	<5	2.89	424	<10	83	13	61	<20	<20	20	1.76	0.59	0.63	0.02	0.14	40	13	2	25	<1	<5	<10	0.10	3		
95TOS-109E 108+75N	<5	<.2	18	10	81	3	9	9	<.2	<5	7	<5	2.42	622	<10	100	11	49	<20	<20	16	2.30	0.45	0.53	0.02	0.09	33	7	3	29	<1	<5	<10	0.10	3		
95TOS-109E 109+00N	35	0.5	61	14	65	3	19	8	<.2	<5	26	<5	2.30	525	<10	270	12	40	<20	<20	31	3.12	0.34	0.74	0.04	0.09	68	21	4	42	<1	<5	<10	0.10	8		
95TOS-109E 109+25N	6	0.6	64	12	75	3	14	8	0.8	<5	29	<5	2.27	541	<10	103	12	45	<20	<20	33	2.20	0.35	0.95	0.03	0.06	45	19	3	29	<1	<5	<10	0.06	3		
95TOS-109E 109+50N	<5	<.2	37	8	69	4	12	11	<.2	7	37	<5	3.01	500	<10	163	13	64	<20	<20	21	2.12	0.60	0.50	0.02	0.12	41	10	4	29	<1	<5	<10	0.10	2		
95TOS-109E 109+75N	<5	0.3	32	13	77	4	13	9	0.3	<5	30	<5	2.23	424	<10	115	8	48	<20	<20	19	2.37	0.36	0.58	0.03	0.04	29	6	6	28	1	<5	<10	0.11	5		
95TOS-109E 110+00N	<5	<.2	17	10	86	4	9	9	<.2	<5	15	<5	2.30	327	<10	84	9	46	<20	<20	12	2.08	0.32	0.23	0.02	0.06	19	3	4	12	1	<5	<10	0.09	5		
95TOS-109E 110+25N	<5	<.2	19	11	102	4	10	9	<.2	5	21	<5	2.39	419	<10	84	9	49	<20	<20	14	2.29	0.37	0.27	0.02	0.05	19	4	5	16	1	<5	<10	0.11	5		
95TOS-109E 110+50N	<5	<.2	18	10	97	4	10	9	<.2	<5	16	<5	2.42	379	<10	86	9	49	<20	<20	13	2.24	0.34	0.24	0.02	0.05	17	3	5	14	1	<5	<10	0.11	5		
95TOS-109E 110+75N	<5	<.2	33	8	72	4	13	11	<.2	6	15	<5	2.88	335	<10	94	16	63	<20	<20	15	2.14	0.62	0.22	0.02	0.05	20	3	4	14	1	<5	<10	0.12	4		
95TOS-109E 111+00N	<5	<.2	19	8	82	4	11	9	<.2	<5	13	<5	2.51	390	<10	68	9	50	<20	<20	12	2.29	0.35	0.15	0.02	0.04	15	3	4	13	2	<5	<10	0.10	5		
95TOS-109E 111+25N	<5	<.2	18	8	80	3	10	9	<.2	<5	12	<5	2.37	379	<10	80	9	47	<20	<20	12	2.11	0.34	0.15	0.02	0.05	16	3	4	12	1	<5	<10	0.10	5		
95TOS-109E 111+50N	<5	<.2	17	9	74	4	9	9	<.2	<5	10	<5	2.38	436	<10	72	9	47	<20	<20	12	2.19	0.30	0.14	0.02	0.04	14	3	4	12	1	<5	<10	0.10	5		
95TOS-109E 111+75N	<5	<.2	28	9	91	4	17	10	<.2	<5	13	<5	2.54	433	<10	76	9	50	<20	<20	15	1.88	0.32	0.23	0.02	0.06	23	6	4	22	1	<5	<10	0.10	3		
95TOS-109E 112+00N	6	<.2	17	9	75	3	10	8	<.2	<5	8	<5	2.24	434	<10	70	8	45	<20	<20	12	2.00	0.27	0.17	0.02	0.06	20	3	4	13	1	<5	<10	0.10	4		
95TOS-109E 112+25N	<5	<.2	16	9	60	4	11	8	<.2	<5	15	<5	2.24	303	<10	70	8	48	<20	<20	14	1.97	0.26	0.14	0.02	0.04	19	3	4	10	1	<5	<10	0.09	4		
95TOS-109E 112+50N	<5	0.2	17	12	85	4	12	9	<.2	<5	21	<5	2.34	401	<10	81	9	44	<20	<20	12	2.65	0.28	0.18	0.02	0.05	19	3	5	12	2	<5	<10	0.11	9		
95TOS-109E 112+75N	7	<.2	25	7	87	3	15	12	<.2	<5	19	<5	2.56	215	<10	96	12	54	<20	<20	13	2.53	0.43	0.13	0.02	0.05	18	3	5	15	2	<5	<10	0.11	7		
95TOS-109E 113+00N	<5	0.3	16	10	74	3	25	9	<.2	<5	14	<5	2.34	284	<10	96	9	46	<20	<20	13	2.16	0.34	0.17	0.02	0.07	24	3	5	12	2	<5	<10	0.10	6		
95TOS-109E 113+25N	<5	<.2	19	8	61	3	8	9	<.2	<5	11	<5	2.45	385	<10	110	8	54	<20	<20	16	1.84	0.45	0.26	0.02	0.10	40	5	4	14	1	<5	<10	0.10	2		
95TOS-109E 113+50N	8	<.2	19	8	81	3	9	10	<.2	<5	18	<5	2.50	474	<10	115	9	54	<20	<20	16	2.08	0.55	0.31	0.02	0.08	45	5	4	21	<1	<5	<10	0.11	1		
95TOS-109E 113+75N	6	<.2	28	9	122	4	13	11	<.2	<5	18	<5	2.86	690	<10	157	11	57	<20	<20	16	2.45	0.58	0.35	0.02	0.10	45	5	3	31	1	<5	<10	0.13	3		
95TOS-109E 114+00N	<5	0.3	19	12	99	4	12	10	<.2	<5	17	<5	2.54	382	<10	86	9	50	<20	<20	14	2.60	0.34	0.17	0.02	0.05	24	5	5	16	2	<5	<10	0.11	6		
95TOS-109E 114+25N	<5	<.2	21	10	102	4	13	9	<.2	<5	20	<5	2.45	496	<10	83	9	47	<20	<20	13	2.30	0.31	0.18	0.02	0.05	24	4	4	15	1	<5	<10	0.09	5		
95TOS-109E 114+50N	<5	0.5	38	13	188	4	28	13	<.2	6	22	<5	3.04	599	<10	125	12	57	<20	<20	19	2.78	0.48	0.32	0.02	0.06	42	9	4	36	1	<5	<10	0.11	3		
95TOS-109E 114+75N	12	0.4	43	11	191	4	24	8	<.2	<5	28	<5	2.45	487	<10	99	11	45	<20	<20	25	2.39	0.51	0.42	0.02	0.06	49	13	4	41	1	<5	<10	0.11	2		
95TOS-109E 115+00N	7	<.2	20	9	96	4	13	9	<.2	<5	31	<5	2.45	225	<10	92	8	47	<20	<20	12	2.23	0.31	0.15	0.02	0.05	32	3	4	14	1	<5	<10	0.09	4		
95TOS-109E 115+25N	<5	0.2	21	10	87	4	12	9	<.2	<5	22	<5	2.39	424	<10	95	8	47	<20	<20	14	2.19	0.35	0.17	0.02	0.05	40	3	3	11	1	<5	<10	0.08	3		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95
PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	AuRew1	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-109E 115+50N	<5		0.3	21	13	69	4	13	8	<.2	<5	17	<5	2.40	214	<10	140	12	50	<20	<20	21	2.41	0.33	0.17	0.02	0.06	71	3	5	12	1	<5	<10	0.10	8	
95TOS-110E 100+00N	10		<.2	17	9	82	3	11	10	<.2	<5	19	<5	2.59	352	<10	97	9	55	<20	<20	11	2.04	0.54	0.21	0.02	0.08	20	2	4	15	1	<5	<10	0.11	3	
95TOS-110E 100+25N	7		<.2	16	8	77	4	11	10	<.2	<5	17	<5	2.60	372	<10	98	11	55	<20	<20	11	2.10	0.56	0.20	0.02	0.10	20	2	5	15	1	<5	<10	0.11	2	
95TOS-110E 100+50N	<5		<.2	16	8	75	3	10	9	<.2	<5	11	<5	2.45	412	<10	91	9	50	<20	<20	12	2.15	0.42	0.21	0.02	0.07	18	3	4	13	1	<5	<10	0.10	4	
95TOS-110E 100+75N	<5		<.2	17	7	56	3	9	9	<.2	<5	13	<5	2.62	279	<10	90	9	57	<20	<20	13	1.80	0.42	0.32	0.02	0.07	20	3	4	13	1	<5	<10	0.09	2	
95TOS-110E 101+00N	6		<.2	33	9	90	4	13	10	<.2	<5	53	<5	2.85	588	<10	142	11	60	<20	<20	20	2.78	0.47	0.68	0.03	0.09	26	10	4	36	<1	<5	<10	0.11	5	
95TOS-110E 101+25N	<5		<.2	13	8	70	3	9	9	<.2	5	10	<5	2.44	278	<10	85	9	50	<20	<20	12	1.95	0.38	0.24	0.02	0.07	19	3	5	12	1	<5	<10	0.11	5	
95TOS-110E 101+50N	6		<.2	15	8	73	3	9	9	<.2	5	10	<5	2.33	244	<10	91	9	49	<20	<20	11	1.87	0.46	0.25	0.02	0.09	18	2	5	14	1	<5	<10	0.10	3	
95TOS-110E 101+75N	20		<.2	14	8	58	3	8	8	<.2	<5	15	<5	2.31	211	<10	99	9	50	<20	<20	10	1.69	0.45	0.34	0.02	0.11	18	2	4	16	1	<5	<10	0.09	1	
95TOS-110E 102+00N	<5		<.2	14	9	75	3	9	9	<.2	<5	10	<5	2.43	278	<10	103	8	49	<20	<20	11	2.16	0.54	0.27	0.02	0.13	19	3	4	14	1	<5	<10	0.11	3	
95TOS-110E 102+25N	<5		<.2	15	7	57	3	9	10	<.2	<5	19	<5	2.55	251	<10	86	9	55	<20	<20	12	2.03	0.60	0.34	0.03	0.15	22	3	4	19	1	<5	<10	0.11	1	
95TOS-110E 102+50N	<5		<.2	13	10	76	3	11	9	<.2	<5	9	<5	2.30	345	<10	106	8	45	<20	<20	11	2.19	0.48	0.29	0.02	0.12	21	2	5	15	1	<5	<10	0.11	3	
95TOS-110E 102+75N	<5		<.2	13	9	72	3	10	9	<.2	<5	11	<5	2.36	323	<10	106	8	49	<20	<20	11	2.18	0.53	0.27	0.02	0.11	22	3	5	15	1	<5	<10	0.12	2	
95TOS-110E 103+00N	<5		<.2	12	10	104	3	12	9	<.2	<5	10	<5	2.23	477	<10	115	7	41	<20	<20	10	2.27	0.46	0.27	0.02	0.13	20	2	4	14	1	<5	<10	0.10	4	
95TOS-110E 103+25N	<5		<.2	16	7	86	3	10	10	<.2	<5	8	<5	2.79	753	<10	150	9	56	<20	<20	14	2.38	0.79	0.37	0.03	0.23	27	4	<2	16	<1	<5	<10	0.12	2	
95TOS-110E 103+50N	8		<.2	12	10	77	3	7	8	<.2	<5	9	<5	2.08	667	<10	127	7	41	<20	<20	10	1.63	0.60	0.41	0.02	0.40	28	2	<2	11	1	<5	<10	0.10	1	
95TOS-110E 103+75N	<5		<.2	17	10	108	3	9	9	0.7	<5	9	<5	2.21	1096	<10	126	8	38	<20	<20	15	1.88	0.61	0.61	0.04	0.29	38	12	<2	11	<1	<5	<10	0.09	2	
95TOS-110E 104+00N	6		<.2	20	11	120	2	10	8	1.1	<5	15	<5	1.78	1052	<10	100	8	33	<20	<20	11	1.31	0.62	1.19	0.02	0.19	35	8	<2	12	<1	<5	<10	0.05	1	
95TOS-110E 104+25N	<5		<.2	26	11	97	4	12	12	<.2	<5	17	<5	3.26	453	<10	144	11	67	<20	<20	15	2.94	0.89	0.19	0.02	0.20	17	3	6	19	1	6	<10	0.14	4	
95TOS-110E 104+50N	<5		<.2	21	9	88	4	11	11	<.2	<5	19	<5	2.87	476	<10	96	9	59	<20	<20	13	2.77	0.63	0.17	0.02	0.12	15	3	5	17	2	<5	<10	0.13	4	
95TOS-110E 104+75N	<5		<.2	21	10	82	4	11	11	<.2	<5	20	<5	2.77	574	<10	126	9	58	<20	<20	14	2.82	0.60	0.18	0.02	0.13	19	3	4	15	1	<5	<10	0.13	5	
95TOS-110E 105+00N	<5		<.2	27	9	89	4	12	13	<.2	<5	16	<5	3.21	616	<10	127	9	62	<20	<20	14	3.19	0.76	0.15	0.02	0.16	16	3	4	18	2	<5	<10	0.14	7	
95TOS-110E 105+25N	<5		<.2	37	11	111	5	16	16	<.2	<5	17	<5	4.05	904	<10	189	11	77	<20	<20	14	3.05	0.98	0.17	0.02	0.22	23	2	3	23	2	6	<10	0.17	3	
95TOS-110E 105+50N	7		<.2	23	11	95	4	11	11	<.2	<5	14	<5	2.89	473	<10	123	11	60	<20	<20	14	2.64	0.62	0.19	0.02	0.11	20	3	5	15	1	<5	<10	0.12	3	
95TOS-110E 105+75N	<5		0.2	24	11	84	5	11	11	<.2	6	12	<5	2.93	497	<10	116	11	60	<20	<20	14	2.80	0.64	0.20	0.02	0.12	20	3	5	16	1	<5	<10	0.12	3	
95TOS-110E 106+00N	<5		0.3	22	11	81	4	10	10	<.2	<5	14	<5	2.66	553	<10	89	9	55	<20	<20	13	2.75	0.51	0.17	0.02	0.08	17	4	4	18	1	<5	<10	0.10	3	
95TOS-110E 106+25N	<5		<.2	18	10	83	3	9	9	<.2	<5	12	<5	2.54	615	<10	85	9	52	<20	<20	13	2.78	0.45	0.18	0.02	0.08	16	4	3	14	1	<5	<10	0.11	4	
95TOS-110E 106+50N	6		<.2	15	8	57	3	8	7	<.2	<5	8	<5	2.43	220	<10	83	8	48	<20	<20	10	2.23	0.34	0.14	0.02	0.08	18	2	5	13	2	<5	<10	0.11	3	
95TOS-110E 106+75N	<5		<.2	20	9	70	4	9	10	<.2	<5	19	<5	2.72	422	<10	83	9	58	<20	<20	12	2.76	0.51	0.16	0.02	0.08	18	3	5	14	2	<5	<10	0.12	4	
95TOS-110E 107+00N	<5		0.3	26	10	72	4	9	11	<.2	5	28	<5	2.88	428	<10	92	9	55	<20	<20	13	2.82	0.55	0.13	0.02	0.10	18	3	5	15	1	<5	<10	0.11	3	



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01009.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 31-AUG-95
PAGE 6

SAMPLE NUMBER	ELEMENT UNITS	Au30 PPB	AuRew1 PPB	Ag PPM	Cu PPM	Pb PPM	Zn PPM	Mo PPM	Ni PPM	Co PPM	Cd PPM	Bi PPM	As PPM	Sb PPM	Fe PCT	Mn PPM	Te PPM	Ba PPM	Cr PPM	V PPM	Sn PPM	W PPM	La PPM	Al PCT	Mg PCT	Ca PCT	Na PCT	K PCT	Sr PPM	Y PPM	Ga PPM	Li PPM	Nb PPM	Sc PPM	Ta PPM	Ti PCT	Zr PPM
95TOS-110E 107+25N	<5	<.2	25	10	82	4	10	12	<.2	<5	14	<5	3.09	470	<10	116	12	64	<20	<20	13	2.81	0.72	0.15	0.02	0.15	18	3	5	17	1	<5	<10	0.13	3		
95TOS-110E 107+50N	<5	0.3	23	10	74	4	10	11	<.2	<5	10	<5	2.93	395	<10	87	9	61	<20	<20	12	2.65	0.59	0.17	0.02	0.11	19	3	5	15	1	<5	<10	0.11	2		
95TOS-110E 107+75N	67	0.2	22	9	68	4	10	10	<.2	<5	17	<5	2.81	334	<10	93	11	60	<20	<20	13	2.60	0.60	0.18	0.02	0.10	20	3	5	16	1	<5	<10	0.12	2		
95TOS-110E 108+00N	29	0.3	18	9	65	4	8	9	<.2	<5	16	<5	2.55	304	<10	71	9	54	<20	<20	12	2.33	0.44	0.17	0.02	0.07	16	3	5	13	1	<5	<10	0.10	2		
95TOS-110E 108+25N	7	0.3	15	8	64	3	7	9	<.2	<5	14	<5	2.28	350	<10	67	8	50	<20	<20	12	1.93	0.45	0.24	0.02	0.06	24	5	5	22	1	<5	<10	0.10	<1		
95TOS-110E 108+50N	6	<.2	18	7	63	3	8	10	<.2	5	15	<5	2.43	418	<10	77	9	56	<20	<20	15	2.01	0.53	0.31	0.02	0.06	34	5	3	19	<1	<5	<10	0.10	<1		
95TOS-110E 108+75N	<5	<.2	15	8	75	3	8	7	<.2	<5	14	<5	2.25	255	<10	61	8	46	<20	<20	10	1.98	0.32	0.15	0.02	0.05	15	2	5	11	1	<5	<10	0.08	2		
95TOS-110E 109+25N	6	<.2	25	9	88	4	10	10	<.2	6	22	<5	2.64	735	<10	86	8	54	<20	<20	18	2.37	0.53	0.43	0.02	0.08	43	7	3	31	<1	<5	<10	0.08	<1		
95TOS-110E 109+50N	<5	0.4	27	12	92	4	11	10	<.2	<5	22	<5	2.62	711	<10	96	11	54	<20	<20	22	2.57	0.53	0.51	0.02	0.07	49	10	3	35	1	<5	<10	0.09	2		
95TOS-110E 109+75N	<5	0.3	25	11	128	5	13	10	<.2	<5	22	<5	2.86	499	<10	101	9	58	<20	<20	15	2.55	0.54	0.52	0.02	0.07	34	5	5	45	1	<5	<10	0.10	1		
95TOS-110E 110+00N	<5	0.2	42	10	109	5	21	10	<.2	<5	46	<5	3.07	495	<10	165	14	65	<20	<20	20	2.54	0.83	0.56	0.02	0.15	47	11	4	33	<1	6	<10	0.13	3		
95TOS-110E 110+25N	<5	0.3	26	10	89	5	14	9	<.2	<5	19	<5	2.64	311	<10	106	9	52	<20	<20	15	2.30	0.47	0.37	0.02	0.08	43	6	6	27	1	<5	<10	0.10	1		
95TOS-110E 110+50N	<5	<.2	24	7	73	4	11	10	<.2	<5	26	<5	2.57	517	<10	84	9	57	<20	<20	15	1.71	0.55	0.40	0.02	0.10	52	6	<2	20	<1	<5	<10	0.12	2		
95TOS-110E 110+75N	<5	0.2	19	9	76	4	11	10	0.2	<5	13	<5	2.50	265	<10	91	9	52	<20	<20	13	1.94	0.42	0.21	0.01	0.07	27	3	4	13	1	<5	<10	0.10	3		
95TOS-110E 111+00N	<5	0.2	15	10	81	3	11	9	<.2	<5	18	<5	2.39	319	<10	103	9	49	<20	<20	12	2.00	0.36	0.21	0.02	0.07	34	3	4	13	1	<5	<10	0.10	3		
95TOS-110E 111+25N	8	0.4	20	10	84	3	13	10	<.2	<5	20	<5	2.50	350	<10	105	9	52	<20	<20	15	2.23	0.40	0.27	0.02	0.07	34	4	5	19	1	<5	<10	0.11	4		
95TOS-110E 111+50N	<5	<.2	17	11	78	4	13	9	<.2	<5	15	<5	2.43	390	<10	107	9	51	<20	<20	14	2.26	0.35	0.23	0.02	0.05	36	3	4	12	1	<5	<10	0.10	3		
95TOS-110E 111+75N	12	<.2	20	11	77	4	13	9	<.2	<5	14	<5	2.36	643	<10	131	11	49	<20	<20	16	2.32	0.36	0.17	0.02	0.05	36	3	3	10	1	<5	<10	0.09	3		
95TOS-110E 112+00N	<5	<.2	21	12	68	4	12	9	<.2	<5	17	<5	2.36	441	<10	98	11	50	<20	<20	17	2.57	0.38	0.16	0.02	0.06	29	4	4	10	1	<5	<10	0.09	5		
95TOS-110E 112+25N	11	<.2	17	11	78	4	12	9	<.2	<5	16	<5	2.31	457	<10	93	9	48	<20	<20	15	2.26	0.30	0.16	0.02	0.05	30	3	3	10	1	<5	<10	0.09	4		
95TOS-110E 112+50N	<5	<.2	35	11	95	4	19	10	<.2	<5	22	<5	2.65	522	<10	103	12	56	<20	<20	20	2.12	0.54	0.34	0.02	0.07	44	8	4	26	<1	<5	<10	0.12	4		
95TOS-110E 112+75N	<5	0.3	21	12	112	4	12	9	<.2	<5	17	<5	2.51	332	<10	75	9	50	<20	<20	13	2.23	0.34	0.20	0.02	0.05	22	5	5	18	1	<5	<10	0.11	4		
95TOS-110E 113+00N	<5	0.2	19	9	102	4	10	9	<.2	<5	14	<5	2.43	477	<10	100	9	51	<20	<20	14	2.23	0.47	0.37	0.02	0.05	30	4	4	24	1	<5	<10	0.11	1		
95TOS-110E 113+25N	<5	<.2	21	9	87	4	10	9	<.2	6	23	<5	2.64	344	<10	72	8	52	<20	<20	13	2.29	0.38	0.19	0.02	0.05	19	4	4	14	1	<5	<10	0.10	4		
95TOS-110E 113+50N	<5	<.2	22	6	92	5	10	9	<.2	<5	14	<5	2.65	452	<10	87	12	58	<20	<20	16	1.84	0.58	0.30	0.02	0.06	31	5	<2	22	1	<5	<10	0.12	2		
95TOS-110E 113+75N	<5	0.2	20	12	159	7	14	9	<.2	<5	16	<5	2.51	331	<10	95	8	51	<20	<20	11	2.16	0.36	0.34	0.02	0.05	25	4	5	30	2	<5	<10	0.11	2		
95TOS-110E 114+00N	6	0.3	21	10	90	5	12	9	<.2	<5	14	<5	2.76	287	<10	67	15	56	<20	<20	14	2.28	0.41	0.17	0.02	0.06	16	4	5	15	2	<5	<10	0.10	2		
95TOS-110E 114+25N	<5	0.2	17	10	89	4	11	9	<.2	<5	14	<5	2.61	281	<10	74	11	54	<20	<20	13	2.23	0.38	0.19	0.02	0.06	18	4	5	13	2	<5	<10	0.10	4		
95TOS-110E 114+50N	6	0.3	21	10	106	4	12	10	<.2	<5	20	<5	2.78	318	<10	73	11	56	<20	<20	13	2.52	0.43	0.17	0.02	0.06	16	4	5	14	2	<5	<10	0.11	5		
95TOS-110E 114+75N	7	<.2	27	10	157	5	27	9	<.2	5	16	<5	2.44	346	<10	57	8	49	<20	<20	12	2.03	0.40	0.31	0.02	0.06	22	7	5	27	1	<5	<10	0.10	1		



Bondar Clegg

Inchcape Testing Services

Gechemical Lab Report

CLIENT: WHITE WOLF EXPLORATION

PROJECT: HEDLEY

REPORT: V95-01009.0 (COMPLETE)

DATE PRINTED: 31-AUG-95

PAGE 7

SAMPLE NUMBER	ELEMENT	Au30	AuRew1	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPB	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-110E	115+00N	12		1.1	79	13	151	6	46	12	0.3	<5	31	<5	2.43	511	<10	159	7	39	<20	<20	45	2.59	0.28	0.51	0.02	0.06	41	42	4	36	<1	5	<10	0.06	3
95TOS-110E	115+25N	8		0.4	21	10	95	4	8	9	<.2	<5	15	<5	2.32	319	<10	61	8	47	<20	<20	11	2.08	0.35	0.13	0.01	0.05	11	3	4	13	1	<5	<10	0.08	4
95TOS-110E	115+50N	8		0.3	15	10	132	3	10	8	<.2	<5	<5	<5	2.31	432	<10	84	8	46	<20	<20	10	2.12	0.29	0.17	0.02	0.04	15	3	3	18	2	<5	<10	0.10	8



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-111E 100+00N		8 <.2	35	6	62	3	9	11	<.2	<5	12	<5	2.89	569	<10	100	11	66	<20	<20	14	1.47	0.73	0.95	0.04	0.27	44	7	<2	14	<1	5	<10	0.11	2	
95TOS-111E 100+25N		19 <.2	16	6	53	3	8	10	<.2	<5	6	<5	2.98	289	<10	116	11	71	<20	<20	8	2.04	0.55	0.46	0.02	0.07	25	4	2	18	<1	<5	<10	0.11	5	
95TOS-111E 100+50N		22 <.2	20	9	60	3	9	10	<.2	<5	15	<5	2.78	338	<10	94	10	65	<20	<20	9	2.27	0.41	0.50	0.02	0.05	24	5	2	20	<1	<5	<10	0.10	4	
95TOS-111E 100+75N		<5 <.2	19	<2	37	4	7	12	<.2	<5	<5	<5	4.25	380	<10	55	16	107	<20	<20	9	1.04	0.41	0.51	0.02	0.11	23	4	<2	8	<1	<5	<10	0.07	3	
95TOS-111E 101+00N		<5 <.2	13	8	68	4	9	10	<.2	<5	11	<5	2.73	269	<10	88	11	60	<20	<20	8	2.08	0.38	0.29	0.02	0.06	20	3	3	13	<1	<5	<10	0.11	3	
95TOS-111E 101+25N		<5 <.2	16	10	84	3	10	10	<.2	<5	9	<5	2.45	312	<10	100	9	50	<20	<20	8	2.27	0.42	0.33	0.02	0.07	21	3	3	13	1	<5	<10	0.11	4	
95TOS-111E 101+50N		<5 <.2	14	11	94	4	10	9	<.2	<5	14	<5	2.40	318	<10	116	9	52	<20	<20	8	2.47	0.48	0.37	0.02	0.09	22	3	4	19	1	<5	<10	0.12	3	
95TOS-111E 101+75N		6 <.2	20	12	93	4	11	10	<.2	<5	39	<5	2.61	528	<10	148	10	57	<20	<20	10	2.85	0.56	0.66	0.04	0.14	30	5	3	48	<1	<5	<10	0.14	8	
95TOS-111E 102+00N		<5 <.2	15	10	85	4	10	10	<.2	<5	7	<5	2.46	324	<10	94	10	56	<20	<20	7	2.22	0.49	0.29	0.02	0.09	19	3	3	17	1	<5	<10	0.13	4	
95TOS-111E 102+25N		<5 <.2	18	7	66	4	9	10	<.2	<5	13	<5	2.63	300	<10	116	9	64	<20	<20	8	2.11	0.69	0.37	0.02	0.19	25	3	4	18	<1	<5	<10	0.14	2	
95TOS-111E 102+50N		12 <.2	24	8	84	3	10	10	<.2	<5	61	<5	2.90	509	<10	159	10	69	<20	<20	11	2.65	0.73	0.75	0.04	0.25	36	6	2	50	<1	6	<10	0.14	3	
95TOS-111E 102+75N		<5 <.2	21	10	100	4	11	12	<.2	<5	48	<5	3.08	528	<10	179	11	74	<20	<20	11	2.99	0.84	0.64	0.04	0.23	33	5	2	43	<1	5	<10	0.15	4	
95TOS-111E 103+00N		<5 0.3	26	13	112	4	12	11	<.2	<5	90	<5	2.86	484	<10	153	10	66	<20	<20	12	3.00	0.67	0.60	0.03	0.14	27	6	4	57	1	<5	<10	0.14	3	
95TOS-111E 103+25N		11 <.2	19	10	81	4	10	11	<.2	<5	29	<5	2.75	364	<10	107	10	64	<20	<20	7	2.43	0.71	0.28	0.02	0.19	21	3	4	21	<1	<5	<10	0.13	2	
95TOS-111E 103+50N		14 <.2	22	11	115	4	10	11	<.2	<5	28	<5	2.74	458	<10	124	10	59	<20	<20	8	2.71	0.72	0.29	0.02	0.21	23	3	3	25	1	<5	<10	0.13	3	
95TOS-111E 103+75N		<5 <.2	22	11	123	4	13	11	0.2	<5	13	<5	2.99	911	<10	133	11	62	<20	<20	11	2.52	0.86	0.42	0.02	0.23	29	5	<2	20	<1	5	<10	0.12	1	
95TOS-111E 104+00N		<5 <.2	16	12	106	3	9	7	1.2	<5	8	<5	1.67	1567	<10	110	6	28	<20	<20	7	1.60	0.46	1.02	0.02	0.20	34	7	<2	12	<1	<5	<10	0.05	1	
95TOS-111E 104+25N		<5 <.2	16	12	84	3	11	9	<.2	<5	16	<5	2.49	546	<10	80	11	53	<20	<20	8	2.32	1.01	0.79	0.02	0.13	29	5	<2	27	<1	5	<10	0.13	1	
95TOS-111E 104+50N		6 <.2	20	11	95	4	10	10	<.2	<5	17	<5	2.73	292	<10	102	9	62	<20	<20	8	2.77	0.64	0.19	0.02	0.10	16	3	5	22	1	<5	<10	0.13	3	
95TOS-111E 104+75N		7 0.2	24	11	84	5	11	11	<.2	<5	17	<5	2.77	495	<10	136	9	62	<20	<20	8	2.74	0.64	0.20	0.02	0.13	18	3	3	16	1	<5	<10	0.11	2	
95TOS-111E 105+00N		8 <.2	25	9	104	4	12	13	<.2	<5	11	<5	2.95	470	<10	117	9	62	<20	<20	6	2.61	0.65	0.20	0.02	0.11	21	2	2	19	1	<5	<10	0.14	3	
95TOS-111E 105+25N		<5 <.2	35	16	115	5	12	10	<.2	<5	44	<5	2.92	497	<10	77	9	57	<20	<20	7	2.93	0.53	0.13	0.02	0.07	13	3	4	17	2	<5	<10	0.11	6	
95TOS-111E 105+50N		8 <.2	18	11	70	4	9	9	<.2	<5	17	<5	2.57	476	<10	75	9	58	<20	<20	6	2.68	0.48	0.13	0.02	0.07	13	3	3	14	1	<5	<10	0.10	2	
95TOS-111E 105+75N		<5 <.2	19	12	75	4	8	9	<.2	<5	14	<5	2.47	497	<10	93	8	57	<20	<20	9	2.61	0.46	0.19	0.02	0.07	20	4	3	20	1	<5	<10	0.10	2	
95TOS-111E 106+00N		11 <.2	25	8	61	4	9	10	<.2	<5	12	<5	2.73	388	<10	119	10	65	<20	<20	9	2.07	0.72	0.33	0.02	0.24	36	4	<2	21	<1	<5	<10	0.13	1	
95TOS-111E 106+25N		<5 <.2	25	10	75	4	11	11	<.2	<5	14	<5	2.73	335	<10	129	9	62	<20	<20	9	2.73	0.60	0.19	0.02	0.12	20	4	3	16	<1	<5	<10	0.12	3	
95TOS-111E 106+50N		<5 <.2	18	11	75	5	9	9	<.2	<5	13	<5	2.49	509	<10	84	9	57	<20	<20	8	2.72	0.40	0.17	0.02	0.07	17	3	3	14	1	<5	<10	0.12	4	
95TOS-111E 106+75N		<5 <.2	19	11	78	5	10	10	<.2	<5	14	<5	2.53	448	<10	74	9	56	<20	<20	7	2.68	0.40	0.17	0.02	0.07	14	3	2	13	1	<5	<10	0.11	3	
95TOS-111E 107+00N		<5 <.2	23	10	71	4	10	10	<.2	<5	12	<5	2.66	396	<10	104	9	62	<20	<20	8	2.56	0.54	0.24	0.02	0.09	20	3	3	14	1	<5	<10	0.11	3	
95TOS-111E 107+25N		13 <.2	22	11	73	4	10	10	<.2	<5	28	<5	2.66	443	<10	83	9	60	<20	<20	8	2.78	0.49	0.18	0.02	0.08	16	3	3	15	1	<5	<10	0.10	3	

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Al	Si	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT
5TOS-111E 107+50N	<5	0.3	18	11	73	4	9	9	<2	<5	14	<5	2.44	442	<10	64	8	53	<20	<20	8	2.51	0.38	0.14	0.02	0.06	13	3	3	13	1	<5	<10	0.09	2		
5TOS-111E 107+75N	11	<2	20	9	76	4	8	9	<2	<5	18	<5	2.52	417	<10	69	9	56	<20	<20	7	2.26	0.39	0.21	0.02	0.06	18	3	2	13	<1	<5	<10	0.08	2		
5TOS-111E 108+00N	<5	0.3	30	11	78	4	10	11	<2	<5	23	<5	2.70	410	<10	82	9	60	<20	<20	9	2.53	0.51	0.18	0.02	0.08	15	4	2	13	<1	<5	<10	0.09	2		
5TOS-111E 108+25N	<5	0.3	24	11	83	4	10	11	<2	<5	15	<5	2.63	572	<10	80	9	59	<20	<20	8	2.41	0.46	0.23	0.02	0.07	19	4	<2	15	<1	<5	<10	0.09	1		
5TOS-111E 108+50N	6	0.2	23	11	76	4	10	10	<2	<5	21	<5	2.70	381	<10	68	10	60	<20	<20	10	2.31	0.48	0.22	0.02	0.06	20	4	4	16	1	<5	<10	0.10	1		
5TOS-111E 108+75N	7	0.4	23	10	92	4	10	11	<2	<5	17	<5	2.81	513	<10	92	11	62	<20	<20	10	2.31	0.59	0.32	0.02	0.08	38	4	2	21	<1	<5	<10	0.10	1		
5TOS-111E 109+00N	<5	0.2	20	12	77	4	10	9	<2	<5	16	<5	2.48	345	<10	76	9	52	<20	<20	8	2.34	0.39	0.19	0.02	0.06	19	3	3	13	1	<5	<10	0.10	5		
5TOS-111E 109+25N	<5	0.2	21	13	81	4	11	10	<2	<5	13	<5	2.42	320	<10	81	9	52	<20	<20	10	2.51	0.38	0.18	0.02	0.06	18	4	4	12	1	<5	<10	0.11	8		
5TOS-111E 109+50N	<5	0.4	22	12	90	4	12	10	<2	<5	12	<5	2.51	368	<10	92	10	54	<20	<20	9	2.32	0.38	0.20	0.02	0.06	25	4	2	12	1	<5	<10	0.09	5		
5TOS-111E 109+75N	8	0.3	22	12	95	4	11	9	<2	<5	17	<5	2.63	271	<10	87	10	54	<20	<20	10	2.09	0.34	0.19	0.02	0.05	24	4	4	14	1	<5	<10	0.09	3		
5TOS-111E 110+00N	<5	0.3	28	12	92	5	14	10	<2	<5	18	<5	2.82	280	<10	115	10	61	<20	<20	11	2.25	0.45	0.24	0.02	0.07	25	5	4	18	1	<5	<10	0.10	2		
5TOS-111E 110+25N	<5	0.4	30	14	112	5	17	9	0.2	<5	39	<5	2.49	621	<10	164	9	59	<20	<20	14	2.68	0.42	0.62	0.03	0.06	40	7	3	64	1	<5	<10	0.10	3		
5TOS-111E 110+50N	<5	0.4	27	14	127	6	13	12	<2	<5	23	<5	3.04	434	<10	167	9	66	<20	<20	12	2.55	0.66	0.56	0.02	0.12	30	6	4	33	1	<5	<10	0.12	2		
5TOS-111E 110+75N	26	<2	25	12	122	5	13	11	<2	<5	16	<5	2.73	570	<10	125	10	61	<20	<20	10	2.28	0.55	0.44	0.02	0.08	26	5	<2	27	1	<5	<10	0.12	2		
5TOS-111E 111+00N	11	0.2	24	12	99	4	12	10	<2	<5	17	<5	2.51	370	<10	84	9	54	<20	<20	8	2.18	0.38	0.21	0.02	0.06	16	4	4	13	1	<5	<10	0.10	3		
5TOS-111E 111+25N	<5	<2	23	13	103	5	12	10	<2	<5	14	<5	2.51	357	<10	84	10	54	<20	<20	9	2.18	0.41	0.22	0.02	0.07	19	4	4	13	1	<5	<10	0.11	5		
5TOS-111E 111+50N	<5	<2	17	11	103	4	11	10	<2	<5	11	<5	2.61	456	<10	69	12	56	<20	<20	9	1.98	0.39	0.21	0.02	0.06	14	4	2	13	1	<5	<10	0.10	4		
5TOS-111E 111+75N	<5	<2	22	12	110	4	11	11	<2	<5	16	<5	2.68	467	<10	90	10	60	<20	<20	9	1.96	0.49	0.26	0.02	0.09	19	4	<2	14	1	<5	<10	0.11	3		
5TOS-111E 112+00N	6	<2	27	13	127	4	15	12	<2	<5	15	<5	2.97	471	<10	80	12	64	<20	<20	9	2.27	0.53	0.20	0.02	0.07	15	4	<2	15	1	<5	<10	0.12	4		
5TOS-111E 112+25N	<5	<2	27	13	116	4	12	12	<2	<5	16	<5	2.90	456	<10	94	11	62	<20	<20	8	2.48	0.56	0.19	0.02	0.08	14	4	2	15	1	<5	<10	0.12	5		
5TOS-111E 112+50N	15	0.2	22	12	104	5	11	10	<2	<5	13	<5	2.72	404	<10	81	11	58	<20	<20	8	2.30	0.44	0.20	0.02	0.07	15	4	3	13	1	<5	<10	0.11	6		
5TOS-111E 112+75N	<5	0.3	27	14	119	5	14	12	<2	<5	15	<5	2.99	511	<10	86	11	64	<20	<20	8	2.53	0.56	0.18	0.02	0.07	14	4	2	15	1	<5	<10	0.12	5		
5TOS-111E 113+00N	<5	0.5	29	15	120	5	16	11	<2	<5	19	<5	2.86	500	<10	111	11	63	<20	<20	10	2.70	0.50	0.24	0.02	0.07	17	7	3	23	1	<5	<10	0.13	6		
5TOS-111E 113+25N	8	0.4	32	15	115	5	16	11	<2	<5	15	<5	2.87	482	<10	86	10	60	<20	<20	9	2.55	0.52	0.23	0.02	0.07	19	5	3	16	1	<5	<10	0.12	6		
5TOS-111E 113+50N	6	0.3	24	13	107	5	12	10	<2	<5	13	<5	2.56	391	<10	60	9	54	<20	<20	9	2.24	0.41	0.20	0.02	0.05	17	6	4	21	1	<5	<10	0.11	3		
5TOS-111E 113+75N	7	0.3	30	16	162	6	16	12	<2	<5	23	<5	2.85	784	<10	98	11	60	<20	<20	9	2.43	0.56	0.34	0.02	0.06	26	6	<2	31	1	<5	<10	0.12	3		
5TOS-111E 114+00N	<5	0.5	35	13	157	6	24	11	<2	<5	23	<5	2.73	446	<10	66	10	58	<20	<20	12	2.22	0.44	0.24	0.02	0.06	18	8	3	17	1	<5	<10	0.10	3		
5TOS-111E 114+25N	7	<2	27	15	126	6	14	11	<2	<5	27	<5	2.77	550	<10	92	10	58	<20	<20	8	2.39	0.45	0.22	0.02	0.06	19	3	<2	14	1	<5	<10	0.10	4		
5TOS-112E 100+00N	8	<2	48	6	51	4	11	10	<2	<5	30	<5	3.02	289	<10	91	15	69	<20	<20	13	1.73	0.56	0.39	0.02	0.07	28	10	3	31	<1	<5	<10	0.09	2		
5TOS-112E 100+25N	<5	<2	16	7	58	4	7	8	<2	<5	35	<5	2.83	387	<10	109	10	66	<20	<20	10	1.89	0.47	0.79	0.03	0.09	30	5	<2	33	<1	<5	<10	0.09	3		



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Al	Si	Fe	Mn	Zn	Co	Ni	Cu	Pb	Ag	Au	As	Sb	Se	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
95TOS-112E 100+50N		6	<.2	54	5	37	2	9	7	<.2	<.5	29	<.5	2.53	300	<10	101	15	54	<20	<20	14	1.50	0.38	0.82	0.03	0.08	31	12	<2	24	<1	<.5	<10	0.07	2
95TOS-112E 100+75N		9	<.2	22	5	43	4	7	11	<.2	<.5	7	<.5	3.22	276	<10	72	12	80	<20	<20	9	1.49	0.59	0.34	0.02	0.10	29	4	2	11	<1	<.5	<10	0.10	2
95TOS-112E 101+00N		<.5	<.2	21	8	64	5	9	11	<.2	<.5	7	<.5	3.32	342	<10	77	12	78	<20	<20	8	2.27	0.48	0.22	0.02	0.06	19	4	3	14	<1	<.5	<10	0.11	8
95TOS-112E 101+25N		<.5	<.2	22	8	68	4	8	11	<.2	<.5	7	<.5	3.00	344	<10	117	11	68	<20	<20	10	2.21	0.62	0.29	0.02	0.07	26	4	3	13	<1	<.5	<10	0.12	7
95TOS-112E 101+50N		7	<.2	16	9	81	4	12	11	<.2	<.5	6	<.5	2.85	314	<10	81	10	62	<20	<20	7	2.16	0.50	0.35	0.02	0.10	20	3	4	15	1	<.5	<10	0.12	3
95TOS-112E 101+75N		<.5	<.2	16	11	86	4	11	11	<.2	<.5	<.5	<.5	2.78	354	<10	108	11	60	<20	<20	9	2.22	0.52	0.36	0.02	0.08	22	4	3	15	<1	<.5	<10	0.13	6
95TOS-112E 102+00N		<.5	<.2	16	9	87	4	10	10	<.2	<.5	9	<.5	2.60	332	<10	85	10	57	<20	<20	8	2.04	0.49	0.30	0.02	0.08	21	3	3	15	<1	<.5	<10	0.11	5
95TOS-112E 102+25N		7	<.2	24	9	72	3	11	11	<.2	<.5	16	<.5	2.72	288	<10	108	11	61	<20	<20	9	2.13	0.60	0.36	0.02	0.13	24	4	3	18	<1	<.5	<10	0.13	4
95TOS-112E 102+50N		<.5	<.2	18	11	81	4	11	11	<.2	<.5	15	<.5	2.67	278	<10	109	10	61	<20	<20	8	2.23	0.53	0.29	0.03	0.13	20	3	6	23	1	<.5	<10	0.15	5
95TOS-112E 102+75N		<.5	<.2	15	13	95	4	9	9	<.2	<.5	11	<.5	2.46	284	<10	97	8	50	<20	<20	8	2.30	0.35	0.23	0.02	0.09	14	3	5	18	1	<.5	<10	0.13	8
95TOS-112E 103+00N		<.5	<.2	21	12	96	5	11	11	<.2	<.5	31	<.5	2.78	315	<10	137	10	64	<20	<20	10	2.63	0.62	0.39	0.03	0.14	24	4	5	26	1	<.5	<10	0.15	5
95TOS-112E 103+25N		<.5	<.2	21	13	101	5	12	11	<.2	<.5	83	<.5	2.85	507	<10	136	9	66	<20	<20	10	2.77	0.65	0.58	0.03	0.14	28	4	3	35	1	<.5	<10	0.15	3
95TOS-112E 103+50N		<.5	<.2	23	12	103	5	12	11	<.2	<.5	95	<.5	2.78	374	<10	147	10	63	<20	<20	10	2.85	0.61	0.45	0.02	0.13	24	3	4	32	<1	<.5	<10	0.13	3
95TOS-112E 103+75N		<.5	<.2	16	10	102	4	10	10	<.2	<.5	24	<.5	2.60	373	<10	105	9	58	<20	<20	7	2.45	0.50	0.23	0.02	0.10	19	3	3	18	<1	<.5	<10	0.12	3
95TOS-112E 104+00N		<.5	<.2	19	12	119	4	11	11	<.2	<.5	21	<.5	2.67	450	<10	111	9	58	<20	<20	9	2.71	0.54	0.28	0.02	0.13	22	3	3	21	1	<.5	<10	0.12	3
95TOS-112E 104+25N		<.5	<.2	23	10	98	4	11	11	<.2	<.5	22	<.5	2.85	491	<10	107	9	64	<20	<20	12	2.67	0.63	0.34	0.02	0.12	25	5	3	23	<1	<.5	<10	0.13	2
95TOS-112E 104+50N		<.5	<.2	19	10	97	4	10	11	<.2	<.5	8	<.5	2.68	360	<10	112	9	59	<20	<20	10	2.58	0.55	0.24	0.02	0.11	20	4	4	18	1	<.5	<10	0.13	5
95TOS-112E 104+75N		<.5	<.2	24	11	83	5	10	11	<.2	<.5	14	<.5	2.90	312	<10	96	9	63	<20	<20	14	2.93	0.57	0.18	0.02	0.10	15	5	5	17	1	<.5	<10	0.12	5
95TOS-112E 105+00N		<.5	<.2	21	11	77	5	11	10	<.2	<.5	13	<.5	2.68	463	<10	94	8	59	<20	<20	9	2.77	0.66	0.19	0.02	0.08	15	3	4	19	1	<.5	<10	0.12	4
95TOS-112E 105+25N		<.5	<.2	25	12	81	5	11	10	<.2	<.5	17	<.5	2.78	365	<10	84	9	60	<20	<20	10	3.26	0.54	0.13	0.02	0.08	16	4	4	16	1	<.5	<10	0.12	6
95TOS-112E 105+50N		<.5	<.2	28	9	84	5	11	11	<.2	<.5	18	<.5	3.21	380	<10	133	11	72	<20	<20	10	2.63	0.72	0.25	0.02	0.10	22	5	3	22	<1	<.5	<10	0.12	2
95TOS-112E 105+75N		<.5	0.2	24	10	83	4	12	11	<.2	<.5	13	<.5	2.64	328	<10	106	9	59	<20	<20	9	2.71	0.54	0.14	0.02	0.10	12	4	4	16	1	<.5	<10	0.11	6
95TOS-112E 106+00N		<.5	<.2	20	11	88	4	10	10	<.2	<.5	13	<.5	2.62	514	<10	90	8	57	<20	<20	7	2.68	0.47	0.18	0.02	0.07	17	3	3	22	2	<.5	<10	0.11	3
95TOS-112E 106+25N		<.5	<.2	22	10	79	4	10	9	<.2	<.5	17	<.5	2.43	314	<10	64	8	52	<20	<20	9	2.77	0.41	0.11	0.02	0.06	10	4	4	14	1	<.5	<10	0.10	7
95TOS-112E 106+50N		<.5	<.2	24	12	79	4	11	10	<.2	<.5	21	<.5	2.62	298	<10	87	9	58	<20	<20	9	2.68	0.46	0.13	0.02	0.08	12	4	4	13	1	<.5	<10	0.11	7
95TOS-112E 106+75N		6	<.2	21	11	73	4	10	10	<.2	<.5	17	<.5	2.38	294	<10	80	9	53	<20	<20	8	2.45	0.39	0.14	0.02	0.06	12	4	3	12	<1	<.5	<10	0.10	5
95TOS-112E 107+00N		<.5	<.2	38	10	93	5	13	12	<.2	<.5	21	<.5	3.04	343	<10	144	10	68	<20	<20	11	2.92	0.70	0.19	0.01	0.14	17	4	3	15	<1	<.5	<10	0.12	4
95TOS-112E 107+25N		<.5	<.2	31	11	79	4	12	10	<.2	<.5	24	<.5	2.76	282	<10	83	9	61	<20	<20	9	2.90	0.58	0.13	0.01	0.07	12	4	4	15	1	<.5	<10	0.11	7
95TOS-112E 107+50N		<.5	<.2	26	13	86	5	10	10	<.2	<.5	25	<.5	2.49	409	<10	70	8	52	<20	<20	8	3.08	0.40	0.13	0.02	0.06	12	4	4	14	1	<.5	<10	0.11	8
95TOS-112E 107+75N		<.5	<.2	35	12	97	5	14	11	<.2	<.5	23	<.5	2.87	394	<10	101	10	64	<20	<20	9	2.85	0.58	0.19	0.02	0.10	14	5	4	16	<1	<.5	<10	0.11	4



Bondar Clegg

Inchcape Testing Services

Geometrical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Al	Si	Fe	Mn	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-112E 108+00N	<5	0.3	30	12	93	4	11	10	<.2	<5	18	<5	2.59	396	<10	66	9	58	<20	<20	8	2.69	0.45	0.14	0.02	0.06	12	4	2	14	1	<5	<10	0.11	4		
95TOS-112E 108+25N	<5	<.2	30	12	89	6	12	11	<.2	<5	21	<5	2.65	359	<10	74	10	59	<20	<20	7	2.55	0.47	0.15	0.02	0.07	12	4	4	13	<1	<5	<10	0.10	3		
95TOS-112E 108+50N	<5	<.2	48	10	107	5	14	13	<.2	<5	24	<5	3.33	511	<10	128	12	70	<20	<20	8	2.62	0.75	0.24	0.01	0.16	23	5	<2	15	<1	5	<10	0.10	3		
95TOS-112E 108+75N	<5	<.2	26	9	86	5	10	10	<.2	<5	23	<5	2.53	339	<10	67	9	57	<20	<20	7	2.28	0.45	0.19	0.02	0.06	15	4	3	18	<1	<5	<10	0.10	2		
95TOS-112E 109+00N	<5	0.4	23	11	92	4	10	9	<.2	<5	14	<5	2.44	357	<10	68	9	53	<20	<20	6	2.33	0.41	0.19	0.02	0.05	13	3	3	16	1	<5	<10	0.09	2		
95TOS-112E 109+25N	<5	0.4	25	12	93	4	11	10	<.2	<5	15	<5	2.40	436	<10	71	9	51	<20	<20	8	2.68	0.37	0.21	0.02	0.06	14	4	3	13	1	<5	<10	0.10	4		
95TOS-112E 109+50N	<5	0.3	28	12	96	5	12	11	<.2	<5	18	<5	2.58	397	<10	68	9	57	<20	<20	7	2.75	0.43	0.19	0.02	0.07	12	4	4	14	1	<5	<10	0.10	3		
95TOS-112E 109+75N	<5	0.3	32	14	98	6	13	11	<.2	<5	24	<5	2.60	367	<10	71	9	56	<20	<20	8	2.74	0.44	0.22	0.02	0.06	15	6	4	15	1	<5	<10	0.11	6		
95TOS-112E 110+00N	<5	0.3	33	12	102	5	13	11	<.2	<5	16	<5	2.64	406	<10	83	10	57	<20	<20	7	2.68	0.47	0.22	0.02	0.06	15	4	3	13	1	<5	<10	0.11	4		
95TOS-112E 110+25N	6	0.4	32	12	108	5	14	11	<.2	<5	18	<5	2.57	456	<10	87	10	57	<20	<20	9	2.68	0.48	0.21	0.02	0.07	13	6	3	14	<1	<5	<10	0.10	3		
95TOS-112E 110+50N	6	<.2	30	12	107	5	12	9	<.2	<5	16	<5	2.45	310	<10	113	11	57	<20	<20	10	2.52	0.64	0.42	0.02	0.07	26	5	6	22	1	<5	<10	0.11	2		
95TOS-112E 110+75N	<5	<.2	32	9	122	5	13	11	<.2	<5	17	<5	3.08	422	<10	129	11	68	<20	<20	8	2.32	0.86	0.43	0.02	0.10	24	5	3	22	<1	<5	<10	0.12	1		
95TOS-112E 111+00N	<5	<.2	40	12	110	5	16	12	<.2	<5	23	<5	2.96	396	<10	176	12	67	<20	<20	10	2.63	0.65	0.46	0.02	0.08	23	6	3	27	<1	<5	<10	0.11	2		
95TOS-112E 111+25N	<5	<.2	41	12	91	5	15	12	<.2	<5	18	<5	2.80	315	<10	112	11	63	<20	<20	7	2.52	0.61	0.23	0.01	0.10	15	4	3	13	<1	<5	<10	0.11	4		
95TOS-112E 111+50N	<5	0.3	30	12	91	4	13	10	<.2	<5	10	<5	2.50	341	<10	71	10	54	<20	<20	8	2.49	0.41	0.17	0.02	0.06	12	4	3	12	1	<5	<10	0.10	5		
95TOS-112E 111+75N	<5	0.3	31	12	92	5	14	10	<.2	<5	17	<5	2.54	384	<10	78	10	56	<20	<20	7	2.54	0.43	0.18	0.02	0.06	14	4	3	12	1	<5	<10	0.11	5		
95TOS-112E 112+00N	<5	0.3	28	13	100	5	15	11	<.2	<5	15	<5	2.61	456	<10	84	11	57	<20	<20	8	2.67	0.40	0.15	0.02	0.06	15	4	2	14	1	<5	<10	0.12	7		
95TOS-112E 112+25N	<5	<.2	26	13	101	4	14	11	<.2	<5	17	<5	2.61	497	<10	80	11	56	<20	<20	7	2.65	0.42	0.15	0.02	0.05	13	4	<2	13	1	<5	<10	0.11	5		
95TOS-112E 112+50N	<5	0.3	26	12	105	4	13	10	<.2	<5	13	<5	2.56	492	<10	68	10	56	<20	<20	6	2.54	0.42	0.13	0.02	0.05	11	3	<2	13	2	<5	<10	0.10	4		
95TOS-112E 112+75N	<5	0.5	30	13	122	5	13	11	<.2	<5	12	<5	2.63	548	<10	70	10	57	<20	<20	6	2.66	0.60	0.15	0.02	0.05	11	4	2	17	1	<5	<10	0.10	4		
95TOS-112E 113+00N	<5	0.5	39	17	138	5	18	12	<.2	<5	15	<5	2.84	956	<10	96	10	59	<20	<20	10	2.58	0.52	0.28	0.02	0.05	15	7	<2	17	<1	<5	<10	0.10	3		
95TOS-112E 113+25N	12	0.4	30	12	119	5	12	11	<.2	<5	13	<5	2.56	626	<10	75	9	54	<20	<20	6	2.69	0.49	0.18	0.02	0.05	13	4	<2	16	1	<5	<10	0.11	4		
95TOS-112E 113+50N	23	0.3	24	13	112	5	10	9	<.2	<5	9	<5	2.48	575	<10	75	9	54	<20	<20	6	2.71	0.46	0.17	0.02	0.05	12	3	3	14	1	<5	<10	0.11	4		
95TOS-112E 113+75N	<5	0.4	21	12	122	4	9	9	<.2	<5	7	<5	2.27	516	<10	75	8	50	<20	<20	5	2.60	0.37	0.13	0.02	0.05	11	3	3	12	1	<5	<10	0.10	5		
95TOS-112E 114+00N	<5	0.3	37	11	134	5	22	13	<.2	<5	15	<5	2.75	351	<10	109	10	63	<20	<20	6	2.74	0.66	0.20	0.01	0.07	14	4	4	35	1	<5	<10	0.12	3		
95TOS-112E 114+25N	<5	0.7	23	11	132	5	16	9	<.2	<5	9	<5	2.36	320	<10	63	7	50	<20	<20	5	2.41	0.41	0.17	0.02	0.04	11	4	4	24	1	<5	<10	0.10	4		
95TOS-113E 100+00N	<5	<.2	6	11	11	7	16	1	<.2	<5	26	<5	0.31	46	<10	24	23	13	<20	<20	4	2.09	0.04	0.46	0.03	0.02	21	4	5	3	1	<5	<10	0.07	11		
95TOS-113E 100+25N	24	0.4	25	9	115	10	14	10	1.0	<5	134	<5	2.26	290	<10	87	8	48	<20	<20	14	1.96	0.18	0.58	0.02	0.02	22	22	<2	15	<1	<5	<10	0.03	2		
95TOS-113E 100+50N	6	0.2	26	7	74	4	10	12	<.2	<5	12	<5	2.97	381	<10	78	11	68	<20	<20	7	2.39	0.59	0.20	0.02	0.10	21	4	3	14	<1	<5	<10	0.10	3		
95TOS-113E 100+75N	<5	<.2	25	7	60	5	10	12	<.2	<5	10	<5	3.13	301	<10	100	11	76	<20	<20	6	2.43	0.74	0.33	0.02	0.10	30	3	6	18	<1	<5	<10	0.11	3		

CLIENT: WHITE WOLF EXPLORATION
 REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
 DATE PRINTED: 28-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	AU30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr	
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-113E 101+00N		<5	0.3	47	6	70	5	11	13	<.2	<5	8	<5	3.55	410	<10	120	11	82	<20	<20	7	2.64	0.87	0.33	0.02	0.14	40	4	4	13	<1	<5	<10	0.10	4	
95TOS-113E 101+25N		10	0.3	39	11	66	4	10	11	<.2	<5	8	<5	2.83	400	<10	93	9	61	<20	<20	8	3.18	0.69	0.21	0.02	0.07	23	4	5	12	1	<5	<10	0.11	9	
95TOS-113E 101+50N		<5	<.2	22	6	53	4	7	10	<.2	<5	<5	<5	3.06	357	<10	74	11	74	<20	<20	7	2.19	0.47	0.20	0.02	0.05	17	4	3	9	<1	<5	<10	0.08	5	
95TOS-113E 101+75N		<5	<.2	23	9	78	5	11	12	<.2	<5	12	<5	3.00	416	<10	72	10	67	<20	<20	7	2.43	0.43	0.37	0.02	0.06	18	5	4	16	1	<5	<10	0.10	3	
95TOS-113E 102+00N		<5	<.2	21	5	46	3	9	10	<.2	<5	<5	<5	2.86	241	<10	68	12	64	<20	<20	5	1.50	0.51	0.30	0.01	0.12	22	3	3	8	<1	<5	<10	0.09	2	
95TOS-113E 102+25N		<5	<.2	22	9	77	4	12	10	<.2	<5	14	<5	2.58	237	<10	90	10	57	<20	<20	7	2.20	0.43	0.30	0.02	0.09	17	4	4	19	1	<5	<10	0.10	2	
95TOS-113E 102+50N		<5	<.2	15	7	54	4	9	9	<.2	<5	8	<5	2.28	194	<10	65	9	52	<20	<20	5	1.78	0.39	0.24	0.02	0.06	16	3	4	12	1	<5	<10	0.10	1	
95TOS-113E 102+75N		<5	<.2	20	7	53	4	9	10	<.2	<5	16	<5	2.68	249	<10	123	11	64	<20	<20	7	1.86	0.57	0.41	0.02	0.12	26	4	3	14	<1	<5	<10	0.10	2	
95TOS-113E 103+00N		<5	<.2	22	9	60	3	11	10	<.2	<5	23	<5	2.29	216	<10	88	8	48	<20	<20	6	2.16	0.44	0.40	0.02	0.06	20	3	4	18	<1	<5	<10	0.09	2	
95TOS-113E 103+25N		<5	<.2	19	10	85	4	12	11	<.2	<5	16	<5	2.21	388	<10	75	8	44	<20	<20	5	2.16	0.42	0.33	0.02	0.05	19	3	3	15	<1	<5	<10	0.09	2	
95TOS-113E 103+50N		<5	<.2	20	12	99	3	13	11	<.2	<5	7	<5	2.36	336	<10	88	10	46	<20	<20	6	2.33	0.45	0.29	0.02	0.06	18	4	4	12	<1	<5	<10	0.10	5	
95TOS-113E 103+75N		<5	<.2	21	9	83	3	14	11	<.2	<5	9	<5	2.51	399	<10	120	10	49	<20	<20	7	2.43	0.59	0.33	0.02	0.08	22	4	3	13	<1	<5	<10	0.11	4	
95TOS-113E 104+00N		20	<.2	21	9	86	4	12	10	<.2	<5	7	<5	2.44	356	<10	97	8	51	<20	<20	6	2.23	0.52	0.25	0.02	0.07	16	3	4	15	1	<5	<10	0.12	3	
95TOS-113E 104+25N		22	<.2	17	9	96	4	10	9	<.2	<5	7	<5	2.28	355	<10	85	8	51	<20	<20	5	2.07	0.47	0.20	0.02	0.07	14	2	4	15	1	<5	<10	0.11	3	
95TOS-113E 104+50N		17	0.4	29	12	114	4	15	11	<.2	<5	22	<5	2.78	567	<10	132	9	59	<20	<20	10	2.82	0.70	0.41	0.02	0.08	26	8	3	53	<1	<5	<10	0.12	3	
95TOS-113E 104+75N		10	0.4	31	13	147	4	16	11	<.2	<5	24	<5	2.74	697	<10	114	10	57	<20	<20	10	2.92	0.65	0.57	0.02	0.09	29	9	3	62	<1	<5	<10	0.13	3	
95TOS-113E 105+00N		9	0.3	29	10	116	5	13	12	<.2	<5	<5	<5	2.69	293	<10	104	9	58	<20	<20	9	2.53	0.66	0.31	0.02	0.09	23	5	6	26	<1	<5	<10	0.12	2	
95TOS-113E 105+25N		<5	0.3	29	8	85	4	12	10	<.2	<5	13	<5	2.69	329	<10	110	9	60	<20	<20	7	2.23	0.63	0.24	0.01	0.12	19	4	3	16	<1	<5	<10	0.10	1	
95TOS-113E 105+50N		<5	<.2	30	6	109	3	15	11	0.3	<5	22	<5	2.74	285	<10	115	13	61	<20	<20	10	2.00	0.62	0.40	0.01	0.10	25	7	3	35	<1	<5	<10	0.10	<1	
95TOS-113E 105+75N		<5	0.5	56	9	206	5	18	12	<.2	<5	21	<5	3.30	610	<10	163	11	64	<20	<20	12	3.05	0.91	0.51	0.02	0.17	64	12	3	47	<1	6	<10	0.10	1	
95TOS-113E 106+00N		<5	0.3	33	9	83	3	12	8	0.3	<5	23	<5	2.15	669	<10	44	13	48	<20	<20	10	2.24	0.50	0.81	0.03	0.06	29	9	<2	62	<1	<5	<10	0.08	2	
95TOS-113E 106+25N		<5	0.2	25	10	93	4	14	10	<.2	<5	9	<5	2.43	364	<10	99	10	51	<20	<20	7	2.49	0.74	0.30	0.02	0.08	25	4	3	17	<1	<5	<10	0.10	3	
95TOS-113E 106+50N		<5	0.2	18	10	89	4	11	9	<.2	<5	9	<5	2.27	261	<10	70	9	50	<20	<20	6	2.62	0.45	0.19	0.02	0.05	13	3	5	14	1	<5	<10	0.11	6	
95TOS-113E 106+75N		10	0.2	21	11	78	4	14	8	<.2	<5	6	<5	2.35	285	<10	63	10	43	<20	<20	5	2.40	1.34	0.21	0.02	0.04	14	3	5	18	1	<5	<10	0.09	5	
95TOS-113E 107+00N		22	0.3	26	11	79	4	12	10	<.2	<5	18	<5	2.83	297	<10	88	8	54	<20	<20	5	2.50	0.49	0.21	0.02	0.08	17	3	4	13	1	<5	<10	0.10	6	
95TOS-113E 107+25N		6	0.3	24	12	81	4	12	10	<.2	<5	18	<5	2.68	341	<10	79	9	52	<20	<20	7	2.46	0.39	0.18	0.02	0.06	14	4	3	12	<1	<5	<10	0.09	5	
95TOS-113E 107+50N		<5	0.3	25	10	84	4	11	10	<.2	<5	15	<5	2.74	372	<10	67	9	52	<20	<20	7	2.49	0.39	0.14	0.02	0.05	10	4	3	12	1	<5	<10	0.09	5	
95TOS-113E 107+75N		<5	0.3	23	12	86	4	10	10	<.2	<5	15	<5	2.72	357	<10	67	8	50	<20	<20	6	2.60	0.35	0.15	0.02	0.06	15	3	3	12	1	<5	<10	0.10	6	
95TOS-113E 108+00N		<5	0.2	33	9	99	5	11	11	<.2	<5	10	<5	3.21	405	<10	114	8	56	<20	<20	7	2.57	0.66	0.19	0.02	0.14	17	4	3	15	<1	<5	<10	0.08	1	
95TOS-113E 108+25N		7	0.2	25	11	73	5	9	8	<.2	<5	18	<5	2.84	206	<10	69	8	54	<20	<20	7	2.31	0.46	0.17	0.02	0.07	15	4	5	15	1	<5	<10	0.10	4	



Bondar Clegg Inchcape Testing Services

Geo. Chemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01020.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 6

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-113E 108+50N		13	0.3	21	10	70	4	8	9	<.2	<5	12	<5	2.62	262	<10	77	8	53	<20	<20	7	2.13	0.58	0.23	0.02	0.06	25	4	6	18	<1	<5	<10	0.11	2
95TOS-113E 108+75N		<5	0.3	20	10	70	4	8	7	<.2	<5	9	<5	2.62	242	<10	68	8	54	<20	<20	5	1.97	0.50	0.26	0.02	0.05	20	3	5	16	1	<5	<10	0.11	3
95TOS-113E 109+00N		<5	0.4	20	10	72	4	8	7	<.2	<5	6	<5	2.24	232	<10	61	7	46	<20	<20	6	1.92	0.36	0.22	0.02	0.05	18	3	5	11	<1	<5	<10	0.08	2
95TOS-113E 109+25N		30	0.2	32	9	80	4	9	9	<.2	<5	11	<5	3.11	312	<10	89	11	66	<20	<20	7	1.97	0.77	0.47	0.01	0.08	40	4	3	17	<1	<5	<10	0.09	1
95TOS-113E 109+50N		25	0.4	30	10	83	4	10	13	<.2	<5	7	<5	2.94	406	<10	82	9	59	<20	<20	7	2.16	0.50	0.24	0.02	0.05	20	4	4	14	1	<5	<10	0.08	2
95TOS-113E 109+75N		<5	0.4	34	12	109	4	9	9	<.2	<5	<5	<5	2.63	278	<10	83	8	50	<20	<20	6	1.94	0.41	0.39	0.01	0.05	32	4	3	11	<1	<5	<10	0.06	<1
95TOS-113E 110+25N		7	0.4	44	16	52	3	15	8	<.2	<5	7	<5	2.67	190	<10	422	9	46	<20	<20	17	3.31	0.45	0.54	0.03	0.04	41	9	7	26	<1	<5	<10	0.15	27
95TOS-113E 110+50N		<5	<.2	30	9	85	4	13	10	<.2	<5	5	<5	2.72	303	<10	105	11	57	<20	<20	8	2.19	0.49	0.22	0.02	0.06	17	4	4	15	1	<5	<10	0.10	6
95TOS-113E 110+75N		<5	<.2	33	9	78	4	12	10	<.2	<5	9	<5	2.75	317	<10	101	10	59	<20	<20	9	2.16	0.56	0.23	0.02	0.10	16	5	4	12	<1	<5	<10	0.10	6
95TOS-113E 111+00N		<5	<.2	23	10	75	4	9	9	<.2	<5	6	<5	2.51	344	<10	69	9	54	<20	<20	5	2.02	0.45	0.21	0.02	0.05	13	3	3	12	1	<5	<10	0.10	3
95TOS-113E 111+25N		<5	<.2	34	10	77	4	11	11	<.2	<5	9	<5	2.81	371	<10	93	10	59	<20	<20	7	2.19	0.59	0.25	0.01	0.07	14	4	3	12	<1	<5	<10	0.10	4
95TOS-113E 111+50N		<5	<.2	28	10	87	4	10	10	<.2	<5	<5	<5	2.66	404	<10	71	10	56	<20	<20	6	2.17	0.50	0.21	0.02	0.06	14	3	3	12	<1	<5	<10	0.10	3
95TOS-113E 111+75N		21	<.2	31	12	99	4	11	11	<.2	<5	<5	<5	2.73	468	<10	80	10	57	<20	<20	7	2.32	0.55	0.28	0.02	0.05	15	3	3	12	1	<5	<10	0.10	2
95TOS-113E 112+00N		<5	<.2	30	12	113	4	10	10	0.2	<5	6	<5	2.72	336	<10	71	9	53	<20	<20	7	2.46	0.51	0.18	0.02	0.05	13	4	4	12	1	<5	<10	0.10	5
95TOS-113E 112+25N		<5	<.2	31	11	98	4	10	11	<.2	<5	9	<5	2.77	334	<10	86	10	56	<20	<20	7	2.57	0.56	0.23	0.02	0.05	14	4	4	14	1	<5	<10	0.11	6
95TOS-113E 112+50N		<5	0.3	31	12	182	4	12	11	0.7	<5	12	<5	2.92	423	<10	83	11	63	<20	<20	7	2.57	0.57	0.33	0.02	0.05	19	4	4	23	1	<5	<10	0.12	8
95TOS-113E 112+75N		<5	0.2	26	10	104	4	9	10	<.2	<5	8	<5	2.79	431	<10	69	10	57	<20	<20	6	2.27	0.49	0.20	0.02	0.05	14	3	3	18	1	<5	<10	0.09	2
95TOS-113E 113+00N		<5	0.3	20	11	83	4	8	9	<.2	<5	10	<5	2.43	301	<10	54	9	49	<20	<20	5	2.33	0.35	0.15	0.02	0.04	11	3	5	14	1	<5	<10	0.10	5
95TOS-113E 113+25N		<5	0.2	24	10	91	4	10	10	<.2	<5	8	<5	2.72	278	<10	68	10	56	<20	<20	7	2.26	0.48	0.21	0.02	0.05	14	4	5	20	1	<5	<10	0.11	4
95TOS-113E 113+50N		<5	<.2	31	10	97	4	12	12	<.2	<5	<5	<5	3.30	373	<10	121	14	70	<20	<20	6	2.75	0.81	0.50	0.04	0.07	29	3	5	30	1	<5	<10	0.13	3
95TOS-113E 113+75N		<5	0.2	34	11	107	4	12	13	<.2	<5	16	<5	3.25	282	<10	68	13	70	<20	<20	8	2.67	0.72	0.30	0.04	0.08	18	4	6	24	1	<5	<10	0.15	9
95TOS-113E 114+00N		23	<.2	42	13	142	5	17	14	0.3	<5	9	<5	3.52	774	<10	154	13	73	<20	<20	13	2.91	0.79	0.67	0.03	0.09	33	7	2	51	<1	<5	<10	0.14	5
95TOS-113E 114+25N		<5	<.2	31	11	98	5	11	11	<.2	<5	<5	<5	3.11	443	<10	84	12	65	<20	<20	9	2.37	0.70	0.37	0.02	0.07	24	5	4	26	<1	<5	<10	0.12	2
95TOS-113E 114+50N		<5	0.2	32	10	98	5	11	13	<.2	<5	<5	<5	3.41	427	<10	103	12	71	<20	<20	9	2.49	0.73	0.32	0.02	0.08	22	5	4	28	<1	<5	<10	0.12	2



Bondar Clegg

Inchcape Testing Services

Geometrical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01024.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-114E 100+00N		9	<.2	17	5	64	6	8	10	<.2	<.5	36	<.5	3.30	666	<10	91	9	55	<20	<20	7	1.79	0.60	0.35	0.02	0.05	32	6	<2	30	1	<.5	<10	0.09	3
95TOS-114E 100+75N		<.5	<.2	26	6	65	4	10	10	<.2	<.5	17	<.5	2.67	262	<10	86	10	56	<20	<20	7	1.87	0.57	0.35	0.02	0.10	25	4	3	17	1	<.5	<10	0.09	1
95TOS-114E 101+00N		<.5	<.2	23	6	60	4	9	11	<.2	<.5	9	<.5	2.98	294	<10	76	10	64	<20	<20	5	1.87	0.55	0.22	0.02	0.08	21	3	3	13	1	<.5	<10	0.09	2
95TOS-114E 101+25N		<.5	<.2	26	6	64	4	8	12	<.2	<.5	<.5	<.5	3.40	371	<10	81	11	73	<20	<20	5	2.17	0.76	0.23	0.02	0.08	25	3	3	13	1	<.5	<10	0.10	3
95TOS-114E 101+50N		<.5	0.2	25	8	68	4	9	11	<.2	<.5	<.5	<.5	3.18	509	<10	82	10	68	<20	<20	5	2.28	0.70	0.21	0.02	0.07	23	3	<2	13	1	<.5	<10	0.09	2
95TOS-114E 101+75N		7	0.2	24	6	69	4	11	11	<.2	<.5	11	<.5	3.30	429	<10	82	11	73	<20	<20	5	2.09	0.57	0.22	0.02	0.06	19	3	3	30	<1	<.5	<10	0.09	2
95TOS-114E 102+00N		<.5	<.2	32	5	74	4	14	12	<.2	<.5	21	<.5	2.83	334	<10	91	11	60	<20	<20	6	1.64	0.62	0.35	0.01	0.10	27	2	3	20	1	<.5	<10	0.09	<1
95TOS-114E 102+25N		18	<.2	25	6	69	4	12	11	<.2	<.5	17	<.5	3.10	288	<10	76	12	71	<20	<20	6	1.73	0.53	0.46	0.02	0.09	25	3	3	33	1	<.5	<10	0.09	<1
95TOS-114E 102+50N		5	<.2	27	7	74	4	12	13	<.2	<.5	8	<.5	3.28	343	<10	83	12	70	<20	<20	5	1.88	0.56	0.22	0.01	0.09	21	3	4	17	1	<.5	<10	0.08	1
95TOS-114E 102+75N		13	0.2	29	6	83	4	13	13	<.2	<.5	13	<.5	2.91	323	<10	86	10	57	<20	<20	4	1.95	0.52	0.22	0.02	0.08	21	3	3	16	1	<.5	<10	0.08	3
95TOS-114E 103+00N		<.5	<.2	41	5	85	3	17	14	<.2	<.5	13	<.5	2.88	375	<10	85	11	57	<20	<20	4	1.98	0.66	0.23	0.02	0.12	20	3	2	18	<1	<.5	<10	0.09	2
95TOS-114E 103+25N		<.5	0.3	43	7	110	4	19	15	<.2	<.5	20	<.5	3.11	419	<10	98	13	61	<20	<20	5	2.27	0.73	0.23	0.02	0.12	21	3	4	25	1	<.5	<10	0.11	2
95TOS-114E 103+50N		12	0.4	101	5	111	4	34	19	<.2	<.5	50	<.5	3.76	527	<10	80	15	75	<20	<20	10	2.43	0.85	0.52	0.02	0.21	24	11	2	65	<1	6	<10	0.12	2
95TOS-114E 103+75N		<.5	<.2	57	6	86	4	23	16	<.2	<.5	22	<.5	3.53	369	<10	94	14	67	<20	<20	4	2.34	0.77	0.24	0.02	0.16	21	3	4	24	1	<.5	<10	0.12	2
95TOS-114E 104+00N		<.5	<.2	33	9	106	4	20	16	<.2	<.5	16	<.5	2.80	371	<10	106	11	53	<20	<20	5	2.35	0.73	0.24	0.02	0.11	20	3	3	17	1	<.5	<10	0.11	4
95TOS-114E 104+25N		<.5	<.2	20	6	82	3	14	11	<.2	<.5	11	<.5	2.40	308	<10	97	10	46	<20	<20	5	1.95	0.68	0.25	0.02	0.11	21	3	3	16	1	<.5	<10	0.10	3
95TOS-114E 104+50N		<.5	<.2	24	7	101	3	16	13	<.2	<.5	6	<.5	2.54	404	<10	83	11	49	<20	<20	3	2.01	0.58	0.22	0.02	0.13	17	2	3	16	1	<.5	<10	0.11	2
95TOS-114E 104+75N		<.5	0.2	34	8	110	4	20	16	<.2	<.5	12	<.5	2.88	441	<10	107	12	55	<20	<20	4	2.33	0.72	0.22	0.02	0.16	21	3	3	19	1	<.5	<10	0.12	3
95TOS-114E 105+00N		<.5	<.2	14	8	113	3	11	10	<.2	<.5	6	<.5	2.13	405	<10	90	9	41	<20	<20	4	1.93	0.44	0.23	0.02	0.10	20	2	3	14	1	<.5	<10	0.10	3
95TOS-114E 105+25N		<.5	0.2	15	9	142	3	12	10	0.4	<.5	11	<.5	2.37	583	<10	96	10	45	<20	<20	4	1.98	0.55	0.26	0.02	0.09	24	2	<2	16	1	<.5	<10	0.09	1
95TOS-114E 105+50N		<.5	0.2	21	7	129	3	14	11	<.2	<.5	9	<.5	2.61	571	<10	90	11	48	<20	<20	4	2.22	0.65	0.23	0.02	0.10	19	3	2	17	1	<.5	<10	0.11	3
95TOS-114E 105+75N		<.5	<.2	18	10	139	3	11	10	<.2	<.5	11	<.5	2.50	431	<10	92	8	47	<20	<20	5	2.30	0.50	0.23	0.02	0.08	14	3	3	16	1	<.5	<10	0.11	5
95TOS-114E 106+00N		<.5	0.2	17	8	133	3	10	11	<.2	<.5	7	<.5	2.59	426	<10	102	8	49	<20	<20	4	2.41	0.54	0.23	0.02	0.11	16	3	4	17	1	<.5	<10	0.11	5
95TOS-114E 106+25N		<.5	0.2	19	7	138	3	12	11	<.2	<.5	8	<.5	2.68	461	<10	108	8	50	<20	<20	4	2.31	0.58	0.25	0.02	0.10	16	3	2	16	1	<.5	<10	0.11	4
95TOS-114E 106+50N		9	0.4	27	8	116	4	13	13	<.2	<.5	14	<.5	3.17	523	<10	120	8	58	<20	<20	4	2.45	0.69	0.21	0.02	0.14	17	3	3	24	1	<.5	<10	0.11	2
95TOS-114E 106+75N		<.5	0.3	30	7	104	4	13	15	0.2	<.5	14	<.5	2.97	652	<10	123	7	53	<20	<20	4	2.55	0.68	0.25	0.02	0.12	18	3	<2	18	1	<.5	<10	0.09	2
95TOS-114E 107+00N		<.5	0.3	33	9	84	4	15	17	<.2	<.5	9	<.5	2.71	394	<10	97	7	47	<20	<20	5	2.91	0.76	0.18	0.02	0.07	15	3	4	15	1	<.5	<10	0.09	4
95TOS-114E 107+25N		<.5	0.4	33	8	70	4	16	17	<.2	<.5	6	<.5	2.48	299	<10	73	7	40	<20	<20	4	2.81	0.82	0.16	0.02	0.05	15	3	4	14	1	<.5	<10	0.07	3
95TOS-114E 107+50N		<.5	<.2	28	8	64	4	15	16	<.2	<.5	9	<.5	2.41	251	<10	75	6	38	<20	<20	3	2.74	0.81	0.15	0.02	0.05	15	2	5	14	1	<.5	<10	0.07	4
95TOS-114E 107+75N		<.5	0.2	40	9	67	3	20	23	<.2	<.5	12	<.5	2.70	536	<10	117	5	39	<20	<20	3	3.27	1.27	0.23	0.03	0.06	24	2	2	15	<1	<.5	<10	0.07	2



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01024.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-114E 108+00N		<5	0.4	26	8	65	3	12	14	<.2	<5	6	<5	2.21	314	<10	70	5	38	<20	<20	3	2.63	0.67	0.19	0.02	0.04	19	2	4	13	1	<5	<10	0.07	3
95TOS-114E 108+25N		<5	0.3	36	9	72	5	18	19	<.2	<5	11	<5	2.65	253	<10	79	6	45	<20	<20	3	3.03	1.01	0.17	0.02	0.05	21	2	5	15	1	<5	<10	0.08	3
95TOS-114E 108+50N		14	0.4	34	8	87	4	15	18	<.2	<5	14	<5	2.66	499	<10	84	7	46	<20	<20	4	2.92	0.85	0.22	0.02	0.05	20	3	4	14	1	<5	<10	0.08	3
95TOS-114E 108+75N		<5	0.3	27	9	92	4	12	14	<.2	<5	7	<5	2.33	400	<10	74	8	44	<20	<20	4	2.38	0.57	0.23	0.02	0.04	16	2	3	13	1	<5	<10	0.08	3
95TOS-114E 109+00N		<5	0.6	20	13	64	3	12	8	<.2	<5	15	<5	1.44	152	<10	68	8	32	<20	<20	6	2.46	0.43	0.37	0.02	0.03	23	3	9	38	1	<5	<10	0.09	3
95TOS-114E 109+25N		7	0.9	62	11	81	4	25	21	<.2	<5	27	<5	2.83	317	<10	89	15	42	<20	<20	3	2.61	1.06	0.44	0.02	0.05	29	2	4	16	1	<5	<10	0.07	2
95TOS-114E 109+50N		16	0.8	47	19	142	4	14	17	0.3	<5	29	<5	2.87	818	<10	105	10	46	<20	<20	2	2.37	0.72	0.95	0.02	0.06	29	3	<2	16	<1	<5	<10	0.09	2
95TOS-114E 109+75N		8	1.3	43	16	150	3	12	15	0.4	<5	18	<5	2.73	690	<10	89	10	46	<20	<20	4	2.32	0.58	0.70	0.02	0.05	20	3	<2	14	<1	<5	<10	0.09	3
95TOS-114E 110+00N		12	0.8	77	15	113	4	15	20	0.3	7	36	<5	3.12	624	<10	89	10	47	<20	<20	4	2.47	0.78	0.84	0.02	0.05	32	3	<2	16	<1	<5	<10	0.08	2
95TOS-114E 110+25N		<5	0.2	19	12	102	3	8	10	<.2	<5	9	<5	2.24	553	<10	62	8	45	<20	<20	4	2.11	0.34	0.32	0.02	0.05	13	3	3	12	<1	<5	<10	0.10	3
95TOS-114E 110+50N		<5	0.2	19	10	98	3	9	9	<.2	<5	8	<5	2.39	439	<10	67	9	50	<20	<20	4	2.19	0.41	0.23	0.02	0.05	13	3	4	13	1	<5	<10	0.11	4
95TOS-114E 110+75N		7	<.2	19	10	105	3	9	10	0.2	<5	8	<5	2.43	314	<10	74	9	51	<20	<20	5	2.27	0.46	0.28	0.02	0.06	14	3	4	14	1	<5	<10	0.12	5
95TOS-114E 111+00N		10	<.2	20	8	99	4	9	10	<.2	<5	12	<5	2.46	469	<10	81	10	54	<20	<20	5	2.17	0.53	0.29	0.02	0.09	16	3	4	15	1	<5	<10	0.12	3
95TOS-114E 111+25N		9	0.2	21	11	146	3	9	11	0.5	<5	10	<5	2.38	544	<10	80	9	47	<20	<20	5	2.29	0.56	0.42	0.02	0.06	16	3	3	15	<1	<5	<10	0.10	3
95TOS-114E 111+50N		<5	0.2	19	10	96	3	9	10	<.2	<5	7	<5	2.49	444	<10	86	10	54	<20	<20	5	2.19	0.58	0.33	0.02	0.07	16	3	4	15	1	<5	<10	0.12	3
95TOS-114E 111+75N		<5	0.3	30	8	104	4	11	13	<.2	<5	31	<5	3.03	403	<10	101	10	65	<20	<20	5	2.67	0.77	0.22	0.02	0.11	20	3	4	19	1	<5	<10	0.13	4
95TOS-114E 112+00N		<5	0.3	31	7	102	4	12	12	<.2	<5	27	<5	2.94	295	<10	96	11	66	<20	<20	5	2.54	0.77	0.23	0.03	0.11	21	3	5	21	1	5	<10	0.14	4
95TOS-114E 112+25N		<5	0.3	31	9	114	4	13	13	<.2	<5	20	<5	2.94	374	<10	124	12	65	<20	<20	5	2.70	0.80	0.28	0.03	0.12	20	3	4	22	1	5	<10	0.14	5
95TOS-114E 112+50N		<5	<.2	31	7	122	5	12	14	<.2	<5	26	<5	3.28	392	<10	125	10	75	<20	<20	5	2.71	0.91	0.28	0.03	0.16	20	3	5	41	1	6	<10	0.15	2
95TOS-114E 112+75N		11	<.2	30	7	105	4	11	12	<.2	<5	15	<5	3.32	353	<10	113	10	72	<20	<20	5	2.52	0.83	0.19	0.02	0.19	21	3	5	31	1	6	<10	0.16	2
95TOS-114E 113+00N		<5	<.2	28	8	102	4	10	12	<.2	<5	18	<5	2.90	355	<10	89	11	62	<20	<20	5	2.45	0.65	0.23	0.02	0.09	16	3	5	30	1	<5	<10	0.14	3
95TOS-114E 113+25N		6	<.2	21	7	77	4	8	9	<.2	<5	7	<5	2.45	332	<10	62	10	51	<20	<20	5	2.05	0.43	0.17	0.02	0.05	12	3	4	15	1	<5	<10	0.09	2
95TOS-114E 113+50N		8	<.2	22	9	113	4	10	12	<.2	<5	20	<5	2.79	497	<10	92	10	59	<20	<20	5	2.48	0.60	0.31	0.02	0.08	17	3	4	27	1	<5	<10	0.14	3
95TOS-114E 113+75N		<5	0.2	22	8	91	5	9	10	<.2	<5	7	<5	2.77	388	<10	89	9	56	<20	<20	4	2.16	0.49	0.16	0.02	0.07	15	2	5	21	2	<5	<10	0.13	3
95TOS-114E 114+00N		<5	0.2	45	8	115	5	14	14	<.2	<5	15	<5	3.32	685	<10	164	13	74	<20	<20	9	2.64	0.88	0.46	0.03	0.11	27	6	3	50	<1	<5	<10	0.17	3
95TOS-114E 114+25N		<5	<.2	34	7	77	5	8	10	<.2	<5	12	<5	2.71	265	<10	64	10	58	<20	<20	5	2.38	0.51	0.17	0.02	0.06	14	3	5	15	1	<5	<10	0.12	5
95TOS-114E 114+50N		<5	0.2	27	9	75	5	8	9	<.2	<5	10	<5	2.59	227	<10	63	10	55	<20	<20	5	2.45	0.45	0.14	0.02	0.08	12	3	5	14	2	<5	<10	0.13	6
95TOS-115E 100+00N		<5	<.2	22	6	53	3	6	10	<.2	<5	<5	<5	3.18	300	<10	50	11	72	<20	<20	3	2.18	0.47	0.16	0.02	0.05	16	3	3	9	1	<5	<10	0.08	6
95TOS-115E 100+75E		11	0.3	25	4	48	6	8	11	<.2	<5	10	<5	2.97	420	<10	66	11	69	<20	<20	7	1.85	0.68	0.46	0.02	0.06	34	5	3	26	<1	<5	<10	0.09	<1
95TOS-115E 101+00N		6	0.3	46	3	57	4	8	15	<.2	<5	12	<5	3.90	533	<10	66	16	89	<20	<20	12	1.85	0.92	0.52	0.02	0.11	34	9	<2	33	<1	<5	<10	0.09	<1



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01024.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-115E 101+25N		6	<.2	26	5	56	4	8	11	<.2	<5	<5	<5	3.46	321	<10	82	12	77	<20	<20	5	2.28	0.65	0.20	0.02	0.06	21	3	3	11	1	<5	<10	0.10	5
95TOS-115E 101+50N		<5	<.2	31	4	52	4	8	12	<.2	<5	<5	<5	3.66	363	<10	79	12	82	<20	<20	5	1.99	0.75	0.26	0.02	0.08	30	4	3	12	<1	<5	<10	0.10	2
95TOS-115E 101+75N		<5	0.3	29	7	61	4	9	12	<.2	<5	<5	<5	3.08	338	<10	75	10	64	<20	<20	5	2.38	0.68	0.20	0.02	0.07	23	3	3	12	1	<5	<10	0.10	3
95TOS-115E 102+00N		<5	0.4	27	7	70	5	9	10	<.2	<5	33	<5	2.62	350	<10	62	11	56	<20	<20	6	2.30	0.63	0.46	0.02	0.10	25	4	4	27	<1	<5	<10	0.07	1
95TOS-115E 102+50N		<5	0.2	34	7	88	4	13	13	<.2	<5	14	<5	3.03	438	<10	97	11	60	<20	<20	7	2.39	0.67	0.24	0.02	0.13	22	5	4	16	<1	<5	<10	0.10	3
95TOS-115E 102+75N		8	0.2	33	6	96	4	11	14	<.2	<5	19	<5	2.85	850	<10	119	10	53	<20	<20	4	2.05	0.49	0.29	0.02	0.11	29	3	<2	21	<1	<5	<10	0.07	1
95TOS-115E 103+00N		6	0.3	95	6	118	6	22	25	<.2	<5	26	<5	4.86	703	<10	120	17	87	<20	<20	5	2.95	0.90	0.21	0.01	0.22	35	4	<2	37	<1	7	<10	0.10	<1
95TOS-115E 103+25N		16	<.2	86	9	137	5	21	23	<.2	<5	27	<5	4.63	724	<10	113	14	72	<20	<20	7	3.11	0.86	0.22	0.02	0.23	31	6	<2	43	<1	7	<10	0.07	3
95TOS-115E 103+50N		9	<.2	97	10	110	6	23	28	<.2	<5	35	<5	5.06	620	<10	74	18	82	<20	<20	8	2.90	1.06	0.79	0.01	0.21	32	10	<2	57	<1	8	<10	0.08	<1
95TOS-115E 103+75N		6	<.2	51	5	86	5	18	19	<.2	<5	25	<5	3.89	446	<10	84	12	71	<20	<20	6	2.20	0.82	0.27	0.02	0.16	28	4	2	18	<1	<5	<10	0.09	<1
95TOS-115E 104+00N		11	0.3	58	8	108	6	23	23	<.2	<5	71	<5	3.83	437	<10	87	12	67	<20	<20	5	2.63	0.76	0.22	0.02	0.13	24	3	4	22	1	<5	<10	0.09	2
95TOS-115E 104+25N		30	0.3	47	7	89	4	19	19	<.2	<5	29	<5	3.48	423	<10	97	12	68	<20	<20	4	2.39	0.83	0.29	0.02	0.13	26	3	3	19	1	<5	<10	0.11	2
95TOS-115E 104+50N		8	0.3	37	8	111	4	20	16	<.2	<5	28	<5	3.23	429	<10	78	11	59	<20	<20	4	2.35	0.72	0.34	0.02	0.10	21	4	3	30	1	<5	<10	0.11	2
95TOS-115E 104+75N		8	<.2	47	7	95	4	21	18	<.2	<5	23	<5	3.22	319	<10	87	12	60	<20	<20	4	2.48	0.74	0.23	0.02	0.10	21	3	5	17	1	<5	<10	0.12	4
95TOS-115E 105+00N		25	0.3	47	10	113	5	28	19	<.2	<5	68	<5	3.10	374	<10	87	12	57	<20	<20	6	2.62	0.65	0.22	0.02	0.10	18	3	4	20	1	<5	<10	0.12	5
95TOS-115E 105+25N		7	0.2	57	9	113	4	31	23	<.2	<5	12	<5	3.27	465	<10	104	13	60	<20	<20	5	2.80	0.90	0.36	0.03	0.12	25	3	4	21	1	<5	<10	0.14	3
95TOS-115E 105+50N		<5	0.3	48	9	103	4	25	20	<.2	<5	<5	<5	3.25	378	<10	89	12	60	<20	<20	3	2.66	0.87	0.31	0.03	0.08	25	3	4	16	1	<5	<10	0.12	4
95TOS-115E 105+75N		6	<.2	53	9	106	4	24	20	<.2	<5	8	<5	3.08	442	<10	93	12	56	<20	<20	5	2.67	0.86	0.36	0.03	0.09	21	3	3	17	1	<5	<10	0.13	3
95TOS-115E 106+00N		158	0.3	46	11	118	4	20	19	<.2	<5	16	<5	2.79	452	<10	92	11	52	<20	<20	6	2.78	0.75	0.39	0.03	0.08	20	4	4	20	1	<5	<10	0.12	5
95TOS-115E 106+25N		6	0.4	49	10	104	3	18	19	<.2	<5	12	<5	3.03	412	<10	118	12	59	<20	<20	5	2.69	0.87	0.51	0.02	0.14	25	4	4	17	1	<5	<10	0.13	4
95TOS-115E 106+50N		9	0.4	51	11	104	4	19	19	0.2	<5	13	<5	2.88	516	<10	88	10	51	<20	<20	4	2.53	0.64	0.43	0.02	0.09	19	3	3	15	1	<5	<10	0.12	4
95TOS-115E 106+75N		9	0.4	40	11	109	4	18	19	<.2	<5	15	<5	2.77	745	<10	90	11	50	<20	<20	5	2.57	0.70	0.46	0.02	0.08	20	3	<2	16	<1	<5	<10	0.11	3
95TOS-115E 107+00N		19	0.4	39	10	113	4	16	18	<.2	<5	16	<5	2.79	784	<10	80	10	51	<20	<20	5	2.59	0.72	0.39	0.02	0.07	19	3	<2	16	<1	<5	<10	0.10	2
95TOS-115E 107+25N		7	0.5	54	10	112	4	18	19	<.2	<5	15	<5	3.12	681	<10	113	10	56	<20	<20	5	2.64	0.78	0.40	0.02	0.10	19	3	<2	18	1	<5	<10	0.13	3
95TOS-115E 107+50N		9	0.4	70	9	109	4	18	21	<.2	<5	18	<5	3.43	449	<10	104	10	59	<20	<20	5	2.85	0.84	0.30	0.03	0.10	20	4	4	19	1	<5	<10	0.14	5
95TOS-115E 107+75N		10	0.3	59	8	95	4	17	18	<.2	<5	21	<5	2.95	637	<10	89	9	47	<20	<20	5	2.63	0.62	0.31	0.02	0.06	19	3	<2	18	1	<5	<10	0.09	3
95TOS-115E 108+00N		10	0.4	87	8	90	5	22	25	<.2	<5	33	<5	3.37	560	<10	112	10	52	<20	<20	5	2.84	0.85	0.39	0.03	0.06	25	4	2	17	1	<5	<10	0.11	3
95TOS-115E 108+25N		6	0.4	71	11	103	5	21	24	<.2	<5	70	<5	3.29	488	<10	95	9	51	<20	<20	4	2.87	0.78	0.32	0.03	0.05	22	3	3	17	1	<5	<10	0.11	4
95TOS-115E 108+50N		8	0.5	71	10	111	5	22	23	<.2	<5	34	<5	3.24	517	<10	88	10	51	<20	<20	4	2.85	0.77	0.35	0.03	0.05	22	3	3	21	1	<5	<10	0.11	3
95TOS-115E 108+75N		8	0.4	92	11	131	5	25	23	<.2	<5	41	<5	3.44	429	<10	82	10	53	<20	<20	5	2.65	0.82	0.39	0.03	0.06	25	4	5	27	1	<5	<10	0.13	5



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01024.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-115E 109+00N		7	0.3	66	12	99	4	16	18	<.2	<.5	38	<.5	3.11	435	<10	86	8	54	<20	<20	5	2.63	0.67	0.25	0.03	0.06	19	3	4	16	1	<.5	<10	0.12	5
95TOS-115E 109+25N		<.5	0.3	75	9	94	5	16	20	0.3	<.5	31	<.5	3.19	454	<10	92	8	54	<20	<20	5	2.89	0.76	0.25	0.03	0.06	21	4	3	16	1	<.5	<10	0.11	4
95TOS-115E 109+50N		24	0.4	70	10	105	5	17	21	<.2	<.5	32	<.5	3.22	467	<10	86	9	54	<20	<20	4	2.58	0.77	0.33	0.03	0.06	23	3	4	21	1	<.5	<10	0.11	3
95TOS-115E 109+75N		10	0.6	134	7	85	5	19	23	<.2	22	76	<.5	3.83	308	<10	94	8	55	<20	<20	6	2.83	0.83	0.28	0.03	0.07	26	5	5	22	1	<.5	<10	0.12	4
95TOS-115E 110+00N		7	0.4	62	10	97	5	20	19	<.2	<.5	47	<.5	3.31	435	<10	109	10	64	<20	<20	7	2.81	0.85	0.32	0.03	0.09	26	4	5	38	1	<.5	<10	0.14	4
95TOS-115E 110+25N		<.5	0.2	33	9	96	4	14	13	<.2	<.5	57	<.5	3.13	608	<10	149	9	64	<20	<20	8	2.85	0.87	0.58	0.03	0.13	30	5	3	59	<.1	5	<10	0.16	4
95TOS-115E 110+50N		<.5	0.4	33	8	88	4	9	12	<.2	<.5	18	<.5	2.98	304	<10	93	9	60	<20	<20	5	2.62	0.67	0.18	0.02	0.08	17	3	5	18	1	<.5	<10	0.14	4
95TOS-115E 110+75N		<.5	0.4	28	9	83	4	8	10	<.2	<.5	10	<.5	2.53	305	<10	73	8	52	<20	<20	5	2.47	0.42	0.15	0.02	0.06	14	3	5	15	1	<.5	<10	0.13	6
95TOS-115E 111+00N		<.5	0.2	27	10	97	4	10	12	<.2	<.5	13	<.5	2.97	296	<10	94	9	61	<20	<20	5	2.72	0.67	0.16	0.02	0.08	14	3	5	18	1	<.5	<10	0.14	6
95TOS-115E 111+25N		<.5	0.3	26	7	74	4	8	9	<.2	<.5	<.5	<.5	2.56	418	<10	83	7	53	<20	<20	4	2.09	0.50	0.14	0.02	0.07	14	2	4	14	1	<.5	<10	0.11	3
95TOS-115E 111+50N		<.5	0.4	29	9	51	5	5	7	<.2	<.5	<.5	<.5	2.72	318	<10	62	8	45	<20	<20	3	1.94	0.22	0.10	0.02	0.05	11	2	5	9	1	<.5	<10	0.12	5
95TOS-115E 111+75N		16	0.3	33	9	100	4	12	11	<.2	<.5	10	<.5	2.76	380	<10	84	10	57	<20	<20	5	2.55	0.52	0.17	0.03	0.07	15	3	4	20	1	<.5	<10	0.14	5
95TOS-115E 112+00N		74	0.2	38	10	103	4	14	13	<.2	<.5	16	<.5	2.97	357	<10	98	12	63	<20	<20	6	2.53	0.69	0.24	0.03	0.10	17	4	4	33	2	<.5	<10	0.17	6
95TOS-115E 112+25N		<.5	0.3	25	8	84	4	11	11	<.2	<.5	11	<.5	2.61	330	<10	90	10	56	<20	<20	5	2.26	0.54	0.21	0.02	0.08	16	3	4	18	1	<.5	<10	0.13	4
95TOS-115E 112+50N		<.5	<.2	28	8	84	4	11	11	<.2	<.5	<.5	<.5	2.51	381	<10	87	10	55	<20	<20	6	2.25	0.50	0.21	0.02	0.07	15	4	3	13	1	<.5	<10	0.12	4
95TOS-115E 112+75N		<.5	<.2	27	8	89	4	11	11	<.2	<.5	8	<.5	2.42	393	<10	80	11	52	<20	<20	6	2.26	0.46	0.23	0.02	0.06	13	3	3	13	1	<.5	<10	0.13	5
95TOS-115E 113+00N		<.5	<.2	29	8	101	4	13	12	<.2	<.5	12	<.5	2.51	559	<10	88	11	53	<20	<20	5	2.28	0.45	0.29	0.02	0.06	16	3	3	14	1	<.5	<10	0.13	5
95TOS-115E 113+25N		6	0.2	31	7	84	3	12	11	<.2	<.5	10	<.5	2.30	457	<10	86	11	49	<20	<20	7	2.03	0.56	0.53	0.02	0.06	17	4	2	12	1	<.5	<10	0.12	4
95TOS-115E 113+50N		<.5	0.2	29	8	95	4	13	12	<.2	<.5	7	<.5	2.37	322	<10	86	11	50	<20	<20	6	2.24	0.54	0.31	0.02	0.06	14	4	4	14	1	<.5	<10	0.12	5
95TOS-115E 113+75N		6	<.2	25	8	94	4	12	11	<.2	<.5	7	<.5	2.34	362	<10	79	12	51	<20	<20	5	2.00	0.52	0.30	0.02	0.05	14	3	3	14	1	<.5	<10	0.11	3
95TOS-115E 114+00N		<.5	0.2	32	9	120	4	13	12	<.2	<.5	10	<.5	2.54	359	<10	75	14	55	<20	<20	5	2.40	0.53	0.24	0.02	0.05	13	3	4	18	1	<.5	<10	0.13	4
95TOS-115E 114+25N		11	<.2	39	9	85	5	12	11	<.2	<.5	13	<.5	2.97	326	<10	115	14	66	<20	<20	6	2.34	0.63	0.22	0.02	0.08	19	3	5	26	1	<.5	<10	0.15	3
95TOS-116E 100+00N		<.5	0.3	19	6	53	4	6	10	<.2	<.5	<.5	<.5	3.72	225	<10	45	13	85	<20	<20	4	2.42	0.35	0.13	0.02	0.04	14	3	4	9	1	<.5	<10	0.09	8
95TOS-116E 100+25N		8	0.4	91	9	79	5	14	9	0.2	<.5	14	<.5	1.49	507	<10	89	14	41	<20	<20	15	1.97	0.56	0.49	0.02	0.05	39	14	3	23	<.1	<.5	<10	0.08	2
95TOS-116E 100+75N		13	0.8	70	5	77	8	10	14	0.2	<.5	31	<.5	4.09	457	<10	65	13	89	<20	<20	18	2.10	0.92	0.56	0.02	0.10	34	15	3	36	<.1	<.5	<10	0.10	1
95TOS-116E 101+00N		<.5	<.2	45	5	82	5	9	14	<.2	<.5	<.5	<.5	4.18	426	<10	111	13	89	<20	<20	6	2.50	0.84	0.29	0.02	0.10	28	4	3	13	<.1	<.5	<10	0.12	6
95TOS-116E 101+25N		<.5	<.2	45	3	56	5	11	14	<.2	<.5	<.5	<.5	4.44	332	<10	74	15	101	<20	<20	4	2.24	0.81	0.24	0.02	0.05	23	3	3	11	<.1	<.5	<10	0.10	4
95TOS-116E 101+50N		<.5	0.3	27	7	62	5	10	12	<.2	<.5	<.5	<.5	3.55	451	<10	69	12	78	<20	<20	4	2.43	0.52	0.19	0.02	0.05	20	3	3	11	1	<.5	<10	0.10	4
95TOS-116E 101+75N		<.5	0.3	33	5	68	5	8	11	<.2	<.5	<.5	<.5	3.40	415	<10	64	11	72	<20	<20	5	2.33	0.54	0.18	0.02	0.06	19	3	3	11	1	<.5	<10	0.10	4
95TOS-116E 102+00N		8	0.3	28	6	66	4	8	11	<.2	<.5	<.5	<.5	3.56	351	<10	64	12	78	<20	<20	4	2.30	0.47	0.17	0.02	0.05	18	3	3	11	1	<.5	<10	0.10	7



Bondar Clegg

Inchcape Testing Services

Geometrical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01024.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 28-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-116E	102+25N	<5	<.2	38	5	52	5	9	12	<.2	<5	<5	<5	3.87	328	<10	83	13	86	<20	<20	4	2.03	0.71	0.28	0.02	0.07	27	4	3	10	<1	<5	<10	0.09	2
95TOS-116E	102+50N	8	<.2	25	3	51	5	7	12	<.2	<5	<5	<5	4.38	264	<10	69	15	102	<20	<20	4	1.99	0.47	0.20	0.02	0.05	20	4	3	9	<1	<5	<10	0.08	7
95TOS-116E	102+75N	9	<.2	38	4	51	4	10	13	<.2	<5	<5	<5	3.82	315	<10	75	12	86	<20	<20	5	2.00	0.79	0.31	0.02	0.07	33	3	3	12	<1	<5	<10	0.10	1
95TOS-116E	103+00N	8	0.3	25	5	48	4	7	10	<.2	<5	<5	<5	2.87	299	<10	59	9	63	<20	<20	4	1.93	0.56	0.22	0.02	0.05	23	3	3	9	<1	<5	<10	0.08	2
95TOS-116E	103+25N	8	0.3	29	8	68	4	10	12	<.2	<5	<5	<5	3.08	420	<10	73	10	64	<20	<20	6	2.56	0.63	0.24	0.02	0.07	21	4	3	12	1	<5	<10	0.09	2
95TOS-116E	103+50N	6	0.3	36	7	102	4	10	12	0.2	<5	<5	<5	2.89	750	<10	80	10	58	<20	<20	7	2.68	0.61	0.27	0.02	0.07	24	5	<2	12	<1	<5	<10	0.07	2
95TOS-116E	103+75N	22	0.4	98	9	114	7	23	21	<.2	<5	91	<5	4.77	678	<10	112	18	83	<20	<20	10	3.16	0.90	0.24	0.02	0.20	51	6	2	30	<1	6	<10	0.07	<1
95TOS-116E	104+00N	6	0.3	57	8	104	6	27	16	0.2	<5	51	<5	3.77	444	<10	125	21	76	<20	<20	9	3.35	0.92	0.36	0.02	0.23	84	5	5	24	<1	7	<10	0.11	1
95TOS-116E	104+25N	<5	<.2	27	5	95	4	24	8	<.2	<5	28	<5	3.16	694	<10	99	16	51	<20	<20	5	2.30	0.37	0.46	0.02	0.09	75	4	<2	13	<1	5	<10	0.06	1
95TOS-116E	104+50N	<5	0.2	34	8	109	4	23	17	<.2	<5	17	<5	3.20	503	<10	132	17	58	<20	<20	5	2.78	0.84	0.27	0.02	0.15	53	4	3	16	<1	<5	<10	0.09	2
95TOS-116E	104+75N	<5	<.2	43	4	84	5	17	16	<.2	<5	16	<5	3.69	358	<10	152	11	71	<20	<20	5	2.81	1.11	0.31	0.02	0.38	74	3	5	19	<1	7	<10	0.16	2
95TOS-116E	105+00N	8	0.3	47	6	77	4	21	20	<.2	<5	<5	<5	3.55	328	<10	102	10	68	<20	<20	5	2.58	0.98	0.36	0.03	0.10	34	3	4	15	<1	<5	<10	0.11	3
95TOS-116E	105+25N	24	0.3	37	7	69	4	16	18	<.2	<5	8	<5	3.25	339	<10	85	9	63	<20	<20	4	2.33	0.88	0.37	0.02	0.09	31	3	4	14	<1	<5	<10	0.10	<1
95TOS-116E	105+50N	11	0.2	55	7	96	4	29	25	<.2	<5	11	<5	3.00	548	<10	88	8	47	<20	<20	5	2.86	0.91	0.30	0.03	0.07	27	3	3	14	1	<5	<10	0.09	2
95TOS-116E	105+75N	7	0.2	74	8	92	5	32	30	<.2	<5	<5	<5	3.34	500	<10	94	8	50	<20	<20	4	3.00	1.02	0.36	0.03	0.07	30	3	3	15	1	<5	<10	0.10	2
95TOS-116E	106+00N	<5	0.3	89	8	91	5	36	33	<.2	<5	5	<5	3.38	501	<10	104	8	51	<20	<20	5	3.13	1.14	0.36	0.04	0.08	31	3	3	15	1	<5	<10	0.10	3

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-117E 91+50N		6	0.5	23	9	139	3	10	11	0.6	<5	41	<5	2.75	686	<10	109	9	45	<20	<20	23	2.83	0.40	0.85	0.02	0.05	39	14	<2	35	<1	<5	<10	0.08	4
95TOS-117E 91+75N		<5	0.4	19	8	149	2	11	10	0.3	<5	30	<5	2.75	490	<10	102	9	44	<20	<20	16	2.22	0.57	0.53	0.02	0.05	27	4	<2	20	1	<5	<10	0.08	3
95TOS-117E 92+00N		12	0.5	29	5	93	5	12	15	<.2	<5	43	<5	3.57	488	<10	97	10	68	<20	<20	21	2.19	0.67	0.27	0.02	0.09	19	5	<2	26	<1	<5	<10	0.08	2
95TOS-117E 92+50N		<5	0.6	29	10	186	4	24	15	0.6	<5	169	<5	3.03	708	<10	165	10	55	<20	<20	26	2.84	0.65	0.74	0.03	0.09	40	9	<2	53	1	<5	<10	0.11	7
95TOS-117E 92+75N		<5	0.4	39	6	102	5	16	18	<.2	<5	39	<5	3.56	665	<10	144	12	67	<20	<20	28	2.59	1.26	0.62	0.03	0.21	43	7	<2	32	1	6	<10	0.13	3
95TOS-117E 93+00N		<5	0.5	42	7	143	4	18	20	<.2	<5	57	<5	4.09	451	<10	111	14	76	<20	<20	24	2.79	0.88	0.26	0.02	0.12	25	5	<2	29	<1	6	<10	0.09	2
95TOS-117E 93+25N		<5	0.8	58	5	130	5	28	15	<.2	<5	159	<5	4.13	289	<10	92	23	81	<20	<20	39	3.18	0.97	0.61	0.02	0.13	25	25	4	98	<1	8	<10	0.07	3
95TOS-117E 93+50N		<5	0.6	61	5	129	5	19	18	<.2	<5	55	<5	4.65	349	<10	141	16	87	<20	<20	28	3.51	1.17	0.17	0.01	0.20	18	5	5	46	1	9	<10	0.09	2
95TOS-117E 93+75N		8	0.7	82	5	133	5	19	22	<.2	<5	58	<5	4.24	635	<10	120	16	81	<20	<20	25	2.83	0.95	0.23	0.02	0.14	25	5	<2	30	1	7	<10	0.10	2
95TOS-117E 94+00N		<5	0.5	100	5	132	4	12	21	<.2	<5	65	<5	5.23	788	<10	84	15	96	<20	<20	30	2.99	1.58	0.27	0.01	0.12	19	7	<2	48	<1	10	<10	0.03	1
95TOS-117E 94+25N		34	0.6	68	7	105	5	14	18	<.2	<5	57	<5	4.14	529	<10	134	13	82	<20	<20	24	2.78	0.99	0.12	0.02	0.14	14	4	<2	33	1	6	<10	0.07	1
95TOS-117E 94+50N		<5	0.6	111	6	108	5	20	21	<.2	<5	66	<5	4.54	398	<10	116	14	77	<20	<20	27	3.15	1.17	0.15	0.01	0.14	16	4	2	33	1	7	<10	0.04	2
95TOS-117E 94+75N		36	0.8	47	14	100	5	14	14	0.2	<5	89	<5	3.32	343	<10	100	10	61	<20	<20	24	2.83	0.73	0.47	0.02	0.07	23	7	4	38	1	<5	<10	0.08	5
95TOS-117E 95+00N		7	0.3	34	6	51	2	18	9	<.2	<5	48	<5	2.38	192	<10	178	12	49	<20	<20	17	2.20	0.43	0.51	0.02	0.05	180	6	<2	18	<1	<5	<10	0.06	2
95TOS-117E 95+25N		<5	0.6	21	7	74	3	13	11	<.2	<5	31	<5	2.92	330	<10	126	13	64	<20	<20	20	2.57	0.71	0.36	0.02	0.07	45	7	4	25	<1	<5	<10	0.12	5
95TOS-117E 95+50N		<5	0.5	20	7	82	2	11	11	<.2	<5	36	<5	2.56	336	<10	66	10	56	<20	<20	17	2.68	0.46	0.20	0.02	0.05	23	4	3	13	1	<5	<10	0.11	7
95TOS-117E 95+75N		<5	0.6	22	4	57	3	6	12	<.2	<5	15	<5	4.12	323	<10	62	14	102	<20	<20	21	2.35	0.50	0.15	0.02	0.05	17	4	<2	10	1	<5	<10	0.09	5
95TOS-117E 96+00N		<5	0.3	37	5	55	2	8	11	<.2	<5	28	<5	2.72	311	<10	94	8	62	<20	<20	20	1.93	0.54	0.25	0.02	0.09	17	5	<2	11	<1	<5	<10	0.10	3
95TOS-117E 96+25N		<5	0.5	19	6	54	3	6	10	<.2	<5	30	<5	2.94	243	<10	66	8	62	<20	<20	18	2.16	0.49	0.23	0.02	0.05	19	5	4	12	1	<5	<10	0.10	5
95TOS-117E 96+50N		6	0.3	27	3	54	4	7	12	<.2	<5	23	<5	3.08	372	<10	85	9	68	<20	<20	20	1.89	0.79	0.31	0.02	0.09	29	7	<2	13	<1	<5	<10	0.10	2
95TOS-117E 96+75N		<5	0.4	20	5	49	3	5	10	<.2	<5	23	<5	2.64	370	<10	56	8	61	<20	<20	18	1.92	0.52	0.25	0.02	0.04	22	5	<2	10	1	<5	<10	0.08	4
95TOS-117E 97+00N		<5	0.4	31	<2	61	7	6	13	<.2	<5	17	<5	4.03	548	<10	99	10	85	<20	<20	22	1.97	0.93	0.38	0.02	0.09	31	5	<2	18	1	<5	<10	0.10	1
95TOS-117E 97+25N		5	0.5	42	<2	67	6	7	15	0.2	<5	24	<5	4.97	385	<10	69	16	121	<20	<20	24	2.26	0.76	0.22	0.02	0.07	17	4	<2	11	1	<5	<10	0.10	4
95TOS-117E 97+50N		<5	0.3	19	4	48	3	5	9	<.2	<5	26	<5	2.65	300	<10	49	8	62	<20	<20	17	2.16	0.44	0.19	0.02	0.04	18	4	<2	10	1	<5	<10	0.08	4
95TOS-117E 97+75N		<5	0.5	30	3	53	3	6	12	<.2	<5	16	<5	3.56	370	<10	89	12	88	<20	<20	20	1.98	0.75	0.28	0.02	0.09	23	5	<2	11	<1	<5	<10	0.09	2
95TOS-117E 98+00N		16	0.6	42	3	64	4	8	15	<.2	<5	14	<5	4.61	380	<10	85	14	114	<20	<20	23	2.31	0.79	0.25	0.02	0.07	23	4	<2	12	1	<5	<10	0.10	4
95TOS-117E 98+25N		<5	0.5	18	5	44	3	4	9	<.2	<5	16	<5	2.83	236	<10	45	9	70	<20	<20	19	1.90	0.36	0.17	0.02	0.04	16	5	2	8	1	<5	<10	0.07	3
95TOS-117E 98+50N		12	0.5	34	3	70	5	9	14	<.2	<5	18	<5	3.84	619	<10	107	13	87	<20	<20	22	2.17	0.88	0.38	0.02	0.05	37	6	<2	32	<1	<5	<10	0.10	1
95TOS-117E 98+75N		7	0.5	33	4	60	4	7	13	<.2	<5	28	<5	3.37	361	<10	97	10	80	<20	<20	20	2.60	0.80	0.23	0.02	0.08	24	4	2	12	1	<5	<10	0.11	5
95TOS-117E 99+00N		<5	0.4	18	7	55	3	5	8	<.2	<5	21	<5	2.46	280	<10	59	7	56	<20	<20	14	2.27	0.38	0.16	0.02	0.04	17	3	3	9	1	<5	<10	0.08	4

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-117E 99+75N		7	0.3	24	4	49	6	5	9	<2	<5	17	<5	2.44	287	<10	64	7	57	<20	<20	16	1.57	0.61	0.31	0.02	0.06	29	5	<2	11	<1	<5	<10	0.08	1
95TOS-117E 100+00N		8	0.4	28	2	55	5	8	11	<2	<5	22	<5	3.14	455	<10	112	11	71	<20	<20	20	1.53	0.72	0.48	0.02	0.14	44	10	<2	15	<1	<5	<10	0.08	1
95TOS-117E 100+25N		<5	0.5	19	6	44	5	5	8	<2	<5	25	<5	1.96	231	<10	75	6	45	<20	<20	15	2.14	0.26	0.42	0.03	0.04	26	5	4	30	<1	<5	<10	0.08	3
95TOS-117E 100+50N		13	0.4	36	6	78	6	8	12	<2	<5	15	<5	3.18	325	<10	72	8	68	<20	<20	17	1.99	0.60	0.28	0.02	0.08	21	3	<2	12	1	<5	<10	0.10	3
95TOS-117E 100+75N		5	0.5	44	4	81	4	7	12	<2	<5	18	<5	3.02	405	<10	75	8	63	<20	<20	17	2.14	0.63	0.31	0.02	0.06	20	4	<2	11	1	<5	<10	0.09	2
95TOS-117E 101+00N		<5	0.6	38	5	98	5	9	13	0.2	<5	20	<5	3.13	293	<10	82	8	67	<20	<20	18	2.27	0.61	0.27	0.02	0.06	22	4	3	15	1	<5	<10	0.12	5
95TOS-117E 101+25N		13	0.5	41	4	101	6	8	13	<2	<5	20	<5	3.22	335	<10	84	8	70	<20	<20	17	2.08	0.65	0.42	0.02	0.07	26	4	2	14	1	<5	<10	0.10	3
95TOS-117E 101+50N		8	0.7	48	6	113	7	10	13	<2	<5	24	<5	3.09	373	<10	86	8	66	<20	<20	19	2.45	0.72	0.30	0.02	0.08	22	5	4	24	1	<5	<10	0.14	6
95TOS-117E 101+75N		6	0.6	37	7	103	4	10	13	<2	<5	21	<5	2.71	529	<10	82	7	54	<20	<20	17	2.49	0.54	0.22	0.02	0.06	19	4	<2	13	1	<5	<10	0.12	7
95TOS-117E 102+00N		8	0.5	45	7	95	5	9	12	<2	<5	25	<5	2.90	427	<10	67	8	59	<20	<20	18	2.50	0.59	0.18	0.02	0.06	18	4	<2	12	1	<5	<10	0.11	7
95TOS-117E 102+25N		<5	0.5	31	6	88	5	7	10	<2	<5	19	<5	2.58	342	<10	64	7	53	<20	<20	17	2.32	0.41	0.15	0.02	0.04	17	4	2	10	1	<5	<10	0.10	8
95TOS-117E 102+50N		7	0.6	30	8	85	4	7	10	<2	<5	26	<5	2.81	339	<10	60	8	59	<20	<20	17	2.54	0.46	0.15	0.02	0.05	16	4	3	11	1	<5	<10	0.11	11
95TOS-117E 102+75N		7	0.5	36	6	98	5	6	11	<2	<5	24	<5	2.95	403	<10	65	8	62	<20	<20	16	2.20	0.50	0.23	0.02	0.06	19	4	<2	10	1	<5	<10	0.10	5
95TOS-117E 103+00N		<5	0.6	48	7	152	6	10	14	<2	<5	16	<5	3.29	666	<10	82	9	68	<20	<20	19	2.38	0.71	0.28	0.02	0.07	22	5	<2	18	1	<5	<10	0.12	5
95TOS-117E 103+25N		11	0.5	76	8	202	6	15	15	1.2	<5	18	<5	3.82	1771	<10	118	15	71	<20	<20	29	2.52	0.70	0.66	0.02	0.06	33	14	<2	15	<1	6	<10	0.10	4
95TOS-117E 103+50N		7	0.6	70	6	137	7	10	14	0.3	<5	20	<5	3.45	390	<10	108	11	74	<20	<20	21	2.49	0.70	0.31	0.02	0.09	36	5	<2	12	<1	<5	<10	0.12	7
95TOS-117E 103+75N		7	0.5	73	5	106	7	8	13	<2	<5	19	<5	3.67	408	<10	106	11	79	<20	<20	21	2.44	0.75	0.34	0.02	0.15	47	4	<2	11	1	<5	<10	0.12	4
95TOS-117E 104+00N		15	0.5	96	6	175	7	13	17	0.3	<5	23	<5	3.18	667	<10	88	9	62	<20	<20	20	2.42	0.58	0.47	0.02	0.12	51	5	<2	10	<1	<5	<10	0.09	2
95TOS-117E 104+25N		16	0.5	105	4	272	7	16	16	0.6	<5	16	<5	3.34	619	<10	82	12	66	<20	<20	20	2.67	0.64	0.69	0.02	0.17	81	5	<2	10	<1	<5	<10	0.10	2
95TOS-117E 104+50N		33	0.5	169	6	424	11	22	24	2.0	<5	27	<5	4.24	1900	<10	83	14	75	<20	<20	27	2.84	0.64	0.86	0.02	0.14	91	9	<2	11	<1	8	<10	0.07	2
95TOS-117E 104+75N		21	0.7	134	7	1155	13	14	22	8.8	<5	46	<5	3.94	2072	<10	108	8	54	<20	<20	22	2.73	0.46	1.08	0.02	0.09	56	6	<2	10	1	<5	<10	0.05	1
95TOS-117E 105+00N		35	0.8	346	8	181	12	6	13	1.3	<5	30	<5	4.33	734	<10	105	5	67	<20	<20	29	3.00	0.91	0.29	0.02	0.24	88	8	<2	13	<1	<5	<10	0.06	<1
95TOS-117E 105+25N		13	0.8	129	3	134	19	6	15	<2	<5	34	<5	5.18	822	<10	153	8	95	<20	<20	27	3.24	1.33	0.41	0.02	0.40	86	6	<2	17	1	6	<10	0.11	<1
95TOS-117E 105+50N		<5	0.5	39	6	129	6	7	14	0.5	<5	28	<5	3.32	1122	<10	130	7	61	<20	<20	21	2.66	0.76	0.31	0.02	0.14	43	5	<2	14	1	<5	<10	0.09	2
95TOS-117E 105+75N		9	0.5	58	5	104	7	9	17	0.2	<5	30	<5	3.70	1050	<10	101	8	71	<20	<20	21	2.53	0.93	0.32	0.02	0.13	49	4	<2	13	1	<5	<10	0.09	1
95TOS-117E 106+00N		<5	0.6	76	5	121	7	13	22	<2	<5	28	<5	4.71	894	<10	153	12	104	<20	<20	25	3.33	1.49	0.39	0.02	0.28	53	6	<2	19	1	5	<10	0.17	3
95TOS-118E 91+50N		<5	0.4	33	10	126	2	13	13	<2	<5	46	<5	2.55	804	<10	138	7	46	<20	<20	17	2.77	1.40	0.74	0.02	0.10	36	5	<2	21	<1	<5	<10	0.10	4
95TOS-118E 91+75N		<5	0.6	43	15	97	3	9	16	<2	<5	42	<5	3.02	530	<10	105	6	53	<20	<20	16	2.23	0.63	0.31	0.02	0.09	21	3	<2	14	1	<5	<10	0.10	3
95TOS-118E 92+00N		21	0.5	18	5	77	2	8	13	<2	<5	27	<5	2.44	394	<10	92	6	52	<20	<20	15	2.15	0.64	0.28	0.02	0.09	20	3	<2	14	1	<5	<10	0.11	3
95TOS-118E 92+25N		13	0.6	87	3	71	3	13	25	<2	7	73	<5	3.56	560	<10	158	4	46	<20	<20	18	3.41	1.94	1.27	0.02	0.08	80	4	<2	23	<1	<5	<10	0.08	4

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-118E 92+50N	<5	0.5	48	5	209	4	23	22	0.4	<5	72	<5	3.64	818	<10	110	19	65	<20	<20	19	3.25	0.92	0.59	0.02	0.08	42	5	<2	16	1	6	<10	0.10	2	
95TOS-118E 92+75N	<5	0.5	36	7	125	5	18	15	<2	<5	29	<5	2.98	736	<10	102	11	65	<20	<20	19	2.82	0.72	0.38	0.02	0.15	27	7	<2	24	1	<5	<10	0.11	2	
95TOS-118E 93+00N	24	1.2	53	13	863	5	34	19	5.0	<5	616	<5	6.06	1842	<10	92	16	72	<20	<20	35	3.13	0.86	0.63	0.01	0.09	31	11	<2	15	1	10	<10	0.06	2	
95TOS-118E 93+25N	<5	0.5	25	7	128	4	19	13	<2	<5	37	<5	3.45	485	<10	110	16	61	<20	<20	18	2.84	1.01	0.15	0.02	0.22	17	4	2	17	2	7	<10	0.19	7	
95TOS-118E 93+50N	<5	0.5	48	7	170	8	31	20	0.2	<5	31	<5	3.43	802	<10	103	18	71	<20	<20	19	2.72	0.80	0.18	0.02	0.15	25	5	<2	23	2	5	<10	0.13	3	
95TOS-118E 93+75N	<5	0.6	36	9	122	5	18	15	<2	<5	30	<5	2.85	638	<10	111	14	61	<20	<20	17	3.06	0.65	0.17	0.02	0.12	26	4	<2	17	2	<5	<10	0.14	7	
95TOS-118E 94+00N	<5	0.6	42	5	119	4	12	18	<2	<5	29	<5	4.08	493	<10	156	15	96	<20	<20	24	3.17	1.23	0.23	0.02	0.46	22	7	3	20	1	<5	<10	0.21	7	
95TOS-118E 94+25N	<5	0.7	44	5	90	4	9	13	<2	<5	29	<5	3.23	400	<10	94	11	73	<20	<20	18	2.75	0.85	0.19	0.02	0.19	15	5	2	15	1	<5	<10	0.15	8	
95TOS-118E 94+50N	<5	0.7	66	4	111	7	12	20	<2	<5	39	<5	4.51	797	<10	206	19	118	<20	<20	26	3.68	1.42	0.25	0.02	0.40	36	8	<2	20	1	9	<10	0.21	4	
95TOS-118E 94+75N	<5	0.6	65	5	101	5	12	17	<2	<5	34	<5	4.06	529	<10	178	17	103	<20	<20	22	3.26	1.25	0.19	0.02	0.36	19	6	2	14	1	6	<10	0.22	8	
95TOS-118E 95+00N	<5	0.7	45	8	109	6	10	15	<2	<5	30	<5	3.55	637	<10	133	13	84	<20	<20	21	3.34	1.02	0.19	0.02	0.22	24	6	<2	15	1	6	<10	0.17	5	
95TOS-118E 95+25N	<5	0.6	28	8	72	3	9	12	<2	<5	32	<5	2.62	434	<10	79	9	57	<20	<20	17	2.54	0.54	0.23	0.02	0.07	17	5	2	13	1	<5	<10	0.10	3	
95TOS-118E 95+50N	<5	0.6	25	5	74	5	6	11	<2	<5	27	<5	2.48	443	<10	79	7	57	<20	<20	17	2.21	0.70	0.31	0.02	0.07	26	5	<2	19	1	<5	<10	0.11	2	
95TOS-118E 95+75N	<5	0.3	26	5	58	5	7	11	<2	<5	25	<5	2.64	390	<10	96	8	63	<20	<20	17	1.96	0.78	0.49	0.03	0.08	32	5	<2	17	1	<5	<10	0.12	2	
95TOS-118E 96+00N	<5	0.4	26	5	63	3	6	11	<2	<5	25	<5	2.79	310	<10	85	6	60	<20	<20	19	2.19	0.67	0.32	0.02	0.07	24	7	4	17	1	<5	<10	0.11	2	
95TOS-118E 96+25N	<5	0.5	30	5	71	7	9	13	<2	<5	20	<5	2.98	575	<10	111	10	72	<20	<20	22	2.38	1.16	0.44	0.03	0.19	33	6	<2	19	1	<5	<10	0.15	2	
95TOS-118E 96+50N	<5	0.4	33	7	77	10	9	13	<2	<5	37	<5	2.95	531	<10	138	9	68	<20	<20	20	2.85	0.82	0.51	0.03	0.09	40	5	3	30	1	<5	<10	0.12	2	
95TOS-118E 96+75N	<5	0.5	34	5	62	8	9	13	<2	<5	25	<5	3.33	622	<10	118	10	75	<20	<20	21	2.26	0.90	0.53	0.02	0.12	36	6	<2	19	1	<5	<10	0.11	2	
95TOS-118E 97+00N	8	0.7	30	7	56	9	9	10	<2	<5	22	<5	2.71	411	<10	182	7	56	<20	<20	19	2.54	0.54	0.50	0.03	0.08	38	6	4	25	2	<5	<10	0.11	3	
95TOS-118E 97+25N	<5	0.6	25	5	44	10	5	14	<2	<5	21	<5	2.83	524	<10	65	6	62	<20	<20	21	2.12	0.57	0.33	0.02	0.03	34	10	<2	13	1	<5	<10	0.07	1	
95TOS-118E 97+50N	19	0.5	23	4	54	4	7	11	<2	<5	16	<5	3.40	360	<10	67	11	84	<20	<20	19	2.20	0.56	0.20	0.02	0.05	20	5	<2	10	1	<5	<10	0.09	5	
95TOS-118E 97+75N	<5	0.4	31	5	58	4	7	11	<2	<5	20	<5	3.14	388	<10	53	9	73	<20	<20	18	2.49	0.58	0.19	0.02	0.05	19	5	<2	9	1	<5	<10	0.10	6	
95TOS-118E 98+00N	6	0.5	68	4	97	7	10	15	<2	<5	16	<5	4.22	465	<10	102	12	97	<20	<20	21	2.47	0.96	0.29	0.02	0.15	25	4	<2	12	1	<5	<10	0.12	2	
95TOS-118E 98+25N	<5	0.4	26	5	55	3	7	11	<2	<5	19	<5	3.02	385	<10	66	9	71	<20	<20	15	2.25	0.55	0.19	0.02	0.05	19	3	<2	10	1	<5	<10	0.09	5	
95TOS-118E 98+50N	11	0.4	42	3	54	4	6	12	<2	<5	11	<5	3.65	352	<10	71	10	86	<20	<20	18	2.03	0.72	0.23	0.02	0.05	24	4	<2	9	1	<5	<10	0.09	3	
95TOS-118E 98+75N	<5	0.4	28	5	69	3	7	12	<2	<5	20	<5	3.09	381	<10	71	10	74	<20	<20	16	2.36	0.78	0.24	0.02	0.06	22	4	<2	11	1	<5	<10	0.09	4	
95TOS-118E 99+00N	6	0.4	25	3	48	10	6	10	<2	<5	16	<5	2.68	325	<10	61	8	64	<20	<20	21	1.94	0.61	0.38	0.02	0.05	28	8	2	19	1	<5	<10	0.08	1	
95TOS-118E 99+50N	<5	0.5	25	5	64	9	7	11	<2	<5	20	<5	2.97	321	<10	57	9	67	<20	<20	18	2.39	0.51	0.23	0.02	0.05	19	6	3	12	1	<5	<10	0.10	7	
95TOS-118E 99+75N	<5	0.4	28	7	79	4	8	12	<2	<5	28	<5	2.89	349	<10	108	9	64	<20	<20	18	2.58	0.69	0.29	0.02	0.09	25	6	3	13	1	<5	<10	0.13	8	
95TOS-118E 100+00NA	<5	0.5	40	6	73	6	9	12	<2	<5	18	<5	3.11	402	<10	101	9	70	<20	<20	21	2.33	0.74	0.44	0.02	0.10	30	7	<2	11	1	<5	<10	0.13	4	



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-118E 100+00NB		13	0.5	40	4	79	5	9	13	<.2	<.5	22	<.5	3.13	415	<10	107	9	68	<20	<20	19	2.46	0.79	0.33	0.02	0.09	26	5	<2	13	1	<.5	<10	0.13	5
95TOS-118E 100+25N		11	0.6	43	5	90	5	8	13	<.2	<.5	23	<.5	3.37	428	<10	87	9	74	<20	<20	19	2.59	0.77	0.22	0.02	0.08	21	5	3	13	1	<.5	<10	0.12	5
95TOS-118E 100+50N		7	0.5	66	4	90	6	10	16	<.2	<.5	18	<.5	4.28	537	<10	151	12	91	<20	<20	24	3.15	1.16	0.29	0.02	0.12	33	5	<2	16	1	5	<10	0.14	4
95TOS-118E 100+75N		6	0.5	32	6	91	11	7	12	<.2	<.5	23	<.5	2.87	545	<10	73	7	55	<20	<20	17	2.55	0.64	0.26	0.02	0.07	24	5	<2	15	2	<.5	<10	0.10	3
95TOS-118E 101+00N		6	0.4	59	3	133	17	11	16	<.2	<.5	22	<.5	4.20	675	<10	113	12	96	<20	<20	23	2.60	1.05	0.44	0.02	0.09	32	6	<2	24	1	<.5	<10	0.16	2
95TOS-118E 101+25N		7	0.7	51	6	105	12	10	14	<.2	<.5	16	<.5	3.69	465	<10	78	10	80	<20	<20	21	2.51	0.72	0.34	0.02	0.07	24	6	2	13	1	<.5	<10	0.12	5
95TOS-118E 101+50N		12	0.5	44	5	80	9	6	11	<.2	<.5	21	<.5	3.13	374	<10	103	8	66	<20	<20	17	2.57	0.63	0.26	0.02	0.08	23	5	3	11	2	<.5	<10	0.13	8
95TOS-118E 101+75N		<.5	0.4	46	8	112	9	7	13	<.2	<.5	38	<.5	3.08	383	<10	87	9	67	<20	<20	17	2.70	0.61	0.20	0.02	0.06	19	4	3	12	2	<.5	<10	0.13	8
95TOS-118E 102+00N		<.5	0.5	48	6	120	15	10	16	<.2	<.5	21	<.5	3.29	505	<10	77	10	74	<20	<20	17	2.27	0.69	0.29	0.02	0.07	19	4	<2	15	2	<.5	<10	0.14	5
95TOS-118E 102+25N		8	0.4	65	5	100	10	9	13	<.2	<.5	18	<.5	3.27	476	<10	98	11	75	<20	<20	16	1.87	0.65	0.40	0.02	0.08	19	4	<2	9	1	<.5	<10	0.11	2
95TOS-118E 102+50N		12	0.4	43	7	134	8	7	12	<.2	<.5	21	<.5	3.12	479	<10	84	8	67	<20	<20	16	2.22	0.49	0.32	0.02	0.06	20	4	<2	10	1	<.5	<10	0.11	5
95TOS-118E 102+75N		12	0.5	38	5	99	8	7	12	<.2	<.5	18	<.5	3.75	378	<10	74	10	80	<20	<20	19	2.75	0.68	0.23	0.02	0.08	19	4	3	11	2	<.5	<10	0.12	7
95TOS-118E 103+00N		6	0.5	39	6	88	8	6	12	<.2	<.5	17	<.5	3.44	431	<10	73	9	76	<20	<20	19	2.53	0.64	0.18	0.02	0.09	17	5	2	12	2	<.5	<10	0.13	8
95TOS-118E 103+25N		<.5	0.5	27	5	85	5	6	10	<.2	<.5	20	<.5	3.05	378	<10	64	8	68	<20	<20	16	2.36	0.51	0.20	0.02	0.07	16	4	3	11	1	<.5	<10	0.12	8
95TOS-118E 103+50N		<.5	0.5	31	7	99	6	8	11	<.2	<.5	20	<.5	2.99	468	<10	86	8	64	<20	<20	16	2.27	0.53	0.25	0.02	0.09	20	3	<2	12	2	<.5	<10	0.12	5
95TOS-118E 103+75N		13	0.4	34	4	59	6	5	9	<.2	<.5	12	<.5	2.90	402	<10	98	6	61	<20	<20	16	2.24	0.56	0.28	0.02	0.07	19	4	<2	10	1	<.5	<10	0.10	4
95TOS-118E 104+00N		<.5	0.4	35	7	64	7	5	10	<.2	<.5	19	<.5	2.95	391	<10	68	6	61	<20	<20	16	2.34	0.50	0.23	0.02	0.07	19	4	2	10	2	<.5	<10	0.10	6
95TOS-118E 104+25N		14	0.4	42	8	129	8	8	13	<.2	<.5	28	<.5	2.86	505	<10	83	7	57	<20	<20	16	2.70	0.51	0.21	0.02	0.07	23	4	<2	17	2	<.5	<10	0.12	8
95TOS-118E 104+50N		7	0.4	60	6	81	10	6	11	<.2	<.5	28	<.5	3.30	586	<10	77	6	61	<20	<20	18	2.45	0.58	0.47	0.02	0.06	27	4	<2	10	1	<.5	<10	0.09	4
95TOS-118E 104+75N		14	0.4	28	5	63	7	5	9	<.2	<.5	18	<.5	3.21	377	<10	71	7	67	<20	<20	19	2.24	0.58	0.14	0.02	0.08	21	4	<2	9	1	<.5	<10	0.10	5
95TOS-118E 105+00N		7	0.4	26	5	52	8	3	8	<.2	<.5	20	<.5	3.24	402	<10	73	6	62	<20	<20	20	2.10	0.59	0.13	0.02	0.08	24	4	<2	9	1	<.5	<10	0.08	3
95TOS-118E 105+25N		9	0.5	41	7	63	12	4	11	<.2	<.5	15	<.5	3.67	456	<10	97	7	70	<20	<20	24	2.49	0.80	0.14	0.02	0.10	30	6	<2	11	1	<.5	<10	0.10	5
95TOS-118E 105+50N		9	0.4	28	5	58	8	4	9	<.2	<.5	20	<.5	3.17	507	<10	77	5	60	<20	<20	19	2.28	0.61	0.16	0.02	0.08	29	5	<2	9	1	<.5	<10	0.08	3
95TOS-118E 105+75N		<.5	0.4	26	6	65	5	5	12	<.2	<.5	16	<.5	3.51	587	<10	80	7	73	<20	<20	19	2.53	0.73	0.18	0.02	0.07	27	5	<2	10	2	<.5	<10	0.10	3
95TOS-118E 106+00N		<.5	0.4	29	7	68	7	4	12	<.2	<.5	20	<.5	3.45	406	<10	65	6	69	<20	<20	18	2.54	0.75	0.17	0.02	0.07	25	5	3	11	2	<.5	<10	0.10	5
95TOS-119E 90+00N		9	0.5	23	7	124	3	14	12	0.4	<.5	45	<.5	2.45	484	<10	83	8	50	<20	<20	15	2.22	0.45	0.29	0.02	0.07	16	4	<2	15	2	<.5	<10	0.13	6
95TOS-119E 90+25N		<.5	0.3	29	7	131	2	16	13	0.4	<.5	43	<.5	2.55	809	<10	100	11	49	<20	<20	21	1.99	0.75	0.70	0.02	0.15	28	9	<2	12	<1	<.5	<10	0.12	4
95TOS-119E 90+50N		12	0.3	26	6	138	2	16	14	0.5	<.5	47	<.5	2.70	809	<10	87	11	50	<20	<20	17	2.03	0.83	0.80	0.02	0.14	27	6	<2	14	1	<.5	<10	0.11	3
95TOS-119E 90+75N		9	0.4	18	8	135	3	14	13	0.3	<.5	54	<.5	2.54	488	<10	89	10	53	<20	<20	14	2.18	0.78	0.61	0.02	0.06	22	4	<2	15	1	<.5	<10	0.13	2
95TOS-119E 91+00N		6	0.4	21	7	124	3	11	12	0.3	<.5	38	<.5	2.41	525	<10	85	9	52	<20	<20	14	2.24	0.57	0.31	0.02	0.07	17	4	<2	14	1	<.5	<10	0.11	3



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 5

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-119E 91+25N	<5	0.4	34	5	105	2	13	12	<.2	<5	39	<5	2.90	514	<10	112	11	69	<20	<20	19	2.07	0.78	0.50	0.02	0.11	25	6	<2	23	<1	<5	<10	0.13	3	
95TOS-119E 91+50N	<5	0.4	31	5	98	2	14	13	<.2	<5	28	<5	2.64	455	<10	128	9	56	<20	<20	17	2.40	0.69	0.35	0.02	0.12	25	5	<2	15	1	<5	<10	0.11	4	
95TOS-119E 91+75N	7	0.4	35	7	110	3	25	16	<.2	<5	36	<5	3.09	580	<10	123	14	59	<20	<20	17	2.91	0.76	0.31	0.02	0.09	19	4	<2	15	2	<5	<10	0.13	7	
95TOS-119E 92+00N	6	0.4	31	7	104	3	16	13	<.2	<5	38	<5	2.85	490	<10	107	12	60	<20	<20	18	2.84	0.71	0.24	0.02	0.09	15	5	2	15	1	<5	<10	0.13	7	
95TOS-119E 92+25N	<5	0.4	29	8	110	4	16	11	<.2	<5	36	<5	2.81	508	<10	66	11	56	<20	<20	15	2.84	0.61	0.20	0.02	0.07	12	3	<2	14	2	<5	<10	0.11	5	
95TOS-119E 92+50N	9	0.4	36	7	102	2	15	14	0.2	<5	49	<5	2.85	666	<10	90	13	62	<20	<20	18	3.02	0.71	0.20	0.02	0.08	15	5	<2	14	2	<5	<10	0.11	5	
95TOS-119E 92+75N	6	0.4	31	7	83	5	13	10	<.2	<5	31	<5	2.86	430	<10	66	10	57	<20	<20	15	2.83	0.41	0.14	0.02	0.09	11	3	3	12	2	<5	<10	0.11	5	
95TOS-119E 93+00N	12	0.4	29	7	106	5	14	13	<.2	<5	33	<5	3.04	683	<10	78	12	66	<20	<20	17	2.74	0.64	0.22	0.02	0.11	15	4	<2	18	2	<5	<10	0.12	3	
95TOS-119E 93+25N	8	0.3	24	7	74	4	9	11	<.2	<5	26	<5	2.63	444	<10	74	10	59	<20	<20	17	2.56	0.49	0.21	0.02	0.07	13	5	<2	12	2	<5	<10	0.10	4	
95TOS-119E 93+50N	8	0.3	29	5	71	3	9	11	<.2	<5	31	<5	2.70	367	<10	94	10	62	<20	<20	18	2.27	0.64	0.28	0.02	0.10	16	5	2	14	1	<5	<10	0.10	3	
95TOS-119E 93+75N	28	0.3	33	4	71	5	11	12	<.2	<5	24	<5	2.95	404	<10	111	11	67	<20	<20	21	2.43	0.74	0.35	0.02	0.10	21	7	<2	23	1	<5	<10	0.13	3	
95TOS-119E 94+00N	<5	0.4	38	7	102	4	15	12	<.2	<5	36	<5	3.08	415	<10	108	16	77	<20	<20	18	2.70	1.00	0.18	0.02	0.36	13	4	3	15	2	8	<10	0.20	8	
95TOS-119E 94+25N	<5	0.4	34	7	74	3	13	10	<.2	<5	29	<5	2.74	357	<10	75	16	61	<20	<20	17	2.72	0.74	0.21	0.02	0.11	13	4	3	13	2	<5	<10	0.14	7	
95TOS-119E 94+50N	<5	0.5	33	7	110	6	24	11	<.2	<5	27	<5	3.32	305	<10	88	22	78	<20	<20	18	3.18	0.90	0.11	0.02	0.16	12	4	5	19	3	6	<10	0.16	9	
95TOS-119E 94+75N	8	0.6	53	7	95	8	9	15	<.2	<5	25	<5	3.26	562	<10	88	12	77	<20	<20	19	3.10	0.88	0.16	0.03	0.13	14	5	2	13	2	<5	<10	0.15	6	
95TOS-119E 95+00N	<5	0.5	32	6	75	9	9	14	<.2	<5	19	<5	2.97	396	<10	100	10	68	<20	<20	17	2.50	0.78	0.30	0.02	0.09	21	4	3	20	2	<5	<10	0.13	3	
95TOS-119E 95+25N	17	0.4	26	7	62	6	7	11	<.2	<5	17	<5	2.54	326	<10	86	7	56	<20	<20	16	2.59	0.57	0.26	0.02	0.07	17	5	3	12	2	<5	<10	0.11	5	
95TOS-119E 95+50N	14	0.5	31	6	63	5	9	11	<.2	<5	19	<5	2.62	365	<10	76	7	57	<20	<20	15	2.55	0.55	0.22	0.02	0.08	21	4	3	11	2	<5	<10	0.10	3	
95TOS-119E 95+75N	16	0.6	42	5	85	5	7	12	<.2	<5	17	<5	3.04	399	<10	89	9	67	<20	<20	17	2.65	0.79	0.22	0.02	0.13	27	5	3	13	1	<5	<10	0.12	4	
95TOS-119E 96+00N	15	0.5	34	5	85	8	8	12	<.2	<5	14	<5	2.75	616	<10	72	7	58	<20	<20	15	2.32	0.67	0.28	0.02	0.08	21	4	<2	16	1	<5	<10	0.10	3	
95TOS-119E 96+25N	15	0.5	24	6	65	5	7	10	<.2	<5	18	<5	2.52	376	<10	63	6	55	<20	<20	14	1.74	0.51	0.27	0.02	0.05	21	4	2	14	1	<5	<10	0.09	1	
95TOS-119E 96+50N	10	0.3	22	4	62	9	8	11	<.2	<5	16	<5	2.44	457	<10	81	6	57	<20	<20	14	2.05	0.83	0.42	0.02	0.07	26	4	<2	19	1	<5	<10	0.11	2	
95TOS-119E 96+75N	12	0.4	44	8	66	12	11	15	<.2	<5	26	<5	2.88	730	<10	168	7	60	<20	<20	20	2.95	0.87	0.50	0.03	0.11	32	7	<2	22	1	<5	<10	0.11	3	
95TOS-119E 97+00N	13	0.4	31	4	65	14	8	14	<.2	<5	15	<5	3.40	702	<10	113	10	80	<20	<20	20	2.15	0.94	0.56	0.02	0.13	31	6	<2	17	1	<5	<10	0.11	2	
95TOS-119E 97+25N	11	0.5	28	5	94	12	10	13	<.2	<5	23	<5	3.42	485	<10	86	10	79	<20	<20	19	2.50	0.75	0.55	0.03	0.06	29	6	3	39	2	<5	<10	0.12	3	
95TOS-119E 97+50N	14	0.9	29	6	68	11	10	11	0.3	<5	12	<5	2.99	488	<10	76	7	60	<20	<20	21	2.34	0.53	0.42	0.03	0.04	25	7	<2	31	1	<5	<10	0.11	5	
95TOS-119E 97+75N	30	1.3	41	7	55	14	7	8	<.2	<5	15	<5	2.37	460	<10	59	6	50	<20	<20	29	2.18	0.40	0.47	0.03	0.04	25	12	<2	21	<1	<5	<10	0.05	2	
95TOS-119E 98+50N	14	0.4	14	3	59	12	6	11	<.2	<5	9	<5	3.69	343	<10	94	12	84	<20	<20	18	1.60	0.63	0.44	0.02	0.05	31	4	<2	20	<1	<5	<10	0.08	<1	
95TOS-119E 99+25N	9	0.6	43	2	72	3	9	16	<.2	<5	13	<5	4.15	579	<10	154	12	95	<20	<20	27	2.53	1.21	0.37	0.02	0.16	42	5	<2	16	<1	<5	<10	0.13	2	
95TOS-119E 99+50N	12	0.6	24	5	58	4	5	10	<.2	<5	18	<5	3.21	305	<10	58	9	71	<20	<20	17	2.51	0.54	0.16	0.02	0.05	17	3	<2	11	<1	<5	<10	0.09	5	



Bondar Clegg Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01028.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 30-AUG-95 PAGE 6

SAMPLE NUMBER	ELEMENT	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-119E	99+75N	15	0.5	31	4	49	4	6	11	<.2	<5	13	<5	3.20	334	<10	72	8	70	<20	<20	19	1.92	0.63	0.24	0.01	0.06	22	4	<2	10	<1	<5	<10	0.08	2
95TOS-119E	100+00N	12	0.5	31	3	55	4	5	12	<.2	<5	16	<5	3.49	358	<10	80	9	77	<20	<20	20	1.99	0.65	0.22	0.02	0.07	22	4	<2	11	<1	<5	<10	0.09	3



Bondar Clegg

Inchcape Testing Services

Geochemical Lab Report

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01033.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-120E 90+00N		15	0.5	45	8	137	3	25	17	<.2	<5	55	<5	2.75	592	<10	87	12	56	<20	<20	18	2.67	0.57	0.25	0.02	0.07	16	4	<2	14	2	<5	<10	0.12	7
95TOS-120E 90+25N		28	0.5	36	7	100	4	19	13	<.2	<5	19	<5	2.44	454	<10	85	11	49	<20	<20	16	2.52	0.54	0.22	0.02	0.05	15	4	<2	13	1	<5	<10	0.12	6
95TOS-120E 90+50N		11	0.5	35	9	100	4	17	15	<.2	<5	20	<5	2.56	598	<10	80	11	58	<20	<20	17	2.56	0.52	0.17	0.02	0.07	14	3	<2	13	2	<5	<10	0.13	7
95TOS-120E 90+75N		13	0.5	59	8	118	7	29	18	<.2	<5	20	<5	3.27	548	<10	91	15	78	<20	<20	22	2.84	0.83	0.22	0.02	0.13	15	6	<2	24	2	6	<10	0.16	6
95TOS-120E 91+00N		8	0.5	42	6	91	5	22	15	<.2	<5	25	<5	3.16	510	<10	99	17	72	<20	<20	19	2.88	0.83	0.21	0.02	0.12	15	3	<2	15	2	5	<10	0.15	6
95TOS-120E 91+25N		9	0.5	28	8	91	3	13	13	<.2	<5	20	<5	2.76	573	<10	80	12	61	<20	<20	19	2.88	0.60	0.17	0.02	0.06	13	4	<2	13	1	<5	<10	0.12	5
95TOS-120E 91+50N		6	0.4	37	8	124	5	20	15	<.2	<5	30	<5	3.01	526	<10	92	14	69	<20	<20	20	2.89	0.76	0.25	0.02	0.11	15	4	2	22	1	<5	<10	0.14	5
95TOS-120E 91+75N		11	0.6	49	7	112	5	20	15	<.2	<5	25	<5	3.05	467	<10	80	13	68	<20	<20	21	2.77	0.76	0.26	0.02	0.09	16	6	2	19	1	<5	<10	0.13	4
95TOS-120E 92+00N		7	0.5	39	9	108	8	16	13	<.2	<5	27	<5	2.99	591	<10	81	13	68	<20	<20	23	2.82	0.75	0.31	0.02	0.08	21	6	2	22	1	<5	<10	0.13	2
95TOS-120E 92+25N		10	0.7	37	8	101	5	14	14	<.2	<5	29	<5	2.93	564	<10	89	11	64	<20	<20	23	3.04	0.65	0.21	0.02	0.10	15	6	<2	17	1	<5	<10	0.12	4
95TOS-120E 92+50N		10	0.5	39	6	83	7	11	13	<.2	<5	22	<5	3.22	505	<10	105	15	74	<20	<20	25	2.64	0.83	0.33	0.02	0.15	21	6	<2	22	1	<5	<10	0.14	3
95TOS-120E 92+75N		15	0.5	36	7	79	11	10	14	<.2	<5	23	<5	3.33	785	<10	120	15	76	<20	<20	25	2.69	0.82	0.38	0.02	0.12	23	6	<2	21	<1	<5	<10	0.13	3
95TOS-120E 93+00N		9	0.4	27	7	71	5	9	11	<.2	<5	16	<5	2.86	520	<10	81	11	63	<20	<20	21	2.59	0.53	0.22	0.02	0.09	15	5	<2	14	1	<5	<10	0.10	3
95TOS-120E 93+25N		10	0.4	59	5	62	3	11	16	<.2	<5	18	<5	3.45	627	<10	113	13	83	<20	<20	28	2.40	1.01	0.43	0.02	0.24	24	6	<2	12	<1	6	<10	0.15	3
95TOS-120E 93+50N		13	0.2	25	9	120	3	10	12	<.2	<5	20	<5	2.88	1255	<10	111	10	64	<20	<20	18	2.55	0.73	0.52	0.02	0.07	17	3	<2	14	1	<5	<10	0.12	2
95TOS-120E 93+75N		6	0.4	19	11	126	4	8	10	0.3	<5	18	<5	2.67	533	<10	69	9	58	<20	<20	17	2.43	0.44	0.20	0.02	0.05	12	3	<2	12	2	<5	<10	0.11	5
95TOS-120E 94+00N		8	0.4	23	8	75	3	10	10	<.2	<5	21	<5	2.64	296	<10	61	10	60	<20	<20	19	2.72	0.46	0.15	0.02	0.05	11	4	3	11	1	<5	<10	0.12	8
95TOS-120E 94+25N		<5	0.5	31	8	64	4	11	11	<.2	<5	20	<5	2.74	369	<10	81	9	64	<20	<20	19	2.90	0.61	0.16	0.02	0.09	13	4	2	12	2	<5	<10	0.12	7
95TOS-120E 94+50N		8	0.3	29	8	70	4	10	10	<.2	<5	17	<5	2.46	506	<10	86	8	57	<20	<20	17	2.61	0.57	0.16	0.02	0.09	15	4	<2	10	1	<5	<10	0.10	5
95TOS-120E 94+75N		<5	0.5	29	7	57	4	9	11	<.2	<5	21	<5	2.67	318	<10	82	8	64	<20	<20	19	2.89	0.58	0.14	0.02	0.08	11	4	3	10	1	<5	<10	0.14	8
95TOS-120E 95+00N		<5	0.4	25	10	54	4	8	9	<.2	<5	24	<5	2.40	473	<10	63	7	50	<20	<20	16	2.70	0.38	0.15	0.02	0.05	14	3	<2	10	1	<5	<10	0.10	6
95TOS-120E 95+25N		<5	0.4	14	10	41	4	4	6	<.2	<5	16	<5	2.01	290	<10	44	6	42	<20	<20	13	2.46	0.19	0.08	0.02	0.03	9	2	4	8	2	<5	<10	0.10	9
95TOS-120E 95+50N		7	0.4	25	8	53	4	8	10	<.2	<5	14	<5	2.36	313	<10	55	7	51	<20	<20	17	2.76	0.41	0.11	0.02	0.04	11	4	3	10	1	<5	<10	0.10	8
95TOS-120E 95+75N		<5	0.5	26	8	62	5	8	9	<.2	<5	15	<5	2.35	242	<10	49	7	52	<20	<20	16	2.59	0.41	0.11	0.02	0.04	10	3	4	11	1	<5	<10	0.10	7
95TOS-120E 96+00N		<5	0.5	28	9	81	7	7	11	<.2	<5	21	<5	2.73	267	<10	58	7	58	<20	<20	17	2.58	0.54	0.15	0.02	0.05	12	3	4	16	1	<5	<10	0.11	7
95TOS-120E 96+25N		<5	0.4	25	5	70	10	7	12	<.2	<5	14	<5	2.77	413	<10	93	8	65	<20	<20	18	2.06	0.69	0.41	0.02	0.06	23	4	<2	21	<1	<5	<10	0.11	2
95TOS-120E 96+50N		<5	0.4	25	4	54	7	7	12	<.2	<5	9	<5	3.17	442	<10	81	10	79	<20	<20	21	1.82	0.81	0.43	0.02	0.07	24	5	<2	13	<1	<5	<10	0.11	2
95TOS-120E 96+75N		<5	0.5	29	4	78	9	8	16	<.2	<5	10	<5	3.67	859	<10	82	13	89	<20	<20	26	2.34	1.33	0.67	0.02	0.14	27	8	<2	20	<1	5	<10	0.18	3
95TOS-120E 97+00N		8	0.6	40	12	75	12	10	14	<.2	<5	26	<5	3.32	689	<10	184	9	68	<20	<20	28	3.36	0.72	0.61	0.03	0.08	32	9	<2	35	<1	<5	<10	0.13	5
95TOS-120E 97+25N		<5	0.4	21	3	40	7	6	11	<.2	<5	6	<5	3.17	422	<10	74	10	79	<20	<20	21	1.45	0.57	0.43	0.02	0.09	24	5	<2	10	<1	<5	<10	0.08	1



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01033.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 2

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-120E 97+50N		6	0.7	32	9	61	11	9	13	<2	<5	14	<5	3.16	692	<10	128	9	63	<20	<20	27	2.50	0.58	0.44	0.02	0.05	28	10	<2	25	<1	<5	<10	0.10	4
95TOS-120E 97+75N		6	0.5	24	4	46	5	5	11	<2	<5	9	<5	2.98	299	<10	63	10	74	<20	<20	19	1.82	0.58	0.25	0.02	0.05	21	4	2	11	<1	<5	<10	0.08	2
95TOS-120E 98+00N		<5	0.4	25	3	48	5	7	11	<2	<5	10	<5	2.86	307	<10	67	10	70	<20	<20	19	1.70	0.61	0.33	0.02	0.06	25	4	<2	13	<1	<5	<10	0.07	2
95TOS-120E 98+25N		<5	0.4	20	5	44	4	6	10	<2	<5	14	<5	2.58	252	<10	62	9	63	<20	<20	18	1.86	0.56	0.16	0.01	0.05	18	5	2	10	<1	<5	<10	0.08	3
95TOS-120E 99+25N		14	0.4	29	5	47	4	7	12	<2	<5	14	<5	2.93	421	<10	110	9	67	<20	<20	23	2.01	0.72	0.24	0.02	0.07	27	6	<2	11	<1	<5	<10	0.09	5
95TOS-120E 99+50N		13	0.7	80	9	71	8	6	14	<2	<5	23	<5	3.86	549	<10	79	9	80	<20	<20	25	2.95	0.97	0.21	0.02	0.12	30	4	<2	12	<1	<5	<10	0.12	5
95TOS-120E 99+75N		7	0.5	29	9	56	5	6	10	<2	<5	19	<5	2.96	364	<10	59	9	65	<20	<20	20	2.99	0.50	0.12	0.02	0.05	18	4	2	10	1	<5	<10	0.10	10
95TOS-120E 100+00N		13	0.4	37	7	54	3	7	11	<2	<5	15	<5	3.33	410	<10	76	10	78	<20	<20	21	2.55	0.73	0.16	0.02	0.08	20	4	<2	11	<1	<5	<10	0.11	7
95TOS-121E 92+50N		6	0.4	36	8	62	3	8	10	<2	<5	18	<5	2.68	388	<10	85	9	63	<20	<20	20	2.38	0.55	0.22	0.02	0.06	16	5	2	13	<1	<5	<10	0.11	5
95TOS-121E 92+75N		<5	0.4	26	7	63	4	8	10	<2	<5	19	<5	2.45	355	<10	68	8	56	<20	<20	18	2.52	0.46	0.17	0.02	0.06	11	4	3	10	1	<5	<10	0.10	6
95TOS-121E 93+00N		14	0.3	27	8	65	4	10	11	<2	<5	16	<5	2.59	482	<10	69	8	58	<20	<20	18	2.47	0.48	0.31	0.02	0.07	12	5	<2	10	<1	<5	<10	0.10	5
95TOS-121E 93+25N		<5	0.4	33	6	58	4	10	13	<2	<5	20	<5	2.84	411	<10	103	8	68	<20	<20	20	2.63	0.71	0.22	0.02	0.06	13	6	<2	11	1	<5	<10	0.12	4
95TOS-121E 93+50N		<5	0.5	37	9	75	6	12	14	<2	<5	25	<5	2.79	627	<10	74	8	62	<20	<20	23	3.19	0.62	0.15	0.02	0.07	12	7	<2	15	1	<5	<10	0.12	6
95TOS-121E 93+75N		<5	0.3	30	7	47	4	6	7	<2	<5	14	<5	2.36	241	<10	44	6	51	<20	<20	15	2.54	0.38	0.11	0.02	0.04	8	2	4	9	1	<5	<10	0.09	6
95TOS-121E 94+00N		17	0.4	26	8	58	4	7	9	<2	<5	14	<5	2.47	332	<10	50	7	57	<20	<20	16	2.53	0.41	0.13	0.02	0.05	9	3	3	9	1	<5	<10	0.10	6
95TOS-121E 94+25N		30	0.4	26	9	57	4	7	11	<2	<5	23	<5	2.39	345	<10	54	8	54	<20	<20	17	2.80	0.40	0.15	0.02	0.04	11	4	2	10	1	<5	<10	0.10	6
95TOS-121E 94+50N		24	0.4	27	7	53	4	9	10	<2	<5	14	<5	2.51	267	<10	53	8	57	<20	<20	18	2.66	0.43	0.13	0.02	0.04	9	4	3	10	1	<5	<10	0.10	7
95TOS-121E 94+75N		<5	0.4	30	6	55	4	9	12	<2	<5	14	<5	2.94	321	<10	51	12	68	<20	<20	20	2.54	0.49	0.15	0.02	0.05	10	4	2	10	1	<5	<10	0.09	6
95TOS-121E 95+00N		6	0.4	30	6	50	3	8	11	<2	<5	10	<5	2.60	432	<10	68	9	61	<20	<20	18	2.20	0.54	0.24	0.02	0.07	14	3	<2	9	1	<5	<10	0.09	5
95TOS-121E 95+25N		<5	0.4	25	8	51	4	7	8	<2	<5	19	<5	2.40	256	<10	42	7	54	<20	<20	15	2.42	0.34	0.11	0.02	0.03	9	3	3	9	1	<5	<10	0.09	6
95TOS-121E 95+50N		<5	0.3	20	8	49	4	7	9	<2	<5	9	<5	2.56	272	<10	40	9	60	<20	<20	18	2.59	0.34	0.13	0.02	0.04	9	4	3	8	1	<5	<10	0.09	8
95TOS-121E 95+75N		<5	0.4	23	8	49	4	6	8	<2	<5	14	<5	2.38	344	<10	47	7	54	<20	<20	16	2.61	0.35	0.15	0.02	0.04	11	4	3	9	1	<5	<10	0.10	7
95TOS-121E 96+00N		10	0.3	23	8	51	4	6	8	<2	<5	27	<5	2.34	259	<10	47	7	53	<20	<20	17	2.77	0.37	0.14	0.02	0.04	10	4	2	9	1	<5	<10	0.10	9
95TOS-121E 96+25N		7	0.4	28	7	51	6	6	10	<2	<5	16	<5	2.56	315	<10	58	8	58	<20	<20	18	2.41	0.46	0.18	0.02	0.05	11	5	3	10	<1	<5	<10	0.10	5
95TOS-121E 96+50N		8	0.3	25	7	51	6	6	8	<2	<5	18	<5	2.59	316	<10	63	7	58	<20	<20	18	2.13	0.46	0.17	0.02	0.05	12	3	3	12	<1	<5	<10	0.09	2
95TOS-121E 96+75N		7	0.4	27	6	58	10	7	11	<2	<5	12	<5	2.99	484	<10	76	9	71	<20	<20	21	2.37	0.86	0.37	0.02	0.07	22	5	<2	21	<1	<5	<10	0.12	2
95TOS-121E 97+00N		8	0.5	22	7	66	13	7	11	<2	<5	23	<5	2.99	411	<10	60	8	70	<20	<20	21	2.54	0.72	0.31	0.02	0.05	18	5	4	21	<1	<5	<10	0.13	3
95TOS-121E 97+25N		10	0.3	20	6	56	13	6	11	<2	<5	10	<5	3.03	505	<10	79	9	69	<20	<20	20	2.37	0.70	0.34	0.02	0.04	23	4	<2	25	<1	<5	<10	0.11	2
95TOS-121E 97+50N		10	0.3	25	5	41	5	6	9	<2	<5	13	<5	2.58	244	<10	52	8	58	<20	<20	18	2.18	0.44	0.16	0.02	0.03	14	4	2	9	<1	<5	<10	0.09	4
95TOS-121E 97+75N		11	0.3	18	6	36	6	5	7	<2	<5	8	<5	2.44	275	<10	47	7	54	<20	<20	16	1.79	0.36	0.19	0.02	0.04	16	3	3	8	<1	<5	<10	0.08	3



Bondar Clegg

Inchcape Testing Services

CLIENT: WHITE WOLF EXPLORATION
REPORT: V95-01033.0 (COMPLETE)

PROJECT: HEDLEY
DATE PRINTED: 29-AUG-95 PAGE 3

SAMPLE NUMBER	ELEMENT UNITS	Au30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
		PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-121E 98+00N		8 0.4	25	6 43	5	6	9 <.2	<5	15	<5	2.75	248 <10	50	8	62 <20	<20	20	2.38	0.49	0.16	0.02	0.04	16	5	3	9	<1	<5	<10	0.09	6					
95TOS-121E 98+25N		6 0.4	21	7 45	7	6	9 <.2	<5	18	<5	2.66	292 <10	49	8	61 <20	<20	20	2.30	0.44	0.16	0.02	0.04	16	5	3	9	<1	<5	<10	0.09	5					
95TOS-121E 98+50N		21 0.4	23	6 44	4	5	8 <.2	<5	15	<5	2.26	303 <10	51	8	56 <20	<20	16	2.07	0.49	0.18	0.02	0.04	18	3	<2	9	<1	<5	<10	0.07	2					
95TOS-121E 98+75N		9 0.4	20	7 47	9	5	13 <.2	<5	20	<5	2.03	412 <10	64	7	46 <20	<20	20	2.51	0.47	0.21	0.02	0.04	20	8	<2	15	<1	<5	<10	0.08	4					
95TOS-121E 99+00N		7 0.8	14	2 45	45	4	15 <.2	<5	9	<5	5.16	689 <10	63	8	76 <20	<20	32	1.66	0.53	0.41	0.02	0.03	27	6	<2	15	<1	<5	<10	0.06	2					
95TOS-121E 99+25N		7 0.5	32	5 46	6	8	11 <.2	<5	12	<5	2.90	357 <10	79	10	67 <20	<20	24	1.86	0.71	0.28	0.02	0.07	29	9	<2	13	<1	<5	<10	0.08	2					
95TOS-121E 99+50N		<5 0.4	33	4 43	7	7	11 <.2	<5	15	<5	2.69	366 <10	51	9	62 <20	<20	24	1.77	0.60	0.28	0.02	0.05	25	11	<2	15	<1	<5	<10	0.07	<1					
95TOS-121E 99+75N		7 0.4	29	5 49	4	7	12 <.2	<5	12	<5	2.95	414 <10	89	9	69 <20	<20	22	1.83	0.77	0.27	0.02	0.07	25	6	<2	11	<1	<5	<10	0.08	2					
95TOS-121E 100+00N		10 0.4	25	6 47	7	7	10 <.2	<5	14	<5	2.65	240 <10	64	8	60 <20	<20	19	2.26	0.47	0.17	0.02	0.05	19	5	2	12	<1	<5	<10	0.08	5					
95TOS-122E 94+50N		<5 0.5	33	8 54	4	8	10 <.2	<5	18	<5	2.63	489 <10	57	9	58 <20	<20	18	2.65	0.39	0.16	0.02	0.04	12	4	<2	9	1	<5	<10	0.10	6					
95TOS-122E 94+75N		9 0.3	39	9 47	4	8	11 <.2	<5	33	<5	2.63	305 <10	56	9	60 <20	<20	19	2.96	0.44	0.16	0.02	0.04	13	5	2	10	1	<5	<10	0.11	11					
95TOS-122E 95+00N		7 0.4	40	7 43	3	7	9 <.2	<5	17	<5	2.45	250 <10	53	7	56 <20	<20	17	2.89	0.36	0.15	0.02	0.03	11	4	4	8	1	<5	<10	0.11	10					
95TOS-122E 95+25N		8 0.5	30	8 43	4	6	8 <.2	<5	9	<5	2.33	275 <10	44	7	53 <20	<20	17	2.65	0.30	0.10	0.02	0.04	9	4	3	8	1	<5	<10	0.10	10					
95TOS-122E 95+50N		8 0.4	20	9 38	4	4	7 <.2	<5	15	<5	2.16	278 <10	49	6	47 <20	<20	15	2.81	0.28	0.12	0.02	0.03	12	3	3	8	2	<5	<10	0.09	12					
95TOS-122E 95+75N		<5 0.4	20	9 40	6	5	7 <.2	<5	15	<5	2.30	253 <10	42	6	51 <20	<20	15	2.40	0.27	0.09	0.02	0.04	9	3	3	8	1	<5	<10	0.10	9					
95TOS-122E 96+00N		<5 0.4	18	8 38	4	4	7 <.2	<5	18	<5	2.18	238 <10	47	6	48 <20	<20	15	2.47	0.26	0.10	0.02	0.03	9	3	3	8	1	<5	<10	0.09	9					
95TOS-122E 96+25N		<5 0.4	21	8 39	4	3	7 <.2	<5	9	<5	2.39	219 <10	53	6	53 <20	<20	16	2.40	0.32	0.11	0.02	0.04	13	3	3	8	1	<5	<10	0.09	8					
95TOS-122E 96+50N		<5 0.4	18	7 36	3	4	7 <.2	<5	12	<5	2.28	213 <10	42	6	51 <20	<20	16	2.28	0.33	0.12	0.02	0.03	9	4	3	8	1	<5	<10	0.09	6					
95TOS-122E 96+75N		6 0.4	23	8 45	3	6	9 <.2	<5	20	<5	2.51	337 <10	50	7	57 <20	<20	18	2.61	0.45	0.11	0.02	0.04	11	5	2	10	<1	<5	<10	0.10	8					
95TOS-122E 97+00N		<5 0.4	15	5 33	3	4	7 <.2	<5	13	<5	2.45	188 <10	40	7	58 <20	<20	17	2.44	0.27	0.09	0.02	0.03	9	4	3	7	1	<5	<10	0.09	9					
95TOS-122E 97+25N		<5 0.3	18	6 37	6	4	8 <.2	<5	17	<5	2.50	270 <10	50	7	58 <20	<20	18	2.42	0.37	0.10	0.02	0.04	11	5	3	12	<1	<5	<10	0.10	7					
95TOS-122E 97+50N		10 0.4	20	5 41	5	5	10 <.2	<5	14	<5	3.09	341 <10	69	9	73 <20	<20	20	2.07	0.69	0.17	0.01	0.08	15	4	2	14	<1	<5	<10	0.10	3					
95TOS-122E 97+75N		7 0.2	42	5 48	4	9	11 <.2	<5	19	<5	2.80	328 <10	85	8	60 <20	<20	19	2.06	0.92	0.21	0.01	0.07	24	4	<2	10	<1	<5	<10	0.08	2					
95TOS-122E 98+00N		6 0.3	18	6 39	6	4	8 <.2	<5	13	<5	2.58	225 <10	51	7	59 <20	<20	18	2.17	0.45	0.12	0.02	0.04	13	4	4	10	<1	<5	<10	0.10	8					
95TOS-122E 98+25N		6 0.4	18	6 43	6	5	8 <.2	<5	17	<5	2.63	240 <10	45	7	59 <20	<20	17	2.23	0.50	0.13	0.02	0.04	13	3	4	11	1	<5	<10	0.10	5					
95TOS-122E 98+50N		9 0.5	35	8 45	15	8	9 <.2	<5	15	<5	2.70	365 <10	72	9	55 <20	<20	24	2.31	0.59	0.46	0.02	0.06	31	9	3	34	<1	<5	<10	0.08	4					
95TOS-122E 99+00N		7 0.4	34	5 44	5	6	11 <.2	<5	17	<5	2.92	254 <10	54	9	68 <20	<20	20	1.90	0.53	0.18	0.02	0.05	18	5	<2	10	<1	<5	<10	0.08	3					
95TOS-122E 99+25N		18 0.6	59	4 56	11	7	13 <.2	<5	15	<5	3.67	406 <10	67	10	80 <20	<20	29	1.77	0.85	0.40	0.02	0.11	34	11	<2	23	<1	<5	<10	0.08	<1					
95TOS-122E 99+50N		8 0.4	40	5 49	4	7	11 <.2	<5	16	<5	2.64	272 <10	74	8	60 <20	<20	19	1.94	0.59	0.23	0.01	0.07	22	4	<2	9	<1	<5	<10	0.07	4					
95TOS-122E 99+75N		<5 0.3	26	4 36	5	5	10 <.2	<5	11	<5	2.59	241 <10	61	8	61 <20	<20	19	1.73	0.47	0.14	0.01	0.05	14	5	2	8	<1	<5	<10	0.07	4					



Bondar Clegg



Inchcape Testing Services

Geometrical Lab Report

CLIENT: WHITE WOLF EXPLORATION
 REPORT: V95-01033.0 (COMPLETE)


PROJECT: HEDLEY
 DATE PRINTED: 29-AUG-95 PAGE 4

SAMPLE NUMBER	ELEMENT	AU30	Ag	Cu	Pb	Zn	Mo	Ni	Co	Cd	Bi	As	Sb	Fe	Mn	Te	Ba	Cr	V	Sn	W	La	Al	Mg	Ca	Na	K	Sr	Y	Ga	Li	Nb	Sc	Ta	Ti	Zr
	UNITS	PPB	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PCT	PCT	PCT	PCT	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PCT	PPM
95TOS-122E	100+00N	13	0.3	33	3	25	5	4	10	<.2	<5	8	<5	3.28	242	<10	55	11	83	<20	<20	21	1.26	0.41	0.17	0.01	0.08	14	4	<2	6	<1	<5	<10	0.06	2



LEGEND


1	Plagioclase crystal tuff
2	Turbidites, argillite, minor limestone, wacke
3	Intrusive - Bromley batholith granodiorite
4	"Maroon" ash tuff
5	Biotitic hornfels tuff
6	Plagioclase crystal/lapilli tuff
7	"Crowded" plagioclase porphyry sill(?)
8	Marble, limestone, chert pebble conglomerate
9	Garnet +/- pyroxene skarn
—	Dyke
—	Outcrop
—	Area of subcrop/outcrops
—	Approximate contact
—	Assumed contact
—	Fault, projected
—	Bedding
—	Shaft
—	Adit
—	Pit
—	Open cut
—	Sample site
—	Syncline




TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Osageos M.D. N.T.S. 82 E/5
SAMPLE LOCATIONS AND PROPERTY
**GEOLOGY
COMPILATION MAP**

L.G.P. TOUGH OAKS 318834 L.G.P. STONEY CROW 318835

24,435



LEGEND
85 Gold(ppb) in soils
Shoft
Adit
Pit
Open cut




TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Ossoyoos M. D.

**GOLD
SOIL GEOCHEMISTRY**

Luminal Drafting Ltd. Sept 1995 Figure 5

24,435



LEGEND

- 85 Arsenic(ppm) in soils
- Shaft
- ▲ Adit
- Pit
- Open cut

TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Osageos M. D.

**ARSENIC
SOIL GEOCHEMISTRY**

Lumina! Drafting Ltd. Sept 1995 Figure 6



LEGEND

- 85 Copper(ppm) in soils
- Shaft
- ▲ Adit
- Pit
- Open cut


0 250 500 750
Metres

TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Osyoos M. D.

**COPPER
SOIL GEOCHEMISTRY**

Luminal Drafting Ltd. Sept 1995 Figure 9

lou-cu.dwg



LEGEND


- Zinc(ppm) in soils
- ▬ Shaft
- Adit
- Pit
- Open cut

0 250 500 750
Metres

TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Osyoos M. D.


**ZINC
SOIL GEOCHEMISTRY**

Lumina Drafting Ltd. Sept 1995 Figure 8



LEGEND

- Mag. - Total field contour 25 gammas
- Shaft
- Adit
- Pit
- Open cut





TICINO RESOURCES CORP.
TOUGH OAKS PROJECT
Osageos M. D.

MAGNETOMETER SURVEY
TOTAL FIELD
CONTOUR INTERVAL 25 GAMMAS

Luminal Drafting Ltd. Sept 1995 Figure 9

lou-mtf.dwg



TICINO RESOURCES CORP.
TOUGHON'S PROJECT
 Osoyoos M. D.

TOTAL FIELD MAGNETOMETER READINGS
 (IN GAMMAS)

Luminal Drafting Ltd. Sept 1995 Figure 10