


LEGEND

- MIDDLE JURASSIC**
Bowser Lake Group
 mJA Ashman Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
 DYKE Undivided late-stage dyke
 DLAT Leucocratic aphanitic dyke
 DAND Melanocratic aphanitic dyke
 DMAF Pyroxene-biotite porphyry dyke
 DOCA Quartz-carbonate amygdaloidal dyke
 DPFH Feldspar-hornblende-biotite porphyry dyke
 PBRX Intrusive Breccia - Undivided Intrusive breccia
 PBRM Intrusive Breccia - Late Phase fragments and matrix
 PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 PBRM Intrusive Breccia - Main Phase fragments and matrix
 PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite


- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
 muVs Volcanic sandstone, siltstone (VSDI)
 muVa Dynamite Hill Volcanics (VOLCI) - augite phyric volcanic flow

- SYMBOLS**
 Geologic Contact
 Fault
 Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
 T = Trace
 V = Very Weak
 W = Weak
 M = Medium
 S = Strong
 I = Intense




24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 49800 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 43
Drawn By: JDB/RWM	File:	






LEGEND

- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashman Formation (LSL1)-siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DDCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided Intrusive breccia
 - PBRM Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite



- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- muTvs Volcanic sandstone, siltstone (VSEDI)
 - muTva Dynamite Hill Volcanics (VOLD) - augite phyric volcanic flow

- SYMBOLS**
- Geologic contact
 - Fault
 - Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense



24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 49850 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 44
Drawn By: JDB/RWM	File:	




LEGEND


- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashmon Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DQCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided intrusive breccia
 - PBRU Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite
- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- mu1vs Volcanic sandstone, siltstone (VSEDI)
 - mu1va Dynamite Hill Volcanics (VDLC) - augite phyric volcanic flow

- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone
- SECTION ORIENTATION**
Looking EAST 090°

- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense



24453



MINOREX CONSULTING LTD.
GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA


AMERICAN BULLION MINERALS LTD.
VANCOUVER, BRITISH COLUMBIA

DRILL SECTION
49900 E
RED-CHRIS PROPERTY
LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA

Date: April, 1996 Scale: 1:2000 File: 45
Drawn By: JDB/RMM



To Accompany Report by J.D. Blanchflower, P. Geo.




LEGEND

- MIDDLE JURASSIC**
- Bowser Lake Group
 - mJA Ashman Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
- Red Stock**
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DOCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided Intrusive breccia
 - PBRIL Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite


- MIDDLE TO UPPER TRIASSIC**
- Stuhini Group or Equivalent**
- muTvs Volcanic sandstone, siltstone (VSED)
 - muTva Dynamite Hill Volcanics (VOLD) - augite phyrlic volcanic flow

- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense




24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50000 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 47
Drawn By: JDB/RWM	File:	



To Accompany Report By J.D. Blanchflower, P.Geo.




LEGEND

- MIDDLE JURASSIC**
 Bowser Lake Group
 mJA Ashman Formation (Siltstone, sandstone, conglomerate)
- EARLY JURASSIC**
 Red Stock
 DYKE Undivided late-stage dyke
 DLAT Leucocratic aphanitic dyke
 DAND Melanocratic aphanitic dyke
 DMAF Pyroxene-biotite porphyry dyke
 DOCA Quartz-carbonate amygdaloidal dyke
 DPFH Feldspar-hornblende-biotite porphyry dyke
 PBRX Intrusive Breccia - Undivided intrusive breccia
 PBRL Intrusive Breccia - Late Phase fragments and matrix
 PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 PBRM Intrusive Breccia - Main Phase fragments and matrix
 PPHZ Main Phase Type 2 - Main Phase monzodiorite dyke
 PPIM Main Phase - Plagioclase-hornblende porphyry monzodiorite


- MIDDLE TO UPPER TRIASSIC**
 Stuhini Group or Equivalent
 muTvs Volcanic sandstone, siltstone (VSED)
 muTva Dynamite Hill Volcanics (VDCI) - augite phyric volcanic flow

- SYMBOLS**
 Geologic Contact
 Fault
 Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
 T = Trace
 V = Very Weak
 W = Weak
 M = Medium
 S = Strong
 I = Intense




24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50150 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 50
Drawn By: JDB/RWM	File:	



To Accompany Report by J.D. Blanchflower, P.Eng.




LEGEND

- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashman Formation (LSLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DOCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided Intrusive breccia
 - PBR2 Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite


- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- muVs Volcanic sandstone, siltstone (VSED)
 - muVa Dynamite Hill Volcanics (VOLI) - augite phyric volcanic flow

- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense




24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50200 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Dates: April, 1996	Scale: 1:2000	Fig: 51
Drawn By: JDB/RWM	File:	




To Accompany Report By J.D. Blanchflower, P. Geo.



LEGEND

- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashmon Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DQCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided intrusive breccia
 - PBRIL Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite
- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- muvs Volcanic sandstone, siltstone (VSED)
 - mutva Dyanite Hill Volcanics (VOLC) - augite phyric volcanic flow


- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone
- SECTION ORIENTATION**
Looking EAST 090°
- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense




24453

Scale 1:2000
0 100 200 m


MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50250 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 52
Drawn By: JDB/RMM	File:	



To Accompany Report By J.D. Blanchflower, P.Geo.




- LEGEND**
- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashman Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DOCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided intrusive breccia
 - PBRL Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite
- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- mu1vs Volcanic sandstone, siltstone (VSED)
 - mu1va Dynamite Hill Volcanics (VDLC) - augite phyrlic volcanic flow
- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone
- SECTION ORIENTATION**
Looking EAST 090°




24453

Scale 1:2000
Metres



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50400 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 55
Drawn By: JDB/RWM	File:	




LEGEND

- MIDDLE JURASSIC**
Bowser Lake Group
- mJA Ashman Formation (SLST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
Red Stock
- DYKE Undivided late-stage dyke
 - DLAT Leucocratic aphanitic dyke
 - DAND Melanocratic aphanitic dyke
 - DMAF Pyroxene-biotite porphyry dyke
 - DOCA Quartz-carbonate amygdaloidal dyke
 - DPFH Feldspar-hornblende-biotite porphyry dyke
 - PBRX Intrusive Breccia - Undivided intrusive breccia
 - PBRL Intrusive Breccia - Late Phase fragments and matrix
 - PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 - PBRM Intrusive Breccia - Main Phase fragments and matrix
 - PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 - PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite


- MIDDLE TO UPPER TRIASSIC**
Stuhini Group or Equivalent
- muTvs Volcanic sandstone, siltstone (VSED)
 - muTva Dynamite Hill Volcanics (VDC) - augite phyric volcanic flow

- SYMBOLS**
- Geologic Contact
 - Fault
 - Fault Breccia Zone


- QUARTZ STOCKWORK ZONES**
- T = Trace
 - V = Very Weak
 - W = Weak
 - M = Medium
 - S = Strong
 - I = Intense




24453




MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50450 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 56
Drawn By: JDB/RWM	File:	




To Accompany Report By J.D. Blanchflower, P. Geo.




- LEGEND**
- MIDDLE JURASSIC**
 Bowser Lake Group
 mJA Ashman Formation (LSST) - siltstone, sandstone, conglomerate
- EARLY JURASSIC**
 Red Stock
 DYKE Undivided late-stage dyke
 DLAT Leucocratic aphanitic dyke
 DAND Melanocratic aphanitic dyke
 DMAF Pyroxene-biotite porphyry dyke
 DOCA Quartz-carbonate amygdaloidal dyke
 DPFH Feldspar-hornblende-biotite porphyry dyke
 PBRX Intrusive Breccia - Undivided Intrusive breccia
 PBRL Intrusive Breccia - Late Phase fragments and matrix
 PPHL Late Phase - Plagioclase-hornblende porphyry monzodiorite
 PBRM Intrusive Breccia - Main Phase fragments and matrix
 PPH2 Main Phase Type 2 - Main Phase monzodiorite dyke
 PPHM Main Phase - Plagioclase-hornblende porphyry monzodiorite
- MIDDLE TO UPPER TRIASSIC**
 Stuhini Group or Equivalent
 mu1vs Volcanic sandstone, siltstone (VSD)
 mu1va Dynamite Hill Volcanics (VOLC) - augite phyrlic volcanic flow
- SYMBOLS**
 Geologic Contact
 Fault
 Fault Breccia Zone
- SECTION ORIENTATION**
 Looking EAST 090°
- QUARTZ STOCKWORK ZONES**
 T = Trace
 V = Very Weak
 W = Weak
 M = Medium
 S = Strong
 I = Intense



24453



MINOREX CONSULTING LTD. GEOLOGICAL CONSULTANTS, DELTA, BRITISH COLUMBIA		
AMERICAN BULLION MINERALS LTD. VANCOUVER, BRITISH COLUMBIA		
DRILL SECTION 50500 E RED-CHRIS PROPERTY LIARD MINING DIVISION, BRITISH COLUMBIA, CANADA		
Date: April, 1996	Scale: 1:2000	Fig: 57
Drawn By: JDB/RWM	Files:	



To Accompany Report By J.D. Blanchflower, P.Geo.