

24616

ECSTALL MINING CORPORATION
#307-475 HOWE STREET, VANCOUVER, B.C. V6C 2B3

TELEPHONE: (604) 681-4402

FACSIMILE: (604) 681-1562

February 24, 1995

**1994 SOIL SAMPLING AND PROSPECTING PROGRAM ON THE
CST 1, 2, 3 CLAIMS
ATLIN MINING DIVISION
NTS 104K, 3W**

SUMMARY

The CST 1, 2, 3 claims were staked by Ecstall Mining Corporation in January 1994 to cover the Icefall and Stoker polymetallic sulfide mineral occurrences. These showings were discovered in the summer of 1993 by B.C. Geological Survey personnel during a regional mapping program in the Tulsequah River area. Mitch Mihalynuk, of the BC Geological Survey, published descriptions and other information in the 1993 BC Geological Survey Geological Field Work Report released during the January 1994 Cordilleran Roundup Convention. His description of the showings is quoted below:

Stoker and Icefall Showings

"Two showings of potential economic significance were discovered approximately 8 kilometres north of the Tulsequah Chief deposit in the course of 1993 mapping.

The Stoker showing is located west of the head of a south-flowing creek, and the Icefall showing is approximately 2 kilometres to the west-northwest in steep, red weathered cirque walls on both sides of an icefall.

The Stoker showing displays two styles of mineralization. Massive chalcopyrite and minor sphalerite and galena occur as bands up to 40 centimetres thick on the margin of a deformed limestone body several metres thick. Limy tuffaceous(?) strata topographically below the first occurrence host a zone about 60 metres by 10 metres minimum dimensions in which disseminated sphalerite and galena comprise up to 15% combined, but generally less than 1% of the rock. Nearby, greasy, grey chalcedonic quartz cements brecciated country rocks.

GEOLOGICAL SURVEY BRANCH

FILMED

ASSESSMENT REPORT

RECEIVED
E M144

MAR 01 1995

EXPLORE B.C. PROGRAM
MEMPR

24,616


The Icefall prospect consists of two mineralized areas separated by an inaccessible icefall, which, on the basis of mineralized float probably masks continuity between the two showings. On the west side of the icefall mineralization consists of pyrite+quartz veins hosted by argillites of the Laberge or Stuhini Group. This style of mineralization grades eastward into a zone of green to white (bleached) weathering rocks, apparently of volcanic origin. Float from this relatively inaccessible area contains abundant disseminated sulphides, primarily pyrite, and several zones of copper staining were observed in the cliff-face. Boulder trains on the glacier approximately 1 kilometre south of the cliff contain abundant mineralized detritus, including bleached lapilli tuff, felsic intrusive, quartz-eye porphyry and rocks of uncertain protolith, containing disseminated and semimassive pyrite and sphalerite, with minor galena and chalcopyrite. A regional stream sediment sampling program reported anomalous lead and zinc values from creeks draining both the Icefall and Stoker showings (Matysek et al., 1988).

The lithologies and styles of mineralization are suggestive of a high-level porphyry system involving rocks of Sloko age, or possible remobilization of a deeper volcanogenic massive sulphide accumulation. Lead isotope data might help to further constrain the source of mineralization."

Exploration work on the CST 1, 2, 3 claims by Ecstall in 1994 consisted of soil sampling (41 Samples, analyzed), silt sampling (5 silt samples, analyzed), prospecting and rock sampling (23 rock samples analyzed). These samples were dried in the field and shipped to Min En Labs Ltd. in Vancouver for 31 element ICP analysis plus wet gold geochem analysis. The locations of these samples are shown on the included map. The soil samples are numbered IS 1-41 and shown on the map only as a circled number. The rock samples are numbered ISR 1-23 and each one shown on the map by X.

The soil samples contained anomalous contents of arsenic (up to 1,929 ppm), copper (up to 423 ppm), manganese (up to 3,826 ppm), phosphorous (up to 3,000 ppm), lead (up to 2,340 ppm) and gold (up to 205 ppb).

The rock samples contained elevated concentrations of silver (> 200 ppm), arsenic (>10,000 ppm), bismuth (up to 807 ppm), cadmium (>100 ppm), copper (>10,000 ppm), iron (>15%), manganese (>10,000 ppm), phosphorous (up to 3,450 ppm), lead (>10,000 ppm), antimony (up to 164 ppm), zinc (>10,000 ppm), and gold (up to 675 ppb).





Despite these encouraging analytical results the CST 1, 2, 3 claims were allowed to lapse on their anniversary date January 1995. They were allowed to lapse because the Stoker showings are quite small and difficult to access though the Icefall showings probably are part of a larger mineralizing system, most of the target area lies totally buried under a glacier and the sulfide mineralization observed occurs as float boulders around the toe of the glacier.


Several new copper showings were discovered on the east side of the valley where the Stoker showing is located (approximately 1 km further east). Also more chalcopyrite showings were found up to 200 m west of the original Stoker showing.




Chris Graf P.Eng.
February 24, 1995









COMP: ECSTALL MINING

PROJ: ISR

ATTN: C. Graf

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7M 1T2
 TEL:(604)980-5814 FAX:(604)980-9621

FILE NO: 4V-1076-SJ1+2

DATE: 94/10/25

* silt/soil * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI %	CA PPM	CD PPM	CO PPM	CU PPM	FE %	K %	LI PPM	MG %	MN PPM	MO %	NA PPM	NI %	P PPM	PB PPM	SB PPM	SR PPM	TH PPM	TI %	V PPM	ZN PPM	GA PPM	SN PPM	W PPM	CR PPM	Au-Wet PPB
IS-SILT #1	.8 .82	1 1	38 1.2	11 .56	.1	9 31	3.25	.07	13 1.15	673	4 .06	14 940	76	15 150	1 .16	82.1	89	1 1	3 8	5												
IS-SILT #2	1.3 .93	1 1	41 1.3	14 .60	.1	10 28	3.42	.06	13 1.20	766	4 .06	15 1030	64	19 179	2 .19	80.4	95	1 1	4 8	5												
IS-SILT #3	.1 .95	1287 1	240 4.6	9 .14	.1	39 160	10.99	.15	17 1.96	3650	4 .01	369 1380	58	95 51	1 .02	106.8	259	1 1	7 67	205												
IS-SILT #4	.4 1.07	292 1	139 2.8	7 .23	.1	15 122	5.08	.17	23 2.32	1110	7 .01	122 930	72	59 66	2 .05	80.7	185	1 1	6 64	70												
IS-SILT #5	.1 .73	527 1	241 3.0	6 .38	.1	16 97	5.15	.16	16 1.66	1446	9 .01	96 1590	105	68 156	2 .01	57.1	694	1 1	4 28	90												
IS-1	1.7 1.32	1 1	98 2.1	13 .59	.1	13 93	4.63	.09	23 1.58	1168	9 .03	20 1200	283	30 247	1 .14	92.2	322	1 1	4 8	25												
IS-2	.7 .92	1 1	88 1.5	9 .56	.1	9 71	3.61	.07	19 1.26	1201	4 .03	14 1050	175	20 144	2 .12	73.9	190	1 1	3 4	5												
IS-3	1.1 .99	1 1	56 1.6	11 .60	.1	11 92	3.90	.07	18 1.52	1092	8 .05	14 1020	212	21 183	1 .13	88.3	200	1 1	4 7	5												
IS-4	1.2 .97	1 1	109 1.5	11 .60	.1	10 112	3.70	.08	18 1.32	1352	7 .03	14 1120	339	22 166	2 .12	75.2	279	1 1	4 5	5												
IS-5	1.0 1.02	1 1	116 1.7	10 .80	.1	9 65	3.78	.09	20 1.49	1211	4 .04	16 1070	252	22 185	3 .11	77.6	261	1 1	3 6	10												
IS-6	1.1 .90	1 1	93 1.5	12 .58	.1	9 31	3.54	.08	16 1.25	903	3 .07	13 980	105	19 188	2 .13	81.3	124	1 1	3 5	5												
IS-7	.9 .94	1 1	102 1.4	13 .57	.1	9 28	3.82	.08	17 1.35	945	3 .06	16 1060	88	20 173	2 .17	80.4	128	1 1	4 8	10												
IS-8	1.4 .92	1 1	80 1.7	13 .60	.1	9 47	3.73	.07	15 1.24	955	4 .06	15 1020	147	20 185	1 .16	88.6	159	1 1	4 7	5												
IS-9	1.7 1.15	1 1	62 1.6	18 .99	.1	12 51	4.25	.06	18 1.48	1074	3 .05	16 1080	116	26 244	1 .23	102.4	135	1 1	5 7	5												
IS-10	1.4 1.28	1 1	59 1.7	17 .81	.1	9 30	4.67	.06	16 1.35	764	5 .12	16 1190	68	27 251	1 .22	115.6	96	1 1	5 4	30												
IS-11	1.5 1.08	1 1	52 1.2	15 .81	.1	11 27	3.66	.07	13 1.26	680	3 .11	16 1020	74	23 223	1 .21	90.4	86	1 1	4 10	10												
IS-12	1.6 1.10	1 1	49 1.3	17 .84	.1	11 24	3.86	.06	15 1.33	777	3 .09	14 1100	57	23 216	1 .24	95.3	92	1 1	5 9	5												
IS-13	1.6 1.06	1 1	43 1.3	17 .76	.1	10 34	3.94	.07	17 1.35	902	4 .06	15 1110	88	23 208	2 .23	90.0	113	1 1	4 7	5												
IS-14	1.4 1.10	1 1	46 1.6	16 .67	.1	11 39	4.08	.07	18 1.41	964	5 .06	16 1160	96	24 200	1 .21	90.9	120	1 1	4 8	5												
IS-15	1.1 .98	1 1	42 1.5	13 .62	.1	11 31	3.74	.06	14 1.25	883	5 .07	16 970	74	22 175	2 .18	86.9	95	1 1	4 10	5												
IS-16	1.2 2.15	1 1	89 4.7	12 .22	.1	33 251	9.25	.07	60 2.15	2477	6 .01	107 3000	86	61 91	1 .08	95.1	354	1 1	7 31	40												
IS-17	1.6 1.35	1 1	42 1.8	12 1.25	.1	13 95	3.74	.02	15 .94	974	4 .19	42 2010	44	36 250	1 .14	88.9	77	1 1	5 30	10												
IS-18	1.1 1.21	859 1	102 4.5	10 .18	.1	34 279	9.26	.09	31 1.37	3826	3 .01	108 1990	163	80 48	1 .04	128.2	476	1 1	7 39	75												
IS-19	1.1 .89	1929 1	95 4.2	9 .12	.1	27 266	9.28	.13	32 1.46	2572	3 .01	96 2170	83	79 44	1 .01	67.8	381	1 1	4 15	40												
IS-20	1.1 1.02	42 1	85 3.0	6 .19	.1	15 156	5.62	.13	43 1.92	1170	3 .02	68 1270	47	32 56	1 .04	93.1	203	1 1	5 29	15												
IS-21	.1 1.12	290 1	87 3.4	7 .14	.1	20 161	6.59	.14	33 1.30	2002	4 .01	76 1980	84	51 45	1 .02	75.8	245	1 1	5 30	25												
IS-22	.1 .95	971 1	268 3.5	6 .20	.1	18 90	7.22	.22	25 1.84	1170	3 .01	267 1010	48	87 46	1 .03	80.4	171	1 1	7 86	50												
IS-23	.2 1.33	20 1	137 2.4	13 .33	.1	17 110	4.77	.24	40 3.29	1458	7 .02	146 1070	55	40 77	1 .14	113.1	159	1 1	9 101	15												
IS-24	1.2 1.02	125 1	104 1.6	10 .48	.1	10 60	3.04	.48	34 4.44	587	8 .01	50 1540	23	29 102	1 .16	92.1	68	1 1	5 57	5												
IS-25	1.1 .81	34 1	62 1.7	15 .24	.1	10 142	4.68	.08	16 1.97	532	5 .01	38 1640	24	17 39	1 .20	108.8	64	1 1	7 75	5												
IS-26	.8 .86	1 1	31 1.1	9 .15	.1	4 51	2.29	.04	23 1.94	199	9 .01	26 590	37	23 37	1 .10	73.5	42	6 1	5 40	5												
IS-27	1.1 .98	1 1	84 1.5	8 .27	.1	7 328	2.74	.10	16 1.26	403	5 .01	33 1080	44	26 66	1 .06	68.5	93	5 1	5 32	15												
IS-28	1.0 1.10	1 1	60 1.5	6 .19	.1	6 98	3.15	.09	15 1.24	396	6 .01	41 910	62	32 55	1 .06	68.9	109	2 1	5 37	20												
IS-29	1.3 .59	22 1	59 1.7	8 .34	.1	9 181	3.81	.09	11 1.03	885	11 .03	40 700	119	17 66	3 .06	54.6	339	1 1	4 26	10												
IS-30	1.9 .59	16 1	38 1.3	9 .59	.1	9 92	2.98	.10	11 1.10	761	3 .03	58 690	105	18 99	1 .11	54.6	666	1 1	5 45	10												
IS-31	2.1 .78	123 1	75 2.1	11 .62	.1	15 153	4.45	.13	17 1.74	1301	6 .02	94 760	135	22 85	1 .10	65.4	1859	1 1	7 69	90												
IS-32	1.6 .86	65 1	69 2.1	11 .88	.1	18 209	4.43	.10	21 2.29	1634	4 .02	112 850	206	23 105	1 .13	62.0	2340	1 1	6 58	10												
IS-33	1.6 .69	62 1	60 1.9	11 .50	.1	11 188	4.05	.13	13 1.28	1086	7 .04	62 720	161	22 99	2 .10	60.7	421	1 1	5 42	10												
IS-34	1.8 1.10	352 1	96 3.3	17 .57	.1	22 251	6.77	.14	26 2.83	2504	8 .02	153 960	274	52 119	1 .09	91.9	1343	1 1	8 75	60												
IS-35	2.5 .87	98 1	44 2.3	16 .64	.1	18 232	4.89	.14	18 1.93	1554	6 .03	120 840	342	30 127	1 .12	77.1	917	1 1	8 73	20												
IS-36	2.2 .85	82 1	66 2.3	16 .63	.1	15 222	4.82	.15	15 1.66	1564	7 .03	97 730	269	28 125	3 .12	74.2	738	1 1	7 61	5												
IS-37	1.9 .78	59 1	64 2.1	15 .59	.1	13 216	4.75	.15	13 1.37	1359	7 .04	81 680	223	26 114	3 .11	69.5	607	1 1	6 50	5												
IS-38	1.3 .72	32 1	61																													

COMP: ECSTALL MINING

PROJ: ISR

ATTN: C. Graf

MIN-EN LABS — ICP REPORT
 705 WEST 15TH ST., NORTH VANCOUVER, B.C. V7N 1T2
 TEL:(604)980-5814 FAX:(604)980-9621


FILE NO: 4V-1076-RJ1


DATE: 94/10/27


* rock * (ACT:F31)


SAMPLE NUMBER	AG PPM	AL %	AS PPM	B PPM	BA PPM	BE PPM	BI %	CA PPM	CD PPM	CO PPM	Cu PPM	Fe %	K X	Li %	Mg %	Mn PPM	Mo PPM	Na %	Ni PPM	P PPM	Pb PPM	SB PPM	SR PPM	Th PPM	Ti %	V PPM	Zn PPM	Ga PPM	Sn PPM	W PPM	Cr PPM	Au PPM	Vet PPM
ISR-1	119.5	.07	1999	16	13	4.3	112	.42	>100.0	16	361	14.07	.10	1	.16	247	6	.01	39	130	>10000	50	81	1	.01	1.9	>10000	1	1	3	104	415	
ISR-2	11.2	.48	56	1	47	2.3	33	4.39	96.5	11	2402	4.70	.16	3	1.41	6317	4	.01	54	460	2936	23	96	1	.06	29.1	6208	1	1	5	35	5	
ISR-3	4.1	.56	303	1	28	4.3	30	.83	.1	11	1727	14.61	.30	5	.87	1216	1	.01	117	530	90	10	52	1	.19	41.7	377	1	1	7	119	20	
ISR-4	2.4	.31	795	58	18	5.5	41	.59	>100.0	22	1037	>15.00	.23	6	1.28	688	3	.01	76	430	75	6	11	1	.02	11.2	>10000	1	2	1	2	30	
ISR-5	1.6	.22	323	1	21	3.8	20	.69	.1	17	713	11.31	.04	2	.51	462	1	.01	47	480	58	7	63	1	.03	8.7	3525	1	1	1	11	5	
ISR-6	.1	.64	1	1	68	1.6	8	.15	.1	7	47	3.24	.16	12	1.17	6051	14	.01	55	440	1158	22	74	4	.01	23.0	3542	1	1	7	96	10	
ISR-7	.1	1.54	156	1	22	6.9	20	.37	.1	26	1085	>15.00	.01	22	1.73	930	2	.01	146	2750	9	33	321	1	.01	108.5	126	1	2	2	26	5	
ISR-8	.1	.82	109	1	62	2.7	10	.26	4.8	11	87	5.70	.10	22	1.49	5279	17	.01	74	560	1625	27	106	2	.01	32.8	6365	1	1	5	63	10	
ISR-9	.1	.99	68	1	30	3.2	17	1.47	.1	10	386	8.96	.83	20	1.97	2118	1	.01	56	490	103	24	148	1	.12	57.5	579	1	1	8	114	5	
ISR-10	.1	.26	633	7	11	6.8	26	.32	.1	106	1279	>15.00	.02	1	.25	177	1	.01	212	80	78	1	1	1	.02	12.1	413	1	2	1	1	5	
ISR-11	.1	.12	766	61	14	8.0	15	.23	.1	29	871	>15.00	.05	1	.13	236	1	.01	114	10	1	1	1	1	.01	1.0	48	1	2	1	1	5	
ISR-12	16.1	.12	1	1	49	1.7	48	2.10	>100.0	9	140	4.41	.10	1	.36	>10000	9	.01	44	200	>10000	30	55	1	.01	8.7	>10000	1	1	3	43	20	
ISR-13	5.6	.22	113	1	68	.7	4	.18	78.8	6	48	1.06	.22	2	.30	377	9	.01	22	160	1085	11	73	4	.01	7.6	766	1	1	6	133	5	
ISR-14	1.4	.30	554	1	18	5.7	24	.57	.1	47	1468	>15.00	.31	2	.94	1019	1	.01	90	480	110	1	29	1	.03	12.1	294	1	1	1	13	15	
ISR-15	6.1	.11	799	29	20	7.4	20	.28	.1	47	3462	>15.00	.05	1	.16	663	1	.01	130	90	1	1	1	1	.01	1.3	234	1	2	1	1	5	
ISR-16	.1	.04	512	1	9	4.7	14	.24	.1	22	2156	>15.00	.01	1	.26	102	1	.01	109	30	1	1	1	1	.01	.9	30	1	1	1	1	5	
ISR-17	.3	.69	>10000	1	36	3.6	62	.25	>100.0	96	568	8.91	.67	10	1.64	914	11	.03	90	610	81	60	38	1	.05	72.6	105	1	1	9	129	675	
ISR-18	>200.0	.54	491	6	6	4.3	807	1.45	>100.0	50	>10000	13.07	.01	14	.83	1038	14	.01	82	3450	>10000	164	41	1	.01	47.6	>10000	1	1	12	41	210	
ISR-19	35.5	.97	80	1	5	2.8	31	4.43	>100.0	14	4819	4.51	.02	27	2.45	2173	20	.01	27	579	>10000	52	105	1	.06	65.8	9874	1	1	6	48	15	
ISR-20	119.0	.98	1	1	149	1.7	65	2.30	4.7	14	>10000	4.15	.02	14	1.11	1419	5	.01	30	930	>10000	87	96	1	.09	56.4	4434	1	1	8	81	140	
ISR-21	.8	.22	1	1	149	.8	15	.16	36.7	5	3837	1.25	.34	1	.04	2212	63	.01	9	380	3492	15	20	14	.01	2.7	3444	1	1	4	77	5	
ISR-22	10.0	.11	1	1	57	.4	9	1.17	.1	2	770	.87	.14	1	.03	1112	31	.01	8	130	1705	5	56	2	.01	3.0	476	1	1	7	160	30	
ISR-23	5.2	.05	6	1	12	.2	5	.05	.1	1	391	.41	.09	1	.02	436	49	.01	7	40	747	1	2	1	.01	1.5	192	1	1	11	228	10	

TULSEQUAH - CST CLAIMS (ICEFALL-STOKER)		
ISR	1	Icefall glacial debris float - gal, sph, py below toe of glacier well mineralized.
ISR	2	Icefall debris float well mineralized below glacier py, cpy, sph.
ISR	3	Icefall debris float below glacier py, cpy.
ISR	4	Icefall debris float below glacier - magnetite.
ISR	5	Icefall debris float below glacier-magnetite.
ISR	6	Icefall debris float below glacier.
ISR	7	Icefall debris float below glacier.
ISR	8	Icefall debris float below glacier.
ISR	9	Icefall debris float on glacier east side.
ISR	10	Icefall float on glacier east side.
ISR	11	Icefall on glacier east side.
ISR	12	Icefall just below toe of glacier on east side
ISR	13	Icefall just below toe of glacier on east side
ISR	14	Icefall on east side of glacier.
ISR	15	Icefall float on glacier.
ISR	16	Icefall float on glacier.
ISR	17	Icefall float on glacier.
ISR	18	Stoker showing.
ISR	19	Stoker showing.
ISR	20	Stoker new showing 200 m further west.
ISR	21	East side of stoker valley.
ISR	22	East side of stoker valley above snow patch.
ISR	23	East side of stoker valley above snow patch.









EXPENDITURES (N.B. Please provide actual all-inclusive costs, including salaries and wages, equipment and machinery rental, supplies, services, transportation and accommodation directly attributable to the field program.)

(a) For the following, the full cost (100% of expenditures) are eligible:

Geological Surveys, Map and Report Preparation and Related Costs		\$
Geophysical Surveys (line-kilometres)		
Ground		
Magnetic	\$	
Electromagnetic	\$	
Induced Polarization	\$	
Radiometric	\$	
Seismic	\$	
Other	\$	
Airborne	\$	
	\$	\$
Geochemical Surveys (No. of samples analysed <u>69</u>)		
Soil 41 SOIL SAMPLES @ 6.00	\$ 246.00	
Silt 5 SILT SAMPLES @ 6.00	\$ 30.00	
Rock 23 ROCK SAMPLES @ 8.50	\$ 195.50	
Other	\$	
	\$ 471.50	\$ 471.50
Drilling		
Surface.....m @ \$ =	\$	
Underground.....m @ \$ =	\$	
	\$	\$
Related Technical Surveys		
Sampling/Assaying	\$	
Petrographic	\$	
Mineralogic	\$	
Metallurgic	\$	
	\$	\$
Preparatory/Physical		
Line/Grid (kilometres)	\$	
Trenching (metres)	\$	
	\$	\$
Other Exploration Costs (attach detailed schedules)		
HELICOPTER 38 HOURS (RDFERN CAMP TO PROPERTY)	\$ 3,370.31	
FIXED WING SEATTLE TO JUNEAU (RETURN 2 PASSENGERS)	\$ 2,131.50	
FIXED WING JUNEAU TO RDFERN CAMP	\$ 405.00	
SOIL SAMPLE 6 DAYS @ \$300/DAY	\$ 1,800.00	\$ 10,700.81
GEOLOGICAL CONSULTANT 6 DAYS @ \$500/DAY	\$ 3,000.00	
Total Eligible Expenses	\$	\$ 11,178.31

(b) For the following activities only 25% of total costs are eligible:

Tunneling, Drifting, Other Lateral Excavation, Shaft Sinking		
(25% of total expenses are eligible)		
..... m @ \$.....	= x 25% =	\$
..... m @ \$.....	= x 25% =	\$
	\$	\$
(c) TOTAL ELIGIBLE EXPENDITURES:	\$	

SHARP

INVOICE

Date: August 22, 1994

From: Sharp Management/ Sharp Exploration
1002-1460 Barclay St.,
Vancouver, B.C. V6G 1J5

To: Ecstall Mining Corp.
307-475 Howe St.,
Vancouver, B.C. V6C 2B3

For: Fees/ Expenses re: Tulsequah Project to August 22/94.

Exploration crew- service fees:


One preparation day	
Four travel/ field days	
One report preparation/ sample handling day	\$1,800.00
Total: six days @ \$300.00/ day	\$1,800.00
GST (#R110501335)(7% X \$1,800.00)=	126.00

Expenses:

Telephone (credit card calls)	30.00
Supplies (Deakins/A&N/Walmart)	348.00
Quick Shuttle -bus	120.00
Meal - Seattle Airport (\$US 10.86)	15.00
Alaska Air tickets (\$US1,470.00)	2,131.50
Meals - in transit (\$US83.01)	120.00
Cartage costs for 300 lbs of Rock/soil samples from Juneau to Vancouver (\$US178.56)	258.00
Car rental - Seattle	128.00
Parking	11.50
Supplies - Juneau (\$US34.27)	49.69

Please pay this amount:

\$5,137.69

SHARP MANAGEMENT
per:


Donald D. Sharp, C.A.

DATE	Aug 25/94	AMOUNT	\$137 69
CK#	1638	ACCOUNT	
PAYMENT APPROVED 			

Invoice for services - payment due upon receipt
{Exploration/ Project Management Services}

CHRIS W. GRAF, P. Eng.
307 - 475 Howe St., Vancouver, B.C. V6C 2B3

September 7, 1994

Ecstall Mining Corporation
307 - 475 Howe Street
Vancouver, B.C.
V6C 2B3

Attn. Accounting

Dear Sirs:

INVOICE

This is my invoice for geological consulting services for the Tulsequah project to August 31, 1994:

Tulsequah Project: 6 days (Travel, field and report days) @ \$500.00 / day: \$3,000.00

Expenses:

Ecstall costs paid by Graf:	
London Drugs - photofinishing	97.11
Maps/ publications (52.73+289.84+23.54)	366.11
	<hr/>

Total: 3,463.22

CERTIFIED CORRECT:



Chris W. Graf

File: GRAF\INVOICE

DATE	Sept 7/94	AMOUNT	3463 22
CK#	1645	ACCOUNT	
PAYMENT APPROVED 			



P.O. Box 178
Atlin, B.C. V0W 1A0
Ph (604) 651-7569
Fax (604) 651-7667

Inv 384

8/25/94

1 of 1

Ecstall Mining Corporation
307-475 Howe Street
Vancouver, B.C., V6C 2B3

GST Reg.: 126850932

Charter	2.7 hours	Ticket 858	3	675.00	1,822.50
Fuel	307.8 litres		3	1.35	415.53
Charter	1.1 hours	Ticket 862	3	675.00	742.50
Fuel	125.4 litres		3	1.35	169.29
3 ~ GST @ 7.0%					220.49

Total Due: 3,370.31

TULSEQUAH

DATE	SEPT 7/94	AMOUNT	3370.31
CK#	1646	ACCOUNT	
5013 - 220.49			
PAYMENT APPROVED <i>[Signature]</i>			