

RECEIVED

JAN 14 1998

Gold Commissioner's Office
VANCOUVER, B.C.

RECEIVED
GOVERNMENT AGENT
SMI-FIREBIRD

JAN - 9 1998

NOT AN OFFICIAL RECEIPT

TRANS # _____

RECONNAISSANCE

RADEM / GEOCHEMISTRY REPORT

ON THE

TROUT CLAIMS #1 - #4

KITSEGUECLA LAKE AREA

OMINECA MINING DIVISION

BRITISH COLUMBIA

NTS 93L / 13E

Latitude 54° 57' N

Longitude 127° 32' W

OWNER: Dave McCurdy

OPERATOR: Dave McCurdy

AUTHOR: Dave McCurdy

DATE: December 15, 1997

WORK PERMIT: SMI-97-0200494-100

*RECEIVED IN THE RECOGNITION OF THE
GOVERNMENT AGENT FOR THE GOLD COMMISSIONER*

218

TABLE OF CONTENTS

	page
Summary	1
Location and Access	1
Topography	1
Property	1
History	4
General Geology	4
Exploration Program	4
Conclusions	13
Recommendations	13
References	13
Statement of Costs	14
Statement of Qualifications	14
Appendix A: Whole Rock Analysis Highlights	15
Appendix B: Assay certificates	17

FIGURES

1. Location Map	2
2. Claim Map	3
3. pH Survey	5
4. As in Soils	6
5. Au in Soils	7
6. Cu in Soils	8
7. Pb in Soils	9
8. Zn in Soils	10
9. Rock Sample Location Map	11
10. RADEM Survey	12

SUMMARY

A polymetallic sulphide outcrop in the stream cutting the Trout #1 thru Trout #4 claims has been located by following RADEM crossovers on strike across the creek cutting the four Trout claims.

Significant zinc (10,000 ppm), silver (27.0 ppm), cadmium (>100 ppm), copper (>10,000 ppm), antimony (>10,000 ppm), arsenic (>10,000 ppm) and manganese (>10,000 ppm) were encountered in rock samples.

Au values in rock samples ranged from 0.01 ppm to 0.48 ppm. Soils were also run for gold.

LOCATION AND ACCESS

The Trout Claims (Fig. 1) are centred on 54° 57' N Latitude, 127° 32' W Longitude on map sheet 94L/13E, near Smithers, B.C. in the Omineca Mining Division.

Access to the property is by road from Smithers, following Highway 16 West to the Kitseguecla Lake Road. This road forks right at 17 km. and again at 25 km. A bridge crossing the creek is 480 metres east of the claim post which is on the south bank of the creek.

TOPOGRAPHY

The claims extend from 3100 to 3300 feet elevation below Rocky Ridge. Clear-cut blocks on all four claims expose about half of the ground. Overburden is light, ranging from one to three metres in depth, but covers most of the area.

PROPERTY

The Trout Claims (Fig. 2) are part of a group of four two-post claims and two four-post claims registered to Dave McCurdy:

<u>Claim Name</u>	<u>Record No.</u>	<u>Units</u>	<u>Expiry Date</u>
Trout #1	331744	1	October 18, 1999
Trout #2	331745	1	October 18, 1999
Trout #3	331746	1	October 18, 1999
Trout #4	331747	1	October 18, 1999
Reding 1	357096	20	June 23, 1999
Reding 2	357097	20	June 20, 1999

The claims are owned 100% by Dave McCurdy.

128°00

CASSIAR LAND DISTRICT


41


30

1

To Prince Rupert 219 miles
To Hazelton 28 miles

PROPERTY





TROUT #1-4, REDING 1-2 CLAIMS

CLAIM MAP

DATE: DEC. 15, 1997

DWG: TROUTCL

FIG. 2

NTS: 93L/13E | SCALE: 1:50000

DRN BY: O.M.

FIG. 2

HISTORY

The Trout Claims were located in 1994 by Rob Reding. Staking was subsequent to discovery of a sphalerite outcrop in a silicous volcanic.

The claims were protected for one year and purchased from Mr. Reding's estate by the present owner Dave McCurdy.

Assessment Report 24644 contains assay certificates for the 1996 31-element ICP plus Au certificates with 0.86 ppm Au/fire as the most significant from DM96TR002.

GENERAL GEOLOGY

The property is predominantly underlain by conglomerates, greywackes, shale and volcanics of the Lower-Upper Cretaceous Skeena Group, which are intruded by an aplite body with augite inclusions.

The augite has altered to chlorite inward towards the mineralization and the aplite is phyllitic altered (sericite-illite).

A major fault trending 060° along Louise Lake extends across the valley up to the Trout Claims.

Near Louise Lake, to the southwest of the Trout Claims and adjacent to the fault, an altered feldspar porphyry plug intrudes Skeena Group sediments which have been mineralized, silicified and argillized. Argillization, sericitization and silicification are the main alteration phases in the intrusive rock.

EXPLORATION PROGRAM


The exploration program was carried out under a Prospector's Assistance Program from the Ministry of Employment and Investment, Energy and Minerals Division, Geological Survey Branch.


A 100 metre line space grid running at 080°-260° across the claims, flagged and stationed at 20 metre intervals was laid out and any moving water was tested for pH with a pHep3 micropHep pH pocket tester made by Hanna Instruments. Results are plotted on Figure 3.


A reconnaissance RADEM (Crone) was used to locate structure for conventional prospecting only and crossovers were plotted and joined on Figure 10. Seattle Washington and Cutler Maine were stations used for the RADEM survey.


Lithogeochemistry 31 element ICP plus Au (fire) was done by Min-En Labs in Vancouver. Sample locations are shown on Figure 9 and assay certificates in Appendix B.


Soils were taken on stations and the B horizon was used where it was developed. Sample locations are shown on Figures 4 to 8 and assay certificates in Appendix B.




















CONCLUSIONS

The Trout Claims have significant gold, zinc and copper outcrop which indicates a high level stock of a feldspar porphyry system. The pH of all moving water on the Trout #4 claim suggests an acidic body lies under overburden. This conclusion is based on regional geochem with pH in the basic 8+ range. Soils indicate a Zn anomaly across the four claims with values from 53 to 314 ppm and Cu from 11 to 63 ppm. Au from whole rock fire assays gave values from 0.01 to 0.48 ppm.

Veins outcropping on the Trout #1 and Trout #4 claims are NW trending and dip SE and are on strike with VLF conductor axis.

Float in the NW corner of the Trout #1 and the acid pH of water suggest another buried system in this area.

RECOMMENDATIONS

Further soil sampling is recommended. This would be concentrated on Trout #1, but the other Trout claims should also receive some attention.

The EM grid should be extended to completely cover the Trout claims. Intermediate lines should be done in the area of the showings to better locate the conductor axes. Lines 200S and 300S should also be done.

The Reding claims should be thoroughly prospected. Reconnaissance soil sampling should be done at the same time.

REFERENCES

1. Assessment Report 698
2. Assessment Report 11772
3. Assessment Report 18058
4. Assessment Report 24664

STATEMENT OF COSTS

Wages:	16 days @ \$ 200.00	\$ 3200.00
	12 days @ \$ 150.00	1800.00
Assays:		1093.79
Quad rental:		800.00
Generator:		300.00
VLF:		800.00
Report:		400.00
Food and accomodations:	28 man-days @ \$ 60.00	1680.00
Vehicle Rental:	16 days @ \$ 50.00	800.00
GPS Rental:	16 days @ \$ 10.00	160.00
Chain Saw Rental:	16 days @ \$ 20.00	320.00
Total:		<hr/> \$ 11,353.79

STATEMENT OF QUALIFICATIONS

I, Dave McCurdy, have successfully completed the Introduction to Prospecting Course, Terrace, 1989; the Advanced Prospecting Course, Cowichan Lake, 1989; the Petrology for Prospectors Course, Smithers, 1991; the Petrology for Prospectors Course, Kamloops, 1982; and the Petrology for Prospectors Course, Nelson, 1993.

I have been active full time as a prospector for the past eight years.

APPENDIX A: WHOLE ROCK ANALYSIS HIGHLIGHTS

31 Element ICP + Au (fire)

<u>Sample #</u> P57 xxx	<u>Description</u>	<u>Results</u> (ppm)			
001	Float, bleached felsic, 4% cubic pyrite 0.1 mm.	No assay			
002	Float, felsic, arsenopyrite, chalco, sphalerite.	No assay			
003	Float, iron stained, kaolinized, siliceous, arsено.	As 1777	Cu 417		
004	Outcrop, volcanic/seds, 1 % sphalerite.	No assay			
005	Float, andesite, arsено, chalcopyr, pyr.	No assay			
006	Float, massive pyr.	No assay			
007	Outerop, massive pyr, chalcopyr, sphalerite.	Au 0.03 Co >100 Pb >10000 Zn >10000	Ag 27 Cu 234 Sb 9106		
008	Outcrop, sheared vol/sed (andesite tuff?).	No assay			
009	Outcrop, pyr vol/sed (andesite tuff?).	Au 0.01 Cr 225 Sb 147	Ag 1.6 Pb 245 Zn 1115		
010	Outcrop, andesite tuff vol/sed, pyr, arsenopyr.	Au 0.18 Cr 184	As 8546 Zn 216		
011	Outerop, andesite tuff, (arseno?), silicified.	Au 0.40 As >10000			
012	Outcrop, siliceous, sugar quartz, 1% cubic pyr.	Au 0.01			
013	Outcrop, siliceous, sugar quartz, 1% cubic pyr.	Au 0.01			
014	Outcrop, andesite tuff, 1 cm arsено vein.	Au 0.15 As >10000	Cr 122		
015	Outerop, andesite tuff, 1 metre vein, massive arsenopyr, pyr.	Au 0.48 As >10000 Mn >10000 Sb >10000 Zn >10000	Ag 43.2 Cu 184 Pb 9410		
016	Outcrop, kaolinized aplite with altered augite shear zone.	No assay			
017	Outcrop, qtz vein, claim post 4NOE Reding 2, zinc zap reaction (blue).	Au 0.01	Zn 246		

018	Float, felsic volcanic, epidote, malachite, chrome diopside (mariposite-fuchsite), calcite qtz stringers, bornite blebs, 150 metres east and 1700 metres north of LCP Reding 2	Cu 4042 V 235.3 Zn 141	Pb 637 Sr 811
019	Float, andesitic tuff, pyrite, 2N0E Reding 2	No assay	
020	Outcrop, dogtooth qtz in andesite tuff, 50 metres east and 1850 metres north of LCP Reding 2	Sr 242	
021	Outcrop, red andesite tuff, altered, bornite, malachite, 50 metres south and 50 metres east of Post 4N5W Reding 1	Au 0.01 Cu >10000	Ag 8.2 V 108.0

APPENDIX B: ASSAY CERTIFICATES

COMP: MR. DAVE McCURDY
PROJ:
ATTN: Dave McCurdy

MIN-EN LABS — ICP REPORT
8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7S-0100-RJ1
DATE: 97/06/20
* * * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	Li PPM	Mg %	NH PPM	HO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SH PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM
P57015	63.2	.14	>10000	10	1.9	67	.15	.1	21	1	164	15.00	/ 141	.96	1	.43	>10000	38	.01	66	220	941	>10000	1	.20	1	.01	12	7.5	94	>10000
P57017	.1	.26	283	2	.5	11	16.12	1.3	1	25	18	.34	7	.01	1	.07	219	1	.01	2	240	2	68	1	.11	1	.01	1	8.3	3	248
P57018	2.8	3.77	81	9	1.3	6	7.52	.1	21	47	4042	2.41	1	.01	3	1.37	693	1	.01	6	1980	637	35	1	811	1	.22	2	235.3	3	141
TOTAL																															



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
6282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E6
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Assay Certificate

7S-0100-RA1

Company: **MR. DAVE McCURDY**

Date: JUN-20-97

Project:

Attn: **Dave McCurdy**

We hereby certify the following Assay of 3 ROCK samples submitted JUN-16-97 by Dave McCurdy.

Sample Number	Au-fire g/tonne
P57015	.01
P57017	.01
P57018	.01

Certified by _____ 

MIN-EN LABORATORIES

COMP: MR.DAVE McCURDY

PROJ

ATTN: DAVE McCURDY

MIN-EN LABS — ICP REPORT

8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8

TEL : (604)327-3436 FAX : (604)327-3423

FILE NO: 7S-0109-RJ1

DATE: 97/07/03

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	GA PPM	K %	LI PPM	MG %	MN PPM	MO PPM	NA %	NI PPM	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	TI %	U PPM	V PPM	W PPM	ZN PPM
P57003	.1	.38	1777	88	1.5	7	.28	.1	10	1	417	13.18	5	.25	1	.02	145	2	.01	1	1860	1	21	1	10	1	.01	4	36.4	1	9
P57020	.3	4.91	1	47	.8	11	13.84	3.1	4	10	23	.62	2	.09	2	.14	246	4	.21	2	530	48	1	1	242	1	.02	1	12.7	2	18
P57021	8.2	.43	5	11	.4	16	8.20	1.5	8	>10000	2.02	10	.02	2	.26	363	2	.09	4	1240	7	26	1	56	1	.17	1	108.0	1	9	



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Assay Certificate

7S-0109-RA1

Company: MR.DAVE McCURDY

Date: JUL-03-97

Project:

Attn: DAVE McCURDY

We hereby certify the following Assay of 3 ROCK samples submitted JUN-24-97 by Dave McCurdy.

Sample Number	Au-fire g/tonne
P57003	.01
P57020	.01
P57021	.01

Certified by _____

[Signature]
MIN-EN LABORATORIES

COMP: MR. DAVE McCURDY

PROJ:

ATTN: DAVE McCURDY

MIN-EN LABS — ICP REPORT
 8282 SHERBROOKE ST., VANCOUVER, B.C. V5X 4E8
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 7S-0118-RJ1

DATE: 97/07/04

* * (ACT:F31)

JUL-04-1997 10:00

MIN-EN LABS

604 327 3423

P.04

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI %	CA %	CD PPM	DD PPM	CR PPM	CU PPM	FE %	GA PPM	K X PPM	Li %	Mg %	NH PPM	NO PPM	NA %	N1 %	P PPM	PB PPM	SB PPM	SN PPM	SR PPM	TH PPM	Tl %	U PPM	V PPM	W PPM	Zn PPM	
P57003	.1	.52	3086	112	.1	7	.43	.1	12	24	343	11.97	8	.32	1	.06	4	240	3	.01	1	2610	1	14	1	.91	1	.01	4	17.5	2	16
P57007	27.0	.08	43	9	.1	58	.51	>100.0	22	1	254	>15.00	77	.02	1	1.16	>10000	31	.01	138	390	>10000	9106	1	40	1	.01	25	11.5	189	>10000	
P57009	1.6	.26	141	53	.1	10	.03	3.3	2	225	12	1.18	12	.14	2	.03	654	3	.01	18	250	245	147	1	16	3	.01	3	3.5	12	1115	
P57010	.5	.27	8546	32	.1	82	.06	.1	10	184	24	3.68	7	.18	2	.10	325	3	.01	13	240	78	65	1	16	3	.01	3	3.8	8	216	
P57011	.1	.21	>10000	25	.1	129	.20	.1	70	92	38	12.37	4	.12	2	.64	881	2	.01	21	280	1	68	1	.17	1	.01	3	11.3	4	131	
P57012	2.0	.28	1573	31	.2	9	.03	.1	5	158	13	.66	8	.15	2	.01	416	3	.01	5	58	96	37	1	13	8	.01	3	1.1	7	70	
P57013	1.1	.32	1905	19	.1	6	.02	.1	2	125	24	.98	5	.20	2	.02	33	3	.01	2	40	27	30	1	6	10	.01	2	1.0	5	17	
P57014	.1	.30	>10000	27	.2	34	.26	.1	44	122	22	9.01	3	.13	3	.79	1140	3	.01	44	390	1	36	1	18	1	.01	3	16.7	5	94	
TOTAL P.G.																																



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Assay Certificate

7S-0118-RA1

Company: MR. DAVE McCURDY

Date: JUL-04-97

Project:

Attn: DAVE McCURDY

We hereby certify the following Assay of 8 ROCK samples submitted JUN-26-97 by Dave McCurdy.

Sample Number	Au-fire g/tonne
P57003	.01
P57007	.03
P57009	.01
P57010	.18
P57011	.40
P57012	.01
P57013	.01
P57014	.15

Certified by _____

[Signature]
MIN-EN LABORATORIES

COMP: MR. DAVE McCURDY
 PROJ:
 ATTN: DAVE McCURDY

MIN-EN LABS — ICP REPORT
 8282 SHERBROKE ST., VANCOUVER, B.C. V5X 4E8
 TEL:(604)327-3436 FAX:(604)327-3423

FILE NO: 75-0118-SJ1+2

DATE: 97/07/04

* * (ACT:F31)

SAMPLE NUMBER	AG PPM	AL %	AS PPM	BA PPM	BE PPM	BI %	CA PPM	CD PPM	CO PPM	CU PPM	FE %	GA PPM	K %	Li PPM	Mg %	Mn PPM	Mo PPM	Na %	Ni PPM	P PPM	Pb PPM	Si PPM	Sn PPM	SR PPM	Ti PPM	Tl X	U PPM	V PPM	W PPM	Zn PPM
BL 0+00W	.1 .70	18	83	.1	6	.09	.5	5	4	15	2.86	5	.06	1	.06	147	1	.01	3	470	4	4	1	21	2	.03	1 89.8	2 58		
BL 1+00W	.4 1.28	1	71	.1	3	.15	1.0	4	7	11	1.70	2	.05	5	.14	137	1	.01	5	820	33	1	1	27	1	.02	1 45.6	1 53		
BL 2+00W	.1 1.13	30	91	.2	2	.17	.4	15	1	28	3.96	4	.04	7	.17	525	1	.01	7	470	8	3	1	26	1	.01	1 42.9	1 73		
BL 3+00W	.5 1.68	25	95	.1	4	.09	.7	5	2	20	2.99	1	.03	5	.12	113	1	.01	3	820	24	1	1	25	1	.02	1 52.6	1 77		
BL 4+00W	.1 2.77	52	125	.9	7	.24	1.9	17	1	37	6.97	1	.04	10	.35	517	2	.01	11	1120	27	1	1	41	1	.03	2 78.5	2 235		
BL 5+00W	.1 1.66	46	92	.5	3	.13	1.1	11	1	27	6.44	2	.04	7	.33	374	2	.01	7	1710	10	2	1	27	1	.02	2 89.1	2 155		
BL 6+00W	.1 1.58	16	133	.2	3	.33	1.6	9	5	15	4.07	2	.05	9	.34	314	1	.01	9	430	18	1	1	44	1	.03	1 70.9	1 1C		
BL 7+00W	.1 1.22	189	145	.5	3	.80	1.7	17	2	49	5.01	5	.08	6	.32	906	3	.02	22	970	17	9	1	78	1	.01	2 54.6	2 312		
BL 8+00W	.1 1.26	114	115	.3	2	.43	1.2	12	1	40	4.38	2	.07	5	.30	640	1	.01	11	1470	20	3	1	56	1	.02	1 55.5	1 247		
BL 9+00W	.1 1.31	86	80	.2	3	.18	.7	12	2	37	4.95	2	.05	7	.31	327	2	.01	8	450	12	2	1	34	1	.01	1 71.0	1 187		
BL 10+00W	.1 1.88	17	121	.3	3	.22	1.2	9	5	17	3.66	1	.06	10	.40	466	2	.01	9	560	24	1	1	36	1	.02	1 63.2	1 109		
SW 100N	.1 1.86	1	140	.3	3	.32	1.0	9	7	16	3.41	1	.06	10	.55	325	1	.01	11	3.0	26	1	1	54	1	.03	1 61.4	1 87		
SW 200N	.1 1.58	10	266	.2	5	.84	1.1	9	5	16	4.15	4	.05	30	.27	567	2	.02	7	470	18	1	1	113	1	.03	2 78.8	2 125		
SW 300N	.1 1.61	1	138	.2	6	.32	1.1	8	3	15	4.21	2	.05	10	.24	221	1	.01	4	1780	16	1	1	47	1	.03	2 75.6	1 128		
SW 400N	.1 2.95	1	275	.8	5	.78	1.8	16	4	27	4.25	1	.06	12	.51	813	2	.02	12	1430	35	1	1	112	1	.03	2 73.9	1 106		
SW 500N	.1 2.62	1	164	.9	8	1.16	1.5	10	6	26	5.18	2	.06	13	.35	347	2	.02	7	1900	18	1	1	107	1	.05	1 96.7	2 102		
SW 100S	.1 3.43	215	223	1.2	6	.34	1.0	20	2	63	7.12	4	.05	10	.43	1169	2	.01	21	1150	50	1	1	47	1	.03	2 43.4	2 253		
SW 200S	.1 1.51	396	90	.4	5	.11	.1	9	1	31	5.84	4	.05	8	.18	335	3	.01	4	1950	39	7	1	27	1	.01	2 71.3	2 314		
SW 300S	.1 1.36	55	139	.2	4	.67	1.2	10	1	25	5.06	4	.06	10	.26	469	5	.01	8	460	31	6	1	98	1	.02	2 65.3	1 184		
SW 400S	.6 2.22	1	264	.8	2	.79	2.4	12	7	39	4.25	4	.07	14	.46	1002	6	.01	19	1250	38	1	1	95	1	.01	3 47.0	1 156		
SW 500S	.1 1.87	16	216	.9	3	.59	1.8	16	2	45	5.64	9	.06	11	.37	1570	4	.01	15	1730	48	1	1	77	1	.02	2 80.5	2 186		
3S 350 0+00W	.1 1.10	17	64	.1	4	.11	1.0	6	2	18	3.64	4	.05	2	.14	243	1	.01	4	900	17	2	1	20	1	.02	1 70.6	1 103		
3S 350 1+00W	.1 1.45	52	118	.2	3	.15	.7	10	1	29	4.96	4	.06	6	.25	468	3	.01	8	640	19	6	1	31	1	.01	2 74.3	1 174		
3S 350 2+00W	.1 1.49	13	82	.1	5	.11	1.0	6	8	13	3.42	3	.04	10	.19	157	1	.01	7	820	22	1	1	21	1	.02	1 47.6	1 107		
3S 350 3+00W	.1 1.50	35	157	.2	5	.24	.6	10	3	22	4.89	6	.04	11	.30	357	4	.01	9	1120	29	6	1	39	1	.02	3 67.6	2 196		
3S 350 4+00W	.7 1.87	22	237	.5	8	.54	2.1	14	1	34	4.64	12	.07	11	.34	1228	5	.02	13	820	43	6	1	80	2	.02	4 64.6	2 212		


26

7

234

JUL-04-1997 1:13:23 PM MIN-EN ICP

604 327 3423



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

7S-0118-SG1

Company: **MR. DAVE McCURDY**

Date: AUG-20-97

Project:

Attn: **DAVE McCURDY**

We hereby certify the following Geochemical Analysis of 24 SOIL samples submitted JUN-26-97 by Dave McCurdy.

Sample Number	AU-FIRE PPB
BL 0+00W	1
BL 1+00W	2
BL 2+00W	1
BL 3+00W	1
BL 4+00W	2
BL 5+00W	1
BL 6+00W	1
BL 7+00W	3
BL 8+00W	1
BL 9+00W	1
BL 10+00W	1
SW 100N	1
SW 200N	1
SW 300N	1
SW 400N	2
SW 500N	1
SW 100S	12
SW 200S	3
SW 300S	1
SW 400S	2
SW 500S	1
3S350-0+00W	1
3S350-1+00W	3
3S350-2+00W	1

Certified by _____

MIN-EN LABORATORIES



MINERAL ENVIRONMENTS LABORATORIES LTD.

SPECIALISTS IN MINERAL ENVIRONMENTS
CHEMISTS • ASSAYERS • ANALYSTS • GEOCHEMISTS

VANCOUVER OFFICE:
8282 SHERBROOKE STREET
VANCOUVER, B.C., CANADA V5X 4E8
TELEPHONE (604) 327-3436
FAX (604) 327-3423

SMITHERS LAB:
3176 TATLOW ROAD
SMITHERS, B.C., CANADA V0J 2N0
TELEPHONE (604) 847-3004
FAX (604) 847-3005

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

7S-0118-SG2

Company: **MR. DAVE McCURDY**

Date: AUG-20-97

Project:

Attn: **DAVE McCURDY**

We hereby certify the following Geochemical Analysis of 2 SOIL samples submitted JUN-26-97 by Dave McCurdy.

Sample Number	AU-FIRE PPB
35350 3+00W	1
35350 4+00W	2

Certified by _____

[Signature] **MIN-EN LABORATORIES**