

RECEIVED

AUG 06 1998

Gold Commissioner's Office
VANCOUVER, B.C.

**GEOLOGICAL, GEOCHEMICAL
AND PROSPECTING REPORT**

on the

**GOLDMAX #16 CLAIM BLOCK
AMPLE/GOLDMAX PROPERTY**

**Lillooet Mining Division
British Columbia
Canada**

N.T.S. 92J/09 and 92I/12

Lat. 50° 39' 33" N
Long. 121° 59' 34" W

Property Owned by:
Gary Polischuk and David Javorsky

Optioned by Operator:
Gold-Ore Resources Ltd.
1540-750 West Pender Street
Vancouver, B.C.
Canada
V6C 2T8

Author:
J. Wayne Pickett, M.Sc., P.Geo.
8256 McIntyre Street
Mission, B.C. Canada V2V 6T3

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

Date:
July 29, 1998

25.597

TABLE OF CONTENTS

1.0	Introduction.....	1
2.0	Location and Access.....	1
3.0	Land Status	1
4.0	Physiography, Vegetation and Climate.....	1
5.0	Previous Exploration	2
6.0	Regional Geology	2
7.0	Local Geology.....	4
8.0	Mineralization and Rock Sampling Results.....	4
9.0	Soil Sampling Results	5
10.0	Observations and Conclusions.....	5
11.0	Recommendations.....	5
12.0	Statement of Costs.....	6
13.0	References	7
14.0	Certificate of Qualifications.....	8

LIST OF TABLES

Table	After Page
I Ample/Goldmax property ownership and status.....	1
II Rock sample descriptions and analyses	4
III Soil sample analyses	5
	Page
IV Statement of costs.....	6

LIST OF ILLUSTRATIONS

Figure	After Page
1 Property location	1
2 Ample/Goldmax Property - location of claims	1
3 Regional geology of the Ample/Goldmax area	2
 Map	
1 Geology, rock sample locations and gold analyses	in pocket
2 Soil sample locations and gold analyses	in pocket

LIST OF APPENDICES

Appendix A	Analytical Procedures
Appendix B	Rock Analyses
Appendix C	Soil Analyses

1.0 INTRODUCTION

At the request of the management of Gold-Ore Resources Ltd., the author supervised and helped carry out a geological mapping, prospecting and soil sampling program on Claim Block Goldmax #16, part of the Ample/Goldmax Property.

The field program included one and one half days of prospecting carried out by G. Polischuk of Veritas Developments Ltd. March 29 and June 4, 1998 plus three and one half days of geological mapping, prospecting and soil sampling carried out by the author and an assistant between June 2 and June 8, 1998.

The nineteen rock samples and seventy-three soil samples collected were sent to Chemex Labs of North Vancouver where they were assayed for gold by fire assay with AA finish and analyzed for 32 other elements by ICP-AES. Details of the analytical methods are provided in Appendix A.

2.0 LOCATION AND ACCESS

The Goldmax #16 claim block is located on the southern shore of the eastern extremity of Seton Lake about 5 kilometres southwest of Lillooet, British Columbia (Figures 1 and 2). The claim block is on N.T.S. map sheets 92J/09 and 92I/12 at latitude 50° 39' 33" north and longitude 121° 59' 34" west in the Lillooet Mining Division.

Highway 99 (the Duffy Lake Road) passes through the central part of the property. A logging road off Highway 99 provides further access to the property's southern portion.

3.0 LAND STATUS

The Goldmax #16 claim block consists of 20 units comprising about 500 ha optioned by Gold-Ore Resources Ltd. from individuals Gary Polischuk and David Javorsky (Figure 2, Table I).

4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

Topography in the area of the claim block is generally moderate to steep, rising from Seton Lake at an elevation of 243 metres to a maximum elevation of 880 metres in the southern part of the claim block. Bluffs and cliffs provide good rock exposure in steeper areas. Outcrop is much less abundant in areas having less steep more moderate topography particularly along wooded slopes. Portions of the predominantly Douglas fir forest have been logged.

The claim block, which is in a rain/snow shadow of the Shulaps Range, has a semi-arid climate with mean annual precipitation from 30-50 centimetres. Temperatures range from -10° to 0° C in the cool dry winters to 18° to 25° C in the hot dry summers.




Figure 1: Property Location




Figure 2: Ample/Goldmax Property - Location of Claims

Table I: Ample/Goldmax property ownership and status

Claim Name	Tenure #	Owner 1	Owner 2	Issued	Good To	Units	Hectares	Map #	Old #	Tag #	Type
Goldmax #16	357270	David Javorsky	Gary Polischuk	3-Jul-97	July 3, 2001	20 units	500 ha	92J/09E, 92I/12W	357270	211294	4 Post
Ample	314521	David Javorsky	Gary Polischuk	28-Oct-92	October 28, 2007	8 units	200 ha	92J/09E	314521	228585	4 Post
Ample 2	344206	David Javorsky	Gary Polischuk	21-Mar-96	March 21, 2007	15 units	375 ha	92J/09E	344206	219995	4 Post
Ample 3	344761	David Javorsky	Gary Polischuk	30-Mar-96	March 30, 2007	6 units	150 ha	92J/09E	344761	219996	4 Post
Arthur Noel	317008	David Javorsky	Gary Polischuk	15-Apr-93	April 15, 2007	20 units	500 ha	92J/09E	317008	118464	4 Post
Boxcar #1	356669	David Javorsky	Gary Polischuk	21-Jun-97	June 21, 1999	20 units	500 ha	92J/09E	356669	211234	4 Post
Cay #1	336814	David Javorsky	Gary Polischuk	16-Jun-95	June 16, 1999	20 units	500 ha	92J/09E	336814	229023	4 Post
Cay #2	336825	David Javorsky	Gary Polischuk	18-Jun-95	June 18, 1999	20 units	500 ha	92J/09E	336825	229024	4 Post
Goldmax #1	229407	David Javorsky	Gary Polischuk	28-Feb-91	February 28, 2007	1 unit	25 ha	92J/09E	4583	614630M	2 Post
Goldmax #2	229408	David Javorsky	Gary Polischuk	28-Feb-91	February 28, 2007	1 unit	25 ha	92J/09E	4584	614629M	2 Post
Goldmax #3	229409	David Javorsky	Gary Polischuk	28-Feb-91	February 28, 2007	1 unit	25 ha	92J/09E	4585	614628M	2 Post
Goldmax #4	229410	David Javorsky	Gary Polischuk	28-Feb-91	February 28, 2007	1 unit	25 ha	92J/09E	4586	614627M	2 Post
Goldmax 5	229412	David Javorsky	Gary Polischuk	13-Mar-91	March 13, 2007	1 unit	25 ha	92J/09E	4588	614626M	2 Post
Goldmax 6	229413	David Javorsky	Gary Polischuk	13-Mar-91	March 13, 2007	1 unit	25 ha	92J/09E	4589	614625M	2 Post
Goldmax #7	316221	David Javorsky	Gary Polischuk	28-Feb-93	February 28, 2007	1 unit	25 ha	92J/09E	316221	620704M	2 Post
Goldmax #8	316266	David Javorsky	Gary Polischuk	1-Mar-93	March 1, 2007	9 units	225 ha	92J/09E	316266	200305	4 Post
Goldmax #9	316267	David Javorsky	Gary Polischuk	28-Feb-93	February 28, 2007	1 unit	25 ha	92J/09E	316267	620706M	2 Post
Goldmax #10	317079	David Javorsky	Gary Polischuk	20-Apr-93	April 20, 2007	10 units	250 ha	92J/09E, 92I/12W	317079	200308	4 Post
Goldmax #11	345168	David Javorsky	Gary Polischuk	17-Apr-96	April 17, 2007	20 units	500 ha	92J/09E	345168	219994	4 Post
Goldmax #12	352643	David Javorsky	Gary Polischuk	15-Nov-96	November 15, 2007	10 units	250 ha	92J/09E	352643	211233	4 Post
Goldmax #13	352644	David Javorsky	Gary Polischuk	13-Nov-96	November 13, 2007	20 units	500 ha	92J/09E	352644	229033	4 Post
Goldmax #14	352645	David Javorsky	Gary Polischuk	14-Nov-96	November 14, 2007	20 units	500 ha	92J/09E	352645	229034	4 Post
Goldmax #15	357142	David Javorsky	Gary Polischuk	30-Jun-97	June 30, 2001	15 units	375 ha	92J/09E	357142	211293	4 Post
Goldmax Fr.	316306	David Javorsky	Gary Polischuk	2-Mar-93	March 2, 2007	1 unit	25 ha	92J/09E	316306	200306	Fractional

Totals	222 units	5550 ha
		55.5 sq. km

5.0 PREVIOUS EXPLORATION

Placer and hard rock mining activity in the Cayoosh Creek area dates from the mid 1800's. For decades, Chinese miners worked the placers in parts of Cayoosh Creek. Small-scale placer mining operations are still working there. Lode gold deposits were mined at the Golden Cache and Ample Mines. The Golden Cache Mine, which occurs about 6 kilometres west-southwest of the claim block produced slightly over one thousand tons of gold ore in the late 1800's. The mine is noted for spectacular native gold specimens collected from its workings. The Ample Mine about 3 kilometres west-southwest of the claim block was worked intermittently from around the turn of the century to the 1930's. About 300 metres of underground workings were established during that time, but production was likely only a few thousand tons.

The Ample/Goldmax Zone, located about 2 kilometres west-southwest of the claim block, was discovered in 1994 when prospector Gary Polischuk noted visible gold in a quartz boulder on the Duffy Lake road. He subsequently prospected to about 350 metres up slope where gold-mineralization was discovered in place. In 1995, Homestake Canada Inc. optioned the property and contracted Pamicon Developments Ltd. to carry out surface exploration in the area of the Ample/Goldmax discovery. Geological mapping and sampling were done in the area and subsequently a grid was established on which soil sampling as well as VLF-EM and magnetic surveys were carried out. Hand trenching exposed gold-bearing phyllite and auriferous quartz stockwork.

In 1996, Homestake established a 2.2 kilometre access trail, which targeted an elongate soil anomaly associated with the gold mineralization at Ample/Goldmax. Further trenching revealed that the mineralization occurs in flat lying mineralized zones within phyllitic mudstone generally near its fault contact with overlying greenstone. Fourteen drill holes (of which four did not reach bedrock) for a total of 1813 metres drilled to test the Ample/Goldmax Zone intersected significant gold mineralization including 11.76 grams/tonne gold over 8.2 metres (Kuran and McLeod, 1997a). Regional mapping and prospecting traced gold mineralization from the Ample Goldmax zone westerly for about 2.5 kilometres along the Cayoosh Creek Fault, a prominent structure in the area.

An additional fourteen holes totaling 2786.5 metres were drilled by Homestake in 1997. Thirteen of the holes tested the Ample/Goldmax Zone and one tested the down-dip extension of the Ample Mine. Results of the drilling, which include 31.56 grams/tonne (0.92 oz./ton) gold over 2.52 m, expanded the area of known mineralization to about 200 metres by 200 metres along a sub-horizontal to gently dipping zone.

6.0 REGIONAL GEOLOGY

The regional geology of the area is dominated by two units, meta-volcanic rocks and cherts of the Mississippian to Middle Jurassic Bridge River Complex and early Cretaceous clastic sedimentary rocks of the Cayoosh Assemblage (Figure 3). These rocks occur in the Eastern Coast Belt situated along the boundary between the outboard Insular Superterrane to the west and rocks of the ancient North American Craton as represented by the Intermontane Superterrane to the east. The Bridge River Complex and Cayoosh Assemblage are structurally interleaved with other terranes bounded by generally northwest-trending strike-slip and contractional faults of Late Cretaceous to Early Tertiary

LEGEND to Accompany Figure 3

STRATIFIED ROCKS

PLEISTOCENE AND RECENT

Q Quaternary sand, silt, gravel, till

PALEOCENE AND EOCENE

15 KAMLOOPS GROUP: andesite, basalt, pyroclastic rocks, rhyolite, sandstone, shale

14 UNDIVIDED: sandstone, shale, conglomerate, coal

LOWER AND MID CRETACEOUS

13 SPENCES BRIDGE GROUP: basalt-andesite-dacite flows, pyroclastics, siltstone, argillite, coal

12 TAYLOR CREEK GROUP: chert pebble conglomerate, chert-rich sandstone, shale

11 JACKASS MOUNTAIN GROUP: arkosic sandstone, siltstone, shale, conglomerate, lithic sandstone, granule conglomerate, conglomeratic sandstone

MIDDLE JURASSIC - LOWER CRETACEOUS

10 RELAY MOUNTAIN GROUP: siliceous siltstone, calcareous siltstone, calcareous sandstone, conglomeratic sandstone

LOWER JURASSIC to LOWER CRETACEOUS

9 CAYOOSH ASSEMBLAGE: phyllite, siltstone, turbidite, volcanoclastic sandstone, shale, quartzose sandstone, phyllitic quartzite, limestone, tuff, breccia

8 UPPER MEMBER: graphitic siltstone, shale, phyllite, arkosic and quartzose sandstone, phyllitic quartzite, calcareous sandstone, tuffaceous sandstone

7 LOWER MEMBER: graphitic phyllite, siltstone, thin-laminated siltstone-sandstone turbidite, tuffaceous phyllite, chert-pebble conglomerate, tuff, tuff breccia

LOWER-MIDDLE JURASSIC

LADNER GROUP

6 DEWDNEY CREEK FORMATION: sandstone, siltstone, mafic-intermediate volcanics, pyroclastics

CARBONIFEROUS - UPPER JURASSIC

BRIDGE RIVER COMPLEX

5 Central Belt: mafic volcanic flows (locally pillowed), radiolarian chert, siltstone, chert pebble conglomerate, limestone, turbidite, gabbro, ultramafic rock

4 Eastern Belt: mafic volcanic flows (locally pillowed), serpentinite, chert, limestone, siltstone, thin-laminated quartzose turbidite, gabbro, ultramafics

3 Metamorphic Assemblage: melange of mafic greenschist, greenstone, metachert, marble, phyllite, semi-pelite, thin-laminated quartzose schist, meta-gabbro, ultramafics

CASHE CREEK COMPLEX

2 Western Belt: argillite, siltstone, chert, volcanoclastics, limestone, melange

1 Eastern Belt: chert, carbonate, siltstone, basalt, gabbro, ultramafic rock, argillite

PLUTONIC ROCKS

EARLY TERTIARY (36 to 56 Ma)

24 MISSION RIDGE PLUTONIC SUITE: biotite-granodiorite, monzogranite

LATE CRETACEOUS (68 to 84 Ma)

BENDOR PLUTONIC SUITE

23 hornblende-biotite quartz-diorite

22 hornblende-biotite granodiorite, quartz-diorite

EARLY MIDDLE JURASSIC - LATE JURASSIC

21 biotite-hornblende quartz-diorite

PERMIAN - TRIASSIC

20 hornblende granodiorite

19 diorite, amphibolite

METAMORPHIC ASSEMBLAGES

JURASSIC to CRETACEOUS

18 UNDIVIDED: pelitic schist, amphibolite, felsic-mafic metavolcanic rocks

OPHIOLITE ASSEMBLAGES

PERMIAN

17 EAST LIZA COMPLEX: greenstone flows (locally pillowed) greenstone breccia, diabase, gabbro, serpentinite, limestone, chert

PERMIAN AND OLDER


16 UNDIVIDED: dunite, peridotite, harzburgite, gabbro, serpentinite, listwaenite

SYMBOLS

Geological Contact

Synformal Axis

Fault (See Note)



Note: "teeth" on thrust faults indicate direction of dip, lines with dots at the end indicate direction of dip for normal and low-angle extensional faults, arrows indicate direction of movement along strike-slip faults




Figure 3: Regional geology of the Ample/Goldmax area (after Journeay and Monger 1994)

age (Journey and Monger, 1994). The rocks have undergone penetrative deformation and regional metamorphism associated with Alpine-style folding and large-scale imbrication of the Eastern Coast Belt (Journey and Mahoney, 1994; Journey and Friedman, 1993). Journey et al. (1992) note that the Eastern Coast Belt has undergone four periods of deformation: i) southwest-vergent folding and associated thrusting (fold nappe development) between 96 and 91 Ma (million years before present); ii) northeast-vergent folding and associated thrusting between 91 and 86 Ma; iii) oblique, southwest-vergent thrusting and associated dextral strike-slip faulting between 86 and 68 Ma; iv) and, between 68 and 48 Ma, detachment and northwestward displacement of the Bridge River Complex along the Cayoosh Creek Fault as well as outward-dipping extensional faulting as represented by down-to-the-northwest displacement along the Mission Ridge fault and down-to-the-southwest displacement along the Marshall Creek Fault.

The Bridge River Complex comprises an oceanic assemblage of greenstone and pelagic ribbon cherts accompanied by lesser amounts of silicious siltstone locally interleaved with small amounts of greywacke, limestone and ultramafic rocks (Journey, 1993). Ultramafic rocks in the area are considered to be fault-bounded slivers thrust into the Bridge River Complex (Kuran and McCleod, 1997b; cf. Leitch, 1990). Harzburgite, accompanied by lesser dunites and gabbros, comprise the dominant rock types (Kuran and McCleod, 1997b; Calon et al. 1990). The rocks are typically serpentized or listwanitized.

The Cayoosh Assemblage is characterized by upward-coarsening fine grained clastic sedimentary rocks including phyllitic argillite, siltstone, sandstone and conglomerate.

In places the Bridge River Complex is in conformable contact with the stratigraphically overlying Cayoosh Assemblage. According to Journey and Mahoney (1994), "interlayered greenstone, ribbon chert, limestone, calcareous greenschist and graphitic phyllite of the Bridge River Complex grade upward with apparent conformity into a succession of graphitic siltstone, phyllite, greywacke and thin-bedded turbidites of the Cayoosh Assemblage". They define the basal contact of the Cayoosh Assemblage at the top of the stratigraphically highest chert horizon. Locally the contact is marked by a thin intra-formational pebble conglomerate containing limestone, argillite and chert clasts.

In the Ample/Goldmax area the Bridge River Complex has been structurally emplaced over the Cayoosh Assemblage along the sub-horizontal to shallow northeast-dipping Cayoosh Creek Fault (Figure 3). Major faults bounding the regional package include the Fraser Fault, a major right lateral north trending transverse structure, which bounds the eastern portion of the package, and the Marshall Creek Fault which has down-to-the-southwest brittle normal fault displacement of about 3.5 kilometres (Coleman, 1990; Journey et al., 1992). In addition to normal displacement along the Marshall Creek Fault, there is an associated system of top-to-the-southeast displacement along shallow north-east dipping shear zones (Journey et al., 1992).

7.0 LOCAL GEOLOGY

The southern part of the property, where mapped, is underlain by dark grey to black poorly bedded generally well foliated mudstone and lesser siltstone and phyllitic argillite of the Cayoosh Assemblage (Map 1). Bedding, where noted, strikes west-northwesterly and dips steeply north or south. At least two foliations cut the rocks, one striking northwesterly and dipping 70 to 75 degrees southwest and a second striking east-northeasterly to northeasterly and dipping 70 to 75 degrees northwest. Minor isoclinal and kink folds were noted at several locations. Typically, the folds have northwesterly striking axial planes with variable dip from gently southwest to moderately northeast. The fold axes plunge variably from shallow southeast to moderately northwest.

A northwest-elongated body of feldspar-hornblende porphyry about 80 to 130 m wide and at least 600 m long intrudes the metasedimentary rocks (Map 1). The intrusion contains abundant one to three mm-long plagioclase phenocrysts and a fewer number of hornblende phenocrysts, all in a chloritized matrix. Apophyses and felsic dykes related to the intrusion typically mark the contact with the sedimentary rocks.

8.0 MINERALIZATION AND ROCK SAMPLING RESULTS

Several quartz veins and fewer quartz and/or calcite veins cut both the porphyry and intruded sedimentary rocks. The veins, which have various strikes and dips, are typically 5 to 20 cm wide and are particularly abundant proximal to the intrusive contact. They generally contain minor amounts of disseminated pyrite and/or pyrrhotite and traces of chalcopyrite at a few locations. Locally such as in the area of sample 709886 (Map 1) pyrite content reaches up to 10%, where it occurs as stringers as well as disseminations. Quartz float (local) noted near the southeastern-most exposure of the intrusion contains about one percent galena (samples 156, 709876, 893; Map 1). The galena typically occurs near the vein contact with the feldspar porphyry wall rock. In most areas, wall rock adjacent to the veins is sericitized and locally silicified. Iron carbonate, limonite and chlorite are also present in places.

Sedimentary rocks adjacent to minor faults are typically pyritized, sericitized, chloritized and, in places, have small quartz and/or calcite veins.

A total of nineteen rock samples were collected during the field program, most from the quartz veins exposed at the porphyry/sedimentary rock contact. Sample locations are shown on Map 1 and selected analytical results are listed in Table II. Complete results are presented in Appendix B.

Galena-bearing float consisting of quartz and minor amounts of feldspar porphyry wall rock collected near the southeastern margin of the intrusion returned anomalous gold (maximum 1480 ppb), silver (maximum 28 ppm), lead (maximum 0.6 %) and zinc (maximum 940 ppm) (samples 156, 708976, 709893; Table II, Map 1). Rusty, broken rock along a minor fault cutting argillite at sample location 709883 returned anomalous gold (465 ppb) and elevated arsenic (256 ppm).

Table II: Rock Sample Descriptions and Analyses - Goldmax #16 and #10

No.	Type	Description	Au ppb	Ag ppm	As ppm	Sb ppm	Sc ppm	Cu ppm	Pb ppm	Zn ppm
Goldmax #16										
156	Float	Quartz, about 3% galena, minor pyrite	1480	28.0	14	<2	<1	3	6350	940
709875	Rock	Quartz vein cutting diorite exposed in road cut, trace chalcopyrite and pyrite	<5	<2	<2	<2	4	35	<2	54
709876	Rock	Galena-bearing quartz float, galena typically occurs near vein contact with wall rock	50	15.0	14	2	<1	9	4470	188
709879	Float	Quartz float 15 to 20 cm across, hematite or limonite along fractures, minor pyrite	5	1.4	12	<2	<1	10	52	28
709880	Rock	Bleached and carbonatized sedimentary rock, minor pyrite	<5	<2	20	<2	3	70	<2	360
709881	Rock	Calcite plus quartz, latter locally rusty containing minor pyrite	130	9.8	2	<2	5	14	146	14
709882	Rock	Breccia with calcite matrix developed within intermediate intrusive rock, about 5% striated pyrite crystals.	75	0.2	398	<2	3	64	<2	46
709883	Rock	Rusty broken rock along minor fault, disseminated pyrite and chalcopyrite	465	0.6	256	<2	2	72	2	50
709884	Rock	Quartz vein about 10 cm wide cutting diorite, disseminated pyrrhotite, and chalcopyrite, few pieces of pyrrhotite-bearing host diorite	<5	0.2	10	<2	2	106	8	54
709885	Rock	Quartz vein about 7 cm wide cutting silicified sedimentary rock, minor disseminated pyrrhotite and chalcopyrite	<5	<2	10	<2	1	40	10	70
709886	Rock	Irregular 5-10 cm wide discontinuous quartz veins and pods cutting quartz feldspar porphyry, about 10% pyrite veins and stringers, minor sericite	20	1.0	20	<2	<1	237	2	14
709887	Rock	Rusty sedimentary rock along fault, 2% disseminated pyrite, sericite, minor chlorite, quartz veins and calcite	10	<2	10	<2	3	77	2	202
709888	Rock	Quartz veins near contact between porphyry and sedimentary rocks, 1-2% disseminated pyrite, abundant sericite in wall rock, chlorite in veins	10	0.2	12	<2	2	60	2	36
709889	Rock	Several quartz veins cutting porphyry, near its contact with mudstone, sericite in wall rock, chlorite in veins, disseminated pyrrhotite and pyrite	<5	<2	6	<2	3	40	4	54
709891	Rock	Rusty sedimentary rock, minor quartz	<5	<2	6	<2	5	59	<2	348
709892	Rock	Quartz float containing chlorite, sericite and disseminated pyrrhotite, locally graphitic	<5	1.2	<2	<2	1	22	48	64
709893	Float	Quartz, about 3% galena, minor pyrite	155	9.2	20	2	1	11	3070	558
Goldmax #10										
709877	Rock	Quartz float, altered chloritized, sericitized wallrock with quartz	10	<2	32	<2	6	20	12	30
709878	Rock	Silicified, ankerite-stained diorite containing quartz veins, minor pyrite	<5	<2	58	<2	10	1	2	58

9.0 SOIL SAMPLING RESULTS

A total of seventy-three soil samples were collected during the field program. The samples, which consisted mostly of silty to gravelly eluvium, were collected at 15 to 20 cm depth after removing the topsoil utilizing a "pelican pick". An enriched "B-horizon" is developed only locally, but where present was included in the soil sample. Sample locations and gold analyses are shown on Map 2 and selected analytical results listed in Table III. Complete results are presented in Appendix C.

Several of the soil samples returned elevated concentrations of gold (20-90 ppb). A contour of gold analyses greater than or equal to 20 ppb outlines an elongate northwesterly anomaly about 700 m long and 100 to 300 m wide. The anomaly contains a central core defined by gold values greater than or equal to 50 ppb (Map 2).

The anomaly defined by the 50-ppb gold contour is coincident with the area indicated by outcrop exposures to be underlain by the feldspar-hornblende porphyry. This coincidence suggests a possible link between the gold mineralization and the intrusion. Whether the intrusive magma is the source of the gold, acted as a heat engine to drive gold-bearing hydrothermal fluids or whether it merely intruded along the same structural weaknesses utilized by the hydrothermal fluids is uncertain. Empirically, the association is important as a potential guideline for gold exploration in the area.

10.0 OBSERVATIONS AND CONCLUSIONS

Poorly bedded generally well foliated mudstone and lesser siltstone and phyllitic argillite of the Cayoosh Assemblage underlie the southwestern part of the claim block. The sedimentary rocks are intruded by an elongate body of plagioclase- and hornblende-phyric porphyry. Abundant quartz veins typically containing disseminated pyrite and locally pyrrhotite or galena cut the porphyry and the intruded sedimentary rocks, particularly near the contact. The quartz veins are locally anomalous in gold.

A gold-in-soil anomaly defined in the area is coincident with an underlying feldspar porphyry intrusion. This association may be useful as a guideline for gold exploration in the area.

11.0 RECOMMENDATIONS

Geological mapping, prospecting and soil sampling is recommended over the remainder of the claim block and the surrounding area. In addition, detailed prospecting and soil sampling should be carried out in the areas upslope to the southeast from soil samples GM 16002 to 06 (rock samples 156 and 709893) and also upslope from GM 16048 to GM16050.

Table III: Soil Sample Analyses - Goldmax #16 and Goldmax #10

Sample	Au ppb	Ag ppm	As ppm	Sb ppm	Sc ppm	Cu ppm	Pb ppm	Zn ppm	Cd ppm	Mo ppm	Bi ppm	Be ppm	Al %	Ti %	Fe %	Mg %	Ca %	Na %	K %	Mn ppm	P ppm	V ppm	Ni ppm	Cr ppm	Co ppm	Ba ppm	Sr ppm
Goldmax #16																											
G98+1	10	<2	64	2	6	123	8	174	0.5	4	<2	<5	2.24	0.07	5.81	1.08	0.86	<0.1	0.10	985	690	47	38	31	34	40	39
GM16003	50	0.2	104	<2	9	85	14	164	0.5	2	<2	<5	2.55	0.08	5.40	1.02	0.41	<0.1	0.11	1325	560	57	39	43	22	70	31
GM16004	20	0.2	50	<2	7	81	14	144	<5	3	<2	<5	2.26	0.07	5.17	1.14	0.47	<0.1	0.09	835	690	52	36	39	20	60	39
GM16005	20	0.2	68	<2	7	96	8	166	<5	1	<2	<5	2.41	0.11	4.79	1.01	0.56	<0.1	0.17	670	890	59	52	59	19	90	53
GM16006	60	0.2	90	2	6	84	16	150	<5	3	<2	<5	1.94	0.09	4.99	1.27	1.61	<0.1	0.10	670	1040	57	44	51	21	60	71
GM16007	45	0.4	116	<2	6	88	12	178	<5	4	<2	<5	2.07	0.08	4.95	0.93	0.37	<0.1	0.12	400	430	51	47	47	16	70	39
GM16008	40	0.2	72	<2	6	82	16	152	<5	3	<2	<5	2.00	0.06	4.91	1.12	1.25	<0.1	0.10	900	930	49	38	40	21	60	51
GM16009	<5	<2	44	<2	7	75	8	138	<5	2	<2	<5	2.49	0.10	4.54	0.87	0.48	<0.1	0.13	595	440	55	48	55	19	100	42
GM16010	<5	0.2	40	<2	6	64	12	166	<5	3	<2	<5	2.18	0.04	5.15	1.02	0.31	<0.1	0.06	970	690	42	31	28	21	60	28
GM16011	<5	<2	208	<2	6	65	14	154	<5	2	<2	<5	2.18	0.03	5.42	1.04	0.30	<0.1	0.05	1155	620	42	27	23	21	50	25
GM16012	<5	0.2	34	<2	5	65	6	114	<5	1	<2	<5	1.98	0.11	3.91	1.13	2.85	<0.1	0.11	665	760	51	36	43	18	60	62
GM16016	<5	<2	34	<2	5	58	4	102	<5	1	<2	<5	1.94	0.09	4.11	1.05	2.59	<0.1	0.06	565	650	44	30	31	15	50	49
GM16017	<5	<2	26	<2	6	51	6	120	<5	1	<2	<5	2.19	0.12	3.30	0.71	0.46	<0.1	0.18	475	430	54	45	52	15	70	25
GM16018	60	<2	28	<2	7	58	6	114	<5	1	<2	<5	2.28	0.12	4.46	1.03	1.00	<0.1	0.12	700	590	55	38	44	18	70	38
GM16023	20	<2	34	<2	6	63	6	96	<5	1	<2	<5	2.01	0.11	4.38	1.09	1.28	<0.1	0.12	710	700	54	46	46	21	70	49
GM16024	10	0.2	50	<2	8	85	8	134	<5	1	<2	<5	2.59	0.14	5.17	1.41	2.45	<0.1	0.19	905	820	65	52	61	27	100	60
GM16025	<5	0.2	36	<2	7	86	10	134	<5	1	<2	<5	2.41	0.15	4.85	1.35	3.96	<0.1	0.18	895	750	64	52	64	24	90	68
GM16026	<5	0.2	86	<2	7	78	8	440	4.0	8	2	<5	1.44	0.11	4.78	0.75	6.58	<0.1	0.01	545	830	114	89	25	13	10	79
GM16027	<5	<2	32	2	6	68	8	120	<5	2	<2	<5	2.24	0.11	4.91	1.19	2.05	<0.1	0.11	780	760	54	41	44	22	60	55
GM16028	<5	<2	38	2	8	67	8	98	<5	1	<2	<5	2.39	0.12	4.27	0.94	0.47	<0.1	0.15	425	490	57	45	58	16	80	44
GM16029	45	0.2	36	<2	7	67	16	112	<5	1	<2	<5	2.03	0.09	4.40	1.05	1.26	<0.1	0.09	565	510	50	41	48	17	60	38
GM16030	50	0.6	88	<2	6	96	18	144	<5	2	<2	<5	2.10	0.07	4.92	1.11	0.46	<0.1	0.16	440	700	48	54	52	20	70	46
GM16031	20	0.4	64	<2	8	94	26	234	0.5	2	<2	<5	2.25	0.09	5.61	0.95	0.58	<0.1	0.15	1140	1090	57	51	51	26	90	68
GM16032	35	0.8	120	<2	7	120	16	232	0.5	4	<2	<5	2.25	0.08	6.33	1.10	0.52	<0.1	0.13	625	550	54	54	46	21	50	46
GM16033	15	0.8	50	2	7	129	4	252	0.5	3	<2	<5	2.43	0.08	5.44	0.90	0.48	<0.1	0.12	680	480	48	48	40	19	70	41
GM16034	15	0.6	24	<2	6	98	6	280	0.5	1	<2	<5	2.59	0.09	5.34	0.78	0.53	<0.1	0.23	775	820	45	47	42	21	100	49
GM16035	30	0.8	38	<2	6	95	8	268	0.5	1	<2	<5	2.15	0.08	5.26	0.83	0.65	0.01	0.14	985	1350	49	48	45	23	70	63
GM16036	<5	0.2	42	<2	6	85	2	264	0.5	<1	<2	<5	2.21	0.07	4.73	0.80	0.62	<0.1	0.17	880	1710	45	51	45	23	80	63
GM16037	<5	0.2	36	<2	6	82	<2	184	<5	1	<2	<5	2.34	0.08	4.48	0.82	0.37	<0.1	0.17	430	400	45	47	42	16	60	35
GM16038	<5	0.2	44	<2	6	91	2	130	<5	<1	<2	<5	2.15	0.11	4.41	1.03	0.45	<0.1	0.12	565	350	50	42	47	18	40	25
GM16039	<5	<2	30	<2	7	67	<2	98	<5	<1	<2	<5	1.98	0.12	3.83	1.01	0.45	<0.1	0.15	525	410	56	42	55	17	50	26
GM16040	<5	<2	28	<2	7	63	<2	100	<5	<1	<2	<5	1.98	0.12	3.87	1.01	0.48	<0.1	0.11	610	510	56	43	53	18	60	27
GM16041	<5	<2	30	<2	6	44	2	170	<5	<1	<2	<5	2.55	0.12	3.82	0.75	0.60	<0.1	0.22	830	560	50	46	55	17	130	39
GM16042	<5	<2	28	<2	7	55	<2	114	<5	<1	<2	<5	2.31	0.13	3.60	0.78	0.44	<0.1	0.17	465	340	56	47	60	16	90	30
GM16043	20	0.2	24	2	6	69	<2	126	<5	2	<2	<5	2.18	0.13	3.75	1.07	0.44	<0.1	0.16	705	590	51	37	44	17	50	31
GM16044	10	0.2	24	<2	7	66	<2	104	<5	<1	<2	<5	2.33	0.14	3.78	0.98	0.40	<0.1	0.15	545	350	55	41	54	18	70	26
GM16045	<5	0.2	52	<2	6	81	<2	196	0.5	1	<2	<5	2.49	0.10	4.40	0.92	0.47	<0.1	0.15	715	850	53	53	53	21	90	39
GM16046	25	0.6	50	<2	7	110	4	230	0.5	2	<2	<5	2.98	0.10	5.20	0.95	0.48	0.01	0.10	990	840	55	54	53	27	90	47

Table III: Soil Sample Analyses - Goldmax #16 and Goldmax #10

Sample	Au ppb	Ag ppm	As ppm	Sb ppm	Sc ppm	Cu ppm	Pb ppm	Zn ppm	Cd ppm	Mo ppm	Bi ppm	Be ppm	Al %	Ti %	Fe %	Mg %	Ca %	Na %	K %	Mn ppm	P ppm	V ppm	Ni ppm	Cr ppm	Co ppm	Ba ppm	Sr ppm
GM16047	30	0.2	46	<2	6	93	2	144	<5	1	<2	<5	1.95	0.09	4.59	1.00	0.42	<0.1	0.15	635	400	51	45	45	19	40	61
GM16048	90	0.2	32	2	8	90	4	150	0.5	3	<2	<5	2.80	0.11	4.76	1.02	0.41	<0.1	0.15	905	660	59	54	58	25	90	51
GM16049	60	0.8	32	<2	7	78	40	164	0.5	3	<2	<5	2.28	0.08	4.50	0.93	0.70	<0.1	0.19	920	920	50	48	48	21	120	76
GM16050	90	0.2	28	<2	6	64	4	136	<5	<1	<2	<5	1.93	0.09	3.81	0.91	0.78	<0.1	0.17	610	620	48	45	49	18	70	60
GM16051	40	0.2	138	2	7	173	2	108	<5	9	2	<5	2.09	0.11	5.32	1.08	0.61	<0.1	0.15	970	590	56	51	53	28	50	67
GM16052	40	0.2	52	<2	6	100	12	154	<5	3	<2	<5	2.20	0.09	4.57	0.88	0.45	<0.1	0.18	805	650	52	47	47	24	80	43
GM16053	40	0.2	28	2	7	67	<2	100	<5	3	<2	<5	2.10	0.11	4.07	1.01	0.52	<0.1	0.11	505	390	52	39	51	16	70	76
GM16054	<5	<2	38	<2	7	68	<2	140	<5	2	<2	<5	2.35	0.11	4.30	0.89	0.41	<0.1	0.16	680	460	55	47	54	20	90	51
GM16055	20	<2	24	<2	6	58	2	86	<5	1	<2	<5	1.81	0.10	3.62	0.95	0.56	<0.1	0.08	500	490	50	44	50	17	60	68
GM16056	60	0.2	42	<2	6	341	4	206	1.0	12	<2	<5	2.51	0.10	5.77	0.94	0.58	<0.1	0.18	1195	760	54	51	46	38	90	111
GM16057	<5	0.2	48	<2	7	87	<2	154	<5	2	2	<5	2.32	0.10	4.63	1.01	0.50	<0.1	0.18	740	550	56	50	58	22	70	77
GM16058	<5	<2	28	<2	7	66	<2	100	<5	<1	<2	<5	2.29	0.13	3.72	1.09	0.86	<0.1	0.20	690	600	60	60	71	19	100	41
GM16059	<5	<2	36	<2	7	69	<2	92	<5	<1	<2	<5	2.37	0.15	3.88	1.43	1.54	<0.1	0.28	670	540	64	71	98	21	100	55
GM16060	20	<2	34	<2	7	72	<2	110	<5	<1	<2	<5	2.38	0.14	3.96	1.29	1.12	<0.1	0.25	710	610	62	68	87	21	120	49
GM16061	<5	<2	40	<2	7	92	<2	120	<5	1	<2	<5	2.34	0.14	4.27	1.31	1.49	<0.1	0.18	1010	710	65	57	64	28	80	58
GM16062	<5	<2	30	<2	6	77	<2	76	<5	<1	<2	<5	1.80	0.12	3.22	1.11	3.60	<0.1	0.10	655	640	53	42	52	20	50	66
GM16063	35	<2	38	<2	8	111	<2	106	<5	<1	2	<5	2.35	0.14	4.11	1.25	2.28	<0.1	0.17	815	530	64	54	66	28	80	109
GM16064	<5	0.2	30	<2	6	120	<2	418	4.0	<1	2	<5	2.22	0.07	4.33	0.89	3.65	0.01	0.32	1230	1510	49	65	59	28	110	438
GM16065	20	<2	30	<2	7	85	2	104	<5	<1	<2	<5	2.15	0.12	3.86	1.23	1.88	<0.1	0.24	770	760	61	47	61	23	80	67
GM16066	<5	0.6	64	<2	10	115	<2	126	0.5	1	<2	<5	2.60	0.14	4.96	1.11	0.46	<0.1	0.12	630	300	66	58	75	23	50	27
GM16067	30	0.6	74	<2	8	114	<2	124	0.5	1	<2	<5	2.27	0.10	4.66	1.26	3.69	<0.1	0.16	740	510	60	55	70	25	60	67
GM16068	<5	0.2	50	<2	7	115	2	300	1.5	2	<2	<5	2.60	0.12	4.67	0.96	0.59	<0.1	0.22	870	710	57	68	58	25	100	48
GM16069	<5	<2	26	<2	4	84	<2	148	1.5	1	<2	<5	1.81	0.07	3.61	0.89	6.63	0.01	0.11	655	690	38	43	40	25	50	144
GM16070	30	0.2	34	<2	8	121	2	254	1.0	1	2	<5	2.58	0.11	5.08	1.04	0.73	<0.1	0.14	1170	620	59	66	62	33	100	47

Goldmax #10

GM1001	25	0.2	50	<2	10	108	14	128	<5	1	<2	<5	2.80	0.05	4.70	1.51	2.50	<0.1	0.11	910	560	68	47	80	27	50	41
GM1002	70	0.2	108	2	13	158	2	112	<5	1	<2	<5	2.43	0.02	6.18	1.01	3.72	<0.1	0.22	945	360	54	75	74	49	50	90
GM16001	<5	<2	26	<2	8	70	4	106	<5	1	<2	<5	2.52	0.14	4.15	0.88	0.36	<0.1	0.18	385	280	61	44	53	17	60	29
GM16002	55	0.2	108	<2	5	71	6	130	<5	1	<2	<5	2.26	0.07	5.21	0.85	0.37	<0.1	0.11	780	530	40	30	26	21	50	30
GM16013	<5	0.2	34	<2	5	59	6	104	<5	1	<2	<5	1.81	0.10	3.83	0.94	2.81	<0.1	0.13	595	710	43	28	30	17	40	40
GM16014	<5	<2	20	<2	5	39	6	248	0.5	<1	<2	<5	2.18	0.10	3.20	0.66	0.41	<0.1	0.19	850	880	45	52	47	16	130	25
GM16015	<5	<2	26	<2	5	43	6	92	<5	1	<2	<5	1.87	0.09	3.78	1.02	0.49	<0.1	0.11	670	570	47	30	38	15	50	23
GM16019	<5	<2	30	2	6	58	4	102	<5	1	<2	<5	2.04	0.09	4.37	1.04	1.48	<0.1	0.13	735	720	48	33	37	18	60	46
GM16020	<5	<2	48	<2	7	60	6	94	<5	1	<2	<5	2.10	0.09	4.62	1.10	0.58	<0.1	0.09	710	650	54	37	51	18	40	31
GM16021	<5	<2	36	<2	6	65	6	106	<5	1	<2	<5	2.04	0.11	4.36	1.14	2.54	<0.1	0.13	770	810	53	38	46	21	60	57
GM16022	25	<2	194	4	7	74	12	124	<5	17	<2	<5	1.73	<0.1	7.27	0.90	2.45	<0.1	0.04	2570	700	37	69	37	39	50	59

12.0 STATEMENT OF COSTS

A statement of costs detailing exploration expenses related to the field program is presented in Table IV below. Expenses (minus GST) related to the field program total \$8,240.56.

Table IV: Statement of Costs

Consulting Fees	Unit	Unit Cost	Amount
Consulting Geologist	3.5 days	400.00	1,400.00
Geological Assistant	3.5 days	100.00	350.00
Prospector	1.5 days	200.00	300.00

Analysis, Assay

Rock Sample Preparation and Analysis	17	21.85	371.45
Soil Sample Preparation and Analysis	62	18.85	1,168.70

Transportation

Automobile Rental and Related Expenses			577.14
Local truck rental and related expenses	1.0 days	40.00	40.00
Local truck - fuel			11.00

Accommodation and Food

Accommodation			196.56
Food and Meals			252.38

Field Supplies

Supplies			332.19
Global Surveyer Rental			70.00
Two-way radio rentals			90.00

Report Preparation

Consulting Geologist	4.0 days	400.00	1,600.00
Drafting Consultants			732.00

Administration and Overhead

10% of Expenses

SubTotal - Expenses	7,491.42
	749.14
Total	8,240.56

13.0 REFERENCES

Calon, T.J., Malpas, J.G. and Macdonald, R.

1990: The anatomy of the Shulaps Ophiolite. Geological Fieldwork 1989, British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1990-1, p. 375-386.

Coleman, M.E.

1990: Eocene dextral strike-slip and extensional faulting in the Bridge River Terrane, southwest British Columbia. Unpublished M.Sc. thesis, Carleton University, Ottawa, Ontario, 87 p.

Journey, J.M.

1993: Tectonic assemblages of the Eastern Coast Belt, southwestern British Columbia: Implications for the history and mechanisms of terrane accretion. Tectonics, Vol. 12, No. 3, p. 756-775. Current Research, Part A; Geological Survey of Canada, Paper 93-1A, p. 221-233.

Journey, J.M. and Friedman, R.M.

1993: The Coast Belt Thrust System: evidence of Late Cretaceous shortening in the Coast Belt of SW British Columbia. Tectonics, Vol. 12, No. 3, p. 756-775.

Journey, J.M. and Mahoney, J.B.

1994: Cayoosh Assemblage: regional correlations and implications for terrane linkages in the southern Coast Belt, British Columbia. Current Research 1994-A; Geological Survey of Canada, p. 165-175.

Journey, J.M. and Monger, J.W.H.

1994: Geology and crustal structure of the southern coast and Intermontane Belts, southern Canadian Cordillera, British Columbia, Geological Survey of Canada, Open File ????, scale 1:500 000.

Journey, J.M., Sanders, C., Van-Konijnenburg, J.H. and Jasma, M.

1992: Fault systems of the eastern Coast Belt, southwest British Columbia. Current Research, Part A; Geological Survey of Canada, Paper 92-1A, p. 225-235.

Kuran, D.L. and McLeod, R.J.

1997a: Geological and activities report, 1996 program, Ample/Goldmax property, Lillooet Mining Division. Unpublished report by Homestake Canada Inc.

Kuran, D.L. and McLeod, R.J.

1997b: Assessment report on geology and diamond drilling, 1997 program, Ample/Goldmax property, Lillooet Mining Division. Unpublished report by Homestake Canada Inc.

Leitch, C.H.B.


1990: Bralorne: a mesothermal, shield-type vein gold deposit of Cretaceous age in southwestern British Columbia. CIM Bulletin, Vol. 83, No. 941, September, 1990, p. 53-80.

14.0 CERTIFICATE OF QUALIFICATIONS


I, **J. Wayne Pickett**, do hereby certify that:

1. I am a consulting geologist with a business office at 8256 McIntyre Street, Mission, British Columbia, V2V 6T3.
2. I am a graduate in Earth Sciences (Geology) of Memorial University of Newfoundland (B.Sc., 1974; M.Sc., 1989).
3. I am a Registered Professional Geoscientist in good standing with the Association of Professional Engineers and Geoscientists of the Province of Newfoundland and the Association of Professional Engineers and Geoscientists of the Province of British Columbia. I am a fellow of the Geological Association of Canada.
4. I have practiced my profession as a geologist for the past 24 years during which time I have been involved in exploration for and/or evaluation of several types of mineral deposits, including volcanogenic massive sulphide, Mississippi valley lead-zinc and unconformity type uranium deposits in Canada as well as epithermal and mesothermal gold deposits in Canada, Ghana, Peru, Colombia and Jamaica.
5. I own no direct, indirect or contingent interest in the subject property and I do not own directly or indirectly nor do I have any contingent interest in the property, leases and/or securities of Gold-Ore Resources Ltd.
6. I accept express responsibility for the conclusions and recommendations contained herein.
7. The information, opinions, conclusions and recommendations contained herein are based on field work carried out between June 2 and June 8, 1998; on assay results of outcrop and soil sampling carried out during the field program; and on a review of available literature and previous records of work on the property and surrounding area. Literature reviewed comprises published articles in technical journals, reports and maps filed for assessment with the government of British Columbia, and reports supplied by the property vendors, G. Polischuk and D. Javorsky as per the option agreement between them and Gold-Ore Resources Ltd.
8. This report may be used by Gold-Ore Resources Ltd. for any Prospectus, Release or Statement of Material Facts, Offering Memorandum or other public document related to the subject property, provided that no excerpts are used out of context with the whole.

Dated at Vancouver, B.C., this 29th day of July, 1998.



J. Wayne Pickett, M.Sc., P. Geo.



Appendix A
Analytical Procedures



Sample Preparation Procedure - Ring Grinding

Method: Grinding

A crushed sample split (200 - 300 grams) is ground using a ring mill pulverizer with a chrome steel ring set. The Chemex specification for this procedure is that greater than 90% of the ground material passes through a 106 micron (Tyler 150 mesh) screen. Grinding with chrome steel may impart trace amounts of iron and chromium into a sample.

<u>Chemex Code</u>	<u>Rush Code</u>	<u>Parameter</u>
208	258	Assay Grade Ring Grind
205	255	Geochemical Ring Grind



Sample Preparation Procedure - Sieve Screening

Method: Sieving

Geochemical samples (soils, stream sediments, silts) are dried and then hammered to disaggregate any clumps. The samples are then placed in a stainless steel sieve and shaken from side-to-side until as much minus fraction as possible has been extracted.

The sieve size opening determines which code will be applied.

<u>Chemex Code</u>	<u>Rush Code</u>	<u>Parameter</u>	<u>Opening Size (Microns)</u>	<u>Tyler Mesh Size</u>
*240		Sieve to -10 Mesh	1700	10
3291		Sieve to -20 Mesh	850	20
*203	*243	Sieve to -35 Mesh	425	35
204		Sieve to -60 Mesh	250	60
201	241	Sieve to -80 Mesh	180	80
1338		Sieve to -100 Mesh	150	100
216		Sieve to -150 Mesh	106	150
230		Sieve to -200 Mesh	75	200
254		Sieve to -250 Mesh	63	250

*Note: Samples typically undergo further particle size reduction prior to laboratory analysis.

Geochemical Procedure - G32m Package

In the G32m package, sample decomposition is achieved with a nitric-aqua regia digestion. One portion of the sample digest is analyzed by ICP-AES for all elements except mercury. In order to obtain a low detection limit for mercury, a second portion of the sample digest is analyzed by flameless atomic absorption spectroscopy.

Sample Decomposition: Nitric Aqua Regia Digestion

Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (1.00 gram) is digested with concentrated nitric acid for at least one hour. After cooling, hydrochloric acid is added to produce aqua regia and the mixture is then digested for an additional hour and a half. The resulting solution is diluted to 25ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

<u>Chemex Code</u>	<u>Element</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
229	ICP-AQ Digestion	n/a	n/a	n/a
2119	* Aluminum	Al	0.01%	15 %
2141	Antimony	Sb	2 ppm	1 %
2120	Arsenic	As	2 ppm	1 %
2121	* Barium	Ba	10 ppm	1 %
2122	* Beryllium	Be	0.5 ppm	0.01 %
2123	Bismuth	Bi	2 ppm	1 %
2125	Cadmium	Cd	0.5 ppm	0.05 %
2124	* Calcium	Ca	0.01%	15 %
2127	* Chromium	Cr	1 ppm	1 %
2126	Cobalt	Co	1 ppm	1 %
2128	Copper	Cu	1 ppm	1 %
2130	* Gallium	Ga	10 ppm	1 %
2150	Iron	Fe	0.01%	15 %
2151	* Lanthanum	La	10 ppm	1 %
2140	Lead	Pb	2 ppm	1 %
2134	* Magnesium	Mg	0.01%	15 %



Geochemical Procedure - G32m Package (con't)

<u>Chemex Code</u>	<u>Element</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
2135	Manganese	Mn	5 ppm	1 %
2136	Molybdenum	Mo	1 ppm	1 %
2138	Nickel	Ni	1 ppm	1 %
2139	Phosphorus	P	10 ppm	1 %
2132	* Potassium	K	0.01 %	10 %
2142	* Scandium	Sc	1 ppm	1 %
2118	Silver	Ag	0.2 ppm	0.01 %
2137	* Sodium	Na	0.01 %	10 %
2143	* Strontium	Sr	1 ppm	1 %
2145	* Thallium	Tl	10 ppm	1 %
2144	* Titanium	Ti	0.01 %	10 %
2148	* Tungsten	W	10 ppm	1 %
2146	Uranium	U	10 ppm	1 %
2147	Vanadium	V	1 ppm	1 %
2149	Zinc	Zn	2 ppm	1 %

*Elements for which the digestion is possibly incomplete.

Sample Decomposition: Nitric Aqua Regia Digestion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

From the same digestion, a portion of the sample is treated with stannous chloride to reduce the mercury. The resulting mercury is volatilized by argon-purging and measured by atomic absorption spectrometry.

<u>Chemex Code</u>	<u>Element</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
20	Mercury	Hg	10 ppb	100 ppm



Fire Assay Procedure - Trace Gold

Sample Decomposition: Fire Assay Fusion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a neutral lead sodium silicate flux inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested for ¼ hour in dilute nitric acid. Hydrochloric acid is then added and the solution is digested for an additional hour. The digested solution is cooled, diluted to 7.5 ml with demineralized water, homogenized and then analyzed by atomic absorption spectrometry.

International Units:

<u>Chemex Code</u>	<u>Rush Code</u>	<u>Element</u>	<u>Sample Weight (grams)</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
100	990	Gold	10	Au	5 ppb	10,000 ppb
96	1090	Gold	10	Au	0.005 ppm	10 ppm
983	991	Gold	30	Au	5 ppb	10,000 ppb
99	1091	Gold	30	Au	0.005 ppm	10 ppm
494	1209	Gold	30	Au	0.005 g/t	10 g/t
3583		Gold	50	Au	5 ppb	10,000 ppb
3584		Gold	50	Au	0.005 ppm	10 ppm
3594		Gold	50	Au	0.005 g/t	10 g/t

American/English Units:

<u>Chemex Code</u>	<u>Rush Code</u>	<u>Element</u>	<u>Sample Weight (grams)</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
877	1977	Gold	30	Au	0.0002 oz/ton	0.3 oz/ton

Appendix B
Rock Analyses



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1640 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

A9821545

Comments: ATTN: WAYNE PICKETT

CERTIFICATE

A9821545

(PWZ) - GOLD ORE RESOURCES LTD.

Project:
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-JUN-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	10	Geochem ring to approx 150 mesh 0-3 Kg crush and split Rock - save entire reject ICP - AQ Digestion charge
226	10	
3202	10	
229	10	
* NOTE 1:		

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	10	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	10	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	10	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	10	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	10	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	10	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	10	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	10	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	10	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	10	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	10	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	10	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	10	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	10	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	10	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	10	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	10	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	10	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	10	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	10	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	10	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	10	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	10	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	10	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	10	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	10	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	10	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	10	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	10	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	10	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	10	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	10	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	10	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project:

Comments: ATTN: WAYNE PICKETT

Page Number : 1-A
Total Pages : 1
Certificate Date: 19-JUN-98
Invoice No. : 19821545
P.O. Number :
Account : PWZ

CERTIFICATE OF ANALYSIS

A9821545

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
709869	205 226	< 5	< 0.2	0.01	22	< 10	< 0.5	< 2	0.11	< 0.5	1	287	1	0.29	< 10	< 1	< 0.01	< 10	0.05	25
709870	205 226	10	< 0.2	0.05	66	< 10	< 0.5	< 2	0.65	< 0.5	4	246	7	0.54	< 10	< 1	0.01	< 10	0.24	120
709871	205 226	< 5	< 0.2	0.80	108	10	< 0.5	< 2	7.75	< 0.5	19	215	1	4.22	< 10	< 1	0.05	< 10	3.44	1565
709872	205 226	15	< 0.2	0.21	182	10	< 0.5	< 2	3.33	< 0.5	7	189	60	2.01	< 10	< 1	0.09	< 10	1.16	460
709873	205 226	40	< 0.2	0.26	426	< 10	< 0.5	< 2	2.33	< 0.5	7	198	24	1.59	< 10	< 1	0.04	< 10	0.53	335
709874	205 226	5	< 0.2	2.72	< 2	< 10	< 0.5	< 2	7.04	< 0.5	31	30	46	7.20	< 10	< 1	0.13	< 10	1.71	1380
709875	205 226	< 5	< 0.2	1.05	< 2	30	< 0.5	2	2.96	< 0.5	7	86	35	1.91	< 10	< 1	0.08	< 10	0.64	630
709876	205 226	50	15.0	0.14	14	10	< 0.5	18	1.32	1.5	1	232	9	0.96	< 10	< 1	0.01	< 10	0.09	200
709877	205 226	10	< 0.2	0.45	32	< 10	< 0.5	< 2	5.59	< 0.5	9	226	20	2.64	< 10	< 1	0.03	< 10	1.43	800
709878	205 226	< 5	< 0.2	3.01	58	10	< 0.5	< 2	4.57	< 0.5	16	184	1	4.99	< 10	< 1	0.02	< 10	2.79	1515

CERTIFICATION: 11 12:00



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project:

Comments: ATTN: WAYNE PICKETT

Page Number :1-B

Total Pages :1

Certificate Date: 19-JUN-98

Invoice No. :19821545

P.O. Number :

Account :PWZ


CERTIFICATE OF ANALYSIS

A9821545

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
709869	205 226	< 1	< 0.01	9	< 10	2	< 2	< 1	4	< 0.01	< 10	< 10	1	< 10	< 2
709870	205 226	< 1	< 0.01	25	< 10	2	< 2	< 1	15	< 0.01	< 10	< 10	3	< 10	2
709871	205 226	< 1	0.01	76	100	< 2	< 2	11	133	< 0.01	< 10	< 10	38	< 10	32
709872	205 226	< 1	< 0.01	33	< 10	< 2	< 2	4	106	< 0.01	< 10	< 10	8	< 10	16
709873	205 226	< 1	< 0.01	8	10	< 2	< 2	3	35	< 0.01	< 10	< 10	12	< 10	22
709874	205 226	< 1	0.01	25	500	< 2	< 2	22	55	< 0.01	< 10	< 10	131	< 10	82
709875	205 226	1	0.03	7	470	< 2	< 2	4	147	0.07	< 10	< 10	35	< 10	54
709876	205 226	5	0.01	5	50	4470	2	< 1	67	< 0.01	< 10	< 10	5	< 10	188
709877	205 226	1	0.01	31	140	12	< 2	6	45	< 0.01	< 10	< 10	17	< 10	30
709878	205 226	1	0.02	78	480	2	< 2	10	124	< 0.01	< 10	< 10	93	< 10	58

CERTIFICATION:

Wayne Pickett



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

A9821843

Comments: ATTN: WAYNE PICKETT

CERTIFICATE

A9821843

(PWZ) - GOLD ORE RESOURCES LTD.

Project:
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-JUN-98.


SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	28	Geochem ring to approx 150 mesh
226	28	0-3 Kg crush and split
3202	28	Rock - save entire reject
229	28	ICP - AQ Digestion charge
* NOTE 1:		

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	28	Au ppb: Fuse 30 g sample	FA-AAS		
2118	28	Ag ppm: 32 element, soil & rock	ICP-AES	5	10000
2119	28	Al %: 32 element, soil & rock	ICP-AES	0.2	100.0
2120	28	As ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2121	28	Ba ppm: 32 element, soil & rock	ICP-AES	2	10000
2122	28	Be ppm: 32 element, soil & rock	ICP-AES	10	10000
2123	28	Bi ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2124	28	Ca %: 32 element, soil & rock	ICP-AES	2	10000
2125	28	Cd ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2126	28	Co ppm: 32 element, soil & rock	ICP-AES	0.5	500
2127	28	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	28	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	28	Fe %: 32 element, soil & rock	ICP-AES	1	10000
2130	28	Ga ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2131	28	Hg ppm: 32 element, soil & rock	ICP-AES	10	10000
2132	28	K %: 32 element, soil & rock	ICP-AES	1	10000
2151	28	La ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2134	28	Mg %: 32 element, soil & rock	ICP-AES	10	10000
2135	28	Mn ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2136	28	Mo ppm: 32 element, soil & rock	ICP-AES	5	10000
2137	28	Na %: 32 element, soil & rock	ICP-AES	1	10000
2138	28	Ni ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2139	28	P ppm: 32 element, soil & rock	ICP-AES	1	10000
2140	28	Pb ppm: 32 element, soil & rock	ICP-AES	10	10000
2141	28	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	28	Sc ppm: 32 elements, soil & rock	ICP-AES	2	10000
2143	28	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	28	Ti %: 32 element, soil & rock	ICP-AES	1	10000
2145	28	Tl ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2146	28	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	28	V ppm: 32 element, soil & rock	ICP-AES	10	10000
2148	28	W ppm: 32 element, soil & rock	ICP-AES	1	10000
2149	28	Zn ppm: 32 element, soil & rock	ICP-AES	10	10000
				2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project :
Comments: ATTN: WAYNE PICKETT

Page Number : 1-A
Total Pages : 1
Certificate Date: 23-JUN-98
Invoice No. : 19821843
P.O. Number :
Account : PWZ

CERTIFICATE OF ANALYSIS

A9821843

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
00156	205 226	1480	28.0	0.14	14	10	< 0.5	< 2	0.42	8.0	1	259	3	0.62	< 10	< 1	0.01	< 10	0.07	90
00157	205 226	50	< 0.2	0.08	28	< 10	< 0.5	< 2	0.79	< 0.5	3	235	1	0.66	< 10	< 1	0.01	< 10	0.24	170
00158	205 226	40	< 0.2	0.04	34	< 10	< 0.5	< 2	1.58	< 0.5	3	158	1	0.74	< 10	< 1	< 0.01	< 10	0.13	240
00159	205 226	10	< 0.2	0.39	84	10	< 0.5	< 2	4.20	< 0.5	12	132	28	2.37	< 10	< 1	0.04	< 10	1.24	700
00160	205 226	< 5	< 0.2	2.50	10	160	0.5	< 2	2.29	< 0.5	24	43	57	4.91	< 10	< 1	0.12	< 10	1.46	615
00161	205 226	< 5	< 0.2	1.35	< 2	30	< 0.5	< 2	8.68	< 0.5	17	44	17	4.67	< 10	< 1	0.01	< 10	2.60	1530
00162	205 226	< 5	< 0.2	0.08	116	< 10	< 0.5	< 2	1.47	< 0.5	5	231	1	0.80	< 10	< 1	0.03	< 10	0.64	160
00163	205 226	< 5	< 0.2	0.05	20	< 10	< 0.5	< 2	0.13	< 0.5	1	229	3	0.27	< 10	< 1	< 0.01	< 10	0.11	20
00164	205 226	50	< 0.2	0.02	36	< 10	< 0.5	< 2	0.43	< 0.5	1	233	1	0.28	< 10	< 1	< 0.01	< 10	0.17	45
00165	205 226	< 5	< 0.2	0.05	30	< 10	< 0.5	< 2	0.38	< 0.5	3	311	1	0.44	< 10	< 1	< 0.01	< 10	0.21	65
00166	205 226	255	< 0.2	3.39	114	< 10	< 0.5	< 2	5.20	0.5	35	80	170	8.35	< 10	< 1	0.01	< 10	1.56	1260
00167	205 226	695	< 0.2	0.49	100	< 10	< 0.5	< 2	4.06	< 0.5	17	171	157	3.59	< 10	< 1	0.01	< 10	0.99	1020
00168	205 226	< 5	< 0.2	2.41	116	20	< 0.5	< 2	8.20	< 0.5	34	528	51	4.02	< 10	< 1	0.11	< 10	4.84	910
709879	205 226	5	1.4	0.42	12	20	< 0.5	< 2	0.53	< 0.5	4	185	10	1.02	< 10	< 1	0.03	< 10	0.32	155
709880	205 226	< 5	< 0.2	1.06	20	40	< 0.5	< 2	4.16	5.5	7	72	70	1.98	< 10	< 1	0.11	< 10	0.60	660
709881	205 226	130	9.8	0.10	2	410	< 0.5	12	12.70	0.5	< 1	73	14	0.53	< 10	1	< 0.01	< 10	0.16	1150
709882	205 226	75	0.2	1.42	398	20	< 0.5	< 2	7.39	< 0.5	8	27	64	3.12	< 10	< 1	0.12	< 10	0.73	755
709883	205 226	465	0.6	1.64	256	30	< 0.5	< 2	1.30	< 0.5	11	40	72	4.13	< 10	< 1	0.17	< 10	0.86	395
709884	205 226	< 5	< 0.2	1.02	10	30	< 0.5	< 2	1.21	< 0.5	7	103	106	2.27	< 10	< 1	0.08	< 10	0.56	340
709885	205 226	< 5	< 0.2	0.49	10	20	< 0.5	< 2	1.65	< 0.5	4	95	40	1.07	< 10	< 1	0.07	< 10	0.27	395
709886	205 226	20	1.0	0.16	20	< 10	< 0.5	< 2	0.14	< 0.5	38	179	237	5.04	< 10	< 1	0.03	< 10	0.10	45
709887	205 226	10	< 0.2	0.88	10	60	< 0.5	< 2	2.59	1.0	5	72	77	1.99	< 10	1	0.13	< 10	0.47	500
709888	205 226	10	0.2	0.78	12	60	< 0.5	< 2	2.84	< 0.5	6	109	60	1.58	< 10	1	0.17	< 10	0.49	400
709889	205 226	< 5	< 0.2	0.75	6	40	< 0.5	< 2	4.50	< 0.5	5	98	40	1.57	< 10	< 1	0.08	< 10	0.52	675
709890	205 226	< 5	< 0.2	1.96	6	140	0.5	< 2	10.75	< 0.5	15	84	52	3.10	< 10	< 1	0.13	20	1.47	495
709891	205 226	< 5	< 0.2	0.69	6	70	< 0.5	< 2	3.61	4.5	8	81	59	2.59	< 10	< 1	0.17	< 10	0.33	530
709892	205 226	< 5	1.2	0.25	< 2	10	< 0.5	< 2	3.38	0.5	4	151	22	1.26	< 10	< 1	0.05	< 10	0.19	470
709893	205 226	155	9.2	0.25	20	20	< 0.5	8	0.95	6.0	4	243	11	1.13	< 10	< 1	0.05	< 10	0.15	185

CERTIFICATION: *Hank Biddle*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project:

Comments: ATTN: WAYNE PICKETT

Page Number :1-B

Total Pages :1

Certificate Date: 23-JUN-98

Invoice No. :19821843

P.O. Number :

Account :PWZ

CERTIFICATE OF ANALYSIS

A9821843

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
00156	205 226	3 < 0.01		5	60	6350	< 2	< 1	22 < 0.01	< 10	< 10		4	< 10	940
00157	205 226	< 1 < 0.01		13	< 10	14	2	1	10 < 0.01	< 10	< 10		5	< 10	8
00158	205 226	< 1 < 0.01		13	40	< 2	< 2	1	14 < 0.01	< 10	< 10		4	< 10	4
00159	205 226	< 1 < 0.01		34	10	6	< 2	7	51 < 0.01	< 10	< 10		18	< 10	20
00160	205 226	1 0.02		58	410	26	< 2	10	86 < 0.01	< 10	< 10		65	< 10	114
00161	205 226	2 < 0.01		16	130	2	< 2	12	187 < 0.01	< 10	< 10		91	< 10	46
00162	205 226	< 1 < 0.01		45	< 10	< 2	< 2	1	31 < 0.01	< 10	< 10		4	< 10	6
00163	205 226	< 1 < 0.01		9	< 10	< 2	< 2	< 1	4 < 0.01	< 10	< 10		2	< 10	< 2
00164	205 226	< 1 < 0.01		12	30	< 2	< 2	< 1	16 < 0.01	< 10	< 10		1	< 10	< 2
00165	205 226	< 1 < 0.01		13	< 10	< 2	< 2	< 1	9 < 0.01	< 10	< 10		4	< 10	< 2
00166	205 226	< 1 < 0.01		31	470	< 2	< 2	30	80 0.01	< 10	< 10		329	< 10	112
00167	205 226	4 < 0.01		39	260	< 2	< 2	7	45 < 0.01	< 10	< 10		41	< 10	24
00168	205 226	< 1 < 0.01		218	60	< 2	< 2	13	432 < 0.01	< 10	< 10		56	< 10	44
709879	205 226	< 1 0.03		10	270	52	< 2	< 1	19 0.02	< 10	< 10		13	< 10	28
709880	205 226	4 0.02		15	520	< 2	< 2	3	126 0.02	< 10	< 10		31	< 10	360
709881	205 226	5 < 0.01		1	70	146	< 2	5	1440 < 0.01	< 10	< 10		4	< 10	14
709882	205 226	< 1 0.01		5	280	< 2	< 2	3	362 < 0.01	< 10	< 10		24	< 10	46
709883	205 226	1 0.02		9	390	2	< 2	2	68 < 0.01	< 10	< 10		25	< 10	50
709884	205 226	1 0.01		9	400	8	< 2	2	82 0.05	< 10	< 10		17	< 10	54
709885	205 226	< 1 0.06		9	210	10	< 2	1	70 0.02	< 10	< 10		16	< 10	70
709886	205 226	19 0.01		14	70	2	< 2	< 1	19 0.01	< 10	< 10		16	< 10	14
709887	205 226	39 0.04		9	400	2	< 2	3	130 < 0.01	< 10	< 10		21	< 10	202
709888	205 226	11 0.03		11	390	2	< 2	2	132 < 0.01	< 10	< 10		13	< 10	36
709889	205 226	3 0.04		9	400	4	< 2	3	320 < 0.01	< 10	< 10		15	< 10	54
709890	205 226	< 1 0.02		52	1740	< 2	< 2	5	609 < 0.01	< 10	< 10		55	< 10	70
709891	205 226	13 0.03		20	640	< 2	< 2	5	91 0.13	< 10	< 10		59	< 10	348
709892	205 226	5 < 0.01		9	260	48	< 2	1	263 < 0.01	< 10	< 10		9	< 10	64
709893	205 226	2 0.01		5	100	3070	2	1	22 < 0.01	< 10	< 10		6	< 10	558

CERTIFICATION: *Harry Biddle*

Appendix C
Soil Analyses



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

A9821544

Comments: ATTN: WAYNE PICKETT

CERTIFICATE

A9821544

(PWZ) - GOLD ORE RESOURCES LTD.

Project:
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-JUN-98.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	122	Dry, sieve to -80 mesh save reject ICP - AQ Digestion charge
202	122	
229	122	
* NOTE	1:	

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	122	Au ppb: Fuse 30 g sample	FA-AAS		
2118	122	Ag ppm: 32 element, soil & rock	ICP-AES	5	10000
2119	122	Al %: 32 element, soil & rock	ICP-AES	0.2	100.0
2120	122	As ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2121	122	Ba ppm: 32 element, soil & rock	ICP-AES	2	10000
2122	122	Be ppm: 32 element, soil & rock	ICP-AES	10	10000
2123	122	Bi ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2124	122	Ca %: 32 element, soil & rock	ICP-AES	2	10000
2125	122	Cd ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2126	122	Co ppm: 32 element, soil & rock	ICP-AES	0.5	500
2127	122	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	122	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	122	Fe %: 32 element, soil & rock	ICP-AES	1	10000
2130	122	Ga ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2131	122	Hg ppm: 32 element, soil & rock	ICP-AES	10	10000
2132	122	K %: 32 element, soil & rock	ICP-AES	1	10000
2151	122	La ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2134	122	Mg %: 32 element, soil & rock	ICP-AES	10	10000
2135	122	Mn ppm: 32 element, soil & rock	ICP-AES	0.01	15.00
2136	122	Mo ppm: 32 element, soil & rock	ICP-AES	5	10000
2137	122	Na %: 32 element, soil & rock	ICP-AES	1	10000
2138	122	Ni ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2139	122	P ppm: 32 element, soil & rock	ICP-AES	1	10000
2140	122	Pb ppm: 32 element, soil & rock	ICP-AES	10	10000
2141	122	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	122	Sc ppm: 32 elements, soil & rock	ICP-AES	2	10000
2143	122	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	122	Ti %: 32 element, soil & rock	ICP-AES	1	10000
2145	122	Tl ppm: 32 element, soil & rock	ICP-AES	0.01	10.00
2146	122	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	122	V ppm: 32 element, soil & rock	ICP-AES	10	10000
2148	122	W ppm: 32 element, soil & rock	ICP-AES	1	10000
2149	122	Zn ppm: 32 element, soil & rock	ICP-AES	10	10000
				2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project :
Comments: ATTN: WAYNE PICKETT

Page Number : 1-A
Total Pages : 4
Certificate Date: 19-JUN-98
Invoice No. : 19821544
P.O. Number :
Account : PWZ

CERTIFICATE OF ANALYSIS

A9821544

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BC001	201 202	20	0.8	2.14	40	560	1.0	< 2	1.48	2.5	38	36	217	5.32	< 10	< 1	0.25			
BC002	201 202	30	0.4	2.67	32	720	1.0	< 2	0.67	1.0	36	48	191	5.77	< 10	< 1	0.24	40	0.89	875
GM1001	201 202	25	0.2	2.80	50	50	< 0.5	< 2	2.50	< 0.5	27	80	108	4.70	< 10	< 1	0.11	30	0.95	890
GM1002	201 202	70	0.2	2.43	108	50	< 0.5	< 2	3.72	< 0.5	49	74	158	6.18	< 10	< 1	0.22	10	1.51	910
GM15001	201 202	< 5	< 0.2	3.13	8	140	< 0.5	< 2	0.65	< 0.5	17	94	66	4.84	< 10	< 1	0.18	< 10	1.01	945
GM15002	201 202	< 5	< 0.2	2.70	12	160	< 0.5	< 2	0.48	< 0.5	15	74	53	3.96	< 10	< 1	0.14	< 10	1.10	410
GM15003	201 202	< 5	< 0.2	2.45	6	250	< 0.5	< 2	0.75	< 0.5	15	56	52	3.62	< 10	< 1	0.19	< 10	0.96	395
GM15004	201 202	< 5	< 0.2	3.75	< 2	160	< 0.5	< 2	0.93	< 0.5	26	76	101	5.74	< 10	< 1	0.12	< 10	1.00	615
GM15005	201 202	< 5	< 0.2	2.00	< 2	180	< 0.5	< 2	0.44	< 0.5	13	39	23	2.41	< 10	< 1	0.14	< 10	1.76	775
GM15006	201 202	5	< 0.2	2.07	10	100	< 0.5	< 2	0.48	< 0.5	11	64	39	3.01	< 10	< 1	0.10	< 10	0.62	520
GM15007	201 202	< 5	< 0.2	2.43	8	170	< 0.5	< 2	0.47	< 0.5	15	71	46	3.77	< 10	< 1	0.11	10	0.75	285
GM15008	201 202	< 5	< 0.2	1.83	20	100	< 0.5	< 2	0.35	< 0.5	15	71	39	3.18	< 10	< 1	0.15	10	1.09	565
GM15009	201 202	< 5	< 0.2	2.16	6	340	0.5	< 2	0.57	< 0.5	15	46	33	3.25	< 10	< 1	0.41	10	0.80	405
GM15010	201 202	5	< 0.2	1.84	30	90	< 0.5	< 2	0.32	< 0.5	13	54	57	3.49	< 10	< 1	0.21	10	0.63	1070
GM15011	201 202	< 5	< 0.2	2.69	20	130	0.5	< 2	0.29	< 0.5	25	65	74	5.02	< 10	< 1	0.21	10	0.74	325
GM15012	201 202	45	< 0.2	2.92	34	240	0.5	< 2	0.38	< 0.5	24	69	62	5.01	< 10	< 1	0.09	20	1.02	405
GM15013	201 202	10	< 0.2	1.85	24	170	< 0.5	< 2	0.32	< 0.5	15	43	50	3.29	< 10	< 1	0.16	10	0.95	415
GM15014	201 202	< 5	< 0.2	2.49	8	180	0.5	< 2	0.50	< 0.5	26	63	67	4.78	< 10	< 1	0.11	10	0.64	420
GM15015	201 202	< 5	< 0.2	1.88	6	110	0.5	< 2	0.38	< 0.5	16	28	47	3.30	< 10	< 1	0.11	10	1.02	685
GM15016	201 202	10	< 0.2	1.74	20	150	0.5	< 2	0.24	< 0.5	12	41	60	4.14	< 10	< 1	0.12	< 10	0.65	450
GM15017	201 202	< 5	< 0.2	1.33	18	160	0.5	< 2	0.26	< 0.5	18	38	71	4.12	< 10	< 1	0.12	10	0.52	505
GM15018	201 202	5	< 0.2	1.93	10	180	0.5	< 2	0.37	< 0.5	12	49	51	3.60	< 10	< 1	0.15	< 10	0.33	335
GM15019	201 202	< 5	0.2	1.15	8	150	0.5	< 2	6.33	< 0.5	14	35	47	4.14	< 10	< 1	0.18	10	0.63	380
GM15020	201 202	10	< 0.2	3.16	10	50	< 0.5	< 2	3.88	< 0.5	24	67	83	5.03	< 10	< 1	0.09	10	0.91	940
GM15021	201 202	10	< 0.2	3.68	14	40	< 0.5	< 2	3.66	< 0.5	32	70	102	6.41	< 10	< 1	0.12	10	1.84	715
GM15022	201 202	< 5	< 0.2	3.83	8	60	0.5	< 2	3.56	< 0.5	29	66	105	6.09	< 10	< 1	0.11	10	2.18	1000
GM15023	201 202	< 5	< 0.2	3.35	10	50	< 0.5	< 2	3.86	< 0.5	28	55	103	5.80	< 10	< 1	0.13	10	1.92	915
GM15024	201 202	< 5	< 0.2	2.96	30	70	< 0.5	< 2	0.85	< 0.5	31	48	75	6.87	< 10	< 1	0.13	10	1.87	810
GM15025	201 202	< 5	< 0.2	2.15	< 2	90	< 0.5	< 2	0.50	< 0.5	12	50	31	3.00	< 10	< 1	0.13	< 10	1.08	855
GM15026	201 202	< 5	< 0.2	2.37	10	110	< 0.5	< 2	0.49	< 0.5	16	65	48	3.65	< 10	< 1	0.18	< 10	0.65	420
GM15027	201 202	10	< 0.2	3.01	10	120	< 0.5	< 2	0.63	< 0.5	25	83	67	5.09	< 10	< 1	0.15	10	0.84	465
GM15028	201 202	< 5	< 0.2	2.28	6	90	< 0.5	< 2	0.57	< 0.5	16	71	50	3.84	< 10	< 1	0.18	10	1.20	730
GM15029	201 202	< 5	< 0.2	3.46	< 2	60	< 0.5	< 2	0.97	< 0.5	25	50	74	6.32	< 10	< 1	0.19	10	0.88	450
GM15030	201 202	< 5	< 0.2	2.74	< 2	140	< 0.5	< 2	0.47	< 0.5	14	53	29	3.06	< 10	< 1	0.13	10	1.19	1005
GM15031	201 202	< 5	< 0.2	2.55	4	90	< 0.5	< 2	0.67	< 0.5	16	54	39	3.15	< 10	< 1	0.18	< 10	0.75	820
GM15032	201 202	< 5	< 0.2	4.56	4	80	0.5	< 2	1.38	< 0.5	46	132	103	7.68	< 10	< 1	0.15	< 10	0.79	465
GM15033	201 202	< 5	< 0.2	2.63	< 2	130	< 0.5	< 2	0.56	< 0.5	15	55	37	3.10	< 10	< 1	0.17	10	3.18	1970
GM15034	201 202	< 5	< 0.2	2.09	< 2	150	< 0.5	< 2	0.59	< 0.5	12	49	21	2.79	< 10	< 1	0.18	< 10	0.88	385
GM15035	201 202	< 5	< 0.2	1.90	8	120	< 0.5	< 2	0.41	< 0.5	11	59	39	3.15	< 10	< 1	0.11	< 10	0.69	665
GM15036	201 202	< 5	< 0.2	1.77	10	130	< 0.5	< 2	0.25	< 0.5	13	51	46	3.25	< 10	< 1	0.11	10	0.73	280

CERTIFICATION:

Handwritten signature: Hank Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project :
Comments: ATTN: WAYNE PICKETT

Page Number : 1-B
Total Pages : 4
Certificate Date: 19-JUN-98
Invoice No. : 19821544
P.O. Number :
Account : PWZ

CERTIFICATE OF ANALYSIS

A9821544

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BC001	201 202	12 < 0.01		79	910	14	10	13	92 < 0.01	< 10	< 10		59	< 10	408
BC002	201 202	9 < 0.01		73	890	10	6	16	55 < 0.01	< 10	< 10		69	< 10	300
GM1001	201 202	1 < 0.01		47	560	14	< 2	10	41 0.05	< 10	< 10		68	< 10	128
GM1002	201 202	1 < 0.01		75	360	2	2	13	90 0.02	< 10	< 10		54	< 10	112
GM15001	201 202	< 1 < 0.01		57	190	2	< 2	26	27 0.11	< 10	< 10		126	< 10	68
GM15002	201 202	< 1 < 0.01		53	160	< 2	< 2	17	29 0.14	< 10	< 10		100	< 10	66
GM15003	201 202	< 1 < 0.01		40	830	< 2	< 2	15	32 0.11	< 10	< 10		86	< 10	98
GM15004	201 202	< 1 < 0.01		53	210	< 2	2	20	36 0.20	< 10	< 10		153	< 10	102
GM15005	201 202	< 1 < 0.01		39	1150	4	< 2	4	29 0.13	< 10	< 10		48	< 10	190
GM15006	201 202	< 1 < 0.01		45	220	2	< 2	9	25 0.14	< 10	< 10		66	< 10	58
GM15007	201 202	< 1 < 0.01		51	350	2	< 2	16	26 0.09	< 10	< 10		84	< 10	62
GM15008	201 202	< 1 < 0.01		62	340	2	< 2	7	28 0.13	< 10	< 10		60	< 10	58
GM15009	201 202	< 1 < 0.01		44	1120	6	< 2	7	47 0.08	< 10	< 10		48	< 10	182
GM15010	201 202	1 < 0.01		50	630	4	2	8	24 0.08	< 10	< 10		57	< 10	78
GM15011	201 202	1 < 0.01		62	480	4	< 2	11	27 < 0.01	< 10	< 10		76	< 10	114
GM15012	201 202	< 1 < 0.01		69	790	4	2	9	29 0.01	< 10	< 10		85	< 10	124
GM15013	201 202	1 < 0.01		48	540	4	2	6	25 0.05	< 10	< 10		47	< 10	98
GM15014	201 202	< 1 < 0.01		60	830	2	< 2	13	28 < 0.01	< 10	< 10		73	< 10	110
GM15015	201 202	< 1 < 0.01		36	620	8	< 2	9	29 < 0.01	< 10	< 10		45	< 10	118
GM15016	201 202	1 < 0.01		46	430	4	< 2	11	29 < 0.01	< 10	< 10		56	< 10	104
GM15017	201 202	1 < 0.01		57	500	6	< 2	11	31 0.01	< 10	< 10		50	< 10	108
GM15018	201 202	< 1 < 0.01		49	560	4	< 2	8	41 0.06	< 10	< 10		56	< 10	106
GM15019	201 202	1 < 0.01		49	510	2	< 2	11	138 < 0.01	< 10	< 10		36	< 10	62
GM15020	201 202	< 1 < 0.01		48	360	< 2	< 2	19	60 0.09	< 10	< 10		142	< 10	74
GM15021	201 202	< 1 < 0.01		48	390	< 2	< 2	22	49 0.14	< 10	< 10		194	< 10	82
GM15022	201 202	< 1 < 0.01		48	260	2	2	23	58 0.15	< 10	< 10		172	< 10	84
GM15023	201 202	< 1 < 0.01		47	280	< 2	< 2	17	53 0.19	< 10	< 10		160	< 10	92
GM15024	201 202	< 1 < 0.01		44	400	2	< 2	30	26 0.04	< 10	< 10		154	< 10	84
GM15025	201 202	< 1 < 0.01		40	310	2	< 2	9	21 0.14	< 10	< 10		70	< 10	70
GM15026	201 202	< 1 < 0.01		50	280	2	< 2	12	23 0.16	< 10	< 10		87	< 10	68
GM15027	201 202	< 1 < 0.01		62	330	2	< 2	17	26 0.12	< 10	< 10		124	< 10	68
GM15028	201 202	< 1 < 0.01		49	210	2	< 2	12	26 0.16	< 10	< 10		91	< 10	58
GM15029	201 202	< 1 < 0.01		41	570	6	< 2	32	38 0.17	< 10	< 10		176	< 10	102
GM15030	201 202	< 1 < 0.01		45	370	4	< 2	7	25 0.16	< 10	< 10		69	< 10	104
GM15031	201 202	< 1 < 0.01		46	510	2	< 2	9	22 0.18	< 10	< 10		69	< 10	116
GM15032	201 202	< 1 < 0.01		100	400	< 2	< 2	29	33 0.15	< 10	< 10		213	< 10	124
GM15033	201 202	< 1 < 0.01		54	1170	4	< 2	7	34 0.15	< 10	< 10		61	< 10	168
GM15034	201 202	< 1 < 0.01		37	230	2	< 2	6	30 0.13	< 10	< 10		51	< 10	82
GM15035	201 202	< 1 < 0.01		46	210	2	2	9	27 0.11	< 10	< 10		61	< 10	60
GM15036	201 202	1 < 0.01		49	260	2	< 2	9	21 0.03	< 10	< 10		51	< 10	70

CERTIFICATION:

Handwritten signature: Hank Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project:

Comments: ATTN: WAYNE PICKETT

Page Number :2-A

Total Pages :4

Certificate Date: 19-JUN-98

Invoice No. :19821544

P.O. Number :

Account :PWZ

CERTIFICATE OF ANALYSIS

A9821544

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
GM15037	201	202	< 5	< 0.2	1.78	10	230	< 0.5	< 2	0.32	< 0.5	11	50	26	2.69	< 10	< 1	0.21	< 10	0.63	410
GM15038	201	202	< 5	< 0.2	1.66	6	230	< 0.5	< 2	0.30	< 0.5	11	45	20	2.32	< 10	< 1	0.20	< 10	0.57	360
GM15039	201	202	< 5	< 0.2	1.73	8	230	< 0.5	< 2	0.33	< 0.5	11	50	23	2.47	< 10	< 1	0.19	< 10	0.63	345
GM15040	201	202	< 5	< 0.2	1.75	12	170	< 0.5	< 2	0.35	< 0.5	14	50	40	3.24	< 10	< 1	0.18	10	0.60	450
GM15041	201	202	< 5	< 0.2	1.93	10	220	< 0.5	< 2	0.41	< 0.5	12	52	33	3.01	< 10	< 1	0.20	10	0.64	535
GM15042	201	202	< 5	< 0.2	1.88	24	130	0.5	< 2	0.30	< 0.5	18	56	56	4.47	< 10	< 1	0.13	10	0.63	665
GM15043	201	202	< 5	< 0.2	1.77	8	210	< 0.5	< 2	0.46	< 0.5	10	44	21	2.58	< 10	< 1	0.20	< 10	0.56	420
GM15044	201	202	< 5	< 0.2	1.69	10	150	< 0.5	< 2	0.36	< 0.5	13	49	29	2.72	< 10	< 1	0.12	< 10	0.61	455
GM16001	201	202	< 5	< 0.2	2.52	26	60	< 0.5	< 2	0.36	< 0.5	17	53	70	4.15	< 10	< 1	0.18	10	0.88	385
GM16002	201	202	55	0.2	2.26	108	50	< 0.5	< 2	0.37	< 0.5	21	26	71	5.21	< 10	< 1	0.11	< 10	0.85	780
GM16003	201	202	50	0.2	2.55	104	70	< 0.5	< 2	0.41	0.5	22	43	85	5.40	< 10	< 1	0.11	10	1.02	1325
GM16004	201	202	20	0.2	2.26	50	60	< 0.5	< 2	0.47	< 0.5	20	39	81	5.17	< 10	< 1	0.09	10	1.14	835
GM16005	201	202	20	0.2	2.41	68	90	< 0.5	< 2	0.56	< 0.5	19	59	96	4.79	< 10	< 1	0.17	10	1.01	670
GM16006	201	202	60	0.2	1.94	90	60	< 0.5	< 2	1.61	< 0.5	21	51	84	4.99	< 10	< 1	0.10	10	1.27	670
GM16007	201	202	45	0.4	2.07	116	70	< 0.5	< 2	0.37	< 0.5	16	47	88	4.95	< 10	< 1	0.12	10	0.93	400
GM16008	201	202	40	0.2	2.00	72	60	< 0.5	< 2	1.25	< 0.5	21	40	82	4.91	< 10	< 1	0.10	10	1.12	900
GM16009	201	202	< 5	< 0.2	2.49	44	100	< 0.5	< 2	0.48	< 0.5	19	55	75	4.54	< 10	< 1	0.13	10	0.87	595
GM16010	201	202	< 5	0.2	2.18	40	60	< 0.5	< 2	0.31	< 0.5	21	28	64	5.15	< 10	< 1	0.06	10	1.02	970
GM16011	201	202	< 5	< 0.2	2.18	208	50	< 0.5	< 2	0.30	< 0.5	21	23	65	5.42	< 10	< 1	0.05	10	1.04	1155
GM16012	201	202	< 5	0.2	1.98	34	60	< 0.5	< 2	2.85	< 0.5	18	43	65	3.91	< 10	< 1	0.11	10	1.13	665
GM16013	201	202	< 5	0.2	1.81	34	40	< 0.5	< 2	2.81	< 0.5	17	30	59	3.83	< 10	< 1	0.13	10	0.94	595
GM16014	201	202	< 5	< 0.2	2.18	20	130	< 0.5	< 2	0.41	0.5	16	47	39	3.20	< 10	< 1	0.19	< 10	0.66	850
GM16015	201	202	< 5	< 0.2	1.87	26	50	< 0.5	< 2	0.49	< 0.5	15	38	43	3.78	< 10	< 1	0.11	< 10	1.02	670
GM16016	201	202	< 5	< 0.2	1.94	34	50	< 0.5	< 2	2.59	< 0.5	15	31	58	4.11	< 10	< 1	0.06	< 10	1.05	565
GM16017	201	202	< 5	< 0.2	2.19	26	70	< 0.5	< 2	0.46	< 0.5	15	52	51	3.30	< 10	< 1	0.18	< 10	0.71	475
GM16018	201	202	60	< 0.2	2.28	28	70	< 0.5	< 2	1.00	< 0.5	18	44	58	4.46	< 10	< 1	0.12	10	1.03	700
GM16019	201	202	< 5	< 0.2	2.04	30	60	< 0.5	< 2	1.48	< 0.5	18	37	58	4.37	< 10	< 1	0.13	< 10	1.04	735
GM16020	201	202	< 5	< 0.2	2.10	48	40	< 0.5	< 2	0.58	< 0.5	18	51	60	4.62	< 10	< 1	0.09	< 10	1.10	710
GM16021	201	202	< 5	< 0.2	2.04	36	60	< 0.5	< 2	2.54	< 0.5	21	46	65	4.36	< 10	< 1	0.13	10	1.14	770
GM16022	201	202	25	< 0.2	1.73	194	50	< 0.5	< 2	2.45	< 0.5	39	37	74	7.27	< 10	< 1	0.04	10	0.90	2570
GM16023	201	202	20	< 0.2	2.01	34	70	< 0.5	< 2	1.28	< 0.5	21	46	63	4.38	< 10	< 1	0.12	10	1.09	710
GM16024	201	202	10	0.2	2.59	50	100	< 0.5	< 2	2.45	< 0.5	27	61	85	5.17	< 10	< 1	0.19	10	1.41	905
GM16025	201	202	< 5	0.2	2.41	36	90	< 0.5	< 2	3.96	< 0.5	24	64	86	4.85	< 10	< 1	0.18	10	1.35	895
GM16026	201	202	< 5	0.2	1.44	86	10	< 0.5	2	6.58	4.0	13	25	78	4.78	< 10	< 1	0.01	< 10	0.75	545
GM16027	201	202	< 5	< 0.2	2.24	32	60	< 0.5	< 2	2.05	< 0.5	22	44	68	4.91	< 10	< 1	0.11	10	1.19	780
GM16028	201	202	< 5	< 0.2	2.39	38	80	< 0.5	< 2	0.47	< 0.5	16	58	67	4.27	< 10	< 1	0.15	10	0.94	425
GM16029	201	202	45	0.2	2.03	36	60	< 0.5	< 2	1.26	< 0.5	17	48	67	4.40	< 10	< 1	0.09	< 10	1.05	565
GM16030	201	202	50	0.6	2.10	88	70	< 0.5	< 2	0.46	< 0.5	20	52	96	4.92	< 10	< 1	0.16	< 10	1.11	440
GM16031	201	202	20	0.4	2.25	64	90	< 0.5	< 2	0.58	0.5	26	51	94	5.61	< 10	< 1	0.15	10	0.95	1140
GM16032	201	202	35	0.8	2.25	120	50	< 0.5	< 2	0.52	0.5	21	46	120	6.33	< 10	< 1	0.13	10	1.10	625

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project:

Comments: ATTN: WAYNE PICKETT

Page Number :2-B

Total Pages :4

Certificate Date: 19-JUN-98

Invoice No. :19821544

P.O. Number :

Account :PWZ

CERTIFICATE OF ANALYSIS

A9821544

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
GM15037	201 202	< 1	< 0.01	50	410	4	< 2	6	23	0.09	< 10	< 10	47	< 10	82
GM15038	201 202	< 1	< 0.01	50	550	2	< 2	5	25	0.10	< 10	< 10	41	< 10	118
GM15039	201 202	< 1	< 0.01	53	320	4	< 2	5	23	0.10	< 10	< 10	45	< 10	148
GM15040	201 202	1	< 0.01	51	340	2	< 2	7	24	0.09	< 10	< 10	55	< 10	128
GM15041	201 202	< 1	< 0.01	49	490	2	< 2	7	29	0.10	< 10	< 10	52	< 10	132
GM15042	201 202	1	< 0.01	53	340	4	< 2	15	22	0.01	< 10	< 10	70	< 10	84
GM15043	201 202	< 1	< 0.01	44	780	2	< 2	6	29	0.09	< 10	< 10	46	< 10	144
GM15044	201 202	< 1	< 0.01	48	460	4	< 2	6	21	0.10	< 10	< 10	48	< 10	116
GM16001	201 202	1	< 0.01	44	280	4	< 2	8	29	0.14	< 10	< 10	61	< 10	106
GM16002	201 202	1	< 0.01	30	530	6	< 2	5	30	0.07	< 10	< 10	40	< 10	130
GM16003	201 202	2	< 0.01	39	560	14	< 2	9	31	0.08	< 10	< 10	57	< 10	164
GM16004	201 202	3	< 0.01	36	690	14	< 2	7	39	0.07	< 10	< 10	52	< 10	144
GM16005	201 202	1	< 0.01	52	890	8	< 2	7	53	0.11	< 10	< 10	59	< 10	166
GM16006	201 202	3	< 0.01	44	1040	16	2	6	71	0.09	< 10	< 10	57	< 10	150
GM16007	201 202	4	< 0.01	47	430	12	< 2	6	39	0.08	< 10	< 10	51	< 10	178
GM16008	201 202	3	< 0.01	38	930	16	< 2	6	51	0.06	< 10	< 10	49	< 10	152
GM16009	201 202	2	< 0.01	48	440	8	< 2	7	42	0.10	< 10	< 10	55	< 10	138
GM16010	201 202	3	< 0.01	31	690	12	< 2	6	28	0.04	< 10	< 10	42	< 10	166
GM16011	201 202	2	< 0.01	27	620	14	< 2	6	25	0.03	< 10	< 10	42	< 10	154
GM16012	201 202	1	< 0.01	36	760	6	< 2	5	62	0.11	< 10	< 10	51	< 10	114
GM16013	201 202	1	< 0.01	28	710	6	< 2	5	40	0.10	< 10	< 10	43	< 10	104
GM16014	201 202	< 1	< 0.01	52	880	6	< 2	5	25	0.10	< 10	< 10	45	< 10	248
GM16015	201 202	1	< 0.01	30	570	6	< 2	5	23	0.09	< 10	< 10	47	< 10	92
GM16016	201 202	1	< 0.01	30	650	4	< 2	5	49	0.09	< 10	< 10	44	< 10	102
GM16017	201 202	1	< 0.01	45	430	6	< 2	6	25	0.12	< 10	< 10	54	< 10	120
GM16018	201 202	1	< 0.01	38	590	6	< 2	7	38	0.12	< 10	< 10	55	< 10	114
GM16019	201 202	1	< 0.01	33	720	4	2	6	46	0.09	< 10	< 10	48	< 10	102
GM16020	201 202	1	< 0.01	37	650	6	< 2	7	31	0.09	< 10	< 10	54	< 10	94
GM16021	201 202	1	< 0.01	38	810	6	< 2	6	57	0.11	< 10	< 10	53	< 10	106
GM16022	201 202	17	< 0.01	69	700	12	4	7	59	< 0.01	< 10	< 10	37	< 10	124
GM16023	201 202	1	< 0.01	46	700	6	< 2	6	49	0.11	< 10	< 10	54	< 10	96
GM16024	201 202	1	< 0.01	52	820	8	< 2	8	60	0.14	< 10	< 10	65	< 10	134
GM16025	201 202	1	< 0.01	52	750	10	< 2	7	68	0.15	< 10	< 10	64	< 10	134
GM16026	201 202	8	< 0.01	89	830	8	< 2	7	79	0.11	< 10	< 10	114	30	440
GM16027	201 202	2	< 0.01	41	760	8	2	6	55	0.11	< 10	< 10	54	< 10	120
GM16028	201 202	1	< 0.01	45	490	8	2	8	44	0.12	< 10	< 10	57	< 10	98
GM16029	201 202	1	< 0.01	41	510	16	< 2	7	38	0.09	< 10	< 10	50	< 10	112
GM16030	201 202	2	< 0.01	54	700	18	< 2	6	46	0.07	< 10	< 10	48	< 10	144
GM16031	201 202	2	< 0.01	51	1090	26	< 2	8	68	0.09	< 10	< 10	57	< 10	234
GM16032	201 202	4	< 0.01	54	550	16	< 2	7	46	0.08	< 10	< 10	54	< 10	232

CERTIFICATION:

Handwritten signature: Hart Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project :
Comments: ATTN: WAYNE PICKETT

Page Number :3-A
Total Pages :4
Certificate Date: 19-JUN-98
Invoice No. :19821544
P.O. Number :
Account :PWZ

CERTIFICATE OF ANALYSIS A9821544

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
GM16033	201 202	15	0.8	2.43	50	70	< 0.5	< 2	0.48	0.5	19	40	129	5.44	< 10	< 1	0.12	< 10	0.90	680
GM16034	201 202	15	0.6	2.59	24	100	< 0.5	< 2	0.53	0.5	21	42	98	5.34	< 10	< 1	0.23	< 10	0.78	775
GM16035	201 202	30	0.8	2.15	38	70	< 0.5	< 2	0.65	0.5	23	45	95	5.26	< 10	1	0.14	< 10	0.83	985
GM16036	201 202	< 5	0.2	2.21	42	80	< 0.5	< 2	0.62	0.5	23	45	85	4.73	< 10	< 1	0.17	< 10	0.80	880
GM16037	201 202	< 5	0.2	2.34	36	60	< 0.5	< 2	0.37	< 0.5	16	42	82	4.48	< 10	< 1	0.17	< 10	0.82	430
GM16038	201 202	< 5	0.2	2.15	44	40	< 0.5	< 2	0.45	< 0.5	18	47	91	4.41	< 10	< 1	0.12	< 10	1.03	565
GM16039	201 202	< 5	< 0.2	1.98	30	50	< 0.5	< 2	0.45	< 0.5	17	55	67	3.83	< 10	< 1	0.15	< 10	1.01	525
GM16040	201 202	< 5	< 0.2	1.98	28	60	< 0.5	< 2	0.48	< 0.5	18	53	63	3.87	< 10	< 1	0.11	< 10	1.01	610
GM16041	201 202	< 5	< 0.2	2.55	30	130	< 0.5	< 2	0.60	< 0.5	17	55	44	3.82	< 10	< 1	0.22	< 10	0.75	830
GM16042	201 202	< 5	< 0.2	2.31	28	90	< 0.5	< 2	0.44	< 0.5	16	60	55	3.60	< 10	< 1	0.17	10	0.78	465
GM16043	201 202	20	0.2	2.18	24	50	< 0.5	< 2	0.44	< 0.5	17	44	69	3.75	< 10	< 1	0.16	< 10	1.07	705
GM16044	201 202	10	0.2	2.33	24	70	< 0.5	< 2	0.40	< 0.5	18	54	66	3.78	< 10	< 1	0.15	< 10	0.98	545
GM16045	201 202	< 5	0.2	2.49	52	90	< 0.5	< 2	0.47	0.5	21	53	81	4.40	< 10	< 1	0.15	< 10	0.92	715
GM16046	201 202	25	0.6	2.98	50	90	< 0.5	< 2	0.48	0.5	27	53	110	5.20	< 10	< 1	0.10	< 10	0.95	990
GM16047	201 202	30	0.2	1.95	46	40	< 0.5	< 2	0.42	< 0.5	19	45	93	4.59	< 10	< 1	0.15	< 10	1.00	635
GM16048	201 202	90	0.2	2.80	32	90	< 0.5	< 2	0.41	0.5	25	58	90	4.76	< 10	< 1	0.15	< 10	1.02	905
GM16049	201 202	60	0.8	2.28	32	120	< 0.5	< 2	0.70	0.5	21	48	78	4.50	< 10	< 1	0.19	< 10	0.93	920
GM16050	201 202	90	0.2	1.93	28	70	< 0.5	< 2	0.78	< 0.5	18	49	64	3.81	< 10	< 1	0.17	< 10	0.91	610
GM16051	201 202	40	0.2	2.09	138	50	< 0.5	< 2	0.61	< 0.5	28	53	173	5.32	< 10	< 1	0.15	< 10	1.08	970
GM16052	201 202	40	0.2	2.20	52	80	< 0.5	< 2	0.45	< 0.5	24	47	100	4.57	< 10	< 1	0.18	< 10	0.88	805
GM16053	201 202	40	0.2	2.10	28	70	< 0.5	< 2	0.52	< 0.5	16	51	67	4.07	< 10	< 1	0.11	< 10	1.01	505
GM16054	201 202	< 5	< 0.2	2.35	38	90	< 0.5	< 2	0.41	< 0.5	20	54	68	4.30	< 10	< 1	0.16	< 10	0.89	680
GM16055	201 202	20	< 0.2	1.81	24	60	< 0.5	< 2	0.56	< 0.5	17	50	58	3.62	< 10	< 1	0.08	< 10	0.95	500
GM16056	201 202	60	0.2	2.51	42	90	< 0.5	< 2	0.58	1.0	38	46	341	5.77	< 10	< 1	0.18	< 10	0.94	1195
GM16057	201 202	< 5	0.2	2.32	48	70	< 0.5	2	0.50	< 0.5	22	58	87	4.63	< 10	< 1	0.18	< 10	1.01	740
GM16058	201 202	< 5	< 0.2	2.29	28	100	< 0.5	< 2	0.86	< 0.5	19	71	66	3.72	< 10	< 1	0.20	< 10	1.09	690
GM16059	201 202	< 5	< 0.2	2.37	36	100	< 0.5	< 2	1.54	< 0.5	21	98	69	3.88	< 10	< 1	0.28	< 10	1.43	670
GM16060	201 202	20	< 0.2	2.38	34	120	< 0.5	< 2	1.12	< 0.5	21	87	72	3.96	< 10	< 1	0.25	< 10	1.29	710
GM16061	201 202	< 5	< 0.2	2.34	40	80	< 0.5	< 2	1.49	< 0.5	28	64	92	4.27	< 10	< 1	0.18	< 10	1.31	1010
GM16062	201 202	< 5	< 0.2	1.80	30	50	< 0.5	< 2	3.60	< 0.5	20	52	77	3.22	< 10	1	0.10	< 10	1.11	655
GM16063	201 202	35	< 0.2	2.35	38	80	< 0.5	2	2.28	< 0.5	28	66	111	4.11	< 10	< 1	0.17	< 10	1.25	815
GM16064	201 202	< 5	0.2	2.22	30	110	< 0.5	2	3.65	4.0	28	59	120	4.33	< 10	< 1	0.32	< 10	0.89	1230
GM16065	201 202	20	< 0.2	2.15	30	80	< 0.5	< 2	1.88	< 0.5	23	61	85	3.86	< 10	< 1	0.24	< 10	1.23	770
GM16066	201 202	< 5	0.6	2.60	64	50	< 0.5	< 2	0.46	0.5	23	75	115	4.96	< 10	< 1	0.12	< 10	1.11	630
GM16067	201 202	30	0.6	2.27	74	60	< 0.5	< 2	3.69	0.5	25	70	114	4.66	< 10	< 1	0.16	< 10	1.26	740
GM16068	201 202	< 5	0.2	2.60	50	100	< 0.5	< 2	0.59	1.5	25	58	115	4.67	< 10	< 1	0.22	< 10	0.96	870
GM16069	201 202	< 5	< 0.2	1.81	26	50	< 0.5	< 2	6.63	1.5	25	40	84	3.61	< 10	< 1	0.11	< 10	0.89	655
GM16070	201 202	30	0.2	2.58	34	100	< 0.5	< 2	0.73	1.0	33	62	121	5.08	< 10	< 1	0.14	< 10	1.04	1170
G98+1	201 202	10	< 0.2	2.24	64	40	< 0.5	< 2	0.86	0.5	34	31	123	5.81	< 10	< 1	0.10	< 10	1.08	985
G98+2	201 202	20	< 0.2	2.93	28	130	< 0.5	< 2	0.41	< 0.5	26	99	69	5.30	< 10	1	0.11	< 10	0.92	680

CERTIFICATION:

Handwritten signature: Hank Biddle



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: GOLD ORE RESOURCES LTD.

1540 - 750 W. PENDER ST.
VANCOUVER, BC
V6C 2T8

Project :
Comments: ATTN: WAYNE PICKETT

Page Number : 3-B
Total Pages : 4
Certificate Date: 19-JUN-98
Invoice No. : 19821544
P.O. Number :
Account : PWZ

CERTIFICATE OF ANALYSIS

A9821544

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
GM16033	201	202	3 < 0.01		48	480	4	2	7	41	0.08	< 10	< 10	48	< 10	252
GM16034	201	202	1 < 0.01		47	820	6	< 2	6	49	0.09	< 10	< 10	45	< 10	280
GM16035	201	202	1 < 0.01		48	1350	8	< 2	6	63	0.08	< 10	< 10	49	< 10	268
GM16036	201	202	< 1 < 0.01		51	1710	2	< 2	6	63	0.07	< 10	< 10	45	< 10	264
GM16037	201	202	1 < 0.01		47	400	< 2	< 2	6	35	0.08	< 10	< 10	45	< 10	184
GM16038	201	202	< 1 < 0.01		42	350	2	< 2	6	25	0.11	< 10	< 10	50	< 10	130
GM16039	201	202	< 1 < 0.01		42	410	< 2	< 2	7	26	0.12	< 10	< 10	56	< 10	98
GM16040	201	202	< 1 < 0.01		43	510	< 2	< 2	7	27	0.12	< 10	< 10	56	< 10	100
GM16041	201	202	< 1 < 0.01		46	560	2	< 2	6	39	0.12	< 10	< 10	50	< 10	170
GM16042	201	202	< 1 < 0.01		47	340	< 2	< 2	7	30	0.13	< 10	< 10	56	< 10	114
GM16043	201	202	2 < 0.01		37	590	< 2	2	6	31	0.13	< 10	< 10	51	< 10	126
GM16044	201	202	< 1 < 0.01		41	350	< 2	< 2	7	26	0.14	< 10	< 10	55	< 10	104
GM16045	201	202	1 < 0.01		53	850	< 2	< 2	6	39	0.10	< 10	< 10	53	< 10	196
GM16046	201	202	2 < 0.01		54	840	4	< 2	7	47	0.10	< 10	< 10	55	< 10	230
GM16047	201	202	1 < 0.01		45	400	2	< 2	6	61	0.09	< 10	< 10	51	< 10	144
GM16048	201	202	3 < 0.01		54	660	4	2	8	51	0.11	< 10	< 10	59	< 10	150
GM16049	201	202	3 < 0.01		48	920	40	< 2	7	76	0.08	< 10	< 10	50	< 10	164
GM16050	201	202	< 1 < 0.01		45	620	4	< 2	6	60	0.09	< 10	< 10	48	< 10	136
GM16051	201	202	9 < 0.01		51	590	2	2	7	67	0.11	< 10	< 10	56	< 10	108
GM16052	201	202	3 < 0.01		47	650	12	< 2	6	43	0.09	< 10	< 10	52	< 10	154
GM16053	201	202	3 < 0.01		39	390	< 2	2	7	76	0.11	< 10	< 10	52	< 10	100
GM16054	201	202	2 < 0.01		47	460	< 2	< 2	7	51	0.11	< 10	< 10	55	< 10	140
GM16055	201	202	1 < 0.01		44	490	2	< 2	6	68	0.10	< 10	< 10	50	< 10	86
GM16056	201	202	12 < 0.01		51	760	4	< 2	6	111	0.10	< 10	< 10	54	< 10	206
GM16057	201	202	2 < 0.01		50	550	< 2	< 2	7	77	0.10	< 10	< 10	56	< 10	154
GM16058	201	202	< 1 < 0.01		60	600	< 2	< 2	7	41	0.13	< 10	< 10	60	< 10	100
GM16059	201	202	< 1 < 0.01		71	540	< 2	< 2	7	55	0.15	< 10	< 10	64	< 10	92
GM16060	201	202	< 1 < 0.01		68	610	< 2	< 2	7	49	0.14	< 10	< 10	62	< 10	110
GM16061	201	202	1 < 0.01		57	710	< 2	< 2	7	58	0.14	< 10	< 10	65	< 10	120
GM16062	201	202	< 1 < 0.01		42	640	< 2	< 2	6	66	0.12	< 10	< 10	53	< 10	76
GM16063	201	202	< 1 < 0.01		54	530	< 2	< 2	8	109	0.14	< 10	< 10	64	< 10	106
GM16064	201	202	< 1 < 0.01		65	1510	< 2	< 2	6	438	0.07	< 10	< 10	49	< 10	418
GM16065	201	202	< 1 < 0.01		47	760	2	< 2	7	67	0.12	< 10	< 10	61	< 10	104
GM16066	201	202	1 < 0.01		58	300	< 2	< 2	10	27	0.14	< 10	< 10	66	< 10	126
GM16067	201	202	1 < 0.01		55	510	< 2	< 2	8	67	0.10	< 10	< 10	60	< 10	124
GM16068	201	202	2 < 0.01		68	710	2	< 2	7	48	0.12	< 10	< 10	57	< 10	300
GM16069	201	202	1 < 0.01		43	690	< 2	< 2	4	144	0.07	< 10	< 10	38	< 10	148
GM16070	201	202	1 < 0.01		66	620	2	< 2	8	47	0.11	< 10	< 10	59	< 10	254
G98+1	201	202	4 < 0.01		38	690	8	2	6	39	0.07	< 10	< 10	47	< 10	174
G98+2	201	202	1 < 0.01		79	230	< 2	6	27	25	0.01	< 10	< 10	117	< 10	70

CERTIFICATION: *[Signature]*

25,597

S E T O N
L A K E



RAIL, SIGNAL, AND OTHER

NO.	NAME	NO.	NAME	NO.	NAME	NO.	NAME	NO.	NAME
1	RAIL	11	RAIL	21	RAIL	31	RAIL	41	RAIL
2	SIGNAL	12	SIGNAL	22	SIGNAL	32	SIGNAL	42	SIGNAL
3	RAIL	13	RAIL	23	RAIL	33	RAIL	43	RAIL
4	SIGNAL	14	SIGNAL	24	SIGNAL	34	SIGNAL	44	SIGNAL
5	RAIL	15	RAIL	25	RAIL	35	RAIL	45	RAIL
6	SIGNAL	16	SIGNAL	26	SIGNAL	36	SIGNAL	46	SIGNAL
7	RAIL	17	RAIL	27	RAIL	37	RAIL	47	RAIL
8	SIGNAL	18	SIGNAL	28	SIGNAL	38	SIGNAL	48	SIGNAL
9	RAIL	19	RAIL	29	RAIL	39	RAIL	49	RAIL
10	SIGNAL	20	SIGNAL	30	SIGNAL	40	SIGNAL	50	SIGNAL

SYMBOLS

- Contour
- Contour (with elevation)
- Spot Elevation
- Water
- Water (with elevation)
- Water (with elevation)
- Water (with elevation)
- Water (with elevation)
- Water (with elevation)
- Water (with elevation)

LEGEND

- 1. Contour (with elevation)
- 2. Contour (with elevation)
- 3. Contour (with elevation)
- 4. Contour (with elevation)
- 5. Contour (with elevation)
- 6. Contour (with elevation)
- 7. Contour (with elevation)
- 8. Contour (with elevation)
- 9. Contour (with elevation)
- 10. Contour (with elevation)

ABBREVIATIONS

- 1. Contour
- 2. Contour
- 3. Contour
- 4. Contour
- 5. Contour
- 6. Contour
- 7. Contour
- 8. Contour
- 9. Contour
- 10. Contour



Gold Ore Property Map

Ample/Goldman Property

Geology, Rock Sample Locations and Coal Analysis

10,000 FEET

Scale

10,000 FEET

25,597

S E T O N
L A K E



NOTE: SAMPLE ASSAY VALUES

Sample ID	Gr	Fe	Al	Si	Ca	Mg	K	Na	PPM
00000001	100	100	100	100	100	100	100	100	100
00000002	100	100	100	100	100	100	100	100	100
00000003	100	100	100	100	100	100	100	100	100
00000004	100	100	100	100	100	100	100	100	100
00000005	100	100	100	100	100	100	100	100	100
00000006	100	100	100	100	100	100	100	100	100
00000007	100	100	100	100	100	100	100	100	100
00000008	100	100	100	100	100	100	100	100	100
00000009	100	100	100	100	100	100	100	100	100
00000010	100	100	100	100	100	100	100	100	100
00000011	100	100	100	100	100	100	100	100	100
00000012	100	100	100	100	100	100	100	100	100
00000013	100	100	100	100	100	100	100	100	100
00000014	100	100	100	100	100	100	100	100	100
00000015	100	100	100	100	100	100	100	100	100
00000016	100	100	100	100	100	100	100	100	100
00000017	100	100	100	100	100	100	100	100	100
00000018	100	100	100	100	100	100	100	100	100
00000019	100	100	100	100	100	100	100	100	100
00000020	100	100	100	100	100	100	100	100	100
00000021	100	100	100	100	100	100	100	100	100
00000022	100	100	100	100	100	100	100	100	100
00000023	100	100	100	100	100	100	100	100	100
00000024	100	100	100	100	100	100	100	100	100
00000025	100	100	100	100	100	100	100	100	100
00000026	100	100	100	100	100	100	100	100	100
00000027	100	100	100	100	100	100	100	100	100
00000028	100	100	100	100	100	100	100	100	100
00000029	100	100	100	100	100	100	100	100	100
00000030	100	100	100	100	100	100	100	100	100
00000031	100	100	100	100	100	100	100	100	100
00000032	100	100	100	100	100	100	100	100	100
00000033	100	100	100	100	100	100	100	100	100
00000034	100	100	100	100	100	100	100	100	100
00000035	100	100	100	100	100	100	100	100	100
00000036	100	100	100	100	100	100	100	100	100
00000037	100	100	100	100	100	100	100	100	100
00000038	100	100	100	100	100	100	100	100	100
00000039	100	100	100	100	100	100	100	100	100
00000040	100	100	100	100	100	100	100	100	100
00000041	100	100	100	100	100	100	100	100	100
00000042	100	100	100	100	100	100	100	100	100
00000043	100	100	100	100	100	100	100	100	100
00000044	100	100	100	100	100	100	100	100	100
00000045	100	100	100	100	100	100	100	100	100
00000046	100	100	100	100	100	100	100	100	100
00000047	100	100	100	100	100	100	100	100	100
00000048	100	100	100	100	100	100	100	100	100
00000049	100	100	100	100	100	100	100	100	100
00000050	100	100	100	100	100	100	100	100	100
00000051	100	100	100	100	100	100	100	100	100
00000052	100	100	100	100	100	100	100	100	100
00000053	100	100	100	100	100	100	100	100	100
00000054	100	100	100	100	100	100	100	100	100
00000055	100	100	100	100	100	100	100	100	100
00000056	100	100	100	100	100	100	100	100	100
00000057	100	100	100	100	100	100	100	100	100
00000058	100	100	100	100	100	100	100	100	100
00000059	100	100	100	100	100	100	100	100	100
00000060	100	100	100	100	100	100	100	100	100
00000061	100	100	100	100	100	100	100	100	100
00000062	100	100	100	100	100	100	100	100	100
00000063	100	100	100	100	100	100	100	100	100
00000064	100	100	100	100	100	100	100	100	100
00000065	100	100	100	100	100	100	100	100	100
00000066	100	100	100	100	100	100	100	100	100
00000067	100	100	100	100	100	100	100	100	100
00000068	100	100	100	100	100	100	100	100	100
00000069	100	100	100	100	100	100	100	100	100
00000070	100	100	100	100	100	100	100	100	100
00000071	100	100	100	100	100	100	100	100	100
00000072	100	100	100	100	100	100	100	100	100
00000073	100	100	100	100	100	100	100	100	100
00000074	100	100	100	100	100	100	100	100	100
00000075	100	100	100	100	100	100	100	100	100
00000076	100	100	100	100	100	100	100	100	100
00000077	100	100	100	100	100	100	100	100	100
00000078	100	100	100	100	100	100	100	100	100
00000079	100	100	100	100	100	100	100	100	100
00000080	100	100	100	100	100	100	100	100	100
00000081	100	100	100	100	100	100	100	100	100
00000082	100	100	100	100	100	100	100	100	100
00000083	100	100	100	100	100	100	100	100	100
00000084	100	100	100	100	100	100	100	100	100
00000085	100	100	100	100	100	100	100	100	100
00000086	100	100	100	100	100	100	100	100	100
00000087	100	100	100	100	100	100	100	100	100
00000088	100	100	100	100	100	100	100	100	100
00000089	100	100	100	100	100	100	100	100	100
00000090	100	100	100	100	100	100	100	100	100
00000091	100	100	100	100	100	100	100	100	100
00000092	100	100	100	100	100	100	100	100	100
00000093	100	100	100	100	100	100	100	100	100
00000094	100	100	100	100	100	100	100	100	100
00000095	100	100	100	100	100	100	100	100	100
00000096	100	100	100	100	100	100	100	100	100
00000097	100	100	100	100	100	100	100	100	100
00000098	100	100	100	100	100	100	100	100	100
00000099	100	100	100	100	100	100	100	100	100
00000100	100	100	100	100	100	100	100	100	100

GOLDMAN #16

GOLDMAN #10

SYMBOLS

- Goldmine and Deposit
- Road
- Boundary
- Water Body

LEGEND

- Road
- Boundary
- Water Body
- Goldmine and Deposit
- Road
- Boundary
- Water Body

Scale = 1:50,000

Gold Ore Resources Ltd.
Amplify/Ordnance Property
Goldman #16 claim block
Gold Sample Locations and Gold Analysis

ALL DATA AND RESULTS
DATE: 10/10/2010
BY: [Name]
FOR: [Name]