



Assessment Report

on

Percussion and Diamond Drilling Geological Mapping

at

Mount Polley Mine
Cariboo Mining Division

N.T.S. 93A/12E
Latitude 52° 33' N
Longitude 121° 38' W

**Volume 2:
Appendices 3 - 7**

Owner:

Mount Polley Mining Corporation

Box 12
Likely, B.C.
VOL 1N0

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

Christopher J. Wild, P. Eng.
Consulting Geological Engineer

May 15, 2000

26,241

Appendix 3
Percussion Drillhole Logs

MOUNT POLLEY MINE

Hole No. 99R-1

Pit: Cariboo	Northing: 3150.39	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-1	Easting: 2360.12	True Azm. 0	Logged by: Greg Gillstrom
Started Mar-9-99	Elevation: 1150.31	Survey at: N/A	Date: Mar-20-99
Finished: Mar-10-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45.0 m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	24	Bx	White/grey to pink/grey brecciated intrusive. Matrix colour varies with K-spar alteration intensity. Biotite and magnetite-rich, rare visible cp and green Cu-oxides.		0	3	3	28256	0.137	0.047	0.16	4.60
					3	6	3	28257	0.262	0.149	0.30	7.66
					6	9	3	28258	0.145	0.097	0.17	7.71
					9	12	3	28259	0.192	0.160	0.25	9.41
24	36	Bx	Pink, Kspar-altered breccia, 20% white/grey intrusive. Same unit as above with big increase in Kspar alteration. Abundant visible cp and green Cu-oxides, magnetite, and calcite.		12	15	3	28260	0.248	0.191	0.41	6.93
					15	18	3	28261	0.278	0.111	0.26	4.08
					18	21	3	28262	0.129	0.027	0.15	4.03
					21	24	3	28263	0.171	0.022	0.17	3.87
					24	27	3	28264	0.225	0.023	0.31	3.61
36	42	Mz	White/grey to brown/grey porphyritic monzonite (PP), rare cp and green Cu-oxides, much less magnetite than above unit.		27	30	3	28265	0.198	0.010	0.43	3.40
					30	33	3	28266	0.342	0.159	0.28	5.62
					33	36	3	28267	0.287	0.196	0.31	8.03
42	45	AP	Dark green/black augite porphyry dyke. 30% of chips are monzonite, as above. Dyke at approx. 43-45m.		36	39	3	28268	0.124	0.070	0.22	7.35
					39	42	3	28269	0.123	0.061	0.10	7.61
					42	45	3	28270	0.132	0.056	0.10	7.19
			END OF HOLE = 45.0 m									
					0	18	18		0.210	0.126	0.258	6.73
					24	36	12		0.263	0.097	0.333	5.16

MOUNT POLLEY MINE

Hole No. 99R-2

Pit:	Cariboo	Northing:	3151.24
Hole No:	99R-2	Easting:	2410.98
Started	Mar-10-99	Elevation:	1155.03
Finished:	Mar-10-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Mar-31-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-3

Pit: Cariboo	Northing: 3100.18	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-3	Easting: 2300.11	True Azm. 0	Logged by: Greg Gillstrom
Started Mar-9-99	Elevation: 1144.95	Survey at: N/A	Date: Mar-24-99
Finished: Mar-9-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45.0 m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	6	Mz(PP)/Bx	Mix of pink breccia and grey monzonite; probably some road crush in first 3m sample. No cp or green Cu-oxides visible.	Low	0	3	3	18066	0.154	0.075	0.23	4.61
					3	6	3	18067	0.128	0.057	0.14	4.56
					6	9	3	18068	0.053	0.021	0.05	4.96
					9	12	3	18069	0.044	0.009	0.04	4.84
7	10	AP	Augite porphyry dyke; location estimated from % of chip in samples from 6- 12m.		12	15	3	18070	0.058	0.018	0.06	4.49
					15	18	3	18071	0.050	0.016	0.04	4.25
					18	21	3	18072	0.051	0.016	0.04	4.19
10	18	Mz (PP)	White/grey monzonite, 20% mafics in matrix, 15% of matrix is pink Kspar-altered; no visible cp or Cu-oxides.		21	24	3	18073	0.059	0.016	0.08	4.37
					24	27	3	18074	0.121	0.061	0.12	4.36
					27	30	3	18075	0.037	0.007	0.04	3.97
18	39	Mz(PP)/Bx	White/grey monzonite as above with 30-40% pink K-spar alteration; probably brecciated in sections, rare visible cp @ 24-27m, minor magnetite, no green Cu-oxides .		30	33	3	28251	0.048	0.008	0.09	3.86
					33	36	3	28252	0.029	0.005	0.04	3.74
					36	39	3	28253	0.065	0.011	0.08	4.01
					39	42	3	28254	0.153	0.031	0.22	3.83
					42	45	3	28255	0.067	0.022	0.12	3.85
39	45	Mz(PP)/Bx	White/grey monzonite as above with 50-60% pink K-spar alteration; probably brecciated in sections, rare visible cp, minor magnetite, no green Cu-oxides .									
			END OF HOLE = 45.0 m									

MOUNT POLLEY MINE

Hole No. 99R-4

Pit: Cariboo	Northing: 3099.87	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-4	Easting: 2349.86	True Azm. 0	Logged by: Greg Gillstrom
Started Mar-9-99	Elevation: 1148.92	Survey at: N/A	Date: Mar-99
Finished: Mar-9-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45.0 m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	3	Mlx/Bx	Mix of road crush, breccia, monzonite, from road building.		0	3	3	18051	0.150	0.093	0.21	4.49
					3	6	3	18052	0.187	0.132	0.34	3.42
3	15	Bx	Pink, Kspar-altered intrusion breccia, abundant magnetite throughout section. Visible cp and Cu-oxides on fracture surfaces, also calcite and minor clay noted.		6	9	3	18053	0.268	0.200	0.35	5.51
					9	12	3	18054	0.327	0.260	0.57	4.56
					12	15	3	18055	0.300	0.216	0.59	8.29
					15	18	3	18056	0.147	0.095	0.23	7.94
15	18	Mz/Bx	White medium-grained intrusive, abundant white clay on chips, minor magnetite, no cp or green Cu-oxides visible, also no K-spar alteration.		18	21	3	18057	0.213	0.169	0.54	7.18
					21	24	3	18058	0.342	0.261	1.21	5.82
					24	27	3	18059	0.228	0.127	0.34	6.10
					27	30	3	18060	0.132	0.069	0.18	4.12
18	20	AP	Augite porphyry dyke; dark green, fine-grained matrix; no Cu minerals of any kind.		30	33	3	18061	0.102	0.040	0.15	3.60
					33	36	3	18062	0.052	0.019	0.11	3.77
					36	39	3	18063	0.067	0.026	0.09	5.01
20	27	Bx	Pink, Kspar-altered intrusion breccia, abundant magnetite, visible cp, green Cu-oxides and blue/green chrysocolla noted, 40% dark fine grained chips may be some interbedded volcanics.		39	42	3	18064	0.119	0.049	0.17	5.02
					42	45	3	18065	0.067	0.026	0.15	4.08
27	45	Bx	Intense pink, Kspar-altered intrusion breccia, high magnetite content, no visible copper minerals.									
			END OF HOLE = 45.0 m									

MOUNT POLLEY MINE

Hole No. 99R-5

Pit: Carlboo	Northing: 3100.05	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-5	Easting: 2400.04	True Azm. 0	Logged by: Greg Gillstrom
Started Mar-2-99	Elevation: 1148.93	Survey at: N/A	Date: Mar-3-99
Finished: Mar-2-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 33.6m		Comments:

From To meters		Syb	Description	Recovery	From To meters		Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	3	Ovbn	Overburden, mud, road crush and other contaminants due to location on haul road. Low recovery.	low	0	3	3	18001	0.139	0.080	0.17	5.54
					3	6	3	18002	0.652	0.490	0.57	6.15
					6	9	3	18003	0.705	0.212	0.92	8.52
3	33.6	Bx	Pink and grey, medium grained, Kspar-rich breccia; abundant cp with green Cu-oxides. 30% of Cu-bearing chips to 6m are well-mineralized.		9	12	3	18004	0.672	0.088	0.42	10.42
					12	15	3	18005	0.376	0.061	0.33	7.87
					15	18	3	18006	0.401	0.077	0.44	8.72
					18	21	3	18007	0.220	0.047	0.19	8.27
			6-12m: More cp with less Cu-oxides.		21	24	3	18008	0.177	0.061	0.13	5.25
					24	27	3	18009	0.114	0.054	0.10	3.08
			12-15m: Less cp, much less Cu-oxides.		27	30	3	18010	0.219	0.115	0.23	3.35
					30	33	3	18011	0.157	0.099	0.14	3.36
			15-21m: Loss of most Cu-oxides and cp; magnetite still abundant.									
			21-27m: No visible cp and much less magnetite; big increase in pink K-spar alteration, much less mafics.									
			27-33.6m: Loss of intense pink K-spar alteration, weak magnetite, very rare cp, no Cu-oxides, 60% grey intrusive.									
			END OF HOLE = 33.6 m									

MOUNT POLLEY MINE

Hole No. 89R-6

Pit:	Cariboo	Northing:	3090.94
Hole No:	99R-6	Easting:	2448.33
Started	Mar-10-99	Elevation:	1149.13
Finished:	Mar-10-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-24-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-6A

Pit:	Carlboo	Northing:	3100.14	Correct Dip:	-90	Page:	1	of	1
Hole No:	99R-6A	Easting:	2450.25	True Azm.	0	Logged by:	Greg Gillstrom		
Started	Mar-10-99	Elevation:	1149.60	Survey at:	N/A	Date:	Mar-99		
Finished:	Mar-10-99	Core Size:	Hammer cuttings			Core stored at:	mine site(chip trays)		
Objective:	Test ore grade	Length:	12.0 m			Comments:	Hole stopped due to "no returns problem".		

From meters		Syb	Description	Recovery	From meters		Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	3	BX/Mlx	Mostly pink breccia, very oxidized, with abundant green Cu-oxides, cp and magnetite; probably contaminated with road crush; some massive cp noted.		0	3	3	28286	3.390	0.528	2.39	12.38
					3	6	3	28287	1.730	1.720	0.47	7.72
					6	9	3	28288	0.954	0.590	0.56	9.46
					9	12	3	28289	0.394	0.253	0.30	6.53
3	12	BX	Pink/grey to intense pink matrix, porphyritic in less-altered zones with white feldspar phenos. Rare cp, abundant green oxides and magnetite noted through zone.		12	15	3	28290	n/s			
			8-12m: Fewer Cu-oxides.									
			Hole stopped due to "no returns problem"									
			Restarted as 99R-6.									
			END OF HOLE = 12.0 m									

MOUNT POLLEY MINE

Hole No. 98R-7

Pit:	Cariboo	Northing:	3100.26
Hole No:	99R-7	Easting:	2500.13
Started	Mar-13-99	Elevation:	1149.57
Finished:	Mar-13-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	6.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-30-99		
Core stored at:	mine site(chip trays)		
Comments:	Hole stopped due to NO RETURNS		

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-7A

Pit:	Cariboo	Northing:	3104.14
Hole No:	99R-7A	Easting:	2482.97
Started	Mar-18-99	Elevation:	1149.06
Finished:	Mar-18-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-80
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-30-99		
Core stored at:	mine site(chip trays)		
Comments:	Restarted from R7		

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-8

Pit:	Cariboo	Northing:	3050.02
Hole No:	99R-8	Easting:	2289.00
Started	Mar-11-99	Elevation:	1150.17
Finished:	Mar-11-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Mar-31-99		
Core stored at:	mine site (chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-9

Pit:	Cariboo	Northing:	3057.76
Hole No:	99R-9	Eastling:	2401.13
Started	Mar-11-99	Elevation:	1146.62
Finished:	Mar-11-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

[illegible]

C:\GEOLOGY\MTPOLLEY\199R 10.XLS\Sheet1

MOUNT POLLEY MINE

Hole No. 99R-10A

Pit: Cariboo	Northing: 3053.17	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-10A	Easting: 2481.20	True Azm. 0	Logged by: Greg Gillstrom
Started Mar-17-99	Elevation: 1147.02	Survey at: N/A	Date: Mar-99
Finished: Mar-17-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45.0 m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	4	Mix/BX	Mix of monz and breccia, very low recovery from 0m-3m.		0	3	3	26981	0.127	0.065	0.09	3.90
					3	6	3	26982	0.142	0.093	0.20	5.77
4	5	AP	Mafic dyke, fine grained black matrix, position estimated.		6	9	3	26983	0.092	0.035	0.12	5.13
					9	12	3	26984	0.129	0.027	0.17	5.06
					12	15	3	26985	0.365	0.007	0.30	7.21
5	12	BX	Pink/white to white/grey intrusive breccia, minor K-spar alteration, minor visible cp/mag, no green Cu-oxides.		15	18	3	26986	2.046	0.026	0.94	15.53
					18	21	3	26987	1.725	0.025	0.89	14.16
					21	24	3	26988	0.438	0.009	0.31	8.18
					24	27	3	26989	0.278	0.005	0.20	6.75
					27	30	3	26990	0.098	0.003	0.09	7.67
12	30	BX	Pink/white to white/grey intrusive breccia, mod to minor K-spar alteration intensity, visible cp and massive magnetite through out section, very minor green Cu-oxides.		30	33	3	26991	0.149	0.007	0.10	5.83
					33	36	3	26992	0.181	0.003	0.12	4.56
					36	39	3	26993	0.178	0.003	0.10	4.60
					39	42	3	26994	sample missing			
					42	45	3	26995	0.170	0.024	0.11	4.56
30	45	Volc	Dark grey, fine grained volcanic, minor cp visible, abundant grey clay coating most chips. No Cu-oxides visible.									
			END OF HOLE = 45.0 m									

MOUNT POLLEY MINE

Hole No. 99R-11

Pit:	Carlboo	Northing:	3000.10
Hole No:	99R-11	Easting:	2450.28
Started	Mar-13-99	Elevation:	1148.09
Finished:	Mar-13-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-89		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 89R-12

Pit:	Cariboo	Northing:	3000.08
Hole No:	99R-12	Easting:	2499.40
Started	Mar-13-99	Elevation:	1146.37
Finished:	Mar-13-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-89		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-13

Pit:	Carlboo	Northing:	2945.91
Hole No:	99R-13	Easting:	2446.51
Started	Mar-15-99	Elevation:	1148.47
Finished:	Mar-15-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-99		
Core stored at:	mine site (chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-14

Pit:	Carlboo	Northing:	2949.32
Hole No:	99R-14	Easting:	2500.57
Started	Mar-16-99	Elevation:	1146.63
Finished:	Mar-16-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	G. Gillstrom/P. McAndless		
Date:	Mar-99		
Core stored at:	mine site(chlp trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-15

Pit:	Carlboo	Northing:	2954.10
Hole No:	99R-15	Easting:	2550.17
Started	Mar-16-99	Elevation:	1144.73
Finished:	Mar-16-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-89		
Core stored at:	mine site(chlp trays)		
Comments:			

[illegible]

[illegible]

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-99		
Core stored at:	mine site(chip tra		
Comments:			

MOUNT POLLEY MINE

Hole No. 99R-17

Pit:	Cariboo	Northing:	2940.32
Hole No:	99R-17	Easting:	2399.24
Started	Mar-15-99	Elevation:	1145.03 m
Finished:	Mar-15-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	38.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-89		
Core stored at:	mine site(chip trays)		
Comments:	Broke bit at 38m, unable to continue.		

[illegible]

MOUNT POLLEY MINE

Hole No. **99R-18**

Pit:	Cariboo	Northing:	2925.06
Hole No:	99R-18	Easting:	2350.13
Started	Mar-13-99	Elevation:	1142.17
Finished:	Mar-15-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-1-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-19

Pit: Cariboo
Hole No: 99R-19
Started Mar-19-99
Finished: Mar-19-99
Objective: Test ore grade

Northing: 2898.81
Easting: 2322.25
Elevation: 1136.62
Core Size: Hammer cuttings
Length: 45.0 m

Correct Dip: -90
True Azm. 0
Survey at: N/A

Page: 1 of 1
Logged by: Greg Gillstrom
Date: Mar-99
Core stored at: mine site(chip trays)
Comments:

From To meters		Syb	Description	Recovery	From To meters		Lgth. (m)	Tag. Number	Analysis				
					Cu-tot (%)	Cu-ns (%)			Au (g/t)	Fe-tot (%)			
0	3	Mix	Mix of various intrusives, most likely contaminated.		0	3	3	28066	0.079	0.044	0.16	4.58	
						3	6	3	28067	0.051	0.032	0.05	3.74
						6	9	3	28068	0.062	0.035	0.06	3.82
3	45	Mz (PP)	Grey/white porphyritic intrusive, with pink/brown alteration in about 50% of the chips, rare patches of intense pink K-spar alteration, no visible Cu minerals of any kind.		9	12	3	28069	0.061	0.028	0.10	4.69	
						12	15	3	28070	0.049	0.022	0.05	2.87
						15	18	3	28071	0.101	0.038	0.14	3.01
						18	21	3	28072	0.059	0.018	0.06	8.92
						21	24	3	28073	0.064	0.005	0.09	8.10
			(18m-24m) Massive magnetite through section, with abundant diss magnetite in intrusive matrix, No copper minerals visible of any kind.		24	27	3	28074	0.108	0.004	0.14	3.37	
						27	30	3	28075	0.063	0.002	0.08	3.15
						30	33	3	28076	0.067	0.006	0.08	3.40
						33	36	3	28077	0.062	0.002	0.07	5.98
						36	39	3	28078	0.081	0.004	0.10	3.86
			(42m-45m) decrease in alteration to 20-30% of matrix, still porphyritic but looks more the a Diorite than a Monzonite.		39	42	3	28079	0.092	0.010	0.12	3.50	
						42	45	3	28080	0.055	0.005	0.06	3.87
			END OF HOLE = 45m										

MOUNT POLLEY MINE

Hole No. 99R-20

Pit:	Cariboo	Northing:	2849.53
Hole No:	99R-20	Easting:	2324.71
Started	Mar-17-99	Elevation:	1138.35
Finished:	Mar-17-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless/ G. Gllstrom		
Date:	Apr-1-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-21

Pit:	Cariboo	Northing:	3472.29
Hole No:	99R-21	Easting:	2371.96
Started	Mar-12-99	Elevation:	1189.74
Finished:	Mar-12-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45m

Correct Dip:	-80
True Azm.	0
Survey at:	N/A

Page: 1 of 1
 Logged by: Greg Gillstrom
 Date: Mar-99
 Core stored at: mine site(chip trays)
 Comments:

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-22

Pit:	Carlboo	Northing:	3474.80
Hole No:	99R-22	Easting:	2415.83
Started	Mar-12-99	Elevation:	1181.58
Finished:	Mar-12-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-89		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-23

Pit:	Carlboo	Northing:	3440.95
Hole No:	99R-23	Easting:	2471.53
Started	Mar-12-99	Elevation:	1178.36
Finished:	Mar-13-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Grag Gillstrom		
Date:	Mar-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-24

Pit:	Cariboo	Northing:	3549.79
Hole No:	99R-24	Easting:	2009.53
Started	Mar-19-99	Elevation:	1169.43
Finished:	Mar-19-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	Greg Gillstrom		
Date:	Mar-30-99		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-25

Pit:	Cariboo	Northing:	3546.60
Hole No:	99R-25	Easting:	1979.14
Started	Mar-19-99	Elevation:	1174.62
Finished:	Mar-19-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page: 1 of 1
 Logged by: Greg Gillstrom
 Date: Mar-30-99
 Core stored at: mine site(chip trays)
 Comments:

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-26

Pit: Cariboo	Northing: 3493.98	Correct Dip: -90	Page: 1 of 1
Hole No: 99R-26	Easting: 2433.20	True Azm. 0	Logged by: Greg Gillstrom
Started Apr-2-99	Elevation: 1185.95	Survey at: N/A	Date: Apr-14-99
Finished: Apr-2-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	27	Dr	Grey to white/gray, med grained matrix, biotite/magnetite mafics, NO Cp noted, abundant magnetite noted, with blebs of magnetite noted from 12-27m,		0	3	3	26405	0.059	0.031	0.05	4.50
					3	6	3	26406	0.070	0.045	0.08	3.92
					6	9	3	26407	0.060	0.040	0.04	4.35
					9	12	3	26408	0.063	0.035	0.05	3.98
		AP	18m: Small maroon augite porphyry dyke		12	15	3	26409	0.062	0.030	0.06	4.08
					15	18	3	26410	0.055	0.023	0.04	4.03
		Fit	21-24m: Probable FAULT zone; abundant clay, very low recovery, wet.		18	21	3	26411	0.061	0.028	0.04	4.17
					21	24	3	26412	0.066	0.025	0.04	4.99
					24	27	3	26413	0.032	0.015	0.02	4.70
					27	30	3	26414	0.048	0.009	0.05	4.38
		AP	24-25m: Grey, augite porphyry dyke.		30	33	3	26415	0.057	0.015	0.06	4.63
					33	36	3	26416	0.062	0.014	0.08	4.08
					36	39	3	26417	0.078	0.013	0.09	4.14
		Fit	27-29m: Probable FAULT zone, abundant clay, contact zone.		39	42	3	26418	0.069	0.013	0.06	4.19
					42	45	3	26419	0.059	0.014	0.09	4.28
27	45	Mz	White/gray to pink/white, medium-grained monzonite, 30-40% pink Kspar- altered matrix, black magnetite/biotite mafics, NO visible Cp or green Cu-oxides. (May be brecciated hard to say with info available.)									
			END OF HOLE = 45.0 m									

Hole No. 99R-27

Pit:	Carlboo	Northing:	3399.60
Hole No:	99R-27	Easting:	2479.67
Started	Apr-2-99	Elevation:	1173.03
Finished:	Apr-2-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	33.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page: 1 of 1
 Logged by: Greg Gillstrom
 Date: Apr-14-99
 Core stored at: mine site(chip trays)
 Comments: Broke piston in hammer,
 unable to complete.

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-27A

Pit:	Cariboo	Northing:	3403.29
Hole No:	99R-27A	Easting:	2480.38
Started	Apr-8-99	Elevation:	1173.33
Finished:	Apr-8-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page: 1 of 1
 Logged by: Greg Gillstrom
 Date: Apr-14-99
 Core stored at: mine site(chip trays)
 Comments: Re-drill 99R-27

[illegible]

MOUNT POLLEY MINE

Hole No. 99R-28

Pit: Cariboo	Northing: 2849.82	Correct Dip: -80	Page: 1 of 1
Hole No: 99R-28	Easting: 2249.98	True Azm. 0	Logged by: P.McAndless
Started Apr-22-99	Elevation: 1140.25	Survey at: N/A	Date: Apr-28-99
Finished: Apr-22-99	Core Size: Hammer cuttings		Core stored at: mine site(chip trays)
Objective: Test ore grade	Length: 45.0 m		Comments:

From meters	To meters	Syb	Description	Recovery	From meters	To meters	Lgth. (m)	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0	18	BX	BRECCIA: Pink, K-spar altered, with variable alteration intensity, unaltered sections are monz to diorite intrusive. Abundant magnetite (1-5%), diss cp noted with Bx.		0	3	3	29568	0.176	0.114	0.22	4.32
					3	6	3	29569	0.119	0.080	0.16	4.26
					6	9	3	29570	0.107	0.063	0.11	4.49
					9	12	3	29571	0.089	0.071	0.07	5.50
					12	15	3	29572	0.148	0.122	0.23	4.62
18	24	MONZ	Equigranular monzo to diorite intrusive, with little or no Bx, minor mag, no cp noted.		15	18	3	29573	0.126	0.104	0.15	4.99
					18	21	3	29574	0.031	0.027	0.01	6.21
					21	24	3	29575	0.021	0.013	0.02	6.50
					24	27	3	29576	0.185	0.093	0.33	6.08
24	45	BX	BRECCIA: as 0-18m, 24-27m: Predominantly pink PP/Bx, minor cp noted.		27	30	3	29577	0.100	0.055	0.13	6.83
					30	33	3	29578	0.107	0.049	0.18	6.60
					33	36	3	29579	0.082	0.024	0.11	4.99
					36	39	3	29580	0.084	0.027	0.41	3.86
			27-30m: less Bx, more unaltered monz.		39	42	3	29581	0.034	0.018	0.08	5.30
					42	45	3	29582	0.025	0.016	0.01	5.50
			30-39m: Back into mostly pink Bx, diss cp noted.									
			39-45m: Dyke, green augite porphyry dyke (AP) noted through this section.									
			END OF HOLE = 45.0 m									

TABLE OF CONTENTS: 1.0 Introduction 2.0 Objectives 3.0 Methods 4.0 Results 5.0 Conclusions 6.0 Recommendations 7.0 References 8.0 Appendixes 9.0 Figures 10.0 Tables

MOUNT POLLEY MINE

Hole No. 98R-29

Pit:	Cariboo	Northling:	2800.48
Hole No:	99R-29	Easting:	2124.57
Started	Apr-22-99	Elevation:	1132.53
Finished:	Apr-22-99	Core Size:	Hammer cuttings
Objective:	Test ore grade	Length:	45.0 m

Correct Dip:	-90
True Azm.	0
Survey at:	N/A

Page:	1	of	1
Logged by:	P. McAndless		
Date:	Apr-28-89		
Core stored at:	mine site(chip trays)		
Comments:			

[illegible]

Appendix 4a
Diamond Drillhole Re-Logs – Bell Pit Area

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: S-82-238	Location: Bell	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

Depth	(m)	Rock Type	Code No.	Alteration(1-5)				Metals(%)		Comments
				k	act	mt	total	py	cp	
0.0	1.2	Casing								
1.2	8.1	PPp	137	2	0	1	3			
8.1	23.5	Dr	122	1	0	1	2			
23.5	41.1	PPp	137	2	0	1	3			
41.1	55.6	Monz	138	1	0	1	2			
55.6	56.5	Lamp	140	0	0	0	0			
56.5	59.1	Monz	138	1	0	1	2			
59.1	62.5	AP	139	0	0	0	0			
62.5	67.4	Lamp	140	0	0	0	0			
67.4	68.0	AP	139	0	0	0	0			
68.0	70.4	Monz	138	1	0	1	2			
70.6	71.5	AP	139	0	0	0	0			
71.6	79.6	Monz	138	1	0	2	3			
79.6	82.1	AP	139	0	0	0	0			Shear zone.
82.1	84.7	Lamp	140	0	0	0	0			
84.7	86.3	AP	139	0	0	0	0			
86.3	88.4	Bx	110	3	0	2	5			
88.4	91.1	AP	139	0	0	0	0			Andesite?
91.1	110.0	Bx	110	3	1	2	6			
110.0	111.6	AP	139	0	0	0	0			
111.6	135.8	Bx	110	3	1	2	6			
135.8	149.7	PPg	136	1	0	1	2			
149.7	167.0	Monz	138	1	0	1	2			Gradational contact, diorite?
EOH										

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
136	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: S-82-240	Location: Bell	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Voic/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: S-82-243	Location: Bell	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	161	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	3.35	AP	139					
3.35	7.41	Bx	110	2	1	2	5	
7.41	9.14	AP	139					
9.14	19.81	Bx	110	2	1	1	4	
19.81	24.38	MMonz	135	2			2	
24.38	27.43	Lamp	140					
27.43	38.10	Bx	110	3	2	2	7	
38.10	46.94	AP	139					
46.94	48.46	Bx	110	3	2	2	7	
48.46	48.77	AP	139					
48.77	74.68	Bx	110	2	2	2	6	
74.68	79.25	AP	139					
79.25	91.44	PPp	137					
91.44	121.92	Bx	110	3	2	3	8	

MP-66

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
0	2.44	Casing						
2.44	42.12	Bx	110	4	2	2	8	
42.12	45.11	AP	139				0	
45.11	121.92	Bx	110	3	2	2	7	

MP-67

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	7.62	Bx	110	3	2	3	8	
7.62	11.89	Volc	151				0	
11.89	14.02	Bx	110	2	1	2	5	
14.02	42.67	Dr	122	1			1	
42.67	121.92	Dr	122				0	

MP-68

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	121.92	Dr	122	1			1	

MP-69

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	31.39	Bx	110	3	2	2	7	
31.39	44.81	PPg	136	1			1	
44.81	45.42	Bx	110	3	2	2	7	
45.42	62.48	PPg	136				0	
62.48	121.92	Bx	110	3	2	3	8	

MP-97

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	6.10	Casing						
6.10	13.72	Bx	110	2	1	2	5	
13.72	20.73	Bx	110	3	1	3	7	
20.73	62.48	Bx	110	3	2	3	8	
62.48	100.58	Bx	110	3	2	3	8	
100.58	106.68	PPg	136	1			1	
106.68	121.92	Bx	110	3	2	3	8	
121.92	126.19	Lamp	140				0	
126.19	170.69	Bx	110	3	2	3	8	
170.69	175.26	PPg	136	1			1	
175.26	182.88	Bx	110	3	1	3	7	

MP-130

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	PPg	136				0	
30.48	30.48	PPg	136				0	
30.48	47.55	PPp	137	1			1	
47.55	57.61	AP	139				0	
57.61	144.17	Bx	110	3	2	3	8	

MP-131

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	34.75	Bx	110	3	2	3	8	
34.75	36.58	MMonz	135	3			3	
36.58	43.28	Bx	110	2	1	1	4	
43.28	50.29	Fault	198				0	
50.29	55.47	Bx	110	2	1	2	5	
55.47	89.92	Dr	122	1			1	
89.92	90.83	AP	139				0	
90.83	91.44	Lamp	140				0	

MP-132

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	1.83	Casing					0	
1.83	27.28	Dr	122	1			1	
27.28	35.05	MMonz	135	3			3	
35.05	121.92	Dr	122				0	

MP-133

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	153.92	Dr	122					

MP-135

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	7.01	Bx	110	3	2	2	7	
7.01	12.80	AP	139				0	
12.80	73.76	Bx	110	3	2	2	7	
73.76	76.81	AP	139				0	
76.81	83.82	Bx	110	4	2	3	9	
83.82	84.43	Lamp	140				0	
84.43	94.79	Bx	110	3	2	2	7	
94.79	95.40	Lamp	140	0	0		0	
95.40	132.28	Bx	110	3	2	2	7	
132.28	147.83	PPg	136	0	0		0	
147.83	213.36	Bx	110	4	2	2	8	

MP-136

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	2.13	Casing						
2.13	42.06	Bx	110	3	1	2	6	
42.06	54.86	Volc	151	1	1	1	3	5
54.86	60.81	Bx	110	4	2	3	9	
60.81	65.53	Lamp	140				0	
65.53	72.23	Bx	110	3	3	3	9	
72.23	74.98	AP	139				0	
74.98	88.39	Volc	151	5	2	3	10	
88.39	106.38	Bx	110	3	2	2	7	
106.38	114.91	PPg	136				0	3
114.91	182.88	Bx	110	3	3	2	8	

MP-137

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	6.10	Bx	110	2	2	2	6	
6.10	16.76	AP	139					
16.76	23.77	Bx	110	2	2	1	5	
23.77	31.39	Bx	110	2	2	2	6	
31.39	37.49	Dr	122	1			1	
37.49	39.62	AP	139					
39.62	77.11	Bx	110	4	3	3	10	
77.11	92.05	AP	139					
92.05	114.00	Bx	110	4	3	3	10	
114.00	114.60	PPg	136					
114.60	117.96	Bx	110	3	2	3	8	
117.96	125.58	PPg	136	2	1	1	4	
125.58	199.95	Bx	110	3	2	3	8	
199.95	210.31	PPg	136					

MP-138

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	2.74	Casing						
2.74	12.19	Bx	110	3	2	2	7	
12.19	15.24	Volc	151					
15.24	21.34	Bx	110	3	2	2	7	
21.34	32.92	Bx	110	3	2	3	8	
32.92	33.53	PPp	137	5			5	
33.53	36.58	MMonz	135	3			3	
36.58	45.11	Bx	110	2	2	2	6	
45.11	50.29	Dr	122	1			1	
50.29	85.65	Bx	110	3	2	2	7	
85.65	91.74	AP	139					
91.74	106.68	Dr	122	1			1	
106.68	108.20	AP	139					
108.20	144.48	Bx	110	3	2	2	7	
144.48	153.01	Volc	151	1			1	
153.01	156.97	Lamp	140					
156.97	158.50	Volc	151					
158.50	163.07	AP	139					
163.07	166.12	Volc	151					
166.12	183.79	Bx	110	3	2	3	8	
183.79	185.32	AP	139					
185.32	208.18	Bx	110	3	2	3	8	
208.18	213.36	Volc	151					

MP-139

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	10.67	Casing						
10.67	91.59	Bx	110	4	3	4	11	
91.59	103.63	PPg	136					
103.63	121.92	Bx	110	4	3	4	11	

MP-189

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	5.79	Bx	110	3	1	2	6	
5.79	7.32	AP	139					
7.32	9.75	Bx	110	3	1	2	6	
9.75	29.26	Volc	151	2			2	
29.26	49.38	Bx	110	4	4	4	12	
49.38	50.90	Volc	151					
50.90	56.39	Bx	110	3	2	2	7	
56.39	66.14	PPp	137					
66.14	158.50	Bx	110	5	5	5	15	
158.50	182.88	MMonz	135	2			2	

MP-190

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	16.15	Bx	110	3	2	2	7	
16.15	26.21	AP	139					
26.21	41.45	PPg	136	2			2	
41.45	89.31	Bx	110	4	2	3	9	
89.31	91.14	AP	139					
91.14	163.07	Bx	110	3	2	3	8	
163.07	179.83	PPg	136					

MP-191

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	6.10	Casing						
6.10	14.02	PPg	136	0	0	0	0	2
14.02	39.78	Bx	110	4	3	3	10	1
39.78	42.37	AP	139	0	0	0	0	0
42.37	68.58	Bx	110	4	3	3	10	1
68.58	81.99	PPg	136	0	0	0	0	2
81.99	182.88	Bx	110	4	2	3	9	1

MP-192

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	4.57	Casing						
4.57	24.54	Dr	122	1			1	
24.54	42.37	Bx	110	2	1	1	4	
42.37	53.64	Bx	110	2	3	2	7	
53.64	57.91	AP	139	1			1	
57.91	60.96	Bx	110	1	1	1	3	
60.96	67.06	AP	139					
67.06	76.20	Bx	110	3	2	2	7	
76.20	83.82	Bx	110	3	2	2	7	
83.82	112.47	Bx	110	4	2	3	9	
112.47	114.00	AP	139					
114.00	117.35	Bx	110	3	3	3	9	
117.35	118.87	Volc	151					
118.87	123.44	Bx	110	3	2	2	7	
123.44	125.88	Lamp	140					
125.88	176.78	Bx	110	4	2	3	9	

MP-193

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	12.80	Dr	122	1			1	
12.80	19.81	Bx	110	2			2	
19.81	28.96	Volc	151				0	
28.96	50.60	Bx	110	3	1	1	5	
50.60	53.34	AP	139				0	
53.34	76.50	Bx	110	3	2	2	7	
76.50	79.55	Volc	151				0	
79.55	87.48	Bx	110	3	2	2	7	
87.48	92.35	Dr	122				0	
92.35	99.67	Bx	110	2	1	1	4	
99.67	106.38	Volc	151				0	
106.38	124.97	Bx	110	3	2	2	7	
124.97	131.06	Volc	151				0	
131.06	173.74	Dr	122				0	
173.74	179.83	Volc	151				0	

MP-194

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	1.52	Casing						
1.52	15.24	Bx	110	3	2	2	7	
15.24	24.38	Bx	110	1			1	
24.38	26.58	Bx	110	2	1	1	4	
26.58	42.67	Bx	110	1			1	
42.67	45.72	Bx	110	2	1	1	4	
45.72	55.16	AP	139				0	
55.16	58.83	Lamp	140				0	
58.83	68.58	MMonz	135				0	
68.58	79.86	Bx	110	1			1	
79.25	87.78	AP	139				0	
87.78	95.71	Lamp	140				0	
95.71	109.73	Volc	151	2			2	
109.73	123.75	Bx	110	3	2	2	7	
123.75	127.10	AP	139				0	
127.10	152.40	Bx	110	3	3	3	9	

MP-195

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	10.67	Casing						
10.67	39.62	Bx	110	3	3	3	9	
39.62	45.11	PPp	136	2	2	2	6	
45.11	86.26	Bx	110	5	5	4	14	
86.26	114.30	PPg	137	0	0	0	0	
114.30	143.26	Bx	110	4	3	4	11	
143.26	152.40	Volc	151	1	1	1	3	

MP-223

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	3.05	Casing						
3.05	91.14	Dr	122	1			1	
91.14	95.71	AP	139				0	
95.71	121.92	Dr	122				0	

MP-224

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	6.10	Casing						
6.10	58.83	Bx	110	5	4	4	13	
58.83	71.63	PPp	137				0	
71.63	96.62	Bx	110	5	4	4	13	
96.62	144.78	PPg	136		3		3	
144.78	152.40	Bx	110	2	2	2	6	

MP-237

From (m)	To (m)	Rock	Code	K	mt	act	Total	py
-	4.57	Casing						
4.57	10.67	Bx	110	2	2	2	6	
10.67	11.28	PPp	137	2	1	1	4	
11.28	61.26	Bx	110	2	2	2	6	
61.26	92.96	PPg	136	0	0	0	0	
92.96	117.96	Bx	110	5	4	5	14	
117.96	124.36	AP	139	0	0	0	0	
124.36	142.65	Bx	110	4	3	4	11	
142.65	152.40	PPg	136	0	0	0	0	

MP-238

From (m)	To (m)	Rock	Code	K	mt	act	total	py
-	4.57	Casing						
4.57	39.01	MMonz	135	2			2	
39.01	40.84	Bx	110	2	1	1	4	
40.84	42.06	AP	139				0	
42.06	59.74	Bx	110	2	1	2	5	
59.74	63.25	AP	139				0	
63.25	65.23	Bx	110	2	1	2	5	
65.23	122.13	MMonz	135	5			5	
122.13	131.83	Bx	110	2	1	2	5	
131.83	138.68	MMonz	135	5			5	

96-7

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99-B-4	Location: Bell	Northing: 4099.07
Date: Dec.9, 1999	Logger: P.McAndless	Easting: 2149.07

Depth from	(m) to	Rock Type	Code No.	Alteration(1-5)				Metals(%)		Comments
				k	act	mt	total	py	cp	
0	4.3	Casing								
4.3	41.8	Bx	110	4	4	3	11	2	0.5-1	
41.8	55.4	PPg	136	2	2	2	6	1-2	<0.5	
55.4	60.3	Bx	110	3	2	2	7	2	<0.5	
60.3	62.1	Volc	151	0	0	0	0	1		
62.1	65.5	Bx/PPp	110	3	0	3	6	2		
65.5	75.4	PPp	137	3	1	2	6	1-2	<0.5	
75.4	76.5	Bx	110	3	2	3	8	2	<0.5	
76.5	83.4	PPg	136	2	0	1	3	2		
83.4	96.8	Bx	110	4	2	2	8	2-3	<0.5	
96.8	100.8	PPg	136	1	0	2	3	1		
100.8	128.1	Bx	110	4	2	2	8	2-3	<0.5	
128.1	153.1	PPg	136	0	0	1	1	1-2		
153.1	166.1	PPp	137	2	0	2	4	2		
166.1	171.0	AP	139	0	0	0	0	<<1		
171.0	177.2	PPp	137	2	0	2	4			
177.2	190.5	Bx	110	3	1	3	7	2-3	0.5	
190.5	191.2	AP	139	0	0	0	0			
191.2	195.3	Bx	110	3	2	3	8	2-3	0.5	
195.3	202.6	VBx	151	2	0	1	3	1	<0.5	
202.6	221.3	Bx	110	4	1	2	7	2	1	
221.3	233.0	PPp	137	3	0	2	5	1-2	<0.5	
233.0	276.7	Bx	110	4	2	2	8	2	0.5-1	
276.7	287.7	PPg	136	2	0	2	4	1	<0.5	
287.7	297.8	Bx	110	2	1	1	4	1		
297.8	310.0	Monz	138	0	0	2	2	<<1		
EOH										

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99-B-5	Location: Bell	Northing: 4140.48
Date: Dec.9, 1999	Logger: P.McAndless	Easting: 2208.65

Depth from	(m) to	Rock Type	Code No.	Alteration(1-5)				Metals(%)		Comments
				k	act	mt	total	py	cp	
0	3.1	Casing								
3.1	35.7	PPg	136	2	2	1	5	2		
35.7	50.5	Bx	110	4	1	2	7	2-3	<0.5	
50.5	60.9	PPp	137	2	1	1	4	2		
60.9	63.1	Bx	110	3	0	2	5	1		
63.1	70.1	PPp	137	2	0	1	3	2		
70.1	72.4	Bx	110	3	1	2	6	1-2		
72.4	73.8	PPp	137	2	0	1	3	2		
73.8	78.9	Bx	110	3	1	2	6	3		
78.9	84.6	PPg	136	2	0	0	2	1		
84.6	92.5	Bx	110	3	1	2	6	2-3		
92.5	98.1	Volc	151	0	0	1	1	2		
98.1	104.5	Bx	110	3	0	1	4	1	0.5	
104.5	106.1	PPg	136	2	0	0	2	<1		
106.1	107.8	Bx	110	3	2	2	7	2-3	0.5	
107.8	110.0	PPg	136	2	0	0	2	1-2		
110.0	114.2	Bx	110	3	2	2	7	3		
114.2	115.3	PPg	136	1	0	0	1	2		
115.3	120.9	Bx	110	3	0	0	3	3		
120.9	122.6	Volc	151	0	0	1	1	3		
122.6	128.1	Bx	110	3	0	1	4	3		
128.1	178.5	PPg	136	1	0	0	1	2		
178.5	187.3	PPp	137	2	0	1	3	2		
187.3	190.0	Bx	110	2	0	0	2	3		
190.0	191.1	Fault	198	0	0	0	0			
191.1	226.7	VBx	151	2	0	0	2	2		
226.7	246.0	PPg	136	2	0	1	3	3	tr	
EOH										

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
136	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99-B-7	Location: Bell	Northing: 4200.08
Date: Dec.9, 1999	Logger: P.McAndless	Easting: 2146.79

Depth from	(m) to	Rock Type	Code No.	Alteration(1-5)				Metals(%)		Comments
				k	act	mt	total	py	cp	
0	7.3	Casing								
7.3	12.2	Bx/PPp	110	2	1	2	5	1-2		
12.2	12.3	Fault	198	0	0	0	0			
12.3	21.3	Bx	110	4	2	2	8	2-3	<0.5	
21.3	41.3	Bx	110	3	1	2	6	2-3	tr	
41.3	46.4	Bx	110	4	2	2	8	2-3	<0.5	
46.4	60.0	PPp/Bx	137	2	0	0	2	2		
60.0	87.5	Bx	110	4	1	1	6	2-3	<0.5	
87.5	133.2	PPg	136	1	0	0	1	1-2		
133.2	160.1	Bx	110	4	1	2	7	2-3	<0.5	
160.1	170.7	PPp	137	4	0	1	5	1		
170.7	176.5	AP	139	0	0	0	0			
176.5	181.7	PPp	137	2	0	2	4	1-2	tr	
181.7	192.8	Volc	151	3	0	1	4	1-2	tr	
192.8	217.5	VBx	151	3	0	1	4	3-4		
217.5	218.5	AP	139	0	0	0	0	5		
218.5	223.3	Bx/VBx	110	3	2	1	6	2		
223.3	229.7	PPp	137	3	0	1	4	<1		
229.7	232.7	Bx	110	3	2	1	6	1-2		
232.7	235.2	PPp	137	2	0	0	2	<1		
235.2	236.2	Bx	110	3	1	1	5	<1		
236.2	236.7	Fault/AP	198	0	0	0	0			
236.7	239.8	Bx	110	3	1	1	5	<1		
239.8	241.2	AP	139	0	0	0	0			
241.2	251.4	Bx/PPp	110	3	0	1	4	<1		
251.4	258.2	And	141	0	0	0	0			
EOH										

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Page No: 1

Hole: 99-B-8	Location: Bell	Northing: 4250.65
Date: Dec.9, 1999	Logger: P.McAndless	Easting: 2107.08

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	196	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Appendix 4b
Diamond Drillhole Re-Logs – South Cariboo Area

Core/Chip Re-Logging Program

Hole: MP-88-77	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	161	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: MP-89-207	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: MP-89-211	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	156	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Page No: 1

Hole: MP-89-215	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Hole: 95-13	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 95-14	Location: S. Caribou	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	161	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Hole: 95-15	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Hole: 97-12	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

110	Bx	136	PPg	139	AP	161	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
136	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Hole: 97-13	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

110	Bx	136	PPg	139	AP	161	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Core/Chip Re-Logging Program

Page No: 1

Hole: 97-15	Location: S. Cariboo	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99R-19	Location: S.Caribou	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	130	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
136	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99R-28	Location: S.Caribou	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Mount Polley Mining Corporation

Core/Chip Re-Logging Program

Page No: 1

Hole: 99R-29	Location: S.Caribou	Northing:
Date: Dec.9, 1999	Logger: P.McAndless	Easting:

[illegible]

110	Bx	136	PPg	139	AP	151	Volc/VBx	
122	Dr	137	PPp	140	Lamp	198	Fault	
135	Mmonz	138	Monz	141	And Dyke			

Appendix 5a
Diamond Drillhole Logs – Bell Pit Area

MOUNT POLLEY MINE										Hole No. 998-1				
Pit: Bell		Northing: 3890.75 N				Correct Dip: -85		Page: 1 of 6						
Hole No: 998-1		Easting: 2281.95 E				True Azm. 270		Logged by: Chris Wild						
Started 9/6/99		Elevation: 1190.33 m				Survey at: 130.2 -62		Date: 9/14/99						
Finished: 9/10/99		Core Size: NQ2				316.1 -81		Core stored at: mine site						
		Length: 323.70 m						Comments: East side Bell, to depth						
From To meters		Syb	Description	Altn	Mini	Recovery	From To meters		Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	7.3	CASING												
7.3	24.8	BX	Pink to pink-green, spotted.	K3, a0	2% py		7.3	9.8	2.5	30754	0.067	0.004	0.05	5.74
			Most of section is very strongly fractured with numerous sand & clay gouge zones	mt2			9.8	12.3	2.5	30755	0.039	0.004	0.03	6.96
				chl			12.3	14.8	2.5	30756	0.016	0.001	0.04	4.77
			Abundant cal vnits, sericite.	cal			14.8	17.3	2.5	30757	0.029	0.001	0.04	4.03
			18.9-19.5 FAULT; gouge.				17.3	19.8	2.5	30758	0.015	0.001	0.02	4.61
			22.9-24.3 FAULT; highly fractured with gouge.				19.8	22.3	2.5	30759	0.011	0.001	0.01	5.31
			24.6-24.8 FAULT; gouge.				22.3	24.8	2.6	30760	0.034	0.002	0.06	4.36
24.8	28.2	AP	Green, competent augite porphyry.	chl			24.8	28.2	3.4	30761	0.016	0.003	0.01	5.19
			Fault contact on top; sharp, unsheared lower contact @ 60 to c.a.	min epi										
28.2	114.7	BX	As before, generally competent.	K3, a0	1% py		28.2	30.2	2.0	30762	0.028	0.002	0.02	5.05
			Pink with 5mm white "spots", not obvious bx texture.	mt2	tr cp		30.2	32.2	2.0	30763	0.038	0.002	0.05	4.09
			Much less calcite, still common.	chl1-2			32.2	34.2	2.0	30764	0.022	0.001	0.03	4.62
			Sx are diss & in fine stringers.	epi1			34.2	36.2	2.0	30765	0.020	0.001	0.03	4.92
			29.3 FAULT; 5cm clay gouge @ 55 to c.a.				36.2	38.2	2.0	30766	0.017	0.001	0.03	4.89
			29.8 FAULT; 2cm cal-clay vnlt @ 45 to c.a.				38.2	40.2	2.0	30767	0.025	0.001	0.03	5.54
			Occasional mt vnits to 1cm.				40.2	42.2	2.0	30768	0.014	0.001	0.02	5.58
			34.1 FAULT; 5cm clay gouge @ 60 to c.a.				42.2	44.2	2.0	30769	0.038	0.008	0.07	4.81
			38.1 FAULT; 5cm clay gouge @ 60 to c.a.				Duplicate			30770	0.033	0.008	0.05	4.47
			37.8-38.1 Series of 3 narrow clay slips.				44.2	46.2	2.0	30771	0.053	0.010	0.09	4.63
			39.0-39.3 FAULT; broken , gougy with 3cm cal vnlt.				46.2	48.2	2.0	30772	0.045	0.012	0.08	4.12
			Increasing patchy mt.	mt3			48.2	50.2	2.0	30773	0.048	0.001	0.10	4.70
			42.8 Cal-ser vnlt (sheared) @ 45 to c.a.				50.2	52.2	2.0	30774	0.070	0.002	0.12	5.38
			44.1-44.2 Banded cal vnlt (5cm) @ 55 to c.a.				52.2	54.2	2.0	30775	0.074	0.004	0.09	5.27
			45.5-45.8 Banded cal vnlt (8cm) @ 55 to c.a.				54.2	56.2	2.0	30776	0.060	0.009	0.09	4.12
			46.7-48.7 Bx grades to mottled dark green, pinker.	K3, mt3	<1% py		56.2	58.2	2.0	30777	0.034	0.007	0.06	4.60
			49.1 Greenish clay (ser) shear.	a0			58.2	60.2	2.0	30778	0.022	0.001	0.06	4.21
			64.1 Sand-clay (ser) shear (4cm) @ 50 to c.a.				60.2	62.2	2.0	30779	0.079	0.009	0.08	4.75
			65.1 Clay (ser) slip with minor FLT BX; greenish.	K2, mt2	<1% py		62.2	64.2	2.0	30780	0.037	0.001	0.06	4.45
				a0										
C:\GEOLOGY\MTPOLLEY\99_8_1_Log.xls\Title Page														

MOUNT POLLEY MINE

Hole No. 99-B-1

Page: 3 of 6

From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			124.0 Patchy, scattered mt, darker greenish (act?).	K3-4	2% py		129.8	131.8	2.0	30816	0.178	0.006	0.13	10.80
				mt3, a1	tr cp		131.8	133.8	2.0	30817	0.212	0.009	0.15	8.54
			129.1-132.8 Coarse mt vnits, blebs cut by py & cal vnits.	K3, a1	2% py		133.8	135.8	2.0	30818	0.164	0.006	0.15	7.86
				mt 4-5	0.5% cp		135.8	137.8	2.0	30819	0.111	0.006	0.13	7.22
			132.8-139.3 Mottled bx, local KF megacrysts.	K3, a1	2% py		137.8	139.3	1.5	30820	0.180	0.006	0.12	5.27
				mt3, a1	0.5% cp									
139.3	141.9	AND	Pale green-grey, f-gr, featureless dyke; competent.				139.3	141.9	2.6	30821	0.013	0.001	0.02	4.68
			Weakly sheared upper contact @ 60 to c.a.											
			More sheared on lower contact @ 50 to c.a.				141.9	143.9	2.0	30822	0.286	0.009	0.19	7.60
							143.9	145.9	2.0	30823	0.215	0.005	0.10	6.17
141.9	149.0	BX	Mainly mottled bx, as before.	K3, a1	2% py		145.9	147.5	1.6	30824	0.161	0.004	0.07	6.55
				mt2	tr cp		147.5	149.0	1.5	30825	0.190	0.005	0.10	8.22
149.0	150.2	PPg	Slightly pinkish-brown to grey, brittle & fractured.	K1			149.0	150.2	1.2	30826	0.022	0.001	0.02	3.39
			Small plag & occ KF phenos.											
			Sharp, unsheared contacts, irregular.											
150.2	150.9	BX	As above, (141.9-149.0).	K3, a1	2% py		150.2	150.9	0.7	30827	0.097	0.001	0.05	6.04
				mt2	tr cp									
150.9	180.8	PPg	As above, (149.0-150.2).	K1			150.9	153.4	2.5	30828	0.018	0.001	0.01	3.51
			Hem common on fractures.				153.4	155.9	2.5	30829	0.009	0.001	0.01	3.57
			Pinks up @ 160m for 1 to 2 metres.				Duplicate			30830	0.011	0.001	0.01	3.39
			164.6 Inclusion of MZ-BX.				155.9	158.4	2.5	30831	0.010	0.001	0.01	3.31
			167.9-169.5 Pinker section.				158.4	160.9	2.5	30832	0.018	0.002	0.01	3.18
							160.9	163.4	2.5	30833	0.016	0.003	0.01	3.47
							163.4	165.9	2.5	30834	0.009	0.001	0.01	3.17
							165.9	168.4	2.5	30835	0.013	0.001	0.01	3.24
							168.4	170.9	2.5	30836	0.014	0.002	0.01	4.49
							170.9	173.4	2.5	30837	0.015	0.001	-	3.33
							173.4	175.9	2.5	30838	0.016	0.002	0.01	3.05
							175.9	178.4	2.5	30839	0.026	0.001	0.03	2.68
							178.4	180.8	2.4	30840	0.022	0.001	0.02	2.58
180.8	182.1	BX	Pink, weakly mottled PP/BX.	K3, a1	2% py		180.8	182.3	1.5	30841	0.142	0.008	0.13	4.07
			Moderate KF-flooding, min blebs of mt, occ mt vnits, eg @ 186.0m.	mt2	tr cp		182.3	183.8	1.5	30842	0.149	0.015	0.10	6.01

MOUNT POLLEY MINE

Hole No. 99-B-1

Page: 2 of 6

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			55.6-55.9 FAULT; clay-ser-chl, sheared to 57.0m				64.2	66.2	2.0	30781	0.071	0.004	0.08	4.96
			orange-green, wk KF, more propylitic.				66.2	68.2	2.0	30782	0.041	0.004	0.06	5.44
			58.4 FAULT; clay-ser-cal, 4 cm wide @ 40 to c.a.				68.2	70.2	2.0	30783	0.058	0.004	0.06	5.52
			Numerous chloritic slips and shears				70.2	72.2	2.0	30784	0.047	0.003	0.06	4.59
			Weak bx, locally spotted grey & orange-green.				72.2	74.2	2.0	30785	0.106	0.004	0.11	4.43
			69.4-70.4 Incr py vnits assoc with local orange KF.				74.2	76.2	2.0	30786	0.147	0.006	0.13	3.86
			74.0 FAULT; sandy gouge zone.				76.2	78.2	2.0	30787	0.084	0.003	0.13	4.10
			74.6-76.3 Bright orange-pink, mottled.				78.2	80.2	2.0	30788	0.086	0.004	0.13	4.13
			81.8-81.8 FAULT; clay + cal vnit @ 70 to c.a.				80.2	82.2	2.0	30789	0.366	0.015	0.32	3.49
			82.4-86.2 Mottled orange and grey to dark green bx.	K3, mt1	<1% py		Duplicate			30790	0.417	0.018	0.37	3.29
			Strong chl-ser, local py vnits.	a0			82.2	84.2	2.0	30791	0.072	0.006	0.08	2.63
			90.5-90.7 FAULT; chl-ser-cal @ 60 to c.a.				84.2	86.2	2.0	30792	0.086	0.006	0.07	3.81
			92.9-93.0 Grades to dark green chl shear zone.				86.2	88.2	2.0	30793	0.096	0.010	0.07	2.18
			96.2-98.4 Pale orange & green mottled, grading to...				88.2	90.2	2.0	30794	0.161	0.009	0.10	2.90
			98.4-99.7 VOLC; mottled green to bx; looks washed by weak KF altn.				90.2	92.2	2.0	30795	0.100	0.019	0.06	2.80
							92.2	94.2	2.0	30796	0.093	0.011	0.06	2.95
			99.7-103.1 Mottled orange-greenish as before.	K3, a0	<1% py		94.2	96.2	2.0	30797	0.099	0.019	0.10	4.67
			103.1-104.3 KF crystal bx, bright orange.	mt1	tr cp		96.2	98.2	2.0	30798	0.069	0.022	0.08	3.04
			104.3-114.7 Spotted to porphyritic bx (pp).				98.2	100.2	2.0	30799	0.126	0.009	0.11	4.77
			110.6 Py-mt-cp vnit (1cm) @ 60 to c.a.				100.2	102.2	2.0	30800	0.240	0.019	0.24	2.80
							102.2	104.2	2.0	30801	0.140	0.007	0.10	3.78
							104.2	106.2	2.0	30802	0.086	0.004	0.07	4.69
							106.2	108.2	2.0	30803	0.111	0.006	0.08	4.81
							108.2	110.3	2.1	30804	0.177	0.009	0.12	5.11
114.7	117.2	AP	Med-green, chl-epi after augite & poss olivine phenos. F-gr groundmass is slightly pink.				110.3	112.6	2.2	30805	0.273	0.015	0.25	6.09
			Weak to med magnetic; numerous cal vnits.				112.6	114.7	2.2	30806	0.102	0.005	0.10	4.62
			Both contacts sharp, irregular @ 60 to c.a.				114.7	117.2	2.5	30807	0.017	0.002	0.02	5.83
117.2	139.3	BX	Pink, pyritic, washed out mottled appearance.	K3, mt1	3% py		117.2	118.7	1.5	30808	0.329	0.024	0.23	4.89
			117.5 Py stringers & py-cp vnit.	a2	0.5% cp		118.7	121.1	2.4	30809	0.227	0.042	0.22	4.66
			118.7-121.1 VBx; much darker green with faint pinkish clasts. Chl-py, weak to absent mt.				Duplicate			30810	0.228	0.046	0.19	3.79
							121.1	122.3	1.2	30811	0.158	0.024	0.23	5.36
			119.9-120.7 Cal vn + vn bx with several chl partings @ 35 to c.a.				122.3	123.8	1.5	30812	0.184	0.006	0.22	12.20
							123.8	125.8	2.0	30813	0.147	0.023	0.11	5.00
			122.3-123.8 VBx; grades back into dark green & pink, as above. Mt-cal vnits at lower contact.				125.8	127.8	2.0	30814	0.194	0.016	0.13	5.98
							127.8	129.8	2.0	30815	0.193	0.010	0.15	11.40

MOUNT POLLEY MINE

Hole No. 99-B-1

Page: 4 of 6

From meters	To meters	Rock	Description	Alt'n	Min'l	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ins (%)	Au (g/t)	Fe-tot (%)
			Diss & stringer py & cp.				183.8	185.3	1.5	30843	0.115	0.006	0.09	5.04
			191.9 Cal vn (6cm) @ 65 to c.a.				185.3	186.8	1.5	30844	0.288	0.014	0.24	4.98
							186.8	188.3	1.5	30845	0.132	0.006	0.11	4.56
192.1	203.7	PPg	Coarse plag por (cf 150.8-180.8m).	K1	1% py		188.3	189.8	1.5	30846	0.137	0.003	0.10	5.30
			Virtually unaltered, faintly pink in places.				189.8	191.3	1.5	30847	0.141	0.002	0.10	5.04
			Hem common on fractures, weakly magnetic.				191.3	192.1	0.8	30848	0.168	0.002	0.14	3.88
			Occasional KF-altered fractures with pyrite.											
			200.3-201.3 Slightly pink, bleached-looking.				192.1	194.6	2.5	30849	0.012	0.001	0.01	3.26
			203.3-203.7 KF-altered fracture with blebs of mt, py, cp.				Duplicate			30850	0.014	0.001	0.01	3.50
			Lower contact is very sharp, average 50-60 to c.a.				194.6	197.1	2.5	30851	0.007	0.001	0.01	3.32
			No chill margin evident, some sx have remobilized across contact into PPg.				197.1	199.6	2.5	30852	0.008	0.001	0.01	3.04
							199.6	202.1	2.5	30853	0.007	0.001	0.01	3.58
							202.1	203.7	1.6	30854	0.041	0.002	0.01	3.55
203.7	238.9	BX	As before, less mottled and more intense KF alt'n.	K3-4	2% py		203.7	205.2	1.5	30855	0.138	0.003	0.12	4.37
			Numerous volc clasts.	mt3, a1	0.5% cp		205.2	206.7	1.5	30856	0.163	0.004	0.14	3.38
			206.7 Cal-cp vnit @ 70 to c.a.				206.7	208.2	1.5	30857	0.177	0.002	0.14	3.72
			Cp in vnits, on fractures, weakly diss, and increasing.				208.2	209.7	1.5	30858	0.318	0.004	0.21	4.21
			206.7 Mt-cp-py vnit (4mm), @ 65 to c.a.				209.7	211.2	1.5	30859	0.274	0.005	0.21	4.10
			215.4-215.8 Grades to dark green, centred by a 10cm banded cal vn @ 90 to c.a. Cp blebs & vnits also in section.				211.2	212.7	1.5	30860	0.230	0.003	0.14	3.48
							212.7	214.2	1.5	30861	0.164	0.005	0.07	2.61
							214.2	215.7	1.5	30862	0.233	0.003	0.15	2.62
			Incr mt-cp vnits.				215.7	217.2	1.5	30863	0.218	0.010	0.09	4.27
			223.4-223.7 Volc clast with very sharp boundaries.				217.2	218.7	1.5	30864	0.153	0.007	0.06	4.37
			Incr green act (diopside-hedenbergite) assoc with cp in vnits.	K4, mt4	1% py		218.7	220.2	1.5	30865	0.200	0.007	0.11	4.52
				act3	1% cp		220.2	221.7	1.5	30866	0.179	0.005	0.09	4.09
			Patches of KF-flooding that cover PP textures; also appears superimposed on patchy mt.				221.7	223.2	1.5	30867	0.336	0.006	0.18	3.90
							223.2	224.7	1.5	30868	0.313	0.010	0.20	3.61
			Py often occurs as patches within cp-mt patches, vnits.				224.7	226.2	1.5	30869	0.169	0.003	0.06	2.52
							Duplicate			30870	0.196	0.004	0.09	2.67
							226.2	227.7	1.5	30871	0.178	0.004	0.11	2.97
							227.7	229.2	1.5	30872	0.166	0.004	0.12	1.63
							229.2	230.7	1.5	30873	0.174	0.006	0.10	3.74
							230.7	232.2	1.5	30874	0.250	0.006	0.14	3.07
							232.2	233.7	1.5	30875	0.221	0.007	0.14	2.46
							233.7	235.2	1.5	30876	0.273	0.006	0.16	1.66
							235.2	236.7	1.5	30877	0.158	0.007	0.10	2.24
							236.7	238.9	2.2	30878	0.236	0.012	0.18	2.21

Page: 5 of 6

From To meters		Rock	Description	Altn	Minl	Recovery	From To meters	Lgth.	Tag. Number	Analysis				
										Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	
238.9	244.9	PPp	Pink with white plag phenos, crowded in f-gr pink-flooded groundmass.	K3, mt2	<0.5% cp		238.9	240.1	1.2	30879	0.172	0.008	0.17	2.99
				a1-2	<0.5% py		240.1	241.7	1.6	30880	0.144	0.007	0.15	3.46
			Homogeneous interval, numerous dk-gn inclusions.				241.7	243.3	1.6	30881	0.149	0.008	0.25	3.60
			Cp-py more finely diss, no obvious blebs or vnits.				243.3	244.9	1.6	30882	0.196	0.010	0.40	3.33
244.9	252.3	BX	Pink, very flooded appearance.	K4-5	1+% cp		244.9	246.4	1.5	30883	0.199	0.006	0.52	2.01
			Cp is diss, as blebs, in vnits +/- mt, act; most fractures have cp + py (+/- act, mt)	mt3, a3	<1% py		246.4	247.9	1.5	30884	0.147	0.006	0.34	1.53
							247.9	249.4	1.5	30885	0.174	0.003	0.52	1.53
							249.4	250.9	1.5	30886	0.168	0.004	0.20	2.97
							250.9	252.3	1.4	30887	0.182	0.006	0.21	2.56
252.3	268.2	PPp	Mottled bx/pp at contact is abrupt change from overlying KF-flooded bx	K2, mt2	<0.5% cp		252.3	253.8	1.5	30888	0.260	0.011	0.41	3.14
				act2	<0.5% py		253.8	255.3	1.5	30889	0.131	0.006	0.16	2.89
			KF-alt is quite weak; prominent porphyritic texture.				Duplicate			30890	0.143	0.006	0.19	2.38
			Vnits & diss cp common with decr act+/-mt; assoc with fracture-controlled zones of KF-flooding.				255.3	256.8	1.5	30891	0.230	0.006	0.49	2.90
							256.8	258.3	1.5	30892	0.251	0.008	0.52	2.88
			4cm cal vnit @ upper contact.				258.3	259.8	1.5	30893	0.152	0.006	0.44	2.29
			263.8 Cp-cal-act vnit (poss bornite) @ 60 to c.a.				259.8	261.3	1.5	30894	0.190	0.008	0.91	3.09
			266.9 Cp bleb assoc with cal.				261.3	262.8	1.5	30895	0.087	0.002	0.24	2.56
			268.2 Gradational PP-mottled bx contact.				262.8	264.3	1.5	30896	0.371	0.010	2.45	2.83
							264.3	265.8	1.5	30897	0.217	0.006	0.79	2.55
							265.8	267.3	1.5	30898	0.235	0.007	0.81	2.96
							267.3	268.8	1.5	30899	0.197	0.009	1.09	3.77
268.2	280.8	BX	268.2-272.2 Mottled, spotted, and ghosted pp/bx.	K3, mt2	<0.5% cp		268.8	270.3	1.5	30900	0.102	0.005	0.54	3.06
			Cp is diss, in vnits with cal, and assoc with patchy mt & act.	act2	<0.5% py		270.3	271.8	1.5	30901	0.208	0.009	0.68	2.92
							271.8	273.3	1.5	30902	0.096	0.004	0.17	3.38
			272.2-272.6 Green, strong cal, propylitic.	cal, chl	<1% sx		273.3	274.8	1.5	30903	0.202	0.008	0.54	3.21
			272.6-273.4 PP; as above.				274.8	276.3	1.5	30904	0.144	0.005	0.31	2.66
			273.4-280.8 Deep pink, KF-flooded; diss & vnit cp & py. Dark grey mt-rich patches likely with act.	K4, mt3	<1% cp		276.3	277.8	1.5	30905	0.153	0.008	0.35	2.20
				act3	<0.5% py		277.8	279.3	1.5	30906	0.266	0.013	0.85	3.47
							279.3	280.8	1.5	30907	0.289	0.018	0.41	4.43
280.8	284.8	PP	Grey to pinkish plag por.	K1-2	tr cp		280.8	282.8	2.0	30908	0.142	0.003	0.20	2.93
			Numerous darker inclusions (dr, volc?). Magnetic.	mt1, a1	tr py		282.8	284.8	2.0	30909	0.118	0.002	0.22	2.98
			Occ cp vnits, eg @ 282.0m.				Duplicate			30910	0.132	0.003	0.25	3.20
			Sharp but irregular intrusive contacts.											

Hole No. 89-B-1

Page: 6 of 6

From meters		To meters	Rock	Description	Altn	Minl	Recovery	From meters		To meters	Lgth.	Tag. Number	Analysis			
													Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
284.8	302.5	BX	As before, (273.4-280.8); very pink.	K4, mt3	0.5% cp			284.8	286.3	1.5	30811	0.280	0.004	0.52	2.69	
			Decr cp & mt; locally abundant act.	act3	<0.5% py			286.3	287.8	1.5	30812	0.216	0.004	0.42	2.44	
								287.8	289.3	1.5	30813	0.277	0.013	0.49	2.27	
								289.3	290.8	1.5	30814	0.149	0.005	0.18	4.38	
								290.8	292.3	1.5	30815	0.150	0.004	0.16	6.17	
								292.3	293.8	1.5	30816	0.194	0.005	0.25	3.83	
								293.8	295.3	1.5	30817	0.178	0.003	0.22	3.61	
								295.3	296.8	1.5	30818	0.210	0.004	0.28	3.85	
302.5	304.3	PP	1-2cm cal vnit @ 50 to c.a., upper contact.					296.8	298.3	1.5	30819	0.158	0.005	0.22	2.95	
			302.7 1-2cm vnit, parallel to first.	K1-2	tr cp			298.3	299.8	1.5	30820	0.166	0.005	0.17	2.27	
			Strong cal over top 30cm, olive green, weak por.	mt1, al	tr py			299.8	301.3	1.5	30821	0.238	0.006	0.26	2.57	
			302.8-303.1 Black & white, salt & pepper, weak por.					301.3	302.5	1.2	30822	0.156	0.004	0.18	2.97	
			303.1-304.3 Pinkish PP; cal vnit on lower contact @ 50 to c.a.													
								302.5	304.3	1.8	30823	0.017	0.001	0.01	4.02	
304.3	320.4	BX	As before; variably pink (K3-5).	K4, mt3	<1% cp			304.3	305.8	1.5	30824	0.208	0.006	0.34	2.66	
			313.1-313.4 Patchy zones of >1% cp.	act3	min py			305.8	307.3	1.5	30825	0.127	0.002	0.14	2.57	
			319.9-320.3 Patchy zones of >1% cp.					307.3	308.8	1.5	30826	0.314	0.007	0.38	2.79	
			Mt-act-cp quite variable; all occur as vnits, fracture-fillings; cp often diss, mt as blebs.					308.8	310.3	1.5	30827	0.153	0.002	0.16	2.90	
								310.3	311.8	1.5	30828	0.271	0.006	0.38	5.19	
								311.8	313.3	1.5	30829	0.179	0.004	0.14	3.11	
								Duplicate			30830	0.169	0.006	0.18	3.03	
								313.3	314.8	1.5	30831	0.050	0.001	0.05	2.98	
								314.8	316.3	1.5	30832	0.098	0.001	0.03	2.30	
								316.3	317.8	1.5	30833	0.035	0.001	0.04	1.69	
								317.8	319.3	1.5	30834	0.060	0.001	0.03	2.08	
								319.3	320.4	1.1	30835	0.183	0.003	0.03	2.96	
320.4	322.2	PP(BX)	Pink PP; upper contact marked by bleached bx with cal vnits.					320.4	322.2	1.8	30836	0.053	0.001	0.01	2.55	
			Strong por texture, white plag & 2% KF phenos.													
			Patchy mafics, mod magnetic, weakly mineralized.													
322.2	323.7	BX	As before.					322.2	323.7	1.5	30837	0.236	0.004	0.11	2.38	
			Poor recovery; hole shut-down due to broken ground.													
			Locally well-mineralized.													
			322.5-323.7 Rubble.													
			END OF HOLE													

MOUNT POLLEY MINE										Hole No. 998-2			
Pit: Bell		Northing: 3960.59 N				Correct Dip: -60		Page: 1 of 6					
Hole No: 998-2		Easting: 2227.43 E				True Azm. 270		Logged by: Chris Wild					
Started 9/10/99		Elevation: 1175.26 m				Survey at: 139.3 -60		Date: 9/21/99					
Finished: 9/12/99		Core Size: NQ2				257.9 -60		Core stored at: mine site					
		Length: 257.86 m						Comments: East side Bell, to depth					
From To meters		Syb	Description	Altn	Minl	Recovery	From To meters	Lgth.	Tag. Number	Analysis			
										Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	4.9	CASING											
4.9	59.9	BX	Pink mottled to spotted greenish to pale grey.	K3, mt2	2% py		4.9 6.9	2.0	30938	0.254	0.003	0.11	5.27
			Local KF laths to 1cm.	act1-2	min cp		6.9 8.9	2.0	30939	0.134	0.004	0.03	5.21
			6.4 Sil cp, locally 2-3%, cut by py vnits.				8.9 10.9	2.0	30940	0.133	0.007	0.06	4.04
			7.6-8.2 FAULT; Highly fractured, cal + ser on fractures, gougy near 8.2m.				10.9 12.9	2.0	30941	0.075	0.003	0.05	5.11
							12.9 14.9	2.0	30942	0.112	0.003	0.07	4.34
			10.2-11.3 FAULT; highly fractured, rubble.				14.9 16.9	2.0	30943	0.089	0.003	0.06	5.75
			11.4-15.1 FAULT; highly fractured, rubble, gouge.				16.9 18.9	2.0	30944	0.075	0.002	0.11	4.96
			18.8-20.3 FAULT; gouge + rubble.				18.9 20.9	2.0	30945	0.155	0.003	0.11	4.70
			20.6-21.3 FAULT; gougy - cal, ser, clay.				20.9 22.9	2.0	30946	0.078	0.003	0.06	2.87
			23.5-23.8 FAULT; gougy.				22.9 24.9	2.0	30947	0.038	0.001	0.04	3.99
			25.4-26.0 FAULT; gouge + rubble.				24.9 26.9	2.0	30948	0.067	0.002	0.07	4.19
			27.7-28.4 FAULT; gouge + rubble.				26.9 28.9	2.0	30949	0.093	0.004	0.07	3.41
			36.7-36.8 FAULT; gougy - cal, ser, clay.				Duplicate		30950				
			Mottled, highly variable in colour & texture.				28.9 30.9	2.0	30951	0.144	0.004	0.11	4.49
			42.2-42.3 Wispy cp stringers assoc with strong KF, weaker mt & act.				30.9 32.9	2.0	30952	0.132	0.004	0.09	5.10
							32.9 34.9	2.0	30953	0.185	0.005	0.15	5.80
			42.7 Cp stringer (1mm).				34.9 36.9	2.0	30954	0.154	0.005	0.13	5.63
			42.9 Py vnits.				36.9 38.9	2.0	30955	0.085	0.005	0.08	5.61
			43.8 Py vnits coincident with older mt vnits.				38.9 40.9	2.0	30956	0.042	0.007	0.05	5.44
			44.6-44.7 Cp stringers over 10cm interval; weak mt, act; cal vnits.				40.9 42.9	2.0	30957	0.257	0.009	0.34	6.50
							42.9 44.9	2.0	30958	0.229	0.007	0.17	5.45
			45.6-51.3 Grey-pink spotted bx; epi-chl spots up to 5mm.	K2-3	2% py		44.9 46.9	2.0	30959	0.092	0.003	0.07	5.55
				epi, chl	min cp		46.9 48.9	2.0	30960	0.106	0.003	0.10	5.39
			51.7-54.0 Pinker bx with cal stringer stwk zone.				48.9 50.9	2.0	30961	0.334	0.016	0.26	6.50
			54.8 Cl-chl-gyp-py vnit (1-2cm) @ 40 to c.a.				50.9 52.9	2.0	30962	0.211	0.007	0.14	6.22
			58.4-59.9 Darker green-pink transition or contact zone (chlli margin or aureole) to pyritic bx.				52.9 54.9	2.0	30963	0.146	0.004	0.13	6.45
							54.9 56.9	2.0	30964	0.090	0.003	0.07	5.22
							56.9 58.4	1.5	30965	0.122	0.004	0.14	4.30
59.9	62.7	AND	F-gr, massive, green-grey dyke, weakly magnetic.				58.4 59.9	1.5	30966	0.176	0.007	0.26	4.41
			Minor cal vnits to 1cm, at contacts @ 50 to c.a.										
			61.6-61.8 FAULT; gouge, @ 60 to c.a.				59.9 62.7	2.8	30967	0.007	0.002	0.01	3.86
			Bottom 30cm becomes olive-green, still very f-gr.										

C:\GEOLOGY\MTPOLLEY\99_8_2_Log.xlsTitle Page

Hole No. 99B-2
Page: 2 of 5

MOUNT POLLEY MINE										Hole No.	99B-2				
From To meters		Rock	Description	Alt	Min	Recovery	From To meters	Lgth.	Tag. Number	Page:	2	of	5		
											Analysis				
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	
62.7	86.4	BX	62.7-65.9 Darker green-pink transition zone, as above. Cal vnit with ss (1-2cm) @ 55 to c.a. marks lower contact.	K3, mt2	1% py		62.7	64.7	2.0	30968		0.134	0.014	0.10	3.94
				act2	tr cp		64.7	66.7	2.0	30969		0.293	0.012	0.25	4.70
							Duplicate			30970		0.300	0.013	0.24	4.55
			68.6-75.3 Mottled bx (classic); weak sx.				66.7	68.7	2.0	30971		0.153	0.007	0.14	4.70
			74.5-74.6 2-3cm bleb of cp mixed with py, min mt.				68.7	70.7	2.0	30972		0.127	0.006	0.12	6.49
			75.3-80.8 Dark mottled bx with patches of pale green and black chl; min mt + cp.				70.7	72.7	2.0	30973		0.231	0.013	0.17	5.54
							72.7	74.7	2.0	30974		0.447	0.018	0.27	5.74
			78.4-78.7 C-gr cal vn bx.				74.7	76.7	2.0	30975		0.087	0.007	0.06	4.22
			80.6-82.4 Pale pinkish-grey, bleached with numerous py stringers.				76.7	78.7	2.0	30976		0.125	0.006	0.10	4.14
							78.7	80.7	2.0	30977		0.068	0.015	0.06	4.36
			82.4-86.4 Dark mottled bx, as above.				80.7	82.7	2.0	30978		0.076	0.006	0.01	4.10
			84.3-84.4 FAULT; rubble.				82.7	84.7	2.0	30979		0.063	0.011	0.04	3.60
							84.7	86.4	1.7	30980		0.180	0.006	0.14	3.97
86.4	89.5	PP	Grey to brown, moderately to faintly porphyritic.	K1-2	3% py		86.4	89.5	3.1	30981		0.028	0.001	0.01	3.11
			F-gr dls py throughout, weakly magnetic.	mt1											
89.5	91.3	MD	Sharp contacts, irregular @ 70 to c.a.				89.5	91.3	1.8	30982		0.010	0.002	0.01	4.96
			White irregular phenos + epi-chl altered olivine phenos - superimposed on plag phenos.												
							91.3	93.3	2.0	30983		0.383	0.013	0.28	4.52
							93.3	95.3	2.0	30984		0.017	0.001	0.01	3.31
91.3	109.4	PPg	Grey, otherwise as above (88.4-89.5m)	K1	2% py		95.3	97.3	2.0	30985		0.011	0.001	0.01	2.78
			Darker, f-gr sections, poss VOLC.				97.3	99.3	2.0	30986		0.009	0.001	0.01	3.02
			93.8-94.3 FAULT; rubble, cal vnits, minor fault.				99.3	101.3	2.0	30987		0.013	0.001	0.01	2.93
			97.0-98.9 Scattered angular cm-sized green frags.				101.3	103.3	2.0	30988		0.008	0.002	0.01	3.02
			100.2-104.2 Becoming brittle & fractured.				103.3	105.3	2.0	30989		0.019	0.003	0.01	3.12
			109.1-109.4 Transitional between PP and pink BX; bleached with incr cal vnits.				Duplicate			30990		0.018	0.002	0.01	3.16
							105.3	107.3	2.0	30991		0.016	0.001	0.01	3.12
							107.3	109.4	2.1	30992		0.029	0.002	0.02	

MOUNT POLLEY MINE										Hole No.	99B-2	3 of 5		
From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			120.6 Patch of act (4cm).				119.9	121.4	1.5	31000	0.196	0.004	0.17	3.76
			122.2 Splashy cp, min mt & py.				121.4	122.9	1.5	31001	0.428	0.008	0.39	3.24
			124.5-126.5 Mottled, lower intensity KF-altn.	K3-4,mt4	1% py		122.9	124.4	1.5	31002	0.183	0.004	0.14	3.99
				act3-4	0.5% cp		124.4	126.5	1.1	31003	0.322	0.018	0.35	4.65
125.5	133.4	PPg	Uniform med-grey, coarse porphyry.				125.5	127.5	2.0	31004	0.013	0.001	0.02	3.01
			Not crowded, phenos 2-4mm in size.				127.5	129.5	2.0	31005	0.007	0.001	0.01	3.29
			Sharp, irregular upper contact.				129.5	131.5	2.0	31006	0.008	0.001	0.01	3.00
			Sharp, unsheared lower contact @ 45 to c.a.				131.5	133.4	1.9	31007	0.021	0.002	0.01	3.01
133.4	210.9	BX	133.4-137.2 Pink to mottled bx.	K4, mt2	1% py		133.4	136.1	1.7	31008	0.309	0.007	0.32	2.18
			min disa + vnit cp; py in vnits, fractures.	act2	<0.5% cp		135.1	136.6	1.5	31009	0.331	0.011	0.28	2.33
			137.2-147.4 Mottled PP with clear PP-texture.	K3, mt2	1% py		Duplicate			31010	0.318	0.009	0.26	2.43
			147.1 1cm patch of cp.	act2	min cp		136.6	138.1	1.5	31011	0.202	0.008	0.26	3.34
			147.4-158.3 Greenish & pink, variably altered. Distinct from pink, mottled and PP bx.				138.1	139.6	1.5	31012	0.153	0.011	0.26	3.36
							139.6	141.1	1.5	31013	0.171	0.008	0.16	3.52
			Patchy py + epl vnits, cp vnits.				141.1	142.6	1.5	31014	0.137	0.009	0.11	3.38
			Grades to bleached-looking ~153.6m.				142.6	144.1	1.5	31015	0.144	0.007	0.15	3.15
			156.7-158.3 Mottled greenish to pink & black; chloritic shears. Dyke or volc in origin?				144.1	145.6	1.5	31016	0.283	0.010	0.26	3.51
							145.6	147.4	1.8	31017	0.213	0.008	0.15	3.69
			158.3-168.5 Strong pink KF with lesser mottled sections; numerous cp & py vnits.	K4-5	1% cp		147.4	149.4	2.0	31018	0.260	0.019	0.14	3.39
				mt3, act3	1% py		149.4	151.4	2.0	31019	0.137	0.005	0.08	4.05
			159.5 Cp-act vnit, up to 1cm @ 70 to c.a.				151.4	153.4	2.0	31020	0.153	0.003	0.09	3.62
			161.5 Broken up cp vnit, as above.				153.4	155.4	2.0	31021	0.219	0.006	0.17	2.72
			163.7 Patchy stringer cp.				155.4	156.9	1.5	31022	0.115	0.003	0.08	2.04
			164.2, 164.6 1cm cp (+/-act,mt) vnits @ 55-70 to c.a.				156.9	158.3	1.4	31023	0.119	0.003	0.10	3.95
			165.3 Cal vnit along cp vnit @ 70 to c.a.				158.3	159.8	1.5	31024	0.335	0.032	0.16	3.94
			165.4, 166.6 Cp vnits.				159.8	161.3	1.5	31025	0.220	0.008	0.12	4.68
			166.3-168.4 1 cm cp vnit + several stringers, assoc with py, min act, no apparent mt.				161.3	162.8	1.5	31026	0.316	0.027	0.11	3.56
							162.8	164.3	1.5	31027	0.404	0.032	0.15	1.62
			168.5 3cm cp vnit + stringers @ 85 to c.a.				164.3	165.8	1.5	31028	0.270	0.014	0.08	1.45
			168.5-179.2 PP bx to mottled, decr cp vnits.				165.8	167.3	1.5	31029	0.297	0.029	0.13	2.23
			170.8 Cp stringers.				Duplicate			31030	0.319	0.021	0.13	2.21
			172.8 Cp vnit + stringer (5mm) @ 50 to c.a.				167.3	168.8	1.5	31031	0.149	0.009	0.09	3.68
			176.8 Cp-cal vnit @ 50 to c.a.				168.8	170.3	1.5	31032	0.117	0.006	0.06	3.90
			179.2-181.6 Incr KF-flooding grading to med grey-green. Numerous wispy cp stringers.	K4-5	1% cp		170.3	171.8	1.5	31033	0.375	0.019	0.32	3.27
				mt2, act3	0.5% py		171.8	173.3	1.5	31034	0.230	0.017	0.21	3.66

MOUNT POLLEY MINE

Hole No. 99B-2

Page: 4 of 5

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			181.6-181.7 FAULT; soft gougy green, mainly chl, @ 45 to c.a.				173.3	174.8	1.5	31036	0.190	0.019	0.14	3.62
				K1-2	1% py		174.8	176.3	1.5	31036	0.289	0.012	0.18	3.41
			181.7-184.7 Green to sl pink bx; poss volc host.	mt0, act1	tr cp		176.3	177.8	1.5	31037	0.387	0.024	0.21	3.77
			184.7-188.6 Pink to mottled bx; py on fractures, min diss cp (<<1%).	K3, mt2	1% py		177.8	179.3	1.5	31038	0.420	0.017	0.25	3.39
				act2	min cp		179.3	181.6	2.3	31039	0.289	0.017	0.18	2.25
			188.6-190.9 More intense KF	K4, mt2	1% py		181.6	183.1	1.5	31040	0.718	0.020	0.54	4.04
			190.4 Mt-cp vnit (1cm) @ 50 to c.a.; more diss + stringer cp.	act2	0.5% cp		183.1	184.7	1.6	31041	0.563	0.014	0.27	4.03
							184.7	186.7	2.0	31042	0.281	0.009	0.24	3.81
			190.9-199.9 PP bx to mottled bx.	K3, mt3	1-2% py		186.7	188.6	1.9	31043	0.172	0.005	0.11	3.55
			192.1 Cp-mt vnit; diss + stringer cp scattered.	act2	min cp		188.6	190.9	2.3	31044	0.243	0.031	0.22	3.22
			199.9-207.5 Incr KF (variable), no incr in cp.	K3-4	1% py		190.9	192.4	1.5	31045	0.183	0.025	0.11	3.69
				mt2, act2	min cp		192.4	193.9	1.5	31046	0.133	0.009	0.10	2.71
			204.1-204.7 AND; f-gr green dyke; cal vnit at upper contact; sharp lower contact @ 45 to c.a.				193.9	195.4	1.5	31047	0.160	0.026	0.10	4.93
							195.4	196.9	1.5	31048	0.391	0.036	0.33	4.11
			207.5-210.9 Decreasing KF.	K3, mt2	<1% py		196.9	198.4	1.5	31049	0.290	0.040	0.22	4.05
				act2	min cp		Duplicate			31050	0.260	0.020	0.19	4.10
							198.4	199.9	1.5	31051	0.094	0.007	0.06	3.68
							199.9	201.9	2.0	31052	0.103	0.004	0.10	2.72
							201.9	203.9	2.0	31053	0.096	0.004	0.07	2.38
							203.9	205.9	2.0	31054	0.143	0.005	0.14	2.35
							205.9	207.9	2.0	31055	0.230	0.033	0.21	2.84
210.9	213.4	PPg	Grey to brownish, weak to mod porphyritic.	K1	<1% py		207.9	209.4	1.5	31056	0.152	0.022	0.12	2.49
			Minor pinking along fractures.		min cp		209.4	210.9	1.5	31057	0.074	0.007	0.05	2.09
			212.5 Open-space cal vnit with cockscomb texture.											
			212.6-213.0 Cal vnits with cp up to 4mm.				210.9	213.4	2.5	31058	0.235	0.008	0.25	3.74
213.4	228.7	BX	Pink to mottled bx with occ cp vnits, patchy mt & act, min cp on fractures.	K3-4	0.6% cp		213.4	214.9	1.5	31059	0.316	0.012	0.36	2.66
				mt2, act2	0.5% py		214.9	216.4	1.5	31060	0.368	0.034	0.42	4.16
			216.3 Mt-cp vnit (3mm) @ 60 to c.a.				216.4	217.9	1.5	31061	0.261	0.018	0.26	3.37
			216.9, 217.3 Cp-cal vnits, clay gouge on latter surface @ 70 to c.a.				217.9	219.4	1.5	31062	0.231	0.017	0.29	4.17
							219.4	220.9	1.5	31063	0.237	0.024	0.24	4.88
			218.5-219.7 Mt-cp stringers (1mm).				220.9	222.4	1.5	31064	0.375	0.032	0.30	3.65
			220.1-220.2 Dark cloudy mt-rich patch, min diss cp.				222.4	223.9	1.5	31065	0.334	0.028	0.26	4.81
							223.9	225.4	1.5	31066	0.253	0.018	0.22	5.47
							225.4	226.9	1.5	31067	0.280	0.020	0.23	4.80
							226.9	228.7	1.8	31068	0.203	0.015	0.23	4.08

Hole No. 99B-2
Page: 5 of 5

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-3

Pit: Ball	Northing: 4060.21 N	Correct Dip: -50	Page: 1 of 6
Hole No: 99B-3	Easting: 2216.09 E	True Azm. 272 10'	Logged by: Chris Wild
Started: 9/12/99	Elevation: 1164.20 m	Survey at: 142.0 -48	Date: 9/12/99
Finished: 9/16/99	Core Size: NQ2	257.9 -47	Core stored at: mine site
	Length: 267.86 m		Comments: East side Ball, to depth

From meters	To meters	Syb	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
	6.7	CASING												
6.7	30.6	BX	Bright orange to mottled bx.	K4, mt4	1-2% py		6.7	8.7	2.0	31412	0.237	0.007	0.21	6.07
		(FLT)	FAULT ZONE; numerous gougy sections, very well fractured.	act2	min cp		8.7	10.7	2.0	31413	0.284	0.005	0.20	5.58
			Py diss & on fractures, min diss cp.				10.7	12.7	2.0	31414	0.221	0.005	0.16	4.98
			Some oxidation on fractures.				12.7	14.7	2.0	31415	0.096	0.004	0.05	6.64
			7.7-7.9 FAULT; gouge, pink bx clasts.				14.7	16.7	2.0	31416	0.067	0.002	0.02	4.80
			9.0-9.1 FAULT; gouge.				16.7	18.7	2.0	31417	0.072	0.001	0.04	4.76
			10.4-10.6 FAULT; grey clay gouge.				18.7	20.7	2.0	31418	0.160	0.004	0.11	5.46
			11.2-12.6 FAULT; mainly gouge & bx clasts.				20.7	22.7	2.0	31419	0.147	0.002	0.14	5.31
			13.1-14.3 FAULT; strong gouge, bx throughout.				22.7	24.7	2.0	31420	0.156	0.003	0.34	5.04
			15.6-15.8 FAULT; gouge, bx clasts.				24.7	26.7	2.0	31421	0.363	0.010	0.55	8.52
			16.2-16.5 FAULT; gouge, bx clasts.				26.7	28.7	2.0	31422	0.215	0.019	0.24	9.01
			17.3 Coarse blebby and vnlit py.				28.7	30.6	1.9	31423	0.083	0.006	0.06	5.86
			18.2-18.4 FAULT; gougy, @ low angle to c.a.											
			18.6-18.9 FAULT; clay gouge at top, rubble (pebbles) lower down.											
			19.0-22.1 Dark green chl-rich matrix with pink bx clasts. Note increase in py, gradational lower contact.											
			19.5-19.7 FAULT; soft & gougy.											
			22.4 Mt vnits & stringers.											
			22.6 1cm KF pheno.											
			22.8-23.2 FAULT; gougy with cal vnlit @ low angle to c.a.											
			Incr py vnits & fracture-filling, sl incr in diss cp.											
30.6	35.9	PPg	Brown-grey, c-gr plag phenos in f-gr groundmass.	K0-1	tr sx		30.6	32.3	1.7	31424	0.013	0.002	0.01	3.24
			Contrast between white phenos & dark groundmass.	mt0, act0			32.3	34.1	1.8	31425	0.012	0.002	0.01	3.18
			Sharp, unshaded contacts @ high angle to c.a.				34.1	35.9	1.8	31426	0.014	0.001	0.01	3.04
35.9	39.6	BX	As before; gen darker with more chl+py, min epi.	K3, mt3	5% py		35.9	37.7	1.8	31427	0.274	0.006	0.22	6.47
			38.1-38.4 FAULT; coincident with dark green	act2	min cp		37.7	39.6	1.9	31428	0.170	0.020	0.09	8.42
			LAMPROPHYRE DYKE.											

MOUNT POLLEY MINE

Hole No. 99B-3
Page: 2 of 5

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
39.6	40.8	PPg	As before.	K0-1	tr sx		39.6	40.8	1.2	31429	0.030	0.003	0.03	2.92
				mt0, act0			Duplicate			31430	0.031	0.001	0.01	2.96
40.8	42.6	BX	As before; pyritic.	K3, mt3	5% py		40.8	42.6	1.8	31431	0.376	0.021	0.49	8.56
				act2										
42.6	46.6	AND	Med-green, consistent f-gr texture.		tr sx		42.6	44.5	1.9	31432	0.006	0.001	0.02	4.45
		(FLT)	42.6 FAULT; 5cm dark green clay gouge.				44.5	46.6	2.1	31433	0.006	0.001	0.02	4.49
			43.2 FAULT; 5cm dark green clay gouge.											
			44.5-46.6 FAULT; 90% soft dark green clay gouge.											
46.6	49.1	BX	As before; very highly fractured, rubble.	K3, mt3	5% py		46.6	49.1	2.5	31434	0.158	0.004	0.16	5.63
			Gouge at both contacts.	act2										
49.1	51.5	AND	As before; gougy upper contact (10cm).				49.1	51.5	2.4	31435	0.006	0.001	0.02	3.41
			49.1-49.2 FAULT; gouge.											
			49.6-49.7 FAULT; gouge.											
			51.3-51.5 Pale green chill margin, cal vnit (3cm) at top, sharp unshered lower contact.											
51.5	58.5	BX	Dark pink-green to bright pink, strong bx textures.	K4, mt3	3-5% py		51.5	53.2	1.7	31436	0.173	0.010	0.16	4.36
			58.1-58.4 Series of 1cm clay gouge and chl slips.	act2			53.2	54.9	1.7	31437	0.127	0.004	0.15	4.16
			58.7 Cal vn (6cm) @ 90 to c.a.				54.9	56.7	1.8	31438	0.166	0.006	0.22	4.11
			57.3-57.7 Chl-py slips with minor gouge.				56.7	58.5	1.8	31439	0.161	0.020	0.21	6.10
			57.7-58.3 FAULT; flt-bx cemented by clay gouge matrix.											
							58.5	60.5	2.0	31440	0.016	0.001	0.02	2.70
58.5	67.7	PPg	As before; competent, hard, mod well-fractured.	K0-1	2-3% py		60.5	62.6	2.0	31441	0.007	0.001	0.03	3.06
			C-gr porphyry fining down and becoming pinker.	mt0, act0			62.6	64.0	1.5	31442	0.006	0.001	0.03	3.22
			Py-hem on fractures, py also diss.				64.0	66.5	2.5	31443	0.018	0.007	0.02	3.01
							66.5	67.7	1.2	31444	0.017	0.001	0.01	2.74
67.7	154.4	BX	Variable texture, pink to bleached to greenish & brick red.				67.7	69.2	1.5	31445	0.112	0.002	0.09	5.37
			Strongly pyritic, often assoc with lesser cp, mt.				69.2	70.7	1.5	31446	0.193	0.006	0.12	5.21
			* 67.7-74.0 Chloritic, dark grey with reddish tint.	K3, mt3	3-5% py		70.7	72.2	1.5	31447	0.154	0.003	0.09	4.29
			70.4 Cp vnit (1cm) @ 75 to c.a.	act3	min cp		72.2	74.0	1.8	31448	0.206	0.006	0.10	4.64
			* 74.0-77.8 Bleached, mottled yellowish pink, swirled-looking textures.	K3, mt2	2% py		74.0	75.9	1.9	31449	0.219	0.004	0.10	4.43
				act1	tr cp		Duplicate			31450	0.211	0.003	0.10	4.40

MOUNT POLLEY MINE

MOUNT POLLEY MINE										Hole No.	99B-3			
From To meters		Rock	Description	Altn	Mini	Recovery	From To meters		Lgth.	Tag. Number	Analysis 3 of 6			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			* 77.8-82.3 Darker red, chloritic, as before.				75.9	77.8	1.9	31451	0.213	0.015	0.12	6.25
			78.1 Cp vnit (2mm), discontinuous.				77.8	79.3	1.5	31452	0.233	0.003	0.14	4.76
			78.9 1-2cm band of tightly diss cp.				79.3	80.8	1.5	31453	0.103	0.011	0.06	5.85
			82.3-83.4 FAULT; bx with gouge matrix.				80.8	82.3	1.5	31454	0.099	0.006	0.06	5.60
			* 82.3-88.6 Brick red to orange, locally PP with occ KF megacrysts.	K4, mt3 act2-3	3% py min cp		82.3	83.8	1.5	31455	0.130	0.004	0.12	5.15
							83.8	85.3	1.5	31456	0.132	0.006	0.13	4.73
			* 88.6-93.7 Pink PP bx with incr mottling down hole.				85.3	86.8	1.5	31457	0.107	0.009	0.07	3.54
			89.3, 89.9 Mt vnits with min cp.				86.8	88.3	1.5	31458	0.122	0.006	0.08	4.36
			90.5-90.8 Mt stwk with py, lesser cp.				88.3	89.8	1.5	31459	0.230	0.021	0.19	4.33
			* 93.7-113.4 Mottled to KF-megacrystic bx, min PPp.	K4, mt4	3% py		89.8	91.3	1.5	31460	0.166	0.011	0.10	6.69
			Bright orange-pink, diss & vnit py, cp.	act3	min cp		91.3	92.8	1.5	31461	0.138	0.007	0.09	6.24
			94.1 Mt-cp vnit (5mm) @ 70 to c.a.				92.8	94.3	1.5	31462	0.101	0.008	0.08	5.77
			94.5 Py vnit (1cm) @ 75 to c.a.				94.3	95.8	1.5	31463	0.092	0.008	0.04	4.99
			95.8 Py-mt-cp vnit.				95.8	97.3	1.5	31464	0.211	0.016	0.15	6.06
			96.1 Py vnit (1-2cm).				97.3	98.8	1.5	31465	0.300	0.023	0.16	5.77
			96.8-96.9 Weak mt stwk, min cp.				98.8	100.3	1.5	31466	0.147	0.013	0.06	6.34
			98.4 Min cp assoc with mt, epl + py				100.3	101.8	1.5	31467	0.153	0.014	0.06	6.62
			98.8-98.9 FAULT; gouge & bx.				101.8	103.3	1.5	31468	0.139	0.016	0.05	6.33
			99.4, 99.5 Mt-cp vnits (to 1cm) @ 75 to c.a.				103.3	104.8	1.5	31469	0.283	0.020	0.15	5.06
			99.7-99.8 FAULT, LAMPROPHYRE DYKE; 5cm.				Duplicate			31470	0.210	0.012	0.10	5.91
			100.2 Gouge on fracture @ 45 to c.a.				104.8	106.3	1.5	31471	0.103	0.006	0.06	5.44
			100.8 Gouge on fracture @ ?				106.3	107.8	1.5	31472	0.080	0.004	0.02	5.87
			103.4 Mt-py-epl-cp vnit (1cm) @ 40 to c.a.				107.8	109.3	1.5	31473	0.176	0.010	0.06	5.64
			106.4-111.1 Numerous gougy fractures.				109.3	110.8	1.5	31474	0.121	0.006	0.06	5.20
			112.8-113.4 Mt-py-cp stringer stwk.				110.8	112.3	1.5	31475	0.121	0.004	0.07	6.39
			* 113.4-117.2 Pink to grey PP-style bx.	K3, mt4	3% py		112.3	113.4	1.1	31476	0.138	0.011	0.07	6.41
			Much more subdued KF-altn.	act 2	min cp		113.4	115.3	1.9	31477	0.076	0.006	0.06	5.80
			* 117.2-119.0 Mottled to KF megacrystic bx, as before.	K4, mt4	3% py		115.3	117.2	1.9	31478	0.048	0.003	0.01	4.91
			Numerous py vnits.	act 2	min cp		117.2	119.0	1.8	31479	0.096	0.004	0.03	4.84
			* 119.0-122.6 Mottled to PP-style bx, subdued KF-altn.	K3, mt4	3% py		119.0	121.0	2.0	31480	0.088	0.012	0.06	5.49
			* 122.6-123.4 Mottled to KF-megacrystic bx.	act 2	min cp		121.0	122.6	1.6	31481	0.129	0.002	0.10	6.78
			* 123.4-136.5 Minor splashes of KF-flooding in greyer PP-style & mottled bx.				122.6	123.4	0.8	31482	0.126	0.006	0.06	5.06
							123.4	125.4	2.0	31483	0.047	-	0.02	5.15
			129.7, 129.9 Mt-cp vnits.				125.4	127.4	2.0	31484	0.082	0.005	0.04	5.38
			130.7 Py vnit.				127.4	129.4	2.0	31485	0.076	0.003	0.04	6.82
			* 136.5-140.9 MONZ; grey, equigranular, salt & pepper texture with pink KF vnits along fractures or block boundaries.				129.4	131.4	2.0	31486	0.102	0.009	0.06	7.25
							131.4	133.4	2.0	31487	0.130	0.005	0.06	5.98
							133.4	135.0	1.6	31488	0.076	0.002	0.02	4.92

MOUNT POLLEY MINE

Hole No. 99B-3
Page: 4 of 6

From To meters		Rock	Description	Altn	Mini	Recovery	From To meters	Lgth.	Tag. Number	Analysis			
										Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			137.4 Discontinuous cp vnit.				135.0 136.5	1.5	31489	0.121	0.017	0.04	5.06
			138.5, 138.9 Mt-py-cp vnits (1-2mm), discon @ 80 to c.a.				Duplicate		31490	0.114	0.008	0.04	5.42
			139.8 Py-cp-cal vnit; py in upper 7mm, cp in lower 3mm; @ 70 to c.a.				138.5 138.0	1.5	31491	0.073	0.007	0.02	6.14
							138.0 139.5	1.5	31492	0.110	0.005	0.05	7.39
			* 140.9-148.4 Mottled bx, striking texture, Py vnits, mt-py-cp vnits (1-10mm) @ 143.1, 144.3, 144.4, 146.4, 147.2, 148.0m.	K3, mt4 act 2	3% py min cp		139.5 140.9	1.4	31493	0.098	0.001	0.12	7.25
							140.9 142.4	1.5	31494	0.170	0.005	0.07	4.89
							142.4 143.9	1.5	31495	0.131	0.005	0.06	6.28
			* 148.4-149.5 Dark grey, fine to med grained PP bx with sharp but unshered contacts.				143.9 145.4	1.5	31496	0.143	0.005	0.10	7.96
							145.4 146.9	1.5	31497	0.159	0.003	0.12	8.22
			149.5-154.4 Mottled to PP bx, occ KF megacrysts.				146.9 148.4	1.5	31498	0.143	0.004	0.10	8.26
			150.9-151.1 FAULT; gouge, fractured.				148.4 149.5	1.1	31499	0.156	0.002	0.12	7.25
							149.5 151.1	1.6	31500	0.113	0.003	0.08	6.80
154.4	175.8	PP/BX	Grades from obvious mottled bx to porphyry with occ intrusive clasts or inclusions.				151.1 152.7	1.6	31851	0.115	0.002	0.13	9.30
							152.7 154.4	1.7	31852	0.143	0.003	0.14	7.31
			Variety of distinct units or textural differences.										
			* 154.4-159.4 PPp; strong pink, c-gr por	K3, mt4 act 2	3% py 0.5% cp		154.4 156.1	1.7	31853	0.098	0.004	0.05	4.92
			155.0, 155.5, 155.7 FAULTS; minor, 2-5cm gouge.				156.1 157.8	1.7	31854	0.117	0.003	0.05	4.65
			154.9, 156.0, 156.1, 156.9, 157.3, 157.7, 158.5 Mt-cp-py-cal vnits common.				157.8 159.4	1.6	31855	0.094	0.002	0.04	3.89
							159.4 161.4	2.0	31856	0.044	0.002	0.02	4.87
			* 159.4-159.6 FAULT; gougy, fractured with cal vnits.				161.4 163.4	2.0	31857	0.022	0.006	0.01	4.25
			* 159.6-166.8 PPg; brown-grey to pinkish, f-gr por becoming pinker, coarser grained.	K2, mt3 act2	2-3% py <0.5% cp		163.4 165.4	2.0	31858	0.018	0.006	0.01	3.78
							165.4 167.4	2.0	31859	0.009	0.001	0.01	3.78
			160.5 Mt-py-cp 'patchy' vnit.				Duplicate		31860	0.009	0.001	0.01	3.88
			160.8 FAULT; 5cm gouge.				167.4 169.4	2.0	31861	0.010	0.002	0.01	3.24
			160.8 Mt-py-cp patches				169.4 171.4	2.0	31862	0.008	0.001	0.01	3.15
			163.2-163.6 PPp; small py-mt-(cp) blebs.										
			166.6-167.3 Darker greenish due to incr chl.										
			* 168.8-171.2 C-gr to crowded por, med-grey, clearly gradational with PP units.	K1-2, mt2 act1	1-2% py								
			171.2-175.8 PPp; weak to med pink, fine to med-gr, local monz, as above.	K2, mt3 act2	2-3% py <0.5% cp		171.4 173.6	2.2	31863	0.013	0.002	0.02	3.24
							173.6 175.8	2.2	31864	0.008	0.001	0.01	3.29
175.8	179.7	VOLC	Dark green, f-gr to por with a fine mottled appearance.	K0, mt0	1-2% py		175.8 177.8	2.0	31865	0.011	0.001	0.02	3.27
			178.9-179.5 Cal-dol vn bx - variety of carb vn clasts in f-gr dol matrix; @ 1										

Hole No. 99B-3
Page: 6 of 6

From meters		Rock	Description	Altn	Mini	Recovery	From meters		To meters	Lgth.	Tag. Number	Analysis			
												Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
179.7	203.3	PPg	Fine-grained, grey to brown, weakly porphyritic.	K1, mt1	2-3% py		179.7	181.7	2.0	31867	0.012	0.002	0.02	2.45	
			Similar to c-gr PPg from 58.5-57.7m.	act 0	tr cp		181.7	183.7	2.0	31868	0.011	0.002	0.01	2.37	
			Distinctive round plag phenos with occ pink KF phenos.				183.7	185.7	2.0	31869	0.027	0.001	0.03	3.14	
			179.7-180.3 'Bleached' pinkish-green, f-gr; altered PPg.				185.7	187.7	2.0	31870	0.016	0.001	0.02	2.61	
			180.7-181.0 'Bleached' section.				187.7	189.7	2.0	31871	0.016	0.001	0.01	2.62	
			181.6-182.3 'Bleached' section.				189.7	191.7	2.0	31872	0.038	0.004	0.01	2.88	
			183.6-184.3 Pyritic, wispy dias + vnits.				191.7	193.7	2.0	31873	0.086	0.005	0.10	2.71	
			184.2 Py-mt vnit, traces cp.				193.7	195.7	2.0	31874	0.056	0.005	0.04	3.04	
			187.0-188.4 'Bleached' section, gradational.				195.7	197.7	2.0	31875	0.016	0.004	0.02	2.24	
			192.6 Cp vnit, discon, 5-10mm @ 20 to c.a.				197.7	199.7	2.0	31876	0.026	0.003	0.01	2.89	
			196.3-197.2 'Bleached' pink PP with chl on fractures.				199.7	201.7	2.0	31877	0.007	0.001	0.01	2.24	
			202.9 Sharp but unshered contact with 'bleached' PP @ 25 to c.a.				201.7	203.3	1.6	31878	0.011	0.001	0.01	2.98	
			202.9-203.3 Less pink, more 'bleached', pyritic.												
203.3	213.5	PPb	As above; (196.3-197.2, etc).				203.3	205.3	2.0	31879	0.028	0.006	0.01	3.46	
			Pale, slightly pink, faded-looking.				Duplicate			31880	0.025	0.002	0.01	3.48	
			203.3-207.7 Competent, occ gypsum vnits.				206.3	207.3	2.0	31881	0.075	0.001	0.06	3.27	
			206.3 FAULT; 2cm gouge + gyp vnit @ 30 to c.a.				207.3	209.3	2.0	31882	0.030	0.001	0.05	3.35	
			207.7-208.0 FAULTS; minor, gougy.				209.3	211.3	2.0	31883	0.060	0.007	0.05	3.26	
			207.7-208.4 Cal-dol vn bx, as before.				211.3	213.5	2.2	31884	0.113	0.002	0.09	3.96	
			208.4-208.6 Bleached-looking PP.												
			209.8-210.4 Pinkish, faded-looking.												
			210.4-211.3 Green, chloritized PP.												
			211.3-212.6 Pale greenish PP.												
			212.6-213.6 Incr patchy pink.												
213.5	225.8	BX(PPp)	Distinctive pink with lesser grey-pink.	K3, act2	2-3% py		213.5	215.0	1.5	31885	0.087	0.003	0.07	4.39	
			Pink PP with numerous dark volc/dr inclusions or clasts. (Unit appears to be more bx than PP).	mt2-4	0.5% cp		215.0	216.5	1.5	31886	0.044	0.001	0.06	3.64	
							216.5	218.0	1.5	31887	0.104	0.001	0.07	3.28	
			215.3 Py-epi stringers.				218.0	219.5	1.5	31888	0.076	0.001	0.06	3.51	
			215.8 Mt-cp vnit (5mm) @ 70 to												

MOUNT POLLEY MINE

Hole No. 99B-3
Page: 6 of 6

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			221.8, 222.2, 222.5 Cal-py-mt vnits.											
			224.0, 224.4 Mt-py-cp vnits (1-5mm) @ 65 to c.a.											
			225.0-225.4 Mt stringer stwk.											
225.8	231.6	PP	Grey-green to slightly pinkish.	K1, mt2	5% py		225.8	227.3	1.5	31893	0.128	0.003	0.09	4.63
			Fine to c-gr porphyry with incr KF vnits downhole.	act1?	0.5% cp		227.3	228.8	1.5	31894	0.075	0.003	0.06	5.62
			Pyrite in vnits, on fractures, and dias; min mt+cp.				228.8	230.3	1.5	31895	0.163	0.003	0.07	5.94
			228.5 Small streaks of cp assoc with py vnits.				230.3	231.5	1.2	31896	0.059	0.001	0.03	5.39
			228.2 Cp bleb (10x4mm).											
			228.6 Cp bleb (10x4mm).											
			230.4 Mt-cal-cp vnit (5-6mm) @ 70 to c.a., gougy on lower contact.											
			230.9 Py-epi vnit.											
231.5	232.6	BX	Classic mottled texture, bright orange & grey.	K3, mt3	3% py		231.5	232.6	1.1	31897	0.201	0.003	0.08	6.09
			Py-epi very common.	act2, epi	tr cp									
232.6	234.7	AP	Sharp, unaheared contacts; fractured but not sheared.				232.6	234.7	2.1	31898	0.013	0.001	0.01	4.83
			Augite (chl) and olivine (epi) phenos throughout.											
234.7	237.7	BX	Mottled bx, as above; local KF megacrysts.	K3, mt3	3% py		234.7	236.2	1.5	31899	0.125	0.003	0.06	5.52
			235.6 Patchy mt + cp.	act2	0.5% cp		Duplicate			31900	0.115	0.001	0.04	5.60
			236.8 Cp bleb (3x5mm).				236.2	237.7	1.5	31901	0.211	0.003	0.09	6.05
237.7	239.8	AP	As above, (exactly).				237.7	239.8	2.1	31902	0.016	0.003	0.01	5.06
239.8	257.9	BX	Mottled bx, as above.	K3, mt3	3% py		239.8	241.3	1.5	31903	0.104	0.004	0.06	6.08
			Local small blebs & vnits of cp.	act2	0.5% cp		241.3	242.8	1.5	31904	0.312	0.006	0.11	4.54
			242.6-242.8 Wispy & dias cp + py.				242.8	244.3	1.5	31905	0.261	0.004	0.10	5.59
			245.8, 246.6 Patchy py-epi.				244.3	245.8	1.5	31906	0.115	0.004	0.06	4.74
			248.9 Mt-cp-py-cal vnit @ 70 to c.a.				245.8	247.3	1.5	31907	0.165	0.005	0.09	4.22
			248.4 Coarse cp bleb in vnit (8x2.5mm).				247.3	248.8	1.5	31908	0.126	0.005	0.09	3.68
			Local KF megacrysts.				248.8	250.3	1.5	31909	0.124	0.006	0.10	4.89
			252.2-252.5 Series of narrow gougy slips up to 1 cm.				250.3	251.8	1.5	31910	0.258	0.007	0.27	6.93
			252.2 Mt-cp bleb + vnit.				251.8	253.3	1.5	31911	0.278	0.009	0.18	6.20
			252.5 Mt-py-epi-cp vnits.				253.3	254.8	1.5	31912	0.293	0.005	0.25	5.58
			253.0-254.3 Abundant py-epi.				254.8	256.3	1.5	31913	0.211	0.005	0.19	2.96
END OF HOLE			256.6-257.9 Grey-pink mottled bx.				256.3	257.9	1.6	31914	0.195	0.001	0.11	6.83

MOUNT POLLEY MINE										Hole No. 99B-4				
Pit: Bell	Northing: 4099.07 N						Correct Dip: -60			Page: 1 of 8				
Hole No: 99B-4	Easting: 2149.07 E						True Azm. 270			Logged by: Chris Wild				
Started: 8/31/99	Elevation: 1158.14 m						Survey at: 136.2 -59			Date: 9/3/99				
Finished: 9/3/99	Core Size: NQ2						306.9 -59			Core stored at: mine site				
Length: 308.88 m										Comments:				
From meters	To meters	Syb	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	4.3	CASING												
4.3	41.8	BX	Generally bright orange-pink; locally mottled texture.	K4, act4	2% py		4.3	5.8	1.5	30302	0.924	0.030	0.86	6.49
			Faint plag phenos, likely PP clasts in dark grey, f-gr matrix of act, diopside-henbergite, mt, chl, min late cal, py, min cp.	mt 3	0.5-1%cp		5.8	7.3	1.5	30303	0.292	0.010	0.24	7.06
							7.3	8.8	1.5	30304	0.335	0.006	0.39	7.21
							8.8	10.3	1.5	30305	0.316	0.005	0.38	6.27
			Moderate to intense KF-flooding and assoc sx.				10.3	11.8	1.5	30306	0.284	0.009	0.16	6.81
			Cp common at top, decr somewhat downhole.				11.8	13.3	1.5	30307	0.346	0.014	0.17	6.17
			Py occurs as blebs, vnlt, diss.				13.3	14.8	1.5	30308	0.265	0.015	0.12	5.66
			6.2-7.4 Green bx, pinkish clasts in dark matrix.				14.8	16.3	1.5	30309	0.270	0.013	0.17	6.53
			7.8-7.9 Green bx.				Duplicate			30310	0.280	0.009	0.19	6.45
			13.6-13.8 PPg dyke (block?).				16.3	17.8	1.5	30311	0.262	0.011	0.20	6.94
			15.1-26.7 Mottled bx.				17.8	19.3	1.5	30312	0.276	0.009	0.18	6.39
			19.6-19.8 Py stringers & vnlt.				19.3	20.8	1.5	30313	0.278	0.013	0.20	7.04
			21.0-21.1 Vuggy cal vnlt, dilational, with 1mm bleb of cp, min py vnlt.				20.8	22.3	1.5	30314	0.231	0.004	0.17	6.08
							22.3	23.8	1.5	30315	0.228	0.005	0.13	7.59
			26.9-27.5 Green bx, cal-flooded matrix; most intense in centre.		3-4% py		23.8	25.3	1.5	30316	0.242	0.008	0.14	6.90
					tr cp		25.3	26.8	1.5	30317	0.277	0.028	0.19	5.14
			27.5-27.7 Pink bx with pale greenish tint.		3-4% py		26.8	28.3	1.5	30318	0.210	0.020	0.15	6.02
			27.7-31.2 Continued mottled, mod magnetic, incr diss cp, pyritic sections.		1% cp		28.3	29.8	1.5	30319	0.272	0.012	0.09	5.03
							29.8	31.3	1.5	30320	0.353	0.010	0.14	7.28
			31.2-41.8 Orange-pink section, KF megacrysts common, incr py, epi. (35.3, 35.7, 36.1, 37.2m)		2-3% py		31.3	32.8	1.5	30321	0.145	0.004	0.06	6.82
					0.5% cp		32.8	34.3	1.5	30322	0.143	0.005	0.10	7.29
			37.5-38.3 Py stringer stwk, min epi, cp.				34.3	35.8	1.5	30323	0.167	0.005	0.08	9.42
			38.6-38.7 Py stringer stwk, min epi, cp.				35.8	37.3	1.5	30324	0.265	0.008	0.12	9.08
							37.3	38.8	1.5	30325	0.301	0.008	0.17	10.40
							38.8	40.3	1.5	30326	0.216	0.006	0.11	8.08
							40.3	41.8	1.5	30327	0.224	0.006	0.13	5.98
41.8	55.4	PPg	Green-grey, weakly porphyritic to f-gr, locally bx.	K2, act2	1-2% py		41.8	43.8	2.0	30328	0.104	0.007	0.04	5.73
			In places looks volcanic.	mt2	min cp		43.8	45.8	2.0	30329	0.098	0.007	0.06	6.19
			Sauc plag phenos throughout.				Duplicate			30330	0.129	0.013	0.06	6.44
			Local KF altn on fractures, min epi, cal-py vnlt.				45.8	47.8	2.0	30331	0.108	0.008	0.06	6.92

MOUNT POLLEY MINE

Hole No. 99B-4
Page: 2 of 8

From meters	To	Rock	Description	Altn	Minl	Recovery	From meters	To	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
							47.8	49.8	2.0	30332	0.110	0.003	0.04	7.17
							49.8	51.8	2.0	30333	0.123	0.003	0.04	7.56
							51.8	53.8	2.0	30334	0.073	0.002	0.01	6.20
							53.8	55.4	1.6	30335	0.084	0.004	0.03	6.15
55.4	60.3	BX	Variable textures, as noted.	K3, act2	2% py		55.4	57.0	1.6	30336	0.090	0.003	0.05	6.80
			55.4-56.8 Mottled grey, min orange & pink.	mt2	<0.5% cp		57.0	58.6	1.6	30337	0.063	0.002	0.05	4.56
			56.6-60.3 Dominantly orange-pink PP, becoming darker toward volc contact.				58.6	60.3	1.7	30338	0.126	0.007	0.06	4.95
			Py occurs in vnits + diss, cp diss & with py vnits.											
60.3	62.1	VOLC	Pale to dark grey-green, f-gr, wk mag.	cal, py	1% py		60.3	62.1	1.8	30339	0.096	0.014	0.04	5.59
			Significant calcite, min py vnits.											
62.1	65.5	BX/PP	Pinkish to dark grey, mottled.	K3, mt3	2% py		62.1	63.8	1.7	30340	0.068	0.001	0.04	5.41
			Clasts apparent, gradational with volc & PP	act0			63.8	65.5	1.7	30341	0.058	0.003	0.04	5.54
			Py as vnits, occ small blebs of cp, mod mt											
65.5	75.4	PPp	Fairly uniform pink to grey crowded plag porphyry.	K3, act1			65.5	67.5	2.0	30342	0.065	0.004	0.04	6.87
			Minor sx, often as cal-mt-py(-cp) vnits	mt2, epi	1-2% py		67.5	69.5	2.0	30343	0.062	0.004	0.03	6.49
			66.3 5mm mt-cp vnit @ 70 to c.a.		min cp		69.5	71.5	2.0	30344	0.074	0.002	0.05	6.02
			70.7 5mm cal-mt-py(-cp) vnit @ 70 to c.a.				71.5	73.5	2.0	30345	0.057	0.001	0.04	5.21
			71.8 Blebby mt, min cp assoc with patches of py, cal, epi.				73.5	75.4	1.9	30346	0.038	0.001	0.03	5.89
75.4	76.5	BX	Mottled orange-pink.	K3, act2	2% py		75.4	76.5	1.1	30347	0.159	0.010	0.12	6.03
			Py, cp, mt occur as vnits, blebs, fracture-fillings.	mt3	min cp									
76.5	83.4	PPg	PP greys downhole; prophyry becomes more crowded.	K2, act0	2% py		76.5	78.0	1.5	30348	0.021	-	0.01	4.16
			78.5-78.9 PPp with occ grey clasts to 2cm.	mt1			78.0	79.7	1.7	30349	0.029	0.001	0.01	4.79
			Py on fractures.	epi, cal			Duplicate			30350	0.028	0.001	0.01	4.43
			Weak to moderately magnetic.				79.7	81.4	1.7	30351	0.021	0.001	0.01	3.95
							81.4	83.4	2.0	30352	0.014	0.001	0.01	3.70
83.4	96.8	BX	As above (75.4-76.5).	K4, act2	2-3% py		83.4	84.9	1.5	30353	0.117	0.006	0.10	5.53
			Most py + cp occurs on fractures.	mt2	min cp		84.9	86.4	1.5	30354	0.146	0.006	0.07	5.67
			88.8 Mt-cp vnit @ 40 to c.a.				86.4	87.9	1.5	30355	0.174	0.006	0.11	6.28
			89.0 Mt-cp vnit @ 65 to c.a.				87.9	89.4	1.5	30356	0.167	0.003	0.10	6.36

Hole No. 99B-4
Page: 3 of 8

MOUNT POLLEY MINE										Hole No.	99B-4				
From To meters		Rock	Description	Alt	Min	Recovery	From To meters		Lgth.	Tag. Number	Analysis				
											3	of 8			
												Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			90.3-90.4 Py-cal vnlt, min mt, cp.				89.4	90.9	1.5	30357	0.166	0.006	0.16	7.08	
			Locally significant cp, possible ore-grade.				90.9	92.4	1.5	30358	0.162	0.007	0.07	8.98	
			94.6-94.9 Series of 5-6 cal vnlt (<5mm), 45-65 to c.a.				92.4	93.9	1.5	30359	0.203	0.005	0.14	5.65	
			94.6-95.3 Subdued orange-pink, well-brecciated, blebby mt, min cp.				93.9	95.4	1.5	30360	0.123	0.003	0.05	5.04	
							95.4	96.8	1.4	30361	0.138	0.006	0.06	7.08	
			95.3-96.8 3 mt vnlt, weak cp, @ 70 to c.a.												
			96.5-96.8 Significant py vnlt.												
96.8	100.8	PPg	As before.	K1, act0	1% py		96.8	98.8	2.0	30362	0.078	0.003	0.05	5.63	
			98.7 5 cm band of diss py.	mt2			98.8	100.8	2.0	30363	0.088	0.003	0.04	5.38	
			99.1-99.2 2x2mm mt vnlt @ 70 to c.a., min py, cp.												
			100.5 Mt blebs assoc with py vnlt, tr cp.												
100.8	128.1	BX	As before.	K4, act2	2-3% py		100.8	102.3	1.5	30364	0.113	0.006	0.05	6.94	
			Incr mt, as vnlt, on fractures, usually assoc with py & min cp. Cp is f-gr, diss - difficult to estimate grade.	2% mt	min cp		102.3	103.8	1.5	30365	0.120	0.004	0.06	7.30	
							103.8	105.3	1.5	30366	0.124	0.004	0.05	7.33	
							105.3	106.8	1.5	30367	0.099	0.004	0.04	6.02	
			102.8-103.0 Mt vnlt.				106.8	108.3	1.5	30368	0.128	0.007	0.07	8.15	
			104.0-104.5 Plag phenos and KF megacrysts, < 1cm.				108.3	109.8	1.5	30369	0.158	0.007	0.08	8.08	
			107.6-107.9 Py-mt-cp-cal vnlt @ 80 to c.a.				Duplicate			30370	0.134	0.006	0.08	6.88	
			108.4 2.6cm mt vnlt, min cp @ 60 to c.a. Mt vnlt offset 2cm by vuggy cal vnlt @ 20 to c.a.				109.8	111.3	1.5	30371	0.130	0.006	0.09	5.49	
							111.3	112.8	1.5	30372	0.115	0.005	0.08	6.15	
			110.3-110.6 Rubble, numerous clay slips.				112.8	114.3	1.5	30373	0.167	0.022	0.10	5.68	
			111.1-111.3 4 mt-cp vnlt cut by epl-cal vnlt.				114.3	115.8	1.5	30374	0.105	0.004	0.07	5.84	
			114.1-114.2 as above.				115.8	117.3	1.5	30375	0.134	0.006	0.10	6.46	
			114.9-115.9 White cal stringers.				117.3	119.4	2.1	30376	0.124	0.007	0.08	5.95	
			118.6 Mt-py-cp vnlt @ 70 to c.a., py in centre. Also offset by vuggy cal vnlt.				119.4	120.6	1.2	30377	0.076	0.003	0.07	7.02	
							120.6	122.1	1.5	30378	0.142	0.006	0.08	6.94	
			118.6-118.9 FAULT; rubble.				122.1	123.6	1.5	30379	0.110	0.004	0.11	6.60	
			119.4-120.6 PPg; greenish, faint plag phenos.				123.6	125.1	1.5	30380	0.101	0.004	0.13	6.03	
			120.1 Mt-py-cp vnlt, assoc KF-alt (5mm) @ 65 to c.a.				125.1	126.6	1.5	30381	0.133	0.007	0.21	8.51	
			121.2-121.3 FAULT; broken, sandy gouge.				126.6	128.1	1.5	30382	0.171	0.015	0.14	8.29	
			124.3-126.6 Mottled bx.												
			127.0-127.4 PPg; cal vnlt, min py, mt, cp.				128.1	130.1	2.0	30383	0.016	0.002	0.02	3.43	
			127.4-128.1 PPg in mottled bx.				130.1	132.1	2.0	30384	0.010	0.001	0.04	3.23	
							132.1	134.1	2.0	30385	0.007	0.001	0.02	2.87	
128.1	153.1	PPg	Grey-green, consistent porphyritic texture.	K0, act0	1-2% py		134.1	136.1	2.0	30386	0.018	0.001	0.02	3.04	
				mt1											

MOUNT POLLEY MINE

Hole No. 99B-4
Page: 4 of 8

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
		PPg	Very competent, hard.		1-2% py		136.1	138.1	2.0	30387	0.028	0.002	0.02	3.13
			Py vnlt, no mt-cp identified.				138.1	140.1	2.0	30388	0.038	0.002	0.04	3.18
			Weakly magnetic, occ cal vnlt.				140.1	142.1	2.0	30389	0.015	0.001	0.01	2.85
			134.6 Inclusion of pink PP (5cm), PPg post altn dyke.				Duplicate			30390	0.013	0.002	0.02	2.88
			146.3-146.4 2 unaltered monz inclusions (2-3cm).				142.1	144.1	2.0	30391	0.007	0.002	0.02	2.66
							144.1	146.1	2.0	30392	0.003	0.002	0.01	2.51
153.1	166.1	PPp	153.1 Gradational 'pinking' of porphyry.	K2, act0	2% py		146.1	148.1	2.0	30393	0.006	0.002	0.01	2.63
			153.8-154.6 Mottled, c-gr por with fingering KF-altn.	mt2			148.1	150.1	2.0	30394	0.010	0.002	0.02	2.68
			155.0-155.1 Narrow py vnlit @ 70 to c.a.				150.1	152.1	2.0	30395	0.031	0.002	0.06	2.66
			157.1 5mm py vnlit, mt blebs, min cp @ 70 to c.a.				152.1	154.1	2.0	30396	0.039	0.005	0.05	6.05
			154.6-154.7 Abrupt incr in cal vnlt.				154.1	156.1	2.0	30397	0.084	0.006	0.08	5.43
			164.7 FAULT; 5cm of mush.				156.1	158.1	2.0	30398	0.091	0.004	0.09	6.36
			164.7-166.1 Highly fractured.				158.1	160.1	2.0	30399	0.039	0.002	0.02	6.38
							160.1	162.1	2.0	30400	0.099	0.004	0.05	6.79
							162.1	164.1	2.0	30401	0.131	0.003	0.09	10.00
166.1	171.0	AP	Green augite por; augite (chl), olivine (epi) phenos.		<<1%		164.1	166.1	2.0	30402	0.075	0.002	0.06	7.33
			Highly fractured into 1-10 cm pieces along chl slips.											
			Calcite stringers common.				166.1	168.5	2.4	30403	0.010	0.001	0.01	6.98
			Moderately magnetic; lower contact @ 70 to c.a.				168.5	171.0	2.5	30404	0.013	0.006	0.01	5.00
171.0	177.2	PPp	Pink to pinkish-grey with inclusions of dr and monz.	K2, act0			171.0	172.5	1.5	30405	0.242	0.009	0.07	7.28
			Py + min cp occur as vnlt, fracture fillings, diss.	mt2			172.5	174.0	1.5	30406	0.223	0.013	0.10	4.68
			171.3-171.5 Cp in vnlt, on fractures.				174.0	175.5	1.5	30407	0.158	0.011	0.12	4.38
			171.8 Mt-cp vnlit @ 70 to c.a.				175.5	177.2	1.7	30408	0.087	0.006	0.06	4.15
			174.2 Mt vnlit, diss cp @ 70 to c.a.											
			174.3-174.4 Mt-cal-py-cp vnlt @ 70 to c.a.											
			174.6 Mt-py-cp-cal vnlit, mt-cal-epi vnlit @ 40 to c.a.											
177.2	190.5	BX	Pink-orange with grey sections, locally mottled with sections of KF megacrysts.	K3, act1	2-3% py		177.2	178.7	1.5	30409	0.131	0.006	0.05	5.34
				mt3	0.5% cp		Duplicate			30410	0.123	0.004	0.05	5.64
			Sx occur in same modes as above.		3-5% mt		178.7	180.2	1.5	30411	0.167	0.006	0.07	5.12
			177.2-177.4 Grey mottled contact zone, mod mag.				180.2	181.7	1.5	30412	0.213	0.008	0.10	5.84
			178.3 Cal-mt-cp (py-epi) vnlit.				181.7	183.2	1.5	30413	0.221	0.007	0.13	7.25
			178.5 Cal-mt-cp-py-epi vnlt.				183.2	184.7	1.5	30414	0.242	0.008	0.14	6.47
			180.6 Py-cal-epi stwk, min mt, cp.				184.7	186.2	1.5	30415	0.222	0.009	0.16	5.58
			181.0 Py-cal-epi stwk, min mt, cp.				186.2	187.7	1.5	30416	0.183	0.009	0.19	4.40
			183.1 Mt-KF-py-epi-cal-cp vnlit @ 70 to c.a.				187.7	189.2	1.5	30417	0.285	0.016	0.23	6.08
			183.2 Cp-cal-py-epi-mt vnlit @ 25 to c.a.				189.2	190.5	1.3	30418	0.141	0.007	0.12	6.03

Hole No. 99B-4
Page: 5 of 8

MOUNT POLLEY MINE										Hole No.	99B-4			
From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											5	of		8
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			183.7 Mt-cal-cp-py vnit @ 65 to c.a.; KF megacrysts, KF-altered selvages.											
			184.6-185.1 Mt-py-cp (cal, epi) vnits @ 70 to c.a.											
			187.5-187.9, 188.1-188.7 Grey mottled bx, gen sx-poor.											
			189.2 Py-mt-cal-epi-cp vnit (5mm) @ 70 to c.a.											
190.5	191.2	AP	Dark green, chl-rich, augite-poor.				190.5	191.2	0.7	30419	0.012	0.001	0.01	6.42
			Sheared contacts with cal vnits & chl slips @ 70 to c.a.											
			Well-fractured.											
191.2	195.3	BX	Mixed bx becoming darker downhole.	K3, act2	2-3% py		191.2	192.5	1.3	30420	0.235	0.022	0.22	6.37
			191.2-191.7 Well-fractured with mt-cp on several.	mt3	0.5% cp		192.5	193.9	1.4	30421	0.241	0.030	0.24	6.38
			193.4 Cp-mt bleb.				193.9	195.3	1.4	30422	0.132	0.004	0.09	6.82
			194.4-194.5 FAULT; cal-clay gouge @ 45 to c.a.											
			194.6-195.3 Dark mottled bx several orange clasts.											
			Calcite vnits @ low angle to c.a.											
195.3	202.6	VBX	Dark green, highly chloritized with obvious bx sections and 'bleached' zones.	K2, act0	1% py		195.3	197.3	2.0	30423	0.194	0.004	0.15	10.00
				mt1	<0.5% cp		197.3	199.3	2.0	30424	0.182	0.007	0.15	7.22
			195.4-195.6 FAULT; sheared chl + cal, rubble to 196.8.				199.3	200.9	1.6	30425	0.271	0.007	0.19	6.90
			196.8-198.3 Bx zone, paler green with orange clasts.				200.9	202.6	1.7	30426	0.230	0.005	0.15	4.99
			196.3-198.8 Strongly 'bleached'.											
			198.8-200.9 Dark green, chloritic.											
			200.3 Clay shear.											
			201.1-201.3 'Bleached'.											
			201.6-201.9 FAULT; dark, chloritic rubble.											
			201.9-202.6 Gradually becoming paler, more brecciated.											
202.6	221.3	BX	Highly variable texture, pinkish but mottled.	K4, act1	2% py		202.6	204.1	1.5	30427	0.269	0.014	0.18	7.25
			203.2 Mt-py-cp vnit + diss cp.	mt2	1% cp		204.1	206.6	1.5	30428	0.135	0.004	0.11	4.62
			Py, cp occur as vnits, fracture coatings, diss.				205.6	207.1	1.5	30429	0.203	0.009	0.13	4.31
			Erratic distribution of sulphides.				Duplicate			30430	0.183	0.006	0.14	4.08
			Cp, py often occur together, py later assoc with epi, cal?				207.1	208.6	1.5	30431	0.309	0.010	0.20	5.28
			205.6-206.4 Dark bx matrix, large increase in cp.				208.6	210.1	1.5	30432	0.342	0.012	0.26	5.52
			208.2 Mt-cal-cp vnit (8mm) @ 60 to c.a.; cut off by clay-cal stringer.				210.1	211.6	1.5	30433	0.177	0.009	0.14	5.09
							211.6	213.1	1.5	30434	0.305	0.014	0.19	5.74
			209.0 Two cal-clay slips with ss @ 40 to c.a. (3cm apart)				213.1	214.6	1.5	30435	0.162	0.010	0.14	7.17

MOUNT POLLEY MINE

Hole No. 99B-4
Page: 6 of 8

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			209.4 Cp-mt vnit @ 70 to c.a.				214.6	216.1	1.5	30436	0.199	0.009	0.17	6.45
			209.9-211.7 PP/bx, variable texture.				216.1	217.6	1.5	30437	0.147	0.006	0.10	5.57
			211.7-218.2 Mottled pink-grey bx.				217.6	219.1	1.5	30438	0.139	0.005	0.07	4.40
			218.2-219.8 Bright orange-pink KF-flooded bx.		2% py		219.1	220.2	1.1	30439	0.426	0.016	0.40	6.08
			py + epi common, min cp.		min cp		220.2	221.3	1.1	30440	0.234	0.008	0.20	5.87
			218.5-218.8 Highly fractured, weak.											
			219.1 FAULT; 5cm sand & gouge.											
			220.3 FAULT; min gouge.											
			220.6 FAULT; min gouge.											
			221.2-221.3 Cp-mt-py vnits.											
221.3	233.0	PPp	Grey to pink, cut by numerous mineralized vnits with assoc KF-altn.	K3, act0 mt2	1-2% py <0.5% cp		221.3	223.0	1.7	30441	0.150	0.006	0.11	5.65
			Several dark green clasts (volc?), up to 3cm.				223.0	225.0	2.0	30442	0.092	0.004	0.06	5.74
			222.3-222.6 FAULT; cal-clay vnit (4cm) @ 30 to c.a.				225.0	227.0	2.0	30443	0.169	0.007	0.11	4.89
			222.8 Mt-cp-py vnit @ 70 to c.a.; with other minor stringers, assoc with KF-altn.				227.0	229.0	2.0	30444	0.133	0.006	0.10	5.02
							229.0	231.0	2.0	30445	0.188	0.007	0.12	4.97
							231.0	233.0	2.0	30446	0.191	0.006	0.06	5.87
			228.0 Py-epi vnit @ 30 to c.a.; assoc with KF-altn.											
			229.5-229.7 Fracture zone with cp, py, cal stringers.											
			230.6 Cp-py stringers @ 70 to c.a.											
			231.1-231.2 FAULT; sand, clay gouge + cal vnits at contacts @ 80 to c.a.											
			233.4-233.6 Py stringer stwk.											
			Lower contact @ 80 to c.a.; clay slip.											
233.0	276.7	BX	Mottled orange & grey but highly variable.	K4, act2	2% py		233.0	234.5	1.5	30447	0.224	0.012	0.16	5.89
			Cp-py occur as vnits, blebs, diss; cp <= 1%.	mt2	0.5-1%cp		234.5	236.0	1.5	30448	0.119	0.005	0.09	6.79
			Grey is more pyritic, greenish (act?) more cp-rich.				236.0	237.5	1.5	30449	0.181	0.010	0.15	5.91
			244.5-245.0 Bright orange, vuggy cal vnits, diss py > cp.				Duplicate			30450	0.199	0.011	0.14	6.26
			245.0-245.2 Clay slips (faults) with assoc py.				237.5	239.0	1.5	30451	0.168	0.012	0.17	6.04
			245.2-245.5 Begin cp-rich section.				239.0	240.5	1.5	30452	0.204	0.009	0.25	4.48
			249.5-253.5 Fainter greenish bx; more py-rich, f-gr.				240.5	242.0	1.5	30453	0.319	0.014	0.21	6.89
			Py, cp both weakening down-section.				242.0	243.5	1.5	30454	0.176	0.008	0.18	7.32
			Note absence of mt vnits.				243.5	245.0	1.5	30455	0.236	0.021	0.19	5.07
			More cp on fractures.				245.0	246.5	1.5	30456	0.332	0.023	0.35	8.81
			259.4 Becomes PP-dominant; pink PP clasts in grey PP matrix; sx content continues to fall.	K2-3	1% py <0.5% cp		246.5	248.0	1.5	30457	0.309	0.015	0.32	7.53
							248.0	249.5	1.5	30458	0.212	0.008	0.16	7.68

MOUNT POLLEY MINE

Hole No. 99B-4
Page: 7 of 8

From meters	To	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			270.3 15 cm of cal vnlt @ 60 to c.a.	K3-4	1% cp		249.5	251.0	1.5	30459	0.137	0.005	0.10	6.41
			Bx & KF-altn more intense.				251.0	252.5	1.5	30460	0.163	0.005	0.17	6.79
			272.0 Cp decreases to fractures.				252.5	254.0	1.5	30461	0.149	0.007	0.20	6.79
			274.9-275.1 KF-flood, diss cp.				254.0	255.5	1.5	30462	0.186	0.006	0.13	4.28
			275.1-276.6 Incr py-epi, decr cp.				255.5	257.0	1.5	30463	0.239	0.009	0.18	5.10
							257.0	258.5	1.5	30464	0.217	0.005	0.19	5.87
							258.5	260.0	1.5	30465	0.120	0.005	0.11	5.89
							260.0	261.5	1.5	30466	0.190	0.007	0.15	4.82
							261.5	263.0	1.5	30467	0.336	0.014	0.21	4.52
							263.0	264.5	1.5	30468	0.050	0.002	0.02	4.81
							264.5	266.0	1.5	30469	0.092	0.006	0.04	5.72
							Duplicate			30470	0.091	0.005	0.04	5.67
							266.0	267.5	1.5	30471	0.147	0.006	0.07	5.71
							267.5	269.0	1.5	30472	0.140	0.007	0.10	8.34
							269.0	270.5	1.5	30473	0.336	0.011	0.22	6.10
							270.5	272.0	1.5	30474	0.711	0.029	0.35	5.37
							272.0	273.5	1.5	30475	0.146	0.009	0.11	5.86
							273.5	275.1	1.6	30476	0.360	0.023	0.24	6.19
							275.1	276.7	1.6	30477	0.201	0.012	0.14	6.46
276.7	287.7	PP	Grey, crowded porphyry, occ vnlt & fractures with KF-altn.	K2, act0 mt2	1% py min cp		276.7	278.7	2.0	30478	0.131	0.005	0.14	6.17
			279.7 Cal-epi-py vnlt @ 40 to c.a.				278.7	280.7	2.0	30479	0.280	0.013	0.24	6.43
			282.4 Mt-py-cp vnlt @ 70 to c.a.				280.7	282.7	2.0	30480	0.236	0.014	0.14	7.46
			282.6-283.5 BX; mt-cp vnlt @ low angle to c.a.				282.7	284.7	2.0	30481	0.290	0.021	0.23	8.52
			287.7-288.5 Series of py-epi (min cp) vnlt, frac.	K2	1-2% py		284.7	286.7	2.0	30482	0.098	0.009	0.07	7.16
					min cp		286.7	288.7	2.0	30483	0.183	0.027	0.06	6.74
287.7	297.8	BX	PP clasts in grey PP stwk matrix.	K2, act1 mt1	1% py		288.7	290.7	2.0	30484	0.180	0.008	0.14	4.64
			294.1 Grades pinker.				290.7	292.7	2.0	30485	0.216	0.015	0.17	7.01
			296.8-297.0 FAULT; rubble, sand.				292.7	295.2	2.5	30486	0.099	0.006	0.14	5.01
			297.8 FAULT; 5cm of clay on contact @ 60 to c.a.				295.2	297.8	2.6	30487	0.078	0.013	0.07	4.79
297.8	310.0	MONZ	Pale green-grey, very weak porphyry.	K0, act0 mt2	<<1% py		297.8	299.4	1.6	30488	0.013	0.006	0.02	4.19
			Salt & pepper texture.				299.4	301.0	1.6	30489	0.004	0.002	0.01	3.49
			Significant primary? KF→ monzonitic comp.				Duplicate			30490	0.003	0.001	0.01	3.92
			299.4 FAULT; 5cm clay gouge & rubble.				301.0	302.6	1.6	30491	0.003	0.001	0.01	3.93
			299.4-302.6 MAFIC DYKE; much darker green, chloritized mafic phenocrysts.				302.6	304.6	2.0	30492	0.011	0.003	0.01	4.42

Hole No. 99B-4
Page: 8 of 8

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-5

Pit: Bell	Northing: 4150.48 N	Correct Dip: -67	Page: 1 of 5
Hole No: 99B-5	Easting: 2208.65 E	True Azm. 270	Logged by: Chris Wild
Started: 8/29/99	Elevation: 1153.49 m	Survey at: 105.8 -67	Date: 8/30/99
Finished: 8/31/99	Core Size: NQ2	236.8 -67	Core stored at: mine site
	Length: 245.97 m		Comments: Northeast extension

From meters	To meters	Syb	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	3.1	CASING												
3.1	35.7	PPg	Med-grained, crowded plag por; gray-brown colour.	K2, act2	2% py		3.1	5.2	2.2	30196	0.010	0.002	0.01	3.59
			Oxidized to 8.5m.	mt2			5.2	7.4	2.2	30197	0.005	0.003	0.01	2.83
			Plag phenos randomly oriented, coarser than in 99B-7.				7.4	9.6	2.2	30198	0.005	0.005	0.01	3.00
			Py diss but not uniformly distributed.				9.6	11.8	2.2	30199	0.027	-	0.02	2.31
			13.5-14.2 Transitional, py vnits & stringers common with patchy KF altn.	K2			11.8	14.2	2.4	30200	0.023	0.017	0.02	3.60
							14.2	15.9	1.7	30201	0.030	0.002	0.10	5.23
			14.2-15.8 Mottled orange & grey bx, KF megacrysts up to 2cm in cloudy grey, not obviously por matrix. Py cuts clast boundaries, ie post bx fracture-control.	K3	2-3% py		15.9	17.4	1.5	30202	0.036	0.003	0.16	4.38
							17.4	19.4	2.0	30203	0.012	0.001	0.03	4.20
							19.4	21.4	2.0	30204	0.019	0.001	0.03	4.26
			15.9-17.4 Mottled bx, as above, alternating with PPg.		2% py		21.4	23.4	2.0	30205	0.021	0.002	0.02	4.33
			17.4-17.9 Stwk of KF-altered fractures with coincident cal vnits.				23.4	25.4	2.0	30206	0.012	0.001	0.02	4.35
							25.4	27.4	2.0	30207	0.029	0.001	0.02	4.38
			19.7-19.9 Splash of KF + calcite.				27.4	29.4	2.0	30208	0.015	0.001	0.12	4.74
			22.8-23.3 Splash of KF + calcite.				29.4	31.4	2.0	30209	0.028	0.002	0.03	4.33
			25.0-25.7 Splash of KF + calcite.				Duplicate			30210	0.090	0.003	0.06	4.69
			26.0-26.5 Variable KF.				31.4	33.4	2.0	30211	0.034	0.002	0.03	4.88
			27.2-27.6 Variable KF.				33.4	35.7	2.3	30212	0.019	0.001	0.04	4.56
			33.0-33.9 Brecciated, KF-flooded with numerous py vnits, distinct contacts @ 50 to c.a.											
			35.1-35.4 Brecciated, as above.											
35.7	50.5	BX	Breccia, same as short KF-bx intervals in PPg.	K4, act1	2-3% py		35.7	37.5	1.8	30213	0.086	0.008	0.06	5.88
			Breccia is stronger, more extensive, with zones of weak or minimal bx. KF megacrysts evident.	mt2	min cp		37.5	39.5	2.0	30214	0.063	0.003	0.04	4.85
				epi			39.5	41.5	2.0	30215	0.057	0.001	0.06	4.14
			Locally, py stringers to 5mm assoc with epidote.				41.5	43.5	2.0	30216	0.053	0.002	0.08	4.39
			Several hematitic slips.				43.5	45.5	2.0	30217	0.070	0.003	0.11	6.00
			Possible cp as small discrete blebs.				45.5	48.0	2.5	30218	0.052	0.005	0.09	5.76
			41.8-42.0 Vuggy calcite vnits.				48.0	50.5	2.5	30219	0.054	0.001	0.18	4.64
50.5	60.9	PPp	As before, slightly 'pinked' up, blebs of dark green, weakly magnetic. Grades down to PPg.	K2, act1	2% py		50.5	52.5	2.0	30220	0.031	0.001	0.06	3.80
				mt1			52.5	54.5	2.0	30221	0.029	0.002	0.02	3.06

Hole No. 99B-5
Page: 2 of 5

[illegible]

Hole No. 99B-5
Page: 3 of 5

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-5
Page: 4 of 5

From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
115.3	120.9	BX	115.3-116.5 'Bleached-look', mottled, cut by several calcite vnits to 1.5cm.	K3, act0 mt0	3% py		115.3	117.2	1.9	30264	0.085	0.019	0.20	4.55
							117.2	119.1	1.9	30265	0.078	0.012	0.35	3.83
			116.5-117.4 Black chl streaks, vnits.				118.1	120.9	1.8	30266	0.067	0.001	0.37	4.31
			117.8-120.9 'Bleached', mottled, pale greenish matrix.											
			120.5-120.7 Mt matrix with assoc py.		3-4% py									
120.9	122.6	VOLC	F-gr to weakly porphyritic, green-grey.	K0, act0 mt1	3% py		120.9	122.6	1.7	30267	0.096	0.006	0.37	4.77
			Cut by numerous calcite vnits, py vnits.											
			Gradational contacts.											
122.6	128.1	BX	As before; no 'bleached' sections.	K3, act0 mt1	3% py		122.6	124.4	1.8	30268	0.074	0.005	0.26	3.54
			Most bx is PP				124.4	126.2	1.8	30269	0.097	0.003	0.19	4.73
							126.2	128.1	1.9	30280	0.050	0.001	0.34	5.11
128.1	178.5	PPg	Weakly yet variably 'pinked', uniform med-gr porph.	K1, act0 mt0	2% py		128.1	131.1	3.0	30261	0.052	0.001	0.10	5.00
			KF-altn along fractures penetrated PPg 2+cm.				131.1	134.1	3.0	30262	0.037	0.002	0.08	5.07
			Py in vnits.				134.1	137.1	3.0	30263	0.035	0.001	0.13	5.13
			135.7-135.8 Bx along KF vnits.				137.1	140.1	3.0	30264	0.038	0.003	0.16	6.05
			137.0-137.3 Pink section, min bx.				140.1	143.1	3.0	30265	0.038	0.002	0.09	6.28
			145.5-145.7 Bx contact @ 45 to c.a. Note py vnits.	K3	5%py		143.1	146.1	3.0	30266	0.067	0.004	0.15	6.69
			146.2-146.9 Pink bx, as above. Note py vnits.	K3	5%py		146.1	149.1	3.0	30267	0.059	0.006	0.16	7.07
			149.6 Py vnits.				149.1	152.1	3.0	30268	0.065	0.006	0.23	6.80
			Continues grey-brown, weak altn.				152.1	155.1	3.0	30269	0.008	0.001	0.04	2.52
			Crowded por texture, occ KF phenos.				Duplicate			30270	0.009	0.001	0.04	2.34
			160.2-160.3 Green chloritic dyke, sharp contacts @ 60 to c.a.				155.1	158.1	3.0	30271	0.003	0.001	0.02	2.28
							158.1	161.1	3.0	30272	0.006	0.001	0.03	2.39
			173.1-178.0 Highly fractured core.				161.1	164.1	3.0	30273	0.003	0.001	0.03	2.55
							164.1	167.1	3.0	30274	0.003	0.001	0.02	2.81
178.5	187.3	PPp	Abrupt colour change from brown-grey to pink.	K2, act0 mt1	2% py		167.1	170.1	3.0	30275	0.004	0.001	0.02	2.64
			Texturally identical to PPg; plag phenos are same size, shape, density.				170.1	173.1	3.0	30276	0.008	0.001	0.02	2.13
							173.1	176.1	3.0	30277	0.013	0.001	0.01	1.87
							176.1	179.1	3.0	30278	0.022	0.001	0.02	2.18
187.3	190.0	BX	Grey with pink tint; pinkish clasts in dark grey matrix, quite faint.	K2, act0 mt0	3% py		179.1	182.1	3.0	30279	0.092	0.002	0.31	3.72
							182.1	185.1	3.0	30280	0.050	0.002	0.06	3.88
							185.1	188.1	3.0	30281	0.065	0.001	0.13	4.41
190.0	191.1	FAULT	Mainly rubble, clay gouge - 190.5m.	K0, act0 mt0			188.1	191.1	3.0	30282	0.085	0.004	0.15	6.97

Hole No. 99B-6
Page: 5 of 5

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-6

Pit: Bell
Hole No: 99B-6
Started: 9/15/99
Finished: 9/19/99

Northing: 4124.88 N
Easting: 2054.38 E
Elevation: 1162.71 m
Core Size: NQ2
Length: 194.16 m

Correct Dip: -55
True Azm: 270
Survey at: 90.5 no etch
194.2 -55

Page: 1 of 5
Logged by: Chris Wild
Date: 10/12/99
Core stored at: mine site
Comments: North end Bell Pit

From meters	To meters	Syb	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	CASING												
3.1	12.7	VBX	Dark green to mottled with pink PP(bx) sections. Strong but variable py, locally 10%. 7.7-7.8 FAULT; gougy 7.8-8.0 10% py. 8.2 Becomes pinkish to mottled. 10.8-11.3 FAULT; gougy and broken zone.	K2, act0 mt0	5% py		3.1 5.1 7.1 9.1 11.1	5.1 7.1 9.1 11.1 13.6	2.0 2.0 2.0 2.0 2.5	31300 31301 31302 31303 31304	0.087 0.100 0.125 0.120 0.160	0.011 0.007 0.015 0.007 0.010	0.07 0.09 0.09 0.09 0.09	8.20 8.40 6.93 8.24 8.47
12.7	13.6	FAULT	Fault zone consisting of a series of dark grey clay gouge seams in broken and gougy pink PP.	K3, act0 mt0	3-5% py									
13.6	17.5	BX	Pink to orange mottled bx. 13.7 Py vnl (up to 1cm) @ 45 to c.a. 16.0 1mm cp vnl (discontinuous). 16.8-16.9 FAULT; clay/sand gouge Well-fractured unit.	K3, a2 mt2	3-5% py min cp		13.6 15.6	15.6 17.5	2.0 1.9	31305 31306	0.252 0.240	0.012 0.009	0.19 0.15	7.27 6.05
17.5	43.4	PP(MZ)	Grey PP; variably porphyritic, slightly pink. Sharp upper contact, note bx inclusion @ 17.6m. 18.8 Py-chl vnl @ 70 to c.a. 22.4-22.7 Grey equigranular monz. 23.0-23.5 Bx, as above. 23.5-24.7 Pale grey monz with white plag phenos; upper contact sheared @ 30 to c.a., gradational lower contact. 25.6-26.3 Grey monz, crowded PP. 26.6-26.7 Grey monz. 28.5-28.8 Pale grey PP (crowded). 29.3-29.8 Pale grey PP (crowded). 31.0-31.4 FAULT; gougy at top, str frac+gouge. PP becomes distinctly pink @ 31.4m	K2, a1 mt2	3-5% py		17.5 19.5 21.5 23.5 25.5 26.5 27.5 29.5 31.5 33.5 35.5 37.5 39.5 41.5	19.5 21.5 23.5 25.5 27.5 29.5 31.5 33.5 35.5 37.5 39.5 41.5 43.4	2.0 2.0 2.0 Duplicate 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 1.9	31307 31308 31309 31310 31311 31312 31313 31314 31315 31316 31317 31318 31318 31319 31320	0.063 0.048 0.118 0.122 0.009 0.010 0.003 0.026 0.011 0.018 0.013 0.010 0.014 0.011	0.006 0.002 0.005 0.005 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	0.03 0.02 0.10 0.10 0.01 0.01 0.01 0.02 0.01 0.02 0.01 0.02 0.02 0.01	5.52 5.20 5.55 5.92 4.35 4.77 4.90 3.86 4.44 3.93 3.31 4.37 4.01 3.99

MOUNT POLLEY MINE

Hole No. 99B-6
Page: 2 of 5

From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			34.9-36.3 Fractured.											
			37.0 2cm cal vnlit (unusual).											
			37.0-42.3 Pink fades somewhat.	K2										
			42.3-42.8 Pale grey PP (crowded).											
			43.0-43.4 Darker grey PP.											
43.4	54.8	BX	Sharp contact @ 30 to c.a.	K3-4, a2	2-3% py		43.4	45.2	1.8	31321	0.129	0.006	0.07	5.44
			Bright orange to pink, mottled to KF-flooded.	mt2	tr-min cp		45.2	46.9	1.7	31322	0.048	0.003	0.02	3.88
			Diss py, min vnlt & stringers.				46.9	48.8	1.9	31323	0.095	0.008	0.05	4.97
			45.2-46.9 KF-flooded, mostly solid orange with plag phenos visible near bottom.				48.8	50.8	2.0	31324	0.129	0.006	0.10	5.45
							50.8	52.8	2.0	31325	0.142	0.007	0.10	5.96
			50.1 1cm seam clay gouge @ 70 to c.a. (min FLT).				52.8	54.8	2.0	31326	0.118	0.005	0.09	5.25
			50.5-50.7 Mt vnlt, diss py, min cp.											
			Incr py in vnlt up to 5mm, steep to c.a.											
			52.7-54.8 C-gr pink plag por bx, with several different clast types scattered in pink PP. Occ mt-py vnlt.											
54.8	72.8	PPg	Upper contact gradational over 5cm.				54.8	56.8	2.0	31327	0.027	0.002	0.03	3.03
			Brown-grey & med gr, mod crowded plag phenos with occ dark to pale grey clasts or inclusions.				56.8	58.8	2.0	31328	0.024	0.001	0.02	2.78
							58.8	60.8	2.0	31329	0.012	0.001	0.02	3.43
			Py assoc with narrow KF-altered fractures.				Duplicate			31330	0.018	0.002	0.02	3.84
			60.0-60.2 Py stringers, py-mt vnlt.				60.8	62.8	2.0	31331	0.026	0.002	0.03	2.56
			Mt-py-KF vnlt quite common, no cp.				62.8	64.8	2.0	31332	0.021	0.003	0.01	2.83
							64.8	66.8	2.0	31333	0.046	0.002	0.03	2.71
72.8	94.8	BX	Dark-grey to pink, dominantly mottled.	K2, a1	1% py		66.8	68.8	2.0	31334	0.039	0.003	0.02	2.31
			72.8-75.4 Transitional dark grey PP with wispy to patchy pink sections and weak bx textures.	mt2			68.8	70.8	2.0	31335	0.009	0.001	0.01	2.32
							70.8	72.8	2.0	31336	0.034	0.014	0.02	2.31
			74.3-74.8 KF-flood into f-gr volc?											
			75.4 Becomes bright pink-orange to mottled.	K3, a2	1% py		72.8	74.3	1.5	31337	0.025	0.002	0.03	2.86
			76.5 Mt-cp-py vnlt @70 to c.a.	mt4	0.5% cp		74.3	75.8	1.5	31338	0.086	0.012	0.04	3.70
			78.1 Patchy to stringer cp (+mt).	min epi	3-4% mt		75.8	77.3	1.5	31339	0.158	0.006	0.08	5.00
			78.6 Patchy cp-mt, min py.				77.3	78.8	1.5	31340	0.219	0.013	0.12	4.86
			78.9 Mt-py-cp vnlt (2mm) @ 75 to c.a.				78.8	80.3	1.5	31341	0.201	0.013	0.08	5.88
			81.0 Mt-cal-py-cp vnlt (2mm) @ 75 to c.a.				80.3	81.8	1.5	31342	0.129	0.009	0.11	5.56

Hole No. 99B-6
Page: 3 of 5

[illegible]

Hole No. 99B-6
Page: 4 of 5

From meters		Rock	Description	Altn	Minl	Recovery	To meters		Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ms (%)	Au (g/t)	Fe-tot (%)
			118.6-118.9 Bluish-green mal-az or chrysocolla.		mal/az		124.6	126.1	1.5	31372	0.325	0.061	0.21	8.80
			124.5-124.7 Pitted appearance, min mt-cp.				126.1	127.6	1.5	31373	0.340	0.092	0.20	7.40
			124.8 End of mottled pink section; note 3cm py vnl at contact.				127.8	129.1	1.5	31374	0.478	0.018	0.44	8.03
							129.1	130.6	1.5	31375	0.218	0.056	0.21	7.80
			124.8-133.1 Dominantly grey mottled bx with pink sections and clasts.	K3, a2	1% py		130.6	132.1	1.5	31376	0.138	0.039	0.10	6.64
				mt2	<<1% cp		132.1	133.6	1.5	31377	0.198	0.007	0.15	4.74
			124.9 Py-chl vnl (2cm) @ 70 to c.a.				133.8	135.1	1.5	31378	0.149	0.011	0.10	4.34
			128.1 Cp assoc with blebby mt.				135.1	136.6	1.5	31379	0.278	0.038	0.14	8.79
			Mod to str magnetic.				136.6	138.1	1.5	31380	0.094	0.005	0.10	6.30
			Oxidized fractures with py, min diss cp.				138.1	139.6	1.5	31381	0.058	0.004	0.04	5.46
			133.1-134.1 KF-flooded pink PP/BX, gradational with grey-pink bx; min diss py, cp.	K4, a1			139.6	141.1	1.5	31382	0.265	0.021	0.17	4.00
				mt2			141.1	142.6	1.5	31383	0.155	0.013	0.11	4.93
			134.1-139.6 Grey mottled bx.	K3, a2	1% py		142.6	144.1	1.5	31384	0.067	0.025	0.03	5.53
			135.1 Patchy cp (5x5mm).	mt3	min cp		144.1	145.8	1.7	31385	0.072	0.019	0.06	4.58
			135.9-136.5 Py vnls.											
			139.6-142.2 KF-flooded pink bx; incr py, mt.	K4, a1	2% py									
				mt3	tr cp									
			142.2-143.5 Grey PP; min KF vnls, gradational.											
			143.5-145.8 Pink BX/PP; oxidized frac, min py.											
145.8	164.6	PPp	Distinct pink, med to c-gr plag por with min bx sections and rel consistent mod KF altn.	K3, mt2	1% py		145.8	147.8	2.0	31386	0.075	0.007	0.06	3.38
				a0-1	min cp		147.8	149.8	2.0	31387	0.075	0.007	0.05	3.38
			149.6-149.8 Diss py in pink KF-flooded zone.				149.8	151.8	2.0	31388	0.057	0.005	0.05	3.59
			152.1-153.3 Coarser-grained, crowded por.				151.8	153.8	2.0	31389	0.047	0.002	0.05	3.35
			154.7 Cal-py-mt-cp vnl.				Duplicate			31390	0.049	0.002	0.05	3.31
			156.8 Becomes less pink, more grey.				153.8	155.8	2.0	31391	0.055	0.002	0.05	3.44
			Py occurs in vnls, on fractures, diss.				155.8	157.8	2.0	31392	0.085	0.004	0.07	4.02
			Cp is usually diss, assoc with mt-py.				157.8	159.8	2.0	31393	0.074	0.006	0.08	3.67
			163.1 Some oxidation (goethite) on fractures.				159.8	161.8	2.0	31394	0.041	0.003	0.02	3.62
			163.7-163.8 Very f-gr LAMPROPHYRE DYKE.				161.8	163.3	1.5	31395	0.033	0.001	0.02	3.58
			Sharp contacts, min shearing, cal vnls.				163.3	164.6	1.3	31396	0.033	0.002	0.01	4.06
			163.8-164.6 Core is pitted.											
164.4	166.7	BX	Highly fractured approaching fault.	K3-4	1% py		164.6	166.7	2.1	31397	0.123	0.007	0.08	5.12
			Gen orange to mottled with gougy matrix.	a1, mt2	min cp									

Hole No. 99B-6
Page: 5 of 5

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-7

Pit: Bell	Northing: 4200.08 N	Correct Dip: -60	Page: 1 of 6
Hole No: 99B-7	Easting: 2146.79 E	True Azm. 270	Logged by: Chris Wild
Started 8/26/99	Elevation: 1148.47 m	Survey at: 127.1 -60	Date: 9/21/99
Finished: 8/29/99	Core Size: NQ2	253.0 -60	Core stored at: mine site
	Length: 258.17 m		Comments:

From meters	To meters	Syb	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	7.3	CASING	3.05-7.32 Core recovered, rubble to 5.16m, oxidized.											
3.1	12.2	PP/BX	Pink to grey, fine to med-grained, str porphyritic, occasional green clots to 5mm.	K2, act1	1-2% py		3.1	5.2	2.1	30048	0.049	0.022	0.03	4.45
			Weak wispy KF altn, py on fractures.	mt2			5.2	7.2	2.0	30049	0.059	0.012	0.03	4.48
			8.1-12.2 Incipient brecciation.				7.2	9.2	2.0	30050	0.052	0.009	0.02	4.71
			9.1-9.6 Pink, more intense bx, higher py & cal.	K3-4	2-3% py		9.2	10.8	1.6	30051	0.134	0.004	0.11	4.70
			Clasts of pinkish PP in grey mottled bx (albite?).				10.8	12.3	1.5	30052	0.051	0.001	0.13	4.40
12.2	12.3	FAULT	Grey, gougy seam with PP/BX clasts, clay + ser.											
			50 to 70 to c.a. (flatter on fw).											
12.3	21.3	BX	BX as before, variable texture, usually pink PP clasts supported in a grey matrix; min mt & cp.	K4, act2	2-3% py		12.3	13.8	1.5	30053	0.054	0.001	0.09	5.29
			Minor epidote; unaltered PP clasts.	mt2	min cp		13.8	16.3	1.5	30054	0.083	0.001	0.05	6.02
			15.5-16.0 Grey mottled PP.		3-5% mt		16.3	16.8	1.5	30055	0.071	0.001	0.04	6.23
			16.0-21.3 KF-flooding obliterates PP texture.				16.8	18.3	1.5	30056	0.130	0.003	0.17	7.48
			Py (+min cp) along fractures & in vugs (rare epl).				18.3	19.8	1.5	30057	0.148	0.002	0.08	8.25
							19.8	21.3	1.5	30058	0.104	0.001	0.09	6.11
21.3	41.3	BX	Greenish brecciated PP with narrow zones of pink to brick red K-altn (K4-5).	K3, act1	2-3% py		21.3	23.3	2.0	30059	0.087	0.002	0.10	5.50
			Possibly higher volc component to this section.	mt2	tr cp		23.3	25.3	2.0	30060	0.099	0.001	0.09	4.76
			21.9-22.1 Stwk of black chl assoc with py.	chl, epl	6% py		25.3	27.3	2.0	30061	0.051	0.001	0.09	4.89
			22.8-22.85 Red KF-flood, PP-texture fades.				27.3	29.3	2.0	30062	0.039	0.001	0.04	5.34
			23.7-24.0 Red KF-flood, pink clasts evident.		2-3% py		29.3	31.3	2.0	30063	0.044	0.001	0.08	5.10
			26.15-26.3 Red KF-flood.		cp?		31.3	33.3	2.0	30064	0.058	0.001	0.01	5.07
			26.3- Continues grey to pink, mottled PP-BX.				33.3	35.3	2.0	30065	0.137	0.001	0.06	4.88
			29.3 Cal vnit (6mm), gougy slip @ 60 to c.a.				35.3	37.3	2.0	30066	0.062	0.001	0.02	4.88
			30.2-30.3 Gougy cal stringers.				37.3	39.3	2.0	30067	0.079	0.004	0.05	4.80
			30.45-33.0 Strong porphyritic texture.				Duplicate			30078	0.089	0.001	0.06	4.82
			32.1-33.0 Good bx texture.				39.3	41.3	2.0	30068	0.052	0.001	0.07	4.31
			35.15-35.9 Pink KF zone, mod magnetic.	K4	2-3% py									
			38.1-39.55 Variable bx texture, pink mottled to flooded.	K4	2-3% mt									

MOUNT POLLEY MINE

Hole No. 99B-7
Page: 2 of 8

From meters	To	Rock	Description	Altn	Mini	Recovery	From meters	To	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
41.3	46.4	BX	Strong pink, KF-flooded bx.	K4, act2	2-3% py		41.3	43.3	2.0	30069	0.204	0.003	0.20	4.48
			High fracture density, many cal + clay vnits & slips.	mt2	2-3% mt		43.3	45.3	2.0	30070	0.163	0.002	0.16	5.27
			Occ KF megacrysts.		min cp		45.3	46.4	1.1	30071	0.327	0.003	0.47	9.30
			Py, cp are diss, in vugs, fractures & vnits.											
			45.7-46.0 Blebs of massive mt with py vnits.		26% mt		46.4	48.4	2.0	30072	0.115	0.001	0.18	4.88
					6% py		48.4	50.4	2.0	30073	0.069	0.001	0.04	5.06
46.4	60.0	PP/BX	Mottled pink to brownish-purple porphyry with occ clasts of grey f to m-gr volc & sections of hydrothermal bx.	K2, act0	2% py		50.4	52.4	2.0	30074	0.062	0.001	0.11	4.36
				mt0			52.4	54.4	2.0	30075	0.020	0.001	0.12	4.08
							54.4	56.4	2.0	30076	0.089	0.001	0.06	4.82
			Py diss along fractures often assoc with epl, cal.				56.4	58.4	2.0	30077	0.067	0.001	0.07	6.13
							58.4	60.0	1.6	30078	0.123	0.002	0.05	5.88
60.0	87.5	BX	Mottled pink & pale grey, sharp upper contact.	K4, act1	2-3% py									
			Py & cp occur on fractures & vnits.	mt1	min cp		60.0	61.5	1.5	30079	0.119	0.002	0.13	6.35
			Cal vnits @ 50 to c.a. are very common.				61.5	63.0	1.5	30080	0.153	0.005	0.07	6.83
			Cp often occurs along clast boundaries.				63.0	64.5	1.5	30081	0.126	0.003	0.06	6.76
			Locally intense bx, PP-section less mineralized.				64.5	66.0	1.5	30082	0.116	0.005	0.04	5.01
			64.65-65.25 Brick red KF-flood, very f-gr, 5% sx but very weakly magnetic.		5% py		66.0	67.5	1.5	30083	0.128	0.003	0.10	5.44
					min cp		67.5	69.0	1.5	30084	0.115	0.007	0.07	5.17
			65.9-66.7 Distinctive white plag phenos; cp appears to be assoc with buff matrix (albite?).				69.0	70.5	1.5	30085	0.144	0.003	0.13	5.51
							70.5	72.0	1.5	30086	0.082	0.004	0.03	6.10
			Darker patches are mt-rich.				72.0	73.5	1.5	30087	0.133	0.003	0.12	5.75
			Py more closely assoc with calcite.				Duplicate			30101	0.157	0.003	0.17	6.13
			68.2 Cp along margin of hem-mt vnit.				73.5	75.0	1.5	30088	0.136	0.003	0.09	5.87
			71.6-72.0 Distinctive plag phenos; py along vnits.				75.0	76.5	1.5	30089	0.183	0.002	0.22	5.79
			74.2 Cp assoc with mt-py vnits.		1-2% py		76.5	78.0	1.5	30090	0.183	0.003	0.21	6.68
			75.3-76.8 Very mottled, min cp assoc with dark mt-rich patches.		min cp		78.0	79.5	1.5	30091	0.120	0.004	0.10	6.54
							79.5	81.0	1.5	30092	0.211	0.005	0.10	6.99
			78.4 Stringers of py + cp.				81.0	82.5	1.5	30093	0.268	0.003	0.20	6.56
			78.8-79.1 Sx-rich (mainly py), mod magnetic.				82.5	84.0	1.5	30094	0.111	0.003	0.08	6.32
			Good hydrothermal textures, py & min cp to contact.				84.0	85.5	1.5	30095	0.095	0.001	0.06	5.87
							85.5	87.5	2.0	30096	0.201	0.005	0.27	6.46
87.5	133.2	PPg	Sharp but irregular upper contact.	K1, act0	1-2% py									
			87.5-87.6 Dark grey, f-gr to wk por, chill margin of grey PP. Cal + min cp vnit at lower contact of chill (1cm) @ 70 to c.a.	mt0			87.5	89.5	2.0	30097	0.024	0.002	0.01	5.72
							89.5	91.5	2.0	30098	0.015	0.001	0.01	2.60
							91.5	93.5	2.0	30099	0.003	0.001	0.01	2.92
			87.6-133.2 Grey to brownish, f-gr groundmass with grey sometimes indistinct plag phenos.				93.5	95.5	2.0	30100	0.003	0.001	0.01	2.63
							95.5	97.5	2.0	30102	0.006	0.001	0.01	3.34

MOUNT POLLEY MINE

Hole No. 99B-7

Page: 3 of 6

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			88.8-88.9 Py stringer stwk (1mm vnits).				97.5	99.5	2.0	30103	0.003	0.001	0.01	2.92
			89.0-89.1 Pink-grey mottled bx (block?).		3% py		99.5	101.5	2.0	30104	0.001	0.001	0.01	2.51
			89.7-89.8 Pink bx-pp (block?); py along contacts.				101.5	103.5	2.0	30105	0.003	0.001	0.01	2.47
			Grey PP contains occ KF laths.				103.5	105.5	2.0	30106	0.014	0.007	0.02	2.74
			Unit is very uniform (boring).				105.5	107.5	2.0	30107	0.004	0.002	0.02	3.40
			Dias py throughout - quite f-gr.				107.5	109.5	2.0	30108	0.004	0.001	0.01	3.07
			Calcite vnits common.				Duplicate			30109	0.003	0.001	0.01	2.92
			115.65-115.8 Bx, not pink but with mt, py, min cp.		min cp		109.5	111.5	2.0	30110	0.002	0.001	0.01	2.61
			116.4-116.8 Bx with f-gr dias sx.		min cp		111.5	113.5	2.0	30111	0.003	0.001	0.01	2.46
			116.8-117.1 FAULT; top 5cm clay gouge, str cal veining, rubble over bottom 5cm.				113.5	115.5	2.0	30112	0.218	0.019	0.12	3.92
							115.5	117.5	2.0	30113	0.109	0.001	0.06	4.29
			122.7-122.9 Cal vnits form weak stwk in comp PPg.				117.5	119.5	2.0	30114	0.014	0.002	0.01	3.10
			124.1-124.7 Vuggy, broken up section, no incr in cal or py.				119.5	121.5	2.0	30115	0.004	0.001	0.01	2.86
							121.5	123.5	2.0	30116	0.009	0.001	0.02	3.06
			128.5 Note hematite on fractures.				123.5	125.5	2.0	30117	0.007	0.001	0.02	2.54
			130.1-132.0 Paler grey-brown.				125.5	127.5	2.0	30118	0.003	0.001	0.03	2.27
			132.0-132.4 Zone of partial KF-altn, clasts of pink bx/pp in PPg.				127.5	129.5	2.0	30119	0.005	0.001	0.01	2.51
							129.5	131.5	2.0	30120	0.006	0.001	0.01	2.29
			Sharp but irregular lower contact, steep angle to c.a.				131.5	133.2	1.7	30121	0.015	-	0.01	2.48
133.2	160.1	BX	Pink, well-brecciated, highly variable altn intensity.	K4, act1	2-3% py		133.2	134.7	1.5	30122	0.043	0.006	0.01	4.96
			Sections of PPp.	mt2	min cp		134.7	136.2	1.5	30123	0.063	0.002	0.03	6.66
			Well-mineralized with py in fracture/stringer stwk.		2-3% mt		136.2	137.7	1.5	30124	0.026	0.001	0.02	5.14
			133.45-133.6 FAULT; clay gouge with pieces of PPg; ser + chl @ 70 to c.a.				137.7	139.2	1.5	30125	0.126	0.006	0.14	5.18
							139.2	140.7	1.5	30126	0.077	0.003	0.04	5.59
			137.9 FAULT; 2-3cm clay gouge @ 60 to c.a.				140.7	142.2	1.5	30127	0.113	0.005	0.08	5.38
			KF-flooded matrix, grey PP clasts. Py in clast boundaries, fractures with cal. Cp very f-gr.				142.2	143.7	1.5	30128	0.097	0.003	0.06	5.36
							143.7	145.2	1.5	30129	0.078	0.003	0.04	4.43
			142.0-142.3 Mt-rich zone, no incr in py or cp.				Duplicate			30130	0.087	0.002	0.04	4.64
			145.4-147.0 Str bx textures, incr in altn intensity. F-gr cp, less py.	K5	0.5% cp		145.2	146.7	1.5	30131	0.126	0.003	0.08	6.64
							146.7	148.2	1.5	30132	0.104	0.010	0.11	5.06
			149.8 4-6cm calcite vein @ 60 to c.a.				148.2	149.7	1.5	30133	0.090	0.007	0.25	6.20
			151.5-154.2 Str bx textures, poss albitic.				149.7	151.2	1.5	30134	0.069	0.012	0.12	5.10
			151.9 4cm calcite vein.				151.2	152.7	1.5	30135	0.110	0.007	0.12	4.38
			154.8-155.1 Mt vnits up to 1 cm thick.				152.7	154.2	1.5	30136	0.291	0.023	0.19	5.18
			155.2 Clay-ser slip @ 45 to c.a.				154.2	155.7	1.5	30137	0.066	0.025	0.08	5.09
			155.5 Chl-ser slip @ 60 to c.a.				155.7	157.2	1.5	30138	0.054	0.004	0.10	4.65

Hole No. 99B-7
Page: 4 of 6

MOUNT POLLEY MINE								Hole No.	99B-7 Page: 4 of 6					
From meters	To	Rock	Description	Alt'n	Mntl	Recovery	From meters	To	Lgth.	Tag. Number	Cu-tot (%)	Cu-nr (%)	Au (g/t)	Fe-tot (%)
			155.5-158.0 Pink PP ln bx.				157.2	158.7	1.5	30139	0.093	0.004	0.11	5.15
			158.0-160.1 Strong bx textures; good mt + cp.	K5	3% mt		158.7	160.2	1.5	30140	0.071	0.005	0.14	5.38
160.1	170.7	PPp	Pink to brownish-pink, uniform plagioclase porph.	K4, act0	1% py		160.2	161.7	1.5	30141	0.026	0.010	0.05	4.47
			Plag pheos are white, saussuritized.	mtf			161.7	163.2	1.5	30142	0.032	0.005	0.07	3.97
			Brittle unit, well-fractured.				163.2	164.7	1.5	30143	0.022	0.002	0.04	3.34
			165.5-166.1 Str fracture zone, likely faulted.				164.7	166.2	1.5	30144	0.027	0.002	0.05	3.22
			166.1-167.8 Str KF altn.				166.2	167.7	1.5	30145	0.037	0.001	0.07	3.88
			Diss py, tr cp.				167.7	169.2	1.5	30146	0.036	0.002	0.06	3.66
							169.2	170.7	1.5	30147	0.025	0.001	0.04	3.58
170.7	176.5	AP	Dark green to grey augite porphyry.				170.7	173.5	2.8	30148	0.012	0.001	0.01	5.20
			Sharp upper contact @ 60 to c.a.				173.5	176.5	2.9	30149	0.017	0.001	0.01	5.10
			Augite (chl) + olivine (epi) phenos; olivine incr to lower contact.			Duplicate				30150	0.012	0.002	0.01	5.12
			White phenos (zeolite?) also incr to bottom.											
			Sharp lower contact @ 90 to c.a.; concave down.											
176.5	181.7	PPp	As before, minor bx, generally quite uniform.	K2, act0	1-2% py		176.5	178.5	2.0	30151	0.015	0.004	0.03	3.31
			Sx occur as diss & stringer vnits. Uniform altn.	mt2	tr cp		178.5	180.5	2.0	30152	0.039	0.003	0.03	3.27
							180.5	181.7	1.2	30153	0.061	0.001	0.11	2.88
181.7	192.8	VOLC	Gradational contact, possibly altn contact.	K3, act0	1-2% py		181.7	183.7	2.0	30154	0.055	0.007	0.07	2.76
			Variable colour from pinkish green to pale green.	mtf	tr cp		183.7	185.7	2.0	30155	0.338	0.015	0.31	4.59
			F-gr to weakly por; variable altn intensity.				185.7	187.7	2.0	30156	0.114	0.009	0.08	4.65
			182.4-182.8 Pink grading to darker green at each end.				187.7	189.7	2.0	30157	0.038	0.001	0.08	3.11
			184.2-184.8 Black patchy chlorite.				189.7	191.7	2.0	30158	0.055	0.002	0.08	3.50
			184.8-186.5 "bleached" green.				191.7	192.8	1.1	30159	0.122	0.002	0.16	5.03
			186.1-186.2 Cp vnits.											
			186.5-186.7 "bleached" with lots of py & epi.	epi	3% py									
			186.8 C-gr cal vnit (2-3cm); open-space filling.											
			187.0 Qtz vnit up to 2 cm.											
			188.0-190.2 "Bleached" section with py stringers.											
			189.6-189.7 Pt-hem stringers.											
			192.1-192.8 Py-rich section, stringers.		5% py									
192.8	217.5	VBX	Sharp contact marked by 20cm of intense calcite open-space filling vnits.	K3, act0 mtf	3-4% py		192.8	194.8	2.0	30160	0.096	0.004	0.19	2.24

Hole No. 99B-7
Page: 5 of 5

MOUNT POLLEY MINE										Hole No.	99B-7			
										Page:	5	of		6
From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			Wide variety of textures, abundant py in bx matrix.				184.8	186.8	2.0	30161	0.094	0.006	0.54	2.58
			193.7-194.2 Fracture zone.				196.8	198.8	2.0	30162	0.193	0.011	0.12	4.74
			196.3-196.9 "Bleached" zone; mottled bx.				198.8	200.8	2.0	30163	0.165	0.003	0.10	6.84
			196.6-197.2 Dark green to brick red; py-rich		5% py		200.8	202.8	2.0	30164	0.072	0.005	0.08	3.98
			197.2-206.6 Excellent bx textures, mottled appearance with splashy py-stringers.				202.8	204.8	2.0	30165	0.069	0.002	0.06	4.88
							204.8	206.8	2.0	30166	0.125	0.002	0.15	5.35
			199.5-199.6 Black patchy mt in pink section; py-mt vnit @ 70 to c.a.				206.8	208.8	2.0	30167	0.111	0.002	0.13	5.61
							208.8	210.8	2.0	30168	0.076	0.001	0.06	5.80
			206.6-207.5 Darker section punctuated by 3cm zoned KF vnit @ 45 to c.a., cut by cal stringers.				210.8	212.8	2.0	30169	0.104	0.002	0.11	5.46
							Duplicate			30170	0.106	0.002	0.13	5.51
			207.6-217.5 Continuing brick red clasts and dark greenish matrix.	K3	5% py		212.8	214.8	2.0	30171	0.075	0.002	0.09	4.21
							214.8	216.1	1.3	30172	0.069	0.001	0.05	4.04
			210.0 Py stringers.				216.1	217.5	1.4	30173	0.078	0.001	0.06	4.21
			210.4-210.5 Epidote patches (py).											
			213.1-213.2 Patchy black chlorite.											
			216.6-217.6 Noticeable incr in calcite.											
217.5	218.5	AP	Sharp, weakly sheared upper contact @ 40 to c.a.				217.5	218.5	1.0	30174	0.016	0.001	0.02	4.48
			217.9-218.5 FAULT; shear @ 26 to c.a., mushy.											
218.5	223.3	BX	More pink than Vbx, more like 'regular' bx.	K3, act2	2% py		218.5	221.5	3.0	30176	0.192	0.002	0.08	3.32
		(vbx)	Numerous cal stringers related to dyke/fault.	mt1			221.5	223.3	1.8	30176	0.098	0.001	0.06	3.69
			Weakly to mod magnetic.											
			Some sections with up to 5% py often with epl.											
			222.6-222.8 FAULT; anastomosing gougy slips.											
223.3	229.7	PPp	As before, paler pink than above bx.	K3, act0	<1% py		223.3	226.3	2.0	30177	0.027	0.001	0.02	3.27
			Texturally distinct, porphyritic.	mt1			226.3	227.5	2.2	30178	0.010	0.002	0.01	3.23
			Remains well-fractured.				227.5	229.7	2.2	30179	0.032	0.002	0.06	3.65
			Relatively sulphide-poor; occ py stringers.											
229.7	232.7	BX	As before, excellent bx textures.	K3, act2	1-2% py		229.7	231.2	1.5	30180	0.112	0.017	0.07	4.74
				mt1			231.2	232.7	1.5	30181	0.105	0.011	0.12	4.33
232.7	235.2	PPp	As before; occ KF megacrysts.	K2, act0	<1% py		232.7	235.2	2.5	30182	0.116	0.015	0.10	4.63
				mt0										
236.2	236.2	BX	KF megacrysts, weakly magnetic, incr cal.	K3, act1	<1% py		236.2	236.2	1.0	30183	0.145	0.017	0.10	3.92
				mt1										

Hole No. 99B-7
Page: 6 of 6

[illegible]

MOUNT POLLEY MINE

Hole No. 99B-8

Pit: Bel	Northing: 4250.65 N	Correct Dip: -60	Page: 1 of 2
Hole No: 99B-8	Easting: 2107.08 E	True Azm. 270	Logged by: Chris Wild
Started 8/24/99	Elevation: 1142.80 m	Survey at:	Date: 8/28/99
Finished: 8/28/99	Core Size: NQ2		Core stored at: mine site
	Length: 98.76 m		Comments: Hole lost in fault
			Tests north end of Bell Zone

From meters	To meters	Syb	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	5.5	CASING												
5.5	11.0	BX	Variably pink & dark grey, medium-grained.	K3, act2	2% py		5.5	7.5	2.0	30001	0.133	0.003	0.08	4.06
			Py vnits cut grains, incl black clots of mt.	mt1	tr cp		7.5	9.0	1.5	30002	0.060	0.001	0.01	3.82
			Py is both diss + fracture controlled, assoc with epi + chl; cp occurs as narrow stringers.				9.0	10.5	1.5	30003	0.126	0.002	0.02	3.73
			Plag grains very clear, KF-flood in groundmass.											
			Pinkness decr ~11.0m, plag grains fade out.											
			Abundant narrow calcite vnits.											
			Rare clasts or inclusions.											
11.0	12.1	VOLC	Green > pink, loss of obvious plag grains, f-gr.	K2, act0	2+% py		10.5	12.1	1.6	30004	0.098	0.001	0.01	3.51
			Clear bx textures.	mt1										
			Prop altn dominant, py up to 5%.											
12.1	91.7	BX/PP	Pink to greyish-green, PP obvious, as before.	K2, act0	2-5% py		12.1	14.1	2.0	30006	0.002	0.001	0.04	4.14
			Bx textures apparent but not pervasive.	mt1			14.1	16.1	2.0	30006	0.003	0.002	0.01	4.25
			Py is strongly diss in bx matrix & on fractures.				16.1	18.1	2.0	30007	0.010	0.001	0.01	3.88
			14.2-14.4 > 5% py.				18.1	20.1	2.0	30008	0.003	0.001	0.01	4.10
			14.9 Clay-cal vnit (1cm).				20.1	22.1	2.0	30008	0.006	0.001	0.01	4.03
			16.4-16.7 Obvious bx with soft pale-grey matrix, poss sericite.				22.1	24.1	2.0	30010	0.045	0.001	0.01	3.58
							24.1	26.1	2.0	30011	0.044	0.001	0.03	3.51
			16.7-17.4 Grains indistinct.				26.1	28.1	2.0	30012	0.111	0.001	0.06	2.80
			17.4-18.8 Bright pink PP peppered with 5% py, clasts much less distinct.				28.1	30.1	2.0	30013	0.060	0.002	0.03	3.18
							30.1	32.1	2.0	30014	0.039	0.002	0.02	3.15
			Hematite stain & weak ss on some fractures.				32.1	34.1	2.0	30015	0.048	0.001	0.02	3.29
			21.4-22.1 Clots of py up to 3mm, cubes evident.		5-7% py		34.1	36.1	2.0	30016	0.020	0.001	0.01	3.61
			23.4- Pink PP with clasts (Intrusive bx).	K3-4	1.2% py		36.1	38.1	2.0	30017	0.023	0.001	0.01	3.47
			23.1-27.0 Zone of incr fracturing.		tr cp		38.1	40.1	2.0	30018	0.018	0.001	0.01	3.26
			27.0-27.1 FAULT; gouge, abundant calcite.				40.1	42.1	2.0	30019	0.037	0.002	0.01	3.55
			28.5 KF vnit, modest incr in KF intensity				42.1	44.1	2.0	30020	0.083	0.001	0.03	3.44
			28.9 Obvious PP texture; hem + ss on fractures.				44.1	46.1	2.0	30021	0.044	0.001	0.04	3.49
			31.0 Py-epi on fractures.				46.1	48.1	2.0	30022	0.041	0.001	0.02	3.63

Hole No. 99B-8
Page: 2 of 2

[illegible]

Appendix 5b
Diamond Drillhole Logs – South Cariboo Area

MOUNT POLLEY MINE

Hole No. 89C-1

Pit: Cariboo
Hole No: 89C-1
Started: 9/3/99
Finished: 9/5/99

Northing: 2800.19 N
Easting: 2399.25 E
Elevation: 1129.62 m
Core Size: NQ2
Length: 236.63 m

Correct Dip: -55
True Azm. 285
Survey at: 102.72 m -54 285
236.83 m -56 285

Page: 1 of 6
Logged by: Chris Wild
Date: 9/7/99
Core stored at: mine site
Comments: To test 207 Zone south of MP-207, from HGSP.

From meters	To meters	Syb	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
3.1	104.2	CASING												
3.1	104.2	BX	Mix of pink to grey crowded PP with pink PP clasts and an overprinted but generally weak hydrothermal bx.	K3, act2	<<1%		3.1	5.1	2.0	30496	0.100	0.093	0.17	3.27
				mt2			5.1	7.1	2.0	30497	0.083	0.065	0.14	5.80
				chl-epi			7.1	9.1	2.0	30498	0.060	0.056	0.13	4.44
			Kf altn is weak, overprinted by chl-epi-cal. Note absence of py. Weak to mod magnetic.	cal			9.1	11.1	2.0	30499	0.055	0.053	0.12	4.28
							11.1	13.1	2.0	30500	0.084	0.082	0.10	4.70
							13.1	15.1	2.0	30501	0.084	0.063	0.09	4.31
			3.1-5.2 PPp.				15.1	17.1	2.0	30502	0.121	0.120	0.19	5.18
			5.7 FAULT; mushy shear zone.				17.1	19.1	2.0	30503	0.061	0.060	0.09	3.65
			5.9 FAULT; mushy shear zone; ss in rubble.				19.1	21.1	2.0	30504	0.054	0.047	0.05	3.07
			7.4 Clear bx textures.				21.1	23.1	2.0	30505	0.063	0.055	0.08	4.37
			12.8-13.0 FAULT; rubble + clay gouge.				23.1	25.1	2.0	30506	0.128	0.121	0.18	6.28
			18.8-21.8 Pinkish crowded PP, as above.				25.1	27.1	2.0	30507	0.178	0.165	0.49	7.95
			21.8-22.2 FAULT; rubble + clay gouge + stwk cal vnlt.				27.1	29.1	2.0	30508	0.131	0.109	0.34	5.58
							29.1	31.1	2.0	30509	0.068	0.051	0.15	5.06
			22.9-28.2 Goethite, hem on fractures, local malachite in stringers.				Duplicate			30610	0.088	0.047	0.14	5.42
							31.1	33.1	2.0	30611	0.074	0.052	0.13	6.04
			23.9 Vuggy epidote vnl (1cm).				33.1	35.1	2.0	30512	0.061	0.033	0.03	4.38
			25.2-26.5 LAMPROPHYRE DYKE; dark grey, f-gr.				35.1	37.1	2.0	30513	0.081	0.009	0.07	5.02
							37.1	39.1	2.0	30514	0.103	0.007	0.13	7.57
			27.5-29.3 Pink bx with scattered goe, hem, mal.				39.1	41.1	2.0	30515	0.081	0.004	0.08	6.31
			29.3-36.5 Grey to pink bx; sharp decr in goe, hem, no mal; wk mag.				41.1	43.1	2.0	30516	0.088	0.014	0.04	4.76
							43.1	45.1	2.0	30517	0.040	0.007	0.01	3.30
			31.6-32.5 FAULT; rubble, min sand & clay gouge.				45.1	47.1	2.0	30518	0.058	0.005	0.01	6.60
							47.1	49.1	2.0	30519	0.032	0.002	0.01	5.87
			36.5-36.9 ANDESITE DYKE; med green, soft, clast of pink PP.				49.1	50.5	1.4	30520	0.069	0.006	0.23	4.52
			36.9-50.7 Greenish Bx with KF limited to fracture network.											
			Thin, dendritic stwk of mt vnlt.	K3-4	tr cp									
			Trace f-gr cp.		2-5% mt									
			Epl assoc with mt, vuggy cal with KF-flood.											
			Incr pink clasts down section.											

MOUNT POLLEY MINE

Hole No. 99C-1
Page: 2 of 6

From meters	To meters	Rock	Description	Alt'n	Min'l	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			44.0-44.7 Cal vnits @ 0-20 to c.a.				50.5	51.9	1.4	30521	0.085	0.004	0.11	2.50
			44.7 FAULT; reddish clay gouge.				51.9	53.5	1.6	30522	0.045	0.004	0.02	3.65
			Some hem replacing mt, vf-gr sx.				53.5	55.1	1.6	30523	0.033	0.002	0.01	3.82
			Epi flooding, vuggy patches.				55.1	56.6	1.5	30524	0.039	0.003	0.02	4.19
			50.8 Epi-mt patchy vnit, no sx.				56.6	58.1	1.5	30525	0.102	0.002	0.13	5.82
			50.9-51.9 Pink to mottle bx with act.	K4			58.1	59.6	1.5	30526	0.045	0.001	0.04	6.98
			51.9-56.6 Grey PPg, cut by widely spaced (10-20cm) stwk of KF, cal, epi vnits.				59.6	61.1	1.5	30527	0.059	0.002	0.06	6.23
							61.1	62.6	1.5	30528	0.038	0.001	0.02	4.76
							62.6	64.1	1.5	30529	0.128	0.016	0.14	4.18
			56.6-67.7 BX; pink to mottled incr mt, act, diss cp.	K4	<1% cp		Duplicate			30530	0.177	0.035	0.24	4.70
					2-5% mt		64.1	65.6	1.5	30531	0.122	0.019	0.15	8.10
			56.7-68.8 Splash of cp with mt; hem on frac, epi vnits.				65.6	67.1	1.5	30532	0.058	0.007	0.06	10.20
							67.1	68.6	1.5	30533	0.038	0.001	0.03	6.44
			61.5 KF phenos to 1cm.				68.6	70.1	1.5	30534	0.178	0.003	0.24	4.17
			63.9 hem + chl on fractures.				70.1	71.6	1.5	30535	0.085	0.002	0.07	3.18
			66.8 epi vnit (3mm) @ 45 to c.a.				71.6	73.1	1.5	30536	0.060	0.004	0.09	2.60
			67.7-70.7 Darker greenish bx; volc + PP clasts. Min cp, as before. Epi vnit at upper contact @ 45 to c.a.				73.1	74.6	1.5	30537	0.095	0.013	0.11	2.40
							74.6	76.1	1.5	30538	0.056	0.002	0.05	4.95
							76.1	77.6	1.5	30539	0.070	0.002	0.07	4.94
			70.7-75.1 Pink to mottled bx, as above.				77.6	79.1	1.5	30540	0.071	0.003	0.08	4.50
			71.5 F-gr diss cp.				79.1	80.6	1.5	30541	0.088	0.017	0.09	4.28
			82.0-82.6 Greenish PP/BX; clasts of pink PP to 3cm.				80.6	82.1	1.5	30542	0.059	0.009	0.04	4.72
							82.1	83.6	1.5	30543	0.107	0.005	0.15	5.03
			82.8 Significant shearing and fracturing.		f-gr cp		83.6	85.1	1.5	30544	0.178	0.024	0.34	4.21
			86.1 F-gr diss cp in pink, mod mag bx.				85.1	86.6	1.5	30545	0.142	0.013	0.22	2.65
			92.0 Incr cp, diss & with mt vnits.				86.6	88.1	1.5	30546	0.133	0.020	0.18	5.16
			93.7-94.1 Cal vnits cutting and displacing epi vnits, cal vnits to 5cm. Diss cp in pink bx.				88.1	89.6	1.5	30547	0.092	0.010	0.08	4.84
							89.6	91.1	1.5	30548	0.111	0.011	0.11	5.84
							91.1	92.6	1.5	30549	0.213	0.010	0.39	3.20
			96.7 F-gr diss cp in mt patches.				Duplicate			30550	0.154	0.009	0.26	3.47
			97.8-97.9 FAULT; clay gouge, sharp margins @ 50 to c.a.				92.6	94.1	1.5	30551	0.128	0.005	0.44	1.70
							94.1	95.6	1.5	30552	0.093	0.007	0.14	1.80
			99.1-102.2 Begin to see coarse blebs of cp.				95.6	97.1	1.5	30553	0.119	0.013	0.21	2.38
			High-grade section (mt bx).				97.1	98.6	1.5	30554	0.075	0.011	0.16	4.88
			99.3-99.4 FAULT; clay & sand gouge.				98.6	100.1	1.5	30555	0.654	0.055	1.84	8.58
			99.5 Blebs of cp + mt.				100.1	101.6	1.5	30556	0.203	0.020	0.59	12.10
			100.8-110.9 Highly fractured mt bx.				101.6	103.1	1.5	30557	0.691	0.028	1.74	8.29
			101.0-101.2 Bright red hem on fractures.				103.1	104.6	1.5	30558	0.099	0.012	0.21	3.65

Hole No. 99C-1
Page: 3 of 8

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-1
Page: 4 of 6

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-1
Page: 5 of 6

From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
151.5	152.6	AP	F-gr, wk por, med grey dyke, @ 60 to c.a.				151.5	152.6	1.1	30591	0.028	0.004	0.03	5.85
152.6	164.9	MZ	As before.	K1	<<1% cp		152.6	154.6	2.0	30592	0.026	0.002	0.04	5.28
			154.8-155.0 KF-flooded block with cp & later cal vnits.				154.6	156.6	2.0	30593	0.070	0.002	0.12	5.66
							156.6	158.6	2.0	30594	0.084	0.003	0.17	5.10
			Cp assoc with wispy local KF-altn.				158.6	160.7	2.1	30595	0.059	0.002	0.13	4.84
			164.0 KF-flooded block with cp.				160.7	162.8	2.1	30596	0.038	0.002	0.13	5.14
							162.8	164.9	2.1	30597	0.053	0.003	0.08	5.18
164.9	180.2	BX	Pink with numerous green volc inclusions up to 12 cm.				164.9	166.5	1.6	30598	0.090	0.003	0.14	3.17
							166.5	168.0	1.5	30599	0.065	0.003	0.13	3.10
			Wk diss cp assoc with med green act-mt.				168.0	169.5	1.5	30600	0.046	0.004	0.09	3.65
			Pink matrix wk mag, blocks mod mag.				169.5	171.0	1.5	30601	0.179	0.010	0.60	3.73
			Local diss + stringer cp.				171.0	172.5	1.5	30602	0.159	0.011	0.59	1.81
			170.4 FAULT; 5cm sand/clay gouge.				172.5	174.0	1.5	30603	0.060	0.004	0.19	2.36
							174.0	175.5	1.5	30604	0.042	0.002	0.10	1.93
							175.5	177.0	1.5	30605	0.033	0.001	0.09	2.48
							177.0	178.5	1.5	30606	0.059	0.002	0.14	1.67
							178.5	180.2	1.7	30607	0.106	0.006	0.17	2.14
180.2	183.9	PP	As before (114.8-119.8).				180.2	182.0	1.8	30608	0.065	0.005	0.10	5.09
			Crowded plag por, locally sl pink.				182.0	183.9	1.9	30609	0.035	0.004	0.06	5.13
			Relatively sharp, unsheared contacts.				Duplicate			30610	0.044	0.004	0.08	5.12
			Very hard, competent.											
183.9	188.2	BX	As above.	K4	0.5% cp		183.9	185.4	1.5	30611	0.082	0.002	0.14	3.46
			186.1-186.2 LAMPROPHYRE DYKE; black, f-gr, soft; @ 75-80 to c.a.				185.4	186.9	1.5	30612	0.098	0.004	0.19	3.63
							186.9	188.2	1.3	30613	0.212	0.016	0.34	5.02
188.2	190.0	AP	As before; competent.				188.2	190.0	1.8	30614	0.004	-	0.03	4.95
			189.7-189.8 FAULT; sand/clay gouge.											
190.0	193.5	BX	As before.	K4	0.5% cp		190.0	191.7	1.7	30615	0.037	0.001	0.05	3.55
			192.4 2cm splash of cp.				191.7	193.5	1.8	30616	0.101	0.001	0.19	3.32
193.5	195.2	pp	As before; brownish grey to pink, crowded plag por.	K1	tr cp		193.5	195.2	1.7	30617	0.056	0.001	0.07	3.37

MOUNT POLLEY MINE

Hole No. 99C-1
Page: 6 of 6

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
195.2	199.7	BX	As before.	K4	0.5-1.0% cp		195.2	196.7	1.5	30618	0.124	0.009	0.26	3.96
			196.5-197.0 2cm splash of cp.				196.7	198.2	1.5	30619	0.206	0.013	0.37	6.25
			197.2-199.7 KF intensity lower, greyer.	K3	0.5% cp		198.2	199.7	1.5	30620	0.116	0.006	0.19	3.43
199.7	201.7	VOLC	Greenish-grey plag por, f-gr matrix.	K1	<0.5% cp		199.7	201.7	2.0	30621	0.145	0.013	0.21	7.30
			Unaltered, fresh-looking.											
201.7	202.4	PP	Pink PP; f-gr, wk por.	K3	0.5% cp		201.7	202.4	0.7	30622	0.048	0.003	0.09	2.79
202.4	203.5	VOLC	As before; sharp irreg lower contact.	K1	<0.5% cp		202.4	203.5	1.1	30623	0.105	0.008	0.13	7.25
203.5	207.1	BX	Str pink KF-flood, clasts visible.	K4-5	0.5-1.0% cp		203.5	205.3	1.8	30624	0.075	0.001	0.18	2.64
			F-gr, diss cp - grade difficult to estimate.				205.3	207.1	1.8	30625	0.060	0.001	0.09	2.59
207.1	214.3	PP	Brownish PP, variable altered. KF-flooded along frac @ 45 to c.a.	K2	<0.5% cp		207.1	208.6	1.5	30626	0.056	0.001	0.09	3.96
			Min epi & cal vnits.	epi, cal			208.6	210.1	1.5	30627	0.088	0.001	0.20	3.65
			Generally competent, local fracturing.				210.1	211.6	1.5	30628	0.068	0.001	0.12	3.50
							211.6	213.1	1.5	30629	0.078	0.001	0.15	4.17
							Duplicate			30630	0.080	0.001	0.16	4.24
							213.1	214.3	1.2	30631	0.054	0.001	0.10	3.78
214.3	236.8	BX	As before; f-gr diss cp.				214.3	215.8	1.5	30632	0.114	0.001	0.60	3.28
			219.1-219.2 Cp stringers.				215.8	217.3	1.5	30633	0.141	0.002	0.31	2.91
			Variably magnetic.				217.3	218.8	1.5	30634	0.165	0.002	0.39	4.00
			224.5-236.8 Strongly fractured.				218.8	220.3	1.5	30635	0.179	0.012	0.35	3.91
			226.1-226.4 VOLC; as above.				220.3	221.8	1.5	30636	0.143	0.002	0.32	2.42
			226.4 Coarse act to 1cm.				221.8	223.3	1.5	30637	0.162	0.001	0.30	2.63
			Incr cal, epi (+act).				223.3	224.8	1.5	30638	0.193	0.001	0.62	2.34
			230.7-231.1 VOLC; as above.				224.8	226.3	1.5	30639	0.096	0.001	0.19	4.22
			233.6-235.7 Mottled, less intense KF.				226.3	227.8	1.5	30640	0.242	0.002	1.17	5.17
			235.5 FAULT; 2 cm clay gouge.				227.8	229.3	1.5	30641	0.161	0.001	0.45	3.97
			235.7-236.8 Str KF altn.				229.3	230.8	1.5	30642	0.196	0.001	0.64	4.11
							230.8	232.3	1.5	30643	0.190	0.002	0.64	3.70
							232.3	233.8	1.5	30644	0.081	0.001	0.19	2.66
							233.8	235.3	1.5	30645	0.068	0.001	0.10	2.21
			END OF HOLE				235.3	236.8	1.5	30646	0.074	0.003	0.20	1.91

MOUNT POLLEY MINE

Hole No. 99C-2

Pit: Cariboo
 Hole No: 99C-2
 Started: 9/5/99
 Finished: 9/5/99

Northing: 2811.19 N
 Easting: 2172.36 E
 Elevation: 1143.12 m
 Core Size: NQ2
 Length: 166.73 m

Correct Dip: -55
 True Azm. 270
 Survey at: 148.44 m -53

Page: 1 of 5
 Logged by: Chris Wild
 Date: 9/12/99
 Core stored at: mine site
 Comments: To test high grades in bottom of 99R-29.

From meters	To meters	Syb	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
-	3.1	CASING												
3.1	4.4	BX	Mottled pink (KF) & green (act); weakly oxid. Tr cp, mal, hem. Weak to mod magnetic.	K3, a3 mt3	tr cp mal		3.1	4.4	1.3	30647	0.178	0.160	0.14	4.31
4.4	11.8	PP	Green-grey, porphyritic but fuzzy phenos in cloudy f-gr matrix. Mod magnetic. Cut by numerous KF, cal, epi vnits. 4.6-4.7 Vuggy KF + epi, 5 cm @ 40 to c.a. 8.4-8.8 Series of hairline KF vnits, min cal with tr cp, min mt, mal. Veining increases downhole.	K1 epi	tr		4.4 6.2 8.0 9.9	6.2 8.0 9.9 11.8	1.8 1.8 1.8 1.9	30648 30649 30650 30651 30652	0.144 0.096 0.071 0.091 0.326	0.109 0.058 0.033 0.056 0.107	0.11 0.05 0.06 0.08 0.25	5.69 5.41 5.36 5.13 5.25
11.8	18.1	BX	Pink, mottled to greenish. Dark clasts, locally pink-flooded matrix. 14.9 Very distinctive mottled, white phenos and dark blebs & vnits. 16.6 Bright green mineral in vnit (mal, chrys).	K3, act2 mt3			11.8 13.3 14.9 16.5	13.3 14.9 16.5 18.1	1.6 1.6 1.6 1.6	30653 30654 30655 30656	0.198 0.194 0.195 0.167	0.166 0.140 0.131 0.039	0.15 0.17 0.13 0.11	5.15 4.70 5.99 5.02
18.1	19.1	AND	Medium olive green, f-gr, weak white phenos. Sharp but fractured contacts.				18.1	19.1	1.0	30657	0.055	0.030	0.01	3.66
19.1	20.9	BX	As before; distinct mottled pattern. Local dendritic mt.	K3 mt3, a3	tr		19.1	20.9	1.8	30658	0.138	0.066	0.12	6.37
20.9	25.6	AP	Med green-grey, augite phenos, por texture is subdued, paler green. Generally well-fractured. 22.0 FAULT; 5cm gouge. 23.4 FAULT; 5cm gouge. Sharp but irreg lower contact, 2-4 cm green contact aureole.				20.9 23.2	23.2 25.6	2.3 2.4	30659 30660	0.021 0.013	0.011 0.005	0.02 0.01	4.40 4.56

MOUNT POLLEY MINE

Hole No. 99C-2
Page: 2 of 5

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
25.6	28.6	BX	As before, pink KF, green act, black mt.	K3, a3	0.5% cp		25.6	27.1	1.5	30661	0.064	0.048	0.06	5.69
			F-gr, diss cp (<1%) + mal on frac.	mt4	min mal		27.1	28.6	1.5	30662	0.087	0.063	0.07	7.60
			Patchy green act, blebby to pseudo-dendritic mt.		5% mt									
28.6	29.0	AND	Highly fractured f-gr dyke, related to AP?				28.6	29.0	0.4	30663	0.051	0.039	0.04	4.12
		FLT	Fractured and gougy.											
29.0	35.7	BX	As before.	K3, a3	0.5% cp		29.0	30.7	1.7	30664	0.118	0.063	0.12	4.83
			29.0-29.4 FAULT continues from dyke, sand & gouge, rubble, dry.	mt4	min mal		30.7	32.4	1.7	30665	0.058	0.025	0.06	5.86
					5% mt		32.4	34.1	1.7	30666	0.060	0.018	0.08	7.30
			F-gr, diss cp (<1%) + mal on frac; assoc with KF-flood.				34.1	35.7	1.6	30667	0.061	0.007	0.05	4.66
35.7	36.1	AND	Med green, f-gr to porphyritic dyke.				35.7	36.1	0.4	30668	0.068	0.016	0.06	5.09
			Sharp unshered upper contact @ 55 to c.a., frac, broken lower contact @ 55 to c.a.											
36.1	37.2	BX	As before, weaker minl.	K3, a3	<0.5% cp		36.1	37.2	1.1	30669	0.208	0.132	0.21	5.26
				mt3			Duplicate			30670	0.213	0.125	0.21	5.45
37.2	44.7	PP	As before, (4.4-11.8).	K2, a1	tr cp		37.2	39.1	1.9	30671	0.140	0.012	0.20	5.38
			Cut by fine KF frac stwk, occ mt vnits with minor assoc cp.	mt2			39.1	41.0	1.9	30672	0.093	0.012	0.12	5.40
							41.0	42.9	1.9	30673	0.082	0.006	0.11	4.90
			43.2-43.3 6cm gougy FAULT with cal vnits @ 45 to c.a.				42.9	44.7	1.8	30674	0.085	0.031	0.11	4.81
44.7	58.9	BX	As before.	K4, a3	<0.5% cp		44.7	46.2	1.5	30675	0.230	0.173	0.28	4.24
			Incr mal, min az, chrysocolla.	mt4	3% mt		46.2	47.7	1.5	30676	0.120	0.091	0.12	6.29
			52.5-52.7 Significant mal assoc with mt vnits, esp on selvages; min cp with mt.				47.7	49.2	1.5	30677	0.401	0.330	0.85	9.72
							49.2	50.7	1.5	30678	0.162	0.120	0.16	9.32
			Note goethite assoc with mt.				50.7	52.2	1.5	30679	0.260	0.217	0.38	7.84
			Locally mt vnits forms ht bx matrix (clast support).				52.2	53.7	1.5	30680	0.228	0.201	0.30	7.31
			54.7-54.9 Cp stringers & blebs outside mt stringers assoc with act patches.				53.7	55.2	1.5	30681	0.228	0.116	0.21	10.30
							55.2	56.7	1.5	30682	0.132	0.100	0.19	9.30
			56.8, 57.7 Mal patches & vnits.				56.7	57.8	1.1	30683	0.448	0.126	0.34	9.93
							57.8	58.9	1.1	30684	0.309	0.124	0.22	6.83

Hole No. 99C-2
Page: 3 of 5

[illegible]

MOUNT POLLEY MINE

Hole No.

99C-2

Page:

4

of

5

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
89.7	115.0	BX	As before, mottled.	K4, act4			89.7	91.2	1.5	30705	0.168	0.088	0.23	6.96
			Spotty dias cp, patchy mt, act vnlt.	mt4			91.2	92.7	1.5	30706	0.108	0.069	0.11	5.69
			92.6 Cp vnlt, mal vnlt.				92.7	94.2	1.5	30707	0.404	0.142	0.44	3.41
			Incr cp, mal, esp in grey patches.				94.2	95.7	1.5	30708	0.236	0.080	0.24	3.72
			F-gr dias cp throughout.				95.7	97.2	1.5	30709	0.159	0.080	0.24	4.72
			103.9 Epidote patches.				Duplicate			30710	0.153	0.081	0.18	4.75
			104.1 Cp bleb (2mm).				97.2	98.7	1.5	30711	0.189	0.067	0.19	4.51
			109.5 Cp + act on frac.				98.7	100.2	1.5	30712	0.165	0.016	0.19	5.25
			111.0-111.3 Highly frac with goethite.				100.2	101.7	1.5	30713	0.340	0.042	0.50	4.85
			112.4 Cp-act-cal vnlt, vuggy, 10mm @ 35 to c.a.				101.7	103.2	1.5	30714	0.447	0.018	0.49	5.37
			113.2 Cp-act-cal vnlt, vuggy, 10mm @ 45 to c.a.				103.2	104.7	1.5	30715	0.266	0.020	0.34	7.63
			114.0 Cp stringer vnlt.				104.7	106.2	1.5	30716	0.199	0.014	0.22	8.75
							106.2	107.7	1.5	30717	0.188	0.010	0.20	6.06
							107.7	109.2	1.5	30718	0.250	0.008	0.62	6.61
							109.2	110.7	1.5	30719	0.115	0.005	0.35	7.47
							110.7	112.2	1.5	30720	0.243	0.057	0.53	7.20
							112.2	113.7	1.5	30721	0.516	0.021	1.43	5.19
							113.7	115.0	1.3	30722	0.693	0.083	1.27	7.61
115.0	115.7	LAMP	Med-dark green, f-gr, relatively soft; bi-chl rich.				115.0	115.7	0.7	30723	0.029	0.004	0.11	4.81
115.7	121.1	BX	As before.	K4, a4	1% cp		115.7	117.2	1.5	30724	0.573	0.026	1.24	6.90
			116.2 1x2cm bleb of cp-mt with vnlt.	mt4			117.2	118.7	1.5	30725	0.525	0.032	1.12	6.52
			117.6 Cp-mt-act frac, 75 to c.a.				118.7	120.2	1.5	30726	0.117	0.007	0.27	7.75
			117.9 Cp-act on selvages of cal vnlt.				120.2	121.1	0.9	30727	0.350	0.008	0.59	7.10
			119.4 Coarse cal crystals vnlt, blows out to 7cm. Cp on vnlt selvages.											
			119.5 Cp-mt-act vnlt-frac filling.											
121.1	122.0	AP	Dark, f-gr por dyke.				121.1	122.0	0.9	30728	0.020	0.001	0.04	4.99
			121.15 FAULT; 6cm clay gouge.											
			121.8 Clay on low-angle contact @ 40 to c.a. (2mm).											
122.0	140.3	BX	As before.	K3, a4	1% cp		122.0	123.5	1.5	30729	0.347	0.018	0.57	9.53
			Cp-mt-act vnlt are relatively common.	mt4			Duplicate			30730	0.355	0.014	0.80	10.70

MOUNT POLLEY MINE

Hole No.

99C-2

Page:

5

of

6

[illegible]

MOUNT POLLEY MINE								Hole No. 99C-3				
Pit:	Cariboo	Northing:	3099.76 N	Correct Dip:	-55	Page:	1	of	5			
Hole No:	99C-3	Easting:	2174.24 E	True Azm.	270	Logged by:	Greg Gillstrom					
Started	9/17/99	Elevation:	1109.5 m	Survey at:	104.85 m	-52	Date:	9/28/99				
Finished:	9/19/99	Core Size:	NQ2		200.25 m	-53	Core stored at:	mine site				
							Comments:	Cariboo South super high-grade.				
From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	Casing			3.1	5.0	2.0	31652	0.089	0.003	0.17	5.81
					5.0	7.2	2.2	31653	0.053	0.003	0.10	5.16
3.1	9.6	BX	Pink/brown BRECCIA: rem porphyry texture with clay-altered white feldspar phenos, angular clasts, trace diss cp. Ends in small, high angle fault (5 deg.) at 9.0m-9.6m; also small black mafic dyke at 6.9m-7.2m.	110	7.2	9.0	1.8	31654	0.048	0.003	0.11	4.94
					9.0	9.6	0.6	31655	0.081	0.007	0.20	3.94
					9.6	11.0	1.4	31656	0.063	0.004	0.11	3.52
					11.0	13.0	2.0	31657	0.073	0.003	0.15	3.80
					13.0	14.9	1.9	31658	0.090	0.003	0.23	4.15
9.6	14.9	BX	Pink Breccia, mostly black angular clasts, similar to the above unit with more K-spar alteration. Trace cp and mag in many sections, minor fault (45 deg.) at 14.0m.	110	14.9	15.8	0.9	31659	0.054	0.004	0.12	3.79
					15.8	17.0	1.2	31660	0.022	0.002	0.04	5.47
					17.0	18.5	1.5	31661	0.022	0.004	0.01	5.17
					18.5	20.5	2.0	31662	0.126	0.006	0.27	4.12
14.9	18.5	AP	Green/gray augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	20.5	22.0	1.5	31663	0.180	0.014	0.31	5.46
					22.0	24.0	2.0	31664	0.117	0.008	0.13	5.33
					24.0	26.0	2.0	31665	0.178	0.006	0.30	5.57
					26.0	28.0	2.0	31666	0.176	0.009	0.57	9.45
					28.0	30.0	2.0	31667	0.179	0.006	0.37	7.57
					30.0	32.0	2.0	31668	0.076	0.002	0.21	11.50
18.5	29.0	BX	Black to pink/black BRECCIA: loss of rem porphyry texture seen in the above units, abundant diss cp and mag, contorted veining of cc/actin/epidote, notable increase in magnetite at 25m.	110	32.0	33.5	1.5	31669	0.393	0.006	0.49	25.30
					33.5	34.8	1.3	31670	0.105	0.011	0.16	27.20
					34.8	36.0	1.2	31671	0.358	0.016	0.62	6.66
					36.0	38.0	2.0	31672	0.485	0.020	0.36	7.48
					38.0	40.0	2.0	31673	0.046	0.001	0.07	14.50
					40.0	42.0	2.0	31674	0.260	0.009	2.25	23.70
					42.0	44.0	2.0	31675	0.098	0.006	0.21	13.20

MOUNT POLLEY MINE

Hole No. 99C-3
Page: 2 of 5

From meters	To meters	Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
29.0	34.8	BX	Black magnetite BRECCIA, matrix mostly magnetite; dense, soft, abundant cp through zone in veinlets blebs and diss in matrix, fine pink K-spar veining through zone.	110	44.0	46.0	2.0	31676	0.207	0.006	0.30	14.40
					46.0	48.0	2.0	31677	0.378	0.006	0.82	14.20
					48.0	50.0	2.0	31678	0.289	0.018	0.76	11.00
					50.0	52.0	2.0	31679	0.569	0.021	1.34	8.10
					52.0	54.0	2.0	31680	0.485	0.023	1.16	9.90
					54.0	56.0	2.0	31681	0.465	0.023	0.91	16.80
34.8	36.0	BX	Brown/black fine grained BRECCIA: abundant diss mag, cp in blebs, veinlets and diss. In matrix, no K-spar alteration, minor diss py.	110	56.0	58.0	2.0	31682	0.866	0.028	1.68	11.10
					58.0	60.0	2.0	31683	1.058	0.043	2.38	12.40
					60.0	62.3	2.3	31684	0.193	0.011	0.46	11.40
					62.3	64.0	1.7	31685	0.028	0.001	0.03	3.19
					64.0	66.2	2.2	31686	0.029	0.001	0.03	3.43
					66.2	67.8	1.6	31687	0.652	0.017	1.88	18.10
					67.8	70.0	2.2	31688	0.019	0.002	0.01	4.57
					70.0	71.6	1.6	31689	0.019	0.001	0.01	5.21
					71.6	72.6	1.0	31690	0.280	0.005	0.38	3.00
					72.6	74.0	1.4	31691	0.694	0.031	1.18	8.40
36.0	62.3	BX	Pink to black/pink mottled texture, variable K-spar alteration, abundant diss mag and cp through zone, cp veining in some sections, small green augite porphyry dyke at 44.2m-44.3m	110	74.0	76.0	2.0	31692	0.218	0.011	0.37	8.96
					76.0	78.0	2.0	31693	0.104	0.008	0.24	6.01
					78.0	80.0	2.0	31694	0.186	0.011	0.34	5.76
					80.0	81.7	1.7	31695	0.150	0.005	0.33	7.16
					81.7	83.2	1.5	31696	0.019	0.002	0.01	4.05
					83.2	84.0	0.8	31697	0.192	0.009	0.68	18.40
					84.0	86.0	2.0	31698	0.632	0.013	1.37	12.60
					86.0	87.0	1.0	31699	0.355	0.019	0.56	6.69

MOUNT POLLEY MINE

Hole No. 99C-3

Page: 3 of 5

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
62.3	66.2	PPg	Green/brown to grey/brown PP, white feld phenos, fresh, no alteration, probably a large dyke, no visible cp.	136	87.0	88.4	1.4	31700	0.257	0.014	0.39	5.81
					88.4	90.0	1.6	31701	0.066	0.003	0.08	2.45
					90.0	90.8	0.8	31702	0.079	0.006	0.08	1.05
					90.8	93.0	2.2	31703	0.030	0.003	0.03	2.66
					93.0	95.0	2.0	31704	0.054	0.006	0.03	2.38
					95.0	97.0	2.0	31705	0.054	0.006	0.04	2.34
66.2	67.8	BX	BRECCIA: as 36-62.3, with similar high cp and mag content.	110	97.0	98.7	1.7	31706	0.088	0.005	0.09	1.91
					98.7	99.5	0.8	31707	0.003	0.001	0.01	4.30
					99.5	101.0	1.5	31708	0.052	0.003	0.06	2.58
67.8	71.6	AP	Green/grey augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	101.0	103.0	2.0	31709	0.048	0.002	0.07	2.42
					103.0	105.0	2.0	31710	0.069	0.004	0.12	2.65
					105.0	106.0	1.0	31711	0.060	0.003	0.03	2.83
					106.0	108.0	2.0	31712	0.086	0.008	0.05	3.71
71.6	72.6	PPg	Brown fresh plag porphyry, white phenos, trace diss cp.	136	108.0	110.0	2.0	31713	0.168	0.013	0.28	4.91
					110.0	111.8	1.8	31714	0.248	0.015	0.32	13.30
					111.8	113.5	1.7	31715	0.294	0.016	0.60	12.80
72.6	81.7	BX	BRECCIA: as 36-62.3, with similar high cp and mag, mag in rare large blebs, cp also in rare veins. Increase in green porphyritic alteration (chlor/actin/epidote).	110	113.5	115.2	1.7	31716	0.119	0.004	0.12	14.50
					115.2	117.0	1.8	31717	0.138	0.010	0.28	7.37
					117.0	119.0	2.0	31718	0.110	0.011	0.17	7.04
					119.0	121.0	2.0	31719	0.174	0.021	0.30	6.27
81.7	83.2	AND	Fresh, grey fine-grained latite dyke, no cp.	141	121.0	123.0	2.0	31720	0.370	0.038	0.66	6.82
					123.0	125.0	2.0	31721	0.406	0.033	0.84	6.60
					125.0	127.0	2.0	31722	0.297	0.030	0.60	6.37
					127.0	129.0	2.0	31723	0.241	0.021	0.49	5.92

MOUNT POLLEY MINE

Hole No. 99C-3
Page: 4 of 5

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
83.2	88.4	BX	BRECCIA: contorted black to green black breccia as the above 3 other units of breccia with decreasing chlorite, and increase in K-spar alteration, still abundant diss cp and mag.	110	129.0	131.0	2.0	31724	0.280	0.027	0.51	7.06
					131.0	133.0	2.0	31725	0.254	0.021	0.44	6.81
					133.0	135.0	2.0	31776	0.456	0.032	0.60	6.45
					135.0	137.2	2.2	31777	0.326	0.022	0.40	6.48
					137.2	139.0	1.8	31778	0.192	0.015	0.25	5.58
88.4	108.0	PPg	Grey to brown/green PP, white feld phenos, rare small .1m black mafic dykes at (107.3-107.6,89.7-89.8,107.6-108.0). No visible cp.	136	139.0	141.0	2.0	31779	0.024	0.001	0.01	5.07
					141.0	143.0	2.0	31780	0.025	0.001	0.03	4.50
					143.0	145.2	2.2	31781	0.181	0.016	0.25	6.67
					145.2	147.0	1.8	31782	0.173	0.018	0.35	5.78
108.0	115.2	BX	Black/pink mottled, BRECCIA: abundant diss and blebbed cp/mag as at 83.2m.		147.0	149.0	2.0	31783	0.284	0.029	0.34	6.83
					149.0	151.0	2.0	31784	0.290	0.020	0.51	5.73
					151.0	152.5	1.5	31785	0.202	0.019	0.32	5.91
115.2	137.2	BX	Grey/pink less intense BRECCIA than above, low K-spar in matrix, freq K-spar veins rim white feld phenos, cp and mag visible in blebs, along rare fractures and diss in matrix, fault 45 deg at 145m, 0.1m of black clay gouge.	110	152.5	154.0	1.5	31786	0.150	0.016	0.19	4.88
					154.0	156.0	2.0	31787	0.149	0.025	0.25	5.00
					156.0	159.0	3.0	31788	0.196	0.018	0.35	4.31
					159.0	160.5	1.5	31789	0.143	0.016	0.32	4.91
					160.5	161.8	1.3	31790	0.169	0.070	0.31	5.09
					161.8	163.0	1.2	31791	0.273	0.040	0.68	4.26
137.2	143.0	PPg	Salt/pepper PP, med. grained, fresh, fine diss cp throughout zone, fine black mag veining in many sections, abundant diss mag.	136	163.0	165.0	2.0	31792	0.283	0.027	0.69	6.71
					165.0	166.6	1.6	31793	0.367	0.039	0.79	6.62
					166.6	168.0	1.4	31794	0.108	0.010	0.23	3.00
					168.0	169.8	1.8	31795	0.132	0.014	0.18	2.65
					169.8	171.0	1.2	31796	0.123	0.012	0.15	3.48
					171.0	173.0	2.0	31797	0.025	0.011	0.02	3.75

Hole No. 99C-3
Page: 5 of 5

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-4

Pit: Cariboo	Northing: 3134.45 N	Correct Dip: -55	Page: 1 of 7
Hole No: 99C-4	Easting: 2331.65 E	True Azm. 312	Logged by: Greg Gillstrom
Started 9/19/99	Elevation: 1139.57 m	Survey at: 136.25 m -53	Date: 9/22/99
Finished: 9/22/99	Core Size: NQ2	264.26 m -53	Core stored at: mine site
	Length: 264.26 m		Comments: Cariboo East toward 2300 Fault.

From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis				
					Cu-tot (%)	Cu-ns (%)			Au (g/t)	Fe-tot (%)			
-	3.1	Casing											
3.1	26.0	BX	Breccia: brown/pink to pink with dark angular clasts, porphyritic texture still visible in matrix, minor visible dlss cp, and magnetic through zone, mod oxidized and broken through zone.	110	3.1	6.5	3.5	31501	0.094	0.066	0.07	4.26	
					6.5	7.0	0.5	31502	0.026	0.012	-	5.27	
						7.0	8.0	1.0	31503	0.036	0.017	0.03	4.80
						8.0	10.0	2.0	31504	0.105	0.054	0.07	5.08
						10.0	12.0	2.0	31505	0.066	0.028	0.09	4.40
		AP	(6.5-7m) Green/gray augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	12.0	14.0	2.0	31506	0.083	0.042	0.05	4.84	
					14.0	16.0	2.0	31507	0.113	0.064	0.08	4.89	
						16.0	18.0	2.0	31508	0.060	0.022	0.06	4.82
						18.0	20.0	2.0	31509	0.137	0.084	0.14	4.91
26.0	31.6	BX	Breccia: bright pink matrix, intense K-spar alteration, abundant Cu-oxides and green chrysocolla along most fractures and in many vugs. White clay-altered feldspar phenos in matrix showing remnant porphyritic texture. No visible cp, trace mag.	110	20.0	22.0	2.0	31510	0.095	0.050	0.12	4.94	
					22.0	24.0	2.0	31511	0.087	0.020	0.08	3.77	
						24.0	26.0	2.0	31512	0.072	0.034	0.08	4.44
						26.0	28.0	2.0	31513	0.176	0.166	0.28	3.11
						28.0	30.0	2.0	31514	0.085	0.060	0.09	2.06
					30.0	31.0	1.0	31515	0.093	0.078	0.14	2.75	
31.6	36.8	AP	Large green/gray augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	31.0	31.8	0.8	31516	0.162	0.103	0.25	2.32	
					31.8	34.0	2.2	31517	0.021	0.005	0.01	4.69	
					34.0	36.0	2.0	31518	0.013	0.002	0.01	5.01	
					36.0	36.8	0.8	31519	0.019	0.004	0.01	5.27	
36.8	44.3	BX	Breccia: bright pink breccia as 28m, with same Cu-oxides in vugs and fractures, no visible cp.	110	36.8	38.0	1.2	31520	0.066	0.045	0.05	1.92	
					38.0	40.0	2.0	31521	0.178	0.134	0.21	4.88	
									C:\GEOLOGY\WTPOLLEY\99 C 4 Log.xls\Sheet1				

MOUNT POLLEY MINE

Hole No. 99C-4
Page: 2 of 7

From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
44.3	57.4	BX	Breccia: black to grey/black matrix, pink to grey angular clasts, abundant pink contorted and swirling K-spar veins, diss cp through zone with minor cp veinlets, rare Cu-oxides along fractures, abundant diss mag.	110	40.0	42.0	2.0	31522	0.121	0.090	0.14	2.77
					42.0	44.3	2.3	31523	0.082	0.059	0.08	2.62
					44.3	46.0	1.7	31524	0.201	0.051	0.64	11.50
					46.0	48.0	2.0	31525	0.112	0.007	0.16	4.59
					48.0	50.0	2.0	31526	0.063	0.019	0.06	9.75
					50.0	52.0	2.0	31527	0.089	0.010	0.08	2.91
57.4	108.2	PP/BX	Alternating porphyritic intrusive with intrusive breccia. Breccia is pink to grey pink, mod K-spar altered, with occasional intensely altered sections. PP is brown with feldspar phenos trace to minor K-spar alteration with abundant K-spar veinlets. Units alternate (approx) every 1-2 meters. Rare Cu-oxides and chrysocolla in some of the breccia sections. Big increase in cp and mag from 100-108.2m with minor cp veining.	110	52.0	54.0	2.0	31528	0.049	0.007	0.04	2.74
					54.0	56.0	2.0	31529	0.062	0.002	0.06	3.20
					56.0	58.0	2.0	31530	0.088	0.014	0.08	3.60
					58.0	60.0	2.0	31531	0.128	0.066	0.14	3.63
					60.0	62.0	2.0	31532	0.092	0.046	0.17	3.79
					62.0	64.0	2.0	31533	0.066	0.043	0.05	0.41
					64.0	66.0	2.0	31534	0.086	0.014	0.05	3.91
					66.0	68.0	2.0	31535	0.089	0.038	0.06	4.00
108.2	109.2	AND	Small grey fine-grained latite dyke, no cp	141	68.0	70.0	2.0	31536	0.121	0.030	0.13	3.77
					70.0	72.0	2.0	31537	0.103	0.017	0.08	3.46
109.2	111.7	BX	Pink/brown intrusive breccia, black angular fragments, very minor diss cp, trace mag. Abundant K-spar veining, rare Cu-oxides on fractures.	110	72.0	74.0	2.0	31538	0.114	0.059	0.11	2.92
					74.0	76.0	2.0	31539	0.158	0.056	0.25	3.67
					76.0	78.0	2.0	31540	0.045	0.021	0.05	3.63
					78.0	80.0	2.0	31541	0.136	0.064	0.25	3.37
111.7	118.6	PPg	Salt/pepper texture plag porphyry intrusive. Abundant diss mag, no visible cp, rare Cu-oxides on fractures, abundant K-spar veining through zone.	136	80.0	82.0	2.0	31542	0.070	0.031	0.10	3.52
					82.0	84.0	2.0	31543	0.130	0.053	0.17	3.20
					84.0	86.0	2.0	31544	0.056	0.023	0.05	3.54
					86.0	88.0	2.0	31545	0.049	0.014	0.04	3.23

MOUNT POLLEY MINE

Hole No. 99C-4
Page: 3 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
118.6	134.0	BX	Black volcanic breccia, (25% pink intrusive breccia), fine-grained matrix, abundant pink K-spar veining, black and pink angular fragments. Cp diss in matrix, also in blebs, and rare veinlets, several larger cp veins (1cm) noted.	110	88.0	90.0	2.0	31546	0.082	0.043	0.10	4.01
					90.0	92.0	2.0	31547	0.104	0.080	0.12	4.23
					92.0	94.0	2.0	31548	0.110	0.062	0.03	3.71
					94.0	96.0	2.0	31549	0.285	0.134	0.43	4.47
					96.0	98.0	2.0	31550	0.111	0.018	0.14	4.54
					98.0	100.0	2.0	31551	0.415	0.087	0.75	5.63
134.0	138.6	BX	Pink intrusive breccia, loss of volcanic fragments seen in above unit, remnant porphyry texture, with clay-altered white plag phenos, rare diss cp in matrix, minor diss mag with rare large mag blebs.	110	100.0	102.0	2.0	31552	0.212	0.100	0.36	4.72
					102.0	104.0	2.0	31553	0.196	0.128	0.28	4.85
					104.0	106.0	2.0	31554	0.117	0.053	0.13	6.02
					106.0	108.2	2.2	31555	0.184	0.074	0.46	5.58
					108.2	109.2	1.0	31556	0.102	0.021	0.11	3.59
					109.2	111.7	2.5	31557	0.132	0.078	0.11	4.58
138.6	141.2	AP	Green/grey augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	111.7	114.0	2.3	31558	0.316	0.101	0.70	5.78
					114.0	116.0	2.0	31559	0.162	0.078	0.27	5.26
					116.0	118.0	2.0	31560	0.187	0.056	0.31	5.11
					118.0	118.6	0.6	31561	0.129	0.023	0.19	5.04
141.2	143.4	BX	Brown/pink breccia: brown/black fine-grained clasts, minor diss cp on fractures and in the matrix, rare cp veins, trace mag.	110	118.6	120.0	1.4	31562	0.117	0.027	0.24	3.61
					120.0	122.0	2.0	31563	0.132	0.017	0.26	3.47
					122.0	124.0	2.0	31564	0.427	0.043	0.88	3.62
					124.0	126.0	2.0	31565	0.354	0.037	1.01	4.42
143.4	163.0	BX	Bright pink intrusive breccia: remnant porphyry texture through zone, trace mag, rare cp, several cp blebs noted; abundant chlorite/epidote veins	110	126.0	128.0	2.0	31566	0.219	0.021	0.33	6.01
					128.0	130.0	2.0	31567	0.145	0.053	0.27	5.42
					130.0	132.0	2.0	31568	0.373	0.080	0.67	5.18
					132.0	134.0	2.0	31569	0.211	0.067	0.38	5.83

MOUNT POLLEY MINE

Hole No. 99C-4
Page: 4 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
163.0	172.2	BX	Mixture of pink intrusive breccia and black fine-grained volcanic breccia, both have pink to pink/black angular clasts, abundant diss mag with rare large blebs of mag, trace diss cp.	110	134.0	136.0	2.0	31570	0.094	0.026	0.13	4.27
					136.0	138.0	2.0	31571	0.149	0.120	0.29	5.20
					138.0	138.6	0.6	31572	0.152	0.106	0.30	5.02
					138.6	140.0	1.4	31573	0.029	0.010	0.01	5.57
					140.0	141.2	1.2	31574	0.045	0.005	0.03	5.38
172.2	177.3	BX	Black to grey black intrusive breccia, black angular volcanic clasts and pink intrusive clasts, no visible cp, trace diss mag, black intrusive matrix has rem porphyry texture, with abundant act/epi veins.	110	141.2	142.0	0.8	31575	0.319	0.041	0.50	5.16
					142.0	143.4	1.4	31576	0.271	0.032	0.36	4.98
					143.4	144.0	0.6	31577	0.154	0.013	0.29	4.92
					144.0	146.0	2.0	31578	0.125	0.037	0.20	3.95
					146.0	148.0	2.0	31579	0.086	0.048	0.16	3.90
					148.0	150.0	2.0	31580	0.178	0.090	0.48	4.10
177.3	177.7	LAMP	Small light brown porphyry dyke, no cp	140	150.0	152.0	2.0	31581	0.238	0.115	0.44	5.66
					152.0	154.0	2.0	31582	0.093	0.042	0.12	5.60
177.7	180.3	BX	Bright pink intrusive breccia, rem porphyry texture, with white clay-altered feldspar phenos, no visible cp, trace mag.	110	154.0	156.0	2.0	31583	0.096	0.068	0.14	6.15
					156.0	158.0	2.0	31584	0.068	0.023	0.07	5.65
					158.0	160.0	2.0	31585	0.132	0.094	0.19	4.43
					160.0	162.0	2.0	31586	0.104	0.075	0.10	2.57
					162.0	163.0	1.0	31587	0.101	0.077	0.12	2.56
180.3	186.9	PPg	Black to grey black PP, minor pink K-spar veins, fine porphyry texture (white phenos), fine diss cp noted in some sections, rare cp blebs along fractures.	136	163.0	164.5	1.5	31588	0.096	0.063	0.11	4.39
					164.5	166.0	1.5	31589	0.175	0.121	0.22	5.26
					166.0	168.0	2.0	31590	0.120	0.018	0.18	5.61
					168.0	170.0	2.0	31591	0.193	0.145	0.32	5.40
					170.0	172.2	2.2	31592	0.107	0.020	0.13	4.51
					172.2	174.0	1.8	31593	0.159	0.014	0.33	6.65

MOUNT POLLEY MINE

Hole No. 99C-4
Page: 5 of 7

From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
					Cu-tot (%)	Cu-ns (%)			Au (g/t)	Fe-tot (%)		
186.9	190.0	AP	(186.9-188.9) Green/grey augite porphyry dyke, dense green matrix, with abundant dark green augite phenos (186.9-188.9), Dense black mafic dyke (188.9 -190.0), no cp in either dyke.	139	174.0	176.0	2.00	31594	0.115	0.013	0.17	7.10
					176.0	177.7	1.70	31595	0.117	0.025	0.22	6.03
					177.7	179.0	1.30	31596	0.030	0.024	0.04	5.64
					179.0	180.3	1.30	31597	0.057	0.007	0.08	6.82
					180.3	182.0	1.70	31598	0.041	0.005	0.08	6.09
190	203.1	BX	[HIGH GRADE ZONE] Pink, high-grade Cu; bx intense K-spar altn, abundant large cp veins, cp also in blebs and diss in matrix, and along fractures, mag is also abundant mostly diss in matrix and in blebs, grey/pink angular intrusive casts, in pink matrix.	110	182.0	184.0	2.00	31599	0.061	0.009	0.07	5.32
					184.0	186.0	2.00	31600	0.103	0.010	0.10	5.27
					186.0	186.9	0.90	31601	0.058	0.007	0.08	5.23
					186.9	187.3	0.40	31602	0.175	0.015	0.25	5.93
					187.3	188.9	1.60	31603	0.013	0.004	0.01	5.41
				188.9	190.0	1.10	31604	0.004	0.001	0.01	5.95	
203.1	209	AP	Green/grey augite porphyry dyke, dense green matrix, with abundant dark green augite phenos, no cp.	139	190.0	191.5	1.50	31605	0.100	0.013	0.10	4.94
					191.5	193.0	1.50	31606	0.119	0.009	0.13	5.13
					193.0	194.5	1.50	31607	0.177	0.008	0.27	5.69
				194.5	196.0	1.50	31608	0.253	0.010	0.28	5.24	
209	239.2	BX	[HIGH GRADE ZONE CONT.] As 190m with less cp veining, and less over all cp, also slightly less K-spar alteration than 190-203.1. Big increase in mag near end of zone (237-239.2) with massive mag blebs and veins, epidote/act. Veining throughout. (Total high grade zone =49.2m).	110	196.0	197.5	1.50	31609	0.801	0.018	0.75	5.76
					197.5	199.0	1.50	31610	1.274	0.025	1.20	4.98
					199.0	200.5	1.50	31611	1.131	0.025	1.04	4.60
					200.5	202.0	1.50	31612	0.261	0.016	0.46	6.00
					202.0	203.5	1.50	31613	0.147	0.013	0.23	5.72
					203.5	203.8	0.30	31614	0.232	0.014	0.30	4.84
					203.8	205.5	1.70	31615	0.024	0.005	0.02	4.98
				205.5	207.0	1.50	31616	0.019	0.006	0.01	5.21	
				207.0	209.0	2.00	31617	0.019	0.003	0.01	5.03	

MOUNT POLLEY MINE

Hole No. 99C-4
Page: 6 of 7

From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
239.2	253	Fault	Large fault zone, highly fractured breccia fragments, green clay on most fractures, ground to gravel in many sections, minor mag, rare visible diss cp	198	209.0	210.0	1.0	31618	0.155	0.005	0.22	4.66
					210.0	212.5	2.5	31619	0.160	0.004	0.18	6.17
					212.5	214.0	1.5	31620	0.187	0.007	0.22	3.48
					214.0	215.5	1.5	31621	0.247	0.007	0.31	3.75
					215.5	216.0	0.5	31622	0.377	0.026	0.46	5.36
					216.0	217.5	1.5	31623	0.180	0.010	0.26	4.48
253	264.3	Monz	Dark grey monz with patches of K-spar alteration, CC and epidote veining, trace of cp/py in matrix.	138	217.5	219.0	1.5	31624	0.229	0.024	0.37	2.20
					219.0	220.0	1.0	31625	0.256	0.010	0.37	4.66
					220.0	221.0	1.0	31626	0.122	0.002	0.13	4.50
					221.0	222.5	1.5	31627	0.297	0.007	0.37	3.22
					222.5	224.0	1.5	31628	0.194	0.006	0.24	3.53
					224.0	225.5	1.5	31629	0.155	0.004	0.22	4.30
					225.5	227.0	1.5	31630	0.258	0.008	0.39	4.39
					227.0	229.5	2.5	31631	0.309	0.009	0.50	3.30
					229.5	230.0	0.5	31632	0.208	0.007	0.43	4.81
					230.0	231.5	1.5	31633	0.221	0.010	0.32	4.54
					231.5	233.0	1.5	31634	0.304	0.015	0.50	5.78
					233.0	234.5	1.5	31635	0.345	0.019	0.53	5.79
					234.5	236.0	1.5	31636	0.299	0.029	0.38	3.67
					236.0	237.5	1.5	31637	0.138	0.015	0.20	5.23
					237.5	239.2	1.7	31638	0.263	0.019	0.26	9.44
					239.2	241.0	1.8	31639	0.065	0.005	0.07	5.66
					241.0	243.0	2.0	31640	0.143	0.007	0.14	7.13
					243.0	245.0	2.0	31641	0.106	0.005	0.07	4.35

[illegible][illegible][illegible]

MOUNT POLLEY MINE

Hole No. 99C-5

Pit: Cariboo	Northing: 2839.73 N	Correct Dip: -55	Page: 1 of 6
Hole No: 99C-5	Easting: 2199.32 E	True Azm: 270	Logged by: Chris Wild
Started: 9/22/99	Elevation: 1138.55 m	Survey at: 87.48 m -53 270	Date: 9/27/99
Finished: 9/24/99	Core Size: NQ2	215.49 m -52 270	Core stored at: mine site
	Length: 215.49 m		Comments: To test C-2 Zone immediately north of C2.

From meters	To	Syb	Description	Altn	Minl	Recovery	From meters	To	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	CASING												
3.1	13.0	BX	Pink-green-grey mottled bx with numerous polymictic clasts. Variably mineralized mal+cp freq assoc with mt.	K4, mt3	mal		3.1	5.1	2.0	31085	0.480	0.334	0.88	4.70
				a3	min cp		5.1	7.1	2.0	31086	0.110	0.093	0.12	6.46
				epi			7.1	9.1	2.0	31087	0.160	0.125	0.14	6.85
			4.0 Mal on fracture.				9.1	11.1	2.0	31088	0.152	0.124	0.11	6.66
			4.8 Patchy cp + mt.				11.1	13.0	1.9	31089	0.151	0.123	0.11	7.25
			7.2-8.2 FAULT; rubble + gouge, 20% recovery.				Duplicate			31090	0.137	0.115	0.24	7.49
			9.2 Splashy mal, str oxidation.											
			10.0 Patchy, massive mt.											
			10.8-13.0 Less intense KF + minl.											
13.0	18.4	PPg	Coarse por, med grey with white plag phenos.	K1, act0			13.0	15.7	2.7	31091	0.018	0.013	0.02	3.57
			Sharp contacts.	mt0			15.7	18.4	2.7	31092	0.017	0.012	0.02	3.57
			Relatively well-fractured, brittle.											
18.4	47.1	BX	Highly variable, colourful pink & green, as above.	K3, mt3	min mal		18.4	20.4	2.0	31093	0.102	0.090	0.11	5.11
			Mt patches + spotty mal.	a3			20.4	22.4	2.0	31094	0.137	0.120	0.10	5.17
			Goethite on some fractures.	chl			22.4	24.4	2.0	31095	0.067	0.048	0.07	4.93
			25.2-25.4 Gougy fractures.				24.4	26.4	2.0	31096	0.122	0.091	0.11	4.83
			26.8-26.9 Gougy fractures.				26.4	28.4	2.0	31097	0.186	0.128	0.16	4.73
			28.9-29.2 Gougy fractures.				28.4	30.4	2.0	31098	0.074	0.055	0.07	6.84
			30.6-31.4 Gougy fractures.				30.4	32.4	2.0	31099	0.098	0.008	0.11	5.97
			31.6-31.8 Gougy fractures.				32.4	34.4	2.0	31100	0.066	0.005	0.05	5.41
			32.0-32.6 Gougy fractures.				34.4	36.4	2.0	31101	0.104	0.002	0.11	3.64
			33.8-33.9 F-gr, soft, black, chloritized vnls.				36.4	38.4	2.0	31102	0.078	0.013	0.15	3.51
			35.0 Darkening, chl + epi on frac.											
			36.7-37.0 Highly frac, 38.0 5-10 cm gouge.											

Hole No. 99C-5
Page: 2 of 6

From		To	Rock	Description	Altn	Minl	Recovery	From		To	Lgth.	Tag. Number	Analysis			
meters		meters							Cu-tot (%)	Cu-ns (%)			Au (g/t)	Fe-tot (%)		
				38.7-39.2 Pink mottled bx.				38.4	40.4	2.0	31103	0.018	0.001	0.01	3.61	
				39.2-42.6 Dark, spotted bx (dyke?).				40.4	42.4	2.0	31104	0.002	0.001	0.00	4.16	
				42.6-43.8 Pink to mottled bx.				42.4	43.8	1.4	31105	0.031	0.001	0.01	4.11	
				43.8-44.9 ANDESITE Dyke, highly frac, sheared.				43.8	44.9	1.1	31106	0.031	0.003	0.01	4.93	
				44.7-44.8 FAULT.				44.9	47.1	2.2	31107	0.088	0.024	0.08	4.84	
				44.9-47.1 Pink, sheared bx.												
				46.4-46.9 FAULT; mushy, grey clay gouge @ 46.8m.												
47.1	52.4	AP		Green to med grey augite por, locally 'pinked'.	K1			47.1	49.7	2.6	31108	0.017	0.004	0.01	5.35	
								49.7	52.4	2.7	31109	0.017	0.002	0.01	5.53	
52.4	64.1	BX		Wide range of textures from grey PP at top to mottled green (epi) & pink bx.	K3, mt3	cp<0.5%		Duplicate			31110	0.015	0.003	0.01	5.59	
					a2			52.4	53.9	1.5	31111	0.048	0.002	0.03	6.35	
				Local bands of KF-flooding, otherwise weak altn.				53.9	55.4	1.5	31112	0.098	0.003	0.11	5.72	
				Epi - cal overprint.				55.4	56.9	1.5	31113	0.150	0.008	0.11	5.92	
				Occ mt vnlt, patchy to rare act.				56.9	58.4	1.5	31114	0.050	0.001	0.03	6.08	
				F-gr diss to weakly patchy cp (eg 59.6m).				58.4	59.9	1.5	31115	0.179	0.003	0.25	5.19	
				61.5 5 cm gougy shear zone ~55 to c.a.				59.9	61.4	1.5	31116	0.145	0.006	0.15	6.08	
				63.3-64.1 Crowded mottled PP with act-mt vnlt, min diss cp.				61.4	62.9	1.5	31117	0.199	0.013	0.27	5.31	
								62.9	64.1	1.2	31118	0.088	0.004	0.07	4.77	
64.1	67.8	AP		Competent dyke with excellent chili margins, ~ 1 cm wide, pale green, ~60 to c.a.	-	-		64.1	66.0	1.9	31119	0.002	0.001	0.01	4.46	
								66.0	67.8	1.8	31120	0.002	0.001	0.01	4.00	
				Cal vnlt in AP at contacts.												
				Mod magnetic.												
67.8	79.1	BX		Mottled, mixed pink bx & PP.	K3, mt3	cp<0.5%		67.8	69.3	1.5	31121	0.114	0.049	0.12	5.01	
				69.0-69.1 Gougy shear zone.	a3	min mal		69.3	70.8	1.5	31122	0.141	0.103	0.26	5.73	
				68.2 Patchy cp, act.				70.8	72.3	1.5	31123	0.181	0.095	0.19	5.49	
				69.1-71.5 Oxidized; goethite on frac, min mal.				72.3	73.8	1.5	31124	0.101	0.004	0.08	6.08	
				71.4-71.5 C-gr vuggy cal vn (10 cm).				73.8	75.3	1.5	31125	0.150	0.004	0.18	5.32	
				71.5-78.1 Min diss to vnlt cp assoc with mt & act; overall altn is moderate.				75.3	76.8	1.5	31126	0.200	0.007	0.22	6.43	
								76.8	78.3	1.6	31127	0.151	0.017	0.17	5.92	
				78.5-78.9 FAULT; sand & gouge.				78.3	79.8	1.5	31128	0.195	0.030	0.19	4.36	
				78.3-79.1 Incr pink & grey PP.												

Hole No. 99C-5
Page: 3 of 6

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-5
Page: 4 of 6

From meters	To meters	Rock	Description	Alt	Min	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
107.0	142.3	PPg	Brown-grey with minor sections of KF assoc with vnits & frac.	K1, mt2	<<1% cp		107.0	109.0	2.0	31147	0.102	0.027	0.08	2.32
				a1			109.0	111.0	2.0	31148	0.022	0.004	0.01	2.03
			Occ clasts of pink PP.				111.0	113.0	2.0	31149	0.076	0.041	0.03	2.03
			111.1 Dolomitic vn bx and 3 cm gougy shear @ 46 to c.a.				Duplicate			31150	0.053	0.026	0.04	2.26
							113.0	115.0	2.0	31151	0.092	0.081	0.09	2.15
			112.3-112.6 Pink KF-flood, min epi.				115.0	117.0	2.0	31152	0.254	0.040	0.10	2.63
			113.7-113.9 Frac zone, oxidized with min mal, min gouge.				117.0	119.0	2.0	31153	0.050	0.016	0.02	2.07
							119.0	121.0	2.0	31154	0.067	0.006	0.02	2.39
			115.2 KF-nt-act vnit @ 20 to c.a.				121.0	123.0	2.0	31155	0.020	0.004	0.02	2.10
			116.2 Cal-epl-hem vnit @ 30 to c.a. (1cm).				123.0	126.0	2.0	31156	0.021	0.003	0.01	2.13
			116.3 Cp assoc with KF-flood, min act, mt.				126.0	127.0	2.0	31157	0.046	0.002	0.05	2.07
			PP becomes paler grey with white plag phenos and occ pink KF phenos.				127.0	129.0	2.0	31158	0.045	0.017	0.03	2.21
							129.0	131.0	2.0	31159	0.040	0.032	0.04	2.30
			117.6-117.7 Mal (poss chrysocolla) in frac assoc with weak KF flood.				131.0	133.0	2.0	31160	0.050	0.008	0.04	2.42
							133.0	135.0	2.0	31161	0.059	0.001	0.04	2.28
			Darker grey, very hard, competent.				135.0	137.0	2.0	31162	0.119	0.046	0.13	2.07
			124.6 Hem vnit ~20 to c.a. (1mm).				137.0	139.0	2.0	31163	0.138	0.029	0.11	2.19
			128.9 Soft, chl-altered act vnit.				139.0	141.0	2.0	31164	0.166	0.081	0.22	2.02
			136.1-136.4 Bleached to pinkish PP, Incr dark mafic clasts.				141.0	142.3	1.3	31165	0.127	0.033	0.13	2.27
142.3	162.6	PPp	Pink to grey por, locally bx.	K2, mt2	min mal		142.3	143.8	1.5	31166	0.214	0.201	0.30	1.82
			Similar to and gradational with PPg.	a1			143.8	145.3	1.5	31167	0.300	0.291	0.28	1.59
			Rel abundant mal/az on frac, well-oxidized.				145.3	146.8	1.5	31168	0.429	0.347	0.40	1.69
			Higher frac density.				146.8	148.3	1.5	31169	0.316	0.274	0.26	2.02
			142.7-142.9 5 cm patch of mal + mal on frac, gougy shear.				Duplicate		-	31170	0.301	0.271	0.26	2.02
							148.3	149.8	1.5	31171	0.391	0.188	0.29	1.94
			143.8 Mal on broken frac planes.				149.8	150.4	0.6	31172	0.028	0.019	0.01	4.11
			149.8-150.4 LAMPROPHYRE DYKE; f-gr dark grey mafic dyke ~ 60 to c.a.; gouge along lower contact.				150.4	162.6	2.2	31173	0.363	0.319	0.28	2.19
			Sharp lower contact or alteration front.											
162.6	163.7	PPg	Pinkish-grey, as before.	K1	tr		162.6	163.7	1.1	31174	0.402	0.079	0.19	2.46

Hole No. 99C-5
Page: 5 of 6

[illegible]

Hole No. 99C-5
Page: 6 of 6

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-6

Pit: Cariboo	Northing: 2776.03 N			Correct Dip: -55		Page: 1 of 4								
Hole No: 99C-6	Easting: 2163.24 E			True Azm. 270		Logged by: Chris Wild								
Started: 9/24/99	Elevation: 1135.12 m			Survey at: 78.33 m -54 270		Date: 9/28/99								
Finished: 9/26/99	Core Size: NQ2			142.04 m -53 270		Core stored at: mine site								
	Length: 146.91 m					Comments: To test C-2 Zone immediately south of C-2.								
From meters	To	Syb	Description	Altn	Mini	Recovery	From meters	To	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	CASING												
3.1	3.9	?	No recovery											
3.9	7.5	AP	Medium-grey, str to weak por with chl augite phenos, no obvious olivine. Competent with sharp, unsheared lower contact ~60 to c.a.	chl			3.9	7.5	3.6	31207	0.023	0.012	0.01	5.41
				min epi										
7.5	19.0	BX	Mottled to pink porphyritic.	K3	mal		7.5	9.0	1.5	31208	0.182	0.126	0.20	4.71
			Mal @ AP contact and some other frac.	mt3			9.0	10.5	1.5	31209	0.195	0.188	0.26	5.19
			Epi, goethite common on frac & joints.	act 2			Duplicate			31210	0.199	0.173	0.22	4.91
			9.4-9.7 MAFIC DYKE; mostly rubble, contacts sharp, unsheared; upper ~60 to c.a., lower ~30 to c.a.				10.5	12.0	1.5	31211	0.100	0.070	0.07	6.68
							12.0	13.5	1.5	31212	0.201	0.169	0.17	4.79
							13.5	15.0	1.5	31213	0.207	0.166	0.25	4.45
			10.9-11.5 Highly frac with some loss of core.				15.0	16.5	1.5	31214	0.249	0.216	0.28	4.65
			17.5-18.4 FAULT; 20 cm of gouge near centre.				16.5	18.0	1.5	31215	0.186	0.120	0.15	6.54
							18.0	19.5	1.5	31216	0.082	0.056	0.05	5.56
19.0	24.1	PPg	Bx grades into grey PP cut by numerous vnlt of KF +/- mt, act, epi	K1, mt2	min cp		19.5	21.0	1.5	31217	0.073	0.047	0.06	8.67
				act1	mal		21.0	22.5	1.5	31218	0.051	0.027	0.03	8.03
			21.6-22.2 Highly frac.				22.5	24.0	1.5	31219	0.274	0.226	0.19	6.34
			23.4 Cp vnlt, frac with mal.				24.0	25.5	1.5	31220	0.184	0.142	0.14	5.42
							25.5	27.0	1.5	31221	0.228	0.120	0.18	5.07
24.1	27.0	BX	Colourful mottled orange-grey-green.	K3, mt3	mal									
			Sharp, unsheared upper contact	act2	chrys ?									
			Considerable mal on frac.	cal, epi										
27.0	27.8	AND	F-gr to weakly por. Pale olive green with 1% plag? phenos. Frac at both contacts.				27.0	27.8	0.8	31222	0.037	0.026	0.01	4.02
27.8	54.5	BX	Colourful mottled bx, as before.	K3, mt3	mal		27.8	29.3	1.5	31223	0.309	0.263	0.32	4.71
			KF relatively weak but with coarse patchy vnlt of act, bleb and vnlt of mt	act 3	min cp		29.3	30.8	1.5	31224	0.146	0.128	0.22	5.07
				epi			30.8	32.3	1.5	31225	0.402	0.280	0.27	5.57
			Vnlt and frac coatings of mal+goe, min f-gr cp, assoc with act & mt.				32.3	33.8	1.5	31226	0.171	0.110	0.16	5.55

C:\GEOLOGY\MTPOLLEY\99 C 6 Log.xls\Title Page

MOUNT POLLEY MINE

Hole No. 99C-6
Page: 2 of 4

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			38.9-39.0 Oxidized shear zone with mal vnfts on fw side.				33.8	35.3	1.5	31227	0.133	0.081	0.13	4.94
			Incr cp as oxidn slowly decr downhole.				35.3	36.8	1.5	31228	0.109	0.050	0.10	5.12
			44.2-46.1 Numerous mt stringers; lesser act, cp.				36.8	38.3	1.6	31229	0.194	0.023	0.18	4.18
			49.0-49.3 MAFIC DYKE; f-gr, weakly por; sheared contacts.				Duplicate			31230	0.170	0.027	0.16	4.24
							38.3	39.8	1.6	31231	0.384	0.204	0.39	4.00
			49.3-50.1 Frac with zeolites in vn.				39.8	41.3	1.5	31232	0.171	0.085	0.23	4.38
			50.1-50.2 MAFIC DYKE; as above, cut by cal vnfts.				41.3	42.8	1.5	31233	0.159	0.030	0.16	5.91
			50.2-50.8 FAULT; gouge & rubble.				42.8	44.3	1.5	31234	0.158	0.028	0.13	6.59
			Below fault, bx resembles pink PP.	K3-4	min mal		44.3	45.8	1.5	31235	0.182	0.009	0.18	6.83
			Incr oxidn, mal at lower contact.	mt3, a2			45.8	47.3	1.5	31236	0.206	0.007	0.22	8.16
							47.3	48.8	1.5	31237	0.133	0.014	0.17	6.27
							48.8	50.3	1.5	31238	0.077	0.053	0.07	5.79
							50.3	51.8	1.5	31239	0.162	0.157	0.16	5.84
							51.8	53.3	1.5	31240	0.123	0.107	0.16	4.39
							53.3	54.5	1.2	31241	0.336	0.297	0.36	3.06
54.7	57.7	MAFIC	Green to brown, f-gr to por (plag).	K0	tr		54.5	56.0	1.5	31242	0.032	0.010	0.01	4.37
		DYKE	Dark grey, rounded inclusions to 5 cm.				56.0	57.7	1.7	31243	0.028	0.009	0.01	4.64
57.7	74.9	BX	Highly variable, pink to slightly mottled, as above.	K3, mt3	mal		57.7	59.2	1.5	31244	0.171	0.143	0.36	4.92
			59.5-61.2 Highy frac, oxidized.	act2			59.2	60.7	1.5	31245	0.079	0.058	0.11	5.15
			59.9-60.0 FAULT gouge				60.7	62.2	1.5	31246	0.456	0.387	0.75	5.90
			60.9-61.2 FAULT; gougy				62.2	63.7	1.5	31247	0.167	0.098	0.22	7.50
			Mt + act as before, cp oxidized.				63.7	65.2	1.5	31248	0.275	0.266	0.59	8.56
							65.2	66.7	1.5	31249	0.234	0.124	0.18	6.37
							Duplicate			31250	0.185	0.106	0.22	6.04
							66.7	68.2	1.5	31251	0.164	0.141	0.19	4.85
							68.2	69.7	1.5	31252	0.109	0.067	0.11	4.90
							69.7	71.2	1.5	31253	0.216	0.104	0.18	5.87
74.9	78.6	AP	Med green-grey with dark green augite phenos, no olivine phenos.				71.2	72.7	1.5	31254	0.161	0.116	0.13	6.92
							72.7	74.9	2.2	31255	0.213	0.171	0.24	7.02
			Cal vnit at upper contact ~60 to c.a.											
			76.6 Sandy gouge.				74.9	76.7	1.8	21358	0.014	0.005	0.02	5.24
			78.4-78.6 FAULT; mushy, gouge @ 78.6.				76.7	78.6	1.9	31257	0.036	0.010	0.01	5.39

Hole No. 99C-6
Page: 3 of 4

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters To meters		Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
78.6	113.2	BX	Pink to orange, weathered-looking.	K3, a2	min mal		78.6	80.1	1.5	31258	0.188	0.086	0.31	4.57
			Well-fractured, oxidized (limonitic).	mt2			80.1	81.6	1.5	31259	0.625	0.468	1.79	3.88
			Not strongly potassic, patchy mt.				81.6	83.1	1.5	31260	0.471	0.405	1.31	5.26
			Min epi, cal, chl.				83.1	84.6	1.5	31261	0.321	0.236	0.37	4.71
			Mal (min chrysocolla?) on some frac.				84.6	86.1	1.5	31262	0.245	0.101	0.26	4.05
			88.9-89.0 Gougy				86.1	87.6	1.5	31263	0.160	0.034	0.12	4.67
			96.6 Gougy				87.6	89.1	1.5	31264	0.189	0.103	0.20	5.22
			97.3-97.5 FAULT; gouge + rubble.				89.1	90.6	1.5	31265	0.178	0.124	0.40	4.78
			100.3-101.1 LAMPROPHYRE DYKE; dark, f-gr, bl-rich; sharp, unsheared contacts -60 to c.a.				90.6	92.1	1.5	31266	0.208	0.071	0.21	3.27
							92.1	93.6	1.5	31267	0.147	0.046	0.18	4.10
			103.5-103.6 LAMPROPHYRE DYKE; as above.				93.6	95.1	1.5	31268	0.288	0.232	0.45	5.09
			Generally becoming incr mottled.				95.1	96.6	1.5	31269	0.200	0.164	0.17	4.36
			108.0-108.1 LAMPROPHYRE DYKE; unsheared.				Duplicate			31270	0.234	0.200	0.21	4.35
			109.7-110.3 LAMPROPHYRE DYKE; unsheared, contacts, 7cm chill margins; soft & well-fractured.				98.6	98.1	1.5	31271	0.171	0.097	0.18	6.00
							98.1	100.3	2.2	31272	0.243	0.042	0.25	5.30
			111.0 1mm mt vnl, min cp.				100.3	101.1	0.8	31273	0.006	0.001	0.01	4.43
			112.1 Tiny cp vnl.				101.1	102.6	1.5	31274	0.468	0.202	0.66	5.46
			112.4 Incr fracturing, chl + Mn-stain on frac.				102.6	104.1	1.5	31275	0.296	0.105	0.34	6.48
							104.1	105.6	1.5	31276	0.081	0.049	0.08	3.03
							105.6	107.1	1.5	31277	0.130	0.074	0.24	3.32
							107.1	108.6	1.5	31278	0.197	0.056	0.49	4.67
							108.6	110.1	1.5	31279	0.137	0.108	0.13	4.33
							110.1	111.6	1.5	31280	0.186	0.009	0.27	4.31
							111.6	113.2	1.6	31281	0.149	0.076	0.18	4.91
113.2	113.6	FLT	Pink to orange sand & clay gouge.	K2, a2			113.2	115.2	2.0	31282	0.171	0.134	0.32	3.62
				mt2			115.2	117.2	2.0	31283	0.067	0.061	0.10	3.41
113.6	125.0	PPp	Pink to grey, coarse plag por.	K2, a2	min mal		117.2	119.2	2.0	31284	0.107	0.091	0.09	3.92
			Wispy stringer mt & act.	mt2			119.2	121.2	2.0	31285	0.114	0.096	0.14	3.96
			Min mal on fractures.				121.2	123.2	2.0	31286	0.103	0.077	0.11	4.45
			113.6-114.0 Highly frac.				123.2	125.0	1.8	31287	0.136	0.112	0.15	3.

Hole No. 99C-6
Page: 4 of 4

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-7

Pit: Cariboo
 Hole No: 99C-7
 Started: 12/3/99
 Finished: 12/6/99

Northing: 2795.2 N
 Easting: 2224.8 E
 Elevation: 1140.2 m
 Core Size: NQ2
 Length: 244.75 m

Correct Dip: -60
 True Azm: 270
 Survey at: 106.7 -57
 244.8 -58

Page: 1 of 7
 Logged by: Chris Wild
 Date: 12/10/99
 Core stored at: mine site
 Comments: To test continuity if C-2 Zone down dip.

From meters	To meters	Syb	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-us (%)	Au (g/t)	Fe-tot (%)
-	3.1	Casing												
3.1	6.2	Bx (PPp)	Pink PP with moderate degree of brecciation. Moderately pinked, occ mt stringers, mod calc.	K3, mt3 act0	tr cp		3.1 4.6	4.6 6.2	1.6 1.6	49626 49627	0.067 0.033	0.045 0.015	0.04 0.01	4.43 4.40
6.2	12.1	PPg	Dark to pale grey, strongly porphyritic. Grad upper contact-alteration front. Occ pink KF phenos.	K1, mt1 act0	tr sx		6.2 8.2	8.2 10.2	2.0 2.0	49628 49629	0.018 0.030	0.007 0.013	0.01 0.02	2.97 3.60
			8.2-8.35 BX; as above.				10.2	12.1	1.9	49630	0.033	0.015	0.01	3.00
			10.0-10.2 BX; as above.											
12.1	14.6	LD	Sharp upper contact, not sheared.	K0, mt2 act0	-		12.1	14.6	2.5	49631	0.009	0.004	0.01	6.34
			Dark grey-green, bi-chl rich, sl pinkish near top.											
			13.8-14.6 FAULT; highly fractured, minor slicks.											
14.6	28.1	PPg	Brownish-grey, coarse white plag phenos to 4mm.	K1, mt1 act0	tr sx		14.6 18.8	18.8 18.6	2.0 2.0	49632 49633	0.018 0.008	0.006 0.003	0.01 0.01	2.72 3.19
			Quite homogeneous, competent; wk calc.				18.8	20.6	2.0	49634	0.009	0.001	0.01	3.06
28.1	36.2	BX	Mottled pink and grey polymictic intrusion bx.	K3, mt3 act1	tr cp		20.6 22.6	22.6 24.6	2.0 2.0	49635 49636	0.006 0.002	0.002 0.001	0.01 0.01	2.93 2.94
			Sharp upper contact, blocks of PPg and PPp common (32.3-32.6m)				24.6	26.6	2.0	49637	0.003	0.001	0.01	2.83
			34.7-35.6 Pink KF stringers form stwk in PPg.				26.6	28.1	1.5	49638	0.020	0.011	0.01	3.34
36.2	37.0	AND	Med green, faint fine whitish plag phenos.	K0, mt2 act0	-		28.1 29.6	29.6 31.1	1.5 1.5	49639 49640	0.146 0.098	0.116 0.076	0.09 0.07	4.88 4.71
			Oxidized, limonitic fractures, min cal vnits.											
			Sharp unsheared contacts @ 75 to c.a.				Duplicate			49641	0.104	0.077	0.09	4.85
							31.1	32.8	1.5	49642	0.068	0.048	0.05	5.59
37.0	38.7	BX	As above (28.1-36.2m).	K3, mt3 act1	tr cp		32.8 34.1	34.1 36.2	1.5 2.1	49643 49644	0.066 0.083	0.047 0.058	0.02 0.02	5.32 6.18
			Irregular, low angle lower contact.		min mal		34.1	36.2	2.1	49644	0.083	0.058	0.02	6.18
			38.25 1-2cm cal-mt-chrys vnit @ 70 to c.a.		chrys		36.2	37.0	0.8	49645	0.003	0.001	0.01	6.54
							37.0	38.7	1.7	49646	0.196	0.103	0.09	5.34

MOUNT POLLEY MINE

Hole No. 99C-7
Page: 2 of 7

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
38.7	42.5	PPg	Grey-brown, coarse phenos (4mm) of plag.	K1, mt1	tr sx		38.7	40.6	1.9	49647	0.012	0.003	0.01	3.93
			Well-fractured but hard.	act0			40.6	42.5	1.9	49648	0.036	0.007	0.01	4.52
42.5	50.8	PPp	Pale to med pink, finer-grained porphyry.	K3, mt1	tr sx		42.5	44.5	2.0	49649	0.140	0.027	0.12	5.55
			Pale whitish plag phenos ~1-2mm.	act0			44.5	46.5	2.0	49650	0.090	0.017	0.07	4.35
			White crystalline gypsum (?) vnltis, occ zeolite.				46.5	48.5	2.0	49651	0.112	0.020	0.11	2.75
			Relatively uniform texture.				48.5	50.8	2.3	49652	0.086	0.019	0.04	4.85
			46.5-47.2 FAULT; well-fractured, becoming more sheared with clear slicks near bottom.											
			48.1-48.2 KF-flood @ 45 to c.a.											
			Note fine-grained PPg clasts @ 43.4 & 43.7 (10cm).											
50.8	51.6	BX	Muted pinkish bx transitional between PPp & PPg.	K2, mt0			50.8	51.6	0.8	49653	0.174	0.109	0.12	4.84
			Porphyritic textures are strong, mottled look.	act0										
51.6	51.2	PPg	Grey-brown, coarse phenos (4mm) of plag, as above.	K1, mt1	tr sx		51.6	53.6	2.0	49654	0.040	0.028	0.02	3.86
			53.7, 53.9-54.1 Open-space gypsum vnltis, highly fractured, not calc.	act0			53.6	55.6	2.0	49655	0.033	0.014	0.02	4.84
							55.6	57.6	2.0	49656	0.012	0.006	0.02	3.74
			51.0-51.2 Highly fractured @ low contact.				57.6	59.6	2.0	49657	0.005	0.003	0.03	3.54
							59.6	61.5	1.9	49658	0.023	0.012	0.03	4.04
61.2	61.5	AND	Med green, faint fine whitish plag phenos.	K0, mt2	-									
			Irregular intrusive lower contact @ 60 to c.a.	act0										
61.5	74.1	BX	Colourful mottled bx, highly variable altn pattern.	K3, mt3	chrys		61.5	63.0	1.5	49659	0.132	0.081	0.10	6.76
			Incr pink down section, otherwise very patchy.	act1	mal, az		63.0	64.5	1.5	49660	0.249	0.198	0.12	7.56
			Glasts and porphyritic texture easily discerned.	ser	<0.5% cp		Duplicate			49661	0.225	0.185	0.10	7.08
			Very well fractured section.				64.5	66.0	1.5	49662	0.160	0.101	0.09	6.68
			Copper oxides are common in fractures and vnltis; Fe-oxides coat most fractures (golden goethite).				66.0	67.5	1.5	49663	0.055	0.026	0.04	5.87
							67.5	69.0	1.5	49664	0.116	0.078	0.06	5.99
			Cp associated with mt and often Cu-oxides.				69.0	70.5	1.5	49665	0.173	0.128	0.15	5.26
							70.5	72.0	1.5	49666	0.173	0.132	0.15	4.36
74.1	74.4	LD	Dark green, fine-grained to weakly por, bi-rich, soft.				72.0	73.5	1.5	49667	0.133	0.063	0.06	5.37
			Weakly mag; sharp oxidized upper contact and 5 cm of calcite & clay gouge at lower contact @ 30 to 45 to c.a.				73.5	75.1	1.6	49668	0.271	0.066	0.40	3.18

MOUNT POLLEY MINE

Hole No.

99C-7

Page:

3

of

7

From meters	To	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
74.4	75.1	BX	As above, pinker.	K4, mt1	min mal									
				act1	chrys									
75.1	77.0	LD	As above, limonitic fractures, calcite.				75.1	77.0	1.9	49669	0.015	0.001	0.01	4.61
			75.8-76.0 BX; as above, sheared upper contact, calcite vnt on lower, both @ 45 to c.a.											
77.0	78.6	MD?	Dark green with a pinkish hue, mottled to bx texture.	K2, mt3	-		77.0	78.6	1.6	49670	0.023	0.008	0.01	6.35
			Sharp, irregular contacts, not sheared.	act0										
			KF & chl altered dyke, poss bx.	chl										
			78.0-78.4 FAULT; rubble with thin gougy slips.											
78.6	79.6	BX	Same as above, limonitic fractures.	K3, mt3	min mal		78.6	79.6	1.0	49671	0.087	0.040	0.08	3.48
				act2										
79.6	80.2	LD	As above, sharp unsheared contacts @ 40 to c.a.				79.6	80.2	0.6	49672	0.010	0.003	0.01	4.84
80.2	83.2	BX	Very well fractured, mod to wk oxide, mod calcite.	K2, mt2	min mal		80.2	81.7	1.5	49673	0.108	0.008	0.07	3.08
			Cu-oxides and sulphides are rare.	act2			81.7	83.2	1.5	49674	0.128	0.004	0.08	2.61
			80.8-81.0 FAULT; rubble, sericite.	ser										
			81.2-81.4 LD; purplish, sharp contacts @ 50 to c.a.											
			81.8-81.9 FAULT; rubble, sericite.											
			82.2-82.3 FAULT; rubble, sericite.											
83.2	87.3	PP	Odd-looking mottled dark purplish and sericitic green altered fine-grained mod por with 2mm tabular plag phenos.	K2, mt3	-		83.2	85.2	2.0	49675	0.007	0.001	0.01	4.84
				act0			85.2	87.3	2.1	49676	0.007	0.001	0.01	5.33
			Sharp unsheared contacts @ 60 to c.a., not oxidized.											
87.3	105.8	BX	Competent, mottled grey-pink porphyry bx.	K3, mt2	min cp		87.3	88.8	1.5	49677	0.059	0.009	0.02	3.23
			Strongly porphyritic to 99.3m	act3	min mal		88.8	90.3	1.5	49678	0.065	0.014	0.03	2.51
			94.4-94.9 FAULT; highly fractured, ser + cal gouge.				90.3	91.8	1.5	49679	0.047	0.004	-	3.20
			97.8 1cm cal vnt with assoc blebby cp.				91.8	93.3	1.5	49680	0.090	0.004	0.08	3.74
			99.3-105.8 Incr K, mt, act.	K4, mt3	min cp		Duplicate			49681	0.095	0.004	0.17	3.43
			103.8-104.0 FAULT; ser + cal gouge.	act3	min mal		93.3	94.8	1.5	49682	0.131	0.003	0.11	3.11

MOUNT POLLEY MINE

Hole No. 99C-7
Page: 4 of 7

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			101.9 Blebby cp assoc with vuggy cal-cb vnlt.				94.8	96.3	1.5	49683	0.138	0.001	0.09	4.95
			Incr Fe-oxides & Cu-oxides toward top of AP.				96.3	97.8	1.5	49684	0.118	0.001	0.13	5.04
							97.8	99.3	1.5	49685	0.128	0.001	0.10	3.65
							99.3	100.8	1.5	49686	0.116	0.001	0.10	2.56
							100.8	102.3	1.5	49687	0.118	0.006	0.22	5.23
							102.3	103.8	1.5	49688	0.139	0.047	0.11	3.13
							103.8	105.8	2.0	49689	0.221	0.196	0.36	1.54
105.8	109.9	AP	Very competent, unbroken green with pinkish hue.	K1	-		105.8	107.8	2.0	49690	0.026	0.006	0.01	5.98
			Sharp, irregular contacts @ 30-45 to c.a.				107.8	109.9	2.1	49691	0.023	0.004	0.01	6.65
			Fe-oxides on some fractures.											
109.9	110.6	BX	As above	K4, mt2	trace cp		109.9	110.6	0.7	49692	0.135	0.026	0.14	2.60
			Sharp intrusive lower contact, irregular-40 to c.a.	act3										
110.6	112.4	LD	Dark greenish-grey, fine grained, soft dyke.				110.6	112.4	1.8	49693	0.004	0.001	0.01	5.34
112.4	117.3	AP	Continued competent, as above.				112.4	114.9	2.5	49694	0.012	0.001	0.01	6.39
			114.6-114.9 LD; as above.				114.9	117.3	2.4	49695	0.013	0.001	0.01	5.80
			115.4-115.6 LD; as above.											
117.3	135.9	BX	Strong mottled pink and grey breccia.	K3, mt4	1% cp		117.3	118.8	1.5	49696	0.375	0.011	0.28	5.86
			Uniform texture, no oxidation on fractures.	act3			118.8	120.3	1.5	49697	0.393	0.014	0.21	6.91
			KF is only moderate and cp occurs in pink & grey.				120.3	121.8	1.5	49698	0.334	0.009	0.21	6.19
			Cp is finely diss, in vnlt, and on fractures; generally fine-grained but some coarse blebby and stringer cp.				121.8	123.3	1.5	49699	0.321	0.010	0.25	6.41
			Appears to be uniformly distributed.				123.3	124.8	1.5	49700	0.394	0.007	0.40	6.22
							Duplicate			49701	0.413	0.010	0.40	6.11
			Entire zone is strongly magnetic, mt is patchy, blebby, and in occ vnlt.				124.8	126.3	1.5	49702	0.518	0.013	0.37	8.34
							126.3	127.8	1.5	49703	0.391	0.011	0.22	8.10
			Act occurs as vnlt in narrow zones of strong KF-flooding.				127.8	129.3	1.5	49704	0.414	0.013	0.26	8.05
							129.3	130.8	1.5	49705	0.244	0.004	0.14	4.46
							130.8	132.1	1.3	49706	0.340	0.007	0.11	5.19
			132.1-132.55 AP; fine-gr, sheared contacts @ 55 to c.a.; competent.				132.1	132.6	0.5	49707	0.006	0.001	0.01	6.06
							132.6	134.3	1.8	49708	0.246	0.080	0.14	5.87

MOUNT POLLEY MINE

Hole No. 99C-7
Page: 5 of 7

From meters	To meters	Rock	Description	Altn	Minl	Recovery	From meters	To meters	Lgth.	Tag. Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			133.4-135.9 Oxidized bx adjacent to Fault	K3, mt2	min mal		134.3	135.9	1.6	49709	0.433	0.280	0.14	5.82
			Most fractures host Fe-oxides, Cu-oxides common. Zone is very well-fractured, possibly sheared ~134.0m	act3	chrys									
135.9	138.2	AP	Green dyke with pinkish hue, as above.				135.9	138.2	2.3	49710	0.018	0.007	0.01	5.00
			Weakly por; cf. previous AP.											
			137.0-137.3 FAULT; gougy shear in middle of dyke.											
138.2	146.3	BX	Pink & grey, pseudo-mottled to porphyritic bx.	K3, mt4	<1% cp		138.2	139.7	1.5	49711	0.352	0.047	0.09	5.53
			Looks like hg bx; finely diss cp, also assoc w vnits.	act4			139.7	141.1	1.4	49712	0.290	0.009	0.10	5.71
			K is wispy, both mt & act occur as vnits & patches.				141.1	142.5	1.4	49713	0.430	0.012	0.53	5.98
							142.5	143.8	1.4	49714	0.350	0.009	0.30	4.84
							143.9	145.3	1.4	49715	0.406	0.010	0.34	7.53
145.3	148.2	AP	Very competent, unbroken green with pinkish hue.				145.3	148.2	2.9	49716	0.023	0.001	0.01	5.98
			Sharp, unsheared contacts @ 80-85 to c.a.											
148.2	171.3	BX	Grey to pink, mottled to mod por bx.	K2, mt4	<1% cp		148.2	149.7	1.5	49717	0.514	0.058	0.51	6.40
			Dark tint dur to higher conc of both mt & act (bi).	act/bi4			149.7	151.2	1.5	49718	0.725	0.023	0.72	8.81
			K is patchy and irregular, locally fracture-controlled.				151.2	152.7	1.5	49719	0.437	0.058	0.52	8.24
			White vnits of gypsum and zeolite.				152.7	154.2	1.5	49720	0.587	0.159	0.58	7.00
			Cp is mainly f-gr diss, also in patches & blebs assoc with vnits and gash-fillings. Fineness of cp makes grade estimation difficult, but most pieces contain fine diss cp.				Duplicate			49721	0.622	0.187	0.52	7.38
							154.2	155.7	1.5	49722	0.603	0.015	0.50	8.20
							155.7	157.2	1.5	49723	0.732	0.020	1.12	11.00
							157.2	158.7	1.5	49724	0.540	0.018	0.83	8.79
			155.7-156.0 Fine-gr purplish PP dyke with obvious chill margins and very fine plag phenos, much coarser phenos in centre. Dyke @ 60 to c.a.				158.7	160.2	1.5	49725	0.466	0.020	0.65	6.16
							160.2	161.7	1.5	49726	0.217	0.005	0.41	5.27
			161.8-163.6 Mainly PP, min bx, more grey than pink. Cp is finely diss & assoc with act vnits.	K2, mt3			161.7	163.2	1.5	49727	0.279	0.006	0.42	5.01
				act3			163.2	164.7	1.5	49728	0.203	0.006	0.37	5.29
			163.6-163.8 Darker grey PP altn phase.				164.7	166.2	1.5	49729	0.206	0.011	0.27	4.87
			163.8-171.3 Slightly pinker, generally same stuff. Less cp apparent with diminishing mt & act.	K2, mt3	0.5% cp		166.2	167.7	1.5	49730	0.110	0.003	0.12	3.51
				act3			167.7	169.2	1.5	49731	0.210	0.009	0.37	3.92
			168.7-168.8 Mafic Dyke; poss LD or And, fractured.				169.2	170.2	1.0	49732	0.403	0.072	0.43	3.63
			169.6 Incr oxidn, Fe & Cu-oxides on fractures.		mal		170.2	171.3	1.1	49733	0.357	0.024	0.36	4.63

MOUNT POLLEY MINE

Hole No. 99C-7
Page: 6 of 7

From meters	To meters	Rock	Description	Altn	Mini	Recovery	From meters	To meters	Lgth.	Tag- Number	Analysis			
											Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
171.3	213.6	PP(g)	Grey to slightly pinkish, medium-grained porphyry.	K1, mt2	trace sx		171.3	173.3	2.0	49734	0.048	0.008	0.03	2.39
			Approx 30% 2-4mm whitish plag phenos in a non-descript grey matrix. Becomes more pink.	act0			173.3	175.3	2.0	49735	0.062	0.007	0.01	2.17
							175.3	177.3	2.0	49736	0.022	0.001	0.01	2.34
			Occasional (1%) pink KF phenos, tabular to subrounded - monzonitic composition.				177.3	179.3	2.0	49737	0.024	0.001	0.02	2.33
							179.3	181.3	2.0	49738	0.110	0.002	0.07	2.10
			Occasional clasts or inclusions of diorite and black f-gr volc.				181.3	183.3	2.0	49739	0.123	0.005	0.04	2.11
							183.3	185.3	2.0	49740	0.044	0.002	0.03	2.28
			Upper contact marked by 3cm f-gr grey dykelet or chill margin @ 45 to c.a.				Duplicate			49741	0.060	0.003	0.02	2.33
							185.3	187.3	2.0	49742	0.042	0.001	0.02	2.27
			176.8-177.1 Incr in KF phenos, pink-orange.				187.3	189.3	2.0	49743	0.032	0.001	0.02	2.19
			182.4-186.7 Higher fracture density.				189.3	191.3	2.0	49744	0.048	0.003	0.02	2.83
			185.3 FAULT; 5cm of gougy rubble.				191.3	193.3	2.0	49745	0.040	0.027	0.02	2.62
			188.6 FAULT; 1cm gouge @ 40 to c.a.				193.3	195.3	2.0	49746	0.045	0.032	0.04	2.45
			190.2-190.35 LD; dark, f-gr, wkly por dyke. 1-2cm of gouge on lower contact @ 60 to c.a.; upper contact @ 80 to c.a., min cal veining.				195.3	197.3	2.0	49747	0.059	0.041	0.04	2.31
							197.3	199.3	2.0	49748	0.056	0.003	0.03	2.33
							199.3	201.3	2.0	49749	0.065	0.021	0.04	2.62
			191.0-191.15 LD, as above. Contacts @ 60 to c.a.				201.3	203.3	2.0	49750	0.044	0.028	0.02	2.44
			203.4-204.1 Highly fractured.				203.3	205.3	2.0	49751	0.045	0.020	0.03	2.66
			204.4-207.6 Highly fractured.				205.3	207.3	2.0	49752	0.036	0.015	0.01	2.38
			209.0-213.6 Highly fractured.				207.3	209.3	2.0	49753	0.045	0.023	0.01	2.25
			Fractured PP near fault contact is not gougy, fractures/joints are clean and smooth. PP does not appear to be altered, remains pinkish.				209.3	211.3	2.0	49754	0.038	0.015	0.04	2.42
							211.3	213.6	2.3	49755	0.024	0.004	0.01	2.47
213.6	233.2	FAULT	Zone of variably sheared and contorted rocks within the Polley Fault Zone. Upper contact is very well defined but lower contact is somewhat arbitrary, marked by another significant shear zone. Below that rocks are more competent.	K2, act0			213.6	215.6	2.0	49756	0.033	0.010	0.05	5.01
				mt2			215.6	217.6	2.0	49757	0.008	0.002	0.01	5.24
							217.6	218.6	2.0	49758	0.012	0.002	0.01	5.89
							219.6	221.6	2.0	49759	0.026	0.008	0.01	6.07
			213.6 5cm of brown clay gouge.	clay			221.6	223.2	1.6	49760	0.042	0.014	0.02	6.59
			213.66-214.5 Highly sheared, locally mylonitized (augen texture), mainly f-gr green dyke & bx.				Duplicate			49761	0.037	0.015	0.02	6.24
							223.2	225.2	2.0	49762	0.128	0.066	0.08	6.68
			214.5-214.6 Calcite-hematite vntf.	hem			225.2	227.2	2.0	49763	0.115	0.032	0.10	6.20
			214.6-214.9 F-gr brownish-green dyke.				227.2	229.2	2.0	49764	0.147	0.059	0.13	5.10
			214.9-215.0 Hem-stained clay shear.	hem			229.2	231.2	2.0	49765	0.128	0.066	0.08	5.66
							231.2	233.2	2.0	49766	0.066	0.018	0.03	6.50

MOUNT POLLEY MINE

Hale No.

99C-7

Page:

7

of

7

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-8

Pit: Carlboo	Northing: 3175.0 N	Correct Dip: -80	Page: 1 of 4
Hole No: 99C-8	Easting: 2150.0 E	True Azm. 180.0	Logged by: Greg Gillstrom
Started 11/30/99	Elevation: 1100 m	Survey at: none	Date: 12/10/99
Finished: 12/1/99	Core Size: NQ2		Core stored at: mine site
	Length: 169.47 m		Comments: Tests deeper ore, south end of Carlboo Pit.

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	Casing										
					3.1	4.0	1.0	31815	0.189	0.019	0.69	11.00
3.1	23.7	BX	Breccia: pink matrix, with angular clasts, mod to intense K-spar altn, visible diss cp, diss mag through zone; decrease in pink K-spar alteration in rare 1/4 to 1/2 meter sections, minor CC veining, blebs of biotite alteration. Small vuggy fault at 7.2m to 7.6m.	110	4.0	6.0	2.0	31816	0.273	0.028	1.01	9.33
					6.0	8.0	2.0	31817	0.327	0.061	1.34	9.82
					8.0	10.0	2.0	31818	0.425	0.017	1.58	8.51
					10.0	12.0	2.0	31819	0.624	0.048	2.09	9.58
					12.0	14.0	2.0	31820	0.252	0.021	1.00	7.38
					14.0	16.0	2.0	31821	1.213	0.122	2.83	7.36
					16.0	18.0	2.0	31822	0.983	0.055	2.98	7.20
					18.0	20.0	2.0	31823	0.326	0.028	1.55	7.71
					20.0	22.0	2.0	31824	0.315	0.020	1.05	8.81
23.7	25.0	FAULT	Well healed, fault zone, pink K-spar alteration matrix, abundant CC, epidote, veining, abundant diss cp through zone.	198	22.0	23.7	1.7	31825	0.307	0.022	1.23	7.26
					23.7	25.0	1.3	31826	0.313	0.058	0.51	4.23
					25.0	26.5	1.5	31827	0.825	0.088	1.90	6.98
					26.5	28.0	1.5	31828	0.294	0.019	0.84	6.26
					28.0	30.0	2.0	31829	0.234	0.028	1.13	8.60
					30.0	32.0	2.0	31830	0.382	0.036	1.27	7.10
					32.0	34.0	2.0	31831	0.678	0.032	2.32	6.97
25.0	35.0	BX	BX cont, as above, with large clasts of grey intrusive PP, fine diss cp in matrix, cp also in rare blebs and veinlets, abundant diss mag throughout the zone.	110	34.0	35.0	1.0	31832	0.621	0.076	2.04	6.99
					35.0	37.0	2.0	31833	0.420	0.072	1.52	6.30
					37.0	39.0	2.0	31834	0.286	0.017	0.77	5.04
					39.0	41.0	2.0	31835	0.445	0.044	0.67	4.31

MOUNT POLLEY MINE

Hole No. 99C-8
Page: 2 of 4

From meters	To meters	Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
35.0	43.3	FAULT	Fault Zone: well-healed, black and white contorted veining through zone (mag, CC epidote), minor grey gouge, bottom of fault is very well healed with decreasing veining and fracturing	198	41.0	41.5	0.5	31836	0.094	0.012	0.11	4.37
					41.5	43.3	1.8	31837	0.128	0.015	0.16	5.75
					43.3	44.5	1.2	31838	0.029	0.002	0.05	5.48
					44.5	46.0	1.5	31839	0.053	0.004	0.09	4.88
					46.0	48.0	2.0	31840	0.075	0.008	0.10	5.33
					48.0	50.0	2.0	31841	0.068	0.004	0.09	5.27
					50.0	52.0	2.0	31842	0.111	0.004	0.14	5.00
					52.0	54.0	2.0	31843	0.239	0.014	0.34	4.73
					54.0	56.0	2.0	31844	0.145	0.013	0.21	4.64
43.3	66.2	PPg	Grey, dead-looking, plag porphyry (PP) white phenos, grey matrix, minor CC veining, very rare diss cp noted.	136	56.0	58.0	2.0	31845	0.043	0.009	0.05	4.75
					58.0	60.0	2.0	31846	0.048	0.013	0.05	5.09
					60.0	62.0	2.0	31847	0.085	0.015	0.10	4.76
					62.0	64.0	2.0	31848	0.188	0.071	0.19	4.43
66.2	75.5	BX	Pink K-spar altered matrix with remnant porphyry texture, large grey PP intrusive clasts (1-10cm), minor diss Cp noted with patchy diss mag, abundant CC veining, 72.8-75.5 increasing grey PP sections no Cp noted after 74m, small green PP dyke at 72.8-75.5m.	110	64.0	66.0	2.0	31849	0.151	0.016	0.17	4.75
					66.0	68.0	2.0	31850	0.219	0.023	0.23	4.42
					68.0	70.0	2.0	31726	0.152	0.024	0.29	6.26
					70.0	72.0	2.0	31727	0.286	0.026	0.52	5.41
					72.0	74.0	2.0	31728	0.217	0.026	0.44	7.15
					74.0	75.5	1.5	31729	0.195	0.012	0.35	8.29
					75.5	77.0	1.5	31730	0.023	0.004	0.03	4.66
					77.0	79.0	2.0	31731	0.095	0.008	0.16	4.98
					79.0	81.0	2.0	31732	0.061	0.006	0.09	4.87
					81.0	83.0	2.0	31733	0.044	0.005	0.04	3.64
					83.0	85.3	2.3	31734	0.126	0.014	0.15	4.47

MOUNT POLLEY MINE

Hole No. 99C-8
Page: 3 of 4

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
75.5	77.0	MD	Grey mafic dyke, dense shattered, fine dense matrix, green clay along fractures.	140	85.3	86.0	0.7	31735	1.468	0.124	2.13	4.49
					86.0	88.0	2.0	31736	0.171	0.014	0.20	5.16
					88.0	90.0	2.0	31737	0.317	0.036	0.46	7.12
					90.0	93.0	3.0	31738	0.046	0.005	0.03	4.18
					93.0	96.0	3.0	31739	0.205	0.020	0.21	6.90
					96.0	99.0	3.0	31740	0.055	0.013	0.04	2.92
77.0	85.3	PPg	Grey dead-looking, plag porphyry, flat grey matrix, white plag phenos, rare patches of pink K-spar alteration, very rare diss cp noted.	136	99.0	102.0	3.0	31741	0.084	0.003	0.01	2.33
					102.0	105.0	3.0	31742	0.057	0.026	0.02	2.85
					105.0	108.0	3.0	31743	0.067	0.044	0.02	2.90
					108.0	111.0	3.0	31744	0.090	0.042	0.05	2.27
					111.0	114.0	3.0	31745	0.091	0.026	0.04	2.40
					114.0	117.0	3.0	31746	0.094	0.016	0.05	2.47
85.3	86.0	BX	Small section of pink BX, abundant cp, in diss and blebs, diss mag, CC in vugs and veins.	110	117.0	120.0	3.0	31747	0.055	0.009	0.04	2.41
					120.0	123.0	3.0	31748	0.049	0.003	0.02	2.47
					123.0	126.0	3.0	31749	0.037	0.004	0.04	2.69
					126.0	128.0	2.0	31750	0.030	0.001	0.03	2.57
					128.0	131.0	3.0	31751	0.056	0.003	0.07	2.92
					131.0	134.0	3.0	31752	0.050	0.007	0.06	2.46
					134.0	137.0	3.0	31753	0.025	0.003	0.02	2.70
					137.0	140.0	3.0	31754	0.035	0.004	0.04	2.56
86.0	145.9	PPg	Brown to green/brown PP, varies from fine to coarse white plag phenos, with rare patchy K-spar alteration, rare diss cp noted.	136	140.0	143.0	3.0	31755	0.020	0.003	0.05	2.47
					143.0	145.0	2.0	31756	0.016	0.002	0.01	2.66
					145.0	145.9	0.9	31757	0.033	0.004	0.02	3.09
					145.9	146.9	1.0	31758	0.281	0.044	0.06	6.99

MOUNT POLLEY MINE

Hole No. 99C-8

Page: 4 of 4

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-9

Pit: Carlboo	Northing: 3185.44 N	Correct Dip: -62	Page: 1 of 6
Hole No: 99C-9	Easting: 2227.78 E	True Azm. 180.0	Logged by: Greg Gillstrom
Started 12/1/99	Elevation: 1100.2 m	Survey at: 108.7 -60	Date: 12/10/99
Finished: 12/3/99	Core Size: NQ2	221.3 -62	Core stored at: mine site
	Length: 221.28 m		Comments: Tests deeper ore, south end of Carlboo Pit.

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	Casing										
					3.1	5.0	2.0	49501	0.425	0.014	0.78	7.39
3.1	30.4	BX	Breccia: brown/pink to pink matrix, with dark angular clasts, mod to intense K-spar altn, visible diss cp, rare cp veinlets, diss magnetite through zone. Broken through to 5m from subgrade blast. Decrease in pink K-spar alteration in rare sections (7.9-9.2, 14.7-15.4), with grey matrix (still has diss cp and mag with darker grey clast). Fault zone (27-30.4) highly fractured and clay-altered pink bx, with abundant diss cp and mag, very weak rock, abundant cc veining.	110	5.0	7.0	2.0	49502	0.586	0.025	1.10	7.42
					7.0	7.9	0.9	49503	0.462	0.019	1.05	9.93
					7.9	9.2	1.3	49504	0.548	0.015	0.97	4.73
					9.2	11.0	1.8	49505	0.317	0.018	0.55	5.50
					11.0	13.0	2.0	49506	0.332	0.016	0.62	7.12
					13.0	14.7	1.7	49507	0.357	0.023	0.58	7.66
					14.7	15.4	0.7	49508	0.306	0.011	0.48	5.54
					15.4	17.0	1.6	49509	0.546	0.042	0.77	10.10
					17.0	19.0	2.0	49510	0.332	0.020	0.50	8.63
					19.0	21.0	2.0	49511	0.566	0.023	1.07	8.90
					21.0	23.0	2.0	49512	0.260	0.011	0.59	5.20
					23.0	25.0	2.0	49513	0.439	0.019	0.90	6.83
					25.0	27.0	2.0	49514	0.632	0.019	1.57	10.10
					27.0	28.0	2.0	49515	1.147	0.130	1.86	17.80
30.4	31.0	MD	Small black mafic dyke (30.4-31).	140	29.0	30.4	1.4	49516	0.602	0.051	2.22	8.17
					30.4	31.0	0.6	49517	0.083	0.007	0.12	5.38
31.0	112.8	Bx	BX cont as above, with abundant diss cp and mag with freq cc veining, rare grey section as above, 10cm cc vein, with large well developed cc crystals @ 48.1m, in small fault at 45 to c.a.	110	31.0	32.0	1.0	49518	0.113	0.006	0.20	3.29
					32.0	34.0	2.0	49519	0.218	0.015	0.47	3.60
					34.0	36.0	2.0	49520	0.566	0.057	1.29	9.95
					36.0	38.0	2.0	49521	0.735	0.037	2.06	9.45
					38.0	40.0	2.0	49522	0.227	0.013	0.51	6.95

MOUNT POLLEY MINE

Hole No. 99C-9

Page: 2 of 6

From meters	To meters	Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			BX cont. (65.7-66.1) minor fault zone cc veining, 2cm black gouge. Faults also at (76.6-78.8), with same contorted cc veining, (83.7-84) high angle fault oxidized gouge (1cm), (85.8-86.1) 5cm grey clay gouge. Bx same down to 112.8m, with same patches of intense black biotite alteration, cp in diss and rare blebs, also patches of increase diss mag.		40.0	42.0	2.0	49523	0.217	0.011	0.91	4.49
					42.0	43.6	1.6	49524	0.241	0.014	0.52	5.11
					43.6	44.5	0.9	49525	0.116	0.008	0.25	6.20
					44.5	48.0	1.5	49526	0.119	0.009	0.28	5.60
					46.0	47.2	1.2	49527	0.118	0.009	0.19	6.31
					47.2	49.0	1.8	49528	0.437	0.027	0.74	7.10
					49.0	51.0	2.0	49529	0.279	0.017	0.69	6.10
					51.0	53.0	2.0	49530	0.193	0.011	0.20	4.39
					53.0	55.0	2.0	49531	0.131	0.008	0.19	3.73
112.8	113.9	BX	Black contorted BX, fine pink K-spar veining, highly fractured, soft white clay along all fractures, fine cc veining throughout.	110	55.0	57.0	2.0	49532	0.114	0.006	0.17	4.26
					57.0	59.0	2.0	49533	0.120	0.008	0.16	4.87
					59.0	61.0	2.0	49534	0.160	0.006	0.27	4.33
					61.0	63.0	2.0	49535	0.150	0.008	0.24	6.10
113.9	124.8	AP	Green augite porphyry dyke, standard cariboo pit AP, no cp visible, as usual.	139	83.0	65.0	2.0	49536	0.133	0.007	0.17	6.48
					65.0	66.1	1.1	49537	0.141	0.009	0.19	7.01
					66.1	68.0	1.9	49538	0.170	0.020	0.22	7.24
124.8	149.8	BX	Black to pink/black highly contorted breccia, abundant fine pink K-spar veins, patches of intense mag/biotite/chlorite alteration, abundant white cc veining, diss cp and mag noted through zone, with rare blebs and veinlets of cp, (126.9m large 10cm vug with well-formed cc crystals.)	110	68.0	70.0	2.0	49539	0.119	0.019	0.10	6.33
					70.0	72.0	2.0	49540	0.117	0.006	0.12	5.63
					72.0	74.0	2.0	49541	0.110	0.005	0.10	8.86
					74.0	76.0	2.0	49542	0.143	0.002	0.36	8.67
					76.0	78.0	2.0	49543	0.198	0.006	0.26	6.32
					78.0	80.0	2.0	49544	0.184	0.008	0.07	6.70
					80.0	82.0	2.0	49545	0.108	0.003	0.25	6.29
					82.0	83.7	1.7	49546	0.220	0.014	0.30	8.03

MOUNT POLLEY MINE

Hole No. 99C-9
Page: 3 of 6

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
149.8	156.3	Vol/BX	Black Volcanic Breccia; large angular clasts, fine-grained black matrix, abundant fine pink K-spar veining, fine diss cp noted, biotite and chlorite patchy alteration noted.	151	83.7	85.5	1.8	49547	0.078	0.011	0.10	8.51
					85.5	86.1	0.6	49548	0.293	0.011	0.48	9.76
					86.1	88.0	1.9	49549	0.114	0.004	0.16	5.50
					88.0	90.0	2.0	49550	0.316	0.009	0.49	6.29
					90.0	92.0	2.0	49551	0.412	0.010	2.99	5.14
					92.0	94.0	2.0	49552	0.287	0.007	0.49	5.59
156.3	169.1	BX	Pink intrusive BX as above, with less alteration, more rem porphyry texture, loss of biotite alteration, (160-169.1) mottled with 10cm sections of brown PP with very little diss cp noted.	110	94.0	96.0	2.0	49553	0.227	0.006	0.44	5.32
					96.0	98.0	2.0	49554	0.169	0.005	0.25	7.14
					98.0	100.0	2.0	49555	0.248	0.008	0.31	5.56
					100.0	102.0	2.0	49556	0.155	0.004	0.18	5.41
					102.0	104.0	2.0	49557	0.125	0.001	0.16	4.79
					104.0	106.0	2.0	49558	0.115	0.002	0.12	5.24
169.1	194.9	PP/BX	Grey dead-looking PP, white clay-altered feldspar phenos, med-grained matrix, with no visible Cp, alternating with coarse pink/brown breccia, variable length from 10cm to 0.5m alteration. Breccia has large clast of PP and monzonite, diss Cp noted in most of bx sections. details as follows: (169.1-171.3): mostly PP with rare (10-20cm) Bx sections. (171.3-173.3): mostly Bx. (173.3-176.0): mostly PP. (176-177.4): starts in Bx grades into PP. (177.4-179.4): mostly Bx.	136	106.0	108.0	2.0	49559	0.089	0.002	0.10	7.64
					108.0	110.0	2.0	49560	0.161	0.003	0.16	7.15
					110.0	112.0	2.0	49561	0.133	0.004	0.13	5.42
					112.0	112.8	0.8	49562	0.257	0.011	0.26	3.81
					112.8	113.9	1.1	49563	0.160	0.005	0.16	3.59
					113.9	116.0	2.1	49564	0.016	0.002	0.01	5.92
					116.0	118.0	2.0	49565	0.017	0.003	0.01	6.39
					118.0	120.0	2.0	49566	0.022	0.004	0.01	5.52
					120.0	122.0	2.0	49567	0.025	0.002	0.03	5.70
					122.0	124.0	2.0	49568	0.031	0.009	0.01	5.80
					124.0	124.8	0.8	49569	0.091	0.013	0.07	5.64
					124.8	126.0	1.2	49570	0.252	0.015	0.32	7.95

MOUNT POLLEY MINE

Hole No. 99C-9
Page: 4 of 6

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
			cont: (179.4-179.8): small fault-filled with dense mafic dyke ends in 20cm of grey clay. (179.8-185.8): mostly Bx with 10-20cm PP sections. (185.5-186.7): starts in PP grades into Bx. (186.7-194.9): mostly Bx with noted blebs of cp and biotite.		126.0	128.0	2.0	49571	0.272	0.060	0.38	8.46
					128.0	130.0	2.0	49572	0.378	0.074	0.44	9.01
					130.0	132.0	2.0	49573	0.325	0.045	0.43	8.61
					132.0	134.0	2.0	49574	0.250	0.019	0.34	8.38
					134.0	136.0	2.0	49575	0.473	0.010	0.41	8.54
					136.0	138.0	2.0	49576	0.200	0.006	0.18	7.39
194.9	199.2	PPg	Dead grey PP, standard white feldspar phenos, no CP, grey flat matrix.	136	138.0	140.0	2.0	49577	0.188	0.012	0.18	4.95
					140.0	142.0	2.0	49578	0.316	0.010	0.25	5.22
					142.0	144.0	2.0	49579	0.330	0.018	0.33	5.35
					144.0	146.0	2.0	49580	0.371	0.088	0.38	4.64
					146.0	148.0	2.0	49581	0.280	0.010	0.29	4.91
199.2	202.1	PPp/g	Brown/pink to grey/brown PP, faulted at top 1 metre, dead with no cp or mag, minor cc veining, with white clay-altered phenos.	137	148.0	149.8	1.8	49582	0.251	0.012	0.30	5.08
					149.8	152.0	2.2	49583	0.211	0.010	0.32	7.80
					152.0	154.0	2.0	49584	0.147	0.007	0.17	6.65
					154.0	156.3	2.3	49585	0.160	0.008	0.16	8.66
					156.3	158.0	1.7	49586	0.180	0.009	0.19	7.52
					158.0	160.0	2.0	49587	0.203	0.006	0.18	5.34
					160.0	162.0	2.0	49588	0.212	0.009	0.23	4.39
202.1	204.6	AP	Standard green augite porphyry dyke, no cp.	139	162.0	164.0	2.0	49589	0.181	0.010	0.18	5.03
					164.0	166.0	2.0	49590	0.173	0.010	0.16	6.17
					166.0	168.0	2.0	49591	0.114	0.010	0.10	5.02
					168.0	169.1	1.1	49592	0.043	0.004	0.02	3.78
					169.1	171.3	2.2	49593	0.030	0.006	0.03	2.99
					171.3	173.0	1.7	49594	0.194	0.033	0.24	5.55

MOUNT POLLEY MINE

Hole No. 99C-9
Page: 5 of 6

From meters	To meters	Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
204.6	205.3	BX	Pink, coarse Bx, grey and pink angular intrusive (porphyritic) clasts, fine diss cp noted.	110	173.0	175.0	2.0	49595	0.039	0.005	0.02	3.15
					175.0	176.0	1.0	49596	0.028	0.004	0.01	3.73
					176.0	177.4	1.4	49597	0.036	0.005	0.03	3.40
					177.4	179.4	2.0	49598	0.154	0.021	0.19	4.01
205.3	208.2	PPg	Same brown PP as 199.2m.	136	179.4	179.8	0.4	49599	0.006	0.001	0.01	4.47
					179.8	182.0	2.2	49600	0.099	0.013	0.11	5.05
208.2	210.3	FAULT	Highly fractured fault zone, filled with tan green-grey fine-grained dyke, with minor clay, trace diss cp noted, abundant cc veining,	198	182.0	184.0	2.0	49601	0.127	0.024	0.14	5.78
					184.0	185.8	1.8	49602	0.114	0.022	0.18	5.91
					185.8	186.7	0.9	49603	0.089	0.014	0.07	4.10
					186.7	188.0	1.3	49604	0.207	0.034	0.17	5.49
					188.0	190.0	2.0	49605	0.178	0.025	0.15	5.67
210.3	221.4	PPg	Grey, fresh, plag porphyry (PP), white feldspar phenos, med-grained grey matrix, rare trace of diss cp, solid fresh runs, good time to end the hole.	136	190.0	192.0	2.0	49606	0.206	0.026	0.26	6.29
					192.0	194.9	2.9	49607	0.207	0.031	0.25	7.03
					194.9	197.0	2.1	49608	0.024	0.002	0.02	3.66
					197.0	199.2	2.2	49609	0.034	0.002	0.02	3.74
					199.2	201.0	1.8	49610	0.102	0.014	0.12	5.41
					201.0	202.1	1.1	49611	0.042	0.006	0.07	3.34
					202.1	204.6	2.5	49612	0.027	0.005	-	5.46
					204.6	205.3	0.7	49613	0.054	0.013	0.03	3.27
					205.3	206.5	1.2	49614	0.030	0.008	0.02	3.71
					206.5	208.2	1.7	49615	0.034	0.002	0.01	3.14
					208.2	210.3	2.1	49616	0.023	0.003	0.06	3.91
					210.3	212.0	1.7	49617	0.023	0.003	0.04	3.25
					212.0	214.0	2.0	49618	0.015	0.014	0.02	3.22

MOUNT POLLEY MINE

Hole No. 99C-9

Page: 6 of 6

[illegible]

MOUNT POLLEY MINE

Hole No. 99C-10

Pit: Cariboo	Northing: 3125.0 N	Correct Dip: -72	Page: 1 of 7
Hole No: 99C-10	Easting: 2350.0 E	True Azm. 0	Logged by: Greg Gillstrom
Started 12/6/99	Elevation: 1130.0 m	Survey at: 108.5 -70	Date: 12/15/99
Finished: 12/8/99	Core Size: NQ2	254.8 -68	Core stored at: mine site
	Length: 254.81 m		Comments: Tests northeast extension of "sausage"

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
0.0	3.1	Casing										
					3.1	5.0	2.0	49773	0.154	0.035	0.15	3.56
3.1	20.7	BX	Grey/pink to pink breccia: abundant pink K-spar veining, white cc veining, freq 1/2 m sections of brown/pink, porphyritic breccia, all sections are variable clast size and colour, (pink, grey brown black), trace diss cp found in most sections, green Cu-oxides in the more intense (pink) K-spar altered sections. Trace diss mag in most sections. 4.9-5.3m: Small dense black mafic dyke no cp.	110	5.0	7.0	2.0	49774	0.166	0.072	0.11	4.77
					7.0	9.0	2.0	49775	0.095	0.048	0.08	2.88
					9.0	11.0	2.0	49776	0.106	0.065	0.10	2.79
					11.0	13.0	2.0	49777	0.177	0.088	0.17	2.33
					13.0	15.0	2.0	49778	0.292	0.170	0.30	3.30
					15.0	17.0	2.0	49779	0.165	0.078	0.15	2.66
					17.0	19.0	2.0	49780	0.114	0.062	0.11	3.64
					19.0	20.0	1.0	49781	0.176	0.110	0.17	3.55
					20.0	21.3	1.3	49782	0.022	0.008	0.01	6.07
					21.3	23.0	1.7	49783	0.124	0.074	0.16	3.00
					23.0	25.0	2.0	49784	0.103	0.038	0.15	3.96
					25.0	27.0	2.0	49785	0.087	0.012	0.12	2.33
					27.0	29.0	2.0	49786	0.073	0.012	0.08	2.68
					29.0	31.0	2.0	49787	0.145	0.079	0.14	3.30
20.7	21.3	AP	Standard green AP dyke, no cp.	139	31.0	33.0	2.0	49788	0.148	0.070	0.19	3.14
21.3	50.6	BX	Variable texture colour and alteration intensity, changes approx every metre, from pink highly K-spar altered, to black or green/gray finer grained volcanic(?) with contorted cc veining, to brown/gray porphyritic less brecciated Bx. All sections show trace diss cp, with contorted cc and K-spar veining, with Cu-oxides in the pink sections.	110	33.0	35.0	2.0	49789	0.184	0.099	0.14	3.94
					35.0	37.0	2.0	49790	0.160	0.105	0.14	5.12
					37.0	39.0	2.0	49791	0.259	0.080	0.22	3.48
					39.0	41.0	2.0	49792	0.463	0.127	0.32	3.44
					41.0	43.0	2.0	49793	0.115	0.043	0.05	3.30
					43.0	45.0	2.0	49794	0.119	0.020	0.11	4.32

MOUNT POLLEY MINE

Hole No. 99C-10

Page: 2 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
		FAULT	Small fault filled with powdery green clay @ 35-35.2m.	198	45.0	47.0	2.0	49795	0.138	0.065	0.15	3.19
					47.0	49.0	2.0	49796	0.178	0.091	0.17	3.52
50.6	54.7	AP	Standard green augite porphyry dyke, big enough to use as marker horizon.	139	49.0	50.6	1.6	49797	0.260	0.218	0.26	1.83
					50.6	53.7	3.1	49798	0.013	0.005	0.01	5.14
54.7	58.4	VOLC/BX	Black fine-grained volc breccia, abundant contorted cc veining, trace diss cp, no K-spar altn, or veins, flat black fine-grained matrix.	151	53.7	54.7	1.0	49799	0.015	0.005	0.01	5.10
					54.7	56.0	1.3	49800	0.159	0.047	0.15	4.28
					56.0	58.4	2.4	49801	0.153	0.025	0.17	3.96
					58.4	60.0	1.6	49802	0.257	0.186	0.24	2.93
					60.0	62.0	2.0	49803	0.227	0.153	0.23	4.30
58.4	64.7	FAULT	Large fault zone, highly fractured, with 1m healed section in center, in fractured black Bx to 61m then in oxidized pink Bx, Bx has abundant green powdery Cu-oxides and clay, bottom 63.8m to end ground to gravel size.	198	62.0	63.8	1.8	49804	0.220	0.162	0.17	5.81
					63.8	64.7	0.9	49805	0.434	0.314	0.29	5.19
					64.7	66.0	1.3	49806	1.430	1.036	0.85	2.90
					66.0	68.0	2.0	49807	1.178	0.890	1.77	4.85
64.7	85.8	BX	Highly oxidized Bx, pink to pink-brown, clay-altered (r2) to 70.7m; diss cp noted through zone, green Cu-oxide and chrys strong from top to 70.7 and from 76.2 to-85.8m, section in between has loss of intense K-spar altn with no oxides and very little visible cp, only trace diss mag. 67.3-67.7: small fault; core ground to gravel highly clay-altered.	110	68.0	70.0	2.0	49808	0.276	0.204	0.25	3.76
					70.0	70.7	0.7	49809	0.155	0.097	0.17	4.05
					70.7	72.0	1.3	49810	0.170	0.051	0.13	4.39
					72.0	74.0	2.0	49811	0.157	0.030	0.15	4.40
					74.0	76.2	2.2	49812	0.128	0.047	0.11	4.03
					76.2	78.0	1.8	49813	0.152	0.100	0.18	2.23
					78.0	80.0	2.0	49814	0.177	0.137	0.22	3.18
					80.0	82.0	2.0	49815	0.126	0.050	0.14	3.71
					82.0	84.0	2.0	49816	0.171	0.099	0.21	3.73
					84.0	85.8	1.8	49817	0.134	0.072	0.15	2.87

MOUNT POLLEY MINE

Hole No. 99C-10
Page: 3 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
85.8	128.1	BX	Alternating Bx, as above the big fault, approx every 1-2m. Green to black volcanic, pink Kspar, brown green porphyritic, grey intrusive, clasts in all sections are of varying size and colour white, pink, black grey, and both intrusive and volc, trace diss cp in all sections, rare blebs of cp, minor cc veining, all sections are well healed (r4), with long unbroken runs. 113-124.5m: mostly pink Kspar Bx. 124.5-128.1m: black vol Bx, diss cp still in all sections.	110	85.8	87.0	1.2	49818	0.122	0.015	0.11	3.24
					87.0	89.0	2.0	49819	0.126	0.045	0.11	3.88
					89.0	91.0	2.0	49820	0.087	0.009	0.08	2.17
					91.0	93.0	2.0	49821	0.149	0.051	0.13	3.15
					93.0	95.0	2.0	49822	0.168	0.006	0.16	3.31
					95.0	97.0	2.0	49823	0.289	0.083	0.25	5.19
					97.0	99.0	2.0	49824	0.277	0.022	0.30	3.90
					99.0	101.0	2.0	49825	0.185	0.012	0.10	4.60
					101.0	103.0	2.0	49826	0.086	0.004	0.08	4.54
					103.0	105.0	2.0	49827	0.105	0.044	0.13	4.49
					105.0	107.0	2.0	49828	0.079	0.010	0.15	4.48
128.1	145.3	Monz	Green-brown to pink-brown, med-grained monz, non-porphyritic, rare black angular clasts, trace diss cp and mag in some sections, minor patchy pink K-spar alteration and veining, rare white cc veins, small fault at 141.7m (20cm) with minor white clay, increase in Kspar altn after fault, also minor bx'd sections after fault with increase in pink K-spar veining.	138	107.0	109.0	2.0	49829	0.120	0.071	0.18	3.97
					109.0	111.0	2.0	49830	0.139	0.044	0.09	3.51
					111.0	113.0	2.0	49831	0.145	0.091	0.11	4.17
					113.0	115.0	2.0	49832	0.154	0.082	0.13	2.74
					115.0	117.0	2.0	49833	0.138	0.006	0.12	3.20
					117.0	119.0	2.0	49834	0.212	0.014	0.22	3.15
					119.0	121.0	2.0	49835	0.147	0.091	0.37	2.74
					121.0	123.0	2.0	49836	0.159	0.076	0.31	2.59
					123.0	124.5	1.5	49837	0.498	0.192	0.54	3.08
145.3	148.2	BX		110	124.5	126.0	1.5	49838	0.473	0.033	0.51	8.55
			Pink mottled K-spar bx, minor diss cp and mag noted, pink and black clasts, as usual.		126.0	128.1	2.1	49839	0.297	0.017	0.27	3.86
					128.1	130.0	1.9	49840	0.144	0.059	0.19	3.97

MOUNT POLLEY MINE

Hole No. 99C-10

Page: 4 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
148.2	148.5	Monz	Small dyke of the same monz, as above.	138	130.0	132.0	2.00	49841	0.116	0.003	0.15	4.05
					132.0	134.0	2.00	49842	0.049	0.005	0.06	3.99
					134.0	136.0	2.00	49843	0.061	0.002	0.07	4.41
					136.0	138.0	2.00	49844	0.060	0.003	0.06	4.26
145.5	154.8	BX	Black to green/black to pink/black mottled Bx; abundant diss Cp, 4 distinct 10cm sections of intense K-spar veining with associated cp veining and blebs of diss mag, contorted cc veining though zone; looks like ore-grade.	110	138.0	140.0	2.00	49845	0.134	0.007	0.26	4.58
					140.0	142.0	2.00	49846	0.064	0.010	0.12	4.88
					142.0	144.0	2.00	49847	0.048	0.003	0.08	4.02
					144.0	145.3	1.30	49848	0.059	0.004	0.08	4.77
					145.3	146.8	1.50	49849	0.064	0.002	0.07	3.40
					146.8	148.2	1.40	49850	0.115	0.003	0.19	4.20
					148.2	148.5	0.30	49851	0.071	0.003	0.10	4.74
154.8	160.2	Monz	Same monz, as above.	138	148.5	150.0	1.50	49852	0.126	0.005	0.11	5.19
					150.0	152.0	2.00	49853	0.245	0.006	0.20	5.17
					152.0	154.0	2.00	49854	0.301	0.014	0.26	5.96
					154.0	154.8	0.80	49855	0.244	0.009	0.22	6.18
160.2	169.2	Mz/Bx	Alternating Bx/Monz, minor diss cp noted with rare bleb of cp, minor cc/K-spar veining.	110	154.8	156.0	1.20	49856	0.310	0.015	0.34	4.54
					156.0	158.0	2.00	49857	0.168	0.012	0.14	4.01
					158.0	160.2	2.20	49858	0.161	0.012	0.12	4.72
					160.2	162.0	1.80	49859	0.131	0.007	0.14	4.25
					162.0	162.9	0.90	49860	0.037	0.003	0.06	4.46
					162.9	164.0	1.10	49861	0.060	0.003	0.10	4.67
					164.0	166.0	2.00	49862	0.090	0.006	0.07	4.61
					166.0	168.0	2.00	49863	0.169	0.029	0.19	4.59

MOUNT POLLEY MINE

Hole No. 99C-10
Page: 5 of 7

From meters	To meters	Syb	Description	Model rock codes	From meters	To meters	Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
162.9	171.0	BX	Green/pink/black mottled Bx, dlss cp through zone also mag, sections of PP as above (10-20cm). Contorted cc, Kspar, epidote veining, last 2 m mostly Bx with green/white contorted veining (epi/cc).	110	168.0	170.0	2.0	49864	0.219	0.016	0.16	4.42
					170.0	171.0	1.0	49865	0.088	0.005	0.17	4.52
					171.0	173.0	2.0	49866	0.197	0.018	0.17	6.20
					173.0	175.0	2.0	49867	0.224	0.020	0.23	5.84
					175.0	177.0	2.0	49868	0.210	0.033	0.22	6.60
171.0	187.5	BX	Black volcanic bx, fine-grained black matrix, black, green; white angular clasts, contorted cc and epidote veining, dlss cp and mag though zone, also abundant pink K-spar though (veining) zone, rare 1cm blebs of mag.	110	177.0	179.0	2.0	49869	0.387	0.048	0.31	6.32
					179.0	181.0	2.0	49870	0.194	0.077	0.13	6.45
					181.0	183.0	2.0	49871	0.211	0.032	0.19	6.17
					183.0	185.0	2.0	49872	0.109	0.010	0.12	5.93
					185.0	187.0	2.0	49873	0.082	0.005	0.07	7.40
					187.0	187.5	0.5	49874	0.075	0.004	0.05	7.42
187.5	192.5	BX	Pink intrusive bx, med-grained, strong k-spar alteration, rem white feld phenos, trace dlss cp and mag.	110	187.5	189.0	1.5	49875	0.115	0.004	0.17	3.44
					189.0	191.0	2.0	49876	0.095	0.004	0.09	2.01
					191.0	192.5	1.5	49877	0.100	0.002	0.06	2.03
					192.5	194.0	1.5	49878	0.226	0.004	0.15	7.01
					194.0	196.0	2.0	49879	0.156	0.003	0.11	5.72
					196.0	198.0	2.0	49880	0.184	0.003	0.14	6.86
					198.0	200.0	2.0	49881	0.120	0.003	0.07	6.08
192.5	203.7	BX	Black volcanic Bx as above, dlss cp in most sections, dlss mag throughout, same pink/white green veining.	110	200.0	202.0	2.0	49882	0.197	0.010	0.14	6.47
					202.0	203.7	1.7	49883	0.261	0.011	0.29	7.23
					203.7	205.0	1.3	49884	0.188	0.004	0.19	2.24
					205.0	207.0	2.0	49885	0.162	0.024	0.15	1.75
					207.0	208.0	1.0	49886	0.121	0.046	0.16	2.77

MOUNT POLLEY MINE

Hole No. 99C-10
Page: 6 of 7

From To meters		Syb	Description	Model rock codes	From To meters		Lgth.	Tag. Number	Analysis			
									Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)
203.7	208.0	BX	Pink intrusive Bx, grey monz clasts, rare diss cp noted, mag in diss and rare blebs, abundant contorted veining.	110	208.0	210.0	2.0	49887	0.130	0.012	0.17	4.75
					210.0	212.0	2.0	49888	0.091	0.001	0.08	3.20
					212.0	214.0	2.0	49889	0.095	0.001	0.10	2.02
					214.0	216.0	2.0	49890	0.107	0.002	0.10	2.21
					216.0	218.0	2.0	49891	0.129	0.005	0.13	2.22
					218.0	220.0	2.0	49892	0.120	0.001	0.10	2.01
208.0	209.2	BX	Black volc bx as above, diss cp throughout zone.	110	220.0	222.0	2.0	49893	0.137	0.003	0.14	2.19
					222.0	223.9	1.9	49894	0.205	0.004	0.22	2.21
					223.9	226.0	2.1	49895	0.056	0.001	0.05	4.30
					226.0	228.0	2.0	49896	0.113	0.002	0.07	4.65
209.2	223.9	BX	Pink intrusive Bx, rem white PP, rare veins, trace diss cp and mag.	110	228.0	230.0	2.0	49897	0.037	0.001	0.03	3.84
					230.0	231.3	1.3	49898	0.084	0.001	0.06	2.96
					231.3	231.6	0.3	49899	0.075	0.002	0.06	9.28
					231.6	233.0	1.4	49900	0.074	0.001	0.06	4.10
223.9	231.3	Monz	Grey to pink-grey "salt/pepper" monz, trace cp, brecciated in sections with volcanic clasts, non-porphyrific, rare pink K-spar veins.	138	233.0	235.0	2.0	49901	0.062	0.001	0.03	4.18
					235.0	237.0	2.0	49902	0.053	0.001	0.04	4.39
					237.0	239.0	2.0	49903	0.151	0.001	0.09	4.53
					239.0	241.0	2.0	49904	0.156	0.002	0.07	4.84
231.3	231.6	BX	Small section of black volc bx, as above.	110	241.0	243.0	2.0	49905	0.121	0.001	0.01	4.61
					243.0	245.0	2.0	49906	0.054	0.001	0.06	4.44
231.6	246.5	Monz	Pink-grey, "salt & pepper" monz, as above with section of black-white monzodiorite, rare bx'd sections fine diss cp noted in most sections, with mag.	138	245.0	246.5	1.5	49907	0.125	0.002	0.10	5.06
					246.5	248.0	1.5	49908	0.015	0.001	0.01	3.74
					248.0	249.4	1.4	49909	0.004	0.001	0.01	3.25

Appendix 6a
Geotechnical Logs – Bell Pit Area

Mount Polley Mine - Geotechnical Logging

Hole:	99B-1	N:	3890.75	Logger:	CJW					Page: 1 of 2
Drill date:	9/6/99	E:	2281.95	Core size:	NQ2					
Log date:	9/14/99	Elev.	1190.33	Length:	323.70 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	7.32	7.32	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
7.32	8.23	0.91	0.85	93.4%	-	0.0%	>20	R3	K3	Fault Zone-highly frac
8.23	11.28	3.05	3.05	100.0%	0.10	3.3%	>60	R3	K3	
11.28	14.33	3.05	2.90	95.1%	-	0.0%	>60	R3	K3	
14.33	17.37	3.05	3.05	100.0%	0.60	19.7%	>60	R3	K3	
17.37	20.42	3.05	3.05	100.0%	0.67	22.0%	>60	R4	K3	18.9-19.2 FLT- gougy
20.42	23.47	3.05	3.05	100.0%	1.48	48.6%	>60	R4	K3	23.1-24.8 FLT
23.47	26.52	3.05	3.05	100.0%	1.20	39.4%	>60	R4	K3	solid core
26.52	29.57	3.05	3.05	100.0%	2.14	70.2%	25	R4	K3	
29.57	32.61	3.05	3.05	100.0%	2.38	78.1%	19	R4	K3	
32.61	35.66	3.05	3.05	100.0%	1.42	46.6%	35	R4	K3	
35.66	38.71	3.05	3.05	100.0%	1.69	55.4%	32	R4	K3	
38.71	41.76	3.05	3.05	100.0%	1.72	56.4%	28	R4	K3	
41.76	44.81	3.05	3.05	100.0%	2.72	89.2%	13	R4	K3	
44.81	47.85	3.05	3.05	100.0%	2.35	77.1%	21	R4	K3	
47.85	50.90	3.05	3.05	100.0%	1.80	59.1%	26	R4	K3	
50.90	53.95	3.05	3.05	100.0%	1.82	59.7%	30	R4	K3	53.4-53.9 Highly frac.
53.95	57.00	3.05	3.05	100.0%	0.98	32.2%	56	R2		55.0-57.0 Soft, frac'd.
57.00	60.05	3.05	3.05	100.0%	1.00	32.8%	39	R2	K3	
60.05	63.09	3.05	3.05	100.0%	1.79	58.7%	28	R4	K3	
63.09	66.14	3.05	3.05	100.0%	2.05	67.3%	27	R4	K3	
66.14	69.19	3.05	3.05	100.0%	2.27	74.5%	24	R4	K3	
69.19	72.24	3.05	3.05	100.0%	1.43	46.9%	37	R4	K3	
72.24	75.29	3.05	3.05	100.0%	0.79	25.9%	45	R3	K3	73.7-74.2 Highly frac.
75.29	78.33	3.05	3.05	100.0%	1.86	61.0%	30	R4	K3	
78.33	81.38	3.05	3.05	100.0%	2.20	72.2%	29	R4	K3	
81.38	84.43	3.05	3.05	100.0%	1.82	59.7%	31	R4	K3	
84.43	87.48	3.05	3.05	100.0%	2.81	92.2%	16	R4	K3	
87.48	90.53	3.05	3.05	100.0%	1.90	62.3%	32	R4	K3	
90.53	93.57	3.05	3.05	100.0%	2.53	83.0%	19	R4	K3	
93.57	96.62	3.05	3.05	100.0%	2.81	92.2%	13	R4	K3	
96.62	99.67	3.05	3.05	100.0%	2.01	65.9%	26	R4	K3	
99.67	102.72	3.05	3.05	100.0%	2.23	73.2%	24	R4	K3	
102.72	105.77	3.05	3.05	100.0%	1.27	41.7%	38	R4	K3	
105.77	108.81	3.05	3.05	100.0%	1.04	34.1%	47	R4	K3	
108.81	111.86	3.05	3.05	100.0%	1.38	45.3%	38	R4	K3	
111.86	114.91	3.05	3.05	100.0%	2.51	82.3%	24	R4	K3	
114.91	117.96	3.05	3.05	100.0%	2.98	97.8%	12	R4	K3	
117.96	121.01	3.05	3.05	100.0%	2.45	80.4%	17	R4	K3	
121.01	124.05	3.05	3.05	100.0%	2.25	73.8%	21	R4	K3	
124.05	127.10	3.05	3.05	100.0%	2.47	81.0%	17	R4	K3	
127.10	130.15	3.05	3.05	100.0%	2.73	89.6%	12	R4	K3	
130.15	133.20	3.05	3.05	100.0%	2.24	73.5%	22	R4	K3	
133.20	136.25	3.05	3.05	100.0%	2.32	76.1%	27	R4	K3	
136.25	139.29	3.05	3.05	100.0%	2.24	73.5%	24	R4	K3	
139.29	142.34	3.05	3.05	100.0%	2.03	66.6%	24	R4	K3	
142.34	145.39	3.05	3.05	100.0%	2.19	71.9%	25	R4	K3	
145.39	148.44	3.05	3.05	100.0%	2.60	85.3%	17	R4	K3	
148.44	151.49	3.05	3.05	100.0%	1.78	58.4%	34	R4	K1	Brittle
151.49	154.53	3.05	3.05	100.0%	1.76	57.7%	35	R4	K1	152.5 Caved, pull rods.
154.53	157.58	3.05	3.05	100.0%	1.78	58.4%	33	R4	K1	Brittle
157.58	160.63	3.05	3.05	100.0%	1.50	49.2%	30	R4	K1	
160.63	163.68	3.05	3.05	100.0%	1.35	44.3%	34	R4	K1	
163.68	166.73	3.05	3.05	100.0%	1.44	47.2%	44	R4	K1	
166.73	169.77	3.05	3.05	100.0%	2.10	68.9%	25	R4	K1	
169.77	172.82	3.05	3.05	100.0%	1.84	60.4%	27	R4	K1	
172.82	175.87	3.05	3.05	100.0%	1.34	44.0%	37	R4	K1	
175.87	176.48	0.61	0.61	100.0%	0.21	34.4%	8	R4	K1	

Mount Polley Mine - Geotechnical Logging

										Page: 2 of 2
Hole:	89B-1	Logger:	CJW							
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
176.48	178.92	2.44	2.44	100.0%	1.52	62.3%	25	R4	K3	
178.92	181.97	3.05	3.05	100.0%	1.88	61.7%	23	R4	K3	
181.97	185.02	3.05	3.05	100.0%	2.32	76.1%	19	R4	K3	
185.02	188.06	3.05	3.05	100.0%	1.94	63.6%	29	R4	K3	
188.06	191.11	3.05	3.05	100.0%	1.98	65.0%	28	R4	K3	
191.11	194.16	3.05	3.05	100.0%	1.42	46.6%	37	R4	K3	
194.16	197.21	3.05	3.05	100.0%	1.86	61.0%	29	R4	K3	
197.21	200.26	3.05	3.05	100.0%	2.19	71.9%	24	R4	K3	
200.26	203.30	3.05	3.05	100.0%	1.74	57.1%	23	R4	K3	
203.30	206.35	3.05	3.05	100.0%	2.18	71.5%	25	R4	K3	
206.35	209.40	3.05	3.05	100.0%	2.50	82.0%	21	R4	K3	
209.40	212.45	3.05	3.05	100.0%	2.00	65.6%	29	R4	K3	
212.45	215.50	3.05	3.05	100.0%	2.04	66.9%	17	R4	K3	
215.50	218.24	2.74	2.74	100.0%	2.69	98.0%	16	R4	K3	
218.24	221.59	3.35	3.35	100.0%	2.86	85.4%	21	R4	K3	
221.59	224.64	3.05	3.05	100.0%	2.77	90.8%	15	R4	K3	
224.64	227.69	3.05	3.05	100.0%	2.21	72.5%	25	R4	K3	
227.69	230.74	3.05	3.05	100.0%	2.45	80.4%	19	R4	K3	
230.74	233.78	3.05	3.05	100.0%	2.45	80.4%	27	R4	K3	
233.78	236.83	3.05	3.05	100.0%	2.88	94.5%	13	R4	K3	
236.83	239.88	3.05	3.05	100.0%	2.37	77.8%	21	R4	K3	
239.88	242.93	3.05	3.05	100.0%	2.78	91.2%	10	R4	K3	
242.93	245.98	3.05	3.05	100.0%	2.60	85.3%	17	R4	K3	
245.98	249.02	3.05	3.05	100.0%	2.15	70.5%	28	R4	K3	
249.02	252.07	3.05	3.05	100.0%	2.79	91.5%	16	R4	K3	
252.07	255.12	3.05	3.05	100.0%	2.76	90.6%	14	R4	K3	
255.12	258.17	3.05	3.05	100.0%	3.05	100.0%	8	R4	K3	
258.17	261.22	3.05	3.05	100.0%	2.69	88.3%	10	R4	K3	
261.22	264.26	3.05	3.05	100.0%	3.00	98.4%	15	R4	K3	
264.26	267.31	3.05	3.05	100.0%	1.90	62.3%	30	R4	K3	
267.31	270.36	3.05	3.05	100.0%	2.88	94.5%	14	R4	K3	
270.36	273.41	3.05	3.05	100.0%	1.79	58.7%	30	R4	K3	
273.41	274.93	1.52	1.52	100.0%	0.87	57.2%	12	R4	K3	
274.93	276.45	1.52	1.52	100.0%	1.48	97.4%	7	R4	K3	
276.45	279.50	3.05	3.05	100.0%	2.94	96.5%	11	R4	K3	
279.50	282.55	3.05	3.05	100.0%	2.91	95.5%	8	R4	K3	
282.55	285.59	3.05	3.05	100.0%	2.55	83.7%	13	R4	K3	
285.59	288.64	3.05	3.05	100.0%	2.06	67.6%	25	R4	K3	
288.64	291.69	3.05	3.05	100.0%	2.12	69.6%	24	R4	K3	
291.69	294.74	3.05	3.05	100.0%	2.68	87.9%	15	R4	K3	
294.74	297.79	3.05	3.05	100.0%	1.44	47.2%	32	R4	K3	
297.79	300.83	3.05	3.05	100.0%	2.51	82.3%	23	R4	K3	
300.83	303.88	3.05	3.05	100.0%	2.36	77.4%	22	R4	K3	
303.88	306.93	3.05	3.05	100.0%	1.67	54.8%	34	R4	K3	
306.93	309.98	3.05	3.05	100.0%	1.75	57.4%	30	R4	K3	
309.98	313.03	3.05	3.05	100.0%	1.35	44.3%	36	R4	K3	
313.03	316.07	3.05	3.05	100.0%	0.83	27.2%	42	R4	K3	
316.07	319.12	3.05	3.05	100.0%	1.51	49.5%	38	R4	K3	
319.12	322.17	3.05	3.05	100.0%	1.11	36.4%	38	R4	K3	
322.17	323.70	1.53	1.53	100.0%	-	0.0%	>30	R4	K3	322.5-323.7 Rubble

Mount Polley Mine - Geotechnical Logging

Hole:	99B-2	N:	3960.69	Logger:	CJW					Page: 1 of 2
Drill date:	9/10/99	E:	2227.43	Core size:	NQ2					
Log date:	9/21/99	Elev.	1175.261	Length:	267.86 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
	4.88	4.88	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
4.88	8.23	3.35	3.10	92.5%	0.64	19.1%	50	R4	K3	
8.23	11.28	3.05	3.05	100.0%	0.48	15.7%	>60	R3	K3, ser	10.2-11.3 FLT; rubble
11.28	14.33	3.05	3.05	100.0%	-	0.0%	>100	R0-R1	K3, ser	FLT; rubble, gouge
14.33	17.38	3.05	3.05	100.0%	0.67	22.0%	>60	R2-R4	K3, ser	14.3-15.1 FLT; gougy
17.38	20.42	3.05	3.05	100.0%	0.22	7.2%	>60	R0-R1	K3, ser	19.0-20.3 FLT; gougy
20.42	23.47	3.05	3.05	100.0%	0.80	26.2%	54	R2-R4	K3, ser	20.6-21.3 Gougy, cl-ser
23.47	26.52	3.05	3.05	100.0%	0.31	10.2%	60	R2-R4	K3, ser	23.5-23.6 Gougy
26.52	29.57	3.05	3.05	100.0%	1.34	44.0%	40	R2-R4	K3, ser	25.4-26.0 Rubble
29.57	32.62	3.05	3.05	100.0%	1.53	50.2%	33	R4	K3, min ser	27.7-28.4 FLT; gouge
32.62	35.66	3.05	3.05	100.0%	1.78	58.4%	33	R4	K3, min ser	
35.66	38.71	3.05	3.05	100.0%	1.43	46.9%	37	R4	K3, min ser	
38.71	41.76	3.05	3.05	100.0%	1.96	64.3%	31	R4	K3	
41.76	44.81	3.05	3.05	100.0%	1.21	39.7%	44	R4	K3	
44.81	47.86	3.05	3.05	100.0%	2.78	91.2%	16	R4	K3	
47.86	50.90	3.05	3.05	100.0%	2.54	83.3%	19	R4	K3	
50.90	53.95	3.05	3.05	100.0%	2.32	76.1%	25	R4	K3	
53.95	57.00	3.05	3.05	100.0%	2.03	66.6%	28	R4	K3	
57.00	60.05	3.05	3.05	100.0%	2.44	80.1%	17	R4	K3	
60.05	63.10	3.05	3.05	100.0%	2.34	76.8%	19	R4	K3	
63.10	66.14	3.05	3.05	100.0%	2.49	81.7%	14	R4	K3	
66.14	69.19	3.05	3.05	100.0%	2.59	85.0%	20	R4	K3	
69.19	72.24	3.05	3.05	100.0%	2.32	76.1%	22	R4	K3	
72.24	75.29	3.05	3.05	100.0%	2.41	79.1%	23	R4	K3	
75.29	78.34	3.05	3.05	100.0%	2.00	65.6%	23	R4	K3	
78.34	81.38	3.05	3.05	100.0%	2.32	76.1%	22	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.43	79.7%	15	R4	K3	
84.43	87.48	3.05	3.05	100.0%	2.56	84.0%	12	R4	K3	
87.48	90.53	3.05	3.05	100.0%	2.16	70.9%	26	R4	K3	
90.53	93.58	3.05	3.05	100.0%	2.07	67.9%	26	R4	K3	
93.58	96.62	3.05	3.05	100.0%	1.33	43.6%	33	R4	K3	93.8-94.3 FLT; gouge
96.62	99.67	3.05	3.05	100.0%	1.89	62.0%	33	R4	K3	
99.67	102.72	3.05	3.05	100.0%	0.90	29.5%	54	R4	K3	99.6-99.7 Rubble
102.72	105.77	3.05	3.05	100.0%	0.44	14.4%	72	R4	K3	
105.77	108.82	3.05	3.05	100.0%	0.63	20.7%	38	R4	K3	
108.82	111.86	3.05	3.05	100.0%	1.57	51.5%	31	R4	K3	
111.86	114.91	3.05	3.05	100.0%	2.30	75.5%	20	R4	K3	
114.91	117.96	3.05	3.05	100.0%	2.44	80.1%	21	R4	K3	
117.96	120.40	2.44	2.44	100.0%	0.99	40.6%	34	R4	K3	
120.40	121.01	0.61	0.61	100.0%	-	0.0%	15	R4	K3	
121.01	124.06	3.05	3.05	100.0%	1.61	52.8%	35	R4	K3	
124.06	127.11	3.05	3.05	100.0%	2.64	86.6%	18	R4	K3	
127.11	130.15	3.05	3.05	100.0%	2.24	73.5%	21	R4	K3	
130.15	133.20	3.05	3.05	100.0%	2.51	82.3%	22	R4	K3	
133.20	136.25	3.05	3.05	100.0%	2.07	67.9%	26	R4	K3	
136.25	139.30	3.05	3.05	100.0%	1.94	63.6%	32	R4	K3	
139.30	142.35	3.05	3.05	100.0%	2.87	94.2%	14	R4	K3	
142.35	145.39	3.05	3.05	100.0%	2.47	81.0%	18	R4	K3	
145.39	148.44	3.05	3.05	100.0%	1.60	52.5%	36	R4	K3	
148.44	151.49	3.05	3.05	100.0%	2.58	84.6%	14	R4	K3	
151.49	154.54	3.05	3.05	100.0%	2.23	73.2%	24	R4	K3	
154.54	157.59	3.05	3.05	100.0%	2.40	78.7%	20	R4	K3	
157.59	160.63	3.05	3.05	100.0%	2.38	78.1%	19	R4	K3	
160.63	163.68	3.05	3.05	100.0%	1.60	52.5%	33	R4	K3	
163.68	166.73	3.05	3.05	100.0%	2.50	82.0%	26	R4	K3	
166.73	169.78	3.05	3.05	100.0%	1.94	63.6%	27	R4	K3	
169.78	172.83	3.05	3.05	100.0%	2.02	66.3%	23	R4	K3	
172.83	175.87	3.05	3.05	100.0%	2.72	89.2%	15	R4	K3	

Mount Polley Mine - Geotechnical Logging

Hole:	998-2	Logger:	CJW								Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments	
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)				
175.87	178.92	3.05	3.05	100.0%	2.91	95.4%	11	R4	K3		
178.92	181.97	3.05	3.05	100.0%	2.74	89.9%	15	R4	K3		
181.97	185.02	3.05	3.05	100.0%	2.02	66.3%	29	R4	K3		
185.02	188.06	3.05	3.05	100.0%	1.56	51.2%	34	R4	K3		
188.06	191.11	3.05	3.05	100.0%	2.25	73.8%	21	R4	K3		
191.11	194.16	3.05	3.05	100.0%	2.88	94.5%	14	R4	K3		
194.16	197.21	3.05	3.05	100.0%	3.00	98.4%	10	R4	K3		
197.21	200.26	3.05	3.05	100.0%	2.77	90.9%	14	R4	K3		
200.26	203.30	3.05	3.05	100.0%	2.51	82.3%	18	R4	K3		
203.30	206.35	3.05	3.05	100.0%	2.53	83.0%	23	R4	K3		
206.35	209.40	3.05	3.05	100.0%	2.12	69.6%	25	R4	K3		
209.40	212.45	3.05	3.05	100.0%	2.98	97.8%	9	R4	K3		
212.45	215.50	3.05	3.05	100.0%	2.20	72.2%	23	R4	K3		
215.50	218.54	3.05	3.05	100.0%	1.83	60.0%	36	R4	K3		
218.54	221.59	3.05	3.05	100.0%	2.93	96.1%	12	R4	K3		
221.59	224.64	3.05	3.05	100.0%	2.51	82.3%	17	R4	K3		
224.64	227.69	3.05	3.05	100.0%	2.74	89.9%	19	R4	K3		
227.69	230.74	3.05	3.05	100.0%	2.58	84.6%	16	R4	K3		
230.74	233.78	3.05	3.05	100.0%	1.63	53.5%	27	R4	K3		
233.78	236.83	3.05	3.05	100.0%	1.79	58.7%	27	R4	K3		
236.83	239.88	3.05	3.05	100.0%	1.82	59.7%	28	R4	K3		
239.88	242.93	3.05	3.05	100.0%	1.63	53.5%	38	R4	K3		
242.93	245.98	3.05	3.05	100.0%	2.24	73.5%	24	R4	K3		
245.98	249.02	3.05	3.05	100.0%	1.86	61.0%	30	R4	K3	248.6-249.0 Rubble	
249.02	252.07	3.05	3.05	100.0%	2.42	79.4%	20	R4	K3		
252.07	255.12	3.05	3.05	100.0%	1.62	53.1%	34	R4	K3		
255.12	257.86	2.74	2.74	100.0%	2.66	97.1%	11	R4	K3		

Mount Polley Mine - Geotechnical Logging

Hole:	99B-3	N:	4060.21	Logger:	CJW					Page: 1 of 2
Drill date:	9/12/99	E:	2216.09	Core size:	NQ2					
Log date:	9/16/99	Elev:	1184.20	Length:	257.86/m					
From (m)	To (m)	Length (m)	Recovery (m)	Percent (%)	RQD (m)	Percent (%)	Fractures (per run)	Strength	Alteration	Comments
-	6.71	6.71	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
6.71	7.92	1.21	0.88	72.7%	-	0.0%	>30	R1	K3	7.7-7.9 FLT gouge
7.92	10.67	2.75	2.75	100.0%	0.69	25.1%	>50	R1	K3	10.4-10.6 FLT gouge
10.67	12.50	1.83	1.61	88.0%	-	0.0%	>60	R1	K3	11.2-12.5 FLT gouge
12.50	14.02	1.52	1.52	100.0%	-	0.0%	>60	R1	K3	13.1-14.3 FLT gouge
14.02	16.46	2.44	2.44	100.0%	0.10	4.1%	>60	R1	K3	16.2-16.5 FLT gouge
16.46	18.90	2.44	2.44	100.0%	0.37	15.2%	>60	R1-R3	K3	18.6-18.9 FLT gouge
18.90	20.12	1.22	1.22	100.0%	-	0.0%	20	R3	K3	
20.12	23.17	3.05	3.05	100.0%	1.42	46.6%	42	R3	K3	
23.17	26.22	3.05	3.05	100.0%	0.90	29.5%	41	R3	K3	
26.22	29.26	3.05	3.05	100.0%	1.15	37.7%	39	R4	K3	
29.26	32.31	3.05	3.05	100.0%	1.32	43.3%	35	R4	K3	
32.31	35.36	3.05	3.05	100.0%	1.67	54.8%	37	R4	K3	
35.36	38.41	3.05	3.05	100.0%	0.79	25.9%	45	R2-R4	K3	38.1-38.4 FLT gouge
38.41	41.46	3.05	3.05	100.0%	0.68	22.3%	48	R3	K3	
41.46	44.50	3.05	3.05	100.0%	1.04	34.1%	36	R3	K3	
44.50	47.55	3.05	2.80	91.9%	-	0.0%	>100	R1	K3	44.5-46.8 FLT gouge
47.55	50.60	3.05	3.05	100.0%	0.74	24.3%	>60	R1-R3	K3	46.8-49.0 Rubble, gouge
50.60	53.65	3.05	3.05	100.0%	1.89	62.0%	25	R4	K3	
53.65	56.70	3.05	3.05	100.0%	2.12	69.6%	27	R4	K3	
56.70	59.74	3.05	3.05	100.0%	1.22	40.0%	34	R0, R4	K3	57.6-58.2 FLT; gouge
59.74	62.79	3.05	3.05	100.0%	1.34	44.0%	36	R4	K3	
62.79	65.84	3.05	3.05	100.0%	0.98	32.2%	42	R4	K3	
65.84	68.89	3.05	3.05	100.0%	2.15	70.5%	28	R4	K3	
68.89	71.94	3.05	3.05	100.0%	0.98	32.2%	41	R4	K3	
71.94	74.98	3.05	3.05	100.0%	2.68	87.9%	13	R4	K3	
74.98	78.03	3.05	3.05	100.0%	2.98	97.8%	10	R4	K3	
78.03	81.08	3.05	3.05	100.0%	1.66	54.5%	29	R4	K3	
81.08	84.13	3.05	3.05	100.0%	1.02	33.5%	41	R4	K3	82.3-83.4 FLT; gouge
84.13	87.18	3.05	3.05	100.0%	1.90	62.3%	25	R4	K3	
87.18	90.22	3.05	3.05	100.0%	1.32	43.3%	34	R4	K3	
90.22	93.27	3.05	3.05	100.0%	1.94	63.6%	26	R4	K3	
93.27	96.32	3.05	3.05	100.0%	1.58	51.8%	32	R4	K3	
96.32	99.37	3.05	3.05	100.0%	1.40	45.9%	30	R4	K3	
99.37	102.42	3.05	3.05	100.0%	0.55	18.0%	50	R4	K3	
102.42	105.46	3.05	3.05	100.0%	1.00	32.8%	46	R4	K3	
105.46	108.51	3.05	3.05	100.0%	1.56	51.2%	38	R4	K3	
108.51	111.56	3.05	3.05	100.0%	2.03	66.6%	29	R4	K3	
111.56	114.61	3.05	3.05	100.0%	2.15	70.5%	27	R4	K3	
114.61	117.66	3.05	3.05	100.0%	2.66	87.3%	18	R4	K3	
117.66	120.70	3.05	3.05	100.0%	3.00	98.4%	10	R4	K3	
120.70	123.75	3.05	3.05	100.0%	2.31	75.8%	21	R4	K3	
123.75	126.80	3.05	3.05	100.0%	3.05	100.0%	12	R4	K3	
126.80	129.85	3.05	3.05	100.0%	2.90	95.1%	11	R4	K3	
129.85	132.90	3.05	3.05	100.0%	3.01	98.8%	15	R4	K3	
132.90	135.94	3.05	3.05	100.0%	2.48	81.4%	20	R4	K3	
135.94	138.99	3.05	3.05	100.0%	2.01	65.9%	30	R4	K3	
138.99	142.04	3.05	3.05	100.0%	2.78	91.2%	17	R4	K3	
142.04	145.09	3.05	3.05	100.0%	2.16	70.9%	27	R4	K3	
145.09	148.14	3.05	3.05	100.0%	2.06	67.6%	26	R4	K3	
148.14	151.18	3.05	3.05	100.0%	1.82	59.7%	32	R4	K3	
151.18	154.23	3.05	3.05	100.0%	1.54	50.5%	34	R4	K3	
154.23	157.28	3.05	3.05	100.0%	1.70	55.8%	32	R4	K3	
157.28	160.33	3.05	3.05	100.0%	1.86	61.0%	34	R4	K3	
160.33	163.38	3.05	3.05	100.0%	1.57	51.5%	35	R4	K3	
163.38	166.42	3.05	3.05	100.0%	1.82	59.7%	32	R4	K3	
166.42	169.47	3.05	3.05	100.0%	0.65	21.3%	51	R4	K3	
169.47	172.52	3.05	3.05	100.0%	1.26	41.3%	36	R4	K3	

Mount Polley Mine - Geotechnical Logging

Mount Polley Mine - Geotechnical Logging										
Hole:	99B-3	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
172.52	175.57	3.05		0.0%	1.38	45.3%	43	R4	K3	
175.57	178.62	3.05	3.05	100.0%	2.23	73.2%	20	R4	K3	
178.62	181.66	3.05	3.05	100.0%	2.10	68.9%	26	R4	K3	
181.66	184.71	3.05	3.05	100.0%	3.01	98.8%	8	R4	K3	
184.71	187.76	3.05	3.05	100.0%	2.60	85.3%	15	R4	K3	
187.76	190.81	3.05	3.05	100.0%	1.75	57.4%	33	R4	K3	
190.81	193.86	3.05	3.05	100.0%	2.12	69.6%	20	R4	K3	
193.86	196.90	3.05	3.05	100.0%	2.97	97.4%	13	R4	K3	
196.90	199.95	3.05	3.05	100.0%	2.27	74.5%	24	R4	K3	
199.95	203.00	3.05	3.05	100.0%	1.63	53.5%	34	R4	K3	
203.00	206.05	3.05	3.05	100.0%	2.07	67.9%	30	R4	K3	
206.05	209.10	3.05	3.05	100.0%	1.38	45.3%	41	R4	K3	
209.10	212.14	3.05	3.05	100.0%	2.28	74.8%	19	R4	K3	
212.14	215.19	3.05	3.05	100.0%	2.28	74.8%	24	R4	K3	
215.19	218.24	3.05	3.05	100.0%	2.12	69.6%	27	R4	K3	
218.24	221.29	3.05	3.05	100.0%	0.73	24.0%	47	R4	K3	
221.29	224.34	3.05	3.05	100.0%	1.61	52.8%	30	R4	K3	
224.34	227.38	3.05	3.05	100.0%	2.29	75.1%	20	R4	K3	
227.38	230.43	3.05	3.05	100.0%	2.31	75.8%	22	R4	K3	
230.43	233.48	3.05	3.05	100.0%	1.15	37.7%	43	R4	K3	
233.48	236.53	3.05	3.05	100.0%	1.56	51.2%	36	R4	K3	
236.53	239.58	3.05	3.05	100.0%	1.00	32.8%	54	R4	K3	
239.58	242.62	3.05	3.05	100.0%	1.74	57.1%	30	R4	K3	
242.62	245.67	3.05	3.05	100.0%	1.79	58.7%	33	R4	K3	
245.67	248.72	3.05	3.05	100.0%	2.02	66.3%	24	R4	K3	
248.72	251.77	3.05	3.05	100.0%	2.57	84.3%	19	R4	K3	
251.77	252.98	1.21	1.21	100.0%	0.64	52.8%	11	R4	K3	
252.98	254.81	1.83	1.83	100.0%	1.00	54.6%	20	R4	K3	
254.81	257.86	3.05	3.05	100.0%	2.21	72.5%	26	R4	K3	

Mount Polley Mine - Geotechnical Logging

Hole:	99B-4	N:	4099.07	Logger:	CJW					Page: 1 of 2
Drill date:	9/1/99	E:	2149.07	Core size:	NQ2					
Log date:	9/3/99	Elev.	1158.14	Length:	309.98 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	4.27	4.27	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
4.27	5.18	0.91	0.83	91.2%	-	0.0%	14	R4	K4	
5.18	8.23	3.05	3.05	100.0%	2.14	70.2%	19	R4	K4	
8.23	11.28	3.05	3.05	100.0%	0.72	23.6%	49	R4	K4	
11.28	14.32	3.05	3.05	100.0%	2.54	83.3%	18	R4	K4	
14.32	17.37	3.05	3.05	100.0%	2.08	68.2%	32	R4	K4	
17.37	20.42	3.05	3.05	100.0%	2.84	93.2%	10	R4	K4	
20.42	23.47	3.05	3.05	100.0%	3.05	100.0%	11	R4	K4	
23.47	26.52	3.05	3.05	100.0%	2.79	91.5%	12	R4	K4	
26.52	29.56	3.05	3.05	100.0%	2.23	73.2%	27	R4	K4	
29.56	32.61	3.05	3.05	100.0%	2.54	83.3%	19	R4	K4	
32.61	35.66	3.05	3.05	100.0%	2.26	74.1%	22	R4	K4	
35.66	38.71	3.05	3.05	100.0%	2.06	67.6%	22	R4	K4	
38.71	41.76	3.05	3.05	100.0%	1.97	64.6%	24	R4	K4	
41.76	44.80	3.05	3.05	100.0%	2.79	91.5%	20	R4	K4	
44.80	47.85	3.05	3.05	100.0%	2.31	75.8%	19	R4	K4	
47.85	50.90	3.05	3.05	100.0%	2.45	80.4%	23	R4	K4	
50.90	53.95	3.05	3.05	100.0%	2.78	91.2%	17	R4	K4	
53.95	57.00	3.05	3.05	100.0%	2.00	65.6%	23	R4	K4	
57.00	60.04	3.05	3.05	100.0%	2.26	74.1%	20	R4	K4	
60.04	63.09	3.05	3.05	100.0%	2.64	86.6%	19	R4	K4	
63.09	66.14	3.05	3.05	100.0%	2.63	86.3%	19	R4	K4	
66.14	69.19	3.05	3.05	100.0%	2.00	65.6%	21	R4	K4	
69.19	72.24	3.05	3.05	100.0%	2.72	89.2%	17	R4	K4	
72.24	75.28	3.05	3.05	100.0%	2.03	66.6%	27	R4	K4	
75.28	78.33	3.05	3.05	100.0%	0.80	26.2%	37	R4	K4	
78.33	81.38	3.05	3.05	100.0%	2.04	66.9%	28	R4	K4	
81.38	84.43	3.05	3.05	100.0%	2.87	94.2%	17	R4	K4	
84.43	87.48	3.05	3.05	100.0%	2.54	83.3%	19	R4	K4	
87.48	90.52	3.05	3.05	100.0%	2.32	76.1%	28	R4	K4	
90.52	93.57	3.05	3.05	100.0%	2.53	83.0%	18	R4	K4	
93.57	96.62	3.05	3.05	100.0%	2.41	79.1%	18	R4	K4	
96.62	99.67	3.05	3.05	100.0%	2.67	87.6%	17	R4	K4	
99.67	102.72	3.05	3.05	100.0%	2.56	84.0%	20	R4	K4	
102.72	105.76	3.05	3.05	100.0%	2.82	92.5%	12	R4	K4	
105.76	108.81	3.05	3.05	100.0%	2.49	81.7%	17	R4	K4	
108.81	110.84	1.83	1.83	100.0%	1.02	55.7%	30	R4	K4	
110.84	111.86	1.22	1.22	100.0%	0.88	72.1%	7	R4	K4	
111.86	114.91	3.05	3.05	100.0%	2.79	91.5%	15	R4	K4	
114.91	117.96	3.05	3.05	100.0%	2.04	66.9%	28	R4	K4	
117.96	121.00	3.05	3.05	100.0%	1.60	52.5%	40	R4	K4	
121.00	124.05	3.05	3.05	100.0%	1.99	65.3%	29	R4	K4	
124.05	127.10	3.05	3.05	100.0%	2.86	93.8%	12	R4	K4	
127.10	130.15	3.05	3.05	100.0%	2.59	85.0%	24	R4	K1	PPg
130.15	133.20	3.05	3.05	100.0%	2.58	84.6%	20	R4	K1	
133.20	136.24	3.05	3.05	100.0%	2.29	75.1%	25	R4	K1	
136.24	139.29	3.05	3.05	100.0%	1.92	63.0%	30	R4	K1	
139.29	142.34	3.05	3.05	100.0%	2.82	92.5%	17	R4	K1	
142.34	145.39	3.05	3.05	100.0%	2.75	90.2%	17	R4	K1	
145.39	148.44	3.05	3.05	100.0%	2.60	85.3%	20	R4	K1	
148.44	151.48	3.05	3.05	100.0%	2.30	75.5%	28	R4	K1	
151.48	154.53	3.05	3.05	100.0%	1.77	58.1%	33	R4	K1	
154.53	157.58	3.05	3.05	100.0%	2.90	95.1%	14	R4	K1	
157.58	160.63	3.05	3.05	100.0%	2.88	94.5%	15	R4	K1	
160.63	163.68	3.05	3.05	100.0%	2.51	82.3%	19	R4	K1	
163.68	166.72	3.05	3.05	100.0%	1.09	35.8%	>60	R4	K1	164.7 FLT; 166.1 AP
166.72	169.77	3.05	3.05	100.0%	0.31	10.2%	>60	R4	K1	AP dyke 1-10cm pieces
169.77	172.82	3.05	3.05	100.0%	1.34	44.0%	>60	R4	K1	171.1 AP-PPp contact

Mount Polley Mine - Geotechnical Logging

Mount Polley Mine - Geotechnical Logging										
Hole:	99B-4	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
172.82	175.87	3.05	3.05	100.0%	2.06	67.6%	23	R4	K4	
175.87	178.92	3.05	3.05	100.0%	2.87	94.2%	19	R4	K4	
178.92	181.96	3.05	3.05	100.0%	2.66	87.3%	18	R4	K4	
181.96	185.01	3.05	3.05	100.0%	2.43	79.7%	22	R4	K4	
185.01	188.06	3.05	3.05	100.0%	2.42	79.4%	17	R4	K4	
188.06	191.11	3.05	3.05	100.0%	2.50	82.0%	20	R4	K4	190.5 AP dyke contact
191.11	194.16	3.05	3.05	100.0%	1.32	43.3%	40	R4	K4	191.2 AP dyke contact
194.16	197.20	3.05	3.05	100.0%	0.90	29.5%	>60	R4	K4	194.4 Contact
197.20	200.25	3.05	3.05	100.0%	2.10	68.9%	31	R4	K4	
200.25	203.30	3.05	3.05	100.0%	2.22	72.8%	37	R4	K4	201.6-201.9 Rubble
203.30	206.35	3.05	3.05	100.0%	2.61	85.6%	16	R4	K4	
206.35	209.40	3.05	3.05	100.0%	1.72	56.4%	31	R4	K4	
209.40	212.44	3.05	3.05	100.0%	1.80	59.1%	32	R4	K4	
212.44	215.49	3.05	3.05	100.0%	2.28	74.8%	24	R4	K4	
215.49	218.54	3.05	3.05	100.0%	1.43	46.9%	34	R4	K4	
218.54	221.59	3.05	3.05	100.0%	0.98	32.2%	43	R4	K4	
221.59	224.64	3.05	3.05	100.0%	2.46	80.7%	19	R4	K4	
224.64	227.68	3.05	3.05	100.0%	2.40	78.7%	22	R4	K4	
227.68	230.73	3.05	3.05	100.0%	2.47	81.0%	22	R4	K4	
230.73	233.78	3.05	3.05	100.0%	2.00	65.6%	31	R4	K4	
233.78	236.83	3.05	3.05	100.0%	1.85	60.7%	33	R4	K4	
236.83	239.88	3.05	3.05	100.0%	1.51	49.5%	34	R4	K4	
239.88	242.92	3.05	3.05	100.0%	1.47	48.2%	36	R4	K4	
242.92	245.97	3.05	3.05	100.0%	2.15	70.5%	24	R4	K4	
245.97	249.02	3.05	3.05	100.0%	1.82	59.7%	29	R4	K4	
249.02	252.07	3.05	3.05	100.0%	2.35	77.1%	28	R4	K4	
252.07	255.12	3.05	3.05	100.0%	2.02	66.3%	26	R4	K4	
255.12	258.16	3.05	3.05	100.0%	1.81	59.4%	27	R4	K4	
258.16	261.21	3.05	3.05	100.0%	2.64	86.6%	15	R4	K4	
261.21	264.26	3.05	3.05	100.0%	2.63	86.3%	15	R4	K4	
264.26	267.31	3.05	3.05	100.0%	2.50	82.0%	20	R4	K4	
267.31	270.36	3.05	3.05	100.0%	2.37	77.8%	22	R4	K4	
270.36	273.40	3.05	3.05	100.0%	1.97	64.6%	25	R4	K4	
273.40	276.45	3.05	3.05	100.0%	2.06	67.6%	23	R4	K4	
276.45	279.50	3.05	3.05	100.0%	2.63	86.3%	13	R4	K4	
279.50	282.55	3.05	3.05	100.0%	2.93	96.1%	11	R4	K4	
282.55	285.60	3.05	3.05	100.0%	1.74	57.1%	31	R4	K4	
285.60	288.64	3.05	3.05	100.0%	2.42	79.4%	22	R4	K4	
288.64	291.69	3.05	3.05	100.0%	2.06	68.2%	26	R4	K4	
291.69	294.74	3.05	3.05	100.0%	2.06	67.6%	24	R4	K4	
294.74	297.79	3.05	3.05	100.0%	1.32	43.3%	33	R4	K4	
297.79	300.84	3.05	3.05	100.0%	0.98	32.2%	36	R4	K4	
300.84	303.88	3.05	3.05	100.0%	1.35	44.3%	40	R4	K4	
303.88	306.93	3.05	3.05	100.0%	2.00	65.6%	23	R4	K4	
306.93	309.98	3.05	3.05	100.0%	1.41	46.3%	34	R4	K4	

Mount Polley Mine - Geotechnical Logging

Hole:	99B-5	N:	4150.48	Logger:	CJW					Page: 1 of 2
Drill date:	8/29/99	E:	2208.65	Core size:	NQ2					
Log date:	8/30/99	Elev.	1153.49	Length:	245.97	m				
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
3.05	6.10	3.05	2.40	78.7%	0.73	24.0%	36	R4	oxide	
6.10	8.23	2.13	1.96	91.9%	0.10	4.7%	44	R4	oxide	
8.23	9.75	1.52	1.52	100.0%	1.17	77.0%	16	R4	oxide	end oxide on fractures
9.75	11.28	1.53	1.53	100.0%	1.31	85.6%	8	R4	K3	
11.28	14.33	3.05	3.05	100.0%	2.64	86.6%	20	R4	K3	
14.33	16.46	2.13	2.13	100.0%	1.79	84.0%	17	R4	K3	
16.46	17.37	0.91	0.91	100.0%	0.47	51.6%	12	R4	K3	
17.37	20.42	3.05	3.05	100.0%	3.05	100.0%	11	R4	K3	
20.42	23.47	3.05	3.05	100.0%	3.05	100.0%	9	R4	K3	
23.47	26.51	3.05	3.05	100.0%	2.93	96.1%	12	R4	K3	
26.51	29.56	3.05	3.05	100.0%	1.53	50.2%	38	R4	K3	
29.56	32.61	3.05	3.05	100.0%	2.51	82.3%	21	R4	K3	
32.61	35.66	3.05	3.05	100.0%	2.40	78.7%	15	R4	K3	
35.66	38.71	3.05	3.05	100.0%	1.80	59.1%	30	R4	K3	
38.71	41.75	3.05	3.05	100.0%	0.57	18.7%	54	R4	K3	
41.75	44.80	3.05	3.05	100.0%	1.76	57.7%	28	R4	K3	
44.80	47.85	3.05	3.05	100.0%	1.40	45.9%	40	R4	K3	46.6-47.0 Rubble
47.85	50.90	3.05	3.05	100.0%	0.40	13.1%	55	R4	K3	49.3-49.8 Rubble
50.90	53.95	3.05	3.05	100.0%	1.11	36.4%	51	R4	K3	
53.95	56.99	3.05	3.05	100.0%	1.24	40.7%	41	R4	K3	
56.99	60.04	3.05	3.05	100.0%	0.85	27.9%	49	R4	K3	
60.04	63.09	3.05	3.05	100.0%	1.19	39.0%	45	R4	K3	
63.09	66.14	3.05	3.05	100.0%	1.43	46.9%	33	R4	K3	
66.14	69.19	3.05	3.05	100.0%	1.03	33.8%	40	R4	K3	68.4-68.7 Rubble, ser shear
69.19	72.23	3.05	3.05	100.0%	0.26	8.5%	60	R4	K3	71.9-72.24 Rubble
72.23	75.28	3.05	3.05	100.0%	1.06	34.8%	48	R4	K3	
75.28	78.33	3.05	3.05	100.0%	1.49	48.9%	32	R4	K3	
78.33	81.38	3.05	3.05	100.0%	2.10	68.9%	26	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.73	89.6%	11	R4	K3	
84.43	87.47	3.05	3.05	100.0%	1.80	59.1%	30	R4	K3	
87.47	90.52	3.05	3.05	100.0%	1.89	62.0%	28	R4	K3	
90.52	93.57	3.05	3.05	100.0%	2.47	81.0%	22	R4	K3	
93.57	96.62	3.05	3.05	100.0%	0.87	28.5%	55	R4	K3	95.0-96.1 Brittle frac volc
96.62	99.67	3.05	3.05	100.0%	1.70	55.8%	36	R4	K3	
99.67	102.71	3.05	3.05	100.0%	1.90	62.3%	36	R4	K3	
102.71	105.76	3.05	3.05	100.0%	1.95	64.0%	35	R4	K3	104.9-105.8 Rubble
105.76	108.81	3.05	3.05	100.0%	0.87	28.5%	47	R4	K3	
108.81	111.86	3.05	3.05	100.0%	1.13	37.1%	47	R4	K3	
111.86	114.91	3.05	3.05	100.0%	2.13	69.9%	21	R4	K3	
114.91	117.95	3.05	3.05	100.0%	2.44	80.1%	20	R4	K3	
117.95	121.00	3.05	3.05	100.0%	3.03	99.4%	10	R4	K3	
121.00	124.05	3.05	3.05	100.0%	2.36	77.4%	22	R4	K3	
124.05	127.10	3.05	3.05	100.0%	2.82	92.5%	14	R4	K3	
127.10	130.15	3.05	3.05	100.0%	2.43	79.7%	20	R4	K3	
130.15	133.19	3.05	3.05	100.0%	2.68	87.9%	19	R4	K3	
133.19	136.24	3.05	3.05	100.0%	2.61	85.6%	20	R4	K3	
136.24	139.29	3.05	3.05	100.0%	2.03	66.6%	26	R4	K3	
139.29	142.34	3.05	3.05	100.0%	2.02	66.3%	27	R4	K3	
142.34	145.39	3.05	3.05	100.0%	2.14	70.2%	24	R4	K3	
145.39	148.43	3.05	3.05	100.0%	1.82	59.7%	34	R4	K3	
148.43	151.48	3.05	3.05	100.0%	2.40	78.7%	26	R4	K3	
151.48	154.53	3.05	3.05	100.0%	2.08	68.2%	28	R4	K3	
154.53	157.58	3.05	3.05	100.0%	0.70	23.0%	53	R4	K3	
157.58	160.63	3.05	3.05	100.0%	1.03	33.8%	55	R4	K3	
160.63	163.67	3.05	3.05	100.0%	1.22	40.0%	41	R4	K3	
163.67	166.72	3.05	3.05	100.0%	1.90	62.3%	31	R4	K3	
166.72	169.77	3.05	3.05	100.0%	2.47	81.0%	27	R4	K3	

Mount Polley Mine - Geotechnical Logging

Mount Polley Mine - Geotechnical Logging										
Hole:	99B-6	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
169.77	172.82	3.05	3.05	100.0%	1.23	40.4%	47	R4	K3	
172.82	175.87	3.05	3.05	100.0%	0.29	9.5%	57	R4	K3	
175.87	178.91	3.05	3.05	100.0%	0.60	19.7%	50	R4	K3	
178.91	181.96	3.05	3.05	100.0%	1.86	61.0%	30	R4	K3	
181.96	185.01	3.05	3.05	100.0%	1.82	59.7%	32	R4	K3	
185.01	188.06	3.05	3.05	100.0%	2.08	68.2%	26	R4	K3	
188.06	191.11	3.05	3.05	100.0%	1.47	48.2%	>50	R4	K3	190.5-191.1 Rubble, gouge.
191.11	194.15	3.05	3.05	100.0%	2.28	74.8%	26	R4	K3	
194.15	197.20	3.05	3.05	100.0%	1.93	63.3%	27	R4	K3	
197.20	200.25	3.05	3.05	100.0%	2.37	77.8%	16	R4	K3	
200.25	203.30	3.05	3.05	100.0%	1.29	42.3%	37	R4	K3	
203.30	206.35	3.05	3.05	100.0%	2.61	85.6%	17	R4	K3	
206.35	209.39	3.05	3.05	100.0%	1.62	53.1%	39	R4	K3	
209.39	212.44	3.05	3.05	100.0%	2.16	70.9%	25	R4	K3	
212.44	215.49	3.05	3.05	100.0%	1.86	61.0%	29	R4	K3	
215.49	218.54	3.05	3.05	100.0%	1.43	46.9%	32	R4	K3	
218.54	221.59	3.05	3.05	100.0%	2.11	69.2%	26	R4	K3	
221.59	224.63	3.05	3.05	100.0%	1.60	52.5%	35	R4	K3	
224.63	227.68	3.05	3.05	100.0%	1.93	63.3%	28	R4	K3	
227.68	230.73	3.05	3.05	100.0%	2.58	84.6%	21	R4	K3	
230.73	233.78	3.05	3.05	100.0%	2.60	85.3%	17	R4	K3	
233.78	236.83	3.05	3.05	100.0%	2.55	83.7%	23	R4	K3	
236.83	239.87	3.05	3.05	100.0%	2.73	89.6%	14	R4	K3	
239.87	242.92	3.05	3.05	100.0%	2.25	73.8%	23	R4	K3	
242.92	245.97	3.05	3.05	100.0%	2.60	85.3%	21	R4	K3	

Mount Polley Mine - Geotechnical Logging

Hole:	99B-6	N:	4124.88	Logger:	CJW					Page: 1 of 2
Drill date:	09/15/99	E:	2054.36	Core size:	NQ2					
Log date:	10/12/99	Elev.	1162.71	Length:	194.16 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
3.05	5.18	2.13	2.10	98.6%	0.12	5.6%	42	R4	K3	
5.18	8.23	3.05	3.00	98.4%	1.64	53.8%	35	R4	K3	
8.23	11.28	3.05	2.62	86.0%	0.21	6.9%	42	R4	K3	
11.28	14.32	3.05	3.05	100.0%	0.65	21.3%	41	R4	K3	12.7-13.6 FAULT
14.32	17.37	3.05	3.05	100.0%	0.69	22.6%	47	R4	K3	16.7-16.8 FAULT
17.37	20.42	3.05	3.05	100.0%	2.17	71.2%	26	R4	K3	
20.42	23.47	3.05	3.05	100.0%	2.08	68.2%	26	R4	K3	
23.47	26.52	3.05	3.05	100.0%	1.59	52.2%	35	R4	K3	
26.52	29.56	3.05	3.05	100.0%	1.84	60.4%	28	R4	K3	
29.56	32.61	3.05	3.05	100.0%	0.59	19.4%	50	R4	K3	30.6-31.3 FAULT
32.61	35.66	3.05	3.05	100.0%	0.63	20.7%	54	R4	K3	
35.66	38.71	3.05	3.05	100.0%	0.80	26.2%	52	R4	K3	
38.71	41.76	3.05	3.05	100.0%	0.65	21.3%	56	R4	K3	
41.76	44.80	3.05	3.05	100.0%	1.73	56.8%	30	R4	K3	
44.80	47.85	3.05	3.05	100.0%	1.44	47.2%	49	R4	K3	
47.85	50.90	3.05	3.05	100.0%	2.46	80.7%	27	R4	K3	
50.90	53.95	3.05	3.05	100.0%	2.50	82.0%	23	R4	K3	
53.95	57.00	3.05	3.05	100.0%	2.38	78.1%	21	R4	K3	
57.00	60.04	3.05	3.05	100.0%	2.53	83.0%	18	R4	K3	
60.04	63.09	3.05	3.05	100.0%	2.77	90.9%	17	R4	K3	
63.09	66.14	3.05	3.05	100.0%	1.94	63.6%	37	R4	K3	
66.14	69.19	3.05	3.05	100.0%	1.50	49.2%	33	R4	K3	
69.19	72.24	3.05	3.05	100.0%	2.06	67.6%	28	R4	K3	
72.24	75.28	3.05	3.05	100.0%	1.67	54.8%	36	R4	K3	
75.28	78.33	3.05	3.05	100.0%	1.65	54.1%	36	R4	K3	
78.33	81.38	3.05	3.05	100.0%	2.48	81.4%	21	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.57	84.3%	21	R4	K3	
84.43	87.48	3.05	3.05	100.0%	3.05	100.0%	9	R4	K3	
87.48	90.52	3.05	3.05	100.0%	2.67	87.6%	14	R4	K3	
90.52	93.57	3.05	3.05	100.0%	2.42	79.4%	20	R4	K3	
93.57	96.62	3.05	3.05	100.0%	1.62	53.1%	46	R4	K3	94.8-99.1 AP dyke, frac'd
96.62	99.67	3.05	3.05	100.0%	0.62	20.3%	57	R4	K3	
99.67	102.72	3.05	3.05	100.0%	2.05	67.3%	34	R4	K3	101.2-102.4 FAULT
102.72	105.76	3.05	3.05	100.0%	2.15	70.5%	30	R4	K3	
105.76	108.81	3.05	3.05	100.0%	1.77	58.1%	34	R4	K3	105.8-106.2 Series of narrow gougy faults (1cm)
108.81	111.86	3.05	3.05	100.0%	2.76	90.6%	20	R4	K3	
111.86	114.91	3.05	3.05	100.0%	1.70	55.8%	27	R4	K3	
114.91	117.96	3.05	3.05	100.0%	1.96	64.3%	30	R4	K3	
117.96	121.00	3.05	3.05	100.0%	1.44	47.2%	36	R4	K3	
121.00	124.05	3.05	3.05	100.0%	2.68	87.9%	16	R4	K3	
124.05	127.10	3.05	3.05	100.0%	2.06	67.6%	26	R4	K3	
127.10	130.15	3.05	3.05	100.0%	2.62	86.0%	17	R4	K3	
130.15	133.20	3.05	3.05	100.0%	2.43	79.7%	22	R4	K3	
133.20	136.24	3.05	3.05	100.0%	3.00	98.4%	11	R4	K3	
136.24	139.29	3.05	3.05	100.0%	2.68	87.9%	13	R4	K3	
139.29	142.34	3.05	3.05	100.0%	2.80	91.9%	13	R4	K3	
142.34	145.39	3.05	3.05	100.0%	1.85	60.7%	30	R4	K3	
145.39	148.44	3.05	3.05	100.0%	2.34	76.8%	24	R4	K3	
148.44	151.48	3.05	3.05	100.0%	2.55	83.7%	19	R4	K3	
151.48	154.53	3.05	3.05	100.0%	2.66	87.3%	17	R4	K3	
154.53	157.58	3.05	3.05	100.0%	2.96	97.1%	11	R4	K3	
157.58	160.63	3.05	3.05	100.0%	2.89	94.8%	13	R4	K3	
160.63	163.68	3.05	3.05	100.0%	2.18	71.5%	20	R4	K3	
163.68	166.72	3.05	3.05	100.0%	1.62	53.1%	28	R4	K3	Increased faulting
166.72	169.77	3.05	3.05	100.0%	-	0.0%	>100	R4	K3	Gouge
169.77	172.21	2.44	2.44	100.0%	0.48	19.7%	>100	R4	K3	Gouge
172.21	172.82	0.61	0.61	100.0%	0.10	16.4%	12	R4	K3	Numerous gougy slips

[illegible]

	Comments
--	-----------------

[illegible]

Mount Polley Mine - Geotechnical Logging

Hole:	99B-7	N:	4200.08	Logger:	CJW					Page: 1 of 2
Drill date:	8/26/99	E:	2146.79	Core size:	NQ2					
Log date:	9/21/99	Elev.	1148.472	Length:	258.17 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-	0.0%	n/a	n/a	n/a	n/a	n/a	Cased to 24", core from 10'
3.05	5.18	2.13	1.70	79.8%	0.12	5.6%	>50	R4	K3	Bx
5.18	8.23	3.05	2.95	96.8%	1.58	51.8%	15	R4	K3	
8.23	11.28	3.05	3.05	100.0%	2.69	88.3%	18	R4	K3	
11.28	14.32	3.05	3.05	100.0%	2.13	69.9%	20	R4	K3	
14.32	17.37	3.05	3.05	100.0%	2.82	92.5%	10	R4	K3	
17.37	20.42	3.05	3.05	100.0%	2.63	86.3%	11	R4	K3	
20.42	23.47	3.05	3.05	100.0%	2.37	77.8%	22	R4	K3	
23.47	26.52	3.05	3.05	100.0%	2.96	97.1%	12	R4	K3	
26.52	29.56	3.05	3.05	100.0%	2.41	79.1%	19	R4	K3	
29.56	32.61	3.05	3.05	100.0%	2.55	83.7%	16	R4	K3	
32.61	35.66	3.05	3.05	100.0%	3.05	100.0%	10	R4	K3	
35.66	38.71	3.05	3.05	100.0%	2.75	90.2%	14	R4	K3	
38.71	41.76	3.05	3.05	100.0%	2.30	75.5%	22	R4	K3	
41.76	44.80	3.05	3.05	100.0%	0.99	32.5%	53	R4	K3	
44.80	47.85	3.05	3.05	100.0%	2.41	79.1%	20	R4	K3	
47.85	50.90	3.05	3.05	100.0%	2.43	79.7%	23	R4	K3	
50.90	53.95	3.05	3.05	100.0%	2.22	72.8%	28	R4	K3	
53.95	57.00	3.05	3.05	100.0%	2.23	73.2%	25	R4	K3	
57.00	60.04	3.05	3.05	100.0%	2.74	89.9%	22	R4	K3	
60.04	63.09	3.05	3.05	100.0%	2.63	86.3%	18	R4	K3	
63.09	66.14	3.05	3.05	100.0%	2.77	90.9%	19	R4	K3	
66.14	69.19	3.05	3.05	100.0%	3.00	98.4%	14	R4	K3	
69.19	72.24	3.05	3.05	100.0%	2.48	81.4%	18	R4	K3	
72.24	75.28	3.05	3.05	100.0%	2.65	86.9%	16	R4	K3	
75.28	78.33	3.05	3.05	100.0%	2.29	75.1%	18	R4	K3	
78.33	81.38	3.05	3.05	100.0%	2.41	79.1%	22	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.67	87.6%	20	R4	K3	
84.43	87.48	3.05	3.05	100.0%	3.00	98.4%	10	R4	K3	
87.48	90.52	3.05	3.05	100.0%	2.24	73.5%	22	R4	K1	PPg
90.52	93.57	3.05	3.05	100.0%	2.24	73.5%	29	R4	K1	
93.57	96.62	3.05	3.05	100.0%	2.27	74.5%	26	R4	K1	
96.62	99.67	3.05	3.05	100.0%	2.07	67.9%	27	R4	K1	
99.67	102.72	3.05	3.05	100.0%	2.08	68.2%	30	R4	K1	
102.72	105.76	3.05	3.05	100.0%	1.36	44.6%	42	R4	K1	
105.76	108.81	3.05	3.05	100.0%	1.92	63.0%	29	R4	K1	
108.81	111.86	3.05	3.05	100.0%	1.98	65.0%	33	R4	K1	
111.86	114.91	3.05	3.05	100.0%	1.05	34.4%	47	R4	K1	
114.91	117.96	3.05	3.05	100.0%	1.46	47.9%	36	R4	K1	
117.96	121.00	3.05	3.05	100.0%	1.73	56.8%	39	R4	K1	
121.00	124.05	3.05	3.05	100.0%	1.93	63.3%	34	R4	K1	
124.05	127.10	3.05	3.05	100.0%	1.07	35.1%	37	R4	K1	
127.10	130.15	3.05	3.05	100.0%	0.34	11.2%	58	R4	K1	
130.15	133.20	3.05	3.05	100.0%	1.47	48.2%	43	R4	K1	
133.20	136.24	3.05	3.05	100.0%	1.60	52.5%	31	R4	K4	
136.24	139.29	3.05	3.05	100.0%	1.72	56.4%	32	R4	K4	
139.29	142.34	3.05	3.05	100.0%	1.42	46.6%	39	R4	K4	
142.34	145.39	3.05	3.05	100.0%	2.02	66.3%	25	R4	K4	
145.39	148.44	3.05	3.05	100.0%	2.78	91.2%	17	R4	K4	
148.44	151.48	3.05	3.05	100.0%	2.73	89.6%	16	R4	K4	
151.48	154.53	3.05	3.05	100.0%	2.35	77.1%	18	R4	K4	
154.53	157.58	3.05	3.05	100.0%	2.39	78.4%	26	R4	K4	
157.58	160.63	3.05	3.05	100.0%	1.49	48.9%	33	R4	K4	
160.63	163.68	3.05	3.05	100.0%	1.74	57.1%	32	R4	K4	
163.68	166.72	3.05	3.05	100.0%	0.84	27.6%	44	R4	K4	
166.72	169.77	3.05	3.05	100.0%	1.62	53.1%	33	R4	K4	
169.77	172.82	3.05	3.05	100.0%	0.48	15.7%	60	R4	P1	170.7-176.5 AP
172.82	175.87	3.05	3.05	100.0%	0.11	3.6%	>100	R4	P1	

Mount Polley Mine - Geotechnical Logging

[illegible]

Page: 1 of 1

Hole:	99B-9	N:	4260.66	Logger:	CJW						Page: 1 of 1
Drill date:	8/24/99	E:	2107.08	Core size:	NQ2						
Log date:	8/25/99	Elev.	1142.80	Length:	98.76	m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments	
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)				
-	5.49	5.49	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased	
5.49	7.92	2.43	2.20	90.5%	0.30	12.3%	32	R3	K3	Broken at top of hole	
7.92	10.97	3.05	3.05	100.0%	1.30	42.7%	43	R3	K3		
10.97	14.02	3.05	3.05	100.0%	2.10	68.9%	24	R3	K3		
14.02	17.06	3.05	3.05	100.0%	2.32	76.1%	22	R3	K3		
17.06	18.90	1.84	1.84	100.0%	0.41	22.3%	31	R3	K3		
18.90	20.42	1.52	1.52	100.0%	0.34	22.4%	23	R3	K3		
20.42	23.47	3.05	3.05	100.0%	1.05	34.4%	50	R3	K3		
23.47	26.52	3.05	3.05	100.0%	1.10	36.1%	49	R3	K3		
26.52	29.56	3.05	3.05	100.0%	1.83	60.0%	34	R3	K3		
29.56	32.61	3.05	3.05	100.0%	1.23	40.4%	48	R3	K3		
32.61	35.66	3.05	3.05	100.0%	1.59	52.2%	49	R3	K3		
35.66	38.71	3.05	3.05	100.0%	2.77	90.9%	18	R3	K3		
38.71	41.76	3.05	3.05	100.0%	2.38	78.1%	26	R3	K3		
41.76	44.80	3.05	3.05	100.0%	2.30	75.5%	24	R3	K3		
44.80	47.85	3.05	3.05	100.0%	1.68	55.1%	37	R3	K3		
47.85	50.90	3.05	3.05	100.0%	0.48	15.7%	60	R3	K3		
50.90	53.95	3.05	3.05	100.0%	2.19	71.9%	32	R3	K3		
53.95	57.00	3.05	3.05	100.0%	2.60	85.3%	22	R3	K3		
57.00	60.04	3.05	3.05	100.0%	2.16	70.9%	21	R3	K3		
60.04	63.09	3.05	3.05	100.0%	2.41	79.1%	20	R3	K3		
63.09	66.14	3.05	3.05	100.0%	1.75	57.4%	33	R3	K3		
66.14	69.19	3.05	3.05	100.0%	2.48	81.4%	21	R3	K3		
69.19	72.24	3.05	3.05	100.0%	1.84	60.4%	25	R3	K3		
72.24	75.28	3.05	3.05	100.0%	1.40	45.9%	31	R3	K3		
75.28	78.33	3.05	3.05	100.0%	2.45	80.4%	19	R3	K3		
78.33	81.38	3.05	3.05	100.0%	1.44	47.2%	37	R3	K3		
81.38	84.43	3.05	3.05	100.0%	2.18	71.5%	29	R3	K3		
84.43	87.48	3.05	3.05	100.0%	1.64	53.8%	37	R3	K3		
87.48	90.52	3.05	3.05	100.0%	0.11	3.6%	63	R3	K3		
90.52	93.57	3.05	3.05	100.0%	-	0.0%	>100	R3	K3	91.7-96.7 FLT; gougy	
93.57	96.62	3.05	3.05	100.0%	-	0.0%	>100	R3	K3	93.6 Gouge	
96.62	98.76	2.14	2.14	100.0%	0.72	33.6%	25	R3	K3	96.2 Highly fractured FW of fault	

Appendix 6b
Geotechnical Logs – South Cariboo Area

Mount Polley Mine - Geotechnical Logging

Hole:	99C-1	N:	2800.19	Logger:	CJW						Page: 1 of 2
Drill date:	9/5/99	E:	2399.25	Core size:	NQ2						
Log date:	9/7/99	Elev:	1129.62	Length:	236.83	m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments	
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)				
-	3.05	3.05	-		-		n/a	n/a	n/a	Casing	
3.05	5.18	2.13	1.95	91.4%	0.50	23.4%	37	R3	K3		
5.18	8.23	3.05	3.05	100.0%	0.53	17.4%	>60	R3	K3	1.1 m of rubble.	
8.23	11.28	3.05	3.05	100.0%	1.33	43.6%	38	R3	K3		
11.28	14.33	3.05	3.05	100.0%	0.51	16.7%	51	R3	K3	12.3-12.4 Fit gouge.	
14.33	17.37	3.05	3.05	100.0%	2.04	66.9%	34	R3	K3	12.6-13.4 Fit gouge.	
17.37	20.42	3.05	3.05	100.0%	1.60	52.5%	36	R3	K3	20.3-20.4 Rubble.	
20.42	23.47	3.05	3.05	100.0%	1.03	33.8%	45	R3	K3	21.7-22.1 Fit gouge & rubble.	
23.47	26.52	3.05	3.05	100.0%	0.71	23.3%	53	R3	K3	24.4-24.6,25.2,25.7 Rubble.	
26.52	29.57	3.05	3.05	100.0%	1.76	57.7%	34	R3	K3		
29.57	32.61	3.05	3.05	100.0%	1.29	42.3%	>50	R3	K3	31.6-32.4 Rubble.	
32.61	35.66	3.05	3.05	100.0%	1.53	50.2%	44	R3	K3	34.6-34.9,35.1-35.2 Rubble.	
35.66	38.71	3.05	3.05	100.0%	1.19	39.0%	48	R3	K3		
38.71	41.76	3.05	3.05	100.0%	1.80	59.1%	33	R3	K3		
41.76	44.81	3.05	3.05	100.0%	1.79	58.7%	33	R3	K3		
44.81	47.85	3.05	3.05	100.0%	1.41	46.3%	28	R3	K3		
47.85	50.90	3.05	3.05	100.0%	0.31	10.2%	52	R3	K3		
50.90	53.95	3.05	3.05	100.0%	2.38	78.1%	21	R3	K3		
53.95	57.00	3.05	3.05	100.0%	1.97	64.6%	25	R3	K3		
57.00	60.05	3.05	3.05	100.0%	2.30	75.5%	21	R3	K3		
60.05	63.09	3.05	3.05	100.0%	2.47	81.0%	20	R3	K3		
63.09	66.14	3.05	3.05	100.0%	2.86	93.8%	16	R3	K3		
66.14	69.19	3.05	3.05	100.0%	2.12	69.6%	21	R3	K3		
69.19	72.24	3.05	3.05	100.0%	2.26	74.1%	24	R3	K3		
72.24	75.29	3.05	3.05	100.0%	1.82	59.7%	33	R3	K3		
75.29	78.33	3.05	3.05	100.0%	1.60	52.5%	35	R3	K3		
78.33	81.38	3.05	3.05	100.0%	1.69	55.4%	38	R3	K3		
81.38	84.43	3.05	3.05	100.0%	2.02	66.3%	28	R3	K3		
84.43	87.48	3.05	3.05	100.0%	0.91	29.9%	46	R3	K3		
87.48	90.53	3.05	3.05	100.0%	1.24	40.7%	41	R3	K3		
90.53	93.57	3.05	3.05	100.0%	2.20	72.2%	20	R3	K3		
93.57	96.62	3.05	3.05	100.0%	1.64	53.8%	41	R3	K3		
96.62	99.67	3.05	3.05	100.0%	1.28	42.0%	43	R3	K3		
99.67	102.72	3.05	3.05	100.0%	1.73	56.8%	35	R3	K3	100.8-100.9 Rubble.	
102.72	105.77	3.05	3.05	100.0%	1.53	50.2%	42	R3	K3	104.7-104.9 Rubble, min gouge	
105.77	108.81	3.05	3.05	100.0%	2.47	81.0%	15	R3	K3	105.3-105.6 Rubble, min gouge.	
108.81	111.86	3.05	3.05	100.0%	1.24	40.7%	42	R3	K3	110.8-111.9 Highly fractured.	
111.86	114.91	3.05	3.05	100.0%	1.78	58.4%	23	R3	K3		
114.91	117.96	3.05	3.05	100.0%	2.32	76.1%	21	R3	K3		
117.96	121.01	3.05	3.05	100.0%	2.08	68.2%	22	R3	K3		
121.01	124.05	3.05	3.05	100.0%	1.37	44.9%	30	R3	K3		
124.05	127.10	3.05	3.05	100.0%	2.23	73.2%	25	R3	K3		
127.10	130.15	3.05	3.05	100.0%	2.38	78.1%	23	R3	K3		
130.15	133.20	3.05	3.05	100.0%	1.83	60.0%	32	R3	K3		
133.20	136.25	3.05	3.05	100.0%	1.50	49.2%	40	R3	K3		
136.25	139.29	3.05	3.05	100.0%	1.84	60.4%	32	R3	K3		
139.29	142.34	3.05	3.05	100.0%	1.99	65.3%	28	R3	K3		
142.34	145.39	3.05	3.05	100.0%	1.68	55.1%	34	R3	K3		
145.39	148.44	3.05	3.05	100.0%	1.92	63.0%	28	R3	K3		
148.44	151.49	3.05	3.05	100.0%	1.42	46.6%	36	R3	K3		
151.49	154.53	3.05	3.05	100.0%	2.51	82.3%	20	R3	K3		
154.53	157.58	3.05	3.05	100.0%	1.95	64.0%	26	R3	K3		
157.58	160.63	3.05	3.05	100.0%	2.11	69.2%	28	R3	K3		
160.63	163.68	3.05	3.05	100.0%	2.11	69.2%	25	R3	K3		
163.68	166.73	3.05	3.05	100.0%	2.14	70.2%	24	R3	K3		
166.73	169.77	3.05	3.05	100.0%	1.25	41.0%	36	R3	K3		
169.77	172.82	3.05	3.05	100.0%	1.47	48.2%	33	R3	K3		
172.82	175.87	3.05	3.05	100.0%	0.70	23.0%	50	R3	K3	175.0-175.9 Highly fractured.	

Mount Polley Mine - Geotechnical Logging

Hole:	99C-1	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
175.87	178.92	3.05	3.05	100.0%	0.76	24.9%	50	R3	K3	
178.92	181.97	3.05	3.05	100.0%	1.85	60.7%	22	R3	K3	
181.97	185.01	3.05	3.05	100.0%	1.67	54.8%	28	R3	K3	
185.01	188.06	3.05	3.05	100.0%	1.09	35.8%	31	R3	K3	
188.06	191.11	3.05	3.05	100.0%	2.52	82.7%	19	R3	K3	
191.11	194.16	3.05	3.05	100.0%	1.47	48.2%	30	R3	K3	
194.16	197.21	3.05	3.05	100.0%	1.64	53.8%	29	R3	K3	
197.21	200.25	3.05	3.05	100.0%	0.88	28.9%	44	R3	K3	
200.25	203.30	3.05	3.05	100.0%	2.10	68.9%	21	R3	K3	
203.30	206.35	3.05	3.05	100.0%	2.24	73.5%	24	R3	K3	
206.35	209.40	3.05	3.05	100.0%	1.74	57.1%	30	R3	K3	
209.40	212.45	3.05	3.05	100.0%	1.19	39.0%	40	R3	K3	
212.45	215.49	3.05	3.05	100.0%	1.77	58.1%	28	R3	K3	
215.49	218.54	3.05	3.05	100.0%	2.18	71.5%	25	R3	K3	
218.54	221.59	3.05	3.05	100.0%	2.23	73.2%	22	R3	K3	
221.59	224.64	3.05	3.05	100.0%	1.56	51.2%	35	R3	K3	
224.64	227.69	3.05	3.05	100.0%	0.41	13.5%	>60	R3	K3	Highly fractured.
227.69	230.73	3.05	3.05	100.0%	0.23	7.5%	>60	R3	K3	↓
230.73	233.78	3.05	3.05	100.0%	0.51	16.7%	>60	R3	K3	↓
233.78	236.83	3.05	3.05	100.0%	0.80	26.2%	>60	R3	K3	↓

Mount Polley Mine - Geotechnical Logging

Hole:	99C-2	N:	2811.82	Logger:	CJW					Page: 1 of 1
Drill date:	9/6/99	E:	2172.36	Core size:	NQ2					
Log date:	9/12/99	Elev.	1143.12	Length:	166.73	m				
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-		-		n/a	n/a	n/a	Casing
3.05	5.18	2.13	2.13	100.0%	0.79	37.0%	18	R4	K3	
5.18	8.23	3.05	3.05	100.0%	2.57	84.3%	18	R4	K3	
8.23	11.28	3.05	3.05	100.0%	2.82	92.5%	16	R4	K3	
11.28	14.33	3.05	3.05	100.0%	2.57	84.3%	18	R4	K3	
14.33	17.37	3.05	3.05	100.0%	2.75	90.2%	15	R4	K3	
17.37	20.42	3.05	3.05	100.0%	1.90	62.3%	28	R4	K3	
20.42	23.47	3.05	3.05	100.0%	0.53	17.4%	56	R4	K3	22.0-23.5 Strong fracturing.
23.47	26.52	3.05	3.05	100.0%	2.87	94.2%	17	R4	K3	
26.52	29.57	3.05	3.05	100.0%	1.74	57.1%	49	R4	K3	28.5-29.4 Strong fracturing.
29.57	32.61	3.05	3.05	100.0%	2.90	95.1%	13	R4	K3	
32.61	35.66	3.05	3.05	100.0%	2.75	90.2%	14	R4	K3	
35.66	38.71	3.05	3.05	100.0%	3.00	98.4%	13	R4	K3	
38.71	41.76	3.05	3.05	100.0%	2.85	93.5%	14	R4	K3	
41.76	44.81	3.05	3.05	100.0%	2.69	88.3%	17	R4	K3	
44.81	47.85	3.05	3.05	100.0%	2.77	90.9%	17	R4	K3	
47.85	50.90	3.05	3.05	100.0%	2.20	72.2%	21	R4	K3	
50.90	53.95	3.05	3.05	100.0%	2.33	76.4%	21	R4	K3	
53.95	57.00	3.05	3.05	100.0%	2.77	90.9%	14	R4	K3	
57.00	60.05	3.05	3.05	100.0%	2.70	88.6%	15	R4	K3	
60.05	63.09	3.05	3.05	100.0%	2.76	90.6%	16	R4	K3	
63.09	66.14	3.05	3.05	100.0%	2.52	82.7%	20	R4	K3	66.1-66.2 Flt gouge.
66.14	69.19	3.05	3.05	100.0%	0.74	24.3%	45	R4	K3	Dyke, fault.
69.19	72.24	3.05	3.05	100.0%	2.01	65.9%	23	R4	K3	
72.24	75.29	3.05	3.05	100.0%	2.72	89.2%	14	R4	K3	
75.29	78.33	3.05	3.05	100.0%	2.61	85.6%	18	R4	K3	
78.33	81.38	3.05	3.05	100.0%	2.82	92.5%	17	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.85	93.5%	14	R4	K3	
84.43	87.48	3.05	3.05	100.0%	2.99	98.1%	10	R4	K3	
87.48	90.53	3.05	3.05	100.0%	2.16	70.9%	24	R4	K3	
90.53	93.57	3.05	3.05	100.0%	2.61	85.6%	15	R4	K3	
93.57	96.62	3.05	3.05	100.0%	2.61	85.6%	16	R4	K3	
96.62	99.67	3.05	3.05	100.0%	1.94	63.6%	27	R4	K3	
99.67	102.72	3.05	3.05	100.0%	2.48	81.4%	21	R4	K3	
102.72	105.77	3.05	3.05	100.0%	2.44	80.1%	19	R4	K3	
105.77	108.81	3.05	3.05	100.0%	2.45	80.4%	16	R4	K3	
108.81	111.86	3.05	3.05	100.0%	2.51	82.3%	20	R4	K3	
111.86	114.91	3.05	3.05	100.0%	2.05	67.6%	22	R4	K3	111.1-111.3 Highly fractured.
114.91	117.96	3.05	3.05	100.0%	1.71	56.1%	36	R4	K3	
117.96	121.01	3.05	3.05	100.0%	1.96	65.0%	29	R4	K3	
121.01	124.05	3.05	3.05	100.0%	1.60	52.5%	35	R4	K3	
124.05	127.10	3.05	3.05	100.0%	2.69	88.3%	17	R4	K3	
127.10	130.15	3.05	3.05	100.0%	2.37	77.8%	22	R4	K3	
130.15	133.20	3.05	3.05	100.0%	2.23	73.2%	21	R4	K3	
133.20	136.25	3.05	3.05	100.0%	2.46	80.7%	20	R4	K3	
136.25	139.29	3.05	3.05	100.0%	1.94	63.6%	25	R4	K3	
139.29	142.34	3.05	3.05	100.0%	0.80	26.2%	>60	R4	K3	140.4-141.3 Flt; sandy gouge.
142.34	145.39	3.05	3.05	100.0%	1.66	54.5%	35	R1/R3	K3	144.8-145.4 Highly fractured.
145.39	148.44	3.05	3.05	100.0%	1.12	36.7%	42	R1/R3	K3	147.8 Gouge.
148.44	151.49	3.05	3.05	100.0%	0.58	19.0%	>60	R1/R3	K3	Polley Fault.
151.49	154.53	3.05	3.05	100.0%	0.69	22.6%	>60	R1/R3	K3	
154.53	157.58	3.05	3.05	100.0%	0.10	3.3%	>60	R1/R3	K3	
157.58	160.63	3.05	3.05	100.0%	0.32	10.5%	>60	R1/R3	K3	
160.63	162.46	1.83	1.83	100.0%	0.20	10.9%	>60	R1/R3	K3	
162.46	163.68	1.22	1.22	100.0%	0.33	27.0%	>60	R1/R3	K3	
163.68	166.73	3.05	3.05	100.0%	0.10	3.3%	>60	R1/R3	K3	▼

Mount Polley Mine - Geotechnical Log

Hole:	99C-3	N:	3099.76	Logger:	GG					Page: 1 of 1
Drill date:	9/17/99	E:	2174.30	Core size:	NQ2					
Log date:	9/28/99	Elev.	3099.76	Length:	1109.5 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	2.29	75.0%	0.46	15.0%	50	R3	K	
3.05	9.60	6.55	5.70	87.0%	3.93	60.0%	20	R3	K	
9.60	14.90	5.30	4.72	89.0%	4.35	82.0%	15	R4	K	
14.90	18.50	3.60	3.60	100.0%	3.42	95.0%	5	R4		dyke
18.50	29.00	10.50	10.19	97.0%	8.93	85.0%	10	R4	K	
29.00	34.80	5.80	5.80	100.0%	4.76	82.0%	10	R4	K	
34.80	36.00	1.20	1.18	98.0%	1.14	95.0%	10	R4	K	
36.00	62.30	26.30	25.77	98.0%	25.51	97.0%	15	R4	K	
62.30	66.20	3.90	0.39	10.0%	3.63	93.0%	10	R4	K	
66.20	67.80	1.60	1.58	99.0%	1.52	95.0%	10	R4	K	
67.80	71.60	3.80	3.72	98.0%	3.61	95.0%	5	R4		dyke
71.60	72.60	1.00	1.00	100.0%	0.94	94.0%	10	R4	K	
72.60	81.70	9.10	9.01	99.0%	8.83	97.0%	10	R4	K	
81.70	83.20	1.50	1.46	97.0%	1.43	95.0%	5	R4		dyke
83.20	88.40	5.20	5.04	97.0%	4.84	93.0%	15	R4	K	
88.40	108.00	19.60	19.40	99.0%	17.84	91.0%	10	R4	K	
108.00	115.20	7.20	7.13	99.0%	6.41	89.0%	10	R4	K	
115.20	137.20	22.00	22.00	100.0%	20.24	92.0%	10	R4	K	
137.20	143.00	5.80	5.80	100.0%	5.51	95.0%	5	R4	K	
143.00	145.20	2.20	2.09	95.0%	2.18	99.0%	10	R4	K	
145.20	152.50	7.30	7.15	98.0%	7.01	96.0%	5	R4	K	
152.50	161.80	9.30	9.02	97.0%	9.02	97.0%	10	R4	K	
161.80	166.60	4.80	4.61	96.0%	4.75	99.0%	10	R4	K	
166.60	171.00	4.40	4.40	100.0%	4.18	95.0%	15	R4	K	
171.00	185.60	14.60	11.83	81.0%	1.61	11.0%	MUSH	R2	K	POLLEY FAULT
185.60	200.40	14.80	14.50	98.0%	12.88	87.0%	15	R4	K	

Mount Polley Mine - Geotechnical Logging

Hole:	99C-4	N:	3134.45	Logger:	GG					Page: 1 of 1
Drill date:	9/19/99	E:	2331.65	Core size:	NQ2					
Log date:	9/22/99	Elev.	1139.57	Length:	264.4 m					
From (m)	To (m)	Length (m)	Recovery (m)	Percent (%)	RQD (m)	Percent (%)	Fractures (per run)	Strength	Alteration	Comments
-	3.05	3.05	2.65	87.0%	0.31	10.0%	50	R3	K	
3.05	8.30	5.25	5.15	98.0%	0.63	12.0%	20	R4	K	
8.30	12.00	3.70	3.66	99.0%	1.85	50.0%	10	R4	K	
12.00	17.00	5.00	5.00	100.0%	3.00	60.0%	10	R4	K	
17.00	26.00	9.00	9.00	100.0%	7.65	85.0%	15	R4	K	
26.00	32.60	6.60	6.60	100.0%	2.97	45.0%	20	R4	K	
32.60	44.00	11.40	11.40	100.0%	8.55	75.0%	10	R4	K	
44.00	58.00	14.00	14.00	100.0%	13.30	95.0%	10	R4	K	
58.00	66.00	8.00	8.00	100.0%	7.36	92.0%	10	R4	K	
66.00	88.50	22.50	22.50	100.0%	21.15	94.0%	10	R4	K	
88.50	92.00	3.50	3.47	99.0%	3.22	92.0%	10	R4	K	
92.00	99.70	7.70	7.70	100.0%	7.55	98.0%	10	R4	K	
99.70	104.00	4.30	4.30	100.0%	4.09	95.0%	10	R4	K	
104.00	109.00	5.00	5.00	100.0%	4.75	95.0%	15	R3	K	
109.00	111.70	2.70	2.70	100.0%	2.35	87.0%	20	R3	K	
111.70	143.40	31.70	31.38	99.0%	29.16	92.0%	15	R3	K	
143.40	163.00	19.60	19.40	99.0%	14.70	75.0%	20	R3	K	
163.00	177.30	14.30	12.87	90.0%	13.59	95.0%	15	R3	K	
177.30	188.30	11.00	11.00	100.0%	10.45	95.0%	10	R3	K	
188.30	190.00	1.70	1.70	100.0%	1.61	95.0%	10	R3	K	
190.00	239.20	49.20	48.71	99.0%	46.74	95.0%	15	R3	K	
239.20	253.00	13.80	12.01	87.0%	2.07	15.0%	mush	R2	CLAY	MAJOR FAULT
253.00	264.40	11.40	11.40	100.0%	11.17	98.0%	10	R3	K	

Mount Polley Mine - Geotechnical Logging

Hole:	89C-5	N:	2839.73	Logger:	CJW					Page: 1 of 2
Drill date:	9/24/99	E:	2199.32	Core size:	NQ2					
Log date:	9/24/99	Elev.	1138.55	Length:	215.49	m				
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-		-		n/a	n/a	n/a	Casing
3.05	5.18	2.13	1.80	84.4%	0.99	46.4%	20	R4	K3	7.2-8.2 Ft; rubble.
5.18	8.23	3.05	2.27	74.5%	1.01	33.1%	>50	R4	K3	
8.23	11.28	3.05	2.90	95.1%	0.32	10.5%	>50	R4	K3	
11.28	14.33	3.05	3.05	100.0%	1.83	60.0%	30	R4	K3	
14.33	17.37	3.05	3.05	100.0%	1.13	37.1%	45	R4	K3	
17.37	20.42	3.05	3.05	100.0%	0.60	19.7%	>50	R4	K3	
20.42	23.47	3.05	3.05	100.0%	0.88	28.9%	42	R4	K3	
23.47	26.52	3.05	3.05	100.0%	1.55	50.9%	36	R4	K3	
26.52	29.57	3.05	3.05	100.0%	0.57	18.7%	>50	R4	K3	
29.57	32.61	3.05	3.05	100.0%	0.69	22.6%	>50	R4	K3	Gougy sections.
32.61	35.66	3.05	3.05	100.0%	1.55	50.9%	36	R4	K3	
35.66	38.71	3.05	3.05	100.0%	1.14	37.4%	>50	R4	K3	36.7-37.0 Highly fractured.
38.71	41.76	3.05	3.05	100.0%	1.51	49.5%	32	R4	K3	38.0 5-10cm gouge.
41.76	44.81	3.05	3.05	100.0%	0.85	27.9%	>50	R4	K3	
44.81	47.85	3.05	3.05	100.0%	0.76	24.9%	>50	R4	K3	45.4-47.1 Rubbly, min gouge.
47.85	50.90	3.05	3.05	100.0%	1.44	47.2%	34	R4	K3	47.1-52.4 AP Dyke.
50.90	53.95	3.05	3.05	100.0%	1.31	43.0%	38	R4	K3	
53.95	57.00	3.05	3.05	100.0%	1.07	35.1%	>50	R4	K3	
57.00	60.05	3.05	3.05	100.0%	2.45	80.4%	17	R4	K3	
60.05	63.09	3.05	3.05	100.0%	2.54	83.3%	17	R4	K3	
63.09	66.14	3.05	3.05	100.0%	2.66	87.3%	14	R4	K3	AP Dyke.
66.14	69.19	3.05	3.05	100.0%	2.26	74.1%	18	R4	K3	
69.19	72.24	3.05	3.05	100.0%	2.32	76.1%	18	R4	K3	
72.24	75.29	3.05	3.05	100.0%	2.64	86.6%	18	R4	K3	
75.29	78.33	3.05	3.05	100.0%	2.61	85.6%	20	R4	K3	77.5-77.9 Ft; gougy.
78.33	81.38	3.05	3.05	100.0%	1.86	61.0%	26	R4	K3	
81.38	84.43	3.05	3.05	100.0%	2.65	86.9%	17	R4	K3	
84.43	87.48	3.05	3.05	100.0%	2.75	90.2%	15	R4	K3	
87.48	90.53	3.05	3.05	100.0%	2.73	89.6%	17	R4	K3	
90.53	93.57	3.05	3.05	100.0%	2.80	91.9%	16	R4	K3	
93.57	96.62	3.05	3.05	100.0%	2.51	82.3%	19	R4	K3	
96.62	99.67	3.05	3.05	100.0%	1.22	40.0%	35	R4	K3	
99.67	102.72	3.05	3.05	100.0%	2.04	66.9%	21	R4	K3	
102.72	105.77	3.05	3.05	100.0%	2.01	65.9%	23	R4	K3	
105.77	108.81	3.05	3.05	100.0%	2.37	77.8%	16	R4	K3	
108.81	111.86	3.05	3.05	100.0%	2.51	82.3%	17	R4	K3	
111.86	114.91	3.05	3.05	100.0%	1.97	64.6%	29	R4	K3	
114.91	117.96	3.05	3.05	100.0%	2.29	75.1%	29	R4	K3	
117.96	121.01	3.05	3.05	100.0%	2.78	91.2%	13	R4	K3	
121.01	124.05	3.05	3.05	100.0%	2.49	81.7%	19	R4	K3	
124.05	127.10	3.05	3.05	100.0%	2.67	87.6%	15	R4	K3	
127.10	130.15	3.05	3.05	100.0%	2.52	82.7%	20	R4	K3	
130.15	133.20	3.05	3.05	100.0%	2.85	93.5%	16	R4	K3	
133.20	136.25	3.05	3.05	100.0%	2.86	93.8%	11	R4	K3	
136.25	139.29	3.05	3.05	100.0%	2.25	73.8%	21	R4	K3	
139.29	142.34	3.05	3.05	100.0%	2.09	68.6%	27	R4	K3	
142.34	145.39	3.05	3.05	100.0%	2.00	65.6%	24	R4	K3	
145.39	148.44	3.05	3.05	100.0%	1.47	48.2%	33	R4	K3	
148.44	151.49	3.05	3.05	100.0%	1.33	43.6%	31	R4	K3	
151.49	154.53	3.05	3.05	100.0%	2.37	77.8%	16	R4	K3	
154.53	157.58	3.05	3.05	100.0%	2.37	77.8%	19	R4	K3	
157.58	160.63	3.05	3.05	100.0%	2.64	86.6%	17	R4	K3	
160.63	163.68	3.05	3.05	100.0%	2.46	80.7%	15	R4	K3	
163.68	166.73	3.05	3.05	100.0%	2.71	88.9%	16	R4	K3	
166.73	169.77	3.05	3.05	100.0%	1.87	61.4%	26	R4	K3	
169.77	172.82	3.05	3.05	100.0%	2.71	88.9%	17	R4	K3	
172.82	175.87	3.05	3.05	100.0%	2.33	76.4%	20	R4	K3	

Mount Polley Mine - Geotechnical Logging

Hole:	99C-5	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
175.87	178.92	3.05	3.05	100.0%	1.64	53.8%	>50	R3	K3	177.9 Polley Fault; gouge.
178.92	181.36	2.44	2.44	100.0%	-	0.0%	>100	R1	K3	Fault bx & gouge.
181.36	184.10	2.74	2.74	100.0%	0.43	15.7%	>100	R1	K3	Fault bx & gouge.
184.10	185.01	0.91	0.91	100.0%	0.30	32.8%	15	R1	K3	184.3 Gouge.
185.01	188.06	3.05	3.05	100.0%	0.23	7.5%	>50	R1	K3	186.4-186.6, 187.3-188.1 Gg.
188.06	191.11	3.05	3.05	100.0%	0.10	3.3%	>100	R1	K3	Mainly gouge & rubble.
191.11	194.16	3.05	3.05	100.0%	1.21	39.7%	38	R3	K3	
194.16	197.21	3.05	3.05	100.0%	2.14	70.2%	22	R3	K3	
197.21	200.25	3.05	3.05	100.0%	1.40	45.9%	32	R3	K3	198.16 5cm wedge of gouge.
200.25	203.30	3.05	3.05	100.0%	1.61	52.8%	32	R3	K3	200.25, 200.5, 201.5 Gougy.
203.30	206.35	3.05	3.05	100.0%	2.53	83.0%	18	R3	K3	
206.35	209.40	3.05	3.05	100.0%	1.90	62.3%	28	R3	K3	206.35, 208.75 5cm gouge.
209.40	211.84	2.44	2.44	100.0%	0.99	40.6%	31	R3	K3	
211.84	214.88	3.05	3.05	100.0%	2.10	68.9%	23	R3	K3	
214.88	215.49	0.61	0.61	100.0%	0.57	93.5%	6	R3	K3	

Hole:	99C-6	N:	2775.03	Logger:	CJW					Page: 1 of 1
Drill date:	9/26/99	E:	2163.24	Core size:	NQ2					
Log date:	9/30/99	Elev.	1135.12	Length:	149.15	m				
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-		-		n/a	n/a	n/a	Casing.
3.05	5.18	2.13	1.40	65.6%	0.60	28.1%	20	R3	K3	Fractured, till boulders at top.
5.18	8.23	3.05	3.05	100.0%	1.95	64.0%	26	R3	K3	
8.23	11.28	3.05	2.47	81.0%	1.14	37.4%	30	R3	K3	9.4-9.6 AP Dyke; fractured.
11.28	14.33	3.05	1.46	47.9%	0.58	19.0%	21	R3	K3	11.3 Highly fractured, core lost.
14.33	17.37	3.05	3.05	100.0%	1.35	44.3%	33	R3	K3	
17.37	20.42	3.05	3.05	100.0%	1.88	61.7%	26	R3	K3	17.5-18.4 Flt; gouge, frac fw.
20.42	23.47	3.05	3.05	100.0%	1.52	49.9%	40	R3	K3	20.6-20.9 Highly fractured.
23.47	26.52	3.05	3.05	100.0%	2.71	88.9%	16	R3	K3	
26.52	29.57	3.05	3.05	100.0%	2.17	71.2%	25	R3	K3	
29.57	32.61	3.05	3.05	100.0%	2.74	89.9%	15	R3	K3	
32.61	35.66	3.05	3.05	100.0%	2.83	92.8%	13	R3	K3	
35.66	38.71	3.05	3.05	100.0%	2.88	94.5%	13	R3	K3	
38.71	41.76	3.05	3.05	100.0%	2.28	74.8%	20	R3	K3	
41.76	44.81	3.05	3.05	100.0%	2.22	72.8%	20	R3	K3	
44.81	47.85	3.05	3.05	100.0%	2.79	91.5%	14	R3	K3	
47.85	50.90	3.05	3.05	100.0%	1.10	36.1%	34	R3	K3	50.3-50.8 Fault gouge.
50.90	53.95	3.05	3.05	100.0%	2.02	66.3%	24	R3	K3	
53.95	57.00	3.05	3.05	100.0%	0.38	12.5%	>50	R3	K0	Highly fractured dyke.
57.00	60.05	3.05	3.05	100.0%	1.66	54.5%	>50	R3	K3	59.5-61.2 Fracture zone.
60.05	63.09	3.05	3.05	100.0%	1.06	34.8%	>50	R3	K3	59.9-60.0 Fault gouge.
63.09	66.14	3.05	3.05	100.0%	1.56	51.2%	38	R3	K3	
66.14	69.19	3.05	3.05	100.0%	1.62	53.1%	32	R3	K3	
69.19	72.24	3.05	3.05	100.0%	1.75	57.4%	38	R3	K3	
72.24	75.29	3.05	3.05	100.0%	1.81	59.4%	31	R3	K3	
75.29	78.33	3.05	3.05	100.0%	2.42	79.4%	22	R3	K0	AP Dyke.
78.33	81.38	3.05	3.05	100.0%	1.21	39.7%	>50	R3	K3	78.4-78.7 Flt; gouge.
81.38	84.43	3.05	3.05	100.0%	1.53	50.2%	42	R3	K3	79.0-79.6 Highly fractured.
84.43	87.48	3.05	3.05	100.0%	1.08	35.4%	35	R3	K3	
87.48	90.53	3.05	3.05	100.0%	1.70	55.8%	33	R3	K3	88.9-89.0 Gougy.
90.53	91.14	0.61	0.61	100.0%	0.15	24.6%	10	R3	K3	
91.14	93.57	2.44	2.44	100.0%	1.02	41.8%	31	R3	K3	
93.57	96.62	3.05	3.05	100.0%	2.00	65.6%	30	R3	K3	
96.62	97.54	0.91	0.91	100.0%	0.12	13.1%	11	R3	K3	97.3-97.5 Fault.
97.54	98.15	0.61	0.61	100.0%	-	0.0%	11	R3	K3	
98.15	99.67	1.52	1.52	100.0%	1.19	78.1%	15	R3	K3	
99.67	102.72	3.05	3.05	100.0%	2.46	80.7%	26	R3	K3	
102.72	105.77	3.05	3.05	10						

	Hole shut down due to squeezing of rods.
--	--

Mount Polley Mine - Geotechnical Logging

Hole:	99C-7	N:	2795.2	Logger:	CJW					Page: 1 of 2
Drill date:	12/3/99	E:	2224.6	Core size:	NQ2					
Log date:	12/10/99	Elev.	1140.2	Length:	244.75 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
3.05	4.88	1.83	1.72	94.0%	0.86	47.0%	15	R4	K3	
4.88	7.92	3.04	3.04	100.0%	1.91	62.8%	25	R4	K1	
7.92	10.97	3.05	3.05	100.0%	1.72	56.4%	31	R4	K1	
10.97	14.02	3.05	3.05	100.0%	1.82	59.7%	37	R3	chl	12.1-14.6 Lamp Dyke
14.02	17.07	3.05	3.05	100.0%	0.88	28.9%	50	R2-R4	chl-K1	
17.07	20.12	3.05	3.05	100.0%	1.99	65.2%	26	R4	K1	
20.12	23.16	3.04	3.04	100.0%	2.17	71.4%	29	R4	K1	
23.16	26.21	3.05	3.05	100.0%	2.74	89.8%	15	R4	K1	
26.21	29.26	3.05	3.05	100.0%	2.90	95.1%	9	R4	K3	
29.26	32.31	3.05	3.05	100.0%	2.32	76.1%	26	R4	K3	
32.31	35.36	3.05	3.05	100.0%	2.68	87.9%	15	R4	K3	
35.36	38.40	3.04	3.04	100.0%	2.31	76.0%	19	R4	K3	
38.40	41.45	3.05	3.05	100.0%	1.27	41.6%	36	R4	K3	
41.45	44.50	3.05	3.05	100.0%	2.18	71.5%	18	R4	K3	
44.50	47.24	2.74	2.70	98.5%	1.52	55.5%	38	R2-R4	K3	46.5-47.2 FAULT
47.24	49.68	2.44	2.44	100.0%	1.60	65.6%	20	R3	K3	
49.68	50.60	0.92	0.92	100.0%	0.47	51.1%	11	R3	K3	
50.60	53.64	3.04	3.04	100.0%	2.86	94.1%	15	R4	K1	
53.64	56.39	2.75	2.75	100.0%	2.23	81.1%	18	R4	K1	53.6-54.1 FAULT
56.39	59.44	3.05	3.05	100.0%	2.34	76.7%	19	R4	K1	
59.44	62.48	3.04	3.04	100.0%	2.15	70.7%	24	R3-R4	K1-K3	
62.48	65.53	3.05	3.05	100.0%	2.60	85.2%	17	R3	K3	
65.53	68.58	3.05	3.05	100.0%	2.16	70.8%	26	R3	K3	
68.58	70.10	1.52	1.52	100.0%	0.54	35.5%	18	R3	K3	
70.10	71.93	1.83	1.83	100.0%	0.27	14.8%	36	R3	K3	
71.93	74.98	3.05	3.05	100.0%	1.37	44.9%	45	R3	K3	
74.98	78.03	3.05	3.05	100.0%	1.52	49.8%	34	R3	K3	
78.03	81.08	3.05	3.05	100.0%	0.79	25.9%	>50	R3	K3	sericite
81.08	84.12	3.04	3.04	100.0%	1.27	41.8%	>50	R3	K3	sericite
84.12	87.17	3.05	3.05	100.0%	2.29	75.1%	26	R3	K3	
87.17	90.22	3.05	3.05	100.0%	2.48	81.3%	24	R3	K3	
90.22	93.27	3.05	3.05	100.0%	2.67	87.5%	15	R3	K3	
93.27	96.32	3.05	3.05	100.0%	1.51	49.5%	>50	R3-R2	K3	94.4-96.7 Highly frac
96.32	99.36	3.04	3.04	100.0%	2.40	78.9%	25	R3	K3	
99.36	102.41	3.05	3.05	100.0%	1.77	58.0%	34	R3	K3	
102.41	105.46	3.05	3.05	100.0%	1.88	61.6%	33	R3	K3	
105.46	108.51	3.05	3.05	100.0%	2.88	94.4%	16	R3	min chl	
108.51	111.56	3.05	3.05	100.0%	2.62	85.9%	14	R3	min chl	
111.56	114.60	3.04	3.04	100.0%	2.67	87.8%	17	R3	min chl	
114.60	117.65	3.05	3.05	100.0%	2.51	82.3%	22	R3	min chl	
117.65	120.70	3.05	3.05	100.0%	2.80	91.8%	14	R3	K3	
120.70	123.75	3.05	3.05	100.0%	2.59	84.9%	17	R3	K3	
123.75	126.80	3.05	3.05	100.0%	2.76	90.5%	12	R3	K3	
126.80	129.84	3.04	3.04	100.0%	2.89	95.1%	14	R3	K3	
129.84	132.89	3.05	3.05	100.0%	2.80	91.8%	17	R3	K3	
132.89	135.94	3.05	2.75	90.2%	0.33	10.8%	>50	R2	K3	
135.94	138.99	3.05	3.05	100.0%	1.30	42.6%	45	R3	K3	137.1 Ft; 10cm gouge
138.99	142.04	3.05	3.05	100.0%	2.86	93.8%	15	R3	K3	
142.04	145.08	3.04	3.04	100.0%	2.50	82.2%	20	R3	K3	
145.08	148.13	3.05	3.05	100.0%	2.62	85.9%	14	R3	K3	
148.13	151.18	3.05	3.05	100.0%	2.35	77.0%	18	R3	K3	
151.18	153.62	2.44	2.44	100.0%	1.27	52.0%	24	R2	K3	152.4-153.7 Highly frac'd
153.62	156.67	3.05	3.05	100.0%	2.94	96.4%	10	R3	K3	
156.67	159.72	3.05	3.05	100.0%	2.36	77.4%	19	R3	K3	
159.72	162.76	3.04	3.04	100.0%	2.37	78.0%	19	R3	K3	
162.76	165.81	3.05	3.05	100.0%	2.59	84.9%	17	R3	K3	
165.81	168.86	3.05	3.00	98.4%	2.67	87.5%	16	R3	K3	168.7 Very frac 10cm dyke

Mount Polley Mine - Geotechnical Logging

Hole:	99C-7	Logger:	CJW							Page: 2 of 2
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
168.86	171.91	3.05	3.05	100.0%	2.26	74.1%	27	R3	K3	
171.91	174.96	3.05	3.05	100.0%	3.05	100.0%	8	R4	K1	PPg
174.96	176.48	1.52	1.52	100.0%	1.44	94.7%	5	R4	K1	
176.48	178.61	2.13	2.13	100.0%	1.98	93.0%	10	R4	K1	
178.61	181.66	3.05	3.05	100.0%	3.00	98.4%	9	R4	K1	
181.66	184.71	3.05	3.05	100.0%	1.30	42.6%	40	R4	K1	
184.71	186.84	2.13	2.13	100.0%	1.05	49.3%	22	R4	K1	
186.84	189.89	3.05	3.05	100.0%	2.40	78.7%	22	R4	K1	
189.89	190.81	0.92	0.92	100.0%	0.86	93.5%	6	R4	K1	
190.81	193.24	2.43	2.43	100.0%	1.70	70.0%	24	R4	K1	
193.24	196.29	3.05	3.05	100.0%	2.62	85.9%	12	R4	K1	
196.29	199.34	3.05	3.05	100.0%	2.95	96.7%	11	R4	K1	
199.34	202.39	3.05	3.05	100.0%	3.01	98.7%	8	R4	K1	
202.39	203.91	1.52	1.52	100.0%	0.86	56.6%	21	R4	K1	203.5 Begin frac zone
203.91	206.04	2.13	2.00	93.9%	1.65	77.5%	14	R4	K1	
206.04	207.57	1.53	1.53	100.0%	0.36	23.5%	>25	R4	K1	
207.57	209.09	1.52	1.52	100.0%	0.78	51.3%	14	R4	K1	▼
209.09	210.31	1.22	1.22	100.0%	-	0.0%	>25	R4	K1	Brittle, highly fractured
210.31	210.62	0.31	0.20	64.5%	-	0.0%	>10	R4	K1	Brittle, highly fractured
210.62	211.84	1.22	0.95	77.9%	0.10	8.2%	>25	R4	K1	Brittle, highly fractured
211.84	213.66	1.82	1.75	96.2%	0.31	17.0%	>30	R4	K1	Brittle, highly fractured
213.66	215.19	1.53	1.53	100.0%	0.23	15.0%	>25	R2	K1	213.6 Begin gouge
215.19	217.63	2.44	2.44	100.0%	0.89	36.5%	24	R2	K1	
217.63	220.07	2.44	2.44	100.0%	1.59	65.2%	33	R2	K1	
220.07	223.11	3.04	3.04	100.0%	1.35	44.4%	47	R2	K1	
223.11	226.16	3.05	3.05	100.0%	1.10	36.1%	48	R2	K1	
226.16	228.30	2.14	2.14	100.0%	0.20	9.3%	>50	R2	K1	
228.30	231.04	2.74	2.74	100.0%	0.80	29.2%	>50	R2	K1	
231.04	233.17	2.13	2.13	100.0%	-	0.0%	>30	R2	K1	Gougy
233.17	236.22	3.05	3.05	100.0%	1.49	48.9%	35	R2	K1	
236.22	239.27	3.05	3.05	100.0%	1.83	60.0%	29	R2	K1	
239.27	242.32	3.05	3.05	100.0%	1.55	50.8%	38	R2	K1	Minor gougy sections
242.32	244.75	2.43	2.43	100.0%	1.05	43.2%	33	R2	K1	

Mount Polley Mine - Geotechnical Logging

Hole:	99C-8	N:	3175.0	Logger:	GG					Page: 1 of 1
Drill date:	11/30/99	E:	2160.0	Core size:	NQ2					
Log date:	12/10/99	Elev.	1100.0	Length:	169.47 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05		0.0%	-	0.0%	n/a	n/a	n/a	Cased
3.05	23.70	20.65	20.20	97.8%	15.2	73.6%	2	R3	K	
23.70	25.00	1.30	1.20	92.3%	0.8	61.5%	4	R2	K	FAULT
25.00	35.00	10.00	9.80	98.0%	9.4	94.0%	3	R3	K	
35.00	43.30	8.30	7.20	86.7%	6.2	74.7%	10	R2	CC/K	FAULT ZONE
43.30	66.20	22.90	22.90	100.0%	22.3	97.4%	2	R4		
66.20	72.80	6.60	6.60	100.0%	6.1	92.4%	3	R3	K	
72.80	75.50	2.70	2.10	77.8%	1.8	66.7%	5	R3		DYKE
75.50	77.00	1.50	1.00	66.7%	0.5	33.3%	20	R3		DYKE
77.00	85.30	8.30	8.30	100.0%	8.3	100.0%	2	R4		
85.30	86.00	0.70	0.70	100.0%	0.7	100.0%	1	R3	K	
86.00	145.90	59.90	59.90	100.0%	52.4	87.5%	3	R4		
145.90	146.90	1.00	1.00	100.0%	1.0	100.0%	1	R3	K	
146.90	169.47	22.60	22.60	100.0%	22.4	99.1%	3	R4		

Mount Polley Mine - Geotechnical Logging

Hole:	99C-9	N:	3185.44	Logger:	GG					Page: 1 of 1
Drill date:	12/1/99	E:	2227.76	Core size:	NQ2					
Log date:	12/10/99	Elev.	1100.20	Length:	221.28 m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05	-	0.0%	-	0.0%	n/a	n/a	n/a	Cased
3.05	27.00	23.95	23.80	99.4%	22.6	94.4%	4	R3	K	
27.00	30.40	3.40	2.80	82.4%	1.1	32.4%	20	R2	K	SMALL FAULT
30.40	31.00	0.60	0.60	100.0%	0.6	100.0%	1	R4		DYKE
31.00	112.80	81.80	81.00	99.0%	76.3	93.3%	3	R3	K	
112.80	113.90	1.10	1.10	100.0%	1.1	100.0%	1	R4	K	
113.90	124.80	10.90	10.80	99.1%	10.2	93.6%	3	R4		DYKE
124.80	149.80	25.00	24.60	98.4%	21.8	87.2%	5	R3	K	
149.80	156.30	6.50	6.50	100.0%	6.0	92.3%	3	R4	K	
156.30	169.10	12.80	12.80	100.0%	11.6	90.6%	4	R4	K	
169.10	194.90	25.80	25.80	100.0%	25.1	97.3%	3	R4	K	
194.90	199.20	4.30	4.30	100.0%	4.3	100.0%	-	R4		
199.20	202.10	2.90	2.70	93.1%	2.0	69.0%	5	R4		
202.10	204.60	2.50	2.50	100.0%	2.1	84.0%	3	R4		DYKE
204.60	205.30	0.70	0.70	100.0%	0.7	100.0%	2	R4	K	
205.30	208.20	2.90	2.90	100.0%	2.9	100.0%	2	R4		
208.20	210.30	2.10	1.80	85.7%	0.3	14.3%	50	R2		FAULT ZONE
210.30	221.28	11.10	11.10	100.0%	10.8	97.3%	3	R4		

Mount Polley Mine - Geotechnical Logging

Hole:	99C-10	N:	3125.0	Logger:	GG					Page: 1 of 1
Drill date:	12/8/99	E:	2350.0	Core size:	NQ2					
Log date:	12/15/99	Elev.	1130.0	Length:	254.81m					
From	To	Length	Recovery	Percent	RQD	Percent	Fractures	Strength	Alteration	Comments
(m)	(m)	(m)	(m)	(%)	(m)	(%)	(per run)			
-	3.05	3.05								CASING
3.05	20.70	17.65	16.50	93.5%	13.40	75.9%	5	R4	K	
20.70	21.30	0.60	0.60	100.0%	0.60	100.0%	-	R4		DYKE
21.30	50.60	29.30	28.20	96.2%	25.60	87.4%	4	R4	K	
50.60	54.70	4.10	4.10	100.0%	3.80	92.7%	2	R4		DYKE
54.70	58.40	3.70	3.70	100.0%	3.00	81.1%	2	R4		
58.40	64.70	6.30	4.80	76.2%	1.80	28.6%	50	R3	K	MAJOR FAULT
64.70	85.80	21.10	19.40	91.9%	13.20	62.6%	6	R3	K	
85.80	128.10	42.30	42.00	99.3%	38.60	91.3%	2	R4	K	
128.10	145.30	17.20	17.20	100.0%	16.50	95.9%	2	R4	K	
145.30	148.20	2.90	2.90	100.0%	2.00	69.0%	5	R3	K	
148.20	148.50	0.30	0.30	100.0%	0.30	100.0%	-	R4		DYKE
148.50	154.80	6.30	6.20	98.4%	5.20	82.5%	4	R4	K	
154.80	160.20	5.40	5.40	100.0%	5.00	92.6%	2	R4		
160.20	169.20	9.00	8.70	96.7%	7.80	86.7%	4	R4	K	
169.20	171.00	1.80	1.80	100.0%	1.40	77.8%	4	R4	K	
171.00	187.50	16.50	16.00	97.0%	14.20	86.1%	4	R4	K	
187.50	192.50	5.00	5.00	100.0%	5.00	100.0%	1	R3	K	
192.50	203.70	11.20	11.00	98.2%	9.40	83.9%	4	R4	K	
203.70	208.00	4.30	4.30	100.0%	4.30	100.0%	2	R4	K	
208.00	209.20	1.20	1.20	100.0%	1.20	100.0%	2	R4	K	
209.20	223.90	14.70	14.70	100.0%	13.80	93.9%	4	R4	K	
223.90	231.30	7.40	7.40	100.0%	7.40	100.0%	2	R4	K	
231.30	231.60	0.30	0.30	100.0%	0.30	100.0%	-	R4	K	
231.60	246.50	14.90	14.90	100.0%	13.50	90.6%	2	R4	K	
246.50	249.40	2.90	2.90	100.0%	2.60	89.7%	2	R4	K	
249.40	251.00	1.60	1.60	100.0%	1.60	100.0%	-	R4		DYKE
251.00	255.00	4.00	4.00	100.0%	4.00	100.0%	2	R4	K	

Appendix 7
Analytical Data (Core Samples)

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30744	0.277	0.263	0.28	4.16	990919c	1	99C-2 ↓
30745	0.183	0.164	0.33	4.13	990919c	2	
30746	0.082	0.044	0.07	4.88	990919c	3	
30747	0.062	0.032	0.09	4.91	990919c	4	
30748	0.064	0.027	0.07	5.5	990919c	5	
30749	0.103	0.044	0.08	4.66	990919c	6	
30750	0.082	0.03	0.07	4.87	990919c	7	
30751	0.116	0.07	0.08	5.61	990919c	8	
30752	0.082	0.052	0.07	5.64	990919c	9	
30753	0.089	0.051	0.05	4.34	990919c	10	
30754	0.067	0.004	0.05	5.74	990919c	11	99B-1 ↓
30755	0.039	0.004	0.03	5.96	990919c	12	
30756	0.016	0.001	0.04	4.77	990919c	13	
30757	0.029	0.001	0.04	4.03	990919c	14	
30758	0.015	0.001	0.02	4.61	990919c	15	
30759	0.011	0.001	0.01	5.31	990919c	16	
30760	0.034	0.002	0.06	4.36	990919c	17	
30761	0.016	0.003	0.01	5.19	990919c	18	
30762	0.028	0.002	0.02	5.05	990919c	19	
30763	0.038	0.002	0.05	4.09	990919c	20	
30764	0.022	0.001	0.03	4.62	990919c	21	
30765	0.02	0.001	0.03	4.92	990919c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30766	0.017	0.001	0.03	4.89	990920a	1	
30767	0.025	0.001	0.03	5.54	990920a	2	
30768	0.014	0.001	0.02	5.58	990920a	3	
30769	0.038	0.008	0.07	4.81	990920a	4	
30770	0.033	0.006	0.05	4.47	990920a	5	
30771	0.053	0.01	0.09	4.63	990920a	6	
30772	0.045	0.012	0.08	4.12	990920a	7	
30773	0.048	0.001	0.1	4.7	990920a	8	
30774	0.07	0.002	0.12	5.38	990920a	9	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30797	0.099	0.019	0.1	4.67	990921C	1	
30798	0.069	0.022	0.08	3.04	990921C	2	
30799	0.126	0.009	0.11	4.77	990921C	3	
30800	0.24	0.019	0.24	2.8	990921C	4	
30801	0.14	0.007	0.1	3.78	990921C	5	
30802	0.085	0.004	0.07	4.69	990921C	6	
30803	0.111	0.005	0.08	4.81	990921C	7	
30804	0.177	0.009	0.12	5.11	990921C	8	
30805	0.273	0.015	0.25	6.09	990921C	9	
30806	0.102	0.005	0.1	4.62	990921C	10	
30807	0.017	0.002	0.02	5.83	990921C	11	
30808	0.329	0.024	0.23	4.89	990921C	12	
30809	0.227	0.042	0.22	4.65	990921C	13	
30810	0.228	0.045	0.19	3.79	990921C	14	
30811	0.158	0.024	0.23	5.36	990921C	15	
30812	0.184	0.006	0.22	12.2	990921C	16	
30813	0.147	0.023	0.11	5	990921C	17	
30814	0.194	0.016	0.13	5.88	990921C	18	
30815	0.193	0.01	0.15	11.4	990921C	19	
30816	0.178	0.006	0.13	10.8	990921C	20	
30817	0.212	0.009	0.15	8.54	990921C	21	
30818	0.164	0.005	0.15	7.86	990921C	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30775	0.074	0.004	0.09	5.27	990921B	1	
30776	0.06	0.009	0.09	4.12	990921B	2	
30777	0.034	0.007	0.05	4.6	990921B	3	
30778	0.022	0.001	0.06	4.21	990921B	4	
30779	0.079	0.009	0.08	4.75	990921B	5	
30780	0.037	0.001	0.06	4.45	990921B	6	
30781	0.071	0.004	0.08	4.96	990921B	7	
30782	0.041	0.004	0.06	5.44	990921B	8	
30783	0.058	0.004	0.06	5.52	990921B	9	
30784	0.047	0.003	0.06	4.59	990921B	10	
30785	0.108	0.004	0.11	4.43	990921B	11	
30786	0.147	0.006	0.13	3.86	990921B	12	
30787	0.094	0.003	0.13	4.1	990921B	13	
30788	0.095	0.004	0.13	4.13	990921B	14	
30789	0.356	0.015	0.32	3.49	990921B	15	
30790	0.417	0.018	0.37	3.29	990921B	16	
30791	0.072	0.006	0.08	2.63	990921B	17	
30792	0.086	0.006	0.07	3.81	990921B	18	
30793	0.096	0.01	0.07	2.18	990921B	19	
30794	0.161	0.009	0.1	2.9	990921B	20	
30795	0.1	0.019	0.06	2.8	990921B	21	
30796	0.093	0.011	0.06	2.95	990921B	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30819	0.111	0.006	0.13	7.22	990923C	1	
30820	0.16	0.006	0.12	5.27	990923C	2	
30821	0.013	0.001	0.02	4.68	990923C	3	
30822	0.286	0.009	0.19	7.6	990923C	4	
30823	0.215	0.005	0.1	6.17	990923C	5	
30824	0.161	0.004	0.07	6.55	990923C	6	
30825	0.19	0.005	0.1	8.22	990923C	7	
30826	0.022	0.001	0.02	3.39	990923C	8	
30827	0.097	0.001	0.05	6.04	990923C	9	
30828	0.018	0.001	0.01	3.51	990923C	10	
30829	0.009	0.001	0.01	3.57	990923C	11	
30830	0.011	0.001	0.01	3.39	990923C	12	
30831	0.01	0.001	0.01	3.31	990923C	13	
30832	0.018	0.002	0.01	3.18	990923C	14	
30833	0.016	0.003	0.01	3.47	990923C	15	
30834	0.009	0.001	0.01	3.17	990923C	16	
30835	0.013	0.001	0.01	3.24	990923C	17	
30836	0.014	0.002	0.01	4.49	990923C	18	
30837	0.015	0.001	0	3.33	990923C	19	
30838	0.016	0.002	0.01	3.05	990923C	20	
30839	0.028	0.001	0.03	2.68	990923C	21	
30840	0.022	0.001	0.02	2.58	990923C	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30841	0.142	0.008	0.13	4.07	990924A	1	
30842	0.149	0.015	0.1	6.01	990924A	2	
30843	0.115	0.006	0.09	5.04	990924A	3	
30844	0.268	0.014	0.24	4.98	990924A	4	
30845	0.132	0.006	0.11	4.56	990924A	5	
30846	0.137	0.003	0.1	5.3	990924A	6	
30847	0.141	0.002	0.1	5.04	990924A	7	
30848	0.168	0.002	0.14	3.88	990924A	8	
30849	0.012	0.001	0.01	3.26	990924A	9	
30850	0.014	0.001	0.01	3.5	990924A	10	
30851	0.007	0.001	0.01	3.32	990924A	11	
30852	0.008	0.001	0.01	3.04	990924A	12	
30853	0.007	0.001	0.01	3.58	990924A	13	
30854	0.041	0.002	0.01	3.55	990924A	14	
30855	0.138	0.003	0.12	4.37	990924A	15	
30856	0.153	0.004	0.14	3.38	990924A	16	
30857	0.177	0.002	0.14	3.72	990924A	17	
30858	0.318	0.004	0.21	4.21	990924A	18	
30859	0.274	0.005	0.21	4.1	990924A	19	
30860	0.23	0.003	0.14	3.46	990924A	20	
30861	0.164	0.005	0.07	2.61	990924A	21	
30862	0.233	0.003	0.15	2.82	990924A	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30863	0.218	0.01	0.09	4.27	990925A	1	99B-1
30864	0.153	0.007	0.06	4.37	990925A	2	
30865	0.2	0.007	0.11	4.52	990925A	3	
30866	0.179	0.005	0.09	4.09	990925A	4	
30867	0.336	0.006	0.18	3.9	990925A	5	
30868	0.313	0.01	0.2	3.61	990925A	6	
30869	0.169	0.003	0.08	2.52	990925A	7	
30870	0.198	0.004	0.09	2.67	990925A	8	
30871	0.178	0.004	0.11	2.97	990925A	9	
30872	0.166	0.004	0.12	1.53	990925A	10	
30873	0.174	0.006	0.1	3.74	990925A	11	
30874	0.25	0.008	0.14	3.07	990925A	12	
30875	0.221	0.007	0.14	2.45	990925A	13	
30876	0.273	0.008	0.16	1.66	990925A	14	
31501	0.094	0.066	0.07	4.28	990925A	15	99C-4
31502	0.026	0.012	0	5.27	990925A	16	
31503	0.036	0.017	0.03	4.8	990925A	17	
31504	0.105	0.054	0.07	5.08	990925A	18	
31505	0.066	0.028	0.09	4.4	990925A	19	
31506	0.083	0.042	0.05	4.84	990925A	20	
31507	0.113	0.064	0.08	4.89	990925A	21	
31508	0.06	0.022	0.06	4.82	990925A	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30877	0.158	0.007	0.1	2.24	991012d	1	
30878	0.236	0.012	0.18	2.21	991012d	2	
30879	0.172	0.008	0.17	2.99	991012d	3	
30880	0.144	0.007	0.15	3.46	991012d	4	
30881	0.149	0.008	0.25	3.6	991012d	5	
30882	0.196	0.01	0.4	3.33	991012d	6	
30883	0.199	0.006	0.52	2.01	991012d	7	
30884	0.147	0.006	0.34	1.53	991012d	8	
30885	0.174	0.003	0.52	1.53	991012d	9	
30886	0.168	0.004	0.2	2.97	991012d	10	
30887	0.182	0.005	0.21	2.56	991012d	11	
30888	0.26	0.011	0.41	3.14	991012d	12	
30889	0.131	0.005	0.16	2.89	991012d	13	
30890	0.143	0.005	0.19	2.36	991012d	14	
30891	0.23	0.006	0.49	2.9	991012d	15	
30892	0.251	0.008	0.52	2.88	991012d	16	
30893	0.152	0.005	0.44	2.29	991012d	17	
30894	0.19	0.006	0.91	3.09	991012d	18	
30895	0.087	0.002	0.24	2.56	991012d	19	
30896	0.371	0.01	2.45	2.83	991012d	20	
30897	0.217	0.005	0.79	2.55	991012d	21	
30898	0.235	0.007	0.81	2.95	991012d	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30899	0.197	0.009	1.09	3.77	991012c	1	99B-1
30900	0.102	0.005	0.54	3.06	991012c	2	
30901	0.209	0.009	0.68	2.92	991012c	3	
30902	0.098	0.004	0.17	3.38	991012c	4	
30903	0.202	0.008	0.54	3.21	991012c	5	
30904	0.144	0.005	0.31	2.66	991012c	6	
30905	0.153	0.006	0.35	2.2	991012c	7	
30906	0.266	0.013	0.85	3.47	991012c	8	
30907	0.289	0.018	0.41	4.43	991012c	9	
30908	0.142	0.003	0.2	2.93	991012c	10	
30909	0.118	0.002	0.22	2.98	991012c	11	
30910	0.132	0.003	0.25	3.2	991012c	12	
30911	0.28	0.004	0.52	2.69	991012c	13	
30912	0.216	0.004	0.42	2.44	991012c	14	
30913	0.277	0.013	0.49	2.27	991012c	15	
30930	0.169	0.008	0.18	3.03	991012c	16	
30931	0.05	0.001	0.05	2.98	991012c	17	
30932	0.066	0.001	0.03	2.3	991012c	18	
30933	0.035	0.001	0.04	1.69	991012c	19	
31297	0.142	0.048	0.08	5.27	991012c	20	99C-6
31298	0.086	0.024	0.1	5.24	991012c	21	
31299	0.096	0.02	0.05	4.99	991012c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30914	0.149	0.005	0.18	4.38	991018A	1	99B-1
30915	0.15	0.004	0.16	6.17	991018A	2	
30916	0.194	0.005	0.25	3.83	991018A	3	
30917	0.178	0.003	0.22	3.61	991018A	4	
30918	0.21	0.004	0.28	3.85	991018A	5	
30919	0.158	0.005	0.22	2.95	991018A	6	
30920	0.166	0.005	0.17	2.27	991018A	7	
30921	0.238	0.006	0.26	2.57	991018A	8	
30922	0.156	0.004	0.18	2.97	991018A	9	
30923	0.017	0.001	0.01	4.02	991018A	10	
30924	0.206	0.006	0.34	2.66	991018A	11	
30925	0.127	0.002	0.14	2.57	991018A	12	
30926	0.314	0.007	0.38	2.79	991018A	13	
30927	0.153	0.002	0.16	2.9	991018A	14	
30928	0.271	0.006	0.38	5.19	991018A	15	
30929	0.179	0.004	0.14	3.11	991018A	16	
30934	0.06	0.001	0.03	2.08	991018A	17	
30935	0.163	0.003	0.03	2.96	991018A	18	
30936	0.053	0.001	0.01	2.55	991018A	19	
30937	0.236	0.004	0.11	2.38	991018A	20	↓
30938	0.254	0.003	0.11	5.27	991018A	21	99B-2
30939	0.134	0.004	0.03	5.21	991018A	22	↓

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30914	0.149	0.005	0.18	4.38	991018A	1	99B-1 ↓
30915	0.15	0.004	0.16	6.17	991018A	2	
30916	0.194	0.005	0.25	3.83	991018A	3	
30917	0.178	0.003	0.22	3.61	991018A	4	
30918	0.21	0.004	0.28	3.85	991018A	5	
30919	0.158	0.005	0.22	2.95	991018A	6	
30920	0.166	0.005	0.17	2.27	991018A	7	
30921	0.238	0.006	0.26	2.57	991018A	8	
30922	0.156	0.004	0.18	2.97	991018A	9	
30923	0.017	0.001	0.01	4.02	991018A	10	
30924	0.206	0.006	0.34	2.66	991018A	11	
30925	0.127	0.002	0.14	2.57	991018A	12	
30926	0.314	0.007	0.38	2.79	991018A	13	
30927	0.153	0.002	0.16	2.9	991018A	14	
30928	0.271	0.006	0.38	5.19	991018A	15	
30929	0.179	0.004	0.14	3.11	991018A	16	
30934	0.06	0.001	0.03	2.08	991018A	17	
30935	0.163	0.003	0.03	2.96	991018A	18	
30936	0.053	0.001	0.01	2.55	991018A	19	
30937	0.236	0.004	0.11	2.38	991018A	20	
30938	0.254	0.003	0.11	5.27	991018A	21	99B-2 ↓
30939	0.134	0.004	0.03	5.21	991018A	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30940	0.133	0.007	0.06	4.04	991021b	1	
30941	0.075	0.003	0.05	5.11	991021b	2	
30942	0.112	0.003	0.07	4.34	991021b	3	
30943	0.089	0.003	0.06	5.75	991021b	4	
30944	0.075	0.002	0.11	4.95	991021b	5	
30945	0.155	0.003	0.11	4.7	991021b	6	
30946	0.078	0.003	0.06	2.87	991021b	7	
30947	0.038	0.001	0.04	3.99	991021b	8	
30948	0.067	0.002	0.07	4.19	991021b	9	
30951	0.144	0.004	0.11	4.49	991021b	10	
30952	0.132	0.004	0.09	5.1	991021b	11	
30953	0.185	0.005	0.15	5.8	991021b	12	
30954	0.154	0.005	0.13	5.63	991021b	13	
30955	0.086	0.005	0.08	5.61	991021b	14	
30956	0.042	0.007	0.05	5.44	991021b	15	
30957	0.257	0.009	0.34	6.5	991021b	16	
30958	0.229	0.007	0.17	5.45	991021b	17	
30959	0.092	0.003	0.07	5.55	991021b	18	
30960	0.108	0.003	0.1	5.39	991021b	19	
30961	0.334	0.016	0.26	6.5	991021b	20	
30962	0.211	0.007	0.14	6.22	991021b	21	
30963	0.146	0.004	0.13	6.45	991021b	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30966	0.176	0.007	0.26	4.41	991024A	1	
30967	0.007	0.002	0.01	3.86	991024A	2	
30968	0.134	0.014	0.1	3.94	991024A	3	
30969	0.293	0.012	0.25	4.7	991024A	4	
30970	0.3	0.013	0.24	4.55	991024A	5	
30971	0.153	0.007	0.14	4.7	991024A	6	
30972	0.127	0.005	0.12	6.49	991024A	7	
30973	0.231	0.013	0.17	5.54	991024A	8	
30974	0.447	0.018	0.27	5.74	991024A	9	
30975	0.097	0.007	0.05	4.22	991024A	10	
30976	0.125	0.005	0.1	4.14	991024A	11	
30977	0.088	0.015	0.06	4.36	991024A	12	
30978	0.076	0.005	0.01	4.1	991024A	13	
30979	0.063	0.011	0.04	3.6	991024A	14	
30980	0.18	0.006	0.14	3.97	991024A	15	
30981	0.028	0.001	0.01	3.11	991024A	16	
30982	0.01	0.002	0.01	4.98	991024A	17	
30983	0.383	0.013	0.28	4.52	991024A	18	
30984	0.017	0.001	0.01	3.31	991024A	19	
30985	0.011	0.001	0.01	2.78	991024A	20	
30986	0.009	0.001	0.01	3.02	991024A	21	
30987	0.013	0.001	0.01	2.93	991024A	22	

QueryExport

Tag	Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31451	0.213	0.015	0.12	5.25	991024B	1	99B-3 ↓
31453	0.103	0.011	0.06	5.65	991024B	2	
31457	0.107	0.009	0.07	3.54	991024B	3	
31459	0.23	0.021	0.19	4.33	991024B	4	
31462	0.101	0.008	0.08	5.77	991024B	5	
31464	0.211	0.015	0.15	6.08	991024B	6	
31465	0.3	0.023	0.16	5.77	991024B	7	
31466	0.147	0.013	0.08	6.34	991024B	8	
31467	0.153	0.014	0.08	6.62	991024B	9	
31468	0.139	0.016	0.05	6.33	991024B	10	
31469	0.283	0.02	0.15	5.08	991024B	11	
30988	0.008	0.002	0.01	3.02	991024B	12	99B-2 ↓
30989	0.019	0.003	0.01	3.12	991024B	13	
30990	0.018	0.002	0.01	3.15	991024B	14	
30991	0.016	0.001	0.01	3.12	991024B	15	
30992	0.029	0.002	0.02	2.71	991024B	16	
30993	0.295	0.009	0.15	3.41	991024B	17	
30994	0.512	0.017	0.24	4.95	991024B	18	
30995	0.275	0.02	0.15	5.37	991024B	19	
30996	0.205	0.019	0.12	4.53	991024B	20	
30998	0.294	0.014	0.16	4.18	991024B	21	
30999	0.214	0.02	0.14	2.23	991024B	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30949	0.093	0.004	0.07	3.41	991022b	1	
30964	0.09	0.003	0.07	5.22	991022b	2	
30965	0.122	0.004	0.14	4.3	991022b	3	
31027	0.404	0.032	0.15	1.62	991022b	4	
31029	0.297	0.029	0.13	2.23	991022b	5	
31031	0.149	0.009	0.09	3.66	991022b	6	
31033	0.375	0.019	0.32	3.27	991022b	7	
31035	0.19	0.019	0.14	3.62	991022b	8	
31036	0.299	0.012	0.18	3.41	991022b	9	
31037	0.387	0.024	0.21	3.77	991022b	10	
31038	0.42	0.017	0.25	3.39	991022b	11	
31040	0.718	0.02	0.54	4.04	991022b	12	
31042	0.281	0.009	0.24	3.81	991022b	13	
31046	0.133	0.009	0.1	2.71	991022b	14	
31051	0.094	0.007	0.06	3.58	991022b	15	
31053	0.096	0.004	0.07	2.38	991022b	16	
31054	0.143	0.005	0.14	2.35	991022b	17	
31058	0.235	0.009	0.25	3.74	991022b	18	
31059	0.316	0.012	0.36	2.86	991022b	19	
31060	0.368	0.034	0.42	4.16	991022b	20	
31063	0.237	0.024	0.24	4.88	991022b	21	
31083	0.054	0.003	0.05	4.09	991022b	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31000	0.195	0.004	0.17	3.76	991021g	1	
31001	0.428	0.008	0.39	3.24	991021g	2	
31002	0.183	0.004	0.14	3.99	991021g	3	
31003	0.322	0.018	0.35	4.65	991021g	4	
31004	0.013	0.001	0.02	3.01	991021g	5	
31005	0.007	0.001	0.01	3.29	991021g	6	
31006	0.008	0.001	0.01	3	991021g	7	
31007	0.021	0.002	0.01	3.01	991021g	8	
31008	0.309	0.007	0.32	2.18	991021g	9	
31009	0.331	0.011	0.28	2.33	991021g	10	
31010	0.318	0.009	0.26	2.43	991021g	11	
31011	0.202	0.008	0.26	3.34	991021g	12	
31012	0.153	0.011	0.26	3.36	991021g	13	
31013	0.171	0.008	0.16	3.52	991021g	14	
31014	0.137	0.009	0.11	3.38	991021g	15	
31015	0.144	0.007	0.15	3.15	991021g	16	
31016	0.283	0.01	0.26	3.51	991021g	17	
31017	0.213	0.008	0.16	3.69	991021g	18	
31019	0.137	0.005	0.08	4.05	991021g	19	
31020	0.153	0.003	0.09	3.62	991021g	20	
31023	0.119	0.003	0.1	3.95	991021g	21	
31025	0.22	0.008	0.12	4.68	991021g	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31018	0.26	0.019	0.14	3.39	991103C	1	99B-2
31021	0.219	0.008	0.17	2.72	991103C	2	
31022	0.115	0.003	0.08	2.04	991103C	3	
31024	0.335	0.032	0.16	3.94	991103C	4	
31026	0.316	0.027	0.11	3.56	991103C	5	
31028	0.27	0.014	0.08	1.45	991103C	6	
31030	0.319	0.021	0.13	2.21	991103C	7	
31032	0.117	0.006	0.06	3.9	991103C	8	
31034	0.23	0.017	0.21	3.65	991103C	9	
31039	0.269	0.017	0.18	2.25	991103C	10	
31041	0.563	0.014	0.27	4.03	991103C	11	
31043	0.172	0.005	0.11	3.55	991103C	12	
31050	0.26	0.02	0.19	4.1	991103C	13	
31052	0.103	0.004	0.1	2.72	991103C	14	↓
31481	0.129	0.002	0.1	6.78	991103C	15	99B-3
31482	0.126	0.006	0.08	5.09	991103C	16	
31483	0.047	0	0.02	5.15	991103C	17	
31484	0.082	0.005	0.04	5.38	991103C	18	
31485	0.076	0.003	0.04	6.82	991103C	19	
31486	0.102	0.009	0.05	7.25	991103C	20	
31487	0.13	0.005	0.05	5.98	991103C	21	
31488	0.075	0.002	0.02	4.92	991103C	22	↓

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31044	0.243	0.031	0.22	3.22	991103A	1	
31045	0.183	0.025	0.11	3.69	991103A	2	
31047	0.16	0.025	0.1	4.93	991103A	3	
31048	0.391	0.038	0.33	4.11	991103A	4	
31049	0.29	0.04	0.22	4.05	991103A	5	
31055	0.23	0.033	0.21	2.84	991103A	6	
31056	0.152	0.022	0.12	2.49	991103A	7	
31057	0.074	0.007	0.05	2.09	991103A	8	
31061	0.261	0.018	0.26	3.37	991103A	9	
31062	0.231	0.017	0.29	4.17	991103A	10	
31064	0.375	0.032	0.3	3.65	991103A	11	
31065	0.334	0.028	0.26	4.81	991103A	12	
31066	0.253	0.016	0.22	5.47	991103A	13	
31067	0.26	0.02	0.23	4.8	991103A	14	
31068	0.203	0.015	0.23	4.08	991103A	15	
31069	0.046	0.003	0.04	2.67	991103A	16	
31070	0.045	0.002	0.02	2.51	991103A	17	
31071	0.034	0.002	0.02	2.64	991103A	18	
31072	0.032	0.002	0.01	2.54	991103A	19	
31073	0.029	0.001	0.02	2.19	991103A	20	
31074	0.014	0.001	0.02	2.37	991103A	21	
31084	0.012	0.001	0.01	4.46	991103A	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31075	0.015	0.006	0.01	2.46	991101c	1	99B-2
31076	0.014	0.001	0.01	3.16	991101c	2	
31077	0.016	0.001	0.01	2.69	991101c	3	
31078	0.028	0.003	0.01	2.54	991101c	4	
31079	0.019	0.001	0.01	3.13	991101c	5	
31080	0.017	0.001	0.01	2.62	991101c	6	
31081	0.023	0.003	0.01	3.31	991101c	7	
31082	0.016	0.001	0.01	3.53	991101c	8	
31300	0.087	0.011	0.07	8.2	991101c	9	99B-6
31301	0.1	0.007	0.09	8.4	991101c	10	
31350	0.231	0.006	0.11	3.45	991101c	11	
31351	0.179	0.009	0.08	4.01	991101c	12	
31352	0.012	0.001	0.01	5.81	991101c	13	
31353	0.013	0.002	0	5.57	991101c	14	
31354	0.19	0.023	0.07	4.99	991101c	15	
31379	0.276	0.038	0.14	6.79	991101c	16	
31408	0.018	0.006	0.01	4.73	991101c	17	
31412	0.237	0.007	0.21	6.07	991101c	18	99B-3
31415	0.095	0.004	0.05	6.64	991101c	19	
31421	0.353	0.01	0.55	8.52	991101c	20	
31428	0.17	0.02	0.09	8.42	991101c	21	
31430	0.031	0.001	0.01	2.95	991101c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31075	0.015	0.006	0.01	2.46	991101c	1	99B-2
31076	0.014	0.001	0.01	3.16	991101c	2	
31077	0.016	0.001	0.01	2.69	991101c	3	
31078	0.028	0.003	0.01	2.54	991101c	4	
31079	0.019	0.001	0.01	3.13	991101c	5	
31080	0.017	0.001	0.01	2.62	991101c	6	
31081	0.023	0.003	0.01	3.31	991101c	7	
31082	0.016	0.001	0.01	3.53	991101c	8	
31300	0.087	0.011	0.07	8.2	991101c	9	99B-6
31301	0.1	0.007	0.09	8.4	991101c	10	
31350	0.231	0.006	0.11	3.45	991101c	11	
31351	0.179	0.009	0.08	4.01	991101c	12	
31352	0.012	0.001	0.01	5.81	991101c	13	
31353	0.013	0.002	0	5.57	991101c	14	
31354	0.19	0.023	0.07	4.99	991101c	15	
31379	0.276	0.038	0.14	6.79	991101c	16	
31408	0.018	0.006	0.01	4.73	991101c	17	
31412	0.237	0.007	0.21	6.07	991101c	18	99B-3
31415	0.095	0.004	0.05	6.64	991101c	19	
31421	0.353	0.01	0.55	8.52	991101c	20	
31428	0.17	0.02	0.09	8.42	991101c	21	
31430	0.031	0.001	0.01	2.95	991101c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31400	0.011	0.002	0.02	3.65	991027b	1	99B-6 ↓
31401	0.022	0.001	0.03	3.72	991027b	2	
31402	0.023	0.002	0.02	3.65	991027b	3	
31403	0.019	0.006	0.02	3.56	991027b	4	
31405	0.013	0.003	0.01	3.12	991027b	5	
31407	0.059	0.011	0.07	4.18	991027b	6	
31409	0.028	0.005	0.02	3.96	991027b	7	
31410	0.028	0.005	0.02	3.79	991027b	8	
31411	0.037	0.01	0.04	4.08	991027b	9	
31413	0.284	0.005	0.2	5.58	991027b	10	99B-3 ↓
31414	0.221	0.005	0.16	4.98	991027b	11	
31416	0.067	0.002	0.02	4.8	991027b	12	
31417	0.072	0.001	0.04	4.76	991027b	13	
31418	0.16	0.004	0.11	5.46	991027b	14	
31419	0.147	0.002	0.14	5.31	991027b	15	
31420	0.156	0.003	0.34	5.04	991027b	16	
31422	0.215	0.019	0.24	9.01	991027b	17	
31423	0.083	0.008	0.06	5.86	991027b	18	
31424	0.013	0.002	0.01	3.24	991027b	19	
31425	0.012	0.002	0.01	3.18	991027b	20	
31426	0.014	0.001	0.01	3.04	991027b	21	
31427	0.274	0.006	0.22	6.47	991027b	22	↓

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31431	0.376	0.021	0.49	8.56	991028c	1	
31432	0.006	0.001	0.02	4.45	991028c	2	
31433	0.008	0.001	0.02	4.49	991028c	3	
31434	0.158	0.004	0.16	5.63	991028c	4	
31435	0.008	0.001	0.02	3.41	991028c	5	
31436	0.173	0.01	0.16	4.36	991028c	6	
31437	0.127	0.004	0.15	4.15	991028c	7	
31438	0.168	0.006	0.22	4.11	991028c	8	
31439	0.161	0.02	0.21	6.1	991028c	9	
31440	0.016	0.001	0.02	2.7	991028c	10	
31441	0.007	0.001	0.03	3.08	991028c	11	
31442	0.008	0.001	0.03	3.22	991028c	12	
31443	0.018	0.007	0.02	3.01	991028c	13	
31444	0.017	0.001	0.01	2.74	991028c	14	
31445	0.112	0.002	0.09	5.37	991028c	15	
31446	0.193	0.005	0.12	5.21	991028c	16	
31447	0.154	0.003	0.09	4.29	991028c	17	
31448	0.206	0.005	0.1	4.64	991028c	18	
31449	0.219	0.004	0.1	4.43	991028c	19	
31450	0.211	0.003	0.1	4.4	991028c	20	
31452	0.233	0.003	0.14	4.76	991028c	21	
31454	0.099	0.006	0.08	5.6	991028c	22	

QueryExport

Tag	Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31451	0.213	0.015	0.12	5.25	991024B	1	99B-3
31453	0.103	0.011	0.06	5.65	991024B	2	
31457	0.107	0.009	0.07	3.54	991024B	3	
31459	0.23	0.021	0.19	4.33	991024B	4	
31462	0.101	0.008	0.08	5.77	991024B	5	
31464	0.211	0.015	0.15	6.08	991024B	6	
31465	0.3	0.023	0.16	5.77	991024B	7	
31466	0.147	0.013	0.08	6.34	991024B	8	
31467	0.153	0.014	0.08	6.62	991024B	9	
31468	0.139	0.016	0.05	6.33	991024B	10	
31469	0.283	0.02	0.15	5.08	991024B	11	
30988	0.008	0.002	0.01	3.02	991024B	12	99B-2
30989	0.019	0.003	0.01	3.12	991024B	13	
30990	0.018	0.002	0.01	3.15	991024B	14	
30991	0.016	0.001	0.01	3.12	991024B	15	
30992	0.029	0.002	0.02	2.71	991024B	16	
30993	0.295	0.009	0.15	3.41	991024B	17	
30994	0.512	0.017	0.24	4.95	991024B	18	
30995	0.275	0.02	0.15	5.37	991024B	19	
30996	0.205	0.019	0.12	4.53	991024B	20	
30998	0.294	0.014	0.16	4.18	991024B	21	
30999	0.214	0.02	0.14	2.23	991024B	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31345	0.1	0.005	0.08	4.05	991029a	1	99B-6 ↓
31346	0.196	0.006	0.12	3.69	991029a	2	
31347	0.161	0.004	0.08	4.09	991029a	3	
31348	0.122	0.004	0.08	3.57	991029a	4	
31349	0.205	0.006	0.14	3.15	991029a	5	
31455	0.13	0.004	0.12	5.15	991029a	6	99B-3 ↓
31456	0.132	0.008	0.13	4.73	991029a	7	
31458	0.122	0.006	0.08	4.35	991029a	8	
31460	0.166	0.011	0.1	6.69	991029a	9	
31461	0.138	0.007	0.09	6.24	991029a	10	
31463	0.092	0.008	0.04	4.99	991029a	11	
31470	0.21	0.012	0.1	5.91	991029a	12	
31471	0.103	0.005	0.06	5.44	991029a	13	
31472	0.08	0.004	0.02	5.87	991029a	14	
31473	0.176	0.01	0.08	5.64	991029a	15	
31474	0.121	0.006	0.06	5.2	991029a	16	
31475	0.121	0.004	0.07	5.39	991029a	17	
31476	0.138	0.011	0.07	6.41	991029a	18	
31477	0.075	0.005	0.06	5.8	991029a	19	
31478	0.048	0.003	0.01	4.91	991029a	20	
31479	0.066	0.004	0.03	4.84	991029a	21	
31480	0.088	0.012	0.08	5.49	991029a	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31018	0.26	0.019	0.14	3.39	991103C	1	993 2
31021	0.219	0.008	0.17	2.72	991103C	2	
31022	0.115	0.003	0.08	2.04	991103C	3	
31024	0.335	0.032	0.16	3.94	991103C	4	
31026	0.316	0.027	0.11	3.56	991103C	5	
31028	0.27	0.014	0.08	1.45	991103C	6	
31030	0.319	0.021	0.13	2.21	991103C	7	
31032	0.117	0.006	0.06	3.9	991103C	8	
31034	0.23	0.017	0.21	3.65	991103C	9	
31039	0.269	0.017	0.18	2.25	991103C	10	
31041	0.563	0.014	0.27	4.03	991103C	11	
31043	0.172	0.005	0.11	3.55	991103C	12	
31050	0.26	0.02	0.19	4.1	991103C	13	
31052	0.103	0.004	0.1	2.72	991103C	14	↓
31481	0.129	0.002	0.1	6.78	991103C	15	993 3
31482	0.126	0.006	0.08	5.09	991103C	16	
31483	0.047	0	0.02	5.15	991103C	17	
31484	0.082	0.005	0.04	5.38	991103C	18	
31485	0.076	0.003	0.04	6.82	991103C	19	
31486	0.102	0.009	0.05	7.25	991103C	20	
31487	0.13	0.005	0.05	5.98	991103C	21	
31488	0.075	0.002	0.02	4.92	991103C	22	↓

QueryExport

Tag .	Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31489	0.121	0.017	0.04	5.06	991104A	1	
31490	0.114	0.008	0.04	5.42	991104A	2	
31491	0.073	0.007	0.02	6.14	991104A	3	
31492	0.11	0.005	0.05	7.39	991104A	4	
31493	0.088	0.001	0.12	7.25	991104A	5	
31494	0.17	0.006	0.07	4.89	991104A	6	
31495	0.131	0.006	0.06	6.28	991104A	7	
31496	0.143	0.005	0.1	7.96	991104A	8	
31497	0.159	0.003	0.12	8.22	991104A	9	
31498	0.143	0.004	0.1	8.26	991104A	10	
31499	0.156	0.002	0.12	7.25	991104A	11	
31500	0.113	0.003	0.08	6.8	991104A	12	
31851	0.115	0.002	0.13	9.3	991104A	13	
31852	0.143	0.003	0.14	7.31	991104A	14	
31853	0.098	0.004	0.05	4.92	991104A	15	
31854	0.117	0.003	0.05	4.65	991104A	16	
31855	0.094	0.002	0.04	3.89	991104A	17	
31856	0.044	0.002	0.02	4.87	991104A	18	
31857	0.022	0.006	0.01	4.25	991104A	19	
31858	0.018	0.008	0.01	3.78	991104A	20	
31859	0.009	0.001	0.01	3.78	991104A	21	
31860	0.009	0.001	0.01	3.88	991104A	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31861	0.01	0.002	0.01	3.24	991104d	1	
31862	0.008	0.001	0.01	3.15	991104d	2	
31863	0.013	0.002	0.02	3.24	991104d	3	
31864	0.008	0.001	0.01	3.29	991104d	4	
31865	0.011	0.001	0.02	3.27	991104d	5	
31866	0.032	0.002	0.01	3.22	991104d	6	
31867	0.012	0.002	0.02	2.45	991104d	7	
31868	0.011	0.002	0.01	2.37	991104d	8	
31869	0.027	0.001	0.03	3.14	991104d	9	
31870	0.016	0.001	0.02	2.61	991104d	10	
31871	0.016	0.001	0.01	2.62	991104d	11	
31872	0.038	0.004	0.01	2.88	991104d	12	
31873	0.086	0.005	0.1	2.71	991104d	13	
31874	0.056	0.005	0.04	3.04	991104d	14	
31875	0.016	0.004	0.02	2.24	991104d	15	
31876	0.025	0.003	0.01	2.89	991104d	16	
31877	0.007	0.001	0.01	2.24	991104d	17	
31878	0.011	0.001	0.01	2.98	991104d	18	
31879	0.028	0.006	0.01	3.46	991104d	19	
31880	0.025	0.002	0.01	3.48	991104d	20	
31881	0.075	0.001	0.06	3.27	991104d	21	
31882	0.03	0.001	0.05	3.35	991104d	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31883	0.06	0.007	0.05	3.26	991104e	1	
31884	0.113	0.002	0.09	3.96	991104e	2	
31885	0.087	0.003	0.07	4.39	991104e	3	
31886	0.044	0.001	0.06	3.64	991104e	4	
31887	0.104	0.001	0.07	3.28	991104e	5	
31888	0.076	0.001	0.06	3.51	991104e	6	
31889	0.057	0.001	0.04	3.75	991104e	7	
31890	0.075	0.002	0.06	3.55	991104e	8	
31891	0.106	0.004	0.08	4.27	991104e	9	
31892	0.086	0.002	0.06	4.78	991104e	10	
31893	0.128	0.003	0.09	4.63	991104e	11	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31894	0.075	0.003	0.06	5.62	991027a	1	
31895	0.163	0.003	0.07	5.94	991027a	2	
31896	0.059	0.001	0.03	5.39	991027a	3	
31897	0.201	0.003	0.08	6.09	991027a	4	
31898	0.013	0.001	0.01	4.83	991027a	5	
31899	0.125	0.003	0.06	5.52	991027a	6	
31900	0.115	0.001	0.04	5.6	991027a	7	
31901	0.211	0.003	0.09	6.05	991027a	8	
31902	0.016	0.003	0.01	5.06	991027a	9	
31903	0.104	0.004	0.06	6.08	991027a	10	
31904	0.312	0.006	0.11	4.54	991027a	11	
31905	0.261	0.004	0.1	5.59	991027a	12	
31906	0.115	0.004	0.06	4.74	991027a	13	
31907	0.165	0.005	0.09	4.22	991027a	14	
31908	0.126	0.005	0.09	3.68	991027a	15	
31909	0.124	0.008	0.1	4.69	991027a	16	
31910	0.258	0.007	0.27	6.93	991027a	17	
31911	0.278	0.009	0.18	6.2	991027a	18	
31912	0.293	0.005	0.25	5.58	991027a	19	
31913	0.211	0.005	0.19	2.96	991027a	20	
31914	0.195	0.001	0.11	6.83	991027a	21	
31429	0.03	0.003	0.03	2.92	991027a	22	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30286	0.096	0.007	0.47	6.57	990909A	1	
30287	0.051	0.003	0.15	6.49	990909A	2	
30288	0.038	0.001	0.16	6.35	990909A	3	
30289	0.056	0.002	0.17	5.91	990909A	4	
30290	0.076	0.002	0.21	5.89	990909A	5	
30291	0.053	0.001	0.12	4.82	990909A	6	
30292	0.078	0.002	0.13	5.74	990909A	7	
30293	0.046	0.002	0.12	5.64	990909A	8	
30294	0.052	0.002	0.15	6.33	990909A	9	
30295	0.019	0.001	0.06	5.62	990909A	10	
30296	0.011	0.001	0.03	5.22	990909A	11	
30297	0.018	0.001	0.03	4.97	990909A	12	
30298	0.022	0.001	0.05	5.96	990909A	13	
30299	0.03	0.001	0.12	5.13	990909A	14	
30300	0.033	0.001	0.05	5.48	990909A	15	
30301	0.032	0.001	0.09	5.5	990909A	16	
30302	0.924	0.03	0.86	6.49	990909A	17	978-4
30303	0.292	0.01	0.24	7.06	990909A	18	
30304	0.335	0.006	0.39	7.21	990909A	19	
30305	0.316	0.005	0.38	5.27	990909A	20	
30306	0.284	0.009	0.16	6.81	990909A	21	
30307	0.346	0.014	0.17	6.17	990909A	22	↓

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30308	0.265	0.015	0.12	5.66	990909b	1	
30309	0.27	0.013	0.17	6.53	990909b	2	
30310	0.28	0.009	0.19	6.45	990909b	3	
30311	0.262	0.011	0.2	6.94	990909b	4	
30312	0.275	0.009	0.18	6.39	990909b	5	
30313	0.278	0.013	0.2	7.04	990909b	6	
30314	0.231	0.004	0.17	6.08	990909b	7	
30315	0.228	0.005	0.13	7.59	990909b	8	
30316	0.242	0.008	0.14	6.9	990909b	9	
30317	0.277	0.028	0.19	5.14	990909b	10	
30318	0.21	0.02	0.15	6.02	990909b	11	
30319	0.272	0.012	0.09	5.03	990909b	12	
30320	0.353	0.01	0.14	7.28	990909b	13	
30321	0.145	0.004	0.06	6.82	990909b	14	
30322	0.143	0.005	0.1	7.29	990909b	15	
30323	0.167	0.005	0.08	9.42	990909b	16	
30324	0.265	0.008	0.12	9.08	990909b	17	
30325	0.301	0.008	0.17	10.4	990909b	18	
30326	0.216	0.006	0.11	8.08	990909b	19	
30327	0.224	0.006	0.13	5.98	990909b	20	
30328	0.104	0.007	0.04	5.73	990909b	21	
30329	0.098	0.007	0.05	6.19	990909b	22	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30330	0.129	0.013	0.06	6.44	990910b	1	
30331	0.108	0.008	0.06	6.92	990910b	2	
30332	0.11	0.003	0.04	7.17	990910b	3	
30333	0.123	0.003	0.04	7.56	990910b	4	
30334	0.073	0.002	0.01	6.2	990910b	5	
30335	0.084	0.004	0.03	6.15	990910b	6	
30336	0.09	0.003	0.05	6.8	990910b	7	
30337	0.063	0.002	0.05	4.56	990910b	8	
30338	0.126	0.007	0.06	4.95	990910b	9	
30339	0.096	0.014	0.04	5.59	990910b	10	
30340	0.068	0.001	0.04	5.41	990910b	11	
30341	0.058	0.003	0.04	5.54	990910b	12	
30342	0.065	0.004	0.04	6.87	990910b	13	
30343	0.052	0.004	0.03	6.49	990910b	14	
30344	0.074	0.002	0.06	6.02	990910b	15	
30345	0.057	0.001	0.04	5.21	990910b	16	
30346	0.038	0.001	0.03	5.89	990910b	17	
30347	0.159	0.01	0.12	6.03	990910b	18	
30348	0.021	0	0.01	4.16	990910b	19	
30349	0.029	0.001	0.01	4.79	990910b	20	
30350	0.028	0.001	0.01	4.43	990910b	21	
30351	0.021	0.001	0.01	3.95	990910b	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30352	0.014	0.001	0.01	3.7	990910c	1	
30353	0.117	0.006	0.1	5.53	990910c	2	
30354	0.146	0.006	0.07	5.67	990910c	3	
30355	0.174	0.006	0.11	6.28	990910c	4	
30356	0.167	0.003	0.1	6.36	990910c	5	
30357	0.165	0.005	0.16	7.08	990910c	6	
30358	0.162	0.007	0.07	6.98	990910c	7	
30359	0.203	0.005	0.14	5.65	990910c	8	
30360	0.123	0.003	0.05	5.04	990910c	9	
30361	0.138	0.006	0.06	7.08	990910c	10	
30362	0.078	0.003	0.05	5.63	990910c	11	
30363	0.088	0.003	0.04	5.38	990910c	12	
30364	0.113	0.006	0.05	6.94	990910c	13	
30365	0.12	0.004	0.06	7.3	990910c	14	
30366	0.124	0.004	0.05	7.33	990910c	15	
30367	0.099	0.004	0.04	6.02	990910c	16	
30368	0.128	0.007	0.07	8.15	990910c	17	
30369	0.158	0.007	0.08	8.08	990910c	18	
30370	0.134	0.006	0.08	6.88	990910c	19	
30371	0.13	0.006	0.09	5.49	990910c	20	
30372	0.115	0.005	0.08	6.15	990910c	21	
30373	0.167	0.022	0.1	5.58	990910c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30374	0.105	0.004	0.07	5.84	990910d	1	
30375	0.134	0.006	0.1	5.45	990910d	2	
30376	0.124	0.007	0.08	5.95	990910d	3	
30377	0.076	0.003	0.07	7.02	990910d	4	
30378	0.142	0.006	0.08	6.94	990910d	5	
30379	0.11	0.004	0.11	6.6	990910d	6	
30380	0.101	0.004	0.13	6.03	990910d	7	
30381	0.133	0.007	0.21	8.51	990910d	8	
30382	0.171	0.015	0.14	8.29	990910d	9	
30383	0.016	0.002	0.02	3.43	990910d	10	
30384	0.01	0.001	0.04	3.23	990910d	11	
30385	0.007	0.001	0.02	2.87	990910d	12	
30386	0.018	0.001	0.02	3.04	990910d	13	
30387	0.028	0.002	0.02	3.13	990910d	14	
30388	0.038	0.002	0.04	3.18	990910d	15	
30389	0.015	0.001	0.01	2.85	990910d	16	
30390	0.013	0.002	0.02	2.88	990910d	17	
30391	0.007	0.002	0.02	2.66	990910d	18	
30392	0.003	0.002	0.01	2.51	990910d	19	
30393	0.006	0.002	0.01	2.63	990910d	20	
30394	0.01	0.002	0.02	2.68	990910d	21	
30395	0.031	0.002	0.06	2.66	990910d	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30396	0.039	0.005	0.05	6.05	990910e	1	
30397	0.094	0.006	0.08	6.43	990910e	2	
30398	0.091	0.004	0.09	6.36	990910e	3	
30399	0.039	0.002	0.02	6.38	990910e	4	
30400	0.099	0.004	0.05	6.79	990910e	5	
30401	0.131	0.003	0.09	10	990910e	6	
30402	0.075	0.002	0.06	7.33	990910e	7	
30403	0.01	0.001	0.01	6.98	990910e	8	
30404	0.013	0.006	0.01	5	990910e	9	
30405	0.242	0.009	0.07	7.28	990910e	10	
30406	0.223	0.013	0.1	4.68	990910e	11	
30407	0.158	0.011	0.12	4.38	990910e	12	
30408	0.087	0.005	0.06	4.15	990910e	13	
30409	0.131	0.006	0.05	5.34	990910e	14	
30410	0.123	0.004	0.05	5.64	990910e	15	
30411	0.167	0.006	0.07	5.12	990910e	16	
30412	0.213	0.008	0.1	5.84	990910e	17	
30413	0.221	0.007	0.13	7.25	990910e	18	
30414	0.242	0.008	0.14	6.47	990910e	19	
30415	0.222	0.009	0.16	5.56	990910e	20	
30416	0.183	0.009	0.19	4.4	990910e	21	
30417	0.265	0.016	0.23	6.08	990910e	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30418	0.141	0.007	0.12	6.03	990910f	1	
30419	0.012	0.001	0.01	6.42	990910f	2	
30420	0.235	0.022	0.22	6.37	990910f	3	
30421	0.241	0.03	0.24	6.38	990910f	4	
30422	0.132	0.004	0.09	6.82	990910f	5	
30423	0.194	0.004	0.16	10	990910f	6	
30424	0.182	0.007	0.15	7.22	990910f	7	
30425	0.271	0.007	0.19	6.9	990910f	8	
30426	0.23	0.005	0.16	4.99	990910f	9	
30427	0.269	0.014	0.18	7.25	990910f	10	
30428	0.135	0.004	0.11	4.62	990910f	11	
30429	0.203	0.009	0.13	4.31	990910f	12	
30430	0.183	0.006	0.14	4.08	990910f	13	
30431	0.309	0.01	0.2	5.28	990910f	14	
30432	0.342	0.012	0.26	5.52	990910f	15	
30433	0.177	0.009	0.14	5.09	990910f	16	
30434	0.305	0.014	0.19	5.74	990910f	17	
30435	0.162	0.01	0.14	7.17	990910f	18	
30436	0.199	0.009	0.17	6.45	990910f	19	
30437	0.147	0.006	0.1	5.57	990910f	20	
30438	0.139	0.005	0.07	4.4	990910f	21	
30439	0.426	0.016	0.4	6.08	990910f	22	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30440	0.234	0.008	0.2	5.87	990911a	1	
30441	0.15	0.006	0.11	5.65	990911a	2	
30442	0.092	0.004	0.06	5.74	990911a	3	
30443	0.159	0.007	0.11	4.89	990911a	4	
30444	0.133	0.005	0.1	5.02	990911a	5	
30445	0.186	0.007	0.12	4.97	990911a	6	
30446	0.191	0.006	0.06	5.87	990911a	7	
30447	0.224	0.012	0.16	5.89	990911a	8	
30448	0.119	0.005	0.09	6.79	990911a	9	
30449	0.181	0.01	0.15	5.91	990911a	10	
30450	0.199	0.011	0.14	6.26	990911a	11	
30451	0.168	0.012	0.17	6.04	990911a	12	
30452	0.204	0.009	0.25	4.48	990911a	13	
30453	0.319	0.014	0.21	6.69	990911a	14	
30454	0.176	0.009	0.18	7.32	990911a	15	
30455	0.236	0.021	0.19	5.07	990911a	16	
30456	0.332	0.023	0.35	8.81	990911a	17	
30457	0.309	0.015	0.32	7.53	990911a	18	
30458	0.212	0.008	0.16	7.68	990911a	19	
30459	0.137	0.005	0.1	5.41	990911a	20	
30460	0.163	0.005	0.17	6.79	990911a	21	
30461	0.149	0.007	0.2	6.79	990911a	22	
30462	0.186	0.006	0.13	4.28	990911a	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30463	0.239	0.009	0.18	5.1	990911b	1	
30464	0.217	0.005	0.19	5.87	990911b	2	
30465	0.12	0.005	0.11	5.89	990911b	3	
30466	0.19	0.007	0.15	4.82	990911b	4	
30467	0.336	0.014	0.21	4.52	990911b	5	
30468	0.05	0.002	0.02	4.81	990911b	6	
30469	0.092	0.006	0.04	5.72	990911b	7	
30470	0.091	0.005	0.04	5.67	990911b	8	
30471	0.147	0.006	0.07	5.71	990911b	9	
30472	0.14	0.007	0.1	8.34	990911b	10	
30473	0.336	0.011	0.22	6.1	990911b	11	
30474	0.711	0.029	0.35	5.37	990911b	12	
30475	0.146	0.009	0.11	5.86	990911b	13	
30476	0.36	0.023	0.24	6.19	990911b	14	
30477	0.201	0.012	0.14	6.46	990911b	15	
30478	0.131	0.005	0.14	6.17	990911b	16	
30479	0.28	0.013	0.24	6.43	990911b	17	
30480	0.236	0.014	0.14	7.46	990911b	18	
30481	0.29	0.021	0.23	8.52	990911b	19	
30482	0.098	0.009	0.07	7.15	990911b	20	
30483	0.183	0.027	0.06	6.74	990911b	21	
30484	0.18	0.008	0.14	4.64	990911b	22	
30485	0.216	0.015	0.17	7.01	990911b	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30486	0.099	0.006	0.14	5.01	990913a	1	99B-4
30487	0.078	0.013	0.07	4.79	990913a	2	
30488	0.013	0.006	0.02	4.19	990913a	3	
30489	0.004	0.002	0.01	3.49	990913a	4	
30490	0.003	0.001	0.01	3.92	990913a	5	
30491	0.003	0.001	0.01	3.93	990913a	6	
30492	0.011	0.003	0.01	4.42	990913a	7	
30493	0.006	0.002	0.01	4.24	990913a	8	
30494	0.007	0.003	0.01	4.11	990913a	9	
30495	0.016	0.011	0.03	4.01	990913a	10	
30496	0.1	0.093	0.17	3.27	990913a	11	99C-1
30497	0.083	0.065	0.14	5.8	990913a	12	
30498	0.06	0.056	0.13	4.44	990913a	13	
30499	0.055	0.053	0.12	4.28	990913a	14	
30500	0.064	0.062	0.1	4.7	990913a	15	
30501	0.064	0.063	0.09	4.31	990913a	16	
30502	0.121	0.12	0.19	5.18	990913a	17	
30503	0.061	0.06	0.09	3.65	990913a	18	
30504	0.054	0.047	0.05	3.07	990913a	19	
30505	0.063	0.055	0.08	4.37	990913a	20	
30506	0.128	0.121	0.18	6.28	990913a	21	
30507	0.178	0.165	0.49	7.95	990913a	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30178	0.01	0.002	0.01	3.23	990903d	1	99B-7
30179	0.032	0.002	0.06	3.65	990903d	2	
30180	0.112	0.017	0.07	4.74	990903d	3	
30181	0.105	0.011	0.12	4.33	990903d	4	
30182	0.115	0.015	0.1	4.63	990903d	5	
30183	0.145	0.017	0.1	3.92	990903d	6	
30184	0.011	0.006	0.01	4.72	990903d	7	
30185	0.057	0.035	0.04	3.71	990903d	8	
30186	0.061	0.038	0.04	4.04	990903d	9	
30187	0.015	0.004	0.01	5.5	990903d	10	
30188	0.044	0.018	0.07	4.95	990903d	11	
30189	0.111	0.053	0.08	4.59	990903d	12	
30190	0.102	0.047	0.1	4.69	990903d	13	
30191	0.107	0.079	0.16	4.05	990903d	14	
30192	0.145	0.125	0.14	4.43	990903d	15	
30193	0.077	0.039	0.09	6.01	990903d	16	
30194	0.01	0.007	0.01	5.15	990903d	17	
30195	0.011	0.004	0.01	5.43	990903d	18	
30196	0.01	0.002	0.01	3.59	990903d	19	99B-5
30197	0.005	0.003	0.01	2.83	990903d	20	
30198	0.006	0.005	0.01	3	990903d	21	
30199	0.027	0	0.02	2.31	990903d	22	
30200	0.023	0.017	0.02	3.6	990903d	23	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30201	0.03	0.002	0.1	5.23	990904c	1	
30202	0.036	0.003	0.16	4.38	990904c	2	
30203	0.012	0.001	0.03	4.2	990904c	3	
30204	0.019	0.001	0.03	4.26	990904c	4	
30205	0.021	0.002	0.02	4.33	990904c	5	
30206	0.012	0.001	0.02	4.35	990904c	6	
30207	0.029	0.001	0.02	4.38	990904c	7	
30208	0.015	0.001	0.12	4.74	990904c	8	
30209	0.028	0.002	0.03	4.33	990904c	9	
30210/30229	0.09	0.003	0.06	4.69	990904c	10	Two samples mixed together, 30210&30229
30211	0.034	0.002	0.03	4.88	990904c	11	
30212	0.019	0.001	0.04	4.58	990904c	12	
30213	0.086	0.008	0.06	5.88	990904c	13	
30214	0.063	0.003	0.04	4.85	990904c	14	
30215	0.057	0.001	0.06	4.14	990904c	15	
30216	0.053	0.002	0.08	4.39	990904c	16	
30217	0.07	0.003	0.11	6	990904c	17	
30218	0.052	0.005	0.09	5.76	990904c	18	
30219	0.054	0.001	0.18	4.64	990904c	19	
30220	0.031	0.001	0.06	3.8	990904c	20	
30221	0.029	0.002	0.02	3.06	990904c	21	
30222	0.007	0.001	0.01	2.81	990904c	22	
30223	0.005	0.001	0.01	2.54	990904c	23	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30224	0.01	0.001	0.03	3.33	990904d	1	
30225	0.024	0.001	0.04	3.16	990904d	2	
30226	0.007	0.001	0.03	2.79	990904d	3	
30227	0.041	0.001	0.05	3.51	990904d	4	
30228	0.026	0.001	0.06	3.3	990904d	5	
30230	0.144	0.002	0.11	5.19	990904d	6	
30231	0.053	0.001	0.07	5.54	990904d	7	
30232	0.134	0.002	0.13	5.21	990904d	8	
30233	0.063	0.001	0.1	4.78	990904d	9	
30234	0.048	0.001	0.08	5.03	990904d	10	
30235	0.073	0.004	0.07	5.37	990904d	11	
30236	0.057	0.009	0.15	5.18	990904d	12	
30237	0.074	0.02	0.19	5.33	990904d	13	
30238	0.054	0.005	0.18	5.29	990904d	14	
30239	0.055	0.004	0.11	5.22	990904d	15	
30240	0.052	0.001	0.14	5.06	990904d	16	
30241	0.034	0.002	0.07	4.76	990904d	17	
30242	0.077	0.003	0.14	3.89	990904d	18	
30243	0.058	0.018	0.11	3.66	990904d	19	
30244	0.113	0.041	0.16	4.41	990904d	20	
30245	0.182	0.021	0.29	4.45	990904d	21	
30246	0.135	0.005	0.16	3.76	990904d	22	
30247	0.044	0.001	0.14	2.99	990904d	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30248	0.177	0.006	0.32	4.93	990904e	1	
30249	0.041	0.004	0.13	4.07	990904e	2	
30250	0.032	0.003	0.09	3.97	990904e	3	
30251	0.118	0.009	0.23	5.55	990904e	4	
30252	0.071	0.002	0.14	4.88	990904e	5	
30253	0.033	0.002	0.07	3.39	990904e	6	
30254	0.085	0.019	0.2	4.55	990904e	7	
30255	0.078	0.012	0.35	3.83	990904e	8	
30256	0.067	0.001	0.37	4.31	990904e	9	
30257	0.096	0.006	0.37	4.77	990904e	10	
30258	0.074	0.005	0.26	3.54	990904e	11	
30259	0.097	0.003	0.19	4.73	990904e	12	
30260	0.05	0.001	0.34	5.11	990904e	13	
30261	0.052	0.001	0.1	5	990904e	14	
30262	0.037	0.002	0.08	5.07	990904e	15	
30263	0.035	0.001	0.13	5.13	990904e	16	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30264	0.038	0.003	0.16	6.05	990908B	1	
30265	0.038	0.002	0.09	6.28	990908B	2	
30266	0.067	0.004	0.15	6.69	990908B	3	
30267	0.059	0.006	0.16	7.07	990908B	4	
30268	0.065	0.006	0.23	6.8	990908B	5	
30269	0.008	0.001	0.04	2.52	990908B	6	
30270	0.009	0.001	0.04	2.34	990908B	7	
30271	0.003	0.001	0.02	2.28	990908B	8	
30272	0.006	0.001	0.03	2.39	990908B	9	
30273	0.003	0.001	0.03	2.55	990908B	10	
30274	0.003	0.001	0.02	2.81	990908B	11	
30275	0.004	0.001	0.02	2.64	990908B	12	
30276	0.008	0.001	0.02	2.13	990908B	13	
30277	0.013	0.001	0.01	1.87	990908B	14	
30278	0.022	0.001	0.02	2.18	990908B	15	
30279	0.092	0.002	0.31	3.72	990908B	16	
30280	0.05	0.002	0.06	3.86	990908B	17	
30281	0.055	0.001	0.13	4.41	990908B	18	
30282	0.085	0.004	0.15	6.97	990908B	19	
30283	0.039	0.002	0.07	4.56	990908B	20	
30284	0.029	0.001	0.08	3.64	990908B	21	
30285	0.079	0.009	0.23	6	990908B	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30286	0.096	0.007	0.47	6.57	990909A	1	99B-5
30287	0.051	0.003	0.15	6.49	990909A	2	
30288	0.038	0.001	0.16	6.35	990909A	3	
30289	0.056	0.002	0.17	5.91	990909A	4	
30290	0.076	0.002	0.21	5.89	990909A	5	
30291	0.053	0.001	0.12	4.82	990909A	6	
30292	0.078	0.002	0.13	5.74	990909A	7	
30293	0.046	0.002	0.12	5.64	990909A	8	
30294	0.052	0.002	0.15	6.33	990909A	9	
30295	0.019	0.001	0.06	5.62	990909A	10	
30296	0.011	0.001	0.03	5.22	990909A	11	
30297	0.018	0.001	0.03	4.97	990909A	12	
30298	0.022	0.001	0.05	5.96	990909A	13	
30299	0.03	0.001	0.12	5.13	990909A	14	
30300	0.033	0.001	0.05	5.48	990909A	15	
30301	0.032	0.001	0.09	5.5	990909A	16	↓
30302	0.924	0.03	0.86	6.49	990909A	17	99B-4
30303	0.292	0.01	0.24	7.06	990909A	18	
30304	0.335	0.006	0.39	7.21	990909A	19	
30305	0.316	0.005	0.38	5.27	990909A	20	
30306	0.284	0.009	0.16	6.81	990909A	21	
30307	0.346	0.014	0.17	6.17	990909A	22	↓

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31075	0.015	0.006	0.01	2.46	991101c	1	99B-2
31076	0.014	0.001	0.01	3.16	991101c	2	
31077	0.016	0.001	0.01	2.69	991101c	3	
31078	0.028	0.003	0.01	2.54	991101c	4	
31079	0.019	0.001	0.01	3.13	991101c	5	
31080	0.017	0.001	0.01	2.62	991101c	6	
31081	0.023	0.003	0.01	3.31	991101c	7	
31082	0.016	0.001	0.01	3.53	991101c	8	
31300	0.087	0.011	0.07	8.2	991101c	9	99B-6
31301	0.1	0.007	0.09	8.4	991101c	10	
31350	0.231	0.006	0.11	3.45	991101c	11	
31351	0.179	0.009	0.08	4.01	991101c	12	
31352	0.012	0.001	0.01	5.81	991101c	13	
31353	0.013	0.002	0	5.57	991101c	14	
31354	0.19	0.023	0.07	4.99	991101c	15	
31379	0.276	0.038	0.14	6.79	991101c	16	
31408	0.018	0.006	0.01	4.73	991101c	17	
31412	0.237	0.007	0.21	6.07	991101c	18	99B-3
31415	0.095	0.004	0.05	6.64	991101c	19	
31421	0.353	0.01	0.55	8.52	991101c	20	
31428	0.17	0.02	0.09	8.42	991101c	21	
31430	0.031	0.001	0.01	2.95	991101c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31302	0.125	0.015	0.09	6.93	991028i	1	
31322	0.048	0.003	0.02	3.88	991028i	2	
31323	0.095	0.008	0.05	4.97	991028i	3	
31324	0.129	0.006	0.1	5.45	991028i	4	
31325	0.142	0.007	0.1	5.96	991028i	5	
31326	0.118	0.005	0.09	5.25	991028i	6	
31328	0.024	0.001	0.02	2.79	991028i	7	
31329	0.012	0.001	0.02	3.43	991028i	8	
31330	0.016	0.002	0.02	3.64	991028i	9	
31331	0.026	0.002	0.03	2.66	991028i	10	
31332	0.021	0.003	0.01	2.83	991028i	11	
31333	0.046	0.002	0.03	2.71	991028i	12	
31334	0.039	0.003	0.02	2.31	991028i	13	
31335	0.009	0.001	0.01	2.32	991028i	14	
31336	0.034	0.014	0.02	2.31	991028i	15	
31337	0.025	0.002	0.03	2.86	991028i	16	
31338	0.066	0.012	0.04	3.7	991028i	17	
31340	0.219	0.013	0.12	4.86	991028i	18	
31341	0.201	0.013	0.08	5.68	991028i	19	
31342	0.129	0.009	0.11	5.56	991028i	20	
31343	0.125	0.007	0.09	5.13	991028i	21	
31344	0.21	0.014	0.14	5.43	991028i	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31303	0.12	0.007	0.09	8.24	991031d	1	
31304	0.15	0.01	0.09	8.47	991031d	2	
31305	0.252	0.012	0.19	7.27	991031d	3	
31306	0.24	0.009	0.15	6.05	991031d	4	
31307	0.063	0.005	0.03	5.52	991031d	5	
31308	0.048	0.002	0.02	5.2	991031d	6	
31309	0.118	0.005	0.1	5.55	991031d	7	
31310	0.122	0.005	0.1	5.92	991031d	8	
31311	0.009	0.001	0.01	4.35	991031d	9	
31312	0.01	0.001	0.01	4.77	991031d	10	
31313	0.003	0.001	0.01	4.9	991031d	11	
31314	0.026	0.001	0.02	3.86	991031d	12	
31315	0.011	0.001	0.01	4.44	991031d	13	
31316	0.018	0.001	0.02	3.93	991031d	14	
31317	0.013	0.001	0.01	3.31	991031d	15	
31318	0.01	0.001	0.02	4.37	991031d	16	
31319	0.014	0.001	0.01	4.01	991031d	17	
31320	0.011	0.001	0.01	3.99	991031d	18	
31321	0.129	0.006	0.07	5.44	991031d	19	
31327	0.027	0.002	0.03	3.03	991031d	20	
31339	0.158	0.005	0.08	5	991031d	21	
31387	0.075	0.007	0.05	3.38	991031d	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31345	0.1	0.005	0.08	4.05	991029a	1	99B-6 ↓
31346	0.196	0.006	0.12	3.69	991029a	2	
31347	0.161	0.004	0.08	4.09	991029a	3	
31348	0.122	0.004	0.08	3.57	991029a	4	
31349	0.205	0.006	0.14	3.15	991029a	5	
31455	0.13	0.004	0.12	5.15	991029a	6	
31456	0.132	0.008	0.13	4.73	991029a	7	
31458	0.122	0.006	0.08	4.35	991029a	8	
31460	0.166	0.011	0.1	6.69	991029a	9	
31461	0.138	0.007	0.09	6.24	991029a	10	
31463	0.092	0.008	0.04	4.99	991029a	11	
31470	0.21	0.012	0.1	5.91	991029a	12	
31471	0.103	0.005	0.06	5.44	991029a	13	
31472	0.08	0.004	0.02	5.87	991029a	14	
31473	0.176	0.01	0.08	5.64	991029a	15	
31474	0.121	0.006	0.06	5.2	991029a	16	
31475	0.121	0.004	0.07	5.39	991029a	17	
31476	0.138	0.011	0.07	6.41	991029a	18	
31477	0.075	0.005	0.06	5.8	991029a	19	
31478	0.048	0.003	0.01	4.91	991029a	20	
31479	0.066	0.004	0.03	4.84	991029a	21	
31480	0.088	0.012	0.08	5.49	991029a	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31355	0.182	0.006	0.11	4.18	991030c	1	
31356	0.21	0.011	0.14	3.95	991030c	2	
31357	0.246	0.015	0.12	4.18	991030c	3	
31358	0.279	0.028	0.13	4.05	991030c	4	
31359	0.146	0.012	0.1	3.71	991030c	5	
31360	0.203	0.007	0.11	4.67	991030c	6	
31361	0.171	0.01	0.12	7.31	991030c	7	
31362	0.214	0.02	0.17	6.42	991030c	8	
31363	0.228	0.015	0.11	6.91	991030c	9	
31364	0.143	0.006	0.08	4.28	991030c	10	
31365	0.139	0.011	0.09	5.72	991030c	11	
31366	0.208	0.054	0.1	7.75	991030c	12	
31367	0.251	0.164	0.18	5.22	991030c	13	
31368	0.23	0.143	0.16	8.13	991030c	14	
31369	0.292	0.087	0.15	6.8	991030c	15	
31370	0.25	0.062	0.16	6.62	991030c	16	
31371	0.148	0.006	0.1	5.75	991030c	17	
31372	0.325	0.061	0.21	8.8	991030c	18	
31373	0.34	0.092	0.2	7.4	991030c	19	
31374	0.478	0.018	0.44	8.03	991030c	20	
31375	0.218	0.056	0.21	7.8	991030c	21	
31376	0.138	0.039	0.1	6.64	991030c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31377	0.198	0.007	0.15	4.74	991029d	1	
31378	0.149	0.011	0.1	4.34	991029d	2	
31380	0.094	0.005	0.1	6.3	991029d	3	
31381	0.058	0.004	0.04	5.46	991029d	4	
31382	0.265	0.021	0.17	4	991029d	5	
31383	0.155	0.013	0.11	4.93	991029d	6	
31384	0.067	0.025	0.03	5.53	991029d	7	
31385	0.072	0.019	0.06	4.59	991029d	8	
31388	0.057	0.005	0.05	3.59	991029d	9	
31389	0.047	0.002	0.05	3.35	991029d	10	
31390	0.049	0.002	0.05	3.31	991029d	11	
31391	0.055	0.002	0.05	3.44	991029d	12	
31392	0.085	0.004	0.07	4.02	991029d	13	
31393	0.074	0.006	0.08	3.67	991029d	14	
31394	0.041	0.003	0.02	3.62	991029d	15	
31395	0.033	0.001	0.02	3.58	991029d	16	
31396	0.033	0.002	0.01	4.06	991029d	17	
31397	0.123	0.007	0.08	5.12	991029d	18	
31398	0.217	0.071	0.21	4.91	991029d	19	
31399	0.034	0.013	0.01	4.23	991029d	20	
31404	0.024	0.012	0.05	3.75	991029d	21	
31406	0.028	0.016	0.05	4.2	991029d	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31400	0.011	0.002	0.02	3.65	991027b	1	9913-6 ↓
31401	0.022	0.001	0.03	3.72	991027b	2	
31402	0.023	0.002	0.02	3.65	991027b	3	
31403	0.019	0.006	0.02	3.56	991027b	4	
31405	0.013	0.003	0.01	3.12	991027b	5	
31407	0.059	0.011	0.07	4.18	991027b	6	
31409	0.028	0.005	0.02	3.96	991027b	7	
31410	0.028	0.005	0.02	3.79	991027b	8	
31411	0.037	0.01	0.04	4.08	991027b	9	
31413	0.284	0.005	0.2	5.58	991027b	10	
31414	0.221	0.005	0.16	4.98	991027b	11	
31416	0.067	0.002	0.02	4.8	991027b	12	
31417	0.072	0.001	0.04	4.76	991027b	13	
31418	0.16	0.004	0.11	5.46	991027b	14	
31419	0.147	0.002	0.14	5.31	991027b	15	
31420	0.156	0.003	0.34	5.04	991027b	16	
31422	0.215	0.019	0.24	9.01	991027b	17	
31423	0.083	0.008	0.06	5.86	991027b	18	
31424	0.013	0.002	0.01	3.24	991027b	19	
31425	0.012	0.002	0.01	3.18	991027b	20	
31426	0.014	0.001	0.01	3.04	991027b	21	
31427	0.274	0.006	0.22	6.47	991027b	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30045	0.033	0.001	0.02	3.88	990831A	1	99B-5
30046	0.053	0.002	0.02	3.54	990831A	2	
30047	0.033	0.001	0.03	3.88	990831A	3	
30048	0.049	0.022	0.03	4.45	990831A	4	99B-7
30049	0.059	0.012	0.03	4.48	990831A	5	
30050	0.052	0.009	0.02	4.71	990831A	6	
30051	0.134	0.004	0.11	4.7	990831A	7	
30052	0.051	0.001	0.13	4.4	990831A	8	
30053	0.054	0.001	0.09	5.29	990831A	9	
30054	0.063	0.001	0.05	6.02	990831A	10	
30055	0.071	0.001	0.04	6.23	990831A	11	
30056	0.13	0.003	0.17	7.48	990831A	12	
30057	0.148	0.002	0.08	8.25	990831A	13	
30058	0.104	0.001	0.09	6.11	990831A	14	
30059	0.087	0.002	0.1	5.5	990831A	15	
30060	0.099	0.001	0.09	4.76	990831A	16	
30061	0.051	0.001	0.09	4.89	990831A	17	
30062	0.039	0.001	0.04	5.34	990831A	18	
30063	0.044	0.001	0.08	5.1	990831A	19	
30064	0.058	0.001	0.01	5.07	990831A	20	
30065	0.137	0.001	0.08	4.88	990831A	21	
30066	0.062	0.001	0.02	4.88	990831A	22	
30067	0.079	0.004	0.05	4.8	990831A	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30068	0.052	0.001	0.07	4.31	990901d	1	
30069	0.204	0.003	0.2	4.48	990901d	2	
30070	0.163	0.002	0.15	5.27	990901d	3	
30071	0.327	0.003	0.47	9.3	990901d	4	
30072	0.115	0.001	0.18	4.88	990901d	5	
30073	0.069	0.001	0.04	5.06	990901d	6	
30074	0.052	0.001	0.11	4.36	990901d	7	
30075	0.02	0.001	0.12	4.08	990901d	8	
30076	0.089	0.001	0.06	4.82	990901d	9	
30077	0.067	0.001	0.07	6.13	990901d	10	
30078	0.123	0.002	0.05	5.88	990901d	11	
30079	0.119	0.002	0.13	6.35	990901d	12	
30080	0.153	0.005	0.07	6.63	990901d	13	
30081	0.126	0.003	0.05	5.76	990901d	14	
30082	0.116	0.005	0.04	5.01	990901d	15	
30113	0.109	0.001	0.06	4.29	990901d	16	
30114	0.014	0.002	0.01	3.1	990901d	17	
30115	0.004	0.001	0.01	2.85	990901d	18	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30083	0.128	0.003	0.1	5.44	990901A	1	
30084	0.115	0.007	0.07	5.17	990901A	2	
30085	0.144	0.003	0.13	5.51	990901A	3	
30086	0.082	0.004	0.03	6.1	990901A	4	
30087	0.133	0.003	0.12	5.75	990901A	5	
30088	0.135	0.003	0.09	5.87	990901A	6	
30089	0.183	0.002	0.22	5.79	990901A	7	
30090	0.183	0.003	0.21	6.68	990901A	8	
30091	0.12	0.004	0.1	6.54	990901A	9	
30092	0.211	0.005	0.1	6.99	990901A	10	
30093	0.268	0.003	0.2	6.56	990901A	11	
30094	0.111	0.003	0.06	6.32	990901A	12	
30095	0.095	0.001	0.06	5.87	990901A	13	
30096	0.201	0.005	0.27	6.46	990901A	14	
30097	0.024	0.002	0.01	5.72	990901A	15	
30098	0.015	0.001	0.01	2.5	990901A	16	
30099	0.003	0.001	0.01	2.92	990901A	17	
30100	0.003	0.001	0.01	2.63	990901A	18	
30101	0.157	0.003	0.17	6.13	990901A	19	
30102	0.005	0.001	0.01	3.34	990901A	20	
30103	0.003	0.001	0.01	2.92	990901A	21	
30104	0.001	0.001	0.01	2.51	990901A	22	
30105	0.003	0.001	0.01	2.47	990901A	23	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30106	0.014	0.007	0.02	2.74	990902b	1	
30107	0.004	0.002	0.02	3.4	990902b	2	
30108	0.004	0.001	0.01	3.07	990902b	3	
30109	0.003	0.001	0.01	2.92	990902b	4	
30110	0.002	0.001	0.01	2.61	990902b	5	
30111	0.003	0.001	0.01	2.46	990902b	6	
30112	0.218	0.019	0.12	3.92	990902b	7	
30116	0.009	0.001	0.02	3.06	990902b	8	
30117	0.007	0.001	0.02	2.54	990902b	9	
30118	0.003	0.001	0.03	2.27	990902b	10	
30119	0.005	0.001	0.01	2.51	990902b	11	
30120	0.006	0.001	0.01	2.29	990902b	12	
30121	0.015	0	0.01	2.48	990902b	13	
30122	0.043	0.006	0.01	4.96	990902b	14	
30123	0.063	0.002	0.03	5.65	990902b	15	
30124	0.025	0.001	0.02	5.14	990902b	16	
30125	0.126	0.006	0.14	5.18	990902b	17	
30126	0.077	0.003	0.04	5.59	990902b	18	
30127	0.113	0.005	0.08	5.36	990902b	19	
30128	0.097	0.003	0.05	5.35	990902b	20	
30129	0.078	0.003	0.04	4.43	990902b	21	
30130	0.087	0.002	0.04	4.64	990902b	22	
30131	0.125	0.003	0.08	5.64	990902b	23	

QueryExport

Tag	Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30132	0.104	0.01	0.11	5.06	990902c	1	
30133	0.09	0.007	0.25	6.2	990902c	2	
30134	0.069	0.012	0.12	5.1	990902c	3	
30135	0.11	0.007	0.12	4.38	990902c	4	
30136	0.291	0.023	0.19	5.18	990902c	5	
30137	0.066	0.025	0.08	5.09	990902c	6	
30138	0.054	0.004	0.1	4.55	990902c	7	
30139	0.093	0.004	0.11	5.15	990902c	8	
30140	0.071	0.005	0.14	5.36	990902c	9	
30141	0.026	0.01	0.05	4.47	990902c	10	
30142	0.032	0.005	0.07	3.97	990902c	11	
30143	0.022	0.002	0.04	3.34	990902c	12	
30144	0.027	0.002	0.05	3.22	990902c	13	
30145	0.037	0.001	0.07	3.88	990902c	14	
30146	0.036	0.002	0.06	3.66	990902c	15	
30147	0.025	0.001	0.04	3.58	990902c	16	
30148	0.012	0.001	0.01	5.2	990902c	17	
30149	0.017	0.001	0.01	5.1	990902c	18	
30150	0.012	0.002	0.01	5.12	990902c	19	
30151	0.015	0.004	0.03	3.31	990902c	20	
30152	0.039	0.003	0.03	3.27	990902c	21	
30153	0.061	0.001	0.11	2.86	990902c	22	
30154	0.055	0.007	0.07	2.76	990902c	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30155	0.338	0.015	0.31	4.59	990903a	1	
30156	0.114	0.009	0.08	4.65	990903a	2	
30157	0.038	0.001	0.09	3.11	990903a	3	
30158	0.055	0.002	0.08	3.5	990903a	4	
30159	0.122	0.002	0.16	5.03	990903a	5	
30160	0.096	0.004	0.19	2.24	990903a	6	
30161	0.094	0.006	0.54	2.58	990903a	7	
30162	0.193	0.011	0.12	4.74	990903a	8	
30163	0.165	0.003	0.1	6.84	990903a	9	
30164	0.072	0.005	0.08	3.98	990903a	10	
30165	0.069	0.002	0.05	4.88	990903a	11	
30166	0.125	0.002	0.15	5.35	990903a	12	
30167	0.111	0.002	0.13	5.61	990903a	13	
30168	0.076	0.001	0.06	5.8	990903a	14	
30169	0.104	0.002	0.11	5.46	990903a	15	
30170	0.105	0.002	0.13	5.51	990903a	16	
30171	0.075	0.002	0.09	4.21	990903a	17	
30172	0.059	0.001	0.05	4.04	990903a	18	
30173	0.078	0.001	0.06	4.21	990903a	19	
30174	0.016	0.001	0.02	4.48	990903a	20	
30175	0.192	0.002	0.08	3.32	990903a	21	
30176	0.098	0.001	0.06	3.69	990903a	22	
30177	0.027	0.001	0.02	3.27	990903a	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30178	0.01	0.002	0.01	3.23	990903d	1	99B-7 ↓
30179	0.032	0.002	0.06	3.65	990903d	2	
30180	0.112	0.017	0.07	4.74	990903d	3	
30181	0.105	0.011	0.12	4.33	990903d	4	
30182	0.115	0.015	0.1	4.63	990903d	5	
30183	0.145	0.017	0.1	3.92	990903d	6	
30184	0.011	0.006	0.01	4.72	990903d	7	
30185	0.057	0.035	0.04	3.71	990903d	8	
30186	0.061	0.038	0.04	4.04	990903d	9	
30187	0.015	0.004	0.01	5.5	990903d	10	
30188	0.044	0.018	0.07	4.95	990903d	11	
30189	0.111	0.053	0.08	4.59	990903d	12	
30190	0.102	0.047	0.1	4.69	990903d	13	
30191	0.107	0.079	0.16	4.05	990903d	14	
30192	0.145	0.125	0.14	4.43	990903d	15	
30193	0.077	0.039	0.09	6.01	990903d	16	
30194	0.01	0.007	0.01	5.15	990903d	17	
30195	0.011	0.004	0.01	5.43	990903d	18	
30196	0.01	0.002	0.01	3.59	990903d	19	99B-5 ↓
30197	0.005	0.003	0.01	2.83	990903d	20	
30198	0.006	0.005	0.01	3	990903d	21	
30199	0.027	0	0.02	2.31	990903d	22	
30200	0.023	0.017	0.02	3.6	990903d	23	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30001	0.133	0.003	0.08	4.06	990829a	1	
30002	0.06	0.001	0.01	3.82	990829a	2	
30003	0.126	0.002	0.02	3.73	990829a	3	
30004	0.098	0.001	0.01	3.51	990829a	4	
30005	0.002	0.001	0.04	4.14	990829a	5	
30006	0.003	0.002	0.01	4.25	990829a	6	
30007	0.01	0.001	0.01	3.88	990829a	7	
30008	0.003	0.001	0.01	4.1	990829a	8	
30009	0.006	0.001	0.01	4.03	990829a	9	
30010	0.045	0.001	0.01	3.58	990829a	10	
30011	0.044	0.001	0.03	3.51	990829a	11	
30012	0.111	0.001	0.06	2.8	990829a	12	
30013	0.06	0.002	0.03	3.18	990829a	13	
30014	0.039	0.002	0.02	3.15	990829a	14	
30015	0.048	0.001	0.02	3.29	990829a	15	
30016	0.02	0.001	0.01	3.61	990829a	16	
30017	0.023	0.001	0.01	3.47	990829a	17	
30018	0.018	0.001	0.01	3.26	990829a	18	
30019	0.037	0.002	0.01	3.55	990829a	19	
30020	0.083	0.001	0.03	3.44	990829a	20	
30021	0.044	0.001	0.04	3.49	990829a	21	
30022	0.041	0.001	0.02	3.63	990829a	22	
30023	0.053	0.001	0.02	3.02	990829a	23	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30024	0.052	0.001	0.04	4.16	990830B	1	
30025	0.07	0.001	0.04	3.96	990830B	2	
30026	0.047	0.001	0.02	3.78	990830B	3	
30027	0.047	0.001	0.02	3.86	990830B	4	
30028	0.064	0.001	0.04	5	990830B	5	
30029	0.05	0.001	0.06	3.78	990830B	6	
30030	0.037	0.001	0.03	4.04	990830B	7	
30031	0.006	0.001	0.02	3.77	990830B	8	
30032	0.005	0.001	0.01	4.77	990830B	9	
30033	0.001	0.001	0.02	3.9	990830B	10	
30034	0.006	0.001	0.03	4.03	990830B	11	
30035	0.008	0.001	0.02	4.51	990830B	12	
30036	0.009	0.001	0.02	4.63	990830B	13	
30037	0.033	0.001	0.06	4.46	990830B	14	
30038	0.032	0.001	0.03	3.8	990830B	15	
30039	0.055	0.001	0.04	3.84	990830B	16	
30040	0.089	0.001	0.07	4.34	990830B	17	
30041	0.079	0.001	0.03	4.1	990830B	18	
30042	0.031	0.001	0.01	4.28	990830B	19	
30043	0.052	0.001	0.05	3.74	990830B	20	
30044	0.029	0.001	0.02	3.98	990830B	21	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30045	0.033	0.001	0.02	3.88	990831A	1	99B-8
30046	0.053	0.002	0.02	3.54	990831A	2	
30047	0.033	0.001	0.03	3.88	990831A	3	
30048	0.049	0.022	0.03	4.45	990831A	4	99B-7
30049	0.059	0.012	0.03	4.48	990831A	5	
30050	0.052	0.009	0.02	4.71	990831A	6	
30051	0.134	0.004	0.11	4.7	990831A	7	
30052	0.051	0.001	0.13	4.4	990831A	8	
30053	0.054	0.001	0.09	5.29	990831A	9	
30054	0.063	0.001	0.05	6.02	990831A	10	
30055	0.071	0.001	0.04	6.23	990831A	11	
30056	0.13	0.003	0.17	7.48	990831A	12	
30057	0.148	0.002	0.08	8.25	990831A	13	
30058	0.104	0.001	0.09	6.11	990831A	14	
30059	0.087	0.002	0.1	5.5	990831A	15	
30060	0.099	0.001	0.09	4.76	990831A	16	
30061	0.051	0.001	0.09	4.89	990831A	17	
30062	0.039	0.001	0.04	5.34	990831A	18	
30063	0.044	0.001	0.08	5.1	990831A	19	
30064	0.058	0.001	0.01	5.07	990831A	20	
30065	0.137	0.001	0.08	4.88	990831A	21	
30066	0.062	0.001	0.02	4.88	990831A	22	
30067	0.079	0.004	0.05	4.8	990831A	23	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30486	0.099	0.006	0.14	5.01	990913a	1	99B-4 ↓
30487	0.078	0.013	0.07	4.79	990913a	2	
30488	0.013	0.006	0.02	4.19	990913a	3	
30489	0.004	0.002	0.01	3.49	990913a	4	
30490	0.003	0.001	0.01	3.92	990913a	5	
30491	0.003	0.001	0.01	3.93	990913a	6	
30492	0.011	0.003	0.01	4.42	990913a	7	
30493	0.006	0.002	0.01	4.24	990913a	8	
30494	0.007	0.003	0.01	4.11	990913a	9	
30495	0.016	0.011	0.03	4.01	990913a	10	
30496	0.1	0.093	0.17	3.27	990913a	11	99C-1 ↓
30497	0.083	0.065	0.14	5.8	990913a	12	
30498	0.06	0.056	0.13	4.44	990913a	13	
30499	0.055	0.053	0.12	4.28	990913a	14	
30500	0.064	0.062	0.1	4.7	990913a	15	
30501	0.064	0.063	0.09	4.31	990913a	16	
30502	0.121	0.12	0.19	5.18	990913a	17	
30503	0.061	0.06	0.09	3.65	990913a	18	
30504	0.054	0.047	0.05	3.07	990913a	19	
30505	0.063	0.055	0.08	4.37	990913a	20	
30506	0.128	0.121	0.18	6.28	990913a	21	
30507	0.178	0.165	0.49	7.95	990913a	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30508	0.131	0.109	0.34	5.58	990913b	1	
30509	0.068	0.051	0.15	5.06	990913b	2	
30510	0.068	0.047	0.14	5.42	990913b	3	
30511	0.074	0.052	0.13	6.04	990913b	4	
30512	0.061	0.033	0.03	4.38	990913b	5	
30513	0.081	0.009	0.07	5.02	990913b	6	
30514	0.103	0.007	0.13	7.57	990913b	7	
30515	0.081	0.004	0.06	6.31	990913b	8	
30516	0.068	0.014	0.04	4.76	990913b	9	
30517	0.04	0.007	0.01	3.3	990913b	10	
30518	0.058	0.005	0.01	6.6	990913b	11	
30519	0.032	0.002	0.01	5.87	990913b	12	
30520	0.069	0.006	0.23	4.52	990913b	13	
30521	0.086	0.004	0.11	2.5	990913b	14	
30522	0.046	0.004	0.02	3.65	990913b	15	
30523	0.033	0.002	0.01	3.82	990913b	16	
30524	0.039	0.003	0.02	4.19	990913b	17	
30525	0.102	0.002	0.13	5.82	990913b	18	
30526	0.046	0.001	0.04	6.98	990913b	19	
30527	0.059	0.002	0.06	5.23	990913b	20	
30528	0.036	0.001	0.02	4.75	990913b	21	
30529	0.128	0.016	0.14	4.18	990913b	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30530	0.177	0.035	0.24	4.7	990913c	1	
30531	0.122	0.019	0.15	8.1	990913c	2	
30532	0.058	0.007	0.06	10.2	990913c	3	
30533	0.038	0.001	0.03	6.44	990913c	4	
30534	0.178	0.003	0.24	4.17	990913c	5	
30535	0.065	0.002	0.07	3.18	990913c	6	
30536	0.06	0.004	0.09	2.6	990913c	7	
30537	0.095	0.013	0.11	2.4	990913c	8	
30538	0.056	0.002	0.05	4.95	990913c	9	
30539	0.07	0.002	0.07	4.94	990913c	10	
30540	0.071	0.003	0.08	4.5	990913c	11	
30541	0.088	0.017	0.09	4.28	990913c	12	
30542	0.059	0.009	0.04	4.72	990913c	13	
30543	0.107	0.005	0.15	5.03	990913c	14	
30544	0.178	0.024	0.34	4.21	990913c	15	
30545	0.142	0.013	0.22	2.65	990913c	16	
30546	0.133	0.02	0.18	5.16	990913c	17	
30547	0.092	0.01	0.08	4.84	990913c	18	
30548	0.111	0.011	0.11	5.84	990913c	19	
30549	0.213	0.01	0.39	3.2	990913c	20	
30550	0.154	0.009	0.26	3.47	990913c	21	
30551	0.128	0.005	0.44	1.7	990913c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30552	0.093	0.007	0.14	1.8	990914a	1	
30553	0.119	0.013	0.21	2.38	990914a	2	
30554	0.075	0.011	0.16	4.88	990914a	3	
30555	0.654	0.055	1.84	8.58	990914a	4	
30556	0.203	0.02	0.59	12.1	990914a	5	
30557	0.691	0.028	1.74	8.29	990914a	6	
30558	0.099	0.012	0.21	3.65	990914a	7	
30559	0.079	0.01	0.17	4.9	990914a	8	
30560	0.074	0.011	0.15	5.37	990914a	9	
30561	0.12	0.01	0.3	2.82	990914a	10	
30562	0.071	0.006	0.13	10	990914a	11	
30563	0.227	0.02	0.35	4.13	990914a	12	
30564	0.202	0.017	0.4	3.58	990914a	13	
30565	0.244	0.017	0.43	3.97	990914a	14	
30566	0.046	0.002	0.07	4.93	990914a	15	
30567	0.243	0.009	0.34	4.58	990914a	16	
30568	0.065	0.003	0.09	4.55	990914a	17	
30569	0.115	0.007	0.21	4	990914a	18	
30570	0.106	0.009	0.2	3.54	990914a	19	
30571	0.105	0.007	0.24	4.11	990914a	20	
30572	0.008	0.001	0.01	6.38	990914a	21	
30573	0.196	0.013	0.63	4.07	990914a	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30574	0.057	0.006	0.15	5.46	990914b	1	
30575	0.007	0.001	0.01	5.19	990914b	2	
30576	0.114	0.007	0.15	5.03	990914b	3	
30577	0.02	0.003	0.01	5.39	990914b	4	
30578	0.142	0.008	0.16	3.17	990914b	5	
30579	0.139	0.003	0.26	2.32	990914b	6	
30580	0.071	0.002	0.08	2.01	990914b	7	
30581	0.091	0.001	0.11	2.1	990914b	8	
30582	0.201	0.018	0.24	5.85	990914b	9	
30583	0.064	0.002	0.18	2.57	990914b	10	
30584	0.02	0.002	0.02	5	990914b	11	
30585	0.059	0.002	0.08	4.37	990914b	12	
30586	0.072	0.003	0.09	3.75	990914b	13	
30587	0.007	0.001	0.02	5.8	990914b	14	
30588	0.093	0.003	0.22	2.59	990914b	15	
30589	0.03	0.001	0.03	4.78	990914b	16	
30590	0.026	0.003	0.03	4.82	990914b	17	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30591	0.028	0.004	0.03	5.85	990915B	1	
30592	0.026	0.002	0.04	5.28	990915B	2	
30593	0.07	0.002	0.12	5.55	990915B	3	
30594	0.094	0.003	0.17	5.1	990915B	4	
30595	0.059	0.002	0.13	4.84	990915B	5	
30596	0.038	0.002	0.13	5.14	990915B	6	
30597	0.053	0.003	0.08	5.18	990915B	7	
30598	0.09	0.003	0.14	3.17	990915B	8	
30599	0.055	0.003	0.13	3.1	990915B	9	
30600	0.046	0.004	0.09	3.65	990915B	10	
30601	0.179	0.01	0.6	3.73	990915B	11	
30602	0.159	0.011	0.59	1.81	990915B	12	
30603	0.06	0.004	0.19	2.36	990915B	13	
30604	0.042	0.002	0.1	1.93	990915B	14	
30605	0.033	0.001	0.09	2.48	990915B	15	
30606	0.059	0.002	0.14	1.67	990915B	16	
30607	0.106	0.006	0.17	2.14	990915B	17	
30608	0.065	0.005	0.1	5.09	990915B	18	
30609	0.035	0.004	0.06	5.13	990915B	19	
30610	0.044	0.004	0.08	5.12	990915B	20	
30611	0.082	0.002	0.14	3.46	990915B	21	
30612	0.098	0.004	0.19	3.63	990915B	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30613	0.212	0.016	0.34	5.02	990915c	1	
30614	0.004	0	0.03	4.95	990915c	2	
30615	0.037	0.001	0.05	3.55	990915c	3	
30616	0.101	0.001	0.19	3.32	990915c	4	
30617	0.056	0.001	0.07	3.37	990915c	5	
30618	0.124	0.009	0.26	3.96	990915c	6	
30619	0.206	0.013	0.37	6.25	990915c	7	
30620	0.116	0.006	0.19	3.43	990915c	8	
30621	0.145	0.013	0.21	7.3	990915c	9	
30622	0.048	0.003	0.09	2.79	990915c	10	
30623	0.105	0.008	0.13	7.25	990915c	11	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30624	0.075	0.001	0.18	2.64	990916C	1	
30625	0.06	0.001	0.09	2.59	990916C	2	
30626	0.056	0.001	0.09	3.95	990916C	3	
30627	0.088	0.001	0.2	3.65	990916C	4	
30628	0.066	0.001	0.12	3.5	990916C	5	
30629	0.078	0.001	0.15	4.17	990916C	6	
30630	0.08	0.001	0.16	4.24	990916C	7	
30631	0.054	0.001	0.1	3.78	990916C	8	
30632	0.114	0.001	0.6	3.28	990916C	9	
30633	0.141	0.002	0.31	2.91	990916C	10	
30634	0.165	0.002	0.39	4	990916C	11	
30635	0.179	0.012	0.35	3.91	990916C	12	
30636	0.143	0.002	0.32	2.42	990916C	13	
30637	0.162	0.001	0.3	2.63	990916C	14	
30638	0.193	0.001	0.62	2.34	990916C	15	
30639	0.096	0.001	0.19	4.22	990916C	16	
30640	0.242	0.002	1.17	5.17	990916C	17	
30641	0.161	0.001	0.45	3.97	990916C	18	
30642	0.196	0.001	0.64	4.11	990916C	19	
30643	0.19	0.002	0.64	3.7	990916C	20	
30644	0.081	0.001	0.19	2.66	990916C	21	
30645	0.068	0.001	0.1	2.21	990916C	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
18788	0.326	0.051	0.35	5.04	990916d	1	
18789	0.231	0.077	0.17	3.82	990916d	2	
18790	0.173	0.104	0.17	2.81	990916d	3	
18791	0.166	0.102	0.16	2.59	990916d	4	
30646	0.074	0.003	0.2	1.91	990916d	5	99C-1
30647	0.178	0.16	0.14	4.31	990916d	6	99C-2
30648	0.144	0.109	0.11	5.69	990916d	7	
30649	0.096	0.058	0.05	5.41	990916d	8	
30650	0.071	0.033	0.06	5.36	990916d	9	
30651	0.091	0.056	0.08	5.13	990916d	10	
30652	0.326	0.107	0.25	5.25	990916d	11	
30653	0.198	0.166	0.15	5.15	990916d	12	
30654	0.194	0.14	0.17	4.7	990916d	13	
30655	0.195	0.131	0.13	5.99	990916d	14	
30656	0.167	0.039	0.11	5.02	990916d	15	
30657	0.055	0.03	0.01	3.66	990916d	16	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
18788	0.326	0.051	0.35	5.04	990916d	1	
18789	0.231	0.077	0.17	3.82	990916d	2	
18790	0.173	0.104	0.17	2.81	990916d	3	
18791	0.166	0.102	0.16	2.59	990916d	4	
30646	0.074	0.003	0.2	1.91	990916d	5	99C-1
30647	0.178	0.16	0.14	4.31	990916d	6	99C-2
30648	0.144	0.109	0.11	5.69	990916d	7	
30649	0.096	0.058	0.05	5.41	990916d	8	
30650	0.071	0.033	0.06	5.36	990916d	9	
30651	0.091	0.056	0.08	5.13	990916d	10	
30652	0.326	0.107	0.25	5.25	990916d	11	
30653	0.198	0.166	0.15	5.15	990916d	12	
30654	0.194	0.14	0.17	4.7	990916d	13	
30655	0.195	0.131	0.13	5.99	990916d	14	
30656	0.167	0.039	0.11	5.02	990916d	15	
30657	0.055	0.03	0.01	3.66	990916d	16	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30658	0.138	0.066	0.12	6.37	990917A	1	
30659	0.021	0.011	0.02	4.4	990917A	2	
30660	0.013	0.005	0.01	4.56	990917A	3	
30661	0.064	0.046	0.06	5.69	990917A	4	
30662	0.087	0.063	0.07	7.6	990917A	5	
30663	0.051	0.039	0.04	4.12	990917A	6	
30664	0.118	0.053	0.12	4.83	990917A	7	
30665	0.058	0.025	0.06	5.86	990917A	8	
30666	0.06	0.018	0.08	7.3	990917A	9	
30667	0.051	0.007	0.05	4.66	990917A	10	
30668	0.068	0.016	0.06	5.09	990917A	11	
30669	0.208	0.132	0.21	5.26	990917A	12	
30670	0.213	0.125	0.21	5.45	990917A	13	
30671	0.14	0.012	0.2	5.38	990917A	14	
30672	0.093	0.012	0.12	5.4	990917A	15	
30673	0.082	0.005	0.11	4.9	990917A	16	
30674	0.085	0.031	0.11	4.81	990917A	17	
30675	0.23	0.173	0.28	4.24	990917A	18	
30676	0.12	0.091	0.12	6.29	990917A	19	
30677	0.401	0.33	0.85	9.72	990917A	20	
30678	0.162	0.12	0.16	9.32	990917A	21	
30679	0.25	0.217	0.38	7.94	990917A	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30680	0.228	0.201	0.3	7.31	990917B	1	
30681	0.228	0.116	0.21	10.3	990917B	2	
30682	0.132	0.1	0.19	9.3	990917B	3	
30683	0.448	0.126	0.34	9.93	990917B	4	
30684	0.309	0.124	0.22	6.83	990917B	5	
30685	0.094	0.009	0.1	6.83	990917B	6	
30686	0.284	0.024	0.11	9.42	990917B	7	
30687	0.206	0.005	0.28	7.68	990917B	8	
30688	0.239	0.024	0.13	5.98	990917B	9	
30689	0.025	0.016	0.03	4.3	990917B	10	
30690	0.197	0.039	0.03	4.21	990917B	11	
30691	0.085	0.054	0.12	5.61	990917B	12	
30692	0.177	0.028	0.01	4.4	990917B	13	
30693	0.23	0.188	0.32	8.12	990917B	14	
30694	0.091	0.028	0.17	4.97	990917B	15	
30695	0.18	0.073	0.39	6.75	990917B	16	
30696	0.277	0.088	0.45	6.25	990917B	17	
30697	0.191	0.022	0.19	6.48	990917B	18	
30698	0.406	0.038	0.52	5.01	990917B	19	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30699	0.131	0.069	0.13	6.68	990918b	1	
30700	0.184	0.05	0.17	5.78	990918b	2	
30701	0.156	0.062	0.16	6.13	990918b	3	
30702	0.342	0.232	0.45	5.65	990918b	4	
30703	0.016	0.009	0.01	5.24	990918b	5	
30704	0.012	0.004	0.02	5.15	990918b	6	
30705	0.168	0.066	0.23	6.96	990918b	7	
30706	0.108	0.069	0.11	5.59	990918b	8	
30707	0.404	0.142	0.44	3.41	990918b	9	
30708	0.235	0.08	0.24	3.72	990918b	10	
30709	0.159	0.09	0.24	4.72	990918b	11	
30710	0.153	0.081	0.18	4.75	990918b	12	
30711	0.189	0.067	0.19	4.51	990918b	13	
30712	0.165	0.015	0.19	5.25	990918b	14	
30713	0.34	0.042	0.5	4.85	990918b	15	
30714	0.447	0.018	0.49	5.37	990918b	16	
30715	0.266	0.02	0.34	7.63	990918b	17	
30716	0.199	0.014	0.22	8.75	990918b	18	
30717	0.186	0.01	0.2	6.06	990918b	19	
30718	0.25	0.008	0.62	6.61	990918b	20	
30719	0.115	0.005	0.35	7.47	990918b	21	
30720	0.243	0.057	0.53	7.2	990918b	22	
30721	0.516	0.021	1.43	5.19	990918b	23	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30722	0.693	0.083	1.27	7.61	990919b	1	
30723	0.029	0.004	0.11	4.81	990919b	2	
30724	0.573	0.026	1.24	6.9	990919b	3	
30725	0.525	0.032	1.12	6.52	990919b	4	
30726	0.117	0.007	0.27	7.75	990919b	5	
30727	0.35	0.008	0.59	7.1	990919b	6	
30728	0.02	0.001	0.04	4.99	990919b	7	
30729	0.347	0.018	0.57	9.53	990919b	8	
30730	0.355	0.014	0.8	10.7	990919b	9	
30731	0.213	0.005	0.36	7.75	990919b	10	
30732	0.43	0.011	1	8.1	990919b	11	
30733	0.698	0.018	1.64	6.05	990919b	12	
30734	0.728	0.018	2.04	5.32	990919b	13	
30735	0.213	0.014	0.54	5.11	990919b	14	
30736	0.176	0.007	0.31	4.7	990919b	15	
30737	0.252	0.077	0.36	3.58	990919b	16	
30738	0.404	0.013	0.43	3.83	990919b	17	
30739	0.231	0.069	0.42	5.17	990919b	18	
30740	0.265	0.009	0.55	4.83	990919b	19	
30741	0.262	0.013	0.28	3.7	990919b	20	
30742	0.315	0.126	0.58	3.81	990919b	21	
30743	0.29	0.243	0.38	3.27	990919b	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30744	0.277	0.263	0.28	4.16	990919c	1	99C-2
30745	0.183	0.164	0.33	4.13	990919c	2	
30746	0.082	0.044	0.07	4.88	990919c	3	
30747	0.062	0.032	0.09	4.91	990919c	4	
30748	0.064	0.027	0.07	5.5	990919c	5	
30749	0.103	0.044	0.08	4.66	990919c	6	
30750	0.082	0.03	0.07	4.87	990919c	7	
30751	0.116	0.07	0.08	5.61	990919c	8	
30752	0.082	0.052	0.07	5.64	990919c	9	
30753	0.089	0.051	0.05	4.34	990919c	10	
30754	0.067	0.004	0.05	5.74	990919c	11	99B-1
30755	0.039	0.004	0.03	5.96	990919c	12	
30756	0.016	0.001	0.04	4.77	990919c	13	
30757	0.029	0.001	0.04	4.03	990919c	14	
30758	0.015	0.001	0.02	4.61	990919c	15	
30759	0.011	0.001	0.01	5.31	990919c	16	
30760	0.034	0.002	0.06	4.36	990919c	17	
30761	0.016	0.003	0.01	5.19	990919c	18	
30762	0.028	0.002	0.02	5.05	990919c	19	
30763	0.038	0.002	0.05	4.09	990919c	20	
30764	0.022	0.001	0.03	4.62	990919c	21	
30765	0.02	0.001	0.03	4.92	990919c	22	

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31150	0.053	0.026	0.04	2.26	991002E	1	99C-5
31151	0.092	0.081	0.09	2.15	991002E	2	
31152	0.254	0.04	0.1	2.63	991002E	3	
31153	0.05	0.016	0.02	2.07	991002E	4	
31154	0.067	0.006	0.02	2.39	991002E	5	
31155	0.02	0.004	0.02	2.1	991002E	6	
31156	0.021	0.003	0.01	2.13	991002E	7	
31157	0.046	0.002	0.05	2.07	991002E	8	
31158	0.045	0.017	0.03	2.21	991002E	9	
31159	0.04	0.032	0.04	2.3	991002E	10	
31160	0.05	0.008	0.04	2.42	991002E	11	
31161	0.059	0.001	0.04	2.28	991002E	12	
31162	0.119	0.045	0.13	2.07	991002E	13	
31652	0.069	0.003	0.17	5.81	991002E	14	99C-3
31653	0.053	0.003	0.1	5.16	991002E	15	
31654	0.048	0.003	0.11	4.94	991002E	16	
31655	0.081	0.007	0.2	3.94	991002E	17	
31656	0.063	0.004	0.11	3.52	991002E	18	
31657	0.073	0.003	0.15	3.8	991002E	19	
31658	0.09	0.003	0.23	4.15	991002E	20	
31659	0.054	0.004	0.12	3.79	991002E	21	
31660	0.022	0.002	0.04	5.47	991002E	22	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31661	0.022	0.004	0.01	5.17	991003a	1	
31662	0.126	0.005	0.27	4.12	991003a	2	
31663	0.18	0.014	0.31	5.46	991003a	3	
31664	0.117	0.008	0.13	5.33	991003a	4	
31665	0.178	0.006	0.3	5.57	991003a	5	
31666	0.176	0.009	0.57	9.45	991003a	6	
31667	0.179	0.006	0.37	7.57	991003a	7	
31668	0.076	0.002	0.21	11.5	991003a	8	
31669	0.393	0.006	0.49	25.3	991003a	9	
31670	0.105	0.011	0.16	27.2	991003a	10	
31671	0.358	0.016	0.62	6.56	991003a	11	
31672	0.485	0.02	0.36	7.48	991003a	12	
31673	0.046	0.001	0.07	14.5	991003a	13	
31674	0.26	0.009	2.25	23.7	991003a	14	
31675	0.098	0.006	0.21	13.2	991003a	15	
31676	0.207	0.006	0.3	14.4	991003a	16	
31677	0.376	0.006	0.82	14.2	991003a	17	
31678	0.289	0.018	0.76	11	991003a	18	
31679	0.569	0.021	1.34	8.1	991003a	19	
31680	0.485	0.023	1.16	9.9	991003a	20	
31681	0.465	0.023	0.91	16.8	991003a	21	
31682	0.866	0.028	1.68	11.1	991003a	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31683	1.058	0.043	2.38	12.4	991003c	1	
31684	0.193	0.011	0.46	11.4	991003c	2	
31685	0.028	0.001	0.03	3.19	991003c	3	
31686	0.029	0.001	0.03	3.43	991003c	4	
31687	0.652	0.017	1.88	18.1	991003c	5	
31688	0.019	0.002	0.01	4.57	991003c	6	
31689	0.019	0.001	0.01	5.21	991003c	7	
31690	0.28	0.005	0.38	3	991003c	8	
31691	0.694	0.031	1.18	8.4	991003c	9	
31692	0.218	0.011	0.37	8.96	991003c	10	
31693	0.104	0.008	0.24	6.01	991003c	11	
31694	0.186	0.011	0.34	5.76	991003c	12	
31695	0.15	0.005	0.33	7.16	991003c	13	
31696	0.019	0.002	0.01	4.05	991003c	14	
31697	0.192	0.009	0.68	18.4	991003c	15	
31698	0.632	0.013	1.37	12.6	991003c	16	
31699	0.355	0.019	0.56	6.69	991003c	17	
31700	0.257	0.014	0.39	5.81	991003c	18	
31701	0.066	0.003	0.08	2.45	991003c	19	

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31702	0.079	0.006	0.08	1.05	991005c	1	90-90.8
31703	0.03	0.003	0.03	2.66	991005c	2	90.7-93
31704	0.054	0.006	0.03	2.38	991005c	3	93-95
31705	0.054	0.006	0.04	2.34	991005c	4	95-97
31706	0.088	0.005	0.09	1.91	991005c	5	
31707	0.003	0.001	0.01	4.3	991005c	6	98.7-99.5
31708	0.052	0.003	0.06	2.58	991005c	7	99.5-101
31709	0.048	0.002	0.07	2.42	991005c	8	101-103
31710	0.069	0.004	0.12	2.65	991005c	9	103-105
31711	0.06	0.003	0.03	2.83	991005c	10	105-106
31712	0.086	0.008	0.05	3.71	991005c	11	106-108
31713	0.168	0.013	0.28	4.91	991005c	12	108-110
31714	0.248	0.015	0.32	13.3	991005c	13	110-111.8
31715	0.294	0.016	0.6	12.8	991005c	14	111.8-113.5
31716	0.119	0.004	0.12	14.5	991005c	15	113.5-115.2
31717	0.138	0.01	0.28	7.37	991005c	16	115.2-117
31718	0.11	0.011	0.17	7.04	991005c	17	117-119
31719	0.174	0.021	0.3	6.27	991005c	18	119-121
31720	0.37	0.038	0.66	6.82	991005c	19	121-123
31721	0.406	0.033	0.84	6.6	991005c	20	123-125
31722	0.297	0.03	0.6	6.37	991005c	21	125-127
31723	0.241	0.021	0.49	5.92	991005c	22	127-129

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31724	0.28	0.027	0.51	7.06	991006a	1	129-131
31725	0.254	0.021	0.44	6.81	991006a	2	131-133
31776	0.456	0.032	0.6	6.45	991006a	3	133-135
31777	0.326	0.022	0.4	6.48	991006a	4	135-137.2
31778	0.192	0.015	0.25	5.58	991006a	5	137.2-139
31779	0.024	0.001	0.01	5.07	991006a	6	139-141
31780	0.025	0.001	0.03	4.5	991006a	7	141-143
31781	0.181	0.016	0.25	6.67	991006a	8	143.145.2
31782	0.173	0.018	0.35	5.78	991006a	9	145.2-147
31783	0.284	0.029	0.34	6.83	991006a	10	147-149
31784	0.29	0.02	0.51	5.73	991006a	11	149-151
31785	0.202	0.019	0.32	5.91	991006a	12	151.152.5
31786	0.15	0.016	0.19	4.88	991006a	13	152.5-154
31787	0.149	0.025	0.25	5	991006a	14	154-156
31788	0.196	0.018	0.35	4.31	991006a	15	156-159
31789	0.143	0.016	0.32	4.91	991006a	16	159-160.5
31790	0.169	0.07	0.31	5.09	991006a	17	160.5-161.8
31791	0.273	0.04	0.68	4.26	991006a	18	161.8-163
31792	0.283	0.027	0.69	6.71	991006a	19	163-165
31793	0.367	0.039	0.79	6.62	991006a	20	165-166.6
31794	0.108	0.01	0.23	3	991006a	21	166.6-168
31795	0.132	0.014	0.18	2.65	991006a	22	168-169.8

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31796	0.123	0.012	0.15	3.48	991006c	1	168-171
31797	0.025	0.011	0.02	3.75	991006c	2	171-173
31798	0.045	0.021	0.02	4.28	991006c	3	173-175
31799	0.092	0.033	0.09	3.68	991006c	4	175-177
31800	0.12	0.038	0.07	2.75	991006c	5	177-179
31801	0.129	0.043	0.13	3.08	991006c	6	179-181
31802	0.106	0.034	0.15	2.72	991006c	7	181-183
31803	0.074	0.022	0.07	2.52	991006c	8	183-185
31804	0.047	0.02	0.03	2.87	991006c	9	185-185.6
31805	0.098	0.037	0.15	3.38	991006c	10	185.6-187
31806	0.106	0.049	0.14	3.11	991006c	11	187-188.5
31807	0.066	0.03	0.1	3.27	991006c	12	188.5-190
31808	0.009	0.003	0.01	4.44	991006c	13	190-191.5
31809	0.007	0.001	0.02	4.67	991006c	14	191.5-192.8
31810	0.025	0.004	0.02	2.86	991006c	15	192.8-195
31811	0.041	0.006	0.02	5.97	991006c	16	195-196.8
31812	0.032	0.008	0.01	2.81	991006c	17	196.8-199
31813	0.061	0.019	0.03	2.98	991006c	18	199-200.4
31163	0.138	0.029	0.11	2.19	991006c	19	
31164	0.156	0.081	0.22	2.02	991006c	20	
31165	0.127	0.033	0.13	2.27	991006c	21	
31166	0.214	0.201	0.3	1.82	991006c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30863	0.218	0.01	0.09	4.27	990925A	1	99B-1
30864	0.153	0.007	0.06	4.37	990925A	2	
30865	0.2	0.007	0.11	4.52	990925A	3	
30866	0.179	0.005	0.09	4.09	990925A	4	
30867	0.336	0.006	0.18	3.9	990925A	5	
30868	0.313	0.01	0.2	3.61	990925A	6	
30869	0.169	0.003	0.08	2.52	990925A	7	
30870	0.198	0.004	0.09	2.67	990925A	8	
30871	0.178	0.004	0.11	2.97	990925A	9	
30872	0.166	0.004	0.12	1.53	990925A	10	
30873	0.174	0.006	0.1	3.74	990925A	11	
30874	0.25	0.008	0.14	3.07	990925A	12	
30875	0.221	0.007	0.14	2.45	990925A	13	
30876	0.273	0.008	0.16	1.66	990925A	14	
31501	0.094	0.066	0.07	4.28	990925A	15	99C-4
31502	0.026	0.012	0	5.27	990925A	16	
31503	0.036	0.017	0.03	4.8	990925A	17	
31504	0.105	0.054	0.07	5.08	990925A	18	
31505	0.066	0.028	0.09	4.4	990925A	19	
31506	0.083	0.042	0.05	4.84	990925A	20	
31507	0.113	0.064	0.08	4.89	990925A	21	
31508	0.06	0.022	0.06	4.82	990925A	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31509	0.137	0.084	0.14	4.91	990925c	1	
31510	0.095	0.05	0.12	4.94	990925c	2	
31511	0.087	0.02	0.08	3.77	990925c	3	
31512	0.072	0.034	0.08	4.44	990925c	4	
31513	0.176	0.156	0.28	3.11	990925c	5	
31514	0.085	0.06	0.09	2.06	990925c	6	
31515	0.093	0.078	0.14	2.75	990925c	7	
31516	0.162	0.103	0.25	2.32	990925c	8	
31517	0.021	0.005	0.01	4.69	990925c	9	
31518	0.013	0.002	0.01	5.01	990925c	10	
31519	0.019	0.004	0.01	5.27	990925c	11	
31520	0.066	0.045	0.05	1.92	990925c	12	
31521	0.178	0.134	0.21	4.88	990925c	13	
31522	0.121	0.09	0.14	2.77	990925c	14	
31523	0.082	0.059	0.08	2.62	990925c	15	
31524	0.201	0.051	0.64	11.5	990925c	16	
31525	0.112	0.007	0.16	4.59	990925c	17	
31526	0.063	0.019	0.06	9.75	990925c	18	
31527	0.089	0.01	0.08	2.91	990925c	19	
31528	0.049	0.007	0.04	2.74	990925c	20	
31529	0.062	0.002	0.06	3.2	990925c	21	
31530	0.088	0.014	0.08	3.6	990925c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31531	0.128	0.066	0.14	3.63	990926A	1	
31532	0.092	0.046	0.17	3.79	990926A	2	
31533	0.066	0.043	0.05	0.41	990926A	3	
31534	0.086	0.014	0.05	3.91	990926A	4	
31535	0.089	0.038	0.06	4	990926A	5	
31536	0.121	0.03	0.13	3.77	990926A	6	
31537	0.103	0.017	0.08	3.48	990926A	7	
31538	0.114	0.059	0.11	2.92	990926A	8	
31539	0.158	0.056	0.25	3.67	990926A	9	
31540	0.045	0.021	0.05	3.63	990926A	10	
31541	0.136	0.064	0.25	3.37	990926A	11	
31542	0.07	0.031	0.1	3.52	990926A	12	
31543	0.13	0.053	0.17	3.2	990926A	13	
31544	0.056	0.023	0.05	3.54	990926A	14	
31545	0.049	0.014	0.04	3.23	990926A	15	
31546	0.082	0.043	0.1	4.01	990926A	16	
31547	0.104	0.06	0.12	4.23	990926A	17	
31548	0.11	0.062	0.03	3.71	990926A	18	
31549	0.265	0.134	0.43	4.47	990926A	19	
31550	0.111	0.018	0.14	4.54	990926A	20	
31551	0.415	0.087	0.75	5.63	990926A	21	
31552	0.212	0.1	0.36	4.72	990926A	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31553	0.196	0.128	0.28	4.85	990927b	1	102-104
31554	0.117	0.053	0.13	6.02	990927b	2	104-106
31555	0.194	0.074	0.46	5.58	990927b	3	106-108.2
31556	0.102	0.021	0.11	3.59	990927b	4	108.2-109.2
31557	0.132	0.078	0.11	4.58	990927b	5	109.2-111.7
31558	0.316	0.101	0.7	5.78	990927b	6	111.7-114
31559	0.162	0.078	0.27	5.26	990927b	7	114-116
31560	0.187	0.056	0.31	5.11	990927b	8	116-118
31561	0.129	0.023	0.19	5.04	990927b	9	118-118.6
31562	0.117	0.027	0.24	3.51	990927b	10	118.6-120
31563	0.132	0.017	0.26	3.47	990927b	11	120-122
31564	0.427	0.043	0.88	3.62	990927b	12	122-124
31565	0.354	0.037	1.01	4.42	990927b	13	124-126
31566	0.219	0.021	0.33	6.01	990927b	14	126-128
31567	0.145	0.053	0.27	5.42	990927b	15	128-130
31568	0.373	0.08	0.67	5.18	990927b	16	130-132
31569	0.211	0.067	0.38	5.83	990927b	17	132-134
31570	0.094	0.026	0.13	4.27	990927b	18	134-136
31571	0.149	0.12	0.29	5.2	990927b	19	136-138
31572	0.152	0.106	0.3	5.02	990927b	20	138-138.6
31573	0.029	0.01	0.01	5.57	990927b	21	138.6-140
31574	0.045	0.005	0.03	5.38	990927b	22	140-141.2

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31575	0.319	0.041	0.5	5.16	990927c	1	141.2-142
31576	0.271	0.032	0.36	4.98	990927c	2	142-143.4
31577	0.154	0.013	0.29	4.92	990927c	3	
31578	0.125	0.037	0.2	3.95	990927c	4	144-146
31579	0.086	0.048	0.16	3.9	990927c	5	146-148
31580	0.178	0.09	0.48	4.1	990927c	6	148-150
31581	0.238	0.115	0.44	5.66	990927c	7	150-152
31582	0.093	0.042	0.12	5.6	990927c	8	152-154
31583	0.096	0.068	0.14	6.15	990927c	9	154-156
31584	0.068	0.023	0.07	5.65	990927c	10	156-158
31585	0.132	0.094	0.19	4.43	990927c	11	158-160
31586	0.104	0.075	0.1	2.57	990927c	12	160-162
31587	0.101	0.077	0.12	2.56	990927c	13	162-163
31588	0.096	0.063	0.11	4.39	990927c	14	163-164.5
31589	0.175	0.121	0.22	5.26	990927c	15	164.5-166
31590	0.12	0.018	0.18	5.61	990927c	16	166-168
31591	0.193	0.145	0.32	5.4	990927c	17	168-170
31592	0.107	0.02	0.13	4.51	990927c	18	170-172.2
31593	0.159	0.014	0.33	6.65	990927c	19	172.2-174
31594	0.115	0.013	0.17	7.1	990927c	20	174-176
31595	0.117	0.025	0.22	6.03	990927c	21	176-177.7
31596	0.03	0.024	0.04	5.64	990927c	22	177.7-179

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31597	0.057	0.007	0.08	6.82	990927d	1	
31598	0.041	0.005	0.08	6.09	990927d	2	
31599	0.061	0.009	0.07	5.32	990927d	3	
31600	0.103	0.01	0.1	5.27	990927d	4	
31601	0.058	0.007	0.08	5.23	990927d	5	
31602	0.175	0.015	0.25	5.93	990927d	6	
31603	0.013	0.004	0.01	5.41	990927d	7	
31604	0.004	0.001	0.01	5.95	990927d	8	
31605	0.1	0.013	0.1	4.94	990927d	9	
31606	0.119	0.009	0.13	5.13	990927d	10	
31607	0.177	0.008	0.27	5.69	990927d	11	
31608	0.253	0.01	0.28	5.24	990927d	12	
31609	0.801	0.018	0.75	5.76	990927d	13	
31610	1.274	0.025	1.2	4.98	990927d	14	
31611	1.131	0.025	1.04	4.6	990927d	15	
31612	0.261	0.016	0.46	6	990927d	16	
31613	0.147	0.013	0.23	5.72	990927d	17	
31614	0.232	0.014	0.3	4.84	990927d	18	
31615	0.024	0.005	0.02	4.98	990927d	19	
31616	0.019	0.006	0.01	5.21	990927d	20	
31617	0.019	0.003	0.01	5.03	990927d	21	
31618	0.155	0.005	0.22	4.66	990927d	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31619	0.16	0.004	0.18	6.17	990928b	1	210-212.5
31620	0.187	0.007	0.22	3.48	990928b	2	212.5-214
31621	0.247	0.007	0.31	3.75	990928b	3	214-215.5
31622	0.377	0.026	0.46	5.36	990928b	4	215.5-216
31623	0.18	0.01	0.26	4.48	990928b	5	216-217.5
31624	0.229	0.024	0.37	2.2	990928b	6	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31085	0.48	0.334	0.88	4.7	990929a	1	99C-5
31086	0.11	0.093	0.12	6.46	990929a	2	↓
31625	0.256	0.01	0.37	4.66	990929a	3	99C-4
31626	0.122	0.002	0.13	4.5	990929a	4	
31627	0.297	0.007	0.37	3.22	990929a	5	
31628	0.194	0.006	0.24	3.53	990929a	6	
31629	0.155	0.004	0.22	4.3	990929a	7	
31630	0.258	0.008	0.39	4.39	990929a	8	
31631	0.309	0.009	0.5	3.3	990929a	9	
31632	0.208	0.007	0.43	4.81	990929a	10	
31633	0.221	0.01	0.32	4.54	990929a	11	
31634	0.304	0.015	0.5	5.78	990929a	12	
31635	0.345	0.019	0.53	5.79	990929a	13	
31636	0.299	0.029	0.38	3.67	990929a	14	
31637	0.138	0.015	0.2	5.23	990929a	15	
31638	0.263	0.019	0.26	9.44	990929a	16	
31639	0.065	0.005	0.07	5.66	990929a	17	
31640	0.143	0.007	0.14	7.13	990929a	18	
31641	0.106	0.005	0.07	4.35	990929a	19	
31642	0.178	0.005	0.21	6.46	990929a	20	
31643	0.282	0.011	0.33	5.85	990929a	21	
31644	0.158	0.008	0.35	4.92	990929a	22	↓

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31645	0.075	0.005	0.09	5.25	990929D	1	251-253
31646	0.279	0.012	0.55	4.47	990929D	2	253-255
31647	0.087	0.003	0.1	5.54	990929D	3	255-257
31648	0.087	0.005	0.1	5.7	990929D	4	257-259
31649	0.118	0.006	0.12	5.04	990929D	5	259-261
31650	0.106	0.004	0.1	3.29	990929D	6	261-263
31651	0.092	0.004	0.13	4.69	990929D	7	263-264.4

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31085	0.48	0.334	0.88	4.7	990929a	1	990-5
31086	0.11	0.093	0.12	6.46	990929a	2	↓
31625	0.256	0.01	0.37	4.66	990929a	3	990-4
31626	0.122	0.002	0.13	4.5	990929a	4	
31627	0.297	0.007	0.37	3.22	990929a	5	
31628	0.194	0.006	0.24	3.53	990929a	6	
31629	0.155	0.004	0.22	4.3	990929a	7	
31630	0.258	0.008	0.39	4.39	990929a	8	
31631	0.309	0.009	0.5	3.3	990929a	9	
31632	0.208	0.007	0.43	4.81	990929a	10	
31633	0.221	0.01	0.32	4.54	990929a	11	
31634	0.304	0.015	0.5	5.78	990929a	12	
31635	0.345	0.019	0.53	5.79	990929a	13	
31636	0.299	0.029	0.38	3.67	990929a	14	
31637	0.138	0.015	0.2	5.23	990929a	15	
31638	0.263	0.019	0.26	9.44	990929a	16	
31639	0.065	0.005	0.07	5.66	990929a	17	
31640	0.143	0.007	0.14	7.13	990929a	18	
31641	0.106	0.005	0.07	4.35	990929a	19	
31642	0.178	0.005	0.21	6.46	990929a	20	
31643	0.282	0.011	0.33	5.85	990929a	21	
31644	0.158	0.008	0.35	4.92	990929a	22	↓

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
32482	0.085	0.008	0.12	4.78	991001B	1	
32483	0.07	0.008	0.08	4.8	991001B	2	
32484	0.07	0.026	0.19	4.95	991001B	3	
31087	0.16	0.125	0.14	6.85	991001B	4	99C-5
31088	0.152	0.124	0.11	5.66	991001B	5	
31089	0.151	0.123	0.11	7.25	991001B	6	
31090	0.137	0.115	0.24	7.49	991001B	7	
31091	0.018	0.013	0.02	3.57	991001B	8	
31092	0.017	0.012	0.02	3.57	991001B	9	
31093	0.102	0.09	0.11	5.11	991001B	10	
31094	0.137	0.12	0.1	5.17	991001B	11	
31095	0.067	0.048	0.07	4.93	991001B	12	
31096	0.122	0.091	0.11	4.83	991001B	13	
31097	0.186	0.128	0.16	4.73	991001B	14	
31098	0.074	0.055	0.07	5.84	991001B	15	
31099	0.098	0.008	0.11	5.97	991001B	16	
31100	0.066	0.005	0.05	5.41	991001B	17	
31101	0.104	0.002	0.11	3.64	991001B	18	
31102	0.078	0.013	0.15	3.51	991001B	19	
31103	0.018	0.001	0.01	3.61	991001B	20	
31104	0.002	0.001	-0.02	4.16	991001B	21	
31105	0.031	0.001	0.01	4.11	991001B	22	✓

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31106	0.031	0.003	0.01	4.93	991002A	1	
31107	0.088	0.024	0.08	4.84	991002A	2	
31108	0.017	0.004	0.01	5.35	991002A	3	
31109	0.017	0.002	0.01	5.53	991002A	4	
31110	0.015	0.003	0.01	5.59	991002A	5	
31111	0.048	0.002	0.03	6.35	991002A	6	
31112	0.098	0.003	0.11	5.72	991002A	7	
31113	0.15	0.008	0.11	5.92	991002A	8	
31114	0.05	0.001	0.03	6.08	991002A	9	
31115	0.179	0.003	0.25	5.19	991002A	10	
31116	0.145	0.006	0.15	6.08	991002A	11	
31117	0.199	0.013	0.27	5.31	991002A	12	
31118	0.088	0.004	0.07	4.77	991002A	13	
31119	0.002	0.001	0.01	4.46	991002A	14	
31120	0.002	0.001	0.01	4	991002A	15	
31121	0.114	0.049	0.12	5.01	991002A	16	
31122	0.141	0.103	0.26	5.73	991002A	17	
31123	0.181	0.095	0.19	5.49	991002A	18	
31124	0.101	0.004	0.08	6.08	991002A	19	
31125	0.156	0.004	0.18	5.32	991002A	20	
31126	0.2	0.007	0.22	6.43	991002A	21	
31127	0.151	0.017	0.17	5.92	991002A	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31128	0.195	0.03	0.19	4.36	991002B	1	
31129	0.153	0.009	0.11	2.33	991002B	2	
31130	0.134	0.006	0.26	2.17	991002B	3	
31131	0.287	0.008	0.29	2.47	991002B	4	
31132	0.114	0.001	0.11	2.83	991002B	5	
31133	0.082	0.001	0.06	2.91	991002B	6	
31134	0.109	0.001	0.11	3.16	991002B	7	
31135	0.096	0.001	0.15	3.36	991002B	8	
31136	0.198	0.009	0.26	6.42	991002B	9	
31137	0.218	0.009	0.32	8.3	991002B	10	
31138	0.553	0.044	0.88	5.64	991002B	11	
31139	0.492	0.016	0.63	7.39	991002B	12	
31140	0.555	0.014	0.62	12	991002B	13	
31141	0.561	0.059	0.55	9.2	991002B	14	
31142	0.678	0.24	0.58	6.55	991002B	15	
31143	0.07	0.007	0.05	4.56	991002B	16	
31144	0.887	0.047	1.05	6.98	991002B	17	
31145	0.021	0.011	0.01	5.34	991002B	18	
31146	0.239	0.099	0.15	4.1	991002B	19	
31147	0.102	0.027	0.06	2.32	991002B	20	
31148	0.022	0.004	0.01	2.03	991002B	21	
31149	0.076	0.041	0.03	2.03	991002B	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31150	0.053	0.026	0.04	2.26	991002E	1	99c-5
31151	0.092	0.081	0.09	2.15	991002E	2	
31152	0.254	0.04	0.1	2.63	991002E	3	
31153	0.05	0.016	0.02	2.07	991002E	4	
31154	0.067	0.006	0.02	2.39	991002E	5	
31155	0.02	0.004	0.02	2.1	991002E	6	
31156	0.021	0.003	0.01	2.13	991002E	7	
31157	0.046	0.002	0.05	2.07	991002E	8	
31158	0.045	0.017	0.03	2.21	991002E	9	
31159	0.04	0.032	0.04	2.3	991002E	10	
31160	0.05	0.008	0.04	2.42	991002E	11	
31161	0.059	0.001	0.04	2.28	991002E	12	
31162	0.119	0.045	0.13	2.07	991002E	13	
31652	0.069	0.003	0.17	5.81	991002E	14	99c-3
31653	0.053	0.003	0.1	5.16	991002E	15	
31654	0.048	0.003	0.11	4.94	991002E	16	
31655	0.081	0.007	0.2	3.94	991002E	17	
31656	0.063	0.004	0.11	3.52	991002E	18	
31657	0.073	0.003	0.15	3.8	991002E	19	
31658	0.09	0.003	0.23	4.15	991002E	20	
31659	0.054	0.004	0.12	3.79	991002E	21	
31660	0.022	0.002	0.04	5.47	991002E	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31796	0.123	0.012	0.15	3.48	991006c	1	168-171 99c-3
31797	0.025	0.011	0.02	3.75	991006c	2	171-173
31798	0.045	0.021	0.02	4.28	991006c	3	173-175
31799	0.092	0.033	0.09	3.68	991006c	4	175-177
31800	0.12	0.038	0.07	2.75	991006c	5	177-179
31801	0.129	0.043	0.13	3.08	991006c	6	179-181
31802	0.106	0.034	0.15	2.72	991006c	7	181-183
31803	0.074	0.022	0.07	2.52	991006c	8	183-185
31804	0.047	0.02	0.03	2.87	991006c	9	185-185.6
31805	0.098	0.037	0.15	3.38	991006c	10	185.6-187
31806	0.106	0.049	0.14	3.11	991006c	11	187-188.5
31807	0.066	0.03	0.1	3.27	991006c	12	188.5-190
31808	0.009	0.003	0.01	4.44	991006c	13	190-191.5
31809	0.007	0.001	0.02	4.67	991006c	14	191.5-192.8
31810	0.025	0.004	0.02	2.86	991006c	15	192.8-195
31811	0.041	0.006	0.02	5.97	991006c	16	195-196.8
31812	0.032	0.008	0.01	2.81	991006c	17	196.8-199
31813	0.061	0.019	0.03	2.98	991006c	18	199-200.4
31163	0.138	0.029	0.11	2.19	991006c	19	99c-5
31164	0.156	0.081	0.22	2.02	991006c	20	
31165	0.127	0.033	0.13	2.27	991006c	21	
31166	0.214	0.201	0.3	1.82	991006c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31167	0.3	0.291	0.28	1.59	991006d	1	
31168	0.429	0.347	0.4	1.69	991006d	2	
31169	0.316	0.274	0.25	2.02	991006d	3	
31170	0.301	0.271	0.25	2.02	991006d	4	
31171	0.391	0.188	0.29	1.94	991006d	5	
31172	0.028	0.019	0.01	4.11	991006d	6	
31173	0.363	0.319	0.28	2.19	991006d	7	
31174	0.402	0.079	0.19	2.45	991006d	8	
31175	0.352	0.347	0.22	1.77	991006d	9	
31176	0.28	0.257	0.12	2.43	991006d	10	
31177	0.337	0.052	0.14	2.04	991006d	11	
31178	0.274	0.082	0.11	2.07	991006d	12	
31179	0.244	0.056	0.12	2.15	991006d	13	
31180	0.149	0.053	0.07	2.26	991006d	14	
31181	0.135	0.007	0.06	2.35	991006d	15	
31182	0.12	0.005	0.16	2.24	991006d	16	
31183	0.089	0.011	0.15	2.63	991006d	17	
31184	0.062	0.032	0.15	2.16	991006d	18	
31185	0.073	0.054	0.14	2.7	991006d	19	
31186	0.082	0.028	0.15	3.03	991006d	20	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31187	0.105	0.055	0.08	5.53	991008c	1	99C-5
31188	0.139	0.069	0.18	5.55	991008c	2	
31189	0.087	0.035	0.06	6.64	991008c	3	
31190	0.103	0.047	0.09	7.5	991008c	4	
31191	0.238	0.192	0.24	5.63	991008c	5	
31192	0.244	0.191	0.18	5.48	991008c	6	
31193	0.236	0.17	0.17	5.38	991008c	7	
31194	0.204	0.141	0.18	4.95	991008c	8	
31195	0.108	0.066	0.08	6.42	991008c	9	
31196	0.079	0.058	0.06	5.84	991008c	10	
31197	0.254	0.038	0.28	5.84	991008c	11	
31198	0.131	0.095	0.12	4.36	991008c	12	
31199	0.054	0.03	0.06	3.33	991008c	13	
31200	0.068	0.027	0.09	5.47	991008c	14	
31201	0.038	0.013	0.04	4.72	991008c	15	
31202	0.066	0.028	0.1	5.84	991008c	16	
31203	0.102	0.045	0.1	6.11	991008c	17	
31204	0.033	0.01	0.02	2.23	991008c	18	
31205	0.03	0.011	0.02	2.06	991008c	19	
31206	0.031	0.01	0.02	1.93	991008c	20	
31207	0.023	0.012	0.01	5.41	991008c	21	99C-6
31208	0.182	0.126	0.2	4.71	991008c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31187	0.105	0.055	0.08	5.53	991008c	1	99C-5 ↓
31188	0.139	0.069	0.18	5.55	991008c	2	
31189	0.087	0.035	0.06	6.64	991008c	3	
31190	0.103	0.047	0.09	7.5	991008c	4	
31191	0.238	0.192	0.24	5.63	991008c	5	
31192	0.244	0.191	0.18	5.48	991008c	6	
31193	0.236	0.17	0.17	5.38	991008c	7	
31194	0.204	0.141	0.18	4.95	991008c	8	
31195	0.108	0.066	0.08	6.42	991008c	9	
31196	0.079	0.058	0.06	5.84	991008c	10	
31197	0.254	0.038	0.28	5.84	991008c	11	
31198	0.131	0.095	0.12	4.36	991008c	12	
31199	0.054	0.03	0.06	3.33	991008c	13	
31200	0.068	0.027	0.09	5.47	991008c	14	
31201	0.038	0.013	0.04	4.72	991008c	15	
31202	0.066	0.028	0.1	5.84	991008c	16	
31203	0.102	0.045	0.1	6.11	991008c	17	
31204	0.033	0.01	0.02	2.23	991008c	18	
31205	0.03	0.011	0.02	2.06	991008c	19	
31206	0.031	0.01	0.02	1.93	991008c	20	
31207	0.023	0.012	0.01	5.41	991008c	21	99C-6 ↓
31208	0.182	0.126	0.2	4.71	991008c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31209	0.195	0.188	0.26	5.19	991008d	1	
31210	0.199	0.173	0.22	4.91	991008d	2	
31211	0.1	0.07	0.07	5.68	991008d	3	
31212	0.201	0.169	0.17	4.79	991008d	4	
31213	0.207	0.166	0.25	4.45	991008d	5	
31214	0.249	0.215	0.28	4.65	991008d	6	
31215	0.166	0.12	0.15	6.54	991008d	7	
31216	0.082	0.056	0.05	5.56	991008d	8	
31217	0.073	0.047	0.06	6.67	991008d	9	
31218	0.051	0.027	0.03	6.03	991008d	10	
31219	0.274	0.226	0.19	6.34	991008d	11	
31220	0.184	0.142	0.14	5.42	991008d	12	
31221	0.228	0.12	0.18	5.07	991008d	13	
31222	0.037	0.026	0.01	4.02	991008d	14	
31223	0.309	0.263	0.32	4.71	991008d	15	
31224	0.146	0.128	0.22	5.07	991008d	16	
31225	0.402	0.28	0.27	5.57	991008d	17	
31226	0.171	0.11	0.15	5.55	991008d	18	
31227	0.133	0.061	0.13	4.94	991008d	19	
31228	0.109	0.05	0.1	5.12	991008d	20	
31229	0.194	0.023	0.19	4.18	991008d	21	
31230	0.17	0.027	0.16	4.24	991008d	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31231	0.384	0.204	0.39	4	991010a	1	
31232	0.171	0.085	0.23	4.36	991010a	2	
31233	0.159	0.03	0.15	5.91	991010a	3	
31234	0.158	0.028	0.13	6.59	991010a	4	
31235	0.182	0.009	0.18	6.83	991010a	5	
31236	0.206	0.007	0.22	8.16	991010a	6	
31237	0.133	0.014	0.17	6.27	991010a	7	
31238	0.077	0.053	0.07	5.79	991010a	8	
31239	0.162	0.157	0.16	5.84	991010a	9	
31240	0.123	0.107	0.16	4.39	991010a	10	
31241	0.336	0.297	0.35	3.06	991010a	11	
31242	0.032	0.01	0.01	4.37	991010a	12	
31243	0.028	0.009	0.01	4.64	991010a	13	
31244	0.171	0.143	0.36	4.92	991010a	14	
31245	0.079	0.058	0.11	5.15	991010a	15	
31246	0.456	0.367	0.75	5.9	991010a	16	
31247	0.167	0.098	0.22	7.5	991010a	17	
31248	0.275	0.266	0.59	8.56	991010a	18	
31249	0.234	0.124	0.18	6.37	991010a	19	
31250	0.165	0.106	0.22	6.04	991010a	20	
31251	0.154	0.141	0.19	4.65	991010a	21	
31252	0.109	0.067	0.11	4.9	991010a	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31253	0.216	0.104	0.18	5.87	991010c	1	
31254	0.161	0.116	0.13	6.92	991010c	2	
31255	0.213	0.171	0.24	7.02	991010c	3	
31256	0.014	0.005	0.02	5.24	991010c	4	
31257	0.036	0.01	0.01	5.39	991010c	5	
31258	0.188	0.086	0.31	4.57	991010c	6	
31259	0.525	0.469	1.79	3.88	991010c	7	
31260	0.471	0.405	1.31	5.25	991010c	8	
31261	0.321	0.236	0.37	4.71	991010c	9	
31262	0.245	0.101	0.25	4.05	991010c	10	
31263	0.16	0.034	0.12	4.67	991010c	11	
31264	0.189	0.103	0.2	5.22	991010c	12	
31265	0.178	0.124	0.4	4.78	991010c	13	
31266	0.208	0.071	0.21	3.27	991010c	14	
31267	0.147	0.046	0.18	4.1	991010c	15	
31268	0.288	0.232	0.45	5.09	991010c	16	
31269	0.2	0.164	0.17	4.36	991010c	17	
31270	0.234	0.2	0.21	4.35	991010c	18	
31271	0.171	0.097	0.18	6	991010c	19	
31272	0.243	0.042	0.25	5.3	991010c	20	
31273	0.006	0.001	0.01	4.43	991010c	21	
31274	0.468	0.202	0.55	5.46	991010c	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31275	0.296	0.105	0.34	6.48	991010d	1	
31276	0.081	0.049	0.08	3.03	991010d	2	
31277	0.13	0.074	0.24	3.32	991010d	3	
31278	0.197	0.056	0.49	4.67	991010d	4	
31279	0.137	0.108	0.13	4.33	991010d	5	
31280	0.186	0.009	0.27	4.31	991010d	6	
31281	0.149	0.075	0.18	4.91	991010d	7	
31282	0.171	0.134	0.32	3.62	991010d	8	
31283	0.067	0.051	0.1	3.41	991010d	9	
31284	0.107	0.091	0.09	3.92	991010d	10	
31285	0.114	0.096	0.14	3.96	991010d	11	
31286	0.103	0.077	0.11	4.45	991010d	12	
31287	0.136	0.112	0.15	3.69	991010d	13	
31288	0.011	0.004	0.01	4.79	991010d	14	
31289	0.005	0.002	0.01	5	991010d	15	
31290	0.004	0.002	0.01	4.95	991010d	16	
31291	0.068	0.011	0.04	6.09	991010d	17	
31292	0.075	0.012	0.1	5.95	991010d	18	
31293	0.068	0.01	0.04	5.38	991010d	19	
31294	0.138	0.02	0.09	5.63	991010d	20	
31295	0.174	0.043	0.11	5.62	991010d	21	
31296	0.142	0.025	0.07	5.72	991010d	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
30899	0.197	0.009	1.09	3.77	991012c	1	99B-1
30900	0.102	0.005	0.54	3.06	991012c	2	
30901	0.209	0.009	0.68	2.92	991012c	3	
30902	0.098	0.004	0.17	3.38	991012c	4	
30903	0.202	0.008	0.54	3.21	991012c	5	
30904	0.144	0.005	0.31	2.66	991012c	6	
30905	0.153	0.006	0.35	2.2	991012c	7	
30906	0.266	0.013	0.85	3.47	991012c	8	
30907	0.289	0.018	0.41	4.43	991012c	9	
30908	0.142	0.003	0.2	2.93	991012c	10	
30909	0.118	0.002	0.22	2.98	991012c	11	
30910	0.132	0.003	0.25	3.2	991012c	12	
30911	0.28	0.004	0.52	2.69	991012c	13	
30912	0.216	0.004	0.42	2.44	991012c	14	
30913	0.277	0.013	0.49	2.27	991012c	15	
30930	0.169	0.008	0.18	3.03	991012c	16	
30931	0.05	0.001	0.05	2.98	991012c	17	
30932	0.066	0.001	0.03	2.3	991012c	18	
30933	0.035	0.001	0.04	1.69	991012c	19	↓
31297	0.142	0.048	0.08	5.27	991012c	20	99C-6
31298	0.086	0.024	0.1	5.24	991012c	21	↓
31299	0.096	0.02	0.05	4.99	991012c	22	↓

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49626	0.067	0.045	0.04	4.43	991218c	1	
49627	0.033	0.015	0.01	4.4	991218c	2	
49628	0.016	0.007	0.01	2.97	991218c	3	
49629	0.03	0.013	0.02	3.6	991218c	4	
49630	0.033	0.015	0.01	3	991218c	5	
49631	0.009	0.004	0.01	6.34	991218c	6	
49632	0.018	0.006	0.01	2.72	991218c	7	
49633	0.008	0.003	0.01	3.19	991218c	8	
49634	0.009	0.001	0.01	3.05	991218c	9	
49635	0.006	0.002	0.01	2.93	991218c	10	
49636	0.002	0.001	0.01	2.94	991218c	11	
49637	0.003	0.001	0.01	2.83	991218c	12	
49638	0.02	0.011	0.01	3.34	991218c	13	
49639	0.146	0.116	0.09	4.88	991218c	14	
49640	0.098	0.075	0.07	4.71	991218c	15	
49641	0.104	0.077	0.09	4.85	991218c	16	
49642	0.068	0.048	0.05	5.59	991218c	17	
49643	0.066	0.047	0.02	5.32	991218c	18	
49644	0.083	0.058	0.02	6.18	991218c	19	
49645	0.003	0.001	0.01	6.54	991218c	20	
49646	0.196	0.103	0.09	5.34	991218c	21	
49647	0.012	0.003	0.01	3.93	991218c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49648	0.036	0.007	0.01	4.52	991218d	1	
49649	0.14	0.027	0.12	5.55	991218d	2	
49650	0.09	0.017	0.07	4.35	991218d	3	
49651	0.112	0.02	0.11	2.75	991218d	4	
49652	0.066	0.019	0.04	4.85	991218d	5	
49653	0.174	0.109	0.12	4.94	991218d	6	
49654	0.04	0.028	0.02	3.86	991218d	7	
49655	0.033	0.014	0.02	4.84	991218d	8	
49656	0.012	0.006	0.02	3.74	991218d	9	
49657	0.005	0.003	0.03	3.54	991218d	10	
49658	0.023	0.012	0.03	4.04	991218d	11	
49659	0.132	0.081	0.1	6.76	991218d	12	
49660	0.249	0.198	0.12	7.55	991218d	13	
49661	0.225	0.185	0.1	7.09	991218d	14	
49662	0.16	0.101	0.09	6.68	991218d	15	
49663	0.055	0.026	0.04	5.87	991218d	16	
49664	0.116	0.078	0.06	5.99	991218d	17	
49665	0.173	0.126	0.15	5.26	991218d	18	
49666	0.173	0.132	0.15	4.36	991218d	19	
49667	0.133	0.063	0.06	5.37	991218d	20	
49668	0.271	0.066	0.4	3.16	991218d	21	
49669	0.015	0.001	0.01	4.61	991218d	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49670	0.023	0.008	0.01	6.35	991220A	1	
49671	0.087	0.04	0.08	3.48	991220A	2	
49672	0.01	0.003	0.01	4.84	991220A	3	
49673	0.108	0.008	0.07	3.08	991220A	4	
49674	0.128	0.004	0.08	2.61	991220A	5	
49675	0.007	0.001	0.01	4.84	991220A	6	
49676	0.007	0.001	0.01	5.33	991220A	7	
49677	0.059	0.009	0.02	3.23	991220A	8	
49678	0.065	0.014	0.03	2.51	991220A	9	
49679	0.047	0.004	0	3.2	991220A	10	
49680	0.09	0.004	0.08	3.74	991220A	11	
49681	0.095	0.004	0.17	3.43	991220A	12	
49682	0.131	0.003	0.11	3.11	991220A	13	
49683	0.138	0.001	0.09	4.95	991220A	14	
49684	0.118	0.001	0.13	5.04	991220A	15	
49685	0.128	0.001	0.1	3.65	991220A	16	
49686	0.116	0.001	0.1	2.56	991220A	17	
49687	0.118	0.006	0.22	5.23	991220A	18	
49688	0.139	0.047	0.11	3.13	991220A	19	
49689	0.221	0.196	0.36	1.54	991220A	20	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49601	0.131	0.008	0.14	5.28	991221b	1	RESPLIT
49602	0.112	0.01	0.13	6.52	991221b	2	RESPLIT
49690	0.026	0.006	0.01	5.98	991221b	3	
49691	0.023	0.004	0.01	6.65	991221b	4	
49692	0.135	0.026	0.14	2.5	991221b	5	
49693	0.004	0.001	0.01	5.34	991221b	6	
49694	0.012	0.001	0.01	6.39	991221b	7	
49695	0.013	0.001	0.01	5.8	991221b	8	
49696	0.376	0.011	0.28	5.86	991221b	9	
49697	0.393	0.014	0.21	6.91	991221b	10	
49698	0.334	0.009	0.21	6.19	991221b	11	
49699	0.321	0.01	0.25	6.41	991221b	12	
49700	0.394	0.007	0.4	6.22	991221b	13	
49701	0.413	0.01	0.4	6.11	991221b	14	
49702	0.518	0.013	0.37	8.34	991221b	15	
49703	0.391	0.011	0.22	8.1	991221b	16	
49704	0.414	0.013	0.26	8.05	991221b	17	
49705	0.244	0.004	0.14	4.46	991221b	18	
49706	0.34	0.007	0.11	5.19	991221b	19	
49707	0.006	0.001	0.01	6.06	991221b	20	
49708	0.246	0.08	0.14	5.87	991221b	21	

99C-9

99C-7

QueryExport

Tag .	Cu-tot (%)	Cu-rs (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49709	0.433	0.28	0.14	5.82	991222A	1	
49710	0.018	0.007	0.01	5	991222A	2	
49711	0.352	0.047	0.09	5.53	991222A	3	
49712	0.29	0.009	0.1	5.71	991222A	4	
49713	0.43	0.012	0.53	5.98	991222A	5	
49714	0.35	0.009	0.3	4.84	991222A	6	
49715	0.406	0.01	0.34	7.53	991222A	7	
49716	0.023	0.001	0.01	5.98	991222A	8	
49717	0.514	0.058	0.51	6.4	991222A	9	
49718	0.725	0.023	0.72	8.81	991222A	10	
49719	0.437	0.056	0.52	8.24	991222A	11	
49720	0.587	0.159	0.58	7	991222A	12	
49721	0.622	0.187	0.52	7.36	991222A	13	
49722	0.603	0.015	0.5	6.2	991222A	14	
49723	0.732	0.02	1.12	11	991222A	15	
49724	0.54	0.018	0.63	8.79	991222A	16	
49725	0.466	0.02	0.65	6.16	991222A	17	
49726	0.217	0.005	0.41	5.27	991222A	18	
49727	0.279	0.006	0.42	5.01	991222A	19	
49728	0.203	0.005	0.37	5.29	991222A	20	
49729	0.206	0.011	0.27	4.67	991222A	21	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49730	0.11	0.003	0.12	3.51	991222B	1	
49731	0.21	0.009	0.37	3.92	991222B	2	
49732	0.403	0.072	0.43	3.63	991222B	3	
49733	0.357	0.024	0.36	4.63	991222B	4	
49734	0.048	0.008	0.03	2.39	991222B	5	
49735	0.062	0.007	0.01	2.17	991222B	6	
49736	0.022	0.001	0.01	2.34	991222B	7	
49737	0.024	0.001	0.02	2.33	991222B	8	
49738	0.11	0.002	0.07	2.1	991222B	9	
49739	0.123	0.005	0.04	2.11	991222B	10	
49740	0.044	0.002	0.03	2.28	991222B	11	
49741	0.06	0.003	0.02	2.33	991222B	12	
49742	0.042	0.001	0.02	2.27	991222B	13	
49743	0.032	0.001	0.02	2.19	991222B	14	
49744	0.048	0.003	0.02	2.63	991222B	15	
49745	0.04	0.027	0.02	2.62	991222B	16	
49746	0.045	0.032	0.04	2.45	991222B	17	
49747	0.059	0.041	0.04	2.31	991222B	18	
49748	0.056	0.003	0.03	2.33	991222B	19	
49749	0.065	0.021	0.04	2.62	991222B	20	
49750	0.044	0.028	0.02	2.44	991222B	21	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49751	0.045	0.02	0.03	2.66	991223a	1	
49752	0.036	0.015	0.01	2.38	991223a	2	
49753	0.045	0.023	0.01	2.25	991223a	3	
49754	0.038	0.015	0.04	2.42	991223a	4	
49755	0.024	0.004	0.01	2.47	991223a	5	
49756	0.033	0.01	0.06	5.01	991223a	6	
49757	0.008	0.002	0.01	5.24	991223a	7	
49758	0.012	0.002	0.01	5.89	991223a	8	
49759	0.026	0.008	0.01	6.07	991223a	9	
49760	0.042	0.014	0.02	6.59	991223a	10	
49761	0.037	0.015	0.02	6.24	991223a	11	
49762	0.128	0.066	0.08	6.68	991223a	12	
49763	0.115	0.032	0.1	6.2	991223a	13	
49764	0.147	0.059	0.13	5.1	991223a	14	
49765	0.128	0.056	0.08	5.66	991223a	15	
49766	0.068	0.018	0.03	6.5	991223a	16	
49767	0.057	0.013	0.02	6.52	991223a	17	
49768	0.07	0.033	0.09	5.36	991223a	18	
49769	0.046	0.014	0.06	5.13	991223a	19	
49770	0.097	0.056	0.12	5.43	991223a	20	
49771	0.106	0.02	0.28	4.66	991223a	21	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49772	0.155	0.012	0.56	4.01	991223b	1	
49773	0.154	0.035	0.15	3.56	991223b	2	
49774	0.166	0.072	0.11	4.77	991223b	3	
49775	0.095	0.048	0.08	2.88	991223b	4	
49776	0.106	0.065	0.1	2.79	991223b	5	
49777	0.177	0.088	0.17	2.33	991223b	6	
49778	0.292	0.17	0.3	3.3	991223b	7	
49779	0.165	0.078	0.15	2.66	991223b	8	
49780	0.114	0.062	0.11	3.64	991223b	9	
49781	0.176	0.11	0.17	3.55	991223b	10	
49782	0.022	0.008	0.01	6.07	991223b	11	
49783	0.124	0.074	0.16	3	991223b	12	
49784	0.103	0.038	0.15	3.96	991223b	13	
49785	0.087	0.012	0.12	2.33	991223b	14	
49786	0.073	0.012	0.08	2.68	991223b	15	
49787	0.145	0.079	0.14	3.3	991223b	16	
49788	0.148	0.07	0.19	3.14	991223b	17	
49789	0.184	0.099	0.14	3.94	991223b	18	
49790	0.16	0.105	0.14	5.12	991223b	19	
49791	0.259	0.08	0.22	3.48	991223b	20	
49792	0.463	0.127	0.32	3.44	991223b	21	

99c-7

99c-10

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31815	0.189	0.019	0.69	11	991206c	1	3.05-4
31816	0.273	0.026	1.01	9.33	991206c	2	4-6
31817	0.327	0.061	1.34	9.82	991206c	3	6-8
31818	0.425	0.017	1.58	8.51	991206c	4	8-10
31819	0.624	0.046	2.09	9.58	991206c	5	10-12
31820	0.252	0.021	1	7.38	991206c	6	12-14
31821	1.213	0.122	2.83	7.36	991206c	7	14-16
31822	0.983	0.055	2.96	7.2	991206c	8	16-18
31823	0.326	0.028	1.55	7.71	991206c	9	18-20
31824	0.315	0.02	1.05	8.81	991206c	10	20-22
31825	0.307	0.022	1.23	7.26	991206c	11	22-24
31826	0.313	0.056	0.51	4.23	991206c	12	23.7-25
31827	0.825	0.086	1.9	6.98	991206c	13	25-26.5
31828	0.294	0.019	0.84	6.26	991206c	14	26.5-28
31829	0.234	0.026	1.13	8.6	991206c	15	28-30
31830	0.382	0.036	1.27	7.1	991206c	16	30-32
31831	0.678	0.032	2.32	6.97	991206c	17	32-34
31832	0.621	0.076	2.04	6.99	991206c	18	34-35
31833	0.42	0.072	1.52	6.3	991206c	19	35-37
31834	0.286	0.017	0.77	5.04	991206c	20	37-39
31835	0.445	0.044	0.67	4.31	991206c	21	39-41
31836	0.094	0.012	0.11	4.37	991206c	22	41-41.5

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31726	0.152	0.024	0.29	6.26	991207a	1	68-70
31727	0.286	0.026	0.52	5.41	991207a	2	70-72
31728	0.217	0.026	0.44	7.15	991207a	3	72-74
31729	0.195	0.012	0.35	8.29	991207a	4	74-76
31730	0.023	0.004	0.03	4.66	991207a	5	75.5-77
31731	0.095	0.008	0.16	4.98	991207a	6	77-79
31732	0.061	0.006	0.09	4.87	991207a	7	79-81
31733	0.044	0.005	0.04	3.64	991207a	8	81-83
31837	0.128	0.015	0.16	5.75	991207a	9	41.5-43.3
31838	0.029	0.002	0.05	5.48	991207a	10	43.3-44.5
31839	0.053	0.004	0.09	4.88	991207a	11	44.5-46
31840	0.075	0.006	0.1	5.33	991207a	12	46-48
31841	0.068	0.004	0.09	5.27	991207a	13	48-50
31842	0.111	0.004	0.14	5	991207a	14	50-52
31843	0.239	0.014	0.34	4.73	991207a	15	52-54
31844	0.145	0.013	0.21	4.64	991207a	16	54-56
31845	0.043	0.009	0.05	4.75	991207a	17	56-58
31846	0.048	0.013	0.05	5.09	991207a	18	58-60
31847	0.085	0.015	0.1	4.76	991207a	19	60-62
31848	0.188	0.071	0.19	4.43	991207a	20	62-64
31849	0.151	0.016	0.17	4.75	991207a	21	64-66
31850	0.219	0.023	0.23	4.42	991207a	22	66-68

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31734	0.126	0.014	0.15	4.47	991207b	1	83-85.3
31735	1.468	0.124	2.13	4.49	991207b	2	85.3-86
31736	0.171	0.014	0.2	5.16	991207b	3	86-88
31737	0.317	0.036	0.46	7.12	991207b	4	88-90
31738	0.046	0.005	0.03	4.18	991207b	5	90-93
31739	0.205	0.02	0.21	6.9	991207b	6	93-96
31740	0.055	0.013	0.04	2.92	991207b	7	96-99
31741	0.064	0.003	0.01	2.33	991207b	8	99-102
31742	0.057	0.026	0.02	2.85	991207b	9	102-105
31743	0.067	0.044	0.02	2.9	991207b	10	105-108
31744	0.09	0.042	0.05	2.27	991207b	11	108-111
31745	0.091	0.026	0.04	2.4	991207b	12	111-114
31746	0.094	0.016	0.05	2.47	991207b	13	114-117
31747	0.055	0.009	0.04	2.41	991207b	14	117-120
31748	0.049	0.003	0.02	2.47	991207b	15	120-123
31749	0.037	0.004	0.04	2.69	991207b	16	123-126
31750	0.03	0.001	0.03	2.57	991207b	17	126-128

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
31751	0.056	0.003	0.07	2.92	991207f	1	128-131
31752	0.05	0.007	0.06	2.46	991207f	2	131-134
31753	0.025	0.003	0.02	2.7	991207f	3	134-137
31754	0.035	0.004	0.04	2.56	991207f	4	137-140
31755	0.02	0.003	0.05	2.47	991207f	5	140-143
31756	0.016	0.002	0.01	2.66	991207f	6	143-145
31757	0.033	0.004	0.02	3.09	991207f	7	145-145.9
31758	0.281	0.044	0.06	6.99	991207f	8	145.9-146.9
31759	0.197	0.022	0.25	6.48	991207f	9	146.9-150
31760	0.149	0.018	0.16	5.32	991207f	10	150-153
31761	0.089	0.011	0.1	4.97	991207f	11	153-156
31762	0.074	0.008	0.09	5.81	991207f	12	156-159
31763	0.122	0.012	0.13	4.78	991207f	13	159-162
31764	0.19	0.02	0.19	4.78	991207f	14	162-165
31765	0.118	0.013	0.13	5.39	991207f	15	165-168
31766	0.192	0.016	0.19	5.46	991207f	16	168-170

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49601	0.131	0.008	0.14	5.28	991221b	1	RESPLIT
49602	0.112	0.01	0.13	6.52	991221b	2	RESPLIT
49690	0.026	0.006	0.01	5.98	991221b	3	
49691	0.023	0.004	0.01	6.65	991221b	4	
49692	0.135	0.026	0.14	2.5	991221b	5	
49693	0.004	0.001	0.01	5.34	991221b	6	
49694	0.012	0.001	0.01	6.39	991221b	7	
49695	0.013	0.001	0.01	5.8	991221b	8	
49696	0.376	0.011	0.28	5.86	991221b	9	
49697	0.393	0.014	0.21	6.91	991221b	10	
49698	0.334	0.009	0.21	6.19	991221b	11	
49699	0.321	0.01	0.25	6.41	991221b	12	
49700	0.394	0.007	0.4	6.22	991221b	13	
49701	0.413	0.01	0.4	6.11	991221b	14	
49702	0.518	0.013	0.37	8.34	991221b	15	
49703	0.391	0.011	0.22	8.1	991221b	16	
49704	0.414	0.013	0.26	8.05	991221b	17	
49705	0.244	0.004	0.14	4.46	991221b	18	
49706	0.34	0.007	0.11	5.19	991221b	19	
49707	0.006	0.001	0.01	6.06	991221b	20	
49708	0.246	0.08	0.14	5.87	991221b	21	

99C-9

99C-7

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49501	0.425	0.014	0.78	7.39	991208B	1	3.05-5
49502	0.586	0.025	1.1	7.42	991208B	2	5-7
49503	0.462	0.019	1.05	9.93	991208B	3	7-7.9
49504	0.548	0.015	0.97	4.73	991208B	4	7.9-9.2
49505	0.317	0.018	0.55	5.5	991208B	5	9.2-11
49506	0.332	0.016	0.62	7.12	991208B	6	11-13
49507	0.357	0.023	0.58	7.66	991208B	7	13-14.7
49508	0.306	0.011	0.48	5.54	991208B	8	14.7-15.4
49509	0.546	0.042	0.77	10.1	991208B	9	15.4-17
49510	0.332	0.02	0.5	8.63	991208B	10	17-19
49511	0.566	0.023	1.07	8.9	991208B	11	19-21
49512	0.26	0.011	0.59	5.2	991208B	12	21-23
49513	0.439	0.019	0.9	6.83	991208B	13	23-25
49514	0.632	0.019	1.57	10.1	991208B	14	25-27
49515	1.147	0.13	1.86	17.8	991208B	15	27-29

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49516	0.602	0.051	2.22	6.17	991210h	1	29-30.4 M.
49517	0.063	0.007	0.12	5.38	991210h	2	30.4-31
49518	0.113	0.006	0.2	3.29	991210h	3	31-32
49519	0.218	0.015	0.47	3.6	991210h	4	32-34
49520	0.566	0.057	1.29	9.95	991210h	5	34-36
49521	0.735	0.037	2.06	9.45	991210h	6	36-38
49522	0.227	0.013	0.51	6.95	991210h	7	38-40
49523	0.217	0.011	0.91	4.49	991210h	8	40-42
49524	0.241	0.014	0.52	5.11	991210h	9	42-43.6
49525	0.116	0.008	0.25	6.2	991210h	10	43.6-44.5
49526	0.119	0.009	0.28	5.6	991210h	11	44.5-46
49527	0.118	0.009	0.19	6.31	991210h	12	46-47.2
49528	0.437	0.027	0.74	7.1	991210h	13	47.2-49
49529	0.279	0.017	0.69	6.1	991210h	14	49-51
49530	0.193	0.011	0.2	4.39	991210h	15	51-53
49531	0.131	0.006	0.19	3.73	991210h	16	53-55
49532	0.114	0.006	0.17	4.26	991210h	17	55-57
49533	0.12	0.008	0.16	4.87	991210h	18	57-59
49534	0.16	0.006	0.27	4.33	991210h	19	59-61
49535	0.15	0.008	0.24	6.1	991210h	20	61-63
49536	0.133	0.007	0.17	6.46	991210h	21	63-65
49537	0.141	0.009	0.19	7.01	991210h	22	65-66.1

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49538	0.17	0.02	0.22	7.24	991212A	1	
49539	0.119	0.019	0.1	6.33	991212A	2	
49540	0.117	0.006	0.12	5.63	991212A	3	
49541	0.11	0.005	0.1	8.86	991212A	4	
49542	0.143	0.002	0.36	8.67	991212A	5	
49543	0.198	0.006	0.26	6.32	991212A	6	
49544	0.184	0.008	0.07	6.7	991212A	7	
49545	0.108	0.003	0.25	6.29	991212A	8	
49546	0.22	0.014	0.3	8.03	991212A	9	
49547	0.078	0.011	0.1	8.51	991212A	10	
49548	0.293	0.011	0.48	9.76	991212A	11	
49549	0.114	0.004	0.16	5.5	991212A	12	
49550	0.316	0.009	0.49	6.29	991212A	13	
49551	0.412	0.01	2.99	5.14	991212A	14	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49552	0.267	0.007	0.49	5.59	991213B	1	
49553	0.227	0.006	0.44	5.32	991213B	2	
49554	0.169	0.005	0.25	7.14	991213B	3	
49555	0.248	0.008	0.31	5.56	991213B	4	
49556	0.155	0.004	0.18	5.41	991213B	5	
49557	0.125	0.001	0.16	4.79	991213B	6	
49558	0.115	0.002	0.12	5.24	991213B	7	
49559	0.089	0.002	0.1	7.64	991213B	8	
49560	0.161	0.003	0.16	7.15	991213B	9	
49561	0.133	0.004	0.13	5.42	991213B	10	
49562	0.257	0.011	0.26	3.81	991213B	11	
49563	0.16	0.005	0.16	3.59	991213B	12	
49564	0.016	0.002	0.01	5.92	991213B	13	
49565	0.017	0.003	0	6.39	991213B	14	
49566	0.022	0.004	0.01	5.52	991213B	15	
49567	0.025	0.002	0.03	5.7	991213B	16	
49568	0.031	0.009	0	5.8	991213B	17	
49569	0.091	0.013	0.07	5.64	991213B	18	
49570	0.252	0.015	0.32	7.95	991213B	19	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49571	0.272	0.06	0.38	8.46	991214D	1	
49572	0.378	0.074	0.44	9.01	991214D	2	
49573	0.325	0.045	0.43	8.61	991214D	3	
49574	0.25	0.019	0.34	8.38	991214D	4	
49575	0.473	0.01	0.41	8.54	991214D	5	
49576	0.2	0.006	0.18	7.39	991214D	6	
49577	0.188	0.012	0.18	4.95	991214D	7	
49578	0.316	0.01	0.25	5.22	991214D	8	
49579	0.33	0.018	0.33	5.35	991214D	9	
49580	0.371	0.088	0.38	4.64	991214D	10	
49581	0.28	0.01	0.29	4.91	991214D	11	
49582	0.251	0.012	0.3	5.08	991214D	12	
49583	0.211	0.01	0.32	7.8	991214D	13	
49584	0.147	0.007	0.17	6.65	991214D	14	
49585	0.16	0.008	0.16	8.66	991214D	15	
49586	0.18	0.009	0.19	7.52	991214D	16	
49587	0.203	0.006	0.18	5.34	991214D	17	
49588	0.212	0.009	0.23	4.39	991214D	18	
49589	0.181	0.01	0.18	5.03	991214D	19	
49590	0.173	0.01	0.16	6.17	991214D	20	
49591	0.114	0.01	0.1	5.02	991214D	21	
49592	0.043	0.004	0.02	3.78	991214D	22	

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49593	0.03	0.006	0.03	2.99	991216C	1	169.1-171
49594	0.194	0.033	0.24	5.55	991216C	2	171.3-173.3
49595	0.039	0.005	0.02	3.15	991216C	3	173.3-175
49596	0.028	0.004	0.01	3.73	991216C	4	175-176
49597	0.036	0.005	0.03	3.4	991216C	5	176-177.4
49598	0.154	0.021	0.19	4.01	991216C	6	177.4-179.4
49599	0.006	0.001	0.01	4.47	991216C	7	179.4-179.8
49600	0.099	0.013	0.11	5.05	991216C	8	179.8-182
49601	0.131	0.008	0.14	5.28	991216C	9	182-184
49602	0.112	0.01	0.13	6.52	991216C	10	184-185.8
49603	0.069	0.014	0.07	4.1	991216C	11	185.8-186.7
49604	0.207	0.034	0.17	5.49	991216C	12	186.7-188
49605	0.178	0.025	0.15	5.67	991216C	13	188-190
49606	0.206	0.026	0.26	6.29	991216C	14	190-192
49607	0.207	0.031	0.25	7.03	991216C	15	192-194.9
49608	0.024	0.002	0.02	3.66	991216C	16	194.9-197
49609	0.034	0.002	0.02	3.74	991216C	17	197-199.2
49610	0.102	0.014	0.12	5.41	991216C	18	199.2-201
49611	0.042	0.006	0.07	3.34	991216C	19	201-202.1
49612	0.027	0.005	0.01	5.46	991216C	20	202.1-204.6

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49613	0.054	0.013	0.03	3.27	991216D	1	204.6-205.3
49614	0.03	0.008	0.02	3.71	991216D	2	205.3-206.5
49615	0.034	0.002	0.01	3.14	991216D	3	206.5-208.2
49616	0.023	0.003	0.06	3.91	991216D	4	208.2-210.3
49617	0.023	0.003	0.04	3.25	991216D	5	210.3-212
49618	0.015	0.014	0.02	3.22	991216D	6	212-214
49619	0.038	0.004	0.1	3.1	991216D	7	214-216
49620	0.014	0.003	0.01	3.11	991216D	8	216-218
49621	0.042	0.005	0.02	3.17	991216D	9	218-220
49622	0.036	0.006	0.02	2.99	991216D	10	220-221.4

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49772	0.155	0.012	0.56	4.01	991223b	1	99C-7
49773	0.154	0.035	0.15	3.56	991223b	2	99C-10
49774	0.166	0.072	0.11	4.77	991223b	3	
49775	0.095	0.048	0.08	2.88	991223b	4	
49776	0.106	0.065	0.1	2.79	991223b	5	
49777	0.177	0.088	0.17	2.33	991223b	6	
49778	0.292	0.17	0.3	3.3	991223b	7	
49779	0.165	0.078	0.15	2.66	991223b	8	
49780	0.114	0.062	0.11	3.64	991223b	9	
49781	0.176	0.11	0.17	3.55	991223b	10	
49782	0.022	0.008	0.01	6.07	991223b	11	
49783	0.124	0.074	0.16	3	991223b	12	
49784	0.103	0.038	0.15	3.96	991223b	13	
49785	0.087	0.012	0.12	2.33	991223b	14	
49786	0.073	0.012	0.08	2.68	991223b	15	
49787	0.145	0.079	0.14	3.3	991223b	16	
49788	0.148	0.07	0.19	3.14	991223b	17	
49789	0.184	0.099	0.14	3.94	991223b	18	
49790	0.16	0.105	0.14	5.12	991223b	19	
49791	0.259	0.08	0.22	3.48	991223b	20	
49792	0.463	0.127	0.32	3.44	991223b	21	↓

QueryExport

Tag	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49793	0.115	0.043	0.05	3.3	991223c	1	
49794	0.119	0.02	0.11	4.32	991223c	2	
49795	0.138	0.065	0.15	3.19	991223c	3	
49796	0.178	0.091	0.17	3.52	991223c	4	
49797	0.26	0.218	0.26	1.83	991223c	5	
49798	0.013	0.005	0.01	5.14	991223c	6	
49799	0.015	0.005	0.01	5.1	991223c	7	
49800	0.159	0.047	0.15	4.28	991223c	8	
49801	0.153	0.025	0.17	3.96	991223c	9	
49802	0.257	0.186	0.24	2.93	991223c	10	
49803	0.227	0.153	0.23	4.3	991223c	11	
49804	0.22	0.162	0.17	5.81	991223c	12	
49805	0.434	0.314	0.29	5.19	991223c	13	
49806	1.43	1.036	0.85	2.9	991223c	14	
49807	1.178	0.89	1.77	4.85	991223c	15	
49808	0.276	0.204	0.25	3.76	991223c	16	
49809	0.155	0.097	0.17	4.05	991223c	17	
49810	0.17	0.051	0.13	4.39	991223c	18	
49811	0.157	0.03	0.15	4.4	991223c	19	
49812	0.128	0.047	0.11	4.03	991223c	20	
49813	0.152	0.1	0.18	2.23	991223c	21	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49814	0.177	0.137	0.22	3.18	991224c	1	
49815	0.126	0.05	0.14	3.71	991224c	2	
49816	0.171	0.099	0.21	3.73	991224c	3	
49817	0.134	0.072	0.15	2.87	991224c	4	
49818	0.122	0.015	0.11	3.24	991224c	5	
49819	0.126	0.045	0.11	3.88	991224c	6	
49820	0.087	0.009	0.08	2.17	991224c	7	
49821	0.149	0.051	0.13	3.15	991224c	8	
49822	0.168	0.006	0.16	3.31	991224c	9	
49823	0.289	0.083	0.25	5.19	991224c	10	
49824	0.277	0.022	0.3	3.9	991224c	11	
49825	0.185	0.012	0.1	4.6	991224c	12	
49826	0.086	0.004	0.08	4.54	991224c	13	
49827	0.105	0.044	0.13	4.49	991224c	14	
49828	0.079	0.01	0.15	4.48	991224c	15	
49829	0.12	0.071	0.18	3.97	991224c	16	
49830	0.139	0.044	0.09	3.51	991224c	17	
49831	0.145	0.091	0.11	4.17	991224c	18	
49832	0.154	0.082	0.13	2.74	991224c	19	
49833	0.138	0.006	0.12	3.2	991224c	20	
49834	0.212	0.014	0.22	3.15	991224c	21	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49835	0.147	0.091	0.37	2.74	991224d	1	
49836	0.159	0.076	0.31	2.59	991224d	2	
49837	0.498	0.192	0.54	3.08	991224d	3	
49838	0.473	0.033	0.51	8.55	991224d	4	
49839	0.297	0.017	0.27	3.86	991224d	5	
49840	0.144	0.059	0.19	3.97	991224d	6	
49841	0.116	0.003	0.15	4.05	991224d	7	
49842	0.049	0.005	0.06	3.99	991224d	8	
49843	0.061	0.002	0.07	4.41	991224d	9	
49844	0.06	0.003	0.06	4.26	991224d	10	
49845	0.134	0.007	0.26	4.58	991224d	11	
49846	0.064	0.01	0.12	4.88	991224d	12	
49847	0.048	0.003	0.08	4.02	991224d	13	
49848	0.059	0.004	0.08	4.77	991224d	14	
49849	0.064	0.002	0.07	3.4	991224d	15	
49850	0.115	0.003	0.19	4.2	991224d	16	
49851	0.071	0.003	0.1	4.74	991224d	17	
49852	0.126	0.005	0.11	5.19	991224d	18	
49853	0.245	0.006	0.2	5.17	991224d	19	
49854	0.301	0.014	0.26	5.96	991224d	20	
49855	0.244	0.009	0.22	6.18	991224d	21	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49856	0.31	0.015	0.34	4.54	991224e	1	154.8-156
49857	0.168	0.012	0.14	4.01	991224e	2	156-158
49858	0.161	0.012	0.12	4.72	991224e	3	158-160.2
49859	0.131	0.007	0.14	4.25	991224e	4	160.2-162
49860	0.037	0.003	0.06	4.46	991224e	5	162-162.9
49861	0.06	0.003	0.1	4.67	991224e	6	162.9-164
49862	0.09	0.006	0.07	4.61	991224e	7	164-166
49863	0.169	0.029	0.19	4.59	991224e	8	166-168
49864	0.219	0.016	0.15	4.42	991224e	9	168-170
49865	0.088	0.005	0.17	4.52	991224e	10	170-171
49866	0.197	0.018	0.17	6.2	991224e	11	171-173
49867	0.224	0.02	0.23	5.84	991224e	12	173-175
49868	0.21	0.033	0.22	6.6	991224e	13	175-177
49869	0.367	0.048	0.31	6.32	991224e	14	177-179
49870	0.194	0.077	0.13	6.45	991224e	15	179-181
49871	0.211	0.032	0.19	6.17	991224e	16	181-183
49872	0.109	0.01	0.12	5.93	991224e	17	183-185
49873	0.082	0.005	0.07	7.4	991224e	18	185-187
49874	0.075	0.004	0.05	7.42	991224e	19	187-187.5
49875	0.115	0.004	0.17	3.44	991224e	20	187.5-189
49876	0.095	0.004	0.09	2.01	991224e	21	189-191

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49883	0.261	0.011	0.29	7.23	991226c	1	
49884	0.188	0.004	0.19	2.24	991226c	2	
49885	0.162	0.024	0.15	1.75	991226c	3	
49886	0.121	0.046	0.16	2.77	991226c	4	
49887	0.13	0.012	0.17	4.75	991226c	5	
49888	0.091	0.001	0.08	3.2	991226c	6	
49889	0.095	0.001	0.1	2.02	991226c	7	
49890	0.107	0.002	0.1	2.21	991226c	8	
49891	0.129	0.005	0.13	2.22	991226c	9	
49892	0.12	0.001	0.1	2.01	991226c	10	
49893	0.137	0.003	0.14	2.19	991226c	11	
49894	0.205	0.004	0.22	2.21	991226c	12	
49895	0.056	0.001	0.05	4.3	991226c	13	
49896	0.113	0.002	0.07	4.65	991226c	14	
49897	0.037	0.001	0.03	3.84	991226c	15	
49898	0.084	0.001	0.06	2.96	991226c	16	
49899	0.075	0.002	0.06	9.28	991226c	17	
49900	0.074	0.001	0.06	4.1	991226c	18	
49901	0.062	0.001	0.03	4.18	991226c	19	
49902	0.053	0.001	0.04	4.39	991226c	20	
49903	0.151	0.001	0.09	4.53	991226c	21	
49904	0.156	0.002	0.07	4.84	991226c	22	

QueryExport

Tag .	Cu-tot (%)	Cu-ns (%)	Au (g/t)	Fe-tot (%)	File Name	Posn	comments
49877	0.1	0.002	0.06	2.03	991226d	1	
49878	0.226	0.004	0.15	7.01	991226d	2	
49879	0.156	0.003	0.11	5.72	991226d	3	
49880	0.184	0.003	0.14	6.86	991226d	4	
49881	0.12	0.003	0.07	6.08	991226d	5	
49882	0.197	0.01	0.14	6.47	991226d	6	
49905	0.121	0.001	0.01	4.61	991226d	7	
49906	0.054	0.001	0.06	4.44	991226d	8	
49907	0.125	0.002	0.1	5.06	991226d	9	
49908	0.015	0.001	0.01	3.74	991226d	10	
49909	0.004	0.001	0.01	3.25	991226d	11	
49910	0.009	0.001	0.01	5.52	991226d	12	
49911	0.064	0.001	0.05	4.63	991226d	13	
49912	0.101	0.002	0.07	4.98	991226d	14	