

NTS 82 L/4 , 82 E/13
LAT. 50° 00' 10" N
LONG. 119° 46' 38" W

**GEOLOGICAL, GEOPHYSICAL AND GEOCHEMICAL
REPORT ON THE DOBBIN CLAIM GROUP,
WHITEROCKS MOUNTAIN, KELOWNA, B.C.**

Vernon, Nicola, Osoyoos Mining Division

For:

Verdstone Gold Corp., Molycor Gold Corp.,
2A 15782 Marine Dr., White Rock, B.C. V6B 1E4

By

Andris Kikauka, P. Geo.
4-6 4901 East Sooke Rd.,
Sooke, B.C. V0S 1N0

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

Feb. 28, 2001

26,560

TABLE OF CONTENTS AND LIST OF FIGURES

	page #
1.0 Introduction	1
2.0 Location, Access, & Physiography	1
3.0 Property Status	1
4.0 Area History	4
5.0 Previous Work	6
6.0 General Geology	11
7.0 2000 Field Program	12
7.1 Methods and Procedures	12
7.2 Property Geology and Mineralization	13
7.3 Rock Geochemistry	15
7.4 Magnetometer Survey	17
7.5 Soil Geochemistry	19
7.6 Stream Sediment Geochemistry	19
8.0 Conclusion and Recommendations	20
References	23
Certificate	
Itemized Cost Statement	

LIST OF FIGURES AND APPENDIX

Fig.1 General Location Map

Fig.2 Claim Map

Fig. 2B Claim Map with Topography

Fig.3 Regional Geology

Fig. 4 General Claim Geology

Fig. 4B Claim Area Drainage Map with Enhanced Topography

Fig.5 Geology of Whiterocks Mountain Alkalic Complex My 18 and Alfy Claims
(Scale 1:7,200)

Fig. 6 NW Zone Compilation (Scale 1: 1,000)

Fig. 7 N Central Zone Compilation (Scale 1: 1,000)

Fig. 8 NE Zone Compilation (Scale 1: 1,000)

Fig. 9 SW Zone Compilation (Scale 1: 1,000)

Fig. 10 Central Zone Compilation (Scale 1: 1,000)

Fig. 11 SE Zone Compilation (Scale 1: 1,000)

Fig. 12 Chrome Ridge, Pt 1 Claim (Scale 1: 1,000)

Fig. 13 Alocin Creek Chrome, Cr 1 Claim (Scale 1: 1,000)

APPENDIX A Geochemical and Assay Certificates

APPENDIX B Rock Chip Sample Descriptions

APPENDIX C Magnetometer Total Field Corrected Data

1.0 INTRODUCTION

This report was prepared at the request of Verdstone Gold Corp./Molycor Gold Corp. to describe and evaluate the results of trenching and magnetometer geophysics carried out on the Alfy 1-5, Pt 1, Cr 1, and My 18 claims (part of the Dobbin claim group), which straddles the edge of the Nicola, Osoyoos and Vernon Mining Divisions. The Dobbin claim group is located 26 km. WNW of Kelowna, B.C. and 17 km. NE of the Brenda Cu-Mo Mine.

Field work was undertaken for the purpose of evaluating economic mineral potential of the Dobbin claim group.

Field work was carried out from Sept. 29-Nov.15, 2000 by Andris Kikauka (geologist), Frank Renaudat (geotechnician), and Neill's Mining (drill and blasting contractors) under the supervision of Larry Reaugh and John Fisher. This report is based on published and unpublished information and maps, reports and field notes.

2.0 LOCATION, ACCESS & PHYSIOGRAPHY (FIG. 1,2)

The east portion of the Dobbin claim group is located 26 km WNW of Kelowna, B.C. at the headwaters of Lambly and Powers Creeks which both drains east into Okanagan Lake. The west portion of the claim group is at the headwaters of Alocin Creek, a tributary to the Nicola River (Fig. 1,2).

The claims are located on Map Sheet NTS 92 L/4 W and 82 E/13 W at latitude 50 01' N and longitude 119 46' W.

Road access is via the Bear Creek Main logging road, which originates at the Bear Creek Provincial Park on the west shore of Okanagan Lake. The Bear Creek Main road is followed to signpost km. 17 where a spur road heads west for about 7 km. to Tadpole Lake. At the northeast end of Tadpole Lake, a spur road heads south up a ridge that parallels the east shore of the lake. This road is followed for about 2.5 km. to the Dobbin copper showings.

The property elevation ranges between 1,600-1,900 m. (5,248-6,232 ft.). The area is heavily forested with pine and some spruce in low lying areas. Semi-arid, cool climate conditions prevail. The recommended field season is April-December, because of snowfall accumulations January-March.

3.0 PROPERTY STATUS (FIG. 2)

The property consists of 38 claims owned by Verdstone Gold Corp./Molycor Gold Corp.(Fig.2). Details of the claims are as follows:

CLAIM	RECORD NO.	UNITS	RECORD DATE	EXPIRY DATE
Pt 5	374911	20	March 19, 00	June 8, 01
Pd 1	374905	1	March 17, 00	June 8, 01
Pd 2	374904	1	March 17, 01	June 8, 01
Pd 3	374906	1	March 17, 01	June 8, 01
Cr 1	380642	4	Sept. 14, 01	June 8, 01
Tuff	376021	6	April 27, 01	June 8, 01
Alfy 13	376022	1	April 28, 01	June 8, 01
Alfy 14	376023	1	April 28, 01	June 8, 01
Alfy 15	376024	1	April 28, 01	June 8, 01
Alfy 16	376025	1	April 28, 01	June 8, 01

The claims listed above total 166 units, which are contiguous and have been grouped together to form the Dobbin claim group (Mineral Titles event # 3156185). The total area covered by the claims is 4,150 hectares (9.960 acres). A \$5,000 bond is posted by Verdstone/Molycor under reclamation permit # MX-4-303 (work approval # KAM 2000-0400408-619).

The writer is not aware of any regulatory problem that would adversely affect mineral exploration and development on the Dobbin claim group, with the exception of the southeast portion of Pt 1 and the southwest portion of Pt 2 claim which border the north end of Cameo (Cameron) Lake (Ministry File # 16210-20/OSLRMP). The LMRP committee (Process Coordinator, Steve Carr, Vernon Forest District, 2501 14th Ave, Vernon, BC V1T 8Z1; Tel: 250-558-1700; fax 250-549-5485) has recommended the 500 meter perimeter of Cameo Lake be excluded from mineral tenure. Mr. J. Britton, Regional Mineral Lands Planner has recommended a delay of the establishment of the protected area adjacent to Cameo Lake in order to carry out further property assessment and establish a geological/ecological boundary.

4.0 AREA HISTORY

The Okanagan Batholith is a Middle Jurassic alkaline to calc-alkaline complex that covers a 40 X 30 km area between Summerland and Princeton, B.C. A prolific mining district is related to the margin phases of the Okanagan Batholith intrusive complex which contains the following mineral deposits:

DEPOSIT	TONNAGE	GRADE	TOTAL BASE METAL PRODUCTION	TOTAL PRECIOUS METAL PRODUCTION
Tulameen District, Gold and Platinum Placer Gravels	No records	No records		100,000 ounces Au 20,000 ounces Pt, (Rice, 1947)
Hedley Camp, Nickel Plate, Hedley Mascot	4,020,000 tonnes	0.380 ounces/ton Au	Ore contained variable amounts of copper sulphides averaging less than 0.3 % Cu	1,678,102 ounces Au (Ray, et. al., 1987)
Copper Mountain	32,000,000 tonnes	1.08 % Cu 0.005 ounces/ ton Au	691,200,000 pounds Cu	182,420 ounces Au
Ingerbelle, Similco	141,000,000 tonnes	0.47 % Cu 0.004 ounces/ton Au	1,325,400,000 pounds Cu	564,000 ounces Au
Lodestone Mountain	205,970,000 tonnes	17.56 % Fe, 0.2 % Ti, 3 pounds/metric ton vanadium (Hancock, 1988)		
Apex, Star	181,436 tonnes	34.0 % Fe (Hancock, 1988)		
Axe	115,000,000 tonnes	0.36 % Cu		

Granite Mountain	80,000 tonnes	0.265 ounces/ton Au		
Brenda Mine	159,000,000 tonnes	0.183% Cu, 0.049% Mo	271,983 tonnes Cu, 65,469 tonnes Mo	

Most of the base and precious metal deposits in the Okanagan Batholith area are hosted in Mesozoic and older age rocks. The major deposits, such as Hedley Camp and Copper Mountain deposits were formed during the Early and/or Middle Jurassic, approximately 169-208 Ma. The Brenda Cu-Mo deposit is dated Late Jurassic/Early Cretaceous, approximately 144 Ma.

Copper Mountain/Ingerbelle/Similco is located 11 km southwest of Princeton, B.C. The Copper Mountain/Similco-Ingerbelle Porphyry Cu-Ag-Au deposit has produced 173,000,000 tonnes @ 0.58% Cu and 0.005 opt Au. Copper Mountain is classified as a alkalic volcanic type porphyry copper deposit characterized by subvolcanic stocks, plugs, sills and dyke swarms. The country rock at Copper Mountain consists of steeply dipping easterly striking flows and tuffs of the Nicola Group. This sequence is cut by the Copper Mountain Stock and the Lost Horse Complex alkaline diorite, monzonite, and syenite. Copper-gold mineralization occurs predominantly as chalcopyrite, with or without bornite in veins, both within the Nicola Group volcanics and at the contact with the Copper Mountain Stock and the Lost Horse Intrusive Complex (Stanley, 1993).

The Nickel Plate and Hedley Mascot (owned by Corona Resources) is Canada's largest gold skarn deposit. The deposit is situated 29 kilometers (18 miles) southeast of the New Dot property. Nickel Plate gold skarns are localized adjacent to a series of flat massive porphyritic diorite sills, with minor gabbro phases near the base of the sequence. Pervasive silicification occurs as a blanket-like alteration halo surrounding the gold bearing zones (Ray, et. al., 1987). Production from underground workings total 3,600,000 tonnes of 0.408 opt Au and from Corona Resources open pit, production figures were 8,250,000 tonnes of 0.080 opt Au. At Nickel Plate Mine, auriferous arsenopyrite and bismuth telluride ore occurs at margins of a pyroxene skarn zone between limy silicates rocks and porphyry sills of the Middle Jurassic Hedley Intrusions (Ruble, 86). The Hedley intrusions are mapped as the Stemwinder, Aberdeen, Toronto, Banbury, Pettigrew and Larcans Stocks. The Hedley Intrusion consists of hornblende porphyritic diorite and gabbro, equigranular diorite and gabbro, mafic diorite and gabbro, quartz diorite and rare quartz gabbro. The Hedley Intrusion is mineralized with arsenopyrite, pyrite, pyrrhotite, chalcopyrite, bornite, bismuth and/or tellurium minerals, magnetite, malachite, and scheelite. Assays of 0.5% platinum, occurring as sperrylite (PtAs₂), were reported from the residue at plates on the stamp mill at the mine.

Goldcliff Resources Corp reports grades of 0.526 opt Au over unreported widths from pyroxene skarn hosted sulphides on the York Prospect located adjacent to the Nickel Plate property.

The Brenda Cu-Mo porphyry deposit located 22 km. West of Peachland, B.C., milled 177,000,000 tonnes @ 0.17% Cu and 0.043% Mo. Mineralization is confined to an irregular shaped zone about 720 X 360 m to a depth of 300 m (Weeks, 95). Mineralization consists of chalcopyrite, molybdenite, pyrite, magnetite, with trace bornite, specular hematite, sphalerite, galena. Mineralization is confined almost entirely to veins, except in altered dykes and intense hydrothermal alteration which may contain disseminations. The grade of the orebody is a function of the fracture density and the thickness and mineralogy of the filling material.

Fairfield Minerals Ltd. Elk (Siwash North) gold-quartz vein system contains approximately 121,000 tonnes @ 0.740 opt Au and 1.03 opt Ag. Huntington Res Ltd. Brett Bonanza Zone located about 22 km west of Vernon, contains an estimated 12,000 tonnes @ 1.140 opt Au.

The only recorded platinum production in British Columbia is 20,000 ounces of 'white gold' from the placer deposits along the Tulameen River drainage. The headwaters of the Tulameen River are underlain by the Tulameen Complex, a northwest trending elongated ultramafic-gabbroic body that has been emplaced into Upper Triassic Nicola Group metasedimentary and metavolcanic rocks. Ultramafic rocks within the Tulameen intrusive form assymmetrically zoned, steeply dipping plugs, enclosed by an older alkalic (potassium rich, silica undersaturated) gabbroic suite (Findlay, 69). The Tulameen intrusive is an 'Alaskan Type Ultramafic Complex' which is interpreted as a crudely zoned dunite core surrounded by shells of olivene pyroxenite and hornblende clinopyroxenite. Assays exceeding 1.0 opt Pt have been obtained from the Grasshopper Mountain area located in the northeast edge of the ultramafic complex. Highest platinum concentrations come from podiform chromitite as well magnetite horizons in hornblende clinopyroxenite (Nixon, 91).

The Tor prospect, located 10 km northwest of Princeton, B.C. contains gold, silver, platinum, palladium, rhodium enriched mineralization hosted in dacitic to basaltic porphyritic flows and agglomerates of the Middle and Upper Cretaceous Spences Bridge Group. Alteration assemblage at the Tor prospect includes minor epidote, carbonate and argillic alteration. This property is held by Noble Metal Group Inc. which have performed diamond drilling and bulk sample testing between 1988 and 1992.

5.0 PROPERTY HISTORY

1929- Copper mineralization is reported in the Dobbin area (E and SE zones adjacent to Whiterocks Mountain). Limited work is documented in the Annual Report of the Minister of Mines, B.C. 1929. A grid is cut near the north end of the property.

1966- Phelps Dodge carried out a reconnaissance stream sediment geochemical survey. A strong Mo anomaly was located directly west of Tadpole Lake. Some follow-up soil sampling was performed.

1967- Texas Gulf Sulfur acquired the property and conducted an extensive Mo soil geochemical survey detects the presence of a 1.4 X 1.2 km. soil anomaly centered NW of Tadpole Lake. The Mo anomaly coincides with a quartz porphyry stock of similar size as the soil survey Mo zone.

1968- Work by I. Greg and G. Shell; 3 diamond drill holes giving the following results:

DRILL HOLE	TOTAL DEPTH	% Cu
#1	43.0 ft.	0.38
#2	26.0 ft.	0.18
#3	112.0 ft.	0.32

Platinum group elements were not analyzed.

1969- Atlas Explorations Ltd. performs trenching, soil geochemistry, IP and magnetometer geophysics. Geological mapping of trenches shows disseminations and clots of chalcopyrite and bornite are associated with above average magnetite and are hosted by mafic units. I.P. survey outlined four N-S elongated, 0.2 X 0.6 km. areas of high chargeability. The fifth anomaly, which coincides with ENE-WSW elongated, 0.3 X 0.4 km. high chargeability coincides with the central Dobbin Cu showings. The magnetometer survey outlines a broad total field increase NE of the central Cu showings, with isolated profile peaks aligned roughly N-S. The main Cu soil anomaly (with 8 samples >1,000 ppm Cu) is centered on the east margin of the central Cu showings. Several smaller anomalies were located N, NE, SW and SE of the central Cu showings. The N and NE soil anomalies are coincident with mag highs. Geoquest Resources drilled a vertical to 400 feet depth in the middle of the central Cu showing which returned 0.3% Cu over the entire length of the hole. Platinum group elements were not analyzed.

1974- Rockel Mines drilled 3 diamond drill holes, a total of 1,195 ft. (deepest hole depth 575 ft.) located near the 1972 hole. The grades were in the range 0.1-0.4% Cu, with intervals up to 147.0 ft.

1977- Cominco acquires the claims and mapping, soil geochemistry and magnetometer geophysics is carried out resulting in a 4.0 X 6.5 km. grid area centered near Tadpole Lake. Soil samples have anomaly thresholds of 100 ppm for Cu and Zn, and 20 ppm for Mo which confirms the presence of an extensive Mo soil anomaly centered at the west edge of Tadpole Lake. The mag survey locates 5 strongly anomalous areas (> 5,000 gammas), one of these anomalies is the central Cu showings. Cominco's drills 2,560 ft. of percussion (9 holes) at the Mo bearing quartz porphyry west of Tadpole Lake, and 590 ft. (2 holes) at the Dobbin Cu located near the central Cu showings and 1 km. NE of the main showing. PDH #DP-78-11 (a vertical hole collared on the west edge of the central Cu showings) intersected 0.18% Cu in the last 20 ft. of the hole (@220-240 ft.). Platinum group elements were analyzed as composite samples (50 foot widths) from the two drill holes and returned values below 100 ppb.

1982- David Mehner publishes the Geology of the Whiterocks Mountain Alkalic Complex, as partial fulfilment of a M.Sc. thesis for the University of Manitoba. Highlights of his work are summarized as follows:

Amphiboles in the mafic units consist of ferrohastingsite and hornblende which replaces aegirine-augite. Epidote usually occurs as fracture coatings and as the groundmass for late stage veins and dykes.

Copper distribution within various rock types is summarized below:

LITHOLOGY	RANGE ppm Cu	MEAN ppm Cu	MEDIAN ppm Cu
Amphibole pyrox.	129- 5,500	853	327
Biotite pyroxenite	6- 357	142	88
Hornblendite dykes	70- 400	267	330
Mafic syenite/monz.	56- 173	114	111
Leuc.qtz.monzonite	1- 11	6	5

The amphibole pyroxenite shows varying degrees of deuteric alteration, such as epidote, chlorite, sericite, calcite, hornblende and poikilitic ferrohastingsite.

Sulphides (pyrite and lesser chalcopyrite) are most common in areas with abundant epidote and locally constitute 5% of the rock, but average 1%. Copper mineralization postdates primary pyroxenes, and occurs as disseminations, blebs, clots, stringers and fracture fillings associated with ferrohastingsite replacing partly corroded aegirine-augite.

The mineralization process is a result of magmatic differentiation, i.e. Cu and S are enriched in the melt of a fractionating magma until conditions were suitable for crystallization. The slightly more "evolved" melt was responsible for the formation of ferrohastingsite (after aegirine-augite) and K-spar with which Cu bearing mineral assemblages are associated. K-Ar age dates from a quartz monzonite aplite dyke and 5 quartz monzonite samples from the calc-alkaline portion of the stock gave an age date of 147 Ma (similar age of the emplacement as the Brenda Cu-Mo stock). The alkali complex may be older and shares numerous petrochemical affinities to the Kruger alkali complex which is located east of Hedley, and Copper Mountain, SW of Princeton. Both the Kruger, Copper Mtn., and Whiterocks alkali complex are on the edge of the Okanagan Batholith, and may be the oldest phases of the complex.

1986- Documentation of platinum occurrences in B.C. are summarized by V. Rublee, in Open File 1986-7. In contrast to the more familiar Alpine and Ni-Cu types of P.G.E. deposits which occur in B.C., Rublee lists alkalic hosted P.G.E. occurrences (of which the Dobbin Cu-Pt-Pd showings are classified) as a miscellaneous type, which are associated with copper mineralization in pyroxenite-syenite gangue. One of the better documented occurrences is the Franklin Camp Eocene Coryell augite-syenite stock located at the headwaters of the north fork of the Kettle River. Sperrylite (Pt,As₂) is closely associated with sulphides and platinum values are proportional to the primary copper sulphides, mainly chalcopyrite.

1997-Verdstone /Molycor Gold Corp performed core drilling of the Dobbin Central Anomaly Zone. DDH 97-21, a vertical hole collared 105 m west of the discovery trench returned 111 m garding 0.19% Cu, 0.41 g/t Pt, and 0.35 g/t Pd.

Between July 30, 1997 and Sept.3, 1997, twenty drill holes (DDH 97-8 and 97-19 non-existent) were collared from 16 drill sites. BQW diamond drill core was logged and mineralized sections sampled at 3.0 meter intervals. Split in half with a core splitter, and shipped to Chemex Ltd., N.Vancouver, B.C. for 30 element ICP and based on results a portion of these samples were sent for Au,Pt,Pd assay.

A total of 300 soil samples were taken with a grubhoe from a depth of 20-40 cm. In the 'B' horizon of the soil profile. Samples were placed in marked kraft envelopes, the site was marked with flagging, and samples shipped to Chemex Labs Ltd., N.Vancouver, B.C. for 30 element ICP analysis. Soil sampling results show widespread copper e.g. >5% of samples >500 ppm Cu. The strongest Cu in soil anomaly is within 500 m north and south of the Central Anomaly Zone. There are several broad Cu in soil anomalies 500-1000 m east and west of the Central Anomaly Zone which appear to have hydrothermal breccia and/or vein texture in underlying outcrop.

Two samples from DDH 97-2 @ 23.5 m. and @ 28.0 m. depth were sent to Vancouver Petrographics for prepared and described as polished thin sections

An estimate of copper and platinum/palladium resources is indicated by a total of 20 diamond drill holes. The work program was carried out from June to October, 1997 under the supervision of Andris Kikauka, John Fisher and Larry Reaugh. This report is based on assay information (certified by registered assayers) from Bondar-Clegg and Chemex (N.Vancouver, B.C.) and diamond drill records written by Andris Kikauka..

This resource evaluation is based on the following criteria:

- 1) Drill sections are inferred to represent 25 X 25 m area of influence
- 2) Assay blocks were defined to the halfway point to the next and/or previous drill hole
- 3) Tonnes= area X thickness X specific gravity
- 4) Specific gravity of pyroxeninite and/or gabbro calculated @ 3.1 tonnes/m³
- 5) Low grade material (<0.1% Cu, 0.1 g/t Pt, 0.1 g/t Pd) on the edge of mineralized zones has been cut off to minimize the effect of low grade mineralization

GEOLOGY: The mineralized zone known as the Central Anomaly is based on geological interpretation of data from diamond drill core assays from DDH 97-1,2,3,7,8,16,20,21,22 which are summarized as follows: SECTION L 0+00 N: This section shows the Central Anomaly mineral zone from 0+00 W to 1+05 W and includes DDH 97-1,2,3,7,8,16,20,21. SECTION L 0+37 N: DDH 97-22 is located on this section and represents the northern continuity of the Central Anomaly zone.

DOBBIN Cu-Pt-Pd RESOURCE EVALUATION

HOLE #	SECTION	AREA (m ²)	WIDTH (m)	TONNES	Kg. Cu	gm. Pt	gm. Pd	gm. Pt+Pd
97-1	L 0+00 N	625	15	29,062.5	56,671.9	7,091.3	4,417.5	11,508.8
97-1	L 0+00 N	625	12	23,250	53,475	4,882.5	5,812.5	10,695
97-2	L 0+00 N	625	8.6	16,662.5	26,120.1	5,665.3	3,949	9,614.3
97-2	L 0+00 N	625	7.5	14,531.3	24,703.1	8,239.2	12,482.4	20,721.6
97-2	L 0+00 N	625	4.25	8,234.4	22,068.1	2,659.7	1,984.5	4,644.2
97-3	L 0+00 N	625	122.5	237,343.8	455,700	63,608.1	39,161.7	102,769.8
97-7	L 0+00 N	625	93	180,187.5	425,242.5	39,280.9	23,604.6	62,885.5
97-8	L 0+00 N	625	63	122,062.5	330,789.4	32,712.8	25,389	58,101.8
97-16	L 0+07 N	625	156	302,250	574,275	42,315	45,035.3	87,350.3
97-20	L 0+00 N	625	141	273,187.5	376,998.8	38,792.6	40,704.9	79,497.5
97-21	L 0+00 N	625	111	215,062.5	408,618.8	88,175.6	75,737.2	163,912.8
97-22	L 0+00 N	625	36	69,750	104,625	20,506.5	14,577.8	35,084.3
97-22	L 0+37 N	625	6	11,625	34,875	2,359.9	1,534.5	3,894.4

TOTAL GEOLOGICAL INDICATED TONNES= 1,503,214.5

@ 0.192 % Cu, 0.237 g/t Pt, 0.196 g/t Pd

GEOLOGICAL INDICATED RESERVE OF 1,503,214.5 TONNES CONTAINING:

2,894,112.7 Kg Cu, 356,289.4 gm Pt, 294,390.9 gm Pd, 650,680.3 gm Pt + Pd

2000- David Makepeace prepares a summary review of the Dobbin property for Verdstone and Molycor Gold Corp. Based on numerous untested hydrothermal breccia zones which are mineralogically similar to the Dobbin Central Zone, Makepeace recommends a 2 phase \$1,600,000.00 program of core drilling and geological evaluation.

2000- The Ministry of Energy and Mines (Colin Dunn, Gwendy Hall, & Graham Nixon) performed orientation mapping, soil and vegetation sampling on the Dobbin main zone (0-2 km west of Whiterocks Mountain) and the Roy showing (1-2 km north of Lambly Lake). Vegetation samples consisted of Engelmann Spruce and at a few sites twigs from sub-alpine fir, rhododendron and blueberry were clipped and analyzed (Dunn, 00). The study shows slight enrichment of Br and I in soil samples and subtle enrichments of Bi, Ag, Mo, Cu, Pb, and Cs associated with known Cu-PGE mineralization. Although not presented as a formal conclusion, the data suggests there is a poorly defined correlation of Pt and Pd in soils with significant drill hole intercepts, but Pt appears to correlate better than Pd as a soil pathfinder element. This may in part be due to fact that most Cu-PGE bearing samples from the Dobbin prospect contain Pt/Pd ratios in the range of 1.0-1.4.

2000- Fieldwork by the Ministry of Energy and Mines geologists, Graham Nixon and Brent Carbone on the Whiterocks Alkaline Complex consisted of geological mapping, geochemical rock, soil and plant sampling. The study concludes that the Dobbin is a base and precious metal (Cu+Au+Ag) geological environment associated with alkaline intrusive complexes as well as calc-alkaline intrusions. The Mo-Re (Ag+Cu+Pb+As) bearing sulphide mineral assemblages are relatively rare on the Dobbin, but DDH 97-01 cut molybdenite stringers at 30.0-33.0 m, suggesting a calc-alkaline intrusion is cutting and/or being cut by more abundant alkaline intrusive masses. The study noted that apatite and magnetite are associated with Cu-PGE mineralization in DDH 97-21 (Nixon, 00). The host rock for Cu-PGE mineralization is hornblende clinopyroxene which contains 1-5% epidote and chlorite, trace-0.5% chalcopyrite and bornite, and 1-10% magnetite. The hornblende clinopyroxene is depleted in MgO as well as Ni-Cr. Lithochemical assay of sample GNX-60-1 from diamond drill hole 97-21 gave values of 3.32 g/t Pt and 2.65 g/t Pd. The combined 5.97 g/t Pt+Pd is the highest noble element assay taken on the property thus far.

The area 4-6 km south-southeast of Whiterocks Mountain was mapped in the vicinity of the Roy Ti-Fe magnetite occurrence. The Roy showing is about 1,000 m north of Lambly Lake and coincides with a sharp 2,000 gamma total field aeromagnetic positive anomaly (GSC aeromag map, 68).

Based on the association with Cu-PGE mineralization, the hornblende clinopyroxene is postulated to have evolved from sulphide saturated magma. Although complicated and/or enhanced by hydrothermal overprinting, there is a possibility that the Cu-PGE mineralization hosted in hornblende clinopyroxene intrusive is of magmatic origin. Given that there is a genetic link to magmatic segregation and Cu-PGE values, the distribution of Cu-PGE bearing mineralization on the Dobbin prospect is closely related to the following:

- 1) Lithology: Hornblende clinopyroxene phase and biotite pyroxenite.
- 2) Stratigraphic controls: Igneous laminations, layering and/or radiating cupola forming large scale patterned features.
- 3) Structural controls: Fracture density, faults, e.g. pervasive biotite veining which post dates Cu-PGE mineralization, but has Cu-Au mineralization, e.g. Dobbin NE Zone.

6.0 GENERAL GEOLOGY (FIG. 3)

Whiterocks Mountain area lies near the east margin of the Intermontane Belt within Quesnellia terrain (Harper Ranch subterrane). The oldest rocks in the Whiterocks Mountain area are Mississippian Chapperon Group which are cut by ultramafic sills and dykes. Unconformably overlying Chapperon Group are Mississippian-Triassic age Thompson Assemblage which consists of metamorphosed argillite, siltstone, quartzite, conglomerate, limestone, andesite/rhyolite tuff and flows. In the west and northwest portion of the Dobbin claim group, ultramafic bodies within the Chapperon Group, known as the 'Old Dave Intrusions' are probably remnants of an abducted sliver of oceanic crust emplaced within a Paleozoic subduction complex (Nixon, 01).

The Lower Cretaceous/Middle Jurassic (or older ?) Whiterocks Mountain Alkaline Complex occupies an area of about 9 km² and the mafic and ultramafic rocks are restricted to the edges of the complex. The 'Central Anomaly Zone' hosts disseminated Cu-Pt-Pd bearing mineral zones which consist of mafic syenite/monzonite, alkali pyroxenite, porphyritic monzonite, and leucocratic quartz monzonite. The alkali complex cuts the Thompson Assemblage sequence of volcanics and sediments. A younger Upper Jurassic/Lower Cretaceous age calc-alkaline complex cuts all of the above. Porphyry Mo mineralization within the calc-alkaline complex (Tadpole Lake) is related to a quartz porphyry stock 3 km. NW of the alkaline complex and is referenced as the Mount Sandberg Pluton (Nixon, 01).

Major mineral deposits within or near the Okanagan Batholith include Copper Mountain Cu-Ag-Au deposit, which is dated Early-Middle Jurassic, Hedley Camp Au Early-Middle Jurassic, Brenda Cu-Mo dates an Early Cretaceous ages of emplacement.

Additional mineral deposit types which occur within the Dobbin claim group include "Chrome Ridge" and "Alocin Chrome" chromite-magnetite pods hosted in serpentized harrzburgite. There is a NW trending ridge axis north of Cameo Lake and west of Eileen Lake respectively. The Dobbin claim group has several gold bearing quartz veins related to a quartz diorite stock, in the area 500-1200 m west of Tadpole Lake. Two km south of the Dobbin Cu-PGE "Central Zone" there is a Cu sulphide occurrence in metasediments. Another similar Cu-Ag occurrence is noted two km southwest of the "Central Zone". Geological mapping in the area of the 1968 GSC Aeromagnetic positive 2000 nT anomaly 700 m north of Lambly Lake which correlates with the "Roy" Fe-Ti minifile occurrence, has led to the identification of textures and lithology similar to the "Central Zone", i.e. hornblende clinopyroxene bedrock exposed over a 250 X 1200 m area.. This favorable geological environment for Cu-PGE mineralization has led to the acquisition of additional mineral claims covering the Lambly Lake aeromagnetic anomaly. Future detailed geological mapping and sampling is warranted

7.0 2000 WORK PROGRAM

7.1 METHODS AND PROCEDURES

During Sept. 29 to Nov. 15, 2000 a program of trenching, magnetometer geophysics and geological mapping and rock chip, soil and stream sediment sampling were carried out on the Alfy 1-5, My 18 claims, part of the Dobbin claim group. Nine (9) stream sediment samples (DST 1-9) were taken with a shovel and screened through -80 mesh screen. The fines were placed in marked kraft envelopes, dried and shipped to Chemex Labs, N. Vancouver, B.C. for 30 element ICP and Au-Pt-Pd geochemical analysis. Forty seven (47) soil samples were taken on the Chrome Ridge chromite showings on the north end of Pt 1 claim (Fig. 12). All soil samples were taken with a shovel from a depth of 30-50 cm, placed into marked kraft envelopes, dried and shipped to Chemex Labs, N. Vancouver, B.C. for 30 element ICP geochemical analysis. The rock chip samples were taken from outcrop that was drilled to a depth of 1.0-1.5 m and blasted with 60% forcite to expose a narrow channel for sampling and geological mapping. Approximately 100

short trenches were excavated on bedrock and a total of 182 rock chip samples were taken across widths ranging from 0.3-4.0 m, but over 95% of the samples were taken across a 3.0 m width (similar to the 1997 drill core which was consistently sampled at 3.0 m intervals). Total distance of trenching was 540 m from six zones all within the 2 X 2 km area immediately west of Whiterocks Mountain (Fig. 5). All 182 rock samples were sent to Chemex and 18 of the higher grade samples were checked assayed for 30 element ICP and Au-Pt-Pd geochem at Bondar-Clegg, N. Vancouver, B.C. (Appendix B).

Magnetometer grids were surveyed to tie into the existing east-west trending grid lines. A total of 11.52 km line grid was surveyed (Fig. 6-13). All the grid lines between Tadpole Lake and Whiterocks Mountain (Fig. 6-11) run east-west and were surveyed by chain and compass relative to a common N-S trending baseline which originates at the collar of DDH 97-1. All grid lines on Chrome Ridge and Dobbin Chrome, located west of Eileen Lake (Fig. 12 & 13), were surveyed at 055 azimuth with a 145 azimuth baseline. All grid line stations were marked at 25 m intervals with flagging. Magnetometer readings were taken with a Geometrics G-836 Proton Precession Magnetometer. The magnetometer was tuned to the local total field (about 57,000 gammas) and all readings were corrected using looping. All raw data readings were then converted to either positive or negative values using 57,000 gammas as a base value. Thus the data presented in Appendix C is given as values above 57,000 gammas (as a positive integer) and below 57,000 gammas (as a negative integer).

7.2 PROPERTY GEOLOGY (Fig. 5)

The following lithologies were recognized within the Whiterocks Mountain Alkalic Complex:

UPPER JURASSIC-LOWER CRETACEOUS (& OLDER ?)

5b Leucocratic, porphyritic quartz diorite, minor sections containing 0.5-4.0 mm. euhedral to sub-hedral plagioclase phenocrysts, 5-8% biotite, 1-3% hornblende, 1-2% chlorite.

5 Leucocratic quartz monzonite, 3-4% biotite, 1-2% hornblende, 1% chlorite, 1% epidote.

5a Porphyritic monzonite, 3-15 cm. microcline phenocrysts, 5% biotite, 3-5% epidote, 2-4% hornblende, 1% chlorite.

4b Biotite pyroxenite, 60% aegirine-augite, 10-15% biotite, 5-10% amphibole, 5-8% magnetite, minor K-spar, carbonate, pyrite, apatite, sphene.

4a Pyroxenite, and porphyritic pyroxenite, 6-10 mm. amphibole phenocrysts, 30-50% aegirine-augite, 30% amphibole, 2% biotite, 3-8% epidote, 5% magnetite, accessory apatite, sphene, minor pyrite.

3 Hornblende gabbro, mafic syenite/monzonite, 30-50% aegirine-augite, 5-40% K-spar, 3% biotite, 1% chlorite, 3% epidote, 10-15% amphibole

UPPER MISSISSIPPIAN TO TRIASSIC THOMPSON ASSEMBLAGE

1 Metasediments and metavolcanics

A compilation of geological data indicates platinum and palladium bearing chalcopyrite and bornite mineralization occurs as disseminations and fracture filling within alkalic clinopyroxene and hornblende gabbro phases of the Jurassic age Whiterocks Mountain Alkalic Complex associated with deuteric (i.e. derived from the primary magma) alteration such as poikilitic amphibole (ferrohastingsite) replacing primary pyroxenes (aegirene-augite) and increased secondary epidote, chlorite, calcite, sericite, garnet and quartz as veinlets, disseminations and fracture coatings. Diamond drill hole data suggests mafic cumulate or marginal phases of Cu-Pt-Pd bearing alkalic pyroxenite and gabbro are localized near the contact of a post-ore, monzonitic microcline porphyry.

The 1997 Verdstone/Molycor core drilling (20 diamond drill holes) in a 150 X 250 m area and outlined the following geological indicated resource evaluation within the Central Anomaly:

Tonnes	% Cu	Kg Cu	g/t Pt	gm Pt	g/t Pd	gm Pd
1,503,214.5	0.192	2,894,112.7	0.237	356,289.4	0.196	294,390.9

The Dobbin Property contains platinum and palladium bearing chalcopyrite, bornite and magnetite mineralization occurring within clinopyroxenite and hornblende gabbro phases of the Jurassic Whiterocks Mountain Alkalic Complex. This type of platinum and palladium deposit (alkaline Cu-Au porphyry affinity) is relatively rare, however geological features of the New Rambler Mine, Medicine Bow Mountains, Wyoming, compare closely with the Dobbin as demonstrated in the following table:

GEOLOGICAL FEATURE	DOBBIN	NEW RAMBLER MINE
Mineralogy of PGE bearing assemblage includes chalcopyrite, bornite, magnetite, malachite, pyrite	x	x
Host rocks are mafic and ultramafic such as pyroxenite and gabbro, gangue minerals include hornblende, epidote, calcite, apatite, garnet	x	x
Strong Bi correlation with increased Cu-PGE values	x	x
Fracture filling and disseminated mineralization present	x	x
Intense brecciation characterizes dilatant zones along multiplane faults	x	x

The main similarities between the Dobbin and New Rambler are mineralogy and evidence of remobilization and redistribution of PGE by deuteric or hydrothermal fluids. Thermochemical temperatures of copper-rich ore, representing the main stage of PGE deposition, suggest deposition of mineral assemblages from New Rambler Mine at 335° C (McCallum, 76). The New Rambler and perhaps the Dobbin are relatively rare examples of platinum group element deposit types that have been concentrated by intermediate temperature hydrothermal fluids.

The trenching and mapping program was focused on untested hydrothermal alteration and breccia zones, Cu in soil geochemical anomalies and mag and IP geophysical anomalies along a 1.6 km strike length located north of the Central Anomaly. The secondary areas of interest are located west, south and east of the Central Anomaly where numerous showings occur and several new ones have been found. One of the new showings called the Kenny 2000 breccia zone (Fig. 9) is located 600 m west and 200 m south of the Central Anomaly hub (Fig. 10). The presence of blebs of 1 mm sized chalcopyrite, 3-8% disseminated pyrite with 3-5% magnetite mineralization as well as breccia texture with indurated epidotized wallrock clasts in the Kenny 2000 showing are encouraging because of Cu-PGE values from are similar to those obtained from the Central Anomaly.

7.3 ROCK GEOCHEMISTRY (Fig. 6-11)

The area of detailed mapping and trenching is approximately 4 km² (Fig. 5-11). Note that Figure 5 is a 1:7,200 scale showing a compilation of all the zones and Figure 6-11 show the detail mapping at a scale of 1:1,000 as well as gold-platinum-palladium-copper geochemical values from the 182 trench samples taken along a total of 540 m of trenching from 6 main zones (rock chip sample # 599051-599232).

The following summary of significant Cu-PGE values from Fig. 8,9 & 10 highlight the trenched outcrops from year 2000 fieldwork:

Sample #	Zone	Width	Description	g/t Pt	g/t Pd	% Cu
599056	Central Zone	SE extension	1.0 m Biotite pyroxenite, 1% cp., strong malachite	0.385	0.748	0.416
599061	Northeast	3.0 m	Biotite pyroxenite, calcite, magnetite, cp. malachite	0.015	0.044	0.459
599097	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.625	0.534	0.778
599098	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.105	0.076	0.260
599099	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.110	0.096	0.716
599100	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.140	0.112	0.380
599101	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.100	0.054	0.720
599102	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.195	0.158	0.613
599103	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.200	0.182	0.100
599104	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.095	0.094	0.288
599105	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.095	0.046	0.420
599106	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.215	0.182	0.300
599107	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.320	0.360	0.335
599108	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.350	0.260	0.197
599109	Central	3.0 m	Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	0.095	0.084	0.411

Sample #	Zone	Width	Description	g/t Pt	g/t Pd	% Cu
599111	SW ext. Central	3.0 m	Biotite pyroxenite, calcite, magnetite, cp., bornite	0.145	0.150	0.147
599190	SW (Kenny 2000)	3.0 m	Hornblende gabbro, biot., cal., py., ep., cp. bx	0.330	0.202	0.252
599191	SW (Kenny 2000)	3.0 m	Hornblende gabbro, biot., cal., py., ep., cp. bx	0.300	0.142	0.185
599196	SW (Kenny 2000)	3.0 m	Hornblende gabbro, biot., cal., py., ep., cp. bx	0.335	0.282	0.103
599199	SW (Kenny 2000)	3.0 m	Hornblende gabbro, biot., cal., py., ep., cp. bx	0.320	0.144	0.154

NOTE: Sample 599056 contains 0.264 g/t Au and sample 599061 contains 0.268 g/t Au. All other samples listed average 0.05 g/t Au.

The new showings listed have not been drill tested and are presently being evaluated for potential core drilling sites. The SW Kenny 2000 Zone (Fig. 9) is of particular interest because the zone has been traced for a strike length of over 500 meters with widths of 100 meters. The north end of the Kenny 2000 is a well mineralized breccia pipe with 5-15% sulphides, dense green angular clasts as well as hydrothermal biotite veining and stockwork. Additional sampling of the Kenny 2000 Zone are presently being carried out.

The Chromite-Vanadium showings occur along a northwest trending ridge axis of mafic and ultramafic rocks that coincides with aeromagnetic positive anomalies located in the north end of Pt 1 and the south end of Cr 1 mineral claims (Fig. 2). Detailed soil geochemistry was done (47 samples) on the Chrome Ridge showings on Pt 1 as well as magnetometer surveys (Fig. 12). A magnetometer survey was carried out on the Cr 1 claim on the Alocin Creek chromite showings (Fig. 13). Serpentinized harzburgite in pelitic and volcanic rocks of the Chapperon Group host chromite and magnetite mineralization. Chromite occurs as 1-3 cm lenses and as heavy disseminations with 25-75% chromite in a 20 X 30 cm area. Assays up to 28% chromite were obtained from these lenses (EMPR Assessment Report 6775). Other minerals include altered pyroxene, talc, chlorite, and asbestos. Where shearing or slickensiding is pronounced, lenses of partly developed slip-fibre asbestos and serpentine veinlets have formed. Semi-transparent talc is scattered through most of the ultramafic rock which makes up 10-20% of the Chrome Ridge and Alocin Creek Chromite showings grid area.

7.4 MAGNETOMETER SURVEY (FIG. 6-13)

The magnetometer survey was done over areas of the Dobbin claim group as listed below:

AREA	NUMBER OF GRID LINES	TOTAL METERS SURVEYED	TOTAL NUMBER OF READINGS
FIG. 6 NW ZONE	5	1,250	100
FIG. 7 N CENTRAL ZONE	4	1,200	96
FIG. 8 NE ZONE	4	710	57
FIG. 9 SW ZONE KENNY 2000	6	1,080	87
FIG. 10 CENTRAL ZONE	8	3,100	248
FIG. 11 SE ZONE	4	800	64
FIG. 12 CHROME RIDGE	7	2,275	182
FIG. 13 DOBBIN CHROME CR 1	4	1,100	88

A total of 42 magnetometer survey grid lines give a total of 11.52 km surveyed taking 922 readings. All of the grid lines trend east-west except for the NE trending grid lines on the Chrome Ridge and Dobbin Chrome (Fig. 12 & 13).

A summary of the range of magnetometer total field readings and comments regarding anomalous readings are noted in the following table:

FIG. # and Area Name	Highest Magnetometer Reading	Lowest Magnetometer Reading	Comments
Fig. 6, NW Zone	+9177 (66,177 gammas)	-6650 (50,350 gammas)	This area has the highest range of mag values, but the low reading is a single isolated reading. This area coincides with the major 3,000 gamma GSC airborne mag anomaly and is close to the N Central Zone
Fig. 7, N Central Zone	+8216 (65,216 gammas)	-291 (56,709 gammas)	The N Central zone is an extension of the NW Zone mag anomaly which coincides with the major 3,000 gamma GSC airborne mag anomaly
Fig. 8, NE Zone	+2,710 (59,710 gammas)	-254 (56,746 gammas)	The north end of the NE Zone has some magnetite bearing clinopyroxene with abundant biotite
Fig. 9, SW Zone, Kenny 2000	+5880 (62,880 gammas)	-1413 (55,587 gammas)	Two distinct NNW trending mag high elongate features coincide with abundant biotite veining
Fig. 10, Central Zone	+7906 (64,906 gammas)	-175 (56,825 gammas)	3 distinct zones of >62,000 gammas occur in areas of known Cu-PGE mineralization, i.e. Hub DDH 97-1 and 100 m NE and SW of DDH 97-1
Fig. 11, SE Zone	+2920 (59,920 gammas)	-790 (56,210 gammas)	Mag high coincides with zones of biotite veining
Fig. 12, Chrome Ridge, Pt 1 Claim	+3605 (60,605 gammas)	-6976 (50,024 gammas)	The extremely low readings coincide with magnetite bearing ultramafic rocks and a 2,000 gamma GSC airborne anomaly
Fig. 13, Alocin Chrome, Cr 1 Claim	+1963 (58,963 gammas)	-1110 (55,890 gammas)	The area of known chromite in the trenches does not coincide with any strong mag high or low

7.5 SOIL GEOCHEMISTRY

The Chrome Ridge showing on the north end of Pt 1 claim was sampled along 055 trending grid lines spaced at 50 m. Seven lines were sampled at 25 m intervals for a total of 47 soil samples. Soils range from 21 to 350 ppm Cr and 32 to 838 ppm Ni. There does not appear to be any pattern to distribution of Cr and Ni in soil, but the higher values (e.g. L 1+50 S stn 1+00 E on Fig. 12), occur where apple green coloured serpentine outcrops suggesting this rock unit is nickel chromite enriched.

7.6 STREAM SEDIMENT GEOCHEMISTRY

The 9 samples DST 1-9 were taken 500-1600 m west of Whiterocks Mountain. Samples DST-3, & 7 returned >30 ppb Pt, and DST-9 returned >30 ppb Pd and 554 ppm Cu. Sample DST-9 was taken from a swampy area near surrounded by hummocky topography on L 6+00 S, 4+50 W. Sample DST-9 is located southwest of the Central Zone. Cominco geologists mapped a late stage leucocratic quartz diorite dyke emerging northeasterly from the swampy area where DST-9 was taken, suggesting that the swamp may be a convergent structural feature (i.e. possible convergent fault zone) emerging from this swamp.

8.0 CONCLUSIONS & RECOMMENDATIONS

The Cu-PGE mineralization on the Dobbin Central Zone (Fig. 10) occurs near the vicinity of the grid hub point at DDH 97-1. There is a magnetometer total field increase of >5,000 gammas above background in a 25 X 75 m area, elongated northerly from DDH 97-1 (Fig. 10). This may represent an increased concentration of magnetite peripheral to the known mineralization. The strong magnetic geophysical and coincident Cu/Bi in soil geochemical anomalies occur 100-125 m ENE of DDH 97-1. This area, as well as the 7 others listed below, are worth detailed investigation for extensions and new lenses of Cu-PGE bearing mineralization.

Proposed Work Area, Recommended Type of Work and Figure Number Reference in Brackets	Zone Name Grid Location	Comments
100-125 m ENE of DDH 97-1, 300-400 m DDH, trenching, (Fig. 10)	Central Anomaly L 1+00 N, 1+00 E to 1+25 E	DDH-97-18 was collared here and missed the ultramafic mass, suggest the collar be moved 50 m uphill and a deeper vertical hole should be collared about 30 m west of the center of the strong magnetometer total field increase.
300-325 m east of DDH 97-1, 300-400 m DDH, trenching (Fig. 10)	Central Anomaly DST-3 stream sediment sample	Taken from very low flow rate, rusty east tributary of Bit Creek near roadcut, geochemical analysis returned 189 ppm Cu and 40 ppb Pt
100-125 southwest of DDH 97-1, 300-400 m DDH, trenching (Fig. 10)	Central Anomaly L 1+00 S, stn 1+00 W to 1+25 W	Sample site 599056 should be core drilled to investigate the dimension of this showing which assayed 0.26 g/t Au, 0.39 g/t Pt, 0.75 g/t Pt, and 0.42% Cu across 1.0 m
100-125 southeast of DDH 97-1, 300-400 m DDH, trenching (Fig. 10)	Central Anomaly L 1+00 S, stn 1+00 E to 0+75 E	A 3.0 m sample from here had 0.11 g/t Pt and 0.07 g/t Pd with only 134 ppm Cu.

Proposed Work Area, Recommended Type of Work and Figure Number Reference in Brackets	Zone Name Grid Location	Comments
500-600 m west of DDH 97-1 1,200-1,800 m of core drilling, trenching (Fig. 9)	Kenny 2000 L 0+00 N, and L 1+00 S	Breccia zone, indurated and epidotized angular clasts. 3-8% disseminated pyrite. Magnetometer response shows very NNW 400 m long by 30 m wide linear trend
600-650 m west-southwest of DDH 97-1, 300-400 m core drilling, trenching (Fig. 9)	Kenny 2000 L 3+50 S, stn 5+12 W to 5+50 W	Moderately anomalous Pt-Pd (0.05-0.15 g/t) & strongly anomalous copper (0.1-0.2%) in most samples from a 100 X 400 m area
800-850 m northwest of DDH 97-1, 300-400 m core drilling, trenching (Fig. 6)	NW Zone L 7+00 N, stn 2+00 W to 2+50 W	Coincident mag, IP and Cu in soil anomaly zone. May be related to Kenny 2000 breccia and high pyrite type Cu-PGE mineralization
1200-1250 m east-northeast of DDH 97-1, 300-400 m core drilling, trenching (Fig. 8)	NE Zone L 6+00 N, stn 10+50 E	Cominco's drill hole hit reasonably good copper. Our best trench from the NE Zone returned 0.27 g/t Au, 0.02 g/t Pt, 0.04 g/t Pd, and 0.46% Cu across 3.0 m
50-150 m northwest of DDH 97-1, 600-900 m core drilling, trenching (Fig. 10)	Central Zone L 0+50 N and L 1+00 N, stn 0+75 W to 1+50 W	This area is in the vicinity of vertical DDH 97-22 which intersected Cu-PGE mineralization from 216.4-312.0 m depth and was collared 82 m west of and 37 m north of DDH 97-1

In addition to the above drill targets, a program of grassroots exploration, (including prospecting, geological mapping, trenching and magnetometer geophysics) is recommended in the area of stream sediment sample DST-9 (L 6+00 S, stn 4+50 W) as well as altered hornblende clinopyroxene located northwest of Lambly Lake (Nixon, 01). Following up GSC airborne magnetic survey anomalies (Map 5207G Shorts Creek 82 L/4 and Map 8522G Peachland 82 E/13) Verdstone/Molycor recently acquired the Fe 1 and Ti 1,2,3,4 mineral claims (43 units) covering the area northwest of Lambly Lake. The GSC airborne magnetic survey shows 3 strong 2,000-3,000 gammas positive peaks on the Dobbin which correlate with magnetite bearing mafic and ultramafic rocks. Magnetometer readings of 4,000-6,000 gamma above background are common in the NW and N Central Zones (Fig. 6 & 7).

The Dobbin property has potential to host a resource of 100,000,000 tonnes @ 0.1-0.3% Cu and 0.4-1.0 g/t Pt+Pd. Recent technological advances in the PLATSOL process (pressure leach and hydrometallurgical treatment of base metal sulphide concentrates for the recovery of copper and PGE) enhances the economics of low grade-bulk tonnage ore treatment.

A proposed core drilling program of of the Central Anomaly, SW Kenny 2000, NW, and NE Zones would total about 17,000 feet (5,400 m.). a 1.4 X 0.4 km. area located west of Whiterocks Mountain (Fig. 5). A total of 17 drill holes to a depth of 200-350 meters (656-1,148 feet) are recommended to test 9 targets described in the preceding table. A follow-up phase of core drilling would involve 25-50 meter grid spacing of selected proposed drill holes for detailed geological evaluation.

A proposed Phase 1 budget has been outlined as follows:

PROPOSED BUDGET:

FIELD CREW- Geologist, 2 geotechnicians, 1 cook X 120 days	\$ 69,000.00
FIELD COSTS- Truck, transportation costs	30,000.00
Core drilling 17,000 ft. 5,400 m.	540,000.00
Assays (1,600)	32,000.00
Equipment and supplies	8,000.00
Communications	4,000.00
Food	13,400.00
Management	7,500.00
REPORT	1,800.00
TOTAL=	<u>\$ 705,700.00</u>

Contingent on the results of this diamond drilling program, a follow-up phase of an additional 17,000 feet (5,400 m) of core drilling, as well as bulk sampling, geostatistical evaluation of volume, mass and grade of deposit, and engineering evaluation of ore reserve, cut-off grade, mineralization lost, design dilution, environmental baseline studies, integrated resource management and reclamation plans, etc. would be required to assess the profitability of the Dobbin project. The total cost of phase 1 and 2 would be approximately \$2,000,000.00

9.0 REFERENCES

- Cannon, R.W., 1972, Geophysical Report, IP survey of Hed Claim Group, Canex Aerial Exploration Ltd., Internal Report
- Dunn, C.E., Hall, G.E.M., Nixon, G, 2001: Orientation Study of Surface Geochemical Methods to Assist in the Exploration of PGM in the Whiterocks Mountain Alkalic Complex, Near Kelowna, B.C. Ministry of Energy and Mines, Geological Fieldwork 2000- Paper 2001-1 p. 223-229.
- Findlay, D.C.,1969: Platinum in the Tulameen Ultramafic Complex, B.C. GSC, Paper 65-2, p 20.
- Leriche, P., 1992, Geological and Geochemical Report on the Hed Property, Seguro Consulting Inc., Assessment Report
- McCallum, M.E., 1976: Platinum Metals Associated with Hydrothermal Copper Ores of the New Rambler Mine, Wyoming, Econ. Geology, Vol. 71 p. 1429-1450.
- Nixon, G.T., 1991: Metallogeny of Ultramafic-Mafic Rocks in British Columbia, Ore Deposits, Tectonics and Metallogeny in The Canadian Cordillera, Ministry of Energy and Mines, Paper 1991-4, p 125-161.
- Nixon, G.T., 2001: Whiterocks Mountain Alkaline Complex, Geology and PGE Mineralization, Ministry of Energy and Mines, Geological Fieldwork 2000, Paper 2001-1
- Nordin, G., 1971, Anaconda American Brass Limited, Report of the Geological, Geochemical and Geophysical Reconnaissance of the Hed Claim Group, Internal Report
- Peto, P., 1997, Summary and Evaluation Report of the Hed Cu-Mo Property, Verdstone Gold Corp./Molycor Gold Corp., Internal Report
- Rublee, V.J., 1986: Occurrence and Distribution of Platinum-Group Elements in British Columbia, Ministry of Energy and Mines, Open File 1986-7.
- Soregaroli, A., 1976, Brenda. In Porphyry Deposits in the Canadian Cordillera, C.I.M. Special Volume 15, page 186-194.
- Schroeter, T.G., Porphyry Deposits of the NW Cordillera of N.America, Special Vol. 46, C.I.M.
- Sillitoe,R.H., 1980, Types of Porphyry Molybdenum Deposits, Mining Magazine., Vol. 142, p.550-553.
- Weeks, R.M., The Brenda Mine: The Life of a Low-Cost Porphyry Copper-Molybdenum Producer (1970-1990), Southern British Columbia, CIM Special Volume 46, p 192-200.

CERTIFICATE

I, Andris Kikauka, of Vancouver, B.C., hereby certify that;

- 1. I am a graduate of Brock University, St. Catharines, Ont., with an Honours Bachelor of Science Degree in Geological Sciences, 1980.**
- 2. I am a Fellow in good standing with the Geological Association of Canada.**
- 3. I am registered in the Province of British Columbia as a Professional Geoscientist.**
- 4. I have practised my profession for eighteen years in precious and base metal exploration in the Cordillera of Western Canada and South America, and for three years in uranium exploration in the Canadian Shield.**
- 5. The information, opinions, and recommendations in this report are based on fieldwork carried out in my presence on the subject properties and on published and unpublished literature and maps.**
- 6. I have a direct interest with Verdstone Gold Corp and Molycor Gold Corp & the subject property.**
- 7. This report is intended for the purpose of filing a statement of work and is not intended for purposes of public financing.**

Andris Kikauka, P. Geo.,

Feb. 28, 2001

ITEMIZED COST STATEMENT- DOBBIN CLAIM GROUP, Sept. 29-Nov. 15, 2000
VERNON, NICOLA AND OSOYOOS MINING DIVISIONS


FIELD CREW:

A. Kikauka (Geologist) 43 days	\$ 9,675.00
F. Renaudat (Geotechnician) 22 days	3,850.00

FIELD COSTS:


Mob/demob	2,350.00
Assays 182 rock samples 30 element ICP Au-Pt-Pd geochem	5,460.00
9 silt samples " " " " " " "	270.00
47 soil samples " " " No Au-Pt-Pd	1,034.00
Niell's Mining (546 m length, 1-2 m width and depth) of short trenching on Alf 1-5, My 18 claims (by contract)	37,500.00
Food & Accommodation	3,375.00
Equipment Rental (Drill, compressor, tools, etc.)	1,225.00
Report	575.00

Total = \$ 65,314.00



VERDSTONE GOLD CORP, MOLYCOR GOLD CORP
 FIG. 1 GENERAL LOCATION DOBBIN CLAIM GROUP
 0 10 20km DOBBIN LAKE AREA, KELOWNA, B.C.

FIG. 2 CLAIM LOCATION




NTS 82 L/4 W

DOBBIN CLAIM GROUP TOPOGRAPHY

NTS 82 E/13 W ,82 L/4 W NICOLA &
VERNON MINING DIVISION OCT., 2000

FIG. 2B




VERDSTONE GOLD CORP,
MOLYCOR GOLD CORP

Scale 1:50,000

NTS 82 E/13 W





AFTER. A.V. OKULITCH G.S.C. OPEN FILE 637
TERTIARY (KAMLOOPS GROUP)

eTKV : andesite, basalt, dacite, trachyte flows, tuff agglomerate
 eTKs : sandstone, conglomerate, tuff, arkose

JURASSIC (OKANAGAN BATHOLITH)

L Jgd : granodiorite, diorite
 S Jgd : quartz diorite, granodiorite, gabbro

LOWER JURASSIC, TRIASSIC (NICOLA)

R JNv : andesite, basalt flows; breccia, tuff, agglomerate, argillike, limestone

PALEOZOIC (THOMPSON ASSEMBLAGE)



CPTAS: siliceous argillite, volcano-clastic sandstone, siltstone, limestone
 CPTAC: Massive limestone, argillaceous limestone, cheri, chert pebble congl.
 CPTACg: Conglomerate with limestone matrix
 CPTAV: greenstone, tuff.

VERDSTONE GOLD CORP,

MOLYCOR GOLD CORP


GEOLOGY
 DOMEROCK MIN. AREA
 DOBBIN CLAIM GROUP

FIGURE 3



Plutonic Rocks		Country Rocks	
Jurassic or older? Whiterocks Mountain Alkaline Complex		Jurassic	
Px	Clinopyroxenite	Jgs	Mt. Sandberg pluton
Mz	Mela-monzonite/syenite	JgN	Northern pluton
mKf	Megacrystic monzonite/syenite	Jg	Granitoid pluton
pKf-qMz	Porphyritic monzonite-quartz monzonite		
qMz	Quartz monzonite		
Tr	Marginal trachyte		
		Tertiary (Miocene) or Quaternary	
		Qal	Quaternary fill
		Tv	Basaltic lavas
		Devonian to Triassic Harper Ranch Group	
		DTHs	Metasedimentary rocks (minor volcanics)
		DTHc	Carbonate
		★ Cu, PGE Minfile occurrence showing main commodities	
		ⓕ Fossil locality (crinoid ossicles)	



FIG. 4 VERDSTONE/MOLYCOR GOLD CORP DOBBIN PROPERTY
 Generalized geological map of the Whiterocks Mountain area showing MINFILE occurrences. The star for the Dobbin Cu-PGE prospect marks the location of the 1997 drill program



after Nixon, 01

B.C. Ministry of Energy and Mines

VERDSTONE/MOLYCOR GOLD CORP DOBBIN PROPERTY



SCALE 1 : 76,004




FIG. 4b



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project : DOBBIN
 Comments: ATTN: LARRY REAUGH

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 05-OCT-2000
 Invoice No. : I0029697
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0029697

SAMPLE	PREP CODE		Au ppb	Au ppb	Pt ppb	Pd ppb	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg
	FA+AA	ICP	ICP	ICP	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
599051	205	226	-----	26	10	16	0.2	1.28	< 2	< 10	90	0.5	< 2	2.98	0.5	22	18	246	8.10	< 10	< 1
599052	205	226	-----	16	10	22	0.4	1.95	< 2	< 10	60	1.5	< 2	3.22	< 0.5	20	17	478	4.99	< 10	< 1
599053	205	226	-----	2	< 5	20	0.2	2.04	< 2	< 10	140	1.5	< 2	3.09	< 0.5	30	10	268	5.37	< 10	< 1
599054	205	226	-----	46	15	48	1.0	1.50	< 2	< 10	160	0.5	< 2	3.34	0.5	26	19	1165	7.69	< 10	< 1
599055	205	226	-----	54	15	110	2.8	1.38	< 2	< 10	500	< 0.5	< 2	1.32	< 0.5	37	186	2170	5.19	< 10	< 1
599056	205	226	-----	264	385	748	4.0	1.70	< 2	< 10	120	0.5	< 2	3.95	0.5	22	41	4160	4.57	< 10	< 1
599057	205	226	-----	14	25	54	4.0	1.14	2	< 10	30	0.5	< 2	2.21	0.5	38	36	2120	4.18	< 10	< 1
599058	205	226	-----	28	5	28	0.6	2.01	< 2	< 10	130	0.5	< 2	3.03	< 0.5	26	44	510	5.73	< 10	< 1
599059	205	226	-----	10	10	34	< 0.2	1.97	< 2	< 10	390	0.5	< 2	2.83	0.5	32	29	183	7.17	< 10	< 1
599060	205	226	-----	4	5	16	< 0.2	1.33	< 2	< 10	260	0.5	< 2	2.29	0.5	30	49	63	7.76	< 10	< 1
599061	205	226	-----	268	15	44	5.0	1.21	< 2	< 10	300	< 0.5	< 2	1.97	< 0.5	27	42	4590	4.77	< 10	< 1
599062	205	226	-----	22	< 5	20	< 0.2	1.38	< 2	< 10	120	0.5	< 2	2.76	< 0.5	26	30	375	7.65	< 10	< 1
599063	205	226	-----	14	5	26	< 0.2	1.79	< 2	< 10	300	0.5	< 2	2.85	< 0.5	30	31	318	7.19	< 10	< 1
599064	205	226	-----	36	5	22	0.2	1.79	< 2	< 10	80	1.0	< 2	3.99	< 0.5	22	27	459	6.05	< 10	< 1
599065	205	226	-----	10	5	18	< 0.2	1.93	< 2	< 10	90	1.0	< 2	3.75	< 0.5	22	28	190	6.12	< 10	< 1
599066	205	226	-----	14	5	24	0.6	1.79	< 2	< 10	200	0.5	< 2	3.00	0.5	29	23	461	7.87	< 10	< 1
599067	205	226	-----	8	< 5	18	0.2	1.99	< 2	< 10	300	0.5	< 2	2.69	0.5	33	25	364	8.62	< 10	< 1
599068	205	226	-----	6	< 5	18	< 0.2	2.17	< 2	< 10	70	1.0	< 2	3.55	< 0.5	24	20	220	6.38	< 10	< 1
599069	205	226	-----	6	< 5	14	0.4	2.00	< 2	< 10	60	1.0	< 2	3.23	0.5	22	16	380	6.01	< 10	< 1
599070	205	226	-----	26	< 5	16	1.0	1.87	< 2	< 10	100	0.5	< 2	2.88	< 0.5	22	19	714	6.06	< 10	< 1
599071	205	226	-----	2	15	12	0.2	1.39	< 2	< 10	130	0.5	< 2	2.82	0.5	34	19	344	8.18	< 10	< 1
599072	205	226	-----	< 2	70	18	< 0.2	0.67	< 2	< 10	80	< 0.5	< 2	1.51	< 0.5	15	36	70	1.65	< 10	< 1
599073	205	226	-----	12	20	28	0.6	1.44	< 2	< 10	630	< 0.5	< 2	2.11	0.5	40	99	599	8.37	< 10	< 1
599074	205	226	-----	10	20	24	0.4	1.32	< 2	< 10	610	< 0.5	< 2	2.07	< 0.5	38	98	369	8.50	< 10	< 1
599075	205	226	-----	16	10	50	0.2	1.38	< 2	< 10	550	< 0.5	< 2	2.20	0.5	34	105	437	8.19	< 10	< 1
599076	205	226	-----	6	15	26	< 0.2	1.73	< 2	< 10	640	< 0.5	< 2	2.50	0.5	37	72	157	8.30	< 10	< 1
599077	205	226	-----	16	< 5	14	< 0.2	1.84	< 2	< 10	650	< 0.5	< 2	2.18	0.5	39	100	311	8.00	< 10	< 1
599078	205	226	-----	< 2	5	12	< 0.2	1.83	< 2	< 10	290	0.5	< 2	2.59	0.5	32	117	78	6.48	< 10	< 1
599079	205	226	-----	2	15	16	< 0.2	2.05	< 2	< 10	490	< 0.5	< 2	2.34	< 0.5	36	146	128	6.08	< 10	< 1
599080	205	226	-----	2	10	20	0.2	2.04	< 2	< 10	310	0.5	< 2	2.67	< 0.5	36	89	199	7.71	< 10	< 1
599081	205	226	-----	12	30	52	0.2	1.64	< 2	< 10	460	< 0.5	< 2	2.39	1.5	48	126	401	10.60	< 10	< 1
599082	205	226	-----	10	20	28	0.2	1.87	< 2	< 10	430	0.5	< 2	2.30	0.5	42	122	326	8.94	< 10	< 1
599083	205	226	-----	6	< 5	12	< 0.2	1.98	< 2	< 10	390	0.5	< 2	2.84	< 0.5	34	45	107	7.75	< 10	< 1
599084	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599085	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599086	205	226	-----	12	25	36	0.6	2.02	< 2	< 10	260	0.5	< 2	3.01	0.5	34	45	432	8.76	< 10	< 1
599087	205	226	-----	8	15	20	< 0.2	1.89	< 2	< 10	370	0.5	< 2	2.60	< 0.5	31	66	207	7.76	< 10	< 1
599088	205	226	-----	4	5	20	< 0.2	1.95	< 2	< 10	160	0.5	< 2	3.11	0.5	30	53	297	7.68	< 10	< 1
599089	205	226	-----	< 2	< 5	8	< 0.2	2.13	< 2	< 10	190	0.5	< 2	3.04	0.5	29	58	168	7.06	< 10	< 1
599090	205	226	-----	14	25	40	1.2	2.89	< 2	< 10	240	0.5	< 2	3.95	0.5	34	54	1120	6.02	< 10	< 1

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN
 Comments: ATTN: LARRY REAUGH

Page Number :1-B
 Total Pages :2
 Certificate Date: 05-OCT-2000
 Invoice No. : I0029697
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0029697

SAMPLE	PREP CODE	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
599051	205 226	0.49	10	0.94	925	< 1	0.16	10	4760	2	0.01	< 2	8	167	0.16	< 10	< 10	290	< 10	74
599052	205 226	0.56	10	1.28	1195	< 1	0.32	10	4800	< 2	0.03	< 2	12	116	0.20	< 10	< 10	177	< 10	94
599053	205 226	0.53	10	1.23	990	< 1	0.27	7	3850	2	0.67	< 2	9	185	0.20	< 10	< 10	173	< 10	72
599054	205 226	0.52	10	1.21	805	< 1	0.20	11	6810	< 2	0.05	< 2	10	205	0.17	< 10	< 10	294	< 10	78
599055	205 226	1.02	< 10	1.62	395	< 1	0.07	68	2040	2	0.05	< 2	7	86	0.15	< 10	< 10	196	< 10	46
599056	205 226	0.70	10	1.32	815	< 1	0.20	16	3800	< 2	0.24	< 2	10	103	0.23	< 10	< 10	138	< 10	58
599057	205 226	0.23	< 10	0.81	395	< 1	0.13	30	3630	< 2	1.15	< 2	10	71	0.17	< 10	< 10	154	< 10	50
599058	205 226	0.70	10	1.41	970	< 1	0.29	21	4240	< 2	0.04	< 2	11	206	0.20	< 10	< 10	195	< 10	84
599059	205 226	1.24	10	1.74	825	< 1	0.18	16	5920	< 2	0.01	< 2	10	206	0.19	< 10	< 10	285	< 10	82
599060	205 226	0.66	10	1.23	595	< 1	0.12	18	4850	< 2	0.01	< 2	7	234	0.15	< 10	< 10	323	< 10	72
599061	205 226	0.71	< 10	1.23	500	< 1	0.11	33	3840	2	0.06	< 2	7	134	0.13	< 10	< 10	175	< 10	58
599062	205 226	0.45	10	1.10	765	< 1	0.18	13	4710	< 2	0.01	< 2	9	211	0.14	< 10	< 10	310	< 10	78
599063	205 226	1.14	10	1.59	825	< 1	0.17	16	5310	< 2	0.01	< 2	9	180	0.16	< 10	< 10	276	< 10	88
599064	205 226	0.55	10	1.27	1000	< 1	0.24	11	4700	< 2	0.01	< 2	11	222	0.20	< 10	< 10	208	< 10	70
599065	205 226	0.58	10	1.38	1100	< 1	0.27	11	4940	< 2	0.01	< 2	13	215	0.20	< 10	< 10	199	< 10	74
599066	205 226	0.77	10	1.37	930	< 1	0.20	12	5240	< 2	0.01	< 2	10	267	0.14	< 10	< 10	303	< 10	86
599067	205 226	1.04	10	1.58	975	< 1	0.15	14	5210	2	0.03	< 2	8	310	0.16	< 10	< 10	319	< 10	106
599068	205 226	0.60	10	1.51	1125	< 1	0.33	10	4760	< 2	0.02	< 2	14	260	0.21	< 10	< 10	207	< 10	86
599069	205 226	0.38	10	1.25	1085	< 1	0.19	8	4470	< 2	0.02	< 2	10	407	0.18	< 10	< 10	190	< 10	88
599070	205 226	0.35	10	1.16	960	< 1	0.17	7	3940	< 2	0.05	< 2	8	396	0.17	< 10	< 10	196	< 10	86
599071	205 226	0.31	< 10	1.13	640	< 1	0.18	14	3930	< 2	0.44	< 2	13	151	0.16	< 10	< 10	269	< 10	70
599072	205 226	0.07	< 10	0.44	165	< 1	0.04	15	1120	< 2	0.14	< 2	6	61	0.12	< 10	< 10	69	< 10	12
599073	205 226	0.97	< 10	1.70	375	< 1	0.06	30	4360	4	0.06	< 2	7	166	0.12	< 10	< 10	335	< 10	58
599074	205 226	0.84	< 10	1.58	350	< 1	0.06	28	4250	< 2	0.01	< 2	7	169	0.11	< 10	< 10	345	< 10	50
599075	205 226	0.95	10	1.67	345	< 1	0.07	31	4490	< 2	0.01	< 2	7	180	0.13	< 10	< 10	347	< 10	30
599076	205 226	1.16	10	1.80	675	< 1	0.13	26	4900	< 2	0.01	< 2	9	190	0.14	< 10	< 10	304	< 10	70
599077	205 226	1.45	< 10	2.05	595	< 1	0.09	34	4730	< 2	0.01	< 2	7	171	0.14	< 10	< 10	283	< 10	66
599078	205 226	1.10	< 10	1.84	620	< 1	0.16	33	3400	< 2	0.04	< 2	10	165	0.18	< 10	< 10	242	< 10	62
599079	205 226	1.49	< 10	2.19	545	< 1	0.12	37	3530	2	0.05	< 2	8	152	0.16	< 10	< 10	225	< 10	58
599080	205 226	1.16	10	1.93	735	< 1	0.21	29	4210	< 2	0.03	< 2	10	207	0.16	< 10	< 10	275	< 10	74
599081	205 226	1.13	< 10	1.97	610	< 1	0.10	39	4870	4	0.04	< 2	8	173	0.13	< 10	< 10	405	< 10	82
599082	205 226	1.24	< 10	1.93	680	< 1	0.15	37	3940	< 2	0.01	< 2	8	173	0.15	< 10	< 10	335	< 10	78
599083	205 226	1.40	10	1.84	765	< 1	0.14	24	6330	< 2	0.01	< 2	8	249	0.13	< 10	< 10	242	< 10	84
599084	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599085	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599086	205 226	1.13	10	1.74	790	< 1	0.22	31	4450	2	0.04	< 2	9	219	0.15	< 10	< 10	301	< 10	84
599087	205 226	1.15	10	1.66	705	< 1	0.18	26	4160	2	0.03	< 2	10	182	0.16	< 10	< 10	295	< 10	76
599088	205 226	0.78	10	1.57	730	< 1	0.28	24	4450	< 2	0.06	< 2	11	226	0.18	< 10	< 10	275	< 10	72
599089	205 226	0.79	10	1.69	745	< 1	0.30	23	3590	< 2	0.10	< 2	13	274	0.22	< 10	< 10	247	< 10	70
599090	205 226	1.32	10	2.32	920	< 1	0.33	23	4240	< 2	0.14	< 2	18	208	0.25	< 10	< 10	198	< 10	80

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##


15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN
 Comments: ATTN: LARRY REAUGH

Page Number :2-A
 To: ges :2
 Certificate Date: 05-OCT-2000
 Invoice No. : I0029697
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0029697

SAMPLE	PREP CODE		Au ppb	Au ppb	Pt ppb	Pd ppb	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg
	FA+AA	ICP	ICP	ICP	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
599091	205	226	-----	10	40	40	0.2	2.92	< 2	< 10	250	1.0	< 2	3.35	< 0.5	31	41	326	5.75	< 10	< 1
599092	205	226	-----	4	105	74	< 0.2	3.00	< 2	< 10	140	1.5	< 2	4.69	1.0	37	58	134	9.10	< 10	< 1
599093	205	226	-----	< 2	25	32	< 0.2	1.89	< 2	< 10	70	1.0	< 2	3.89	1.0	32	40	233	8.16	< 10	< 1
599094	205	226	-----	18	35	34	0.4	1.82	< 2	< 10	40	1.0	< 2	3.96	1.0	29	42	520	9.04	< 10	< 1
FR-01	205	226	-----	< 2	< 5	4	< 0.2	0.31	< 2	40	< 10	< 0.5	< 2	0.11	< 0.5	77	723	11	4.04	< 10	< 1
FR-02	205	226	< 5	-----	-----	-----	< 0.2	1.05	6	< 10	40	< 0.5	< 2	0.22	< 0.5	11	83	53	2.27	< 10	< 1
FR-03	205	226	< 5	-----	-----	-----	0.2	0.43	< 2	< 10	470	< 0.5	< 2	0.08	< 0.5	1	210	15	0.91	< 10	< 1

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN
 Comments: ATTN: LARRY REAUGH

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 05-OCT-2000
 Invoice No. : I0029697
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0029697

SAMPLE	PREP CODE	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
599091	205 226	1.55	10	2.20	1015	< 1	0.31	18	3470	< 2	0.04	< 2	15	193	0.30	< 10	< 10	182	< 10	88
599092	205 226	1.31	10	2.27	1290	< 1	0.39	19	5110	< 2	0.03	< 2	19	212	0.32	< 10	< 10	299	< 10	100
599093	205 226	0.70	10	1.62	925	< 1	0.26	15	4780	< 2	0.10	< 2	14	121	0.24	< 10	< 10	270	< 10	80
599094	205 226	0.48	10	1.41	1045	< 1	0.28	14	4910	2	0.06	< 2	13	153	0.25	< 10	< 10	302	< 10	90
FR-01	205 226	0.02	< 10	14.30	640	< 1	0.01	1750	140	< 2	0.03	< 2	4	5	< 0.01	< 10	< 10	21	< 10	18
FR-02	205 226	0.38	< 10	0.58	210	1	0.02	25	280	2	0.50	< 2	3	5	0.09	< 10	< 10	20	< 10	34
FR-03	205 226	0.22	< 10	0.40	115	1	0.03	11	150	< 2	0.08	< 2	3	6	0.07	< 10	< 10	27	< 10	10

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. #

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 11-OCT-2000
 Invoice No. : I0030133
 P.O. Number :
 Account : JZL

Project :
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS A0030133

SAMPLE	PREP CODE	Au ppb FA+AA	Au ppb ICP	Pt ppb ICP	Pd ppb ICP	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
FR 04	205 226	-----	< 2	< 5	8	< 0.2	0.05	< 2	< 10	< 10	< 0.5	< 2	0.04	< 0.5	80	116	5	3.84	< 10	< 1
FR 05	205 226	-----	< 12	< 30	12	< 0.2	0.53	< 2	< 10	< 10	< 0.5	< 2	0.01	< 0.5	2	1955	< 1	0.38	< 10	< 1
FR 05B	205 226	-----	12	< 30	< 12	< 0.2	0.59	< 2	< 10	< 10	< 0.5	< 2	0.01	< 0.5	5	1985	1	0.60	< 10	1
FR 06	205 226	-----	< 2	40	14	< 0.2	0.13	< 2	< 10	< 10	< 0.5	< 2	0.32	< 0.5	58	418	< 1	3.32	< 10	< 1
FR 07	205 226	-----	< 2	< 5	6	0.2	0.11	< 2	< 10	< 10	< 0.5	< 2	0.13	< 0.5	100	267	< 1	4.63	< 10	< 1
FR 08	205 226	-----	< 2	< 5	8	< 0.2	0.05	< 2	< 10	< 10	< 0.5	< 2	0.03	< 0.5	65	158	< 1	2.35	< 10	< 1
FR 09	205 226	-----	2	< 5	4	< 0.2	1.55	< 2	< 10	100	1.5	< 2	0.38	< 0.5	13	127	170	3.64	< 10	< 1
FR 10	205 226	-----	< 5	-----	-----	0.8	1.22	< 2	< 10	120	1.5	< 2	0.66	< 0.5	27	45	153	3.19	< 10	< 1
FR 11	205 226	-----	< 2	< 5	6	< 0.2	0.11	< 2	30	< 10	< 0.5	< 2	0.10	< 0.5	106	369	6	3.94	< 10	< 1
FR 12	205 226	-----	< 2	< 5	< 2	< 0.2	4.56	< 2	< 10	120	3.5	4	4.02	< 0.5	19	99	97	5.56	10	< 1
FR 13	205 226	-----	< 5	-----	-----	0.6	1.35	< 2	< 10	130	1.5	< 2	0.15	< 0.5	14	85	65	1.79	< 10	< 1
FR 14	205 226	-----	< 2	< 5	4	< 0.2	0.36	< 2	150	< 10	< 0.5	< 2	0.05	< 0.5	92	804	6	3.53	< 10	< 1
FR 15	205 226	-----	< 2	< 5	< 2	< 0.2	1.81	< 2	50	30	1.5	< 2	1.35	< 0.5	22	66	140	1.82	< 10	1
FR 16	205 226	-----	< 2	< 5	4	< 0.2	0.47	< 2	< 10	< 10	< 0.5	< 2	0.01	< 0.5	101	593	4	3.27	< 10	< 1
FR 17	205 226	-----	< 2	< 5	4	< 0.2	0.25	6	10	80	< 0.5	< 2	0.07	< 0.5	81	555	< 1	2.12	< 10	< 1
FR 18	205 226	-----	2	< 5	< 2	< 0.2	2.99	< 2	< 10	130	2.5	< 2	1.58	< 0.5	27	162	72	3.01	10	< 1
FR 19	205 226	-----	< 2	< 5	6	0.2	0.35	< 2	< 10	80	0.5	2	0.31	0.5	2	149	20	0.57	< 10	< 1
FR 20	205 226	-----	< 2	< 5	2	0.4	1.37	< 2	< 10	>10000	0.5	2	2.87	4.0	< 1	98	15	0.93	< 10	3
FR 21	205 226	-----	< 5	-----	-----	< 0.2	1.34	2	< 10	320	0.5	4	0.13	< 0.5	4	129	37	2.20	< 10	1
FR 22	205 226	-----	5	-----	-----	0.2	1.19	< 2	< 10	250	0.5	6	1.72	< 0.5	13	143	269	1.82	< 10	< 1
FR 22A	205 226	-----	< 2	< 5	< 2	< 0.2	0.03	< 2	< 10	< 10	< 0.5	< 2	0.04	< 0.5	69	359	6	3.05	< 10	< 1
FR 23	205 226	-----	< 2	10	4	< 0.2	0.32	< 2	< 10	< 10	< 0.5	< 2	0.14	< 0.5	49	698	< 1	3.05	< 10	< 1
FR 24	205 226	-----	< 2	< 5	2	< 0.2	0.22	< 2	< 10	10	< 0.5	< 2	0.08	< 0.5	34	826	< 1	2.79	< 10	< 1
M599084	205 226	-----	< 2	10	16	0.2	1.98	< 2	< 10	430	2.5	2	2.44	< 0.5	37	157	48	6.06	< 10	< 1
M599095	205 226	-----	< 2	< 5	< 2	< 0.2	1.05	< 2	< 10	160	0.5	< 2	0.42	< 0.5	3	34	6	1.49	< 10	< 1
M599096	205 226	-----	20	25	16	2.6	0.85	< 2	< 10	60	1.5	< 2	1.61	0.5	57	71	3650	4.30	< 10	< 1
M599097	205 226	-----	28	625	534	3.4	0.71	< 2	< 10	< 10	2.0	< 2	2.65	< 0.5	31	29	7780	10.35	< 10	< 1
M599098	205 226	-----	18	105	76	1.0	0.80	2	10	10	1.5	< 2	2.16	0.5	31	42	2600	6.21	< 10	< 1
M599099	205 226	-----	98	110	96	3.8	0.55	< 2	< 10	10	1.5	< 2	1.92	< 0.5	19	89	7160	3.19	< 10	1
M599100	205 226	-----	46	140	112	3.0	0.68	< 2	10	50	1.5	< 2	1.88	0.5	15	47	3800	2.64	< 10	< 1
M599101	205 226	-----	30	100	54	8.4	0.77	4	< 10	10	2.0	< 2	1.98	2.0	40	72	7200	4.87	< 10	< 1
M599102	205 226	-----	118	195	158	4.4	0.94	< 2	10	30	2.0	< 2	2.21	< 0.5	32	77	6130	6.44	< 10	1
M599103	205 226	-----	18	200	182	1.0	0.93	< 2	< 10	10	2.0	< 2	2.48	< 0.5	25	19	1000	9.72	< 10	< 1
M599104	205 226	-----	30	95	94	2.4	1.53	< 2	< 10	80	2.5	< 2	2.57	0.5	30	18	2880	8.09	< 10	< 1
M599105	205 226	-----	22	95	46	6.6	1.28	< 2	< 10	80	2.5	< 2	2.18	1.5	23	48	4200	4.65	< 10	< 1
M599106	205 226	-----	14	215	182	4.0	0.91	< 2	< 10	80	2.0	< 2	2.47	1.0	23	72	3000	6.86	< 10	< 1
M599107	205 226	-----	44	320	360	3.6	0.73	< 2	< 10	10	1.5	< 2	3.34	2.0	12	35	3350	2.44	< 10	< 1
M599108	205 226	-----	24	350	260	2.0	0.77	< 2	< 10	10	2.0	< 2	2.20	< 0.5	20	119	1965	6.67	< 10	< 1
M599109	205 226	-----	46	95	84	3.4	0.67	< 2	< 10	10	1.5	< 2	1.90	2.0	24	43	4110	4.22	< 10	< 1
M599110	205 226	-----	10	20	34	0.4	1.54	< 2	< 10	140	3.0	< 2	3.31	< 0.5	30	52	1300	4.43	< 10	< 1

CERTIFICATION: *Larry Reaugh*



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number : 1-B
 To Pages : 2
 Certificate Date: 11-OCT-2000
 Invoice No. : 10030133
 P.O. Number :
 Account : JZL

Project:
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS A0030133

SAMPLE	PREP CODE	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
FR 04	205 226	< 0.01	< 10	>15.00	600	< 1	< 0.01	1765	30	2	0.06	2	5	< 1	< 0.01	< 10	< 10	4	< 10	10
FR 05	205 226	< 0.01	< 10	1.42	65	1	< 0.01	270	10	< 2	< 0.01	< 2	< 1	2	< 0.01	< 10	< 10	5	< 10	< 2
FR 05B	205 226	< 0.01	< 10	1.70	140	< 1	< 0.01	517	< 10	< 2	< 0.01	< 2	< 1	< 1	< 0.01	< 10	< 10	6	< 10	10
FR 06	205 226	< 0.01	< 10	13.10	400	< 1	< 0.01	965	20	2	< 0.01	6	5	4	< 0.01	< 10	< 10	15	< 10	12
FR 07	205 226	< 0.01	< 10	>15.00	680	< 1	< 0.01	1885	10	6	0.02	2	6	< 1	< 0.01	< 10	< 10	10	< 10	16
FR 08	205 226	< 0.01	< 10	>15.00	260	< 1	< 0.01	1460	30	2	< 0.01	< 2	5	< 1	< 0.01	< 10	< 10	6	< 10	10
FR 09	205 226	0.27	< 10	1.18	405	4	0.05	61	460	8	0.74	< 2	11	4	0.16	< 10	< 10	114	< 10	60
FR 10	205 226	0.30	< 10	0.75	275	1	0.11	35	640	6	1.42	2	3	17	0.15	< 10	< 10	56	< 10	46
FR 11	205 226	< 0.01	< 10	>15.00	745	< 1	< 0.01	1935	20	4	0.14	2	5	< 1	< 0.01	< 10	< 10	13	< 10	20
FR 12	205 226	2.24	10	1.69	250	< 1	0.04	64	>10000	14	0.68	10	9	106	0.24	< 10	< 10	151	< 10	108
FR 13	205 226	0.35	< 10	1.23	150	1	0.01	68	200	12	0.96	2	2	10	0.10	< 10	< 10	31	< 10	74
FR 14	205 226	< 0.01	< 10	12.45	525	< 1	< 0.01	1755	30	2	0.17	2	3	< 1	< 0.01	< 10	< 10	19	< 10	14
FR 15	205 226	0.08	30	0.39	235	1	0.19	60	520	6	0.54	< 2	4	111	0.15	< 10	< 10	36	< 10	16
FR 16	205 226	< 0.01	< 10	12.40	485	< 1	< 0.01	1980	40	2	0.11	< 2	3	1	< 0.01	< 10	< 10	14	< 10	16
FR 17	205 226	< 0.01	< 10	8.63	140	< 1	< 0.01	1400	40	4	0.12	2	2	2	< 0.01	< 10	< 10	13	< 10	8
FR 18	205 226	1.06	80	1.56	185	15	0.07	143	2460	8	0.63	< 2	2	379	0.20	10	< 10	56	< 10	46
FR 19	205 226	0.19	< 10	0.29	20	3	< 0.01	25	980	2	0.01	6	< 1	9	0.05	< 10	< 10	52	< 10	52
FR 20	205 226	0.28	< 10	0.04	135	20	0.04	60	870	< 2	0.01	6	2	277	0.04	< 10	< 10	200	< 10	292
FR 21	205 226	0.34	< 10	0.73	230	3	0.02	16	410	6	0.05	< 2	3	11	0.07	< 10	< 10	88	< 10	36
FR 22	205 226	0.51	< 10	0.52	435	< 1	0.07	14	280	< 2	0.03	2	5	61	0.11	< 10	< 10	70	< 10	26
FR 22A	205 226	< 0.01	< 10	11.75	445	< 1	< 0.01	1465	60	2	0.04	2	1	< 1	< 0.01	< 10	< 10	7	< 10	2
FR 23	205 226	< 0.01	< 10	8.08	195	< 1	< 0.01	1025	30	< 2	< 0.01	6	4	3	< 0.01	< 10	< 10	23	< 10	8
FR 24	205 226	< 0.01	< 10	6.35	460	< 1	< 0.01	304	30	2	< 0.01	6	6	1	< 0.01	< 10	< 10	21	< 10	6
M599084	205 226	1.32	< 10	1.96	555	< 1	0.14	41	3560	2	0.03	< 2	9	156	0.23	< 10	< 10	221	< 10	52
M599095	205 226	0.50	< 10	0.38	475	1	0.09	4	370	2	0.01	4	1	47	0.10	< 10	< 10	19	< 10	46
M599096	205 226	0.21	< 10	0.72	305	41	0.09	59	1900	2	0.89	2	5	59	0.14	< 10	< 10	204	< 10	62
M599097	205 226	0.07	< 10	0.65	390	1	0.08	32	5760	4	0.74	2	6	58	0.15	< 10	< 10	673	< 10	96
M599098	205 226	0.09	< 10	0.61	375	1	0.09	31	4070	< 2	0.11	6	6	69	0.15	< 10	< 10	400	< 10	52
M599099	205 226	0.08	< 10	0.60	260	< 1	0.08	50	3480	< 2	0.42	< 2	5	39	0.12	< 10	< 10	157	< 10	40
M599100	205 226	0.15	< 10	0.62	255	1	0.07	35	3210	< 2	0.19	< 2	6	42	0.12	< 10	< 10	143	< 10	32
M599101	205 226	0.13	< 10	0.70	325	3	0.10	59	3230	4	0.66	2	7	45	0.16	< 10	< 10	227	< 10	68
M599102	205 226	0.15	< 10	0.82	395	< 1	0.12	56	4310	6	0.25	< 2	7	71	0.16	< 10	< 10	389	< 10	52
M599103	205 226	0.10	< 10	0.69	550	1	0.12	17	5010	< 2	0.04	8	7	67	0.17	< 10	< 10	661	< 10	64
M599104	205 226	0.30	< 10	1.10	605	< 1	0.14	14	4030	2	0.33	12	8	126	0.22	< 10	< 10	433	< 10	78
M599105	205 226	0.41	< 10	1.02	410	< 1	0.12	33	2840	< 2	0.29	6	9	78	0.21	< 10	< 10	208	< 10	64
M599106	205 226	0.13	< 10	0.71	450	4	0.11	29	4140	6	0.30	< 2	7	66	0.18	< 10	< 10	435	< 10	68
M599107	205 226	0.11	10	0.64	290	1	0.08	15	7320	< 2	0.37	4	7	66	0.13	< 10	< 10	138	< 10	42
M599108	205 226	0.11	< 10	0.57	400	1	0.10	27	3600	< 2	0.15	< 2	7	48	0.17	< 10	< 10	433	< 10	44
M599109	205 226	0.10	< 10	0.61	285	1	0.08	36	3150	2	0.26	2	6	41	0.15	< 10	< 10	250	< 10	54
M599110	205 226	0.49	< 10	1.23	600	< 1	0.19	71	3210	< 2	0.68	6	10	107	0.25	< 10	< 10	149	< 10	52

CERTIFICATION:  *



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP.
 15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6


##

Page Number : 2-A
 To Pages : 2
 Certificate Date: 11-OCT-200
 Invoice No. : I0030133
 P.O. Number :
 Account : JZL

Project :
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS A0030133

SAMPLE	PREP CODE	Au ppb FA+AA	Au ppb ICP	Pt ppb ICP	Pd ppb ICP	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
M599111	205 226	-----	16	145	150	0.6	2.45	< 2	< 10	380	3.5	4	4.22	< 0.5	34	47	1465	5.02	10	< 1
M599112	205 226	-----	6	< 5	8	0.2	1.37	< 2	< 10	40	2.0	10	1.95	< 0.5	19	17	212	3.92	< 10	2
M599113	205 226	-----	4	15	16	< 0.2	1.85	< 2	< 10	150	2.5	2	2.92	< 0.5	34	19	741	6.82	10	< 1
M599114	205 226	-----	16	40	34	1.4	2.16	< 2	< 10	230	3.0	2	3.26	< 0.5	39	43	749	8.11	10	< 1
M599115	205 226	-----	4	35	36	1.0	1.74	< 2	< 10	70	2.5	< 2	2.78	< 0.5	30	15	366	8.11	10	< 1
M599116	205 226	-----	4	< 5	6	< 0.2	1.14	< 2	< 10	30	2.0	< 2	2.74	< 0.5	13	18	144	2.97	< 10	< 1
M599117	205 226	-----	22	10	34	0.2	0.98	< 2	< 10	30	2.0	6	2.77	< 0.5	11	16	313	2.50	< 10	1
M599118	205 226	-----	< 2	< 5	20	< 0.2	0.58	< 2	< 10	10	1.0	2	2.87	< 0.5	8	11	39	1.40	< 10	< 1
M599119	205 226	-----	22	< 5	46	< 0.2	1.96	< 2	< 10	40	3.5	6	3.73	< 0.5	23	10	372	5.94	10	< 1
M599120	205 226	-----	28	20	80	0.4	1.76	< 2	< 10	40	3.0	6	3.67	< 0.5	22	19	538	5.86	10	< 1
M599121	205 226	-----	12	< 5	30	< 0.2	2.02	< 2	< 10	40	3.5	2	3.75	< 0.5	23	15	508	5.60	10	1
M599122	205 226	-----	16	10	60	0.2	2.11	< 2	10	40	4.0	6	3.70	< 0.5	25	14	484	6.16	10	< 1
M599123	205 226	-----	28	< 5	32	< 0.2	1.66	< 2	< 10	50	3.0	6	2.90	< 0.5	19	12	430	5.31	10	< 1
M599124	205 226	-----	22	< 5	26	< 0.2	1.93	< 2	10	50	3.5	6	3.17	< 0.5	21	13	665	5.69	10	< 1
M599125	205 226	-----	6	< 5	56	< 0.2	1.95	< 2	10	30	3.5	8	3.57	< 0.5	25	13	248	6.83	10	< 1
M599126	205 226	-----	26	20	22	0.4	1.38	< 2	< 10	50	2.5	8	3.47	< 0.5	28	22	738	8.84	10	< 1
M599127	205 226	-----	10	15	16	0.6	1.42	< 2	< 10	60	2.5	< 2	4.24	< 0.5	28	18	711	8.74	10	< 1
M599128	205 226	-----	6	10	12	0.2	1.88	< 2	< 10	90	3.0	6	4.17	< 0.5	25	33	376	6.34	< 10	1
M599129	205 226	-----	4	10	28	0.2	1.87	< 2	< 10	90	3.0	12	4.00	< 0.5	28	28	366	6.58	10	< 1
M599130	205 226	-----	6	5	14	0.2	1.91	< 2	< 10	90	3.0	2	3.82	< 0.5	26	26	350	5.30	< 10	1
M599131	205 226	-----	8	10	22	0.4	1.58	< 2	< 10	60	3.0	4	4.03	< 0.5	24	45	504	5.36	< 10	< 1
M599132	205 226	-----	8	< 5	18	< 0.2	1.85	< 2	< 10	340	2.5	2	2.16	< 0.5	31	46	422	6.07	< 10	< 1
M599133	205 226	-----	6	25	30	< 0.2	1.94	< 2	< 10	260	3.0	6	2.97	< 0.5	29	48	256	6.32	< 10	1
M599134	205 226	-----	6	10	26	< 0.2	1.93	< 2	< 10	320	2.5	8	2.68	< 0.5	30	43	205	6.33	10	< 1
M599135	205 226	-----	2	< 5	12	< 0.2	1.50	< 2	< 10	130	2.5	< 2	2.30	< 0.5	22	34	134	4.66	10	< 1
M599136	205 226	-----	6	65	78	1.2	1.54	< 2	< 10	120	2.5	4	2.67	0.5	24	47	1210	4.07	< 10	< 1
M599137	205 226	-----	4	< 10	8	< 0.2	0.74	< 2	< 10	50	2.0	< 2	0.93	< 0.5	50	17	666	5.51	< 10	< 1

CERTIFICATION:  *



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218



To: VERDSTONE GOLD CORP.
 15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

##

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 11-OCT-2000
 Invoice No. : 10030133
 P.O. Number :
 Account : JZL

Project :
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS

A0030133

SAMPLE	PREP CODE	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M599111	205 226	0.98	< 10	1.74	935	< 1	0.29	27	3790	2	0.16	8	17	161	0.31	< 10	< 10	171	< 10	66
M599112	205 226	0.40	< 10	0.80	500	< 1	0.15	8	2230	2	0.02	< 2	7	110	0.18	< 10	< 10	147	< 10	50
M599113	205 226	0.64	< 10	1.30	730	< 1	0.17	14	4280	2	0.20	2	10	130	0.24	< 10	< 10	297	< 10	72
M599114	205 226	0.96	< 10	1.65	765	< 1	0.25	23	4920	4	0.04	6	14	180	0.27	< 10	< 10	335	< 10	74
M599115	205 226	0.29	< 10	1.05	640	1	0.18	14	4420	4	0.11	< 2	10	170	0.22	< 10	< 10	323	< 10	62
M599116	205 226	0.22	20	0.77	630	< 1	0.16	8	4750	< 2	0.01	2	7	150	0.15	< 10	< 10	101	< 10	48
M599117	205 226	0.19	20	0.69	610	1	0.15	8	5430	2	0.02	< 2	6	113	0.13	< 10	< 10	79	< 10	38
M599118	205 226	0.08	20	0.61	395	1	0.10	5	6060	< 2	< 0.01	< 2	6	75	0.07	< 10	< 10	47	< 10	22
M599119	205 226	0.53	30	1.24	1275	< 1	0.33	10	6540	4	0.02	2	14	143	0.25	< 10	< 10	209	< 10	88
M599120	205 226	0.45	30	1.12	1225	< 1	0.29	11	6650	< 2	0.04	< 2	11	137	0.23	< 10	< 10	210	< 10	84
M599121	205 226	0.52	20	1.25	1320	< 1	0.33	10	5210	2	0.02	< 2	13	129	0.27	< 10	< 10	192	< 10	90
M599122	205 226	0.54	20	1.30	1380	< 1	0.35	12	5570	2	0.03	< 2	14	153	0.27	10	< 10	213	< 10	104
M599123	205 226	0.43	20	0.93	1155	< 1	0.25	7	4370	4	0.01	2	9	154	0.23	< 10	< 10	186	< 10	78
M599124	205 226	0.51	10	1.07	1265	< 1	0.31	9	4480	< 2	0.04	< 2	11	165	0.25	< 10	< 10	195	< 10	88
M599125	205 226	0.50	20	1.20	1355	< 1	0.33	11	5880	2	0.02	6	14	160	0.25	< 10	< 10	237	< 10	104
M599126	205 226	0.40	10	0.92	660	< 1	0.18	14	5360	2	0.12	6	11	129	0.22	< 10	< 10	338	< 10	62
M599127	205 226	0.42	10	0.93	735	< 1	0.18	11	5120	2	0.13	8	11	156	0.22	< 10	< 10	330	< 10	58
M599128	205 226	0.54	< 10	1.17	775	< 1	0.23	11	4330	2	0.07	6	13	179	0.27	< 10	< 10	223	< 10	54
M599129	205 226	0.49	< 10	1.23	785	< 1	0.22	11	4520	2	0.08	2	12	184	0.25	< 10	< 10	233	< 10	56
M599130	205 226	0.53	< 10	1.21	755	1	0.21	13	3710	2	0.09	< 2	11	190	0.26	< 10	< 10	190	< 10	52
M599131	205 226	0.39	< 10	0.99	700	< 1	0.19	14	3150	2	0.17	< 2	10	181	0.23	< 10	< 10	187	< 10	46
M599132	205 226	1.13	< 10	1.32	635	< 1	0.14	22	3080	2	0.10	4	7	127	0.25	< 10	< 10	208	< 10	66
M599133	205 226	0.86	10	1.45	725	< 1	0.20	20	3680	4	0.05	2	11	140	0.26	< 10	< 10	206	< 10	66
M599134	205 226	0.85	< 10	1.42	645	1	0.15	20	3900	2	0.13	4	9	179	0.25	< 10	< 10	198	< 10	68
M599135	205 226	0.75	< 10	1.06	585	< 1	0.15	15	2810	2	0.02	6	7	111	0.21	< 10	< 10	148	< 10	54
M599136	205 226	0.77	10	1.14	540	1	0.18	24	3500	2	0.31	< 2	9	59	0.21	< 10	< 10	137	< 10	54
M599137	205 226	0.28	< 10	0.51	125	17	0.08	73	1240	16	3.98	8	3	22	0.21	< 10	< 10	57	< 10	30

CERTIFICATION:

David J. [Signature]

+



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN CHROME
 Comments: ATTN: ANDRIS KIKAUKA

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 17-OCT-2000
 Invoice No. : I0031086
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0031086

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L0 0+00	201 202	< 0.2	1.95	< 2	< 10	110	< 0.5	< 2	0.11	< 0.5	6	26	9	1.85	< 10	< 1	0.04	< 10	0.22	115
L0 0+25E	201 202	< 0.2	1.83	< 2	< 10	110	< 0.5	< 2	0.09	< 0.5	23	146	9	2.43	< 10	< 1	0.03	< 10	1.05	420
L0 0+50E	201 202	< 0.2	2.63	< 2	< 10	140	< 0.5	< 2	0.08	< 0.5	8	33	12	1.94	< 10	< 1	0.03	< 10	0.28	235
L0 0+75E	201 202	< 0.2	2.11	< 2	< 10	110	< 0.5	4	0.11	< 0.5	13	64	13	2.41	< 10	< 1	0.04	< 10	0.69	310
L0 1+00E	201 202	< 0.2	1.94	< 2	< 10	130	< 0.5	< 2	0.10	< 0.5	17	57	9	2.26	< 10	< 1	0.03	< 10	0.61	490
L0 50S 0+00	201 202	< 0.2	0.89	< 2	< 10	50	< 0.5	< 2	0.09	< 0.5	50	275	4	2.77	< 10	< 1	0.01	< 10	2.89	940
L0 50S 0+25E	201 202	< 0.2	1.63	< 2	< 10	100	< 0.5	< 2	0.09	< 0.5	12	75	9	2.12	< 10	< 1	0.03	< 10	0.46	420
L0 50S 0+50E	201 202	< 0.2	1.87	< 2	< 10	90	< 0.5	2	0.08	< 0.5	8	48	10	2.16	< 10	< 1	0.04	< 10	0.43	290
L0 50S 0+75E	201 202	< 0.2	1.56	< 2	< 10	80	< 0.5	2	0.12	< 0.5	22	142	8	2.28	< 10	< 1	0.03	< 10	0.92	330
L0 50S 1+00E	201 202	< 0.2	0.74	< 2	< 10	80	< 0.5	6	0.09	< 0.5	55	242	6	2.69	< 10	< 1	0.02	< 10	2.40	1620
L1 00S 0+00	201 202	< 0.2	2.28	< 2	< 10	130	< 0.5	2	0.09	< 0.5	8	29	12	2.11	< 10	< 1	0.03	< 10	0.30	440
L1 00S 0+25E	201 202	< 0.2	2.25	< 2	< 10	150	< 0.5	< 2	0.13	< 0.5	9	36	14	2.24	< 10	< 1	0.04	< 10	0.43	390
L1 00S 0+50E	201 202	< 0.2	1.91	< 2	< 10	100	< 0.5	< 2	0.12	< 0.5	11	43	11	2.08	< 10	< 1	0.03	< 10	0.43	310
L1 00S 0+75E	201 202	< 0.2	1.37	< 2	< 10	90	< 0.5	< 2	0.12	< 0.5	40	180	11	2.86	< 10	< 1	0.03	< 10	1.95	800
L1 00S 1+00E	201 202	< 0.2	0.78	< 2	< 10	70	< 0.5	< 2	0.07	< 0.5	15	144	3	1.53	< 10	< 1	0.03	< 10	0.48	195
L1 00S 0+25W	201 202	< 0.2	2.15	< 2	< 10	160	< 0.5	< 2	0.15	< 0.5	9	36	13	2.19	< 10	< 1	0.05	< 10	0.36	245
L1 00S 0+50W	201 202	< 0.2	2.22	< 2	< 10	110	< 0.5	< 2	0.10	< 0.5	11	58	15	2.51	< 10	< 1	0.03	< 10	0.51	170
L1 00S 0+75W	201 202	< 0.2	2.17	< 2	< 10	110	< 0.5	< 2	0.09	< 0.5	10	41	11	2.09	< 10	< 1	0.04	< 10	0.36	170
L1 00S 1+00W	201 202	< 0.2	1.07	< 2	< 10	70	< 0.5	< 2	0.09	< 0.5	30	278	5	2.38	< 10	< 1	0.03	< 10	1.25	705
L1 50S 0+00	201 202	< 0.2	2.43	< 2	< 10	100	< 0.5	< 2	0.15	< 0.5	10	53	14	2.33	< 10	< 1	0.04	< 10	0.47	340
L1 50S 0+25E	201 202	< 0.2	2.09	< 2	< 10	100	< 0.5	< 2	0.07	< 0.5	10	50	11	2.23	< 10	< 1	0.03	< 10	0.40	415
L1 50S 0+50E	201 202	< 0.2	1.41	< 2	< 10	120	< 0.5	2	0.11	< 0.5	12	67	9	2.26	< 10	< 1	0.03	< 10	0.54	545
L1 50S 0+75E	201 202	< 0.2	2.19	< 2	< 10	110	< 0.5	4	0.07	< 0.5	14	52	11	2.28	< 10	< 1	0.03	< 10	0.61	205
L1 50S 1+00E	201 202	< 0.2	0.97	< 2	< 10	90	< 0.5	< 2	0.10	< 0.5	90	350	5	3.30	< 10	< 1	0.03	< 10	4.96	1380
L1 50S 0+25W	201 202	< 0.2	2.18	< 2	< 10	110	< 0.5	< 2	0.08	< 0.5	11	41	13	2.36	< 10	< 1	0.03	< 10	0.43	345
L1 50S 0+50W	201 202	< 0.2	1.71	< 2	< 10	150	< 0.5	< 2	0.17	< 0.5	6	21	12	1.50	< 10	< 1	0.03	< 10	0.32	165
L1 50S 0+75W	201 202	< 0.2	2.03	< 2	< 10	130	< 0.5	2	0.12	< 0.5	12	54	11	2.24	< 10	< 1	0.05	< 10	0.51	285
L1 50S 1+00W	201 202	< 0.2	2.00	< 2	< 10	130	< 0.5	< 2	0.10	< 0.5	28	149	9	2.59	< 10	< 1	0.04	< 10	1.29	845
L2 00S 0+00	201 202	< 0.2	2.35	< 2	< 10	140	< 0.5	2	0.11	< 0.5	11	46	16	2.44	< 10	< 1	0.04	< 10	0.48	380
L2 00S 0+25E	201 202	< 0.2	1.68	< 2	< 10	100	< 0.5	< 2	0.06	< 0.5	8	47	9	2.28	< 10	< 1	0.03	< 10	0.35	220
L2 00S 0+50E	201 202	< 0.2	2.19	< 2	< 10	150	< 0.5	< 2	0.12	< 0.5	9	33	13	2.18	< 10	< 1	0.04	< 10	0.39	370
L2 00S 0+75E	201 202	< 0.2	1.31	< 2	< 10	120	< 0.5	< 2	0.09	< 0.5	20	107	8	2.42	< 10	< 1	0.03	< 10	0.99	540
L2 00S 1+00E	201 202	< 0.2	1.03	< 2	< 10	90	< 0.5	< 2	0.05	< 0.5	15	102	5	1.94	< 10	< 1	0.02	< 10	0.77	190
L2 00S 0+25W	201 202	< 0.2	1.97	< 2	< 10	170	< 0.5	< 2	0.17	< 0.5	10	41	13	2.11	< 10	< 1	0.04	< 10	0.49	400
L2 00S 0+50W	201 202	< 0.2	1.99	< 2	< 10	160	< 0.5	< 2	0.12	< 0.5	7	33	9	1.78	< 10	< 1	0.04	< 10	0.38	165
L2 00S 0+75W	201 202	< 0.2	1.42	< 2	< 10	130	< 0.5	< 2	0.13	< 0.5	31	174	7	2.13	< 10	< 1	0.06	< 10	1.14	695
L2 00S 1+00W	201 202	< 0.2	1.94	< 2	< 10	120	< 0.5	< 2	0.09	< 0.5	11	51	9	1.99	< 10	< 1	0.05	< 10	0.35	170
L2 50S 0+00	201 202	< 0.2	2.42	< 2	< 10	190	< 0.5	2	0.12	< 0.5	12	62	13	2.59	< 10	< 1	0.05	< 10	0.69	400
L2 50S 0+25E	201 202	< 0.2	1.89	< 2	< 10	160	< 0.5	2	0.13	< 0.5	13	61	11	2.17	< 10	< 1	0.05	< 10	0.61	475
L2 50S 0+50E	201 202	< 0.2	2.01	< 2	< 10	140	< 0.5	4	0.11	< 0.5	14	56	10	2.26	< 10	< 1	0.04	< 10	0.67	935

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page number : 1-A
 Total pages : 2
 Certificate Date: 20-OCT-2000
 Invoice No. : I0031025
 P.O. Number :
 Account : JZL

Project : DOBBIN
 Comments : ATTN: ANDRIS KIKAUKA

CERTIFICATE OF ANALYSIS

A0031025

SAMPLE	PREP CODE		Au	Pt	Pd	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K
			ppb ICP	ppb ICP	ppb ICP	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
599138	205	226	8	20	28	0.2	2.64	< 2	< 10	500	< 0.5	2	2.91	< 0.5	32	78	99	4.96	< 10	< 1	1.86
599139	205	226	20	20	28	0.6	1.71	< 2	< 10	100	< 0.5	2	3.10	< 0.5	23	45	578	6.20	< 10	< 1	0.58
599140	205	226	6	15	22	0.4	1.98	< 2	< 10	80	< 0.5	< 2	3.56	< 0.5	21	49	327	4.48	< 10	< 1	0.65
599141	205	226	10	25	32	0.4	2.14	< 2	< 10	100	< 0.5	2	3.35	< 0.5	22	49	363	4.87	< 10	< 1	0.65
599142	205	226	6	5	18	0.2	1.89	< 2	< 10	60	< 0.5	2	3.79	< 0.5	20	38	222	4.51	< 10	< 1	0.70
599143	205	226	16	10	30	0.4	1.43	< 2	< 10	70	< 0.5	< 2	3.76	< 0.5	22	35	480	7.19	< 10	< 1	0.39
599144	205	226	14	20	36	0.2	1.91	< 2	< 10	400	< 0.5	< 2	3.08	< 0.5	34	62	792	6.26	< 10	< 1	1.01
599145	205	226	6	15	42	0.4	1.38	< 2	< 10	130	< 0.5	< 2	3.79	< 0.5	20	51	321	6.23	< 10	< 1	0.48
599146	205	226	12	10	30	0.6	1.77	< 2	< 10	230	< 0.5	< 2	3.48	< 0.5	23	55	806	5.01	< 10	< 1	0.61
599147	205	226	8	< 5	12	< 0.2	1.34	< 2	< 10	70	< 0.5	< 2	1.47	< 0.5	18	33	193	3.77	< 10	< 1	0.60
599148	205	226	10	10	18	0.2	1.76	< 2	< 10	290	< 0.5	< 2	1.90	< 0.5	27	43	342	4.52	< 10	< 1	1.15
599149	205	226	4	< 5	20	0.2	1.89	< 2	< 10	220	< 0.5	4	3.22	< 0.5	30	46	505	5.22	< 10	< 1	0.78
599150	205	226	12	25	38	0.6	1.09	< 2	< 10	60	< 0.5	< 2	2.44	< 0.5	28	47	994	5.42	< 10	< 1	0.16
599151	205	226	8	15	32	0.4	0.72	< 2	< 10	50	< 0.5	< 2	2.20	< 0.5	23	62	206	8.34	< 10	< 1	0.12
599152	205	226	14	35	34	0.6	1.63	< 2	< 10	180	< 0.5	< 2	3.06	< 0.5	21	52	558	5.78	< 10	< 1	0.54
599153	205	226	12	25	34	0.6	1.63	< 2	< 10	110	< 0.5	2	3.10	< 0.5	22	44	577	5.97	< 10	< 1	0.52
599154	205	226	14	30	32	0.4	1.77	< 2	< 10	170	< 0.5	< 2	3.18	< 0.5	24	51	476	6.19	< 10	< 1	0.59
599155	205	226	6	35	32	0.6	1.69	< 2	< 10	300	< 0.5	< 2	3.28	< 0.5	27	60	363	6.38	< 10	< 1	0.72
599156	205	226	20	20	30	1.6	1.47	< 2	< 10	190	< 0.5	2	2.81	0.5	36	47	1790	7.05	< 10	< 1	0.45
599157	205	226	16	15	28	0.6	1.83	< 2	< 10	410	< 0.5	2	2.94	0.5	27	57	603	6.38	< 10	< 1	0.74
599158	205	226	12	20	26	0.6	1.90	< 2	40	380	0.5	< 2	2.99	< 0.5	29	63	531	6.63	< 10	< 1	0.75
599159	205	226	8	< 5	20	0.2	1.93	< 2	< 10	440	< 0.5	2	3.18	< 0.5	28	72	188	6.22	< 10	< 1	1.01
599160	205	226	10	15	30	0.2	1.79	< 2	< 10	150	< 0.5	2	3.33	0.5	20	64	192	4.87	< 10	< 1	0.62
599161	205	226	10	< 5	22	0.2	1.85	< 2	< 10	440	< 0.5	< 2	3.13	< 0.5	29	70	400	6.56	< 10	< 1	0.95
599162	205	226	8	5	22	0.4	2.05	< 2	< 10	480	< 0.5	< 2	3.18	0.5	33	81	325	7.12	< 10	< 1	1.06
599163	205	226	10	15	18	< 0.2	1.81	< 2	< 10	310	< 0.5	< 2	2.32	< 0.5	30	54	464	5.69	< 10	< 1	0.98
599164	205	226	16	30	30	0.8	1.31	< 2	< 10	60	< 0.5	< 2	3.56	1.0	31	41	1105	6.24	< 10	< 1	0.35
599165	205	226	10	10	20	0.2	1.77	< 2	< 10	140	< 0.5	< 2	2.82	< 0.5	22	48	273	4.76	< 10	< 1	0.63
599166	205	226	8	20	30	0.2	1.82	< 2	< 10	90	< 0.5	2	3.04	< 0.5	20	50	339	4.91	< 10	< 1	0.59
599167	205	226	12	< 5	12	0.2	1.80	< 2	< 10	90	< 0.5	< 2	1.69	0.5	39	36	613	3.97	< 10	< 1	0.71
599168	205	226	10	25	42	0.2	0.55	< 2	< 10	10	< 0.5	< 2	1.71	< 0.5	17	13	360	2.36	< 10	< 1	0.04
599169	205	226	26	10	74	0.6	0.61	< 2	< 10	10	< 0.5	< 2	1.52	< 0.5	54	29	1640	3.67	< 10	< 1	0.08
599170	205	226	8	20	74	1.6	0.16	< 2	< 10	< 10	< 0.5	< 2	1.58	1.0	44	17	1960	4.38	< 10	< 1	0.02
599171	205	226	6	5	12	0.2	0.99	< 2	< 10	30	< 0.5	< 2	1.53	< 0.5	31	19	203	3.14	< 10	< 1	0.17
599172	205	226	4	15	16	0.2	1.52	< 2	< 10	80	< 0.5	< 2	0.36	< 0.5	14	54	268	3.08	< 10	< 1	0.74
599173	205	226	2	5	2	< 0.2	2.41	< 2	< 10	100	< 0.5	< 2	1.03	< 0.5	13	83	82	3.76	< 10	< 1	0.80
599174	205	226	18	15	20	0.2	0.92	< 2	< 10	40	< 0.5	2	3.47	0.5	20	17	340	7.01	< 10	< 1	0.35
599175	205	226	14	< 5	12	0.2	1.58	< 2	< 10	140	< 0.5	2	2.72	0.5	31	43	132	7.27	< 10	< 1	1.07
599176	205	226	6	20	36	0.2	1.25	< 2	< 10	40	< 0.5	< 2	3.23	0.5	17	35	359	6.10	< 10	< 1	0.40
599177	205	226	6	20	12	0.2	1.22	< 2	< 10	70	< 0.5	< 2	3.65	0.5	22	39	126	6.30	< 10	< 1	0.53

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. #

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number :1-B
 Total :2
 Certificate Date: 20-OCT-2000
 Invoice No. : I0031025
 P.O. Number :
 Account : JZL

Project : DOBBIN
 Comments : ATTN: ANDRIS KIKAUKA

CERTIFICATE OF ANALYSIS A0031025

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
599138	205 226	10	2.19	695	< 1	0.11	29	4450	< 2	0.01	2	8	123	0.22	< 10	< 10	166	< 10	84
599139	205 226	10	1.33	675	< 1	0.21	15	5320	< 2	0.05	< 2	11	174	0.19	< 10	< 10	222	< 10	62
599140	205 226	10	1.55	620	< 1	0.23	17	4050	< 2	0.05	< 2	12	189	0.20	< 10	< 10	152	< 10	60
599141	205 226	10	1.59	645	< 1	0.27	17	4180	< 2	0.04	< 2	13	194	0.21	< 10	< 10	169	< 10	56
599142	205 226	10	1.35	720	< 1	0.21	14	4210	< 2	0.04	< 2	11	125	0.21	< 10	< 10	148	< 10	58
599143	205 226	10	0.99	665	< 1	0.17	11	5350	< 2	0.04	< 2	11	154	0.17	< 10	< 10	260	< 10	52
599144	205 226	10	1.57	630	1	0.13	23	4700	< 2	0.18	4	11	164	0.19	< 10	< 10	207	< 10	66
599145	205 226	10	1.07	590	< 1	0.12	16	4430	< 2	0.03	< 2	10	170	0.17	< 10	< 10	205	< 10	44
599146	205 226	10	1.33	630	< 1	0.17	19	4740	< 2	0.10	< 2	12	206	0.19	< 10	< 10	163	< 10	50
599147	205 226	< 10	0.97	445	< 1	0.10	13	2480	< 2	0.01	< 2	5	94	0.13	< 10	< 10	118	< 10	58
599148	205 226	10	1.38	535	< 1	0.08	20	3590	< 2	0.07	< 2	5	120	0.16	< 10	< 10	129	< 10	70
599149	205 226	10	1.38	625	< 1	0.20	21	4540	< 2	0.21	< 2	13	140	0.21	< 10	< 10	167	< 10	58
599150	205 226	10	0.72	400	1	0.09	26	4600	< 2	0.25	< 2	8	134	0.13	< 10	< 10	217	< 10	56
599151	205 226	< 10	0.64	475	< 1	0.08	11	4140	< 2	0.01	< 2	7	81	0.12	< 10	< 10	341	< 10	60
599152	205 226	10	1.16	580	< 1	0.19	18	4480	< 2	0.05	< 2	11	189	0.19	< 10	< 10	221	< 10	52
599153	205 226	10	1.11	590	< 1	0.19	16	4710	< 2	0.06	< 2	11	188	0.18	< 10	< 10	230	< 10	58
599154	205 226	10	1.25	610	< 1	0.19	17	4910	< 2	0.06	< 2	12	202	0.20	< 10	< 10	230	< 10	58
599155	205 226	10	1.33	595	1	0.15	21	4790	< 2	0.14	< 2	10	183	0.19	< 10	< 10	233	< 10	60
599156	205 226	10	1.16	530	< 1	0.14	26	5270	< 2	0.39	< 2	10	190	0.17	< 10	< 10	273	< 10	80
599157	205 226	10	1.43	610	1	0.18	22	4660	< 2	0.07	< 2	12	219	0.20	< 10	< 10	221	< 10	70
599158	205 226	10	1.59	675	< 1	0.22	27	3520	6	0.07	< 2	14	234	0.24	< 10	< 10	228	< 10	72
599159	205 226	10	1.53	650	< 1	0.15	24	4200	2	0.03	< 2	10	187	0.23	< 10	< 10	210	< 10	74
599160	205 226	< 10	1.22	600	< 1	0.21	17	3530	< 2	0.01	< 2	12	184	0.22	< 10	< 10	179	< 10	56
599161	205 226	10	1.45	660	1	0.14	23	4240	< 2	0.07	< 2	10	193	0.23	< 10	< 10	223	< 10	72
599162	205 226	10	1.60	705	< 1	0.15	26	4310	< 2	0.06	< 2	12	195	0.24	< 10	< 10	244	< 10	78
599163	205 226	10	1.39	630	1	0.09	21	4080	< 2	0.12	< 2	7	167	0.22	< 10	< 10	189	< 10	80
599164	205 226	< 10	0.90	570	< 1	0.15	18	4530	8	0.31	< 2	10	163	0.20	< 10	< 10	228	< 10	68
599165	205 226	10	1.22	595	< 1	0.19	16	3640	< 2	0.05	< 2	10	196	0.22	< 10	< 10	165	< 10	64
599166	205 226	10	1.20	645	< 1	0.23	15	3920	< 2	0.02	< 2	12	195	0.21	< 10	< 10	168	< 10	62
599167	205 226	< 10	1.30	410	1	0.10	43	1700	< 2	1.09	< 2	7	79	0.21	< 10	< 10	103	< 10	64
599168	205 226	< 10	0.17	115	< 1	0.03	10	3100	< 2	0.44	< 2	3	64	0.11	< 10	< 10	91	< 10	24
599169	205 226	< 10	0.30	140	< 1	0.06	121	2410	2	1.98	< 2	3	51	0.08	< 10	< 10	56	< 10	30
599170	205 226	< 10	0.26	90	< 1	0.01	100	3240	2	2.79	< 2	3	24	0.09	< 10	< 10	37	< 10	70
599171	205 226	< 10	0.61	270	< 1	0.06	15	2830	2	1.05	< 2	5	71	0.11	< 10	< 10	66	< 10	70
599172	205 226	< 10	0.96	215	2	0.05	26	610	2	1.41	< 2	5	36	0.11	< 10	< 10	87	< 10	90
599173	205 226	< 10	1.15	180	4	0.13	35	690	< 2	1.41	2	8	81	0.12	< 10	< 10	93	< 10	102
599174	205 226	< 10	0.73	505	< 1	0.10	6	5320	< 2	0.03	< 2	9	98	0.13	< 10	< 10	234	< 10	46
599175	205 226	< 10	1.33	600	< 1	0.11	15	4620	< 2	0.01	< 2	8	86	0.18	< 10	< 10	253	< 10	80
599176	205 226	< 10	0.85	590	< 1	0.15	10	4170	< 2	0.01	< 2	9	125	0.17	< 10	< 10	192	< 10	48
599177	205 226	< 10	0.97	570	< 1	0.13	11	4410	2	< 0.01	< 2	10	106	0.16	< 10	< 10	207	< 10	50

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number : 2-A
 Total : 2
 Certificate Date: 20-OCT-2000
 Invoice No. : I0031025
 P.O. Number :
 Account : JZL

Project : DOBBIN
 Comments: ATTN: ANDRIS KIKAUKA

CERTIFICATE OF ANALYSIS

A0031025

SAMPLE	PREP CODE		Au	Pt	Pd	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K
	ICP	ICP	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
599178	205	226	6	10	22	0.6	1.80	< 2	< 10	80	< 0.5	2	3.25	0.5	22	38	488	4.28	< 10	< 1	0.60
599179	--	--	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599180	205	226	6	10	16	0.2	1.82	< 2	< 10	70	< 0.5	< 2	3.56	0.5	19	31	338	4.77	< 10	< 1	0.55
599181	205	226	8	35	22	0.6	1.44	< 2	< 10	40	< 0.5	< 2	4.17	0.5	16	27	493	5.09	< 10	< 1	0.42
599182	205	226	12	20	12	0.6	1.24	< 2	< 10	30	0.5	2	4.35	1.5	22	15	593	7.37	< 10	< 1	0.36
599183	205	226	12	30	70	0.4	1.25	< 2	< 10	30	0.5	< 2	3.53	1.5	29	20	731	7.83	< 10	< 1	0.34
599184	205	226	8	10	24	< 0.2	1.89	< 2	< 10	320	< 0.5	< 2	2.46	< 0.5	27	55	186	5.70	< 10	< 1	1.16
599185	205	226	2	5	20	< 0.2	1.81	< 2	< 10	120	< 0.5	< 2	2.64	0.5	22	40	120	5.13	< 10	< 1	0.89
599186	205	226	4	25	22	< 0.2	1.97	< 2	< 10	220	< 0.5	< 2	2.43	< 0.5	27	55	146	5.78	< 10	< 1	1.22
599187	205	226	4	105	90	1.8	0.53	2	< 10	30	< 0.5	< 2	1.53	1.0	13	26	1225	1.17	< 10	< 1	0.21
599188	205	226	< 2	15	12	0.2	0.93	< 2	< 10	40	< 0.5	< 2	1.81	< 0.5	16	37	200	1.79	< 10	< 1	0.38
599189	205	226	2	10	6	0.2	0.59	< 2	< 10	70	< 0.5	< 2	1.20	< 0.5	12	39	220	1.20	< 10	< 1	0.26
599190	205	226	12	330	202	5.4	1.62	< 2	< 10	30	< 0.5	2	2.06	0.5	43	9	2520	5.89	< 10	< 1	0.45
599191	205	226	8	300	142	4.8	1.12	< 2	< 10	40	< 0.5	2	1.51	0.5	28	18	1845	3.57	< 10	< 1	0.37
599192	205	226	6	40	38	< 0.2	0.57	< 2	< 10	20	< 0.5	6	1.22	< 0.5	9	32	63	0.89	< 10	< 1	0.22
599193	205	226	6	110	98	0.2	0.64	< 2	< 10	40	< 0.5	< 2	0.83	< 0.5	15	24	127	1.44	< 10	< 1	0.22
599194	205	226	4	135	58	1.6	0.93	< 2	< 10	40	< 0.5	2	1.19	< 0.5	23	14	863	2.61	< 10	< 1	0.29
599195	205	226	2	20	18	< 0.2	0.48	< 2	< 10	10	< 0.5	< 2	1.06	< 0.5	10	21	75	1.11	< 10	< 1	0.10

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page 1ber :2-B
 Total as :2
 Certificate Date: 20-OCT-2000
 Invoice No. :I0031025
 P.O. Number :
 Account :JZL

Project : DOBBIN
 Comments: ATTN: ANDRIS KIKAUKA

CERTIFICATE OF ANALYSIS

A0031025

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
599178	205 226	< 10	1.20	590	< 1	0.22	15	3330	2	0.13	< 2	11	173	0.21	< 10	< 10	133	< 10	58
599179	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed
599180	205 226	10	1.10	730	< 1	0.23	10	3960	< 2	0.01	< 2	12	172	0.23	< 10	< 10	158	< 10	66
599181	205 226	10	0.89	705	1	0.18	7	3730	< 2	0.03	< 2	10	145	0.20	< 10	< 10	168	< 10	54
599182	205 226	10	0.76	705	< 1	0.15	7	6570	2	0.08	< 2	12	119	0.17	< 10	< 10	270	< 10	72
599183	205 226	10	0.76	690	1	0.16	9	5020	2	0.16	< 2	10	105	0.19	< 10	< 10	293	< 10	76
599184	205 226	10	1.44	690	< 1	0.10	23	4200	< 2	0.02	< 2	7	96	0.21	< 10	< 10	187	< 10	80
599185	205 226	< 10	1.21	665	1	0.15	16	3780	< 2	< 0.01	< 2	8	137	0.20	< 10	< 10	174	< 10	68
599186	205 226	10	1.45	645	1	0.12	22	3860	2	0.01	< 2	8	97	0.22	< 10	< 10	196	< 10	74
599187	205 226	< 10	0.58	135	< 1	0.05	13	820	< 2	0.29	2	7	29	0.10	< 10	< 10	54	< 10	18
599188	205 226	< 10	0.87	200	< 1	0.09	17	910	< 2	0.18	2	11	40	0.13	< 10	< 10	95	< 10	18
599189	205 226	< 10	0.76	115	< 1	0.04	14	500	< 2	0.24	< 2	9	22	0.10	< 10	< 10	51	< 10	12
599190	205 226	< 10	1.15	500	< 1	0.23	16	1310	< 2	2.75	2	12	59	0.26	< 10	10	265	< 10	44
599191	205 226	< 10	0.88	280	< 1	0.12	16	930	< 2	1.47	2	9	41	0.19	< 10	< 10	156	< 10	26
599192	205 226	< 10	0.75	100	< 1	0.04	13	280	< 2	0.02	< 2	7	18	0.11	< 10	< 10	49	< 10	12
599193	205 226	< 10	0.69	125	< 1	0.06	15	550	< 2	0.10	< 2	8	20	0.12	< 10	< 10	69	< 10	14
599194	205 226	< 10	0.79	245	< 1	0.10	17	820	< 2	0.81	2	9	30	0.16	< 10	< 10	124	< 10	26
599195	205 226	< 10	0.54	150	< 1	0.05	11	600	< 2	0.15	< 2	8	23	0.11	< 10	< 10	60	< 10	14

CERTIFICATION:

Handwritten signature



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number :1-B
 Total :2
 Certificate Date: 17-OCT-2000
 Invoice No. : I0031086
 P.O. Number :
 Account : JZL

Project: DOBBIN CHROME
 Comments: ATTN: ANDRIS KIKAUKA

CERTIFICATE OF ANALYSIS A0031086

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L0 0+00	201 202	< 1	< 0.01	29	1030	6	< 0.01	< 2	1	19	0.09	< 10	< 10	38	< 10	40
L0 0+25E	201 202	< 1	< 0.01	261	800	4	0.01	2	1	17	0.08	< 10	< 10	40	< 10	48
L0 0+50E	201 202	< 1	< 0.01	59	1050	6	< 0.01	< 2	1	15	0.10	< 10	< 10	36	< 10	36
L0 0+75E	201 202	< 1	< 0.01	180	980	6	0.01	< 2	1	17	0.10	< 10	< 10	46	< 10	60
L0 1+00E	201 202	< 1	0.01	197	480	6	< 0.01	2	1	15	0.09	< 10	< 10	42	< 10	60
L0 50S 0+00	201 202	< 1	< 0.01	496	460	4	0.01	6	1	8	0.05	< 10	< 10	29	< 10	50
L0 50S 0+25E	201 202	< 1	< 0.01	121	650	6	0.01	< 2	1	15	0.09	< 10	< 10	43	< 10	44
L0 50S 0+50E	201 202	< 1	< 0.01	89	650	6	0.01	< 2	1	13	0.10	< 10	< 10	44	< 10	50
L0 50S 0+75E	201 202	< 1	0.01	443	290	2	0.01	< 2	1	13	0.08	< 10	< 10	41	< 10	48
L0 50S 1+00E	201 202	< 1	0.01	362	480	4	0.02	4	< 1	8	0.03	< 10	< 10	29	< 10	52
L1 00S 0+00	201 202	< 1	0.01	49	690	6	0.01	< 2	1	21	0.09	< 10	< 10	44	< 10	42
L1 00S 0+25E	201 202	< 1	0.01	78	840	4	< 0.01	2	1	23	0.10	< 10	< 10	47	< 10	44
L1 00S 0+50E	201 202	< 1	< 0.01	123	930	6	0.01	2	1	13	0.10	< 10	< 10	42	< 10	48
L1 00S 0+75E	201 202	< 1	< 0.01	383	490	6	0.01	2	1	13	0.08	< 10	< 10	41	< 10	58
L1 00S 1+00E	201 202	< 1	< 0.01	145	280	2	< 0.01	2	< 1	9	0.05	< 10	< 10	26	< 10	36
L1 00S 0+25W	201 202	< 1	0.01	55	690	6	0.01	< 2	1	28	0.09	< 10	< 10	47	< 10	42
L1 00S 0+50W	201 202	< 1	< 0.01	146	590	2	0.01	2	1	17	0.09	< 10	< 10	50	< 10	42
L1 00S 0+75W	201 202	< 1	< 0.01	91	740	4	0.01	< 2	1	15	0.09	< 10	< 10	41	< 10	40
L1 00S 1+00W	201 202	< 1	< 0.01	260	490	6	0.01	4	< 1	8	0.06	< 10	< 10	35	< 10	46
L1 50S 0+00	201 202	< 1	0.01	110	860	4	0.01	< 2	1	23	0.10	< 10	< 10	48	< 10	56
L1 50S 0+25E	201 202	< 1	0.01	90	720	4	0.01	2	1	15	0.09	< 10	< 10	45	< 10	52
L1 50S 0+50E	201 202	< 1	< 0.01	111	350	6	0.01	4	1	13	0.10	< 10	< 10	45	< 10	56
L1 50S 0+75E	201 202	< 1	< 0.01	192	660	6	0.01	4	1	13	0.11	< 10	< 10	41	< 10	52
L1 50S 1+00E	201 202	< 1	< 0.01	838	600	4	0.03	6	1	9	0.04	< 10	< 10	24	< 10	66
L1 50S 0+25W	201 202	< 1	0.01	99	830	2	0.01	< 2	1	16	0.09	< 10	< 10	50	< 10	60
L1 50S 0+50W	201 202	< 1	0.01	32	580	2	0.01	2	1	19	0.06	< 10	< 10	31	< 10	38
L1 50S 0+75W	201 202	< 1	0.01	118	890	4	0.01	< 2	1	18	0.09	< 10	< 10	46	< 10	50
L1 50S 1+00W	201 202	< 1	0.01	329	660	2	0.01	< 2	1	15	0.08	< 10	< 10	42	< 10	54
L2 00S 0+00	201 202	< 1	< 0.01	90	730	6	0.01	2	1	19	0.09	< 10	< 10	51	< 10	48
L2 00S 0+25E	201 202	< 1	< 0.01	76	530	6	0.01	2	1	13	0.09	< 10	< 10	48	< 10	46
L2 00S 0+50E	201 202	< 1	0.01	72	830	6	< 0.01	< 2	1	21	0.10	< 10	< 10	47	< 10	52
L2 00S 0+75E	201 202	< 1	< 0.01	205	720	4	0.01	6	1	11	0.09	< 10	< 10	40	< 10	48
L2 00S 1+00E	201 202	< 1	0.01	211	450	2	< 0.01	2	< 1	9	0.08	< 10	< 10	31	< 10	44
L2 00S 0+25W	201 202	< 1	0.01	89	480	4	0.01	< 2	1	21	0.07	< 10	< 10	46	< 10	48
L2 00S 0+50W	201 202	< 1	0.01	83	570	6	< 0.01	2	1	18	0.08	< 10	< 10	35	< 10	40
L2 00S 0+75W	201 202	< 1	0.01	257	280	6	0.01	4	1	17	0.06	< 10	< 10	34	< 10	36
L2 00S 1+00W	201 202	< 1	0.01	137	980	4	0.01	< 2	1	15	0.09	< 10	< 10	38	< 10	42
L2 50S 0+00	201 202	< 1	< 0.01	149	510	4	0.01	2	1	23	0.10	< 10	< 10	53	< 10	54
L2 50S 0+25E	201 202	< 1	< 0.01	121	500	6	< 0.01	2	1	23	0.09	< 10	< 10	46	< 10	42
L2 50S 0+50E	201 202	< 1	< 0.01	145	570	6	0.01	< 2	1	19	0.09	< 10	< 10	44	< 10	56

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN CHROME
 Comments: ATTN: ANDRIS KIKAUKA

Page Number :2-A
 Total Pages :2
 Certificate Date: 17-OCT-2000
 Invoice No. : I0031086
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0031086

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L1 50S 0+75E	201 202	< 0.2	1.41	< 2	< 10	140	< 0.5	< 2	0.11	< 0.5	39	152	9	2.72	< 10	< 1	0.04	< 10	2.75	1285
L2 50S 1+00E	201 202	< 0.2	1.78	< 2	< 10	110	< 0.5	< 2	0.08	< 0.5	17	84	9	2.59	< 10	< 1	0.03	< 10	0.65	335
L3 00S 0+00	201 202	< 0.2	1.76	< 2	< 10	180	< 0.5	< 2	0.11	< 0.5	11	49	11	2.09	< 10	< 1	0.06	< 10	0.44	245
L3 00S 0+50EA	201 202	< 0.2	2.28	< 2	< 10	130	< 0.5	< 2	0.10	< 0.5	8	29	9	1.82	< 10	< 1	0.04	< 10	0.27	315
L3 00S 0+50EB	201 202	< 0.2	2.19	< 2	< 10	170	< 0.5	< 2	0.15	< 0.5	14	47	10	1.95	< 10	< 1	0.05	< 10	0.42	770
L3 00S 0+75E	201 202	< 0.2	1.93	< 2	< 10	120	< 0.5	< 2	0.12	< 0.5	13	47	9	1.95	< 10	< 1	0.03	< 10	0.43	585
L3 00S 1+00E	201 202	< 0.2	2.33	< 2	< 10	140	< 0.5	2	0.11	< 0.5	15	44	9	1.89	< 10	< 1	0.04	< 10	0.40	405

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN CHROME
 Comments: ATTN: ANDRIS KIKAUKA

Page Number :2-B
 Total Pages :2
 Certificate Date: 17-OCT-2000
 Invoice No. : I0031086
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS

A0031086

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
L2 50S 0+75E	201	202	< 1	< 0.01	449	480	4	0.01	4	1	17	0.07	< 10	< 10	40	< 10	56
L2 50S 1+00E	201	202	< 1	< 0.01	164	530	6	0.01	2	1	14	0.11	< 10	< 10	49	< 10	64
L3 00S 0+00	201	202	1	< 0.01	76	1090	4	0.01	< 2	1	24	0.08	< 10	< 10	42	< 10	46
L3 00S 0+50EA	201	202	< 1	0.01	78	940	4	0.01	< 2	1	15	0.10	< 10	< 10	34	< 10	36
L3 00S 0+50EB	201	202	< 1	0.01	129	950	8	0.01	2	1	19	0.09	< 10	< 10	36	< 10	50
L3 00S 0+75E	201	202	< 1	0.01	198	980	4	0.01	2	1	18	0.08	< 10	< 10	37	< 10	46
L3 00S 1+00E	201	202	< 1	0.01	382	810	6	0.01	< 2	1	12	0.08	< 10	< 10	30	< 10	44

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Page Number :1-A
 To: ges :1
 Certificate Date: 03-OCT-2000
 Invoice No. : I0029694
 P.O. Number :
 Account : JZL

Project : DOBBIN
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS

A0029694

SAMPLE	PREP CODE		Au	Pt	Pd	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K
			ppb ICP	ppb ICP	ppb ICP	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
DST-1	201	202	6	10	6	< 0.2	1.45	< 2	< 10	110	< 0.5	< 2	1.10	< 0.5	16	33	86	4.12	< 10	< 1	0.35
DST-2	201	202	4	< 5	2	< 0.2	1.33	2	< 10	140	0.5	< 2	0.51	< 0.5	15	44	38	5.58	< 10	< 1	0.19
DST-3	201	202	10	40	12	0.2	2.55	< 2	< 10	240	< 0.5	< 2	1.49	< 0.5	36	115	189	6.56	10	< 1	0.37
DST-4	201	202	14	< 5	4	< 0.2	1.11	< 2	< 10	170	< 0.5	< 2	0.76	< 0.5	21	64	42	6.80	< 10	< 1	0.18
DST-5	201	202	4	< 5	6	< 0.2	1.73	< 2	< 10	120	0.5	< 2	0.76	< 0.5	10	32	129	3.79	< 10	< 1	0.07
DST-6	201	202	2	< 5	4	0.2	2.34	< 2	< 10	180	< 0.5	< 2	0.56	< 0.5	18	71	61	4.30	< 10	< 1	0.22
DST-7	201	202	4	30	8	0.2	2.42	< 2	< 10	230	< 0.5	2	0.78	< 0.5	35	66	87	5.66	10	< 1	0.11
DST-8	201	202	2	< 5	4	0.2	2.49	< 2	< 10	80	< 0.5	< 2	0.12	< 0.5	7	27	100	2.43	< 10	< 1	0.06
DST-9	201	202	8	15	32	1.0	2.86	< 2	< 10	260	< 0.5	< 2	0.94	< 0.5	19	45	554	4.16	< 10	< 1	0.33

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6

Project: DOBBIN
 Comments: ATTN: LARRY REAUGH

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 03-OCT-2000
 Invoice No. : I0029694
 P.O. Number :
 Account : JZL

CERTIFICATE OF ANALYSIS A0029694

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
DST-1	201 202	< 10	0.80	755	6	0.04	14	2580	4	0.01	< 2	4	58	0.09	< 10	< 10	109	< 10	82
DST-2	201 202	< 10	0.52	800	2	0.01	16	1330	6	< 0.01	< 2	3	34	0.08	< 10	< 10	159	< 10	72
DST-3	201 202	< 10	1.87	605	4	0.01	44	5770	4	0.01	2	6	122	0.14	< 10	< 10	174	< 10	86
DST-4	201 202	< 10	0.51	1915	3	0.02	16	1940	2	< 0.01	< 2	3	53	0.08	< 10	< 10	188	< 10	50
DST-5	201 202	< 10	0.47	835	3	0.01	16	1290	12	0.05	< 2	1	68	0.07	< 10	< 10	99	< 10	82
DST-6	201 202	< 10	0.95	490	6	0.01	27	2610	2	0.01	< 2	2	40	0.11	< 10	< 10	117	< 10	80
DST-7	201 202	< 10	1.24	785	4	0.01	28	2380	8	0.03	< 2	4	42	0.12	< 10	< 10	144	< 10	106
DST-8	201 202	< 10	0.42	255	3	0.01	16	1530	8	0.01	< 2	2	8	0.11	< 10	< 10	53	< 10	58
DST-9	201 202	< 10	1.26	425	7	0.01	37	1420	2	0.09	2	3	35	0.11	< 10	< 10	99	< 10	90

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E6


Page Number : 1-A
 Total Pages : 1
 Certificate Date: 01-NOV-00
 Invoice No. : 10032230
 P.O. Number :
 Account : JZL

Project: DOBBIN
 Comments: ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS A0032230

SAMPLE	PREP CODE	Au	Pt	Pd	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K
		ppb ICP	ppb ICP	ppb ICP	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
599196	205 226	10	335	282	1.4	1.05	2	< 10	20	< 0.5	< 2	2.22	< 0.5	27	35	1030	6.73	< 10	< 1	0.20
599197	205 226	10	55	50	2.0	1.11	< 2	< 10	30	< 0.5	< 2	2.17	< 0.5	27	27	1375	4.77	< 10	< 1	0.18
599198	205 226	6	120	64	1.8	1.51	< 2	< 10	30	< 0.5	< 2	2.35	< 0.5	33	27	961	5.11	< 10	< 1	0.36
599199	205 226	6	320	144	2.4	0.76	< 2	< 10	10	< 0.5	< 2	1.66	0.5	31	26	1540	4.55	< 10	< 1	0.18
599200	205 226	2	5	8	1.6	1.18	< 2	< 10	30	< 0.5	< 2	2.39	< 0.5	32	31	909	6.78	< 10	< 1	0.28
599201	205 226	18	40	34	12.6	1.07	2	< 10	60	< 0.5	< 2	2.41	5.5	31	51	4660	3.96	< 10	< 1	0.22
599202	205 226	2	< 5	10	0.2	0.98	< 2	< 10	20	< 0.5	< 2	1.30	< 0.5	19	25	294	2.94	< 10	< 1	0.19
599203	205 226	2	< 5	8	0.4	1.12	< 2	< 10	40	< 0.5	< 2	1.08	< 0.5	21	27	333	3.22	< 10	< 1	0.38
599204	205 226	32	45	50	3.4	0.29	< 2	< 10	10	< 0.5	< 2	1.50	1.5	35	35	2710	4.15	< 10	< 1	0.11
599205	205 226	36	60	54	5.2	0.53	2	< 10	70	< 0.5	< 2	1.52	4.0	38	68	3240	3.69	< 10	< 1	0.37
599206	205 226	10	15	28	2.4	0.21	< 2	< 10	< 10	< 0.5	< 2	1.21	< 0.5	66	31	1690	3.69	< 10	< 1	0.03
599207	205 226	8	30	46	5.4	0.47	< 2	< 10	< 10	< 0.5	< 2	2.07	3.5	137	35	2830	5.16	< 10	< 1	0.05
599208	205 226	32	30	40	1.4	1.02	2	< 10	10	< 0.5	< 2	2.14	< 0.5	72	58	2230	4.70	< 10	< 1	0.22
599209	205 226	2	20	16	0.6	1.58	< 2	< 10	20	< 0.5	< 2	3.41	< 0.5	36	34	454	6.78	< 10	< 1	0.31
599210	205 226	34	40	44	5.0	1.31	< 2	< 10	10	< 0.5	< 2	2.79	1.5	105	38	2830	6.40	< 10	< 1	0.24
599211	205 226	18	30	56	5.4	1.30	< 2	< 10	20	< 0.5	< 2	2.38	2.0	87	39	2820	5.77	< 10	< 1	0.22
599212	205 226	6	20	30	1.8	1.20	< 2	< 10	10	< 0.5	2	2.21	< 0.5	43	22	1215	5.99	< 10	< 1	0.22
599213	205 226	2	30	42	0.2	0.90	< 2	< 10	80	< 0.5	< 2	2.16	< 0.5	10	110	58	1.28	< 10	< 1	0.45
599214	205 226	4	75	80	2.4	0.85	< 2	< 10	120	< 0.5	< 2	1.24	2.0	23	58	1200	1.33	< 10	< 1	0.70
599215	205 226	2	30	32	2.2	0.39	< 2	< 10	60	< 0.5	< 2	1.10	2.5	17	29	1250	0.81	< 10	< 1	0.28
599216	205 226	6	85	102	7.4	1.13	< 2	< 10	140	< 0.5	14	1.26	0.5	23	74	3120	1.81	< 10	< 1	0.86
599217	205 226	< 2	10	4	< 0.2	1.22	< 2	< 10	140	< 0.5	< 2	1.25	< 0.5	16	58	11	1.40	< 10	< 1	1.04
599218	205 226	< 2	15	16	< 0.2	1.32	< 2	< 10	170	< 0.5	< 2	0.87	< 0.5	17	59	17	1.50	< 10	< 1	1.16
599219	205 226	2	< 5	10	0.2	3.47	< 2	< 10	60	< 0.5	< 2	1.16	< 0.5	18	147	156	4.72	< 10	< 1	1.40
599220	205 226	2	10	10	< 0.2	1.85	< 2	< 10	190	< 0.5	< 2	0.55	< 0.5	12	89	90	3.03	< 10	< 1	0.80
599221	205 226	6	< 5	6	0.2	2.28	< 2	< 10	70	< 0.5	< 2	0.77	< 0.5	18	30	283	4.58	< 10	< 1	1.55
599222	205 226	2	< 5	6	0.2	2.60	< 2	< 10	580	< 0.5	< 2	2.72	< 0.5	34	92	5	5.75	< 10	< 1	2.23
599223	205 226	28	80	132	4.0	1.06	< 2	< 10	350	< 0.5	< 2	1.16	< 0.5	25	97	3180	1.92	< 10	< 1	0.75
599224	205 226	10	20	42	1.0	0.75	2	< 10	40	< 0.5	< 2	1.66	< 0.5	47	78	644	4.57	< 10	< 1	0.13
599225	205 226	< 2	35	50	0.6	1.10	< 2	< 10	70	< 0.5	< 2	2.65	< 0.5	28	19	277	6.49	< 10	< 1	0.17
599226	205 226	< 2	30	22	0.6	0.72	< 2	< 10	10	< 0.5	2	1.41	< 0.5	34	19	718	4.20	< 10	< 1	0.20
599227	205 226	2	15	14	0.8	1.16	< 2	< 10	20	< 0.5	< 2	1.74	< 0.5	42	21	991	5.40	< 10	< 1	0.30
599228	205 226	6	15	22	0.6	1.10	< 2	< 10	20	< 0.5	< 2	1.94	< 0.5	32	28	481	3.87	< 10	< 1	0.17
599229	205 226	4	25	30	0.6	0.74	< 2	< 10	10	< 0.5	< 2	1.44	< 0.5	36	29	748	3.40	< 10	< 1	0.09
599230	205 226	2	15	24	0.8	0.93	2	< 10	10	< 0.5	< 2	1.86	< 0.5	38	29	908	4.63	< 10	< 1	0.14
599231	205 226	8	15	16	1.2	0.46	< 2	< 10	30	< 0.5	< 2	0.79	< 0.5	36	29	1345	4.67	< 10	< 1	0.14
599232	205 226	< 2	20	10	0.4	1.12	< 2	< 10	20	< 0.5	< 2	2.91	< 0.5	26	24	326	6.01	< 10	< 1	0.26

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: VERDSTONE GOLD CORP. ##

15782 MARINE DR., STE. 2A
 WHITE ROCK, BC
 V4B 1E8

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 01-NOV-00
 Invoice No. : 10032230
 P.O. Number :
 Account : JZL

Project : DOBBIN
 Comments : ATTN: LARRY REAUGH

CERTIFICATE OF ANALYSIS A0032230

SAMPLE	PREP CODE	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
599196	205 226	< 10	0.67	405	1	0.13	15	4190	2	1.25	< 2	8	44	0.18	< 10	< 10	386	< 10	50
599197	205 226	< 10	0.55	390	< 1	0.11	9	3330	2	0.47	< 2	5	11.3	0.17	< 10	< 10	290	< 10	42
599198	205 226	< 10	1.01	410	1	0.18	16	3410	2	1.17	< 2	11	62	0.23	< 10	< 10	274	< 10	46
599199	205 226	< 10	0.47	240	3	0.09	16	3360	4	2.09	< 2	5	41	0.16	< 10	< 10	159	< 10	42
599200	205 226	< 10	0.75	430	< 1	0.17	17	3540	< 2	1.87	< 2	10	74	0.22	< 10	< 10	338	< 10	44
599201	205 226	< 10	0.74	335	1	0.15	42	4020	2	1.61	< 2	8	87	0.20	< 10	< 10	174	< 10	90
599202	205 226	< 10	0.43	320	< 1	0.11	7	1580	< 2	0.90	< 2	3	75	0.14	< 10	< 10	101	< 10	28
599203	205 226	< 10	0.61	280	8	0.07	9	1600	2	1.21	< 2	2	77	0.17	< 10	< 10	102	< 10	50
599204	205 226	10	0.27	135	< 1	0.05	52	3380	2	0.90	< 2	3	54	0.14	< 10	< 10	245	< 10	56
599205	205 226	< 10	0.30	170	1	0.08	62	2490	6	1.24	< 2	4	96	0.16	< 10	< 10	209	< 10	76
599206	205 226	< 10	0.31	125	5	0.03	95	1910	2	2.20	< 2	3	23	0.07	< 10	< 10	37	< 10	26
599207	205 226	< 10	0.39	150	2	0.04	127	4370	2	2.74	< 2	5	58	0.13	< 10	< 10	73	< 10	52
599208	205 226	< 10	0.70	325	< 1	0.13	62	2870	< 2	1.21	< 2	7	58	0.17	< 10	< 10	192	< 10	46
599209	205 226	< 10	1.02	530	< 1	0.20	16	5370	< 2	1.20	2	13	114	0.23	< 10	< 10	315	< 10	48
599210	205 226	< 10	0.80	395	1	0.17	66	4520	< 2	2.37	2	10	87	0.20	< 10	< 10	230	< 10	68
599211	205 226	< 10	0.80	340	2	0.14	83	3700	< 2	2.26	< 2	9	75	0.19	< 10	< 10	193	< 10	70
599212	205 226	< 10	0.78	345	1	0.13	25	2820	2	2.02	< 2	10	64	0.25	< 10	< 10	234	< 10	48
599213	205 226	< 10	1.20	170	< 1	0.04	21	710	< 2	0.01	< 2	9	40	0.15	< 10	< 10	56	< 10	14
599214	205 226	< 10	1.37	110	< 1	0.04	86	60	< 2	0.08	< 2	7	12	0.17	< 10	< 10	45	< 10	22
599215	205 226	< 10	0.83	85	< 1	0.03	75	60	< 2	0.07	< 2	6	9	0.14	< 10	< 10	31	< 10	16
599216	205 226	< 10	1.79	140	< 1	0.05	96	60	4	0.05	< 2	9	13	0.20	< 10	< 10	57	< 10	28
599217	205 226	< 10	1.65	150	1	0.03	36	230	< 2	< 0.01	< 2	5	20	0.14	< 10	< 10	43	< 10	18
599218	205 226	< 10	1.72	145	3	0.03	40	200	< 2	< 0.01	< 2	4	15	0.15	< 10	< 10	45	< 10	20
599219	205 226	< 10	1.49	450	11	0.27	50	1190	2	1.69	2	11	70	0.24	< 10	< 10	208	< 10	116
599220	205 226	< 10	1.07	295	6	0.12	27	680	2	0.95	< 2	6	31	0.17	< 10	< 10	121	< 10	66
599221	205 226	< 10	1.40	575	3	0.09	6	1790	< 2	1.40	< 2	2	48	0.28	< 10	< 10	116	< 10	70
599222	205 226	< 10	2.43	520	1	0.06	46	1840	< 2	< 0.01	4	6	52	0.30	< 10	< 10	193	< 10	54
599223	205 226	< 10	1.35	200	< 1	0.03	106	840	2	0.07	< 2	5	33	0.14	< 10	< 10	60	< 10	24
599224	205 226	< 10	0.76	175	< 1	0.06	44	2130	< 2	0.84	< 2	9	49	0.15	< 10	< 10	97	< 10	14
599225	205 226	< 10	0.68	335	1	0.09	7	4460	< 2	0.62	2	7	76	0.17	< 10	< 10	248	< 10	30
599226	205 226	< 10	0.48	220	< 1	0.06	21	2550	2	1.94	< 2	4	41	0.18	< 10	< 10	104	< 10	42
599227	205 226	< 10	0.74	370	< 1	0.11	18	2510	2	2.10	< 2	6	56	0.21	< 10	< 10	161	< 10	50
599228	205 226	< 10	0.75	275	< 1	0.12	23	2730	< 2	0.96	< 2	9	60	0.19	< 10	< 10	173	< 10	30
599229	205 226	< 10	0.47	190	2	0.07	21	2090	2	1.73	< 2	7	40	0.18	< 10	< 10	102	< 10	22
599230	205 226	< 10	0.63	245	1	0.10	27	3150	< 2	2.35	< 2	8	50	0.20	< 10	< 10	150	< 10	32
599231	205 226	< 10	0.22	85	78	0.06	50	1560	4	2.92	< 2	1	34	0.14	< 10	< 10	45	< 10	18
599232	205 226	< 10	0.69	440	< 1	0.15	13	4490	< 2	0.59	< 2	8	69	0.18	< 10	< 10	306	< 10	38

CERTIFICATION:

Geochemical
Lab
ReportClient: VERDSTONE GOLD CORP.
REPORT: V00-02022.0 (COMPLETE)

PROJECT: DOBBIN

DATE RECEIVED: 25-OCT-00

DATE PRINTED: 26-OCT-00

PAGE 1 DE 1

SAMPLE NUMBER	ELEMENT UNITS	AU PPB	PT PPB	PD PPB	CU PPM
P4 599056		398	318	677	4651
P4 599061		286	14	45	5064
P4 599097		28	589	518	7036
P4 599098		19	109	78	2491
P4 599099		117	128	113	6740
P4 599100		57	153	114	3593
P4 599101		34	117	60	7000
P4 599102		112	191	149	5398
P4 599103		17	218	186	908
P4 599104		31	107	106	2775
P4 599105		30	119	63	3925
P4 599106		17	261	220	3066
P4 599107		50	356	422	3333
P4 599108		27	385	293	1971
P4 599109		61	110	93	4075
P4 599111		25	188	152	1594
599190		16	375	236	2538
59191		13	313	148	1971

TO : VERDSTONE GOLD CORP.
 ATTENTION : ATTN: LARRY REAUGH
 WORKORDER : A0032230 PROJECT : DOBBIN

-> the ICP-32 had to be rerun, should be complete late today, but
 -> here are the Au,Pt,Pd.
 -> Ron
 ->
 ->
 ->

PRELIMINARY DATA ONLY !!

*** Samples are being analyzed for: Au ppb ICP,Pt ppb ICP,Pd ppb ICP,Ag ppm,Al %,As ppm,
 B ppm,Ba ppm,Be ppm,Bi ppm,Ca %,Cd ppm,Co ppm,Cr ppm,Cu ppm,Fe %,Ga ppm,Hg ppm,K %,La ppm,
 m,Mg %,Mn ppm,Mo ppm,Na %,Ni ppm,P ppm,Pb ppm,S %,Sb ppm,Sc ppm,Sr ppm,Ti %,Tl ppm,U ppm,
 V ppm,W ppm,Zn ppm

SAMPLE	975	976	977
DESCRIPTION	Au ppb	Pt ppb	Pd ppb
599196	10	335	282
599197	10	55	50
599198	6	120	64
599199	6	320	144
599200	2	5	8
599201	18	40	34
599202	2	<5	10
599203	2	<5	8
599204	32	45	50
599205	36	60	54
599206	10	15	28
599207	8	30	46
599208	32	30	40
599209	2	20	16
599210	34	40	44
599211	18	30	56
599212	6	20	30
599213	2	30	42
599214	4	75	80
599215	2	30	32
599216	6	85	102
599217	<2	10	4
599218	<2	15	16
599219	2	<5	10
599220	2	10	10
599221	6	<5	6
599222	2	<5	6
599223	28	80	132
599224	10	20	42
599225	<2	35	50
599226	<2	30	22
599227	2	15	14
599228	6	15	22
599229	4	25	30
599230	2	15	24
599231	8	15	16
599232	<2	20	10

END OF DATA

DOBBIN Cu-Pt-Pd-Au PROJECT, WHITEROCKS MTN., KELOWNA, B.C.

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
DST-1	5542320	301200	Central Zone SE extension	Bit Ck silt, low water flow	6, 10, 6, 86
DST-2	5542490	301320	Central Zone SE extension	East tributary to Bit Ck. silt sample, low water flow	4, 5, 2, 44
DST-3	5542590	301180	Central Zone SE extension	East tributary to Bit Ck silt sample very rusty, very low water flow	10, 40, 12, 189
DST-4	5543240	301350	N central	West tributary to Bit Ck, dry creekbed	14, 5, 4, 42
DST-5	5542090	301890	SE	Dry creekbed below mineralized hornblende gabbro/pyroxenite	4, 5, 6, 129
DST-6	5543470	301140	N central	Soil sample on massive biotite pyroxenite outcrop	2, 5, 4, 61
DST-7	5542980	300905	N central	Soil resample of 550 ppm Cu in soil	4, 30, 8, 87
DST-8	5542500	300360	SW	Soil sample beside mineralized hornblende gabbro outcrop	2, 5, 4, 100
DST-9	5541900	300635	SW	Soil resample of 521 ppm Cu @ L 6+00 S, stn. 4+50 W	8, 15, 32, 554
599051	5543100	301980	NE	0.3 m wide, magnetite vein in medium grain hornblende gabbro	26, 10, 16, 246
599052	5542110	301890	SE	2.0 m Amphibole pyroxenite, minor biotite, trace cp	16, 10, 22, 478
599053	5543200	300700	NW	2.0 m Hornblende gabbro, 3% diss. py., trace cp	2, 5, 20, 268
599054	5543070	302030	NE	1.0 m Biotite pyroxenite, breccia texture trace cp., mal.	46, 15, 48, 1165
599055	5543030	301110	N central	1.0 m Amphibole pyroxenite, trace cp., mal	54, 15, 110, 2170
599056	5542400	300810	Central Zone SE extension	1.0 m Biotite pyroxenite, 1% cp., strong malachite	264, 385, 748, 4160
599057	5542180	300205	SW	1.0 m Biotite pyroxenite, cp, mal., breccia texture	14, 25, 54, 2120
599058	5543050	302015	NE	3.0 m Biotite pyroxenite, trace py., cp.	28, 5, 28, 510
599059	5543050	302012	NE	3.0 m Biotite pyroxenite, trace py., cp.	10, 10, 34, 183
599060	5543050	302008	NE	3.0 m Biotite pyroxenite, trace py., cp.	4, 5, 16, 63
599061	5543050	302005	NE	3.0 m Biotite pyroxenite, trace py., 1% cp., 0.5% mal.	268, 15, 44, 4590
599062	5543078	302045	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	22, 5, 20, 375
599063	5543092	302040	NE	3.0 m Biotite pyroxenite, trace py., cp.	14, 5, 26, 318
599064	5543080	302020	NE	3.0 m Biotite pyroxenite, trace py., cp.	36, 5, 22, 459
599065	5543083	302020	NE	3.0 m Biotite pyroxenite, trace py., cp.	19, 5, 18, 190
599066	5543077	302005	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	14, 5, 24, 461
599067	5543080	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	8, 5, 18, 364
599068	5543083	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	6, 5, 18, 220
599069	5543086	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	6, 5, 14, 380

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599070	5543089	302011	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	26, 5, 16, 714
599071	5543140	300630	NW	1.0 m Biotite pyroxenite, trace py., cp., breccia texture	2, 15, 12, 344
599072	5542270	301260	SW	1.0 m Biotite pyroxenite, trace py., cp., breccia texture	2, 70, 18, 70
599073	5543270	301270	N central	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	12, 20, 28, 599
599074	5543267	301269	N central	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	10, 20, 24, 369
599075	5543250	301258	N central	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	16, 10, 50, 437
599076	5543220	301240	N central	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	6, 15, 26, 157
599077	5543220	301238	N central	3.0 m Biotite pyroxenite, trace py., cp., breccia texture	16, 5, 14, 311
599078	5543040	301133	N central	3.0 m Hornblende gabbro, trace cp., trace mal.	2, 5, 12, 78
599079	5543038	301128	N central	3.0 m Hornblende gabbro, trace cp., trace mal	2, 15, 6, 128
599080	5543036	301124	N central	3.0 m Hornblende gabbro, trace cp., trace mal	2, 10, 20, 199
599081	5543034	301121	N central	3.0 m Hornblende gabbro, trace cp., trace mal	12, 30, 52, 401
599082	5543032	301120	N central	3.0 m Hornblende gabbro, trace cp., trace mal	10, 20, 28, 326
599083	5543031	301121	N central	3.0 m Hornblende gabbro, trace cp., trace mal	6, 5, 12, 107
599084	5543040	301127	N central	3.0 m Hornblende gabbro, trace cp., trace mal	2, 10, 16, 48
599085	5543040	301124	N central	3.0 m Hornblende gabbro, trace cp., trace mal Assay not received	
599086	5543036	301108	N central	3.0 m Hornblende gabbro, trace cp., trace mal	12, 25, 36, 432
599087	5543039	301106	N central	3.0 m Hornblende gabbro, trace cp., trace mal	8, 15, 20, 207
599088	5543042	301104	N central	3.0 m Hornblende gabbro, trace cp., trace mal	4, 5, 20 297
599089	5543045	301103	N central	3.0 m Hornblende gabbro, trace cp., trace mal	2, 5, 8, 168
599090	5542380	301090	Central Zone SE extension	3.0 m Hornblende gabbro, 1% diss and frac.fill cp., mal.	14, 25, 40, 1120
599091	5542378	301092	Central Zone SE extension	3.0 m Hornblende gabbro, 0.3% diss and frac.fill cp., mal	10, 40, 40, 326
599092	5542385	301090	Central Zone SE extension	3.0 m Hornblende gabbro, 0.2% diss and frac.fill cp., mal	4, 105, 74, 134
599093	5542385	301100	Central Zone SE extension	1.0 m Hornblende gabbro, 0.2% diss and frac.fill cp., mal	2, 25, 32, 233
599094	5542392	301110	Central Zone SE extension	4.0 m. Mafic monzonite, dyke ep. trace cp.	18, 35, 34, 520

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599095	5542445	301042	Central	3.0 m Cross cutting diorite dyke, ep., py.	2, 5, 2, 6
599096	5542456	301019	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	20, 25, 16, 3650
599097	5542460	301019	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	28, 625, 534, 7780
599098	5542460	301019	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	18, 105, 76, 2600
599099	5542458	301019	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	98, 110, 96, 7160
599100	5542459	301008	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	46, 140, 112, 3800
599101	5542457	301002	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	30, 100, 54, 7200
599102	5542466	301008	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	118, 195, 158, 6130
599103	5542467	301005	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	18, 200, 182, 1000
599104	5542468	300990	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	30, 95, 94, 2880
599105	5542467	300987	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	22, 95, 46, 4200
599106	5542458	300983	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	14, 215, 182, 3000
599107	5542455	300981	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	44, 320, 360, 3350
599108	5542452	300980	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	24, 350, 260, 1965
599109	5542449	300978	Central	3.0 m Hornblende gabbro, calcite, magnetite, cp., bornite, ep.	46, 95, 84, 4110
599110	5542372	300899	SW ext. Central	3.0 m Biotite pyroxenite, calcite, magnetite, cp., bornite	10, 20, 34, 1300 <i>Fine grained black dyke, weakly magnetic</i>
599111	5542376	300898	SW ext. Central	3.0 m Biotite pyroxenite, calcite, magnetite, cp., bornite	16, 145, 150, 1465
599112	5542507	301019	NE ext. Central	3.0 m Hornblende gabbro/pyroxenite, cal., mag., trace cp.	6, 5, 8, 212
599113	5542526	301021	NE ext. Central	3.0 m Hornblende gabbro/pyroxenite, cal., mag., trace cp.	4, 15, 16, 741
599114	5542608	301104	NE ext. Central	3.0 m Hornblende gabbro/pyroxenite, cal., mag., trace cp.	16, 40, 34, 749
599115	5542611	301109	NE ext. Central	3.0 m Hornblende gabbro/pyroxenite, cal., mag., trace cp.	4, 35, 36, 366
599116	5542066	301860	SE ext. Central	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	4, 5, 6, 144
599117	5542070	301861	SE ext. Central	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	22, 10, 34, 313
599118	5542073	301863	SE ext. Central	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	2, 5, 20, 39
599119	5542079	301870	SE ext. Central	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	22, 5, 46, 372

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599120	5542079	301873	SE ext. Central 28, 20, 80, 538	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599121	5542079	301876	SE ext. Central 12, 5, 30, 508	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599122	5542082	301876	SE ext. Central 16, 10, 60, 484	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599123	5542085	301874	SE ext. Central 28, 5, 32, 430	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599124	5542088	301873	SE ext. Central 22, 5, 26, 665	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599125	5542091	301872	SE ext. Central 6, 5, 56, 248	3.0 m Hornblende gabbro/pyroxenite, trace-10% biotite, Calcite, magnetite, diss. cp., ep. veinlets	
599126	5542185	300925	SW ext. Central 26, 20, 22, 738	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599127	5542184	300923	SW ext. Central 10, 15, 16, 711	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599128	5542182	300921	SW ext. Central 6, 10, 12, 376	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599129	5542181	300919	SW ext. Central 4, 10, 28, 366	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599130	5542179	300917	SW ext. Central 6, 5, 14, 350	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599131	5542178	300915	SW ext. Central 8, 10, 22, 504	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599132	5542260	300838	SW ext. Central 8, 5, 18, 422	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599133	5542262	300837	SW ext. Central 6, 25, 30, 256	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599134	5542265	300837	SW ext. Central 6, 10, 26, 205	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599135	5542268	300838	SW ext. Central 2, 5, 12, 134	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., Magnetite, trace cp.	
599136	5542280	300931	SW ext. Central 6, 65, 78, 1210	3.0 m Pyritic hornfels, fine grained cherty texture, limonite Malachite, trace cp.	

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599137	5542281	300920	SW ext. Central	3.0 m Hornblende gabbro, cal., ep., magnetite, trace cp.	4, 10, 8, 666
599138	5542371	301073	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	8, 20, 28, 99
599139	5542368	301063	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	20, 20, 28, 578
599140	5542366	301065	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	6, 15, 22, 327
599141	5542364	301064	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	10, 25, 32, 363
599142	5542365	301100	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	6, 5, 18, 222
599143	5542352	301100	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	16, 10, 30, 480
599144	5542347	301134	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	14, 20, 36, 792
599145	5542345	301135	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	6, 15, 42, 321
599146	5542343	301136	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	12, 10, 30, 806
599147	5542368	301149	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	8, 5, 12, 193
599148	5542367	301151	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	10, 10, 18, 342
599149	5542366	301153	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	4, 5, 20, 505
599150	5542347	301176	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	12, 25, 38, 994
599151	5542330	301149	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	8, 15, 32, 206
599152	5542324	301144	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	14, 35, 34, 558
599153	5542321	301144	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	12, 25, 34, 577
599154	5542318	301145	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	14, 30, 32, 476
599155	5542315	301146	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	6, 35, 32, 363
599156	5542314	301141	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	20, 20, 30, 1790
599157	5542314	301139	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	16, 15, 28, 603
599158	5542309	301131	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	12, 20, 26, 531
599159	5542309	301144	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	8, 5, 20, 188
599160	5542324	301140	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	10, 15, 30, 192
599161	5542324	301135	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	10, 5, 22, 400
599162	5542327	301137	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal., ep., cp.	8, 5, 22, 325

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599163	5542297	301130	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal.,ep.,cp. 10, 15, 18, 464	
599164	5542377	301074	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite,cal.,ep.,cp. 16, 30, 30, 1105	
599165	5542275	301074	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal.,ep.,cp. 10, 10, 20, 273	
599166	5542258	301074	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal.,ep.,cp. 8, 20, 30, 339	
599167	5542255	301073	SE ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, cal.,ep.,cp. 12, 5, 12, 613	
599168	5542079	300945	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 10, 25, 42, 360	
599169	5542074	300943	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 26, 10, 74, 1640	
599170	5542070	300950	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 8, 20, 74, 1960	
599171	5542071	300888	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 6, 5, 12, 203	
599172	5542072	300886	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 4, 15, 16, 268	
599173	5542073	300884	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 2, 5, 2, 82	
599174	5542122	300887	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 18, 15, 20, 340	
599175	5542122	300890	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 15, 5, 12, 132	
599176	5542119	300890	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 6, 20, 36, 359	
599177	5542120	300894	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 6, 20,12, 126	
599178	5542115	300894	SW ext. Central	3.0 m Pyritic hornfels, f.gr.,anhydrite, gypsum, cal.,frac.fill cp. 6, 10, 22, 488	
599179	5542154	300891	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. Assay not received	
599180	5542180	300882	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 6, 10, 16, 338	
599181	5542186	300880	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 8, 35, 22, 493	
599182	5542173	300870	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 12, 20, 12, 593	
599183	5542169	300873	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 12, 20, 70, 731	
599184	5542280	300837	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 8, 10, 24, 186	
599185	5542280	300840	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 2, 5, 20, 120	
599186	5542300	300860	SW ext. Central	3.0 m Hornblende gabbro/biotite pyroxenite, ep.,cal.,cp. 4, 25, 22, 146	
599187	5542451	300275	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. 4, 105, 90, 1225	
599188	5542449	300276	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. 2, 15, 12, 200	

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599189	5542447	300278	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	2, 10, 6, 220
599190	5542458	300294	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	12, 330, 202, 2520
599191	5542459	300297	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	8, 300, 142, 1845
599192	5542460	300300	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	6, 40, 38, 63
599193	5542463	300300	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	6, 110, 98, 127
599194	5542469	300318	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	4, 135, 58, 863
599195	5542467	300320	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	2, 20, 18, 75

Description ppb Au, Pt, Pd, ppm Cu

599196	5542545	300360	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	10, 335, 282, 1030
599197	5542500	300360	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	10, 55, 50, 1375
599198	5542475	300345	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	6, 120, 64, 961
599199	5542473	300346	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	6, 320, 144, 1540
599200	5542430	300345	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	2, 5, 8, 909
599201	5542432	300346	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	18, 40, 34, 4660
599202	5542431	300365	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp. bx	2, 5, 10, 294
599203	5542433	300411	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot., cal., py., ep., cp.	2, 5, 8, 333
599204	5542412	300304	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	32, 45, 50, 2710
599205	5542410	300306	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	36, 60, 54, 3240
599206	5542390	300312	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	10, 15, 28, 1690
599207	5542388	300313	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	8, 30, 46, 2830
599208	5542385	300310	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	32, 30, 40, 2230
599209	5542370	300312	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	2, 20, 16, 454
599210	5542367	300314	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	34, 40, 44, 2830
599211	5542365	300316	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	18, 30, 56, 2820
599212	5542335	300316	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot., cal., py., ep., cp.	6, 20, 30, 1215
599213	5542321	300300	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot., cal., py., ep., cp.	2, 30, 42, 58

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
599214	5542330	300257	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	4, 75, 80, 1200
599215	5542332	300255	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	2, 30, 32, 1250
599216	5542335	300254	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	6, 85, 102, 3120
599217	5542235	300285	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	2, 10, 4, 11
599218	5542233	300288	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	2, 15, 15, 17
599219	5541980	300460	SW (Kenny 2000)	3.0 m Pyritic hornfels, biot.,cal.,py.,ep.,cp. bx.	2, 5, 10, 156
599220	5541975	300447	SW (Kenny 2000)	3.0 m Pyritic hornfels, biot.,cal.,py.,ep.,cp. bx.	2, 10, 10, 90
599221	5542000	300410	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot.,cal.,py.,ep.,cp.	6, 5, 6, 283
599222	5542018	300406	SW (Kenny 2000)	3.0 m Hb pyroxenite, biot.,cal.,py.,ep.,cp.	2, 5, 6, 5
599223	5542132	300332	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	28, 80, 132, 3180
599224	5542152	300330	SW (Kenny 2000)	3.0 m Biotite pyroxenite, biot.,cal.,py.,ep.,cp.	10, 20, 42, 644
599225	5542185	300230	SW (Kenny 2000)	3.0 m Biotite pyroxenite, mag.,cal.,py.,ep.,cp.	2, 35, 50, 277
599226	5542520	300265	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	2, 30, 22, 718
599227	5542520	300268	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	2, 15, 14, 991
599228	5542470	300275	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	6, 15, 22, 481
599229	5542466	300280	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	4, 25, 30, 748
599230	5542461	300278	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	2, 15, 24, 908
599231	5542458	300279	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	8, 15, 16, 1345
599232	5542432	300343	SW (Kenny 2000)	3.0 m Hornblende gabbro, biot.,cal.,py.,ep.,cp. bx	2, 20, 10, 326

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.6, NW ZONE	600 N	125 W	+3734
"	"		+5034
"	"	150 W	+5138
"	"		+9177
"	"	175 W	+4938
"	"		+5019
"	"	200 W	+3386
"	"		+4409
"	"	225 W	+4929
"	"		+3918
"	"	250 W	+5911
"	"		+3074
"	"	275 W	+3311
"	"		+2090
"	"	300 W	+5101
"	"		+1897
"	"	325 W	+2921
"	"		+8641
"	"	350 W	+1211
"	"		+901
"	"	375 W	+1603
"			
"	650 N	125 W	+5632
"	"		+5538
"	"	150 W	+2363

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	SATION	READING
FIG.6, NW ZONE	650 N	175 W	+4416
"	"		+4048
"	"	200 W	+5238
"	"		+7108
"	"	225 W	+4114
"	"		+6676
"	"	250 W	+4959
"	"		+4460
"	"	275 W	+5751
"	"		+2802
"	"	300 W	+1761
"	"		+1194
"	"	325 W	+1771
"	"		+2011
"	"	350W	+1220
"	"		+960
"	"	375 W	+1863
"	700 N	150 W	+8159
"	"		+7724
"	"	175 W	+4747
"	"		+4815
"	"	200 W	+8094
"	"		+7814
"	"	225 W	+4380

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.6, NW ZONE	700 N	250 W	+7450
"	"		+6961
"	"	275 W	+1850
"	"		+1953
"	"	300 W	+1988
"	"		+2032
"	"	325 W	+1950
"	"		+2007
"	"	350 W	+1720
"	"		+1910
"	"	375 W	+1903
"			
"	750 N	125 W	+1300
"	"		+990
"	"	150 W	+901
"	"		+2902
"	"	175 W	+3490
"	"		+4110
"	"	200 W	+3080
"	"		+1408
"	"	225 W	+704
"	"		+1695
"	"	250 W	+2811
"	"		+5611
"	"	275 W	+5561

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.6, NW ZONE	750 N	300 W	+4250
"	"		+2670
"	"	325 W	+2254
"	"		+1873
"	"	350 W	+1606
"	"		+1390
"	"	375 W	+1122
"	800 N	125 W	+1866
"	"		+1904
"	"	150 W	+929
"	"		+925
"	"	175 W	+2805
"	"		+1562
"	"	200 W	+3493
"	"		+4751
"	"	225 W	+3401
"	"		+2087
"	"	250 W	+4952
"	"		+4824
"	"	275 W	+3847
"	"		+4512
"	"	300 W	+5691
"	"		+4449
"	"	325 W	+3422

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.6, NW ZONE	800 N	350 W	+3523
"	"		+1915
"	"	375 W	+1441
FIG. 7, N CENTRAL ZONE	600 N	100 E	+1199
"	"		+853
"	"	125 E	+2188
"	"		+1969
"	"	150 E	+1616
"	"		+5032
"	"	175 E	+4855
"	"		+5092
"	"	200 E	+4413
"	"		+3009
"	"	225 E	+3024
"	"		+1555
"	"	250 E	+580
"	"		+459
"	"	275 E	+652
"	"		+1210
"	"	300 E	+1290
"	"		+195
"	"	325 E	+2422
"	"		+4836
"	"	350 E	+4938

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG. 7, N CENTRAL ZONE	600 N	375 E	+1099
“	700 N	150 E	+5718
“	“		+7266
“	“	175 E	+6865
“	“		+6822
“	“	200 E	+7107
“	“		+6939
“	“	225 E	+7456
“	“		+6910
“	“	250 E	+1590
“	“		+6896
“	“	275 E	+6896
“	“		+6100
“	“	300 E	+6496
“	“		+6474
“	“	325 E	+5944
“	“		+5108
“	“	350 E	+5264
“	“		+4132
“	“	375 E	+6412
“	“		+5988
“	“	400 E	+6032
“	“		+6418
“	“	425 E	+7011

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.7, N CENTRAL ZONE	700 N	450 E	+5530
“	800 N	175 E	+5974
“	“		+5127
“	“	200 E	+5345
“	“		+6532
“	“	225 E	+6704
“	“		+7962
“	“	250 E	+1487
“	“		+6329
“	“	275 E	+6710
“	“		+8208
“	“	300 E	+8001
“	“		+6803
“	“	325 E	+6924
“	“		+5719
“	“	350 E	+6109
“	“		+7656
“	“	375 E	+5347
“	“		+5373
“	“	400 E	+2825
“	“		+5337
“	“	425 E	+5593
“	“		+6180
“	“	450 E	+3169

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.7, N CENTRAL ZONE	800 N	475 E	+2270
"	"		+2443
"	"	500 E	+2960
"			
"	900 N	200 E	+2728
"	"		+3443
"	"	225 E	+3601
"	"		+4515
"	"	250 E	+5817
"	"		+5981
"	"	275 E	+7710
"	"		+8216
"	"	300 E	+4548
"	"		+3533
"	"	325 E	+4417
"	"		+5910
"	"	350 E	+4890
"	"		+6122
"	"	375 E	+7322
"	"		+5419
"	"	400 E	+2460
"	"		-291
"	"	425 E	+8319
"	"		+4901
"	"	450 E	+363

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.7, N CENTRAL ZONE	900 N	475 E	+4827
"	"		+3113
"	"	500 E	+938
FIG. 8, NE ZONE	500 N	975 E	+1403
"	"		+1279
"	"	1000 E	+1583
"	"		+1960
"	"	1025 E	+1471
"	"		+894
"	"	1050 E	+907
"	"		+586
"	"	1075 E	+1710
"	"		
"	600 N	875 E	+1174
"	"		+1977
"	"	900 E	+2100
"	"		+1744
"	"	925 E	+890
"	"		+1290
"	"	950 E	+1127
"	"		+2207
"	"	975 E	+3101
"	"		+970
"	"	1000 E	+1186

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.8, NE ZONE	600 N	1025 E	+1140
"	"		+1700
"	"	1050 E	+1579
"	"		+1436
"	"	1075 E	+1179
"	"		+790
"	"	1100 E	+886
"	700 N	825 E	+1516
"	"		+1176
"	"	850 E	+1688
"	"		+1437
"	"	875 E	+1236
"	"		+466
"	"	900 E	+970
"	"		+1370
"	"	925 E	+1122
"	"		+909
"	"	950 E	+1279
"	"		+1437
"	"	975 E	+2107
"	"		+1197
"	"	1000 E	+790

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG. 8, NE ZONE	800 N	800 E	+903
"	"		+776
"	"	825 E	+456
"	"		+362
"	"	850 E	-117
"	"		-254
"	"	875 E	+299
"	"		+1103
"	"	900 E	+1612
"	"		+1408
"	"	925 E	+1194
"	"		+1077
"	"	950 E	+1654
"	"		+1944
"	"	975 E	+1077
"	"		+1194
"	"	1000 E	+2710
"	"		
FIG. 9, SW ZONE, KENNY 2000	500 S	450 W	
"	"		-277
"	"	475 W	-322
"	"		-474
"	"	500 W	+1106
"	"		+598
"	"	525 W	+296

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.9, SW ZONE, KENNY 2000	500 S	550 W	+809
“	400 S	425 W	-623
“	“		-103
“	“	450W	-644
“	“		+988
“	“	475 W	+1380
“	“		+1677
“	“	500 W	+2318
“	“		+2725
“	“	525 W	+3105
“	“		+1551
“	“	550 W	+1401
“	“		+245
“	“	575 W	+54
“	“		-226
“	“	600 W	+1266
“	“		+1760
“	“	625 W	+5880
“	“		+2108
“	“	650 W	+1910
“			
“	300 S	550 W	+2017
“	“		+1178
“	“	575 W	+760

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.9, SW ZONE, KENNY 2000	300 S	600 W	+220
"	"		+1270
"	"	625 W	+2100
"	"		+2707
"	"	650 W	+4103
"	"		+2713
"	"	675 W	+1190
"	"		+970
"	"	700 W	+577
"			
"	200 S	475 W	15850
"	"		+3074
"	"	500 W	+3311
"	"		+2090
"	"	525W	+5101
"	"		+1897
"	"	550 W	+2921
"	"		+8641
"	"	575 W	+1211
"	"		+901
"	"	600 W	+1603
"	"		+5632
"	"	625 W	+5538
"	"		+2263
"	"	650 W	+2209

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.9, SW ZONE, KENNY 2000	100 S	475 W	+3734
"	"		+5034
"	"	500 W	+5138
"	"		
"	"	525 W	+4938
"	"		+5019
"	"	550 W	+3386
"	"		+4409
"	"	575 W	+4929
"	"		+3918
"	"	600 W	+5911
"	"		+3074
"	"	625 W	+3311
"	"		+2090
"	"	650 W	+5101
"	"		+1897
"	"	675 W	+2921
"	"		
"	000 N	475 W	+52
"	"		+93
"	"	500 W	+591
"	"		+732
"	"	525 W	+821
"	"		+440
"	"	550 W	+443

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.9, SW ZONE, KENNY 2000	000 N	575 W	+646
"	"		+198
"	"	600 W	+132
"	"		+258
"	"	625 W	-92
"	"		+143
"	"	650 W	+356
"	"		+239
"	"	675 W	
FIG. 10, CENTRAL ZONE	400 S	125 W	+69
"	"		+51
"	"	100 W	-71
"	"		-81
"	"	75 W	+20
"	"		+74
"	"	50 W	+96
"	"		+82
"	"	25 W	+89
"	"		+78
"	"	00 W	-66
"	"		-48
"	"	25 E	-17
"	"		-76
"	"	50 E	-2

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	400 S	75 E	-61
"	"		-82
"	"	100 E	-40
"	"		-151
"	"	125 E	-73
"	"		-56
"	"	150 E	-54
"			
"	300 S	175 W	+2268
"	"		+2769
"	"	150 W	+2636
"	"		+1933
"	"	125 W	+1263
"	"		+1998
"	"	100 W	+321
"	"		+31
"	"	75 W	+114
"	"		+643
"	"	50 W	+1104
"	"		+1740
"	"	25 W	+479
"	"		+301
"	"	00 W	+1190
"	"		+3522
"	"	25 E	+769

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	300 S	50 E	+16
"	"		-52
"	"	75 E	-178
"	"		-175
"	"	100 E	-89
"	"		-24
"	"	125 E	+1
"	"		+105
"	"	150 E	+93
"	"		-20
"	"	175 E	+67
"	"		+215
"	"	200 E	+131
"	"		+67
"	"	225 E	-56
"			
"	200 S	175 W	+2696
"	"		+1845
"	"	150 W	+2307
"	"		+1560
"	"	125 W	+960
"	"		+265
"	"	100 W	+1307
"	"		+2146
"	"	75 W	+1036

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	200 S	50 W	+856
"	"		+629
"	"	25 W	+973
"	"		+690
"	"	00 W	+800
"	"		+308
"	"	25 E	+2407
"	"		+3150
"	"	50 E	+3270
"	"		+3030
"	"	75 E	+1060
"	"		+1881
"	"	100 E	+1821
"	"		+1377
"	"	125 E	+1427
"	"		+1960
"	"	150 E	+2015
"	"		+1933
"	"	175 E	+1739
"	"		1642
"	"	200 E	+1841
"	"		+964
"	"	225 E	+1912
"	"		

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE			
“	100 S	175 W	+2764
“	“		+2311
“	“	150 W	+3796
“	“		+4053
“	“	125 W	+5132
“	“		+6525
“	“	100 W	+4204
“	“		+2474
“	“	75 W	+1831
“	“		+1428
“	“	50 W	+1608
“	“		+1537
“	“	25 W	+840
“	“		+1990
“	“	000 W	+2170
“	“		+2300
“	“	25 E	+2382
“	“		+2630
“	“	50 E	+3889
“	“		+4316
“	“	75 E	+3430
“	“		+2184
“	“	100 E	+3019

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	100 S	125 E	+685
"	"		+1110
"	"	150 E	+1271
"	"		+1427
"	"	175 E	+1139
"	"		+1098
"	"	200 E	+1179
"	"		+1009
"	"	225 E	+1611
"			
"	50 S	150 W	+3970
"	"		+1629
"	"	125 W	+4023
"	"		+7168
"	"	100 W	+4114
"	"		+871
"	"	75 W	+2473
"	"		+2511
"	"	50 W	+2532
"	"		+3406
"	"	25 W	+3388
"	"		+4639
"	"	00 W	+4923
"	"		+4319
"	"	25 E	+2765

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	50 S	50 E	+1996
"	"		+1464
"	"	75 E	+1888
"	"		+1175
"	"	100 E	+735
"	"		+1339
"	"	125 E	+1494
"	"		+1332
"	"	150 E	+1369
"	000 N	175 W	+1907
"	"		+1791
"	"	150 W	+2367
"	"		+1934
"	"	125 W	+3191
"	"		+2143
"	"	100 W	+2148
"	"		+2338
"	"	75 W	+3543
"	"		+4162
"	"	50 W	+3883

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	000 N	25 W	+2794
"	"		+3358
"	"	00 W	+6058
"	"		+5862
"	"	25 E	+2794
"	"		+3895
"	"	50 E	+5296
"	"		+2065
"	"	75 E	+2244
"	"		+3201
"	"	100 E	+2082
"	"		+2083
"	"	125 E	+2344
"	"		+1965
"	"	150 E	+1860
"	"		+1664
"	"	175 E	+1429
"	"		+1536
"	"	200 E	+1279
"	50 N	150 W	+2100
"	"		+1660
"	"	125 W	+2430
"	"		+2701
"	"	100 W	+2093

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	50 N	75 W	+1775
"	"		+1825
"	"	50 W	+1867
"	"		+1632
"	"	25 W	+1836
"	"		+2161
"	"	00 W	+2910
"	"		+5387
"	"	25 E	+7198
"	"		+4360
"	"	50 E	+3003
"	"		+1865
"	"	75 E	+4415
"	"		+2743
"	"	100 E	+3416
"	"		+5448
"	"	125 E	+5172
"	"		+1282
"	"	150 E	+1512
"	"		+1421
"	"	175 E	+2910
"	"		+2442
"	"	200 E	+2503
"	"		+2634
"	"	225 E	+2200

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	100 N	175 W	+2132
"	"		+2011
"	"	150 W	+2310
"	"		+1647
"	"	125 W	+1441
"	"		+1794
"	"	100 W	+1865
"	"		+2017
"	"	75 W	+1493
"	"		+1804
"	"	50 W	+1751
"	"		+1943
"	"	25 W	+2077
"	"		+2289
"	"	00 W	+2446
"	"		+2734
"	"	25 E	+2825
"	"		+3161
"	"	50 E	+4799
"	"		+7906
"	"	75 E	+2561
"	"		+4084
"	"	100 E	+5127
"	"		+4379
"	"	125 E	+7531

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.10, CENTRAL ZONE	100 N	150 E	+3628
"	"		+3762
"	"	175 E	+4219
"	"		+3866
"	"	200 E	+3032
FIG. 11, SE ZONE	500 S	500 E	+91
"	"		-71
"	"	525 E	-290
"	"		-91
"	"	550 E	-78
"	"		-488
"	"	575 E	-606
"	"		-670
"	"	600 E	-220
"	"		-570
"	"	625 E	-444
"	"		-771
"	"	650 E	-83
"	"		-299
"	"	675 E	-790
"	"		-519
"	"	700 E	-661

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.11, SE ZONE	450 S	500 E	-88
"	"		+94
"	"	525 E	-420
"	"		-274
"	"	550 E	+447
"	"		+84
"	"	575 E	+270
"	"		-204
"	"	600 E	-425
"	"		+314
"	"	625 E	-222
"	"		-209
"	"	650 E	-289
"	"		-395
"	"	675 E	-348
"	"		-891
"	"	700 E	-691
"			
"	400 S	500 E	-671
"	"		-700
"	"	525 E	-621
"	"		-504
"	"	550 E	+456
"	"		+1725
"	"	575 E	+657

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG. 11, SE ZONE	400 S	600 E	+1863
"	"		+2464
"	"	625 E	+2143
"	"		+574
"	"	650 E	+530
"	"		-29
"	"	675 E	+286
"	"		+449
"	"	700 E	+207
"	350 S	500 E	-430
"	"		-599
"	"	525 E	-671
"	"		-720
"	"	550 E	-680
"	"		-217
"	"	575 E	+1410
"	"		+2735
"	"	600 E	+2199
"	"		+2003
"	"	625 E	+1655
"	"		+1299
"	"	650 E	+2920
"	"		+2334
"	"	675 E	+1830

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.11 , SE ZONE	350 S	700 E	+2102
FIG. 12, CHROME RIDGE	300 S	150 W	
"	"		
"	"	125 W	-45
"	"		+952
"	"	100 W	+2507
"	"		+1633
"	"	75 W	+2305
"	"		+2607
"	"	50 W	+2623
"	"		+2293
"	"	25 W	+3016
"	"		+1863
"	"	00 W	+1720
"	"		+1781
"	"	25 E	+3280
"	"		+1880
"	"	50 E	+1520
"	"		+1194
"	"	75 E	+1052
"	"		+601
"	"	100 E	+125
"	"		-1136
"	"	125 E	-1093

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDGE ZONE	300 S	150 E	-801
"	"		-377
"	"	175 E	-7
"	"		-1707
"	"	200 E	-2066
"			
"	250 S	150 W	
"	"		
"	"	125 W	-266
"	"		+7
"	"	100 W	+1402
"	"		+1688
"	"	75 W	+1941
"	"		+2311
"	"	50 W	+2903
"	"		+703
"	"	25 W	+1925
"	"		+1850
"	"	00 W	-5486
"	"		-3161
"	"	25 E	-6776
"	"		+2612
"	"	50 E	+685
"	"		-6715
"	"	75 E	-6955

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDGE ZONE	250 S	100 E	-1050
"	"		-435
"	"	125 E	-886
"	"		-644
"	"	150 E	-209
"	"		-101
"	"	175 E	-420
"	"		+110
"	"	200 E	-390
"			
"	200 S	150 W	+1816
"	"		+1686
"	"	125 W	+1156
"	"		+816
"	"	100 W	+930
"	"		+2041
"	"	75 W	+2275
"	"		+2593
"	"	50 W	+771
"	"		+715
"	"	25 W	+463
"	"		-6775
"	"	00 W	+2608
"	"		-6976
"	"	25 E	+1467

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDGE ZONE	200 S	50 E	+1464
"	"		+387
"	"	75 E	+465
"	"		-4616
"	"	100 E	-3596
"	"		-1488
"	"	125 E	-690
"	"		-99
"	"	150 E	-919
"	"		-389
"	"	175 E	-150
"	"		+3
"	"	200 E	-789
"			
"	150 S	150 W	+2062
"	"		+1435
"	"	125 W	+1092
"	"		+1239
"	"	100 W	+1774
"	"		+2441
"	"	75 W	+2143
"	"		+2162
"	"	50 W	+805
"	"		-482
"	"	25 W	+190

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDGE ZONE	150 S	00 W	+1756
“	“		+695
“	“	25 E	+1336
“	“		+4148
“	“	50 E	-1170
“	“		-510
“	“	75 E	+693
“	“		+1045
“	“	100 E	-299
“	“		-1166
“	“	125 E	-700
“	“		-188
“	“	150 E	-745
“	“		+11
“	“	175 E	-369
“	“		+220
“	“	200 E	+11
“			
“	100 S	150 W	+622
“	“		+2017
“	“	125 W	+664
“	“		+821
“	“	100 W	+2373
“	“		+2400
“	“	75 W	+1702

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDEG ZONE	100 S	50 W	+1736
"	"		-144
"	"	25 W	+3605
"	"		+3101
"	"	00 W	-6809
"	"		+1349
"	"	25 E	-3759
"	"		+508
"	"	50 E	+1058
"	"		+2077
"	"	75 E	+266
"	"		+754
"	"	100 E	-261
"	"		-1422
"	"	125 E	-1065
"	"		-1289
"	"	150 E	-969
"	"		+91
"	"	175 E	-73
"	50 S	150 W	+311
"	"		+691
"	"	125 W	+364

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.6, NW ZONE	50 S	100 W	+1254
"	"		+1830
"	"	75 W	+1754
"	"		+1947
"	"	50 W	+2308
"	"		+940
"	"	25 W	+747
"	"		+1201
"	"	00 W	-4915
"	"		+2107
"	"	25 E	+1310
"	"		+1883
"	"	50 E	+1302
"	"		+1011
"	"	75 E	+586
"	"		+474
"	"	100 E	+358
"	"		+764
"	"	125 E	-881
"	"		-2335
"	"	150 E	-1105
"	"		-1587
"	"	175 E	-889

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.12, CHROME RIDGE ZONE	00 S	150 W	+511
"	"		+321
"	"	125 W	+1130
"	"		+1279
"	"	100 W	+991
"	"		+718
"	"	75 W	+1020
"	"		+1674
"	"	50 W	+1712
"	"		+1543
"	"	25 W	+75
"	"		+568
"	"	00 E	+493
"	"		+1110
"	"	25 E	+2935
"	"		-3645
"	"	50 E	+98
"	"		+1420
"	"	75 E	+942
"	"		+419
"	"	100 E	+193
"	"		-390
"	"	125 E	-1011
"	"		-1349
"	"	150 E	-1099

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG. 12, CHROME RIDGE ZONE	00 S	175 E	-2
"	"		-99
"	"	200 E	-1487
FIG. 13, DOBBIN, ALOCIN CREEK CHROME	200 S	125 W	-511
"	"		-479
"	"	100 W	-621
"	"		-488
"	"	75 W	-652
"	"		-619
"	"	50 W	+471
"	"		+2919
"	"	25 W	+1308
"	"		+2151
"	"	00 W	+360
"	"		+80
"	"	25 E	+1409
"	"		+1293
"	"	50 E	+763
"	"		+899
"	"	75 E	+1142
"	"		-1064
"	"	100 E	-1110
"	"		-1015
"	"	125 E	-842

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative) 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000


FIG. #, AREA	LINE	STATION	READING
FIG.13, DOBBIN, ALOCIN CREEK CHROME	100 S	75W	-576
"	"		-1888
"	"	50 W	+966
"	"		+1057
"	"	25 W	+151
"	"		+77
"	"	00 W	+135
"	"		+445
"	"	25 E	+531
"	"		+785
"	"	50 E	+299
"	"		+1209
"	"	75 E	+1043
"	"		+1091
"	"	100 E	+1143
"	"		+640
"	"	125 E	-1739
"			
"	50 S	125 W	-218
"	"		-379
"	"	100 W	-597
"	"		+945
"	"	75 W	+931
"	"		+931
"	"	50 W	+1099

DOBBIN MAGNETOMETER SURVEY: Corrected data above (positive) or below (negative)
 57,000 gammas. Instrument: Geometrics G-836, Vernon/Nicola M.D. Date- Oct., 2000

FIG. #, AREA	LINE	STATION	READING
FIG.13, DOBBIN, ALOCIN CREEK CHROME	150 S	125 W	-117
"	"		-413
"	"	100 W	-768
"	"		-830
"	"	75 W	-796
"	"		-870
"	"	50 W	+2283
"	"		+1101
"	"	25 W	-75
"	"		+653
"	"	00 W	+803
"	"		+1963
"	"	25 E	+1517
"	"		+991
"	"	50 E	+283
"	"		+1326
"	"	75 E	+1634
"	"		-344
"	"	100 E	-705
"	"		-1024
"	"	125 E	-834
"			
"	100 S	125 W	-83
"	"		-569
"	"	100 W	-499

DOBBIN Cu-Pt-Pd-Au PROJECT, WHITEROCKS MTN., KELOWNA, B.C.

Sample #	Northing	Easting	Zone Name	Description	ppb Au, Pt, Pd, ppm Cu
DST-1	5542320	301200	Central Zone SE extension	Bit Ck silt, low water flow	6, 10, 6, 86
DST-2	5542490	301320	Central Zone SE extension	East tributary to Bit Ck. silt sample, low water flow	4, 5, 2, 44
DST-3	5542590	301180	Central Zone SE extension	East tributary to Bit Ck silt sample very rusty, very low water flow	10, 40, 12, 189
DST-4	5543240	301350	N central	West tributary to Bit Ck, dry creekbed	14, 5, 4, 42
DST-5	5542090	301890	SE	Dry creekbed below mineralized hornblende gabbro/pyroxenite	4, 5, 6, 129
DST-6	5543470	301140	N central	Soil sample on massive biotite pyroxenite outcrop	2, 5, 4, 61
DST-7	5542980	300905	N central	Soil resample of 550 ppm Cu in soil	4, 30, 8, 87
DST-8	5542500	300360	SW	Soil sample beside mineralized hornblende gabbro outcrop	2, 5, 4, 100
DST-9	5541900	300635	SW	Soil resample of 521 ppm Cu @ L 6+00 S, stn. 4+50 W	8, 15, 32, 554
599051	5543100	301980	NE	0.3 m wide, magnetite vein in medium grain hornblende gabbro	26, 10, 16, 246
599052	5542110	301890	SE	2.0 m Amphibole pyroxenite, minor biotite, trace cp	16, 10, 22, 478
599053	5543200	300700	NW	2.0 m Hornblende gabbro, 3% diss. py., trace cp	2, 5, 20, 268
599054	5543070	302030	NE	1.0 m Biotite pyroxenite, breccia texture trace cp., mal.	46, 15, 48, 1165
599055	5543030	301110	N central	1.0 m Amphibole pyroxenite, trace cp., mal	54, 15, 110, 2170
599056	5542400	300810	Central Zone SE extension	1.0 m Biotite pyroxenite, 1% cp., strong malachite	264, 385, 748, 4160
599057	5542180	300205	SW	1.0 m Biotite pyroxenite, cp, mal., breccia texture	14, 25, 54, 2120
599058	5543050	302015	NE	3.0 m Biotite pyroxenite, trace py., cp.	28, 5, 28, 510
599059	5543050	302012	NE	3.0 m Biotite pyroxenite, trace py., cp.	10, 10, 34, 183
599060	5543050	302008	NE	3.0 m Biotite pyroxenite, trace py., cp.	4, 5, 16, 63
599061	5543050	302005	NE	3.0 m Biotite pyroxenite, trace py., 1% cp., 0.5% mal.	268, 15, 44, 4590
599062	5543078	302045	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	22, 5, 20, 375
599063	5543092	302040	NE	3.0 m Biotite pyroxenite, trace py., cp.	14, 5, 26, 318
599064	5543080	302020	NE	3.0 m Biotite pyroxenite, trace py., cp.	36, 5, 22, 459
599065	5543083	302020	NE	3.0 m Biotite pyroxenite, trace py., cp.	19, 5, 18, 190
599066	5543077	302005	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	14, 5, 24, 461
599067	5543080	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	8, 5, 18, 364
599068	5543083	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	6, 5, 18, 220
599069	5543086	302012	NE	3.0 m Biotite pyroxenite, trace py., cp., breccia	6, 5, 14, 380



VERDSTONE GOLD CORP, MOLYCOR GOLD CORP
**WHITEROCKS MTN
 ALKALIC COMPLEX**

GEOLOGY

FIG. 5

NTS 82 L/4 W, 82 E/13 W
 ALFY 1-12, MY 18 CLAIMS
 VERNON AND NICOLA MINING DIVISIONS

- LEGEND**
- JURASSIC WHITEROCKS MTN ALKALIC COMPLEX
 - 6 Quartz diorite porphyry
 - 5 Monzonite porphyry
 - 4 Pyroxenite 4a >20% Biotite
 - 3 Hornblende gabbro (porphyritic) & Mafic monzonite
 - CARBONIFEROUS-PERMIAN-TRIASSIC CHAPPERON GROUP METASEDIMENTS
 - 12 Pyritic phyllite, schist, hornfels, minor marble (& skarn assemblage garnet-magnetite-epidote-chlorite)




0 500 m
 SCALE 1:7,200



GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT


26,560

- LITHOLOGY CONTACT
- ⊥ SWAMP
- - - FAULT
- Foliation
- Bedding
- Outcrop
- Road
- Creek
- ep epidote
- bx breccia
- py pyrite
- cp chalcopyrite
- bn bornite
- mag magnetite
- biot biotite
- cal calcite
- diss disseminated
- 1710 contour elevation in meters



**VERDSTONE GOLD CORP.,
MOLYCOR GOLD CORP.
DOBBIN NW ZONE**

FIG 6



Rock chip sample
2, 5, 20, 268
ppb Au, Pt, Pd, ppm Cu

1997 Soil
3120 ppm Cu

positive (or negative) value
in gammas above (or below)
57,000 gammas

>62,000 gammas total
field magnetometer survey

> 225 ppm Cu
1997 soil survey

- Foliation
- Bedding
- Outcrop
- Road
- Creek
- ep epidote
- bx breccia
- py pyrite
- cp chalcopyrite
- bn bornite
- mag magnetite
- biot biotite
- cal calcite
- diss disseminated



NTS 82 L/4 W, 82 E/13 W
ALFY 1-12, MY 18 CLAIMS
VERNON AND NICOLA MINING DIVISIONS

- LEGEND**
- JURASSIC WHITEROCKS MTN ALKALIC COMPLEX
 - 6 Quartz diorite porphyry
 - 5 Monzonite porphyry
 - 4 Pyroxenite 4a >20% Biotite
 - 3 Hornblende gabbro (porphyritic) & Mafic monzonite
 - CARBONIFEROUS-PERMIAN-TRIASSIC CHAPPERON GROUP METASEDIMENTS
 - 2 Pyritic phyllite, schist, hornfels, minor marble (& skarn assemblage garnet-magnetite-epidote-chlorite)


26,560

VERDSTONE GOLD CORP,
 MOLYCOR GOLD CORP

DOBBIN N CENTRAL ZONE

FIG. 7

NTS 82 L/4 W, 82 E/13 W
 ALFY 1-12, MY 18 CLAIMS
 VERNON AND NICOLA MINING DIVISIONS



- LEGEND**
- JURASSIC WHITEROCKS MTN
 ALKALIC COMPLEX
- 6 Quartz diorite porphyry
 - 5 Monzonite porphyry
 - 4 Pyroxenite 4a >20% Biotite
 - 3 Hornblende gabbro (porphyritic) & Mafic monzonite
- CARBONIFEROUS-PERMIAN-TRIASSIC
 CHAPPERON GROUP METASEDIMENTS
- 1, 2 Pyritic phyllite, schist, hornfels, minor marble (& skarn assemblage garnet-magnetite-epidote-chlorite)

- Foliation py pyrite
- Bedding cp chalcopyrite
- Outcrop bn bornite
- Road mag magnetite
- Creek biot biotite
- ep epidote cal calcite
- bx breccia diss disseminated

— Lithology contact


○ 1997 Soil
 4230 ppm Cu

○ >150 ppm Cu
 1997 Soil survey

+7656 positive (or negative) value
 in gammas above (or below)
 57,000 gammas

○ >64,000 gammas
 Total Field Magnetometer survey

Rock chip sample
 27, 625, 539, 7780
 ppb Au, Pt, Pd, ppm Cu




VERDSTONE GOLD CORP,
MOLYCOR GOLD CORP
DOBBIN NE ZONE

FIG. 8

NTS 82 L/4 W, 82 E/13 W
ALFY 1-12, MY 18 CLAIMS
VERNON AND NICOLA MINING DIVISIONS



- LEGEND
- JURASSIC WHITEROCKS MTN ALKALIC COMPLEX
 - 6 Quartz diorite porphyry
 - 5 Monzonite porphyry
 - 4 Pyroxenite 4a >20% Biotite
 - 3 Hornblende gabbro (porphyritic) & Mafic monzonite
 - CARBONIFEROUS-PERMIAN-TRIASSIC CHAPPERON GROUP METASEDIMENTS
 - 12 Pyritic phyllite, schist, hornfels, minor marble (& skarn assemblage garnet-magnetite-epidote-chlorite)



Lithology contact

Rock chip sample

- | | | |
|--|------------|-------------------|
| | Foliation | py pyrite |
| | Bedding | cp chalcopyrite |
| | Outcrop | bn bornite |
| | Road | mag magnetite |
| | Creek | biot biotite |
| | ep epidote | cal calcite |
| | bx breccia | diss disseminated |

28, 625, 534, 7780
ppb Au, Pt, Pd, ppm Cu

1997 Soil
1920 ppm Cu

> 200 ppm Cu
1997 Soil survey


+7198 positive (or negative) value
in gammas above (or below)
57,000 gammas

> 59,000 gammas
Total Field
Magnetometer survey

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

26,560

ALFY 16 ALFY 15



LEGEND


- Lithology contact
- Δ DST-9 Soil sample
- \ast 28, 625, 534, 7780 Rock Chip sample
ppb Au, Pt, Pd, ppm Cu
- \odot 1997 Soil
1920 ppm Cu
- \oplus 1997 Soil
1920 ppm Cu
- \oplus 7198 positive (or negative) value
in gammas above (or below)
57,000 gammas
- \odot >200 ppm Cu
1997 Soil survey
- \odot >59,000 gammas
Total Field
Magnetometer Survey

**VERDSTONE GOLD CORP, MOLYCOR GOLD CORP
DOBBIN SW ZONE
KENNY 2000 (FIG. 9)**

NTS 82 L/4 W, 82 E/13 W
ALFY 1-12, MY 18 CLAIMS
VERNON AND NICOLA MENING DIVISIONS



- LEGEND**
- JURASSIC WHITEROCKS MTN
ALKALIC COMPLEX
 - 6 Quartz diorite porphyry
 - 5 Monzonite porphyry
 - 4 Pyroxenite 4a >20% Biotite
 - 3 Hornblende gabbro (porphyritic)
& Mafic monzonite
 - CARBONIFEROUS-PERMIAN-TRIASSIC
CHAPPERON GROUP METASEDIMENTS
 - 2 Pyritic phyllite, schist, hornfels,
minor marble (& skarn assemblage
garnet-magnetite-epidote-chlorite)


- Foliation py pyrite
- Bedding cp chalcopyrite
- Outcrop bn bornite
- Road mag magnetite
- Creek biot biotite
- ep epidote cal calcite
- bx breccia diss disseminated



GEOLOGICAL SURVEY BRANCH
INTERIM REPORT

26,560





Rock chip sample
28, 625, 534, 7780
ppb Au, Pt, Pd, ppm Cu

1920
ppm Cu

+1918 positive (or negative) value
in gammas above (or below)
57,000 gammas

— Lithology contact zone
△ Stream sediment Sample

○ >250 ppm Cu
1997 Soil survey

● >62,000 gammas
Total Field
Magnetometer survey


Foliation py pyrite
Bedding cp chalcopyrite
Outcrop bn bornite
Road mag magnetite
Creek biot biotite
ep epidote cal calcite
bx breccia diss disseminated

VERDSTONE GOLD CORP, MOLYCOR GOLD CORP
DOBBIN CENTRAL ZONE

FIG.10

NTS 82 L/4 W, 82 E/13 W
ALFY 1-12, MY 18 CLAIMS
VERNON AND NICOLA MINING DIVISIONS

LEGEND
JURASSIC WHITEROCKS MTN
ALKALIC COMPLEX
Quartz diorite porphyry
Monzonite porphyry
Pyroxenite 4a >20% Biotite
Hornblende gabbro (porphyritic)
& Mafic monzonite
CARBONIFEROUS-PERMIAN-TRIASSIC
CHAPPERON GROUP METASEDIMENTS
Pyritic phyllite, schist, hornfels,
minor marble (& skarn assemblage
garnet-magnetite-epidote-chlorite)




GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

26,560

0 50m
SCALE 1:1000


26,560

Alfy II I.P. 150m ↗



**VERDSTONE GOLD CORP.,
MOLYCOR GOLD CORP.
DOBBIN SE ZONE**

FIG. II




Rock chip sample
28, 20, 80, 538
ppb Au, Pt, Pd, ppm Cu

NTS 82 L/4 W, 82 E/13 W
ALFY I-12, MY 18 CLAIMS
VERNON AND NICOLA MINING DIVISIONS

LEGEND

- JURASSIC WHITEROCKS MTN ALKALIC COMPLEX
- 6 Quartz diorite porphyry
- 5 Monzonite porphyry
- 4 Pyroxenite 4a >20% Biotite
- 3 Hornblende gabbro (porphyritic) & Mafic monzonite
- CARBONIFEROUS-PERMIAN-TRIASSIC CHAPERON GROUP METASEDIMENTS
- 1 2 Pyritic phyllite, schist, hornfels, minor marble (& skarn assemblage garnet-magnetite-epidote-chlorite)




+2735 positive (or negative) value
in gammas above (or below)
57,000 gammas

> 59,000 gammas total
field magnetomete
survey

- Foliation py pyrite
- Bedding cp chalcopyrite
- Outcrop bn bornite
- Road mag magnetite
- Creek biot biotite
- ep epidote cal calcite
- bx breccia diss disseminated

26,560



Soil sample
 ppm Ni
 ppm Cr

○ > 200 ppm Ni
 ○ > 58,500 gammas
 ○ < 56,000 gammas

50m
 Scale 1:1000

VERDSTONE GOLD CORP, MOLYCOR GOLD CORP
 DOBBIN CHROME RIDGE
 PT 1 CLAIM (FIG. 12)

NTS 82 L/4 W Nicola Mining Division
 DEVONIAN-TRIASSIC HARPER RANCH GRP./CARBONIFEROUS-TRIASSIC CHAPPERON GRP.

- 4 Serpentinized Harzburgite
- 3 Phyllite (meta-sandstone)
- 2 Amphibolite (meta-volcanic)
- 1 Mica schist (meta-shale sandstone)
- == grown over access road

chr. chromite
 ta. talc
 mag. magnetite
 chry. chrysotile




positive (or negative) value
 in gamma above (or below)
 57,000 gammas

VERDSTONE GOLD CORP,
MOLYCOR GOLD CORP
**DOBBIN CHROME
CR 1 CLAIM**

NTS 82 L/4 W Nicola Mining Division

DEVONIAN-TRIASSIC HARPER RANCH GRP
CARBONIFEROUS-TRIASSIC CHAPERON GRP

FIG. 13



- 4 Serpentinized Harzburgite
- 3 Phyllite (meta-sandstone)
meta-shale

chr. chromite
ta. talc
mag. magnetite
chry. chrysotile

--- road
- - - ck.

+2151 positive (or negative)
value in gammas
above (or below)
57,000 gammas

+1000 58,000 - 58,500
+1500 > 58,500

700 m
CRI
L.C.P.

