

26,665

**RECEIVED**  
NOV - 8 2001  
Gold Commissioner's Office  
VANCOUVER, B.C.

**DONEN 1-6 CLAIMS**  
Geological Assessment Report  
Greenwood Mining Division  
BCGS M82E056 & BCGS M82E066  
for  
**POWER RESOURCE CORP.**

**DONEN 1-6 CLAIMS**  
**Geological Assessment Report**

Greenwood Mining Division  
BCGS M82E056  
&  
BCGS M82E066

for

**POWER RESOURCE CORP.**  
**#501 - 905 WEST PENDER ST.**  
**VANCOUVER, B.C.**  
**V6C 1L6**

Owner  
**Dave Heyman 111754**

by  
**RENÉE BRICKNER**

November 2001

## SUMMARY

The Donen Property is located in south central British Columbia, 56 km southeast of Kelowna in the Greenwood Mining District. The property is owned 100% by Power Resources Corp. The Blizzard Property covers an area of 1.5 square kilometers encompassing an epigenetic strata bound sediment hosted uranium deposit known as the Cup Lake Uranium Deposit.

Mineralization is contained in fluvial sediments of Eocene to Miocene age. These sediments are underlain by a monzonite intrusion and are capped by late Tertiary basalt. Pleistocene glaciation has selectively eroded the area resulting in the preservation of such basalt caps. The preservation of the basalt caps in turn has protected the underlying less resistant sedimentary units that host Uranium mineralization from erosion. The topographic relief in the area varies between 4250ft to 4450ft.

The region contains several uplifted areas that represent basalt caps protecting underlying sedimentary units. In addition to the Donen 1-6 claim units, Power Resources Corp. has a 100% interest in another uranium property, the Blizzard Property, 3 km north of the Donen 1-6 claims.

Previous economic evaluation of the Cup Lake Uranium Deposit has estimated ore reserves to be 2,250,000 tonnes of grading 0.037 % uranium to yield 839,620 kilograms of uranium.

Over 16% of the Worlds electricity is generated from uranium in nuclear reactors with over 430 nuclear reactors operating in 32 countries. In addition over 400 small nuclear reactors power some 250 ships including submarines, icebreakers and aircraft carriers. The benefits of such energy sources allow ships to stay a sea for long periods without having to make refueling stops.

The Greenwood Mining Division, in particular the area in and around the Blizzard Property, is known for its Uranium deposits. Production in the 1970's at the Hydraulic and Haynes deposits indicate that the area has a potential for further uranium production.

Work on the property, twenty years ago, defined the area and Donen 1-6 Claims as containing a Uranium Deposit. In today's market, new environmental regulations and commodity prices may have an effect on the status of the property.

During June 2001, a collective 4-day field trip was conducted on the Donen 1-6 and Blizzard Properties. The work program included a two-day mapping program on the property. The mapping program allowed for the boundary of the basalt cap overlying the enriched sediments to be determined. The mapping program consisted of traverses over the property at 250 metre spacings. The completed data from the mapping program was then compiled with a biogeochemical program that was conducted during the summer, 2000. The biogeochemical program was done with the purpose of trying to determine Uranium concentrations in flora growing on the basalt cap, near the basalt cap but with underlying basement rock and flora located in areas where Uranium concentrations are background levels. The purpose was to experiment with alternate methods of Uranium detection and enrichment in an environmentally friendly manner. The 2000, program was determined to be inconclusive due to a too limited number of samples collected. It was recommended that a more extensive and numerous biogeochemical survey be done on the property in order for a more accurate correlation. Prior to a more extensive biogeochemical survey, it was necessary to map the extension of the basalt cap.

## **TABLE OF CONTENTS**

	<b>Page #</b>
<b>Summary</b>	2
<b>Introduction</b>	6
<b>Location and Access</b>	6
<b>Claim Data</b>	6
<b>Previous work</b>	10
<b>Regional Geology</b>	10
<b>Local Geology</b>	10
<b>Assessment</b>	12
<b>Results</b>	12
Rock Samples	13
2000 Biogeochemical Analysis	14
<b>Conclusion</b>	15
<b>Recommendations</b>	16
<b>Statement of Cost</b>	17
<b>References</b>	18
<b>Statement of Qualifications</b>	19
<b>Appendix I</b>	20
Assay Results - ALS Chemex	
<b>Appendix II</b>	24
Photos	
<b>Appendix III</b>	28
2000 Biogeochemical Analysis - Actlabs	

**List of Figures**

**Following page**

**Map of Area**

**6**

**Location Map**

**7**

**Regional Claim Map**

**8**

**Claim Map**

**10**

## INTRODUCTION

The Donen 1-6 Claims are 6 claim units measuring 1 km by 1.5 km. Staked by David Heyman in 1999, Power Resources has a 100% right and interest in the property. The property is located in the Greenwood Mining Division, British Columbia approximately 54km southeast of Kelowna.

This report and the following work was written and completed at the request of Power Resources Corp. It reviews and combines previous work and reports on work carried out since 1967. Recommendations are made for further exploration consisting of further geochemical sampling and more importantly a more extensive biogeochemical sampling program.

## LOCATION AND ACCESS

The Donen 1-6 Claims consists of 6 claim units located 54 km southeast of Kelowna, British Columbia to the east of Lassie Lake. The property is accessible by road from Kelowna via Highway 33 for ~65km, then by Trapping Creek and Lassie Lake logging roads for an additional ~37km. Logging roads run near east-west along the south border of the property and north-south up along the central and western portion of the property. Additional roads are present although their access is limited.

The property ranges in elevation from ~4250 ft to ~4450 ft. The property contains a topographic high of moderate relief, which is the result of a basalt cap situated in the centre and to the east of the property. The cap slopes are low incline. Outcrop on the property is limited to only areas of higher elevation and underlain by basalt. On the basalt cap, average outcrop is about up to 25% where as the lower elevations no outcrop was noted. On average, the property contained >5% exposure.

## CLAIM DATA

Claim Name	Tenure No.	No. of Units	Expiry Date
Donen	371010	1	Aug. 10, 2002
Donen	371011	1	Aug. 10, 2002
Donen	371012	1	Aug. 10, 2002
Donen	371013	1	Aug. 10, 2002
Donen	371014	1	Aug. 10, 2002
Donen	371015	1	Aug. 10, 2002

Location Map (Figure 1)

KELOWNA





Highway 33

Trapping Creek Rd.

DONEN 1-6  
PROPERTY

BEAVERDELL



POWER RESOURCE CORP.

PROPERTY LOCATION  
MAP


Greenwood Mining Division

Scale:  
As shown

Date:  
Nov. 2001

Figure: 1





**Legend**

- Basalt 
- Granite 
- Roads 
- Slopes 
- Traverse Lines 
- 2001 Sample Locations 
- 2000 Biogeochemical Sample Locations 

0 41 SCALE 500 m

<b>Power Resources Ltd.</b>		
<b>DONEN 1-6 CLAIMS</b>		
Compilation Map Greenwood Mining District		
Date: Oct. 2001	Compiled by: Renee Brickner	Figure 2

360,000 E

365,000 E

5,500,000 N


5,500,000 N

5,495,000 N


5,495,000 N

360,000 E

365,000 E



**SCALE**



**Power Resources Ltd.**

**DONEN 1-6 CLAIMS**

LOCATION MAP

Greenwood Mining Division  
BCGS - M082E66 & BCGS M082E56

Date: Oct. 2001

Compiled by:  
Renee Brickner

Figure 3

## **PREVIOUS WORK**

The property was staked in 1971 for Nissho-Iwai Canada Ltd. following radiometric and water geochemical surveys. Work prior to the 1980 uranium moratorium consisted of 16 holes totaling 1045 metres of diamond drilling in 1972, 1045 metres of diamond drilling in 1973 and 40 holes totaling 3149 metres of diamond drilling in 1979 done for the Power Reactor and Nuclear Fuel Development Corporation of Japan which defined the Cup Lake Uranium Deposit. Following drilling the property was divided into two mineralized areas; the northern part contains higher-grade reserves than the southern part, 2000 metres to the southeast. Total ore reserves were estimated to be 2,500,000 tonnes grading 0.037 percent uranium to yield 839,620 kilograms of uranium (Assessment Report 8105). In August 1999, the Donen 1-6 claims were staked based on previous work and results in the area. Work done during the summer 2000 included biogeochemical sampling used to test uranium levels in the local flora. Six biogeochemical samples were taken and analyzed. Samples were collected from scraping the bark of Lodgepole Pine trees and sent to Activation Laboratories Ltd. in Ancaster, Ontario for analysis.

## **REGIONAL GEOLOGY**

The regional area is underlain by biotite gneisses of Proterozoic age called the Moanshee Group. The Moanshee Group is reported to have spectrometer background readings ranging from 3000-5000 counts per minute. Overlying these is the Anarchist Group; a thick interbedded volcanic and sedimentary sequence of greenstones and greywackes of Paleozoic age. Low background spectrometer readings for the Anarchist Group is below 2000 counts per minute.

The Cretaceous Valhalla hornblende granodiorite and Nelson biotite granodiorite plutonic rocks intrude the Anarchist Group. The Valhalla and Nelson granodiorites are reportedly believed to be the source of uranium mineralization found in the area. Spectrometer readings from the Valhalla and Nelson intrusives range between 2000-3000 counts per minute. Early Tertiary rocks include poorly sorted and well-lithified conglomerate and sandstone with carbonaceous siltstone beds, of the Kettle River Group overlying the Cretaceous intrusive rocks. The Kettle River Group is overlain by the Middle Tertiary (Oligocene) Phoenix Group volcanics which in turn is intruded by the Coryell syenite intrusion. Late Tertiary poorly consolidated sediments post date the Coryell syenite intrusives and have been identified, through drilling, as the target for uranium exploration. This unit is very poorly exposed. An olivine basalt cap, consisting of porphyritic dacite and dacite tuff, overlies the loosely consolidated sediments thus protecting the unit from Pleistocene glaciation and preserving the Uranium mineralization.

## **LOCAL GEOLOGY**

The Donen 1-6 Claims combined measures 1 km east-west by 1.5 km north-south. The property covers an area characterized by a topographic high, which marks the location of a basalt cap. Previous drilling in the 1970's shows the basalt caps in the area to overlie loosely consolidated sediments which host Uranium mineralization.

360,000 E


365,000 E

N 5,500,000

N 5,500,000

N 5,493,000


N 5,493,000



360,000 E

365,000 E

**SCALE**



**Power Resources Ltd.**

**DONEN 1-6 CLAIMS**

CLAIM MAP

Greenwood Mining District

BCGS - M082E66 & M082E56

Date: Oct. 2001

Compiled by:  
Renee Brickner

Figure 4

Preliminary mapping of the Donen 1-6 Claims confirmed and identified a dark green fine-medium grained crystalline olivine basalt cap, weakly to moderately magnetic with weak, local rusting on weathered surfaces.

The mapping program was able to identify only one location on the southwest corner of the claim group where Cretaceous basement rocks were outcropping. The sample is described as being an equigranular coarse-grained biotite granodiorite. Previous reports in the area describe the basement rock as having varying texture between fine grain aphanitic equigranular mass to pegmatitic hetrogranular segregation within a biotite granodiorite.

## **ASSESSMENT WORK**

The Donen 1-6 Claims have been identified as hosting a uranium deposit. Current uranium prices in addition to political and environmental factors may change the status of deposit to a resource status. It was recommended that work on the property be targeted towards alternative exploration methods to test for uranium mineralization. While these alternative methods are still of interest to the company, it was deduced that a program focusing on mapping was needed prior to a more detailed biogeochemical survey of the property.

The June 2001 work program included mapping of the Donen 1-6 claims along traverses spaced at 250 metres. The mapping program was done to identify the contact of the basalt cap with the underlying basement rock so that a better correlation could be made between the lithology and biogeochemical sampling.

Rock grab samples were sent out for assaying to test for gold, platinum, palladium plus 32-element ICP analysis, including uranium. During the 2000 exploration, rock grab samples were only tested for uranium content. Samples taken from the 2001 exploration will be tested for a larger range of elements.

## **RESULTS**

The 2001 mapping program was successful in identifying the approximate contact of the basalt cap with the underlying basement rock. Combining the previous 2000 work program resulted in a better understanding and correlation of the biogeochemical results with the known lithology.

The Donen 1-6 Claims offer a unique opportunity to test alternative methods on a proven deposit as alternative results can be analysed in an area of proven mineralization and later collaborated as to their accuracy and effectiveness.

Alternative methods such as biogeochemical analysis can be beneficial in the exploration for mineral deposits in glaciated terrains. Metals present in the ground may be absorbed by the root systems of the local flora transferring the metals to the plant. The metals may originate from the soil, bedrock or ground water. The root system of a large tree may penetrate to

depths allowing for metal representation from deep underlying bedrock thus representing several sources such as soil groundwater and bedrock.

Biogeochemical Sampling done the previous year showed variations in the Uranium content with the greatest abundance of uranium in low lying areas and lower amounts in areas of higher elevation. It was for this reason that it was suggested that a greater number of biogeochemical samples be collected in a more detailed program. Prior to a more detailed program a better knowledge of the lithology was required. During the mapping, several samples were collected and two were sent to ALS Chemex in Vancouver for analysis.

### Rock Samples

A total of 6 samples were collected. Of the six samples 5 were collected from the basalt cap and only one sample was collected from the underlying basement rock. Due to the homogeneous nature of the basalt cap and the intent of the assay, it was deemed that only one sample from the basalt samples would be submitted for assaying along with the sample taken from the underlying basalt.

DN-01-01 – 629358

Coarse grained granite.

60% feldspar, 30% quartz and 10% biotite.

Crystals are equigranular and sample is essentially homogenous.

Non-magnetic with trace pyrite.

Fresh surface shows good euhedral crystals and is a dark buff colour with no sulphide pitting.

DN-01-02 –no assay

Weathered Surface – brown and tan surface

Fresh Surface – dark grey with lighter (green) minerals

Fine grained weakly fractured Basalt containing olivine crystals with pyroxenite

Mineral Comp. – Homogenous

Dark minerals 60%, olivine 35% (weathers to orange/rusty)

Locally v. weakly magnetic with weak rusty weathering

DN-01-03 - 629357

Medium grained basalt. Mostly olivine. Trace py. Massive homogeneous. Weakly to moderately locally magnetic. Weathered Surface – light brownish to buff coloured weathering

Fresh Surface – dk. grey with greenish crystals showing concoidal fracturing

Medium grained weakly fractured basalt

Mineral Comp. – fine-medium grained homogenous

Pyroxenite– 55%, olivine – 44% and sulphides <1%

Locally moderately-weakly magnetic

DN-01-04 – no assay

Medium grained basalt. Mostly olivine. Trace py. Massive homogeneous. Weakly magnetic.  
Weathered Surface – light brownish/orange weathering  
Fresh Surface – dk. grey with greenish crystals with concoidal fracturing (olivine)  
Medium grained weakly fractured basalt  
Mineral Comp. – homogenous  
Pyroxenite– 60%, olivine – 40% and sulphides <1%  
Weathered surface shows moderate rusty weathering

DN-01-05 – no assay

Fine to medium grained basalt. Trace py. Massive homogeneous.  
Weathered Surface – light brownish/orange weathering  
Fresh Surface – dk. grey with greenish crystals showing concoidal fracturing  
Medium grained weakly fractured basalt  
Mineral Comp. –homogenous  
Pyroxenite– 60%, olivine – 40% and sulphides 1%  
Locally weakly magnetic with weak rusty weathering

DN-01-06 – no assay

Medium grained basalt. Mostly olivine. Trace py.  
Weathered Surface – light brownish weathering  
Fresh Surface – dk. grey with greenish crystals showing concoidal fracturing  
Medium grained massive basalt  
Mineral Comp. – fine grained homogenous  
Pyroxenite– 60%, olivine – 40% and sulphides <1%  
Locally moderately-weakly magnetic with moderate rusty weathering

Two samples were sent to ALS Chemex in Vancouver, Canada for analysis. The analysis included gold, platinum, palladium plus a 32 element, which includes uranium, ICP analysis.

Sample DN-01-03 – 629357 contained no obvious levels of elevated uranium although it was very weakly anomalous in nickel, 182 ppm (0.018%).

Sample DN-01-01 – 629358 contained no obvious elevated uranium as would be expected due to the fact that the granite is the source of the uranium prior to the sedimentary enrichment. The sample did contain anomalous levels of gold, 100 ppb (0.1 g/t).

### **2000 Biogeochemical Analysis**

A total of 6 samples were collected during the 2000 Work Program on the property and sent to Actlabs in Ancaster, Ontario (Appendix III).

Some problems that must be taken into consideration when conducting a biogeochemical program such as the 2000 work program are subtle variations that may occur to offset the reliability of the biogeochemical samples. Such factors include; type of tree, which part of the tree is being sampled, time of year and age of tree. To minimize such variations we collected samples from one tree type (Lodgepole Pine) and from trees of similar age. All the samples were bark scrapings that eliminates sample type variations and the time of year is of no concern because bark mineralization is not affected by seasonal changes.

## **CONCLUSION**

Analytical results from the 2000 Work Program combined with the 2001 geological mapping program shows that the biogeochemical samples collected from an area overlying the basalt cap are deficient in Uranium while those collected overlying the basement granodiorite rocks are elevated in uranium.

Differences in relative uranium content may be affected by several factors including:

- 1) Underlying lithological uranium enrichment. Previous work on the Blizzard Property concluded that the granodiorite basement rocks were the initial source of uranium thus explaining the granodiorite basement rocks elevated uranium levels. This would in turn create elevated uranium levels in the overlying flora. On the other hand, the basalt cap is depleted in uranium and unless fractures are present to allow uranium seepage, little uranium mobilization through ground water would occur to elevate uranium levels at surface the observer would expect depleted levels in the flora overlying the basalt cap.
- 2) Another factor may be topographic elevation. Uranium is relatively mobile in groundwater and any uranium at or near surface would be highly susceptible to ground water movement. As such, areas of high elevation would be continually leached of uranium if a uranium source were present. Areas of low elevation would be in turn saturated with uranium from other sources of higher elevation. Since the basalt cap tends to be higher in elevation than the granodiorite basement rock the flora overlying the basalt would be depleted and the flora overlying the low lying granodiorite would be elevated in uranium due to the mobility of uranium in ground water.

The company may want to further explore the basement rock for gold. One grab sample taken from the granitic basement rock returned anomalous gold values assaying 100 ppb gold.

## **RECOMMENDATION**



Previous assessment on the Donen 1-6 Claims has defined a uranium deposit(The Cup Lake Uranium Deposit). In today's market, new environmental regulations, commodity prices and political constraints may have an effect on the status of the property. On the other hand, as nuclear power plants regain favour due to increased safety standards and the increasing prices of fossil fuels uranium may become a more widely accepted energy source in the future.

The recommendation for further work on the Donen 1-6 claims is based on both work carried out in 2000 and 2001. Further work on the property should be in the form of alternative exploration methods as the property provides an ideal area to test alternative methods such as biogeochemical analysis and geophysics. Such methods, though not proven to identify mineralization, are more cost effective. Further biogeochemical analysis coupled with an areomagnetic survey is recommended in addition to a radiometric survey to determine areas of elevated radioactivity. In order to better interpret the varying levels of uranium on the Donen 1-6 Claims using biogeochemical analysis, a more conclusive sampling program must be implemented.

**In addition to additional biogeochemical work, it is recommended that additional sampling be done to test the underlying basement rock. Further work should target additional sampling of the basement rock and following results additional claim units should be added.**

## STATEMENT OF COSTS

<b>GEOLOGICAL MAPPING</b>		
Geologist:	\$350/day for 2 days	\$ 700.00
Geological Assistant:	\$250/day for 2 days	\$ 500.00
 <b>SAMPLES ANALYSIS</b>		
	Sample Preparation and Analysis	
	2 samples @ \$19.74	\$ 39.48
 <b>ACCOMMODATIONS</b>		
	Lodging 1 night@ \$30/night per person	\$ 60.00
	Food	\$ 122.49
 <b>OTHER</b>		
	Geological compilation,	
	Gold Brick Exploration	\$ 1000.00
	Equipment rental (\$50.00/day)	\$ 100.00
	Truck Rental (\$60.00/day)	\$ 120.00
	Mileage (635km @ \$0.25/km)	\$ 158.75
	Camp Costs (\$25/night/person)	\$ 50.00
	Gas, Toll and Parking	\$ 76.68
<hr/>		
<b>TOTAL BUDGET PHASE ONE</b>	<b>\$2,927.40</b>	
	<b>G.S.T. 7% (864262092)</b>	<b>\$ 204.92</b>
	<b>Total</b>	<b>\$3,132.32</b>
<hr/>		

## REFERENCES

Dunn, Colin E., 2000, Biogeochemical exploration methods in the Canadian Shield and Cordillera., Geological Survey of Canada, not in print

<http://www.science.org.au/nova/002/002key.htm>, Uranium Mining, Prospect or suspect – uranium mining in Australia

<http://www.worldwideminerals.com/WWS/InvRel.nsf/Public/Uranium>, Uranium Fact Sheet, Uranium History

<http://www.em.gov.be.ca/cgi-shl/dbml.exe?templa.../search&mode=capbib&minfilno=082ENE04>

Brickner, R.D., 2000, Donen 1-6 Claims – Geological Assessment Report

## STATEMENT OF QUALIFICATIONS

I, Renee D. Brickner, of 3636 W 30<sup>th</sup> Ave. Vancouver, British Columbia hereby certify:

I am a graduate of the University of Saskatchewan (1999) and hold a B.Sc.H. with a major in Geology.

I have experience in mineral exploration in the Yukon Territory, British Columbia, Ontario and Peru as well as having done educational research in Northeastern British Columbia.

I have prepared this report for Power Resource Corp. of #501-905 W. Pender St. Vancouver, British Columbia and have been working in my field on a full time basis since graduation.

I have not received or expect to receive any interest in the properties Power Resource Corp. and do not beneficially own, directly or indirectly, any securities of the company.

This report is based on examination of reports and information previously compiled and information and work originally conducted during a 2000 and 2001 work program.

I consent to the use of this report, or summary thereof, in a statement of material facts or for use in documents filed with any regulatory authority.

Dated at Vancouver, British Columbia, this 7<sup>th</sup> day of November 2001.

Renée Brickner, B.Sc. Geo.

## **APPENDIX I**

**ALS Chemex**

AURORA LABORATORY SERVICES LTD.

212 Brooksbank Ave, North Vancouver BC Canada V7J 2C1

Phone: 604-984-0221 Fax: 604-984-0218 Website: www.alschemex.com

**FAX DATA REPORT****COMPANY : GOLD BRICK ENTERPRISES LTD.****CONTACT : ATTN: RENEE BRICKNER****FAX NUMBER : 604-669-5886**

---

**SENDER : RON****DATE SUBMITTED : 8-NOV-01 at 14:46 PDT****NO OF PAGES : 3 INCL COVER****SUBJECT : Automated FAX data delivery**

---

**DESCRIPTION :**

**Results for workorder A0127703 - Project :**  
**15 samples received on 29-OCT-01 by our Vancouver office**  
**This workorder has all data entered**

**FAX COPY ONLY - A certified copy will be sent through the mail**

If there are any problems with this transmission, please call our office immediately at 604 984 0221

ALS Chemex charges clients \$0.50 per page of analytical results faxed within North America and \$2.00 per page faxed outside North America (billed monthly)

---

This facsimile contains privileged and confidential information intended only for the use of the addressee. If you are not the addressee, you are hereby notified that you must not disseminate, copy or take action in respect of its contents. If you have received the facsimile in error please notify ALS Chemex immediately and return it to the above fax.

A Campbell Brothers Limited Company



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-664-0221 FAX: 604-664-0218

To: GOLD BRICK ENTERPRISES LTD. \*\*

501 - 905 W. PENDER ST.  
 VANCOUVER, BC  
 V8C 1L6

Page Number : 1-A  
 Total Pages : 1  
 Certificate Date : 07-NOV-01  
 Invoice No. : 10127703  
 P.O. Number :  
 Account : SXL

Project :  
 Comments: ATTN: RENEE BRICKNER

## CERTIFICATE OF ANALYSIS A0127703

SAMPLE	PREP CODE	Weight Kg	Au ppb ICP-MS	Pt ppb ICP-MS	Ni ppb ICP-MS	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
N629335	04139402	1.26	13	71.0	87	1.0	1.32	< 2	20	50	< 0.5	4	0.51	< 0.5	116	238	419	7.76	10	< 1
N629338	04139402	2.18	11	61.5	58	< 0.2	2.57	< 2	40	40	< 0.5	< 2	0.74	< 0.5	93	239	459	6.63	10	< 1
N629339	04139402	1.84	40	147.0	190	2.6	2.91	< 2	< 10	10	< 0.5	6	0.36	< 0.5	133	331	1695	7.47	< 10	< 1
N629340	04139402	1.42	185	4.5	2	10.2	< 0.01	40	< 10	< 10	0.5	< 2	0.01	14.5	72	42	6840	>15.00	< 10	< 1
N629341	04139402	1.44	89	90.5	650	9.0	0.74	16	< 10	50	< 0.5	2	2.39	2.0	53	138	8830	3.80	< 10	< 1
N629343	04139402	1.18	30	263	850	2.8	0.32	< 2	160	130	< 0.5	4	1.37	< 0.5	44	56	900	10.90	< 10	2
N629346	04139402	3.30	69	4.0	2	43.2	0.02	146	< 10	< 10	1.5	< 2	4.99	114.5	284	3	>10000	>15.00	< 10	3
N629348	04139402	1.94	1	< 0.5	< 1	1.2	1.88	2	< 10	< 10	< 0.5	4	1.62	< 0.5	38	10	237	7.18	< 10	< 1
N629349	04139402	1.38	2	14.5	49	1.8	1.86	6	80	40	< 0.5	< 2	1.07	< 0.5	116	720	400	7.82	< 10	< 1
N629350	04139402	2.02	29	1.0	1	10.6	0.03	18	< 10	< 10	0.5	< 2	0.09	< 0.5	24	114	2760	>15.00	< 10	< 1
N629351	04139402	1.98	155	3.0	1	8.8	0.01	44	< 10	< 10	0.5	6	0.97	29.5	44	39	5490	>15.00	< 10	< 1
N629352	04139402	1.72	26	< 0.5	< 1	2.8	2.69	64	< 10	< 10	< 0.5	6	0.85	< 0.5	31	96	129	9.30	< 10	< 1
N629354	04139402	2.28	240	203	1970	7.8	0.37	12	1260	10	< 0.5	< 2	1.14	< 0.5	383	79	>10000	8.77	< 10	< 1
N629357	04139402	1.06	1	< 0.5	2	1.4	2.15	2	10	30	0.5	6	1.24	< 0.5	44	51	65	6.75	< 10	< 1
N629358	04139402	0.92	100	< 0.5	4	0.8	0.73	2	< 10	70	< 0.5	6	0.28	< 0.5	3	85	40	1.66	< 10	< 1

CERTIFICATION: \_\_\_\_\_



# ALS Chemex

Aurora Laboratory Services Ltd.  
 Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2G1  
 PHONE: 604-664-0221 FAX: 604-664-0218

To: GOLD BRICK ENTERPRISES LTD. \*\*

501 - 805 W. PENDER ST.  
 VANCOUVER, BC  
 V6C 1L8

Page Number : 1-B  
 Total Pages : 1  
 Certificate Date : 07-NOV-01  
 Invoice No. : 10127703  
 P.O. Number :  
 Account : SXL

Project :  
 Comments: ATTN: RENEE BRICKNER

## CERTIFICATE OF ANALYSIS A0127703

SAMPLE	PREP CODE	K %	Ca ppm	Hg %	Mn ppm	Na ppm	Ni %	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Si ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
N629335	94139402	0.06 < 10	>15.00	1025	< 1	0.03	1930	200	2	0.16	6	6	37	0.02	< 10	< 10	10	< 10	60	
N629338	94139402	0.09 < 10	10.45	755	< 1	0.10	1145	180	< 2	0.45	6	4	45	0.05	10	< 10	20	< 10	48	
N629339	94139402	0.06 < 10	7.69	615	< 1	0.02	2130	200	6	1.10	2	3	30	0.05	10	40	31	< 10	80	
N629340	94139402	0.01 < 10	0.17	35	31	0.01	28	110	186	>10.00	12	< 1	106	< 0.01	20	40	< 1	10	>10000	
N629341	94139402	0.08 < 10	1.19	495	2	0.02	955	370	110	1.50	< 2	3	114	0.04	10	40	19	< 10	198	
N629343	94139402	0.14 < 10	0.28	215	2	0.04	1235	630	6	0.93	< 2	2	95	0.29	30	50	45	< 10	30	
N629346	94139402	0.02 < 10	0.07	540	84	0.01	42	200	688	>10.00	32	1	152	0.01	10	50	20	10	>10000	
N629348	94139402	0.06 < 10	1.14	600	5	0.06	14	3540	< 2	2.58	< 2	5	31	0.40	10	20	122	< 10	94	
N629349	94139402	0.05 < 10	>15.00	890	< 1	0.01	1395	130	< 2	0.20	8	13	16	0.04	10	30	51	< 10	42	
N629350	94139402	0.03 < 10	0.08	50	58	0.02	25	190	26	>10.00	12	< 1	110	0.03	30	30	< 1	20	1215	
N629351	94139402	< 0.01	< 10	0.10	65	31	0.01	16	130	160	>10.00	12	< 1	135	< 0.01	10	30	< 1	10	>10000
N629352	94139402	0.01 < 10	2.29	990	8	0.06	41	860	< 2	4.20	2	7	27	0.45	20	30	122	10	240	
N629354	94139402	< 0.01	< 10	0.15	70	9	0.04	6420	460	6.27	6	1	37	0.18	< 10	30	24	10	450	
N629357	94139402	0.09	10	4.53	960	< 1	0.29	182	1580	< 2	0.16	6	2	116	0.23	10	10	43	< 10	98
N629358	94139402	0.19	< 10	0.12	535	< 1	0.09	19	600	6	0.03	< 2	1	24	0.06	10	10	25	< 10	66

CERTIFICATION: \_\_\_\_\_



## **APPENDIX II**

Figure 1: Typical Basalt from the Donen 1-6 claims (Samples 2-6)



Figure 2: Photo shows the massive, well-rounded basalt cap as seen on the Donen 1-6 claims.



Figure 3: Photo shows the massive, well-rounded basalt cap as seen on the Donen 1-6 claims, looking to the south.



## **APPENDIX III**

Quality Analysis...



Innovative Technologies

Invoice No.: 20206  
Work Order: 20526  
Invoice Date: 13-SEP-00  
Date Submitted: 28-AUG-00  
Your Reference: DONEN/BLIZZARD  
Account Number: P011

POWER RESOURCES  
501-905 W. PENDER ST.  
VANCOUVER, BC  
V6C 1L6  
ATTN: RENEE BRICKNES

CERTIFICATE OF ANALYSIS  
-----

15 VEGETATIONS (PREP.REV3) were submitted for analysis.  
3 ROCKS (PREP.REV3) were submitted for analysis.

The following analytical packages were requested. Please see our current fee schedule for elements and detection limits.

REPORT 20206 CODE 5D-U-TOTAL - DNC

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

CERTIFIED BY :

  
\_\_\_\_\_  
DR E. HOFFMAN/GENERAL MANAGER

ACTIVATION LABORATORIES LTD.

1336 Sandhill Drive, Ancaster, Ontario Canada L9G 4V5 TELEPHONE +1.905.648.9611 or +1.888.228.5227 FAX +1.905.648.9613

E-MAIL [ancaster@actlabs.com](mailto:ancaster@actlabs.com) ACTLABS GROUP WEBSITE <http://www.actlabs.com>

Activation Laboratories Ltd. Work Order: 20526 Report: 20206

Sample ID	U ppm
BZS-001	4.4
BZS-002	4.7
BLS-003	2.7
BLS-004	1.2
BZS-005	0.6
BLS-006	-0.1
BZS-007	0.9
BZS-008	7.6
BZS-009	2.9
DNS-001	-0.1
DNS-002	1
DNS-003	1.1
DNS-004	1.8
DNS-005	0.9
DNS-006	0.3
DNR-001	0.6
DNR-002	1
DNR-003	1
DNR-003 Pulp Dup	1.2