

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

26,735

Vol. 3/3

**2001 DIAMOND DRILLING
ASSESSMENT REPORT
ON THE RDN 1 - 18 CLAIMS
VOLUME III
(Appendices VII-IX, CD Roms)**

Located in the Eskay Creek Area
Liard Mining Division
British Columbia, Canada

NTS 104B-15E, 104G-2E
57°00' North Latitude
130° 39' West Longitude

Prepared for

Newmont Exploration of Canada Limited
10101 East Dry Creek Road
Englewood, Colorado, 80112

Prepared by

M.A. Stammers, P. Geo.
and
A.T. Montgomery, P. Geo.

December 2001

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE RDN 1 -18 CLAIMS
VOLUME III

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 LOCATION, ACCESS & PHYSIOGRAPHY	1
3.0 CLAIM STATUS.....	2
4.0 EXPLORATION HISTORY.....	3
5.0 2001 EXPLORATION PROGRAM.....	9
6.0 REGIONAL GEOLOGY.....	11
6.1 Stratigraphy.....	12
6.2 Intrusives	15
6.3 Structure	15
7.0 GEOPHYSICS.....	16
7.1 Summary	16
7.2 Max-Min II Electromagnetic Survey	17
7.3 Re-Interpretation of UTEM.....	19
8.0 DIAMOND DRILLING.....	19
8.1 Introduction.....	19
8.2 Lithological Descriptions.....	20
8.3 Wedge Zone.....	26
8.3.1 Section 9400N.....	27
8.3.2 Section 9200N.....	29
8.3.3 Section 9600N.....	30
8.3.4 Section 10000N.....	30
8.3.5 Section 10200N.....	31
8.4 RDN South.....	32
9.0 DISCUSSION.....	33
10.0 RECOMMENDATIONS.....	35

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE RDN 1 -18 CLAIMS
VOLUME III

LIST OF TABLES

		<u>Page</u>
Table 1	List of Claims.....	3
Table 2	RDN Exploration History.....	5
Table 3	Significant 1990-1991 Drill Intersections.....	6
Table 4	Regional Stratigraphic Summary.....	14
Table 5	2001 Diamond Drill Hole Summary.....	20

LIST OF FIGURES

		<u>Following page</u>
Figure 1	Location Map.....	1
Figure 2	Claim Map.....	2
Figure 3	Simplified Regional Geology.....	11
Figure 4	Drill Hole (RDN01-14) Location Plan Map.....	32
Figure 5	Drill Hole (RDN01-15) Location Plan Map.....	32
Figure 6	Drill Hole (RDN01-16) Location Plan Map.....	32

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE RDN 1-18 CLAIMS
VOLUME III

<u>LIST OF PLATES (In Map Pockets-Volume II)</u>	<u>Scale</u>
Plate 1a: Wedge Zone Drill Hole Plan	1:5,000
Plate 1a-Overlay: Wedge Zone, UTEM Anomaly Location Map	1:5,000
Plate 1b: RDN South Drill Hole Plan	1:10,000
Plate 1b-Overlay: RDN South, UTEM Anomaly Location Map	1:10,000
Plate 2a: Wedge Zone Section 9200N-Geology/Gold Geochemistry	1:500
Plate 2b: Wedge Zone Section 9200N-Geochemistry	1:500
Plate 2c: Wedge Zone Section 9200N-Alteration	1:500
Plate 3a: Wedge Zone Section 9400N-Geology/Gold Geochemistry	1:500
Plate 3b: Wedge Zone Section 9400N-Geochemistry	1:500
Plate 3c: Wedge Zone Section 9400N-Alteration	1:500
Plate 4a: Wedge Zone Section 9600N-Geology/Gold Geochemistry	1:500
Plate 4b: Wedge Zone Section 9600N-Geochemistry	1:500
Plate 4c: Wedge Zone Section 9600N-Alteration	1:500
Plate 5a: Wedge Zone Section 10000N-Geology/Gold Geochemistry	1:500
Plate 5b: Wedge Zone Section 10000N-Geochemistry	1:500
Plate 5c: Wedge Zone Section 10000N-Alteration	1:500
Plate 6a: Wedge Zone Section 10200N-Geology/Gold Geochemistry	1:500
Plate 6b: Wedge Zone Section 10200N-Geochemistry	1:500
Plate 6c: Wedge Zone Section 10200N-Alteration	1:500
Plate 7a: Camp Zone Section - 4900N-Geology/Gold Geochemistry	1:500
Plate 7b: Camp Zone Section - 4900N-Geochemistry	1:500
Plate 7c: Camp Zone Section - 4900N-Alteration	1:500
Plate 8a: Sand Lake Zone Section 2540N-Geology/Gold Geochemistry	1:500
Plate 8b: Sand Lake Zone Section 2540N-Geochemistry	1:500
Plate 8c: Sand Lake Zone Section 2540N-Alteration	1:500
Plate 9a: Boundary Zone Section 900N-Geology/Gold Geochemistry	1:500
Plate 9b: Boundary Zone Section 900N-Geochemistry	1:500
Plate 9c: Boundary Zone Section 900N-Alteration	1:500

2001 DIAMOND DRILLING ASSESSMENT REPORT ON THE RDN 1 -18 CLAIMS
VOLUME III

APPENDICES

Volume I

APPENDIX I	Bibliography
APPENDIX II	Geophysical Data
APPENDIX III	Petrographic Report
APPENDIX IV	Statement of Expenditures
APPENDIX V	Statements of Qualifications
APPENDIX VI	Diamond Drill Logs

Volume III

APPENDIX VII	Geotechnical Logs
APPENDIX VIII	Assay Summary Tables
APPENDIX IX	Assay Certificates and Analytical Procedures

DIGITAL DATA – CD ROMS IN POCKETS – Volume III

DISC 1	TEXT, ASSAY DATA
DISC 2	PLATES, GEOPHYSICAL DATA

APPENDIX VII
GEOTECHNICAL LOGS

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-10

DATE: 16-Dec-01

RECOVERY - 96%

RDN PROJECT - WEDGE ZONE

RQD - 45%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	21.95	21.95	casing	casing	n/a	n/a
21.95	24.99	3.04	2.80	1.00	92%	33%
24.99	25.60	0.61	0.54	0.54	89%	89%
25.60	27.43	1.83	1.80	1.30	98%	71%
27.43	30.48	3.05	2.90	2.69	95%	88%
30.48	32.31	1.83	1.75	0.45	96%	25%
32.31	35.36	3.05	3.05	1.30	100%	43%
35.36	36.58	1.22	0.90	0.00	74%	0%
36.58	39.62	3.04	1.65	0.39	54%	13%
39.62	42.67	3.05	2.88	0.40	94%	13%
42.67	45.72	3.05	3.05	0.50	100%	16%
45.72	48.77	3.05	2.82	0.60	92%	20%
48.77	51.82	3.05	2.90	1.25	95%	41%
51.82	54.86	3.04	3.04	1.60	100%	53%
54.86	56.39	1.53	1.46	0.00	95%	0%
56.39	57.91	1.52	1.52	1.13	100%	74%
57.91	60.96	3.05	2.42	0.50	79%	16%
60.96	64.01	3.05	3.05	2.03	100%	67%
64.01	67.06	3.05	2.95	1.80	97%	59%
67.06	70.11	3.05	3.05	1.96	100%	64%
70.11	73.15	3.04	3.04	1.55	100%	51%
73.15	76.20	3.05	2.75	1.90	90%	62%
76.20	79.25	3.05	3.05	1.75	100%	57%
79.25	82.30	3.05	3.05	1.00	100%	33%
82.30	85.35	3.05	3.05	1.60	100%	52%
85.35	88.40	3.05	2.95	1.86	97%	61%
88.40	91.44	3.04	3.00	1.19	99%	39%
91.44	94.49	3.05	3.00	1.00	98%	33%
94.49	97.54	3.05	3.05	1.20	100%	39%
97.54	99.36	1.82	1.82	1.30	100%	71%
99.36	100.58	1.22	1.16	0.76	95%	62%
100.58	103.63	3.05	3.00	1.76	98%	58%
103.63	106.68	3.05	2.95	1.72	97%	56%
106.68	109.73	3.05	3.05	2.59	100%	85%
109.73	112.78	3.05	2.95	2.64	97%	87%
112.78	115.82	3.04	3.04	2.65	100%	87%
115.82	118.87	3.05	3.05	2.05	100%	67%
118.87	121.92	3.05	2.95	1.33	97%	44%
121.92	124.96	3.04	3.04	1.60	100%	53%
124.96	128.01	3.05	3.05	1.30	100%	43%
128.01	130.15	2.14	1.90	0.10	89%	5%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-10

DATE: 16-Dec-01

RECOVERY - 96%

RDN PROJECT - WEDGE ZONE

RQD - 45%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
130.15	132.89	2.74	2.22	0.54	81%	20%
132.89	134.11	1.22	1.00	0.00	82%	0%
134.11	137.16	3.05	3.05	1.40	100%	46%
137.16	140.21	3.05	3.05	0.42	100%	14%
140.21	143.25	3.04	3.04	1.20	100%	39%
143.25	146.30	3.05	3.05	0.12	100%	4%
146.30	149.35	3.05	3.05	1.20	100%	39%
149.35	152.40	3.05	3.05	1.90	100%	62%
TOTALS		130.45	124.94	59.07	96%	45%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-11

DATE: 16-Dec-01

RECOVERY: 98%

RDN PROJECT - WEDGE ZONE

RQD - 73%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	28.96	28.96	casing	casing	n/a	n/a
28.96	30.48	1.52	1.40	0.96	92%	63%
30.48	33.53	3.05	2.88	2.23	94%	73%
33.53	36.58	3.05	3.05	2.21	100%	72%
36.58	39.62	3.04	3.04	1.80	100%	59%
39.62	42.67	3.05	3.05	1.75	100%	57%
42.67	45.72	3.05	2.85	2.27	93%	74%
45.72	48.77	3.05	2.89	2.17	95%	71%
48.77	51.82	3.05	3.05	2.60	100%	85%
51.82	54.86	3.04	2.94	2.16	97%	71%
54.86	57.91	3.05	3.02	2.40	99%	79%
57.91	60.96	3.05	2.97	2.42	97%	79%
60.96	64.01	3.05	3.05	1.89	100%	62%
64.01	67.06	3.05	3.05	2.64	100%	87%
67.06	70.10	3.04	2.95	2.60	97%	86%
70.10	73.15	3.05	3.05	2.35	100%	77%
73.15	76.20	3.05	3.05	2.36	100%	77%
76.20	79.25	3.05	3.00	2.66	98%	87%
79.25	82.30	3.05	2.80	1.23	92%	40%
82.30	85.34	3.04	3.02	2.17	99%	71%
85.34	88.39	3.05	2.82	1.50	92%	49%
88.39	91.44	3.05	2.92	1.90	96%	62%
91.44	94.49	3.05	3.00	2.25	98%	74%
94.49	97.54	3.05	2.95	2.40	97%	79%
97.54	100.58	3.04	3.04	2.10	100%	69%
100.58	103.63	3.05	2.90	2.16	95%	71%
103.63	106.68	3.05	3.00	2.35	98%	77%
106.68	109.73	3.05	2.95	1.92	97%	63%
109.73	112.78	3.05	2.95	1.18	97%	39%
112.78	115.82	3.04	2.90	1.32	95%	43%
115.82	118.87	3.05	2.98	1.90	98%	62%
118.87	121.92	3.05	3.05	2.29	100%	75%
121.92	124.97	3.05	3.05	2.62	100%	86%
124.97	128.01	3.04	3.01	2.35	99%	77%
128.01	131.06	3.05	2.95	2.79	97%	91%
131.06	134.11	3.05	3.03	3.00	99%	98%
134.11	137.16	3.05	3.02	2.88	99%	94%
137.16	140.21	3.05	3.01	2.90	99%	95%
140.21	143.26	3.05	3.05	2.78	100%	91%
143.26	146.30	3.05	3.05	2.20	100%	72%
146.30	149.35	3.05	3.05	1.27	100%	42%
149.35	152.40	3.05	3.05	2.34	100%	77%
152.40	155.45	3.05	3.04	2.69	100%	88%
155.45	158.50	3.05	3.05	2.87	100%	94%
158.50	161.54	3.05	2.86	2.40	94%	79%
TOTALS		132.58	129.79	97.23	98%	73%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-12

DATE: 16-Dec-01

RECOVERY: 92%

RDN PROJECT - WEDGE ZONE

RQD - 61%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	33.00	33.00	casing	casing	n/a	n/a
33.00	33.53	0.53	0.40	0.00	75%	0%
33.53	36.58	3.05	1.60	0.10	52%	3%
36.58	39.62	3.04	2.62	0.66	86%	22%
39.62	42.67	3.05	1.82	0.64	60%	21%
42.67	45.72	3.05	1.50	0.00	49%	0%
45.72	48.77	3.05	2.65	0.12	87%	4%
48.77	51.82	3.05	2.60	0.54	85%	18%
51.82	54.86	3.04	2.60	0.75	86%	25%
54.86	57.91	3.05	2.40	0.36	79%	12%
57.91	60.96	3.05	2.85	1.00	93%	33%
60.96	64.01	3.05	2.47	0.73	81%	24%
64.01	67.06	3.05	2.95	1.56	97%	51%
67.06	70.10	3.04	3.04	2.71	100%	89%
70.10	73.15	3.05	2.45	1.48	80%	49%
73.15	76.20	3.05	3.05	2.26	100%	74%
76.20	79.25	3.05	2.90	1.82	95%	60%
79.25	82.30	3.05	3.05	2.85	100%	93%
82.30	85.34	3.04	2.96	2.60	97%	86%
85.34	88.39	3.05	3.05	2.85	100%	93%
88.39	91.44	3.05	2.92	1.40	96%	46%
91.44	94.49	3.05	3.05	2.97	100%	97%
94.49	97.54	3.05	2.98	2.55	98%	84%
97.54	100.58	3.04	3.04	2.57	100%	85%
100.58	103.63	3.05	3.05	2.25	100%	74%
103.63	106.68	3.05	2.95	1.50	97%	49%
106.68	109.73	3.05	2.97	2.60	97%	85%
109.73	112.78	3.05	3.05	2.55	100%	84%
112.78	115.82	3.04	2.90	2.13	95%	70%
115.82	118.87	3.05	3.05	2.67	100%	88%
118.87	121.92	3.05	3.05	2.72	100%	89%
121.92	124.97	3.05	2.86	0.67	94%	22%
124.97	128.01	3.04	3.02	2.65	99%	87%
128.01	131.06	3.05	3.02	2.73	99%	89%
131.06	134.11	3.05	3.02	2.60	99%	85%
134.11	137.16	3.05	3.02	2.18	99%	72%
137.16	140.21	3.05	3.05	2.43	100%	80%
140.21	143.26	3.05	3.05	2.85	100%	94%
143.26	146.30	3.05	3.05	2.85	100%	94%
146.30	149.35	3.05	3.00	2.16	98%	71%
149.35	152.40	3.05	3.05	2.24	100%	73%
TOTALS		119.40	110.11	72.30	92%	61%

NEWMONT EXPLORATION OF CANADA**GEOTECHNICAL LOG**

DDH RDN01-13

DATE: 16-Dec-01

RECOVERY - 98%

RDN PROJECT - WEDGE ZONE

RQD - 73%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	53.04	53.04	casing	casing	n/a	n/a
53.04	54.86	1.82	1.10	0.12	60%	7%
54.86	57.91	3.05	3.05	2.53	100%	83%
57.91	60.96	3.05	2.95	2.36	97%	77%
60.96	64.01	3.05	3.05	1.90	100%	62%
64.01	67.06	3.05	3.05	1.78	100%	58%
67.06	70.10	3.04	2.85	2.31	94%	76%
70.10	73.15	3.05	2.97	2.37	97%	78%
73.15	76.20	3.05	3.05	2.37	100%	78%
76.20	79.25	3.05	3.05	1.93	100%	63%
79.25	82.30	3.05	3.05	2.15	100%	70%
82.30	85.34	3.04	3.01	2.42	99%	80%
85.34	88.39	3.05	3.05	2.18	100%	71%
88.39	91.44	3.05	3.01	1.55	99%	51%
91.44	94.49	3.05	3.02	2.12	99%	70%
94.49	97.54	3.05	3.00	1.64	98%	54%
97.54	100.58	3.04	2.97	2.03	98%	67%
100.58	103.63	3.05	3.01	1.87	99%	61%
103.63	106.68	3.05	3.05	2.75	100%	90%
106.68	109.73	3.05	3.01	2.47	99%	81%
109.73	112.78	3.05	3.05	3.00	100%	98%
112.78	115.82	3.04	2.98	2.48	98%	82%
115.82	118.87	3.05	3.03	2.47	99%	81%
118.87	121.92	3.05	3.05	2.15	100%	70%
121.92	124.97	3.05	3.00	2.62	98%	86%
124.97	128.01	3.04	3.05	2.40	100%	79%
128.01	130.45	2.44	2.40	1.43	98%	59%
130.45	132.28	1.83	1.32	0.70	72%	38%
132.28	134.11	1.83	1.83	1.07	100%	58%
134.11	137.16	3.05	2.98	1.72	98%	56%
137.16	140.21	3.05	3.02	2.85	99%	94%
140.21	143.26	3.05	3.01	2.63	99%	86%
143.26	146.30	3.05	3.05	2.67	100%	88%
146.30	149.35	3.05	3.05	2.45	100%	80%
149.35	152.40	3.05	2.90	2.21	95%	73%
152.40	155.45	3.05	2.92	2.50	96%	82%
155.45	158.50	3.05	2.96	2.24	97%	73%
158.50	161.54	3.05	3.03	2.38	99%	78%
161.54	164.59	3.05	3.05	2.42	100%	79%
164.59	167.64	3.05	3.02	2.17	99%	71%
167.64	170.69	3.05	2.98	2.40	98%	79%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-13

DATE: 16-Dec-01

RECOVERY - 98%

RDN PROJECT - WEDGE ZONE

RQD - 73%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
170.69	173.74	3.05	3.00	2.66	98%	87%
173.74	176.78	3.05	3.00	1.77	98%	58%
176.78	179.83	3.05	3.00	2.60	98%	85%
179.83	182.88	3.05	3.01	1.32	99%	43%
182.88	185.93	3.05	3.03	2.50	99%	82%
185.93	188.98	3.05	3.05	2.22	100%	73%
TOTALS		135.93	133.07	98.88	98%	73%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-14

DATE: 16-Dec-01

RECOVERY - 100%

RDN PROJECT - CAMP ZONE

RQD - 81%

FROM (metres)	TO (metres)	LENGTH (metres)	RECOVERY (metres)	RQD (metres)	RECOVERY (%)	RQD (%)
0.00	55.17	55.17	casing	casing	n/a	n/a
55.17	57.91	2.74	2.70	1.25	99%	46%
57.91	60.96	3.05	3.05	2.37	100%	78%
60.96	64.01	3.05	3.05	2.02	100%	66%
64.01	67.06	3.05	3.01	2.21	99%	72%
67.06	70.10	3.04	3.05	2.45	100%	81%
70.10	73.15	3.05	3.05	2.57	100%	84%
73.15	76.20	3.05	3.05	2.67	100%	88%
76.20	79.25	3.05	3.05	2.53	100%	83%
79.25	82.30	3.05	3.05	2.93	100%	96%
82.30	85.34	3.04	3.03	2.83	100%	93%
85.34	88.39	3.05	3.05	2.60	100%	85%
88.39	91.44	3.05	3.05	2.60	100%	85%
91.44	94.49	3.05	3.05	2.76	100%	90%
94.49	97.54	3.05	3.05	2.94	100%	96%
97.54	100.58	3.04	3.05	2.98	100%	98%
100.58	103.63	3.05	3.05	1.77	100%	58%
103.63	106.68	3.05	3.05	2.87	100%	94%
106.68	109.73	3.05	3.05	2.63	100%	86%
109.73	112.78	3.05	3.05	2.63	100%	86%
112.78	115.82	3.04	3.00	2.80	99%	92%
115.82	118.87	3.05	3.05	2.84	100%	93%
118.87	121.92	3.05	3.05	2.76	100%	90%
121.92	124.97	3.05	3.01	2.32	99%	76%
124.97	128.01	3.04	3.05	1.97	100%	65%
128.01	131.06	3.05	3.05	2.10	100%	69%
131.06	134.11	3.05	3.05	1.04	100%	34%
134.11	137.16	3.05	3.05	2.75	100%	90%
137.16	140.21	3.05	2.98	2.31	98%	76%
140.21	143.26	3.05	2.99	2.70	98%	89%
143.26	146.30	3.05	3.00	2.90	98%	95%
146.30	149.35	3.05	3.05	2.07	100%	68%
TOTALS		94.18	93.97	76.17	100%	81%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-15

DATE: 16-Dec-01

RECOVERY - 98%

RDN PROJECT - SAND LAKE

RQD - 82%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	0.61	0.61	casing	casing	n/a	n/a
0.61	3.05	2.44	2.32	2.23	95%	91%
3.05	6.10	3.05	2.68	2.20	88%	72%
6.10	9.15	3.05	3.05	3.01	100%	99%
9.15	12.19	3.04	2.95	2.74	97%	90%
12.19	15.24	3.05	2.99	2.30	98%	75%
15.24	18.29	3.05	3.05	2.92	100%	96%
18.29	21.34	3.05	3.05	2.92	100%	96%
21.34	24.39	3.05	2.96	2.09	97%	69%
24.39	27.44	3.05	2.97	2.72	97%	89%
27.44	30.48	3.04	3.05	2.35	100%	77%
30.48	33.52	3.04	3.04	2.75	100%	90%
33.52	36.57	3.05	2.95	2.72	97%	89%
36.57	39.62	3.05	3.04	2.67	100%	88%
39.62	42.67	3.05	3.02	2.56	99%	84%
42.67	45.72	3.05	3.05	2.06	100%	68%
45.72	48.77	3.05	3.03	2.68	99%	88%
48.77	51.82	3.05	3.05	2.54	100%	83%
51.82	54.87	3.05	3.05	2.78	100%	91%
54.87	57.92	3.05	3.03	2.20	99%	72%
57.92	60.96	3.04	3.05	2.62	100%	86%
60.96	64.01	3.05	3.05	2.67	100%	88%
64.01	67.06	3.05	3.05	1.83	100%	60%
67.06	70.10	3.04	3.00	1.96	99%	64%
70.10	73.15	3.05	2.75	1.91	90%	63%
73.15	76.20	3.05	2.97	2.60	97%	85%
76.20	79.25	3.05	3.05	2.72	100%	89%
79.25	82.30	3.05	3.05	2.90	100%	95%
82.30	85.34	3.04	3.04	2.80	100%	92%
85.34	88.39	3.05	2.98	1.96	98%	64%
TOTALS		87.78	86.32	72.41	98%	82%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-16

DATE: 16-Dec-01

RECOVERY - 98%

RDN PROJECT - BOUNDARY ZONE

RQD - 77%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	3.96	3.96	casing	casing	n/a	n/a
3.96	6.10	2.14	1.75	1.34	82%	63%
6.10	9.15	3.05	2.85	1.81	93%	59%
9.15	12.19	3.04	2.80	0.92	92%	30%
12.19	15.24	3.05	3.02	1.68	99%	55%
15.24	18.29	3.05	3.03	2.23	99%	73%
18.29	21.34	3.05	3.00	1.68	98%	55%
21.34	24.39	3.05	3.00	1.63	98%	53%
24.39	27.44	3.05	2.96	1.83	97%	60%
27.44	30.48	3.04	2.97	2.45	98%	81%
30.48	33.52	3.04	3.00	3.00	99%	99%
33.52	36.57	3.05	3.05	2.62	100%	86%
36.57	39.62	3.05	3.05	2.88	100%	94%
39.62	42.67	3.05	3.05	2.10	100%	69%
42.67	45.72	3.05	2.95	2.27	97%	74%
45.72	48.77	3.05	3.05	3.00	100%	98%
48.77	51.82	3.05	3.05	2.65	100%	87%
51.82	54.87	3.05	3.03	2.95	99%	97%
54.87	57.92	3.05	3.02	2.30	99%	75%
57.92	60.96	3.04	3.04	2.45	100%	81%
60.96	64.01	3.05	3.05	2.74	100%	90%
64.01	67.06	3.05	2.99	2.34	98%	77%
67.06	70.10	3.04	3.05	2.44	100%	80%
70.10	73.15	3.05	3.05	2.45	100%	80%
73.15	76.20	3.05	3.03	2.41	99%	79%
76.20	79.25	3.05	3.05	2.82	100%	92%
79.25	82.30	3.05	3.01	2.48	99%	81%
82.30	85.34	3.04	3.04	2.68	100%	88%
85.34	88.39	3.05	3.05	2.45	100%	80%
TOTALS		84.43	82.99	64.60	98%	77%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-17

DATE: 16-Dec-01

RECOVERY - 99%

RDN PROJECT - WEDGE ZONE

RQD - 80%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	33.53	33.53	n/a	n/a	n/a	n/a
33.53	36.58	3.05	3.05	2.01	100%	66%
36.58	39.62	3.04	3.04	2.38	100%	78%
39.62	42.67	3.05	3.05	1.40	100%	46%
42.67	45.72	3.05	3.05	2.20	100%	72%
45.72	48.77	3.05	3.05	2.43	100%	80%
48.77	51.82	3.05	3.05	2.65	100%	87%
51.82	54.86	3.04	3.00	2.84	99%	93%
54.86	57.91	3.05	3.00	2.28	98%	75%
57.91	60.96	3.05	3.05	2.34	100%	77%
60.96	64.01	3.05	3.05	2.72	100%	89%
64.01	67.06	3.05	3.05	2.93	100%	96%
67.06	70.10	3.04	3.05	1.98	100%	65%
70.10	73.15	3.05	3.05	2.70	100%	89%
73.15	76.20	3.05	3.05	2.57	100%	84%
76.20	79.25	3.05	3.05	2.92	100%	96%
79.25	82.30	3.05	3.05	2.28	100%	75%
82.30	85.34	3.04	3.04	2.82	100%	93%
85.34	88.39	3.05	3.05	2.74	100%	90%
88.39	91.44	3.05	3.05	3.05	100%	100%
91.44	94.49	3.05	3.05	2.95	100%	97%
94.49	97.54	3.05	3.03	2.30	99%	75%
97.54	100.58	3.04	3.04	3.04	100%	100%
100.58	103.63	3.05	3.05	2.76	100%	90%
103.63	106.68	3.05	3.02	2.73	99%	90%
106.68	109.73	3.05	3.05	3.02	100%	99%
109.73	112.78	3.05	3.00	2.37	98%	78%
112.78	115.82	3.04	2.80	1.20	92%	39%
115.82	118.87	3.05	2.86	0.56	94%	18%
TOTALS		85.34	84.73	68.17	99%	80%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-18

DATE: 16-Dec-01

RECOVERY - 96%

RDN PROJECT - WEDGE ZONE

RQD - 44%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	24.08	24.08	n/a	n/a	n/a	n/a
24.08	24.38	0.30	0.28	0.28	93%	93%
24.38	27.43	3.05	2.80	2.25	92%	74%
27.43	30.48	3.05	3.05	1.95	100%	64%
30.48	33.52	3.04	3.00	2.08	99%	68%
33.52	36.57	3.05	3.05	2.17	100%	71%
36.57	39.62	3.05	3.05	1.56	100%	51%
39.62	42.67	3.05	3.05	2.17	100%	71%
42.67	45.72	3.05	3.05	1.11	100%	36%
45.72	48.76	3.04	3.04	1.16	100%	38%
48.76	51.81	3.05	3.02	1.53	99%	50%
51.81	54.86	3.05	3.05	0.93	100%	30%
54.86	57.91	3.05	3.05	1.05	100%	34%
57.91	60.96	3.05	1.40	0.00	46%	0%
60.96	62.48	1.52	1.27	0.10	84%	7%
62.48	65.53	3.05	3.05	1.93	100%	63%
65.53	67.05	1.52	1.52	0.66	100%	43%
67.05	70.10	3.05	3.04	2.15	100%	70%
70.10	73.15	3.05	3.05	1.10	100%	36%
73.15	76.20	3.05	3.05	0.67	100%	22%
76.20	79.25	3.05	2.85	1.18	93%	39%
79.25	82.30	3.05	3.05	0.72	100%	24%
82.30	85.34	3.04	3.04	1.51	100%	50%
85.34	88.39	3.05	3.05	1.52	100%	50%
88.39	91.44	3.05	3.00	1.90	98%	62%
91.44	94.49	3.05	3.05	1.20	100%	39%
94.49	97.54	3.05	3.05	1.60	100%	52%
97.54	100.58	3.04	3.03	2.73	100%	90%
100.58	103.63	3.05	3.05	2.08	100%	68%
103.63	106.68	3.05	3.05	2.00	100%	66%
106.68	109.73	3.05	3.06	2.44	100%	80%
109.73	112.77	3.04	3.04	2.13	100%	70%
112.77	115.82	3.05	3.05	1.89	100%	62%
115.82	117.65	1.83	1.60	0.35	87%	19%
117.65	118.87	1.22	0.50	0.00	41%	0%
118.87	121.92	3.05	1.95	0.00	64%	0%
121.92	124.97	3.05	3.05	1.50	100%	49%
124.97	128.02	3.05	2.90	0.74	95%	24%
128.02	131.06	3.04	2.55	0.25	84%	8%
131.06	134.11	3.05	2.95	0.80	97%	26%
134.11	137.16	3.05	2.91	0.50	95%	16%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG			DDH RDN01-18			
DATE: 16-Dec-01		RECOVERY - 96%				
RDN PROJECT - WEDGE ZONE		RQD - 44%				
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
137.16	140.21	3.05	2.86	0.25	94%	8%
140.21	143.26	3.05	2.85	0.55	93%	18%
143.26	146.30	3.04	3.04	1.50	100%	49%
146.30	149.35	3.05	3.05	1.22	100%	40%
149.35	152.40	3.05	3.05	1.91	100%	63%
152.40	155.45	3.05	3.05	0.85	100%	28%
155.45	158.50	3.05	3.05	0.97	100%	32%
158.50	161.54	3.04	3.04	0.95	100%	31%
TOTALS		137.46	131.64	60.09	96%	44%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-19

DATE: 16-Dec-01

RECOVERY - 99%

RDN PROJECT - WEDGE ZONE

RQD - 67%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	31.10	31.10	n/a	n/a	n/a	n/a
31.10	32.92	1.82	1.80	1.00	99%	55%
32.92	36.58	3.66	3.30	2.25	90%	61%
36.58	39.62	3.04	3.05	2.37	100%	78%
39.62	42.67	3.05	3.05	2.45	100%	80%
42.67	45.72	3.05	3.05	2.33	100%	76%
45.72	48.77	3.05	2.98	2.15	98%	70%
48.77	51.82	3.05	3.05	1.25	100%	41%
51.82	54.86	3.04	3.05	1.83	100%	60%
54.86	57.91	3.05	2.97	2.19	97%	72%
57.91	60.96	3.05	3.05	2.27	100%	74%
60.96	64.01	3.05	3.05	2.60	100%	85%
64.01	67.06	3.05	3.05	2.41	100%	79%
67.06	70.10	3.04	3.04	2.03	100%	67%
70.10	73.15	3.05	3.05	2.56	100%	84%
73.15	76.20	3.05	3.01	2.28	99%	75%
76.20	79.25	3.05	3.05	2.41	100%	79%
79.25	82.30	3.05	3.05	3.02	100%	99%
82.30	85.34	3.04	3.04	1.84	100%	61%
85.34	88.39	3.05	3.05	2.25	100%	74%
88.39	91.44	3.05	3.05	2.48	100%	81%
91.44	94.49	3.05	3.05	2.66	100%	87%
94.49	97.53	3.04	3.04	2.81	100%	92%
97.53	100.58	3.05	3.05	1.43	100%	47%
100.58	103.63	3.05	3.05	2.30	100%	75%
103.63	106.68	3.05	3.02	1.68	99%	55%
106.68	109.73	3.05	3.05	2.33	100%	76%
109.73	112.78	3.05	3.05	2.50	100%	82%
112.78	115.82	3.04	3.04	2.29	100%	75%
115.83	118.87	3.04	3.05	2.14	100%	70%
118.87	121.92	3.05	3.05	1.48	100%	49%
121.92	124.97	3.05	2.97	1.82	97%	60%
124.97	128.02	3.05	3.05	2.50	100%	82%
128.02	131.06	3.04	3.04	2.59	100%	85%
131.06	134.11	3.05	2.90	1.01	95%	33%
134.11	137.16	3.05	3.05	1.98	100%	65%
137.16	140.21	3.05	3.05	2.62	100%	86%
140.21	143.26	3.05	3.05	2.39	100%	78%
143.26	146.30	3.04	3.04	2.30	100%	76%
146.30	149.35	3.05	3.05	2.24	100%	73%
149.35	152.40	3.05	3.05	2.19	100%	72%

NEWMONT EXPLORATION OF CANADA

GEOTECHNICAL LOG

DDH RDN01-19

DATE: 16-Dec-01

RECOVERY - 99%

RDN PROJECT - WEDGE ZONE

RQD - 67%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
152.40	155.45	3.05	3.05	2.74	100%	90%
155.45	158.50	3.05	3.05	2.59	100%	85%
158.50	161.54	3.04	3.04	2.21	100%	73%
161.55	164.59	3.04	3.05	2.44	100%	80%
164.59	167.64	3.05	3.05	2.95	100%	97%
167.64	170.69	3.05	3.05	2.85	100%	93%
170.69	173.74	3.05	3.05	2.77	100%	91%
173.74	176.78	3.04	3.05	2.81	100%	92%
176.78	179.83	3.05	3.05	2.76	100%	90%
179.83	182.88	3.05	3.02	2.72	99%	89%
182.88	185.93	3.05	3.05	2.62	100%	86%
185.93	188.98	3.05	3.05	2.91	100%	95%
188.98	192.02	3.04	3.01	2.66	99%	88%
192.02	195.07	3.05	3.05	3.00	100%	98%
195.07	198.12	3.05	3.05	1.98	100%	65%
198.12	201.17	3.05	3.05	2.28	100%	75%
201.17	204.22	3.05	3.05	2.51	100%	82%
204.22	207.26	3.04	2.95	1.91	97%	63%
207.26	210.31	3.05	3.02	2.55	99%	84%
210.31	213.36	3.05	2.95	1.65	97%	54%
213.36	216.41	3.05	3.05	2.45	100%	80%
216.41	219.46	3.05	2.95	1.27	97%	42%
219.46	222.50	3.04	3.04	0.51	100%	17%
222.50	225.55	3.05	3.05	2.05	100%	67%
225.55	228.60	3.05	2.89	1.21	95%	40%
228.60	231.65	3.05	3.05	2.38	100%	78%
231.65	234.70	3.05	3.05	0.92	100%	30%
234.70	237.74	3.04	3.04	1.11	100%	37%
237.74	240.79	3.05	3.05	1.03	100%	34%
240.79	243.84	3.05	3.03	2.00	99%	66%
243.84	246.89	3.05	3.05	1.73	100%	57%
246.89	249.94	3.05	3.05	2.45	100%	80%
249.94	252.98	3.04	3.05	1.84	100%	61%
252.98	256.03	3.05	3.05	2.32	100%	76%
256.03	259.08	3.05	3.05	1.95	100%	64%
259.08	262.13	3.05	3.05	1.68	100%	55%
262.13	265.17	3.04	3.05	2.71	100%	89%
265.17	268.22	3.05	3.03	2.20	99%	72%
268.22	271.27	3.05	3.05	1.59	100%	52%
271.27	274.32	3.05	3.00	1.67	98%	55%
274.32	277.37	3.05	3.02	1.46	99%	48%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG				DDH RDN01-19		
DATE: 16-Dec-01				RECOVERY: 99%		
RDN PROJECT - WEDGE ZONE				RQD: 67%		
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
277.37	280.42	3.05	3.05	0.88	100%	29%
280.42	283.46	3.04	3.04	0.28	100%	9%
283.46	286.51	3.05	3.05	0.40	100%	13%
286.51	289.56	3.05	3.05	0.80	100%	26%
289.56	292.61	3.05	3.05	1.17	100%	38%
292.61	295.66	3.05	3.05	1.46	100%	48%
295.66	298.70	3.04	3.04	1.41	100%	46%
298.70	301.75	3.05	3.05	1.20	100%	39%
TOTALS		270.63	269.21	182.27	99%	67%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG				DDH RDN01-20		
DATE: 16-Dec-01		RECOVERY: 99%				
RDN PROJECT - WEDGE ZONE		RQD - 73%				
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	11.58	11.58	n/a	n/a	n/a	n/a
11.58	12.19	0.61	0.61	0.42	100%	69%
12.19	15.24	3.05	3.05	1.50	100%	49%
15.24	18.29	3.05	2.85	1.77	87%	58%
18.29	21.34	3.05	3.05	2.60	100%	85%
21.34	24.38	3.04	3.04	2.70	100%	89%
24.38	27.43	3.05	3.03	2.74	99%	90%
27.43	30.48	3.05	3.05	2.11	100%	69%
30.48	33.53	3.05	3.05	2.18	100%	71%
33.53	36.58	3.05	3.05	2.90	100%	95%
36.58	39.62	3.04	3.04	2.60	100%	86%
39.62	42.67	3.05	3.05	2.97	100%	97%
42.67	45.72	3.05	3.05	3.05	100%	100%
45.72	48.77	3.05	2.85	1.75	93%	57%
48.77	50.29	1.52	1.52	0.94	100%	62%
50.29	51.82	1.53	1.53	1.22	100%	80%
51.82	54.86	3.04	3.04	2.51	100%	83%
54.86	57.91	3.05	3.05	2.58	100%	85%
57.91	60.96	3.05	3.05	1.42	100%	47%
60.96	64.01	3.05	3.05	2.31	100%	76%
64.01	67.06	3.05	3.05	1.05	100%	34%
67.06	70.10	3.04	3.04	1.57	100%	52%
70.10	73.15	3.05	3.05	2.24	100%	73%
73.15	76.20	3.05	3.05	2.38	100%	78%
76.20	79.25	3.05	3.05	2.66	100%	87%
79.25	82.30	3.05	2.75	1.15	90%	38%
82.30	85.34	3.04	3.04	2.38	100%	78%
85.34	88.39	3.05	3.00	1.74	98%	57%
88.39	91.44	3.05	3.05	1.25	100%	41%
91.44	94.49	3.05	2.85	1.00	93%	33%
94.49	97.53	3.04	3.01	2.45	99%	81%
97.53	100.58	3.05	3.05	3.01	100%	99%
100.58	103.63	3.05	3.05	2.33	100%	76%
103.63	106.68	3.05	2.95	2.60	97%	85%
106.68	109.73	3.05	3.05	1.70	100%	56%
109.73	112.77	3.04	3.03	2.24	100%	74%
112.77	115.82	3.05	3.05	1.76	100%	58%
115.82	118.87	3.05	3.05	2.83	100%	93%
118.87	121.92	3.05	3.05	3.00	100%	98%
121.92	124.97	3.05	3.05	2.72	100%	89%

NEWMONT EXPLORATION OF CANADA**GEOTECHNICAL LOG**

DDH RDN01-20

DATE: 16-Dec-01

RECOVERY - 99%

RDN PROJECT - WEDGE ZONE

RQD - 73%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
124.97	128.02	3.05	3.05	2.70	100%	89%
128.02	131.06	3.04	3.04	2.83	100%	93%
131.06	134.11	3.05	3.05	2.78	100%	91%
134.11	137.16	3.05	3.05	2.72	100%	89%
137.16	140.21	3.05	3.05	2.58	100%	85%
140.21	143.26	3.05	3.05	2.93	100%	96%
143.26	146.30	3.04	3.04	2.88	100%	95%
146.30	149.35	3.05	3.05	2.96	100%	97%
149.35	152.40	3.05	3.05	2.56	100%	84%
152.40	155.45	3.05	3.01	3.00	99%	98%
155.45	158.50	3.05	3.05	2.75	100%	90%
158.50	161.54	3.04	3.02	2.32	99%	76%
161.54	164.59	3.05	3.01	2.84	99%	93%
164.59	167.64	3.05	3.05	2.91	100%	95%
167.64	170.69	3.05	3.05	2.67	100%	88%
170.69	173.74	3.05	3.05	2.45	100%	80%
173.74	176.78	3.04	2.90	2.09	95%	69%
176.78	179.83	3.05	3.05	2.00	100%	66%
179.83	182.88	3.05	3.05	3.05	100%	100%
182.88	185.93	3.05	3.05	3.01	100%	99%
185.93	188.98	3.05	3.05	2.72	100%	89%
188.98	192.02	3.04	3.04	3.02	100%	99%
192.02	195.07	3.05	3.05	2.90	100%	95%
195.07	198.12	3.05	3.03	2.52	99%	83%
198.12	201.17	3.05	3.05	1.98	100%	65%
201.17	203.30	2.13	2.13	1.20	100%	56%
203.30	205.74	2.44	2.44	2.04	100%	84%
205.74	207.26	1.52	1.45	1.10	95%	72%
207.26	210.31	3.05	3.01	2.94	99%	96%
210.31	213.36	3.05	3.05	2.57	100%	84%
213.36	216.41	3.05	3.05	2.58	100%	85%
216.41	219.46	3.05	3.05	2.27	100%	74%
219.46	222.50	3.04	3.04	1.50	100%	49%
222.50	225.55	3.05	3.05	1.22	100%	40%
225.55	228.60	3.05	2.97	2.18	97%	71%
228.60	231.65	3.05	3.05	2.35	100%	77%
231.65	234.70	3.05	3.05	1.63	100%	53%
234.70	237.74	3.04	3.04	2.58	100%	84%
237.74	240.79	3.05	3.05	1.91	100%	63%
240.79	243.84	3.05	3.00	1.80	98%	59%
243.84	246.89	3.05	3.05	1.25	100%	41%
246.89	249.94	3.05	3.05	2.18	100%	71%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG				DDH RDN01-20		
DATE: 16-Dec-01		RECOVERY 99%				
RDN PROJECT - WEDGE ZONE		RQD - 73%				
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
249.94	252.98	3.04	2.99	2.69	98%	88%
252.98	256.03	3.05	3.02	2.88	99%	94%
256.03	259.08	3.05	3.05	1.47	100%	48%
259.08	262.13	3.05	3.05	2.00	100%	66%
262.13	265.17	3.04	3.03	1.70	100%	56%
265.17	268.22	3.05	3.05	1.73	100%	57%
268.22	271.27	3.05	3.05	1.27	100%	42%
271.27	274.32	3.05	3.05	0.90	100%	30%
274.32	277.37	3.05	3.05	1.05	100%	34%
277.37	280.42	3.05	3.05	1.53	100%	50%
280.42	283.46	3.04	3.04	0.45	100%	15%
283.46	286.51	3.05	3.05	0.65	100%	21%
TOTALS		274.93	273.03	201.10	99%	73%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG				DDH RDN01-21		
DATE: 16-Dec-01				RECOVERY -	99%	
RDN PROJECT - WEDGE ZONE				RQD -	66%	
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	44.20	44.20	n/a	n/a	n/a	n/a
44.20	45.72	1.52	1.25	0.22	82%	14%
45.72	48.77	3.05	2.83	0.44	93%	14%
48.77	51.82	3.05	3.03	2.91	99%	95%
51.82	54.87	3.05	2.98	2.34	98%	77%
54.87	57.91	3.04	3.00	2.27	99%	75%
57.91	60.96	3.05	2.87	1.66	94%	54%
60.96	64.01	3.05	3.05	2.17	100%	71%
64.01	67.06	3.05	3.05	2.69	100%	88%
67.06	70.10	3.04	3.04	2.36	100%	78%
70.10	73.15	3.05	3.05	2.44	100%	80%
73.15	76.20	3.05	3.05	2.40	100%	79%
76.20	79.25	3.05	3.00	2.54	98%	83%
79.25	82.30	3.05	3.00	2.31	98%	76%
82.30	85.34	3.04	3.04	3.00	100%	99%
85.34	88.39	3.05	3.05	3.05	100%	100%
88.39	91.44	3.05	3.05	2.86	100%	94%
91.44	94.49	3.05	3.05	2.60	100%	85%
94.49	97.53	3.04	2.99	2.50	98%	82%
97.53	100.58	3.05	3.05	0.96	100%	31%
100.58	103.63	3.05	3.05	1.10	100%	36%
103.63	106.68	3.05	3.05	1.35	100%	44%
106.68	109.73	3.05	3.05	1.40	100%	46%
109.73	112.78	3.05	3.05	2.42	100%	79%
112.78	115.82	3.04	3.04	1.45	100%	48%
115.83	118.87	3.04	3.03	2.45	100%	81%
118.87	121.92	3.05	3.05	1.92	100%	63%
121.92	124.97	3.05	3.05	2.87	100%	94%
124.97	128.02	3.05	3.05	1.52	100%	50%
128.02	131.06	3.04	2.97	2.05	98%	67%
131.06	134.11	3.05	3.00	2.14	98%	70%
134.11	137.16	3.05	3.05	2.85	100%	93%
137.16	140.21	3.05	3.02	1.72	99%	56%
140.21	143.26	3.05	3.05	2.70	100%	89%
143.26	146.30	3.04	3.04	1.76	100%	58%
146.30	149.35	3.05	3.05	2.16	100%	71%
149.35	152.40	3.05	3.05	1.94	100%	64%
152.40	155.45	3.05	3.05	0.40	100%	13%
155.45	158.50	3.05	3.05	1.77	100%	58%
158.50	161.54	3.04	3.04	1.64	100%	54%
161.55	164.59	3.04	3.05	1.76	100%	58%

NEWMONT EXPLORATION OF CANADA						
GEOTECHNICAL LOG				DDH RDN01-21		
DATE: 16-Dec-01				RECOVERY - 99%		
RDN PROJECT - WEDGE ZONE				RQD - 66%		
FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
164.59	167.64	3.05	3.05	1.67	100%	55%
167.64	170.69	3.05	3.05	2.22	100%	73%
170.69	173.74	3.05	3.05	1.89	100%	62%
173.74	176.78	3.04	3.04	1.82	100%	60%
176.78	179.83	3.05	3.05	1.99	100%	65%
179.83	182.88	3.05	2.93	1.79	96%	59%
182.88	185.93	3.05	2.88	2.53	94%	83%
185.93	188.98	3.05	3.05	2.72	100%	89%
188.98	192.02	3.04	3.04	2.44	100%	80%
192.02	195.07	3.05	3.01	1.37	99%	45%
195.07	198.12	3.05	3.05	2.03	100%	67%
198.12	201.17	3.05	2.94	0.66	96%	22%
201.17	204.22	3.05	3.05	2.22	100%	73%
204.22	207.26	3.04	3.04	2.62	100%	86%
207.26	210.31	3.05	2.99	1.99	98%	65%
210.31	213.36	3.05	2.95	1.65	97%	54%
213.36	216.41	3.05	3.05	1.40	100%	46%
216.41	219.46	3.05	3.05	2.21	100%	72%
219.46	222.50	3.04	3.04	1.68	100%	55%
222.50	225.55	3.05	3.05	1.25	100%	41%
225.55	228.60	3.05	3.05	2.34	100%	77%
228.60	231.65	3.05	3.05	2.38	100%	78%
231.65	234.70	3.05	3.05	2.30	100%	75%
234.70	237.74	3.04	3.04	2.33	100%	77%
237.74	240.79	3.05	3.05	1.73	100%	57%
TOTALS		196.57	194.87	130.32	99%	66%

NEWMONT EXPLORATION OF CANADA**GEOTECHNICAL LOG**

DDH RDN01-22

DATE: 16-Dec-01

RECOVERY - 98%

RDN PROJECT - WEDGE ZONE

RQD - 62%

FROM	TO	LENGTH	RECOVERY	RQD	RECOVERY	RQD
(metres)	(metres)	(metres)	(metres)	(metres)	(%)	(%)
0.00	30.78	30.78	n/a	n/a	n/a	n/a
30.78	33.53	2.75	2.68	1.77	97%	64%
33.53	36.58	3.05	2.54	0.94	83%	31%
36.58	39.62	3.04	2.32	1.51	76%	50%
39.62	42.67	3.05	3.05	2.11	100%	69%
42.67	45.72	3.05	3.05	1.60	100%	52%
45.72	48.77	3.05	3.05	2.25	100%	74%
48.77	51.82	3.05	2.92	1.85	96%	61%
51.82	54.86	3.04	3.04	2.18	100%	72%
54.86	57.91	3.05	3.05	2.21	100%	72%
57.91	60.96	3.05	3.05	2.60	100%	85%
60.96	64.01	3.05	2.82	1.05	92%	34%
64.01	67.06	3.05	2.94	1.72	96%	56%
67.06	70.10	3.04	3.04	2.55	100%	84%
70.10	73.15	3.05	3.05	1.92	100%	63%
73.15	76.20	3.05	3.05	2.68	100%	88%
76.20	79.25	3.05	3.05	2.59	100%	85%
79.25	82.30	3.05	3.05	2.06	100%	68%
82.30	85.34	3.04	2.98	2.31	98%	76%
85.34	88.39	3.05	3.00	1.87	98%	61%
88.39	91.44	3.05	3.05	2.04	100%	67%
91.44	94.49	3.05	3.05	2.65	100%	87%
94.49	97.53	3.04	2.95	0.97	97%	32%
97.53	100.58	3.05	2.99	1.52	98%	50%
100.58	103.63	3.05	3.05	1.14	100%	37%
103.63	106.68	3.05	2.82	0.81	92%	27%
106.68	109.73	3.05	3.05	2.00	100%	66%
109.73	112.77	3.04	3.04	1.64	100%	54%
112.77	115.82	3.05	3.05	1.94	100%	64%
115.82	118.87	3.05	3.05	1.55	100%	51%
118.87	121.92	3.05	3.05	2.79	100%	91%
121.92	124.97	3.05	3.05	1.91	100%	63%
124.97	128.02	3.05	3.05	1.75	100%	57%
128.02	131.06	3.04	3.04	1.70	100%	56%
131.06	134.11	3.05	3.05	1.55	100%	51%
134.11	137.16	3.05	3.05	0.86	100%	28%
137.16	140.21	3.05	3.05	2.53	100%	83%
140.21	143.26	3.05	3.05	2.13	100%	70%
143.26	146.30	3.04	3.04	2.38	100%	78%
146.30	149.35	3.05	3.05	2.42	100%	79%
149.35	152.40	3.05	3.05	2.45	100%	80%
152.40	155.45	3.05	3.02	2.27	99%	74%
155.45	158.50	3.05	3.05	1.65	100%	54%
158.50	161.54	3.04	3.04	1.28	100%	42%
161.54	164.59	3.05	3.00	1.62	98%	53%
164.59	164.98	0.39	0.39	0.32	100%	82%
TOTALS		134.20	131.86	83.64	98%	62%

APPENDIX VIII

ASSAY SUMMARY TABLES

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0109988, A0120170

DDH RDN01-10

L9400N

WEDGE ZONE

91 Samples

A0121384

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	OTHER ELEMENTS (PPM)
overburden	0.00	21.95	21.95	N/A	N/A
344501	21.95	23.50	1.55	<5	
344502	23.50	25.00	1.50	<5	
344503	25.00	26.50	1.50	<5	
344504	26.50	28.00	1.50	<5	
344505	28.00	29.50	1.50	<5	
344506	29.50	31.00	1.50	<5	W-1.15
344507	31.00	32.50	1.50	<5	
344508	32.50	34.00	1.50	<5	
344509	34.00	35.50	1.50	<5	
344510	35.50	37.00	1.50	<5	
344511	37.00	38.50	1.50	<5	
344512	38.50	40.00	1.50	<5	
344513	40.00	41.50	1.50	<5	
344514	41.50	43.00	1.50	<5	
344515	43.00	44.50	1.50	<5	
344516	44.50	46.00	1.50	<5	
344517	46.00	47.50	1.50	<5	
344518	47.50	49.00	1.50	<5	
344519	49.00	50.50	1.50	<5	
344520	50.50	52.00	1.50	<5	
344521	52.00	53.50	1.50	<5	
344522	53.50	55.00	1.50	<5	
344523	55.00	56.50	1.50	<5	
344524	56.50	58.00	1.50	<5	
344525	58.00	59.50	1.50	<5	
344526	59.50	61.00	1.50	<5	
344527	61.00	62.50	1.50	<5	
344528	62.50	64.00	1.50	<5	
344529	64.00	65.50	1.50	<5	
344530	NEWMONT STANDARD-G025			415	
344531	65.50	67.00	1.50	<5	
344532	67.00	68.50	1.50	<5	
344533	68.50	70.00	1.50	10	
344534	70.00	71.50	1.50	<5	
344535	71.50	73.00	1.50	<5	
344536	73.00	74.50	1.50	<5	
344537	74.50	76.00	1.50	<5	
344538	76.00	77.50	1.50	<5	
344539	77.50	79.00	1.50	<5	Sb-2.6; U-1.25
344540	79.00	80.50	1.50	<5	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0109988, A0120170

A0121384

DDH RDN01-10

L9400N

WEDGE ZONE

91 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	OTHER ELEMENTS (PPM)
344541	80.50	82.00	1.50	<5	
344542	82.00	83.50	1.50	<5	
344543	83.50	85.00	1.50	<5	
344544	85.00	86.50	1.50	<5	
344545	86.50	88.00	1.50	<5	Sb-2.6
344546	88.00	89.50	1.50	<5	Sb-2.3
344547	89.50	91.00	1.50	<5	Sb-2.6
344548	91.00	92.50	1.50	10	
344549	92.50	94.00	1.50	<5	
344550	94.00	95.50	1.50	<5	
344551	95.50	97.00	1.50	<5	
344552	97.00	98.50	1.50	<5	
344553	98.50	100.00	1.50	<5	
344554	100.00	101.50	1.50	<5	
344555	101.50	103.00	1.50	<5	
344556	103.00	104.50	1.50	<5	
344557	104.50	106.00	1.50	<5	
344558	106.00	107.50	1.50	<5	
344559	107.50	109.00	1.50	<5	
344560	NEWMONT STANDARD-MS02			130	
344561	109.00	110.50	1.50	<5	As-104
344562	110.50	111.20	0.70	<5	
344563	111.20	112.50	1.30	<5	
344564	112.50	114.00	1.50	<5	
344565	114.00	115.50	1.50	<5	
344566	115.50	117.00	1.50	<5	
344567	117.00	118.50	1.50	<5	
344568	118.50	120.00	1.50	<5	
344569	120.00	121.50	1.50	<5	
344570	121.50	123.00	1.50	<5	
344571	123.00	124.30	1.30	<5	
344572	124.30	125.80	1.50	<5	
344573	125.80	127.30	1.50	<5	
344574	127.30	128.80	1.50	5	
344575	128.80	130.30	1.50	<5	
344576	130.30	131.80	1.50	<5	
344577	131.80	133.30	1.50	<5	
344578	133.30	134.80	1.50	<5	
344579	134.80	136.30	1.50	<5	
344580	136.30	137.80	1.50	<5	
344581	137.80	139.30	1.50	<5	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0109989, A0120170

A0121384

DDH RDN01-10

L9400N

WEDGE ZONE

91 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	OTHER ELEMENTS (PPM)
344582	139.30	140.80	1.50	<5	
344583	140.80	142.30	1.50	<5	
344584	142.30	143.80	1.50	<5	
344585	143.80	145.30	1.50	<5	Mo-17, Zn-362
344586	145.30	146.80	1.50	<5	Mo-21, Zn-310
344587	146.80	148.30	1.50	<5	Mo-25, Zn-278
344588	148.30	149.80	1.50	<5	Mo-25, Zn-252
344589	149.80	151.30	1.50	<5	Mo-23, Zn-232
344590	NEWMONT STANDARD-RMG1			<5	
344591	151.30	152.40	1.10	<5	Mo-30, Zn-482

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH RDN01-11

DATE: 16-Dec-01

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0120342, A0120819

91 Samples

A0121383

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	Ag (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	28.96	28.96	N/A	N/A	N/A	N/A	N/A	N/A
344592	28.96	30.08	1.12	<5					
344593	30.08	32.30	2.22	<5					
344594	32.30	34.20	1.90	10	1.8	73	44	64	Mo-17
344595	34.20	35.70	1.50	<5					
344596	35.70	37.20	1.50	<5					
344597	37.20	38.70	1.50	<5		111			
344598	38.70	40.20	1.50	<5					
344599	40.20	41.70	1.50	<5					
344600	41.70	43.20	1.50	<5					
344601	43.20	44.70	1.50	<5					
344602	44.70	46.20	1.50	<5	2.0	45	12	90	
344603	46.20	47.70	1.50	<5					
344604	47.70	49.20	1.50	635	6.8	97	2830	2370	
344605	49.20	50.70	1.50	410	3.8	59	224	384	
344606	50.70	52.20	1.50	5			72	228	
344607	52.20	53.70	1.50	35			220	1055	
344608	53.70	55.20	1.50	20			178	578	
344609	55.20	56.70	1.50	30			44	176	
344610	56.70	58.20	1.50	45			140	400	
344611	58.20	59.70	1.50	20			194	564	
344612	59.70	61.20	1.50	1425	2.6	68	268	5430	
344613	61.20	62.70	1.50	15			106	358	
344614	62.70	64.20	1.50	20			82	226	
344615	64.20	65.70	1.50	45			116	360	
344616	65.70	67.20	1.50	185	1.4	58	606	3160	
344617	67.20	68.70	1.50	165	1.2	13	14	16	
344618	68.70	70.20	1.50	140	1.4	15	8	16	
344619	70.20	71.70	1.50	100	1.6	16	22	10	
344620	NEWMONT STANDARD-SMC19			<5					
344621	71.70	73.20	1.50	85	1.6	17	70	112	
344622	73.20	74.70	1.50	185	1.8	27	524	1645	
344623	74.70	76.20	1.50	40	0.8	32	330	608	
344624	76.20	77.70	1.50	100	0.6	14	208	732	
344625	77.70	79.20	1.50	40	1.2	30	82	398	
344626	79.20	80.70	1.50	100	1.0	153	56	256	
344627	80.70	82.20	1.50	80	1.0	39	74	300	
344628	82.20	83.70	1.50	40	0.38	16.4	42	180	
344629	83.70	85.20	1.50	20	0.61	18.8	20.8	92	Sb-3.8
344630	85.20	86.70	1.50	<5	0.14	8.6	5.6	68	
344631	86.70	88.20	1.50	<5	0.08	7.8	4	68	
344632	88.20	89.70	1.50	10	0.3	24.4	13.2	80	Mo-7.35, Sb-3.95
344633	89.70	91.20	1.50	10	0.41	32.2	20.2	92	Sb-5.05

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DDH RDN01-11

DATE: 16-Dec-01

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0120342, A0120819
A0121383

91 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	Ag (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	OTHER ELEMENTS (PPM)
344634	91.20	92.70	1.50	270	1.54	36	101	168	Mo-6.95, Sb-4.6
344635	92.70	94.20	1.50	120	0.94	19.8	269	730	
344636	94.20	95.70	1.50	15	0.44	15.6	343	608	
344637	95.70	97.20	1.50	45	0.63	16.2	410	858	
344638	97.20	98.70	1.50	105	0.77	81.6	696	2340	Sb-3.05
344639	98.70	100.20	1.50	55	0.6	68.1	830	940	Sb-4.0
344640	100.20	101.70	1.50	5	0.19	11.2	31.6	52	
344641	101.70	103.20	1.50	<5	0.14	10.2	22.2	138	
344642	103.20	104.70	1.50	50	0.44	23.6	263	520	
344643	104.70	106.20	1.50	<5	0.07	4.2	14.4	62	
344644	106.20	107.70	1.50	15	0.46	9.4	11.8	48	
344645	107.70	109.20	1.50	135	1.18	19.2	180	458	Mo-8.9
344646	109.20	110.70	1.50	55	0.78	11	183	612	
344647	110.70	112.20	1.50	10	0.53	20.6	176	492	
344648	112.20	113.70	1.50	10	0.97	19.8	168	1150	
344649	113.70	115.20	1.50	145	1.19	54.5	51.8	156	
344650	NEWMONT STANDARD-GO02-12			495	0.2	94.7	162	56	
344651	115.20	116.70	1.50	610	4.72	75	294	868	Mo-6.2, Sb-10.4, Te-1.68
344652	116.70	118.20	1.50	130	2.02	54.6	520	1585	Sb-3.5
344653	118.20	119.70	1.50	880	2.59	48.8	226	1315	Sb-2.95
344654	119.70	121.20	1.50	65	0.74	101	232	1075	Sb-10.9
344655	121.20	122.70	1.50	5	0.38	31.6	233	618	
344656	122.70	124.20	1.50	85	0.45	23.6	70.2	800	
344657	124.20	125.70	1.50	175	1.17	31.6	56.8	334	
344658	125.70	127.20	1.50	165	1.5	17.8	81.8	18	
344659	127.20	128.70	1.50	120	1.46	70.4	67.6	346	Sb-8.8
344660	128.70	130.20	1.50	5	0.24	31.4	97	916	Sb-3.0
344661	130.20	131.70	1.50	5	0.27	35.6	32.8	282	
344662	131.70	133.20	1.50	10	0.39	98.4	105	510	Sb-6.3
344663	133.20	134.70	1.50	20	0.45	78.8	125	952	Sb-3.0
344664	134.70	136.20	1.50	240	1.05	42.8	44.4	76	Sb-2.8, Te-1.61
344665	136.20	137.70	1.50	270	1.86	65.4	78.2	50	Sb=5.65, Te-1.60
344666	137.70	139.20	1.50	115	0.78	45	64.4	274	Mo-6.75
344667	139.20	140.70	1.50	115	0.9	278	106	1060	Bi-3.41, Te-2.54
344668	140.70	142.20	1.50	100	0.39	278	14.2	154	
344669	142.20	143.70	1.50	205	0.64	500	11.6	218	Mo-4.2
344670	143.70	144.80	1.10	60	0.47	309	50.4	792	
344671	144.80	146.30	1.50	<5	0.03	36	30.6	162	
344672	146.30	147.80	1.50	<5	0.06	20.2	2.4	92	
344673	147.80	149.30	1.50	<5	0.04	13.8	1.6	102	
344674	149.30	150.80	1.50	5	0.09	40.4	44.8	138	
344675	150.80	152.30	1.50	<5	0.08	28.2	5.4	110	
344676	152.30	153.80	1.50	<5	0.05	21.2	3.6	104	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH RDN01-11

DATE: 16-Dec-01

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0120342, A0120819

91 Samples

A0121383

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	Ag (PPM)	Cu (PPM)	Pb (PPM)	Zn (PPM)	OTHER ELEMENTS (PPM)
344677	153.80	155.30	1.50	<5	0.09	14	50.6	254	
344678	155.30	156.80	1.50	<5	<.01	4.8	5.4	244	
344679	156.80	158.30	1.50	<5	0.03	4.2	8.8	168	
344680	NEWMONT STANDARD-GO3-63			6570	0.61	141	398	190	
344681	158.30	159.80	1.50	10	0.14	25.4	105	194	
344682	159.80	161.54	1.74	5	0.13	38.6	44.8	224	

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-12				
DATE:		16-Dec-01							
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S): A0120817, A0120930					84 Samples				
Note: Anomalous suite includes Cu, Mo, Sb, As, Hg, Sn, Se, Ce, Cs, U									
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	AG (PPM)	Cu (PPM)	Mo (PPM)	Sb (PPM)	As (PPM)
overburden	0.00	28.96	28.96	N/A	N/A				N/A
344683	28.96	31.00	2.04	<5	*OVERBURDEN				
344684	31.00	33.00	2.00	<5	*OVERBURDEN				
344685	33.00	34.50	1.50	5		334.0			338
344686	34.50	36.00	1.50	<5					
344687	36.00	37.50	1.50	10					
344688	37.50	39.00	1.50	<5					
344689	39.00	40.50	1.50	5					
344690	40.50	42.00	1.50	10					
344691	42.00	42.70	0.70	<5					
344692	42.70	44.75	2.05	<5					101.5
344693	44.75	46.25	1.50	5					
344694	46.25	47.75	1.50	<5					
344695	47.75	49.25	1.50	5					
344696	49.25	50.75	1.50	<5					
344697	50.75	52.25	1.50	5					
344698	52.25	53.75	1.50	15					
344699	53.75	55.25	1.50	10					
344700	55.25	56.75	1.50	10					
344701	56.75	58.25	1.50	10					
344702	58.25	59.75	1.50	10					
344703	59.75	61.25	1.50	5					
344704	61.25	62.75	1.50	10					
344705	62.75	64.25	1.50	10		148.5	1.6	1.05	61.8
344706	64.25	65.75	1.50	25		244.0	27.2	4.20	408.0
344707	65.75	67.25	1.50	30		498.0	28.3	6.65	411.0
344708	67.25	68.75	1.50	10		255.0	14.5	3.25	233.0
344709	68.75	70.25	1.50	20		413.0	15.4	3.80	269.0
344710	NEWMONT STANDARD-GO2-190			420					355.0
344711	70.25	71.75	1.50	20	1.52	393.0	9.9	6.15	260.0
344712	71.75	73.25	1.50	15	1.00	573.0	8.3	5.10	335.0
344713	73.25	74.75	1.50	15		146.0	23.6	4.25	154.0
344714	74.75	76.25	1.50	15		112.5	22.7	5.90	133.0
344715	76.25	77.75	1.50	10			2.9	3.60	84.0
344716	77.75	79.25	1.50	10			17.0	4.05	134.5
344717	79.25	80.75	1.50	<5		150.0	1.0	1.85	106.5
344718	80.75	82.25	1.50	10			8.7	2.1	143.5
344719	82.25	83.75	1.50	10					
344720	83.75	85.25	1.50	10		538.0	2.5		
344721	85.25	86.75	1.50	10					115.0
344722	86.75	88.25	1.50	<5					

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH RDN01-12

DATE: 18-Dec-01

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0120817, A0120930

84 Samples

Note: Anomalous suite includes Cu, Mo, Sb, As, Hg, Sn, Se, Ce, Cs, U

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	AG (PPM)	Cu (PPM)	Mo (PPM)	Sb (PPM)	As (PPM)
344723	88.25	89.75	1.50	5					
344724	89.75	90.45	0.70	15					
344725	90.45	92.30	1.85	<5					
344726	92.30	93.80	1.50	5					
344727	93.80	95.30	1.50	10			3.2		
344728	95.30	96.80	1.50	<5					
344729	96.80	98.30	1.50	5		108.5			
344730	98.30	99.80	1.50	<5					
344731	99.80	101.30	1.50	5					
344732	101.30	102.80	1.50	<5					
344733	102.80	104.30	1.50	5					
344734	104.30	105.80	1.50	<5		150.5			
344735	105.80	107.30	1.50	<5					
344736	107.30	108.80	1.50	15		614.0	5.4	3.8	258.0
344737	108.80	110.30	1.50	10		181.5	5.6		258.0
344738	110.30	111.80	1.50	10		391.0	10.1		199.5
344739	111.80	113.30	1.50	5		230.0	2.0		101.0
344740	NEWMONT STANDARD - GO3-63			6520					674.0
344741	113.30	114.80	1.50	5		100.0			
344742	114.80	116.30	1.50	10					
344743	116.30	117.80	1.50	5		120.0	2.4		187.5
344744	117.80	119.30	1.50	10					
344745	119.30	120.80	1.50	10		815.0	5.3	2.7	236.0
344746	120.80	122.30	1.50	15		328.0	5.7	2.6	862.0
344747	122.30	123.80	1.50	10		217.0	2.8		120.0
344748	123.80	125.30	1.50	5		128.0			
344749	125.30	126.80	1.50	5		146.5			
344750	126.80	128.30	1.50	15		318.0			169.5
344751	128.30	129.80	1.50	5		234.0	4.8		121.5
344752	129.80	131.30	1.50	10		263.0	7.2	2.6	402.0
344753	131.30	132.80	1.50	10		366.0	6.6	3.6	788.0
344754	132.80	134.30	1.50	5		499.0			
344755	134.30	135.80	1.50	10		259.0	5.4	2.2	231.0
344756	135.80	137.30	1.50	15		176.0	9.4	3.9	1010.0
344757	137.30	138.90	1.60	10		150.0	2.9	3.3	163.0
344758	138.90	140.40	1.50	<5					
344759	140.40	141.90	1.50	<5					
344760	141.90	143.40	1.50	<5					
344761	143.40	144.90	1.50	<5					
344762	144.90	146.40	1.50	<5				2.5	
344763	146.40	147.90	1.50	5		109.0		7.9	
344764	147.90	149.40	1.50	<5				2.1	
344765	149.40	150.90	1.50	<5		124.5		4.5	
344766	150.90	152.40	1.50	<5				4.1	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0120932, A0120933, A0121157

DDH RDN01-13

L 10,000N

WEDGE ZONE

99 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	53.00	53.00	N/A					N/A
344767	53.00	54.50	1.50	10	1.53	1050	25	266	
344768	54.50	56.00	1.50	10	1.01	532	22.2	346	
344769	56.00	57.50	1.50	10	1.03	451	17	560	
344770	NEWMONT STANDARD-MS2			140	0.28	101	12	102	
344771	57.50	59.00	1.50	15	1	312	36.6	446	As-103.5
344772	59.00	60.50	1.50	10	0.95	303	139.5	400	As-136.5
344773	60.50	62.00	1.50	15	1.39	477	58.4	298	Sb-2.75, As-229.0
344774	62.00	63.50	1.50	85	0.75	182	41.8	296	
344775	63.50	65.00	1.50	20	0.69	54	46.2	382	
344776	65.00	66.50	1.50	30	0.78	45.6	224.6	670	
344777	66.50	68.00	1.50	30	0.83	171	178.9	622	
344778	68.00	69.50	1.50	10	0.51	50.7	32.2	368	
344779	69.50	71.00	1.50	15	0.55	36.4	43.6	296	
344780	71.00	72.50	1.50	70	0.7	60	272.1	1620	
344781	72.50	74.00	1.50	10	0.71	119	38.2	436	
344782	74.00	75.50	1.50	15	1.21	306	42.2	264	
344783	75.50	77.00	1.50	10	0.59	93.4	51.2	496	
344784	77.00	78.50	1.50	25	1.64	731	50.8	1225	Mo-5.1, As-114.0
344785	78.50	80.00	1.50	80	4.89	2990	31.4	190	Sb-2.55, Mo-15.0, As-334.0, Bi-2.55
344786	80.00	81.50	1.50	40	3.46	2470	33.4	166	Mo-23.9, As-642.0, Bi-3.02
344787	81.50	82.00	0.50	20	2.07	958	25	132	Mo-11.7, As-289.0
344788	82.00	82.80	0.80	10	0.86	184	19.6	176	
344789	82.80	83.30	0.50	85	28.2	8730	299.6	290	Sb-84.55, Mo-168.7, As-664.0, Bi-30.4
344790	83.30	84.00	0.70	90	7.56	1935	1085	2810	Sb-8.25, Mo-82.66, As-289.0, Bi-7.23
344791	84.00	85.50	1.50	15	2.1	579	58.6	278	Sb-2.55, Mo-20.95, Bi-2.46
344792	85.50	86.60	1.10	5	0.67	57.6	203	532	

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0120932, A0120933, A0121157

DDH RDN01-13

L 10,000N

WEDGE ZONE

99 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
344793	86.60	87.60	1.00	460	1.68	273	1545	1490	Sb-7.4
344794	87.60	89.50	1.90	40	0.62	48	265.9	732	
344795	89.50	91.50	2.00	60	0.29	32.6	18.8	82	
344796	91.50	93.00	1.50	<5	0.17	12	8.6	64	
344797	93.00	94.50	1.50	<5	0.19	10	15.2	60	
344798	94.50	96.00	1.50	<5	0.09	10.6	4.4	52	
344799	96.00	97.50	1.50	5	0.14	20.8	6	50	
344800	NEWMONT STANDARD			6720	0.63	136.5	392.7	184	
344801	97.50	99.00	1.50	5	0.24	23	13.6	58	Sb-2.35
344802	99.00	100.50	1.50	<5	0.29	17.6	18.4	72	
344803	100.50	102.00	1.50	5	0.24	22.2	25.2	116	
344804	102.00	103.50	1.50	<5	0.21	9.8	103.7	238	
344805	103.50	105.00	1.50	5	0.25	9.8	95	228	
344806	105.00	106.50	1.50	10	0.48	20.2	560	1305	
344807	106.50	108.00	1.50	10	0.33	10.4	46.6	132	Mo-7.55
344808	108.00	109.50	1.50	5	0.49	11	600	956	Sb-2.05
344809	109.50	111.00	1.50	<5	0.11	13	34.6	118	
344810	111.00	112.50	1.50	<5	0.09	15.2	9.2	78	
344811	112.50	114.00	1.50	10	0.15	11.4	13	76	
344812	114.00	115.50	1.50	<5	0.19	10.6	8	60	
344813	115.50	117.00	1.50	<5	0.04	6.2	5.6	42	
344814	117.00	118.50	1.50	<5	0.16	11.8	9	58	
344815	118.50	120.00	1.50	<5	0.09	8.6	6.4	52	
344816	120.00	121.50	1.50	<5	0.06	8.4	4	58	
344817	121.50	123.00	1.50	65	0.04	11.6	5.6	58	
344818	123.00	124.50	1.50	<5	0.04	10.8	4.8	62	
344819	124.50	126.00	1.50	<5	0.11	11.4	8.2	58	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0120932, A0120933, A0121157

DDH RDN01-13

L 10,000N

WEDGE ZONE

99 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
344820	126.00	127.50	1.50	<5	0.09	9.2	7.4	58	
344821	127.50	129.00	1.50	20	0.25	10.4	131.5	394	
344822	129.00	130.50	1.50	10	0.17	9.8	14.6	56	
344823	130.50	132.00	1.50	10	0.18	11.8	67.2	298	
344824	132.00	133.50	1.50	10	0.31	14.2	230.2	522	
344825	133.50	135.00	1.50	5	0.24	13	58	172	
344826	135.00	136.50	1.50	10	0.27	10.4	46.6	128	
344827	136.50	138.00	1.50	<5	0.04	8.6	3.6	52	
344828	138.00	139.50	1.50	<5	0.09	6.4	6.6	42	
344829	139.50	141.00	1.50	5	0.12	8.2	6.4	46	
344830	NEWMONT STANDARD			440	0.1	100	170.9	50	
344831	141.00	142.50	1.50	<5	0.15	10.2	9	58	
344832	142.50	144.00	1.50	<5	0.14	12	104.7	278	
344833	144.00	145.50	1.50	<5	0.25	12	120	406	
344834	145.50	147.00	1.50	10	0.24	12.8	103.2	372	
344835	147.00	148.50	1.50	<5	0.17	10	43.2	128	
344836	148.50	150.00	1.50	10	0.56	28.4	194	672	Sb-2.70
344837	150.00	151.50	1.50	<5	0.45	15.4	359.3	1210	
344838	151.50	153.00	1.50	15	0.51	19	271.3	1120	
344839	153.00	154.50	1.50	15	1.25	37.4	398.8	1030	Mo-89.32, Sb-6.55
344840	154.50	156.00	1.50	15	0.61	13	12.8	70	Mo-54.41, Sb-2.55
344841	156.00	157.50	1.50	10	0.37	11.6	11.2	66	Mo-19.20
344842	157.50	159.00	1.50	<5	0.31	13.2	17.4	88	
344843	159.00	160.50	1.50	<5	0.25	14.8	5.8	72	
344844	160.50	162.00	1.50	<5	0.22	8.6	10.4	78	
344845	162.00	163.50	1.50	5	0.18	11	5	50	
344846	163.50	165.00	1.50	<5	0.36	15.8	74	256	Sb-2.20

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0120932, A0120933, A0121157

DDH RDN01-13

L 10,000N

WEDGE ZONE

99 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
344847	165.00	166.50	1.50	<5	0.27	15.4	63	212	
344848	166.50	168.00	1.50	<5	0.25	14.8	52.2	194	
344849	168.00	169.50	1.50	<5	0.18	8.8	11.2	74	
344850	169.50	171.00	1.50	<5	0.17	6.6	11.8	84	
344851	171.00	172.50	1.50	<5	0.35	20.2	55.8	204	
344852	172.50	174.00	1.50	<5	0.12	9.6	10	50	
344853	174.00	175.50	1.50	5	0.17	9.8	13	74	
344854	175.50	177.00	1.50	<5	0.14	8.8	12.6	60	
344855	177.00	178.50	1.50	<5	0.17	10.6	10.4	56	
344856	178.50	179.60	1.10	<5	0.25	13.2	10.4	58	
344857	179.60	180.40	0.80	5	0.45	45.6	7.8	46	
344858	180.40	181.30	0.90	5	0.41	16.2	132.8	356	
344859	181.30	182.20	0.90	10	0.54	30.2	11.8	52	
344860	NEWMONT STANDARD			140	0.3	93.3	13.8	94	
344861	182.20	183.10	0.90	<5	0.38	41.8	40	70	Sb-2.20
344862	183.10	185.00	1.90	10	0.37	16.2	221.8	776	
344863	185.00	186.50	1.50	<5	0.18	23.2	26.4	74	
344864	186.50	188.00	1.50	<5	0.08	16.4	20.6	78	
344865	188.00	188.98	0.98	<5	0.06	7.6	16.8	78	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0121155

DDH RDN01-14

L 4900N

CAMP ZONE

27 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	ARSENIC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	55.17	55.17	N/A	N/A	N/A
344866	55.17	57.00	1.83	<5		
344867	57.00	59.00	2.00	<5		
344868	59.00	61.00	2.00	<5		
344869	61.00	63.00	2.00	<5		
344870	63.00	65.00	2.00	<5		
344871	65.00	67.00	2.00	<5		
344872	67.00	69.00	2.00	<5		
344873	69.00	71.00	2.00	<5		
344874	71.00	73.00	2.00	<5		
344875	73.00	75.00	2.00	<5		
344876	75.00	77.00	2.00	<5		
344877	77.00	79.00	2.00	<5		
344878	79.00	81.00	2.00	<5		
344879	81.00	83.00	2.00	<5		
344880	83.00	85.00	2.00	<5		
344881	85.00	87.00	2.00	<5		
344882	95.00	96.00	1.00	<5		
344883	100.00	101.00	1.00	<5		
344884	106.00	107.00	1.00	<5		
344885	111.00	112.00	1.00	<5		
344886	115.00	116.00	1.00	<5		
344887	124.00	125.00	1.00	<5		
344888	126.50	127.50	1.00	<5		
344889	131.50	132.50	1.00	<5	96.7	
344890	NEWMONT STANDARD			50	550.0	
344891	138.90	140.10	1.20	<5		
344892	143.50	144.50	1.00	<5		

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 18-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0121156

DDH RDN01-15

L 2550N

SAND LAKE

17 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	ARSENIC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	0.61	0.61	N/A	N/A	N/A
344893	2.50	3.50	1.00	<5		
344894	8.00	9.00	1.00	<5		
344895	15.50	16.50	1.00	<5		
344896	21.50	22.50	1.00	<5		
344897	28.00	29.00	1.00	<5		
344898	33.00	34.00	1.00	<5		
344899	40.00	41.00	1.00	<5		
344900	43.50	45.00	1.50	<5		
344901	49.00	50.00	1.00	<5		
344902	55.00	56.00	1.00	<5		
344903	63.00	64.50	1.50	<5	50.4	165Cu, 3.7Sb
344904	64.50	65.80	1.30	<5	98.9	276Cu, 7.15Sb
344905	65.80	67.00	1.20	<5		
344906	70.00	71.00	1.00	<5		
344907	76.00	77.00	1.00	<5		
344908	82.50	83.50	1.00	<5		
344909	87.00	88.39	1.39	<5		

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0121321

DDH RDN01-16

L 900N

BOUNDARY ZONE

26 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	ARSENIC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	4.40	4.40	N/A	N/A	N/A
344910	6.00	7.00	1.00	<5		
344911	10.50	11.50	1.00	<5		
344912	18.00	19.00	1.00	<5		
344913	24.00	25.00	1.00	<5		
344914	27.50	29.00	1.50	<5		
344915	30.50	31.50	1.00	<5		
344916	31.50	33.00	1.50	<5		
344917	33.00	34.50	1.50	<5		
344918	34.50	36.00	1.50	5		
344919	39.50	41.00	1.50	10		
344920	NEWMONT STANDARD			100		
344921	41.00	42.50	1.50	25		
344922	42.50	43.50	1.00	<5		
344923	43.50	45.00	1.50	<5		
344924	50.40	51.40	1.00	<5		
344925	51.40	52.40	1.00	<5		
344926	57.00	58.00	1.00	<5		
344927	61.80	62.80	1.00	<5		
344928	67.00	68.00	1.00	<5		
344929	75.00	76.50	1.50	<5		
344930	76.50	78.00	1.50	<5		
344931	78.00	79.50	1.50	<5		
344932	79.50	81.00	1.50	<5		
344933	84.00	85.50	1.50	<5		
344934	85.50	87.00	1.50	<5		
344935	87.00	88.40	1.40	<5		

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-17				
DATE: 16-Dec-01					L 9400N				
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S): A0121304, a121950 Overlimit					68 Samples				
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	33.62	33.62	N/A	N/A	N/A			
344936	33.62	34.50	0.88	55	0.26	18.6	606	2350	
344937	34.50	36.00	1.50	45	0.13	13.4	234	1755	
344938	36.00	37.50	1.50	15	0.31	10.6	308.4	794	
344939	37.50	39.00	1.50	10	0.14	7.2	121.2	594	
344940	39.00	40.25	1.25	10	0.08	6	47.2	530	
344941	40.25	41.25	1.00	20	0.24	12.2	576	1190	
344942	41.25	42.75	1.50	65	0.18	9	584	1180	
344943	42.75	44.25	1.50	5	0.09	5.2	123.3	780	
344944	44.25	45.65	1.40	5	0.11	5.4	45	272	
344945	45.65	46.60	0.95	70	0.37	12	202.5	508	
344946	46.60	48.10	1.50	15	0.14	8.6	123	494	
344947	48.10	49.60	1.50	55	0.16	10.4	190.6	514	
344948	49.60	51.10	1.50	50	0.22	10	608	1650	
344949	51.10	51.90	0.80	<5	0.04	5	109	316	
344950	NEWMONT STANDARD			<5	0.15	25	15.6	92	
344951	51.90	53.40	1.50	10	0.24	25.4	343.4	540	
344952	53.40	54.90	1.50	15	0.21	16.4	604	1170	
344953	54.90	56.40	1.50	30	0.29	11.8	598	1690	
344954	56.40	57.70	1.30	35	0.31	22	380.3	2860	
344955	57.70	58.80	1.10	55	0.87	11.8	148.2	568	
344956	58.80	60.30	1.50	45	0.11	5.6	22.2	266	
344957	60.30	62.10	1.80	40	0.26	8.4	32.8	428	
344958	62.10	63.00	0.90	45	2.85	47.8	428	1420	
344959	63.00	64.50	1.50	60	0.57	13	72.8	472	
344960	64.50	66.00	1.50	20	0.23	22	92	446	
344961	66.00	67.50	1.50	35	0.1	9.6	38.6	278	

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-17				
DATE:		16-Dec-01			L 9400N				
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S):		A0121304, a121950 Overlimit			68 Samples				
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
344962	67.50	69.00	1.50	130	1.1	14.2	175.2	1105	
344963	69.00	70.50	1.50	60	0.7	14.8	309.2	776	
344964	70.50	71.50	1.00	35	0.39	15.4	484	1455	
344965	71.50	72.00	0.50	4170	6.39	3110	918	5.67%	see NOTE A
344966	72.00	73.50	1.50	25	0.29	31.2	123.8	1580	
344967	73.50	75.00	1.50	5	0.18	14.6	458	914	
344968	75.00	76.50	1.50	25	0.12	50.4	152.9	1090	
344969	76.50	78.00	1.50	75	0.23	16	211.8	680	
344970	78.00	79.25	1.25	15	0.3	11.2	98.6	436	
344971	79.25	80.75	1.50	60	0.35	31.6	122.5	566	
344972	80.75	82.25	1.50	35	0.17	33.6	158.8	776	
344973	82.25	83.75	1.50	10	0.16	21.4	167.4	534	
344974	83.75	85.25	1.50	40	0.13	24.6	152	814	
344975	85.25	86.70	1.45	65	0.14	13	51.2	264	
344976	86.70	87.50	0.80	940	0.71	68	1705	3860	
344977	87.50	88.50	1.00	270	0.87	198	490	3850	
344978	88.50	89.50	1.00	190	1.01	50	70.8	324	
344979	89.50	90.30	0.80	705	4.93	613	3010	2.12%	see NOTE B
344980	NEWMONT STANDARD			5	0.12	24.6	21.8	142	
344981	90.30	91.20	0.90	115	0.76	44.4	308	1275	
344982	91.20	92.20	1.00	280	0.45	24.2	111.1	544	
344983	92.20	93.70	1.50	<5	0.04	9	22.2	210	
344984	93.70	95.20	1.50	<5	0.05	7.8	26.8	196	
344985	95.20	96.70	1.50	<5	0.02	5.4	24.8	208	
344986	96.70	98.20	1.50	<5	0.04	9	31.6	454	
344987	98.20	99.70	1.50	145	0.28	56.5	624	1620	
344988	99.70	100.40	0.70	25	0.19	53.5	40	374	

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-17				
DATE:		18-Dec-01			L 9400N				
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S):		A0121304, a121950 Overlimit			68 Samples				
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
344989	100.40	101.50	1.10	250	0.43	65	83.4	632	
344990	101.50	102.60	1.10	5	0.12	18.6	124.8	468	
344991	102.60	104.10	1.50	85	0.4	45.2	356	676	
344992	104.10	105.60	1.50	40	0.44	29.4	206.1	1070	
344993	105.60	107.10	1.50	90	0.51	43.4	634	1810	
344994	107.10	108.60	1.50	40	0.35	14.8	141.6	950	
344995	108.60	110.10	1.50	85	0.44	9.8	29.2	568	
344996	110.10	111.00	0.90	30	0.4	14.6	89.2	1265	
344997	111.00	112.50	1.50	3750	9.02	5220	730	1755	see NOTE C
344998	112.50	113.05	0.55	315	1.76	60.3	48.2	50	
344999	113.05	113.55	0.50	105	1.15	95	172.6	574	
345000	113.55	114.20	0.65	80	0.74	79.6	152.4	1255	
345001	114.20	115.70	1.50	20	0.45	37.4	414	658	
345002	115.70	117.10	1.40	10	0.43	34.4	262.6	464	
345003	117.10	118.87	1.77	15	0.51	70.5	23.6	124	

NOTE A, ANOMALOUS GEOCHEMISTRY IN SAMPLE 344965:

As-794, Bi-7.71, Cd-377, Ga-4.4, Hg-10.6, Mo-7.85, S-4.93, Sb-15.1, Se-6.4, Te-1.88, Tl-0.6

NOTE B, ANOMALOUS GEOCHEMISTRY IN SAMPLE 344979:

As-223, Bi-3.26, Cd-141, Ga-4.75, Hg-7.57, Se-7.0, Te-2.08

NOTE C, ANOMALOUS GEOCHEMISTRY IN SAMPLE 344997:

As-324, Bi-2.6, Cd-13.75, Hg-1.1, S-4.71, Sb-40.55, Se-3.6, Te-3.42

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-18				
DATE:		16-Dec-01			L 9200N				
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S):		A0125133			95 Samples				
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	24.06	24.06	N/A	N/A	N/A	N/A	N/A	N/A
29501	24.06	25.50	1.44	5	0.40	12.6	23.6	94	
29502	25.50	27.00	1.50	5	0.41	13.6	15.6	60	
29503	27.00	28.50	1.50	5	0.33	13.2	12.8	46	
29504	28.50	29.30	0.80	<5	0.46	27.0	57.6	184	
29505	29.30	30.40	1.10	<5	0.59	7.8	8.4	46	
29506	30.40	32.00	1.60	<5	0.58	39.4	65.0	282	
29507	32.00	33.50	1.50	<5	0.40	14.6	9.4	62	
29508	33.50	35.00	1.50	<5	0.48	15.2	11.6	68	
29509	35.00	36.50	1.50	<5	0.43	15.0	8.0	86	
29510	36.50	38.00	1.50	<5	0.54	22.2	14.8	94	
29511	38.00	39.50	1.50	<5	0.47	15.8	31.6	114	
29512	39.50	40.30	0.80	<5	0.61	14.0	21.0	84	
29513	40.30	41.80	1.50	<5	0.49	14.2	27.4	122	
29514	41.80	43.30	1.50	15	0.67	9.4	22.6	54	
29515	43.30	45.20	1.90	<5	0.78	10.4	21.2	60	
29516	45.20	46.70	1.50	<5	0.69	17.0	30.0	66	
29517	46.70	48.45	1.75	<5	0.81	12.6	23.2	64	
29518	48.45	50.25	1.80	<5	0.69	9.4	16.8	54	
29519	50.25	52.20	1.95	5	0.87	25.2	32.6	122	
29520	52.20	53.80	1.60	<5	0.66	11.4	13.6	92	
29521	53.80	55.30	1.50	<5	0.26	18.0	19.8	94	
29522	55.30	56.80	1.50	<5	0.24	19.2	18.2	130	
29523	56.80	57.80	1.00	<5	0.15	9.2	8.0	108	
29524	57.80	59.30	1.50	5	1.90	19.0	9.6	102	
29525	59.30	60.80	1.50	<5	0.83	16.0	13.0	80	
29526	60.80	61.70	0.90	<5	0.26	15.6	11.0	94	

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY					DDH RDN01-18				
DATE:		18-Dec-01			L 9200N				
RDN PROJECT					WEDGE ZONE				
CHEMEX FILE(S):		A0125133			95 Samples				
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29527	61.70	63.30	1.60	5	0.12	9.0	13.4	52	
29528	63.30	64.30	1.00	<5	0.21	18.6	5.4	72	
29529	64.30	65.30	1.00	<5	0.60	11.6	6.4	70	
29530	NEWMONT STANDARD			135	0.74	93.9	13.0	92	
29531	65.30	66.30	1.00	30	0.38	21.2	129.3	244	
29532	66.30	67.05	0.75	220	0.29	26.8	313.7	1075	
29533	67.05	68.50	1.45	5	0.58	23.6	16.8	84	
29534	68.50	70.00	1.50	<5	0.12	18.2	7.6	66	
29535	70.00	71.50	1.50	15	0.36	8.2	9.2	58	
29536	71.50	73.00	1.50	<5	0.48	3.2	3.8	68	
29537	73.00	74.50	1.50	<5	0.32	22.0	3.6	72	
29538	74.50	76.00	1.50	<5	0.25	8.8	4.8	60	
29539	76.00	77.50	1.50	<5	0.44	14.0	6.2	56	
29540	77.50	78.30	0.80	<5	0.33	19.0	5.4	70	
29541	78.30	79.30	1.00	<5	0.35	10.0	4.4	60	
29542	79.30	80.80	1.50	<5	0.37	12.8	3.2	66	
29543	80.80	82.30	1.50	<5	0.19	10.0	3.6	70	
29544	82.30	83.50	1.20	<5	0.19	12.2	3.2	82	
29545	83.50	85.00	1.50	<5	0.07	16.4	1.6	58	
29546	85.00	86.50	1.50	<5	0.05	22.8	1.2	60	
29547	86.50	87.70	1.20	<5	0.06	5.0	2.2	60	
29548	87.70	88.70	1.00	<5	0.69	28.0	147.0	62	
29549	88.70	90.20	1.50	<5	0.29	26.6	14.4	70	
29550	90.20	91.50	1.30	<5	0.27	11.2	10.2	68	
29551	91.50	93.00	1.50	<5	0.22	62.1	9.8	70	
29552	93.00	94.50	1.50	<5	0.19	19.6	9.2	64	
29553	94.50	96.00	1.50	<5	0.19	29.6	9.0	70	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125133

DDH RDN01-18

L 9200N

WEDGE ZONE

95 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29554	96.00	97.50	1.50	<5	0.28	42.8	8.0	70	
29555	97.50	99.00	1.50	<5	0.31	28.8	9.6	68	
29556	99.00	100.50	1.50	5	0.29	14.0	11.2	58	
29557	100.50	102.00	1.50	<5	0.69	24.2	10.0	94	
29558	102.00	103.50	1.50	<5	0.60	19.8	10.6	78	
29559	103.50	105.00	1.50	<5	0.52	21.2	8.2	62	
29560	NEWMONT STANDARD			13.1 g/t	0.51	63.0	121.5	84	
29561	105.00	106.50	1.50	5	0.24	30.2	12.2	76	
29562	106.50	108.00	1.50	<5	0.16	27.8	6.6	80	
29563	108.00	109.50	1.50	<5	0.23	34.2	10.6	90	
29564	109.50	111.00	1.50	<5	0.13	25.4	7.4	74	
29565	111.00	112.50	1.50	<5	0.22	23.6	9.0	70	
29566	112.50	114.00	1.50	<5	0.25	26.8	13.8	86	
29567	114.00	115.50	1.50	<5	0.15	33.4	9.8	86	
29568	115.50	116.55	1.05	<5	0.31	24.0	9.0	100	
29569	116.55	117.65	1.10	<5	0.26	21.0	11.8	94	
29570	117.65	118.87	1.22	<5	0.81	23.0	11.0	116	
29571	118.87	120.50	1.63	<5	0.45	14.6	8.0	84	
29572	120.50	122.00	1.50	<5	0.37	14.0	7.4	88	
29573	122.00	123.00	1.00	<5	0.27	26.2	12.2	112	
29574	123.00	124.00	1.00	<5	0.34	38.6	8.8	82	
29575	124.00	125.00	1.00	<5	0.27	29.8	9.4	96	
29576	125.00	127.00	2.00	<5	0.25	23.6	11.2	102	
29577	127.00	129.00	2.00	<5	0.22	25.0	11.0	102	
29578	129.00	131.00	2.00	<5	0.27	22.8	11.2	112	
29579	131.00	133.00	2.00	<5	0.23	24.4	11.2	112	
29580	133.00	134.50	1.50	<5	0.40	30.8	13.6	102	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125133

DDH RDN01-18

L 9200N

WEDGE ZONE

95 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29581	134.50	136.00	1.50	<5	0.26	26.0	12.2	134	
29582	136.00	137.50	1.50	<5	0.26	24.0	11.0	110	
29583	137.50	139.50	2.00	<5	0.11	23.4	14.4	102	
29584	139.50	141.50	2.00	<5	0.13	20.0	11.0	102	
29585	141.50	143.50	2.00	<5	0.21	17.4	9.8	94	
29586	143.50	145.50	2.00	<5	0.31	18.4	10.8	96	
29587	145.50	147.50	2.00	<5	0.24	20.4	11.4	98	
29588	147.50	149.50	2.00	<5	0.23	21.2	10.2	94	
29589	149.50	151.50	2.00	<5	0.21	21.2	9.6	98	
29590	NEWMONT STANDARD			<5	0.22	23.4	12.4	74	
29591	151.50	153.50	2.00	<5	0.19	21.4	10.4	90	
29592	153.50	155.50	2.00	<5	0.17	23.4	10.4	90	
29593	155.50	157.50	2.00	<5	0.19	20.6	10.6	100	
29594	157.50	159.50	2.00	<5	0.21	21.6	12.2	98	
29595	159.50	161.54	2.04	<5	0.19	22.4	11.4	108	

NEWMONT EXPLORATION OF CANADA									
ASSAY SUMMARY				DDH RDN01-19					
DATE:		18-Dec-01		L		9600N			
RDN PROJECT				WEDGE ZONE					
CHEMEX FILE(S):		A0125419, A0125651		197 Samples					
SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	31.20	31.20	N/A	N/A	N/A	N/A	N/A	N/A
29596	31.20	32.70	1.50	5	0.20	19.4	367.2	698	
29597	32.70	34.20	1.50	35	0.34	27.0	256.9	1395	
29598	34.20	36.00	1.80	5	0.24	12.6	38.6	164	
29599	36.00	36.50	0.50	15	0.37	9.2	78.6	184	
29600	36.50	38.00	1.50	10	0.37	19.8	30.0	260	
29601	38.00	39.50	1.50	10	0.36	13.6	115.1	312	
29602	39.50	41.00	1.50	50	0.40	29.6	92.0	620	
29603	41.00	42.50	1.50	5	0.33	9.2	47.4	214	
29604	42.50	44.00	1.50	<5	0.28	34.2	11.2	166	
29605	44.00	45.50	1.50	175	0.38	19.8	72.2	218	
29606	45.50	47.00	1.50	180	0.60	53.2	122.9	1475	
29607	47.00	48.50	1.50	10	0.46	17.8	108.5	504	
29608	48.50	49.60	1.10	20	0.49	13.8	159.6	382	
29609	49.60	50.60	1.00	125	0.31	11.2	285.7	542	
29610	50.60	51.60	1.00	95	0.42	13.6	460.0	990	
29611	51.60	52.60	1.00	35	0.40	12.2	400.6	780	
29612	52.60	53.60	1.00	145	0.57	19.6	722.0	1305	
29613	53.60	54.60	1.00	55	0.59	38.0	427.4	542	
29614	54.60	55.60	1.00	55	0.38	23.0	666.0	1575	
29615	55.60	57.00	1.40	20	0.19	5.2	253.5	462	
29616	57.00	58.50	1.50	10	0.21	15.0	419.4	1350	
29617	58.50	60.00	1.50	15	0.21	6.2	31.2	210	
29618	60.00	61.50	1.50	20	0.21	6.0	181.9	476	
29619	61.50	63.00	1.50	20	0.20	7.6	379.1	652	
29620	NEWMONT STANDARD			11.37 g/t	0.32	64.7	116.1	92	
29621	63.00	64.50	1.50	45	0.28	4.8	279.8	726	
29622	64.50	66.00	1.50	25	0.45	28.2	378.9	1245	
29623	66.00	66.90	0.90	115	0.86	38.4	337.9	762	
29624	66.90	68.00	1.10	45	1.33	58.4	530.0	2060	
29625	68.00	69.50	1.50	105	1.06	63.0	904.0	2130	
29626	69.50	71.00	1.50	205	0.83	62.6	718.0	2050	

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DDH RDN01-19

DATE: 16-Déc-01

L 9600N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125419, A0125651

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29627	71.00	71.90	0.90	515	1.52	94.5	770.0	3450	Hg,Cd
29628	71.90	73.10	1.20	520	3.19	684.0	2570.0	7240	As,Sb,Hg,Cd
29629	73.10	74.30	1.20	510	8.82	121.0	1105.0	8080	Hg,Cd
29630	74.30	75.80	1.50	20	1.26	18.0	375.3	982	
29631	75.80	77.30	1.50	15	0.56	12.6	390.3	1960	
29632	77.30	78.80	1.50	20	0.25	9.4	423.6	1420	
29633	78.80	80.30	1.50	45	0.32	11.6	264.8	1460	
29634	80.30	81.10	0.80	20	0.44	7.2	235.6	590	
29635	81.10	82.00	0.90	150	1.54	88.7	1470.0	9520	
29636	82.00	82.80	0.80	150	1.30	40.6	1200.0	6480	
29637	82.80	84.50	1.70	10	0.59	3.6	67.2	444	
29638	84.50	86.00	1.50	50	0.57	8.6	142.6	1150	
29639	86.00	87.50	1.50	55	0.56	37.6	343.0	1625	
29640	87.50	89.00	1.50	130	0.75	46.0	748.0	2520	
29641	89.00	90.50	1.50	60	0.58	22.4	133.6	1495	
29642	90.50	92.00	1.50	20	0.81	8.0	169.9	728	
29643	92.00	93.50	1.50	30	0.66	5.0	355.2	838	
29644	93.50	95.00	1.50	15	0.29	3.6	51.6	242	
29645	95.00	96.50	1.50	25	0.29	9.6	241.4	956	
29646	96.50	98.00	1.50	15	0.24	7.4	191.1	990	
29647	98.00	99.50	1.50	10	0.33	7.0	278.2	1210	
29648	99.50	101.00	1.50	55	0.38	10.4	105.0	1375	
29649	101.00	102.50	1.50	20	0.32	4.2	80.8	818	
29650	NEWMONT STANDARD			7300	0.81	128.5	352.3	182	
29660	102.50	103.30	0.80	10	0.46	3.6	43.8	540	
29651	103.30	104.40	1.10	175	1.97	69.7	92.2	226	
29652	104.40	105.40	1.00	100	2.44	18.0	97.8	476	
29653	105.40	106.90	1.50	40	0.53	10.4	147.1	530	
29654	106.90	108.40	1.50	20	0.51	4.8	118.9	636	
29655	108.40	109.90	1.50	<5	0.36	47.4	16.6	308	
29656	109.90	110.50	0.60	10	0.32	2.6	32.4	246	
29657	110.50	111.10	0.60	215	2.19	41.6	143.5	282	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 18-Dec-01

DDH RDN01-19

L 9600N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125419, A0125651

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29658	111.10	112.60	1.50	90	0.58	8.6	82.0	316	
29659	112.60	114.10	1.50	<5	0.60	6.0	140.2	366	
29661	114.10	114.75	0.65	30	0.47	13.2	67.0	266	
29662	114.75	115.40	0.65	980	10.45	221.0	1440.0	3390	Te, Se, Mo, Hg, Cd
29663	115.40	116.80	1.40	20	1.89	9.8	37.2	112	
29664	116.80	117.60	0.80	<5	0.25	10.8	21.8	76	
29665	117.60	119.10	1.50	<5	0.41	15.4	23.8	92	
29666	119.10	120.60	1.50	<5	0.37	9.2	10.2	90	
29667	120.60	122.10	1.50	<5	0.28	17.0	19.2	122	
29668	122.10	123.60	1.50	<5	0.24	7.8	5.6	68	
29669	123.60	125.10	1.50	<5	0.30	17.6	8.2	80	
29670	125.10	126.60	1.50	<5	0.19	6.0	13.6	82	
29671	126.60	128.10	1.50	<5	0.17	6.2	9.6	80	
29672	128.10	129.60	1.50	<5	0.16	7.0	11.8	108	
29673	129.60	131.10	1.50	<5	0.12	4.4	9.2	78	
29674	131.10	132.60	1.50	<5	0.20	8.6	15.6	108	
29675	132.60	133.60	1.00	<5	0.19	8.8	9.0	68	
29676	133.60	134.60	1.00	<5	0.16	6.8	18.6	82	
29677	134.60	135.85	1.25	<5	0.28	6.4	16.0	84	
29678	135.85	137.50	1.65	<5	0.26	11.8	17.2	86	
29679	137.50	139.00	1.50	<5	0.17	13.8	11.2	62	
29680	NEWMONT STANDARD			40	0.34	85.6	12.0	714	
29690	139.00	140.50	1.50	<5	0.34	11.4	6.6	82	
29681	140.50	141.50	1.00	<5	0.21	9.0	5.6	80	
29682	141.50	142.50	1.00	<5	0.23	6.2	11.6	54	
29683	142.50	143.20	0.70	<5	0.19	7.2	7.4	64	
29684	143.20	145.00	1.80	<5	0.25	11.4	8.8	72	
29685	145.00	146.00	1.00	55	2.65	25.4	50.2	94	
29686	146.00	147.25	1.25	25	1.56	12.4	33.4	66	
29687	147.25	148.75	1.50	<5	0.16	9.8	6.6	70	
29688	148.75	150.25	1.50	<5	0.36	7.4	10.6	64	
29689	150.25	151.75	1.50	<5	0.23	6.0	26.2	86	

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DDH RDN01-19

DATE: 16-Dec-01

L 9600N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125419, A0125651

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29691	151.75	153.25	1.50	<5	0.35	6.0	16.6	86	
29692	153.25	154.75	1.50	<5	0.23	5.6	11.0	80	

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DDH RDN01-19

DATE: 18-Dec-01

L 9600N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125419, A0125651

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29693	154.75	156.25	1.50	<5	0.17	9.4	5.8	74	
29694	156.25	157.75	1.50	<5	0.16	9.8	7.6	82	
29695	157.75	159.25	1.50	<5	0.13	8.2	4.0	72	
29696	159.25	161.10	1.85	<5	0.13	9.2	31.8	114	
29697	161.10	162.40	1.30	5	0.18	6.2	12.8	104	
29698	162.40	163.55	1.15	10	0.22	7.6	38.6	180	
29699	163.55	165.00	1.45	<5	0.21	29.4	124.5	126	
29700	165.00	166.50	1.50	5	0.15	7.6	7.4	108	
29701	166.50	168.00	1.50	<5	0.16	12.8	6.2	124	
29702	168.00	169.50	1.50	5	0.14	8.2	33.2	136	
29703	169.50	171.00	1.50	5	0.19	16	204.0	224	
29704	171.00	172.50	1.50	<5	0.11	20.8	2.2	114	
29705	172.50	173.90	1.40	<5	0.11	13.6	3.2	116	
29706	173.90	175.20	1.30	5	0.16	5.6	11.6	158	
29707	175.20	177.00	1.80	<5	0.13	13.6	3.2	158	
29708	177.00	178.30	1.30	<5	0.12	11.6	3.8	116	
29709	178.30	179.50	1.20	10	0.33	14	15.8	126	
29710	NEWMONT STANDARD			15	0.26	21.8	8.0	78	
29711	179.50	181.00	1.50	<5	0.16	14	3.2	156	
29712	181.00	182.50	1.50	5	0.17	17	11.6	150	
29713	182.50	184.00	1.50	<5	0.24	7.8	4.0	132	
29714	184.00	185.50	1.50	5	0.23	10.6	9.2	136	
29715	185.50	187.00	1.50	<5	0.15	15.6	4.8	148	
29716	187.00	188.00	1.00	5	0.22	11.2	26.2	144	
29717	188.00	189.50	1.50	5	0.25	15.6	46.0	258	
29718	189.50	190.50	1.00	45	0.37	22.2	349.1	952	
29719	190.50	191.50	1.00	55	0.38	21.6	420.0	1345	
29720	191.50	192.50	1.00	20	0.36	33	326.3	628	
29721	192.50	194.00	1.50	10	0.28	4.4	229.6	150	
29722	194.00	195.50	1.50	5	0.25	5.6	6.2	108	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125419, A0125651

DDH RDN01-19

L 9600N

WEDGE ZONE

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29723	195.50	197.00	1.50	15	0.28	13.6	34.8	118	
29724	197.00	198.50	1.50	5	0.24	8.4	17.8	102	
29725	198.50	200.00	1.50	10	0.26	18	54.6	260	
29726	200.00	201.00	1.00	5	0.27	6.2	15.0	120	
29727	201.00	202.50	1.50	15	0.34	11.2	59.2	292	
29728	202.50	204.00	1.50	<5	0.25	10.2	11.2	76	
29729	204.00	205.50	1.50	5	0.20	7	10.6	72	
29730	205.50	206.50	1.00	<5	0.19	8.6	8.2	60	
29731	206.50	208.00	1.50	10	0.31	11.2	10.2	78	
29732	208.00	209.50	1.50	25	0.37	13.8	112.6	322	
29733	209.50	211.00	1.50	5	0.43	12.4	27.0	152	
29734	211.00	212.50	1.50	5	0.26	7.8	12.2	82	
29735	212.50	214.00	1.50	<5	0.23	9.2	8.6	82	
29736	214.00	215.50	1.50	<5	0.21	6.4	6.6	72	
29737	215.50	217.00	1.50	<5	0.24	6.2	8.2	64	
29738	217.00	218.50	1.50	<5	0.29	7.6	8.0	56	
29739	218.50	220.00	1.50	10	0.33	8.8	20.2	42	
29740	NEWMONT STANDARD			475	0.25	90.5	148.4	42	
29741	220.00	221.50	1.50	10	0.19	6.8	7.4	50	
29742	221.50	223.00	1.50	10	0.21	7.6	6.2	42	
29743	223.00	224.50	1.50	5	0.22	9	6.8	44	
29744	224.50	226.00	1.50	<5	0.25	10	8.4	46	
29745	226.00	227.50	1.50	<5	0.24	8.6	7.2	34	
29746	227.50	229.00	1.50	<5	0.29	11.8	7.6	50	
29747	229.00	230.50	1.50	<5	0.28	9.6	6.0	68	
29748	230.50	232.00	1.50	<5	0.21	10.4	6.2	52	
29749	232.00	233.50	1.50	<5	0.18	8	5.4	52	
29750	233.50	235.00	1.50	<5	0.16	8.4	5.4	58	
29751	235.00	236.20	1.20	10	0.15	10	4.8	56	

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DATE: 18-Déc-01

RDN PROJECT

CHEMEX FILE(S): A0125419, A0125651

DDH RDN01-19

L 9600N

WEDGE ZONE

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29752	236.20	237.70	1.50	<5	0.14	33	4.2	80	
29753	237.70	238.80	1.10	5	0.24	49.8	7.6	78	
29754	238.80	240.00	1.20	5	0.26	28.6	11.8	152	
29755	240.00	241.10	1.10	10	0.29	26.2	6.6	150	
29756	241.10	242.20	1.10	<5	0.28	20.2	1.6	88	
29757	242.20	243.70	1.50	5	0.30	11.6	6.4	84	
29758	243.70	245.20	1.50	10	0.24	9	6.4	100	
29759	245.20	246.70	1.50	5	0.26	6.8	6.4	66	
29760	246.70	248.20	1.50	5	0.26	8.4	5.4	68	
29761	248.20	249.70	1.50	5	0.30	9.4	8.4	76	
29762	249.70	251.20	1.50	5	0.21	16.4	5.2	78	
29763	251.20	252.70	1.50	10	0.17	24.6	6.0	72	
29764	252.70	254.20	1.50	<5	0.15	25.4	4.2	70	
29765	254.20	255.70	1.50	5	0.13	22.6	6.2	64	
29766	255.70	257.20	1.50	<5	0.12	20	3.4	50	
29767	257.20	258.70	1.50	<5	0.14	16.8	3.4	50	
29768	258.70	260.20	1.50	<5	0.14	18.2	4.4	66	
29769	260.20	262.00	1.80	5	0.14	26.2	6.4	84	
29770	NEWMONT STANDARD			455	0.22	101.5	172.7	54	
29771	262.00	263.50	1.50	5	0.18	16	9.2	76	
29772	263.50	265.00	1.50	<5	0.14	11.8	6.8	74	
29773	265.00	266.50	1.50	10	0.43	17.2	12.8	114	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125419, A0125651

DDH RDN01-19

L 9600N

WEDGE ZONE

197 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29774	266.50	267.45	0.95	<5	0.23	6	5.4	58	
29775	267.45	269.00	1.55	5	0.31	15.8	12.6	90	
29776	269.00	271.00	2.00	<5	0.23	15	11.4	98	
29777	271.00	273.00	2.00	<5	0.18	9.4	5.0	76	
29778	273.00	275.00	2.00	<5	0.20	15.2	10.0	94	
29779	275.00	277.00	2.00	<5	0.21	13.6	8.0	92	
29780	277.00	279.00	2.00	<5	0.19	13.6	7.2	84	
29781	279.00	281.00	2.00	5	0.18	18.2	8.0	104	
29782	281.00	283.00	2.00	<5	0.18	20.6	7.6	100	
29783	283.00	285.00	2.00	<5	0.16	21.2	9.2	106	
29784	285.00	287.00	2.00	<5	0.17	22	8.4	116	
29785	287.00	289.00	2.00	<5	0.18	21.4	7.4	112	
29786	289.00	291.00	2.00	5	0.18	21.2	7.0	108	
29787	291.00	293.00	2.00	<5	0.15	19.8	7.2	116	
29788	293.00	295.00	2.00	5	0.17	21	7.6	106	
29789	295.00	297.00	2.00	<5	0.16	20.2	7.0	100	
29790	297.00	299.00	2.00	5	0.17	22.2	7.6	96	
29791	299.00	301.00	2.00	<5	0.16	20.4	6.4	108	
29792	301.00	301.75	0.75	<5	0.17	22	7.4	102	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

DDH RDN01-20

L 9400N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125543

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	11.58	11.58	N/A	N/A	N/A	N/A	N/A	N/A
29793	11.58	13.00	1.42	30	0.19	18.6	257.8	1400	
29794	13.00	14.50	1.50	60	0.22	14.0	137.8	1160	
29795	14.50	16.00	1.50	10	0.09	2.2	30.2	270	
29796	16.00	17.50	1.50	55	0.23	40.6	390.0	1310	
29797	17.50	19.00	1.50	25	0.15	8.8	126.6	308	
29798	19.00	20.50	1.50	50	0.22	20.8	226.6	658	
29799	20.50	22.00	1.50	690	0.55	127.0	1030.5	1845	Weak Hg, Sb
29800	NEWMONT STANDARD			435	0.24	89.2	142.2	52	
29801	22.00	23.50	1.50	15	0.10	5.8	12.4	236	
29802	23.50	25.00	1.50	60	0.14	15.0	171.2	516	
29803	25.00	26.50	1.50	10	0.16	17.2	226.0	618	
29804	26.50	28.00	1.50	25	0.12	15.0	76.4	434	
29805	28.00	29.50	1.50	525	0.45	40.8	655.0	1600	Weak Cd, Hg
29806	29.50	31.00	1.50	15	0.20	14.6	82.6	334	
29807	31.00	32.50	1.50	<5	0.16	10.2	176.4	422	
29808	32.50	34.00	1.50	<5	0.12	9.2	52.0	244	
29809	34.00	35.50	1.50	10	0.10	8.6	175.4	302	
29810	35.50	37.00	1.50	10	0.20	16.8	159.4	362	
29811	37.00	38.50	1.50	<5	0.11	8.2	15.4	184	
29812	38.50	40.00	1.50	<5	0.30	18.6	77.6	222	
29813	40.00	41.50	1.50	5	0.28	31.2	136.8	450	
29814	41.50	43.00	1.50	<5	0.08	2.8	7.8	156	
29815	43.00	44.50	1.50	<5	0.06	6.4	7.0	134	
29816	44.50	46.00	1.50	<5	0.06	7.0	5.0	128	
29817	46.00	47.50	1.50	<5	0.05	2.6	4.4	122	
29818	47.50	49.00	1.50	<5	0.09	12.2	42.0	268	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29819	49.00	50.50	1.50	<5	0.10	8.0	39.0	242	
29820	50.50	52.00	1.50	<5	0.07	11.8	11.2	226	
29821	52.00	53.10	1.10	<5	0.09	9.0	41.6	218	
29822	53.50	53.60	0.10	5	0.28	26.0	157.6	306	
29823	53.60	55.10	1.50	<5	0.15	7.8	285.4	424	
29824	55.10	56.20	1.10	<5	0.09	6.0	51.8	484	
29825	56.20	57.50	1.30	10	0.34	21.0	360.0	1140	
29826	57.50	58.00	0.50	25	0.66	76.8	237.2	1600	
29827	58.00	59.50	1.50	30	0.32	8.8	390.8	938	
29828	59.50	61.00	1.50	85	0.11	3.4	34.4	336	
29829	61.00	62.50	1.50	15	0.23	16.8	236.2	426	
29830	NEWMONT STANDARD			40	0.35	93.8	10.0	756	
29831	62.50	64.00	1.50	15	0.19	19.4	182.2	562	
29832	64.00	65.50	1.50	10	0.31	21.4	122.6	334	
29833	65.50	66.50	1.00	35	0.47	20.6	237.2	1030	
29834	66.50	67.50	1.00	90	0.91	95.0	574.6	2420	
29835	67.50	68.50	1.00	30	0.51	47.6	383.6	982	
29836	68.50	70.00	1.50	<5	0.13	12.0	11.6	194	
29837	70.00	71.50	1.50	<5	0.12	5.6	138.6	236	
29838	71.50	73.00	1.50	10	0.13	6.4	218.0	522	
29839	73.00	74.50	1.50	5	0.25	20.6	795.6	1610	
29840	74.50	75.50	1.00	15	0.36	10.2	759.4	1475	
29841	75.50	76.50	1.00	10	0.27	4.6	179.8	462	
29842	76.50	77.50	1.00	100	0.73	27.6	843.4	2420	
29843	77.50	78.50	1.00	60	0.48	54.4	645.8	1395	
29844	78.50	80.00	1.50	70	0.35	28.2	389.6	1210	
29845	80.00	81.50	1.50	50	0.16	4.8	23.8	456	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29846	81.50	83.00	1.50	25	0.31	13.2	131.0	772	
29847	83.00	84.50	1.50	15	0.31	24.6	213.4	1035	
29848	84.50	86.00	1.50	20	0.22	62.8	51.4	442	
29849	86.00	87.00	1.00	140	0.66	100.5	569.0	2020	
29850	87.00	88.50	1.50	25	0.26	22.8	77.6	1030	
29851	88.50	89.50	1.00	20	0.18	11.8	32.8	876	
29852	89.50	90.30	0.80	365	0.66	149.5	783.6	4550	Weak Cd, Hg
29853	90.30	91.30	1.00	3880	6.83	1375.0	1.62%	5.56%	Hg, Se, Ga, Cd, Bi, As
29854	91.30	92.80	1.50	30	0.24	43.4	66.4	964	
29855	92.80	94.30	1.50	25	0.30	24.6	184.8	1565	
29856	94.30	95.80	1.50	10	0.15	8.0	18.4	504	
29857	95.80	97.30	1.50	80	0.43	26.4	885.8	1790	
29858	97.30	98.80	1.50	70	0.46	28.4	437.0	2260	
29859	98.80	99.80	1.00	55	0.27	17.6	144.4	804	
29860	NEWMONT STANDARD			465	0.25	95.6	153.2	62	
29861	99.80	100.70	0.90	95	0.46	59.6	891.0	2740	
29862	100.70	101.50	0.80	685	4.39	580.0	3791.0	2.40%	As, Bi, Cd, Hg, Mo
29863	101.50	103.00	1.50	220	0.66	87.4	795.2	3920	
29864	103.00	104.50	1.50	15	0.17	11.2	80.0	426	
29865	104.50	106.00	1.50	15	0.20	12.6	77.4	390	
29866	106.00	107.50	1.50	35	0.33	44.6	129.4	4540	
29867	107.50	109.00	1.50	30	0.22	14.4	144.2	844	
29868	109.00	110.50	1.50	10	0.12	7.8	76.0	502	
29869	110.50	112.00	1.50	15	0.27	13.6	194.0	852	
29870	112.00	113.50	1.50	115	1.65	49.4	413.0	1220	
29871	113.50	115.00	1.50	60	0.50	39.2	207.2	2320	
29872	115.00	116.50	1.50	85	0.70	22.2	156.2	490	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29873	116.50	118.00	1.50	55	0.36	36.4	128.6	1270	
29874	118.00	119.50	1.50	50	0.29	30.2	36.8	990	
29875	119.50	121.00	1.50	30	0.29	26.4	81.4	1130	
29876	121.00	122.50	1.50	45	0.21	10.0	34.4	456	
29877	122.50	123.50	1.00	65	0.44	14.0	34.2	4010	
29878	123.50	124.50	1.00	85	0.67	34.2	311.8	1210	
29879	124.50	125.20	0.70	615	2.96	416.0	167.8	1670	
29880	NEWMONT STANDARD			13.56g/t	0.36	67.4	73.0	92	
29881	125.20	125.50	0.30	7080	10.35	3250.0	272.4	4.62%	Te, Se, Mo, Hg, Cd, Bi
29882	125.50	126.50	1.00	285	2.49	1310.0	278.8	1840	
29883	126.50	127.50	1.00	310	2.31	1085.0	350.4	1240	
29884	127.50	129.00	1.50	90	0.62	92.8	237.2	1725	
29885	129.00	130.50	1.50	55	0.47	261.0	164.4	1890	
29886	130.50	132.30	1.80	35	0.33	97.2	43.0	2720	
29887	132.30	133.30	1.00	170	1.26	119.5	141.0	682	
29888	133.30	134.30	1.00	<5	0.65	19.4	201.0	628	
29889	134.30	135.30	1.00	10	0.48	32.6	183.2	640	
29890	135.30	135.70	0.40	295	2.38	278.0	414.4	2800	Weak Cd, Hg, Te
29891	135.70	137.20	1.50	40	0.69	68.2	178.2	1040	
29892	137.20	137.60	0.40	210	1.39	45.0	171.2	2430	
29893	137.60	138.70	1.10	65	0.46	19.4	45.2	1295	
29894	138.70	139.80	1.10	160	0.98	25.4	44.4	1250	
29895	139.80	140.90	1.10	960	1.42	120.0	534.0	1575	
29896	140.90	142.00	1.10	10	0.25	18.2	9.8	270	
29897	142.00	143.00	1.00	235	2.51	248.0	2554.0	3210	
29898	143.00	144.00	1.00	185	1.51	43.2	320.6	1105	
29899	144.00	145.00	1.00	895	1.68	254.0	686.4	2790	Weak Cd, Hg

NEWMONT EXPLORATION OF CANADA**ASSAY SUMMARY**

DATE: 16-Dec-01

DDH RDN01-20

RDN PROJECT

L 9400N

CHEMEX FILE(S): A0125543

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29900	145.00	146.00	1.00	325	1.33	281.0	72.4	4440	Weak Cd, Hg
29901	146.00	147.00	1.00	30	0.42	15.8	22.6	704	
29902	147.00	148.00	1.00	70	0.85	113.0	56.0	696	
29903	148.00	149.50	1.50	35	0.73	65.6	28.0	450	
29904	149.50	151.00	1.50	160	0.80	92.2	167.6	1385	
29905	151.00	152.80	1.80	175	0.70	41.8	177.8	1125	
29906	152.80	153.80	1.00	85	0.90	94.8	173.0	2800	
29907	153.80	154.80	1.00	120	1.16	120.5	52.8	1510	
29908	154.80	155.30	0.50	80	1.24	74.0	41.8	380	
29909	155.30	156.80	1.50	45	0.29	12.8	9.2	342	
29910	NEWMONT STANDARD			13.77g/t	0.21	66.0	68.8	82	
29911	156.80	158.00	1.20	30	0.18	10.0	19.4	554	
29912	158.00	158.40	0.40	295	1.18	111.0	135.4	4960	
29913	158.40	160.00	1.60	95	0.28	43.0	25.6	1030	
29914	160.00	161.50	1.50	25	0.25	15.4	19.8	308	
29915	161.50	163.00	1.50	20	0.58	70.4	48.6	664	
29916	163.00	164.50	1.50	35	0.57	18.8	36.8	494	
29917	164.50	165.50	1.00	115	0.70	85.0	72.4	734	
29918	165.50	167.00	1.50	115	0.49	19.6	60.8	414	
29919	167.00	168.50	1.50	80	0.60	44.4	135.8	450	
29920	168.50	170.00	1.50	80	0.50	31.2	26.6	22	
29921	170.00	171.50	1.50	90	0.62	207.0	49.6	60	
29922	171.50	172.60	1.10	120	1.17	76.6	82.0	212	
29923	172.60	174.10	1.50	15	0.29	58.0	31.6	206	
29924	174.10	175.20	1.10	<5	0.11	48.2	16.0	132	
29925	175.20	175.60	0.40	35	0.36	49.2	31.4	166	
29926	175.60	176.80	1.20	<5	0.13	22.8	13.6	190	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29927	176.80	177.90	1.10	5	0.08	24.2	61.4	238	
29928	177.90	179.00	1.10	110	0.89	101.5	70.4	360	
29929	179.00	180.50	1.50	<5	0.18	22.2	17.4	420	
29930	180.50	182.00	1.50	<5	0.06	1.2	3.6	302	
29931	182.00	183.20	1.20	<5	0.05	5.6	3.2	232	
29932	183.20	184.90	1.70	<5	0.09	28.0	55.6	208	
29933	184.90	186.40	1.50	<5	0.14	39.4	21.0	196	
29934	186.40	187.90	1.50	15	0.12	22.6	21.6	146	
29935	187.90	189.40	1.50	55	0.24	52.0	25.8	238	
29936	189.40	190.40	1.00	890	0.70	310.0	14.4	120	
29937	190.40	191.30	0.90	115	0.71	237.0	30.4	226	
29938	191.30	191.80	0.50	80	0.64	30.8	20.0	80	
29939	191.80	192.50	0.70	355	2.13	924.0	167.0	2780	Te, Se, Hg, Cd, Bi
29940	NEWMONT STANDARD			<5	0.29	22.6	8.8	68	
29941	192.50	194.00	1.50	115	1.28	97.4	643.6	1380	
29942	194.00	195.20	1.20	75	0.50	32.8	32.0	72	
29943	195.50	196.70	1.20	20	0.27	55.0	16.2	96	
29944	197.00	198.45	1.45	10	0.22	43.4	8.6	62	
29945	198.50	200.00	1.50	<5	0.16	15.8	6.8	28	
29946	200.00	201.50	1.50	<5	0.12	13.4	6.8	40	
29947	201.50	203.00	1.50	<5	0.13	14.4	9.4	32	
29948	203.00	204.50	1.50	<5	0.15	14.0	11.8	58	
29949	204.50	205.50	1.00	<5	0.11	10.2	9.4	38	
29950	205.50	206.50	1.00	<5	0.14	12.2	7.0	76	
29951	206.50	208.00	1.50	<5	0.08	11.8	3.4	64	
29952	208.00	209.50	1.50	<5	0.08	10.2	8.8	30	
29953	209.50	211.00	1.50	<5	0.12	11.0	13.8	42	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29954	211.00	212.50	1.50	<5	0.10	11.0	7.2	54	
29955	212.50	213.50	1.00	<5	0.10	16.8	6.8	38	
29956	213.50	214.50	1.00	<5	0.10	11.8	7.8	42	
29957	214.50	216.00	1.50	<5	0.10	10.6	10.2	30	
29958	216.00	217.00	1.00	<5	0.10	11.0	10.2	30	
29959	217.00	218.00	1.00	<5	<.01	<.2	<.2	28	
29960	218.00	219.00	1.00	<5	0.13	11.0	8.2	32	
29961	219.00	220.10	1.10	<5	0.11	13.2	6.6	46	
29962	220.10	221.60	1.50	<5	0.08	46.0	2.8	86	
29963	221.60	223.10	1.50	<5	0.07	10.6	1.6	70	
29964	223.10	224.60	1.50	<5	0.07	11.2	3.2	60	
29965	224.60	226.10	1.50	<5	0.06	10.0	1.0	60	
29966	226.10	227.60	1.50	<5	0.06	3.2	2.2	76	
29967	227.60	229.10	1.50	<5	0.05	2.4	3.0	52	
29968	229.10	230.60	1.50	<5	0.06	11.8	4.0	48	
29969	230.60	231.90	1.30	10	0.08	8.4	4.4	42	
29970	NEWMONT STANDARD			<5	0.19	25.8	10.0	80	
29971	231.90	232.90	1.00	5	0.09	3.2	2.4	56	
29972	232.90	234.50	1.60	10	0.09	14.0	2.8	60	
29973	234.50	236.00	1.50	<5	0.13	15.0	4.6	64	
29974	236.00	237.50	1.50	<5	0.13	11.8	5.6	88	
29975	237.50	239.00	1.50	<5	0.09	10.2	3.2	56	
29976	239.00	240.50	1.50	<5	0.22	10.2	5.8	22	
29977	240.50	242.00	1.50	<5	0.13	15.0	2.6	50	
29978	242.00	243.50	1.50	<5	0.13	14.4	4.4	84	
29979	243.50	245.00	1.50	<5	0.10	12.4	4.8	94	
29980	245.00	245.70	0.70	<5	0.16	21.4	6.8	64	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29981	245.70	247.00	1.30	<5	0.48	48.0	30.0	184	
29982	247.00	248.30	1.30	<5	0.35	21.4	19.2	116	
29983	248.30	249.80	1.50	<5	0.17	7.6	8.6	62	
29984	249.80	251.30	1.50	<5	0.14	4.6	6.8	64	
29985	251.30	252.80	1.50	<5	0.17	5.8	8.6	62	
29986	252.80	254.30	1.50	<5	0.14	5.6	7.6	54	
29987	254.30	255.30	1.00	<5	0.12	5.8	6.8	54	
29988	255.30	256.40	1.10	<5	0.12	9.8	5.8	76	
29989	256.40	258.00	1.60	<5	0.14	20.8	8.4	94	
29990	258.00	259.50	1.50	<5	0.17	19.6	8.4	110	
29991	259.50	261.00	1.50	<5	0.12	15.0	6.0	100	
29992	261.00	262.50	1.50	<5	0.18	21.6	11.8	122	
29993	262.50	264.00	1.50	<5	0.19	20.2	9.4	112	
29994	264.00	265.50	1.50	<5	0.19	16.4	7.4	104	
29995	265.50	267.00	1.50	<5	0.20	19.8	8.8	128	
29996	267.00	268.50	1.50	<5	0.19	17.6	8.0	106	
29997	268.50	269.75	1.25	<5	0.20	19.8	9.0	128	
29998	269.75	271.25	1.50	<5	0.21	11.4	8.2	74	
29999	271.25	272.75	1.50	<5	0.21	11.6	7.4	70	
30000	NEWMONT STANDARD			425	0.25	96.5	163.8	50	
29001	272.75	274.25	1.50	<5	0.18	8.8	4.4	52	
29002	274.25	275.75	1.50	<5	0.16	9.0	5.4	68	
29003	275.75	277.25	1.50	<5	0.17	19.2	7.8	108	
29004	277.25	278.75	1.50	<5	0.19	15.6	7.2	96	
29005	278.75	280.25	1.50	<5	0.17	17.6	8.2	118	
29006	280.25	281.75	1.50	<5	0.18	18.4	8.2	118	
29007	281.75	283.00	1.25	<5	0.19	16.4	7.4	110	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125543

DDH RDN01-20

L 9400N

WEDGE ZONE

218 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29008	283.00	284.00	1.00	<5	0.29	16.2	11.0	100	
29009	284.00	285.50	1.50	<5	0.37	23.4	10.8	116	
29010	285.50	286.51	1.01	<5	0.26	11.6	5.8	74	

NEWMONT EXPLORATION OF CANADA
ASSAY SUMMARY **DDH RDN01-21**
DATE: 16-Dec-01 **L 10200N**
RDN PROJECT **WEDGE ZONE**
CHEMEX FILE(S): A0125861 **141 Samples**

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	44.40	44.40	N/A	N/A	N/A	N/A	N/A	N/A
29011	44.40	45.90	1.50	<5	0.20	15.6	16.6	98	
29012	45.90	47.40	1.50	<5	0.09	11.4	10.4	96	Mo
29013	47.40	48.70	1.30	<5	0.07	12.4	8.6	74	Mo
29014	48.70	50.20	1.50	<5	0.09	10.0	7.2	68	
29015	50.20	51.70	1.50	<5	0.12	10.2	6.8	70	
29016	51.70	53.20	1.50	<5	0.11	10.0	5.6	62	
29017	53.20	54.40	1.20	<5	0.10	13.0	7.4	78	
29018	54.40	55.80	1.40	<5	0.09	12.4	7.0	78	Mo
29019	55.80	57.30	1.50	<5	0.07	12.4	5.4	88	
29020	57.30	58.80	1.50	<5	0.07	10.2	5.6	74	
29021	58.80	60.30	1.50	15	0.07	9.4	17.2	92	
29022	60.30	61.80	1.50	15	0.06	11.0	3.2	66	
29023	61.80	63.30	1.50	<5	0.04	4.6	2.8	58	
29024	63.30	64.80	1.50	<5	0.03	10.2	1.6	52	
29025	64.80	66.30	1.50	<5	0.03	6.0	2.2	64	
29026	66.30	67.80	1.50	<5	0.03	9.0	2.4	60	
29027	67.80	69.30	1.50	<5	0.01	6.0	2.2	54	
29028	69.30	70.80	1.50	<5	<.01	5.2	1.6	56	
29029	70.80	72.30	1.50	<5	0.01	8.2	2.6	52	
29030	NEWMONT STANDARD			35	0.14	88.0	10.4	672	
29031	72.30	73.80	1.50	5	0.12	4.4	2.8	48	
29032	73.80	75.30	1.50	<5	0.07	5.2	2.2	44	
29033	75.30	76.80	1.50	<5	0.12	7.0	4.2	48	
29034	76.80	78.30	1.50	10	0.10	5.0	3.0	44	
29035	78.30	79.80	1.50	<5	0.09	5.6	3.0	48	
29036	79.80	81.30	1.50	<5	0.08	6.6	2.6	54	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125861

DDH RDN01-21

L 10200N

WEDGE ZONE

141 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29037	81.30	82.80	1.50	<5	0.07	13.4	2.8	44	
29038	82.80	84.30	1.50	<5	0.04	6.8	2.4	44	
29039	84.30	85.80	1.50	110	0.05	3.0	2.8	42	
29040	85.80	87.30	1.50	<5	0.04	6.4	2.4	44	
29041	87.30	88.80	1.50	10	0.04	5.8	3.0	50	
29042	88.80	90.30	1.50	20	0.04	4.4	3.2	42	
29043	90.30	91.80	1.50	<5	0.04	4.4	2.4	42	
29044	91.80	93.30	1.50	30	0.04	5.2	1.6	42	
29045	93.30	94.80	1.50	<5	0.03	3.6	1.2	38	
29046	94.80	96.30	1.50	<5	0.02	2.8	1.2	40	
29047	96.30	97.30	1.00	<5	0.03	7.6	2.2	36	
29048	97.30	98.30	1.00	<5	0.04	10.4	2.4	42	
29049	98.30	99.80	1.50	<5	0.05	9.8	4.2	42	
29050	99.80	101.30	1.50	<5	0.07	9.4	5.2	32	
29051	101.30	102.80	1.50	<5	0.03	7.8	1.6	48	
29052	102.80	104.30	1.50	<5	0.02	8.0	3.2	32	
29053	104.30	105.20	0.90	<5	0.08	5.8	3.0	46	
29054	105.20	106.20	1.00	<5	0.06	6.4	4.6	36	
29055	106.20	107.50	1.30	<5	0.04	8.8	8.0	44	
29056	107.50	109.00	1.50	<5	0.07	4.2	1.8	46	
29057	109.00	110.50	1.50	<5	0.04	17.2	1.0	46	
29058	110.50	112.00	1.50	<5	0.06	16.0	1.4	48	
29059	112.00	113.50	1.50	5	0.03	2.4	1.6	44	
29060	NEWMONT STANDARD			100	0.10	85.1	9.8	70	
29061	113.50	115.00	1.50	<5	0.04	3.2	3.0	40	
29062	115.00	116.50	1.50	<5	0.03	7.6	2.8	48	
29063	116.50	118.00	1.50	<5	0.04	10.0	2.4	26	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125861

DDH RDN01-21

L 10200N

WEDGE ZONE

141 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29064	118.00	119.50	1.50	<5	0.05	5.8	4.6	26	
29065	119.50	121.00	1.50	<5	0.05	6.6	2.4	40	
29066	121.00	122.50	1.50	<5	0.02	4.6	2.6	42	
29067	122.50	124.00	1.50	<5	0.03	1.4	2.4	32	
29068	124.00	125.50	1.50	<5	0.01	1.0	2.6	34	
29069	125.50	127.00	1.50	<5	0.01	1.8	2.0	34	
29070	127.00	128.50	1.50	<5	0.02	14.8	1.8	46	
29071	128.50	130.00	1.50	<5	0.08	10.2	3.0	50	
29072	130.00	131.50	1.50	<5	0.10	4.6	1.8	50	
29073	131.50	133.00	1.50	<5	0.10	12.8	2.2	56	
29074	133.00	134.50	1.50	<5	0.09	13.0	3.4	40	
29075	134.50	136.00	1.50	<5	0.08	12.0	2.6	54	
29076	136.00	137.50	1.50	<5	0.09	13.6	4.8	26	
29077	137.50	139.00	1.50	<5	0.08	13.4	5.4	38	
29078	139.00	140.20	1.20	<5	0.66	39.6	11.6	12	
29079	140.20	141.35	1.15	<5	1.43	33.2	19.8	68	Mo, Te
29080	141.35	143.00	1.65	5	0.86	80.0	11.0	108	
29081	143.00	144.60	1.60	<5	1.18	40.2	14.4	70	
29082	144.60	146.00	1.40	<5	0.71	25.6	10.2	86	
29083	146.00	147.50	1.50	5	0.48	57.6	12.8	104	
29084	147.50	148.50	1.00	20	0.94	76.4	70.6	178	Sb
29085	148.50	150.00	1.50	15	0.70	38.8	23.6	48	
29086	150.00	151.50	1.50	<5	0.44	57.3	11.8	76	
29087	151.50	153.10	1.60	15	0.63	77.2	47.2	174	
29088	153.10	154.20	1.10	<5	1.42	34.0	24.8	56	Mo, Te
29089	154.20	155.35	1.15	<5	1.15	26.8	18.8	102	Mo
29090	NEWMONT STANDARD			<5	0.62	22.0	9.2	62	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125861

DDH RDN01-21

L 10200N

WEDGE ZONE

141 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29091	155.35	156.40	1.05	15	1.01	51.1	26.6	172	
29092	156.40	158.00	1.60	5	0.87	59.0	17.8	62	
29093	158.00	159.50	1.50	10	0.68	57.8	17.0	64	
29094	159.50	161.00	1.50	10	0.57	74.1	14.6	66	Sb
29095	161.00	162.50	1.50	10	0.69	72.7	18.8	128	Sb
29096	162.50	164.00	1.50	10	0.70	79.2	14.6	68	Sb
29097	164.00	165.00	1.00	25	0.86	72.1	38.4	370	Sb
29098	165.00	166.00	1.00	25	0.77	71.1	53.2	242	Sb
29099	166.00	167.50	1.50	<5	0.32	3.0	2.2	42	
29100	167.50	169.00	1.50	<5	0.16	2.4	2.4	42	
29101	169.00	170.50	1.50	<5	0.09	1.8	2.0	38	
29102	170.50	172.00	1.50	<5	0.07	25.2	2.6	56	
29103	172.00	173.50	1.50	25	0.42	49.8	13.4	78	
29104	173.50	175.10	1.60	<5	0.36	54.1	8.8	72	
29105	175.10	176.10	1.00	<5	0.22	26.8	4.8	36	
29106	176.10	177.70	1.60	<5	0.15	60.4	8.8	82	
29107	177.70	178.70	1.00	<5	0.16	43.4	6.4	60	
29108	178.70	180.20	1.50	<5	0.14	100.5	8.2	78	
29109	180.20	181.70	1.50	<5	0.13	104.5	6.8	68	
29110	181.70	183.50	1.80	<5	0.16	40.6	5.2	90	
29111	183.50	183.90	0.40	<5	0.17	67.9	2.4	28	
29112	183.90	185.30	1.40	<5	0.28	53.7	3.0	96	
29113	185.30	186.80	1.50	<5	0.23	79.4	3.6	64	
29114	186.80	188.30	1.50	<5	0.21	156.0	3.4	82	
29115	188.30	189.80	1.50	<5	0.19	108.0	3.8	94	
29116	189.80	191.30	1.50	<5	0.19	38.8	7.2	80	
29117	191.30	192.80	1.50	15	0.50	58.9	22.0	72	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 18-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125861

DDH RDN01-21

L 10200N

WEDGE ZONE

141 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29118	192.80	194.30	1.50	20	0.65	69.2	14.8	90	
29119	194.30	195.80	1.50	30	0.78	43.0	19.8	60	
29120	NEWMONT STANDARD			6480	0.86	144.0	398.7	190	
29121	195.80	197.30	1.50	25	0.99	74.4	14.8	74	
29122	197.30	198.80	1.50	30	1.16	43.8	13.2	102	
29123	198.80	200.30	1.50	<5	0.50	5.8	3.6	74	
29124	200.30	200.90	0.60	10	0.44	18.2	12.6	66	
29125	200.90	202.50	1.60	<5	0.33	57.5	4.2	54	
29126	202.50	204.00	1.50	<5	0.21	61.4	4.0	78	
29127	204.00	205.50	1.50	<5	0.12	49.8	4.0	56	
29128	205.50	207.00	1.50	<5	0.13	37.4	3.4	62	
29129	207.00	208.50	1.50	<5	0.08	19.4	5.0	54	
29130	208.50	210.00	1.50	<5	0.09	7.2	3.8	40	
29131	210.00	211.50	1.50	5	0.25	8.4	4.2	44	
29132	211.50	213.00	1.50	45	0.20	8.8	5.0	52	
29133	213.00	214.50	1.50	<5	0.15	8.4	5.2	46	
29134	214.50	216.00	1.50	<5	0.14	8.8	5.2	52	
29135	216.00	217.50	1.50	<5	0.12	11.8	5.4	64	
29136	217.50	219.00	1.50	5	0.07	11.6	5.4	74	
29137	219.00	220.50	1.50	<5	0.10	130.5	6.0	66	Sb
29138	220.50	222.00	1.50	<5	0.08	15.0	4.4	60	
29139	222.00	223.00	1.00	<5	0.09	48.0	6.8	64	
29140	223.00	224.00	1.00	<5	0.13	15.0	10.2	78	
29141	224.00	225.00	1.00	<5	0.14	16.4	11.2	90	
29142	225.00	226.50	1.50	<5	0.13	12.8	9.0	80	
29143	226.50	228.00	1.50	5	0.13	12.4	8.6	80	
29144	228.00	230.00	2.00	<5	0.12	14.4	10.2	94	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DDH RDN01-21

DATE: 16-Dec-01

L 10200N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125861

141 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29145	230.00	232.00	2.00	<5	0.12	13.2	8.2	92	
29146	232.00	234.00	2.00	<5	0.13	14.2	8.6	90	
29147	234.00	236.00	2.00	5	0.12	11.4	7.0	72	
29148	236.00	238.00	2.00	<5	0.11	13.2	7.2	74	
29149	238.00	239.50	1.50	<5	0.13	21.0	9.2	92	
29150	NEWMONT STANDARD			130	0.22	104.0	10.2	96	
29151	239.50	240.79	1.29	<5	0.91	23.0	11.4	116	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125862

DDH RDN01-22

L 10000N

WEDGE ZONE

102 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
overburden	0.00	30.78	30.78	N/A	N/A	N/A	N/A	N/A	N/A
29152	30.78	32.00	1.22	20	0.92	23.2	271.1	934	
29153	32.00	33.50	1.50	<5	0.49	21.6	35.4	284	
29154	33.50	35.00	1.50	<5	0.45	10.6	187.1	452	
29155	35.00	36.50	1.50	<5	0.27	6.4	28.8	352	
29156	36.50	37.70	1.20	<5	0.20	11.4	16.6	184	
29157	37.70	39.20	1.50	40	0.44	18.0	215.8	1055	
29158	39.20	40.60	1.40	10	0.99	19.4	255.4	1115	
29159	40.60	42.10	1.50	<5	0.40	12.4	14.4	238	
29160	42.10	43.60	1.50	<5	0.33	11.6	24.0	430	
29161	43.60	45.10	1.50	<5	0.22	14.6	41.4	702	
29162	45.10	46.60	1.50	5	0.41	14.8	177.2	1090	
29163	46.60	48.10	1.50	5	0.35	13.6	74.8	640	
29164	48.10	49.60	1.50	<5	0.36	29.4	85.6	706	
29165	49.60	51.10	1.50	<5	0.23	16.4	10.0	312	
29166	51.10	52.60	1.50	<5	0.20	7.2	20.0	332	
29167	52.60	54.10	1.50	<5	0.17	8.4	17.4	366	
29168	54.10	55.60	1.50	<5	0.20	7.8	38.4	364	
29169	55.60	57.10	1.50	<5	0.17	5.8	11.2	348	
29170	57.10	58.60	1.50	<5	0.18	8.6	22.0	332	
29171	58.60	60.10	1.50	<5	0.16	8.6	12.2	330	
29172	60.10	61.60	1.50	<5	0.55	12.6	28.6	368	
29173	61.60	62.70	1.10	15	0.62	17.6	127.5	844	
29174	62.70	63.30	0.60	435	11.35	1380.0	4150.0	1.13%	As, Bi, Cd, Hg, Mo, Sb
29175	63.30	63.90	0.60	10	0.95	46.6	130.8	530	
29176	63.90	64.30	0.40	245	12.90	1135.0	3010.0	9400	As, Bi, Cd, Hg, Mo, Sb

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125862

DDH RDN01-22

L 10000N

WEDGE ZONE

102 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29177	64.30	65.80	1.50	15	1.31	22.4	195.7	1250	
29178	65.80	67.30	1.50	10	0.97	5.8	83.2	736	
29179	67.30	68.80	1.50	<5	0.65	5.8	47.2	342	
29180	NEWMONT STANDARD			40	0.51	90.6	13.4	738	
29181	68.80	70.30	1.50	<5	0.45	8.4	42.4	426	
29182	70.30	71.80	1.50	55	0.30	8.4	79.6	544	
29183	71.80	73.30	1.50	25	0.29	8.2	133.7	700	
29184	73.30	74.80	1.50	10	0.34	10.2	108.3	852	
29185	74.80	76.30	1.50	85	0.89	25.8	794.0	2880	Cd
29186	76.30	77.80	1.50	<5	0.49	8.6	29.6	376	
29187	77.80	78.60	0.80	35	0.93	29.2	141.0	1905	
29188	78.60	79.60	1.00	90	1.37	37.0	546.0	3070	Cd
29189	79.60	80.60	1.00	10	0.82	15.6	59.4	490	
29190	80.60	82.10	1.50	60	0.96	34.4	227.1	3460	Cd
29191	82.10	83.60	1.50	105	1.44	121.5	1220.0	5230	Cd, Hg
29192	83.60	85.10	1.50	80	0.91	66.9	622.0	3310	Cd
29193	85.10	86.60	1.50	<5	0.34	5.2	20.4	358	
29194	86.60	88.10	1.50	<5	0.32	5.6	26.4	364	
29195	88.10	89.60	1.50	110	0.69	41.4	485.7	1760	
29196	89.60	91.10	1.50	45	0.71	23.2	305.1	1095	
29197	91.10	92.50	1.40	20	0.71	62.3	322.3	1610	
29198	92.50	94.00	1.50	<5	0.48	27.2	67.4	720	
29199	94.00	95.50	1.50	<5	0.34	18.6	27.8	392	
29200	95.50	97.00	1.50	<5	0.48	153.0	27.6	298	
29201	97.00	98.50	1.50	<5	0.44	106.0	75.0	242	
29202	98.50	100.00	1.50	35	0.76	291.0	32.6	458	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

RDN PROJECT

CHEMEX FILE(S): A0125862

DDH RDN01-22

L 10000N

WEDGE ZONE

102 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29203	100.00	101.50	1.50	<5	0.71	81.5	45.2	448	
29204	101.50	103.00	1.50	30	1.50	507.0	62.6	628	As
29205	103.00	104.50	1.50	40	1.57	184.0	382.2	414	
29206	104.50	106.00	1.50	45	1.08	128.0	134.9	322	
29207	106.00	107.50	1.50	25	0.88	105.0	26.6	318	
29208	107.50	109.00	1.50	45	1.48	434.0	85.4	548	As
29209	109.00	110.50	1.50	<5	1.04	102.5	53.4	348	
29210	NEWMONT STANDARD			12.65g/t	0.54	58.3	109.0	86	
29211	110.50	112.00	1.50	10	0.61	91.1	18.0	246	
29212	112.00	113.50	1.50	220	2.71	424.0	62.8	384	As, Bi
29213	113.50	114.60	1.10	20	0.74	74.0	15.4	176	
29214	114.60	115.90	1.30	125	3.91	758.0	326.8	1025	As, Bi
29215	115.90	117.30	1.40	15	0.55	108.5	55.0	296	
29216	117.30	118.30	1.00	15	0.25	101.0	38.8	302	
29217	118.30	119.10	0.80	15	1.59	377.0	121.4	500	As
29218	119.10	119.50	0.40	305	7.77	562.0	1.15%	3.01%	As, Cd, Hg, Sb
29219	119.50	121.00	1.50	15	1.76	488.0	309.8	834	As
29220	121.00	122.50	1.50	10	1.76	483.0	110.1	498	As
29221	122.50	123.20	0.70	15	2.10	811.0	242.2	576	As, Sb
29222	123.20	124.00	0.80	250	7.00	435.0	1.15%	1.50%	As, Cd, Hg, Sb
29223	124.00	125.00	1.00	10	1.01	219.0	44.0	360	As, Sb
29224	125.00	125.90	0.90	30	1.71	149.0	255.9	1130	As
29225	125.90	126.90	1.00	40	2.07	510.0	277.3	2370	As, Cd, Sb
29226	126.90	128.40	1.50	30	2.82	966.0	79.2	432	As
29227	128.40	129.20	0.80	15	1.72	408.0	49.0	332	As
29228	129.20	130.70	1.50	40	1.48	111.0	214.2	592	

NEWMONT EXPLORATION OF CANADA

ASSAY SUMMARY

DATE: 16-Dec-01

DDH RDN01-22

L 10000N

RDN PROJECT

WEDGE ZONE

CHEMEX FILE(S): A0125862

102 Samples

SAMPLE NUMBER	FROM (metres)	TO (metres)	LENGTH (metres)	GOLD (PPB)	SILVER (PPM)	COPPER (PPM)	LEAD (PPM)	ZINC (PPM)	OTHER ELEMENTS (PPM)
29229	130.70	132.20	1.50	<5	0.67	46.4	41.4	212	
29230	132.20	133.70	1.50	<5	0.38	10.2	38.8	132	
29231	133.70	135.20	1.50	<5	0.28	7.4	11.0	60	
29232	135.20	136.90	1.70	10	0.43	8.8	42.0	120	
29233	136.90	138.40	1.50	<5	0.30	20.0	35.4	74	
29234	138.40	139.90	1.50	<5	0.28	10.2	17.0	64	
29235	139.90	141.40	1.50	<5	0.24	13.8	34.6	86	
29236	141.40	142.90	1.50	<5	0.21	42.2	29.6	112	
29237	142.90	144.00	1.10	<5	0.16	14.4	14.4	60	
29238	144.40	145.00	0.60	<5	0.14	9.0	23.4	104	
29239	145.00	146.50	1.50	<5	0.32	16.4	19.2	112	
29240	NEWMONT STANDARD			40	0.34	83.9	12.4	730	
29241	146.50	148.00	1.50	15	1.00	24.0	125.3	368	
29242	148.00	149.50	1.50	385	0.78	17.8	156.7	550	
29243	149.50	151.00	1.50	20	0.37	22.2	256.1	662	
29244	151.00	152.50	1.50	10	0.37	12.6	91.2	284	
29245	152.50	154.00	1.50	5	0.47	8.8	32.4	128	
29246	154.00	155.50	1.50	<5	0.39	9.8	16.6	74	
29247	155.50	157.00	1.50	<5	0.32	10.6	11.4	70	
29248	157.00	158.00	1.00	<5	0.32	7.6	19.6	92	
29249	158.00	159.20	1.20	15	0.41	10.4	43.6	258	
29250	159.20	160.70	1.50	<5	0.31	11.0	13.8	102	
345902	160.70	162.20	1.50	<5	0.32	9.4	15.6	82	
345903	162.20	163.70	1.50	<5	0.48	8.2	8.2	66	
345904	163.70	164.97	1.27	<5	0.44	13.0	101.3	316	

APPENDIX IX

ASSAY CERTIFICATES
AND
ANALYTICAL PROCEDURES



Geochemical Procedure - ME-ICP41
Trace Level Methods Using Conventional ICP-AES Analysis

Sample Decomposition: Nitric Aqua Regia Digestion
Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.50 grams) is digested with aqua regia for at least one hour in a hot water bath. After cooling, the resulting solution is diluted to 12.5 ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

<u>Chemex Code</u>	<u>Element</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
229	ICP-AQ Digestion	n/a	n/a	n/a
2119	* Aluminum	Al	0.01%	15 %
2141	Antimony	Sb	2 ppm	1 %
2120	Arsenic	As	2 ppm	1 %
2121	* Barium	Ba	10 ppm	1 %
2122	* Beryllium	Be	0.5 ppm	0.01 %
2123	Bismuth	Bi	2 ppm	1 %
557	Boron	B	10 ppm	10,000 ppm
2125	Cadmium	Cd	0.5 ppm	0.05 %
2124	* Calcium	Ca	0.01%	15 %
2127	* Chromium	Cr	1 ppm	1 %
2126	Cobalt	Co	1 ppm	1 %
2128	Copper	Cu	1 ppm	1 %
2130	* Gallium	Ga	10 ppm	1 %
2150	Iron	Fe	0.01%	15 %
2151	* Lanthanum	La	10 ppm	1 %
2140	Lead	Pb	2 ppm	1 %
2134	* Magnesium	Mg	0.01%	15 %
2135	Manganese	Mn	5 ppm	1 %
2131	Mercury	Hg	1 ppm	1 %
2136	Molybdenum	Mo	1 ppm	1 %
2138	Nickel	Ni	1 ppm	1 %
2139	Phosphorus	P	10 ppm	1 %
2132	* Potassium	K	0.01%	10 %



Geochemical Procedure - ME-ICP41 (con't)

<u>Chemex Code</u>	<u>Element</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
2142	* Scandium	Sc	1 ppm	1 %
2118	Silver	Ag	0.2 ppm	0.01 %
2137	* Sodium	Na	0.01%	10 %
2143	* Strontium	Sr	1 ppm	1 %
551	Sulfur	S	0.01 %	10 %
2145	* Thallium	Tl	10 ppm	1 %
2144	* Titanium	Ti	0.01%	10 %
2148	* Tungsten	W	10 ppm	1 %
2146	Uranium	U	10 ppm	1 %
2147	Vanadium	V	1 ppm	1 %
2149	Zinc	Zn	2 ppm	1 %

*Elements for which the digestion is possibly incomplete.



Fire Assay Procedure – Au-AA23 and Au-AA24 Fire Assay Fusion

Sample Decomposition: Fire Assay Fusion
Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested for ½ hour in dilute nitric acid. Hydrochloric acid is then added and the solution is digested for an additional hour. The digested solution is cooled, diluted to 7.5 ml with demineralized water, homogenized and then analyzed by atomic absorption spectrometry.

International Units:

<u>Routine Code</u>	<u>Rush Code</u>	<u>Element</u>	<u>Sample Weight (grams)</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
983	991	Gold	30	Au	5 ppb	10,000 ppb
99	1091	Gold	30	Au	0.005 ppm	10 ppm
494	1209	Gold	30	Au	0.005 g/t	10 g/t
3583		Gold	50	Au	5 ppb	10,000 ppb
3584		Gold	50	Au	0.005 ppm	10 ppm
3594		Gold	50	Au	0.005 g/t	10 g/t

American/English Units:

<u>Routine Code</u>	<u>Rush Code</u>	<u>Element</u>	<u>Sample Weight (grams)</u>	<u>Symbol</u>	<u>Detection Limit</u>	<u>Upper Limit</u>
877	1977	Gold	30	Au	0.0002 oz/ton	0.3 oz/ton



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks 89431
 Nevada, U.S.A.
 PHONE: 775-356-5395 FAX: 775-355-0179

NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number: 1-A
 Total Pages: 2
 Certificate Date: 23-JUL-2001
 Invoice No.: 10119989
 P.O. Number: 21331
 Account: SWY

Project: RDN 01-1000
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP		Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
	CODE		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
344501	9400	267	3.96	< 5	0.10	0.42	39.8	< 10	163.2	0.50	0.06	2.27	0.12	8.10	7.2	23	1.60	17.4	2.97	0.90	0.05
344502	9400	267	2.58	< 5	0.08	0.40	29.7	< 10	211.2	0.50	0.05	1.88	0.08	7.04	6.6	17	1.60	8.6	2.96	0.75	0.05
344503	9400	267	3.38	< 5	0.08	0.40	32.2	< 10	98.2	0.45	0.04	1.65	0.09	7.90	6.8	19	1.65	8.8	3.03	0.80	0.05
344504	9400	267	3.76	< 5	0.10	0.44	27.2	< 10	159.0	0.40	0.04	1.80	0.08	7.20	6.3	22	1.45	7.8	2.75	0.85	0.05
344505	9400	267	3.82	< 5	0.11	0.36	63.2	< 10	34.6	0.35	0.03	1.67	0.10	9.08	5.8	24	1.40	11.2	3.16	0.70	0.05
344506	9400	267	3.54	< 5	0.66	0.48	40.5	< 10	71.2	0.60	0.07	2.48	0.15	6.40	7.5	14	1.65	17.2	3.53	0.85	< 0.05
344507	9400	267	3.38	< 5	0.16	0.47	43.2	< 10	63.6	0.65	0.10	2.79	0.20	4.08	7.9	10	2.05	22.2	3.84	0.85	0.05
344508	9400	267	3.84	< 5	0.11	0.46	42.0	< 10	65.4	0.50	0.07	2.74	0.12	6.34	8.2	20	1.85	17.0	3.55	0.80	0.05
344509	9400	267	3.64	< 5	0.06	0.47	29.7	< 10	177.4	0.55	0.04	1.67	0.10	5.62	7.2	26	1.65	9.2	3.05	0.80	< 0.05
344510	9400	267	2.18	< 5	0.11	0.39	44.3	< 10	61.8	0.55	0.08	2.82	0.15	4.26	8.0	20	1.55	15.6	3.40	0.70	0.05
344511	9400	267	0.98	< 5	0.35	0.40	39.1	< 10	76.8	0.55	0.06	2.61	0.12	4.52	7.1	24	1.55	14.4	3.48	0.70	< 0.05
344512	9400	267	2.96	< 5	0.12	0.53	47.8	< 10	103.2	0.70	0.10	1.64	0.18	5.74	8.2	12	2.20	22.2	3.43	0.95	< 0.05
344513	9400	267	3.46	< 5	0.10	0.49	47.4	< 10	126.6	0.85	0.11	2.82	0.25	6.20	8.6	10	2.45	27.4	4.11	1.05	0.05
344514	9400	267	3.50	< 5	0.11	0.51	44.3	< 10	80.4	0.65	0.10	2.65	0.20	5.70	8.1	13	2.30	22.2	3.70	0.95	0.05
344515	9400	267	3.70	< 5	0.10	0.48	44.1	< 10	63.0	0.70	0.10	2.32	0.21	5.06	8.2	10	2.15	24.0	3.50	0.90	< 0.05
344516	9400	267	3.62	< 5	0.11	0.45	45.4	< 10	81.6	0.55	0.09	2.57	0.20	4.10	8.2	14	1.75	21.0	3.77	0.80	0.05
344517	9400	267	3.56	< 5	0.11	0.41	45.9	< 10	61.6	0.55	0.09	3.29	0.17	5.64	8.9	15	1.95	20.0	3.42	0.85	0.05
344518	9400	267	3.64	< 5	0.10	0.45	43.6	< 10	105.0	0.80	0.10	2.50	0.23	4.42	8.3	12	2.10	23.4	3.74	0.80	0.05
344519	9400	267	3.72	< 5	0.13	0.49	46.2	< 10	41.4	0.70	0.11	2.38	0.24	5.24	8.4	18	2.20	24.4	4.02	0.90	0.05
344520	9400	267	3.68	< 5	0.08	0.43	37.5	< 10	118.8	0.60	0.09	2.47	0.20	3.54	7.0	16	1.95	21.6	4.15	0.80	< 0.05
344521	9400	267	3.44	< 5	0.09	0.51	43.4	< 10	108.2	0.80	0.11	1.83	0.20	4.12	8.4	12	2.50	24.6	3.80	0.85	< 0.05
344522	9400	267	3.64	< 5	0.09	0.49	42.0	< 10	98.0	0.70	0.10	1.89	0.18	4.36	7.8	11	2.40	22.8	3.95	0.85	< 0.05
344523	9400	267	3.34	< 5	0.10	0.50	45.0	< 10	69.8	0.75	0.10	2.13	0.21	4.44	7.7	10	2.60	23.0	3.59	0.90	< 0.05
344524	9400	267	0.00	< 5	0.13	0.51	52.0	< 10	42.4	0.65	0.10	1.82	0.22	5.46	7.7	11	2.45	26.4	3.54	0.90	0.05
344525	9400	267	2.28	< 5	0.12	0.46	47.5	< 10	99.4	0.80	0.10	2.04	0.22	6.18	8.5	10	2.60	24.4	4.19	0.95	0.05
344526	9400	267	3.38	< 5	0.14	0.50	50.6	< 10	88.2	0.80	0.10	2.48	0.19	6.50	9.5	15	2.45	24.6	3.81	1.00	0.05
344527	9400	267	3.58	< 5	0.14	0.48	51.1	< 10	103.6	0.70	0.09	2.82	0.17	6.86	9.5	16	2.35	22.0	3.67	1.00	0.05
344528	9400	267	3.76	< 5	0.11	0.47	47.3	< 10	80.2	0.70	0.09	1.95	0.17	6.56	9.2	15	2.55	20.4	3.58	1.00	0.05
344529	9400	267	4.00	< 5	0.11	0.49	47.4	< 10	76.8	0.65	0.09	1.85	0.16	7.76	9.2	15	2.50	19.8	3.73	1.00	< 0.05
344530	9400	225	0.10	415	1.12	1.15	359	< 10	1651.5	0.35	0.46	0.39	1.60	25.3	5.5	157	1.15	104.5	1.67	4.75	0.05
344531	9400	267	3.52	< 5	0.09	0.47	43.6	< 10	104.8	0.65	0.08	3.02	0.16	6.20	8.6	20	2.20	18.0	3.45	0.95	0.05
344532	9400	267	3.88	< 5	0.18	0.42	58.4	< 10	48.8	0.60	0.08	2.38	0.16	5.20	8.9	19	2.10	24.4	3.76	0.85	0.05
344533	9400	267	3.76	10	0.16	0.45	64.0	< 10	38.0	0.70	0.08	1.64	0.15	7.06	8.7	14	2.20	19.0	3.67	1.00	0.05
344534	9400	267	3.64	< 5	0.15	0.42	67.8	< 10	51.6	0.60	0.07	2.35	0.16	6.12	8.6	17	2.05	20.6	3.44	0.85	0.05
344535	9400	267	3.74	< 5	0.12	0.40	42.8	< 10	146.8	0.50	0.05	1.78	0.10	4.08	7.6	18	1.90	10.8	2.77	0.75	< 0.05
344536	9400	267	3.56	< 5	0.15	0.41	52.8	< 10	104.6	0.55	0.05	3.09	0.09	3.72	8.2	23	1.80	12.4	3.21	0.75	< 0.05
344537	9400	267	3.00	< 5	0.11	0.41	31.6	< 10	202.4	0.60	0.05	1.59	0.09	4.36	7.7	18	1.80	12.4	3.17	0.80	< 0.05
344538	9400	267	3.56	< 5	0.10	0.42	30.6	< 10	209.8	0.50	0.06	2.00	0.11	5.12	7.8	25	1.75	11.4	3.40	0.85	< 0.05
344539	9400	267	4.30	< 5	0.30	0.40	43.3	< 10	88.2	0.55	0.07	2.06	0.12	5.16	9.6	21	1.90	17.6	3.41	0.80	< 0.05
344540	9400	267	4.18	< 5	0.14	0.44	36.0	< 10	176.8	0.60	0.06	2.69	0.11	7.14	8.4	23	1.95	10.8	3.11	0.90	< 0.05

CERTIFICATION: _____ +



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks
 Nevada, U.S.A. 89431
 PHONE: 775-356-5395 FAX: 775-355-0179

NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page: 1-B
 Total Pages: 2
 Certificate Date: 23-JUL-2001
 Invoice No.: 10119989
 P.O. Number: 21331
 Account: SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344501	9400 267	0.06	0.08	0.030	0.23	3.4	0.6	0.83	420	0.80	0.02	< 0.05	12.8	650	9.2	7.2	0.001	0.39	1.30	7.7
344502	9400 267	0.06	0.07	0.025	0.24	3.0	0.3	0.73	345	0.50	0.03	< 0.05	11.6	660	7.6	7.2	0.001	0.35	1.00	6.8
344503	9400 267	0.08	0.08	0.025	0.25	3.4	0.3	0.70	340	0.60	0.04	< 0.05	12.0	780	8.6	7.4	0.001	0.42	1.10	7.4
344504	9400 267	0.06	0.07	0.025	0.25	3.0	0.3	0.70	380	0.65	0.04	< 0.05	10.2	750	7.0	7.3	0.001	0.35	0.85	7.2
344505	9400 267	0.08	0.07	0.020	0.21	4.2	0.3	0.61	400	7.00	0.04	< 0.05	8.6	710	11.2	6.1	0.003	1.38	1.25	5.8
344506	9400 267	0.08	0.11	0.035	0.29	2.6	0.5	0.92	465	1.30	0.05	< 0.05	14.6	780	9.0	8.3	0.002	0.73	1.20	8.5
344507	9400 267	0.06	0.12	0.045	0.30	1.6	0.5	1.00	410	1.60	0.07	< 0.05	17.0	650	10.2	9.0	0.003	0.77	1.75	9.8
344508	9400 267	0.06	0.11	0.035	0.27	2.6	0.9	0.97	460	1.10	0.08	< 0.05	15.4	790	10.2	8.3	0.002	0.75	1.35	8.7
344509	9400 267	0.06	0.08	0.030	0.28	2.4	0.7	0.70	350	0.65	0.09	< 0.05	11.8	690	7.4	7.8	0.001	0.38	1.00	7.7
344510	9400 267	0.06	0.13	0.035	0.24	1.6	0.7	0.94	430	1.30	0.10	< 0.05	15.6	660	10.0	7.1	0.003	0.86	1.40	8.7
344511	9400 267	0.06	0.10	0.035	0.24	1.8	0.6	0.93	440	1.20	0.09	< 0.05	13.8	700	8.6	7.1	0.002	0.72	1.25	8.3
344512	9400 267	0.06	0.14	0.045	0.31	2.2	0.8	0.68	340	1.75	0.12	< 0.05	18.8	800	11.8	9.6	0.004	1.10	1.65	8.4
344513	9400 267	0.08	0.15	0.050	0.31	2.4	0.9	1.05	465	1.75	0.12	< 0.05	19.2	800	11.8	10.5	0.004	0.92	1.65	11.0
344514	9400 267	0.06	0.13	0.050	0.31	2.2	0.8	0.98	395	2.05	0.13	< 0.05	18.6	810	11.0	9.8	0.003	0.93	1.45	9.6
344515	9400 267	0.06	0.13	0.050	0.30	2.0	0.8	0.87	360	1.75	0.13	< 0.05	18.2	720	11.0	9.2	0.003	0.98	1.55	9.6
344516	9400 267	0.08	0.14	0.045	0.29	1.6	0.8	0.93	405	1.65	0.12	< 0.05	18.0	730	12.0	8.5	0.003	0.95	1.70	9.5
344517	9400 267	0.08	0.15	0.045	0.26	2.2	0.8	1.06	455	1.45	0.11	< 0.05	18.2	760	11.2	8.6	0.003	0.89	1.55	10.0
344518	9400 267	0.04	0.14	0.050	0.29	1.6	0.8	0.94	415	1.70	0.14	< 0.05	18.8	640	10.2	8.7	0.003	0.93	1.50	9.8
344519	9400 267	0.08	0.17	0.045	0.31	2.0	0.8	0.91	405	1.70	0.14	< 0.05	19.6	750	12.0	9.3	0.004	1.10	1.65	10.2
344520	9400 267	0.06	0.11	0.040	0.27	1.4	0.9	0.99	455	1.50	0.12	< 0.05	16.2	600	9.4	8.4	0.003	0.76	1.50	9.2
344521	9400 267	0.06	0.13	0.050	0.32	1.6	1.2	0.77	395	1.75	0.14	< 0.05	18.6	650	9.0	10.7	0.003	0.85	1.65	10.3
344522	9400 267	0.06	0.13	0.045	0.31	1.8	0.9	0.79	405	1.70	0.13	< 0.05	17.8	700	9.6	10.3	0.003	0.83	1.45	10.0
344523	9400 267	0.06	0.16	0.050	0.31	1.8	1.0	0.82	385	1.85	0.15	< 0.05	17.0	650	10.8	10.7	0.003	0.96	1.50	10.9
344524	9400 267	0.06	0.18	0.045	0.31	2.2	0.9	0.74	355	2.15	0.14	< 0.05	19.2	750	14.4	10.6	0.003	1.24	1.70	10.1
344525	9400 267	0.08	0.17	0.050	0.29	2.4	1.3	0.90	450	1.95	0.13	< 0.05	19.2	700	11.8	11.4	0.003	0.89	1.80	11.7
344526	9400 267	0.08	0.19	0.050	0.31	2.6	1.1	0.96	465	1.70	0.15	< 0.05	19.8	740	13.0	11.4	0.003	0.98	1.50	12.4
344527	9400 267	0.06	0.18	0.045	0.29	2.8	0.9	1.06	490	1.60	0.13	< 0.05	19.6	700	13.8	10.8	0.003	1.03	1.65	11.4
344528	9400 267	0.08	0.14	0.045	0.29	2.6	1.0	0.82	395	1.65	0.13	< 0.05	18.8	710	11.2	10.8	0.003	0.83	1.40	10.6
344529	9400 267	0.08	0.13	0.045	0.29	3.2	0.9	0.85	410	1.50	0.13	< 0.05	19.0	760	11.6	10.9	0.002	0.83	1.40	10.9
344530	9400 225	0.16	0.19	0.165	0.36	17.6	2.1	0.07	30	124.55	0.03	0.05	46.6	1770	180.0	15.6	0.003	0.09	259.1	9.3
344531	9400 267	0.06	0.13	0.040	0.27	2.6	0.9	1.08	465	2.10	0.12	< 0.05	16.6	630	9.8	9.9	0.003	0.79	1.60	10.0
344532	9400 267	0.08	0.19	0.040	0.27	2.2	0.9	0.87	440	2.20	0.12	< 0.05	18.4	590	15.6	9.6	0.003	1.22	1.80	10.6
344533	9400 267	0.08	0.23	0.040	0.28	2.8	0.9	0.71	395	1.70	0.13	< 0.05	17.4	640	13.6	10.0	0.002	1.27	1.50	9.7
344534	9400 267	0.08	0.20	0.040	0.26	2.6	1.7	0.85	435	1.50	0.13	< 0.05	17.0	570	14.0	9.4	0.001	1.05	1.45	10.2
344535	9400 267	0.06	0.10	0.030	0.25	1.8	1.2	0.63	345	1.20	0.13	< 0.05	12.6	520	9.8	8.8	0.001	0.44	1.30	9.6
344536	9400 267	0.06	0.10	0.030	0.26	1.6	1.2	0.98	480	1.25	0.13	< 0.05	14.0	530	10.6	8.6	0.001	0.55	1.50	10.9
344537	9400 267	0.06	0.08	0.030	0.25	1.8	1.2	0.63	400	1.20	0.12	< 0.05	12.4	610	9.4	8.2	0.002	0.44	1.45	9.7
344538	9400 267	0.06	0.08	0.030	0.27	2.0	1.0	0.74	450	1.10	0.12	< 0.05	13.2	640	7.4	8.6	0.001	0.39	1.55	9.7
344539	9400 267	0.10	0.11	0.035	0.25	2.0	1.0	0.74	435	1.70	0.12	< 0.05	19.0	650	12.4	8.2	0.005	0.70	2.60	10.8
344540	9400 267	0.08	0.09	0.035	0.27	2.8	0.9	0.84	455	1.30	0.12	< 0.05	14.4	810	11.2	8.7	0.003	0.54	1.90	11.6

CERTIFICATION: _____ +



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks
 Nevada, U.S.A. 89431
 PHONE: 775-356-5395 FAX: 775-355-0179

NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 2
 Certificate Date: 23-JUL-2001
 Invoice No. : I0119989
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344501	9400 267	0.2	0.2	130.9	< 0.01	0.04	1.6	< 0.01	0.14	0.25	15	< 0.05	9.60	74	1.5
344502	9400 267	< 0.2	< 0.2	103.6	< 0.01	0.04	1.4	< 0.01	0.12	0.20	14	< 0.05	8.70	68	1.5
344503	9400 267	0.2	< 0.2	98.3	< 0.01	0.04	1.4	< 0.01	0.12	0.25	14	< 0.05	9.00	88	1.5
344504	9400 267	< 0.2	< 0.2	120.2	< 0.01	0.04	1.4	< 0.01	0.10	0.30	14	< 0.05	8.45	74	1.5
344505	9400 267	0.2	< 0.2	89.6	< 0.01	0.04	2.0	< 0.01	0.12	0.35	9	< 0.05	7.65	66	2.0
344506	9400 267	0.2	0.2	152.9	< 0.01	0.06	1.6	< 0.01	0.06	0.25	13	1.13	10.00	98	1.5
344507	9400 267	0.4	< 0.2	184.0	< 0.01	0.06	1.2	< 0.01	0.06	0.20	13	0.10	9.25	112	1.5
344508	9400 267	0.2	0.2	161.0	< 0.01	0.05	1.4	< 0.01	0.08	0.20	15	< 0.05	10.45	94	1.5
344509	9400 267	< 0.2	< 0.2	88.6	< 0.01	0.03	1.4	< 0.01	0.10	0.25	15	< 0.05	8.40	78	1.5
344510	9400 267	0.2	< 0.2	153.1	< 0.01	0.06	1.2	< 0.01	0.08	0.20	14	< 0.05	9.05	90	1.5
344511	9400 267	0.2	< 0.2	144.8	< 0.01	0.05	1.2	< 0.01	0.08	0.20	14	0.30	9.45	86	1.5
344512	9400 267	0.4	0.2	82.4	< 0.01	0.05	1.4	< 0.01	0.06	0.25	13	< 0.05	9.30	108	1.5
344513	9400 267	0.4	0.6	184.6	< 0.01	0.09	1.6	< 0.01	0.06	0.25	13	< 0.05	12.35	120	1.5
344514	9400 267	0.6	0.2	132.5	< 0.01	0.05	1.4	< 0.01	0.06	0.20	13	< 0.05	11.00	108	1.5
344515	9400 267	0.6	0.2	119.2	< 0.01	0.07	1.2	< 0.01	0.06	0.25	13	< 0.05	10.15	112	1.5
344516	9400 267	0.2	0.2	146.4	0.01	0.05	1.2	< 0.01	0.08	0.25	13	< 0.05	10.10	110	1.5
344517	9400 267	0.6	0.2	197.8	< 0.01	0.08	1.4	< 0.01	0.08	0.20	12	< 0.05	11.60	88	1.5
344518	9400 267	0.2	0.2	136.8	< 0.01	0.06	1.2	< 0.01	0.08	0.20	12	< 0.05	9.75	118	1.0
344519	9400 267	0.4	0.2	105.4	< 0.01	0.07	1.4	< 0.01	0.08	0.25	14	< 0.05	10.60	118	1.5
344520	9400 267	0.2	0.2	132.6	< 0.01	0.05	1.2	< 0.01	0.08	0.20	13	< 0.05	9.00	108	1.0
344521	9400 267	0.2	0.2	98.8	< 0.01	0.08	1.2	< 0.01	0.08	0.25	14	< 0.05	8.75	116	1.0
344522	9400 267	0.2	0.2	87.4	< 0.01	0.06	1.4	< 0.01	0.08	0.25	14	< 0.05	8.85	108	1.0
344523	9400 267	0.4	0.2	104.0	< 0.01	0.07	1.4	< 0.01	0.08	0.25	14	< 0.05	9.05	114	1.0
344524	9400 267	0.4	0.2	91.9	< 0.01	0.04	1.4	< 0.01	0.08	0.25	14	< 0.05	9.55	114	1.5
344525	9400 267	0.4	0.2	121.0	< 0.01	0.07	1.4	< 0.01	0.10	0.30	16	< 0.05	10.90	106	1.5
344526	9400 267	0.2	0.2	144.7	< 0.01	0.08	1.6	< 0.01	0.10	0.30	18	< 0.05	11.35	106	1.5
344527	9400 267	0.4	0.2	130.7	< 0.01	0.08	1.4	< 0.01	0.08	0.30	17	< 0.05	10.95	100	1.5
344528	9400 267	0.4	0.2	115.5	< 0.01	0.06	1.4	< 0.01	0.08	0.30	16	< 0.05	10.05	96	1.5
344529	9400 267	0.2	0.2	108.6	< 0.01	0.06	1.6	< 0.01	0.08	0.30	17	< 0.05	10.85	94	1.5
344530	9400 225	2.8	4.6	125.6	< 0.01	0.15	5.4	0.01	1.90	34.6	331	12.50	11.10	54	8.5
344531	9400 267	0.2	0.2	194.6	< 0.01	0.07	1.8	< 0.01	0.10	0.30	16	0.10	10.65	90	1.5
344532	9400 267	0.2	0.6	134.8	< 0.01	0.05	1.4	< 0.01	0.10	0.30	15	< 0.05	9.20	94	1.5
344533	9400 267	0.2	0.2	95.5	< 0.01	0.06	1.4	< 0.01	0.12	0.30	15	< 0.05	9.20	90	1.5
344534	9400 267	0.2	0.6	121.7	< 0.01	0.05	1.4	< 0.01	0.16	0.30	16	< 0.05	9.80	90	1.5
344535	9400 267	< 0.2	0.2	77.5	< 0.01	0.01	1.2	< 0.01	0.18	0.40	19	< 0.05	8.70	68	1.5
344536	9400 267	0.2	0.4	125.4	< 0.01	0.04	1.0	< 0.01	0.18	0.45	21	< 0.05	9.90	68	1.5
344537	9400 267	0.2	0.2	79.2	< 0.01	0.03	1.2	< 0.01	0.16	0.35	17	< 0.05	9.10	70	2.0
344538	9400 267	0.2	0.2	98.9	< 0.01	0.04	1.4	< 0.01	0.12	0.35	17	< 0.05	9.90	76	2.0
344539	9400 267	0.2	0.2	96.9	< 0.01	0.04	1.4	< 0.01	0.10	1.25	17	< 0.05	10.15	84	2.5
344540	9400 267	0.2	0.2	112.3	< 0.01	0.05	1.6	< 0.01	0.12	0.40	18	< 0.05	11.50	74	2.5

CERTIFICATION: _____ +



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks
 Nevada, U.S.A. 89431
 PHONE: 775-356-5395 FAX: 775-355-0179



NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number: 12-A
 Total Pages: 12
 Certificate Date: 23-JUL-2001
 Invoice No.: 10119989
 P.O. Number: 121331
 Account: SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP CODE	Weight Kg	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
			FA+AA																	
344541	9400 267	3.58	< 5	0.13	0.30	38.6	< 10	134.2	0.65	0.06	3.39	0.11	6.10	8.2	13	2.05	13.4	3.31	0.60	< 0.05
344542	9400 267	3.74	< 5	0.09	0.44	34.8	< 10	94.6	0.60	0.06	2.20	0.10	6.96	9.0	23	1.90	11.8	3.24	0.90	0.05
344543	9400 267	4.10	< 5	0.09	0.28	43.0	< 10	197.8	0.55	0.06	2.51	0.10	6.88	8.3	22	1.75	13.0	3.26	0.60	< 0.05
344544	9400 267	4.00	< 5	0.14	0.42	87.6	< 10	70.6	0.60	0.06	2.44	0.13	5.82	9.2	20	1.85	15.8	3.34	0.90	< 0.05
344545	9400 267	3.72	< 5	0.14	0.28	51.4	< 10	95.2	0.65	0.06	2.77	0.13	5.38	8.7	14	2.05	17.2	3.00	0.55	< 0.05
344546	9400 267	3.56	< 5	0.17	0.39	64.2	< 10	81.4	0.70	0.07	2.94	0.13	3.60	9.3	21	1.85	16.2	3.38	0.75	< 0.05
344547	9400 267	3.92	< 5	0.18	0.32	66.3	< 10	67.6	0.65	0.07	3.16	0.17	6.42	8.5	13	2.15	17.6	3.39	0.65	< 0.05

CERTIFICATION: _____ +



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks
 Nevada, U.S.A. 89431
 PHONE: 775-356-5395 FAX: 775-355-0179

Project: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page: 1 of 2
 Total Pages: 2
 Certificate Date: 23-JUL-2001
 Invoice No.: I0119989
 P.O. Number: 21331
 Account: SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344541	9400 267	0.10	0.10	0.035	0.20	2.4	1.0	1.03	545	1.15	0.12 < 0.05	< 0.05	13.8	720	11.6	7.3	0.002	0.57	2.00	11.4
344542	9400 267	0.08	0.08	0.035	0.27	2.8	0.9	0.82	500	0.90	0.12 < 0.05	< 0.05	15.8	750	8.2	9.0	0.001	0.33	1.75	12.0
344543	9400 267	0.08	0.09	0.035	0.20	2.8	1.0	0.84	505	0.90	0.11 < 0.05	< 0.05	13.4	730	9.2	6.8	0.001	0.35	2.00	12.1
344544	9400 267	0.10	0.11	0.035	0.28	2.4	1.2	0.79	450	1.30	0.13 < 0.05	< 0.05	15.6	620	14.8	8.8	0.003	0.78	2.05	12.5
344545	9400 267	0.10	0.12	0.035	0.20	2.2	0.9	0.88	450	1.15	0.13 < 0.05	< 0.05	15.2	540	13.8	7.2	0.001	0.71	2.60	11.3
344546	9400 267	0.08	0.12	0.035	0.26	1.4	1.1	0.97	490	1.40	0.12 < 0.05	< 0.05	16.0	460	12.6	8.6	0.002	0.66	2.30	13.0
344547	9400 267	0.12	0.13	0.040	0.22	2.6	1.0	1.03	510	1.40	0.13 < 0.05	< 0.05	16.0	640	16.2	8.0	0.003	0.84	2.60	12.0

CERTIFICATION: _____ +



ALS Chemex

Chemex Labs, Inc.
 Analytical Chemists * Geochemists * Registered Assayers
 994 Glendale Ave., Unit 3, Sparks 89431
 Nevada, U.S.A.
 PHONE: 775-356-5395 FAX: 775-355-0179



Project: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Project Number: 2-C
 Total Pages: 2
 Certificate Date: 23-JUL-2001
 Invoice No.: I0119989
 P.O. Number: 21331
 Account: SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0119989

SAMPLE	PREP CODE		Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
			ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
344541	9400	267	0.2	0.2	146.1	< 0.01	0.05	1.6	< 0.01	0.12	0.55	16	< 0.05	12.65	72	3.5
344542	9400	267	0.2	< 0.2	104.5	< 0.01	0.04	1.6	< 0.01	0.10	0.35	22	< 0.05	11.30	78	2.5
344543	9400	267	0.2	0.4	109.9	< 0.01	0.04	1.4	< 0.01	0.10	0.30	20	< 0.05	11.15	78	2.5
344544	9400	267	0.2	0.2	106.8	< 0.01	0.03	1.6	< 0.01	0.14	0.40	21	0.05	10.55	86	2.5
344545	9400	267	0.2	0.2	105.7	< 0.01	0.04	1.4	< 0.01	0.12	0.50	16	< 0.05	11.30	72	4.0
344546	9400	267	0.2	0.2	141.5	< 0.01	0.05	1.2	< 0.01	0.12	0.45	18	< 0.05	10.05	82	2.5
344547	9400	267	0.2	0.2	144.5	< 0.01	0.06	1.6	< 0.01	0.12	0.55	17	< 0.05	13.75	90	4.5



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :2
 Certificate Date: 06-AUG-2001
 Invoice No. :10121384
 P.O. Number :21331
 Account :SWY

Project : RDNO1-106
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121384

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm
344548	244 --	0.11	0.36	68.7	< 10	113.2	0.50	0.28	2.59	0.20	5.86	8.9	17	2.25	23.2	4.17	0.75	0.05	0.18	0.18
344549	244 --	0.10	0.40	50.9	< 10	79.0	0.50	1.51	2.49	0.20	5.10	8.4	16	2.15	18.6	3.45	0.85	0.05	0.14	0.18
344550	244 --	0.10	0.36	52.9	< 10	62.4	0.60	0.19	2.22	0.23	5.26	7.9	14	2.10	21.2	3.47	0.80	0.05	0.14	0.21
344551	244 --	0.12	0.34	52.8	< 10	115.0	0.45	0.14	3.59	0.21	5.16	6.6	18	1.60	19.4	2.94	0.70	0.05	0.12	0.14
344552	244 --	0.09	0.33	42.3	< 10	95.0	0.25	0.08	3.13	0.21	8.44	6.6	17	1.70	12.4	2.61	0.70	0.05	0.14	0.14
344553	244 --	0.13	0.35	46.4	< 10	65.4	0.45	0.07	2.92	0.18	8.42	6.6	18	1.75	13.0	2.91	0.80	0.05	0.12	0.08
344554	244 --	0.10	0.32	45.3	< 10	91.2	0.40	0.07	3.62	0.17	7.04	6.5	18	1.60	13.8	2.91	0.65	0.05	0.14	0.12
344555	244 --	0.10	0.33	72.8	< 10	117.8	0.45	0.09	2.52	0.19	5.12	7.8	15	1.80	21.4	3.26	0.70	< 0.05	0.08	0.14
344556	244 --	0.09	0.35	48.1	< 10	74.4	0.45	0.10	2.19	0.22	5.34	8.2	14	1.90	17.6	3.83	0.80	0.05	0.08	0.13
344557	244 --	0.08	0.33	50.0	< 10	119.6	0.50	0.09	2.21	0.20	4.26	8.4	14	1.80	21.2	3.57	0.75	0.05	0.10	0.14
344558	244 --	0.10	0.33	91.2	< 10	86.8	0.35	0.11	1.99	0.20	5.34	8.8	14	1.80	19.8	3.67	0.70	0.05	0.06	0.14
344559	244 --	0.10	0.36	98.3	< 10	56.0	0.50	0.11	2.01	0.42	2.92	8.6	13	2.20	27.6	3.67	0.70	0.05	0.06	0.31
344560	244 --	0.28	1.58	742	< 10	798.5	0.50	0.55	1.03	1.36	25.9	7.0	64	2.00	96.4	3.23	4.70	0.05	0.30	3.80
344561	244 --	0.14	0.40	115.5	< 10	49.2	0.60	0.13	1.71	0.59	3.26	8.1	9	2.20	25.2	3.72	0.75	0.05	0.08	0.49
344562	244 --	0.08	0.37	83.4	< 10	57.6	0.40	0.11	1.71	0.22	3.58	9.4	12	2.05	16.0	3.18	0.75	< 0.05	0.10	0.19
344563	244 --	0.03	0.29	19.5	10	979.2	0.55	0.01	1.79	0.06	10.90	1.5	14	1.80	6.0	2.43	0.75	< 0.05	0.08	0.15
344564	244 --	0.04	0.26	8.0	< 10	509.0	0.35	0.01	2.79	0.05	18.75	1.2	15	1.50	4.0	2.37	0.65	0.05	0.10	0.16
344565	244 --	0.01	0.27	6.5	< 10	295.0	0.45	< 0.01	1.31	0.28	34.2	1.0	20	1.15	3.6	1.89	0.75	< 0.05	0.12	0.04
344566	244 --	0.02	0.29	6.0	< 10	260.6	0.45	< 0.01	1.18	0.03	35.8	1.2	19	1.40	4.8	2.44	0.80	0.05	0.16	0.04
344567	244 --	< 0.01	0.28	20.6	< 10	91.0	0.50	< 0.01	1.08	0.01	46.5	1.2	22	1.25	5.0	2.59	0.90	0.05	0.16	0.04
344568	244 --	0.01	0.30	7.5	10	134.4	0.55	< 0.01	0.77	0.03	39.5	1.1	18	1.30	3.2	2.58	0.90	0.05	0.18	0.06
344569	244 --	0.01	0.29	25.4	10	105.2	0.50	0.01	0.77	0.02	40.9	1.2	18	1.30	7.4	2.71	0.85	0.05	0.14	0.04
344570	244 --	< 0.01	0.34	5.2	10	85.4	0.35	0.01	1.35	0.07	27.1	1.5	28	1.00	2.6	2.75	0.90	< 0.05	0.14	0.05
344571	244 --	0.01	0.33	3.2	< 10	1406.5	0.50	0.01	1.94	0.11	29.6	1.1	25	1.10	3.2	2.58	0.90	< 0.05	0.12	0.10
344572	244 --	0.19	0.41	60.5	< 10	52.2	0.70	0.12	2.38	0.66	4.24	7.3	7	2.00	24.2	4.34	0.85	0.05	0.10	0.63
344573	244 --	0.18	0.42	68.6	< 10	70.0	1.00	0.12	2.19	0.60	2.98	7.6	11	2.00	24.8	3.40	0.90	0.05	0.10	0.48
344574	244 --	0.28	0.38	77.0	< 10	77.4	0.90	0.11	2.48	1.04	2.62	7.2	12	1.90	26.4	3.45	0.75	0.05	0.08	0.37
344575	244 --	0.13	0.41	68.9	< 10	50.2	0.65	0.10	2.54	0.53	3.88	7.9	11	2.00	20.0	3.66	0.85	0.05	0.06	0.30
344576	244 --	0.14	0.51	123.5	< 10	63.4	1.00	0.13	1.76	0.65	3.98	8.4	10	2.35	25.0	4.33	1.05	0.05	0.08	0.51
344577	244 --	0.20	0.48	60.0	< 10	34.0	0.60	0.13	2.21	0.61	3.52	8.0	9	2.05	25.8	3.71	0.95	0.05	0.06	0.50
344578	244 --	0.40	0.52	83.5	< 10	57.4	0.45	0.12	1.78	0.68	4.24	7.6	10	2.40	28.0	3.50	1.00	0.05	0.10	0.34
344579	244 --	0.36	0.47	72.7	< 10	70.4	0.80	0.13	1.70	0.82	4.62	8.1	7	2.55	29.0	3.93	1.00	0.05	0.08	0.41
344580	244 --	0.41	0.48	79.1	< 10	88.6	0.70	0.12	2.18	0.85	3.42	7.0	7	2.30	26.4	3.59	0.95	0.05	0.06	0.34
344581	244 --	0.24	0.42	94.3	< 10	70.8	0.50	0.12	2.07	0.78	3.48	7.3	7	2.35	24.8	3.58	0.85	0.05	0.06	0.48
344582	244 --	0.32	0.43	93.6	< 10	48.8	0.45	0.12	2.22	0.90	3.32	7.7	6	2.35	30.4	3.44	0.85	0.05	0.04	0.58
344583	244 --	0.31	0.43	88.4	< 10	54.8	0.40	0.11	2.75	0.75	3.66	7.7	9	2.30	29.6	3.70	0.90	0.05	0.04	0.37
344584	244 --	0.14	0.45	78.0	< 10	78.8	0.60	0.12	2.14	0.87	3.94	7.4	7	2.45	25.4	3.69	0.90	0.05	0.06	0.43
344585	244 --	0.28	0.42	81.4	< 10	104.6	0.40	0.12	2.69	4.66	2.00	7.7	14	2.45	35.2	3.86	0.95	0.05	0.04	0.36
344586	244 --	0.23	0.32	80.7	< 10	75.6	0.35	0.11	3.08	3.71	2.16	8.3	22	1.60	33.8	3.80	0.80	0.05	0.06	0.26
344587	244 --	0.17	0.35	102.0	< 10	88.6	0.50	0.13	2.24	2.75	4.42	10.3	16	1.55	37.2	3.99	0.85	0.05	0.02	0.14

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1800 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :1-B
Total Pages :2
Certificate Date: 06-AUG-2001
Invoice No. : I0121384
P.O. Number : 21331
Account : SWY

Project : RDN
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121384

SAMPLE	PREP	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn
	CODE	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
344548	244 --	0.045	0.22	2.2	0.9	1.04	535	1.55	0.12	0.10	17.6	710	12.2	8.0	0.003	0.93	4.30	13.7	0.6	0.2
344549	244 --	0.050	0.24	2.0	0.9	0.93	440	1.30	0.13	0.05	16.8	690	10.6	8.1	0.003	0.86	3.90	13.0	0.6	0.2
344550	244 --	0.045	0.22	2.0	0.7	0.83	400	1.25	0.12	0.05	18.0	740	11.8	7.8	0.003	1.21	4.60	12.1	0.6	< 0.2
344551	244 --	0.040	0.20	2.0	0.7	1.14	490	1.40	0.10	< 0.05	13.8	720	11.8	6.4	0.003	1.01	3.60	10.7	0.4	< 0.2
344552	244 --	0.035	0.19	3.4	0.9	0.97	430	1.25	0.11	< 0.05	12.8	930	8.6	6.5	0.003	0.72	2.90	11.3	0.6	0.2
344553	244 --	0.040	0.20	3.2	0.8	0.96	440	1.30	0.11	< 0.05	13.4	840	9.0	6.8	0.003	0.66	2.70	11.6	0.2	0.2
344554	244 --	0.040	0.19	2.8	0.9	1.20	510	1.65	0.11	< 0.05	13.2	680	9.4	6.4	0.003	0.74	3.00	10.2	0.2	0.2
344555	244 --	0.040	0.21	2.0	0.9	0.90	445	1.40	0.13	< 0.05	17.2	660	10.6	7.2	0.003	1.05	4.25	11.5	0.4	0.4
344556	244 --	0.045	0.22	2.0	0.8	0.92	450	1.00	0.13	< 0.05	16.4	640	9.8	7.5	0.001	0.97	3.75	11.9	0.4	0.2
344557	244 --	0.045	0.21	1.6	0.8	0.88	430	1.20	0.12	< 0.05	17.0	550	10.4	7.2	0.001	0.97	4.40	11.3	0.6	0.6
344558	244 --	0.055	0.21	2.0	0.8	0.84	420	1.55	0.13	< 0.05	17.2	630	10.4	7.1	0.002	0.91	3.85	11.2	0.6	0.2
344559	244 --	0.065	0.23	1.2	0.9	0.86	365	3.90	0.16	< 0.05	24.0	440	11.6	8.1	0.006	1.33	3.30	12.4	0.8	0.8
344560	244 --	0.030	0.37	14.8	5.8	0.29	230	13.40	0.01	0.15	37.6	1160	14.2	18.3	0.006	0.21	39.30	5.3	2.6	1.4
344561	244 --	0.065	0.25	1.4	1.1	0.73	325	4.50	0.19	< 0.05	26.4	570	12.4	8.3	0.007	1.63	3.60	12.1	1.2	0.2
344562	244 --	0.065	0.23	1.4	1.2	0.67	330	1.60	0.17	< 0.05	19.2	570	9.6	8.1	0.001	0.96	3.85	11.5	0.6	< 0.2
344563	244 --	0.015	0.17	5.8	1.1	0.51	635	0.75	0.14	< 0.05	2.4	160	3.8	6.2	< 0.001	0.07	0.65	3.9	< 0.2	0.6
344564	244 --	0.020	0.17	10.0	0.7	0.47	795	1.20	0.12	< 0.05	1.8	200	5.0	5.5	< 0.001	0.03	0.60	2.6	< 0.2	0.6
344565	244 --	0.010	0.16	18.6	0.7	0.33	525	0.85	0.11	< 0.05	1.2	280	7.2	5.0	< 0.001	0.03	0.65	2.6	< 0.2	0.2
344566	244 --	0.005	0.18	19.4	0.7	0.38	625	0.70	0.12	< 0.05	6.4	230	6.6	5.6	< 0.001	0.04	0.55	2.5	< 0.2	0.4
344567	244 --	0.005	0.17	25.4	0.6	0.44	1055	0.35	0.11	< 0.05	1.2	320	10.6	5.2	< 0.001	0.01	0.65	2.8	< 0.2	0.4
344568	244 --	0.010	0.18	21.6	0.8	0.44	865	0.50	0.12	0.05	0.8	290	5.2	5.6	< 0.001	0.01	0.40	2.8	< 0.2	0.2
344569	244 --	0.015	0.18	22.2	0.6	0.45	880	0.55	0.12	< 0.05	1.0	260	7.6	5.6	< 0.001	0.01	0.65	2.8	0.2	1.2
344570	244 --	0.005	0.20	14.2	0.7	0.61	870	0.45	0.11	< 0.05	1.6	240	2.2	5.6	< 0.001	0.01	0.25	2.8	< 0.2	0.2
344571	244 --	0.020	0.19	16.0	0.6	0.75	985	0.40	0.12	< 0.05	2.0	300	1.4	5.5	< 0.001	0.06	0.35	2.9	0.2	0.2
344572	244 --	0.060	0.26	1.6	0.9	1.02	430	5.65	0.16	< 0.05	24.6	650	15.2	8.8	0.008	1.47	3.00	11.8	1.0	0.2
344573	244 --	0.055	0.26	1.2	0.9	0.81	320	5.05	0.16	< 0.05	25.4	550	14.8	8.6	0.007	1.53	3.30	11.9	1.0	0.2
344574	244 --	0.055	0.24	1.0	0.8	0.89	310	9.70	0.16	< 0.05	29.2	530	17.2	8.1	0.010	1.40	3.45	10.4	1.4	0.2
344575	244 --	0.060	0.25	1.4	0.9	0.96	380	3.45	0.17	< 0.05	20.8	570	12.8	8.0	0.006	1.36	3.40	12.1	0.8	0.2
344576	244 --	0.070	0.32	1.6	0.8	0.89	405	5.25	0.18	< 0.05	25.8	560	12.8	10.3	0.008	1.83	3.50	13.8	1.2	0.2
344577	244 --	0.060	0.29	1.4	0.9	0.93	365	5.25	0.17	< 0.05	27.0	580	13.8	9.1	0.008	1.58	3.00	12.7	1.0	0.2
344578	244 --	0.060	0.31	1.6	0.7	0.78	300	5.85	0.18	< 0.05	27.4	590	14.6	10.1	0.008	1.57	3.55	11.7	1.2	0.2
344579	244 --	0.060	0.29	1.8	0.8	0.82	340	6.60	0.18	< 0.05	28.0	670	15.6	9.8	0.008	1.69	3.80	12.1	1.2	0.2
344580	244 --	0.070	0.29	1.4	0.8	0.94	330	5.50	0.18	< 0.05	24.2	580	15.6	9.7	0.008	1.51	4.00	12.2	1.0	0.4
344581	244 --	0.055	0.26	1.4	0.7	0.89	320	6.30	0.18	< 0.05	26.4	520	12.2	9.0	0.009	1.63	3.80	11.6	1.2	0.2
344582	244 --	0.065	0.27	1.2	0.8	0.84	315	9.95	0.18	< 0.05	31.0	550	18.2	8.6	0.010	1.70	4.60	11.6	1.2	0.2
344583	244 --	0.060	0.27	1.4	0.7	1.02	355	6.80	0.18	< 0.05	27.0	680	23.0	8.8	0.009	1.67	4.60	10.8	1.0	0.2
344584	244 --	0.060	0.28	1.4	0.7	0.88	315	10.00	0.19	< 0.05	28.4	570	11.4	9.2	0.011	1.60	3.50	10.6	1.4	0.2
344585	244 --	0.060	0.25	0.8	1.0	1.22	330	20.20	0.20	< 0.05	39.2	390	11.2	8.2	0.014	1.18	4.10	12.0	2.8	0.6
344586	244 --	0.060	0.21	1.0	0.6	1.37	450	23.90	0.15	< 0.05	53.9	310	8.4	6.6	0.011	1.02	3.30	12.0	3.0	0.2
344587	244 --	0.075	0.21	2.0	0.6	1.26	485	26.90	0.14	< 0.05	69.9	470	7.2	7.1	0.011	0.92	1.85	10.6	2.8	0.2

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 2
 Certificate Date: 06-AUG-2001
 Invoice No. : 10121384
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121384

SAMPLE	PREP CODE	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344548	244 --	121.5	0.01	0.13	2.4 < 0.01	0.10	0.35	18	0.05	10.35	100	1.5	
344549	244 --	127.3	0.01	0.08	2.0 < 0.01	0.08	0.30	16 < 0.05	9.70	94	1.0		
344550	244 --	106.6 < 0.01	0.06	2.0 < 0.01	0.08	0.30	15 < 0.05	9.20	94	1.5			
344551	244 --	151.9 < 0.01	0.11	1.8 < 0.01	0.10	0.35	15 < 0.05	9.45	74	1.5			
344552	244 --	134.0 < 0.01	0.07	2.2 < 0.01	0.10	0.40	15 < 0.05	10.85	66	1.5			
344553	244 --	143.7 < 0.01	0.04	2.2 < 0.01	0.10	0.40	16	0.05	11.40	68	1.5		
344554	244 --	166.0 < 0.01	0.08	2.0 < 0.01	0.12	0.40	16	0.05	9.95	66	1.5		
344555	244 --	136.3 < 0.01	0.06	1.6 < 0.01	0.10	0.30	17 < 0.05	8.80	90	1.5			
344556	244 --	125.6 < 0.01	0.07	1.8 < 0.01	0.06	0.30	18 < 0.05	9.05	88	1.0			
344557	244 --	130.1 < 0.01	0.05	1.4 < 0.01	0.10	0.25	16 < 0.05	8.15	94	1.0			
344558	244 --	105.0 < 0.01	0.03	1.4 < 0.01	0.08	0.25	16 < 0.05	8.55	90	0.5			
344559	244 --	109.3 < 0.01	0.05	1.4 < 0.01	0.18	0.30	17 < 0.05	6.65	120	1.0			
344560	244 --	61.2 < 0.01	0.08	4.0 < 0.01	1.70	4.30	156	4.10	10.70	96	8.0		
344561	244 --	85.3 < 0.01	0.03	2.0 < 0.01	0.18	0.40	17	0.05	7.15	130	1.5		
344562	244 --	80.6 < 0.01	0.06	1.6 < 0.01	0.16	0.40	17 < 0.05	8.70	98	1.5			
344563	244 --	75.2 < 0.01	0.02	1.6 < 0.01	0.02	0.55	7 < 0.05	6.95	74	1.5			
344564	244 --	139.8 < 0.01	0.03	2.2 < 0.01	0.02	0.60	1 < 0.05	7.95	74	1.5			
344565	244 --	76.4 < 0.01 < 0.01	3.2 < 0.01	0.02	0.95	< 1 < 0.05	8.00	64	2.5				
344566	244 --	62.5 < 0.01 < 0.01	3.8 < 0.01	0.02	0.85	1 < 0.05	7.25	90	3.5				
344567	244 --	67.9 < 0.01	0.03	5.0 < 0.01	0.02	1.05	1 < 0.05	8.95	78	3.0			
344568	244 --	52.6 < 0.01 < 0.01	4.0 < 0.01	0.02	0.90	1 < 0.05	7.35	92	3.0				
344569	244 --	42.2 < 0.01 < 0.01	4.4 < 0.01	0.02	1.00	1 < 0.05	7.60	88	2.5				
344570	244 --	84.9 < 0.01	0.01	3.6 < 0.01	0.02	0.65	2 < 0.05	6.75	78	2.0			
344571	244 --	135.2 < 0.01	0.01	4.0 < 0.01	0.02	0.60	1 < 0.05	8.05	86	2.0			
344572	244 --	152.7 < 0.01	0.06	4.2 < 0.01	0.14	0.40	17	0.05	8.40	124	2.5		
344573	244 --	126.4 < 0.01	0.05	2.4 < 0.01	0.18	0.35	16	0.05	6.90	132	2.0		
344574	244 --	139.5 < 0.01	0.05	2.0 < 0.01	0.26	0.35	17	0.05	7.25	152	1.5		
344575	244 --	117.6 < 0.01	0.01	1.8 < 0.01	0.10	0.35	19 < 0.05	8.05	114	1.0			
344576	244 --	82.6 < 0.01	0.06	1.8 < 0.01	0.18	0.35	21 < 0.05	7.45	128	1.5			
344577	244 --	98.4 < 0.01	0.01	1.6 < 0.01	0.12	0.35	19 < 0.05	6.75	140	0.5			
344578	244 --	100.3 < 0.01	0.03	1.6 < 0.01	0.16	0.40	18 < 0.05	7.20	132	1.0			
344579	244 --	95.0 < 0.01	0.03	2.4 < 0.01	0.18	0.40	18	0.10	8.05	142	1.0		
344580	244 --	126.8 < 0.01	0.07	1.8 < 0.01	0.14	0.35	19	0.05	7.25	134	1.0		
344581	244 --	124.9 < 0.01	0.01	1.6 < 0.01	0.16	0.35	18 < 0.05	6.75	128	0.5			
344582	244 --	116.6 < 0.01	0.04	1.6 < 0.01	0.24	0.40	17 < 0.05	7.10	152	1.0			
344583	244 --	166.7 < 0.01	0.06	1.6 < 0.01	0.18	0.35	17 < 0.05	8.40	138	0.5			
344584	244 --	122.8 < 0.01	0.04	1.6 < 0.01	0.28	0.40	19 < 0.05	7.45	148	1.0			
344585	244 --	167.5 < 0.01	0.04	1.0 < 0.01	0.26	0.50	41 < 0.05	6.00	378	0.5			
344586	244 --	181.8 < 0.01	0.09	0.8 < 0.01	0.22	0.40	42 < 0.05	5.60	312	0.5			
344587	244 --	160.2 < 0.01	0.05	1.2 < 0.01	0.08	0.40	34 < 0.05	7.25	278	0.5			

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :2
 Certificate Date: 06-AUG-2001
 Invoice No. :10121384
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121384

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm
344588	244 --	0.15	0.37	106.0	< 10	64.8	0.55	0.12	1.85	2.32	4.54	10.8	17	1.30	36.4	4.21	0.85	0.05	0.08	0.13
344589	244 --	0.16	0.32	76.8	< 10	97.4	0.30	0.11	3.80	2.63	4.58	8.9	21	1.20	28.2	3.29	0.75	0.05	0.04	0.13
344590	244 --	0.08	2.39	6.5	10	739.3	1.20	0.20	1.08	0.40	45.7	8.1	17	2.85	22.6	2.21	6.45	0.05	0.80	0.11
344591	244 --	0.27	0.29	42.1	< 10	43.4	0.45	0.12	1.67	5.77	6.20	8.7	12	1.25	31.4	3.41	0.75	0.05	0.12	0.16

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218


To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 06-AUG-2001
 Invoice No. : 10121384
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121384

SAMPLE	PREP CODE	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
344588	244 --	0.065	0.23	2.2	0.6	1.15	495	27.40	0.13	< 0.05	80.0	450	9.0	7.0	0.011	1.43	1.80	10.5	3.2	0.4
344589	244 --	0.055	0.19	2.4	0.5	1.74	755	25.80	0.11	< 0.05	66.9	480	11.0	6.2	0.011	0.48	1.50	9.3	2.0	0.4
344590	244 --	0.030	0.52	23.0	17.7	0.58	540	1.00	0.13	0.20	17.8	580	14.0	32.7	< 0.001	0.02	0.80	6.2	0.2	1.2
344591	244 --	0.055	0.19	3.2	0.5	0.95	470	31.85	0.12	< 0.05	68.1	670	30.0	6.0	0.015	1.14	1.70	8.3	5.2	0.2

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :2
 Certificate Date: 06-AUG-2001
 Invoice No. :10121384
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS	A0121384
-------------------------	----------

SAMPLE	PREP CODE	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344588	244 --	110.5 < 0.01	0.10	1.6 < 0.01	0.12	0.40	35	0.05	6.50	260	1.0		
344589	244 --	226.8 < 0.01	0.07	1.2 < 0.01	0.10	0.45	38	< 0.05	8.30	238	0.5		
344590	244 --	81.1 < 0.01	0.06	5.8	0.08	0.32	1.10	54	0.40	13.15	72	24.5	
344591	244 --	111.6 < 0.01	0.05	2.4 < 0.01	0.12	0.70	35	< 0.05	8.30	470	3.0		

CERTIFICATION: *[Signature]*



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 06-AUG-2001
 Invoice No. : 10121383
 P.O. Number : 21331
 Account : SWY

Project: RDN 01-112
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121383

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm
344592	244 --	0.23	0.38	50.8	< 10	138.4	0.85	0.11	2.48	0.34	5.00	8.3	20	2.25	22.6	3.53	0.70	< 0.05	0.02	0.15
344593	244 --	0.52	0.41	43.0	< 10	260.8	0.80	0.04	4.30	0.21	17.65	14.5	11	2.85	57.3	4.31	0.85	< 0.05	0.06	0.16
344594	244 --	1.31	0.35	82.7	< 10	61.0	0.65	0.05	5.84	0.58	15.50	19.8	16	2.30	63.6	4.82	0.80	< 0.05	0.06	0.24
344595	244 --	0.24	0.36	42.7	< 10	466.2	0.70	0.03	4.62	0.22	15.60	13.3	17	2.00	47.4	4.28	0.75	< 0.05	0.06	0.15
344596	244 --	0.19	0.40	39.6	< 10	649.4	0.65	0.03	4.30	0.14	16.00	12.7	23	2.65	52.2	4.06	0.80	< 0.05	0.02	0.20
344597	244 --	0.42	0.39	58.5	< 10	247.8	0.80	0.03	5.50	0.39	13.20	13.5	26	2.15	106.5	4.01	0.80	< 0.05	0.06	0.33
344598	244 --	0.26	0.31	16.0	< 10	73.0	0.80	0.04	3.77	0.14	20.6	12.0	18	1.90	27.2	3.49	0.60	< 0.05	0.08	0.25
344599	244 --	0.47	0.42	28.1	< 10	55.2	1.05	0.11	4.45	0.14	9.48	17.4	27	2.10	36.0	3.99	0.85	< 0.05	0.08	0.39
344600	244 --	0.13	0.40	23.9	< 10	390.0	0.85	0.08	3.94	0.14	19.05	9.7	20	2.35	38.8	3.80	0.85	< 0.05	0.06	0.23
344601	244 --	0.15	0.38	13.3	< 10	151.0	0.70	0.05	4.27	0.12	16.50	11.1	27	2.20	23.6	3.50	0.75	< 0.05	0.04	0.36
344602	244 --	1.72	0.33	15.3	< 10	132.0	0.90	0.05	3.61	0.43	22.9	11.2	23	1.90	31.2	3.56	0.65	< 0.05	0.06	0.33
344603	244 --	0.06	0.69	10.7	< 10	799.0	0.90	0.11	3.43	0.09	13.30	8.0	27	2.20	12.8	3.31	1.25	< 0.05	0.06	0.23
344604	244 --	6.83	0.39	48.0	< 10	47.0	0.55	0.36	2.10	21.5	5.46	8.2	47	1.55	96.1	3.70	0.95	< 0.05	0.06	1.27
344605	244 --	3.78	0.47	42.4	< 10	31.8	0.30	0.32	1.08	2.82	11.70	7.9	73	1.35	56.4	3.22	0.95	< 0.05	0.16	0.28
344606	244 --	0.18	0.36	10.5	< 10	122.2	0.40	0.02	1.85	1.13	26.2	6.3	48	1.65	13.2	2.89	0.85	< 0.05	0.18	0.13
344607	244 --	0.37	0.40	18.5	< 10	73.4	0.50	0.06	1.12	7.93	27.8	7.1	57	1.65	9.2	3.15	0.90	< 0.05	0.20	0.43
344608	244 --	0.28	0.41	14.9	< 10	113.0	0.55	0.05	0.97	3.72	27.6	7.3	45	1.80	13.6	3.03	1.10	0.05	0.16	0.29
344609	244 --	0.18	0.53	12.4	< 10	563.6	0.50	0.03	1.45	0.21	37.0	7.7	42	2.20	10.2	2.99	1.20	< 0.05	0.14	0.17
344610	244 --	0.50	0.56	19.9	< 10	143.2	0.60	0.21	1.16	2.34	32.1	8.1	59	1.55	25.6	3.20	1.30	< 0.05	0.12	0.35
344611	244 --	0.37	0.43	8.7	< 10	330.8	0.40	0.06	1.26	3.25	25.1	6.5	51	1.10	8.8	3.05	1.00	< 0.05	0.12	0.47
344612	244 --	2.25	0.46	32.3	< 10	32.4	0.50	0.48	2.30	46.9	11.60	7.3	38	1.25	64.2	3.00	0.95	< 0.05	0.14	2.59
344613	244 --	0.78	0.56	20.2	< 10	26.2	0.50	0.02	1.40	1.85	26.5	8.0	36	1.50	16.2	3.11	1.25	< 0.05	0.14	0.18
344614	244 --	0.51	0.45	28.2	< 10	24.6	0.45	0.01	2.48	1.18	20.7	7.9	30	1.55	10.6	3.11	1.10	< 0.05	0.08	0.09
344615	244 --	0.67	0.43	14.5	< 10	30.4	0.35	0.07	1.12	2.22	19.00	6.0	60	1.75	13.8	2.24	0.80	< 0.05	0.12	0.16
344616	244 --	1.46	0.32	21.6	< 10	170.8	0.15	0.19	0.13	20.3	2.54	1.4	79	0.95	55.8	0.43	0.50	< 0.05	0.10	1.71
344617	244 --	1.04	0.40	20.4	< 10	30.0	0.10	0.51	0.04	0.10	0.90	6.7	108	1.35	14.2	2.24	0.55	< 0.05	0.10	0.46
344618	244 --	1.08	0.33	29.2	< 10	21.4	0.15	0.55	0.02	0.09	0.64	7.3	41	1.35	14.2	2.88	0.45	< 0.05	0.12	0.48
344619	244 --	1.38	0.33	21.7	< 10	60.2	0.10	0.43	0.11	0.07	0.80	6.6	86	1.30	14.4	1.26	0.40	< 0.05	0.08	0.30
344620	244 --	0.17	3.41	6.3	10	825.6	1.05	0.21	1.19	0.44	52.2	9.0	88	3.80	24.2	2.34	8.80	0.05	0.98	0.07
344621	244 --	1.46	0.37	19.4	< 10	35.8	0.25	0.59	0.17	0.78	3.10	7.2	85	1.45	17.4	2.04	0.50	< 0.05	0.12	0.15
344622	244 --	1.62	0.42	29.9	< 10	27.6	0.55	0.29	1.61	12.90	30.2	7.8	49	2.00	26.6	2.99	1.00	< 0.05	0.14	0.71
344623	244 --	0.49	0.42	31.6	< 10	61.2	0.45	0.04	1.97	3.82	31.4	6.8	42	1.55	30.0	2.93	1.10	< 0.05	0.16	0.31
344624	244 --	0.47	0.44	24.2	< 10	54.0	0.35	0.26	2.24	5.13	24.1	6.9	53	1.45	14.0	3.02	1.00	< 0.05	0.14	0.36
344625	244 --	0.73	0.58	24.3	< 10	24.6	0.55	0.38	1.94	2.37	22.8	7.4	65	1.70	27.6	3.42	1.20	< 0.05	0.16	0.20
344626	244 --	0.67	0.45	82.6	< 10	26.6	0.50	1.37	1.21	1.23	21.2	8.6	59	1.65	149.0	4.51	0.90	< 0.05	0.20	0.15
344627	244 --	0.74	0.59	34.4	< 10	29.8	0.80	0.41	1.75	1.84	17.15	8.5	71	1.80	38.0	3.23	1.10	< 0.05	0.14	0.21

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :1
 Certificate Date: 06-AUG-2001
 Invoice No. :10121383
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121383

SAMPLE	PREP CODE	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm
344592	244 --	0.050	0.25	2.0	0.5	0.81	375	2.05	0.01	< 0.05	18.4	680	15.2	8.2	0.004	1.07	5.65	10.5	0.8	0.2
344593	244 --	0.035	0.30	8.4	0.7	1.25	1435	1.60	0.01	0.05	21.4	1480	18.0	9.3	0.002	0.41	11.25	11.7	0.4	< 0.2
344594	244 --	0.045	0.27	7.6	0.4	1.72	1790	18.75	0.02	0.05	53.0	1160	52.6	7.7	0.013	2.33	10.25	10.2	1.0	< 0.2
344595	244 --	0.035	0.27	7.2	0.4	1.28	1305	0.90	0.02	0.05	15.4	1290	13.2	7.6	0.003	0.21	4.15	9.2	0.2	< 0.2
344596	244 --	0.035	0.29	7.4	0.5	1.29	1500	1.25	0.03	0.05	15.2	1490	10.4	8.4	0.002	0.17	3.95	9.8	0.2	0.2
344597	244 --	0.035	0.27	6.2	0.5	1.57	1700	1.70	0.03	0.05	15.0	1290	9.6	7.9	0.004	0.44	6.05	8.6	0.2	0.2
344598	244 --	0.020	0.23	10.6	0.4	0.99	1455	1.25	0.01	0.05	7.0	940	6.8	7.2	< 0.001	1.08	3.30	5.8	< 0.2	0.4
344599	244 --	0.025	0.31	4.6	0.6	0.95	1340	2.95	0.04	0.05	10.8	980	10.2	8.6	0.001	1.81	4.15	6.9	0.2	0.6
344600	244 --	0.030	0.29	9.4	0.5	0.89	1525	2.25	0.04	< 0.05	10.4	1180	5.2	8.9	0.004	0.25	3.00	8.1	0.2	< 0.2
344601	244 --	0.030	0.28	8.0	0.5	1.04	1400	0.95	0.04	0.05	6.6	970	6.4	8.4	< 0.001	0.62	2.55	7.0	< 0.2	0.2
344602	244 --	0.025	0.25	11.4	0.6	0.94	1350	1.40	0.05	< 0.05	6.8	1090	12.6	7.5	< 0.001	0.84	5.10	6.7	< 0.2	0.2
344603	244 --	0.030	0.48	6.2	0.8	0.93	1175	0.45	0.06	< 0.05	3.6	1080	3.0	12.6	< 0.001	0.21	1.20	7.2	< 0.2	0.2
344604	244 --	0.015	0.27	2.4	0.9	0.72	750	2.90	0.07	< 0.05	5.2	900	2960	7.4	< 0.001	1.45	5.80	4.7	1.2	0.6
344605	244 --	0.025	0.34	6.2	0.8	0.68	1670	2.35	0.06	< 0.05	2.4	570	252.3	8.3	< 0.001	2.19	1.80	2.9	1.2	0.6
344606	244 --	0.015	0.30	14.2	0.6	1.13	3400	0.65	0.06	0.05	2.4	750	67.6	8.7	< 0.001	0.78	0.50	3.5	< 0.2	< 0.2
344607	244 --	0.040	0.30	15.0	0.7	0.94	2810	0.95	0.08	< 0.05	2.0	790	247.3	8.7	< 0.001	1.11	0.45	3.2	0.4	< 0.2
344608	244 --	0.025	0.33	14.8	0.7	0.90	2460	1.05	0.07	< 0.05	2.2	770	164.9	9.7	< 0.001	0.78	0.65	3.2	< 0.2	< 0.2
344609	244 --	0.020	0.40	20.8	0.7	1.21	2400	0.25	0.08	< 0.05	2.0	980	44.2	11.7	< 0.001	0.25	0.70	4.0	< 0.2	< 0.2
344610	244 --	0.035	0.39	17.6	0.8	1.04	2710	0.55	0.07	< 0.05	2.4	920	133.8	10.6	< 0.001	0.73	1.65	3.7	0.2	< 0.2
344611	244 --	0.025	0.28	14.0	0.6	1.12	2750	0.30	0.07	< 0.05	2.0	680	179.4	7.5	< 0.001	0.38	0.80	3.9	< 0.2	< 0.2
344612	244 --	0.035	0.32	6.0	0.7	1.00	2360	1.85	0.06	< 0.05	2.6	540	294.6	8.4	< 0.001	2.22	4.95	3.6	1.2	0.2
344613	244 --	0.020	0.36	14.4	0.6	0.66	1745	1.30	0.07	< 0.05	2.0	870	105.7	9.9	< 0.001	2.54	2.10	3.0	0.8	0.2
344614	244 --	0.015	0.28	11.0	0.8	1.14	2810	1.45	0.06	< 0.05	2.6	750	89.6	8.6	< 0.001	2.40	1.60	3.0	0.4	< 0.2
344615	244 --	0.005	0.28	10.4	1.0	0.52	1650	2.30	0.08	< 0.05	2.4	730	113.5	8.6	< 0.001	1.70	1.45	2.3	0.8	< 0.2
344616	244 --	< 0.005	0.20	1.4	0.6	< 0.01	10	5.55	0.04	< 0.05	1.6	600	498.0	5.4	< 0.001	0.49	6.50	0.6	0.8	< 0.2
344617	244 --	0.015	0.26	0.4	0.6	< 0.01	15	6.35	0.05	< 0.05	2.6	160	19.6	5.4	< 0.001	2.27	0.90	0.6	2.2	< 0.2
344618	244 --	0.020	0.22	0.2	0.6	< 0.01	5	3.75	0.05	< 0.05	1.6	90	16.4	4.7	< 0.001	2.95	0.95	0.5	2.0	< 0.2
344619	244 --	0.005	0.21	0.4	0.6	0.03	15	6.90	0.05	< 0.05	2.4	310	21.6	4.9	< 0.001	1.19	0.80	0.7	1.2	0.2
344620	244 --	0.030	0.67	27.2	23.1	0.62	515	1.30	0.23	0.20	18.8	550	12.4	41.8	< 0.001	0.04	0.95	6.3	0.2	1.4
344621	244 --	0.015	0.24	1.6	0.6	0.02	70	8.45	0.06	< 0.05	2.4	640	65.0	5.9	< 0.001	2.09	0.85	0.7	1.4	0.2
344622	244 --	0.030	0.29	16.6	0.9	0.58	1735	5.55	0.07	< 0.05	2.4	780	534.0	9.6	< 0.001	2.48	1.40	2.7	0.6	0.2
344623	244 --	0.025	0.30	17.2	0.7	0.92	2660	1.20	0.07	< 0.05	2.4	860	348.0	8.8	< 0.001	1.39	1.60	3.3	0.2	< 0.2
344624	244 --	0.020	0.30	13.4	0.8	1.03	3300	2.75	0.07	< 0.05	2.2	690	203.3	8.6	< 0.001	1.72	1.10	3.3	0.4	< 0.2
344625	244 --	0.020	0.40	12.0	1.2	0.80	2680	2.30	0.07	< 0.05	2.6	810	80.6	11.3	< 0.001	2.61	1.65	2.7	0.8	< 0.2
344626	244 --	0.070	0.36	11.2	0.9	0.76	1590	3.05	0.06	< 0.05	2.0	800	59.4	10.6	0.003	2.35	5.90	2.9	1.0	< 0.2
344627	244 --	0.020	0.41	8.8	1.0	0.65	1460	2.25	0.07	< 0.05	3.6	830	74.2	11.1	0.003	2.00	1.90	3.3	1.2	< 0.2

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 06-AUG-2001
 Invoice No. : I0121383
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121383

SAMPLE	PREP CODE	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344592	244 --	100.1 < 0.01	0.06	1.4 < 0.01	0.14	0.25	13	0.10	9.10	150	1.0		
344593	244 --	133.6 < 0.01	0.13	1.2 < 0.01	0.20	0.25	29	0.05	11.55	70	1.0		
344594	244 --	215.9 < 0.01	0.24	1.2 < 0.01	0.58	0.45	35	0.05	10.20	58	1.5		
344595	244 --	139.9 < 0.01	0.05	1.0 < 0.01	0.12	0.25	27	< 0.05	10.50	78	1.0		
344596	244 --	173.8 < 0.01	0.08	1.0 < 0.01	0.08	0.25	33	< 0.05	12.35	84	1.0		
344597	244 --	148.7 < 0.01	0.08	1.0 < 0.01	0.12	0.30	36	< 0.05	11.50	90	1.5		
344598	244 --	132.0 < 0.01	0.05	2.2 < 0.01	0.26	0.55	11	< 0.05	10.10	56	2.5		
344599	244 --	164.1 < 0.01	0.13	1.4 < 0.01	0.28	0.50	20	0.05	10.45	52	2.0		
344600	244 --	138.3 < 0.01	0.12	1.4 < 0.01	0.08	0.35	19	< 0.05	10.15	66	1.5		
344601	244 --	157.8 < 0.01	0.09	1.8 < 0.01	0.18	0.60	17	< 0.05	11.25	66	1.5		
344602	244 --	103.6 < 0.01	0.05	2.2 < 0.01	0.22	0.60	13	0.05	10.05	88	2.0		
344603	244 --	97.4 < 0.01	0.05	1.8 < 0.01	0.18	0.75	33	0.05	10.55	50	2.0		
344604	244 --	86.6 < 0.01	1.61	1.6 < 0.01	0.12	0.60	23	0.05	6.70	2450	3.0		
344605	244 --	102.5 < 0.01	1.61	1.6 < 0.01	0.14	0.55	9	0.05	4.40	390	4.0		
344606	244 --	190.5 < 0.01	0.17	2.8 < 0.01	0.06	0.45	7	0.05	7.55	230	4.0		
344607	244 --	103.6 < 0.01	0.17	3.2 < 0.01	0.10	0.60	8	< 0.05	6.70	1095	5.5		
344608	244 --	107.1 < 0.01	0.09	3.2 < 0.01	0.10	0.60	8	0.05	6.95	548	5.0		
344609	244 --	163.1 < 0.01	0.13	3.2 < 0.01	0.12	0.70	10	< 0.05	7.10	182	4.0		
344610	244 --	124.4 < 0.01	0.25	3.2 < 0.01	0.12	0.60	12	0.05	6.60	418	4.0		
344611	244 --	161.8 < 0.01	0.10	2.8 < 0.01	0.12	0.45	12	< 0.05	4.75	576	3.5		
344612	244 --	319.0 < 0.01	0.60	1.6 < 0.01	0.14	0.40	8	0.05	6.00	5530	4.0		
344613	244 --	163.8 < 0.01	0.24	2.6 < 0.01	0.18	0.45	9	0.05	6.40	350	3.5		
344614	244 --	261.0 < 0.01	0.15	2.2 < 0.01	0.18	0.45	9	0.05	6.60	210	3.0		
344615	244 --	167.1 < 0.01	0.30	2.0 < 0.01	0.12	0.50	6	0.05	5.95	336	4.0		
344616	244 --	27.4 < 0.01	0.32	0.6 < 0.01	0.08	0.30	2	0.05	3.05	2530	3.0		
344617	244 --	37.8 < 0.01	1.96	0.4 < 0.01	0.14	0.25	4	0.10	0.60	4	3.5		
344618	244 --	22.4 < 0.01	1.85	0.2 < 0.01	0.12	0.20	3	< 0.05	0.40	8	3.5		
344619	244 --	37.8 < 0.01	1.26	< 0.2 < 0.01	0.14	0.20	3	0.05	1.15	< 2	3.0		
344620	244 --	116.4 < 0.01	0.11	7.0	0.12	0.34	1.40	64	0.40	16.05	72	30.5	
344621	244 --	45.0 < 0.01	1.39	1.0 < 0.01	0.16	0.30	4	0.05	2.75	102	4.5		
344622	244 --	99.4 < 0.01	0.48	3.0 < 0.01	0.16	0.60	6	0.05	7.75	1625	4.5		
344623	244 --	220.0 < 0.01	0.19	3.0 < 0.01	0.10	0.60	9	0.05	8.00	600	3.5		
344624	244 --	185.6 < 0.01	0.18	2.4 < 0.01	0.12	0.60	9	< 0.05	8.10	764	3.5		
344625	244 --	128.9 < 0.01	0.40	2.6 < 0.01	0.14	0.55	8	0.05	7.30	400	4.5		
344626	244 --	96.7 < 0.01	0.74	2.6 < 0.01	0.16	0.65	10	0.05	5.65	260	4.5		
344627	244 --	114.0 < 0.01	0.81	2.2 < 0.01	0.16	0.60	9	0.05	7.20	320	4.0		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. : I0120819
 P.O. Number : 21331
 Account : SWY

Project: RDN *EX-116*
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344628	94139402	4.16	40	0.38	0.29	19.7	< 10	17.2	0.90	0.16	2.49	0.90	13.45	8.3	18	2.55	16.4	3.42	0.60	0.05
344629	94139402	4.12	20	0.61	0.32	29.9	< 10	47.4	0.60	0.12	1.82	0.27	12.30	12.7	16	2.55	18.8	3.96	0.55	< 0.05
344630	94139402	3.66	< 5	0.14	0.32	11.7	< 10	337.0	0.60	0.08	2.80	0.18	15.50	8.8	13	3.05	8.6	3.88	0.60	0.05
344631	94139402	3.92	< 5	0.08	0.30	8.2	< 10	796.2	0.60	0.05	3.46	0.12	13.40	8.0	13	2.95	7.8	3.65	0.65	0.05
344632	94139402	4.20	10	0.30	0.27	21.6	< 10	96.0	0.60	0.13	2.95	0.38	10.95	8.8	16	2.10	24.4	3.65	0.55	0.05
344633	94139402	3.90	10	0.41	0.41	29.7	< 10	21.2	0.65	0.09	2.42	0.33	6.58	11.2	28	1.95	32.2	3.56	0.75	0.05
344634	94139402	4.04	270	1.54	0.26	27.1	< 10	14.4	0.40	0.78	1.74	0.84	4.82	11.9	25	2.10	35.6	4.05	0.45	< 0.05
344635	94139402	4.04	120	0.94	0.28	17.3	< 10	22.2	0.35	0.43	0.59	4.34	16.20	8.4	24	1.95	19.8	3.22	0.60	0.05
344636	94139402	3.92	15	0.44	0.26	19.2	< 10	57.4	0.30	0.03	1.25	3.68	21.1	6.9	20	1.85	15.6	3.17	0.70	< 0.05
344637	94139402	4.00	45	0.63	0.26	21.5	< 10	28.0	0.20	0.04	1.93	5.35	17.75	7.9	19	1.70	16.2	3.53	0.75	< 0.05
344638	94139402	4.06	105	0.77	0.25	64.7	< 10	24.6	0.45	0.18	1.10	15.90	23.2	8.1	19	1.80	81.6	3.47	0.75	< 0.05
344639	94139402	4.38	55	0.60	0.28	45.8	< 10	24.0	0.40	0.06	2.14	6.39	19.90	7.9	22	1.60	68.1	3.36	0.80	< 0.05
344640	94139402	3.68	5	0.19	0.28	12.8	< 10	57.2	0.35	0.05	1.79	0.28	10.60	7.5	14	2.35	11.2	3.09	0.55	< 0.05
344641	94139402	3.92	< 5	0.14	0.27	9.5	< 10	131.2	0.40	0.01	2.36	0.40	22.8	7.1	15	1.80	10.2	3.00	0.70	0.05
344642	94139402	4.08	50	0.44	0.26	22.7	< 10	40.0	0.50	0.07	1.81	2.90	22.8	7.4	19	1.80	23.6	2.93	0.70	< 0.05
344643	94139402	3.98	< 5	0.07	0.29	5.3	< 10	702.7	0.55	0.04	3.63	0.24	13.50	6.0	16	2.40	4.2	3.04	0.55	< 0.05
344644	94139402	4.08	15	0.46	0.26	17.0	< 10	47.4	0.55	0.07	1.74	0.11	15.65	7.7	15	1.55	9.4	3.26	0.55	< 0.05
344645	94139402	3.42	135	1.18	0.28	28.6	< 10	24.2	0.45	0.28	1.03	2.76	6.34	7.3	30	1.60	19.2	2.73	0.55	< 0.05
344646	94139402	4.44	55	0.78	0.24	15.1	< 10	16.8	0.30	0.05	1.94	3.78	11.25	7.3	18	1.40	11.0	3.20	0.65	< 0.05
344647	94139402	4.88	10	0.53	0.22	17.1	< 10	19.6	0.25	0.03	2.56	3.05	10.80	7.3	17	1.25	20.6	3.05	0.55	< 0.05
344648	94139402	2.36	10	0.97	0.27	19.8	< 10	23.8	0.40	0.21	1.87	7.25	8.92	8.0	20	1.65	19.8	3.10	0.65	0.05
344649	94139402	3.86	145	1.19	0.28	26.2	< 10	10.2	0.45	0.25	2.52	0.80	8.98	11.1	23	1.50	54.5	4.32	0.60	0.05
344650	9400 225	0.10	495	0.20	0.32	352	< 10	1055.0	0.30	0.38	0.33	1.71	16.40	5.3	36	0.80	94.7	1.47	2.90	< 0.05
344651	94139402	3.66	610	4.72	0.25	43.6	< 10	30.2	0.25	0.86	0.46	5.53	4.68	10.1	25	2.10	75.0	3.92	0.55	0.05
344652	94139402	3.94	130	2.02	0.26	37.0	< 10	15.4	0.40	0.22	1.55	9.94	15.30	8.0	25	1.40	54.6	3.39	0.70	< 0.05
344653	94139402	3.58	880	2.59	0.22	37.2	< 10	18.8	0.30	0.87	2.08	7.30	3.40	10.8	27	1.50	48.8	2.98	0.45	< 0.05
344654	94139402	4.12	65	0.74	0.29	44.6	< 10	29.8	0.30	0.37	1.43	7.28	20.8	7.8	17	2.40	100.5	3.33	0.80	< 0.05
344655	94139402	4.08	5	0.38	0.29	23.5	< 10	33.6	0.35	< 0.01	2.31	3.99	21.1	8.1	18	2.80	31.6	2.85	0.80	< 0.05
344656	94139402	4.30	85	0.45	0.28	42.3	< 10	35.4	0.45	0.60	0.52	5.04	16.70	8.4	28	2.10	23.6	2.77	0.70	< 0.05
344657	94139402	3.66	175	1.17	0.24	24.6	< 10	16.0	0.55	0.49	0.31	1.73	9.68	8.1	28	2.05	31.6	2.87	0.50	< 0.05
344658	94139402	3.90	165	1.50	0.27	12.8	< 10	19.2	0.20	0.36	0.23	0.11	1.26	7.1	48	2.00	17.8	2.35	0.35	< 0.05
344659	94139402	4.12	120	1.46	0.26	35.2	< 10	22.4	0.40	0.84	0.63	1.78	11.50	9.6	26	2.65	70.4	3.36	0.60	< 0.05
344660	94139402	3.96	5	0.24	0.29	16.5	< 10	36.2	0.60	0.09	1.65	4.74	28.2	8.0	18	2.90	31.4	3.78	0.80	0.05
344661	94139402	4.16	5	0.27	0.29	20.2	< 10	31.6	0.60	0.36	0.90	0.49	23.4	9.1	22	2.90	35.6	4.27	0.80	0.05
344662	94139402	4.00	10	0.39	0.26	39.5	< 10	23.8	0.40	0.98	0.72	2.18	19.45	8.7	26	2.25	98.4	4.09	0.70	0.05
344663	94139402	4.32	20	0.45	0.24	33.6	< 10	32.0	0.30	0.68	0.72	4.94	21.0	7.9	21	2.25	78.8	3.30	0.65	< 0.05
344664	94139402	4.22	240	1.05	0.27	20.8	< 10	17.2	0.55	1.16	0.57	0.28	3.32	9.2	32	2.30	42.8	3.11	0.55	< 0.05
344665	94139402	4.18	270	1.86	0.25	30.0	< 10	14.0	0.50	1.70	0.91	0.32	1.80	10.2	24	2.45	65.4	3.60	0.45	< 0.05
344666	94139402	4.30	115	0.78	0.22	19.7	< 10	46.6	0.35	1.03	0.97	1.53	4.42	7.8	27	2.10	45.0	3.33	0.45	0.05
344667	94139402	4.26	115	0.90	0.24	82.4	< 10	29.0	0.25	3.41	1.00	7.69	5.92	11.2	36	1.85	278	4.46	0.65	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120819
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344628	94139402	0.14	0.15	0.015	0.22	6.6	0.9	0.80	1350	3.60	0.08	0.15	3.8	860	42.0	8.5	0.001	2.36	1.30	3.0
344629	94139402	0.08	0.17	0.030	0.25	5.6	1.0	0.62	775	2.10	0.08	0.05	10.0	970	20.8	9.5	0.003	1.09	3.80	6.0
344630	94139402	0.08	0.08	0.025	0.26	8.0	1.5	0.82	1230	1.20	0.08	0.05	3.4	1010	5.6	9.9	0.001	0.28	1.45	6.8
344631	94139402	0.10	0.06	0.025	0.25	7.0	1.4	0.99	1430	0.75	0.08	0.05	2.6	840	4.0	9.9	0.001	0.13	1.30	7.3
344632	94139402	0.14	0.07	0.025	0.22	5.2	1.1	0.92	1240	7.35	0.07	0.05	7.4	810	13.2	8.3	0.005	0.66	3.95	5.8
344633	94139402	0.10	0.15	0.030	0.29	2.8	1.5	0.74	990	1.90	0.08	0.05	13.4	610	20.2	10.0	0.003	2.08	5.05	6.4
344634	94139402	0.14	0.15	0.025	0.19	2.2	1.1	0.54	715	6.95	0.08	0.05	8.2	840	101.0	6.9	0.002	2.95	4.60	4.1
344635	94139402	0.14	0.24	0.015	0.19	8.0	0.8	0.58	1445	3.40	0.07	< 0.05	1.0	870	269.0	7.0	< 0.001	2.04	1.50	2.1
344636	94139402	0.14	0.26	0.020	0.18	11.8	0.9	1.08	2520	0.75	0.07	< 0.05	1.0	720	343.4	6.7	< 0.001	0.91	1.05	3.2
344637	94139402	0.18	0.38	0.020	0.19	9.4	0.9	1.15	2840	1.20	0.07	< 0.05	1.6	670	409.9	6.5	0.001	1.59	1.95	3.3
344638	94139402	0.16	0.96	0.025	0.18	13.2	0.7	0.78	1925	2.60	0.07	< 0.05	1.2	810	696.0	7.1	< 0.001	1.92	3.05	2.7
344639	94139402	0.22	0.49	0.025	0.19	10.6	0.7	0.85	1905	2.15	0.07	< 0.05	2.4	810	830.0	6.8	< 0.001	1.94	4.00	3.8
344640	94139402	0.10	0.08	0.015	0.22	4.8	1.0	0.53	760	1.15	0.08	< 0.05	1.8	990	31.6	8.1	< 0.001	1.21	0.75	4.3
344641	94139402	0.10	0.11	0.020	0.21	12.6	0.8	1.06	2160	0.35	0.07	< 0.05	2.0	830	22.2	7.2	< 0.001	0.50	0.45	4.0
344642	94139402	0.14	0.27	0.020	0.19	13.0	0.9	0.82	1720	1.40	0.07	< 0.05	2.0	860	263.3	7.0	< 0.001	1.45	0.70	3.0
344643	94139402	0.10	0.06	0.020	0.23	6.2	1.1	0.97	1215	0.30	0.08	< 0.05	2.0	1020	14.4	8.3	< 0.001	0.08	0.05	6.0
344644	94139402	0.10	0.03	0.020	0.20	7.8	0.9	0.48	805	3.10	0.07	< 0.05	3.4	750	11.8	6.9	0.002	0.33	0.65	3.4
344645	94139402	0.14	0.29	0.015	0.20	3.0	1.3	0.36	1020	8.90	0.07	< 0.05	2.2	590	180.0	6.8	< 0.001	2.07	1.05	3.0
344646	94139402	0.12	0.40	0.015	0.17	5.8	1.0	0.74	2530	3.50	0.07	< 0.05	1.8	630	182.9	5.8	< 0.001	2.54	0.75	3.6
344647	94139402	0.12	0.30	0.025	0.16	5.4	0.8	0.98	2410	1.70	0.06	< 0.05	4.0	560	175.8	5.6	< 0.001	2.04	0.90	3.8
344648	94139402	0.08	0.54	0.035	0.19	4.6	0.8	0.84	2590	1.25	0.06	< 0.05	2.0	490	167.9	6.5	< 0.001	2.00	0.65	4.0
344649	94139402	0.14	0.20	0.025	0.19	4.4	0.5	0.89	1880	2.20	0.06	< 0.05	6.2	600	51.8	6.3	0.001	3.71	0.50	5.0
344650	9400 225	0.38	0.14	0.160	0.07	10.0	0.7	0.02	20	119.95	< 0.01	0.25	43.0	1780	162.2	3.0	0.001	0.06	268.8	7.7
344651	94139402	0.10	0.35	0.020	0.18	2.2	0.4	0.13	295	6.20	0.04	< 0.05	2.2	730	293.7	6.3	< 0.001	4.07	10.40	2.1
344652	94139402	0.10	0.76	0.030	0.19	8.2	0.2	0.66	2270	3.65	0.04	< 0.05	1.6	820	520.0	6.2	0.001	2.67	3.50	3.0
344653	94139402	0.20	0.68	0.015	0.16	1.4	0.3	0.74	1135	3.10	0.03	< 0.05	18.8	580	225.8	5.5	0.002	2.38	2.95	4.0
344654	94139402	0.20	0.53	0.045	0.23	11.2	0.3	0.81	4140	1.45	0.02	< 0.05	1.4	870	231.6	8.2	< 0.001	1.46	10.90	3.0
344655	94139402	0.24	0.27	0.030	0.24	11.4	0.3	0.93	5120	0.65	0.02	< 0.05	1.6	840	233.2	8.6	< 0.001	1.45	2.80	2.7
344656	94139402	0.24	0.30	0.045	0.23	9.2	0.3	0.32	1230	2.70	0.03	< 0.05	1.2	1050	70.2	7.9	< 0.001	1.92	1.40	1.7
344657	94139402	0.22	0.18	0.015	0.19	5.0	0.2	0.14	435	3.80	0.03	< 0.05	1.0	760	56.8	6.4	< 0.001	2.75	1.95	1.1
344658	94139402	0.16	0.09	< 0.005	0.19	0.6	0.2	0.03	65	2.10	0.02	< 0.05	1.6	540	81.8	5.8	< 0.001	2.57	0.40	0.5
344659	94139402	0.16	0.33	0.020	0.21	6.2	0.4	0.42	1615	2.80	0.02	< 0.05	4.8	700	67.6	7.7	0.001	2.66	8.80	1.6
344660	94139402	0.18	0.37	0.035	0.24	15.8	0.4	1.19	4880	0.40	0.02	< 0.05	1.0	880	97.0	9.3	< 0.001	1.40	3.00	2.6
344661	94139402	0.22	0.14	0.040	0.24	12.8	0.5	0.91	3550	0.90	0.02	< 0.05	1.0	950	32.8	10.0	< 0.001	2.16	1.60	2.6
344662	94139402	0.24	0.26	0.050	0.22	10.6	0.4	0.68	2760	0.90	0.02	< 0.05	1.0	580	105.0	8.3	< 0.001	2.49	6.30	2.5
344663	94139402	0.24	0.55	0.035	0.21	11.6	0.4	0.55	2450	0.70	0.02	< 0.05	0.8	780	125.4	7.7	< 0.001	2.07	3.00	2.4
344664	94139402	0.28	0.40	0.025	0.20	1.6	0.3	0.16	675	3.15	0.03	< 0.05	1.2	830	44.4	7.3	< 0.001	3.18	2.80	1.6
344665	94139402	0.24	0.41	0.020	0.19	0.8	0.3	0.03	65	3.70	0.03	< 0.05	1.0	890	78.2	7.0	< 0.001	4.07	5.65	1.2
344666	94139402	0.22	0.50	0.035	0.18	2.0	0.1	0.38	1120	3.00	0.02	< 0.05	1.0	750	64.4	6.7	< 0.001	2.88	1.10	1.8
344667	94139402	0.20	1.05	0.055	0.20	2.8	0.3	0.28	885	6.75	0.01	< 0.05	1.4	730	105.6	7.3	< 0.001	4.52	1.35	2.1

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 2
 Certificate Date: 30-JUL-2001
 Invoice No. : I0120819
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344628	94139402	0.6	< 0.2	128.1	0.02	0.18	2.4	< 0.01	0.22	0.50	6	0.05	8.05	180	2.0
344629	94139402	0.6	< 0.2	118.0	< 0.01	0.03	2.2	< 0.01	0.26	0.35	14	< 0.05	8.00	92	1.5
344630	94139402	0.2	< 0.2	146.4	0.01	0.01	2.0	< 0.01	0.12	0.35	18	< 0.05	9.50	68	1.5
344631	94139402	< 0.2	< 0.2	170.7	< 0.01	< 0.01	1.6	< 0.01	0.06	0.35	20	< 0.05	8.95	68	1.0
344632	94139402	0.6	< 0.2	173.3	< 0.01	0.08	2.0	< 0.01	0.18	0.50	14	< 0.05	8.70	80	1.5
344633	94139402	0.8	< 0.2	150.5	< 0.01	0.20	1.6	< 0.01	0.28	0.40	13	< 0.05	7.10	92	1.5
344634	94139402	1.4	< 0.2	129.0	< 0.01	0.56	1.6	< 0.01	0.20	0.45	9	< 0.05	6.60	168	3.0
344635	94139402	1.2	< 0.2	95.8	< 0.01	0.38	2.6	< 0.01	0.10	0.40	6	< 0.05	4.55	730	3.5
344636	94139402	0.2	< 0.2	206.0	< 0.01	0.20	2.6	< 0.01	0.08	0.45	9	< 0.05	4.90	608	3.0
344637	94139402	0.4	< 0.2	312.0	< 0.01	0.23	2.6	< 0.01	0.14	0.45	9	< 0.05	5.50	858	3.0
344638	94139402	0.6	0.2	177.9	< 0.01	0.19	3.4	< 0.01	0.14	0.55	7	0.05	5.40	2340	4.0
344639	94139402	0.4	< 0.2	264.0	< 0.01	0.09	3.0	< 0.01	0.16	0.45	7	< 0.05	6.75	940	3.0
344640	94139402	0.2	< 0.2	99.9	< 0.01	0.03	2.0	< 0.01	0.18	0.45	10	< 0.05	7.05	52	2.0
344641	94139402	0.2	< 0.2	201.0	< 0.01	0.03	2.8	< 0.01	0.08	0.45	10	< 0.05	7.20	138	2.0
344642	94139402	0.6	< 0.2	155.2	< 0.01	0.29	2.6	< 0.01	0.18	0.60	8	< 0.05	6.60	520	2.0
344643	94139402	0.2	< 0.2	224.5	< 0.01	0.04	1.8	< 0.01	0.10	0.45	17	< 0.05	8.60	62	2.0
344644	94139402	0.2	< 0.2	68.9	< 0.01	0.01	2.2	< 0.01	0.20	0.30	9	< 0.05	7.05	48	2.0
344645	94139402	1.0	< 0.2	86.2	< 0.01	0.56	1.4	< 0.01	0.26	0.40	7	< 0.05	4.70	458	3.0
344646	94139402	0.2	< 0.2	154.1	< 0.01	0.48	1.6	< 0.01	0.12	0.35	7	< 0.05	5.10	612	3.0
344647	94139402	0.6	< 0.2	141.4	< 0.01	0.06	1.6	< 0.01	0.14	0.35	9	< 0.05	5.30	492	3.0
344648	94139402	0.8	0.2	148.8	< 0.01	0.30	1.4	< 0.01	0.14	0.40	11	< 0.05	4.50	1150	2.5
344649	94139402	3.4	< 0.2	139.5	< 0.01	0.97	1.6	< 0.01	0.20	0.40	13	< 0.05	5.60	156	3.5
344650	9400 225	2.8	3.8	123.5	< 0.01	0.14	5.0	< 0.01	1.28	31.9	227	14.30	6.85	56	9.0
344651	94139402	2.6	0.2	51.8	< 0.01	1.68	2.0	< 0.01	0.24	1.20	5	0.60	4.50	868	4.0
344652	94139402	1.0	0.2	107.1	< 0.01	0.35	2.4	< 0.01	0.16	0.45	7	0.05	6.05	1585	3.5
344653	94139402	1.4	0.2	102.8	< 0.01	0.95	1.0	< 0.01	0.24	0.45	12	0.05	4.80	1315	4.5
344654	94139402	1.0	< 0.2	70.3	< 0.01	0.39	3.0	< 0.01	0.12	0.40	8	0.05	5.65	1075	4.0
344655	94139402	0.4	< 0.2	105.3	< 0.01	0.04	3.4	< 0.01	0.12	0.40	6	< 0.05	7.35	618	4.5
344656	94139402	0.6	< 0.2	43.2	< 0.01	0.47	3.4	< 0.01	0.20	0.50	5	< 0.05	4.10	800	6.0
344657	94139402	1.2	< 0.2	40.6	< 0.01	1.12	2.4	< 0.01	0.20	0.40	3	< 0.05	2.80	334	5.5
344658	94139402	3.0	< 0.2	36.6	< 0.01	1.43	0.6	< 0.01	0.12	0.30	1	0.05	1.55	18	4.5
344659	94139402	1.6	< 0.2	47.8	< 0.01	0.97	2.8	< 0.01	0.20	0.45	4	0.20	3.70	346	5.0
344660	94139402	0.2	< 0.2	85.5	< 0.01	0.05	5.0	< 0.01	0.12	0.50	7	0.05	6.70	916	6.0
344661	94139402	< 0.2	< 0.2	59.2	< 0.01	0.04	5.0	< 0.01	0.10	0.55	7	0.05	5.20	282	7.0
344662	94139402	0.6	< 0.2	56.5	< 0.01	0.10	4.4	< 0.01	0.10	0.50	6	< 0.05	4.10	510	6.0
344663	94139402	0.6	< 0.2	61.6	< 0.01	0.25	4.0	< 0.01	0.08	0.60	5	< 0.05	4.70	952	6.0
344664	94139402	1.8	< 0.2	90.9	< 0.01	1.61	2.2	< 0.01	0.08	0.50	4	< 0.05	2.90	76	7.5
344665	94139402	1.8	< 0.2	122.6	< 0.01	1.60	1.6	< 0.01	0.08	0.45	3	< 0.05	2.65	50	7.5
344666	94139402	1.2	< 0.2	2350	< 0.01	1.09	1.6	< 0.01	0.08	0.35	5	< 0.05	2.85	274	5.5
344667	94139402	2.4	< 0.2	1155.0	< 0.01	2.54	1.6	< 0.01	0.08	0.60	5	0.05	3.15	1060	6.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120819
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREF CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344668	94139402	4.46	100	0.39	0.23	58.9	< 10	17.6	0.40	1.90	1.02	0.39	11.50	8.4	24	1.95	278	5.43	0.50	0.05
344669	94139402	4.32	205	0.64	0.27	77.9	< 10	13.4	0.25	1.98	0.93	0.97	14.80	9.5	24	1.70	500	5.42	0.65	0.05
344670	94139402	3.22	60	0.47	0.26	68.2	< 10	32.0	0.70	1.03	2.21	5.79	17.15	9.0	21	2.50	309	4.36	0.65	< 0.05
344671	94139402	4.26	< 5	0.03	0.29	10.3	< 10	732.9	0.55	0.01	3.50	0.27	39.4	7.0	14	2.20	36.0	3.09	0.90	0.05
344672	94139402	3.92	< 5	0.06	0.25	4.4	< 10	795.2	0.35	< 0.01	3.17	0.09	38.9	8.9	12	1.60	20.2	3.51	0.95	0.05
344673	94139402	3.88	< 5	0.04	0.27	3.4	< 10	753.9	0.45	< 0.01	3.18	0.06	38.6	8.3	12	1.55	13.8	3.47	0.95	< 0.05
344674	94139402	4.00	5	0.09	0.26	19.7	< 10	803.5	0.55	< 0.01	2.95	0.82	36.0	7.6	10	1.85	40.4	3.15	0.80	0.05
344675	94139402	4.20	< 5	0.08	0.28	9.8	< 10	617.9	0.50	< 0.01	3.22	0.39	39.6	7.9	13	1.80	28.2	3.35	0.95	< 0.05
344676	94139402	4.14	< 5	0.05	0.25	2.9	< 10	701.8	0.30	< 0.01	2.68	0.13	38.0	7.2	11	1.65	21.2	3.11	0.80	< 0.05
344677	94139402	4.08	< 5	0.09	0.28	4.2	< 10	708.0	0.60	0.05	2.59	0.72	33.0	6.1	13	2.10	14.0	2.62	0.80	< 0.05
344678	94139402	3.80	< 5	< 0.01	0.25	0.9	< 10	806.8	0.35	< 0.01	3.05	0.37	34.5	7.5	14	1.90	4.8	3.02	0.75	< 0.05
344679	94139402	4.30	< 5	0.03	0.27	1.4	< 10	891.6	0.65	< 0.01	2.98	0.30	32.2	6.4	16	1.75	4.2	2.79	0.80	< 0.05
344680	9400 225	0.10	6570	0.61	1.46	630	< 10	407.4	1.70	1.27	2.09	1.75	7.46	15.8	128	2.55	141.0	2.77	6.25	0.15
344681	94139402	4.02	10	0.14	0.19	15.7	< 10	1204.5	0.40	< 0.01	3.68	3.13	27.3	6.6	22	1.15	25.4	2.69	0.60	< 0.05
344682	94139402	4.66	5	0.13	0.25	26.7	< 10	489.4	0.40	< 0.01	2.00	1.54	32.9	8.4	17	1.20	38.6	3.16	0.90	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120819
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344668	94139402	0.18	0.22	0.065	0.24	5.4	0.4	0.71	1975	2.95	0.01 < 0.05	< 0.05	1.4	610	14.2	9.1 < 0.001	0.001	3.34	0.40	2.5
344669	94139402	0.18	0.30	0.090	0.27	7.2	0.5	0.64	1765	3.00	0.01 < 0.05	< 0.05	1.0	680	11.6	9.7 < 0.001	0.001	3.53	1.10	2.4
344670	94139402	0.16	0.45	0.070	0.28	8.2	0.5	0.78	2410	4.20	0.02 < 0.05	< 0.05	1.6	730	50.4	11.0 0.017	0.017	1.69	0.45	2.9
344671	94139402	0.16	0.11	0.025	0.26	20.2	0.5	1.03	2780	0.65	0.03 < 0.05	< 0.05	1.6	1230	30.6	11.9 0.002	0.002	0.05	0.50	3.8
344672	94139402	0.14	0.01	0.025	0.23	20.2	0.4	0.99	2300	0.45	0.04 < 0.05	< 0.05	1.4	1320	2.4	10.5 < 0.001	0.001	0.05 < 0.05	< 0.05	3.8
344673	94139402	0.12	0.05	0.030	0.25	19.4	0.4	0.93	2370	0.60	0.04 < 0.05	< 0.05	1.0	1400	1.6	11.2 0.001	0.001	0.03	0.05	4.0
344674	94139402	0.08	0.01	0.020	0.26	18.4	0.6	0.75	2080	0.80	0.04 < 0.05	< 0.05	1.0	1390	44.8	12.0 0.002	0.002	0.07	0.40	3.7
344675	94139402	0.14	0.01	0.025	0.27	20.6	0.3	0.83	2250	0.50	0.04 < 0.05	< 0.05	1.2	1300	5.4	12.0 < 0.001	0.001	0.03	0.10	3.6
344676	94139402	0.10	0.02	0.025	0.25	20.0	0.3	0.71	2240	0.95	0.03 < 0.05	< 0.05	0.8	1230	3.6	11.7 0.001	0.001	0.04 < 0.05	< 0.05	3.6
344677	94139402	0.08	0.05	0.015	0.27	18.0	0.7	0.81	2470	0.35	0.04 < 0.05	< 0.05	1.2	840	50.6	12.6 < 0.001	0.001	0.03	0.35	2.9
344678	94139402	0.10	0.03	0.020	0.25	17.8	0.5	0.98	2710	0.10	0.03 < 0.05	< 0.05	1.2	1040	5.4	11.5 < 0.001	0.001	0.02	0.40	3.4
344679	94139402	0.12	0.03	0.025	0.28	16.2	0.7	0.92	2540	0.20	0.04 < 0.05	< 0.05	1.2	1120	8.8	13.4 0.001	0.001	0.03	0.55	3.9
344680	9400 225	0.10	0.01	2.100	0.28	6.8	9.2	0.07	30	16.90	0.02	0.15	96.3	9790	397.6	15.1 0.005	0.005	0.34	680.0	3.8
344681	94139402	0.06	0.04	0.015	0.18	14.2	0.5	1.15	2160	2.75	0.03 < 0.05	< 0.05	1.6	910	104.8	8.4 0.001	0.001	0.09	4.60	3.1
344682	94139402	0.12	0.04	0.025	0.23	17.0	0.4	0.85	1765	0.65	0.04 < 0.05	< 0.05	1.0	1110	44.8	10.6 0.001	0.001	0.09	1.65	3.1

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. : I0120819
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120819

SAMPLE	PREP CODE	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
344668	94139402	1.2	< 0.2	126.2	< 0.01	0.88	2.0	< 0.01	0.08	0.50	6	0.10	3.80	154	5.0
344669	94139402	1.2	< 0.2	163.0	< 0.01	1.02	2.2	< 0.01	0.10	0.45	7	0.05	3.35	218	5.0
344670	94139402	0.8	< 0.2	141.4	< 0.01	0.32	2.0	< 0.01	0.10	0.45	6	0.05	6.45	792	4.0
344671	94139402	0.6	< 0.2	139.5	< 0.01	0.03	3.0	< 0.01	0.06	0.95	10	< 0.05	11.55	162	3.0
344672	94139402	< 0.2	< 0.2	129.6	< 0.01	0.03	3.0	< 0.01	0.06	0.90	24	< 0.05	11.95	92	2.5
344673	94139402	0.6	< 0.2	134.6	< 0.01	0.01	3.0	< 0.01	0.06	0.70	20	< 0.05	11.85	102	2.0
344674	94139402	0.2	< 0.2	148.7	< 0.01	0.03	3.6	< 0.01	0.08	0.80	12	< 0.05	11.85	138	2.5
344675	94139402	0.2	< 0.2	124.7	< 0.01	0.02	3.4	< 0.01	0.10	0.80	22	< 0.05	12.05	110	2.5
344676	94139402	0.4	< 0.2	124.5	< 0.01	0.01	3.4	< 0.01	0.08	0.65	20	< 0.05	11.40	104	2.0
344677	94139402	0.2	< 0.2	137.4	< 0.01	0.03	3.0	< 0.01	0.06	0.70	10	< 0.05	9.45	254	1.5
344678	94139402	0.2	< 0.2	153.3	< 0.01	0.03	3.0	< 0.01	0.06	0.80	12	< 0.05	11.75	244	2.0
344679	94139402	0.2	< 0.2	181.9	< 0.01	0.01	3.6	< 0.01	0.08	0.70	13	< 0.05	11.80	168	2.0
344680	9400 225	4.0	13.2	409.0	< 0.01	0.27	2.6	< 0.01	6.12	12.45	619	47.6	21.55	190	5.0
344681	94139402	0.4	< 0.2	251.0	< 0.01	0.01	2.4	< 0.01	0.08	0.60	12	0.60	10.60	194	2.0
344682	94139402	0.2	< 0.2	134.7	< 0.01	0.02	4.4	< 0.01	0.10	1.00	12	0.15	10.20	224	2.5

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :1
 Certificate Date: 26-JUL-2001
 Invoice No. :I0120817
 P.O. Number :21331
 Account :SWY

Project: RDN 0-12a
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120817

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344683	94139402	2.92 < 5	0.55	2.48	9.2	< 10	373.2	0.35	0.04	4.55	0.05	11.10	29.1	104	0.95	23.0	5.22	7.10	0.05
344684	94139402	2.98 < 5	0.12	1.39	24.0	< 10	448.8	0.40	0.01	6.35	0.05	9.34	25.0	49	1.15	46.0	5.26	4.65	0.05
344685	94139402	2.82 5	0.32	0.75	338	< 10	107.0	0.40	0.13	2.74	0.16	13.40	20.0	37	2.25	334	4.02	1.75	< 0.05
344686	94139402	0.76 < 5	0.10	0.36	50.1	< 10	279.0	0.10	0.09	3.55	0.02	2.72	14.0	76	0.70	98.4	1.91	0.85	< 0.05
344687	94139402	2.84 10	0.09	0.40	39.6	< 10	282.6	0.05	0.06	1.62 < 0.01		4.90	4.2	55	0.65	30.4	1.93	0.85	< 0.05
344688	94139402	3.56 < 5	0.06	0.56	27.3	< 10	276.8	0.25	0.07	1.17	0.01	5.74	4.8	81	0.95	16.6	2.12	1.00	< 0.05
344689	94139402	3.26 5	0.10	0.38	32.1	< 10	177.4	0.15	0.10	1.64	0.03	3.34	8.4	49	0.65	42.6	2.27	0.75	< 0.05
344690	94139402	2.14 10	0.17	0.40	58.6	< 10	143.6	0.20	0.10	1.06	0.03	2.50	12.3	74	0.60	42.4	2.31	0.85	< 0.05
344691	94139402	0.82 < 5	0.06	0.53	94.8	< 10	153.2	0.40	0.04	2.60	0.01	3.54	23.2	61	1.15	58.7	4.48	1.15	< 0.05
344692	94139402	1.38 < 5	0.06	0.50	101.5	< 10	116.2	0.25	0.01	3.01 < 0.01		2.72	23.7	57	1.10	69.6	4.56	1.10	< 0.05
344693	94139402	2.54 5	0.15	0.46	76.1	< 10	195.2	0.20	0.08	1.28	0.01	1.72	10.0	45	0.75	97.2	2.09	0.85	< 0.05
344694	94139402	3.18 < 5	0.13	0.45	116.5	< 10	186.2	0.20	0.06	2.24	0.03	1.14	11.2	100	1.10	40.6	2.34	0.85	< 0.05
344695	94139402	2.84 5	0.08	0.39	36.1	< 10	163.0	0.15	0.10	2.21	0.03	0.96	10.4	41	0.80	33.6	2.76	0.85	< 0.05
344696	94139402	3.20 < 5	0.10	0.37	43.5	< 10	246.6	0.10	0.15	1.40	0.01	1.64	8.6	45	0.80	41.6	2.30	0.75	< 0.05
344697	94139402	2.92 5	0.15	0.34	56.5	< 10	147.0	0.20	0.15	1.52 < 0.01		0.74	11.1	53	0.80	56.1	2.32	0.70	< 0.05
344698	94139402	3.28 15	0.14	0.39	54.3	< 10	85.0	0.15	0.19	1.32	0.06	0.90	16.4	76	0.55	52.0	2.71	0.80	< 0.05
344699	94139402	3.14 10	0.11	0.49	30.4	< 10	127.0	0.05	0.17	1.01 < 0.01		2.78	17.1	45	0.60	32.2	3.05	1.00	< 0.05
344700	94139402	2.68 10	0.09	0.35	27.3	< 10	153.4	0.05	0.09	1.28 < 0.01		1.12	7.9	64	0.55	14.8	2.64	0.65	< 0.05
344701	94139402	2.54 10	0.13	0.43	33.5	< 10	156.6	0.15	0.09	1.25	0.01	1.16	9.3	38	0.60	16.8	2.71	0.85	< 0.05
344702	94139402	2.80 10	0.09	0.32	34.0	< 10	67.0	0.05	0.09	1.83	0.01	1.06	12.4	76	0.45	24.4	2.58	0.60	< 0.05
344703	94139402	3.08 5	0.13	0.34	36.9	< 10	105.6	0.15	0.12	2.24 < 0.01		1.00	18.9	55	0.80	30.2	2.43	0.75	< 0.05
344704	94139402	3.12 10	0.17	0.31	72.6	< 10	141.8	0.10	0.09	2.35	0.02	1.38	9.5	91	0.50	94.8	2.10	0.65	< 0.05
344705	94139402	2.70 10	0.15	0.29	61.8	< 10	107.0	0.25	0.10	1.24	0.02	1.54	9.9	58	0.45	148.5	2.07	0.60	< 0.05
344706	94139402	3.58 25	0.59	0.28	408	< 10	71.4	0.20	0.15	1.34	0.07	2.10	25.8	123	0.70	244	2.48	0.55	< 0.05
344707	94139402	3.44 30	0.76	0.32	411	< 10	27.4	0.15	0.14	1.27	0.17	1.26	31.5	119	0.55	498	3.14	0.60	< 0.05
344708	94139402	3.76 10	0.45	0.27	233	< 10	67.6	0.10	0.09	2.01	0.07	1.22	17.0	114	0.60	255	2.47	0.60	< 0.05
344709	94139402	3.56 20	0.70	0.35	269	< 10	27.6	0.35	0.18	1.96	0.02	1.42	25.7	80	0.85	413	3.47	0.70	< 0.05
344710	9400 225	0.10 420	1.01	0.92	355	< 10	1614.0	0.40	0.42	0.34	1.58	27.8	5.8	264	0.95	99.9	1.65	4.75	< 0.05
344711	94139402	2.46 20	1.52	0.34	260	< 10	44.4	0.25	0.22	1.21	0.07	1.46	27.9	60	1.05	393	3.66	0.70	< 0.05
344712	94139402	3.34 15	1.00	0.37	335	< 10	76.6	0.25	0.24	1.55	0.07	1.14	29.1	71	1.20	573	3.51	0.70	< 0.05
344713	94139402	3.62 15	0.59	0.24	154.0	< 10	55.8	0.05	0.06	1.37	0.09	0.62	9.7	102	0.45	146.0	2.39	0.40	< 0.05
344714	94139402	3.84 15	0.52	0.22	133.0	< 10	47.4	0.05	0.05	1.47	0.51	0.76	8.2	118	0.40	112.5	2.24	0.45	< 0.05
344715	94139402	4.18 10	0.29	0.23	84.0	< 10	80.8	0.05	0.06	1.99	0.02	0.62	10.4	70	0.50	76.9	1.88	0.45	< 0.05
344716	94139402	3.56 10	0.32	0.21	134.5	< 10	87.6	0.05	0.05	1.33	0.06	0.72	11.5	96	0.45	67.1	1.82	0.40	< 0.05
344717	94139402	3.42 < 5	0.17	0.28	106.5	< 10	277.6	0.20	0.08	1.82 < 0.01		0.78	11.0	52	0.75	150.0	2.14	0.60	< 0.05
344718	94139402	3.62 10	0.32	0.34	143.5	< 10	70.8	0.15	0.08	1.95	0.03	0.98	15.0	92	0.75	92.6	2.50	0.60	< 0.05

CERTIFICATION:

[Signature]



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :1
 Certificate Date: 28-JUL-2001
 Invoice No. : I0120817
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120817

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344683	94139402	< 0.02	0.04	0.060	0.13	4.0	15.0	4.63	1305	0.45	0.04	< 0.05	52.1	900	4.0	3.7	< 0.001	0.03	1.20	21.7
344684	94139402	0.02	0.02	0.050	0.14	3.6	10.8	3.96	1330	0.30	0.05	< 0.05	39.2	1150	2.8	4.1	< 0.001	0.06	1.85	17.8
344685	94139402	0.08	0.29	0.040	0.22	6.2	6.4	1.76	835	4.05	0.03	< 0.05	40.2	840	10.0	7.1	0.007	1.01	3.50	8.9
344686	94139402	< 0.02	0.05	0.065	0.11	1.2	3.5	1.83	640	0.80	0.01	< 0.05	16.2	100	2.8	2.4	0.004	0.41	0.70	8.7
344687	94139402	0.06	0.05	0.030	0.12	2.2	6.7	1.47	315	4.45	0.01	< 0.05	31.8	520	2.4	2.6	0.003	0.41	0.65	4.4
344688	94139402	< 0.02	0.05	0.020	0.18	2.6	7.1	1.36	240	1.60	0.01	< 0.05	16.6	370	3.0	3.8	0.001	0.60	0.55	4.0
344689	94139402	< 0.02	0.02	0.020	0.13	1.6	7.1	1.65	305	4.35	0.01	< 0.05	18.0	70	3.0	2.6	0.001	0.57	0.70	4.0
344690	94139402	< 0.02	0.06	0.025	0.12	1.0	5.7	1.20	195	6.25	0.01	< 0.05	37.2	330	3.8	2.5	0.004	0.89	1.05	4.1
344691	94139402	< 0.02	0.01	0.030	0.17	1.4	11.5	2.90	580	0.70	0.03	< 0.05	82.5	380	2.4	4.0	0.001	0.37	0.65	15.7
344692	94139402	< 0.02	0.05	0.040	0.17	1.2	11.0	3.07	600	0.75	0.03	< 0.05	83.0	210	1.6	3.8	0.001	0.29	0.60	15.5
344693	94139402	0.02	0.10	0.030	0.14	0.8	5.3	1.15	230	2.55	0.01	< 0.05	30.0	180	3.2	2.9	0.004	0.62	1.05	4.4
344694	94139402	< 0.02	0.10	0.030	0.12	0.6	5.7	1.48	285	5.25	0.01	< 0.05	43.0	90	3.4	3.0	0.006	0.65	1.05	7.2
344695	94139402	< 0.02	0.02	0.030	0.12	0.2	8.6	1.63	340	1.55	0.01	< 0.05	24.2	140	2.2	2.4	0.001	0.57	0.55	6.9
344696	94139402	0.02	0.05	0.020	0.12	0.8	7.0	1.30	235	1.05	0.01	< 0.05	25.2	180	2.6	2.6	0.008	0.45	1.15	4.9
344697	94139402	< 0.02	0.05	0.020	0.10	0.2	6.0	1.32	205	1.30	0.01	< 0.05	24.0	20	3.2	2.3	0.005	0.53	1.35	5.5
344698	94139402	< 0.02	0.09	0.025	0.07	0.4	11.9	1.36	205	1.05	< 0.01	< 0.05	12.0	10	4.6	1.6	< 0.001	0.79	1.45	6.9
344699	94139402	0.02	0.07	0.020	0.09	1.2	12.9	1.60	190	0.45	0.01	< 0.05	12.0	550	4.0	2.0	< 0.001	0.83	0.80	7.6
344700	94139402	< 0.02	0.05	0.025	0.09	0.4	6.7	1.52	215	1.40	0.01	< 0.05	10.4	40	3.6	2.0	0.002	0.65	0.75	6.6
344701	94139402	< 0.02	0.04	0.025	0.11	0.6	8.9	1.51	205	1.55	0.01	< 0.05	11.6	40	4.0	2.4	0.001	0.71	0.80	6.8
344702	94139402	< 0.02	0.04	0.030	0.06	0.4	7.4	1.42	325	0.35	0.01	< 0.05	11.2	60	3.4	1.5	< 0.001	0.92	1.05	7.8
344703	94139402	< 0.02	0.04	0.030	0.11	0.4	6.0	1.52	375	0.60	0.02	< 0.05	18.0	30	4.2	2.4	0.001	0.62	0.70	7.4
344704	94139402	0.02	0.08	0.035	0.12	0.6	2.6	1.35	360	2.80	0.02	< 0.05	22.0	210	4.4	2.4	0.003	0.66	1.05	4.9
344705	94139402	< 0.02	0.07	0.025	0.12	0.6	3.9	0.90	250	1.60	0.02	< 0.05	24.0	230	4.6	2.5	< 0.001	0.78	1.05	4.3
344706	94139402	0.06	0.35	0.030	0.08	0.8	2.3	0.70	175	27.20	0.03	< 0.05	96.8	780	10.8	2.0	0.027	1.86	4.20	4.5
344707	94139402	0.06	0.34	0.045	0.08	0.6	2.4	0.71	180	28.30	0.03	< 0.05	115.7	790	14.2	1.9	0.028	2.56	6.65	5.1
344708	94139402	0.02	0.21	0.030	0.08	0.6	1.8	1.04	270	14.45	0.03	< 0.05	60.9	860	8.4	1.8	0.012	1.49	3.25	6.2
344709	94139402	0.04	0.28	0.030	0.13	0.6	2.1	1.26	305	15.35	0.05	< 0.05	69.7	880	13.4	2.8	0.013	2.19	3.80	6.1
344710	9400 225	0.40	0.34	0.180	0.29	17.2	2.2	0.06	30	116.90	< 0.01	< 0.10	48.6	1570	156.2	13.9	0.003	0.08	239.2	8.7
344711	94139402	0.08	0.34	0.045	0.14	0.6	2.3	1.04	280	9.90	0.06	< 0.05	65.0	820	13.2	3.4	0.011	2.27	6.15	6.1
344712	94139402	0.06	0.30	0.050	0.14	0.6	2.4	1.19	295	8.25	0.07	< 0.05	61.5	820	14.2	3.2	0.013	1.93	5.10	7.7
344713	94139402	0.02	0.20	0.020	0.06	0.2	2.5	0.73	150	23.60	0.03	< 0.05	74.5	210	7.6	1.2	0.020	1.69	4.25	4.7
344714	94139402	< 0.02	0.27	0.020	0.06	0.4	2.6	0.80	160	22.65	0.03	< 0.05	55.5	470	6.2	1.3	0.010	1.40	5.90	4.9
344715	94139402	< 0.02	0.13	0.025	0.08	0.2	2.6	1.02	230	2.90	0.04	< 0.05	39.4	50	3.6	1.8	0.008	0.89	3.60	5.0
344716	94139402	< 0.02	0.16	0.020	0.07	0.2	2.1	0.71	175	17.00	0.03	< 0.05	61.1	150	4.6	1.6	0.015	1.06	4.05	4.7
344717	94139402	< 0.02	0.09	0.030	0.11	0.2	2.5	1.27	305	0.95	0.05	< 0.05	42.4	40	2.0	2.5	0.004	0.30	1.85	7.7
344718	94139402	0.02	0.15	0.025	0.11	0.4	3.1	1.09	270	8.70	0.06	< 0.05	54.7	300	6.0	2.4	0.022	1.38	2.10	5.9

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-C
 Total Pages :1
 Certificate Date: 26-JUL-2001
 Invoice No. :I0120817
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120817

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344683	94139402	0.6	0.4	184.3	< 0.01	0.04	1.0	< 0.01	< 0.02	0.15	117	0.10	11.50	66	< 0.5
344684	94139402	0.6	0.2	233.3	< 0.01	0.03	1.0	< 0.01	< 0.02	0.15	97	0.25	10.65	54	< 0.5
344685	94139402	2.4	1.0	113.2	< 0.01	0.06	2.8	< 0.01	0.22	0.95	46	0.15	9.50	52	2.0
344686	94139402	0.8	0.2	106.9	< 0.01	0.01	0.2	< 0.01	0.05	0.15	26	0.20	6.75	6	< 0.5
344687	94139402	0.6	1.6	96.7	< 0.01	0.04	0.6	< 0.01	0.02	0.70	13	0.05	5.85	30	2.0
344688	94139402	0.6	0.2	67.4	< 0.01	0.06	0.8	< 0.01	0.06	0.95	9	0.05	4.35	32	1.5
344689	94139402	0.8	< 0.2	65.0	< 0.01	0.05	0.4	< 0.01	0.04	0.05	9	< 0.05	2.80	32	< 0.5
344690	94139402	1.6	0.6	51.7	< 0.01	0.09	0.2	< 0.01	0.08	0.40	20	0.05	3.40	26	0.5
344691	94139402	0.6	0.2	105.2	< 0.01	0.03	< 0.2	< 0.01	0.04	0.45	61	0.05	7.05	46	< 0.5
344692	94139402	0.4	< 0.2	125.5	< 0.01	0.02	< 0.2	< 0.01	0.04	0.05	60	0.05	5.60	48	< 0.5
344693	94139402	1.2	0.2	76.1	< 0.01	0.07	< 0.2	< 0.01	0.10	1.10	15	0.05	4.30	26	0.5
344694	94139402	1.4	0.2	112.1	< 0.01	0.08	< 0.2	< 0.01	0.12	0.30	27	0.15	2.20	28	0.5
344695	94139402	0.8	1.2	89.4	< 0.01	0.08	< 0.2	< 0.01	0.02	0.20	16	0.05	3.20	26	0.5
344696	94139402	1.0	0.6	75.3	< 0.01	0.05	0.2	< 0.01	0.06	0.50	14	0.05	3.10	40	1.0
344697	94139402	0.8	1.6	74.8	< 0.01	0.07	< 0.2	< 0.01	0.06	0.20	17	0.05	1.70	32	0.5
344698	94139402	0.4	1.2	69.2	< 0.01	0.05	< 0.2	< 0.01	0.04	0.10	21	0.05	1.70	44	0.5
344699	94139402	0.6	0.6	62.1	< 0.01	0.09	0.2	< 0.01	0.02	0.55	24	0.05	4.70	32	0.5
344700	94139402	0.6	0.2	65.9	< 0.01	0.07	< 0.2	< 0.01	0.02	0.20	16	0.05	2.50	32	< 0.5
344701	94139402	0.8	0.2	64.0	< 0.01	0.08	< 0.2	< 0.01	0.02	0.25	17	0.05	2.55	34	< 0.5
344702	94139402	1.0	< 0.2	81.0	< 0.01	0.08	< 0.2	< 0.01	0.02	0.05	19	0.10	3.70	28	< 0.5
344703	94139402	1.2	1.2	106.3	< 0.01	0.12	< 0.2	< 0.01	0.04	0.10	26	0.15	3.50	18	< 0.5
344704	94139402	1.4	1.2	101.1	< 0.01	0.07	< 0.2	< 0.01	0.04	0.35	14	0.15	4.00	10	0.5
344705	94139402	0.6	3.2	45.2	< 0.01	0.06	< 0.2	< 0.01	0.04	0.35	10	0.05	3.75	24	0.5
344706	94139402	5.6	2.2	141.6	< 0.01	0.18	< 0.2	< 0.01	0.16	2.10	23	0.15	6.35	20	1.5
344707	94139402	7.4	4.8	235.5	< 0.01	0.16	< 0.2	< 0.01	0.08	1.65	25	0.15	5.75	72	1.5
344708	94139402	4.2	3.2	119.8	< 0.01	0.09	< 0.2	< 0.01	0.06	1.80	30	0.15	8.25	18	1.0
344709	94139402	5.2	6.8	110.0	< 0.01	0.08	< 0.2	< 0.01	0.04	1.35	27	0.40	8.25	26	1.0
344710	9400 225	3.2	5.0	124.0	< 0.01	0.12	5.2	< 0.01	1.80	32.3	282	12.50	9.80	46	14.0
344711	94139402	5.0	1.8	63.5	< 0.01	0.09	0.8	< 0.01	0.10	0.75	20	4.75	7.65	34	2.0
344712	94139402	5.2	3.2	101.4	< 0.01	0.11	0.2	< 0.01	0.08	0.70	24	2.40	5.75	38	1.5
344713	94139402	5.4	0.8	131.6	< 0.01	0.06	< 0.2	< 0.01	0.06	1.10	21	0.60	2.55	18	1.0
344714	94139402	4.8	2.0	151.0	< 0.01	0.08	< 0.2	< 0.01	0.06	2.80	21	0.20	4.30	146	1.5
344715	94139402	2.0	2.4	105.6	< 0.01	0.08	< 0.2	< 0.01	0.08	0.90	14	0.10	2.35	12	0.5
344716	94139402	3.4	1.0	85.2	< 0.01	0.06	< 0.2	< 0.01	0.10	1.60	17	0.10	2.25	12	0.5
344717	94139402	4.8	1.4	68.8	< 0.01	0.08	< 0.2	< 0.01	0.04	0.05	27	0.05	2.35	14	< 0.5
344718	94139402	3.6	2.4	102.6	< 0.01	0.09	< 0.2	< 0.01	0.08	1.00	19	0.05	3.95	16	1.0

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :2
 Certificate Date: 31-JUL-2001
 Invoice No. :I0120930
 P.O. Number :21331
 Account :SWY

Project: RDN 01-126
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344719	94139402	3.90	10	0.06	0.24	43.2	< 10	124.6	0.15	0.06	1.71	< 0.01	0.80	7.0	57	0.80	43.2	1.92	0.50	0.05
344720	94139402	3.76	10	0.26	0.29	80.4	< 10	110.8	0.20	0.10	1.70	0.03	1.08	8.5	48	1.00	60.7	2.20	0.70	< 0.05
344721	94139402	4.18	10	0.24	0.27	115.0	< 10	96.0	0.20	0.14	1.47	< 0.01	1.74	10.0	56	0.85	538	1.89	0.65	0.05
344722	94139402	3.98	< 5	0.06	0.25	26.3	< 10	190.8	0.05	0.07	1.46	0.01	1.14	5.1	61	0.70	37.0	1.51	0.50	< 0.05
344723	94139402	3.78	5	0.10	0.24	47.9	< 10	117.2	0.15	0.08	1.70	0.01	1.46	8.6	61	0.75	53.5	2.01	0.55	0.05
344724	94139402	1.44	15	0.11	0.25	23.0	< 10	122.4	0.10	0.09	1.37	0.01	2.58	7.8	54	0.65	11.8	2.22	0.65	< 0.05
344725	94139402	4.30	< 5	< 0.01	0.63	79.8	< 10	91.6	0.55	< 0.01	3.66	0.02	5.84	33.8	51	2.70	54.8	5.14	1.90	0.05
344726	94139402	4.08	5	0.07	0.49	26.5	< 10	108.4	0.15	0.06	0.92	0.01	3.32	8.7	43	0.75	35.0	2.76	1.35	0.05
344727	94139402	3.40	10	0.05	0.25	72.1	< 10	158.8	0.15	0.07	1.13	0.01	1.88	5.2	41	0.75	27.2	1.87	0.60	0.05
344728	94139402	4.06	< 5	0.04	0.28	17.6	< 10	200.2	0.20	0.06	1.87	< 0.01	1.56	6.1	44	0.95	42.6	2.03	0.60	0.05
344729	94139402	4.00	5	0.08	0.21	55.0	< 10	137.0	0.05	0.08	1.26	0.03	0.66	7.7	56	0.65	108.5	1.68	0.50	< 0.05
344730	94139402	3.80	< 5	0.05	0.24	25.1	< 10	203.8	0.15	0.07	1.52	0.01	1.02	8.4	56	0.80	49.0	1.91	0.60	< 0.05
344731	94139402	3.94	5	0.03	0.23	16.5	< 10	224.4	0.15	0.08	1.24	< 0.01	0.84	6.4	65	0.55	56.6	1.39	0.55	< 0.05
344732	94139402	3.88	< 5	< 0.01	0.27	10.6	< 10	393.2	0.15	0.04	2.09	< 0.01	2.08	3.8	36	0.65	24.2	1.43	0.65	< 0.05
344733	94139402	3.60	5	0.08	0.28	28.3	< 10	190.0	0.25	0.06	1.36	0.01	1.08	6.0	60	0.80	62.3	1.72	0.60	< 0.05
344734	94139402	3.82	< 5	0.20	0.32	63.6	< 10	95.2	0.25	0.08	1.89	0.03	1.90	9.6	66	0.80	150.5	2.36	0.75	< 0.05
344735	94139402	3.94	< 5	0.03	0.19	29.7	< 10	297.4	0.15	0.04	2.25	0.02	1.46	5.4	62	0.55	80.7	1.96	0.50	< 0.05
344736	94139402	3.78	15	0.62	0.41	258	< 10	20.6	0.20	0.18	1.50	0.05	4.28	22.3	67	1.10	614	2.87	1.00	< 0.05
344737	94139402	3.84	10	0.20	0.34	238	< 10	49.2	0.25	0.16	1.74	0.03	1.56	14.8	57	1.00	181.5	2.10	0.75	< 0.05
344738	94139402	4.06	10	0.33	0.27	199.5	< 10	36.6	0.20	0.19	1.99	0.04	1.76	15.8	75	0.70	391	2.33	0.65	< 0.05
344739	94139402	3.56	5	0.29	0.22	101.0	< 10	67.6	0.15	0.12	1.02	0.03	1.14	11.1	54	0.60	230	1.61	0.45	< 0.05
344740	9400 225	0.10	6520	0.54	1.53	674	10	168.4	1.70	1.24	1.92	1.63	7.46	16.2	141	3.05	141.0	2.78	7.30	0.35
344741	94139402	3.72	5	0.10	0.27	35.9	< 10	187.2	0.15	0.07	1.40	0.01	1.12	8.1	82	0.55	100.0	1.40	0.65	< 0.05
344742	94139402	3.08	10	0.24	0.26	75.3	< 10	129.0	0.15	0.09	1.46	0.01	1.40	12.2	60	0.50	70.7	1.45	0.60	< 0.05
344743	94139402	3.72	5	0.25	0.36	187.5	< 10	78.4	0.15	0.09	1.27	0.04	1.60	11.2	61	0.85	120.0	2.24	0.90	< 0.05
344744	94139402	4.04	10	0.18	0.28	85.0	< 10	89.4	0.20	0.06	2.03	0.03	1.36	7.9	53	0.60	82.2	2.23	0.60	< 0.05
344745	94139402	3.92	10	0.74	0.43	236	< 10	42.2	0.25	0.27	2.58	0.05	2.98	27.5	66	0.85	815	3.18	0.95	< 0.05
344746	94139402	3.76	15	0.60	0.41	862	< 10	25.2	0.40	0.43	1.74	0.06	1.60	31.0	44	0.85	328	3.47	0.85	< 0.05
344747	94139402	3.50	10	0.35	0.35	120.0	< 10	65.6	0.25	0.19	2.08	< 0.01	2.94	14.6	51	0.80	217	2.81	0.80	< 0.05
344748	94139402	4.02	5	0.36	0.27	86.6	< 10	49.0	0.15	0.10	1.67	0.07	1.38	12.9	63	0.55	128.0	2.58	0.70	< 0.05
344749	94139402	3.92	5	0.27	0.24	76.5	< 10	65.0	0.15	0.13	1.92	0.01	1.52	16.1	82	0.40	146.5	2.44	0.65	< 0.05
344750	94139402	3.80	15	0.71	0.24	169.5	< 10	47.4	0.10	0.21	1.64	0.07	1.60	21.4	59	0.65	318	2.50	0.65	< 0.05
344751	94139402	3.94	5	0.81	0.29	121.5	< 10	48.4	0.15	0.13	2.15	0.17	1.68	13.7	86	0.60	234	2.44	0.75	< 0.05
344752	94139402	3.98	10	0.46	0.34	402	< 10	33.0	0.25	0.10	2.22	0.03	1.78	10.7	61	0.75	263	2.72	0.75	< 0.05
344753	94139402	4.08	10	0.54	0.35	788	< 10	29.8	0.15	0.10	2.07	0.08	1.24	12.8	65	0.65	366	2.95	0.80	< 0.05
344754	94139402	4.10	5	0.23	0.25	68.6	< 10	158.8	0.10	0.07	2.30	0.01	0.92	8.9	61	0.55	499	2.14	0.60	< 0.05
344755	94139402	3.92	10	0.35	0.41	231	< 10	35.2	0.15	0.09	2.51	0.01	1.90	12.3	81	0.70	259	2.87	0.85	< 0.05
344756	94139402	3.72	15	0.59	0.90	1010	< 10	29.4	0.55	0.16	1.65	0.09	4.90	14.6	45	3.70	176.0	3.60	1.85	< 0.05
344757	94139402	3.84	10	0.24	0.98	163.0	< 10	111.4	0.70	0.24	1.47	0.25	10.80	15.7	12	4.05	150.0	3.58	1.85	< 0.05
344758	94139402	3.72	< 5	0.06	0.44	43.0	< 10	79.2	0.40	0.06	2.89	0.08	23.4	9.5	12	1.35	74.5	4.38	1.20	< 0.05

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :2
 Certificate Date: 31-JUL-2001
 Invoice No. :I0120930
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344719	94139402	0.02	0.03	0.015	0.07	0.4	2.5	1.14	245	0.85	0.05 <	0.05	24.6	70	2.4	2.1	0.006	0.36	0.60	5.2
344720	94139402	0.02	0.08	0.030	0.11	0.6	2.2	1.05	315	2.50	0.06 <	0.05	31.6	60	4.8	3.0	0.005	0.95	1.00	6.4
344721	94139402	0.04	0.11	0.030	0.09	0.8	2.7	0.95	230	1.60	0.05 <	0.05	28.0	420	3.2	2.7	0.005	0.64	1.45	5.4
344722	94139402	0.02	0.01	0.020	0.09	0.6	1.2	0.96	180	0.40	0.05 <	0.05	15.6	170	2.0	2.3 <	0.001	0.41	0.50	3.9
344723	94139402	0.02	0.01	0.020	0.08	0.6	2.2	1.24	275	1.40	0.05 <	0.05	21.6	210	3.0	2.1 <	0.004	0.60	0.55	4.8
344724	94139402	0.02	0.01	0.015	0.08	1.2	3.5	1.52	180	0.30	0.04 <	0.05	11.8	280	3.2	2.2 <	0.001	0.58	0.45	4.6
344725	94139402	0.02 <	0.01	0.045	0.14	2.4	10.5	3.78	810	0.30	0.13 <	0.05	104.6	390	2.0	5.1	0.001	0.24	0.15	25.5
344726	94139402	0.02	0.01	0.020	0.08	1.8	10.8	1.63	180	0.70	0.05 <	0.05	17.2	170	2.2	2.2	0.001	0.48	0.40	6.4
344727	94139402	0.04	0.03	0.030	0.08	1.0	3.6	1.07	195	3.15	0.05 <	0.05	20.4	100	2.6	2.2	0.005	0.54	0.50	4.3
344728	94139402	< 0.02	0.01	0.025	0.11	0.8	2.1	1.17	330	0.35	0.06 <	0.05	12.6	180	1.8	3.0 <	0.001	0.44	0.25	6.5
344729	94139402	0.02	0.05	0.020	0.07	0.2	1.3	0.87	195	1.80	0.05 <	0.05	21.6	110	2.8	2.0	0.003	0.57	0.55	4.9
344730	94139402	0.02	0.04	0.020	0.08	0.6	1.3	1.09	245	0.55	0.05 <	0.05	23.2	90	2.2	2.3	0.002	0.40	0.35	5.7
344731	94139402	< 0.02	0.01	0.015	0.08	0.4	1.3	0.78	170	0.35	0.04 <	0.05	14.0	120	1.8	2.1 <	0.001	0.36	0.30	4.6
344732	94139402	0.02 <	0.01	0.025	0.11	1.0	1.3	1.16	310	0.25	0.05 <	0.05	8.0	140	0.8	2.8 <	0.001	0.15	0.05	6.3
344733	94139402	0.04	0.03	0.020	0.09	0.6	2.2	0.89	230	0.70	0.06 <	0.05	25.0	240	2.4	2.3 <	0.001	0.45	0.40	5.0
344734	94139402	0.02	0.05	0.020	0.10	0.8	2.9	1.18	340	2.15	0.05 <	0.05	27.6	700	3.4	2.7	0.003	0.78	0.90	6.1
344735	94139402	< 0.02	0.03	0.015	0.06	0.6	3.1	1.34	345	0.95	0.04 <	0.05	16.6	250	1.2	1.5 <	0.001	0.30	0.40	5.0
344736	94139402	0.06	0.19	0.030	0.14	2.4	1.9	0.60	195	5.35	0.06 <	0.05	59.3	1940	10.0	3.8	0.007	2.54	3.80	5.2
344737	94139402	0.04	0.11	0.030	0.10	1.0	3.4	0.98	285	5.60	0.07 <	0.05	31.2	570	4.0	2.8	0.011	0.93	1.40	6.3
344738	94139402	0.02	0.10	0.035	0.09	0.8	2.4	1.06	355	10.05	0.06 <	0.05	45.8	520	5.8	2.4	0.009	1.36	2.05	5.1
344739	94139402	0.02	0.04	0.020	0.09	0.6	1.3	0.57	160	2.00	0.06 <	0.05	38.8	340	4.6	2.3	0.003	1.03	1.25	3.3
344740	9400 225	0.02	0.80	2.055	0.34	7.6	9.9	0.07	25	18.45	0.03	0.15	97.4	8950	434.2	18.2	0.005	0.40	678.0	3.8
344741	94139402	0.02	0.04	0.020	0.08	0.6	2.0	0.79	215	0.75	0.05 <	0.05	20.4	280	2.6	2.2	0.001	0.48	1.20	4.5
344742	94139402	0.04	0.06	0.015	0.09	0.6	1.7	0.80	240	1.70	0.05 <	0.05	33.4	280	3.2	2.4	0.007	0.67	0.95	4.2
344743	94139402	0.02	0.13	0.025	0.12	0.8	2.9	0.83	230	2.35	0.07 <	0.05	45.6	450	4.6	3.5	0.009	1.17	1.10	5.5
344744	94139402	0.04	0.07	0.040	0.09	0.6	2.3	1.17	315	1.15	0.06 <	0.05	37.8	360	3.2	2.6	0.005	0.79	0.65	6.7
344745	94139402	0.06	0.17	0.045	0.12	1.8	4.7	1.34	295	5.25	0.07 <	0.05	65.4	1770	7.2	3.4	0.013	1.78	2.70	8.2
344746	94139402	0.02	0.34	0.030	0.14	0.8	3.6	1.32	265	5.65	0.10 <	0.05	76.8	510	8.4	3.7	0.025	1.85	2.60	7.8
344747	94139402	0.06	0.09	0.025	0.11	1.4	8.2	1.33	275	2.75	0.07 <	0.05	25.4	1300	3.6	2.8	0.005	0.93	0.95	7.2
344748	94139402	< 0.02	0.06	0.025	0.10	0.6	3.5	0.96	265	1.95	0.06 <	0.05	33.4	340	6.0	2.3	0.004	1.69	1.10	5.3
344749	94139402	0.02	0.06	0.025	0.08	0.8	3.8	1.22	270	2.15	0.04 <	0.05	35.8	460	4.6	2.1	0.006	1.03	1.15	5.0
344750	94139402	0.04	0.12	0.020	0.09	0.8	2.6	1.08	265	1.95	0.05 <	0.05	39.8	310	4.6	2.5	0.009	1.34	1.60	4.0
344751	94139402	0.04	0.11	0.035	0.11	0.8	2.2	1.14	325	4.80	0.06 <	0.05	51.6	410	6.0	2.7	0.014	1.66	1.40	5.0
344752	94139402	0.02	0.20	0.035	0.10	1.0	3.1	1.22	340	7.15	0.06 <	0.05	57.3	560	7.0	3.0	0.013	1.71	2.60	7.2
344753	94139402	0.02	0.40	0.040	0.10	0.8	3.0	1.26	330	6.55	0.06 <	0.05	58.3	270	7.2	2.7	0.015	1.73	3.60	7.5
344754	94139402	0.04	0.11	0.035	0.07	0.4	2.0	1.32	315	0.60	0.05 <	0.05	24.2	50	2.6	2.0	0.001	0.64	1.40	6.5
344755	94139402	0.08	0.18	0.040	0.10	1.0	2.8	1.37	325	5.40	0.06 <	0.05	56.3	920	5.8	2.8	0.013	1.54	2.20	7.2
344756	94139402	0.08	0.53	0.035	0.29	2.6	6.0	1.09	410	9.40	0.18 <	0.05	74.5	1040	10.8	11.0	0.020	2.12	3.90	7.3
344757	94139402	0.08	0.35	0.045	0.31	5.2	8.3	1.12	545	2.90	0.26 <	0.05	29.4	700	5.8	11.4	0.008	0.85	3.25	7.4
344758	94139402	0.06	0.17	0.030	0.21	13.0	7.2	1.96	1095	1.15	0.11 <	0.05	5.6	930	2.4	6.4	0.001	0.28	0.80	5.9

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 2
 Certificate Date: 31-JUL-2001
 Invoice No. : I0120930
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344719	94139402	0.4	1.4	76.3	< 0.01	0.06	< 0.2	< 0.01	0.06	< 0.05	14	0.10	1.55	26	< 0.5
344720	94139402	1.4	1.6	65.8	< 0.01	0.09	0.2	< 0.01	0.06	0.05	15	0.05	2.25	24	0.5
344721	94139402	1.6	2.8	52.6	< 0.01	0.07	0.2	< 0.01	0.08	0.45	15	0.05	5.30	22	0.5
344722	94139402	0.8	0.4	52.7	< 0.01	0.06	0.2	< 0.01	0.06	0.10	10	0.05	3.10	12	0.5
344723	94139402	0.8	1.4	57.2	< 0.01	0.06	0.2	< 0.01	0.06	0.20	13	0.05	3.85	18	0.5
344724	94139402	0.2	0.6	54.2	< 0.01	0.07	0.2	< 0.01	0.02	0.50	14	0.20	3.50	26	0.5
344725	94139402	< 0.2	0.2	97.3	< 0.01	0.04	< 0.2	< 0.01	0.02	0.05	88	< 0.05	11.35	38	< 0.5
344726	94139402	1.8	1.0	36.8	< 0.01	0.08	0.6	< 0.01	0.06	0.10	31	0.05	2.75	34	0.5
344727	94139402	0.6	0.6	40.6	< 0.01	0.05	0.2	< 0.01	0.06	0.35	11	0.10	2.35	28	0.5
344728	94139402	0.8	0.6	63.7	< 0.01	0.08	0.2	< 0.01	0.02	< 0.05	13	0.05	4.35	20	< 0.5
344729	94139402	1.0	0.4	45.4	< 0.01	0.07	< 0.2	< 0.01	0.04	0.10	12	0.05	2.20	12	< 0.5
344730	94139402	< 0.2	1.6	51.8	< 0.01	0.06	< 0.2	< 0.01	0.02	0.05	13	< 0.05	2.80	24	0.5
344731	94139402	0.6	0.6	40.0	< 0.01	0.05	0.2	< 0.01	0.02	< 0.05	12	0.05	2.30	12	0.5
344732	94139402	< 0.2	0.8	53.5	< 0.01	0.04	0.2	< 0.01	< 0.02	< 0.05	10	< 0.05	4.80	14	< 0.5
344733	94139402	0.4	0.6	49.8	< 0.01	0.08	0.2	< 0.01	0.04	0.30	10	0.05	4.25	20	0.5
344734	94139402	2.0	0.8	64.9	< 0.01	0.05	0.2	< 0.01	0.02	0.35	19	0.05	7.70	24	0.5
344735	94139402	0.4	0.2	66.7	< 0.01	0.03	< 0.2	< 0.01	0.02	0.10	16	0.05	4.30	20	< 0.5
344736	94139402	6.4	0.2	61.4	< 0.01	0.11	0.4	< 0.01	0.10	0.70	18	0.10	14.25	24	1.0
344737	94139402	2.2	0.2	76.6	< 0.01	0.05	< 0.2	< 0.01	0.08	0.50	18	0.05	5.40	14	0.5
344738	94139402	3.6	0.6	68.8	< 0.01	0.08	0.2	< 0.01	0.08	0.85	17	0.05	6.05	18	0.5
344739	94139402	2.6	1.0	34.0	< 0.01	0.06	0.2	< 0.01	0.06	0.20	9	0.05	4.35	18	0.5
344740	9400 225	4.2	13.2	391.0	< 0.01	0.26	2.2	< 0.01	6.94	11.20	649	52.1	19.45	192	3.0
344741	94139402	1.0	0.8	46.6	< 0.01	0.04	0.2	< 0.01	0.08	0.25	12	0.25	4.60	20	0.5
344742	94139402	1.0	0.6	50.9	< 0.01	0.07	0.2	< 0.01	0.08	0.30	12	0.45	4.70	14	0.5
344743	94139402	2.4	0.4	61.4	< 0.01	0.08	0.2	< 0.01	0.06	0.45	16	0.10	5.30	24	0.5
344744	94139402	1.4	0.8	73.4	< 0.01	0.07	0.2	< 0.01	0.04	0.60	19	0.05	5.90	16	0.5
344745	94139402	4.8	7.4	110.0	< 0.01	0.15	0.2	< 0.01	0.08	2.10	31	0.15	14.15	22	1.0
344746	94139402	4.2	8.4	79.4	< 0.01	0.11	0.4	< 0.01	0.12	0.60	30	0.20	6.15	32	0.5
344747	94139402	1.8	17.0	90.2	< 0.01	0.07	0.2	< 0.01	0.06	0.45	23	1.15	10.05	24	0.5
344748	94139402	2.8	13.0	51.8	< 0.01	0.04	0.2	< 0.01	0.04	0.20	15	0.10	5.70	24	0.5
344749	94139402	2.0	3.8	69.5	< 0.01	0.08	0.2	< 0.01	0.04	2.50	17	0.05	6.55	16	1.0
344750	94139402	2.4	21.8	55.0	< 0.01	0.07	0.2	< 0.01	0.14	0.30	13	0.15	5.90	14	0.5
344751	94139402	5.0	15.2	68.9	< 0.01	0.09	0.2	< 0.01	0.04	0.40	18	0.05	7.55	16	0.5
344752	94139402	6.0	11.8	104.5	< 0.01	0.12	0.2	< 0.01	0.12	0.70	29	0.10	7.45	26	1.0
344753	94139402	7.2	5.2	83.0	< 0.01	0.09	0.2	< 0.01	0.14	0.60	38	0.05	4.90	30	0.5
344754	94139402	1.2	10.4	81.2	< 0.01	0.08	< 0.2	< 0.01	0.08	0.05	22	0.05	2.60	24	0.5
344755	94139402	4.6	6.6	133.6	< 0.01	0.09	0.2	< 0.01	0.08	2.65	31	0.10	8.25	24	1.5
344756	94139402	9.4	4.8	88.6	< 0.01	0.16	1.2	< 0.01	0.18	1.50	38	0.05	14.00	42	1.5
344757	94139402	3.2	1.4	73.1	< 0.01	0.08	2.2	< 0.01	0.24	1.00	42	0.05	10.10	92	1.5
344758	94139402	< 0.2	1.0	162.0	< 0.01	0.03	4.0	< 0.01	0.06	0.45	26	0.10	9.15	60	0.5

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :2
 Certificate Date: 31-JUL-2001
 Invoice No. :I0120930
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Weight		Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344759	94139402	3.96	< 5	0.04	0.44	32.1	< 10	106.4	0.35	0.06	2.53	0.02	24.8	9.9	18	1.00	62.7	4.23	1.15	< 0.05	
344760	94139402	4.02	< 5 < 0.01	0.45	15.1	< 10	31.8	0.20	0.03	2.30	0.03	43.7	7.8	11	0.85	32.0	4.34	1.45	< 0.05		
344761	94139402	3.98	< 5 < 0.01	0.51	34.4	< 10	75.2	0.45	0.05	2.66	0.06	41.9	10.8	11	1.25	48.4	4.54	1.35	< 0.05		
344762	94139402	3.72	< 5 < 0.01	0.44	47.1	< 10	70.6	0.65	0.06	3.42	0.05	31.9	11.5	11	1.50	70.2	3.69	1.00	< 0.05		
344763	94139402	4.10	5	0.05	0.47	61.3	< 10	73.4	0.30	0.07	2.61	0.03	28.1	12.1	8	1.35	109.0	4.67	1.35	< 0.05	
344764	94139402	4.16	< 5	0.03	0.49	34.6	< 10	104.4	0.45	0.05	3.26	0.04	27.4	15.0	11	1.70	36.2	4.82	1.35	< 0.05	
344765	94139402	4.16	< 5 < 0.01	0.42	49.7	< 10	146.6	0.50	0.04	3.92	0.07	17.00	22.0	24	1.90	124.5	5.25	1.00	< 0.05		
344766	94139402	4.04	< 5	0.02	0.36	39.1	< 10	115.6	0.35	0.07	3.55	0.06	12.20	11.3	10	1.25	46.2	4.02	0.75	< 0.05	

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :2
 Certificate Date: 31-JUL-2001
 Invoice No. :10120930
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344759	94139402	0.04	0.11	0.030	0.19	13.4	9.8	1.82	1025	0.60	0.10 < 0.05	2.8	950	1.6	5.3 < 0.001	0.21	0.75	6.4		
344760	94139402	0.06	0.06	0.025	0.08	22.8	13.3	1.59	1130	0.60	0.09 < 0.05	2.4	1590	1.4	2.8 < 0.001	0.13	0.55	7.1		
344761	94139402	0.04	0.07	0.020	0.24	22.4	12.6	1.59	1110	0.70	0.09 < 0.05	4.8	1380	2.6	6.6 < 0.001	0.21	1.20	8.1		
344762	94139402	0.06	0.15	0.020	0.27	17.2	6.6	1.69	890	1.20	0.08 < 0.05	5.4	1010	2.8	7.3 < 0.001	0.33	2.45	6.0		
344763	94139402	0.04	0.17	0.025	0.19	14.6	13.8	1.86	1145	1.05	0.08 < 0.05	4.4	1120	2.8	5.5 < 0.001	0.37	7.85	7.3		
344764	94139402	0.02	0.23	0.030	0.20	14.6	14.9	2.17	1110	0.90	0.10 < 0.05	10.4	1030	2.2	6.1 < 0.001	0.26	2.10	8.9		
344765	94139402	0.04	0.20	0.030	0.19	8.8	19.2	2.61	1250	0.95	0.09 < 0.05	23.8	790	3.0	6.2 < 0.001	0.32	4.50	15.1		
344766	94139402	0.02	0.21	0.020	0.23	6.8	7.1	1.88	1055	1.60	0.08 < 0.05	4.4	290	3.2	6.2 < 0.001	0.33	4.10	5.8		

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :2
 Certificate Date: 31-JUL-2001
 Invoice No. :10120930
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120930

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344759	94139402	< 0.2	0.6	167.1	< 0.01	0.05	3.8	< 0.01	0.04	0.45	39	0.05	8.30	56	0.5
344760	94139402	< 0.2	0.2	92.1	< 0.01	< 0.01	5.8	< 0.01	0.02	0.45	67	0.10	9.80	62	1.5
344761	94139402	0.2	0.2	127.2	< 0.01	0.07	5.2	< 0.01	0.02	0.35	50	0.05	10.20	58	1.5
344762	94139402	< 0.2	0.4	149.3	< 0.01	0.05	4.8	< 0.01	0.06	0.35	24	0.05	9.95	50	1.5
344763	94139402	< 0.2	0.2	144.7	< 0.01	0.04	4.4	< 0.01	0.02	0.40	55	0.05	8.45	62	1.5
344764	94139402	< 0.2	0.6	167.3	< 0.01	0.03	3.8	< 0.01	0.02	0.35	59	0.05	10.15	60	1.0
344765	94139402	< 0.2	1.6	244.0	< 0.01	0.05	2.4	< 0.01	0.02	0.25	69	0.10	9.95	88	0.5
344766	94139402	< 0.2	1.2	276.0	< 0.01	0.02	1.6	< 0.01	0.02	0.20	33	0.10	7.20	48	0.5

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120932
 P.O. Number :21331
 Account :SWY

Project: RDN 01-13a
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120932

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344767	94139402	2.22 10	1.53	0.32	67.4	< 10	54.8	0.45	1.35	0.12	0.92	20.1	4.2	34	1.15	1050	3.62	0.80	< 0.05
344768	94139402	4.40 10	1.01	0.38	67.5	< 10	93.2	0.40	0.86	0.27	0.92	20.9	5.9	34	1.35	532	5.69	0.90	0.05
344769	94139402	3.70 10	1.03	0.32	86.8	< 10	63.6	0.30	0.98	0.24	1.34	17.35	6.7	22	1.30	451	7.28	0.85	0.10
344770	9400 225	0.12 140	0.28	1.67	756	< 10	623.3	0.55	0.51	1.17	1.42	23.3	7.8	68	1.95	101.0	3.53	4.30	0.05
344771	94139402	4.04 15	1.00	0.40	103.5	< 10	40.8	0.55	1.33	0.40	0.91	14.30	7.7	29	1.30	312	6.91	1.00	0.05
344772	94139402	3.90 10	0.95	0.37	136.5	< 10	86.2	0.35	0.67	0.25	0.86	19.50	6.0	30	1.40	303	6.43	0.85	0.05
344773	94139402	3.80 15	1.39	0.35	229	< 10	51.8	0.35	0.84	0.19	0.81	15.25	6.1	37	1.20	477	5.75	0.90	0.05
344774	94139402	4.58 85	0.75	0.30	89.1	< 10	54.2	0.20	0.72	0.21	0.66	6.70	6.6	34	1.10	182.0	6.03	0.70	0.05
344775	94139402	4.18 20	0.69	0.40	98.6	< 10	33.2	0.45	0.53	0.25	0.98	12.10	10.0	34	1.35	54.0	7.69	0.95	0.05
344776	94139402	4.24 30	0.78	0.33	92.0	< 10	35.2	0.25	0.83	0.26	2.66	15.05	9.8	32	1.25	45.6	7.10	0.85	0.05
344777	94139402	4.06 30	0.83	0.41	93.6	< 10	34.4	0.40	0.97	0.22	2.27	17.85	10.4	52	1.25	171.0	8.10	1.20	0.10
344778	94139402	3.96 10	0.51	0.35	63.0	< 10	45.2	0.30	0.50	0.25	0.68	25.7	6.5	34	1.45	50.7	6.18	0.95	0.05
344779	94139402	3.78 15	0.55	0.37	60.8	< 10	38.6	0.70	0.39	0.19	0.67	34.0	6.0	45	1.65	36.4	4.00	0.85	0.05
344780	94139402	4.14 70	0.70	0.36	19.3	< 10	79.0	0.45	0.76	0.20	8.85	27.5	5.9	33	1.45	60.0	5.71	0.85	0.05
344781	94139402	4.30 10	0.71	0.33	29.6	< 10	132.4	0.35	0.48	0.22	0.81	22.2	5.6	48	1.25	119.0	5.50	0.85	< 0.05
344782	94139402	4.10 15	1.21	0.34	41.3	< 10	110.0	0.20	0.35	0.22	0.73	25.1	5.3	38	1.05	306	5.53	0.85	0.05
344783	94139402	4.12 10	0.59	0.37	52.7	< 10	143.8	0.20	0.50	0.22	1.58	24.7	5.3	32	1.25	93.4	6.35	1.00	0.05
344784	94139402	4.14 25	1.64	0.34	114.0	< 10	125.8	0.50	1.56	0.17	7.47	24.6	4.8	31	1.40	731	4.98	0.90	0.05
344785	94139402	4.10 80	4.89	0.29	334	< 10	63.0	0.25	2.55	0.12	0.62	18.20	4.4	54	1.00	2990	4.09	0.65	< 0.05
344786	94139402	3.98 40	3.46	0.33	642	< 10	50.8	0.35	3.02	0.15	0.44	24.7	6.3	62	1.15	2470	3.97	0.85	< 0.05
344787	94139402	1.56 20	2.07	0.29	224	< 10	78.8	0.30	1.92	0.12	0.30	23.6	4.8	75	0.95	958	3.31	0.70	< 0.05
344788	94139402	2.20 10	0.86	0.24	70.7	< 10	302.6	0.05	0.75	0.12	0.68	15.85	2.3	98	0.60	184.0	2.78	0.65	< 0.05
344789	94139402	1.30 85	28.2	0.06	664	< 10	16.4	< 0.05	30.4	0.14	2.72	3.10	6.4	145	0.10	8730	2.74	0.25	< 0.05
344790	94139402	1.72 90	7.56	0.29	289	< 10	76.8	0.15	7.23	0.24	18.60	10.00	6.6	109	1.05	1935	2.27	0.85	< 0.05
344791	94139402	4.22 15	2.10	0.35	88.8	< 10	235.2	0.30	2.46	0.27	0.87	18.30	4.8	60	1.30	579	3.86	0.95	0.05
344792	94139402	2.98 5	0.67	0.40	22.8	< 10	560.4	0.40	0.40	0.64	2.13	23.7	4.7	33	1.25	57.6	4.75	0.95	0.05
344793	94139402	2.48 460	1.68	0.29	72.3	< 10	231.4	0.35	0.78	0.35	8.28	7.90	4.4	76	0.80	273	3.66	0.75	< 0.05
344794	94139402	5.18 40	0.62	0.35	29.6	< 10	310.0	0.40	0.35	0.95	3.63	17.60	6.6	34	1.20	48.0	4.48	0.90	0.05
344795	94139402	5.68 60	0.29	0.34	14.9	< 10	154.8	0.65	0.19	3.18	0.14	24.6	8.8	19	1.65	32.6	2.86	0.70	< 0.05
344796	94139402	4.18 < 5	0.17	0.37	8.7	< 10	242.6	0.50	0.15	2.80	0.08	25.5	6.5	20	1.45	12.0	2.85	0.85	< 0.05
344797	94139402	4.02 < 5	0.19	0.38	7.2	< 10	91.6	0.40	0.48	3.13	0.06	23.0	7.0	25	1.30	10.0	2.92	0.95	0.05
344798	94139402	3.64 < 5	0.09	0.40	6.8	< 10	169.8	0.65	0.03	3.13	0.08	26.0	6.6	19	1.40	10.6	2.64	0.95	0.05
344799	94139402	4.26 5	0.14	0.38	11.2	< 10	59.2	0.80	0.03	3.20	0.06	20.5	7.0	26	1.40	20.8	2.85	0.85	< 0.05
344800	9400 225	0.10 6720	0.63	1.49	612	< 10	317.4	2.30	1.22	1.99	1.62	6.74	15.1	128	2.65	136.5	2.69	6.65	0.15
344801	94139402	3.78 5	0.24	0.38	23.2	< 10	25.6	0.55	0.91	3.02	0.10	9.80	7.2	26	1.30	23.0	2.97	0.60	< 0.05
344802	94139402	4.18 < 5	0.29	0.38	22.9	< 10	17.8	0.35	0.30	2.69	0.27	11.10	7.8	31	1.20	17.6	3.11	0.65	0.05
344803	94139402	4.04 5	0.24	0.38	20.5	< 10	20.4	0.50	0.12	2.53	0.43	10.80	7.2	34	1.05	22.2	3.05	0.65	< 0.05
344804	94139402	4.22 < 5	0.21	0.41	10.5	< 10	55.0	0.75	< 0.01	3.01	1.15	19.50	7.2	29	1.25	9.8	3.19	0.90	< 0.05
344805	94139402	3.98 5	0.25	0.40	10.8	< 10	22.0	0.50	< 0.01	3.20	0.97	17.50	7.9	23	1.35	9.8	3.34	0.80	< 0.05
344806	94139402	4.14 10	0.48	0.37	15.3	< 10	40.2	0.50	0.04	2.49	8.04	20.3	7.0	38	1.75	20.2	2.68	0.80	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120932
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120932

SAMPLE	FREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344767	94139402	0.08	0.23	0.135	0.33	14.4	0.6	0.24	1315	0.55	< 0.01	< 0.05	1.4	140	25.0	12.6	< 0.001	1.03	0.90	2.5
344768	94139402	0.12	0.16	0.105	0.35	13.6	0.7	0.46	2430	0.45	< 0.01	< 0.05	1.8	440	22.2	13.0	< 0.001	0.84	1.10	3.2
344769	94139402	0.12	0.30	0.105	0.33	10.0	0.5	0.55	2910	0.25	< 0.01	< 0.05	1.2	440	17.0	13.2	< 0.001	1.00	1.25	3.3
344770	9400 225	0.34	3.83	0.030	0.36	13.4	6.4	0.30	250	14.60	0.01	0.10	43.2	1140	12.0	18.0	0.005	0.21	36.10	5.0
344771	94139402	0.12	0.30	0.085	0.32	8.0	1.0	0.53	2310	0.65	< 0.01	< 0.05	2.8	660	36.6	12.8	< 0.001	1.53	1.30	3.2
344772	94139402	0.08	0.19	0.080	0.35	11.8	0.4	0.49	2510	0.40	< 0.01	< 0.05	1.2	570	139.5	13.7	< 0.001	0.77	1.10	2.5
344773	94139402	0.10	0.23	0.130	0.32	9.2	0.3	0.40	2040	1.10	< 0.01	< 0.05	1.8	390	58.4	12.9	< 0.001	1.32	2.75	2.9
344774	94139402	0.10	0.14	0.080	0.29	3.6	0.5	0.42	2330	0.85	< 0.01	< 0.05	1.0	520	41.8	11.2	< 0.001	1.10	0.90	2.3
344775	94139402	0.12	0.09	0.070	0.35	6.0	0.7	0.46	2570	2.85	< 0.01	< 0.05	1.4	640	46.2	12.7	< 0.001	1.86	0.70	3.2
344776	94139402	0.10	0.28	0.060	0.30	7.4	0.6	0.48	2400	1.10	< 0.01	< 0.05	0.8	700	224.6	11.1	< 0.001	1.71	0.95	3.0
344777	94139402	0.14	0.26	0.080	0.35	9.4	0.5	0.51	2860	4.25	< 0.01	< 0.05	2.2	440	178.9	12.6	< 0.001	1.90	1.05	2.8
344778	94139402	0.12	0.13	0.050	0.31	14.4	0.5	0.48	2470	1.30	< 0.01	< 0.05	0.6	570	32.2	11.9	< 0.001	0.92	0.55	1.6
344779	94139402	0.14	0.11	0.040	0.33	19.6	0.3	0.26	1400	2.00	< 0.01	< 0.05	1.0	500	43.6	13.1	< 0.001	1.09	0.60	1.2
344780	94139402	0.18	0.75	0.045	0.33	16.2	0.6	0.41	2350	0.30	< 0.01	< 0.05	0.2	400	272.1	12.8	< 0.001	0.72	0.40	1.4
344781	94139402	0.06	0.25	0.050	0.30	12.8	0.6	0.38	2620	3.65	< 0.01	< 0.05	1.2	530	38.2	11.6	< 0.001	0.70	0.85	1.8
344782	94139402	0.10	0.12	0.050	0.30	13.8	0.4	0.41	2250	4.60	< 0.01	< 0.05	0.4	520	42.2	10.7	< 0.001	0.71	1.25	1.5
344783	94139402	0.06	0.18	0.055	0.32	13.4	0.4	0.50	2940	1.50	< 0.01	< 0.05	0.6	500	51.2	11.0	< 0.001	0.59	0.60	1.6
344784	94139402	0.08	0.44	0.140	0.30	15.0	0.5	0.35	2250	5.10	< 0.01	< 0.05	< 0.2	360	50.8	11.7	0.001	0.67	1.20	1.5
344785	94139402	0.08	0.28	0.380	0.27	10.6	0.5	0.26	1765	15.00	< 0.01	< 0.05	1.0	240	31.4	10.6	0.001	1.25	2.55	1.4
344786	94139402	0.08	0.29	0.315	0.30	14.4	0.4	0.24	1355	23.90	< 0.01	< 0.05	1.0	200	33.4	11.1	0.002	1.39	2.60	1.7
344787	94139402	0.10	0.17	0.180	0.28	13.8	0.3	0.22	1230	11.70	< 0.01	< 0.05	1.6	230	25.0	10.8	0.001	0.86	1.40	1.3
344788	94139402	0.02	0.05	0.095	0.20	8.6	0.4	0.25	2140	4.10	< 0.01	< 0.05	1.4	200	19.6	7.3	< 0.001	0.25	1.55	1.1
344789	94139402	< 0.02	0.58	0.875	0.05	1.8	0.1	0.03	190	168.70	< 0.01	< 0.05	3.4	430	299.6	1.9	0.023	2.71	84.55	0.2
344790	94139402	0.06	0.73	0.325	0.23	6.4	0.3	0.13	990	82.56	< 0.01	< 0.05	1.8	830	1085.0	8.6	0.014	1.08	8.25	1.0
344791	94139402	0.06	0.16	0.110	0.30	10.4	0.4	0.33	1835	20.95	< 0.01	< 0.05	1.4	550	58.6	11.6	0.002	0.43	2.55	2.0
344792	94139402	0.08	0.18	0.060	0.32	13.4	0.3	0.54	3050	0.60	< 0.01	< 0.05	0.4	770	203.0	11.4	< 0.001	0.20	1.40	2.6
344793	94139402	0.02	0.48	0.055	0.23	4.2	0.2	0.42	2630	0.55	< 0.01	< 0.05	2.2	500	1545.0	7.3	< 0.001	0.35	7.40	2.3
344794	94139402	0.04	0.32	0.080	0.28	9.8	0.3	0.62	2490	1.25	< 0.01	< 0.05	1.2	700	265.9	9.5	< 0.001	0.22	1.60	3.6
344795	94139402	0.08	0.05	0.020	0.26	13.8	0.3	1.03	1650	0.50	0.01	< 0.05	2.6	850	18.8	9.5	< 0.001	0.59	0.95	4.1
344796	94139402	0.08	0.05	0.020	0.26	14.4	0.2	1.05	1615	0.30	0.02	< 0.05	1.6	770	8.6	9.3	< 0.001	0.35	0.90	3.8
344797	94139402	0.12	0.01	0.015	0.28	13.0	0.1	1.06	1680	0.15	0.03	< 0.05	2.2	810	15.2	9.3	< 0.001	0.74	0.55	3.7
344798	94139402	0.08	0.04	0.020	0.28	15.0	0.3	1.01	1725	0.15	0.03	< 0.05	1.4	820	4.4	9.8	< 0.001	0.54	0.45	3.7
344799	94139402	0.08	0.06	0.020	0.27	11.4	0.4	0.88	1455	0.85	0.03	< 0.05	2.0	860	6.0	9.1	< 0.001	1.09	0.60	4.1
344800	9400 225	0.10	0.05	2.060	0.30	6.8	8.6	0.06	25	16.50	0.01	0.10	92.7	9110	392.7	15.3	0.004	0.35	638.0	3.8
344801	94139402	0.04	0.10	0.050	0.24	5.0	0.8	0.60	995	1.20	0.04	< 0.05	1.8	650	13.6	8.2	0.001	2.44	2.35	4.1
344802	94139402	0.08	0.15	0.040	0.25	5.4	0.5	0.69	1150	0.55	0.05	< 0.05	2.0	830	18.4	8.1	0.001	2.69	1.60	4.0
344803	94139402	0.16	0.10	0.025	0.26	5.2	0.8	0.70	1235	1.90	0.05	< 0.05	1.8	820	25.2	8.1	< 0.001	2.24	1.20	4.4
344804	94139402	0.16	0.09	0.020	0.30	10.4	0.8	1.06	2430	1.50	0.05	< 0.05	2.0	790	103.7	9.1	< 0.001	1.19	0.80	3.9
344805	94139402	0.10	0.11	0.015	0.30	9.2	0.5	0.99	2360	0.60	0.06	< 0.05	2.0	870	95.0	9.4	< 0.001	2.19	0.75	3.6
344806	94139402	0.16	0.34	0.015	0.27	10.8	0.7	0.76	2170	1.70	0.06	< 0.05	2.2	880	560.0	9.9	0.001	1.83	1.35	2.4

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-C
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. : I0120932
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120932

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344767	94139402	0.2	0.6	8.0 < 0.01	0.03	1.6 < 0.01	0.14	1.25	7	0.35	2.15	266	1.0		
344768	94139402	0.2	0.8	11.8 < 0.01	0.01	2.2 < 0.01	0.14	1.00	12	0.30	3.60	346	1.5		
344769	94139402	0.2	0.8	10.6 < 0.01	0.04	2.0 < 0.01	0.16	0.55	15	0.30	3.20	560	1.5		
344770	9400 225	2.6	1.4	64.5 < 0.01	0.09	4.4	0.01	1.78	4.45	155	4.70	10.45	102	8.0	
344771	94139402	0.2	0.4	16.8 < 0.01	0.06	2.2 < 0.01	0.18	0.60	16	0.35	3.95	446	2.5		
344772	94139402	0.4	0.2	10.6 < 0.01	0.03	2.2 < 0.01	0.16	0.55	10	0.30	3.15	400	1.5		
344773	94139402	0.2	1.6	11.4 < 0.01 < 0.01	1.6 < 0.01	0.18	0.75	10	0.30	2.80	298	2.0			
344774	94139402	0.2 < 0.2	10.8 < 0.01	0.02	1.0 < 0.01	0.14	0.50	8	0.30	2.75	296	2.5			
344775	94139402	0.4 < 0.2	13.0 < 0.01	0.03	2.0 < 0.01	0.14	0.65	10	0.30	2.95	382	3.5			
344776	94139402	0.2 < 0.2	13.2 < 0.01 < 0.01	2.2 < 0.01	0.14	0.45	9	0.25	3.15	670	3.5				
344777	94139402	0.4	0.2	12.6 < 0.01 < 0.01	3.0 < 0.01	0.18	0.55	11	0.35	2.70	622	3.0			
344778	94139402	0.2 < 0.2	12.2 < 0.01	0.01	4.0 < 0.01	0.12	0.70	7	0.20	3.30	368	2.5			
344779	94139402	0.2 < 0.2	12.0 < 0.01	0.03	3.8 < 0.01	0.12	0.95	4	0.20	3.00	296	3.0			
344780	94139402	0.6	0.2	12.2 < 0.01	0.01	4.2 < 0.01	0.12	0.65	5	0.15	2.55	1620	3.0		
344781	94139402	0.2	0.4	16.4 < 0.01	0.04	2.8 < 0.01	0.12	0.55	6	0.25	2.95	436	2.0		
344782	94139402	< 0.2	0.2	13.4 < 0.01	0.04	3.6 < 0.01	0.10	0.70	5	0.20	3.15	264	2.0		
344783	94139402	0.2	0.4	14.0 < 0.01 < 0.01	3.4 < 0.01	0.10	0.55	10	0.20	3.15	496	1.5			
344784	94139402	0.2	0.8	15.4 < 0.01	0.03	3.2 < 0.01	0.16	0.70	8	0.15	2.75	1225	2.0		
344785	94139402	< 0.2	0.8	10.4 < 0.01	0.01	2.2 < 0.01	0.22	0.75	5	0.20	1.75	190	2.0		
344786	94139402	< 0.2	0.4	11.6 < 0.01	0.04	2.6 < 0.01	0.28	1.25	6	0.25	1.90	166	2.5		
344787	94139402	0.2	0.2	11.8 < 0.01	0.01	2.4 < 0.01	0.18	0.85	5	0.25	1.70	132	2.0		
344788	94139402	< 0.2	0.6	8.4 < 0.01 < 0.01	1.6 < 0.01	0.08	0.55	5	0.15	1.50	176	1.0			
344789	94139402	0.2 < 0.2	7.6 < 0.01	0.03	0.2 < 0.01	0.66	0.25	< 1	0.20	0.90	290	0.5			
344790	94139402	0.6	0.2	16.2 < 0.01	0.06	1.2 < 0.01	0.42	1.75	5	0.25	2.10	2810	2.0		
344791	94139402	0.2	0.2	20.6 < 0.01	0.03	2.0 < 0.01	0.18	0.85	8	0.20	3.15	278	1.5		
344792	94139402	0.2	0.2	31.0 < 0.01	0.05	2.6 < 0.01	0.08	0.55	10	0.15	5.00	532	1.5		
344793	94139402	0.2	0.2	18.4 < 0.01	0.05	1.0 < 0.01	0.12	0.25	9	0.15	2.20	1490	0.5		
344794	94139402	0.2	1.4	36.0 < 0.01	0.03	1.8 < 0.01	0.16	0.45	12	0.20	4.25	732	1.5		
344795	94139402	0.2	4.0	152.4 < 0.01	0.01	2.6 < 0.01	0.10	0.50	11	< 0.05	8.75	82	1.5		
344796	94139402	0.4	0.6	153.7 < 0.01	0.06	2.4 < 0.01	0.06	0.50	10	< 0.05	8.70	64	2.0		
344797	94139402	0.2	0.4	154.1 < 0.01	0.09	2.4 < 0.01	0.06	0.60	10	0.05	8.40	60	2.0		
344798	94139402	0.2	0.6	152.5 < 0.01	0.04	2.8 < 0.01	0.04	0.65	11	< 0.05	9.35	52	2.0		
344799	94139402	0.4	2.6	128.7 < 0.01	0.03	2.8 < 0.01	0.14	0.60	11	< 0.05	8.55	50	2.0		
344800	9400 225	4.0	13.0	402.0 < 0.01	0.23	2.2 < 0.01	6.14	11.65	615	44.6	18.15	184	5.5		
344801	94139402	0.2	3.0	104.1 < 0.01	0.02	2.2 < 0.01	0.72	0.80	10	0.75	6.80	58	1.5		
344802	94139402	0.6	1.8	79.1 < 0.01	0.03	2.4 < 0.01	0.54	0.55	9	0.15	7.80	72	2.5		
344803	94139402	< 0.2	3.0	80.2 < 0.01	0.02	2.2 < 0.01	0.40	0.60	12	0.15	8.40	116	3.0		
344804	94139402	0.4	0.4	164.5 < 0.01	0.01	2.6 < 0.01	0.16	0.75	9	0.05	8.55	238	2.5		
344805	94139402	0.4	0.2	162.9 < 0.01	0.02	2.8 < 0.01	0.14	0.80	9	< 0.05	9.40	228	2.5		
344806	94139402	0.2	0.4	115.4 < 0.01	0.01	2.6 < 0.01	0.14	0.55	6	0.05	8.75	1305	2.5		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :I0120932
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS	A0120932
--------------------------------	-----------------

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344807	94139402	4.08	10	0.33	0.39	30.3	< 10	19.0	0.55	< 0.01	2.97	0.41	18.70	8.3	29	1.45	10.4	3.32	0.80	< 0.05
344808	94139402	3.92	5	0.49	0.44	24.5	< 10	22.6	0.35	< 0.01	3.03	5.18	19.15	7.5	39	1.15	11.0	3.23	0.95	0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 30-JUL-2001
 Invoice No. : I0120932
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS	A0120932
--------------------------------	-----------------

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344807	94139402	0.10	0.08	0.015	0.28	9.8	0.5	0.90	2470	7.55	0.06 < 0.05	2.0	890	46.6	9.2	0.002	2.54	1.15	3.4	
344808	94139402	0.06	0.33	0.020	0.30	10.4	0.6	0.96	2200	4.35	0.06 < 0.05	2.4	890	600.0	9.2	0.001	2.37	2.05	3.5	

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :2
 Certificate Date: 30-JUL-2001
 Invoice No. :10120932
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0120932

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344807	94139402	< 0.2	0.4	118.0	< 0.01	< 0.01	2.6	< 0.01	0.22	0.50	8	0.05	9.60	132	3.0
344808	94139402	0.4	0.6	131.2	< 0.01	< 0.01	2.8	< 0.01	0.24	0.40	8	0.05	9.80	956	2.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 30-JUL-2001
 Invoice No. : 10120933
 P.O. Number : 21331
 Account : SWY

Project: RDN 01-13b
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120933

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344809	94139402	3.88	< 5	0.11	0.30	8.2	< 10	287.8	0.45	< 0.01	1.54	0.30	28.0	6.5	19	1.25	13.0	2.64	0.80	< 0.05
344810	94139402	4.18	< 5	0.09	0.38	8.4	< 10	255.8	0.40	< 0.01	2.09	0.05	32.4	6.8	23	1.70	15.2	2.91	0.85	< 0.05
344811	94139402	4.24	10	0.15	0.38	8.4	< 10	58.4	0.65	< 0.01	2.57	0.13	22.5	7.8	19	1.45	11.4	2.86	0.80	< 0.05
344812	94139402	4.12	< 5	0.19	0.37	13.3	< 10	185.0	0.60	< 0.01	3.18	0.14	27.5	7.3	22	1.60	10.6	3.01	0.90	< 0.05
344813	94139402	4.04	< 5	0.04	0.30	7.9	< 10	260.2	0.50	< 0.01	3.89	0.05	26.2	6.3	19	1.35	6.2	2.92	0.75	< 0.05
344814	94139402	3.94	< 5	0.16	0.41	9.0	< 10	143.2	0.60	< 0.01	2.45	0.05	28.9	7.1	19	1.50	11.8	2.78	0.80	< 0.05
344815	94139402	4.34	< 5	0.09	0.35	9.7	< 10	103.0	0.80	< 0.01	2.83	0.06	25.6	6.8	19	1.45	8.6	2.77	0.85	< 0.05
344816	94139402	4.12	< 5	0.06	0.34	8.5	< 10	220.6	0.65	0.01	2.68	0.03	25.7	6.9	19	1.40	8.4	2.98	0.85	< 0.05
344817	94139402	4.06	65	0.04	0.32	13.3	< 10	211.2	0.55	0.01	2.48	0.02	25.0	7.2	20	1.35	11.6	3.08	0.80	< 0.05
344818	94139402	4.10	< 5	0.04	0.38	9.1	< 10	251.8	0.60	0.02	2.56	0.02	27.2	6.7	19	1.65	10.8	2.94	0.90	< 0.05
344819	94139402	4.12	< 5	0.11	0.37	11.5	< 10	100.4	0.65	0.04	2.27	0.01	25.2	7.6	18	1.85	11.4	3.06	0.80	< 0.05
344820	94139402	4.28	< 5	0.09	0.35	8.3	< 10	63.8	0.60	0.04	3.16	0.08	21.9	6.3	18	1.55	9.2	2.90	0.70	< 0.05
344821	94139402	4.06	20	0.25	0.34	12.7	< 10	23.0	0.50	0.03	2.71	1.77	17.30	7.2	20	1.25	10.4	3.21	0.70	< 0.05
344822	94139402	4.28	10	0.17	0.30	11.3	< 10	18.4	0.45	0.03	3.42	0.13	14.60	6.7	23	0.95	9.8	2.97	0.80	< 0.05
344823	94139402	4.26	10	0.18	0.37	17.3	< 10	17.8	0.45	0.01	2.77	1.17	13.65	7.2	25	1.05	11.8	3.28	0.90	< 0.05
344824	94139402	4.66	10	0.31	0.33	16.4	< 10	19.8	0.50	0.01	2.18	2.53	12.85	7.5	26	0.95	14.2	3.08	0.75	< 0.05
344825	94139402	4.02	5	0.24	0.30	16.1	< 10	21.4	0.50	0.01	2.59	0.80	15.25	7.0	27	1.05	13.0	2.93	0.80	< 0.05
344826	94139402	3.74	10	0.27	0.31	23.6	< 10	40.8	0.65	0.03	3.27	0.61	10.60	7.3	19	1.05	10.4	2.97	0.70	< 0.05
344827	94139402	4.40	< 5	0.04	0.33	10.6	< 10	477.8	0.50	< 0.01	2.81	0.04	20.7	6.6	17	1.35	8.6	2.80	0.80	< 0.05
344828	94139402	4.14	< 5	0.09	0.33	10.9	< 10	129.6	0.65	< 0.01	2.74	0.01	21.2	6.3	15	1.40	6.4	2.80	0.75	< 0.05
344829	94139402	3.96	5	0.12	0.32	13.2	< 10	73.8	0.65	0.01	2.50	0.05	21.3	6.7	15	1.30	8.2	2.71	0.75	< 0.05
344830	9400 225	0.10	440	0.10	0.36	375	< 10	1194.5	0.35	0.42	0.32	1.70	21.7	5.4	41	0.85	100.0	1.44	3.10	< 0.05
344831	94139402	4.50	< 5	0.15	0.40	13.5	< 10	71.8	0.70	0.06	2.90	0.06	23.1	7.4	14	1.60	10.2	3.05	0.85	< 0.05
344832	94139402	4.02	< 5	0.14	0.32	10.9	< 10	169.6	0.80	0.07	2.31	1.82	21.3	7.1	15	1.50	12.0	2.81	0.75	< 0.05
344833	94139402	4.12	< 5	0.25	0.37	12.6	< 10	47.4	0.65	0.05	2.50	2.80	20.4	7.3	14	1.50	12.0	2.84	0.95	< 0.05
344834	94139402	4.22	10	0.24	0.33	10.5	< 10	31.0	0.55	0.02	2.92	2.44	19.75	6.6	17	1.40	12.8	2.84	0.80	< 0.05
344835	94139402	4.52	< 5	0.17	0.27	13.3	< 10	23.0	0.40	0.01	2.49	0.54	15.35	6.3	27	0.75	10.0	2.78	0.75	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :1
 Certificate Date: 30-JUL-2001
 Invoice No. :10120933
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120933

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Rb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344809	94139402	0.08	0.05	0.020	0.22	16.4	0.6	0.80	1455	0.15	0.07 < 0.05	1.4	830	34.6	7.8 < 0.001	0.23	0.85	3.6		
344810	94139402	0.08	0.04	0.020	0.28	19.0	0.8	0.95	1650	0.20	0.07 < 0.05	1.4	900	9.2	10.0 < 0.001	0.18	0.80	3.8		
344811	94139402	0.10	0.04	0.020	0.28	12.8	0.7	0.87	1820	0.70	0.07 < 0.05	1.0	860	13.0	9.8 < 0.001	1.00	0.65	3.7		
344812	94139402	0.10	0.06	0.020	0.28	16.2	0.6	1.10	1905	1.25	0.07 < 0.05	1.2	790	8.0	10.1 < 0.001	0.46	0.80	4.0		
344813	94139402	0.10	0.02	0.015	0.23	15.2	0.7	1.30	1925	0.55	0.06 < 0.05	1.0	750	5.6	8.9 < 0.001	0.30	0.30	3.8		
344814	94139402	0.06	0.03	0.015	0.30	17.0	0.7	0.84	1385	0.85	0.08 < 0.05	0.8	820	9.0	10.3 < 0.001	0.52	0.75	3.9		
344815	94139402	0.06	0.03	0.015	0.27	14.8	0.6	0.94	1590	0.75	0.07 < 0.05	0.8	760	6.4	9.2 < 0.001	0.68	0.60	3.4		
344816	94139402	0.10	0.01	0.015	0.26	15.2	0.7	1.03	1550	0.45	0.07 < 0.05	1.0	810	4.0	9.1 < 0.001	0.31	0.75	4.3		
344817	94139402	0.06	0.01	0.020	0.25	14.4	0.7	0.99	1485	0.25	0.07 < 0.05	1.2	610	5.6	8.7 < 0.001	0.24	0.80	4.2		
344818	94139402	0.08	0.03	0.020	0.29	16.0	0.7	0.94	1535	0.30	0.08 < 0.05	1.0	850	4.8	10.5 < 0.001	0.34	0.70	3.8		
344819	94139402	0.10	0.04	0.015	0.28	14.8	0.8	0.87	1575	0.50	0.08 < 0.05	1.2	890	8.2	10.2 < 0.001	0.79	0.65	4.1		
344820	94139402	0.06	0.02	0.015	0.26	12.4	0.7	1.05	1955	0.30	0.07 < 0.05	0.6	820	7.4	9.2 < 0.001	0.95	0.75	3.7		
344821	94139402	0.08	0.15	0.020	0.25	9.6	0.8	0.90	2470	1.60	0.08 < 0.05	1.2	780	131.5	8.0 < 0.001	2.43	1.15	3.2		
344822	94139402	0.10	0.05	0.020	0.21	8.0	0.6	1.20	2890	1.45	0.06 < 0.05	1.2	730	14.6	7.4 < 0.001	2.01	1.25	3.5		
344823	94139402	0.08	0.13	0.020	0.26	7.4	0.7	0.95	2710	1.20	0.08 < 0.05	1.2	860	67.2	8.2 < 0.001	2.77	0.95	3.8		
344824	94139402	0.08	0.21	0.025	0.24	6.8	0.7	0.73	2140	1.40	0.07 < 0.05	1.4	750	230.2	7.7 < 0.001	2.81	1.55	3.6		
344825	94139402	0.08	0.13	0.015	0.22	8.2	0.8	0.87	2490	2.00	0.06 < 0.05	1.2	740	58.0	8.0 < 0.001	2.32	1.15	3.6		
344826	94139402	0.08	0.14	0.025	0.22	5.8	1.1	1.06	2340	2.20	0.07 < 0.05	1.0	600	46.6	8.2 < 0.001	1.35	0.90	4.9		
344827	94139402	0.10	0.01	0.020	0.23	12.0	2.1	1.03	1505	0.75	0.07 < 0.05	1.2	700	3.6	8.3 < 0.001	0.13	0.65	4.2		
344828	94139402	0.06	0.04	0.015	0.24	12.0	0.9	0.96	1600	1.60	0.08 < 0.05	0.8	750	6.6	8.9 < 0.001	0.57	0.60	3.7		
344829	94139402	0.08	0.05	0.020	0.25	11.8	1.0	0.82	1475	2.80	0.07 < 0.05	1.0	740	6.4	8.8 < 0.001	0.80	0.70	3.6		
344830	9400 225	0.28	0.12	0.155	0.08	13.6	1.0	0.03	20	129.80	0.01 < 0.20	48.0	1760	170.9	3.9 < 0.001	0.06	277.3	8.2		
344831	94139402	0.08	0.01	0.025	0.28	13.2	1.1	0.96	1830	0.95	0.09 < 0.05	1.0	780	9.0	10.3 < 0.001	0.99	0.95	4.5		
344832	94139402	0.08	0.07	0.025	0.24	12.6	1.1	0.91	1785	0.40	0.08 < 0.05	1.2	720	104.7	9.0 < 0.001	0.47	0.75	4.5		
344833	94139402	0.10	0.12	0.020	0.26	11.4	1.0	0.86	2160	0.55	0.09 < 0.05	1.0	720	120.0	10.2 < 0.001	1.47	0.75	4.1		
344834	94139402	0.10	0.14	0.015	0.22	11.2	0.9	0.99	2520	0.95	0.09 < 0.05	1.2	810	103.2	8.3 < 0.001	1.86	0.90	3.5		
344835	94139402	0.08	0.11	0.020	0.18	8.4	0.6	0.84	2350	1.90	0.06 < 0.05	1.4	740	43.2	6.3 < 0.001	2.04	1.05	3.1		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 30-JUL-2001
 Invoice No. : 10120933
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0120933

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344809	94139402	< 0.2	0.2	76.2	< 0.01	0.01	3.8	< 0.01	0.06	0.35	10	0.05	7.70	118	1.0
344810	94139402	< 0.2	0.4	102.7	< 0.01	0.02	3.8	< 0.01	0.06	0.40	12	0.05	8.80	78	1.0
344811	94139402	< 0.2	0.2	117.8	< 0.01	0.07	3.0	< 0.01	0.10	0.40	11	< 0.05	8.65	76	1.5
344812	94139402	< 0.2	0.2	141.7	< 0.01	0.04	3.4	< 0.01	0.14	0.40	12	0.05	9.90	60	1.5
344813	94139402	< 0.2	0.2	137.9	0.01	0.01	3.2	< 0.01	0.06	0.35	10	< 0.05	9.10	42	1.0
344814	94139402	< 0.2	0.2	103.8	< 0.01	0.01	3.4	< 0.01	0.10	0.35	10	< 0.05	8.85	58	1.5
344815	94139402	< 0.2	0.2	141.2	< 0.01	0.03	3.0	< 0.01	0.10	0.35	8	0.05	9.45	52	1.5
344816	94139402	< 0.2	0.2	132.2	< 0.01	0.01	3.2	< 0.01	0.08	0.35	10	0.05	9.55	58	1.5
344817	94139402	< 0.2	0.2	118.5	< 0.01	0.01	3.0	< 0.01	0.06	0.30	10	< 0.05	8.25	58	1.0
344818	94139402	< 0.2	0.2	105.6	< 0.01	0.05	3.0	< 0.01	0.08	0.35	10	0.05	8.40	62	1.5
344819	94139402	< 0.2	0.2	101.6	< 0.01	< 0.01	3.0	< 0.01	0.08	0.35	10	< 0.05	8.75	58	1.0
344820	94139402	< 0.2	0.2	167.1	< 0.01	0.04	2.6	< 0.01	0.08	0.30	8	< 0.05	9.50	58	1.0
344821	94139402	< 0.2	0.2	133.1	< 0.01	0.03	2.2	< 0.01	0.18	0.30	6	< 0.05	8.45	394	1.0
344822	94139402	< 0.2	0.2	177.6	< 0.01	0.01	2.0	< 0.01	0.20	0.30	8	0.05	9.85	56	1.0
344823	94139402	< 0.2	0.2	123.9	< 0.01	0.03	2.2	< 0.01	0.16	0.30	8	0.05	8.30	298	1.5
344824	94139402	< 0.2	0.4	117.0	< 0.01	< 0.01	2.0	< 0.01	0.18	0.35	8	0.05	7.05	522	1.0
344825	94139402	< 0.2	0.6	146.1	< 0.01	0.03	2.0	< 0.01	0.20	0.30	8	0.05	8.80	172	1.0
344826	94139402	< 0.2	0.6	171.7	< 0.01	0.03	1.6	< 0.01	0.20	0.45	10	0.05	9.80	128	1.0
344827	94139402	< 0.2	0.2	142.5	< 0.01	0.07	2.6	< 0.01	0.06	0.35	13	< 0.05	8.50	52	0.5
344828	94139402	< 0.2	0.2	137.7	< 0.01	0.04	2.6	< 0.01	0.10	0.35	9	0.05	7.75	42	1.0
344829	94139402	< 0.2	0.2	100.2	< 0.01	0.03	2.8	< 0.01	0.12	0.35	8	< 0.05	7.55	46	1.5
344830	9400 225	3.2	3.6	128.1	< 0.01	0.13	6.2	< 0.01	1.52	34.4	246	14.55	7.75	50	7.0
344831	94139402	< 0.2	0.2	129.7	< 0.01	0.07	3.0	< 0.01	0.12	0.45	10	0.10	9.50	58	1.5
344832	94139402	< 0.2	0.2	100.1	< 0.01	< 0.01	2.4	< 0.01	0.08	0.35	11	0.05	8.55	278	1.5
344833	94139402	< 0.2	0.4	135.4	0.02	0.03	2.6	< 0.01	0.12	0.35	8	0.05	9.40	406	1.5
344834	94139402	< 0.2	0.2	132.7	< 0.01	0.03	2.4	< 0.01	0.18	0.30	7	0.05	9.90	372	1.5
344835	94139402	< 0.2	0.2	109.4	< 0.01	0.05	1.8	< 0.01	0.18	0.25	7	< 0.05	9.50	128	1.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 02-AUG-2001
 Invoice No. : I0121157
 P.O. Number :
 Account : SWY

Project: RDN 01-13 (C)
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121157

SAMPLE	FREP CODE	Weight Au ppb Kg FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344836	94139402	4.00 10	0.56	0.34	23.0	< 10	23.0	0.30	0.02	2.56	3.56	17.45	7.6	68	0.65	28.4	3.01	1.00	0.05
344837	94139402	4.00 < 5	0.45	0.38	11.9	< 10	22.0	0.30	0.05	2.48	8.15	17.00	7.8	64	0.90	15.4	3.50	1.05	0.05
344838	94139402	3.80 15	0.51	0.41	18.2	< 10	21.8	0.45	0.05	2.31	7.12	19.90	8.1	72	1.05	19.0	3.10	1.00	0.05
344839	94139402	3.88 15	1.25	0.43	25.4	< 10	16.0	0.85	< 0.01	1.44	5.44	22.8	8.8	66	1.10	37.4	3.64	0.95	0.05
344840	94139402	4.10 15	0.61	0.37	14.3	< 10	27.4	0.40	< 0.01	1.76	0.32	21.5	7.5	57	0.75	13.0	3.12	1.15	0.05
344841	94139402	3.98 10	0.37	0.38	9.8	< 10	31.0	0.35	< 0.01	2.17	0.23	22.1	8.0	60	0.75	11.6	3.22	1.10	0.05
344842	94139402	3.94 < 5	0.31	0.41	8.7	< 10	21.4	0.45	< 0.01	2.80	0.19	21.7	8.5	43	1.10	13.2	3.44	1.05	0.05
344843	94139402	4.22 < 5	0.25	0.38	7.7	< 10	25.2	0.55	< 0.01	2.55	0.09	19.70	7.0	67	0.75	14.8	2.78	1.10	< 0.05
344844	94139402	4.08 < 5	0.22	0.36	6.1	< 10	27.8	0.35	< 0.01	2.66	0.12	20.9	7.1	38	0.90	8.6	2.97	1.05	0.05
344845	94139402	4.10 < 5	0.18	0.40	7.2	< 10	31.2	0.40	< 0.01	2.55	0.10	22.2	7.3	50	0.90	11.0	3.06	1.15	0.05
344846	94139402	3.84 < 5	0.36	0.36	10.5	< 10	26.4	0.45	< 0.01	2.79	1.46	15.20	6.6	46	0.65	15.8	2.91	0.95	0.05
344847	94139402	4.10 < 5	0.27	0.35	8.6	< 10	30.6	0.35	< 0.01	3.13	1.17	18.40	6.7	56	0.70	15.4	2.97	1.00	0.05
344848	94139402	3.98 < 5	0.25	0.42	9.3	< 10	32.8	0.30	< 0.01	3.48	1.15	18.60	7.1	49	0.65	14.8	2.98	1.40	0.05
344849	94139402	3.84 < 5	0.18	0.39	8.1	< 10	31.2	0.55	< 0.01	2.84	0.20	21.5	7.1	53	0.75	8.8	3.05	1.00	0.05
344850	94139402	4.08 < 5	0.17	0.34	7.9	< 10	28.2	0.45	< 0.01	2.51	0.23	19.60	7.4	51	0.80	6.6	2.78	0.90	< 0.05
344851	94139402	4.12 < 5	0.35	0.41	11.2	< 10	33.8	0.50	< 0.01	2.81	2.25	22.4	7.6	51	0.90	20.2	3.07	1.10	0.05
344852	94139402	3.98 < 5	0.12	0.38	7.4	< 10	61.0	0.40	< 0.01	2.97	0.08	22.6	6.6	42	1.00	9.6	2.68	0.95	< 0.05
344853	94139402	4.18 < 5	0.17	0.43	10.7	< 10	37.2	0.50	< 0.01	3.13	0.11	24.2	7.1	42	1.05	9.8	2.82	1.10	0.05
344854	94139402	4.06 < 5	0.14	0.36	6.8	< 10	27.8	0.70	< 0.01	2.74	0.08	22.1	7.2	38	1.00	8.8	3.08	0.80	< 0.05
344855	94139402	4.10 < 5	0.17	0.35	6.4	< 10	19.2	0.35	< 0.01	2.13	0.10	20.3	7.3	45	0.85	10.6	3.06	0.85	< 0.05
344856	94139402	2.86 < 5	0.25	0.31	8.0	< 10	30.0	0.30	< 0.01	2.92	0.15	21.5	6.9	40	0.90	13.2	3.01	0.80	< 0.05
344857	94139402	2.08 5	0.45	1.30	63.6	< 10	564.3	0.95	0.01	6.62	0.17	23.1	25.9	48	1.35	45.6	4.76	2.10	0.05
344858	94139402	2.78 5	0.41	0.46	14.4	< 10	31.8	0.50	< 0.01	3.40	2.25	20.8	8.2	34	1.00	16.2	3.10	0.95	0.05
344859	94139402	2.52 10	0.54	0.40	48.6	< 10	142.0	0.70	< 0.01	4.56	0.16	20.5	17.9	27	1.25	30.2	3.91	0.80	0.05
344860	9400 225	0.12 140	0.30	1.67	746	< 10	760.2	0.55	0.54	1.08	1.49	25.9	7.3	64	2.05	93.3	3.28	4.60	0.05
344861	94139402	2.16 < 5	0.38	0.50	74.7	< 10	492.4	1.00	0.02	5.87	0.37	18.75	26.1	31	1.45	41.8	4.68	0.90	0.05
344862	94139402	5.54 10	0.37	0.40	15.3	10	53.4	0.50	0.06	3.69	4.75	23.1	5.9	43	1.05	16.2	2.60	0.95	0.05
344863	94139402	4.24 < 5	0.18	0.36	15.5	20	1071.0	0.55	0.03	3.11	0.13	26.9	5.9	35	1.25	23.2	2.51	0.75	< 0.05
344864	94139402	3.96 < 5	0.08	0.40	11.6	20	958.6	0.70	0.04	2.45	0.10	34.8	6.7	40	1.40	16.4	2.61	0.85	0.05
344865	94139402	2.76 < 5	0.06	0.35	7.6	20	948.8	0.55	0.04	3.32	0.07	32.0	6.6	30	1.40	7.6	3.00	0.75	0.05

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 1
 Certificate Date : 02-AUG-2001
 Invoice No. : 10121157
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121157

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344836	94139402	0.08	0.26	0.025	0.23	8.6	0.7	0.88	2770	1.80	0.07	0.05	3.8	790	194.0	7.3< 0.001	2.45	2.70	4.3	
344837	94139402	0.08	0.28	0.025	0.28	8.4	0.9	0.85	2620	1.45	0.07	0.05	3.4	810	359.3	8.8< 0.001	2.67	1.00	3.9	
344838	94139402	0.08	0.30	0.020	0.30	10.2	1.1	0.75	2340	1.15	0.07	0.05	3.0	770	271.3	9.8< 0.001	2.55	1.35	3.5	
344839	94139402	0.12	0.26	0.015	0.29	11.4	0.9	0.47	1270	89.32	0.08	0.05	3.2	990	398.8	9.7< 0.001	3.85	6.55	2.9	
344840	94139402	0.14	0.08	0.015	0.23	10.6	0.5	0.60	1355	54.41	0.09	0.05	2.8	860	12.8	7.0< 0.001	3.09	2.55	3.4	
344841	94139402	0.18	0.07	0.015	0.24	10.8	0.7	0.74	1640	19.20	0.09	0.05	3.0	900	11.2	7.2< 0.001	2.94	1.80	3.8	
344842	94139402	0.16	0.05	0.015	0.27	10.6	1.0	0.98	2250	3.05	0.08	0.05	3.2	950	17.4	8.3< 0.001	2.98	1.05	3.8	
344843	94139402	0.16	0.03	0.005	0.24	9.4	0.8	0.88	1925	1.05	0.08	0.05	3.4	800	5.8	7.2< 0.001	2.20	1.95	3.4	
344844	94139402	0.14	0.03	0.015	0.23	10.4	0.8	0.90	2270	1.40	0.08	0.05	2.6	900	10.4	7.2< 0.001	2.45	1.00	3.6	
344845	94139402	0.20	0.03	0.010	0.26	10.6	0.7	0.82	1980	0.70	0.08	0.05	3.0	860	5.0	7.8< 0.001	2.42	1.00	3.8	
344846	94139402	0.14	0.09	0.015	0.23	7.2	0.7	0.94	2150	5.85	0.07	0.05	2.6	750	74.0	6.7< 0.001	2.18	2.20	4.0	
344847	94139402	0.12	0.08	0.015	0.22	8.8	0.8	1.01	2480	0.45	0.07	0.05	3.0	790	63.0	6.8< 0.001	2.02	1.20	4.3	
344848	94139402	0.10	0.09	0.020	0.25	9.0	0.7	1.11	2500	0.35	0.08	0.05	3.0	770	52.2	7.6< 0.001	1.83	0.95	4.3	
344849	94139402	0.14	0.04	0.015	0.24	10.8	0.7	0.91	1820	0.55	0.07	0.05	3.2	810	11.2	7.0< 0.001	2.19	0.65	4.2	
344850	94139402	0.10	0.04	0.015	0.22	9.6	0.7	0.82	1555	0.30	0.07	0.05	2.8	800	11.8	6.6< 0.001	2.07	0.50	3.8	
344851	94139402	0.16	0.07	0.015	0.26	11.4	0.9	0.89	1685	0.40	0.08	0.05	3.0	850	55.8	8.0< 0.001	2.23	1.30	4.1	
344852	94139402	0.12	0.02	0.015	0.26	11.2	0.7	0.90	1660	0.20	0.08	0.05	2.4	810	10.0	8.4< 0.001	1.30	0.45	4.4	
344853	94139402	0.16	0.03	0.015	0.30	12.0	0.9	0.95	1740	0.55	0.08	0.05	2.8	820	13.0	9.2< 0.001	1.49	0.55	4.4	
344854	94139402	0.18	0.03	0.010	0.24	11.2	0.9	0.84	1660	0.45	0.08	0.05	2.4	880	12.6	7.4< 0.001	2.41	0.60	4.1	
344855	94139402	0.16	0.03	0.010	0.23	9.6	0.8	0.67	1480	0.55	0.08	0.05	2.8	910	10.4	6.9< 0.001	2.82	0.75	3.6	
344856	94139402	0.14	0.03	0.015	0.21	10.4	0.8	0.92	2020	0.30	0.07	0.05	3.2	860	10.4	6.7< 0.001	2.18	0.95	3.4	
344857	94139402	0.06	0.05	0.040	0.79	10.6	2.5	2.66	1595	0.95	0.09	0.05	49.0	1580	7.8	22.2< 0.001	0.20	1.15	16.2	
344858	94139402	0.10	0.12	0.015	0.32	10.0	0.9	1.08	2130	0.70	0.07	0.05	5.8	840	132.8	9.4< 0.001	1.75	1.15	4.0	
344859	94139402	0.08	0.05	0.025	0.28	9.6	1.4	1.64	1930	0.90	0.08	0.05	30.0	1170	11.8	9.1< 0.001	0.72	1.65	9.7	
344860	9400 225	0.32	3.87	0.035	0.35	14.2	6.0	0.31	240	14.05	0.01	0.15	37.2	1110	13.8	17.5 0.007	0.20	38.25	4.9	
344861	94139402	0.10	0.10	0.040	0.36	8.4	1.7	2.53	1455	1.15	0.08	0.10	46.0	1420	40.0	12.3< 0.001	0.32	2.20	16.4	
344862	94139402	0.08	0.25	0.025	0.31	11.8	0.8	1.03	2520	0.55	0.07	0.05	3.2	840	221.8	9.5< 0.001	1.15	1.00	3.6	
344863	94139402	0.08	0.05	0.020	0.28	14.4	1.0	0.89	1865	0.30	0.08	0.05	3.0	860	26.4	8.7< 0.001	0.13	0.85	4.4	
344864	94139402	0.08	0.04	0.020	0.30	19.4	1.2	0.77	1770	0.30	0.09	0.05	2.8	870	20.6	9.4< 0.001	0.05	0.50	4.3	
344865	94139402	0.08	0.04	0.025	0.28	17.4	1.2	0.96	1990	0.20	0.09	0.05	2.4	840	16.8	8.8< 0.001	0.04	0.35	4.9	

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 02-AUG-2001
 Invoice No. : 10121157
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121157

SAMPLE	PREP CODE	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344836	94139402	0.2	0.6	123.1	< 0.01	0.05	7.6	< 0.01	0.20	0.35	9	0.15	9.45	672	2.5
344837	94139402	0.2	0.8	133.9	< 0.01	0.05	5.8	< 0.01	0.22	0.30	10	0.15	8.05	1210	2.0
344838	94139402	0.4	1.0	124.9	< 0.01	0.06	4.6	< 0.01	0.24	0.45	8	0.10	9.20	1120	2.5
344839	94139402	0.8	0.6	72.4	< 0.01	0.03	5.2	< 0.01	0.80	0.50	7	0.10	7.95	1030	4.0
344840	94139402	0.8	0.4	82.2	< 0.01	0.03	3.8	< 0.01	0.44	0.45	11	0.05	7.40	70	4.5
344841	94139402	0.2	0.6	104.3	< 0.01	0.02	3.8	< 0.01	0.24	0.50	10	0.05	8.15	66	5.0
344842	94139402	0.2	0.6	112.4	< 0.01	0.03	4.0	< 0.01	0.12	0.70	10	0.05	9.40	88	5.5
344843	94139402	< 0.2	0.8	97.9	< 0.01	0.03	2.8	< 0.01	0.10	0.55	9	0.05	8.30	72	5.5
344844	94139402	< 0.2	0.2	103.9	< 0.01	0.05	3.4	< 0.01	0.08	0.50	10	0.05	8.25	78	4.5
344845	94139402	< 0.2	0.4	90.6	< 0.01	0.03	3.2	< 0.01	0.10	0.70	11	0.05	8.20	50	6.0
344846	94139402	0.2	1.0	108.1	< 0.01	0.05	2.6	< 0.01	0.14	0.45	12	0.05	7.65	256	4.0
344847	94139402	0.2	0.8	130.1	< 0.01	0.05	2.8	< 0.01	0.08	0.45	11	0.05	9.25	212	3.5
344848	94139402	0.2	1.2	122.1	< 0.01	0.05	3.0	< 0.01	0.12	0.45	14	0.05	8.80	194	3.5
344849	94139402	< 0.2	0.6	102.8	< 0.01	0.04	3.0	< 0.01	0.10	0.55	12	0.05	9.40	74	4.0
344850	94139402	< 0.2	0.4	97.8	< 0.01	0.03	2.8	< 0.01	0.10	0.45	10	0.05	8.35	84	3.5
344851	94139402	0.2	0.6	109.7	< 0.01	0.05	3.2	< 0.01	0.08	0.50	12	0.05	9.20	204	4.0
344852	94139402	< 0.2	0.2	117.4	< 0.01	0.02	2.6	< 0.01	0.06	0.45	11	0.05	9.35	50	3.5
344853	94139402	< 0.2	0.6	102.5	< 0.01	0.03	2.8	< 0.01	0.10	0.50	12	< 0.05	10.65	74	4.0
344854	94139402	< 0.2	0.6	89.3	< 0.01	0.03	3.4	< 0.01	0.10	0.50	9	0.05	8.80	60	5.0
344855	94139402	< 0.2	0.6	67.6	< 0.01	0.02	3.2	< 0.01	0.10	0.50	9	< 0.05	8.05	56	4.5
344856	94139402	< 0.2	0.6	86.5	< 0.01	0.04	3.0	< 0.01	0.08	0.55	9	0.05	10.05	58	4.0
344857	94139402	0.2	0.4	370.0	< 0.01	0.10	2.4	< 0.01	0.18	0.25	49	0.05	14.05	46	2.0
344858	94139402	0.2	1.2	130.4	< 0.01	0.07	2.8	< 0.01	0.10	0.55	12	0.05	9.30	356	3.5
344859	94139402	0.2	0.8	190.3	< 0.01	0.06	2.4	< 0.01	0.10	0.45	22	< 0.05	11.75	52	2.5
344860	9400 225	2.4	1.4	61.4	< 0.01	0.09	3.8	0.01	1.78	4.60	154	4.60	10.35	94	9.0
344861	94139402	0.2	0.4	366.0	< 0.01	0.13	2.8	< 0.01	0.12	0.25	39	0.05	13.75	70	2.5
344862	94139402	0.4	0.4	136.9	< 0.01	0.05	2.8	< 0.01	0.10	0.55	9	0.05	9.85	776	2.5
344863	94139402	< 0.2	0.6	126.7	< 0.01	0.05	2.2	< 0.01	0.08	0.60	11	0.05	8.65	74	2.0
344864	94139402	< 0.2	0.6	104.0	< 0.01	0.05	2.4	< 0.01	0.06	0.55	10	0.05	8.85	78	2.0
344865	94139402	< 0.2	0.4	139.0	< 0.01	0.04	2.6	< 0.01	0.06	0.60	11	< 0.05	9.85	78	1.5

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : I0121155
 P.O. Number :
 Account : SWY

Project : RDN01-14
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121155

SAMPLE	PREP CODE	Weight Au		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344866	94139402	4.08	< 5	0.04	3.35	0.9	< 10	63.6	0.40	0.03	11.15	0.16	25.7	26.9	74	2.10	35.4	3.57	8.45	< 0.05
344867	94139402	4.80	< 5	0.04	3.40	< 0.1	< 10	79.0	0.65	0.01	12.60	0.12	26.1	25.0	61	3.30	33.6	3.64	8.00	< 0.05
344868	94139402	5.46	< 5	0.05	3.62	0.5	< 10	75.4	0.40	0.03	10.50	0.09	27.4	28.1	79	2.55	35.6	3.93	9.20	< 0.05
344869	94139402	5.28	< 5	0.05	3.73	0.6	< 10	138.2	0.65	0.01	10.15	0.11	26.0	28.4	64	3.95	34.2	4.10	8.70	< 0.05
344870	94139402	5.54	< 5	0.05	3.65	0.3	< 10	195.6	0.55	0.01	9.58	0.12	25.4	28.8	66	3.85	36.0	4.08	8.75	< 0.05
344871	94139402	5.30	< 5	0.05	3.43	< 0.1	< 10	185.8	0.55	0.01	8.45	0.14	28.2	31.8	76	2.55	40.2	4.09	9.40	< 0.05
344872	94139402	5.60	< 5	0.05	2.28	< 0.1	< 10	30.0	0.25	0.01	8.48	0.15	23.2	26.8	93	0.65	37.0	3.55	10.30	< 0.05
344873	94139402	4.76	< 5	0.05	2.90	0.5	< 10	60.6	0.40	0.01	6.25	0.12	24.9	28.7	96	1.40	43.0	4.22	10.90	0.05
344874	94139402	5.44	< 5	0.06	3.15	0.2	< 10	116.0	0.45	0.02	6.09	0.13	27.8	30.3	85	2.40	44.8	4.20	9.35	< 0.05
344875	94139402	5.06	< 5	0.04	3.81	0.1	< 10	145.8	0.60	0.02	6.32	0.12	27.3	28.1	82	2.60	41.4	4.11	9.45	< 0.05
344876	94139402	5.06	< 5	0.05	3.52	< 0.1	< 10	79.8	0.50	0.01	7.94	0.08	27.2	27.4	94	1.75	39.6	3.92	9.90	< 0.05
344877	94139402	5.30	< 5	0.05	3.94	< 0.1	< 10	143.4	0.65	0.01	8.86	0.10	26.4	28.7	75	2.85	40.8	4.19	9.85	< 0.05
344878	94139402	5.04	< 5	0.04	2.94	< 0.1	< 10	131.6	0.50	0.01	9.80	0.09	25.0	25.7	79	1.80	41.6	4.09	9.95	< 0.05
344879	94139402	5.44	< 5	0.03	3.00	1.3	< 10	109.0	0.45	0.03	8.31	0.12	27.1	29.3	89	1.40	41.8	4.38	10.45	< 0.05
344880	94139402	5.00	< 5	0.06	3.61	9.9	< 10	110.4	0.50	0.02	9.15	0.12	26.4	28.7	80	2.45	36.8	4.35	10.20	< 0.05
344881	94139402	5.22	< 5	0.08	3.47	11.1	< 10	77.6	0.50	0.02	9.56	0.09	29.1	29.8	68	3.00	37.0	4.36	9.95	< 0.05
344882	94139402	2.64	< 5	0.04	1.65	11.0	< 10	209.0	0.55	0.02	9.09	0.12	27.7	28.1	32	4.65	35.6	4.28	3.40	< 0.05
344883	94139402	2.72	< 5	0.05	2.78	7.5	< 10	216.8	0.65	0.02	9.64	0.12	26.4	29.4	52	3.80	33.8	4.25	6.30	< 0.05
344884	94139402	2.70	< 5	0.04	3.71	0.1	< 10	143.4	0.75	0.03	10.65	0.13	29.6	28.8	77	3.30	38.4	4.41	8.70	< 0.05
344885	94139402	2.70	< 5	0.09	2.84	1.5	< 10	207.8	0.70	0.02	12.50	0.14	24.9	26.1	62	3.00	32.6	3.84	6.30	< 0.05
344886	94139402	2.64	< 5	0.05	1.55	3.7	< 10	72.0	0.50	0.01	10.10	0.13	24.0	26.0	49	3.05	34.4	4.02	5.65	< 0.05
344887	94139402	2.88	< 5	0.05	1.45	9.5	< 10	109.8	0.45	0.01	10.90	0.11	24.2	27.0	37	3.05	35.0	3.77	4.00	< 0.05
344888	94139402	2.32	< 5	0.19	0.79	38.7	< 10	39.4	0.45	0.02	11.50	0.10	19.95	24.3	22	1.85	33.0	3.21	2.20	< 0.05
344889	94139402	2.62	< 5	0.26	0.56	96.7	< 10	77.2	0.45	0.01	8.20	0.10	25.1	27.8	18	3.25	35.0	4.00	1.55	< 0.05
344890	9400 225	0.10	50	0.27	2.25	550	< 10	494.6	1.00	0.19	0.58	2.88	53.8	22.6	38	10.60	78.6	3.68	6.80	0.10
344891	94139402	3.42	< 5	0.11	2.97	1.9	< 10	95.8	0.60	0.01	11.65	0.13	28.4	29.7	84	2.25	38.4	4.48	9.20	< 0.05
344892	94139402	2.82	< 5	0.09	2.84	1.0	< 10	104.4	0.60	0.01	8.65	0.13	27.4	32.0	123	1.05	45.2	4.67	12.00	0.15

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : 10121155
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121155

SAMPLE	PREF CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344866	94139402	0.10	0.09	0.045	0.06	12.2	26.3	2.73	975	0.65	0.05 <	0.05	79.8	1030	3.2	2.6	0.001	0.30	0.15	12.9
344867	94139402	0.08	0.09	0.035	0.07	12.4	28.5	2.81	1095	0.45	0.05 <	0.05	71.6	1180	2.4	3.4	0.001	0.48	0.10	13.9
344868	94139402	0.10	0.07	0.040	0.05	13.0	32.4	2.99	970	0.30	0.08 <	0.05	83.6	1150	2.4	2.3 <	0.001	0.15	0.05	19.4
344869	94139402	0.10	0.04	0.045	0.09	12.4	32.9	2.82	1090	0.25	0.11 <	0.05	77.2	1230	2.0	4.8	0.001	0.10	0.05	21.6
344870	94139402	0.20	0.03	0.050	0.09	12.2	34.9	2.76	1035	0.25	0.12 <	0.05	79.8	1010	2.0	5.2	0.001	0.14 <	0.05	22.0
344871	94139402	0.26	0.05	0.045	0.07	13.6	37.6	2.83	955	0.40	0.10 <	0.05	83.3	1220	2.8	3.6	0.002	0.64	0.05	20.1
344872	94139402	0.20	0.12	0.050	0.02	10.8	25.8	2.20	840	0.55	0.04 <	0.05	71.4	1290	2.4	1.0	0.001	1.84	0.05	15.7
344873	94139402	0.30	0.09	0.055	0.04	11.8	32.8	2.72	705	0.50	0.07	0.05	72.0	1210	3.0	1.7	0.001	1.89	0.05	18.5
344874	94139402	0.62	0.06	0.050	0.07	12.6	35.0	2.86	730	0.45	0.10	0.10	72.6	1270	3.2	3.4	0.001	1.47	0.05	20.8
344875	94139402	0.76	0.06	0.055	0.06	13.0	41.7	3.32	745	0.30	0.11	0.05	80.0	1220	2.4	2.9	0.002	0.62	0.05	20.0
344876	94139402	0.52	0.02	0.035	0.05	12.8	40.5	3.20	815	0.50	0.07	0.05	85.0	1380	2.2	2.3	0.001	0.15	0.10	16.7
344877	94139402	0.46 <	0.01	0.045	0.06	12.4	49.1	3.43	950	0.35	0.10	0.05	78.2	1130	2.2	3.3	0.001	0.16	0.05	20.3
344878	94139402	0.58	0.05	0.050	0.04	11.6	32.9	2.51	890	0.55	0.10	0.15	75.3	1200	2.0	2.1 <	0.001	0.81 <	0.05	21.1
344879	94139402	0.58	0.04	0.045	0.04	13.0	32.9	2.51	860	0.70	0.08	0.05	96.3	1300	2.0	2.0 <	0.001	0.94	0.20	19.4
344880	94139402	0.20	0.08	0.045	0.06	12.6	40.0	2.95	845	0.45	0.10	0.05	81.1	1280	2.2	2.7	0.001	1.13	0.65	17.7
344881	94139402	0.08	0.08	0.045	0.10	13.6	38.7	2.69	885	0.40	0.10 <	0.05	77.1	1420	2.6	4.4	0.004	1.47	0.80	18.1
344882	94139402	0.06	0.05	0.050	0.18	13.2	13.1	3.20	980	0.30	0.16 <	0.05	73.5	1380	2.4	6.9	0.001	0.39	0.55	24.2
344883	94139402	0.06	0.11	0.045	0.13	12.4	28.0	3.10	1005	0.45	0.10 <	0.05	87.3	1330	2.2	4.9	0.001	0.30	0.25	19.9
344884	94139402	0.06	0.09	0.055	0.11	14.0	37.1	2.77	1020	0.50	0.11 <	0.05	95.4	1360	2.2	4.2	0.001	0.75 <	0.05	19.6
344885	94139402	0.08	0.07	0.035	0.12	11.6	25.2	2.41	1230	0.35	0.10 <	0.05	85.8	1370	2.0	4.3	0.002	0.57	0.05	18.8
344886	94139402	0.04	0.05	0.045	0.09	11.0	14.6	2.32	880	0.50	0.09 <	0.05	84.7	1260	2.6	3.7 <	0.001	1.86	0.20	11.4
344887	94139402	0.06	0.12	0.040	0.12	10.8	16.1	2.32	940	0.40	0.08 <	0.05	85.5	1290	2.2	4.8	0.003	1.35	1.50	15.5
344888	94139402	0.04	0.08	0.030	0.12	8.4	9.5	1.68	825	0.50	0.07 <	0.05	76.6	1230	3.4	4.8	0.001	1.44	2.45	12.4
344889	94139402	0.04	0.01	0.040	0.15	11.6	5.6	2.64	840	0.60	0.10 <	0.05	87.6	1290	3.0	5.7	0.001	0.70	1.40	19.3
344890	9400 225	0.28	0.22	0.035	0.64	26.0	25.7	0.98	1105	3.45	0.01	0.65	109.4	1630	10.0	49.9	0.002	0.03	4.75	7.6
344891	94139402	0.34	0.07	0.045	0.06	13.4	32.1	2.31	1060	0.90	0.07	0.05	99.4	1320	4.2	3.1 <	0.001	1.53	0.20	17.6
344892	94139402	0.42	0.08	0.045	0.03	13.0	23.2	2.37	890	1.10	0.07	0.15	104.6	1490	3.2	1.6 <	0.001	1.20	0.05	22.2

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : 10121155
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121155

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344866	94139402	0.6	0.6	113.4	< 0.01	0.01	1.4	< 0.01	0.06	0.15	116	< 0.05	14.25	52	1.0
344867	94139402	0.6	0.4	129.5	< 0.01	0.03	0.8	< 0.01	0.06	0.15	98	0.05	14.85	48	0.5
344868	94139402	0.4	0.6	134.1	< 0.01	0.07	0.6	< 0.01	0.02	0.15	137	< 0.05	15.90	52	1.0
344869	94139402	0.6	0.8	147.0	< 0.01	< 0.01	0.6	< 0.01	< 0.02	0.15	107	< 0.05	17.55	56	1.5
344870	94139402	0.6	1.0	145.7	< 0.01	< 0.01	0.6	0.01	0.02	0.20	112	< 0.05	17.35	52	2.5
344871	94139402	0.6	1.2	128.6	0.01	0.07	0.6	0.07	0.04	0.20	130	< 0.05	17.30	54	6.0
344872	94139402	0.4	0.8	113.1	< 0.01	0.03	0.6	0.03	0.12	0.20	158	0.05	12.40	52	2.5
344873	94139402	0.6	1.4	85.3	< 0.01	0.03	0.6	0.09	0.10	0.20	162	0.05	13.95	60	6.0
344874	94139402	0.8	1.4	92.7	< 0.01	< 0.01	0.6	0.19	0.08	0.25	143	0.05	16.00	62	11.0
344875	94139402	0.4	1.2	108.0	< 0.01	< 0.01	0.6	0.18	0.06	0.20	136	0.05	16.35	58	12.5
344876	94139402	0.2	0.8	96.6	< 0.01	0.01	0.6	0.16	0.02	0.25	135	< 0.05	16.30	54	11.0
344877	94139402	0.2	0.8	141.0	< 0.01	0.04	0.6	0.18	0.02	0.35	119	< 0.05	17.25	50	14.5
344878	94139402	0.4	0.8	123.0	< 0.01	0.01	0.8	0.26	0.08	0.40	121	0.05	16.95	46	22.5
344879	94139402	0.6	1.0	103.6	< 0.01	< 0.01	0.8	0.17	0.06	0.25	134	< 0.05	15.90	54	15.0
344880	94139402	0.4	0.8	121.4	< 0.01	0.01	0.6	0.04	0.12	0.15	134	< 0.05	15.15	56	4.5
344881	94139402	0.6	0.6	140.4	0.01	< 0.01	0.6	< 0.01	0.18	0.20	115	< 0.05	16.55	60	1.5
344882	94139402	0.6	0.2	197.8	< 0.01	0.03	0.8	< 0.01	0.06	0.15	52	< 0.05	16.50	52	0.5
344883	94139402	0.6	0.6	173.8	< 0.01	0.03	0.8	< 0.01	0.06	0.15	83	< 0.05	16.55	50	0.5
344884	94139402	0.8	0.6	165.2	< 0.01	< 0.01	1.0	< 0.01	0.04	0.15	112	< 0.05	17.45	58	1.5
344885	94139402	0.6	0.6	180.8	< 0.01	0.01	1.0	< 0.01	0.06	0.30	85	< 0.05	17.05	52	0.5
344886	94139402	0.6	0.2	137.7	< 0.01	0.03	1.4	< 0.01	0.06	0.20	73	< 0.05	15.20	42	0.5
344887	94139402	0.6	0.4	202.0	< 0.01	0.03	1.0	< 0.01	0.18	0.20	60	< 0.05	13.85	40	0.5
344888	94139402	0.6	1.0	291.0	< 0.01	0.09	0.8	< 0.01	0.14	0.15	33	< 0.05	13.40	34	0.5
344889	94139402	0.8	0.2	186.2	< 0.01	0.03	1.0	< 0.01	0.08	0.15	40	< 0.05	16.20	42	0.5
344890	9400 225	1.2	1.0	68.6	< 0.01	0.07	6.2	0.08	1.50	3.60	76	0.70	17.45	676	8.0
344891	94139402	0.6	0.8	175.8	< 0.01	0.04	2.6	0.09	0.16	0.35	130	0.05	17.20	42	10.0
344892	94139402	0.6	0.8	103.7	< 0.01	0.04	1.6	0.30	0.08	0.45	145	0.05	18.45	52	19.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : 10121156
 P.O. Number :
 Account : SWY

Project : RDN - 01-15
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121156

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344893	94139402	2.56	< 5	0.18	0.80	1.9	< 10	473.6	0.60	0.03	2.60	0.07	42.3	4.9	16	1.70	3.6	1.55	3.00	< 0.05
344894	94139402	2.80	< 5	0.05	0.78	2.1	< 10	142.8	0.55	0.01	2.73	0.04	45.7	5.1	13	2.00	2.0	1.32	3.20	< 0.05
344895	94139402	2.62	< 5	0.21	0.47	2.2	< 10	493.7	0.35	0.05	2.65	0.08	37.2	4.2	18	1.70	3.2	1.36	1.85	< 0.05
344896	94139402	2.56	< 5	0.09	0.26	1.8	< 10	611.2	0.45	0.06	4.79	0.23	39.7	2.9	10	1.95	4.2	1.08	0.90	< 0.05
344897	94139402	2.40	< 5	0.04	0.27	1.4	< 10	323.0	0.55	0.05	2.72	0.04	40.9	4.3	13	1.55	2.6	1.38	0.90	< 0.05
344898	94139402	2.58	< 5	0.03	0.43	1.3	< 10	175.6	0.65	0.04	2.82	0.04	45.0	5.1	12	1.75	3.2	1.48	1.70	< 0.05
344899	94139402	2.58	< 5	0.01	0.51	1.1	< 10	254.0	0.50	0.01	2.61	0.06	39.1	4.4	13	1.70	2.2	1.64	2.15	< 0.05
344900	94139402	3.96	< 5	0.05	0.27	0.9	< 10	1525.5	0.60	0.02	3.38	0.06	34.0	4.5	8	1.65	6.6	1.55	0.80	< 0.05
344901	94139402	2.48	< 5	0.05	0.27	0.9	< 10	582.3	0.60	0.08	5.21	0.56	41.0	3.8	10	1.60	2.8	1.24	0.90	< 0.05
344902	94139402	2.40	< 5	0.05	0.27	1.0	< 10	1060.5	0.45	0.07	2.40	0.06	36.4	4.4	11	1.50	2.2	1.37	0.75	< 0.05
344903	94139402	4.22	< 5	0.54	0.32	50.4	< 10	106.2	0.55	0.23	2.08	0.06	38.1	6.8	8	1.40	165.5	1.51	0.80	< 0.05
344904	94139402	3.28	< 5	1.02	0.28	98.9	< 10	546.6	0.55	0.52	2.67	0.15	36.1	6.4	9	1.30	276	1.37	0.65	< 0.05
344905	94139402	2.98	< 5	0.15	0.28	1.0	< 10	543.0	0.50	0.10	3.06	0.05	37.2	4.5	11	1.50	11.0	1.37	0.70	< 0.05
344906	94139402	2.38	< 5	0.68	0.33	0.6	< 10	245.0	0.45	0.07	2.34	0.02	38.3	7.2	12	1.95	87.5	2.03	1.40	< 0.05
344907	94139402	2.40	< 5	0.04	0.44	0.6	< 10	322.4	0.30	0.01	1.62	0.04	36.3	6.3	19	1.70	4.8	2.13	2.45	< 0.05
344908	94139402	2.74	< 5	0.06	0.98	0.5	< 10	427.6	0.20	0.01	2.43	0.05	37.6	6.3	18	0.90	7.2	2.03	5.25	< 0.05
344909	94139402	3.54	< 5	0.15	0.42	0.5	< 10	247.0	0.25	0.03	2.26	0.07	39.0	6.0	16	1.95	11.2	1.92	2.00	< 0.05

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : I0121156
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121156

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	
344893	94139402	0.12	0.03	0.005	0.22	24.2	8.3	0.47	2330	0.30	0.01 < 0.05	2.4	780	2.4	10.6 < 0.001	< 0.01	0.65	2.1			
344894	94139402	0.08	0.01	0.005	0.21	25.6	9.8	0.56	2260	0.20	0.01 < 0.05	1.8	770	2.0	10.1 < 0.001	< 0.01	0.40	2.3			
344895	94139402	0.16	0.01	0.005	0.24	20.8	4.3	0.33	2070	0.35 < 0.01	< 0.05	2.0	710	6.0	11.1 < 0.001	< 0.01	0.90	1.6			
344896	94139402	0.12	0.01	0.005	0.24	21.8	0.7	0.26	2860	0.35	0.01 < 0.05	2.2	680	10.2	11.7 < 0.001	0.01	0.40	1.8			
344897	94139402	0.14	0.03	0.010	0.24	22.6	1.0	0.35	2080	0.40	0.05 < 0.05	1.6	740	2.6	10.8 < 0.001	< 0.01	0.30	1.9			
344898	94139402	0.12	0.03	0.015	0.24	26.0	4.4	0.51	2680	0.25	0.04 < 0.05	1.8	760	2.0	11.8 < 0.001	< 0.01	0.25	2.1			
344899	94139402	0.14 < 0.01	0.015	0.26	21.8	4.9	0.50	2660	0.20	0.03 < 0.05	1.6	770	2.4	11.9 < 0.001	< 0.01	0.20	2.4				
344900	94139402	0.12	0.03	0.005	0.25	19.2	1.0	0.56	3380	0.20	0.04 < 0.05	1.8	690	4.6	12.0 < 0.001	0.04	0.20	2.2			
344901	94139402	0.08 < 0.01	0.010	0.26	23.6	0.6	0.41	3330	0.20	0.03 < 0.05	2.2	670	13.6	12.5 < 0.001	0.01	0.25	2.0				
344902	94139402	0.08	0.01	0.010	0.25	20.2	0.7	0.45	2530	0.15	0.05 < 0.05	1.4	670	2.6	11.4 < 0.001	0.02	0.15	2.0			
344903	94139402	0.10	0.06	0.010	0.25	21.6	2.0	0.41	2830	0.40	0.05 < 0.05	2.2	700	29.4	11.9 < 0.001	0.02	3.70	2.2			
344904	94139402	0.16	0.08	0.010	0.23	20.2	2.0	0.41	3150	3.25	0.05 < 0.05	2.6	660	48.8	11.3 < 0.001	0.04	7.15	1.9			
344905	94139402	0.10	0.02	0.005	0.24	21.4	1.1	0.47	2940	0.20	0.06 < 0.05	1.8	670	5.0	11.5	0.001	0.01	0.15	2.0		
344906	94139402	0.12	0.09	0.015	0.24	21.0	3.2	0.61	3990	1.15	0.04 < 0.05	1.8	740	7.0	11.6	0.003 < 0.01	0.25	2.0			
344907	94139402	0.08	0.01	0.015	0.23	20.2	7.3	0.72	3690	0.80	0.04 < 0.05	1.4	680	3.2	10.3	0.001 < 0.01	0.15	1.9			
344908	94139402	0.16 < 0.01	0.010	0.18	21.6	10.9	0.56	3880	0.60	0.02 < 0.05	1.8	640	3.6	8.7	0.002 < 0.01	0.15	2.2				
344909	94139402	0.12 < 0.01	0.010	0.25	22.4	4.2	0.52	3530	1.05	0.03 < 0.05	1.8	730	7.2	12.2	0.001 < 0.01	0.15	2.0				

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 01-AUG-2001
 Invoice No. : 10121156
 P.O. Number :
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121156

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344893	94139402	0.2	0.6	64.9	< 0.01	< 0.01	2.0	< 0.01	0.14	1.10	24	0.95	9.70	96	3.0
344894	94139402	< 0.2	0.2	72.0	< 0.01	0.04	2.2	< 0.01	0.08	1.20	20	0.05	9.45	102	3.0
344895	94139402	0.2	0.2	96.4	< 0.01	0.02	2.8	< 0.01	0.10	0.85	25	0.20	8.25	88	4.0
344896	94139402	0.2	0.4	187.2	< 0.01	0.04	2.8	< 0.01	0.12	0.80	20	0.30	10.65	46	3.0
344897	94139402	0.4	0.6	102.4	< 0.01	0.03	2.0	< 0.01	0.12	1.25	20	0.10	9.65	72	3.0
344898	94139402	0.6	0.6	102.6	< 0.01	< 0.01	2.4	< 0.01	0.12	0.80	17	0.10	10.80	118	2.5
344899	94139402	0.6	0.2	107.9	< 0.01	< 0.01	2.0	< 0.01	0.10	0.85	25	0.30	8.90	104	3.5
344900	94139402	0.2	1.2	173.2	< 0.01	0.04	2.0	< 0.01	0.12	0.60	19	0.25	9.25	88	2.5
344901	94139402	0.4	0.4	153.8	< 0.01	0.04	2.0	< 0.01	0.12	0.85	17	0.15	11.15	62	2.5
344902	94139402	0.6	0.2	106.0	< 0.01	0.01	2.0	< 0.01	0.12	0.50	14	0.15	7.80	86	2.5
344903	94139402	0.4	0.4	69.6	< 0.01	0.08	2.0	< 0.01	0.24	0.60	8	0.05	8.30	166	3.0
344904	94139402	0.6	0.6	108.2	< 0.01	0.04	1.8	< 0.01	0.22	0.60	6	0.05	8.70	158	2.5
344905	94139402	0.2	1.6	113.7	< 0.01	0.03	1.8	< 0.01	0.12	0.75	17	0.10	8.10	106	2.0
344906	94139402	0.4	0.6	76.3	< 0.01	0.03	2.2	< 0.01	0.12	0.75	20	0.05	8.00	188	2.5
344907	94139402	0.4	0.6	73.6	< 0.01	0.01	2.0	< 0.01	0.12	1.15	23	0.05	6.80	218	2.5
344908	94139402	0.2	0.8	83.1	< 0.01	0.04	2.2	< 0.01	0.08	0.90	30	0.20	7.35	212	2.5
344909	94139402	0.6	0.6	64.6	< 0.01	0.03	2.2	< 0.01	0.12	0.75	22	0.10	7.90	208	2.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218


To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 03-AUG-2001
 Invoice No. : 10121321
 P.O. Number :
 Account : SWY

Project: RDNO1-16
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121321

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
344910	94139402	2.54	< 5	0.07	2.98	1.5	< 10	670.7	0.50	0.08	8.60	0.14	32.4	27.3	181	1.05	106.5	5.02	10.90	0.15
344911	94139402	2.52	< 5	0.25	2.62	13.2	< 10	204.6	0.50	0.09	6.44	0.22	30.2	24.3	14	1.30	104.5	5.23	7.20	0.10
344912	94139402	2.68	< 5	0.07	2.51	6.0	< 10	143.0	0.60	0.10	8.80	0.16	32.9	22.0	64	1.35	95.0	4.89	7.90	0.15
344913	94139402	2.70	< 5	0.15	1.74	22.3	< 10	50.4	0.50	0.08	6.66	0.40	28.0	20.8	40	1.10	98.4	4.65	6.15	0.05
344914	94139402	4.24	< 5	0.01	0.61	< 0.1	< 10	696.0	0.35	0.05	9.64	0.18	32.3	22.7	49	1.05	86.1	4.64	2.65	0.10
344915	94139402	2.72	< 5	0.17	0.96	6.5	< 10	204.8	0.50	0.05	6.59	0.18	25.8	20.9	9	1.60	98.4	4.85	2.75	0.10
344916	94139402	4.08	< 5	0.38	0.28	20.9	< 10	120.6	0.55	0.09	5.56	0.71	12.15	18.0	4	2.20	115.5	3.81	0.75	0.05
344917	94139402	3.78	< 5	0.32	0.47	18.8	< 10	154.6	0.60	0.09	5.57	0.36	11.70	19.6	8	1.65	91.9	3.91	1.25	0.05
344918	94139402	4.22	5	0.19	1.02	6.6	< 10	86.2	0.55	0.12	5.72	0.35	19.50	18.9	11	1.70	90.8	4.31	2.85	0.05
344919	94139402	4.16	10	0.14	0.52	5.9	< 10	174.0	0.50	0.27	2.41	0.28	10.90	11.1	9	2.35	31.4	2.98	1.25	0.05
344920	225 --	0.10	100	0.27	2.06	782	< 10	805.1	0.50	0.75	1.19	1.20	27.5	7.2	81	1.60	92.3	3.21	5.45	0.05
344921	94139402	3.74	25	0.12	0.36	10.2	< 10	47.4	0.50	0.42	1.87	0.24	8.20	13.8	10	2.30	36.6	3.23	0.80	0.05
344922	94139402	2.40	< 5	0.29	0.34	12.6	< 10	66.8	0.35	0.17	4.79	0.43	7.38	17.7	12	1.15	60.9	3.52	0.85	0.05
344923	94139402	3.60	< 5	0.24	0.39	12.2	< 10	187.8	0.60	0.04	5.20	0.15	13.05	19.2	6	1.45	85.3	4.33	1.45	0.05
344924	94139402	2.60	< 5	0.08	1.03	2.0	< 10	371.6	0.60	0.02	4.42	0.08	20.6	20.8	5	1.60	145.5	5.14	3.55	0.10
344925	94139402	2.40	< 5	0.26	0.27	27.0	< 10	143.6	0.50	0.09	5.35	0.41	12.75	16.7	6	1.85	75.4	3.74	0.60	0.05
344926	94139402	2.80	< 5	0.35	0.36	54.4	< 10	162.8	0.40	0.07	5.52	0.57	9.24	16.3	7	1.70	80.6	3.63	0.85	0.05
344927	94139402	2.72	< 5	0.38	0.72	19.0	< 10	189.4	0.55	0.04	5.33	0.12	15.60	22.0	23	1.85	119.0	4.16	2.20	0.05
344928	94139402	2.72	< 5	0.04	0.43	0.1	< 10	679.2	0.55	0.01	7.04	0.10	21.0	15.6	3	1.40	114.0	3.92	1.20	0.05
344929	94139402	4.74	< 5	0.31	0.52	34.5	< 10	109.6	0.55	0.09	5.43	0.37	15.10	16.0	4	2.10	72.3	3.63	1.45	0.05
344930	94139402	3.40	< 5	0.18	0.53	57.6	< 10	67.8	1.10	0.16	2.82	0.21	16.90	9.4	6	1.95	23.8	2.65	1.05	< 0.05
344931	94139402	3.88	< 5	0.19	0.30	13.3	< 10	99.6	0.50	0.06	3.87	0.47	21.9	7.0	6	2.45	13.2	2.00	0.65	< 0.05
344932	94139402	4.04	< 5	0.29	0.41	12.4	< 10	74.2	0.70	0.07	3.52	0.42	19.00	6.6	12	2.00	16.6	2.38	0.80	< 0.05
344933	94139402	4.38	< 5	0.07	0.30	32.7	< 10	42.6	0.85	0.08	2.77	0.08	18.05	9.6	8	2.00	36.8	4.06	0.60	0.05
344934	94139402	4.04	< 5	0.07	0.38	6.4	< 10	57.8	0.55	0.01	3.36	0.09	17.10	7.1	15	1.55	28.6	2.86	0.80	0.05
344935	94139402	4.18	< 5	0.07	0.32	5.7	< 10	52.8	0.50	0.03	3.10	0.11	18.55	7.7	14	1.75	60.5	2.75	0.75	0.05

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 03-AUG-2001
 Invoice No. : I0121321
 P.O. Number :
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121321

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344910	94139402	0.18	0.06	0.050	0.07	15.2	36.0	3.26	1170	0.35	0.01	0.15	57.8	1960	3.8	3.0<	0.001	0.10	0.20	28.2
344911	94139402	0.14	0.16	0.045	0.24	13.6	29.4	2.39	1235	1.20	0.01	0.10	29.0	2190	11.8	6.5	0.001	0.45	1.70	13.3
344912	94139402	0.10	0.15	0.040	0.09	15.0	31.8	2.85	1255	2.50	0.02	0.05	56.7	1960	10.0	3.0	0.001	0.56	1.70	14.8
344913	94139402	0.10	0.44	0.035	0.15	12.4	23.6	2.25	970	4.15	0.03	0.15	66.3	1890	19.8	4.2	0.003	1.45	4.15	10.8
344914	94139402	0.10	0.05	0.035	0.14	15.0	6.3	3.21	1320	0.15	0.02	0.05	34.0	1890	2.4	4.7<	0.001	0.05	0.30	21.9
344915	94139402	0.10	0.09	0.035	0.26	11.0	9.2	2.58	1290	0.65	0.02	0.05	26.4	1960	8.8	6.9	0.001	0.34	1.45	10.7
344916	94139402	0.08	0.14	0.025	0.20	4.2	1.4	1.79	985	2.60	0.02	< 0.05	49.2	1680	16.0	5.7	0.003	0.65	3.30	9.9
344917	94139402	0.10	0.11	0.025	0.28	4.2	3.3	1.95	970	1.10	0.03	< 0.05	57.3	1510	12.0	7.0	0.001	0.52	2.00	9.7
344918	94139402	0.08	0.15	0.030	0.19	7.4	13.6	1.75	1180	1.40	0.03	0.05	21.2	2000	12.2	5.4	0.003	0.89	1.70	10.2
344919	94139402	0.14	0.65	0.025	0.29	4.4	4.7	0.80	910	1.70	0.04	< 0.05	8.6	1140	10.2	7.3	0.003	1.21	0.85	6.0
344920	225 --	0.34	8.43	0.060	0.44	14.4	8.4	0.27	285	9.85	0.02	0.05	35.2	1090	14.0	19.1	0.006	0.15	30.80	6.1
344921	94139402	0.18	0.52	0.020	0.28	3.4	2.4	0.58	695	3.05	0.04	< 0.05	6.8	1260	10.6	7.3	0.007	2.28	0.85	4.6
344922	94139402	0.08	0.53	0.015	0.26	2.8	3.5	1.64	1200	1.65	0.04	< 0.05	38.4	830	10.0	6.4	0.002	1.20	2.30	6.3
344923	94139402	0.08	0.19	0.035	0.19	5.2	6.3	1.89	1050	0.75	0.05	< 0.05	51.5	1160	7.4	5.4	0.001	0.36	1.75	11.3
344924	94139402	0.10	0.11	0.025	0.24	8.2	12.5	1.77	960	0.25	0.06	< 0.05	20.2	1960	2.6	6.7<	0.001	0.17	0.25	11.5
344925	94139402	0.10	0.09	0.025	0.24	4.8	0.9	1.61	1110	1.65	0.06	< 0.05	57.9	1160	11.8	6.7	0.001	0.52	2.60	10.0
344926	94139402	0.08	0.13	0.025	0.27	3.4	1.7	1.98	855	0.90	0.06	< 0.05	79.7	1260	11.8	6.5	0.001	0.40	2.60	8.5
344927	94139402	0.06	0.06	0.035	0.19	6.4	9.4	2.20	1025	0.40	0.06	< 0.05	136.6	1090	7.0	5.1<	0.001	0.15	1.70	10.7
344928	94139402	0.08	0.06	0.030	0.33	9.6	3.0	1.93	1060	0.15	0.06	< 0.05	8.8	1440	2.4	9.8	0.001	0.03	0.30	10.6
344929	94139402	0.12	0.12	0.025	0.27	5.8	4.2	1.45	1300	1.55	0.06	0.05	40.4	1230	17.2	9.1	0.001	0.88	2.40	9.2
344930	94139402	0.12	0.24	0.020	0.36	7.4	3.2	0.50	940	2.10	0.06	< 0.05	8.8	1260	22.2	10.2	0.001	1.54	2.25	4.9
344931	94139402	0.12	0.24	0.005	0.29	11.2	1.2	0.44	1325	3.10	0.06	< 0.05	3.8	1080	29.8	8.9	0.001	1.06	1.25	3.4
344932	94139402	0.14	0.29	0.015	0.37	9.2	1.0	0.57	1550	3.35	0.06	< 0.05	3.4	1190	29.0	10.2<	0.001	1.57	1.15	3.8
344933	94139402	0.12	0.90	0.005	0.22	9.0	0.8	0.17	750	2.00	0.09	< 0.05	3.8	1440	14.2	5.6<	0.001	4.56	1.65	2.3
344934	94139402	0.12	0.53	0.005	0.30	9.2	1.5	0.27	1170	1.30	0.08	< 0.05	2.8	1050	9.6	7.4<	0.001	2.89	1.15	2.2
344935	94139402	0.12	0.59	0.005	0.23	10.0	1.3	0.28	1125	1.50	0.07	< 0.05	3.8	1070	9.0	6.1<	0.001	2.87	1.15	2.2

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 03-AUG-2001
 Invoice No. : 10121321
 P.O. Number :
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121321

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344910	94139402	0.2	0.8	448.0	0.02	0.17	2.6 < 0.01	0.02	0.25	164	0.10	11.30		82	0.5
344911	94139402	0.2	1.0	540.0	0.01	0.22	2.6 < 0.01	0.12	0.20	96	0.05	14.95		88	0.5
344912	94139402	0.2	1.0	669.0	0.01	0.16	2.2 < 0.01	0.12	0.15	105 < 0.05	12.85		64	0.5	
344913	94139402	0.6	1.8	387.0	0.01	0.17	2.2 < 0.01	0.24	0.20	84 < 0.05	11.35		84	1.0	
344914	94139402	0.2	0.8	447.0	< 0.01	0.11	1.8 < 0.01	0.02	0.20	80	0.05	11.45		52	0.5
344915	94139402	0.2	0.6	380.0	< 0.01	0.13	1.6 < 0.01	0.10	0.10	52 < 0.05	14.10		90	0.5	
344916	94139402	0.6	0.4	346.0	< 0.01	0.15	1.8 < 0.01	0.10	0.15	19 < 0.05	10.85		76	0.5	
344917	94139402	0.6	0.6	383.0	< 0.01	0.19	1.4 < 0.01	0.08	0.15	24 < 0.05	10.65		62	0.5	
344918	94139402	0.6	0.8	537.0	< 0.01	0.34	1.8 < 0.01	0.10	0.15	47 < 0.05	11.85		90	1.0	
344919	94139402	0.8	0.6	2800	< 0.01	1.25	1.6 < 0.01	0.08	0.30	19 < 0.05	8.85		60	2.5	
344920	225 --	2.4	1.4	77.5	< 0.01	0.24	4.2	0.01	1.96	4.20	159	2.10	12.90	80	8.5
344921	94139402	1.6	0.6	355.0	< 0.01	0.69	2.6 < 0.01	0.12	0.35	13	0.05	7.65		34	4.0
344922	94139402	0.6	2.4	539.0	< 0.01	0.34	1.6 < 0.01	0.08	0.20	19 < 0.05	7.75		54	1.0	
344923	94139402	0.2	0.6	301.0	< 0.01	0.12	1.6 < 0.01	0.06	0.15	43 < 0.05	11.15		62	0.5	
344924	94139402	0.2	0.4	229.6	< 0.01	0.08	2.0 < 0.01	0.06	0.25	55 < 0.05	13.75		76	0.5	
344925	94139402	0.4	0.6	316.0	< 0.01	0.14	1.8 < 0.01	0.08	0.15	15 < 0.05	11.05		70	1.0	
344926	94139402	0.6	0.4	360.0	< 0.01	0.15	1.4 < 0.01	0.08	0.15	18 < 0.05	10.20		62	0.5	
344927	94139402	< 0.2	0.6	314.0	< 0.01	0.11	1.2 < 0.01	0.06	0.10	38 < 0.05	9.85		44	0.5	
344928	94139402	< 0.2	0.6	366.0	< 0.01	0.12	1.6 < 0.01	0.08	0.25	46	0.05	14.10		54	0.5
344929	94139402	0.2	0.6	346.0	< 0.01	0.23	2.0 < 0.01	0.12	0.25	17 < 0.05	11.15		64	2.0	
344930	94139402	0.4	0.6	260.0	< 0.01	0.37	2.8 < 0.01	0.12	0.45	9 < 0.05	9.10		56	2.5	
344931	94139402	< 0.2	0.6	312.0	< 0.01	0.10	2.4 < 0.01	0.10	0.45	5 < 0.05	9.75		78	2.5	
344932	94139402	0.2	0.8	317.0	< 0.01	0.19	2.6 < 0.01	0.12	0.55	7 < 0.05	9.95		64	2.5	
344933	94139402	1.8	3.8	1160.0	< 0.01	2.29	3.6 < 0.01	0.16	0.40	5 < 0.05	7.25		16	2.5	
344934	94139402	0.2	4.4	1900.0	< 0.01	0.40	2.2 < 0.01	0.14	0.65	6	0.05	6.95		28	2.0
344935	94139402	0.6	11.2	1600.0	< 0.01	0.59	2.2 < 0.01	0.08	0.60	8	0.05	6.75		34	2.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 03-AUG-2001
 Invoice No. : I0121304
 P.O. Number :
 Account : SWY

Project: RDN 01-17
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344936	94139402	2.90	55	0.26	0.28	11.6	< 10	122.6	0.50	0.24	1.54	17.75	13.45	6.9	24	1.40	18.6	3.04	0.85	< 0.05
344937	94139402	3.92	45	0.13	0.52	6.0	< 10	604.8	0.65	0.13	1.56	12.50	29.4	7.0	28	1.95	13.4	2.76	1.30	< 0.05
344938	94139402	4.02	15	0.31	0.30	7.7	< 10	545.4	0.60	0.13	1.17	4.53	29.6	7.2	11	1.90	10.6	3.10	0.80	< 0.05
344939	94139402	3.80	10	0.14	0.49	6.9	< 10	563.4	0.55	0.08	0.97	2.79	28.6	5.8	22	1.50	7.2	2.85	1.20	< 0.05
344940	94139402	3.48	10	0.08	0.27	7.3	< 10	1215.5	0.45	0.07	1.42	2.57	18.30	5.7	17	1.25	6.0	2.64	0.70	< 0.05
344941	94139402	2.30	20	0.24	0.64	11.4	< 10	363.8	0.50	0.14	1.32	8.37	13.50	7.3	30	1.25	12.2	2.78	1.45	< 0.05
344942	94139402	3.82	65	0.18	0.35	7.3	< 10	635.2	0.45	0.08	1.28	8.66	27.0	6.4	16	1.90	9.0	2.36	0.95	< 0.05
344943	94139402	4.24	5	0.09	0.48	5.2	< 10	1110.0	0.50	0.04	1.82	4.46	20.9	6.6	25	1.45	5.2	2.59	1.15	< 0.05
344944	94139402	3.56	5	0.11	0.37	3.9	< 10	557.8	0.40	0.04	1.25	0.48	34.3	7.2	12	2.00	5.4	2.83	1.05	< 0.05
344945	94139402	2.74	70	0.37	0.65	9.4	< 10	352.8	0.50	0.10	0.76	3.08	37.9	7.6	23	1.70	12.0	2.82	1.50	< 0.05
344946	94139402	3.48	15	0.14	0.32	8.5	< 10	832.6	0.55	0.08	1.46	4.39	29.2	6.7	17	2.15	8.6	2.78	0.85	< 0.05
344947	94139402	3.24	55	0.16	0.56	12.4	< 10	348.0	0.70	0.06	1.34	3.01	31.0	7.3	31	2.10	10.4	2.69	1.25	< 0.05
344948	94139402	4.10	50	0.22	0.36	7.7	< 10	387.2	0.55	0.12	0.98	12.45	31.6	7.4	16	2.45	10.0	2.82	1.00	< 0.05
344949	94139402	2.16	< 5	0.04	0.60	3.4	< 10	422.6	0.60	0.03	1.28	0.66	34.9	7.3	35	2.30	5.0	2.69	1.40	< 0.05
344950	9400 225	0.06	< 5	0.15	2.85	5.9	10	699.7	1.10	0.17	1.12	0.49	48.0	9.2	39	3.35	25.0	2.25	6.90	0.05
344951	94139402	4.00	10	0.24	0.70	14.9	< 10	314.6	0.60	0.04	0.93	3.14	31.0	8.1	22	2.25	25.4	2.91	1.60	< 0.05
344952	94139402	3.78	15	0.21	0.34	13.0	< 10	255.0	0.60	0.12	0.93	9.27	30.2	7.7	17	2.20	16.4	2.75	0.95	< 0.05
344953	94139402	3.88	30	0.29	0.55	15.7	< 10	83.4	0.55	0.20	1.21	12.60	22.6	8.0	30	1.75	11.8	3.29	1.30	< 0.05
344954	94139402	3.56	35	0.31	0.36	11.7	< 10	218.6	0.50	0.09	1.19	24.0	32.3	6.5	16	2.55	22.0	2.56	0.95	< 0.05
344955	94139402	2.44	55	0.87	0.52	14.0	< 10	72.0	0.55	0.06	1.38	3.90	28.8	9.2	25	2.00	11.8	3.14	1.30	< 0.05
344956	94139402	4.38	45	0.11	0.32	12.5	< 10	136.0	0.55	0.10	1.35	0.52	29.6	7.7	17	2.50	5.6	3.02	0.85	0.05
344957	94139402	4.40	40	0.26	0.67	8.1	< 10	144.6	0.60	0.11	1.02	1.83	28.8	7.7	23	2.00	8.4	3.03	1.60	< 0.05
344958	94139402	2.30	45	2.85	0.34	41.9	< 10	37.6	0.90	0.11	1.00	10.35	19.20	9.9	14	3.40	47.8	2.91	1.00	< 0.05
344959	94139402	3.82	60	0.57	0.58	12.2	< 10	167.8	0.75	0.08	1.15	2.93	27.9	7.5	20	2.05	13.0	2.98	1.35	0.05
344960	94139402	4.20	20	0.23	0.32	11.4	< 10	372.4	0.50	0.05	1.28	1.93	34.8	7.2	13	2.35	22.0	2.88	1.05	< 0.05
344961	94139402	3.90	35	0.10	0.48	6.4	< 10	307.2	0.50	0.09	0.98	0.23	33.5	7.4	17	2.20	9.6	2.86	1.40	< 0.05
344962	94139402	3.60	130	1.10	0.30	12.4	< 10	77.0	0.70	0.46	1.50	10.00	19.70	8.1	12	2.40	14.2	2.92	0.90	< 0.05
344963	94139402	3.90	60	0.70	0.53	17.0	< 10	106.8	0.60	0.10	1.30	5.45	22.3	7.3	21	2.20	14.8	3.01	1.30	< 0.05
344964	94139402	2.40	35	0.39	0.33	20.5	< 10	53.2	0.50	0.07	0.76	10.10	25.5	8.4	15	2.40	15.4	3.12	0.95	0.05
344965	94139402	1.40	4170	6.39	0.48	794	< 10	17.2	0.70	7.71	1.01	377	16.05	10.3	18	1.85	3110	3.57	4.40	0.15
344966	94139402	4.12	25	0.29	0.34	17.1	< 10	134.0	0.40	0.23	0.91	11.05	31.8	7.3	17	2.00	31.2	2.92	1.05	< 0.05
344967	94139402	4.24	5	0.18	0.50	10.7	< 10	224.6	0.60	0.05	1.06	6.08	35.0	7.9	27	2.10	14.6	2.90	1.55	< 0.05
344968	94139402	4.04	25	0.12	0.34	16.6	< 10	591.2	0.50	0.10	1.13	7.57	37.2	7.5	15	2.70	50.4	2.81	1.15	< 0.05
344969	94139402	4.04	75	0.23	0.54	11.7	< 10	171.6	0.55	0.10	1.09	4.06	31.5	7.6	28	2.40	16.0	3.09	1.50	< 0.05
344970	94139402	3.40	15	0.30	0.31	6.2	< 10	218.2	0.45	0.04	1.02	2.20	36.9	7.2	14	2.45	11.2	2.75	1.05	0.05
344971	94139402	3.18	60	0.35	0.61	16.1	< 10	154.8	0.70	0.18	1.06	3.81	29.6	8.0	25	2.50	31.6	2.93	1.55	< 0.05
344972	94139402	4.48	35	0.17	0.29	11.2	< 10	367.2	0.70	0.11	1.45	5.82	32.3	6.7	16	2.80	33.6	2.67	0.95	< 0.05
344973	94139402	3.94	10	0.16	0.47	9.6	< 10	264.4	0.70	0.05	1.32	2.95	34.6	7.8	27	2.40	21.4	2.92	1.30	< 0.05
344974	94139402	4.06	40	0.13	0.29	10.4	< 10	361.0	0.55	0.09	1.68	6.41	34.4	7.0	17	2.40	24.6	2.94	0.90	< 0.05
344975	94139402	3.92	65	0.14	0.49	8.8	< 10	390.0	0.55	0.11	1.39	0.80	23.6	7.0	28	1.90	13.0	2.85	1.20	< 0.05

CERTIFICATION: *[Signature]*



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 03-AUG-2001
 Invoice No. : I0121304
 P.O. Number :
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	
344936	94139402	0.10	1.36	0.030	0.22	6.8	0.4	1.16	3100	0.55	0.01 < 0.05	3.0	440	606.0	8.6 < 0.001	0.82	1.20	4.2			
344937	94139402	0.14	1.18	0.030	0.39	16.0	0.6	1.24	2810	0.50	0.01 < 0.05	4.0	620	234.0	15.0 < 0.001	0.15	0.40	4.7			
344938	94139402	0.16	0.43	0.030	0.24	15.8	0.5	1.20	3430	0.40	0.01 < 0.05	2.6	750	308.4	10.3 < 0.001	0.24	0.40	4.0			
344939	94139402	0.14	0.41	0.025	0.36	15.0	0.5	1.07	3000	0.85	0.02 < 0.05	2.2	520	121.2	12.9 < 0.001	0.21	0.50	4.0			
344940	94139402	0.08	0.41	0.025	0.21	9.8	0.4	1.12	2620	0.65	0.01 < 0.05	2.4	340	47.2	8.3 < 0.001	0.08	0.45	3.9			
344941	94139402	0.12	0.79	0.025	0.43	7.4	0.8	1.01	2460	0.35	0.04 < 0.05	3.8	270	576.0	13.8 < 0.001	0.33	0.85	4.2			
344942	94139402	0.12	0.74	0.025	0.29	14.6	0.7	0.91	2370	0.25	0.03 < 0.05	3.4	510	584.0	11.7 < 0.001	0.16	0.75	3.7			
344943	94139402	0.10	0.71	0.020	0.35	11.4	0.6	1.11	2560	0.20	0.03 < 0.05	2.8	490	123.3	12.7 < 0.001	0.08	0.35	4.2			
344944	94139402	0.16	0.20	0.020	0.30	18.6	0.6	1.04	2470	0.20	0.03 < 0.05	2.4	790	45.0	11.8 < 0.001	0.09	0.35	3.5			
344945	94139402	0.14	0.24	0.025	0.46	20.4	0.7	0.88	1920	0.30	0.05 < 0.05	2.4	790	202.5	16.0 < 0.001	0.32	1.00	3.8			
344946	94139402	0.16	0.24	0.065	0.28	15.8	0.7	1.10	2160	0.65	0.04 < 0.05	2.4	730	123.0	11.7 < 0.001	0.16	0.55	3.5			
344947	94139402	0.14	0.23	0.025	0.44	16.8	0.8	1.01	2090	0.95	0.05 < 0.05	2.6	820	190.6	16.3 < 0.001	0.33	0.65	3.8			
344948	94139402	0.14	0.81	0.025	0.31	16.8	0.8	0.99	2440	0.40	0.04 < 0.05	2.2	760	608.0	12.6 < 0.001	0.27	0.75	3.8			
344949	94139402	0.12	0.11	0.025	0.48	19.0	0.9	1.06	2510	0.35	0.04 < 0.05	3.2	750	109.0	17.9 < 0.001	0.04	0.25	4.3			
344950	9400 225	0.92	0.08	0.030	0.60	23.6	21.5	0.60	525	1.10	0.20	0.15	19.8	530	15.6	39.1 < 0.001	0.03	0.95	6.3		
344951	94139402	0.18	0.24	0.015	0.50	16.4	0.8	0.97	2270	0.40	0.05 < 0.05	2.8	790	343.4	18.0 < 0.001	0.55	0.80	3.7			
344952	94139402	0.16	0.52	0.025	0.28	16.0	0.8	1.02	2150	0.60	0.05 < 0.05	3.0	780	604.0	11.6 < 0.001	0.48	0.75	3.6			
344953	94139402	0.16	0.74	0.030	0.38	12.0	1.1	1.11	2550	2.40	0.06 < 0.05	3.4	660	598.0	13.7 < 0.001	1.27	0.85	3.9			
344954	94139402	0.16	1.34	0.025	0.30	17.4	1.0	1.03	2040	1.00	0.06 < 0.05	2.6	770	380.3	12.5 < 0.001	0.53	0.80	3.6			
344955	94139402	0.20	0.30	0.035	0.39	15.0	0.9	1.12	2470	1.75	0.05 < 0.05	3.8	770	148.2	14.0 < 0.001	1.37	0.70	4.0			
344956	94139402	0.14	0.16	0.020	0.28	17.0	0.9	1.21	2520	1.00	0.06 < 0.05	2.8	760	22.2	11.1 < 0.001	0.77	0.25	3.5			
344957	94139402	0.18	0.21	0.025	0.50	17.0	1.0	1.13	2690	0.95	0.06 < 0.05	3.0	730	32.8	16.3 < 0.001	0.67	0.45	4.4			
344958	94139402	0.20	0.56	0.155	0.28	11.0	1.1	0.61	1260	4.20	0.07 < 0.05	3.6	670	428.0	13.1 < 0.001	2.18	1.70	3.3			
344959	94139402	0.22	0.24	0.030	0.44	16.2	1.0	1.03	2470	1.35	0.06 < 0.05	3.4	710	72.8	14.8 < 0.001	0.64	0.45	4.6			
344960	94139402	0.18	0.20	0.020	0.28	20.2	0.8	1.15	2700	0.95	0.06 < 0.05	3.4	800	92.0	11.2 < 0.001	0.30	0.40	4.4			
344961	94139402	0.18	0.15	0.020	0.37	19.6	0.9	1.03	2420	0.90	0.06 < 0.05	3.2	770	38.6	12.9 < 0.001	0.31	0.30	4.5			
344962	94139402	0.20	0.47	0.045	0.25	11.2	1.1	0.97	2440	1.65	0.07 < 0.05	3.6	510	175.2	10.6 < 0.001	1.12	0.70	3.9			
344963	94139402	0.16	0.38	0.020	0.40	12.4	1.0	0.97	3100	1.05	0.06 < 0.05	4.6	690	309.2	13.6 < 0.001	1.04	1.60	3.9			
344964	94139402	0.14	0.56	0.020	0.27	14.4	1.0	0.73	2290	1.35	0.07 < 0.05	4.0	760	484.0	10.3 < 0.001	1.80	1.45	3.7			
344965	94139402	< 0.02	10.60	0.130	0.36	8.8	1.3	0.60	1480	7.85	0.06 < 0.05	25.0	640	918.0	13.7 < 0.001	4.93	15.10	5.8			
344966	94139402	0.16	0.59	0.020	0.26	18.4	0.9	1.02	2580	0.90	0.06 < 0.05	3.4	800	123.8	9.7 < 0.001	0.66	1.00	3.9			
344967	94139402	0.18	0.39	0.025	0.37	20.4	1.1	1.08	2490	0.75	0.07 < 0.05	4.0	780	458.0	13.1 < 0.001	0.46	0.45	4.4			
344968	94139402	0.18	0.34	0.025	0.30	22.6	1.1	1.14	2430	0.35	0.07 < 0.05	3.6	840	152.9	12.7 < 0.001	0.14	0.30	4.0			
344969	94139402	0.20	0.26	0.020	0.41	18.4	1.0	1.01	2500	1.35	0.07 < 0.05	4.0	830	211.8	14.8 < 0.001	0.93	0.60	4.1			
344970	94139402	0.12	0.20	0.020	0.26	21.2	0.8	0.95	2460	0.40	0.06 < 0.05	3.8	820	98.6	10.5 < 0.001	0.41	0.35	3.8			
344971	94139402	0.18	0.27	0.030	0.45	16.8	1.4	0.93	2160	1.40	0.08 < 0.05	4.2	680	122.5	17.3 < 0.001	0.64	0.55	4.1			
344972	94139402	0.12	0.36	0.020	0.25	18.8	1.1	1.09	2210	0.75	0.08 < 0.05	3.8	770	158.8	10.5 < 0.001	0.22	0.35	3.9			
344973	94139402	0.18	0.31	0.020	0.36	20.2	1.2	1.02	2100	1.10	0.08 < 0.05	4.2	820	167.4	12.8 < 0.001	0.36	0.30	4.2			
344974	94139402	0.14	0.35	0.020	0.25	20.8	1.1	1.11	2230	1.30	0.07 < 0.05	3.8	760	152.0	10.1 < 0.001	0.30	0.30	3.7			
344975	94139402	0.12	0.13	0.015	0.37	14.0	1.1	0.99	2030	1.25	0.08 < 0.05	4.2	560	51.2	12.9 < 0.001	0.23	0.35	4.4			

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 2
 Certificate Date : 03-AUG-2001
 Invoice No. : I0121304
 P.O. Number :
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344936	94139402	0.4	0.6	173.7	< 0.01	0.07	2.0	< 0.01	0.14	0.40	11	0.15	5.35	2350	3.5
344937	94139402	0.2	0.4	130.9	< 0.01	0.02	2.6	< 0.01	0.14	0.60	11	0.05	7.35	1755	3.5
344938	94139402	0.2	0.4	112.7	< 0.01	0.05	3.0	< 0.01	0.14	0.55	8	0.05	6.75	794	4.0
344939	94139402	0.2	0.2	114.3	< 0.01	0.05	2.8	< 0.01	0.12	0.50	10	0.05	5.40	594	3.5
344940	94139402	< 0.2	0.2	204.0	< 0.01	0.05	2.2	< 0.01	0.08	0.40	8	0.05	3.85	530	3.0
344941	94139402	0.2	0.6	172.1	< 0.01	0.03	1.8	< 0.01	0.18	0.40	14	0.05	3.65	1190	3.0
344942	94139402	0.2	0.6	123.2	< 0.01	0.04	2.8	< 0.01	0.12	0.50	10	0.05	5.40	1180	3.5
344943	94139402	< 0.2	0.2	229.0	< 0.01	0.04	2.4	< 0.01	0.10	0.45	12	0.05	5.65	780	3.0
344944	94139402	0.2	0.4	177.0	< 0.01	0.07	4.0	< 0.01	0.08	0.60	8	0.05	6.15	272	4.0
344945	94139402	0.2	0.6	97.9	< 0.01	0.11	4.2	< 0.01	0.14	0.65	12	0.05	6.15	508	4.0
344946	94139402	0.2	0.4	178.4	< 0.01	0.06	3.0	< 0.01	0.08	0.55	8	0.05	5.95	494	3.5
344947	94139402	0.2	0.4	156.3	< 0.01	0.08	3.2	< 0.01	0.14	0.60	11	0.05	7.55	514	4.0
344948	94139402	0.2	0.2	91.4	< 0.01	0.09	3.6	< 0.01	0.12	0.55	9	0.05	7.35	1650	4.0
344949	94139402	0.2	0.2	94.0	< 0.01	0.03	3.6	< 0.01	0.14	1.10	11	0.05	8.80	316	4.0
344950	9400 225	0.4	1.2	103.4	< 0.01	0.07	7.6	0.10	0.40	1.30	58	0.35	14.90	92	28.0
344951	94139402	0.2	0.2	98.1	< 0.01	0.04	4.4	< 0.01	0.16	0.65	12	0.05	6.80	540	5.0
344952	94139402	0.2	0.6	85.6	< 0.01	0.05	3.4	< 0.01	0.12	0.55	9	0.05	6.10	1170	4.0
344953	94139402	0.2	1.0	122.4	< 0.01	0.07	3.0	< 0.01	0.30	0.50	12	0.05	5.90	1690	5.0
344954	94139402	0.2	0.6	130.9	< 0.01	0.06	3.4	< 0.01	0.14	0.55	8	0.05	5.85	2860	4.0
344955	94139402	0.2	0.6	166.8	< 0.01	0.08	3.6	< 0.01	0.18	0.65	11	0.05	6.35	568	5.0
344956	94139402	0.2	0.6	170.2	< 0.01	0.07	3.2	< 0.01	0.12	0.50	8	0.05	8.00	266	4.0
344957	94139402	0.4	0.6	130.5	< 0.01	0.07	3.4	< 0.01	0.18	0.65	14	0.05	7.65	428	4.0
344958	94139402	0.6	0.6	113.4	< 0.01	0.16	3.2	< 0.01	0.20	1.10	7	0.05	6.10	1420	5.5
344959	94139402	0.6	0.4	113.2	< 0.01	0.04	3.0	< 0.01	0.16	0.70	13	0.05	6.00	472	4.0
344960	94139402	0.4	0.4	139.5	< 0.01	0.13	3.4	< 0.01	0.10	0.70	10	0.05	8.80	446	4.5
344961	94139402	0.2	0.4	111.7	< 0.01	0.02	3.8	< 0.01	0.12	0.75	12	0.05	7.65	278	4.5
344962	94139402	0.8	1.0	171.5	< 0.01	0.29	2.6	< 0.01	0.14	0.80	9	0.05	5.40	1105	5.0
344963	94139402	0.6	0.8	142.3	< 0.01	0.18	2.8	< 0.01	0.18	0.50	11	0.05	6.40	776	4.0
344964	94139402	0.4	1.0	90.2	< 0.01	0.08	3.2	< 0.01	0.16	0.50	8	0.05	4.90	1455	4.5
344965	94139402	6.4	1.4	82.4	< 0.01	1.88	3.0	< 0.01	0.60	0.95	6	0.15	5.85	>10000	6.0
344966	94139402	0.6	0.6	110.2	< 0.01	0.06	3.4	< 0.01	0.12	0.65	10	0.05	6.45	1580	3.5
344967	94139402	0.4	0.4	83.8	< 0.01	0.02	4.0	< 0.01	0.14	0.80	13	0.05	7.65	914	4.5
344968	94139402	0.6	0.4	87.0	< 0.01	0.01	3.4	< 0.01	0.10	0.90	11	0.10	8.90	1090	4.0
344969	94139402	0.6	0.8	120.2	< 0.01	0.11	3.4	< 0.01	0.14	0.90	13	0.05	6.80	680	4.5
344970	94139402	0.6	0.8	120.9	< 0.01	0.03	3.6	< 0.01	0.10	0.85	9	0.05	7.40	436	3.5
344971	94139402	0.4	1.4	117.2	< 0.01	0.09	3.6	< 0.01	0.20	2.15	11	0.05	7.00	566	4.5
344972	94139402	0.6	1.4	170.9	< 0.01	0.07	3.4	< 0.01	0.16	0.55	8	0.05	7.25	776	3.5
344973	94139402	0.2	1.0	141.0	< 0.01	0.06	4.0	< 0.01	0.16	0.60	11	0.05	7.00	534	4.0
344974	94139402	0.2	0.8	188.6	< 0.01	0.05	3.8	< 0.01	0.12	0.55	9	0.05	6.55	814	3.5
344975	94139402	0.4	1.0	150.4	< 0.01	0.14	3.0	< 0.01	0.14	0.55	11	0.05	5.40	264	3.0

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :2
 Certificate Date: 03-AUG-2001
 Invoice No. :10121304
 P.O. Number :
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
344976	94139402	2.10	940	0.71	0.29	22.6	< 10	171.2	0.45	0.18	0.82	28.2	31.1	5.9	25	2.25	67.6	2.70	0.90	< 0.05
344977	94139402	2.98	270	0.87	0.28	88.7	< 10	91.0	0.65	0.68	0.68	27.4	24.7	7.9	30	2.50	197.5	3.11	1.05	< 0.05
344978	94139402	2.42	190	1.01	0.24	32.7	< 10	39.4	0.50	1.13	0.32	1.75	17.80	7.5	29	2.65	50.0	3.18	0.75	0.05
344979	94139402	2.10	705	4.93	0.22	223	< 10	21.0	0.40	3.26	0.37	141.0	10.45	7.9	67	1.65	613	1.96	4.75	0.25
344980	9400 225	0.10	5	0.12	2.13	7.0	< 10	635.0	1.00	0.18	1.00	0.77	42.6	7.9	16	2.50	24.6	1.97	5.60	0.05
344981	94139402	2.60	115	0.76	0.26	19.3	< 10	61.6	0.55	0.57	0.67	8.23	22.5	8.4	24	2.80	44.4	2.75	0.80	< 0.05
344982	94139402	2.52	280	0.45	0.27	20.5	< 10	111.0	0.65	0.26	1.35	3.06	36.4	7.4	23	2.70	24.2	3.00	0.90	0.05
344983	94139402	3.96	< 5	0.04	0.26	2.2	< 10	787.4	0.55	0.04	1.89	0.17	40.9	6.9	23	2.35	9.0	2.68	1.05	< 0.05
344984	94139402	4.22	< 5	0.05	0.32	2.1	< 10	866.6	0.50	0.04	1.92	0.13	35.7	6.7	29	2.20	7.8	2.56	1.10	< 0.05
344985	94139402	3.84	< 5	0.02	0.27	0.3	< 10	1126.5	0.50	0.01	2.30	0.36	38.9	6.0	24	2.05	5.4	2.47	0.95	< 0.05
344986	94139402	4.16	< 5	0.04	0.30	3.9	< 10	763.7	0.60	0.05	1.53	1.95	39.1	7.0	25	2.60	9.0	2.75	1.00	< 0.05
344987	94139402	4.20	145	0.28	0.35	19.0	< 10	222.6	0.55	0.11	1.25	12.45	35.9	7.5	36	2.55	56.5	2.99	1.15	0.05
344988	94139402	1.78	25	0.19	0.30	29.6	< 10	302.8	0.50	0.05	0.93	1.64	33.1	6.6	29	2.10	53.5	2.93	0.95	< 0.05
344989	94139402	2.76	250	0.43	0.28	42.2	< 10	97.4	0.50	0.17	1.23	3.94	24.9	7.4	19	2.45	65.0	2.87	0.85	< 0.05
344990	94139402	2.72	5	0.12	0.24	8.4	< 10	430.6	0.55	0.04	1.01	3.00	34.2	6.4	18	2.05	18.6	2.69	0.90	< 0.05
344991	94139402	4.12	85	0.40	0.29	22.0	< 10	88.0	0.60	0.23	1.32	4.71	27.4	7.6	23	2.20	45.2	2.79	0.95	< 0.05
344992	94139402	4.08	40	0.44	0.26	17.1	< 10	144.0	0.40	0.17	1.73	7.51	29.4	7.8	18	2.45	29.4	3.18	1.00	< 0.05
344993	94139402	4.02	90	0.51	0.29	30.2	< 10	60.4	0.55	0.14	1.44	13.10	27.9	9.4	20	2.50	43.4	3.42	1.00	< 0.05
344994	94139402	3.96	40	0.35	0.29	14.2	< 10	76.2	0.40	0.28	1.42	6.04	27.1	7.9	25	2.35	14.8	3.38	1.05	< 0.05
344995	94139402	3.88	85	0.44	0.31	12.4	< 10	75.6	0.50	0.38	1.12	3.05	26.9	7.4	25	2.45	9.8	3.37	1.10	< 0.05
344996	94139402	2.46	30	0.40	0.27	8.6	< 10	102.0	0.45	0.23	0.83	8.28	27.6	7.6	22	2.40	14.6	3.72	0.95	0.05
344997	94139402	3.76	3750	9.02	0.22	324	< 10	13.4	0.35	2.60	0.21	13.75	5.16	9.2	32	1.75	5220	4.46	0.95	< 0.05
344998	94139402	1.20	315	1.76	0.18	19.6	< 10	39.2	0.25	0.52	0.35	0.31	0.84	6.5	54	0.95	60.3	1.81	0.60	< 0.05
344999	94139402	1.20	105	1.15	0.31	57.3	< 10	53.4	0.55	0.37	1.51	3.79	6.62	10.0	40	1.65	95.0	2.48	0.95	< 0.05
345000	94139402	2.00	80	0.74	0.28	44.3	< 10	64.8	0.65	0.21	4.63	7.75	12.45	11.8	20	1.45	79.6	3.84	1.00	< 0.05
345001	94139402	3.22	20	0.45	0.27	24.5	< 10	117.0	0.50	0.06	2.58	4.08	20.4	6.9	23	1.95	37.4	2.62	0.95	< 0.05
345002	94139402	3.00	10	0.43	0.25	15.4	< 10	28.8	0.50	0.04	2.74	2.81	23.4	7.5	16	1.80	34.4	3.13	0.85	< 0.05
345003	94139402	4.40	15	0.51	0.31	61.7	< 10	90.6	1.00	0.18	4.17	0.60	14.50	14.9	15	2.15	70.5	3.13	1.00	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :2
 Certificate Date: 03-AUG-2001
 Invoice No. : I0121304
 P.O. Number :
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
344976	94139402	0.18	1.32	0.025	0.25	16.8	1.1	0.81	1985	0.30	0.07 < 0.05	3.6	730	1705.0	10.1 < 0.001	0.49	0.95	3.1		
344977	94139402	0.22	1.27	0.050	0.24	12.4	1.1	0.63	1665	2.45	0.07 < 0.05	4.0	710	490.0	10.0 < 0.001	1.88	0.90	2.5		
344978	94139402	0.20	0.22	0.030	0.22	8.8	1.1	0.46	1110	1.10	0.07 < 0.05	3.8	700	70.8	8.6 < 0.001	2.02	1.45	2.3		
344979	94139402	< 0.02	7.57	0.105	0.17	5.2	1.0	0.15	250	2.10	0.04 < 0.05	25.6	620	3010	6.0 < 0.001	2.80	1.55	4.4		
344980	9400 225	0.66	0.11	0.030	0.46	20.8	19.7	0.54	475	0.90	0.11	0.15	17.4	480	21.8	30.7 < 0.001	0.03	0.85	5.3	
344981	94139402	0.22	0.45	0.025	0.23	11.6	1.2	0.66	1735	1.20	0.08 < 0.05	4.2	750	308.0	9.2 < 0.001	1.37	0.70	2.6		
344982	94139402	0.20	0.26	0.025	0.24	19.2	1.2	0.96	2690	0.85	0.07 < 0.05	3.8	780	111.1	10.1 < 0.001	0.96	0.85	3.3		
344983	94139402	0.22	0.11	0.025	0.24	22.6	1.1	1.07	2480	0.20	0.07 < 0.05	3.8	790	22.2	10.0 < 0.001	0.04	0.15	4.5		
344984	94139402	0.22	0.09	0.025	0.28	19.4	1.0	0.99	2370	0.20	0.07 < 0.05	4.2	750	26.8	10.9 < 0.001	0.07	0.10	4.1		
344985	94139402	0.20	0.15	0.015	0.27	21.6	0.9	1.08	2350	0.15	0.06 < 0.05	3.8	760	24.8	10.2 < 0.001	0.04	0.05	4.3		
344986	94139402	0.20	0.17	0.020	0.29	21.0	1.1	1.07	2320	0.20	0.07 < 0.05	3.8	840	31.6	11.3 < 0.001	0.08	0.15	3.9		
344987	94139402	0.20	0.57	0.025	0.30	19.2	1.2	1.04	2480	0.30	0.08 < 0.05	4.4	870	624.0	11.1 < 0.001	0.55	0.40	3.7		
344988	94139402	0.16	0.16	0.025	0.25	18.0	1.1	1.01	2370	0.80	0.08 < 0.05	4.0	760	40.0	8.9 < 0.001	0.34	0.55	3.6		
344989	94139402	0.18	0.32	0.025	0.23	13.2	1.4	0.81	1975	1.55	0.08 < 0.05	4.4	700	83.4	9.3 < 0.001	0.99	0.65	3.5		
344990	94139402	0.14	0.25	0.015	0.21	18.0	1.0	0.84	2340	0.25	0.07 < 0.05	4.0	730	124.8	8.4 < 0.001	0.18	0.25	3.6		
344991	94139402	0.18	0.30	0.030	0.25	14.4	1.2	0.77	2180	1.00	0.07 < 0.05	4.4	820	356.0	9.8 < 0.001	0.98	0.65	3.5		
344992	94139402	0.22	0.43	0.035	0.23	15.0	1.1	1.09	3040	1.10	0.07 < 0.05	4.4	830	206.1	9.1 < 0.001	0.79	0.70	4.4		
344993	94139402	0.26	0.75	0.025	0.25	14.0	1.3	0.89	2770	1.25	0.08 < 0.05	4.8	840	634.0	9.4 < 0.001	1.45	1.50	4.0		
344994	94139402	0.18	0.49	0.025	0.25	13.6	1.1	0.93	3170	2.25	0.08 < 0.05	4.6	800	141.6	9.5 < 0.001	1.22	0.60	4.2		
344995	94139402	0.22	0.40	0.025	0.27	13.8	1.1	0.83	3190	1.25	0.08 < 0.05	4.8	910	29.2	9.8 < 0.001	1.30	0.50	3.7		
344996	94139402	0.20	0.56	0.030	0.24	13.8	1.3	0.90	3650	1.10	0.08 < 0.05	4.8	900	89.2	9.0 < 0.001	0.88	0.50	3.7		
344997	94139402	0.20	1.10	0.100	0.19	2.2	0.9	0.04	100	3.15	0.06 < 0.05	4.6	780	730.0	6.0 < 0.001	4.71	40.55	1.7		
344998	94139402	0.08	0.34 <	0.005	0.13	0.4	0.7	0.12	145	7.10	0.04 < 0.05	4.8	280	48.2	3.9 < 0.001	1.75	0.80	3.1		
344999	94139402	0.22	0.52	0.025	0.23	3.2	1.6	0.57	1015	4.40	0.08 < 0.05	15.2	470	172.6	7.5 < 0.001	1.64	1.75	4.1		
345000	94139402	0.10	0.72	0.025	0.21	5.6	1.3	1.70	2390	2.80	0.07 < 0.05	39.0	800	152.4	7.3 < 0.003	1.50	1.95	6.6		
345001	94139402	0.16	0.52	0.010	0.24	10.6	1.2	1.01	2210	0.90	0.07 < 0.05	5.0	630	414.0	9.2 < 0.001	0.85	1.15	3.9		
345002	94139402	0.18	0.31	0.020	0.19	11.8	1.2	0.88	1870	1.50	0.07 < 0.05	7.8	810	262.6	7.1 < 0.001	2.18	1.40	4.1		
345003	94139402	0.18	0.22	0.035	0.23	6.2	1.4	1.30	1770	2.20	0.08 < 0.05	48.8	1120	23.6	8.6 < 0.008	1.07	1.65	8.6		

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-C
 Total Pages : 2
 Certificate Date: 03-AUG-2001
 Invoice No. : 10121304
 P.O. Number :
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0121304

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
344976	94139402	0.4	1.0	82.4 < 0.01	0.10	0.30	3.6 < 0.01	0.12	0.50	8	0.05	5.20	3860	3.5	
344977	94139402	1.0	0.8	57.4 < 0.01	0.30	0.59	3.4 < 0.01	0.16	0.95	6	0.10	6.15	3850	5.0	
344978	94139402	0.8	0.8	31.8 < 0.01	0.59	0.59	2.8 < 0.01	0.16	0.90	5	0.05	5.10	324	5.5	
344979	94139402	7.0	1.6	38.0 < 0.01	2.06	0.59	2.4 < 0.01	0.30	1.20	3	0.30	5.60	>10000	7.5	
344980	9400 225	0.6	1.0	79.4 < 0.01	0.05	0.59	6.8	0.07	0.30	1.00	47	0.45	12.95	142	20.0
344981	94139402	0.8	1.0	65.8 < 0.01	0.28	0.42	4.0 < 0.01	0.12	0.85	5	0.10	6.00	1275	6.0	
344982	94139402	0.8	0.8	111.7 < 0.01	0.42	0.42	3.8 < 0.01	0.12	0.95	8	0.05	8.05	544	5.0	
344983	94139402	0.6	0.8	156.9 < 0.01	0.05	0.05	4.2 < 0.01	0.06	0.80	12	0.05	10.00	210	5.5	
344984	94139402	0.2	1.2	142.4 < 0.01	0.04	0.04	3.8 < 0.01	0.08	0.60	10	0.05	8.65	196	5.0	
344985	94139402	0.4	0.8	196.8 < 0.01	0.05	0.05	4.0 < 0.01	0.06	0.50	11	0.05	10.00	208	4.5	
344986	94139402	0.6	0.4	124.2 < 0.01	0.04	0.04	4.0 < 0.01	0.08	0.55	10	0.10	8.75	454	5.0	
344987	94139402	0.6	0.6	127.8 < 0.01	0.03	0.03	4.2 < 0.01	0.10	0.65	11	0.10	7.00	1620	5.0	
344988	94139402	0.6	0.8	116.3 < 0.01	0.09	0.09	3.0 < 0.01	0.14	0.60	10	0.05	5.50	374	4.0	
344989	94139402	0.8	0.6	133.8 < 0.01	0.30	0.30	3.2 < 0.01	0.12	0.70	8	< 0.05	5.20	632	4.0	
344990	94139402	0.6	0.4	123.0 < 0.01	0.08	0.08	3.8 < 0.01	0.08	0.60	8	< 0.05	6.60	468	4.5	
344991	94139402	0.6	0.6	161.0 < 0.01	0.15	0.15	4.0 < 0.01	0.12	0.65	8	0.05	7.15	676	4.5	
344992	94139402	0.6	0.6	180.5 < 0.01	0.09	0.09	3.8 < 0.01	0.10	0.60	10	< 0.05	7.00	1070	5.0	
344993	94139402	0.8	0.8	157.4 < 0.01	0.10	0.10	4.0 < 0.01	0.14	0.60	9	0.05	6.60	1810	6.0	
344994	94139402	0.8	1.0	151.8 < 0.01	0.12	0.12	4.0 < 0.01	0.10	0.50	8	0.05	5.90	950	5.5	
344995	94139402	0.8	0.8	131.5 < 0.01	0.05	0.10	4.2 < 0.01	0.10	0.45	7	0.05	5.65	568	5.5	
344996	94139402	0.8	0.8	110.2 < 0.01	0.07	0.07	4.2 < 0.01	0.12	0.40	8	0.05	5.05	1265	4.5	
344997	94139402	3.6	1.8	23.2 < 0.01	3.42	3.42	2.2 < 0.01	0.24	0.50	3	0.05	4.10	1755	4.5	
344998	94139402	1.8	5.0	32.4 < 0.01	1.64	1.64	0.4 < 0.01	0.18	0.30	5	0.20	2.45	50	2.5	
344999	94139402	1.4	3.2	103.5 < 0.01	0.65	0.65	1.2 < 0.01	0.42	0.40	9	0.45	4.40	574	4.5	
345000	94139402	1.2	1.8	263.0 < 0.01	0.36	0.36	1.8 < 0.01	0.20	0.40	17	0.05	9.65	1255	4.5	
345001	94139402	1.0	2.6	125.4 < 0.01	0.14	0.14	2.6 < 0.01	0.16	0.45	8	0.05	7.00	658	4.0	
345002	94139402	1.2	1.0	125.0 < 0.01	0.14	0.14	3.2 < 0.01	0.12	0.40	7	0.05	7.35	464	4.0	
345003	94139402	1.0	1.4	216.6 < 0.01	0.22	0.22	2.4 < 0.01	0.26	0.45	13	0.05	9.65	124	4.0	

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1
 Total Pages : 1
 Certificate Date: 08-AUG-2001
 Invoice No. : I0121950
 P.O. Number :
 Account : SWY

Project : RDN 01-17 (a)
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS	A0121950
--------------------------------	-----------------

SAMPLE	PREP CODE	Zn %							
344965	212 --	5.67							
344979	212 --	2.12							

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :I0125133
 P.O. Number :21331
 Account :SWY

Project: RDN 01-18
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29501	94139402	3.58	5	0.40	0.36	33.4	< 10	280.0	0.55	1.12	0.78	0.24	16.05	6.1	26	1.90	12.6	4.10	0.90
29502	94139402	3.44	5	0.41	0.36	34.4	< 10	312.0	0.60	0.37	1.55	0.08	22.1	7.7	22	2.55	13.6	3.92	1.05
29503	94139402	3.94	5	0.33	0.30	15.4	< 10	298.4	0.60	0.18	0.87	0.06	14.50	5.2	22	1.95	13.2	3.07	0.70
29504	94139402	2.44	< 5	0.46	0.36	19.1	< 10	573.3	0.45	0.15	1.18	0.58	10.90	5.6	27	2.05	27.0	3.81	0.80
29505	94139402	2.66	< 5	0.59	0.31	17.0	< 10	866.9	0.45	0.11	1.97	0.10	13.55	5.6	26	1.90	7.8	3.16	0.80
29506	94139402	4.14	< 5	0.58	0.33	29.3	< 10	1983.0	0.70	0.16	1.16	1.12	16.60	5.8	23	2.30	39.4	3.08	0.85
29507	94139402	3.94	< 5	0.40	0.51	19.1	< 10	1558.0	0.60	0.14	2.04	0.14	19.00	7.2	22	2.35	14.6	3.64	0.90
29508	94139402	4.12	< 5	0.48	0.34	42.0	< 10	819.7	0.75	0.17	4.84	0.10	17.70	12.5	18	2.10	15.2	5.43	0.90
29509	94139402	4.36	< 5	0.43	0.36	32.9	< 10	363.2	0.75	0.18	2.28	0.10	26.4	13.2	17	2.75	15.0	5.99	1.05
29510	94139402	3.78	< 5	0.54	0.35	45.5	< 10	264.0	0.55	0.17	2.94	0.11	19.95	14.0	17	2.25	22.2	6.38	1.05
29511	94139402	4.22	< 5	0.47	0.34	30.5	< 10	822.1	0.55	0.17	1.29	0.44	26.4	12.2	16	2.70	15.8	5.52	1.05
29512	94139402	2.02	< 5	0.61	0.37	32.9	< 10	487.8	0.80	0.14	0.60	0.25	24.4	11.4	15	2.65	14.0	5.06	0.95
29513	94139402	3.58	< 5	0.49	0.32	46.1	< 10	791.1	0.40	0.07	1.33	0.43	21.0	5.4	20	2.00	14.2	2.49	0.75
29514	94139402	3.76	15	0.67	0.38	36.5	< 10	150.4	0.45	0.06	2.21	0.11	15.10	5.3	17	2.25	9.4	2.74	0.75
29515	94139402	4.78	< 5	0.78	0.33	49.3	< 10	104.6	0.70	0.05	3.47	0.18	13.70	4.9	17	2.20	10.4	2.55	0.70
29516	94139402	4.14	< 5	0.69	0.38	52.5	< 10	82.0	0.75	0.06	3.26	0.16	10.20	5.8	18	2.25	17.0	2.62	0.75
29517	94139402	4.22	< 5	0.81	0.31	44.2	< 10	121.0	0.65	0.05	2.79	0.21	11.90	5.5	11	2.35	12.6	2.50	0.60
29518	94139402	4.36	< 5	0.69	0.28	30.5	< 10	180.0	0.75	0.04	2.53	0.22	19.85	3.9	18	2.50	9.4	1.76	0.70
29519	94139402	4.38	5	0.87	0.31	62.5	< 10	98.2	1.00	0.09	2.34	0.45	11.95	8.2	13	3.10	25.2	3.09	0.75
29520	94139402	4.02	< 5	0.66	0.26	27.8	< 10	146.2	0.70	0.04	2.04	0.30	13.50	4.3	24	1.90	11.4	2.47	0.65
29521	94139402	2.90	< 5	0.26	0.27	42.3	< 10	118.6	0.75	0.10	2.62	0.28	6.94	6.2	23	2.30	18.0	2.94	0.65
29522	94139402	4.08	< 5	0.24	0.35	47.4	< 10	138.6	0.90	0.10	1.59	0.35	4.86	7.6	15	3.10	19.2	3.14	0.70
29523	94139402	2.56	< 5	0.15	0.34	21.2	< 10	69.2	0.40	0.05	1.66	0.11	2.42	3.5	10	1.40	9.2	3.24	0.25
29524	94139402	1.80	5	1.90	0.34	39.6	< 10	45.2	0.30	0.06	2.78	0.16	1.10	4.6	29	1.50	19.0	3.41	0.25
29525	94139402	1.38	< 5	0.83	0.30	78.3	< 10	110.0	0.45	0.07	1.76	0.17	4.52	5.9	21	2.25	16.0	2.86	0.35
29526	94139402	1.12	< 5	0.26	0.36	30.3	< 10	95.0	0.55	0.06	2.38	0.17	3.68	5.2	24	1.75	15.6	3.72	0.45
29527	94139402	3.50	5	0.12	0.33	20.5	< 10	166.8	0.45	0.07	1.22	0.12	18.35	5.8	18	2.10	9.0	2.61	0.60
29528	94139402	2.66	< 5	0.21	0.34	17.7	< 10	128.0	0.65	0.03	2.11	0.22	11.70	9.0	17	3.50	18.6	3.37	0.60
29529	94139402	2.20	< 5	0.60	0.32	12.0	< 10	266.0	0.80	0.04	1.84	0.21	20.4	8.4	13	3.65	11.6	3.11	0.55
29530	9400 225	0.12	135	0.74	1.47	672	< 10	836.4	0.50	0.46	0.99	1.38	24.8	7.4	57	2.05	93.9	3.05	4.55
29531	94139402	2.66	30	0.38	0.36	25.9	< 10	73.2	0.70	0.09	1.73	1.52	21.0	9.8	19	3.75	21.2	2.73	0.85
29532	94139402	1.86	220	0.29	0.29	21.0	< 10	28.0	0.60	0.23	2.08	7.12	19.05	8.8	23	2.75	26.8	2.76	0.70
29533	94139402	3.58	5	0.58	0.34	26.1	< 10	61.0	0.70	0.12	1.93	0.34	4.88	10.4	20	3.05	23.6	3.08	0.65
29534	94139402	4.28	< 5	0.12	0.31	19.1	< 10	326.2	0.85	0.13	2.59	0.20	11.40	9.3	12	3.55	18.2	3.32	0.65
29535	94139402	3.56	15	0.36	0.34	40.9	< 10	270.2	0.30	0.11	2.93	0.04	11.20	9.1	18	2.00	8.2	4.36	0.40
29536	94139402	3.88	< 5	0.48	0.31	21.8	< 10	355.6	0.65	0.05	4.23	0.07	22.1	7.7	9	2.85	3.2	3.51	0.45
29537	94139402	3.98	< 5	0.32	0.34	17.9	< 10	872.0	0.50	0.10	2.83	0.09	20.2	8.8	13	2.70	22.0	3.82	0.55
29538	94139402	3.60	< 5	0.25	0.35	15.4	< 10	884.6	0.65	0.10	4.29	0.10	12.40	7.2	10	4.40	8.8	3.08	0.60
29539	94139402	3.46	< 5	0.44	0.35	18.1	< 10	792.4	0.50	0.10	3.51	0.10	15.80	9.2	14	3.90	14.0	3.42	0.65
29540	94139402	2.04	< 5	0.33	0.33	18.8	< 10	235.2	0.55	0.08	3.58	0.12	17.50	12.2	9	3.15	19.0	3.78	0.60

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125133
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Ga ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29501	94139402	< 0.05	0.10	0.02	0.015	0.25	8.2	0.7	0.42	765	0.70	0.02	< 0.05	1.4	1140	23.6	8.8	0.002	0.29	0.60
29502	94139402	< 0.05	0.14	0.06	0.005	0.27	11.0	0.5	0.39	805	0.30	0.02	< 0.05	1.4	1100	15.6	10.7	0.001	0.17	0.85
29503	94139402	< 0.05	0.14	0.07	< 0.005	0.23	7.2	0.3	0.29	535	0.75	0.01	< 0.05	0.8	830	12.8	8.1	< 0.001	0.20	1.45
29504	94139402	< 0.05	0.10	0.09	0.005	0.27	5.8	0.5	0.39	680	0.30	0.01	< 0.05	0.8	450	57.6	10.0	0.003	0.06	6.50
29505	94139402	< 0.05	0.16	0.05	< 0.005	0.24	8.0	0.4	0.33	645	0.85	0.01	< 0.05	1.0	430	8.4	9.1	< 0.001	0.07	1.20
29506	94139402	< 0.05	0.12	0.14	0.005	0.24	8.6	0.4	0.32	625	0.35	0.01	< 0.05	0.8	690	65.0	9.6	0.003	0.08	4.60
29507	94139402	< 0.05	0.18	0.06	0.005	0.31	9.4	0.6	0.37	735	0.80	0.03	< 0.05	1.2	1030	9.4	10.7	< 0.001	0.07	1.40
29508	94139402	< 0.05	0.12	0.11	0.010	0.23	9.2	0.6	0.47	1100	0.35	0.02	0.05	2.8	1050	11.6	9.5	0.003	0.18	1.35
29509	94139402	< 0.05	0.14	0.05	0.020	0.25	13.8	0.6	0.51	1140	0.65	0.03	0.05	2.6	1300	8.0	11.1	< 0.001	0.07	1.05
29510	94139402	< 0.05	0.16	0.07	0.025	0.23	10.4	0.8	0.53	1030	0.30	0.02	0.05	3.2	1170	14.8	9.5	0.001	0.18	1.95
29511	94139402	< 0.05	0.14	0.04	0.020	0.24	13.6	0.6	0.47	1005	0.80	0.02	0.05	2.0	1300	31.6	10.5	< 0.001	0.10	1.75
29512	94139402	< 0.05	0.10	0.09	0.020	0.26	12.4	0.6	0.42	885	0.50	0.02	0.05	2.2	1140	21.0	11.4	0.001	0.15	1.80
29513	94139402	< 0.05	0.10	0.09	< 0.005	0.23	11.0	0.4	0.28	500	0.85	0.03	< 0.05	1.4	690	27.4	8.1	0.006	0.11	2.55
29514	94139402	< 0.05	0.10	0.07	< 0.005	0.26	7.8	0.4	0.29	485	0.95	0.03	0.05	2.4	750	22.6	9.4	0.004	0.75	1.85
29515	94139402	< 0.05	0.10	0.12	< 0.005	0.22	6.8	0.4	0.36	540	2.30	0.03	0.05	3.4	640	21.2	8.7	0.002	1.13	2.00
29516	94139402	< 0.05	0.12	0.15	0.005	0.25	5.0	0.4	0.34	445	2.25	0.03	0.05	5.2	680	30.0	9.6	0.006	1.32	2.50
29517	94139402	< 0.05	0.12	0.11	0.005	0.21	6.0	0.5	0.38	425	2.35	0.03	< 0.05	6.0	710	23.2	8.5	0.005	1.02	2.05
29518	94139402	< 0.05	0.18	0.10	< 0.005	0.19	10.6	0.5	0.36	340	3.30	0.03	0.05	7.0	610	16.8	8.7	0.013	0.59	1.35
29519	94139402	< 0.05	0.12	0.15	0.020	0.21	5.6	0.6	0.46	400	2.45	0.04	< 0.05	15.6	920	32.6	10.3	0.005	1.23	3.60
29520	94139402	< 0.05	0.10	0.08	< 0.005	0.18	6.4	0.5	0.44	385	2.40	0.03	0.05	5.2	590	13.6	7.6	0.007	0.53	1.90
29521	94139402	< 0.05	0.12	0.12	0.025	0.18	2.8	0.8	0.73	475	2.35	0.04	0.05	11.8	720	19.8	8.8	0.005	0.75	3.55
29522	94139402	< 0.05	0.08	0.16	0.035	0.23	2.0	0.8	0.65	315	1.95	0.06	< 0.05	15.0	610	18.2	10.5	0.003	0.80	3.60
29523	94139402	< 0.05	0.02	0.06	0.005	0.23	1.0	0.4	0.65	325	0.75	0.06	< 0.05	6.0	650	8.0	4.8	0.003	0.80	1.60
29524	94139402	< 0.05	0.06	0.12	0.015	0.21	0.4	1.1	0.80	380	1.55	0.06	< 0.05	8.8	410	9.6	5.6	0.001	1.01	1.75
29525	94139402	< 0.05	0.10	0.14	0.010	0.20	2.0	0.8	0.57	510	1.50	0.06	< 0.05	6.8	700	13.0	7.6	0.004	0.87	2.10
29526	94139402	< 0.05	0.06	0.10	0.020	0.23	1.6	0.7	0.82	370	1.40	0.07	< 0.05	9.2	670	11.0	7.3	< 0.001	0.81	2.70
29527	94139402	< 0.05	0.12	0.11	< 0.005	0.23	9.0	0.8	0.34	595	0.50	0.06	< 0.05	1.8	790	13.4	9.1	0.002	0.14	2.10
29528	94139402	< 0.05	0.14	0.06	0.005	0.25	5.8	1.2	0.77	1255	1.30	0.09	< 0.05	0.8	860	5.4	10.7	0.002	0.68	2.05
29529	94139402	< 0.05	0.16	0.05	< 0.005	0.24	11.4	1.0	0.72	1325	0.65	0.10	< 0.05	0.2	820	6.4	10.8	0.003	0.41	1.35
29530	9400 225	< 0.05	0.30	3.76	0.005	0.33	15.2	6.3	0.28	220	14.10	0.01	0.15	36.8	1020	13.0	19.1	0.009	0.18	36.65
29531	94139402	< 0.05	0.22	0.38	0.005	0.26	11.4	1.1	0.61	1545	2.20	0.09	< 0.05	0.6	910	129.3	11.1	0.002	1.11	2.70
29532	94139402	< 0.05	0.18	0.39	0.005	0.20	10.8	0.9	0.66	1315	2.60	0.07	< 0.05	< 0.2	900	313.7	8.2	< 0.001	1.89	4.10
29533	94139402	< 0.05	0.16	0.11	0.010	0.24	2.4	1.2	0.60	965	2.80	0.08	< 0.05	2.4	560	16.8	10.3	0.004	1.27	4.20
29534	94139402	< 0.05	0.14	0.08	0.005	0.24	5.8	1.2	0.75	1135	1.00	0.09	< 0.05	1.2	680	7.6	11.0	0.001	0.42	3.35
29535	94139402	< 0.05	0.08	0.04	0.005	0.25	5.6	0.8	0.58	1085	1.00	0.07	< 0.05	1.0	840	9.2	7.7	0.001	0.31	2.05
29536	94139402	< 0.05	0.08	0.02	0.010	0.23	12.4	0.8	0.83	1235	0.10	0.08	< 0.05	< 0.2	990	3.8	8.6	< 0.001	0.01	0.60
29537	94139402	< 0.05	0.08	0.07	0.015	0.25	11.2	0.9	0.69	1130	0.60	0.08	< 0.05	1.4	1200	3.6	9.4	< 0.001	0.10	2.50
29538	94139402	< 0.05	0.10	0.05	0.005	0.27	5.8	1.2	0.71	1100	0.20	0.09	< 0.05	< 0.2	940	4.8	11.4	0.001	0.12	1.20
29539	94139402	< 0.05	0.08	0.04	0.020	0.25	8.4	1.5	0.59	1240	0.70	0.09	< 0.05	0.4	860	6.2	10.8	0.003	0.07	1.95
29540	94139402	< 0.05	0.06	0.02	0.015	0.23	9.4	1.6	0.84	1315	0.45	0.09	< 0.05	0.6	1000	5.4	10.1	< 0.001	0.39	3.45

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 3
 Certificate Date: 02-OCT-2001
 Invoice No. : 10125133
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29501	94139402	3.7	0.4	0.2	49.6	0.04	0.10	2.0 < 0.01	0.10	0.35	22	3.15	6.15	94	1.5	
29502	94139402	6.0 < 0.2	0.2	113.4	0.01 < 0.01	0.11	2.6 < 0.01	0.10	0.35	16	1.05	8.50	60	1.5		
29503	94139402	4.8	0.2	0.2	62.0 < 0.01	0.11	2.6 < 0.01	0.10	0.35	10	0.60	5.55	46	2.0		
29504	94139402	5.7	0.2	0.2	85.3	0.01	0.07	2.0 < 0.01	0.10	0.35	17	0.30	4.70	184	1.5	
29505	94139402	5.9	0.2 < 0.2	200.2 < 0.01	0.08	2.2 < 0.01	0.10	0.30	12	0.35	6.25	282	2.5			
29506	94139402	6.1	0.6	0.2	103.2 < 0.01	0.11	2.8 < 0.01	0.08	0.45	16	0.25	9.00	62	2.5		
29507	94139402	6.8 < 0.2	0.2	193.7 < 0.01 < 0.01	0.11	3.6 < 0.01	0.06	0.55	48	0.05	9.35	68	2.0			
29508	94139402	8.0	0.6 < 0.2	328.0	0.03	0.11	3.6 < 0.01	0.10	0.60	39	0.05	10.50	86	2.5		
29509	94139402	8.5 < 0.2	< 0.2	173.3 < 0.01	0.01	3.8 < 0.01	0.10	0.60	49	0.05	10.20	94	2.5			
29510	94139402	9.3	1.0	0.2	239.0 < 0.01	0.12	3.4 < 0.01	0.10	0.60	35	0.05	9.75	114	2.5		
29511	94139402	9.0 < 0.2	< 0.2	110.4 < 0.01	0.04	3.8 < 0.01	0.16	0.65	26	0.05	8.90	84	2.5			
29512	94139402	8.7	0.8 < 0.2	53.3 < 0.01	0.14	3.8 < 0.01	0.10	0.40	7 < 0.05	6.60	122	2.0				
29513	94139402	6.0	0.2 < 0.2	87.1 < 0.01	0.05	2.8 < 0.01	0.18	0.40	9	0.05	6.55	54	2.0			
29514	94139402	6.5	0.2 < 0.2	135.2	0.01	0.11	2.8 < 0.01	0.20	0.30	8	0.05	7.55	60	2.5		
29515	94139402	6.8	0.8 < 0.2	215.0 < 0.01	0.06	2.6 < 0.01	0.12	0.35	8	0.05	7.15	66	2.0			
29516	94139402	7.9	0.2 < 0.2	233.0 < 0.01	0.13	2.4 < 0.01	0.16	0.35	7 < 0.05	7.35	64	2.0				
29517	94139402	7.7	0.8 < 0.2	229.0 < 0.01	0.03	2.8 < 0.01	0.24	0.45	4 < 0.05	8.20	54	3.0				
29518	94139402	6.9	0.2 < 0.2	203.0 < 0.01	0.14	2.8 < 0.01	0.14	0.30	9 < 0.05	9.70	122	3.0				
29519	94139402	10.5	1.2	0.2	191.2 < 0.01	0.01	2.2 < 0.01	0.12	0.35	7 < 0.05	7.40	92	2.5			
29520	94139402	7.5	0.2 < 0.2	134.4 < 0.01	0.09	1.2 < 0.01	0.10	0.25	9	0.20	10.50	94	3.5			
29521	94139402	9.9	1.4	0.2	172.7 < 0.01	0.04	1.8 < 0.01	0.08	0.25	12	0.20	8.90	130	1.5		
29522	94139402	9.7	0.6	0.2	99.6 < 0.01	0.04	0.8 < 0.01	0.02	0.10	11 < 0.05	4.15	108	0.5			
29523	94139402	4.2	0.4 < 0.2	128.0	0.01	0.07	0.6 < 0.01	< 0.02	0.15	22	0.05	5.00	102	1.5		
29524	94139402	6.7	0.2	0.6	131.0 < 0.01	< 0.01	1.2 < 0.01	0.10	0.40	12	0.05	7.55	80	3.0		
29525	94139402	7.2	1.4	0.4	87.2 < 0.01	0.09	1.2 < 0.01	0.04	0.20	15	0.05	7.55	94	2.5		
29526	94139402	8.0	0.8 < 0.2	78.6 < 0.01	0.09	2.4 < 0.01	0.14	0.40	7	0.05	7.85	52	2.5			
29527	94139402	5.6	0.2 < 0.2	58.4 < 0.01	0.04	2.4 < 0.01	0.10	0.60	11 < 0.05	10.25	72	3.0				
29528	94139402	7.0	1.0	0.2	95.7 < 0.01	0.14	2.8 < 0.01	0.10	0.75	12 < 0.05	9.95	70	2.5			
29529	94139402	7.0	0.4	0.2	81.7 < 0.01	< 0.01	4.8	0.01	1.94	4.60	140	3.90	11.20	92	8.0	
29530	9400 225	6.8	3.4	1.2	62.5 < 0.01	0.16	3.6 < 0.01	0.22	0.60	8	0.20	8.85	244	4.5		
29531	94139402	6.2	0.8	0.4	76.5 < 0.01	0.15	3.2 < 0.01	0.16	0.55	7	0.05	7.85	1075	4.0		
29532	94139402	6.6	2.2	0.2	75.8 < 0.01	0.88	2.0 < 0.01	0.18	0.50	11	0.05	7.55	84	4.0		
29533	94139402	7.6	0.2	0.6	98.4 < 0.01	0.05	1.8 < 0.01	0.08	0.55	14	0.05	9.85	66	4.0		
29534	94139402	9.8	0.8	0.2	137.8 < 0.01	0.15	1.8 < 0.01	0.06	0.45	20 < 0.05	7.00	58	1.5			
29535	94139402	6.0 < 0.2	0.2	120.2 < 0.01	0.05	1.8 < 0.01	< 0.02	0.45	14 < 0.05	8.75	68	2.0				
29536	94139402	7.5	0.8 < 0.2	189.6 < 0.01	0.12	2.0 < 0.01	0.06	0.40	16 < 0.05	9.50	72	1.5				
29537	94139402	8.4 < 0.2	< 0.2	137.8 < 0.01	0.02	2.2 < 0.01	0.08	0.75	19	0.05	11.80	60	1.5			
29538	94139402	8.8	1.2	0.2	164.5 < 0.01	0.15	2.2 < 0.01	< 0.02	0.65	21 < 0.05	10.55	56	1.5			
29539	94139402	9.9	0.2	0.2	138.2 < 0.01	0.10	2.4 < 0.01	0.04	0.45	18	0.05	10.95	70	1.5		
29540	94139402	9.6	1.0 < 0.2	124.0 < 0.01	0.12	2.4 < 0.01	0.04	0.45	18	0.05	10.95	70	1.5			

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125133
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	
29541	94139402	1.86	< 5	0.35	0.34	24.5	< 10	873.8	0.75	0.12	3.52	0.11	24.2	8.4	11	4.35	10.0	3.06	0.55	
29542	94139402	3.38	< 5	0.37	0.31	29.1	< 10	923.0	0.65	0.09	3.58	0.08	21.6	9.5	7	3.45	12.8	3.32	0.70	
29543	94139402	3.90	< 5	0.19	0.37	21.6	< 10	308.8	0.60	0.12	3.77	0.08	28.8	10.1	8	3.30	10.0	3.46	0.80	
29544	94139402	3.16	< 5	0.19	0.34	19.7	< 10	199.4	0.75	0.07	3.84	0.15	25.5	10.0	8	3.25	12.2	3.61	0.70	
29545	94139402	4.24	< 5	0.07	0.34	9.3	< 10	1260.0	0.55	0.09	3.87	0.06	14.55	5.2	8	2.95	16.4	3.27	0.30	
29546	94139402	3.40	< 5	0.05	0.35	12.0	< 10	546.7	0.30	0.10	3.73	0.09	16.80	5.4	5	3.25	22.8	3.31	0.35	
29547	94139402	3.48	< 5	0.06	0.37	6.2	< 10	252.2	0.60	0.13	3.43	0.06	18.70	7.4	8	2.40	5.0	3.47	0.50	
29548	94139402	2.58	< 5	0.69	0.39	16.1	< 10	469.6	0.65	0.22	3.59	0.08	27.3	9.8	5	3.40	28.0	3.70	0.75	
29549	94139402	3.94	< 5	0.29	0.40	13.1	< 10	136.8	0.50	0.11	3.36	0.07	24.9	9.1	6	3.05	26.6	3.59	0.65	
29550	94139402	3.20	< 5	0.27	0.38	8.4	< 10	957.1	0.50	0.08	3.84	0.14	27.6	8.8	6	3.10	11.2	3.37	0.75	
29551	94139402	3.86	< 5	0.22	0.50	37.9	< 10	789.7	1.00	0.10	5.21	0.15	21.5	14.5	7	3.80	62.1	4.02	1.00	
29552	94139402	3.96	< 5	0.19	0.46	12.7	< 10	620.0	0.70	0.07	1.61	0.07	31.1	10.3	9	3.90	19.6	4.18	0.95	
29553	94139402	3.44	< 5	0.19	0.48	17.0	< 10	708.5	0.80	0.06	2.15	0.08	21.4	10.7	12	3.40	29.6	4.19	0.85	
29554	94139402	4.38	< 5	0.28	0.45	22.6	< 10	635.7	0.55	0.08	2.67	0.10	23.9	12.2	10	4.25	42.8	3.97	1.00	
29555	94139402	4.00	< 5	0.31	0.50	19.4	< 10	436.4	1.00	0.09	1.99	0.13	24.2	14.1	12	4.55	28.8	4.62	1.15	
29556	94139402	4.02	5	0.29	0.44	12.7	< 10	572.0	0.70	0.06	2.55	0.14	24.7	11.4	10	4.65	14.0	3.71	1.00	
29557	94139402	3.74	< 5	0.69	0.47	13.0	< 10	1094.5	0.85	0.13	2.03	0.22	20.9	11.6	13	4.65	24.2	4.03	1.20	
29558	94139402	3.74	< 5	0.60	0.41	13.0	< 10	1055.5	0.70	0.11	2.43	0.24	21.6	9.2	11	4.65	19.8	3.52	1.05	
29559	94139402	3.74	< 5	0.52	0.40	17.1	< 10	843.0	0.45	0.07	3.01	0.23	22.6	6.8	13	3.40	21.2	2.77	0.90	
29560	9400 225	0.10	>10000	13.10	0.51	0.22	1445	< 10	968.2	0.05	0.11	0.09	19.50	1.66	1.5	49	2.60	63.0	2.57	2.35
29561	94139402	3.94	5	0.24	0.38	40.1	< 10	432.2	0.65	0.11	3.32	0.24	11.50	9.8	13	2.95	30.2	3.39	0.85	
29562	94139402	4.10	< 5	0.16	0.46	91.4	< 10	326.0	0.40	0.18	1.97	0.12	17.45	10.7	16	3.55	27.8	4.37	1.15	
29563	94139402	4.48	< 5	0.23	0.44	26.3	< 10	710.3	0.75	0.11	2.00	0.22	16.60	8.8	16	4.15	34.2	3.56	1.05	
29564	94139402	3.64	< 5	0.13	0.42	40.4	< 10	543.8	0.70	0.13	1.50	0.18	13.10	10.6	14	4.35	25.4	4.12	0.95	
29565	94139402	4.00	< 5	0.22	0.37	40.7	< 10	150.6	0.70	0.12	0.95	0.18	16.70	9.5	16	3.45	23.6	3.58	0.85	
29566	94139402	3.62	< 5	0.25	0.41	37.9	< 10	659.9	0.70	0.12	1.03	0.21	17.60	11.7	16	4.50	26.8	3.92	1.00	
29567	94139402	4.08	< 5	0.15	0.38	30.3	< 10	537.0	0.85	0.13	1.07	0.23	15.15	9.5	12	4.75	33.4	3.73	0.80	
29568	94139402	2.54	< 5	0.31	0.41	31.1	< 10	790.6	0.55	0.11	1.45	0.26	8.74	10.1	15	4.10	24.0	3.41	0.90	
29569	94139402	1.88	< 5	0.26	0.33	50.9	< 10	102.8	0.45	0.08	2.84	0.20	1.84	7.1	22	2.45	21.0	3.32	0.65	
29570	94139402	0.94	< 5	0.81	0.38	47.3	< 10	98.2	0.70	0.11	2.75	0.37	2.02	7.9	21	2.30	23.0	3.53	0.75	
29571	94139402	2.16	< 5	0.45	0.34	33.5	< 10	197.8	0.40	0.08	3.30	0.18	2.94	6.9	25	2.05	14.6	3.31	0.75	
29572	94139402	2.48	< 5	0.37	0.41	41.9	< 10	100.6	0.80	0.09	2.30	0.21	4.68	8.1	12	2.70	14.0	3.44	0.90	
29573	94139402	2.40	< 5	0.27	0.38	66.1	< 10	86.0	0.65	0.10	2.65	0.26	2.80	7.6	20	2.50	26.2	3.85	0.70	
29574	94139402	2.60	< 5	0.34	0.29	125.0	< 10	103.0	0.60	0.09	2.69	0.15	1.02	6.5	38	2.05	38.6	2.92	0.55	
29575	94139402	2.34	< 5	0.27	0.43	96.1	< 10	120.6	0.60	0.09	2.54	0.22	3.58	7.1	17	3.20	29.8	3.53	0.85	
29576	94139402	4.96	< 5	0.25	0.41	59.8	< 10	106.0	0.80	0.17	1.97	0.25	4.84	7.9	12	3.45	23.6	3.45	0.85	
29577	94139402	4.88	< 5	0.22	0.40	73.8	< 10	92.4	0.50	0.10	2.48	0.28	4.28	7.6	16	2.85	25.0	3.34	0.75	
29578	94139402	3.86	< 5	0.27	0.43	66.5	< 10	78.4	0.55	0.09	2.74	0.29	5.30	7.7	12	2.95	22.8	3.47	1.00	
29579	94139402	5.08	< 5	0.23	0.41	52.1	< 10	114.4	0.75	0.09	2.62	0.23	3.78	7.9	15	2.40	24.4	3.63	0.80	
29580	94139402	2.98	< 5	0.40	0.40	85.1	< 10	80.4	0.65	0.10	2.77	0.25	2.34	8.1	23	2.75	30.8	3.48	0.75	

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125133
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29541	94139402	< 0.05	0.10	0.09	0.100	0.25	13.2	1.2	0.88	1150	0.45	0.10	0.05	0.2	940	4.4	12.1	0.003	0.16	1.65
29542	94139402	< 0.05	0.12	0.01	0.015	0.22	12.0	1.5	0.70	1105	0.50	0.09	< 0.05	< 0.2	850	3.2	10.6	0.001	0.04	2.05
29543	94139402	< 0.05	0.12	0.01	0.015	0.25	17.2	1.2	0.72	1150	0.50	0.10	< 0.05	< 0.2	850	3.6	10.8	< 0.001	< 0.01	1.60
29544	94139402	< 0.05	0.08	0.06	0.025	0.23	15.4	1.7	0.77	1215	0.05	0.10	< 0.05	< 0.2	850	3.2	11.0	0.003	< 0.01	2.15
29545	94139402	< 0.05	0.02	< 0.01	0.005	0.25	8.6	0.8	0.81	1305	0.25	0.10	< 0.05	< 0.2	760	1.6	7.2	0.003	0.04	2.20
29546	94139402	< 0.05	0.04	0.05	0.005	0.25	9.8	0.9	0.92	1250	< 0.05	0.11	< 0.05	< 0.2	830	1.2	8.1	< 0.001	0.02	2.15
29547	94139402	< 0.05	0.06	< 0.01	0.005	0.25	10.8	0.9	0.70	1145	0.35	0.10	< 0.05	< 0.2	1130	2.2	8.1	0.003	0.08	0.60
29548	94139402	< 0.05	0.10	0.05	0.015	0.26	15.6	1.2	0.71	1155	0.10	0.11	< 0.05	< 0.2	1140	147.0	11.4	0.002	0.10	2.55
29549	94139402	< 0.05	0.08	0.01	0.015	0.27	15.2	1.2	0.65	1025	0.35	0.10	< 0.05	< 0.2	820	14.4	10.4	0.001	< 0.01	2.30
29550	94139402	< 0.05	0.08	0.03	0.015	0.25	16.0	1.4	0.68	1060	0.15	0.10	< 0.05	< 0.2	980	10.2	11.1	0.003	0.02	1.75
29551	94139402	< 0.05	0.06	< 0.01	0.020	0.34	11.4	1.7	0.97	1250	1.80	0.11	< 0.05	9.2	1020	9.8	14.9	0.002	0.06	4.00
29552	94139402	< 0.05	0.12	0.04	0.020	0.35	17.6	1.3	0.41	920	0.20	0.11	< 0.05	1.2	1240	9.2	14.6	0.002	0.10	1.40
29553	94139402	< 0.05	0.10	0.06	0.015	0.35	11.8	1.5	0.35	815	0.60	0.10	< 0.05	1.4	1140	9.0	14.5	< 0.001	0.15	3.05
29554	94139402	< 0.05	0.10	0.10	0.010	0.33	13.4	1.9	0.66	1055	0.15	0.10	< 0.05	1.4	1100	8.0	15.6	0.002	0.16	4.25
29555	94139402	< 0.05	0.12	0.12	0.020	0.37	13.4	2.0	0.43	1015	0.50	0.11	< 0.05	2.6	1220	9.6	17.7	0.001	0.31	3.35
29556	94139402	< 0.05	0.12	0.16	0.015	0.33	13.8	1.4	0.36	1215	0.25	0.10	0.05	2.2	1240	11.2	16.4	0.005	0.24	1.95
29557	94139402	< 0.05	0.18	0.13	0.040	0.32	11.4	1.8	0.42	1280	0.60	0.11	0.45	5.0	1290	10.0	13.8	0.001	0.06	2.65
29558	94139402	< 0.05	0.18	0.06	0.040	0.31	11.8	1.3	0.35	1375	1.55	0.10	0.20	3.6	1280	10.6	12.8	< 0.001	0.08	1.70
29559	94139402	< 0.05	0.16	0.05	0.025	0.30	12.6	1.1	0.30	1565	1.15	0.08	0.20	2.2	960	8.2	11.4	0.001	0.06	2.35
29560	9400 225	0.05	0.14	0.44	0.715	0.11	0.8	1.1	0.02	15	5.20	0.03	0.30	9.0	220	121.5	5.5	0.001	0.10	120.85
29561	94139402	< 0.05	0.16	0.07	0.030	0.27	5.4	1.1	0.36	1160	1.50	0.07	0.05	4.8	930	12.2	11.0	< 0.001	0.29	5.95
29562	94139402	< 0.05	0.14	0.06	0.040	0.33	8.8	1.1	0.39	980	1.30	0.08	0.05	4.0	1060	6.6	13.6	< 0.001	0.35	4.25
29563	94139402	0.05	0.16	0.07	0.035	0.32	8.6	1.3	0.37	1000	0.75	0.09	0.05	3.8	1130	10.6	13.7	0.001	0.11	6.60
29564	94139402	0.05	0.12	0.05	0.035	0.30	6.6	1.3	0.51	1275	0.50	0.09	0.05	4.2	910	7.4	12.7	< 0.001	0.17	4.45
29565	94139402	< 0.05	0.10	0.01	0.030	0.28	9.2	1.2	0.39	825	4.15	0.08	0.05	3.8	700	9.0	11.8	< 0.001	0.24	5.30
29566	94139402	< 0.05	0.16	0.04	0.030	0.29	9.4	1.4	0.37	1035	3.60	0.10	< 0.05	4.8	1160	13.8	12.9	< 0.001	0.17	5.65
29567	94139402	< 0.05	0.14	0.04	0.025	0.28	8.0	1.3	0.35	1060	0.85	0.10	< 0.05	3.8	1130	9.8	12.7	< 0.001	0.03	5.40
29568	94139402	< 0.05	0.10	0.10	0.040	0.29	4.4	1.3	0.47	1025	0.65	0.09	< 0.05	4.4	890	9.0	12.0	< 0.001	0.12	5.10
29569	94139402	0.05	0.08	0.13	0.040	0.21	0.8	1.4	0.94	365	2.35	0.09	< 0.05	15.4	390	11.8	8.5	0.001	0.82	4.85
29570	94139402	0.05	0.06	0.22	0.055	0.24	0.8	1.5	0.97	385	2.25	0.09	< 0.05	17.0	390	11.0	9.2	0.003	0.87	4.55
29571	94139402	< 0.05	0.08	0.10	0.040	0.21	1.2	1.1	1.08	415	1.80	0.07	< 0.05	13.2	480	8.0	8.5	< 0.001	0.56	3.25
29572	94139402	< 0.05	0.08	0.06	0.050	0.25	2.0	1.2	0.86	390	1.45	0.09	< 0.05	14.8	560	7.4	10.4	< 0.001	0.64	3.35
29573	94139402	< 0.05	0.06	0.18	0.050	0.23	1.0	1.5	0.93	385	2.50	0.10	< 0.05	18.2	550	12.2	9.3	< 0.001	1.13	3.85
29574	94139402	< 0.05	0.04	0.19	0.035	0.17	0.2	1.3	0.88	315	2.45	0.08	< 0.05	15.0	270	8.8	7.5	< 0.001	0.76	3.65
29575	94139402	0.05	0.08	0.12	0.055	0.25	1.6	1.6	0.94	360	1.80	0.12	< 0.05	17.0	510	9.4	10.3	< 0.001	0.93	3.30
29576	94139402	< 0.05	0.08	0.19	0.065	0.26	1.8	1.5	0.78	335	2.15	0.11	< 0.05	18.4	610	11.2	11.2	0.003	1.07	3.80
29577	94139402	< 0.05	0.08	0.18	0.050	0.25	1.6	1.3	0.87	340	2.00	0.10	< 0.05	18.0	650	11.0	10.2	0.004	1.11	4.05
29578	94139402	< 0.05	0.10	0.12	0.050	0.26	2.2	1.2	0.93	385	2.40	0.11	< 0.05	18.4	730	11.2	11.2	0.003	1.03	4.10
29579	94139402	< 0.05	0.06	0.25	0.050	0.25	1.4	1.4	0.94	425	2.00	0.10	< 0.05	17.2	550	11.2	9.7	< 0.001	0.87	4.10
29580	94139402	< 0.05	0.06	0.22	0.050	0.24	1.0	2.2	0.95	370	2.55	0.12	< 0.05	18.6	420	13.6	9.5	0.004	1.05	4.25

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125133
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	FREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29541	94139402	7.9	0.8	< 0.2	138.2	< 0.01	0.11	2.0	< 0.01	0.08	0.55	16	0.05	12.85	60	1.5
29542	94139402	10.2	1.0	< 0.2	156.9	< 0.01	0.07	2.4	< 0.01	< 0.02	0.45	12	< 0.05	10.65	66	2.0
29543	94139402	9.9	0.6	< 0.2	152.4	< 0.01	0.09	2.6	< 0.01	< 0.02	0.45	13	< 0.05	10.45	70	1.5
29544	94139402	10.2	1.4	< 0.2	164.4	< 0.01	0.10	2.2	< 0.01	0.02	0.60	16	< 0.05	11.15	82	1.5
29545	94139402	5.3	0.2	< 0.2	110.4	< 0.01	0.07	1.2	< 0.01	< 0.02	0.30	15	< 0.05	6.60	58	0.5
29546	94139402	5.6	0.8	< 0.2	110.0	< 0.01	0.09	1.4	< 0.01	< 0.02	0.40	15	< 0.05	7.00	60	0.5
29547	94139402	5.9	1.2	< 0.2	114.7	< 0.01	0.09	1.4	< 0.01	0.02	0.50	19	< 0.05	7.70	60	0.5
29548	94139402	7.8	1.4	< 0.2	149.1	< 0.01	0.13	2.4	< 0.01	0.04	0.70	20	< 0.05	10.75	62	1.5
29549	94139402	7.4	1.4	< 0.2	146.6	< 0.01	0.12	1.6	< 0.01	0.02	0.40	17	< 0.05	8.70	70	1.5
29550	94139402	7.8	0.8	< 0.2	181.2	< 0.01	0.10	2.0	< 0.01	0.02	0.50	16	< 0.05	10.70	68	1.5
29551	94139402	12.2	0.8	< 0.2	268.0	< 0.01	0.16	2.0	< 0.01	0.08	0.25	21	< 0.05	12.65	70	1.0
29552	94139402	8.1	1.2	< 0.2	104.6	< 0.01	0.04	2.4	< 0.01	0.06	0.55	22	< 0.05	11.25	64	2.0
29553	94139402	8.1	1.0	< 0.2	146.3	< 0.01	0.11	2.2	< 0.01	0.06	0.60	26	< 0.05	10.90	70	2.0
29554	94139402	9.4	1.0	< 0.2	136.4	< 0.01	0.13	2.6	< 0.01	0.10	0.55	25	< 0.05	12.35	70	2.0
29555	94139402	9.9	0.8	< 0.2	135.9	< 0.01	0.09	2.8	< 0.01	0.10	0.60	34	< 0.05	13.15	68	2.5
29556	94139402	9.3	0.8	< 0.2	162.9	< 0.01	0.16	2.4	< 0.01	0.10	0.60	25	< 0.05	13.35	58	2.5
29557	94139402	7.1	< 0.2	0.4	132.1	0.03	0.08	4.0	< 0.01	0.10	0.50	23	0.05	11.80	94	1.0
29558	94139402	7.3	< 0.2	0.2	157.3	0.01	< 0.01	4.8	< 0.01	0.10	0.45	20	0.05	10.30	78	1.5
29559	94139402	5.4	< 0.2	0.2	237.0	< 0.01	0.07	4.2	< 0.01	0.08	0.50	11	< 0.05	9.00	62	1.5
29560	9400 225	6.0	1.0	1.8	129.0	< 0.01	0.03	2.2	< 0.01	11.40	3.75	108	4.70	1.85	84	2.0
29561	94139402	6.1	0.2	0.2	179.9	< 0.01	0.04	3.2	< 0.01	0.16	0.45	12	0.15	10.00	76	2.0
29562	94139402	5.9	< 0.2	< 0.2	125.6	< 0.01	0.05	3.4	< 0.01	0.12	0.50	21	0.10	10.25	80	2.0
29563	94139402	6.6	< 0.2	< 0.2	117.2	< 0.01	< 0.01	2.8	< 0.01	0.08	0.40	18	0.15	9.90	90	2.0
29564	94139402	7.2	0.8	0.2	82.8	< 0.01	0.12	2.8	< 0.01	0.10	0.45	22	0.10	9.35	74	2.0
29565	94139402	5.6	< 0.2	< 0.2	57.3	< 0.01	< 0.01	2.6	< 0.01	0.20	0.45	16	0.10	6.55	70	1.5
29566	94139402	7.0	< 0.2	< 0.2	54.6	0.01	< 0.01	2.8	< 0.01	0.12	0.45	25	0.05	9.20	86	2.0
29567	94139402	6.8	< 0.2	< 0.2	63.2	< 0.01	0.04	2.6	< 0.01	0.06	0.45	19	0.05	9.60	86	2.0
29568	94139402	7.3	< 0.2	< 0.2	85.9	< 0.01	0.04	1.8	< 0.01	0.08	0.35	19	0.05	8.50	100	1.5
29569	94139402	10.3	0.6	0.2	146.8	< 0.01	0.08	1.4	< 0.01	0.12	0.20	17	0.05	6.10	94	1.5
29570	94139402	11.3	< 0.2	< 0.2	140.4	< 0.01	0.01	1.2	< 0.01	0.06	0.25	19	3.75	6.05	116	1.0
29571	94139402	9.9	< 0.2	0.2	168.3	< 0.01	< 0.01	1.2	< 0.01	0.06	0.20	14	0.20	7.25	84	1.0
29572	94139402	10.3	0.6	0.2	121.7	< 0.01	0.07	1.4	< 0.01	0.10	0.25	15	0.05	7.85	88	1.5
29573	94139402	10.7	< 0.2	0.4	137.0	< 0.01	< 0.01	1.4	< 0.01	0.04	0.25	17	0.05	7.60	112	0.5
29574	94139402	9.0	< 0.2	4.0	135.0	< 0.01	< 0.01	0.8	< 0.01	0.16	0.15	16	0.05	5.00	82	0.5
29575	94139402	10.3	0.2	2.0	109.0	< 0.01	0.08	1.2	< 0.01	0.08	0.25	21	0.05	7.35	96	1.0
29576	94139402	8.9	1.0	0.4	119.0	< 0.01	0.09	1.6	< 0.01	0.06	0.25	12	< 0.05	7.85	102	1.0
29577	94139402	10.1	< 0.2	0.6	121.4	< 0.01	< 0.01	1.6	< 0.01	0.10	0.30	14	< 0.05	8.50	102	1.0
29578	94139402	11.0	< 0.2	0.2	149.6	< 0.01	0.05	1.8	< 0.01	0.08	0.30	13	< 0.05	9.40	112	1.5
29579	94139402	10.4	0.4	0.6	154.3	< 0.01	0.10	1.4	< 0.01	0.10	0.25	14	< 0.05	7.80	112	1.0
29580	94139402	11.3	< 0.2	1.6	122.2	< 0.01	< 0.01	1.2	< 0.01	0.12	0.25	21	0.05	6.50	102	1.0

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125133
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29581	94139402	3.34	< 5	-----	0.26	0.44	90.0	< 10	112.8	0.60	0.12	2.30	0.32	2.08	8.1	17	2.95	26.0	3.07	0.80
29582	94139402	3.60	< 5	-----	0.26	0.44	62.1	< 10	100.2	0.65	0.10	2.01	0.27	3.52	8.0	12	3.35	24.0	2.96	0.80
29583	94139402	3.86	< 5	-----	0.11	0.56	54.4	< 10	88.6	0.80	0.10	1.92	0.22	5.92	8.0	10	3.90	23.4	3.39	1.05
29584	94139402	4.36	< 5	-----	0.13	0.44	53.1	< 10	149.2	0.60	0.09	2.60	0.22	4.52	8.6	12	3.05	20.0	3.05	0.80
29585	94139402	4.86	< 5	-----	0.21	0.46	47.1	< 10	151.4	0.75	0.09	2.40	0.16	5.72	8.5	11	3.25	17.4	3.32	0.90
29586	94139402	5.92	< 5	-----	0.31	0.45	54.7	< 10	128.6	0.65	0.10	2.20	0.13	5.74	8.9	14	3.20	18.4	3.28	0.85
29587	94139402	4.52	< 5	-----	0.24	0.47	54.9	< 10	123.0	0.80	0.11	2.10	0.14	5.02	9.3	12	3.30	20.4	3.06	0.95
29588	94139402	5.30	< 5	-----	0.23	0.41	47.3	< 10	188.0	0.80	0.09	2.50	0.16	4.94	8.5	12	3.15	21.2	3.43	0.80
29589	94139402	5.06	< 5	-----	0.21	0.50	49.2	< 10	140.0	0.75	0.09	2.15	0.16	5.80	8.6	11	3.30	21.2	3.22	0.95
29590	9400 225	0.10	< 5	-----	0.22	2.63	6.1	10	639.1	1.00	0.19	1.06	0.42	46.1	8.5	17	3.35	23.4	2.15	6.65
29591	94139402	4.80	< 5	-----	0.19	0.45	45.0	< 10	151.4	0.70	0.08	2.32	0.18	5.98	9.1	16	2.90	21.4	3.73	0.85
29592	94139402	5.54	< 5	-----	0.17	0.42	112.5	< 10	134.2	0.70	0.08	2.67	0.15	2.74	8.5	20	2.65	23.4	3.06	0.75
29593	94139402	4.96	< 5	-----	0.19	0.41	106.0	< 10	113.8	0.75	0.08	3.32	0.16	2.52	8.4	21	2.40	20.6	3.49	0.65
29594	94139402	4.72	< 5	-----	0.21	0.46	60.4	< 10	76.2	0.55	0.08	2.87	0.17	3.64	9.0	18	2.70	21.6	3.55	0.80
29595	94139402	4.94	< 5	-----	0.19	0.50	59.2	< 10	117.4	0.75	0.10	2.24	0.24	6.22	9.2	13	3.55	22.4	3.62	0.95

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-B
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. : I0125133
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29581	94139402	< 0.05	0.06	0.21	0.055	0.26	1.0	2.3	0.83	315	2.00	0.12	< 0.05	17.8	320	12.2	10.6	< 0.001	0.89	3.80
29582	94139402	< 0.05	0.10	0.17	0.055	0.26	1.4	1.7	0.72	290	2.15	0.12	< 0.05	19.2	500	11.0	10.8	0.008	1.00	3.70
29583	94139402	< 0.05	0.06	0.12	0.060	0.33	2.4	1.6	0.72	335	1.85	0.12	< 0.05	18.8	760	14.4	13.1	< 0.001	1.03	3.45
29584	94139402	< 0.05	0.08	0.15	0.050	0.27	1.6	1.4	0.84	360	2.00	0.11	< 0.05	17.2	620	11.0	10.5	0.003	0.78	3.40
29585	94139402	< 0.05	0.08	0.09	0.055	0.28	2.2	1.3	0.84	380	1.55	0.11	< 0.05	16.6	670	9.8	10.6	0.001	0.74	3.40
29586	94139402	< 0.05	0.10	0.12	0.045	0.27	2.4	1.2	0.78	370	1.85	0.11	< 0.05	18.0	670	10.8	10.4	0.001	0.78	3.65
29587	94139402	< 0.05	0.06	0.15	0.050	0.28	2.0	1.4	0.74	345	1.95	0.12	< 0.05	19.8	600	11.4	11.0	0.003	0.84	3.55
29588	94139402	< 0.05	0.06	0.10	0.045	0.25	2.0	1.4	0.89	400	1.60	0.11	< 0.05	16.6	620	10.2	10.1	0.003	0.64	4.05
29589	94139402	< 0.05	0.06	0.09	0.045	0.29	2.2	1.2	0.78	370	1.40	0.11	< 0.05	17.6	670	9.6	10.8	0.001	0.76	4.05
29590	9400 225	0.05	0.52	0.03	0.035	0.52	24.2	21.5	0.58	510	0.90	0.18	0.15	17.6	520	12.4	37.9	< 0.001	0.02	0.95
29591	94139402	< 0.05	0.08	0.06	0.050	0.26	2.6	1.3	0.86	440	1.80	0.10	< 0.05	17.8	610	10.4	10.3	< 0.001	0.72	3.75
29592	94139402	< 0.05	0.06	0.13	0.050	0.25	1.2	1.3	0.88	360	1.75	0.10	< 0.05	17.8	400	10.4	9.5	0.001	0.73	3.90
29593	94139402	< 0.05	0.04	0.11	0.045	0.23	1.2	1.2	1.09	455	2.05	0.10	< 0.05	16.4	380	10.6	8.5	0.002	0.70	4.25
29594	94139402	< 0.05	0.06	0.23	0.055	0.27	1.6	1.3	0.96	415	1.90	0.11	< 0.05	18.0	560	12.2	9.8	0.001	0.85	4.15
29595	94139402	< 0.05	0.06	0.15	0.045	0.28	2.6	1.2	0.87	415	1.85	0.12	< 0.05	18.2	680	11.4	11.1	< 0.001	0.79	3.80

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V8C 3L2

Page Number :3-C
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :I0125133
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125133

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29581	94139402	9.6	< 0.2	0.8	110.1	< 0.01	< 0.01	1.2	< 0.01	0.10	0.20	19	0.05	5.80	134	0.5
29582	94139402	10.0	0.6	0.6	94.9	< 0.01	0.11	1.6	< 0.01	0.10	0.30	14	0.05	7.20	110	0.5
29583	94139402	10.0	< 0.2	0.2	109.7	< 0.01	0.07	1.8	< 0.01	0.06	0.25	14	< 0.05	8.95	102	0.5
29584	94139402	10.1	< 0.2	0.2	157.5	< 0.01	0.03	1.6	< 0.01	0.08	0.25	13	0.05	8.25	102	0.5
29585	94139402	9.9	< 0.2	< 0.2	140.4	< 0.01	0.12	1.6	< 0.01	0.06	0.25	14	< 0.05	8.70	94	0.5
29586	94139402	10.4	< 0.2	0.2	127.8	< 0.01	0.03	1.6	< 0.01	0.10	0.25	15	< 0.05	8.55	96	1.0
29587	94139402	10.5	0.4	0.2	112.3	< 0.01	0.10	1.4	< 0.01	0.10	0.25	16	< 0.05	8.10	98	0.5
29588	94139402	10.8	< 0.2	0.2	124.8	< 0.01	0.08	1.4	< 0.01	0.08	0.25	15	< 0.05	8.30	94	0.5
29589	94139402	10.2	< 0.2	< 0.2	122.4	< 0.01	< 0.01	1.4	< 0.01	0.06	0.25	14	< 0.05	8.75	98	0.5
29590	9400 225	6.2	0.2	1.0	88.6	< 0.01	0.03	5.8	0.09	0.38	1.25	55	0.35	13.55	74	15.5
29591	94139402	10.4	< 0.2	0.2	138.0	< 0.01	0.11	2.8	< 0.01	0.10	0.20	15	< 0.05	8.50	90	2.0
29592	94139402	10.1	< 0.2	0.8	144.8	< 0.01	< 0.01	1.4	< 0.01	0.10	0.20	17	< 0.05	6.55	90	1.0
29593	94139402	11.3	0.2	0.4	165.2	< 0.01	0.09	1.2	< 0.01	0.12	0.25	24	< 0.05	6.80	100	0.5
29594	94139402	10.5	< 0.2	0.2	164.0	< 0.01	0.11	1.2	< 0.01	0.10	0.25	17	< 0.05	7.75	98	0.5
29595	94139402	10.4	< 0.2	0.2	134.7	< 0.01	< 0.01	1.6	< 0.01	0.06	0.25	16	< 0.05	8.50	108	0.5

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. : I0125419
 P.O. Number : 21331
 Account : SWY

Project : RDN 01 - 19a
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29596	94139402	3.82	5	-----	0.20	0.41	8.4	< 10	677.2	0.70	0.17	1.45	4.69	31.2	7.8	34	1.25	19.4	3.09	1.05
29597	94139402	3.78	35	-----	0.34	0.52	15.4	< 10	203.4	0.50	0.21	1.24	13.35	20.9	8.3	47	1.05	27.0	3.02	1.25
29598	94139402	4.54	5	-----	0.24	0.41	12.3	< 10	482.6	0.40	0.08	1.72	0.39	30.3	7.2	31	1.55	12.6	2.83	1.05
29599	94139402	1.28	15	-----	0.37	0.67	27.1	< 10	507.7	0.65	0.07	2.07	0.40	21.0	7.6	21	1.45	9.2	2.92	1.35
29600	94139402	3.62	10	-----	0.37	0.48	17.0	< 10	688.2	0.55	0.07	2.03	1.23	32.5	7.2	22	1.60	19.8	2.82	1.10
29601	94139402	3.48	10	-----	0.36	0.74	7.4	< 10	926.8	0.80	0.04	1.98	1.49	31.0	7.2	19	1.60	13.6	2.86	1.60
29602	94139402	3.70	50	-----	0.40	0.53	13.8	< 10	704.8	0.70	0.12	2.19	4.31	20.9	6.7	20	1.65	29.6	2.81	1.05
29603	94139402	4.10	5	-----	0.33	0.70	5.4	< 10	587.7	0.35	0.06	2.04	0.68	34.1	7.2	30	1.60	9.2	2.80	1.75
29604	94139402	3.82	< 5	-----	0.28	0.40	16.0	< 10	454.8	0.45	0.04	2.00	0.20	31.3	6.7	17	1.65	34.2	2.62	1.00
29605	94139402	3.96	175	-----	0.38	0.54	9.6	< 10	465.4	0.60	0.06	2.18	0.83	30.3	6.6	17	1.65	19.8	2.49	1.30
29606	94139402	3.20	180	-----	0.60	0.38	22.5	< 10	252.8	0.55	0.10	1.83	11.75	26.0	7.8	16	1.55	53.2	2.80	1.00
29607	94139402	4.50	10	-----	0.46	0.38	12.2	< 10	532.7	0.55	0.14	1.91	3.08	31.8	6.8	16	1.35	17.8	2.70	1.00
29608	94139402	2.28	20	-----	0.49	0.55	13.0	< 10	552.4	0.75	0.07	3.43	2.32	13.10	6.9	24	1.10	13.8	2.92	1.05
29609	94139402	2.56	125	-----	0.31	0.41	14.5	< 10	114.4	0.70	0.05	1.83	3.83	25.3	10.6	16	1.70	11.2	3.03	0.90
29610	94139402	2.76	95	-----	0.42	0.56	11.3	< 10	255.2	0.60	0.06	3.07	7.25	26.7	7.8	29	1.45	13.6	2.97	1.25
29611	94139402	2.60	35	-----	0.40	0.41	11.9	< 10	259.0	0.60	0.07	1.61	5.16	27.9	7.3	15	1.35	12.2	2.82	0.90
29612	94139402	2.42	145	-----	0.57	0.67	21.7	< 10	159.0	1.05	0.14	1.86	9.87	30.1	6.9	26	1.55	19.6	2.39	1.50
29613	94139402	2.92	55	-----	0.59	0.39	27.7	< 10	192.6	0.35	0.06	2.14	4.14	26.9	7.5	15	1.35	38.0	2.94	0.85
29614	94139402	2.66	55	-----	0.38	0.62	23.0	< 10	204.6	0.55	0.03	2.04	10.95	27.6	7.4	33	1.50	23.0	2.65	1.25
29615	94139402	3.50	20	-----	0.19	0.37	9.8	< 10	314.0	0.55	0.02	1.81	2.63	29.6	6.6	15	1.50	5.2	2.79	0.95
29616	94139402	3.72	10	-----	0.21	0.55	8.7	< 10	454.6	0.60	0.01	1.68	9.19	38.1	7.5	25	1.90	15.0	2.77	1.40
29617	94139402	4.02	15	-----	0.21	0.42	6.6	< 10	279.0	0.45	0.15	2.07	0.68	33.6	7.5	16	1.90	6.2	2.65	0.95
29618	94139402	3.88	20	-----	0.21	0.61	6.0	< 10	334.4	0.55	0.03	1.75	2.48	36.8	7.6	31	1.85	6.0	2.88	1.65
29619	94139402	3.84	20	-----	0.20	0.44	7.4	< 10	360.4	0.60	0.03	1.46	3.92	34.8	8.4	17	2.10	7.6	2.86	1.10
29620	9400 225	0.10	>10000	11.37	0.32	0.23	1540	< 10	853.3	0.15	0.13	0.09	20.0	1.72	1.7	49	2.50	64.7	2.66	2.30
29621	94139402	3.98	45	-----	0.28	0.60	10.1	< 10	687.9	0.65	0.02	3.25	5.07	33.3	6.7	23	1.60	4.8	2.95	1.45
29622	94139402	4.18	25	-----	0.45	0.47	16.4	< 10	288.2	0.55	0.10	1.23	8.28	25.4	7.1	16	1.75	28.2	2.89	1.00
29623	94139402	2.44	115	-----	0.86	0.34	23.8	< 10	230.0	0.50	0.07	1.85	5.74	21.8	6.3	14	1.60	38.4	2.57	0.90
29624	94139402	2.90	45	-----	1.33	0.34	25.8	< 10	195.8	0.40	0.43	2.17	17.00	21.5	6.9	16	1.45	58.4	2.79	0.90
29625	94139402	4.24	105	-----	1.06	0.35	34.1	< 10	175.8	0.45	0.14	1.02	15.75	24.5	7.3	13	1.70	63.0	2.70	1.00
29626	94139402	3.68	205	-----	0.83	0.39	39.1	< 10	125.4	0.45	0.12	0.75	14.75	24.0	7.2	19	1.60	62.6	2.97	1.10
29627	94139402	2.52	515	-----	1.52	0.41	50.7	< 10	90.2	0.60	0.16	1.59	26.1	28.3	8.0	14	2.30	94.5	2.70	1.25
29628	94139402	3.12	520	-----	3.19	0.41	314	< 10	72.0	0.55	0.33	1.04	57.3	24.6	8.2	16	2.20	684	2.94	1.40
29629	94139402	2.96	510	-----	8.82	0.35	54.3	< 10	82.6	0.50	1.68	1.54	64.5	23.3	7.5	19	1.40	121.0	3.07	1.20
29630	94139402	3.84	20	-----	1.26	0.45	13.3	< 10	308.8	0.35	0.10	1.27	6.29	31.1	6.9	19	1.80	18.0	2.75	1.25
29631	94139402	3.58	15	-----	0.56	0.41	7.6	< 10	245.4	0.30	0.25	0.88	13.40	33.4	6.9	19	1.70	12.6	2.93	1.30
29632	94139402	4.36	20	-----	0.25	0.36	8.1	< 10	235.2	0.35	0.06	0.88	9.41	28.5	6.8	17	1.50	9.4	2.84	1.00
29633	94139402	3.82	45	-----	0.32	0.34	10.7	< 10	517.5	0.50	0.17	1.49	11.35	16.70	6.6	15	1.60	11.6	2.70	0.90
29634	94139402	2.02	20	-----	0.44	0.30	5.5	< 10	739.0	0.25	0.03	1.70	3.96	19.50	5.9	16	1.50	7.2	2.55	0.80
29635	94139402	2.50	150	-----	1.54	0.29	35.4	< 10	79.6	0.35	0.68	1.41	79.7	20.8	9.0	15	1.45	88.7	3.03	0.90

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :3
 Certificate Date:02-OCT-2001
 Invoice No. :10125419
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29596	94139402	< 0.05	0.10	0.24	0.040	0.32	18.0	0.4	1.16	3140	1.10	0.03	< 0.05	2.0	800	367.2	11.9<	0.001	0.10	2.35
29597	94139402	< 0.05	0.12	0.64	0.035	0.37	12.0	0.6	0.96	2840	1.75	0.01	< 0.05	2.6	660	256.9	12.6<	0.001	0.47	2.75
29598	94139402	< 0.05	0.12	0.09	0.030	0.31	18.2	0.4	0.96	1960	2.15	0.02	< 0.05	1.6	680	38.6	12.5<	0.001	0.15	1.95
29599	94139402	< 0.05	0.10	0.11	0.025	0.46	12.6	0.5	1.09	2160	2.10	0.01	< 0.05	1.6	490	78.6	15.6<	0.001	0.25	1.00
29600	94139402	< 0.05	0.12	0.12	0.025	0.36	19.2	0.4	1.04	2130	2.30	0.02	< 0.05	1.2	800	30.0	14.2<	0.001	0.10	2.10
29601	94139402	< 0.05	0.10	0.25	0.020	0.52	18.2	0.5	1.03	2020	0.25	0.03	< 0.05	1.2	780	115.1	18.2<	0.001	0.08	1.75
29602	94139402	< 0.05	0.12	0.36	0.020	0.38	12.6	0.5	1.08	2380	0.35	0.01	< 0.05	1.2	670	92.0	14.2<	0.001	0.12	4.10
29603	94139402	< 0.05	0.12	0.09	0.025	0.49	20.6	0.5	1.07	2230	1.95	0.04	< 0.05	1.4	840	47.4	17.5<	0.001	0.13	0.95
29604	94139402	< 0.05	0.12	0.06	0.025	0.32	18.6	0.5	1.02	2190	0.95	0.03	< 0.05	1.0	800	11.2	12.9<	0.001	0.06	1.95
29605	94139402	< 0.05	0.12	0.10	0.025	0.39	17.6	0.4	1.00	2200	1.85	0.03	< 0.05	1.0	750	72.2	15.1<	0.001	0.11	1.10
29606	94139402	< 0.05	0.16	0.75	0.025	0.31	14.8	0.3	1.02	2240	1.70	0.02	< 0.05	1.2	750	122.9	12.4<	0.001	0.22	2.65
29607	94139402	< 0.05	0.14	0.29	0.030	0.31	18.6	0.5	1.03	2130	3.80	0.02	< 0.05	1.2	780	108.5	12.5<	0.001	0.08	0.85
29608	94139402	< 0.05	0.12	0.26	0.025	0.39	7.2	0.9	1.40	2960	2.70	0.01	< 0.05	1.2	540	159.6	13.2<	0.001	0.20	0.60
29609	94139402	< 0.05	0.16	0.40	0.030	0.34	14.0	0.4	0.92	2020	0.35	0.01	< 0.05	1.4	730	285.7	13.2<	0.001	0.74	1.10
29610	94139402	< 0.05	0.14	0.59	0.035	0.41	15.4	0.4	1.27	2940	0.30	0.01	< 0.05	1.4	730	460.0	14.7<	0.001	0.38	1.05
29611	94139402	< 0.05	0.14	0.47	0.020	0.32	16.4	0.3	0.92	2470	0.45	0.01	< 0.05	1.0	680	400.6	11.7<	0.001	0.28	0.90
29612	94139402	< 0.05	0.16	0.79	0.035	0.48	17.8	0.6	0.86	2080	13.90	0.01	< 0.05	1.4	660	722.0	16.5<	0.001	0.50	1.40
29613	94139402	< 0.05	0.10	0.35	0.030	0.31	15.8	0.5	1.05	2760	6.40	0.01	< 0.05	1.2	700	427.4	11.6<	0.001	0.40	2.15
29614	94139402	< 0.05	0.14	0.93	0.030	0.45	16.0	0.6	0.99	2470	0.85	0.01	< 0.05	1.4	690	666.0	15.6<	0.001	0.35	1.55
29615	94139402	< 0.05	0.14	0.27	0.020	0.32	17.6	0.5	1.03	2670	0.10	0.01	< 0.05	1.0	690	253.5	12.1<	0.001	0.18	0.55
29616	94139402	< 0.05	0.16	0.73	0.020	0.42	21.4	0.7	1.03	2410	0.15	0.02	< 0.05	1.4	840	419.4	15.6<	0.001	0.18	0.95
29617	94139402	< 0.05	0.12	0.11	0.040	0.35	18.2	0.6	1.03	2230	0.05	0.02	< 0.05	1.2	780	31.2	14.0<	0.001	0.21	0.65
29618	94139402	< 0.05	0.08	0.26	0.025	0.47	21.0	0.6	1.05	2630	0.15	0.03	< 0.05	1.4	790	181.9	17.0<	0.001	0.15	0.45
29619	94139402	< 0.05	0.12	0.35	0.030	0.37	20.4	0.6	1.00	2670	0.10	0.02	< 0.05	1.2	720	379.1	14.6<	0.001	0.11	0.40
29620	9400 225	< 0.05	0.08	0.40	0.740	0.12	1.0	1.0	0.03	25	4.70	0.01	0.10	8.8	200	116.1	5.5<	0.001	0.10	110.20
29621	94139402	< 0.05	0.08	0.41	0.025	0.47	18.6	0.8	1.35	4520	0.35	0.01	< 0.05	1.2	730	279.8	16.6<	0.001	0.12	0.80
29622	94139402	< 0.05	0.06	0.61	0.025	0.38	14.2	0.6	0.87	2590	0.90	0.01	< 0.05	1.0	660	378.9	13.2<	0.001	0.23	1.35
29623	94139402	< 0.05	0.10	0.43	0.020	0.30	12.2	0.4	0.96	2870	0.40	0.01	< 0.05	1.0	620	337.9	11.6<	0.001	0.31	1.50
29624	94139402	< 0.05	0.12	1.33	0.025	0.29	11.8	0.4	1.07	3370	3.85	0.01	< 0.05	1.2	650	530.0	10.6<	0.001	0.41	2.20
29625	94139402	< 0.05	0.12	1.23	0.025	0.28	13.4	0.5	0.75	2690	0.85	0.01	< 0.05	1.8	660	904.0	10.8<	0.001	0.53	3.55
29626	94139402	< 0.05	0.12	1.10	0.020	0.32	13.2	0.3	0.74	2680	1.55	0.01	< 0.05	1.2	710	718.0	11.1<	0.001	0.68	2.60
29627	94139402	< 0.05	0.12	2.03	0.025	0.34	15.2	0.4	0.86	2690	0.50	0.02	< 0.05	1.2	810	770.0	13.3<	0.001	0.82	3.15
29628	94139402	< 0.05	0.10	4.81	0.030	0.34	13.2	0.5	0.78	2610	2.70	0.02	< 0.05	1.2	740	2570	13.5<	0.001	1.19	12.40
29629	94139402	< 0.05	0.08	4.91	0.025	0.29	13.0	0.5	1.00	3590	1.05	0.01	< 0.05	1.0	700	1105.0	9.9<	0.001	0.86	1.90
29630	94139402	< 0.05	0.08	0.66	0.025	0.35	17.4	0.5	0.92	3040	0.35	0.03	< 0.05	1.2	830	375.3	12.6<	0.001	0.20	0.75
29631	94139402	< 0.05	0.12	1.13	0.025	0.32	19.0	0.5	0.93	3020	1.75	0.03	< 0.05	1.2	850	390.3	11.6<	0.001	0.23	0.50
29632	94139402	< 0.05	0.10	0.85	0.020	0.29	16.0	0.5	0.89	2980	1.20	0.03	< 0.05	1.0	710	423.6	10.3<	0.001	0.40	1.15
29633	94139402	< 0.05	0.14	0.89	0.020	0.32	9.2	0.5	1.02	3010	0.45	0.01	< 0.05	1.0	560	264.8	11.2<	0.001	0.20	2.15
29634	94139402	< 0.05	0.16	0.46	0.020	0.29	11.0	0.4	1.02	2840	0.15	0.02	< 0.05	1.0	640	235.6	10.2<	0.001	0.13	1.05
29635	94139402	< 0.05	0.14	6.16	0.030	0.27	11.4	0.5	1.02	3270	0.30	0.01	< 0.05	1.2	720	1470.0	9.5<	0.001	0.97	3.50

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-C
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. : I0125419
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Sc ppm	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29596	94139402	3.8	< 0.2	< 0.2	115.4	< 0.01	< 0.01	2.4	< 0.01	0.12	0.60	13	0.05	8.10	698	2.0
29597	94139402	4.9	0.2	0.2	125.4	< 0.01	< 0.01	2.6	< 0.01	0.18	0.55	14	0.05	6.30	1395	2.5
29598	94139402	4.9	0.6	< 0.2	123.8	< 0.01	0.15	2.8	< 0.01	0.24	0.60	11	0.05	8.85	164	3.0
29599	94139402	5.2	< 0.2	0.6	201.2	< 0.01	< 0.01	2.4	< 0.01	1.22	0.60	13	0.05	8.05	184	2.0
29600	94139402	5.1	< 0.2	< 0.2	137.3	< 0.01	0.07	2.8	< 0.01	0.20	0.60	13	0.05	10.15	260	2.5
29601	94139402	4.8	0.4	< 0.2	113.4	< 0.01	0.07	2.6	< 0.01	0.18	0.70	18	< 0.05	9.25	312	2.0
29602	94139402	5.0	< 0.2	0.2	130.9	< 0.01	< 0.01	2.4	< 0.01	0.14	0.60	14	< 0.05	9.25	620	2.5
29603	94139402	4.8	0.2	< 0.2	112.6	< 0.01	0.04	2.8	< 0.01	0.14	0.65	18	0.05	10.35	214	2.5
29604	94139402	4.8	0.2	< 0.2	113.4	< 0.01	0.11	2.6	< 0.01	0.08	0.55	13	< 0.05	9.50	166	2.5
29605	94139402	4.7	< 0.2	< 0.2	121.4	< 0.01	< 0.01	2.8	< 0.01	0.12	0.60	14	0.05	10.80	218	3.0
29606	94139402	4.6	0.8	0.2	96.3	< 0.01	0.06	2.8	< 0.01	0.10	0.55	14	< 0.05	9.70	1475	2.5
29607	94139402	4.5	0.6	< 0.2	174.7	< 0.01	0.08	3.2	< 0.01	0.12	0.55	11	< 0.05	9.45	504	2.5
29608	94139402	5.8	< 0.2	1.2	151.2	< 0.01	< 0.01	2.4	< 0.01	0.16	0.70	21	0.05	8.15	382	2.5
29609	94139402	5.2	0.2	0.2	129.0	0.04	0.07	3.2	< 0.01	0.16	0.60	12	< 0.05	8.10	542	3.0
29610	94139402	4.7	< 0.2	< 0.2	140.3	< 0.01	0.09	3.0	< 0.01	0.16	0.60	14	< 0.05	10.40	990	3.0
29611	94139402	3.9	< 0.2	< 0.2	106.8	< 0.01	< 0.01	3.0	< 0.01	0.12	0.60	10	< 0.05	7.40	780	2.0
29612	94139402	4.5	< 0.2	0.2	116.5	< 0.01	0.09	3.2	< 0.01	0.22	0.65	13	< 0.05	7.25	1305	3.0
29613	94139402	4.2	0.2	< 0.2	108.5	< 0.01	0.07	3.2	< 0.01	0.10	0.60	11	< 0.05	8.30	542	2.5
29614	94139402	4.5	< 0.2	< 0.2	122.3	< 0.01	< 0.01	3.4	< 0.01	0.14	0.65	12	0.05	8.70	1575	3.0
29615	94139402	4.3	0.2	< 0.2	89.8	< 0.01	0.08	3.2	< 0.01	0.08	0.55	10	< 0.05	8.10	462	3.0
29616	94139402	4.1	0.8	< 0.2	99.7	< 0.01	0.07	3.8	< 0.01	0.10	0.65	12	0.05	9.05	1350	3.5
29617	94139402	3.6	0.6	< 0.2	107.0	< 0.01	0.07	2.8	< 0.01	0.14	0.55	12	< 0.05	9.00	210	2.5
29618	94139402	4.5	0.6	< 0.2	91.2	< 0.01	0.07	3.6	< 0.01	0.14	0.60	14	< 0.05	9.95	476	2.5
29619	94139402	4.5	< 0.2	< 0.2	86.4	< 0.01	< 0.01	3.4	< 0.01	0.10	0.55	13	< 0.05	9.65	652	2.5
29620	9400 225	6.1	1.8	1.6	133.1	< 0.01	0.11	1.4	< 0.01	11.60	3.65	116	4.25	1.85	92	2.0
29621	94139402	4.9	< 0.2	< 0.2	160.8	< 0.01	< 0.01	2.8	< 0.01	0.22	0.50	14	0.20	12.60	726	2.0
29622	94139402	3.9	< 0.2	< 0.2	75.2	< 0.01	0.01	2.4	< 0.01	0.14	0.45	11	< 0.05	6.80	1245	2.0
29623	94139402	4.7	< 0.2	< 0.2	103.3	< 0.01	0.04	2.4	< 0.01	0.14	0.40	10	< 0.05	7.55	762	2.0
29624	94139402	3.9	< 0.2	< 0.2	136.9	< 0.01	< 0.01	2.6	< 0.01	0.18	0.45	10	0.05	6.85	2060	2.0
29625	94139402	4.1	0.6	0.2	83.8	< 0.01	0.11	2.8	< 0.01	0.22	0.40	10	< 0.05	5.80	2130	3.0
29626	94139402	4.0	0.2	< 0.2	51.2	< 0.01	< 0.01	3.0	< 0.01	0.18	0.50	13	0.05	5.55	2050	2.5
29627	94139402	3.4	< 0.2	< 0.2	76.3	< 0.01	0.04	3.0	< 0.01	0.36	0.50	10	0.05	8.10	3450	2.5
29628	94139402	2.9	0.2	< 0.2	58.1	< 0.01	0.13	3.0	< 0.01	0.28	0.45	10	< 0.05	6.20	7240	2.5
29629	94139402	3.1	< 0.2	< 0.2	80.5	< 0.01	< 0.01	2.6	< 0.01	0.18	0.45	14	0.05	6.85	8080	2.0
29630	94139402	3.2	0.2	< 0.2	56.9	< 0.01	0.03	2.6	< 0.01	0.10	0.55	14	< 0.05	7.35	982	2.0
29631	94139402	3.9	< 0.2	< 0.2	56.2	< 0.01	0.04	3.2	< 0.01	0.08	0.50	13	0.05	6.85	1960	2.5
29632	94139402	3.5	< 0.2	< 0.2	60.6	< 0.01	< 0.01	3.0	< 0.01	0.08	0.40	11	< 0.05	6.45	1420	2.5
29633	94139402	4.3	0.6	< 0.2	117.9	< 0.01	0.05	2.2	< 0.01	0.14	0.45	10	< 0.05	6.25	1460	3.0
29634	94139402	4.2	< 0.2	< 0.2	107.2	< 0.01	0.03	2.4	< 0.01	0.08	0.45	11	< 0.05	6.85	590	3.5
29635	94139402	3.8	0.2	0.2	97.2	< 0.01	< 0.01	3.0	< 0.01	0.16	0.55	10	< 0.05	7.00	9520	3.5

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. : I0125419
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29636	94139402	1.84	160	-----	1.30	0.34	26.5	< 10	58.8	0.25	1.07	2.03	75.9	15.45	8.7	24	1.15	40.6	3.01	1.00
29637	94139402	4.42	10	-----	0.59	0.36	5.5	< 10	382.8	0.65	0.04	1.84	2.38	27.5	6.4	19	1.80	3.6	2.66	0.80
29638	94139402	3.82	50	-----	0.57	0.53	8.4	< 10	286.4	0.60	0.29	1.21	8.52	32.6	7.5	19	1.70	8.6	2.98	1.35
29639	94139402	3.92	55	-----	0.56	0.36	24.4	< 10	290.6	0.45	0.29	1.02	12.65	29.4	8.3	17	1.80	37.6	3.10	1.05
29640	94139402	3.86	130	-----	0.75	0.50	35.7	< 10	219.8	0.50	0.27	1.38	21.3	29.1	6.9	15	1.30	46.0	2.59	1.50
29641	94139402	4.14	60	-----	0.58	0.31	12.3	< 10	515.0	0.25	0.17	1.53	10.70	28.0	6.6	14	2.05	22.4	2.62	0.85
29642	94139402	4.08	20	-----	0.81	0.56	10.0	< 10	385.2	0.65	0.93	2.63	5.15	25.5	6.7	19	1.70	8.0	2.67	1.30
29643	94139402	3.94	30	-----	0.66	0.33	7.5	< 10	567.6	0.45	0.08	1.96	5.25	29.8	6.3	16	1.85	5.0	2.58	0.90
29644	94139402	4.14	15	-----	0.29	0.57	7.9	< 10	465.6	0.50	0.04	1.51	0.51	24.4	5.9	17	1.60	3.6	2.66	1.15
29645	94139402	3.88	25	-----	0.29	0.35	6.1	< 10	473.8	0.70	0.07	1.26	6.83	27.3	6.2	15	2.05	9.6	2.55	0.85
29646	94139402	4.04	15	-----	0.24	0.54	4.4	< 10	600.8	0.40	0.06	1.29	6.39	30.3	6.4	17	1.55	7.4	2.72	1.35
29647	94139402	3.82	10	-----	0.33	0.36	6.7	< 10	455.8	0.45	0.10	1.19	8.00	28.1	6.5	13	1.85	7.0	2.93	0.95
29648	94139402	4.04	55	-----	0.38	0.55	8.1	< 10	322.8	0.35	0.11	1.24	9.14	24.1	6.5	13	1.70	10.4	2.74	1.20
29649	94139402	3.72	20	-----	0.32	0.34	6.6	< 10	174.8	0.35	0.06	0.93	4.92	24.6	6.1	11	1.90	4.2	2.84	0.75
29650	9400 225	0.10	7300	-----	0.61	1.24	578	< 10	631.1	1.65	1.14	1.87	1.76	6.44	13.9	109	2.30	128.5	2.48	5.95
29651	94139402	2.78	175	-----	1.97	0.53	40.8	< 10	21.8	0.40	1.69	0.52	1.63	6.50	9.3	25	1.50	69.7	3.09	1.60
29652	94139402	2.46	100	-----	2.44	0.35	29.8	< 10	46.8	0.40	0.65	0.97	3.14	8.04	9.5	9	2.05	18.0	3.49	1.00
29653	94139402	4.12	40	-----	0.53	0.54	10.9	< 10	428.6	0.45	0.07	1.22	2.85	27.6	6.5	19	2.15	10.4	2.62	1.25
29654	94139402	3.88	20	-----	0.51	0.33	10.3	< 10	421.0	0.70	0.14	1.99	4.32	27.2	7.0	11	2.20	4.8	2.75	0.80
29655	94139402	4.34	< 5	-----	0.36	0.59	22.1	< 10	666.3	0.60	0.06	1.70	1.08	30.4	6.4	15	2.15	47.4	2.68	1.50
29656	94139402	1.80	10	-----	0.32	0.36	3.9	< 10	474.8	0.70	0.10	2.01	0.90	24.8	6.0	12	2.45	2.6	2.90	0.70
29657	94139402	1.64	215	-----	2.19	0.54	27.4	< 10	32.8	0.60	1.63	1.69	1.63	14.25	8.6	14	2.05	41.6	3.30	1.05
29658	94139402	4.08	90	-----	0.58	0.35	8.1	< 10	117.2	0.55	0.21	1.34	1.64	21.8	6.6	11	2.70	8.6	2.86	0.70
29659	94139402	3.96	< 5	-----	0.60	0.56	3.8	< 10	336.8	0.55	0.20	1.16	1.52	30.5	6.6	16	2.50	6.0	2.80	1.20
29660	94139402	2.02	10	-----	0.46	0.30	5.8	< 10	149.2	0.45	0.10	1.76	2.99	23.2	5.9	11	1.85	3.6	3.52	0.70
29661	94139402	1.76	30	-----	0.47	0.57	11.8	< 10	138.2	0.85	0.05	1.00	1.03	24.9	7.4	14	2.35	13.2	3.00	1.20
29662	94139402	1.76	980	-----	10.45	0.31	122.0	< 10	19.6	0.90	1.61	0.92	26.8	9.34	9.6	13	2.15	221	3.49	0.85
29663	94139402	3.62	20	-----	1.89	0.63	11.5	< 10	49.2	0.60	0.04	2.46	0.41	17.60	7.3	14	1.80	9.8	2.98	1.20
29664	94139402	2.18	< 5	-----	0.25	0.36	10.3	< 10	66.4	0.70	0.01	3.52	0.15	19.85	8.2	7	1.85	10.6	3.01	0.75
29665	94139402	3.90	< 5	-----	0.41	0.56	9.6	< 10	288.4	0.95	0.01	3.24	0.15	29.4	7.2	10	2.30	15.4	2.79	1.30
29666	94139402	3.94	< 5	-----	0.37	0.36	7.9	< 10	339.2	0.55	0.01	2.01	0.09	26.6	7.2	9	1.75	9.2	2.88	0.75
29667	94139402	3.86	< 5	-----	0.28	0.36	10.7	< 10	445.6	0.40	0.02	2.12	0.19	25.3	7.7	12	1.45	17.0	3.20	0.80
29668	94139402	4.14	< 5	-----	0.24	0.33	9.5	< 10	304.2	0.50	< 0.01	3.11	0.04	28.1	6.8	11	1.55	7.8	3.02	0.85
29669	94139402	3.78	< 5	-----	0.30	0.38	13.4	< 10	317.2	0.70	0.01	2.56	0.04	32.7	7.1	22	1.65	17.6	2.98	1.00
29670	94139402	4.10	< 5	-----	0.19	0.35	10.3	< 10	205.0	0.35	0.01	2.52	0.05	27.5	6.6	15	1.25	6.0	2.90	0.95
29671	94139402	4.02	< 5	-----	0.17	0.32	12.2	< 10	300.2	0.60	0.01	2.69	0.03	26.3	6.6	15	1.05	6.2	2.81	0.90
29672	94139402	3.86	< 5	-----	0.16	0.40	7.5	< 10	613.1	0.55	0.01	2.89	0.06	31.2	6.8	13	1.70	7.0	2.75	1.10
29673	94139402	4.12	< 5	-----	0.12	0.33	10.7	< 10	377.0	0.55	0.01	1.85	0.03	28.4	6.8	16	1.55	4.4	2.77	1.05
29674	94139402	3.90	< 5	-----	0.20	0.35	17.7	< 10	87.6	0.45	0.01	2.32	0.18	19.40	8.0	10	1.40	8.6	3.01	0.90
29675	94139402	2.42	< 5	-----	0.19	0.37	8.1	< 10	110.8	0.50	0.01	2.50	0.04	25.0	7.3	12	1.55	8.8	2.81	0.85

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125419
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29636	94139402	< 0.05	0.16	6.94	0.030	0.29	8.0	0.5	1.14	3320	0.40	0.02	< 0.05	1.2	690	1200.0	9.6	0.001	0.95	2.60
29637	94139402	< 0.05	0.18	0.49	0.020	0.33	15.0	0.6	1.02	3050	0.15	0.03	< 0.05	1.0	760	67.2	11.2	< 0.001	0.24	0.40
29638	94139402	< 0.05	0.18	0.78	0.055	0.43	17.4	0.7	1.00	2950	0.25	0.03	< 0.05	1.2	790	142.6	14.7	< 0.001	0.29	0.50
29639	94139402	< 0.05	0.20	1.12	0.030	0.31	16.4	0.6	1.03	3010	0.30	0.03	< 0.05	1.2	770	343.0	11.5	< 0.001	0.36	0.75
29640	94139402	< 0.05	0.14	1.81	0.020	0.39	16.2	0.4	0.92	2520	0.25	0.04	< 0.05	0.8	740	748.0	12.4	< 0.001	0.43	0.75
29641	94139402	< 0.05	0.18	1.22	0.015	0.29	15.4	0.5	1.03	2510	0.15	0.03	< 0.05	1.0	750	133.6	11.2	< 0.001	0.20	0.65
29642	94139402	< 0.05	0.16	0.64	0.020	0.43	14.0	0.6	1.25	3110	0.35	0.04	< 0.05	2.6	700	169.9	14.6	< 0.001	0.28	0.45
29643	94139402	< 0.05	0.14	0.55	0.025	0.27	17.0	0.6	1.21	2920	0.50	0.04	< 0.05	1.8	810	355.2	10.5	< 0.001	0.20	0.35
29644	94139402	< 0.05	0.08	0.26	0.015	0.46	13.8	0.5	1.07	2500	0.20	0.04	< 0.05	1.4	780	51.6	13.3	< 0.001	0.15	0.20
29645	94139402	0.05	0.12	0.51	0.015	0.33	15.4	0.6	1.00	2600	0.25	0.03	< 0.05	1.0	850	241.4	12.1	< 0.001	0.20	0.30
29646	94139402	< 0.05	0.12	0.73	0.020	0.41	17.0	0.5	1.02	2750	0.30	0.05	< 0.05	1.0	840	191.1	13.7	< 0.001	0.17	0.25
29647	94139402	< 0.05	0.16	0.70	0.025	0.31	15.4	0.6	1.04	2960	0.80	0.04	< 0.05	1.0	830	278.2	11.1	< 0.001	0.19	0.50
29648	94139402	0.05	0.10	0.83	0.020	0.42	13.2	0.6	0.96	2660	0.50	0.04	< 0.05	1.0	690	105.0	13.6	< 0.001	0.28	0.50
29649	94139402	< 0.05	0.12	0.50	0.025	0.30	13.4	0.6	0.92	2890	0.95	0.05	< 0.05	0.8	780	80.8	10.0	< 0.001	0.38	0.50
29650	9400 225	0.25	0.22	0.42	1.895	0.24	6.2	7.3	0.06	25	15.45	0.01	0.10	83.0	8890	352.3	12.2	0.003	0.26	576.0
29651	94139402	< 0.05	0.16	0.20	0.025	0.36	3.4	0.9	0.11	205	6.30	0.05	< 0.05	1.6	1390	92.2	10.8	< 0.001	3.31	3.40
29652	94139402	< 0.05	0.16	0.52	0.045	0.28	4.0	1.6	0.80	2120	6.15	0.07	< 0.05	1.2	530	97.8	10.5	< 0.001	1.72	1.60
29653	94139402	< 0.05	0.14	0.36	0.020	0.43	14.8	0.9	0.97	2230	0.65	0.06	< 0.05	1.4	760	147.1	14.5	< 0.001	0.23	0.60
29654	94139402	< 0.05	0.16	0.47	0.015	0.29	15.2	0.9	1.12	2790	1.15	0.06	< 0.05	1.0	760	118.9	11.6	< 0.001	0.27	0.45
29655	94139402	0.05	0.12	0.21	0.020	0.45	16.8	1.0	1.04	2780	0.70	0.07	< 0.05	1.0	850	16.6	15.7	< 0.001	0.17	1.30
29656	94139402	< 0.05	0.08	0.39	0.020	0.30	14.2	0.8	1.16	3120	0.30	0.07	< 0.05	1.0	770	32.4	11.1	< 0.001	0.24	0.95
29657	94139402	< 0.05	0.12	0.22	0.050	0.40	7.6	1.0	0.89	1940	2.30	0.06	< 0.05	1.2	530	143.5	13.7	< 0.001	2.01	3.90
29658	94139402	< 0.05	0.12	0.13	0.020	0.30	12.4	0.9	0.91	2330	1.15	0.07	< 0.05	1.0	810	82.0	11.8	< 0.001	0.77	0.60
29659	94139402	0.05	0.12	0.24	0.040	0.44	17.0	1.0	0.97	2460	0.55	0.08	< 0.05	1.0	860	140.2	15.2	< 0.001	0.30	0.35
29660	94139402	0.05	0.16	0.29	0.035	0.26	12.8	0.6	1.24	3840	0.75	0.05	< 0.05	0.8	750	43.8	9.9	< 0.001	0.63	0.25
29661	94139402	< 0.05	0.12	0.22	0.020	0.43	14.0	0.9	0.85	2370	1.05	0.08	< 0.05	1.0	810	67.0	14.6	< 0.001	0.66	0.45
29662	94139402	< 0.05	0.18	1.90	0.040	0.24	5.0	1.1	0.34	615	13.30	0.08	< 0.05	1.2	650	1440.0	9.8	0.001	3.49	2.10
29663	94139402	0.05	0.12	0.11	0.020	0.43	9.6	1.2	1.08	1930	3.65	0.08	< 0.05	2.6	700	37.2	14.9	< 0.001	1.65	0.55
29664	94139402	< 0.05	0.12	0.05	0.015	0.27	11.2	0.9	1.42	2160	1.45	0.08	< 0.05	1.0	770	21.8	10.6	< 0.001	1.14	0.95
29665	94139402	< 0.05	0.12	0.07	0.020	0.41	16.8	1.1	1.34	2040	1.65	0.08	< 0.05	1.0	790	23.8	16.9	< 0.001	0.39	0.70
29666	94139402	< 0.05	0.10	0.04	0.015	0.28	15.4	0.8	1.30	1860	0.80	0.06	< 0.05	1.0	820	10.2	9.7	< 0.001	0.32	0.30
29667	94139402	< 0.05	0.10	0.04	0.020	0.28	15.0	0.7	1.45	1910	1.15	0.06	< 0.05	1.2	750	19.2	9.9	< 0.001	0.23	0.70
29668	94139402	< 0.05	0.08	< 0.01	0.020	0.26	16.6	0.7	1.44	1895	0.30	0.06	< 0.05	1.0	770	5.6	9.5	< 0.001	0.28	0.25
29669	94139402	< 0.05	0.12	0.04	0.020	0.29	19.8	0.9	1.21	1720	0.45	0.08	< 0.05	1.2	810	8.2	10.6	< 0.001	0.42	0.40
29670	94139402	0.05	0.12	< 0.01	0.015	0.25	16.4	0.7	1.16	1805	0.25	0.07	< 0.05	1.0	790	13.6	8.6	< 0.001	0.53	0.30
29671	94139402	< 0.05	0.10	< 0.01	0.020	0.22	16.0	0.7	1.25	1945	0.20	0.07	< 0.05	1.0	690	9.6	7.5	< 0.001	0.41	0.55
29672	94139402	< 0.05	0.10	0.03	0.020	0.29	19.2	0.9	1.23	2110	0.30	0.08	< 0.05	1.0	800	11.8	10.1	< 0.001	0.20	0.80
29673	94139402	0.05	0.10	< 0.01	0.020	0.25	17.2	0.7	1.04	2000	0.20	0.07	< 0.05	1.0	740	9.2	8.9	< 0.001	0.30	0.45
29674	94139402	0.05	0.14	0.03	0.025	0.25	11.4	0.9	1.13	1740	1.60	0.07	< 0.05	1.0	710	15.6	9.1	< 0.001	1.14	1.35
29675	94139402	< 0.05	0.10	0.03	0.020	0.27	14.8	0.9	1.20	1570	0.65	0.08	< 0.05	1.0	760	9.0	9.4	< 0.001	0.80	1.80

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :I0125419
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Sc ppm	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29636	94139402	4.5	< 0.2	0.6	94.6	< 0.01	< 0.01	2.2	< 0.01	0.16	0.55	13	0.05	7.70	8480	2.5
29637	94139402	4.3	0.6	< 0.2	83.4	0.03	0.07	2.8	< 0.01	0.14	0.60	10	0.05	8.60	444	3.5
29638	94139402	4.0	1.0	0.2	57.7	< 0.01	0.07	3.0	< 0.01	0.12	0.60	13	< 0.05	8.70	1150	3.0
29639	94139402	4.2	0.2	0.2	59.1	< 0.01	0.05	3.6	< 0.01	0.10	0.60	11	< 0.05	8.50	1625	3.5
29640	94139402	3.7	< 0.2	0.2	123.9	< 0.01	< 0.01	3.4	< 0.01	0.14	0.50	12	< 0.05	6.55	2520	3.0
29641	94139402	3.5	0.4	0.2	113.8	< 0.01	0.09	3.4	< 0.01	0.08	0.50	10	< 0.05	7.35	1495	3.0
29642	94139402	3.9	< 0.2	< 0.2	152.5	< 0.01	< 0.01	3.2	< 0.01	0.12	0.50	13	0.05	8.40	728	3.0
29643	94139402	3.9	0.2	< 0.2	182.1	< 0.01	0.01	3.2	< 0.01	0.08	0.55	9	< 0.05	8.45	838	3.0
29644	94139402	3.1	0.4	< 0.2	72.0	< 0.01	0.07	2.6	< 0.01	0.08	0.40	11	< 0.05	6.45	242	2.5
29645	94139402	3.3	< 0.2	< 0.2	69.8	< 0.01	< 0.01	3.0	< 0.01	0.08	0.45	8	< 0.05	7.40	956	3.0
29646	94139402	3.5	0.6	< 0.2	67.5	< 0.01	0.08	3.4	< 0.01	0.10	0.50	11	< 0.05	6.70	990	2.5
29647	94139402	3.8	< 0.2	< 0.2	69.0	< 0.01	0.04	3.4	< 0.01	0.10	0.45	8	< 0.05	6.40	1210	3.5
29648	94139402	4.1	< 0.2	0.2	126.5	< 0.01	< 0.01	3.0	< 0.01	0.14	0.45	10	< 0.05	5.80	1375	3.0
29649	94139402	3.2	0.6	< 0.2	69.3	< 0.01	0.10	2.8	< 0.01	0.08	0.35	8	< 0.05	4.95	818	2.5
29650	9400 225	4.0	2.8	11.2	387.0	< 0.01	0.15	3.4	< 0.01	4.92	11.25	565	39.7	18.40	182	7.0
29651	94139402	3.2	1.4	0.6	45.4	< 0.01	1.11	2.8	< 0.01	0.30	2.10	10	1.25	7.20	226	4.0
29652	94139402	5.0	1.2	0.4	80.2	< 0.01	0.86	2.0	< 0.01	0.32	0.65	12	0.20	4.85	476	3.5
29653	94139402	3.2	< 0.2	< 0.2	132.6	< 0.01	0.02	2.8	< 0.01	0.12	0.50	9	0.15	6.05	530	3.0
29654	94139402	3.2	0.8	< 0.2	205.7	< 0.01	0.14	3.2	< 0.01	0.10	0.45	7	0.05	7.30	636	3.5
29655	94139402	3.8	< 0.2	< 0.2	155.5	< 0.01	< 0.01	3.4	< 0.01	0.14	0.45	11	0.05	8.05	306	3.0
29656	94139402	3.9	< 0.2	< 0.2	164.0	< 0.01	< 0.01	3.0	< 0.01	0.06	0.45	8	0.05	7.95	246	3.0
29657	94139402	3.8	1.2	< 0.2	237.0	< 0.01	1.36	3.0	< 0.01	0.20	0.85	9	< 0.05	5.85	282	3.5
29658	94139402	3.5	0.4	< 0.2	126.5	< 0.01	0.47	2.8	< 0.01	0.12	0.60	7	0.05	6.35	316	3.0
29659	94139402	4.3	0.6	< 0.2	90.6	< 0.01	0.08	2.8	< 0.01	0.08	0.45	10	0.05	6.85	366	2.5
29660	94139402	4.2	< 0.2	< 0.2	203.4	< 0.01	< 0.01	3.6	< 0.01	0.08	0.55	8	< 0.05	7.20	540	3.5
29661	94139402	4.1	0.4	< 0.2	92.5	< 0.01	0.17	3.6	< 0.01	0.12	0.45	10	< 0.05	6.50	266	3.0
29662	94139402	3.4	3.0	0.2	79.0	< 0.01	2.30	3.6	< 0.01	0.40	0.65	6	< 0.05	5.15	3390	4.5
29663	94139402	3.9	1.2	< 0.2	267.0	< 0.01	0.66	2.4	< 0.01	0.16	0.50	11	< 0.05	8.75	112	2.5
29664	94139402	4.8	< 0.2	< 0.2	300.0	< 0.01	0.08	2.6	< 0.01	0.12	0.50	9	< 0.05	9.85	76	3.0
29665	94139402	5.1	0.2	< 0.2	242.0	< 0.01	< 0.01	3.0	< 0.01	0.10	0.65	11	< 0.05	10.50	92	2.5
29666	94139402	4.1	0.6	< 0.2	172.8	< 0.01	0.12	2.6	< 0.01	0.06	0.45	10	< 0.05	9.75	90	2.0
29667	94139402	4.7	< 0.2	< 0.2	194.4	< 0.01	< 0.01	2.6	< 0.01	0.08	0.40	12	< 0.05	8.65	122	2.0
29668	94139402	4.6	< 0.2	< 0.2	217.0	0.04	< 0.01	3.0	< 0.01	0.04	0.40	11	< 0.05	9.20	68	2.5
29669	94139402	5.2	0.6	< 0.2	189.3	< 0.01	0.08	3.6	< 0.01	0.06	0.55	11	< 0.05	10.00	80	2.5
29670	94139402	4.4	< 0.2	< 0.2	164.7	< 0.01	< 0.01	3.2	< 0.01	0.06	0.50	11	< 0.05	8.65	82	2.0
29671	94139402	4.8	< 0.2	< 0.2	221.0	< 0.01	0.03	3.2	< 0.01	0.08	0.45	10	< 0.05	8.00	80	2.0
29672	94139402	5.5	< 0.2	< 0.2	213.0	< 0.01	< 0.01	3.4	< 0.01	0.06	0.50	11	< 0.05	9.55	108	2.0
29673	94139402	4.2	0.2	< 0.2	146.2	< 0.01	0.01	3.2	< 0.01	0.06	0.50	10	< 0.05	7.85	78	2.0
29674	94139402	5.1	0.2	0.2	231.0	< 0.01	0.11	3.0	< 0.01	0.20	0.45	10	< 0.05	7.20	108	2.5
29675	94139402	4.5	< 0.2	< 0.2	243.0	< 0.01	< 0.01	3.0	< 0.01	0.04	0.50	10	< 0.05	7.30	68	2.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-A
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125419
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29676	94139402	2.54	< 5	-----	0.16	0.91	13.0	< 10	23.4	0.65	0.01	3.18	0.10	14.75	8.2	23	1.15	6.8	3.49	1.55
29677	94139402	3.42	< 5	-----	0.28	0.41	13.0	< 10	45.8	0.60	0.01	3.41	0.12	18.45	6.7	15	1.60	6.4	2.92	0.80
29678	94139402	4.58	< 5	-----	0.26	0.38	14.1	< 10	177.4	0.50	0.01	2.39	0.06	26.9	6.2	18	1.75	11.8	2.87	0.85
29679	94139402	4.30	< 5	-----	0.17	0.39	11.3	< 10	539.6	0.35	0.01	3.20	0.04	29.6	6.0	14	1.60	13.6	2.80	0.95
29680	9400 225	0.10	40	-----	0.34	2.39	590	< 10	381.4	1.15	0.39	0.59	2.80	50.7	22.7	42	10.25	85.6	3.98	6.70
29681	94139402	2.78	< 5	-----	0.21	0.41	8.2	< 10	207.8	0.65	0.02	2.28	0.05	31.9	6.2	13	1.95	9.0	2.74	0.95
29682	94139402	2.72	< 5	-----	0.23	0.38	11.3	< 10	52.4	0.45	0.01	2.67	0.05	19.05	7.3	15	1.50	6.2	2.79	0.80
29683	94139402	2.10	< 5	-----	0.19	0.37	6.1	< 10	119.8	0.35	0.01	2.88	0.01	18.90	5.8	14	1.20	7.2	2.70	0.70
29684	94139402	4.54	< 5	-----	0.25	0.42	9.3	< 10	110.8	0.65	0.02	2.20	0.04	27.0	7.4	39	2.05	11.4	2.87	0.90
29685	94139402	2.88	55	-----	2.65	0.37	27.7	< 10	24.6	0.80	0.70	0.81	0.71	13.70	7.9	22	2.20	25.4	2.80	0.75
29686	94139402	3.46	25	-----	1.56	0.39	22.8	< 10	36.2	0.50	0.35	1.34	0.22	13.20	7.7	18	1.70	12.4	3.05	0.80
29687	94139402	4.18	< 5	-----	0.16	0.40	7.6	< 10	195.6	0.55	0.01	1.91	0.02	26.5	7.0	16	1.70	9.8	2.89	1.10
29688	94139402	3.84	< 5	-----	0.36	0.39	16.2	< 10	81.0	0.35	0.01	2.40	0.03	22.0	6.4	15	1.45	7.4	2.92	0.95
29689	94139402	4.14	< 5	-----	0.23	0.39	13.8	< 10	122.4	0.55	0.01	2.78	0.15	22.1	6.9	14	1.55	6.0	2.91	0.95
29690	94139402	4.12	< 5	-----	0.34	0.47	6.9	< 10	728.4	0.70	0.01	3.53	0.04	32.2	6.6	15	2.10	11.4	3.11	1.00
29691	94139402	3.82	< 5	-----	0.35	0.45	30.3	< 10	45.6	0.55	< 0.01	2.14	0.06	21.3	8.5	17	1.85	6.0	3.41	1.00
29692	94139402	4.08	< 5	-----	0.23	0.37	7.2	< 10	143.0	0.40	0.01	2.43	0.11	23.2	6.6	18	1.70	5.6	2.76	0.95

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-B
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :10125419
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Ge ppm	Rf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29676	94139402	< 0.05	0.12	0.02	0.015	0.57	8.2	1.7	1.21	1615	4.15	0.10	< 0.05	1.2	710	18.6	13.9	< 0.001	2.62	1.40
29677	94139402	< 0.05	0.08	0.03	0.015	0.29	10.8	0.9	1.34	1990	4.55	0.07	< 0.05	1.2	720	16.0	9.3	< 0.001	1.90	1.25
29678	94139402	< 0.05	0.10	< 0.01	0.010	0.28	16.2	0.8	1.14	1575	5.55	0.07	< 0.05	1.4	810	17.2	9.3	< 0.001	0.60	1.45
29679	94139402	< 0.05	0.08	< 0.01	0.020	0.28	18.4	0.8	1.42	1725	3.15	0.07	< 0.05	1.0	820	11.2	9.4	< 0.001	0.20	1.25
29680	9400 225	0.10	0.18	0.14	0.060	0.68	25.6	22.8	1.04	1200	3.55	0.02	0.60	111.1	1710	12.0	51.1	< 0.001	0.03	4.55
29681	94139402	< 0.05	0.10	0.01	0.020	0.29	19.2	1.0	1.27	1535	0.35	0.08	< 0.05	1.6	760	5.6	10.6	< 0.001	0.14	0.85
29682	94139402	0.05	0.12	< 0.01	0.015	0.27	10.8	0.9	1.10	1370	1.95	0.07	< 0.05	1.4	690	11.6	9.3	< 0.001	1.82	1.20
29683	94139402	< 0.05	0.08	< 0.01	0.020	0.26	11.0	0.6	1.38	1570	0.95	0.07	< 0.05	1.0	730	7.4	7.4	< 0.001	0.70	0.70
29684	94139402	0.05	0.10	< 0.01	0.020	0.30	16.0	1.1	1.27	1645	1.75	0.08	< 0.05	3.6	760	8.8	10.9	< 0.001	0.88	0.80
29685	94139402	0.05	0.12	0.02	0.015	0.27	8.2	1.0	0.30	510	14.10	0.08	< 0.05	1.6	670	50.2	9.9	< 0.001	2.84	2.25
29686	94139402	< 0.05	0.10	0.01	0.015	0.28	7.6	1.0	0.61	1100	5.05	0.08	< 0.05	1.2	690	33.4	9.4	< 0.001	2.75	2.20
29687	94139402	0.05	0.10	0.01	0.020	0.27	16.0	0.8	1.31	1900	0.95	0.08	< 0.05	1.4	780	6.6	9.4	< 0.001	0.63	0.75
29688	94139402	0.05	0.08	< 0.01	0.020	0.27	12.8	0.8	1.30	1805	1.15	0.08	< 0.05	1.2	740	10.6	8.7	< 0.001	1.15	0.95
29689	94139402	< 0.05	0.12	0.01	0.020	0.27	12.8	0.8	1.48	2200	1.45	0.08	< 0.05	1.4	750	26.2	9.2	< 0.001	0.90	0.65
29690	94139402	0.05	0.12	0.03	0.025	0.33	20.2	1.1	1.63	1755	0.40	0.09	< 0.05	1.0	840	6.6	11.1	< 0.001	0.05	1.25
29691	94139402	< 0.05	0.12	< 0.01	0.020	0.31	12.2	1.0	1.21	1715	2.55	0.09	< 0.05	1.4	830	16.6	10.2	< 0.001	2.10	0.55
29692	94139402	< 0.05	0.08	0.03	0.020	0.26	13.6	0.8	1.25	1600	1.30	0.08	< 0.05	2.4	790	11.0	8.9	< 0.001	0.83	0.55

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-C
 Total Pages :3
 Certificate Date: 02-OCT-2001
 Invoice No. :I0125419
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125419

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29676	94139402	3.6	0.2 < 0.2	301.0 < 0.01	0.05	2.4 < 0.01	0.16	0.45	13	0.20	8.30	82	2.0			
29677	94139402	3.8	0.8 < 0.2	307.0 < 0.01	0.10	2.6 < 0.01	0.12	0.40	8	0.10	9.00	84	2.5			
29678	94139402	3.7	< 0.2 < 0.2	208.8 < 0.01 < 0.01		2.6 < 0.01	0.10	0.45	10	< 0.05	8.25	86	2.0			
29679	94139402	4.5	0.4 < 0.2	275.0 < 0.01	0.07	2.8 < 0.01	0.04	0.50	11	< 0.05	8.90	62	2.0			
29680	9400 225	7.3	1.0	1.0	65.4 < 0.01	0.11	5.0	0.10	1.52	3.55	82	0.70	16.50	714	5.0	
29681	94139402	5.7	< 0.2 < 0.2	188.8 < 0.01	0.02	3.0 < 0.01	0.08	0.55	13	0.05	8.40	80	2.0			
29682	94139402	4.1	< 0.2 < 0.2	239.0 < 0.01 < 0.01		3.2 < 0.01	0.12	0.45	9	0.15	7.50	54	2.5			
29683	94139402	3.4	0.6 < 0.2	308.0 < 0.01	0.11	2.2 < 0.01	0.08	0.45	12	< 0.05	5.80	64	1.5			
29684	94139402	4.1	< 0.2	0.2	210.8 < 0.01 < 0.01		3.0 < 0.01	0.10	0.50	10	0.10	7.20	72	2.5		
29685	94139402	1.4	2.2	0.2	84.4 < 0.01	1.71	2.8 < 0.01	0.28	0.45	4	< 0.05	5.30	94	3.0		
29686	94139402	2.1	1.0	0.2	144.3 < 0.01	0.63	2.6 < 0.01	0.24	0.45	7	< 0.05	5.60	66	3.0		
29687	94139402	3.6	< 0.2	0.2	174.6 < 0.01 < 0.01		2.4 < 0.01	0.06	0.45	12	< 0.05	7.60	70	2.5		
29688	94139402	3.1	0.2	0.2	195.1 < 0.01	0.17	2.6 < 0.01	0.08	0.45	11	< 0.05	6.85	64	2.5		
29689	94139402	3.4	< 0.2	0.4	263.0 < 0.01 < 0.01		2.6 < 0.01	0.20	0.40	10	< 0.05	7.50	86	2.5		
29690	94139402	5.1	0.2 < 0.2	318.0 < 0.01	0.06	3.0 < 0.01	0.06	0.60	15	< 0.05	9.00	82	2.5			
29691	94139402	5.1	< 0.2 < 0.2	199.6 < 0.01	0.05	3.4 < 0.01	0.12	0.45	12	< 0.05	7.35	86	3.5			
29692	94139402	3.9	< 0.2 < 0.2	231.0 < 0.01 < 0.01		2.6 < 0.01	0.06	0.35	10	< 0.05	8.05	80	2.5			

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN 01-196
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Weight Au ppb		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
		Kg	FA+AA																	
29693	94139402	4.10	< 5	0.17	0.33	11.2	< 10	211.0	0.75	0.02	2.53	0.05	28.9	7.1	33	1.10	9.4	2.90	1.05	0.05
29694	94139402	3.94	< 5	0.16	0.44	12.8	< 10	237.8	0.70	0.03	2.01	0.04	33.4	6.9	35	1.60	9.8	3.04	1.25	0.05
29695	94139402	4.28	< 5	0.13	0.38	12.2	< 10	496.4	0.60	0.01	1.87	0.03	34.3	6.7	31	1.50	8.2	2.99	1.10	0.05
29696	94139402	5.10	< 5	0.13	0.41	13.9	< 10	232.6	0.45	0.01	2.21	0.19	22.3	6.4	35	1.05	9.2	2.94	1.15	< 0.05
29697	94139402	3.78	5	0.18	0.37	21.7	< 10	29.8	0.65	< 0.01	2.30	0.18	24.5	7.7	33	1.25	6.2	3.23	0.95	0.05
29698	94139402	3.18	10	0.22	0.46	12.1	< 10	40.0	0.60	0.01	2.20	0.64	26.1	7.8	37	1.35	7.6	3.21	1.15	0.05
29699	94139402	3.96	< 5	0.21	0.40	14.8	< 10	486.8	0.65	0.01	1.56	0.14	35.8	6.7	39	1.50	29.4	3.13	1.15	0.05
29700	94139402	3.98	5	0.15	0.42	12.9	< 10	94.8	0.60	0.01	2.10	0.09	27.6	7.2	18	1.30	7.6	3.16	1.10	0.05
29701	94139402	4.08	< 5	0.16	0.44	10.2	< 10	491.8	0.60	0.01	1.72	0.07	30.0	6.5	35	1.30	12.8	2.97	1.35	0.05
29702	94139402	4.18	5	0.14	0.44	5.4	< 10	654.3	0.50	0.01	1.76	0.21	35.7	6.9	28	1.25	8.2	3.06	1.45	0.05
29703	94139402	4.14	5	0.19	0.33	15.1	< 10	99.0	0.45	0.01	1.85	0.91	30.5	7.4	34	1.15	16.0	3.05	1.10	0.05
29704	94139402	3.96	< 5	0.11	0.37	10.4	< 10	897.1	0.65	< 0.01	1.77	0.08	34.7	6.1	28	1.30	20.8	2.78	1.05	0.05
29705	94139402	3.68	< 5	0.11	0.37	8.0	< 10	876.9	0.55	0.01	2.28	0.06	30.8	6.2	32	1.25	13.6	2.84	1.10	0.05
29706	94139402	3.40	5	0.16	0.36	20.9	< 10	41.8	0.50	0.03	1.66	0.16	27.8	8.4	29	1.20	5.6	3.31	1.10	0.05
29707	94139402	4.84	< 5	0.13	0.38	8.0	< 10	140.8	0.55	0.01	2.22	0.13	30.1	6.6	26	1.20	13.8	3.22	1.00	< 0.05
29708	94139402	3.52	< 5	0.12	0.34	8.3	< 10	142.2	0.50	< 0.01	2.16	0.07	30.9	6.0	30	1.10	11.6	2.90	1.10	0.05
29709	94139402	3.18	10	0.33	0.45	16.6	< 10	37.6	0.75	0.06	1.60	0.28	28.4	7.1	19	1.40	14.0	3.34	1.15	0.05
29710	9400 225	0.12	15	0.26	2.33	5.7	< 10	832.4	1.10	0.19	1.12	0.34	44.4	8.4	17	2.75	21.8	2.31	6.00	0.05
29711	94139402	4.20	< 5	0.16	0.40	8.7	< 10	427.0	0.50	0.01	2.16	0.13	35.4	5.7	32	1.30	14.0	3.02	1.10	0.05
29712	94139402	4.12	5	0.17	0.40	12.1	< 10	101.0	0.50	0.03	1.64	0.20	27.2	6.8	24	1.25	17.0	3.15	1.00	0.05
29713	94139402	4.16	< 5	0.24	0.38	7.6	< 10	260.8	0.40	< 0.01	1.15	0.03	32.6	6.4	28	1.35	7.8	3.10	1.05	0.05
29714	94139402	4.26	5	0.23	0.42	11.3	< 10	75.0	0.45	0.03	1.03	0.07	32.3	7.1	30	1.40	10.6	3.26	1.15	0.05
29715	94139402	4.24	< 5	0.15	0.39	10.2	< 10	110.4	0.45	0.01	1.66	0.09	31.9	6.7	30	1.40	15.6	3.17	1.05	0.05
29716	94139402	2.46	5	0.22	0.38	16.1	< 10	32.6	0.50	0.01	2.42	0.31	19.80	7.3	29	1.15	11.2	3.19	0.90	0.05
29717	94139402	4.42	5	0.25	0.40	14.9	< 10	78.0	0.55	0.01	1.46	1.11	30.9	6.6	33	1.35	15.6	3.39	1.05	0.05
29718	94139402	2.74	45	0.37	0.35	25.5	< 10	29.0	0.45	0.03	0.92	7.83	31.2	7.8	37	1.45	22.2	3.11	1.15	0.05
29719	94139402	2.88	55	0.38	0.28	22.2	< 10	38.0	0.50	0.03	0.95	10.85	31.3	7.6	27	1.35	21.6	2.61	1.05	0.05
29720	94139402	2.56	20	0.36	0.30	26.8	< 10	47.8	0.55	0.01	0.88	4.95	28.9	7.3	28	1.35	33.0	2.77	1.00	0.05
29721	94139402	4.44	10	0.28	0.29	11.0	< 10	36.0	0.35	0.01	1.09	0.63	23.8	6.8	30	1.05	4.4	2.92	0.90	0.05
29722	94139402	4.24	5	0.25	0.32	6.9	< 10	120.8	0.35	< 0.01	1.16	0.10	27.6	6.7	32	1.05	5.6	2.93	1.00	0.05
29723	94139402	4.28	15	0.28	0.42	28.8	< 10	64.2	0.45	0.02	1.17	0.13	25.5	7.5	30	1.35	13.6	3.27	1.05	0.05
29724	94139402	3.92	5	0.24	0.39	12.2	< 10	129.8	0.35	0.01	1.67	0.09	25.4	6.4	28	1.35	8.4	3.08	0.95	0.05
29725	94139402	4.34	10	0.26	0.41	13.7	< 10	121.0	0.35	0.01	2.05	0.84	28.2	6.3	33	1.40	18.0	3.10	1.00	< 0.05
29726	94139402	2.56	5	0.27	0.40	9.2	< 10	77.6	0.40	< 0.01	2.20	0.24	28.2	6.2	34	1.40	6.2	2.99	0.90	0.05
29727	94139402	4.36	15	0.34	0.40	9.3	< 10	29.4	0.40	0.08	2.45	1.55	23.0	7.0	35	1.05	11.2	3.41	0.95	< 0.05
29728	94139402	3.86	< 5	0.25	0.37	10.4	< 10	39.2	0.50	< 0.01	2.91	0.07	20.8	7.1	27	1.05	10.2	3.13	1.00	0.05
29729	94139402	3.76	5	0.20	0.34	9.8	< 10	36.0	0.40	< 0.01	2.62	0.06	17.80	7.4	33	1.10	7.0	3.02	0.95	< 0.05
29730	94139402	2.24	< 5	0.19	0.36	17.6	< 10	22.4	0.35	0.01	2.25	0.08	14.45	7.9	28	1.05	8.6	2.82	1.00	0.05
29731	94139402	3.36	10	0.31	0.34	19.6	< 10	34.0	0.50	0.14	1.83	0.17	20.1	7.8	30	1.50	11.2	2.89	0.95	< 0.05
29732	94139402	3.66	25	0.37	0.33	32.5	< 10	22.0	0.60	0.06	1.76	1.65	10.65	7.9	31	1.50	13.8	3.30	0.75	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
29693	94139402	0.14	0.04	0.015	0.24	15.4	1.0	1.37	1510	1.05	0.07 < 0.05	2.8	740	5.8	8.6 < 0.001	0.36	0.90	4.1		
29694	94139402	0.10	0.03	0.020	0.34	18.2	1.0	1.19	1685	0.85	0.08 < 0.05	2.4	780	7.6	11.0 < 0.001	0.29	0.35	4.5		
29695	94139402	0.12	0.04	0.015	0.29	18.6	0.9	1.21	1630	0.50	0.08 < 0.05	2.2	750	4.0	9.3 < 0.001	0.16	0.25	4.1		
29696	94139402	0.12	0.06	0.015	0.31	12.0	0.8	1.34	1800	1.05	0.08 < 0.05	2.4	560	31.8	9.1 < 0.001	0.27	0.30	3.9		
29697	94139402	0.12	0.05	0.015	0.28	13.0	0.9	1.13	1680	3.80	0.07 < 0.05	2.6	740	12.8	8.8 < 0.001	1.61	0.50	3.7		
29698	94139402	0.14	0.09	0.015	0.35	13.4	1.0	1.12	1785	1.45	0.08 < 0.05	2.4	850	38.6	10.6 < 0.001	1.22	0.35	3.5		
29699	94139402	0.10	0.06	0.015	0.32	19.6	0.9	1.11	1845	0.65	0.08 < 0.05	2.2	980	124.5	10.3 < 0.001	0.21	0.20	3.4		
29700	94139402	0.10	0.05	0.015	0.33	14.2	0.8	1.20	2000	1.65	0.07 < 0.05	2.0	740	7.4	9.7 < 0.001	0.51	0.15	3.7		
29701	94139402	0.12	0.04	0.015	0.34	16.2	0.8	1.16	1735	2.25	0.08 < 0.05	2.2	730	6.2	10.0 < 0.001	0.21	0.15	3.8		
29702	94139402	0.12	0.05	0.015	0.33	19.4	0.8	1.26	1960	2.40	0.09 < 0.05	2.2	810	33.2	10.1 < 0.001	0.17	0.10	3.7		
29703	94139402	0.12	0.10	0.010	0.26	16.4	0.7	1.22	1970	2.65	0.08 < 0.05	2.4	790	204.0	7.9 < 0.001	0.53	0.25	3.5		
29704	94139402	0.14	0.05	0.010	0.31	18.8	1.1	1.15	1825	0.50	0.07 < 0.05	2.4	710	2.2	10.3 < 0.001	0.06	0.30	3.6		
29705	94139402	0.12	0.05	0.010	0.31	16.6	0.8	1.32	1990	0.70	0.07 < 0.05	2.6	700	3.2	9.7 < 0.001	0.04	0.40	3.8		
29706	94139402	0.12	0.05	0.015	0.28	14.6	0.9	1.10	2000	7.10	0.07 < 0.05	2.6	790	11.6	8.1 < 0.001	1.19	0.65	3.9		
29707	94139402	0.12	0.06	0.010	0.29	16.2	1.0	1.52	2730	1.65	0.08 < 0.05	2.2	790	3.2	8.4 < 0.001	0.35	0.65	3.7		
29708	94139402	0.12	0.04	0.010	0.26	16.8	0.8	1.41	2480	1.30	0.08 < 0.05	2.4	720	3.8	7.1 < 0.001	0.47	0.40	3.6		
29709	94139402	0.12	0.06	0.015	0.34	14.6	1.1	1.28	2340	1.80	0.08 < 0.05	2.0	720	15.8	10.2 < 0.001	1.33	0.45	3.1		
29710	9400 225	0.80	0.04	0.025	0.52	20.8	22.2	0.61	565	0.65	0.13 < 0.25	17.6	570	8.0	30.8 < 0.001	0.01	0.75	5.9		
29711	94139402	0.12	0.06	0.010	0.31	19.4	0.9	1.54	2550	0.50	0.08 < 0.05	2.4	850	3.2	8.8 < 0.001	0.23	0.40	3.3		
29712	94139402	0.12	0.06	0.010	0.30	14.4	1.2	1.37	2240	0.75	0.08 < 0.05	2.0	710	11.6	8.6 < 0.001	0.50	2.05	3.3		
29713	94139402	0.12	0.03	0.010	0.29	17.6	0.9	1.46	2400	0.45	0.08 < 0.05	2.0	810	4.0	8.4 < 0.001	0.28	0.60	3.0		
29714	94139402	0.12	0.05	0.015	0.32	16.8	1.1	1.23	2270	1.00	0.08 < 0.05	1.8	810	9.2	9.2 < 0.001	0.74	0.90	3.1		
29715	94139402	0.12	0.04	0.015	0.30	17.2	1.0	1.37	2680	0.95	0.08 < 0.05	2.2	810	4.8	8.8 < 0.001	0.57	0.85	3.2		
29716	94139402	0.12	0.08	0.015	0.30	10.2	1.0	1.36	2430	1.60	0.08 < 0.05	2.4	690	26.2	8.3 < 0.001	1.39	1.25	3.2		
29717	94139402	0.12	0.11	0.015	0.32	16.6	0.9	1.26	2760	0.80	0.08 < 0.05	2.8	840	46.0	8.9 < 0.001	0.90	0.40	3.0		
29718	94139402	0.12	0.52	0.015	0.29	16.8	0.8	0.91	2040	1.95	0.07 < 0.05	2.0	690	349.1	9.9 < 0.001	1.36	0.55	2.8		
29719	94139402	0.12	0.78	0.015	0.23	16.6	0.9	0.87	1800	1.05	0.06 < 0.05	2.2	610	420.0	8.4 < 0.001	0.91	0.50	2.7		
29720	94139402	0.10	0.38	0.010	0.25	15.4	0.8	0.93	2000	0.85	0.06 < 0.05	1.8	640	326.3	8.5 < 0.001	0.72	0.85	2.6		
29721	94139402	0.10	0.07	0.005	0.24	12.6	0.7	0.97	1910	1.65	0.06 < 0.05	2.2	570	229.6	7.2 < 0.001	0.96	0.45	2.6		
29722	94139402	0.12	0.07	0.010	0.26	14.8	0.7	1.09	1740	0.85	0.07 < 0.05	2.0	670	6.2	7.7 < 0.001	0.40	0.35	3.1		
29723	94139402	0.12	0.07	0.015	0.32	13.2	1.3	1.03	1765	1.10	0.09 < 0.05	3.0	740	34.8	8.9 < 0.001	0.74	0.75	3.5		
29724	94139402	0.10	0.05	0.010	0.32	13.6	1.1	1.10	1840	0.70	0.08 < 0.05	2.0	770	17.8	8.7 < 0.001	0.47	0.75	3.1		
29725	94139402	0.10	0.10	0.015	0.33	14.6	1.0	1.19	2080	0.75	0.08 < 0.05	2.2	860	54.6	9.2 < 0.001	0.45	1.00	3.5		
29726	94139402	0.10	0.06	0.010	0.34	14.4	0.9	1.09	2120	0.70	0.07 < 0.05	2.4	840	15.0	9.3 < 0.001	0.63	0.40	3.1		
29727	94139402	0.12	0.13	0.015	0.30	11.8	0.8	0.99	1905	1.25	0.09 < 0.05	2.2	750	59.2	7.6 < 0.001	1.47	1.15	3.7		
29728	94139402	0.12	0.05	0.015	0.27	10.8	0.9	1.17	2010	1.50	0.08 < 0.05	2.8	690	11.2	7.3 < 0.001	1.14	0.90	4.3		
29729	94139402	0.10	0.06	0.015	0.24	9.2	1.1	1.08	1890	1.45	0.09 < 0.05	2.8	620	10.6	6.9 < 0.001	1.14	0.65	4.8		
29730	94139402	0.14	0.07	0.015	0.24	7.2	1.3	0.85	1495	1.70	0.09 < 0.05	2.8	510	8.2	7.5 < 0.001	1.70	0.75	4.6		
29731	94139402	0.14	0.09	0.020	0.25	7.2	2.0	1.04	1580	1.60	0.09 < 0.05	2.6	520	10.2	8.3 < 0.001	1.32	0.75	4.0		
29732	94139402	0.14	0.21	0.020	0.26	5.2	2.0	1.14	1700	3.00	0.10 < 0.05	2.6	430	112.6	7.6 < 0.001	1.90	2.20	3.6		

CERTIFICATION: *[Signature]*



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29693	94139402	0.2	0.8	229.0	0.01	< 0.01	3.0	< 0.01	0.08	0.55	13	0.05	7.30	74	2.5
29694	94139402	0.2	0.4	175.0	< 0.01	< 0.01	2.8	< 0.01	0.08	0.55	12	< 0.05	8.30	82	2.5
29695	94139402	< 0.2	0.2	160.0	< 0.01	< 0.01	3.0	< 0.01	0.06	0.60	13	< 0.05	7.70	72	2.5
29696	94139402	0.2	0.2	210.0	< 0.01	< 0.01	2.0	< 0.01	0.08	0.50	14	< 0.05	6.45	114	2.5
29697	94139402	0.2	0.4	211.0	< 0.01	0.06	2.4	< 0.01	0.14	0.45	10	< 0.05	7.55	104	2.5
29698	94139402	0.2	0.6	202.0	< 0.01	0.01	2.6	< 0.01	0.12	0.50	12	< 0.05	7.60	180	3.0
29699	94139402	0.2	0.6	150.7	< 0.01	< 0.01	3.0	< 0.01	0.08	0.50	12	< 0.05	7.40	126	2.5
29700	94139402	0.2	0.2	183.1	< 0.01	< 0.01	2.4	< 0.01	0.10	0.50	12	< 0.05	8.00	108	2.5
29701	94139402	0.2	0.4	132.7	< 0.01	< 0.01	2.4	< 0.01	0.10	0.60	14	< 0.05	7.45	124	2.5
29702	94139402	0.2	< 0.2	138.3	< 0.01	< 0.01	2.6	< 0.01	0.08	0.55	14	< 0.05	8.95	136	2.5
29703	94139402	0.2	1.0	171.4	< 0.01	< 0.01	2.6	< 0.01	0.08	0.50	12	< 0.05	7.95	224	2.5
29704	94139402	0.2	0.2	199.0	< 0.01	< 0.01	3.0	< 0.01	0.08	0.60	11	< 0.05	7.40	114	2.5
29705	94139402	0.2	0.2	266.0	< 0.01	< 0.01	2.6	< 0.01	0.10	0.60	11	< 0.05	7.35	116	2.5
29706	94139402	< 0.2	0.2	205.0	< 0.01	< 0.01	2.6	< 0.01	0.14	0.50	11	< 0.05	6.80	158	2.5
29707	94139402	0.2	0.2	247.0	< 0.01	< 0.01	2.8	< 0.01	0.08	0.50	11	< 0.05	8.15	158	2.5
29708	94139402	0.2	< 0.2	272.0	< 0.01	< 0.01	2.4	< 0.01	0.06	0.45	12	< 0.05	7.55	116	2.5
29709	94139402	0.6	0.2	216.0	< 0.01	0.30	2.4	< 0.01	0.12	0.50	11	< 0.05	7.30	126	3.0
29710	9400 225	0.2	1.0	106.3	< 0.01	0.03	6.0	0.08	0.30	0.95	52	0.25	13.65	78	23.0
29711	94139402	0.2	0.2	277.0	< 0.01	< 0.01	3.0	< 0.01	0.06	0.55	11	< 0.05	8.00	156	2.5
29712	94139402	0.2	< 0.2	219.0	< 0.01	0.02	2.4	< 0.01	0.08	0.45	11	< 0.05	6.05	150	2.5
29713	94139402	0.2	< 0.2	131.9	< 0.01	0.01	3.0	< 0.01	0.06	0.45	11	< 0.05	6.75	132	2.5
29714	94139402	0.2	0.2	160.5	< 0.01	0.07	3.0	< 0.01	0.10	0.55	11	< 0.05	6.05	136	2.5
29715	94139402	0.2	< 0.2	173.7	< 0.01	< 0.01	2.6	< 0.01	0.08	0.50	10	< 0.05	8.25	148	2.5
29716	94139402	0.2	0.4	277.0	< 0.01	< 0.01	2.4	< 0.01	0.12	0.55	9	< 0.05	6.10	144	2.5
29717	94139402	0.2	0.2	167.4	< 0.01	< 0.01	2.8	< 0.01	0.10	0.60	10	< 0.05	6.40	258	2.5
29718	94139402	0.4	0.2	101.0	0.02	0.04	3.0	< 0.01	0.14	0.70	8	0.05	6.45	952	3.0
29719	94139402	0.4	0.2	121.0	< 0.01	0.03	3.0	< 0.01	0.10	0.70	6	< 0.05	5.45	1345	2.5
29720	94139402	0.2	0.2	103.0	< 0.01	0.04	3.2	< 0.01	0.10	0.70	6	< 0.05	6.15	628	2.5
29721	94139402	0.2	< 0.2	154.6	0.01	0.02	2.6	< 0.01	0.12	0.55	7	< 0.05	5.15	150	2.5
29722	94139402	0.2	0.2	163.1	< 0.01	< 0.01	2.8	< 0.01	0.08	0.50	10	< 0.05	5.30	108	2.5
29723	94139402	0.2	0.2	139.4	< 0.01	< 0.01	2.6	< 0.01	0.14	0.60	14	0.05	5.35	118	2.5
29724	94139402	< 0.2	0.2	155.1	< 0.01	< 0.01	2.4	< 0.01	0.12	0.60	14	0.05	6.30	102	2.0
29725	94139402	< 0.2	0.2	181.8	< 0.01	0.02	2.6	< 0.01	0.10	0.55	13	< 0.05	7.10	260	2.0
29726	94139402	< 0.2	< 0.2	191.0	< 0.01	< 0.01	2.6	< 0.01	0.10	0.50	11	< 0.05	7.50	120	2.0
29727	94139402	0.6	< 0.2	198.0	< 0.01	0.13	2.4	< 0.01	0.10	0.55	12	< 0.05	6.90	292	2.5
29728	94139402	< 0.2	0.4	233.0	< 0.01	< 0.01	2.4	< 0.01	0.10	0.50	15	< 0.05	6.20	76	2.5
29729	94139402	< 0.2	0.4	175.0	< 0.01	< 0.01	2.0	< 0.01	0.12	0.50	16	< 0.05	5.90	72	2.0
29730	94139402	< 0.2	0.2	144.8	< 0.01	< 0.01	2.0	< 0.01	0.18	0.55	13	< 0.05	5.70	60	3.0
29731	94139402	0.8	0.6	141.8	0.01	0.41	1.6	< 0.01	0.22	0.40	13	0.05	5.55	78	2.5
29732	94139402	1.0	0.6	167.4	< 0.01	0.30	1.2	< 0.01	0.26	0.35	11	< 0.05	4.20	322	3.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-A
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125651

SAMPLE	PREP CODE	Weight Au ppb		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
		Kg	FA+AA																	
29733	94139402	4.38	5	0.43	0.36	22.8	< 10	18.0	0.60	0.05	1.27	0.55	21.3	7.8	12	1.60	12.4	3.23	0.75	0.05
29734	94139402	3.64	5	0.26	0.33	11.2	< 10	29.4	0.40	0.02	2.32	0.15	18.80	6.5	12	1.05	7.8	2.83	0.85	< 0.05
29735	94139402	3.16	< 5	0.23	0.34	15.7	< 10	22.2	0.55	0.01	1.64	0.21	19.30	7.4	11	1.20	9.2	2.91	0.80	< 0.05
29736	94139402	4.22	< 5	0.21	0.35	5.1	< 10	103.0	0.45	0.01	1.72	0.05	26.2	6.1	9	1.30	6.4	2.67	0.90	0.05
29737	94139402	4.06	< 5	0.24	0.33	6.4	< 10	43.6	0.50	0.01	2.12	0.06	27.0	7.3	11	1.20	6.2	2.89	0.90	< 0.05
29738	94139402	3.42	< 5	0.29	0.30	6.8	< 10	33.0	0.45	< 0.01	2.04	0.06	18.50	7.0	11	1.15	7.6	2.73	0.90	< 0.05
29739	94139402	3.85	10	0.33	0.26	7.9	< 10	26.4	0.45	< 0.01	2.48	0.08	15.45	7.1	10	1.10	8.8	2.73	0.80	< 0.05
29740	9400 225	0.10	475	0.25	0.27	327	< 10	1243.0	0.30	0.40	0.29	1.53	19.00	5.3	31	0.75	90.5	1.29	3.15	0.05
29741	94139402	3.86	10	0.19	0.33	7.9	< 10	31.8	0.35	0.01	2.11	0.04	19.25	7.0	13	0.90	6.8	3.02	0.95	< 0.05
29742	94139402	3.46	10	0.21	0.33	7.8	< 10	25.4	0.40	0.01	2.52	0.07	18.25	7.0	14	1.00	7.6	3.17	0.90	< 0.05
29743	94139402	3.90	5	0.22	0.39	9.6	< 10	17.0	0.45	0.03	2.71	0.08	17.90	6.9	18	1.15	9.0	3.48	0.85	< 0.05
29744	94139402	3.70	< 5	0.25	0.45	12.8	< 10	15.0	0.70	0.03	3.59	0.06	16.00	7.4	20	1.30	10.0	3.75	1.00	0.05
29745	94139402	3.32	< 5	0.24	0.38	15.0	< 10	14.6	0.60	0.01	4.27	0.05	12.30	6.5	15	0.95	8.6	3.87	0.85	< 0.05
29746	94139402	3.82	< 5	0.29	0.36	16.9	< 10	13.8	0.65	0.10	2.35	0.18	14.65	7.3	16	1.60	11.8	3.82	0.70	0.05
29747	94139402	4.02	< 5	0.28	0.37	14.8	< 10	14.8	0.70	0.06	2.66	0.24	20.6	7.8	13	1.65	9.6	4.05	0.80	< 0.05
29748	94139402	4.05	< 5	0.21	0.42	15.3	< 10	14.4	0.60	0.01	2.61	0.14	18.55	7.2	13	1.30	10.4	3.87	0.95	0.05
29749	94139402	4.32	< 5	0.18	0.40	14.3	< 10	21.0	0.60	0.01	3.32	0.11	24.1	7.2	8	1.65	8.0	3.90	0.85	< 0.05
29750	94139402	3.86	< 5	0.16	0.34	16.9	< 10	25.4	0.55	< 0.01	2.86	0.13	18.30	7.3	9	1.30	8.4	3.99	0.70	< 0.05
29751	94139402	3.50	10	0.15	0.39	11.1	< 10	28.6	0.60	0.01	2.88	0.08	24.5	7.3	9	1.55	10.0	3.35	0.95	0.05
29752	94139402	3.72	< 5	0.14	0.43	22.5	< 10	45.4	0.75	0.09	3.86	0.14	18.40	8.8	8	2.30	33.0	4.18	0.85	0.05
29753	94139402	2.72	5	0.24	0.46	33.9	< 10	57.0	0.75	0.07	5.28	0.21	9.46	11.5	9	2.60	49.8	4.68	0.80	0.05
29754	94139402	3.48	5	0.26	0.45	65.8	< 10	44.4	0.60	0.10	3.51	0.76	7.46	7.7	9	2.75	28.6	4.03	0.80	0.05
29755	94139402	2.80	10	0.29	0.46	58.3	< 10	85.2	0.55	0.08	3.92	0.72	7.02	6.8	6	2.95	26.2	4.05	0.75	0.05
29756	94139402	2.48	< 5	0.28	0.45	17.8	< 10	343.0	0.55	0.08	6.00	0.15	10.00	8.8	5	2.85	20.2	4.96	0.80	0.05
29757	94139402	4.20	5	0.30	0.51	19.5	< 10	798.9	0.45	0.09	3.72	0.11	13.65	8.5	12	2.30	11.6	5.75	0.90	0.05
29758	94139402	3.60	10	0.24	0.42	17.5	< 10	1315.5	0.45	0.08	4.75	0.15	10.35	7.9	11	2.30	9.0	5.09	0.80	0.05
29759	94139402	4.02	5	0.26	0.37	23.0	< 10	720.6	0.50	0.09	3.35	0.14	10.75	9.0	8	2.35	6.8	3.82	0.75	0.05
29760	94139402	4.04	5	0.26	0.37	16.7	< 10	740.0	0.55	0.09	3.21	0.13	15.00	7.7	9	2.55	8.4	4.20	0.85	0.05
29761	94139402	3.96	5	0.30	0.34	25.3	< 10	125.2	0.50	0.08	2.95	0.13	15.25	10.5	8	2.55	9.4	4.05	0.85	0.05
29762	94139402	3.88	5	0.21	0.38	12.8	< 10	720.0	0.60	0.08	4.44	0.15	10.30	9.7	6	3.05	16.4	4.66	0.75	0.05
29763	94139402	4.28	10	0.17	0.37	11.0	< 10	1295.5	0.60	0.07	2.74	0.13	11.60	10.0	5	3.80	24.6	4.36	0.75	0.05
29764	94139402	4.00	< 5	0.15	0.41	11.4	< 10	1144.5	0.65	0.06	2.48	0.09	19.95	9.6	6	3.95	25.4	4.10	0.90	0.05
29765	94139402	4.22	5	0.13	0.42	16.0	< 10	263.6	0.75	0.08	1.89	0.08	20.2	10.6	7	4.20	22.8	4.04	0.90	0.05
29766	94139402	3.92	< 5	0.12	0.47	6.1	< 10	860.0	0.65	0.06	2.91	0.09	22.9	8.6	8	3.90	20.0	3.78	1.15	0.05
29767	94139402	4.22	< 5	0.14	0.43	9.0	< 10	761.1	0.70	0.06	2.23	0.09	21.7	9.8	12	4.15	16.8	4.29	1.00	0.05
29768	94139402	3.96	< 5	0.14	0.40	10.0	< 10	905.0	0.65	0.07	1.70	0.08	15.95	9.1	4	3.40	18.2	4.20	0.80	0.05
29769	94139402	4.88	5	0.14	0.39	16.4	< 10	1227.5	0.65	0.10	2.25	0.10	14.60	10.1	6	3.15	26.2	4.26	0.80	< 0.05
29770	9400 225	0.10	455	0.22	0.32	357	< 10	1344.0	0.30	0.40	0.31	1.75	21.1	5.5	35	0.95	101.5	1.44	3.10	0.05
29771	94139402	3.90	5	0.18	0.37	16.4	< 10	656.3	0.50	0.11	2.66	0.10	15.05	8.3	16	2.35	16.0	4.52	0.90	0.05
29772	94139402	4.00	< 5	0.14	0.46	16.0	< 10	382.4	0.45	0.11	3.52	0.09	16.30	7.9	21	2.15	11.8	4.70	1.05	0.05

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-B
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
29733	94139402	0.12	0.11	0.015	0.26	10.8	1.7	0.88	1305	2.20	0.10	< 0.05	2.0	640	27.0	8.2	< 0.001	2.23	0.50	3.3
29734	94139402	0.10	0.06	0.015	0.23	9.6	1.1	1.29	1695	1.30	0.08	< 0.05	2.2	670	12.2	6.7	< 0.001	1.40	0.50	3.5
29735	94139402	0.10	0.09	0.010	0.25	9.8	1.3	0.86	1155	1.50	0.08	< 0.05	2.0	620	8.6	7.6	< 0.001	1.67	0.45	3.0
29736	94139402	0.08	0.06	0.020	0.27	13.8	1.1	0.94	1090	0.40	0.08	< 0.05	1.8	600	6.6	8.3	< 0.001	0.40	0.25	3.3
29737	94139402	0.08	0.08	0.015	0.25	14.2	0.9	0.88	1030	0.55	0.08	< 0.05	2.2	500	8.2	7.6	< 0.001	0.95	0.20	3.5
29738	94139402	0.06	0.10	0.010	0.22	9.6	1.0	0.79	925	0.35	0.08	< 0.05	2.2	260	8.0	7.3	< 0.001	1.14	0.20	3.4
29739	94139402	0.08	0.09	0.015	0.21	8.0	0.9	0.91	990	0.70	0.07	< 0.05	2.4	280	20.2	6.5	< 0.001	1.45	0.25	3.6
29740	9400 225	0.34	0.25	0.155	0.07	10.4	0.9	0.02	20	109.30	0.01	< 0.20	42.8	1420	148.4	3.2	0.001	0.05	278.0	8.3
29741	94139402	0.06	0.06	0.015	0.23	9.8	0.8	0.88	960	0.85	0.09	< 0.05	2.2	590	7.4	6.1	< 0.001	1.39	0.55	3.5
29742	94139402	0.08	0.05	0.015	0.24	9.0	0.7	0.83	1065	1.55	0.08	< 0.05	2.4	810	6.2	6.4	< 0.001	1.89	0.35	3.5
29743	94139402	0.08	0.05	0.010	0.28	8.8	0.8	0.88	1235	3.25	0.09	< 0.05	2.4	1020	6.8	6.4	< 0.001	2.71	0.30	3.0
29744	94139402	0.08	0.05	0.010	0.31	7.6	1.1	1.18	1690	2.70	0.10	< 0.05	2.8	1090	8.4	7.0	< 0.001	3.40	0.35	3.3
29745	94139402	0.08	0.07	0.010	0.25	5.8	1.0	1.50	2190	1.20	0.10	< 0.05	2.8	790	7.2	5.4	< 0.001	3.34	0.60	3.2
29746	94139402	0.08	0.34	0.015	0.25	7.0	1.3	0.96	1490	2.25	0.10	< 0.05	2.2	880	7.6	6.0	< 0.001	3.63	0.70	2.3
29747	94139402	0.10	0.23	0.020	0.27	10.2	1.0	0.97	1815	1.80	0.10	< 0.05	2.2	1080	6.0	6.4	< 0.001	3.36	0.55	3.2
29748	94139402	0.10	0.06	0.030	0.29	9.0	1.0	1.02	1975	1.90	0.10	< 0.05	2.2	1000	6.2	6.7	< 0.001	3.46	0.45	3.9
29749	94139402	0.08	0.04	0.020	0.28	12.4	1.1	1.20	1875	0.65	0.12	< 0.05	2.6	1030	5.4	6.7	< 0.001	2.74	0.35	4.4
29750	94139402	0.08	0.06	0.015	0.25	9.0	0.9	1.09	1830	1.35	0.10	< 0.05	2.2	990	5.4	5.7	< 0.001	3.33	0.40	3.6
29751	94139402	0.08	0.03	0.015	0.28	12.8	0.9	1.09	1630	0.75	0.09	< 0.05	2.4	900	4.8	6.9	< 0.001	1.76	0.45	4.1
29752	94139402	0.08	0.08	0.015	0.33	8.2	1.5	1.24	1515	1.65	0.12	< 0.05	9.2	1030	4.2	9.0	< 0.001	1.60	0.75	5.5
29753	94139402	0.08	0.14	0.030	0.35	3.6	1.4	1.30	1355	1.15	0.12	0.05	14.0	1360	7.6	10.6	0.002	1.03	3.55	8.4
29754	94139402	0.08	0.31	0.050	0.31	2.6	1.4	0.92	760	4.90	0.14	< 0.05	16.2	980	11.8	9.5	0.015	1.37	3.25	8.0
29755	94139402	0.06	0.24	0.045	0.32	2.4	1.4	0.94	955	3.45	0.14	< 0.05	17.2	950	6.6	9.6	0.016	1.09	2.20	8.2
29756	94139402	0.06	0.06	0.035	0.33	4.0	2.2	0.99	1610	0.55	0.13	< 0.05	3.6	1230	1.6	9.7	< 0.001	0.09	0.95	8.4
29757	94139402	0.08	0.07	0.025	0.35	5.6	1.3	0.66	1170	0.35	0.12	< 0.05	4.6	1410	6.4	9.5	< 0.001	0.19	1.45	5.0
29758	94139402	0.06	0.06	0.025	0.30	4.2	1.2	0.60	1110	0.30	0.10	< 0.05	4.6	1140	6.4	8.5	< 0.001	0.14	1.45	5.0
29759	94139402	0.06	0.06	0.025	0.26	4.4	1.3	0.48	900	0.45	0.09	< 0.05	5.2	1060	6.4	8.3	< 0.001	0.19	0.95	5.1
29760	94139402	0.08	0.06	0.025	0.26	6.2	1.7	0.56	915	0.20	0.09	< 0.05	4.4	1240	5.4	8.9	< 0.001	0.15	1.25	5.6
29761	94139402	0.08	0.08	0.025	0.24	6.2	1.6	0.52	785	0.80	0.09	< 0.05	5.4	1160	8.4	8.7	< 0.001	0.48	1.65	5.3
29762	94139402	0.08	0.05	0.030	0.30	4.2	1.9	0.64	1540	0.40	0.11	< 0.05	4.6	1050	5.2	10.8	< 0.001	0.06	1.95	7.3
29763	94139402	0.08	0.04	0.035	0.33	5.2	2.1	0.54	1470	0.40	0.13	< 0.05	3.4	1090	6.0	13.0	< 0.001	0.06	2.65	7.5
29764	94139402	0.10	0.04	0.030	0.36	8.8	1.6	0.40	1440	0.40	0.13	< 0.05	3.4	1420	4.2	14.9	< 0.001	0.08	1.95	6.2
29765	94139402	0.10	0.01	0.030	0.37	8.9	1.6	0.40	1325	0.40	0.13	< 0.05	3.6	1500	6.2	15.6	< 0.001	0.19	1.25	6.4
29766	94139402	0.10	0.15	0.035	0.41	10.2	1.6	0.39	1330	0.20	0.13	< 0.05	3.4	1380	3.4	16.4	< 0.001	0.10	0.70	7.0
29767	94139402	0.08	0.12	0.030	0.36	9.8	1.9	0.40	1215	0.85	0.13	< 0.05	3.4	1380	3.4	15.1	< 0.001	0.18	0.80	7.5
29768	94139402	0.08	0.03	0.030	0.33	6.6	1.5	0.40	1165	0.25	0.13	< 0.05	2.6	1160	4.4	12.7	< 0.001	0.09	1.35	6.2
29769	94139402	0.06	0.03	0.030	0.32	6.0	1.5	0.43	1035	1.85	0.13	< 0.05	3.2	970	6.4	12.2	< 0.001	0.06	1.25	5.7
29770	9400 225	0.40	0.33	0.175	0.08	11.6	0.9	0.02	20	121.60	0.01	< 0.20	45.2	1750	172.7	3.6	0.001	0.05	326.4	8.2
29771	94139402	0.08	0.02	0.025	0.30	6.2	1.1	0.47	1065	1.15	0.09	< 0.05	4.0	1110	9.2	10.7	< 0.001	0.07	1.20	4.0
29772	94139402	0.08	0.04	0.030	0.33	6.6	1.0	0.49	915	0.70	0.10	< 0.05	4.4	1320	6.8	10.6	< 0.001	0.13	0.85	4.4

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-C
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29733	94139402	0.8	0.2	117.8	< 0.01	0.28	2.0	< 0.01	0.24	0.45	8	< 0.05	5.80	152	3.0
29734	94139402	0.6	0.2	207.0	< 0.01	0.05	2.0	< 0.01	0.08	0.40	10	< 0.05	5.95	82	2.0
29735	94139402	0.4	0.2	130.2	< 0.01	0.15	2.0	< 0.01	0.16	0.40	8	< 0.05	4.85	82	2.0
29736	94139402	0.2	< 0.2	114.1	< 0.01	0.03	2.4	< 0.01	0.08	0.35	9	< 0.05	4.90	72	1.5
29737	94139402	0.4	< 0.2	108.7	< 0.01	0.13	2.8	< 0.01	0.08	0.25	8	< 0.05	4.65	64	1.5
29738	94139402	0.4	0.2	142.6	< 0.01	0.16	1.8	< 0.01	0.08	0.20	9	< 0.05	4.20	56	1.0
29739	94139402	0.6	0.2	157.3	< 0.01	0.17	1.6	< 0.01	0.06	0.20	10	< 0.05	4.40	42	1.0
29740	9400 225	3.2	3.4	129.3	< 0.01	0.13	4.6	< 0.01	1.26	28.5	185	15.45	6.85	42	7.5
29741	94139402	0.2	< 0.2	167.8	< 0.01	0.09	2.0	< 0.01	0.08	0.25	13	0.15	4.10	50	1.5
29742	94139402	0.4	< 0.2	131.9	< 0.01	0.12	2.0	< 0.01	0.06	0.25	11	0.05	5.15	42	1.5
29743	94139402	0.6	< 0.2	78.2	< 0.01	0.14	1.8	< 0.01	0.08	0.25	10	0.25	5.55	44	2.0
29744	94139402	0.8	0.2	150.1	< 0.01	0.20	1.8	< 0.01	0.12	0.25	12	0.10	6.60	46	2.0
29745	94139402	0.8	0.2	208.4	< 0.01	0.25	1.2	< 0.01	0.12	0.20	13	0.05	6.25	34	1.5
29746	94139402	1.6	0.2	130.0	< 0.01	0.88	1.4	< 0.01	0.12	0.30	9	< 0.05	4.75	50	2.0
29747	94139402	1.0	< 0.2	85.3	< 0.01	0.81	2.2	< 0.01	0.08	0.35	9	< 0.05	5.75	68	2.5
29748	94139402	0.6	0.2	86.8	0.01	0.18	2.0	< 0.01	0.08	0.30	11	< 0.05	5.50	52	2.0
29749	94139402	0.6	< 0.2	156.7	< 0.01	0.18	2.2	< 0.01	0.06	0.30	10	< 0.05	6.90	52	1.5
29750	94139402	0.6	< 0.2	146.4	< 0.01	0.29	2.0	< 0.01	0.08	0.25	9	< 0.05	5.10	58	1.5
29751	94139402	0.6	0.2	154.4	< 0.01	0.14	2.2	< 0.01	0.06	0.30	11	< 0.05	6.05	56	1.5
29752	94139402	0.6	< 0.2	172.2	< 0.01	0.08	1.4	< 0.01	0.14	0.30	12	< 0.05	8.95	80	1.5
29753	94139402	0.6	0.2	210.0	0.04	0.06	1.4	< 0.01	0.24	1.85	18	< 0.05	11.30	78	1.5
29754	94139402	1.8	0.6	181.9	0.01	0.05	0.8	< 0.01	0.22	0.30	13	< 0.05	11.95	152	0.5
29755	94139402	1.8	1.0	178.6	0.01	0.04	1.0	< 0.01	0.18	0.30	15	< 0.05	10.60	150	1.0
29756	94139402	0.2	0.8	349.0	< 0.01	0.05	1.4	< 0.01	0.06	0.25	25	< 0.05	10.45	88	0.5
29757	94139402	0.2	< 0.2	185.1	< 0.01	0.03	1.8	< 0.01	0.16	0.40	36	< 0.05	9.80	84	1.5
29758	94139402	0.2	< 0.2	293.0	0.02	0.03	1.6	< 0.01	0.12	0.30	26	< 0.05	9.80	100	1.5
29759	94139402	0.2	< 0.2	201.0	< 0.01	0.05	1.4	< 0.01	0.14	0.30	20	< 0.05	8.25	66	1.5
29760	94139402	0.2	< 0.2	183.0	0.01	0.03	1.6	< 0.01	0.14	0.30	23	< 0.05	10.30	68	1.5
29761	94139402	0.2	< 0.2	159.0	0.01	0.04	1.8	< 0.01	0.16	0.30	18	< 0.05	9.55	76	2.0
29762	94139402	0.2	0.2	227.0	< 0.01	0.04	1.4	< 0.01	0.08	0.30	21	< 0.05	10.65	78	1.0
29763	94139402	0.2	0.2	139.2	< 0.01	0.04	1.2	< 0.01	0.06	0.35	19	< 0.05	9.20	72	1.5
29764	94139402	< 0.2	< 0.2	160.4	< 0.01	0.03	1.8	< 0.01	0.08	0.35	18	< 0.05	10.25	70	2.0
29765	94139402	0.2	< 0.2	104.7	< 0.01	0.05	1.8	< 0.01	0.08	0.35	20	< 0.05	11.30	64	2.0
29766	94139402	0.2	0.2	176.0	0.01	0.04	2.0	< 0.01	0.12	0.40	40	< 0.05	11.80	50	2.0
29767	94139402	0.2	< 0.2	161.7	0.01	0.05	2.0	< 0.01	0.14	0.50	29	< 0.05	11.55	50	1.5
29768	94139402	0.2	0.2	128.2	< 0.01	0.07	1.6	< 0.01	0.06	0.35	19	< 0.05	8.80	66	1.5
29769	94139402	0.2	0.2	160.5	0.01	0.05	1.6	< 0.01	0.06	0.35	18	< 0.05	8.50	84	1.5
29770	9400 225	3.2	4.0	141.8	< 0.01	0.15	5.0	< 0.01	1.52	30.4	215	16.75	7.65	54	8.5
29771	94139402	0.2	< 0.2	194.0	< 0.01	0.04	1.8	< 0.01	0.12	0.40	23	0.10	9.10	76	2.0
29772	94139402	0.2	< 0.2	224.0	< 0.01	0.04	2.2	< 0.01	0.12	0.40	23	< 0.05	10.65	74	2.0

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 3-A
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Weight Au ppb		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
		Kg	FA+AA																	
29773	94139402	3.74	10	0.43	0.36	59.6	< 10	51.4	0.65	0.07	2.98	0.31	8.76	6.3	12	2.65	17.2	3.29	0.65	0.05
29774	94139402	2.44	< 5	0.23	0.32	28.0	< 10	117.4	0.35	0.03	2.05	0.21	15.10	2.8	24	1.50	6.0	2.10	0.70	< 0.05
29775	94139402	4.08	5	0.31	0.33	42.0	< 10	68.4	0.55	0.07	2.80	0.27	6.66	6.7	14	2.35	15.8	3.38	0.70	0.05
29776	94139402	5.22	< 5	0.23	0.41	46.1	< 10	78.8	0.65	0.08	1.66	0.22	5.24	7.0	15	2.55	15.0	3.09	0.75	< 0.05
29777	94139402	5.62	< 5	0.18	0.35	25.1	< 10	433.8	0.45	0.04	2.42	0.11	7.96	5.7	16	1.80	9.4	3.03	0.65	< 0.05
29778	94139402	4.58	< 5	0.20	0.42	47.3	< 10	123.4	0.55	0.07	1.90	0.18	7.38	7.0	15	2.50	15.2	3.20	0.75	< 0.05
29779	94139402	5.14	< 5	0.21	0.41	40.0	< 10	147.6	0.50	0.07	1.94	0.14	8.06	7.3	13	2.65	13.6	3.33	0.80	< 0.05
29780	94139402	4.74	< 5	0.19	0.43	39.3	< 10	156.0	0.50	0.06	2.45	0.15	7.68	6.6	18	2.40	13.8	3.30	0.85	0.05
29781	94139402	5.42	5	0.18	0.41	46.9	< 10	121.2	0.50	0.08	2.22	0.20	6.64	7.0	13	2.65	18.2	3.71	0.75	0.05
29782	94139402	5.28	< 5	0.18	0.41	117.0	< 10	137.8	0.50	0.09	3.08	0.23	4.82	7.4	16	2.40	20.6	3.84	0.75	< 0.05
29783	94139402	5.06	< 5	0.16	0.37	47.2	< 10	54.8	0.55	0.08	2.84	0.24	4.82	6.8	12	2.70	21.2	4.02	0.65	0.05
29784	94139402	5.56	< 5	0.17	0.50	48.5	< 10	87.2	0.60	0.10	2.91	0.30	6.66	7.7	9	3.35	22.0	3.82	0.95	0.05
29785	94139402	5.34	< 5	0.18	0.42	43.1	< 10	76.2	0.55	0.09	2.77	0.27	6.36	7.0	10	3.00	21.4	3.91	0.85	< 0.05
29786	94139402	5.42	5	0.18	0.40	41.7	< 10	72.2	0.60	0.08	2.50	0.29	6.32	6.9	7	3.00	21.2	3.66	0.75	< 0.05
29787	94139402	5.02	< 5	0.15	0.54	43.8	< 10	80.0	0.50	0.09	1.96	0.30	7.52	6.9	8	3.45	19.8	3.76	1.00	< 0.05
29788	94139402	5.44	5	0.17	0.43	43.1	< 10	51.4	0.50	0.09	2.83	0.28	6.50	7.2	6	3.40	21.0	3.59	0.85	0.05
29789	94139402	5.16	< 5	0.16	0.44	43.8	< 10	107.6	0.55	0.10	1.89	0.24	6.74	7.4	7	3.60	20.2	3.50	0.95	< 0.05
29790	94139402	5.70	5	0.17	0.40	48.0	< 10	56.2	0.60	0.09	2.31	0.24	6.30	7.5	6	3.50	22.2	3.76	0.85	< 0.05
29791	94139402	5.26	< 5	0.16	0.45	49.6	< 10	104.4	0.60	0.10	1.56	0.22	5.96	8.2	6	3.40	20.4	3.55	0.90	< 0.05
29792	94139402	2.06	< 5	0.17	0.46	48.6	< 10	102.2	0.55	0.10	1.39	0.22	6.04	8.3	7	3.55	22.0	3.63	0.95	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-B
 Total Pages :3
 Certificate Date: 10-OCT-2001
 Invoice No. :10125651
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
29773	94139402	0.06	0.17	0.035	0.22	3.6	1.8	0.61	450	2.50	0.14	< 0.05	13.4	810	12.8	8.3	0.005	1.44	1.65	6.9
29774	94139402	0.06	0.08	0.020	0.18	7.2	1.1	0.44	280	1.80	0.11	< 0.05	9.2	460	5.4	5.7	0.008	0.46	0.90	3.6
29775	94139402	0.06	0.11	0.035	0.22	2.4	1.4	0.78	360	1.55	0.12	< 0.05	15.0	890	12.6	8.2	0.003	0.77	1.95	8.1
29776	94139402	0.06	0.13	0.040	0.27	1.8	1.7	0.58	240	1.30	0.13	< 0.05	15.4	750	11.4	9.5	0.003	0.76	1.90	7.3
29777	94139402	0.06	0.06	0.030	0.23	3.0	0.9	0.79	295	0.90	0.10	< 0.05	10.6	890	5.0	7.4	0.001	0.25	1.40	5.5
29778	94139402	0.06	0.10	0.040	0.28	2.8	1.1	0.63	255	1.30	0.12	< 0.05	15.0	950	10.0	9.1	0.003	0.82	2.10	6.7
29779	94139402	0.06	0.08	0.035	0.27	2.8	1.0	0.68	285	1.50	0.12	< 0.05	14.6	920	8.0	9.0	0.001	0.67	1.45	5.8
29780	94139402	0.06	0.08	0.035	0.27	2.8	0.9	0.82	345	1.20	0.12	< 0.05	13.2	910	7.2	9.3	0.002	0.65	1.35	6.6
29781	94139402	0.06	0.13	0.045	0.27	2.4	1.0	0.84	340	1.65	0.12	< 0.05	15.2	950	8.0	9.5	0.003	0.97	1.70	7.0
29782	94139402	0.06	0.16	0.045	0.26	1.6	1.4	1.08	425	1.90	0.12	< 0.05	17.2	830	7.6	9.1	0.003	0.96	2.05	8.9
29783	94139402	0.04	0.17	0.045	0.23	1.8	1.5	1.02	400	2.00	0.14	< 0.05	17.4	710	9.2	8.4	0.003	1.06	1.75	9.5
29784	94139402	0.06	0.17	0.055	0.32	2.4	1.2	0.92	385	2.20	0.16	< 0.05	20.4	960	8.4	11.6	0.004	1.23	1.95	10.2
29785	94139402	0.06	0.16	0.050	0.27	2.2	1.2	1.02	425	2.35	0.14	< 0.05	16.8	900	7.4	10.1	0.003	1.05	1.75	9.2
29786	94139402	0.06	0.19	0.045	0.26	2.2	1.1	0.84	360	1.90	0.14	< 0.05	16.6	880	7.0	9.5	0.003	0.98	1.65	8.8
29787	94139402	0.06	0.20	0.050	0.33	2.8	1.1	0.87	380	1.85	0.15	< 0.05	17.0	940	7.2	11.8	0.003	1.05	1.30	9.5
29788	94139402	0.06	0.23	0.050	0.27	2.4	1.0	1.03	390	1.95	0.14	< 0.05	17.2	980	7.6	10.5	0.002	1.02	1.50	9.3
29789	94139402	0.06	0.15	0.055	0.28	2.4	1.0	0.83	360	1.70	0.14	< 0.05	16.8	820	7.0	11.2	0.003	0.90	1.50	9.7
29790	94139402	0.06	0.18	0.050	0.25	2.2	1.1	0.96	390	2.35	0.14	< 0.05	17.8	850	7.6	10.2	0.003	0.99	1.70	10.0
29791	94139402	0.06	0.14	0.050	0.28	2.2	1.2	0.74	320	1.45	0.15	< 0.05	19.0	810	6.4	10.9	0.003	1.09	2.15	8.9
29792	94139402	0.06	0.16	0.055	0.29	2.2	1.1	0.71	340	1.75	0.15	< 0.05	19.6	760	7.4	11.0	0.003	1.16	2.40	9.9

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND MCINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 3-C
 Total Pages : 3
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125651
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125651

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29773	94139402	0.6	0.4	161.0	0.01	0.05	1.6 < 0.01	0.12	0.30	13 < 0.05	8.55	114	1.5		
29774	94139402	0.2	0.2	68.4 < 0.01	0.01	0.01	2.2 < 0.01	0.12	0.40	11 < 0.05	6.75	58	1.0		
29775	94139402	0.6	0.2	177.0 < 0.01	0.04	0.04	1.4 < 0.01	0.10	0.25	14 < 0.05	10.40	90	1.0		
29776	94139402	0.4	0.2	88.6 < 0.01	0.04	0.04	1.2 < 0.01	0.10	0.25	14 < 0.05	8.35	98	0.5		
29777	94139402	0.2	< 0.2	144.0 < 0.01	0.04	0.04	1.6 < 0.01	0.10	0.25	12 < 0.05	9.80	76	1.0		
29778	94139402	0.6	0.2	90.2	0.01	0.05	1.6 < 0.01	0.08	0.25	13 < 0.05	9.65	94	1.0		
29779	94139402	0.4	0.2	97.8 < 0.01	0.04	0.04	1.6 < 0.01	0.08	0.20	13 < 0.05	9.65	92	1.0		
29780	94139402	0.4	0.2	139.8 < 0.01	0.05	0.05	1.6 < 0.01	0.08	0.25	15 < 0.05	9.90	84	1.0		
29781	94139402	0.6	0.4	131.2 < 0.01	0.05	0.05	1.4 < 0.01	0.08	0.25	14 < 0.05	9.95	104	1.0		
29782	94139402	0.6	0.6	156.0	0.03	0.05	1.2 < 0.01	0.10	0.25	16 < 0.05	9.90	100	1.0		
29783	94139402	0.6	0.4	138.7 < 0.01	0.05	0.05	1.2 < 0.01	0.10	0.25	17 < 0.05	9.10	106	0.5		
29784	94139402	0.6	0.2	108.4	0.01	0.05	1.6 < 0.01	0.10	0.30	16 < 0.05	11.10	116	1.0		
29785	94139402	0.6	0.4	140.0 < 0.01	0.04	0.04	1.2 < 0.01	0.10	0.25	14 < 0.05	10.30	112	0.5		
29786	94139402	0.6	0.6	93.3	0.01	0.05	1.2 < 0.01	0.12	0.25	16 < 0.05	9.85	108	0.5		
29787	94139402	0.6	0.2	90.4 < 0.01	0.04	0.04	1.6 < 0.01	0.10	0.30	18 < 0.05	10.65	116	0.5		
29788	94139402	0.6	0.2	154.4 < 0.01	0.04	0.04	1.4 < 0.01	0.10	0.30	14 < 0.05	11.35	106	0.5		
29789	94139402	0.6	0.2	104.2 < 0.01	0.05	0.05	1.4 < 0.01	0.08	0.30	15 < 0.05	10.00	100	0.5		
29790	94139402	0.6	0.2	135.3 < 0.01	0.04	0.04	1.4 < 0.01	0.10	0.25	15 < 0.05	10.25	96	0.5		
29791	94139402	0.6	0.2	84.6 < 0.01	0.04	0.04	1.2 < 0.01	0.10	0.25	14 < 0.05	8.85	108	0.5		
29792	94139402	0.8	0.2	77.0 < 0.01	0.05	0.05	1.4 < 0.01	0.12	0.25	14 < 0.05	8.65	102	1.0		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN 01-20
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29793	94139402	3.52	30	-----	0.19	0.28	10.2	< 10	845.7	0.50	0.13	1.59	10.60	29.6	6.2	25	1.85	18.6	2.69	0.70
29794	94139402	3.46	60	-----	0.22	0.26	12.3	< 10	845.9	0.45	0.14	1.84	7.98	26.6	6.1	20	1.70	14.0	2.66	0.65
29795	94139402	3.46	10	-----	0.09	0.23	1.9	< 10	1005.5	0.40	0.02	1.19	0.76	25.0	4.5	12	1.80	2.2	1.93	0.55
29796	94139402	3.72	55	-----	0.23	0.22	20.8	< 10	1131.5	0.40	0.14	1.80	11.45	27.0	4.8	13	1.95	40.6	2.06	0.55
29797	94139402	3.94	25	-----	0.15	0.24	7.9	< 10	1086.5	0.40	0.03	1.29	1.20	28.9	5.4	14	2.30	8.8	2.14	0.55
29798	94139402	4.04	50	-----	0.22	0.26	18.9	< 10	1113.0	0.45	0.04	1.67	3.87	30.1	6.0	19	1.95	20.8	2.51	0.60
29799	94139402	3.78	690	-----	0.55	0.26	63.2	< 10	351.8	0.45	0.18	1.76	15.75	14.80	6.4	18	1.55	130.0	2.69	0.50
29800	9400 225	0.10	435	-----	0.24	0.29	342	< 10	1367.5	0.20	0.37	0.33	1.55	15.90	5.1	32	0.75	90.8	1.44	2.70
29801	94139402	4.40	15	-----	0.10	0.25	5.3	< 10	1401.5	0.50	0.02	2.18	0.41	15.95	5.7	16	1.70	5.8	2.57	0.50
29802	94139402	3.86	60	-----	0.14	0.26	13.2	< 10	927.2	0.55	0.04	2.04	2.97	29.7	6.2	18	1.90	15.0	2.46	0.60
29803	94139402	3.92	10	-----	0.16	0.26	13.5	< 10	1099.0	0.45	0.04	1.94	3.75	21.6	5.9	15	1.55	17.2	2.46	0.55
29804	94139402	3.58	25	-----	0.12	0.27	11.4	< 10	1308.0	0.50	0.09	1.91	1.87	19.30	6.1	16	1.55	15.0	2.76	0.55
29805	94139402	3.98	525	-----	0.45	0.25	18.5	< 10	812.7	0.45	0.09	1.74	13.85	28.5	5.8	13	1.65	40.8	2.55	0.60
29806	94139402	3.90	15	-----	0.20	0.27	9.0	< 10	886.2	0.70	0.06	2.19	1.46	31.5	5.6	15	1.85	14.6	2.48	0.60
29807	94139402	3.78	< 5	-----	0.16	0.26	9.3	< 10	727.3	0.55	0.05	1.76	1.89	32.1	6.3	12	1.65	10.2	2.70	0.60
29808	94139402	3.88	< 5	-----	0.12	0.25	7.9	< 10	1159.5	0.50	0.03	2.08	0.91	26.7	5.0	14	1.50	9.2	2.48	0.55
29809	94139402	4.10	10	-----	0.10	0.27	6.0	< 10	920.0	0.45	0.03	1.33	0.72	36.6	5.7	12	1.95	8.6	2.65	0.65
29810	94139402	4.08	10	-----	0.20	0.29	12.0	< 10	420.0	0.55	0.03	1.51	1.66	37.0	6.9	16	2.05	16.8	2.79	0.70
29811	94139402	4.28	< 5	-----	0.11	0.26	5.5	< 10	239.0	0.45	0.03	1.56	0.15	32.7	6.2	13	1.95	8.2	2.57	0.60
29812	94139402	2.98	< 5	-----	0.30	0.27	12.7	< 10	347.4	0.40	0.11	1.45	0.72	26.6	6.2	19	1.50	18.6	2.44	0.65
29813	94139402	4.14	5	-----	0.28	0.26	19.5	< 10	275.2	0.55	0.13	1.38	2.81	29.2	7.4	14	1.65	31.2	2.75	0.70
29814	94139402	4.46	< 5	-----	0.08	0.27	1.9	< 10	1443.5	0.50	0.05	2.01	0.08	35.6	6.3	17	1.85	2.8	2.54	0.70
29815	94139402	4.38	< 5	-----	0.06	0.26	3.2	< 10	878.9	0.45	0.03	2.20	0.10	33.4	5.8	14	1.65	6.4	2.42	0.65
29816	94139402	3.58	< 5	-----	0.06	0.27	3.7	< 10	729.3	0.50	0.05	2.23	0.04	33.5	5.9	17	1.70	7.0	2.45	0.70
29817	94139402	3.92	< 5	-----	0.05	0.26	2.1	< 10	1210.5	0.50	0.03	2.43	0.06	34.1	6.0	18	1.75	2.6	2.47	0.70
29818	94139402	5.64	< 5	-----	0.09	0.26	6.9	< 10	867.3	0.40	0.03	1.39	0.45	28.1	6.3	18	1.15	12.2	2.74	0.70
29819	94139402	3.22	< 5	-----	0.10	0.26	4.9	< 10	824.9	0.40	0.09	1.66	0.43	25.9	6.3	16	1.25	8.0	2.73	0.60
29820	94139402	4.46	< 5	-----	0.07	0.26	6.5	< 10	1564.0	0.40	0.03	1.85	0.34	31.4	6.1	18	1.35	11.8	2.66	0.65
29821	94139402	2.88	< 5	-----	0.09	0.25	5.5	< 10	437.0	0.45	0.03	1.72	0.19	30.4	6.1	16	1.55	9.0	2.66	0.65
29822	94139402	1.46	5	-----	0.28	0.25	16.7	< 10	95.8	0.50	0.09	1.79	0.86	25.4	7.4	21	1.40	26.0	2.84	0.65
29823	94139402	4.28	< 5	-----	0.15	0.22	5.2	< 10	1336.5	0.45	0.04	1.98	1.52	27.9	5.7	14	1.40	7.8	2.58	0.60
29824	94139402	3.04	< 5	-----	0.09	0.25	5.7	< 10	1237.0	0.50	0.01	1.37	1.26	31.9	5.8	17	1.40	6.0	2.55	0.65
29825	94139402	3.54	10	-----	0.34	0.21	25.7	< 10	106.6	0.35	0.16	1.87	8.37	12.00	5.9	16	0.85	21.0	2.93	0.50
29826	94139402	1.54	25	-----	0.66	0.24	49.0	< 10	53.0	0.45	0.41	0.26	11.15	15.15	7.4	22	1.40	76.8	3.57	0.55
29827	94139402	3.62	30	-----	0.32	0.22	19.0	< 10	105.4	0.35	0.05	1.09	6.20	21.5	6.7	16	0.95	8.8	3.13	0.60
29828	94139402	3.98	85	-----	0.11	0.27	18.4	< 10	870.0	0.35	0.02	1.63	0.19	35.4	6.6	21	1.25	3.4	2.95	0.80
29829	94139402	3.96	15	-----	0.23	0.25	11.2	< 10	871.6	0.55	0.03	1.59	2.26	29.0	6.1	13	1.60	16.8	2.65	0.60
29830	9400 225	0.10	40	-----	0.35	2.43	618	< 10	456.0	1.20	0.20	0.61	3.20	53.1	24.8	41	11.65	93.3	4.20	7.00
29831	94139402	4.16	15	-----	0.19	0.28	10.0	< 10	897.3	0.50	0.03	1.91	3.24	30.4	5.7	16	1.55	19.4	2.58	0.65
29832	94139402	3.82	10	-----	0.31	0.24	14.5	< 10	763.2	0.40	0.03	2.50	1.97	8.26	6.0	16	1.25	21.4	2.62	0.40

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29793	94139402	0.05	0.16	1.05	0.020	0.28	16.6	0.4	0.89	2440	0.45	< 0.01	< 0.05	2.0	810	269.1	11.1	< 0.001	0.16	0.45
29794	94139402	0.05	0.16	0.72	0.020	0.26	14.6	0.4	0.97	2590	1.00	< 0.01	< 0.05	1.8	720	139.0	10.6	< 0.001	0.17	0.35
29795	94139402	0.05	0.12	0.20	0.010	0.25	13.8	0.3	0.67	1730	0.05	< 0.01	< 0.05	1.2	600	30.2	10.8	< 0.001	0.03	0.10
29796	94139402	0.05	0.14	1.12	0.015	0.26	15.0	0.3	0.81	2100	0.10	< 0.01	< 0.05	1.2	610	418.8	11.5	< 0.001	0.13	0.60
29797	94139402	0.05	0.14	0.17	0.015	0.28	16.2	0.3	0.75	1825	0.10	< 0.01	< 0.05	1.2	700	127.3	13.0	< 0.001	0.06	0.40
29798	94139402	0.05	0.16	0.38	0.015	0.28	16.8	0.4	0.92	2070	0.15	< 0.01	< 0.05	1.4	760	229.6	11.6	< 0.001	0.15	0.70
29799	94139402	0.05	0.12	1.27	0.020	0.26	8.2	0.4	0.97	2350	0.15	< 0.01	< 0.05	1.6	380	1090.0	10.1	< 0.001	0.30	4.15
29800	9400 225	0.05	0.36	0.29	0.155	0.06	9.2	0.9	0.02	20	121.05	< 0.01	< 0.25	42.2	1700	145.4	2.8	< 0.001	0.05	313.3
29801	94139402	0.05	0.14	0.28	0.020	0.29	8.6	0.3	1.02	2070	0.60	< 0.01	< 0.05	1.6	460	12.4	11.5	< 0.001	0.05	0.60
29802	94139402	0.05	0.16	0.40	0.020	0.30	16.6	0.3	0.94	1995	0.20	< 0.01	< 0.05	1.6	750	173.8	12.4	< 0.001	0.11	0.55
29803	94139402	0.05	0.12	0.61	0.015	0.28	11.8	0.3	0.92	1955	0.15	< 0.01	< 0.05	1.4	650	230.0	10.8	< 0.001	0.13	0.95
29804	94139402	0.05	0.16	0.42	0.020	0.29	10.6	0.3	0.99	2390	0.55	< 0.01	< 0.05	1.6	450	76.4	10.8	< 0.001	0.08	0.65
29805	94139402	0.05	0.14	1.09	0.020	0.27	16.0	0.3	0.91	2250	0.05	< 0.01	< 0.05	1.4	830	686.0	10.8	< 0.001	0.16	2.15
29806	94139402	0.05	0.14	0.20	0.020	0.29	17.4	0.4	0.93	2260	2.35	< 0.01	< 0.05	1.4	850	82.6	11.7	< 0.001	0.10	0.45
29807	94139402	0.05	0.14	0.19	0.015	0.28	17.8	0.3	0.89	2550	0.20	< 0.01	< 0.05	1.4	740	177.9	11.0	< 0.001	0.10	0.25
29808	94139402	0.05	0.12	0.14	0.015	0.26	14.4	0.3	0.95	2490	0.65	< 0.01	< 0.05	1.4	670	52.0	9.8	< 0.001	0.09	0.20
29809	94139402	0.05	0.12	0.11	0.015	0.28	20.0	0.3	0.93	2260	0.60	< 0.01	< 0.05	1.2	780	178.3	11.1	< 0.001	0.06	0.20
29810	94139402	0.05	0.12	0.16	0.015	0.29	20.0	0.4	0.95	2310	0.95	< 0.01	< 0.05	1.4	820	159.5	12.1	< 0.001	0.17	0.45
29811	94139402	0.05	0.12	0.08	0.015	0.28	18.0	0.4	0.86	2080	0.40	< 0.01	< 0.05	1.4	780	15.4	11.4	< 0.001	0.08	0.30
29812	94139402	0.05	0.12	0.13	0.035	0.25	15.0	0.3	0.78	2210	0.95	< 0.01	< 0.05	1.4	750	77.6	10.1	< 0.001	0.24	0.75
29813	94139402	0.05	0.14	0.20	0.030	0.25	15.6	0.3	0.86	2750	0.75	< 0.01	< 0.05	1.6	820	136.7	10.8	< 0.001	0.32	0.50
29814	94139402	0.05	0.14	0.09	0.020	0.29	19.6	0.4	1.00	2160	0.55	< 0.01	< 0.05	1.6	760	7.8	12.6	< 0.001	0.03	0.05
29815	94139402	0.05	0.12	0.09	0.020	0.28	18.6	0.3	0.90	1940	0.10	< 0.01	< 0.05	1.4	770	7.0	11.5	< 0.001	0.03	0.25
29816	94139402	0.05	0.12	0.07	0.020	0.29	18.4	0.4	0.85	2090	0.55	< 0.01	< 0.05	1.6	830	5.0	11.7	< 0.001	0.03	0.20
29817	94139402	0.05	0.10	0.13	0.015	0.29	18.6	0.4	0.95	2130	0.10	< 0.01	< 0.05	1.8	810	4.4	12.4	< 0.001	0.02	0.15
29818	94139402	0.05	0.12	0.14	0.015	0.26	15.4	0.3	0.88	2740	0.75	< 0.01	< 0.05	1.4	730	42.0	9.3	< 0.001	0.17	1.30
29819	94139402	0.05	0.12	0.16	0.020	0.26	14.2	0.4	0.94	2640	0.25	< 0.01	< 0.05	1.4	680	39.0	9.9	< 0.001	0.13	0.65
29820	94139402	0.05	0.12	0.12	0.020	0.25	17.2	0.3	1.01	2700	0.60	< 0.01	< 0.05	1.6	760	11.2	9.9	< 0.001	0.08	0.65
29821	94139402	0.05	0.12	0.09	0.020	0.25	16.6	0.3	0.98	2450	0.25	< 0.01	< 0.05	1.6	790	41.6	9.8	< 0.001	0.20	0.35
29822	94139402	0.05	0.12	0.13	0.025	0.23	13.8	0.3	0.93	2360	1.10	< 0.01	< 0.05	1.8	770	158.9	9.1	< 0.001	0.89	1.10
29823	94139402	0.05	0.12	0.17	0.020	0.22	15.4	0.4	1.18	2630	0.45	< 0.01	< 0.05	1.6	640	291.7	8.8	< 0.001	0.08	0.50
29824	94139402	< 0.05	0.16	0.28	0.020	0.24	17.6	0.3	1.02	2450	0.85	< 0.01	< 0.05	1.4	660	51.8	9.5	< 0.001	0.07	0.50
29825	94139402	< 0.05	0.14	0.76	0.035	0.19	6.2	0.3	1.14	3490	0.70	< 0.01	< 0.05	1.6	420	358.6	6.5	< 0.001	0.61	2.60
29826	94139402	< 0.05	0.18	0.91	0.075	0.23	8.0	0.4	0.63	2540	1.20	< 0.01	< 0.05	1.2	550	239.1	9.4	< 0.001	1.71	1.60
29827	94139402	0.05	0.12	0.52	0.025	0.19	11.6	0.3	0.99	3780	0.30	< 0.01	< 0.05	1.4	750	407.8	6.7	< 0.001	0.60	0.40
29828	94139402	0.05	0.18	0.16	0.025	0.26	19.6	0.4	1.14	3080	0.60	< 0.01	< 0.05	1.6	800	34.4	10.4	< 0.001	0.04	0.20
29829	94139402	0.05	0.12	0.18	0.015	0.25	16.0	0.5	0.96	2860	0.40	< 0.01	< 0.05	1.4	740	236.1	10.3	< 0.001	0.17	0.75
29830	9400 225	0.15	0.26	0.23	0.040	0.71	26.6	29.5	1.06	1235	3.75	0.02	1.05	116.8	1800	10.0	54.2	< 0.001	0.03	4.85
29831	94139402	0.05	0.14	0.28	0.020	0.26	17.0	0.5	0.95	2910	0.95	< 0.01	< 0.05	1.6	680	183.3	10.5	< 0.001	0.15	1.00
29832	94139402	< 0.05	0.12	0.19	0.025	0.22	4.6	0.5	1.10	3020	0.35	< 0.01	< 0.05	1.8	150	122.9	7.9	< 0.001	0.20	1.80

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 6
 Certificate Date : 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29793	94139402	3.5	0.2	0.6	108.4	0.01	0.01	2.4 < 0.01	0.08	0.45	7	0.05	7.60	1400	3.5	
29794	94139402	3.4	0.2 < 0.2	0.2	151.5 < 0.01	0.01	0.01	2.2 < 0.01	0.08	0.50	8 < 0.05	7.50	1160	4.0		
29795	94139402	2.6	0.2 < 0.2	0.2	97.2 < 0.01	0.01	0.01	1.8 < 0.01	0.06	0.35	6 < 0.05	5.55	270	3.0		
29796	94139402	2.6	0.2 < 0.2	0.2	161.6 < 0.01	< 0.01	0.01	1.8 < 0.01	0.08	0.35	6 < 0.05	7.15	1310	3.0		
29797	94139402	2.5	0.2 < 0.2	0.2	93.7 < 0.01	0.01	0.01	2.2 < 0.01	0.08	0.35	6 < 0.05	6.55	308	3.5		
29798	94139402	2.9	0.2 < 0.2	0.2	145.3 < 0.01	< 0.01	0.01	2.4 < 0.01	0.10	0.45	6 < 0.05	7.75	658	4.0		
29799	94139402	3.7	0.2 < 0.2	0.2	98.1 < 0.01	< 0.01	0.01	1.2 < 0.01	0.08	0.35	9 < 0.05	5.70	1845	3.0		
29800	9400 225	8.2	3.0	3.4	126.1 < 0.01	0.10	0.10	4.6 < 0.01	1.28	31.4	211	15.50	7.05	52	8.0	
29801	94139402	4.1	0.2	0.2	137.6 < 0.01	< 0.01	0.01	1.4 < 0.01	0.08	0.40	13	0.10	5.50	236	3.0	
29802	94139402	3.5	0.2 < 0.2	0.2	98.6 < 0.01	< 0.01	0.01	2.2 < 0.01	0.08	0.45	8 < 0.05	7.80	516	3.5		
29803	94139402	3.4	0.2 < 0.2	0.2	151.4 < 0.01	< 0.01	0.01	1.8 < 0.01	0.08	0.45	8 < 0.05	5.90	618	3.0		
29804	94139402	4.3	0.2	0.4	174.0 < 0.01	< 0.01	0.01	1.6 < 0.01	0.08	0.40	10 < 0.05	5.80	434	3.0		
29805	94139402	3.4	0.2 < 0.2	0.2	161.6 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.40	6 < 0.05	7.70	1600	3.0		
29806	94139402	3.6	0.2	0.2	172.0 < 0.01	0.02	0.02	2.6 < 0.01	0.08	0.45	7 < 0.05	8.20	334	3.0		
29807	94139402	3.5	0.2 < 0.2	0.2	160.5 < 0.01	0.03	0.03	2.4 < 0.01	0.08	0.50	7 < 0.05	8.80	422	3.0		
29808	94139402	3.3	< 0.2	< 0.2	161.1 < 0.01	< 0.01	0.01	2.2 < 0.01	0.08	0.45	7 < 0.05	7.15	244	3.0		
29809	94139402	3.1	< 0.2	< 0.2	131.1 < 0.01	< 0.01	0.01	2.6 < 0.01	0.06	0.40	7 < 0.05	6.65	302	3.0		
29810	94139402	3.6	0.2 < 0.2	0.2	93.5 < 0.01	< 0.01	0.01	2.6 < 0.01	0.10	0.50	7 < 0.05	8.45	362	3.5		
29811	94139402	3.6	< 0.2	0.4	79.7 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.50	7 < 0.05	8.40	184	3.0		
29812	94139402	3.4	0.2	0.2	83.2 < 0.01	< 0.01	0.01	2.0 < 0.01	0.08	0.55	9 < 0.05	7.45	222	3.0		
29813	94139402	3.6	0.2	0.2	78.5 < 0.01	< 0.01	0.01	2.2 < 0.01	0.10	0.75	8 < 0.05	8.35	450	3.5		
29814	94139402	3.6	0.2	0.2	129.4 < 0.01	< 0.01	0.01	2.6 < 0.01	0.08	0.55	9 < 0.05	9.05	156	2.5		
29815	94139402	3.8	0.2	0.2	140.9 < 0.01	< 0.01	0.01	2.6 < 0.01	0.06	0.55	10 < 0.05	8.80	134	2.5		
29816	94139402	3.9	0.2 < 0.2	0.2	134.8 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.55	10 < 0.05	8.70	128	2.5		
29817	94139402	3.9	0.2	0.2	155.9 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.65	11 < 0.05	8.15	122	2.5		
29818	94139402	3.6	0.2	0.2	147.5 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.50	9 < 0.05	6.10	268	2.5		
29819	94139402	3.7	0.2	0.6	156.7 < 0.01	< 0.01	0.01	2.0 < 0.01	0.08	0.55	9 < 0.05	5.90	242	2.5		
29820	94139402	3.4	< 0.2	0.2	192.0 < 0.01	0.01	0.01	2.6 < 0.01	0.06	0.50	9 < 0.05	6.30	226	2.5		
29821	94139402	3.4	< 0.2	0.2	161.0 < 0.01	< 0.01	0.01	2.6 < 0.01	0.06	0.50	8 < 0.05	7.20	218	2.5		
29822	94139402	3.5	0.2	0.2	156.9 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.45	7 < 0.05	7.70	306	3.0		
29823	94139402	3.4	0.2	0.2	208.0 < 0.01	< 0.01	0.01	2.2 < 0.01	0.06	0.45	7 < 0.05	6.95	424	3.0		
29824	94139402	3.6	0.2 < 0.2	< 0.2	174.0 < 0.01	< 0.01	0.01	2.8 < 0.01	0.06	0.45	7 < 0.05	6.15	484	3.5		
29825	94139402	3.6	< 0.2	0.2	203.0 < 0.01	< 0.01	0.01	1.4 < 0.01	0.10	0.75	8 < 0.05	4.05	1140	3.0		
29826	94139402	2.2	0.2	0.2	30.0 < 0.01	0.04	0.04	2.2 < 0.01	0.12	0.60	6 < 0.05	2.70	1600	4.0		
29827	94139402	3.5	0.2	0.2	91.9 < 0.01	< 0.01	0.01	2.4 < 0.01	0.08	0.65	9 < 0.05	4.70	938	3.0		
29828	94139402	4.4	0.2	0.2	200.0 < 0.01	0.01	0.01	3.6 < 0.01	0.08	0.60	9 < 0.05	6.65	336	3.5		
29829	94139402	3.3	0.2	0.2	143.1 < 0.01	< 0.01	0.01	2.4 < 0.01	0.10	0.50	6 < 0.05	7.60	426	3.0		
29830	9400 225	8.2	1.4	1.0	65.1 < 0.01	0.07	0.07	5.8	0.10	1.80	87	0.75	17.45	756	7.0	
29831	94139402	3.6	0.2	0.8	159.3 < 0.01	< 0.01	0.01	2.4 < 0.01	0.10	0.45	7 < 0.05	8.05	562	3.0		
29832	94139402	4.2	< 0.2	0.2	179.0 < 0.01	< 0.01	0.01	0.8 < 0.01	0.10	0.25	8 < 0.05	4.60	334	2.0		

CERTIFICATION: *[Signature]*



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number : 2-A
Total Pages : 6
Certificate Date: 10-OCT-2001
Invoice No. : 10125543
P.O. Number : 21331
Account : SWY

Project : RDN
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125543

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29833	94139402	2.68	35	-----	0.47	0.36	16.2	< 10	24.8	0.50	0.09	2.19	7.76	11.00	8.1	15	0.95	20.6	3.46	0.70
29834	94139402	2.38	90	-----	0.91	0.36	49.0	< 10	23.4	0.75	0.25	1.11	19.80	8.34	9.4	13	1.10	96.5	3.41	0.70
29835	94139402	3.42	30	-----	0.51	0.37	28.1	< 10	51.2	0.45	0.22	1.91	7.96	21.4	8.1	16	1.25	47.6	3.30	0.80
29836	94139402	3.52	< 5	-----	0.13	0.36	9.3	< 10	1087.0	0.50	0.04	2.25	0.41	30.5	5.4	15	1.40	12.0	2.49	0.85
29837	94139402	3.70	< 5	-----	0.12	0.37	3.4	< 10	959.4	0.45	0.09	3.03	0.61	31.5	5.8	16	1.40	5.6	2.89	0.85
29838	94139402	3.96	10	-----	0.13	0.34	4.0	< 10	1095.5	0.45	0.06	2.63	2.45	22.2	5.9	14	1.20	6.4	2.87	0.75
29839	94139402	3.72	5	-----	0.25	0.38	9.1	< 10	330.4	0.35	0.05	1.57	11.25	29.5	6.1	17	1.20	20.6	2.86	0.90
29840	94139402	3.06	15	-----	0.36	0.36	6.6	< 10	92.4	0.40	0.08	2.07	10.30	26.1	7.1	20	1.30	10.2	2.88	0.85
29841	94139402	2.72	10	-----	0.27	0.37	5.5	< 10	347.4	0.40	0.06	1.90	2.47	31.7	6.6	19	1.15	4.6	2.95	0.90
29842	94139402	2.58	100	-----	0.73	0.31	17.2	< 10	40.2	0.30	0.10	2.49	18.65	8.02	7.7	23	0.85	27.6	2.96	0.60
29843	94139402	2.56	60	-----	0.48	0.38	29.4	< 10	296.4	0.35	0.10	1.45	10.25	6.34	6.5	17	1.20	54.6	2.79	0.70
29844	94139402	4.06	70	-----	0.35	0.35	19.6	< 10	230.8	0.40	0.09	1.54	8.07	6.60	7.0	15	1.20	28.2	2.95	0.65
29845	94139402	2.80	50	-----	0.16	0.36	13.9	< 10	396.2	0.35	0.07	1.64	1.78	5.96	5.8	16	1.00	4.8	3.24	0.65
29846	94139402	4.28	25	-----	0.31	0.36	11.9	< 10	406.0	0.35	0.19	1.62	5.13	18.20	6.9	16	0.95	13.2	2.80	0.80
29847	94139402	3.60	15	-----	0.31	0.40	13.7	< 10	435.6	0.40	0.14	1.38	7.04	17.90	6.4	15	1.25	24.6	2.69	0.85
29848	94139402	3.80	20	-----	0.22	0.36	29.8	< 10	1249.0	0.50	0.10	2.05	2.71	20.4	5.4	12	1.50	62.9	2.64	0.70
29849	94139402	2.40	140	-----	0.66	0.39	52.9	< 10	116.0	0.50	0.85	0.69	14.90	31.1	7.1	20	1.35	101.5	2.46	0.95
29850	94139402	3.98	25	-----	0.26	0.37	14.0	< 10	290.4	0.50	0.19	0.67	7.14	36.1	6.4	18	1.40	22.8	2.84	0.95
29851	94139402	2.56	20	-----	0.18	0.39	8.5	< 10	856.3	0.40	0.12	1.06	5.43	33.4	6.2	17	1.35	11.8	2.77	1.00
29852	94139402	2.48	365	-----	0.66	0.36	55.9	< 10	189.4	0.35	0.38	0.55	34.4	32.1	6.9	16	1.50	148.5	2.87	1.10
29853	94139402	2.28	3880	-----	6.83	0.32	245	< 10	24.0	0.35	3.06	0.75	423	19.70	7.8	20	1.35	1460	2.89	3.35
29854	94139402	3.48	30	-----	0.24	0.35	20.1	< 10	1021.5	0.40	0.10	1.10	6.02	29.9	5.9	14	1.50	43.4	2.89	0.90
29855	94139402	3.10	25	-----	0.30	0.36	11.0	< 10	660.2	0.50	0.15	0.97	11.95	27.4	5.9	17	1.60	24.6	2.78	0.90
29856	94139402	3.78	10	-----	0.15	0.36	4.6	< 10	882.9	0.40	0.06	1.12	1.93	32.6	5.6	22	1.55	8.0	2.80	0.90
29857	94139402	3.90	80	-----	0.43	0.32	20.3	< 10	179.4	0.40	0.25	1.13	14.70	28.1	6.3	18	1.55	26.4	2.80	0.90
29858	94139402	3.84	70	-----	0.46	0.34	13.0	< 10	185.8	0.40	0.18	0.94	18.00	30.3	6.6	22	1.70	28.4	2.92	0.95
29859	94139402	2.68	55	-----	0.27	0.32	15.6	< 10	366.0	0.55	0.09	0.94	4.54	33.5	6.3	19	1.90	17.6	2.55	0.80
29860	9400 225	0.10	465	-----	0.25	0.31	384	< 10	1473.5	0.30	0.38	0.34	1.71	17.25	5.4	35	0.90	98.1	1.53	3.05
29861	94139402	2.54	95	-----	0.46	0.32	30.6	< 10	263.4	0.45	0.24	1.36	21.6	30.3	5.8	24	1.65	60.0	2.75	0.90
29862	94139402	1.92	685	-----	4.39	0.31	148.0	< 10	22.6	0.70	2.68	0.62	180.0	17.20	7.8	37	2.05	600	2.58	1.65
29863	94139402	4.12	220	-----	0.66	0.34	27.7	< 10	154.0	0.50	0.20	1.94	27.2	31.6	6.1	25	1.80	89.1	2.86	1.00
29864	94139402	4.18	15	-----	0.17	0.34	5.1	< 10	1302.5	0.50	0.03	1.75	1.99	32.6	5.9	22	2.10	11.2	2.59	0.85
29865	94139402	3.84	15	-----	0.20	0.34	6.3	< 10	840.0	0.40	0.03	2.40	1.49	11.8	6.0	22	1.90	12.6	2.62	0.90
29866	94139402	4.06	35	-----	0.33	0.32	11.3	< 10	285.4	0.50	0.12	1.83	41.8	27.3	6.1	22	1.75	44.6	2.52	0.95
29867	94139402	3.86	30	-----	0.22	0.31	6.8	< 10	846.2	0.40	0.11	2.66	5.47	21.7	5.8	23	1.40	14.4	2.74	0.80
29868	94139402	4.06	10	-----	0.12	0.34	3.8	< 10	790.0	0.50	0.04	1.60	2.44	33.6	6.3	22	2.15	7.8	2.61	0.90
29869	94139402	4.44	15	-----	0.27	0.38	9.4	< 10	252.8	0.50	0.09	1.49	5.68	28.7	7.9	25	2.20	13.6	3.07	0.90
29870	94139402	3.38	115	-----	1.65	0.36	27.0	< 10	79.4	0.60	0.43	1.49	9.03	29.3	9.0	22	2.30	49.4	3.32	0.85
29871	94139402	4.08	60	-----	0.50	0.36	14.5	< 10	272.8	0.65	0.14	1.77	18.05	35.5	7.2	23	2.25	39.2	2.88	0.95
29872	94139402	4.02	85	-----	0.70	0.35	42.3	< 10	80.8	0.50	0.16	1.39	2.81	34.7	7.5	23	2.60	22.2	3.13	0.80

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-B
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29833	94139402	< 0.05	0.20	0.54	0.035	0.32	5.4	0.4	0.88	2760	1.20	< 0.01	< 0.05	2.0	540	239.9	10.2	< 0.001	2.04	1.35
29834	94139402	< 0.05	0.20	1.16	0.055	0.32	4.4	0.4	0.60	2370	1.90	0.01	< 0.05	1.6	330	602.0	10.1	< 0.001	2.21	4.50
29835	94139402	0.05	0.14	0.55	0.030	0.32	11.4	0.5	0.94	3680	1.30	0.01	< 0.05	1.8	670	380.7	11.2	< 0.001	1.13	1.45
29836	94139402	0.05	0.14	0.13	0.020	0.33	17.0	0.5	1.06	2910	0.35	0.01	< 0.05	1.6	730	11.6	11.8	< 0.001	0.07	0.35
29837	94139402	0.05	0.12	0.15	0.020	0.33	17.4	0.5	1.41	3780	0.25	0.02	< 0.05	2.0	730	138.3	11.6	< 0.001	0.04	0.20
29838	94139402	< 0.05	0.12	0.25	0.015	0.31	12.0	0.5	1.31	3410	0.45	0.02	< 0.05	1.8	510	218.6	10.1	< 0.001	0.12	0.35
29839	94139402	0.05	0.14	0.64	0.020	0.32	16.4	0.5	1.02	2910	0.55	0.02	< 0.05	1.6	690	814.0	10.4	< 0.001	0.25	1.20
29840	94139402	0.05	0.14	0.62	0.015	0.32	14.4	0.5	1.07	2840	0.80	0.02	< 0.05	1.8	710	752.0	10.8	< 0.001	0.61	0.60
29841	94139402	0.05	0.16	0.19	0.020	0.30	18.0	0.4	1.07	3310	0.55	0.02	< 0.05	1.8	690	179.4	9.9	< 0.001	0.23	0.30
29842	94139402	< 0.05	0.14	1.10	0.025	0.26	4.0	0.4	0.99	2700	2.40	0.01	< 0.05	5.2	350	856.0	8.1	< 0.001	1.28	1.30
29843	94139402	< 0.05	0.16	0.77	0.025	0.31	3.6	0.5	0.97	2870	0.80	0.02	< 0.05	1.6	120	648.0	9.8	< 0.001	0.30	2.15
29844	94139402	< 0.05	0.14	0.60	0.025	0.28	3.6	0.5	1.08	2990	0.70	0.02	< 0.05	1.6	80	383.5	9.1	< 0.001	0.37	1.55
29845	94139402	< 0.05	0.14	0.28	0.015	0.28	3.2	0.6	1.21	3260	0.15	0.02	< 0.05	1.6	120	23.8	8.9	< 0.001	0.24	0.40
29846	94139402	< 0.05	0.12	0.44	0.020	0.31	9.8	0.6	0.92	2980	0.60	0.03	< 0.05	2.0	530	131.1	10.0	< 0.001	0.29	0.80
29847	94139402	< 0.05	0.14	0.55	0.020	0.34	10.0	0.6	0.87	2790	0.50	0.03	< 0.05	1.6	390	212.4	11.4	< 0.001	0.28	1.70
29848	94139402	< 0.05	0.14	0.28	0.020	0.35	11.4	0.7	1.03	2970	0.40	0.03	< 0.05	1.6	420	51.4	12.4	< 0.001	0.13	2.90
29849	94139402	0.05	0.14	0.98	0.020	0.32	17.2	0.6	0.62	2050	3.20	0.02	< 0.05	1.4	710	590.0	11.5	< 0.001	0.72	3.70
29850	94139402	0.05	0.18	0.49	0.020	0.31	19.6	0.6	0.80	2440	1.15	0.03	< 0.05	2.8	820	77.6	11.2	< 0.001	0.29	0.65
29851	94139402	0.05	0.18	0.53	0.015	0.32	18.8	0.6	0.92	2200	0.20	0.04	< 0.05	1.4	770	32.8	11.2	< 0.001	0.18	0.45
29852	94139402	0.05	0.16	2.17	0.025	0.30	18.0	0.6	0.83	2200	0.45	0.04	< 0.05	1.2	760	810.0	10.6	< 0.001	0.50	1.05
29853	94139402	0.15	0.16	24.2	0.050	0.26	10.6	0.4	0.71	2310	0.70	0.03	< 0.05	1.8	650	>10000	9.0	0.002	3.21	2.50
29854	94139402	0.05	0.12	0.54	0.020	0.30	16.8	0.6	1.01	2560	0.05	0.04	< 0.05	1.4	770	66.4	10.5	< 0.001	0.16	0.25
29855	94139402	0.05	0.12	0.74	0.025	0.32	15.0	0.6	0.89	2280	0.30	0.04	< 0.05	1.4	700	188.2	11.2	< 0.001	0.20	0.40
29856	94139402	0.05	0.18	0.24	0.015	0.32	18.0	0.5	0.96	2740	0.85	0.04	< 0.05	1.4	800	18.4	10.6	< 0.001	0.13	0.20
29857	94139402	0.05	0.18	0.70	0.020	0.28	15.4	0.6	0.96	2680	0.50	0.03	< 0.05	1.4	710	916.0	9.8	< 0.001	0.40	0.60
29858	94139402	0.05	0.18	0.88	0.020	0.30	16.6	0.6	0.97	2750	0.60	0.04	< 0.05	2.8	810	452.3	10.6	< 0.001	0.51	0.40
29859	94139402	0.05	0.18	0.32	0.015	0.29	18.6	0.6	0.88	2040	1.45	0.04	< 0.05	1.4	840	147.1	11.0	< 0.001	0.31	0.40
29860	9400 225	0.05	0.38	0.30	0.165	0.07	10.2	1.0	0.03	20	129.25	< 0.01	0.25	45.6	1830	157.0	3.2	0.001	0.05	336.2
29861	94139402	0.05	0.16	0.99	0.020	0.29	16.4	0.6	0.99	2510	2.75	0.04	< 0.05	1.6	790	942.0	10.7	< 0.001	0.43	0.80
29862	94139402	0.20	0.18	8.65	0.090	0.27	9.4	0.6	0.46	1265	38.95	0.04	< 0.05	2.0	640	3950	10.6	0.003	2.68	2.05
29863	94139402	0.05	0.18	1.47	0.025	0.31	17.6	0.7	1.12	3240	0.95	0.04	< 0.05	1.8	770	808.0	11.3	< 0.001	0.42	0.60
29864	94139402	0.05	0.20	0.24	0.015	0.35	18.4	0.7	0.91	2520	0.45	0.05	< 0.05	1.6	690	80.0	13.3	< 0.001	0.06	0.75
29865	94139402	0.05	0.16	0.13	0.015	0.33	17.8	0.6	1.03	2630	0.55	0.04	< 0.05	1.8	740	77.4	12.7	< 0.001	0.08	0.55
29866	94139402	0.05	0.18	1.69	0.015	0.33	15.2	0.7	0.89	2310	0.80	0.04	< 0.05	1.6	700	130.1	12.3	< 0.001	0.38	0.50
29867	94139402	0.05	0.14	0.39	0.015	0.30	11.8	0.7	1.25	3010	0.85	0.04	< 0.05	1.8	560	144.6	11.2	< 0.001	0.19	0.30
29868	94139402	0.05	0.18	0.15	0.015	0.35	18.8	0.8	0.97	2590	0.45	0.05	< 0.05	1.6	770	76.0	13.8	< 0.001	0.08	0.25
29869	94139402	0.05	0.24	0.32	0.020	0.36	15.6	1.1	1.06	2900	0.95	0.06	< 0.05	2.0	680	186.2	13.6	< 0.001	0.45	1.10
29870	94139402	0.05	0.26	0.61	0.035	0.33	15.8	1.1	1.03	2930	2.05	0.07	< 0.05	2.0	710	375.4	12.5	< 0.001	0.74	1.25
29871	94139402	0.05	0.22	0.87	0.025	0.33	19.4	1.1	1.06	3540	1.35	0.07	< 0.05	1.8	810	202.0	12.7	< 0.001	0.41	0.60
29872	94139402	0.05	0.24	0.19	0.020	0.33	18.0	1.0	1.01	3570	1.75	0.06	< 0.05	1.8	930	153.4	12.9	< 0.001	0.78	0.95

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 2-C
 Total Pages : 6
 Certificate Date: 10-OCT-200
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29833	94139402	3.5	0.2	0.2	182.0	< 0.01	< 0.01	1.6	< 0.01	0.20	0.55	8	< 0.05	5.10	1030	4.5
29834	94139402	3.4	0.2	0.6	89.0	< 0.01	< 0.01	1.0	< 0.01	0.22	0.45	8	< 0.05	3.05	2420	4.5
29835	94139402	3.2	0.2	0.4	159.4	< 0.01	< 0.01	2.2	< 0.01	0.14	0.65	9	< 0.05	7.05	982	3.0
29836	94139402	3.5	0.2	0.2	163.0	< 0.01	< 0.01	2.4	< 0.01	0.12	0.45	9	< 0.05	8.45	194	3.5
29837	94139402	3.5	0.2	< 0.2	204.0	< 0.01	< 0.01	2.4	< 0.01	0.08	0.40	10	< 0.05	9.25	236	3.0
29838	94139402	3.3	0.2	0.2	224.0	< 0.01	< 0.01	1.8	< 0.01	0.08	0.40	9	< 0.05	6.50	522	2.5
29839	94139402	3.6	0.2	0.2	146.8	< 0.01	< 0.01	2.6	< 0.01	0.10	0.45	10	< 0.05	6.50	1610	3.0
29840	94139402	3.6	0.2	0.6	149.2	< 0.01	< 0.01	2.6	< 0.01	0.14	0.40	9	< 0.05	7.35	1475	3.0
29841	94139402	4.0	0.2	0.2	131.5	< 0.01	< 0.01	2.6	< 0.01	0.10	0.45	10	< 0.05	7.05	462	3.0
29842	94139402	3.5	0.2	1.2	175.0	< 0.01	< 0.01	1.2	< 0.01	0.16	0.40	9	0.05	4.90	2420	3.0
29843	94139402	4.1	< 0.2	1.4	187.0	< 0.01	< 0.01	0.8	< 0.01	0.16	0.30	11	< 0.05	2.60	1395	2.5
29844	94139402	4.1	< 0.2	0.8	155.0	< 0.01	< 0.01	0.8	< 0.01	0.10	0.25	11	< 0.05	2.65	1210	2.5
29845	94139402	4.1	< 0.2	0.4	152.0	< 0.01	< 0.01	0.6	< 0.01	0.14	0.20	12	< 0.05	3.20	456	2.0
29846	94139402	4.0	< 0.2	0.6	145.2	< 0.01	0.01	1.8	< 0.01	0.14	0.55	10	< 0.05	4.80	772	2.5
29847	94139402	3.8	< 0.2	0.2	149.3	< 0.01	0.01	1.8	< 0.01	0.12	0.50	10	< 0.05	3.90	1035	3.0
29848	94139402	3.8	< 0.2	0.2	195.0	< 0.01	< 0.01	1.8	< 0.01	0.10	0.45	9	< 0.05	5.50	442	3.0
29849	94139402	2.5	0.2	1.4	67.8	< 0.01	0.01	3.2	< 0.01	0.14	0.50	8	< 0.05	5.20	2020	3.5
29850	94139402	3.1	< 0.2	0.2	54.4	< 0.01	< 0.01	3.2	< 0.01	0.10	0.50	9	< 0.05	5.35	1030	4.0
29851	94139402	3.0	< 0.2	0.2	133.1	< 0.01	< 0.01	3.2	< 0.01	0.08	0.50	11	< 0.05	4.90	876	4.0
29852	94139402	2.9	0.4	1.6	32.8	< 0.01	< 0.01	3.0	< 0.01	0.10	0.55	9	< 0.05	4.20	4550	4.0
29853	94139402	2.1	3.6	0.2	49.8	< 0.01	0.08	2.0	< 0.01	0.38	0.45	8	0.05	4.20	>10000	3.5
29854	94139402	3.1	0.2	0.2	97.2	< 0.01	< 0.01	2.6	< 0.01	0.08	0.45	10	< 0.05	5.30	964	3.0
29855	94139402	3.5	< 0.2	0.6	136.0	< 0.01	< 0.01	2.6	< 0.01	0.08	0.45	11	< 0.05	4.70	1565	3.0
29856	94139402	3.0	< 0.2	< 0.2	164.4	< 0.01	< 0.01	3.2	< 0.01	0.08	0.55	10	< 0.05	5.50	504	5.0
29857	94139402	3.0	0.2	0.2	146.2	< 0.01	< 0.01	3.0	< 0.01	0.10	0.55	9	< 0.05	5.85	1790	5.0
29858	94139402	3.1	0.2	0.4	88.8	< 0.01	0.01	3.2	< 0.01	0.08	0.60	10	< 0.05	6.00	2260	5.0
29859	94139402	2.9	< 0.2	0.2	132.0	< 0.01	0.01	3.0	< 0.01	0.08	0.55	9	< 0.05	6.05	804	5.0
29860	9400 225	8.5	3.0	3.8	138.2	< 0.01	0.11	5.0	0.01	1.40	31.5	227	15.95	7.25	62	8.5
29861	94139402	2.9	0.2	0.2	183.0	< 0.01	0.01	3.0	< 0.01	0.12	0.60	9	0.15	6.60	2740	4.0
29862	94139402	1.8	1.8	1.0	45.2	< 0.01	0.30	2.4	< 0.01	0.38	0.95	6	0.30	5.55	>10000	5.5
29863	94139402	3.4	0.4	0.2	156.5	< 0.01	< 0.01	2.6	< 0.01	0.10	0.65	11	0.05	7.70	3920	4.5
29864	94139402	3.4	< 0.2	0.2	156.4	< 0.01	< 0.01	2.6	< 0.01	0.08	0.70	11	< 0.05	8.40	426	4.5
29865	94139402	3.2	0.2	0.2	175.0	< 0.01	< 0.01	2.6	< 0.01	0.10	0.65	12	< 0.05	9.05	390	4.5
29866	94139402	3.0	0.2	0.2	143.8	< 0.01	< 0.01	2.4	< 0.01	0.10	0.55	12	< 0.05	8.35	4540	4.0
29867	94139402	3.2	0.2	< 0.2	143.6	< 0.01	< 0.01	1.8	< 0.01	0.08	0.50	15	< 0.05	7.30	844	3.5
29868	94139402	3.3	0.2	< 0.2	101.0	< 0.01	< 0.01	2.8	< 0.01	0.10	0.70	11	< 0.05	8.70	502	4.5
29869	94139402	3.9	0.2	0.2	136.1	< 0.01	0.01	2.8	< 0.01	0.12	0.70	12	< 0.05	8.50	852	6.0
29870	94139402	3.9	0.4	0.2	134.5	< 0.01	0.33	3.2	< 0.01	0.16	0.65	12	< 0.05	6.65	1220	7.0
29871	94139402	3.7	0.4	< 0.2	147.1	< 0.01	0.06	3.2	< 0.01	0.12	0.60	9	< 0.05	9.25	2320	5.5
29872	94139402	3.3	0.6	< 0.2	138.2	< 0.01	0.29	3.4	< 0.01	0.20	0.80	10	0.05	8.70	490	6.5

CERTIFICATION: _____

[Handwritten signature]



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND MCINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 3-A
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29873	94139402	4.28	55	-----	0.36	0.40	22.2	< 10	145.0	0.55	0.19	1.26	9.72	35.6	7.6	23	2.95	36.4	2.86	1.00
29874	94139402	3.84	50	-----	0.29	0.39	7.1	< 10	335.6	0.45	0.14	1.37	7.77	33.9	6.9	19	2.65	30.2	2.72	1.00
29875	94139402	4.16	30	-----	0.29	0.42	7.5	< 10	215.6	0.55	0.14	1.15	8.78	37.0	7.3	40	3.20	26.4	2.96	1.00
29876	94139402	3.92	45	-----	0.21	0.39	6.8	< 10	190.2	0.50	0.20	1.44	2.79	32.4	6.7	40	2.90	10.0	2.75	0.85
29877	94139402	2.54	65	-----	0.44	0.36	11.3	< 10	92.6	0.40	0.22	1.16	39.6	33.0	7.1	34	3.00	14.0	2.93	1.20
29878	94139402	2.84	85	-----	0.67	0.35	25.4	< 10	48.0	0.45	0.16	1.07	8.23	28.1	7.7	33	2.10	34.2	3.48	0.95
29879	94139402	1.66	615	-----	2.96	0.40	29.7	< 10	29.0	0.55	1.33	0.27	11.75	19.05	8.6	41	2.35	396	3.34	0.95
29880	9400 225	0.10	>10000	13.56	0.36	0.19	1460	< 10	1307.0	0.15	0.09	0.09	21.0	0.98	1.6	56	3.05	66.7	2.90	2.10
29881	94139402	0.84	7060	-----	10.40	0.21	36.8	< 10	12.0	0.25	14.00	0.23	388	14.40	12.4	74	1.55	2960	6.76	2.80
29882	94139402	2.46	285	-----	2.49	0.43	17.5	< 10	19.6	0.55	1.98	0.46	12.75	27.4	10.2	47	2.85	882	4.40	1.10
29883	94139402	2.54	310	-----	2.31	0.39	10.4	< 10	35.8	0.45	0.45	0.80	8.54	38.8	9.2	45	2.65	741	3.52	1.05
29884	94139402	3.82	90	-----	0.62	0.40	10.3	< 10	93.0	0.50	0.23	1.18	13.85	33.1	8.3	38	2.40	90.8	3.18	1.05
29885	94139402	4.40	55	-----	0.47	0.45	6.8	< 10	194.2	0.45	0.24	1.42	14.50	35.2	7.4	34	3.20	252	3.03	1.30
29886	94139402	4.58	35	-----	0.33	0.47	15.7	< 10	168.4	0.45	0.16	1.50	20.9	40.0	7.7	38	2.65	94.1	3.23	1.35
29887	94139402	2.64	170	-----	1.26	0.31	54.5	< 10	34.6	0.50	0.69	0.49	4.79	17.10	8.4	38	2.05	115.5	2.83	0.70
29888	94139402	3.00	< 5	-----	0.65	0.41	12.0	< 10	228.6	0.30	0.07	0.81	3.63	27.8	7.9	31	1.45	19.4	3.45	1.15
29889	94139402	2.72	10	-----	0.48	0.47	17.9	< 10	310.4	0.45	0.03	1.18	4.04	32.9	10.0	35	2.65	32.6	3.99	1.40
29890	94139402	0.92	295	-----	2.38	0.42	49.1	< 10	32.0	0.65	1.27	0.36	22.9	32.3	9.3	47	2.95	258	2.67	1.05
29891	94139402	4.18	40	-----	0.69	0.37	31.3	< 10	58.8	0.50	0.27	0.98	8.53	30.0	8.1	29	2.30	67.6	3.58	0.95
29892	94139402	0.96	210	-----	1.39	0.41	25.6	< 10	21.8	0.55	1.39	0.64	20.5	25.7	10.0	43	2.45	45.0	3.52	0.95
29893	94139402	3.00	65	-----	0.46	0.38	23.6	< 10	46.4	0.50	0.48	1.06	8.70	33.1	8.4	30	2.75	19.4	3.66	0.90
29894	94139402	3.20	160	-----	0.98	0.41	23.0	< 10	31.0	0.40	0.60	0.89	8.60	28.6	8.8	39	2.10	25.4	3.73	0.90
29895	94139402	3.02	960	-----	1.42	0.39	46.3	< 10	47.0	0.50	0.69	0.39	10.60	21.2	9.2	38	3.10	123.5	2.41	0.90
29896	94139402	2.74	10	-----	0.25	0.43	12.0	< 10	465.2	0.45	0.03	1.55	0.78	37.2	7.6	28	2.95	18.2	3.14	1.05
29897	94139402	2.90	235	-----	2.51	0.48	124.5	< 10	34.0	0.70	1.07	0.75	29.3	31.8	12.1	56	3.65	264	3.69	1.20
29898	94139402	2.56	185	-----	1.51	0.49	44.2	< 10	40.4	0.55	0.57	0.88	7.58	30.5	9.9	51	3.05	43.2	3.64	1.10
29899	94139402	2.68	895	-----	1.66	0.41	72.7	< 10	30.0	0.65	1.85	0.74	21.0	29.9	10.4	40	3.10	274	3.76	1.00
29900	94139402	2.60	325	-----	1.33	0.43	128.5	< 10	50.4	0.50	1.34	1.44	32.6	29.3	11.4	48	2.75	307	3.93	1.40
29901	94139402	2.66	30	-----	0.42	0.44	21.0	< 10	109.8	0.60	0.38	0.82	4.10	35.0	8.8	31	2.70	15.8	3.76	1.05
29902	94139402	2.64	70	-----	0.85	0.43	67.6	< 10	33.4	0.45	1.23	0.62	4.95	31.0	10.2	41	2.80	113.5	3.98	1.20
29903	94139402	4.06	35	-----	0.73	0.38	36.7	< 10	58.4	0.50	0.60	0.88	2.14	32.9	9.2	32	2.45	65.6	3.66	1.00
29904	94139402	4.26	160	-----	0.80	0.40	42.3	< 10	42.6	0.55	1.07	1.03	9.32	35.3	9.9	32	2.80	93.0	4.19	1.00
29905	94139402	4.40	175	-----	0.70	0.44	29.2	< 10	31.6	0.50	1.01	0.87	7.75	26.1	8.7	18	2.20	41.8	3.76	1.00
29906	94139402	2.68	85	-----	0.90	0.42	80.5	< 10	21.4	0.45	1.37	0.54	20.3	19.65	7.8	21	2.10	96.4	3.26	0.95
29907	94139402	2.62	120	-----	1.16	0.35	122.0	< 10	19.0	0.65	1.49	0.20	9.83	19.60	8.7	23	2.25	122.0	3.92	0.75
29908	94139402	1.42	80	-----	1.24	0.39	105.5	< 10	12.8	0.55	0.70	0.42	2.23	13.10	8.5	18	1.70	74.4	3.98	0.80
29909	94139402	3.96	45	-----	0.29	0.36	13.6	< 10	224.8	0.60	0.17	1.22	1.14	31.3	6.8	13	2.50	12.8	2.67	0.80
29910	9400 225	0.10	>10000	13.77	0.21	0.18	1380	< 10	1178.5	0.05	0.08	0.08	17.85	1.06	1.4	46	2.25	56.1	2.59	1.80
29911	94139402	3.28	30	-----	0.18	0.40	10.6	< 10	391.2	0.50	0.16	1.49	3.37	31.9	6.9	14	2.60	10.0	3.28	0.90
29912	94139402	0.76	295	-----	1.18	0.41	62.0	< 10	16.8	0.50	2.10	0.85	42.1	30.0	14.4	21	2.35	114.0	4.64	1.15

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND MCINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number : 3-B
Total Pages : 6
Certificate Date: 10-OCT-2001
Invoice No. : 10125543
P.O. Number : 21331
Account : SWY

Project : RDN
Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29873	94139402	0.05	0.20	0.44	0.020	0.38	18.4	1.2	0.95	2680	1.70	0.07	< 0.05	1.8	850	127.5	14.8	< 0.001	0.50	0.65
29874	94139402	0.05	0.18	0.35	0.015	0.37	17.6	1.0	0.96	2330	0.95	0.06	< 0.05	1.8	730	36.8	14.4	< 0.001	0.31	0.25
29875	94139402	0.05	0.22	0.30	0.020	0.40	19.4	1.0	1.01	2620	1.75	0.07	< 0.05	1.8	790	81.4	15.3	< 0.001	0.34	0.40
29876	94139402	0.05	0.20	0.11	0.015	0.37	16.8	1.0	0.96	2360	1.25	0.06	< 0.05	2.2	700	34.4	14.2	< 0.001	0.45	0.25
29877	94139402	0.05	0.24	0.68	0.020	0.35	16.8	1.1	0.98	3370	1.00	0.07	< 0.05	1.8	760	34.2	13.7	< 0.001	0.70	0.60
29878	94139402	0.05	0.24	0.21	0.040	0.33	14.0	1.0	1.07	4620	2.55	0.05	< 0.05	2.2	780	297.5	11.6	< 0.001	1.16	1.10
29879	94139402	0.05	0.26	0.23	0.060	0.34	9.0	1.1	0.47	1485	6.10	0.06	< 0.05	1.8	740	165.8	13.1	< 0.001	2.07	0.95
29880	9400 225	< 0.05	0.10	0.51	0.710	0.12	0.4	0.8	0.02	15	5.30	0.01	0.20	10.2	160	73.0	5.5	< 0.001	0.10	127.25
29881	94139402	0.30	0.22	4.13	0.080	0.20	7.6	0.6	0.11	300	16.10	0.04	0.10	3.2	390	305.2	7.1	0.001	8.44	3.20
29882	94139402	0.05	0.30	0.22	0.135	0.38	19.6	1.3	0.59	1800	6.60	0.06	< 0.05	2.0	830	267.4	14.8	< 0.001	2.85	1.05
29883	94139402	0.05	0.26	0.15	0.285	0.36	20.0	1.1	0.79	2650	2.30	0.07	< 0.05	2.4	790	340.3	13.5	< 0.001	1.67	0.60
29884	94139402	0.05	0.22	0.21	0.025	0.36	17.4	1.5	0.93	2390	2.40	0.07	< 0.05	2.0	750	231.9	13.6	< 0.001	0.83	0.60
29885	94139402	0.05	0.18	0.23	0.025	0.40	18.4	3.2	1.03	2300	1.30	0.07	< 0.05	2.2	810	162.3	15.9	< 0.001	0.51	0.35
29886	94139402	0.05	0.20	0.26	0.030	0.43	20.4	1.5	1.13	3010	2.75	0.07	< 0.05	1.8	840	43.0	15.5	< 0.001	0.49	0.30
29887	94139402	< 0.05	0.20	0.10	0.030	0.29	8.4	1.3	0.51	1735	2.90	0.06	< 0.05	2.2	590	140.0	10.8	< 0.001	1.51	0.80
29888	94139402	0.05	0.24	0.06	0.040	0.35	14.8	1.2	1.26	4410	0.60	0.05	< 0.05	1.8	540	195.3	11.6	< 0.001	0.38	0.35
29889	94139402	0.05	0.30	0.08	0.045	0.41	17.6	2.7	1.49	4900	0.60	0.08	< 0.05	2.6	600	178.6	15.3	< 0.001	0.49	0.65
29890	94139402	0.05	0.24	0.23	0.035	0.37	18.4	1.7	0.39	1270	5.90	0.08	< 0.05	2.2	940	404.5	13.7	< 0.001	1.72	1.20
29891	94139402	0.05	0.24	0.11	0.045	0.34	15.0	1.5	1.12	3880	1.65	0.07	< 0.05	2.2	770	175.4	12.3	< 0.001	1.03	0.65
29892	94139402	0.05	0.24	0.20	0.095	0.37	12.8	1.3	0.49	1780	2.45	0.07	< 0.05	2.0	760	170.6	13.1	< 0.001	2.60	0.55
29893	94139402	0.05	0.22	0.11	0.035	0.37	17.6	1.5	1.00	3580	1.80	0.08	< 0.05	2.4	910	45.2	13.9	< 0.001	1.31	0.55
29894	94139402	0.05	0.24	0.11	0.035	0.37	14.8	1.0	0.90	3460	1.80	0.06	< 0.05	2.0	830	44.4	12.9	< 0.001	1.71	0.55
29895	94139402	0.05	0.28	0.13	0.020	0.36	11.4	1.5	0.33	1125	2.65	0.07	< 0.05	2.4	970	562.0	13.0	< 0.001	1.39	1.20
29896	94139402	0.05	0.30	0.03	0.025	0.41	19.8	2.0	1.17	4390	1.30	0.08	< 0.05	1.8	910	9.8	15.3	< 0.001	0.24	0.50
29897	94139402	0.05	0.38	0.26	0.050	0.45	16.6	2.7	0.66	2530	2.65	0.09	< 0.05	3.4	1170	2560	17.1	< 0.001	1.93	3.60
29898	94139402	0.05	0.30	0.13	0.030	0.44	15.8	1.8	0.71	3030	2.85	0.08	< 0.05	2.6	1140	317.8	15.3	< 0.001	1.79	1.55
29899	94139402	0.05	0.26	0.24	0.040	0.39	16.0	2.0	0.62	2260	6.60	0.09	< 0.05	2.6	1010	722.0	14.3	< 0.001	2.26	1.90
29900	94139402	0.05	0.28	0.46	0.060	0.41	15.8	1.7	0.99	3380	4.10	0.08	< 0.05	2.6	830	72.4	15.4	< 0.001	1.99	8.20
29901	94139402	0.05	0.24	0.08	0.035	0.41	19.2	1.9	1.06	3840	1.15	0.10	< 0.05	2.2	870	22.6	14.3	< 0.001	1.02	0.95
29902	94139402	0.05	0.26	0.09	0.045	0.42	16.6	1.7	0.76	2750	2.05	0.07	< 0.05	2.2	930	56.0	15.8	< 0.001	1.79	3.00
29903	94139402	0.05	0.24	0.08	0.040	0.36	17.6	1.3	0.95	3520	1.05	0.08	< 0.05	2.4	890	28.0	13.1	< 0.001	1.14	1.65
29904	94139402	0.05	0.30	0.17	0.050	0.37	19.0	1.5	1.05	4630	3.70	0.08	< 0.05	2.2	890	167.7	13.9	< 0.001	1.53	3.80
29905	94139402	0.05	0.18	0.14	0.040	0.38	13.2	1.3	0.93	4380	2.95	0.07	< 0.05	1.8	720	178.6	13.2	< 0.001	1.68	1.10
29906	94139402	0.05	0.20	0.26	0.100	0.36	10.2	1.1	0.47	2230	6.40	0.06	< 0.05	1.6	710	175.6	12.6	< 0.001	2.26	1.40
29907	94139402	0.05	0.24	0.17	0.080	0.33	10.0	1.4	0.32	1450	3.65	0.07	< 0.05	1.8	530	52.8	12.2	< 0.001	2.88	2.75
29908	94139402	0.05	0.22	0.08	0.045	0.33	6.6	1.1	0.27	835	1.30	0.06	< 0.05	1.6	800	41.8	11.3	< 0.001	3.10	3.35
29909	94139402	0.05	0.14	0.08	0.020	0.33	16.4	1.3	0.95	2950	1.25	0.08	< 0.05	1.4	760	9.2	12.7	< 0.001	0.45	0.80
29910	9400 225	< 0.05	0.10	0.49	0.635	0.11	0.6	0.8	0.02	20	4.60	0.02	0.15	8.6	180	68.8	5.0	< 0.001	0.09	107.15
29911	94139402	0.05	0.16	0.14	0.030	0.38	17.2	1.2	1.26	4030	0.85	0.07	< 0.05	1.4	800	19.4	14.1	< 0.001	0.29	0.60
29912	94139402	0.05	0.18	0.68	0.090	0.38	16.2	1.2	0.80	2860	11.20	0.06	< 0.05	2.4	790	135.7	14.4	< 0.001	2.91	3.45

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 3-C
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : I0125543
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29873	94139402	3.1	0.2	< 0.2	141.4	< 0.01	0.17	3.2	< 0.01	0.14	0.70	9	0.10	8.05	1270	5.5
29874	94139402	3.1	0.2	< 0.2	131.4	< 0.01	0.06	3.2	< 0.01	0.10	0.65	9	0.05	7.45	990	5.5
29875	94139402	3.1	0.4	< 0.2	99.1	< 0.01	0.08	3.0	< 0.01	0.12	0.75	9	0.05	7.65	1130	6.0
29876	94139402	2.7	0.2	< 0.2	138.8	< 0.01	0.06	3.2	< 0.01	0.12	0.65	7	0.05	6.90	456	5.5
29877	94139402	3.2	0.4	< 0.2	88.9	< 0.01	0.05	3.6	< 0.01	0.12	0.80	7	0.05	7.00	4010	7.0
29878	94139402	3.1	0.4	< 0.2	106.0	< 0.01	0.15	3.0	< 0.01	0.20	0.70	10	0.05	5.80	1210	6.5
29879	94139402	2.2	0.6	< 0.2	22.0	< 0.01	0.75	2.8	< 0.01	0.22	1.90	6	0.10	5.75	1670	7.5
29880	9400 225	5.3	1.4	1.8	101.6	< 0.01	0.06	0.6	< 0.01	12.05	3.15	121	5.05	1.60	92	2.5
29881	94139402	1.3	7.8	0.2	28.0	< 0.01	4.75	1.6	< 0.01	0.90	1.90	2	0.30	5.50	>10000	5.5
29882	94139402	2.3	0.8	< 0.2	37.8	< 0.01	0.74	3.2	< 0.01	0.28	1.55	7	0.10	6.60	1840	8.0
29883	94139402	3.0	1.0	< 0.2	55.0	< 0.01	0.89	3.2	< 0.01	0.16	1.50	7	0.05	7.05	1240	6.5
29884	94139402	3.1	0.6	< 0.2	81.8	< 0.01	0.15	3.4	< 0.01	0.16	0.70	10	0.05	7.90	1725	5.5
29885	94139402	3.1	0.4	< 0.2	83.8	< 0.01	0.12	3.2	< 0.01	0.14	0.70	10	0.05	9.05	1890	4.0
29886	94139402	3.6	0.6	< 0.2	86.4	< 0.01	0.11	3.2	< 0.01	0.12	0.75	10	0.05	9.65	2720	5.0
29887	94139402	1.8	0.6	< 0.2	33.0	< 0.01	0.81	2.0	< 0.01	0.20	0.60	5	< 0.05	4.45	682	5.0
29888	94139402	4.1	0.2	< 0.2	50.4	< 0.01	0.02	2.4	< 0.01	0.12	0.65	14	< 0.05	6.25	628	6.0
29889	94139402	5.1	0.2	< 0.2	78.3	< 0.01	0.01	2.8	< 0.01	0.14	0.80	18	0.05	7.80	640	7.5
29890	94139402	1.8	1.2	< 0.2	31.4	< 0.01	1.44	3.0	< 0.01	0.24	1.25	7	0.05	9.95	2800	6.5
29891	94139402	3.5	0.6	0.2	57.7	< 0.01	0.21	3.2	< 0.01	0.16	0.65	10	< 0.05	7.65	1040	6.0
29892	94139402	1.9	1.4	< 0.2	39.2	< 0.01	0.96	3.0	< 0.01	0.20	0.80	6	< 0.05	6.25	2430	6.0
29893	94139402	3.0	0.8	< 0.2	57.6	< 0.01	0.31	3.4	< 0.01	0.14	0.60	8	0.05	6.65	1295	6.0
29894	94139402	2.6	0.8	< 0.2	59.6	< 0.01	0.70	3.4	< 0.01	0.16	0.55	8	0.05	5.90	1250	6.0
29895	94139402	1.5	0.6	< 0.2	27.0	< 0.01	0.68	3.0	< 0.01	0.20	1.00	5	0.05	6.55	1575	7.5
29896	94139402	4.0	0.2	< 0.2	81.3	< 0.01	0.01	4.0	< 0.01	0.12	0.85	10	< 0.05	9.45	270	7.5
29897	94139402	2.7	0.8	< 0.2	41.2	< 0.01	0.80	4.2	< 0.01	0.32	1.10	10	0.05	7.35	3210	9.0
29898	94139402	2.2	0.6	< 0.2	44.8	< 0.01	0.75	4.0	< 0.01	0.28	1.05	8	0.05	8.20	1105	8.0
29899	94139402	2.6	1.2	0.2	42.0	< 0.01	0.90	3.8	< 0.01	0.20	0.85	7	0.05	6.85	2790	7.0
29900	94139402	3.3	1.0	< 0.2	79.0	< 0.01	0.74	3.2	< 0.01	0.26	0.90	9	0.05	7.90	4440	6.5
29901	94139402	3.5	0.2	< 0.2	48.6	< 0.01	0.38	3.8	< 0.01	0.14	0.65	10	0.05	6.70	704	6.5
29902	94139402	2.8	1.0	< 0.2	38.4	< 0.01	0.75	3.4	< 0.01	0.20	1.05	9	0.05	6.95	696	7.5
29903	94139402	3.2	0.6	0.2	73.0	< 0.01	0.28	3.4	< 0.01	0.18	0.70	8	0.05	6.40	450	6.0
29904	94139402	3.2	0.8	< 0.2	81.4	< 0.01	0.33	3.8	< 0.01	0.18	0.75	7	0.05	7.95	1385	7.5
29905	94139402	2.9	0.8	< 0.2	57.5	< 0.01	0.37	3.0	< 0.01	0.18	0.65	8	< 0.05	6.15	1125	5.0
29906	94139402	1.8	1.0	< 0.2	43.4	< 0.01	0.33	2.8	< 0.01	0.20	0.70	7	< 0.05	4.30	2800	5.5
29907	94139402	1.8	0.8	< 0.2	28.4	< 0.01	0.41	3.2	< 0.01	0.22	0.65	5	0.05	3.40	1510	6.5
29908	94139402	1.6	0.6	< 0.2	42.4	< 0.01	0.67	2.4	< 0.01	0.18	0.65	5	< 0.05	3.80	380	6.0
29909	94139402	2.8	0.2	< 0.2	139.2	< 0.01	0.07	3.0	< 0.01	0.12	0.45	6	< 0.05	6.40	342	3.5
29910	9400 225	4.4	1.2	1.6	123.5	< 0.01	0.03	0.6	< 0.01	10.80	3.20	105	4.60	1.50	82	2.0
29911	94139402	3.3	0.2	< 0.2	150.0	< 0.01	0.01	3.0	< 0.01	0.18	0.55	7	0.05	8.10	554	4.0
29912	94139402	2.1	0.8	< 0.2	74.0	< 0.01	0.38	3.0	< 0.01	0.30	0.65	6	0.05	5.60	4960	5.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 4-A
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29913	94139402	4.38	95	0.28	0.34	27.9	< 10	80.6	0.40	0.35	1.03	8.28	27.2	6.6	18	2.00	43.0	2.55	0.80
29914	94139402	3.90	25	0.25	0.34	21.0	< 10	150.4	0.40	0.21	0.79	1.29	30.3	7.3	19	2.40	15.4	2.55	0.85
29915	94139402	3.92	20	0.58	0.38	30.7	< 10	55.2	0.35	0.49	0.64	3.68	26.5	8.1	24	2.15	69.9	3.33	0.90
29916	94139402	3.82	35	0.57	0.37	14.7	< 10	59.0	0.45	0.64	0.68	2.71	27.4	7.8	25	2.10	18.8	3.35	0.90
29917	94139402	2.68	115	0.70	0.32	54.1	< 10	42.6	0.35	0.89	0.29	5.70	26.0	8.5	23	2.35	82.4	2.63	0.80
29918	94139402	3.80	115	0.49	0.32	36.3	< 10	52.8	0.25	0.35	0.16	2.91	6.22	4.0	39	2.00	19.6	1.21	0.50
29919	94139402	4.04	80	0.60	0.34	44.2	< 10	33.2	0.30	0.44	0.15	3.08	5.34	4.1	45	2.05	44.4	1.65	0.50
29920	94139402	4.06	80	0.50	0.43	40.4	< 10	30.5	0.30	1.12	0.17	0.14	3.34	9.1	43	2.50	31.2	2.16	0.85
29921	94139402	3.76	90	0.62	0.34	81.9	< 10	24.6	0.35	1.18	0.16	0.39	1.96	7.7	39	2.45	199.0	1.80	0.60
29922	94139402	2.96	120	1.17	0.33	51.2	< 10	17.8	0.40	1.86	0.19	1.56	7.84	10.7	30	2.05	76.1	2.86	0.70
29923	94139402	4.42	15	0.29	0.39	29.6	< 10	209.4	0.65	0.35	1.72	0.71	33.7	6.1	18	2.80	57.8	3.66	0.95
29924	94139402	3.04	< 5	0.11	0.38	21.5	< 10	1336.0	0.55	0.02	2.05	0.20	34.4	5.7	12	2.30	48.2	2.88	0.90
29925	94139402	0.84	35	0.36	0.37	23.9	< 10	166.6	0.50	0.40	2.10	0.22	29.6	7.6	17	2.00	49.2	2.79	0.85
29926	94139402	2.84	< 5	0.13	0.39	8.9	< 10	1660.0	0.35	0.01	2.79	0.17	37.0	6.7	16	1.80	22.8	2.70	1.05
29927	94139402	2.70	5	0.08	0.36	9.3	< 10	1250.0	0.35	0.01	2.63	0.48	38.5	8.0	13	2.20	24.2	2.79	1.00
29928	94139402	2.64	110	0.89	0.38	34.4	< 10	33.4	0.70	1.36	1.74	1.99	24.0	10.9	20	2.50	101.0	2.76	0.90
29929	94139402	4.36	< 5	0.18	0.36	9.1	< 10	960.0	0.40	0.04	2.71	0.48	39.8	8.2	12	2.45	22.2	3.04	1.05
29930	94139402	4.20	< 5	0.06	0.39	0.3	< 10	1000.0	0.40	< 0.01	2.64	0.17	38.4	7.2	15	2.15	1.2	2.60	1.05
29931	94139402	3.70	< 5	0.05	0.38	2.0	< 10	1230.0	0.60	< 0.01	2.59	0.21	40.4	7.8	20	2.50	5.6	2.67	1.10
29932	94139402	4.70	< 5	0.09	0.31	11.3	< 10	1510.0	0.50	0.08	2.58	0.38	30.8	5.3	16	1.50	28.0	1.99	0.80
29933	94139402	4.44	< 5	0.14	0.37	15.2	< 10	1230.0	0.55	0.03	2.69	0.49	35.1	6.5	14	1.75	39.4	2.60	0.85
29934	94139402	4.16	15	0.12	0.37	15.6	< 10	1137.5	0.50	0.01	2.73	0.42	38.4	8.7	15	1.40	22.6	2.80	1.05
29935	94139402	3.80	55	0.24	0.36	22.8	< 10	154.8	0.45	0.34	2.32	2.77	32.3	8.7	12	2.15	51.7	3.02	0.95
29936	94139402	2.70	890	0.70	0.34	36.5	< 10	21.0	0.40	2.69	0.76	0.33	19.00	10.2	29	2.05	302	5.21	0.80
29937	94139402	2.56	115	0.71	0.29	21.1	< 10	22.0	0.35	1.64	1.51	1.32	13.30	8.2	32	1.75	213	3.71	0.70
29938	94139402	1.42	80	0.64	0.28	10.9	< 10	16.8	0.50	1.20	1.71	0.44	5.32	9.4	38	2.15	30.8	2.68	0.70
29939	94139402	1.90	355	2.13	0.16	25.9	< 10	12.0	0.20	4.46	4.29	28.4	1.46	18.2	38	1.55	647	3.37	0.35
29940	9400 225	0.10	< 5	0.29	1.99	6.4	< 10	670.0	0.85	0.18	0.95	0.45	46.2	8.6	14	2.50	22.6	1.77	5.65
29941	94139402	4.06	115	1.28	0.24	45.5	< 10	21.0	0.25	1.76	4.07	11.80	2.76	7.7	39	2.10	94.0	2.42	0.55
29942	94139402	3.28	75	0.50	0.24	15.2	< 10	16.0	0.25	0.96	4.01	0.77	3.64	7.4	37	2.05	32.8	2.00	0.45
29943	94139402	4.30	20	0.27	0.38	27.7	< 10	21.2	0.65	0.47	2.86	0.81	7.54	11.6	21	2.25	54.3	2.75	0.75
29944	94139402	4.58	10	0.22	0.39	18.9	< 10	21.0	1.25	0.37	1.36	0.59	8.52	10.2	18	2.30	43.4	2.82	0.75
29945	94139402	4.52	< 5	0.16	0.37	8.4	< 10	32.4	0.55	0.02	2.09	0.11	18.10	8.7	22	2.65	15.8	2.44	0.75
29946	94139402	3.74	< 5	0.12	0.35	13.2	< 10	16.8	0.65	0.02	1.48	0.16	20.7	9.5	23	2.80	13.4	2.84	0.70
29947	94139402	4.90	< 5	0.13	0.35	14.7	< 10	17.4	0.65	0.04	1.66	0.12	17.05	9.7	20	2.35	14.4	3.03	0.70
29948	94139402	3.94	< 5	0.15	0.36	21.8	< 10	15.4	0.75	0.06	1.24	0.19	19.40	10.0	17	2.85	14.0	3.36	0.75
29949	94139402	1.76	< 5	0.11	0.38	26.6	< 10	19.8	0.65	0.05	1.82	0.14	21.6	9.4	20	3.20	10.2	2.97	0.75
29950	94139402	2.56	< 5	0.14	0.35	24.9	< 10	17.4	0.60	0.11	0.93	0.44	25.0	9.4	20	3.15	12.2	3.47	0.70
29951	94139402	3.96	< 5	0.08	0.42	8.5	< 10	106.6	0.65	0.07	1.54	0.10	33.8	7.6	19	3.10	11.8	2.85	0.85
29952	94139402	3.88	< 5	0.08	0.41	16.4	< 10	25.0	0.70	0.32	1.37	0.11	24.3	8.2	23	3.10	10.2	2.73	0.75

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 4-B
 Total Pages : 6
 Certificate Date: 10-OCT-200
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29913	94139402	0.05	0.14	0.21	0.030	0.29	14.4	1.2	0.74	2720	1.05	0.06 < 0.05	1.6	720	25.6	11.4 < 0.001	0.71	1.10		
29914	94139402	0.05	0.18	0.08	0.025	0.30	16.0	1.2	0.69	2770	1.05	0.06 < 0.05	1.6	750	19.8	12.3 < 0.001	0.52	1.35		
29915	94139402	0.05	0.18	0.19	0.040	0.32	14.2	1.1	0.75	3040	0.95	0.06 < 0.05	1.8	730	48.6	11.7 < 0.001	0.98	7.70		
29916	94139402	0.05	0.16	0.18	0.045	0.30	15.0	1.1	0.82	3790	1.10	0.06 < 0.05	1.8	630	36.8	11.9 < 0.001	0.83	1.90		
29917	94139402	0.05	0.16	0.18	0.035	0.26	13.8	1.0	0.39	1970	2.50	0.05 < 0.05	1.8	750	72.4	11.1 < 0.001	1.27	1.80		
29918	94139402	< 0.05	0.14	0.09	0.020	0.24	3.2	0.9	0.09	270	2.75	0.04 < 0.05	1.4	420	60.8	8.2 < 0.001	0.93	0.75		
29919	94139402	< 0.05	0.14	0.10	0.030	0.26	2.6	0.9	0.07	195	2.15	0.04 < 0.05	1.6	450	135.6	8.6 < 0.001	1.40	2.05		
29920	94139402	< 0.05	0.24	0.06	0.025	0.32	1.8	1.0	0.02	30	1.55	0.05 < 0.05	2.0	720	26.6	10.4 < 0.001	2.21	0.60		
29921	94139402	< 0.05	0.16	0.08	0.025	0.26	0.8	1.0	0.03	80	3.35	0.04 < 0.05	1.8	690	49.6	9.5 < 0.001	1.73	0.75		
29922	94139402	0.05	0.16	0.08	0.030	0.27	3.6	0.9	0.13	445	3.85	0.04 < 0.05	1.6	720	82.0	10.3 < 0.001	2.38	0.50		
29923	94139402	0.05	0.10	0.07	0.025	0.35	17.6	1.2	0.85	3620	0.75	0.05 < 0.05	1.8	1200	31.6	15.3 < 0.001	0.43	0.65		
29924	94139402	0.05	0.12	0.04	0.025	0.32	17.6	0.9	0.83	3020	0.15	0.05 < 0.05	1.6	1240	16.0	14.2 < 0.001	0.08	0.70		
29925	94139402	0.05	0.12	0.05	0.025	0.30	15.2	0.8	0.76	2710	0.60	0.04 < 0.05	1.6	1130	31.4	12.5 < 0.001	0.44	0.45		
29926	94139402	0.05	0.10	0.04	0.025	0.30	20.0	0.6	0.97	3040	0.80	0.04 < 0.05	1.8	1120	13.6	13.0 < 0.002	0.05	0.55		
29927	94139402	0.05	0.12	0.04	0.025	0.31	20.8	0.6	0.95	2920	0.20	0.04 < 0.05	2.2	1190	61.4	13.7 < 0.001	0.08	0.40		
29928	94139402	0.05	0.12	0.07	0.040	0.32	12.2	0.8	0.52	1680	3.90	0.03 < 0.05	1.8	890	70.4	13.7 < 0.002	1.48	0.60		
29929	94139402	0.05	0.12	0.04	0.025	0.33	21.6	0.6	1.01	2990	0.15	0.03 < 0.05	1.8	1270	17.4	15.7 < 0.001	0.06	0.30		
29930	94139402	0.05	0.10	0.02	0.020	0.36	20.8	0.5	0.91	2570	0.10	0.03 < 0.05	1.8	1120	3.6	16.3 < 0.001	0.03	0.05		
29931	94139402	0.05	0.12	0.04	0.025	0.36	21.4	0.6	0.92	2550	0.15	0.03 < 0.05	2.0	1260	3.2	17.8 < 0.001	0.03	0.35		
29932	94139402	0.05	0.10	0.05	0.015	0.28	17.2	0.5	0.79	2210	0.40	0.02 < 0.05	1.6	790	55.6	12.5 < 0.001	0.04	1.15		
29933	94139402	0.05	0.12	0.08	0.020	0.33	18.6	0.6	0.90	2320	0.30	0.03 < 0.05	1.8	990	21.0	14.1 < 0.001	0.05	0.30		
29934	94139402	0.05	0.12	0.07	0.025	0.30	20.8	0.5	1.03	2130	1.15	0.03 < 0.05	1.8	1080	21.6	12.9 < 0.001	0.11	0.60		
29935	94139402	0.05	0.12	0.11	0.030	0.30	17.2	0.4	1.04	2050	1.10	0.03 < 0.05	1.8	1120	25.8	12.8 < 0.001	0.42	0.55		
29936	94139402	0.05	0.24	0.17	0.075	0.33	9.4	0.6	0.69	1340	3.25	0.01 < 0.05	2.0	730	14.4	13.0 < 0.001	3.11	0.25		
29937	94139402	0.05	0.18	0.42	0.075	0.25	6.6	0.5	0.69	1270	3.00	0.01 < 0.05	2.2	600	30.4	10.5 < 0.003	3.37	0.35		
29938	94139402	0.05	0.18	0.56	0.025	0.22	2.4	0.5	0.33	690	2.90	0.01 < 0.05	2.8	640	20.0	9.5 < 0.001	3.30	0.15		
29939	94139402	0.05	0.12	3.24	0.025	0.12	0.6	0.3	0.07	135	7.20	0.01 < 0.05	3.8	570	160.0	5.7 < 0.001	7.76	0.40		
29940	9400 225	0.10	0.80	0.04	0.025	0.42	23.2	18.6	0.48	440	0.75	0.10 < 0.20	17.4	510	8.8	32.5 < 0.001	0.03	0.80		
29941	94139402	< 0.05	0.16	2.73	0.030	0.21	1.4	0.4	0.27	570	4.40	0.01 < 0.05	3.4	510	538.0	7.8 < 0.001	5.11	0.80		
29942	94139402	< 0.05	0.12	0.87	0.005	0.18	1.6	0.3	0.19	340	4.45	0.01 < 0.05	4.6	590	32.0	7.4 < 0.001	5.01	0.25		
29943	94139402	0.05	0.14	0.69	0.030	0.27	2.8	0.6	0.75	1210	3.10	0.03 < 0.05	17.8	810	16.2	10.9 < 0.022	2.94	0.85		
29944	94139402	0.05	0.16	0.42	0.020	0.27	3.4	0.6	0.44	690	3.00	0.03 < 0.05	6.0	670	8.6	11.2 < 0.006	2.67	1.25		
29945	94139402	0.05	0.10	0.12	0.015	0.29	9.0	0.5	0.63	1015	0.95	0.02 < 0.05	2.6	710	6.8	10.9 < 0.001	1.96	0.35		
29946	94139402	0.05	0.12	0.11	0.020	0.25	10.6	0.5	0.32	755	1.30	0.02 < 0.05	2.2	850	6.8	10.2 < 0.001	2.69	0.35		
29947	94139402	0.05	0.14	0.12	0.020	0.26	8.4	0.5	0.42	855	1.40	0.03 < 0.05	2.2	870	9.4	9.3 < 0.001	2.65	0.65		
29948	94139402	0.05	0.12	0.17	0.020	0.26	9.6	0.6	0.35	725	1.45	0.04 < 0.05	2.0	840	11.8	10.2 < 0.001	3.18	1.05		
29949	94139402	0.05	0.14	0.12	0.025	0.27	11.0	0.6	0.59	890	1.60	0.04 < 0.05	2.2	840	9.4	10.9 < 0.001	2.63	0.70		
29950	94139402	0.05	0.12	0.23	0.010	0.25	13.4	0.7	0.30	365	1.35	0.04 < 0.05	1.8	770	7.0	10.0 < 0.001	3.45	0.60		
29951	94139402	0.05	0.10	0.03	0.025	0.30	18.8	0.7	1.20	895	0.15	0.04 < 0.05	1.8	850	3.4	10.8 < 0.001	0.60	1.30		
29952	94139402	0.05	0.10	0.04	0.015	0.30	12.2	0.7	0.59	530	1.60	0.05 < 0.05	2.0	910	8.8	10.7 < 0.001	2.10	0.70		

CERTIFICATION: _____

[Handwritten signature and initials]



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 4-C
 Total Pages : 6
 Certificate Date: 10-OCT-200
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29913	94139402	3.0	0.2	0.2	80.6 < 0.01	0.40	3.0 < 0.01	0.12	0.50	7	0.05	6.10	1030	3.5		
29914	94139402	3.2	0.2 < 0.2	68.0 < 0.01	0.13	3.0 < 0.01	0.10	0.60	6	0.05	6.20	308	4.5			
29915	94139402	3.1	0.4 < 0.2	63.2 < 0.01	0.22	3.0 < 0.01	0.16	0.55	6	< 0.05	5.00	664	4.5			
29916	94139402	3.4	0.6 < 0.2	70.9 < 0.01	0.30	3.0 < 0.01	0.14	0.50	7	< 0.05	5.25	494	4.5			
29917	94139402	2.2	0.6 < 0.2	50.9 < 0.01	0.36	3.0 < 0.01	0.14	0.65	5	< 0.05	5.05	734	5.0			
29918	94139402	1.1	0.2 < 0.2	50.3 < 0.01	0.34	1.2 < 0.01	0.16	0.40	4	0.05	2.55	414	3.5			
29919	94139402	1.1	0.6 < 0.2	53.3 < 0.01	0.57	1.0 < 0.01	0.14	0.35	3	0.05	2.50	450	3.5			
29920	94139402	1.2	1.0 < 0.2	55.8 < 0.01	0.74	1.4 < 0.01	0.14	0.75	4	< 0.05	3.50	22	6.5			
29921	94139402	0.9	1.2 < 0.2	67.8 < 0.01	0.87	0.8 < 0.01	0.18	0.50	4	0.05	3.25	60	4.5			
29922	94139402	1.3	1.6 < 0.2	69.2 < 0.01	1.55	1.6 < 0.01	0.24	0.65	5	< 0.05	3.30	212	4.5			
29923	94139402	3.2	0.4 < 0.2	142.4 < 0.01	0.19	4.0 < 0.01	0.14	1.05	11	< 0.05	9.60	206	3.0			
29924	94139402	3.7	0.2 < 0.2	157.5 < 0.01	0.01	3.4 < 0.01	0.10	0.85	12	< 0.05	10.50	132	2.5			
29925	94139402	3.3	0.4 < 0.2	144.3 < 0.01	0.31	3.0 < 0.01	0.10	1.00	9	< 0.05	10.95	166	3.0			
29926	94139402	3.4	0.2 < 0.2	187.0 < 0.01	< 0.01	3.4 < 0.01	0.12	0.85	14	< 0.05	11.40	190	2.5			
29927	94139402	3.0	0.2 < 0.2	160.0 < 0.01	< 0.01	3.4 < 0.01	0.08	0.85	12	< 0.05	11.25	238	2.5			
29928	94139402	2.4	1.0 < 0.2	101.0 < 0.01	0.88	2.4 < 0.01	0.16	0.80	6	< 0.05	7.95	360	3.5			
29929	94139402	4.0	0.2 < 0.2	141.0 < 0.01	< 0.01	3.2 < 0.01	0.10	0.95	12	< 0.05	12.35	420	3.0			
29930	94139402	3.5	0.2 < 0.2	129.0 < 0.01	< 0.01	3.2 < 0.01	0.12	0.95	12	< 0.05	11.10	302	2.5			
29931	94139402	3.6	0.2 < 0.2	151.0 < 0.01	< 0.01	3.0 < 0.01	0.12	0.90	13	< 0.05	12.55	232	2.5			
29932	94139402	2.4	0.2 < 0.2	144.0 < 0.01	0.01	2.6 < 0.01	0.08	0.60	8	< 0.05	8.40	208	2.0			
29933	94139402	3.5	0.2	0.2	148.9 < 0.01	0.01	3.2 < 0.01	0.10	0.75	11	< 0.05	9.75	196	2.5		
29934	94139402	3.6	0.2	0.2	131.0 < 0.01	0.01	3.4 < 0.01	0.10	0.95	13	< 0.05	10.05	146	3.0		
29935	94139402	3.4	0.4 < 0.2	152.0 < 0.01	0.18	3.0 < 0.01	0.08	0.75	12	< 0.05	9.00	238	3.5			
29936	94139402	2.3	1.2	0.2	995.0 < 0.01	1.13	2.4 < 0.01	0.12	0.80	9	0.05	3.75	120	6.5		
29937	94139402	2.1	1.8	0.2	265.0 < 0.01	1.49	1.8 < 0.01	0.08	0.60	5	0.05	3.10	226	5.5		
29938	94139402	1.8	2.0	1.0	267.0 < 0.01	1.72	1.4 < 0.01	0.10	0.50	4	< 0.05	2.85	80	4.5		
29939	94139402	1.0	7.0	0.2	530.0 < 0.01	2.49	1.0 < 0.01	0.12	0.25	3	0.05	1.75	2780	3.0		
29940	9400 225	5.0	0.6	1.2	86.7 < 0.01	0.03	6.4	0.07	0.30	1.05	44	0.30	14.90	68	25.0	
29941	94139402	1.5	1.6	0.2	530.0 < 0.01	1.38	1.2 < 0.01	0.10	0.35	4	0.05	1.90	1380	4.5		
29942	94139402	1.5	1.8	0.8	607.0 < 0.01	1.31	1.0 < 0.01	0.08	0.25	3	0.05	3.00	72	3.5		
29943	94139402	4.9	2.0	0.2	1120.0 < 0.01	0.93	1.2 < 0.01	0.16	0.30	7	< 0.05	6.55	96	3.5		
29944	94139402	3.8	2.0	0.8	763.0 < 0.01	0.98	1.2 < 0.01	0.14	0.35	6	< 0.05	5.60	62	3.5		
29945	94139402	3.4	1.0	0.6	227.0 < 0.01	0.34	1.4 < 0.01	0.10	0.30	6	< 0.05	7.55	28	2.5		
29946	94139402	3.0	0.8	0.2	74.5 < 0.01	0.28	1.8 < 0.01	0.10	0.35	6	< 0.05	6.35	40	3.0		
29947	94139402	3.3	1.0	0.4	81.1 < 0.01	0.65	1.6 < 0.01	0.14	0.35	6	< 0.05	7.35	32	3.0		
29948	94139402	3.1	1.4	0.2	72.6 < 0.01	0.39	2.0 < 0.01	0.20	0.40	6	< 0.05	6.55	58	3.5		
29949	94139402	2.8	1.4	0.2	92.8 < 0.01	0.36	1.8 < 0.01	0.14	0.40	5	< 0.05	9.60	38	3.5		
29950	94139402	1.6	2.6 < 0.2	68.5 < 0.01	0.93	2.2 < 0.01	0.26	0.45	4	< 0.05	6.25	76	3.5			
29951	94139402	3.1	0.4 < 0.2	114.0 < 0.01	< 0.01	2.6 < 0.01	0.12	0.45	9	< 0.05	8.35	64	2.5			
29952	94139402	2.3	0.8 < 0.2	116.0 < 0.01	0.38	2.4 < 0.01	0.16	0.50	6	< 0.05	7.20	30	2.5			

CERTIFICATION: _____

Handwritten signature and initials



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 5-A
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29953	94139402	4.06	< 5	0.12	0.52	11.8	< 10	52.6	0.65	0.55	1.27	0.12	31.1	8.1	12	2.45	11.0	2.81	1.10
29954	94139402	3.98	< 5	0.10	0.47	11.7	< 10	39.6	0.55	0.17	1.34	0.19	21.5	8.6	12	2.75	11.0	2.94	0.95
29955	94139402	2.76	< 5	0.10	0.58	13.1	< 10	39.6	0.60	0.10	1.66	0.18	27.3	8.2	11	2.95	16.8	2.41	1.10
29956	94139402	2.40	< 5	0.10	0.50	10.0	< 10	61.8	0.70	0.40	0.94	0.10	29.9	8.7	10	2.95	11.8	3.05	1.00
29957	94139402	4.10	< 5	0.10	0.53	15.5	< 10	32.4	0.70	1.32	0.72	0.09	24.4	9.7	12	2.55	10.6	2.87	1.05
29958	94139402	2.76	< 5	0.10	0.55	15.8	< 10	31.6	0.75	1.34	0.76	0.10	25.3	10.1	12	2.70	11.0	3.01	1.00
29959	94139402	2.66	< 5	0.22	0.55	11.0	< 10	68.0	0.65	0.21	2.18	0.16	16.10	7.2	14	2.40	8.9	3.01	0.95
29960	94139402	2.62	< 5	0.13	0.55	16.0	< 10	20.8	1.10	0.15	2.45	0.16	18.75	9.8	10	3.00	11.0	3.23	1.00
29961	94139402	2.96	< 5	0.11	0.55	15.4	< 10	28.0	0.85	0.16	1.98	0.18	18.85	11.4	10	2.80	13.2	3.22	1.00
29962	94139402	4.18	< 5	0.08	0.51	20.0	< 10	831.8	0.55	0.13	3.60	0.20	17.30	12.8	11	4.80	46.0	4.01	1.10
29963	94139402	3.64	< 5	0.07	0.57	4.7	< 10	1510.0	0.70	0.05	2.77	0.17	17.55	10.3	12	4.70	10.6	3.91	1.10
29964	94139402	4.22	< 5	0.07	0.49	12.2	< 10	1001.5	0.65	0.09	3.62	0.19	17.30	10.5	13	3.45	11.2	3.61	1.00
29965	94139402	3.84	< 5	0.06	0.59	3.7	< 10	1090.0	0.60	0.07	2.63	0.16	20.0	9.4	11	2.90	10.0	3.36	1.10
29966	94139402	4.04	< 5	0.06	0.49	1.4	< 10	590.0	0.65	0.02	4.60	0.27	19.95	13.3	8	4.10	3.2	3.70	1.05
29967	94139402	3.96	< 5	0.05	0.60	1.2	< 10	1491.0	0.65	0.03	3.78	0.22	20.5	9.3	9	4.10	2.4	3.20	1.40
29968	94139402	4.10	< 5	0.06	0.53	5.7	< 10	1630.0	0.70	0.07	3.86	0.28	24.6	9.8	9	3.70	11.8	2.59	1.25
29969	94139402	3.56	10	0.08	0.65	2.7	< 10	1400.0	0.85	0.11	4.10	0.25	27.5	8.0	9	3.70	8.4	2.78	1.55
29970	9400 225	0.12	< 5	0.19	3.11	6.5	< 10	1071.0	1.00	0.21	1.20	0.44	53.7	9.7	34	3.65	25.8	2.29	7.75
29971	94139402	3.10	5	0.09	0.68	2.0	< 10	856.4	0.80	0.09	2.65	0.19	28.8	9.2	7	4.70	3.2	3.67	1.50
29972	94139402	4.02	10	0.09	0.52	7.9	< 10	1317.0	0.65	0.08	4.19	0.15	19.90	8.5	9	3.45	14.0	3.29	1.05
29973	94139402	3.98	< 5	0.13	0.60	10.7	< 10	360.4	0.75	0.09	1.31	0.20	36.4	7.8	15	4.05	15.0	2.56	1.15
29974	94139402	3.98	< 5	0.13	0.49	21.5	< 10	272.0	0.80	0.13	1.79	0.26	31.4	9.5	22	3.90	11.8	3.34	0.95
29975	94139402	3.78	< 5	0.09	0.55	6.4	< 10	304.6	0.85	0.01	1.43	0.10	38.1	8.0	14	3.85	10.2	2.77	1.05
29976	94139402	3.86	< 5	0.22	0.51	8.1	< 10	81.2	0.70	0.02	0.55	0.04	25.7	11.0	17	4.45	10.2	1.57	0.85
29977	94139402	3.90	< 5	0.13	0.65	6.7	< 10	224.8	0.90	0.02	0.37	0.05	46.5	5.6	15	5.15	15.0	1.88	1.20
29978	94139402	4.04	< 5	0.13	0.50	8.7	< 10	198.6	0.65	0.13	1.07	0.21	23.8	8.3	19	3.80	14.4	2.75	0.90
29979	94139402	3.80	< 5	0.10	0.47	9.7	< 10	89.2	0.75	0.01	1.62	0.14	28.9	9.1	14	3.00	12.4	3.37	0.90
29980	94139402	2.12	< 5	0.16	0.55	17.7	< 10	75.8	0.60	0.01	1.62	0.10	21.7	10.4	14	2.60	21.4	3.00	1.00
29981	94139402	3.02	< 5	0.48	0.49	74.4	< 10	34.2	0.75	0.09	2.35	0.45	5.90	9.0	13	2.85	48.0	3.45	0.85
29982	94139402	3.86	< 5	0.35	0.53	78.7	< 10	37.2	0.80	0.09	2.48	0.34	7.42	8.1	14	3.00	21.4	3.23	1.05
29983	94139402	3.90	< 5	0.17	0.45	35.8	< 10	90.8	0.65	0.05	2.54	0.14	18.50	4.6	23	2.30	7.6	2.31	1.10
29984	94139402	3.98	< 5	0.14	0.47	28.4	< 10	48.8	0.85	0.03	2.27	0.25	26.6	2.8	24	2.05	4.6	1.56	1.20
29985	94139402	3.68	< 5	0.17	0.43	37.6	< 10	35.0	0.85	0.03	1.54	0.26	25.7	2.7	31	2.05	5.8	1.51	1.10
29986	94139402	4.26	< 5	0.14	0.45	37.8	< 10	33.6	0.80	0.03	1.99	0.24	24.5	2.7	27	2.05	5.6	1.48	1.10
29987	94139402	2.56	< 5	0.12	0.40	26.5	< 10	55.0	0.75	0.04	1.61	0.24	21.4	2.7	29	1.85	5.8	1.49	1.05
29988	94139402	2.46	< 5	0.12	0.56	37.7	< 10	71.6	0.85	0.05	1.68	0.25	17.70	4.1	19	3.00	9.8	3.00	1.15
29989	94139402	4.34	< 5	0.14	0.44	63.7	< 10	48.4	0.80	0.08	4.11	0.34	8.32	6.8	17	2.80	20.8	3.36	0.85
29990	94139402	3.66	< 5	0.17	0.58	60.7	< 10	88.8	0.75	0.09	1.73	0.37	12.10	6.7	13	3.40	19.6	2.59	1.15
29991	94139402	4.06	< 5	0.12	0.47	62.2	< 10	65.8	0.65	0.10	2.12	0.29	8.82	5.0	18	3.05	15.0	2.37	0.90
29992	94139402	3.70	< 5	0.18	0.50	65.4	< 10	59.2	0.65	0.08	2.98	0.40	8.22	6.6	20	3.00	21.6	3.01	1.00

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 5-B
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29953	94139402	0.05	0.12	0.04	0.040	0.37	16.2	0.7	0.80	765	0.40	0.05 < 0.05	1.8	980	13.8	12.4 < 0.001	1.31	0.80		
29954	94139402	0.05	0.10	0.04	0.020	0.34	11.4	0.6	0.74	770	0.85	0.06 < 0.05	2.0	920	7.2	11.5 < 0.001	1.65	0.85		
29955	94139402	0.05	0.10	0.04	0.010	0.40	14.4	0.9	0.79	715	0.40	0.07 < 0.05	1.8	930	6.8	13.8 < 0.001	1.51	1.40		
29956	94139402	0.05	0.10	0.03	0.030	0.37	16.4	0.7	0.80	630	0.30	0.06 < 0.05	1.8	920	7.8	12.3 < 0.001	1.32	0.90		
29957	94139402	0.05	0.10	0.04	0.035	0.37	13.0	0.8	0.47	440	0.85	0.06 < 0.05	1.6	870	10.2	12.8 < 0.001	1.85	0.80		
29958	94139402	0.05	0.12	0.03	0.035	0.40	13.4	0.9	0.49	460	0.90	0.06 < 0.05	1.8	930	10.2	13.2 < 0.001	1.90	0.80		
29959	94139402	0.05	0.10	0.05	0.025	0.37	8.0	0.6	0.82	865	0.60	0.07 < 0.06	2.0	840	9.2	11.2 < 0.001	2.32	0.90		
29960	94139402	0.05	0.12	0.13	0.015	0.39	9.4	1.1	0.84	940	2.85	0.08 < 0.05	2.8	860	8.2	13.6 < 0.001	2.49	0.75		
29961	94139402	0.05	0.14	0.12	0.020	0.37	9.6	1.6	0.67	720	3.90	0.09 < 0.05	2.8	760	6.6	13.7 < 0.002	2.66	0.80		
29962	94139402	0.05	0.08	0.08	0.035	0.38	8.0	1.5	0.99	1420	0.20	0.07 < 0.05	6.0	1040	2.8	15.5 < 0.001	0.18	4.75		
29963	94139402	0.05	0.08	0.05	0.030	0.43	8.0	1.4	0.75	1320	0.10	0.07 < 0.05	4.4	1060	1.6	16.9 < 0.001	0.04	1.00		
29964	94139402	0.05	0.08	0.05	0.030	0.38	7.6	2.1	0.76	1410	0.20	0.06 < 0.05	4.8	1220	3.2	14.7 < 0.001	0.14	0.90		
29965	94139402	0.05	0.08	0.18	0.035	0.43	9.6	1.0	0.61	1120	0.10	0.07 < 0.05	3.4	1150	1.0	15.3 < 0.001	0.03	1.10		
29966	94139402	0.05	0.06	0.08	0.030	0.38	9.6	1.0	1.03	1635	0.05	0.07 < 0.05	5.6	1070	2.2	14.9 < 0.001	0.01	0.25		
29967	94139402	0.05	0.10	0.04	0.030	0.46	9.6	0.8	0.60	1360	0.10	0.07 < 0.05	4.0	1240	3.0	17.9 < 0.001	0.03	0.25		
29968	94139402	0.05	0.10	0.07	0.030	0.39	11.8	0.8	0.49	1425	0.20	0.08 < 0.05	4.0	1200	4.0	15.6 < 0.001	0.03	0.30		
29969	94139402	0.05	0.10	0.08	0.025	0.46	13.2	0.9	0.43	1195	0.20	0.09 < 0.05	3.2	1270	4.4	18.2 < 0.001	0.03	0.30		
29970	9400 225	0.15	1.06	0.04	0.030	0.61	27.6	23.6	0.60	530	0.95	0.17 < 0.25	20.8	590	10.0	41.1 < 0.001	0.02	0.85		
29971	94139402	0.05	0.10	0.09	0.030	0.49	14.0	1.3	0.51	1190	0.10	0.10 < 0.05	3.2	1260	2.4	19.1 < 0.001	0.03	0.20		
29972	94139402	0.05	0.10	0.01	0.030	0.37	9.6	1.4	0.79	1520	0.35	0.08 < 0.05	3.4	910	2.8	12.8 < 0.001	0.07	0.60		
29973	94139402	0.05	0.12	0.03	0.015	0.39	19.0	1.2	0.39	1105	0.30	0.10 < 0.05	1.6	1020	4.6	13.4 < 0.001	0.25	0.40		
29974	94139402	0.05	0.14	0.05	0.020	0.35	16.6	1.2	0.67	1465	1.00	0.09 < 0.05	2.2	910	5.6	12.3 < 0.001	0.30	0.50		
29975	94139402	0.05	0.16	0.01	0.020	0.39	20.8	1.3	0.62	1200	0.25	0.09 < 0.05	1.8	830	3.2	13.7 < 0.001	0.29	0.55		
29976	94139402	0.05	0.14	0.05	0.005	0.35	12.2	1.1	0.18	320	0.55	0.11 < 0.05	2.2	720	5.8	11.8 < 0.001	0.92	0.75		
29977	94139402	0.05	0.14	0.03	0.010	0.44	24.6	1.4	0.20	330	0.15	0.11 < 0.05	1.2	1280	2.6	15.4 < 0.001	0.39	1.00		
29978	94139402	0.05	0.12	0.06	0.020	0.34	12.2	1.2	0.47	1010	0.70	0.09 < 0.05	2.0	870	4.4	11.6 < 0.001	0.45	1.30		
29979	94139402	0.05	0.14	0.04	0.020	0.32	15.2	1.3	0.75	1400	0.35	0.10 < 0.05	2.4	960	4.8	11.1 < 0.001	0.77	1.25		
29980	94139402	0.05	0.10	0.06	0.020	0.36	10.6	1.4	0.65	1070	0.45	0.09 < 0.05	4.2	830	6.8	11.8 < 0.001	0.82	2.30		
29981	94139402	0.05	0.08	0.21	0.045	0.30	2.2	1.8	0.63	485	1.90	0.11 < 0.05	16.8	660	30.0	10.7 < 0.004	1.52	7.15		
29982	94139402	< 0.05	0.08	0.17	0.050	0.33	2.8	1.7	0.49	355	2.50	0.11 < 0.05	16.0	720	19.2	12.0 < 0.006	1.50	5.00		
29983	94139402	0.05	0.12	0.08	0.020	0.27	8.0	0.8	0.38	300	1.70	0.09 < 0.05	8.6	700	8.6	8.8 < 0.004	1.07	2.25		
29984	94139402	0.05	0.20	0.04	0.015	0.28	12.4	0.7	0.29	225	3.30	0.10 < 0.05	10.2	580	6.8	8.9 < 0.016	0.47	1.55		
29985	94139402	0.05	0.20	0.04	0.015	0.26	11.8	0.7	0.22	155	3.05	0.10 < 0.05	11.2	540	8.6	8.4 < 0.017	0.46	1.70		
29986	94139402	0.05	0.18	0.03	0.015	0.26	11.0	0.6	0.26	170	3.40	0.09 < 0.05	11.2	580	7.6	8.4 < 0.015	0.45	1.55		
29987	94139402	0.05	0.16	0.04	0.020	0.23	9.8	0.8	0.28	145	2.85	0.09 < 0.05	11.6	620	6.8	7.2 < 0.016	0.41	1.90		
29988	94139402	0.05	0.10	0.07	0.035	0.33	7.6	1.1	0.52	265	2.00	0.11 < 0.05	12.2	1010	5.8	11.2 < 0.011	0.60	2.50		
29989	94139402	0.05	0.06	0.24	0.040	0.27	3.2	1.3	0.93	535	2.70	0.08 < 0.05	18.0	990	8.4	9.9 < 0.007	1.32	3.45		
29990	94139402	0.05	0.08	0.23	0.045	0.35	5.2	1.4	0.49	285	2.75	0.11 < 0.05	15.8	760	8.4	12.0 < 0.006	1.22	3.40		
29991	94139402	< 0.05	0.06	0.16	0.050	0.29	3.8	1.3	0.62	365	2.05	0.09 < 0.05	9.8	380	6.0	10.0 < 0.004	0.83	2.40		
29992	94139402	< 0.05	0.06	0.22	0.045	0.30	3.0	1.6	0.74	385	2.45	0.09 < 0.05	16.6	740	11.8	11.0 < 0.005	1.08	4.10		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 5-C
 Total Pages : 6
 Certificate Date: 10-OCT-2000
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29953	94139402	3.0	0.8	0.2	100.8	< 0.01	0.20	2.4	< 0.01	0.18	0.70	9	< 0.05	9.05	42	2.5
29954	94139402	3.1	1.0	0.2	119.0	< 0.01	0.14	1.8	< 0.01	0.12	0.45	9	< 0.05	7.50	54	2.5
29955	94139402	2.3	0.8	0.6	154.6	< 0.01	0.14	2.4	< 0.01	0.16	0.45	9	0.05	8.15	38	2.5
29956	94139402	3.2	0.6	< 0.2	84.7	< 0.01	0.15	2.4	< 0.01	0.16	0.50	9	< 0.05	7.60	42	2.5
29957	94139402	2.5	1.2	0.2	67.0	< 0.01	0.48	2.0	< 0.01	0.22	0.45	8	< 0.05	6.95	30	2.5
29958	94139402	2.6	1.2	0.2	68.6	< 0.01	0.52	2.0	< 0.01	0.22	0.45	8	< 0.05	7.15	30	2.5
29959	94139402	3.3	1.2	< 0.2	169.0	0.03	0.25	3.4	< 0.01	0.10	0.35	9	0.07	6.50	28	2.5
29960	94139402	3.0	1.0	< 0.2	152.7	< 0.01	0.56	2.0	< 0.01	0.20	0.50	10	< 0.05	7.75	32	2.5
29961	94139402	4.3	0.2	0.4	107.1	< 0.01	0.03	2.4	< 0.01	0.32	0.60	12	< 0.05	8.30	46	3.0
29962	94139402	9.2	0.4	0.2	159.0	< 0.01	0.06	1.6	< 0.01	0.12	0.40	32	< 0.05	12.50	86	1.5
29963	94139402	8.4	0.2	0.2	170.0	< 0.01	0.05	1.8	< 0.01	0.12	0.45	27	< 0.05	12.00	70	2.0
29964	94139402	8.8	0.2	0.8	220.0	< 0.01	0.05	1.8	< 0.01	0.10	0.55	22	< 0.05	11.55	60	2.0
29965	94139402	7.4	0.2	< 0.2	161.4	< 0.01	0.03	1.8	< 0.01	0.12	0.55	26	< 0.05	11.90	60	1.5
29966	94139402	9.1	0.2	0.2	210.0	< 0.01	0.03	1.6	< 0.01	0.10	0.50	33	< 0.05	12.80	76	1.5
29967	94139402	8.2	0.2	0.2	229.0	< 0.01	0.03	2.0	< 0.01	0.12	0.35	41	< 0.05	12.50	52	1.5
29968	94139402	6.2	0.4	0.2	260.0	< 0.01	0.04	2.0	< 0.01	0.10	0.45	32	< 0.05	13.45	48	2.0
29969	94139402	6.2	0.4	0.2	331.0	< 0.01	0.07	2.2	< 0.01	0.12	0.55	41	< 0.05	12.65	42	2.0
29970	9400 225	6.5	0.6	1.4	131.0	< 0.01	0.04	7.6	0.11	0.38	1.35	62	0.30	17.10	80	32.5
29971	94139402	7.3	0.2	0.2	158.0	< 0.01	0.05	2.4	< 0.01	0.14	0.45	35	< 0.05	12.75	56	2.5
29972	94139402	6.9	0.2	0.4	235.0	< 0.01	0.04	1.8	< 0.01	0.08	0.40	19	< 0.05	11.85	60	2.0
29973	94139402	3.6	0.2	0.2	100.3	< 0.01	< 0.01	3.6	< 0.01	0.10	1.60	13	< 0.05	10.00	64	2.5
29974	94139402	4.0	0.2	0.2	102.1	< 0.01	< 0.01	3.2	< 0.01	0.12	1.75	11	< 0.05	11.05	88	3.0
29975	94139402	3.8	0.2	< 0.2	126.2	< 0.01	< 0.01	3.8	< 0.01	0.08	0.85	8	< 0.05	9.65	56	4.0
29976	94139402	2.3	0.2	0.2	69.0	< 0.01	< 0.01	3.6	< 0.01	0.24	0.70	8	< 0.05	6.90	22	3.5
29977	94139402	2.6	0.2	0.2	58.3	< 0.01	< 0.01	5.0	< 0.01	0.10	0.70	11	< 0.05	9.70	50	3.5
29978	94139402	3.7	0.2	0.2	90.9	< 0.01	< 0.01	3.0	< 0.01	0.10	0.45	14	< 0.05	7.30	84	2.5
29979	94139402	4.3	0.2	< 0.2	135.7	< 0.01	< 0.01	2.8	< 0.01	0.14	0.55	9	< 0.05	11.05	94	3.0
29980	94139402	5.7	0.2	0.4	127.1	< 0.01	0.01	2.2	< 0.01	0.22	0.50	12	< 0.05	8.55	64	2.5
29981	94139402	9.3	0.8	1.2	155.4	< 0.01	0.03	1.2	< 0.01	0.16	0.50	17	< 0.05	9.65	184	2.5
29982	94139402	8.9	0.6	0.2	169.0	< 0.01	0.04	1.4	< 0.01	0.12	0.35	15	< 0.05	10.10	116	2.0
29983	94139402	3.6	0.2	< 0.2	173.0	< 0.01	< 0.01	2.4	< 0.01	0.16	0.40	8	< 0.05	8.75	62	3.0
29984	94139402	2.5	0.4	0.2	157.0	< 0.01	< 0.01	3.0	< 0.01	0.18	0.75	6	< 0.05	9.45	64	5.0
29985	94139402	2.3	0.4	0.2	147.5	< 0.01	< 0.01	3.2	< 0.01	0.16	0.70	5	< 0.05	9.40	62	4.5
29986	94139402	2.5	0.2	< 0.2	158.7	< 0.01	< 0.01	3.0	< 0.01	0.22	0.70	5	< 0.05	9.85	54	4.5
29987	94139402	2.8	0.4	0.2	146.4	< 0.01	< 0.01	3.0	< 0.01	0.22	0.65	5	< 0.05	9.00	54	4.0
29988	94139402	6.2	0.6	0.2	133.4	< 0.01	0.01	2.4	< 0.01	0.12	0.55	13	< 0.05	12.45	76	2.5
29989	94139402	8.8	0.8	0.4	288.0	< 0.01	0.01	1.4	< 0.01	0.08	0.25	12	< 0.05	11.65	94	1.5
29990	94139402	7.5	0.6	0.2	126.0	< 0.01	< 0.01	1.4	< 0.01	0.10	0.25	11	< 0.05	9.45	110	1.5
29991	94139402	6.9	0.4	0.2	167.0	< 0.01	0.03	0.8	< 0.01	0.08	0.15	7	< 0.05	7.50	100	1.0
29992	94139402	9.0	0.8	0.4	207.0	< 0.01	0.01	1.2	< 0.01	0.10	0.25	13	< 0.05	11.70	122	1.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 6-A
 Total Pages : 6
 Certificate Date: 10-OCT-2001
 Invoice No. : 10125543
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29993	94139402	4.60	< 5	0.19	0.52	60.6	< 10	67.2	0.60	0.07	2.66	0.38	7.56	6.7	15	3.10	20.2	3.09	1.00
29994	94139402	3.76	< 5	0.19	0.52	53.4	< 10	62.4	0.55	0.06	3.09	0.35	10.35	5.8	15	2.80	16.4	3.01	1.10
29995	94139402	3.98	< 5	0.20	0.52	64.3	< 10	43.6	0.70	0.07	2.56	0.44	10.30	6.8	14	3.50	19.8	3.17	1.00
29996	94139402	4.02	< 5	0.19	0.54	55.8	< 10	74.6	0.60	0.07	3.64	0.37	8.24	6.6	21	2.75	17.6	3.07	1.00
29997	94139402	3.64	< 5	0.20	0.56	66.0	< 10	60.6	0.70	0.08	2.49	0.41	9.12	8.1	25	3.70	19.8	3.20	1.05
29998	94139402	4.28	< 5	0.21	0.41	38.4	< 10	81.2	0.45	0.04	2.79	0.23	10.95	5.4	42	2.20	11.4	2.20	0.80
29999	94139402	3.68	< 5	0.21	0.42	50.3	< 10	35.6	0.40	0.04	2.70	0.15	11.30	6.6	31	1.80	11.6	2.95	0.85
30000	94001225	0.10	425	0.25	0.31	345	< 10	1443.5	0.25	0.39	0.32	1.66	20.3	5.5	34	0.90	96.5	1.39	3.10
29001	94139402	3.94	< 5	0.18	0.38	24.0	< 10	187.0	0.50	0.03	2.17	0.19	16.15	5.3	36	1.75	8.8	1.66	0.85
29002	94139402	4.10	< 5	0.16	0.38	30.7	< 10	93.6	0.55	0.04	3.35	0.23	14.80	4.6	29	1.90	9.0	2.39	0.90
29003	94139402	3.88	< 5	0.17	0.54	56.9	< 10	68.4	0.95	0.07	2.49	0.32	10.80	7.8	16	3.05	19.2	3.02	1.10
29004	94139402	3.56	< 5	0.19	0.51	62.5	< 10	70.2	0.80	0.07	2.25	0.28	12.95	7.2	18	3.20	15.6	3.40	1.10
29005	94139402	3.74	< 5	0.17	0.47	59.7	< 10	42.0	0.70	0.06	2.45	0.33	8.26	7.2	20	2.75	17.6	3.28	1.00
29006	94139402	4.06	< 5	0.18	0.42	58.5	< 10	35.8	0.75	0.08	3.56	0.31	7.30	7.6	21	2.40	18.4	3.92	0.95
29007	94139402	3.28	< 5	0.19	0.40	94.2	< 10	53.4	0.70	0.10	2.38	0.27	6.20	8.2	18	2.15	16.4	3.53	0.90
29008	94139402	2.34	< 5	0.29	0.37	71.8	< 10	57.4	0.75	0.07	2.70	0.21	1.56	7.0	33	2.40	16.2	3.50	0.75
29009	94139402	3.90	< 5	0.37	0.42	51.2	< 10	47.8	0.75	0.09	2.65	0.24	5.68	8.8	19	2.25	23.4	3.71	0.90
29010	94139402	2.30	< 5	0.26	0.38	32.4	< 10	171.8	0.65	0.05	2.66	0.12	6.78	6.7	32	1.75	11.6	3.20	0.80

CERTIFICATION: _____

[Handwritten signature]
 CH



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :6-B
 Total Pages :6
 Certificate Date: 10-OCT-2001
 Invoice No. :10125543
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125543

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29993	94139402	0.05	0.08	0.31	0.045	0.31	2.8	1.4	0.72	365	2.25	0.10	< 0.05	17.8	840	9.4	10.8	0.006	1.33	2.65
29994	94139402	0.05	0.08	0.24	0.035	0.30	4.0	1.1	0.82	430	2.40	0.09	< 0.05	15.6	940	7.4	10.4	0.005	1.20	2.65
29995	94139402	0.05	0.08	0.27	0.045	0.31	3.8	1.2	0.69	395	2.25	0.10	< 0.05	17.0	1000	8.8	10.9	0.006	1.37	3.15
29996	94139402	0.05	0.08	0.24	0.035	0.31	3.2	1.9	0.81	460	2.35	0.10	< 0.05	15.6	830	8.0	10.2	0.005	1.31	2.60
29997	94139402	0.05	0.08	0.30	0.045	0.33	3.4	2.8	0.61	375	2.25	0.11	< 0.05	17.4	830	9.0	11.1	0.005	1.35	2.30
29998	94139402	0.05	0.10	0.13	0.020	0.24	4.8	1.8	0.45	310	2.30	0.10	< 0.05	10.6	400	8.2	7.3	0.008	0.73	2.00
29999	94139402	0.05	0.10	0.13	0.020	0.25	4.4	0.9	0.61	360	1.95	0.09	< 0.05	8.8	640	7.4	7.5	0.004	1.30	1.95
30000	9400 225	0.05	0.40	0.29	0.175	0.07	11.6	1.0	0.02	15	121.80	< 0.01	0.20	46.8	1690	163.8	3.3	0.001	0.05	274.0
29001	94139402	< 0.05	0.12	0.06	0.015	0.22	6.8	1.0	0.45	245	3.35	0.09	< 0.05	11.0	470	4.4	6.9	0.010	0.43	1.65
29002	94139402	0.05	0.10	0.10	0.025	0.22	6.0	0.9	0.67	375	2.50	0.08	< 0.05	12.0	650	5.4	7.3	0.008	0.62	1.90
29003	94139402	0.05	0.08	0.24	0.045	0.31	3.8	1.2	0.57	365	2.15	0.10	< 0.05	18.0	970	7.8	11.2	0.005	1.14	2.60
29004	94139402	0.05	0.08	0.21	0.040	0.30	4.8	1.1	0.61	380	1.75	0.10	< 0.05	17.0	1140	7.2	10.9	0.006	1.23	3.00
29005	94139402	0.05	0.06	0.26	0.040	0.30	2.8	1.1	0.71	425	2.00	0.10	< 0.05	17.2	880	8.2	10.1	0.005	1.23	3.15
29006	94139402	0.05	0.06	0.23	0.045	0.28	2.4	1.3	0.99	510	2.05	0.10	< 0.05	18.0	900	8.2	9.3	0.004	1.41	2.90
29007	94139402	0.05	0.06	0.18	0.050	0.27	2.2	1.0	0.75	380	1.80	0.10	< 0.05	19.2	800	7.4	9.0	0.003	1.06	3.05
29008	94139402	0.05	0.06	0.17	0.045	0.24	0.6	3.1	0.82	370	1.55	0.12	< 0.05	16.4	300	11.0	8.3	0.002	0.85	2.55
29009	94139402	0.05	0.08	0.15	0.045	0.29	2.0	1.1	0.83	415	1.85	0.10	< 0.05	18.8	770	10.8	9.6	0.003	1.02	4.00
29010	94139402	0.05	0.08	0.08	0.030	0.25	2.4	0.9	0.82	355	0.75	0.09	< 0.05	11.6	800	5.8	8.0	0.001	0.39	2.35

CERTIFICATION: _____

[Handwritten signature]
 CA



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :6-C
 Total Pages :6
 Certificate Date: 10-OCT-2001
 Invoice No. :10125543
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125543

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29993	94139402	8.4	0.8	0.4	186.0	0.03	0.02	1.6 < 0.01	0.12	0.25	14 < 0.05	10.50	112	1.0		
29994	94139402	7.7	0.8	0.2	253.0	0.02	0.01	1.6 < 0.01	0.10	0.25	14 < 0.05	12.95	104	1.5		
29995	94139402	8.2	0.8	0.2	185.0	0.01	0.01	1.8 < 0.01	0.12	0.25	13 < 0.05	11.65	126	1.5		
29996	94139402	7.4	0.8	0.4	288.0	0.01	0.01	1.4 < 0.01	0.12	0.25	13 < 0.05	11.35	106	1.0		
29997	94139402	8.4	0.8	0.6	218.0	0.01	0.03	1.4 < 0.01	0.12	0.25	13 < 0.05	10.40	128	1.5		
29998	94139402	4.5	0.4	0.8	194.0	0.01 < 0.01	0.01	1.8 < 0.01	0.14	0.35	8 < 0.05	7.90	74	2.0		
29999	94139402	4.4	0.4	1.0	153.6	0.01 < 0.01	0.01	2.2 < 0.01	0.18	0.40	9 < 0.05	7.90	70	2.0		
30000	9400 225	9.0	3.2	3.8	138.6 < 0.01	0.15	0.15	5.4 < 0.01	1.42	42.3	207	16.00	7.55	50	8.5	
29001	94139402	3.3	0.4	1.0	147.2 < 0.01	0.01	0.01	2.6 < 0.01	0.20	0.55	5	0.10	8.10	52	2.0	
29002	94139402	4.9	0.4	0.2	231.0	0.01	0.01	2.2 < 0.01	0.12	0.45	8 < 0.05	10.80	68	2.0		
29003	94139402	8.9	0.8	0.2	174.0	0.02	0.01	1.8 < 0.01	0.08	0.25	13 < 0.05	11.60	108	1.5		
29004	94139402	9.0	0.6	0.2	145.7	0.01	0.01	2.0 < 0.01	0.12	0.30	14 < 0.05	12.45	96	1.5		
29005	94139402	8.8	0.8	0.2	164.8 < 0.01	0.01	0.01	1.4 < 0.01	0.10	0.20	12 < 0.05	9.75	118	1.0		
29006	94139402	10.8	1.0	0.2	236.0 < 0.01	0.03	0.03	1.4 < 0.01	0.10	0.20	14 < 0.05	11.70	116	1.5		
29007	94139402	10.0	0.8	0.2	156.2 < 0.01	0.04	0.04	1.6 < 0.01	0.10	0.20	12 < 0.05	9.60	110	1.5		
29008	94139402	10.2	0.6	< 0.2	205.0 < 0.01	0.04	0.04	0.4 < 0.01	0.08	0.15	17 < 0.05	6.15	100	1.0		
29009	94139402	9.9	0.6	0.4	189.0 < 0.01	0.03	0.03	1.4 < 0.01	0.10	0.20	12 < 0.05	10.30	116	1.5		
29010	94139402	6.8	0.4	0.2	174.0 < 0.01	0.01	0.01	1.4 < 0.01	0.08	0.20	11 < 0.05	10.10	74	1.0		

CERTIFICATION: _____

[Handwritten signature]



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1
 Total Pages : 1
 Certificate Date: 11-OCT-2001
 Invoice No. : 10126421
 P.O. Number : 21331
 Account : SWY

Project: RDN 01-20 OL
 Comments: ATTN: RICHARD GORTON CC: MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0126421

SAMPLE	PREP CODE	Pb %	Zn %								
29853	212 --	1.62	5.56								
29862	212 --	-----	2.40								
29881	212 --	-----	4.62								

CERTIFICATION:

[Handwritten signature]
 20



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-A
 Total Pages : 4
 Certificate Date : 12-OCT-2001
 Invoice No. : 10125861
 P.O. Number : 21331
 Account : SWY

Project : RDN 01-21
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Weight Au ppb		Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge
		Kg	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
29011	94139402	3.38	< 5	0.20	0.42	9.5	< 10	141.2	0.50	0.09	2.79	0.36	30.2	9.3	22	1.55	15.6	3.17	0.90	< 0.05
29012	94139402	4.08	< 5	0.09	0.44	10.5	< 10	236.8	0.60	0.09	2.48	0.50	29.4	9.0	18	1.70	11.4	3.07	0.85	< 0.05
29013	94139402	3.66	< 5	0.07	0.35	9.6	< 10	188.4	0.65	0.09	1.89	0.21	33.8	9.3	14	2.20	12.4	3.02	0.70	< 0.05
29014	94139402	3.88	< 5	0.09	0.43	6.3	< 10	806.1	0.55	0.09	1.90	0.10	31.0	8.1	12	2.65	10.0	3.18	0.75	< 0.05
29015	94139402	3.70	< 5	0.12	0.36	6.2	< 10	715.4	0.55	0.06	3.33	0.10	26.3	7.7	11	2.30	10.2	3.29	0.65	< 0.05
29016	94139402	3.90	< 5	0.11	0.38	6.4	< 10	91.8	0.50	0.08	1.61	0.08	31.1	7.8	19	2.40	10.0	3.12	0.70	< 0.05
29017	94139402	3.08	< 5	0.10	0.34	8.3	< 10	338.0	0.60	0.08	1.36	0.06	27.5	8.1	19	2.20	13.0	3.49	0.60	< 0.05
29018	94139402	3.82	< 5	0.09	0.38	11.9	< 10	284.4	0.60	0.10	3.28	0.86	21.3	9.2	19	1.90	12.4	2.97	0.75	< 0.05
29019	94139402	3.32	< 5	0.07	0.34	11.0	< 10	268.6	0.65	0.06	2.17	0.32	26.2	10.9	15	2.15	12.4	3.22	0.60	< 0.05
29020	94139402	3.42	< 5	0.07	0.31	9.8	< 10	213.4	0.45	0.09	3.41	0.28	23.5	8.7	23	1.85	10.2	3.14	0.60	< 0.05
29021	94139402	3.62	15	0.07	0.35	9.0	< 10	276.4	0.60	0.04	1.37	0.24	23.0	8.5	17	2.90	9.4	3.26	0.65	< 0.05
29022	94139402	3.70	15	0.06	0.41	6.9	< 10	344.0	0.90	< 0.01	1.17	0.05	29.1	8.1	15	3.55	11.0	3.31	0.75	< 0.05
29023	94139402	3.64	< 5	0.04	0.33	3.2	< 10	816.1	0.65	< 0.01	2.58	0.07	25.4	7.0	13	2.55	4.6	3.18	0.65	< 0.05
29024	94139402	3.56	< 5	0.03	0.35	5.2	< 10	882.0	0.60	< 0.01	1.87	0.05	33.4	7.1	13	2.65	10.2	2.86	0.70	< 0.05
29025	94139402	4.14	< 5	0.03	0.36	3.3	< 10	404.0	0.80	< 0.01	1.93	0.06	36.4	7.9	13	3.30	6.0	3.26	0.75	0.05
29026	94139402	3.98	< 5	0.03	0.38	4.6	< 10	86.6	0.75	< 0.01	1.14	0.05	34.4	7.7	13	3.40	9.0	3.14	0.70	0.05
29027	94139402	3.78	< 5	0.01	0.34	3.4	< 10	1045.5	0.65	< 0.01	1.52	0.04	36.3	6.9	13	3.35	6.0	2.73	0.65	< 0.05
29028	94139402	3.58	< 5	< 0.01	0.38	2.5	10	216.4	0.75	< 0.01	1.27	0.05	36.6	7.1	13	3.45	5.2	2.71	0.70	0.05
29029	94139402	3.90	< 5	0.01	0.38	4.9	< 10	1229.0	0.60	0.02	2.00	0.06	33.9	7.2	17	3.10	8.2	2.70	0.75	0.05
29030	9400 225	0.10	35	0.14	2.66	582	< 10	347.4	1.10	0.20	0.60	2.81	49.0	23.7	42	10.60	88.0	4.27	6.95	0.10
29031	94139402	3.82	5	0.12	0.36	3.1	< 10	979.0	0.60	0.03	1.99	0.07	35.9	6.5	14	3.25	4.4	2.60	0.70	< 0.05
29032	94139402	3.76	< 5	0.07	0.37	3.3	< 10	621.2	0.65	0.01	1.83	< 0.01	40.5	6.4	12	3.65	5.2	2.63	0.70	< 0.05
29033	94139402	3.90	< 5	0.12	0.35	8.7	< 10	97.8	0.70	0.03	1.37	0.07	36.8	9.4	16	3.15	7.0	3.44	0.80	0.05
29034	94139402	3.72	10	0.10	0.35	7.3	< 10	100.0	0.70	0.01	1.03	0.04	30.0	8.6	16	3.05	5.0	3.15	0.70	< 0.05
29035	94139402	3.78	< 5	0.09	0.39	8.6	< 10	85.6	0.80	0.01	0.71	0.04	31.4	9.4	15	3.30	5.6	3.19	0.75	< 0.05
29036	94139402	3.88	< 5	0.08	0.37	4.3	< 10	216.4	0.80	0.02	0.92	0.04	35.5	8.0	13	3.10	6.6	2.94	0.70	0.05
29037	94139402	3.72	< 5	0.07	0.36	6.5	< 10	556.5	0.65	0.01	2.11	0.06	26.8	7.3	16	2.75	13.4	2.63	0.65	< 0.05
29038	94139402	4.14	< 5	0.04	0.34	3.1	< 10	866.6	0.60	< 0.01	2.90	0.08	31.4	6.7	11	2.80	6.8	2.71	0.75	< 0.05
29039	94139402	3.78	110	0.05	0.38	2.0	< 10	241.4	0.65	0.03	2.45	0.07	29.2	7.4	14	2.85	3.0	2.97	0.75	< 0.05
29040	94139402	3.88	< 5	0.04	0.41	3.7	< 10	179.8	0.85	0.01	1.32	0.05	34.2	7.9	12	4.05	6.4	2.80	0.80	< 0.05
29041	94139402	3.68	10	0.04	0.40	3.7	< 10	289.8	1.05	0.02	1.14	0.06	37.8	9.6	12	4.00	5.8	2.81	0.80	< 0.05
29042	94139402	3.84	20	0.04	0.38	4.7	< 10	289.6	0.85	0.04	1.44	0.06	36.8	7.9	13	3.35	4.4	2.78	0.75	0.05
29043	94139402	3.90	< 5	0.04	0.33	3.6	< 10	201.0	0.90	0.02	1.65	0.05	35.0	8.1	12	3.10	4.4	2.76	0.70	< 0.05
29044	94139402	3.86	30	0.04	0.34	3.6	< 10	583.2	0.80	0.03	1.50	0.05	32.6	7.8	11	3.10	5.2	2.67	0.70	0.05
29045	94139402	3.80	< 5	0.03	0.32	2.7	< 10	1137.0	0.80	0.01	2.22	0.06	34.0	6.2	11	2.75	3.6	2.39	0.75	< 0.05
29046	94139402	4.02	< 5	0.02	0.32	1.5	< 10	1354.0	0.75	0.01	2.54	0.09	32.2	7.0	9	2.80	2.8	2.61	0.70	< 0.05
29047	94139402	2.32	< 5	0.03	0.33	4.6	< 10	1532.5	0.70	0.01	2.78	0.07	30.7	6.6	11	2.80	7.6	2.36	0.70	< 0.05
29048	94139402	2.52	< 5	0.04	0.33	6.0	< 10	913.4	0.70	< 0.01	3.43	0.09	31.0	7.5	10	2.45	10.4	2.76	0.65	< 0.05
29049	94139402	3.56	< 5	0.05	0.35	18.3	< 10	48.6	0.65	0.04	1.43	0.08	24.0	8.2	15	2.35	9.8	2.92	0.70	< 0.05
29050	94139402	3.40	< 5	0.07	0.33	26.4	< 10	25.8	0.60	0.04	1.84	0.09	13.80	9.0	16	1.95	9.4	3.15	0.60	< 0.05

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-B
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :10125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
29011	94139402	0.12	0.03	0.020	0.25	16.8	0.8	1.16	1500	1.30	0.03 <	0.05	4.0	870	16.6	9.5 <	0.001	0.85	0.35	3.3
29012	94139402	0.14	0.11	0.020	0.30	16.2	0.5	1.10	1140	47.40	0.03 <	0.05	3.0	820	10.4	10.3	0.004	0.42	0.45	3.7
29013	94139402	0.14	0.11	0.020	0.24	18.4	0.5	1.14	1100	17.60	0.03 <	0.05	2.4	900	8.6	9.4	0.004	0.21	0.30	3.4
29014	94139402	0.08	0.03	0.020	0.31	17.2	0.5	1.18	1215	0.55	0.04 <	0.05	2.0	840	7.2	11.4 <	0.001	0.15	0.20	3.4
29015	94139402	0.06	0.03	0.020	0.27	14.2	0.5	1.69	1510	0.50	0.04 <	0.05	2.6	830	6.8	10.7 <	0.001	0.04	0.25	3.5
29016	94139402	0.06	0.02	0.020	0.28	17.2	0.5	1.05	1225	0.45	0.04 <	0.05	2.0	900	5.6	10.8 <	0.001	0.16	0.25	3.2
29017	94139402	0.08	0.03	0.020	0.28	15.2	0.6	1.01	1200	0.65	0.04 <	0.05	2.0	810	7.4	10.4 <	0.001	0.06	0.55	3.2
29018	94139402	0.14	0.04	0.020	0.26	11.0	0.5	1.27	1360	6.40	0.04 <	0.05	3.6	880	7.0	10.0	0.001	0.44	0.50	4.4
29019	94139402	0.12	0.05	0.020	0.25	14.2	0.5	1.05	1205	3.90	0.05 <	0.05	3.2	930	5.4	9.8 <	0.001	0.44	0.40	4.6
29020	94139402	0.12	0.04	0.015	0.23	12.4	0.5	1.30	1355	1.25	0.04 <	0.05	3.2	820	5.6	7.9 <	0.001	0.54	0.35	3.5
29021	94139402	0.12	0.05	0.025	0.28	12.4	0.7	0.88	960	1.35	0.06 <	0.05	2.0	850	17.2	11.1 <	0.001	0.51	0.30	3.8
29022	94139402	0.12	0.03	0.015	0.33	16.4	0.7	0.97	1060	0.25	0.06 <	0.05	1.8	850	3.2	13.4 <	0.001	0.12	0.40	4.1
29023	94139402	0.12	0.03	0.015	0.27	14.0	0.5	1.26	1635	0.75	0.06 <	0.05	2.2	850	2.8	10.9 <	0.001	0.12	0.15	4.2
29024	94139402	0.14	0.02	0.015	0.29	19.0	0.6	1.07	1400	0.15	0.06 <	0.05	2.0	860	1.6	11.6 <	0.001	0.02	0.30	4.0
29025	94139402	0.14	0.01	0.020	0.31	20.8	0.7	1.28	1600	0.45	0.07 <	0.05	2.2	930	2.2	13.0 <	0.001	0.02	0.15	4.5
29026	94139402	0.16	0.01	0.020	0.32	19.4	0.7	1.04	1180	0.20	0.07 <	0.05	1.6	970	2.4	12.6 <	0.001	0.13	0.20	4.1
29027	94139402	0.14 <	0.01	0.015	0.29	20.4	0.7	1.02	1175	0.40	0.07 <	0.05	1.8	880	2.2	12.3 <	0.001	0.06	0.20	3.3
29028	94139402	0.14	0.01	0.015	0.31	20.4	0.6	0.86	1035	0.15	0.08 <	0.05	1.6	940	1.6	12.9 <	0.001	0.01	0.05	3.4
29029	94139402	0.14	0.02	0.015	0.32	18.8	0.7	1.01	1295	0.55	0.07 <	0.05	2.0	830	2.6	12.8 <	0.001	0.09	0.20	3.5
29030	9400 225	0.22	0.14	0.040	0.74	24.0	21.7	1.07	1165	3.55	0.03	0.80	115.2	1680	10.4	51.3	0.001	0.03	4.15	8.0
29031	94139402	0.14 <	0.01	0.015	0.30	20.8	0.7	0.97	1640	0.75	0.07 <	0.05	2.0	750	2.8	12.5 <	0.001	0.04	0.10	3.8
29032	94139402	0.12 <	0.01 <	0.005	0.32	23.0	0.7	0.96	1430	0.40	0.08 <	0.05	1.8	850	2.2	13.2 <	0.001	0.06	0.10	3.7
29033	94139402	0.12	0.01	0.015	0.33	20.8	0.7	0.90	1250	1.40	0.08 <	0.05	2.0	950	4.2	12.2 <	0.001	0.92	0.20	3.5
29034	94139402	0.14	0.01	0.015	0.30	16.6	0.7	0.79	940	2.10	0.08 <	0.05	1.8	950	3.0	11.4 <	0.001	1.05	0.15	3.9
29035	94139402	0.14	0.02	0.015	0.30	17.4	0.8	0.69	765	0.40	0.08 <	0.05	1.8	990	3.0	12.8 <	0.001	1.35	0.15	3.4
29036	94139402	0.10 <	0.01	0.015	0.30	19.4	0.8	0.81	880	0.50	0.09 <	0.05	1.6	920	2.6	12.2 <	0.001	0.33	0.20	3.8
29037	94139402	0.10	0.01	0.020	0.30	14.8	0.9	0.97	1110	0.15	0.08 <	0.05	2.2	770	2.8	11.8 <	0.001	0.28	0.45	4.0
29038	94139402	0.10 <	0.01	0.015	0.27	17.6	0.9	1.12	1430	0.40	0.08 <	0.05	2.4	800	2.4	12.5 <	0.001	0.01	0.20	4.4
29039	94139402	0.12 <	0.01	0.015	0.32	16.4	0.9	1.02	1310	0.15	0.10 <	0.05	2.2	810	2.8	12.5 <	0.001	0.42	0.10	4.3
29040	94139402	0.12	0.01	0.015	0.35	19.2	1.2	0.73	940	0.40	0.11 <	0.05	2.0	900	2.4	15.1 <	0.001	0.30	0.20	4.0
29041	94139402	0.12	0.01	0.015	0.32	21.4	1.4	0.68	945	0.15	0.10 <	0.05	2.0	990	3.0	15.1 <	0.001	0.44	0.15	4.0
29042	94139402	0.12	0.01	0.015	0.31	21.2	1.0	0.68	830	0.45	0.11 <	0.05	2.0	880	3.2	12.8 <	0.001	0.47	0.15	3.5
29043	94139402	0.12	0.03	0.015	0.29	19.8	1.2	0.76	1095	0.20	0.11 <	0.05	2.4	820	2.4	12.6 <	0.001	0.32	0.15	3.4
29044	94139402	0.12	0.02	0.020	0.27	18.2	1.2	0.69	1045	0.40	0.10 <	0.05	2.0	790	1.6	12.8 <	0.001	0.24	0.20	3.5
29045	94139402	0.12	0.02	0.015	0.28	19.2	1.0	0.82	1190	0.15	0.09 <	0.05	2.0	720	1.2	12.7 <	0.001	0.04	0.15	4.0
29046	94139402	0.12	0.02	0.015	0.28	18.0	1.0	0.84	1280	0.35	0.09 <	0.05	2.4	770	1.2	12.9 <	0.001	0.04	0.15	4.6
29047	94139402	0.14	0.04	0.010	0.28	17.2	1.1	1.04	1340	0.15	0.08 <	0.05	2.6	780	2.2	12.4 <	0.001	0.10	0.40	3.7
29048	94139402	0.10	0.06	0.015	0.27	17.4	1.1	1.38	1680	0.40	0.07 <	0.05	3.0	690	2.4	11.5 <	0.001	0.11	0.50	4.0
29049	94139402	0.10	0.02	0.015	0.27	13.0	1.0	0.67	1035	1.55	0.08 <	0.05	2.0	750	4.2	11.1 <	0.001	1.26	0.30	3.4
29050	94139402	0.10	0.02	0.015	0.23	7.4	1.1	0.72	1065	2.60	0.08 <	0.05	3.0	720	5.2	9.1 <	0.001	2.41	0.20	3.6

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 4
 Certificate Date: 12-OCT-2001
 Invoice No. : 10125861
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Sa ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29011	94139402	0.2	0.8	169.5	< 0.01	0.02	2.8	< 0.01	0.08	0.50	11	0.15	9.85	98	2.5
29012	94139402	0.2	0.2	166.6	< 0.01	< 0.01	2.8	< 0.01	0.84	0.95	12	0.05	9.70	96	2.5
29013	94139402	0.2	0.2	162.4	0.01	< 0.01	3.0	< 0.01	0.40	1.25	22	< 0.05	13.30	74	2.5
29014	94139402	< 0.2	< 0.2	149.3	< 0.01	< 0.01	2.6	< 0.01	0.08	0.80	21	< 0.05	8.20	68	1.5
29015	94139402	< 0.2	< 0.2	285.0	< 0.01	< 0.01	2.2	< 0.01	0.04	0.70	17	< 0.05	8.50	70	1.5
29016	94139402	< 0.2	< 0.2	74.4	< 0.01	< 0.01	2.2	< 0.01	0.06	0.80	16	< 0.05	7.60	62	1.5
29017	94139402	< 0.2	< 0.2	66.7	< 0.01	< 0.01	2.4	< 0.01	0.06	0.80	19	0.05	7.15	78	1.5
29018	94139402	0.4	< 0.2	154.3	0.01	< 0.01	2.8	< 0.01	0.18	1.45	40	< 0.05	12.55	78	3.0
29019	94139402	0.2	< 0.2	127.4	< 0.01	0.01	2.8	< 0.01	0.12	1.45	19	< 0.05	12.50	88	2.5
29020	94139402	0.2	< 0.2	124.5	< 0.01	< 0.01	2.4	< 0.01	0.08	0.70	14	0.05	12.30	74	2.0
29021	94139402	< 0.2	0.2	59.9	< 0.01	< 0.01	2.8	< 0.01	0.08	0.75	10	< 0.05	7.80	92	2.5
29022	94139402	< 0.2	< 0.2	71.5	< 0.01	< 0.01	3.2	< 0.01	0.06	0.90	10	< 0.05	7.90	66	3.0
29023	94139402	< 0.2	< 0.2	178.7	< 0.01	< 0.01	2.8	< 0.01	0.04	0.70	7	< 0.05	9.40	58	3.0
29024	94139402	0.2	< 0.2	85.8	< 0.01	< 0.01	3.4	< 0.01	0.04	0.70	5	< 0.05	10.60	52	3.0
29025	94139402	0.2	< 0.2	97.2	< 0.01	< 0.01	4.0	< 0.01	0.02	0.95	6	< 0.05	11.65	64	4.0
29026	94139402	< 0.2	< 0.2	78.0	< 0.01	< 0.01	4.0	< 0.01	0.04	0.95	6	< 0.05	9.95	60	4.5
29027	94139402	< 0.2	< 0.2	113.2	< 0.01	< 0.01	3.8	< 0.01	0.04	0.95	7	< 0.05	10.15	54	4.0
29028	94139402	< 0.2	< 0.2	75.3	< 0.01	< 0.01	4.0	< 0.01	0.02	0.85	6	< 0.05	9.95	56	3.5
29029	94139402	< 0.2	< 0.2	128.8	< 0.01	< 0.01	4.0	< 0.01	0.04	0.80	6	< 0.05	9.95	52	3.5
29030	9400 225	1.0	1.0	63.6	0.01	0.05	6.4	0.11	1.66	3.60	75	0.65	16.20	672	7.0
29031	94139402	< 0.2	< 0.2	95.7	< 0.01	< 0.01	3.6	< 0.01	0.04	0.85	9	< 0.05	10.85	48	3.5
29032	94139402	< 0.2	4.0	94.6	< 0.01	< 0.01	4.0	< 0.01	0.04	0.95	9	< 0.05	10.40	44	3.5
29033	94139402	< 0.2	< 0.2	51.3	< 0.01	< 0.01	4.0	< 0.01	0.08	0.90	9	< 0.05	10.75	48	3.0
29034	94139402	< 0.2	< 0.2	40.6	< 0.01	< 0.01	3.8	< 0.01	0.08	0.75	8	< 0.05	9.05	44	3.0
29035	94139402	< 0.2	< 0.2	29.4	< 0.01	< 0.01	4.0	< 0.01	0.08	0.70	8	< 0.05	8.70	48	3.0
29036	94139402	< 0.2	< 0.2	47.2	< 0.01	< 0.01	3.6	< 0.01	0.06	0.70	10	< 0.05	8.00	54	2.5
29037	94139402	< 0.2	< 0.2	141.9	< 0.01	< 0.01	3.0	< 0.01	0.06	0.55	8	< 0.05	9.60	44	2.5
29038	94139402	0.2	< 0.2	103.1	< 0.01	< 0.01	3.2	< 0.01	0.04	0.60	6	0.05	11.70	44	2.5
29039	94139402	< 0.2	< 0.2	80.1	< 0.01	< 0.01	3.0	< 0.01	0.04	0.85	8	< 0.05	11.00	42	2.5
29040	94139402	< 0.2	< 0.2	40.6	< 0.01	< 0.01	3.2	< 0.01	0.02	1.20	7	< 0.05	9.40	44	2.5
29041	94139402	< 0.2	< 0.2	72.1	< 0.01	< 0.01	3.4	< 0.01	0.06	0.95	9	< 0.05	10.00	50	2.5
29042	94139402	< 0.2	< 0.2	89.5	< 0.01	< 0.01	2.6	< 0.01	0.02	0.70	8	< 0.05	8.40	42	2.5
29043	94139402	< 0.2	< 0.2	91.6	< 0.01	< 0.01	3.4	< 0.01	0.06	0.75	7	< 0.05	9.40	42	3.0
29044	94139402	< 0.2	< 0.2	100.8	< 0.01	< 0.01	3.2	< 0.01	0.04	0.65	6	< 0.05	9.95	42	3.0
29045	94139402	< 0.2	< 0.2	146.4	< 0.01	< 0.01	3.0	< 0.01	0.04	0.90	9	< 0.05	9.40	38	2.5
29046	94139402	< 0.2	< 0.2	141.0	< 0.01	< 0.01	2.8	< 0.01	0.02	0.90	12	< 0.05	10.25	40	2.5
29047	94139402	< 0.2	< 0.2	192.0	< 0.01	< 0.01	3.2	< 0.01	0.04	0.80	9	< 0.05	9.30	36	3.5
29048	94139402	< 0.2	< 0.2	205.0	< 0.01	< 0.01	2.8	< 0.01	0.06	0.75	9	0.05	9.55	42	2.5
29049	94139402	< 0.2	1.0	98.3	< 0.01	< 0.01	3.0	< 0.01	0.10	0.65	10	< 0.05	7.55	42	2.5
29050	94139402	< 0.2	< 0.2	147.7	< 0.01	< 0.01	2.0	< 0.01	0.14	0.65	7	< 0.05	6.80	32	2.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Weight Au ppb Kg PA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
29051	94139402	3.88 < 5	0.03	0.32	5.2	< 10	884.7	0.75	0.02	1.94	0.06	24.6	7.4	17	2.35	7.8	2.79	0.65	0.05
29052	94139402	3.40 < 5	0.02	0.34	9.2	< 10	43.8	0.65	0.02	1.10	0.05	20.7	9.3	12	2.60	8.0	3.16	0.60	< 0.05
29053	94139402	2.34 < 5	0.08	0.35	5.0	< 10	55.0	0.70	0.01	2.19	0.06	18.10	8.7	15	2.45	5.8	3.33	0.65	< 0.05
29054	94139402	2.38 < 5	0.06	0.23	7.9	< 10	108.4	0.45	0.01	5.44	0.05	10.50	8.3	17	1.40	6.4	3.65	0.45	< 0.05
29055	94139402	3.38 < 5	0.04	0.31	7.2	< 10	152.2	0.55	0.01	3.38	0.08	12.80	7.9	26	1.65	8.8	2.72	0.50	< 0.05
29056	94139402	3.70 < 5	0.07	0.30	2.3	< 10	1267.0	0.60	< 0.01	3.01	0.07	28.3	6.8	15	2.20	4.2	2.71	0.60	< 0.05
29057	94139402	3.48 < 5	0.04	0.33	8.3	< 10	407.6	0.80	0.04	0.93	0.03	37.2	7.2	14	2.90	17.2	2.61	0.65	< 0.05
29058	94139402	3.92 < 5	0.06	0.34	7.4	< 10	661.6	0.75	0.01	1.39	0.05	34.6	6.8	11	3.25	16.0	2.53	0.65	< 0.05
29059	94139402	3.46 < 5	0.03	0.30	2.2	< 10	1152.5	0.60	< 0.01	2.61	0.10	24.0	6.6	12	2.50	2.4	2.51	0.65	< 0.05
29060	9400 225	0.14 100	0.10	1.18	714	< 10	1127.5	0.50	0.57	0.99	1.07	24.2	7.3	44	1.90	85.1	2.78	3.55	0.05
29061	94139402	3.74 < 5	0.04	0.32	4.0	< 10	884.9	0.60	0.01	2.35	0.08	24.1	6.1	11	2.35	3.2	2.37	0.65	< 0.05
29062	94139402	3.76 < 5	0.03	0.33	5.4	< 10	90.0	0.60	0.02	1.72	0.07	25.4	7.1	12	2.55	7.6	2.71	0.60	< 0.05
29063	94139402	3.88 < 5	0.04	0.33	5.7	< 10	280.2	0.75	< 0.01	0.79	0.03	30.6	4.6	11	3.90	10.0	1.96	0.60	< 0.05
29064	94139402	3.74 < 5	0.05	0.35	3.8	< 10	145.4	0.80	< 0.01	0.86	0.04	29.2	4.4	11	3.75	5.8	2.72	0.70	< 0.05
29065	94139402	3.80 < 5	0.05	0.29	5.0	< 10	253.2	0.65	< 0.01	1.55	0.07	25.7	6.9	8	2.60	6.6	2.84	0.60	< 0.05
29066	94139402	3.66 < 5	0.02	0.36	3.8	< 10	777.8	0.50	0.01	1.09	0.04	31.4	7.0	13	2.70	4.6	2.70	0.70	< 0.05
29067	94139402	4.12 < 5	0.03	0.35	1.7	< 10	968.0	0.70	0.01	1.82	0.07	33.4	6.3	13	3.00	1.4	2.29	0.85	< 0.05
29068	94139402	3.80 < 5	0.01	0.34	0.9	< 10	659.4	0.70	0.01	2.22	0.10	30.7	6.2	12	2.20	1.0	2.04	0.85	< 0.05
29069	94139402	3.78 < 5	0.01	0.33	0.7	< 10	300.4	0.75	0.02	2.01	0.11	33.1	6.2	9	2.50	1.8	2.21	0.75	< 0.05
29070	94139402	3.92 < 5	0.02	0.31	5.5	< 10	399.6	0.80	0.06	1.38	0.06	30.0	7.8	10	2.65	14.8	2.65	0.65	0.05
29071	94139402	4.30 < 5	0.08	0.34	5.6	< 10	362.0	0.65	0.03	1.26	0.06	33.1	8.0	13	2.50	10.2	2.74	0.75	< 0.05
29072	94139402	3.24 < 5	0.10	0.31	2.5	< 10	692.2	0.60	0.02	1.20	0.05	30.9	6.9	12	2.15	4.6	2.79	0.65	< 0.05
29073	94139402	3.86 < 5	0.10	0.35	5.8	< 10	388.4	0.60	0.03	1.35	0.05	31.5	7.6	12	2.40	12.8	2.80	0.70	< 0.05
29074	94139402	4.14 < 5	0.09	0.31	7.0	< 10	180.0	0.60	0.18	1.96	0.08	30.4	7.1	11	2.65	13.0	2.70	0.65	0.05
29075	94139402	3.80 < 5	0.08	0.33	5.8	< 10	242.4	0.70	0.12	1.20	0.05	30.4	7.2	10	2.80	12.0	2.66	0.70	< 0.05
29076	94139402	4.06 < 5	0.09	0.32	6.2	< 10	206.0	0.70	< 0.01	1.62	0.04	28.9	5.6	9	3.75	13.6	2.26	0.65	< 0.05
29077	94139402	3.90 < 5	0.08	0.34	9.5	< 10	155.6	0.55	0.02	0.95	0.05	21.9	8.9	13	2.60	13.4	2.83	0.65	< 0.05
29078	94139402	3.26 < 5	0.66	0.32	23.6	< 10	8.6	0.35	0.12	0.18	0.09	2.50	14.6	13	2.65	39.6	4.17	0.55	< 0.05
29079	94139402	3.24 < 5	1.43	0.34	38.3	< 10	8.0	0.20	0.21	0.31	0.15	2.64	13.4	27	1.90	33.2	5.14	1.05	0.05
29080	94139402	5.00 < 5	0.86	0.34	45.6	< 10	48.8	0.60	0.05	4.02	0.47	20.2	13.9	7	3.00	80.0	3.40	0.85	< 0.05
29081	94139402	4.94 < 5	1.18	0.39	23.5	< 10	10.6	0.65	0.07	0.86	0.06	3.98	13.4	11	2.70	40.2	4.01	0.60	< 0.05
29082	94139402	3.78 < 5	0.71	0.33	17.7	< 10	15.0	0.75	0.21	1.86	0.13	11.70	12.1	10	2.80	25.6	3.43	0.60	< 0.05
29083	94139402	4.18 < 5	0.48	0.40	41.2	< 10	33.0	1.00	0.10	3.04	0.37	14.35	14.7	13	2.75	57.6	3.48	0.85	< 0.05
29084	94139402	2.56 < 20	0.94	0.29	59.6	< 10	57.0	0.50	0.05	4.45	1.36	13.10	16.8	9	2.45	76.4	2.70	0.65	< 0.05
29085	94139402	3.44 < 15	0.70	0.34	41.9	< 10	167.2	0.70	0.05	2.77	0.14	13.45	12.5	12	3.40	38.8	2.64	0.75	< 0.05
29086	94139402	4.14 < 5	0.44	0.35	70.6	< 10	146.0	0.90	0.04	2.44	0.15	19.80	14.2	7	2.70	57.3	4.51	0.70	< 0.05
29087	94139402	4.02 < 15	0.63	0.30	60.9	< 10	225.4	0.65	0.04	4.62	1.19	10.15	17.7	14	1.90	77.2	3.34	0.65	< 0.05
29088	94139402	2.80 < 5	1.42	0.37	34.7	< 10	9.8	0.50	0.14	0.38	0.09	3.20	18.9	13	2.30	34.0	4.31	0.85	< 0.05
29089	94139402	3.64 < 5	1.15	0.38	21.1	< 10	7.6	0.60	0.07	0.50	0.37	14.65	11.9	11	1.90	26.8	4.42	0.60	< 0.05
29090	9400 225	0.12 < 5	0.62	2.02	5.7	< 10	742.2	0.95	0.18	1.03	0.38	43.4	8.6	14	2.60	22.0	1.96	5.40	0.05

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	
29051	94139402	0.12	0.04	0.015	0.26	13.6	1.3	1.09	1340	0.45	0.08 < 0.05	< 0.05	2.2	810	1.6	10.9 < 0.001	0.12	0.45	4.2		
29052	94139402	0.14	0.02	0.015	0.27	11.2	1.7	0.52	775	0.55	0.09 < 0.05	< 0.05	1.8	810	3.2	10.9 < 0.001	1.63	0.30	3.3		
29053	94139402	0.12	0.06	0.015	0.28	9.8	1.1	0.89	1080	0.55	0.08 < 0.05	< 0.05	2.4	860	3.0	10.9 < 0.001	1.14	0.20	4.4		
29054	94139402	0.08	0.03	0.010	0.20	5.2	0.7	1.93	1820	0.30	0.05 < 0.05	< 0.05	3.8	520	4.6	7.8 < 0.001	0.55	0.40	3.8		
29055	94139402	0.10	0.03	0.010	0.25	6.6	0.8	1.19	1220	0.95	0.05 < 0.05	< 0.05	2.8	650	8.0	9.5 < 0.001	0.43	0.50	3.8		
29056	94139402	0.12	0.05	0.020	0.26	15.8	1.1	1.21	1220	0.15	0.07 < 0.05	< 0.05	2.6	760	1.8	10.8 < 0.001	0.03	0.20	3.9		
29057	94139402	0.12	0.03	0.020	0.31	20.8	1.2	0.73	760	0.40	0.08 < 0.05	< 0.05	1.4	930	1.0	12.7 < 0.001	0.11	0.40	3.6		
29058	94139402	0.14	0.03	0.015	0.29	19.6	1.2	0.91	1170	0.15	0.08 < 0.05	< 0.05	1.6	840	1.4	12.8 < 0.001	0.08	0.40	3.8		
29059	94139402	0.12	0.02	0.015	0.25	13.2	1.1	1.11	1630	0.45	0.08 < 0.05	< 0.05	2.4	760	1.6	11.1 < 0.001	0.02	0.10	4.1		
29060	9400 225	0.34	7.36	0.045	0.26	13.2	4.9	0.22	245	9.35	0.01	0.10	35.0	1030	9.8	14.1	0.004	0.13	32.70	4.5	
29061	94139402	0.12	0.04	0.015	0.25	13.4	1.1	0.98	1425	0.15	0.08 < 0.05	< 0.05	2.2	810	3.0	10.6 < 0.001	0.01	0.15	4.3		
29062	94139402	0.16	0.03	0.015	0.25	13.8	1.0	0.71	1115	0.60	0.08 < 0.05	< 0.05	2.0	880	2.8	10.6 < 0.001	0.81	0.35	3.5		
29063	94139402	0.14	0.01 <	0.005	0.30	17.8	1.4	0.41	530	1.05	0.10 <	< 0.05	1.2	740	2.4	13.6 <	0.001	0.26	0.55	2.4	
29064	94139402	0.18	0.01	0.005	0.31	15.8	1.4	0.46	530	1.00	0.11 <	< 0.05	1.4	970	4.6	13.8 <	0.001	0.59	0.20	2.6	
29065	94139402	0.14	0.01	0.015	0.26	14.0	1.2	0.74	1040	0.45	0.09 <	< 0.05	1.8	750	2.4	11.0 <	0.001	0.30	0.40	3.7	
29066	94139402	0.10	0.02	0.015	0.29	17.6	1.1	0.66	760	0.40	0.09 <	< 0.05	1.6	860	2.6	12.3 <	0.001	0.06	0.25	3.5	
29067	94139402	0.08 <	0.01	0.015	0.30	19.0	1.1	0.64	915	0.15	0.10 <	< 0.05	2.0	840	2.4	13.6 <	0.001	0.01	0.05	4.2	
29068	94139402	0.10 <	0.01	0.015	0.26	17.2	0.9	0.70	980	0.35	0.08 <	< 0.05	1.8	880	2.6	11.7 <	0.001	0.01 <	0.05	4.5	
29069	94139402	0.14 <	0.01	0.015	0.28	18.8	0.9	0.67	955	0.15	0.08 <	< 0.05	1.8	820	2.0	11.8 <	0.001	<	0.01	0.05	4.2
29070	94139402	0.14	0.02	0.020	0.27	16.8	1.3	0.72	945	0.50	0.09 <	< 0.05	2.0	800	1.8	11.4 <	0.001	0.07	0.55	4.1	
29071	94139402	0.10	0.04	0.020	0.27	18.4	1.0	0.84	1100	0.15	0.09 <	< 0.05	1.8	800	3.0	11.0 <	0.001	0.10	0.35	4.1	
29072	94139402	0.10	0.01	0.020	0.25	17.2	1.0	0.83	1000	0.35	0.09 <	< 0.05	1.6	770	1.8	10.0 <	0.001	0.01	0.05	3.8	
29073	94139402	0.12	0.02	0.015	0.28	17.2	1.1	0.86	955	0.15	0.09 <	< 0.05	1.8	800	2.2	11.1 <	0.001	0.05	0.30	3.7	
29074	94139402	0.12	0.01	0.015	0.26	17.0	1.1	0.88	1130	0.80	0.09 <	< 0.05	2.2	730	3.4	11.0 <	0.001	0.48	0.35	3.3	
29075	94139402	0.12	0.04	0.015	0.26	17.2	1.2	0.76	1165	0.30	0.09 <	< 0.05	1.8	770	2.6	11.5 <	0.001	0.14	0.30	3.8	
29076	94139402	0.14	0.02	0.005	0.30	16.0	1.1	0.55	885	1.20	0.10 <	< 0.05	1.8	900	4.8	12.9 <	0.001	0.41	0.45	2.7	
29077	94139402	0.10	0.12	0.035	0.29	11.2	1.1	0.45	850	0.45	0.11 <	< 0.05	2.4	740	5.4	11.7 <	0.001	0.48	1.15	3.7	
29078	94139402	0.08	0.21	0.010	0.22	1.0	1.0	0.02	80	2.70	0.11 <	< 0.05	7.2	600	11.6	8.6 <	0.001	4.27	1.65	1.4	
29079	94139402	0.06	0.52	0.015	0.20	1.6	0.8	0.01	20	5.45	0.07 <	< 0.05	10.6	1320	19.8	7.4 <	0.001	5.17	2.25	1.0	
29080	94139402	0.08	0.12	0.030	0.25	10.6	1.3	1.18	1200	0.95	0.10 <	< 0.05	16.8	1240	11.0	10.5 <	0.001	1.33	3.65	5.8	
29081	94139402	0.08	0.12	0.015	0.26	1.6	1.3	0.19	215	5.10	0.12 <	< 0.05	8.2	1020	14.4	10.2 <	0.001	3.66	2.35	2.4	
29082	94139402	0.14	0.13	0.020	0.23	4.8	1.3	0.52	765	1.75	0.10 <	< 0.05	8.8	1130	10.2	10.2 <	0.001	2.80	1.70	4.8	
29083	94139402	0.12	0.14	0.030	0.27	6.6	1.4	0.85	1045	1.50	0.10 <	< 0.05	19.8	1230	12.8	11.6	0.002	1.85	4.00	6.5	
29084	94139402	0.06	0.22	0.025	0.20	5.8	1.0	1.28	1110	3.20	0.07 <	< 0.05	30.2	1130	70.6	8.9	0.003	0.35	8.15	6.5	
29085	94139402	0.08	0.06	0.030	0.26	6.0	1.4	0.72	920	1.70	0.09 <	< 0.05	23.4	1320	23.6	11.5	0.002	0.28	3.20	8.3	
29086	94139402	0.08	0.06	0.040	0.27	8.8	1.5	0.89	975	0.65	0.09 <	< 0.05	17.2	1680	11.8	11.0 <	0.001	0.16	3.65	10.3	
29087	94139402	0.06	0.20	0.025	0.20	4.6	1.0	1.34	1230	3.00	0.06 <	< 0.05	27.6	940	47.2	7.9	0.003	0.36	6.10	7.8	
29088	94139402	0.08	0.28	0.015	0.22	1.4	1.3	0.01	40	7.25	0.10 <	< 0.05	11.6	1510	24.8	8.5 <	0.001	4.28	2.20	1.5	
29089	94139402	0.10	0.11	0.010	0.24	6.2	1.2	0.06	120	6.10	0.11 <	< 0.05	8.4	1420	18.8	7.6 <	0.001	4.43	1.25	1.8	
29090	9400 225	0.70	0.04	0.025	0.44	21.2	20.0	0.53	480	0.85	0.11	0.15	17.8	510	9.2	31.6 <	0.001	0.01	0.80	5.3	

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125861

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29051	94139402	< 0.2	< 0.2	154.5	< 0.01	< 0.01	3.0	< 0.01	0.06	0.65	7	0.05	7.65	48	2.5
29052	94139402	< 0.2	< 0.2	65.1	< 0.01	< 0.01	3.0	< 0.01	0.10	0.60	8	< 0.05	6.70	32	3.0
29053	94139402	< 0.2	< 0.2	112.7	< 0.01	< 0.01	2.6	< 0.01	0.06	0.70	8	< 0.05	8.90	46	2.5
29054	94139402	< 0.2	< 0.2	349.0	0.02	< 0.01	1.8	< 0.01	0.10	0.40	8	< 0.05	7.10	36	1.5
29055	94139402	< 0.2	0.2	190.0	< 0.01	< 0.01	2.2	< 0.01	0.12	0.60	8	0.05	6.80	44	2.0
29056	94139402	< 0.2	< 0.2	180.0	< 0.01	< 0.01	3.2	< 0.01	0.02	0.60	6	< 0.05	7.80	46	2.5
29057	94139402	< 0.2	< 0.2	53.6	< 0.01	< 0.01	3.8	< 0.01	0.06	0.75	8	< 0.05	7.65	46	3.0
29058	94139402	< 0.2	< 0.2	85.0	< 0.01	< 0.01	3.4	< 0.01	0.04	0.65	7	< 0.05	8.75	48	3.5
29059	94139402	< 0.2	< 0.2	147.4	0.01	< 0.01	2.2	< 0.01	0.02	0.70	6	< 0.05	9.15	44	3.0
29060	9400 225	2.0	1.2	62.6	0.01	0.16	4.2	0.01	1.84	3.40	117	2.15	11.50	70	9.0
29061	94139402	< 0.2	< 0.2	111.1	< 0.01	< 0.01	2.0	< 0.01	0.04	0.70	7	< 0.05	8.30	40	2.5
29062	94139402	< 0.2	< 0.2	78.2	< 0.01	< 0.01	3.2	< 0.01	0.06	0.70	7	< 0.05	8.10	48	3.5
29063	94139402	0.2	< 0.2	45.2	0.02	< 0.01	2.8	< 0.01	0.06	0.75	4	< 0.05	7.45	26	3.5
29064	94139402	0.4	< 0.2	50.1	< 0.01	< 0.01	3.2	< 0.01	0.08	0.80	5	< 0.05	6.65	26	4.0
29065	94139402	< 0.2	< 0.2	72.2	< 0.01	< 0.01	2.8	< 0.01	0.06	0.60	7	< 0.05	8.15	40	3.0
29066	94139402	< 0.2	< 0.2	82.8	< 0.01	< 0.01	3.2	< 0.01	0.06	0.60	13	< 0.05	7.35	42	2.0
29067	94139402	< 0.2	< 0.2	95.8	< 0.01	< 0.01	2.8	< 0.01	0.06	0.75	17	< 0.05	9.25	32	2.0
29068	94139402	< 0.2	< 0.2	92.8	0.01	< 0.01	2.8	< 0.01	0.04	0.75	32	< 0.05	10.15	34	2.0
29069	94139402	< 0.2	0.2	83.4	< 0.01	< 0.01	3.0	< 0.01	0.06	1.50	22	< 0.05	11.50	34	2.5
29070	94139402	0.2	1.0	77.8	< 0.01	< 0.01	2.8	< 0.01	0.04	0.75	19	< 0.05	8.75	46	3.0
29071	94139402	< 0.2	1.0	87.8	0.01	< 0.01	3.2	< 0.01	0.04	0.65	11	0.05	8.25	50	2.5
29072	94139402	< 0.2	0.6	148.5	< 0.01	< 0.01	3.0	< 0.01	0.04	0.70	12	< 0.05	7.20	50	2.5
29073	94139402	< 0.2	1.0	156.9	< 0.01	< 0.01	3.4	< 0.01	0.04	0.65	11	< 0.05	7.35	56	2.5
29074	94139402	< 0.2	0.6	117.2	< 0.01	< 0.01	3.4	< 0.01	0.04	0.75	9	< 0.05	7.75	40	2.5
29075	94139402	< 0.2	0.8	78.1	0.01	< 0.01	3.2	< 0.01	0.08	0.75	9	< 0.05	8.20	54	3.0
29076	94139402	0.2	0.6	118.3	< 0.01	< 0.01	3.2	< 0.01	0.08	0.90	6	< 0.05	8.00	26	3.5
29077	94139402	< 0.2	0.6	70.7	< 0.01	< 0.01	2.8	< 0.01	0.10	0.90	7	< 0.05	6.80	38	2.0
29078	94139402	0.6	2.0	28.2	< 0.01	0.15	0.6	< 0.01	0.46	0.30	7	< 0.05	2.45	12	2.0
29079	94139402	3.0	0.8	68.4	< 0.01	0.99	0.8	< 0.01	1.20	0.30	7	0.10	1.75	68	2.0
29080	94139402	1.8	1.0	119.5	< 0.01	0.06	1.6	< 0.01	0.24	0.30	21	< 0.05	8.90	108	2.0
29081	94139402	0.6	1.8	49.4	< 0.01	0.06	0.6	< 0.01	0.34	0.25	9	0.05	4.60	70	2.0
29082	94139402	0.8	0.8	86.2	0.01	0.21	1.8	< 0.01	0.26	0.45	9	< 0.05	9.55	86	3.5
29083	94139402	0.8	1.0	89.0	< 0.01	0.13	1.8	< 0.01	0.28	0.35	15	< 0.05	8.90	104	3.0
29084	94139402	0.8	0.4	121.5	< 0.01	0.06	1.2	< 0.01	0.24	0.35	15	< 0.05	9.75	178	1.5
29085	94139402	0.6	0.4	71.3	< 0.01	0.02	1.4	< 0.01	0.16	0.30	17	< 0.05	8.80	48	2.0
29086	94139402	0.4	0.4	82.6	< 0.01	0.01	1.4	< 0.01	0.10	0.30	27	< 0.05	10.85	76	2.0
29087	94139402	1.0	0.2	171.0	< 0.01	0.03	1.0	< 0.01	0.28	0.35	26	< 0.05	9.35	174	1.5
29088	94139402	1.4	0.6	38.0	< 0.01	0.75	0.8	< 0.01	0.74	0.35	7	0.05	5.05	56	2.5
29089	94139402	0.6	0.2	30.6	0.01	0.11	1.6	< 0.01	0.30	0.35	9	0.05	6.50	102	2.5
29090	9400 225	0.2	1.2	84.2	0.01	0.04	6.4	0.07	0.32	1.00	47	0.35	14.40	62	23.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-A
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. : I0125861
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
29091	94139402	2.84 15	1.01	0.34	43.0	< 10	26.2	0.65	0.06	3.22	0.91	12.30	17.8	10	2.45	51.1	3.36	0.75	< 0.05
29092	94139402	3.74 5	0.87	0.30	46.8	< 10	98.6	0.55	0.04	5.10	0.20	18.80	16.5	7	2.50	59.0	3.73	0.70	0.05
29093	94139402	3.60 10	0.68	0.33	57.1	< 10	52.0	0.55	0.04	5.11	0.12	16.20	16.4	10	2.45	57.8	3.95	0.75	< 0.05
29094	94139402	4.64 10	0.57	0.34	64.5	< 10	71.8	0.80	0.04	3.58	0.15	17.70	18.7	7	3.55	74.1	3.48	0.70	< 0.05
29095	94139402	3.66 10	0.69	0.36	63.4	< 10	85.6	1.00	0.05	2.71	0.64	16.15	20.3	11	3.20	72.7	3.91	0.80	0.05
29096	94139402	3.98 10	0.70	0.32	58.5	< 10	169.8	0.75	0.04	3.68	0.18	13.50	13.7	12	2.35	79.2	3.54	0.70	< 0.05
29097	94139402	2.34 25	0.86	0.32	58.6	< 10	65.2	0.70	0.04	4.41	2.21	11.45	16.3	15	1.70	72.1	3.51	0.65	< 0.05
29098	94139402	2.62 25	0.77	0.30	54.1	< 10	251.0	0.70	0.04	3.92	1.57	10.95	15.1	16	1.65	71.1	3.44	0.60	< 0.05
29099	94139402	3.72 < 5	0.32	0.31	2.2	< 10	1015.0	0.60	0.03	1.45	0.06	30.3	6.7	12	1.75	3.0	2.83	0.65	< 0.05
29100	94139402	3.84 < 5	0.16	0.32	1.7	< 10	1177.5	0.65	0.03	1.72	0.05	33.7	6.8	12	2.05	2.4	2.79	0.65	< 0.05
29101	94139402	3.98 < 5	0.09	0.34	2.1	< 10	887.4	0.70	0.03	1.92	0.06	31.4	6.9	11	2.25	1.8	2.73	0.70	< 0.05
29102	94139402	3.88 < 5	0.07	0.33	10.7	< 10	1336.5	0.70	0.07	1.98	0.06	28.2	7.8	10	2.40	25.2	3.08	0.70	0.05
29103	94139402	4.28 25	0.42	0.36	32.1	< 10	42.6	0.75	0.09	3.42	0.13	14.55	14.3	10	2.30	49.8	3.74	0.75	< 0.05
29104	94139402	3.94 < 5	0.36	0.35	29.8	< 10	282.0	0.70	0.05	4.15	0.14	17.60	13.8	8	2.70	54.1	3.83	0.75	< 0.05
29105	94139402	2.36 < 5	0.22	0.23	12.3	< 10	462.2	0.50	0.09	5.60	0.14	11.15	8.4	18	1.80	26.8	2.73	0.50	< 0.05
29106	94139402	4.16 < 5	0.15	0.33	29.4	< 10	67.4	0.80	0.05	4.69	0.14	18.70	13.8	8	2.85	60.4	4.47	0.70	0.05
29107	94139402	2.80 < 5	0.16	0.28	24.0	< 10	94.2	0.45	0.03	8.25	0.18	20.8	15.0	11	1.90	43.4	4.36	0.65	< 0.05
29108	94139402	4.04 < 5	0.14	0.37	36.6	< 10	407.0	0.75	0.03	5.92	0.15	30.5	18.9	6	3.50	100.5	4.99	0.95	0.05
29109	94139402	4.12 < 5	0.13	0.40	25.4	< 10	96.6	0.65	0.04	5.76	0.13	30.7	20.3	7	3.15	104.5	4.62	1.00	0.05
29110	94139402	4.90 < 5	0.16	0.35	24.4	< 10	52.0	0.60	0.04	4.84	0.09	21.4	18.2	5	2.05	40.6	4.88	0.90	0.05
29111	94139402	0.92 < 5	0.17	0.15	19.1	< 10	189.6	0.20	< 0.01	5.42	0.08	9.72	6.9	46	0.85	67.9	1.86	0.45	< 0.05
29112	94139402	3.44 < 5	0.28	0.35	35.5	< 10	118.6	0.50	0.03	4.90	0.10	21.3	17.6	5	2.20	53.7	4.94	0.90	< 0.05
29113	94139402	3.96 < 5	0.23	0.33	45.7	< 10	758.6	0.60	0.02	6.10	0.12	24.3	11.7	8	2.20	79.4	3.76	0.85	0.05
29114	94139402	4.18 < 5	0.21	0.34	53.8	< 10	234.4	0.55	0.01	5.33	0.11	22.1	14.9	5	2.25	156.0	4.63	0.95	0.05
29115	94139402	3.98 < 5	0.19	0.33	36.8	< 10	68.8	0.55	0.02	4.63	0.10	20.8	17.7	6	2.20	108.0	4.76	0.90	0.05
29116	94139402	3.94 < 5	0.19	0.31	21.4	< 10	741.5	0.70	0.03	5.04	0.21	26.9	10.7	6	2.35	38.8	3.71	0.75	0.05
29117	94139402	3.92 15	0.50	0.36	42.7	< 10	55.4	0.95	0.07	5.23	0.11	19.80	18.2	5	2.80	58.9	4.09	0.85	0.05
29118	94139402	3.94 20	0.65	0.39	47.1	< 10	55.2	1.05	0.07	3.47	0.09	16.85	18.4	5	3.55	69.2	4.04	0.75	0.05
29119	94139402	3.94 30	0.78	0.38	47.8	< 10	66.2	0.85	0.06	5.30	0.10	17.40	17.8	5	3.10	43.0	3.50	0.80	< 0.05
29120	9400 225	0.10 6480	0.86	1.34	632	< 10	286.2	1.95	1.35	2.01	1.79	7.48	16.4	121	2.80	144.0	2.77	6.65	0.20
29121	94139402	3.92 25	0.99	0.34	57.4	< 10	83.6	0.85	0.07	6.19	0.09	20.0	23.2	6	2.60	74.4	4.59	0.75	0.05
29122	94139402	4.00 30	1.16	0.38	36.1	< 10	74.2	1.15	0.13	3.59	0.09	19.75	25.8	7	2.65	43.8	4.99	0.80	0.05
29123	94139402	3.84 < 5	0.50	0.31	11.2	< 10	419.2	0.80	0.08	2.68	0.09	20.0	12.3	8	2.60	5.8	3.91	0.65	< 0.05
29124	94139402	1.38 10	0.44	0.30	31.6	< 10	189.2	0.80	0.07	5.35	0.35	8.46	13.2	8	1.85	18.2	3.75	0.60	< 0.05
29125	94139402	4.14 < 5	0.33	0.32	25.9	< 10	841.8	0.65	0.05	4.71	0.14	16.95	13.6	8	3.05	57.5	4.17	0.75	< 0.05
29126	94139402	3.98 < 5	0.21	0.36	30.8	< 10	1176.5	0.70	0.03	3.50	0.11	17.00	17.7	8	3.40	61.4	4.74	0.80	< 0.05
29127	94139402	3.78 < 5	0.12	0.29	21.6	< 10	1330.5	0.50	0.06	5.57	0.11	14.05	10.1	5	2.45	49.8	3.49	0.65	< 0.05
29128	94139402	4.04 < 5	0.13	0.33	20.0	< 10	428.2	0.75	0.07	4.19	0.18	14.25	11.4	8	2.70	37.4	3.90	0.80	0.05
29129	94139402	3.96 < 5	0.08	0.30	9.4	< 10	1353.0	0.60	0.15	5.12	0.27	10.65	9.4	5	2.90	19.4	3.08	0.65	< 0.05
29130	94139402	3.76 < 5	0.09	0.34	4.1	< 10	1319.5	0.70	0.22	3.06	0.14	9.72	6.9	10	3.35	7.2	2.91	0.75	< 0.05

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :3-B
Total Pages :4
Certificate Date :12-OCT-2001
Invoice No. :10125861
P.O. Number :21331
Account :SWY

Project : RDN
Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm
29091	94139402	0.10	0.30	0.025	0.23	5.4	1.4	0.82	850	4.30	0.08	< 0.05	22.8	1380	26.6	9.6	0.001	1.93	4.65	5.9
29092	94139402	0.06	0.08	0.030	0.22	9.4	1.2	1.29	1245	2.45	0.07	< 0.05	32.8	1040	17.8	9.5	< 0.001	0.53	4.00	6.9
29093	94139402	0.06	0.08	0.035	0.25	7.8	1.3	1.18	1255	1.80	0.08	< 0.05	54.7	1110	17.0	10.2	< 0.001	0.29	2.95	9.1
29094	94139402	0.06	0.11	0.035	0.25	8.4	1.5	0.66	1030	2.50	0.09	< 0.05	48.4	1250	14.6	11.4	0.001	0.46	5.35	8.0
29095	94139402	0.06	0.26	0.030	0.26	7.2	1.8	0.79	930	3.20	0.09	< 0.05	45.6	1290	18.8	11.9	0.001	0.45	4.80	8.3
29096	94139402	0.06	0.07	0.030	0.24	6.2	1.5	1.12	1255	1.65	0.08	< 0.05	35.4	1170	14.6	10.1	0.001	0.26	6.40	8.6
29097	94139402	0.08	0.30	0.030	0.22	5.2	1.1	1.29	1295	3.65	0.07	< 0.05	33.6	1130	38.4	8.1	0.003	0.39	6.25	7.3
29098	94139402	0.08	0.23	0.030	0.21	4.8	1.1	1.15	1200	4.75	0.07	< 0.05	26.0	1050	53.2	8.1	0.001	0.37	6.00	8.5
29099	94139402	0.10	0.04	0.015	0.25	16.6	1.1	0.62	685	0.45	0.08	< 0.05	1.6	780	2.2	10.2	< 0.001	0.02	0.20	3.8
29100	94139402	0.10	0.04	0.020	0.25	18.8	1.1	0.69	750	0.20	0.08	< 0.05	1.8	870	2.4	10.4	< 0.001	0.03	0.20	3.9
29101	94139402	0.10	0.09	0.020	0.27	18.0	1.2	0.71	855	0.40	0.09	< 0.05	1.6	850	2.0	11.6	< 0.001	0.04	0.10	3.9
29102	94139402	0.10	0.04	0.020	0.25	16.0	1.2	0.87	1005	0.20	0.09	< 0.05	2.0	730	2.6	10.5	< 0.001	0.05	0.85	4.3
29103	94139402	0.10	0.11	0.020	0.24	6.8	1.5	0.60	950	1.50	0.10	< 0.05	18.2	1190	13.4	9.9	< 0.001	1.60	2.20	6.4
29104	94139402	0.08	0.09	0.035	0.24	8.2	1.4	1.10	1055	0.55	0.09	< 0.05	13.6	1300	8.8	10.4	0.002	0.13	1.55	10.4
29105	94139402	0.06	0.27	0.025	0.16	5.8	1.0	1.52	1540	0.95	0.05	< 0.05	7.4	620	4.8	6.7	< 0.001	0.09	0.75	8.2
29106	94139402	0.06	0.06	0.030	0.24	8.8	1.4	1.04	1250	0.25	0.09	< 0.05	14.0	1340	8.8	10.5	< 0.001	0.04	1.95	9.3
29107	94139402	0.06	0.26	0.030	0.19	10.6	1.0	1.91	1830	0.50	0.06	< 0.05	14.2	1330	6.4	8.0	< 0.001	0.09	1.55	11.3
29108	94139402	0.06	0.05	0.045	0.28	15.2	1.5	1.61	1485	0.20	0.10	< 0.05	16.6	1890	8.2	13.3	< 0.001	0.07	1.75	15.9
29109	94139402	0.06	0.03	0.045	0.29	15.6	1.6	1.49	1295	0.40	0.10	< 0.05	15.2	1990	6.8	12.8	< 0.001	0.14	0.85	15.8
29110	94139402	0.06	0.04	0.040	0.23	10.2	1.3	1.25	1395	0.35	0.08	< 0.05	13.6	1620	5.2	9.7	< 0.001	0.54	0.75	11.6
29111	94139402	0.04	0.04	0.015	0.10	4.8	0.5	0.43	1095	1.15	0.03	< 0.05	7.8	600	2.4	4.3	< 0.001	0.13	0.95	3.9
29112	94139402	0.06	0.04	0.045	0.23	10.2	1.2	1.16	1345	0.20	0.08	< 0.05	15.0	1700	3.0	9.7	< 0.001	0.12	0.75	12.3
29113	94139402	0.06	0.08	0.035	0.22	11.6	1.0	1.23	1595	0.40	0.07	< 0.05	10.4	1340	3.6	9.4	0.001	0.10	1.25	8.3
29114	94139402	0.06	0.06	0.045	0.23	10.6	1.2	1.18	1620	0.15	0.08	< 0.05	15.0	1640	3.4	10.2	< 0.001	0.41	1.35	12.5
29115	94139402	0.06	0.03	0.035	0.23	10.0	1.1	1.04	1410	0.35	0.08	< 0.05	14.0	1490	3.8	10.0	< 0.001	0.53	0.90	11.5
29116	94139402	0.10	0.04	0.025	0.22	13.0	1.1	0.90	1760	1.25	0.08	< 0.05	10.6	1120	7.2	9.9	< 0.001	0.11	0.90	9.4
29117	94139402	0.08	0.07	0.030	0.24	9.0	1.4	1.16	1620	2.05	0.10	< 0.05	28.4	1380	22.0	11.1	0.002	0.41	1.90	10.2
29118	94139402	0.08	0.06	0.035	0.27	7.6	1.7	0.83	1230	2.50	0.12	< 0.05	34.2	1400	14.8	12.7	< 0.001	0.38	2.05	9.3
29119	94139402	0.08	0.07	0.030	0.26	8.0	1.6	0.96	1315	2.70	0.11	< 0.05	35.0	1410	19.8	11.4	0.001	0.42	1.65	8.4
29120	9400 225	0.08	0.96	2.155	0.28	6.8	8.8	0.06	25	17.45	0.01	0.15	99.3	9620	398.7	15.0	0.004	0.30	584.0	4.1
29121	94139402	0.06	0.13	0.035	0.23	9.4	1.3	1.25	1765	2.55	0.09	< 0.05	33.6	1550	14.8	9.8	0.004	1.09	3.65	12.1
29122	94139402	0.08	0.14	0.040	0.25	8.8	1.5	0.93	1245	2.30	0.11	< 0.05	19.8	1460	13.2	11.5	0.005	1.14	2.20	11.6
29123	94139402	0.12	0.05	0.020	0.22	9.2	1.4	0.62	1050	1.35	0.10	< 0.05	5.8	1060	3.6	9.9	0.001	0.20	0.30	6.9
29124	94139402	0.10	0.06	0.035	0.21	3.4	1.4	0.93	1140	2.55	0.08	< 0.05	13.2	710	12.6	9.3	0.004	0.44	1.40	9.6
29125	94139402	0.06	0.05	0.035	0.23	7.0	1.3	1.22	1305	0.60	0.09	< 0.05	13.8	1400	4.2	10.9	< 0.001	0.09	1.95	9.8
29126	94139402	0.06	0.06	0.040	0.26	7.2	1.5	0.96	1125	0.55	0.10	< 0.05	17.4	1560	4.0	11.8	< 0.001	0.05	1.25	10.5
29127	94139402	0.06	0.05	0.030	0.22	6.0	1.0	1.11	1145	0.20	0.08	< 0.05	5.4	1030	4.0	9.2	< 0.001	0.04	1.25	6.8
29128	94139402	0.06	0.07	0.035	0.24	5.8	1.3	1.03	1160	0.75	0.09	< 0.05	8.8	1260	3.4	10.3	< 0.001	0.02	2.40	9.6
29129	94139402	0.06	0.06	0.035	0.25	4.2	1.0	1.18	1610	0.30	0.08	< 0.05	3.8	1040	5.0	10.6	< 0.001	0.03	0.65	7.9
29130	94139402	0.08	0.05	0.055	0.28	4.0	1.1	0.71	970	0.40	0.09	< 0.05	2.4	1040	3.8	11.9	< 0.001	0.08	0.20	6.6

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1800 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-C
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Se ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29091	94139402	1.2	0.2	132.0 < 0.01	0.16	1.6 < 0.01	0.34	0.55	13	0.10	9.65	172	2.5	
29092	94139402	0.4 < 0.2	209.0 < 0.01	0.03	1.0 < 0.01	0.22	0.20	16	0.05	10.20	62	1.0		
29093	94139402	0.6 < 0.2	219.0 < 0.01	0.03	1.2 < 0.01	0.18	0.20	23	0.05	10.30	64	1.0		
29094	94139402	0.6 < 0.2	151.1 < 0.01	0.03	1.2 < 0.01	0.28	0.20	18	0.05	9.85	66	1.5		
29095	94139402	0.6	0.6	118.0 < 0.01	0.03	1.4 < 0.01	0.28	0.30	19	0.05	10.20	128	1.5	
29096	94139402	0.4	0.6	99.1 < 0.01	0.02	1.2 < 0.01	0.18	0.30	21	0.05	9.35	68	2.5	
29097	94139402	0.6	0.2	128.0 < 0.01	0.03	1.0 < 0.01	0.20	0.40	22 < 0.05	9.20	370	2.5		
29098	94139402	0.4	0.8	166.0 < 0.01	0.02	1.2 < 0.01	0.20	0.75	22	0.05	9.65	242	2.0	
29099	94139402	< 0.2	0.2	106.0 < 0.01	< 0.01	2.6 < 0.01	0.04	0.60	17	0.05	8.00	42	2.0	
29100	94139402	0.2 < 0.2	155.0 < 0.01	< 0.01	3.0 < 0.01	0.04	0.60	19	0.05	8.85	42	2.0		
29101	94139402	< 0.2	< 0.2	166.7 < 0.01	< 0.01	2.8 < 0.01	0.06	0.60	21 < 0.05	8.80	38	2.0		
29102	94139402	0.2 < 0.2	161.5 < 0.01	< 0.01	2.4 < 0.01	0.04	0.70	22 < 0.05	8.70	56	2.0			
29103	94139402	0.4	0.8	161.2 < 0.01	0.04	1.8 < 0.01	0.20	0.40	16	0.05	9.30	78	2.0	
29104	94139402	0.2	0.2	163.5 < 0.01	0.01	1.4 < 0.01	0.12	5.45	28 < 0.05	11.20	72	1.5		
29105	94139402	0.2	0.6	203.0 < 0.01	0.01	0.8 < 0.01	0.10	0.90	17 < 0.05	9.50	36	0.5		
29106	94139402	0.2	0.2	233.0 < 0.01	0.03	1.4 < 0.01	0.06	0.60	24 < 0.05	10.90	82	1.5		
29107	94139402	0.2	0.2	410.0 < 0.01	< 0.01	1.4 < 0.01	0.10	0.45	41 < 0.05	11.10	60	1.5		
29108	94139402	0.2	0.2	272.0 < 0.01	< 0.01	1.6 < 0.01	0.08	0.30	34 < 0.05	11.65	78	1.0		
29109	94139402	0.2 < 0.2	251.0 < 0.01	< 0.01	1.6 < 0.01	0.10	0.30	34 < 0.05	12.00	68	0.5			
29110	94139402	0.8	0.2	176.0 < 0.01	0.01	1.2 < 0.01	0.10	0.45	30 < 0.05	11.95	90	1.5		
29111	94139402	0.2 < 0.2	231.0	0.01	0.01	0.4 < 0.01	0.02	0.10	12	0.05	5.75	28	0.5	
29112	94139402	0.2 < 0.2	168.0 < 0.01	< 0.01	1.2 < 0.01	0.06	0.20	34 < 0.05	11.30	96	1.0			
29113	94139402	0.4 < 0.2	227.0 < 0.01	0.01	1.8 < 0.01	0.06	0.35	22 < 0.05	12.35	64	1.5			
29114	94139402	0.8 < 0.2	203.0 < 0.01	< 0.01	1.0 < 0.01	0.06	0.20	29 < 0.05	12.50	82	1.0			
29115	94139402	0.8 < 0.2	157.8 < 0.01	< 0.01	1.2 < 0.01	0.06	0.20	29 < 0.05	12.30	94	1.5			
29116	94139402	0.2 < 0.2	231.0 < 0.01	< 0.01	2.0 < 0.01	0.08	0.35	20 < 0.05	11.95	80	2.0			
29117	94139402	0.6	0.2	210.0 < 0.01	0.05	1.6 < 0.01	0.20	0.35	20 < 0.05	12.55	72	1.5		
29118	94139402	0.6	0.2	152.0 < 0.01	0.05	2.0 < 0.01	0.20	0.35	18 < 0.05	11.75	90	1.5		
29119	94139402	0.6 < 0.2	223.0 < 0.01	0.03	1.8 < 0.01	0.22	0.30	18 < 0.05	12.00	60	1.5			
29120	9400 225	4.0	14.0	400.0	0.01	0.35	2.2 < 0.01	6.18	11.80	601	45.6	20.00	190	5.0
29121	94139402	0.8 < 0.2	281.0 < 0.01	0.10	1.6 < 0.01	0.30	0.30	26	0.45	10.90	74	1.5		
29122	94139402	0.8 < 0.2	168.0 < 0.01	0.07	2.6 < 0.01	0.26	0.45	23	0.15	12.20	102	2.0		
29123	94139402	0.2	0.2	126.8 < 0.01	0.03	2.2 < 0.01	0.10	0.40	15	0.10	10.90	74	2.0	
29124	94139402	0.6	0.2	226.0 < 0.01	0.02	1.6 < 0.01	0.16	0.40	15	0.05	11.05	66	2.0	
29125	94139402	0.4	0.2	170.0 < 0.01	0.02	1.4 < 0.01	0.08	0.30	22	0.05	12.60	54	1.5	
29126	94139402	0.2	0.2	171.0 < 0.01	0.02	1.4 < 0.01	0.06	0.25	25	0.05	12.45	78	1.5	
29127	94139402	0.2 < 0.2	263.0 < 0.01	0.01	1.8 < 0.01	0.04	0.35	16	0.05	11.70	56	1.0		
29128	94139402	0.2	0.2	179.0	0.01	0.02	1.6 < 0.01	0.06	0.40	20	0.05	12.45	62	1.5
29129	94139402	0.2 < 0.2	238.0	0.02	0.05	2.2 < 0.01	0.06	0.40	22	0.05	12.15	54	1.5	
29130	94139402	0.2	0.2	160.0 < 0.01	0.09	2.4 < 0.01	0.06	0.45	20 < 0.05	10.65	40	1.5		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :4-A
 Total Pages :4
 Certificate Date: 12-OCT-2001
 Invoice No. :10125861
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Weight Kg	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm
29131	94139402	4.10	5	0.25	0.37	4.7	< 10	1180.5	0.75	0.20	2.67	0.14	13.15	7.4	8	3.45	8.4	3.37	0.80	0.05
29132	94139402	4.14	45	0.20	0.35	4.4	< 10	994.4	0.60	0.21	3.42	0.17	10.75	9.0	5	3.45	8.8	3.21	0.75	< 0.05
29133	94139402	3.82	< 5	0.15	0.33	6.0	< 10	642.7	0.55	0.29	3.24	0.14	10.20	8.8	9	3.10	8.4	3.39	0.75	< 0.05
29134	94139402	4.20	< 5	0.14	0.32	4.4	< 10	1054.0	0.60	0.22	3.91	0.18	9.60	7.4	7	3.25	8.8	3.10	0.70	< 0.05
29135	94139402	3.54	< 5	0.12	0.33	7.2	< 10	1030.0	0.60	0.16	3.55	0.14	9.94	11.1	8	3.05	11.8	3.89	0.75	< 0.05
29136	94139402	4.28	5	0.07	0.32	6.5	< 10	811.3	0.55	0.09	4.27	0.23	12.40	11.4	7	4.05	11.6	3.95	0.75	0.05
29137	94139402	4.02	< 5	0.10	0.30	58.2	< 10	1328.5	0.50	0.09	4.85	0.24	12.50	10.2	11	3.00	130.5	3.47	0.75	< 0.05
29138	94139402	4.18	< 5	0.08	0.33	13.7	< 10	1028.0	0.60	0.10	3.06	0.17	12.75	12.1	12	3.35	15.0	4.61	0.80	0.05
29139	94139402	2.28	< 5	0.09	0.31	46.8	< 10	206.6	0.45	0.09	2.92	0.19	10.10	13.4	11	3.25	48.0	4.26	0.70	0.05
29140	94139402	2.58	< 5	0.13	0.30	38.3	< 10	139.4	0.45	0.06	2.49	0.15	6.58	7.0	20	1.75	15.0	2.96	0.55	< 0.05
29141	94139402	2.64	< 5	0.14	0.31	44.6	< 10	134.6	0.70	0.07	1.43	0.18	8.36	8.0	15	2.10	16.4	2.83	0.65	< 0.05
29142	94139402	4.12	< 5	0.13	0.31	33.8	< 10	114.6	0.55	0.06	1.39	0.15	9.68	7.0	20	2.05	12.8	2.84	0.70	< 0.05
29143	94139402	3.86	5	0.13	0.29	36.7	< 10	171.6	0.65	0.07	0.83	0.13	10.95	8.2	12	2.20	12.4	2.59	0.60	< 0.05
29144	94139402	4.66	< 5	0.12	0.29	39.9	< 10	130.6	0.60	0.07	1.55	0.18	10.95	7.4	18	1.90	14.4	2.69	0.60	< 0.05
29145	94139402	5.18	< 5	0.12	0.28	35.6	< 10	221.0	0.60	0.06	1.41	0.17	12.45	7.8	16	1.95	13.2	2.65	0.60	< 0.05
29146	94139402	5.22	< 5	0.13	0.30	38.0	< 10	186.6	0.60	0.07	1.32	0.18	11.65	7.8	18	1.95	14.2	2.68	0.65	< 0.05
29147	94139402	4.84	5	0.12	0.26	32.3	< 10	159.8	0.50	0.06	1.65	0.14	12.45	6.6	17	1.70	11.4	2.69	0.60	< 0.05
29148	94139402	5.04	< 5	0.11	0.29	33.9	< 10	217.6	0.55	0.06	1.79	0.15	9.38	7.0	17	2.00	13.2	2.62	0.60	< 0.05
29149	94139402	3.74	< 5	0.13	0.29	41.4	< 10	108.2	0.65	0.09	2.33	0.20	6.80	7.8	12	1.90	21.0	2.95	0.60	< 0.05
29150	9400 225	0.12	130	0.22	1.51	740	< 10	874.3	0.55	0.56	1.08	1.45	25.1	7.9	59	2.05	104.0	3.33	4.70	0.05
29151	94139402	3.04	< 5	0.91	0.36	47.2	< 10	91.6	0.65	0.11	1.96	0.24	7.32	8.1	14	2.50	23.0	3.17	0.65	0.15

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
C/O LAWSON LUNDELL AND McINTOSH
1600 - 925 W. GEORGIA ST.
VANCOUVER, BC
V6C 3L2

Page Number :4-B
Total Pages :4
Certificate Date: 12-OCT-2001
Invoice No. :10125861
P.O. Number :21331
Account :SWY

Project : RDN
Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	
29131	94139402	0.08	0.04	0.040	0.29	5.4	1.3	0.55	935	0.35	0.11 < 0.05	2.4	1180	4.2	13.7 < 0.001	0.03	0.30	7.2			
29132	94139402	0.08	0.03	0.070	0.27	4.6	1.1	0.85	1325	0.20	0.10 < 0.05	2.6	1080	5.0	12.2 < 0.001	0.02	0.35	7.2			
29133	94139402	0.08	0.06	0.070	0.26	3.8	1.0	0.84	1145	0.45	0.09 < 0.05	2.6	960	5.2	11.4 < 0.001	0.07	0.45	7.0			
29134	94139402	0.08	0.05	0.075	0.26	4.0	1.2	0.87	1210	0.25	0.09 < 0.05	2.6	1040	5.2	12.0 < 0.001	0.02	0.45	7.5			
29135	94139402	0.06	0.05	0.040	0.26	4.0	1.2	0.86	1175	0.55	0.09 < 0.05	4.8	960	5.4	11.2 < 0.001	0.02	0.65	9.0			
29136	94139402	0.06	0.05	0.035	0.25	5.2	1.1	1.00	1415	0.35	0.09 < 0.05	6.4	1040	5.4	12.1 < 0.001	0.01	0.40	10.1			
29137	94139402	0.08	0.13	0.035	0.23	5.4	1.0	0.79	1165	0.75	0.07 < 0.05	6.4	1090	6.0	10.2 < 0.001	0.04	5.05	9.2			
29138	94139402	0.08	0.05	0.035	0.26	5.6	1.1	0.71	1250	0.60	0.09 < 0.05	6.4	1160	4.4	11.6 < 0.001	0.10	0.85	9.3			
29139	94139402	0.08	0.11	0.035	0.24	4.4	1.1	0.69	1020	0.60	0.09 < 0.05	7.4	1130	6.8	10.8 < 0.001	0.40	3.75	10.2			
29140	94139402	0.06	0.12	0.030	0.19	2.4	1.4	0.61	305	1.75	0.08 < 0.05	13.0	700	10.2	8.2	0.002	0.50	2.25	7.3		
29141	94139402	0.08	0.12	0.040	0.21	3.0	1.2	0.45	210	1.30	0.09 < 0.05	16.2	810	11.2	9.5	0.003	0.59	3.60	6.7		
29142	94139402	0.06	0.10	0.030	0.21	3.8	1.0	0.47	220	1.60	0.08 < 0.05	14.0	900	9.0	9.2	0.003	0.39	2.80	5.7		
29143	94139402	0.08	0.10	0.035	0.20	4.6	1.1	0.35	160	1.05	0.08 < 0.05	16.0	780	8.6	9.1	0.002	0.37	3.05	5.5		
29144	94139402	0.08	0.13	0.035	0.20	4.4	1.0	0.47	210	1.75	0.08 < 0.05	15.6	780	10.2	8.6	0.003	0.54	3.30	5.6		
29145	94139402	0.06	0.12	0.030	0.19	5.2	1.1	0.47	210	1.00	0.08 < 0.05	15.6	750	8.2	8.8	0.003	0.38	2.90	5.7		
29146	94139402	0.06	0.11	0.035	0.20	4.8	1.0	0.45	220	1.60	0.08 < 0.05	16.0	820	8.6	8.9	0.004	0.46	3.15	6.0		
29147	94139402	0.08	0.10	0.030	0.17	5.4	0.9	0.54	240	1.15	0.07 < 0.05	13.2	760	7.0	7.7	0.003	0.33	2.40	6.0		
29148	94139402	0.06	0.11	0.030	0.19	3.8	1.1	0.56	245	1.50	0.08 < 0.05	14.4	710	7.2	8.5	0.003	0.39	2.35	5.5		
29149	94139402	0.06	0.21	0.045	0.20	2.4	1.1	0.68	340	1.65	0.09 < 0.05	17.6	630	9.2	9.0	0.003	0.81	3.15	7.5		
29150	9400 225	0.32	3.89	0.035	0.33	13.8	6.4	0.29	230	14.20	0.01	0.10	42.8	1080	10.2	18.9	0.006	0.18	40.40	5.2	
29151	94139402	0.06	0.26	0.050	0.24	2.6	1.2	0.62	315	2.30	0.10 < 0.05	18.0	740	11.4	13.8	0.003	1.10	6.60	8.7		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 4-C
 Total Pages : 4
 Certificate Date: 12-OCT-2001
 Invoice No. : I0125861
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125861

SAMPLE	PREP CODE	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29131	94139402	0.2	< 0.2	154.7	< 0.01	0.07	2.6	< 0.01	0.06	0.50	19	0.05	10.75	44	2.0
29132	94139402	0.2	0.2	159.4	< 0.01	0.09	2.2	< 0.01	0.06	0.50	21	0.05	10.95	52	2.0
29133	94139402	0.4	0.2	156.6	0.01	0.07	2.4	< 0.01	0.06	0.55	24	< 0.05	10.70	46	1.5
29134	94139402	0.2	0.2	175.0	< 0.01	0.08	2.2	< 0.01	0.06	0.60	23	< 0.05	11.75	52	2.0
29135	94139402	0.2	0.2	157.0	0.01	0.07	1.8	< 0.01	0.06	0.35	20	< 0.05	11.30	64	1.5
29136	94139402	0.2	< 0.2	196.0	0.01	0.04	1.8	< 0.01	0.08	0.25	24	< 0.05	12.35	74	1.0
29137	94139402	0.2	0.2	179.0	< 0.01	0.04	1.8	< 0.01	0.06	0.35	22	< 0.05	12.25	66	1.5
29138	94139402	0.2	0.2	151.6	< 0.01	0.05	2.0	< 0.01	0.06	0.35	30	< 0.05	11.10	60	1.5
29139	94139402	0.2	0.2	123.2	< 0.01	0.03	1.8	< 0.01	0.10	0.35	23	0.05	11.00	64	1.5
29140	94139402	0.2	0.6	100.2	< 0.01	0.02	1.6	< 0.01	0.16	0.30	14	< 0.05	10.10	78	1.0
29141	94139402	0.4	0.2	83.0	< 0.01	0.01	2.0	< 0.01	0.16	0.30	10	< 0.05	10.70	90	1.5
29142	94139402	0.2	0.2	85.0	< 0.01	0.01	2.2	< 0.01	0.18	0.25	9	< 0.05	10.55	80	1.5
29143	94139402	0.2	< 0.2	58.5	< 0.01	< 0.01	2.0	< 0.01	0.18	0.25	9	0.05	8.20	80	1.5
29144	94139402	0.4	0.2	86.6	< 0.01	0.02	2.2	< 0.01	0.14	0.25	8	< 0.05	10.10	94	1.5
29145	94139402	0.2	0.2	79.7	< 0.01	0.03	2.0	< 0.01	0.16	0.25	9	< 0.05	9.50	92	1.0
29146	94139402	0.4	0.2	73.9	< 0.01	0.01	2.0	< 0.01	0.14	0.25	9	< 0.05	9.35	90	1.5
29147	94139402	0.2	0.2	80.9	< 0.01	0.01	2.0	< 0.01	0.12	0.25	9	< 0.05	10.10	72	1.5
29148	94139402	0.2	0.2	80.2	< 0.01	0.02	1.8	< 0.01	0.14	0.25	9	< 0.05	9.55	74	1.5
29149	94139402	0.4	0.6	109.6	< 0.01	0.03	1.4	< 0.01	0.12	0.25	9	0.05	9.70	92	1.0
29150	9400 225	2.6	1.6	67.0	< 0.01	0.10	4.8	0.01	1.80	4.35	147	4.10	11.65	96	8.5
29151	94139402	0.6	0.6	86.2	< 0.01	0.05	2.4	< 0.01	0.18	0.25	10	0.05	9.45	116	1.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125862
 P.O. Number :21331
 Account :SWY

Project : RDN 01-22
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29152	94139402	3.44	20	0.92	0.26	112.5	< 10	501.9	0.30	0.10	0.74	3.72	33.2	5.2	40	0.80	23.2	1.77	1.00
29153	94139402	2.88	< 5	0.49	0.26	30.8	< 10	617.5	0.30	0.06	1.95	0.65	35.1	4.1	26	1.00	21.6	2.10	1.05
29154	94139402	3.44	< 5	0.45	0.27	29.5	< 10	376.6	0.25	0.16	1.05	1.57	36.8	4.3	28	0.80	10.6	2.20	1.15
29155	94139402	2.38	< 5	0.27	0.27	14.0	< 10	873.7	0.25	0.06	0.97	0.70	32.2	3.6	27	0.95	6.4	2.13	1.15
29156	94139402	2.74	< 5	0.20	0.30	14.9	< 10	449.4	0.35	0.05	0.22	0.35	33.6	3.7	25	1.05	11.4	2.12	1.15
29157	94139402	2.18	40	0.44	0.31	29.7	< 10	973.0	0.40	0.06	0.29	3.44	34.1	5.4	27	1.25	18.0	2.44	1.15
29158	94139402	4.22	10	0.99	0.25	45.6	< 10	503.7	0.25	0.77	0.42	6.09	35.7	5.4	30	0.85	19.4	1.73	1.00
29159	94139402	3.58	< 5	0.40	0.28	9.6	< 10	721.5	0.40	0.06	0.95	0.24	37.6	3.8	21	1.45	12.4	2.02	1.00
29160	94139402	3.78	< 5	0.33	0.33	6.6	< 10	565.7	0.55	0.04	0.79	0.63	41.7	5.2	18	1.75	11.6	2.44	1.10
29161	94139402	3.84	< 5	0.22	0.29	12.5	< 10	750.0	0.70	0.07	1.11	2.95	39.7	5.4	16	1.65	14.6	2.54	1.05
29162	94139402	3.82	5	0.41	0.29	58.0	< 10	602.5	0.40	0.19	0.61	4.58	32.0	6.0	26	1.15	14.8	2.91	1.05
29163	94139402	3.86	5	0.35	0.28	87.1	< 10	442.4	0.35	0.04	0.35	2.08	36.7	6.2	25	1.20	13.6	2.65	1.10
29164	94139402	3.54	< 5	0.36	0.34	68.3	< 10	679.6	0.55	0.07	0.44	2.60	32.6	5.5	21	1.55	29.4	1.84	1.15
29165	94139402	3.64	< 5	0.23	0.24	18.3	< 10	481.8	0.35	0.06	0.89	0.41	34.3	4.8	20	1.30	16.4	2.70	1.10
29166	94139402	3.78	< 5	0.20	0.29	22.9	< 10	241.6	0.40	0.05	0.76	0.47	38.2	4.1	23	1.30	7.2	2.60	1.20
29167	94139402	4.12	< 5	0.17	0.26	19.1	< 10	401.0	0.40	0.06	0.97	0.50	36.7	5.0	20	1.20	8.4	2.94	1.20
29168	94139402	4.12	< 5	0.20	0.24	24.6	< 10	450.0	0.30	0.07	1.42	0.76	34.5	4.8	19	0.90	7.8	2.25	1.15
29169	94139402	4.04	< 5	0.17	0.24	17.7	< 10	634.7	0.35	0.10	0.83	0.36	34.6	4.5	22	1.05	5.8	2.66	1.10
29170	94139402	3.50	< 5	0.18	0.27	40.1	< 10	496.4	0.35	0.12	0.43	0.27	36.5	4.8	26	0.95	8.6	2.39	1.10
29171	94139402	4.70	< 5	0.16	0.26	15.5	< 10	614.7	0.30	0.07	0.96	0.37	34.0	4.8	27	1.00	8.6	2.61	1.05
29172	94139402	3.82	< 5	0.55	0.30	25.4	< 10	377.8	0.40	0.08	1.18	0.75	34.0	4.9	25	1.20	12.6	2.66	1.15
29173	94139402	2.28	15	0.62	0.30	76.7	< 10	619.2	0.55	0.13	0.69	3.22	25.1	7.3	26	0.90	17.6	3.56	1.00
29174	94139402	1.70	435	11.35	0.20	624	< 10	74.4	0.30	9.09	0.75	58.9	8.80	7.8	56	0.55	1380	3.78	0.95
29175	94139402	1.14	10	0.95	0.36	90.5	< 10	733.8	1.00	0.26	1.31	2.34	39.1	6.6	15	1.45	46.6	3.18	1.15
29176	94139402	0.74	245	12.90	0.14	516	< 10	69.0	0.25	16.25	1.07	51.2	3.22	6.3	79	0.40	1135	2.42	0.75
29177	94139402	3.90	15	1.31	0.33	54.8	< 10	609.1	0.60	0.59	2.43	5.20	25.1	8.5	18	1.10	22.4	3.27	1.25
29178	94139402	3.60	10	0.97	0.32	37.9	< 10	1112.5	0.40	0.66	1.61	1.55	37.5	5.9	19	0.90	5.8	2.99	1.30
29179	94139402	3.80	< 5	0.65	0.29	27.9	< 10	414.0	0.60	0.55	1.03	0.54	36.6	3.3	17	0.95	5.8	2.04	1.15
29180	9400 225	0.08	40	0.51	2.50	584	< 10	465.8	1.20	0.20	0.61	2.90	52.4	23.5	41	11.10	90.6	4.09	7.45
29181	94139402	3.90	< 5	0.45	0.35	42.0	< 10	522.7	0.75	0.39	1.93	0.63	30.5	5.5	19	1.25	8.4	2.90	1.30
29182	94139402	3.86	55	0.30	0.29	19.2	< 10	563.0	0.40	0.21	1.77	1.58	35.6	4.5	26	0.85	8.4	2.14	1.15
29183	94139402	4.00	25	0.29	0.33	16.4	< 10	1101.0	0.50	0.09	1.80	2.29	36.4	6.1	20	1.10	8.2	2.63	1.35
29184	94139402	3.94	10	0.34	0.26	53.0	< 10	1140.5	0.25	0.12	0.94	3.51	32.5	4.1	27	0.65	10.2	1.87	1.00
29185	94139402	3.74	85	0.89	0.27	85.8	< 10	254.4	0.20	0.12	0.92	12.25	22.6	6.7	26	0.65	25.8	2.42	1.10
29186	94139402	3.98	< 5	0.49	0.26	47.8	< 10	454.4	0.15	0.11	1.38	1.10	28.5	4.8	21	0.70	8.6	2.39	1.00
29187	94139402	2.44	35	0.93	0.27	119.5	< 10	244.6	0.20	0.09	0.70	8.81	24.9	6.7	28	0.75	29.2	2.51	1.00
29188	94139402	2.42	90	1.37	0.21	112.0	< 10	210.2	0.10	0.09	0.47	12.65	20.4	6.4	43	0.40	37.0	1.54	0.80
29189	94139402	2.54	10	0.82	0.31	64.6	< 10	334.8	0.30	0.15	0.34	1.81	27.1	6.0	30	0.85	15.6	3.02	1.05
29190	94139402	3.88	60	0.96	0.29	50.5	< 10	439.2	0.20	0.43	0.52	17.90	25.8	5.0	34	0.80	34.4	2.99	0.95
29191	94139402	3.92	105	1.44	0.30	65.2	< 10	311.2	0.20	0.82	1.00	25.1	26.2	5.3	32	0.75	121.5	3.08	1.10

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 3
 Certificate Date: 12-OCT-2001
 Invoice No. : 10125862
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments : ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Ga ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29152	94139402	0.05	0.16	1.03	0.020	0.25	19.0	0.3	0.27	2590	0.35	< 0.01	< 0.05	1.8	550	271.1	10.2	< 0.001	0.16	3.45
29153	94139402	0.05	0.16	0.41	0.020	0.25	20.0	0.3	0.59	4320	0.95	< 0.01	< 0.05	1.6	660	35.4	11.3	< 0.001	0.08	0.90
29154	94139402	< 0.05	0.14	0.57	0.020	0.26	21.0	0.3	0.37	3490	0.25	< 0.01	< 0.05	1.4	620	187.1	11.3	< 0.001	0.09	0.70
29155	94139402	< 0.05	0.14	0.74	0.020	0.26	18.2	0.2	0.36	3850	0.95	< 0.01	< 0.05	1.4	690	28.8	11.4	< 0.001	0.10	0.35
29156	94139402	< 0.05	0.16	0.31	0.015	0.27	18.8	0.2	0.19	2460	0.25	< 0.01	< 0.05	1.2	620	16.6	12.1	< 0.001	0.14	0.30
29157	94139402	0.05	0.16	1.22	0.020	0.28	19.2	0.2	0.26	2120	0.85	< 0.01	< 0.05	1.2	660	215.8	12.9	< 0.001	0.11	1.60
29158	94139402	0.05	0.16	1.29	0.020	0.25	20.8	0.2	0.21	1915	0.35	< 0.01	< 0.05	1.2	550	255.4	10.8	< 0.001	0.16	3.05
29159	94139402	< 0.05	0.14	0.57	0.015	0.25	21.8	0.3	0.36	1975	0.70	< 0.01	< 0.05	1.2	600	14.4	12.5	< 0.001	0.03	0.55
29160	94139402	0.05	0.18	0.44	0.020	0.28	24.2	0.3	0.37	2230	0.20	< 0.01	< 0.05	1.0	610	24.0	14.5	< 0.001	0.10	0.55
29161	94139402	0.05	0.14	0.68	0.020	0.25	22.4	0.3	0.44	2570	0.55	< 0.01	< 0.05	1.2	570	41.4	13.3	< 0.001	0.07	0.70
29162	94139402	0.05	0.16	1.21	0.035	0.24	17.8	0.3	0.37	2850	0.35	< 0.01	< 0.05	1.2	540	177.2	10.5	< 0.001	0.18	2.15
29163	94139402	0.05	0.14	0.93	0.045	0.25	20.4	0.3	0.28	2090	0.85	< 0.01	< 0.05	1.4	550	74.8	10.9	< 0.001	0.21	2.25
29164	94139402	0.05	0.14	1.15	0.030	0.27	18.6	1.0	0.25	1710	0.30	< 0.01	< 0.05	2.4	360	85.6	12.3	< 0.001	0.13	2.20
29165	94139402	0.05	0.18	0.56	0.020	0.23	19.2	0.4	0.40	2640	0.70	< 0.01	< 0.05	1.2	570	10.0	11.4	< 0.001	0.16	0.55
29166	94139402	0.05	0.20	0.78	0.025	0.27	21.8	0.3	0.39	2420	0.20	< 0.01	< 0.05	1.2	550	20.0	13.2	< 0.001	0.06	0.35
29167	94139402	0.05	0.18	0.51	0.030	0.25	20.6	0.2	0.47	2850	0.70	< 0.01	< 0.05	1.2	650	17.4	12.3	< 0.001	0.05	0.55
29168	94139402	0.05	0.16	0.51	0.025	0.24	19.6	0.2	0.57	3580	0.20	< 0.01	< 0.05	1.2	510	38.4	11.1	< 0.001	0.06	1.40
29169	94139402	0.05	0.16	0.32	0.020	0.24	19.6	0.2	0.42	2140	0.75	< 0.01	< 0.05	1.2	540	11.2	11.7	< 0.001	0.03	0.60
29170	94139402	0.05	0.18	0.28	0.025	0.26	20.8	0.3	0.28	1205	0.20	< 0.01	< 0.05	1.2	630	22.0	12.2	< 0.001	0.05	0.80
29171	94139402	0.05	0.16	0.29	0.025	0.26	19.4	0.2	0.43	2130	0.80	< 0.01	< 0.05	1.4	650	12.2	11.1	< 0.001	0.06	0.75
29172	94139402	0.05	0.16	0.51	0.025	0.29	19.4	0.3	0.51	2670	0.20	< 0.01	< 0.05	1.2	690	28.6	12.3	< 0.001	0.11	0.75
29173	94139402	0.05	0.14	1.02	0.025	0.26	13.8	0.3	0.47	3260	0.90	< 0.01	< 0.05	1.4	580	127.5	9.9	< 0.001	0.20	2.65
29174	94139402	0.05	0.10	9.87	0.165	0.16	4.4	0.4	0.45	2750	10.50	< 0.01	< 0.05	2.2	410	4150	6.4	0.007	0.96	28.85
29175	94139402	0.05	0.12	0.76	0.030	0.29	21.8	0.3	0.55	3870	0.65	< 0.01	< 0.05	1.2	680	130.8	12.6	< 0.001	0.14	2.15
29176	94139402	< 0.05	0.06	8.68	0.120	0.11	1.6	0.4	0.39	2130	12.30	< 0.01	< 0.05	2.4	260	3010	4.4	0.008	0.92	19.45
29177	94139402	0.05	0.10	1.22	0.025	0.28	13.8	0.3	0.86	6600	0.70	< 0.01	< 0.05	1.6	700	195.7	12.0	< 0.001	0.21	1.70
29178	94139402	0.05	0.10	0.45	0.035	0.31	20.8	0.3	0.67	4340	0.20	< 0.01	< 0.05	1.2	690	83.2	12.9	< 0.001	0.07	0.15
29179	94139402	< 0.05	0.10	0.22	0.015	0.27	20.2	0.3	0.44	3220	0.70	< 0.01	< 0.05	0.8	710	47.2	12.7	< 0.001	0.03	0.25
29180	9400 225	0.10	0.20	0.19	0.040	0.69	24.8	26.2	1.05	1170	3.60	0.02	0.90	117.1	1780	13.4	58.3	0.001	0.03	4.20
29181	94139402	0.05	0.10	0.23	0.035	0.32	16.8	0.4	0.79	5240	0.20	< 0.01	< 0.05	1.2	700	42.4	15.6	< 0.001	0.13	0.40
29182	94139402	< 0.05	0.08	0.29	0.025	0.28	19.4	0.2	0.63	4580	0.80	< 0.01	< 0.05	1.4	660	79.6	10.9	< 0.001	0.04	0.35
29183	94139402	0.05	0.10	0.40	0.025	0.32	19.8	0.2	0.68	4920	0.20	< 0.01	< 0.05	1.2	650	133.7	12.4	< 0.001	0.09	0.45
29184	94139402	0.05	0.12	0.41	0.020	0.27	17.8	0.2	0.33	2970	0.90	< 0.01	0.05	1.0	720	108.3	9.8	< 0.001	0.13	0.95
29185	94139402	0.05	0.12	1.34	0.030	0.29	11.6	0.1	0.36	2730	0.25	< 0.01	0.05	1.2	610	794.0	10.2	< 0.001	0.47	2.75
29186	94139402	0.05	0.12	0.21	0.025	0.29	15.0	0.1	0.47	3510	0.75	< 0.01	0.05	1.0	720	29.6	10.2	< 0.001	0.24	0.75
29187	94139402	0.05	0.12	0.82	0.035	0.30	13.0	0.1	0.30	2690	0.55	< 0.01	0.05	1.2	670	141.0	10.3	< 0.001	0.46	2.75
29188	94139402	< 0.05	0.12	1.71	0.040	0.25	10.4	0.2	0.16	1215	2.60	< 0.01	< 0.05	1.4	650	546.0	8.0	0.002	0.51	3.25
29189	94139402	0.05	0.12	0.32	0.025	0.31	14.2	0.2	0.29	2620	0.35	< 0.01	< 0.05	1.2	660	59.4	10.8	< 0.001	0.35	0.85
29190	94139402	0.05	0.10	1.72	0.030	0.27	13.4	0.2	0.34	2820	1.00	< 0.01	< 0.05	1.2	650	227.1	9.2	< 0.001	0.29	1.25
29191	94139402	0.05	0.12	2.48	0.030	0.30	13.6	0.2	0.43	3960	0.25	< 0.01	0.05	1.2	640	1220.0	10.1	< 0.001	0.37	2.80

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-C
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. : I0125862
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Ta ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29152	94139402	1.9 < 0.2	0.8	31.6 < 0.01 < 0.01	3.2 < 0.01	0.90	1.00	11	0.15	5.60	934	3.5				
29153	94139402	2.9 < 0.2	2.4	58.7 < 0.07 < 0.01	4.0 < 0.01	0.18	0.90	12	0.15	8.55	284	3.5				
29154	94139402	2.5 < 0.2	1.0	32.0 < 0.01 < 0.01	4.6 < 0.01	0.18	0.80	11	0.15	6.95	452	3.0				
29155	94139402	2.8 < 0.2	0.6	37.2 < 0.01 < 0.01	4.2 < 0.01	0.12	0.85	11	0.05	6.30	352	3.0				
29156	94139402	1.7 < 0.2	0.8	20.0 < 0.01 < 0.01	5.0 < 0.01	0.12	0.85	7	0.05	4.90	184	3.0				
29157	94139402	1.5 < 0.2	0.6	28.2 < 0.01 < 0.01	5.6 < 0.01	0.20	1.10	7	0.05	5.25	1055	3.5				
29158	94139402	1.5 < 0.2	0.8	25.2 < 0.01 < 0.01	4.6 < 0.01	0.64	1.20	7	0.05	5.25	1115	3.5				
29159	94139402	2.0 < 0.2	1.2	44.8 < 0.01 < 0.01	5.4 < 0.01	0.10	1.20	9	0.05	6.60	238	3.5				
29160	94139402	1.8 < 0.2	1.0	35.0 < 0.01 < 0.01	6.4 < 0.01	0.08	0.80	7	0.05	6.40	430	4.0				
29161	94139402	2.0 < 0.2	1.4	53.2 < 0.01 < 0.01	6.0 < 0.01	0.10	0.80	7	0.05	7.00	702	3.0				
29162	94139402	1.8 < 0.2	0.8	28.6 < 0.01 < 0.01	6.0 < 0.01	0.78	0.90	6	0.10	5.40	1090	3.0				
29163	94139402	1.7 < 0.2	1.0	20.6 < 0.01 < 0.01	5.8 < 0.01	0.94	1.05	6	0.05	5.15	640	3.5				
29164	94139402	1.6 < 0.2	3.8	35.4 < 0.01 < 0.01	5.0 < 0.01	1.00	0.95	7	0.05	4.90	706	3.5				
29165	94139402	2.3 < 0.2	2.2	29.6 < 0.01 < 0.01	6.4 < 0.01	0.14	0.90	9	0.05	6.75	312	4.5				
29166	94139402	2.5 < 0.2	0.8	25.6 < 0.01 < 0.01	6.2 < 0.01	0.14	1.20	10	0.05	7.05	332	4.5				
29167	94139402	2.7 < 0.2	1.2	34.6 < 0.01 < 0.01	6.2 < 0.01	0.24	0.95	11	0.05	7.65	366	4.0				
29168	94139402	3.0 < 0.2	0.6	44.6 < 0.01 < 0.01	5.2 < 0.01	0.34	0.85	10	0.05	8.50	364	3.5				
29169	94139402	2.7 < 0.2	0.6	38.0 < 0.01 < 0.01	5.8 < 0.01	0.10	0.80	11	0.05	6.35	348	3.5				
29170	94139402	1.7 < 0.2	0.6	24.8 < 0.01 < 0.01	6.0 < 0.01	0.18	0.95	9	0.20	5.40	332	3.5				
29171	94139402	2.6 < 0.2	0.4	34.0 < 0.01 < 0.01	5.8 < 0.01	0.18	0.95	11	0.10	6.30	330	3.5				
29172	94139402	2.6 < 0.2	1.2	38.4 < 0.01 < 0.01	6.2 < 0.01	0.26	1.05	11	0.15	7.10	368	3.5				
29173	94139402	2.5 < 0.2	1.8	34.6 < 0.01 < 0.01	5.8 < 0.01	1.62	0.80	8	0.10	4.85	844	3.0				
29174	94139402	2.1	0.6	1.0	30.4 < 0.01 < 0.01	4.6 < 0.01	0.76	1.55	9	0.25	3.65	>10000	2.0			
29175	94139402	3.3 < 0.2	2.0	52.8 < 0.01 < 0.01	5.6 < 0.01	0.70	1.35	9	0.10	6.85	530	2.5				
29176	94139402	1.5	0.6	2.6	34.8 < 0.01 < 0.01	2.6 < 0.01	0.76	0.75	8	0.20	2.75	9400	1.5			
29177	94139402	3.6 < 0.2	1.0	80.6 < 0.01 < 0.01	3.8 < 0.01	0.42	1.20	12	0.15	8.20	1250	2.0				
29178	94139402	2.1 < 0.2	0.4	78.0 < 0.01 < 0.02	3.8 < 0.01	0.12	0.80	9	0.10	7.15	736	2.0				
29179	94139402	1.6 < 0.2	0.6	38.4 < 0.01 < 0.03	3.6 < 0.01	0.10	0.75	7	0.05	6.80	342	2.0				
29180	9400 225	8.3	1.0	1.0	64.1	0.01	0.06	7.6	0.10	1.76	3.50	83	0.70	16.05	738	6.5
29181	94139402	2.1 < 0.2	1.0	57.0	0.02 < 0.01	4.2 < 0.01	0.14	1.05	8	0.15	8.80	426	2.0			
29182	94139402	1.8 < 0.2	1.0	86.4 < 0.01 < 0.01	3.6 < 0.01	0.10	0.60	9	0.05	7.45	544	1.5				
29183	94139402	2.5 < 0.2	0.8	82.1 < 0.01 < 0.01	4.0 < 0.01	0.12	0.70	10	0.05	7.85	700	2.0				
29184	94139402	2.2 < 0.2	1.0	48.6	0.01	0.01	3.2 < 0.01	0.12	0.40	8	0.15	5.60	852	1.5		
29185	94139402	2.1 < 0.2	1.2	34.6	0.01	0.01	3.0 < 0.01	0.18	0.35	10	0.20	5.10	2880	1.5		
29186	94139402	2.8 < 0.2	0.8	47.0	0.01 < 0.01	3.2 < 0.01	0.12	0.40	11	0.15	6.70	376	2.0			
29187	94139402	2.1 < 0.2	1.4	27.6	0.01	0.01	3.0 < 0.01	0.16	0.55	8	0.30	4.95	1905	2.0		
29188	94139402	1.2 < 0.2	0.6	24.2 < 0.01 < 0.01	2.4 < 0.01	0.16	1.45	5	0.15	4.25	3070	2.0				
29189	94139402	1.8 < 0.2	1.0	20.0 < 0.01 < 0.01	3.2 < 0.01	0.12	0.55	7	0.20	4.15	490	2.0				
29190	94139402	1.9 < 0.2	1.0	25.4 < 0.01 < 0.01	2.8 < 0.01	0.12	0.50	7	0.15	4.65	3460	2.0				
29191	94139402	2.3	0.2	0.4	33.6 < 0.01	0.01	3.2 < 0.01	0.16	0.55	7	0.15	5.80	5230	2.0		

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-A
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. : 10125862
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29192	94139402	3.88	80	0.91	0.25	42.2	< 10	447.0	0.15	0.24	1.23	15.25	26.9	5.3	32	0.65	66.9	2.91	0.95
29193	94139402	3.12	< 5	0.34	0.33	18.3	< 10	373.2	0.30	0.05	0.59	0.61	39.9	5.3	17	0.85	5.2	3.31	1.10
29194	94139402	3.92	< 5	0.32	0.28	25.2	< 10	463.4	0.25	0.18	1.01	0.66	22.4	5.4	31	0.75	5.6	3.27	1.00
29195	94139402	4.14	110	0.69	0.28	37.1	< 10	590.4	0.30	0.09	0.77	5.94	21.9	6.3	26	0.90	41.4	4.26	1.10
29196	94139402	3.48	45	0.71	0.26	48.1	< 10	632.7	0.25	0.28	0.60	3.85	23.9	6.5	27	0.90	23.2	3.75	0.95
29197	94139402	4.06	20	0.71	0.33	58.1	< 10	526.7	0.30	0.37	0.43	6.24	27.4	6.0	26	0.85	62.3	3.52	1.10
29198	94139402	3.54	< 5	0.48	0.30	35.4	< 10	382.8	0.30	0.26	0.31	2.88	33.7	5.5	25	0.95	27.2	3.66	1.10
29199	94139402	4.00	< 5	0.34	0.31	25.0	< 10	502.6	0.30	0.16	0.36	0.70	28.8	4.9	20	0.85	18.6	3.69	1.05
29200	94139402	3.44	< 5	0.48	0.32	77.8	< 10	589.5	0.35	0.39	0.31	0.52	27.6	6.2	21	0.95	153.0	4.19	1.05
29201	94139402	3.80	< 5	0.44	0.32	61.5	< 10	271.8	0.35	0.41	0.35	0.55	27.8	7.0	27	1.10	106.0	4.35	1.05
29202	94139402	3.90	35	0.76	0.31	142.5	< 10	348.6	0.30	0.76	0.26	1.52	23.3	7.4	34	1.00	291	4.24	1.00
29203	94139402	3.34	< 5	0.71	0.31	64.7	< 10	203.6	0.35	0.62	0.26	1.33	25.7	7.7	28	1.05	81.5	3.73	1.05
29204	94139402	4.36	30	1.50	0.29	256	< 10	214.6	0.25	1.32	0.30	1.93	22.9	9.4	27	0.90	507	4.07	1.00
29205	94139402	3.48	40	1.57	0.23	112.0	< 10	437.8	0.20	1.02	0.41	1.28	26.0	6.7	30	0.85	184.0	3.45	0.85
29206	94139402	3.04	45	1.08	0.26	95.5	< 10	242.4	0.20	0.41	0.33	0.96	23.2	6.1	30	0.75	128.0	3.02	0.85
29207	94139402	3.82	25	0.88	0.26	114.5	< 10	276.2	0.30	0.58	0.95	0.65	29.4	7.0	24	0.90	105.0	3.44	0.95
29208	94139402	4.58	45	1.48	0.28	230	< 10	380.2	0.25	1.03	0.53	1.47	16.90	5.7	27	0.90	434	3.61	1.00
29209	94139402	3.68	< 5	1.04	0.26	88.4	< 10	356.0	0.30	0.79	0.52	0.56	30.0	6.3	24	0.85	102.5	3.42	1.10
29210	9400 225	0.10	>10000	0.54	0.21	1475	< 10	979.3	0.15	0.10	0.09	18.80	1.70	1.8	47	2.35	58.3	2.59	2.15
29211	94139402	4.12	10	0.61	0.28	81.1	< 10	732.9	0.25	0.46	0.39	0.30	27.6	5.8	25	0.85	91.1	3.56	1.15
29212	94139402	3.74	220	2.71	0.27	194.0	< 10	423.8	0.20	3.61	0.74	1.26	28.9	5.6	23	0.95	424	3.06	1.10
29213	94139402	3.30	20	0.74	0.24	79.8	< 10	294.6	0.20	0.41	0.87	0.41	25.0	6.7	21	0.80	74.0	3.54	1.00
29214	94139402	3.06	125	3.91	0.19	370	< 10	252.2	0.20	5.21	0.90	4.84	20.9	7.1	38	0.70	758	4.36	1.00
29215	94139402	3.50	15	0.55	0.29	121.0	< 10	421.8	0.30	0.39	0.39	1.00	26.0	7.8	28	0.95	108.5	3.68	1.10
29216	94139402	2.28	15	0.25	0.26	97.6	< 10	502.1	0.20	0.35	0.68	1.15	18.55	5.0	29	0.75	101.0	3.26	1.00
29217	94139402	2.48	15	1.59	0.26	225	< 10	158.4	0.20	1.08	0.52	1.95	25.1	5.6	27	0.80	377	3.63	1.05
29218	94139402	0.98	305	7.77	0.26	265	< 10	40.4	0.40	1.55	0.38	207	19.80	9.6	37	0.95	562	3.42	3.50
29219	94139402	4.46	15	1.76	0.28	269	< 10	333.4	0.30	1.11	0.41	3.93	25.6	7.4	29	1.00	488	4.31	1.20
29220	94139402	4.18	10	1.76	0.27	261	< 10	669.8	0.25	0.75	0.45	1.99	25.7	5.5	32	0.90	483	3.59	1.15
29221	94139402	2.42	15	2.10	0.28	399	< 10	426.8	0.25	0.90	0.68	2.76	24.0	5.5	38	0.75	811	3.51	1.10
29222	94139402	1.60	250	7.00	0.27	168.0	< 10	89.0	0.50	1.55	1.01	83.8	15.40	10.6	34	0.70	435	3.72	2.95
29223	94139402	2.96	10	1.01	0.32	143.0	< 10	341.0	0.35	0.43	0.39	0.79	26.3	9.7	25	1.10	219	4.80	1.00
29224	94139402	2.16	30	1.71	0.36	126.5	< 10	180.4	0.45	1.02	0.40	5.48	31.3	10.3	24	1.60	149.0	4.31	1.10
29225	94139402	2.60	40	2.07	0.31	249	< 10	363.2	0.65	0.94	0.46	14.60	22.7	7.2	21	1.35	510	3.66	1.00
29226	94139402	4.26	30	2.82	0.27	363	< 10	200.2	0.35	1.35	0.38	2.07	16.70	8.1	37	1.10	966	5.38	0.90
29227	94139402	2.64	15	1.72	0.32	191.0	< 10	274.2	0.35	0.94	0.62	1.01	21.1	7.6	28	1.15	408	5.22	0.95
29228	94139402	4.40	40	1.48	0.32	66.3	< 10	195.8	0.60	0.61	0.97	3.18	27.7	7.0	23	1.45	111.0	4.00	0.95
29229	94139402	4.10	< 5	0.67	0.36	30.6	< 10	603.5	0.55	0.21	1.25	0.71	30.2	5.8	20	1.50	46.4	4.70	0.95
29230	94139402	3.86	< 5	0.38	0.38	15.9	< 10	552.1	0.75	0.07	2.39	0.63	30.8	7.0	19	1.65	10.2	2.66	0.90
29231	94139402	3.90	< 5	0.28	0.37	10.6	< 10	287.0	0.45	0.03	2.00	0.08	25.2	7.1	27	1.45	7.4	2.87	0.95

CERTIFICATION:



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-B
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125862
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Ge ppm	Rf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	
29192	94139402	0.05	0.12	1.68	0.035	0.25	13.8	0.2	0.45	3710	0.95 < 0.01 < 0.05	1.2	570	622.0	8.7 < 0.001	0.23	1.95				
29193	94139402	0.05	0.10	0.19	0.030	0.30	20.6	0.1	0.38	3360	0.15 < 0.01 < 0.05	0.8	560	20.4	10.5 < 0.001	0.03	0.30				
29194	94139402	0.05	0.10	0.19	0.035	0.28	12.2	0.2	0.46	3870	1.00 < 0.01 < 0.05	1.2	620	26.4	10.2 < 0.001	0.12	0.35				
29195	94139402	0.05	0.12	0.83	0.065	0.28	12.6	0.3	0.53	4260	0.30 < 0.01 < 0.05	1.2	650	485.7	10.0 < 0.001	0.18	1.60				
29196	94139402	0.05	0.10	0.64	0.070	0.25	13.8	0.3	0.45	3530	0.90 < 0.01 < 0.05	1.0	660	305.1	9.2 < 0.001	0.20	1.75				
29197	94139402	0.05	0.12	0.91	0.050	0.30	15.6	0.3	0.41	2830	0.25 < 0.01 < 0.05	1.0	650	322.3	10.5 < 0.001	0.16	1.75				
29198	94139402	0.05	0.12	0.41	0.035	0.29	18.8	0.2	0.39	2660	0.90 < 0.01 < 0.05	0.8	710	67.4	10.8 < 0.001	0.11	0.90				
29199	94139402	0.05	0.10	0.21	0.045	0.30	16.2	0.2	0.39	2920	0.20 < 0.01 < 0.05	0.8	630	27.8	10.9 < 0.001	0.11	0.75				
29200	94139402	0.05	0.10	0.25	0.050	0.31	15.2	0.3	0.40	3220	0.70 < 0.01 < 0.05	0.8	650	27.6	11.5 < 0.001	0.16	1.00				
29201	94139402	0.05	0.10	0.19	0.045	0.31	15.2	0.3	0.43	3170	0.20 < 0.01 < 0.05	1.0	660	75.0	11.9 < 0.001	0.21	0.95				
29202	94139402	0.05	0.10	0.34	0.060	0.30	14.0	0.3	0.41	3260	0.25 < 0.01 < 0.05	1.2	570	32.6	11.0 < 0.001	0.20	1.85				
29203	94139402	0.05	0.10	0.36	0.045	0.30	15.6	0.3	0.36	3620	0.90 < 0.01 < 0.05	1.0	660	45.2	11.4 < 0.001	0.16	2.00				
29204	94139402	0.05	0.10	0.54	0.065	0.29	13.6	0.3	0.37	3100	0.25 < 0.01 < 0.05	1.0	680	62.6	10.1 < 0.001	0.40	2.90				
29205	94139402	0.05	0.10	0.31	0.055	0.25	15.6	0.3	0.34	2650	1.05 < 0.01 < 0.05	1.0	620	382.2	8.7 < 0.001	0.25	1.50				
29206	94139402	0.05	0.10	0.30	0.035	0.28	13.6	0.2	0.27	2540	0.45 < 0.01 < 0.05	1.0	700	134.9	9.9 < 0.001	0.37	1.75				
29207	94139402	0.05	0.08	0.27	0.045	0.27	17.0	0.2	0.38	4300	0.95 < 0.01 < 0.05	1.2	620	26.6	10.0 < 0.001	0.38	2.20				
29208	94139402	0.05	0.10	0.43	0.055	0.28	10.0	0.3	0.36	4150	0.30 < 0.01 < 0.05	1.0	610	85.4	10.1 < 0.001	0.25	2.60				
29209	94139402	0.05	0.08	0.27	0.045	0.27	17.4	0.5	0.34	5200	0.90 < 0.01 < 0.05	1.0	640	53.4	10.3 < 0.001	0.13	1.15				
29210	9400 225	0.05	0.10	0.49	0.715	0.11	0.8	1.0	0.03	20	4.90	0.01	0.20	9.2	220	109.0	5.7 < 0.001	0.09	114.85		
29211	94139402	0.05	0.10	0.20	0.055	0.29	15.4	0.2	0.36	5480	0.25 < 0.01 < 0.05	1.0	600	18.0	10.9 < 0.001	0.08	1.95				
29212	94139402	0.05	0.10	0.37	0.065	0.29	15.8	0.3	0.37	5110	1.05 < 0.01 < 0.05	1.0	760	62.8	10.9 < 0.001	0.20	2.05				
29213	94139402	0.05	0.10	0.17	0.050	0.26	13.8	0.2	0.43	4750	0.25 < 0.01 < 0.05	1.0	680	15.4	9.7 < 0.001	0.33	1.25				
29214	94139402	0.05	0.08	0.71	0.075	0.19	11.4	0.3	0.53	8210	1.15 < 0.01 < 0.05	1.2	430	326.8	6.8 < 0.001	0.29	3.60				
29215	94139402	0.05	0.10	0.29	0.060	0.32	14.6	0.3	0.36	3660	0.25 < 0.01 < 0.05	1.0	620	55.0	10.7 < 0.001	0.32	1.80				
29216	94139402	0.05	0.10	0.21	0.055	0.29	10.0	0.2	0.39	4670	0.95 < 0.01 < 0.05	1.0	570	38.8	9.6 < 0.001	0.20	1.95				
29217	94139402	0.05	0.08	0.40	0.085	0.29	14.2	0.2	0.38	6180	0.30 < 0.01 < 0.05	1.0	580	121.4	9.2 < 0.001	0.27	3.20				
29218	94139402	0.20	0.14	10.15	0.100	0.25	10.6	0.4	0.32	3120	4.25 < 0.01 < 0.15	2.4	490	>10000	8.4 < 0.005	2.01	8.25				
29219	94139402	0.05	0.10	0.46	0.110	0.30	13.6	0.3	0.43	7580	0.40 < 0.01 < 0.05	1.2	600	309.8	10.5 < 0.001	0.28	2.20				
29220	94139402	0.05	0.10	0.42	0.105	0.29	13.8	0.3	0.37	6590	1.05 < 0.01 < 0.05	1.0	560	110.1	10.4 < 0.001	0.21	6.70				
29221	94139402	0.05	0.08	0.48	0.135	0.29	13.0	0.3	0.40	5110	0.35 < 0.01 < 0.05	1.2	550	242.2	9.7 < 0.001	0.26	7.15				
29222	94139402	0.25	0.10	6.98	0.110	0.25	5.8	0.5	0.51	3720	1.60 < 0.01 < 0.15	2.2	460	>10000	7.7 < 0.001	1.08	16.75				
29223	94139402	0.05	0.12	0.31	0.055	0.34	13.2	0.4	0.47	2860	0.20 < 0.01 < 0.05	1.0	800	44.0	13.2 < 0.001	0.36	5.30				
29224	94139402	0.05	0.12	0.67	0.055	0.39	16.0	0.4	0.44	2780	0.80 < 0.01 < 0.05	1.0	870	255.9	16.2 < 0.001	0.39	3.00				
29225	94139402	0.05	0.12	1.43	0.080	0.30	12.2	0.4	0.42	2740	0.60 < 0.01 < 0.05	1.2	690	277.3	13.7 < 0.001	0.33	6.55				
29226	94139402	0.05	0.10	0.44	0.095	0.28	8.2	0.5	0.56	2760	1.05 < 0.01 < 0.05	1.2	510	79.2	11.3 < 0.001	0.38	4.60				
29227	94139402	0.05	0.10	0.25	0.080	0.31	10.4	0.5	0.69	2630	0.50 < 0.01 < 0.05	1.0	580	49.0	11.8 < 0.001	0.26	2.25				
29228	94139402	0.05	0.12	0.30	0.055	0.31	15.0	0.5	0.65	2220	1.90 < 0.01 < 0.05	1.4	690	214.2	13.1 < 0.001	0.57	1.95				
29229	94139402	0.05	0.10	0.11	0.030	0.34	15.8	0.5	0.81	2300	0.25 < 0.01 < 0.05	1.2	760	41.4	13.4 < 0.001	0.23	1.05				
29230	94139402	0.05	0.08	0.08	0.025	0.31	16.6	0.4	0.84	1770	0.75 < 0.01 < 0.05	1.6	850	38.8	12.1 < 0.001	0.17	0.65				
29231	94139402	0.05	0.08	0.06	0.025	0.32	13.2	0.4	0.83	1420	0.60 < 0.02 < 0.05	1.6	790	11.0	12.6 < 0.001	0.16	0.50				

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 825 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :2-C
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. :10125862
 P.O. Number :21331
 Account :SWY

Project: RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29192	94139402	2.7	0.2	0.2	49.2	< 0.01	0.01	2.8	< 0.01	0.10	0.70	7	0.20	5.55	3310	2.0
29193	94139402	2.1	< 0.2	< 0.2	22.0	< 0.01	< 0.01	3.0	< 0.01	0.08	0.80	7	0.15	5.15	358	1.5
29194	94139402	2.4	< 0.2	0.2	39.0	< 0.01	< 0.01	2.8	< 0.01	0.10	0.65	10	0.15	5.50	364	2.0
29195	94139402	2.8	< 0.2	0.2	31.8	< 0.01	0.01	3.2	< 0.01	0.30	0.60	13	0.15	5.05	1760	2.0
29196	94139402	2.5	< 0.2	< 0.2	29.8	< 0.01	< 0.01	3.0	< 0.01	0.46	0.70	10	0.15	4.90	1095	2.0
29197	94139402	2.1	< 0.2	< 0.2	23.6	< 0.01	< 0.01	3.2	< 0.01	0.18	0.70	10	0.15	4.60	1610	2.0
29198	94139402	2.3	< 0.2	0.2	18.6	< 0.01	0.01	3.4	< 0.01	0.12	0.65	10	0.15	4.70	720	2.0
29199	94139402	2.2	< 0.2	< 0.2	22.2	< 0.01	< 0.01	3.2	< 0.01	0.12	0.60	9	0.15	4.50	392	2.0
29200	94139402	2.2	< 0.2	0.2	21.8	< 0.01	0.01	3.4	< 0.01	0.12	0.65	8	0.10	5.00	298	2.0
29201	94139402	2.3	< 0.2	0.2	18.0	< 0.01	0.01	3.2	< 0.01	0.12	0.65	9	0.10	4.90	242	2.0
29202	94139402	2.1	< 0.2	0.2	17.0	< 0.01	0.02	3.0	< 0.01	0.12	0.70	9	0.10	4.30	458	2.0
29203	94139402	2.2	< 0.2	0.4	14.0	< 0.01	< 0.01	3.0	< 0.01	0.26	0.80	9	0.10	4.75	448	2.0
29204	94139402	2.3	< 0.2	0.6	20.0	< 0.01	0.01	3.0	< 0.01	0.24	0.85	9	0.10	4.35	628	2.0
29205	94139402	2.3	< 0.2	0.2	21.2	< 0.01	< 0.01	2.8	< 0.01	0.16	0.65	9	0.05	4.40	414	1.5
29206	94139402	2.1	< 0.2	0.2	18.0	< 0.01	< 0.01	2.6	< 0.01	0.20	0.75	8	0.10	4.50	322	2.0
29207	94139402	2.5	< 0.2	0.2	32.2	< 0.01	< 0.01	2.8	< 0.01	0.32	0.80	10	0.15	5.75	318	1.5
29208	94139402	2.6	< 0.2	< 0.2	26.0	< 0.01	< 0.01	2.4	< 0.01	0.28	0.70	9	0.10	4.95	548	1.5
29209	94139402	2.5	< 0.2	0.2	24.2	< 0.01	< 0.01	2.8	< 0.01	0.16	0.85	11	0.10	5.45	348	1.5
29210	9400 225	5.4	1.4	1.8	124.7	< 0.01	0.06	1.2	< 0.01	11.00	3.45	107	4.55	1.90	86	2.0
29211	94139402	2.8	< 0.2	< 0.2	22.2	< 0.01	0.01	2.4	< 0.01	0.22	0.75	13	0.20	5.00	246	2.0
29212	94139402	2.4	< 0.2	< 0.2	28.2	< 0.01	< 0.01	2.8	< 0.01	0.32	0.75	11	0.15	5.85	384	2.0
29213	94139402	2.5	< 0.2	< 0.2	33.8	< 0.01	< 0.01	2.8	< 0.01	0.24	0.55	10	0.15	5.55	176	2.0
29214	94139402	2.8	0.2	< 0.2	25.0	< 0.01	0.01	2.4	< 0.01	0.46	0.60	11	0.15	5.50	1025	1.5
29215	94139402	2.3	< 0.2	< 0.2	20.2	< 0.01	0.01	2.6	< 0.01	0.34	0.70	9	0.15	4.60	296	2.0
29216	94139402	2.5	< 0.2	< 0.2	26.2	< 0.01	0.01	2.2	< 0.01	0.22	0.60	10	0.05	5.00	302	1.5
29217	94139402	2.2	< 0.2	< 0.2	18.4	< 0.01	0.01	2.4	< 0.01	0.46	0.75	8	0.10	5.35	500	1.5
29218	94139402	1.7	1.8	0.2	20.4	0.01	0.15	2.8	< 0.01	1.24	1.00	4	0.35	3.95	>10000	2.0
29219	94139402	2.2	< 0.2	< 0.2	19.2	< 0.01	< 0.01	2.6	< 0.01	0.44	0.60	8	0.15	5.15	834	1.5
29220	94139402	2.1	< 0.2	< 0.2	20.0	< 0.01	< 0.01	2.4	< 0.01	0.34	0.65	8	0.10	5.00	498	1.5
29221	94139402	1.9	< 0.2	< 0.2	29.0	< 0.01	< 0.01	2.4	< 0.01	0.32	0.65	7	0.10	5.30	576	1.5
29222	94139402	1.6	1.8	1.2	31.0	0.02	< 0.01	2.4	< 0.01	0.68	0.55	6	0.30	4.85	>10000	2.0
29223	94139402	1.6	< 0.2	< 0.2	22.4	< 0.01	0.01	3.2	< 0.01	1.14	0.45	6	0.10	5.15	360	2.0
29224	94139402	1.5	< 0.2	< 0.2	23.0	< 0.01	< 0.01	3.6	< 0.01	1.58	0.55	5	0.10	5.70	1130	2.5
29225	94139402	1.7	0.2	< 0.2	25.0	< 0.01	0.05	3.0	< 0.01	0.78	0.90	4	0.10	5.10	2370	2.0
29226	94139402	1.4	0.4	< 0.2	19.2	< 0.01	0.03	3.0	< 0.01	0.18	0.40	4	0.20	3.90	432	2.0
29227	94139402	2.0	< 0.2	< 0.2	22.2	< 0.01	0.01	3.0	< 0.01	0.18	0.55	7	0.20	4.50	332	2.0
29228	94139402	2.3	< 0.2	< 0.2	45.4	< 0.01	0.01	3.2	< 0.01	0.18	0.60	7	0.15	6.00	592	2.0
29229	94139402	2.5	< 0.2	< 0.2	57.1	< 0.01	0.01	3.2	< 0.01	0.10	0.45	6	0.15	6.45	212	1.5
29230	94139402	4.3	< 0.2	< 0.2	114.3	< 0.01	0.01	2.6	< 0.01	0.12	0.55	9	0.05	9.20	132	1.5
29231	94139402	4.4	< 0.2	< 0.2	127.5	< 0.01	< 0.01	2.6	< 0.01	0.08	0.50	11	0.05	7.80	60	1.5

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-A
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. :I0125862
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm
29232	94139402	4.52	10	0.43	0.36	13.1	< 10	665.6	0.60	0.04	2.99	0.58	29.2	6.9	17	1.65	8.8	2.93	0.90
29233	94139402	3.56	< 5	0.30	0.36	15.3	< 10	439.0	0.70	0.05	2.88	0.13	33.5	7.2	15	1.85	20.0	2.89	0.85
29234	94139402	4.20	< 5	0.28	0.39	34.1	< 10	259.6	0.80	0.08	1.87	0.08	31.7	8.1	14	2.25	10.2	2.87	0.95
29235	94139402	3.72	< 5	0.24	0.32	59.6	< 10	823.5	0.65	0.06	2.84	0.31	27.3	7.1	14	1.70	13.8	2.73	0.80
29236	94139402	2.96	< 5	0.21	0.36	19.6	< 10	1729.0	0.65	0.08	2.96	0.46	32.5	6.7	15	1.80	42.2	2.67	0.95
29237	94139402	4.16	< 5	0.16	0.38	19.5	< 10	971.2	0.65	0.07	2.20	0.14	33.9	6.9	15	1.90	14.4	2.74	0.95
29238	94139402	2.72	< 5	0.14	0.40	40.3	< 10	1296.0	0.75	0.07	2.61	0.56	32.8	6.5	15	1.85	9.0	2.68	0.95
29239	94139402	4.18	< 5	0.32	0.37	34.4	< 10	83.0	0.80	0.11	2.12	0.50	25.7	8.3	20	2.15	16.4	3.22	0.85
29240	9400 225	0.10	40	0.34	2.70	584	< 10	466.2	1.20	0.19	0.56	2.88	53.5	22.4	42	11.10	83.9	3.94	7.40
29241	94139402	4.28	15	1.00	0.36	26.3	< 10	35.8	0.60	0.11	2.21	1.99	21.0	7.6	28	1.70	24.0	3.15	0.95
29242	94139402	4.18	365	0.78	0.32	24.0	< 10	33.0	0.75	0.14	1.59	3.37	22.3	8.6	19	1.75	17.8	3.02	0.85
29243	94139402	3.98	20	0.37	0.31	22.6	< 10	76.6	0.55	0.07	2.76	4.11	21.9	7.0	19	1.55	22.2	2.64	0.80
29244	94139402	4.02	10	0.37	0.32	21.5	< 10	28.0	0.65	0.03	2.67	1.59	20.3	8.7	19	1.65	12.6	3.29	0.80
29245	94139402	4.10	5	0.47	0.33	18.5	< 10	32.4	0.55	0.01	2.43	0.57	19.90	8.6	26	1.20	8.8	3.10	0.90
29246	94139402	3.92	< 5	0.39	0.31	52.3	< 10	62.0	0.50	< 0.01	2.74	0.24	21.7	8.2	19	1.35	9.8	2.91	0.85
29247	94139402	4.10	< 5	0.32	0.37	12.6	< 10	160.6	0.55	< 0.01	1.97	0.17	31.4	7.4	19	1.55	10.6	2.54	0.95
29248	94139402	3.00	< 5	0.32	0.33	13.2	< 10	168.2	0.50	0.02	3.08	0.34	25.9	6.6	17	1.55	7.6	2.56	0.85
29249	94139402	2.66	15	0.41	0.32	25.0	< 10	83.2	0.55	0.04	2.70	1.45	12.95	8.1	27	1.10	10.4	2.39	0.75
29250	94139402	4.08	< 5	0.31	0.34	18.6	< 10	116.2	0.65	< 0.01	2.24	0.31	25.9	7.4	21	1.35	11.0	2.62	0.85
345902	94139402	4.20	< 5	0.32	0.36	18.6	< 10	200.8	0.45	< 0.01	2.03	0.18	28.1	8.1	20	1.45	9.4	3.06	0.95
345903	94139402	4.00	< 5	0.48	0.32	17.3	< 10	308.6	0.45	< 0.01	1.96	0.09	31.0	7.5	17	1.45	8.2	2.78	0.95
345904	94139402	3.56	< 5	0.44	0.33	13.2	< 10	63.2	0.40	0.01	1.90	1.63	22.4	7.7	21	1.20	13.0	3.09	0.90

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 3-B
 Total Pages : 3
 Certificate Date: 12-OCT-2001
 Invoice No. : I0125862
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0125862

SAMPLE	PREP CODE	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm
29232	94139402	0.05	0.10	0.07	0.020	0.32	15.6	0.5	1.00	1970	0.30	0.02	< 0.05	1.6	790	42.0	12.1	< 0.001	0.21	0.60
29233	94139402	0.05	0.10	0.03	0.025	0.32	18.4	0.6	1.02	1680	0.50	0.03	< 0.05	1.6	840	35.4	12.3	< 0.001	0.04	0.70
29234	94139402	0.05	0.10	0.04	0.020	0.33	17.0	0.7	0.82	1350	0.35	0.05	< 0.05	1.6	930	17.0	13.7	< 0.001	0.24	1.00
29235	94139402	0.05	0.08	0.04	0.020	0.28	14.6	0.6	0.93	1470	0.55	0.04	< 0.05	1.4	730	34.6	11.0	< 0.001	0.15	1.20
29236	94139402	0.05	0.08	0.04	0.020	0.31	17.4	0.6	0.94	1830	0.20	0.05	< 0.05	1.6	830	29.6	12.3	< 0.001	0.07	0.80
29237	94139402	0.05	0.08	0.02	0.020	0.32	18.4	0.6	0.76	1425	0.55	0.05	< 0.05	1.4	880	14.4	12.6	< 0.001	0.06	0.50
29238	94139402	0.05	0.08	0.07	0.020	0.33	17.8	0.7	0.89	1605	0.20	0.05	< 0.05	1.4	840	23.4	12.5	< 0.001	0.05	0.70
29239	94139402	0.05	0.08	0.09	0.030	0.30	13.4	0.8	0.83	1495	5.30	0.06	< 0.05	1.8	810	19.2	12.3	< 0.001	1.13	1.10
29240	9400 225	0.15	0.24	0.14	0.040	0.74	24.8	28.0	1.04	1130	3.90	0.02	1.00	110.8	1660	12.4	58.8	0.001	0.03	4.65
29241	94139402	0.05	0.10	0.17	0.030	0.29	10.6	0.6	0.81	2030	1.00	0.05	< 0.05	2.0	850	125.3	11.3	< 0.001	1.90	2.45
29242	94139402	0.05	0.10	0.24	0.030	0.27	11.6	0.7	0.55	1565	4.30	0.05	< 0.05	1.8	820	156.7	10.7	< 0.001	2.18	1.80
29243	94139402	0.05	0.10	0.29	0.025	0.27	11.0	0.6	0.89	2300	0.90	0.04	< 0.05	1.8	780	256.1	10.4	< 0.001	1.03	2.45
29244	94139402	0.05	0.10	0.17	0.020	0.26	10.2	0.6	0.80	2150	1.80	0.05	< 0.05	1.8	940	91.2	10.5	< 0.001	2.41	1.70
29245	94139402	0.05	0.12	0.07	0.015	0.26	9.8	0.6	0.77	1830	1.05	0.06	< 0.05	1.8	930	32.4	9.6	< 0.001	2.43	1.60
29246	94139402	0.05	0.14	0.04	0.015	0.26	10.8	0.7	0.83	1685	1.25	0.05	< 0.05	1.8	880	16.6	9.6	< 0.001	1.53	1.40
29247	94139402	0.05	0.18	0.04	0.020	0.30	16.4	0.8	0.70	1445	0.75	0.05	< 0.05	1.6	880	11.4	10.9	< 0.001	0.53	0.80
29248	94139402	0.05	0.12	0.05	0.020	0.27	13.4	0.7	0.94	2040	1.50	0.05	< 0.05	1.6	900	19.6	10.7	< 0.001	0.58	0.65
29249	94139402	0.05	0.12	0.15	0.020	0.26	6.0	0.8	0.79	1605	2.25	0.04	< 0.05	2.0	700	43.6	9.4	< 0.001	0.95	1.80
29250	94139402	0.05	0.14	0.07	0.020	0.28	13.4	0.8	0.74	1655	1.60	0.05	< 0.05	1.6	780	13.8	10.0	< 0.001	0.88	0.80
345902	94139402	0.05	0.18	0.05	0.020	0.30	14.6	0.7	0.81	1820	0.55	0.05	< 0.05	1.6	880	15.6	10.6	< 0.001	0.65	0.85
345903	94139402	0.05	0.18	0.03	0.015	0.27	16.6	0.7	0.90	1725	0.65	0.05	< 0.05	1.6	910	8.2	9.7	< 0.001	0.21	0.85
345904	94139402	0.05	0.16	0.11	0.020	0.27	11.4	0.7	0.81	2100	0.25	0.05	< 0.05	1.6	900	101.3	9.8	< 0.001	1.33	1.75

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :3-C
 Total Pages :3
 Certificate Date: 12-OCT-2001
 Invoice No. :10125862
 P.O. Number :21331
 Account :SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS

A0125862

SAMPLE	PREP CODE	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
29232	94139402	4.2 < 0.2	< 0.2	< 0.2	196.4 < 0.01	< 0.01	< 0.01	2.8 < 0.01	0.12	0.50	10	0.10	10.45	120	1.5	
29233	94139402	4.3 < 0.2	< 0.2	< 0.2	139.9 < 0.01	< 0.01	< 0.01	2.6 < 0.01	0.06	0.60	10	0.05	11.20	74	1.5	
29234	94139402	3.8 < 0.2	< 0.2	< 0.2	96.4 < 0.01	< 0.01	< 0.01	2.8 < 0.01	0.32	0.50	9	0.05	9.15	64	1.5	
29235	94139402	4.2 < 0.2	< 0.2	< 0.2	149.4 < 0.01	< 0.01	< 0.01	2.4 < 0.01	0.12	0.50	8	0.05	9.30	86	1.5	
29236	94139402	3.9 < 0.2	< 0.2	< 0.2	182.0 < 0.01	< 0.01	< 0.01	2.4 < 0.01	0.08	0.45	8	0.05	11.25	112	1.5	
29237	94139402	4.1 < 0.2	< 0.2	< 0.2	122.2 < 0.01	< 0.01	< 0.01	2.4 < 0.01	0.06	0.50	8	0.05	9.40	60	1.0	
29238	94139402	4.1 < 0.2	< 0.2	< 0.2	136.7 < 0.01	< 0.01	< 0.01	2.6 < 0.01	0.06	0.50	8	0.05	9.75	104	1.0	
29239	94139402	3.6	0.4	< 0.2	118.0 < 0.01	0.17		3.0 < 0.01	0.20	0.50	7	0.05	8.30	112	1.5	
29240	9400 225	8.4	1.0	1.0	66.4	0.01	0.07	5.4	0.11	1.64	3.55	86	0.80	16.30	730	6.5
29241	94139402	3.4	0.6	< 0.2	126.3	0.01	0.36	3.8 < 0.01	0.24	0.45	9	0.05	8.30	368	2.0	
29242	94139402	3.2	0.6	< 0.2	99.9 < 0.01	0.24		3.4 < 0.01	0.26	0.40	7	0.05	8.35	550	2.0	
29243	94139402	3.8	0.2	< 0.2	155.9 < 0.01	< 0.01		2.8 < 0.01	0.20	0.35	7	0.05	9.10	662	1.5	
29244	94139402	3.5	0.2	< 0.2	126.4	0.01	< 0.01	3.4 < 0.01	0.26	0.30	5	0.05	10.65	284	1.5	
29245	94139402	3.8	0.2	< 0.2	110.0	0.01	0.01	3.2 < 0.01	0.22	0.35	7	0.05	10.80	128	2.5	
29246	94139402	4.4 < 0.2	< 0.2	0.2	123.2 < 0.01	< 0.01		2.8 < 0.01	0.18	0.40	8	0.05	10.00	74	3.0	
29247	94139402	4.2 < 0.2	< 0.2	< 0.2	88.8 < 0.01	< 0.01		2.6 < 0.01	0.08	0.55	10	0.05	10.35	70	3.5	
29248	94139402	4.5 < 0.2	< 0.2	< 0.2	137.9 < 0.01	0.01		2.8 < 0.01	0.10	0.40	10	0.05	10.40	92	2.5	
29249	94139402	4.4 < 0.2	< 0.2	< 0.2	159.2 < 0.01	0.01		2.4 < 0.01	0.28	0.40	9	0.05	8.05	258	2.5	
29250	94139402	4.2 < 0.2	< 0.2	< 0.2	131.7 < 0.01	< 0.01		2.8 < 0.01	0.12	0.55	11	0.05	8.70	102	3.0	
345902	94139402	4.6 < 0.2	< 0.2	0.2	104.3 < 0.01	< 0.01		3.2 < 0.01	0.12	0.55	13	0.05	10.10	82	3.5	
345903	94139402	4.6 < 0.2	< 0.2	< 0.2	107.6 < 0.01	< 0.01		3.4 < 0.01	0.06	0.65	12	0.05	10.35	66	3.5	
345904	94139402	3.7	0.2	< 0.2	109.3 < 0.01	< 0.01		3.6 < 0.01	0.08	0.60	10	0.05	9.10	316	4.0	

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1
 Total Pages :1
 Certificate Date: 16-OCT-2001
 Invoice No. :I0126720
 P.O. Number :21331
 Account :SWY

Project : RDN - 01-22 GL
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS	A0126720
--------------------------------	-----------------

SAMPLE	PREP CODE	Pb %	Zn %						
29174	212 --	-----	1.13						
29218	212 --	1.15	3.01						
29222	212 --	1.15	1.50						

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number :1-A
 Total Pages :1
 Certificate Date: 13-NOV-2001
 Invoice No. :I0128191
 P.O. Number :21331
 Account :SWY

Project : RDN *WINE ROCK* ✓
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0128191

SAMPLE	PREP		Al2O3	BaO	CaO	Cr2O3	Fe2O3	K2O	MgO	MnO	Na2O	P2O5	SiO2	SrO	TiO2	LOI	TOTAL	Ag	Ba	Ce	Co
	CODE		% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	%	ppm	ppm	ppm	ppm
344570 RESPLIT	9413	277	13.22	0.01	1.76	< 0.01	4.10	2.52	1.03	0.11	2.44	0.09	67.62	0.02	0.23	5.89	99.04	< 1	419	51.0	2.0
344616 RESPLIT	9413	277	13.42	0.05	0.30	< 0.01	0.85	3.65	0.11	0.01	0.14	0.20	76.47	0.02	0.44	2.52	98.18	< 1	548	24.5	1.5
344658 RESPLIT	9413	277	14.66	0.09	0.32	< 0.01	3.24	3.89	0.22	0.01	< 0.01	0.19	71.79	0.07	0.42	4.19	99.09	< 1	942	37.0	7.0
29708 RESPLIT	9413	277	13.85	0.16	2.98	< 0.01	4.23	4.22	2.43	0.30	2.71	0.18	60.09	0.05	0.41	6.94	98.55	< 1	1425	38.5	7.0
29737 RESPLIT	9413	277	14.89	0.18	3.24	< 0.01	4.71	3.32	1.82	0.14	3.05	0.20	60.39	0.08	0.43	6.32	98.77	< 1	1595	36.5	8.0
29946 RESPLIT	9413	277	16.35	0.15	2.27	< 0.01	5.30	5.06	1.22	0.12	0.11	0.20	61.32	0.01	0.48	6.72	99.31	< 1	1395	37.0	9.0
29016 RESPLIT	9413	277	15.71	0.04	2.04	< 0.01	4.72	4.30	2.10	0.16	0.38	0.20	60.83	< 0.01	0.45	8.02	98.95	< 1	549	42.0	8.5
29024 RESPLIT	9413	277	14.92	0.15	2.41	< 0.01	4.60	4.70	2.22	0.19	0.61	0.20	59.89	< 0.01	0.41	8.22	98.52	< 1	1405	37.5	8.0
29157 RESPLIT	9413	277	15.43	0.38	0.41	< 0.01	3.82	9.13	0.60	0.29	0.07	0.16	64.39	< 0.01	0.32	3.78	98.78	< 1	3350	42.5	6.5
29163 RESPLIT	9413	277	13.95	0.27	0.50	< 0.01	4.31	7.61	0.66	0.31	0.08	0.15	66.83	< 0.01	0.28	4.08	99.03	< 1	2480	42.0	6.5
29169 RESPLIT	9413	277	14.49	0.32	1.18	< 0.01	4.23	9.78	0.86	0.30	0.01	0.17	62.73	0.01	0.28	4.52	98.88	< 1	2840	38.5	5.0

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 13-NOV-2001
 Invoice No. : 10128191
 P.O. Number : 21331
 Account : SWY

Project: RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0128191

SAMPLE	PREP		Cs	Cu	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Ni	Pb	Pr	Rb	Sr	Zn
	CODE		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
344570 RESPLIT	9413	277	2.1	20	3.9	2.5	1.2	15	4.3	4	0.9	26.5	0.4	10	22.5	5	15	6.9	63.2	4.9	3
344616 RESPLIT	9413	277	2.0	50	3.4	2.4	0.7	8	3.0	2	0.8	14.0	0.4	4	10.5	5	285	3.1	77.6	2.6	< 1
344658 RESPLIT	9413	277	3.4	25	1.5	0.9	0.9	10	2.6	3	0.3	21.0	0.1	5	17.0	5	55	4.9	86.4	3.9	< 1
29708 RESPLIT	9413	277	2.4	25	2.9	1.8	1.0	15	3.5	2	0.6	21.5	0.3	4	17.0	5	10	5.0	117.0	3.7	< 1
29737 RESPLIT	9413	277	2.6	20	3.0	1.8	1.0	15	3.3	2	0.7	20.5	0.4	5	16.5	5	15	4.9	93.2	3.6	< 1
29946 RESPLIT	9413	277	6.1	25	3.0	2.0	0.9	17	3.5	2	0.7	20.0	0.4	5	16.5	5	15	5.0	138.5	3.7	< 1
29016 RESPLIT	9413	277	5.3	20	3.1	2.0	1.0	17	3.7	2	0.7	27.5	0.4	5	18.5	5	15	5.5	132.5	4.0	< 1
29024 RESPLIT	9413	277	5.3	20	3.1	1.9	1.0	16	3.6	3	0.7	21.0	0.4	5	17.5	5	15	5.1	137.0	3.8	< 1
29157 RESPLIT	9413	277	3.1	25	2.8	1.8	1.0	17	3.3	3	0.6	25.0	0.4	6	18.5	5	205	5.5	284	3.9	< 1
29163 RESPLIT	9413	277	2.8	20	2.4	1.6	0.9	15	3.3	2	0.6	24.0	0.3	6	18.5	5	60	5.5	226	3.6	< 1
29169 RESPLIT	9413	277	2.8	20	2.6	1.8	0.8	15	3.1	3	0.6	22.5	0.3	6	16.5	5	25	5.0	295	3.4	< 1

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: NEWMONT EXPLORATION OF CANADA LIMITED
 C/O LAWSON LUNDELL AND McINTOSH
 1600 - 925 W. GEORGIA ST.
 VANCOUVER, BC
 V6C 3L2

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 13-NOV-2001
 Invoice No. : 10128191
 P.O. Number : 21331
 Account : SWY

Project : RDN
 Comments: ATTN:RICHARD GORTON CC:MIKE STAMMERS

CERTIFICATE OF ANALYSIS A0128191

SAMPLE	PREP CODE	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
344570 RESPLIT	9413 277	240	0.5	0.7	5	< 0.5	0.5	2.5	15	< 1	24.5	2.6	90	226
344616 RESPLIT	9413 277	190.0	< 0.5	0.6	4	< 0.5	0.4	3.0	70	5	22.0	2.3	2310	88.5
344658 RESPLIT	9413 277	602	< 0.5	0.3	6	0.5	0.1	3.0	90	6	7.5	0.8	25	94.5
29708 RESPLIT	9413 277	426	< 0.5	0.5	6	0.5	0.4	3.0	95	1	17.5	1.9	115	86.5
29737 RESPLIT	9413 277	615	< 0.5	0.5	6	< 0.5	0.4	3.5	100	< 1	17.5	2.0	80	86.0
29946 RESPLIT	9413 277	162.5	0.5	0.6	6	0.5	0.4	3.5	115	< 1	18.5	2.3	65	94.5
29016 RESPLIT	9413 277	120.5	< 0.5	0.6	6	0.5	0.4	4.0	180	< 1	18.5	2.1	70	92.5
29024 RESPLIT	9413 277	116.0	< 0.5	0.6	6	< 0.5	0.4	3.5	65	< 1	19.0	2.0	60	97.5
29157 RESPLIT	9413 277	98.2	0.5	0.5	8	1.5	0.4	5.0	70	3	16.5	1.9	840	105.0
29163 RESPLIT	9413 277	72.8	< 0.5	0.5	8	2.0	0.3	4.5	60	6	13.5	1.8	660	94.0
29169 RESPLIT	9413 277	118.0	0.5	0.5	8	2.0	0.4	4.0	65	3	15.5	1.8	370	100.0