


PHYSICAL WORK



REPORT

On The

HV Mineral Claim

Alberni Mining Division

NTS Map Sheet 92 F2E

Co-Ordinates:

North: 5,454,650
East: 374,200

For

Assessment Work

By

Paul Saulnier

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

June 15, 2002
Port Alberni, B.C.

26,919

Table of Contents

	Page No.
Introduction	2
Land Tenure	2
Access and Location	2
Physiography	2
Previous Work	2
Technical Data and Interpretations	2
Recommendations	3
Itemized Cost Statement	4
Statement of Qualifications	5
Maps:	
Mineral Claim Map	Exhibit A
Grid Layouts	Exhibit B
Assay Results	Exhibit C

1.0 INTRODUCTION

The HV mineral claim block was laid out and staked to encompass prospective ground over lying the Sicker Group geological formation. The objective of this physical work program is to locate a copper-gold bearing ore deposit, below the overburden, utilizing the geochemical soil sampling technique, on the present grid system. A total budget of \$1,864.98 was expended to soil sample and assay 48 grid stations and commence mapping the surface rock outcroppings.

2.0 LAND TENURE

The HV mineral claim group was staked by Mr. Paul Saulnier on January 24, 2001 and is presently in good standing. Ten mineral claims were staked by the two-post method and, since, grouped totaling 250 hectares (617 acres).

3.0 ACCESS AND LOCATION

The HV claim group is located, approximately, five kilometers east southeast of the city of Port Alberni on Vancouver Island, B.C. Access to this claim group is via the Egg Hill 105 logging road spur. The 105 Spur, in turn, is five kilometers north on the Cameron main logging road and five kilometers by provincial road east of Port Alberni.

4.0 PHYSIOGRAPHY AND CLIMATE

The Topography, covering the HV claim block, is sloped and rolling ground with a few rock outcroppings and heavy overburden. Sections of the claims have been logged off and seeded with second growth Douglas fir, hemlock and red cedar trees. The logging road system has now been reclaimed.

5.0 PREVIOUS WORK

There has been no previous work documented with the B.C. Ministry of Mines on this claimed area. Historic trenching was located at Grid Station 1 + 050 S – 0 + 305 W. The copper showing located on grid station 0 + 300 – 0 + 225 E appears to be a brand new discovery.

6.0 TECHNICAL DATA AND INTERPRETATION

This new copper discovery appears to be associated with the Sicker Group geological formation at or near the contact with the Karmutsen Formation. The Sicker formation is the host rock for the 30+ million tones copper, silver, lead, zinc mine, at Buttle Lake, located approximately 80 kilometers north westerly on trend.

The soil samples were collected at 25 meter intervals on the present grid system. All samples tested the 'B' horizon; soils contact below the humus and root system.

Most of the soil sampling procedures between the baseline and the old logging road were routine due to the rolling topography and light humus covering. From the road down to the swamp, there is heavy tree slash, thicker vegetation growth and deeper humus covering with a matted tree root system.

The grid sampling lines can be extended through the swamps in the summer months. Although, the thicker humus and mud layer may hamper proper sampling techniques.

Grid Line	Number of Soil Samples
0 + 270 N	12
0 + 240 N	8
0 + 210 N	14
0 + 180 N	<u>14</u>
Total Samples	<u>48</u>

The rock surface showing on the logging road was mapped to correlate to the soil sample grid.

7.0 RECOMMENDATIONS

The results of the soil sample assays, for the grid segment, did not determine any anomalous halos for Cu, Pb, Zn or Gold.

The grid system should be extended and the soil sampling program expanded northward to encompass the Sicker – Karmutsen contacts.

The grid should be extended southward over the quartz diorite intrusive and a soil sampling program commenced.

ITEMIZED COST STATEMENT

June 15, 2002

HV Mineral Claim
Port Alberni Area, B.C.

1. Fees for Service	
3 days @ \$250/day	\$750.00
Assays	\$579.41
Expenses	<u>\$535.57</u>
Total	<u>\$1864.98</u>

STATEMENT OF QUALIFICATIONS

I, Edward F. Skoda, do hereby certify that:

1. I am a contract Mine Technologist with a business address at:
Suite 320 – 1100 Melville Street,
Vancouver, B.C. V6E 4A6
Telephone: (604) 688-3931
Fax: (604) 688-2921

2. My Qualifications are:
 - BCIT, Burnaby Campus 1974-1976
 - 2 year diploma in Business Administration
 - School of Mines, Haileybury, Ontario 1968-71
 - 3 Year diploma in Mining Technology
 - Free Miners Certificate No. 124862
 - Placer and Gravel Supervision No. 98-3396
 - Underground Shift Boss No. 940

3. I have been active in my mining career throughout Canada, U.S.A., Ireland, Australia and New Zealand since 1971.

4. I conducted the soils sampling program on the HV mineral claim for the physical work program May 28 – June 1, 2002.

Edward F. Skoda
June 15, 2002




EXHIBIT A
92 F 2 E

HV 4

D+300N

24	49	18	39	47	25	27	26	17	49	29	57	35	32
48	64	56	58	54	42	62	54	52	62	74	70	58	62

O+240N

16	24	52	8	22	26	26	11	20	49	41	30	25	57
40	54	75	26	62	90	64	98	106	56	52	58	40	32

54	17	28					32		37	32	39	30
60	50	42	4				58		58	74	74	64

180N

47	40	33	56	52	18	32	36	21	46	29	32
18	64	56	58	54	42	62	54	62	52	74	70

GRID LINE O+000 N

HV 6

$$\frac{24}{48} = \frac{\sum U - \text{PPM}}{\sum R - \text{PPM}}$$

SCALE 1:25

92 F R E

EXHIBIT B



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: HENLEY VENTURES INC.

320 - 1100 MELVILLE ST.
 VANCOUVER, BC
 V6E 4A6

Project:
 Comments: ATTN: RICHARD HENLEY

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 18-JUN-02
 Invoice No. : I0217948
 P.O. Number :
 Account : TRC


CERTIFICATE OF ANALYSIS A0217948

SAMPLE	PREP CODE	Weight Kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
BL 0+180N	94069407	0.26	< 0.2	3.22	14	< 10	90	< 0.5	8	0.29	< 0.5	15	50	47	4.35	< 10	< 1	0.03	< 10	0.46
BL 0+180N-0-025E	94069407	0.24	2.0	2.78	12	< 10	90	< 0.5	6	0.30	< 0.5	14	47	40	4.17	< 10	< 1	0.02	< 10	0.41
BL 0+180N-0-050E	94069407	0.26	< 0.2	2.65	12	< 10	70	< 0.5	< 2	0.30	< 0.5	15	44	33	3.98	< 10	< 1	0.03	< 10	0.33
BL 0+180N-0-075E	94069407	0.24	< 0.2	3.23	14	< 10	90	< 0.5	6	0.37	< 0.5	15	53	56	3.89	< 10	< 1	0.03	< 10	0.61
BL 0+180N-0-100E	94069407	0.18	< 0.2	3.14	14	< 10	120	< 0.5	< 2	0.33	< 0.5	14	58	51	3.91	< 10	< 1	0.03	< 10	0.76
BL 0+180N-0-125E	94069407	0.18	< 0.2	1.51	6	< 10	50	< 0.5	< 2	0.24	< 0.5	11	31	18	3.06	< 10	< 1	0.02	< 10	0.28
BL 0+180N-0-150E	94069407	0.22	< 0.2	2.71	12	< 10	120	< 0.5	2	0.25	< 0.5	14	43	32	3.69	< 10	< 1	0.03	< 10	0.47
BL 0+180N-0-175E	94069407	0.30	< 0.2	2.61	14	< 10	90	< 0.5	6	0.35	< 0.5	13	41	36	3.36	< 10	< 1	0.03	< 10	0.46
BL 0+180N-0-200E	94069407	0.18	< 0.2	2.00	12	< 10	70	< 0.5	2	0.27	< 0.5	11	35	21	3.45	< 10	< 1	0.03	< 10	0.38
BL 0+180N-0-225E	94069407	0.22	< 0.2	3.17	24	< 10	60	< 0.5	6	0.28	< 0.5	14	51	46	3.98	< 10	< 1	0.03	< 10	0.64
BL 0+180N-0-250E	94069407	0.20	< 0.2	2.32	12	< 10	70	< 0.5	6	0.25	< 0.5	14	39	29	3.91	< 10	< 1	0.02	< 10	0.35
BL 0+180N-0-275E	94069407	0.22	< 0.2	2.35	16	< 10	70	< 0.5	2	0.25	< 0.5	15	40	31	3.76	< 10	< 1	0.04	< 10	0.28
BL 0+210N	94069407	0.28	< 0.2	3.86	16	< 10	130	< 0.5	6	0.28	< 0.5	15	60	54	4.38	< 10	< 1	0.03	< 10	0.61
BL 0+210N-0-025E	94069407	0.30	< 0.2	2.88	12	< 10	100	< 0.5	< 2	0.30	< 0.5	14	50	47	3.51	< 10	< 1	0.03	< 10	0.52
BL 0+210N-0-050E	94069407	0.24	< 0.2	2.23	12	< 10	70	< 0.5	4	0.27	< 0.5	13	42	28	3.95	< 10	< 1	0.03	< 10	0.36
BL 0+210N-0-175E	94069407	0.20	< 0.2	2.54	14	< 10	140	< 0.5	6	0.29	< 0.5	14	46	32	3.70	< 10	< 1	0.03	< 10	0.43
BL 0+210N-0-225E	94069407	0.28	< 0.2	3.21	18	< 10	120	< 0.5	6	0.20	< 0.5	14	48	37	3.95	< 10	< 1	0.03	< 10	0.50
BL 0+210N-0-250E	94069407	0.18	< 0.2	2.52	14	< 10	90	< 0.5	2	0.23	< 0.5	13	39	31	3.64	< 10	< 1	0.03	< 10	0.34
BL 0+210N-0-275E	94069407	0.16	< 0.2	3.31	12	< 10	80	< 0.5	8	0.24	< 0.5	13	47	39	3.62	< 10	< 1	0.01	< 10	0.41
BL 0+210N-0-300E	94069407	0.18	< 0.2	2.56	14	< 10	70	< 0.5	2	0.25	< 0.5	14	44	30	4.67	< 10	< 1	0.02	< 10	0.30
BL 0+240N	94069407	0.20	< 0.2	1.62	6	< 10	50	< 0.5	2	0.22	< 0.5	8	29	16	2.77	< 10	< 1	0.02	< 10	0.25
BL 0+240N-0-025E	94069407	0.18	< 0.2	2.43	10	< 10	80	< 0.5	6	0.24	< 0.5	12	36	24	3.06	< 10	< 1	0.03	< 10	0.37
BL 0+240N-0-050E	94069407	0.20	< 0.2	3.18	16	< 10	100	< 0.5	2	0.26	< 0.5	14	54	52	3.87	< 10	< 1	0.03	< 10	0.61
BL 0+240N-0-075E	94069407	0.22	< 0.2	0.92	6	< 10	40	< 0.5	2	0.21	< 0.5	7	17	8	1.96	< 10	< 1	0.01	< 10	0.12
BL 0+240N-0-100E	94069407	0.14	< 0.2	1.86	6	< 10	90	< 0.5	2	0.29	< 0.5	13	36	22	3.26	< 10	< 1	0.03	< 10	0.50
BL 0+240N-0-125E	94069407	0.18	< 0.2	2.41	6	< 10	180	< 0.5	2	0.25	< 0.5	15	36	26	3.15	< 10	< 1	0.07	< 10	0.29
BL 0+240N-0-150E	94069407	0.14	< 0.2	1.83	12	< 10	90	< 0.5	2	0.24	< 0.5	13	28	21	3.53	< 10	< 1	0.03	< 10	0.23
BL 0+240N-0-175E	94069407	0.16	< 0.2	2.22	14	< 10	120	< 0.5	2	0.21	< 0.5	23	25	11	5.18	< 10	< 1	0.04	< 10	0.25
BL 0+240N-0-200E	94069407	0.20	0.2	1.89	6	< 10	160	< 0.5	2	0.29	< 0.5	12	20	20	4.28	< 10	< 1	0.04	< 10	0.26
BL 0+240N-0-225E	94069407	0.24	0.2	2.47	14	< 10	310	< 0.5	8	0.49	< 0.5	13	60	49	3.75	< 10	< 1	0.03	< 10	0.81
BL 0+240N-0-250E	94069407	0.20	< 0.2	2.81	14	< 10	140	< 0.5	4	0.42	< 0.5	13	46	41	3.58	< 10	< 1	0.03	< 10	0.56
BL 0+240N-0-275E	94069407	0.14	< 0.2	2.65	12	< 10	90	< 0.5	< 2	0.26	< 0.5	14	45	30	3.93	< 10	< 1	0.05	< 10	0.31
BL 0+240N-0-300E	94069407	0.20	< 0.2	1.97	8	< 10	80	< 0.5	2	0.24	< 0.5	11	37	25	3.56	< 10	< 1	0.03	< 10	0.26
BL 0+240N-0-325E	94069407	0.20	0.6	2.38	10	< 10	80	< 0.5	< 2	0.49	< 0.5	12	50	57	2.95	< 10	< 1	0.01	< 10	0.45
BL 0+270N	94069407	0.18	< 0.2	2.51	12	< 10	80	< 0.5	4	0.20	< 0.5	11	36	24	2.92	< 10	< 1	0.01	< 10	0.27
BL 0+270N-0-025E	94069407	0.22	< 0.2	4.46	14	< 10	30	< 0.5	< 2	0.19	< 0.5	15	58	49	3.75	< 10	< 1	0.02	< 10	0.39
BL 0+270N-0-050E	94069407	0.24	< 0.2	2.01	10	< 10	30	< 0.5	2	0.22	< 0.5	10	27	18	2.92	< 10	< 1	0.03	< 10	0.22
BL 0+270N-0-075E	94069407	0.18	0.2	3.14	16	< 10	70	< 0.5	2	0.24	< 0.5	14	47	39	3.71	< 10	< 1	0.02	< 10	0.49
BL 0+270N-0-100E	94069407	0.20	< 0.2	3.70	16	< 10	50	< 0.5	10	0.21	< 0.5	15	49	47	4.28	< 10	< 1	0.02	< 10	0.42
BL 0+270N-0-125E	94069407	0.14	< 0.2	3.20	10	< 10	80	< 0.5	< 2	0.23	< 0.5	13	37	25	3.35	< 10	< 1	0.03	< 10	0.35

CERTIFICATION: EXHIBIT C

ALS-CHEMEX LABS Alpha-FAX2

PAGE 002



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: HENLEY VENTURES INC.

320 - 1100 MELVILLE ST.
 VANCOUVER, BC
 V6E 4A6

Project:
 Comments: ATTN: RICHARD HENLEY

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 18-JUN-02
 Invoice No. : 10217948
 P. O. Number :
 Account : TRC

CERTIFICATE OF ANALYSIS A0217948

SAMPLE	PREP CODE	Weight Kg	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hf ppm	K %	La ppm	Mg %
BL 0+270N-0+150E	94069407	0.16	0.2	3.23	8	< 10	70	< 0.5	< 2	0.20	< 0.5	11	31	27	3.98	< 10	< 1	0.03	< 10	0.31
BL 0+270N-0+175E	94069407	0.18	0.2	3.19	4	< 10	70	< 0.5	< 2	0.23	< 0.5	12	28	26	4.15	< 10	< 1	0.03	< 10	0.25
BL 0+270N-0+200E	94069407	0.22	0.2	2.42	6	< 10	140	< 0.5	< 2	0.34	< 0.5	18	20	17	4.53	< 10	< 1	0.03	< 10	0.33
BL 0+270N-0+225E	94069407	0.20	0.2	3.52	14	< 10	190	< 0.5	< 2	0.51	< 0.5	14	48	49	3.72	< 10	< 1	0.04	< 10	0.68
BL 0+270N-0+250E	94069407	0.20	< 0.2	2.59	8	< 10	80	< 0.5	2	0.29	< 0.5	10	36	29	3.53	< 10	< 1	0.03	< 10	0.37
BL 0+270N-0+275E	94069407	0.22	< 0.2	4.43	2	< 10	90	< 0.5	< 2	0.26	< 0.5	15	54	57	4.34	< 10	< 1	0.04	< 10	0.60
BL 0+270N-0+300E	94069407	0.18	< 0.2	2.82	4	< 10	80	< 0.5	< 2	0.29	< 0.5	11	37	35	3.47	< 10	< 1	0.03	< 10	0.36
BL 0+270N-0+325E	94069407	0.20	< 0.2	3.10	12	< 10	70	< 0.5	< 2	0.22	< 0.5	16	38	32	4.69	< 10	1	0.03	< 10	0.30

ALSCHEMEX LABS Alpha-FAX2

PAGE 004

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: HENLEY VENTURES INC.

320 - 1100 MELVILLE ST.
 VANCOUVER, BC
 V6E 4A6

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 18-JUN-02
 Invoice No. : 10217948
 P.O. Number :
 Account : TRC

Project :
 Comments: ATTN: RICHARD HENLEY

CERTIFICATE OF ANALYSIS A0217948

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BL 0+180N	94069407	260	< 1	0.01	32	380	< 2	0.01	< 2	4	11	0.23	< 10	< 10	145	< 10	48
BL 0+180N-0+025E9	4069407	415	< 1	0.01	27	610	< 2	0.01	< 2	4	12	0.20	< 10	< 10	136	< 10	64
BL 0+180N-0+050E9	4069407	620	< 1	0.01	24	590	< 2	0.01	< 2	4	12	0.22	< 10	< 10	130	< 10	56
BL 0+180N-0+075E9	4069407	485	< 1	0.01	32	500	< 2	0.01	< 2	8	14	0.21	< 10	< 10	126	< 10	56
BL 0+180N-0+100E9	4069407	315	< 1	0.01	33	310	< 2	0.01	< 2	7	16	0.17	< 10	< 10	123	< 10	54
BL 0+180N-0+125E9	4069407	785	< 1	0.01	15	480	< 2	0.01	< 2	3	9	0.13	< 10	< 10	96	< 10	42
BL 0+180N-0+150E9	4069407	715	< 1	0.01	26	490	< 2	0.01	< 2	4	10	0.15	< 10	< 10	115	< 10	62
BL 0+180N-0+175E9	4069407	730	< 1	0.01	24	490	< 2	0.01	< 2	5	14	0.16	< 10	< 10	110	< 10	54
BL 0+180N-0+200E9	4069407	355	< 1	0.01	18	470	< 2	0.01	< 2	3	11	0.16	< 10	< 10	105	< 10	52
BL 0+180N-0+225E9	4069407	415	1	0.01	33	470	< 2	0.01	< 2	6	10	0.20	< 10	< 10	119	< 10	62
BL 0+180N-0+250E9	4069407	1000	1	0.01	22	670	< 2	0.01	< 2	4	10	0.18	< 10	< 10	108	< 10	74
BL 0+180N-0+275E9	4069407	1025	1	0.01	22	590	< 2	0.02	< 2	4	10	0.16	< 10	< 10	109	< 10	70
BL 0+210N	94069407	290	< 1	0.01	35	560	< 2	0.01	< 2	6	12	0.24	< 10	< 10	150	< 10	60
BL 0+210N-0+025E9	4069407	465	< 1	0.01	28	480	< 2	0.01	< 2	7	13	0.20	< 10	< 10	123	< 10	50
BL 0+210N-0+050E9	4069407	440	< 1	0.01	20	430	< 2	0.01	< 2	3	12	0.15	< 10	< 10	129	< 10	42
BL 0+210N-0+175E9	4069407	985	< 1	0.01	26	430	< 2	0.01	< 2	5	13	0.15	< 10	< 10	115	< 10	58
BL 0+210N-0+225E9	4069407	325	< 1	0.01	29	500	< 2	0.01	2	7	8	0.18	< 10	< 10	118	< 10	58
BL 0+210N-0+250E9	4069407	755	< 1	0.01	25	650	< 2	0.01	< 2	3	8	0.17	< 10	< 10	105	< 10	74
BL 0+210N-0+275E9	4069407	395	< 1	0.01	25	510	< 2	0.01	< 2	5	8	0.18	< 10	< 10	104	< 10	44
BL 0+210N-0+300E9	4069407	415	1	0.01	22	570	< 2	0.01	< 2	3	9	0.20	< 10	< 10	140	< 10	64
BL 0+240N	94069407	225	< 1	0.01	13	490	< 2	0.01	< 2	1	8	0.12	< 10	< 10	86	< 10	40
BL 0+240N-0+025E9	4069407	715	< 1	0.01	22	580	< 2	0.01	< 2	3	9	0.16	< 10	< 10	95	< 10	54
BL 0+240N-0+050E9	4069407	305	1	0.01	31	400	< 2	0.01	2	9	10	0.23	< 10	< 10	133	< 10	46
BL 0+240N-0+075E9	4069407	240	< 1	0.01	6	210	< 2	0.01	< 2	1	8	0.10	< 10	< 10	67	< 10	26
BL 0+240N-0+100E9	4069407	865	< 1	0.01	22	420	< 2	0.01	< 2	4	11	0.08	< 10	< 10	86	< 10	62
BL 0+240N-0+125E9	4069407	2060	< 1	0.01	21	1260	< 2	0.01	< 2	4	13	0.11	< 10	< 10	91	< 10	90
BL 0+240N-0+150E9	4069407	2320	< 1	0.01	13	980	< 2	0.01	< 2	4	12	0.21	< 10	< 10	119	< 10	64
BL 0+240N-0+175E9	4069407	2940	< 1	0.01	11	1450	< 2	0.01	< 2	4	13	0.29	< 10	< 10	122	< 10	98
BL 0+240N-0+200E9	4069407	1505	< 1	0.01	12	1200	< 2	0.01	< 2	3	12	0.03	< 10	< 10	114	< 10	106
BL 0+240N-0+225E9	4069407	490	< 1	0.01	30	320	< 2	0.01	< 2	13	21	0.13	< 10	< 10	110	< 10	56
BL 0+240N-0+250E9	4069407	515	< 1	0.01	28	460	< 2	0.01	< 2	6	19	0.16	< 10	< 10	110	< 10	52
BL 0+240N-0+275E9	4069407	830	< 1	0.02	23	710	< 2	0.01	< 2	4	12	0.20	< 10	< 10	129	< 10	58
BL 0+240N-0+300E9	4069407	920	< 1	0.01	17	420	< 2	0.01	< 2	3	10	0.14	< 10	< 10	113	< 10	40
BL 0+240N-0+325E9	4069407	1165	1	0.01	23	470	< 2	0.03	< 2	7	19	0.11	< 10	< 10	95	< 10	32
BL 0+270N	94069407	370	< 1	0.01	19	510	< 2	0.01	< 2	3	7	0.16	< 10	< 10	91	< 10	46
BL 0+270N-0+025E9	4069407	460	< 1	0.01	30	860	< 2	0.01	< 2	4	7	0.21	< 10	< 10	123	< 10	50
BL 0+270N-0+050E9	4069407	875	< 1	0.01	13	610	< 2	0.01	< 2	3	8	0.15	< 10	< 10	87	< 10	52
BL 0+270N-0+075E9	4069407	395	< 1	0.01	25	480	< 2	0.01	< 2	5	8	0.23	< 10	< 10	122	< 10	46
BL 0+270N-0+100E9	4069407	810	< 1	0.01	23	1000	< 2	0.01	< 2	4	7	0.23	< 10	< 10	138	< 10	48
BL 0+270N-0+125E9	4069407	535	< 1	0.01	19	1250	< 2	0.01	2	3	8	0.21	< 10	< 10	107	< 10	68

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: HENLEY VENTURES INC.

320 - 1100 MELVILLE ST.
 VANCOUVER, BC
 V6E 4A8

Project:
 Comments: ATTN: RICHARD HENLEY

Page Number : 2-B
 Total Pages : 2
 Certificate Date: 18-JUN-02
 Invoice No. : 0217948
 P.O. Number :
 Account : TRC

CERTIFICATE OF ANALYSIS A0217948

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BL 0+270N-0+150E	94069407	510	< 1	0.01	16	860	10	0.01	6	4	11	0.21	< 10	< 10	126	< 10	50
BL 0+270N-0+175E	94069407	460	< 1	0.01	13	940	6	0.01	< 2	5	16	0.27	< 10	< 10	133	< 10	50
BL 0+270N-0+200E	94069407	1085	1	0.01	11	780	10	0.01	< 2	5	23	0.24	< 10	< 10	152	< 10	66
BL 0+270N-0+225E	94069407	620	< 1	0.01	35	530	2	0.01	< 2	9	26	0.15	< 10	< 10	113	< 10	52
BL 0+270N-0+250E	94069407	335	< 1	0.01	19	640	8	0.01	< 2	4	14	0.16	< 10	< 10	109	< 10	54
BL 0+270N-0+275E	94069407	285	< 1	0.01	34	470	4	0.01	< 2	7	13	0.21	< 10	< 10	139	< 10	56
BL 0+270N-0+300E	94069407	725	< 1	0.01	21	1300	6	< 0.01	< 2	5	12	0.17	< 10	< 10	107	< 10	58
BL 0+270N-0+325E	94069407	940	1	0.01	20	720	6	0.01	< 2	5	11	0.15	< 10	< 10	124	< 10	62