

MINERAL TITLES BRANCH Rec'd. DEC 16 2002 L.I.# _____ File _____ VANCOUVER, B.C.
--

GEOCHEMICAL REPORT
Spirit Dream, HD & SD Mineral Claims
Wildhorse Creek Area,
Fort Steele Mining Division
TRIM 82G/073 , 82G063
Lat.: 49 44' N ; Long. 115 34' E

Owner: Brian Kostiuk
514 - 13th Ave .S.
Cranbrook , B.C. V1C 2W4

By : G.Rodgers, P.Eng. and C. Kennedy
P.O. Box 63,
Skookumchuck, B.C. V0B 2E0

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

26,976

1.0 INTRODUCTION

1.10 LOCATION AND ACCESS

The Spirit Dream property is located 15 km northeast of Fort Steele B.C. in the Fort Steele Mining Division (see fig.1). The property is centered on Lat.49 44', Long.115 34' (NTS 082G073 and 082G063). The property is accessed by the Wildhorse Creek secondary road from Fort Steele. Most of the property is accessible by foot..

1.20 HISTORY

This area has been held under tenure by mining companies and individuals throughout the past 120 years. The area contains old workings &/or showings and was the site of the largest goldrush in the Kootenays in the 1880's-1890's with the Wildhorse Creek producing a reported 1 million ounces of placer gold. The ghost town site of Fisherville is located 5 km west of the property and had at one time 6,000 residents.

1.30 PROPERTY

The following table lists the claims that comprise the Spirit Dream Property.


Record#	NAME	DATE of EXPIRY	#of units
377538,	SPIRIT DREAM 1,	Good Standing 2003.06.25,	1,unit
377539,	SPIRIT DREAM 2,	Good Standing 2003.06.25,	1,unit
377540,	SPIRIT DREAM 3,	Good Standing 2003.06.25,	1,unit
377541,	SPIRIT DREAM 4,	Good Standing 2003.06.25,	1,unit
378588,	SD 1,	Good Standing 2003.06.25,	1,unit
378589,	SD 2,	Good Standing 2003.06.25,	1,unit
378590,	SD 3,	Good Standing 2003.06.25,	1,unit
378591,	SD 4,	Good Standing 2003.06.25,	1,unit
378592,	SD 5,	Good Standing 2003.06.25,	1,unit
378593,	SD 6,	Good Standing 2003.06.25,	1,unit
387558,	SD 7,	Good Standing 2003.06.25,	1,unit

continued.....

387559, SD 8,	Good Standing 2003.06.25, 1,unit
387560, SD 9,	Good Standing 2003.06.25, 1,unit
387561, SD 10,	Good Standing 2003.06.25, 1,unit
387562, SD 11,	Good Standing 2003.06.25, 1,unit
387563, SD 12,	Good Standing 2003.06.25, 1,unit
387564, HD 1,	Good Standing 2003.06.25, 1,unit
387565, HD 2,	Good Standing 2003.06.25, 1,unit
387566, HD 3,	Good Standing 2003.06.25, 1,unit
387567, HD 4,	Good Standing 2003.06.25, 1,unit
387568, HD 5,	Good Standing 2003.06.25, 1,unit
387569, HD 6,	Good Standing 2003.06.25, 1,unit

1.40 PHYSIOGRAPHY

The Spirit Dream Property is located in the Rocky Mountain Range. Elevation ranges from 1600 to 2500 meters, topography varies from gentle and moderate wooded slopes to steep rocky slopes. The climate is moderate with temperature extremes ranging from 35 to -40 degrees Celsius. Snow coverage is from early November to early June. Forests on the property are composed of pine, fir, larch, and balsam. Some areas of the claim block have been clear-cut logged and are in various stages of regeneration. The Wildhorse Creek runs through the middle of the property.



SPIRIT DREAM PROPERTY	
PROPERTY LOCATION MAP	
Map Reference:	Scale: 1:125,000

SPIRIT DREAM PROPERTY



FIGURE 1





Figure 2.--Regional geology map of the Purcell Supergroup, Southeastern British Columbia.



FIG. 3
CLAIM MAP
1:20,000



2.0 GEOCHEMISTRY RESULTS

Figure 4 shows rock sample locations. A total of 46 rock samples were chipped from bedrock using sledge-hammers. Samples were sent to ACME Laboratories Ltd. in Vancouver for geochemical analysis. After drying, crushing and splitting, a 0.5 gm sample was leached by aqua-regia for one hour, then analyzed by ICP-ES. Gold was done "ignition by acid leached" and analyzed by ICP. Sampling was concentrated at the north End of the claim block. Many samples gave anomalous values for gold (see Appendix I for details). The following page gives descriptions of the rock samples.

Of the 46 samples collected 16 were greater than 100ppb gold, of these four samples contained gold in excess of one gram/tonne. Sample# SD-35 contained the highest gold (10.8 grams/tonne)The highest gold values came from quartz veins up to 2" wide but the most significant result is that very anomalous gold values were found within brecciated turbidite units within the Middle Aldridge equivalent sediments. These turbidite units are flat lying and up to several meters thick. There is potential here for a larger tonnage gold deposit.

3.0 CONCLUSION AND RECOMMENDATIONS

The initial sampling has provided encouragement as greater than 100ppb gold was contained in samples throughout the property. The highest gold values came from quartz veins up to 2" wide but the most significant result is that very anomalous gold values were found within brecciated turbidite units within the Middle Aldridge equivalent sediments. These turbidite units are flat lying and up to several meters thick. There is potential here for a larger tonnage gold deposit.


Soil sampling should be done over the overburden covered areas as there is little information is available for these areas. The other feature high-lighted by the geochemistry is that the brecciated turbidite units within the quartzite units host gold. These are large and offer a large target for drilling. The gold here is in discrete breccia zones associated with micro-quartz (fishnet type) quartz veining. A more intensive rock geochem program should be undertaken within the areas of the turbidite breccias.

Geological mapping at 1:10,000 scale should be done asap. Small soil sampling grids should be done over areas of interest with any gold value over 50ppb to be followed up possibly with trenching. Diamond drilling of the anomalous zones is recommended. Detailed geological mapping of known gold bearing areas should be completed prior to a drill program being started.

FIG. 4
SAMPLE LOCATIONS

1:20,000


+ GOLD VALUES PLOTTED IN PPB



SPiRiT DREAM ROCK GEO-CHEM SAMPLE DESCRIPTIONS

SD-03-

- 01 - 2 M altered felsic dike (Judy W) Lim + quartz
 - 02 - Same as above more greenish
 - 03 - Narrow quartz vein green mica - lim
 - 04 - Felsic (Judy W) micro veins some lim
 - 05 - Narrow quartz vein some Lim Wad
 - 06 - Orange altered intrusive quartz with lim
 - 07 - Marker? Silicified diss pyrite - Very hard
 - 08 - Breccia micro - macro veining Limonite
 - 09 - Breccia quartz lim - carbonate, Mn on fr.
 - 10 - Lim rich (ribbon) narrow quartz vein
 - 11 - Narrow vein with py + Lim (hesgang)
 - 12 - Same as above - more gash veining
 - 13 - narrow quartz vein in Grand-diorite Pbs Cupy
 - 14 - Narrow Str. with narrow quartz vein lim + py
-
- 15 - Limonitic quartz (hem + Mag?)
 - 16 - Breccia little veins lim - pink color
 - 17 - Same as above
 - 18 - Argillite vein lots of py.
 - 19 - Good quartz breccia Lim - Mag + hem
 - 20 - Same as above
 - 21 - Bedrock - Breccia quartz + lim - hem + Mag?
 - 22 - 2" quartz vein in grey green argillite lim + hem
- } Float
-
- 23 - Quartz breccia lim + py - 1ft wide (also) carbonate
 - 24 - Qtz stockwork fine py some hem color
 - 25 - Quartz breccia carbonate lim some purple color
 - 26 - Same as above
 - 27 - Same as above
 - 28 - Quartz veins in altered sed (Lesgang)
 - 29 - Same as above
 - 30 - Qtz breccia NE NW intersection fr. little Post
lim and quartz Vg
 - 31 - Narrow flat vein (?) abundant Cupy
 - 32 - Subcrop Qtz vein 2" wide black limonite carbonate
Vg
 - 33 - Qtz breccia 3ft wide qtz veins with Carb + lim
 - 34 - Qtz sub breccia some carb - lim and Cupy
 - 35 - 1" qtz vein vugs + lim same zone as above
 - 36 - Old working in argillite quant 1ft⁺ Lim + Carb
Intrusive
 - 37 - Qtz Lim + py Lesgang sed orange rust
crystalline quartz some Mn - scicite
 - 38 - Same as above
 - 39 - Same as above
 - 40 - Same as above
 - 41 - hesgang very little quartz fr. with lim (Classic)
 - 42 - narrow NW str. some quartz lim + Carb.
 - 43 - 10" bedding = quartz vein in argillite lim + Carb
 - 44 - hesgang zone some quartz + lim (could be Str.)



5.0 STATEMENT OF QUALIFICATIONS

Authors Qualifications


As co-author of this report, I , Craig Kennedy certify that:

1. I am an independent prospector residing at #2290 DeWolfe Avenue, Kimberely, BC.
2. I have been actively prospecting in the East Kootenay district of BC for the past 25 years, and have made my living solely by prospecting for the past 10 years.
3. I have been employed as a professional prospector by junior mineral exploration companies.
4. I own and maintain mineral claims in BC, and have optioned claims to exploration companies.

Craig Kennedy

As co-author of this report, I Glen Rodgers certify that;

1. I am a graduate (1977) of the University of Manitoba with a BSc. Degree in Geological Engineering.
 1. I have practiced my profession continually since graduation by working for mining and mineral exploration companies throughout North America.
 2. I have authored this report for myself and for Greg Ewonus and do not expect to receive shares in any mining company as a result of writing this report




4.0 STATEMENT OF COSTS

Prospecting Services:	
Craig Kennedy (6 man days @ \$300./day)	\$ 1800.
Supervision / mapping / sampling (Glen Rodgers,P.Eng. 1 days @ \$400./day)	.\$ 400.
4x4 truck (6 days @ \$50./day)	\$ 300.
Assaying (Acme Labs)	\$ 900.
Report writing (G.Rodgers....1 day)	\$ 400.
Office and Field supplies (bags, flagging, copying, etc.)	.\$ 50.

TOTAL = \$ 3,850.

Certified as a true approximation of costs incurred,


(G.M.Rodgers, P.Eng.)

Appendix I



GEOCHEMICAL ANALYSIS CERTIFICATE



Kootenay Geo-Services Ltd. File # A201402 Page 1

P.O. Box 63, Skookumchuck BC V0B 2E0 Submitted by: C. Kennedy

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Au* ppb		
SI	1	1	<3	<1	<.3	3	<1	8	.05	2	<8	<2	<2	3	<.2	<3	<3	<1	.16<.001	1	3	.02	6<.01	<3	.01	.70<.01	<2	<.2					
SD-02-01	<1	17	25	134	.3	106	41	1375	8.23	19	10	<2	4	85	.7	10	<3	212	1.45	.119	20	218	4.41	40	.01	<3	4.56	.03	.04	<2	3.0		
SD-02-02	1	45	14	101	<.3	92	40	896	6.29	3	13	<2	2	202	.4	3	<3	189	3.55	.207	29	145	4.31	22	.03	<3	4.06	.05	.01	<2	1.1		
SD-02-03	5	15	55	20	.3	14	7	425	2.27	13	<8	<2	3	5	<.2	<3	<3	2	.04	.013	7	27	.06	23<.01	<3	.19	.02	.09	13	3.4			
SD-02-04	1	128	16	65	<.3	274	41	1426	7.61	43	<8	<2	<2	66	.4	<3	<3	80	4.86	.139	23	198	1.68	108	.02	<3	2.64	.02	.14	<2	1.2		
SD-02-05	9	34	19	155	<.3	32	5	492	5.16	21	<8	<2	<2	6	<.2	14	<3	7	.08	.034	2	28	.11	23<.01	<3	.09	.02<.01	11	1.6				
SD-02-06	1	7	8	67	<.3	94	40	1149	6.55	117	16	<2	2	211	.2	7	<3	21	3.44	.117	14	31	2.74	51	.01	<3	.40	.03	.20	<2	1.2		
SD-02-07	3	5	7	29	<.3	13	2	74	1.94	12	<8	<2	5	13	<.2	<3	<3	29	.11	.057	19	47	1.16	6	.01	<3	1.16	.08	.03	2	1.1		
SD-02-08	4	7	18	20	<.3	10	4	71	3.83	20	<8	<2	4	9	<.2	<3	<3	9	.01	.038	10	14	.07	19<.01	<3	.39	.07	.06	<2	4.7			
SD-02-09	2	18	28	26	<.3	22	9	317	2.91	4	<8	<2	<2	7	<.2	<3	<3	3	.06	.033	1	34	.03	11<.01	<3	.14	.05	.02	4	.9			
SD-02-10	26	18	26	14	2.6	10	3	119	2.03	4	<8	<2	6	7	<.2	<3	<3	5	.01	.007	28	45	.01	14<.01	<3	.17	.08	.04	5	893.5			
RE SD-02-10	26	19	25	13	2.3	8	3	116	1.99	4	9	<2	5	6	.2	<3	<3	4	.01	.007	28	44	.01	12<.01	<3	.17	.08	.03	3	910.9			
SD-02-11	3	13	23	34	.3	9	4	378	1.24	2	11	<2	5	12	<.2	<3	<3	1	1.08	.016	16	21	.04	23<.01	<3	.16	.04	.09	12	32.0			
SD-02-12	2	8	7	9	.4	10	8	312	3.75	17	<8	<2	5	3	<.2	<3	<3	3	.02	.006	11	44	.02	23<.01	<3	.13	.04	.07	5	177.5			
SD-02-13	1	102	70	77	.7	119	31	929	4.38	7	15	<2	3	360	.6	3	<3	82	7.20	.045	12	210	3.23	77	.06	<3	2.87	.03	.09	<2	3.5		
SD-02-14	2	8	7	20	<.3	11	9	389	1.75	12	8	<2	7	6	<.2	<3	3	4	.07	.019	29	30	.10	51<.01	<3	.53	.04	.18	<2	5.3			
SD-02-15	18	9	22	37	<.3	9	4	285	3.51	25	<8	<2	4	11	.2	<3	<3	3	.08	.041	12	21	.06	29<.01	<3	.23	.06	.09	6	21.2			
SD-02-16	2	15	3	15	.4	9	4	636	1.95	2	<8	<2	5	53	<.2	<3	<3	2	.88	.019	13	20	.35	109	.01	<3	.19	.08	.09	<2	125.8		
SD-02-17	5	88	118	19	1.0	18	14	554	2.86	8	<8	<2	5	15	<.2	<3	5	1	.15	.026	15	18	.08	63<.01	<3	.18	.05	.08	10	149.2			
SD-02-18	6	22	61	8	.5	9	5	111	3.25	25	<8	<2	8	11	<.2	<3	<3	5	.02	.023	17	18	.06	59<.01	<3	.47	.05	.30	<2	4.9			
SD-02-19	3	7	7	12	.3	9	5	795	2.17	2	<8	<2	7	34	<.2	<3	<3	1	.26	.020	21	18	.12	26<.01	<3	.14	.10	.01	12	156.6			
SD-02-20	2	16	49	28	.8	7	3	305	2.74	4	<8	<2	8	12	<.2	<3	<3	2	.03	.015	18	23	.02	27<.01	<3	.19	.12	.04	4	104.4			
SD-02-21	5	10	13	37	<.3	20	9	820	7.01	2	<8	<2	8	12	<.2	<3	<3	3	.08	.053	12	15	.25	94	.01	<3	.29	.03	.23	4	63.5		
SD-02-22	4	13	<3	58	.5	10	7	442	6.37	<2	<8	3	10	11	<.2	<3	<3	10	.06	.047	20	31	.03	64<.01	<3	.32	.06	.18	2	7695.3			
LL-20	57	116	30191	52	132.3	10	2	89	.49	59	<8	<2	2	60	80.7	135	<3	1	.19	.019	1	29	.10	27<.01	3	.04	.01	.02	16	472.4			
LL-21	44	4647	1240	423	140.6	6	1	125	.66	1165	<8	4	<2	54	32.0	1841	<3	4	.90	.009	2	56	.43	8<.01	<3	.02	.02	.02	6	3855.2			
LL-22	30	50	15844	9	10.5	7	1	63	.45	<2	<8	<2	2	3	3.9	19	<3	<1	.01	.001	1	38	<.01	7<.01	<3	.01	.01<.01	21	24.0				
LL-23	4	29	87	47	.9	5	4	764	2.31	9	<8	<2	3	32	3.0	9	<3	4	.41	.050	18	12	.04	83<.01	<3	.28	.07	.17	<2	397.9			
LL-24	5	3448	76	5	1.1	14	19	102	1.11	27	<8	<2	2	6	<.2	<3	<3	<1	.08<.001	<1	29	.05	6<.01	<3	.03	.01	.02	16	28.9				
LL-25	98	40	249	135	.5	8	4	688	1.47	6	10	<2	<2	211	1.7	7	<3	15	3.69	.028	3	40	2.03	7<.01	4	.03	.01	.04	2	17.0			
LL-101	4	530	112	2117	2.2	4	15	88	4.35	19	<8	<2	6	14	4.5	<3	<3	3	.06	.049	26	5	.04	52<.01	<3	.45	.06	.19	<2	56.9			
LL-102	1	88	113	501	32.5	3	5	31	1.38	4	11	<2	6	39	1.0	<3	<3	2	.09	.021	26	10	.03	153<.01	<3	.31	.06	.29	4	178.0			
LL-103	17	3352	26240	15545	62.9	19	83	285	32.96	3154	<8	<2	8	27	29.0	226	157	<1	.05	.001	3	10	.01	22<.01	<3	.68<.01	.06	2	681.0				
LL-104	2	1504	820	105	7.3	3	2	38	1.43	37	<8	<2	<2	3	.2	<3	<3	1	.01	.001	1	61	.01	4<.01	<3	.02	.02	.01	4	37.8			
STANDARD DS3	11	130	33	152	.4	34	11	784	3.02	33	<8	<2	4	26	5.3	6	6	72	.52	.086	17	172	.56	140	.08	<3	1.71	.04	.15	3	22.0		

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U & B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPM
 - SAMPLE TYPE: ROCK R150 60C AU* IGNITION BY ACID LEACHED, ANALYZE BY ICP-MS. (10 gm)
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: MAY 23 2002 DATE REPORT MAILED: June 3/02 SIGNED BY: [Signature] D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE



Rodgers, Glen File # A201788

P.O. Box 63, Skookumchuk BC V0B 2B0 Submitted by: Glen Rodgers

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
SI	1	<1	<3	4	<3	1	<1	9	.04	<2	<8	<2	<2	2	<2	<3	<3	<1	.09	<.001	<1	3	<.01	1	<.01	<3	.01	.42	<.01	<2	.2
WE-02-01	5	67	70	15	.8	4	1	97	1.31	<2	<8	4	7	2	<2	3	3	6	.01	.011	20	20	.02	41	<.01	<3	.21	.03	.16	6	2868.5
WE-02-02	2	59	34	48	1.8	14	13	272	3.74	2	<8	25	5	5	.3	6	<3	6	<.01	.021	15	54	.01	41	<.01	<3	.33	.04	.11	<2	7053.6
WE-02-03	5	89	42	89	.4	14	8	212	4.77	2	<8	3	6	3	.4	8	<3	6	<.01	.030	13	23	.01	30	<.01	<3	.24	.02	.10	9	3324.6
WE-02-04	2	38	149	11	.5	4	2	217	1.01	<2	<8	<2	2	12	<2	<3	<3	4	<.01	.009	6	66	<.01	1659	<.01	<3	.09	.02	.07	2	776.7
WE-02-05	3	71	500	9	4.8	5	<1	55	1.42	<2	<8	11	6	2	<2	4	14	6	<.01	.013	22	27	.01	264	<.01	<3	.15	.02	.20	8	10059.1
SD-02-23	2	10	12	21	<.3	12	4	687	3.64	<2	<8	<2	4	105	<2	<3	<3	4	1.70	.017	8	47	.72	30	<.01	4	.19	.06	.11	<2	25.0
SD-02-24	2	8	48	11	.3	17	8	196	2.59	23	<8	<2	6	11	<2	4	<3	3	.11	.012	18	13	.06	37	<.01	<3	.27	.08	.14	3	144.0
SD-02-25	2	59	39	34	<.3	20	9	673	4.23	16	<8	<2	4	6	<2	3	<3	4	.02	.019	10	56	.03	8	<.01	<3	.18	.12	.01	2	17.0
SD-02-26	4	21	16	26	<.3	17	6	540	3.01	13	<8	<2	7	7	<2	3	<3	5	.05	.019	17	20	.03	14	<.01	3	.17	.11	.03	6	52.9
SD-02-27	2	75	67	124	.3	28	13	1362	8.45	5	<8	<2	5	6	<2	3	<3	6	.02	.016	8	50	.07	24	<.01	<3	.14	.03	.07	<2	9.4
SD-02-28	3	4	5	10	<.3	10	3	629	2.26	6	<8	<2	4	10	<2	<3	<3	3	.03	.022	14	20	.01	38	<.01	<3	.20	.11	.02	7	146.2
SD-02-29	1	6	4	19	<.3	7	4	457	1.85	<2	<8	<2	7	7	<2	<3	<3	4	.02	.016	19	47	.01	39	<.01	<3	.20	.08	.06	<2	25.4
SD-02-30	3	14	4	13	<.3	9	4	406	2.25	2	<8	<2	7	6	<2	<3	<3	1	.04	.025	16	22	.02	26	<.01	<3	.16	.07	.05	8	1004.2
RE SD-02-30	4	16	5	14	<.3	10	4	425	2.37	<2	<8	<2	7	6	<2	<3	<3	1	.05	.026	17	22	.02	29	<.01	<3	.17	.07	.05	8	858.4
SD-02-31	1	786	24	149	.4	17	6	1753	5.69	11	<8	<2	2	69	.4	<3	<3	3	.74	.012	3	80	.38	30	<.01	3	.08	.02	.02	4	161.1
SD-02-32	3	5	7	19	<.3	9	7	731	2.09	2	<8	<2	13	13	.3	<3	<3	5	.03	.023	31	24	.01	1799	<.01	<3	.22	.05	.10	8	1932.9
SD-02-33	1	53	7	46	<.3	16	9	1021	2.02	3	<8	<2	7	8	<2	<3	<3	3	.01	.022	24	39	.01	67	<.01	<3	.27	.13	.03	<2	130.0
SD-02-34	3	1290	<3	21	<.3	8	3	1238	2.18	10	<8	<2	3	95	.3	<3	<3	7	4.76	.008	6	18	2.20	20	<.01	<3	.08	.04	.01	5	36.4
SD-02-35	21	466	186	17	7.5	7	2	89	1.99	5	<8	9	7	6	<2	<3	12	6	.03	.006	21	64	.02	22	<.01	3	.18	.07	.08	2	10858.3
SD-02-36	5	20	4	25	<.3	30	7	1023	4.88	<2	<8	<2	2	7	<2	3	<3	4	.03	.019	2	30	.04	5	<.01	<3	.07	.03	.01	12	25.0
SD-02-37	1	5	3	12	<.3	9	4	115	1.64	2	<8	<2	7	10	<2	<3	<3	4	.10	.013	20	37	.04	28	<.01	<3	.24	.09	.11	<2	25.8
SD-02-38	2	5	4	14	<.3	9	5	108	1.48	8	<8	<2	9	8	<2	<3	<3	3	.04	.017	26	15	.02	35	<.01	<3	.25	.07	.13	4	49.5
SD-02-39	1	4	<3	12	<.3	12	3	406	1.81	<2	<8	<2	5	25	<2	<3	<3	3	.29	.023	12	47	.06	35	<.01	<3	.16	.10	.03	<2	344.9
SD-02-40	4	4	<3	15	<.3	12	4	295	1.88	<2	<8	<2	7	5	<2	<3	<3	3	.02	.011	21	23	.02	25	<.01	<3	.21	.10	.05	7	173.5
SD-02-41	1	8	13	9	<.3	8	8	108	1.64	6	<8	<2	7	5	<2	<3	<3	5	.03	.019	28	23	.03	58	<.01	<3	.36	.06	.22	<2	6.4
SD-02-42	5	14	5	11	<.3	8	2	892	2.30	2	<8	<2	3	6	<2	<3	<3	3	.16	.009	13	27	.03	58	<.01	<3	.19	.04	.08	12	2.5
SD-02-43	2	4	32	20	<.3	19	11	260	3.75	4	<8	<2	3	14	<2	<3	<3	14	.08	.042	4	56	.04	9	<.01	<3	.23	.10	.02	2	3.3
SD-02-44	4	7	15	25	<.3	19	5	308	2.54	7	<8	<2	6	8	<2	<3	<3	3	.04	.024	21	23	.02	24	<.01	<3	.24	.09	.05	8	9.5
STANDARD DS3	10	117	31	153	<.3	34	11	799	2.99	30	<8	<2	4	27	5.1	6	6	70	.52	.086	16	174	.56	146	.08	<3	1.64	.04	.16	5	22.0

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U & B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK R150 AU* IGNITION BY ACID LEACHED, ANALYZE BY ICP-MS. (10 gm)
 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: JUN 19 2002 DATE REPORT MAILED: June 27/02 SIGNED BY: *C.L.* TOYE, C.LEONG, J. WANG; CERTIFIED B.C. ASSAYERS