LIST OF MAPS IN MAP BINDER:

MAP: **MAP POCKET:**

27028 2 of 2

104 A/4 EDITION 3 Canada ÉDITION 3 104 A/4

BEAR RIVER
104 A/4
EDITION 3 ÉDITION

Military users refer to this map as: / Référence de cette carte pour usage militaire:	SERIES A 721 SÉRIE MAP 104 A/4 CARTE EDITION 3 MCE ÉDITION

MAP 2

TOPOGRAPHY

☐ POLY PROPERTY

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028





Use diagram only to obtain numerical values
APPROXIMATE MEAN DECLINATION 1989
FOR CENTRE OF MAP
Annual change decreasing 11.4′

N'utiliser le diagramme que pour obtenir les valeurs numériques
DÉCLINAISON MOYENNE APPROXIMATIVE
AU CENTRE DE LA CARTE EN 1989
Variation annuelle décroissante 11.4′

ONE THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 9
QUADRILLAGE UNIVERSEL TRANSVERSE DE MERCATOR
DE MILLE MÈTRES

GRID ZONE DESIGNATION / DÉSIGNATION DE LA ZONE DU QUADRILLAGE	100 000 m SQUARE IDENTIFICATION / IDENTIFICATION DU CARRÉ DE 100 000 m
9 V	VN

EXAMPLE OF METHOD USED
TO GIVE A REFERENCE TO NEAREST 100 METRES
EXEMPLE DE LA MÉTHODE EMPLOYÉE
POUR FOUR DES REPÈRES À 100 MÈTRES PRÈS



REFERENCE POINT / POINT DE REPÈRE — CHURCH · ÉGLISE	(as above) (ci-dessus)
EASTING Read number on grid line immediately to left of point	
ABSCISSE Noter le chiffre de la ligne du quadrillage immédiatement à gauche du repère	97
Estimate tenths of a square from this line eastward to point / Estimer le nombre de dixièmes du carré entre cette ligne et le repère en direction est	5
	975
NORTHING Read number on grid line immediately below point	
ORDONNÉE Noter le chiffre de la ligne du quadrillage immédiatement en dessous du repère	98
Estimate tenths of a square from this line northward to point / Estimer le nombre de dixièmes de carré entre cette ligne et le repère en direction nord	4
GRID REFERENCE	984
REFERENCE AU QUADRILLAGE	975984

Nearest similar grid reference 100 000 metres
La référence similaire la plus près est à 100 000 mètres



Index to adjoining Maps of the National Topographic System
Tableau d'assemblage du Système national de référence cartographique

PRODUCED BY THE CANADA CENTRE FOR MAPPING, DEPARTMENT OF ENERGY, MINES AND RESOURCES. INFORMATION CURRENT AS OF 1986. PUBLISHED 1990.

COPIES MAY BE OBTAINED FROM THE CANADA MAP OFFICE, DEPARTMENT OF ENERGY, MINES AND RESOURCES, OTTAWA, OR YOUR NEAREST MAP DEALER

© 1990. HER MAJESTY THE QUEEN IN RIGHT OF CANADA, DEPARTMENT OF ENERGY, MINES AND RESOURCES.

Roads:	Routes:	dual highway: route à chaussée séparée	more than 2 lanes: plus de 2 voies
hard surface	revêtement dur	2 lanes: 2 voies	less than 2 lanes: moins de 2 voies
hard surface	revêtement dur		
cart track	de terre		
trail, cut line or portage	sentier, percée ou portage		

FOR COMPLETE REFERENCE SEE REVERSE SIDE — POUR UNE LISTE COMPLÈTE DES SIGNES, VOIR AU VERSO

BEAR RIVER
CASSIAR LAND DISTRICT
BRITISH COLUMBIA COLOMBIE-BRITANNIQUE

Scale 1:50 000 Échelle

Miles 1 0 1 2 3 Milles
Metres 1000 0 1000 2000 3000 4000 Mètres

Information concerning bench marks and horizontal survey monuments can be obtained from Geodetic Survey, Canada Centre for Surveying, Ottawa.

Pour tout renseignement concernant les repères de nivellement et les bornes géodésiques, prière de s'adresser à la Division des levés géodésiques, Centre canadien des levés, Ottawa.

CONVERSION SCALE FOR ELEVATIONS
Metres 30 20 10 0 50 100
Feet 100 50 0 100 200 300 400

ÉCHELLE DE CONVERSION DES ALTITUDES
150 200 250 300 Mètres
500 600 700 800 900 1000 Pieds

CONTOUR INTERVAL 100 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection

ÉQUIDISTANCE DES COURBES 100 PIEDS
Altitudes en pieds
Système de référence géodésique nord-américain, 1927
Projection transverse de Mercator

ÉTABLIE PAR LE CENTRE CANADIEN DE CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES. RENSEIGNEMENTS À JOUR EN 1986. PUBLIÉE EN 1990.

CES CARTES SONT EN VENTE AU BUREAU DES CARTES DU CANADA, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES, OTTAWA, OU CHEZ LE VENDEUR LE PLUS PRÈS.

© 1990. SA MAJESTÉ LA REINE DU CHEF DU CANADA, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES.

BEAR RIVER
104 A/4
EDITION 3 ÉDITION

Energy, Mines and Resources Canada — Énergie, Mines et Ressources Canada

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

NORTH ZONE
GOAT CIRQUE
PICK ZONE
PTARMIGAN ZONE
BRECCIA ZONE
GALENA CREEK AREA
HIGHWAY ZONE CREEK SHOWING
HIGHWAY SHOWING
EAST CREEK
HIGHWAY ZONE CREEK
HUGH 1
HUGH 2
HUGH 3
HUGH 4
HUGH 5
HUGH 6
HUGH 7
HUGH 8
HUGH 9
HUGH 10
HUGH 11
HUGH 12
HUGH 13
HUGH 14
HUGH 15
KEN 1
KEN 2
KEN 3
KEN 4
GOAT MINE
BOULDER FIELD
NORTH VALLEY
SUNSHINE VALLEY
GLACIER
STEWART HIGHWAY
OLD HIGHWAY 37A
HIGHWAY 37A
MOUNT STROHN
CORNICE MOUNTAIN
ENTRANCE PEAK
Creek
Stream
SEE DETAIL MAP No. 5
SEE DETAIL MAP No. 6

- Stream Sample Location
- Talus Sample Location
- Rock Sample Location
- Soil Sample Location

Au ppb, Ag ppm

TREV CORP.

CAMECO OPTION
STEWART PROPERTY
NORTHWESTERN BRITISH COLUMBIA
HUGH & KEN CLAIMS
GOLD & SILVER VALUES

0 200 400 600 800 1000m

DRAWN BY: DK	SCALE: 1:10,000	MAP No.
DATE: OCT. 1992		4

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028



SAMPLE	Au g/t	Ag g/t	Pb%	Zn%
39347 -	4.28	132.1		
39348 -	1.66	39.9		
39352 -	14.60	194.8		
39353 -	905 ppb	2.7		10.06
39354 -	5.81	2980.0		
39355 -	1.23	44.2		
39356 -	22.50	465.0	1.49	
39357 -	532 ppb	18.5		
39358 -	251 ppb	5.2		
39360 -	123.30	1897.0	5.79	
39361 -	836 ppb	30.4		
39362 -	146 ppb	5.6		
39415 -	4.56	217.0		
39417 -	4.01			
39213 -	17.45			

BOUNDARY CREEK INSET
CONTINUOUS CHIP SAMPLING



MAP 3: STEWART HIGHWAY ZONE, 37A ZONE, POLY PROPERTY

SCALE 1:5,000

AFTER KENNEDY, 1992

(M4)

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

(MS)

POLY PROPERTY
MAP A1

STREAM SEDIMENT SURVEY- SAMPLE NUMBERS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS

X 683775 stream sample location and sample number
• 759868 historical stream sample location and sample number

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

Symbol	Description
BL50+00E	base line
L55+00N	grid line
L0+25S	historical flagged line (2000 grid area)
0 m, 50 m, CL	control line and stations
R2+00E	Old HWY 37A, control line and stations
H2+00W	HWY 37A , control line and stations
Poly 2 / Poly 3	claim post and claim lines
	Stewart powerline
	mineralized showing
	boulders/rubble
	top of gravel/boulder bank
	flowing stream
	dry stream
	swamp
	snow covered area as at August 12/02
R1	quartz monzonite
H2	crystal tuff
H3	crystal tuff, breccias, agglomerate
R1 / H2, H3	geologic contact (magnetically & geologically interpreted
R1 G / H2, H3	geologic contact (geologically interpreted)
R1 M / H2, H3	geologic contact (magnetically interpreted)

TABLE A1.1
STREAM SEDIMENT SAMPLE LOCATIONS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS WITH ANOMALOUS VALUES SHOWN IN BOLD*: STRPOLYATAB1

SAMPLE NUMBER	GRID OR CONTROL LINE LOCATION	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
BASE LINE 50E									
683814SS	50+07E, 51+75N	12	0.6	<0.5	52	18	147	144	4
LINE 51N									
683983SS	49+77E, 51+07N	9	0.7	0.6	59	19	154	169	4
LINE 52N									
683918SS	47+85E, L52N	<5	0.2	<0.5	92	7	71	6	<2
683971SS	50+15E, L52N	17	0.8	<0.5	53	18	163	178	5
LINE 53N									
683726SS	49+49E, L53N	90	2.4	2.2	91	41	229	227	6
683860SS	51+07E, L53N	13	<0.2	<0.5	23	12	82	20	<2
LINE 54N									
683835SS	49+85E, L54N	38	0.8	<0.5	48	27	118	172	4
683709SS	50+49E, L54N	8	0.8	2.7	49	15	252	142	2
683717SS	51+46E, L54N	<5	<0.2	0.6	22	11	94	21	2
LINE 55 N									
683907SS	50+64E, 54+97N	10	0.7	1.7	47	14	238	130	3
LINE 56N									
683661SS	50+83E, L56N	18	0.7	2.4	52	18	261	130	<2
EAST CREEK									
683713SS	50+70E, L54N	18	0.9	<0.5	67	20	163	175	6
683693SS	51+27E, 54+95N	19	0.5	0.6	62	22	155	167	2
683741SS	CL54+83N	128	2.5	3	97	49	266	279	6
683669SS	51+65E, L56N	55	0.8	0.7	66	24	175	181	4
683911SS	CL56+30N	12	0.6	<0.5	55	16	145	154	5
683914SS	CL56+94N	14	6.5	<0.5	69	23	202	163	6
683770SS	CL58+37N	14	1.3	0.7	77	25	234	249	8
683772SS	CL59+62N	18	1.2	0.9	82	40	273	174	9
683779SS	CL59+64N	14	1.7	1.2	79	35	297	170	8
683775SS	CL59+77N	10	0.8	1.2	71	35	295	149	7
	AVER. VALUES EAST CREEK	30	1.7	0.8	73	29	221	186	6
HWY ZONE CREEK (MAIN AND SE BRANCH)									
683928SS MB	48+47E, 52+04N	65	1.7	2	89	40	223	190	5
683939SS SEB	48+85E, 52+02N	75	2.7	1.9	87	35	218	184	6
683731SS MB	49+15E, L53N	116	2	2.5	93	42	250	215	4
683831SS MB	49+43E, 54+03N	349	2.5	2.4	84	39	239	235	5
683680SS MB	49+50E, 55+04N	259	2.5	2.6	91	47	261	220	2
683900SS MB	49+75E, 56+06N	93	2.3	2.8	86	48	276	229	5
683794SS MB	CL58+59N, 13M NW	28	0.8	0.5	61	21	167	182	5
HWY ZONE CREEK 2000 SAMPLES									
759812SS SEB	48+85E, 51+08N	100	1.6	1.5	90	40	220	186	6
759979SS MB	41+85E, 51+38N	150	2	2	83	36	226	164	<2
759980SS MB	42+15E, 51+38N	60	2	2.5	88	36	240	190	<2
HWY ZONE CREEK WARP AREA 2000 SAMPLE									
759868SS SM CRK @ OLD HWY 37A	42+62E, 50+85N	65	2.4	2.5	107	48	284	246	4
	AVER. VALUES HWY ZONE CRK	124	2.1	2.1	87	39	237	204	4

*ANOMALOUS VALUES BASED ON GEOFINE REGIONAL THRESHOLD CRITERIA OF 10 ppb Au, 0.4 ppm Ag, 0.7 ppm Cd, 45 ppm Cu, 15 ppm Pb, 130 ppm Zn, 24 ppm As, 4 ppm Sb

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,029

POLY PROPERTY
MAP A2

SOIL GEOCHEMICAL SURVEY - SAMPLE NUMBERS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS

+ 683757 soil sample location and number
• 759868 historical soil sample location and number

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

BL50+00E	base line
L55+00N	grid line
L0+25S 50 m	historical flagged line (2000 grid area)
0 m CL	control line and stations
R2+00E	Old HWY 37A, control line and stations
H2+00W	HWY 37A , control line and stations
Poly 2 / Poly 3	claim post and claim lines
	Stewart powerline
	mineralized showing
	boulders/rubble
	top of gravel/boulder bank
	flowing stream
	dry stream
	swamp
	snow covered area as at August 12/02
R1	quartz monzonite
H2	crystal tuff
H3	crystal tuff, breccias, agglomerate
R1 / H2, H3	geologic contact (magnetically & geologically interpreted)
R1 G / H2, H3	geologic contact (geologically interpreted)
R1 M / H2, H3	geologic contact (magnetically interpreted)

TABLE A2.1
SOIL SAMPLE LOCATIONS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS WITH ANOMALOUS VALUES IN BOLD*: SOILPOLYATABM

NUMBER, LOCATION	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
BASE LINE 50E (S TO N)								
683976SO	7	0.7	<0.5	59	17	117	128	2
683979SO	7	0.4	<0.5	51	21	135	131	2
683801SO	19	<0.2	<0.5	94	20	130	68	<2
683802SO	25	<0.2	<0.5	76	29	175	199	4
683803SO	21	<0.2	<0.5	69	27	120	209	3
683804SO	15	<0.2	<0.5	62	28	129	187	<2
683806SO	15	<0.2	<0.5	45	20	85	141	4
683807SO	17	<0.2	<0.5	33	13	40	75	<2
683811SO	24	0.8	<0.5	81	31	169	193	<2
683813SO	17	<0.2	<0.5	64	27	153	177	<2
683816SO	12	<0.2	0.5	64	27	218	186	<2
683817SO	22	<0.2	<0.5	73	23	178	182	<2
683818SO	17	<0.2	<0.5	68	26	162	189	2
683720SO	33	<0.2	<0.5	56	26	137	213	<2
683819SO	8	<0.2	<0.5	40	25	81	40	<2
683820SO	13	0.3	<0.5	38	15	40	63	<2
683821SO	17	0.3	<0.5	40	15	53	58	<2
683702SO	36	<0.2	<0.5	45	26	72	138	<2
683844SO	132	0.3	<0.5	32	12	48	22	<2
683876SO	58	0.2	<0.5	63	40	150	173	<2
683875SO	50	<0.2	<0.5	49	36	129	179	<2
683883SO	47	<0.2	<0.5	59	46	145	226	<2
683885SO	<5	<0.2	<0.5	39	20	58	63	2
683887SO	26	<0.2	<0.5	42	20	82	62	<2
683891SO	79	1.3	<0.5	48	20	57	41	<2
683894SO	12	<0.2	<0.5	47	25	89	67	<2
683895SO	20	0.7	<0.5	44	20	73	62	3
LINE 51N (W TO E)								
683990SO	57	0.7	1.1	109	30	199	147	4
683989SO	53	1.4	1.3	70	30	154	134	2
683988SO	38	1.3	1.6	116	33	223	184	<2
683987SO	49	0.5	1.9	132	37	235	169	<2
683986SO	68	1.3	1.5	102	32	203	171	<2
683985SO	<5	0.4	<0.5	33	14	65	66	<2
683984SO	23	0.8	<0.5	37	17	105	133	4
683980SO	<5	0.8	<0.5	55	18	127	151	2
LINE 52N (W TO E)								
683917SO	9	<0.2	<0.5	201	5	103	<2	<2
683921SO	56	1.8	1	69	34	163	168	2
683920SO	74	2.4	2.2	117	40	195	210	3
683927SO	37	0.8	2	56	27	173	126	2
683923SO	123	2.4	2.1	73	31	207	157	3
683925SO	106	1.9	2.5	85	39	247	208	4
683940SO	53	1.5	1.3	60	38	178	176	4
683941SO	52	1.5	2.1	79	38	227	168	2
683937SO	20	0.9	0.5	50	31	193	113	<2
683936SO	23	0.5	<0.5	36	16	81	56	<2
683935SO	17	0.8	<0.5	41	16	99	56	<2
683934SO	22	0.2	<0.5	35	18	78	82	2
683933SO	18	1.7	1.6	94	39	195	178	2
683932SO	26	0.4	<0.5	29	7	29	18	<2
683930SO	31	0.4	<0.5	35	19	80	109	3
683929SO	58	0.8	<0.5	51	18	82	129	4
683926SO	15	0.7	0.5	61	18	143	150	3
683972SO	15	0.7	1.1	60	22	199	168	3
683970SO	13	0.5	<0.5	34	21	94	172	2
683969SO	12	0.3	<0.5	28	18	93	156	4
683968SO	7	0.5	<0.5	37	12	55	68	2
683967SO	11	0.5	<0.5	36	17	70	148	5
683966SO	9	0.4	<0.5	30	13	59	92	<2
683965SO	<5	0.4	<0.5	29	13	51	29	<2
683964SO	<5	0.4	<0.5	33	16	64	36	2
683963SO	<5	0.5	<0.5	29	15	57	31	<2
683962SO	5	0.3	<0.5	32	17	83	39	<2
683961SO	9	0.4	<0.5	29	13	68	29	<2
683960SO	<5	0.3	<0.5	24	8	51	11	<2

NUMBER, LOCATION	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
L52N (CON'T)								
683959SO	13	0.2	<0.5	24	11	56	89	2
683958SO	<5	0.3	<0.5	17	13	75	17	<2
683957SO	<5	0.2	<0.5	18	14	80	16	<2
683956SO	<5	0.4	<0.5	33	12	54	87	2
683955SO	<5	0.2	<0.5	11	6	24	4	<2
683954SO	<5	0.9	<0.5	12	9	31	2	<2
683953SO	<5	0.2	<0.5	24	5	31	2	<2
683952SO	<5	<0.2	<0.5	34	8	59	10	<2
683951SO	6	0.5	<0.5	23	10	42	26	<2
LINE 53N (W TO E)								
683729SO	<5	0.7	2.4	123	26	81	14	<2
683730SO	<5	1	<0.5	48	8	37	2	<2
683728SO	52	0.8	0.8	92	47	202	180	4
683727SO	75	1.3	2.2	112	54	271	240	2
683725SO	121	1.6	1.4	104	48	220	219	<2
683724SO	42	<0.2	<0.5	25	14	54	55	<2
683723SO	17	0.4	<0.5	34	13	47	47	<2
683722SO	30	0.4	<0.5	44	17	87	78	<2
683869SO	32	<0.2	<0.5	58	26	128	188	4
683868SO	16	<0.2	<0.5	35	23	100	148	2
683867SO	7	<0.2	<0.5	34	13	86	107	<2
683864SO	11	<0.2	<0.5	30	13	65	98	2
683863SO	14	<0.2	<0.5	32	22	103	150	<2
683862SO	14	<0.2	<0.5	28	16	65	118	2
683861SO	6	<0.2	<0.5	32	21	70	31	<2
683859SO	6	1.2	<0.5	33	16	56	24	<2
683858SO	<5	4.2	<0.5	29	16	41	24	<2
683857SO	<5	0.8	<0.5	20	10	36	23	2
683855SO	<5	1.2	<0.5	34	14	67	20	<2
683856SO	<5	0.4	<0.5	17	19	44	18	<2
683854SO	6	<0.2	<0.5	24	14	40	23	<2
683852SO	5	0.2	<0.5	19	35	65	23	2
683851SO	<5	1.2	<0.5	10	6	68	2	<2
LINE 54N (W TO E)								
683824SO	6	<0.2	<0.5	310	13	219	14	<2
683827SO	33	1	1	97	42	219	185	<2
683830SO	160	1.1	1.8	113	50	241	239	<2
683832SO	37	0.4	<0.5	42	22	70	102	<2
683833SO	18	0.4	<0.5	35	14	49	48	<2
683834SO	57	<0.2	<0.5	34	20	63	76	<2
683836SO	61	1.5	1	97	50	230	229	3
683703SO	10	0.4	<0.5	52	12	63	95	2
683837SO	14	0.3	<0.5	65	14	94	120	<2
683710SO	9	<0.2	<0.5	84	15	108	172	<2
683838SO	6	<0.2	<0.5	57	19	104	104	<2
683839SO	11	0.2	<0.5	42	15	104	84	2
683714SO	<5	<0.2	<0.5	25	13	64	27	<2
683715SO	<5	<0.2	<0.5	30	13	66	20	2
683716SO	<5	<0.2	<0.5	21	25	48	36	2
683840SO	6	<0.2	<0.5	25	22	70	26	<2
683718SO	6	<0.2	<0.5	30	14	104	33	2
683841SO	<5	<0.2	<0.5	29	24	44	32	3
683719SO	<5	0.8	<0.5	10	3	29	10	<2
683842SO	27	1.1	<0.5	12	5	40	8	<2
683843SO	<5	0.3	<0.5	27	19	40	25	<2
LINE 55N (W TO E)								
683678SO	6	0.7	<0.5	41	15	58	32	<2
683679SO	61	1.2	1.4	91	46	244	212	2
683681SO	102	0.5	1	90	37	199	146	<2
683682SO	60	1.1	1.7	106	45	241	195	2
683683SO	50	1.1	0.6	74	35	177	133	<2
683901SO	27	0.4	<0.5	34	24	52	34	<2
683902SO	13	0.3	<0.5	29	11	35	30	<2
683903SO	17	0.9	<0.5	45	17	130	212	2
683904SO	<5	0.3	<0.5	39	8	34	38	<2
683905SO	14	1	3.1	52	18	236	140	4
683908SO	16	0.6	<0.5	64	18	126	163	3
683909SO	11	0.6	0.5	86	15	146	167	3
683692SO	82	0.4	<0.5	43	19	72	124	<2

NUMBER, LOCATION	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
L55N (CON'T)								
683691SO	<5	<0.2	<0.5	25	17	57	21	<2
683690SO	<5	<0.2	<0.5	28	22	58	38	<2
683689SO	6	<0.2	<0.5	17	11	71	23	<2
683688SO	<5	<0.2	<0.5	18	28	88	28	<2
683687SO	<5	<0.2	<0.5	26	23	40	36	<2
683686SO	<5	0.3	<0.5	60	12	19	18	<2
LINE 56N (W TO E)								
683898SO	39	0.8	<0.5	68	21	90	67	<2
683897SO	40	0.7	0.7	58	23	105	75	2
683896SO	39	0.8	1.2	56	33	165	99	<2
683655SO	22	2.4	<0.5	68	19	103	45	<2
683653SO	16	0.3	<0.5	49	35	106	43	<2
683656SO	10	1.1	<0.5	33	23	80	49	<2
683657SO	11	0.3	<0.5	36	12	36	39	<2
683659SO	NSS	1	<0.5	31	12	41	33	<2
683660SO	15	1.6	<0.5	71	15	72	67	<2
683662SO	12	0.7	<0.5	50	17	102	167	<2
683664SO	16	0.3	<0.5	37	9	27	29	<2
683666SO	5	0.3	<0.5	34	13	41	42	<2
683665SO	13	0.4	<0.5	64	18	34	53	<2
683667SO	8	0.5	<0.5	36	11	37	43	<2
683668SO	15	0.3	<0.5	76	19	117	145	<2
683670SO	35	<0.2	<0.5	74	24	205	529	<2
683671SO	8	0.2	<0.5	22	5	28	14	<2
683672SO	<5	<0.2	<0.5	31	17	34	84	<2
683673SO	<5	0.6	<0.5	25	10	53	5	<2
683674SO	5	0.2	<0.5	31	17	36	20	<2
683675SO	5	<0.2	<0.5	19	19	91	23	<2
683676SO	<5	<0.2	<0.5	14	12	65	22	<2
683677SO	12	<0.2	<0.5	13	17	59	21	<2
EAST CREEK SOILS								
683777SO	16	<0.2	<0.5	58	28	129	145	<2
HWY ZONE CRK								
683797SO	18	<0.2	<0.5	56	29	115	64	<2
683796SO	12	<0.2	<0.5	68	31	76	116	<2
OLD HWY 37A 2000 SAMPLES								
759863SO	30	0.8	1.5	78	26	198	120	<2
759864SO	10	0.2	0.5	47	16	140	54	<2
759865SO	15	0.6	0.5	59	22	152	110	<2
759866SO	30	0.8	1.5	75	30	200	146	<2
759869SO	70	0.4	1.5	64	22	170	98	<2
759870SO	15	0.6	<0.5	63	34	160	98	<2
759871SO	65	1	0.5	84	28	180	150	<2
759873SO	20	0.4	0.5	51	16	144	86	<2
759874SO	40	1	<0.5	71	24	156	140	<2
759877SO	260	0.6	<0.5	60	22	120	138	<2
759879SO	25	1.2	<0.5	55	14	130	150	<2
759880SO	20	0.2	<0.5	35	12	84	116	<2
759881SO	10	0.2	<0.5	44	18	118	76	<2
759882SO	<5	<0.2	<0.5	41	14	124	32	<2
759883SO	5	0.2	<0.5	41	14	80	68	<2
759884SO	<5	0.2	<0.5	34	12	74	12	<2
759885SO	<5	<0.2	<0.5	47	16	130	28	<2
759886SO	10	0.4	<0.5	51	16	72	96	<2

*ANOMALOUS VALUES BASED ON GEOFINE REGIONAL THRESHOLD CRITERIA: 10 ppb Au, 0.4 ppm Ag, 0.7 ppm Cd, 45 ppm Cu, 15 ppm Pb, 130 ppm Zn, 24 ppm As, 4 ppm Sb

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

POLY PROPERTY
MAP A2.1

GOLD ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

(117)

+ 102 soil sample location and Au (ppb) value

— 50 — Au (ppb) contour

• 260 historical soil sample location and Au (ppb) value

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S 50 m 0 m CL — historical flagged line (2000 grid area) / control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 quartz monzonite
- H2 crystal tuff
- H3 crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

N

HWY ZONE CREEK

HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)

POLY 1 | POLY 2

EAST CREEK

UPPER ICE 2 SHOWING

UPPER ICE 1 SHOWING

EAST CREEK CL

ICE SHOWING

HWY CREEK CL

HWY ZONE CREEK

EAST CREEK CL

EAST CREEK

47+50E 48+00E 48+50E 49+00E BL50+00E 50+50E 51+00E 51+50E 52+50E 53+00E 53+50E

L56+08N - L56+00N - L55+00N - L54+00N - L53+00N - L52+00N - L51+00N - L50+00N -

MIDDLE CREEK

HWY CREEK CL

EAST CREEK CL

EAST CREEK

GRANITE CREEK

345 CL

HWY ZONE CREEK

OLD HWY 37A

POLY 1 | POLY 2

POND

HWY SHOWING
2000 GRID AREA
(after Kennedy, 2000)

HWY 37A

POLY 2 | POLY 4 | POLY 4 | POLY 3

POND

2000 BASE LINE

Powerline Trail

SEE ABOVE INSET EXTENSION MAP

POLY 3

2000 GRID AREA
(after Molloy, 2000)

EXTENSION MAP

POLY 2

POLY 3

OLD HWY 37A

HWY 37A

Powerline Trail

Windy Point Avalanche Stn. Rd.

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
27,028

POLY PROPERTY
MAP A2.2

SILVER AND CADMIUM ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

1.6 + 1.7 soil sample location and Cd (ppm)/Ag (ppm) values

or 1.7 (+) 1.6 Ag (ppm) <0.2 ppm not plotted; Cd (ppm) <0.2 ppm not plotted

• historical soil sample location

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

MD

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S 50 m CL 0 m — historical flagged line (2000 grid area); control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 quartz monzonite
- H2 crystal tuff
- H3 crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

N

HWY ZONE CREEK

HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)

POLY 1 | POLY 2

EAST CREEK

UPPER ICE 2 SHOWING

UPPER ICE 1 SHOWING

ICE SHOWING

EAST CREEK CL

HWY CREEK CL

HWY ZONE CREEK

MIDDLE CREEK

EAST CREEK

GRANITE CREEK

47+50E | 48+00E | 48+50E | 49+00E | BL50+00E | 50+50E | 51+00E | 51+50E | 52+00E | 52+50E | 53+00E | 53+50E

L56+08N - / L56+00N - / L55+00N - / L54+00N - / L53+00N - / L52+00N - / L51+00N - / L50+00N -

345 CL

R1 H2, H3

OLD HWY 37A

HWY 37A

Powerline Trail

POND

HWY SHOWING 2000 GRID AREA (after Kennedy, 2000)

2000 BASE LINE

2000 GRID AREA (after Molloy, 2000)

EXTENSION MAP

SEE ABOVE INSET EXTENSION MAP

POLY 1 | POLY 2 | POLY 3 | POLY 4

Windy Point Avalanche Stn. Rd.

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
27,028

(49)

POLY PROPERTY
MAP A2.3

COPPER ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

+ 79 soil sample location and Cu (ppm) value
• 84 historical soil sample location and Cu (ppm) value
~ 60 ~ Cu (ppm) contour

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S 50 m CL 0 m — historical flagged line (2000 grid area); control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 quartz monzonite
- H2 crystal tuff
- H3 crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

HWY ZONE CREEK
HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)
EAST CREEK
UPPER ICE 2 SHOWING
UPPER ICE 1 SHOWING
ICE SHOWING
HWY CREEK CL
EAST CREEK CL
MIDDLE CREEK
GRANITE CREEK
OLD HWY 37A
HWY 37A
Powerline Trail
POND
HWY SHOWING 2000 GRID AREA (after Kennedy, 2000)
2000 BASE LINE
2000 GRID AREA (after Molloy, 2000)
345 CL
POLY 1
POLY 2
POLY 3
POLY 4
SEE ABOVE INSET EXTENSION MAP

EXTENSION MAP

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
27,028

POLY PROPERTY
MAP A2.4

(110)

LEAD ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

+ 36 soil sample location and Pb (ppm) value
• 44 historical soil sample location and Pb (ppm) value
~ 25 ~ Pb (ppm) contour

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S 50 m 0 m CL — historical flagged line (2000 grid area); control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 — quartz monzonite
- H2 — crystal tuff
- H3 — crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

N

HWY ZONE CREEK

HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)

POLY 1 | POLY 2

EAST CREEK

+ 28 375m UPPER ICE 2 SHOWING

UPPER ICE 1 SHOWING

300m

EAST CREEK CL

ICE SHOWING

HWY CREEK CL

EAST CREEK CL

47+50E 48+00E 48+50E 49+00E BL50+00E 50+50E 51+00E 51+50E 52+50E 53+00E 53+50E

HWY ZONE CREEK

MIDDLE CREEK

EAST CREEK

L56+08N
L56+00N
L55+00N
L54+00N
L53+00N
L52+00N
L51+00N
L50+00N

HWY CREEK CL

EAST CREEK CL

EAST CREEK

GRANITE CREEK

345 CL

HWY ZONE CREEK

OLD HWY 37A

HWY CREEK CL

OLD HWY 37A

POND

POND

POND

HWY 37A

HWY 37A

HWY 37A

POLY 2
POLY 4

POLY 1 | POLY 2

POLY 4 | POLY 3

HWY SHOWING
2000 GRID AREA
(after Kennedy, 2000)

L0+25S
L0+50S
L0+83S
L1+50S

2000 BASE LINE

OLD HWY 37A

Powerline Trail

SEE ABOVE INSET EXTENSION MAP

POLY 2

POLY 3

2000 GRID AREA
(after Molloy, 2000)

EXTENSION MAP

POLY 2

POLY 3

OLD HWY 37A

HWY 37A

Powerline Trail

Windy Point Avalanche Stn. Rd.

POLY PROPERTY
MAP A2.5

ZINC ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

+ 117 soil sample location and Zn (ppm) values
• 129 historical soil sample location and Zn (ppm) value
~ 130 ~ Zn (ppm) contour

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

M11

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S, 0 m, 50 m, CL — historical flagged line (2000 grid area)
- control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 — quartz monzonite
- H2 — crystal tuff
- H3 — crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

N

HWY ZONE CREEK

HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)

POLY 1 | POLY 2

EAST CREEK

+ 129

UPPER ICE 2 SHOWING

UPPER ICE 1 SHOWING

ICE SHOWING

EAST CREEK CL

HWY CREEK CL

HWY ZONE CREEK

MIDDLE CREEK

EAST CREEK

GRANITE CREEK

47+50E | 48+00E | 48+50E | 49+00E | BL50+00E | 50+50E | 51+00E | 51+50E | 52+50E | 53+00E | 53+50E

L56+08N
L56+00N
L55+00N
L54+00N
L53+00N
L52+00N
L51+00N
L50+00N

345 CL

OLD HWY 37A

HWY 37A

Powerline Trail

Windy Point Avalanche Stn. Rd.

EXTENSION MAP

SEE ABOVE INSET EXTENSION MAP

HWY SHOWING
2000 GRID AREA
(after Kennedy, 2000)

2000 GRID AREA
(after Molloy, 2000)

2000 BASE LINE

POLY 1 | POLY 2 | POLY 3 | POLY 4

POND

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
27,028

POLY PROPERTY
MAP A2.6

ANTIMONY AND ARSENIC ANALYTICAL RESULTS - SOIL GEOCHEMICAL SURVEY

2 + 128	soil sample location and Sb (ppm)/As (ppm) values
or 128 + 2	As (ppm) <0.2 ppm not plotted Sb (ppm) <0.2 ppm not plotted
• 129	historical soil sample location
~ 100 ~	As (ppm) contour

M12

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

LEGEND

SYMBOLS

- BL50+00E — base line
- L55+00N — grid line
- L0+25S, 50 m, 0 m, CL — historical flagged line (2000 grid area)
- control line and stations
- R2+00E — Old HWY 37A, control line and stations
- H2+00W — HWY 37A , control line and stations
- Poly 2 / Poly 3 — claim post and claim lines
- Stewart powerline
- mineralized showing
- boulders/rubble
- top of gravel/boulder bank
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 quartz monzonite
- H2 crystal tuff
- H3 crystal tuff, breccias, agglomerate
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)

HWY ZONE CREEK

HWY ZONE CREEK SHOWING
(after Kennedy, 1992, Map 3)

POLY 1 | POLY 2

EAST CREEK

UPPER ICE 2 SHOWING

UPPER ICE 1 SHOWING

ICE SHOWING

EAST CREEK CL

HWY CREEK CL

MIDDLE CREEK

GRANITE CREEK

47+50E | 48+00E | 48+50E | 49+00E | BL50+00E | 50+50E | 51+00E | 51+50E | 52+50E | 53+00E | 53+50E

L56+08N - L56+00N - L55+00N - L54+00N - L53+00N - L52+00N - L51+00N - L50+00N -

OLD HWY 37A

HWY 37A

HWY SHOWING
2000 GRID AREA
(after Kennedy, 2000)

2000 GRID AREA
(after Molloy, 2000)

SEE ABOVE INSET EXTENSION MAP

EXTENSION MAP

POLY 2 | POLY 3 | POLY 4

POND

Powerline Trail

Windy Point Avalanche Stn. Rd.

345 CL

2000 BASE LINE

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

POLY PROPERTY
MAP A3.1

ICE SHOWING, EAST CREEK UPPER TARGET AREA

GEOLOGICAL, ROCK GEOCHEMICAL AND VEGETATION SURVEYS WITH ROCK SAMPLE NUMBERS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS

M13

Scale 1:100

Geofine Exploration Consultants Ltd. October 2002



LEGEND

SYMBOL	
E. Cr CL	East Creek control line
Poly 2	claim name and number
	outcrop
	boulders/rubble
x 683757	In situ rock sample location and number
683785	chip/composite sample width
	East Creek and flow direction
	Ice Showing Quartz Vein with strike averaged, and dips
	Ice Showing Quartz Vein projected
	strike/dip of shear
	strike/dip of quartz vein
	interpreted fault from geological survey
fuch	fuchsite
jar/al	jarosite/alunite
lim	limonite
po	pyrrhotite
py	pyrite
qvn	quartz vein
	Zone of intense shearing and fracturing

ROCK TYPES

HAZELTON Group - Lower and Middle Jurassic
- H2 crystal tuff
- H3 crystal tuff breccias, agglomerate
- H4 ash tuff
- H5 undifferentiated pyroclastic rocks - tuff, breccia, agglomerate
- H6 rhyolite
- H9 undifferentiated strongly altered rock

HAZELTON GROUP - Salmon River Formation
- S1 undifferentiated sediments (argillite, shale, mudstone)
- S2 undifferentiated volcanics (basalt, pillowed basalt, volcanic breccia)

INTRUSIVES
- R1 quartz monzonite - Entrance Peak Intrusion

VEGETATION
- MV1 tag alters; with devils club, berry bush, ferns, small poplar trees
- MV2 large poplar; with tag alders, ferns, +/- large fir trees
- MV3 grass, fireweed, devils club in creeks, ferns

TABLE A3.1A

ROCK SAMPLES IN AREA OF ICE SHOWING (175 TO 225 M N OF L56N):

ROCK TYPES*, MINERALIZATION TYPES**, MULTI ELEMENT SIGNATURE ANALYSES WITH ANOMALOUS VALUES SHOWN IN BOLD***: CSVIMODFTABFT

SAMPLE NUMBERS:	ROCK TYPE, MINERALIZATION TYPE:	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
EAST CREEK: AREA OF UPPER ICE SHOWING (S TO N):									
683769R	H3, TYPE 2	<5	0.5	<0.5	92	2	49	5	<2
683768R	H3, QVM, TYPE 2	140	3.3	<0.5	29	28	68	564	19
683763R	QVM, TYPE 2	<50	4.7	<0.5	38	16	102	7370	23
683764R	H3, TYPE 1	23	0.5	<0.5	10	6	41	227	7
683765R	H3, TYPE 2	<5	0.5	<0.5	16	4	88	76	<2
683766R	H3, TYPE 2	<5	0.4	<0.5	30	4	61	53	11
683761R	H3, TYPE 2	<5	0.7	<0.5	15	6	49	71	24
683762R	H3, TYPE 2	<5	0.4	<0.5	27	3	58	19	13
683760R	H3, TYPE 2	10	0.5	<0.5	9	7	73	268	2
683758R	QVM, TYPE 2	<50	7	2.8	35	12	334	185	11
683759R	H3, TYPE 2	22	1.2	0.5	23	8	120	259	5
683757R	QVM, TYPE 2	<50	2.6	<0.5	20	6	74	161	11
683756R	H3, TYPE 2	<5	0.5	<0.5	14	2	56	15	<2

* ROCK TYPES

H2: CRYSTAL TUFF
H3: CRYSTAL TUFF BRECCIA
H4: ASH TUFF
H6: RHYOLITE
S1: ARGILLITE
QVM: QUARTZ VEIN MATERIAL
SMS: SEMI MASSIVE SULFIDES

**MINERALIZATION TYPES

TYPE 1: PY, ASPY, SPHAL, CPY, GAL
TYPE 2: PY, ASPY
TYPE 3: PO +/- CPY
TYPE 4: SPEC

***ANOMALOUS VALUES BASED ON GEOFINE REGIONAL THRESHOLD CRITERIA
OF 10 ppb Au, 0.4 ppm Ag, 0.7 ppm Cd, 45 ppm Cu, 15 ppm Pb, 130 ppm Zn, 24 ppm As, 4 ppm Sb

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,028

M14

POLY PROPERTY

MAP A3

GEOLOGICAL, ROCK GEOCHEMICAL AND VEGETATION SURVEYS WITH ROCK SAMPLE NUMBERS AND MULTI ELEMENT SIGNATURE ANALYTICAL RESULTS

Scale 1:1000

Geofine Exploration Consultants Ltd. October 2002

ROCK TYPES

HAZELTON Group - Lower and Middle Jurassic
- H2 crystal tuff
- H3 crystal tuff breccias, agglomerate
- H4 ash tuff
- H5 undifferentiated pyroclastic rocks - tuff, breccia, agglomerate
- H6 rhyolite
- H9 undifferentiated strongly altered rock

HAZELTON GROUP - Salmon River Formation
- S1 undifferentiated sediments (argillite, shale, mudstone)
- S2 undifferentiated volcanics (basalt, pillowed basalt, volcanic breccia)

INTRUSIVES
- R1 quartz monzonite - Entrance Peak Intrusion

VEGETATION
- MV1 tag alders; with devils club, berry bush, ferns, small poplar trees
- MV2 large poplar; with tag alders, ferns, +/- large fir trees
- MV3 grass, fireweed, devils club in creeks, ferns

LEGEND

SYMBOLS
- BL50+00E — base line
- L55+00N — grid line
- L0+25S 50m CL — historical flagged line (2000 grid area)
- control line and stations
- 0m R2+00E H2+00W — Old HWY 37A, control line and stations
- HWY 37A , control line and stations
- POLY 2 / POLY 3 — claim post and claim lines
- Stewart Powerline
- mineralized showing
- outcrop
- boulders/rubble
- x 683757 — In situ rock sample location and number
- 683785 — chip/composite across a width
- o 683793 — float sample location and number
- top of gravel/boulder bank
- base of granite slope
- flowing stream
- dry stream
- swamp
- snow covered area as at August 12/02
- R1 / H2, H3 — geologic contact (magnetically & geologically interpreted)
- R1 G / H2, H3 — geologic contact (geologically interpreted)
- R1 M / H2, H3 — geologic contact (magnetically interpreted)
- F-3 — interpreted fault from magnetic vertical gradient
- interpreted fault from geological survey
- strike/dip of joint, fracture
- strike/dip of vein, dyke, zone
- strike/dip of shear
- fuch — fuchsite
- jar/al — jarosite/alunite
- lim — limonite
- po — pyrrhotite
- py — pyrite
- qvn — quartz vein

TABLE A3.1

ROCK SAMPLES: ROCK TYPES*, MINERALIZATION TYPES**, MULTI ELEMENT SIGNATURE ANALYSES WITH ANOMALOUS VALUES SHOWN IN BOLD***: CSV/MODFTABFT

SAMPLE NUMBERS:	ROCK TYPE, MINERALIZATION TYPE:	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
BASELINE 50+00E (S TO N):									
683977RF	S1, TYPE 3	<5	<0.2	<0.5	70	5	110	<2	<2
683978RF	S1, TYPE 2	8	0.8	<0.5	24	12	26	351	5
683805RF	H3, TYPE 3	<5	0.8	<0.5	127	3	55	2	<2
683808RF	H3, TYPE 2	<5	0.4	<0.5	44	3	33	6	5
683809RF	H3, TYPE 3	<5	0.6	<0.5	48	2	92	18	<2
683810RF	H3, TYPE 2	6	2.4	<0.5	57	17	78	128	28
683812RF	S1, TYPE 3	<5	0.9	<0.5	76	5	108	4	4
683818RF	H3, TYPE 3	<5	0.4	<0.5	55	2	55	6	<2
683721RF	H3, TYPE 2	1900	87.7	0.6	136	67	63	1505	20
683822RF	H3, TYPE 3	<5	0.6	<0.5	61	6	58	33	2
683823RF	H3, TYPE 3	<5	0.7	0.5	25	14	39	13	<2
683845RF	H3, TYPE 2	13	1.4	0.7	48	10	78	12	<2
683847RF	H3, TYPE 3	<5	0.6	<0.5	42	5	56	9	<2
683848RF	H3, TYPE 3	<5	0.9	0.5	34	7	133	2	<2
683849RF	H3, TYPE 3	<5	<0.2	<0.5	4	5	100	2	<2
683849RF	H3, TYPE 3	<5	0.9	<0.5	24	7	57	3	<2
683850RF	QVM, TYPE 3	<5	0.8	<0.5	60	3	16	<2	2
683877RF	H3, QVM, TYPE 3	9	<0.2	<0.5	18	2	52	3	<2
683878RF	H3, TYPE 3	<5	0.4	<0.5	21	7	91	9	<2
683880RF	H3, TYPE 3	<5	0.6	<0.5	20	5	49	10	<2
683882RF	H3, TYPE 3	<5	0.3	<0.5	35	6	48	5	<2
683876RF	H2, TYPE 3	<5	0.7	<0.5	34	10	42	8	<2
683881RF	H2, TYPE 2	<5	<0.2	<0.5	29	<2	55	<2	<2
683884RF	H2, TYPE 3	<5	0.6	0.5	11	15	77	6	<2
683886RF	H3, TYPE 3	<5	<0.2	<0.5	18	2	58	<2	<2
683888RF	H3, TYPE 3	<5	0.3	<0.5	11	6	59	2	<2
683889RF	H3, TYPE 2	<5	0.5	<0.5	26	8	55	4	<2
683890RF	H3, TYPE 3	<5	<0.2	<0.5	10	7	40	5	<2
683892RF	S1, TYPE 2	<5	0.6	0.8	57	8	90	12	2
683893RF	QVM, TYPE 2	886	6.8	1.9	43	140	147	1285	21
LINE 61N (W TO E)									
683991RF	S1, TYPE 3	<5	0.7	1.2	80	5	144	<2	<2
683982RF	H3, TYPE 3	8	1.3	1.8	648	4	55	9	<2
683981RF	H3, TYPE 2	<5	<0.2	<0.5	32	<2	49	281	2
LINE 62N (W TO E)									
683918R	H2, TYPE 3	<5	<0.2	<0.5	23	3	39	2	<2
683919RF	H2, TYPE 4	24****	<0.2	0.8	133	4	66	4	<2
683922RF	H6, TYPE 2	<5	<0.2	<0.5	186	3	48	23	<2
683924RF	H3, TYPE 2	<5	0.4	0.7	32	6	88	7	<2
683938RF	QVM, TYPE 3	<5	0.3	<0.5	246	3	21	15	<2
683931RF	H3, TYPE 3	7	0.4	<0.5	26	5	21	3	<2
LINE 63N (W TO E)									
683865RF	S1, TYPE 3	<5	0.6	<0.5	31	3	80	<2	<2
683866RF	H3, TYPE 3	12	0.8	0.5	108	9	35	104	5
LINE 64N (W TO E)									
683826R	H3, TYPE 3	<5	0.5	<0.5	85	<2	46	4	<2
683828RF	H3, TYPE 3	795	0.8	<0.5	45	17	16	2	3
683829RF	H3, TYPE 3	32	2.2	<0.5	168	5	120	7	<2
683704RF	H3, TYPE 3	<5	<0.2	<0.5	20	2	64	<2	3
683705RF	QVM, H3, TYPE 3	<5	0.4	<0.5	204	<2	17	11	<2
683706RF	QVM, H3, TYPE 3	<5	0.9	0.6	333	<2	37	10	3
683707RF	QVM, S1, TYPE 3	<5	<0.2	<0.5	19	2	66	81	<2
683708RF	H3, TYPE 2	<5	<0.2	<0.5	55	<2	67	4	2
683711RF	H3, TYPE 3	<5	<0.2	<0.5	37	<2	92	10	2
683712RF	H3, TYPE 3	<5	0.6	0.9	450	<2	20	10	<2

SAMPLE NUMBERS:	ROCK TYPE, MINERALIZATION TYPE*:	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
LINE 55N (W TO E)									
683684RF	H3, TYPE 4	<5	<0.2	<0.5	11	2	115	<2	<2
683685RF	H3, TYPE 2	<5	<0.2	<0.5	21	5	88	5	<2
683686RF	H3, TYPE 3	<5	0.3	<0.5	98	2	9	6	<2
683910RF	H2, TYPE 3	<5	0.8	<0.5	102	<2	66	18	<2
LINE 56N (W TO E)									
683899RF	H4, TYPE 3	<5	0.2	1.4	441	8	173	<2	<2
683888RF	H3, TYPE 2	36	1.8	6.7	81	80	332	799	6
683863RF	H3, TYPE 2	79	0.8	1.3	21	6	117	895	10
HIGHWAY ZONE CRK (S TO N):									
683942RF	QVM, TYPE 3	<5	0.2	<0.5	132	2	39	4	<2
683943RF	QVM, TYPE 1	7050****	209	30.8	869	406	2440	890	111
683944R	H3, TYPE 2	12	0.3	<0.5	57	4	77	<2	<2
683734RF	QVM, SMS, TYPE 3	38	1.8	2	1260	<2	31	478	<2
683735RF	S1, TYPE 2	<5	0.8	<0.5	98	3	37	37	5
683737RF	H3, TYPE 3	112	0.8	<0.5	443	<2	37	37	<2
683945RF	S1, TYPE 2	11	0.6	<0.5	111	9	30	10	4
683736RF	QVM, TYPE 2	289	8.1	0.6	70	42	66	287	7
683733RF	QVM, TYPE 3	<5	0.6	<0.5	68	2	42	5	<2
683946RF	H3, QVM, TYPE 3	<5	0.3	<0.5	82	3	37	11	<2
683947RF	QVM, SMS, TYPE 3	22	3	2.3	4310	<2	25	3	<2
683948RF	QVM, SMS, TYPE 3	37	14	0.6	4690	2	48	5	<2
683949RF	H3, QVM, TYPE 3	<5	0.2	<0.5	303	<2	26	195	<2
683950RF	H3, QVM, SMS, TYPE 3	9	3.8	1	524	2	32	9	2
683782RF	QVM, TYPE 1	9287****	604	4.4	1070	335	162	539	198
683783RF	H3, TYPE 2	10	1.3	<0.5	27	6	71	5	<2
683784RF	H3, QVM, TYPE 3	16	1.1	<0.5	88	2	15	32	2
683785R	H2, TYPE 2	8	0.6	0.5	34	9	97	6	<2
683786RF	QVM, TYPE 3	16	0.9	<0.5	161	2	13	18	<2
683788RF	QVM, TYPE 3	<5	0.7	<0.5	210	9	15	7	<2
683790RF	S1, TYPE 2	7	1.4	<0.5	78	11	21	20	3
683791RF	QVM, TYPE 2	630	11.5	<0.5	15	403	97	2170	33
683651RF	QVM, TYPE 3	333	1.6	<0.5	731	2	31	10	<2
683792R	H3, TYPE 3	<5	1.3	<0.5	20	16	94	10	<2
683793RF	QVM, TYPE 1	14700	791	219	4070	444	16200	3510	368
683795RF	H3, QVM, TYPE 2	8960****	128	2.1	268	124	280	198	77
EAST CREEK (S TO N):									
683871 RF	S1, TYPE 2	<5	0.8	<0.5	28	3	63	4	<2
683872 RF	H3, TYPE 2	15	1.8	0.6	309	10	44	389	3
683873 RF	H3, QVM, TYPE 3	<5	0.3	<0.5	44	<2	46	15	<2
683874 RF	H3, TYPE 2	403	18.1	0.9	29	48	131	5960	85
683739RF	H3, TYPE 3	<5	0.8	<0.5	298	<2	32	6	<2
683740RF	H3, QVM, TYPE 3	5	0.6	<0.5	328	<2	32	20	2
683742RF	H3, TYPE 3	<5	<0.2	<0.5	67	<2	72	8	<2
683743RF	QVM, TYPE 2	66	3.8	<0.5	15	20	52	1090	39
683744RF	H3, TYPE 4	<5	<0.2	<0.5	89	3	71	7	2
683745RF	H4, TYPE 2	<5	<0.2	<0.5	69	3	62	13	<2
683746RF	H4, TYPE 2	<5	<0.2	<0.5	83	<2	68	3	<2
683740RF	H3, TYPE 2	<5	<0.2	<0.5	35	<2	61	<2	4
683695RF	H3, TYPE 2	<5	1.1	<0.5	428	<2	21	8	<2
683696RF	H3, QVM, TYPE 2	709	71.3	0.5	232	62	69	2480	18
683697RF	H2, TYPE 2	5	0.2	<0.5	47	3	59	9	2
683699RF	SMS, S1, TYPE 2	5	1	1.4	89	5	1	63	<2
683698RF	H3, TYPE 3	<5	<0.2	<0.5	36	<2	53	18	<2
683747RF	QVM, TYPE 2	288	8.8	<0.5	39	39	60	3090	22
683912R	H3, TYPE 3	<5	0.8	<0.5	98	3	72	12	<2
683913R	H3, TYPE 2	<5	0.8	<0.5	82	3	50	2	<2
683748RF	QVM, TYPE 2	840	16.1	<0.5	35	61	52	8870	48
683915RF	H3, TYPE 3	<5	1.1	<0.5	371	2	28	12	<2
683787RF	H3, TYPE 2	<5	1.3	0.5	409	<2	16	9	<2
683780RF	H2, QVM, TYPE 1	1820	13.8	93.2	106	1740	8980	5610	34

SAMPLE NUMBERS:	ROCK TYPE, MINERALIZATION TYPE*:	AU (ppb)	AG (ppm)	CD (ppm)	CU (ppm)	PB (ppm)	ZN (ppm)	AS (ppm)	SB (ppm)
EAST CREEK: AREA OF UPPER ICE SHOWING (S TO N):									
683769R	H3, TYPE 2	<5	0.6	<0.5	92	2	49	5	<2
683768R	H3, QVM, TYPE 2	140	3.3	<0.5	29	28	88	564	19
683763R	QVM, TYPE 2	<50	4.7	<0.5	38	18	102	7370	23
683764R	H3, TYPE 1	23	0.5	<0.5	10	6	41	227	7
683765R	H3, TYPE 2	<5	0.6	<0.5	16	4	68	76	<2
683766R	H3, TYPE 2	<5	0.4	<0.5	30	4	61	53	11
683761R	H3, TYPE 2	<5	0.7	<0.5	15	6	49	71	24
683762R	H3, TYPE 2	<5	0.4	<0.5	27	3	58	16	13
683748RF	QVM, TYPE 2	<5	<0.2	<0.5	37	<2	68	23	<2
683760R	H3, TYPE 2	10	0.5	<0.5	9	7	73	268	2
683768R	QVM, TYPE 2	<50	7	2.8	35	12	334	186	11
683759R	H3, TYPE 2	22	1.2	0.5	23	6	126	259	8
683757R	QVM, TYPE 2	<50	2.5	<0.5	20	6	74	161	11
683756R	H3, TYPE 2	<5	0.5	<0.5	14	2	58	15	<2
683755R	H3, TYPE 3	<5	0.5	<0.5	71	6	43	54	3
683753R	H2, TYPE 2	<5	0.4	<0.5	22	3	67	7	<2
683754R	H2, TYPE 3	<5	0.3	<0.5	46	4	116	10	3
683771RF	QVM, TYPE 2	<5	0.7	<0.5	60	5	67	10	<2
EAST CREEK: UPPER ICE 1 SHOWING:									
683787R	QVM, TYPE 3	<5	0.8	<0.5	143	2	30	11	<2
683788RF	QVM, TYPE 2	<5	0.3	<0.5	83	<2	15	2	<2
683773RF	H3, TYPE 2	<5	0.8	<0.5	142	3	44	7	<2
EAST CREEK: UPPER ICE 2 SHOWING:									
683774R	QVM, TYPE 2	70	2.3	0.8	13	12	91	499	17
683776R	H3, TYPE 2	<5	0.7	<0.5	30	2	62	17	<2
683778R	H3, TYPE 2	9	1.8	0.5	38	12	115	184	10
OLD HWY 37A SAMPLES									
683751RF	H3, TYPE 2	18	2.3	<0.5	37	19	80	249	21
683752RF	H3, TYPE 2	<5	0.8	<0.5	77	8	134	<2	<2

* ROCK TYPES

H2: CRYSTAL TUFF
H3: CRYSTAL TUFF BRECCIA
H4: ASH TUFF
H6: RHYOLITE
S1: ARGILLITE
QVM: QUARTZ VEIN MATERIAL
SMS: SEMI MASSIVE SULFIDES

**MINERALIZATION TYPES

TYPE 1: PY, ASPY, SPHAL, CPY, GAL
TYPE 2: PY, ASPY
TYPE 3: PO +/- CPY
TYPE 4: SPEC

***ANOMALOUS VALUES BASED ON GEOFINE REGIONAL THRESHOLD CRITERIA
OF 10 ppb Au, 0.4 ppm Ag, 0.7 ppm Cd, 45 ppm Cu, 15 ppm Pb, 130 ppm Zn, 24 ppm As, 4 ppm Sb

7050**** AVERAGE GOLD VALUE CALCULATED FROM CHEMEX ANALYTICAL RESULTS