

RECEIVED

FEB 21 2003

Gold Commissioner's Office
VANCOUVER, B.C.

**ASSESSMENT REPORT ON
INDUCED POLARIZATION GEOPHYSICAL SURVEY
ON THE
RED 011, 012 AND 013 CLAIMS**

**Omineca Mining Division, British Columbia
Latitude 126°19' W Longitude 56°44' N**

NTS 094D09W

Prepared for

**Solomon Resources Limited
Suite 900, 475 Howe Street
Vancouver, BC, V6C 2B3
(Operator)**

and

**David L. Cooke
16331 - 59 Avenue
Surrey, BC, V3S 1J9
(Owner)**

Prepared by

GEOLOGICAL SURVEY BRANCH

ASSESSMENT REPORT

**E. Trent Pezzot, P.Geo.
David W. Tupper, P.Geo.**

February 11, 2003

27,076

TABLE OF CONTENTS

	Page No.
1.0 INTRODUCTION.....	1
1.1 INTRODUCTION	1
1.2 LOCATION AND ACCESS.....	1
1.3 CLAIM STATUS.....	1
1.4 PREVIOUS HISTORY	2
2.0 GEOLOGY AND MINERALIZATION	4
2.1 REGIONAL GEOLOGY	4
2.2 PROPERTY GEOLOGY AND MINERALIZATION	5
3.0 GEOPHYSICS	6
3.1 FIELD WORK AND INSTRUMENTATION	6
3.2 GEOPHYSICAL TECHNIQUES - IP METHOD	6
3.3 INVERSION PROGRAMS	7
3.4 DATA PRESENTATION	7
4.0 DISCUSSION OF RESULTS.....	8
5.0 CONCLUSIONS AND RECOMMENDATIONS	9
6.0 SUMMARY OF EXPENDITURES.....	9
7.0 REFERENCES.....	11
8.0 STATEMENTS OF QUALIFICATIONS.....	13
E. TRENT PEZZOT, P.GEO.....	13
DAVID W. TUPPER, P.GEO.	14

LIST OF FIGURES

- Figure 1. Location Map
 Figure 2. Claim Map

LIST OF TABLES

- Table 1. Red Property Claim Status
 Table 2. BC Geological Survey Branch 1996 RGS Data (Map 094D)
 Table 3. Work History and Results of the Red Property
 Table 4. Expenditures

LIST OF APPENDICES

- Appendix A. Geophysical Maps
 Appendix B. Instrument Specifications
 Appendix C. IP Data (L2300E, L2600E & L2900E)

LIST OF PLATES

- Plate: G-1a: Interpreted IP Chargeability Plan Map – Depth 100m..... Appendix A
 Plate: G-1b: Interpreted IP Chargeability Plan Map – Depth 300m..... Appendix A
 Plate: G-2a: Interpreted IP Resistivity Plan Map – Depth 100m..... Appendix A
 Plate: G-2a: Interpreted IP Resistivity Plan Map – Depth 300m..... Appendix A
 Plate: G-3a: Interpreted IP Depth Section – Line 2300E..... Appendix A
 Plate: G-4a: Interpreted IP Depth Section – Line 2600E..... Appendix A
 Plate: G-5a: Interpreted IP Depth Section – Line 2900E..... Appendix A

1.0 INTRODUCTION

1.1 Introduction

The Red property is located in the Omineca Mining Division of northern British Columbia, roughly 40 km southeast of the Kemess Mine near the headwaters of Wrede Creek (see Figure 1). In September 2002, SJ Geophysics Ltd. (SJG), working on behalf of Solomon Resources Limited (Solomon) completed 20 man-days of work dedicated to the property including compilation, prospecting, mapping and rock and stream sediment sampling.

The focus of the work was to conduct an induced polarization (IP) geophysical ground survey in an area where previous operators have reported high copper stream sediment results on the property. The 2002 field program, verified and better delineated the previous IP geophysical anomalies, suggesting potential for a previously unrecognized, deeper (at 300 m below surface) mineralized porphyry target along North Canyon Creek and Bird Creek.

1.2 Location and Access


The Red Property is located in the Omineca Mining Division, northern British Columbia at 126 degrees 19' West longitude and 56 degrees 44' North latitude (see Figures 1 and 2). The property straddles a divide between headwater tributaries of the Ingenika River and Wrede Creek. The property lies in the Wrede Range about 20 kilometres north of Sustut Lake, 15 km northeast of the junction between the Ominica Resource Road and the McConnell Creek Road.

Access to the property is via the two-wheel drive, gravel Ominica Resource Road, roughly 400km north by road from either Mackenzie or Fort St. James. Final access to the property requires a short helicopter lift. The single lane, four-wheel drive McConnell Creek dirt road passes within 7 km west of the property.

The property covers gentle to moderately steep, sub-alpine to alpine terrain extending in elevation from 1,500m to 2,300m above sea level. Most of Red 11 and the north half of Red 13 are above tree line. Where vegetated, the area is covered by low grasses, with small alders and willows in protected draws. Discontinuous patches of permafrost are likely present and solifluction is common above tree line throughout the area. Outcrop is locally moderately well exposed, however much of the area is covered by scree, till and rubbly glacial debris.

1.3 Claim Status

The Red Property consists of three conventional four-post mineral claims totalling 47 units (roughly 1,120ha) (see Figure 2). The claims are as follows:




LEGEND

- Road
- ++++ Railway
- Major Power Line
- Town / City
- Quesnel Trough
- ⌵ Porphyry Mines
- Copper and/or Gold Deposit



Solomon Resources Ltd.
RED PROPERTY
LOCATION MAP



Solomon Resources Ltd.

RED PROPERTY
 North-Central BRITISH COLUMBIA
CLAIM MAP



Scale: 1:50,000	BCGS: 094D.079	Fig: 2
Date: Feb 2003	NTS: 094D/09	

Claim	Tenure Number	Number of Units	Date Staked	Expiry Date
Red 011	384012	20	Feb. 13, 2001	Feb. 13, 2009
Red 012	391063	9	Nov. 29, 2001	Nov. 29, 2004
Red 013	391066	18	Nov. 29, 2001	Nov. 29, 2005

* Expiry dates adjusted to account for assessment work recorded with this report.

The Red claims are owned 100% by David L. Cooke (client #105930) of Surrey, BC. On October 30, 2002, Solomon and Brett Resources Inc. (Brett) terminated agreements with Mr. Cooke to acquire the claims. From February 2002 to October 29, 2002, the claims were held by Solomon (client #125242) subject to an option agreement to acquire a 60% title from Brett, which in turn had optioned a 100% interest in the Red 011 from Mr. Cooke in 2001. Solomon added to the holding by staking the Red 012 and 013 late in 2001 and transferred them to Mr. Cooke.

A Statement of Work was filed in Vancouver on November 20, 2002 (Statement of Work Event No. 3187557).

1.4 Previous History

Widespread gold placer operations have operated intermittently in the area along the Ingenika River and its tributaries since initial discoveries were recorded in 1899 on McConnel Creek. The Red Property has been the focus of various exploration efforts since Cominco staked a portion in the 1930's to cover gold and copper bearing quartz veins hosted within a widespread gossanous zone of alteration. The belt was recognized in the 1960s, for its bulk tonnage, low-grade copper potential.

The property includes three reported BC Ministry of Energy and Mines (BC MEM) MinFile occurrences including: Red (094D-034), Hat (094D-158) and Wrede Creek (094D-009). BC MEM Regional Geochemical Survey (RGS) data from creeks draining the property includes a number of significant stream sediment anomalies as provided in the table below.

RGS Sample No.	Location Description	Cu ppm	Mo ppm	Ni ppm	Cr ppm	Co ppm	Au ppm
94D963366	Wrede Cr.; draining SE from property; follows regional NW-SE linear	104	2	310	1,900	47	16
94D963427	Bird Cr.; draining NW from property; follows regional NW-SE linear	3,600	3	85	290	56	16

Note: Regionally anomalous sample results (>95 percentile based on BCGS criteria) highlighted in bold.

TABLE 3
Work History and Results of the Red Property

Period	Operator	Work	Results/Highlights
1968	Cominco	Geological mapping, 31 line-km soil grid and rock geochemistry (Cu-Mo)	A 2.4km x 0.6km >200ppm Cu soil anomaly (numerous samples >1,000 ppm Cu); >10 ppm Mo soil anomalies coincident within Cu anomaly.
1969	Cominco	5 DDH's totalling 303m drilled along coincident Cu-Mo anomalies.	Best results: DDH 69-03: 0.46% Cu / 20.1m (25.6-45.7m) DDH 69-04: 0.26% Cu / 57.3m (4.3-61.6m) DDH 69-05: 0.20% Cu / 27.4m (25.9-53.3m) Data unsubstantiated (Ref: Cooke, 2001).
1977	Cominco	Ground geophysics (16.6 line-km; IP, resistivity, and magnetic surveys)	A +60 millivolt/sec chargeability IP anomaly extends 800m along the strike of the coincident Cu soil anomaly. Magnetic anomaly trends over 1000m across gabbro/pyroxenite intrusive, paralleling to the SW from the IP anomalies and outlying the area of previous drilling.
1984	BP Resources Canada	Confirmation work including geology, geophysics (IP, magnetics, EM), soil and rock geochemistry; 7 DDH's totalling 1003.5m.	Best DDH results: DDH 84-06: 0.11% Cu & 0.144 g/t Au / 25.9m DDH 84-07: 0.216% Cu & 0.109 g/t Au / 81.0m DDH 84-11: 0.204% Cu & 0.076 g/t Au / 51.0m 0.238% Cu & 0.125 g/t Au / 36.0m DDH 84-12: 0.137% Cu & 0.093 g/t Au / 45.0m
2001	Brett Resources Inc	Geology; rock and silt geochemistry.	Best Results: 7 of 8 stream geochemistry sample results ranging between 1,175 ppm Cu to 1.80% Cu.
2002 (This study)	Solomon Resources Limited	3 line-km IP geophysics.	Modern, deeper penetrating, expanding dipole array identified a significant conductive anomaly at a depth of 300m on Line 26+00E.

Focused exploration efforts began on the property in 1968 when Cominco re-staked the Red 1-33 claims and conducted a program of detailed mapping and geochemical soil sampling (see Table 3). In 1969 Cominco drilled 5 diamond drill holes (not analysed for Au) along the trend of an exposed quartz diorite porphyry unit where it is highlighted by the coincident >200ppm Cu and >10ppm Mo soil anomalies.

A ground IP geophysical survey done by Cominco in 1977 defined a sharp northwest-trending zone of coincident high chargeability and low resistivity. The IP anomalies are coincident with the >200 ppm Cu soil anomaly and the quartz diorite porphyry. A ground geophysical magnetometer survey also identified a parallel trend of high magnetics coincident with a sheared gabbro unit.

In 1984 BP Resources Canada optioned the property from Cominco. Conducted confirmatory soil and lithochemical sampling, IP geophysics and drilled 1003.5 meters in 7 drill holes. The drilling targeted remaining untested perimeter sections of the IP resistivity anomaly. Results from the drilling showed widespread propylitic alteration associated with strongly altered and sheared diorite and andesitic volcanic rocks. Mineralization identified in drilling on the Red property is

related to disseminated chalcopyrite and pyrite mineralization associated with zones of quartz veining in volcanic and intrusive rocks.

A compilation of the drilling to date shows the best results to be grouped in a cluster to the northwest between 21+00N and 22+00N on lines L26+00E and L29+00E on 2002 grid (DDHs 69-3, -4, -5 and 84-11). The best result to date is 0.46% Cu over an interval of 20.1m in DDH69-3. The hole was collared in quartz diorite porphyry along the perimeters of coincident >1000 ppm Cu, IP chargeability (n=1, n=2) and resistivity (n=2) anomalies. A second cluster with slightly lower results occurs to the southeast along the east boundary of Red 011 claim (DDHs 84-6, -7 and -12).

D.L. Cooke and Associates acquired the property in 2001. Brett Resources conducted a program of geological mapping, stream silt and rock geochemistry on the property in August 2001. Exploration interest in the property focused on the structural zone highlighted by extremely elevated silt anomalies. Silt samples collected by Brett Resources returned Cu values up to 1.37% Cu from Bird Creek and 1.80% Cu from North Canyon Creek (Piekenbrock, 2002). These values exceed the typical broad, low-grade, porphyry style mineralization previously recognized northeast of the fault and were thought to suggest the presence of high grade mineralization within or along the structural zone, most likely related to the mapped gabbroic bodies. In addition to the strong silt anomalies, the elongate >200 ppm Cu soil anomaly and intense 2,000 to 7,000 gamma magnetic anomaly roughly mimic the structural zone.

Solomon optioned the ground from Brett in February of 2002. From September 17 to 23, 2002 Solomon contracted SJ Geophysics Ltd. of Vancouver to conduct three line-kilometres of induced polarization (IP) survey on the Red 011 to test for both mineralised gabbroic intrusive body and deeper porphyry-style mineralization.

2.0 GEOLOGY AND MINERALIZATION

2.1 Regional Geology

The Red property lies within the northern extension of the Quesnel Terrane. The Quesnel Terrane is comprised of Middle Triassic to Lower Jurassic Takla Group rocks and the poorly defined Pennsylvanian to Permian Lay Range assemblage believed to be part of the Harper Ranch subterrane (MinFile 094-158). The Takla group, host for much of the mineralization within the belt, is comprised dominantly of marine intermediate volcanic rocks which grade upward into subaerial members as well as sedimentary units. Intrusive rocks include Early Jurassic monzodiorites, Early Cretaceous quartz monzodiorites and Late Triassic Alaskan-type ultramafics.

The Quesnel Terrane is bounded to the east from Upper Proterozoic Ingenika Group rocks of the Cassiar Terrane by the north-northwest trending Swannell fault. To the west, the north-northwest trending Ingenika fault separates the Quesnel Terrane from Paleozoic and Mesozoic magmatic arc assemblages and overlying sedimentary sequences of the Stikine Terrane (Monger, 1984).

Jurassic alkaline porphyry intrusions, with their distinctive Cu-Au metallogeny, define a well-known mineralized belt, slightly inboard from the majority of Cu, Cu/Mo and Mo porphyries in central British Columbia. In general, the mineralizing porphyry intrusions are co-magmatic with the Takla sequence (Monger, 1984).

2.2 Property Geology and Mineralization

The Red Property covers a large area of iron-stained porphyry style alteration and mineralization developed in a complex quartz diorite porphyry (Unit 1; see Plates G-1a to 2b) to diorite (Unit 2) intrusion. This intrusion is juxtaposed against a thick sequence of Takla volcanic rocks of principally andesitic flows and tuffs (Unit 4), but also minor shaly sediments and carbonate lenses (Unit 5). A major structural zone was identified, delineating the southwest boundary between Takla volcanic rocks and dioritic dykes and sills related to the Fleet Peak pluton. This zone is defined by two major stream drainages, Bird Creek draining to the northwest and North Canyon Creek draining to the southeast.

Phyllic and argillic alteration is common near surface, but becomes increasingly more propylitic with depth. Alteration minerals include sericite, quartz, epidote, chlorite, pyrophyllite and calcite. The structural zone along the two creeks is defined by a moderate shear fabric as well as a series of small sub-cropping gabbroic bodies (Unit 6) which are poorly exposed along the negatively weathering structural zone.

Brett Resources fieldwork in 2001 confirmed that the previous geology compiled by Cominco and BP Selco is largely accurate, although BP/Selco likely extrapolated surface geology from drill results. The targeted structural zone along Bird Creek and North Canyon Creek shows a series of sheared and brecciated intermediate to mafic intrusive phases bounded by an intermediate volcanic package to the south. Within the structural zone itself, there are several exposures of a very coarse-grained, magnetite-rich, gabbroic phase that likely account for the strong ground magnetic response located along the structure.

Prospecting conducted by Brett along North Canyon Creek, revealed little in the way of sulfides to account for the high Cu and downstream Ni values. Occasional specks of chalcopyrite were identified throughout the zone but appeared insufficient to generate values in excess of 0.2-0.3% Cu. The sulphide encountered occurs along thin chloritic fractures and was not suggestive of sulphide segregation within the gabbroic phases. The porphyry mineralization encountered was similar to the 0.15-0.2% Cu mineralization recognized in the previous drilling. Veinlets related to the porphyry mineralization are typically chlorite-trace sulphide assemblages cutting an intermediate diorite. Many of the fractures are more sheeted in characteristic, suggesting an imposed regional stress field. There are a few small areas with discrete quartz veinlets with very low total sulphide content which appear to be a late potassic alteration assemblage (trace K-spar).

3.0 GEOPHYSICS

3.1 Field Work and Instrumentation

SJ Geophysics Ltd. conducted an IP survey across a portion of the Red 11 claim in the McConnell Creek area of B.C. on behalf of Solomon Resources Ltd. Surveying was completed on 3 lines (2300E, 2600E and 2900E) using an expanding pole dipole array (Plates G-1A to G-2B). The standard array consisted of 10 dipoles, configured with 6 dipoles at 50 metres and 4 at 100 metres, however modifications were made as necessary to accommodate ground conditions.

The geophysical surveys were conducted from September 16 to September 23, which included 3 mob-demob days, no stand-by days and 5 production days (one production day included the demobilization of the survey gear from the Red property). The geophysical crew consisted of Jan Dobrescu; geophysicist, Chris Basil and Neil Visser; operators and John Wilkinson; technician. A discussion of the geophysical methods used on this survey is included in the section below titled "Geophysical Techniques."

The IP data was collected using an Elrec 10 receiver in conjunction with the VIP 4000 transmitter. A 10-dipole array was deployed in the following configuration: 50m, 50m, 50m, 50m, 50m, 100m, 100m, 100m, 100m.

Three kilometre-long lines were chained and flagged on the first day of survey work, as the infinity wire and receiver cables were put in place. In total, 3 line kilometres of IP survey was completed.

The survey was supported by helicopter based at the Kemess mine gates. Both an A-Star and a Long Ranger were utilized for crew ferrying and gear shuttling. Weather conditions for the survey were poor, with blizzard conditions restricting access to some degree. A road maintenance camp (Lepke Camp at KM 98) provided accommodations for the crew which was reached by logging road from Mackenzie BC.

3.2 Geophysical Techniques - IP Method

The time domain IP technique energizes the ground surface with an alternating square wave pulse via a pair of current electrodes. On most surveys, such as this one, the IP/Resistivity measurements are made on a regular grid of stations along survey lines.

After the transmitter (Tx) pulse has been transmitted into the ground via the current electrodes, the IP effect is measured as a time diminishing voltage at the receiver electrodes. The IP effect is a measure of the amount of IP polarizable materials in the subsurface rock. Under ideal circumstances, IP chargeability responses are a measure of the amount of disseminated metallic sulfides in the subsurface rocks.

Unfortunately, there are other rock materials that give rise to IP effects, including some graphitic rocks, clays and some metamorphic rocks (serpentinite for example) so, that from a geological point of view, IP responses are almost never uniquely interpretable. Because of the non-

uniqueness of geophysical measurements it is always prudent to incorporate other data sets to assist in interpretation.

Also, from the IP measurements the apparent (bulk) resistivity of the ground is calculated from the input current and the measured primary voltage.

With regard to precision, IP/Resistivity measurements are generally considered to be repeatable within about five percent. However, they will exceed that if field conditions change due to variable water content or variable electrode contact.

IP/Resistivity measurements are influenced, to a large degree, by the rock materials nearest the surface (or, more precisely, nearest the measuring electrodes), and the interpretation of the traditional pseudosection presentation of IP data in the past have often been uncertain. This is because stronger responses that are located near surface could mask a weaker one that is located at depth.

3.3 Inversion Programs

“Inversion” programs have recently become available that allow a more definitive interpretation, although the process remains subjective.

The purpose of the inversion process is to convert surface IP/Resistivity measurements into a realistic “Interpreted Depth Section”. The use of the inversion routine is a subjective one because the input into the inversion routine calls for a number of user selectable variables whose adjustment can greatly influence the output. The output from the inversion routines assist in providing a more reliable interpretation of IP/Resistivity data.

The inversion programs are generally applied iteratively to: 1) evaluate the output with regard to what is geologically known; 2) to estimate the depth of detection; and 3) to determine the viability of specific measurements.

The Inversion Program (DCINV2D) used by the SJ Geophysical Group was developed by a consortium of major mining companies under the auspices of the UBC-Geophysical Inversion Facility. It solves two inverse problems. The DC potentials are first inverted to recover the spatial distribution of electrical resistivities, and, secondly, the chargeability data (IP) are inverted to recover the spatial distribution of IP polarizable particles in the rocks.

The Interpreted Depth Section maps represent the cross sectional distribution of polarizable materials, in the case of IP effect, and the cross sectional distribution of the apparent resistivities, in the case of the resistivity parameter.

3.4 Data Presentation

The geophysical data from this survey are displayed in two formats; colour contour plan maps and interpreted depth sections.

Colour contour maps of the interpreted chargeability and resistivity were produced for two depths, 100m and 300m below ground surface. These maps are overlain on the geological and topographic base maps provided by Solomon Resources and presented as Plates G-1A to G-2B.

Depth sections illustrating the interpreted chargeability and resistivity for each line are presented at a 1:5,000 scale as Plates G-3a – G-5a.

4.0 DISCUSSION OF RESULTS

There are several observations apparent in the inversion results. The resistivity inversions reveal three distinct zones: a central low resistivity unit flanked to the north and south by higher resistivities.

- a) A high resistivity unit is observed on the southern portions of all 3 lines. This zone appears to have considerable depth extent and is likely a discrete geological unit. The northern contact of this zone is picked at 2300E/1925N, 2600E/190N and 2900E/1775N and appears to be vertical or dip very steeply to the south.
- b) The high resistivity unit observed on the northern portion of the lines appears to be a surface layer, likely less than 150 metres thick. The southern edge of this unit generally coincides with a creek and is picked at 2300E/2325N, 2600E/2300N and 2900E/2350N. This unit is highly variable, including several localized high resistivity and high chargeability pods. The unit roughly coincides with a NW plunging topographic nose, that forms the northern bank of the creek. This response could be reflecting highly variable overburden in this area.
- c) The low resistivity unit occupying the central portion of the survey lines appears to be a fairly consistent unit. It appears to be covered by a layer of moderate resistivities. This surface layer appears to be thicken from ~ 25 metres on line 2300E to ~ 100 metres on line 2900E. There are no strong indications as to the depth of this layer.

The chargeability inversions show 4 units with anomalously high chargeabilities.

- a) The most consistent anomalous response is observed near the centre of all three lines. It forms a SE trending zone, approximately 100 metres wide and 100 metres thick and roughly coincides with the top of the central low resistivity unit. The chargeability values decrease in amplitude and increase in depth from NW to SE.
- b) A similar response is observed on one line, 2900E centred at station 1950N. This anomaly coincides with a localized low resistivity zone.
- c) The high resistivity surface layer on the northern ends of the lines is also mapped by sporadic, high chargeability pods. These responses are all at or very near the surface and could be reflecting highly variable overburden.

- d) The most interesting chargeability anomaly is observed at extreme depth (300m -350m) on the central line, 2600E, only. It is not uncommon to record anomalous chargeabilities and resistivities at the widest electrode separations. These are often a result of very low voltages and currents at these separations. In this case however, the data appears to be valid. The anomaly is observed on several different current and potential electrode pairs and the measured voltages are all reasonable. It is likely that the anomaly is real, and indicative of a change in the underlying geology. The inversion results however are not producing what I would consider to be a reasonable solution. They suggest the source body is fairly large and forms a SW dipping contact. I suspect that this geometry is a direct result of the electrode configuration. At this point in time, I am only confident that there is a highly chargeable source at a depth of approximately 300m – 350m. I am not sure of the precise location of the source. It could easily be located off the line.

5.0 CONCLUSIONS AND RECOMMENDATIONS

The small amount of IP surveying has shown this as a useful technique for assisting in mapping the geology of the area. Anomalous chargeability and resistivity are detected that coincide with geologically indicated faults. Several anomalous IP responses are mapped that suggest discrete geological variations, not indicated on existing maps.

The IP inversion results need to be reviewed by the project geologist and correlated with known geology in order to determine which of the resistivity and IP trends constitute viable exploration targets.

The strong chargeability anomaly observed at depth on line 2600E requires additional surveying in order to verify and delineate a probable source. There are a couple of options available for this work. One would be to extend the IP surveying to intermediate lines (2400E to 2800E). These lines should also use a wider electrode spacing than the current survey in order to delineate this deep target. A second option would be to redesign the IP survey to accommodate a 3D interpretation. This technique typically involves customized IP arrays, where the current and potential electrodes are placed on different survey lines.

6.0 SUMMARY OF EXPENDITURES

Pertinent expenditures for the Red Property are summarized in Table 4. Work on the project was conducted intermittently between June 17, 2001 and February 22, 2002. This work included a total of 6.7 4-person crew-days, including 4.7 crew-days conducting the IP survey on the property. In addition, work included field expenses, mob-demob including helicopter, truck and airfare between Vancouver and Prince George and reporting costs.

TABLE 4
Red 011 Expenditures

	Time	Rates	Totals
<u>Prefield</u>			
DWT	4.0 days	\$400.00	\$1,600.00
Geophysics	4.7 days	\$1,775.00	\$8,375.00
Expenses			\$178.96
Lodging	5.0 days	\$300.00	\$1,500.00
Mob/Demob	2.7 days	\$1,331.00	\$3,493.88
Airfare			\$455.44
Truck	6.7 days	\$150.00	\$1,000.00
Fuel			\$425.29
Helicopter			\$6,450.80
<u>Post-field</u>			
DWT	2.0 days	\$400.00	\$800.00
ETP	42.0 hours	\$85.00	\$3,570.00
MR	2.0 hours	\$30.00	\$60.00
TL	1.0 hours	\$30.00	\$25.00
Copies		\$100.00	\$105.00
		Total	\$28,039.36
		Statement of Work	\$23,400.00
		Remainder (PAC deposit)	\$4,639.36

7.0 REFERENCES

- Bradley, M.D. and Clark, W.R., 1980; An Assessment Report Detailing the 1979 Diamond Drilling Program on Shred Groups A & B; BP Minerals Limited. Assessment Report # 8213.
- Diakow, L., et al. 2001. Geology of the Southern Toadoggone River and Northern McConnell Creek Map Areas, North-Central BC. Geoscience Map 2001-1. Geological Survey Branch. BC Ministry of Energy and Mines.
- C.I.M., 1976, Porphyry Deposits of the Canadian Cordillera.
- Cooke, D.L., 2001, Exploration Proposal for the Red Property, DL Cooke and Associates, private report.
- Cooke, D.L., 1969; Geological and Geochemical Report on the Red Claims, Wrede Creek/Fleet Peak; Cominco Ltd. Assessment Report #1941.
- Hoffman, S.J., 1982; Geochemical Report on the Bird Mineral Claims; BP Minerals Limited. Assessment Report #10,814.
- Klein, J., 1977; Geophysical Work on the Hat and Red Claims, Cominco Ltd. Assessment Report #6653.
- Meyers, R.E., 1984; Assessment Report of the 1984 Geological, Geochemical, Geophysical and Diamond Drilling Joint Venture Program on the Red and Shred Claim Groups; BP Resources Canada Ltd. Assessment Report #13,316.
- Monger, J.W. 1984 Cordilleran Tectonics: A Canadian Perspective. Geol. Soc. France Bull., ser. 7, v. 26, no. 2, p. 255-278. (Referenced in MinFile 094D-111).
- Mustard, D., 1974; Geological, geochemical and geophysical report on the Bird Claim Group, Fleet Peak, Johanson Lake Area; BP Minerals Limited (including Selco Division). Assessment Report #5254.
- Mustard, D. and Bates, C.D.S., 1975; Diamond Drilling Report on the Bird Claim Group, Johanson Lake Area; BP Minerals Limited (including Selco Division). Assessment Report #5661.
- MINFILE Reports in the area include 094D 101, 094D 111, 094D 156, 094D 157 and 094D 158.
- Piekenbrock, J., C. Hering. 2002. Assessment Report on Geological Mapping, Rock and Stream Sediment Sampling on the Red 011 Claim.

Rogers, C., J. Houle. 1998. Geological setting of the Kemess South Au-Cu porphyry deposit and local geology between Kemess Creek and Bicknell Lake (NTS 094E/02). Geological Fieldwork 1998, Paper 1999-1. BC Geological Survey Branch.

8.0 STATEMENTS OF QUALIFICATIONS


E. Trent Pezzot, P.Ge.

I, E. Trent Pezzot, of the city of Surrey, Province of British Columbia, hereby certify that:

- 1) I graduated from the University of British Columbia in 1974 with a B.Sc. degree in the combined Honours Geology and Geophysics program.
- 2) I have practised my profession continuously from that date.
- 3) I am a registered member of the Association of Professional Engineers and Geoscientists of British Columbia.
- 4) I co-authored the report entitled "Assessment Report on Induced Polarization Survey on the Red 011 Claims", providing discussion and interpretations of the 2002 IP geophysical survey described herein.
- 5) I neither have any direct interest in the Red Property nor do I hold shares or share options of Solomon Resources Limited or Brett Resources Inc.

Dated at Vancouver British Columbia, this 21st day of February, 2003

Respectfully submitted,


E. Trent Pezzot, P. Geoscientist
Geophysicist/Geologist


David W. Tupper, P.Geo.


I, David W. Tupper of 1040 Aubeneau Crescent, West Vancouver, BC, V7T 1T5, do hereby certify that:

- 1) I am a graduate of the University of British Columbia with a B.Sc. degree in Geology, 1984.
- 2) I have practiced my profession since 1984 and have been involved in mineral exploration throughout British Columbia, Ontario, Alaska, and Asia since that time.
- 3) I am a consulting geologist with an office at 900-475 Howe Street, Vancouver, V6C 2B3. I am Exploration Manager for Solomon Resources Limited.
- 4) During the period August 20 2002 to September 25, 2002, I planned and organized the geophysical survey investigation on the Red 011 Property.
- 5) I am co-author of the report entitled "Assessment Report on Induced Polarization Survey on the Red 011 Claims", providing background geological and historical data.
- 6) I have no direct interest in the Red Property although I hold share options of Solomon Resources Limited. However, my share position has not changed based on this report.

Dated at Vancouver, British Columbia, this 21st day of February, 2003.


Respectfully Submitted,


David W. Tupper, B.Sc.



APPENDIX A

GEOPHYSICAL MAPS





LEGEND:

INSTRUMENTATION	TX IRIS VIP 4000
	RX IRIS ELREC 10
ARRAY	EXPANDING POLE DIPOLE
	A = 50,50,50,50,50,50,100,100,100,100
GEODETC DATUM	NAD 83
PROJECTION	UTN ZONE 9

S.J.V. CONSULTANTS LTD.
SJ GEOPHYSICS LTD.

SOLOMON RESOURCES LTD.
RED 011 PROJECT
NTS 94D/09 OMINCA M.D.
IP SURVEY
INTERPRETED CHARGEABILITY
DEPTH 100M
NOV. 2002 **PLATE G-1A**




LEGEND:

INSTRUMENTATION	TX IRIS VIP 4000
	RX IRIS ELREC 10
ARRAY	EXPANDING POLE DIPOLE
	A = 50,50,50,50,50,100,100,100,100
GEODETIC DATUM	NAD 83
PROJECTION	UTN ZONE 9

**S.J.V. CONSULTANTS LTD.
SJ GEOPHYSICS LTD.**

SOLOMON RESOURCES LTD.
 RED 011 PROJECT
 NTS 94D/09 OMINCA M.D.
 IP SURVEY
 INTERPRETED CHARGEABILITY
 DEPTH 300M
 NOV. 2002 PLATE G-1B




LEGEND:

INSTRUMENTATION	TX IRIS VIP 4000
	RX IRIS ELREC 10
ARRAY	EXPANDING POLE DIPOLE
	A = 50,50,50,50,50,50,100,100,100,100
GEODETC DATUM	NAD 83
PROJECTION	UTN ZONE 9

S.J.V. CONSULTANTS LTD.
SJ GEOPHYSICS LTD.

SOLOMON RESOURCES LTD.
RED 011 PROJECT
NTS 94D/09 OMINCA M.D.
IP SURVEY
INTERPRETED RESISTIVITY
DEPTH 100M
NOV. 2002 **PLATE G-2A**








LEGEND:

INSTRUMENTATION	TX IRIS VIP 4000
	RX IRIS ELREC 10
ARRAY	EXPANDING POLE DIPOLE
	A = 50,50,50,50,50,50,100,100,100,100
GEODETIC DATUM	NAD 83
PROJECTION	UTN ZONE 9

S.J.V. CONSULTANTS LTD.
SJ GEOPHYSICS LTD.

SOLOMON RESOURCES LTD.
RED 011 PROJECT
NTS 94D/09 OMINCA M.D.
IP SURVEY
INTERPRETED RESISTIVITY
DEPTH 300M
 NOV. 2002 PLATE G-2B




Solomon Resources Ltd.
Red 011 Claim
Induced Polarization Survey

Line 2300E

S.J.V. Consultants Ltd.
SJ Geophysics Ltd.

Nov, 2002

Plate G-3a



Solomon Resources Ltd.

Red 011 Claim


Induced Polarization Survey

Line 2600E

**S.J.V. Consultants Ltd.
SJ Geophysics Ltd.**

Nov., 2002

Plate G-4a



Solomon Resources Ltd.
 Red 011 Claim
 Induced Polarization Survey
 Line 2900E

S.J.V. Consultants Ltd.
SJ Geophysics Ltd.

Nov., 2002

Plate G-5a

APPENDIX B
INSTRUMENT SPECIFICATIONS

IRIS VIP-4000 IP Transmitter

Output Ratings:

Output power:	4000 VA maximum.
Output voltage:	4000V maximum, auto voltage range selection.
Output current:	20 ma to 5A, current regulated to better than 1 %.
Dipoles:	9; push button selected.
Output connectors:	Uniclip connectors accept bare wire or plug of up to 4 mm diameter.
Waveforms:	See figure 4.1.
Fall times:	Better than 1 msce in resistive load.
Time domain:	Preprogrammed on and off times from 0.25 to 8 seconds, by factor of 2. Other cycles programmable by user. Automatic circuit opening in off time.
Frequency domain:	Preprogrammed frequencies from 0.0625 Hz to 4Hz, by factor of 2. Alternate or simultaneous transmission of two frequencies. Other frequencies programmable by user.
Time and frequency stability:	0.01 %; 1 PPB optional

Other:

Display:	Alphanumeric liquid crystal display.
Power source:	175 to 270 VAC, 45-450 Hz, single phase.
Operating temperature:	-40 to +50o C.
Protection:	Short circuit at 20 □; open loop at 60 000 □; thermal, input overvoltage and undervoltage.
Remote control:	Full duplex RS232C, 300-19 200 bps.
Dimensions (h w d):	410 x 320 x 240 m
Weight:	16kg.

IRIS ELREC 10 IP Receiver

Technical:

Input impedance:	10 Mohm
Input overvoltage protection up to	1000V
Automatic SP bucking with linear drift correction	
Internal calibration generator for a true calibration on request of the operator	
Internal memory:	3200 dipoles reading
Automatic synchronization and re-synchronization process on primary voltages signals whenever needed	
Proprietary intelligent stacking process rejecting strong non-linear SP drifts	
Common mode rejection:	More than 100 dB (for Rs =0)
Self potential (Sp)	: range:-15V - + 15V : resolution: 0.1 mV
Ground resistance measurement range:	0.1-100 kohms
Primary voltage	Range: 10μV - 15V Resolution: 1μV Accuracy: typ. 1.3%
Chargeability	Resolution: 10μV/V Accuracy: typ. 0.6%

General:

Dimensions:	31x21x25 cm
Weight (with the internal battery):	9 kg
Operating temperature range:	-30°C -70°C
Case in fiber-glass for resisting to field shocks and vibrations	

APPENDIX C

IP DATA (L2300E, L2600E & L2900E)

RED PROPERTY IP DATA – L2300E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:
 LINE:2300 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2300 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1500.00	0.00	1550.00	1600.00	1811.60	1.00	-27.20	23.69	20.04	17.89	16.27	15.07	14.03	13.16	12.10	10.96	10.08	8.56	8.56	32.61	1138.26	1138.26	0.00
1500.00	0.00	1600.00	1650.00	986.87	1.00	27.54	28.99	24.55	21.95	19.97	18.44	17.18	16.10	14.78	13.36	12.19	10.42	10.42	83.50	1860.20	1860.20	0.00
1500.00	0.00	1650.00	1700.00	536.55	1.00	-5.08	30.31	25.77	23.10	21.03	19.45	18.14	16.98	15.60	14.12	12.90	11.02	11.02	70.28	2022.76	2022.76	0.00
1500.00	0.00	1700.00	1750.00	562.25	1.00	41.76	34.88	29.67	26.59	24.21	22.37	20.87	19.52	17.94	16.23	14.81	12.66	12.66	18.39	3532.75	3532.75	0.00
1500.00	0.00	1750.00	1800.00	498.10	1.00	-11.26	42.20	35.82	31.98	29.03	26.76	24.91	23.26	21.31	19.25	17.53	14.97	14.97	12.37	4694.48	4694.48	0.00
1500.00	0.00	1800.00	1850.00	285.94	1.00	-4.33	39.36	33.02	29.35	26.56	24.42	22.76	21.17	19.37	17.49	15.91	13.65	13.65	6.72	3772.88	3772.88	0.00
1500.00	0.00	1850.00	1950.00	322.22	1.00	-73.93	34.79	29.43	26.34	23.81	21.93	20.45	19.05	17.43	15.80	14.41	12.29	12.29	2.31	3188.70	3188.70	0.00
1500.00	0.00	1950.00	2050.00	105.04	1.00	24.64	37.27	30.92	27.60	24.85	22.94	21.23	19.79	17.99	16.37	14.93	12.74	12.74	10.63	1633.50	1633.50	0.00
1500.00	0.00	2050.00	2150.00	27.62	1.00	41.97	106.51	83.59	73.19	65.63	60.55	56.04	52.85	48.38	44.36	40.90	36.29	36.29	47.51	620.36	620.36	0.00
1500.00	0.00	2150.00	2250.00	21.22	1.00	-49.13	64.80	62.89	57.57	52.93	48.30	44.48	41.46	37.95	34.00	30.18	25.14	25.14	49.88	649.91	649.91	0.00
1550.00	0.00	1600.00	1650.00	2672.67	0.30	27.27	22.59	17.52	15.33	13.76	12.58	11.63	10.85	9.89	8.82	8.01	6.92	6.92	83.54	5597.62	5597.62	0.00
1550.00	0.00	1650.00	1700.00	745.28	0.30	-1.67	17.69	14.57	13.45	12.55	11.84	11.13	10.51	9.82	8.93	8.20	6.89	6.89	70.15	4682.75	4682.75	0.00
1550.00	0.00	1700.00	1750.00	543.76	0.30	42.51	37.67	28.52	24.04	21.02	18.90	17.18	15.72	14.21	12.50	11.21	9.94	9.94	18.30	6833.10	6833.10	0.00
1550.00	0.00	1750.00	1800.00	378.54	0.30	-8.15	37.43	30.08	26.36	23.72	21.83	20.15	18.64	17.18	15.32	13.91	11.98	11.98	10.84	7928.19	7928.19	0.00
1550.00	0.00	1800.00	1850.00	190.69	0.30	-8.34	36.16	28.62	24.87	22.25	20.50	18.88	17.36	16.04	14.27	12.92	11.21	11.21	6.84	5990.73	5990.73	0.00
1550.00	0.00	1850.00	1900.00	125.96	0.30	-5.84	32.52	26.01	22.69	20.36	18.92	17.43	15.96	14.86	13.20	12.04	10.36	10.36	2.06	5540.21	5540.21	0.00
1550.00	0.00	1900.00	2000.00	100.11	0.30	-95.73	31.60	24.87	21.65	19.24	18.11	16.60	15.03	14.09	12.41	11.28	9.78	9.78	9.60	3302.27	3302.27	0.00
1550.00	0.00	2000.00	2100.00	31.47	0.30	88.23	37.47	31.94	28.25	25.54	23.66	21.93	19.67	18.47	16.60	15.13	13.03	13.03	11.23	1631.43	1631.43	0.00
1550.00	0.00	2100.00	2200.00	10.76	0.30	-7.76	136.00	110.34	92.45	82.73	75.96	69.37	62.88	57.77	51.06	45.95	42.04	42.04	11.78	805.75	805.75	0.00
1550.00	0.00	2200.00	2300.00	6.26	0.30	46.38	321.62	169.05	126.31	105.79	94.98	88.53	78.94	74.60	65.62	57.47	53.15	53.15	74.55	639.47	639.47	0.00
1600.00	0.00	1650.00	1700.00	4297.73	0.50	-5.08	21.91	17.30	15.14	13.63	12.44	11.60	10.70	9.68	8.65	7.79	6.75	6.75	69.92	5400.69	5400.69	0.00
1600.00	0.00	1700.00	1750.00	2199.84	0.50	37.13	22.25	17.48	15.25	13.71	12.53	11.55	10.81	9.82	8.84	8.04	7.04	7.04	17.85	8293.22	8293.22	0.00
1600.00	0.00	1750.00	1800.00	1218.49	0.50	-10.54	36.50	29.67	26.08	23.54	21.57	19.89	18.62	16.88	15.12	13.64	11.54	11.54	12.25	9187.19	9187.19	0.00
1600.00	0.00	1800.00	1850.00	558.74	0.50	-4.36	32.33	25.60	22.25	19.97	18.23	16.76	15.74	14.21	12.78	11.55	9.98	9.98	6.84	7021.31	7021.31	0.00
1600.00	0.00	1850.00	1900.00	344.83	0.50	-12.12	29.41	23.52	20.56	18.54	16.99	15.57	14.69	13.24	11.98	10.79	9.28	9.28	2.29	6499.86	6499.86	0.00
1600.00	0.00	1900.00	1950.00	172.62	0.50	-63.21	27.35	21.90	19.08	17.15	15.75	14.36	13.75	12.13	11.06	9.87	8.53	8.53	1.85	4555.32	4555.32	0.00
1600.00	0.00	1950.00	2050.00	141.72	0.50	24.39	32.59	25.77	22.20	20.08	18.18	16.67	15.98	14.12	12.84	11.63	10.03	10.03	10.78	2804.94	2804.94	0.00
1600.00	0.00	2050.00	2150.00	27.46	0.50	41.49	143.96	106.02	89.01	78.55	70.67	64.36	60.40	54.37	49.17	44.64	41.73	41.73	47.53	854.21	854.21	0.00
1600.00	0.00	2150.00	2250.00	24.30	0.50	-51.14	21.91	29.87	29.41	28.43	26.34	24.53	23.44	21.79	19.67	17.51	11.65	11.65	49.87	1091.56	1091.56	0.00
1600.00	0.00	2250.00	2350.00	16.73	0.50	14.17	129.04	107.68	97.83	90.97	85.50	76.09	72.83	65.16	56.70	48.24	37.78	37.78	30.23	1025.20	1025.20	0.00
1650.00	0.00	1700.00	1750.00	2626.74	0.20	42.80	18.24	14.20	12.20	11.06	10.06	9.25	8.63	7.81	6.96	6.31	5.47	5.47	18.76	8252.16	8252.16	0.00
1650.00	0.00	1750.00	1800.00	958.24	0.20	-11.88	29.77	23.88	20.77	18.71	17.05	15.67	14.61	13.25	11.81	10.65	9.14	9.14	12.27	9031.22	9031.22	0.00
1650.00	0.00	1800.00	1850.00	384.65	0.20	-5.41	28.44	22.41	19.30	17.38	15.77	14.38	13.50	12.24	10.92	9.84	8.52	8.52	6.96	7250.53	7250.53	0.00
1650.00	0.00	1850.00	1900.00	220.99	0.20	-8.28	26.16	20.93	18.07	16.42	14.99	13.70	12.85	11.65	10.43	9.37	8.09	8.09	2.02	6942.57	6942.57	0.00
1650.00	0.00	1900.00	1950.00	106.17	0.20	-63.86	24.00	19.09	16.30	14.94	13.66	12.59	11.71	10.55	9.40	8.44	7.30	7.30	2.09	5003.26	5003.26	0.00
1650.00	0.00	1950.00	2000.00	52.00	0.20	-29.37	28.35	21.96	18.44	16.66	15.16	13.66	13.17	12.06	10.40	9.17	8.16	8.16	9.76	3430.81	3430.81	0.00
1650.00	0.00	2000.00	2100.00	44.04	0.20	87.44	28.13	23.64	20.67	19.54	17.96	16.60	15.46	14.52	13.05	11.83	9.93	9.93	11.19	2179.31	2179.31	0.00
1650.00	0.00	2100.00	2200.00	13.24	0.20	-8.76	133.04	108.81	94.31	84.97	78.44	70.20	66.18	59.86	52.37	49.13	41.50	41.50	11.80	1029.72	1029.72	0.00
1650.00	0.00	2200.00	2300.00	3.24	0.20	47.12	445.10	178.10	88.79	55.42	39.99	21.20	23.50	16.00	4.69	-0.20	7.77	7.77	73.74	363.95	363.95	0.00
1700.00	0.00	1750.00	1800.00	3080.24	0.30	-218.50	24.15	19.11	16.64	14.90	13.60	12.54	11.67	10.57	9.48	8.54	7.38	7.38	13.13	6451.24	6451.24	0.00
1700.00	0.00	1800.00	1850.00	914.22	0.30	-8.63	25.69	19.98	17.25	15.32	13.91	12.78	11.84	10.70	9.53	8.62	7.47	7.47	6.82	5744.18	5744.18	0.00
1700.00	0.00	1850.00	1900.00	480.66	0.30	-10.92	23.44	18.48	16.15	14.41	13.11	12.06	11.23	10.13	9.06	8.19	7.07	7.07	1.99	6040.17	6040.17	0.00
1700.00	0.00	1900.00	1950.00	220.52	0.30	-68.63	21.87	17.17	15.07	13.41	12.18	11.17	10.39	9.35	8.42	7.61	6.57	6.57	1.69	4618.59	4618.59	0.00
1700.00	0.00	1950.00	2000.00	105.19	0.30	-21.41	23.27	17.87	15.47	13.89	12.35	11.31	10.55	9.45	8.57	7.64	6.64	6.64	9.75	3304.64	3304.64	0.00
1700.00	0.00	2000.00	2050.00	61.36	0.30	45.13	32.90	26.25	23.08	20.20	18.67	17.32	15.94	14.29	12.55	11.25	9.81	9.81	18.51	2698.95	2698.95	0.00
1700.00	0.00	2050.00	2150.00	36.70	0.30	45.94	78.83	57.33	48.30	42.84	38.80	35.63	33.14	30.05	27.35	24.76	21.67	21.67	47.29	1210.56	1210.56	0.00
1700.00	0.00	2150.00	2250.00	17.36	0.30	-52.13	64.65	68.69	64.60	60.16	55.96	52.12	49.15	45.73	41.27	38.63	32.65	32.65	49.68	899.82	899.82	0.00
1700.00	0.00	2250.00	2350.00	13.75	0.30	17.15	93.20	66.92	53.33	44.90	38.62	32.92	28.36	22.93	17.35	12.38	11.28	11.28	30.09	1029.63	1029.63	0.00
1700.00	0.00	2350.00	2450.00	14.18	0.30	43.60	172.43	85.73	58.71	52.55	49.69	46.58	46.14	46.27	45.36	44.15	40.30	40.30	56.48	1448.12	1448.12	0.00
1750.00	0.00	1800.00	1850.00	4170.47	0.50	6.28	23.28	18.40	15.86	14.11	12.77	11.72	10.83	9.77	8.66	7.77	6.72					

RED PROPERTY IP DATA – L2300E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ Strint:0 Tx:

LINE:2300 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2300 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1800.00	0.00	1850.00	1900.00	4175.71	0.50	-9.77	20.81	16.74	14.45	12.85	11.62	10.64	9.84	8.87	7.86	7.04	6.06	6.06	1.95	5247.35	5247.35	0.00
1800.00	0.00	1900.00	1950.00	1209.60	0.50	-87.77	19.25	15.44	13.33	11.84	10.68	9.79	9.04	8.14	7.20	6.44	5.56	5.56	1.62	4560.08	4560.08	0.00
1800.00	0.00	1950.00	2000.00	471.02	0.50	-29.20	19.65	15.74	13.57	12.05	10.86	9.96	9.18	8.28	7.31	6.53	5.65	5.65	9.71	3551.44	3551.44	0.00
1800.00	0.00	2000.00	2050.00	231.49	0.50	59.70	22.57	18.40	15.98	14.27	12.95	11.87	11.01	9.97	8.85	7.96	6.88	6.88	18.27	2908.95	2908.95	0.00
1800.00	0.00	2050.00	2100.00	81.71	0.50	35.24	31.58	26.71	23.85	21.73	19.83	18.58	17.29	15.82	14.36	12.99	11.12	11.12	11.96	1540.11	1540.11	0.00
1800.00	0.00	2100.00	2150.00	37.75	0.50	2.70	93.47	79.58	72.10	66.30	61.48	58.05	55.00	51.18	47.68	43.75	36.48	36.48	40.11	996.27	996.27	0.00
1800.00	0.00	2150.00	2250.00	51.84	0.50	-45.36	111.70	93.54	81.67	72.72	65.72	60.61	56.41	50.75	44.28	39.69	35.45	35.45	49.81	1026.05	1026.05	0.00
1800.00	0.00	2250.00	2350.00	39.06	0.50	9.02	52.89	44.54	40.20	37.24	33.79	31.65	30.71	27.37	24.56	21.68	17.90	17.90	30.13	1214.70	1214.70	0.00
1800.00	0.00	2350.00	2450.00	30.28	0.50	46.71	162.81	118.88	93.53	79.06	67.27	59.29	54.17	47.22	41.79	38.03	36.61	36.61	56.61	1360.14	1360.14	0.00
1800.00	0.00	2450.00	2500.00	14.70	0.50	-35.67	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	59.52	900.32	900.32	0.00
1850.00	0.00	1900.00	1950.00	5781.39	1.00	-61.49	16.69	12.94	11.14	9.88	8.94	8.19	7.56	6.80	6.02	5.40	4.68	4.68	1.58	3632.55	3632.55	0.00
1850.00	0.00	1950.00	2000.00	1707.49	1.00	-16.50	17.16	13.25	11.34	10.02	9.01	8.20	7.58	6.79	5.98	5.35	4.62	4.62	9.69	3218.54	3218.54	0.00
1850.00	0.00	2000.00	2050.00	704.25	1.00	43.59	20.50	16.29	14.13	12.60	11.42	10.48	9.72	8.79	7.79	7.00	6.03	6.03	18.20	2655.01	2655.01	0.00
1850.00	0.00	2050.00	2100.00	231.00	1.00	30.47	29.59	24.37	21.45	19.38	17.76	16.41	15.35	13.98	12.55	11.43	9.81	9.81	11.91	1451.39	1451.39	0.00
1850.00	0.00	2100.00	2150.00	112.15	1.00	5.96	89.55	74.61	65.98	59.84	54.94	50.80	47.71	43.56	39.24	35.82	30.70	30.70	40.11	1057.00	1057.00	0.00
1850.00	0.00	2150.00	2200.00	86.49	1.00	-8.98	118.97	102.21	91.20	83.02	76.50	71.23	66.92	61.36	55.29	50.61	43.00	43.00	47.19	1141.23	1141.23	0.00
1850.00	0.00	2200.00	2300.00	77.72	1.00	44.45	103.48	85.18	75.45	68.91	63.29	58.98	55.72	51.23	46.61	42.94	37.77	37.77	73.56	769.11	769.11	0.00
1850.00	0.00	2400.00	2500.00	79.82	1.00	-20.14	59.80	50.95	44.98	41.18	37.92	34.82	33.05	30.14	27.18	25.06	21.55	21.55	62.98	1793.05	1793.05	0.00
1900.00	0.00	1950.00	2000.00	4221.37	1.00	-13.32	15.51	11.27	9.56	8.41	7.54	6.87	6.31	5.65	4.97	4.45	3.87	3.87	9.26	2652.37	2652.37	0.00
1900.00	0.00	2000.00	2050.00	1240.38	1.00	37.97	18.29	13.77	11.83	10.49	9.47	8.67	8.02	7.22	6.39	5.75	5.00	5.00	18.25	2338.06	2338.06	0.00
1900.00	0.00	2050.00	2100.00	354.11	1.00	21.59	27.62	21.70	18.91	16.91	15.39	14.19	13.20	12.00	10.70	9.69	8.39	8.39	11.92	1334.96	1334.96	0.00
1900.00	0.00	2100.00	2150.00	159.20	1.00	15.29	89.78	73.41	64.55	58.29	53.45	49.57	46.24	42.41	38.12	34.76	29.76	29.76	39.50	1000.28	1000.28	0.00
1900.00	0.00	2150.00	2200.00	116.75	1.00	-16.18	127.15	106.61	94.35	85.42	78.50	72.89	68.13	62.38	56.15	51.13	44.08	44.08	46.31	1100.39	1100.39	0.00
1900.00	0.00	2200.00	2250.00	47.96	1.00	-24.06	106.07	85.65	74.41	66.46	60.65	55.60	51.28	46.68	41.40	37.57	32.65	32.65	21.29	632.78	632.78	0.00
1900.00	0.00	2250.00	2350.00	114.41	1.00	12.68	63.72	52.18	46.10	41.60	38.18	35.45	33.11	30.30	27.21	25.01	21.54	21.54	30.13	1132.20	1132.20	0.00
1900.00	0.00	2350.00	2450.00	83.03	1.00	37.64	99.49	76.76	65.53	58.34	52.62	48.49	44.66	40.58	35.91	32.94	29.05	29.05	56.63	1291.24	1291.24	0.00
1900.00	0.00	2450.00	2500.00	39.42	1.00	-35.87	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	-9999.	59.70	885.56	885.56	0.00
1950.00	0.00	2000.00	2050.00	2903.43	1.00	34.32	13.85	10.96	9.46	8.39	7.60	6.96	6.44	5.79	5.12	4.59	3.97	3.97	18.43	1824.28	1824.28	0.00
1950.00	0.00	2050.00	2100.00	599.99	1.00	28.22	23.83	19.46	16.98	15.19	13.82	12.75	11.85	10.72	9.55	8.61	7.41	7.41	11.86	1130.95	1130.95	0.00
1950.00	0.00	2100.00	2150.00	235.51	1.00	26.16	83.03	70.00	62.06	56.27	51.74	48.08	45.01	41.19	37.14	33.87	29.02	29.02	39.37	887.85	887.85	0.00
1950.00	0.00	2150.00	2200.00	156.70	1.00	-20.75	120.31	102.66	91.43	83.12	76.58	71.24	66.76	61.23	55.32	50.54	43.29	43.29	46.27	984.58	984.58	0.00
1950.00	0.00	2200.00	2250.00	61.35	1.00	-11.95	105.91	89.52	79.42	72.01	66.18	61.50	57.61	52.82	47.71	43.50	37.31	37.31	20.76	578.17	578.17	0.00
1950.00	0.00	2250.00	2300.00	58.99	1.00	62.99	47.77	38.15	33.88	30.18	27.90	26.39	24.69	22.70	20.82	19.15	16.31	16.31	75.32	778.39	778.39	0.00
1950.00	0.00	2300.00	2350.00	74.50	1.00	-64.21	74.25	64.04	56.95	51.16	47.15	43.72	41.06	36.84	32.92	29.38	25.26	25.26	82.09	737.26	737.26	0.00
1950.00	0.00	2350.00	2450.00	140.25	1.00	9.00	74.63	62.41	55.51	50.32	46.21	42.97	40.57	37.05	33.70	30.70	26.60	26.60	39.04	2180.96	2180.96	0.00
2000.00	0.00	2050.00	2100.00	558.53	0.40	29.94	18.12	15.06	13.20	11.82	10.78	9.97	9.26	8.39	7.49	6.79	5.85	5.85	11.86	877.34	877.34	0.00
2000.00	0.00	2100.00	2150.00	161.18	0.40	9.85	79.46	67.87	60.43	54.93	50.60	47.04	44.03	40.43	36.35	33.16	28.33	28.33	39.39	759.55	759.55	0.00
2000.00	0.00	2150.00	2200.00	90.52	0.40	-10.87	119.91	103.29	92.33	84.29	77.90	72.51	68.06	62.54	56.58	51.72	44.30	44.30	46.24	853.10	853.10	0.00
2000.00	0.00	2200.00	2250.00	32.79	0.40	-26.46	108.45	92.93	82.46	75.10	69.09	64.20	60.18	55.41	49.73	45.32	39.14	39.14	21.24	515.10	515.10	0.00
2000.00	0.00	2250.00	2300.00	30.88	0.40	71.18	75.33	63.11	55.45	50.38	46.61	43.28	39.82	37.15	33.25	30.33	25.88	25.88	76.58	727.53	727.53	0.00
2000.00	0.00	2300.00	2350.00	33.52	0.40	-66.17	50.85	44.65	40.11	36.70	33.55	30.64	29.63	26.39	23.84	21.58	18.30	18.30	83.09	1105.57	1105.57	0.00
2000.00	0.00	2350.00	2450.00	43.63	0.40	44.76	79.62	66.39	58.11	52.58	48.96	45.45	41.94	40.04	35.35	32.77	28.20	28.20	56.77	1079.36	1079.36	0.00
2000.00	0.00	2450.00	2500.00	20.01	0.40	-36.13	45.53	44.49	41.90	39.10	36.32	34.03	33.52	30.76	26.79	25.70	22.21	22.21	59.74	777.90	777.90	0.00
2050.00	0.00	2100.00	2150.00	1134.41	1.00	2.91	85.86	71.49	63.09	57.05	52.36	48.58	45.38	41.46	37.24	33.82	29.08	29.08	39.22	712.77	712.77	0.00
2050.00	0.00	2150.00	2200.00	418.09	1.00	-18.38	138.96	116.38	102.75	92.97	85.43	79.31	74.30	68.04	61.41	56.28	48.36	48.36	46.19	788.08	788.08	0.00
2050.00	0.00	2200.00	2250.00	127.67	1.00	-20.98	128.96	106.97	94.00	84.78	77.78	72.07	67.36	61.70	55.57	50.64	43.69	43.69	20.75	481.31	481.31	0.00
2050.00	0.00	2250.00	2300.00	105.25	1.00	55.16	78.90	64.42	56.27	50.72	46.54	43.07	40.27	36.90	33.29	30.49	26.31	26.31	74.94	661.31	661.31	0.00
2050.00	0.00	2300.00	2350.00	105.16	1.00	-54.70	62.97	53.93	48.23	44.06	40.63	37.76	35.48	32.39	28.96	26.21	22.17	22.17	83.24	991.13	991.13	0.00
2050.00	0.00	2350.00	2400.00	49.13	1.00	30.07	101.31	91.21	83.97	79.03	74.69	70.32	67.13	61.80	56.51	52.43	44.52	44.52	59.94	648.29	648.29	0.00
2050.00	0.00	2400.00	2500.00	136.13	1.00	-21.24	70.57	58.36	47.86	42.46	38.49	35.08	32.84	30.00	27.12	24.86	21.89	21.89				

RED PROPERTY IP DATA – L2300E
Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:
 LINE:2300 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2300 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
2150.00	0.00	2250.00	2300.00	81.59	0.30	76.41	73.85	62.20	55.13	49.87	45.72	42.40	39.67	36.47	33.02	30.13	26.01	26.01	76.76	512.65	512.65	0.00
2150.00	0.00	2300.00	2350.00	65.38	0.30	-68.43	77.92	66.18	59.01	53.45	49.32	45.89	42.93	39.42	35.69	32.52	27.82	27.82	83.35	821.64	821.64	0.00
2150.00	0.00	2350.00	2400.00	31.25	0.30	34.62	87.15	73.55	65.65	59.23	54.45	50.54	47.09	43.01	38.90	35.14	30.27	30.27	61.70	654.49	654.49	0.00
2150.00	0.00	2400.00	2450.00	30.85	0.30	13.49	88.42	73.56	65.13	58.54	54.02	49.97	46.57	42.78	38.61	34.77	30.05	30.05	82.27	969.05	969.05	0.00
2150.00	0.00	2450.00	2500.00	25.19	0.30	-36.71	53.09	46.75	42.63	39.03	36.05	34.04	31.38	29.58	27.06	24.06	20.60	20.60	60.00	1107.92	1107.92	0.00
2200.00	0.00	2250.00	2300.00	748.75	0.40	73.60	84.83	65.32	55.42	48.88	44.00	40.18	37.04	33.25	29.32	26.25	22.88	22.88	77.08	1176.13	1176.13	0.00
2200.00	0.00	2300.00	2350.00	197.75	0.40	-59.64	87.09	73.87	65.70	59.71	54.94	51.16	47.93	43.89	39.58	36.16	30.90	30.90	81.68	931.89	931.89	0.00
2200.00	0.00	2350.00	2400.00	75.83	0.40	29.31	92.91	78.92	70.30	64.13	58.92	55.00	51.57	47.19	42.55	38.92	33.17	33.17	61.74	714.67	714.67	0.00
2200.00	0.00	2400.00	2450.00	65.37	0.40	13.96	93.52	78.72	69.89	63.86	58.46	54.48	51.20	46.77	42.25	38.61	32.96	32.96	82.50	1026.78	1026.78	0.00
2200.00	0.00	2450.00	2500.00	47.72	0.40	-35.91	63.62	53.88	47.80	43.49	39.63	36.86	34.61	31.43	28.44	25.99	22.35	22.35	60.07	1124.41	1124.41	0.00
2250.00	0.00	2300.00	2350.00	406.11	0.30	-60.75	68.91	57.87	51.17	46.31	42.54	39.52	36.94	33.85	30.48	27.84	23.98	23.98	81.43	850.55	850.55	0.00
2250.00	0.00	2350.00	2400.00	102.41	0.30	24.16	81.09	68.25	60.48	54.79	50.12	46.76	43.61	39.88	35.79	32.67	27.94	27.94	61.53	643.48	643.48	0.00
2250.00	0.00	2400.00	2450.00	75.46	0.30	18.64	84.72	70.83	62.75	56.95	51.82	48.51	45.17	41.37	37.04	33.90	29.03	29.03	82.47	948.22	948.22	0.00
2250.00	0.00	2450.00	2500.00	49.26	0.30	-35.33	59.42	50.07	44.59	40.41	36.41	34.59	31.98	29.36	26.15	24.02	20.60	20.60	60.02	1031.79	1031.79	0.00
2300.00	0.00	2350.00	2400.00	803.09	0.50	47.75	87.01	73.37	65.25	59.32	54.71	50.93	47.73	43.80	39.57	36.18	31.03	31.03	61.60	1009.20	1009.20	0.00
2300.00	0.00	2400.00	2450.00	389.33	0.50	3.53	88.82	73.90	65.17	58.81	53.96	49.99	46.69	42.66	38.36	34.90	30.13	30.13	82.20	1467.75	1467.75	0.00
2300.00	0.00	2450.00	2500.00	190.53	0.50	-35.60	56.75	47.40	42.02	37.98	35.09	32.62	30.50	28.00	25.29	23.06	19.82	19.82	60.03	1436.55	1436.55	0.00
2350.00	0.00	2400.00	2450.00	957.29	0.20	7.63	93.65	74.01	61.16	51.88	44.95	39.62	35.43	30.74	26.10	22.83	22.00	22.00	82.23	3007.42	3007.42	0.00
2350.00	0.00	2450.00	2500.00	241.81	0.20	-35.74	51.71	43.19	38.20	34.41	31.59	29.37	27.35	24.94	22.51	20.69	17.72	17.72	59.88	2278.97	2278.97	0.00

RED PROPERTY IP DATA – L2600E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StInlt:0 Tx:

LINE:2600 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2600 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1700.00	0.00	1750.00	1800.00	1432.21	0.20	-8.74	19.63	15.09	13.01	11.56	10.44	9.61	8.92	8.00	7.10	6.39	5.58	5.58	4.83	4499.42	4499.42	0.00
1700.00	0.00	1800.00	1850.00	638.30	0.20	-6.24	22.44	17.65	15.24	13.63	12.29	11.33	10.59	9.55	8.49	7.65	6.67	6.67	3.19	6015.80	6015.80	0.00
1700.00	0.00	1850.00	1900.00	398.20	0.20	-13.76	23.09	18.22	15.81	14.19	12.75	11.80	11.10	9.95	8.88	7.99	6.99	6.99	1.83	7505.85	7505.85	0.00
1700.00	0.00	1900.00	1950.00	144.61	0.20	-43.24	42.27	34.18	29.91	26.92	24.36	22.58	21.19	19.04	17.06	15.40	13.35	13.35	8.48	4543.16	4543.16	0.00
1700.00	0.00	1950.00	2000.00	58.05	0.20	47.74	47.41	38.96	34.48	31.34	28.55	26.68	25.06	22.58	20.31	18.42	15.99	15.99	8.92	2735.75	2735.75	0.00
1700.00	0.00	2000.00	2050.00	26.37	0.20	-35.64	51.65	41.94	37.40	34.10	31.97	28.69	27.37	25.20	21.89	19.81	17.59	17.59	2.65	1739.79	1739.79	0.00
1700.00	0.00	2050.00	2100.00	32.04	0.20	68.78	79.14	64.48	56.05	50.66	46.27	42.47	39.76	36.59	32.96	30.12	26.03	26.03	40.65	1585.50	1585.50	0.00
1700.00	0.00	2150.00	2200.00	8.16	0.20	28.94	96.78	82.82	72.51	67.03	59.83	56.49	51.08	48.89	43.29	39.36	34.52	34.52	64.50	634.16	634.16	0.00
1700.00	0.00	2200.00	2300.00	13.20	0.20	-54.91	91.54	76.97	69.29	64.57	55.80	54.42	54.48	48.42	43.36	39.57	35.17	35.17	43.75	1483.06	1483.06	0.00
1750.00	0.00	1800.00	1850.00	6060.62	1.00	-3.18	16.07	13.07	11.38	10.14	9.21	8.47	7.85	7.10	6.32	5.70	4.90	4.90	3.16	3808.00	3808.00	0.00
1750.00	0.00	1850.00	1900.00	2926.60	1.00	-13.95	17.06	13.95	12.19	10.67	9.89	9.13	8.46	7.68	6.83	6.18	5.29	5.29	1.79	5516.50	5516.50	0.00
1750.00	0.00	1900.00	1950.00	975.71	1.00	-47.09	34.87	29.43	25.63	23.07	21.06	19.48	18.12	16.50	14.73	13.36	11.42	11.42	7.32	3678.34	3678.34	0.00
1750.00	0.00	1950.00	2000.00	364.29	1.00	50.41	41.76	35.41	31.50	28.50	26.22	24.40	22.80	20.87	18.78	17.12	14.64	14.64	7.15	2288.92	2288.92	0.00
1750.00	0.00	2000.00	2050.00	159.45	1.00	-33.70	45.25	38.41	34.23	30.95	28.48	26.52	24.82	22.80	20.54	18.81	16.06	16.06	2.58	1502.78	1502.78	0.00
1750.00	0.00	2050.00	2100.00	105.44	1.00	117.72	63.32	53.90	48.31	43.42	40.14	37.35	34.86	32.23	29.04	26.51	22.70	22.70	13.99	1391.30	1391.30	0.00
1750.00	0.00	2100.00	2200.00	128.16	1.00	-18.99	83.05	70.75	62.98	57.01	52.35	48.71	45.51	41.70	37.63	34.50	29.60	29.60	36.66	1268.31	1268.31	0.00
1750.00	0.00	2200.00	2300.00	53.19	1.00	-12.88	86.01	73.51	66.53	59.84	55.69	52.80	49.06	45.74	41.60	38.82	33.06	33.06	39.42	827.11	827.11	0.00
1750.00	0.00	2300.00	2400.00	27.32	1.00	91.67	189.74	143.09	124.75	109.51	100.32	94.75	87.63	80.77	73.49	68.28	59.88	59.88	71.26	613.72	613.72	0.00
1750.00	0.00	2400.00	2500.00	16.00	1.00	-99.36	208.07	207.93	196.75	182.61	172.40	163.96	154.29	142.07	130.39	121.18	97.38	97.38	97.60	489.98	489.98	0.00
1800.00	0.00	1850.00	1900.00	4761.52	0.70	-7.00	13.73	11.00	9.49	8.44	7.63	7.00	6.47	5.84	5.17	4.64	4.03	4.03	1.79	4273.93	4273.93	0.00
1800.00	0.00	1900.00	1950.00	1205.07	0.70	-25.14	29.63	24.48	21.40	19.19	17.48	16.10	14.94	13.55	12.07	10.90	9.39	9.39	6.09	3245.00	3245.00	0.00
1800.00	0.00	1950.00	2000.00	378.22	0.70	32.34	39.48	33.27	29.38	26.58	24.36	22.57	21.04	19.22	17.23	15.66	13.49	13.49	5.80	2036.95	2036.95	0.00
1800.00	0.00	2000.00	2050.00	154.33	0.70	-15.35	42.55	35.84	31.73	28.74	26.35	24.47	22.83	20.90	18.76	17.07	14.74	14.74	2.59	1385.23	1385.23	0.00
1800.00	0.00	2050.00	2100.00	95.73	0.70	80.41	58.14	48.91	43.12	38.96	35.69	33.10	30.83	28.17	25.23	22.96	19.90	19.90	13.95	1288.97	1288.97	0.00
1800.00	0.00	2100.00	2150.00	74.17	0.70	-27.49	79.78	67.38	59.61	54.03	49.57	45.93	42.92	39.31	35.37	32.29	27.69	27.69	50.46	1398.00	1398.00	0.00
1800.00	0.00	2150.00	2300.00	83.70	0.70	16.10	86.76	73.85	65.30	59.32	54.63	50.67	47.11	43.25	38.85	35.25	31.46	31.46	51.73	1183.32	1183.32	0.00
1800.00	0.00	2300.00	2350.00	15.83	0.70	-44.80	57.58	53.63	48.83	46.59	43.24	41.53	37.47	35.95	31.38	27.88	25.98	25.98	31.18	351.59	351.59	0.00
1800.00	0.00	2350.00	2450.00	8.43	0.70	64.75	377.17	314.05	276.24	249.80	228.56	211.99	194.30	179.78	161.92	147.78	136.67	136.67	61.85	270.48	270.48	0.00
1800.00	0.00	2450.00	2500.00	8.37	0.70	-34.06	328.07	288.87	259.71	236.45	217.26	202.23	186.46	167.25	150.49	135.18	113.94	113.94	81.98	366.44	366.44	0.00
1850.00	0.00	1900.00	1950.00	4990.92	1.00	-35.40	25.08	19.50	16.79	14.93	13.52	12.41	11.49	10.38	9.21	8.29	7.19	7.19	5.93	3135.89	3135.89	0.00
1850.00	0.00	1950.00	2000.00	1016.95	1.00	31.64	42.86	34.71	30.36	27.28	24.92	23.01	21.39	19.48	17.41	15.77	13.53	13.53	5.78	1916.90	1916.90	0.00
1850.00	0.00	2000.00	2050.00	354.24	1.00	-18.16	44.06	35.65	31.18	28.05	25.64	23.75	22.11	20.17	18.03	16.44	14.18	14.18	2.62	1335.47	1335.47	0.00
1850.00	0.00	2050.00	2100.00	202.99	1.00	85.49	64.12	52.48	45.99	41.40	37.84	35.00	32.59	29.71	26.49	24.08	20.66	20.66	13.37	1275.40	1275.40	0.00
1850.00	0.00	2100.00	2150.00	144.33	1.00	-30.83	88.86	73.37	64.59	58.20	53.39	49.56	46.16	42.15	37.72	34.26	29.15	29.15	49.04	1360.26	1360.26	0.00
1850.00	0.00	2150.00	2200.00	76.96	1.00	22.74	69.44	56.52	49.29	44.26	40.60	37.60	34.99	32.36	29.29	27.17	24.15	24.15	63.11	1015.46	1015.46	0.00
1850.00	0.00	2200.00	2350.00	108.39	1.00	-50.30	89.20	74.97	66.17	60.10	55.36	51.20	47.55	44.06	39.22	35.88	30.44	30.44	43.49	1072.58	1072.58	0.00
1850.00	0.00	2350.00	2450.00	16.46	1.00	55.32	173.83	144.64	126.32	114.76	104.26	96.74	89.48	83.47	73.30	68.82	59.41	59.41	60.50	256.04	256.04	0.00
1850.00	0.00	2450.00	2500.00	16.74	1.00	-29.66	292.37	247.66	220.71	199.42	184.21	171.85	160.73	147.14	131.31	119.95	99.76	99.76	80.48	376.10	376.10	0.00
1850.00	0.00	2500.00	2600.00	24.79	1.00	26.93	8.19	1.75	-0.30	-0.47	0.87	0.82	1.44	3.92	2.43	4.40	6.07	6.07	96.83	759.44	759.44	0.00
1900.00	0.00	1950.00	2000.00	2624.15	1.00	25.67	46.17	37.60	32.94	29.64	27.10	25.03	23.33	21.24	19.02	17.24	14.80	14.80	5.64	1648.80	1648.80	0.00
1900.00	0.00	2000.00	2050.00	676.25	1.00	-7.09	47.42	38.56	33.75	30.35	27.77	25.63	23.88	21.76	19.47	17.66	15.16	15.16	2.54	1274.71	1274.71	0.00
1900.00	0.00	2050.00	2100.00	336.26	1.00	85.38	64.98	53.36	46.84	42.20	38.68	35.76	33.36	30.45	27.28	24.76	21.22	21.22	13.54	1267.66	1267.66	0.00
1900.00	0.00	2100.00	2150.00	224.38	1.00	-13.75	76.22	62.51	54.79	49.38	45.20	41.85	39.03	35.64	31.95	29.06	24.92	24.92	49.75	1409.79	1409.79	0.00
1900.00	0.00	2150.00	2200.00	109.21	1.00	12.44	92.43	75.99	66.59	60.04	55.14	50.92	47.53	43.43	38.91	35.34	30.28	30.28	64.30	1029.30	1029.30	0.00
1900.00	0.00	2200.00	2300.00	108.52	1.00	-10.41	91.33	75.97	66.53	60.01	55.09	50.50	46.95	42.80	38.01	34.23	28.85	28.85	39.30	1431.92	1431.92	0.00
1900.00	0.00	2300.00	2350.00	35.39	1.00	-39.24	76.46	65.42	58.42	53.32	49.60	45.66	42.49	38.86	34.37	30.32	23.56	23.56	31.24	350.19	350.19	0.00
1900.00	0.00	2350.00	2450.00	29.12	1.00	59.38	120.00	94.90	81.07	71.55	65.88	59.83	54.43	49.48	43.58	38.38	32.95	32.95	62.71	452.79	452.79	0.00
1900.00	0.00	2450.00	2500.00	15.87	1.00	-29.86	148.01	122.95	104.23	91.63	82.44	73.75	67.42	59.69	51.14	44.81	35.79	35.79	84.60	356.48	356.48	0.00
1900.00	0.00	2500.00	2600.00	31.37	1.00	29.34	83.69	71.94	64.42	59.77	55.64	52.05	49.10	44.92	39.74	35.99	27.82	27.82	99.51	961.01	961.01	0.00
1950.00	0.00	2000.00	2050.00	884.30	0.60	-18.50	42.41	35.62														

RED PROPERTY IP DATA – L2600E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StrInt:0 Tx:

LINE:2600 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2600 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	lp	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1950.00	0.00	2600.00	2700.00	23.56	0.60	-134.97	74.86	66.46	58.08	55.21	50.55	46.17	43.54	39.98	36.02	32.83	26.88	26.88	78.44	1202.89	1202.89	0.00
2000.00	0.00	2050.00	2100.00	1704.02	1.20	71.53	56.50	47.18	41.67	37.68	34.59	32.08	29.98	27.39	24.64	22.43	19.25	19.25	13.76	892.22	892.22	0.00
2000.00	0.00	2100.00	2150.00	640.23	1.20	-3.55	72.03	60.16	53.03	47.89	43.92	40.69	38.01	34.72	31.20	28.38	24.39	24.39	51.56	1005.67	1005.67	0.00
2000.00	0.00	2150.00	2200.00	235.99	1.20	92.51	81.37	67.88	59.91	54.24	49.85	46.24	43.30	39.67	35.79	32.66	28.23	28.23	65.63	741.39	741.39	0.00
2000.00	0.00	2200.00	2300.00	196.42	1.20	26.12	86.17	72.16	63.66	57.65	52.95	48.95	45.82	41.83	37.65	34.25	29.44	29.44	58.24	1028.45	1028.45	0.00
2000.00	0.00	2300.00	2350.00	51.39	1.20	-6.20	81.16	69.20	61.86	56.81	52.79	48.90	46.24	42.41	38.64	35.36	30.18	30.18	68.36	403.64	403.64	0.00
2000.00	0.00	2350.00	2400.00	24.72	1.20	91.91	130.54	110.06	97.31	87.62	80.60	73.78	68.84	62.34	55.90	50.57	43.76	43.76	85.37	271.85	271.85	0.00
2000.00	0.00	2400.00	2450.00	21.08	1.20	-34.08	62.97	51.51	45.75	42.69	39.32	36.80	35.24	32.19	29.87	27.59	24.33	24.33	83.65	173.80	173.80	0.00
2000.00	0.00	2450.00	2550.00	44.18	1.20	-1.19	92.62	77.96	69.51	63.56	59.13	54.64	51.58	47.22	43.24	39.62	34.27	34.27	71.73	572.49	572.49	0.00
2000.00	0.00	2550.00	2600.00	15.37	1.20	-12.00	122.38	103.88	93.25	85.96	80.13	74.07	69.76	63.96	59.38	54.24	46.54	46.54	93.36	287.71	287.71	0.00
2000.00	0.00	2600.00	2700.00	45.09	1.20	-138.47	61.42	51.77	46.11	42.20	39.44	35.59	33.86	30.17	27.52	24.80	21.24	21.24	79.56	1150.93	1150.93	0.00
2050.00	0.00	2100.00	2150.00	1294.10	0.80	-51.24	83.27	70.52	62.51	56.71	52.15	48.44	45.32	41.50	37.40	34.17	29.32	29.32	50.02	1016.38	1016.38	0.00
2050.00	0.00	2150.00	2200.00	306.85	0.80	99.86	92.76	78.30	69.29	62.80	57.71	53.56	50.12	45.87	41.30	37.66	32.37	32.37	67.16	722.99	722.99	0.00
2050.00	0.00	2200.00	2300.00	224.80	0.80	17.79	80.02	67.45	59.69	54.11	49.77	46.11	43.16	39.52	35.55	32.43	27.92	27.92	61.04	1059.35	1059.35	0.00
2050.00	0.00	2300.00	2350.00	51.28	0.80	-5.55	71.46	61.03	54.86	50.30	46.67	43.52	41.06	37.98	34.55	31.85	27.59	27.59	70.45	402.77	402.77	0.00
2050.00	0.00	2350.00	2400.00	23.77	0.80	92.55	103.76	88.84	79.49	72.38	67.00	61.83	58.10	53.46	48.15	44.23	38.07	38.07	88.49	280.00	280.00	0.00
2050.00	0.00	2400.00	2450.00	19.58	0.80	-41.21	106.89	88.87	78.68	71.56	65.83	60.92	58.12	54.08	47.17	44.34	37.74	37.74	85.36	322.92	322.92	0.00
2050.00	0.00	2450.00	2500.00	18.66	0.80	-123.14	92.01	78.60	68.13	62.61	57.43	53.03	50.45	47.38	41.84	38.25	33.57	33.57	76.46	230.77	230.77	0.00
2050.00	0.00	2500.00	2550.00	21.79	0.80	121.29	85.41	73.61	66.58	62.20	58.40	52.63	49.50	46.84	42.27	39.70	33.81	33.81	80.31	423.50	423.50	0.00
2050.00	0.00	2550.00	2700.00	54.36	0.80	-141.96	72.81	62.70	56.34	51.73	48.00	43.96	41.87	38.80	34.54	31.90	27.51	27.51	63.42	1526.40	1526.40	0.00
2100.00	0.00	2150.00	2200.00	657.78	0.40	73.71	75.21	63.83	56.93	52.04	48.21	45.06	42.34	38.99	35.34	32.30	27.28	27.28	64.81	1033.24	1033.24	0.00
2100.00	0.00	2200.00	2300.00	196.57	0.40	13.20	95.99	80.45	70.97	64.26	58.91	54.67	51.18	46.75	42.15	38.37	33.09	33.09	59.63	926.32	926.32	0.00
2100.00	0.00	2300.00	2350.00	35.17	0.40	-4.61	83.31	70.59	62.80	57.55	52.98	49.41	46.69	42.98	39.21	35.83	30.75	30.75	70.41	331.51	331.51	0.00
2100.00	0.00	2350.00	2400.00	15.77	0.40	92.15	108.82	92.57	81.61	74.59	68.42	63.73	60.06	54.61	49.52	44.87	38.67	38.67	88.22	247.65	247.65	0.00
2100.00	0.00	2400.00	2450.00	12.19	0.40	-44.00	117.48	98.76	87.35	79.82	72.96	67.18	63.65	57.92	52.66	47.98	41.34	41.34	84.85	287.20	287.20	0.00
2100.00	0.00	2450.00	2500.00	11.52	0.40	-102.69	114.71	98.29	85.99	80.27	70.80	65.76	62.90	58.17	52.33	47.72	40.21	40.21	76.87	380.09	380.09	0.00
2100.00	0.00	2500.00	2550.00	13.43	0.40	108.12	84.94	72.64	64.02	60.62	55.35	53.48	51.17	47.37	43.47	40.40	34.67	34.67	81.86	332.22	332.22	0.00
2100.00	0.00	2550.00	2600.00	8.74	0.40	-17.53	103.92	86.31	76.13	69.64	63.22	60.14	57.92	50.76	46.06	41.71	36.76	36.76	94.50	339.85	339.85	0.00
2100.00	0.00	2600.00	2700.00	22.56	0.40	-113.65	71.73	62.40	54.41	50.90	45.95	43.63	41.19	36.98	35.13	30.58	26.29	26.29	80.66	1267.16	1267.16	0.00
2150.00	0.00	2200.00	2300.00	139.86	0.10	6.90	110.93	92.00	80.83	73.36	66.92	62.25	58.28	53.21	47.67	43.55	37.61	37.61	61.42	878.76	878.76	0.00
2150.00	0.00	2300.00	2350.00	14.53	0.10	-5.88	95.40	78.49	68.17	63.18	58.45	54.02	49.62	46.64	43.06	37.42	33.30	33.30	70.80	273.81	273.81	0.00
2150.00	0.00	2350.00	2400.00	5.96	0.10	92.92	120.09	100.38	87.23	81.53	72.67	66.68	62.37	58.46	52.68	47.75	41.42	41.42	90.40	224.63	224.63	0.00
2150.00	0.00	2400.00	2450.00	4.50	0.10	-47.13	122.64	101.46	87.17	81.16	71.91	69.35	63.35	58.50	53.67	47.01	42.23	42.23	87.98	282.48	282.48	0.00
2150.00	0.00	2450.00	2500.00	4.02	0.10	-108.54	109.19	91.13	79.43	74.10	65.86	63.71	57.25	53.56	48.10	42.89	38.14	38.14	78.33	379.28	379.28	0.00
2150.00	0.00	2500.00	2550.00	4.40	0.10	114.58	87.80	78.12	67.73	57.37	50.41	45.54	44.44	38.92	38.21	32.36	32.36	84.22	580.95	580.95	0.00	
2150.00	0.00	2550.00	2600.00	2.78	0.10	-16.43	125.06	101.48	89.23	79.86	75.90	71.97	65.77	62.74	58.91	49.00	46.34	46.34	96.71	275.26	275.26	0.00
2150.00	0.00	2600.00	2700.00	6.91	0.10	-117.02	79.43	64.07	54.51	55.13	44.53	45.81	38.04	37.73	34.89	29.53	27.19	27.19	82.10	1074.46	1074.46	0.00
2200.00	0.00	2250.00	2300.00	333.99	0.40	3.01	101.29	81.49	70.91	64.07	58.54	54.23	50.81	46.52	41.83	38.08	32.54	32.54	100.00	524.63	524.63	0.00
2200.00	0.00	2300.00	2350.00	127.66	0.40	-5.04	97.53	80.52	70.68	63.38	58.07	53.71	49.77	45.20	40.52	36.93	32.17	32.17	69.95	601.59	601.59	0.00
2200.00	0.00	2350.00	2400.00	42.86	0.40	94.68	128.51	107.45	94.90	86.04	78.71	73.14	68.38	62.56	56.21	51.37	43.82	43.82	90.51	403.96	403.96	0.00
2200.00	0.00	2400.00	2450.00	28.95	0.40	-54.27	131.26	109.09	96.63	87.38	80.42	74.96	70.00	63.90	57.88	53.22	45.94	45.94	90.53	454.71	454.71	0.00
2200.00	0.00	2450.00	2500.00	24.22	0.40	-91.94	116.36	96.14	84.39	76.14	69.80	64.82	60.88	55.28	49.99	45.58	38.64	38.64	81.38	570.67	570.67	0.00
2200.00	0.00	2500.00	2550.00	24.83	0.40	103.25	89.61	74.45	66.14	58.69	55.42	50.63	46.98	43.78	40.12	36.76	31.63	31.63	85.27	819.16	819.16	0.00
2200.00	0.00	2550.00	2600.00	14.64	0.40	-22.78	132.46	109.45	97.36	89.80	81.59	78.15	74.37	67.18	61.83	55.64	47.26	47.26	98.18	362.30	362.30	0.00
2200.00	0.00	2600.00	2700.00	34.77	0.40	-94.64	83.25	68.96	61.20	56.52	50.86	47.39	44.68	40.73	36.67	33.45	28.27	28.27	82.96	1351.68	1351.68	0.00
2250.00	0.00	2300.00	2350.00	1077.62	1.00	-1.93	63.73	53.58	47.29	42.65	39.08	36.18	33.81	30.79	27.62	25.06	21.50	21.50	68.38	677.09	677.09	0.00
2250.00	0.00	2350.00	2400.00	255.16	1.00	94.07	103.28	88.53	78.82	71.59	65.85	61.18	57.24	52.33	47.11	42.87	36.61	36.61	87.79	480.97	480.97	0.00
2250.00	0.00	2400.00	2450.00	142.18	1.00	-52.73	109.47	92.84	82.71	75.35	69.59	64.86	60.91	56.00	50.80	46.51	39.97	39.97	89.21	536.00	536.00	0.00
2250.00	0.00	2450.00	2500.00	108.51	1.00	-92.63	107.26	91.61	81.67	74.39	68.49	63.84	59.88	55.00	49.73	45.50	38.95	38.95	81.32	681.79	681.79	0.00
2250.00	0.00	2500.00	2550.00	99.09	1.00	102.60	81.18	69.10	61.36	55.65												

RED PROPERTY IP DATA – L2600E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:

LINE:2600 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2600 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	lp	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
2300.00	0.00	2650.00	2700.00	21.12	0.20	-110.17	15.27	15.24	17.73	18.39	16.66	13.90	14.06	12.90	11.22	11.04	8.15	8.15	100.00	1044.86	1044.86	0.00
2350.00	0.00	2400.00	2450.00	534.46	0.20	-55.17	115.76	91.63	78.57	69.97	63.52	58.60	54.68	49.82	44.62	40.46	35.32	35.32	90.81	1679.06	1679.06	0.00
2350.00	0.00	2450.00	2500.00	188.68	0.20	-84.70	113.16	95.62	84.89	77.07	71.09	65.99	61.69	56.66	51.38	47.19	40.48	40.48	82.05	1778.26	1778.26	0.00
2350.00	0.00	2500.00	2550.00	108.32	0.20	91.49	80.44	66.63	58.63	52.88	48.43	44.85	42.04	38.63	35.07	32.20	27.52	27.52	85.05	2041.85	2041.85	0.00
2350.00	0.00	2550.00	2600.00	49.57	0.20	-14.58	96.71	83.08	74.94	68.74	63.60	59.46	55.77	50.88	45.48	41.40	36.04	36.04	96.76	1557.16	1557.16	0.00
2400.00	0.00	2450.00	2500.00	462.59	0.20	-74.16	130.61	110.45	98.10	89.22	82.27	76.54	71.77	65.89	59.47	54.36	48.76	46.76	84.33	1453.28	1453.28	0.00
2400.00	0.00	2500.00	2550.00	196.24	0.20	89.17	104.03	87.33	77.40	70.24	64.65	60.06	56.30	51.70	46.70	42.62	36.54	36.54	96.55	1849.53	1849.53	0.00
2400.00	0.00	2550.00	2600.00	80.91	0.20	-15.33	101.33	85.20	75.48	68.58	63.06	58.47	54.74	50.15	45.07	41.16	35.66	35.66	100.00	1525.11	1525.11	0.00
2400.00	0.00	2600.00	2650.00	64.34	0.20	2.53	104.35	83.18	71.78	64.05	58.33	53.11	49.22	44.60	39.51	35.70	31.08	31.08	100.00	2021.45	2021.45	0.00
2400.00	0.00	2650.00	2700.00	45.68	0.20	-99.81	93.51	83.33	76.04	70.69	66.58	62.96	59.74	55.90	51.44	47.60	40.45	40.45	100.00	2152.50	2152.50	0.00
2450.00	0.00	2500.00	2550.00	245.91	0.10	90.20	80.31	75.64	69.66	64.55	60.02	56.10	52.86	48.67	44.21	40.43	34.11	34.11	91.11	1545.08	1545.08	0.00
2450.00	0.00	2550.00	2600.00	70.48	0.10	-15.21	107.46	91.30	81.05	74.19	68.48	63.54	60.13	54.97	49.87	45.52	38.90	38.90	100.00	1328.56	1328.56	0.00
2450.00	0.00	2600.00	2650.00	50.35	0.10	4.09	128.65	106.25	92.26	83.17	75.64	69.33	65.20	58.80	52.75	47.42	41.49	41.49	100.00	1898.05	1898.05	0.00
2450.00	0.00	2650.00	2700.00	33.95	0.10	-103.81	54.99	49.19	43.35	41.50	39.28	36.51	35.88	32.82	30.37	27.46	22.68	22.68	100.00	2133.43	2133.43	0.00

RED PROPERTY IP DATA - L2900E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:

LINE:2900 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2900 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1700.00	0.00	1750.00	1800.00	1628.25	0.30	23.53	135.18	117.04	105.30	96.53	89.57	83.80	78.89	72.80	66.14	60.74	51.88	51.88	8.95	3410.21	3410.21	0.00
1700.00	0.00	1800.00	1850.00	696.06	0.30	-25.46	108.41	93.34	83.71	76.53	70.87	66.19	62.21	57.28	51.91	47.58	40.62	40.62	22.01	4373.50	4373.50	0.00
1700.00	0.00	1850.00	1900.00	218.49	0.30	130.58	35.52	29.86	26.48	24.05	22.17	20.54	19.23	17.65	15.93	14.54	12.40	12.40	81.38	2745.58	2745.58	0.00
1700.00	0.00	1900.00	1950.00	64.97	0.30	88.17	32.90	26.85	23.23	20.52	18.65	17.20	15.99	14.38	12.72	11.44	10.04	10.04	83.15	1360.64	1360.64	0.00
1700.00	0.00	1950.00	2000.00	25.48	0.30	-142.25	66.33	55.86	49.57	45.01	41.59	38.81	36.16	33.50	30.44	28.05	23.53	23.53	61.57	800.51	800.51	0.00
1700.00	0.00	2000.00	2100.00	31.35	0.30	165.22	73.71	61.10	54.42	49.20	45.40	41.73	39.03	35.63	32.12	29.12	25.01	25.01	71.33	1378.77	1378.77	0.00
1700.00	0.00	2100.00	2150.00	17.08	0.30	32.10	73.27	61.62	54.68	48.57	43.51	42.01	39.22	35.01	32.26	28.74	25.29	25.29	56.52	563.32	563.32	0.00
1700.00	0.00	2150.00	2250.00	16.82	0.30	-211.69	93.72	79.73	70.44	64.04	58.30	54.66	51.83	48.11	42.61	38.09	33.01	33.01	54.35	871.93	871.93	0.00
1700.00	0.00	2250.00	2350.00	6.95	0.30	-40.79	62.45	48.22	42.32	33.54	33.12	28.76	22.61	20.72	21.27	23.49	14.68	14.68	66.04	520.16	520.16	0.00
1700.00	0.00	2350.00	2450.00	11.03	0.30	23.08	76.55	67.43	63.28	56.80	54.28	50.08	46.81	44.36	40.48	38.27	32.35	32.35	62.02	1126.54	1126.54	0.00
1750.00	0.00	1800.00	1850.00	4758.62	1.00	-46.31	138.40	118.07	105.66	96.55	89.38	83.48	78.51	72.33	65.81	60.17	51.53	51.53	21.85	2989.93	2989.93	0.00
1750.00	0.00	1850.00	1900.00	1106.57	1.00	134.97	47.21	39.17	34.75	31.53	29.04	26.99	25.31	23.19	20.94	19.11	16.41	16.41	80.25	2085.83	2085.83	0.00
1750.00	0.00	1900.00	1950.00	288.58	1.00	80.90	38.38	30.06	25.84	22.90	20.71	18.93	17.56	15.80	14.03	12.60	10.97	10.97	81.96	1087.91	1087.91	0.00
1750.00	0.00	1950.00	2000.00	111.85	1.00	-134.10	70.03	57.48	50.58	45.63	41.83	38.74	36.11	33.15	29.86	27.23	23.53	23.53	63.65	702.80	702.80	0.00
1750.00	0.00	2000.00	2100.00	122.92	1.00	160.54	73.40	60.59	53.45	48.24	44.30	41.02	38.52	35.13	31.66	28.80	24.76	24.76	70.77	1158.51	1158.51	0.00
1750.00	0.00	2100.00	2150.00	66.92	1.00	10.13	75.34	61.80	54.04	48.49	44.33	41.02	38.15	34.99	31.34	28.38	24.49	24.49	56.12	882.93	882.93	0.00
1750.00	0.00	2150.00	2200.00	36.11	1.00	-218.58	101.39	84.44	74.36	67.68	62.26	57.99	54.26	49.10	44.44	40.56	34.95	34.95	39.10	357.34	357.34	0.00
1750.00	0.00	2200.00	2300.00	40.65	1.00	2.44	84.22	69.41	61.47	54.74	50.69	46.06	43.80	39.76	35.86	32.49	28.15	28.15	11.43	632.09	632.09	0.00
1750.00	0.00	2300.00	2400.00	36.47	1.00	19.04	48.31	39.03	34.96	31.56	28.57	26.14	25.10	22.67	20.63	18.28	15.93	15.93	12.98	819.19	819.19	0.00
1750.00	0.00	2400.00	2500.00	28.18	1.00	133.92	121.12	87.20	74.58	66.10	60.62	54.54	52.07	47.27	42.85	38.76	34.35	34.35	100.00	863.18	863.18	0.00
1800.00	0.00	1850.00	1900.00	1080.74	0.50	130.16	116.55	99.86	89.76	82.33	76.56	71.61	67.40	62.25	56.66	52.14	44.65	44.65	82.69	1358.10	1358.10	0.00
1800.00	0.00	1900.00	1950.00	199.52	0.50	76.37	80.33	66.20	58.28	52.63	48.28	44.78	41.79	38.25	34.41	31.42	27.08	27.08	84.09	752.16	752.16	0.00
1800.00	0.00	1950.00	2000.00	68.81	0.50	-123.71	97.16	81.35	72.31	65.74	60.60	56.63	52.89	48.77	44.00	40.38	34.66	34.66	63.53	518.79	518.79	0.00
1800.00	0.00	2000.00	2100.00	69.35	0.50	153.88	94.22	78.30	69.27	62.67	57.67	53.84	50.00	45.96	41.39	37.85	32.63	32.63	69.03	871.54	871.54	0.00
1800.00	0.00	2100.00	2150.00	37.11	0.50	6.94	89.00	73.65	64.98	58.82	53.74	50.25	46.39	42.73	38.28	34.98	30.20	30.20	55.96	699.56	699.56	0.00
1800.00	0.00	2150.00	2200.00	19.95	0.50	-207.06	113.11	93.48	83.11	75.30	68.52	62.96	59.68	54.86	48.87	45.98	38.95	38.95	39.16	526.49	526.49	0.00
1800.00	0.00	2200.00	2250.00	14.66	0.50	8.95	91.64	75.23	66.34	60.16	54.55	52.60	46.75	43.19	39.13	35.96	30.96	30.96	33.58	290.09	290.09	0.00
1800.00	0.00	2250.00	2350.00	14.74	0.50	-7.93	74.66	60.61	54.83	48.43	43.90	42.87	37.56	35.04	31.75	29.30	25.62	25.62	66.34	458.55	458.55	0.00
1800.00	0.00	2350.00	2450.00	20.77	0.50	33.72	68.22	56.46	49.90	45.78	41.19	40.51	34.39	31.67	28.08	27.13	22.58	22.58	61.91	933.12	933.12	0.00
1800.00	0.00	2450.00	2550.00	13.95	0.50	226.22	106.25	83.11	71.70	65.20	59.35	56.47	50.29	46.51	41.24	39.60	34.25	34.25	58.10	854.71	854.71	0.00
1850.00	0.00	1900.00	1950.00	236.91	0.20	69.08	87.89	65.29	52.31	44.24	38.77	35.09	32.49	29.83	27.72	26.42	27.36	27.36	81.03	744.26	744.26	0.00
1850.00	0.00	1950.00	2050.00	155.09	0.20	-102.69	104.90	90.12	79.98	72.98	67.57	62.56	59.36	54.02	48.96	44.82	38.46	38.46	30.84	1461.65	1461.65	0.00
1850.00	0.00	2050.00	2100.00	-63.18	0.20	140.54	92.43	79.43	69.67	63.50	58.85	53.92	51.83	46.35	42.17	38.53	33.14	33.14	37.59	-1190.93	-1190.93	0.00
1850.00	0.00	2100.00	2150.00	19.53	0.20	-0.16	97.29	83.30	73.77	67.22	62.02	57.56	54.08	49.62	44.68	40.78	35.00	35.00	56.09	613.42	613.42	0.00
1850.00	0.00	2150.00	2200.00	9.75	0.20	-172.17	118.44	101.67	90.53	82.03	76.05	70.75	66.54	60.78	55.07	50.51	43.52	43.52	39.47	459.60	459.60	0.00
1850.00	0.00	2200.00	2250.00	7.00	0.20	-11.34	97.37	83.86	72.72	66.76	60.44	57.16	52.77	47.74	44.73	40.92	34.26	34.26	33.52	461.56	461.56	0.00
1850.00	0.00	2250.00	2300.00	3.32	0.20	-7.91	102.53	90.06	78.26	68.17	63.80	58.86	55.13	49.71	45.86	41.93	37.47	37.47	27.93	164.28	164.28	0.00
1850.00	0.00	2300.00	2400.00	8.77	0.20	20.17	55.84	48.67	41.83	39.01	34.84	33.25	33.45	27.50	24.47	23.19	20.06	20.06	13.09	682.16	682.16	0.00
1850.00	0.00	2400.00	2450.00	4.06	0.20	21.81	76.22	66.35	56.13	50.37	45.89	44.29	41.31	38.98	37.02	31.87	27.42	27.42	30.59	456.14	456.14	0.00
1850.00	0.00	2450.00	2550.00	6.17	0.20	166.64	93.16	77.80	66.79	61.39	56.45	51.72	51.84	43.03	39.02	37.20	31.41	31.41	59.85	945.16	945.16	0.00
1900.00	0.00	1950.00	2000.00	363.99	0.50	-97.93	84.41	70.09	61.98	56.19	51.76	47.84	44.75	40.91	36.87	33.61	28.89	28.89	63.71	457.40	457.40	0.00
1900.00	0.00	2000.00	2100.00	175.05	0.50	135.53	97.90	81.57	72.09	65.26	60.02	55.71	52.13	47.77	43.04	39.27	33.79	33.79	69.04	659.93	659.93	0.00
1900.00	0.00	2100.00	2150.00	67.05	0.50	-7.06	96.37	80.40	70.86	64.14	58.88	54.69	50.99	46.73	42.07	38.43	33.03	33.03	56.10	505.56	505.56	0.00
1900.00	0.00	2150.00	2200.00	30.88	0.50	-163.07	122.57	102.49	90.63	81.92	75.74	70.30	65.82	60.53	54.41	49.92	42.92	42.92	39.60	388.07	388.07	0.00
1900.00	0.00	2200.00	2250.00	20.57	0.50	-7.61	102.22	84.69	75.30	67.75	62.18	57.32	53.47	49.59	44.50	40.47	34.87	34.87	33.64	387.65	387.65	0.00
1900.00	0.00	2250.00	2300.00	9.50	0.50	-8.46	108.05	88.06	80.23	73.11	68.58	64.65	59.24	54.13	48.44	42.60	38.08	38.08	27.97	250.62	250.62	0.00
1900.00	0.00	2300.00	2350.00	9.19	0.50	6.81	53.74	42.26	40.52	35.23	30.86	28.51	26.37	25.88	21.71	19.26	18.64	18.64	44.04	181.93	181.93	0.00
1900.00	0.00	2350.00	2450.00	24.89	0.50	39.50	72.78	60.79	53.88	48.19	44.94	41.09	37.94	35.92	32.43	29.70	24.78	24.78	61.30	774.07	774.07	0.00
1900.00	0.00	2450.00	2550.00	16.19	0.50	132.08	96.68	79.62	70.59	62.06	57.76	53.53	49.89	46.94	42.24	39.10	33.45	33.45	59.52	727.14	727.14	0.00
1900.00	0.00	2550.00	2650.00	11.42	0.50	-157.18	99.75	86.48	78.82													

RED PROPERTY IP DATA - L2900E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:

LINE:2900 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2900 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
1950.00	0.00	2500.00	2600.00	24.90	1.00	-68.49	79.95	69.07	62.81	58.28	54.66	50.73	48.10	44.04	40.19	37.30	31.10	31.10	68.42	559.38	559.38	0.00
2000.00	0.00	2100.00	2150.00	124.71	0.20	-6.43	56.27	47.58	42.08	38.17	34.89	32.43	30.49	27.75	24.95	22.77	19.56	19.56	56.32	1175.34	1175.34	0.00
2000.00	0.00	2150.00	2200.00	40.95	0.20	-182.34	89.21	75.86	67.40	61.33	56.12	52.28	48.91	44.75	40.36	36.73	31.60	31.60	39.72	771.87	771.87	0.00
2000.00	0.00	2200.00	2250.00	20.20	0.20	14.66	75.06	63.62	56.93	50.92	46.56	43.56	40.42	37.13	33.26	30.68	26.27	26.27	33.72	634.74	634.74	0.00
2000.00	0.00	2250.00	2300.00	8.15	0.20	-7.70	88.92	75.81	68.87	61.66	56.13	53.47	49.61	44.53	40.99	37.77	32.38	32.38	28.09	384.29	384.29	0.00
2000.00	0.00	2300.00	2350.00	5.92	0.20	3.15	42.37	37.84	34.11	29.48	28.30	25.40	27.40	23.65	22.13	21.89	17.76	17.76	44.59	390.48	390.48	0.00
2000.00	0.00	2350.00	2450.00	13.89	0.20	22.55	66.75	57.12	51.40	47.09	40.24	38.49	34.97	32.28	29.19	27.79	23.28	23.28	61.98	687.30	687.30	0.00
2000.00	0.00	2450.00	2550.00	8.48	0.20	124.99	92.41	77.94	74.39	66.69	59.82	57.45	51.39	47.65	43.94	42.17	34.96	34.96	59.42	659.10	659.10	0.00
2000.00	0.00	2550.00	2650.00	5.70	0.20	-160.03	82.74	73.89	71.71	59.60	56.75	55.18	52.09	43.99	41.92	38.02	31.01	31.01	51.06	640.31	640.31	0.00
2050.00	0.00	2100.00	2150.00	637.20	0.50	-10.35	51.20	40.46	35.16	31.68	29.07	27.04	25.28	23.18	20.95	19.14	16.50	16.50	61.73	800.73	800.73	0.00
2050.00	0.00	2150.00	2200.00	155.48	0.50	-171.67	93.88	76.42	66.85	60.18	55.10	50.94	47.52	43.45	38.96	35.45	30.64	30.64	40.91	585.14	585.14	0.00
2050.00	0.00	2200.00	2250.00	66.56	0.50	9.58	78.82	63.81	55.64	49.94	45.73	42.15	39.16	35.96	32.11	29.25	25.40	25.40	33.76	501.87	501.87	0.00
2050.00	0.00	2250.00	2300.00	25.85	0.50	-8.71	95.31	78.52	68.81	61.85	57.24	52.57	49.11	45.36	40.42	37.05	32.03	32.03	28.12	324.83	324.83	0.00
2050.00	0.00	2300.00	2350.00	17.02	0.50	2.87	49.83	41.17	36.71	32.91	31.04	28.50	26.55	25.24	22.33	20.52	17.88	17.88	44.55	320.81	320.81	0.00
2050.00	0.00	2350.00	2400.00	22.58	0.50	38.20	75.97	61.32	53.95	47.59	44.29	40.16	36.67	34.05	29.98	27.94	23.81	23.81	50.66	595.87	595.87	0.00
2050.00	0.00	2400.00	2500.00	28.86	0.50	125.29	90.53	74.22	66.07	59.40	55.48	50.89	46.90	44.58	39.31	36.45	31.50	31.50	45.33	571.24	571.24	0.00
2050.00	0.00	2500.00	2600.00	15.44	0.50	-57.54	83.75	70.05	60.31	54.59	50.35	46.37	42.98	41.83	36.43	34.06	29.53	29.53	68.86	480.07	480.07	0.00
2050.00	0.00	2600.00	2650.00	9.25	0.50	-127.04	124.23	100.65	87.51	78.05	71.93	65.74	58.79	57.98	48.03	43.33	37.21	37.21	46.13	415.33	415.33	0.00
2100.00	0.00	2150.00	2200.00	178.57	0.10	-164.47	78.65	66.21	58.52	52.98	48.62	45.14	42.21	38.64	34.71	31.67	27.11	27.11	40.25	1121.98	1121.98	0.00
2100.00	0.00	2200.00	2250.00	27.21	0.10	25.45	72.98	60.35	53.39	47.93	43.83	40.66	38.23	34.90	31.32	28.47	24.55	24.55	33.96	512.92	512.92	0.00
2100.00	0.00	2250.00	2300.00	8.88	0.10	-5.65	81.86	67.94	60.90	54.65	49.75	46.83	43.82	40.09	35.83	32.79	28.46	28.46	28.40	334.61	334.61	0.00
2100.00	0.00	2300.00	2350.00	4.74	0.10	3.73	59.46	48.75	45.37	40.09	36.08	35.07	32.34	29.78	27.25	24.24	21.05	21.05	45.84	298.07	298.07	0.00
2100.00	0.00	2350.00	2400.00	5.96	0.10	22.10	59.96	48.93	45.31	39.49	35.81	34.72	32.84	29.68	27.89	24.67	21.23	21.23	52.80	561.69	561.69	0.00
2100.00	0.00	2400.00	2450.00	3.91	0.10	-1.06	72.69	61.12	57.71	43.77	41.72	45.84	42.37	33.35	36.34	30.35	25.93	25.93	30.19	516.45	516.45	0.00
2100.00	0.00	2450.00	2550.00	5.49	0.10	108.49	100.14	81.32	75.30	65.39	62.31	62.01	57.42	50.28	45.24	43.36	37.22	37.22	59.90	542.88	542.88	0.00
2100.00	0.00	2550.00	2650.00	3.50	0.10	-143.68	82.69	68.40	64.64	52.06	48.64	51.33	45.72	45.03	35.99	30.78	27.97	27.97	51.95	544.71	544.71	0.00
2150.00	0.00	2200.00	2250.00	185.39	0.20	29.96	82.00	69.53	61.90	56.07	51.55	48.08	44.98	41.08	36.94	33.73	28.89	28.89	33.10	582.41	582.41	0.00
2150.00	0.00	2250.00	2300.00	41.17	0.20	-7.84	87.47	74.19	66.02	59.90	54.88	51.24	48.04	44.11	39.82	36.46	31.24	31.24	27.75	387.98	387.98	0.00
2150.00	0.00	2300.00	2350.00	15.56	0.20	5.43	70.76	60.02	54.26	48.91	44.16	41.59	39.35	36.00	32.18	29.83	25.35	25.35	46.39	293.24	293.24	0.00
2150.00	0.00	2350.00	2400.00	18.55	0.20	20.94	62.89	52.12	42.30	37.37	35.62	33.75	30.71	27.18	25.01	21.48	21.48	53.36	582.79	582.79	0.00	
2150.00	0.00	2400.00	2450.00	11.01	0.20	1.35	77.81	64.45	58.05	52.05	46.60	44.56	41.63	37.58	33.70	31.31	26.61	30.12	518.66	518.66	0.00	
2150.00	0.00	2450.00	2500.00	8.44	0.20	121.84	104.52	88.33	82.20	73.45	67.78	62.75	60.41	55.66	50.77	44.55	39.36	39.36	54.70	556.81	556.81	0.00
2150.00	0.00	2500.00	2600.00	9.61	0.20	-53.31	87.29	70.59	67.12	60.79	51.48	49.06	46.64	42.67	39.04	34.35	31.26	31.26	69.29	475.36	475.36	0.00
2150.00	0.00	2600.00	2650.00	5.02	0.20	-115.64	97.24	82.09	78.42	67.24	56.47	52.97	56.05	48.41	41.96	38.00	28.78	28.78	46.92	390.14	390.14	0.00
2200.00	0.00	2250.00	2300.00	339.18	0.40	-6.62	90.51	78.27	70.04	63.79	58.95	54.66	51.12	46.78	42.14	38.49	32.85	32.85	28.38	532.79	532.79	0.00
2200.00	0.00	2300.00	2350.00	66.29	0.40	4.16	86.13	72.78	64.57	58.43	53.54	50.01	46.85	42.85	38.71	35.12	30.17	30.17	46.91	312.37	312.37	0.00
2200.00	0.00	2350.00	2400.00	67.25	0.40	20.37	76.71	64.29	56.70	51.16	46.90	43.59	40.81	37.01	33.63	30.39	26.14	26.14	53.47	633.84	633.84	0.00
2200.00	0.00	2400.00	2450.00	34.45	0.40	4.49	91.77	77.39	69.60	61.98	56.80	52.95	49.65	45.00	41.00	37.10	31.84	31.84	30.35	541.21	541.21	0.00
2200.00	0.00	2450.00	2500.00	24.84	0.40	112.72	108.46	92.84	83.24	75.98	70.50	65.73	62.12	56.60	52.10	47.56	40.69	40.69	54.38	585.33	585.33	0.00
2200.00	0.00	2500.00	2550.00	16.29	0.40	-6.83	99.39	83.48	72.93	66.29	59.91	55.76	52.62	48.42	43.80	39.53	33.90	33.90	75.07	537.41	537.41	0.00
2200.00	0.00	2550.00	2650.00	22.08	0.40	-153.58	97.97	84.52	74.62	67.29	62.09	58.53	55.39	49.61	45.90	41.45	34.66	34.66	54.10	546.28	546.28	0.00
2250.00	0.00	2300.00	2350.00	299.99	0.50	2.91	73.76	62.17	54.93	49.75	45.71	42.33	39.48	36.10	32.45	29.53	25.35	25.35	46.63	376.98	376.98	0.00
2250.00	0.00	2350.00	2400.00	216.10	0.50	20.06	66.43	55.50	48.71	43.88	40.16	37.08	34.58	31.47	28.23	25.60	21.95	21.95	52.26	814.69	814.69	0.00
2250.00	0.00	2400.00	2450.00	88.14	0.50	5.41	83.21	70.08	61.76	55.77	51.15	47.50	44.31	40.42	36.35	33.07	28.42	28.42	29.55	664.54	664.54	0.00
2250.00	0.00	2450.00	2500.00	55.58	0.50	106.56	108.22	93.33	83.36	76.39	70.81	65.01	62.30	57.29	52.07	47.65	40.60	40.60	54.26	698.50	698.50	0.00
2250.00	0.00	2500.00	2550.00	34.02	0.50	-1.83	82.89	67.70	58.37	52.07	47.34	43.70	40.23	36.42	32.40	29.24	25.74	25.74	75.85	641.18	641.18	0.00
2250.00	0.00	2550.00	2600.00	17.99	0.50	-48.39	95.51	82.36	72.77	68.90	64.13	58.21	56.26	52.12	49.05	44.83	37.91	37.91	73.81	474.74	474.74	0.00
2250.00	0.00	2600.00	2700.00	20.36	0.50	-109.12	109.23	93.55	81.18	74.10	67.36	61.75	57.64	51.73	46.41	40.96	34.49	34.49	47.88	403.06	403.06	0.00
2300.00	0.00	2350.00	2400.00	632.69	0.50	20.03	39.57	32.73	28.76	25.97	23.81	22.06	20.60	18.66	16.94	15.39	13.20	13.20	52.51	795.07	795.07	0.00
2300.00	0.00	2400.00	2450.00	173.01	0.50	7.97	68.62	56.90	49.86	44.80	40.92	37.83	35.14	32.01	28.66	26.03	22.36	22.36				

RED PROPERTY IP DATA – L2900E

Sept/02

ANDROTEX Elrec 10 Binary - IP FILE: DATE: USER: AREA:xx SENSE:+ MOVE:+ StnInt:0 Tx:
 LINE:2900 ARRAY:PLDP DIPOLE:0 UNITS:M T2X:2900 T2Y:0 T=xxxx

Xa	Xb	Xm	Xn	Vp	Ip	Sp	M01	M02	M03	M04	M05	M06	M07	M08	M09	M10	MT	MX	Rs	Rho	cRes	Tau
2350.00	0.00	2600.00	2650.00	8.60	0.10	-102.49	72.41	60.14	51.15	49.77	44.51	42.26	39.63	35.66	32.00	29.99	25.07	25.07	51.48	810.38	810.38	0.00
2400.00	0.00	2450.00	2500.00	1622.49	0.50	95.66	41.30	35.27	31.41	28.52	26.26	24.41	22.83	20.91	18.82	17.15	14.65	14.65	57.06	2038.88	2038.88	0.00
2400.00	0.00	2500.00	2550.00	511.18	0.50	4.18	56.30	47.27	41.76	37.78	34.71	32.21	30.09	27.52	24.74	22.54	19.34	19.34	83.22	1927.08	1927.08	0.00
2400.00	0.00	2550.00	2600.00	139.88	0.50	-50.22	71.05	60.15	53.23	48.25	44.54	41.38	38.59	35.49	31.96	29.19	25.03	25.03	78.04	1054.65	1054.65	0.00
2400.00	0.00	2600.00	2650.00	99.88	0.50	-99.56	60.47	51.31	45.52	41.24	38.11	35.37	32.81	30.19	27.05	24.63	21.12	21.12	51.38	1255.17	1255.17	0.00
2450.00	0.00	2500.00	2550.00	868.43	0.10	7.37	91.36	71.78	59.73	50.92	44.31	39.16	35.01	30.54	26.15	23.00	21.55	21.55	77.52	5456.50	5456.50	0.00
2450.00	0.00	2550.00	2600.00	75.62	0.10	-55.27	72.72	58.66	49.97	44.42	40.82	37.59	35.80	31.86	28.30	25.61	22.61	22.61	78.34	1425.38	1425.38	0.00
2450.00	0.00	2600.00	2650.00	40.42	0.10	-84.28	66.76	55.30	48.45	42.93	40.15	36.94	34.38	31.37	28.22	25.42	22.15	22.15	50.05	1523.85	1523.85	0.00
2500.00	0.00	2550.00	2600.00	348.79	0.10	-58.62	44.11	36.36	31.73	28.61	26.12	24.17	22.65	20.75	18.77	17.21	14.97	14.97	77.01	2191.52	2191.52	0.00
2500.00	0.00	2600.00	2650.00	108.05	0.10	-82.23	55.51	46.60	40.98	37.07	33.94	31.46	29.35	26.74	24.14	21.95	18.79	18.79	51.77	2036.78	2036.78	0.00
2550.00	0.00	2600.00	2650.00	559.93	0.10	-100.07	42.87	36.54	32.43	29.32	26.83	24.83	23.17	21.12	18.50	16.73	14.25	14.25	52.01	3518.13	3518.13	0.00