

RECEIVED

SEP 9 - 2003

Gold Commissioner's Office
VANCOUVER, B.C.

2003 ASSESSMENT REPORT

FLY ONE AND TWO

Prospecting rock sampling and trenching



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27-214

ALBERNI MINING DIVISION

NTS MAP 92E/16E

LAT. 49° 55'00N, LONG 126°29'00W

Claim Owner Operator: Lucia Specogna

Report By: Lucia and Efrem Specogna

June 10, 2003

MINERAL TITLES BRANCH
VICTORIA, B.C.

SEP 04 2003

FILE NO. _____
LOG IN NO. _____

TABLE of CONTENT

- I) Introduction
- 2) Location and Access
- 3) History
- 4) Work
- 5) Mineralization
- 6) Potential of Prospect
- 7) Proposed Work
- 8) Location Map
- 9) Claim Map
- I0) Regional Geology
- II) Statement of Cost
- I2) Statement of Qualification
- I3) Seven Photos Self Explanatory
- I4) Description of Samples
- I5) Assay Certificates
- In Pocket
- Map I
- Location Lucia Showing Map
- Location of Samples Map
- Na₂O in percent, K₂O/Na₂O, MgO/CaO, Zn (ppm) in Rocks

1 Introduction

This report describes the work carried out on Fly 1 claim and how the exploration of the Lucia Showing took place.

Ni, Cu, Co, Pt was first detected on the Norgate Valley on Branch C-22 I, being built at the time in 1992 by the local logging company. A fist sized massive chalcopyrite pyrrhotite returned ore grade values for Ni, Cu, Co, Pt. As the property was being optioned to Noranda, nothing was done except telling the Noranda geologist about it. Soon after, the Noranda Option was made public, all rock outcrops were covered so as to sabotage our prospecting effort (see photo #1). Thanks to the above, both Noranda and Westmin missed the Dike during mapping of the area (see map #1). Again on the May 17th, 2003 we found the road to our claims from the east blocked unlike any other road on the Island (see photo #2).

After Noranda, Westmin concentrated their efforts in this area toward massive sulphides. In 1998, we started studying PGE mineralization and this area came to mind. We visited this area several times but because of the sabotaged outcrops, not until 1999 were we able to notice a 6 meter Gabbroic Dike and on its western contact (under it as it dipping to the east) with altered rocks a 10 centimeter layered section reacted to dimethyl glyoxime indicating the presence of Ni. It assayed 1750 Pd – 315 Pt, 25 Au PPB. Another 30 centimeter to the west with quartz stringers returned 678 Pd – 160 Pt – 598 Au. A float on the road assayed over 3000 Pd – 300 Pt.

In 2001, because of the sabotaged outcrops, a mistake was made by sampling the showing with a winky drill (Gabbroic Dike had much debris on it). Much effort was required in removing logs and rock debris in order to open the showing which is located in the road ditch and not yet fully exposed. The recent work has shown that a northeast fault cuts off the mineralization to the northwest (see photo #3).

2 Location and Access

The Norgate Valley is easily accessed by truck from Gold River via the Tahsis road for 32kms to the Conuma Valley, go up the valley to the Norgate Creek and Branch C-22 (approximately 100 Meters passed the bridge) then a few kilometers to C22i and 200 meters to the showing.

3 History

The general area was first prospected by Specogna in the mid eighties. In 1992, we began staking the area to coincide with a major road building program in the Norgate Valley by the local logging company. Simultaneously, the claims were optioned to Noranda. When Noranda left, Westmin took over, only to leave for greener pastures.

4 Work

The Lucia Showing was opened up by digging a 2 x 2 x 2 Meter trench which consisted in removing log debris and removing rock blasted during road building. As branch C22g was extended to about 500 meters (it is now being further extended) we carefully examined the outcrops and assayed a number of them for Au and PGE. Some of the rocks are fluorescent.

The first hill to the east of the showing consists of multi-textured gabbroic rock. We checked for Ni and a couple of layered samples were assayed with negative results. Several samples were assayed on the eastern side of Fly 2; some were beautifully fluorescent under short and long wavelength light. Recently, a stock work within the Knoby Rocks was noticed and assayed with negative results.

5 Mineralization

The Lucia Showing is located on Fly 1 at the western contact of a Gabbroic Dike. A few centimeters of sparingly mineralized by sulphides is PGE bearing. The next 30 centimeters to the west is also PGE bearing but also Quartz and Au.

Down the dip massive millerite bearing pyrite occurs followed further down by layered pyrrhotite, pyrite, magnetite, enclosed in chloritized biotite and on the western side, veins of quartz are also present with blebs and stringers of sulphides.


Several PGE bearing boulders dug up from the ditch have not yet been seen in place. Of note this pipe identified by the Noranda geologist is Na. depleted and enriched in K, Mg, Zr and Zn. Zn belongs to the Ni chalcophile in mafic magmas.

6 Potential of Prospect

It is too early to decide what we have here, a magmatic metamorphosed deposit or a hydrothermal enhanced remobilization similar to Rathbun lake northeastern Ontario. It is too early to evaluate the find, but it is encouraging as this is a first of this type of mineralization for Vancouver Island and geologists will have a great time bad mouthing it.

7 Proposed Work

More digging and lab work is required in order to determine what's what and how to proceed. Recent assays indicate that Pt is associated with magnetite.




FLY I

Location Map

DRAFTER
Specogna

FLY I


Fig. 1 Scale 1:7,500,000



**CLAIM MAP
92E / 16**


DU CANADA

GEOLOGY 92E/16



STATEMENT of QUALIFICATION

I Efrem Specogna certify that I beenProspecting for over thirty years and had mining claims optioned to most mayor Canadian Mining Company.


Efrem Specogna

STATEMENT OF QUALIFICATION

I Lucia Specogna certify that I have been Prospecting
for over twenty years with knowledgable Prospectors.

L. Specogna
Lucia Specogna


PHOTO #I

PHOTO #I
SABOTAGED ROCK OUTCROPS





VANDALIZED Rd.



BLOKED Rd.



ABOVE

SABOTAGED SHOWING

1 GABBRO

2 ALTERED BASIC

3 EAST WEST FAULT

4 NORTHEAST FAULT
BELOW



SHOWING AFTER TRENCHING

RED REACTION TO NICKEL TEST

PIECE IN CENTRE MASSIVE
MILLERITE BEARING PYRITE

PHOTO #4

TOP VERTICAL STRIGERS



BIG PIECE MILLERITE BEARING
PYRITE and 4 PIECES FROM
BOTTOM of TRENCH

PHOTO #5




PHOTO 6




GABBRO 1 Km. FROM
SHOWING





NEAR TOP



EAST

WIDENS DOWN DIP

BOULDER of DIKE OVERLAING FLAT LAING MINERALIZATION
AT BOTTOM of TRENCH



BLACK an WHITE BETTER VISIBLE RIPPLES

DESCRIPTION of SAMPLES

Elix 2 pyritized altered probably Volcanic

Tungsten- altered Rhyolite sparingly pyritized with dark halo near pyrite grains, 5% specks fluorescent light blue.

1 Pegmatitic Lampro float

2 Ultra Basic

3 Altered, some Magnesite is the only positively recognizable mineral, very Fluorescent S. and L. WAVE

4 Massive Biotite Fluorescent orange

03-1 Jasperry float

03-2 Coarse Gabbro

03-3 Altered float near showing, one Sphalerite bearing Calcite veilet, reacts to Dimethyl

03-4 Ultra Basic

03-5 Basic Breccia

J-1 & 2 Jasperry Pyritized floats

IPL-1 Cut of J-1 from above

CAP-1 Layered Basic

Fly-4 Pyritized Quartz on Rd.

Fly-5 Loose Boulder in ditch react to Dimethyl..

Magmatic- Massive Pyrite with Magnetite needles

Knoby Knoby with quartzveining and Pyrite

Trench-1 Massive Pyrrhotite with bands of magnetite see photo #4

Trench-2 Loose boulder in ditch pyritized

Fly-W Altered Basic with quartz strigera

V-I Pyritized boulder near showing

V-2 Mostly quartz Rd. near shoving
Fly-V Massive Pyrite, at shoving slightly magnetic
V-3 Cut of Trench I very magnetic
V-4 Chloritized Biotite hosting massive Sulphides
V-5 Pyritized Quartz on Rd. near showing
V-6 Massive Silvery Pyrrhotite not magnetic
at bottom of Trench



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
Aurora Laboratory Services Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0216

To: SPECOGNA, EFREM
1704 CENTENNARY DR.
NANAIMO BC V9X 1A3

Page # : 2 - A
Total # of pages : 2 (A)
Date : 13-Sep-2002
Account: PEO

CERTIFICATE OF ANALYSIS VA02003322

Sample Description	Method Analytic Units LOR	MEI-21 Recvd Wt kg	ME-XRF05 W ppm
TUNGSTEN		0.62	10



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brookbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: SPECOGNA, EFREM

1704 CENTENNIAL DR.
NANAIMO, BC
V9X 1A3

Page Number : 1-B
Total Pages : 1
Certificate Date: 04-JUL-2002
Invoice No.: I0218490
P.O. Number
Account : PEO

Project:

Comments: ATTN: EFREM SPECOGNA

CERTIFICATE OF ANALYSIS

A0218490

SAMPLE	PREP CODE	Ge ppm	Gd ppm	Hf ppm	Ho ppm	La ppm	Lu ppm	Mo ppm	Nb ppm	Ni ppm	Pb ppm	Pr ppm	Rb ppm	Sm ppm
ELIX 1	94139402	18	3.6	3	0.7	16.5	0.3	8	6	18.0	20	60	4.4	34.6
ELIX 2	94139402	28	2.5	1	0.5	8.0	0.1	14	5	9.5	150	20	2.0	51.4

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: SPECOGNA, EFREM

1704 CENTENNIAL DR.
 NANAIMO, BC
 V9X 1A3

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 04-JUL-2002
 Invoice No. : 10218490
 P.O. Number :
 Account : PEO

Project :

Comments: ATTN: EFREM SPECOGNA


** CORRECTED COPY

CERTIFICATE OF ANALYSIS

A0218490

SAMPLE	PREP CODE	Weight Kg	Au ppm ICP-AES	Pt ppm ICP-AES	Pd ppm ICP-AES	Ag ppm	Ba ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Dy ppm	Er ppm	Eu ppm
ELIX 1	94139402	0.32	< 0.03	< 0.03	< 0.03	< 1	424	36.0	19.5	130	0.4	60	3.1	1.9	1.1
ELIX 2	94139402	0.70	< 0.03	< 0.03	< 0.03	< 1	232	16.0	108.0	140	0.9	815	2.4	1.4	1.2

CERTIFICATION:



** FOR WEIGHT ON SAMPLE 'ELIX 2'.



ALS Chemex

Aurora Laboratory Services Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: SPECOGNA, EFREM

1704 CENTENNIAL DR.
 NANAIMO, BC
 V9X 1A3

Page Number : 1-C
 Total Pages : 1
 Certificate Date: 04-JUL-2002
 Invoice No. : 10218490
 P.O. Number :
 Account : PEO

Project :

Comments: ATTN: EFREM SPECOGNA

CERTIFICATE OF ANALYSIS A0218490

SAMPLE	PREP CODE	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	Zr ppm
ELIX 1	94139402	2	438	< 0.5	0.6	5	< 0.5	0.3	2.0	205	7	19.5	2.0	70	95.0
ELIX 2	94139402	1	305	< 0.5	0.4	< 1	< 0.5	0.2	< 0.5	265	8	14.5	1.3	85	48.5

CERTIFICATION:



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page #: 2-A
Total # of pages : 2 (A-D)
Date : 25-Oct-2002
Account: PEO

CERTIFICATE OF ANALYSIS VA02004525

Sample Description	Method Analyte Units LOR	ME3-21	PGS-ICP23	PGS-ICP23	PGS-ICP23	ME-M601	ME-6201									
		Recoveries	Ag	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Co
		%	ppm	ppm	ppm	ppm	%	ppm								
1		0.76	<0.001	<0.005	<0.001	0.03	12.40	3.2	90.5	0.10	0.06	9.82	0.04	2.58	27.0	100
2		0.96	0.006	<0.005	0.005	0.60	3.83	8.7	140.0	0.32	0.07	6.87	0.06	7.43	26.0	452
3		0.84	0.003	<0.005	0.001	0.13	5.69	3.8	360	0.89	0.22	5.41	0.10	39.8	5.1	105
4		0.82	0.089	<0.005	<0.001	2.50	10.05	10.3	73.5	2.85	1.84	0.40	0.25	34.1	30.0	150

Comments: REE's may not be totally soluble in MS61 method.

CORRECTED COPY - ICP data no longer reported for Cd



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page # : 2 - B
Total # of pages : 2 (A - D)
Date : 11-Nov-2002
Account: PEO

CERTIFICATE OF ANALYSIS VA02004525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	Cs ppm 0.05	Cu ppm 0.2	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.1	In ppm 0.005	K % 0.01	La ppm 0.5	Li ppm 0.2	Mg % 0.01	Mn ppm 5	Mo ppm 0.05	Na % 0.01	Nb ppm 0.1
1		0.34	28.3	4.22	15.15	0.27	0.3	0.031	0.41	1.4	2.2	3.02	631	0.55	0.73	0.5
2		0.77	24.3	3.88	9.26	0.06	0.2	0.034	0.91	3.7	14.4	4.38	1560	0.99	0.02	0.8
3		0.68	18.6	1.81	11.10	0.13	1.6	0.051	1.17	23.2	3.7	0.53	2290	11.85	0.26	4.7
4		2.99	251	6.48	26.7	0.24	0.2	0.262	2.42	14.5	15.3	3.75	1380	1.22	0.15	1.7

Comments: REE's may not be totally soluble in MS61 method.

CORRECTED COPY - ICP data no longer reported for Cd



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNARY DR.
NANAIMO BC V9X 1A3

Page # : 2 - C

Total # of pages : 2 (A - D)

Date : 11-Nov-2002

Account: PEO

CERTIFICATE OF ANALYSIS VA02004525

Sample Description	Method Analyte Units LOR	ME-MS61														
		NI	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Tl	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm								
1		21.4	30	1.3	16.1	<0.002	0.06	0.18	1	0.5	460	<0.05	0.05	0.2	0.17	0.06
2		142.0	450	7.5	24.6	<0.002	0.11	0.29	1	0.5	144.0	<0.05	0.51	0.8	0.17	0.11
3		10.4	260	4.2	32.9	0.003	0.97	0.76	1	1.3	200.0	0.38	0.12	9.8	0.15	0.14
4		39.1	1840	9.9	100.0	0.002	3.37	0.85	6	1.2	19.9	0.13	1.81	1.3	0.28	1.13

Comments: REE's may not be totally soluble in MS61 method.

CORRECTED COPY - ICP data no longer reported for Cd



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNARY DR.
NANAIMO BC V9X 1A3

Page #: 2 - D
Total # of pages : 2 (A - D)
Date : 11-Nov-2002
Account: PEO

CERTIFICATE OF ANALYSIS VA02004525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte Units LOR	U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5
1		0.1	195	0.9	2.7	27	7.4
2		0.3	139	0.4	7.3	97	6.0
3		3.0	28	0.5	15.5	41	48.9
4		0.2	267	2.0	20.2	192	5.9

Comments: REE's may not be totally soluble in MS61 method.

CORRECTED COPY - ICP data no longer reported for Cd



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0216

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page #: 2 - B
Total # of pages : 2 (A - B)
Date : 31-Oct-2002
Account: PEO

CERTIFICATE OF ANALYSIS VA02005011

Sample Description	Method	MS-MSB2	MS-MSB2
	Analyte	T	Td
	Units	ppm	ppm
	LDR	0.5	0.1
3		20.2	2.2
4		44.9	4.0



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page #: 2 - A
Total # of pages : 2 (A - B)
Date : 31-Oct-2002
Account: PED

CERTIFICATE OF ANALYSIS VA02005011

Sample Description	Method Analysed Matrix LOR	ME-40002														
		Co	Br	Cr	Ge	Hg	Li	Lu	Mn	Nd	Pr	Sn	Tb	Tb	U	
		ppm														
		0.5	0.1	0.1	0.1	0.1	0.4	0.1	0.5	0.1	0.1	0.1	0.1	0.1	0.5	
3		39.7	3.2	2.0	1.0	3.5	0.7	22.3	0.4	15.9	4.4	3.3	0.6	10	0.3	3.2
4		37.0	9.1	4.8	1.5	9.6	1.8	15.2	0.6	23.6	5.3	6.9	1.8	2	0.6	0.7

SPECOGNA, EFRAM-X03

teckcominco

DRAGON FLY / 03-1 - 03-5

Job V03-0042R

Report date: 10 FEB 2003

LAB NO	FIELD NUMBER	Au(5) ppb	Pt ppb	Pd ppb	Ag(2) g/t
R0301069	03-1	48	<5	5	
R0301070	03-2	5	20	68	
R0301071	03-3	697	86	482	9.1
R0301072	03-4	8	<5	4	0.8
R0301073	03-5	9	<5	6	1.3

I=insufficient sample X=small sample E=exceeds calibration C=being checked R=revised
If requested analyses are not shown, results are to follow

ANALYTICAL METHODS

Au(5) Fire Assay-Lead Collection/Graphite Furnace
Pt Fire Assay-Lead Collection/Graphite Furnace
Pd Fire Assay-Lead Collection/Graphite Furnace
Ag(2) Acid decomposition / AAS



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page #: 2 - A
Total # of pages : 2 (A)
Date : 17-Feb-2003
Account: PEO

CERTIFICATE OF ANALYSIS VA03002945

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23
	Analyte Units LOR	Recv'd Wt	Au kg	Pt ppm	Pd ppm
J1		0.80	1.185	0.006	0.002
J2		1.14	0.091	<0.005	0.001

P02

NO. 834

IPL 2036 COLUMBIA ST VANCOUVER → 2507537819

18:03

22/28/03



Client : ** CASH SALE **
 Project: SOGNIDORD

CERTIFICATE OF ANALYSIS

iPL 03B0217


ISO 9002:1994
 FM 64220

Phone (604) 879-7878
 Fax (604) 879-7898
 Email iplab@telus.net

Out: Feb 28, 2003
 In : Feb 27, 2003

Page 1 of 1
 Section 1 of 1

1 Samples

1=Rock 1=Std iPL

[021711:04:56:30022803]

Sample Name	Type	Au g/t	Ag g/t	Pd g/t	Pt g/t
J-1 iPL STD 101 .07	Rock Std iPL	0.27 0.07	1.1 —	<0.01 0.49	<0.01 0.22

Minimum Detection 0.01 0.3 0.01 0.01
 Maximum Detection 9999.00 9999.0 1000.00 1000.00
 Method FA/MS FAGrav FA/AAS FA/AAS

— No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=1000 %=Estimate % NS=No Sample



INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS
iPL 03C0245Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Email iplab@telus.netISO 9002:1994
FM 64220Out: Mar 06, 2003
In : Mar 04, 2003Page 1 of 1
Section 1 of 1Client : ** CASH SALE **
Project: CAPRICE

1 Samples

1=Rock 1=Std iPL

[024511:59:18:30030603]

Sample Name	Type	Au g/mt	Ag g/mt	Pd g/mt	Pt g/mt
CAP 1 iPL STD 101 .07	Rock Std iPL	0.01 0.07	<0.01 —	0.01 0.52	<0.01 0.25

Minimum Detection 0.01 0.01 0.01 0.01
Maximum Detection 1000.00 1000.00 9999.00 99999.00
Method FA/AAS FAGrav FA/AAS FA/AAS

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



INTERNATIONAL PLASMA LABORATORY LTD.

Client : Specogna
Project: FLY

CERTIFICATE OF ANALYSIS

iPL 03C0318



Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7888
Email iplab@telus.net

ISO 9002-1994
FM 84220

Out: Mar 24, 2003
In : Mar 18, 2003

Page 1 of 1
Section 2 of 2

2 Samples
2-Rock

[031817:52:23:30032403]

Sample Name	Mg ppm	Mn ppm	Hg ppm	No ppm	Ni ppm	P ppm	K ppm	Sc ppm	Ag ppm	Na ppm	Sr ppm	Tl ppm	Tl ppm	N ppm	V ppm	Zn ppm	Zr ppm
FLY 4	22106	1013	<3	7	75	934	7381	23	0.4	26437	312	<2	3939	<5	182	85	41
FLY 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection

100 1 3 1 1 100 100 1 0.1 100 1 2 100 5 1 1 1 1

Maximum Detection

100000 10000 10000 1000 10000 50000 100000 10000 100.0 100000 10000 1000 100000 1000 10000 10000 10000 10000

Method

ICPM ICPM

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample

iPL 03C0318 VULCANIA 12:51 03/25/03



INTERNATIONAL PLASMA LABORATORY LTD

CERTIFICATE OF ANALYSIS

iPL 03C0318



Vancouver, B.C.

Canada V5Y 3E1

Phone (604) 879-7878

Fax (604) 879-7898

Email iplab@telus.net

ISO 9002:1994

FM 64220

Out: Mar 24, 2003

In : Mar 18, 2003

Page 1 of 1

Section 1 of 2

Client : Specogna
Project: FLY2 Samples
2=Rock

[031817:52:23:30032403]

Sample Name	Type	Au g/wt	Ag g/wt	Pd g/wt	Pt g/wt	Al ppm	Sb ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Ca ppm	Cr ppm	Co ppm	Cu ppm	Fe ppm	La ppm	Pb ppm
F.Y 4	Rock	<0.01	<0.01	0.02	<0.01	9.38	<5	<5	337	<2	<0.2	36857	76	29	90	5.54	13	54
FLY 5	Rock	0.26	4.30	0.36	0.10	—	—	—	—	—	—	—	—	—	—	—	—	

Minimum Detection	0.01	0.01	0.01	0.01	100	5	5	2	2	0.2	100	1	1	1	100	2	2
Maximum Detection	1000.00	1000.00	9999.00	99999.00	50000	2000	10000	10000	2000	2000.0	100000	10000	10000	20000	50000	10000	10000
Method	FA/AAS	FAGrav	FA/AAS	FA/AAS	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM	ICPM

---No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck n=x1000 %=Estimate % NS=No Sample



INTERNATIONAL PLASMA LABORATORY LTD.

Client : Specogna
Project: None Given

CERTIFICATE OF ANALYSIS

iPL 03D0415

2030 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Email iplab@telus.netISO 9002:1994
FM 64220Out: Apr 09, 2003
In : Apr 08, 2003Page 1 of 1
Section 1 of 11 Samples
1=Rock

[041514:08:52:30041603]

Sample Name	Type	Au g/mt	Ag g/mt	Pd g/mt	Pt g/mt	Ni %
MAGMATIC	Rock	0.07	<0.01	0.76	0.21	0.130

Minimum Detection 0.01 0.01 0.01 0.01 0.001
Maximum Detection 1000.00 1000.00 9999.00 99999.00 100.000
Method FA/AAS FAGrav FA/AAS FA/AAS AsyMUA

—=No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



Client : Specogna
Project: None Given

CERTIFICATE OF ANALYSIS
iPL 03D0521



2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Email iplab@telus.net

ISO 9002:1994
FM 64220

Out: May 01, 2003
In : Apr 29, 2003

Page 1 of 1
Section 1 of 1

1 Samples
1=Rock

[052116:45:45:30050103]

Sample Name	Type	Au g/mt	Ag g/mt	Pd g/mt	Pt g/mt
KNOB	Rock	0.01	<0.01	<0.01	<0.01

Minimum Detection 0.01 0.01 0.01 0.01
Maximum Detection 1000.00 1000.00 9999.00 99999.00
Method FA/AAS FAGrav FA/AAS FA/AAS
—No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNIAL DR.
NANAIMO BC V9X 1A3

Page #: 2 - C
Total # of pages : 2 (A - C)
Date : 9-May-2003
Account: PEO

CERTIFICATE OF ANALYSIS VA03014548

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte Units LOR	Ta ppm 0.5	Tb ppm 0.1	Th ppm 1	Tl ppm 1	Tm ppm 0.5	U ppm 0.5	V ppm 5	W ppm 1	Y ppm 0.5	Yb ppm 0.1	Zn ppm 5	Zr ppm 0.5
TRENCH 1		<0.5	0.1	1	<1	<0.5	<0.5	37	2	4.6	0.5	113	11.5
TRENCH 2		<0.5	0.5	1	<1	<0.5	<0.5	217	2	19.0	1.9	106	49.6



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brookbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNARY DR.
NANAIMO BC V9X 1A3

Page # : 2 - B
Total # of pages : 2 (A - C)
Date : 9-May-2003
Account: PEO

CERTIFICATE OF ANALYSIS VA03014548

Sample Description	Method	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
	Analyte Units LOR	Gd ppm 0.1	Hf ppm 1	Ho ppm 0.1	La ppm 0.5	Lu ppm 0.1	Mn ppm 2	Nb ppm 1	Nd ppm 0.5	Ni ppm 5	Pb ppm 5	Pr ppm 0.1	Rb ppm 0.2	Sr ppm 0.1	Sn ppm 1	Sr ppm 0.1
TRENCH 1		0.8	<1	0.2	2.5	0.1	3	1	3.4	21	9	0.8	7.1	0.8	<1	15.8
TRENCH 2		3.1	2	0.7	5.8	0.3	6	3	10.2	322	19	2.1	29.8	3.0	1	275



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: SPECOGNA, EFREM
1704 CENTENNARY DR.
NANAIMO BC V9X 1A3

Page # : 2 - A
Total # of pages : 2 (A - C)
Date : 9-May-2003
Account: PEO

CERTIFICATE OF ANALYSIS VA03014548

Sample Description	Method Analyte Units LOQ	WEI-21	PGM-ICP27	PGM-ICP27	PGM-ICP27	ME-MS81											
		Revd Wt	As	Pt	Pd	Ag	Ba	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Ga	Ga
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
TRENCH 1		0.96	0.06	0.24	0.47	<1	21.6	6.4	88.9	790	0.7	40	0.8	0.5	0.4	5	
TRENCH 2		1.08	<0.03	<0.03	0.03	<1	699	13.8	69.7	260	0.4	179	3.1	1.9	1.2	13	



INTERNATIONAL PLASMA LABORATORY LTD

Client : Specogna
Project: FLY

CERTIFICATE OF ANALYSIS

iPL 03E0600



ISO 9002:1994

FM 64220

Out: May 27, 2003

In : May 13, 2003

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Email iplab@telus.net1 Samples
1-Rock

[060013:05:16:30052703]

Page 1 of 1
Section 1 of 1

Sample Name	Type	Au g/mt	Ag g/mt	Pd g/mt	Pt g/mt	Co %	Cu %
FLY - W	Rock	0.08	<0.01	0.41	0.22	0.030	0.17

Minimum Detection

0.01 0.01 0.01 0.01 0.001 0.01

Maximum Detection

1000.00 1000.00 9999.00 99999.00 100.000 100.00

Method

FA/AAS FAGrav FA/AAS FA/AAS AsyMIA AsyMIA

—No Test Ins=Insufficient Sample Del=Delay Max=No Estimate Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



A DIVISION OF ASSAY LABORATORY SERVICES INC.
MINERAL ASSAY DIVISION



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www.accurassay.com

Certificate of Analysis

Wednesday, June 04, 2003

Specogna, Efrem
1704 Centenary Dr.
Nanaimo, BC, CA
V9X1A3
Ph#: (250) 753-7819
Fax#:
Email:

Date Received : 02-Jun-03

Date Completed : 04-Jun-03

Job # 200340531

Reference :

Sample #: 3 Rock

Accurassay	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
29446	V1	33	62	219		82	628			724		
29447	V2	9	25	21		52	102			147		
29448	Fly V	80	224	622		549	618			1103		
29449	Check	Fly V	73	233	604		548	595			1043	

PROCEDURE CODES: AL4PP, AL4Co, AL4Cu, AL4Ni

Certified By:

AL917-0398-06/04/2003 05:05 PM

Page 1 of 1



A DIVISION OF ASSAY LABORATORY SERVICES INC.
MINERAL ASSAY DIVISION



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 628-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www.accurassay.com

Certificate of Analysis

Friday, June 20, 2003

Specogna, Efrem
1704 Centenary Dr.
Nanaimo, BC, CA
V9X 1A3
Phone: (250) 753-7819
Fax:
Email:

Date Received : 16-Jun-03

Date Completed : 20-Jun-03

Job # 200340622

Reference :

Sample #: 3 Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
32990	V3	429	622	702			706	2406		2131		
32991	V4	148	220	182								
32992	V5	96	76	63								
32993 Check	V5	76	84	64								

PROCEDURE CODES: ALAPP, ALACO, ALACU, ALANI


Certified By:

ALS 17-0398-06/20/2003 02:49 PM

Page 1 of 1



A DIVISION OF ASSAY LABORATORY SERVICES INC.
MINERAL ASSAY DIVISION



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www.accurassay.com

Certificate of Analysis

Friday, June 27, 2003

Specogna, Efrem
1704 Centenary Dr.
Nanaimo, BC, CA
V9X1A3
Ph#: (250) 753-7819
Fax#:
Email:

Date Received : 23-Jun-03

Date Completed : 27-Jun-03


Job # 200340687

Reference :

Sample #: I Rock

Accurassay #	Client Id	Au ppb	Pt ppb	Pd ppb	Rh ppb	Ag ppm	Co ppm	Cu ppm	Fe ppm	Ni ppm	Pb ppm	Zn ppm
35091	V6	62	252	922		141	1854			6743		
35092 Check	V6	55	213	921			140	1820			6789	

PROCEDURE CODES: AL4APP, AL4Co, AL4Cu, AL4Ni


Certified By: 

AL917-0398-06/27/2003 11:31 PM

Page 1 of 1

**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

27,214



DETAIL INSET map

SCALE 1:2500 X SHOWING

EVIDENCE GEOLOGIST'S
DID NOT SEE GABBRO IN DITCH

LUCIA SHOWING


LUCIA SHOWING LOCATION


SCALE I: 5.000


GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,214

69.2 000 E







**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

27,214

MgO/CaO
Norgate—Muchalat Area

□	0.06	to	0.75
□□	0.75	to	2.00
☒	2.00	to	5.00
■	5.00	to	29.51



**GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT**

27,214

Na₂O in percent
Norgate-Muchalat Area

	0.00	to	0.15
	0.15	to	0.40
	0.40	to	2.00
	2.00	to	6.99




GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

K20/Na20
Norgate-Muchalat Area

27,214

□	0.00	to	1.50
■	1.50	to	10.00
✗	10.00	to	40.00
●	40.00	to	255.10



GEOLoGICAL SURVEY BRANCH
Assessment Report

27,214

Norgate-Muchalat Area
Zn (ppm) in rocks, All Samples

