

ASSESSMENT REPORT
on
SOIL GEOCHEMISTRY

SPIRIT DREAM, HD & SD Mineral Claims

Wild Horse River area
Fort Steele Mining Division

TRIM 82G.063 & 073
605000 E 5508000 N

Operator
Ruby Red Resources
Suite 207 239 - 12th Ave SW
Calgary, Alberta, T2P 1H6

Owner
Brian Kostiuk
514 - 13th Ave S
Cranbrook, B.C.. V1C 2W4
and
Glen Rodgers
P.O. Box 63
Skookumchuck, B.C., V0B 2E0

Report by
Peter Klewchuk, P.Geo.
246 Moyie Street
Kimberley, B.C., V1A 2N8

October, 2003

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,254

TABLE OF CONTENTS

	Page
1.00 INTRODUCTION	1
1.10 Location and Access	1
1.20 Property	1
1.30 Physiography	1
1.40 History of Previous Exploration	1
1.50 Purpose of Survey	1
2.00 GEOLOGY	1
3.00 SOIL GEOCHEMISTRY	4
4.00 CONCLUSIONS	4
5.00 REFERENCES	4
6.00 STATEMENT OF EXPENDITURES	6
7.00 AUTHOR'S QUALIFICATIONS	6

LIST OF ILLUSTRATIONS

Figure 1.	Property Location Map	2
Figure 2.	Spirit Dream Claim Map	3
Figure 3.	Soil Sample Locations with Gold Analyses in ppb	5
Appendix 1.	Geochemical Analyses of Soil Samples	7

1.10 Location and Access

The Spirit Dream property is located in the Fort Steele Mining Division approximately 25 km northeast of Cranbrook, B.C., within the Wild Horse River drainage (Fig. 1). Access is via forestry roads on either side of the Wild Horse River and logging roads which cross parts of the claim block.

1.20 Property

The Spirit Dream property includes 30 single unit 2-post mineral claims: Spirit Dream 1-4, SD 1-20 and HD1-6 (Fig. 2). The claims are owned by Brian Kostiuk of Cranbrook and Glen Rodgers of Skookumchuck.

1.30 Physiography

The Spirit Dream property is located east of the Rocky Mountain Trench and within the Wild Horse River drainage in the Hughes Range of the Rocky Mountains. Topography is moderate to steep with mainly wooded and locally rocky slopes. Elevation ranges from 1060 to 2060 meters. Forest cover includes mainly pine, fir and larch. Parts of the claim block have been logged and are in various stages of regeneration.

1.40 History


Old workings are present on the claim block north of the Wild Horse River. In 2002 a program of prospecting and rock geochemistry was conducted on the claims (Rodgers and Kennedy, 2002) with anomalous gold detected at a number of localities.

1.50 Purpose of Survey

In 2003 a contour soil geochemistry program was completed in the north portion of the claim block as a follow-up on favourable rock geochem results.

2.00 GEOLOGY

The area of the Spirit Dream property has been most recently mapped by Hoy (1979) and is entirely underlain by the Aldridge and Creston Formations, the lowermost units of the mesoproterozoic Purcell Supergroup. Both formations are of fine-grained clastic rocks including mudstone, siltstone and quartzite.



PROPERTY
LOCATION

Figure 1
Spirit Dream Property Location






FIG 3
CLAIM MAP
1:20,000

Figure 2
Spirit Dream Claim Map
TRIM 82G.063 & 073
Scale 1:40,000

3.00 SOIL GEOCHEMISTRY

One hundred fifty soil samples were collected from four separate contour lines in the northern part of the claim group, on mineral claims SD 2 and SD 17-20 (Figs. 2 & 3). Collection lines are approximately 100 meters vertically apart, at elevations of 1500 m, 1600 m, 1700 m and 1800 m. Soils were collected from the 'B' horizon at an approximate depth of 15 cm, placed in Kraft paper bags, dried and then shipped to ACME Analytical Laboratories at 852 East Hastings Street, Vancouver, B.C., V6A 1R6, and analyzed for a 30 element ICP package and geochemical gold by standard analytical techniques. Sample sites and individual values for gold are shown in Figure 3. Complete geochemical analyses are provided in Appendix 1.

Results

Anomalous gold was detected on all four soil lines with values ranging up to 315 ppb Au. Higher values tend to follow a northerly trend across the four contour lines, somewhat oblique to a direct downslope direction and thus indicate that anomalous gold is coming from a bedrock unit which trends northerly.

Weak anomalous arsenic and zinc are locally present in the samples but neither correlate well with gold.

4.00 CONCLUSIONS AND RECOMMENDATIONS

Anomalous gold was detected by a contour soil sampling program in the northern portion of the Spirit Dream claim group. Higher gold values tend to form a northerly trend, suggesting a north-striking bedrock source. Weak anomalous arsenic and zinc in some of the samples generally do not correlate with gold and are thus not considered significant for further gold exploration.

Further work should include geologic mapping, more detailed rock geochemistry and possibly additional soil sampling.

5.00 REFERENCES

- Hoy, T., 1979, Geology of the Estella-Kootenay King area, Hughes Range, southeastern British Columbia: BCMEMPR, Preliminary Map 36, and notes to accompany Preliminary Map 36.
- Rodgers, G.M., and Kennedy, C., 2002, Geochemical report, Spirit Dream, HD & SD mineral claims, Wild Horse Creek area, Fort Steele Mining Division, BC Assessment Report #26976.




Figure 3
 Spirit Dream Property
 Location of Contour Soil Samples
 with values for Gold
 Scale 1:5000
 For Location see Figure 2

6.00 STATEMENT OF EXPENDITURES


Collection of 150 soil samples @ \$5.50 / sample (includes truck)	\$825.00
Analysis of 150 samples @ \$14.50 / sample	2175.00
Shipping	40.00
Base map preparation, drafting	120.00
Access road maintenance (clearing windfall, modifying waterbars, removing debris from road, includes chainsaw rental)	175.00
Report 1 day @ \$300.00 / day	300.00
Report and field supplies	49.00
Total cost	\$3684.00


7.00 AUTHOR'S QUALIFICATIONS

As author of this report I, Peter Klewchuk, certify that:

1. I am an independent consulting geologist with offices at 246 Moyie Street, Kimberley, B.C.
2. I am a graduate geologist with a B.Sc. degree (1969) from the University of British Columbia and an M.Sc. degree (1972) from the University of Calgary.
3. I am a Fellow of the Geological Association of Canada and a member of the Association of Professional Engineers and Geoscientists of British Columbia.
4. I have been actively involved in mining and exploration geology, primarily in the province of British Columbia, for the past 28 years.
5. I have been employed by major mining companies and provincial government geological departments.

Dated at Kimberley, British Columbia, this 15th day of October, 2003.


 Peter Klewchuk
 P. Geo.



SAMPLE#	Au* ppb	SAMPLE#	Au* ppb	SAMPLE#	Au* ppb	SAMPLE#	Au* ppb
G-1	.3	L16 425N	<.2	G-1	<.2	G-1	.3
L15 OS	9.4	L16 400N	140.8	L17 825N	4.7	L17 ON	1.4
L15 25S	17.6	L16 375N	9.7	L17 800N	22.8	L18 1225N	11.4
L15 50S	17.9	L16 350N	20.6	L17 775N	13.5	L18 1200N	2.5
L15 75S	17.8	L16 325N	3.8	L17 750N	54.2	L18 1175N	1.4
L15 100S	26.7	L16 300N	8.6	L17 725N	17.6	L18 1150N	5.4
L15 125S	44.8	L16 275N	6.7	L17 700N	15.2	L18 1125N	7.3
L15 150S	9.4	L16 250N	21.2	L17 675N	11.1	L18 1100N	1.2
L15 175S	6.3	L16 225N	27.5	L17 650N	47.5	L18 1075N	2.3
L15 200S	31.1	L16 200N	11.1	L17 625N	32.3	L18 1050N	23.1
L15 225S	15.3	L16 175N	4.2	L17 600N	87.8	L18 1025N	124.3
L15 250S	18.8	L16 150N	24.1	L17 575N	28.2	L18 1000N	5.7
L15 275S	36.0	L16 125N	1.9	L17 550N	22.0	L18 975N	4.1
L15 300S	18.7	L16 100N	1.9	L17 525N	20.8	L18 950N	13.2
L15 325S	25.6	L16 75N	1.5	L17 500N	9.2	L18 925N	3.4
L15 350S	6.1	L16 50N	1.4	L17 475N	5.0	L18 900N	9.9
L15 375S	1.4	L16 25N	1.2	L17 450N	26.3	L18 875N	11.3
L15 400S	10.3	L16 ON	1.0	L17 425N	7.4	L18 850N	5.1
L16 825N	11.2	L17 1200N	1.1	L17 400N	26.3	L18 825N	6.4
L16 800N	18.9	L17 1175N	1.9	L17 375N	2.2	L18 800N	15.9
L16 775N	1.3	L17 1150N	4.3	L17 350N	11.6	RE L18 800N	9.5
L16 750N	53.8	L17 1125N	4.1	L17 325N	3.1	L18 775N	3.0
L16 725N	26.0	L17 1100N	2.4	L17 300N	315.1	L18 750N	12.5
L16 700N	53.3	L17 1075N	9.9	RE L17 125N	3.8	L18 725N	7.1
RE L16 700N	13.0	L17 1050N	1.1	L17 275N	9.1	L18 700N	8.2
L16 675N	5.0	L17 1025N	3.0	L17 250N	3.8	L18 675N	14.2
L16 650N	5.9	L17 1000N	5.6	L17 225N	15.0	L18 650N	19.4
L16 625N	39.8	RE L17 1000N	15.0	L17 200N	8.2	L18 625N	5.7
L16 600N	5.6	L17 975N	6.0	L17 175N	5.0	L18 600N	3.7
L16 575N	7.8	L17 950N	4.1	L17 150N	8.9	L18 575N	2.0
L16 550N	157.8	L17 925N	8.5	L17 125N	9.6	L18 550N	5.2
L16 525N	53.4	L17 900N	13.3	L17 100N	16.5	L18 525N	8.3
L16 500N	35.2	L17 875N	2.6	L17 75N	4.6	L18 500N	4.1
L16 475N	216.1	L17 850N	5.3	L17 50N	.7	L18 475N	1.3
L16 450N	77.0	STANDARD DS5	7.7	L17 25N	4.4	L18 450N	2.5
STANDARD DS5	42.5		44.0	STANDARD DS5	44.4	STANDARD DS5	42.5

beginning 'RE' are ; beginning 'RE' are ; beginning 'RE' are

beginning 'RE' are

Appendix 1. Geochemical Analyses of Soils

NOT LEACHED, ANALYZED BY ICP-MS. (1)
TYPE: SOIL SS80 60C
beginning 'RE' are Reruns and 'RRE'

July 18/03 SIGNED BY: [Signature]

Acme assumes the liabilities for Acme assumes the liabilities for Acme assumes the liabilities for Acme assumes the liabilities for



GEOCHEMICAL ANALYSIS CERTIFICATE



Ruby Red Resources Inc. File # A302449R Page 1

207-239 - 12th Ave S.W., Calgary AB T2R 1H6 Submitted by: Peter Klewchuk

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
L15 0S	2	28	29	111	.3	28	14	1007	2.60	9	<8	<2	3	22	<.5	<3	<3	17	.21	.173	15	11	.24	161	.07	<3	3.22	.02	.07	<2
L15 25S	1	25	27	101	<.3	29	16	772	2.87	8	<8	<2	7	15	<.5	<3	<3	15	.09	.069	28	11	.31	242	.02	<3	1.66	.01	.09	<2
L15 50S	1	23	29	98	<.3	23	14	1562	2.47	7	<8	<2	5	25	<.5	<3	<3	16	.24	.100	19	10	.21	219	.07	<3	2.41	.02	.08	<2
L15 75S	1	27	22	90	<.3	26	11	498	2.70	10	<8	<2	6	21	<.5	<3	<3	10	.14	.096	30	10	.32	218	.02	<3	1.33	.01	.08	<2
L15 100S	2	29	24	76	<.3	26	13	453	2.86	11	<8	<2	6	11	<.5	<3	<3	10	.07	.063	30	10	.29	100	.01	<3	1.26	.01	.08	<2
L15 125S	1	20	22	96	.3	35	12	1242	2.36	6	<8	<2	5	24	<.5	<3	<3	13	.17	.094	25	10	.27	269	.04	<3	1.84	.01	.11	<2
L15 150S	1	18	16	104	.4	35	9	661	2.05	7	<8	<2	5	25	<.5	<3	<3	15	.16	.231	18	13	.21	211	.07	<3	2.49	.02	.08	<2
L15 175S	1	42	21	67	<.3	37	15	183	2.91	10	<8	<2	8	19	<.5	<3	<3	13	.09	.056	28	11	.35	143	.03	<3	2.18	.01	.10	<2
L15 200S	2	29	22	81	<.3	33	14	448	2.65	9	<8	<2	8	10	<.5	<3	<3	12	.06	.041	28	12	.30	121	.02	<3	1.58	.01	.10	<2
L15 225S	2	33	20	67	<.3	26	12	155	2.78	10	<8	<2	8	10	<.5	<3	<3	10	.05	.033	38	10	.32	92	.01	<3	1.22	.01	.09	<2
L15 250S	1	29	20	93	<.3	34	12	591	2.26	8	<8	<2	7	20	<.5	<3	<3	13	.14	.117	23	11	.23	167	.05	<3	2.19	.02	.10	<2
L15 275S	1	16	20	85	<.3	40	13	578	2.29	5	<8	<2	5	15	<.5	<3	<3	16	.11	.083	20	11	.23	164	.04	<3	2.26	.01	.12	<2
L15 300S	1	9	19	86	.3	38	11	1099	1.84	3	<8	<2	5	24	<.5	<3	<3	18	.14	.043	16	10	.22	218	.07	<3	2.28	.02	.11	<2
L15 325S	1	26	21	86	<.3	28	11	261	2.78	7	<8	<2	9	11	<.5	<3	<3	11	.08	.032	40	12	.32	84	.01	<3	1.44	.01	.09	<2
L15 350S	2	29	22	73	<.3	29	13	491	2.88	8	<8	<2	9	11	<.5	<3	<3	11	.05	.030	38	15	.35	95	.01	<3	1.22	.01	.08	<2
L15 375S	1	16	24	90	<.3	29	13	1016	2.63	7	<8	<2	6	14	<.5	<3	<3	16	.13	.043	27	13	.36	168	.02	<3	1.70	.01	.11	<2
L15 400S	1	33	24	75	<.3	44	16	243	2.88	9	<8	<2	9	10	<.5	<3	<3	13	.03	.034	31	14	.44	115	.02	<3	2.09	.01	.09	<2
L16 825N	2	27	21	78	<.3	24	13	939	2.72	13	<8	<2	2	16	<.5	<3	<3	14	.12	.053	24	10	.24	98	.01	<3	1.38	.01	.08	<2
L16 800N	2	21	19	66	<.3	25	14	1278	2.84	13	<8	<2	4	17	<.5	<3	<3	12	.14	.061	27	12	.28	117	.01	<3	1.32	.01	.12	<2
L16 775N	1	40	28	208	.4	29	16	4681	2.46	12	<8	<2	2	41	1.0	<3	<3	12	.53	.171	19	9	.22	396	.02	<3	1.26	.01	.13	<2
L16 750N	2	27	21	86	<.3	24	13	707	2.85	11	<8	<2	3	16	<.5	<3	<3	10	.16	.072	26	12	.29	156	.01	<3	1.10	<.01	.08	<2
L16 725N	2	22	22	88	<.3	28	13	509	2.85	12	<8	<2	3	13	<.5	<3	<3	16	.10	.071	23	10	.31	146	.02	<3	1.76	.01	.11	<2
L16 700N	1	28	21	85	<.3	26	13	998	2.57	9	<8	<2	4	10	<.5	<3	<3	12	.05	.053	26	11	.27	159	.02	<3	1.44	.01	.07	<2
RE L16 700N	1	25	21	80	<.3	26	12	983	2.51	9	<8	<2	4	10	<.5	<3	<3	12	.05	.051	26	10	.27	158	.02	<3	1.45	.01	.07	<2
L16 675N	1	11	19	101	.3	28	12	992	2.16	8	<8	<2	3	19	<.5	<3	<3	19	.14	.180	12	10	.23	144	.05	<3	2.46	.01	.06	<2
L16 650N	2	16	17	91	<.3	21	9	355	2.45	8	<8	<2	3	10	<.5	<3	<3	13	.08	.092	23	14	.34	100	.01	<3	1.41	.01	.07	<2
L16 625N	2	23	19	77	<.3	19	10	192	2.74	9	<8	<2	5	9	<.5	<3	<3	10	.05	.050	28	9	.25	70	<.01	<3	1.01	.01	.06	<2
L16 600N	1	14	20	92	<.3	20	12	579	2.20	7	<8	<2	2	19	<.5	<3	<3	16	.18	.164	15	12	.23	149	.03	<3	1.76	.01	.07	<2
L16 575N	2	12	22	93	.3	28	11	304	2.51	5	<8	<2	3	10	<.5	<3	<3	16	.06	.068	17	9	.22	157	.03	4	1.90	.01	.07	<2
L16 550N	1	21	24	88	.4	40	14	213	2.55	5	<8	<2	6	17	<.5	<3	<3	16	.10	.065	19	11	.25	306	.04	4	2.30	.01	.08	<2
L16 525N	1	8	15	120	<.3	32	9	1761	1.76	3	<8	<2	2	34	<.5	<3	<3	21	.32	.108	7	10	.19	502	.10	5	2.56	.02	.09	<2
L16 500N	1	10	16	70	<.3	25	9	1484	1.84	3	<8	<2	3	22	<.5	<3	<3	20	.19	.074	10	10	.17	481	.08	4	2.66	.02	.09	<2
L16 475N	1	12	18	97	<.3	30	12	1066	2.22	4	<8	<2	4	22	<.5	<3	<3	20	.13	.051	21	11	.27	469	.04	<3	2.10	.01	.10	<2
L16 450N	1	33	19	83	<.3	25	13	489	2.71	10	<8	<2	7	8	<.5	<3	<3	13	.05	.080	26	11	.28	193	.02	3	1.63	.01	.15	<2
STANDARD DSS	12	146	24	140	.3	25	13	798	3.01	19	<8	<2	3	50	5.7	4	6	61	.76	.097	12	188	.67	136	.10	16	2.11	.04	.13	5

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 UPPER LIMITS - AG, AU, HG, W = 100 PPM; MO, CO, CD, SB, BI, TH, U & B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.
 - SAMPLE TYPE: SOIL PULP Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: AUG 18 2003 DATE REPORT MAILED: Aug 28/03 SIGNED BY: C. Leong, J. Wang, D. Toyne, C. Leong, J. Wang; CERTIFIED B.C. ASSAYERS

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data LFA

P. 02

FAX NO. 6042531716

001-21-2003 IUE U4:U2 PM ACME ANALYTICAL LAB



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
L16 425N	1	14	18	95	<.3	42	13	1292	1.99	6	<8	<2	3	25	<.5	<3	<3	21	.20	.126	13	9	.20	260	.07	<3	2.61	.02	.10	<2
L16 400N	1	10	18	101	<.3	36	12	3135	1.93	4	<8	<2	<2	46	<.5	<3	<3	25	.22	.077	11	12	.18	403	.10	<3	2.73	.02	.07	<2
L16 375N	1	11	24	121	<.3	23	13	1648	2.21	5	<8	<2	3	24	<.5	<3	<3	22	.19	.080	16	10	.17	311	.06	<3	1.61	.01	.09	<2
L16 350N	1	11	18	129	<.3	38	12	1203	1.91	3	<8	<2	3	22	<.5	<3	<3	22	.16	.069	13	12	.22	307	.08	<3	2.45	.02	.10	<2
L16 325N	1	8	25	142	<.3	28	13	3272	1.81	3	<8	<2	2	39	<.5	<3	<3	21	.31	.148	13	11	.19	341	.05	<3	1.86	.02	.12	<2
L16 300N	1	17	20	124	<.3	48	13	1301	2.30	6	<8	<2	5	22	<.5	<3	<3	21	.13	.100	18	14	.25	238	.06	<3	2.32	.02	.10	<2
L16 275N	1	23	23	95	<.3	28	14	1340	2.52	8	<8	<2	6	18	<.5	<3	<3	21	.13	.086	21	12	.21	216	.03	<3	2.09	.01	.19	<2
L16 250N	1	12	20	89	<.3	27	11	2895	1.81	5	<8	<2	3	28	<.5	<3	<3	23	.20	.087	11	11	.20	339	.09	<3	2.56	.02	.09	<2
L16 225N	1	14	21	149	<.3	61	15	1279	2.12	4	<8	<2	4	19	<.5	<3	<3	25	.13	.092	12	11	.22	236	.09	<3	2.63	.02	.09	<2
L16 200N	2	28	32	173	<.3	55	17	827	2.86	5	<8	<2	6	19	<.5	<3	<3	31	.11	.053	17	17	.34	222	.10	<3	3.23	.02	.10	<2
L16 175N	2	38	24	116	<.3	45	14	417	3.17	7	<8	<2	8	15	<.5	<3	<3	22	.07	.060	22	13	.36	141	.07	<3	2.84	.02	.08	<2
L16 150N	2	40	30	119	<.3	42	17	336	3.61	7	<8	<2	9	16	<.5	<3	<3	27	.07	.050	25	19	.47	231	.07	<3	3.30	.02	.10	<2
L16 125N	1	30	31	120	<.3	55	14	733	3.20	6	<8	<2	7	21	<.5	<3	<3	27	.13	.051	17	15	.38	198	.11	<3	3.69	.02	.10	<2
L16 100N	1	39	31	164	<.3	48	19	875	3.64	7	<8	<2	8	19	<.5	<3	<3	28	.13	.045	21	17	.45	220	.07	<3	3.16	.02	.11	<2
L16 75N	1	20	39	178	<.3	48	18	2842	3.05	6	<8	<2	6	23	<.5	<3	<3	26	.17	.053	17	14	.36	309	.07	<3	2.82	.02	.13	<2
L16 50N	2	44	30	124	<.3	57	21	1703	2.84	7	<8	<2	5	47	<.5	<3	<3	29	.34	.063	17	17	.33	230	.13	<3	4.12	.03	.10	<2
L16 25N	1	62	27	97	<.3	178	34	865	5.39	21	<8	<2	5	33	<.5	<3	<3	62	.32	.057	17	151	.93	157	.11	<3	4.01	.02	.09	<2
L16 0N	2	44	29	96	<.3	57	30	1261	3.57	13	<8	<2	9	18	<.5	<3	<3	32	.13	.057	25	32	.47	216	.06	<3	3.05	.02	.10	<2
L17 1200N	1	16	25	136	<.3	32	17	2062	2.89	12	<8	<2	4	19	<.5	<3	<3	24	.19	.055	20	12	.28	223	.05	<3	2.14	.01	.13	<2
L17 1175N	5	101	48	116	<.3	57	24	489	5.00	32	<8	<2	9	18	<.5	<3	<3	19	.12	.041	31	14	.38	186	.01	<3	2.53	.01	.09	<2
L17 1150N	2	76	27	102	<.3	41	19	269	3.43	15	<8	<2	8	7	<.5	<3	<3	20	.07	.078	22	11	.35	128	.03	<3	2.75	.01	.10	<2
L17 1125N	2	42	27	95	<.3	34	16	324	3.47	15	<8	<2	6	9	<.5	<3	<3	23	.09	.052	22	16	.33	116	.03	<3	2.52	.01	.10	<2
L17 1100N	2	87	27	105	<.3	32	21	1111	3.81	25	<8	<2	5	13	<.5	<3	<3	23	.14	.067	26	12	.28	145	.03	<3	1.86	.01	.09	<2
L17 1075N	1	29	22	222	.4	26	17	2645	2.69	10	<8	<2	3	26	<.5	<3	<3	24	.19	.306	18	14	.24	116	.08	<3	2.68	.02	.09	<2
L17 1050N	4	72	40	157	.6	67	25	1578	5.03	29	<8	<2	4	71	.5	<3	<3	17	.65	.083	22	18	.46	125	.01	<3	2.52	.01	.19	<2
L17 1025N	2	40	30	164	.5	83	20	1411	4.03	15	<8	<2	5	27	<.5	<3	<3	19	.18	.095	28	16	.37	153	.03	<3	2.88	.01	.19	<2
L17 1000N	3	40	27	122	<.3	37	15	320	3.42	20	<8	<2	7	7	<.5	<3	<3	11	.02	.055	31	12	.36	59	.01	<3	1.57	<.01	.12	<2
RE L17 1000N	2	41	29	126	<.3	38	15	326	3.46	19	<8	<2	7	7	<.5	<3	<3	11	.02	.058	30	12	.37	58	.01	<3	1.61	<.01	.11	<2
L17 975N	2	31	23	87	<.3	31	11	223	2.81	17	<8	<2	3	16	<.5	<3	<3	9	.13	.055	30	11	.33	78	<.01	<3	1.24	.01	.10	<2
L17 950N	2	26	27	103	<.3	28	18	2552	3.12	9	<8	<2	2	33	<.5	<3	<3	18	.31	.098	22	10	.27	207	.02	<3	1.87	.01	.09	<2
L17 925N	2	20	26	99	<.3	30	16	1452	3.10	10	<8	<2	4	13	<.5	<3	<3	21	.10	.075	27	13	.28	155	.02	<3	1.64	.01	.10	<2
L17 900N	2	24	27	89	<.3	30	15	840	3.01	15	<8	<2	5	14	<.5	<3	<3	13	.07	.058	29	12	.31	122	.01	<3	1.40	.01	.13	<2
L17 875N	2	21	24	101	<.3	20	12	704	3.07	8	<8	<2	6	7	<.5	<3	<3	20	.05	.072	26	14	.24	105	.01	<3	1.62	.01	.12	<2
L17 850N	1	15	23	86	<.3	18	11	834	2.58	6	<8	<2	3	12	<.5	<3	<3	22	.07	.065	24	12	.23	157	.02	<3	1.56	.01	.11	<2
STANDARD DS5	12	147	23	141	.3	26	12	787	3.03	19	<8	<2	2	50	5.6	4	6	62	.78	.101	13	186	.68	136	.11	15	2.14	.04	.15	4

Sample type: SOIL PULP. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

FAX NO. 8042531716

ACME ANALYTICAL LAB

04:00 PM