

MII AL TITLES BRANCH  
Re. d.  
NOV 7 - 2003  
L.I.# \_\_\_\_\_  
File \_\_\_\_\_  
VANCOUVER, B.C.

## BLIZZARD CLAIMS

Geological Assessment Report  
Greenwood Mining Division

for

POWER RESOURCE CORP.  
#501 - 905 WEST PENDER ST.  
VANCOUVER, B.C.  
V6C 1L6

Owner

Dave Heyman 111754

RENEE BRICKNER

November 2003

GEOLOGICAL SURVEY BRANCH  
ASSESSMENT REPORT

27,257

## SUMMARY

The Blizzard Property is located in south central British Columbia, 56 km southeast of Kelowna in the Greenwood Mining District. The property is owned 100% by Power Resources Corp. The Blizzard Property covers an area of 4 square kilometers fully encompassing an epigenetic strata bound sediment hosted uranium deposit known as the Blizzard Uranium Deposit.

Mineralization is contained in fluvial sediments of Eocene to Miocene age. These sediments are underlain by a monzonite intrusion and are capped by late Tertiary basalt. Pleistocene glaciation has selectively eroded the area resulting in the preservation of such basalt caps. The preservation of the basalt caps in turn has protected the underlying less resistant sedimentary units that host Uranium mineralization from erosion, the topographic relief in the area varies between 4250ft to 4450ft.

The region contains several uplifted areas that represent basalt caps protecting underlying sedimentary units. In addition to the Blizzard claim, Power Resources Corp. has a 100% interest in another uranium property, the Donen 1-6 Property, 3 km south of the Blizzard claim.

Previous economic evaluation of the Blizzard Uranium Deposit has estimated ore reserves to be 2,200,000 tonnes of grading 0.1815 per cent uranium at a cutoff grade of 0.021 per uranium over a 1-metre interval. Other reports have indicated a potential reserve of 4736 tonnes of  $U_3O_8$  in the deposit. The most recent of studies was conducted in 1979.

The deposit is contained in semi-consolidated sediment 'sandwiched' between a basalt cap and the uranium enriched basement pegmatitic granite which is the source for the uranium.

The July 2003 work program was conducted by geologist, Renee Brickner, and field assistant Dwayne Kress. A two day program was spent on the property conducting a geochemical grid program designed to utilize an alternative method of determining uranium mineralization.

The program was designed to use alternative methods to test an area previously identified as being underlain by a known uranium deposit. Previous alternative methods include a biogeochemical survey program testing tree bark for heavy minerals and testing radiation levels of dirt and standing water on areas within, and in close proximity to the property. The 2003 soil sampling survey was designed to test for heavy element anomalies which may or may not conform to elevated uranium anomalies overlying the area known to contain a uranium deposit.

The Greenwood Mining Division, in particular the area in and around the Blizzard Property, is known for its Uranium deposits. Production in the 1970's at the Hydraulic and Haynes deposits indicate that the area has a potential for further uranium production.

Research and history has shown the direct correlation between uraniferous pegmatites with examples coming from Ontario and Namibia.

Work on the property, twenty years ago, defined the area and Blizzard Claim as containing a Uranium Deposit. In today's market, advanced technological applications, new environmental regulations and commodity prices may have an effect on the status of the property. No further evaluation using today's commodity prices, environmental regulations and new technological advances has been made on the property.

In July 2003, a two-day trip was made to the Blizzard claim. An uncut 1,500 metre by 1,500 metre grid was established and 37 samples were sent in to ALS Chemex for sample preparation and analysis for ICP 34 element analysis. Anomalous values for heavy elements were carefully analyzed in particular and the data plotted.

The following report illustrates the results of that survey.

## TABLE OF CONTENTS

<b>TITLE</b>	<b>Page #</b>
Summary	2
Introduction	5
Location and Access	5
Claim Data	5
Previous work	5
Regional Geology	9
Local Geology	9
Assessment Work	11
Results	11
Recommendations	12
Statement of Cost	13
References	13
Statement of Qualifications	14

### LIST OF FIGURES

Location Map	6
Regional Map	7
Regional Claim Map	8
Claim Map (showing soil sample locations)	10

### APPENDICES

Appendix I	Assays
Appendix II	Geochemical Maps
Chromium	
Cobalt	
Nickel	
Uranium	

## INTRODUCTION

The Blizzard Claim is a four post claim block measuring 2 km by 2 km. Staked by David Heyman in 1997, Power Resources has a 100% right and interest in the property. The property is located in the Greenwood Mining Division, British Columbia approximately 54 km southeast of Kelowna.

This report and the following work was written and completed at the request of Power Resources Corp. It reviews and combines current work and previous work and reports carried out since 1967.

## LOCATION AND ACCESS

The Blizzard Claim consists of 16 claim units located 54 km southeast of Kelowna, British Columbia to the east of Lassie Lake. The property is accessible by road from Kelowna via Highway 33 for 65km, then by Trapping Creek and Lassie Lake logging roads for an additional 37km. Logging roads run near east-west along the south boarder of the property and north-south up along the central and western portion of the property. Additional roads are present although their access is limited.

The property ranges in elevation from 4250 ft to 4450 ft. The property contains a topographic high of moderate relief, which is the result of a basalt cap situated in the centre and to the east of the property. The cap slopes are low incline. Outcrop on the property is limited to only areas of higher elevation and underlain by basalt. On the basalt cap, average outcrop is up to 25% where as the lower elevations no outcrop was noted. On average, the property contained >5% exposure.

## CLAIM DATA

Claim Name	Tenure Number	No of Units	Expiry Date
Blizzard	358775	16	August 18, 2005

\*upon report acceptance

## PREVIOUS WORK


Lacana Mining Corporation staked the property in 1976. It was then optioned to a joint venture group comprised of Noreen Energy Resources Limited, Campbell Chibougamau Mines Ltd. E & B Explorations Ltd. and Ontario Hydro. Before the 1980 Uranium moratorium in 1980, a total of 478 holes were completed on the properties. Drilling included percussion and diamond drilling of a combined total of 21,184 meters. Following drilling, ore reserves were estimated to be 2,200,000 tonnes grading 0.0815 percent uranium at a cutoff grade of 0.021 per cent uranium over a one meter interval.

KELOWNA

Hydraulic  
Lake  
Deposit

Haynes Lake  
Deposit


Highway 33



Trapping Creek Rd



BLIZZARD  
PROPERTY



BEAVERDELL


POWER RESOURCE CORP.

Location Map  
Greenwood Mining Division


Scale:  
As shown

Date:  
Nov. 2002


Figure: 1




**SCALE**



**POWER RESOURCES CORP.**  
**BLIZZARD PROPERTY**  
**REGIONAL MAP**  
 Greenwood Mining Division  
 NTS 82E10W  
 DATE: February, 2002. SCALE: as shown Figure 2



**SCALE**



**POWER RESOURCES CORP.**  
**BLIZZARD PROPERTY**  
**REGIONAL CLAIM MAP**  
 Greenwood Mining Division  
 NTS 82E10W  
 DATE: February, 2002, SCALE: as shown, Figure 3



In August 1999, samples were collected from soil and water sources on the property to test their radioactive levels. Work done during the summer 2000 and 2001 included biogeochemical sampling used to test uranium levels in the local flora.

## **REGIONAL GEOLOGY**

The regional area is underlain by biotite gneisses of Proterozoic age called the Moanshee Group. The Moanshee Group is reported to have spectrometer background readings ranging from 3000-5000 counts per minute. Overlying these is the Anarchist Group characterized by a thick interbedded volcanic and sedimentary sequence of Paleozoic greenstones and greywackes. Low background spectrometer readings for the Anarchist Group is below 2000 counts per minute.

Cretaceous Valhalla hornblende granodiorite and Nelson biotite granodiorite plutonic rocks intrude the Anarchist Group. The Valhalla and Nelson granodiorites are reportedly believed to be the source of uranium mineralization found in the area. Texture and compositional variations of the granodiorites range from medium grained diorite to pegmatitic granites.


Spectrometer readings from the Valhalla and Nelson intrusives range between 2000-3000 counts per minute.

Early and Late Tertiary rocks comprise the Kettle River Group and are comprised of sediments. These Early Tertiary rocks include poorly sorted and well-lithified conglomerate and sandstone with carbonaceous siltstone beds and Late Tertiary rocks include poorly consolidated sediments. The Kettle River Group overlies the Cretaceous intrusive rocks. The Kettle River sedimentary rocks are capped by the the Middle Tertiary (Oligocene) Phoenix Group intermediate to basic flow rocks consisting of olivine basalt, porphyritic dacite and dacite tuff and biotite andesite. Phoenix Group volcanics were later intruded by the Coryell syenite intrusions.

The target for uranium exploration is late Tertiary loosely consolidated sediments. This unit is very poorly exposed. The sediments appear to have been derived from the Cretaceous plutonic rocks and have been deposited in fault zones and depressions in the underlying basement complex. The Phoenix Group volcanics has preserved the sediment protecting it from erosion during Pleistocene Glaciation. Pleistocene sand and gravel deposits obscure the above units in areas of low relief and outcrop exposure is generally >10%.

## **LOCAL GEOLOGY**

The Blizzard Claim measures 2 km east-west by 2 km north-south. The property covers an area characterized by a topographic high, which marks the location of a complete basalt cap surrounded by low relief granitic basement rocks.



**LEGEND**


Volcanics



Intrusive Basement



Swamp



Contours



0 m  500 m  
SCALE

*POWER RESOURCES LTD.*

**BLIZZARD PROPERTY  
GEOLOGY MAP**

Greenwood Mining Division  
British Columbia

Nov. 2003

Scale:  
As Shown

Figure 2

Previous drilling in the 1970's shows the basalt caps in the area to overlie the loosely consolidated Kettle River sediments, between the volcanic cap and underlying basement granitic rock, which hosts the uranium mineralization.

Mapping and sampling of the Blizzard Claim has confirmed and identified a dark green fine - medium grained crystalline olivine basalt cap, weakly to moderately magnetic with weak, local rusting on weathered surfaces.

Basement granites rocks are described as pegmatitic and containing biotite, non to weakly magnetic. Previous reports in the area describe the basement rock as having varying texture between fine grain aphanitic equigranular mass to pegmatitic retrogranular segregation within a biotite granodiorite.

### **ASSESSMENT WORK**

The focus of the July 2003 soil geochemical survey was to determine usefulness of alternative exploration methods for the hunt for uranium mineralization. A total of 37 soil geochemical samples were collected during the property visit covering a grid measuring 1,500 metres east-west by 1,250 metres north-south. Samples were taken at 250 metre intervals and lines were spaced 250 metres apart. The survey is believed to be a relatively dependable representation of the property as the size of deposit area is approximately 1,500 metres by 1,200 metres and does not contain notable local variations which would render a less detailed survey useless. Stations situated along 17+50 N were not tested as the area was covered by standing water and swamps for the most part. Samples along line 17+50 E were not fully collected due to road location and numerous old logging/drilling roads disrupting the integrity of the samples.

All 37 sample were collected and sent to ALS Chemex in Vancouver for sample preparation and 34 element ICP analysis.

### **RESULTS**

Initial review of various elements from the geochemical samples was disappointing. The survey failed to report any obvious anomalous values or 'peaks' in any element, most importantly, uranium.

Uranium levels were less than exciting with all samples, but one, returning less than 10 ppm uranium. One sample, 17+50E and 5+00N located within the southwestern corner of the property returned a barely detectable 10 ppm uranium value.

Upon closer review of some of the heavier elements, in particular cobalt, chromium, nickel. The author concluded that due to the relatively mobile nature of uranium within groundwater, that analysis of other heavy elements would be more beneficial in reflecting anomalous concentrations of heavy elements at depth, in particular uranium.

Plotting values for cobalt, chromium and nickel successfully returned weak but unmistakable anomalies for all three elements noticeably similar to one another. In some cases, nickel and chromium values had a 1:1 ratio over many of the samples. All three elements outline a general northeast-southwest anomaly with slightly higher values along the axis of the strike. In addition to the large oblique anomaly, all three elements showed another, smaller weak anomaly within the southeast portion of the grid.

It is anticipated that in this geological setting, the application of heavy element geochemical surveys may be useful in determining areas containing uranium enrichment.

### **RECOMMENDATION**

Previous assessment on the Blizzard Claim has defined a uranium deposit (Blizzard Uranium Deposit). Today more and more emphasis is being put on lowering fossil fuel emissions. As new extraction techniques are being applied during the extraction of uranium in low tonnage, semi-consolidated sediment deposits coupled with increased environmental regulations, fluctuating commodity prices and changing political constraints, the increase of uranium as a power source will have a tremendous effect on low-grade uranium deposits.

Such new extraction advances, such as In-situ Leaching, to extract the uranium from the ground may allow lower grade deposits, such as the Blizzard Uranium Deposit, to become more attainable and viable. The In-situ Leaching process used for extraction of low grade uranium deposits is a favourable extraction process and a study of the porosity and permeability of the sediment and surrounding rocks will have to be conducted to determine whether the Blizzard deposit is a viable target for such a process. Other determinations will be required to deduce: whether this process is viable for this deposit.

Of all previous alternative exploration method conducted on the Blizzard Property, the application of a heavy element geochemical survey is, to date, the most effective.

The use of a geochemical survey should be further analyzed prior to accepting the method as a useful exploration tool for delineating sediment hosted, strata-bound uranium occurrences. A larger geochemical grid is recommended to better establish the integrity of the weakly anomalous areas being a direct result of heavy element enrichment at depth. Closer stations and closer spaced lines are recommended to infill the current sample locations. In addition, it is recommended that the same technique be used on a similar deposition model to confirm its reliability to reflect heavy element enrichment relative to uranium enrichment.

**STATEMENT OF COSTS** (\*rounded to nearest dollar value)

Geologist: \$350/day for 4 days	\$1,400.00
Geological Assistant: \$250/day for 4 days	\$1,000.00
Sample Preparation and Analysis 37 samples	\$ 360.00
Camp costs 3 nights@ \$25/night per person	\$ 150.00
Food	\$ 320.00
Misc. (field supplies, etc.)	\$ 138.00
Report Compilation	\$ 2,000.00
Plotting	\$ 750.00
Equipment rental (\$20.00/day)	\$ 80.00
Truck Rental	\$ 240.00
Travel	\$ 20.00
Gas, Toll and Parking	\$ 224.00
TOTAL BUDGET	\$6,682.00
G.S.T. 7% (864262092)	\$ 468.00
Total	\$7150.00

**REFERENCES**

McWilliams, G.H., Barclay, J. E., 1978. Assessment Report Rotary Drilling Program Patricia and Moraig Jan 1, Jan 2, Jan 3 Claims, Greenwood Mining Division, Assessment Report # 6640 Part 1

McWilliams, G.H., Barclay, J. E., 1978. Diamond Drilling Project, Blizzard and Beverly Claims, Greenwood Mining Division, British Columbia. Assessment Report # 6640 Part 2

<http://www.em.gov.bc.ca/cgi-shl/dbml.exe?template=/m~search/and Minfile Database. Blizzard, Beverly, Moraig, Patricia.>

<http://www.em.gov.bc.ca/cgishl/dbml.exe?templa.../search&mode=capbib&minfilno=OS2ENE04>

Evans, Anthony M., 1993. Ore Geology and Industrial Minerals, An Introduction, Third Edition - The Pegmatitic Environment

Brickner, R.D., 2000, Blizzard Claim-Geological Assessment Report

Brickner, R.D., 2001, Blizzard Claim-Geological Assessment Report

## STATEMENT OF QUALIFICATIONS

I, Renee D. Brickner, of 507 Head St., Victoria, British Columbia hereby certify:

I am a graduate of the University of Saskatchewan (1999) and hold a B.Sc.H. with a major in Geology.

I have experience in mineral exploration in the Yukon Territory, British Columbia, Ontario and Peru as well as having done educational research in Northeastern British Columbia.

I have prepared this report for Power Resource Corp. of #501-905 W. Pender St. Vancouver, British Columbia and have been working in my field on a full time basis since graduation.

I have not received or expect to receive any interest in the properties Power Resource Corp. and do not beneficially own, directly or indirectly, any securities of the company.

This report is based on examination of reports and information previously compiled and information and work originally conducted during work programs from 2000 to 2003.

I consent to the use of this report, or summary thereof, in a statement of material facts or for use in documents filed with any regulatory authority.

Dated at Vancouver, British Columbia, this 6<sup>th</sup> day of November 2002.



Renee Brickner, BSc. Geo.

**APPENDIX I**  
Assays



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: GOLD BRICK ENTERPRISES LTD.

501-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page # : 1

Date : 24-Oct-2003

Account: SXL

## CERTIFICATE VA03041852

Project : Blizzard

P.O. No:

This report is for 37 SOIL samples submitted to our lab in North Vancouver, BC, Canada on 14-Oct-2003.

The following have access to data associated with this certificate:

RENEE BRICKNER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: GOLD BRICK ENTERPRISES LTD.

ATTN: RENEE BRICKNER

501-905 W PENDER ST

VANCOUVER BC V6C 1L6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: GOLD BRICK ENTERPRISES LTD.

501-905 W PENDER ST

VANCOUVER BC V6C 1L6

Page #: 2 - A

Total # of pages : 2 (A - C)

Date : 24-Oct-2003

Account: SXL

Project : Blizzard

## CERTIFICATE OF ANALYSIS VA03041852

Method Analyte Units LOR	WEI-21 Recvd Wt kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
2+50E-5+00N	0.10	<0.2	1.22	<2	<10	120	<0.5	<2	0.12	<0.5	2	6	3	0.86	10
2+50E-7+50N	0.08	<0.2	2.50	<2	<10	70	0.7	<2	0.07	<0.5	3	7	5	1.43	10
2+50E-10+50N	0.08	<0.2	2.39	<2	<10	110	0.8	<2	0.17	<0.5	4	9	6	1.52	10
2+50E-12+50N	0.08	<0.2	1.98	<2	<10	110	0.5	<2	0.11	<0.5	3	7	5	1.04	10
2+50E-15+00N	0.10	<0.2	1.12	<2	<10	40	<0.5	<2	0.13	<0.5	2	6	3	0.83	10
5+00E-2+50N	0.08	<0.2	2.29	<2	<10	100	0.8	<2	0.14	<0.5	3	10	7	1.30	10
5+00E-5+00N	0.08	<0.2	2.15	<2	<10	110	2.4	<2	0.34	<0.5	4	13	10	1.65	10
5+00E-7+50N	0.08	<0.2	3.20	2	<10	110	0.9	<2	0.19	<0.5	4	9	7	1.80	10
5+00E-12+50N	0.12	<0.2	2.25	2	<10	70	0.6	<2	0.17	<0.5	4	11	5	1.58	10
5+00E-15+00N	0.16	<0.2	2.06	<2	<10	70	0.5	<2	0.08	<0.5	3	9	5	1.53	10
7+50E-5+00N	0.12	<0.2	2.02	<2	<10	70	0.5	<2	0.05	<0.5	3	7	4	1.37	10
7+50E-2+50N	0.10	<0.2	2.36	<2	<10	140	0.9	<2	0.23	<0.5	5	15	6	1.69	10
7+50E-7+50N	0.14	<0.2	2.66	3	<10	60	0.7	<2	0.08	<0.5	3	8	5	1.55	10
7+50E-10+00N	0.12	<0.2	2.91	<2	<10	150	0.7	<2	0.12	<0.5	8	16	12	2.31	10
7+50E-12+50N	0.08	<0.2	3.17	2	<10	170	0.7	<2	0.32	<0.5	13	24	13	3.51	10
7+50E-15+00N	0.10	<0.2	1.60	<2	<10	70	<0.5	<2	0.14	<0.5	5	11	5	1.62	10
10+00E-5+00N	0.08	<0.2	2.26	<2	<10	50	0.5	2	0.08	<0.5	4	9	5	1.57	10
10+00E-7+50N	0.10	<0.2	2.06	<2	<10	50	0.5	<2	0.10	<0.5	6	10	4	1.57	10
10+00E-10+00N	0.08	<0.2	2.90	2	<10	70	0.8	<2	0.30	<0.5	9	23	10	2.28	10
10+00E-12+50N	0.12	<0.2	0.73	<2	<10	40	<0.5	<2	0.19	<0.5	5	11	3	1.43	<10
10+00E-15+00N	0.04	<0.2	2.27	2	<10	40	0.5	<2	0.05	<0.5	3	8	3	1.54	10
10+50E-2+50N	0.06	<0.2	1.82	<2	<10	50	<0.5	<2	0.07	<0.5	3	8	4	1.43	10
12+50E-2+50N	0.08	<0.2	2.44	<2	<10	140	1.9	<2	0.49	<0.5	5	18	15	1.86	10
12+50E-5+00N	0.08	<0.2	1.74	2	<10	40	<0.5	<2	0.06	<0.5	3	7	4	1.22	10
12+50E-7+50N	0.10	<0.2	1.96	<2	<10	120	0.5	<2	0.19	<0.5	10	25	10	2.55	10
12+50E-10+00N	0.08	<0.2	1.96	2	<10	50	0.5	<2	0.25	<0.5	8	16	6	2.19	10
12+50E-12+50N	0.12	<0.2	2.11	<2	<10	60	0.5	<2	0.15	<0.5	4	8	4	1.46	10
12+50E-15+00N	0.08	<0.2	2.42	<2	<10	120	0.6	<2	0.15	<0.5	3	7	6	1.44	10
15+00E-2+50N	0.08	<0.2	1.45	2	<10	60	<0.5	<2	0.14	<0.5	3	9	4	1.68	10
15+00E-5+00N	0.14	<0.2	2.00	<2	<10	60	0.6	<2	0.22	<0.5	9	24	8	3.08	10
15+00E-7+50N	0.10	<0.2	1.18	<2	<10	60	<0.5	<2	0.09	<0.5	5	9	5	1.59	<10
15+00E-10+00N	0.10	<0.2	1.82	<2	<10	70	0.6	<2	0.07	<0.5	4	7	4	1.34	10
15+00E-12+50N	0.08	<0.2	0.35	<2	<10	30	<0.5	<2	0.08	<0.5	1	4	2	0.56	<10
15+00E-15+00N	0.10	<0.2	1.48	4	<10	70	0.5	<2	0.09	<0.5	3	7	4	1.26	10
17+50E-2+50N	0.12	<0.2	1.00	<2	<10	50	<0.5	<2	0.13	<0.5	6	9	3	1.58	10
17+50E-5+00N	0.08	<0.2	3.27	<2	<10	60	1.5	<2	0.13	<0.5	10	11	5	1.77	10
BL 2+50E-2+50N	0.06	<0.2	2.13	<2	<10	90	0.6	<2	0.09	<0.5	3	6	4	1.31	10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLD BRICK ENTERPRISES LTD.

501-905 W PENDER ST  
VANCOUVER BC V6C 1L6

Page #: 2 - B

Total # of pages : 2 (A - C)

Date : 24-Oct-2003

Account: SXL

Project : Blizzard

## CERTIFICATE OF ANALYSIS VA03041852

Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Sb ppm 2	Sc ppm 1	Sr ppm 1	Ti % 0.01	
2+50E-5+00N	<1	0.03	10	0.11	61	<1	0.02	5	140	7	0.01	<2	1	24	0.07	
2+50E-7+50N	1	0.02	10	0.06	114	1	0.01	7	1230	8	0.02	<2	1	11	0.12	
2+50E-10+50N	1	0.05	10	0.17	196	<1	0.02	9	310	9	0.01	<2	1	29	0.08	
2+50E-12+50N	<1	0.05	10	0.13	63	<1	0.02	9	200	10	0.01	<2	1	19	0.09	
2+50E-15+00N	1	0.06	<10	0.12	64	<1	0.02	4	170	7	<0.01	<2	1	13	0.07	
5+00E-2+50N	1	0.04	10	0.15	156	1	0.02	9	220	12	0.01	<2	1	23	0.10	
5+00E-5+00N	1	0.05	40	0.19	330	1	0.02	8	210	8	0.01	<2	3	39	0.09	
5+00E-7+50N	<1	0.05	10	0.08	101	1	0.02	10	1710	13	0.01	<2	1	18	0.12	
5+00E-12+50N	<1	0.04	10	0.13	252	<1	0.02	12	1030	6	0.01	<2	1	17	0.12	
5+00E-15+00N	<1	0.03	10	0.08	118	1	0.01	12	870	7	0.01	<2	1	9	0.11	
7+50E-5+00N	2	0.03	10	0.07	815	1	0.01	6	1350	6	0.01	<2	1	8	0.10	
7+50E-2+50N	1	0.04	20	0.18	394	1	0.01	10	320	8	0.02	<2	2	33	0.10	
7+50E-7+50N	2	0.03	10	0.08	116	1	0.01	9	920	8	0.01	<2	1	10	0.12	
7+50E-10+00N	2	0.04	10	0.17	710	1	0.02	14	1470	4	0.02	<2	2	17	0.14	
7+50E-12+50N	<1	0.06	10	0.40	750	1	0.04	30	660	6	0.01	<2	2	46	0.17	
7+50E-15+00N	<1	0.04	10	0.13	673	1	0.01	11	1160	8	0.01	<2	1	13	0.11	
10+00E-5+00N	<1	0.03	10	0.07	223	1	0.01	9	1140	7	0.02	<2	1	11	0.12	
10+00E-7+50N	1	0.03	10	0.08	192	1	0.02	10	1230	8	0.01	<2	1	14	0.12	
10+00E-10+00N	<1	0.03	10	0.33	458	<1	0.05	21	320	9	0.01	<2	3	42	0.16	
10+00E-12+50N	<1	0.03	10	0.13	166	<1	0.02	8	570	3	0.01	<2	1	20	0.08	
10+00E-15+00N	1	0.02	10	0.05	48	1	0.01	7	1740	5	0.01	<2	1	8	0.11	
10+50E-2+50N	1	0.02	10	0.05	46	1	0.01	6	830	8	0.02	<2	1	11	0.10	
12+50E-2+50N	1	0.05	50	0.21	546	1	0.02	9	250	10	0.01	<2	4	48	0.09	
12+50E-5+00N	1	0.03	10	0.05	64	<1	0.01	6	2020	5	0.02	<2	1	8	0.10	
12+50E-7+50N	<1	0.06	10	0.28	225	1	0.03	24	560	6	0.01	<2	2	25	0.18	
12+50E-10+00N	1	0.05	10	0.30	382	1	0.03	16	380	6	0.01	2	1	29	0.13	
12+50E-12+50N	<1	0.03	10	0.09	383	1	0.01	12	1480	6	0.01	<2	1	14	0.10	
12+50E-15+00N	<1	0.04	10	0.09	342	1	0.01	7	1560	9	0.01	<2	1	18	0.11	
15+00E-2+50N	1	0.04	10	0.08	226	1	0.01	8	1190	6	0.01	<2	1	15	0.09	
15+00E-5+00N	<1	0.06	20	0.44	231	1	0.02	14	1580	9	0.01	<2	1	23	0.14	
15+00E-7+50N	<1	0.02	10	0.11	240	<1	0.01	8	690	4	0.01	<2	1	14	0.07	
15+00E-10+00N	<1	0.03	10	0.09	672	1	0.01	6	1170	8	0.01	<2	1	10	0.09	
15+00E-12+50N	<1	0.03	<10	0.04	38	<1	0.01	3	100	4	0.01	<2	<1	26	0.03	
15+00E-15+00N	<1	0.02	10	0.08	114	1	0.01	5	880	4	0.01	<2	1	16	0.07	
17+50E-2+50N	<1	0.03	10	0.08	286	1	0.01	8	820	6	0.01	<2	1	18	0.07	
17+50E-5+00N	<1	0.06	10	0.08	444	3	0.02	10	1930	9	0.03	<2	1	18	0.10	
BL 2+50E-2+50N	1	0.03	10	0.08	140	1	0.01	5	1410	7	0.01	<2	1	12	0.09	



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLD BRICK ENTERPRISES LTD.  
501-905 W PENDER ST  
VANCOUVER BC V6C 1L6

Page #: 2 - C  
Total # of pages : 2 (A - C)  
Date : 24-Oct-2003  
Account: SXL

Project : Blizzard

## CERTIFICATE OF ANALYSIS VA03041852

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
2+50E-5+00N		<10	<10	16	<10	32
2+50E-7+50N		<10	<10	25	<10	18
2+50E-10+50N		<10	<10	27	<10	22
2+50E-12+50N		<10	<10	18	<10	18
2+50E-15+00N		<10	<10	14	<10	12
5+00E-2+50N		<10	<10	23	<10	26
5+00E-5+00N		<10	<10	28	<10	108
5+00E-7+50N		<10	<10	28	<10	43
5+00E-12+50N		<10	<10	27	<10	26
5+00E-15+00N		<10	<10	26	<10	18
7+50E-5+00N		<10	<10	25	<10	78
7+50E-2+50N		<10	<10	33	<10	29
7+50E-7+50N		<10	<10	28	<10	38
7+50E-10+00N		<10	<10	35	<10	62
7+50E-12+50N		<10	<10	38	<10	85
7+50E-15+00N		<10	<10	27	<10	38
10+00E-5+00N		<10	<10	29	<10	39
10+00E-7+50N		<10	<10	27	<10	29
10+00E-10+00N		<10	<10	31	<10	48
10+00E-12+50N		<10	<10	29	<10	18
10+00E-15+00N		<10	<10	28	<10	22
10+50E-2+50N		<10	<10	27	<10	19
12+50E-2+50N		<10	<10	34	<10	44
12+50E-5+00N		<10	<10	21	<10	41
12+50E-7+50N		<10	<10	47	<10	36
12+50E-10+00N		<10	<10	35	<10	40
12+50E-12+50N		<10	<10	27	<10	32
12+50E-15+00N		<10	<10	24	<10	29
15+00E-2+50N		<10	<10	34	<10	63
15+00E-5+00N		<10	<10	73	<10	97
15+00E-7+50N		<10	<10	30	<10	34
15+00E-10+00N		<10	<10	23	<10	85
15+00E-12+50N		<10	<10	14	<10	12
15+00E-15+00N		<10	<10	23	<10	22
17+50E-2+50N		<10	<10	31	<10	46
17+50E-5+00N		<10	10	32	<10	63
BL 2+50E-2+50N		<10	<10	22	<10	36

**APPENDIX II**


Geochemical Maps

*Chromium*

*Cobalt*



*Nickel*

*Uranium*



**LEGEND**


- Soil Sample Stations
- Soil Geochem Anomaly
- Swamp
- Contours
- Property Boundary



GEOLOGICAL SURVEY OF BRITAIN  
ASSESSMENT



<i>POWER RESOURCES LTD.</i>		
BRITISH COLUMBIA		
<b>BEIZZARD PROPERTY</b>		
<b>Soil Geochem-Uranium</b>		
Greenwood Mining Division British Columbia		
Nov. 2003	Scale: 1:5,000	Figure 2

27, 25



LEGEND

- Soil Sample Stations
- Soil Geochem Anomaly
- Swamp
- Contours
- Property Boundary



SCALE

500 m  
 GEOLOGICAL SURVEY  
 ASSESSMENT

POWER RESOURCES LTD.

BLIZZARD PROPERTY  
 Soil Geochem-Nickel


Greenwood Mining Division  
 British Columbia

Nov. 2003

Scale: 1:5,000



Figure 2

27, 257



**LEGEND**


- Soil Sample Stations
- Soil Geochem Anomaly
- Swamp
- Contours
- Property Boundary



**POWER RESOURCES LTD.**  
 BRITISH COLUMBIA BRANCH  
**BLIZZARD PROPERTY**  
 Soil Geochem-Cobalt  
 Greenwood Mining Division  
 British Columbia



Nov. 2003 Scale: 1:5,000 Figure 2

27



**LEGEND**

- Soil Sample Stations
- Soil Geochem Anomaly
- Swamp
- Contours
- Property Boudndary



*POWER RESOURCES LTD.*

**BLIZZARD PROPERTY**  
Soil Geochem-Chromium

Greenwood Mining Division  
British Columbia

Nov. 2003	Scale: 1:5,000	Figure 2
-----------	-------------------	----------

GEOLOGICAL SURVEY BRANCH

27