










GEOLOGICAL LEGEND

- JBLs

JBLM

JBLD

JBLQD

IJT_{3,6}

-syenite

-monzonite, granite

-diorite


-quartz diorite

TOODOGGONE FORMATION VOLCANICS

-fault

-Indicates downthrust side of fault

-geological contact
-
- FINLAY MINERALS LTD.**
- PIL PROJECT
PROPERTY GEOLOGY**
- NTS 94E/ 07W
MAPPING: R.F. BROWN**
- | | | |
|--------------------|-------------------|--------------|
| Date:
Dec. 2003 | Drawn By:
IBEX | Figure:
3 |
|--------------------|-------------------|--------------|



LEGEND

VOLCANIC & SEDIMENTARY ROCKS

LOWER JURASSIC HAZELTON GROUP, TOODOGGONE FORMATION

LJT6 Saunders Member
high-potassium dacite ash-flow tuff.

LJT3 Metsantan Member
high potassium latite (trachyandesite) lava flows,
massive and local flow breccia, also includes
well-bedded volcanic conglomerate.

UPPER TRIASSIC TAKLA GROUP

LJT Augite porphyry basalt/andesite lava flows, some
augite-feldspar phryic mafic flows.
-modified from Diakow et.al. 1993

X62 Geological observation point

TS Thin Section sample location

brittle shears

bedding

veins

open fractures

geological contact

outcrop

cliff

fault

thrust

/F Fractured

SF Silicified

SH Shattered

Py Pyrite

LI Limonite

HE Hematite

cpy Chalcopyrite

Mal Malachite

K-spar Potash Feldspar

cc Chalcolite

az Azurite

INTRUSIONS

JURASSIC INTRUSIONS(?)

BLACK LAKE INTRUSIVE SUITE

JBLT, JBLM, JBLGD Quartz monzonite, detailed thin section description as propylitic
(chlorite - epidote - sericite ± calcite) altered plagioclase +/- quartz phryic
monzonite porphyry, rare outcrops of granodiorite porphyry.
Zones of fracturing to shearing are phyllic altered and gossanous.

IPA Intense phyllic alteration

JBLQD, JBLQ Quartz Diorite, diorite; plagioclase phryic biotite-hornblende quartz diorite porphyry.
Alteration typically phyllic (sericite-quartz-rutile) but varies from propylitic to
to intense silicic. Forms rubby outcrops, gossanous and leached.

JMD Mafic dykes


0 500 1000 METRES
Scale 1:110,000

FINLAY MINERALS LTD.

PIL PROJECT
PIL NORTH AREA
GEOLOGY MAP

NTS 94E/ 07W

Date: 2000 Drafted By: JREX Figure: MAPPING R.F. BROWN



- GEOLOGICAL LEGEND**
- BLACK LAKE INTRUSIVE SUITE**
- JBS -syenite
 - JBLM -monzonite, granite
 - JBLD -diorite
 - JBL0D -quartz diorite
 - IJT_{3,6} TOODOGGONE FORMATION VOLCANICS
- Geological Features:**
- fault
 - Indicates downthrust side of fault
 - geological contact

- ROCK GEOCHEMISTRY LEGEND**
- 2003 Rock Sample Location & Identifier
- RB03PN001

FINLAY MINERALS LTD.


**PIL PROJECT
PIL NORTH AREA
2003 Rock Geochemistry Map
Rock Sample Locations**

NTS 94E/ 07W

Date:
Dec. 2003

Drawn By:
IBEX

Figure:
5



JBLs

JBLm

JBLd

JBLod

IJT3,6

-syenite

-monzonite, granite

-diorite

-quartz diorite

TOODOGGONE FORMATION VOLCANICS

-fault

-Indicates downthrust side of fault

-geological contact

ROCK GEOCHEMISTRY LEGEND

2003Rock Sample Location

Copper Geochemistry result In ppm

FINLAY MINERALS LTD.

PIL PROJECT

PIL NORTH AREA

2003 Rock Geochemistry Map

Cu (ppm)


NTS 94E/ 07W

MAPPING: R.F. BROWN

Date: Dec. 2003

Drawn By: IBEX

Figure: 6



GEOLOGICAL LEGEND

BLACK LAKE INTRUSIVE SUITE

- | | | | |
|--------------------------|--------------------------------|---|-------------------------------------|
| JBLs | -syenite | — | -fault |
| JBLM | -monzonite, granite | ● | -Indicates downthrust side of fault |
| JBLD | -diorite | — | -geological contact |
| JBLD | -quartz diorite | | |
| IJT_{3,6} | TOODOGGONE FORMATION VOLCANICS | | |

ROCK GEOCHEMISTRY LEGEND

- ▲ 2003 Rock Sample Location
▲ Zinc geochemistry result in ppm

FINLAY MINERALS LTD.

**PIL PROJECT
PIL NORTH AREA
2003 Rock Geochemistry Map
Zn (ppm)**


NTS 94E/ 07W

MAPPING: R.F. BROWN

Date:
Dec. 2003

Drawn By:
IBEX

Figure:
8



LEGEND

VOLCANIC & SEDIMENTARY ROCKS

LOWER JURASSIC HAZELTON GROUP, TOODOGOONE FORMATION

- IJT₆** Saunders Member
high-potassium dacite ash-flow tuff.
- IJT₃** Metsantan Member
high potassium latite (trachyandesite) lava flows,
massive and local flow breccia, also includes
well-bedded volcanic conglomerate.
- UPPER TRIASSIC TAKLA GROUP
- uT_{Kt}** Augite porphyry basalt/andesite lava flows, some
augite-feldspar phyrlic mafic flows.

INTRUSIONS

- JBL_S, JBL_{GD}** JURASSIC INTRUSIONS(?)
BLACK LAKE INTRUSIVE SUITE
Syenite,(field name), detailed thin section description as propylitic
(chlorite - epidote - sericite ± calcite) altered plagioclase +/- quartz phyrlic
monzonite porphyry, rare outcrops of granodiorite porphyry.
Zones of fracturing to shearing are phyllic altered and gossanous.
- JBL_{QD}, JBL_Q** Quartz Diorite, diorite; plagioclase phyrlic biotite-hornblende quartz diorite porphyry.
Alteration typically phyllic (sericite-quartz-rutile) but varies from propylitic to
to intense silicic. Forms rubbly outcrops, gossanous and leached.
- JMD** Mafic dykes

- modified from Diakow et.al. 1993
- X62** Geological observation point **o** 2003 Drill Hole Location
- (TS)** Thin Section sample location **○** outcrop
- brittle shears **—** cliff
- bedding **—** fault
- veins **●** indicates downthrust side of fault
- open fractures

- /F** Fractured
SF Silicified
SH Shattered
Py Pyrite
LI Limonite
HE Hematite
cpy Chalcopyrite
Mal Malachite
K-spar Potash Feldspar
cc Chalcolite
az Azurite


Scale 1:10,000



FINLAY MINERALS LTD.

PIL PROJECT
PIL SOUTH AREA
DRILL HOLE SITE
and GEOLOGY MAP


Date: Dec. 2003 Drawn By: IBEX Figure: 10



DDH PILS-03-04

215°/-60°
collar: 625928E,6349783N

OVERBURDEN




Note: Poor recovery over much of hole due to shattered ground and sand seams. Hole PILS-03-04 ended prematurely due to tightness and no water return.

LEGEND

- TRtv** medium green, fine-grained augite
porphyry basalt, Takla Group
-weakly magnetic diss. magnetite
- TRtat** Green-grey fine to medium-grained,
bedded, ash tuff, Takla Group
-weakly magnetic diss. magnetite
- SF** silicification

(2,0.2,69,24,609) (ppb Au,ppm Ag,ppm Cu,ppm Pb,ppm Zn)




FINLAY MINERALS LTD.

PIL PROJECT PIL SOUTH

CROSS SECTION DDH PILS-03-04 (facing northwest)

SCALE: 1:500		Fig. 13
DRAWN BY: R. Brown	DATE: Nov. 2003	



GEOLOGICAL LEGEND

- BLACK LAKE INTRUSIVE SUITE**
- J_{BLS}** -syenite
 - J_{BLM}** -monzonite, granite
 - J_{BLD}** -diorite
 - J_{BLQD}** -quartz diorite
 - I_{JT3,6}** **TOODOGGONE FORMATION VOLCANICS**

- fault
- Indicates downthrust side of fault
- geological contact
- 2003 Pil South Drill Hole Location**

ROCK GEOCHEMISTRY LEGEND

- 2002 Rock Sample Location
- Copper Geochemistry result in ppm

FINLAY MINERALS LTD.

PIL PROJECT

PIL SOUTH AREA

2003 Rock Geochemistry Map


Cu (ppm)

NTS 94E/ 07W

Date: Dec 2003

Drawn By: JREFX

Figure: 15



GEOLOGICAL LEGEND

J_{BLS}

J_{BLM}

J_{BLD}

J_{BLQD}

IJT_{3,6}

-syenite

-monzonite, granite

-diorite

-quartz diorite

**TOODOGGONE
FORMATION
VOLCANICS**

PILS03-02

-fault

-Indicates downthrust side of fault

-geological contact

2003 Pil South Drill Hole Location

ROCK GEOCHEMISTRY LEGEND

2002 Rock Sample Location

Gold geochemistry result in ppb

FINLAY MINERALS LTD.


**PIL PROJECT
PIL SOUTH AREA
2003 Rock Geochemistry Map
Au (ppb)**

NTS 94E/ 07W

Date: Dec 2003

Drawn By: JREFX

Figure: 16



GEOLOGICAL LEGEND

- BLACK LAKE INTRUSIVE SUITE**
- J_{BLS}** -syenite
 - J_{BLM}** -monzonite, granite
 - J_{BLD}** -diorite
 - J_{BLQD}** -quartz diorite
 - IJT_{3,6}** **TOODOGGONE FORMATION VOLCANICS**

- fault
- Indicates downthrust side of fault
- geological contact
- 2003 Pil South Drill Hole Location**

ROCK GEOCHEMISTRY LEGEND

- 2002 Rock Sample Location
- Zinc geochemistry result in ppm

FINLAY MINERALS LTD.

PIL PROJECT

PIL SOUTH AREA

2003 Rock Geochemistry Map


Zn (ppm)

NTS 94E/ 07W

Date: Dec 2003

Drawn By: JREFX


Figure: 17



GEOLOGICAL LEGEND

- BLACK LAKE INTRUSIVE SUITE**
- J_{BLS}** -syenite
 - J_{BLM}** -monzonite, granite
 - J_{BLD}** -diorite
 - J_{BLQD}** -quartz diorite
 - IJT_{3,6}** **TOODOGGONE FORMATION VOLCANICS**

- fault**
- Indicates downthrust side of fault**
- geological contact**
- 2003 Pil South Drill Hole Location**



FINLAY MINERALS LTD.

PIL PROJECT

PIL SOUTH AREA

2003 Rock Geochemistry Map


Ag (ppm)

NTS 94E/ 07W

Date: Dec 2003

Drawn By: JREFX

Figure: 18



GEOLOGICAL LEGEND

BLACK LAKE INTRUSIVE SUITE

- JBLs** -syenite
- JBLM** -monzonite, granite
- JBLD** -diorite
- JBLQD** -quartz diorite

- Fault**
- Geological contact**

- IJT₃** TOODOGONE FORMATION VOLCANICS

- >276 ppm Cu
- 171-276 ppm Cu
- 117-170 ppm Cu
- 81-116 ppm Cu
- 63-80 ppm Cu
- 51-62 ppm Cu
- 41-50 ppm Cu
- <41 ppm Cu
- No result


SCALE 1: 10,000



FINLAY MINERALS LTD.

**PIL PROJECT
PIL NORTH
SOIL GEOCHEMISTRY MAP
Cu (ppm)**

Date: December 2003 Drawn By: IBEX Figure: 19



GEOLOGICAL LEGEND

BLACK LAKE INTRUSIVE SUITE

- JBLs** -syenite
- JBLM** -monzonite, granite
- JBLD** -diorite
- JBLQD** -quartz diorite

- Fault
- Geological contact

- IJT₃** TOODOGONE FORMATION VOLCANICS

- >190 ppb Au
- 120-190 ppb Au
- 73-119 ppb Au
- 37-72 ppb Au
- 24-36 ppb Au
- 18-23 ppb Au
- 14-17 ppb Au
- <14 ppb Au
- No result


SCALE 1: 10,000



FINLAY MINERALS LTD.

**PIL PROJECT
PIL NORTH
SOIL GEOCHEMISTRY MAP
Au (ppb)**

Date: December 2003 Drawn By: IBEX Figure: 20



GEOLOGICAL LEGEND

BLACK LAKE INTRUSIVE SUITE

- JBLs** -syenite
- JBLM** -monzonite, granite
- JBLD** -diorite
- JBLQD** -quartz diorite

- Fault**
- Geological contact**

- IJT₃** TOODOGONE FORMATION VOLCANICS

- >514 ppm Zn
- 341-514 ppm Zn
- 249-340 ppm Zn
- 175-248 ppm Zn
- 143-174 ppm Zn
- 121-142 ppm Zn
- 105-120 ppm Zn
- <105 ppm Zn
- No result


SCALE 1: 10,000

0 1000M

FINLAY MINERALS LTD.

**PIL PROJECT
PIL NORTH
SOIL GEOCHEMISTRY MAP
Zn (ppm)**

Date: December 2003 Drawn By: IBEX Figure: 21



GEOLOGICAL LEGEND

BLACK LAKE INTRUSIVE SUITE

- JBLs** -syenite
- JBLM** -monzonite, granite
- JBLD** -diorite
- JBLQD** -quartz diorite

- Fault**
- Geological contact**

- IJT₃** TOODOGONE FORMATION VOLCANICS

- >2.2 ppm Ag
- 1.7-2.2 ppm Ag
- 1.1-1.6 ppm Ag
- 0.7-1.0 ppm Ag
- 0.5-0.6 ppb Au
- 0.3-<0.4 ppm Ag
- 0.2-<0.3 ppm Ag
- <0.2 ppm Ag
- No result

SCALE 1: 10,000



FINLAY MINERALS LTD.

**PIL PROJECT
PIL NORTH
SOIL GEOCHEMISTRY MAP
Ag (ppm)**

Date: December 2003 Drawn By: IBEX Figure: 22