

**Works Report
Permit #MX-8-222**

**ON
VIROSA**

MINERAL GROUP

3204340

**RECEIVED
GOVERNMENT AGENT
CAMPBELL RIVER**
NOV 30 2004
**NOT AN
OFFICIAL RECEIPT**
TRANS #

NANAIMO MINING DIVISION

MINIFILE: 92K 04W

Latitude: 50° 7' 30"

Longitude: 125° 56' 30"

Owner: MIKE DOKNJAS

Operator: MIKE DOKNJAS

Author: MIKE DOKNJAS


Date: November 24, 2004

Table of Contents

	Page
Location and access	2
Location Map Map#1	3
Mineral Claim Map Map #2	4
Works Map #3	5
Trenching map #4 1:500	6
Pit map #5 1:500	7
Property Description	8
Statement of Cost	9
Statement of qualifications	10
Certificate of Analysis	Addendum C

Location and Access

The VIROSA mineral group is located at Latitude 50° 7' north and Longitude 125° 56' west, in the Nanaimo Mining District of British Columbia. The mineral claims are located upper mid Vancouver Island some 50 kilometers northwest of Campbell River and 20 kilometers south of Sayward. Access is by 4 wheel drive vehicle. Starting from Sayward, travel 5km south on Salmon River Mainline, a paved 2 wheel drive road to 'C Branch'. Travel up 'C Branch' 25.8 KM to C900 a good gravel 2 wheel drive road. Travel 3.5 km up C900 by 4 wheel drive to the junction of C965 and C960. The legal corner post for VIROSA Tenure # 395206 is located 780 meters before this junction 5 meters on the lower south side of the road edge. Accommodations can be found both in Sayward and Campbell River. This area is accessable between the months of July and October depending on snow conditions. The first week of June, 2003 the claim site still had 3 meters of snow. The second week in 2004 the claim site was open with a few small patches of snow.




Name : Mike Doknjas
 Location : Middle Memekay River
 Reference Map : 92K04W or TRIM=92K.011
 Digitized from : TRIM/Rectified photo BCB96096#70
 Area (ha.): 200.00
 Scale : 1:31,680
 Date(Y,M,D) : 04/11/20 (Revised by date)
 Drawn By : M.D.
Mindseye Digital Ltd. 250 926-0358 Digital Mapping

MAP #2

VIROSA

Mineral Title Map

Claim & Tenure : VIROSA - 395206
 VIROSA #1 - 397173, VIROSA #2 - 397174
 VIROSA#3-404207,VIROSA#4-406347,
 VIROSA#5-406348,VIROSA#6-406349
 Locator : Mike Doknjas
 FMC Number : 142257
 Number of Claim Units : 12 total
 Field work by: Mike Doknjas




MAP #2

Scale 1:31,680

1 cm 1 cm
0.316km 1.9 Kilometers

2004 Analysis of samples

Sample #	Rock extraction	Au g/mt	Ag g/mt	Pt g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
T2	Channel	0.04	30	<0.01	30.9	1.1%	6	33	<5	<3	2	<10	<2	<0.2	6	6	32	<5	155	6	57	<2	23	2	1	0.01	0.22	0.19	2.92	0.02	0.04	0.02	0.01	
T3	Channel	0.08	43	<0.01	42.4	4.8%	11	74	33	<5	<3	5	<10	<2	<0.2	340	30	16	86	15	45	<2	19	9	2	0.06	0.34	0.14	13.46	0.03	0.17	0.01	0.03	
RC960	Hoe	0.04	15.2	<0.01	15.6	2.1%	8	28	<5	<3	3	<10	<2	<0.2	298	32	15	<5	94	31	90	<2	94	13	9	0.27	0.61	0.59	10.26	0.01	0.1	0.01	0.02	
20031	hand pit	0.04	52.5	<0.01	46.0	8.7%	64	81	<5	<5	<3	9	<10	<2	<0.2	21	63	41	7	104	28	64	2	34	7	3	0.07	0.46	0.30	7.96	0.04	0.16	0.03	<0.01
20032	Hoe	0.01	2.8	<0.01	2.3	6891	25	69	<5	<5	<3	9	<10	<2	<0.2	46	1	34	7	46	108	1790	2	22	6	6	0.08	2.61	0.25	8.77	2.16	0.16	0.06	0.06



Name : Mike Doknjas
Location : Middle Memekay River
Reference Map : NTS=92K 04W or TRIM=92K.011
Digitized from : TRIM/Rectified photo BCB96096#70
Area (ha.) : 300.00
Scale : 1:5,000
Date(Y,M,D) : 04/11/26 (Revised by date)
Drawn By : M.D.
Mindseye Digital Ltd. 250 926-0358 Digital Mapping

MAP #3

VIROSA

Scale 1:5,000
1 cm 1 cm
50m 300 meters

Mineral Title Map

Claim & Tenure VIROSA - 395206
VIROSA #1 - 397173, VIROSA #2 - 397174
VIROSA#3-404207, VIROSA#4-406347,
VIROSA#5-406348, VIROSA#6-406349
Locator : Mike Doknjas
FMC Number : 142257
Number of Claim Units : 12 total
Work Permit #: MX-8-222



Declination 20° 10' E
2002

- [Icon] Mineral Claim
- [Icon] Legal Corner Post
- [Icon] Corner Post or FP
- [Icon] Identification Post
- [Icon] Sample # / Location
- [Icon] Contours(METERS) / Openings
- [Icon] Streams
- [Icon] Lakes / Wet Lands
- [Icon] Built Roads

- [Icon] Harvested areas
- [Icon] Proposed harvesting by TFL holder
- [Icon] Mineral Exploration Machine Work Area
- [Icon] Trench locations Approx.
Shown on map 200% larger for mapping purposes.
- [Icon] Vein Structure Location Approx.
Based on two sites where rock exposure from blasted road cut.

Name : Mike Doknjas
 Location : Middle Memekay River
 Reference Map NTS=92K 04W or TRIM=92K.011
 Digitized from TRIM/Rectified photo BCB96096#70
 Area (ha): 300.00
 Scale : 1:500
 Date(Y.M.D) : 04/11/26 (Revised by date)
 Drawn By : M.D.
 Mindseye Digital Ltd 250 926-0358 Digital Mapping

MAP #4




VIROSA

Scale 1:500

1 cm 1 cm
← 5 m → 25 meters

Trenching Map

Claim & Tenure VIROSA - 395206
 VIROSA #1 - 397173, VIROSA #2 - 397174
 VIROSA#3-404207, VIROSA#4-406347,
 VIROSA#5-406348, VIROSA#6-406349
 Locator : Mike Doknjas
 FMC Number : 142257
 Number of Claim Units : 12 total
 Work Permit #: MX-8-222



2004 Analysis of samples

Sample #	Rock	Au	Ag	Pt	Ag	Cu	Pb	Zn	As	Sb	Hg	Mo	Tl	Bi	Cd	Co	Ni	Ba	W	Cr	V	Mn	La	Sr	Zr	Sc	Ti	Al	Ca	Fe	Mg	K	Na	P
	extraction	g/m ³	g/m ³	g/m ³	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%		
T2	Channel	0.04	30	<0.01	30.9	1.1%	6	33	<5	<5	<3	2	<10	<2	<0.2	6	6	32	<5	155	6	57	<2	23	2	1	0.01	0.22	0.19	2.92	0.02	0.04	0.02	0.01
T3	Channel	0.08	43	<0.01	42.4	4.8%	11	74	33	<5	<3	5	<10	<2	<0.2	340	30	16	<5	86	15	45	<2	19	9	2	0.06	0.34	0.14	13.46	0.03	0.17	0.01	0.03
RC960	Hoe	0.04	15.2	<0.01	15.6	2.1%	8	28	<5	<5	<3	3	<10	<2	<0.2	298	32	15	<5	94	31	90	<2	94	13	9	0.27	0.61	0.59	10.26	0.01	0.1	0.01	0.02

Name : Mike Doknjas
 Location : Middle Memekay River
 Reference Map : NTS=92K 04W or TRIM=92K.011
 Digitized from TRIM/Rectified photo BCB96096#70
 Area (ha.): 300.00
 Scale : 1:500
 Date(Y,M,D) : 04/11/26 (Revised by date)
 Drawn By : M.D.
Mindseye Digital Ltd 250.926-0358 Digital Mapping

MAP #5




VIROSA

Scale 1:500

1 cm 1 cm
5 m 25 meters

Trenching Map

Claim & Tenure VIROSA - 395206
 VIROSA #1 - 397173, VIROSA #2 - 397174
 VIROSA#3-404207, VIROSA#4-406347,
 VIROSA#5-406348, VIROSA#6-406349
 Locator : Mike Doknjas
 FMC Number : 142257
 Number of Claim Units : 12 total
 Work Permit # : MX-8-222



		2004 Analysis of samples																																	
Sample #		Rock extraction	Au g/mt	Ag g/mt	Pt g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P
20032	Hoe		0.01	2.8	<0.01	2.3	6891	25	69	<5	<5	3	9	<10	<2	<0.2	46	1	34	7	46	108	1790	2	22	6	6	0.08	2.61	0.25	8.77	2.16	0.16	0.06	0.06

Property Description:

The VIROSA group comprising of 12 claim units. The claims are owned by Mike Doknjas of Campbell River, BC.

The claims were staked in the year 2002-2003 and are in good standing. The current tenure is valid for precious and base metals as well as industrial minerals. Mineral tenure information is as follows;

VIROSA - 395206	Staked July 24, 2002	in good standing until Sep 3, 2005
VIROSA#1- 397173	Staked Oct 18, 2002	in good standing until Sep 3, 2005
VIROSA#2- 397174	Staked Oct 18, 2002	in good standing until Sep 3, 2005
VIROSA#3- 404207	Staked Aug 2, 2003	in good standing until Sep 3, 2005
VIROSA#4- 406347	Staked Nov 5, 2003	in good standing until Sep 3, 2005
VIROSA#5- 406348	Staked Nov 5, 2003	in good standing until Sep 3, 2005
VIROSA#6- 406349	Staked Nov 5, 2003	in good standing until Sep 3, 2005

The mineral claims are in TFL 039 held by Weyerhaeuser. The area is covered with first growth timber and three recent harvest areas are present with one more to be harvested in 2005.

Work:

A small trenching program started in 2003 under works permit MX-8-222 and ceased after five trenches were excavated. Conflict with adjacent forest harvesting operations postponed trenching work until forest operations were completed. On June 16, 2004 trench work began on trenches excavated the previous year. On average 1 meter of overburden was removed to expose the ore vein. Channel cutting with a diamond saw was undertaken to assess the average mineralization across the vein. A 2 x 2 inch channel was cut perpendicular to the length of the vein in three of the trenches. One 12' deep trench was excavated in the ore parallel to the road C960 to collect a width sample. This hole was covered after the sample was taken. The remaining 5 trenches remain open for further work. Further trenching work to complete the works permit 14675-30 was postponed for the year of 2004 due to forest harvesting making the site inaccessible.

T r e n c h							
Trench#	Channel diamond saw	Sample #	Length meters	Width meters	Depth meters	Area Sq meters	Volume cubic meters
1	yes	200406T1E	16	5	0.8	80	64
1	yes	200406T1W	-	-	-	-	-
2	yes	200410T3	19	1.5	1	28.5	28.5
3	yes	200410T2	13	3	1	39	39
4	yes	200410T4	8	1.5	1	12	12
5	No		9	1.5	1	13.5	13.5
						Total	173
							157

Trenches T1-T3 have a good showing of copper and silver on the surface while T4 and T5 have evidence of mineralization but is expected to be deeper than the few inches the diamond saw was able to cut. A crust of infused overburden covers most of the ore in T4 and T5 with high mineralization showing in places. It is expected the trenching program will be completed in 2005. The vein direction is now determined at 332°. Hand pits indicate that the vein extends for over a kilometer and averages 10 meters in width on the surface. Sampling along the built road system are also showing small outcrops with elevated copper and silver. Indicating the possibility of a large lens under the main vein.

The results of trenching to date is very promising. Revealing a vein 6-10 meters in width containing very high concentrations of copper and elevated concentrations of silver. Completion of the trenching program in 2005 should expose the full surface length of the vein and ready the site for a drilling program.

Statement of Cost

Date	Work completed	Cost
2003-July-10	Two hand pits and collect two samples	\$ 275.00
2003-August-23	Trenching with excavator 7 hours for two people	\$ 840.00
2004-Jan	Shipping of assay samples	\$ 27.57
2004-Feb-03	3 assays Certificate iPL 04A0046	\$ 102.90
2003 July/Aug	Two vehicle days for one 4 wheel drive 1 ton vehicle	\$ 200.00
	Total for 2003	\$ 1,445.47
2004-June-16	Trench Cleaning 100sq meters - 6 hours @ \$25.00 per hour	\$ 150.00
2004-June-16	Diamond saw channeling in trench 8 meters, sample preparation 3 hrs	\$ 75.00
2004-June-16	Diamond saw rental	\$ 26.88
2004-June-17	Shipping of assay samples	\$ 27.57
2004-June-18	2 assays Certificate # iPL 04F1166	\$ 68.60
2004-August-19	Establishing new trench areas marking access trails for excavator 3.5hrs	\$ 87.50
2004-August-20	Hand sample pits and mearusing existing trenches 6 hrs	\$ 150.00
2004-Oct-21	Diamond saw rental	\$ 26.88
2004-Oct-21	Diamond saw channelling in 3 trenches, sample prep. ±30m 8 hours	\$ 200.00
2004-Nov 5	Shipping of assay samples	\$ 27.57
2004-Nov 9	4 assays Certificate # iPL 04K2318	\$ 135.20
2004 June/Oct	Four vehicle days for one 4 wheel drive 1 ton vehicle	\$ 400.00
	Total for 2004	\$1,375.20
	TOTAL for 2003/2004	\$2,820.67
	Subtotal 2004 June-August	\$ 885.55

Statement of Qualifications

I Mike Doknjas of Campbell River do certify that:

- * I am a free miner.
- * I am a rock collector.
- * I have been actively prospecting for mineral ores since 2000 in BC.
- * I am a professional GIS specialist also specializing in aerial photogrammetry and am a Karst Inventory Specialist. Owner of Mindseye Digital Ltd. providing a full range of digital cartography and photogrammetry services as well as Karst Vulnerability Assessments.
- * I have been in charge of large limestone inventories on Vancouver and Quadra Island since 1994. Conducting mapping and field assessments on over 12,000 hectares of the Quatsino Limestone formation and investigations of numerous contact and volcanic intrusion areas within these deposits. Contracted by the Campbell River Forest District and Weyerhaeuser, North Island Timberlands based out of Campbell River.
- * I have written this report and have participated in all of the field work.

November 24, 2004


Mike Doknjas



INTERNATIONAL PLASMA LABORATORY LTD.

**** CASH SALE ****

Project : Virosa Mineral Claims
 Shipper : Mike Doknjas
 Shipment: PO#:
 Comment:

CERTIFICATE OF ANALYSIS**iPL 04A0046****3 Samples**

Out: Feb 03, 2004 In: Jan 12, 2004

2036 Columbia Street

Vancouver, B.C.

Canada V5Y 3E1

Phone (604) 879-7878

Fax (604) 879-7898

Email iplab@telus.net

[004617:25:16:40020304:001]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B211	3	Rock	crush, split & pulverize	12M/Dis	03M/Dis

NS=No Sample Rep=Replicate M=Month Dis=Discard

Analytical Summary

Analysis: Au/Ag/Pt(FA/AAS 30g) g/mt / ICP(AqR)30

##	Code	Method	Units	Description	Element	Limit Low	Limit High
01	0368	FA/AAS	g/mt	Au (FA/AAS 30g) g/mt	Gold	0.01	9999.00
02	0354	FAGrav	g/mt	Ag FA/Grav in g/mt	Silver	0.3	9999.0
03	0331	FA/AAS	g/mt	Pt FA/AAS finish in g/mt	Platinum	0.01	1000.00
04	0721	ICP	ppm	Ag ICP	Silver	0.1	100.0
05	0711	ICP	ppm	Cu ICP	Copper	1	10000
06	0714	ICP	ppm	Pb ICP	Lead	2	10000
07	0730	ICP	ppm	Zn ICP	Zinc	1	10000
08	0703	ICP	ppm	As ICP	Arsenic	5	10000
09	0702	ICP	ppm	Sb ICP	Antimony	5	2000
10	0732	ICP	ppm	Hg ICP	Mercury	3	10000
11	0717	ICP	ppm	Mo ICP	Molybdenum	1	1000
12	0747	ICP	ppm	Tl ICP (Incomplete Digestion)	Thallium	10	1000
13	0705	ICP	ppm	Bi ICP	Bismuth	2	2000
14	0707	ICP	ppm	Cd ICP	Cadmium	0.2	2000.0
15	0710	ICP	ppm	Co ICP	Cobalt	1	10000
16	0718	ICP	ppm	Ni ICP	Nickel	1	10000
17	0704	ICP	ppm	Ba ICP (Incomplete Digestion)	Barium	2	10000
18	0727	ICP	ppm	W ICP (Incomplete Digestion)	Tungsten	5	1000
19	0709	ICP	ppm	Cr ICP (Incomplete Digestion)	Chromium	1	10000
20	0729	ICP	ppm	V ICP (Incomplete Digestion)	Vanadium	1	10000
21	0716	ICP	ppm	Mn ICP	Manganese	1	10000
22	0713	ICP	ppm	La ICP (Incomplete Digestion)	Lanthanum	2	10000
23	0723	ICP	ppm	Sr ICP (Incomplete Digestion)	Strontium	1	10000
24	0731	ICP	ppm	Zr ICP (Incomplete Digestion)	Zirconium	1	10000
25	0736	ICP	ppm	Sc ICP	Scandium	1	10000
26	0726	ICP	%	Ti ICP (Incomplete Digestion)	Titanium	0.01	10.00
27	0701	ICP	%	Al ICP (Incomplete Digestion)	Aluminum	0.01	10.00
28	0708	ICP	%	Ca ICP (Incomplete Digestion)	Calcium	0.01	10.00
29	0712	ICP	%	Fe ICP (Incomplete Digestion)	Iron	0.01	10.00
30	0715	ICP	%	Mg ICP (Incomplete Digestion)	Magnesium	0.01	10.00
31	0720	ICP	%	K ICP (Incomplete Digestion)	Potassium	0.01	10.00
32	0722	ICP	%	Na ICP (Incomplete Digestion)	Sodium	0.01	10.00
33	0719	ICP	%	P ICP	Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3½ Disk

DL=Download 3½=3½ Disk EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C032043

* Our liability is limited solely to the analytical cost of these analyses.

BC Certified Assayer: David Chiu



INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS

iPL 04A0046

2036 Columbia Street

Vancouver, B.C.

Canada V5Y 3E1

Phone (604) 879-7878

Fax (604) 879-7893

Email iplab@telus.net

Client : ** CASH SALE ***

Project: Virosa Mineral Claims

Ship#

3 Samples
3=Rock

[004617:25:16:40020304:001]

Out: Feb 03, 2004
In : Jan 12, 2004Page 1 of 1
Section 1 of 2

Sample Name	Type	Au g/mt	Ag g/mt	Pt g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm
VIROSA 20031	Rock	0.04	52.5	<0.01	46.0	8.7%	64	81	<5	<5	<3	9	<10	<2	<0.2	21	3	41	7
VIROSA 20032	Rock	0.01	2.8	<0.01	2.3	6891	25	69	<5	<5	<3	9	<10	<2	<0.2	46	1	34	7
VIROSA 20033	Rock	<0.01	0.5	<0.01	0.3	154	20	56	<5	<5	<3	8	<10	<2	<0.2	97	<1	<2	9

F Clain

Minimum Detection
Maximum Detection
Method

0.01	0.3	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5
9999.00	9999.0	1000.00	100.0	10000	10000	10000	10000	10000	10000	1000	1000	2000	1000	1000	1000	10000	1000
FA/AAS	FAGrav	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP						

—No Test Ins=Insufficient Sample Del=Delay Max=No Estimate

Rec=ReCheck m=x1000 %=%Estimate % NS=No Sample



INTERNATIONAL PLASMA LABORATORY LTD.

CERTIFICATE OF ANALYSIS

iPL 04A0046

2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7873
Fax (604) 879-7893
Email iplab@telus.net

Client : ** CASH SALE ***

Project: Virosa Mineral Claims

Ship#

3 Samples
3=RockOut: Feb 03, 2004
In : Jan 12, 2004Page 1 of 1
Section 1 of 2

Sample Name	Type	Au g/mt	Ag g/mt	Pt g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm
VIROSA 20031	Rock	0.04	52.5	<0.01	46.0	8.7%	64	81	<5	<5	<3	9	<10	<2	<0.2	21	3	41	7
VIROSA 20032	Rock	0.01	2.8	<0.01	2.3	6891	25	69	<5	<5	<3	9	<10	<2	<0.2	46	1	34	7
VIROSA 20033	Rock	<0.01	0.5	<0.01	0.3	154	20	56	<5	<5	<3	8	<10	<2	<0.2	97	<1	<2	9

F Chaln

Minimum Detection
Maximum Detection
Method

0.01	0.3	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	1	2	5
9999.00	9999.0	1000.00	100.0	10000	10000	10000	10000	10000	10000	1000	1000	2000	2000.0	10000	10000	10000	1000
FA/AAS	FAGrav	FA/AAS	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP						

—No Test Ins=Insufficient Sample Del=Delay Max=No Estimate

Rec=ReCheck m=x1000 %=Estimate % NS=No Sample



INTERNATIONAL PLASMA LABS LTD.
ISO 9001:2000 CERTIFIED COMPANY

**** CASH SALE *****

Project : VIROSA mineral group

Shipper : Mike Doknjas

Shipment: PO#:

Comment:

CERTIFICATE OF ANALYSIS

iPL 04K2318



2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Website www.ipl.ca

4 Samples

Out: Nov 16, 2004 In: Nov 09, 2004

[231815:00:43:40111604:002]

CODE	AMOUNT	TYPE	PREPARATION DESCRIPTION	PULP	REJECT
B21100	4	Rock	crush, split & pulverize	12M/Dis	03M/Dis
B82101	1	Blk iPL	Blank iPL - no charge.	00M/Dis	00M/Dis
B90000	1	Std iPL	Std iPL(Certified) - no charge.		

NS=No Sample Rep=Replicate M=Month Dis=Discard

Analytical Summary

Analysis: Au/Ag/Pt(FA/AAS/Grav 1AT) / ICP(AqR)30

Document Distribution

1 Mike Doknjas
4585 South Island Highway
Campbell River
B.C. V9H 1B8
Canada
Att: Mike Doknjas

EN RT CC IN FX
01 0368 FA/AAS g/mt Au (FA/AAS 30g) g/mt
02 0354 FAGrav g/mt Ag FA/Grav in g/mt
03 0331 FA/AAS g/mt Pt FA/AAS finish in g/mt
04 0721 ICP ppm Ag ICP
05 0711 ICP ppm Cu ICP

Ph:250/926-0357
Fx:250/926-0359
Em:emerald@oberon.ark.com

06 0714 ICP ppm Pb ICP
07 0730 ICP ppm Zn ICP
08 0703 ICP ppm As ICP
09 0702 ICP ppm Sb ICP
10 0732 ICP ppm Hg ICP

11 0717 ICP ppm Mo ICP
12 0747 ICP ppm Tl ICP (Incomplete Digestion)
13 0705 ICP ppm Bi ICP
14 0707 ICP ppm Cd ICP
15 0710 ICP ppm Co ICP

16 0718 ICP ppm Ni ICP
17 0704 ICP ppm Ba ICP (Incomplete Digestion)
18 0727 ICP ppm W ICP (Incomplete Digestion)
19 0709 ICP ppm Cr ICP (Incomplete Digestion)
20 0729 ICP ppm V ICP (Incomplete Digestion)

21 0716 ICP ppm Mn ICP
22 0713 ICP ppm La ICP (Incomplete Digestion)
23 0723 ICP ppm Sr ICP (Incomplete Digestion)
24 0731 ICP ppm Zr ICP (Incomplete Digestion)
25 0736 ICP ppm Sc ICP

26 0726 ICP % Ti ICP (Incomplete Digestion)
27 0701 ICP % Al ICP (Incomplete Digestion)
28 0708 ICP % Ca ICP (Incomplete Digestion)
29 0712 ICP % Fe ICP (Incomplete Digestion)
30 0715 ICP % Mg ICP (Incomplete Digestion)

31 0720 ICP % K ICP (Incomplete Digestion)
32 0722 ICP % Na ICP (Incomplete Digestion)
33 0719 ICP % P ICP

Element	Limit Low	Limit High
Gold	0.01	5000.0
Silver	0.3	9999.0
Platinum	0.01	1000.00
Silver	0.1	100.0
Copper	1	10000

Lead	2	10000
Zinc	1	10000
Arsenic	5	10000
Antimony	5	2000
Mercury	3	10000

Molybdenum	1	1000
Thallium	10	1000
Bismuth	2	2000
Cadmium	0.2	2000.0
Cobalt	1	10000

Nickel	1	10000
Barium	2	10000
Tungsten	5	1000
Chromium	1	10000
Vanadium	1	10000

Manganese	1	10000
Lanthanum	2	10000
Strontrium	1	10000
Zirconium	1	10000
Scandium	1	10000

Titanium	0.01	10.00
Aluminum	0.01	10.00
Calcium	0.01	10.00
Iron	0.01	10.00
Magnesium	0.01	10.00

Potassium	0.01	10.00
Sodium	0.01	10.00
Phosphorus	0.01	5.00

EN=Envelope # RT=Report Style CC=Copies IN=Invoices Fx=Fax(1=Yes 0=No) Totals: 2=Copy 2=Invoice 0=3½ Disk

DL=Download 3D=3½" k EM=E-Mail BT=BBS Type BL=BBS(1=Yes 0=No) ID=C032043

* Our liability is limited to the analytical cost of these analyses.

BC Certified Assayer: David Chiu



INTERNATIONAL PLASMA LABS LTD.
ISO 9001:2000 CERTIFIED COMPANY

CERTIFICATE OF ANALYSIS

iPL 04K2318



2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7878
Fax (604) 879-7898
Website www.ipl.ca

Client : ** CASH SALE ***

Project: VIROSA mineral group

Ship#

4 Samples

4=Rock

1=B1k iPL

1=Std iPL

[231815:00:43:40111604:002]

Out: Nov 16, 2004

In : Nov 09, 2004

Page

Section

1 of

1

Sample Name	Type	Au g/mt	Ag g/mt	Pt g/mt	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	Sb ppm	Hg ppm	Mo ppm	Tl ppm	Bi ppm	Cd ppm	Co ppm	Ni ppm	Ba ppm	W ppm
200410T2	Rock	0.04	30.0	<0.01	30.9	1.1%	6	33	<5	<5	<3	2	<10	<2	<0.2	6	6	32	<5
200410T3	Rock	0.08	43.0	<0.01	42.4	4.8%	11	74	33	<5	<3	5	<10	<2	<0.2	340	30	16	<5
200410RC966	Rock	0.01	1.6	<0.01	1.6	158	17	46	<5	<5	<3	3	<10	<2	<0.2	32	<1	32	<5
200410RC960	Rock	0.04	15.2	<0.01	15.6	2.1%	8	28	<5	<5	<3	3	<10	<2	<0.2	298	32	15	<5
Blank iPL	B1k iPL	<0.01	—	<0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
FA_PGMS-3	Std iPL	0.32	—	0.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
FA_PGMS-3 REF	Std iPL	0.33	—	0.13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Minimum Detection
Maximum Detection
Method

0.01	0.3	0.01	0.1	1	2	1	5	5	3	1	10	2	0.2	1	2	5	
5000.00	9999.0	1000.00	100.0	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	
FA/AAS	FAGrav	FA/AAS	ICP	ICP													

—No Test Ins=Insufficient Sample Del=Delay Max=No Estimate

Rec=ReCheck m=x1000 %=%Estimate % NS=No Sample



INTERNATIONAL PLASMA LABS LTD.
ISO 9001:2000 CERTIFIED COMPANY

CERTIFICATE OF ANALYSIS

iPL 04K2318



2036 Columbia Street
Vancouver, B.C.
Canada V5Y 3E1
Phone (604) 879-7873
Fax (604) 879-7893
Website www.ipl.ca

Client : ** CASH SALE ***

Project: VIROSA mineral group

Ship#

4 Samples

4=Rock

1=B1k iPL

1=Std iPL

[231815:00:43:40111604:002]

Out: Nov 16, 2004
In : Nov 09, 2004

Page 1 of 1
Section 2 of 2

Sample Name	Cr ppm	V ppm	Mn ppm	La ppm	Sr ppm	Zr ppm	Sc ppm	Ti %	Al %	Ca %	Fe %	Mg %	K %	Na %	P %
200410T2	155	6	57	<2	23	2	1	0.01	0.22	0.19	2.92	0.02	0.04	0.02	0.01
200410T3	86	15	45	<2	19	9	2	0.06	0.34	0.14	13%	0.03	0.17	0.01	0.03
200410RC966	18	39	996	<2	10	8	3	0.19	2.95	0.14	9.18	1.61	0.18	0.01	0.05
200410RC960	94	31	90	<2	94	13	9	0.27	0.61	0.59	10%	0.01	0.10	0.01	0.02
Blank iPL	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_PGMS-3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
FA_PGMS-3 REF	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Minimum Detection	1	1	1	2	1	1	1	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Maximum Detection	10000	10000	10000	10000	10000	10000	10000	10.00	10.	10.00	10.00	10.00	10.00	10.00	5.00
Method	ICP	ICP	ICP	ICP	ICP	ICP	ICP	ICP	1	ICP	ICP	ICP	ICP	ICP	ICP
—=No Test	Ins=Insufficient Sample	Del=Delay	Max=No Estimate	Rec=ReCheck	m=x1000	%=Estimate %	NS=No Sample								