

RECEIVED
FEB - 7 2005
Gold Commissioner's Office
VANCOUVER, B.C.

Geochemical Report

on the

Gordo-Too Group Claims

Toodoggone Lake Area

NTS (94E-045,46)

British Columbia

FOR

Stealth Minerals Limited

Suite 301-260 West Esplanade

North Vancouver, BC V7M 3G7

By
David L. Kuran, P. Geo.
and
April Barrios,

Kuran Exploration Ltd.
Maple Ridge, BC
January 15, 2005

GEOLOGICAL ASSOCIATION OF BC
SURVEY BRANCH
27-650



Table of Contents

Page

1.0	Introduction	1
2.0	Property Description and Location	2
3.0	Access, Climate, Infrastructure, Physiography	2
4.0	History and Previous Work	4
5.0	Regional Geology	4
5.1	Stratigraphy	5
5.2	Intrusive Rocks	6
5.3	Structure	7
6.0	2004 Exploraton Program	7
6.1	Property Geology	9
6.2	Geochemistry and Mineralization	11
6.2.1	Gold Geochemistry	11
6.2.2	Silver Geochemistry	13
6.2.3	Copper Geochemistry	13
6.2.4	Lead Geochemistry	14
6.2.5	Zinc Geochemistry	15
7.0	Summary and Conclusion	15
8.0	Recommendations	16

List of Figures

after Page

Figure 1	Project Location Map	1
Figure 2	Claim Location Map	2
Figure 3	Historical Work	4
Figure 4	Regional Geology	7
Figure 5	Property Geology	10
Figure 6	Au Geochemical, Geophysical Compilation	10
Figure 7	Property Pima Alteration, Geophysical Compilation Map	11
Figure 8	2004 Property Sample Locations	11
Figure 9	2004 Property Sample Locations; Inset 1	11
Figure 10	2004 Property Sample Locations; Inset 2	11
Figure 11	2004 Property Sample Locations; Inset 3	11
Figure 12	2004 Property Sample Locations; Inset 4	11
Figure 13	Gold Geochemistry; Property; Au ppb	12
Figure 14	Gold Geochemistry; Inset 1; Au ppb	12
Figure 15	Gold Geochemistry; Inset 2; Au ppb	12
Figure 16	Gold Geochemistry; Inset 3; Au ppb	12
Figure 17	Gold Geochemistry; Inset 4; Au ppb	12
Figure 18	Silver Geochemistry; Property, Ag ppm	13
Figure 19	Silver Geochemistry; Inset 1; Ag ppm	13
Figure 20	Silver Geochemistry; Inset 2; Ag ppm	13
Figure 21	Silver Geochemistry; Inset 3; Ag ppm	13
Figure 22	Silver Geochemistry; Inset 4; Ag ppm	13



Figure 23	Copper Geochemistry, Property, Cu ppm	14
Figure 24	Copper Geochemistry; Inset 1, Cu ppm	14
Figure 25	Copper Geochemistry; Inset 2, Cu ppm	14
Figure 26	Copper Geochemistry; Inset 3, Cu ppm	14
Figure 27	Copper Geochemistry; Inset 4, Cu ppm	14
Figure 28	Lead Geochemistry; Property, Pb ppm	14
Figure 29	Lead Geochemistry; Inset 1, Pb ppm	14
Figure 30	Lead Geochemistry; Inset 2, Pb ppm	14
Figure 31	Lead Geochemistry; Inset 3, Pb ppm	14
Figure 32	Lead Geochemistry; Inset 4, Pb ppm	14
Figure 33	Zinc Geochemistry; Property, Zn ppm	15
Figure 34	Zinc Geochemistry; Inset 1, Zn ppm	15
Figure 35	Zinc Geochemistry; Inset 2, Zn ppm	15
Figure 36	Zinc Geochemistry; Inset 3, Zn ppm	15
Figure 37	Zinc Geochemistry; Inset 4, Zn ppm	15
Figure 38	Gordo Claims Exploration Targets	16

List of Tables

After Page

Table I	Geochemical Highlights	1
Table II	Nub Property; Claim Status	2
Table III	Historical Work	4
Table IV	2004 Rock Sample Descriptions	11

List of Appendices

Appendix I	2004 Rock Assay Certificates
Appendix II	2004 Soil Assay Certificates
Appendix III	2004 Statement of Expenditures
Appendix IV	Recommendations: Cost Estimate
Appendix V	Statement of Qualifications
Appendix VI	References




1.0 Introduction





The Gordo Group Claims are one of 11 properties explored as part of the 2004 program by Stealth Minerals on its Toodoggone Project. The Toodoggone Project is located in north central British Columbia approximately 430 kilometers northwest of Prince George (Figure 1). Stealth Minerals and its wholly owned subsidiary, Cascadero Copper, control 147 mineral claims (2433 units) in the Toodoggone District, Omineca Mining Division.

The subject of this report, the Gordo Group claims, consists of 26 contiguous mineral claims containing 437 units. Stealth Minerals Limited holds a 100% interest in the Gordo Group of Claims. The claims were staked by Stealth in the fall of 2003 as part of a regional land acquisition project based on identified favorable geology, mineral exploration history and RGS anomalies. The claims were covered by part of the 2003 regional airborne geophysical survey release completed by a Private-Public Partnership between Stealth Minerals, the GSC and the BC Government. The Survey highlighted several areas of strong potassic alteration and magnetic features.

Table I 2004 Geochemical Highlights

Element	Silt Sample	Rock Sample
Gold	48 ppb	46.1 gpt
Silver	1.2 ppm	371 gpt
Copper	2781 ppm	+10000 ppm
Lead	70 ppm	+10000 ppm
Zinc	1504 ppm	+10000 ppm



-  Stealth Minerals Claims
-  Oxide, Gordo, Too Claim Block
-  Existing Access Roads
-  Producing/Past Producing Mine/Advanced Project

Stealth Minerals Limited

Toodoggone Project
Gordo Property
Location Map *DLK*

DLK	NTS 094E	1:400,000	Oct 20/04	Fig. 1
-----	----------	-----------	-----------	--------



During the 2004 field season (June 22-Sept. 2, 2004), prospectors collected 628 surface rock samples, 30 soil and 10 silt samples for geochemical analysis. Pima spectroscopy analysis was done on 274 rock sample to determine alteration.

The Toodoggone district lies within the eastern margin of the Intermontane Tectonic Belt in the Stikinia and in part, the Quesnellia Terrane. These Terranes consist mainly of island-arc volcanic, plutonic and sedimentary rocks of Late Triassic to Early Jurassic age with a Lower Permian aged basement represented by the Asitka Group. Granitoid members of the Jurassic Black Lake Intrusive Suite have intruded the Triassic and older rocks and are coeval with the Jurassic Volcanic rocks. Regional north-northwest trending high-angle normal and strike -slip faults cut through the Toodoggone Project area and conjugate high-angle faults cut and displace northwest trending structures, and may control in part, intrusive and hydrothermal activity.


1.0 Property Description and Location

The Gordo property is located immediately north of the Toodoggone River, 10 km NE of Toodoggone Lake (Figure 1). These claims are only accessibly by helicopter. The Gordo Group Claims located in the Omineca Mining Division are centered at UTM NAD 83 Zone 9 6,371,500 m North and 618,000m East on map sheets 94E.045, 46.

The property consists of 26 mineral claims containing 437 units (Figure 2). The Claims have not been legally surveyed. Gordo claim information is given in Table II. The claims are owned 100% by Stealth Minerals. No drilling has been completed and no mineral reserves have been calculated.

2.0 Access, Climate, Infrastructure, Physiography

Access to a new Stealth Minerals main exploration camp at the junction of the Finlay River and Firesteel River is currently accessed by the all-weather Omineca Resource Access Road, approximately 410 kilometers north of Windy Point, B.C., to the Kemess Mine gate, and approximately 22 kilometers of summer access road to the camp. Travel



Stealth Minerals Limited

Toodoggone Project
Oxide Gordo Too Claim Group
Claim Locations

DLK	1:80,000	Nov. 15 04	Fig. 2
-----	----------	------------	--------

Table II Gordo Claims

Gordo 2004

Gordo-Too Property: Claim Status

Tenure Number	Claim Name	Owner Number	Map Number	Work Recorded To	Status	Mining Division	# Units	Tag Number
405515	OXIDE 1	140187 100%	094E045	2004.09.26	Good Standing 2004.09.26	15 OMINECA	20 un	229739
405516	OXIDE 2	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	12 un	204872
405517	OXIDE 3	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	12 un	204873
405522	OXIDE 4	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	1 un	716448M
405523	OXIDE 5	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	1 un	716449M
405524	OXIDE 6	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	1 un	716450M
405509	GORDO 1	140187 100%	094E045	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	245507
405510	GORDO 2	140187 100%	094E045	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	245508
405511	GORDO 3	140187 100%	094E045	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	229735
405512	GORDO 4	140187 100%	094E045	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	229736
405513	GORDO 5	140187 100%	094E045	2004.09.28	Good Standing 2004.09.28	15 OMINECA	20 un	244417
405514	GORDO 6	140187 100%	094E045	2004.09.30	Good Standing 2004.09.30	15 OMINECA	20 un	245545
409710	GORDO 7	140187 100%	094E045	2005.04.12	Good Standing 2005.04.12	15 OMINECA	20 un	245390
409711	GORDO 8	140187 100%	094E045	2005.04.12	Good Standing 2005.04.12	15 OMINECA	20 un	245391
409712	GORDO 9	140187 100%	094E045	2005.04.12	Good Standing 2005.04.12	15 OMINECA	20 un	245392
412967	GORDO #10	140187 100%	094E045	2005.07.27	Good Standing 2005.07.27	15 OMINECA	16 un	246521
							Gordo	243 units
405497	TOO 1	140187 100%	094E046	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	229730
405498	TOO 2	140187 100%	094E046	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	244359
405499	TOO 3	140187 100%	094E046	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	244360
405500	TOO 4	140187 100%	094E046	2004.09.25	Good Standing 2004.09.25	15 OMINECA	20 un	244358
409713	TOO 5	140187 100%	094E046	2005.04.09	Good Standing 2005.04.09	15 OMINECA	20 un	245386
409714	TOO 6	140187 100%	094E046	2005.04.09	Good Standing 2005.04.09	15 OMINECA	20 un	245387
410681	TOO 7	140187 100%	094E045	2005.05.19	Good Standing 2005.05.19	15 OMINECA	14 un	245402
410682	TOO 8	140187 100%	094E046	2005.05.19	Good Standing 2005.05.19	15 OMINECA	20 un	245403
410683	TOO 9	140187 100%	094E046	2005.05.19	Good Standing 2005.05.19	15 OMINECA	20 un	245404
410684	TOO 10	140187 100%	094E046	2005.05.19	Good Standing 2005.05.19	15 OMINECA	20 un	245405
							Too group total	194 units 437 units



time from Prince George is approximately 10 hours, or 7 hours from Mackenzie. The Gordo Property is only accessible by helicopter. The distance from the Stealth camp to the claims is 50 km NW, or a 50 minute flight. A new 8 person temporary camp was constructed during the 2004 season on the Gordo property. There is no road access to the Gordo property. The nearest road access is 10 km east from the Al property (deactivated) access road via the Moosehorn Creek valley to the east side of the Oxide claims. Airstrips are in place at the Kemess South Mine and Sturdee Valley approximately 20 and 30 kilometres south and north, respectively of the Stealth camp. Float plane access to Toodoggone Lake, ten km south of the claims.

A new access road connecting with the deep-sea port of Stewart is proposed, and would significantly reduce future costs associated with development and operation of new mining ventures in the Toodoggone. Dominant economic products from the Toodoggone district are gold and silver, and more recently copper-gold concentrate.

The geomorphic form of the Oxide Gordo Too claim area is represented by three steep-sided, block like mountain ranges centred on Oxide Peak on the Oxide claims, Mt Gordonia on the Gordo claims and Toodoggone Peak on the Too claims. Elevation ranges from 1300m a.s.l in the valley bottoms to 2200m a.s.l on Mt Gordonia. These highlands are separated by low broad glacial valleys of Bell Creek and Mulvaney Creek. In general each mountain block is separated from the other blocks by linear, flat to gently undulating valley of less than 1 km to greater than 3 km in width. The wider of these valleys are usually devoid of outcrop and filled with glacial outwash. These valleys are most probably following the trace of through-going faults as they are also described geophysically as vertical gradient magnetic features.

Seasonal temperatures vary from -35° C in winter and over 30° during the 4 months of summer. The mean daily temperatures for July and January are approximately 14° C and -15° to -20° C, respectively. Precipitation between 50 and 75 centimeters occurs annually, with most during the winter months as snow cover of approximately 2 meters.




The optimal time for surface exploration on the Gordo property is between mid-late June and early October.

4.0 History and Previous Work

The Gordo claims are located in the Northern Area of the Stealth Minerals Limited exploration lands. Table III lists the reports and summarized past work. Figure 3 locates historical mineral occurrences and the location of associated assessment reports documenting the work. As shown, the claims have had considerable exploration effort with a non adjusted best estimate of expenditures at some \$ 235,500. The work in the area started in the late 1960's with the first push to locate copper porphyry deposits. Later in the late 1970's and 1980's the focus was on epithermal precious metal style mineralization prompted by the exploration successes leading to modest production from the Shasta, Baker, Lawyers and Al deposits. Currently the Shasta is in limited seasonal production from open cut mining with milling completed at the Baker mill. Kemess South mine is the large producer in the area treating some 50,000 tonnes per day from a large open pit gold/copper porphyry mine and milling complex. Concentrate from Kemess is trucked via the regional access Omineca Resource road to Mackenzie BC for further rail transport to eastern Canadian smelting operations. Previously, the present Gordo claim group was held by different parties who conducted brief geochemical, geological or airborne geophysical surveys to satisfy assessment requirements with no large consistent plan in place. The area has not been mapped by a government geological survey since 1968. No drilling has ever been undertaken on the claims. Historically the highest gold value recorded on the claims was 18.5 g/tn Au from the HD showing (094 235). As seen in the 2004 assay summary table, the 2004 Stealth effort resulted in significantly higher values.

5.0 Regional Geology

The Toodoggone project and the Gordo Group area lies within the eastern margin of the Intermontane Tectonic Belt. The Intermontane Belt is made up of four unique Terranes



Legend

- Gordo Group Mineral Claim
- 1997 ARIS Report # Location
- 094 E 235 Minefile Occurrence # Location

Stealth Minerals Limited

**Toodoggone Project
Gordo Claim Group
Historical Work**

(From MapFile)

DLK	NTS 094 E	Scale: As Shown	Fig 3
-----	-----------	-----------------	-------




Table III Historical Work Gordo-Too-Oxide Property							Gordo 2004		
Aris Rpt #	Year	Property	Operator	Author	Title	Work Type	Minfile No	Cost/yr	
1805	1968	Garnet	Quebec Cartier	Reeve, A.		Geo		\$1,300.00	
2506	1970	Lower	Red Rock Mine	McKenna, D.	Geophysical Report on the Ed 1-14, EHL 1-12 and Belle 1-42 Mineral Claim	Geophys		\$6,900.00	
5194	1974	Gord	Union Miniere	Burgoyne, A.	Geological, geochemical and geophysical report on the Gord claim group, Contract Peak, Toadoggonne area	Geoch, Geo, Geophys, Physical		\$8,400.00	
8998	1980	Oxide	Serem	Vulmiri, M.; Crawford, S.		Geoch, Geo		\$2,089.00	
12874	1984	Kidview	Newmont Ex. C	Kowal, C.		Geoch, Geo		\$8,856.00	
14765	1986	Joanna	Int. Damascus	Bell, M.		Geoch		\$10,187.00	
15067	1986	Joanna	Armor Develop	Bell, M.		Geoch	094E 038	\$17,111.00	
15070	1986	Magic	Island Canyon	Bell, M.		Geoch	094E 023	\$15,107.00	
15338	1986	Joanna	Int. Damascus	Sorbara, J.; Steele, J.		Geoch, Geo, Geophys		\$21,764.00	
15412	1986	Amethyst Valley	Geostar Mining	Yeager, David A.; Ikona, Charles K.		Geoch		Same as 24930	
15818	1986	Joanna	Armor Develop	Sorbara, J.; Steele, J.		Geoch	094E 038	\$5,000.00	
15965	1987	Gord	Toadoggonne G	Bell, M.		Geophys		\$25,180.00	
15997	1987	Gord	Beechview Res	Cukor, V.; Pezzot, T.		Geophys	094E 051, 094E	\$14,285.00	
17287	1988	Joanna	Marian Mineral	Woods, D.	Geophysical Report on an Airborne Magnetometer Survey on the Joanna I and II Claims	Geophys	094E 038	\$5,850.00	
17683	1988	Amethyst Valley	Sheyna Resour	Lyman, D.	Geological, Geochemical and Geophysical Report on the Amethyst Valley and Kidview Claims	Geoch, Geo, Geophys		Same as 24930	
18763	1989	Joanna	Ashworth	Kidark, R.	Geological and Geochemical Report on the Joanna Claims	Geoch	094E 034	\$8,000.00	
19907	1989	Falcon A	Multinational R	Delancey, P.	Mineral Claims Rock Sampling and Hand Trenching on the Peregrine and Falcon A	Prospecting		\$12,667.00	
20671	1990	Joanna	Cons. Harlin R	Dehrouge, J.	Data Completion Report for 1985, 1986, and 1988 Exploration Programs, Joanna IV Claim Group and Geological, Geo	Geoch, Geo, Physical	094E 172, 094E	\$48,500.00	
24930	1997	Oxide Peak	Matrix Energy	Mark, D.	Geophysical Report on the Oxide Peak Property	Geoch, Geo, Geophys	094E 181	\$25,372.00	
Total Expenditure								\$236,648.00	
Minfile #	Names	Status	Commodities	Deposit Type	Comments	Location	Mining Division		
094E 006	Garnet	Showing	Cu, Ag		Diss. Bornite in feldspar porphyry 0.42%Cu; 9.93gpt Ag	6388460N 624045E	Omineca		
094E 023	Ed, Ed 12, Ed 1-14, EHL, Belle, Magic, M		Cu		Msv. Pyrite and chalcopyrite in small shears	6373135N 614302E	Omineca		
094E 051	Gord 18, Gord, Gc	Prospect	Ag, Zn, Pb, Cu	Vein	1.8m wide chip 16gpt Ag	6373968N 617494E	Omineca		
094E 052	Gord 9, Gord, Gori	Showing	Ag, Pb, Zn, Cu		0.9m wide chip 30gpt Ag; 0.1075% Cu	6373812N 618021E	Omineca		
094E 172	Joanna Gold, Joar	Prospect	Au, Ag, Cu	Epi Low sulphidation	0.2m x 250m Qtz vein, fine pyrite and malachite staining	6368443N 616140E	Omineca		
094E 173	Joanna JD, Joann	Prospect	Au, Ag, Cu	Epi Low sulphidation	0.50m chip 7.22gpt Au; 2.9gpt Ag	6370238N 616901E	Omineca		
094E 174	Joanna East, Joar	Showing	Au, Ag, Cu	Epi Low sulphidation	3.77gpt Au; 7.2gpt Ag	6370823N 615700E	Omineca		
094E 175	Joanna West, Joar	Showing	Au, Ag, Cu		Qtz vein, 5.65gpt Au; 15.3gpt Ag	6370657N 615074E	Omineca		
094E 177	Gulch West, Joar	Showing	Au, Ag, Cu		Qtz vein; 5.4gpt Au; 2.9gpt Ag	6371288N 614870E	Omineca		
094E 181	Oxide Peak	Showing	Ag, Au, Pb, Zn	Epi Vein	Shear zones, 14.0gpt Ag, 0.26gpt Au	6372671N 610949E	Omineca		
094E 184	Falcon A1, Falcon	Showing	Cu, Ag		Qtz vein, 2m chip 6.9gpt Ag; 0.51%Cu; 0.014gpt Au	6388819N 617042E	Omineca		
094E 185	Falcon A2, Falcon	Showing	Ag, Au, Pb, Zn, Cu		Qtz veining, silicification; 55.5gpt Ag; 0.828 gpt Au	6368326N 616038E	Omineca		
094E 235	JD-Hairy, Heiry	Showing	Au, Ag	Epi Vein	Qtz vein; 18.5gpt Au, 143.2gpt Ag	6372796N 616478E	Omineca		



and the project areas lay within the Stikinia and, in part the Quesnellia Terranes. The Stikinia and Quesnellia Terranes consist mainly of island-arc volcanic, plutonic and sedimentary rocks of Late Triassic to Early Jurassic age with a Lower Permian basement represented by the Asitka Group (Diakow and Metcalfe, 1997). To the east older metamorphosed Precambrian and younger strata (clastic and chemical sedimentary rocks) of the Cassiar Terrane (Omineca Belt) is separated from the Intermontane Belt by a regional system of transcurrent faults (Diakow, Panteleyev and Schroeter, 1993). The Toodoggone regional geology is shown on Figure 4, being taken from the BCDM web site MapPlace. As seen, the Toodoggone area consists of a series on NW trending volcanic belts some 90 km long and 40 km wide. The stratigraphy is fairly monoclinial with generally NW striking shallowly west dipping upright stratigraphy and therefore young to the west. This NW trend is common to the faulting, stratigraphy, plutonism, major mineralizing events. Accreting of terrains parallel to this lineation implies major crustal activity along this trend. Overlying younger stratigraphic intervals such as the Sustut Group of conglomerates and sediments covered the then mineralized and altered Jurassic volcanics and plutons, therefore protecting them from erosion and glaciations. This results in whole mineralizing sequences ranging from the causative gold-copper porphyry systems up through the undeformed stratigraphy which hosts the upwardly evolving low to high sulphidation epithermal systems with their attendant clay rich alteration caps still intact

5.1 Stratigraphy

Lithologies in the Toodoggone area are Permian to Cretaceous in age and are comprised, in order from oldest to youngest, of Asitka Group, Stuhini Group, Toodoggone Formation and Sustut Group (Diakow and Metcalfe, 1997).

Lower Permian aged rocks of the Asitka Group consist of andesite, dacite and rhyolite volcanic rocks with locally prominent sections of inter-bedded marine sedimentary rocks consisting of limestone and chert at the top of the section (Diakow, pers comm., 2003). These rocks may reflect a submergent island arc sequence.



Upper Triassic rocks of the Stuhini Group (also referred to as Takla Group) unconformably overlie the Asitka Group. Stuhini Group rocks are more widespread and characterized by clinopyroxine-bearing basalt, andesite, and associated epiclastic rocks, and locally appear similar to Paleozoic rocks. These rocks may reflect an emergent submarine to sub aerial island arc sequence.

Locally, Lower Jurassic Toodoggone Formation (Hazelton Group) volcanic fragmental rocks of dacite-andesite composition lie in non-erosional, gently dipping unconformity with Stuhini Group rocks. Minor basalt lava flows and rare rhyolite flows and breccias occur in the Toodoggone Formation (Diakow, 2004 pers comm.). Bi-modal volcanism is associated with low-sulphidation epithermal gold-silver deposits on a worldwide scale, however its relationship with the Toodoggone epithermal deposits remains unclear.

Upper Cretaceous Sustut Group consists of conglomerates, sandstones and siltstones with minor felsic tuff and occurs in unconformable contact with Takla/Stuhini and Hazelton Group rocks.

5.2 Intrusive Rocks

Early-middle Jurassic Black Lake Intrusive Suite calc-alkaline plutons are apparently coeval with the Toodoggone Formation volcanic rocks and development of an elongated volcano-tectonic depression that is endowed with numerous precious metal-bearing occurrences (Diakow and Metcalfe, 1997). The composite Black Lake Intrusive Suite is generally medium grained and grades from granodiorite to quartz monzonite. This intrusive suite includes the Black Lake pluton (granodiorite to quartz monzonite), Jock Creek pluton (hornblende monzonite, diorite), Geigerich/Duncan Lake plutons (hornblende-biotite granodiorite, monzonite, quartz monzonite, quartz diorite) and Sovereign pluton (quartz-hornblende-biotite-granodiorite/tonalite). Dykes and dyke swarms of quartz monzonite are locally proximal to and associated with copper-gold mineralization as at the Brenda occurrence. These dyke sets are usually following the NW trending structural breaks that trace several of the mineralizing events within the



Toodoggone Camp. Dikes and sills of trachyandesite to latite and minor basalt cut previous lithology. Late Triassic Alaska-type ultramafic intrusions were regionally mapped east of Kemess North and possible occurrences southwest of the Mex prospect (Cascadero Copper), and on the Pil prospects northwest of the main Stealth Camp.

5.3 Structure


A system of high-angle normal and possibly contraction faults trend between 120 degrees and 150 degrees in azimuth and occurs locally with secondary faults trending from 20 to 40 degrees, and 60 to 80 degrees in azimuth. These structures may impart primary control of high-level co-magmatic plutons and deposition of the Toodoggone Formation rocks.

Regional-scale, northwest trending structures include the Saunders, Wrich, Black and Pil faults that cut the Toodoggone Project area, and occur over a distances of more than 80 kilometres. Parallel faults also display dip-slip movement, locally placing Stuhini Group in contact with Toodoggone Formation as at Kemess North (Diakow, 1997) and Asitka Group rocks adjacent to intrusive plutons.

Northeasterly trending high angle faults cut and displace northwest trending structures, tilting and rotating monoclinial strata (Diakow, 1986). The presence of high level epithermal mineralization at Goat-Wrich Hill, and at the Electrum prospect at substantially lower elevations to the north, may suggest a post-mineral, north side down displacement along a northeast trending fault system in the Finlay River valley (Blann, 2001). North trending, right-lateral strike slip faults are prominent along the eastern margin of the Geigerich Pluton, and are Cretaceous and Early Tertiary in age; these faults may cut Toodoggone aged and older rocks to the west.

6.0 2004 Exploration Program

The 2004 field program completed on the Gordo Group claims by Stealth Minerals consisted of rock, soil and silt sampling by five prospectors plus geological students and



KSs	Cretaceous; Sustut Grp, Sediments
JTv	Jurassic; Toadoggone Fmn, Volcanics
JHv	Jurassic; Hazelton Grp., Volcanics
TrTsv	Triassic; Takla Fmn; Volcanics, Sediments
TrTv	Triassic; Takla Fmn, Volcanics
DAv	Devonian; Asitka Fmn, Volcanics
DAI	Devonian; Asitka Fmn, Limestone
PrSs	Proterozoic; Swannell Fmn, Sediments.

eKqm	Cretaceous Quartz Monzonite
eJg	Jurassic Granodiorite
Ogn	Ortho Gneiss

0 10 km



Stealth Minerals Limited

Toadoggone Project
Regional Geology
Oxide, Gordo, Too Claims



alteration identification via PIMA spectrographic analysis on selected rock samples. A statement of expenditures for the 2004 field program is found in Appendix I indicating an expenditure of \$88,665. A total of 94 person days were expended between June 21 and Sept. 2, 2004. The work was completed from a temporary tent camp located on the lake located in the southwest portion of Gordo 1 claim in Gordonias Gulch. Traverses were by foot from camp or daily setout or two man fly camps mobilized by helicopter base in the main Stealth camp on the Finlay River.

A total of 628 surface rock samples were taken as float or outcrop samples so as to represent the mineralization encountered during each traverse. Each sample was placed in a plastic sample bag with a unique assay tag number. The sample site was flagged with the corresponding assay sample tag number and the location recorded by hand held GPS units. A representative hand sample was also taken and retained at the main camp as a further check when an assay for that sample was received, and for PIMA analysis. Figures 8-12 show sample and tag number locations for rock, soil and silt samples taken in 2004.

Geochemical analysis was completed by Assayers Canada Limited of Vancouver BC. Analysis for gold in rock chips was by 30gram (one assay ton sample) fire assay followed by atomic absorption reading finish. This technique was chosen to produce a reliable gold assay value. Silver and 29 other elements were determined by analyzing a 0.5 gram sample by dissolving in aquaregia and determinations read via ICP technology. Standards and duplicates were inserted at the lab and any deviation from acceptable analytical error resulted in the whole batch being re-assayed from a new split.

The rock, silt and soil geochemical results for Au, Ag, Cu, Pb and Zn assays are shown in Figures 8-37. Sample descriptions and abbreviated assay results are found in Table III and soil /silt assay certificates in Appendix I with rock assay certificates in Appendix II.

Alteration identification using PIMA spectroscopy was completed on 274 rock samples. Each rock was dried for at least 24 hours in the main camp drying room on steel racks



prior to analysis, to ensure no additional water features. Each rock sample was described and a black circle was drawn onto the rock to indicate where PIMA analysis occurred. Dominant, intermediate and trace alteration minerals were recorded by the person performing the analysis. For mapping purposes only the dominant alteration mineral is plotted. Pima analysis for the Gordo Group rocks is shown in Figure 7 along with airborne radiometric and magnetic anomalies; this analysis shows that dominant alteration on is argillic (illite/kaolinite/dickite) possibly overprinting propylitic (epidote/chlorite/carbonate). Minor advanced argillic alteration is evident on Oxide Peak by the alunite/illite association.

Ten silt samples were taken from the main creeks draining the claims. Each sample was placed in a mesh sample bag with a unique assay tag number. The sample site was flagged with the corresponding assay sample tag number and the location recorded by hand held GPS. Silt samples were hung to dry in the main camp drying room, and shipped to Assayers Canada Limited Labs in Vancouver for analysis. The silt geochemical results for Au, Ag, Cu, Pb and Zn are shown in Figures 8-37.

A total of 30 soil samples were taken from a contour soil line along the eastern slope of Oxide peak. Results for Au, Ag, Cu, Pb, Zn are shown in the Inset 4 figures 17, 22,27,32,37.


6.1 Property Geology


This area is unmapped excepting for parts of its southern areas (Diakow et al 1993). It was not mapped during the 2004 season by Stealth staff so as to concentrate on prospecting reconnaissance effort. Figure 5 shows the geology as displayed on the BCDM website MapPlace. However geological observations of a general nature were made by Dr. Tom Richards prospecting project coordinator for Stealth Minerals Limited during the 2004 field season. Figure 6 shows an interpretation of the 2003 airborne



geophysical data found in BCGS Open File 2004-8 including magnetic high, potassium high and Th/K low anomalies as well as linear vertical gradient magnetic features.

The Too claims are underlain by volcanic rocks equivalent to the Hazelton-Toodoggone Group Jurassic aged rocks comprised mainly of reddish fine lapilli tuff and includes feldspar porphyry, rhyodacite flows and polyolithic volcanic conglomerate. The Triassic Takla rocks underlie the northwestern and southwestern areas and consist of green tuff and breccias with occasional augite/hornblende. No intrusive rocks other than narrow monzonite dykes were noted. Prominent NNW trending and crosscutting NE trending faults are confirmed by the vertical gradient magnetic features. There is a prominent Th/K low located central to the Too 1-4 claims flanked by potassic high anomalies. There is an intrusive exposed to the south, off the claims and may underlie the highlands and is driving the potassic alteration registered in the radiometric survey. On the Gordo claims, the bulk of the area is underlain by Takla-Toodoggone/Hazelton volcanics. No limestone was noted on the claims but a large bluff of cliff forming Asitka carbonate is noted 5 km north of the northern boundary on the north face of Contact Peak. The central area more rugged topography appears to be underlain by green tuffs and flow banded rhyolite, most likely of the Permian Asitka rocks. These rocks are overlain by green tuff, breccia, augite porphyry and bladed feldspar porphyry of the Takla volcanics. Jurassic Toodoggone/Hazelton volcanics are dominated by fine to medium grained lapilli tuff with subordinate reddish to maroon colored volcanoclastics and fine tuff. These younger volcanics are distributed on the east and west flank of the Gordo massif between Belle and Mulvaney Creeks. Granodiorite and quartz monzonite underlie most of the southern part of the Gordo 7,8 and 9 claims and portions of 3,4. Epidote +/- chlorite and carbonate in a propylitic assemblage is widely developed on the property and may represent a regional thermal event driven by an intrusive stock which may underlie most of the property. On Oxide Peak, west of Belle Creek the lithologies include mainly Toodoggone/Hazelton volcanics separated by a major east-west structure along Oxide Creek, separating them from older Takla and Asitka volcanics to the north. Oxide peak is a highly oxidized gossanous cone shaped mountain. The volcanics are cut by numerous






Rock_Data_GO_Too_Finala by Au_pp

■	1,000 to 100,000	(70)
■	500 to 1,000	(37)
●	100 to 500	(104)
■	50 to 100	(63)
■	1 to 50	(346)
*	all others	(7)


- Airborne Potassium High
- Airborne Magnetic High
- Airborne Th/K Low
- - - Airborne Vertical Gradient Feature

Stealth Minerals Limited

Toodoggone Project
Gordo Group Area
Gold Geochemistry
Geophysical Compilation



Gordo



GordoPima_2004 by Clr

■ Alunite	(1)
☆ Pyrophyllite/Diaspore	(1)
☆ Dickite	(1)
☆ Kaolinite	(42)
▲ Illite	(101)
▲ Jarosite	(2)
▲ Montmorillonite	(11)
◆ Chlorite	(51)
Quartz, carbonate, zeolite	(45)

Too_Pima_2004 by Clr

- Airborne Potassium High
- Airborne Magnetic High
- Airborne Th/K Low
- - - Airborne Vertical Gradient Feature

Stealth Minerals Limited

Toodoggone Project
Gordo Group Area
Pima Alteration
Geophysical Compilation

DLK	1:80,000	Dec. 29 04	Fig. 7
-----	----------	------------	--------



northwest trending monzonite dykes. Most of the gossanous material is argillically bleached. Narrow zones of intense chalky alteration and vuggy silica textures indicate an advanced argillic or high sulphidation style alteration. Pima analysis of this alteration identifies an alunite, illite kaolin assemblage. Figure 7 illustrates the relative position of ground identified alteration assemblages with respect to airborne radiometric signature. Figure 6 shows the spatial relationship and associated between gold in rock values and the younger, propylitic overprinting potassic alteration assemblage. The Th/K low is significant in that the ratio removes the intrusive component of the radiometric signature and indicates hydrothermal potassium. When used in conjunction with total potassium, coincident high K and low Th/K indicates hydrothermal epigenetic alteration.

6.2 Geochemistry and Mineralization

Figures 8-12 show the location and sample number of silt, soil and rock samples. Figures 13-37 show the interpreted display for soil, rock and silt analysis for Au, Ag, Cu, Pb, and Zn as elemental thematic plots created in MapInfo. The highest anomalous values shown are the top 10%. A total of 11 samples returned greater than 10.0 g/tn gold with three returning >31 g/tn or one ounce per ton gold. Rock descriptions and partial assays are in Table IV. The other 25 elements are available in Appendix I and II; Rock and Silt/Soil Assay Certificates.

6.2.1 Gold Geochemistry

Gold rock, soil and silt geochemistry is shown on Figures 13-17. The Gordo Group of claims was prospected at roughly a 1:20,000 scale. Significant prospect finds were followed up, depending on assay turnaround time, resulting in clusters of data which are shown at a larger scale within the Inset Maps. Inset 1, at the north central boundary between Gordo 2 and Gordo 10 claims is a focus of sampling due to the location in place of several 1-2 m coarse pyrite bearing quartz veins and pyrite- pyrrhotite veins and disseminations lower in the creek. Float samples in talus consisting of rusty vuggy quartz veins to 10cm hosted by flow banded felsic rock returned up to 43 g/tn Au as in sample #

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Length	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Min%	Alt Type	Mess.	Comments	Sample #	Au pob	Ag pob	Cu pob	Pb pob	Zn pob	Au g/tonne	Ag g/tonne			
AB	148103	6372506	615146	GO		vn	0.12m	qtz + covn	wt	vug					vn	330/80	1m qz stowk zone association w/ vein	148103	27	2.2	0	12	68					
AB	148104	6372313	615206	GO		g	0.40m	gn. Vole	gn	sl	msv	prop	perv	5% qz			1-2m brown garnets/oc veinlets	148104	9	0.2	2	3	100					
AB	148106	6372260	615782	GO		f	0.75	qtz vn	gn	sl	msv			2% py			0.75m x 0.50m qz boulder in boulder train	148106	210	4.2	22	178	27					
AB	148106	6374123	616482	GO		o/c	6	qtz vn	RBWT	clt				py 1%	vn	230/60	5-15cm wide; rusty stained qtz	148106	28	2.2	34	28	13					
AB	148107	6373174	615486	GO		sub	2	gossan	RBGY	alkified				py 3%			color anomaly above trace line in talus	148107	8	0.2	10	29	178					
AB	148108	6373827	617286	GO		f	0.16	gossan	RBK	vug	frotby			py 1%			Boxwork limonite; magnetic	148108	86	0.7	7	83	66					
AB	148108	6373840	617280	GO		f	0.3	vole	GN	vns				py 2% sph tr			Ch+Op alk along veinlets	148108	6	7.6	473	70	10000					
AB	148110	6373840	617280	GO		STANDARD												148110	7	0.2	6	12	112					
AB	148111	6373786	617334	GO		f	0.2	vole	GNWT	vns				py 1% cpy 2%			Several of the same float n's in fall line; not far from o/c on offits	148111	6	0.6	2220	14	62					
AB	148112	6373842	617483	GO		f	0.6	qtz	BNWT	vug	frotby			py 2% gn 1% sph 1%			Acid leached zone on 50m Gossan	148112	1836	188.9	286	10000	8408		159			
AB	148113	6373824	617483	GO		sub	1	qtz	GYWT	vug	frotby			py 10%			Similar area as sample 148112	148113	2661	200	274	10000	2112		221			
AB	148114	6372606	617486	GO		f	0.06	vole	GNWT	stk	vug			prop	perv	cpy 3%		Cpy only in qtz stowk	148114	100	6.6	6388	286	3414				
AB	148115	6372468	617624	GO		f	0.3	qtzvn	GNWT	clt	vug			prop	sericite	cpy 2%		Malachite staining throughout; oo in vugs	148115	36	1.7	2806	71	64				
AB	148116	6372287	617612	GO		o/c	5	green vole	GN	frca				prop	perv	py 3%		c.g. disc py & py in fractures	148116	9	0.7	28	347	298				
AB	148117	6372241	617477	GO		f	0.3	qtz + oo vn	WTGN	stk				prop	perv	cpy 3% py 2%		Many qtz stowk boulders in talus; lots Malachite	148117	33	13.9	10000	64	231				
AB	148118	6372236	617486	GO		f	0.04	vn	BNWT	stk	clt			prop	perv	cpy 3% py 10%		og py (up to 10cm); Malachite same system as 148117	148118	1485	31.3	10000	219	182				
AB	148118	6372236	617322	GO		o/c	0.03	vn in Fall	GYBN	stk	clt			prop	py 3%	vn	150/80	FeOx + Boxwork limonite in stowkwork outting PdL o/c ~20mwide	148118	316	2.9	2281	68	71				
AB	148120	6372236	617322	GO		STANDARD												148120	7	0.2	115	20	38					
AB	148121	6372780	617286	GO		o/c	0.2	Qtz vn	WT	clt				cpy 1%	vn	200/90	Coarse dogtooth vein with opy + mal	148121	8	0.9	3687	25	26					
AB	148122	6372798	617286	GO		o/c	0.2	Qtz vn	WT	clt				cpy 6%	vn	150/90	Possibly a continuation of the Vn in Sample 148121	148122	12	1.8	3785	12	28					
PC	148563	6371580	614802	GO		c	15	qtz vn	py	bx	vug			prop	wallrock			TR Vn swarm	148563	13	0.2	8	17	78				
PC	148564	6371580	614802	GO		g		qtz vn	py	bx	vug			prop	wallrock			TR Vn swarm	148564	29	0.8	7	21	32				
PC	148565	6371318	614835	GO		g		qtz vn	org	anast	vug			prop	lim	perv	s/d	340/75	in str zn	148565	286	0.5	30	480	10			
PC	148566	6371345	614863	GO		g		qtz vn	py	mese	anast			prop	lim	perv	s/d	310/60	in str zn	148566	4	0.2	26	8	49			
PC	148567	6373704	618117	GO		g		qtz vn	py	mese	anast			prop	wallrock			aseo w/le fault	148567	1	2.0	4879	66	85				
PC	148568	6371288	615617	GO		c	0.1	qtz vn	py	anast	mese			prop	wall rk	cpy 5% (mal, ch)	s/d	330/80	in str zn	148568	233	40.9	10000	41	182			
PC	148569	6371339	615618	GO		c	0.2	qtz vn	py	anast	bx			prop	wall rk	cpy mal 6%	s/d	342/60	in str zn	148569	840	6.9	8418	88	202			
PC	148600	637332	615816	GO		c	0.15	qtz vn	GY	bx	clt			prop	wall rk	cpy mal 10%	s/d	182/82	in str zn	148600	443	2.3	2710	28	27			
PC	148601	6371336	615823	GO		c	0.15	qtz vn	OR	vug	clt			prop	perv	co 10%	s/d	300/90	near str zn	148601	322	1.1	2600	78	38			
PC	148602	6370881	615784	GO		c	0.1	qtz vn	GY	bx	clt			prop	wall rk	co mal cpy 10%	s/d	312/80	near str zn	148602	10000	16.6	7234	82	30	22.81		
PC	148603	6373968	617104	GO		f		gossan	OR	sl	vug			prop	lim	py 30%			148603	387	13.9	82	183	27				
PC	148604	6373825	617251	GO		g		gossan	OR	slr	vug			prop	lim	py 20%	s/d	238/75	slr zn in gm vol	148604	964	34.9	337	1882	180			
PC	148606	6373770	617270	GO		g		gossan	OR	slr	vug			prop	lim	py 25%	s/d	268/80	slr zn in gm vol	148606	8745	200	126	706	79			
PC	148608	6373782	617355	GO		g		Qtz vn	GY	blt bar	slr			prop	lim	perv	sph gal py opy 1%	s/d	685/85	vn in str zn in gm vol	148608	77	25	86	981	1349		
PC	148607	6373760	617385	GO		g		Qtz vn	GY	blt bar	vug			prop	lim	perv	sph gal py 1%	s/d	150/85	flat below 1.25m vn	148607	130	36.9	154	10000	10000		
PC	148608	6372961	618180	GO		g		Qtz vn	GY	blt bar	bx			prop	wall rk	cpy py 7%	s/d	354/85	10-20cm	148608	42	3.6	6799	106	181			
PC	148609	6372958	618153	GO		g		Qtz vn	GY	anast	bx			prop	wall rk	cpy py 7%	s/d	348/85	adj to 1m bes dyke, 20cm	148609	498	10	5386	90	289			
PC	148610	6372855	618156	GO		g		Qtz vn	GY	anast	bx			prop	wall rk	cpy py 7%	s/d	348/85	15cm	148610	12	3.8	5629	27	37			
PC	148611	6372804	618126	GO		g		Qtz vn	GY	swm	bx			prop	lim	py opy 7%	s/d	328/85	in str zn - 50m wide swm, 50% qtz vns	148611	3036	81.4	7014	37	104			
PC	148612	6372875	617738	GO		g		Qtz vn	GY	swm	py x's			prop	wall rk	py 80%	s/d	318/85	3cm	148612	640	6.6	8802	69	186			
PC	148614	6367823	617822	GO	Gordo 8	g		qtz vn	py	clt	bx			prop	wallrk	cpy 6%	s/d	305/90	parallel w/ 15m monz dyke	148614	6	2.1	3235	25	83			
PC	148628	6370910	615683	GO	Gordo 3	g		qtz vn	py	clt	bx			prop	wallrk	cpy 10%	s/d	368/85		148628	236	1.1	8253	25	47			
PC	148630	6370772	614899	GO	Gordo 3	c	15cm	qtz vn	py	bx	anast			prop	wallrk	cpy 6%	s/d	330/85		148630	23	7	1169	46	11			
PM	148661	6371363	615179	GO		c	8cm	qtz vn	green	vug	sl flooded			prop	vns	15%			148661	18	7.3	10000	37	132				
PM	148662	6371489	615810	GO		c	10m	qtz vn	dgr	fg	x			py/mal	vn	10%	vn	N120/79	148662	198	0.7	1673	38	187				
PM	148663	6371406	615828	GO		g	15m	gn	or	fg	gossan			py	vn	8%	vn		148663	80	0.5	71	12	187				
PM	148664	6371494	615873	GO		g	5cm	gn	gr	fg	x			py/ep	vn	10%	vn	N324/78	148664	173	30.8	10000	5	85				
PM	148665	6373580	617197	GO		c	7	qtz vn	RDOR	fg	vug			py opy 10%	vn				148665	161	0.6	988	29	181				
PM	148666	6373379	617088	GO		c	10	ep vn	GR	p	vug			mal hem 28%	vn			234/38		148666	33	8.5	10000	84	117			
PM	148667	6373241	617087	GO		c	1	qtz vn	GY	fg	clt			calc	vn			122/80		148667	12	0.3	82	6	7			
PM	148668	6373163	617938	GO		c	0.5	qtz vn	GYOR	fg	vug			mal opy 10%	vn				148668	19	4.2	3685	49	18				
PM	148669	6372946	614834	GO		c	10	gn	ORGY	fg	vug			mal 20%	vn			149/80		148669	1498	0.0	10000	58	110			
PM	148690	6372404	618233	GO		c																						

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Clim	Type	Lnth	Rock	Colour	Text 1	Text 2	Abn 1	Occur	Mln%	Alt Type	Mess.	Comments	Sample #	Au gpb	Ag gpm	Cu gpm	Pb gpm	Zn gpm	Au g/tonne	Ag g/tonne
PS	151232	6372829	613762	GO	GO1	f				stk	vug			minor Ba:py			black mineral - chlorite?	151232	4.9	0.0	1.88	1.72	15.8		
PS	151233	6372840	613767	GO	GO1	f		and	WT	stk				minor py, hem				151233	4.1	0.1	36.36	4.77	8.4		
PS	151234	6373386	613586	GO	GO1	f		and		open vne				prop			small piece, tiny py cubes	151234	0.7	0.0	2.44	0.61	4.7		
PS	151235	6372420	613444	GO	GO1	f			WT	vug				prop			not juicy	151235	1.0	0.0	4.77	0.41	28.1		
PS	151236	6373625	613274	GO	GO1	f		intr		gria				prop			2 large boulders out with qz + 5mm	151236	1.4	0.1	5.9	40.48	142.4		
PS	151237	6373759	613448	GO	GO1	f				vug				prop				151237	3.5	0.1	10.76	65.44	87.5		
PS	151238	6373784	613630	GO	GO1	f				qzco bna				prop				151238	10.4	0.3	133.68	7.81	86.8		
PS	151239	6373185	613680	GO	GO1	f		qz	WT	qz				prop				151239	4.6	0.1	30.63	0.78	1.9		
PS	151240	6373030	613870	GO	GO1	f		qz	WT	qz				prop			large piece of Qz 25x30x50	151240	0.2	0.0	2.22	0.87	2.3		
PS	151241	6372898	613738	GO	GO1	f		qz	WT	stk				prop			cold	151241	66	0.3	198.05	4.68	12.1		
PS	151242	6370318	618516	GO	GO6	f		and		seams qz carb				prop			prob only 15cm wide vein	151242	576.7	3.9	7802.46	82.16	19.4		
PS	151243	6370321	618530	GO	GO6	f		and						prop				151243	13.5	0.7	1823.93	3.4	172.9		
PS	151244	6370297	618509	GO	GO6	f			WT		qz carb			prop				151244	82.2	1.8	1961.91	23.78	106.2		
PS	151245	6370308	618517	GO	GO6	f								prop			py cubes to 5mm	151245	9.8	0.4	167.85	8.29	79.6		
PS	151246	6370892	618132	GO	GO6	f			WT					prop			cold looking	151246	9.2	1.2	4035.34	6.7	26.3		
PS	151247	6371419	617442	GO	GO6	g		and breccia						prop			narrow Qz 15cm	151247	862	6.7	8100.36	23.80	117.6		
PS	151248	6371419	617442	GO	GO6	g		and breccia						prop				151248	1836.6	17.2	10000	24.7	22.3		
PS	151249	6372182	611480	GO	GO6	g		oxide f		ferrocane	bk							151249	6	2.3	764	64	661		
PS	151318	6363840	618739	GO	Gordo 5	f		and	pygr	t				prop			with calc, qz lined vugs	151318	3	0.2	5	87	150		
PS	151319	6363841	618739	GO	Gordo 5	f		and dec	py	t				prop			rusty bleached	151319	9	0.2	13	142	364		
PS	151320	6373320	618686	GO	Gordo 5	f		and	pygr	t				prop			bleached qtz vns	151320	1	0.2	7	2	34		
PS	151321	6372980	618066	GO	Gordo 5	f		and	wlgy	mg	t-bx			prop			vns qtz sticwork	151321	2	0.2	3	2	24		
PS	151322	6372818	618337	GO	Gordo 5	f		and	wlgy	bd				prop				151322	324	14.2	78	372	1715		
PS	151323	6372818	618337	GO	Gordo 5	f		and	wlgy	bd				prop				151323	413	13.5	166	487	2682		
PS	151324	6372813	618432	GO	Gordo 5	f		and	pygr	t	lap			prop			lapillae tuff, gn on fat	151324	11	3.8	72	1911	1824		
PS	151325	6372813	618432	GO	Gordo 5	f		and	brgy	t				prop			minor opy, vns	151325	8	0.2	191	11	199		
PS	151326	6372813	618432	GO	Gordo 5	f		and	bn	vug	arf			prop			vns, ba, qtz, calc	151326	332	96.7	185	8060	2373		
PS	151327	6372733	618668	GO	Gordo 5	f		and	gr	t				prop			sticwk bx	151327	2	0.2	15	21	109		
PS	151328	6372822	616150	GO	Gordo 5	f		and	wlbn		vug			prop			qz, py bx wnk	151328	636	7	190	80	12		
PS	151329	6372844	618142	GO	Gordo 5	f		and	wt	mev				prop			qz, calc, mol, tan, opy	151329	253	0.2	5807	61	7		
PS	151330	6372844	618142	GO	Gordo 5	f		and	wlgr					prop			mev expt, qtz	151330	163	0.2	2422	41	39		
PS	151331	6373085	614078	GO	Gordo 1	f		and	gr	cox				prop			vuggy, coxomb qtz	151331	117	0.8	85	17	42		
PS	151346	6368626	617804	GO	6	f		and	wt gr	mg	t			prop			qz, calc	151346	11	0.8	9	60	46		
PS	151347	6368694	617818	GO	6	g		and	wt gr	mg	t			prop			spec hem, qtz	151347	10	0.8	480	90	149		
PS	151348	6368678	611885	GO	6	f		and	gr					prop			veins disc opy, more calc than qtz	151348	1	0.3	228	5	47		
PS	151349	6368682	618222	GO	6	f		and	br	mg	bx			prop			ferrocane, 90%Aluminate	151349	3	0.2	1	61	77		
PS	151350	6368618	618201	GO	6	f		and	wt	mg	arf			prop			qz vein	151350	5608	12	8828	352	266		
LOA	151383	6374186	617834	GO	5	g		and	wt	mg	fg			prop			"ghost" frag of tuff	151383	214	200	236	3626	1208		
LOA	151384	6374184	617728	GO	5	g		and	wt	mg	fg			prop			py, gn, sphal (+Hlo sg)	151384	311	107	442	10000	10000		
LOA	151395	6374172	617989	GO	5	g		and	wlgy	vg				prop			qtz vein py, sphal, gal, opy	151395	67	9	1443	661	10000		
LOA	151396	6374347	617878	GO	5	g		and	pywt	cg				prop			qz vein; coarse (eerie?)	151396	10	0.2	16	62	130		
LOA	151397	6374737	617819	GO	5	g		and	rd	mev				prop			jasper	151397	8	0.2	6	11	96		
LOA	151398	6374731	617967	GO	5	g		and	gnwt	vt				prop			qtz br(-and-dec); veinlets qtz	151398	6	0.2	27	12	76		
LOA	151399	6374793	617470	GO	10	g		and	wlgn	vg				prop			strings py, +/- opy + qtz +	151399	16	0.2	10	48	104		
LOA	151400	6374793	617470	GO	10	g		and	gn	mg				prop			epidote, magnetite	151400	32	3.5	4480	20	34		
LOA	151408	6372148	614385	GO	f			and	WT	fg		vn					ratty pyrite, rusty	151408	4	0.2	28.33	6.02	15.6		
LOA	151407	6372821	614069	GO	f			and	GY	fg	disc	sl						151407	7.5	0.2	4.96	7.31	13.1		
LOA	151406	6372613	614048	GO	f			and	GY	fg	disc	sl						151406	21.6	0.6	7.58	15.87	11.1		
LOA	151409	6373784	618675	GO	sub			and	GYGR	fg	disc	ap, sl					crystal tuff	151409	5.1	0.3	36.68	86.18	132.5		
LOA	151410	6373832	618712	GO	sub			and	GY	fg	disc	ap, sl					crystal tuff calcite veins	151410	48.8	0.4	32.87	33.78	30.4		
LOA	151411	6373784	618675	GO	sub			and	WT	fg	disc	sl					calcite veins	151411	30.5	2.2	81.07	156.03	44.2		
LOA	151412	6373676	618736	GO	sub			and	GR	mg	bx	sl					pyrite	151412	2.3	0.1	13.08	1.83	18		
LOA	151413	6373603	618683	GO	sub			and	GABN	fg	disc	sl					silicified tuff	151413	50.1	2.7	23.44	40.17	186.5		
LOA	151414	6373596	618581	GO	o/c			and	GR	mg	disc	ap						151414	4204.4	100.0	158.23	418.98	1483.8		
LOA	151415	6373337	618562	GO	sub			and	BN	fg	disc	chl					minor pyrite	151415	19.7	2.2	13.96	2.23	3.9		
LOA	151416	6373009	618209	GO	f			and	WT	fg	disc	sl						151416	4	0.3	8.82	1.59	3.7		
LOA	151417	6372722	618134	GO	f			and	BN	fg	py	sl						151417	286.3	8.3	1823.88	38.53	28.1		
LOA	151418	6372234	6180740	GO	f			and	WT	fg	py	sl						151418	7.7	0.1	8.42	7.88	8.5		
LOA	151419	6371891	618083	GO	f			and	WT	fg	py	sl						151419	1.8	0.1	3.84	2.8	3.6		
LOA	151420	6371211	611009	GO	f			and	GR	fg	disc	py						151420	4.4	0.2	44.27	18.99	208		
LOA	151421	6371294	611105	GO	g			and	WT	fg	disc	py						151421	1.4	0.0	1.78	1.23	3.2		
LOA	151422	6371317	611120	GO	g			and	GY	disc	py	sl						151422	4.8	0.3	6.28	0.91	2.1		
LOA	151423	6371380	611191	GO	g			and	GY	disc	fg	sl						151423	1	0.1	0.11	8	75.1		
LOA	151424	6371981	614411	GO	f			and	BN	mg	py	sl						151424	3.7	0.1	3.84	1.81	2.8		
LOA	151425	6371957	614478	GO	f			and	BN	mg	py	sl						151425	176.8	9.8	281.98	16.87	7.5		
LOA	151426	6371907	614656	GO	f			and	BN	fg	py	sl						151426	6.4	0.8	5.05	10.57	6.7		
LOA	151427	6372045	615514																						

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Lith	Rock	Colour	Text 1	Text 2	Aff 1	Occur	Min%	Air Type	Mass	Comments	Sample #	Au gpb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Au g/tonne	Ag g/tonne
LOA	151433	6374067	617266	GO														151433	32.2	2.6	30.16	196.64	1359.8		
LOA	151434	6374034	617353	GO														151434	61.3	4.4	123.9	662.14	180.9		
LOA	151435	6373663	617416	GO														151435	42.7	1.2	10.96	23.6	71.6		
LOA	151436	6373676	617487	GO														151436	1366.1	100.0	266.61	10000	8656.4		
LOA	151437	6374184	617814	GO														151437	292	100.0	66.82	3180.06	1729.9		
LOA	151438	6374182	617817	GO														151438	2718.6	61.4	384.66	1164.7	100.1		
RB	151467	6371482	614169	GO	Gordo 1	f	and		GR	fn	fld	qtz	cpy 1%					151467	5496.7	3.7	6660.93	6.26	24		
RB	151468	6371456	614210	GO	Gordo 1	sub	and			fn	fld	qtz	hem					151468	31.2	0.9	1817.96	2.83	104.4		
RB	151469	6371480	614110	GO	Gordo 1	sub	and			fn	fld	qtz	cpy, mal					151469	73.8	0.8	796.07	4.27	66.4		
RB	151470	6371481	614068	GO	Gordo 1	f	and			fn	fld	qtz	mal					151470	68.8	0.8	1209	3.49	61.4		
RB	151461	6371448	614138	GO	Gordo 1	sub	and			fn	fld	qtz	cpy 5%					151461	5.4	0.1	27.26	17.26	172.6		
RB	151482	6371828	614077	GO	Gordo 1	f	and			fn	fld	qtz	py, cpy					151482	757.8	1.9	6368.5	4.06	73.5		
RB	151463	6369690	614827	GO	Gordo 3	f	vn			fn	bid		ba					151463	46	3.0	48.23	262.71	46.9		
RB	151464	6369010	614856	GO	Gordo 3	f	vn			fn	bid		ba					151464	304.1	26.0	19.73	764.12	66.1		
RB	151465	6369010	614856	GO	Gordo 3	o/c	and			t	dis	si	py 40%					151465	28	1.4	3.36	61.93	113.3		
RB	151466	6369010	614856	GO	Gordo 3	o/c	and			t	dis	si	py 40%					151466	10.9	0.4	1.83	26.72	66.6		
RB	151467	6369008	614878	GO	Gordo 3	f	and			t	dis	si	py 20%					151467	669.1	10.4	14.51	6.27	5.6		
RB	151468	6369008	614878	GO	Gordo 3	f	and			t	dis	si	py 20%					151468	2472.2	86.0	49.44	35.28	3.5		
RB	151469	6369034	614875	GO	Gordo 3	o/c	and			t	dis	si	py 20%					151469	11.8	0.5	2.74	16.26	77.3		
RB	151470	6369433	614466	GO	Gordo 3	o/c	and			t	dis	si	py 20%					151470	12.2	0.4	1.7	16.77	22.3		
RB	151471	6369548	614909	GO	Gordo 3	o/c	and			t	dis	si	py 20%					151471	11.3	0.3	13.26	17.74	120.6		
RB	151472	6370095	614734	GO	Gordo 3	f	vn			ms	vug	qtz	qtz w/ cu (mal, Azur, cpy)					151472	32.4	100.0	2242.74	9646.34	61.3		
RB	151473	6371698	613662	GO	Gordo 1	f	vn			ms		qtz	qtz with Tr cpy + py					151473	2353.7	22.4	173	61.39	1666.6		
RB	151474	6372740	610730	GO	Gordo 1	f	vn?			ms		qtz	qtz with Rusty patches; Host Syenite?					151474	6.4	0.3	8.72	20.12	44.9		
RB	151475	6372758	610734	GO	Gordo 1	f	vn?			ms		qtz	Sim. To 474 with occ Banded Ba					151475	3.1	1.1	16.86	44.43	63.8		
RB	151476	6372860	610768	GO	Gordo 1	o/c	sy?			ms		clay	Pyrite Clay All Syenite (?)					151476	7.2	0.3	12.36	15.4	96.1		
RB	151477	6372860	610832	GO	Gordo 1	f	sy?			ms		vug	Pima Pissel					151477	44.9	1.1	4.84	4.36	5.9		
RB	151478	6372742	610866	GO	Gordo 1	f	sy?			ms		vug	Dissem. + "islet" py					151478	4.9	0.3	10.28	18.58	61.7		
RB	151479	6372707	610815	GO	Gordo 1	f	vn			ms		carb	Dissem. - qtz with fine disseminated py					151479	14.3	0.7	6.32	67.26	237.7		
RB	151480	6372706	610816	GO	Gordo 1	sub	vn			ms		carb	qtz-carb with py +/- galena sphal					151480	28.8	1.6	62.48	3192.74	2863.7		
RB	151481	6372706	610817	GO	Gordo 1	sub	vn			ms		carb	qtz - carb with clay all void (and)					151481	31	3.0	13.34	306.86	244.9		
RB	151482	6372519	611326	GO	Gordo 1	f	sy			p			py, Zn 5%					151482	6.3	2.2	16.82	262.03	383		
RB	151483	6372339	611857	GO	Gordo 1	o/c	sy			p			py 20%					151483	5.7	0.8	662.35	66.46	184.5		
RB	151484	6369047	617183	GO	Gordo 4	sub	sy?			p	fld	chl	qtz stk work in prop porphyry					151484	6	0.2	202	5.98	48.7		
RB	151485	6369063	616957	GO	Gordo 4	sub	sy?			p	fld	chl	qtz stk work in prop porphyry					151485	35.3	1.0	60.9	6.47	64.6		
RB	151486	6369051	616960	GO	Gordo 4	f	sy?			p	fld	si	silicified porphyry; Py, ocaz qtz					151486	10.3	0.3	6.66	6.04	6.6		
RB	151487	6369446	616996	GO	Gordo 4	f	ms			ms		spec	skarn-like rock; spec hem.					151487	5.6	1.7	25.35	180.17	233.5		
RB	151488	6368235	616032	GO	Gordo 3	f	ms			ms			gn 2 sph 2					151488	3.1	0.7	275.26	2484.26	4161.3		
RB	151489	6368273	616002	GO	Gordo 3	o/c	sy?			ms		qtz	qtz carb with galena, sphal, py and +/- Ba					151489	3.6	2.8	36.18	1000	7164.1		
RB	151490	6368274	616003	GO	Gordo 3	sub	sy?			ms	p		galena, sphal, py, hydrothalite					151490	8.9	0.6	17.03	2027.49	686.2		
RB	151491	6368316	616026	GO	Gordo 3	sub	sy?			ms	p		galena, sphal, py, hydrothalite					151491	37	13.0	637.13	10000	5677.7		
RB	151492	6368241	615994	GO	Gordo 3	o/c	sy?			ms	fld	qtz	qtz - stikwork with py in silicified parts					151492	6.2	0.4	12.44	146.48	62.7		
RB	151493	6368198	616030	GO	Gordo 3	sub	sy?			ms	fld	qtz	stm to 482 with galena + chalcopyrite					151493	7.6	1.1	63.28	3626.74	6619.4		
RB	151494	6372837	617328	GO	Gordo 2	sub	dec			ms			rusty red					151494	626.5	3.3	2320.9	122.12	73.9		
RB	151495	6372836	617328	GO	Gordo 2	f	dec			ms	fld	qtz	white qtz stk work with disseminated py					151495	2276.6	3.8	1860.4	121.01	46.1		
RB	151496	6372526	617341	GO	Gordo 2	f	dec			ms	fld	qtz	rusty qtz stk work with coarse py +/- cpy					151496	774.8	23.6	10000	262.82	70.2		
RB	151497	6372530	617340	GO	Gordo 2	f	dec			ms	fld	qtz	same as 486 with both red + white qtz					151497	421.7	5.4	9611.36	60.06	136		
RB	151498	6372783	617338	GO	Gordo 2	f	ms			ms	mag		py 5%					151498	6.5	0.2	116.71	6.06	66.6		
RB	151499	6372945	617429	GO	Gordo 2	o/c	vn			ms	fld		py 10%	S/D	160/60			151499	382.4	1.4	960.03	13.76	34.8		
RB	151500	6372973	617449	GO	Gordo 2	o/c	vn			ms	fld		cpy 2%	S/D	320/60			151500	712.7	0.6	1264.45	7.77	2.6		
DW	166401	6371350	614820	GO		ale	vn			S/D	000/60							166401	1	0.4	103	10	61		
DW	166402	6371356	614825	GO		ale	vn			S/D	000/60							166402	73	0.9	29	5	48		
DW	166403	6371548	614818	GO		ale	vn			S/D	000/60							166403	12	0.2	4	2	104		
PM	166404	6371812	615985	GO		o	em	qtz vn	orange	vug	bx	lim/ser	mev	60%	vn	N274/74		166404	1540	18.1	5996	66	11		
DW	166405	6372186	616164	GO		g		gossan	wt	mev		lim	perv	py 5%				166405	3	0.2	13	2	29		
DW	166406	6372186	616164	GO		f		basalt	py	mev	stk	vn	py 5%					166406	2	0.2	1619	2	121	</	

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Length	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Min%	Alt Type	Meas.	Comments	Sample #	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Au g/tonne	Ag g/tonne	
RB	175701	6372193	616511	GO	f	f		dac	br	fg		prop					glacial debris @ camp	175701	63	0.4	87	32	18			
RB	175702	6371892	613660	GO	f	f		dac	br	fg	t	el					occurs open space with Qtz veinlets	175702	93	1.3	15	43	35			
RB	175703	6371815	613664	GO	f	f		dac	br	fg		prop					glacial debris @ camp	175703	12	0.9	4	26	18			
GS	185061	6367034	618443	GO	Gordo 8	f	0.3		gr wt	vn		sp	parv	cpy mal 2%			Volcanic flow with vne, propylitic alteration	185061	284	1.2	3674	28	190			
GS	185052	6367045	618400	GO	Gordo 8	f	0.5		gr wt	Bx		sp	parv	cpy mal 2%			Brecciated Qtz with pieces of flow	185052	1180	6.1	8274	72	87			
GS	185053	6367337	615828	GO	Gordo 7	a/c	0.01	Mz	wt	Vn		el					Qtz vein in flz	185053	35	3.5	3567	284	553			
GS	185054	6367508	618651	GO	Gordo 7	f	0.15	Ba	wt								Barite vein	185054	4	0.2	228	4	282			
GS	185055	6367252	618551	GO	Gordo 7	vn	0.04	Ba	wt								Barite vein in f.g greenstone	185055	23	0.7	317	20	342			
GS	185056	6368318	617369	GO	Gordo 8	a/c	0.65		gn	fg		sp	parv	hem 3%			lots of hem, mag, some mal, cpy	185056	5	5.2	3866	62	482			
GS	185057	6368300	617369	GO	Gordo 8	a/c	0.3		gn	fg		sp	parv	hem 5%			lots of hem, mag, some mal, cpy	185057	8	9.1	8242	86	702			
GS	185058	6368330	617400	GO	Gordo 8	a/c	0.2		gn	fg		sp	parv	hem py 8%			lots of hem, mag, some mal, cpy	185058	8	2.5	1837	86	968			
GS	185059	6368332	617435	GO	Gordo 8	a/c	0.45		bn	mg		sp	lim	parv	mal 6%		Azurite, cpy, py, magnetite, and hem	185059	21	4.8	9878	87	10000			
GS	185060	6368320	617450	GO	Gordo 8	a/c	0.2		bk	mg		lim	parv	mag 30%			Almost all mag in limestone	185060	42	3.4	1327	125	10000			
GS	185061	6367938	617459	GO	Gordo 8	a/c			gn	mg		ep	parv	mal 2%			mal with co mostly on fractures	185061	2	0.2	1158	0	581			
GS	185062	6367612	617231	GO	Gordo 8	a/c	0.4										massive hem occurring almost like vne	185062	3	1.5	10	22	717			
GS	185063	6367900	617220	GO	Gordo 8	a/c	0.3	Ltn									Bornite + hematite in limestone	185063	3	1.5	1	37	433			
LOA	185101	6374863	617483	GO	10	a		dac	gggn	mg		prop					hem bornite 30%	185101	18	0.2	19	13	36			
LOA	185102	6373690	614267	GO	10	a		and	gn	cox		prop					bleached	185102	1	0.2	1	2	78			
LOA	185103	6373698	614310	GO	10	a		vt	wt	vug							Qtz vein	185103	102	74.7	36	1027	1548			
LOA	185104	6374047	614047	GO	10	a		vnand	wt,gn		bx	prop					Qtz vein; dark unident sulphide	185104	1	0.2	1	2	98			
LA	185105	6369144	617204	GO	8	f		dac	wt	fg		arg					intense bleaching	185105	7	0.4	43	22	100			
LA	185106	6369198	617308	GO	8	f		rhy	grwt	fg	hf	prop					horfleed	185106	4	0.3	23	6	59			
LA	185107	6369138	617410	GO	8	f		dac	wt	fg		arg						185107	2	0.2	3	59	40			
LA	185108	6369144	617483	GO	8	f		dac	wt	fg		arg						185108	1	0.4	8	71	83			
LA	185109	6369103	617600	GO	9	a		dac	wt	fg		arg					bleached	185109	2	0.4	13	20	19			
LA	185110	6369402	618108	GO	9	a		dac	pk	fg		arg					bleached	185110	1	0.9	160	28	50			
LA	185111	6369423	618100	GO	9	f		vn	gr	fg	bx	prop					Qtz	185111	17	1.2	791	17	133			
LA	185112	6369377	618620	GO	9	f		vn	gr	mg	vug	prop						185112	38	3.9	120	71	38			
LA	185113	6372980	611500	GO	ax 1	a			wt		bx	arg						185113	6	0.6	87	5	18			
LA	185114	6372953	611500	GO	ax 1	a		dec	bn	p		arg						185114	15	0.2	113	6	30			
LA	185115	6373123	611229	GO	ax 1	f		vn	wt	fg	vug	ep						185115	14	0.4	8	15	12			
LA	185154	6370872	616818	GO	Gordo 4	a/c		and	wt-gr	qtz		sp	qtz vn	1%			Qtz breccia; float talus	185154	178	1.9	3828	23	58			
LA	185155	6370820	616843	GO	Gordo 4	f		and	wt	qtz		cpy	qtz vn	1%			Malachite stains; talus	185155	136	25.5	971	44	34			
LA	185156	6370983	616984	GO	Gordo 4	f			bn	vug	qtz	py	qtz vn	2%			talus float	185156	1628	12.3	815	20	13			
LA	185157	6370981	616947	GO	Gordo 4	f			bn	vug	qtz		qtz vn					185157	848	5.8	1847	36	21			
LA	185158	6370981	616954	GO	Gordo 4	f			wt-bn	vug	qtz	cpy-py	qtz vn	20%			1% cpy; 20%py	185158	8428	30.4	8278	103	35			
LA	185159	6371108	616795	GO	Gordo 4	f		and	gn-bn	vug	qtz	cpy-py	qtz vn	2%			talus	185159	210	10.8	10000	83	85			
LA	185190	6371108	616795	GO	Gordo 4	f			wt	qtz		py	qtz vn	1%				185190	145	1.2	808	10	10			
LA	185191	6371289	616998	GO	Gordo 4	f			wt-bn	qtz		ep					py 15%	185191	20	0.3	82	23	58			
LA	185192	6371286	616998	GO	Gordo 4	a/c		tuff		mass	stk	el	qtz vn	py 2%				185192	10	1.1	978	12	25			
LA	185193	6371428	618403	GO	Gordo 4	f		dec	wt	qtz	fld		stk	cpy 1%			talus	185193	800	2.1	1338	12	80			
LA	185194	6371428	618403	GO	Gordo 4	f		and	rd	qtz		qtz					no sulphides	185194	6	0.2	22	18	23			
LA	185195	6371370	618181	GO	Gordo 4	f				vug	fld						py 2%	185195	21	0.4	243	8	23			
LA	185196	6371318	618186	GO	Gordo 4	f			gn		fld						malachite stain	185196	3	0.2	6838	11	123			
LA	185197	6371299	618190	GO	Gordo 4	f			qtz	wt-bn	qtz						py 4%	185197	10000	38.2	3210	1380	22	21.75		
LA	185198	6371307	614278	GO	Gordo 3	f		tuff	gn	mass	diss	el	write	py 1%				185198	121	0.5	86	24	14			
LA	185199	6370780	615007	GO	Gordo 3	f		tuff	bn	qtz		vn						185199	62	4.3	844	28	35			
LA	185170	6370916	615481	GO	Gordo 3	f			bn-wt	vug	qtz						talus	185170	60	4.5	583	229	144			
LA	185173	6367990	615210	GO	Gordo 7	a/c			bn-wt	med		prop						185173	80	7.3	75	320	43			
LA	185174	6367767	615472	GO	Gordo 7	f			bn-wt	med		vug						185174	632	6.9	627	79	18			
LA	185178	6366279	618107	GO	Gordo 8	f		tuff	rd	qtz		write	cpy 1%				talus	185178	242	0.8	2717	62	141			
LA	185178	6366286	617978	GO	Gordo 8	f		tuff	rd	qtz		write	cpy 1%				talus	185178	404	1.8	2080	14	122			
LA	185177	6366154	617628	GO	Gordo 8	f		dac	wt-gr	qtz		carb					galena + cpy	185177	6	3	1181	10000	8438			
LA	185178	6367091	617896	GO	Gordo 8	f			rd-wt	qtz		vn						185178	4190	7.3	1274	285	57			
LA	185179	6367160	617895	GO	Gordo 8	a/c			rd-wt	qtz		vn						185179	10000	30.3	1001	674	30	18.43		
RB	185228	6372004	613600	GO	Oxide 2	f		and	PK	p	bx	el					rusty Qtz fl; dissemin cpy	185228	99	7.5	10000	82	78			
RB	185228	6372071	613640	GO	Oxide 2	a/c		dac	GY	fg							gray rhyo-dolite with minor clay alt	185228	4	0.2	85	3	24			
RB	185230	6372158	613633	GO	Gordo 1	f		dec	GY	fg							rusty cherty fl; py +/- mal	185230	44	1.9	73	30	14			
RB	185231	6372156	613643	GO	Gordo 1	f			GY	fg							rusty bldr; Qtz veinlet; cpy	185231	251	17.9	14	143	15			
RB	185232	6371955	614450	GO	Gordo 1	f			WT	mg	bx	qtz					"dogtooth" Qtz bldr	185232	26	0.9	1085	6	18			
RB	185233	6371948	614510	GO	Gordo 1	f			OR	og	vug	qtz					"dogtooth" Qtz bldr	185233	38	0.2	18	2	1			
RB	185234	6371913	614639	GO	Gordo 1	f			WT	og	bx	qtz					talus bldr with tr py +/- cpy	185234	359	0.8	41	3	18			
RB	185235	6371911	614844	GO	Gordo 1	f			WT	mg	bx	qtz					talus bldr with tr py +/- cpy	185235	188	1.1	382	20	2			
RB	185236	6371847	614817	GO	Gordo 1	f		And	WT	mg	bx	prop					atz vein in prop and	185236	53	2.3	1208	109	83			
RB	185237	6371844	614459	GO	Gordo 1	f		And	OR	fg	bx	qtz					rusty talus fl	185237	38	1.2	278	17	99			
RB	185238	6368447	618277	GO	Gordo 1	f		Gr	GR	mg		el					talus bldr; Qtz +/- ba	185238	6	0.2	16	24	49			
RB	185239	6371735	614549	GO	Gordo 1	a/c																				

Gordo Group Table IV
Rock Descriptions

Sample	Sample #	UTM N	UTM E	Area	Claim	Type	Lnth	Rook	Colour	Text 1	Text 2	Alt 1	Occur	Mty%	Alt Type	Mess.	Comments	Sample #	Au gpb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Au atoms	Ag atoms
RB	185247	6371837	614868	GO	Gordo 1	f		And	WT	fg	vug						qtz str wks	185247	4	0.2	34	2	35		
RB	185248	6371835	614868	GO	Gordo 1	f		And	WT	fg	vug						qtz strwks; drusy cavities	185248	123	0.8	314	11	39		
RB	185249	6371852	614900	GO	Gordo 1	f			OR	og	vug						bidr; bowwork textures	185249	86	1.1	0	5	11		
RB	185250	6371864	614835	GO	Gordo 1	f			PK	fg	qtz						tabular bidr; red weath bx work	185250	83	1.1	0	2	8		
RB	185251	6371834	614868	GO	Gordo 1	alc			GY	fg	qtz			py 20%			rusty siliceous rk with occasional qtz stringers	185251	43	0.6	18	15	66		
RB	185252	6372070	615037	GO	Gordo 1	f			WT	msg	vug			wt 5%			mal in drusy qtz bidr; epithermal	185252	9	2.7	3728	18	18		
RB	185253	6372083	615068	GO	Gordo 1	f			WT	msg	vug			wt 5%			mal in drusy qtz bidr; epithermal	185253	6	1.4	1339	12	9		
RB	185254	6372084	615068	GO	Gordo 1	f			PK	fg	vug			py 1%			vuggy qtz bidr with 1% py	185254	5	0.6	243	8	10		
RB	185255	6372085	615068	GO	Gordo 1	f			RD	fg	vug			msg 50%			rusty local fl; 10% py	185255	173	1.3	29	67	59		
RB	185256	6371674	614878	GO	Gordo 1	f		dae	YO	fg	sd			py 5%			siliceous rk (?) with drusy cavities	185256	7250	197.6	23	143	42		177
RB	185257	6370801	614863	GO	Gordo 3	f			WT	og	bd			cpy 2%			15cm thick qtz with mal + cpy	185257	1480	13.2	10000	503	23		
RB	185258	6370806	616872	GO	Gordo 3	f			WT	og	bd			cpy 1%			*dogtooth* qtz talus; with cpy + py	185258	648	4.1	3864	42	31		
RB	185259	6370821	615998	GO	Gordo 4	f			WT	og	bd			cpy 1%			talus; 15cm thick with mal + cpy	185259	3470	7.8	3701	313	23		
RB	185260	6370983	616080	GO	Gordo 4	f			WT	og	bd			cpy 1%			talus fl with cpy + mal, stringers	185260	110	0.5	6709	14	4		
RB	185261	6370954	616138	GO	Gordo 4	f			WT	og	bd			cpy 1%			qtz fl with cpy + mal	185261	45	1.6	3888	23	33		
RB	185262	6370840	616810	GO	Gordo 4	f			WT	og	bd			cpy 1%			25cm wide qtz bidr with mal + cpy	185262	84	0.9	1485	18	20		
RB	185263	6370232	617080	GO	Gordo 4	f			WT	og	bd			cpy 1%			up to 25cm qtz bidr; with cpy	185263	2	1	1808	8	46		
RB	185273	6373695	616588	GO	Gordo 2	alc		dae	wt	t	arg			py 1%			qtz stringers (strong arg)	185273	270	2.9	320	200	500	0.27	2.9
RB	185274	6373685	616871	GO	Gordo 2	alc		dae	wt	t	arg			py 10%			qtz stringers (strong arg)	185274	330	27.8	100	300	300	0.33	27.8
RB	185275	6373655	616874	GO	Gordo 2	alc		dae	wt	t	arg,el			py 5%			qtz stringers	185275	1350	13.3	20	100	1400	1.35	13.3
RB	185276	6373588	616867	GO	Gordo 2	alc			gy	t	arg			py 5%			qtz-py-ch veins	185276	30	1	10	100	100	0.03	1
RB	185277	6373594	616863	GO	Gordo 2	alc			gyr	fg	t			py 5%			qtz-ch-py stringers	185277	40	1.2	10	100	100	0.04	1.2
RB	185278	6373652	616894	GO	Gordo 2	f		vn	wt	og				py 2%			qtz	185278	10	0.1	10	100	100	0.01	0.1
RB	185279	6373725	616478	GO	Gordo 2	f		dae	rb	t	arg,prop			py 3%			qtz stringers	185279	80	2.3	10	100	100	0.08	2.3
RB	185280	6373700	616480	GO	Gordo 2	f			wt	og				py 3%			qtz stringers	185280	200	2.8	80	200	100	0.2	2.8
RB	185281	6373788	616483	GO	Gordo 2	f			grwt	vug				py 2%			rusty	185281	60	1.3	20	100	100	0.06	1.3
RB	185282	6373788	616589	GO	Gordo 2	f		vn	gy	og				py 3%			qtz rusty	185282	10	0.4	10	100	100	0.01	0.4
RB	185283	6373780	616591	GO	Gordo 2	alc		and	wt	p	bio,chl			py 2%			bio and ep	185283	60	1	40	100	400	0.06	1
RB	185284	6373784	616598	GO	Gordo 2	f		vn	wt	og				py 5%			qtz	185284	10	0.9	10	100	100	0.01	0.9
RB	185285	6373778	616598	GO	Gordo 2	f		vn	grwt	og				py 5%			qtz	185285	10	0.1	10	100	100	0.01	0.1
RB	185286	6374051	616707	GO	Gordo 2	f		and	wt	t	prop			py 1%			qtz stringers	185286	10	0.5	20	100	100	0.01	0.5
RB	185287	6374082	616724	GO	Gordo 2	f		vn	wgr	fg	vug			py 20%			qtz stringers	185287	80	10.2	580	100	100	0.06	10.2
RB	185288	6373481	616853	GO	Gordo 2	f		vn	wt	msg	chl,ser			py 1%			qtz	185288	10	0.2	80	100	100	0.01	0.2
RB	185289	6373512	616894	GO	Gordo 2	f		vn	wt	og				py 1%			qtz	185289	10	0.8	130	100	100	0.01	0.8
RB	185290	6373735	616894	GO	Gordo 2	sub		vn	wt	msg	vug			py 5%			qtz	185290	5	0.2	21	6	6		
RB	185291	6373514	616754	GO	Gordo 2	sub		vn	wt	fg	vug			py 5%			rusty qtz, frothy	185291	90	6.4	76	248	236		
RB	185292	6373511	616758	GO	Gordo 2	sub		vn	wt	vug	vug			py 5%			rusty qtz stringers and gn	185292	309	20.2	74	4888	1060		
RB	185293	6373600	616813	GO	Gordo 2	alc		vn	wt	fg				py 10%			rusty with sph	185293	76	11	92	343	2588		
RB	185294	6373610	616821	GO	Gordo 2	sub		vn	wt	fg				py 5%			qtz and gn, sph, cpy	185294	88	32.5	384	861	827		
RB	185295	6373697	616878	GO	Gordo 2	alc		vn	gr	fg	prop			py 10%			msg	185295	19	0.2	11	48	254		
RB	185296	6373691	616881	GO	Gordo 2	alc		vn	wt	msg				py 5%			rusty qtz	185296	358	8.4	30	171	34		
RB	185297	6373690	616880	GO	Gordo 2	sub		vn	wt	msg				py 5%			rusty qtz	185297	348	12.3	475	168	811		
RB	185298	6373690	616881	GO	Gordo 2	sub		vn	yo	msg				py 5%			rusty qtz, msg	185298	107	2	20	90	42		
RB	185299	6373767	617022	GO	Gordo 2	sub		vn	wgr	vug	prop			cpy 2%			qtz, cpy, mal	185299	3	2.7	8124	17	38		
RB	185300	6371513	617112	GO	Gordo 4	f		vn	wgr	fg	bx			py 1%			qtz	185300	3	0.2	26	6	89		
PS	185301	6368614	619061	GO	8	f			wt	msg	ser			cpy 2%			qtz calc vn to 40 cm	185301	1101	3.3	2475	28	9		
PS	185328	6373736	610743	GO	amethyst	f			qtz	wt	vug						tr	185328	4	0.2	71	10	182		
PS	185327	6374055	610873	GO	amethyst	g			alk rk	wt	fg			py 1%			silicified intrusive from blast trench	185327	6	0.4	132	4071	54		
PS	185328	6374050	610893	GO	amethyst	f			alk rk	wt	fg			carb	sulph 1%		appears very small - 2 small spots	185328	78	17.8	1784	21	10000		
PS	185329	6374681	611514	GO	amethyst	f			mz	pk	msg			vug	prop	stk	stk in pink granite	185329	1	0.2	85	187	282		
PS	185330	6371686	615390	GO	1	f		and	wt	msg	vug, t			cpy 3%			other F red tuff breccia / 1/2 talca breccia	185330	2802	13.2	2632	36	81		
PS	185331	6371685	615393	GO	1	f		and	gr-wt	msg	vug, t			cpy 1%				185331	6701	8.5	6326	100	74		
PS	185332	6371701	615511	GO	1	f		vn	wt	gr	msg			1% cu				185332	10060	22.2	10000	118	85	10.53	
PS	185333	6371701	615511	GO	1	f		alk rk	gr	msg	prop	vn		py 5%				185333	806	2.6	3365	178	120		
PS	185334	6371710	615562	GO	1	f		tuff	gr	msg	t			py 2%			silicified lap. Tuff	185334	6010	38.6	156	20	78		
PS	185335	6371736	615613	GO	1	f		vn	gr-wt	msg	bd			py 3%			cpy 1%	185335	734	16.3	6028	218	40		

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Length	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Min%	All Type	Meas.	Comments	Sample #	Au gpb	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Au g/tonne	Ag g/tonne
PS	185376	6372178	614389	GO	Gordo 1	f		and	bn gn	mg			prop	Q vn	py opy 1%		float 20cm	185376	13	0.2	249	11			
PS	185377	6372135	614458	GO	Gordo 1	f		and flow	gn wt	mg			prop	Q vn	py opy 1%			185377	133	1.1	738	7	87		
PS	185386	6373780	616469	GO	Gordo 2	f		flow banded	gn bn	og	bx		prop	apl py	py 1%		Floater 10x15x15 cm	185386	10000	24.7	56	97	13	48.1	
PE	185380	6373665	616678	GO	Gordo 2	g			bn wt	fg	weathered		all	py qz vn	py 10%		reamples Debbie; weathered white py	185380	452	38.5	84	430	137		
GS	186996	6367017	618817	GO	Gordo 2	f	0.04		WT vn	crif			ai	perv	py 1%		Dog tooth qtz, float	186996	10000	21.8	836	344	38	42.13	
GS	186000	6367018	618840	GO	Gordo 2	f	0.25		OR vn				ir	perv			can see boxwork of remnant py	186000	108	45.2	2284	378	1802		
TR	188951	6371830	618233	GO					PK fg		P, vug		prop				Stookwork w/mag	188951		0.3	485	23	104		
TR	188952	6371830	618233	GO					PK fg		bx		prop				stookwork, smythet	188952		0.2	18	44	35		
TR	188953	6371854	618239	GO					RD fg		T, vug		prop				rusty, stookwork	188953	73	1.7	37	27	79		
TR	188954	6371486	614720	GO					BNGR fg		T		prop				stookwork	188954	30	0.8	45	178	208		
TR	188955	6371487	614784	GO					BNGR fg		T		prop				stookwork	188955	16	0.5	83	762	2578		
TR	188956	6371489	614722	GO					GR fg				prop	py opy 2%				188956	185	9.8	8889	2878	1770		
TR	188957	6371470	614801	GO					GR fg		bd		prop	opy 5%				188957	10000	184.9	10000	156	288	14.91	
TR	188958	6371484	614809	GO					BNGR fg		t		prop					188958	825	9.5	3821	87	51		
TR	188959	6371564	614823	GO					WT fmg				prop				Stookwork	188959	16	1.3	108	23	33		
TR	188960	6371564	614823	GO					WT fmg				prop				Stookwork	188960	36	1.8	23	14	98		
TR	188961	6371564	614823	GO					WT fmg				prop				Stookwork	188961	11	1.8	17	38	30		
TR	182501	6375186	618959	GO				o/c	vn	wt	fg		ser	py 30%				182501	1040	200	580	400	1300	1.04	371
TR	182502	6375186	618959	GO				o/c	vn	bn	fg		ser	py 5%				182502	230	81	280	200	300	0.23	81
TR	182503	6373682	618959	GO				o/c	dec	wt	fg		ser	py 10%				182503	2200	19.3	20	100	3400	2.2	18.3
TR	182504	6373688	618954	GO				f	vn	wt	mg		vug					182504	860	23.2	300	100	600	0.88	23.2
TR	182505	6373644	618959	GO				sub	vn	wt	fg		prop, ser	py 5%	trend	330	block of unidentified sulphide	182505	860	7.4	320	300	200	0.8	7.4
TR	182506	6373628	618485	GO				sub	vn	wt	fg		ser	py 3%			talus qtz	182506	430	6.1	130	300	500	0.45	6.1
TR	182507	6373661	618981	GO				sub	vn	wt	og		chl, ser	py 5%			rusty boxwork	182507	10	1.3	20	100	100	0.01	1.2
TR	182508	6373651	618981	GO				sub	vn	wt	og		ser	py 2%				182508	10	0.2	10	100	100	0.01	0.2
TR	182509	6373651	618981	GO				f	vn	wt	og		ser	py 4%			qtz	182509	10	0.1	10	100	100	0.01	0.1
TR	182510	6373651	618981	GO				f	vn	wt	og		ser	py 5%			qtz	182510	10	0.2	10	100	100	0.01	0.2
TR	182511	6374015	618957	GO				f	vn	wt	og		ser	py 1%			talus qtz	182511	10	0.4	10	100	100	0.01	0.4
TR	182512	6374036	618978	GO				f	vn	wt	og		ser	py 3%			talus qtz	182512	10	0.1	10	100	100	0.01	0.1
TR	182513	6373854	618731	GO				f	vn	grwt	og	bx	chl, ser				talus qtz	182513	10	0.1	10	100	100	0.01	0.1
TR	182514	6374034	618982	GO				f	vn				ser				talus qtz	182514	10	0.2	20	100	100	0.01	0.2
TR	182515	6373839	618914	GO				f	vn				ser				talus qtz	182515	20	0.7	70	100	100	0.02	0.7
TR	182516	6373841	618900	GO				f	vn				ser				talus qtz	182516	10	0.1	20	100	100	0.01	1
TR	182517	6374034	618779	GO				f	vn				ser				talus qtz	182517	10	0.1	10	100	100	0.01	0.1
TR	182518	6374034	618779	GO				f	vn				ser				talus qtz	182518	10	0.4	10	100	100	0.01	0.4
TR	182519	6374072	618748	GO				f	vn	wt	og		ser	py 3%			talus rusty qtz	182519	20	0.2	180	13	16		
TR	182520	6374385	618537	GO				f	vn	wt	fg		ser	py 1%			talus qtz, sph, gn	182520	17	4.9	141	198	1304		
TR	182521	6374130	618669	GO				f	vn	wt	fg	vug	ser	py 1%			talus gn, sph	182521	48	34.3	672	10000	1030		
TR	182522	6374062	617280	GO				f	vn	wt	bd		ser	gn, sph, py 2%			talus rusty qtz	182522	3080	200	108	10000	1950	0.328	
TR	182523	6374182	617280	GO				f	vn	wt	fg	vug	ser	py 5%			talus qtz vn	182523	841	37.3	193	2133	1387		
TR	182524	6373877	617409	GO				f	vn	wt	mg		ser	gn, sph 1%			talus qtz-ba, gn, sph, py	182524	105	42	403	10000	10000		
TR	182525	6373894	617488	GO				f	vn	wt	crif		vug	py 10%			talus qtz	182525	1227	134.1	419	10000	10000		
TR	182526	6373894	617488	GO				f	vn	wt	fg		vug	py 16%			talus qtz, gn, sph	182526	1635	200	382	10000	8276	0.312	
TR	182527	6373922	617654	GO				f	vn	wt	mg		vug	5% py sph + gn			talus qtz, Minor py	182527	133	198.6	190	7809	1884	0.187	
TR	182528	6373833	617598	GO				f	vn	wt	mg		ser	10% sph, gn, py			talus qtz	182528	1412	76.2	797	10000	10000		
TR	182529	6373828	617590	GO				f	and?	gn	t		prop	8% sph			talus	182529	282	6.4	1874	285	10000		
TR	182530	6373865	617644	GO				f	vn	wt	mg	bx	chl, ser	3% opy			talus qtz bx	182530	47	2.6	10000	103	328		
TR	182531	6374213	617936	GO				f	dec	yogwrt	l		prop	1% py			talus bleached qtz stringer	182531	87	2.3	181	80	320		
TR	182532	6374040	617982	GO				f	vn	grgy	mg		prop	7 opy			talus GKWW	182532	96	12	10000	148	147		
TR	182533	6374036	617994	GO				f	vn	wt	mg		ser	40% py + opy			talus	182533	1386	84.4	10000	176	24		
TR	182534	6374019	618000	GO				f	vn	wt	mg		ser	5% py			talus rusty qtz	182534	18	0.2	282	17	13		
TR	182535	6374019	618000	GO				f	vn	wt	mg		ser	5% py			talus rusty qtz	182535	23	0.2	811	13	37		
TR	182536	6374074	618074	GO				f	vn	wt	vug		ser	1% py			talus rusty minor +/- Cu calcite	182536	84	0.4	2347	21	80		
TR	182537	6374074	618074	GO				f	vn	grwt	mg		ser	prop			talus Qtz-calcite	182537	1	0.2	182	5	41		
TR	182538	6374230	618074	GO				f	vn	wt	mg		ser	prop	10% py		talus rusty, oom py	182538	18	0.2	182	17	21		
TR	182539	6368708	617478	GO				f	dec	gn	t		prop	1% opy			talus	182539	24	6.9	7407	863	2332		
TR	182540	6368872	617485	GO				f	mont	pk	mg	p	prop	opy 1%			qtz vnt	182540	8	0.5	1				

Gordo Group Table IV
Rock Descriptions


Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Loath	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Min%	Alt Type	Mass	Comments	Sample #	Au g/t	Ag g/t	Cu g/t	Pb g/t	Zn g/t	Au g/tonne	Ag g/tonne
RB	192601	6371641	617848	GO	Gordo 6 f	and		wigr t	vug				py 1%				rusty qtz with be	192601	114	0.2	101	28	45		
RB	192602	6371560	618070	GO	Gordo 6 f	and		wigr t	vug				py 3%				rusty qtz	192602	10000	32.4	4058	48	8	32.33	
RB	192603	6371517	618256	GO	Gordo 6 f	dec		bn t	vug				prop				qtz ch-py vntc	192603	708	0.2	518	8	71		
RB	192604	6371833	618256	GO	Gordo 6 f	vt		wt mg					prop	py 2%			qtz-py boxwrt	192604	1800	0.5	26	9	5		
RB	192605	6372143	618622	GO	Gordo 6 f	vt		wigr fg					prop	py,cpy 1%			qtz-calc	192605	3	0.5	2811	15	1686		
RB	192606	6372181	618624	GO	Gordo 6 f	and		grwt mg	bx				prop	py 1%			qtz strowrk	192606	12	0.2	11	9	88		
RB	192607	6372192	618587	GO	Gordo 6 sub	vn		mg	vug					py 1%			qtz	192607	839	0.2	30	13	14		
RB	192608	6372417	618440	GO	Gordo 5 o/c	vn		wt mg					prop	cpy 1%	S/D	15045	1.0m wide vein qtz and mal	192608	170	0.2	612	37	79		
RB	192609	6372603	618390	GO	Gordo 5 o/c	vn		wt fg						cpy 1%			1.25m wide qtz vein	192609	493	2.1	1686	121	49		
RB	192610	6372370	618681	GO	Gordo 5 f	vt		wt fg					ser	cpy 1%			qtz	192610	1789	5	8747	129	31		
RB	192611	6372745	618189	GO	Gordo 5 o/c	vn		wt					prop	cpy 1%			qtz-calc, mal	192611	1	0.3	865	9	28		
RB	192612	6372876	618670	GO	Gordo 5 f	vt		wt fg					ser	cpy 1%	trnd	320	qtz vn with mal	192612	1815	3.3	8137	148	22		
RB	192613	6372835	618621	GO	Gordo 5 o/c	vn		wt fg					prop	sup 1%			1m qtz vein	192613	678	30.7	1870	10000	10000		
RB	192614	6372047	618638	GO	Gordo 6 o/c	vn		gr mg						cpy 1%			rusty qtz strowrk with az and mal	192614	34	12	861	10000	3013		
RB	192615	6372048	618638	GO	Gordo 6 o/c	vn		gr mg						cpy 1%			rusty qtz ogy gn py az	192615	43	89	7368	10000	10000		
RB	192616	6372048	618638	GO	Gordo 6 sub	vn		gr mg	vug				prop	sup 1%			qtz-calc	192616	101	1.1	27	686	298		
RB	192617	6372031	618884	GO	Gordo 6 sub	vn		gr mg					prop	gn 3%			rusty qtz and py	192617	4	28.4	839	10000	10000		
RB	192618	6372035	618872	GO	Gordo 6 o/c	vn		grwt fg	vug				ser	gn 1%			rusty qtz	192618	16	54.8	2358	10000	10000		
RB	192622	6368457	615061	GO	8 f	and		bn t						py 10%			qtz veinlets; ocoos galena	192622	547	1.3	51	5178	1332		
RB	192623	6368456	615045	GO	8 f	and		bn t					arg	py			bleached; py, spn, gn	192623	46	0.3	26	931	1840		
RB	192624	6368680	615262	GO	3 o/c	and		wt-gy t					arg	py 5%			intense arg.	192624	2	0.2	8	28	43		
RB	192625	6368682	616250	GO	3 sub	vn		gy mg					ser si	py 5%				192625	155	0.1	84	144	72		
RB	192688	6373121	610145	GO	Open sub	dec		GY mg					prop	py 1% sph tr			Oxide bleached	192688	130	0.9	74	194	2684		
RB	192689	6373278	610505	GO	Open f	vn		WT mg						qtz ba			Oxide bleached	192689	10	0.2	12	2	11		
RB	192690	6372847	611810	GO	Oxide o/c	vn		GY mg	bd					py 10%			Oxide bleached magnetite	192690	68	1.8	1703	39	60		
RB	192691	6372805	611898	GO	Oxide o/c	ey		PKWT mg						sph, gn, cpy 2%			Oxide bleached qtz veins gn, sph, cpy	192691	5	1.6	1989	1325	3268		
RB	192692	6372804	611898	GO	Oxide o/c	ey		PKWT mg						sph, gn, cpy 2%			Oxide bleached qtz veins gn, sph, cpy	192692	13	5.4	1027	10000	10000		
RB	192693	6372727	612136	GO	Oxide o/c	dec		ORWT mg	p				prop				Oxide qtz stc; tr gn, sph, cpy	192693	1	1.3	33	281	170		
RB	192694	6371916	615210	GO	1 f	vn		OR og-mg	vug					qtz				192694	190	0.4	74	48	57		
RB	192695	6371981	615128	GO	1 f	dec		br t	bx					lim prop			lim. Cpy	192695	9	0.4	2674	15	39		
RB	192696	6372082	615140	GO	1 f	and		br fg t	vug					prop			olinosiolite (high temp)	192696	560	12.2	56	34	187		
RB	192697	6372086	615138	GO	1 f	and		br fg-t	vug					prop				192697	29	1.6	11	18	40		
RB	192698	6372085	615136	GO	1 f	and		br fg-t	vug					prop				192698	108	1.6	13	17	67		
RB	192699	6372086	615135	GO	1 f	and		br fg-t	vug					prop				192699	31	11.8	10	26	128		
RB	192700	6372151	618482	GO	1 f	and		or-wt mg						qtz				192700	32	0.8	9	9	5		
RB	192701	6372151	618482	GO	1 f	and		or-wt mg						qtz				192701	32	0.8	9	9	5		
YG	192763	6371863	613820	GO	Gordo 3 f	vn		wt bx						el				192763	4890.1	100.0	75.43	157.51	37.3		
YG	192764	6371810	613972	GO	Gordo 3 f	vn		wt bx	vug					qtz				192764	41.9	1.8	17.58	4.81	14.3		
YG	192765	6371427	614453	GO	Gordo 3 f	rhy/dec		wt fg										192765	16.2	0.7	21.8	28.9	11.7		
YG	192766	6371409	614427	GO	Gordo 3 f	rhy/dec		wt fg										192766	24	0.8	20.31	28.93	16.7		
YG	192767	6371384	614747	GO	Gordo 3 f	and		fg						qtz			Qtz vein on andesite	192767	0.9	0.0	11.06	1.98	97.7		
YG	192768	6371318	614864	GO	Gordo 3 f	and		wt bd	bx					qtz				192768	63.5	0.3	12.67	6.14	13.8		
YG	192769	6371083	615053	GO	Gordo 3 f	and		gy fg	bd					qtz/ep				192769	2.7	0.1	5.84	9.18	30.7		
YG	192770	6373828	616678	GO	Gordo 2 f	and		gy fg	clsa					al				192770	8.5	0.4	50.29	61.47	270.4		
YG	192771	6373836	618707	GO	Gordo 2 f	and		wt mg	vug					qtz				192771	12.3	0.2	10.22	2.64	6.1		
YG	192772	6374021	618722	GO	Gordo 2 f	and		bn mg	vug					limonite				192772	96	1.0	5.79	5.53	4.3		
YG	192773	6374035	618704	GO	Gordo 2 f	and		bn mg	vug					limonite				192773	10.8	0.2	9.68	1.99	3		
YG	192774	6374048	616573	GO	Gordo 2 f	and		wt bx	vug					carb				192774	69.1	1.8	6.2	0.35	62.8		
YG	192786	6373780	616469	GO	Gordo 2 f	and		bn vug						limonite				192786	43310.9	18.7	86.43	72.06	10.1		
YG	192786	6373487	616214	GO	Gordo 2 f	rhy		gr fg	fld					sil/ep				192786	66.7	0.1	3.23	2.9	10		
YG	192787	6372754	615366	GO	Gordo 1 f	?		bk mg	bx					mag				192787	271.8	3.2	2.72	1.66	51.5		
YG	192798	6372104	611035	GO	Oxide 1 o/c	rhy		yo fg						limonite				192798	10.3	0.1	2.1	4.93	24.3		
YG	192799	6371770	611267	GO	Oxide 1 o/c	rhy		gy fg						limonite				192799	192.2	0.2	10.48	0.3	82.9		
YG	192770	6372402	611400	GO	Oxide 1 o/c	ey		or mg						sp				192770	6.4	0.1	13.16	15.47	233.9		
YG	192771	6372422	611483	GO	Oxide 1 f	rhy		gy fg	fld					si				192771	102.6	1.1	620.19	172.43	1449.4		
YG	192772	6372422	611483	GO	Oxide 1 f	rhy		yo mg	fld					limonite				192772	109	0.7	10.8	108.83	36		
YG	192773	6372440	611623	GO	Oxide 1 f	?		bn bx						limonite				192773	16.7	0.1	243.74	9.93	304		
YG																									

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Length	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Min%	Alt Type	Mass.	Comments	Sample #	Au g/t	Ag g/t	Cu g/t	Pb g/t	Zn g/t	Au g/tonne	Ag g/tonne
TG	192806	6373799	616440	GO	Gordo 2	g		dec	gn	fg			prop	1% py				192806	3660	12.3	50	100	100	3.98	12.3
TG	192808	6373865	616392	GO	Gordo 2	g		vn	rd	mg	fg		prop	5% py			(24 gms Au +/-) est	192808	450	16.1	90	100	100	0.45	16.1
TG	192810	6373861	616386	GO	Gordo 2	g		and	gn	t			prop	2% py				192810	80	0.6	180	100	100	0.08	0.6
TG	192811	6373851	616457	GO	Gordo 2	g			gn	og			prop	1% py			qtz	192811	10	0.3	140	100	100	0.01	0.3
TG	192812	6373843	616661	GO	Gordo 11g	g		and	gn	og			prop	5% py			sample across vein width covellite qtz vein	192812	10	0.1	170	200	100	0.01	0.1
TG	192813	6373843	616661	GO	Gordo 11g	g			rd	og				1% py			sample across vein width covellite qtz vein	192813	20	1.2	10	100	100	0.02	1.2
TG	192814	6373843	616661	GO	Gordo 14g	g			wt	og				3% py			sample across vein width covellite qtz vein	192814	10	0.8	40	100	100	0.01	0.8
TG	192815	6373843	616661	GO	Gordo 11g	g			wt	og				5% py			sample across vein width covellite qtz vein	192815	1	0.2	26	2	59		
TG	192816	6373843	616661	GO	Gordo 14g	g			rd	og		ser		2% py			sample across vein width covellite qtz vein	192816	1	0.2	8	2	17		
TG	192817	6374186	616623	GO	Gordo 14g	g		dec	ngy	t	fg		prop	2% py			qtz vein	192817	67	7	183	179	53		
TG	192818	6373412	617458	GO	Gordo 2	g		and	gn	t			prop	3% py			qtz vein, w/ calcite; opy, mal	192818	1374	16.7	10000	67	1007		
TG	192819	6372238	617533	GO	Gordo 2	g			gn	purky		carb?					qtz, opy + oxides weath. Rock	192819	70	17.7	9312	104	10000		
TG	192820	6372283	617498	GO	Gordo 2	g		vn	gn	coax	vg			1% opy			vein; calcite	192820	7	0.2	3270	18	206		
TG	192821	6372308	617402	GO	Gordo 2	g		vn	gn	gnwt	mg			1% opy			calcite	192821	118	2.6	5639	320	7685		
TG	192822	6372304	617385	GO	Gordo 2	g		vn	r	og				50% sulph			qtz py opy	192822	843	21.3	10000	171	300		
TG	192823	6372309	617370	GO	Gordo 2	g		vn	wt	mg	vg	ser					qtz-calcite	192823	104	5.7	2490	36	64		
TG	192824	6372421	617203	GO	Gordo 2	g		vn	wt				prop	5% cpy			spec hem	192824	375	5.9	10000	63	86		
TG	192825	6372622	617294	GO	Gordo 2	g			gnrd	t								192825	3	0.2	426	9	35		
TG	192826	6372874	617454	GO	Gordo 2	g		vn	gn				prop-ser	10% cpy/py				192826	13	5.9	10000	106	261		
TG	192827	6372895	617373	GO	Gordo 2	g		vn	gn				epid-calc	3% cpy			minor spec. hem; magnetite	192827	2	0.2	10000	30	298		
TG	192828	6373249	617167	GO	Gordo 2	g		vn	wt	mg			prop	1% sulph			qtz	192828	98	18	10000	361	170		
TG	192829	6373280	617241	GO	Gordo 2	g		and	gn	mg			prop	3% cpy			epochem, py + cpy	192829	8	1.4	108	331	60		
TG	192830	6373425	617320	GO	Gordo 2	g		vn	rd	frshy							qtz w/ limonite, jarosite	192830	23	0.9	18	85	14		
TG	192831	6373615	617667	GO	Gordo 2	g		dec	gn	t	og		prop	1% py			qtz vein; minor cu lim, +/- cpy	192831	12	1.1	304	58	65		
TG	192832	6373616	617878	GO	Gordo 2	g		vn	wt	mev	fg						qtz vein; minor cu lim, +/- cpy	192832	83	3.4	3887	102	100		
TG	192833	6373580	617620	GO	Gordo 2	g		vn	wt					6% py			nasty	192833	89	16.3	48	117	118		
TG	192834	6373444	617966	GO	Gordo 2	g		dec	gn	fg	t	prop		10% py			bleached + prop (R, vein)	192834	12	0.8	19	32	70		
TG	192836	6373459	617816	GO	Gordo 5	g		vn	gn	gnwt	mg			30% sulph			qtz w/ sulphate; sphal, py +/- cpy	192836	544	82.7	1767	1454	10000		
TG	192838	6373363	618288	GO	Gordo 5	g		vn	gn	gnwt	mg	vg		10% py			nasty qtz	192838	4857	32.8	1089	45	114		
TG	192837	6373420	618659	GO	Gordo 5	g		vn	wt	mg				5% py			nasty qtz; calcite w/ black shil	192837	133	2	143	29	72		
TG	192844	6388461	615980	GO	8	g		?	br	mg		ank					py sph gn qtz fault br (?)	192844	354	3	261	9850	10000		
TG	192845	6388467	615638	GO	8	g		and	br	mg		prop					veinlet qtz, ankertite	192845	20	3.9	359	10000	10000		
TG	192846	6388586	615497	GO	8	g		vn	br-or	fg		vug	prop	cpy 1%			py, cpy	192846	73	3.1	162	341	286		
TG	192847	6388992	615250	GO	8	g		and	br	fg	t	arg?		py 8%			bleached	192847	6	0.4	8	52	150		
TG	192860	6374341	611733	GO	Oxide			vn	WT	vug								192860	10	2.4	11	27	40		
TG	192900	6374284	611730	GO	Oxide			cht	BK									192900	3	0.2	21	43	282		
TG	192902	6372829	613892	GO	Oxide 2	f		qtz	OR									192902	25	1	13	14	8		
TG	192903	6372802	613645	GO	Oxide 2	f		qtz		mg			bd	py 8%				192903	18	0.2	118	6	7		
TG	192904	6388317	614838	GO	7&8	f		dio	GY	fg			vug					192904	9	0.2	148	16	58		
TG	192905	6371478	614593	GO	1	vn		qtz	RD	fg				py 5%			350/72	192905	11	0.7	46	12	31		
TG	192906	6371484	614787	GO	1	f		qtz	YOOR	og			vug					192906	11	0.3	8	11	5		
TG	192907	6371475	614794	GO	1	f		?	BNGN	og							mal, sz, cpy	192907	10000	200	10000	84	361	14.53	286
TG	192908	6371347	615418	GO	3	f		qtz	BN	og		lim	vug				mal, cpy	192908	1310	10	10000	476	115		
TG	192909	6372104	614989	GO	1	vn		qtz	WT	mg							mal, cpy	192909	24	0.2	3081	9	40		
TG	192910	6370895	615554	GO	1	f		qtz	WT	og								192910	222	6.8	158	728	7		
TG	192911	6370887	615481	GO	3	f		qtz	BN	og			vug, bx					192911	200	1.8	830	14	3		
TG	192912	6371049	615717	GO	3	f		qtz	BN	bx		lim	bx	mal, cpy				192912	212	2.1	10000	43	130		
TG	192913	6371031	615713	GO	3	f		qtz	WTBN	og		lim	bx	bn 1%				192913	10000	16.9	1585	103	10	14.9	
TG	192914	6371031	615714	GO	3	f		qtz	WTBN	og		bx	bx	mal, cpy, sph, sz 20%				192914	1340	26.2	10000	146	44		
TG	192915	6370085	616252	GO	4	f		qtz	GY	mg		sl	bd	py 8%				192915	180	3.9	272	42	18		
TG	192916	6371484	614340	GO	Gordo 1	g		rhydac	gy	t	bx		prop	py 1%			sl veinlets, fine py	192916	20	1.3	20	200	100	0.02	1.3
TG	192917	6371824	614107	GO	Gordo 1	g		dec	gn	t			prop	1% py			qtz bx	192917	10	0.1	30	100	100	0.01	0.1
TG	192918	6373573	618578	GO	Gordo 2	g		dec	gn	t			arg	5% py			bleached	192918	90	42.6	820	400	2400	0.06	42.6
TG	192919	6373547	618568	GO	Gordo 2	g		and	gn	t			prop	2% py				192919	60	15.3	30	100	300	0.05	0.2
TG	192920	6373987	611828	GO	Oxide			alt rk	BKGR					cpy 10%				192920	116	36.6	10000	673	8068		
TG	192921	6373704	611868	GO	Oxide			dec	BNGR	t			prop					192921	4	0.2	9	100			
TG	192922	6371073	615862	GO				vn	WT	vug							hosted in felds porph	192922	2467	13.8	1805	86	11		
TG	192923	6371075	615856	GO				vn	WT	vug				cpy 1%			py 15; BX WRKS	192923	834	11.4	8671	27	21		
TG	192924	6371058	615822	GO				vn	BRWT	bd			prop				mal, eye	192924	10000	78.9	10000	303	126	12.54	
TG	192925	6371026	615793	GO				vn	BR	vug			ank				qtz	192925	1449	10	1801	49	17		
TG	192926	6371027	615796	GO				vn	WT	vug			prop				minor sulphides	192926	358	3	1574	33	30		
TG	192927	6371027	615787	GO				vn	BRGR	mg		vug	prop	cpy 1%				192927	185	0.8	329	10	60		
TG	192928	6371036	615711	GO				vn	WT	mg		vug	prop	cpy 1.5%				192928	10000	8.8	970	177	33	12.5	
TG	192929	6371044	615712	GO				vn	WT	mg		vug	prop	cpy 1.5%				192929	448	3	2861	18	9		
TG	192930	6371026	615711	GO				vn	WT	mg		vug	prop					192930	20	0.3	308	8	53		
TP	149061	6371019	615675	GO				vn	WTBN	mg		vug	prop	cpy 3%			py								

Gordo Group Table IV
Rock Descriptions

Sampler	Sample #	UTM N	UTM E	Area	Claim	Type	Lith	Rock	Colour	Text 1	Text 2	Alt 1	Occur	Mln/%	Alt Type	Meas.	Comments	Sample #	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	Au g/tonne	Ag g/tonne
PS	151336	6372144	621967	too	0	f		and	wt bn g mg				prop	calc qtz	1%mal		mostly carb	151336	2	0.4	2346	0	33		
PS	151337	6372351	621879	too	0	f		tuff	wt eg				prop	qtz	bn, oc, mal 1%		host fresh crust IAP tuff	151337	3	3.5	1208	4	8		
PS	151338	6372374	621870	too	0	f		and	wtgr mg	vug			prop	qtz calc	bn, oc, opy, mal			151338	39	26.4	7328	13	52		
PS	151339	6372541	621812	too	0	f			wtgr mg				prop	qtz atk	bn, ml 1%		prop atk stronger here	151339	25	42.9	10000	20	56		
PS	151340	6372575	621843	too	0	f		fld porph int dk	dgr mg				prop	sulph on	py/opy mal 1%		tales	151340	0	0.2	862	8	41		
PS	151341	6372710	621795	too	0	f		maroon tuff	wtgr mg				prop	qtz calc	mal 1%		minor opy/mal on frac	151341	1	0.8	1076	3	25		
PS	151342	6373548	621815	too	0	f		fld porph talke	dgr mg				prop	calc vns	1%opy py		tales	151342	2	0.2	570	0	148		
PS	151343	6372905	622071	too	0	f		and	wtgr mg	vug			prop	qtz calc	1%bn			151343	59	3.4	886	822	127		
PS	151344	6372987	622144	too	0	f		talke porph	dgr mg				prop	calc vns	1%py opy		a little lim staining	151344	21	0.2	950	144	75		
PS	151345	6372561	622184	too	0	f		maroon tuff	wtgr mg				prop	qtz calc	1%py, opy, mal		35-40 cm wide	151345	4	10	2589	42	13		
DC	151898	6372820	621887	too	0	f			bn bx		atk	at		tr mal			Cu associated with dog tooth qtz vns	151898	1	3.9	1769	0	18		
DC	151897	6372041	621411	too	0	f		qtz	wt vn		brwk	ser	blebs	tr sz			Fine grained unknown silver sulphides	151897	2	3.1	818	13	18		
LA	185180	6370242	621682	too	1	f		and	gr-bk med		qtz	carb	slr	opy 3%				185180	63	6.2	10000	28	328		
LA	185181	6370240	621730	too	1	a/e		and	gr-bk med		qtz							185181	68	11.5	10000	31	175		
PS	185378	6372563	622200	too	0	f		and flow	gr wt mg				prop	qtz atk	bn mal 1%		vain 30cm	185378	7	5.7	1858	5	4		
PS	185379	6372349	622875	too	0	f		and flow	gr wt mg				prop	Q vn	opy mal tet 1%		small pieces float	185379	5	3.1	867	2	2		
PS	185380	6371289	622714	too	0	f		and flow	bn bk v mg		qtz		prop	qtz calc	bn oc 1%			185380	10	38.4	9754	9	8		
PS	185381	6371111	622486	too	0	f		talke bleded p	gn p mg	long bleded p	prop	ft disc	py 5% sph gn 1%					185381	3	0.6	483	11	69		
TR	192540	6367343	622187	too	0	f		and	wtgy mg		t		at	py 3%			gn sph	192540	194	10.5	603	9614	4348		
TR	192541	6367322	622187	too	0	f		and	gr fg	vug, t		prop	atk work	1% sulph				192541	818	8.4	1244	86	81		
TR	192542	6367337	622195	too	0	f		vn	wt mg	bd		prop		1% opy, sph			calcite	192542	38	3	2882	42	28		
TR	192543	6367344	622277	too	0	f		vn	wt mg			prop		1% opy				192543	10	0.2	320	18	24		
TR	192544	6367344	622277	too	0	f		vn	gr fg-mg			prop		opy 2%			wish there was more of it	192544	723	8.7	10000	131	109		
TR	192545	6367344	622277	too	0	f		and	gr mg	t		prop		1% opy				192545	22	0.2	466	6	39		
TR	192546	6367344	622272	too	0	f		vn	wt mg			prop		1% opy			carbonate, qtz	192546	280	4.9	566	32	10000		
TR	192547	6367410	622415	too	1	f		vn	wt mg			ser		1% opy			qtz	192547	378	0.2	820	18	33		
RB	192619	6366386	623063	too	1	f		vn	py mg			prop					tr calcite, bornite	192619	3	0.2	15	3	46		
RB	192620	6366380	623068	too	1	f		vn	wt mg	vug		qtz						192620	240	29.9	10000	37	62		
RB	192621	6366432	621848	too	1	a/c		vn	wt mg			qtz					1-2m wide qtz stringer +/- opy	192621	3	0.2	428	6	50		
TG	192838	6370509	623119	too	2	g		bes	gr mg			prop		opy 15%				192838	163	6.7	10000	82	136		
TG	192839	6370498	623192	too	2	g		bes	gr p			prop		opy 7%			cpy, py-calcite	192839	39	47.7	10000	180	270		
TG	192840	6370557	623580	too	2	g		vn	pk op	mev		prop		opy 1%			cpy w/ calcite	192840	84	16.1	10000	37	126		
TG	192841	6370578	623609	too	2	g		and	gr mg			prop		opy 1%			veinlet of calcite	192841	82	15.3	10000	43	173		
TG	192842	6370005	623215	too	2	g		and	gr mg			prop		opy 1%			veinlets of calcite	192842	4	77.2	10000	38	347		
TG	192843	6370100	624105	too	2	g		dec	wt mg			prop		opy 1%			calcite stringers	192843	8	0.2	1334	9	11		




- Assayed Rock Sample
- ▲ Assayed Silt Sample
- Assayed Soil Sample

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Sample Location

7 Inset 1




Assayed Rock Sample
 Assayed Silt Sample

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock and Silt Sample Location


Inset 2




- ▣ Assayed Rock Sample
- ▴ Assayed Silt Sample

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock and Silt Sample Location






- Assayed Rock Sample
- △ Assayed Silt Sample
- Assayed Soil Sample

STEALTH MINERALS LIMITED


Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Sample Location



192765. Further prospecting returned 46 g/tn from a nearby boulder. Other boulders within 100m returned 3.68 and 7.68 gpt Au. The weakly hornfels rock lower in the creek contains vein and disseminated pyrite and pyrrhotite with samples returning from 0.3-4.3 gpt Au. Thermal alteration is indicating an intrusive may be present shallowly below the valley floor. Further detailed mapping to locate the source of the 43-46 gram samples and the potential of the hornfelsed area is needed. This mineralized area is within and on the border of a Th/K radiometric low anomaly and within a magnetic high anomaly. In Inset 2 on in the east draining central Gordo 2, 5 claims, scattered gold values of 1-4.6 g/tn are reported from 1-3 m quartz veins with 3-20 % pyrite. Along the southern boundary of Inset 2, a series of 5 samples taken over a 1.0 km length of south facing slope returned 0.7 to 32.33 g/tn Au (samples 151247,248, 192602-604). The samples were of quartz veins with variable pyrite and chalcopyrite content. These samples lie within an east-west trending airborne potassium high. The drainages are east-west linear and may indicate a major structure. Further sampling and mapping is required to determine the economic significance of the first pass results. This is in an area of no historic Minfile occurrences. A large number of samples were taken around camp and east up Gordonia Gulch above the lake. Several sericite altered quartz vein zones and shear zones were noted (Inset 3). In this 1.2x3.4 km area, 24 rock samples returned greater than 1.0 gram. Six samples in the area of Mt. Gordonia returned between 10.5 and 22.6 g/tn Au. This area also outlined by a strong airborne potassium high anomaly. An area in the southeast part of the claims on the southwest corner of Gordo 6 and southeast Gordo 4 is underlain by a southeast-northwest trending intrusive contact. Several samples of quartz veins hosted by volcanics 200m north of the contact returned gold values of 1.2, 4.1, 18.3 and 42.13 g/tn Au spread along a distance of 1.0 km. The veins are adjacent to a potassium high anomaly. The Au values are associated with bismuth values ranging from 103 ppm to 1,275 ppm. These anomalous values usually indicate a granitic source for the mineralizing fluids. On Oxide Peak, evidence of high sulphidation style alteration is present. Gold values above tree line are disappointingly low. A contour soil line half



Inset 1



STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Au ppb


Rock_Data_GO_Too_Final by Au_ppb

- 1,000 to 10,000 (70)
- 500 to 1,000 (37)
- 100 to 500 (104)
- 20 to 100 (147)
- 0 to 20 (269)

Silt_Data_GO_final by Au_ppb

- ▲ 48 to 48 (1)
- ▲ 21 to 48 (2)
- ▲ 11 to 21 (2)
- ▲ 6 to 11 (2)
- 2.2 to 6 (2)

Inset 2



Rock_Data_GO_Too_Final by Au_ppb

- 1,000 to 10,000 (70)
- 500 to 1,000 (37)
- 100 to 500 (104)
- 20 to 100 (147)
- 0 to 20 (269)


Silt_Data_GO_final by Au_ppb

- ▲ 48 to 48 (1)
- ▲ 21 to 48 (2)
- ▲ 11 to 21 (2)
- ▲ 6 to 11 (2)
- 2.2 to 6 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Au ppb

A.M.B. Scale 1:10000 Nov 20 2004 Fig. / 5



Inset 3

Rock_Data_GO_Too_Final by Au_ppb


- 1,000 to 10,000 (70)
- 500 to 1,000 (37)
- 100 to 500 (104)
- 20 to 100 (147)
- 0 to 20 (269)

Silt_Data_GO_final by Au_ppb

- ▲ 48 to 48 (1)
- ▲ 21 to 48 (2)
- ▲ 11 to 21 (2)
- ▲ 6 to 11 (2)
- 2.2 to 6 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Au ppb



Rock_Data_GO_Too_Final by Au_ppb

- 1,000 to 10,000 (70)
- 500 to 1,000 (37)
- 100 to 500 (104)
- 20 to 100 (147)
- 0 to 20 (269)

Soil_Data_Oxide_by Au_ppb

- 18 to 33 (3)
- 10 to 18 (7)
- 6 to 10 (8)
- 4 to 6 (6)
- 1 to 4 (6)

Silt_Data_GO_final by Au_ppb

- ▲ 48 to 48 (1)
- ▲ 21 to 48 (2)
- ▲ 11 to 21 (2)
- ▲ 6 to 11 (2)
- ▲ 2.2 to 6 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Geochemistry
 Au ppb




way down the slope returned moderately anomalous values to 33 ppb Au. No significant gold values were returned from the Too claims.

6.2.2 Silver Geochemistry


Figures 18-22 shows the silver thematic maps for the property and the four blow-up inset maps. A value of 25 ppm (grams) silver was taken as the top anomalous threshold being the top 11 % of the population. Silver values range up to 371 g/tn in samples fire assayed samples with 20/628 returning over 100 ppm and 8/628 returning over 200 ppm. The silver shows a 0.44 correlation with the lead values, 0.3 correlation with the Au and 0.13 with the copper. The Inset 1 area contains 10 samples > 100 g/tn silver and are usually associated with the high gold in this area. The samples are from quartz veins with minor to >1 % galena and sphalerite. Although the Ag:Au correlation is fairly low, the spatial distribution of these metals is very close. The area of disseminated Py and Po contains 8/12 samples with > than 10 g/tn Ag. In the Inset 2 area along the east draining streams, Ag values are scattered and of modest values ranging from 3-81 g/tn Ag. The Camp area and towards Mt. Gordonia contains several samples in the >100gram and above detection, signified by 200 ppm values. The area of the Gordo 7, 8, 9 claims along the southern intrusive zone returned 14 samples of > 25 gpt with several above detection limits. The Too claims returned several anomalous silver-in-rock samples. On the Too claims the silver correlates with the copper values especially on the northerly trending ridge on the Too 9 claim. The Oxide Peak area is anomalously deficient in silver in rocks and slightly anomalous in silver in soil.

6.2.3 Copper Geochemistry

Rock and silt geochemistry for Cu is shown in Figures 23-27. On the Gordo Group 45 rock samples returned with greater than 10,000 ppm Cu (1%) and 90 returned greater than 5,000 ppm (0.5% Cu). Copper has a 0.13 correlation coefficient with Au and 0.13 with silver. As seen in Figure 23, anomalous copper values from rock samples are distributed over all the claims, including the north trending ridge on the Too 9 claim.



Inset 1



Rock_Data_GO_Too_Final by Ag_ppm


- 25 to 200 (69)
- 5 to 25 (115)
- 2 to 5 (84)
- 1 to 2 (72)
- 0 to 1 (287)

Silt_Data_GO_final by Ag_ppm

- ▲ 1.2 to 1.2 (1)
- ▲ 0.7 to 1.2 (1)
- ▲ 0.4 to 0.7 (1)
- ▲ 0.3 to 0.4 (2)
- ▲ 0.1 to 0.3 (4)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Ag ppm



Inset 2

kilometers

0 0.3 0.6
kilometers

STEALTH MINERALS LIMITED


Toodoggone Project
Gordo-Too Claims
Rock, and Silt Geochemistry
Ag ppm


Rock_Data_GO_Too_Final by Ag_ppm

- 25 to 200 (69)
- 5 to 25 (115)
- 2 to 5 (84)
- 1 to 2 (72)
- 0 to 1 (287)

Silt_Data_GO_final by Ag_ppm

- ▲ 1.2 to 1.2 (1)
- ▲ 0.7 to 1.2 (1)
- ▲ 0.4 to 0.7 (1)
- ▲ 0.3 to 0.4 (2)
- ▲ 0.1 to 0.3 (4)





Rock_Data_GO_Too_Final by Ag_ppm

- 25 to 200 (69)
- 5 to 25 (115)
- 2 to 5 (84)
- 1 to 2 (72)
- 0 to 1 (287)

Soil_Data_Oxide by Ag_ppm

- 1 to 1.6 (2)
- 0.7 to 1 (2)
- 0.6 to 0.7 (1)
- 0.3 to 0.6 (7)
- 0.2 to 0.3 (18)

Silt_Data_GO_final by Ag_ppm

- ▲ 1.2 to 1.2 (1)
- ▲ 0.7 to 1.2 (1)
- ▲ 0.4 to 0.7 (1)
- ▲ 0.3 to 0.4 (2)
- 0.1 to 0.3 (4)

STEALTH MINERALS LIMITED


Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Geochemistry
 Ag ppm



This cluster of anomalous values is associated with an airborne potassium high anomaly. The samples cluster southwest of a major intrusive contact. The intrusive may underlie the ridge indicating a buried porphyry system from which copper bearing veins are emanating. Inset 1 covering the upper reaches of the drainage north of Gordonia Gulch which contains spotty copper anomalies from samples of widely spaced quartz +/- chalcopyrite and pyrite. The area along the south border of this inset map shows all the samples are anomalous or very anomalous in copper ranging from 0.08% to +1% Cu. Gold values from these samples carried up to 3 g/tn Au. Inset 2 around the east draining lakes contains a high number of +1% copper values from .2-3 m quartz/chalcopyrite veins. Inset 3, covering the mineralized camp area and upper Gordonia Gulch returned numerous +0.55 Cu values and in this area several +1% Cu samples correlate with the +10,000 ppb or +10 gram Au values as in samples 185332, 188957 and 192907. A systematic trench channel sample across these veins is required to determine economic significance of the showing. An area in the northeast portion of Gordo 8 claim, east of the location of Minfile 94E 184, contains 8 samples of greater than 0.5% Cu in a 500m x 500 m area on the northeast facing ridge. The samples are described as quartz veinlets or sulphide disseminations in andesite or monzonite (dykes) with propylitic alteration and accessory magnetite. These samples are low in gold. The gold values increase to 46 g/tn further southeast along the ridge, closer to the intrusive. On Oxide Peak, the copper values appear to be possibly leached from the upper rocks in the acid alteration system and show up at lower elevations in the contour soil line with values up to 482 ppm Cu.

6.2.4 Lead Geochemistry

Figures 28-32 display the lead thematic maps for 2004 prospecting samples on the Gordo Group. As seen on Figure 28, the lead anomalies (+500 ppm) are mainly located in the Inset 1, 2, 3 areas and northeast corner of Gordo 8 claim. The Pb:Zn correlation is high at 0.67. There are 30/628 samples containing > 0.5% Pb and 23/628 carrying >1.0% Pb. In Inset I (Fig. 29) the highest concentration of anomalous samples occurs in the east draining cirque around the lakes. Intrusive float indicated a possible monzonite stock in



Rock_Data_GO_Too_Final by Cu_ppm

- 7,000 to 10,000 (70)
- 500 to 7,000 (172)
- 80 to 500 (123)
- 20 to 80 (112)
- 0 to 20 (150)


Silt_Data_GO_final by Cu_ppm

- ▲ 1,000 to 2,790 (1)
- ▲ 290 to 1,000 (1)
- ▲ 220 to 290 (1)
- ▲ 80 to 220 (2)
- ▲ 50 to 80 (4)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock and Silt Geochemistry
 Cu ppm

7 Inset 1



STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Cu ppm


Rock_Data_GO_Too_Final by Cu_ppm

- 7,000 to 10,000 (70)
- 500 to 7,000 (172)
- 80 to 500 (123)
- 20 to 80 (112)
- 0 to 20 (150)

Silt_Data_GO_final by Cu_ppm

- ▲ 1,000 to 2,790 (1)
- ▲ 290 to 1,000 (1)
- ▲ 220 to 290 (1)
- ▲ 80 to 220 (2)
- 50 to 80 (4)

Inset 2



STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Cu ppm


Rock_Data_GO_Too_Final by Cu_ppm

- 7,000 to 10,000 (70)
- 500 to 7,000 (172)
- 80 to 500 (123)
- 20 to 80 (112)
- 0 to 20 (150)

Silt_Data_GO_final by Cu_ppm

- ▲ 1,000 to 2,790 (1)
- ▲ 290 to 1,000 (1)
- ▲ 220 to 290 (1)
- ▲ 80 to 220 (2)
- ▲ 50 to 80 (4)

Inset 3



Rock_Data_GO_Too_Final by Cu_ppm


- 7,000 to 10,000 (70)
- 500 to 7,000 (172)
- 80 to 500 (123)
- 20 to 80 (112)
- 0 to 20 (150)


Silt_Data_GO_final by Cu_ppm

- ▲ 1,000 to 2,790 (1)
- ▲ 290 to 1,000 (1)
- ▲ 220 to 290 (1)
- ▲ 80 to 220 (2)
- 50 to 80 (4)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Cu ppm





Rock_Data_GO_Too_Final by Cu_ppm

- 7,000 to 10,000 (70)
- 500 to 7,000 (172)
- 80 to 500 (123)
- 20 to 80 (112)
- 0 to 20 (150)

Soil_Data_Oxide by Cu_ppm


- 200 to 482 (3)
- 100 to 200 (6)
- 70 to 100 (6)
- 50 to 70 (5)
- 25 to 50 (10)

Silt_Data_GO_final by Cu_ppm


- ▲ 1,000 to 2,790 (1)
- ▲ 290 to 1,000 (1)
- ▲ 220 to 290 (1)
- ▲ 80 to 220 (2)
- 50 to 80 (4)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Geochemistry
 Cu ppm



7 Inset 1



STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Pb ppm


Rock_Data_GO_Too_Final by Pb_ppm

- 500 to 10,000 (67)
- 150 to 500 (65)
- 50 to 150 (138)
- 20 to 50 (129)
- 0 to 20 (227)

Silt_Data_GO_final by Pb_ppm

- ▲ 70 to 70 (1)
- ▲ 54 to 70 (2)
- ▲ 38 to 54 (2)
- ▲ 22.4 to 38 (2)
- ▲ 7.8 to 22.4 (2)


Inset 2



STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Pb ppm

Inset 3



Rock_Data_GO_Too_Final by Pb_ppm


- 500 to 10,000 (67)
- 150 to 500 (65)
- 50 to 150 (138)
- 20 to 50 (129)
- 0 to 20 (227)

Silt_Data_GO_final by Pb_ppm

- ▲ 70 to 70 (1)
- ▲ 54 to 70 (2)
- ▲ 38 to 54 (2)
- ▲ 22.4 to 38 (2)
- 7.8 to 22.4 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, and Silt Geochemistry
 Pb ppm



Rock_Data_GO_Too_Final by Pb_ppm

- 500 to 10,000 (67)
- 150 to 500 (65)
- 50 to 150 (138)
- 20 to 50 (129)
- 0 to 20 (227)

Soil_Data_Oxide by Pb_ppm

- 90 to 220 (3)
- 50 to 90 (6)
- 40 to 50 (5)
- 35 to 40 (6)
- 22 to 35 (10)

Silt_Data_GO_final by Pb_ppm

- ▲ 70 to 70 (1)
- ▲ 54 to 70 (2)
- ▲ 38 to 54 (2)
- ▲ 22.4 to 38 (2)
- 7.8 to 22.4 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Geochemistry
 Pb ppm




the area which is underlain by a large north-south magnetic anomaly and portions of a Th/K low. In Inset 2 there are four closely spaced samples of basemetal mineralized quartz veins hosted by andesite of the Takla group. The veins vary from 0.5 to 3 m in width. These samples all returned > 1% lead, and zinc with low to marginal silver values and low gold. The area is within a Th/K low and shows moderate potassic alteration overprinting the district wide propylitic event. In Inset 3, from camp up Gordonia Gulch to the east, the lead values are low and erratic as this series of showings and veins may be of a slightly higher temperature hosting the copper/gold association. Oxide Peak contains low lead values as they are probably leached from the acidic gossans. Lead is moderately anomalous in the contour sol line on the eastern slope. On the western boundary of the Gordo 8 claim, six rock samples from base metal veins contained 1% lead and zinc. Silver and gold values in these samples are low. The Too claims contain generally low values for zinc and lead.

6.2.5 Zinc Geochemistry

The zinc geochemical thematic maps are Figures 33-37. The top 10% of the zinc values are above 0.15% Zn (63/628 samples). This includes 33/628 at +0.5% and 25/628 at +1% Zn. The zinc correlated with the lead values especially in the eastern cirque of Inset 1 where 9 samples returned over 1% Zn from grab samples. As well, the small cluster of samples in the eastern portion of Inset 2 returned greater than 1% Zn from basemetal bearing veins. The upper Gordonia Gulch area that is high in Au and Cu is low for zinc as was the lead.

7.0 Summary and Conclusions

The Gordo property is one of 11 properties explored by Stealth Minerals during the 2004 field season. Field work on the 437 units claim group was primarily prospecting. General geological observations were made by Dr. Tom Richards however no detailed geological mapping has been done at this point. A total of 628 rock, 10 silt and 30 soil samples were taken as well as 274 PIMA spectral analysis. A total of 11 samples returned



Rock_Data_GO_Too_Final by Zn_ppm

- 1,500 to 10,000 (63)
- 200 to 1,500 (75)
- 70 to 200 (179)
- 40 to 70 (99)
- 0 to 40 (211)


Silt_Data_GO_final by Zn_ppm

- ▲ 1,500 to 1,510 (1)
- ▲ 570 to 1,500 (1)
- ▲ 190 to 570 (3)
- ▲ 100 to 190 (2)
- ▲ 60 to 100 (2)

STEALTH MINERALS LIMITED

Toodoggone Project
 Gordo-Too Claims
 Rock and Silt Geochemistry
 Zn ppm

Inset 1



618000mE
6373500mN



Rock_Data_GO_Too_Final by Zn_ppm

- 1,500 to 10,000 (63)
- 200 to 1,500 (75)
- 70 to 200 (179)
- 40 to 70 (99)
- 0 to 40 (211)


Silt_Data_GO_final by Zn_ppm


- ▲ 1,500 to 1,510 (1)
- ▲ 570 to 1,500 (1)
- ▲ 190 to 570 (3)
- ▲ 100 to 190 (2)
- ▲ 60 to 100 (2)


STEALTH MINERALS LIMITED

Toodoggone Project
Gordo-Too Claims
Rock, and Silt Geochemistry
Zn ppm

Inset 2







Rock_Data_GO_Too_Final by Zn_ppm

- 1,500 to 10,000 (63)
- 200 to 1,500 (75)
- 70 to 200 (179)
- 40 to 70 (99)
- 0 to 40 (211)

Silt_Data_GO_final by Zn_ppm

- ▲ 1,500 to 1,510 (1)
- ▲ 570 to 1,500 (1)
- ▲ 190 to 570 (3)
- ▲ 100 to 190 (2)
- ▲ 60 to 100 (2)

Soil_Data_Oxide by Zn_ppm

- 250 to 449 (3)
- 150 to 250 (6)
- 125 to 150 (6)
- 110 to 125 (5)
- 46 to 110 (10)

STEALTH MINERALS LIMITED


Toodoggone Project
 Gordo-Too Claims
 Rock, Soil and Silt Geochemistry
 Zn ppm





greater than 10.0 g/tn gold with three returning >31 g/tn or one ounce per ton gold Geochemical analysis has of field identified mineralized material has highlighted several areas for further inspection; the upper reaches of the drainage north of camp and Gordonia Gulch (Area 1), the eastern portion of Inset2 (Area 2), south of the southern boundary of Inset 2 (Area 3), the camp to upper Gordonia Gulch Au Cu zone (Area 4), the northern portion of the Gordo 8 (Area 5) and the southwestern portion of the Gordo 9 claim along the intrusive contact (Area 6), the north ridge on the Too 9 claim with the anomalous copper values (Area 7). These areas are highlighted on Figure 38 and as seen are primarily selected based on the gold content, alteration and geophysical signature.

8.0 Recommendations

Based upon the results from the 2004 field season further exploration work is warranted and recommended. This work should include; detailed field mapping and sampling combined with PIMA analysis on the outlined targets on the ground. Contour soil sampling at lower elevations where outcrop is scarce would increase the chances of outlining any potential targets. Hand or blast trenching on outcropping or subcropping mineralization should be done to define structural and or lithological controls of the mineralization and to determine a grade x thickness to aid in decisions as to drill a specific target. Costs for such a program are outlined in Appendix IV.


Dave Kuran, P. Geo.
January 15, 2004


April Barrios. GIT



Stealth Minerals Limited

Toodoggone Project

Gordo Group Area
Exploration Target Areas



Gordo2004rept

Appendix I

2004 Rock Assay Certificates



GEOCHEMICAL ANALYSIS CERTIFICATE

Stealth Minerals Limited PROJECT GORDO File # A403171

554 East Kings Road, North Vancouver BC V7N 1J3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti % ppm	B %	Al %	Na %	K %	W ppm	Tl ppm	Hg ppb	Se ppm	Te ppm	Ga ppm	Sample gm
SI	.07	1.83	.17	1.2	2	.1	<.1	<.1	.02	<.1	<.1	5	<.1	1.6	<.01	.05	<.02	<.2	.09	<.001	<.5	<.5	<.01	2.1	<.001	<.1	<.01	.376	<.01	.1	<.02	<.5	<.1	<.02	<.1	15.0
C151210	1.75	17.96	4.02	55.9	72	.8	2.5	401	1.76	6.0	1.5	1.9	3.9	11.6	.06	.44	.06	7	.28	.060	14.8	3.2	.20	379.2	.110	2	.68	.013	.35	.5	.11	<.5	<.1	<.02	2.7	15.0
C151211	3.64	5.58	4.75	21.3	196	1.6	2.7	413	.60	.9	.1	1.0	.2	7.2	.17	.08	1.33	3	.32	.009	1.2	2.0	.10	231.3	.004	1	.21	.008	.07	<.1	.04	5	<.1	.03	.6	15.0
C151212	.95	6.71	4.75	90.6	101	1.4	6.6	947	2.07	4.9	1.0	1.8	3.9	26.2	.19	.54	.21	9	.63	.065	15.0	4.1	.41	113.6	.171	1	1.13	.009	.32	2.2	.08	8	<.1	.02	3.8	15.0
C151213	1.03	9.42	8.36	62.0	679	.8	2.2	392	1.58	13.2	1.5	2.4	4.1	7.7	.21	.65	.05	7	.29	.058	14.0	2.9	.15	170.6	.112	2	.73	.005	.31	.9	.11	<.5	<.1	.02	2.6	15.0
C151214	1.69	4.58	32.20	33.4	88	.6	1.4	350	1.47	13.3	1.1	3.1	4.0	24.6	.05	.65	.16	7	.37	.068	12.5	1.4	.14	99.5	.110	<.1	.75	.005	.38	.6	.12	6	<.1	.02	3.1	15.0
C151215	8.42	5774.47	164.53	12.3	17901	3.4	.9	126	1.71	<.1	3.4	22.4	.6	4.6	.03	.13	14.47	11	.07	.015	1.4	11.3	.08	24.6	.026	<.1	.29	.005	.13	4.9	.03	9	5.6	.19	.8	15.0
C151216	2.67	192.39	21.96	8.7	618	2.0	2.3	204	.89	.9	.3	9.0	.4	1.1	.03	.08	1.93	5	.07	.012	1.0	8.1	.07	28.5	.017	<.1	.21	.006	.11	<.1	.03	<.5	.1	.05	.6	15.0
C151217	.52	9.15	12.35	130.6	80	1.5	6.3	910	1.40	20.1	.4	<.2	1.3	35.8	.85	3.79	.05	43	1.18	.071	7.3	1.9	.26	51.3	.032	<.1	.55	.003	.15	.5	.07	<.5	<.1	.05	4.8	15.0
C151218	5.58	110.48	8.13	50.4	323	1.8	1.5	490	1.70	23.0	1.5	8.6	3.8	51.3	.02	.36	.72	6	.14	.051	13.1	6.7	.22	1529.9	.072	<.1	.62	.002	.28	2.4	.10	<.5	<.3	.02	4.3	15.0
C151406	6.57	26.33	5.02	15.6	171	1.5	56.0	506	5.31	1.8	.8	4.0	3.7	4.8	.05	.09	2.24	6	.16	.025	8.8	5.5	.08	126.5	.003	1	.42	.003	.28	<.1	.05	<.5	1.3	.93	2.2	15.0
C151407	3.63	4.88	7.31	13.1	178	.6	2.0	179	2.16	15.3	.8	7.5	2.8	6.9	.03	.89	.17	<.2	.08	.054	14.3	1.0	.07	284.6	.003	1	.39	.003	.35	<.1	.10	5	<.1	.02	1.4	15.0
RE C151407	3.43	4.31	7.12	13.0	172	.6	1.9	171	2.15	15.6	.8	6.6	3.0	7.0	.04	.90	.17	<.2	.08	.059	14.7	.7	.08	306.3	.003	<.1	.41	.003	.35	<.1	.11	<.5	<.1	.02	1.4	15.0
C151408	20.76	7.56	15.87	11.1	562	1.8	1.6	97	2.26	58.8	1.5	21.6	3.9	7.7	.02	1.93	.04	<.2	.10	.057	16.2	6.0	.02	97.6	.074	<.1	.24	.003	.30	2.5	.14	<.5	<.1	.02	1.3	15.0
C151457	2.87	5699.93	6.29	24.0	3681	.3	3.2	1101	2.43	1.3	.1	3496.7	.3	23.9	.33	.31	.27	<.2	2.03	.011	3.3	6.8	.02	213.3	.006	<.1	.12	.001	.09	<.1	.04	<.5	1.5	.02	.5	15.0
C151458	1.95	1817.96	2.83	104.4	894	.7	5.8	2435	3.18	1.5	.2	31.2	.4	8.9	.15	.46	.49	17	1.33	.008	1.6	1.3	.50	41.6	.012	1	.77	.001	.01	5.2	.03	<.5	.7	.10	2.7	15.0
C151459	3.72	796.07	4.27	56.4	528	2.8	4.9	1008	2.15	6.1	.2	73.8	.1	4.2	.09	.49	.33	6	.62	.006	.6	9.4	.25	29.7	.005	<.1	.38	.001	.02	5.2	<.02	<.5	1.1	.13	1.7	15.0
C151460	6.37	1209.00	3.49	51.4	820	1.3	5.9	805	1.99	4.2	.2	68.6	.1	26.4	.06	1.13	.28	5	.42	.005	.8	5.7	.21	896.9	.007	<.1	.37	.001	.03	.1	.02	5	1.0	.10	1.4	15.0
C151461	1.68	27.29	17.28	172.6	143	.4	.3	2028	.46	5.7	<.1	5.4	<.1	13.6	2.52	3.03	.11	3	2.52	.003	1.2	1.5	<.01	78.5	.001	<.1	.03	.001	.01	<.1	<.02	<.5	<.1	.02	.3	15.0
C151462	1.67	6366.50	4.06	73.5	1923	1.1	19.0	1980	2.86	1.0	.9	757.8	1.7	20.3	.45	.19	.25	<.2	2.44	.037	13.5	5.7	.17	95.3	.012	<.1	.49	.015	.17	2.2	.07	5	1.8	.05	2.2	15.0
192753	86.34	75.43	157.51	37.3	99999	1.4	1.5	157	2.33	67.4	1.3	4890.1	.8	4.2	.12	1.82	.24	15	.09	.042	5.1	5.3	.09	240.1	.038	<.1	.39	.002	.26	.3	.19	12	.5	.05	1.9	15.0
192754	5.32	17.55	4.81	14.3	1794	1.2	1.6	197	.87	5.2	.1	41.9	.1	18.1	.06	.20	.44	9	.19	.013	7.0	2.3	.08	116.0	.014	1	.25	.002	.09	<.1	.02	<.5	.4	.24	1.0	15.0
192755	3.48	21.60	28.90	11.7	738	.8	.5	97	1.64	88.7	1.4	16.2	4.4	7.2	.03	1.67	.03	3	.11	.064	12.5	2.9	.04	218.3	.068	<.1	.29	.004	.35	1.3	.12	<.5	<.1	.02	1.8	15.0
192756	24.81	20.31	26.93	16.7	901	.8	1.4	118	2.03	37.0	1.4	24.0	4.1	7.0	.03	2.37	.05	2	.19	.058	14.2	3.5	.03	182.5	.118	1	.34	.003	.34	.4	.14	5	<.1	.02	1.5	15.0
192757	.44	11.05	1.98	97.7	36	.6	2.5	1129	1.64	1.5	.7	.9	3.9	41.7	.18	.59	.04	8	.94	.064	16.5	1.2	.38	137.0	.148	1	1.16	.020	.25	.4	.07	<.5	<.1	.02	3.9	15.0
192758	3.94	12.67	6.14	13.6	304	2.9	1.3	98	.95	85.9	.3	63.5	.5	2.2	.05	1.37	.07	6	.12	.040	3.2	9.8	.05	21.2	.043	<.1	.22	.002	.13	5.0	.12	<.5	<.1	.02	.9	15.0
192759	1.43	5.84	8.18	30.7	61	1.0	2.3	483	1.35	10.6	.4	2.7	.7	202.2	.21	4.28	.05	79	1.48	.059	10.0	8.9	.17	20.0	.191	3	1.18	.002	.03	.1	<.02	<.5	.1	.02	7.3	15.0
STANDARD D	12.35	146.69	24.71	139.0	269	24.7	11.8	750	2.99	17.6	6.0	41.3	2.7	47.0	5.35	3.83	6.18	62	.73	.091	12.1	182.5	.69	132.1	.099	17	2.03	.032	.14	4.8	1.02	163	4.9	.82	6.5	15.0

Standard is STANDARD DS5.

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 - SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data h FA _____ DATE RECEIVED: JUN 29 2004 DATE REPORT MAILED: July 19 / 04



GEOCHEMICAL ANALYSIS CERTIFICATE

Stealth Minerals Limited PROJECT GORDO File # A403171

554 East Kings Road, North Vancouver BC V7N 1J3

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Tl ppm	Hg ppb	Se ppm	Te ppm	Ga ppm	Sample gm
SI	.07	1.83	.17	1.2	2	.1	<.1	<.1	.02	<.1	<.1	.5	<.1	1.6	<.01	.05	<.02	<2	.09	<.001	<.5	<.5	<.01	2.1	<.001	<.1	<.01	.376	<.01	.1	<.02	<5	<.1	<.02	<.1	15.0
C151210	1.75	17.96	4.02	55.9	72	.8	2.5	401	1.76	6.0	1.5	1.9	3.9	11.6	.06	.44	.06	7	.28	.060	14.8	3.2	20	379.2	.110	2	.68	.013	.35	.5	.11	<5	<.1	<.02	2.7	15.0
C151211	3.64	5.58	4.75	21.3	196	1.6	2.7	413	.60	.9	.1	1.0	.2	7.2	.17	.08	1.33	3	.32	.009	1.2	2.0	.10	231.3	.004	1	.21	.008	.07	<.1	.04	5	<.1	.03	.6	15.0
C151212	.95	6.71	4.75	90.6	101	1.4	6.6	947	2.07	4.9	1.0	1.8	3.9	26.2	.19	.54	.21	9	.63	.065	15.0	4.1	.41	113.6	.171	1	1.13	.009	.32	2.2	.08	8	.1	<.02	3.8	15.0
C151213	1.03	9.42	8.36	62.0	679	.8	2.2	392	1.58	13.2	1.5	2.4	4.1	7.7	.21	.65	.05	7	.29	.058	14.0	2.9	.15	170.6	.112	2	.73	.005	.31	.9	.11	<5	.1	<.02	2.6	15.0
C151214	1.69	4.58	32.20	33.4	88	.6	1.4	350	1.47	13.3	1.1	3.1	4.0	24.6	.05	.65	.16	7	.37	.068	12.5	1.4	.14	99.5	.110	<.1	.75	.005	.38	.6	.12	6	.1	<.02	3.1	15.0
C151215	8.42	5774.47	164.53	12.3	17901	3.4	.9	126	1.71	<.1	3.4	22.4	.6	4.6	.03	.13	14.47	11	.07	.015	1.4	11.3	.08	24.6	.026	<.1	.29	.005	.13	4.9	.03	9	5.6	.19	.8	15.0
C151216	2.67	192.39	21.96	8.7	618	2.0	2.3	204	.89	.9	.3	9.0	.4	1.1	.03	.08	1.93	5	.07	.012	1.0	8.1	.07	28.5	.017	<.1	.21	.006	.11	<.1	.03	<5	.1	.05	.6	15.0
C151217	.52	9.15	12.35	130.6	80	1.5	6.3	910	1.40	20.1	.4	<.2	1.3	35.8	.85	3.79	.05	43	1.18	.071	7.3	1.9	.26	51.3	.032	<.1	.55	.003	.15	.5	.07	<5	<.1	.05	4.8	15.0
C151218	5.58	110.48	8.13	50.4	323	1.8	1.5	490	1.70	23.0	1.5	8.6	3.8	51.3	.02	.36	.72	6	.14	.051	13.1	6.7	.22	1529.9	.072	<.1	.62	.002	.28	2.4	.10	<5	.3	<.02	4.3	15.0
C151406	6.57	26.33	5.02	15.6	171	1.5	56.0	506	5.31	1.8	.8	4.0	3.7	4.8	.05	.09	2.24	6	.16	.025	8.8	5.5	.08	126.5	.003	1	.42	.003	.28	<.1	.05	<5	1.3	.93	2.2	15.0
C151407	3.63	4.88	7.31	13.1	178	.6	2.0	179	2.16	15.3	.8	7.5	2.8	6.9	.03	.89	.17	<2	.08	.054	14.3	1.0	.07	284.6	.003	1	.39	.003	.35	<.1	.10	5	.1	<.02	1.4	15.0
RE C151407	3.43	4.31	7.12	13.0	172	.6	1.9	171	2.15	15.6	.8	6.6	3.0	7.0	.04	.90	.17	<2	.10	.059	14.7	.7	.08	306.3	.003	<.1	.41	.003	.35	<.1	.11	<5	<.1	<.02	1.4	15.0
C151408	20.76	7.56	15.87	11.1	562	1.8	1.6	97	2.26	58.8	1.5	21.6	3.9	7.7	.02	1.93	.04	<2	.10	.057	16.2	6.0	.02	97.6	.074	<.1	.24	.003	.30	2.5	.14	<5	<.1	<.02	1.3	15.0
C151457	2.87	5699.93	6.29	24.0	3681	.3	3.2	1101	2.43	1.3	.1	3496.7	.3	23.9	.33	.31	.27	<2	2.03	.011	3.3	6.8	.02	213.3	.006	<.1	.12	.001	.09	<.1	.04	<5	1.5	.02	.5	15.0
C151458	1.95	1817.96	2.83	104.4	894	.7	5.8	2435	3.18	1.5	.2	31.2	.4	8.9	.15	.46	.49	17	1.33	.008	1.6	1.3	.50	41.6	.012	1	.77	.001	.01	5.2	.03	<5	.7	.10	2.7	15.0
C151459	3.72	796.07	4.27	56.4	528	2.8	4.9	1008	2.15	6.1	.2	73.8	.1	4.2	.09	.49	.33	6	.62	.006	.6	9.4	.25	29.7	.005	<.1	.38	.001	.02	5.2	<.02	<5	1.1	.13	1.7	15.0
C151460	6.37	1209.00	3.49	51.4	820	1.3	5.9	805	1.99	4.2	.2	68.6	.1	26.4	.06	1.13	.28	5	.42	.005	.8	5.7	.21	896.9	.007	<.1	.37	.001	.03	.1	.02	5	1.0	.10	1.4	15.0
C151461	1.68	27.29	17.28	172.6	143	.4	.3	2028	.46	5.7	<.1	5.4	<.1	13.6	2.52	3.03	.11	3	2.52	.003	1.2	1.5	<.01	78.5	.001	<.1	.03	.001	.01	<.1	<.02	<5	<.1	<.02	.3	15.0
C151462	1.67	6366.50	4.06	73.5	1923	1.1	19.0	1980	2.86	1.0	.9	757.8	1.7	20.3	.45	.19	.25	<2	2.44	.037	13.5	5.7	.17	95.3	.012	<.1	.49	.015	.17	2.2	.07	5	1.8	.05	2.2	15.0
192753	86.34	75.43	157.51	37.3	99999	1.4	1.5	157	2.33	67.4	1.3	4890.1	.8	4.2	.12	1.82	.24	15	.09	.042	5.1	5.3	.09	240.1	.038	<.1	.39	.002	.26	.3	.19	12	.5	.05	1.9	15.0
192754	5.32	17.55	4.81	14.3	1794	1.2	1.6	197	.87	5.2	.1	41.9	.1	18.1	.06	.20	.44	9	.19	.013	7.0	2.3	.08	116.0	.014	1	.25	.002	.09	<.1	.02	<5	.4	.24	1.0	15.0
192755	3.48	21.60	28.90	11.7	738	.8	.5	97	1.64	88.7	1.4	16.2	4.4	7.2	.03	1.67	.03	3	.11	.064	12.5	2.9	.04	218.3	.068	<.1	.29	.004	.35	1.3	.12	<5	.1	<.02	1.8	15.0
192756	24.81	20.31	26.93	16.7	901	.8	1.4	118	2.03	37.0	1.4	24.0	4.1	7.0	.03	2.37	.05	2	.19	.058	14.2	3.5	.03	182.5	.118	1	.34	.003	.34	.4	.14	5	.1	<.02	1.5	15.0
192757	.44	11.05	1.98	97.7	36	.6	2.5	1129	1.64	1.5	.7	.9	3.9	41.7	.18	.59	.04	8	.94	.064	16.5	1.2	.38	137.0	.148	1	1.16	.020	.25	.4	.07	<5	.1	<.02	3.9	15.0
192758	3.94	12.67	6.14	13.6	304	2.9	1.3	98	.95	85.9	.3	63.5	.5	2.2	.05	1.37	.07	6	.12	.040	3.2	9.8	.05	21.2	.043	<.1	.22	.002	.13	5.0	.12	<5	<.1	<.02	.9	15.0
192759	1.43	5.84	8.18	30.7	61	1.0	2.3	483	1.35	10.6	.4	2.7	.7	202.2	.21	4.28	.05	79	1.48	.059	10.0	8.9	.17	20.0	.191	3	1.18	.002	.03	.1	<.02	<5	.1	.02	7.3	15.0
STANDARD D	12.35	146.69	24.71	139.0	269	24.7	11.8	750	2.99	17.6	6.0	41.3	2.7	47.0	5.35	3.83	6.18	62	.73	.091	12.1	182.5	.69	132.1	.099	17	2.03	.032	.14	4.8	1.02	163	4.9	.82	6.5	15.0

Standard is STANDARD DS5.

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data LA FA _____

DATE RECEIVED: JUN 29 2004

DATE REPORT MAILED: July 19 / 04





GEOCHEMICAL ANALYSIS CERTIFICATE



Stealth Minerals Limited PROJECT GORDO File # **A403174** Page 1
554 East Kings Road, North Vancouver BC V7N 1J3

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
S1	.05	1.27	.30	.6	11	.1	<.1	2	.03	.1	<.1	.8	<.1	2.2	.01	.02	<.02	<2	.10	<.001	<.5	<.5	<.01	3.7	<.001	<.1	.01	.441	<.01	.1	<.1	<.02	.03	5	.1	<.02	<.1	15
C151219	7.39	35.80	15.98	34.8	1011	1.1	8.6	119	3.44	20.6	.2	48.3	2.6	20.3	.21	.07	.39	7	.26	.151	7.0	3.4	.29	31.4	.005	1	.55	.016	.36	1.7	.9	.08	2.44	7	1.4	.61	1.6	15
C151220	.53	6.59	38.65	332.6	109	.9	6.5	2628	3.75	19.7	.6	49.6	1.8	23.6	.70	2.40	.10	39	2.45	.054	10.2	1.6	.56	146.0	.021	<.1	.51	.006	.16	1.1	3.8	.08	.03	12	.4	.03	2.4	15
C151221	1.95	20.02	9.55	48.1	58	3.0	3.5	1255	1.18	83.0	.3	3.6	.7	49.5	.34	10.96	.02	30	.82	.034	3.9	9.9	.22	84.6	.024	1	.43	.004	.08	3.1	2.4	.04	.01	<.5	.1	.02	3.4	15
C151222	9.64	30.73	4.26	11.8	647	1.5	1.3	166	1.31	32.3	.5	9.2	.9	7.3	.02	.75	.17	<2	.05	.015	4.0	7.2	.03	322.7	.014	<.1	.13	.008	.08	<.1	5	.04	.42	<.5	.1	.08	.7	15
C151223	.56	3.26	24.44	49.5	33	1.4	2.3	505	1.31	4.2	.5	13.5	3.4	14.9	.28	.05	.05	13	.90	.050	10.3	2.1	.22	69.3	.001	<.1	.58	.041	.14	<.1	1.3	.02	.02	<.5	.1	<.02	1.3	15
C151224	2.27	134.54	9.72	37.8	56	2.2	1.9	632	.92	.9	.3	.8	1.9	41.9	.53	.10	.06	11	1.72	.021	7.0	9.9	.15	722.9	<.001	<.1	.38	.015	.13	5.1	.8	.02	.02	<.5	<.1	<.02	1.0	15
C151225	3.03	24.28	13.52	41.8	143	2.1	3.9	323	1.59	3.0	1.1	.6	2.7	4.6	.25	.14	.28	14	.13	.049	9.6	6.1	.28	145.9	.001	<.1	.75	.027	.23	<.1	1.1	.04	.02	7	.1	.07	2.8	15
C151226	.96	2.17	.68	24.7	10	1.2	2.1	353	.81	2.3	.2	5.7	1.0	4.7	.04	.03	.02	5	.26	.003	3.1	1.9	.17	48.6	.001	<.1	.27	.011	.08	<.1	2	<.02	.03	<.5	<.1	<.02	.9	15
C151227	1.72	1.94	.31	22.7	9	2.1	1.0	468	.40	.3	.5	<.2	2.4	3.8	.08	.06	.05	4	.55	.025	14.4	9.0	.18	30.5	.002	<.1	.29	.072	.09	2.9	1.1	.02	.01	<.5	.1	.02	1.0	15
C151228	5.06	718.66	24.01	11.0	287	1.5	7.0	577	.78	.7	.3	1.5	<.1	4.6	.07	.09	38.87	2	.81	.003	.9	6.8	.03	19.1	.002	<.1	.07	.004	.02	<.1	.3	<.02	.08	<.5	.6	.07	2	15
C151229	2.12	4.65	7.72	2.9	860	1.0	2.5	54	.44	1.8	1.1	23.6	3.0	1.5	.02	.09	2.34	2	.03	.008	1.2	1.5	.01	70.4	.002	1	.23	.003	.27	<.1	.3	.05	.04	<.5	.1	.43	6	15
C151230	582.68	42.68	26.75	18.0	6444	3.3	2.7	308	1.88	56.6	.4	2110.0	2	30.1	.03	1.32	10.15	22	.24	.017	1.0	13.6	.17	43.3	.030	1	.37	.002	.08	4.9	1.3	.66	.24	71	2.7	2.71	1.7	15
C151231	6.92	7.21	1.95	5.6	183	2.0	1.4	275	.68	.9	<.1	17.6	<.1	3.2	.02	.11	1.78	3	.62	.005	.9	9.8	.04	8.4	.002	<.1	.10	.002	.05	<.1	.3	<.02	.02	<.5	.1	.03	3	15
C151232	1.50	1.66	1.72	15.5	23	1.8	2.2	206	.73	.9	.5	4.9	2.2	2.6	.01	.07	.17	6	.05	.015	4.4	2.6	.23	7.0	.009	<.1	.28	.046	.04	<.1	5	<.02	<.01	<.5	<.1	<.02	1.6	15
C151233	9.75	36.39	4.77	9.4	149	4.2	1.5	111	.64	1.0	.5	4.1	.7	1.4	.02	.16	3.57	5	.06	.020	1.7	12.8	.09	16.2	.019	<.1	.25	.008	.14	5.5	6	.03	<.01	6	.1	.06	.9	15
RE C151233	10.26	34.95	5.03	9.2	150	3.9	1.6	109	.65	1.1	.5	5.0	.7	1.4	<.01	.18	3.67	6	.07	.020	1.8	13.3	.10	17.4	.020	1	.27	.009	.15	5.8	5	.02	<.01	<.5	<.1	.05	1.0	15
C151234	1.40	2.44	.51	47.0	30	1.6	3.2	643	1.72	.2	.3	.7	1.4	3.8	.31	.10	.09	8	.19	.056	6.5	5.1	.38	36.9	.003	1	.73	.048	.18	<.1	.8	.03	<.01	<.5	<.1	<.02	3.1	15
C151235	.64	4.77	.41	29.1	10	1.6	3.0	540	1.17	1.4	.2	1.6	8	15.9	.07	.16	.35	16	.87	.023	5.6	2.6	.30	24.6	.047	1	.44	.018	.08	2	1.1	<.02	<.01	<.5	.1	.02	1.8	15
C151236	2.33	5.90	40.46	142.4	127	2.6	1.6	692	1.13	.5	.7	1.4	2.4	7.1	1.85	.05	.27	7	.10	.027	7.4	8.6	.14	184.3	.002	<.1	.29	.027	.11	3.2	6	.03	.04	5	2	.02	1.6	15
C151237	6.25	10.75	63.44	57.5	95	1.6	1.7	99	1.59	2.3	<.1	3.5	.2	2.2	6.33	.17	.63	17	.02	.020	.9	8.5	.12	30.0	.003	<.1	.28	.004	.10	<.1	1.0	.02	<.01	12	2	.15	1.2	15
C151238	4.59	133.68	7.81	66.8	278	1.0	2.0	848	1.94	10.1	.3	10.4	4	37.6	.16	.20	.78	8	.38	.007	3.7	1.9	.30	1127.1	.001	1	.52	.002	.12	<.1	.3	.04	.09	7	.1	<.02	2.2	15
C151239	3.41	30.63	.76	1.9	80	3.5	.4	69	.38	.6	<.1	4.5	<.1	1.1	.01	.14	.59	2	.01	.002	<.5	12.6	.01	13.5	.001	1	.05	.003	.04	6.4	.1	<.02	.03	5	<.1	.03	.2	15
C151240	2.04	2.22	.57	2.5	38	1.4	.3	233	.48	.4	<.1	<.2	<.1	3.8	.02	.10	.21	<2	.73	.001	.9	7.2	.01	8.7	.001	<.1	.04	.003	.02	<.1	2	<.02	.02	<.5	<.1	<.02	.1	15
C151241	2.44	185.05	4.68	12.1	313	5.4	1.8	110	.86	1.3	.2	66.0	5	1.4	.02	.19	3.09	8	.04	.016	1.1	3.3	.13	25.4	.001	<.1	.29	.003	.12	<.1	6	.02	<.01	<.5	<.1	.05	1.1	15
C151242	44.68	7802.45	52.16	19.4	3921	4.8	8.3	203	2.19	4.6	.8	576.7	.2	1.0	.15	.13	24.83	2	.05	.006	.5	12.7	.01	16.8	.001	<.1	.10	.001	.07	7.1	2	.02	1.32	5	2.5	.61	2	15
C151243	9.12	1523.93	3.40	172.9	740	2.4	5.4	1269	2.58	.9	.7	13.5	1.2	25.8	1.38	.21	1.26	28	1.03	.031	8.7	5.1	.54	23.1	.017	1	1.29	.002	.32	.1	1.3	.08	.04	6	2	.24	3.6	15
C151244	29.31	1991.91	23.78	105.2	1805	1.8	6.4	2602	1.78	2.3	1.5	62.2	.7	37.6	2.53	.20	10.38	11	4.72	.019	1.9	1.2	.28	24.0	.008	<.1	.53	.001	.12	<.1	.9	.05	.10	8	4	1.13	1.6	15
C151245	4.04	167.85	8.29	79.6	380	3.1	3.6	762	1.34	1.7	.4	9.8	5	4.7	1.09	.10	1.58	5	.60	.016	1.2	12.5	.05	51.2	.012	1	.22	.002	.13	6.6	5	.04	.33	<.5	.3	.16	.7	15
C151246	4.02	4035.34	8.70	29.3	1183	2.1	4.8	1209	2.01	4.3	.4	9.2	4	13.7	.43	.07	4.54	2	1.86	.003	1.5	5.1	.03	23.2	.002	1	.11	.002	.06	<.1	2	.02	1.04	<.5	6	.15	.4	15
C151247	2.65	8100.36	23.89	117.6	6678	1.3	19.6	703	6.93	18.7	.2	862.0	.2	12.9	.46	.22	24.02	15	.17	.014	2.9	1.5	.37	22.7	.024	<.1	.60	.003	.02	8	.7	<.02	2.52	23	5.6	.25	2.6	15
C151248	7.99	>10000	24.70	22.3	17225	2.2	29.6	223	13.11	38.2	.1	1836.6	.1	4.4	.27	.34	48.06	7	.04	.009	<.5	7.9	.05	19.7	.016	<.1	.14	.002	.05	>100	3	<.02	5.51	102	12.1	.56	1.1	15
C151409	1.17	39.68	59.16	132.5	309	3.1	6.9	877	3.11	7.6	.2	5.1																										



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	gm
C151412	4.18	13.09	1.53	18.0	116	3.0	2.7	194	1.29	1.7	.4	2.3	.3	.9	<.01	.09	8.72	9	.03	.013	<.5	11.9	.17	18.8	.010	3	.38	.006	13	6.0	.4	.03	.10	6	.3	4.39	1.2	15
C151413	3.50	23.44	40.17	188.5	2674	3.5	10.8	403	6.30	195.1	.2	50.1	.8	13.3	1.72	.41	3.10	10	.32	.058	.9	1.2	.31	41.9	.006	4	1.16	.027	.30	<.1	.8	20	6.51	<.5	6.3	2.08	2.4	15
C151414	81.23	158.23	418.88	1483.8	99999	4.7	20.2	298	10.33	185.8	.1	4204.4	.4	26.0	19.66	21.60	93.65	20	69	.075	2.7	4.5	.06	22.7	.053	<.1	42	.004	.05	.2	1.6	.04	9.78	556	31.7	>100	1.5	15
C151415	5.01	13.96	2.23	3.9	2203	4.1	2.1	69	.52	1.1	<.1	19.7	<.1	.8	.05	.11	11.36	2	.01	.001	<.5	15.3	<.01	6.5	<.001	1	.03	.003	.02	8.8	.1	<.02	.02	9	.2	6.09	.1	15
C151416	.82	6.82	1.39	3.7	329	1.2	.5	248	.47	.9	.4	4.0	1.6	6.3	.02	.10	.56	2	1.10	.002	3.5	2.3	.03	8.4	.003	2	.09	.012	.05	<.1	.3	<.02	.02	<.5	.1	25	.4	15
C151417	192.65	1623.88	35.53	28.1	8253	.8	4.2	452	21.14	159.1	.1	266.3	<.1	.7	.27	1.18	16.71	27	.04	.005	1.6	2.5	.01	2.7	.004	<.1	.13	.001	<.01	64.4	.6	<.02	.04	17	3.8	8.12	1.7	15
C151418	8.76	9.42	7.68	8.5	95	4.2	.7	83	.57	2.8	.2	7.7	.6	7.5	.04	.09	.91	4	.01	.005	1.4	14.0	.01	497.8	.001	1	.12	.002	.06	5.7	.2	.03	<.01	8	<.1	15	.3	15
C151419	1.64	3.94	2.80	3.6	90	.9	.2	43	.55	2.3	.1	1.6	.5	40.4	.01	.05	.16	4	.01	.012	1.3	1.6	.01	1040.9	<.001	1	.40	.023	.27	<.1	.6	.08	.14	10	<.1	.08	.7	15
C151420	2.81	44.27	18.98	208.0	164	1.5	2.7	1041	3.38	2.4	1.3	4.4	2.7	30.6	1.60	.40	.14	51	.16	.054	8.3	5.9	1.37	117.4	.064	1	1.24	.062	.14	1.1	3.6	.03	1.54	40	.2	28	5.9	15
C151421	1.94	1.76	1.23	3.2	20	.4	.1	19	.19	1.1	.2	1.4	1.0	107.4	.01	.08	<.02	12	.01	.007	.8	.8	.01	1306.8	.001	<.1	.68	.003	.01	<.1	.7	<.02	.02	5	<.1	.03	1.0	15
C151422	4.13	6.29	.91	2.1	317	1.5	.2	49	.59	1.6	.1	4.6	.3	17.7	<.01	.11	.09	3	<.01	.003	1.2	6.4	<.01	17.8	.002	<.1	.13	.007	<.01	<.1	.3	<.02	<.01	<.5	<.1	.16	.2	15
RE C151422	4.36	6.16	.91	2.4	313	1.7	.2	49	.61	1.8	.1	4.4	.3	17.1	<.01	.11	.09	3	<.01	.003	1.2	6.1	<.01	17.6	.002	1	.13	.007	<.01	.1	.3	<.02	<.01	<.5	<.1	.15	.2	15
C151423	3.41	9.11	8.00	75.1	71	1.7	4.4	1117	3.52	8.8	1.7	1.0	2.5	23.6	.02	.26	.09	85	.16	.053	7.2	5.6	2.30	57.6	.109	1	1.96	.063	.10	.5	4.5	.02	2.31	8	.5	.16	8.6	15
C151424	1.57	3.64	1.81	2.8	89	1.4	12.8	45	1.50	8.4	<.1	3.7	<.1	6.9	<.01	.05	2.38	3	<.01	.014	.9	2.4	.01	18.9	.002	1	.07	.005	.01	<.1	.2	<.02	<.01	<.5	1.0	.63	.2	15
C151425	9.66	281.66	16.87	7.5	9629	1.6	1.6	48	2.36	59.3	<.1	176.6	<.1	2.0	.01	.94	106.90	2	.01	.002	<.5	8.2	<.01	13.8	.001	<.1	.02	.007	.02	.4	.1	<.02	.79	6	3.1	1.01	.5	15
C151426	9.28	5.05	10.57	8.7	568	1.7	.2	82	1.52	10.1	1.6	8.4	3.9	11.6	<.01	1.10	2.62	10	.11	.059	17.6	5.8	.09	93.9	.128	1	.40	.022	.30	2.1	1.9	.10	.16	44	.1	.02	3.2	15
C151427	131.39	66.69	30.87	8.1	2543	3.8	128.3	87	4.89	114.6	.2	388.3	.3	4.0	<.01	1.39	35.36	7	.03	.007	<.5	1.5	.10	74.0	.001	<.1	.35	.005	.14	>100	.3	.03	2.15	7	7.7	6.03	1.7	15
C151428	15.96	230.13	32.44	27.0	1896	2.8	8.5	290	1.53	3.9	.3	123.0	.5	1.9	<.01	.15	26.31	15	.06	.011	.8	8.9	.20	26.8	.021	<.1	.47	.004	.17	4.8	.9	.07	.03	<.5	.5	.96	1.9	15
C151429	17.15	9.72	3.37	1.2	100	3.3	29.1	51	2.07	3.1	.3	9.5	.2	.9	<.01	.08	4.25	2	<.01	.009	.6	13.7	.01	18.9	.012	<.1	.07	.003	.07	7.2	.2	<.02	.02	<.5	2.7	.91	.4	15
C151430	16.53	304.23	15.37	63.4	2482	4.0	115.0	781	12.91	40.6	.1	43.0	.3	40.4	.11	2.97	1.61	49	.56	.048	1.9	1.6	1.35	24.9	.091	1	1.59	.019	.07	5.0	1.7	.05	4.42	23	3.6	2.27	6.6	15
C151431	1.52	2106.57	6.09	76.6	2664	3.3	21.2	764	4.03	2.7	.2	146.5	.4	105.9	.18	.67	.34	47	1.14	.104	4.6	4.5	1.06	73.2	.144	2	2.47	.167	.33	.4	2.2	.18	.11	<.5	1.5	.28	7.1	15
C151432	10.49	53.00	2192.23	521.0	61421	3.1	.7	60	1.96	643.4	<.1	773.4	.1	205.2	8.91	21.03	.28	4	.02	.014	.6	12.1	.01	65.0	.007	<.1	.13	.002	.10	5.8	.3	.08	1.13	805	.8	.21	.5	15
C151433	3.97	30.16	195.64	1359.8	2509	1.1	.7	43	1.20	81.1	<.1	32.2	.1	23.0	22.38	1.74	.28	2	.01	.012	1.5	1.5	.01	266.1	.004	1	.13	.002	.12	.2	.3	.07	.45	768	.5	.27	.4	15
C151434	3.10	123.90	562.14	180.9	4439	2.1	6.8	112	4.53	187.7	.1	81.3	.3	32.6	2.73	3.90	.84	16	.30	.026	2.2	6.2	.05	41.0	.051	1	.37	.014	.17	.3	1.3	.09	3.24	39	3.2	1.62	2.0	15
C151435	7.58	10.69	23.60	71.5	1220	1.0	11.1	1345	4.83	33.9	.4	42.7	.9	41.8	.10	.30	1.77	18	2.41	.070	7.1	5.4	.59	78.4	.041	<.1	1.55	.003	.28	2.9	2.9	.11	2.64	17	.8	.81	3.6	15
C151436	22.69	268.81	>10000	8559.4	99999	2.0	4.3	119	7.80	1497.0	<.1	1386.1	<.1	45.9	124.54	59.54	.36	<.2	.04	.011	.9	1.4	<.01	4.7	.009	<.1	.06	.002	.05	.3	.1	.14	9.35	8278	2.3	.54	.4	15
C151437	4.80	66.52	3180.08	1729.9	99999	1.7	.9	108	2.09	532.6	<.1	292.0	.1	69.6	22.91	268.64	.06	4	.02	.033	1.6	7.1	.01	90.9	.001	1	.14	.003	.14	<.1	.4	.15	.81	5341	.5	.08	.6	15
C151438	44.74	384.68	1164.70	190.1	91351	5.1	32.8	73	5.99	750.8	<.1	2718.5	.1	11.2	2.33	109.76	5.45	12	.11	.012	.7	11.9	.01	21.2	.017	1	.11	.006	.05	6.3	.3	.80	4.69	335	3.7	.82	.8	15
C151463	5.90	45.23	282.71	45.9	3033	.1	.1	5	.22	6.6	.1	46.0	<.1	1172.5	.41	1.23	1.21	<.2	.04	.005	.6	<.5	<.01	973.9	<.001	<.1	.03	.002	.01	<.1	.1	.02	.09	255	.1	.21	.2	15
C151464	19.98	19.73	764.12	65.1	27983	.8	.2	40	.84	5.7	.1	304.1	.1	807.6	.18	.51	5.71	<.2	.04	.022	.9	3.4	<.01	591.5	.002	<.1	.05	.006	.05	1.8	.2	<.02	.11	114	.3	1.17	.2	15
C151465	2.20	3.36	61.93	113.3	1375	1.0	5.8	846	4.42	2.4	.3	28.0	1.6	18.2	.67	.31	.97	43	.38	.115	5.6	2.0	.76	16.8	.035	1	.83	.035	.29	.1	2.5	.09	3.85	25	1.0	.77	4.0	15
C151466	4.78	1.53	25.72	88.6	417	1.0	1.2	732	2.89	1.7	.5	10.9	1.9	26.1	.18	.15	1.19	31	.39	.124	6.6	3.8	.59	48.8	.008	2	.77	.038	.28	1.4	1.8	.08	1.49	20	.5	.41	3.6	15
C151467	8.81	14.51	8.27	5.8	10367	1.7	7.2	39	3.41	2.8	.1	669.1	.4	22.5	.05	.43	1.33	<.2	.02	.027	2.0	7.9	.01	33.4	.020	1	.15	.004	.17	<.1	.6	.04	2.05	28	2.5	3.16	.4	15
C151468	8.23	49.44	35.28	3.5	89040	1.7	.7	52	.70	5.4	<.1	2472.2	2	230.3	.04	2.21	6.85	<.2	.03	.006	1.7	2.0	.01	623.5	.006	<.1	.10	.003	.09	<.1	.2	.02	.19	133	.4	6.99	.2	15
STANDARD D55	12.11	145.92	24.00	138.9	287	24.0	11.6	745	2.82	19.0	6.1	43.4	2.8	46.8	5.35	3.61	6.04	59	.72	.092	12.3	176.5	.66	140.0	.098	17	2.00	.034	.14	5.0	3.4	1.03	.01	196	4.8	.84	6.4	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm	Sample gm
C151469	1.31	2.74	18.28	77.3	514	.8	7.0	639	3.96	4.5	.5	11.8	2.0	10.5	.32	.13	.88	29	.32	.136	7.7	1.7	.85	22.6	.019	2	1.30	.032	.30	<.1	2.0	.09	2.99	6	2	1.17	3.5	15
C151470	3.65	1.70	15.77	22.3	449	.6	2.2	125	2.10	16.2	.3	12.2	1.9	10.0	.08	.09	.40	11	.12	.093	5.4	.8	.32	84.3	.003	1	.64	.041	.27	<.1	1.0	.07	1.04	<.5	.1	.15	2.0	15
C151471	1.52	13.25	17.74	120.6	286	1.3	3.0	146	3.44	4.7	.4	11.3	3.3	12.0	1.17	.08	.31	14	.29	.105	12.9	3.3	.34	28.4	.001	1	.90	.021	.36	1.4	1.1	.11	2.88	6	8	.11	1.9	15
C151472	1.76	2242.74	6946.34	6.3	99999	1.2	.2	.62	.77	.2	<.1	32.4	<.1	16.2	.06	.22	352.73	<.2	.01	.004	<.5	5.8	.02	1552.8	.003	1	.09	.002	.02	<.1	.1	<.02	.08	<.5	70.9	46	.2	15
C151473	3.99	173.00	51.39	1596.5	22410	1.2	.8	642	.62	11.3	.1	2353.7	<.1	6.4	21.24	1.61	2.09	2	.82	.003	.8	2.0	.09	63.3	.001	1	.12	.002	.01	<.1	.2	<.02	.12	45	1.1	.02	.5	15
C151474	5.58	8.72	20.12	44.9	309	4.4	1.4	412	.57	6.3	.1	9.4	.2	26.6	.50	.99	.35	2	.02	.004	1.1	15.9	.01	1138.4	.001	<.1	.05	.001	.01	7.5	.1	<.02	.07	11	<.1	.02	.2	15
C151475	6.15	16.69	44.43	63.6	1148	2.1	.8	580	.96	6.1	.4	3.1	.6	37.4	.57	.29	2.33	4	.07	.007	2.7	9.3	.02	2343.5	.003	<.1	.07	.001	.01	<.1	.1	<.02	.08	23	4	.22	.3	15
C151476	1.74	12.35	15.40	69.1	263	1.2	6.0	580	3.94	4.3	.5	7.2	2.1	10.2	.19	.37	.13	30	.10	.094	7.8	1.5	.60	84.4	.001	1	.92	.024	.17	<.1	1.6	.04	1.17	12	.1	.08	3.5	15
C151477	7.84	4.94	4.36	5.6	1133	4.1	.8	101	.85	1.0	.1	44.9	.2	48.7	.03	.22	.12	<.2	<.01	.003	<.5	14.4	.01	1786.6	.002	1	.03	.001	.01	4.7	.2	<.02	.06	39	.3	1.18	.1	15
C151478	6.36	10.25	18.55	61.7	330	1.5	8.3	1543	3.51	4.2	.5	4.9	1.7	61.5	.39	.29	.20	19	3.84	.076	13.2	3.1	.26	30.7	.001	1	.41	.024	.18	<.1	2.3	.06	3.18	16	4	.15	1.2	15
C151479	8.06	6.32	87.28	237.7	705	.9	1.5	3439	1.26	43.4	.2	14.3	.2	61.2	2.53	1.65	.43	7	6.14	.006	3.4	1.3	.10	57.8	<.001	1	.07	.002	.01	<.1	.8	.04	.56	54	.3	.54	.6	15
C151480	10.66	52.46	3102.74	2663.7	1463	1.5	2.5	6156	1.47	51.3	.2	29.6	.1	139.0	28.55	1.32	.08	8	9.46	.004	7.8	6.0	.19	172.8	<.001	<.1	.07	.002	.01	3.4	1.1	.07	1.14	260	8	.89	1.5	15
C151481	45.87	13.34	308.55	244.9	3639	.4	2.4	2419	5.94	211.2	.3	31.0	.4	33.2	2.41	5.84	6.63	15	2.46	.007	2.3	4.6	.12	61.0	<.001	<.1	.08	.003	.01	<.1	2.0	.16	.86	276	.7	1.77	1.2	15
C151482	6.52	15.82	262.03	385.0	2190	1.2	6.7	5084	3.04	18.1	.6	6.3	1.8	49.0	3.86	.32	3.71	13	1.58	.099	5.9	.7	.63	37.8	.001	1	.56	.007	.25	<.1	1.4	.14	1.63	41	1.2	24	1.0	15
C151483	2.70	962.35	86.46	154.5	609	4.2	6.0	525	3.29	13.9	3.0	5.7	4.8	48.0	1.62	.19	1.17	48	.75	.072	6.6	6.1	.94	24.5	.087	2	1.64	.155	.10	2.1	3.3	.04	3.18	15	1.2	.34	5.5	15
RE C151483	2.70	963.22	86.65	156.0	620	4.2	6.5	505	3.30	14.3	3.1	7.4	4.9	47.5	1.64	.21	1.17	48	.74	.070	6.4	6.1	.94	26.8	.085	1	1.64	.161	.10	2.1	3.3	.03	3.24	11	1.2	.35	5.6	15
C151484	4.78	202.00	5.96	48.7	189	2.1	6.2	1073	1.62	4.0	.1	6.0	.4	5.3	.25	.15	.89	6	.96	.024	2.1	5.6	.27	21.5	.009	<.1	.58	.005	.09	<.1	.8	.03	.13	8	3	.09	1.4	15
C151485	6.73	50.90	9.47	84.6	973	2.2	19.2	1183	1.96	4.5	2.1	35.3	7.4	2.6	.27	.11	2.62	7	.33	.016	2.7	1.4	.23	78.2	.001	<.1	.86	.013	.24	<.1	1.0	.08	.38	6	.9	.80	2.0	15
C151486	5.08	6.66	6.04	5.6	313	3.5	.4	91	.44	1.7	<.1	10.3	.1	3.2	.04	.19	.80	<.2	.02	.010	<.5	11.3	<.01	133.0	.001	<.1	.02	.002	.01	4.2	.3	<.02	.01	19	.3	.45	.1	15
C151487	11.07	25.35	180.17	233.5	1716	2.9	11.7	4516	11.36	3.3	1.3	5.6	.2	63.6	.71	.58	1.61	69	8.82	.057	3.4	2.3	1.36	12.7	.030	<.1	1.07	.001	<.01	28.8	2.2	<.02	<.01	11	.2	.54	4.3	15
C151488	1.26	275.29	2454.26	4161.3	733	4.5	4.4	866	1.52	3.7	.3	3.1	.6	33.7	82.03	.13	.38	12	1.19	.035	6.6	5.3	.51	945.9	.001	<.1	.53	.020	.09	.2	2.7	.03	.11	255	.9	.03	1.2	15
C151489	4.21	36.18	>10000	7164.1	2847	2.0	3.3	955	1.02	.1	1.1	3.5	2.8	16.3	155.86	.61	1.55	10	1.03	.049	10.7	4.6	.25	335.8	.001	1	.79	.010	.29	1.9	1.7	.09	.37	191	3.5	.29	1.7	15
C151490	3.05	17.03	2027.49	586.2	544	.9	1.2	106	2.53	.7	.4	8.9	2.3	10.9	7.90	.15	.60	7	.13	.097	5.4	1.1	.47	185.7	.001	1	.95	.044	.26	<.1	1.3	.06	.53	154	1.5	.12	2.9	15
C151491	2.79	937.13	>10000	5677.7	12999	3.2	2.1	315	1.13	.2	.1	37.0	.3	18.4	78.98	1.29	14.84	5	.57	.017	2.6	10.4	.31	127.8	.001	1	.28	.007	.08	5.6	1.3	.02	.80	4155	29.1	.97	3.3	15
C151492	5.91	12.44	146.48	82.7	370	4.3	4.0	492	2.30	2.3	.2	6.2	.8	10.8	.38	.09	.38	20	.20	.067	4.3	7.9	.47	376.2	.001	<.1	.79	.028	.16	<.1	1.3	.04	.30	.30	.3	.16	2.5	15
C151493	1.76	63.25	3525.74	6619.4	1066	.9	3.9	1175	2.45	3.3	.3	7.6	1.0	18.5	112.98	.18	1.34	32	2.56	.065	5.5	1.3	.46	34.5	.050	<.1	.96	.033	.13	<.1	2.6	.03	.42	157	1.4	.16	3.5	15
C151494	21.51	2320.90	122.12	73.9	3265	2.9	8.2	152	5.36	25.4	.1	626.5	.3	8.7	.95	.32	37.21	11	.07	.019	1.4	10.5	.08	16.8	.016	<.1	.25	.005	.05	7.6	.4	.02	.98	38	8.5	.98	1.9	15
C151495	3.07	1896.40	121.01	49.1	3797	1.3	1.5	308	1.14	1.0	.3	2278.6	.5	25.6	.65	.13	48.14	4	.51	.017	1.5	6.5	.10	564.0	.015	<.1	.26	.012	.10	.2	.4	.03	.22	9	.9	.04	.8	15
C151496	60.58	>10000	252.62	70.2	23598	1.5	10.8	309	5.34	5.7	1.1	774.6	.1	2.9	1.04	51	324.47	6	.02	.004	<.5	2.0	.13	30.4	.005	<.1	.32	.003	.04	1.7	.5	.03	3.09	20	10.6	.29	.9	15
C151497	28.62	8511.38	50.05	138.0	5425	2.5	59.6	1117	8.23	12.7	.5	421.7	.8	9.5	1.05	.16	10.19	10	1.83	.016	1.1	9.1	.16	21.2	.017	<.1	.49	.001	.16	5.6	.7	.07	7.71	18	11.5	1.07	1.4	15
C151498	3.20	115.71	5.08	95.8	208	1.1	17.2	2281	35.13	3.1	1.6	6.5	.5	18.0	.20	.32	1.02	76	1.09	.035	7.6	1.5	.53	21.7	.013	14	1.09	.013	.04	26.3	2.0	<.02	<.01	6	.3	.10	5.7	15
C151499	54.74	880.03	13.75	34.8	1401	1.8	159.1	546	5.31	31.2	.2	382.4	.8	11.3	.04	.18	10.28	17	.40	.030	2.9	2.6	.36	50.0	.015	<.1	.64	.003	.11	.2	.9	.04	2.27	10	3.6	2.42	2.4	15
C151500	3.94	1264.45	7.77	2.6	574	3.6	.8	186	.73	.2	<.1	712.7	<.1	2.5	.05	.17	36.80	<.2	.37	.001	<.5	13.9	.01	5.9	<.001	<.1	.03	.002	.01	8.3	.1	<.02	.06	5	1.1	.04	.1	15
192760	.89	50.29	51.47	270.4	415	4.1	23.6	696	4.23	53.0	.1	9.5	1.0	115.3	1.87	.53	1.37	54	1.74	.081	2.6	4.0	.72	46.0	.070	2	3.74	.510	.40	<.1	4.7	.34	3.03	10	1.7	.79	9.6	15
STANDARD DSS	12.32	145.75	25.30	139.2	279	24.5	12.4	759	2.99	18.9	6.1	45.3	2.9	47.2	5.55	3.77	6.07	61	.77	.093	13.0	176.8	.68	143.1	.103	17	2.13	.035	.14	4.8	3.4	1.01	.01	170	4.9	.87	6.5	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm
192761	9.34	10.22	2.64	5.1	236	3.3	.6	41	1.15	1.3	<.1	12.3	<.1	.8	.02	.06	1.18	2	.01	.002	<.5	13.4	.01	6.9	.004	1	.05	.002	.03	6.1	.1	<.02	.04	5	1.3	89	.2	15
192762	117.83	5.79	5.53	4.3	1048	5.5	119.6	48	4.77	10.0	<.1	98.0	.1	2.3	<.01	.10	38.06	6	.02	.005	<.5	7.6	.03	19.2	.016	<.1	.12	.011	.08	.1	.2	.02	2.77	9	13.2	9.83	.7	15
192763	8.33	9.58	1.99	3.0	234	1.5	.8	38	.93	8.6	<.1	10.8	<.1	.9	.03	.07	1.46	<2	.01	.001	<.5	2.1	.01	9.2	.001	<.1	.04	.004	.03	<.1	.1	<.02	.04	<.5	2.5	58	.1	15
192764	23.97	6.20	6.35	52.8	1772	5.0	90.5	696	2.99	2.0	.1	69.1	.3	4.5	.11	.05	6.24	20	1.12	.041	1.0	9.2	.60	35.6	.009	<.1	1.05	.002	20	6.7	1.2	.05	1.27	7	1.9	2.55	2.7	15
192765	3.17	68.43	72.06	10.1	18740	.2	.8	257	5.49	12.7	.1	43319.9	.3	142.7	.09	5.00	63.21	35	1.17	.035	2.9	2.8	.07	6.0	.233	<.1	1.10	.003	.01	<.1	1.5	<.02	.01	93	48.2	85.64	5.5	15
192766	.45	3.23	2.90	10.0	53	.9	1.0	182	.48	.4	.8	56.7	4.2	36.2	.10	.12	.28	2	.84	.011	11.3	1.4	.08	29.4	.023	1	.37	.085	.07	<.1	.7	<.02	.01	<.5	.2	.24	1.6	15
192767	23.57	2.72	1.66	51.5	3209	1.1	23.3	736	34.70	2.8	.1	271.8	<.1	1.8	<.01	.78	28.50	43	.05	.006	1.8	1.2	.37	11.8	.003	<.1	.75	.006	.01	2.3	2.0	<.02	<.01	7	.2	16.00	3.7	15
192768	1.85	2.10	4.93	24.3	88	.9	.6	45	1.66	3.4	.5	10.3	1.7	20.2	.02	.23	.67	19	.18	.064	7.2	4.4	.03	74.8	.211	<.1	.39	.036	.26	1.9	1.2	.06	.26	6	.1	.37	1.6	15
192769	1.53	10.45	9.30	82.9	206	1.8	6.4	731	3.77	2.4	1.3	192.2	3.1	17.3	.30	.31	.66	76	.30	.094	10.5	6.3	1.42	55.2	.093	1	1.10	.060	.10	<.1	4.6	.02	2.74	16	.9	1.09	6.1	15
192770	3.55	13.18	13.47	233.9	96	1.4	6.8	1271	1.99	1.1	1.3	5.4	6.4	44.9	1.15	.17	.18	29	1.70	.052	18.3	1.7	.48	874.8	.003	1	.74	.044	.22	<.1	2.3	.07	.05	<.5	.2	.03	3.1	15
192771	6.13	620.19	172.43	1449.4	1103	2.2	4.2	32	1.45	55.0	1.0	102.6	4.3	11.1	15.34	.64	.43	4	.01	.027	11.3	6.1	.02	111.9	.002	<.1	.38	.018	.36	2.8	1.2	.14	1.18	424	3.0	.23	1.2	15
192772	5.60	10.60	108.83	36.0	697	.6	.2	19	2.35	31.6	.6	109.0	5.1	17.7	1.20	.84	.52	4	.01	.032	9.7	2.9	.02	191.9	.002	1	.35	.088	.58	<.1	6	.20	.75	135	3.7	.22	1.3	15
192773	6.74	243.74	9.93	304.0	130	2.8	4.4	161	13.17	9.6	1.4	16.7	7.4	8.9	.76	.31	.16	14	.02	.060	5.0	2.2	.11	54.2	.001	1	.86	.026	.13	<.1	1.3	.05	.03	10	2.0	.03	3.1	15
RE 192773	6.95	248.42	10.25	311.5	129	2.7	4.5	168	13.50	9.7	1.5	19.1	7.7	9.2	.75	.30	.17	15	.02	.059	5.0	2.1	.11	54.9	.001	1	.87	.027	.12	<.1	1.4	.05	<.01	12	2.0	.03	3.2	15
192774	.13	1.78	1.31	3.8	9	<.1	.2	2706	.18	9.2	<.1	1.4	<.1	570.9	.34	.31	<.02	<2	35.92	.002	1.2	<.5	.10	12.2	.001	1	.06	.001	.02	.2	.5	<.02	.04	<.5	.3	.05	.1	15
192775	50.10	1447.96	29.28	129.8	800	1.0	13.8	877	3.09	8.9	1.3	140.2	2.4	16.4	.35	.72	8.23	14	.33	.022	9.2	4.7	.73	303.3	.012	1	1.16	.004	.17	<.1	.8	.05	.48	<.5	2.2	1.36	4.6	15
192776	.96	13.68	5.54	106.3	76	2.2	11.3	1172	4.75	7.4	1.5	4.3	1.7	50.3	.15	10.85	.21	108	2.48	.103	12.7	12.7	1.02	131.9	.231	2	1.75	.015	.30	1.9	8.8	.12	.02	<.5	.2	<.02	5.4	15
192777	1.34	342.22	20.86	83.2	294	5.5	19.8	1405	5.85	2.4	.7	4.9	1.9	69.2	.07	.83	.36	220	3.29	.109	13.0	14.7	1.76	181.4	.159	2	2.13	.187	.14	<.1	15.2	.03	.01	<.5	.3	<.02	7.5	15
192778	.66	641.04	6326.05	2691.8	3450	.8	13.8	2071	3.63	1.7	.4	4.2	1.2	46.9	22.65	.81	.71	35	2.38	.116	19.0	2.0	1.13	1091.6	.049	2	1.83	.008	.33	<.1	3.1	.13	.15	31	.5	.02	5.6	15
192779	1.18	3965.33	40.00	120.6	430	2.0	12.3	1013	3.41	.7	1.2	14.0	2.4	16.0	.13	.19	2.07	44	.38	.054	13.4	5.9	.83	129.9	.096	1	1.38	.051	.08	1.6	2.5	.02	.10	6	1.6	.05	6.2	15
192780	11.85	26.00	26.40	19.0	760	1.2	7.7	79	1.28	1.9	.3	6.5	.5	1.2	.09	.09	2.70	6	.02	.004	1.1	1.9	.05	40.3	.004	1	.17	.004	.08	9.8	.3	.02	.26	6	1.2	1.06	.8	15
192781	5.08	23.86	3.98	1.6	127	3.5	3.0	62	1.02	3.9	.1	6.8	.1	.8	.01	.07	3.50	2	.02	.002	<.5	13.8	.01	7.4	.003	<.1	.05	.004	.04	7.2	.2	<.02	.07	<.5	1.3	.51	.2	15
192782	4.73	1593.28	536.72	2842.2	3709	2.9	11.2	2236	2.12	14.7	.9	57.4	.8	189.8	14.47	1.62	4.05	42	1.32	.065	3.2	4.6	.61	23.8	.132	2	1.71	.002	.12	.2	3.3	.06	.06	32	1.0	1.65	5.1	15
192783	5.92	5990.37	36.85	735.7	9674	2.7	2.6	649	4.06	5.2	<.1	2135.1	<.1	2.0	5.64	.44	32.30	<2	.13	.005	<.5	10.6	.01	36.4	.005	<.1	.08	.002	.05	5.6	.3	.02	1.00	21	1.0	.43	.2	15
192784	4.01	32.07	34.83	94.1	331	1.2	3.8	354	1.90	1.8	.2	11.9	.3	10.9	2.25	.12	.75	8	.15	.018	2.0	5.9	.19	48.3	.029	1	.39	.017	.06	<.1	.9	.02	.23	<.5	.3	.20	1.3	15
192801	.71	1106.75	4.98	38.7	266	1.3	1.6	378	.85	.6	<.1	5.1	<.1	13.1	.15	.11	.12	4	.90	.019	1.6	2.5	.12	24.2	.001	1	.30	.004	.05	<.1	.8	.02	.09	<.5	.5	.04	.7	15
192802	13.23	2548.68	27.31	29.9	623	2.5	2.6	417	1.34	2.1	<.1	9.7	.2	7.9	.06	.11	2.00	6	1.14	.018	2.0	10.1	.19	31.3	.004	1	.42	.002	.06	3.5	.6	.04	.29	8	1.3	.14	1.1	15
192803	9.16	2685.10	22.02	48.0	693	1.0	2.5	478	1.82	1.1	<.1	9.4	.2	8.1	.06	.09	1.78	11	1.03	.020	2.9	5.0	.30	15.2	.002	1	.67	.003	.05	<.1	.9	.04	.30	<.5	1.4	.17	1.7	15
192804	10.62	3095.62	18.23	33.1	1062	1.1	2.2	397	1.32	1.1	.1	6.1	.3	12.4	.14	.15	1.62	8	.59	.025	2.9	1.7	.24	54.0	.005	1	.46	.008	.07	<.1	.8	.04	.34	<.5	1.8	.11	1.4	15
192805	7.49	3141.66	18.61	23.9	708	2.6	2.3	337	1.19	1.8	.1	8.8	.1	5.9	.06	.17	1.37	5	.99	.014	1.7	9.7	.15	16.1	.002	1	.32	.002	.05	3.6	.5	.05	.34	7	1.5	.13	.9	15
STANDARD D55	12.51	147.12	25.76	138.6	284	24.6	11.7	796	2.99	18.9	6.2	43.3	2.7	46.7	5.64	3.92	6.38	62	.76	.094	12.3	179.2	.69	142.8	.099	17	2.00	.034	.14	5.2	3.4	1.06	.02	172	5.0	.84	6.6	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GEOCHEMICAL ANALYSIS CERTIFICATE

Stealth Minerals Limited PROJECT GORDO File # A403174 Page 1

554 East Kings Road, North Vancouver BC V7N 1J3



SAMPLE#	Hg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
S1	.05	1.27	.30	.6	11	.1	<.1	2	.03	.1	<.1	.8	<.1	2.2	.01	.02	<.02	<2	.10	<.001	<.5	<.5	<.01	3.7	<.001	<.1	.01	.441	<.01	.1	<.1	<.02	.03	5	.1	<.02	<.1	15
C151219	7.39	35.80	15.98	34.8	1011	1.1	8.6	119	3.44	20.6	.2	48.3	2.6	20.3	.21	.07	.39	7	.26	.151	7.0	3.4	.29	31.4	.005	1	.55	.016	.36	1.7	.9	.08	2.44	7	1.4	.61	1.6	15
C151220	.53	6.59	38.65	332.6	109	.9	6.5	2628	3.75	19.7	.6	49.6	1.8	23.6	.70	2.40	.10	39	2.45	.054	10.2	1.6	.56	146.0	.021	<.1	.51	.006	.16	1.1	3.8	.08	.03	12	.4	.03	2.4	15
C151221	1.95	20.02	9.55	48.1	58	3.0	3.5	1255	1.18	83.0	.3	3.6	.7	49.5	.34	10.96	.02	30	.82	.034	3.9	9.9	.22	84.6	.024	1	.43	.004	.08	3.1	2.4	.04	.01	<.5	.1	.02	3.4	15
C151222	9.64	30.73	4.26	11.8	647	1.5	1.3	166	1.31	32.3	.5	9.2	.9	7.3	.02	.75	.17	<2	.05	.015	4.0	7.2	.03	322.7	.014	<.1	.13	.008	.08	<.1	.5	.04	.42	<.5	.1	.08	.7	15
C151223	.56	3.26	24.44	49.5	33	1.4	2.3	505	1.31	4.2	.5	13.5	3.4	14.9	.28	.05	.05	13	.90	.050	10.3	2.1	.22	69.3	.001	<.1	.58	.041	.14	<.1	1.3	.02	.02	<.5	.1	<.02	1.3	15
C151224	2.27	134.54	9.72	37.8	56	2.2	1.9	632	.92	.9	.3	.8	1.9	41.9	.53	.10	.06	11	1.72	.021	7.0	9.9	.15	722.9	<.001	<.1	.38	.015	.13	5.1	.8	.02	.02	<.5	<.1	<.02	1.0	15
C151225	3.03	24.28	13.52	41.8	143	2.1	3.9	323	1.59	3.0	1.1	.6	2.7	4.6	.25	.14	.28	14	.13	.049	9.6	6.1	.28	145.9	.001	<.1	.75	.027	.23	<.1	1.1	.04	.02	7	.1	.07	2.8	15
C151226	.96	2.17	.68	24.7	10	1.2	2.1	353	.81	2.3	.2	5.7	1.0	4.7	.04	.03	.02	5	.26	.003	3.1	1.9	.17	48.6	.001	<.1	.27	.011	.08	<.1	.2	<.02	.03	<.5	<.1	<.02	.9	15
C151227	1.72	1.94	.31	22.7	9	2.1	1.0	468	.40	.3	.5	<.2	2.4	3.8	.08	.06	.05	4	.55	.025	14.4	9.0	.18	30.5	.002	<.1	.29	.072	.09	2.9	1.1	.02	.01	<.5	.1	.02	1.0	15
C151228	5.06	718.66	24.01	11.0	287	1.5	7.0	577	.78	.7	.3	1.5	<.1	4.6	.07	.09	38.87	2	.81	.003	.9	6.8	.03	19.1	.002	<.1	.07	.004	.02	<.1	.3	<.02	.08	<.5	.6	.07	.2	15
C151229	2.12	4.65	7.72	2.9	860	1.0	2.5	54	.44	1.8	1.1	23.6	3.0	1.5	.02	.09	2.34	2	.03	.008	1.2	1.5	.01	70.4	.002	1	.23	.003	.27	<.1	.3	.05	.04	<.5	.1	.43	.6	15
C151230	582.68	42.68	26.75	18.0	6444	3.3	2.7	308	1.88	56.6	.4	2110.0	.2	30.1	.03	1.32	10.15	22	.24	.017	1.0	13.6	.17	43.3	.030	1	.37	.002	.08	4.9	1.3	.66	.24	71	2.7	2.71	.7	15
C151231	6.92	7.21	1.95	5.6	183	2.0	1.4	275	.68	.9	<.1	17.6	<.1	3.2	.02	.11	1.78	3	.62	.005	.9	9.8	.04	8.4	.002	<.1	.10	.002	.05	<.1	.3	<.02	.02	<.5	<.1	.03	.3	15
C151232	1.50	1.66	1.72	15.5	23	1.8	2.2	206	.73	.9	.5	4.9	2.2	2.6	.01	.07	.17	6	.05	.015	4.4	2.6	.23	7.0	.009	<.1	.28	.046	.04	<.1	.5	<.02	<.01	<.5	<.1	<.02	1.6	15
C151233	9.75	36.39	4.77	9.4	149	4.2	1.5	111	.64	1.0	.5	4.1	.7	1.4	.02	.16	3.57	5	.06	.020	1.7	12.8	.09	16.2	.019	<.1	.25	.008	.14	5.5	.6	.03	<.01	6	.1	.06	.9	15
RE C151233	10.26	34.95	5.03	9.2	150	3.9	1.6	109	.65	1.1	.5	5.0	.7	1.4	<.01	.18	3.67	6	.07	.020	1.8	13.3	.10	17.4	.020	1	.27	.009	.15	5.8	.5	.02	<.01	<.5	<.1	.05	1.0	15
C151234	1.40	2.44	.51	47.0	30	1.6	3.2	643	1.72	.2	.3	.7	1.4	3.8	.31	.10	.09	8	.19	.056	6.5	5.1	.38	36.9	.003	1	.73	.048	.18	<.1	.8	.03	<.01	<.5	<.1	<.02	3.1	15
C151235	.64	4.77	.41	29.1	10	1.6	3.0	540	1.17	1.4	.2	1.6	.8	15.9	.07	.16	.35	16	.87	.023	5.6	2.6	.30	24.6	.047	1	.44	.018	.08	.2	1.1	<.02	<.01	<.5	.1	.02	1.8	15
C151236	2.33	5.90	40.46	142.4	127	2.6	1.6	692	1.13	.5	.7	1.4	2.4	7.1	1.85	.05	.27	7	.10	.027	7.4	8.6	.14	184.3	.002	<.1	.29	.027	.11	3.2	.6	.03	.04	5	.2	.02	1.6	15
C151237	6.25	10.75	63.44	57.5	95	1.6	1.7	99	1.59	2.3	<.1	3.5	.2	2.2	6.33	.17	.63	17	.02	.020	.9	8.5	.12	30.0	.003	<.1	.28	.004	.10	<.1	1.0	.02	<.01	12	.2	.15	1.2	15
C151238	4.59	133.68	7.81	66.8	278	1.0	2.0	848	1.94	10.1	.3	10.4	.4	37.6	.16	.20	.78	8	.38	.007	3.7	1.9	.30	1127.1	.001	1	.52	.002	.12	<.1	.3	.04	.09	7	.1	<.02	2.2	15
C151239	3.41	30.63	.76	1.9	80	3.5	.4	69	.38	.6	<.1	4.5	<.1	1.1	.01	.14	.59	2	.01	.002	<.5	12.6	.01	13.5	.001	1	.05	.003	.04	6.4	.1	<.02	.03	5	<.1	.03	.2	15
C151240	2.04	2.22	.57	2.5	38	1.4	.3	233	.48	.4	<.1	<.2	<.1	3.8	.02	.10	.21	<2	.73	.001	.9	7.2	.01	8.7	.001	<.1	.04	.003	.02	<.1	.2	<.02	.02	<.5	<.1	<.02	1	15
C151241	2.44	185.05	4.68	12.1	313	5.4	1.8	110	.86	1.3	.2	66.0	.5	1.4	.02	.19	3.09	8	.04	.016	1.1	3.3	.13	25.4	.001	<.1	.29	.003	.12	<.1	.6	.02	<.01	<.5	<.1	.05	1.1	15
C151242	44.68	7802.45	52.16	19.4	3921	4.8	8.3	203	2.19	4.6	.8	576.7	.2	1.0	.15	.13	24.83	2	.05	.006	.5	12.7	.01	16.8	.001	<.1	.10	.001	.07	7.1	.2	.02	1.32	5	2.5	.61	.2	15
C151243	9.12	1523.93	3.40	172.9	740	2.4	5.4	1269	2.58	.9	.7	13.5	1.2	25.8	1.38	.21	1.26	28	1.03	.031	8.7	5.1	.54	23.1	.017	1	1.29	.002	.32	.1	1.3	.08	.04	6	.2	.24	3.6	15
C151244	29.31	1991.91	23.78	105.2	1805	1.8	6.4	2602	1.78	2.3	1.5	62.2	.7	37.6	2.53	.20	10.38	11	4.72	.019	1.9	1.2	.28	24.0	.008	<.1	.53	.001	.12	<.1	.9	.05	.10	8	.4	1.13	1.6	15
C151245	4.04	167.85	8.29	79.6	380	3.1	3.6	762	1.34	1.7	.4	9.8	.5	4.7	1.09	.10	1.58	5	.60	.016	1.2	12.5	.05	51.2	.012	1	.22	.002	.13	6.6	.5	.04	.33	<.5	.3	.16	.7	15
C151246	4.02	4035.34	8.70	29.3	1183	2.1	4.8	1209	2.01	4.3	.4	9.2	.4	13.7	.43	.07	4.54	2	1.86	.003	1.5	5.1	.03	23.2	.002	1	.11	.002	.06	<.1	.2	.02	1.04	<.5	.6	.15	.4	15
C151247	2.65	8100.36	23.89	117.6	6678	1.3	19.6	703	6.93	18.7	.2	862.0	.2	12.9	.46	.22	24.02	15	.17	.014	2.9	1.5	.37	22.7	.024	<.1	.60	.003	.02	.8	.7	<.02	2.52	23	5.6	.25	2.6	15
C151248	7.99	>10000	24.70	22.3	17225	2.2	29.6	223	13.11	38.2	.1	1836.6	.1	4.4	.27	.34	48.06	7	.04	.009	<.5	7.9	.05	19.7	.016	<.1	.14	.002	.05	>100	.3	<.02	5.51	102	12.1	.56	1.1	15
C151409	1.17	39.68	59.16	132.5	309	3.1	6.9	877	3.11	7.6	.2	5.1	1.0	52.7	.40	.42	.98	78	.62	.078	2.2	6.0	1.21	47.0	.081	1	1.90	.173	.32	.4	5.3	.22	1.95	<.5	1.1	.10	8.4	15
C151410	66.22	32.87	33.76	30.4	351	1.6	6.9	91	3.09	86.2	<.1	48.8	.3	16.6	.12	.46	1.92	6	.40	.101	1.9	.8	11	48.8	.035	1	.56	.047	.18	.2	.8	.08	2.47	14	.7	1.07	1.6	15
C151411	9.62	81.07	156.03	44.2	2232	1.6	1.9	47	1.40	41.5	.1	30.5	.1	11.8	.50	1.59	.24	9	.03	.022	.8	6.0	.03	193.1	.019	2	.23	.007	.19	.2	.9	.09	5.0	36	.4	.45	.8	15
STANDARD D55	12.52	148.58	25.31	139.8	281	24.4	11.8	739	2.97	19.4	6.2	44.0	2.8	46.6	5.69	3.95	5.98	59	.75	.095	12.5	176.2	.68	143.9	.099	15	1.98	.035	.14	5.0	3.3	1.03	.02	165	5.0	.86	6.5	15

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHIT



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
C151412	4.18	13.09	1.53	18.0	116	3.0	2.7	194	1.29	1.7	.4	2.3	.3	.9	<.01	.09	8.72	9	.03	.013	<.5	11.9	.17	18.8	.010	3	.38	.006	.13	6.0	.4	.03	.10	6	.3	4.39	1.2	15
C151413	3.50	23.44	40.17	188.5	2674	3.5	10.8	403	6.30	195.1	.2	50.1	.8	13.3	1.72	.41	3.10	10	.32	.058	.9	1.2	.31	41.9	.006	4	1.16	.027	.30	<.1	.8	.20	6.51	<.5	6.3	2.08	2.4	15
C151414	81.23	158.23	418.88	1483.8	99999	4.7	20.2	298	10.33	185.8	.1	4204.4	.4	26.0	19.66	21.60	93.65	20	.69	.075	2.7	4.5	.06	22.7	.053	<.1	.42	.004	.05	.2	1.6	.04	9.78	556	31.7	>100	1.5	15
C151415	5.01	13.96	2.23	3.9	2203	4.1	2.1	69	.52	1.1	<.1	19.7	<.1	.8	.05	.11	11.36	2	.01	.001	<.5	15.3	<.01	6.5	<.001	1	.03	.003	.02	8.8	.1	<.02	.02	9	.2	6.09	.1	15
C151416	.82	6.82	1.39	3.7	329	1.2	.5	248	.47	.9	.4	4.0	1.6	6.3	.02	.10	.56	2	1.10	.002	3.5	2.3	.03	8.4	.003	2	.09	.012	.05	<.1	.3	<.02	.02	<.5	.1	.25	.4	15
C151417	192.65	1623.88	35.53	28.1	8253	.8	4.2	452	21.14	159.1	.1	266.3	<.1	.7	.27	1.18	16.71	27	.04	.005	1.6	2.5	.01	2.7	.004	<.1	.13	.001	<.01	64.4	.6	<.02	.04	17	3.8	8.12	1.7	15
C151418	8.76	9.42	7.68	8.5	95	4.2	.7	83	.57	2.8	.2	7.7	.6	7.5	.04	.09	.91	4	.01	.005	1.4	14.0	.01	497.8	.001	1	.12	.002	.06	5.7	.2	.03	<.01	8	<.1	.15	.3	15
C151419	1.64	3.94	2.80	3.6	90	.9	.2	43	.55	2.3	.1	1.6	.5	40.4	.01	.05	.16	4	.01	.012	1.3	1.6	.01	1040.9	<.001	1	.40	.023	.27	<.1	.6	.08	.14	10	<.1	.08	.7	15
C151420	2.81	44.27	18.98	208.0	164	1.5	2.7	1041	3.38	2.4	1.3	4.4	2.7	30.6	1.60	.40	14	51	.16	.054	8.3	5.9	1.37	117.4	.064	1	1.24	.062	.14	1.1	3.6	.03	1.54	40	<.2	.28	5.9	15
C151421	1.94	1.76	1.23	3.2	20	.4	.1	19	.19	1.1	.2	1.4	1.0	107.4	.01	.08	<.02	12	.01	.007	.8	.8	.01	1306.8	.001	<.1	.68	.003	.01	<.1	.7	<.02	.02	5	<.1	.03	1.0	15
C151422	4.13	6.29	.91	2.1	317	1.5	.2	49	.59	1.6	.1	4.6	.3	17.7	<.01	.11	.09	3	<.01	.003	1.2	6.4	<.01	17.8	.002	<.1	.13	.007	<.01	<.1	.3	<.02	<.01	<.5	<.1	.16	.2	15
RE C151422	4.36	6.16	.91	2.4	313	1.7	.2	49	.61	1.8	.1	4.4	.3	17.1	<.01	.11	.09	3	<.01	.003	1.2	6.1	<.01	17.6	.002	1	.13	.007	<.01	.1	.3	<.02	<.01	<.5	<.1	.15	.2	15
C151423	3.41	9.11	8.00	75.1	71	1.7	4.4	1117	3.52	8.8	1.7	1.0	2.5	23.6	.02	.26	.09	85	.16	.053	7.2	5.6	2.30	57.6	.109	1	1.96	.063	.10	.5	4.5	.02	2.31	8	.5	.16	8.6	15
C151424	1.57	3.64	1.81	2.8	89	1.4	12.8	45	1.50	8.4	<.1	3.7	<.1	6.9	<.01	.05	2.38	3	<.01	.014	.9	2.4	.01	18.9	.002	1	.07	.005	.01	<.1	.2	<.02	<.01	<.5	1.0	.63	.2	15
C151425	9.66	281.66	16.87	7.5	9629	1.6	1.6	48	2.36	59.3	<.1	176.6	<.1	2.0	.01	.94	106.90	2	.01	.002	<.5	8.2	<.01	13.8	.001	<.1	.02	.007	.02	.4	.1	<.02	.79	6	3.1	1.01	.5	15
C151426	9.28	5.05	10.57	8.7	568	1.7	.2	82	1.52	10.1	1.6	8.4	3.9	11.6	<.01	1.10	2.62	10	.11	.059	17.6	5.8	.09	93.9	.128	1	.40	.022	.30	2.1	1.9	.10	.16	44	.1	.02	3.2	15
C151427	131.39	66.69	30.87	8.1	2543	3.8	128.3	87	4.89	114.6	.2	388.3	.3	4.0	<.01	1.39	35.36	7	.03	.007	<.5	1.5	.10	74.0	.001	<.1	.35	.005	.14	>100	.3	.03	2.15	7	7.7	6.03	1.7	15
C151428	15.96	230.13	32.44	27.0	1896	2.8	8.5	290	1.53	3.9	.3	123.0	.5	1.9	<.01	.15	26.31	15	.06	.011	.8	8.9	.20	26.8	.021	<.1	.47	.004	.17	4.8	.9	.07	.03	<.5	.5	.96	1.9	15
C151429	17.15	9.72	3.98	1.2	100	3.3	29.1	51	2.07	3.1	.3	9.5	.2	.9	<.01	.08	4.25	2	<.01	.009	.6	13.7	.01	18.9	.012	<.1	.07	.003	.07	7.2	.2	<.02	.02	<.5	2.7	.91	.4	15
C151430	16.53	304.23	15.37	63.4	2482	4.0	115.0	781	12.91	40.6	.1	43.0	.3	40.4	.11	2.97	1.61	49	.56	.048	1.9	1.6	1.35	24.9	.091	1	1.59	.019	.07	5.0	1.7	.05	4.42	23	3.6	2.27	6.6	15
C151431	1.52	2106.57	6.09	76.6	2664	3.3	21.2	764	4.03	2.7	.2	146.5	.4	105.9	.18	.67	.34	47	1.14	.104	4.6	4.5	1.06	73.2	.144	2	2.47	.167	.33	.4	2.2	.18	.11	<.5	1.5	.28	7.1	15
C151432	10.49	53.00	2192.23	521.0	61421	3.1	.7	60	1.96	643.4	<.1	773.4	.1	205.2	8.91	21.03	.28	4	.02	.014	.6	12.1	.01	65.0	.007	<.1	.13	.002	.10	5.8	.3	.08	1.13	805	.8	.21	.5	15
C151433	3.97	30.16	195.64	1359.8	2509	1.1	.7	43	1.20	81.1	<.1	32.2	.1	23.0	22.38	1.74	.28	2	.01	.012	1.5	1.5	.01	266.1	.004	1	.13	.002	.12	.2	.3	.07	.45	768	.5	.27	.4	15
C151434	3.10	123.90	562.14	180.9	4439	2.1	6.8	112	4.53	187.7	.1	81.3	.3	32.6	2.73	3.90	.84	16	.30	.026	2.2	6.2	.05	41.0	.051	1	.37	.014	.17	.3	1.3	.09	3.24	39	3.2	1.62	2.0	15
C151435	7.58	10.69	23.60	71.5	1220	1.0	11.1	1345	4.83	33.9	.4	42.7	.9	41.8	.10	.30	1.77	18	2.41	.070	7.1	5.4	.59	78.4	.041	<.1	1.55	.003	.28	2.9	2.9	.11	2.64	17	.8	.81	3.6	15
C151436	22.69	268.81	>10000	8559.4	99999	2.0	4.3	119	7.80	1497.0	<.1	1386.1	<.1	45.9	124.54	59.54	.36	<.2	.04	.011	.9	1.4	<.01	4.7	.009	<.1	.06	.002	.05	.3	.1	.14	9.35	8278	2.3	.54	.4	15
C151437	4.80	66.52	3180.08	1729.9	99999	1.7	.9	108	2.09	532.6	<.1	292.0	.1	69.6	22.91	268.64	.06	4	.02	.033	1.6	7.1	.01	90.9	.001	1	.14	.003	.14	<.1	.4	.15	.81	5341	.5	.08	.6	15
C151438	44.74	384.68	1164.70	190.1	91351	5.1	32.8	73	5.99	750.8	<.1	2718.5	.1	11.2	2.33	109.76	5.45	12	.11	.012	.7	11.9	.01	21.2	.017	1	.11	.006	.05	6.3	.3	.80	4.69	335	3.7	.82	.8	15
C151463	5.90	45.23	282.71	45.9	3033	.1	.1	5	.22	6.6	.1	46.0	<.1	1172.5	.41	1.23	1.21	<.2	.04	.005	.7	<.5	<.01	973.9	<.001	<.1	.03	.002	.01	<.1	.1	.02	.09	255	1	.21	.2	15
C151464	19.98	19.73	764.12	65.1	27983	.8	.2	40	.84	5.7	.1	304.1	.1	807.6	.18	.51	5.71	<.2	.04	.022	.9	3.4	<.01	591.5	.002	<.1	.05	.006	.05	1.8	.2	<.02	.11	114	.3	1.17	.2	15
C151465	2.20	3.36	61.93	113.3	1375	1.0	5.8	846	4.42	2.4	.3	28.0	1.6	18.2	.67	.31	.97	43	.38	.115	5.6	2.0	.76	16.8	.035	1	.83	.035	.29	.1	2.5	.09	3.85	25	1.0	.77	4.0	15
C151466	4.78	1.53	25.72	88.6	417	1.0	1.2	732	2.89	1.7	.5	10.9	1.9	26.1	.18	.15	1.19	31	.39	.124	6.6	3.8	.59	48.8	.008	2	.77	.038	.28	1.4	1.8	.08	1.49	20	.5	.41	3.6	15
C151467	8.81	14.51	8.27	5.8	10367	1.7	7.2	39	3.41	2.8	.1	669.1	.4	22.5	.05	.43	1.33	<.2	.02	.027	2.0	7.9	.01	33.4	.020	1	.15	.004	.17	<.1	.6	.04	2.05	28	2.5	3.16	.4	15
C151468	8.23	49.44	35.28	3.5	89040	1.7	.7	52	.70	5.4	<.1	2472.2	.2	230.3	.04	2.21	6.85	<.2	.03	.006	1.7	2.0	.01	623.5	.006	<.1	.10	.003	.09	<.1	.2	.02	.19	133	.4	6.99	.2	15
STANDARD 055	12.11	145.92	24.00	138.9	287	24.0	11.6	745	2.82	19.0	6.1	43.4	2.8	46.8	5.35	3.61	6.04	59	.72	.092	12.3	176.5	.66	140.0	.098	17	2.00	.034	.14	5.0	3.4	1.03	.01	196	4.8	.84	6.4	15

Sample type: RDCX R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.




SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
C151469	1.31	2.74	18.28	77.3	514	.8	7.0	639	3.96	4.5	.5	11.8	2.0	10.5	.32	.13	.88	29	.32	136	7.7	1.7	.85	22.6	.019	2	1.30	.032	.30	<.1	2.0	.09	2.99	6	.2	1.17	3.5	15
C151470	3.65	1.70	15.77	22.3	449	.6	2.2	125	2.10	16.2	.3	12.2	1.9	10.0	.08	.09	.40	11	.12	.093	5.4	.8	.32	84.3	.003	1	.64	.041	.27	<.1	1.0	.07	1.04	<.5	.1	.15	2.0	15
C151471	1.52	13.25	17.74	120.6	286	1.3	3.0	146	3.44	4.7	.4	11.3	3.3	12.0	1.17	.08	.31	14	.29	.105	12.9	3.3	.34	28.4	.001	1	.90	.021	.36	1.4	1.1	.11	2.88	6	.8	.11	1.9	15
C151472	1.76	2242.74	6946.34	6.3	99999	1.2	.2	62	.77	.2	<.1	32.4	<.1	16.2	.06	.22	352.73	<.2	.01	.004	<.5	5.8	.02	1552.8	.003	1	.09	.002	.02	<.1	.1	<.02	.08	<.5	70.9	.46	.2	15
C151473	3.99	173.00	51.39	1596.5	22410	1.2	.8	642	.62	11.3	.1	2363.7	<.1	6.4	21.24	1.61	2.09	2	.82	.003	.8	2.0	.09	63.3	.001	1	.12	.002	.01	<.1	.2	<.02	.12	45	1.1	.02	.5	15
C151474	5.58	8.72	20.12	44.9	309	4.4	1.4	412	.57	6.3	.1	9.4	.2	26.6	.50	.99	.35	2	.02	.004	1.1	15.9	.01	1138.4	.001	<.1	.85	.001	.01	7.5	.1	<.02	.07	11	<.1	.02	.2	15
C151475	6.15	16.69	44.43	63.6	1148	2.1	.8	580	.96	6.1	.4	3.1	.6	37.4	.57	.29	2.33	4	.07	.007	2.7	9.3	.02	2343.5	.003	<.1	.07	.001	.01	<.1	.1	<.02	.08	23	.4	.22	.3	15
C151476	1.74	12.35	15.40	69.1	263	1.2	6.0	580	3.94	4.3	.5	7.2	2.1	10.2	.19	.37	.13	30	.10	.094	7.8	1.5	.60	84.4	.001	1	.92	.024	.17	<.1	1.6	.04	1.17	12	.1	.08	3.5	15
C151477	7.84	4.94	4.36	5.6	1133	4.1	.8	101	.85	1.0	1	44.9	.2	48.7	.03	.22	.12	<.2	<.01	.003	<.5	14.4	.01	1786.6	.002	1	.03	.001	.01	4.7	2.3	<.02	.06	39	.3	1.18	.1	15
C151478	6.36	10.25	18.55	61.7	330	1.5	8.3	1543	3.51	4.2	.5	4.9	1.7	61.5	.39	.29	.20	19	3.84	.076	13.2	3.1	.26	30.7	.001	1	.41	.024	.18	<.1	2.3	.06	3.18	16	.4	.15	1.2	15
C151479	8.06	6.32	87.28	237.7	705	.9	1.5	3439	1.26	43.4	.2	14.3	.2	61.2	2.53	1.65	.43	7	6.14	.006	3.4	1.3	.10	57.8	<.001	1	.07	.002	.01	<.1	.8	.04	.56	54	.3	.54	.6	15
C151480	10.66	52.46	3102.74	2663.7	1463	1.5	2.5	6156	1.47	51.3	.2	29.6	.1	139.0	28.55	1.32	.08	8	9.46	.004	7.8	6.0	.19	172.8	<.001	<.1	.07	.002	.01	3.4	1.1	.07	1.14	260	.8	.89	1.5	15
C151481	45.87	13.34	308.55	244.9	3639	.4	2.4	2419	5.94	211.2	.3	31.0	.4	33.2	2.41	5.84	6.63	15	2.46	.007	2.3	4.6	.12	61.0	<.001	<.1	.08	.003	.01	<.1	2.0	.16	.86	276	.7	1.77	1.2	15
C151482	6.52	15.82	262.03	385.0	2190	1.2	6.7	5084	3.04	18.1	.6	6.3	1.8	49.0	3.86	.32	3.71	13	1.58	.099	5.9	.7	.63	37.8	.001	1	.56	.007	.25	<.1	1.4	.14	1.63	41	1.2	.24	1.0	15
C151483	2.70	962.35	86.46	154.5	609	4.2	6.0	525	3.29	13.9	3.0	5.7	4.8	48.0	1.62	.19	1.17	48	.75	.072	6.6	6.1	.94	24.5	.087	2	1.64	.155	.10	2.1	3.3	.04	3.18	15	1.2	.34	5.5	15
RE C151483	2.70	963.22	86.65	156.0	620	4.2	6.5	505	3.30	14.3	3.1	7.4	4.9	47.5	1.64	.21	1.17	48	.74	.070	6.4	6.1	.94	26.8	.085	1	1.64	.161	.10	2.1	3.3	.03	3.24	11	1.2	.36	5.6	15
C151484	4.78	202.00	5.96	48.7	189	2.1	6.2	1073	1.62	4.0	.1	6.0	.4	5.3	.25	.15	.89	6	.96	.024	2.1	5.6	.27	21.5	.009	<.1	.58	.005	.09	<.1	.8	.03	.13	8	.3	.09	1.4	15
C151485	6.73	50.90	9.47	84.6	973	2.2	19.2	1183	1.96	4.5	2.1	35.3	7.4	2.6	.27	.11	2.62	7	.33	.016	2.7	1.4	.23	78.2	.001	<.1	.86	.013	.24	<.1	1.0	.08	.38	6	.9	.80	2.0	15
C151486	5.08	6.66	6.04	5.6	313	3.5	.4	91	.44	1.7	<.1	10.3	.1	3.2	.04	.19	.80	<.2	.02	.010	<.5	11.3	<.01	133.0	.001	<.1	.02	.002	.01	4.2	.3	<.02	.01	19	.3	.45	.1	15
C151487	11.07	25.35	180.17	233.5	1716	2.9	11.7	4516	11.36	3.3	1.3	5.6	.2	63.6	.71	.58	1.61	69	8.82	.057	3.4	2.3	1.36	12.7	.030	<.1	1.07	.001	<.01	28.8	2.2	<.02	<.01	11	.2	.54	4.3	15
C151488	1.26	275.29	2454.26	4161.3	733	4.5	4.4	866	1.52	3.7	.3	3.1	.6	33.7	82.03	.13	.38	12	1.19	.036	6.6	5.3	.51	945.9	.001	<.1	.53	.020	.09	.2	2.7	.03	.11	255	.9	.03	1.2	15
C151489	4.21	36.18	>10000	7164.1	2847	2.0	3.3	955	1.02	.1	1.1	3.5	2.8	16.3	155.86	.61	1.55	10	1.03	.049	10.7	4.6	.25	335.8	.001	1	.79	.010	.29	1.9	1.7	.09	.37	191	3.5	.29	1.7	15
C151490	3.05	17.03	2027.49	586.2	544	.9	1.2	106	2.53	.7	.4	8.9	2.3	10.9	7.90	.15	.60	7	.13	.097	5.4	1.1	.47	185.7	.001	1	.95	.044	.26	<.1	1.3	.06	.53	154	1.5	.12	2.9	15
C151491	2.79	937.13	>10000	5677.7	12999	3.2	2.1	315	1.13	.2	.1	37.0	.3	18.4	78.98	1.29	14.84	5	.57	.017	2.6	10.4	.31	127.8	.001	1	.28	.007	.08	5.6	1.3	.02	.80	4155	29.1	.97	3.3	15
C151492	5.91	12.44	146.48	82.7	370	4.3	4.0	492	2.30	2.3	.2	6.2	.8	10.8	.38	.09	.38	20	.20	.067	4.3	7.9	.47	376.2	.001	<.1	.79	.028	.16	<.1	1.3	.04	.30	30	.3	.16	2.5	15
C151493	1.76	63.25	3525.74	6619.4	1066	.9	3.9	1175	2.45	3.3	.3	7.6	1.0	18.5	112.98	.18	1.34	32	2.56	.065	5.5	1.3	.46	34.5	.050	<.1	.96	.033	.13	<.1	2.6	.03	.42	157	1.4	.16	3.5	15
C151494	21.51	2320.90	122.12	73.9	3265	2.9	8.2	152	5.36	25.4	.1	626.5	.3	8.7	.95	.32	37.21	11	.07	.019	1.4	10.5	.08	16.8	.016	<.1	.25	.005	.05	7.6	.4	.02	.98	38	8.5	.98	1.9	15
C151495	3.07	1896.40	121.01	49.1	3797	1.3	1.5	308	1.14	1.0	.3	2278.6	.5	25.6	.65	.13	48.14	4	.51	.017	1.5	6.5	.10	564.0	.015	<.1	.26	.012	.10	.2	.4	.03	.22	9	.9	.04	.8	15
C151496	60.58	>10000	252.62	70.2	23598	1.5	10.8	309	5.34	5.7	1.1	774.6	.1	2.9	1.04	.51	324.47	6	.02	.004	<.5	2.0	.13	30.4	.005	<.1	.32	.003	.04	1.7	.5	.03	3.09	20	10.6	.29	.9	15
C151497	28.62	8511.38	50.05	138.0	5425	2.5	59.6	1117	8.23	12.7	.5	421.7	.8	9.5	1.05	.16	10.19	10	1.83	.016	1.1	9.1	.16	21.2	.017	<.1	.49	.001	.16	5.6	.7	.07	7.71	18	11.5	1.07	1.4	15
C151498	3.20	115.71	5.08	95.8	208	1.1	17.2	2281	35.13	3.1	1.6	6.5	.5	18.0	.20	.32	1.02	76	1.09	.035	7.6	1.5	.53	21.7	.013	14	1.09	.013	.04	26.3	2.0	<.02	<.01	6	.3	.10	5.7	15
C151499	54.74	880.03	13.75	34.8	1401	1.8	159.1	546	5.31	31.2	.2	382.4	.8	11.3	.04	.18	10.28	17	.40	.030	2.9	2.6	.36	50.0	.015	<.1	.64	.003	.11	.2	.9	.04	2.27	10	3.6	2.42	2.4	15
C151500	3.94	1264.45	7.77	2.6	574	3.6	.8	186	.73	.2	<.1	712.7	<.1	2.5	.05	.17	36.80	<.2	.37	.001	<.5	13.9	.01	5.9	<.001	<.1	.03	.002	.01	8.3	.1	<.02	.06	5	1.1	.04	.1	15
192760	.89	50.29	51.47	270.4	415	4.1	23.6	696	4.23	53.0	.1	9.5	1.0	115.3	1.87	.53	1.37	54	1.74	.081	2.6	4.0	.72	46.0	.070	2	3.74	.510	.40	<.1	4.7	.34	3.03	10	1.7	.79	9.6	15
STANDARD DSS	12.32	145.75	25.30	139.2	279	24.5	12.4	759	2.99	18.9	6.1	45.3	2.9	47.2	5.55	3.77	6.07	61	.77	.093	13.0	176.8	.68	143.1	.103	17	2.13	.035	.14	4.8	3.4	1.01	.01	170	4.9	.87	6.5	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hf	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample gm
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
192761	9.34	10.22	2.64	5.1	236	3.3	.6	41	1.15	1.3	<.1	12.3	<.1	.8	.02	.06	1.18	2	.01	.002	<.5	13.4	.01	6.9	.004	1	.05	.002	.03	6.1	.1	<.02	.04	5	1.3	.89	.2	15
192762	117.83	5.79	5.53	4.3	1048	5.5	119.6	48	4.77	10.0	<.1	98.0	.1	2.3	<.01	.10	38.06	6	.02	.005	<.5	7.6	.03	19.2	.016	<.1	.12	.011	.08	.1	.2	.02	2.77	9	13.2	9.83	.7	15
192763	8.33	9.58	1.99	3.0	234	1.5	.8	38	.93	8.6	<.1	10.8	<.1	.9	.03	.07	1.46	<2	.01	.001	<.5	2.1	.01	9.2	.001	<.1	.04	.004	.03	<.1	.1	<.02	.04	<.5	2.5	.58	.1	15
192764	23.97	6.20	6.35	52.8	1772	5.0	90.5	696	2.99	2.0	.1	69.1	.3	4.5	.11	.05	6.24	20	1.12	.041	1.0	9.2	.60	35.6	.009	<.1	1.05	.002	.20	6.7	1.2	.05	1.27	7	1.9	2.55	2.7	15
192765	3.17	68.43	72.06	10.1	18740	.2	.8	257	5.49	12.7	.1	43319.9	.3	142.7	.09	5.00	63.21	35	1.17	.035	2.9	2.8	.07	6.0	.233	<.1	1.10	.003	.01	<.1	1.5	<.02	.01	93	48.2	85.64	5.5	15
192766	.45	3.23	2.90	10.0	53	.9	1.0	182	.48	.4	.8	56.7	4.2	36.2	.10	.12	.28	2	.84	.011	11.3	1.4	.08	29.4	.023	1	.37	.085	.07	<.1	.7	<.02	.01	<.5	.2	.24	1.6	15
192767	23.57	2.72	1.66	51.5	3209	1.1	23.3	736	34.70	2.8	.1	271.8	<.1	1.8	<.01	.78	28.50	43	.05	.006	1.8	1.2	.37	11.8	.003	<.1	.75	.006	.01	2.3	2.0	<.02	<.01	7	.2	16.00	3.7	15
192768	1.85	2.10	4.93	24.3	88	.9	.6	45	1.66	3.4	.5	10.3	1.7	20.2	.02	.23	.67	19	.18	.064	7.2	4.4	.03	74.8	.211	<.1	.39	.036	.26	1.9	1.2	.06	.26	6	.1	.37	1.6	15
192769	1.53	10.45	9.30	82.9	206	1.8	6.4	731	3.77	2.4	1.3	192.2	3.1	17.3	.30	.31	.66	76	.30	.094	10.5	6.3	1.42	55.2	.093	1	1.10	.060	.10	<.1	4.6	<.02	.05	16	1.9	1.09	6.1	15
192770	3.55	13.18	13.47	233.9	96	1.4	6.8	1271	1.99	1.1	1.3	5.4	6.4	44.9	1.15	.17	.18	29	1.70	.052	18.3	1.7	.48	874.8	.003	1	.74	.044	.22	<.1	2.3	.07	.25	<.5	.2	.03	3.1	15
192771	6.13	620.19	172.43	1449.4	1103	2.2	4.2	32	1.45	55.0	1.0	102.6	4.3	11.1	15.34	.64	.43	4	.01	.027	11.3	6.1	.02	111.9	.002	<.1	.38	.018	.36	2.8	1.2	.14	1.18	424	3.0	.23	1.2	15
192772	5.60	10.60	108.83	36.0	697	.6	.2	19	2.35	31.6	.6	109.0	5.1	17.7	1.20	.84	.52	4	.01	.032	9.7	2.9	.02	191.9	.002	1	.35	.088	.58	<.1	.6	.20	.75	136	3.7	.22	1.3	15
192773	6.74	243.74	9.93	304.0	130	2.8	4.4	161	13.17	9.6	1.4	16.7	7.4	8.9	.76	.31	.16	14	.02	.060	5.0	2.2	.11	54.2	.001	1	.86	.026	.13	<.1	1.3	.05	.03	10	2.0	.03	3.1	15
RE 192773	6.95	248.42	10.25	311.5	129	2.7	4.5	168	13.50	9.7	1.5	19.1	7.7	9.2	.75	.30	.17	15	.02	.059	5.0	2.1	.11	54.9	.001	1	.87	.027	.12	<.1	1.4	.05	<.01	12	2.0	.03	3.2	15
192774	.13	1.78	1.31	3.8	9	<.1	.2	2706	.18	9.2	<.1	1.4	<.1	570.9	.34	.31	<.02	<2	35.92	.002	1.2	<.5	.10	12.2	.001	1	.06	.001	.02	.2	.5	<.02	.04	<.5	.3	.05	.1	15
192775	50.10	1447.96	29.28	129.8	800	1.0	13.8	877	3.09	8.9	1.3	140.2	2.4	16.4	.35	.72	8.23	14	.33	.022	9.2	4.7	.73	303.3	.012	1	1.16	.004	.17	<.1	.8	.05	.48	<.5	2.2	1.36	4.6	15
192776	.96	13.68	5.54	106.3	76	2.2	11.3	1172	4.75	7.4	1.5	4.3	1.7	50.3	.15	10.85	.21	108	2.48	.103	12.7	12.7	1.02	131.9	.231	2	1.75	.015	.30	1.9	8.8	.12	.02	<.5	.2	<.02	5.4	15
192777	1.34	342.22	20.86	83.2	294	5.5	19.8	1405	5.85	2.4	.7	4.9	1.9	69.2	.07	.83	.36	220	3.29	.109	13.0	14.7	1.76	181.4	.159	2	2.13	.187	.14	<.1	15.2	.03	.01	<.5	.3	<.02	7.5	15
192778	.66	641.04	6326.05	2691.8	3450	.8	13.8	2071	3.63	1.7	.4	4.2	1.2	46.9	22.65	.81	.71	35	2.38	.116	19.0	2.0	1.13	1091.6	.049	2	1.83	.008	.33	<.1	3.1	.13	.15	31	.5	.02	5.6	15
192779	1.18	3965.33	40.00	120.6	430	2.0	12.3	1013	3.41	.7	1.2	14.0	2.4	16.0	.13	.19	2.07	44	.38	.054	13.4	5.9	.83	129.9	.096	1	1.38	.051	.08	1.6	2.5	.02	.10	6	1.6	.05	6.2	15
192780	11.85	26.00	26.40	19.0	760	1.2	7.7	79	1.28	1.9	.3	6.5	.5	1.2	.09	.09	2.70	6	.02	.004	1.1	1.9	.05	40.3	.004	1	.17	.004	.08	9.8	.3	.02	.26	6	1.2	1.06	.8	15
192781	5.08	23.86	3.98	1.6	127	3.5	3.0	62	1.02	3.9	.1	6.8	.1	.8	.01	.07	3.50	2	.02	.002	<.5	13.8	.01	7.4	.003	<.1	.05	.004	.04	7.2	.2	<.02	.07	<.5	1.3	.51	.2	15
192782	4.73	1593.28	536.72	2842.2	3709	2.9	11.2	2236	2.12	14.7	.9	57.4	.8	189.8	14.47	1.62	4.05	42	1.32	.065	3.2	4.6	.61	23.8	.132	2	1.71	.002	.12	.2	3.3	.06	.06	32	1.0	1.65	5.1	15
192783	5.92	5990.37	36.85	735.7	9674	2.7	2.6	649	4.06	5.2	<.1	2135.1	<.1	2.0	5.64	.44	32.30	<2	.13	.005	<.5	10.6	.01	36.4	.005	<.1	.08	.002	.05	5.6	.3	.02	1.00	21	1.0	.43	.2	15
192784	4.01	32.07	34.83	94.1	331	1.2	3.8	354	1.90	1.8	.2	11.9	.3	10.9	2.25	.12	.75	8	.15	.018	2.0	5.9	.19	48.3	.029	1	.39	.017	.06	<.1	.9	.02	.23	<.5	.3	.20	1.3	15
192801	.71	1106.75	4.98	38.7	266	1.3	1.6	378	.85	.6	<.1	5.1	<.1	13.1	.15	.11	.12	4	.90	.019	1.6	2.5	.12	24.2	.001	1	.30	.004	.05	<.1	.8	.02	.09	<.5	.5	.04	.7	15
192802	13.23	2548.68	27.31	29.9	623	2.5	2.6	417	1.34	2.1	<.1	9.7	.2	7.9	.06	.11	2.00	6	1.14	.018	2.0	10.1	.19	31.3	.004	1	.42	.002	.06	3.5	.6	.04	.29	8	1.3	.14	1.1	15
192803	9.16	2685.10	22.02	48.0	693	1.0	2.5	478	1.82	1.1	<.1	9.4	.2	8.1	.06	.09	1.78	11	1.03	.020	2.9	5.0	.30	15.2	.002	1	.67	.003	.05	<.1	.9	.04	.30	<.5	1.4	.17	1.7	15
192804	10.62	3095.62	18.23	33.1	1062	1.1	2.2	397	1.32	1.1	.1	6.1	.3	12.4	.14	.15	1.62	8	.59	.025	2.9	1.7	.24	54.0	.005	1	.46	.008	.07	<.1	.8	.04	.34	<.5	1.8	.11	1.4	15
192805	7.49	3141.66	18.61	23.9	708	2.6	2.3	337	1.19	1.8	.1	8.8	.1	5.9	.06	.17	1.37	5	.99	.014	1.7	9.7	.15	16.1	.002	1	.32	.002	.05	3.6	.5	.05	.34	7	1.5	.13	.9	15
STANDARD DSS	12.51	147.12	25.76	138.6	284	24.6	11.7	796	2.99	18.9	6.2	43.3	2.7	46.7	5.64	3.92	6.38	62	.76	.094	12.3	179.2	.69	142.8	.099	17	2.00	.034	.14	5.2	3.4	1.06	.02	172	5.0	.84	6.6	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0614-RG1

Aug-03-04

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam**

We hereby certify the following geochemical analysis of 24 rock samples submitted Jul-10-04

Sample Name	Au PPB
185228	99
185229	4
185230	44
185231	251
185232	26
185233	38
185234	359
185235	158
185236	53
185237	38
185238	6
185239	69
185240	116
185241	62
185242	47
185243	82
185244	124
185245	39
185246	374
185247	4
185248	123
185249	88
185250	83
185251	43

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate


4V-0614-RG2


Company: **Stealth Minerals Ltd.**
 Project: **Gordo**
 Attn: **Bill McWilliam**

Aug-03-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Jul-10-04

Sample Name	Au PPB	Au g/tonne	Ag g/tonne
185252	8		
185253	6		
185254	5		
185255	173		
185256	7230		177.0
192902	25		
192903	18		
192904	9		
192905	11		
192906	11		
192907	>10000	14.53	269.0
192908	1310		
192909	24		
192910	222		
192911	200		
192912	212		
192913	>10000	14.90	
192914	1340		
192915	160		
185257	1480		
185258	645		
185259	3470		
185260	110		
185261	45		
*97-45		1.43	
*CPB-1			624.0
*BLANK		<0.01	<0.1

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0614-RG3

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam**

Aug-03-04

We *hereby certify* the following geochemical analysis of 2 rock samples submitted Jul-10-04

Sample Name	Au PPB
185262	84
185263	2

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Gordo

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0614 RJ

Date : Aug-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185228	7.5	0.45	<5	144	0.6	<5	<0.01	<1	4	128	>10000	14.53	<0.01	0.12	302	12	<0.01	12	587	82	9	<1	<10	<1	<0.01	50	98	1	78	10
185229	<0.2	0.55	<5	65	<0.5	<5	0.17	<1	5	66	65	1.85	0.26	0.15	253	3	0.02	3	650	3	<5	1	<10	4	0.05	7	<10	7	24	10
185230	1.9	0.16	310	113	<0.5	<5	2.03	<1	8	142	73	3.07	0.16	0.01	787	5	<0.01	9	441	30	11	1	<10	19	<0.01	15	<10	6	14	6
185231	17.9	0.27	30	105	<0.5	<5	0.02	<1	<1	155	14	1.00	0.21	0.03	96	495	0.01	6	190	143	7	<1	<10	<1	<0.01	<1	<10	<1	15	2
185232	0.9	0.28	<5	15	<0.5	8	0.11	<1	2	175	1955	0.95	0.07	0.12	208	6	0.01	9	152	6	<5	<1	<10	5	<0.01	6	<10	<1	18	2
185233	0.2	0.04	<5	22	<0.5	<5	<0.01	<1	4	279	15	1.00	0.02	<0.01	38	18	0.01	9	43	<2	<5	<1	<10	<1	<0.01	2	<10	<1	1	2
185234	0.6	0.18	<5	27	<0.5	10	0.56	<1	3	213	41	0.63	0.02	0.09	301	2	0.02	10	107	3	<5	<1	<10	1	0.02	9	<10	2	18	3
185235	1.1	0.07	<5	26	<0.5	14	0.02	<1	2	230	352	0.72	0.06	0.02	51	5	0.01	8	81	20	<5	<1	<10	<1	<0.01	3	<10	<1	2	2
185236	2.3	1.24	<5	<10	<0.5	46	0.03	<1	11	235	1209	3.47	0.03	0.79	872	21	<0.01	14	210	109	<5	1	<10	<1	<0.01	47	<10	1	83	4
185237	1.2	0.67	55	26	<0.5	<5	0.11	<1	6	187	276	5.37	0.03	0.30	419	51	0.01	11	441	17	6	3	<10	5	0.06	63	<10	2	99	7
185238	<0.2	0.17	<5	870	<0.5	<5	0.04	<1	<1	146	16	0.49	0.18	0.01	34	9	<0.01	8	80	24	<5	<1	<10	26	<0.01	3	<10	1	49	4
185239	11.1	0.26	<5	42	<0.5	6	4.23	>100	11	59	1303	9.65	<0.01	0.08	5263	6	<0.01	5	124	653	6	<1	<10	2	<0.01	26	795	4	>10000	7
185240	7.7	0.98	132	29	<0.5	11	0.36	4	14	87	94	9.41	0.05	0.32	4163	99	<0.01	9	390	331	6	2	<10	4	0.03	49	20	3	1327	8
185241	4.3	0.17	24	93	<0.5	9	0.65	>100	7	73	364	12.03	<0.01	0.04	1199	17	<0.01	7	174	161	6	<1	<10	<1	<0.01	34	222	<1	>10000	9
185242	12.2	1.45	111	20	0.6	19	0.58	32	52	70	99	>15.00	0.02	0.45	6916	211	<0.01	12	590	507	11	4	<10	3	0.05	73	72	6	5503	12
185243	2.0	0.27	24	51	<0.5	<5	0.94	<1	41	110	177	2.81	0.17	0.07	526	70	<0.01	7	235	25	<5	<1	<10	2	<0.01	8	<10	5	201	5
185244	1.5	0.34	14	41	<0.5	6	0.02	<1	134	141	6	6.85	0.19	0.07	434	48	0.01	10	182	16	<5	<1	<10	<1	<0.01	12	<10	2	46	10
185245	0.4	0.27	55	117	<0.5	<5	0.16	<1	4	88	9	2.46	0.23	0.04	192	25	0.01	5	566	14	<5	<1	<10	<1	<0.01	6	<10	11	36	18
185246	2.4	0.72	19	22	<0.5	<5	0.14	<1	5	129	268	2.17	0.09	0.47	532	7	<0.01	8	249	16	<5	1	<10	<1	<0.01	27	<10	2	118	4
185247	<0.2	0.41	<5	218	<0.5	<5	0.21	<1	2	164	34	0.83	0.09	0.28	337	3	0.02	7	155	2	<5	<1	<10	7	<0.01	7	<10	2	35	3
185248	0.6	0.40	<5	53	<0.5	7	0.02	<1	7	155	314	1.45	0.08	0.24	594	5	<0.01	8	187	11	<5	<1	<10	<1	<0.01	12	<10	4	39	3
185249	1.1	0.10	13	458	<0.5	17	0.05	<1	10	218	9	1.30	0.09	0.01	74	16	0.01	7	72	5	<5	<1	<10	14	<0.01	3	<10	1	11	4
185250	1.0	0.09	11	571	<0.5	18	0.09	<1	10	179	9	1.21	0.08	0.01	83	15	0.01	7	76	<2	<5	<1	<10	18	<0.01	4	<10	1	8	4
185251	0.8	0.58	36	63	<0.5	<5	0.21	<1	7	118	18	2.94	0.17	0.27	369	15	0.01	6	470	15	5	2	<10	13	0.04	34	<10	4	65	6
185252	2.7	0.31	<5	32	<0.5	<5	0.24	<1	7	159	3726	1.69	0.02	0.09	142	5	<0.01	6	221	16	<5	<1	<10	28	<0.01	17	<10	3	16	3
185253	1.4	0.31	<5	496	<0.5	<5	0.33	<1	14	165	1339	1.60	<0.01	0.04	100	4	<0.01	9	187	12	<5	1	<10	40	0.02	18	<10	3	9	3
185254	0.6	0.11	<5	12	<0.5	<5	0.09	<1	11	232	243	1.55	<0.01	0.02	56	6	<0.01	8	50	8	8	<1	<10	8	<0.01	9	<10	<1	10	2
185255	1.3	0.13	100	154	0.9	19	0.02	<1	30	60	29	>15.00	0.02	0.01	263	77	<0.01	12	559	67	12	<1	<10	<1	<0.01	57	28	3	59	16
185256	197.6	0.42	91	138	<0.5	<5	0.10	<1	3	110	23	3.47	0.18	0.17	233	308	0.01	6	496	143	5	<1	<10	7	0.04	12	<10	2	42	4
192902	1.0	0.14	5	17	<0.5	<5	0.01	<1	34	201	13	3.79	0.06	0.04	73	8	0.01	8	105	14	<5	<1	<10	<1	<0.01	10	<10	<1	8	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Gordo

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0614 RJ


Date : Aug-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
192903	0.2	0.06	<5	27	<0.5	<5	0.24	<1	2	213	118	0.37	0.04	0.01	278	4	0.01	11	34	5	<5	<1	<10	1	<0.01	2	<10	<1	7	1
192904	<0.2	1.54	<5	55	<0.5	<5	0.20	<1	7	63	148	6.85	0.22	0.85	1109	7	0.03	6	943	15	<5	3	<10	<1	<0.01	11	<10	11	58	5
192905	0.7	0.26	38	261	<0.5	<5	0.64	<1	3	190	46	1.42	0.06	0.07	740	5	<0.01	11	134	12	<5	<1	<10	7	<0.01	11	<10	3	31	3
192906	0.3	0.06	22	83	<0.5	<5	<0.01	<1	1	211	6	0.73	0.05	<0.01	75	7	0.01	8	86	11	7	<1	<10	8	0.02	5	<10	<1	5	4
192907	>200.0	3.00	<5	251	0.9	<5	1.25	3	20	29	>10000	6.59	0.13	1.56	2470	2	0.02	9	1963	84	6	7	<10	82	0.19	128	21	10	351	9
192908	10.0	1.33	38	70	<0.5	31	0.07	<1	19	150	>10000	6.78	0.03	0.79	1275	38	<0.01	21	592	475	6	3	<10	<1	0.04	127	<10	18	115	6
192909	<0.2	0.56	<5	18	<0.5	<5	0.26	<1	3	240	3061	1.32	0.10	0.42	461	3	0.02	9	214	9	<5	<1	<10	<1	0.02	19	<10	3	40	2
192910	6.8	0.10	<5	<10	<0.5	206	0.02	<1	4	205	158	0.39	0.06	0.02	88	301	0.01	10	67	729	<5	<1	<10	2	<0.01	<1	<10	<1	7	2
192911	1.8	0.09	15	80	<0.5	15	<0.01	<1	1	226	530	2.19	0.05	<0.01	32	31	0.01	8	66	14	<5	<1	<10	<1	<0.01	8	<10	<1	3	3
192912	2.1	1.63	<5	182	<0.5	<5	0.07	<1	19	103	>10000	6.58	0.02	0.86	1231	14	0.02	10	745	43	5	3	<10	13	0.02	77	10	3	130	6
192913	15.9	0.15	61	140	<0.5	119	0.02	<1	3	186	1565	5.73	0.03	0.03	60	57	0.03	9	398	103	<5	<1	<10	23	0.02	24	<10	<1	10	5
192914	25.2	0.53	<5	251	<0.5	194	3.03	3	5	110	>10000	1.73	0.03	0.22	973	32	0.01	6	896	149	<5	3	<10	168	<0.01	19	<10	8	44	2
192915	3.9	0.27	<5	75	<0.5	15	0.03	<1	48	175	272	5.07	0.09	0.06	105	84	0.01	8	146	42	5	<1	<10	3	<0.01	13	<10	<1	15	4
185257	13.2	0.25	<5	282	<0.5	301	0.06	<1	12	168	>10000	1.90	0.03	0.13	462	142	0.01	10	450	503	<5	3	<10	3	<0.01	12	<10	7	23	3
185258	4.1	0.42	<5	291	<0.5	6	0.02	<1	2	198	3954	3.06	0.05	0.17	314	34	0.01	8	193	42	<5	<1	<10	9	0.01	16	<10	<1	31	4
185259	7.8	0.28	<5	595	<0.5	109	0.04	<1	5	177	3701	2.39	0.11	0.08	150	100	0.01	7	271	313	<5	<1	<10	<1	0.02	8	<10	5	23	5
185260	0.5	0.21	<5	28	<0.5	<5	0.06	<1	1	315	6709	1.46	0.09	0.05	136	6	0.02	11	342	14	<5	<1	<10	<1	0.01	11	<10	2	4	2
185261	1.6	0.45	6	37	<0.5	10	1.67	<1	13	194	3889	1.98	0.08	0.17	1951	12	<0.01	10	239	23	<5	<1	<10	4	<0.01	11	<10	12	33	3
185262	0.9	0.28	<5	33	<0.5	7	0.32	<1	4	210	1465	1.09	0.08	0.12	264	17	0.01	9	154	18	<5	<1	<10	<1	<0.01	6	<10	2	20	2
185263	1.0	0.56	<5	102	<0.5	<5	0.37	<1	3	180	1808	1.36	0.07	0.35	566	<2	0.02	10	302	8	<5	<1	<10	6	0.02	11	<10	3	46	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0674-RA1

Company: **Stealth Minerals Ltd.**
 Project: **Gordo**
 Attn: **Bill Williams/Dave Kuran**

Jul-30-04

We hereby certify the following assay of 19 rock samples submitted Jul-27-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
192501	1.04	1.03	371.0	0.058	0.04	0.13
192502	0.23		81.0	0.029	0.02	0.03
192503	2.20	2.19	19.3	0.002	0.01	0.34
192504	0.86		23.2	0.030	0.01	0.05
192505	0.60		7.4	0.032	0.03	0.02
192506	0.43		6.1	0.013	0.03	0.03
192507	0.01		1.2	0.002	0.01	0.01
192508	0.01		0.2	0.001	0.01	0.01
192509	0.01		0.1	0.001	0.01	0.01
192510	0.01		0.2	0.001	0.01	0.01
192511	0.01		0.4	0.001	0.01	0.01
192512	0.01		0.1	0.001	0.01	0.01
192513	0.01		0.1	0.001	0.01	0.01
192806	0.02		0.2	0.002	0.01	0.01
192807	7.68		283.0	0.050	0.18	0.11
192808	3.68		12.3	0.003	0.01	0.01
192809	0.45		15.1	0.009	0.01	0.01
102810	0.08	0.06	0.6	0.016	0.01	0.01
102811	0.01		0.3	0.014	0.01	0.01
*DUP 192501			369.0	0.059	0.04	0.13
*DUP 192510			0.3	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			625.0			4.43
*KC-1a				0.627	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0673-RA1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam/Dave Kuran**

Jul-27-04

We hereby certify the following assay of 21 rock samples submitted Jul-27-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
185273	0.27		2.9	0.032	0.02	0.05
185274	0.33		27.6	0.010	0.03	0.03
185275	1.35	1.34	13.3	0.002	0.01	0.14
185276	0.03		1.0	0.001	0.01	0.01
185277	0.04		1.2	0.001	0.01	0.01
185278	0.01		0.1	0.001	0.01	0.01
185279	0.08		2.3	0.001	0.01	0.01
185280	0.20	0.21	2.8	0.006	0.02	0.01
185281	0.05		1.3	0.002	0.01	0.01
185282	0.01		0.4	0.001	0.01	0.01
185283	0.05		1.0	0.004	0.01	0.04
185284	0.01		0.9	0.001	0.01	0.01
185285	0.01		0.1	0.001	0.01	0.01
185286	0.01		0.5	0.002	0.01	0.01
185287	0.08		10.2	0.059	0.01	0.01
185288	0.01		0.2	0.008	0.01	0.01
185289	0.01		0.9	0.013	0.01	0.01
192916	0.02		1.3	0.002	0.02	0.01
192917	0.01		0.1	0.003	0.01	0.01
192918	0.09	0.10	42.6	0.032	0.04	0.24
192919	0.05		0.2	0.003	0.01	0.03
*DUP 185273			2.7	0.033	0.02	0.05
*DUP 185282			0.3	0.002	0.01	0.01
*DUP 192918			41.8	0.031	0.04	0.23
*96-8	0.40					
*CPb-1			624.0			4.45
*KC-1a				0.628	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0675-RA1

Company: **Stealth Minerals Ltd.**
 Project: **Gordo**
 Attn: **Bill McWilliam/Dave Kuran**

Jul-30-04

We hereby certify the following assay of 8 rock samples submitted Jul-27-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
192514	0.01		0.2	0.002	0.01	0.01
192515	0.02		0.7	0.007	0.01	0.01
192516	0.01		1.0	0.002	0.01	0.01
192517	0.01		0.1	0.001	0.01	0.01
192518	0.01		0.4	0.001	0.01	0.01
192812	0.01	0.02	0.1	0.017	0.02	0.01
192813	0.02		1.2	0.001	0.01	0.01
192814	0.01		0.8	0.004	0.01	0.01
*DUP 192514			0.3	0.001	0.01	0.01
*96-8	0.37					
*CPb-1			625.0			4.45
*KC-1a				0.630	2.21	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0728-RG1

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Bill McWilliam/ Dave Kuran**

Sep-03-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-06-04

Sample Name	Au PPB	Ag g/tonne
151318	3	
151319	9	
151320	1	
151321	2	
151322	324	
151323	413	
151324	11	
151325	5	
151326	332	
151327	2	
151328	635	
151329	253	
151330	193	
151393	214	192.0
151394	311	
151395	67	
151396	10	
151397	8	
151398	9	
151399	16	
151400	32	
185101	18	
192815	1	
192816	1	
*CPb-1		624.0
*BLANK		<0.1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0728-RG2

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Bill McWilliam/ Dave Kuran**

Sep-03-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-06-04

Sample Name	Au PPB	Ag g/tonne
192817	67	
192818	1374	
192819	70	
192820	7	
192821	118	
192822	843	
192823	104	
192824	375	
192825	3	
192826	13	
192827	2	
192519	20	
192520	17	
192521	48	
192522	3060	328.0
192523	541	
192524	105	
192525	1227	
192526	1535	312.0
192527	133	167.0
192528	1412	
192529	282	
192530	47	
192531	97	
*CPb-1		627.0
*BLANK		<0.1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0728-RG3

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Bill McWilliam/ Dave Kuran**

Sep-03-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-06-04

Sample Name	Au PPB	Au g/tonne
192532	96	
192533	1396	
192534	18	
192535	23	
192536	64	
192537	1	
192538	15	
185290	5	
185291	90	
185292	309	
185293	79	
185294	89	
185295	19	
185296	356	
185297	346	
185298	107	
185299	3	
185300	3	
192601	114	
192602	>10000	32.33
192603	709	
192604	1600	
192605	3	
192606	12	
*97-45		1.34
*BLANK		<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0728-RG4

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Bill McWilliam/ Dave Kuran**

Sep-03-04

We hereby certify the following geochemical analysis of 3 rock samples submitted Aug-06-04

Sample Name	Au PPB
192607	639
192608	170
192609	493

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: GORDO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0728 RJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151318	<0.2	2.20	444	60	<0.5	<5	1.10	<1	7	75	5	6.63	0.08	1.71	2318	<2	0.03	7	1873	87	10	4	<10	54	0.11	88	<10	7	150	9
151319	<0.2	3.60	795	48	0.7	<5	1.72	<1	23	28	13	7.94	0.16	1.33	1953	3	0.32	7	2345	142	19	4	<10	199	0.04	98	<10	9	364	7
151320	<0.2	0.33	6	53	<0.5	<5	0.86	<1	1	202	7	0.78	0.13	0.11	502	5	0.02	10	161	<2	6	<1	<10	9	<0.01	4	<10	2	34	3
151321	<0.2	0.21	<5	19	<0.5	<5	0.12	<1	1	246	3	0.58	0.08	0.08	200	<2	0.02	14	105	<2	<5	<1	<10	2	0.01	5	<10	<1	24	2
151322	14.2	0.40	453	35	<0.5	11	0.45	<1	21	170	76	5.27	0.15	0.02	261	32	0.02	12	514	372	11	2	<10	18	0.03	21	22	2	1715	5
151323	13.5	0.47	460	67	<0.5	9	0.40	9	9	121	166	5.20	0.18	0.07	382	9	0.02	10	705	467	12	2	<10	29	0.05	31	34	2	2582	5
151324	3.8	1.28	96	62	<0.5	<5	1.26	16	10	63	72	3.58	0.14	0.82	2404	<2	0.03	7	835	1911	6	2	<10	20	0.07	33	23	5	1824	4
151325	<0.2	1.02	<5	67	<0.5	<5	1.20	3	5	80	191	2.32	0.23	0.52	1347	<2	0.02	6	555	11	<5	1	<10	15	0.02	19	<10	9	199	5
151326	86.7	0.07	640	434	<0.5	<5	0.03	<1	<1	136	165	2.99	0.07	<0.01	75	9	0.01	8	187	6060	51	<1	<10	281	<0.01	4	33	<1	2373	3
151327	<0.2	0.85	<5	461	<0.5	<5	0.38	<1	2	109	15	2.26	0.04	0.55	704	<2	0.04	8	514	21	6	2	<10	16	<0.01	18	<10	8	108	3
151328	7.0	0.07	18	179	<0.5	26	<0.01	<1	<1	211	190	1.76	0.06	<0.01	33	5	0.01	11	84	60	5	<1	<10	2	<0.01	3	<10	<1	12	2
151329	<0.2	0.08	<5	887	<0.5	18	1.00	<1	2	162	5607	1.50	0.05	0.02	361	26	0.01	9	151	51	<5	<1	<10	29	<0.01	3	<10	2	7	1
151330	0.2	0.38	<5	37	<0.5	10	0.82	<1	3	184	2422	1.42	0.09	0.18	494	54	0.01	11	198	41	5	1	<10	9	<0.01	12	<10	3	39	2
151393	>200.0	0.10	511	110	<0.5	<5	0.01	<1	3	170	236	2.52	0.13	<0.01	40	15	0.02	11	192	3929	33	<1	<10	180	<0.01	5	15	<1	1209	2
151394	107.0	0.14	323	56	<0.5	<5	0.02	>100	2	181	442	2.11	0.06	0.02	84	8	0.01	10	193	>10000	37	<1	<10	5	<0.01	4	256	<1	>10000	2
151395	9.0	0.36	140	61	<0.5	<5	0.24	>100	9	131	1443	2.39	0.13	0.11	196	63	<0.01	11	512	561	7	<1	<10	4	<0.01	10	380	3	>10000	2
151396	<0.2	0.59	<5	53	<0.5	<5	1.38	2	2	196	19	1.36	0.15	0.32	672	5	<0.01	11	390	52	7	<1	<10	21	0.02	12	<10	4	130	2
151397	<0.2	0.69	<5	30	<0.5	<5	1.16	<1	2	181	6	4.22	0.06	0.38	557	<2	<0.01	11	260	11	<5	<1	<10	23	0.02	62	<10	4	99	3
151398	<0.2	1.27	<5	55	<0.5	<5	0.55	<1	6	85	27	2.45	0.16	0.73	651	<2	0.03	7	1063	12	<5	1	<10	30	0.09	28	<10	6	79	6
151399	<0.2	0.85	<5	79	<0.5	<5	0.52	1	7	62	10	2.50	0.18	0.48	295	<2	0.03	6	1036	46	<5	1	<10	19	0.04	17	<10	5	104	7
151400	3.5	0.61	<5	29	0.6	<5	6.09	<1	8	83	4480	6.08	0.11	0.19	1190	6	0.01	5	568	20	<5	1	<10	70	0.04	17	<10	6	34	7
185101	<0.2	0.90	<5	79	<0.5	<5	0.48	<1	10	71	19	3.47	0.16	0.51	301	6	0.02	8	879	13	6	<1	<10	22	0.05	20	<10	5	36	7
192815	<0.2	0.08	<5	<10	<0.5	<5	0.04	<1	112	300	26	3.16	0.02	0.02	56	10	<0.01	17	62	<2	8	<1	<10	<1	<0.01	5	<10	<1	59	3
192816	<0.2	0.03	<5	<10	<0.5	<5	0.01	<1	27	235	8	1.25	0.01	<0.01	29	2	<0.01	14	23	<2	<5	<1	<10	<1	<0.01	2	<10	<1	17	1
192817	7.0	0.32	209	45	<0.5	<5	0.09	<1	11	109	183	4.71	0.16	0.12	96	22	0.03	10	372	179	18	1	<10	6	0.05	20	<10	2	53	4
192818	15.7	0.64	<5	33	<0.5	107	5.11	7	16	114	>10000	4.96	0.08	0.30	2563	<2	<0.01	8	433	67	<5	1	<10	60	<0.01	12	15	10	1007	5
192819	17.7	1.34	<5	162	<0.5	17	2.83	>100	28	102	9312	4.47	0.12	0.66	3756	<2	<0.01	9	478	104	<5	1	<10	22	0.01	17	642	8	>10000	6
192820	<0.2	0.77	<5	24	<0.5	<5	1.69	1	12	151	3270	2.68	0.08	0.35	1280	3	<0.01	8	272	16	<5	<1	<10	5	<0.01	13	<10	5	206	4
192821	2.8	1.35	<5	34	<0.5	<5	>15.00	85	9	23	5639	3.95	0.06	0.60	6976	<2	<0.01	4	227	320	<5	2	<10	120	<0.01	21	107	16	7665	4
192822	21.3	0.20	20	13	<0.5	52	0.06	<1	34	160	>10000	13.76	0.03	0.05	170	19	<0.01	9	1552	171	6	1	<10	<1	<0.01	13	30	<1	300	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: GORDO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0728 RJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
192823	5.7	0.22	<5	155	<0.5	11	0.06	<1	4	153	2490	6.70	0.13	<0.01	106	24	<0.01	9	396	36	<5	<1	<10	9	<0.01	12	33	2	64	7
192824	5.9	0.67	5	28	<0.5	<5	0.78	<1	57	174	>10000	7.70	0.12	0.32	840	14	<0.01	8	824	63	5	<1	<10	<1	0.01	13	13	3	86	6
192825	<0.2	0.49	<5	50	<0.5	<5	1.41	<1	5	141	426	4.12	0.10	0.18	720	9	0.01	10	263	9	<5	3	<10	25	0.02	25	<10	7	35	5
192826	5.9	3.76	<5	25	<0.5	63	0.11	<1	107	70	>10000	13.70	0.05	2.40	2291	<2	<0.01	8	1028	105	6	3	<10	<1	0.03	74	<10	3	261	10
192827	<0.2	3.93	<5	37	<0.5	<5	1.49	<1	22	35	>10000	8.61	0.06	2.70	4151	<2	<0.01	6	1054	30	7	3	<10	20	0.03	53	<10	22	288	7
192519	<0.2	0.07	<5	11	<0.5	16	0.02	<1	291	215	160	7.08	0.04	0.02	67	21	<0.01	16	93	13	6	<1	<10	<1	<0.01	6	<10	<1	16	4
192520	4.9	0.28	30	35	<0.5	<5	0.11	17	7	186	141	0.92	0.09	0.06	115	17	0.01	9	390	198	6	<1	<10	8	<0.01	5	18	3	1304	2
192521	34.3	0.08	45	105	<0.5	<5	0.06	14	1	198	672	2.53	0.03	0.02	72	21	0.01	14	132	>10000	13	<1	<10	21	0.02	7	14	<1	1036	2
192522	>200.0	0.12	1255	75	<0.5	6	0.01	<1	1	255	108	5.27	0.24	<0.01	52	56	0.01	9	116	>10000	30	<1	<10	<1	<0.01	7	25	<1	1959	5
192523	37.3	0.18	614	29	<0.5	8	0.02	<1	8	240	193	5.12	0.18	<0.01	63	22	<0.01	16	84	2133	15	<1	<10	<1	<0.01	8	18	<1	1367	4
192524	42.0	0.17	78	34	<0.5	<5	7.00	>100	9	54	403	2.32	0.08	0.10	2612	3	<0.01	5	255	>10000	<5	<1	<10	255	<0.01	6	241	6	>10000	2
192525	134.1	0.08	1380	<10	<0.5	<5	0.03	>100	9	218	419	7.07	0.08	<0.01	65	20	<0.01	14	171	>10000	44	<1	<10	12	<0.01	7	183	<1	>10000	5
192526	>200.0	0.06	1057	13	<0.5	<5	0.03	66	3	313	392	6.06	0.07	<0.01	74	22	<0.01	11	112	>10000	43	<1	<10	30	0.01	5	110	<1	8276	4
192527	196.6	0.26	348	62	<0.5	<5	0.09	6	3	180	199	3.76	0.22	<0.01	55	54	0.01	14	854	7909	36	<1	<10	74	0.02	7	24	4	1864	6
192528	76.2	0.10	452	11	<0.5	<5	0.27	>100	5	295	797	4.28	0.05	0.02	222	12	<0.01	13	223	>10000	11	<1	<10	13	<0.01	4	1232	4	>10000	4
192529	9.4	2.74	42	53	<0.5	<5	0.99	>100	39	48	1874	5.68	0.05	2.37	3346	<2	<0.01	8	1031	295	<5	2	<10	22	0.05	34	794	4	>10000	5
192530	2.5	0.22	27	61	<0.5	<5	0.43	2	6	313	>10000	3.07	0.07	0.08	220	34	<0.01	12	506	103	8	<1	<10	4	<0.01	5	<10	2	329	3
192531	2.3	0.36	132	98	<0.5	<5	0.18	<1	3	166	181	2.47	0.12	0.11	259	4	<0.01	12	354	80	9	<1	<10	9	0.01	14	<10	2	320	2
192532	12.0	1.70	<5	72	<0.5	<5	0.22	<1	7	72	>10000	5.13	0.10	1.23	1014	<2	<0.01	7	1000	149	<5	2	<10	<1	0.03	33	<10	5	147	4
192533	54.4	0.16	<5	12	<0.5	57	0.03	<1	324	188	>10000	11.78	0.05	0.09	99	2	<0.01	17	1238	176	6	1	<10	<1	<0.01	10	18	<1	24	7
192534	<0.2	0.08	<5	40	<0.5	11	0.02	<1	36	191	252	4.39	0.06	0.01	55	<2	<0.01	10	114	17	5	<1	<10	<1	<0.01	5	<10	<1	13	3
192535	<0.2	0.23	<5	21	<0.5	6	0.95	<1	49	196	911	4.39	0.07	0.09	583	4	<0.01	7	236	13	<5	<1	<10	<1	<0.01	6	<10	4	37	3
192536	0.4	0.27	<5	34	<0.5	11	2.49	<1	34	176	2347	3.00	0.04	0.15	910	<2	<0.01	15	89	21	5	<1	<10	18	<0.01	6	<10	3	80	2
192537	<0.2	0.76	<5	52	<0.5	<5	2.54	<1	4	135	192	1.62	0.20	0.34	942	<2	<0.01	9	788	5	<5	1	<10	17	<0.01	13	<10	7	41	1
192538	<0.2	0.09	<5	12	<0.5	11	1.81	<1	58	165	162	5.94	0.05	0.03	768	<2	<0.01	12	122	17	6	<1	<10	2	<0.01	5	<10	2	21	3
185290	<0.2	0.03	<5	11	<0.5	10	0.01	<1	39	277	21	2.35	0.03	<0.01	46	6	0.01	13	46	6	5	<1	<10	<1	<0.01	4	<10	<1	6	2
185291	6.4	0.17	67	430	<0.5	64	0.14	<1	2	135	76	6.18	0.14	0.01	137	3	0.01	11	454	248	6	<1	<10	18	0.08	19	<10	2	236	5
185292	20.2	0.16	214	78	<0.5	16	0.06	<1	3	182	74	4.71	0.20	<0.01	159	6	0.01	10	506	4596	10	<1	<10	12	0.03	9	12	1	1060	5
185293	11.0	2.19	43	55	<0.5	<5	1.26	27	14	94	92	6.88	0.13	1.32	1731	<2	0.10	7	1534	343	6	<1	<10	93	0.10	32	29	3	2586	6
185294	32.5	0.26	81	97	<0.5	5	0.07	8	5	181	364	3.68	0.19	0.06	82	6	0.02	8	518	551	6	<1	<10	28	0.04	13	<10	<1	827	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: GORDO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0728 RJ

Date : Sep-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185295	<0.2	4.00	63	51	<0.5	<5	0.29	<1	22	38	11	11.04	0.06	2.82	2509	<2	<0.01	6	771	49	8	5	<10	<1	0.17	146	14	3	254	10
185296	8.4	0.06	76	57	<0.5	9	0.02	<1	16	285	30	3.17	0.02	0.02	63	19	0.01	10	104	171	11	<1	<10	<1	<0.01	6	<10	<1	34	3
185297	12.3	0.21	161	46	<0.5	<5	0.02	1	11	108	475	5.98	0.23	0.04	43	7	0.02	11	291	165	<5	1	<10	6	0.09	19	10	<1	911	6
185298	2.0	0.08	53	70	<0.5	14	0.03	<1	27	219	20	9.28	0.02	0.01	86	3	0.01	11	151	90	8	<1	<10	<1	0.01	32	<10	<1	42	6
185299	2.7	0.52	9	25	<0.5	<5	0.81	<1	27	182	9124	3.60	0.10	0.12	681	<2	<0.01	15	193	17	7	<1	<10	19	<0.01	19	<10	5	36	2
185300	<0.2	1.21	<5	64	<0.5	<5	4.47	<1	2	71	28	3.28	0.24	0.73	2029	<2	0.01	9	674	6	<5	2	<10	65	0.01	37	<10	15	69	5
192601	<0.2	0.23	<5	1724	<0.5	<5	0.08	<1	35	189	101	2.68	0.13	0.04	711	<2	<0.01	14	245	28	5	<1	<10	41	0.03	6	<10	2	45	6
192602	34.4	0.15	<5	41	<0.5	134	0.01	<1	4	211	4058	4.57	0.17	<0.01	42	15	0.01	11	181	48	5	<1	<10	<1	<0.01	5	<10	<1	8	11
192603	<0.2	0.98	<5	222	<0.5	5	0.07	<1	14	132	518	4.15	0.21	0.26	649	7	0.01	9	515	8	<5	<1	<10	<1	<0.01	9	<10	3	71	19
192604	<0.2	0.06	<5	<10	<0.5	11	<0.01	<1	1	272	26	0.92	0.04	<0.01	40	6	<0.01	9	30	9	<5	<1	<10	<1	<0.01	1	<10	<1	5	4
192605	0.5	0.42	<5	150	<0.5	<5	2.37	31	1	160	2511	1.27	0.08	0.21	1143	<2	<0.01	9	269	15	<5	<1	<10	20	0.02	9	18	4	1686	4
192606	<0.2	0.52	<5	83	<0.5	<5	1.49	<1	13	149	11	2.57	0.17	0.23	1407	6	<0.01	6	390	9	<5	<1	<10	7	<0.01	7	<10	7	65	3
192607	<0.2	0.06	<5	135	<0.5	9	0.01	<1	2	214	30	2.75	0.06	<0.01	66	6	<0.01	14	98	13	5	<1	<10	<1	<0.01	3	<10	<1	14	4
192608	<0.2	1.20	<5	168	<0.5	<5	2.65	<1	9	133	612	2.16	0.09	0.56	730	16	0.06	13	438	37	<5	2	<10	54	0.05	41	<10	5	79	3
192609	2.1	0.34	<5	800	<0.5	33	0.78	<1	19	163	1686	1.72	0.08	0.17	828	82	<0.01	15	187	121	<5	1	<10	14	<0.01	14	<10	4	49	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0956-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gord-Davies**
Attn: **Bill McWilliam/ Dave Kuran**

Oct-05-04

We *hereby certify* the following geochemical analysis of 1 rock sample submitted Sep-13-04 by Dave Kuran.

Sample Name	Au PPB
149078	45

Certified by _____

A handwritten signature in black ink, appearing to be "AS", is written over a horizontal line.

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: Gord-Davies

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0956 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149078	1.2	0.07	15	2629	<0.5	<5	0.91	<1	<1	187	204	0.66	0.04	0.03	771	4	0.01	7	22	15	8	<1	<10	68	<0.01	16	<10	3	14	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0765-RG1


Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Sep-10-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-12-04

Sample Name	Au PPB
151346	11
151347	10
151348	1
151349	3
151350	5905
185105	7
185106	4
185107	2
185108	1
185109	2
185110	1
185111	17
185112	38
185113	6
185114	15
185115	14
192548	5
192549	85
192550	42
192551	88
192552	4
192553	213
192554	3
192555	4

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0765-RG2

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Sep-10-04

We hereby certify the following geochemical analysis of 8 rock samples submitted Aug-12-04

Sample Name	Au PPB
192622	547
192623	46
192624	2
192625	155
192844	354
192845	20
192846	73
192847	6

Certified by _____ 

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0765 RJ


Date : Sep-10-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151346	0.8	0.29	<5	16	<0.5	39	0.14	<1	3	164	9	0.57	0.13	0.11	175	25	0.02	10	290	60	<5	<1	<10	2	0.02	6	<10	2	46	1
151347	0.6	1.01	<5	56	<0.5	<5	0.75	<1	15	104	480	3.46	0.07	0.48	662	25	0.02	4	680	90	<5	1	<10	56	0.06	17	<10	3	149	5
151348	0.3	0.57	<5	94	<0.5	<5	0.30	<1	3	119	225	1.53	0.24	0.27	578	<2	0.01	7	501	5	<5	<1	<10	6	0.01	13	<10	3	47	5
151349	<0.2	1.72	<5	54	<0.5	22	0.03	<1	<1	4	<1	>15.00	0.08	0.28	295	<2	0.01	<1	2254	51	<5	<1	<10	<1	0.04	35	<10	2	77	16
151350	12.0	0.37	<5	21	<0.5	444	0.34	1	2	162	8825	2.01	0.09	0.21	391	7	0.01	10	316	352	<5	<1	<10	<1	<0.01	19	<10	4	88	2
185105	0.4	2.54	<5	90	<0.5	<5	0.51	<1	<1	45	43	4.56	0.15	1.36	1426	<2	0.19	4	1017	22	<5	2	<10	100	<0.01	27	<10	5	100	7
185106	0.3	0.83	<5	65	<0.5	<5	0.26	<1	2	104	23	1.84	0.09	0.44	539	2	0.08	12	367	9	<5	<1	<10	21	0.03	6	<10	4	59	16
185107	<0.2	0.55	<5	97	<0.5	<5	0.24	<1	4	47	3	4.23	0.23	0.31	196	<2	0.05	11	1085	59	<5	2	<10	16	0.16	49	<10	5	40	11
185108	0.4	0.98	<5	87	<0.5	<5	0.40	3	3	72	5	2.76	0.13	0.72	546	<2	0.09	11	894	71	<5	3	<10	18	0.14	61	<10	6	83	13
185109	0.4	0.59	<5	44	<0.5	<5	0.36	<1	4	59	13	6.49	0.22	0.17	138	3	0.04	2	1017	20	<5	1	<10	9	0.04	11	<10	4	19	13
185110	0.9	0.27	<5	22	<0.5	<5	0.06	<1	11	123	159	2.23	0.01	0.09	467	9	0.01	7	158	26	<5	<1	<10	9	<0.01	11	<10	2	50	3
185111	1.2	1.40	<5	32	<0.5	<5	0.11	<1	7	125	791	3.57	0.17	0.87	1725	4	0.01	9	385	17	<5	<1	<10	<1	<0.01	19	<10	3	133	5
185112	3.9	0.28	<5	104	<0.5	33	0.03	<1	<1	191	120	0.78	0.08	0.14	171	44	0.01	11	72	71	<5	<1	<10	1	<0.01	3	<10	<1	36	2
185113	0.6	0.48	<5	217	<0.5	<5	0.01	<1	<1	71	87	3.65	0.22	0.19	61	11	0.05	4	356	5	<5	<1	<10	12	<0.01	10	<10	2	18	6
185114	<0.2	1.10	<5	110	<0.5	<5	0.24	<1	5	72	113	3.96	0.14	1.02	311	26	0.06	7	900	6	<5	3	<10	14	0.06	42	<10	6	30	8
185115	0.4	0.08	<5	126	<0.5	<5	0.06	<1	4	183	8	2.19	0.07	<0.01	41	8	0.01	7	482	15	<5	<1	<10	21	<0.01	3	<10	1	12	5
192548	0.5	1.03	<5	39	<0.5	<5	1.45	<1	3	102	1773	2.46	0.16	0.66	1424	<2	0.04	5	400	18	<5	1	<10	5	<0.01	16	<10	16	90	11
192549	1.1	0.66	<5	191	<0.5	<5	0.93	<1	3	101	3764	1.81	0.22	0.31	771	2	0.03	4	279	13	<5	<1	<10	8	<0.01	6	<10	10	55	11
192550	13.4	1.07	<5	33	<0.5	<5	0.02	<1	23	106	>10000	9.10	0.17	0.55	847	40	0.01	6	863	56	<5	1	<10	<1	<0.01	25	<10	2	101	10
192551	20.5	0.47	<5	25	<0.5	15	0.02	<1	10	82	>10000	13.22	0.06	0.17	169	29	0.01	3	1313	91	<5	1	<10	<1	<0.01	35	12	3	154	10
192552	4.4	2.57	<5	136	0.5	49	11.28	14	14	42	>10000	10.61	0.02	1.50	8468	15	<0.01	7	1096	75	6	3	<10	37	0.01	78	43	15	1825	10
192553	95.4	1.96	<5	23	<0.5	60	0.30	2	41	44	>10000	>15.00	0.06	1.18	1822	22	<0.01	14	3164	1172	<5	3	<10	12	0.03	49	44	3	784	14
192554	<0.2	0.76	<5	23	<0.5	35	0.03	<1	<1	<1	467	>15.00	0.06	0.08	96	<2	0.01	<1	401	60	<5	<1	<10	<1	0.02	30	<10	3	73	25
192555	<0.2	0.91	<5	33	<0.5	20	0.07	<1	<1	3	53	>15.00	0.09	0.24	236	<2	0.01	<1	537	41	<5	<1	<10	<1	0.06	40	<10	2	125	20
192622	1.3	0.27	<5	63	<0.5	6	0.08	21	2	33	51	3.66	0.19	0.04	27	<2	0.05	1	991	5176	<5	<1	<10	9	<0.01	7	17	2	1332	3
192623	0.3	0.36	<5	65	<0.5	<5	0.37	40	2	41	26	3.17	0.18	0.16	190	<2	0.04	1	928	931	<5	<1	<10	4	<0.01	8	23	5	1840	3
192624	<0.2	0.42	<5	75	<0.5	<5	0.06	<1	2	46	8	2.42	0.19	0.26	96	<2	0.05	3	546	25	<5	<1	<10	4	0.02	11	<10	3	43	4
192625	9.1	0.18	<5	67	<0.5	11	0.04	<1	11	63	94	3.44	0.17	<0.01	20	13	0.01	3	348	144	<5	<1	<10	<1	<0.01	5	<10	1	72	5
192844	3.0	0.42	<5	76	<0.5	<5	2.00	>100	<1	43	251	3.37	0.15	0.92	1048	2	0.04	3	904	9890	<5	1	<10	28	<0.01	9	328	8	>10000	5
192845	3.9	0.71	<5	393	<0.5	<5	1.82	>100	6	77	359	2.98	0.13	0.89	1173	3	0.03	7	624	>10000	<5	5	<10	37	<0.01	27	226	10	>10000	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0765 RJ


Date : Sep-10-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
192846	3.1	0.75	<5	314	<0.5	<5	0.46	2	7	96	162	6.10	0.04	0.37	537	29	0.01	4	821	341	<5	2	<10	52	0.11	21	<10	2	288	8
192847	0.4	1.25	<5	61	<0.5	<5	0.36	<1	4	45	5	4.12	0.20	1.01	832	2	0.03	2	869	52	<5	2	<10	<1	0.04	50	<10	6	150	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0900-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam, Dave Kuran**

Oct-05-04

We *hereby certify* the following geochemical analysis of 2 rock samples submitted Sep-08-04

Sample Name	Au PPB
148929	27
148930	3

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam, Dave Kuran

Project: Gordo

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0900 RJ

Date : Oct-05-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148929	1.1	0.54	11	236	<0.5	8	0.14	<1	6	164	8253	3.99	0.03	0.33	574	18	0.02	7	454	25	<5	1	<10	10	<0.01	26	<10	4	47	7
148930	7.0	0.15	7	23	<0.5	14	0.04	<1	2	198	1169	0.88	0.08	0.04	128	8	0.01	7	118	46	5	<1	<10	<1	<0.01	4	<10	1	11	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0863-RG1

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-30-04

Sample Name	Au PPB	Au g/tonne	Ag g/tonne
148106	26		
148107	5		
148108	56		
148109	6		
148110	7		
148111	6		
148112	1638		159.0
148113	2551		221.0
148114	100		
148115	36		
148116	9		
148117	33		
148118	1485		
148119	316		
148120	7		
148121	5		
148122	12		
148598	233		
148599	540		
148600	443		
148901	322		
148902	>10000	22.61	
148903	367		
148904	964		
*97-45		1.51	623.0
*BLANK		<0.01	<0.1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0863-RG2

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-30-04

Sample Name	Au PPB	Ag g/tonne
148905	5745	288.0
148906	77	
148907	130	
148908	42	
148909	499	
148910	12	
148911	3036	
148912	640	
148955	161	
148956	33	
148957	12	
148958	19	
148959	1498	
148960	18	
148961	41	
165415	663	
165416	10	
165417	834	
165418	20	
165419	3	
165420	10	
165421	7	
165422	163	
165423	3	
*CPb-1		624.0
*BLANK		<0.1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0863-RG3

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 18 rock samples submitted Aug-30-04

Sample Name	Au PPB	Au g/tonne
165424	6	
185154	178	
185155	136	
185156	1625	
185157	948	
185158	6425	
185159	210	
185160	145	
185161	20	
185162	10	
185163	600	
185164	5	
185165	21	
185166	3	
185167	>10000	21.75
185168	121	
185169	82	
185170	50	
*97-45		1.45
*BLANK		<0.01

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0863 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148106	2.2	0.03	7	11	<0.5	35	0.02	<1	4	209	34	1.25	0.02	<0.01	43	8	0.01	7	51	26	<5	<1	<10	<1	<0.01	2	<10	<1	13	1
148107	<0.2	1.99	<5	36	<0.5	<5	1.38	<1	26	48	10	8.15	0.05	1.15	639	<2	0.18	6	1050	29	<5	4	<10	79	0.12	90	<10	6	118	8
148108	0.7	0.18	26	100	1.2	22	0.05	<1	8	56	7	>15.00	0.03	0.04	130	<2	0.01	3	460	83	6	<1	<10	<1	0.02	80	<10	1	55	12
148109	7.6	2.75	55	64	<0.5	<5	5.49	>100	23	20	473	7.26	0.04	2.83	4976	3	0.01	5	875	70	<5	2	<10	40	0.03	47	150	3	>10000	5
148110	<0.2	0.62	<5	201	<0.5	<5	0.57	<1	5	67	6	2.72	0.24	0.43	350	<2	0.06	2	862	12	<5	1	<10	15	0.11	66	<10	3	112	2
148111	0.6	0.86	<5	110	<0.5	<5	0.90	<1	4	65	2220	2.05	0.10	0.71	527	<2	0.02	2	804	14	<5	1	<10	8	0.03	23	<10	3	52	3
148112	166.9	0.04	564	32	<0.5	<5	0.02	91	<1	133	266	3.74	0.04	<0.01	37	114	0.01	4	102	>10000	71	<1	<10	118	<0.01	2	120	<1	8406	2
148113	>200.0	0.04	2312	11	<0.5	12	0.01	<1	6	154	274	10.22	0.04	<0.01	33	14	0.01	7	115	>10000	37	<1	<10	<1	<0.01	10	31	<1	2112	6
148114	5.6	1.02	14	103	<0.5	<5	1.91	25	33	81	5358	4.08	0.22	0.46	1714	3	0.02	5	844	286	<5	1	<10	19	<0.01	19	49	7	3414	12
148115	1.7	0.37	11	63	<0.5	<5	1.69	<1	7	145	2506	1.63	0.09	0.20	1095	10	0.01	6	210	71	<5	<1	<10	6	<0.01	6	<10	7	54	3
148116	0.7	0.52	<5	82	<0.5	<5	1.82	2	9	55	26	1.87	0.27	0.18	2293	<2	0.01	3	774	347	<5	<1	<10	41	0.02	8	<10	5	296	5
148117	13.9	0.18	<5	138	<0.5	76	>15.00	4	6	62	>10000	2.19	0.08	0.07	4343	<2	0.02	1	508	54	<5	1	<10	97	<0.01	4	<10	33	231	4
148118	31.3	0.52	8	17	<0.5	234	0.08	<1	44	179	>10000	13.08	0.07	0.19	493	3	0.01	10	1511	219	6	1	<10	<1	<0.01	22	19	1	162	10
148119	2.9	0.68	<5	53	<0.5	46	1.62	<1	22	189	2281	4.38	0.16	0.37	1250	84	0.01	7	395	68	<5	<1	<10	7	<0.01	12	<10	11	71	6
148120	<0.2	0.68	<5	232	<0.5	<5	0.58	<1	6	124	115	2.90	0.26	0.41	343	4	0.09	5	837	20	<5	1	<10	21	0.11	69	<10	4	38	3
148121	0.9	0.05	<5	<10	<0.5	<5	0.03	<1	<1	262	3957	1.06	<0.01	0.02	77	5	0.01	9	113	25	<5	<1	<10	<1	<0.01	3	<10	<1	20	1
148122	1.5	0.19	<5	37	<0.5	<5	0.06	<1	2	317	3755	1.33	0.04	0.10	144	7	0.01	11	177	12	5	<1	<10	<1	<0.01	5	<10	<1	26	2
148598	40.9	1.70	17	178	<0.5	33	0.30	<1	17	133	>10000	5.11	0.06	0.91	1444	<2	0.02	8	763	41	<5	2	<10	<1	<0.01	39	<10	5	152	5
148599	6.9	1.68	23	220	0.6	25	0.07	<1	38	121	6418	7.38	0.04	0.99	1012	197	0.02	7	549	58	<5	3	<10	<1	<0.01	66	<10	4	202	7
148600	2.3	0.31	15	261	<0.5	8	0.02	<1	9	228	2710	3.65	0.02	0.13	179	29	0.01	9	179	26	<5	<1	<10	<1	<0.01	23	<10	<1	27	3
148901	1.1	0.67	<5	177	<0.5	12	0.11	<1	7	130	2500	10.25	0.05	0.14	200	15	0.01	6	582	75	<5	1	<10	<1	0.05	79	<10	1	35	11
148902	16.6	0.25	17	360	<0.5	133	0.02	<1	5	132	7234	5.56	0.02	0.07	163	27	0.01	5	306	82	<5	<1	<10	1	<0.01	46	<10	<1	39	4
148903	13.8	0.04	104	98	<0.5	7	0.02	<1	3	257	92	2.08	0.02	<0.01	49	12	0.04	9	101	183	6	<1	<10	31	<0.01	6	<10	<1	27	2
148904	34.9	0.81	2931	19	<0.5	24	0.09	<1	45	60	337	>15.00	0.04	0.56	458	30	0.01	7	418	1552	34	<1	<10	<1	0.04	47	<10	<1	180	13
148905	>200.0	0.37	371	44	<0.5	34	0.09	<1	41	117	126	8.50	0.26	0.17	134	7	0.02	8	524	709	47	2	<10	2	0.04	26	<10	2	79	7
148906	25.0	0.25	116	151	<0.5	<5	3.07	27	7	61	65	2.41	0.06	0.21	2362	<2	0.02	6	267	991	<5	<1	<10	421	<0.01	7	11	4	1349	2
148907	39.9	0.59	119	60	<0.5	<5	3.65	>100	4	60	154	2.44	0.06	0.65	2757	4	0.02	3	284	>10000	<5	1	<10	229	<0.01	13	630	5	>10000	2
148908	3.6	0.29	6	287	<0.5	<5	0.08	1	6	219	6799	1.86	0.05	0.18	274	5	0.01	10	251	106	6	<1	<10	16	<0.01	10	<10	1	161	2
148909	10.0	0.44	13	451	<0.5	5	0.26	3	6	274	5386	1.86	0.06	0.27	354	6	0.01	11	281	90	<5	<1	<10	21	<0.01	11	<10	2	289	2
148910	3.8	0.22	<5	89	<0.5	<5	0.39	<1	3	226	5629	1.70	0.03	0.11	337	6	0.02	8	195	27	6	<1	<10	6	<0.01	8	<10	3	37	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0863 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148911	81.4	1.28	<5	88	<0.5	12	1.24	<1	33	136	7014	6.15	0.10	0.63	1268	19	0.01	7	562	37	<5	1	<10	5	<0.01	22	<10	18	104	4
148912	9.6	0.96	30	19	<0.5	27	0.23	<1	284	98	8902	>15.00	0.12	0.61	737	<2	0.01	5	590	69	6	<1	<10	<1	0.01	31	<10	3	185	13
148955	0.5	2.90	<5	74	<0.5	<5	0.08	<1	23	127	985	9.14	0.18	1.38	1903	11	0.01	13	592	26	<5	3	<10	<1	0.03	60	<10	2	181	6
148956	8.5	2.35	<5	61	1.1	<5	6.06	<1	34	89	>10000	6.55	0.07	1.47	2932	4	0.01	12	903	64	<5	7	<10	90	0.06	47	<10	8	117	7
148957	0.3	0.05	<5	18	<0.5	<5	2.81	<1	2	233	82	0.43	0.03	0.01	619	4	0.01	8	28	6	<5	<1	<10	12	<0.01	2	<10	7	7	<1
148958	4.2	0.18	<5	31	<0.5	6	0.74	<1	3	271	3695	1.77	0.08	0.06	326	9	0.01	11	171	49	5	<1	<10	2	<0.01	5	<10	2	18	2
148959	4.5	1.32	<5	83	<0.5	<5	2.29	<1	36	96	>10000	6.38	0.11	0.66	1545	12	0.01	8	717	38	<5	2	<10	26	0.03	32	<10	5	110	6
148960	<0.2	0.07	<5	12	<0.5	6	0.23	<1	2	281	101	0.42	0.05	<0.01	284	8	0.01	10	51	7	6	<1	<10	1	<0.01	2	<10	2	7	1
148961	6.4	1.27	<5	67	<0.5	<5	0.42	>100	8	78	1345	3.92	0.12	0.71	3598	<2	0.02	5	727	>10000	<5	1	<10	22	0.04	21	465	5	>10000	5
165415	2.0	2.91	<5	56	<0.5	11	0.15	<1	27	44	3085	11.06	0.18	1.12	2409	<2	0.02	4	1004	105	7	2	<10	<1	0.01	46	40	5	276	10
165416	<0.2	1.04	<5	55	<0.5	<5	0.47	<1	5	113	191	2.92	0.17	0.50	424	3	0.04	5	893	97	<5	<1	<10	18	0.05	17	<10	6	107	7
165417	4.4	1.62	<5	52	<0.5	88	0.18	<1	76	88	6032	7.88	0.12	0.89	1085	4	0.01	10	683	66	<5	2	<10	<1	0.03	33	<10	3	112	7
165418	<0.2	1.53	<5	52	<0.5	<5	0.80	<1	16	45	40	4.23	0.12	1.22	544	6	0.06	3	1485	28	<5	2	<10	20	0.11	59	<10	10	78	6
165419	<0.2	1.08	<5	44	1.0	<5	8.15	<1	5	125	24	7.26	0.08	0.66	2413	2	0.02	6	222	16	5	2	<10	42	0.01	48	<10	26	73	5
165420	<0.2	3.54	<5	56	1.3	<5	0.13	<1	20	38	375	>15.00	0.02	2.68	2061	<2	0.02	5	501	48	7	2	<10	<1	0.02	93	<10	<1	212	11
165421	<0.2	0.84	<5	19	<0.5	5	0.78	<1	68	79	58	9.37	0.02	0.42	521	7	0.02	9	440	28	<5	2	<10	18	0.03	84	<10	3	41	8
165422	9.8	1.00	<5	19	<0.5	<5	0.62	<1	190	63	>10000	7.60	0.06	0.52	349	3	0.03	28	869	39	<5	2	<10	24	0.05	28	<10	4	78	13
165423	0.2	1.73	<5	15	0.7	<5	3.02	<1	51	70	3533	2.94	<0.01	0.72	1190	<2	0.02	12	1215	13	<5	2	<10	94	0.08	22	<10	4	130	5
165424	0.2	1.37	<5	19	<0.5	<5	4.37	<1	16	58	20	3.80	0.06	1.28	1481	5	0.03	6	889	4	<5	5	<10	23	0.05	60	<10	12	90	7
185154	1.9	0.52	<5	53	<0.5	<5	0.69	<1	15	159	3828	2.86	0.08	0.24	785	10	0.01	6	230	23	6	<1	<10	1	<0.01	8	<10	5	58	4
185155	25.5	0.30	6	506	<0.5	24	0.09	<1	12	202	971	1.36	0.09	0.09	159	10	0.01	7	232	44	6	<1	<10	6	<0.01	7	<10	3	34	4
185156	12.3	0.17	32	31	<0.5	39	0.03	<1	3	257	815	4.31	0.07	0.02	48	81	0.01	9	180	29	10	<1	<10	<1	<0.01	10	<10	<1	13	4
185157	5.6	0.35	8	206	<0.5	34	0.05	<1	6	210	1847	3.80	0.11	0.08	129	115	0.01	7	301	36	10	<1	<10	2	<0.01	11	<10	<1	21	5
185158	30.4	0.20	25	47	<0.5	265	0.02	<1	16	154	8278	5.48	0.11	0.05	73	143	0.01	6	405	103	6	<1	<10	3	<0.01	9	134	<1	35	5
185159	10.8	0.61	5	17	<0.5	9	0.01	<1	52	264	>10000	6.80	0.04	0.33	562	89	0.01	10	654	63	6	<1	<10	<1	<0.01	12	17	2	65	5
185160	1.2	0.09	<5	12	<0.5	19	<0.01	<1	8	258	508	1.08	0.03	0.06	79	7	0.01	9	32	10	<5	<1	<10	<1	<0.01	2	<10	<1	10	2
185161	0.3	0.49	<5	16	<0.5	13	0.10	<1	184	126	92	11.12	0.01	0.30	625	131	0.01	7	322	23	<5	<1	<10	<1	0.03	22	<10	<1	58	8
185162	1.1	0.27	<5	<10	<0.5	<5	0.03	<1	9	272	978	2.09	<0.01	0.18	220	30	0.01	10	176	12	7	<1	<10	<1	<0.01	7	<10	<1	25	4
185163	2.1	0.30	<5	20	<0.5	49	0.61	<1	2	258	1336	0.98	0.06	0.17	379	5	0.01	9	187	12	<5	<1	<10	4	0.01	5	<10	2	20	2
185164	<0.2	0.41	<5	50	<0.5	<5	0.18	<1	2	250	22	1.16	0.09	0.25	384	7	0.02	12	102	68	<5	<1	<10	2	0.02	10	<10	3	63	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0863 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185165	0.4	0.37	7	217	<0.5	8	0.02	<1	27	303	242	2.97	0.05	0.13	237	8	0.01	11	73	5	<5	<1	<10	<1	<0.01	12	<10	<1	23	4
185166	<0.2	1.44	<5	94	0.7	<5	0.55	<1	11	80	6835	3.76	0.17	0.77	1240	<2	0.04	6	870	11	6	3	<10	19	0.05	21	<10	17	123	14
185167	38.2	0.28	127	106	<0.5	1331	0.04	<1	1	139	3210	13.30	0.05	0.02	38	9	0.02	5	829	1398	<5	<1	<10	7	0.02	50	<10	<1	22	10
185168	0.5	0.43	99	107	<0.5	<5	0.27	<1	4	103	86	2.07	0.33	0.09	107	31	0.02	4	695	24	<5	2	<10	11	0.14	13	<10	8	14	19
185169	4.3	0.58	11	576	<0.5	34	0.02	<1	29	303	644	3.66	0.02	0.20	340	308	0.01	12	159	26	<5	1	<10	<1	0.02	23	<10	<1	35	5
185170	4.5	1.59	20	214	<0.5	276	0.12	<1	19	213	583	6.19	0.05	0.71	1266	8	0.02	12	474	229	<5	4	<10	3	0.05	82	<10	2	144	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate


4V-0713-RG1

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Bll McWilliam**

Aug-20-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-05-04

Sample Name	Au PPB
151331	117
185102	1
185103	102
185104	1
192539	24
192610	1759
192611	1
192612	1515
192613	676
192614	14
192615	43
192616	101
192617	4
192618	16
192828	98
192829	8
192830	23
192831	12
192832	63
192833	99
192834	12
192835	544
192836	4657
192837	133

Certified by _____ 

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: GORDO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0713 RJ


Date : Aug-20-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151331	0.8	0.83	<5	233	<0.5	15	0.07	<1	10	105	65	3.00	0.14	0.37	376	76	0.01	19	424	17	<5	<1	<10	<1	<0.01	17	12	2	42	4
185102	<0.2	2.09	<5	26	<0.5	<5	0.34	<1	15	103	<1	3.50	0.07	2.12	712	<2	0.02	20	685	<2	<5	5	<10	<1	<0.01	86	<10	5	78	3
185103	74.7	0.14	53	1610	<0.5	<5	0.03	13	<1	147	36	0.86	0.06	0.04	61	6	<0.01	4	287	1027	15	<1	<10	85	<0.01	6	28	<1	1546	1
185104	<0.2	2.79	<5	127	<0.5	<5	0.22	<1	19	84	1	4.43	0.08	2.74	810	<2	0.02	19	841	<2	<5	6	<10	<1	<0.01	116	13	5	98	3
192539	9.9	1.01	<5	110	<0.5	<5	0.81	24	13	96	7407	2.55	0.06	0.29	1333	<2	<0.01	19	783	893	10	2	<10	67	0.08	25	48	3	2332	5
192610	5.0	0.22	6	28	<0.5	100	0.37	<1	4	139	9747	2.20	0.06	0.10	330	167	0.01	5	170	129	<5	<1	<10	<1	<0.01	8	10	2	31	3
192611	0.3	0.24	<5	43	<0.5	6	6.16	<1	1	100	895	0.61	0.06	0.09	1381	<2	0.01	3	189	9	11	<1	<10	25	<0.01	3	<10	10	28	1
192612	3.3	0.17	<5	385	<0.5	149	0.82	<1	1	155	5137	1.19	0.04	0.09	490	19	0.01	7	85	146	<5	<1	<10	12	<0.01	7	10	2	22	2
192613	30.7	0.41	<5	70	<0.5	10	0.14	63	12	99	1570	1.79	0.10	0.19	1954	4	<0.01	11	350	>10000	<5	<1	<10	1	<0.01	7	409	7	>10000	2
192614	12.0	1.01	6	109	<0.5	<5	0.62	33	9	80	851	3.52	0.15	0.35	2491	<2	0.01	10	1170	>10000	11	1	<10	33	0.15	28	58	9	3013	7
192615	59.0	1.75	<5	130	<0.5	<5	1.18	>100	23	216	7358	4.97	0.20	0.62	4376	4	0.02	15	2039	>10000	15	2	<10	78	0.15	42	515	16	>10000	12
192616	1.1	1.31	<5	617	<0.5	<5	0.43	1	12	140	27	4.16	0.22	0.77	3251	<2	0.01	7	665	665	6	1	<10	12	0.02	25	20	7	296	4
192617	28.4	1.31	<5	122	<0.5	7	0.95	>100	9	110	639	2.28	0.07	0.58	3593	<2	<0.01	9	1323	>10000	<5	2	<10	59	0.11	26	278	12	>10000	10
192618	54.8	0.86	<5	42	<0.5	9	0.65	>100	19	88	2358	7.22	0.09	0.30	1748	<2	0.01	15	1184	>10000	<5	1	<10	57	0.13	37	416	10	>10000	14
192828	18.0	3.00	36	21	2.1	<5	2.87	<1	64	40	>10000	10.80	0.01	2.83	3511	<2	<0.01	11	800	361	<5	14	<10	43	0.09	87	29	9	170	11
192829	1.4	0.12	<5	55	<0.5	<5	0.14	<1	1	407	106	0.61	0.06	0.04	150	6	0.01	17	41	331	7	<1	<10	<1	<0.01	2	<10	<1	60	3
192830	0.9	0.52	<5	<10	<0.5	<5	0.60	<1	5	141	18	3.00	0.01	0.02	251	8	<0.01	5	352	95	<5	<1	<10	44	0.14	27	15	1	14	9
192831	1.1	0.70	<5	122	<0.5	7	0.07	<1	9	161	304	2.01	0.09	0.41	516	7	<0.01	8	170	59	<5	<1	<10	<1	0.01	14	<10	2	55	3
192832	3.4	0.32	<5	72	<0.5	<5	1.27	<1	5	172	3867	1.50	0.09	0.11	554	22	<0.01	6	202	102	<5	<1	<10	<1	<0.01	7	<10	4	100	2
192833	16.3	0.10	224	302	<0.5	<5	0.01	<1	2	185	48	2.77	0.08	<0.01	145	14	<0.01	6	167	117	8	<1	<10	<1	<0.01	6	12	<1	118	3
192834	0.8	1.02	7	44	<0.5	<5	0.34	<1	41	74	19	5.91	0.11	0.83	424	<2	0.04	7	1104	32	<5	1	<10	<1	0.08	37	19	6	70	7
192835	52.7	0.09	177	22	<0.5	<5	0.04	>100	8	161	1767	3.20	0.06	0.01	99	83	<0.01	13	354	1454	16	<1	<10	<1	<0.01	7	832	<1	>10000	3
192836	32.8	0.07	25	31	<0.5	101	0.01	<1	186	131	1069	5.07	0.09	<0.01	35	6	<0.01	7	105	45	<5	<1	<10	<1	<0.01	12	15	<1	114	3
192837	2.0	0.23	32	77	<0.5	16	0.29	<1	34	75	143	4.75	0.19	0.06	500	2	<0.01	9	414	29	5	<1	<10	<1	0.01	16	14	2	72	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0917-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 5 rock samples submitted Sep-09-04

Sample Name	Au PPB	Au g/tonne
148914	6	
185376	13	
185377	133	
185389	>10000	46.10
185390	452	
*97-45		1.41
*BLANK		<0.01

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Gordo

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0917 RJ


Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148914	2.1	0.35	<5	14	<0.5	11	0.06	<1	9	201	3235	1.42	0.11	0.17	479	4	0.02	8	230	25	7	<1	<10	<1	<0.01	12	<10	3	53	2
185376	<0.2	0.27	7	1025	<0.5	<5	0.13	<1	9	172	249	1.38	0.13	0.07	151	18	0.01	6	145	11	6	<1	<10	26	<0.01	5	<10	1	9	6
185377	1.1	0.88	<5	47	<0.5	<5	1.26	<1	5	159	738	2.19	0.08	0.49	1199	3	0.03	5	481	7	7	<1	<10	3	<0.01	15	<10	6	87	3
185389	24.7	1.12	20	14	<0.5	53	1.14	<1	4	51	56	4.44	0.01	0.19	258	2	0.02	1	787	97	<5	2	<10	123	0.26	37	<10	7	13	6
185390	38.5	0.22	330	109	<0.5	358	0.02	<1	5	75	64	5.58	0.14	0.01	30	24	0.01	3	370	430	15	<1	<10	<1	0.02	10	<10	2	137	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0793-RG1

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Sep-24-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-17-04

Sample Name	Au PPB	Au g/tonne
185326	4	
185327	5	
185328	76	
185329	1	
185330	2802	
185331	5701	
185332	>10000	10.53
185333	508	
185334	5010	
185335	734	
185336	2306	
185337	>10000	11.25
185338	1665	
185339	30	
185340	7279	
185341	7922	
185342	138	
185343	63	
185344	73	
185345	683	
185346	46	
185347	83	
188951	27	
188952	11	
*97-45		1.46
*BLANK		<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0793-RG2

Company: **Stealth Minerals Ltd.**
 Project: **GORDO**
 Attn: **Dave Kuran, Bill McWilliam**

Sep-24-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-17-04

Sample Name	Au PPB	Au g/tonne	Ag g/tonne
188953	73		
188954	30		
188955	19		
188956	195		
188957	>10000	14.91	148.0
188958	825		
188959	15		
188960	36		
188961	11		
192688	136		
192689	10		
192690	68		
192691	5		
192692	13		
192693	1		
192694	199		
192695	9		
192696	566		
192697	29		
192698	106		
192699	31		
192700	32		
192922	2497		
192923	934		
*97-45		1.40	
*CPb-1			624.0
*BLANK		<0.01	<0.1

Certified by _____ 

**ASSAYERS
C A N A D A**



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0793-RG3

Company: **Stealth Minerals Ltd.**
Project: **GORDO**
Attn: **Dave Kuran, Bill McWilliam**

Sep-24-04

We hereby certify the following geochemical analysis of 8 rock samples submitted Aug-17-04

Sample Name	Au PPB	Au g/tonne
192924	>10000	12.54
192925	1449	
192926	358	
192927	165	
192928	>10000	12.50
192929	446	
192930	20	
192931	>10000	10.22
*97-45		1.50
*BLANK		<0.01

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0793 RJ

Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185326	<0.2	0.03	<5	245	<0.5	<5	0.04	<1	<1	200	71	0.92	0.01	<0.01	68	7	0.01	10	64	28	<5	<1	<10	5	<0.01	3	<10	<1	162	3
185327	0.4	0.12	<5	396	<0.5	<5	0.02	<1	3	242	132	1.54	0.08	0.02	69	6	0.01	10	238	10	<5	<1	<10	27	<0.01	4	<10	<1	54	3
185328	17.8	0.27	<5	15	<0.5	10	>15.00	>100	2	28	1784	1.71	0.04	0.17	3528	<2	0.01	3	163	4071	<5	<1	<10	140	<0.01	7	195	10	>10000	1
185329	<0.2	0.99	<5	454	<0.5	<5	0.77	3	8	113	55	2.25	0.09	0.59	569	<2	0.05	6	474	21	<5	2	<10	15	<0.01	39	<10	4	292	8
185330	13.2	0.71	88	267	<0.5	710	0.11	<1	22	190	2632	6.45	0.03	0.32	452	6	0.03	9	362	187	<5	2	<10	35	0.02	58	<10	2	51	5
185331	6.5	0.51	26	199	<0.5	29	0.09	<1	17	198	6328	3.07	0.05	0.25	379	4	0.02	12	98	36	<5	<1	<10	5	<0.01	19	<10	1	74	5
185332	22.2	0.97	6	271	<0.5	580	0.33	<1	11	201	>10000	3.27	0.07	0.36	687	6	0.01	7	330	100	<5	2	<10	14	<0.01	48	<10	2	65	3
185333	2.6	1.70	65	57	<0.5	13	0.04	<1	215	182	3385	9.28	0.04	0.75	1316	4	0.02	17	162	115	<5	2	<10	<1	<0.01	65	13	1	129	6
185334	38.5	0.48	61	69	<0.5	<5	0.10	<1	4	151	156	2.43	0.13	0.26	360	27	0.01	8	325	178	18	<1	<10	3	<0.01	15	<10	4	78	11
185335	18.3	0.63	16	71	<0.5	25	0.01	<1	60	190	5026	4.85	0.05	0.34	387	9	0.02	14	93	20	<5	<1	<10	10	<0.01	22	<10	<1	40	3
185336	9.3	0.77	49	96	<0.5	340	0.02	<1	38	214	9276	8.15	0.02	0.34	598	<2	0.02	13	85	218	<5	<1	<10	<1	<0.01	35	<10	<1	49	5
185337	28.4	0.06	32	28	<0.5	145	0.03	<1	3	250	339	1.87	0.02	0.02	35	50	0.02	10	63	130	<5	<1	<10	11	<0.01	8	<10	<1	5	2
185338	0.6	1.83	38	30	<0.5	15	0.03	<1	168	164	501	10.13	0.12	1.03	1032	40	0.02	30	169	22	<5	1	<10	5	0.02	58	13	<1	105	9
185339	4.5	2.38	<5	44	<0.5	<5	1.68	<1	37	78	>10000	10.66	0.13	1.35	2797	<2	0.02	8	598	19	<5	3	<10	<1	<0.01	56	19	9	170	11
185340	49.7	0.93	52	20	<0.5	119	0.06	<1	99	171	8366	10.76	0.07	0.49	562	8	0.02	18	258	29	<5	<1	<10	<1	<0.01	53	13	1	53	7
185341	19.4	0.19	75	<10	<0.5	149	0.01	<1	75	210	>10000	7.34	0.02	0.11	128	15	0.01	15	96	18	<5	<1	<10	<1	<0.01	23	26	<1	14	4
185342	0.4	0.79	202	106	<0.5	7	0.27	<1	10	103	491	3.79	0.18	0.34	250	7	0.02	8	949	12	7	2	<10	2	0.03	41	<10	8	36	9
185343	1.0	0.35	123	924	<0.5	9	0.11	<1	5	91	58	1.85	0.17	0.08	213	57	0.01	3	364	37	<5	<1	<10	15	<0.01	8	<10	3	24	8
185344	0.9	0.67	131	118	<0.5	5	0.31	<1	14	90	32	2.39	0.18	0.29	651	11	0.01	5	708	23	7	<1	<10	6	0.04	18	<10	9	67	8
185345	10.0	0.20	173	80	<0.5	<5	0.05	<1	7	148	75	1.70	0.11	0.04	262	178	0.01	9	214	97	8	<1	<10	6	<0.01	7	<10	3	21	5
185346	0.4	0.67	56	56	<0.5	<5	0.18	<1	6	94	26	2.45	0.18	0.37	464	7	0.01	3	546	10	<5	1	<10	4	0.06	20	<10	5	57	15
185347	1.7	1.16	82	82	<0.5	<5	0.15	<1	21	133	114	3.66	0.12	0.78	853	7	0.01	7	463	3	<5	2	<10	6	0.03	44	<10	3	77	4
188951	0.3	0.97	<5	69	<0.5	6	0.21	<1	14	103	485	2.26	0.17	0.55	866	4	0.02	5	284	23	<5	<1	<10	2	<0.01	16	<10	8	104	21
188952	<0.2	0.45	37	107	<0.5	6	0.54	<1	5	64	18	2.51	0.24	0.12	284	3	0.03	3	655	44	<5	<1	<10	8	<0.01	9	<10	12	35	33
188953	1.7	1.08	318	47	<0.5	<5	0.16	<1	10	98	37	4.72	0.12	0.70	444	23	0.01	12	542	27	6	3	<10	<1	0.02	60	<10	3	79	4
188954	0.8	0.81	45	232	<0.5	<5	0.09	<1	4	76	45	3.21	0.17	0.32	992	23	0.01	3	635	178	<5	1	<10	<1	0.03	20	<10	7	208	15
188955	0.5	0.62	39	183	<0.5	<5	0.15	1	2	90	53	2.42	0.19	0.17	673	5	0.01	5	567	792	<5	2	<10	3	0.06	13	32	10	2576	25
188956	9.6	2.58	<5	297	0.5	<5	0.25	9	8	51	8859	6.61	0.10	1.39	4357	16	<0.01	4	845	2676	<5	3	<10	4	0.07	59	19	4	1770	7
188957	164.9	2.22	<5	142	<0.5	<5	0.68	6	8	31	>10000	6.27	0.09	1.13	1751	5	0.03	5	2350	156	<5	3	<10	59	0.06	88	12	7	268	6
188958	9.5	0.47	46	209	<0.5	<5	0.12	<1	3	103	3921	3.09	0.14	0.17	350	13	0.01	4	616	57	<5	2	<10	10	0.07	13	<10	4	51	12

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GORDO

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0793 RJ

Date : Sep-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
188959	1.3	0.39	<5	2560	<0.5	<5	0.82	<1	11	162	109	1.17	0.06	0.25	475	3	0.02	9	202	23	<5	<1	<10	80	<0.01	7	<10	2	33	2
188960	1.5	1.11	8	798	<0.5	<5	1.05	<1	21	118	23	3.29	0.11	0.72	1208	59	<0.01	5	244	14	<5	<1	<10	34	0.02	21	<10	5	96	5
188961	1.8	0.24	<5	1186	<0.5	6	2.65	<1	14	197	17	0.86	0.06	0.15	903	6	0.01	11	115	38	<5	<1	<10	44	<0.01	5	<10	11	30	2
192688	0.9	0.13	8	126	<0.5	<5	0.19	21	1	78	74	2.39	0.15	<0.01	43	134	0.01	3	260	194	<5	<1	<10	22	<0.01	1	33	1	2664	6
192689	<0.2	0.06	8	2893	<0.5	<5	0.02	<1	<1	231	12	0.47	0.04	<0.01	49	15	<0.01	12	89	<2	<5	<1	<10	98	<0.01	2	<10	<1	11	3
192690	1.8	1.26	6	30	<0.5	<5	0.07	<1	18	121	1703	11.01	0.09	0.50	486	5	0.02	9	455	39	<5	2	<10	<1	0.03	62	<10	2	60	9
192691	1.6	0.58	<5	152	<0.5	<5	0.45	50	2	182	1988	1.87	0.07	0.44	479	<2	0.03	11	339	1325	<5	1	<10	6	0.01	23	42	3	3256	7
192692	5.4	0.79	<5	68	<0.5	<5	1.74	>100	5	152	1027	2.22	0.10	0.60	720	4	0.03	8	461	>10000	<5	2	<10	10	<0.01	32	498	5	>10000	8
192693	1.3	0.41	<5	758	<0.5	<5	1.04	2	1	180	33	1.13	0.10	0.15	445	<2	0.02	9	236	291	<5	<1	<10	30	<0.01	7	<10	4	170	2
192694	0.4	0.06	62	18	<0.5	10	0.02	<1	307	241	74	9.21	0.02	0.02	56	6	<0.01	12	86	49	<5	<1	<10	<1	<0.01	9	527	<1	57	5
192695	0.4	0.46	<5	26	<0.5	<5	1.04	<1	2	136	2674	2.20	0.05	0.31	534	2	0.03	9	400	15	<5	<1	<10	6	0.02	16	11	4	39	4
192696	12.2	0.54	53	56	<0.5	<5	0.08	<1	3	135	58	3.01	0.08	0.33	234	5	0.01	5	409	34	<5	3	<10	4	0.09	65	<10	1	157	6
192697	1.5	0.52	67	42	<0.5	<5	0.27	<1	3	106	11	2.35	0.09	0.30	191	<2	0.02	6	575	15	<5	4	<10	19	0.09	64	<10	3	40	5
192698	1.6	0.44	56	101	<0.5	<5	0.05	<1	<1	133	13	2.43	0.13	0.28	328	5	0.01	6	483	17	<5	4	<10	5	0.02	55	<10	3	67	3
192699	11.6	0.50	25	30	<0.5	<5	0.20	<1	7	146	10	2.71	0.07	0.30	210	4	0.01	8	327	25	<5	3	<10	6	0.09	55	<10	1	128	5
192700	0.9	0.04	16	68	<0.5	11	<0.01	<1	8	248	9	1.79	0.02	<0.01	38	11	<0.01	9	45	9	<5	<1	<10	<1	<0.01	4	<10	<1	5	2
192922	13.8	0.17	80	122	<0.5	38	0.07	<1	2	251	1905	4.58	0.03	0.04	94	108	0.02	13	375	66	<5	<1	<10	32	0.01	35	<10	<1	11	3
192923	11.4	0.20	20	157	<0.5	11	0.10	<1	7	235	9571	4.03	0.04	0.07	185	13	0.01	10	461	27	<5	<1	<10	9	<0.01	25	<10	1	21	3
192924	78.9	1.48	13	44	<0.5	470	0.19	<1	39	122	>10000	5.83	0.05	0.76	1671	15	<0.01	9	2456	303	<5	3	<10	<1	0.02	79	17	23	125	4
192925	10.0	0.20	38	79	<0.5	31	0.08	<1	3	203	1601	4.32	0.03	0.05	97	33	0.03	8	414	49	<5	<1	<10	39	0.04	33	<10	<1	17	4
192926	3.0	0.39	27	262	<0.5	52	0.04	<1	10	213	1574	2.64	0.04	0.16	254	7	0.02	12	342	33	<5	<1	<10	2	0.01	16	<10	1	30	3
192927	0.8	0.70	30	39	<0.5	<5	0.04	<1	22	207	329	3.04	0.06	0.26	551	9	0.01	9	152	10	<5	1	<10	<1	<0.01	27	<10	<1	60	3
192928	6.5	0.43	215	81	<0.5	305	0.06	<1	60	173	970	6.47	0.02	0.15	289	29	<0.01	13	211	177	<5	<1	<10	<1	0.01	84	<10	<1	33	5
192929	3.0	0.16	34	288	<0.5	8	<0.01	<1	4	279	2691	3.44	<0.01	0.05	108	62	0.01	11	151	19	<5	<1	<10	<1	<0.01	13	<10	<1	9	2
192930	0.3	0.55	5	75	<0.5	<5	0.07	<1	16	234	305	2.23	0.03	0.27	492	3	0.02	13	229	8	<5	<1	<10	<1	0.01	22	<10	1	53	2
192931	27.4	0.14	115	67	<0.5	123	0.03	<1	3	193	1331	7.04	0.03	0.02	126	95	0.02	8	392	94	<5	<1	<10	1	0.02	50	<10	<1	10	4

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0829-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
148103	27
148104	9
148105	219
148593	13
148594	29
148595	265
148596	4
148597	1
148951	18
148952	198
148953	60
148954	173
165401	1
165402	73
165403	12
165404	1549
165405	3
165406	2
165407	43
165408	7
165409	3
165410	3
165411	378
165412	516

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0829-RG2

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We *hereby certify* the following geochemical analysis of 2 rock samples submitted Aug-24-04

Sample Name	Au PPB
165413	266
165414	121

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Gordo

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0829 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148103	2.2	0.72	<5	24	<0.5	45	7.86	<1	11	119	9	1.39	0.05	0.68	2508	36	0.01	13	163	72	<5	3	<10	32	<0.01	24	<10	32	58	2
148104	<0.2	0.73	10	17	<0.5	<5	3.84	<1	7	72	2	2.08	0.07	0.62	1301	<2	0.01	4	708	3	<5	2	<10	25	0.06	34	<10	7	100	4
148105	4.2	0.09	69	18	<0.5	32	0.04	<1	21	138	22	3.05	0.07	0.01	35	67	<0.01	6	66	175	<5	<1	<10	<1	<0.01	9	<10	<1	27	6
148593	<0.2	0.17	<5	92	<0.5	<5	0.09	<1	7	152	6	0.52	0.04	0.10	409	3	<0.01	7	67	17	<5	<1	<10	<1	<0.01	4	<10	<1	78	1
148594	0.6	0.29	<5	1346	<0.5	6	6.32	<1	10	117	7	0.78	0.05	0.19	1589	4	0.02	5	140	21	<5	<1	<10	61	<0.01	5	<10	30	32	2
148595	0.5	0.09	<5	826	<0.5	<5	0.06	<1	<1	169	30	1.59	0.14	<0.01	57	14	0.01	8	208	490	<5	<1	<10	182	<0.01	4	<10	<1	10	3
148596	<0.2	0.36	25	259	<0.5	<5	0.10	<1	3	148	26	1.41	0.08	0.13	323	6	<0.01	6	227	8	<5	<1	<10	5	0.04	9	<10	4	49	10
148597	2.9	0.65	<5	288	<0.5	<5	0.85	<1	12	130	4679	2.05	<0.01	0.49	704	<2	0.01	18	351	66	<5	2	<10	37	0.04	46	<10	3	95	4
148951	7.3	1.03	10	101	<0.5	<5	0.91	<1	16	89	>10000	3.69	<0.01	0.61	716	<2	0.01	7	466	37	<5	4	<10	96	0.13	68	<10	4	132	6
148952	0.7	3.15	36	53	<0.5	10	0.07	<1	112	81	1673	10.23	0.04	1.72	2281	<2	<0.01	16	158	38	<5	3	<10	14	<0.01	95	18	<1	197	6
148953	0.5	1.47	248	167	0.5	<5	0.40	<1	22	33	71	4.62	0.17	0.90	907	3	0.01	4	1151	12	<5	3	<10	4	<0.01	44	<10	11	157	6
148954	30.6	1.21	<5	61	<0.5	<5	2.52	<1	12	100	>10000	2.78	<0.01	0.97	848	<2	0.01	10	440	5	<5	2	<10	76	0.05	60	<10	4	65	4
165401	0.4	0.33	<5	2391	<0.5	<5	3.08	<1	5	125	103	0.82	0.06	0.23	1010	3	<0.01	5	116	10	<5	<1	<10	90	<0.01	6	<10	5	51	1
165402	0.9	0.53	23	1168	<0.5	<5	0.29	<1	12	109	29	1.85	0.12	0.32	491	40	<0.01	5	253	5	<5	<1	<10	33	0.03	13	<10	3	45	7
165403	<0.2	1.37	8	1524	<0.5	<5	0.78	<1	19	97	4	2.87	0.11	0.98	1327	2	<0.01	5	606	<2	<5	<1	<10	57	0.03	41	<10	5	104	3
165404	18.1	0.08	61	17	<0.5	199	0.01	<1	163	190	5988	10.27	0.03	0.04	61	<2	0.01	18	103	66	<5	<1	<10	<1	<0.01	25	44	<1	11	7
165405	<0.2	0.57	<5	91	<0.5	<5	0.06	<1	113	62	13	3.61	0.12	0.18	323	11	0.04	3	290	<2	<5	<1	<10	<1	<0.01	11	<10	4	29	15
165406	<0.2	1.94	<5	152	<0.5	<5	0.91	<1	17	85	1619	5.34	0.24	1.29	1098	<2	0.02	19	1331	<2	<5	2	<10	<1	<0.01	69	<10	18	121	8
165407	2.6	0.69	170	105	<0.5	7	0.18	<1	43	135	668	2.92	0.08	0.34	338	8	0.01	9	156	179	<5	<1	<10	<1	<0.01	19	<10	2	89	3
165408	<0.2	1.45	<5	43	<0.5	14	0.12	<1	361	48	11	6.96	0.16	0.66	881	5	0.02	5	471	32	<5	<1	<10	<1	<0.01	29	13	3	84	8
165409	<0.2	1.49	<5	156	<0.5	<5	0.40	<1	15	38	1691	3.02	0.10	1.03	1041	<2	0.04	4	887	3	<5	<1	<10	17	0.04	32	<10	6	90	5
165410	<0.2	1.03	<5	42	<0.5	<5	0.36	<1	17	39	35	2.66	0.06	1.02	321	<2	0.05	4	950	15	<5	<1	<10	9	0.08	51	<10	4	68	11
165411	0.6	1.05	40	68	<0.5	10	0.33	<1	57	70	44	5.95	0.20	0.56	760	7	0.02	4	618	4	<5	<1	<10	32	0.07	30	10	2	78	8
165412	8.8	0.81	92	<10	<0.5	59	0.11	<1	161	127	114	10.63	0.02	0.51	500	770	0.01	11	84	65	<5	<1	<10	<1	<0.01	25	18	<1	80	7
165413	1.9	0.69	98	18	<0.5	25	0.03	<1	76	129	766	10.72	0.08	0.34	397	146	0.01	12	343	82	<5	<1	<10	<1	0.02	42	18	<1	51	9
165414	1.6	0.61	109	19	<0.5	22	0.03	<1	65	140	259	7.78	0.09	0.38	284	33	0.02	9	164	19	<5	<1	<10	<1	<0.01	23	12	<1	41	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0828-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 9 rock samples submitted Aug-24-04

Sample Name	Au PPB
175701	63
175702	93
175703	12
185348	2
185349	24
185350	1209
185351	20
185352	1
185353	2022

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Gordo

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0828 RJ

Date : Sep-21-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
175701	0.4	0.12	72	95	<0.5	26	0.13	<1	47	138	87	11.76	<0.01	0.02	128	56	0.01	4	220	32	<5	<1	<10	<1	<0.01	19	58	2	18	9
175702	1.3	0.21	66	170	<0.5	<5	0.02	<1	2	134	15	1.62	0.19	0.06	107	17	0.01	5	259	43	<5	<1	<10	4	0.04	7	<10	<1	35	5
175703	0.9	0.28	84	463	<0.5	<5	0.07	<1	2	55	4	2.27	0.27	0.03	99	18	0.01	2	594	28	<5	<1	<10	14	0.05	4	<10	5	16	14
185348	<0.2	0.69	<5	220	<0.5	<5	0.36	<1	4	104	25	1.70	0.17	0.24	798	<2	0.03	4	522	9	<5	<1	<10	16	0.03	6	<10	8	66	14
185349	0.8	0.38	50	283	<0.5	<5	0.07	<1	4	57	31	2.26	0.27	0.06	221	27	0.01	2	559	36	<5	<1	<10	5	0.02	3	<10	6	18	16
185350	3.9	1.07	49	397	<0.5	<5	0.16	<1	8	108	7	3.04	0.11	0.60	929	44	0.01	4	331	17	<5	<1	<10	10	0.02	9	<10	3	81	8
185351	<0.2	0.56	<5	75	<0.5	<5	0.72	<1	3	87	2	1.77	0.16	0.20	1037	<2	0.03	4	495	6	<5	<1	<10	4	0.05	9	<10	8	93	9
185352	<0.2	1.20	<5	61	<0.5	<5	0.19	<1	3	70	2	2.46	0.09	0.73	1203	<2	0.05	3	760	3	<5	2	<10	<1	<0.01	23	<10	3	105	5
185353	14.2	0.52	51	582	<0.5	<5	0.22	<1	<1	101	13	1.67	0.15	0.32	360	15	0.01	4	470	17	<5	<1	<10	19	0.02	11	<10	5	46	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0730-RG1

Company: **Stealth Minerals Ltd.**
Project: **TOO**
Attn: **Bill McWilliam/ Dave Duran**

Aug-31-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-06-04

Sample Name	Au PPB
151332	6
151333	37
151334	3
151335	6
151336	2
151337	3
151338	39
151339	25
151340	9
151341	1
151342	2
151343	59
151344	21
151345	4
192540	184
192541	818
192542	39
192543	10
192544	723
192545	22
192546	290
192547	379
192619	3
192620	240

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0730-RG2

Company: **Stealth Minerals Ltd.**
Project: **TOO**
Attn: **Bill McWilliam/ Dave Duran**

Aug-31-04

We hereby certify the following geochemical analysis of 7 rock samples submitted Aug-06-04

Sample Name	Au PPB
192621	3
192838	163
192839	39
192840	94
192841	92
192842	4
192843	8

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Duran

Project: TOO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0730 RJ


Date : Aug-31-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151332	<0.2	0.36	<5	926	<0.5	<5	0.82	<1	3	209	440	1.46	0.09	0.12	554	3	0.02	18	322	10	6	2	<10	16	0.05	27	<10	4	42	3
151333	9.0	0.16	<5	1309	<0.5	<5	0.92	1	<1	176	4093	0.50	0.08	0.01	144	<2	<0.01	18	143	47	<5	<1	<10	20	<0.01	7	<10	2	8	1
151334	7.2	0.15	<5	79	<0.5	<5	12.64	<1	<1	123	5825	0.43	0.12	0.01	1259	<2	0.02	11	210	12	<5	3	<10	25	<0.01	8	<10	11	13	1
151335	1.9	0.18	<5	118	<0.5	<5	3.05	<1	1	141	1596	0.51	0.12	0.02	348	<2	0.02	16	186	10	<5	2	<10	8	0.01	13	<10	4	14	1
151336	0.4	0.27	<5	80	<0.5	<5	0.64	<1	<1	163	2346	0.60	0.18	0.03	363	3	0.01	15	274	9	<5	2	<10	3	<0.01	10	<10	5	33	1
151337	3.5	0.08	<5	77	<0.5	<5	0.44	<1	<1	236	1208	0.35	0.05	0.01	165	<2	<0.01	25	51	4	6	<1	<10	5	<0.01	4	<10	<1	8	1
151338	26.4	0.41	<5	397	<0.5	<5	0.25	<1	5	202	7328	1.28	0.07	0.20	230	2	0.02	31	249	13	<5	2	<10	6	0.01	20	<10	3	52	2
151339	42.9	0.47	<5	856	<0.5	<5	0.16	<1	3	151	>10000	1.37	0.08	0.20	177	<2	0.03	25	545	20	<5	2	<10	14	0.04	29	<10	3	56	3
151340	<0.2	2.06	<5	62	0.5	<5	1.31	<1	11	66	692	3.50	0.33	1.29	373	<2	0.16	34	2786	6	<5	2	<10	52	0.15	129	<10	5	41	6
151341	0.8	0.16	<5	50	<0.5	<5	0.23	<1	1	163	1076	0.55	0.08	0.03	171	<2	0.01	54	124	3	<5	<1	<10	2	0.01	9	<10	1	25	2
151342	<0.2	3.71	<5	67	0.5	<5	2.74	<1	26	52	570	5.96	0.14	2.55	1592	<2	0.06	33	2993	9	7	5	<10	14	0.19	165	<10	6	146	10
151343	3.4	0.30	<5	527	<0.5	<5	0.59	<1	2	178	896	0.93	0.11	0.09	315	<2	0.02	22	198	522	5	1	<10	11	<0.01	19	<10	3	127	3
151344	<0.2	1.82	<5	128	<0.5	<5	1.42	<1	15	91	550	4.19	0.74	1.24	446	<2	0.08	39	3240	144	7	1	<10	23	0.23	174	<10	8	75	6
151345	10.0	0.19	<5	62	<0.5	<5	3.40	<1	1	178	2989	0.57	0.11	0.03	277	3	0.01	13	177	42	<5	<1	<10	10	0.02	12	<10	3	13	3
192540	10.5	0.63	36	81	<0.5	<5	0.14	36	6	111	603	2.90	0.14	0.36	707	1633	<0.01	15	319	9914	6	1	<10	4	0.03	<1	54	2	4348	4
192541	9.4	0.66	21	91	<0.5	41	0.11	<1	26	137	1244	4.19	0.11	0.22	610	249	<0.01	16	346	96	5	1	<10	4	0.03	19	<10	<1	81	5
192542	3.0	0.06	<5	39	<0.5	<5	>15.00	<1	4	33	2662	0.95	0.05	0.03	>10000	4	0.01	7	70	42	8	5	<10	204	<0.01	2	<10	52	28	3
192543	<0.2	0.24	<5	45	<0.5	<5	0.60	<1	1	194	320	1.00	0.14	0.03	502	4	<0.01	10	149	15	<5	1	<10	4	<0.01	15	<10	2	24	3
192544	8.7	0.17	10	104	<0.5	25	0.73	5	7	209	>10000	2.59	0.06	0.03	695	100	<0.01	12	310	131	5	<1	<10	<1	<0.01	4	<10	2	109	3
192545	<0.2	0.36	<5	25	<0.5	<5	7.22	<1	2	119	466	1.03	0.12	0.09	2244	5	<0.01	16	146	6	<5	2	<10	24	<0.01	11	<10	13	39	3
192546	4.9	0.18	<5	275	<0.5	<5	>15.00	>100	6	32	586	3.19	0.02	0.09	>10000	5	0.01	10	<10	32	10	3	<10	222	<0.01	9	190	40	>10000	3
192547	<0.2	0.07	<5	26	<0.5	<5	0.85	<1	1	249	620	0.62	0.03	0.01	830	3	<0.01	21	45	18	6	<1	<10	3	<0.01	5	<10	1	33	<1
192619	<0.2	0.86	<5	17	<0.5	<5	3.43	<1	5	168	15	1.44	<0.01	0.73	623	2	0.01	21	348	3	<5	2	<10	118	0.05	33	<10	3	46	3
192620	29.9	1.31	<5	62	<0.5	<5	0.58	<1	<1	207	>10000	2.32	0.07	1.35	623	<2	0.01	23	1022	37	7	2	<10	9	<0.01	46	<10	4	62	3
192621	<0.2	0.38	<5	83	<0.5	<5	3.62	<1	3	187	426	1.03	0.11	0.14	2110	4	<0.01	13	120	6	6	1	<10	19	<0.01	7	<10	6	50	2
192838	6.7	3.05	<5	16	<0.5	<5	0.16	<1	16	116	>10000	11.05	<0.01	1.14	1420	<2	<0.01	31	1209	82	11	6	<10	<1	0.05	79	11	2	136	9
192839	47.7	1.45	182	25	<0.5	<5	>15.00	<1	345	63	>10000	8.96	0.02	1.02	1848	<2	0.03	149	1355	190	7	15	<10	53	0.04	84	11	22	270	11
192840	16.1	0.92	17	<10	<0.5	<5	>15.00	<1	26	9	>10000	4.19	<0.01	0.71	2023	<2	0.01	53	1051	37	5	15	<10	283	<0.01	48	<10	32	125	3
192841	15.3	2.55	35	39	0.7	<5	2.27	<1	31	58	>10000	8.21	0.10	2.02	591	<2	0.03	51	3821	43	8	9	<10	6	0.24	181	<10	9	173	11
192842	77.2	3.35	<5	30	0.5	<5	2.12	<1	8	74	>10000	8.25	0.10	2.20	3645	<2	0.04	42	3561	38	7	8	<10	1	0.19	163	<10	10	347	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Duran

Project: TOO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0730 RJ


Date : Aug-31-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
192843	0.2	0.23	<5	84	<0.5	<5	>15.00	2	1	41	1334	0.76	0.15	0.14	3126	<2	0.01	10	389	9	<5	2	<10	293	<0.01	16	<10	7	11	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃ at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0899-RG1

Company: **Stealth Minerals Ltd.**
Project: **TOO**
Attn: **Bill McWilliam, Rhiannon Foster**

Sep-29-04

We *hereby certify* the following geochemical analysis of 4 rock samples submitted Sep-08-04

Sample Name	Au PPB
185378	7
185379	5
185380	10
185381	3

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam, Rhiannon Foster

Project: TOO

Sample: ROCK

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0899 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185378	5.7	0.12	<5	75	<0.5	<5	1.90	<1	<1	120	1658	0.37	0.07	0.01	188	2	0.01	4	126	5	<5	<1	<10	8	<0.01	6	<10	2	4	1
185379	3.1	0.10	<5	95	<0.5	<5	0.32	<1	<1	136	897	0.38	0.06	<0.01	80	2	0.01	5	95	2	<5	<1	<10	4	<0.01	6	<10	<1	2	2
185380	38.4	0.16	<5	477	<0.5	<5	6.77	<1	1	85	9784	1.24	0.08	0.03	690	2	0.03	2	679	9	<5	3	<10	34	0.05	33	<10	10	8	6
185381	0.6	1.55	<5	25	<0.5	<5	1.25	<1	25	75	463	4.01	0.10	0.59	439	19	0.12	22	2122	11	5	2	<10	36	0.10	99	<10	5	68	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0903-RG1

Company: **Stealth Minerals Ltd.**
Project: **TOO**
Attn: **Bill McWilliam, Dave Kuran**

Oct-05-04

We *hereby certify* the following geochemical analysis of 6 rock samples submitted Sep-08-04

Sample Name	Au PPB
149067	100
149068	3
149069	501
149070	2
151896	1
151897	2

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam, Dave Kuran

Project: TOO

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0903 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149067	20.1	1.27	22	29	<0.5	<5	1.39	<1	32	51	>10000	5.91	0.06	0.52	311	5	0.03	61	2328	51	8	2	<10	5	0.12	68	<10	4	218	10
149068	1.0	0.49	40	503	<0.5	<5	12.45	<1	<1	42	559	5.28	0.06	3.11	5991	8	0.02	13	574	15	26	8	<10	263	<0.01	75	<10	16	31	7
149069	25.3	2.64	232	27	<0.5	<5	0.92	<1	127	34	>10000	13.90	0.25	0.96	255	<2	0.02	104	4125	119	118	5	<10	5	<0.01	89	14	6	197	11
149070	<0.2	2.65	<5	90	<0.5	<5	2.66	<1	47	60	830	5.70	0.09	0.43	504	<2	0.18	45	2199	14	9	4	<10	74	0.12	110	<10	6	57	8
151896	3.9	0.22	<5	307	<0.5	<5	0.63	<1	2	144	1759	1.17	0.08	0.07	124	3	0.03	5	443	8	<5	1	<10	8	0.02	25	<10	4	18	4
151897	3.1	0.11	<5	133	<0.5	<5	2.40	<1	1	154	816	0.38	0.07	0.02	426	3	0.02	5	75	13	5	<1	<10	8	<0.01	6	<10	2	16	1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Gordo2004reprt

Appendix II

2004 Soil , Silt Assay Certificates



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0908-SG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam, Dave Kuran**

Oct-05-04

We hereby certify the following geochemical analysis of 24 soil samples submitted Sep-08-04

Sample Name	Au PPB
GD-DCS-01	1
GD-DCS-02	3
GD-DCS-03	12
GD-DCS-04	2
GD-DCS-05	2
GD-DCS-06	4
GD-DCS-07	9
GD-DCS-08	10
GD-DCS-09	11
GD-DCS-10	20
GD-DCS-11	6
GD-DCS-12	16
GD-DCS-13	9
GD-DCS-14	33
GD-DCS-15	18
GD-DCS-16	4
GD-DCS-17	11
GD-DCS-18	16
GD-DCS-19	5
GD-DCS-20	8
GD-DCS-21	4
GD-DCS-22	6
GD-DCS-23	9
GD-DCS-24	12

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0908-SG2

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam, Dave Kuran**

Oct-05-04

We *hereby certify* the following geochemical analysis of 6 soil samples submitted Sep-08-04

Sample Name	Au PPB
GD-DCS-25	8
GD-DCS-26	3
GD-DCS-27	4
GD-DCS-28	6
GD-DCS-29	1
GD-DCS-30	5

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam, Dave Kuran

Project: Gordo

Sample: SOIL

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0908 SJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
GD-DCS-01	0.3	1.30	6	189	<0.5	<5	0.13	<1	5	10	54	4.25	0.06	0.12	294	5	0.02	4	1325	30	<5	<1	<10	16	<0.01	64	<10	2	104	4
GD-DCS-02	<0.2	1.44	<5	152	<0.5	<5	0.02	<1	3	4	25	3.10	0.03	0.07	140	2	0.02	2	829	31	<5	<1	<10	3	<0.01	64	<10	1	46	2
GD-DCS-03	<0.2	1.52	<5	126	<0.5	<5	0.04	<1	5	4	44	4.83	0.04	0.23	325	7	0.02	3	962	38	<5	<1	<10	5	0.01	90	<10	2	91	2
GD-DCS-04	<0.2	1.78	<5	168	<0.5	<5	0.05	<1	5	7	100	4.75	0.05	0.33	330	8	0.03	3	735	63	<5	1	<10	12	0.01	68	<10	3	134	3
GD-DCS-05	<0.2	1.42	<5	116	<0.5	<5	0.03	<1	3	5	51	3.42	0.05	0.12	186	5	0.03	3	875	29	<5	<1	<10	14	0.02	72	<10	2	66	2
GD-DCS-06	<0.2	3.46	<5	158	0.7	<5	0.05	<1	5	11	60	4.21	0.05	0.22	419	4	0.03	5	1433	34	<5	2	<10	12	0.02	53	<10	4	108	8
GD-DCS-07	<0.2	1.97	<5	167	<0.5	<5	0.06	<1	5	7	54	4.17	0.04	0.46	408	3	0.03	6	556	27	<5	1	<10	15	0.02	75	<10	3	123	2
GD-DCS-08	<0.2	2.15	<5	214	<0.5	<5	0.04	<1	4	15	91	5.10	0.08	0.41	585	5	0.04	8	1294	50	<5	2	<10	28	0.01	70	<10	3	142	3
GD-DCS-09	<0.2	2.26	<5	196	0.7	<5	0.06	<1	6	21	147	4.72	0.06	0.52	395	7	0.04	15	900	58	<5	2	<10	30	0.01	64	<10	5	193	4
GD-DCS-10	0.6	2.61	<5	283	<0.5	<5	0.03	<1	4	24	160	5.90	0.09	0.46	462	8	0.06	8	1258	45	5	2	<10	45	0.01	67	<10	3	142	4
GD-DCS-11	0.3	1.92	<5	164	<0.5	<5	0.04	<1	5	5	91	4.73	0.07	0.33	581	4	0.03	3	1248	39	<5	<1	<10	17	<0.01	69	<10	4	149	4
GD-DCS-12	0.3	2.10	<5	317	<0.5	<5	0.02	<1	5	16	181	6.09	0.13	0.42	614	9	0.06	7	1313	54	<5	1	<10	48	<0.01	65	<10	4	153	3
GD-DCS-13	0.7	1.83	20	382	<0.5	<5	0.02	<1	5	13	111	5.86	0.17	0.30	414	7	0.06	5	1619	128	<5	2	<10	45	<0.01	69	<10	4	251	3
GD-DCS-14	1.0	1.24	12	512	0.7	<5	0.25	<1	8	2	120	5.87	0.32	0.35	1229	5	0.08	3	1371	220	<5	2	<10	71	<0.01	37	<10	8	449	4
GD-DCS-15	<0.2	1.34	<5	167	<0.5	<5	0.08	<1	3	3	80	3.34	0.09	0.15	326	4	0.03	3	1094	22	<5	<1	<10	20	<0.01	52	<10	3	86	2
GD-DCS-16	0.7	0.22	<5	140	1.1	28	<0.01	2	218	<1	405	>15.00	0.02	<0.01	8407	13	0.02	3	1511	96	13	<1	<10	<1	<0.01	38	<10	74	396	21
GD-DCS-17	<0.2	2.15	<5	236	0.6	<5	0.04	<1	6	8	256	5.38	0.09	0.39	359	12	0.04	6	1370	26	<5	<1	<10	28	<0.01	66	<10	5	125	5
GD-DCS-18	<0.2	2.15	6	248	0.7	<5	0.07	<1	5	5	482	4.66	0.09	0.41	381	7	0.03	6	1175	43	<5	1	<10	22	<0.01	61	<10	6	140	3
GD-DCS-19	<0.2	2.11	7	194	<0.5	<5	0.04	<1	3	3	47	3.41	0.07	0.19	228	3	0.03	4	1134	27	<5	<1	<10	18	<0.01	49	<10	3	152	2
GD-DCS-20	<0.2	1.62	<5	254	<0.5	<5	0.02	<1	5	3	87	4.14	0.08	0.31	314	3	0.03	2	1118	29	<5	1	<10	12	<0.01	67	<10	4	111	2
GD-DCS-21	<0.2	1.56	<5	292	<0.5	<5	0.05	<1	4	4	48	4.08	0.09	0.25	350	3	0.03	4	1174	35	<5	<1	<10	21	<0.01	55	<10	4	106	2
GD-DCS-22	<0.2	1.78	<5	201	<0.5	<5	0.04	<1	3	3	40	3.45	0.08	0.22	282	4	0.03	3	1050	47	<5	<1	<10	16	<0.01	59	<10	3	103	2
GD-DCS-23	<0.2	1.60	7	371	0.7	<5	0.12	<1	4	5	44	3.38	0.08	0.29	453	10	0.03	5	999	38	<5	<1	<10	22	<0.01	48	<10	10	112	2
GD-DCS-24	<0.2	1.71	<5	638	0.7	<5	0.55	<1	4	5	83	3.39	0.10	0.34	539	15	0.03	5	925	28	<5	<1	<10	40	<0.01	51	<10	19	121	2
GD-DCS-25	0.2	1.40	6	197	<0.5	<5	0.03	<1	5	5	35	3.73	0.09	0.37	578	8	0.04	7	749	41	<5	<1	<10	23	<0.01	65	<10	2	108	2
GD-DCS-26	0.3	2.23	8	502	0.5	6	0.08	<1	5	8	41	6.31	0.21	0.49	371	4	0.05	7	1819	60	<5	<1	<10	39	<0.01	68	<10	4	160	5
GD-DCS-27	0.3	3.01	6	346	<0.5	<5	0.05	<1	7	10	40	4.99	0.11	0.62	1176	4	0.04	11	1703	36	<5	2	<10	29	0.01	66	<10	3	189	3
GD-DCS-28	0.3	1.25	6	216	<0.5	<5	0.05	<1	2	4	30	2.79	0.07	0.10	169	2	0.04	4	1345	35	<5	<1	<10	20	<0.01	53	<10	3	72	2
GD-DCS-29	1.6	1.79	<5	276	0.6	<5	0.12	<1	4	6	77	3.26	0.11	0.28	313	3	0.04	6	1443	42	<5	<1	<10	26	<0.01	49	<10	11	115	2
GD-DCS-30	0.3	2.08	8	695	0.7	<5	0.09	<1	5	6	58	4.10	0.14	0.42	498	3	0.04	7	1502	54	<5	<1	<10	35	<0.01	52	<10	11	183	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0628-LG1

Company: **Stealth Minerals Ltd.**
Project: **G.O**
Attn: **Bill McWilliams**

Jul-27-04

We hereby certify the following geochemical analysis of 7 soil samples submitted Jul-04-04

Sample Name	Au PPB
151249	6
RBS-003	36
RBS-004	6
PS-SS-7	11
PS-SS-8	21
PS-SS-10	20
PS-SS-11	48

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliams

Project: G.O

Sample: Soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0628 LJ

Date : Jul-27-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151249	2.3	0.15	<5	219	0.6	12	0.02	24	643	<1	794	>15.00	0.02	<0.01	>10000	34	0.01	24	787	64	10	<1	<10	<1	<0.01	45	<10	25	591	24
RBS-003	1.0	1.46	<5	484	7.6	<5	0.60	27	150	6	2781	14.29	0.08	0.28	>10000	76	0.02	37	1611	38	<5	3	<10	31	<0.01	52	19	93	1504	12
RBS-004	<0.2	0.11	<5	84	1.5	13	0.05	3	92	<1	501	>15.00	0.02	0.02	3347	37	0.01	10	3368	54	6	<1	<10	<1	<0.01	41	<10	16	190	20
PS-SS-7	<0.2	1.48	<5	232	1.1	<5	0.60	<1	12	10	78	3.70	0.09	0.79	1222	<2	0.02	11	1007	28	<5	4	<10	17	0.06	56	<10	18	122	6
PS-SS-8	0.3	1.26	10	306	0.8	<5	0.33	3	24	28	286	4.64	0.10	0.65	1649	7	0.03	23	996	70	<5	4	<10	31	<0.01	49	<10	20	635	5
PS-SS-10	0.4	1.04	10	294	0.7	<5	0.31	3	15	18	219	4.37	0.10	0.52	1203	6	0.03	15	931	69	<5	3	<10	29	<0.01	48	<10	15	565	4
PS-SS-11	1.2	1.89	<5	229	1.5	<5	1.42	9	11	5	67	2.50	0.14	0.69	1569	7	0.02	6	1612	40	<5	2	<10	82	0.01	29	<10	19	387	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0918-RG1

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Sep-09-04

Sample Name	Au PPB	Au g/tonne
185051	294	
185052	1190	
185053	35	
185054	4	
185055	23	
185056	5	
185057	9	
185058	8	
185059	21	
185060	42	
185061	2	
185062	3	
185063	3	
185171	28	
185172	5	
185173	66	
185174	532	
185175	242	
185176	404	
185177	5	
185178	4190	
185179	>10000	18.43
185180	63	
185181	96	
*97-45		1.43
*BLANK		<0.01

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0918-RG2

Company: **Stealth Minerals Ltd.**
Project: **Gordo**
Attn: **Bill McWilliam**

Oct-05-04

We *hereby certify* the following geochemical analysis of 2 rock samples submitted Sep-09-04

Sample Name	Au PPB	Au g/tonne
185999	>10000	42.13
186000	106	
*97-45		1.40
*BLANK		<0.01

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Gordo

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0918 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185051	1.2	2.07	10	157	0.7	<5	0.64	<1	17	70	3874	4.46	0.04	2.13	1120	<2	0.03	6	946	26	6	8	<10	18	0.22	113	<10	7	196	12
185052	6.1	0.66	8	10	<0.5	103	0.04	<1	6	186	8274	3.32	0.07	0.32	756	4	0.01	7	363	72	<5	1	<10	<1	<0.01	25	<10	1	87	4
185053	3.5	1.01	<5	331	<0.5	<5	0.29	17	4	147	3567	2.83	0.10	0.80	812	105	0.03	6	440	284	<5	2	<10	6	<0.01	31	<10	5	553	3
185054	<0.2	0.79	7	2704	<0.5	<5	0.62	2	3	22	228	1.61	0.05	0.60	1411	<2	0.02	<1	326	4	<5	1	<10	247	0.02	21	<10	5	292	2
185055	0.7	0.81	10	2593	<0.5	<5	2.08	3	3	30	317	1.50	0.05	0.56	1785	<2	0.01	1	308	20	<5	1	<10	300	0.02	20	<10	7	342	2
185056	5.2	0.41	6	444	1.8	<5	5.95	2	37	54	3658	8.58	<0.01	0.50	4215	6	0.01	4	770	62	<5	<1	<10	82	0.03	28	<10	3	452	8
185057	9.1	0.31	14	226	2.2	<5	4.63	4	60	62	6242	8.55	<0.01	0.31	3750	7	0.01	5	856	65	<5	<1	<10	49	0.03	28	12	3	702	7
185058	2.5	0.14	23	106	2.0	<5	6.26	6	109	56	1537	7.79	<0.01	0.30	3784	8	0.01	5	510	66	<5	<1	<10	55	0.01	17	10	2	988	5
185059	4.6	0.25	34	19	1.3	12	0.62	>100	181	10	9879	7.45	0.01	0.28	1964	21	0.02	<1	1194	57	<5	<1	<10	8	0.03	18	3402	1	>10000	8
185060	3.4	0.29	<5	44	1.5	20	0.36	>100	60	16	1327	>15.00	0.02	0.20	2241	15	0.01	<1	869	125	<5	<1	<10	<1	0.01	63	1461	2	>10000	15
185061	<0.2	1.41	<5	93	0.6	<5	0.48	3	10	43	1159	2.53	0.17	0.84	989	<2	0.03	4	971	9	<5	1	<10	16	0.05	24	11	5	581	7
185062	1.5	1.32	<5	50	1.9	<5	7.01	2	10	64	10	9.25	<0.01	1.68	3927	6	0.01	5	796	22	<5	2	<10	109	0.04	36	111	4	717	10
185063	1.5	1.24	<5	117	1.1	<5	7.37	1	13	34	1	11.02	0.01	1.20	4847	13	0.01	3	1077	37	7	2	<10	92	0.03	46	57	5	433	11
185171	3.0	0.40	45	279	<0.5	<5	0.08	<1	2	63	8	2.38	0.04	0.01	47	27	<0.01	2	149	144	<5	<1	<10	6	<0.01	11	<10	2	43	4
185172	<0.2	0.19	7	3000	<0.5	<5	0.13	<1	1	37	4	0.68	0.05	0.11	128	<2	0.01	<1	160	33	<5	1	<10	239	0.03	16	<10	2	87	3
185173	7.3	0.22	135	649	<0.5	7	0.06	<1	4	135	75	4.03	0.10	0.02	219	62	0.01	4	297	320	6	<1	<10	21	<0.01	8	<10	5	43	3
185174	6.9	0.19	23	502	<0.5	8	0.02	<1	2	179	927	5.29	0.03	0.02	107	21	0.01	5	564	79	<5	<1	<10	22	<0.01	14	<10	2	16	5
185175	0.8	0.94	<5	121	<0.5	66	0.94	<1	3	106	2717	2.35	0.14	0.56	1149	15	0.05	5	526	82	<5	1	<10	8	0.01	20	<10	5	141	12
185176	1.5	0.57	<5	94	<0.5	<5	0.11	<1	3	133	2060	2.07	0.15	0.39	645	5	0.03	6	381	14	<5	<1	<10	2	0.01	16	<10	4	122	14
185177	3.0	0.22	<5	431	<0.5	<5	9.99	>100	2	105	1181	0.56	0.09	0.08	1289	<2	0.02	4	188	>10000	<5	<1	<10	152	<0.01	6	71	27	5439	7
185178	7.3	0.25	8	60	<0.5	357	0.08	<1	3	191	1274	1.32	0.07	0.12	234	38	0.01	7	182	255	5	<1	<10	<1	<0.01	8	<10	1	57	4
185179	30.3	0.14	<5	66	<0.5	840	0.03	<1	1	239	1001	2.43	0.02	0.05	80	195	0.01	8	116	574	<5	<1	<10	2	<0.01	6	<10	<1	30	3
185180	5.2	2.42	48	51	0.9	<5	1.87	<1	126	66	>10000	5.37	0.19	1.45	647	<2	0.09	50	3924	28	<5	6	<10	55	0.14	195	<10	5	326	9
185181	11.5	2.74	54	46	<0.5	<5	1.04	<1	25	70	>10000	6.70	0.09	1.83	611	4	0.04	33	3817	31	<5	10	<10	4	0.17	233	<10	6	175	11
185999	21.8	0.06	9	12	<0.5	1275	0.03	<1	2	204	535	1.16	0.03	0.01	66	5	0.01	7	146	344	<5	<1	<10	<1	<0.01	7	<10	1	39	1
186000	43.2	0.30	31	53	<0.5	107	0.03	9	2	124	2294	11.58	0.02	0.04	154	134	0.01	4	342	376	<5	<1	<10	<1	0.02	58	22	<1	1602	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Appendix III

Statement of 2004 Expenditures

EXPLORATION Gordo, Too Claims				
June 21 -Sept 2 2004				
Category	Account Description	Rate	days	Balance
Salaries				
	D. Kuran(P. Geo) planning, Supervision	600	4	2400
	Ron Bilquist(Prosp.)	400	13	5200
	Tom Richards(Prosp.)	500	6	3000
	Tom Gilchrist(Prosp)	300	15	4500
	Pat Surrat(Prosp)	300	12	3600
	Les Allen(Prosp)	300	15	4500
	Don Coolidge(Prosp)	300	2	600
	Garry Sidhu(Geo)	200	6	1200
	Terry Peterbusky(Prosp)	275	1	275
	Paola Chadwick(Geo)	200	5	1000
	April Barrias(Geo)	225	5	1125
	Pat McDowel(Prosp)	175	5	875
	Devin Wade(Student)	175	5	875
Consultants				
	Geological			0
Analysis, Assay				
	Geochem Analysis: Rock	20	614	12280
	Geochem Analysis: Soil	18	30	540
	Geochem Analysis: Silt	18	10	180
	Other Lab/PIMA	10	240	2400
Field/Camp				
	Field Supplies			300
	Camp Costs	50	90	4500
	Camp Construction(prorated)	41	90	3690
	Expediting			0
Surface Work				
	Linecutting, Site Prep			0
	Trenching/Pitting			0
Environment/Reclamation				
	Permitting			0
	Reclamation			0
Property Maintenance				
	Staking			0
	Land Surveying			0
	Option, Acquisition Pmts			0
	Claim Holding Costs			0
Travel				
	Lodging			0
	Meals, Groceries			0
	Airfare (prorated)	300	15	4500
Transportation/Air Support				
	Vehicle Lease/Rental	3	125	375
	Vehicle Mntce, Operating Exp			0
	Helicopter	900	33	29700
Support Activities				
	Communication			500
	Maps/Pubs/Photos/Reports			100
	Freight/Shipping			450
Other A&G/Management Fee				
	Legal			0
	Rent - Office, Storage			0
	Management Fees			0
	Insurance			0
	report			0
	contingency			0
	TOTAL COSTS:			88665



Appendix IV

Recommendations: Cost Estimate

STEALTH MINERALS LTD.
Appendix IV: Estimated Costs for 2005 work on Gordo Claims

	A	B	C	Q	R
1	Stealth Minerals Ltd; Gordo 2005 Cost Estimate				
2					
3	Gordo 2005				
4					
5	Category	Account Description	\$ Rate	days/hr/unit	\$ Balance
6					
7	Salaries	Senior geo	600	5	\$ 3,000
8		Project geo	450	15	\$ 6,750
9		geo	300	15	\$ 4,500
10		prosp 1/tech	250	15	\$ 3,750
11		prosp2/tech	250	15	\$ 3,750
12		Cook	250	15	\$ 3,750
13					
14	Analysis, Assay				
15		rock geochem	20	250	\$ 5,000
16		silt/soil geochem	18	600	\$ 10,800
17		Core			\$ -
18	Field/Camp				
19		Field Supplies		500	\$ 500
20		Camp Costs	75	55	\$ 4,125
21		Camp Construction		500	\$ 500
22		Expediting	1	250	\$ 250
23					
24	Surface Work				
25		Linecutting, Site Prep	200	8	\$ 1,600
26		Trenching/Pitting	200	50	\$ 10,000
27		Diamond drilling			\$ -
28		Road Building			\$ -
29	Travel				
30		Lodging	100	14	\$ 1,400
31		Meals, Groceries	40	14	\$ 560
32		Airfare	700	6	\$ 4,200
33					
34	geophysics				\$ -
35					\$ -
36					\$ -
37	Transportation/Air Support				
38		Vehicle Lease/Rental			\$ -
39		Vehicle Gaud			\$ -
40		Helicopter	1000	25	\$ 25,000
41	Support Activities				
42		Communication	25	14	\$ 350
43		Maps/Pubs/Photos/Reports			\$ 400
44		Freight/Shipping	800	1	\$ 800
45	Other A&G/Management Fee				
46		Legal			
47		Rent - Office, Storage			\$ 800
48		report			\$ 7,000
49		contingency			\$ 5,000
50					
51		TOTAL COSTS:			\$ 103,785
52					
53					
54					
55					
56					
57	TOTAL:				\$ 103,785
58					
59					
60					
61					
62					

OK



Gordo2004reprt

Appendix V

Statement of Qualifications

STATEMENT OF QUALIFICATIONS

I, David L. Kuran of 25630 Bosonworth Avenue in the Municipality of Maple Ridge in the Province of British Columbia, certify that:

- 1) I am a graduate of the University of Manitoba (1978) and hold a B. Sc. Degree in Geology.
- 2) I am a self-employed Consulting Geologist.
- 3) I am a registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia, Canada, Registration # 19142.
- 4) I am a Fellow in the Geological Association of Canada.
- 5) I have been employed in my profession as Geologist continuously since graduation by various mining companies and consulting firms in Canada, USA, Mexico and Europe.
- 6) This report are based upon data collected during field work completed on the Stealth Minerals Toodoggone claims, including the Gordo Too Property in the Omenica Mining Division during 2004 by D.L Kuran and others, and a thorough research of available information, and personal experience in the district.
- 7) I hold no interest in the Toodoggone Project Claims. I hold an Employees Option to Purchase shares in Stealth Minerals Limited.

Dated this 15 th day of January, 2005 at Maple Ridge BC, Canada.



David L. Kuran P. Geo.

STATEMENT OF QUALIFICATIONS

I, April M. Barrios of 1738 Judd Rd in the Municipality of Brackendale in the Province of British Columbia, certify that:

- 1) I am a graduate of the University of Victoria (2004) and hold a B. Sc. Degree in Earth and Ocean Science.
- 2) I am a self-employed Consulting Geologist.
- 3) I have been employed in my profession as Geologist continuously since graduation, and worked periodically in geology while attending University.
- 4) This report is based upon data collected during field work completed on the Stealth Minerals Toodoggone claims, including the **Gordo** Properties in the Omenica/Liard Mining Divisions during 2004 by A. M. Barrios and others under my supervision, and a thorough research of available information, and personal experience in the district.
- 5) I hold no interest in the Toodoggone Project Claims. I hold an Employees Option to Purchase shares in Stealth Minerals Limited.

Dated this 15 th day of January, 2005 at Brackendale BC, Canada.



April M. Barrios.



Appendix VI

References



List of References

Blann, D.E., Kuran, D.L. 2004. Prospecting, Geological, Geophysical, Geochemical, Trenching and Diamond Drilling Report on the Pine Property, Finlay River, Toodoggone, British Columbia. Prepared for Stealth Minerals Limited.

Diakow, L.J. and Metcalfe, P. 1997. Geology of the Swannell Ranges in the Vicinity of the Kerness Copper Gold Porphyry Deposit, Attycelley Creek (NTS 94E/2), Toodoggone River Map Area. British Columbia Geological Survey Branch. Geological Fieldwork 1996, Paper 1997-1, 101-115.

Diakow, L.J., Panteleyev, A., and Schroeter, T.G. 1993. Geology of the Early Jurassic Toodoggone Formation and Gold-Silver Deposits in the Toodoggone River Map Area, Northern British Columbia. B.C. Ministry of Energy Mines and Petroleum Resources, Bulletin 86, 72 pages.

Government of British Columbia, Ministry of Energy and Mines, MapPlace website

R.B.K. Shives, J.M Carson, K.L. Ford, P.B. Holman, L. Diakow: Toodoggone MultiSensor Geophysical Survey ,Open File 2004-8 Helicopter-borne gamma ray spectrometric and magnetic total field geophysical survey, Toodoggone Area, British Columbia.(Parts of NTS 94D/15, E/2,3,6,7,10,11)

Thompson, A.J.B, Thompson J.F.H, 1996. Atlas of Alteration, Geological Association of Canada, Mineral Deposits Division.