

APPENDIX XI

ANALYTICAL PROCEDURES

Specifications for sampling, assaying and analysis

ALS Chemex.
212 Brooksbank Ave
North Vancouver, BC
V7J 2C1 Canada

Sample Preparation Package – PREP-31
Standard Sample Preparation: Dry, Crush, Split and Pulverize

Sample is dried and the entire sample is crushed to better than 70% passing a 2 mm (Tyler 10 mesh) screen. A split of up to 250 grams is taken and pulverized to better than 85% passing a 75 micron (Tyler 200 mesh) screen.

ALS Chemex Method Code	Description
LOG-22	Sample is logged in tracking system and a bar code label is attached.
CRU-31	Fine crushing of rock chip and drill samples to better than 70% of the sample passing 2 mm.
SPL-21	Split sample using riffle splitter.
PUL-31	A sample split of up to 250 g is pulverized to better than 85% of the sample passing 75 microns.

Fire Assay Procedure – Au-AA23 and Au-AA24:

Fire Assay Fusion, AAS Finish
Sample Decomposition: Fire Assay Fusion
Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled to yield a precious metal bead.

The bead is digested in 0.5 ml dilute nitric acid in the microwave oven, 0.5 ml concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 ml with de-mineralized water, and analyzed by atomic absorption spectroscopy against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Sample Weight	Lower Reporting Limit	Upper Reporting Limit	Units
Au-AA23	Gold	Au	30 g	0.005	10.0	ppm
Au-AA24	Gold	Au	50g	0.005	10.0	ppm

Geochemical Procedure - ME-ICP41:

Trace Level Methods Using Conventional ICP-AES Analysis

Sample Decomposition: Nitric Aqua Regia Digestion

Analytical Method: Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.50 grams) is digested with aqua regia for at least one hour in a graphite heating block. After cooling, the resulting solution is diluted to 12.5 ml with demineralized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. The analytical results are corrected for inter-element spectral interferences.

Element	Symbol	Detection Limit	Upper Limit	Units
Aluminum*	Al	0.01	15	%
Antimony	Sb	2	10,000	ppm
Arsenic	As	2	10,000	ppm
Barium*	Ba	10	10,000	ppm
Beryllium*	Be	0.5	100	ppm
Bismuth	Bi	2	10,000	ppm
Boron*	B	10	10,000 ppm	ppm
Cadmium	Cd	0.5	500	ppm
Calcium*	Ca	0.01	15	%
Chromium*	Cr	1	10,000	ppm
Cobalt	Co	1	10,000	ppm
Copper	Cu	1	10,000	ppm
Gallium*	Ga	10	10,000	ppm
Iron	Fe	0.01	15	%
Lanthanum*	La	10	10,000	ppm
Lead	Pb	2	10,000	ppm
Magnesium*	Mg	0.01	15	%
Manganese	Mn	5	10,000	ppm
Mercury	Hg	1	10,000	ppm
Molybdenum	Mo	1	10,000	ppm

Geochemical Procedure - ME-ICP41:
Trace Level Methods Using Conventional ICP-AES Analysis (*con't*)

Element	Symbol	Detection Limit	Upper Limit	Units
Nickel	Ni	1	10,000	ppm
Phosphorus	P	10	10,000	ppm
Potassium*	K	0.01	10	%
Scandium*	Sc	1	10,000	ppm
Silver	Ag	0.2	100	ppm
Sodium*	Na	0.01	10 %	%
Strontium*	Sr	1	10,000	ppm
Sulfur	S	0.01	10	%
Thallium*	Tl	10	10,000	ppm
Titanium*	Ti	0.01	10	%
Tungsten*	W	10	10,000	ppm
Uranium	U	10	10,000	ppm
Vanadium	V	1	10,000	ppm
Zinc	Zn	2	10,000	ppm

*Elements for which the digestion is possibly incomplete.

Assay Procedure – ME-AA46:

Evaluation of Ores and High Grade Materials by Aqua Regia Digestion – AAS

Sample Decomposition: Aqua Regia Digestion

Analytical Method: Atomic Absorption Spectroscopy (AAS)

A prepared sample (0.4 to 2.00 grams) is digested with concentrated nitric acid for one half hour. After cooling, hydrochloric acid is added to produce aqua regia and the mixture is then digested for an additional hour and a half. An ionization suppressant is added if molybdenum is to be measured. The resulting solution is diluted to volume (100 or 250 ml) with demineralized water, mixed and then analyzed by atomic absorption spectrometry against matrix-matched standards.

ALS Chemex Method Code	Element	Symbol	Detection Limit	Upper Limit	Units
As-AA46	Arsenic	As	0.01	30	%
Bi-AA46	Bismuth	Bi	0.001	30	%
Cd-AA46	Cadmium	Cd	0.001	10	%
Co-AA46	Cobalt	Co	0.01	50	%
Cu-AA46	Copper	Cu	0.01	50	%
Fe-AA46	Iron	Fe	0.01	30	%
Pb-AA46	Lead	Pb	0.01	30	%

Mo-AA46	Molybdenum	Mo	0.001	10	%
Mn-AA46	Manganese	Mn	0.01	50	%
Ni-AA46	Nickel	Ni	0.01	50	%
Ag-AA46	Silver	Ag	1	1500	ppm
Zn-AA46	Zinc	Zn	0.01	30	%

Fire Assay Procedure – Ag-GRA21, Ag-GRA22, Au-GRA21 & Au-GRA22:

Precious Metals Gravimetric Analysis Methods

Sample Decomposition: Fire Assay Fusion

Analytical Method: Gravimetric

A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents in order to produce a lead button. The lead button containing the precious metals is cupelled to remove the lead. The remaining gold and silver bead is parted in dilute nitric acid, annealed and weighed as gold. Silver, if requested, is then determined by the difference in weights.

Method Code	Element	Sample Weight	Lower Reporting Limit	Upper Reporting Limit	Units
Ag-GRA21	Silver	30 grams	5	10,000	ppm
Ag-GRA22	Silver	50 grams	5	10,000	ppm
Au-GRA21	Gold	30 grams	0.05	1000	ppm
Au-GRA22	Gold	50 grams	0.05	1000	ppm

Quality control procedures during sample preparation and analysis:

ALS Chemex laboratories in North America are registered to ISO 9001:2000 for the “provision of assay and geochemical analytical services” by QMI Management Systems Registrars. In addition to ISO 9001:2000 registration, ALS Chemex has successfully completed the audit required for accreditation to ISO 17025 under CAN-P-1579 “Guidelines for Accreditation of Mineral Analysis Testing Laboratories”, and is in the final stages of completing the accreditation process. CAN-P-1579 is the Amplification and Interpretation of CAN-P-4 “General Requirements for the Accreditation of Calibration and Testing Laboratories” (Standards Council of Canada ISO/IEC Guide 25:1997(E)). The scope of accreditation includes the following methods offered by ALS Chemex:

- Au by Fire Assay/AAS
- Au and Ag by Fire Assay/Gravimetric
- Au, Pt & Pd by Fire Assay/ICP
- Cu, Ni & Co by Sodium Peroxide Fusion/ICP
- Co & Ni by 4-Acid Digestion/AAS

- Ag, Cu, Pb & Zn by Aqua Regia Digestion/AAS
- Multi-Element package by Aqua Regia Digestion/ICP

The ISO 9001:2000 registration provides evidence of a quality management system covering all aspects of our organization. ISO 17025 accreditation provides specific assessment of the laboratory's analytical capabilities. The combination of the two ISO standards provides complete assurance regarding the quality of every aspect of ALS Chemex operations.

Quality assurance program:

The quality function is an integral part of all day-to-day activities at ALS Chemex and involves all levels of staff. Responsibilities are formally assigned for all aspects of the quality assurance program. As well, all senior staff are expected to actively participate in the quality program through regular Quality Assurance and Technical Meetings.

Sample Preparation Quality Specifications:

Standard specifications for sample preparation are clearly defined and monitored. The specifications are as follows:

- Crushing
 - > 70% of the crushed sample passes through a 2 mm screen
- Ringing
 - > 85% of the ring pulverized sample passes through a 75 micron screen (Tyler 200 mesh)
- Samples Received as Pulps
 - >80% of the sample passes through a 75 micron screen (Tyler 200 mesh)

These characteristics are measured and results reported and logged to verify the quality of sample preparation. ALS Chemex standard operating procedures require that at least one sample per day be taken from each sample preparation station. Measurement of sample preparation quality allows the identification of equipment, operators and processes that are not operating within specifications.

QC results from all sample preparation laboratories are reported to the QC department monthly. The data is combined and reported to senior management. Review of the performance of each laboratory branch takes place as part of the quarterly Quality Assurance meeting.

Other Sample Preparation Specifications:

Sample preparation is a vital part of any analysis protocol. Many projects require sample preparation to other specifications, for instance > 90% of the crushed sample to pass through a 2 mm screen. These procedures can easily be accommodated and the Prep QC monitoring system is essential in ensuring the required specifications are routinely met.

Analytical Quality Control – Reference Materials, Blanks & Duplicates:

The Laboratory Information Management System (LIMS) inserts quality control samples (reference materials, blanks and duplicates) on each analytical run, based on the rack sizes associated with the method. The rack size is the number of sample including QC samples included in a batch. The blank is inserted at the beginning, standards are inserted at random intervals, and duplicates are analysed at the end of the batch. Quality control samples are inserted based on the following rack sizes specific to the method:

Rack Size	Methods	Quality Control Sample Allocation
20	Specialty methods including specific gravity, bulk density, and acid insolubility	2 standards, 1 duplicate, 1 blank
28	Specialty fire assay, assay-grade, umpire and concentrate methods	1 standard, 1 duplicate, 1 blank
39	XRF methods	2 standards, 1 duplicate, 1 blank
40	Regular AAS, ICP-AES and ICP-MS methods	2 standards, 1 duplicate, 1 blank
84	Regular fire assay methods	2 standards, 3 duplicates, 1 blank

The laboratory staff analyses quality control samples at least at the frequency specified above. If necessary, laboratory staff may include additional quality control samples above the minimum specifications.

All data gathered for quality control samples – blanks, duplicates and reference materials – are automatically captured, sorted and retained in the QC Database.

Quality Control Limits and Evaluation:

Quality Control Limits for reference materials and duplicate analyses are established according to the precision and accuracy requirements of the particular method. Data outside control limits are identified and investigated and require corrective actions to be taken. Quality control data is scrutinised at a number of levels. Each ALS analyst is responsible for ensuring the data submitted is within control specifications. In addition, there are a number of other checks.

Certificate Approval:

If any data for reference materials, duplicates, or blanks falls beyond the control limits established, it is automatically flagged red by the ALS computer system for serious failures, and yellow for borderline results. The Department Manager(s) conducting the final review of the Certificate is thus made aware that a problem may exist with the data set.

Precision Specifications and Definitions:


Most geochemical procedures are specified to have a precision of $\pm 10\%$, and assay procedures $\pm 5\%$. The precision of Au analyses is dominated by the sampling precision.

Precision can be expressed as a function of concentration:

$$P_c = \left(\frac{\text{Detection Limit}}{c} + P \right) \times 100\%$$

- where P_c - the precision at concentration c
 c - concentration of the element
 P - the “Precision Factor” of the element. This is the precision of the method at very high concentrations, i.e. 0.05 for 5%.


(M. Thompson, 1988. Variation of precision with concentration in an analytical system. Analyst, 113: 1579-1587.)



As an example, precision as a function of concentration (10% precision) is plotted for three different detection limits. The impact of detection limit on precision of results for low-level determinations can be dramatic.

Evaluation of Trends:

Control charts for frequently used method codes are generated and evaluated by the QA Department and distributed to Departmental managers for posting in the lab and review on a weekly basis. The control charts are evaluated to ensure internal specifications for precision and accuracy are met. The data is also reviewed for any long-term trends and drifts.




External Proficiency Tests:

Proficiency testing provides an independent assessment of laboratory performance by an outside agency. Test materials are regularly distributed to the participants, ideally four times a year, and results are processed by a central agency. The results are usually converted to some kind of score, such as Z-scores.

All ALS Chemex analytical facilities in North America participate in proficiency tests for the analytical procedures routinely done at each laboratory. ALS Chemex has participated in several rounds of proficiency tests organized by organizations such as Canadian Certified Reference Materials Projects, and Geostats as well as a number of independent studies organized by consultants for specific clients. ALS has also participated in several certification studies for new certified reference materials by CANMET and Rocklabs.

Histogram - CCRMP Proficiency Test - ISO Guide 25
Sample S98-C1-4 (Nov 1998) - Assigned Value 4.301 g/t Au



ALS Chemex has obtained the highest rating for the results submitted, with a few minor exceptions. Feedback from these studies is invaluable in ensuring our continuing accuracy and validation of method.

Quality Assurance Meetings:

A review of quality assurance issues is held regularly at Technical and Quality Assurance Meetings. The meetings cover such topics as:

- Results of internal round robin exchanges, external proficiency tests and performance evaluation samples
- Monitoring of control charts for reference materials
- Review of sample preparation quality control results from all branch offices
- Review of quality system failures
- Incidents raised by clients
- Results of internal quality audits
- Other quality assurance issues

The Quality Assurance Department and senior management participate in these meetings, either in person or by teleconference.

APPENDIX XII

**ASSAY CERTIFICATE INDEX:
SORTED BY HOLE NUMBER**

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
CC04-0024	1-Sep-04	17-Aug-04	103269	72	VA04055671	
CC04-0024	1-Sep-04	19-Aug-04	103382	31	VA04056031	
CC04-0024	6-Sep-04	17-Aug-04	103341	41	VA04055674	
CC04-0025	6-Sep-04	24-Aug-04	103473	32	VA04056536	
CC04-0025	6-Sep-04	24-Aug-04	103413	60	VA04056817	
CC04-0025	7-Sep-04	27-Aug-04	103557	30	VA04057540	
CC04-0025	9-Sep-04	26-Aug-04	103505	52	VA04057731	
CC04-0026	9-Sep-04	27-Aug-04	103707	57	VA04057469	
CC04-0026	13-Sep-04	27-Aug-04	103587	120	VA04057467	
CC04-0027	21-Sep-04	8-Sep-04	103868	62	VA04060779	
CC04-0027	21-Sep-04	9-Sep-04	103764	104	VA04061400	
CC04-0028	23-Sep-04	15-Sep-04	103930	80	VA04062713	
CC04-0028	24-Sep-04	15-Sep-04	104010	80	VA04062714	
CC04-0028	27-Sep-04	21-Sep-04	104090	63	VA04064227	
CC04-0029	30-Sep-04	22-Sep-04	104233	61	VA04065163	
CC04-0029	1-Oct-04	23-Sep-04	104153	80	VA04064625	
CC04-022	9-Aug-04	29-Jul-04	103001	106	VA04049589	
CC04-023	11-Aug-04	30-Jul-04	103107	162	VA04049711	
Check on high Au value	15-Dec-04	13-Dec-04	107486	1	VA04087621	
GC04-0447	26-Aug-04	9-Aug-04	102251	68	VA04052789	
GC04-0447	26-Aug-04	9-Aug-04	102319	54	VA04052849	
GC04-0449	19-Aug-04	5-Aug-04	102503	64	VA04051730	
GC04-0449	25-Aug-04	9-Aug-04	102567	120	VA04053102	
GC04-0449	26-Aug-04	9-Aug-04	102687	85	VA04052847	
GC04-0451	26-Aug-04	9-Aug-04	101962	48	VA04053100	
GC04-0451	26-Aug-04	2-Aug-04	105010	80	VA04053897	
GC04-0451	1-Sep-04	18-Aug-04	101748	72	VA04055091	
GC04-0451	6-Sep-04	17-Aug-04	105090	61	VA04053898	
GC04-0452	23-Aug-04	5-Aug-04	102772	38	VA04051731	
GC04-0453	26-Aug-04	12-Aug-04	112002	32	VA04053899	
GC04-0453	30-Aug-04	10-Aug-04	102810	120	VA04053103	
GC04-0453	1-Sep-04	17-Aug-04	102930	72	VA04055676	

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
GC04-0455	30-Aug-04	17-Aug-04	112034	40	VA04055567	
GC04-0455	1-Sep-04	19-Aug-04	112194	18	VA04056032	
GC04-0455	6-Sep-04	17-Aug-04	112074	120	VA04055568	
GC04-0456	30-Aug-04	17-Aug-04	105251	36	VA04055673	
GC04-0456	1-Sep-04	17-Aug-04	105287	28	VA04055670	
GC04-0456	6-Sep-04	24-Aug-04	105399	39	VA04056535	
GC04-0456	6-Sep-04	24-Aug-04	105315	84	VA04056781	
GC04-0457	6-Sep-04	24-Aug-04	112212	36	VA04056537	
GC04-0457	7-Sep-04	27-Aug-04	112308	102	VA04057541	
GC04-0457	7-Sep-04	26-Aug-04	112248	60	VA04057730	
GC04-0458	13-Sep-04	30-Aug-04	105501	128	VA04058680	
GC04-0459	12-Sep-04	26-Aug-04	112510	87	VA04058121	
GC04-0459	13-Sep-04	31-Aug-04	112410	100	VA04058854	
GC04-0460	27-Sep-04	8-Sep-04	105438	155	VA04060781	
GC04-0461	21-Sep-04	9-Sep-04	109644	72	VA04060947	
GC04-0462	7-Sep-04	26-Aug-04	109593	51	VA04058629	
GC04-0463	27-Sep-04	15-Sep-04	109715	80	VA04062715	
GC04-0463	27-Sep-04	14-Sep-04	110295	92	VA04062878	
GC04-0464	21-Sep-04	9-Sep-04	109751	120	VA04061405	
GC04-0465	23-Sep-04	8-Sep-04	112597	148	VA04061498	
GC04-0466	12-Sep-04	26-Aug-04	109871	50	VA04058126	
GC04-0467	21-Sep-04	10-Sep-04	109921	51	VA04060785	
GC04-0468	28-Sep-04	20-Sep-04	112874	94	VA04064265	
GC04-0469	15-Oct-04	8-Sep-04	109972	80	VA04060946	**CORRECTED COPY for Au - samples 110033 through 110051**
GC04-0469	27-Sep-04	15-Sep-04	110052	55	VA04062718	
GC04-0470	1-Oct-04	22-Sep-04	110107	80	VA04065162	
GC04-0470	14-Oct-04	2-Oct-04	110187	55	VA04067166	
GC04-0471	21-Sep-04	11-Sep-04	112745	81	VA04061406	
GC04-0471	15-Oct-04	14-Sep-04	112826	48	VA04063255	**CORRECTED COPY for ME-ICP41 elements - samples 112826 through 112845**
GC04-0473	18-Oct-04	2-Oct-04	112968	80	VA04068248	
GC04-0474	23-Oct-04	13-Oct-04	110841	60	VA04071170	

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
GC04-0475	23-Oct-04	14-Oct-04	113124	81	VA04071141	
GC04-0475	22-Oct-04	18-Oct-04	111947	37	VA04072162	
GC04-0475	27-Oct-04	18-Oct-04	111867	80	VA04072163	
GC04-0475	28-Oct-04	14-Oct-04	113205	82	VA04071171	111756 was NSS
GC04-0475	28-Oct-04	14-Oct-04	111787	80	VA04071993	
GC04-0476	21-Oct-04	18-Oct-04	105974	57	VA04072160	
GC04-0476	27-Oct-04	18-Oct-04	105629	4	VA04072277	
GC04-0476	25-Oct-04	20-Oct-04	106031	50	VA04072971	
GC04-0476	28-Oct-04	18-Oct-04	105951	23	VA04072169	
GC04-0477	3-Nov-04	28-Oct-04	111623	33	VA04075017	
GC04-0477	31-Oct-04	28-Oct-04	111656	9	VA04075018	
GC04-0477	10-Nov-04	30-Oct-04	111543	80	VA04075798	
GC04-0478	26-Oct-04	18-Oct-04	111161	64	VA04072161	
GC04-0478	28-Oct-04	15-Oct-04	111081	80	VA04071518	
GC04-0479	28-Sep-04	23-Sep-04	110901	20	VA04065167	
GC04-0479	10-Oct-04	1-Oct-04	111251	26	VA04067528	
GC04-0479	15-Oct-04	1-Oct-04	110921	80	VA04067529	
GC04-0480	28-Sep-04	24-Sep-04	110387	30	VA04065636	
GC04-0480	1-Oct-04	27-Sep-04	110403	8	VA04065996	
GC04-0480	11-Oct-04	1-Oct-04	111505	38	VA04067527	
GC04-0480	13-Oct-04	1-Oct-04	110425	80	VA04067525	
GC04-0481	16-Nov-04	10-Nov-04	108771	80	VA04078229	
GC04-0481	26-Nov-04	15-Nov-04	108851	73	VA04080382	**DUPLICATES: 108856/108857 & 108877/108878 & 108913/108914**
GC04-0482	25-Oct-04	14-Oct-04	111225	12	VA04071172	
GC04-0483	16-Oct-04	13-Oct-04	111277	28	VA04070779	
GC04-0483	27-Oct-04	19-Oct-04	111382	41	VA04072024	
GC04-0483	28-Oct-04	14-Oct-04	111305	77	VA04071517	
GC04-0484	3-Nov-04	20-Oct-04	105676	23	VA04072862	
GC04-0485	16-Nov-04	9-Nov-04	106465	53	VA04078234	**DUPLICATES: 106479/106480 & 106497/106498 & 106508/106509**
GC04-0486	29-Oct-04	25-Oct-04	106201	80	VA04073935	
GC04-0486	4-Nov-04	27-Oct-04	106281	54	VA04074666	

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
GC04-0487	1-Dec-04	17-Nov-04	109033	106	VA04080830	
GC04-0488	19-Nov-04	9-Nov-04	105699	88	VA04078238	
GC04-0488	26-Nov-04	15-Nov-04	106617	88	VA04079629	
GC04-0489	27-Oct-04	20-Oct-04	111665	61	VA04072973	
GC04-0490	9-Dec-04	1-Dec-04	106705	81	VA04083777	
GC04-0490	10-Dec-04	26-Nov-04	107386	66	VA04084355	
GC04-0491	26-Nov-04	15-Nov-04	111726	69	VA04079628	
GC04-0491	29-Nov-04	17-Nov-04	106395	70	VA04081078	
GC04-0492	26-Nov-04	16-Nov-04	106967	128	VA04080037	
GC04-0492	26-Nov-04	15-Nov-04	107095	130	VA04080716	
GC04-0493	22-Nov-04	15-Nov-04	106518	20	VA04080381	
GC04-0494	4-Nov-04	28-Oct-04	106034	84	VA04075019	
GC04-0494	8-Nov-04	27-Oct-04	111423	80	VA04075014	Sample 111469 exhibits Au nugget effect. Second Au check value is 0.117 ppm.
GC04-0495	3-Dec-04	24-Nov-04	106538	80	VA04083189	
GC04-0495	5-Dec-04	24-Nov-04	107218	80	VA04083506	
GC04-0495	16-Jan-05	5-Jan-05	107250	8	VA05000216	
GC04-0496	2-Dec-04	18-Nov-04	106926	70	VA04081179	
GC04-0497	2-Dec-04	17-Nov-04	109139	117	VA04081075	
GC04-0498	8-Nov-04	28-Oct-04	106798	48	VA04075016	Sample 106821 exhibits Au nugget effect. Second Au check value is 1.025 ppm.
GC04-0498	6-Nov-04	28-Oct-04	106118	80	VA04075310	
GC04-0499	8-Dec-04	26-Nov-04	107532	94	VA04084353	
GC04-0499	10-Dec-04	26-Nov-04	107452	80	VA04083772	
GC04-0500	6-Dec-04	26-Nov-04	107676	66	VA04083774	
GC04-0500	7-Dec-04	26-Nov-04	107596	80	VA04083773	
GC04-0501	2-Dec-04	18-Nov-04	108025	80	VA04081210	
GC04-0501	7-Dec-04	24-Nov-04	108585	116	VA04083505	
GC04-0501	8-Dec-04	25-Nov-04	108105	80	VA04082922	
GC04-0502	26-Nov-04	15-Nov-04	107298	80	VA04080387	
GC04-0502	26-Nov-04	15-Nov-04	108378	80	VA04080388	

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
GC04-0502	24-Nov-04	15-Nov-04	108458	61	VA04080389	Sample 108474 exhibits possible Au nugget effect. Additional Au AA23 check value is 0.757 ppm.
GC04-0503	3-Dec-04	19-Nov-04	109256	45	VA04081217	Highly mineralized samples may bias results for some elements
GC04-0504	1-Dec-04	17-Nov-04	107742	80	VA04081368	
GC04-0504	6-Dec-04	18-Nov-04	108222	61	VA04081178	
GC04-0505	2-Dec-04	19-Nov-04	108283	81	VA04081219	
GC04-0505	11-Dec-04	26-Nov-04	109414	89	VA04083776	** CORRECTED COPY FOR Au - SAMPLE 109446 **
GC04-0506	3-Dec-04	24-Nov-04	114051	88	VA04083508	
GC04-0508	4-Dec-04	24-Nov-04	107826	90	VA04083502	Highly minearalized samples may bias results for some elements
GC04-0509	11-Dec-04	24-Nov-04	108701	59	VA04082921	
GC04-0510	3-Dec-04	25-Nov-04	104381	69	VA04082924	
GC04-0510	8-Dec-04	25-Nov-04	104301	80	VA04082923	
GC-0446	10-Aug-04	28-Jul-04	102001	52	VA04049710	
GC04-472	7-Oct-04	23-Sep-04	110242	99	VA04064626	
GC04-473	8-Oct-04	27-Sep-04	113048	76	VA04066920	
GC-0448	29-Jul-04	17-Jul-04	102053	69	VA04045203	
GC-0448	30-Jul-04	20-Jul-04	102235	126	VA04046155	
GC-0448	6-Aug-04	22-Jul-04	102122	113	VA04047716	
GC-0450	11-Aug-04	30-Jul-04	101601	71	VA04049712	
GC-0450	12-Aug-04	29-Jul-04	101801	119	VA04049584	
GC-0450	4-Aug-04	4-Aug-04	101649	99	VA04050617	
PC04-0001	12-Oct-04	1-Oct-04	110501	120	VA04068243	
PC04-0002	4-Nov-04	25-Oct-04	110621	94	VA04073937	
PC04-0003	11-Oct-04	1-Oct-04	111001	80	VA04067526	
PC04-0004	10-Dec-04	26-Nov-04	110715	74	VA04083775	
PC04-0005	2-Dec-04	19-Nov-04	105789	91	VA04081218	
PC04-0006	12-Nov-04	8-Nov-04	105880	87	VA04077995	
Re-Assay GC04-448	4-Oct-04	7-Sep-04	102053	69	VA04059733	results originally on VA04045203, concern expressed for Copper results

NOVAGOLD RESOURCS INC - 2004 GALORE CREEK ASSAY CERTIFICATES
Sorted By Hole #

Purpose	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Certificate Name	Remarks
Re-Assay GC04-453	4-Oct-04	7-Sep-04	112002	32	VA04059732	results originally on VA04053899, concern expressed for Copper results
Re-Assay GC04-453	4-Oct-04	7-Sep-04	102810	27	VA04059734	results originally on VA04045103, concern expressed for Gold results
Re-Assay GC04-456	4-Oct-04	7-Sep-04	105291	19	VA04059735	results originally on VA04055670, concern expressed for Gold results
SG	13-Dec-04	7-Dec-04	35520		VA04083596	
Sludge GC04-0474	7-Oct-04	23-Sep-04	105663	12	VA04064624	
Soil	5-Aug-04	22-Jul-04	101502	9	VA04047777	
XRF Spectroscopy	21-Sep-04	7-Sep-04	105385	2	VA04059730	
	7-Dec-04	2-Dec-04	108745	1	VA04085062	

APPENDIX XIII

**ASSAY CERTIFICATE INDEX:
SORTED BY CERTIFICATE NUMBER**

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04045203	29-Jul-04	17-Jul-04	102053	69	GC-0448	
VA04046155	30-Jul-04	20-Jul-04	102235	126	GC-0448	
VA04047716	6-Aug-04	22-Jul-04	102122	113	GC-0448	
VA04047777	5-Aug-04	22-Jul-04	101502	9	Soil	
VA04049589	9-Aug-04	29-Jul-04	103001	106	CC04-022	
VA04049710	10-Aug-04	28-Jul-04	102001	52	GC-0446	
VA04049711	11-Aug-04	30-Jul-04	103107	162	CC04-023	
VA04049712	11-Aug-04	30-Jul-04	101601	71	GC-0450	
VA04049584	12-Aug-04	29-Jul-04	101801	119	GC-0450	
VA04050617	4-Aug-04	4-Aug-04	101649	99	GC-0450	
VA04051730	19-Aug-04	5-Aug-04	102503	64	GC04-0449	
VA04051731	23-Aug-04	5-Aug-04	102772	38	GC04-0452	
VA04053102	25-Aug-04	9-Aug-04	102567	120	GC04-0449	
VA04052789	26-Aug-04	9-Aug-04	102251	68	GC04-0447	
VA04052847	26-Aug-04	9-Aug-04	102687	85	GC04-0449	
VA04052849	26-Aug-04	9-Aug-04	102319	54	GC04-0447	
VA04053100	26-Aug-04	9-Aug-04	101962	48	GC04-0451	
VA04053897	26-Aug-04	2-Aug-04	105010	80	GC04-0451	
VA04053899	26-Aug-04	12-Aug-04	112002	32	GC04-0453	
VA04053103	30-Aug-04	10-Aug-04	102810	120	GC04-0453	
VA04055567	30-Aug-04	17-Aug-04	112034	40	GC04-0455	
VA04055673	30-Aug-04	17-Aug-04	105251	36	GC04-0456	
VA04055091	1-Sep-04	18-Aug-04	101748	72	GC04-0451	
VA04055670	1-Sep-04	17-Aug-04	105287	28	GC04-0456	
VA04055671	1-Sep-04	17-Aug-04	103269	72	CC04-0024	
VA04055676	1-Sep-04	17-Aug-04	102930	72	GC04-0453	
VA04056031	1-Sep-04	19-Aug-04	103382	31	CC04-0024	
VA04056032	1-Sep-04	19-Aug-04	112194	18	GC04-0455	
VA04053898	6-Sep-04	17-Aug-04	105090	61	GC04-0451	
VA04055568	6-Sep-04	17-Aug-04	112074	120	GC04-0455	
VA04055674	6-Sep-04	17-Aug-04	103341	41	CC04-0024	
VA04056535	6-Sep-04	24-Aug-04	105399	39	GC04-0456	

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04056536	6-Sep-04	24-Aug-04	103473	32	CC04-0025	
VA04056537	6-Sep-04	24-Aug-04	112212	36	GC04-0457	
VA04056781	6-Sep-04	24-Aug-04	105315	84	GC04-0456	
VA04056817	6-Sep-04	24-Aug-04	103413	60	CC04-0025	
VA04057540	7-Sep-04	27-Aug-04	103557	30	CC04-0025	
VA04057541	7-Sep-04	27-Aug-04	112308	102	GC04-0457	
VA04057730	7-Sep-04	26-Aug-04	112248	60	GC04-0457	
VA04058629	7-Sep-04	26-Aug-04	109593	51	GC04-0462	
VA04057469	9-Sep-04	27-Aug-04	103707	57	CC04-0026	
VA04057731	9-Sep-04	26-Aug-04	103505	52	CC04-0025	
VA04058121	12-Sep-04	26-Aug-04	112510	87	GC04-0459	
VA04058126	12-Sep-04	26-Aug-04	109871	50	GC04-0466	
VA04058854	13-Sep-04	31-Aug-04	112410	100	GC04-0459	
VA04058680	13-Sep-04	30-Aug-04	105501	128	GC04-0458	
VA04057467	13-Sep-04	27-Aug-04	103587	120	CC04-0026	
VA04059730	21-Sep-04	7-Sep-04	105385	2	XRF Spectroscopy	
VA04060779	21-Sep-04	8-Sep-04	103868	62	CC04-0027	
VA04060785	21-Sep-04	10-Sep-04	109921	51	GC04-0467	
VA04060946	15-Oct-04	8-Sep-04	109972	80	GC04-0469	**CORRECTED COPY for Au - samples 110033 through 110051**
VA04060947	21-Sep-04	9-Sep-04	109644	72	GC04-0461	
VA04061406	21-Sep-04	11-Sep-04	112745	81	GC04-0471	
VA04061400	21-Sep-04	9-Sep-04	103764	104	CC04-0027	
VA04061405	21-Sep-04	9-Sep-04	109751	120	GC04-0464	
VA04061498	23-Sep-04	8-Sep-04	112597	148	GC04-0465	
VA04060781	27-Sep-04	8-Sep-04	105438	155	GC04-0460	
VA04062715	27-Sep-04	15-Sep-04	109715	80	GC04-0463	
VA04062718	27-Sep-04	15-Sep-04	110052	55	GC04-0469	
VA04062878	27-Sep-04	14-Sep-04	110295	92	GC04-0463	
VA04062713	23-Sep-04	15-Sep-04	103930	80	CC04-0028	
VA04062714	24-Sep-04	15-Sep-04	104010	80	CC04-0028	
VA04064227	27-Sep-04	21-Sep-04	104090	63	CC04-0028	

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04063255	15-Oct-04	14-Sep-04	112826	48	GC04-0471	**CORRECTED COPY for ME-ICP41 elements - samples 112826 through 112845**
VA04064265	28-Sep-04	20-Sep-04	112874	94	GC04-0468	
VA04065163	30-Sep-04	22-Sep-04	104233	61	CC04-0029	
VA04065167	28-Sep-04	23-Sep-04	110901	20	GC04-0479	
VA04065636	28-Sep-04	24-Sep-04	110387	30	GC04-0480	
VA04065162	1-Oct-04	22-Sep-04	110107	80	GC04-0470	
VA04065996	1-Oct-04	27-Sep-04	110403	8	GC04-0480	
VA04059732	4-Oct-04	7-Sep-04	112002	32	Re-Assay GC04-453	results originally on VA04053899, concern expressed for Copper results
VA04059733	4-Oct-04	7-Sep-04	102053	69	Re-Assay GC04-448	results originally on VA04045203, concern expressed for Copper results
VA04059734	4-Oct-04	7-Sep-04	102810	27	Re-Assay GC04-453	results originally on VA04045103, concern expressed for Gold results
VA04059735	4-Oct-04	7-Sep-04	105291	19	Re-Assay GC04-456	results originally on VA04055670, concern expressed for Gold results
VA04064625	1-Oct-04	23-Sep-04	104153	80	CC04-0029	
VA04064624	7-Oct-04	23-Sep-04	105663	12	Sludge GC04-0474	
VA04064626	7-Oct-04	23-Sep-04	110242	99	GC04-472	
VA04066920	8-Oct-04	27-Sep-04	113048	76	GC04-473	
VA04067528	10-Oct-04	1-Oct-04	111251	26	GC04-0479	
VA04067527	11-Oct-04	1-Oct-04	111505	38	GC04-0480	
VA04067525	13-Oct-04	1-Oct-04	110425	80	GC04-0480	
VA04067526	11-Oct-04	1-Oct-04	111001	80	PC04-0003	
VA04068243	12-Oct-04	1-Oct-04	110501	120	PC04-0001	
VA04067166	14-Oct-04	2-Oct-04	110187	55	GC04-0470	
VA04067529	15-Oct-04	1-Oct-04	110921	80	GC04-0479	
VA04068248	18-Oct-04	2-Oct-04	112968	80	GC04-0473	
VA04070779	16-Oct-04	13-Oct-04	111277	28	GC04-0483	
VA04072160	21-Oct-04	18-Oct-04	105974	57	GC04-0476	
VA04071141	23-Oct-04	14-Oct-04	113124	81	GC04-0475	
VA04071170	23-Oct-04	13-Oct-04	110841	60	GC04-0474	

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04071172	25-Oct-04	14-Oct-04	111225	12	GC04-0482	
VA04072162	22-Oct-04	18-Oct-04	111947	37	GC04-0475	
VA04072024	27-Oct-04	19-Oct-04	111382	41	GC04-0483	
VA04072161	26-Oct-04	18-Oct-04	111161	64	GC04-0478	
VA04072163	27-Oct-04	18-Oct-04	111867	80	GC04-0475	
VA04072277	27-Oct-04	18-Oct-04	105629	4	GC04-0476	
VA04072971	25-Oct-04	20-Oct-04	106031	50	GC04-0476	
VA04071171	28-Oct-04	14-Oct-04	113205	82	GC04-0475	111756 was NSS
VA04071517	28-Oct-04	14-Oct-04	111305	77	GC04-0483	
VA04071518	28-Oct-04	15-Oct-04	111081	80	GC04-0478	
VA04071993	28-Oct-04	14-Oct-04	111787	80	GC04-0475	
VA04072169	28-Oct-04	18-Oct-04	105951	23	GC04-0476	
VA04072973	27-Oct-04	20-Oct-04	111665	61	GC04-0489	
VA04073935	29-Oct-04	25-Oct-04	106201	80	GC04-0486	
VA04072862	3-Nov-04	20-Oct-04	105676	23	GC04-0484	
VA04073937	4-Nov-04	25-Oct-04	110621	94	PC04-0002	
VA04074666	4-Nov-04	27-Oct-04	106281	54	GC04-0486	
VA04075017	3-Nov-04	28-Oct-04	111623	33	GC04-0477	
VA04075018	31-Oct-04	28-Oct-04	111656	9	GC04-0477	
VA04075019	4-Nov-04	28-Oct-04	106034	84	GC04-0494	
VA04075014	8-Nov-04	27-Oct-04	111423	80	GC04-0494	Sample 111469 exhibits Au nugget effect. Second Au check value is 0.117 ppm.
VA04075016	8-Nov-04	28-Oct-04	106798	48	GC04-0498	Sample 106821 exhibits Au nugget effect. Second Au check value is 1.025 ppm.
VA04075310	6-Nov-04	28-Oct-04	106118	80	GC04-0498	
VA04075798	10-Nov-04	30-Oct-04	111543	80	GC04-0477	
VA04077995	12-Nov-04	8-Nov-04	105880	87	PC04-0006	
VA04078229	16-Nov-04	10-Nov-04	108771	80	GC04-0481	
VA04078234	16-Nov-04	9-Nov-04	106465	53	GC04-0485	**DUPLICATES: 106479/106480 & 106497/106498 & 106508/106509**
VA04078238	19-Nov-04	9-Nov-04	105699	88	GC04-0488	
VA04079628	26-Nov-04	15-Nov-04	111726	69	GC04-0491	

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04079629	26-Nov-04	15-Nov-04	106617	88	GC04-0488	
VA04080037	26-Nov-04	16-Nov-04	106967	128	GC04-0492	
VA04080381	22-Nov-04	15-Nov-04	106518	20	GC04-0493	
VA04080382	26-Nov-04	15-Nov-04	108851	73	GC04-0481	**DUPLICATES: 108856/108857 & 108877/108878 & 108913/108914**
VA04080386	25-Nov-04	15-Nov-04	108924	109	GC04-0487	
VA04080387	26-Nov-04	15-Nov-04	107298	80	GC04-0502	
VA04080388	26-Nov-04	15-Nov-04	108378	80	GC04-0502	
VA04080389	24-Nov-04	15-Nov-04	108458	61	GC04-0502	Sample 108474 exhibits possible Au nugget effect. Additional Au AA23 check value is 0.757 ppm.
VA04080716	26-Nov-04	15-Nov-04	107095	130	GC04-0492	
VA04080830	1-Dec-04	17-Nov-04	109033	106	GC04-0487	
VA04081078	29-Nov-04	17-Nov-04	106395	70	GC04-0491	
VA04081368	1-Dec-04	17-Nov-04	107742	80	GC04-0504	
VA04081075	2-Dec-04	17-Nov-04	109139	117	GC04-0497	
VA04081179	2-Dec-04	18-Nov-04	106926	70	GC04-0496	
VA04081218	2-Dec-04	19-Nov-04	105789	91	PC04-0005	
VA04081219	2-Dec-04	19-Nov-04	108283	81	GC04-0505	
VA04081210	2-Dec-04	18-Nov-04	108025	80	GC04-0501	
VA04082924	3-Dec-04	25-Nov-04	104381	69	GC04-0510	
VA04083189	3-Dec-04	24-Nov-04	106538	80	GC04-0495	
VA04083508	3-Dec-04	24-Nov-04	114051	88	GC04-0506	
VA04081217	3-Dec-04	19-Nov-04	109256	45	GC04-0503	Highly mineralized samples may bias results for some elements
VA04083502	4-Dec-04	24-Nov-04	107826	90	GC04-0508	Highly minearalized samples may bias results for some elements
VA04083506	5-Dec-04	24-Nov-04	107218	80	GC04-0495	
VA04081178	6-Dec-04	18-Nov-04	108222	61	GC04-0504	
VA04083505	7-Dec-04	24-Nov-04	108585	116	GC04-0501	
VA04083774	6-Dec-04	26-Nov-04	107676	66	GC04-0500	
VA04083773	7-Dec-04	26-Nov-04	107596	80	GC04-0500	

NOVAGOLD RESOURCES INC - GALORE CREEK ASSAY CERTIFICATES
Sorted By Certificate Name

Certificate Name	Certificate Date	Date Lab Received	1st SampleID	# of Samples	Purpose	Remarks
VA04085062	7-Dec-04	2-Dec-04	108745	1		
VA04082922	8-Dec-04	25-Nov-04	108105	80	GC04-0501	
VA04082923	8-Dec-04	25-Nov-04	104301	80	GC04-0510	
VA04083777	9-Dec-04	1-Dec-04	106705	81	GC04-0490	
VA04084353	8-Dec-04	26-Nov-04	107532	94	GC04-0499	
VA04083772	10-Dec-04	26-Nov-04	107452	80	GC04-0499	
VA04083775	10-Dec-04	26-Nov-04	110715	74	PC04-0004	
VA04084355	10-Dec-04	26-Nov-04	107386	66	GC04-0490	
VA04082921	11-Dec-04	24-Nov-04	108701	59	GC04-0509	
VA04083776	11-Dec-04	26-Nov-04	109414	89	GC04-0505	** CORRECTED COPY FOR Au - SAMPLE 109446 **
VA04083596	13-Dec-04	7-Dec-04	35520		SG	
VA04087621	15-Dec-04	13-Dec-04	107486	1	Check on high Au value	
VA05000216	16-Jan-05	5-Jan-05	107250	8	GC04-0495	

APPENDIX XIV

**ASSAY CERTIFICATES
VA04045203-VA04057731**

102200	0.015	0.9	2.21	7	<10	30	0.9	3	3.17	5.9	11	10	370	3.05	10	1	1.94	<10	1.78	2210	29	0.04	4	620	637	4.32	<2	3	2080	0.2	<10	<10	228	<10	795
102201	0.01	0.3	2.98	2	<10	40	1.1	<2	2.7	1.3	11	12	303	3.23	10	2	2.47	<10	2.27	1530	9	0.04	4	470	112	3.25	<2	2	2010	0.24	<10	<10	193	<10	196
102202	0.005	<0.2	2.18	<2	<10	40	0.9	<2	2.03	<0.5	4	11	172	2.68	10	1	1.8	<10	1.52	740	8	0.13	3	600	22	2.31	<2	2	2070	0.21	<10	<10	167	<10	60
102203	0.012	0.2	2.28	<2	<10	40	0.8	<2	1.9	<0.5	6	19	232	2.86	10	2	1.86	<10	1.64	677	4	0.09	3	510	16	2.14	<2	2	1950	0.23	<10	<10	178	<10	62
102204	0.005	0.3	2.38	4	<10	50	1.4	<2	2.15	<0.5	7	8	250	2.74	10	2	1.83	<10	1.42	724	5	0.11	3	520	26	2.29	<2	1	2130	0.22	<10	<10	174	<10	53
102205	0.006	0.3	2.45	<2	<10	40	1.9	2	2.17	<0.5	8	15	401	3.11	10	1	1.74	10	1.18	735	2	0.21	3	680	31	2.24	<2	1	2280	0.22	<10	<10	196	<10	55
102206	<0.005	<0.2	0.04	5	<10	10	<0.5	<2	>25.0	<0.5	1	<1	2	0.03	<10	<1	0.01	<10	2.52	20	<1	0.01	4	60	2	<0.01	<2	<1	4470	<0.01	<10	<10	2	<10	2
102207	0.016	1	2.26	5	<10	30	1.5	<2	3.07	0.6	10	14	823	3.21	10	<1	1.93	10	1.56	1355	37	0.03	3	1080	142	3.34	2	3	2410	0.22	<10	<10	188	<10	151
102208	0.019	1	1.7	<2	<10	30	2.1	<2	2.71	<0.5	12	18	847	4.63	10	1	1.83	40	1.58	1280	4	0.03	6	1700	24	4.15	<2	8	1685	0.2	<10	<10	213	<10	97
102209	0.029	1.4	1.56	2	<10	20	1.6	2	2.76	<0.5	15	26	1285	4.67	10	2	1.7	20	1.5	1495	22	0.04	5	1480	31	4.82	2	8	1590	0.16	10	<10	196	<10	114
102210	0.013	0.5	2.43	8	<10	60	1.3	<2	3.43	<0.5	17	32	269	4.39	10	<1	1.91	10	1.68	1550	25	0.24	13	1950	121	2.6	<2	15	926	0.26	<10	<10	189	<10	135
102211	0.011	0.5	2.38	10	<10	60	1.2	<2	3.43	0.7	17	41	276	4.42	10	<1	1.88	10	1.63	1525	20	0.23	11	1960	120	2.63	<2	15	914	0.25	<10	<10	184	<10	139
102212	0.031	1.5	2.32	3	<10	50	2.3	<2	1.98	<0.5	9	18	1735	2.87	10	2	1.28	10	1.02	718	7	0.88	3	580	39	3.19	<2	2	1535	0.16	<10	<10	179	10	76
102213	0.031	1.4	2.25	7	<10	40	2.7	<2	1.82	<0.5	9	27	1380	3.22	10	<1	1.14	10	0.75	538	19	0.87	3	520	50	3.1	<2	1	1705	0.18	<10	<10	178	<10	52
102214	0.02	0.9	2.46	5	<10	60	3.1	<2	2.22	<0.5	8	15	1315	2.75	10	1	1.11	10	0.72	318	29	1.06	3	350	12	3.13	<2	1	1765	0.16	<10	<10	178	10	28
102215	0.478	0.6	0.97	3660	40	10	<0.5	21	5.97	0.6	108	13	121	3.45	<10	3	0.04	10	0.21	602	33	0.07	31	1210	16	1.38	7	1	92	0.05	<10	<10	37	<10	136
102216	0.035	1.5	2.68	6	<10	60	4.1	<2	2.57	<0.5	7	22	1820	2.72	10	1	1.11	10	0.63	391	27	1.24	2	390	88	2.96	<2	1	2060	0.2	<10	<10	190	<10	42
102217	0.027	1.3	2.48	6	<10	60	3.8	<2	2.01	<0.5	9	2	1515	2.99	10	1	1.09	10	0.68	479	4	0.66	3	450	57	2.62	<2	1	1745	0.17	<10	<10	176	10	55
102218	0.025	0.8	2.35	7	<10	70	4.1	<2	1.76	<0.5	8	9	1185	2.8	10	3	0.92	10	0.59	383	2	0.85	2	450	17	2.45	<2	1	1705	0.16	<10	<10	174	<10	33
102219	0.029	1	2.74	12	<10	90	4.6	<2	1.69	<0.5	8	1	1135	2.81	10	2	1.32	10	1	637	3	0.65	2	520	28	1.86	<2	1	1500	0.19	<10	<10	209	<10	57
102220	0.05	2.1	2.31	8	<10	100	2.5	<2	2.49	<0.5	17	10	1950	4.64	10	1	1.84	10	1.49	1190	2	0.16	4	1790	16	3.37	<2	9	1405	0.19	<10	<10	195	<10	98
102221	0.037	2	2.32	11	<10	120	3.2	<2	2.95	<0.5	15	9	1530	4.29	10	1	1.75	20	1.51	1570	10	0.18	4	1650	26	3.45	2	9	1445	0.18	<10	<10	176	<10	120
102222	0.067	2.6	2.23	9	<10	70	1.8	2	2.71	<0.5	12	32	2730	3.75	10	2	1.6	20	1.22	1305	12	0.29	4	1610	19	2.57	<2	8	1720	0.16	<10	<10	174	<10	118
102223	0.035	2.1	2.2	8	<10	40	3.7	2	2.59	<0.5	8	44	1610	2.59	10	1	1.06	10	0.59	939	7	0.45	1	450	43	2.64	<2	1	2200	0.16	<10	<10	146	<10	90
102224	0.035	2	2.22	8	<10	40	3.7	<2	2.78	0.5	9	23	1570	2.64	10	<1	1.04	10	0.59	950	7	0.48	2	460	48	2.86	<2	1	2190	0.16	<10	<10	144	<10	95
102225	0.024	1	2.76	3	<10	20	3.2	<2	2.62	<0.5	14	37	938	4.7	10	1	1.75	10	1.31	988	24	0.5	2	620	30	4.52	2	3	2290	0.17	<10	<10	236	<10	80
102226	0.013	0.3	2.66	7	<10	20	2.9	<2	2.58	<0.5	13	25	400	5.09	10	1	1.98	10	1.63	1105	12	0.43	6	660	15	4.53	<2	4	1800	0.15	<10	<10	225	<10	69
102227	0.019	0.8	2.74	7	<10	40	5	<2	2.94	<0.5	11	37	875	5.16	10	1	2.08	10	1.8	1495	5	0.35	4	660	14	4.29	<2	4	1605	0.18	<10	<10	207	<10	89
102228	0.019	1.1	2.31	9	<10	50	3.5	<2	2.93	<0.5	11	32	949	3.66	10	<1	1.46	10	1.21	1225	2	0.62	5	640	29	3.02	<2	5	1820	0.2	<10	<10	179	<10	75
102229	0.013	0.7	1.76	9	<10	40	1.6	2	2.32	0.8	9	31	500	4.06	10	<1	1.67	20	1.39	1490	13	0.11	6	740	322	3.14	<2	5	1720	0.18	<10	<10	192	<10	184
102230	0.022	2.9	0.33	3	<10	110	<0.5	5	0.88	<0.5	2	147	7860	1.06	<10	<1	0.18	<10	0.09	152	47	<0.01	10	160	4	0.83	<2	<1	201	0.01	<10	<10	8	<10	25
102231	0.009	<0.2	1.4	<2	<10	70	2.3	<2	2.21	<0.5	9	33	428	2.99	10	<1	1.15	20	0.87	1230	5	0.22	1	670	104	2.38	<2	3	1535	0.18	<10	<10	153	<10	84
102232	0.038	<0.2	2.23	3	<10	80	4.9	<2	3.14	1.2	10	35	882	2.93	10	1	1.5	20	1.31	1790	7	0.62	<1	700	161	2.85	<2	4	1910	0.19	<10	<10	144	<10	154
102233	0.007	<0.2	1.8	4	<10	110	3	<2	3.24	0.5	7	27	613	2.27	10	<1	1.3	20	1.17	1135	12	0.23	1	550	55	3.02	<2	2	1510	0.18	<10	<10	114	<10	82
102234	<0.005	<0.2	0.05	2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	3	0.03	<10	<1	0.01	<10	2.02	32	<1	<0.01	<1	30	<2	<0.01	<2	<1	6050	<0.01	<10	<10	<1	<10	<2

VA04047777 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 9
 DATE RECEIVED : 2004-07-22
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	Cu	
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
101502	0.029	1.8	2.09	20	<10	100	<0.5	<2	2.08	<0.5	23	21	1245	4.91	10	<1	1.06	10	1.88	877	2	0.04	8	2250	11	0.05	<2	5	220	0.26	<10	<10	205	<10	99		
101503	0.023	0.4	1.9	14	<10	50	<0.5	<2	0.72	<0.5	12	25	60	5.83	<10	2	0.2	<10	2.16	1155	6	0.03	12	2220	5	2.05	<2	6	67	0.27	<10	<10	107	<10	76		
101504	<0.005	<0.2	0.41	17	<10	150	<0.5	<2	0.04	<0.5	1	28	69	5.95	<10	<1	0.26	<10	0.16	63	6	0.03	<1	2060	24	0.39	<2	8	116	0.45	<10	<10	116	<10	12		
101505	<0.005	0.2	3.15	6	<10	30	<0.5	2	1.16	<0.5	14	14	116	3.91	10	2	0.09	<10	3.53	1355	2	0.03	12	2520	8	1.12	4	4	144	0.28	<10	<10	96	<10	135		
101506	0.795	22.7	1.79	85	<10	60	0.8	<2	5.21	20.5	59	11	>10000	5.57	10	<1	1.44	40	2.08	3880	49	0.02	6	3360	231	1.78	3	12	336	0.16	<10	<10	303	<10	1310	1.1	
101567	0.38	7.4	0.97	53	<10	30	1.1	<2	1.76	0.5	32	6	6020	4.02	<10	<1	0.69	10	0.45	1525	1	0.02	2	1660	16	2.75	<2	3	132	0.05	<10	<10	98	<10	87		
101568	0.016	<0.2	1.07	34	<10	440	0.9	<2	1.65	<0.5	21	37	441	6.31	10	1	1.1	10	1.28	773	4	0.04	8	1460	12	0.49	<2	8	130	0.12	<10	<10	444	<10	56		
101569	0.135	0.4	0.74	10	<10	120	2.2	<2	3.76	<0.5	10	14	1440	3.58	10	1	0.53	10	1.96	1565	2	0.03	5	2380	10	0.12	<2	58	87	0.02	<10	<10	311	<10	46		
101570	0.155	0.3	1.29	80	<10	20	0.7	<2	0.56	<0.5	18	17	51	5.12	10	2	0.72	10	0.96	375	5	0.02	4	1760	33	3.73	<2	5	437	0.04	<10	<10	130	<10	71		

103079	0.549	8.2	0.93	73	10	30	0.6	<2	4.22	2.5	105	23	3630	4.56	10	2	0.7	60	1.19	3740	2	0.02	4	1760	90	2.86	30	7	2240	0.02	<10	<10	154	<10	243	
103080	0.596	14.1	1.26	72	10	40	0.5	<2	5.21	2.2	99	7	4830	4.83	10	<1	1.1	30	1.22	4270	1	0.02	5	1900	7	2.27	4	8	1420	0.09	<10	<10	294	<10	172	
103081	0.605	23.7	1.44	118	10	30	0.5	<2	4.48	3.1	144	17	8160	4.95	10	<1	1.37	40	1.34	3680	3	0.03	4	2200	7	2.87	2	8	1830	0.1	<10	<10	321	<10	229	
103082	1.35	49.2	1.43	348	<10	30	0.5	5	4.99	15.8	273	4	>10000	6.11	10	<1	1.32	30	1.38	4220	2	0.03	4	2630	6	3.33	<2	7	1485	0.13	<10	<10	310	<10	806	2.28
103083	0.875	28.8	1.38	166	10	30	0.5	<2	4.57	3	152	15	>10000	5.24	10	<1	1.31	30	1.42	3680	1	0.03	4	2860	6	2.81	<2	7	2210	0.11	<10	<10	294	<10	216	1.65
103084	<0.005	0.6	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	1	1	157	0.07	<10	<1	0.02	<10	2.12	59	<1	0.02	<1	70	<2	<0.01	<2	<1	5720	<0.01	<10	<10	2	<10	5	
103085	1.565	40.6	1.37	247	<10	20	0.6	<2	4.39	9.2	233	15	>10000	6.83	10	<1	1.22	40	1.56	3810	1	0.03	6	3800	22	4.66	2	6	1500	0.08	<10	<10	276	10	492	2.57
103086	0.997	24.5	1.12	128	10	30	<0.5	<2	3.2	12.3	151	9	>10000	4.54	10	<1	1.07	40	1.1	2820	1	0.03	5	2020	135	3.46	<2	6	1845	0.08	<10	<10	233	<10	560	1.74
103087	0.744	11.3	1.29	61	10	40	0.5	<2	4.26	4.3	72	18	7980	3.96	10	<1	1.1	30	1.04	3540	4	0.03	5	1570	29	1.86	3	7	2580	0.09	<10	<10	306	<10	203	
103088	1.505	28.6	1.52	133	10	30	0.5	<2	3.4	8.7	118	8	>10000	5.11	10	<1	1.41	30	1.55	3550	6	0.02	6	2750	174	3.64	2	6	2550	0.09	<10	<10	203	<10	596	2.08
103089	0.938	23.6	1.34	137	10	40	0.5	<2	3.67	5.2	73	17	>10000	4.17	10	1	1.24	60	1.38	3210	6	0.02	5	2770	40	2.35	55	7	2800	0.08	<10	<10	204	<10	359	1.43
103090	0.453	16.2	1.26	51	10	80	0.5	<2	4.89	3.2	42	10	7270	4.38	10	<1	1.15	30	1.14	3190	4	0.03	4	2100	106	1.34	2	8	3070	0.14	<10	<10	425	<10	226	
103091	0.485	17.1	1.32	55	10	70	0.5	4	4.91	3.2	43	15	7340	4.44	10	<1	1.2	40	1.18	3270	4	0.03	3	2170	110	1.38	<2	8	3190	0.14	<10	<10	428	<10	231	
103092	1.05	8.5	1.32	29	10	50	0.5	5	4.61	1.3	44	11	7040	4.3	10	<1	1.19	50	1.2	3060	1	0.03	6	1670	31	1.77	2	8	2670	0.14	<10	<10	401	<10	92	
103093	1.245	3.6	1.5	33	10	60	0.5	<2	5.43	<0.5	37	15	4030	4.55	10	<1	1.27	50	1.2	3460	3	0.04	6	1890	16	1.52	2	9	1970	0.14	<10	<10	432	<10	50	
103094	0.467	0.7	1.02	3830	40	20	<0.5	22	5.89	<0.5	110	13	162	3.56	<10	<1	0.05	10	0.23	659	34	0.08	31	1270	16	1.42	9	1	108	0.05	<10	<10	40	<10	141	
103095	3.57	6.3	1.6	60	10	100	0.5	3	4.69	<0.5	48	7	6090	3.85	10	<1	1.32	60	1.34	3750	1	0.03	2	1870	16	1.05	6	6	1725	0.11	<10	<10	281	<10	62	
103096	6.8	12.8	1.6	108	10	40	0.5	8	3.98	2.4	80	12	>10000	4.07	10	<1	1.33	40	1.28	3180	1	0.03	5	1800	17	2.15	3	6	1765	0.09	<10	<10	215	<10	180	1.47
103097	6.38	19	1.72	75	10	40	<0.5	2	3.98	2.9	68	10	>10000	4.2	10	<1	1.51	30	1.59	3970	1	0.02	4	2260	47	2.34	3	5	2410	0.09	<10	<10	170	<10	230	1.09
103098	0.424	21.6	1.39	103	10	40	0.7	4	3.8	5.6	54	16	9090	3.74	10	<1	0.96	20	0.92	3380	9	0.02	5	1710	64	2.33	10	4	2470	0.03	<10	<10	114	<10	307	
103099	0.349	26.9	1.42	71	10	60	0.7	<2	4.13	6.7	39	7	8100	3.36	10	<1	1.06	20	0.77	3210	2	0.02	3	1470	42	1.5	<2	6	2530	0.06	<10	<10	118	<10	365	
103100	0.106	8.9	1.24	21	10	160	0.6	<2	4.26	1.9	17	11	2500	3.17	10	<1	0.99	20	0.74	3030	2	0.03	2	1250	15	0.73	<2	6	2150	0.08	<10	<10	181	<10	152	
103101	0.118	6.4	1.1	15	10	90	0.6	<2	3.86	<0.5	20	9	1140	3.21	10	<1	0.91	40	0.78	3040	1	0.02	3	1290	11	0.93	6	7	2080	0.08	<10	<10	194	<10	91	
103102	0.171	17.4	1.37	31	10	60	0.6	<2	3.65	3.6	29	8	3490	3.19	10	<1	1.1	20	0.89	3340	3	0.02	3	1380	22	1.26	2	6	2470	0.07	<10	<10	156	<10	226	
103103	<0.005	0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	2	15	0.04	<10	<1	0.01	<10	1.86	36	<1	0.02	<1	50	3	<0.01	2	<1	5830	<0.01	<10	<10	<1	<10	3	
103104	0.161	12.2	1.4	27	10	90	0.6	<2	4.65	2.2	28	11	2230	3.61	10	<1	1.1	30	0.97	3680	2	0.03	4	1360	19	0.97	5	6	2560	0.1	<10	<10	196	<10	182	
103105	0.059	3	1.16	15	10	190	0.6	<2	4.04	<0.5	16	9	649	3.15	10	<1	0.93	40	0.8	2770	1	0.03	2	1270	6	0.74	3	6	2030	0.1	<10	<10	200	<10	61	
103106	0.152	8.4	1.26	18	10	140	0.5	<2	4.07	1.3	17	13	1600	3.08	10	<1	0.94	40	0.8	3000	5	0.03	3	1310	11	0.68	<2	6	1820	0.09	<10	<10	204	<10	110	

101727	0.302	10.4	1.78	7	<10	30	0.7	<2	2.33	<0.5	105	1	6640	9.68	10	<1	1.34	10	0.55	1055	29	0.08	<1	1140	35	7.47	<2	1	1370	0.12	<10	<10	327	10	202	
101728	0.325	15	2.03	15	<10	30	0.9	<2	2.47	1	176	15	9110	7.73	10	<1	1.52	10	0.76	1070	51	0.07	<1	1540	23	6.12	<2	1	1345	0.13	<10	<10	279	<10	282	
101729	0.675	38	2.18	70	<10	30	0.8	<2	2.43	4.4	135	<1	>10000	10.45	10	<1	1.76	10	0.98	1785	22	0.05	<1	1380	45	5.94	12	2	1235	0.17	<10	<10	441	10	656	2.11
101730	0.484	18.3	2.51	18	<10	40	0.9	2	3.57	2	66	8	>10000	8.05	10	<1	1.98	20	1.15	1760	13	0.03	1	1980	55	4.9	<2	2	1570	0.15	<10	<10	383	10	357	0.94
101731	0.498	10.2	1.8	12	<10	40	0.8	<2	2.61	0.5	33	<1	5410	5.56	10	<1	1.44	10	0.82	1385	15	0.02	<1	1190	21	4.21	<2	1	1355	0.12	<10	<10	230	<10	184	
101732	0.242	6.4	1.97	7	<10	40	1	2	3.02	<0.5	26	9	3700	5.61	10	<1	1.54	10	0.86	1415	23	0.04	<1	1000	10	3.84	<2	2	1820	0.12	<10	<10	227	<10	156	
101733	0.289	7	2.23	7	<10	40	1.1	<2	3.05	<0.5	27	<1	3850	5.89	10	<1	1.71	10	0.88	1460	25	0.05	<1	1020	12	3.95	<2	2	1865	0.13	<10	<10	241	<10	170	
101734	0.224	12.8	1.33	12	<10	30	0.7	10	4.73	43.1	32	6	5790	7.15	10	<1	0.97	20	0.97	2030	50	0.01	3	1580	880	5.4	4	4	2130	0.05	<10	<10	180	<10	4240	
101735	0.077	2.1	1.87	5	<10	40	1.3	<2	5.43	0.8	9	<1	3250	2.67	10	<1	0.83	40	0.54	1180	15	0.44	2	2220	75	3.77	2	1	3080	0.04	<10	<10	89	<10	122	
101736	0.051	2.8	2.84	20	<10	60	1.6	<2	6.49	2.3	12	11	2880	3.25	10	<1	1.08	60	1.1	2360	5	0.68	5	3250	32	3.72	<2	3	2610	0.16	<10	<10	213	<10	355	
101737	0.035	0.2	2.89	13	<10	60	1.4	<2	5.91	1.1	9	11	1370	3.04	10	<1	0.87	40	0.73	1925	5	0.94	5	2500	57	3.58	<2	1	2660	0.14	<10	<10	172	<10	214	
101738	0.042	0.9	2.73	18	<10	180	2	<2	5.47	1.8	10	4	1880	1.92	10	<1	0.93	50	1.06	1970	9	0.86	1	2930	48	2.31	<2	2	1850	0.13	<10	<10	130	<10	279	
101739	0.035	1.2	2.87	17	<10	100	1.3	<2	6.15	2.1	11	<1	2390	1.94	10	<1	0.84	70	0.98	1840	10	1.26	<1	3660	53	2.87	<2	2	2380	0.09	<10	<10	130	<10	313	
101740	0.021	<0.2	3.26	15	<10	90	1.3	<2	7.01	0.6	11	8	1025	3.84	10	<1	0.97	40	1.01	2500	4	1.12	2	2600	50	3.14	<2	3	2320	0.14	<10	<10	248	<10	200	
101741	0.044	<0.2	3.25	16	<10	100	1	<2	7.15	0.6	11	1	1055	3.38	10	<1	0.99	50	0.97	1980	4	1.16	3	3230	33	3.65	<2	4	2290	0.12	<10	<10	230	<10	174	
101742	0.085	0.6	3.5	11	<10	100	1.5	<2	6.63	1.4	17	13	1840	2.83	10	<1	1.29	50	1.18	2260	4	1.1	3	3150	46	3.43	<2	4	2360	0.14	<10	10	161	<10	291	
101743	0.114	4.7	3.54	18	<10	100	0.7	<2	6.35	1.9	26	6	3650	4.79	10	<1	1.18	40	0.98	2880	7	1.3	3	2880	28	3.05	<2	2	1445	0.14	<10	<10	280	<10	322	
101744	<0.005	<0.2	0.04	6	<10	10	<0.5	<2	>25.0	<0.5	1	1	12	0.05	<10	<1	0.01	<10	2.26	32	<1	0.01	<1	60	2	<0.01	<2	<1	6450	<0.01	<10	<10	<1	<10	4	
101745	0.178	5.7	3.07	20	<10	40	1.2	<2	6.83	3.3	19	13	4950	5.07	10	<1	1.04	50	0.73	1965	21	1.14	1	3270	37	4.78	<2	2	2110	0.14	<10	10	240	<10	420	
101746	0.099	2	3.53	8	<10	110	1.7	<2	6.92	1.6	15	<1	2620	2.88	10	<1	0.75	40	0.69	1795	4	1.25	1	2680	69	3.76	<2	2	2590	0.14	<10	10	228	<10	250	
101747	0.162	4.9	2.36	11	<10	40	1.2	<2	3.25	<0.5	25	28	3900	8.82	10	<1	0.93	20	0.38	1260	17	0.63	5	1470	30	7.78	<2	1	1705	0.13	<10	<10	257	<10	126	

VA04051730 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 64
 DATE RECEIVED : 2004-08-05
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Tl	Ti	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
102503	0.009	1.6	2.96	12	<10	110	2.1	<2	1.11	6.4	5	16	715	2.38	10	<1	2.81	20	3.34	6080	6	0.02	2	810	785	0.64	<2	8	1040	0.22	<10	<10	138	<10	859
102504	0.012	2.4	2.44	2	<10	90	2.1	<2	1.22	6	5	29	734	2.35	10	1	2.23	20	2.7	6270	7	0.02	4	810	1085	0.79	<2	7	1425	0.24	<10	<10	133	<10	529
102505	0.008	0.8	2.85	3	<10	110	1.8	<2	1.64	0.6	7	14	331	2.78	10	<1	2.62	10	3.21	4660	5	0.03	3	1170	264	0.95	<2	10	1195	0.25	<10	<10	176	<10	191
102506	<0.005	<0.2	0.11	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.11	<10	<1	0.01	<10	1.94	62	<1	<0.01	<1	60	5	<0.01	<2	<1	4690	0.01	<10	10	5	<10	6
102507	0.009	0.8	2.77	7	<10	110	1.8	<2	1.51	<0.5	9	18	423	3.06	10	<1	2.7	20	3.16	7410	10	0.02	2	1910	224	1.36	<2	10	1005	0.25	<10	<10	162	<10	203
102508	0.005	0.7	2.99	7	<10	50	1.4	<2	1.96	0.7	11	44	244	2.97	10	<1	2.71	10	3.28	6450	13	0.04	30	1460	353	0.37	<2	11	1190	0.3	<10	<10	137	<10	202
102509	0.019	2.4	3.32	9	<10	70	3.5	2	0.99	4.7	5	16	198	3.01	10	1	3.1	20	3.29	7580	7	0.02	3	1410	2750	0.53	<2	8	928	0.28	<10	10	155	<10	806
102510	0.013	1.2	2.86	6	<10	100	2.4	2	1.57	1.7	5	9	258	2.63	10	1	2.71	10	3.09	5420	6	0.01	3	1290	442	0.89	<2	7	998	0.2	<10	10	147	<10	310
102511	0.038	4.8	1.07	15	<10	100	<0.5	2	1.92	<0.5	3	37	2830	1.59	<10	<1	0.17	<10	0.23	269	242	0.03	9	220	41	0.48	<2	2	186	0.03	<10	<10	32	<10	56
102512	0.014	1.7	3.73	<2	<10	80	3.2	3	1.54	7.8	7	13	292	3.32	20	1	3.35	60	3.79	9380	11	0.02	2	1310	1775	0.86	<2	10	1340	0.21	<10	10	188	<10	1080
102513	<0.005	0.2	3.89	6	<10	80	2.3	2	1.62	0.6	7	9	140	2.8	10	1	3.42	10	4.55	4260	3	0.26	3	1710	140	0.42	<2	10	1490	0.24	<10	10	185	<10	227
102514	0.005	0.3	3.04	6	<10	70	1.4	<2	0.76	<0.5	7	13	132	1.93	10	1	2.65	10	3.27	2620	22	0.22	3	1470	91	0.26	<2	7	1030	0.25	<10	<10	166	<10	142
102515	<0.005	<0.2	1.82	5	<10	50	0.7	<2	0.8	<0.5	3	11	21	0.96	10	<1	1.66	10	1.97	1445	12	0.06	1	1070	39	0.1	<2	4	827	0.19	<10	<10	103	<10	83
102516	<0.005	<0.2	1.81	5	<10	50	0.7	<2	0.79	<0.5	2	16	22	0.96	10	1	1.65	10	1.94	1410	11	0.06	2	1040	39	0.09	<2	4	823	0.2	<10	<10	101	<10	80
102517	<0.005	<0.2	2.12	8	<10	80	0.6	<2	0.9	<0.5	4	11	48	1.26	10	<1	2.06	<10	2.57	980	12	0.09	1	1070	34	0.18	<2	6	1290	0.23	<10	<10	131	<10	53
102518	0.008	0.4	3.31	<2	<10	150	1.9	<2	1.66	<0.5	8	17	231	2.63	10	1	2.11	10	2.37	1650	59	0.62	3	1390	27	0.5	<2	9	1315	0.25	<10	10	169	<10	70
102519	0.01	0.8	3.58	7	<10	120	2.2	2	1.18	0.6	7	8	227	2.77	10	1	3.08	10	3.81	2670	7	0.18	1	1600	217	0.54	<2	9	645	0.25	<10	<10	177	<10	217
102520	0.013	0.6	2.56	2	<10	140	1.4	2	2.74	0.6	11	18	166	3.34	10	1	0.99	10	0.89	1535	3	0.65	3	1280	189	1.82	<2	7	1290	0.17	<10	10	141	<10	137
102521	0.008	0.2	2.57	5	<10	150	1.4	<2	2.3	<0.5	12	20	113	3.11	10	<1	0.98	10	0.94	1310	3	0.59	3	1360	47	0.89	<2	6	671	0.18	<10	10	146	<10	86
102522	0.007	<0.2	2.7	5	<10	320	1.4	<2	1.3	0.5	6	41	128	2.26	10	1	2.66	20	3.32	2910	8	0.06	17	1100	53	0.22	<2	7	1265	0.26	<10	<10	144	<10	205
102523	0.007	0.2	2.35	3	<10	130	1.2	<2	0.97	0.6	6	13	117	2.42	10	<1	2.13	10	2.45	2640	3	0.07	4	1140	86	0.67	<2	7	1205	0.21	<10	<10	136	<10	194
102524	0.007	<0.2	2.53	3	<10	100	1.1	<2	1.42	0.9	3	15	77	1.57	10	1	2.17	10	2.53	2390	4	0.32	2	920	181	0.2	<2	5	1065	0.19	<10	10	118	<10	252
102525	0.012	0.4	2.44	6	<10	120	1.5	<2	1.18	0.5	9	21	317	3	10	1	2.15	20	2.4	2360	11	0.07	4	890	56	1.15	<2	6	1095	0.16	<10	10	121	<10	189
102526	0.018	1.8	3.48	3	<10	120	2.4	<2	0.78	0.8	10	11	787	3.43	10	1	3.02	20	3.54	2400	16	0.2	3	1200	334	1.25	<2	8	1175	0.25	<10	10	176	<10	202
102527	<0.005	<0.2	0.03	<2	<10	<10	<0.5	<2	>25.0	<0.5	<1	<1	1	0.03	<10	<1	0.01	<10	1.88	27	<1	<0.01	<1	40	2	<0.01	<2	<1	5220	<0.01	<10	10	2	<10	2
102528	0.007	1.2	4.03	8	<10	100	3.4	2	1.28	1	7	8	535	2.92	10	1	2.83	30	3.44	2870	6	0.63	3	1690	135	0.72	<2	9	1080	0.24	<10	10	165	<10	250
102529	0.006	0.7	3.22	3	<10	120	2.7	2	1.1	1.5	6	11	256	2.24	10	1	2.66	10	3.22	3040	2	0.34	2	640	362	0.25	<2	6	1340	0.23	<10	10	111	<10	311
102530	0.005	0.4	2.94	2	<10	130	2.6	<2	0.74	0.9	5	10	389	1.88	10	1	2.34	10	2.85	2640	3	0.42	1	440	155	0.16	<2	5	1380	0.21	<10	10	101	<10	256
102531	0.013	0.5	3.18	<2	<10	170	2.9	<2	1.2	1	5	10	390	2.37	10	<1	2.7	10	3.31	3230	4	0.32	1	590	115	0.27	<2	6	1470	0.23	<10	10	105	<10	276
102532	0.011	0.6	3.2	<2	<10	170	3	<2	1.22	1	5	8	390	2.37	10	1	2.73	10	3.33	3250	4	0.32	1	580	120	0.26	<2	6	1465	0.24	<10	10	106	<10	275
102533	0.013	1.1	3.36	3	<10	180	3.1	<2	1.1	1.2	8	8	896	2.67	10	1	2.86	20	3.39	3110	3	0.32	1	1080	76	0.34	<2	7	1425	0.24	<10	10	129	<10	295
102534	0.021	1.2	3.81	3	<10	170	4.1	<2	1.84	0.9	10	6	938	3.32	10	1	2.86	30	3.24	2850	3	0.58	1	1350	43	0.83	<2	8	1620	0.24	<10	10	184	<10	238
102535	0.019	1.2	4.02	6	<10	200	3.2	2	1.48	1.4	11	18	902	3.97	10	1	3.33	20	3.82	3360	13	0.33	4	1180	110	0.99	<2	8	1580	0.24	<10	10	215	<10	337
102536	0.026	3.2	0.3	<2	<10	100	<0.5	<2	0.86	<0.5	1	134	8150	1.02	<10	<1	0.17	<10	0.08	148	41	<0.01	10	150	4	0.81	<2	<1	198	0.01	<10	<10	7	<10	20
102537	0.024	1.6	3.54	2	<10	260	2.3	<2	1.3	1.3	10	6	1420	3.77	10	1	3.26	20	3.64	3460	20	0.18	1	1140	52	0.81	<2	8	1885	0.24	<10	<10	179	<10	332
102538	0.027	1.3	4.77	8	<10	250	4.8	2	1.22	<0.5	15	6	1065	4.82	10	1	3.45	20	3.73	3800	3	0.68	2	1260	43	1.41	<2	10	1500	0.25	<10	10	223	<10	296
102539	0.011	0.7	4.11	2	<10	210	3.7	<2	1.34	0.6	12	3	655	3.91	10	<1	3.43	20	3.81	3070	3	0.38	2	890	65	0.5	<2	9	1585	0.24	<10	<10	207	<10	270
102540	0.024	1.7	4.18	3	<10	250	4.7	2	1.72	1.8	10	7	1220	3.69	10	1	3.03	20	3.34	2470	3	0.96	2	1370	196	0.34	<2	8	1470	0.25	<10	10	175	<10	265
102541	0.019	1.7	4.28	3	<10	270	5.3	2	1.96	<0.5	9	4	1180	4.32	10	1	3.46	20	3.97	2890	2	0.32	2	1050	152	0.29	<2	8	1285	0.23	<10	<10	234	<10	234
102542	0.104	1.5	3.95	6	<10	230	3.3	&																											

VA04051731 - Finalized
CLIENT : "SPEGOL - Spectrumgold Inc."
of SAMPLES : 38
DATE RECEIVED : 2004-08-05
PROJECT : "Galore Creek"
CERTIFICATE COMMENTS : ""
PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	Cu
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
102772	0.075	0.8	1.83	4	<10	370	1	<2	2.05	0.9	17	3	1365	4.68	10	<1	1.27	20	1.53	1825	1	0.02	2	1340	24	0.21	<2	6	280	0.17	<10	<10	182	<10	207	
102773	0.093	1.9	2.16	4	<10	780	0.6	<2	1.06	<0.5	14	7	1130	3.48	10	<1	1.62	10	1.52	1650	14	0.03	2	1220	299	0.15	<2	6	389	0.25	<10	<10	156	<10	182	
102774	0.125	2.7	2.23	<2	<10	60	<0.5	<2	0.94	<0.5	24	4	1910	5.39	10	<1	1.8	10	1.77	1515	14	0.02	5	1260	55	1.56	<2	7	310	0.25	<10	<10	234	<10	192	
102775	0.243	2.4	2.55	4	<10	40	<0.5	<2	1.03	0.9	29	6	2160	5.36	10	1	2.1	10	2.18	1575	15	0.03	4	1330	25	2.41	<2	9	283	0.27	<10	<10	217	<10	235	
102776	0.187	6.8	2.25	6	<10	30	0.6	3	1.29	4.8	26	3	2770	5.18	10	<1	1.74	20	1.71	2660	38	0.03	5	1270	238	3.25	<2	7	330	0.23	<10	<10	197	<10	458	
102777	0.133	3.2	2.61	<2	<10	40	0.6	<2	1.4	1.1	23	6	1900	5.69	10	<1	1.98	20	1.96	2200	9	0.03	3	1290	32	2.22	<2	7	329	0.24	<10	<10	230	<10	269	
102778	0.146	3.1	2.55	3	<10	40	0.6	<2	1.36	1	22	3	1925	5.48	10	<1	1.95	20	1.91	2140	9	0.03	5	1270	31	2.14	<2	7	316	0.23	<10	10	227	<10	263	
102779	0.128	1.2	0.66	16	<10	400	0.9	<2	1.92	1.2	7	5	738	2.56	<10	<1	0.47	20	0.79	1650	28	0.01	3	930	67	0.71	<2	5	1680	0.03	<10	<10	77	<10	178	
102780	0.063	0.8	0.5	7	<10	630	0.7	<2	2.3	0.5	7	2	543	2.39	<10	<1	0.3	20	0.78	1790	1	0.02	2	1090	14	0.42	<2	6	1835	0.01	<10	<10	53	<10	87	
102781	0.02	0.4	0.49	2	<10	210	1	<2	2.57	<0.5	9	8	224	3.26	<10	<1	0.34	20	0.93	1705	1	0.04	5	1430	12	0.1	<2	10	1235	0.02	<10	<10	112	<10	78	
102782	0.046	0.8	0.53	5	<10	390	0.9	<2	2.33	<0.5	10	8	733	2.92	<10	<1	0.41	20	0.88	1410	15	0.03	4	1260	25	0.33	<2	9	1365	0.01	<10	<10	71	<10	118	
102783	0.197	1.9	0.43	15	<10	170	0.6	<2	3.49	<0.5	10	11	560	2.81	<10	<1	0.38	20	1.28	1880	33	0.02	5	1260	19	0.88	<2	9	1715	<0.01	<10	<10	47	<10	95	
102784	1.325	10.9	0.56	50	<10	70	0.5	6	1.95	2.6	9	3	>10000	1.57	<10	<1	0.43	10	0.93	860	35	0.02	3	840	65	1.02	172	6	1955	0.01	<10	<10	30	<10	185	4.61
102785	<0.005	0.3	0.04	5	<10	10	<0.5	<2	>25.0	<0.5	<1	1	29	0.03	<10	<1	0.01	<10	1.43	24	<1	0.02	<1	40	<2	<0.01	<2	<1	4950	<0.01	<10	<10	<1	<10	<2	
102786	0.016	0.7	0.52	4	<10	690	0.5	<2	2.31	0.5	6	5	924	0.96	<10	<1	0.39	10	0.91	1250	24	0.01	2	860	74	0.25	4	4	2590	<0.01	<10	<10	23	<10	89	
102787	0.01	0.7	1.06	4	<10	1400	0.5	<2	1.74	0.6	8	11	538	1.16	<10	<1	0.83	10	1.08	1200	2	0.02	3	690	45	0.19	<2	4	1840	0.05	<10	<10	58	<10	134	
102788	0.035	1.2	1.03	4	<10	1620	<0.5	<2	2.43	<0.5	5	4	956	0.65	<10	<1	0.75	10	0.65	635	3	0.03	<1	990	11	0.19	<2	2	2100	0.04	<10	<10	43	<10	54	
102789	0.149	1.6	0.92	6	<10	1280	<0.5	<2	2.02	<0.5	9	15	1905	1.26	<10	<1	0.71	10	1.14	874	3	0.03	2	860	14	0.23	<2	4	1680	0.03	<10	<10	45	<10	83	
102790	0.093	0.9	0.68	4	<10	1320	<0.5	<2	1.87	<0.5	11	4	1520	1.54	<10	<1	0.53	10	1.3	1075	5	0.02	3	800	13	0.23	<2	5	1715	0.01	<10	<10	35	<10	102	
102791	0.506	0.6	0.94	3660	40	20	<0.5	22	6.04	0.8	116	12	124	3.53	<10	<1	0.04	10	0.21	595	36	0.08	29	1240	17	1.32	9	1	91	0.05	<10	<10	34	<10	138	
102792	1.02	6.7	1.32	4	<10	160	<0.5	3	1.56	0.9	13	7	>10000	1.9	10	<1	1.06	10	1.51	1095	4	0.04	4	980	21	0.73	<2	7	1745	0.09	<10	<10	90	<10	95	1.33
102793	1.385	8.5	1.13	3	<10	160	<0.5	5	1.48	1	12	3	>10000	1.83	10	<1	0.93	10	1.25	925	2	0.04	3	940	23	0.79	<2	5	1445	0.08	<10	<10	73	<10	86	1.57
102794	0.398	3.8	1.18	4	<10	350	<0.5	2	1.63	0.5	12	9	9740	1.68	10	<1	0.93	10	1.31	913	4	0.04	3	1040	14	0.48	<2	5	1500	0.07	<10	<10	72	<10	85	
102795	0.413	3.5	1.34	2	<10	330	<0.5	5	1.2	0.5	11	5	7580	1.52	10	<1	1.14	10	1.3	916	2	0.04	4	720	12	0.49	<2	4	1825	0.1	<10	<10	87	<10	92	
102796	0.426	3.4	1.31	3	<10	500	<0.5	<2	1.14	<0.5	10	8	7190	1.48	10	<1	1.1	10	1.25	877	2	0.04	4	680	10	0.47	<2	4	1750	0.1	<10	<10	83	<10	90	
102797	1.585	6.6	1.76	5	<10	210	<0.5	5	1.04	1.2	16	8	>10000	2.02	10	<1	1.56	10	1.66	1075	4	0.05	4	1180	27	0.79	<2	5	1480	0.19	<10	<10	134	<10	114	1.72
102798	0.2	2.4	1.08	3	<10	840	0.5	<2	1.49	0.6	8	8	3270	1.1	<10	<1	0.88	10	1.06	831	6	0.03	3	600	52	0.29	<2	2	1785	0.06	<10	<10	59	<10	102	
102799	0.071	0.9	1.06	3	<10	1120	0.5	<2	1.72	<0.5	7	9	1965	0.95	<10	<1	0.82	10	0.94	767	3	0.04	2	570	10	0.28	<2	2	1870	0.05	<10	<10	52	<10	60	
102800	0.279	5.8	1.83	2	<10	160	<0.5	3	1.25	<0.5	14	5	>10000	2.17	10	1	1.43	10	1.4	1010	2	0.04	3	1670	9	0.78	<2	8	1700	0.17	<10	<10	148	<10	91	1.02
102801	0.452	5.6	1.66	3	<10	140	<0.5	<2	1.36	<0.5	11	5	>10000	1.68	10	<1	1.4	10	1.4	964	1	0.04	4	850	24	0.77	<2	5	1825	0.14	<10	<10	111	<10	85	1.1
102802	0.384	4	2.04	4	<10	180	0.5	<2	1.73	0.6	13	4	>10000	1.91	10	<1	1.74	10	1.71	1165	<1	0.05	3	1250	15	0.68	<2	7	1810	0.17	<10	<10	134	<10	108	1.08
102803	0.475	6.3	2.1	5	<10	470	0.6	<2	1.52	1	16	6	>10000	2.11	10	<1	1.44	10	1.7	1115	1	0.05	2	1190	16	0.55	<2	5	1290	0.15	<10	<10	133	<10	113	1.22
102804	0.233	3.2	1.93	3	<10	510	0.5	5	1.62	0.6	15	7	7530	1.79	10	<1	1.24	10	1.62	966	3	0.04	3	990	11	0.35	<2	3	1340	0.13	<10	<10	118	<10	90	
102805	<0.005	<0.2	0.06	4	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	44	0.04	<10	<1	0.01	<10	1.66	29	<1	0.03	<1	50	2	<0.01	<2	<1	5530	<0.01	<10	<10	<1	<10	3	
102806	0.257	3.1	1.49	<2	<10	530	0.5	&																												

VA04052789 - Finalized
CLIENT : "SPEGOL - Spectrumgold Inc."
of SAMPLES : 68
DATE RECEIVED : 2004-08-09
PROJECT : "Galore Creek"
CERTIFICATE COMMENTS : ""
PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	U	V	W	Zn	
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
102251	0.159	4.8	3.23	13	<10	140	1.9	<2	1.08	<2.5	24	8	3000	4.13	10	1	4.17	10	3.61	3670	38	0.03	<1	2550	76	2.01	<2	6	134	0.26	<10	<10	312	<10	551
102252	0.014	0.6	2.94	7	<10	190	1.2	<2	1.16	<0.5	6	10	265	2.14	10	<1	2.4	10	2.88	3680	15	0.03	<1	1180	75	0.29	<2	5	116	0.17	<10	10	214	<10	197
102253	0.005	0.2	3.21	5	<10	260	1.2	<2	1	<0.5	5	5	58	1.89	20	<1	3.01	10	3.58	3530	14	0.03	<1	1380	34	0.14	<2	7	132	0.24	<10	10	295	<10	163
102254	0.022	2.6	3.57	7	<10	240	1.7	3	0.89	<0.5	20	7	501	3.36	20	<1	4	10	4.68	4290	4	0.01	<1	1420	490	1.26	<2	7	82	0.27	<10	10	376	<10	220
102255	0.029	3.1	0.28	<2	<10	90	<0.5	<2	0.82	<0.5	1	130	7770	0.99	<10	1	0.17	<10	0.08	146	40	<0.01	8	140	3	0.76	<2	<1	185	0.01	<10	<10	8	<10	22
102256	0.021	3.2	3.33	6	<10	250	2.1	5	0.86	<0.5	7	4	116	2.31	20	1	3.06	10	3.84	4770	3	0.02	<1	1290	750	0.28	<2	5	122	0.23	<10	10	265	<10	211
102257	0.007	1.3	2.86	7	<10	260	1.8	<2	0.64	<0.5	6	6	130	1.78	10	1	2.7	10	3.27	3780	1	0.01	<1	900	178	0.21	<2	5	227	0.21	<10	<10	254	<10	137
102258	0.01	1.6	2.81	5	<10	250	1.8	<2	0.66	<0.5	7	3	156	1.78	10	1	2.82	10	3.26	3750	2	0.01	<1	910	224	0.22	<2	5	230	0.21	<10	<10	258	<10	141
102259	0.006	0.4	3.13	6	<10	240	3	<2	0.97	<0.5	6	8	46	1.34	10	<1	2.38	10	2.83	2640	1	0.29	<1	1060	75	0.11	<2	6	1025	0.19	<10	10	231	<10	139
102260	0.01	0.4	3.09	<2	<10	230	2.9	<2	0.91	0.6	7	4	152	1.48	10	1	2.81	10	3.29	3090	1	0.06	<1	980	114	0.13	<2	5	930	0.2	<10	<10	268	<10	204
102261	0.038	9.3	4.58	10	<10	370	2.3	17	1.08	<0.5	9	4	335	3.36	20	<1	3.94	10	5.23	5040	3	0.02	<1	1280	2420	0.95	<2	6	566	0.2	<10	<10	305	<10	228
102262	<0.005	1.2	0.08	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	4	17	0.09	<10	<1	0.03	<10	1.96	41	<1	<0.01	<1	50	4	<0.01	3	<1	5400	<0.01	<10	<10	2	<10	48
102263	0.015	1.3	3.38	5	<10	480	2	<2	1.3	0.6	9	5	576	2.47	20	<1	2.96	10	3.44	2510	10	0.06	<1	1070	160	0.65	<2	4	1305	0.16	<10	<10	281	<10	186
102264	0.01	0.7	3.03	2	<10	670	2	<2	0.4	<0.5	7	5	360	2.13	10	<1	2.86	10	3.47	1640	17	0.02	<1	1180	19	0.41	<2	5	945	0.17	<10	<10	256	<10	97
102265	0.008	0.8	2.94	3	<10	620	1.4	<2	0.9	<0.5	9	7	279	2.31	10	<1	2.7	10	3.61	1615	1	0.04	<1	950	32	0.6	<2	6	1010	0.16	<10	<10	242	<10	93
102266	<0.005	<0.2	2.39	<2	<10	1160	1.1	<2	0.78	<0.5	2	8	13	0.69	10	<1	1.8	10	2.4	909	15	0.14	<1	790	27	0.14	<2	3	1430	0.18	<10	<10	199	<10	65
102267	0.014	0.9	3.46	4	<10	670	1.6	<2	1.04	<0.5	10	4	364	2.04	20	1	3.39	10	3.86	2640	1	0.03	<1	980	49	0.37	<2	5	1275	0.23	<10	<10	336	<10	188
102268	0.01	0.4	2.1	5	<10	1240	1.1	<2	1.14	<0.5	4	8	162	1.08	10	<1	1.86	10	2.19	1675	39	0.04	<1	1030	49	0.3	<2	4	1250	0.19	<10	<10	243	<10	112
102269	<0.005	1.1	3.11	2	<10	470	1.2	<2	1.83	<0.5	11	3	420	2.12	20	1	3.12	10	3.8	1625	3	0.03	<1	910	28	0.62	2	6	1095	0.22	<10	<10	321	<10	94
102270	<0.005	0.2	2.79	2	<10	750	1.4	<2	0.9	<0.5	3	7	35	0.87	10	1	2.25	10	2.87	909	5	0.04	<1	950	24	0.17	<2	4	1370	0.19	<10	<10	245	<10	71
102271	0.019	0.7	2.22	8	<10	180	1.4	<2	2.52	<0.5	18	24	296	4.38	10	<1	1.76	10	1.8	1230	4	0.04	8	2040	110	1.84	<2	12	953	0.19	<10	<10	179	10	117
102272	0.013	0.5	2.28	9	<10	210	1.2	<2	2.84	0.5	16	29	160	4.61	10	<1	1.6	10	1.94	1205	2	0.05	8	2180	90	2.16	<2	13	1070	0.19	<10	<10	171	10	94
102273	0.017	0.7	2.35	6	<10	80	1.6	<2	0.64	<0.5	6	7	367	2.19	10	<1	1.9	10	2.17	502	8	0.02	<1	820	19	1.45	2	3	1300	0.12	<10	<10	213	<10	33
102274	2.97	0.5	1.26	5590	<10	20	<0.5	13	4.46	<0.5	157	25	52	2.84	<10	1	0.04	10	0.2	523	4	0.08	<29	1020	7	0.48	8	2	96	0.04	<10	<10	21	<10	54
102275	0.009	0.8	1.96	5	<10	210	1.2	<2	0.65	<0.5	4	12	402	1.5	10	1	1.6	10	1.73	781	8	0.03	<1	690	28	0.9	<2	2	1140	0.12	<10	<10	128	<10	56
102276	<0.005	0.2	1.64	5	<10	700	0.5	<2	0.41	<0.5	1	15	86	0.77	10	1	1.4	10	1.48	827	11	0.04	<1	550	32	0.13	<2	2	815	0.09	<10	<10	112	<10	60
102277	0.024	0.9	2.57	<2	<10	130	2	<2	0.5	<0.5	9	21	316	2.75	10	1	2	10	2.08	408	8	0.02	<1	1130	26	1.76	2	5	1650	0.17	<10	<10	160	<10	44
102278	0.028	0.6	1.88	2	<10	230	2.2	<2	0.36	<0.5	5	5	527	1.37	<10	<1	1.38	10	1.12	223	3	<0.01	<1	680	10	0.87	<2	1	922	0.11	<10	<10	100	<10	18
102279	<0.005	0.2	1.12	<2	<10	1070	0.8	<2	0.35	<0.5	1	9	29	0.51	<10	<1	0.98	10	0.86	757	25	0.02	<1	660	27	0.21	<2	1	1365	0.05	<10	<10	90	<10	62
102280	<0.005	0.2	1.15	2	<10	1100	0.8	<2	0.35	<0.5	1	10	32	0.52	<10	<1	0.97	10	0.88	776	22	0.02	<1	670	35	0.23	<2	1	1430	0.05	<10	<10	89	<10	59
102281	0.007	0.5	1.03	6	<10	640	1.2	<2	2.07	<0.5	7	26	34	1.41	<10	<1	0.9	10	1.41	487	2	<0.01	<19	1350	42	0.47	<2	4	2050	0.04	<10	<10	98	<10	49
102282	0.005	0.2	2.33	6	<10	2530	1.5	<2	3.32	<0.5	26	326	140	3.84	10	<1	2.49	40	4.27	698	<1	0.13	<178	3590	18	0.17	<2	6	1520	0.49	<10	<10	80	<10	116
102283	0.015	2	1.9	4	<10	470	2	<2	1.62	<0.5	4	8	85	0.98	10	1	1.32	10	1.36	362	7	0.02	<1	960	6	0.63	<2	3	6740	0.15	<10	10	161	10	13
102284	0.1	1.9	1.64	6	<10	30	1.2	<2	1.72	<0.5	15	39	778	4.28	10	<1	1.28	10	1.33	358	7	0.14	15	1610	27	3.98	2	5	1170	0.18	<10	<10	127	10	37
102285	0.048	0.8	1.48	10	<10	130	1	<2	3.23	<0.5	9	13	662	2.43	10	<1	0.88	10	0.87	438	5	0.29	2	1030	18	3.97	2	4	1015	0.13	<10	<10	116	20	32
102286	0.006	0.3	1.13	<2	<10	50	0.9	<2	4.14	<0.5	1	8	39	0.32	<10	1	0.79	10	0.86	262	4	0.12	<1	640	31	3.46	<2	1	1355	0.07	<10	<10	66	<10	31
102287	0.006	0.3	1.14	3	<10	50	0.7	<2	4.5	<0.5	2	5	55	0.47	<10	<1	0.91	10	0.98	333	5	0.02	<1	590	39	3.9	<2	2	1540	0.05	<10	<10	72	<10	41
102288	<0.005	0.3	0.04	5	<10	10	<0.5	<2	>25.0	<0.5	<1	3	1	0.03	<10	<1	0.02	<10	1.79	22	<1	0.01	<1	50	3	<0.01	<2	<1	5560	<0.01	<10	<10	<1	<10	2
102289	0.008	0.3	1.18	2	<10	40	0.5	<2	5	<0.5	3	8	105	0.55	<10	<1	0.99	10	1.18	197	2	0.01	<1	640	9	4.48	<2	2	1490	0.05	<10	<10	113	<10	17
102290	<0.005	0.3	0.94	2	<10	70	<0.5	<2	4.1	<0.5	<1	11	16	0.4	<10	<1	0.81	10	0.93</																

102765	0.011	1.2	2.87	8	<10	40	2.9	<2	5	1	3	16	535	1.42	10	<1	0.82	30	0.72	1265	4	1.16	4	1320	30	3.5	<2	1	2480	0.1	<10	<10	78	<10	184
102766	0.04	6.1	1.14	14	<10	120	<0.5	3	1.98	<0.5	3	39	2970	1.7	<10	1	0.17	<10	0.24	289	260	0.04	8	230	38	0.5	2	2	199	0.04	<10	<10	34	<10	62
102767	0.031	2	3.14	4	<10	40	1.8	<2	5.35	1.1	6	20	790	2.21	10	1	0.72	20	0.52	1175	5	1.25	6	1000	25	4.06	<2	1	2590	0.09	<10	<10	114	<10	220
102768	0.011	0.9	2.94	3	<10	70	8.5	<2	4.48	<0.5	6	23	242	1.42	10	<1	0.76	20	0.57	936	2	1.22	6	820	28	3.5	<2	1	2380	0.11	<10	<10	85	<10	83
102769	0.139	5	3.38	10	<10	20	1.8	<2	6.4	1.2	14	37	2220	3.76	10	<1	0.74	20	0.43	1670	10	1.35	10	1060	91	5.4	<2	2	2490	0.15	<10	<10	173	<10	223
102770	0.063	3.4	2.85	5	<10	40	2.4	2	5.33	1.2	5	17	1425	1.69	10	1	0.57	20	0.35	1065	3	1.06	2	1010	49	3.6	<2	1	2720	0.09	<10	<10	122	<10	200
102771	0.067	3	2.85	6	<10	40	1.2	<2	4.97	0.8	4	27	1105	1.77	10	1	0.61	20	0.38	1150	3	0.99	4	940	21	2.95	<2	1	2440	0.1	<10	<10	99	<10	141

105088	0.015	<0.2	1.24	7	<10	80	1.4	<2	3.69	<0.5	7	12	138	2.17	10	<1	0.86	20	0.71	555	22	0.07	1	650	31	4.46	<2	2	1390	0.05	<10	<10	81	<10	40
105089	0.051	0.4	1.1	19	<10	30	0.7	<2	6.29	0.6	10	10	256	3.15	10	<1	0.88	10	0.75	790	115	0.04	3	880	110	8.1	<2	3	2780	0.08	<10	<10	120	<10	142

VA04053899 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 32
 DATE RECEIVED : 2004-08-12
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE DESCRIP1	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
112002	0.037	0.9	0.83	<2	10	90	0.6	<2	2.56	0.5	5	15	960	1.41	<10	<1	0.6	10	0.51	1135	7	0.03	3	610	64	1.36	<2	2	1660	0.05	<10	<10	44	<10	135
112003	0.035	0.4	0.83	<2	<10	180	0.7	<2	2.36	<0.5	3	16	777	1.24	<10	<1	0.63	10	0.42	632	4	0.04	2	430	23	1.04	<2	2	1600	0.05	<10	<10	45	<10	74
112004	0.03	0.3	1.1	<2	<10	150	0.6	<2	2.43	<0.5	6	15	541	1.36	<10	<1	0.8	10	0.63	723	3	0.04	1	560	35	1.15	<2	2	1675	0.11	<10	<10	71	<10	101
112005	0.01	0.3	1.02	3	<10	170	0.6	<2	2.21	1.2	5	14	192	1.44	<10	<1	0.75	10	0.53	900	2	0.05	2	480	88	0.99	<2	2	1755	0.08	<10	<10	56	<10	215
112006	0.016	<0.2	0.58	3	<10	90	0.5	<2	2.24	<0.5	3	15	505	0.95	<10	<1	0.45	10	0.44	827	6	0.03	3	490	21	1.1	<2	2	1670	0.01	<10	<10	23	<10	38
112007	0.005	<0.2	0.47	<2	<10	140	0.6	<2	1.69	<0.5	4	19	114	1.66	<10	<1	0.31	20	0.36	798	32	0.07	2	480	14	0.45	<2	3	427	0.04	<10	<10	60	<10	38
112008	0.026	2.7	0.27	<2	<10	90	<0.5	<2	0.79	<0.5	1	124	6890	0.94	<10	<1	0.15	<10	0.07	134	39	0.01	8	130	6	0.74	<2	<1	178	0.01	<10	<10	6	<10	19
112009	0.005	0.2	0.37	4	<10	100	0.5	<2	1.39	<0.5	3	20	158	1.48	<10	<1	0.28	20	0.28	715	10	0.06	1	370	16	0.47	<2	2	307	0.02	<10	<10	45	<10	36
112010	0.109	0.3	0.33	<2	<10	290	<0.5	<2	2.79	<0.5	7	15	208	1.81	<10	<1	0.31	10	1	2400	72	0.03	3	620	20	0.56	<2	4	701	<0.01	<10	<10	43	<10	51
112011	0.94	4	1.19	7	<10	50	1.1	<2	6.69	0.9	28	8	3680	6.35	10	<1	0.76	30	2.75	4790	20	0.03	10	5050	31	2.14	<2	23	1495	0.02	<10	<10	237	<10	214
112012	0.898	3.8	1.2	6	<10	50	1.1	<2	6.57	1.2	27	9	3560	6.32	10	<1	0.76	30	2.61	4440	19	0.03	9	4980	29	2.12	<2	21	1490	0.02	<10	<10	239	<10	220
112013	0.417	3.4	1.06	6	<10	50	0.8	<2	2.97	<0.5	9	7	3860	2.63	<10	<1	0.75	10	0.79	1780	19	0.02	2	1250	24	1.96	<2	3	1805	0.03	<10	<10	92	<10	74
112014	0.087	2.4	1.04	<2	10	70	0.9	<2	3.09	3.5	6	10	2360	2.52	<10	<1	0.7	10	0.64	1130	9	0.04	1	650	37	1.82	2	2	1840	0.04	<10	<10	97	<10	461
112015	0.079	1	0.98	<2	<10	260	0.9	<2	1.99	3.4	6	10	2140	2.88	<10	1	0.68	10	0.49	688	2	0.03	1	540	23	0.99	2	2	1300	0.07	<10	<10	109	<10	464
112016	<0.005	0.6	0.05	3	<10	10	<0.5	<2	>25.0	<0.5	<1	1	33	0.06	<10	<1	0.02	<10	2.49	31	<1	0.03	<1	60	2	<0.01	3	<1	6350	<0.01	<10	<10	1	<10	10
112017	0.039	1.8	1.11	<2	<10	160	0.8	<2	2.65	<0.5	4	10	2040	1.9	<10	<1	0.8	10	0.62	589	3	0.04	1	530	10	1.42	<2	2	1900	0.05	<10	<10	81	<10	118
112018	0.054	1.2	0.89	3	<10	290	0.7	<2	2.86	<0.5	5	8	1545	1.51	<10	<1	0.65	10	0.65	590	1	0.04	1	500	12	0.96	<2	2	1265	0.03	<10	<10	50	<10	69
112019	0.096	2.8	1.19	2	<10	260	0.9	<2	2.93	0.7	5	12	2990	1.5	<10	<1	0.79	10	0.61	816	1	0.08	1	590	29	1.14	<2	2	1140	0.08	<10	<10	83	<10	81
112020	0.064	2.2	1.3	4	<10	140	0.7	<2	2.79	<0.5	5	11	2100	1.54	<10	<1	0.97	10	0.82	835	2	0.05	1	650	85	1.24	<2	2	1730	0.07	<10	<10	69	<10	106
112021	0.222	1.6	0.78	<2	<10	110	0.5	<2	2.82	<0.5	5	13	1315	1.39	<10	<1	0.59	10	0.53	873	39	0.05	<1	520	36	1.42	<2	2	1700	0.04	<10	<10	46	<10	67
112022	0.042	2.3	1.61	<2	<10	270	0.6	<2	2.94	<0.5	8	12	1685	2.06	10	<1	1.14	10	1.04	1030	3	0.08	1	600	28	1.18	2	2	1170	0.11	<10	<10	100	<10	100
112023	0.059	2.6	1.13	4	<10	70	0.6	<2	3.22	0.8	6	13	1915	1.63	<10	<1	0.84	10	0.64	1220	8	0.04	1	600	30	1.91	<2	2	1825	0.07	<10	<10	63	<10	120
112024	0.055	2.1	1.01	4	<10	100	0.7	<2	3.18	<0.5	8	14	1810	2.01	<10	<1	0.7	10	0.72	1305	59	0.05	2	710	49	1.87	11	3	1730	0.04	<10	<10	61	<10	112
112025	0.149	1.5	1.37	3	<10	330	0.7	<2	2.5	<0.5	7	14	2220	1.96	<10	<1	0.87	10	0.67	1025	4	0.12	1	650	10	1.02	<2	2	1335	0.1	<10	<10	94	10	98
112026	0.073	1.7	1.7	2	<10	230	0.7	<2	2.87	<0.5	8	15	1875	2.02	10	<1	0.92	10	0.77	1165	44	0.23	<1	830	42	1.35	<2	2	1445	0.1	<10	<10	93	10	116
112027	<0.005	0.5	0.05	4	<10	10	<0.5	<2	>25.0	<0.5	<1	1	14	0.06	<10	<1	0.01	<10	1.73	26	<1	0.02	<1	50	<2	<0.01	<2	<1	5890	<0.01	<10	<10	<1	10	2
112028	0.076	1.3	1.75	<2	<10	190	0.7	<2	2.82	<0.5	7	12	1640	1.74	<10	<1	0.92	10	0.76	802	3	0.31	1	900	18	1.66	<2	2	879	0.15	<10	<10	99	10	92
112029	0.074	1.9	1.9	7	<10	220	0.9	<2	2.73	0.5	6	16	1335	1.42	<10	<1	0.74	10	0.47	899	68	0.56	1	390	24	1.76	<2	2	1165	0.11	<10	<10	75	10	102
112030	0.036	1.3	1.81	8	<10	270	1	<2	2.13	<0.5	7	18	1140	1.79	<10	<1	0.88	10	0.53	827	4	0.35	2	530	20	1.3	<2	2	987	0.14	<10	<10	91	10	113
112031	0.065	1.8	2.43	3	<10	210	0.9	<2	2.21	<0.5	8	20	1665	1.94	10	<1	1.06	10	0.76	857	6	0.63	<1	550	14	1.55	<2	2	949	0.16	<10	<10	112	<10	126
112032	2.88	0.6	1.38	6170	<10	20	<0.5	17	4.78	0.6	178	29	57	3.03	<10	<1	0.04	10	0.22	580	5	0.09	31	1110	10	0.55	9	2	97	0.05	<10	<10	22	<10	59
112033	0.048	1.4	2.29	7	<10	230	0.9	<2	1.78	<0.5	7	18	1750	1.12	<10	<1	0.7	10	0.45	460	14	1.01	3	440	13	1.2	<2	2	876	0.13	<10	<10	73	<10	76

112161	0.486	0.7	0.89	3610	30	20	<0.5	21	5.85	0.6	110	12	134	3.35	<10	<1	0.04	10	0.21	564	33	0.06	29	1180	23	1.29	9	1	90	0.04	<10	<10	32	<10	151	
112162	0.905	0.982	2.6	0.83	5	<10	330	1.1	<2	1.72	<0.5	7	22	4100	2.77	10	<1	0.72	20	0.63	718	1	0.05	1	980	13	0.79	2	4	1370	0.09	<10	<10	128	<10	67
112163	0.234	1.9	0.73	6	<10	260	0.9	<2	2.47	<0.5	8	32	1940	2.85	<10	<1	0.63	10	0.77	1040	21	0.04	2	1180	46	1.27	<2	6	1560	0.06	<10	<10	111	<10	88	
112164	0.052	0.9	0.98	2	<10	320	1	<2	3.49	<0.5	9	25	443	3.25	10	1	0.87	10	1.1	1170	17	0.04	7	1360	36	1.34	<2	10	1070	0.1	<10	<10	172	<10	91	
112165	0.139	1.7	0.39	11	<10	280	0.5	<2	2.51	<0.5	6	37	1370	2.08	<10	<1	0.38	20	0.55	1050	23	0.04	3	1200	23	1.47	<2	4	1180	0.01	<10	<10	53	<10	53	
112166	0.394	3	0.36	3	<10	160	0.5	<2	3.08	<0.5	7	23	3070	2.27	<10	<1	0.33	10	0.78	1100	5	0.03	2	1680	30	1.47	<2	3	1985	<0.01	<10	<10	55	<10	92	
112167	0.399	4.5	0.41	5	<10	80	0.7	<2	3.35	0.6	7	33	5540	2.75	<10	<1	0.38	10	0.58	974	47	0.03	3	830	37	2.86	<2	4	2170	0.01	<10	<10	68	<10	102	
112168	0.392	4.6	0.39	7	<10	90	0.7	<2	3.33	0.6	7	19	5520	2.76	<10	<1	0.35	10	0.6	1010	47	0.03	1	840	38	2.84	<2	4	2230	0.01	<10	<10	69	<10	104	
112169	0.613	3.1	0.53	<2	<10	250	0.9	<2	2.29	<0.5	7	35	4390	2.74	<10	<1	0.48	20	0.55	934	2	0.05	3	1070	11	1.33	<2	4	1680	0.02	<10	<10	95	<10	71	
112170	0.37	1.9	0.84	3	<10	190	1.4	<2	2.63	<0.5	7	20	2860	2.83	10	<1	0.65	20	0.69	1080	2	0.05	1	920	16	1.36	<2	4	1285	0.08	<10	<10	123	<10	85	
112171	0.62	2.2	0.88	5	<10	210	1.3	<2	2.66	<0.5	7	32	3200	2.72	10	<1	0.65	20	0.66	1055	4	0.05	1	940	26	1.48	<2	4	1595	0.07	<10	<10	114	<10	87	
112172	0.354	2.1	0.8	<2	<10	300	1.2	<2	2.5	<0.5	6	20	2350	2.54	10	<1	0.63	20	0.55	817	1	0.05	1	920	14	1.19	<2	3	1725	0.07	<10	<10	109	<10	70	
112173	0.124	1.4	0.62	8	<10	160	1.1	<2	2.49	<0.5	6	34	1885	2.26	<10	<1	0.53	20	0.56	1175	11	0.04	2	950	22	1.42	<2	3	1685	0.01	<10	<10	57	<10	75	
112174	0.165	1.6	1.08	3	<10	340	1.4	<2	2.71	<0.5	7	21	1200	2.43	10	<1	0.76	20	0.63	929	5	0.08	1	1130	18	1.06	<2	3	1520	0.08	<10	<10	117	<10	79	
112175	0.082	1.2	1.42	4	<10	250	1.6	<2	2.7	<0.5	8	33	1170	2.64	10	<1	0.88	20	0.68	1075	2	0.08	2	1100	34	1.12	<2	3	1410	0.11	<10	<10	130	<10	114	
112176	2.81	0.5	1.35	5840	10	20	<0.5	15	4.81	0.7	166	28	54	2.93	<10	<1	0.04	10	0.21	551	5	0.08	30	1060	10	0.5	6	2	97	0.04	<10	<10	22	<10	59	
112177	0.095	2.3	1.22	10	<10	350	1.4	<2	2.85	0.9	8	20	2150	2.61	10	1	0.8	20	0.7	1325	8	0.04	1	1380	106	1.44	<2	3	1630	0.07	<10	<10	113	<10	182	
112178	0.209	1.2	1.52	6	<10	290	1.8	<2	2.79	<0.5	9	34	981	2.63	10	<1	0.85	20	0.69	1070	8	0.19	2	1080	20	1.22	<2	4	1550	0.12	<10	<10	133	<10	108	
112179	0.036	1.1	1.06	6	<10	320	1.5	<2	3.29	<0.5	8	19	492	2.41	10	<1	0.71	20	0.59	1265	7	0.05	2	1040	24	1.42	<2	3	1890	0.08	<10	<10	103	<10	109	
112180	0.024	1.2	1.32	3	<10	210	1.5	<2	3.16	<0.5	7	30	404	2.49	10	<1	0.75	20	0.57	1460	12	0.05	2	1020	36	1.88	<2	3	1760	0.08	<10	<10	105	<10	108	
112181	0.017	1	1.15	2	<10	160	1.3	<2	3.17	<0.5	7	21	423	2.34	10	<1	0.66	20	0.54	1385	11	0.05	1	1060	29	1.98	<2	3	1750	0.07	<10	<10	96	<10	104	
112182	0.015	0.7	1.47	2	<10	320	1.8	<2	2.75	<0.5	6	31	326	2.49	10	<1	0.85	20	0.65	1105	5	0.15	3	1070	22	1.16	<2	3	1555	0.11	<10	<10	122	<10	95	
112183	0.018	1.1	0.73	6	<10	260	1.5	<2	3.53	<0.5	6	18	461	2.37	<10	<1	0.54	30	0.53	1275	38	0.04	1	1020	255	1.52	<2	3	1980	0.01	<10	<10	77	<10	116	
112184	0.042	0.8	0.86	2	<10	200	1.7	<2	3.8	<0.5	6	28	515	2.27	<10	<1	0.64	20	0.56	1575	9	0.03	1	980	19	2	<2	3	2010	0.02	<10	<10	68	<10	100	
112185	0.052	1.4	0.8	6	<10	100	1.4	<2	3.08	0.7	6	21	754	1.9	<10	<1	0.58	20	0.47	1490	5	0.03	1	880	46	2.21	<2	2	1665	0.03	<10	<10	56	<10	154	
112186	0.055	1.9	1.16	4	<10	130	1.5	<2	3.28	1.2	7	32	764	2.62	10	1	0.81	20	0.54	2060	8	0.04	2	960	81	3.19	<2	3	1595	0.09	<10	<10	100	<10	261	
112187	0.031	1.4	0.68	7	<10	70	1.3	<2	3.49	0.9	6	20	531	2.41	<10	<1	0.53	30	0.5	1545	27	0.03	1	960	70	2.61	<2	3	1785	0.01	<10	<10	60	<10	162	
112188	0.027	0.8	1.02	<2	<10	290	1.8	<2	3.31	<0.5	6	25	356	2.3	10	<1	0.77	20	0.52	1310	2	0.03	3	1020	23	1.42	<2	3	1880	0.03	<10	<10	92	<10	102	
112189	0.035	1.2	1.17	5	<10	220	1.5	<2	3.13	<0.5	6	16	600	2.3	10	<1	0.82	20	0.56	1370	10	0.03	2	980	25	1.66	<2	3	1770	0.07	<10	<10	99	<10	112	
112190	<0.005	0.4	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2	0.03	<10	<1	0.01	<10	2.13	20	<1	0.01	<1	50	3	<0.01	<2	<1	5550	<0.01	<10	<10	<1	<10	<2	
112191	0.008	1.3	1.37	<2	<10	210	0.7	<2	4.2	0.6	2	18	762	0.56	<10	<1	0.58	10	0.32	865	13	0.38	1	1040	37	2.5	2	1	1745	0.05	<10	<10	27	<10	123	
112192	0.014	0.9	2.91	<2	<10	130	1	<2	5.03	<0.5	6	21	360	0.88	10	1	0.99	10	0.92	1530	4	1.05	4	610	37	2.74	<2	2	1790	0.09	<10	<10	43	<10	144	
112193	0.049	1.3	2.79	3	<10	90	1	<2	5.08	1.4	6	19	468	1.04	10	<1	1.08	10	0.98	1410	10	0.89	3	500	113	2.4	<2	1	1525	0.09	<10	<10	49	<10	313	

VA04055670 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 28
 DATE RECEIVED : 2004-08-17 DATE FINALIZED : 2004-08-30
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
105287	0.527	0.6	0.91	3770	30	20	<0.5	20	5.96	0.6	113	12	117	3.49	<10	<1	0.04	10	0.21	575	33	0.07	32	1230	14	1.3	9	1	90	0.04	<10	<10	32	<10	141
105288	0.018	1.1	0.9	8	10	740	0.9	<2	1.71	<0.5	4	6	593	0.61	<10	<1	0.69	10	0.32	2430	<1	0.02	1	330	40	0.34	2	1	620	0.01	<10	<10	16	<10	56
105289	0.024	1.6	1.84	6	10	560	1.3	<2	1.98	1.4	9	9	1290	1.26	10	<1	1.38	<10	0.9	2170	1	0.02	2	330	112	0.44	<2	2	778	0.04	<10	<10	52	<10	296
105290	0.041	1.2	2.01	7	20	1630	1.3	<2	2.47	1.7	8	3	641	1.26	10	<1	1.56	10	1.05	1970	<1	0.03	5	330	191	0.25	<2	2	1170	0.07	<10	<10	68	<10	383
105291	0.022	1.3	1.78	5	10	1220	1.2	<2	2.42	2.1	7	5	577	0.94	10	<1	1.32	<10	0.75	2040	<1	0.02	3	390	178	0.3	<2	1	1050	0.05	<10	<10	47	<10	417
105292	<0.005	<0.2	2.32	5	<10	90	<0.5	<2	2.63	<0.5	16	33	33	4.46	10	<1	0.17	10	1.89	833	1	0.08	11	1410	8	0.03	4	6	87	0.25	<10	<10	108	<10	118
105293	0.009	0.8	0.8	3	10	1050	0.7	<2	1.64	<0.5	3	4	424	0.7	<10	1	0.57	10	0.35	5020	<1	0.02	1	420	17	0.29	<2	1	779	0.01	<10	<10	14	<10	33
105294	3.09	0.7	1.41	6460	10	20	<0.5	16	5.03	0.8	183	29	56	3.16	<10	<1	0.04	10	0.22	587	5	0.09	33	1160	10	0.53	8	2	104	0.04	<10	<10	23	<10	64
105295	0.025	0.7	1.56	11	10	920	1	<2	2.21	<0.5	5	2	386	0.72	<10	<1	1.14	10	0.56	2490	3	0.03	1	410	15	0.26	<2	1	1050	0.03	<10	<10	32	<10	65
105296	0.026	0.8	1.48	4	10	1140	0.8	<2	2.21	<0.5	7	4	563	1.02	<10	<1	1.16	<10	0.91	2010	1	0.03	3	350	15	0.28	<2	2	1000	0.06	<10	<10	56	<10	70
105297	0.039	0.9	1.79	3	10	1260	0.9	2	1.63	<0.5	9	2	606	1.55	10	<1	1.46	<10	1.52	3430	1	0.03	2	350	8	0.27	<2	4	1005	0.08	<10	<10	92	<10	85
105298	0.035	0.9	1.7	4	10	1020	0.9	2	1.64	<0.5	8	4	601	1.49	10	1	1.41	<10	1.5	3330	<1	0.03	3	350	6	0.27	<2	4	927	0.08	<10	<10	90	<10	85
105299	0.021	0.9	1.46	6	10	1540	0.9	<2	1.84	<0.5	7	3	522	1.26	<10	<1	1.14	<10	1.19	4800	2	0.03	2	300	10	0.24	<2	3	1015	0.05	<10	<10	55	<10	70
105300	0.049	1.1	1.38	5	10	840	0.9	<2	1.84	<0.5	8	4	582	1.46	<10	<1	1.08	<10	1.16	8110	2	0.02	2	330	130	0.27	2	2	1105	0.04	<10	<10	56	<10	176
105301	0.039	0.8	1.08	5	10	240	0.9	<2	2.12	<0.5	8	2	1795	1.36	<10	<1	0.79	<10	1.03	4350	1	0.02	2	580	14	0.46	<2	2	1100	0.01	<10	<10	34	<10	62
105302	0.019	0.6	0.64	8	10	870	0.6	<2	1.52	<0.5	4	5	684	1.1	<10	<1	0.49	<10	0.55	9890	<1	0.02	2	330	13	0.34	21	1	1020	<0.01	<10	<10	14	<10	55
105303	0.025	1.3	1.25	2	10	830	1.1	<2	2.15	<0.5	6	2	1300	1.08	<10	<1	0.93	<10	0.81	2380	<1	0.02	1	260	35	0.31	2	1	1225	0.03	<10	<10	38	<10	93
105304	0.017	1.3	0.98	4	10	800	0.9	<2	2.1	<0.5	7	4	1115	1.22	<10	<1	0.72	<10	1.05	2720	1	0.03	1	200	11	0.35	3	2	1245	0.02	<10	<10	34	<10	68
105305	<0.005	<0.2	0.21	4	<10	10	<0.5	<2	>25.0	<0.5	<1	1	6	0.18	<10	<1	0.02	<10	2.02	30	<1	0.02	<1	50	<2	<0.01	<2	<1	4810	<0.01	<10	10	1	<10	2
105306	0.015	0.7	1.99	3	10	280	1	<2	2.48	<0.5	12	4	619	1.88	10	<1	1.66	<10	1.84	2150	1	0.03	1	340	58	0.5	2	3	1130	0.08	<10	<10	98	<10	186
105307	0.028	1.9	1.46	5	10	610	1	<2	2.14	3	7	3	1220	1.04	<10	<1	1.18	<10	0.94	2060	1	0.02	3	240	219	0.33	<2	1	1600	0.06	<10	<10	55	<10	584
105308	0.12	5.3	0.4	10	<10	30	0.5	23	3.66	5.2	6	6	1110	2.49	<10	1	0.35	10	0.46	>10000	9	0.02	2	600	320	3.07	14	3	1360	0.03	<10	<10	50	<10	450
105309	0.054	8.8	0.34	8	<10	30	0.6	<2	4.96	<0.5	5	6	638	2.09	<10	<1	0.31	10	0.62	9340	<1	0.02	2	700	12	3.74	2	4	1430	0.01	<10	<10	34	<10	32
105310	0.031	0.6	0.89	<2	10	40	0.9	<2	4.06	<0.5	6	4	215	1.16	<10	<1	0.67	<10	0.72	1930	1	0.02	2	600	39	1.78	<2	3	1505	0.02	<10	<10	37	<10	67
105311	0.094	2.2	1.2	2	10	50	1.1	<2	3.91	3.2	7	5	522	1.82	<10	<1	0.93	10	0.76	1670	<1	0.02	2	750	166	1.82	<2	3	1600	0.06	<10	<10	81	<10	554
105312	0.047	1.3	1.54	4	10	80	1.2	<2	3.55	1.8	8	4	560	1.22	10	<1	1.17	<10	0.98	1600	<1	0.02	2	230	125	1.53	<2	2	1535	0.05	<10	<10	60	<10	325
105313	0.098	5.1	1.72	10	<10	50	1.2	4	2.94	37.9	14	6	875	3.13	10	<1	1.24	<10	1.26	2000	13	0.02	5	230	3950	2.94	5	2	1610	0.07	<10	<10	79	<10	9330
105314	0.032	1.6	2.21	10	10	200	1.6	<2	3.18	<0.5	9	5	921	1.68	10	<1	1.46	<10	1.56	1525	2	0.03	2	410	39	1.52	3	2	1250	0.05	<10	<10	99	<10	148

VA04055673 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 36
 DATE RECEIVED : 2004-08-17
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
105251	0.033	1.3	0.89	11	10	1490	0.8	<2	3.02	2.5	2	6	269	0.32	<10	<1	0.65	10	0.11	586	17	0.03	1	1800	305	0.24	8	<1	308	<0.01	<10	<10	11	<10	335
105252	0.119	4.1	1.07	4	10	450	0.9	<2	2.15	1.7	4	14	1975	0.84	<10	<1	0.81	10	0.49	911	2	0.04	3	580	128	0.38	<2	1	379	0.02	<10	<10	29	<10	247
105253	0.087	3	0.84	6	<10	210	0.9	<2	1.25	0.9	8	7	1540	1.02	<10	<1	0.63	10	0.34	541	2	0.02	2	470	69	0.71	<2	1	329	<0.01	<10	<10	19	<10	138
105254	0.134	4.1	1.22	2	<10	280	0.8	<2	1.88	0.6	10	12	2150	1.32	<10	<1	0.89	10	0.7	1010	1	0.03	3	750	60	0.65	2	2	387	0.04	<10	<10	42	<10	141
105255	0.035	1.9	0.78	5	<10	450	0.7	<2	1.63	0.8	4	7	952	0.66	<10	<1	0.56	10	0.2	543	1	0.03	1	470	40	0.43	10	1	303	<0.01	<10	<10	13	<10	78
105256	0.092	2.3	0.93	14	<10	1140	0.8	<2	2.11	0.7	5	9	2060	0.66	<10	<1	0.65	10	0.34	651	1	0.03	1	560	38	0.36	9	1	292	0.01	<10	<10	20	<10	91
105257	0.054	1.8	1.2	2	<10	890	0.8	<2	2.07	<0.5	8	8	999	1.02	<10	<1	0.92	10	0.78	862	1	0.04	1	540	33	0.39	<2	2	344	0.04	<10	<10	43	<10	129
105258	0.045	1.5	0.87	2	<10	700	0.8	<2	1.81	<0.5	9	8	1185	0.93	<10	<1	0.66	10	0.69	752	1	0.02	2	610	16	0.43	<2	2	387	0.01	<10	<10	23	<10	69
105259	0.026	3	0.31	<2	<10	110	<0.5	<2	0.9	<0.5	2	138	8170	1.06	<10	<1	0.17	<10	0.08	153	43	0.01	11	160	2	0.85	<2	<1	202	0.01	<10	<10	8	<10	18
105260	0.156	7.1	0.73	33	<10	690	0.7	2	1.7	0.7	6	5	2720	0.83	<10	1	0.6	10	0.63	918	2	0.02	1	580	17	0.41	93	2	427	<0.01	<10	<10	18	<10	102
105261	0.052	1.5	0.78	7	<10	690	0.7	<2	2.42	<0.5	5	7	1355	0.7	<10	<1	0.61	10	0.46	2150	11	0.01	1	610	14	0.35	7	1	310	<0.01	<10	<10	19	<10	45
105262	0.052	1.8	0.67	2	<10	400	0.6	<2	2.2	<0.5	8	5	1585	1.13	<10	<1	0.57	<10	0.83	2770	2	0.01	2	530	6	0.42	3	2	308	<0.01	<10	<10	23	<10	69
105263	<0.005	1.7	0.04	2	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	9	0.02	<10	<1	0.01	<10	1.89	25	<1	0.01	<1	30	2	<0.01	<2	<1	5500	<0.01	<10	<10	<1	<10	5
105264	0.072	1.1	0.84	2	<10	490	0.7	<2	2.55	<0.5	10	5	924	1.34	<10	<1	0.64	<10	1.06	2680	1	0.02	2	540	16	0.5	2	2	385	0.01	<10	<10	27	<10	55
105265	0.029	1.2	1.08	7	10	740	0.9	<2	1.78	<0.5	8	3	587	0.96	<10	1	0.79	10	0.73	1370	1	0.02	1	870	22	0.38	3	1	361	0.01	<10	<10	25	<10	64
105266	0.015	0.7	1.04	9	10	960	0.9	<2	1.49	<0.5	6	13	298	0.8	<10	<1	0.79	10	0.52	1220	1	0.02	3	1220	38	0.39	4	1	279	0.01	<10	<10	24	<10	72
105267	0.019	0.9	1.06	7	10	800	0.9	<2	1.48	<0.5	6	4	326	0.82	<10	<1	0.78	10	0.52	1245	<1	0.02	2	1200	40	0.41	5	1	276	0.01	<10	<10	24	<10	82
105268	0.021	0.6	0.9	7	<10	1060	0.7	<2	2.02	1.1	7	9	368	0.85	<10	<1	0.71	10	0.71	1445	1	0.03	1	1290	71	0.37	4	1	370	0.02	<10	<10	25	<10	159
105269	0.053	1.1	0.85	23	10	500	0.8	<2	2.3	4.3	8	4	331	1.16	<10	1	0.68	10	0.83	2290	8	0.02	1	730	288	0.52	17	1	374	0.01	<10	<10	27	<10	656
105270	0.103	1.2	0.87	3	<10	260	0.9	<2	2.7	<0.5	6	5	419	1.31	<10	<1	0.64	10	0.64	6480	<1	0.01	2	1020	26	0.68	<2	1	274	<0.01	<10	<10	19	<10	35
105271	0.028	0.6	0.88	3	10	1900	0.9	<2	1.52	<0.5	2	5	262	0.41	<10	<1	0.64	10	0.15	3450	<1	0.01	<1	590	52	0.21	<2	<1	345	<0.01	<10	<10	7	<10	75
105272	0.015	1	0.65	<2	10	2180	0.6	<2	0.93	0.5	2	7	602	0.31	<10	<1	0.54	10	0.17	1125	3	0.01	<1	520	146	0.19	3	<1	369	<0.01	<10	<10	7	<10	63
105273	0.046	0.7	0.57	<2	10	1520	0.5	<2	1.18	<0.5	3	4	569	0.61	<10	<1	0.52	10	0.34	1370	1	0.02	2	630	45	0.28	<2	1	420	<0.01	<10	<10	12	<10	38
105274	0.048	3.7	0.7	2	10	940	0.6	6	0.48	<0.5	4	8	1480	1.64	<10	<1	0.58	10	0.25	>10000	3	0.01	<1	840	212	0.35	<2	1	448	<0.01	<10	<10	17	<10	27
105275	0.073	2.8	0.87	8	10	510	0.7	4	1.18	0.6	6	2	1420	1.16	<10	<1	0.66	<10	0.35	8240	1	0.01	1	420	181	0.46	<2	1	1160	<0.01	<10	<10	18	<10	93
105276	<0.005	1.6	0.05	<2	<10	20	<0.5	<2	>25.0	<0.5	<1	1	6	0.02	<10	<1	0.01	<10	1.98	56	<1	0.01	<1	30	3	<0.01	<2	<1	5230	<0.01	<10	<10	<1	<10	2
105277	0.143	4.7	0.85	2	10	610	0.8	2	1.55	0.6	5	1	3500	1.16	<10	<1	0.64	<10	0.49	7830	3	0.01	<1	370	52	0.55	<2	1	513	<0.01	<10	<10	12	<10	75
105278	0.008	0.9	0.94	8	10	1510	0.8	<2	1.68	2.5	5	2	352	0.75	<10	<1	0.69	10	0.52	5990	1	0.01	<1	360	152	0.29	<2	1	541	<0.01	<10	<10	12	<10	402
105279	0.009	1.3	1.54	5	20	1700	0.8	<2	2.31	3.2	8	8	307	1.04	<10	1	1.14	<10	1.19	4380	5	0.02	1	380	270	0.23	2	1	736	0.03	<10	<10	50	<10	543
105280	0.005	1.1	2.39	2	20	860	1	<2	2.06	9.3	11	2	371	1.44	10	1	1.81	<10	1.5	2700	2	0.02	3	410	900	0.35	<2	2	766	0.09	<10	<10	88	<10	1455
105281	<0.005	0.7	1.03	2	10	1270	0.7	<2	2.33	<0.5	8	5	383	1.1	<10	<1	0.74	<10	0.9	6090	<1	0.02	2	340	31	0.34	<2	2	607	<0.01	<10	<10	21	<10	50
105282	<0.005	0.7	1.04	<2	<10	1260	0.7	<2	2.32	<0.5	8	2	366	1.1	<10	<1	0.75	<10	0.9	6080	<1	0.02	2	330	33	0.34	<2	2	592	<0.01	<10	<10	22	<10	53
105283	0.07	1.1	1.42	<2	<10	160	0.8	<2	2.36	<0.5	11	5	270	1.86	<10	<1	1.1	10	1.15	4950	<1	0.02	3	800	21	0.94	<2	3	588	0.04	<10	<10	66	<10	65
105284	0.016	0.5	1.47	3	<10	1180	1	<2	2.72	<0.5	8	2	128	1.18	<10	<1	1.08	10	1.24	3550	<1	0.03	1	840	13	0.37	<2	2	596	0.03	<10	<10	45	<10	55
105285	0.095	0.8	1.88	3	10	740	1.2	<2	3	0.7	13	5	346	3.38	10	<1	1.36	10	1.1	2340	<1	0.04	3	1440	27	0.51	2	7	561	0.12	<10	<10	201	<10	168
105286	0.005	0.9	0.99	<2	<10	1570	0.8	<2	1.78	<0.5	4	2	588	0.7	<10	<1	0.72	10	0.36	4590	<1	0.02	<1	360	14	0.29	<2	1	661	0.01	<10	<10	20	<10	32

VA04056031 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 31
 DATE RECEIVED : 2004-08-19 DATE FINALIZED : 2004-09-01
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
103382	0.45	0.9	0.51	74	10	40	0.6	<2	5.7	<0.5	17	7	104	4.66	<10	1	0.41	10	0.8	3690	17	0.01	4	1920	14	4.72	12	7	1015	0.01	<10	<10	67	<10	33
103383	0.658	0.2	0.62	49	10	50	0.6	<2	6.34	<0.5	15	8	92	4.61	<10	<1	0.5	10	0.94	3660	2	0.01	4	1740	67	4.73	3	7	1570	0.01	<10	<10	77	<10	25
103384	3.36	0.8	0.5	62	10	50	0.6	<2	6.01	0.5	12	7	234	4.38	<10	1	0.38	20	0.93	4360	2	0.01	5	1680	250	4.21	22	7	1435	0.01	<10	<10	69	<10	130
103385	0.3	<0.2	0.29	32	<10	150	0.5	<2	4.01	<0.5	16	6	137	4.1	<10	<1	0.25	10	1.28	2230	1	0.01	5	1810	72	2.43	2	8	1240	<0.01	<10	<10	30	<10	64
103386	0.27	0.2	0.38	31	<10	120	0.7	<2	4.27	<0.5	18	5	148	4.2	<10	<1	0.29	30	1.24	3040	3	0.01	5	1800	128	3.06	4	8	1545	0.01	<10	<10	34	<10	70
103387	0.145	<0.2	0.65	44	10	100	0.7	2	4.16	0.9	12	8	135	4.16	<10	1	0.53	10	1.23	4020	121	0.01	6	1620	230	3.59	2	7	3250	0.02	<10	<10	70	<10	122
103388	0.042	3.1	0.46	32	10	50	0.6	9	2.5	<0.5	20	8	159	5.09	<10	<1	0.36	40	0.91	3270	2	0.01	5	1820	555	5.4	<2	6	1995	0.01	<10	<10	46	<10	64
103389	<0.005	<0.2	0.04	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2	0.06	<10	<1	0.01	<10	1.98	32	<1	0.01	1	60	3	<0.01	<2	<1	5860	<0.01	<10	10	3	<10	3
103390	0.236	1.6	0.36	49	<10	70	0.8	6	4.03	1.9	16	6	126	4.56	<10	<1	0.3	20	1.21	3660	11	0.01	4	1710	466	3.59	6	7	1440	0.01	<10	<10	35	<10	274
103391	0.051	0.5	0.95	32	<10	180	0.7	<2	4.34	<0.5	18	7	129	4.51	10	<1	0.27	10	1.34	2170	1	0.01	6	1800	95	2.69	2	8	905	0.02	<10	<10	91	<10	148
103392	0.352	0.4	1.09	91	10	80	1.2	<2	7.79	<0.5	7	11	82	4.75	<10	1	0.82	10	0.86	8690	10	0.02	3	1360	22	3.85	3	7	1240	0.01	<10	10	186	<10	31
103393	0.038	4.7	1.08	15	<10	110	<0.5	3	1.96	<0.5	4	37	2780	1.6	<10	1	0.17	<10	0.23	290	235	0.05	8	230	36	0.47	<2	2	180	0.03	<10	<10	32	<10	59
103394	0.782	<0.2	0.53	70	10	50	0.6	2	4.78	<0.5	13	7	223	3.65	<10	<1	0.41	40	1.01	5040	84	0.01	6	1420	30	3.82	2	4	1695	<0.01	<10	<10	79	<10	35
103395	0.235	<0.2	0.45	29	<10	50	0.5	<2	3.94	0.5	15	6	221	3.85	<10	<1	0.33	40	0.78	3420	106	0.01	5	1430	35	4.12	15	5	2260	<0.01	<10	<10	45	<10	66
103396	1.8	0.4	0.59	59	10	60	0.7	<2	4.91	<0.5	8	8	93	4.04	<10	1	0.49	120	1	5000	56	0.01	5	1480	33	3.79	2	6	1505	0.01	<10	<10	100	<10	34
103397	0.839	0.3	0.53	41	10	60	0.7	2	5.24	<0.5	12	8	230	3.99	<10	<1	0.45	50	0.89	4090	84	0.01	7	1410	115	3.54	2	5	1375	0.01	<10	<10	95	<10	31
103398	0.708	<0.2	0.4	37	10	60	0.6	<2	4.73	<0.5	12	6	155	4.29	<10	<1	0.32	60	1.02	4090	64	0.01	5	1420	223	3.58	<2	5	1250	0.01	<10	<10	77	<10	29
103399	0.469	<0.2	0.64	54	10	40	0.7	<2	4.92	<0.5	13	9	126	4.39	<10	<1	0.51	40	1.09	4090	94	0.01	4	1520	186	3.93	3	6	1295	0.01	<10	<10	104	<10	24
103400	0.134	0.3	0.38	51	10	50	0.5	2	4.09	<0.5	13	8	122	4.25	<10	<1	0.32	20	1.04	4100	105	0.01	5	1480	245	4.04	5	5	1095	0.01	<10	<10	61	<10	23
103401	0.078	0.9	0.34	58	10	50	0.5	2	4.67	<0.5	14	5	147	3.99	<10	<1	0.3	30	0.89	3700	72	0.01	5	1420	363	3.93	2	4	1000	0.01	<10	<10	53	<10	31
103402	<0.005	<0.2	0.03	2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	4	0.04	<10	<1	0.01	<10	2.01	35	1	0.01	<1	40	3	<0.01	<2	<1	4800	<0.01	<10	10	2	<10	5
103403	0.513	0.4	0.58	62	10	60	0.6	<2	5.24	<0.5	11	8	96	3.96	<10	<1	0.48	40	0.93	3990	58	0.01	4	1450	62	3.69	6	5	1485	0.01	<10	<10	77	<10	23
103404	1.17	0.4	0.61	82	10	50	0.9	<2	5.72	<0.5	12	9	88	4.3	<10	<1	0.49	50	0.82	4080	75	0.01	5	1450	40	3.99	4	5	1250	0.01	<10	<10	76	<10	25
103405	0.294	0.4	0.52	96	10	40	0.6	<2	5.49	<0.5	12	10	108	4.27	<10	<1	0.45	10	0.85	3890	25	0.01	5	1470	25	4.11	5	5	1285	0.01	<10	<10	89	<10	26
103406	1.1	0.9	0.44	89	10	60	0.6	2	5.35	<0.5	12	9	97	4.11	<10	1	0.37	20	0.86	3990	16	0.01	4	1430	235	3.79	12	5	1125	0.01	<10	<10	78	<10	27
103407	0.976	1	0.56	88	10	60	0.7	2	5.29	<0.5	13	13	94	4.16	<10	1	0.48	20	0.86	3960	16	0.01	6	1420	245	3.79	12	5	1230	0.01	<10	<10	92	<10	28
103408	1.325	1.9	0.31	88	<10	50	0.5	4	4.98	<0.5	13	6	128	4.09	<10	1	0.27	10	0.92	4190	29	0.01	5	1460	606	3.75	12	5	1040	<0.01	<10	<10	68	<10	30
103409	1.955	0.5	0.56	111	10	70	0.7	<2	5.21	<0.5	12	11	96	3.95	<10	1	0.47	20	0.95	4200	10	0.01	4	1440	230	3.22	2	6	1380	0.01	<10	<10	111	<10	32
103410	0.493	0.6	0.87	3610	30	20	<0.5	20	5.83	0.5	108	12	117	3.43	<10	<1	0.04	10	0.21	580	33	0.06	30	1210	17	1.28	7	1	88	0.04	<10	<10	32	<10	136
103411	2.03	0.8	0.43	92	10	70	0.7	<2	4.72	<0.5	12	8	140	3.84	<10	<1	0.35	50	1.04	4580	40	0.01	5	1450	469	3.09	2	5	1550	0.01	<10	<10	95	<10	35
103412	1.025	<0.2	0.64	83	10	90	0.9	<2	4.41	<0.5	11	10	98	3.82	<10	<1	0.52	60	1.07	4550	28	0.01	5	1450	177	2.99	2	5	1950	0.01	<10	<10	118	<10	34

VA04056032 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 18
 DATE RECEIVED : 2004-08-19 DATE FINALIZED : 2004-09-01
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
112194	0.027	1.1	2.48	7	<10	100	1	2	4.54	1	6	24	722	1.03	10	<1	0.96	10	0.85	1175	12	0.87	2	770	59	2.82	<2	1	1420	0.09	<10	10	43	<10	212
112195	0.037	0.6	2.1	8	<10	70	1	<2	5.55	1.1	7	10	655	1.04	10	<1	0.97	10	0.99	1865	6	0.52	4	590	42	3.02	<2	1	1640	0.05	<10	<10	39	<10	249
112196	0.018	1.6	1.04	7	<10	40	0.9	2	6.51	2.2	5	9	936	0.9	<10	1	0.63	30	0.56	2080	11	0.03	<1	1390	86	4.07	<2	1	1905	0.03	<10	<10	29	<10	453
112197	0.066	4.1	0.91	6	<10	30	0.6	2	5.81	<0.5	7	6	4030	1.48	<10	1	0.55	30	0.28	2700	7	0.02	1	1740	45	4.04	<2	<1	1990	0.04	<10	10	29	<10	87
112198	0.028	4.3	1.11	14	<10	110	<0.5	4	1.91	<0.5	4	34	2740	1.66	<10	<1	0.17	<10	0.23	276	241	0.05	6	220	44	0.47	<2	2	189	0.03	<10	<10	33	<10	58
112199	0.054	4.4	0.85	8	<10	30	0.5	<2	6.18	0.5	6	6	4520	1.18	<10	<1	0.57	20	0.31	2040	66	0.02	1	1480	58	4.62	<2	<1	2070	0.04	<10	<10	23	<10	132
112200	0.042	1.9	0.77	9	<10	50	0.5	<2	5.58	1.4	3	7	1705	0.69	<10	<1	0.48	30	0.17	1430	32	0.03	<1	1380	69	3.49	<2	<1	2000	0.02	<10	<10	16	<10	214
112201	0.07	1.4	0.9	15	<10	70	0.7	2	6.79	0.7	4	8	1060	0.99	<10	<1	0.54	40	0.33	1915	12	0.03	<1	2230	97	3.3	<2	<1	2220	0.02	<10	<10	30	<10	142
112202	0.04	1.3	1.88	11	<10	100	0.7	<2	6.24	1.3	7	8	755	1.07	10	<1	0.86	40	0.94	1600	4	0.41	1	2220	75	3.81	<2	2	2100	0.07	<10	10	48	<10	272
112203	0.015	0.8	2.01	3	<10	70	0.7	2	5.93	<0.5	5	10	448	0.71	<10	<1	0.65	20	0.53	1020	10	0.66	1	1690	44	3.91	<2	1	2590	0.07	<10	<10	36	<10	126
112204	0.085	2.9	2.14	9	<10	80	0.7	2	4.7	1.1	12	9	2730	2.32	10	<1	1.4	40	1.07	1700	9	0.16	3	2810	70	3.2	<2	3	1950	0.13	<10	10	87	<10	250
112205	0.028	0.9	2.23	6	<10	90	0.6	<2	6.09	0.5	6	11	596	0.89	10	<1	0.83	20	0.81	1330	10	0.72	1	1360	51	4.37	<2	1	2620	0.08	<10	10	42	<10	177
112206	0.019	0.9	2.19	6	<10	70	0.6	<2	5.83	<0.5	7	9	602	0.89	10	<1	0.82	20	0.81	1325	9	0.69	1	1340	43	4.21	<2	1	2450	0.08	<10	10	42	<10	181
112207	0.03	0.7	2.18	7	<10	100	0.7	<2	5.32	0.6	5	10	678	0.71	<10	<1	0.72	30	0.62	1085	7	0.91	1	2480	53	3.17	<2	1	1910	0.07	<10	10	32	<10	142
112208	0.033	2.1	1.64	11	<10	90	0.7	2	4.65	1	8	11	1145	1.58	10	1	0.76	40	0.54	1425	9	0.33	1	3400	83	2.46	<2	1	1575	0.08	<10	10	55	<10	170
112209	0.013	0.3	1.37	3	<10	80	0.8	<2	3	0.8	9	16	346	2.6	10	<1	0.87	10	0.67	1515	12	0.04	3	960	49	1.63	<2	3	684	0.12	<10	<10	114	<10	202
112210	0.016	0.5	1.42	7	<10	110	0.9	<2	3.05	1.8	10	14	350	2.58	10	<1	0.98	10	0.7	1570	8	0.04	3	940	105	1.5	<2	3	815	0.14	<10	10	118	<10	397
112211	0.013	0.5	2.9	5	<10	120	2	2	4.71	<0.5	3	13	686	0.51	<10	<1	0.39	20	0.29	441	5	1.3	<1	900	39	3.04	<2	2	1630	0.06	<10	10	24	<10	73

VA04056536 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 32
 DATE RECEIVED : 2004-08-24 DATE FINALIZED : 2004-09-06
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
103473	0.255	8.6	1.2	31	10	30	0.5	3	4.76	5.8	48	26	5560	3.51	10	<1	0.85	10	1.25	2800	3	<0.01	7	830	544	2.62	2	8	663	0.02	<10	<10	234	<10	524
103474	0.687	0.5	0.91	3590	40	10	<0.5	20	5.67	<0.5	110	12	118	3.36	<10	<1	0.03	10	0.2	562	33	0.07	30	1180	17	1.3	9	1	87	0.04	<10	10	34	<10	130
103475	0.175	4.2	1.56	21	20	40	0.6	5	6.47	1.5	15	12	2510	4.03	10	1	20	0.99	3850	7	0.02	5	1820	357	2.67	2	10	1125	0.04	<10	<10	340	<10	180	
103476	0.168	2.2	1.36	46	20	20	<0.5	2	4.22	<0.5	43	28	2000	5.19	10	<1	0.87	30	1.16	3060	7	0.01	6	1080	210	4.05	<2	8	1325	0.02	<10	<10	250	<10	112
103477	0.364	3.8	1.42	21	10	20	<0.5	4	6.54	1	30	22	5030	4.24	10	<1	0.67	10	1.14	3510	9	0.02	4	990	201	3.61	<2	8	1050	0.02	<10	<10	278	<10	121
103478	<0.005	<0.2	0.11	5	<10	10	<0.5	<2	>25.0	<0.5	1	1	14	0.06	<10	<1	0.01	<10	1.48	24	<1	<0.01	1	40	2	<0.01	<2	<1	4490	<0.01	<10	10	3	<10	2
103479	0.032	0.3	1.38	20	20	30	0.5	<2	7.91	<0.5	18	19	427	3.28	10	<1	0.93	20	0.92	3140	2	0.03	6	1520	192	4.03	<2	9	2230	0.08	<10	<10	303	<10	65
103480	0.068	1.8	1.59	26	20	20	0.6	<2	7.35	0.8	30	31	1065	4.45	10	1	1.28	30	1.24	3630	5	0.02	7	1720	900	4.23	<2	10	2170	0.1	<10	<10	386	<10	150
103481	0.266	13	1.28	22	10	20	<0.5	3	5.91	24.3	72	31	5400	3.07	10	<1	1.14	30	1.14	2530	3	0.01	7	1690	2360	5.07	<2	4	2030	0.04	<10	<10	111	<10	1780
103482	0.254	9.3	1.57	20	10	30	0.6	3	7.45	11.8	28	22	3920	3.02	10	<1	1.38	60	1.47	3340	3	0.03	5	2310	1655	4.67	3	8	2420	0.1	<10	10	246	<10	853
103483	0.152	3.7	1.52	16	20	30	0.6	<2	8.11	2.5	12	24	1970	3.25	10	<1	1.08	80	1.19	3570	1	0.02	5	1730	630	3.63	3	8	2240	0.13	<10	<10	327	<10	261
103484	0.091	5.4	1.12	14	<10	120	<0.5	3	1.95	<0.5	4	38	2860	1.66	<10	<1	0.17	<10	0.24	273	252	0.05	8	230	44	0.48	<2	2	192	0.04	<10	<10	34	<10	58
103485	0.219	6.9	2.07	37	20	40	0.8	2	10.25	5.5	30	23	3650	4.95	10	1	1.36	40	1.44	4270	213	0.03	6	1900	2360	4.05	3	10	2110	0.18	<10	10	506	<10	350
103486	0.327	12.8	1.42	22	10	20	<0.5	<2	5.97	16.4	44	22	5900	3.06	10	<1	1.46	230	1.58	3000	282	0.02	8	1750	3650	5.15	3	5	1895	0.05	<10	<10	89	<10	1165
103487	0.633	16.8	1.81	23	20	30	0.7	<2	8.78	12.8	21	21	7130	4.41	10	<1	1.14	40	1.17	3510	102	0.02	5	2040	912	4.71	3	5	2260	0.15	<10	10	406	<10	865
103488	0.538	0.7	0.95	4050	40	20	<0.5	23	5.89	0.7	122	13	138	3.6	<10	<1	0.04	10	0.22	593	34	0.07	33	1280	18	1.37	8	1	94	0.05	<10	10	36	<10	148
103489	0.22	9.6	1.63	16	20	40	0.8	5	7.03	6	12	40	3350	3.83	10	<1	0.78	20	0.96	3000	440	0.03	6	1690	3550	2.76	4	9	1700	0.22	<10	10	342	<10	399
103490	0.521	15	1.82	21	10	30	0.8	<2	9.91	10.5	26	17	9990	5.74	10	<1	0.91	20	1.09	3630	3	0.02	8	2190	397	4.7	<2	10	2170	0.2	<10	10	481	<10	763
103491	<0.005	<0.2	0.23	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	3	16	0.27	<10	<1	0.01	<10	2.17	63	1	0.01	2	110	7	<0.01	<2	1	5100	0.03	<10	10	10	<10	7
103492	0.158	9.2	1.12	14	10	30	0.5	12	10.25	<0.5	7	19	1860	3.8	10	<1	0.4	10	0.69	3070	<1	0.02	7	1610	802	4.61	<2	8	2680	0.19	<10	10	254	<10	80
103493	0.203	5.1	1.5	24	20	50	0.9	5	11.45	2.8	9	23	2810	4.9	10	1	0.68	30	0.72	3540	45	0.03	4	1650	537	4.65	4	4	1865	0.15	<10	10	442	<10	220
103494	0.274	6.6	1.32	19	10	40	0.6	2	6.74	8.1	16	20	3030	2.57	10	<1	0.62	90	0.49	2080	464	0.03	3	840	2830	3.51	3	3	1825	0.11	<10	10	193	<10	497
103495	0.251	5	1.86	31	10	40	0.9	<2	10.85	1.6	11	25	3630	6.79	10	<1	0.83	20	0.85	3580	51	0.03	5	1930	296	6.06	3	8	2340	0.22	<10	10	643	<10	162
103496	0.288	5.9	2.07	25	10	50	0.6	2	10.95	3.3	10	27	3890	5.98	10	<1	0.88	30	0.78	3990	308	0.05	4	1880	1870	4.26	2	5	2210	0.18	<10	10	555	<10	222
103497	0.388	8.9	1.78	27	10	40	0.6	<2	9.41	10.4	14	40	5190	5.93	10	<1	0.94	30	0.78	3210	560	0.04	5	1710	3130	3.86	2	7	1885	0.21	<10	10	590	<10	670
103498	0.426	11	1.78	22	10	60	0.6	<2	10.1	5.3	11	11	4830	5.48	10	1	0.87	20	0.64	3450	692	0.03	5	1630	4700	3.61	3	7	2050	0.19	<10	10	514	<10	336
103499	0.395	10.4	1.6	24	10	60	0.5	<2	9.49	4.9	12	36	4660	5.32	10	<1	0.82	20	0.59	3570	498	0.02	5	1510	4260	3.16	3	6	1800	0.19	<10	10	526	<10	342
103500	0.304	5.9	1.3	22	10	60	0.5	<2	7.36	7.1	11	36	2080	3.86	10	<1	0.72	60	0.45	2220	299	0.03	3	940	3820	2.9	<2	3	2010	0.13	<10	10	338	<10	518
103501	0.37	8.5	2.08	33	10	60	0.6	<2	12.5	5.5	11	31	5170	7.58	10	<1	0.98	20	0.74	4300	739	0.04	5	1540	3050	3.71	4	5	1615	0.21	<10	10	724	<10	364
103502	0.345	8.9	1.58	19	10	40	0.5	8	9.4	5.7	13	35	4660	4.84	10	1	0.82	20	0.65	2920	809	0.04	4	1300	2580	3.84	2	5	2030	0.18	<10	10	421	<10	374
103503	0.48	6.6	1.56	21	10	50	0.6	2	7.93	3.4	11	23	4040	3.5	10	<1	0.84	20	0.49	2360	180	0.1	4	1190	2340	3.34	2	3	1845	0.15	<10	10	354	<10	265
103504	<0.005	<0.2	0.04	2	<10	10	<0.5	2	>25.0	<0.5	<1	2	14	0.04	<10	<1	0.01	<10	1.78	27	4	0.01	2	40	7	<0.01	<2	<1	5630	<0.01	<10	10	4	<10	3

VA04056537 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 36
 DATE RECEIVED : 2004-08-24 DATE FINALIZED : 2004-09-06
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au-AA23 Au Au Check	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
112212	0.04		0.3	0.65	3	<10	790	0.9	<2	2.9	<0.5	7	19	300	2.1	<10	<1	0.54	20	0.23	924	4	0.05	3	1040	24	0.07	<2	7	394	0.03	<10	<10	75	<10	59
112213	0.037		0.3	0.7	2	<10	660	1.1	<2	2.46	<0.5	6	11	375	2.04	<10	<1	0.52	20	0.25	944	5	0.04	4	920	17	0.05	<2	5	287	0.03	<10	<10	75	<10	55
112214	0.072		1	0.58	5	<10	310	0.6	<2	1.7	<0.5	6	20	349	1.65	<10	<1	0.56	20	0.17	1110	11	0.03	3	930	42	0.4	<2	5	342	<0.01	<10	<10	39	<10	41
112215	0.044		<0.2	0.3	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	8	0.23	<10	<1	0.02	<10	1.98	29	<1	0.02	<1	70	2	<0.01	<2	1	5220	0.02	<10	10	7	<10	8
112216	0.028		0.7	0.38	3	<10	970	<0.5	<2	1.77	<0.5	5	21	358	2.02	<10	<1	0.39	10	0.18	932	5	0.03	4	810	28	0.11	<2	5	313	0.01	<10	<10	57	<10	43
112217	0.028		<0.2	0.39	4	<10	990	0.6	<2	1.81	<0.5	4	21	155	1.51	<10	<1	0.35	20	0.17	664	2	0.03	3	970	14	0.05	<2	3	288	0.02	<10	<10	47	<10	39
112218	0.02		0.5	0.44	<2	<10	910	0.8	<2	1.98	<0.5	5	15	301	1.92	<10	<1	0.37	20	0.19	715	4	0.04	3	1380	15	0.06	2	3	240	0.01	<10	<10	46	<10	56
112219	0.027		0.4	0.48	2	<10	880	0.6	<2	2.46	<0.5	6	21	410	2.55	<10	<1	0.41	20	0.44	868	2	0.05	4	1110	16	0.08	2	6	275	0.03	<10	<10	102	<10	49
112220	0.047		0.6	2.03	5	<10	680	1.8	<2	4.22	<0.5	12	10	370	2.8	10	<1	1.24	20	1.83	1880	1	0.04	6	1910	26	0.05	<2	8	295	0.13	<10	<10	138	<10	143
112221	0.025		0.5	1.92	9	<10	340	2.3	<2	4.53	<0.5	9	16	174	2.05	10	<1	1.25	30	1.76	1940	<1	0.05	5	1820	8	0.04	2	8	317	0.13	<10	10	102	<10	123
112222	0.03		0.4	1.83	10	<10	330	2.2	<2	4.39	<0.5	9	10	180	1.99	10	<1	1.2	20	1.68	1860	<1	0.04	4	1730	9	0.03	<2	7	307	0.13	<10	<10	99	<10	120
112223	0.016		0.6	0.61	2	<10	640	1	<2	2.33	<0.5	4	16	408	1.47	<10	1	0.48	20	0.43	709	2	0.05	1	730	19	0.07	<2	3	216	0.02	<10	<10	53	<10	50
112224	0.028		0.6	0.66	3	<10	610	0.8	<2	3.07	<0.5	7	13	359	2.9	<10	<1	0.47	20	0.84	1195	1	0.05	4	1260	17	0.12	<2	5	250	0.04	<10	<10	110	<10	60
112225	0.019		0.5	0.88	<2	<10	550	0.8	<2	2.01	<0.5	6	22	255	2.1	10	<1	0.6	10	0.68	777	<1	0.05	4	1070	23	0.18	<2	3	276	0.05	<10	<10	110	<10	69
112226	0.034		1.1	1.11	4	<10	470	1	<2	2.56	0.8	8	19	301	2.78	10	<1	0.78	20	0.92	982	1	0.05	5	1680	29	0.14	<2	6	324	0.11	<10	<10	158	<10	151
112227	0.015		0.4	1.44	<2	<10	360	1.4	<2	2.92	<0.5	8	16	273	2.94	10	<1	0.95	10	0.89	1140	<1	0.05	6	1360	73	0.45	3	6	257	0.12	<10	<10	166	<10	111
112228	0.503		0.7	1.04	3770	40	20	<0.5	21	6.27	0.6	114	13	119	3.81	<10	1	0.04	10	0.23	629	36	0.08	30	1350	16	1.43	9	1	95	0.05	<10	10	36	<10	136
112229	0.023		0.4	1.45	8	<10	310	1.4	<2	2.8	<0.5	11	9	126	3.84	10	<1	0.98	10	0.96	1240	<1	0.05	5	1640	9	0.02	2	8	248	0.17	<10	<10	224	<10	102
112230	0.007		<0.2	1.56	4	<10	220	1.3	<2	3.06	<0.5	10	11	15	3.27	10	<1	0.98	10	1.02	1345	<1	0.06	4	1620	8	0.01	3	8	303	0.19	<10	<10	215	<10	95
112231	0.007		<0.2	1.38	9	<10	400	1.4	<2	3.2	<0.5	9	9	82	3	10	<1	0.92	20	1.01	1355	<1	0.04	4	1590	13	0.25	<2	8	286	0.13	<10	<10	195	<10	85
112232	0.041		0.4	0.57	2	<10	140	0.7	<2	2.63	<0.5	6	19	112	2.16	<10	<1	0.49	20	0.77	1255	<1	0.04	4	1530	36	0.96	<2	5	284	0.02	<10	<10	83	<10	94
112233	0.024		0.5	0.84	4	<10	510	0.8	<2	3.17	<0.5	6	14	158	2.21	10	<1	0.5	20	1	1430	<1	0.04	5	2470	32	0.37	<2	8	343	0.04	<10	<10	110	<10	112
112234	0.023		0.5	0.71	4	<10	470	0.8	2	2.77	<0.5	7	19	161	1.92	10	<1	0.49	20	0.87	1250	<1	0.03	5	2070	27	0.32	<2	7	307	0.04	<10	<10	108	<10	108
112235	0.03		0.3	0.65	3	<10	440	0.9	<2	3.34	<0.5	6	11	128	2.15	<10	<1	0.5	20	1.11	1575	1	0.02	5	2140	18	0.5	<2	9	271	0.02	<10	<10	81	<10	60
112236	0.018		<0.2	0.46	3	<10	510	0.8	<2	2.38	<0.5	4	13	104	1.63	<10	<1	0.39	10	0.62	1035	<1	0.03	1	1160	11	0.18	<2	4	367	0.01	<10	<10	43	<10	47
112237	0.017		0.5	0.7	3	<10	330	0.9	<2	2.31	<0.5	5	9	255	2.22	<10	<1	0.47	10	0.59	890	2	0.05	2	980	12	0.14	<2	5	440	0.04	<10	<10	84	<10	45
112238	0.052		4.6	1.12	14	<10	120	<0.5	3	1.93	<0.5	3	35	2620	1.67	<10	<1	0.16	<10	0.24	270	253	0.05	8	220	43	0.47	3	2	186	0.03	<10	<10	31	<10	56
112239	0.025		<0.2	0.92	<2	<10	250	0.9	<2	2.16	<0.5	6	17	150	2.16	<10	<1	0.51	10	0.61	734	1	0.05	4	940	7	0.06	2	4	582	0.09	<10	<10	119	<10	45
112240	0.012		<0.2	0.82	<2	<10	430	0.9	<2	2.52	<0.5	6	10	126	2.22	<10	<1	0.53	10	0.6	912	2	0.04	3	930	8	0.08	<2	4	867	0.06	<10	<10	99	<10	44
112241	0.014		<0.2	0.89	3	<10	420	1	<2	2.41	<0.5	6	16	130	2.19	10	<1	0.52	10	0.61	898	1	0.05	4	930	9	0.24	2	4	906	0.06	<10	<10	100	<10	48
112242	0.031		<0.2	0.49	<2	<10	730	0.7	<2	2.52	<0.5	4	7	120	1.96	<10	<1	0.37	10	0.58	1020	<1	0.04	3	970	17	0.12	<2	4	1155	0.01	<10	<10	49	<10	60
112243	<0.005	0.006	<0.2	1.97	2	<10	720	0.8	<2	3.67	<0.5	13	26	43	3.84	10	1	0.36	20	1.56	914	1	0.04	11	1370	8	0.15	3	5	685	0.01	<10	<10	58	<10	110
112244	4.05	4.03	4.7	0.53	8	<10	30	0.7	12	4.02	25.6	19	9	1260	4.06	<10	1	0.36	10	0.93	2090	164	0.04	5	860	194	2.47	3	7	2760	0.01	<10	<10	59	<10	2270
112245	<0.005	0.008	<0.2	0.06	<2	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2	0.05	<10	<1	0.01	<10	1.95	21	<1	0.01	3	50	<2	<0.01	<2	<1	5060	<0.01	<10	10	3	<10	4
112246	0.033		<0.2	0.68	6	<10	450	1	<2	2.44	<0.5	5	9	182	2.23	<10	<1	0.51	10	0.56	1085	2	0.04	2	930	19	0.81	<2	4	1015	0.02	<10	<10	68	<10	67
112247	0.013		<0.2	0.71	<2	<10	660	1	<2	2.65	<0.5	6	13	108	2.41	<10	<1	0.52	10	0.63	1060	1	0.04	3	970	14	0.17	<2	5	1280	0.03	<10	<10	93	<10	50

105393	0.01	<0.2	1.08	6	<10	130	0.6	<2	3.69	0.8	8	21	152	2.92	10	1	0.47	10	0.95	1035	1	0.05	9	1110	8	1.71	<2	8	1060	0.13	<10	<10	142	10	102
105394	0.012	0.3	0.82	2	<10	170	0.5	<2	2.58	0.5	6	28	171	1.68	<10	2	0.42	10	0.69	650	2	0.05	4	540	6	1.07	<2	5	1025	0.11	<10	<10	88	<10	68
105395	<0.005	<0.2	0.67	2	<10	320	<0.5	<2	1.92	<0.5	4	21	92	1.22	<10	<1	0.34	10	0.52	450	2	0.06	3	310	10	0.86	2	3	893	0.14	<10	<10	62	<10	48
105396	<0.005	<0.2	0.04	3	<10	10	<0.5	<2	>25.0	<0.5	<1	2	1	0.03	<10	2	0.01	<10	1.95	18	<1	0.02	3	50	<2	<0.01	2	<1	5370	<0.01	<10	<10	1	10	2
105397	0.005	<0.2	1.13	<2	<10	190	0.5	<2	2.92	<0.5	8	22	232	2.13	10	2	0.25	10	0.86	777	3	0.05	3	830	14	1.36	<2	6	779	0.14	<10	<10	107	<10	68
105398	0.017	0.5	0.98	5	<10	170	1	<2	2.45	<0.5	6	28	125	1.73	<10	2	0.42	10	0.68	659	3	0.05	4	730	6	1.12	<2	4	669	0.14	<10	<10	89	10	60

103670	<0.005	<-0.2	0.03	<-2	<-10	40	<-0.5	<-2	>25.0	<-0.5	<-1	<-1	5	0.1	<-10	3	0.02	<-10	0.61	121	<-1	0.02	3	100	5	<-0.01	<-2	<-1	114	<-0.01	<-10	<-10	2	<-10	4	
103671	0.06	1	1.34	11	10	50	1.3	<-2	2.86	<-0.5	9	7	673	5.14	10	3	1.04	10	0.82	1245	1	0.04	5	1260	16	1.43	<-2	6	1750	0.15	<-10	<-10	282	<-10	110	
103672	0.063	0.9	1.6	20	<-10	30	1	<-2	4.57	0.5	18	13	774	5.27	10	1	1.28	10	1.31	1630	14	0.02	10	1800	12	3.31	2	14	1525	0.19	<-10	<-10	250	<-10	149	
103673	0.084	1.1	1.86	16	10	40	1.1	<-2	5.15	1.3	19	16	797	5.62	10	1	1.58	20	1.46	2610	6	0.03	14	2110	15	2.75	3	16	1395	0.25	<-10	<-10	296	<-10	324	
103674	0.131	1.8	1.69	16	10	40	0.7	<-2	4.35	1	22	15	1920	6.61	10	1	1.52	20	1.58	1905	3	0.03	14	2340	12	3.22	2	14	1350	0.2	<-10	<-10	356	<-10	251	
103675	0.145	2	1.82	19	10	40	0.9	<-2	4.59	1	23	15	2030	6.58	10	3	1.62	20	1.6	1990	3	0.04	15	2300	11	3.38	<-2	15	1475	0.24	<-10	<-10	374	<-10	271	
103676	0.089	0.471	3	2.24	39	10	30	0.9	<-2	5.29	1	31	19	2990	8.19	10	3	2.09	20	1.68	1510	6	0.05	20	2480	11	4.16	<-2	18	1345	0.26	<-10	<-10	415	<-10	231
103677	0.852	8.2	1.82	26	<-10	30	0.7	<-2	3.69	1.8	43	12	5110	6.29	10	2	1.65	20	1.7	1495	8	0.03	15	2560	13	3.67	<-2	14	1385	0.19	<-10	<-10	299	<-10	343	
103678	1.22	6.2	1.55	44	<-10	30	0.6	<-2	2.83	1.6	50	14	7040	5.34	10	3	1.64	20	1.52	1270	2	0.04	11	3360	13	2.6	<-2	7	1350	0.18	<-10	<-10	194	<-10	305	
103679	0.743	3.9	1.44	25	<-10	60	0.5	23	2.44	0.7	49	40	8120	8.4	10	3	1.55	20	1.64	1360	<-1	0.04	18	2880	8	1.94	<-2	9	1215	0.18	<-10	<-10	254	<-10	211	
103680	0.911	5.7	1.36	40	<-10	40	0.5	<-2	3.52	1.8	66	65	>10000	6.37	10	2	1.43	30	1.4	1410	1	0.04	20	3420	11	2.84	2	10	1510	0.19	<-10	<-10	228	<-10	337	
103681	<-0.005	<-0.2	0.02	8	<-10	50	<-0.5	<-2	>25.0	<-0.5	<-1	<-1	28	0.13	<-10	2	0.01	<-10	0.5	136	<-1	0.02	2	100	<-2	<-0.01	<-2	<-1	113	<-0.01	<-10	<-10	2	<-10	2	
103682	0.194	1.6	1.96	19	<-10	40	1.6	<-2	5.84	0.5	29	45	2220	6.85	10	3	1.81	30	1.73	2410	<-1	0.03	32	2690	10	3.47	<-2	22	1630	0.23	<-10	<-10	401	<-10	279	
103683	0.093	0.9	2.67	16	10	60	1.1	<-2	7.92	<-0.5	22	54	1210	5.95	20	2	2.07	20	2.47	2870	43	0.04	28	2490	15	2.95	<-2	24	1405	0.32	<-10	<-10	349	<-10	195	
103684	0.129	1.1	2.39	22	10	50	1	<-2	5.21	<-0.5	25	172	1155	5.93	10	2	2.17	20	2.17	3020	1	0.03	64	1990	15	2.89	2	17	1310	0.23	<-10	<-10	353	<-10	287	
103685	0.056	1.1	1.58	9	10	170	1.3	2	3.2	0.9	10	4	835	3.13	10	3	0.81	20	0.44	1105	1	0.38	4	690	8	1.92	<-2	6	1320	0.14	<-10	<-10	211	<-10	172	
103686	0.46	0.7	0.95	3580	40	10	<-0.5	21	6.07	0.9	105	12	116	3.55	<-10	2	0.03	10	0.22	594	34	0.08	27	1260	15	1.37	9	1	90	0.05	<-10	<-10	33	<-10	132	
103687	0.273	1.4	1.3	31	10	60	0.9	<-2	3.74	1.1	26	22	1775	5.5	10	<-1	1.25	20	1.2	1575	2	0.02	15	2150	10	2.16	<-2	10	1235	0.2	<-10	<-10	306	<-10	217	
103688	0.597	0.6	1.88	17	<-10	80	1.1	<-2	5.23	<-0.5	19	72	628	5.06	10	1	1.76	20	1.74	2360	1	0.02	29	1930	16	2.43	<-2	15	1085	0.21	<-10	<-10	315	<-10	172	
103689	0.112	0.8	1.36	20	<-10	40	0.9	<-2	4.75	0.6	20	19	894	5.1	10	3	1.18	20	1.16	1740	1	0.03	13	2030	13	2.85	<-2	11	1515	0.17	<-10	<-10	295	<-10	146	
103690	0.223	2.3	1.5	18	10	40	1.3	2	4.97	2.3	14	6	1725	4.88	10	3	1.15	20	0.92	1810	<-1	0.04	7	1600	19	2.61	<-2	9	1955	0.2	<-10	<-10	308	<-10	264	
103691	0.91	5	1.32	32	<-10	30	0.7	4	3.58	1.8	38	4	6650	6.2	10	2	1.24	20	1.16	1190	2	0.02	5	2140	12	2.79	<-2	7	1580	0.15	<-10	<-10	301	<-10	278	
103692	0.628	3.5	1.76	31	10	40	0.7	23	4.49	0.9	35	34	5370	9.07	10	2	1.7	20	1.8	1860	1	0.04	19	2860	11	2.95	<-2	17	1285	0.21	<-10	<-10	407	<-10	217	
103693	0.495	2.4	1.92	24	<-10	40	0.8	<-2	5.25	1.2	33	26	3470	7.56	10	3	1.9	20	1.98	1935	1	0.03	16	2800	16	3.15	3	18	1365	0.23	<-10	<-10	427	<-10	238	
103694	0.159	1.4	1.84	22	10	30	1	<-2	5.8	1.1	23	10	1635	5.81	10	2	1.49	20	1.34	1925	1	0.03	11	1880	12	3.47	<-2	13	1645	0.25	<-10	<-10	367	<-10	201	
103695	0.207	1.1	1.4	18	10	40	0.8	<-2	4.41	<-0.5	23	15	1570	6.39	10	2	1.4	20	1.34	1585	<-1	0.02	11	1620	5	2.57	<-2	10	1465	0.16	<-10	<-10	326	<-10	154	
103696	0.431	2.2	1.52	29	10	40	0.7	<-2	3.39	0.6	29	12	4060	7.47	10	2	1.42	20	1.34	1355	1	0.03	12	2250	11	2.18	<-2	10	1585	0.12	<-10	<-10	307	<-10	145	
103697	0.447	2.5	1.38	21	10	40	0.6	<-2	3.38	0.9	31	13	4410	7.61	10	3	1.3	20	1.34	1330	1	0.02	10	2300	7	2.22	<-2	10	1390	0.12	<-10	<-10	308	<-10	156	
103698	0.553	2.7	1.45	33	10	40	0.6	<-2	3.97	1.1	32	10	4270	6.96	10	1	1.31	30	1.3	1405	1	0.03	8	3000	12	2.47	2	9	1375	0.11	<-10	<-10	281	<-10	191	
103699	0.27	1.5	1.3	38	10	40	0.6	<-2	3.99	0.7	24	13	1975	7.35	10	2	1.18	30	1.17	1210	1	0.02	9	2990	12	2.49	<-2	9	1355	0.11	<-10	<-10	280	<-10	142	
103700	0.147	1.4	1.49	21	10	30	1.2	<-2	5.68	1.1	16	11	1355	4.87	10	2	1.2	20	0.95	1570	1	0.03	9	1260	13	3.43	<-2	7	1905	0.15	<-10	<-10	296	<-10	218	
103701	0.19	1	1.34	50	10	40	0.9	<-2	3.86	0.5	21	14	1220	8.85	10	3	1.18	10	1.05	1365	2	0.02	9	1340	11	2.36	<-2	11	1370	0.13	<-10	<-10	412	<-10	139	
103702	0.019	0.5	2.08	20	10	30	0.7	<-2	4.55	<-0.5	19	4	306	5.44	10	3	1.66	10	1.62	1730	1	0.04	9	1800	10	4.24	<-2	14	1340	0.25	<-10	<-10	200	<-10	126	
103703	0.024	0.3	1.84	11	10	60	0.6	<-2	4.07	<-0.5	17	5	158	5.16	10	<-1	1.2	10	1.49	1370	2	0.1	6	1760	16	4.35	<-2	11	883	0.23	<-10	<-10	172	<-10	70	
103704	<-0.005	<-0.2	0.04	2	<-10	40	<-0.5	<-2	>25.0	<-0.5	<-1	<-1	4	0.13	<-10	<-1	0.03	<-10	0.67	125	<-1	0.02	1	100	<-2	<-0.01	3	<-1	116	<-0.01	<-10	<-10	3	<-10	4	
103705	0.008	0.3	2.55	11	20	40	0.7	2	4.06	<-0.5	18	6	116	4.92	10	2	1.32	10	1.58	1360	2	0.55	5	1880	10	4.35	<-2	13	933	0.24	<-10	<-10	145	<-10	48	
103706	0.01	0.4	2.54	21	10	60	0.8	<-2	3.91	<-0.5	16	6	127	4.91	10	3	1.36	10	1.6	1480	4	0.47	8	1840	26	4.15	4	12	708	0.25	<-10	<-10	152	<-10	70	

VA04057540 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 30
 DATE RECEIVED : 2004-08-27 DATE FINALIZED : 2004-09-07
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
103557	0.077	1.8	1.88	13	10	70	0.7	2	5.91	2.7	6	3	799	3.23	10	<1	0.86	20	0.49	1855	107	0.51	3	760	603	2.42	<2	4	1725	0.14	<10	<10	276	<10	211
103558	0.062	1.6	1.54	18	10	90	0.5	3	5.62	0.5	8	8	471	2.79	10	<1	0.79	20	0.56	1945	3	0.39	4	720	279	2.24	<2	3	1655	0.13	<10	<10	218	<10	57
103559	0.036	1.5	1.89	13	20	100	0.8	2	6.5	1.8	5	3	429	3.32	10	1	0.98	20	0.61	2330	3	0.46	3	840	239	1.72	<2	4	1535	0.16	<10	<10	292	<10	136
103560	<0.005	0.3	0.07	4	<10	<10	<0.5	<2	>25.0	<0.5	1	1	3	0.08	<10	<1	<0.01	<10	2.07	40	<1	0.02	<1	60	3	<0.01	<2	1	4890	0.01	<10	<10	<1	<10	2
103561	0.058	2.4	1.73	24	20	90	0.9	3	6.5	4.9	6	3	459	2.82	10	<1	0.87	20	0.48	1990	53	0.45	3	670	870	2.45	<2	4	1930	0.14	<10	<10	217	<10	351
103562	0.022	1.6	1.54	18	10	50	0.7	2	8.06	1.7	4	6	207	3.4	10	<1	0.82	20	0.72	2260	245	0.46	3	1500	1095	2.21	<2	9	2110	0.2	<10	<10	293	<10	132
103563	0.051	1.8	1.76	20	10	30	0.8	2	8.07	4.7	11	4	500	4.33	10	1	1	20	0.67	2260	288	0.27	4	920	965	3.3	<2	7	2070	0.19	<10	<10	441	<10	400
103564	0.049	1.4	1.56	25	10	40	<0.5	<2	6.53	1.8	10	5	516	3.03	10	<1	0.62	10	0.45	1505	257	0.55	2	1090	475	3.77	<2	4	2020	0.12	<10	<10	258	<10	151
103565	0.058	2.2	1.24	24	10	50	0.7	3	5.91	4.2	8	3	628	3.02	10	<1	0.88	10	0.5	1850	193	0.11	4	860	435	2.34	2	3	1925	0.13	<10	<10	230	<10	322
103566	3.1	0.6	2.45	5710	10	90	<0.5	17	7.29	0.6	160	98	60	4.29	10	1	0.18	20	0.35	1030	8	0.23	30	1030	15	0.51	10	4	184	0.15	<10	<10	45	<10	68
103567	0.063	2.9	1.5	26	10	40	0.7	3	7.03	1.2	9	2	836	4.2	10	<1	1.08	20	0.77	2310	86	0.05	4	1290	622	2.89	2	6	2030	0.18	<10	<10	409	<10	104
103568	0.098	3.3	1.13	71	<10	60	0.6	2	7.2	8.2	12	6	906	4.16	10	<1	0.94	10	0.86	2700	40	0.04	4	740	767	2.94	<2	3	2000	0.11	<10	<10	363	<10	590
103569	0.093	3.7	1.77	22	10	50	0.8	2	9.89	1.6	7	3	1335	5.75	10	<1	1.22	20	0.98	3510	204	0.05	5	1220	353	2.58	<2	8	1830	0.18	<10	<10	639	<10	159
103570	0.064	3.4	1.24	20	10	50	0.6	2	6.09	0.6	8	7	1295	3.37	10	<1	0.67	20	0.74	2460	88	0.03	4	960	549	2.7	<2	3	1380	0.08	<10	<10	259	<10	77
103571	0.066	2.9	1.1	15	10	40	0.8	<2	7.46	0.6	7	1	843	3.83	10	<1	0.64	20	0.89	2550	79	0.03	4	830	337	2.39	<2	6	1040	0.04	<10	10	321	<10	114
103572	0.079	4.3	1.3	20	10	90	0.5	<2	6.51	2	6	8	1040	3.21	10	<1	0.71	40	0.52	2520	3	0.11	2	1100	592	2.21	2	5	1640	0.09	<10	<10	287	<10	146
103573	0.131	6.5	1.12	24	<10	80	0.5	<2	5.99	4.8	8	2	1310	2.84	10	<1	0.65	20	0.59	2210	2	0.03	5	800	1275	2.62	<2	4	1380	0.12	<10	<10	202	<10	328
103574	<0.005	0.4	0.13	5	<10	10	<0.5	<2	>25.0	<0.5	<1	1	2	0.07	<10	<1	<0.01	<10	1.7	20	<1	0.02	<1	40	2	<0.01	<2	<1	5030	<0.01	<10	<10	<1	<10	<2
103575	0.094	6.5	1.32	55	10	60	0.5	2	8.91	7.6	12	6	918	4.8	10	<1	0.8	60	0.72	2850	72	0.04	5	1400	2330	3.8	2	7	1805	0.15	<10	<10	509	<10	550
103576	0.07	5.5	1.57	64	10	30	0.6	2	7.84	7.4	11	3	1045	4.12	10	<1	0.86	70	0.74	2990	85	0.28	5	1510	1540	3.44	<2	9	1915	0.14	<10	<10	378	<10	529
103577	0.525	32.3	1.21	60	<10	30	0.7	<2	8.32	26.8	19	7	8260	4.63	10	1	0.87	70	0.72	2860	91	0.06	8	1730	3460	5.06	2	9	1980	0.06	<10	<10	289	<10	1620
103578	0.4	28.9	1.47	46	10	30	0.7	<2	8.39	24.5	17	3	7110	4.75	10	<1	0.95	70	0.7	2900	87	0.06	8	1640	2550	4.74	<2	10	2150	0.08	<10	<10	353	<10	1465
103579	0.068	7.6	1.03	23	10	50	0.7	6	9.14	6.9	7	8	1530	4.2	<10	<1	0.7	120	0.59	2790	63	0.07	4	1660	1000	3.16	4	11	1860	0.07	<10	<10	405	<10	482
103580	0.04	2.3	0.81	19	10	30	0.8	<2	8.61	3.3	8	2	329	3.68	<10	<1	0.55	30	0.88	2830	26	0.04	4	880	626	3.84	2	5	1895	0.01	<10	<10	213	<10	260
103581	0.109	4.4	1	20	10	50	0.7	4	9.44	4.6	9	9	1030	4.42	<10	<1	0.73	70	1.76	4100	22	0.08	4	1400	527	3.08	<2	10	1655	0.04	<10	<10	312	<10	406
103582	0.06	1.8	2.21	20	10	40	0.6	2	9.39	1.8	11	4	563	4.38	10	1	1.08	30	0.91	3280	3	0.6	4	1540	194	3.12	<2	12	2260	0.17	<10	<10	511	<10	158
103583	0.052	1.9	2.74	42	<10	30	0.5	2	8.62	2.9	31	9	1085	4.07	10	<1	0.89	30	0.97	3190	3	1.11	4	1880	134	3.14	<2	10	2110	0.21	<10	<10	472	<10	249
103584	0.015	1.4	1.74	11	10	250	0.6	<2	3.81	3.6	9	2	685	1.56	10	<1	0.59	20	0.45	1465	2	0.64	6	770	453	1.34	<2	3	1735	0.1	<10	10	123	<10	293
103585	0.015	0.7	1.8	17	<10	120	0.5	<2	9.2	0.9	4	9	571	3.1	10	<1	0.7	20	0.82	2890	1	0.35	10	1540	136	3.69	<2	7	2130	0.15	<10	10	318	<10	91
103586	0.013	<0.2	1.44	11	<10	240	0.8	<2	8.15	<0.5	2	2	130	3.58	10	1	0.58	20	0.53	2990	2	0.34	2	990	244	1.8	<2	8	1435	0.08	<10	10	319	<10	36

VA04057541 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 102
 DATE RECEIVED : 2004-08-27 DATE FINALIZED : 2004-09-08
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE DESCRIP1	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
112308	0.319	1.9	0.45	8	<10	30	0.8	3	4.92	0.6	8	46	1300	1.95	<10	1	0.32	10	1.08	1830	16	0.02	2	1080	68	2.15	<2	4	1135	<0.01	<10	<10	45	<10	95
112309	0.817	4.5	0.77	9	<10	40	1.3	3	5.83	0.9	11	13	4890	1.97	<10	<1	0.52	20	1.49	1585	<1	0.03	3	2540	138	1.86	<2	3	1115	<0.01	<10	<10	59	<10	138
112310	0.333	3.4	0.71	7	<10	40	1.4	3	6.79	1.2	13	14	2790	3.35	<10	<1	0.51	20	1.77	3090	25	0.03	3	3300	96	2.28	<2	13	1185	<0.01	<10	<10	91	<10	211
112311	0.624	3.2	0.33	3	<10	40	0.6	<2	4.13	0.8	8	19	4330	2.47	<10	<1	0.27	10	0.94	1370	1	0.03	3	1240	68	1.82	<2	8	1305	<0.01	<10	<10	67	<10	100
112312	0.271	2.2	0.41	6	<10	60	0.7	2	3.83	6.2	11	20	3290	3.15	<10	<1	0.35	20	1.04	1570	1	0.03	3	2230	439	1.78	<2	8	1140	0.01	<10	<10	106	<10	557
112313	0.42	2.6	0.74	2	<10	120	0.8	2	2.72	0.5	10	22	2650	2.83	<10	1	0.68	10	0.96	1125	<1	0.05	4	1240	12	1.08	<2	8	1095	0.07	<10	<10	144	<10	95
112314	0.128	1.2	0.37	3	<10	50	0.6	<2	3.57	0.6	9	18	1985	3.26	<10	<1	0.33	10	0.83	1155	4	0.04	3	1240	25	1.94	<2	9	1130	0.02	<10	<10	113	<10	85
112315	0.151	1.8	0.67	5	<10	50	1.3	2	4.83	0.6	8	12	1370	1.88	<10	<1	0.51	20	1.18	1180	<1	0.03	2	1270	28	1.52	<2	6	1135	0.01	<10	<10	68	<10	102
112316	0.09	1.5	0.54	6	<10	30	1.1	2	4.43	1.3	7	8	2020	1.34	<10	<1	0.4	10	0.84	1255	4	0.02	1	810	62	2.4	<2	3	1370	<0.01	<10	<10	30	<10	191
112317	<0.005	0.2	0.01	<2	<10	40	<0.5	<2	>25.0	<0.5	<1	9	5	0.09	<10	1	0.01	<10	0.41	102	<1	0.02	<1	80	2	<0.01	<2	<1	95	<0.01	<10	<10	<1	<10	3
112318	0.431	6.6	0.77	8	<10	40	1.6	3	4.96	2.9	12	8	5700	2.42	<10	1	0.53	10	1.55	2440	1	0.03	2	1180	98	1.92	2	6	995	<0.01	<10	<10	56	<10	583
112319	0.13	2.3	0.77	<2	<10	20	1.2	<2	6.33	0.8	7	8	2720	1.42	<10	<1	0.55	10	0.94	1575	2	0.02	1	1210	57	3.53	<2	3	1205	0.01	<10	<10	44	<10	148
112320	0.071	1.1	0.88	5	<10	60	1.4	<2	4.99	1	8	17	912	2.07	<10	1	0.65	10	0.94	1725	1	0.04	2	1320	93	1.98	<2	6	1210	0.03	<10	<10	80	<10	186
112321	0.117	0.8	0.92	2	<10	210	1.2	<2	3.54	<0.5	10	22	939	3.23	10	<1	0.65	20	0.96	1115	<1	0.05	3	1500	5	0.97	<2	8	1185	0.07	<10	<10	164	<10	92
112322	2.87	0.5	1.26	6000	<10	20	<0.5	<2	4.66	0.9	166	27	52	2.98	<10	1	0.04	10	0.2	545	5	0.09	31	1080	9	0.49	6	2	94	0.04	<10	<10	21	<10	59
112323	0.421	1.5	0.48	11	<10	40	1.1	<2	6.21	<0.5	8	12	2620	2.05	<10	<1	0.36	20	1.07	1040	1	0.04	2	2400	9	2.5	<2	5	1010	<0.01	<10	<10	60	<10	80
112324	0.348	1.6	0.47	7	<10	70	1.3	2	6.41	0.5	7	13	2750	1.79	<10	1	0.36	20	1.15	1055	1	0.04	1	2330	15	2.28	<2	6	1095	<0.01	<10	<10	51	<10	84
112325	0.167	1.2	0.61	3	<10	50	1.5	<2	5.98	<0.5	8	12	1490	2.04	<10	<1	0.46	20	1.18	1275	7	0.04	3	1240	10	2.23	<2	7	1155	0.01	<10	<10	79	<10	82
112326	0.043	0.3	1.08	4	<10	190	0.8	2	3.32	<0.5	9	29	426	2.87	10	<1	0.48	10	0.85	838	1	0.11	4	1160	15	1.18	<2	7	1055	0.16	<10	<10	168	<10	58
112327	0.034	0.3	1.1	4	<10	110	0.8	3	3.49	<0.5	9	32	427	2.88	10	<1	0.49	10	0.87	846	1	0.1	5	1160	10	1.32	<2	7	1065	0.16	<10	<10	166	<10	58
112328	0.051	0.7	0.51	4	<10	40	0.8	<2	4.67	<0.5	6	10	729	1.06	<10	1	0.4	10	0.95	802	1	0.03	<1	1590	11	1.73	<2	2	1370	<0.01	<10	<10	23	<10	87
112329	0.06	0.8	0.38	3	<10	40	0.8	<2	4.71	<0.5	5	16	991	0.98	<10	1	0.34	10	0.83	843	1	0.04	<1	680	9	1.94	<2	3	1205	<0.01	<10	<10	28	<10	63
112330	0.052	0.5	0.77	3	<10	50	1.1	2	5.18	<0.5	8	12	541	2.27	<10	<1	0.54	20	0.91	1155	<1	0.05	2	2170	16	2.1	<2	7	1150	0.05	<10	<10	121	<10	73
112331	0.108	1.5	0.41	3	<10	40	0.8	2	5	0.5	6	15	1285	1.88	<10	1	0.35	20	0.58	1110	1	0.03	2	2790	58	2.79	<2	5	1385	<0.01	<10	<10	50	<10	91
112332	0.134	4	0.45	16	<10	30	0.9	9	5.65	1.7	10	14	1110	2.64	<10	<1	0.37	10	0.81	1680	75	0.03	2	1240	1155	3.73	<2	6	1770	<0.01	<10	<10	54	<10	245
112333	0.078	2.1	0.75	5	<10	60	1.2	3	7.31	2.7	8	12	1665	2.14	<10	1	0.58	20	1.22	1815	<1	0.03	1	1280	180	3.17	<2	7	1285	0.03	<10	<10	97	<10	407
112334	0.083	0.9	0.65	3	<10	50	1.1	<2	5.48	<0.5	6	14	1035	1.94	<10	1	0.45	20	0.76	939	<1	0.05	2	1230	20	2.2	<2	5	1330	0.03	<10	<10	90	<10	63
112335	<0.005	0.2	0.03	<2	<10	30	<0.5	<2	>25.0	<0.5	<1	2	4	0.11	<10	<1	0.02	<10	0.72	118	<1	0.02	<1	80	2	<0.01	<2	<1	93	<0.01	<10	<10	<1	<10	5
112336	0.068	0.6	0.54	6	<10	150	1.1	2	5.02	<0.5	8	12	730	1.44	<10	<1	0.42	20	1.1	892	1	0.04	2	1900	10	1.7	<2	2	942	<0.01	<10	<10	50	<10	92
112337	0.046	0.5	0.57	5	<10	70	1	<2	5.37	<0.5	6	21	683	1.36	<10	<1	0.43	20	0.77	863	<1	0.04	3	2310	10	2.3	<2	4	1185	0.01	<10	<10	56	<10	53
112338	0.048	1.6	0.58	5	<10	40	0.9	3	5.26	1.3	7	13	861	2.16	<10	<1	0.47	10	0.76	1105	70	0.03	2	1620	139	3.31	<2	5	1365	0.03	<10	<10	78	<10	201
112339	0.041	1.7	0.65	5	<10	40	1	5	5.36	1.3	7	19	868	2.22	<10	1	0.51	20	0.78	1130	69	0.03	2	1660	135	3.3	<2	5	1370	0.03	<10	<10	82	<10	202
112340	0.044	1	0.92	<2	<10	80	0.8	<2	3.71	0.9	11	20	902	2.51	10	1	0.78	20	1.15	1315	4	0.05	3	1520	45	1.66	<2	6	1350	0.06	<10	<10	116	<10	151
112341	0.047	0.7	1.01	3	<10	80	1	<2	3.58	0.6	10	30	406	3.02	10	<1	0.77	10	1.06	1180	8	0.05	4	1070	77	1.56	<2	9	1585	0.09	<10	<10	148	<10	113
112342	0.32	2.3	0.85	2	<10	100	0.9	<2	3.67	1.9	10	18	3110	3.12	<10	1	0.68	20	1.05	1205	28	0.05	3	1300	77	1.6	<2	8	1415	0.08	<10	<10	145	<10	184
112343	0.245	1.3	1.01	<2	<10	280	1.1	<2	3.23	<0.5	10	28	1455	3	10	1	0.62	20	1	1075	1	0.07	5	1360	23	0.63	<2	8	946	0.11	<10	<10	152	<10	79
112344	0.123	0.5	1.1	<2	<10	330	1.1	<2	3.06	<0.5	9	24	538	2.81	10	<1	0.58	20	0.89	928	2	0.07	5	1240	10	0.61	<2	6	710	0.15	<10	<10	158	<10	63
112345	0.038	7.2	1.07	14	<10	120	<0.5	4	1.92	0.5	4	36	2780	1.64	<10	<1	0.16	<10	0.23	273	247	0.05	8	220	41	0.47	<2	2	184	0.03	<10	<10	32	<10	56
112346	0.091	0.6	1.02	<2	<10	360	1.1	2	3.11	<0.5	9	31	556	2.81	10	1	0.55	20	0.86	945	2	0.07	4	1260	22	0.62	<2	6	832	0.13	<10	<10	151	<10	55
112347	0.347	1.4	0.81	<2	<10	290	1.1	3	2.69	0.6	11	21	1815	4.25	10	<1																			

112386	0.506	0.6	0.87	3630	30	10	<0.5	21	5.8	0.9	108	12	112	3.45	<10	1	0.03	10	0.2	575	33	0.06	29	1210	16	1.22	7	1	84	0.04	<10	<10	31	<10	134
112387	0.013	0.5	0.4	<2	<10	30	0.8	<2	5.68	0.5	6	9	480	1.61	<10	<1	0.32	10	0.65	890	7	0.04	5	1000	37	3.1	<2	3	1225	<0.01	<10	<10	37	<10	74
112388	0.029	0.5	0.48	7	<10	30	0.8	<2	4.95	<0.5	6	11	437	1.32	<10	1	0.37	10	0.7	824	5	0.04	3	1260	27	2.35	<2	2	1285	<0.01	<10	<10	38	<10	59
112389	0.026	<0.2	0.03	12	<10	10	<0.5	<2	>25.0	<0.5	<1	1	1	0.02	<10	1	0.01	<10	1.66	23	1	0.02	3	50	3	<0.01	2	<1	5200	<0.01	<10	<10	2	10	<2
112390	0.082	1.1	0.94	13	<10	60	1.6	<2	6.41	0.5	10	6	782	2.09	<10	<1	0.71	30	1.44	1635	1	0.05	4	2830	23	2.2	<2	3	947	0.01	<10	<10	96	10	140
112391	0.006	0.4	0.54	12	<10	20	1	<2	6.75	1.2	4	7	348	0.94	<10	<1	0.36	10	0.84	1585	13	0.03	3	1880	37	3.8	4	2	1510	<0.01	<10	<10	23	<10	158
112392	0.01	0.7	0.41	2	<10	20	0.8	<2	7.2	0.6	5	17	460	1.36	<10	1	0.29	10	0.94	1565	10	0.03	4	870	82	3.99	<2	5	1250	<0.01	<10	<10	26	<10	80
112393	0.021	0.4	0.38	6	<10	20	0.6	2	6.41	<0.5	4	6	343	0.97	<10	1	0.26	10	0.72	1160	7	0.03	5	1400	27	3.63	<2	3	1190	<0.01	<10	<10	20	<10	55
112394	0.025	0.5	0.43	9	<10	20	0.9	<2	5.87	5.5	4	12	523	1.08	<10	1	0.28	<10	0.68	1120	16	0.04	2	570	186	3.58	4	2	1095	<0.01	<10	<10	16	<10	571
112395	0.019	<0.2	0.44	<2	<10	80	1.1	<2	3.49	<0.5	5	11	114	1.4	<10	1	0.34	10	0.58	1190	1	0.05	2	850	22	1.44	<2	3	1075	<0.01	<10	<10	34	<10	87
112396	0.025	0.2	0.46	6	<10	70	1.1	<2	3.51	0.5	3	15	125	1.42	<10	<1	0.36	10	0.59	1205	1	0.05	2	870	23	1.46	<2	3	1075	<0.01	<10	<10	35	<10	88
112397	0.019	0.3	0.63	12	<10	80	1.6	<2	4.1	<0.5	3	11	215	1.11	<10	<1	0.49	20	0.5	1455	<1	0.05	1	900	43	1.9	<2	2	1620	0.01	<10	<10	31	<10	120
112398	0.023	0.2	0.59	<2	<10	100	1.2	<2	3.46	<0.5	3	18	290	1.04	<10	<1	0.45	20	0.5	1180	1	0.05	2	690	16	1.52	<2	2	1295	<0.01	<10	<10	23	<10	96
112399	0.014	0.3	0.44	4	<10	60	0.8	<2	3.94	<0.5	3	12	293	0.88	<10	<1	0.37	10	0.57	1005	<1	0.05	1	590	9	1.94	<2	2	1730	<0.01	<10	<10	20	<10	83
112400	0.023	0.2	1.2	5	<10	100	1.7	<2	4.32	<0.5	4	19	264	1.54	<10	<1	0.77	30	0.78	1625	1	0.07	4	1500	28	1.53	<2	3	1400	0.04	<10	<10	53	<10	158
112401	0.052	0.2	0.85	4	<10	100	1.2	<2	3.52	1	4	14	305	1.12	<10	1	0.62	20	0.64	1260	<1	0.06	2	750	37	1.17	<2	2	1610	0.02	<10	<10	33	<10	182
112402	0.027	0.2	0.51	<2	<10	120	0.7	<2	2.7	<0.5	5	24	238	1.27	<10	<1	0.4	10	0.41	531	1	0.07	3	410	7	1.4	<2	2	1175	0.01	<10	<10	32	<10	46
112403	0.021	0.2	0.4	<2	<10	90	0.5	<2	2.42	<0.5	3	14	203	0.77	<10	<1	0.33	10	0.39	530	1	0.05	1	480	9	1.06	<2	2	1470	0.01	<10	<10	21	<10	49
112404	0.014	3.2	0.3	2	<10	110	<0.5	4	0.88	<0.5	1	138	7870	1.03	<10	<1	0.17	<10	0.08	148	41	0.02	10	150	<2	0.8	<2	<1	197	0.01	<10	<10	7	<10	18
112405	0.516	6.4	0.37	3	<10	30	<0.5	<2	6.77	3	5	16	838	1.24	<10	<1	0.29	10	0.49	695	149	0.05	1	580	229	4.93	<2	3	2650	0.01	<10	<10	34	<10	236
112406	0.016	0.3	0.74	<2	<10	110	0.7	<2	2.95	<0.5	7	18	434	1.56	<10	<1	0.55	10	0.5	615	13	0.06	3	610	9	1.02	<2	4	1170	0.05	<10	<10	66	<10	37
112407	0.013	0.3	0.38	<2	<10	70	<0.5	<2	2.6	<0.5	3	25	218	0.83	<10	<1	0.34	10	0.26	356	6	0.07	2	360	8	1.34	<2	2	1275	0.01	<10	<10	24	<10	22
112408	0.01	<0.2	0.97	<2	<10	170	0.7	<2	2.55	<0.5	6	23	218	1.88	<10	<1	0.52	10	0.65	618	36	0.08	3	820	8	0.89	<2	5	626	0.14	<10	<10	96	<10	41
112409	<0.005	0.3	0.68	<2	<10	350	0.9	<2	2.98	0.5	2	21	101	0.54	<10	1	0.47	20	0.35	581	1	0.08	1	480	20	0.82	<2	1	1285	0.03	<10	<10	20	<10	58

VA04057730 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 60
 DATE RECEIVED : 2004-08-26 DATE FINALIZED : 2004-09-08
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE DESCRIP1	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
112248	0.011	0.3	0.53	6	<10	420	0.8	<2	2.07	<0.5	4	16	141	2.07	<10	<1	0.42	10	0.52	877	1	0.06	2	790	15	0.23	<2	3	904	0.03	<10	<10	76	<10	38
112249	0.055	0.6	0.35	3	<10	480	<0.5	<2	1.25	1.1	4	16	244	1.58	<10	<1	0.35	10	0.31	670	1	0.04	2	530	53	0.31	<2	2	1020	0.01	<10	<10	37	<10	134
112250	0.016	0.3	0.59	<2	<10	520	0.7	<2	1.99	<0.5	5	19	178	1.98	<10	1	0.51	20	0.5	923	1	0.07	2	800	12	0.17	<2	4	1045	0.01	<10	<10	53	<10	39
112251	0.117	1.3	0.55	<2	<10	630	0.9	<2	2.55	0.5	5	11	226	1.74	<10	<1	0.45	10	0.64	1045	3	0.04	2	1020	162	0.23	2	5	1155	0.01	<10	<10	42	<10	88
112252	0.014	0.3	1.14	<2	<10	310	1.4	<2	2.66	<0.5	7	11	166	2.27	<10	<1	0.74	10	0.63	916	<1	0.06	2	980	13	0.09	<2	6	1050	0.06	<10	<10	124	<10	56
112253	0.027	0.2	0.71	2	<10	490	1.2	<2	2.22	0.5	6	11	112	1.9	<10	<1	0.63	10	0.67	1055	1	0.03	4	1150	34	0.29	<2	6	1030	0.03	<10	<10	81	<10	84
112254	0.023	0.2	0.64	<2	<10	800	0.9	<2	2.23	<0.5	6	11	306	2.2	<10	<1	0.52	10	0.66	1355	1	0.05	5	1020	26	0.18	3	5	1420	0.01	<10	<10	65	<10	58
112255	0.459	0.6	0.93	3690	40	20	<0.5	21	5.97	0.7	114	13	118	3.5	<10	<1	0.03	10	0.21	586	34	0.07	33	1220	19	1.34	9	1	90	0.05	<10	<10	34	<10	138
112256	0.018	<0.2	0.59	7	<10	510	1.1	<2	2.54	<0.5	6	10	191	2.26	<10	1	0.47	10	0.61	971	2	0.04	2	950	11	0.21	<2	5	1435	0.01	<10	<10	80	<10	65
112257	0.042	1.1	0.71	6	10	540	1.1	<2	2.58	2	6	8	263	2.35	<10	<1	0.55	10	0.64	1145	20	0.05	2	980	126	0.44	<2	5	1295	0.02	<10	<10	84	<10	268
112258	0.03	0.3	0.8	<2	<10	690	1.1	<2	2.63	<0.5	5	9	229	2.27	<10	<1	0.57	10	0.61	1080	10	0.04	4	1010	14	0.26	2	5	1580	0.02	<10	<10	97	<10	45
112259	0.054	0.5	1.62	7	<10	460	1.8	<2	4.15	<0.5	10	6	328	3.28	10	<1	0.94	20	1.21	1660	2	0.05	6	2830	21	0.28	<2	8	867	0.05	<10	<10	195	<10	104
112260	0.119	1.2	1.8	10	<10	450	2.4	<2	5.07	<0.5	10	6	1070	2.94	10	<1	0.98	30	1.58	1875	<1	0.05	7	2390	12	0.12	<2	10	949	0.08	<10	<10	169	<10	158
112261	0.113	1.1	1.91	2	<10	480	2.6	<2	5.27	<0.5	10	8	1050	2.99	10	<1	1.04	30	1.61	1915	<1	0.06	6	2350	5	0.12	<2	10	942	0.09	<10	<10	174	<10	160
112262	0.075	1.1	1.28	11	<10	450	2.1	<2	5.35	<0.5	10	5	1570	2.83	10	<1	0.76	40	1.64	2380	1	0.05	7	4560	10	0.33	<2	10	1120	0.04	<10	<10	148	<10	87
112263	0.028	0.3	1.17	6	<10	540	1.8	<2	5.46	<0.5	12	8	317	3.82	10	<1	0.8	40	1.76	1840	1	0.1	7	5250	6	0.13	<2	12	1135	0.06	<10	<10	233	<10	90
112264	0.076	0.4	0.92	10	<10	370	1.7	<2	5.05	<0.5	12	7	385	4.33	10	<1	0.64	30	1.77	1950	1	0.04	10	3450	13	0.22	<2	13	851	0.04	<10	<10	246	<10	112
112265	0.174	0.5	0.6	6	<10	680	0.9	<2	3.51	<0.5	9	10	628	3.38	<10	1	0.51	20	1.25	1530	1	0.05	9	2200	10	0.15	<2	11	1235	0.03	<10	<10	170	<10	62
112266	0.094	0.6	0.77	4	<10	610	1.4	<2	3.85	<0.5	8	8	780	2.51	<10	1	0.52	30	1.12	1155	1	0.04	7	3920	11	0.13	<2	7	1105	0.04	<10	<10	142	<10	72
112267	0.056	0.4	0.74	6	<10	690	1.5	<2	4.71	<0.5	9	7	555	3.22	<10	<1	0.57	40	1.24	1555	1	0.05	5	6290	14	0.12	2	9	1290	0.02	<10	<10	156	<10	84
112268	<-0.005	<-0.2	0.04	5	<10	10	<0.5	<2	>25.0	<0.5	<1	<1	3	0.03	<10	<1	0.01	<10	2.26	22	1	0.01	1	70	2	<-0.01	<2	<1	5730	<0.01	<10	<10	2	<10	<2
112270	0.319	1.3	0.66	<2	<10	840	1.5	<2	3.5	<0.5	8	6	1830	2.44	<10	1	0.53	20	1.07	1455	<1	0.04	4	2300	31	0.23	2	8	1175	0.01	<10	<10	93	<10	84
112271	0.091	1.1	0.8	6	10	310	1.8	<2	4.1	<0.5	10	6	719	2.79	<10	1	0.6	20	1.21	3040	5	0.03	6	2200	32	0.42	<2	9	1385	0.02	<10	<10	109	<10	108
112274	0.274	5.9	1	13	10	100	2.1	37	5.18	0.8	11	9	857	3.6	<10	<1	0.62	40	1.53	5020	3	0.02	3	4580	106	1.1	3	9	1105	0.01	<10	<10	129	<10	154
112272	0.158	1.5	1.04	9	<10	670	2.3	<2	4.85	<0.5	11	3	1775	4.38	<10	<1	0.73	30	1.54	5130	1	0.02	7	3300	22	0.32	2	10	962	0.01	<10	<10	132	<10	182
112273	0.049	1.1	0.87	9	10	70	1.9	2	5.06	0.8	10	5	811	3.81	<10	1	0.61	30	1.4	3900	1	0.01	5	4190	67	1.03	<2	11	922	<0.01	<10	<10	103	<10	237
112274	<-0.005	<-0.2	0.04	2	<10	20	<0.5	<2	>25.0	<0.5	<1	<1	10	0.05	<10	<1	0.01	<10	2.24	58	<1	0.01	7	70	<2	<-0.01	<2	<1	5780	<0.01	<10	<10	3	<10	2
112275	0.167	0.8	0.79	13	<10	30	1.4	2	6.34	1.9	16	8	614	4.29	<10	<1	0.57	30	1.48	5680	1	0.01	9	4920	69	2.99	<2	9	1130	0.01	<10	<10	111	<10	249
112276	0.134	10.7	0.62	15	<10	60	0.9	3	3.33	<0.5	10	7	465	3.29	<10	<1	0.51	10	0.87	>10000	2	0.01	6	1340	33	1.16	<2	7	1285	0.01	<10	<10	77	<10	63
112277	0.031	0.4	0.57	<2	<10	90	0.8	<2	3.39	<0.5	8	10	537	3.2	<10	1	0.49	20	0.89	>10000	1	0.02	4	1380	12	0.79	<2	7	1455	<0.01	<10	<10	77	<10	57
112278	0.031	0.5	0.46	2	<10	110	0.8	<2	3.45	<0.5	8	7	519	3.12	<10	<1	0.41	20	0.9	>10000	1	0.03	3	1400	11	0.76	<2	7	1370	<0.01	<10	<10	71	<10	56
112279	0.026	0.3	0.39	<2	<10	60	<0.5	<2	2.63	<0.5	6	10	284	2.66	<10	<1	0.42	10	0.49	>10000	3	0.02	4	910	17	1.2	<2	6	1485	<0.01	<10	<10	53	<10	31
112280	0.027	0.6	0.39	2	<10	50	0.7	2	5.51	0.6	8	7	355	4.44	<10	1	0.34	10	1.14	>10000	5	0.01	6	1200	36	1.76	<2	8	1230	0.01	<10	<10	130	<10	94
112281	0.131	3	0.58	12	<10	30	1.2	5	3.66	0.6	6	10	1260	2.73	<10	1	0.48	20	0.51	>10000	64	0.01	4	3720	107	2.16	3	4	1250	0.01	<10	<10	53	<10	64
112282	0.033	0.5	0.66	<2	<10	50	0.9	<2	3.88	<0.5	5	8	657	1.74	<10	<1	0.51	10	0.82	5240	1	0.01	4	1920	10	1.48	<2	3	1185	0.01	<10	<10	45	<10	56
112283	0.057	0.4	0.66	3	<10	40	1.1	<2	5.77	0.5	7	11	446	2.68	<10	<1	0.54	30	1.26	5170	1	0.03	6	3730	30	1.98	<2	7	1320	0.02	<10	<10	110	<10	119
112284	0.158	2.5	0.38	15	<10	20	0.5	3	5.7	0.9	8	11	548	2.68	<10	<1	0.36	20	0.92	5800	24	0.01	5	3040	72	4.25	<2	5	1325	0.01	<10	<10	73	<10	138
112285	0.131	0.8	0.47	5	<10	40	0.7	<2	3.39	<0.5	6	15	563	2.57	<10	<1	0.44	10	0.87	4980	1	0.02	5	1460	20	1.46	<2	6	1365	0.01	<10	<10	83	<10	47
112286	0.034	3.2	0.31	<2	<10	110	<0.5	3	0.86	<0.5	2	135	8230	1.05	<10	1	0.17	<10	0.08	153	41	0.01	10	170	<2	0.81	<2	<1	209	0.01	<10	<10	8	<10	21
112287	0.224	2.4	0.43	13	<10	30	0.5	5	3.79	<																									

VA04057731 - Finalized
 CLIENT : "SPEGOL - Spectrumgold Inc."
 # of SAMPLES : 52
 DATE RECEIVED : 2004-08-26 DATE FINALIZED : 2004-09-09
 PROJECT : "Galore Creek"
 CERTIFICATE COMMENTS : ""
 PO NUMBER : ""

SAMPLE	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn	Cu
DESCRIP1	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
103505	0.229	8.2	1.28	23	10	60	<0.5	2	7.17	5.8	9	4760	3.15	10	<1	0.48	30	0.44	2180	210	0.2	3	1420	3460	3.35	2	5	1985	0.15	<10	<10	292	<10	371		
103506	0.406	8.2	1.06	17	10	80	0.6	<2	5.42	10.2	12	5	4710	2.31	10	<1	0.7	40	0.62	2090	113	0.03	4	900	3470	2.78	2	2	1840	0.11	<10	<10	166	<10	761	
103507	0.909	12.1	1.54	20	10	40	0.5	8	8.01	11.8	17	3	8640	4.4	10	<1	0.89	20	0.75	2760	83	0.04	5	1190	2080	4	<2	5	1795	0.17	<10	<10	377	<10	897	
103508	0.178	5.4	1.15	15	<10	140	<0.5	2	2.48	1.5	5	79	3120	1.86	<10	<1	0.27	10	0.3	555	247	0.06	8	300	342	0.84	2	2	422	0.05	<10	<10	54	<10	138	
103509	0.7	13.4	1.21	26	10	30	0.6	5	6.31	9.1	13	3	8700	3.19	10	<1	0.89	20	0.67	2080	121	0.03	5	1600	1150	3.79	<2	3	1990	0.14	<10	<10	236	<10	654	
103510	0.718	16.1	1.09	22	<10	40	0.6	<2	6.12	14.1	15	7	>10000	3.19	10	<1	0.77	20	0.8	2320	31	0.03	6	1440	401	3.79	2	3	1845	0.13	<10	<10	212	<10	1055	
103511	0.291	7.7	1.27	16	10	30	0.7	<2	6.22	3	10	3	4170	2.8	10	<1	1.03	10	0.83	2610	2	0.03	4	1180	134	2.86	2	3	1880	0.12	<10	<10	154	<10	235	
103512	0.276	7.6	0.78	13	10	40	0.5	<2	6.22	7.2	8	5	3640	2.11	10	1	0.6	30	0.43	1965	237	0.03	2	780	1080	3.09	<2	3	2230	0.05	<10	<10	160	<10	496	
103513	0.326	8	0.81	15	10	40	0.5	<2	6.15	7.9	8	<1	3560	2.12	10	<1	0.6	30	0.44	1975	258	0.03	2	790	1150	3.03	<2	3	2190	0.05	<10	<10	166	<10	571	
103514	0.565	17.7	1.25	12	<10	60	0.8	<2	7.06	11.4	9	4	7220	2.92	10	<1	0.82	20	0.93	3460	119	0.03	3	1230	552	4.17	<2	4	2050	0.11	<10	<10	196	<10	797	
103515	0.491	22	1.26	15	10	40	1	<2	5.26	9.6	8	<1	7220	2.93	10	<1	0.7	20	0.65	2510	2	0.05	3	860	349	3.33	<2	3	1920	0.08	<10	<10	225	<10	650	
103516	0.31	10.4	1.01	20	10	50	0.6	2	6.93	3.5	10	5	3770	2.7	10	<1	0.61	30	0.8	2800	26	0.04	4	1320	346	3.18	<2	3	1810	0.07	<10	<10	183	<10	254	
103517	0.786	18.4	1.14	39	10	30	0.7	6	8.18	14	21	<1	8860	4.49	10	<1	0.89	20	0.84	3400	451	0.04	4	2030	604	4.55	2	5	2220	0.16	<10	<10	316	<10	1045	
103518	0.342	9.8	1.18	18	10	100	0.7	<2	7.34	7.6	7	6	4390	2.71	10	<1	0.65	20	0.64	2470	5	0.04	4	1160	901	3.86	<2	3	1810	0.12	<10	<10	222	<10	504	
103519	0.564	19.8	1.09	23	10	50	0.7	<2	6.08	14.4	11	<1	7980	2.59	10	<1	0.79	20	0.66	2080	4	0.04	5	1200	599	4.17	<2	3	1920	0.13	<10	<10	173	<10	1080	
103520	0.383	10.7	1.16	20	10	50	0.7	<2	7.14	15.2	11	6	4490	2.8	10	1	0.85	20	0.71	2580	36	0.04	3	1400	1675	3.54	<2	4	2020	0.17	<10	<10	204	<10	1070	
103521	0.496	0.9	1.6	3600	70	70	<0.5	22	7.8	0.5	110	20	190	4.32	10	1	0.13	20	0.32	1015	39	0.14	31	1260	29	1.44	8	2	154	0.12	<10	<10	61	<10	160	
103522	0.436	9.3	1.25	26	10	70	0.7	<2	7.47	10	11	5	4070	3.34	10	<1	0.88	20	0.69	3010	75	0.04	2	1240	2280	3.4	2	3	1830	0.15	<10	<10	288	<10	724	
103523	0.799	23.3	1.21	58	10	50	0.5	17	8.42	17.9	14	1	6840	3.77	10	<1	0.88	30	0.73	3210	1	0.04	5	1300	3480	4.27	<2	4	1885	0.18	<10	<10	303	<10	1290	
103524	0.109	4.3	1.74	13	<10	110	0.9	<2	4.59	6.8	9	6	877	2.18	<10	<1	0.54	10	0.37	1445	3	0.88	2	680	1485	2.14	<2	3	1625	0.14	<10	<10	110	<10	538	
103525	0.385	12	2.36	22	10	50	0.8	<2	9.39	14	11	1	4850	3.52	10	<1	0.83	10	0.65	3050	339	0.75	4	1120	1255	4.89	<2	4	2330	0.19	<10	<10	299	<10	1035	
103526	0.405	9.4	1.68	25	10	90	0.7	<2	6.58	6.1	13	5	3310	2.41	<10	1	0.71	10	0.58	2200	195	0.61	3	800	430	3.68	<2	3	1965	0.14	<10	<10	136	<10	456	
103527	0.119	3.4	1.14	25	10	110	0.7	<2	4.12	6.5	9	2	1070	2.16	10	<1	0.59	20	0.38	1660	3	0.36	2	700	694	1.65	20	3	1995	0.07	<10	<10	100	<10	479	
103528	0.501	15.5	1.07	32	10	70	0.7	<2	6.8	13.2	14	4	5920	2.79	10	<1	0.66	20	0.53	2440	25	0.07	4	770	586	3.1	9	3	1825	0.11	<10	<10	183	<10	933	
103529	0.338	13.6	1.56	35	10	40	1.3	2	9.31	9.3	13	3	6000	3.26	10	1	1.07	20	0.98	3420	1	0.05	7	1860	1140	5.17	2	4	2430	0.19	<10	<10	224	<10	723	
103530	0.345	13.7	1.46	37	10	30	1.1	<2	10.15	10.2	13	7	6350	3.27	10	<1	1.03	20	1.01	3510	1	0.05	6	1960	1345	5.76	<2	4	2430	0.18	<10	<10	232	<10	783	
103531	0.356	9.2	1.52	20	10	50	0.8	2	6.9	7.5	10	2	3810	2.93	10	<1	0.9	10	0.66	2610	2	0.2	6	950	616	3.44	<2	4	1910	0.17	<10	10	269	<10	506	
103532	0.125	3.7	2.14	21	10	60	0.8	<2	4.82	2.4	8	7	917	2.31	10	<1	0.62	10	0.55	1725	96	1.07	2	690	429	2.59	<2	4	2010	0.12	<10	10	143	<10	253	
103533	0.284	3.8	1.48	14	10	110	0.6	<2	5.02	2.4	8	1	1320	2.09	10	<1	0.72	10	0.47	1750	18	0.45	2	740	481	1.86	<2	2	1760	0.14	<10	<10	123	<10	193	
103534	0.469	17.2	1.2	33	10	30	0.5	8	7.94	5.6	15	6	5330	3.52	10	<1	1.05	20	1.07	3080	13	0.03	7	2000	883	4.38	<2	5	1985	0.2	<10	<10	244	<10	395	
103535	<0.005	<0.2	0.02	7	<10	30	<0.5	<2	>25.0	<0.5	<1	<1	11	0.09	<10	<1	0.01	<10	0.59	121	<1	0.03	<1	80	4	<0.01	<2	<1	303	<0.01	<10	<10	<1	<10	2	
103536	0.24	8.3	1.3	13	10	50	0.6	<2	7.48	9.8	9	5	2660	2.3	10	<1	0.77	10	0.65	2110	1	0.27	4	1090	805	3.96	<2	3	2240	0.14	<10	<10	206	<10	669	
103537	0.434	16.2	1.52	21	10	40	0.6	2	7.98	3.9	14	3	5970	3.05	10	<1	1.2	10	0.98	2170	1	0.18	6	1710	140	4.86	<2	4	2490	0.18	<10	<10	228	<10	303	
103538	0.368	10	1.62	21	10	30	0.7	<2	9.66	3.8	13	6	3690	4.25	10	<1	1.04	20	0.83	2350	86	0.28	7	1840	209	5.4	<2	6	2560	0.21	<10	<10	432	<10	313	
103539	0.157	2.9	1.16	25	10	40	0.7	<2	7	1.7	11	2	1160	2.11	10	<1	0.73	10	0.41	1740	1	0.18	<1	860	114	2.88	<2	3	2500	0.1	<10	<10	173	<10	148	
103540	0.241	5.3	1.71	24	10	40	0.7	<2	10.6	6.3	9	7	2580	3.57	10	<1	0.83	20	0.71	2770	1	0.31	3	1940	975	4.66	<2	6	2490	0.19	<10	<10	309	<10	460	
103541	0.193	4.6	3.18	19	10	60	1	<2	11.85	2.1	8	2	2060	4.76	20	<1	1.08	20	0.96	3380	<1	1.06	3	1550	774	4.46	<2	6	2670	0.25	<10	<10	420	<10	215	
103542	0.11	2.4	3.09	12	<10	90	1	<2	8.57	2.4	7	6	911	2.53	10	<1	0.75	10	0.78	2170	1	1.48	3	780	386	4.25	<2	3	2740	0.13	<10	<10	201	<10	230	
103543	0.086	2.3	2.99	16	10	70	1	<2	10.55	1.1	8	2	907	3.41	10	<1	0.93	10	0.89	2860	1	1.18	4	1340	450	4.92	<2	4	3130	0.17	<10	<10	304	<10	140	
103544																																				