# Report on a Geological Sampling Survey

## **GOLDBRIDGE PROPERTY**

TYLERSTONE CLAIM

LILLOOET MINING DIVISION

GOLLDBRIDGE AREA

N.T.S. 92J 15W

Longitude 122° 47' W

514000 m E

Latitude 50° 5

5633750m N

**OWNER** 

Edward Skoda,

Ste 320 1100 Melville St Vancouver, British Columbia V6E 4A6

Work Performed from March 1, 2004 th ough February 15, 2005

Report By: W. Tunning

Submitted May , 2005

#### TABLE OF CONTENTS

		Page	
1.00	Introduction	1	
2.00	Location, Access and Description	1	
3.00	History		
4.00	Work Program 4.10 Geological Mapping Survey	1 2	
5.00	Conclusions	2	
	Exhibit "A" - Statement of Expenditure  Affidavit	6 7	
	Author's Qualifications	at end	
	<u>TABLES</u>		
	Table 1 - Mineral Tenure Status	5	
	MAPS Map 1 - Location Map Map 2 - Geological Traverses and Interpretation Map	3 4	
	APPENDICES 1 - Rock Descriptions and Assays	8	

#### Report on a Geological Sampling Survey

#### **GOLDBRIDGE PROPERTY**

#### TYLERSTONE CLAIM

#### LILLOOET MINING DIVISION

W. Timmins May, 2005

1.00 Introduction

Tylerstone Resources optioned the 18 unit claim group in 2003 and under took to evaluate and locate gold mineralization discovered in previous work and mined to the north in the Gold Bridge area of British Columbia..

The claim work was filed as CAD Event -------.

The region has an active mining history for precious metals and the property has been the focus of gold exploration since the 1930's. Exploration work has been sporadic since the high gold prices in the mid 1980's, although the area has remained as a focus of gold exploration.

Geological mapping and prospecting sampling surveys were undertaken to establish and evaluate the presence of gold zones on the property. Over 2.5 kilometres of ridge top geological traverses and 4 kilometres of road traverses were undertaken on the property by consultants for the company during 2004 at a cost of \$4,575.

2.00 Location, Access and Description

The claim is located south of Carpenter Lake and six kilometres east of Gold Bridge, British Columbia. Access is provided to the claims via trails that go south from Carpenter Lake along the east side of the property (Truax Creek Road Map 1).

The property consists of 20 claim units in one claim as listed in Table 1 (page 7). The topography is fairly rugged extending from 5800 feet to over 8500 feet in elevation. The lower elevations consist of forested slopes giving way at higher elevations to typical high alpine meadows and sparse or drawfed timber.

3.0 History

Gold was discovered in the area in the early part of the 20<sup>th</sup> century leading to the development of several mines that make up the Bralorne Gold Mining Camp. From the inception of mining to the curtailment of operations in the early 1980's a total of 3.8 million ounces of gold was produced from the area.

In mid 1980's with higher gold prices the area was subjected to a new wave of exploration. During this time the area of this report was staked and several geochemical and geophysical surveys were conducted. The presence of gold mineralization was noted on the claims but not followed up by drilling or detailed investigation.

A government regional geochem survey has been completed and the data corresponds favourably within the staked claims.

Direct exploration has been recorded on the property and on surrounding properties and the old mines immediately to the south and north of the claim (Minfile # 092JNE 001, 004, 029,030, 045 and 075).

4.00 Work Program

Exploration during 2004 on the Property was mainly geological prospecting, sampling and mapping to identify the presence of the precious metal bearing structures which are similar to those at the old mine sites. Geological

traverses mainly along the road to the east of the property and along short stretches up the drainages confirmed the regional geology and a ridge top traverse was conducted through the centre of the property. The geology was consistent to that of the areal showings and the sampling provided confirmation of the initial reports of favourable geology for gold mineralization was on the property.

#### 4.10 Geological Mapping Survey


The survey was undertaken in 2004 to better delineate the geology of the claims and its relationship to the suspected auriferous structures. The geology is summarized and Map 2 and rock descriptions are attached as Appendix I. In most of the area the claim visited, was under lain by Bender Stock Intrusive with the surrounding area hosting ultramafics akin to those found in the area of the Gold Bridge mining camp.


#### 5.00 Conclusions

The Claims have the continuation of the intrusives and related ultramafic rocks, located within its boundaries that are associated with the area's gold producing mines.

More detailed surveying to better delineate the potential by exploration geochemistry and detailed sampling is necessary to define targets effectively.

Further exploration is required to further evaluate





## TABLE 1

Claim Name	Mineral Tenure #	Map Sheet #	Expiry Date
TYLERSTONE	367927	092J15W	Feb 23/2006

#### **EXHIBIT "A"**

#### STATEMENT OF EXPENDITURES

# on a Geological Sampling Survey GOLDBRIDGE PROPERTY

TYLERSTONE CLAIM

LLOOET MINING DIVISION GOLLDBRIDGE AREA N.T.S. 92J 15W

Work Performed from March 1, 2004 through February 15, 2005 Report By: W. Timmins Submitted: March , 2005

#### SALARIES:

L. Stephenson - Geologist, P. Eng. Geological Mapping	-	1 days @ \$500/Day
Glen Macdonald - Geologist, Geological Mapping	-	2 days @ \$500/Day
William Timmins - Geologist, Geological Mapping	-	2 days @ \$500/Day
W. Timmins Report writing, Compilation of data		1.5 days @ \$500/Day
& Map Preparation		

Total Geology Salaries \$ 3,250

#### TRANSPORTATION:

2 - 4x4 Pickup; 2 days @ \$85/day	\$	170
Fuel, \$60/day	\$	120
Food and supplies	\$	200
Portion of Helicopter usage attributed	\$1	,000

TOTAL = \$ 4,575

6

WILLIAM TIMMINS

# IN THE MATTER OF THE B.C. MINERAL ACT AND IN THE MATTER OF A GEOLOGICAL MAPPING SURVEY PROGRAM

CARRIED OUT ON THE TYLERSTONE CLAIM

GOLDBRIDGE AREA
in the LLOOET MINING DIVISION GOLLDBRIDGE AREA

N.T.S. 92J 15W

of the province of British Columbia

More Particularly N.T.S. 92H

#### AFFIDAVIT

- I, W. Timmins, of the City of North Vancouver, in the Province of British Columbia, make an oath and say:
- 1. That I am a geologist and as such have a personal knowledge of the facts to which I hereinafter depose:
- 2. That annexed hereto and marked as Exhibit "A" to this my Affidavit is a true copy of expenditures incurred on a Geological Mapping and Sampling program, on the TYLERSTONE CLAIM;
- 3. That the said expenditures were incurred between Work Performed from March 1, 2004 through February 15, 2005 for the purpose of mineral exploration. Report writing continued into March , 2005.

7

# Appendix I

Sample	Rock Type	Description
WT 10	Schistosed	Fergusson formation(?) fine grained massive outcrop with intense sheared
	Altered	zone with abundant quartz carbonate alteration 11°/76°W (intrusive?)
	Ultramafic	
WT 11	Intrusive	Biotite - Hornblende Diorite to Granodiorite (Bendor Stocks) Massive
		medium grained
WT 12	Intrusive	Amphibolite medium grained homogeneous Hornblende Diorite
	(Ultramafic?)	like WT2 but more ultramafic character
WT 13	Intrusive	Hornblende Diorite to Granodiorite (Bendor Stocks) as at WT 11
WT 14	Intrusive	Hornblende Diorite to Granodiorite (Bendor Stocks) as at WT 11
WT 15	Intrusive	Hornblende Diorite to Granodiorite (Bendor Stocks) as at WT 11
WT 16	Schistosed	Hornblende Diorite to Granodiorite (Bendor Stocks) highly schistosed at
	Intrusive	175°/85° W zone of alteration abundant quartz veining
WT 17	Intrusive	Hornblende Diorite to Granodiorite (Bendor Stocks)
Off Property		
WT 18	Schistosed	Fergusson formation(?) fine grained green massive volcanic?
Near Mt	Altered	(Ultramafic?) outcrop with intense sheared zone with abundant quartz
Truax	Volcanic	carbonate alteration 165°/65°W
WT 19	Schistosed	associated with more massive green amphibolites to the east, fine grained
	Altered	grey black cherty argillites outcrop is intensely sheared with abundant
	sediments	quartz carbonate alteration 21°/75°W
WT 20	Altered	Amphibolite and some marble bands in part biotite gniess
	sediments	
WT 21	Altered Gniess	Fergusson formation(?) fine grained massive outcrop (intrusive?)

#### STATEMENT OF QUALIFICATIONS

I, WILLIAM G. TIMMINS, of the city of Vancouver, in the Province of British Columbia, do hereby certify that:

- 1. I am a consulting geologist, with offices at 1016 470 Granville Street, Vancouver, B.C.
- 2. I have been practising my profession for the past 39 years, having been engaged in the evaluation, exploration and development of mineral properties throughout Canada, the United States, Latin and South America, Australia and New Zealand.

3. I am a registered Professional Engineer in the Province of British Columbia since 1969.

May, 2005

W.G. Timmins P.E.