



APPENDIX

I

2004 Rock Assay Certificates




to accompany

Geological, Geochemical, Diamond and Drilling Report on the

Sickle - Bee Gee Claim Group

April 15, 2005



Appendix I

2004 Rock Assay Certificates

GEOCHEMICAL ANALYSIS CERTIFICATE

Stealth Minerals Limited PROJECT SICKLE File # A403173

554 East Kings Road, North Vancouver BC V7N 1J3




SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample				
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm			
S1	.02	45	53	2.2	3	.1	<.1	<.1	0.2	.1	<.1	.5	<.1	2.5	.01	.07	<.02	<.2	13<.001	<.5	<.5	<.01	9.0<.001	1	01	.568	<.01	<.1	<.1	<.02	.03	<.5	.1	<.02	<.1	15	0					
C204551	5.33	22.94	12.50	11.8	92	.7	1.5	39	3.28	18.0	.4	5.1	.8	7.9	.04	1.54	.27	31	.04	.092	.5	5.1	.06	140	0	.001	2	.59	.005	.04	<.1	1.3	23	1.07	81	7.6	54	4.4	15.0			
C204552	.44	.34	1.20	.7	6	.1	<.1	1	.74	.3	.7	.9	.7	19.0	.02	.25	.09	15	<.01	.001	.6	1.3	<.01	2756	3	.004	1	.07	.002	<.01	<.1	4	<.02	.08	78	<.1	<.02	.3	15.0			
C204553	.57	.25	1.74	.3	39	.1	<.1	<.1	.13	.2	.2	6	1.2	15.4	.01	.06	.12	7	<.01	.002	3.2	.8	<.01	1093	8	.001	<.1	.07	.002	<.01	<.1	3	<.02	.03	123	<.1	<.02	.2	15.0			
C204554	1.28	9.75	2.97	2.6	151	.3	.3	6	.71	.5	.2	1.8	.3	50.6	.01	.30	.61	59	.06	.029	1.0	6.0	<.01	2280	4	.005	<.1	.26	.002	<.01	<.1	3	<.02	.06	156	3	.07	1.1	15.0			
C204555	1.71	29.89	9.73	5.7	112	.2	.6	18	6.96	1.6	1.8	.6	1.7	6.3	.04	1.22	.31	219	.33	.011	1.5	6.5	<.01	99.9	.032	1	.19	.005	.03	<.1	2.2	<.02	.02	113	<.1	.12	2.2	15.0				
C204556	.16	1.35	13.19	125.9	10	2.5	12.6	968	4.33	2.9	1.1	.9	3.8	8.4	.04	.70	.22	47	.46	.078	30.4	8.1	1.18	123.5	.008	1	1.75	.007	.14	<.1	4.8	.05	<.01	64	1	.04	4.5	15.0				
C204557	5.15	5.09	5.51	88.9	140	1.0	4.2	90	8.08	23.2	.2	<.2	2.9	79.6	.04	.33	4.47	6	.01	.038	1.5	1.6	<.01	352	1	.001	1	.31	.003	.01	<.1	6	<.02	.04	8	3	10	.9	15.0			
C204558	1.48	9.54	3.93	1.3	93	.9	3.6	5	3.11	11.4	.1	1.6	.4	11.4	.01	.40	.68	3	<.01	.007	.6	2.7	<.01	56.9	.001	<.1	11	.005	.02	<.1	3	.02	2.46	21	1.3	42	.3	15.0				
C204751	1.36	2.13	27.91	8.0	266	.7	.2	36	26	14.3	.2	2.8	.3	29.8	.27	46.53	1.88	4	.01	.004	.7	6.0	<.01	896	3	.001	<.1	.21	.010	.09	.1	.7	.02	.22	<.5	.2	.23	2.0	15.0			
RE C204751	1.29	2.02	27.26	7.4	257	.7	.2	34	26	13.6	.2	2.6	.3	28.6	.27	43.84	1.82	4	.01	.003	.6	6.2	<.01	883	3	.001	<.1	20	.010	.09	2	6	.02	.21	6	.2	19	1.7	15.0			
C204752	1.12	2.71	27.59	44.3	656	.5	1.4	326	.93	8.0	.7	29.4	2.1	5.8	.17	.27	.07	3	.05	.020	10.1	2.6	.13	277	7	.001	<.1	42	.003	.25	<.1	3	10	.03	7	.1	<.02	1.6	15.0			
C204753	.81	4.17	20.78	23.6	1475	.5	.6	343	.45	4.3	.1	314.5	.3	8.4	.55	.17	.03	2	.48	.007	2.8	13.6	.02	205	0	<.001	1	.12	.001	.10	<.1	1	.05	.02	<.5	<.1	<.02	.4	15.0			
C204754	2.25	1.45	7.15	.5	85	.5	.1	14	.21	.2	.1	22.1	.4	42.1	.01	1.62	.07	4	<.01	.001	<.5	9.0	<.01	2286	6	.001	<.1	14	<.001	<.01	.2	3	<.02	.08	8	<.1	10	.5	15.0			
C204755	.63	2.11	21.26	.1	86	.5	.1	6	.14	3.4	.1	6.9	.2	16.3	.01	6.45	.65	5	<.01	.002	<.5	7.1	<.01	184	7	<.001	<.1	22	.009	.09	<.1	5	<.02	.18	6	.1	.06	3.1	15.0			
STANDARD D55	12.42	145	14	25.57	137.3	279	23.7	12.0	750	3.04	18.9	6.3	40.0	2.9	46	5	5.32	3.79	6.01	62	.73	.093	12	2	173.0	.67	140	5	.100	16	2.06	.034	14	4.8	3.5	1.06	.02	170	4.8	87	6.4	15.0

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data d FA _____

DATE RECEIVED: JUN 29 2004

DATE REPORT MAILED: July 15/04





GEOCHEMICAL ANALYSIS CERTIFICATE



Stealth Minerals Limited PROJECT SICKLE File # A403173
554 East Kings Road, North Vancouver BC V7N 1J3


SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	gm
S1	.02	.46	.53	2.2	3	.1	<.1	<.1	.02	.1	<.1	.5	<.1	2.5	.01	.07	<.02	<.2	.13	<.001	<.5	<.5	<.01	9.0	<.001	1	.01	.568	<.01	<.1	<.1	<.02	.03	<.5	.1	<.02	<.1	15.0
C204551	5.33	22.94	12.50	11.8	92	.7	1.5	39	3.28	18.0	.4	5.1	.8	7.9	.04	1.54	.27	31	.04	.092	.5	5.1	.06	140.0	.001	2	.59	.005	.04	<.1	1.3	.23	1.07	81	7.6	.54	4.4	15.0
C204552	.44	.34	1.20	.7	6	.1	<.1	1	.74	.3	.7	.9	.7	19.0	.02	.25	.09	15	<.01	.001	.6	1.3	<.01	2756.3	.004	1	.07	.002	<.01	<.1	.4	<.02	.08	78	<.1	<.02	.3	15.0
C204553	.57	.25	1.74	.3	39	.1	<.1	<.1	.13	.2	.2	.6	1.2	15.4	.01	.06	.12	7	<.01	.002	3.2	.8	<.01	1093.8	.001	<.1	.07	.002	<.01	<.1	.3	<.02	.03	123	<.1	<.02	.2	15.0
C204554	1.28	9.75	2.97	2.6	151	.3	.3	6	.71	.5	.2	1.8	.3	50.6	.01	.30	.61	59	.06	.029	1.0	6.0	<.01	2280.4	.005	<.1	.26	.002	<.01	<.1	.3	<.02	.06	156	.3	.07	1.1	15.0
C204555	1.71	29.89	9.73	5.7	112	.2	.6	18	6.96	1.6	1.8	.6	1.7	6.3	.04	1.22	.31	219	.03	.011	1.5	6.5	<.01	99.9	.032	1	.19	.005	.03	<.1	2.2	<.02	.02	113	<.1	.12	2.2	15.0
C204556	.16	1.35	13.19	125.9	10	2.5	12.6	968	4.33	2.9	1.1	.9	3.8	8.4	.04	.70	.22	47	.46	.078	30.4	8.1	1.18	123.5	.008	1	1.75	.007	.14	<.1	4.8	.05	<.01	64	.1	.04	4.5	15.0
C204557	5.15	5.09	5.51	88.9	140	1.0	4.2	90	8.08	23.2	.2	<.2	2.9	79.6	.04	.33	4.47	6	.01	.038	1.5	1.6	<.01	352.1	.001	1	.31	.003	.01	<.1	.6	<.02	.04	8	.3	.10	.9	15.0
C204558	1.48	9.54	3.93	1.3	93	.9	3.6	5	3.11	11.4	.1	1.6	.4	11.4	.01	.40	.68	3	<.01	.007	.6	2.7	<.01	56.9	.001	<.1	.11	.005	.02	<.1	.3	.02	2.46	21	1.3	.42	.3	15.0
C204751	1.36	2.13	27.91	8.0	266	.7	.2	36	.26	14.3	.2	2.8	.3	29.8	.27	46.53	1.88	4	.01	.004	.7	6.0	<.01	896.3	.001	<.1	.21	.010	.09	.1	.7	.02	.22	<.5	.2	.23	2.0	15.0
RE C204751	1.29	2.02	27.26	7.4	257	.7	.2	34	.26	13.6	.2	2.6	.3	28.6	.27	43.84	1.82	4	.01	.003	.6	6.2	<.01	883.3	.001	<.1	.20	.010	.09	.2	.6	.02	.21	6	.2	.19	1.7	15.0
C204752	1.12	2.71	27.59	44.3	656	.5	1.4	326	.93	8.0	.7	29.4	2.1	5.8	.17	.27	.07	3	.05	.020	10.1	2.6	.13	277.7	.001	<.1	.42	.003	.25	<.1	.3	.10	.03	7	.1	<.02	1.6	15.0
C204753	.81	4.17	20.78	23.6	1475	.5	.6	343	.45	4.3	.1	314.5	.3	8.4	.55	.17	.03	2	.48	.007	2.8	13.6	.02	205.0	<.001	1	.12	.001	.10	<.1	.1	.05	.02	<.5	<.1	<.02	.4	15.0
C204754	2.25	1.45	7.15	.5	85	.5	.1	14	.21	.2	.1	22.1	.4	42.1	.01	1.62	.07	4	<.01	.001	<.5	9.0	<.01	2286.6	.001	<.1	.14	<.001	<.01	.2	.3	<.02	.08	8	<.1	.10	.5	15.0
C204755	.63	2.11	21.26	.1	86	.5	.1	6	.14	3.4	.1	6.9	.2	16.3	.01	6.45	.65	5	<.01	.002	<.5	7.1	<.01	184.7	<.001	<.1	.22	.009	.09	<.1	.5	<.02	.18	6	.1	.06	3.1	15.0
STANDARD D55	12.42	145.14	25.57	137.3	279	23.7	12.0	750	3.04	18.9	6.3	40.0	2.9	46.5	5.32	3.79	6.01	62	.73	.093	12.2	173.0	.67	140.5	.100	16	2.06	.034	.14	4.8	3.5	1.06	.02	170	4.8	.87	6.4	15.0

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 2 FA _____

DATE RECEIVED: JUN 29 2004

DATE REPORT MAILED: July 15/04





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Hg	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
C204879	3.58	3.58	422.47	127.4	17350	2.0	3	1054	25	.9	<.1	1964.9	<.1	52.1	2.41	.24	<.02	2	4.81	.003	.8	8.0	.01	40.8	<.001	<.1	.06	.001	.04	4.8	1	.02	.03	18	.7	<.02	.2	15	
C204880	.67	3.76	113.90	53.8	38909	.9	5	1587	26	2.1	<.1	3846.5	<.1	261.4	.91	.30	<.02	<2	12.71	.003	1.4	10.7	.02	15.3	<.001	<.1	.04	.001	.02	<.1	1	<.02	.07	13	1.7	.02	.2	15	
C204881	3.19	3.40	11.41	42.4	27249	2.9	1.1	752	.50	1.6	<.1	2114.0	.1	16.6	.60	.44	.02	3	1.15	.005	1.0	10.7	.01	30.6	<.001	<.1	.10	.001	.06	5.8	.2	.05	.05	18	1.1	<.02	.4	15	
C204882	2.49	4.31	25.88	122.2	2254	1.2	3.3	558	1.33	7.7	.4	195.5	.8	5.7	1.11	.44	.09	13	.17	.022	4.6	8.6	.13	173.1	.001	<.1	.33	.007	.15	<.1	.5	.08	.18	5	.7	<.02	1.8	15	
C204883	1.34	8.14	36.69	56.9	86632	2.2	.2	1893	.22	2.6	<.1	10308.2	<.1	367.8	1.19	.26	<.02	<2	20.42	.002	.5	4.9	.13	20.3	<.001	<.1	.09	.001	.01	2.7	1	<.02	.12	7	3.6	.08	.5	15	
C204884	2.29	4.47	70.81	164.0	496	1.1	2.8	672	1.64	6.8	.6	17.4	2.2	6.3	1.61	.37	.02	14	21	.029	11.3	6.4	34	156.6	.001	<.1	.48	.013	.14	<.1	.7	.07	.24	5	.1	<.02	3.2	15	
C204885	1.65	6.39	15.65	71.6	2264	1.8	2.8	553	1.41	9.2	.6	146.7	2.2	8.7	.58	.76	.03	17	32	.030	6.6	5.7	.23	216.3	.003	<.1	.42	.021	.13	2.3	.8	.07	.35	<5	.2	<.02	3.9	15	
C204886	.48	5.50	11.11	55.6	446	1.0	2.8	502	1.46	8.0	.5	15.6	2.3	2.7	.19	.31	<.02	15	05	.028	3.6	6.7	.31	67.7	.002	<.1	.46	.014	.11	<.1	.7	.06	.31	<5	.1	<.02	3.9	15	
C204887	1.64	5.17	14.62	78.2	614	2.1	3.1	636	1.49	7.8	.6	9.1	2.5	5.2	.68	.36	<.02	15	20	.029	10.6	6.4	.32	180.1	.002	1	.47	.015	.14	2.8	.9	.06	.41	<5	<.1	<.02	4.3	15	
RE C204887	1.52	4.96	14.00	80.3	586	2.2	3.1	635	1.49	7.0	.6	6.1	2.4	4.8	.61	.33	<.02	15	.20	.027	9.9	6.9	.32	172.7	.002	1	.45	.014	.12	2.5	.7	.06	.34	<5	.1	<.02	4.2	15	
C204888	.82	9.21	31.84	140.3	20947	1.1	1.6	1186	.94	4.9	.2	2393.4	.5	282.8	2.41	.23	.06	5	10.34	.019	5.4	4.9	.33	69.4	.001	<.1	.30	.001	.08	<.1	.5	.04	.20	10	.6	.02	1.2	15	
C204890	2.76	4.91	22.08	74.8	22670	2.1	1.0	1263	.59	2.8	.2	2580.0	.2	102.9	.62	.40	.04	3	6.54	.009	2.4	8.4	.33	135.9	<.001	<.1	.29	.001	.07	4.8	.2	.04	.09	13	.6	.04	1.0	15	
STANDARD D55	12.22	146.29	26.18	139.5	278	24.0	11.8	762	2.99	18.4	6.3	43.0	2.9	46.9	5.41	3.77	6.35	62	.77	.095	12.8	179.5	.68	143.0	.099	16	2.09	.035	.15	5.1	3.4	1.08	.01	171	5.0	82	6.5	15	

Sample type: ROCK R150-60C. Samples beginning "RE" are Retuns and "RRE" are Reject Retuns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Stealth Minerals Limited PROJECT GRIZ-SICKLE File # A403177 Page 1
554 East Kings Road, North Vancouver BC V7N 1J3


Table with columns: SAMPLE#, Ho, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, P, La, Cr, Hg, Ba, Tl, B, Al, Na, K, W, Sc, Ti, S, Hg, Se, Te, Ga, Sample gm. Rows include sample IDs like C204559, C204560, etc., with numerical data for each element.

STANDARD DSS 12.13 145.19 25.35 139.2 278 24.4 11.7 747 3.00 18.0 6.1 44.2 2.9 47.5 5.50 3.74 6.07 62 .76 .093 12.9 176.7 .68 142.1 .105 16 2.12 .036 .14 4.7 3.4 1.04 .01 169 4.9 .82 6.5 15

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY - SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: JUN 29 2004 DATE REPORT MAILED: July 19/04



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Hg	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Tl	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
C204879	3.58	3.58	422.47	127.4	17350	2.0	.3	1054	.25	.9	<.1	1964.9	<.1	52.1	2.41	.24	<.02	2	4.81	.003	.8	8.0	.01	40.8	<.001	<.1	.06	.001	.04	4.8	.1	.02	.03	18	.7	<.02	.2	15
C204880	.67	3.76	113.90	53.8	38909	.9	.5	1687	.26	2.1	<.1	3846.5	<.1	261.4	.91	.30	<.02	<2	12.71	.003	1.4	10.7	.02	15.3	<.001	<.1	.04	.001	.02	<.1	.1	<.02	.07	13	1.7	.02	.2	15
C204881	3.19	3.40	11.41	42.4	27249	2.9	1.1	752	.50	1.6	<.1	2114.0	.1	16.6	.60	.44	.02	3	1.15	.005	1.0	10.7	.01	30.6	<.001	<.1	.10	.001	.06	5.8	.2	.05	.05	18	1.1	<.02	.4	15
C204882	2.49	4.31	25.88	122.2	2254	1.2	3.3	558	1.33	7.7	.4	195.5	.8	5.7	1.11	.44	.09	13	.17	.022	4.6	8.6	.13	173.1	.001	<.1	.33	.007	.15	<.1	.5	.08	.18	5	.7	<.02	1.8	15
C204883	1.34	8.14	36.69	56.9	86632	2.2	.2	1893	.22	2.6	<.1	10308.2	<.1	367.8	1.19	.26	<.02	<2	20.42	.002	.5	4.9	.13	20.3	<.001	<.1	.09	.001	.01	2.7	.1	<.02	.12	7	3.6	.08	.5	15
C204884	2.29	4.47	70.81	164.0	496	1.1	2.8	672	1.64	6.8	.6	17.4	2.2	6.3	1.61	.37	.02	14	.21	.029	11.3	6.4	.34	156.6	.001	<.1	.48	.013	.14	<.1	.7	.07	.24	5	.1	<.02	3.2	15
C204885	1.65	6.39	15.65	71.6	2264	1.8	2.8	553	1.41	9.2	.6	146.7	2.2	8.7	.58	.76	.03	17	.32	.030	6.6	5.7	.23	216.3	.003	<.1	.42	.021	.13	2.3	.8	.07	.35	<5	.2	<.02	3.9	15
C204886	.48	5.50	11.11	55.6	446	1.0	2.8	502	1.46	8.0	.5	15.6	2.3	2.7	.19	.31	<.02	15	.05	.028	3.6	6.7	.31	67.7	.002	<.1	.46	.014	.11	<.1	.7	.06	.31	<5	.1	<.02	3.9	15
C204887	1.64	5.17	14.62	78.2	614	2.1	3.1	636	1.49	7.8	.6	9.1	2.5	5.2	.68	.36	<.02	15	.20	.029	10.6	6.4	.32	180.1	.002	1	.47	.015	.14	2.8	.9	.06	.41	<5	<.1	<.02	4.3	15
RE C204887	1.52	4.96	14.00	80.3	586	2.2	3.1	635	1.49	7.0	.6	6.1	2.4	4.8	.61	.33	<.02	15	.20	.027	9.9	6.9	.32	172.7	.002	1	.45	.014	.12	2.5	.7	.06	.34	<5	.1	<.02	4.2	15
C204888	.82	9.21	31.84	140.3	20947	1.1	1.6	1186	.94	4.9	.2	2393.4	.5	282.8	2.41	.23	.06	5	10.34	.019	5.4	4.9	.33	69.4	.001	<.1	.30	.001	.08	<.1	.5	.04	.20	10	.6	.02	1.2	15
C204890	2.76	4.91	22.08	74.8	22670	2.1	1.0	1263	.59	2.8	.2	2580.0	.2	102.9	.62	.40	.04	3	6.54	.009	2.4	8.4	.33	135.9	<.001	<.1	.29	.001	.07	4.8	.2	.04	.09	13	.6	.04	1.0	15
STANDARD DS5	12.22	146.29	26.18	139.5	278	24.0	11.8	762	2.99	18.4	6.3	43.0	2.9	46.9	5.41	3.77	6.35	62	.77	.095	12.8	179.5	.68	143.0	.099	16	2.09	.035	.15	5.1	3.4	1.08	.01	171	5.0	.82	6.5	15

Sample type: ROCK R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG1

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
148051	212
148052	180
148053	57
148054	86
148055	272
148056	93
148057	77
148058	122
148059	144
148060	100
148061	82
148062	209
148063	164
148064	112
148065	193
148066	104
148067	48
148068	118
148069	108
148070	158
148071	127
148072	73
148073	164
148074	97

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG2

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
148075	216
148076	54
148077	66
148352	279
148353	137
148354	191
148355	116
148356	99
148357	186
148358	188
148359	200
148360	88
148361	187
148362	80
148363	152
148364	144
148365	108
148366	91
148367	97
148368	104
148369	176
148370	188
148371	171
148372	586

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG3

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
148373	161
148374	115
148375	83
148376	82
148377	476
148378	197
148379	136
148380	139
148381	443
148382	97
148383	64
148384	370
148385	306
148386	59
148387	69
148388	112
148389	214
148390	107
149112	112
149113	75
149114	71
149115	66
149116	33
149117	32

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG4

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
149118	89
149119	168
149120	454
149121	209
149122	193
149123	90
149124	85
149125	76
149126	83
149127	66
149128	70
149129	66
149130	123
149131	26
149132	71
149133	44
149134	84
149135	60
149136	103
149137	251
149138	160
149139	233
149140	90
149141	47

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG5


Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
149142	121
149143	55
149144	59
149551	325
149552	110
149553	77
149554	76
149555	162
149556	141
149557	410
149558	91
149559	240
149560	364
149561	383
149562	395
149563	112
149564	95
149565	54
149566	88
149567	133
149568	413
149569	684
149570	231
149571	579

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG6

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
149572	134
149573	44
149574	53
149575	641
149576	332
149577	219
149578	256
149579	75
149580	60
165981	218
165982	244
165983	386
165984	200
165985	308
165986	119
188601	152
188602	157
188603	177
188604	105
188605	148
188606	106
188607	176
188608	112
188609	60

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG7

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
188610	87
188611	106
188612	234
188613	109
188614	198
188615	117
188616	101
188617	140
188618	195
188619	97
188620	276
188621	165
188622	86
188623	216
188624	151
188625	103
188626	133
188627	175
188628	110
188629	130
188630	119
188631	61
188632	90
188633	158

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG8

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
188634	222
188635	174
188636	103
188637	70
188638	51
188639	73
188640	54
188641	59
188642	36
188643	18
188651	171
188652	91
188653	146
188654	153
188655	122
188656	226
188657	174
188658	124
188659	175
188660	145
188661	192
188662	294
188663	322
188664	114

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG9

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
188665	248
188666	139
188667	278
188668	162
188669	160
188670	111
188671	130
188672	154
188673	88
188674	105
188675	184
188676	266
188684	215
188685	109
188686	107
188687	178
188688	185
188689	198
188690	172
188691	179
188692	219
188693	509
188694	507
188695	139

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0834-RG10

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following geochemical analysis of 5 rock samples submitted Aug-24-04

Sample Name	Au PPB
188696	473
188697	173
188698	229
188699	366
188700	73

Certified by _____

Assayers Canada

Stealth Minerals Ltd.

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Report No : 4V0834 RJ

Attention: Dave Kuran, Bill McWilliam

Tel: (604) 327-3436 Fax: (604) 327-3423

Date : Sep-29-04

Project: Griz Sickle

Sample: rock

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148051	0.8	0.50	14	282	<0.5	<5	0.02	<1	<1	44	97	2.90	0.43	0.03	11	7	0.08	2	585	15	<5	1	<10	69	<0.01	13	<10	<1	20	11
148052	2.0	0.45	28	358	<0.5	<5	<0.01	<1	<1	44	47	2.40	0.30	0.03	9	8	0.06	2	441	27	<5	<1	<10	51	<0.01	11	<10	<1	16	13
148053	0.3	0.50	9	655	<0.5	<5	0.02	<1	<1	30	56	2.59	0.29	0.02	5	8	0.05	2	584	20	<5	1	<10	89	<0.01	12	<10	<1	18	11
148054	0.5	0.48	<5	410	<0.5	<5	<0.01	<1	<1	31	33	2.26	0.29	0.02	6	6	0.09	2	403	40	<5	<1	<10	39	<0.01	9	<10	<1	11	9
148055	0.3	0.48	<5	357	<0.5	<5	0.02	<1	<1	36	42	2.04	0.25	0.02	6	6	0.04	2	288	19	<5	<1	<10	22	<0.01	9	<10	<1	19	10
148056	0.6	0.42	<5	437	<0.5	<5	0.01	<1	<1	39	39	2.07	0.24	0.02	6	12	0.04	3	281	15	<5	<1	<10	22	<0.01	8	<10	<1	15	11
148057	0.4	0.42	<5	534	<0.5	<5	0.01	<1	<1	39	24	1.38	0.22	0.02	7	10	0.02	1	158	16	<5	<1	<10	17	<0.01	6	<10	<1	16	11
148058	0.4	0.36	<5	393	<0.5	<5	0.01	<1	<1	46	21	1.87	0.27	0.02	7	28	0.10	3	431	29	<5	<1	<10	79	<0.01	7	<10	<1	8	9
148059	0.2	0.46	<5	393	<0.5	<5	0.01	<1	<1	42	19	1.30	0.26	0.02	7	11	0.08	1	359	70	<5	<1	<10	64	<0.01	6	<10	<1	8	10
148060	0.7	0.44	23	541	<0.5	<5	0.01	<1	<1	37	71	3.58	0.27	0.02	10	19	0.07	2	651	25	<5	<1	<10	38	<0.01	14	<10	<1	11	14
148061	0.6	0.50	15	446	<0.5	<5	<0.01	<1	<1	45	68	3.60	0.25	0.02	8	12	0.09	3	571	25	<5	<1	<10	28	<0.01	15	<10	<1	12	12
148062	0.7	0.49	11	340	<0.5	<5	<0.01	<1	<1	44	43	1.57	0.23	0.02	8	7	0.07	3	354	11	<5	<1	<10	47	<0.01	7	<10	<1	11	12
148063	0.9	0.49	25	407	<0.5	<5	<0.01	<1	<1	40	96	3.90	0.27	0.02	7	6	0.07	4	759	10	<5	2	<10	38	<0.01	17	<10	<1	13	17
148064	0.8	0.53	15	384	<0.5	<5	<0.01	<1	<1	36	82	3.19	0.31	0.03	6	5	0.08	2	618	12	<5	<1	<10	53	<0.01	13	<10	<1	11	15
148065	1.5	0.38	27	599	<0.5	6	0.01	<1	<1	44	154	5.55	0.30	0.02	19	17	0.03	3	937	37	<5	2	<10	47	<0.01	22	<10	<1	16	16
148066	0.5	0.48	8	153	<0.5	5	0.01	<1	<1	48	63	2.21	0.20	0.02	15	9	0.02	3	306	8	<5	<1	<10	34	<0.01	9	<10	<1	16	11
148067	<0.2	0.39	14	193	<0.5	<5	<0.01	<1	<1	36	72	2.48	0.18	0.02	8	19	0.02	2	253	10	<5	<1	<10	23	<0.01	9	<10	<1	20	11
148068	0.5	0.53	20	400	<0.5	<5	<0.01	<1	<1	38	80	2.76	0.21	0.02	9	12	0.05	3	456	6	<5	2	<10	69	<0.01	19	<10	<1	18	14
148069	0.4	0.76	21	408	<0.5	<5	0.01	<1	<1	33	90	2.42	0.19	0.13	30	11	0.04	2	493	6	<5	2	<10	111	<0.01	40	<10	<1	31	17
148070	0.7	0.55	11	531	<0.5	<5	0.02	<1	<1	31	92	3.09	0.22	0.02	6	31	0.03	2	557	11	<5	2	<10	105	<0.01	13	<10	<1	22	14
148071	1.2	0.50	12	389	<0.5	<5	<0.01	<1	<1	34	70	2.35	0.18	0.02	7	57	0.04	2	457	44	<5	2	<10	83	<0.01	11	<10	<1	10	15
148072	0.6	0.57	8	726	<0.5	5	<0.01	<1	<1	27	130	4.49	0.27	0.02	7	14	0.04	2	861	21	<5	4	<10	95	<0.01	26	<10	<1	11	21
148073	0.9	0.59	14	756	<0.5	6	<0.01	<1	<1	23	144	5.60	0.25	0.02	<5	21	0.04	2	1109	32	<5	5	<10	120	<0.01	22	<10	<1	14	22
148074	<0.2	0.55	12	750	<0.5	5	0.02	<1	<1	30	156	4.82	0.21	0.02	8	37	0.02	3	1234	15	<5	5	<10	297	<0.01	23	<10	2	29	16
148075	0.4	0.74	19	653	<0.5	<5	0.02	<1	<1	36	146	3.86	0.29	0.10	65	16	0.03	2	888	9	<5	3	<10	170	<0.01	21	<10	1	24	18
148076	<0.2	0.86	7	357	<0.5	<5	0.08	<1	4	46	129	4.09	0.23	0.34	498	51	0.03	4	658	11	<5	2	<10	49	<0.01	30	<10	3	81	14
148077	0.2	1.06	5	788	<0.5	<5	0.03	<1	<1	37	198	3.90	0.33	0.26	82	29	0.04	2	803	14	<5	5	<10	122	<0.01	32	<10	1	48	19
148352	<0.2	1.64	<5	111	<0.5	<5	<0.01	<1	7	34	74	4.03	0.14	1.33	255	11	0.03	5	257	4	<5	2	<10	5	<0.01	74	<10	2	100	8
148353	<0.2	1.61	<5	258	<0.5	<5	0.02	<1	7	36	155	4.14	0.19	1.21	214	8	0.04	5	405	4	<5	2	<10	8	<0.01	73	<10	4	88	8
148354	<0.2	1.72	<5	354	<0.5	<5	0.02	<1	5	35	208	4.03	0.19	1.27	278	18	0.04	4	354	<2	<5	2	<10	12	<0.01	76	<10	2	103	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148355	<0.2	1.78	<5	245	<0.5	<5	0.02	<1	7	36	164	4.97	0.17	1.31	266	17	0.04	6	280	<2	<5	2	<10	4	<0.01	91	<10	1	104	11
148356	<0.2	1.76	<5	275	<0.5	<5	0.01	<1	6	24	229	4.73	0.17	1.23	353	20	0.04	5	331	8	<5	2	<10	5	<0.01	88	<10	1	118	13
148357	<0.2	1.73	<5	424	<0.5	<5	<0.01	<1	8	30	254	5.13	0.20	1.18	378	38	0.03	5	796	5	<5	3	<10	8	<0.01	88	<10	3	115	9
148358	<0.2	1.98	<5	478	<0.5	<5	<0.01	<1	8	33	329	5.16	0.20	1.43	402	38	0.03	4	608	<2	<5	2	<10	8	<0.01	81	<10	3	130	10
148359	<0.2	1.75	<5	130	<0.5	<5	0.02	<1	9	27	57	4.27	0.13	1.46	345	6	0.03	5	690	<2	<5	2	<10	<1	<0.01	79	<10	8	101	7
148360	<0.2	1.82	<5	213	<0.5	<5	0.01	<1	8	34	162	4.63	0.19	1.33	387	10	0.04	4	400	<2	<5	2	<10	<1	<0.01	85	<10	6	110	8
148361	<0.2	1.50	<5	119	<0.5	<5	0.01	<1	7	32	64	4.19	0.18	1.00	380	9	0.03	5	488	<2	<5	2	<10	<1	<0.01	74	<10	7	114	8
148362	<0.2	1.93	<5	128	<0.5	<5	0.02	<1	7	41	90	4.48	0.17	1.42	329	13	0.04	5	779	<2	<5	2	<10	<1	<0.01	86	<10	6	104	9
148363	<0.2	1.90	<5	102	<0.5	<5	0.05	<1	9	28	67	4.61	0.15	1.42	484	8	0.03	6	872	<2	<5	2	<10	<1	<0.01	82	<10	8	124	8
148364	<0.2	2.04	<5	187	<0.5	5	0.02	<1	9	29	115	4.80	0.18	1.52	542	11	0.03	5	900	<2	<5	2	<10	<1	<0.01	86	<10	6	147	8
148365	<0.2	2.05	<5	161	<0.5	<5	0.01	<1	9	30	93	4.91	0.21	1.46	516	10	0.03	5	995	6	<5	2	<10	<1	<0.01	82	<10	8	152	7
148366	<0.2	2.01	<5	108	<0.5	<5	0.01	<1	8	33	67	4.26	0.21	1.44	520	4	0.03	5	1064	6	<5	2	<10	<1	<0.01	72	<10	10	146	7
148367	<0.2	1.97	<5	88	<0.5	<5	0.03	<1	8	28	74	4.70	0.19	1.35	683	5	0.03	6	986	3	<5	2	<10	<1	<0.01	78	<10	12	154	8
148368	<0.2	1.92	<5	100	<0.5	<5	0.03	<1	9	32	58	4.22	0.17	1.43	461	6	0.04	5	1005	4	<5	3	<10	<1	<0.01	79	<10	8	126	8
148369	<0.2	1.75	<5	117	<0.5	<5	0.02	<1	10	31	62	4.34	0.15	1.35	382	7	0.04	5	981	8	<5	2	<10	<1	<0.01	85	<10	5	135	7
148370	<0.2	1.93	<5	209	<0.5	<5	0.02	<1	10	34	106	4.20	0.19	1.41	371	15	0.04	5	1139	10	<5	2	<10	<1	<0.01	80	<10	3	151	6
148371	<0.2	1.83	<5	580	<0.5	<5	0.02	<1	6	40	227	4.47	0.28	1.35	309	35	0.06	6	1331	16	<5	3	<10	16	<0.01	74	<10	3	109	7
148372	0.6	1.89	<5	499	<0.5	<5	0.01	<1	5	39	400	5.10	0.25	1.31	360	74	0.06	4	1529	19	<5	3	<10	11	<0.01	85	<10	2	138	8
148373	<0.2	1.69	<5	108	<0.5	<5	0.03	<1	9	44	45	3.83	0.20	1.29	224	7	0.04	5	928	6	<5	3	<10	<1	<0.01	79	<10	4	97	6
148374	<0.2	1.75	<5	128	<0.5	<5	0.01	<1	8	42	102	4.05	0.20	1.17	329	30	0.04	5	1304	9	<5	2	<10	<1	<0.01	75	<10	3	112	6
148375	<0.2	1.69	<5	93	<0.5	<5	0.03	<1	8	43	45	4.46	0.18	1.36	269	3	0.05	5	882	6	<5	3	<10	<1	<0.01	90	<10	4	105	7
148376	<0.2	1.54	<5	97	<0.5	<5	0.06	<1	6	44	32	4.21	0.14	1.23	205	4	0.05	6	950	5	<5	3	<10	<1	<0.01	90	<10	4	82	6
148377	<0.2	2.00	<5	139	<0.5	<5	0.05	<1	9	42	60	3.63	0.17	1.55	274	25	0.05	5	1503	6	<5	4	<10	1	0.01	89	<10	4	102	6
148378	<0.2	1.72	<5	126	<0.5	<5	0.10	<1	10	44	46	5.07	0.14	1.47	244	6	0.05	6	962	3	<5	4	<10	<1	0.02	110	<10	5	84	6
148379	<0.2	1.87	<5	107	<0.5	<5	0.08	<1	9	45	42	4.93	0.15	1.50	305	10	0.05	5	1137	2	<5	3	<10	<1	<0.01	103	<10	5	103	7
148380	<0.2	1.86	<5	106	<0.5	<5	0.07	<1	11	45	45	5.51	0.15	1.47	242	10	0.05	6	1260	4	<5	3	<10	<1	<0.01	106	11	5	95	7
148381	<0.2	1.78	<5	91	<0.5	<5	0.02	<1	10	59	51	5.39	0.17	1.42	342	43	0.05	7	812	4	<5	3	<10	<1	<0.01	104	10	2	132	7
148382	<0.2	1.64	<5	122	<0.5	<5	0.01	<1	6	33	71	4.99	0.17	1.22	453	50	0.03	4	619	6	<5	3	<10	<1	<0.01	89	<10	4	123	7
148383	<0.2	1.88	<5	166	<0.5	<5	<0.01	<1	7	38	77	5.08	0.18	1.26	858	14	0.03	5	422	<2	<5	2	<10	<1	<0.01	81	<10	2	160	6
148384	<0.2	1.65	<5	380	<0.5	<5	0.01	<1	4	45	139	4.57	0.20	1.12	617	46	0.03	5	756	7	<5	2	<10	2	<0.01	78	<10	2	132	7

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148385	<0.2	1.61	<5	303	<0.5	<5	0.02	<1	6	56	126	4.35	0.18	1.21	379	81	0.05	5	940	5	<5	2	<10	3	<0.01	78	<10	2	117	8
148386	<0.2	1.56	<5	123	<0.5	<5	0.01	<1	7	34	29	4.55	0.16	1.21	426	4	0.04	5	532	6	<5	3	<10	<1	<0.01	102	<10	3	135	12
148387	<0.2	1.87	<5	127	<0.5	<5	0.05	<1	10	50	40	5.81	0.15	1.59	382	2	0.05	7	865	4	<5	3	<10	<1	<0.01	107	<10	5	111	8
148388	<0.2	2.09	<5	182	<0.5	<5	0.02	<1	7	51	108	6.01	0.18	1.69	357	10	0.06	5	828	<2	<5	3	<10	<1	<0.01	118	<10	3	100	8
148389	<0.2	1.93	<5	115	<0.5	<5	0.04	<1	10	51	70	5.83	0.15	1.74	350	16	0.05	8	856	<2	<5	3	<10	<1	<0.01	116	<10	5	99	7
148390	<0.2	1.85	<5	103	<0.5	<5	0.03	<1	10	52	60	5.49	0.18	1.59	394	26	0.05	6	663	3	<5	3	<10	<1	<0.01	104	<10	4	108	7
149112	0.3	0.41	<5	425	<0.5	<5	<0.01	<1	<1	63	131	3.59	0.47	0.04	13	28	0.12	3	707	11	<5	<1	<10	28	<0.01	16	<10	1	6	11
149113	<0.2	1.03	<5	325	<0.5	<5	<0.01	<1	<1	54	137	2.45	0.28	0.85	212	12	0.06	4	879	27	<5	3	<10	19	<0.01	40	<10	2	50	15
149114	<0.2	0.94	<5	637	<0.5	<5	<0.01	<1	<1	69	190	2.98	0.35	0.71	162	22	0.07	5	982	24	<5	2	<10	59	<0.01	37	<10	2	41	17
149115	0.5	1.15	<5	684	<0.5	<5	<0.01	<1	<1	56	186	3.11	0.33	1.01	258	32	0.07	4	800	82	<5	2	<10	21	<0.01	50	<10	2	66	14
149116	<0.2	0.91	<5	404	<0.5	<5	<0.01	<1	<1	51	134	3.15	0.37	0.68	165	13	0.07	4	546	85	<5	1	<10	17	<0.01	35	<10	<1	46	13
149117	<0.2	0.60	<5	345	<0.5	<5	<0.01	<1	<1	52	182	3.85	0.43	0.28	69	12	0.08	3	895	5	<5	1	<10	49	<0.01	24	<10	1	22	14
149118	0.2	0.73	<5	266	<0.5	<5	0.01	<1	<1	40	192	3.17	0.33	0.34	99	9	0.05	3	982	23	<5	1	<10	147	<0.01	28	<10	2	33	12
149119	0.2	1.39	<5	221	<0.5	<5	<0.01	<1	1	37	162	2.51	0.16	0.98	221	11	0.04	4	653	6	<5	2	<10	16	<0.01	54	<10	1	72	10
149120	<0.2	1.42	<5	275	<0.5	<5	<0.01	<1	2	33	169	2.67	0.14	1.06	212	13	0.04	4	479	<2	<5	2	<10	5	<0.01	57	<10	1	71	9
149121	<0.2	1.69	<5	376	<0.5	<5	0.01	<1	3	42	113	2.93	0.15	1.47	265	3	0.04	5	360	2	<5	2	<10	9	<0.01	69	<10	1	93	7
149122	0.2	1.58	<5	774	<0.5	<5	0.02	<1	2	37	194	3.03	0.21	1.21	291	6	0.05	3	583	4	<5	2	<10	15	<0.01	54	<10	2	85	8
149123	<0.2	1.77	<5	360	<0.5	<5	0.01	<1	3	38	115	2.86	0.17	1.51	265	7	0.04	6	429	4	<5	2	<10	7	<0.01	56	<10	1	88	8
149124	<0.2	1.57	<5	351	<0.5	<5	<0.01	<1	2	37	150	2.85	0.19	1.25	165	6	0.04	4	426	2	<5	2	<10	7	<0.01	51	<10	1	73	8
149125	<0.2	1.41	<5	290	<0.5	<5	<0.01	<1	2	42	108	2.85	0.16	0.99	174	7	0.04	5	695	4	<5	2	<10	5	<0.01	64	<10	2	61	10
149126	<0.2	1.77	<5	166	<0.5	<5	0.01	<1	3	38	48	2.78	0.14	1.44	329	3	0.04	4	375	5	<5	2	<10	1	<0.01	63	<10	1	86	9
149127	0.6	1.40	<5	576	<0.5	<5	<0.01	<1	1	31	285	2.85	0.28	0.97	323	7	0.05	5	665	96	<5	2	<10	32	<0.01	53	<10	1	88	9
149128	0.3	1.12	<5	544	<0.5	<5	<0.01	<1	1	36	253	2.42	0.22	0.81	229	13	0.05	4	544	37	<5	2	<10	25	<0.01	53	<10	1	73	8
149129	0.7	1.00	<5	438	<0.5	<5	<0.01	<1	<1	39	201	1.93	0.24	0.65	166	26	0.05	4	551	33	<5	1	<10	32	<0.01	34	<10	2	55	6
149130	0.2	1.37	<5	408	<0.5	<5	<0.01	<1	1	28	206	2.93	0.24	0.90	319	17	0.05	3	535	41	<5	1	<10	25	<0.01	55	11	1	88	7
149131	1.0	0.48	<5	374	<0.5	<5	<0.01	<1	<1	41	161	2.76	0.36	0.16	54	11	0.08	3	613	65	<5	<1	<10	44	<0.01	19	<10	<1	17	11
149132	<0.2	1.37	<5	465	<0.5	<5	<0.01	<1	<1	30	200	2.51	0.27	0.86	382	7	0.04	2	446	6	<5	1	<10	21	<0.01	40	<10	<1	80	8
149133	0.5	1.70	<5	436	<0.5	<5	<0.01	<1	2	35	219	3.04	0.27	1.09	487	10	0.04	4	403	4	<5	2	<10	16	<0.01	51	<10	<1	112	10
149134	0.5	0.96	<5	505	<0.5	<5	<0.01	<1	<1	39	216	2.31	0.35	0.46	142	12	0.04	3	680	20	<5	1	<10	79	<0.01	24	<10	2	42	10
149135	0.9	0.84	<5	645	<0.5	<5	<0.01	<1	<1	47	259	2.66	0.41	0.31	70	18	0.05	3	684	44	<5	<1	<10	43	<0.01	24	<10	1	27	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149136	0.2	1.11	<5	576	<0.5	<5	<0.01	<1	1	40	316	3.33	0.38	0.52	98	17	0.04	3	691	3	<5	1	<10	32	<0.01	33	10	<1	39	15
149137	0.4	1.69	<5	707	<0.5	<5	<0.01	<1	1	44	301	3.60	0.29	0.93	220	17	0.03	5	626	<2	<5	2	<10	35	<0.01	51	11	1	63	12
149138	0.3	1.38	<5	427	<0.5	<5	<0.01	<1	<1	38	424	3.15	0.38	0.71	157	16	0.04	3	738	5	<5	1	<10	37	<0.01	32	<10	1	59	13
149139	<0.2	1.75	<5	483	<0.5	<5	<0.01	<1	2	28	349	3.48	0.26	1.00	270	18	0.03	4	678	<2	<5	1	<10	27	<0.01	51	<10	<1	83	10
149140	<0.2	1.50	<5	415	<0.5	<5	<0.01	<1	1	35	270	3.14	0.25	0.86	163	27	0.03	5	911	6	<5	1	<10	29	<0.01	46	<10	1	61	9
149141	<0.2	1.34	<5	300	<0.5	<5	<0.01	<1	1	35	330	3.69	0.32	0.73	147	29	0.04	4	1180	11	<5	1	<10	51	<0.01	37	<10	2	51	13
149142	0.2	0.66	<5	326	<0.5	<5	<0.01	<1	<1	31	270	3.72	0.45	0.25	65	35	0.08	3	1318	11	<5	<1	<10	94	<0.01	22	<10	3	18	13
149143	0.6	0.55	<5	342	<0.5	<5	<0.01	<1	<1	42	144	3.38	0.31	0.14	48	44	0.13	3	1218	25	<5	1	<10	84	<0.01	27	<10	3	11	12
149144	0.5	0.41	7	295	<0.5	<5	<0.01	<1	<1	41	99	3.59	0.32	0.02	6	39	0.11	2	1967	14	<5	3	<10	118	<0.01	24	<10	4	5	12
149551	0.6	0.57	<5	193	<0.5	<5	<0.01	<1	<1	47	84	2.19	0.22	0.06	15	61	0.03	2	366	11	<5	2	<10	29	<0.01	18	<10	<1	11	24
149552	0.8	0.49	<5	83	<0.5	<5	<0.01	<1	<1	53	61	2.12	0.21	0.02	10	76	0.02	3	234	19	<5	<1	<10	12	<0.01	7	<10	<1	7	20
149553	0.4	0.51	<5	188	<0.5	<5	<0.01	<1	<1	40	104	3.20	0.22	0.03	7	39	0.03	2	464	20	<5	1	<10	44	<0.01	13	<10	<1	9	22
149554	0.6	0.47	<5	118	<0.5	<5	<0.01	<1	<1	48	80	2.69	0.21	0.03	8	33	0.03	3	343	18	<5	1	<10	25	<0.01	11	<10	<1	9	21
149555	0.4	0.55	<5	139	<0.5	<5	<0.01	<1	<1	35	120	3.99	0.20	0.03	7	60	0.03	2	531	27	<5	1	<10	42	<0.01	13	<10	1	12	26
149556	0.7	0.51	<5	176	<0.5	<5	<0.01	<1	<1	33	59	1.87	0.22	0.02	7	36	0.04	2	278	11	<5	1	<10	21	<0.01	7	<10	<1	7	23
149557	<0.2	1.31	<5	397	<0.5	<5	<0.01	<1	1	34	174	2.71	0.27	0.53	90	29	0.04	3	454	7	<5	2	<10	51	<0.01	26	<10	<1	50	21
149558	<0.2	1.53	<5	468	<0.5	<5	<0.01	<1	2	29	160	2.94	0.21	0.69	123	17	0.03	3	463	7	<5	3	<10	87	<0.01	33	<10	1	69	22
149559	0.3	1.42	<5	267	<0.5	<5	<0.01	<1	1	29	154	3.62	0.17	0.58	106	45	0.03	3	389	9	<5	2	<10	47	<0.01	42	<10	1	67	25
149560	0.2	0.64	<5	366	<0.5	<5	<0.01	<1	<1	36	119	2.95	0.22	0.12	16	130	0.03	3	442	15	<5	<1	<10	84	<0.01	18	<10	<1	17	17
149561	<0.2	0.92	<5	526	<0.5	<5	<0.01	<1	<1	30	170	3.41	0.23	0.23	25	112	0.03	3	609	8	<5	2	<10	122	<0.01	37	<10	1	26	21
149562	0.2	0.66	6	399	<0.5	<5	<0.01	<1	<1	29	155	4.18	0.18	0.10	10	92	0.02	3	693	9	<5	2	<10	68	<0.01	28	<10	<1	15	22
149563	0.2	0.40	<5	86	<0.5	<5	<0.01	<1	<1	39	66	2.01	0.18	0.02	<5	126	0.02	1	248	15	<5	<1	<10	14	<0.01	6	<10	<1	4	17
149564	0.7	0.36	<5	169	<0.5	<5	<0.01	<1	<1	29	81	2.24	0.17	0.01	<5	86	0.02	1	242	14	<5	1	<10	10	<0.01	6	<10	<1	5	19
149565	0.2	0.42	<5	591	<0.5	<5	<0.01	<1	<1	29	81	2.26	0.19	0.02	<5	66	0.01	1	216	21	<5	2	<10	8	<0.01	8	<10	<1	4	21
149566	0.3	0.50	<5	159	<0.5	<5	<0.01	<1	<1	31	83	2.37	0.18	0.03	<5	102	0.02	2	310	38	<5	1	<10	26	<0.01	8	<10	<1	8	16
149567	0.4	0.60	<5	142	<0.5	<5	0.03	<1	<1	25	86	2.73	0.16	0.12	81	81	0.02	2	363	17	<5	2	<10	19	<0.01	12	<10	<1	12	17
149568	1.2	0.95	<5	116	<0.5	<5	<0.01	<1	<1	23	158	2.27	0.12	0.36	103	58	0.04	3	250	8	<5	2	<10	14	<0.01	36	<10	<1	42	18
149569	0.3	1.06	<5	165	<0.5	<5	<0.01	<1	<1	26	165	2.40	0.15	0.49	132	184	0.04	2	289	7	<5	3	<10	19	<0.01	34	<10	<1	51	16
149570	0.2	0.62	<5	135	<0.5	<5	<0.01	<1	<1	19	143	3.04	0.13	0.09	27	130	0.03	<1	347	6	<5	2	<10	15	<0.01	25	<10	<1	16	15
149571	0.6	0.82	<5	553	<0.5	<5	<0.01	<1	<1	23	262	4.55	0.24	0.16	56	171	0.04	3	770	19	<5	2	<10	27	<0.01	39	<10	1	25	18

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Table with columns for Sample Number and various elements (Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, K, Mg, Mn, Mo, Na, Ni, P, Pb, Sb, Sc, Sn, Sr, Ti, V, W, Y, Zn, Zr) and their concentrations in ppm or %.

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
188616	<0.2	0.56	9	475	<0.5	<5	<0.01	<1	<1	32	84	3.42	0.34	0.04	7	7	0.05	1	477	16	<5	1	<10	16	<0.01	21	<10	<1	10	21
188617	<0.2	1.68	<5	507	<0.5	<5	<0.01	<1	1	20	157	4.19	0.29	0.58	107	16	0.03	<1	368	<2	<5	2	<10	11	<0.01	35	<10	<1	89	18
188618	<0.2	1.07	<5	415	<0.5	<5	<0.01	<1	1	21	125	3.82	0.29	0.23	46	18	0.03	<1	419	<2	<5	1	<10	6	<0.01	22	<10	<1	41	18
188619	<0.2	0.56	<5	279	<0.5	<5	<0.01	<1	1	26	70	4.47	0.22	0.02	13	<2	0.05	<1	383	11	5	<1	<10	4	<0.01	19	<10	<1	11	20
188620	<0.2	0.59	<5	449	<0.5	<5	<0.01	<1	<1	34	72	4.33	0.35	0.02	14	4	0.05	<1	448	12	<5	<1	<10	11	<0.01	28	<10	<1	9	16
188621	<0.2	0.51	<5	135	<0.5	<5	<0.01	<1	1	28	90	3.59	0.22	0.03	18	4	0.03	<1	324	5	<5	1	<10	1	<0.01	19	<10	<1	12	16
188622	0.3	0.54	5	338	<0.5	<5	<0.01	<1	<1	32	57	2.74	0.31	0.04	8	9	0.06	<1	376	7	<5	1	<10	15	<0.01	14	<10	<1	8	16
188623	<0.2	1.06	<5	425	<0.5	<5	<0.01	<1	1	27	110	2.94	0.31	0.29	59	2	0.03	<1	301	5	<5	2	<10	12	<0.01	28	<10	<1	29	16
188624	<0.2	1.74	<5	476	<0.5	<5	<0.01	<1	<1	27	130	3.81	0.42	0.59	106	10	0.04	2	298	3	<5	3	<10	26	<0.01	46	<10	<1	52	17
188625	<0.2	0.75	<5	392	<0.5	<5	<0.01	<1	<1	32	63	3.15	0.41	0.14	15	6	0.07	<1	440	5	<5	1	<10	25	<0.01	22	<10	<1	14	14
188626	<0.2	1.08	<5	429	<0.5	<5	<0.01	<1	<1	28	129	3.87	0.32	0.36	65	4	0.04	<1	438	5	<5	2	<10	35	<0.01	38	<10	<1	35	16
188627	<0.2	1.30	<5	412	<0.5	<5	<0.01	<1	<1	29	112	2.74	0.36	0.49	83	2	0.04	1	294	3	<5	2	<10	19	<0.01	31	<10	<1	45	14
188628	<0.2	0.78	<5	303	<0.5	<5	<0.01	<1	1	25	85	2.68	0.27	0.21	27	<2	0.03	<1	364	<2	<5	2	<10	14	<0.01	21	<10	<1	20	11
188629	<0.2	0.82	<5	342	<0.5	<5	<0.01	<1	<1	25	96	2.69	0.29	0.20	38	<2	0.04	<1	315	4	<5	1	<10	10	<0.01	27	<10	<1	25	11
188630	<0.2	0.74	<5	365	<0.5	<5	<0.01	<1	<1	21	113	2.71	0.27	0.17	35	4	0.04	<1	315	8	<5	1	<10	8	<0.01	26	<10	<1	23	10
188631	<0.2	0.78	<5	360	<0.5	<5	<0.01	<1	<1	29	90	3.01	0.28	0.21	36	3	0.05	<1	429	7	<5	2	<10	12	<0.01	26	<10	<1	21	13
188632	<0.2	0.85	<5	749	<0.5	<5	<0.01	<1	<1	22	145	4.72	0.57	0.14	20	3	0.07	1	542	17	<5	3	<10	30	<0.01	34	<10	<1	24	13
188633	<0.2	0.50	<5	547	<0.5	10	<0.01	<1	2	21	210	8.88	0.47	0.01	<5	<2	0.05	<1	706	18	<5	2	<10	15	<0.01	34	14	<1	12	16
188634	0.2	0.58	9	336	<0.5	8	0.01	<1	<1	21	328	9.81	0.29	0.02	10	5	0.02	<1	1107	52	<5	2	<10	8	<0.01	24	<10	<1	22	19
188635	<0.2	0.67	15	381	<0.5	6	0.02	<1	<1	26	263	7.52	0.31	0.05	18	7	0.04	<1	1232	29	<5	3	<10	39	<0.01	41	<10	<1	20	16
188636	0.3	1.22	10	453	<0.5	<5	0.01	<1	<1	20	116	3.98	0.41	0.37	61	3	0.05	1	457	19	<5	2	<10	21	<0.01	35	<10	<1	40	14
188637	<0.2	1.22	9	558	<0.5	<5	0.01	<1	<1	21	129	3.73	0.35	0.33	46	13	0.04	2	623	19	<5	3	<10	21	<0.01	36	<10	<1	43	12
188638	0.5	1.01	<5	553	<0.5	<5	0.01	<1	<1	28	227	6.37	0.39	0.16	29	9	0.04	1	1353	43	<5	3	<10	41	<0.01	41	<10	1	38	13
188639	<0.2	2.66	<5	1026	<0.5	<5	0.02	<1	<1	16	221	5.40	0.58	1.02	142	11	0.04	2	1119	16	<5	5	<10	79	0.01	56	<10	2	103	14
188640	<0.2	1.45	<5	721	<0.5	<5	0.01	<1	<1	20	142	3.77	0.43	0.45	56	4	0.04	2	886	21	<5	2	<10	42	<0.01	33	<10	2	55	11
188641	<0.2	1.44	8	602	<0.5	<5	0.02	<1	<1	25	127	3.66	0.42	0.34	65	4	0.04	2	793	22	<5	2	<10	28	<0.01	37	<10	1	46	13
188642	<0.2	1.77	<5	543	<0.5	<5	0.01	<1	<1	18	194	4.02	0.34	0.61	101	3	0.05	1	884	28	<5	3	<10	56	<0.01	50	<10	2	82	12
188643	<0.2	1.30	<5	302	<0.5	<5	0.02	<1	<1	21	127	3.80	0.23	0.49	92	<2	0.04	2	601	26	<5	2	<10	19	<0.01	45	<10	1	51	11
188651	0.3	1.53	<5	534	<0.5	<5	0.02	<1	<1	30	230	4.52	0.22	1.01	239	20	0.03	4	281	84	<5	2	<10	17	<0.01	63	<10	2	93	16
188652	0.6	1.83	<5	1240	<0.5	<5	0.03	<1	<1	25	279	4.41	0.29	1.16	352	20	0.03	3	348	225	<5	3	<10	36	<0.01	64	<10	2	125	14

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ

Date : Sep-29-04

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
188653	0.2	1.66	6	789	<0.5	<5	0.02	<1	<1	21	262	3.73	0.24	1.02	361	22	0.04	3	337	67	<5	3	<10	58	<0.01	54	<10	2	116	14
188654	0.3	1.73	<5	777	<0.5	<5	0.03	<1	<1	30	255	4.31	0.30	1.04	367	42	0.04	3	601	54	<5	3	<10	140	<0.01	56	<10	3	121	14
188655	0.5	1.20	5	798	<0.5	<5	0.03	<1	<1	30	292	3.73	0.39	0.66	160	43	0.05	2	859	35	<5	2	<10	150	<0.01	40	<10	3	65	17
188656	0.6	1.34	<5	973	<0.5	<5	0.03	<1	<1	30	286	3.81	0.36	0.74	161	35	0.04	4	772	23	<5	2	<10	104	<0.01	45	<10	3	64	13
188657	0.4	1.94	<5	855	<0.5	<5	0.03	<1	<1	25	260	3.82	0.26	1.15	392	26	0.03	4	359	14	<5	2	<10	40	<0.01	49	<10	2	133	12
188658	0.4	1.70	<5	798	<0.5	<5	0.03	<1	<1	29	307	4.07	0.34	1.03	281	26	0.03	3	525	15	<5	2	<10	53	<0.01	56	<10	3	94	15
188659	0.8	1.24	<5	790	<0.5	<5	0.03	<1	<1	27	315	3.69	0.37	0.60	235	38	0.03	2	625	35	<5	2	<10	86	<0.01	42	<10	3	80	13
188660	0.7	0.50	<5	452	<0.5	<5	0.02	<1	<1	50	195	2.89	0.37	0.12	51	32	0.03	2	452	25	<5	1	<10	40	<0.01	22	<10	1	20	10
188661	0.5	0.92	<5	428	<0.5	<5	0.02	<1	<1	32	203	2.79	0.35	0.43	168	27	0.03	2	311	13	<5	2	<10	23	<0.01	43	<10	1	57	12
188662	0.8	1.37	<5	636	<0.5	<5	0.05	<1	<1	29	404	4.86	0.37	0.68	240	30	0.02	2	620	30	<5	2	<10	44	<0.01	47	<10	1	77	14
188663	0.8	0.84	<5	455	<0.5	<5	0.02	<1	<1	27	231	3.29	0.33	0.30	145	24	0.02	2	339	26	<5	1	<10	21	<0.01	39	<10	1	49	12
188664	1.4	0.33	<5	406	<0.5	<5	0.01	<1	<1	29	144	3.97	0.50	0.04	19	62	0.04	2	399	52	<5	<1	<10	12	<0.01	20	<10	<1	11	11
188665	1.3	0.61	<5	438	<0.5	<5	0.02	<1	<1	35	187	3.50	0.42	0.19	75	56	0.05	1	405	67	<5	2	<10	18	<0.01	32	<10	<1	27	10
188666	<0.2	1.56	<5	325	<0.5	<5	0.03	<1	<1	26	276	4.38	0.21	0.91	307	31	0.03	2	403	66	<5	2	<10	30	<0.01	60	<10	1	94	13
188667	0.4	1.83	<5	577	<0.5	<5	0.04	<1	<1	21	246	5.10	0.24	1.14	310	78	0.03	2	683	40	<5	2	<10	125	<0.01	64	<10	2	104	13
188668	<0.2	1.96	<5	283	<0.5	<5	0.02	<1	<1	26	134	4.61	0.17	1.43	451	12	0.03	4	275	16	<5	2	<10	34	<0.01	75	<10	1	133	12
188669	0.2	1.68	<5	523	<0.5	<5	0.04	<1	<1	25	281	4.25	0.24	1.13	315	21	0.03	3	551	14	<5	2	<10	32	<0.01	63	<10	2	114	14
188670	0.4	1.85	<5	610	<0.5	<5	0.03	<1	<1	22	345	4.21	0.27	1.28	494	23	0.04	3	508	21	<5	3	<10	31	<0.01	65	<10	3	148	16
188671	0.9	1.71	18	768	<0.5	<5	0.02	<1	<1	27	405	4.63	0.37	0.82	356	31	0.03	2	594	26	<5	2	<10	36	<0.01	50	<10	4	134	15
188672	0.3	1.78	<5	464	<0.5	<5	0.02	<1	<1	28	197	3.27	0.24	1.31	462	21	0.04	3	400	17	<5	3	<10	21	<0.01	55	<10	2	119	11
188673	<0.2	1.65	<5	330	<0.5	<5	0.02	<1	<1	33	149	3.49	0.25	1.05	226	29	0.04	4	503	27	<5	3	<10	31	<0.01	62	<10	2	67	12
188674	0.2	0.50	<5	307	<0.5	<5	0.01	<1	<1	29	189	3.82	0.27	0.10	25	52	0.06	<1	684	38	<5	2	<10	34	<0.01	24	<10	<1	14	11
188675	0.2	0.75	6	369	<0.5	<5	0.01	<1	<1	25	211	3.59	0.23	0.28	107	55	0.03	1	747	57	<5	2	<10	58	<0.01	40	<10	1	36	11
188676	0.3	1.35	<5	410	<0.5	<5	0.02	<1	<1	34	207	3.73	0.23	0.84	183	29	0.04	2	708	43	<5	3	<10	53	<0.01	56	<10	2	64	10
188684	<0.2	1.60	<5	239	<0.5	<5	0.03	<1	2	40	135	4.74	0.18	1.13	405	27	0.03	4	705	25	<5	2	<10	3	<0.01	75	<10	2	99	8
188685	<0.2	1.75	<5	235	<0.5	<5	0.02	<1	2	32	82	4.71	0.16	1.20	361	18	0.03	4	682	16	<5	3	<10	<1	<0.01	86	<10	3	105	8
188686	<0.2	1.78	<5	155	<0.5	<5	0.03	<1	4	40	67	5.54	0.13	1.49	349	13	0.03	5	787	13	<5	3	<10	<1	<0.01	90	<10	4	100	9
188687	<0.2	1.70	<5	153	<0.5	<5	0.02	<1	4	37	85	5.73	0.12	1.34	406	19	0.03	3	578	13	<5	3	<10	<1	<0.01	96	<10	3	121	9
188688	<0.2	1.73	<5	124	<0.5	<5	0.01	<1	4	38	108	5.53	0.14	1.41	381	26	0.03	4	454	13	<5	3	<10	<1	<0.01	93	<10	3	105	8
188689	<0.2	1.56	<5	127	<0.5	<5	0.02	<1	5	61	60	5.44	0.12	1.23	369	5	0.03	6	636	10	<5	3	<10	<1	<0.01	96	<10	5	100	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: Griz Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0834 RJ


Date : Sep-29-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
188690	<0.2	1.78	<5	92	<0.5	<5	0.02	<1	6	37	51	5.73	0.12	1.59	527	5	0.03	4	724	16	<5	3	<10	<1	<0.01	95	<10	5	132	9
188691	<0.2	1.86	<5	96	<0.5	<5	0.02	<1	5	40	61	6.70	0.11	1.52	650	11	0.03	4	877	21	<5	4	<10	31	<0.01	102	<10	5	184	9
188692	<0.2	1.69	<5	87	<0.5	<5	0.01	<1	4	37	62	5.42	0.11	1.48	570	9	0.03	5	565	21	<5	3	<10	17	<0.01	90	<10	3	157	7
188693	0.3	1.81	<5	88	<0.5	<5	0.01	<1	3	46	101	4.59	0.13	1.39	409	42	0.03	4	465	24	<5	3	<10	8	<0.01	86	<10	3	126	7
188694	<0.2	1.86	<5	83	<0.5	<5	0.01	<1	2	43	157	5.74	0.16	1.43	541	73	0.04	5	579	24	<5	3	<10	<1	<0.01	97	<10	3	135	8
188695	<0.2	1.91	<5	702	<0.5	<5	0.01	<1	<1	43	175	5.02	0.15	1.25	464	32	0.03	4	576	26	<5	3	<10	24	<0.01	85	<10	2	113	8
188696	0.9	1.39	21	654	<0.5	<5	0.01	<1	<1	37	520	5.85	0.22	0.51	183	129	0.04	4	1134	35	<5	3	<10	30	<0.01	65	<10	2	71	10
188697	0.3	1.29	5	241	<0.5	<5	0.01	<1	<1	52	536	5.75	0.20	0.47	202	57	0.02	4	1031	39	<5	2	<10	21	<0.01	62	<10	2	70	9
188698	0.3	1.56	19	201	<0.5	<5	0.02	<1	<1	57	373	4.43	0.19	0.53	259	35	0.03	4	993	30	<5	3	<10	16	<0.01	71	<10	2	77	11
188699	0.5	1.76	12	293	<0.5	<5	0.01	<1	<1	62	412	4.53	0.21	0.72	418	31	0.03	4	926	38	<5	3	<10	16	<0.01	84	<10	2	107	10
188700	<0.2	2.00	9	285	<0.5	<5	0.01	<1	<1	65	369	4.53	0.19	0.98	507	30	0.04	4	915	40	<5	3	<10	14	<0.01	79	<10	2	132	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0611-RG1

Company: **Stealth Minerals Ltd.**
Project: sickle
Attn: Bill McWilliam

Jul-27-04

We hereby certify the following geochemical analysis of 20 rock samples submitted Jul-10-04

Sample Name	Au PPB
165801	5
165802	6
165803	1956
165804	5
165805	3
165851	3
165852	1341
165853	408
165854	81
165855	13
165856	182
165857	4410
165858	628
165859	67
165860	120
165861	35
165862	1206
165863	1140
165864	15
165865	12

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0611 RJ


Date : Jul-27-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
165801	0.3	0.55	<5	169	<0.5	<5	0.09	<1	<1	63	11	1.55	0.13	0.39	398	<2	0.03	3	300	42	<5	<1	<10	5	<0.01	21	<10	2	71	5
165802	0.5	0.45	5	90	<0.5	<5	0.34	1	2	86	21	1.66	0.13	0.27	641	<2	0.03	8	294	67	<5	<1	<10	4	<0.01	16	<10	2	207	5
165803	23.4	1.28	7	100	1.1	<5	5.59	<1	8	55	11	3.13	0.06	1.43	2021	<2	0.01	9	503	42	<5	4	<10	89	0.03	68	<10	5	155	4
165804	0.2	0.82	<5	101	<0.5	<5	0.15	<1	2	75	7	1.81	0.15	0.70	908	<2	0.02	6	318	13	<5	1	<10	4	0.03	25	<10	4	66	13
165805	<0.2	0.62	5	60	0.6	<5	0.31	<1	8	60	35	3.68	0.15	0.29	267	4	0.05	4	708	20	<5	3	<10	7	0.17	34	<10	5	55	23
165851	<0.2	0.84	32	250	0.6	<5	0.66	<1	9	59	11	3.05	0.17	0.28	442	<2	0.05	5	749	8	<5	3	<10	22	0.04	56	<10	8	60	11
165852	57.1	0.25	<5	17	<0.5	<5	1.48	<1	2	160	24	1.07	0.05	0.19	604	4	0.01	7	194	115	<5	1	<10	16	<0.01	13	<10	3	80	4
165853	6.4	0.12	16	11	<0.5	<5	0.05	<1	2	219	13	0.59	0.03	0.06	150	<2	0.01	12	43	24	<5	<1	<10	2	<0.01	7	<10	<1	19	2
165854	2.1	0.21	<5	21	<0.5	<5	0.04	<1	2	232	45	0.86	0.07	0.09	272	5	0.01	10	143	62	<5	<1	<10	<1	<0.01	8	<10	<1	36	2
165855	0.4	0.37	8	115	<0.5	<5	0.32	<1	2	117	8	1.20	0.17	0.19	838	<2	0.02	7	196	9	<5	<1	<10	8	<0.01	11	<10	4	84	5
165856	12.2	0.08	<5	<10	<0.5	<5	0.26	<1	<1	171	44	0.37	0.03	0.04	194	4	<0.01	9	28	130	<5	<1	<10	3	<0.01	3	<10	<1	31	1
165857	42.7	0.25	<5	52	<0.5	<5	0.06	<1	2	189	16	0.92	0.05	0.15	309	<2	0.01	10	101	25	<5	<1	<10	4	<0.01	11	<10	1	24	2
165858	5.2	0.05	<5	31	<0.5	<5	0.03	<1	<1	248	8	0.45	0.04	<0.01	126	7	<0.01	10	26	68	<5	<1	<10	2	<0.01	1	<10	<1	18	2
165859	1.6	0.26	<5	33	<0.5	<5	<0.01	<1	2	196	29	0.76	0.10	0.07	358	6	0.01	10	52	14	<5	<1	<10	2	<0.01	5	<10	<1	39	3
165860	6.8	1.98	<5	51	0.5	<5	1.04	<1	13	39	37	4.81	0.11	1.66	2497	<2	0.02	6	814	29	<5	7	<10	12	<0.01	118	<10	10	179	6
165861	0.4	0.23	6	205	<0.5	<5	0.22	<1	2	191	12	0.79	0.07	0.13	391	<2	0.01	10	115	11	6	<1	<10	8	<0.01	10	<10	2	44	3
165862	139.4	0.12	<5	<10	<0.5	<5	0.82	27	<1	171	413	0.59	0.03	0.10	382	6	0.01	8	208	2056	<5	<1	<10	11	<0.01	6	38	1	2679	2
165863	11.7	0.12	12	44	<0.5	<5	<0.01	<1	<1	139	7	0.46	0.08	<0.01	36	211	0.01	8	91	14	<5	<1	<10	19	<0.01	2	<10	<1	12	2
165864	1.2	0.73	<5	261	<0.5	<5	3.35	2	6	73	3	1.93	0.12	0.51	1813	6	<0.01	6	384	17	<5	2	<10	21	<0.01	23	<10	7	217	4
165865	0.7	0.07	<5	1037	<0.5	<5	1.62	>100	<1	187	142	0.38	0.05	0.03	803	5	0.01	10	36	3594	<5	<1	<10	82	<0.01	3	100	2	6804	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0587-RG1

Company: **Stealth Minerals Ltd.**
Project: **GS**
Attn: **Bill McWilliams**

Aug-03-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Jul-12-04 by D. Kuran.

Sample Name	Au PPB
204889	3605
204899	655
204891	2510
204892	81
204893	92
204894	213
204895	493
204896	1720
204897	210
204898	63
204816	32
204817	31
204818	117
204819	141
204820	187
204821	58
204822	39
204823	99
204824	72
204825	303
204826	109
204827	218
204828	141
204829	154

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0587-RG2

Aug-03-04

Company: **Stealth Minerals Ltd.**
 Project: **GS**
 Attn: **Bill McWilliams**

We hereby certify the following geochemical analysis of 24 rock samples submitted Jul-12-04 by D. Kuran.

Sample Name	Au PPB	Au g/tonne	Ag g/tonne
204830	186		
204831	93		
204832	105		
204833	412		
204834	110		
204835	123		
204836	137		
204837	44		
204838	260		
204839	99		
204840	106		
204806	7		
204807	4		
204808	114		
204809	127		
204810	5		
204811	>10000	18.33	281.0
204812	221		
204813	11		
204814	11		
204815	47		
204900	15		
185401	13		
185402	445		
*96-8		0.37	
*CPb-1			624.0
*BLANK		<0.01	<0.1

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0587-RG3

Company: **Stealth Minerals Ltd.**
Project: **GS**
Attn: **Bill McWilliams**

Aug-03-04

We *hereby certify* the following geochemical analysis of 2 rock samples submitted Jul-12-04 by D. Kuran.

Sample Name	Au PPB
185403	6
185404	5

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliams

Project: GS

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0587 RJ

Date : Aug-03-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
204889	44.7	0.21	<5	110	0.9	<5	>15.00	1	<1	62	9	0.47	0.04	0.22	1768	<2	<0.01	6	82	36	<5	<1	<10	405	<0.01	2	<10	<1	95	1
204899	5.4	0.56	7	59	<0.5	<5	1.08	<1	2	73	22	1.44	0.08	0.51	913	<2	0.01	7	254	60	<5	<1	<10	22	0.03	21	<10	2	105	9
204891	21.5	0.21	<5	278	<0.5	<5	7.00	<1	<1	96	10	0.57	0.06	0.20	1194	<2	0.01	6	90	41	<5	<1	<10	105	<0.01	3	<10	<1	100	2
204892	1.9	0.32	<5	113	<0.5	<5	3.65	1	<1	95	9	0.79	0.07	0.29	1281	<2	<0.01	8	155	72	<5	<1	<10	71	<0.01	5	<10	2	153	3
204893	3.5	0.49	6	99	<0.5	<5	2.70	5	2	98	39	1.60	0.10	0.43	1042	4	<0.01	7	221	197	<5	<1	<10	39	<0.01	8	<10	2	388	5
204894	8.8	0.33	<5	36	<0.5	<5	2.60	2	<1	144	12	1.08	0.06	0.30	1043	8	<0.01	10	96	65	<5	<1	<10	28	<0.01	8	<10	<1	148	3
204895	5.3	0.11	<5	26	<0.5	<5	8.67	1	<1	107	3	0.28	0.03	0.07	1051	2	0.01	6	48	25	<5	<1	<10	213	<0.01	2	<10	<1	57	<1
204896	35.3	0.10	<5	18	<0.5	<5	12.79	<1	<1	96	5	0.22	0.02	0.07	1100	<2	<0.01	7	36	17	<5	<1	<10	318	<0.01	2	<10	<1	43	<1
204897	1.5	0.27	<5	44	<0.5	<5	11.77	<1	<1	69	9	0.66	0.05	0.23	616	<2	0.01	6	106	20	<5	<1	<10	363	0.02	11	<10	<1	38	5
204898	2.7	0.51	<5	71	<0.5	<5	1.10	<1	2	96	27	1.68	0.10	0.40	628	3	<0.01	8	268	59	<5	<1	<10	18	0.03	19	<10	2	93	11
204816	0.9	1.77	<5	87	<0.5	<5	0.62	<1	7	68	787	5.83	0.22	1.29	2341	<2	0.03	10	806	14	<5	3	<10	9	0.02	65	<10	8	205	6
204817	0.8	1.37	<5	92	<0.5	<5	1.01	<1	3	62	578	5.77	0.19	1.01	2582	<2	0.03	8	676	17	<5	2	<10	12	<0.01	53	<10	10	245	5
204818	3.1	1.36	9	64	<0.5	<5	0.22	<1	6	102	183	7.69	0.24	0.94	1730	2	0.02	12	521	21	<5	2	<10	<1	<0.01	42	<10	4	174	7
204819	0.8	0.98	<5	80	<0.5	<5	0.26	<1	5	62	181	6.09	0.16	0.76	1152	<2	0.03	9	661	13	<5	2	<10	<1	<0.01	61	<10	6	134	5
204820	2.4	1.17	7	68	<0.5	<5	0.29	<1	6	72	434	7.90	0.19	0.87	1433	<2	0.03	11	549	16	<5	3	<10	<1	<0.01	69	<10	6	163	7
204821	1.7	2.03	<5	63	<0.5	<5	0.19	<1	13	69	503	9.41	0.20	1.35	2408	3	0.01	11	530	19	<5	2	<10	<1	<0.01	54	<10	4	236	8
204822	2.0	2.26	<5	53	<0.5	<5	0.50	6	7	46	548	7.76	0.19	1.43	2553	<2	0.02	12	588	75	<5	3	<10	<1	<0.01	56	10	7	956	7
204823	2.5	1.40	<5	62	<0.5	<5	0.82	2	14	46	1232	6.92	0.18	1.02	1808	<2	0.02	9	680	46	<5	3	<10	<1	<0.01	65	<10	8	374	6
204824	0.8	0.96	<5	45	<0.5	<5	0.51	<1	6	46	656	5.02	0.12	0.84	1196	<2	0.03	9	694	16	<5	3	<10	3	0.01	60	<10	8	207	4
204825	1.0	0.91	<5	39	<0.5	<5	0.47	<1	6	49	1057	5.22	0.12	0.82	1133	<2	0.04	10	779	14	<5	3	<10	2	0.02	62	<10	9	152	5
204826	0.6	0.82	<5	44	<0.5	<5	0.40	<1	7	57	605	4.59	0.11	0.77	896	<2	0.04	9	706	9	<5	3	<10	6	0.05	58	<10	8	133	4
204827	1.0	1.21	<5	49	<0.5	<5	0.60	<1	6	47	850	5.13	0.13	1.10	1705	<2	0.04	9	849	12	<5	4	<10	5	0.03	67	<10	10	257	4
204828	1.2	1.45	<5	53	<0.5	<5	0.68	<1	5	59	639	5.44	0.14	1.21	1911	<2	0.03	9	828	14	<5	3	<10	4	0.01	69	<10	8	305	5
204829	2.9	1.30	16	55	<0.5	<5	0.50	<1	14	51	552	7.34	0.16	1.09	1607	2	0.03	10	705	19	<5	3	<10	<1	0.01	56	<10	8	310	6
204830	1.6	1.74	<5	63	<0.5	<5	0.47	<1	10	46	528	7.53	0.14	1.39	1992	<2	0.03	8	996	23	<5	5	<10	<1	0.05	96	<10	11	278	7
204831	1.0	2.27	<5	48	<0.5	<5	0.69	<1	11	41	591	9.63	0.17	1.83	2503	<2	0.03	12	1826	17	<5	6	<10	<1	0.06	172	<10	17	305	7
204832	1.2	1.10	<5	46	<0.5	<5	0.68	<1	7	52	642	5.54	0.16	0.87	1327	<2	0.03	6	654	13	<5	3	<10	2	0.01	65	<10	10	173	5
204833	0.8	0.92	<5	43	<0.5	<5	0.60	<1	6	66	1184	5.93	0.13	0.76	1024	<2	0.03	8	687	15	<5	3	<10	3	0.02	76	<10	8	176	5
204834	1.7	0.90	<5	82	<0.5	<5	0.51	<1	4	67	279	6.22	0.19	0.60	974	4	0.02	7	1042	15	<5	2	<10	<1	<0.01	51	<10	10	153	6
204835	1.2	0.91	<5	52	<0.5	<5	0.33	<1	5	63	588	6.08	0.16	0.66	902	<2	0.03	7	766	13	<5	2	<10	<1	0.01	71	<10	8	123	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0586-RG1

Company: **Stealth Minerals Ltd.**
Project: **GS**
Attn: **Bill McWilliams**

Jul-24-04

We hereby certify the following geochemical analysis of 9 rock samples submitted Jul-12-04 by D. Kuran.

Sample Name	Au PPB
151272	19
151273	1
151274	8
151275	6
151276	17
151277	5
151278	87
151279	59
151280	42

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliams

Project: GS

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0586 RJ


Date : Jul-24-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151272	1.7	0.68	7	41	<0.5	<5	0.13	<1	7	126	49	3.07	0.11	0.61	393	11	0.02	17	476	35	12	5	<10	3	0.11	64	<10	2	101	4
151273	1.0	0.24	15	84	<0.5	<5	<0.01	<1	<1	137	41	0.86	0.22	<0.01	35	8	0.02	6	33	42	13	<1	<10	<1	<0.01	2	<10	<1	40	3
151274	1.2	0.18	31	193	<0.5	<5	0.31	<1	<1	28	16	4.04	0.52	<0.01	86	3	0.01	3	5810	278	6	1	<10	74	<0.01	20	<10	<1	76	4
151275	2.8	0.08	32	104	<0.5	<5	0.03	<1	1	207	50	1.70	0.11	<0.01	51	11	0.01	9	189	252	15	<1	<10	<1	<0.01	14	<10	<1	235	3
151276	5.0	0.21	103	26	<0.5	<5	<0.01	<1	12	151	38	3.94	0.17	0.06	98	9	<0.01	9	169	411	7	<1	<10	<1	<0.01	38	<10	<1	211	6
151277	0.5	0.05	9	48	<0.5	<5	<0.01	<1	1	215	9	0.85	0.02	0.02	81	3	<0.01	10	23	22	8	<1	<10	<1	<0.01	18	<10	<1	20	1
151278	8.5	0.14	82	59	<0.5	<5	<0.01	<1	<1	139	17	3.35	0.27	0.01	47	24	0.02	9	373	470	<5	<1	<10	2	<0.01	27	<10	<1	42	5
151279	7.0	0.58	66	214	<0.5	<5	0.03	4	5	102	98	3.51	0.22	0.28	498	60	<0.01	8	559	1632	7	1	<10	<1	<0.01	44	<10	1	647	5
151280	4.5	0.19	26	176	<0.5	<5	0.01	<1	<1	145	12	1.55	0.28	0.01	39	12	0.01	7	197	395	<5	<1	<10	2	<0.01	16	<10	<1	34	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0776-RG1

Company: **Stealth Minerals Ltd.**
Project: Griz-Sickle T1 & T2
Attn: Bill McWilliam/Dave Kuran

Aug-16-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-16-04

Sample Name	Au PPB
185411	33
185412	37
185413	39
185414	29
185415	52
185416	61
185417	119
185418	127
185419	70
185420	88
185421	75
185422	169
185423	155
185424	67
185425	208
148026	86
148027	163
148028	122
148029	120
148030	170
148031	58
148032	73
148033	82
148034	308

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0776-RG2

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle T1 & T2**
Attn: **Bill McWilliam/Dave Kuran**

Aug-16-04

We hereby certify the following geochemical analysis of 7 rock samples submitted Aug-16-04

Sample Name	Au PPB
148035	328
148036	265
148037	171
148038	274
148039	109
148040	206
148041	179

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0776 RJ

Date : Aug-16-04

Stealth Minerals Ltd.

Attention: Bill McWilliam/Dave Kuran

Project: Griz-Sickle T1 & T2

Sample: Rock

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
185411	<0.2	0.29	<5	340	<0.5	<5	0.03	<1	<1	74	69	2.97	0.34	0.03	16	26	0.10	4	640	12	<5	<1	<10	26	<0.01	13	<10	<1	8	8
185412	<0.2	0.34	<5	574	<0.5	<5	0.02	<1	<1	73	75	2.32	0.37	0.04	13	23	0.09	3	585	7	<5	2	<10	24	<0.01	11	<10	<1	7	8
185413	0.2	0.36	<5	430	<0.5	<5	0.02	<1	<1	77	124	3.16	0.38	0.03	14	22	0.09	4	639	11	<5	<1	<10	21	<0.01	14	<10	<1	6	8
185414	0.3	0.44	<5	517	<0.5	<5	0.02	<1	<1	59	174	3.76	0.39	0.10	19	10	0.08	4	799	13	<5	1	<10	38	<0.01	23	<10	<1	11	13
185415	0.2	0.47	<5	506	<0.5	<5	0.01	<1	<1	61	209	4.38	0.38	0.17	31	19	0.09	4	792	2	<5	<1	<10	10	<0.01	32	<10	<1	15	13
185416	<0.2	0.54	12	455	<0.5	<5	0.01	<1	<1	71	162	4.75	0.46	0.19	34	27	0.08	5	784	4	<5	<1	<10	16	<0.01	32	<10	<1	16	14
185417	<0.2	1.11	<5	600	<0.5	<5	0.01	<1	1	54	209	4.19	0.34	0.70	129	25	0.06	4	666	<2	<5	2	<10	12	<0.01	49	<10	1	46	18
185418	<0.2	2.01	<5	510	<0.5	<5	0.01	<1	3	46	231	4.82	0.26	1.38	329	12	0.05	5	481	<2	<5	3	<10	11	<0.01	77	<10	2	100	15
185419	<0.2	1.04	<5	497	<0.5	<5	0.02	<1	<1	54	221	3.02	0.36	0.62	105	23	0.05	3	448	<2	<5	1	<10	14	<0.01	37	<10	2	53	17
185420	<0.2	0.78	<5	434	<0.5	<5	0.02	<1	<1	51	202	3.99	0.37	0.34	54	23	0.06	3	444	3	<5	1	<10	13	<0.01	43	<10	<1	31	16
185421	<0.2	1.17	<5	476	<0.5	<5	0.02	<1	1	54	296	4.27	0.42	0.48	109	31	0.06	4	484	6	<5	2	<10	29	<0.01	43	<10	2	53	16
185422	<0.2	1.21	<5	576	<0.5	<5	0.02	<1	<1	35	305	4.08	0.34	0.62	148	18	0.05	3	620	5	<5	2	<10	32	<0.01	54	<10	2	70	16
185423	0.3	1.27	<5	645	<0.5	<5	0.02	<1	1	57	341	5.56	0.34	0.61	170	32	0.06	5	696	10	<5	2	<10	33	<0.01	61	<10	2	73	17
185424	<0.2	0.95	<5	668	<0.5	<5	0.02	<1	<1	43	209	4.15	0.40	0.37	65	20	0.07	3	599	4	<5	2	<10	29	<0.01	42	<10	1	37	15
185425	<0.2	1.89	<5	867	<0.5	<5	0.03	<1	3	50	242	4.74	0.24	1.10	171	32	0.05	6	325	<2	<5	2	<10	22	<0.01	79	<10	1	98	16
148026	<0.2	1.86	<5	609	<0.5	<5	0.03	<1	4	53	262	5.39	0.18	1.01	170	15	0.04	7	205	<2	<5	2	<10	9	<0.01	85	<10	<1	88	17
148027	<0.2	1.84	<5	782	<0.5	<5	0.04	<1	4	37	226	4.85	0.19	0.97	187	31	0.04	10	294	6	<5	2	<10	24	<0.01	74	<10	<1	84	15
148028	<0.2	1.97	<5	821	<0.5	<5	0.05	<1	2	53	168	4.11	0.21	1.08	212	27	0.04	9	159	<2	<5	3	<10	20	<0.01	69	<10	<1	101	13
148029	<0.2	1.21	<5	774	<0.5	<5	0.05	<1	<1	55	163	3.44	0.22	0.62	115	13	0.05	5	279	<2	<5	2	<10	26	<0.01	51	<10	<1	51	14
148030	<0.2	0.53	<5	577	<0.5	<5	0.03	<1	<1	59	125	3.76	0.28	0.13	27	25	0.09	4	449	3	<5	1	<10	27	<0.01	30	<10	<1	13	15
148031	<0.2	0.39	<5	215	<0.5	<5	0.02	<1	<1	61	107	3.71	0.17	0.03	11	45	0.03	4	289	8	<5	<1	<10	6	<0.01	15	<10	<1	7	17
148032	<0.2	0.40	<5	175	<0.5	<5	0.02	<1	<1	67	29	1.34	0.22	0.03	10	53	0.04	3	146	20	<5	<1	<10	13	<0.01	7	<10	<1	6	9
148033	<0.2	0.37	<5	162	<0.5	<5	0.01	<1	<1	49	112	3.58	0.20	0.03	9	122	0.02	3	439	29	<5	1	<10	19	<0.01	15	<10	<1	8	16
148034	0.3	0.86	<5	412	<0.5	<5	0.02	<1	1	87	243	5.41	0.27	0.34	102	34	0.04	7	782	17	<5	3	<10	42	<0.01	68	<10	1	34	20
148035	<0.2	1.02	<5	412	<0.5	<5	0.03	<1	1	90	276	5.22	0.21	0.50	123	41	0.03	8	408	24	<5	3	<10	21	<0.01	68	<10	1	52	22
148036	<0.2	1.55	<5	593	<0.5	<5	0.03	<1	2	102	319	6.97	0.22	0.78	172	23	0.03	14	438	46	<5	4	<10	28	<0.01	108	12	2	74	23
148037	<0.2	1.71	<5	497	<0.5	<5	0.05	<1	2	84	250	5.10	0.25	0.94	117	20	0.04	14	329	50	<5	3	<10	30	<0.01	83	<10	2	64	21
148038	<0.2	1.08	<5	520	<0.5	<5	0.04	<1	2	45	376	6.73	0.23	0.54	185	28	0.03	7	551	105	<5	2	<10	29	<0.01	65	11	1	66	19
148039	0.3	0.48	<5	374	<0.5	<5	0.02	<1	<1	51	276	5.97	0.36	0.10	22	27	0.05	4	533	36	<5	1	<10	21	<0.01	40	<10	<1	18	15
148040	0.2	0.85	<5	488	<0.5	<5	0.02	<1	1	44	340	6.30	0.27	0.33	91	35	0.03	5	419	20	<5	1	<10	15	<0.01	45	<10	<1	48	15

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0732-SG1

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/ Dave Kuran**

Aug-26-04

We hereby certify the following geochemical analysis of 9 soil samples submitted Aug-06-04

Sample Name	Au PPB
SG-L11+400 12+000	2
SG-L11+400 11+950	10
SG-L11+400 11+900	8
SG-L11+400 11+800	3
SG-L11+400 11+750	9
SG-L11+400 11+700	2
SG-L11+400 11+650	2
SG-L11+400 11+600	17
SG-L11+400 11+550	1

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/Dave Kuran

Project: Griz-Sickle T1 & T2

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0776 RJ

Date : Aug-16-04

MULTI-ELEMENT ICP ANALYSIS


Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148041	<0.2	0.73	<5	489	<0.5	<5	0.03	<1	<1	36	244	4.66	0.32	0.34	61	26	0.05	4	386	61	<5	1	<10	22	<0.01	52	<10	1	40	16

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0778-RG1

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Bill McWilliam**

Sep-17-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-17-04 by Cindy.

Sample Name	Au PPB
148560	37
148561	69
148562	6
148563	33
148564	6
148565	86
148566	15
148567	2
148568	2
148569	10
148570	25
148571	6
148572	9
148751	4
148752	3
148753	4
148754	2
148755	2
148756	2
148757	1
149053	14
149054	13
149055	3
149056	8

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0778-RG2

Company: **Stealth Minerals Ltd.**
Project: **Griz Sickle**
Attn: **Bill McWilliam**

Sep-17-04

We hereby certify the following geochemical analysis of 22 rock samples submitted Aug-17-04 by Cindy.

Sample Name	Au PPB
149057	238
149406	1
149407	5
149408	3
149409	2
149410	3
151880	2
151881	80
151882	11
151883	3
151884	18
151885	67
165899	3
165900	1
204726	3
204727	4
204728	165
204729	34
204732	44
204733	32
204734	72
204735	1425

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Griz Sickle

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0778 RJ

Date : Sep-17-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148560	0.9	1.77	10	60	<0.5	<5	1.41	13	21	47	145	5.02	0.10	0.78	495	<2	0.15	8	1464	210	<5	<1	<10	63	0.09	159	32	11	1494	9
148561	17.1	0.29	12	166	<0.5	7	5.22	22	7	144	3043	2.11	0.15	0.12	1752	16	<0.01	8	235	1057	<5	<1	<10	20	<0.01	10	36	26	2204	3
148562	0.5	0.17	<5	73	<0.5	<5	4.92	20	2	106	27	0.35	0.16	0.01	1943	<2	0.01	6	60	355	<5	<1	<10	32	<0.01	2	20	21	1245	6
148563	39.7	1.06	20	27	<0.5	<5	0.28	2	15	96	>10000	12.72	0.18	0.78	1947	<2	0.02	13	837	128	<5	5	<10	<1	<0.01	63	37	13	747	10
148564	<0.2	0.16	<5	159	<0.5	<5	>15.00	<1	4	22	122	0.83	0.14	0.05	5429	<2	<0.01	3	134	7	<5	1	<10	136	<0.01	7	<10	96	42	2
148565	39.4	2.97	<5	71	<0.5	<5	1.51	>100	34	35	>10000	8.02	0.20	2.03	5855	<2	<0.01	8	751	497	<5	3	<10	50	0.01	56	315	9	>10000	9
148566	8.9	0.27	<5	277	<0.5	15	0.43	>100	8	148	810	1.20	0.07	0.11	1542	20	<0.01	12	225	>10000	<5	<1	<10	9	<0.01	11	836	5	>10000	2
148567	0.4	0.19	<5	155	<0.5	<5	1.60	5	3	224	415	0.64	0.04	0.10	443	3	0.01	10	58	713	<5	<1	<10	9	<0.01	8	<10	3	278	1
148568	<0.2	0.21	<5	43	<0.5	<5	0.28	5	2	222	24	0.45	0.10	0.06	220	<2	0.02	9	95	126	<5	<1	<10	4	<0.01	6	13	2	945	3
148569	20.6	0.95	<5	61	<0.5	13	0.15	5	9	183	5326	2.56	0.05	0.75	678	2	0.02	20	246	3068	<5	4	<10	<1	0.03	49	<10	3	278	3
148570	3.2	0.16	<5	29	<0.5	6	0.03	10	4	199	59	0.64	0.09	0.05	434	17	<0.01	11	89	6178	<5	<1	<10	3	<0.01	5	12	1	695	2
148571	1.0	0.10	<5	17	<0.5	<5	0.29	<1	2	259	53	0.46	0.08	0.02	260	9	0.01	11	95	2852	<5	<1	<10	2	<0.01	3	<10	2	42	1
148572	<0.2	0.10	<5	51	<0.5	<5	0.21	3	2	213	35	0.36	0.06	0.02	590	<2	<0.01	12	61	153	<5	<1	<10	4	<0.01	4	<10	6	189	1
148751	0.9	0.38	<5	924	<0.5	<5	0.02	<1	2	83	6	1.42	0.17	0.03	45	6	0.05	5	291	60	<5	2	<10	137	0.07	19	<10	1	21	17
148752	0.6	0.39	<5	414	<0.5	<5	0.06	<1	3	59	12	1.61	0.17	0.05	54	<2	0.04	4	481	2533	<5	1	<10	194	0.06	15	<10	2	22	16
148753	<0.2	0.68	<5	346	<0.5	<5	0.05	<1	4	61	8	1.87	0.20	0.22	349	<2	0.06	3	444	18	<5	2	<10	11	0.09	14	<10	7	64	24
148754	<0.2	0.98	<5	347	<0.5	<5	0.16	<1	3	49	8	1.79	0.20	0.51	591	<2	0.04	6	527	9	<5	2	<10	14	0.07	18	<10	7	77	26
148755	0.4	0.51	<5	483	<0.5	<5	0.04	<1	3	63	6	1.48	0.16	0.08	77	<2	0.06	4	284	12	<5	2	<10	34	0.09	19	<10	2	15	20
148756	1.1	0.44	7	735	<0.5	6	0.02	<1	2	49	7	1.82	0.18	0.07	71	<2	0.06	3	288	14	<5	2	<10	116	0.07	26	<10	<1	11	20
148757	<0.2	0.83	<5	3169	<0.5	<5	0.06	<1	4	67	8	1.07	0.12	0.27	542	<2	0.04	5	194	17	<5	2	<10	156	0.09	15	<10	2	58	25
149053	<0.2	1.52	<5	502	<0.5	<5	0.99	<1	5	50	22	3.28	0.10	0.81	352	<2	0.08	4	1239	7	<5	4	<10	36	0.09	95	<10	7	51	6
149054	<0.2	1.30	<5	270	<0.5	<5	0.61	<1	10	83	46	3.89	0.13	0.75	369	<2	0.13	7	993	8	<5	5	<10	45	0.12	84	<10	10	49	6
149055	<0.2	0.60	<5	82	<0.5	<5	0.19	<1	9	53	16	3.01	0.10	0.52	309	<2	0.05	5	672	7	<5	1	<10	4	0.09	20	<10	6	54	13
149056	0.3	0.63	22	110	<0.5	<5	0.19	<1	7	55	7	3.05	0.17	0.55	795	<2	0.01	4	686	7	<5	3	<10	3	0.07	37	<10	5	74	14
149057	1.4	0.74	57	65	<0.5	<5	0.13	<1	8	147	15	2.51	0.10	0.58	502	4	0.01	7	316	12	<5	2	<10	<1	0.04	38	<10	3	62	5
149406	<0.2	3.12	<5	116	<0.5	<5	1.70	<1	30	33	29	6.71	0.05	1.70	1426	<2	0.20	11	1128	<2	<5	11	<10	87	0.24	224	<10	17	115	30
149407	<0.2	3.31	9	253	<0.5	<5	0.16	<1	9	32	32	10.04	0.11	1.34	479	<2	0.05	8	1747	6	<5	12	<10	35	0.12	215	16	5	76	9
149408	2.7	0.31	8	345	<0.5	<5	0.05	<1	<1	43	10	1.66	0.20	0.03	16	2	0.01	3	308	16	<5	<1	<10	32	<0.01	7	<10	2	6	13
149409	<0.2	0.22	<5	1994	<0.5	<5	0.02	<1	<1	38	3	0.76	0.12	0.03	31	<2	0.03	2	245	8	<5	<1	<10	270	0.04	5	<10	2	87	8
149410	<0.2	2.06	<5	694	0.5	<5	0.17	<1	6	31	32	5.27	0.24	1.29	443	<2	0.04	5	1633	<2	<5	4	<10	11	<0.01	92	<10	17	202	9

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Griz Sickle

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0778 RJ

Date : Sep-17-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
151880	<0.2	1.08	<5	67	<0.5	<5	0.71	2	11	90	19	3.72	0.08	0.94	460	<2	0.05	13	730	14	<5	2	<10	6	0.07	50	<10	12	296	15
151881	<0.2	0.50	<5	395	<0.5	<5	0.02	<1	<1	59	92	3.95	0.45	0.11	23	40	0.11	3	420	<2	<5	1	<10	67	<0.01	33	<10	<1	8	8
151882	<0.2	0.29	<5	163	<0.5	<5	<0.01	<1	<1	53	2	4.14	0.26	0.02	12	2	0.42	4	270	10	<5	<1	<10	37	<0.01	13	<10	1	2	6
151883	<0.2	0.65	<5	52	<0.5	<5	0.32	6	11	51	29	4.84	0.17	0.55	645	<2	0.04	5	953	147	<5	4	<10	2	<0.01	34	14	6	580	10
151884	<0.2	0.13	<5	1356	<0.5	<5	0.01	<1	<1	201	21	0.43	0.08	<0.01	207	4	<0.01	7	40	712	<5	<1	<10	13	<0.01	2	<10	<1	275	2
151885	2.8	0.19	<5	2375	<0.5	<5	2.51	>100	<1	118	276	0.45	0.13	0.02	990	<2	0.01	9	206	4831	5	<1	<10	38	<0.01	2	811	7	>10000	4
165899	<0.2	2.77	<5	81	<0.5	<5	0.31	3	13	44	18	8.02	0.08	0.82	636	<2	0.03	6	713	25	6	9	<10	1	0.26	123	12	4	256	22
165900	<0.2	1.24	11	75	<0.5	<5	0.37	1	18	55	39	5.61	0.11	0.59	424	<2	0.04	9	732	15	6	7	<10	14	0.22	68	<10	7	143	22
204726	<0.2	1.40	33	442	<0.5	<5	0.38	<1	9	31	38	3.03	0.21	0.87	1011	<2	0.04	4	818	7	<5	3	<10	28	0.12	54	<10	8	156	14
204727	<0.2	1.98	6	264	<0.5	<5	0.40	<1	21	32	14	5.23	0.06	1.67	1092	<2	0.04	7	1086	2	7	4	<10	32	0.26	108	<10	5	180	12
204728	27.8	0.68	<5	67	<0.5	<5	5.56	16	9	77	>10000	4.30	0.08	0.36	2616	<2	0.01	5	710	525	<5	1	<10	104	0.01	22	28	20	1615	3
204729	<0.2	2.59	<5	85	<0.5	<5	0.70	<1	19	45	102	5.80	0.29	1.17	499	41	0.13	8	946	5	<5	3	<10	45	0.06	73	<10	9	69	9
204732	<0.2	0.30	<5	130	<0.5	<5	0.06	<1	1	165	62	0.74	0.09	0.19	442	3	0.01	7	46	17	<5	<1	<10	5	<0.01	5	<10	<1	69	3
204733	3.5	0.15	<5	37	<0.5	<5	0.06	<1	6	97	16	2.61	0.13	0.01	27	4	<0.01	7	492	29	<5	<1	<10	<1	0.02	9	<10	1	84	7
204734	0.8	0.10	<5	53	<0.5	<5	0.02	<1	<1	142	6	0.42	0.10	<0.01	52	14	<0.01	5	197	<2	<5	<1	<10	2	<0.01	2	<10	<1	3	3
204735	47.0	0.35	8	38	<0.5	<5	0.18	<1	3	144	28	1.02	0.06	0.25	400	<2	<0.01	7	80	62	<5	<1	<10	2	<0.01	13	<10	2	64	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____



Stealth Minerals Ltd.

Attention: Bill McWilliams

Project: GS

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0587 RJ

Date : Aug-03-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
204836	0.8	1.03	<5	51	<0.5	<5	0.66	<1	8	55	1023	6.26	0.17	0.79	1237	<2	0.03	6	744	15	<5	3	<10	1	0.02	80	<10	10	156	6
204837	<0.2	0.98	<5	52	<0.5	<5	0.44	<1	8	57	309	8.24	0.11	0.83	920	<2	0.04	8	677	17	<5	4	<10	<1	0.04	114	<10	8	128	7
204838	0.7	1.00	<5	47	<0.5	<5	0.87	<1	7	55	729	7.21	0.11	0.93	987	<2	0.04	9	2150	16	<5	4	<10	3	0.04	97	<10	24	152	6
204839	0.3	0.89	<5	50	<0.5	<5	0.30	<1	6	65	501	6.17	0.11	0.76	788	<2	0.04	8	652	14	<5	3	<10	2	0.05	79	<10	7	108	6
204840	0.7	1.02	<5	55	<0.5	<5	0.78	<1	7	55	662	6.17	0.15	0.73	1078	<2	0.03	7	518	16	<5	4	<10	6	0.02	70	<10	8	152	6
204806	<0.2	0.03	<5	21	<0.5	<5	0.02	<1	<1	157	16	0.31	<0.01	<0.01	34	<2	0.01	8	40	7	<5	<1	<10	4	0.02	2	<10	<1	8	3
204807	<0.2	0.23	<5	32	<0.5	<5	0.17	<1	2	168	6	0.80	0.02	0.14	212	4	0.01	7	170	35	<5	<1	<10	17	0.04	10	<10	1	31	7
204808	1.0	0.12	<5	28	<0.5	<5	0.05	<1	2	145	7	0.89	0.08	0.02	309	<2	0.01	7	163	3	<5	<1	<10	<1	<0.01	11	<10	1	26	4
204809	1.4	0.11	<5	26	<0.5	<5	0.05	<1	2	129	5	0.85	0.07	0.02	307	2	0.01	6	164	5	<5	<1	<10	<1	<0.01	10	<10	1	29	3
204810	<0.2	0.49	<5	1390	<0.5	<5	0.36	<1	7	260	52	1.76	0.09	0.19	395	2	0.01	18	203	59	<5	<1	<10	56	0.03	31	<10	3	38	7
204811	>200.0	0.11	<5	35	<0.5	<5	1.23	2	2	158	35	0.91	0.06	0.03	566	4	0.01	7	87	106	<5	<1	<10	9	<0.01	10	<10	1	102	3
204812	6.4	0.16	<5	43	<0.5	<5	0.11	<1	2	167	30	0.54	0.07	0.04	153	4	0.01	9	123	25	<5	<1	<10	2	<0.01	5	<10	1	64	2
204813	<0.2	2.08	<5	199	<0.5	<5	0.15	<1	5	13	40	6.35	0.11	1.06	414	<2	0.14	6	1281	39	<5	4	<10	<1	<0.01	39	<10	5	121	7
204814	0.2	0.09	<5	207	<0.5	<5	<0.01	<1	3	66	4	1.89	0.02	<0.01	13	<2	0.02	5	44	16	<5	<1	<10	7	<0.01	4	<10	<1	10	8
204815	4.9	0.84	<5	130	<0.5	<5	0.57	>100	3	77	40	2.18	0.22	0.49	2469	10	0.01	4	319	>10000	<5	<1	<10	5	<0.01	16	251	4	>10000	13
204900	0.3	0.27	<5	269	<0.5	<5	0.01	<1	<1	73	7	1.01	0.32	0.01	46	6	0.01	4	396	93	<5	<1	<10	10	<0.01	5	<10	2	74	6
185401	0.3	1.43	<5	208	0.5	<5	0.78	<1	11	170	27	2.85	0.14	0.53	1102	3	0.01	12	762	87	<5	3	<10	96	0.09	33	<10	7	136	17
185402	15.7	0.60	<5	69	<0.5	<5	0.10	<1	3	126	19	1.60	0.08	0.44	506	<2	0.01	8	248	13	<5	2	<10	2	0.03	21	<10	3	51	7
185403	<0.2	0.32	<5	93	<0.5	<5	0.01	<1	2	30	19	7.24	0.11	0.01	266	8	0.03	4	939	13	<5	1	<10	<1	<0.01	36	<10	1	17	15
185404	<0.2	0.17	<5	174	<0.5	<5	<0.01	<1	<1	89	4	0.17	<0.01	<0.01	19	<2	0.02	7	25	4	<5	<1	<10	20	<0.01	3	<10	<1	6	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0951-RG1

Company: **Stealth Minerals Ltd.**
Project: Griz-Sickle
Attn: Bill McWilliam

Oct-05-04

We hereby certify the following geochemical analysis of 8 rock samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au PPB	Au g/tonne
149081	3	
149082	32	
209568	>10000	32.33
148123	54	
148126	17	
148127	2	
148124	7	
148125	10	
*97-45		1.38
*BLANK		<0.01

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Griz-Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0951 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149081	<0.2	0.77	<5	40	<0.5	<5	0.47	<1	4	126	11	1.48	0.07	0.51	452	4	0.03	5	382	11	<5	2	<10	5	0.05	30	<10	4	39	4
149082	<0.2	0.25	15	35	<0.5	<5	0.03	<1	11	47	36	4.66	0.21	0.01	20	6	0.01	4	461	20	<5	<1	<10	<1	<0.01	10	<10	3	11	13
209568	8.2	0.15	<5	45	<0.5	5	5.60	<1	31	82	>10000	4.60	0.14	0.03	2446	10	0.02	7	783	30	<5	1	<10	92	<0.01	9	<10	16	5	5
148123	3.4	0.36	<5	56	<0.5	<5	0.06	<1	1	134	133	0.60	0.18	0.05	152	4	0.02	5	146	192	5	<1	<10	12	<0.01	3	<10	2	42	6
148126	<0.2	2.52	<5	44	<0.5	<5	0.75	<1	12	52	167	5.10	0.09	1.57	433	3	0.06	9	962	27	<5	9	<10	14	0.15	142	<10	9	42	14
148127	<0.2	0.27	<5	40	<0.5	<5	1.75	<1	10	63	4	1.39	0.14	0.07	525	<2	0.04	4	429	8	<5	<1	<10	23	<0.01	4	<10	9	24	10
148124	<0.2	0.66	<5	124	<0.5	<5	0.30	2	1	137	16	1.60	0.35	0.13	276	4	0.07	5	443	18	<5	<1	<10	8	<0.01	6	<10	7	157	15
148125	0.3	0.46	<5	112	<0.5	<5	1.12	8	1	81	13	1.58	0.20	0.25	593	3	0.03	3	470	40	5	<1	<10	13	<0.01	4	12	8	1021	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0753-RG1

Company: **Stealth Minerals Ltd.**
Project: **SICKLE**
Attn: **Dave Kuran, Bill McWilliam**

Sep-10-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-12-04

Sample Name	Au PPB
148573	2
148574	2
148575	8
148576	2
148577	4
148578	2
148579	1
148580	1
148581	1
148582	2
148583	1
148584	1
148585	2
148586	1
148587	1
148588	1
148589	4
148590	3
148591	1
149039	7
149040	11
149041	165
149042	73
149043	1

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0753-RG2


Company: **Stealth Minerals Ltd.**
Project: **SICKLE**
Attn: **Dave Kuran, Bill McWilliam**

Sep-10-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-12-04

Sample Name	Au PPB
149044	1
149045	14
151873	9
151874	5
151875	44
151876	6
165881	1
165882	1
165883	3
165884	3
165885	3
165886	5
165887	4
165888	6
165889	2
165890	3
165891	4
165892	8
165893	7
165894	5
165895	1
165896	1
165897	6
165898	3

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0753-RG3

Sep-10-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following geochemical analysis of 7 samples submitted Aug-12-04

Sample Name	Au PPB
185986	1
185987	3
185988	6
204566	3
204567	26
204730	25
204731	3

Certified by _____

Assayers Canada

Stealth Minerals Ltd.

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Report No : 4V0753 RJ

Attention: Dave Kuran, Bill McWilliam

Tel: (604) 327-3436 Fax: (604) 327-3423

Date : Sep-10-04

Project: SICKLE

Sample: pulp

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148573	<0.2	1.20	<5	57	<0.5	<5	0.48	<1	3	86	17	2.90	0.16	0.82	725	2	0.06	7	741	23	<5	5	<10	12	0.10	65	<10	6	82	3
148574	<0.2	1.12	<5	57	0.5	<5	0.40	<1	2	100	24	3.07	0.13	0.73	751	3	0.07	7	735	20	<5	5	<10	13	0.11	64	<10	5	79	4
148575	<0.2	0.98	<5	51	<0.5	<5	0.49	<1	2	88	11	2.50	0.12	0.64	482	2	0.07	7	695	17	<5	4	<10	19	0.13	56	<10	7	45	5
148576	<0.2	1.21	<5	48	0.5	<5	0.59	<1	3	88	29	3.13	0.11	0.78	621	3	0.07	6	996	21	<5	5	<10	19	0.12	64	<10	8	56	5
148577	<0.2	1.39	<5	44	0.5	<5	0.59	<1	2	76	24	3.38	0.11	0.91	749	<2	0.06	6	908	19	<5	6	<10	19	0.13	71	<10	8	72	6
148578	<0.2	1.31	<5	48	0.6	<5	0.52	<1	<1	93	20	2.99	0.11	0.82	800	4	0.07	6	774	17	<5	5	<10	19	0.11	68	<10	7	75	6
148579	<0.2	1.07	<5	54	<0.5	<5	0.58	<1	2	83	16	2.93	0.18	0.68	594	12	0.07	7	719	12	<5	5	<10	24	0.13	62	<10	11	60	3
148580	<0.2	1.10	<5	53	<0.5	<5	0.59	<1	3	92	21	2.62	0.17	0.67	525	4	0.07	6	731	13	<5	5	<10	20	0.12	61	<10	9	55	4
148581	<0.2	1.23	<5	46	0.5	<5	0.61	<1	3	72	29	3.00	0.13	0.80	529	3	0.07	7	891	15	<5	5	<10	19	0.14	68	<10	9	51	4
148582	<0.2	1.30	<5	59	0.5	<5	0.70	<1	4	88	48	3.45	0.20	0.89	571	5	0.07	7	1127	18	<5	6	<10	24	0.17	70	<10	12	62	5
148583	<0.2	0.91	<5	50	<0.5	<5	0.42	<1	2	62	30	2.64	0.15	0.64	486	3	0.05	8	741	19	<5	4	<10	11	0.11	54	<10	7	58	3
148584	<0.2	1.09	<5	49	0.5	<5	0.63	<1	2	89	18	2.77	0.15	0.67	448	7	0.07	7	872	13	<5	5	<10	18	0.13	62	<10	9	52	4
148585	<0.2	1.04	<5	53	<0.5	<5	0.48	<1	2	74	25	2.77	0.17	0.65	597	3	0.06	6	750	10	<5	5	<10	17	0.13	63	<10	7	58	3
148586	<0.2	1.05	<5	57	<0.5	<5	0.45	<1	2	99	20	2.92	0.17	0.67	649	5	0.06	6	669	13	<5	5	<10	13	0.10	58	<10	7	73	4
148587	<0.2	1.15	<5	86	<0.5	<5	0.32	<1	<1	75	16	2.73	0.18	0.78	785	3	0.07	6	769	16	<5	4	<10	22	0.07	57	<10	6	66	4
148588	<0.2	1.20	<5	66	<0.5	<5	0.54	<1	2	92	32	3.01	0.16	0.70	1184	3	0.06	6	820	19	<5	5	<10	18	0.12	64	<10	7	77	4
148589	<0.2	1.47	<5	83	<0.5	<5	0.63	<1	7	67	72	4.14	0.30	0.98	818	2	0.07	7	900	14	<5	8	<10	14	0.16	83	<10	8	79	4
148590	<0.2	1.10	<5	70	<0.5	<5	0.37	<1	2	98	19	2.83	0.24	0.68	609	4	0.07	6	695	18	<5	5	<10	14	0.12	60	<10	6	61	4
148591	<0.2	1.30	<5	59	<0.5	<5	0.46	<1	1	72	27	3.26	0.17	0.91	553	4	0.06	8	967	10	<5	6	<10	9	0.10	70	<10	9	52	5
149039	<0.2	0.41	<5	389	<0.5	<5	0.03	<1	<1	56	9	3.08	0.34	0.03	15	<2	0.18	9	658	15	<5	1	<10	148	<0.01	15	<10	1	9	8
149040	<0.2	0.50	8	247	<0.5	7	0.02	<1	<1	39	122	5.16	0.24	0.04	13	9	0.03	5	1244	22	<5	1	<10	104	<0.01	36	<10	2	14	13
149041	<0.2	0.54	<5	569	<0.5	7	0.02	<1	<1	32	114	8.26	0.34	0.02	10	<2	0.13	3	1644	44	<5	4	<10	81	<0.01	46	<10	<1	17	16
149042	<0.2	0.23	<5	44	<0.5	<5	<0.01	<1	<1	128	208	4.28	0.13	0.01	19	143	0.02	8	249	32	<5	<1	<10	<1	<0.01	9	<10	<1	12	7
149043	<0.2	2.08	<5	63	<0.5	<5	0.68	<1	<1	46	30	3.46	0.17	1.56	1893	<2	0.04	4	1316	7	<5	2	<10	32	0.11	54	<10	7	191	10
149044	<0.2	0.80	<5	63	0.7	<5	2.59	<1	<1	43	2	3.37	0.17	0.65	293	3	0.04	9	844	5	<5	4	<10	19	<0.01	14	<10	12	61	9
149045	<0.2	1.48	<5	285	<0.5	<5	0.54	<1	8	67	164	3.64	0.17	1.05	1166	25	0.04	11	1095	12	<5	3	<10	33	0.05	60	<10	9	149	9
151873	<0.2	1.01	8	337	<0.5	<5	0.02	<1	<1	33	106	4.16	0.36	0.27	67	2	0.12	6	802	27	<5	2	<10	77	<0.01	36	<10	2	23	13
151874	<0.2	0.53	<5	366	<0.5	<5	0.02	<1	<1	41	34	2.96	0.36	0.06	14	2	0.18	6	402	19	<5	1	<10	41	<0.01	15	<10	2	10	8
151875	<0.2	0.62	<5	335	<0.5	<5	0.02	<1	<1	55	137	3.94	0.49	0.25	51	30	0.13	6	851	36	<5	1	<10	24	<0.01	22	<10	<1	18	14
151876	<0.2	0.48	9	2111	<0.5	<5	<0.01	<1	<1	43	20	0.63	<0.01	<0.01	9	<2	0.01	5	72	27	13	<1	<10	63	<0.01	14	<10	<1	4	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE

Sample: pulp

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0753 RJ

Date : Sep-10-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
165881	<0.2	1.08	<5	83	<0.5	<5	0.56	<1	4	69	22	2.88	0.21	0.73	975	3	0.06	7	732	13	<5	5	<10	22	0.15	65	<10	10	90	7
165882	<0.2	1.08	<5	46	<0.5	<5	0.48	<1	<1	67	11	2.66	0.12	0.74	470	<2	0.06	6	811	19	<5	5	<10	14	0.11	62	<10	7	44	5
165883	<0.2	1.02	<5	52	<0.5	<5	0.52	<1	1	69	14	2.59	0.15	0.67	381	3	0.06	8	711	10	<5	5	<10	16	0.12	59	<10	7	43	4
165884	<0.2	1.12	<5	47	<0.5	<5	0.54	<1	2	76	11	2.90	0.17	0.77	506	5	0.06	8	715	13	5	5	<10	15	0.14	63	<10	7	56	4
165885	<0.2	1.14	<5	102	<0.5	<5	0.79	<1	4	54	14	4.05	0.33	0.90	611	7	0.07	7	1783	7	5	6	<10	20	0.20	105	<10	14	64	5
165886	<0.2	1.02	<5	75	<0.5	<5	0.51	<1	3	80	20	3.11	0.24	0.68	462	<2	0.06	8	810	11	5	5	<10	21	0.16	69	<10	11	60	5
165887	<0.2	1.17	<5	47	0.5	<5	0.57	<1	1	81	18	2.66	0.15	0.73	507	3	0.06	9	702	11	<5	5	<10	17	0.14	60	<10	8	54	4
165888	<0.2	1.17	<5	43	0.6	<5	0.61	<1	2	76	22	3.00	0.14	0.76	528	5	0.06	7	794	45	<5	6	<10	20	0.14	66	<10	9	74	5
165889	<0.2	1.18	<5	43	0.5	<5	0.63	<1	1	67	27	3.01	0.13	0.76	418	3	0.06	7	1026	19	5	5	<10	19	0.14	71	<10	9	51	4
165890	<0.2	1.18	<5	53	0.5	<5	0.55	<1	2	72	18	2.84	0.19	0.72	665	2	0.06	6	753	12	5	5	<10	16	0.15	63	<10	8	66	4
165891	<0.2	1.11	<5	44	<0.5	<5	0.61	<1	2	76	30	2.76	0.13	0.66	611	3	0.06	8	747	14	6	5	<10	18	0.12	60	<10	8	62	4
165892	<0.2	0.51	<5	65	<0.5	<5	13.00	<1	2	57	8	1.42	0.10	0.34	963	<2	0.01	4	281	10	6	1	<10	231	0.01	11	<10	4	35	5
165893	<0.2	0.25	<5	80	<0.5	<5	1.79	<1	<1	78	3	0.77	0.15	0.05	666	5	0.03	7	124	14	<5	<1	<10	14	<0.01	3	<10	6	25	9
165894	<0.2	0.28	<5	64	<0.5	<5	0.17	2	<1	102	24	0.77	0.13	0.06	302	11	0.03	8	109	778	<5	<1	<10	4	<0.01	4	<10	5	74	11
165895	<0.2	0.31	<5	39	<0.5	<5	7.42	3	<1	86	6	0.73	0.12	0.08	970	4	0.02	8	89	26	<5	<1	<10	71	<0.01	4	<10	6	41	16
165896	<0.2	0.35	<5	187	<0.5	<5	0.08	<1	2	70	17	1.72	0.13	0.02	39	<2	0.04	6	463	4208	<5	1	<10	167	0.06	10	<10	1	11	13
165897	<0.2	0.29	<5	114	<0.5	<5	0.13	<1	1	104	2	0.65	0.16	0.07	218	<2	0.05	10	73	16	<5	<1	<10	5	0.01	2	<10	6	65	11
165898	<0.2	1.89	<5	135	<0.5	<5	0.94	<1	18	40	50	5.03	0.09	1.56	1101	<2	0.08	11	1077	39	5	3	<10	43	0.25	157	<10	13	183	17
185986	<0.2	0.41	<5	77	<0.5	17	0.02	<1	5	53	147	14.20	0.23	0.06	48	10	0.02	10	1285	91	<5	<1	<10	<1	0.06	47	18	<1	26	16
185987	1.0	1.51	<5	88	<0.5	<5	0.23	<1	10	15	10	7.47	0.12	1.44	670	<2	0.07	6	1566	55	13	13	<10	13	0.32	198	10	4	86	8
185988	<0.2	1.78	<5	73	<0.5	<5	0.35	<1	16	40	9	5.11	0.29	1.37	1152	<2	0.09	8	951	7	8	4	<10	11	0.12	77	<10	9	135	14
204566	1.1	0.39	<5	90	<0.5	<5	0.61	<1	9	71	835	1.51	0.24	0.17	346	<2	0.05	6	1157	20	6	5	<10	12	0.14	101	<10	9	65	14
204567	17.1	0.35	76	44	<0.5	<5	0.07	<1	16	85	56	4.56	0.38	0.04	170	<2	0.02	9	721	1034	11	2	<10	<1	0.09	117	<10	3	293	22
204730	2.2	0.34	<5	51	<0.5	6	0.15	<1	9	103	28	3.96	0.33	0.03	131	<2	0.02	10	705	198	10	2	<10	3	0.06	27	10	2	14	12
204731	<0.2	1.91	<5	108	<0.5	<5	0.82	8	12	59	21	3.45	0.08	1.12	5022	<2	0.07	6	1122	7	6	2	<10	53	0.16	46	18	10	1055	13

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA1

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle**
 Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49551	0.01	0.01	0.2	0.001	0.01	0.01
49552	0.01		0.2	0.001	0.01	0.02
49553	0.02		0.2	0.001	0.01	0.01
49554	0.01		0.2	0.001	0.01	0.01
49555	0.01		0.2	0.001	0.01	0.01
49556	0.01		1.0	0.001	0.01	0.01
49557	0.01		0.3	0.001	0.01	0.01
49558	0.01		0.2	0.001	0.01	0.01
49559	0.01		0.3	0.010	0.01	0.01
49560	0.02	0.02	1.6	0.034	0.01	0.01
49561	0.01		0.3	0.001	0.01	0.01
49562	0.01		0.2	0.002	0.01	0.01
49563	0.01		0.2	0.001	0.01	0.01
49564	0.02		0.2	0.001	0.01	0.05
49565	0.01		0.2	0.001	0.01	0.01
49566	0.02		0.2	0.001	0.01	0.01
49567	0.01		0.5	0.007	0.01	0.01
49568	0.02		0.3	0.008	0.01	0.01
49569	0.01		0.2	0.001	0.01	0.01
49570	0.01	0.01	0.3	0.004	0.01	0.01
49571	0.01		0.2	0.001	0.01	0.01
49572	0.01		0.2	0.001	0.01	0.01
49573	0.02		0.3	0.001	0.01	0.01
49574	0.01		0.2	0.001	0.01	0.01
*DUP 49551			0.2	0.001	0.01	0.01
*DUP 49560			1.2	0.036	0.01	0.01
*DUP 49570			0.2	0.004	0.01	0.01
*97-45	1.50					
*CPb-1			625.0			4.41
*KC-1a				0.627	2.24	

Certified by 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA1

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA2

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle**
Attn: **Bill McWilliam**

Oct-08-04

We hereby certify the following assay of 9 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49575	0.01	0.01	0.2	0.001	0.01	0.01
49576	0.08		0.2	0.003	0.01	0.01
49577	0.01		0.2	0.001	0.01	0.01
49578	0.02		0.3	0.002	0.01	0.01
49579	0.01		0.2	0.001	0.01	0.01
49580	0.01		0.2	0.003	0.01	0.01
49581	0.01		0.2	0.002	0.01	0.01
49582	0.01		0.2	0.003	0.01	0.01
49583	0.01		0.8	0.003	0.01	0.01
*DUP 49575			0.3	0.001	0.01	0.01
*97-45	1.53					
*CPb-1			627.0			4.39
*KC-1a				0.629	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0862-RG1


Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-30-04

Sample Name	Au PPB
148083	14
148084	29
148085	5
148086	3
148087	26
148088	14
149581	49
149582	41
149583	34
149584	71
149585	18
149586	62
149587	66
149588	7
149589	25
149590	47
149591	17
149592	40
149601	42
149602	101
149603	66
149604	79
149605	45
149606	46

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0862-RG2

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE**
Attn: **Dave Kuran, Bill McWilliam**

Oct-05-04

We hereby certify the following geochemical analysis of 22 rock samples submitted Aug-30-04

Sample Name	Au PPB
149607	72
149608	49
149609	74
149610	125
149611	97
149612	75
149613	42
149614	69
149615	46
149616	70
149617	83
165990	39
165991	73
165992	31
165993	62
165994	8
165995	16
165996	47
165997	84
165998	34
165999	47
166000	25

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GRIZ SICKLE

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0862 RJ

Date : Oct-05-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148083	<0.2	0.50	<5	164	<0.5	<5	0.05	<1	<1	19	92	3.69	0.16	0.03	12	<2	0.05	1	617	15	<5	1	<10	67	<0.01	22	<10	1	24	7
148084	<0.2	0.43	<5	399	<0.5	<5	0.02	<1	<1	19	45	3.57	0.30	0.02	11	<2	0.11	1	597	19	<5	1	<10	153	<0.01	14	<10	1	9	12
148085	<0.2	1.58	<5	128	0.5	<5	0.66	<1	13	22	24	4.02	0.15	1.38	1552	<2	0.03	5	1139	19	<5	5	<10	15	0.10	88	<10	11	159	14
148086	<0.2	1.34	<5	138	<0.5	<5	0.28	<1	6	57	9	2.63	0.11	1.00	1606	<2	0.03	6	700	14	<5	2	<10	12	0.04	35	<10	6	174	8
148087	<0.2	0.83	9	524	<0.5	<5	0.04	<1	<1	32	71	4.04	0.40	0.16	181	3	0.05	1	742	32	<5	2	<10	101	<0.01	40	<10	1	36	10
148088	<0.2	0.76	<5	480	<0.5	<5	0.02	<1	<1	28	43	2.73	0.33	0.03	18	<2	0.08	2	562	11	<5	1	<10	141	<0.01	15	<10	1	14	10
149581	<0.2	1.98	<5	700	<0.5	<5	0.02	<1	<1	23	172	5.97	0.38	0.65	112	<2	0.04	2	1234	16	<5	4	<10	45	<0.01	74	<10	1	69	11
149582	<0.2	1.87	<5	713	<0.5	<5	0.02	<1	<1	25	158	5.13	0.40	0.57	85	3	0.04	3	1064	23	<5	3	<10	46	<0.01	54	<10	1	65	10
149583	<0.2	1.86	<5	645	<0.5	<5	0.02	<1	<1	25	105	3.30	0.37	0.65	138	<2	0.05	3	629	18	<5	2	<10	66	<0.01	46	<10	1	82	9
149584	<0.2	1.67	<5	720	<0.5	<5	0.03	<1	<1	21	143	4.47	0.53	0.58	106	<2	0.07	3	812	30	<5	2	<10	99	<0.01	46	<10	1	75	10
149585	<0.2	1.08	<5	662	<0.5	<5	0.02	<1	<1	29	110	3.84	0.50	0.27	49	<2	0.08	2	719	25	<5	2	<10	118	<0.01	29	<10	1	39	9
149586	<0.2	0.86	<5	488	<0.5	5	0.02	<1	<1	29	123	4.70	0.56	0.13	25	<2	0.08	2	832	27	<5	2	<10	90	<0.01	30	<10	1	24	10
149587	<0.2	0.81	<5	535	<0.5	<5	0.01	<1	<1	29	125	4.75	0.51	0.10	23	<2	0.08	2	623	26	<5	2	<10	61	<0.01	25	<10	1	23	9
149588	<0.2	1.20	<5	167	<0.5	<5	0.18	<1	5	53	41	3.52	0.18	0.81	1093	<2	0.03	4	725	14	<5	3	<10	17	0.05	42	<10	4	92	11
149589	<0.2	1.60	<5	320	<0.5	<5	0.25	<1	5	45	128	3.45	0.21	0.72	641	<2	0.05	4	917	14	<5	2	<10	91	0.02	50	<10	4	104	8
149590	<0.2	1.70	6	561	<0.5	<5	0.02	<1	<1	22	165	3.80	0.26	0.60	111	<2	0.05	2	977	13	<5	2	<10	93	<0.01	65	<10	1	65	8
149591	<0.2	1.27	7	487	<0.5	<5	0.33	<1	4	25	145	5.32	0.26	0.60	313	4	0.05	4	1326	33	<5	4	<10	138	0.04	104	<10	7	56	11
149592	<0.2	1.12	<5	286	<0.5	<5	0.11	<1	<1	27	119	3.80	0.23	0.40	301	2	0.06	2	780	23	<5	2	<10	90	<0.01	48	<10	2	72	7
149601	0.3	0.51	<5	144	<0.5	6	0.02	<1	<1	50	233	5.96	0.17	0.01	17	124	0.03	2	821	23	<5	2	<10	3	<0.01	12	<10	<1	22	15
149602	0.4	0.48	<5	175	<0.5	<5	0.01	<1	<1	40	33	1.16	0.20	0.01	12	33	0.04	2	204	13	<5	<1	<10	11	<0.01	4	<10	<1	8	9
149603	0.6	0.54	<5	466	<0.5	<5	0.02	<1	<1	33	54	2.39	0.23	0.02	21	91	0.04	2	453	19	<5	<1	<10	24	<0.01	6	<10	<1	20	14
149604	1.4	0.45	7	255	<0.5	<5	0.01	<1	<1	39	65	1.96	0.24	0.02	10	82	0.04	2	328	14	<5	<1	<10	20	<0.01	9	<10	<1	10	14
149605	0.6	0.45	<5	81	<0.5	<5	0.01	<1	<1	51	138	2.61	0.20	0.02	40	81	0.03	2	323	12	<5	1	<10	9	<0.01	7	<10	<1	10	13
149606	0.5	0.43	<5	61	<0.5	<5	0.02	<1	<1	48	129	2.46	0.17	0.02	32	72	0.03	3	306	9	<5	<1	<10	9	<0.01	7	<10	<1	15	12
149607	1.1	0.44	<5	143	<0.5	<5	0.02	<1	<1	19	116	2.51	0.20	0.02	14	103	0.04	<1	380	22	<5	2	<10	17	<0.01	8	<10	<1	13	12
149608	1.2	0.44	<5	93	<0.5	<5	0.05	<1	<1	28	105	2.07	0.19	0.02	13	69	0.03	<1	304	11	<5	1	<10	13	<0.01	7	<10	<1	12	13
149609	1.9	0.46	7	111	<0.5	<5	0.02	<1	<1	31	26	0.85	0.20	0.02	15	43	0.04	1	181	24	<5	<1	<10	16	<0.01	5	<10	1	12	14
149610	2.1	0.49	<5	66	<0.5	<5	0.01	<1	<1	40	14	0.39	0.19	0.02	13	36	0.04	2	79	11	<5	<1	<10	10	<0.01	4	<10	1	10	9
149611	1.5	0.56	6	330	<0.5	<5	0.02	<1	<1	28	38	1.57	0.25	0.08	30	187	0.05	1	255	26	<5	1	<10	24	<0.01	5	<10	<1	19	11
149612	0.7	0.47	<5	62	<0.5	<5	0.01	<1	<1	39	92	2.04	0.19	0.02	14	106	0.04	3	201	23	<5	1	<10	7	<0.01	5	<10	<1	13	16

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GRIZ SICKLE

Sample: Rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0862 RJ

Date : Oct-05-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149613	0.5	0.50	<5	58	<0.5	<5	0.02	<1	<1	37	103	2.40	0.19	0.02	15	54	0.04	2	225	26	<5	1	<10	6	<0.01	6	<10	<1	23	19
149614	0.2	0.49	<5	73	<0.5	<5	0.02	<1	<1	28	111	2.87	0.17	0.02	15	49	0.03	2	320	29	<5	1	<10	10	<0.01	8	<10	<1	19	14
149615	0.3	0.53	<5	118	<0.5	<5	0.02	<1	<1	34	89	2.50	0.18	0.02	15	52	0.04	2	316	17	<5	2	<10	16	<0.01	7	<10	<1	17	13
149616	<0.2	0.72	<5	120	<0.5	<5	0.03	<1	<1	26	158	3.75	0.17	0.10	42	30	0.03	<1	479	14	<5	2	<10	23	<0.01	25	<10	<1	31	13
149617	0.3	0.46	<5	108	<0.5	<5	0.02	<1	<1	25	140	2.81	0.16	0.02	10	42	0.03	2	416	23	<5	2	<10	17	<0.01	15	<10	<1	18	9
165990	<0.2	1.17	<5	156	<0.5	<5	0.02	<1	<1	21	184	6.05	0.21	0.54	47	4	0.03	<1	1161	23	<5	3	<10	124	<0.01	51	<10	1	33	11
165991	<0.2	0.68	6	95	<0.5	<5	0.10	<1	2	20	85	3.17	0.15	0.31	187	<2	0.04	2	660	19	<5	2	<10	84	<0.01	26	<10	2	55	9
165992	0.5	1.48	<5	82	<0.5	<5	0.43	1	9	33	20	3.15	0.12	0.85	1597	<2	0.02	4	903	236	7	4	<10	36	0.04	50	<10	6	291	9
165993	<0.2	0.63	<5	253	<0.5	<5	0.68	3	3	42	9	1.41	0.18	0.33	1326	2	0.02	3	342	7	<5	1	<10	19	0.02	19	<10	7	277	11
165994	0.3	1.23	<5	359	<0.5	<5	0.24	<1	4	32	43	3.61	0.19	0.65	938	<2	0.06	3	808	11	<5	3	<10	48	0.02	39	<10	6	115	13
165995	<0.2	1.14	5	303	0.6	<5	0.06	<1	<1	15	189	5.29	0.15	0.23	97	5	0.03	2	1856	21	<5	3	<10	570	<0.01	29	<10	5	51	5
165996	<0.2	0.80	9	104	<0.5	<5	0.03	<1	<1	11	189	5.02	0.12	0.16	19	<2	0.04	<1	1431	14	<5	2	<10	281	<0.01	28	<10	3	31	12
165997	<0.2	1.10	<5	159	<0.5	<5	0.02	<1	<1	10	56	2.87	0.39	0.17	18	<2	0.05	1	499	12	<5	2	<10	113	<0.01	13	<10	1	26	7
165998	<0.2	0.62	<5	82	<0.5	<5	0.06	<1	<1	11	185	5.17	0.18	0.04	10	<2	0.03	1	1039	15	<5	2	<10	90	<0.01	25	<10	1	34	7
165999	<0.2	0.56	<5	113	<0.5	<5	0.02	<1	<1	14	119	3.88	0.15	0.07	9	<2	0.04	<1	863	13	<5	2	<10	118	<0.01	23	<10	2	20	7
166000	<0.2	0.48	<5	70	<0.5	<5	0.01	<1	<1	18	69	2.84	0.15	0.02	8	3	0.03	<1	377	9	<5	<1	<10	30	<0.01	11	<10	1	15	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0881-RA1


Company: **Stealth Minerals Ltd.**
Project:
Attn: **Mr Bill McWilliam**

Sep-02-04

We hereby certify the following assay of 5 rock core samples submitted Sep-02-04

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
AR-04-01 49505a	0.01	1.6	0.004	0.04	0.01
AR-04-01 49507a	0.04	0.2	0.002	0.02	0.01
AR-04-01 49511a	0.06	0.2	0.002	0.01	0.01
AR-04-01 49515a	0.02	1.0	0.001	0.03	0.01
AR-04-01 49517a	0.06	2.3	0.001	0.04	0.01
*DUP AR-04-01 49505a	0.01	1.9	0.004	0.04	0.01
*97-45	1.52				
*CPb-1		627.0			4.40
*KC-1a			0.632	2.26	
*BLANK	<0.01	<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0726-RG1


Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/ Dave Kuran**

Aug-26-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-06-04

Sample Name	Au PPB	Ag g/tonne
148551	22	
148552	4	
148553	105	
148554	59	
148555	9	
148556	3	
148557	3	
148558	1	
148559	9522	451.0
165866	46	
165867	173	
165868	83	
165869	12	
165870	11	
165871	40	
165872	8	
165873	348	
165874	12	
165875	7	
165876	10	
165877	40	
165878	68	
165879	42	
165880	87	
*CPb-1		627.0
*BLANK		<0.1

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0726-RG2

Aug-26-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following geochemical analysis of 24 rock chps samples submitted Aug-06-04

Sample Name	Au PPB
204713	23
204714	28
204715	2
204716	3
204717	661
204718	1449
204719	258
204720	5
204721	4
204722	2
204723	5
204725	2
204775	8
204776	19
204777	4
204778	2
204779	2
204780	2
204781	49
204782	3
204783	4
204784	8
204785	100
204786	22

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: GRIZ-SICKLE

Sample: rock chps

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0726 RJ

Date : Aug-26-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148551	<0.2	0.86	<5	477	<0.5	<5	0.32	<1	7	149	46	2.48	0.20	0.48	1029	5	0.01	5	402	17	8	2	<10	8	<0.01	44	<10	5	88	5
148552	<0.2	1.38	26	37	<0.5	<5	0.60	<1	22	29	25	6.13	0.11	1.72	762	<2	0.03	5	1328	8	6	14	<10	8	0.40	205	<10	10	110	32
148553	15.6	0.37	<5	39	<0.5	<5	1.15	2	3	123	207	1.05	0.08	0.26	765	<2	<0.01	5	181	132	<5	<1	<10	8	0.03	14	<10	3	186	6
148554	<0.2	0.42	<5	272	<0.5	14	7.85	1	3	113	88	0.96	0.14	0.21	1540	<2	<0.01	9	601	150	7	<1	<10	52	0.03	10	<10	6	109	6
148555	4.2	1.53	<5	30	<0.5	<5	1.89	27	22	72	3016	3.35	0.14	0.81	3368	<2	<0.01	8	930	3360	8	5	<10	59	0.16	78	48	8	2994	16
148556	<0.2	1.85	<5	61	<0.5	<5	0.54	<1	15	30	10	4.21	0.09	1.25	596	<2	0.03	4	1003	8	10	7	<10	39	0.30	91	<10	9	111	31
148557	<0.2	2.70	<5	88	<0.5	7	0.41	<1	25	15	44	6.73	0.32	1.67	1147	<2	0.03	8	1309	11	6	7	<10	3	0.05	59	<10	16	117	7
148558	<0.2	0.41	<5	44	<0.5	<5	0.48	<1	9	90	<1	4.80	0.19	0.25	703	<2	0.01	9	935	<2	9	4	<10	16	0.09	109	<10	6	65	10
148559	>200.0	0.13	<5	27	1.1	6	>15.00	8	<1	68	90	0.29	0.04	0.09	2622	8	<0.01	<1	23	235	9	<1	<10	246	<0.01	3	<10	<1	357	1
165866	2.5	0.88	<5	54	<0.5	5	0.16	<1	5	66	12	2.49	0.16	0.77	523	4	0.05	7	506	5	10	3	<10	10	0.08	54	<10	9	54	16
165867	<0.2	0.93	7	28	<0.5	10	4.58	<1	7	102	112	1.83	0.07	0.80	1686	<2	0.01	5	287	40	9	3	<10	33	0.05	50	<10	7	97	6
165868	0.8	0.42	<5	43	<0.5	6	0.20	2	4	217	59	1.29	0.10	0.28	680	6	0.01	7	259	85	<5	1	<10	5	<0.01	19	<10	3	69	3
165869	<0.2	0.90	21	406	<0.5	<5	0.47	<1	11	147	76	2.81	0.09	0.68	939	8	0.01	9	357	11	9	4	<10	17	0.04	44	<10	4	55	5
165870	0.7	2.25	46	107	<0.5	<5	0.07	<1	21	84	65	6.68	0.14	2.00	1454	6	0.01	12	924	77	8	6	<10	<1	0.01	104	<10	2	136	6
165871	<0.2	2.17	<5	96	<0.5	<5	0.13	<1	7	46	5	5.85	0.19	1.13	960	<2	<0.01	4	643	<2	6	1	<10	<1	<0.01	50	<10	5	135	9
165872	0.2	0.61	12	133	<0.5	<5	0.09	<1	2	205	11	1.43	0.19	0.21	1533	5	0.02	6	249	29	<5	<1	<10	7	<0.01	15	<10	5	48	17
165873	19.9	0.11	<5	11	<0.5	<5	2.94	<1	<1	147	6	0.31	<0.01	0.13	858	<2	<0.01	7	<10	15	7	<1	<10	26	<0.01	5	<10	<1	13	?
165874	<0.2	4.41	<5	10	<0.5	<5	7.16	<1	29	48	55	5.65	0.01	1.91	1210	<2	0.04	19	1290	<2	12	15	<10	20	0.27	235	<10	18	80	22
165875	<0.2	2.01	<5	289	<0.5	<5	1.58	<1	12	59	25	4.73	0.17	0.97	346	<2	0.05	7	1207	<2	9	5	<10	48	0.15	87	<10	11	58	13
165876	<0.2	0.30	<5	55	<0.5	8	0.08	<1	1	97	14	1.02	0.23	0.04	314	4	0.04	4	223	17	<5	<1	<10	7	<0.01	4	<10	9	58	15
165877	<0.2	1.10	8	66	<0.5	12	0.11	<1	5	133	49	2.70	0.26	0.70	1868	68	0.01	10	644	12	<5	2	<10	4	0.05	33	<10	4	173	11
165878	<0.2	1.51	<5	167	<0.5	9	0.08	<1	4	46	263	3.38	0.23	0.96	444	3	0.05	3	978	<2	<5	4	<10	4	0.08	75	<10	6	84	13
165879	<0.2	0.32	<5	200	<0.5	10	0.02	<1	4	57	35	3.34	0.57	0.03	21	4	0.06	5	676	10	6	<1	<10	31	<0.01	16	<10	4	36	7
165880	<0.2	0.06	<5	60	<0.5	13	0.02	<1	29	263	32	3.61	0.07	<0.01	34	45	0.02	11	1125	86	9	2	<10	141	<0.01	9	<10	1	9	4
204713	8.3	0.76	<5	259	<0.5	<5	3.12	>100	10	190	1505	2.29	0.25	0.33	1256	<2	0.01	9	1873	1661	<5	1	<10	30	0.05	20	350	5	>10000	13
204714	26.5	1.94	<5	160	<0.5	<5	0.84	2	18	89	>10000	5.97	0.34	1.33	1607	9	0.03	9	1714	231	<5	3	<10	45	0.13	55	10	10	258	21
204715	<0.2	1.56	21	171	<0.5	<5	0.06	<1	9	183	391	2.91	0.18	1.47	1361	3	0.15	9	300	17	11	5	<10	27	0.26	60	<10	5	119	46
204716	<0.2	3.08	<5	69	<0.5	13	0.95	1	18	121	38	9.34	0.29	1.75	837	12	0.03	10	1121	<2	<5	3	<10	<1	<0.01	126	<10	10	71	9
204717	<0.2	1.31	<5	61	<0.5	15	0.09	<1	34	167	219	12.95	0.28	0.69	305	9	0.01	9	505	<2	<5	1	<10	<1	<0.01	73	19	2	38	10
204718	<0.2	2.54	<5	193	<0.5	18	0.16	<1	20	84	62	14.57	0.33	1.43	780	<2	0.02	7	933	6	<5	2	<10	<1	<0.01	79	22	3	110	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: GRIZ-SICKLE

Sample: rock chps

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0726 RJ

Date : Aug-26-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
204719	5.8	1.83	<5	114	<0.5	<5	1.55	2	60	125	>10000	7.53	0.40	0.89	1086	7	0.02	10	921	40	6	2	<10	15	<0.01	44	10	9	106	9
204720	<0.2	0.43	<5	55	<0.5	8	0.67	2	3	155	49	0.83	0.09	0.16	285	3	0.09	4	104	<2	6	<1	<10	32	0.01	11	<10	5	22	13
204721	<0.2	1.30	<5	57	<0.5	<5	0.63	1	11	125	28	3.52	0.15	0.83	772	4	0.07	2	814	4	6	5	<10	17	0.10	66	<10	7	89	5
204722	<0.2	1.46	<5	50	<0.5	6	0.72	1	6	90	22	2.83	0.13	0.91	669	3	0.08	4	1032	11	<5	6	<10	26	0.12	85	<10	9	64	7
204723	<0.2	1.38	<5	63	<0.5	9	0.62	<1	9	133	57	3.78	0.20	0.93	569	4	0.09	5	989	<2	<5	7	<10	34	0.21	86	<10	13	70	6
204725	<0.2	4.05	<5	34	<0.5	<5	1.79	1	28	116	100	8.08	0.04	4.15	2264	<2	0.05	38	1344	<2	5	15	<10	53	0.15	220	<10	8	209	15
204775	<0.2	1.55	9	198	<0.5	<5	0.46	<1	14	82	11	4.80	0.31	1.02	1277	<2	0.03	4	1370	142	<5	5	<10	26	0.24	82	<10	7	217	23
204776	<0.2	3.42	5	55	<0.5	6	0.58	1	8	48	66	6.64	0.24	2.30	4372	5	0.04	4	1448	320	<5	2	<10	19	0.09	76	13	4	446	18
204777	<0.2	2.08	<5	94	<0.5	<5	0.58	<1	7	68	6	5.27	0.18	1.56	1782	<2	0.07	5	1601	27	9	4	<10	28	0.13	99	<10	8	169	17
204778	<0.2	1.84	<5	57	<0.5	<5	1.05	<1	8	90	12	4.13	0.12	1.33	1903	<2	0.08	7	1726	36	<5	2	<10	78	0.23	51	<10	14	159	13
204779	<0.2	2.22	<5	51	<0.5	<5	2.01	5	35	136	184	6.34	0.03	0.89	2538	<2	0.02	18	830	4	<5	5	<10	212	0.20	138	<10	10	600	12
204780	<0.2	2.39	16	50	<0.5	<5	2.00	<1	25	32	2	7.94	0.22	1.41	1205	<2	0.08	11	1435	69	11	4	<10	59	0.26	261	<10	12	213	10
204781	2.6	0.37	17	163	<0.5	11	0.05	<1	9	100	4	5.61	0.58	0.03	328	<2	0.02	7	623	291	<5	3	<10	14	0.14	104	<10	2	34	12
204782	<0.2	0.71	<5	27	<0.5	11	4.18	1	11	104	<1	11.21	0.11	0.15	1941	2	0.02	13	372	26	<5	3	<10	<1	0.08	178	45	14	67	17
204783	<0.2	1.42	<5	65	<0.5	9	1.77	6	23	69	79	8.09	0.20	1.18	1321	<2	0.02	10	1706	14	<5	7	<10	63	0.20	185	35	11	444	18
204784	0.4	2.45	56	131	<0.5	6	0.36	<1	30	32	45	7.23	1.98	1.23	655	<2	0.02	10	1813	36	<5	8	<10	<1	0.19	114	<10	11	260	11
204785	17.1	1.19	<5	481	<0.5	7	0.64	2	55	72	>10000	6.85	0.32	0.76	1211	3	0.02	18	1579	209	<5	9	<10	19	0.14	186	<10	11	220	21
204786	1.9	0.37	49	181	<0.5	11	0.15	<1	18	173	268	2.89	0.16	0.13	382	<2	0.02	9	497	206	<5	3	<10	8	0.06	70	<10	3	111	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0665-RG1

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/Dave Kuran**

Aug-16-04

We *hereby certify* the following geochemical analysis of 8 rock samples submitted Jul-26-04

Sample Name	Au PPB
149402	2
149403	7
149404	2
149405	29
165617	4
165618	4
165619	24
165968	14

Certified by _____ 

Stealth Minerals Ltd.

Attention: Bill McWilliam/Dave Kuran

Project: GRIZ-SICKLE

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0665 RJ


Date : Aug-16-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
149402	<0.2	2.44	<5	68	0.8	<5	1.66	1	22	23	55	6.03	0.07	2.24	1211	<2	0.04	11	1180	34	<5	11	<10	11	0.13	223	<10	13	187	21
149403	0.7	2.67	<5	141	<0.5	<5	0.02	5	4	23	86	4.43	0.32	2.47	1823	<2	0.02	5	271	66	<5	5	<10	5	0.07	82	<10	2	306	14
149404	8.3	0.79	<5	90	0.6	<5	0.27	2	8	33	14	3.94	0.17	0.46	832	<2	0.03	5	820	97	<5	3	<10	2	0.10	32	<10	12	209	9
149405	0.5	0.24	<5	86	<0.5	<5	0.02	<1	<1	141	13	1.36	0.12	0.09	132	<2	0.01	7	377	10	<5	<1	<10	7	<0.01	13	<10	2	42	4
165617	<0.2	2.85	6	38	0.6	<5	0.95	<1	16	11	62	6.01	0.08	1.92	1317	<2	0.04	6	1592	10	<5	5	<10	18	0.13	177	<10	12	102	11
165618	<0.2	2.32	7	60	<0.5	<5	1.30	<1	20	34	40	6.11	0.09	1.47	724	<2	0.21	10	1138	8	<5	4	<10	96	0.15	275	<10	8	81	14
165619	1.5	0.30	<5	41	<0.5	<5	0.03	<1	<1	105	7	1.21	0.15	0.14	159	5	0.02	4	284	12	<5	<1	<10	5	<0.01	12	<10	2	24	4
165968	1.4	1.99	8	55	0.7	<5	0.65	<1	22	38	87	6.09	0.12	1.71	1691	<2	0.02	13	1276	18	<5	15	<10	13	0.21	221	<10	12	170	20

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0663-RG1

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/Dave Kuran**

Aug-12-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Jul-26-04

Sample Name	Au PPB
148283	6835
148284	126
148285	110
148286	5
148287	9
148288	15
148289	5
148290	5
149401	3
165330	3
165331	1
165332	4
165333	9
165612	2
165613	1
165614	3
165615	75
165616	3
165806	4
165807	10
165808	37
165809	2
165963	78
165964	46

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0663-RG2

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE**
Attn: **Bill McWilliam/Dave Kuran**

Aug-12-04

We hereby certify the following geochemical analysis of 16 rock samples submitted Jul-26-04

Sample Name	Au PPB	Ag g/tonne
165965	32	
165966	16	
165967	4	
185880	404	
204712	7	
204761	60	
204762	13	
204764	5	
204766	25	
204768	5	
204769	4	
204771	8	
204773	157	192.0
204774	8	
204849	15	
204850	5	
*CPb-1		624.0
*BLANK		<0.1

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/Dave Kuran

Project: GRIZ-SICKLE

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0663 RJ

Date : Aug-12-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148283	2.2	0.11	11	47	<0.5	8	0.08	<1	11	60	5469	2.90	0.13	0.01	116	5	0.01	9	262	14	<5	<1	<10	<1	<0.01	17	<10	3	9	5
148284	0.9	0.59	21	84	<0.5	<5	0.12	<1	83	86	46	4.99	0.27	0.25	399	13	0.01	7	657	19	<5	1	<10	<1	<0.01	18	<10	3	33	5
148285	<0.2	1.88	86	45	<0.5	5	0.31	<1	197	48	19	9.59	0.28	1.03	475	10	0.01	9	969	21	7	2	<10	<1	<0.01	52	<10	7	44	9
148286	<0.2	3.25	<5	38	<0.5	<5	3.48	<1	21	50	1199	6.38	0.15	3.74	2445	<2	0.03	31	1169	8	6	20	<10	47	<0.01	177	<10	12	208	4
148287	<0.2	0.79	<5	21	<0.5	<5	0.57	<1	1	25	92	2.14	0.08	0.50	476	2	0.03	4	1538	4	<5	3	<10	8	<0.01	13	<10	10	62	3
148288	<0.2	0.82	<5	28	<0.5	<5	0.83	<1	8	56	67	5.48	0.13	0.50	458	4	0.05	5	2704	10	<5	3	<10	3	<0.01	19	<10	10	61	6
148289	<0.2	0.70	<5	41	<0.5	<5	1.24	<1	7	58	69	3.50	0.14	0.55	631	<2	0.04	5	2695	5	<5	2	<10	18	<0.01	19	<10	12	53	4
148290	<0.2	1.16	<5	63	<0.5	<5	1.85	<1	7	101	99	3.55	0.07	1.07	1222	9	0.01	10	1376	20	6	5	<10	28	<0.01	29	<10	11	101	4
149401	<0.2	1.31	<5	26	<0.5	<5	0.76	<1	4	59	1	2.88	0.10	1.10	1180	<2	0.05	5	673	3	<5	4	<10	10	<0.01	50	<10	10	174	6
165330	<0.2	3.38	<5	23	1.2	<5	6.58	<1	12	77	17	2.80	0.01	0.77	584	2	0.03	10	893	9	6	8	<10	140	0.16	116	<10	10	35	14
165331	<0.2	2.70	<5	<10	0.6	<5	5.24	<1	7	98	5	1.56	<0.01	0.51	202	<2	0.01	8	496	4	<5	7	<10	13	0.13	70	<10	6	20	10
165332	<0.2	3.86	<5	22	1.0	<5	5.56	<1	16	48	81	3.66	<0.01	0.60	523	<2	0.01	11	959	5	7	12	<10	14	0.13	198	<10	11	38	20
165333	<0.2	0.77	7	49	<0.5	<5	0.10	<1	5	69	16	3.14	0.16	0.44	537	3	0.03	5	317	21	<5	3	<10	13	0.16	39	<10	2	66	19
165612	1.8	1.29	<5	98	0.6	<5	0.23	<1	6	7	43	6.25	0.16	0.66	407	<2	0.07	3	1064	81	<5	18	<10	35	0.23	149	<10	4	77	17
165613	<0.2	0.75	<5	98	<0.5	<5	1.12	<1	3	85	5	1.29	0.12	0.43	817	<2	0.03	5	297	<2	<5	2	<10	33	0.02	16	<10	5	47	9
165614	<0.2	0.52	<5	91	<0.5	<5	0.04	<1	3	65	9	1.84	0.20	0.19	261	5	0.03	4	224	17	<5	1	<10	3	0.04	10	<10	4	30	11
165615	0.4	0.19	16	1233	<0.5	<5	0.03	<1	1	172	20	0.89	0.07	0.03	459	3	0.01	6	186	793	<5	<1	<10	13	<0.01	3	<10	2	101	5
165616	<0.2	0.31	<5	609	<0.5	<5	0.05	<1	<1	67	5	0.82	0.23	0.01	17	<2	0.01	3	42	7	<5	<1	<10	9	<0.01	6	<10	6	8	4
165806	0.2	0.21	<5	64	<0.5	<5	<0.01	<1	<1	87	18	1.23	0.18	<0.01	27	<2	0.02	4	23	10	<5	<1	<10	<1	<0.01	2	<10	<1	10	6
165807	0.8	0.78	7	43	<0.5	<5	0.64	1	13	56	23	3.73	0.16	0.56	667	2	0.06	7	848	59	<5	1	<10	13	0.12	62	<10	5	100	13
165808	0.2	0.22	<5	124	<0.5	<5	<0.01	<1	<1	84	7	1.21	0.15	0.05	45	3	0.06	4	62	87	<5	<1	<10	4	<0.01	3	<10	2	11	5
165809	<0.2	0.19	<5	184	<0.5	<5	0.05	<1	<1	129	3	0.81	0.22	0.01	48	4	0.06	5	87	17	<5	<1	<10	5	<0.01	1	<10	<1	35	4
165963	<0.2	0.25	<5	794	<0.5	<5	0.01	<1	<1	92	5	0.16	0.09	<0.01	17	3	0.03	4	40	16	<5	<1	<10	67	<0.01	5	<10	<1	9	3
165964	4.7	0.25	201	922	<0.5	8	<0.01	<1	3	113	332	1.35	0.07	<0.01	38	3	0.02	6	136	40	216	1	<10	50	<0.01	9	<10	1	34	8
165965	0.4	0.42	5	94	<0.5	8	<0.01	<1	<1	87	606	0.21	0.19	<0.01	14	2	0.02	5	40	41	9	2	<10	40	<0.01	8	<10	<1	56	9
165966	2.9	2.50	5	148	0.5	<5	1.35	<1	18	43	43	5.32	0.66	1.51	641	<2	0.16	13	1091	20	5	4	<10	48	0.25	219	<10	3	103	6
165967	0.4	0.28	<5	109	<0.5	<5	0.01	<1	<1	103	465	0.79	0.14	0.01	29	<2	0.06	7	93	23	<5	<1	<10	5	<0.01	2	<10	3	53	21
185880	30.9	0.13	<5	62	<0.5	21	0.50	43	6	177	367	0.70	<0.01	0.08	1360	11	<0.01	16	43	7476	<5	<1	<10	3	<0.01	6	71	2	5185	4
204712	<0.2	0.93	<5	62	<0.5	<5	1.44	<1	7	130	141	2.84	0.07	0.81	926	5	0.02	13	1269	29	<5	4	<10	24	<0.01	24	<10	10	147	5
204761	73.2	2.19	<5	<10	0.7	<5	3.42	8	4	81	>10000	3.04	<0.01	0.05	185	2	<0.01	5	1142	58	<5	3	<10	140	0.12	85	<10	7	22	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.



Stealth Minerals Ltd.

Attention: Bill McWilliam/Dave Kuran

Project: GRIZ-SICKLE

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0663 RJ

Date : Aug-12-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
204762	0.3	2.46	52	34	0.5	<5	0.74	<1	21	42	88	4.01	0.03	2.43	1143	<2	0.03	8	1118	10	<5	4	<10	57	0.14	70	<10	7	137	13
204764	0.9	1.40	<5	88	<0.5	<5	0.32	1	3	57	96	2.99	0.10	1.10	732	5	0.03	6	692	22	<5	4	<10	15	0.12	56	<10	5	121	13
204766	1.0	0.76	8	320	<0.5	<5	0.18	<1	2	132	75	1.37	0.07	0.55	1123	34	<0.01	9	121	199	<5	<1	<10	22	<0.01	20	<10	5	122	3
204768	<0.2	1.39	10	2073	<0.5	<5	5.04	<1	6	46	28	3.04	0.19	0.92	3764	<2	0.02	5	666	13	<5	3	<10	162	<0.01	36	<10	19	170	7
204769	<0.2	1.38	<5	82	<0.5	<5	0.03	<1	1	43	17	2.83	0.14	1.07	495	<2	0.05	5	471	8	<5	2	<10	8	0.01	57	<10	4	76	11
204771	0.2	1.73	<5	166	<0.5	<5	0.62	<1	7	69	52	3.47	0.15	1.44	2422	<2	0.03	7	757	68	<5	4	<10	17	0.03	46	<10	7	299	11
204773	197.1	0.67	22	25	<0.5	<5	1.40	>100	7	145	>10000	6.12	0.03	0.44	3814	19	0.01	11	1140	>10000	6	4	<10	6	<0.01	46	136	5	9341	5
204774	0.6	1.95	<5	55	<0.5	<5	0.22	<1	100	51	62	8.04	0.19	1.22	497	6	0.02	8	782	54	<5	3	<10	<1	<0.01	73	<10	7	84	7
204849	1.5	0.49	<5	43	<0.5	<5	0.18	<1	1	90	65	1.25	0.08	0.26	391	3	0.05	6	249	69	<5	<1	<10	5	0.03	13	<10	5	84	8
204850	0.3	1.67	<5	120	<0.5	<5	0.29	<1	8	76	19	3.46	0.78	0.95	722	<2	0.07	7	441	29	<5	7	<10	24	0.14	86	<10	5	103	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0989-RG1

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle**
Attn: **Bill McWilliam**

We hereby certify the following geochemical analysis of 24 rock samples submitted Sep-20-04

Sample Name	Au PPB
148139	3
148140	12
148141	762
148142	1413
148143	56
148144	171
148145	330
148146	4
148147	522
148148	14
148149	21
148150	26
148151	61
148152	802
148153	5
185076	38
185077	4
185078	4
185093	7
185094	60
185095	7
185096	199
185097	233
185098	526

Certified by _____ 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0989-RG2

Company: **Stealth Minerals Ltd.**
Project: **Sickle**
Attn: **Bill McWilliam**

Oct-15-04

We *hereby certify* the following geochemical analysis of 3 rock samples submitted Sep-20-04

Sample Name	Au PPB
185099	182
185100	70
148931	4

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam

Project: Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0989 RJ

Date : Oct-15-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
148139	<0.2	1.53	<5	197	<0.5	<5	0.28	6	18	46	31	4.04	0.12	1.28	4204	<2	0.04	7	734	9	<5	5	<10	5	0.04	80	16	11	882	15
148140	<0.2	0.24	<5	<10	<0.5	<5	0.03	<1	<1	87	26	0.25	<0.01	0.02	47	4	0.02	4	22	7	<5	<1	<10	12	<0.01	6	<10	<1	12	3
148141	1.6	0.11	16	2755	<0.5	<5	0.04	<1	<1	107	26	0.88	0.08	0.02	115	5	0.02	4	183	490	<5	<1	<10	78	<0.01	4	<10	1	228	2
148142	2.2	0.12	24	891	<0.5	<5	0.03	<1	<1	144	38	0.84	0.08	<0.01	58	4	0.02	7	169	521	<5	<1	<10	13	<0.01	4	<10	<1	180	2
148143	3.3	0.90	38	539	<0.5	6	0.05	<1	2	65	59	4.64	0.25	0.35	697	4	0.05	4	681	365	<5	2	<10	36	<0.01	48	13	6	426	11
148144	3.6	0.15	<5	85	<0.5	5	0.04	<1	<1	199	32	0.96	0.11	<0.01	64	27	0.02	8	173	173	<5	<1	<10	3	<0.01	5	<10	1	54	2
148145	6.5	0.14	42	294	<0.5	<5	0.03	<1	<1	205	30	2.04	0.11	<0.01	42	26	0.02	8	210	48	<5	<1	<10	3	<0.01	6	<10	1	83	2
148146	<0.2	1.53	<5	178	<0.5	<5	1.42	3	12	58	21	4.10	0.14	1.27	1973	<2	0.05	6	789	7	<5	5	<10	16	0.04	87	<10	10	274	11
148147	1.6	0.30	51	199	<0.5	46	0.03	<1	1	117	123	3.34	0.10	<0.01	80	19	0.03	5	228	185	14	<1	<10	19	<0.01	16	<10	1	66	7
148148	0.9	0.35	14	<10	<0.5	9	0.02	<1	<1	25	6	0.20	0.15	<0.01	16	<2	0.04	1	59	24	42	<1	<10	28	<0.01	6	<10	<1	14	1
148149	0.6	0.51	15	1028	<0.5	9	<0.01	<1	<1	65	13	0.74	<0.01	<0.01	21	11	0.02	3	37	41	15	<1	<10	27	<0.01	13	<10	<1	20	5
148150	0.4	0.19	11	1353	<0.5	<5	<0.01	<1	<1	76	54	2.15	<0.01	<0.01	36	11	0.02	5	84	10	<5	<1	<10	32	<0.01	14	<10	<1	14	3
148151	<0.2	0.24	<5	1483	<0.5	<5	<0.01	<1	<1	76	10	1.36	<0.01	<0.01	25	5	0.02	3	87	7	<5	<1	<10	75	<0.01	8	<10	<1	15	6
148152	<0.2	0.02	<5	2828	<0.5	<5	<0.01	<1	<1	25	3	0.08	<0.01	<0.01	14	<2	0.02	2	<10	4	<5	<1	<10	399	<0.01	<1	<10	<1	4	<1
148153	0.2	0.47	<5	1397	<0.5	<5	0.02	<1	2	59	9	1.37	0.24	0.14	454	15	0.05	2	257	21	<5	<1	<10	49	<0.01	9	<10	2	50	12
185076	<0.2	3.05	<5	97	<0.5	<5	1.03	<1	24	43	300	6.69	0.10	2.32	364	<2	0.23	14	1922	13	6	12	<10	99	0.19	194	<10	8	78	6
185077	<0.2	0.44	<5	73	<0.5	<5	0.14	<1	5	54	12	3.46	0.13	0.31	344	2	0.08	3	604	14	<5	2	<10	15	0.08	41	<10	6	64	12
185078	0.8	0.33	<5	508	<0.5	<5	0.02	<1	<1	42	4	2.23	0.15	0.18	46	2	0.05	2	231	5	<5	<1	<10	13	<0.01	12	<10	1	17	6
185093	<0.2	0.38	25	358	0.8	11	0.02	<1	5	96	371	10.46	0.09	0.02	143	11	0.02	6	1563	70	<5	<1	<10	16	<0.01	30	19	2	109	8
185094	0.7	1.48	<5	513	<0.5	<5	0.40	2	14	55	11	3.89	0.18	0.91	1600	<2	0.02	6	732	4	<5	5	<10	13	<0.01	108	<10	10	156	9
185095	<0.2	0.19	<5	54	<0.5	<5	<0.01	<1	<1	61	3	0.34	0.08	<0.01	39	4	0.03	2	59	12	<5	<1	<10	22	<0.01	6	<10	<1	6	3
185096	1.8	0.10	12	2145	<0.5	<5	0.05	<1	<1	117	23	0.74	0.08	<0.01	140	7	0.02	6	260	1040	<5	<1	<10	52	<0.01	3	<10	1	201	2
185097	3.5	0.13	22	387	<0.5	<5	0.03	<1	1	157	46	1.10	0.10	<0.01	49	24	0.02	6	179	71	<5	<1	<10	4	<0.01	4	<10	2	81	3
185098	3.5	0.09	62	516	<0.5	5	0.02	<1	<1	157	57	3.68	0.05	<0.01	30	20	0.02	8	316	44	<5	<1	<10	<1	<0.01	7	<10	<1	152	3
185099	3.7	0.11	5	189	<0.5	<5	0.01	<1	<1	139	31	1.44	0.08	<0.01	34	18	0.02	5	186	23	<5	<1	<10	1	<0.01	5	<10	<1	44	2
185100	2.9	0.38	31	157	<0.5	9	0.02	<1	3	37	50	7.33	0.20	0.01	50	<2	0.02	5	1186	653	<5	<1	<10	<1	<0.01	23	22	3	830	12
148931	0.4	0.35	<5	945	<0.5	<5	0.02	<1	<1	61	6	1.92	0.16	0.18	50	4	0.06	3	191	9	<5	<1	<10	27	<0.01	21	<10	2	28	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3
at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA1

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz**
 Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49897	0.01	0.01	0.4	0.003	0.01	0.02
49898	0.01		0.2	0.002	0.01	0.01
49899	0.01		0.2	0.002	0.01	0.02
49900	0.01		0.2	0.004	0.01	0.01
49901	0.01		0.3	0.014	0.01	0.04
49902	0.01		0.4	0.002	0.01	0.03
49903	0.01		0.4	0.005	0.01	0.03
49904	0.01		0.2	0.002	0.01	0.03
49905	0.01		0.3	0.003	0.01	0.02
49906	0.01	0.01	1.3	0.003	0.01	0.02
49907	0.01		1.5	0.004	0.01	0.01
49908	0.01		1.1	0.014	0.01	0.02
49909	0.01		0.2	0.006	0.01	0.02
49910	0.01		1.3	0.008	0.01	0.01
49911	0.01		1.5	0.015	0.01	0.03
49912	0.01		1.8	0.010	0.01	0.03
49913	0.01		1.4	0.003	0.01	0.01
49914	0.01		1.5	0.002	0.01	0.02
49915	0.01		3.0	0.038	0.01	0.02
49916	0.01	0.01	1.2	0.022	0.01	0.03
49917	0.01		2.3	0.004	0.01	0.02
49918	0.01		0.9	0.117	0.01	0.04
49919	0.01		4.1	0.021	0.01	0.16
49920	0.04		2.6	0.209	0.01	0.01
*DUP 49897			0.5	0.003	0.01	0.02
*DUP 49906			1.2	0.003	0.01	0.02
*DUP 49916			1.0	0.021	0.01	0.03
*97-45	1.47					
*CPb-1			623.0			4.39
*KC-1a				0.630	2.23	

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA1

Page 2 of 2

Oct-15-04


Company: **Stealth Minerals Ltd.**
Project: Sickle-Griz
Attn: Bill McWilliam/ Dave Kuran

We *hereby certify* the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA2

Page 1 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz**
 Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49921	0.01	0.01	1.3	0.010	0.01	0.06
49922	0.02		1.8	0.002	0.01	0.03
49923	0.02		1.4	0.001	0.01	0.01
49924	0.01		1.2	0.001	0.01	0.01
49925	0.01		0.5	0.003	0.01	0.01
49926	0.02		1.3	0.001	0.01	0.01
49927	0.02		1.5	0.001	0.01	0.01
49928	0.10		10.8	0.007	0.12	0.09
49929	0.02		1.3	0.001	0.01	0.01
49930	0.01	0.01	0.2	0.001	0.01	0.02
49931	0.01		0.5	0.001	0.01	0.02
49932	0.01		0.5	0.001	0.01	0.01
49933	0.01		0.2	0.001	0.01	0.02
49934	0.01		0.2	0.001	0.01	0.01
49935	0.01		0.4	0.001	0.01	0.01
49936	0.01		0.2	0.001	0.01	0.01
49937	0.01		0.3	0.001	0.01	0.01
49938	0.01		5.1	0.001	0.01	0.01
49939	0.01		0.6	0.001	0.01	0.01
49940	0.01	0.01	0.2	0.001	0.01	0.01
49941	0.01		1.0	0.001	0.01	0.02
49942	0.01		0.2	0.001	0.01	0.01
49943	0.01		0.2	0.001	0.01	0.01
49944	0.01		0.3	0.001	0.01	0.01
*DUP 49921			1.4	0.010	0.01	0.06
*DUP 49930			0.3	0.001	0.01	0.02
*DUP 49940			0.2	0.001	0.01	0.01
*97-45	1.44					
*CPb-1			628.0			4.40
*KC-1a				0.633	2.24	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA2

Page 2 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA3

Company: **Stealth Minerals Ltd.**
 Project: Sickle-Griz
 Attn: Bill McWilliam/ Dave Kuran

Oct-15-04

We hereby certify the following assay of 9 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49945	0.01	0.01	0.2	0.001	0.01	0.01
49946	0.01		0.2	0.001	0.01	0.01
49947	0.01		0.2	0.001	0.01	0.01
49948	0.01		0.3	0.003	0.01	0.01
49949	0.01		0.2	0.005	0.01	0.01
49950	0.01		0.2	0.006	0.01	0.01
49951	0.01		0.2	0.007	0.01	0.01
49952	0.01		0.2	0.009	0.01	0.01
49953	0.01		0.4	0.004	0.01	0.01
*DUP 49945			0.2	0.001	0.01	0.01
*97-45	1.43					
*CPb-1			624.0			4.42
*KC-1a				0.629	2.25	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA1

Page 1 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz**
 Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49799	0.02		0.2	0.008	0.04	0.13
49800	0.19	0.23	1.5	0.034	2.07	0.38
49801	0.02		0.2	0.003	0.05	0.04
49802	0.03		0.2	0.007	0.02	0.06
49803	0.06		0.4	0.005	0.01	0.06
49804	0.02		0.2	0.004	0.03	0.09
49805	0.02		0.6	0.003	0.02	0.08
49806	0.01		0.3	0.005	0.03	0.06
49807	0.01		0.2	0.002	0.02	0.10
49808	1.01	1.18	1.3	0.003	0.03	0.07
49809	0.02		0.7	0.005	0.04	0.17
49810	0.02		0.8	0.008	0.06	0.25
49811	0.03		0.3	0.004	0.02	0.09
49812	0.03		0.2	0.022	0.08	0.20
49813	0.05		0.2	0.003	0.04	0.05
49814	0.06		0.4	0.002	0.01	0.02
49815	0.12	0.09	1.5	0.002	0.01	0.02
49816	0.02		0.6	0.003	0.01	0.03
49817	0.01		0.2	0.002	0.01	0.04
49818	0.01		0.6	0.007	0.01	0.03
49819	0.01		0.3	0.001	0.01	0.02
49820	0.02		0.2	0.002	0.01	0.03
49821	0.01		0.2	0.005	0.01	0.02
49822	0.03		0.3	0.002	0.01	0.02
*DUP 49799			0.4	0.008	0.04	0.14
*DUP 49808			1.7	0.003	0.03	0.07
*DUP 49818			0.3	0.007	0.01	0.03
*97-45	1.43					
*CPb-1			629.0			4.41
*KC-1a				0.630	2.26	

Certified by



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA1

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA2

Page 1 of 2

Oct-15-04


Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49823	0.01		0.2	0.007	0.01	0.02
49824	0.02		0.2	0.003	0.06	0.08
49825	2.40	2.37	4.3	0.015	0.34	0.76
49826	0.06		1.3	0.003	0.06	0.09
49827	0.07		1.1	0.002	0.01	0.01
49828	0.08	0.07	0.9	0.001	0.01	0.03
49829	0.08		1.2	0.003	0.01	0.02
49830	0.06		0.3	0.001	0.03	0.15
49831	0.01		0.2	0.001	0.06	0.07
49832	0.01		0.2	0.001	0.03	0.09
49833	0.02		0.2	0.002	0.02	0.04
49834	0.01		0.9	0.005	0.02	0.06
49835	0.03		1.0	0.009	0.12	0.03
49836	0.07		1.6	0.018	0.36	1.44
49837	0.01		0.2	0.001	0.03	0.13
49838	0.22	0.22	1.4	0.004	0.01	0.02
49839	0.02		1.3	0.016	0.05	0.11
49840	0.01		0.2	0.013	0.02	0.02
49841	0.10		0.6	0.003	0.01	0.01
49842	0.18		1.5	0.004	0.02	0.03
49843	0.01		0.2	0.003	0.01	0.01
49844	0.02		0.2	0.002	0.01	0.01
49845	0.01		0.2	0.007	0.01	0.01
49846	0.03		0.2	0.004	0.01	0.01
*DUP 49823			0.2	0.007	0.01	0.02
*DUP 49832			0.2	0.001	0.03	0.09
*DUP 49842			1.3	0.004	0.02	0.03
*97-45	1.42					
*CPb-1			629.0			4.37
*KC-1a				0.623	2.23	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA2

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We *hereby certify* the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA3

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 19 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49847	0.01		0.2	0.004	0.01	0.01
49848	0.01		0.4	0.005	0.01	0.01
49849	0.02		1.0	0.012	0.01	0.01
49850	0.01		0.5	0.004	0.01	0.01
49851	0.05		0.8	0.004	0.01	0.01
49852	0.03	0.03	0.2	0.010	0.01	0.01
49853	0.01		0.6	0.002	0.01	0.01
49854	0.01		0.2	0.005	0.01	0.01
49855	0.01		0.8	0.005	0.01	0.01
49856	0.02		0.4	0.003	0.01	0.02
49857	0.01		0.8	0.004	0.01	0.01
49858	0.01		0.3	0.002	0.01	0.02
49859	0.01		1.0	0.010	0.01	0.01
49860	0.03	0.02	0.6	0.004	0.01	0.01
49861	0.02		0.2	0.005	0.02	0.17
49862	0.02		0.7	0.016	0.01	0.02
49863	0.01		0.7	0.005	0.01	0.01
49864	0.01		0.2	0.008	0.01	0.01
49865	0.01		0.2	0.006	0.01	0.01
*DUP 49847			0.2	0.004	0.01	0.01
*DUP 49856			0.5	0.002	0.01	0.02
*97-45	1.45					
*CPb-1			628.0			4.40
*KC-1a				0.627	2.24	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA1

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz**
 Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49866	0.01		0.2	0.002	0.02	0.02
49867	0.01		0.2	0.001	0.01	0.03
49868	0.03	0.03	1.0	0.005	0.01	0.01
49869	0.01		0.2	0.001	0.01	0.01
49870	0.01		0.2	0.001	0.01	0.02
49871	0.01		0.2	0.007	0.01	0.01
49872	0.01		0.5	0.003	0.01	0.03
49873	0.01		3.4	0.022	0.04	0.11
49874	0.01		0.2	0.001	0.01	0.01
49875	0.01		0.4	0.004	0.01	0.02
49876	0.01		0.2	0.002	0.01	0.01
49877	0.01		0.2	0.001	0.01	0.02
49878	0.01		0.3	0.021	0.01	0.02
49879	0.01		0.7	0.007	0.01	0.04
49880	0.01		1.2	0.004	0.02	0.07
49881	0.02	0.02	3.5	0.004	0.01	0.02
49882	0.03		2.2	0.005	0.01	0.30
49883	0.02		2.0	0.003	0.01	0.06
49884	0.01		0.9	0.005	0.01	0.03
49885	0.02	0.01	0.3	0.001	0.01	0.01
49886	0.01		0.6	0.003	0.01	0.01
49887	0.01		1.3	0.006	0.01	0.05
49888	0.02		1.9	0.003	0.01	0.02
49889	0.01		1.2	0.006	0.01	0.01
*DUP 49866			0.2	0.002	0.02	0.02
*DUP 49875			0.3	0.004	0.01	0.02
*DUP 49885			0.3	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			627.0			4.40
*KC-1a				0.633	2.21	

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA1

Page 2 of 2


Oct-15-04


Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA2


Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz**
 Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 7 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49890	0.02		1.7	0.004	0.01	0.02
49891	0.02		1.9	0.026	0.01	0.01
49892	0.02		11.5	0.331	0.01	0.02
49893	0.03	0.02	1.2	0.004	0.01	0.01
49894	0.01		0.7	0.002	0.01	0.01
49895	0.03		2.9	0.004	0.01	0.01
49896	0.01		0.6	0.010	0.01	0.02
*DUP 49890			1.6	0.004	0.01	0.02
*97-45	1.47					
*CPb-1			625.0			4.39
*KC-1a				0.634	2.24	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-1013-SG1

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following geochemical analysis of 18 soil samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au PPB
AB04-S01	12
AB04-S02	40
AB04-S04	90
AB04-S05	35
AB04-S06	1785
AB04-S07	366
AB04-S08	231
AB04-S09	384
AB04-S10	5
GS04S01	56
GS04S02	14
GS04S04	16
GS04S05	95
GS04S06	97
GS04S07	33
GS04S08	40
GS04S09	65
GS04S10	36

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: Sickle-Griz

Sample: soil

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V1013 SJ


Date : Oct-15-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
AB04-S01	<0.2	2.07	<5	218	<0.5	<5	0.04	5	10	4	23	4.86	0.09	0.22	2983	<2	0.02	2	2148	214	8	2	<10	1	<0.01	70	<10	3	602	5
AB04-S02	<0.2	2.70	9	237	1.1	<5	0.04	<1	5	5	55	4.37	0.08	0.55	1215	3	0.02	5	824	323	<5	2	<10	4	<0.01	52	14	5	964	4
AB04-S04	<0.2	2.48	25	239	1.3	<5	0.10	3	13	7	68	5.46	0.09	0.43	2996	5	0.02	6	1323	248	<5	1	<10	14	0.02	65	13	9	820	4
AB04-S05	<0.2	2.48	30	239	1.6	<5	0.09	4	17	8	75	5.39	0.09	0.52	3114	5	0.02	8	1145	259	6	2	<10	15	0.03	67	15	10	979	3
AB04-S06	<0.2	2.16	33	414	1.7	<5	0.03	8	24	9	176	6.13	0.11	0.61	5180	5	0.02	11	1272	609	<5	4	<10	8	0.02	67	26	21	1829	4
AB04-S07	<0.2	2.30	21	408	1.7	<5	0.10	5	20	8	108	5.31	0.08	0.59	5013	5	0.02	9	1299	730	7	3	<10	9	0.01	69	15	15	1019	7
AB04-S08	<0.2	1.96	33	898	1.8	<5	0.13	14	30	6	234	6.00	0.10	0.41	>10000	4	0.02	7	1791	526	12	3	<10	7	<0.01	56	21	17	1573	7
AB04-S09	<0.2	3.06	19	217	0.9	<5	0.08	<1	14	6	55	4.95	0.05	0.66	2883	3	0.02	5	1244	370	<5	2	<10	6	0.03	75	<10	7	862	5
AB04-S10	<0.2	2.22	7	180	0.6	<5	0.03	<1	7	6	50	4.61	0.07	0.43	941	<2	0.02	5	1346	66	<5	<1	<10	6	0.01	72	<10	5	150	3
GS04S01	<0.2	2.32	13	339	<0.5	<5	0.02	<1	1	2	67	6.92	0.18	0.43	883	5	0.02	2	1130	289	7	1	<10	14	0.01	45	<10	2	168	4
GS04S02	<0.2	2.28	11	540	<0.5	<5	0.03	<1	1	5	37	6.77	0.22	0.34	466	5	0.04	3	1694	156	<5	2	<10	29	0.02	64	<10	4	172	4
GS04S04	<0.2	1.37	<5	214	<0.5	<5	0.05	<1	1	4	38	2.70	0.08	0.09	438	<2	0.02	2	1098	114	<5	<1	<10	11	<0.01	52	<10	2	113	1
GS04S05	<0.2	2.70	15	234	0.7	<5	0.02	<1	4	2	59	4.49	0.09	0.60	1407	2	0.02	2	789	205	<5	2	<10	6	<0.01	53	10	4	763	3
GS04S06	<0.2	2.31	18	257	1.5	<5	0.06	7	15	10	67	5.15	0.08	0.62	5070	2	0.02	8	1563	474	8	1	<10	2	0.02	64	17	13	1264	3
GS04S07	<0.2	2.94	32	271	1.5	<5	0.04	1	12	6	58	6.05	0.18	0.35	2625	4	0.03	6	1344	378	6	2	<10	26	0.01	53	14	11	989	12
GS04S08	<0.2	2.08	<5	204	0.8	<5	0.18	<1	9	6	32	3.88	0.06	0.56	952	2	0.02	6	778	75	6	2	<10	12	0.08	74	<10	6	137	4
GS04S09	<0.2	2.46	9	401	0.7	<5	0.09	<1	9	11	47	4.49	0.06	0.76	835	2	0.02	11	763	74	7	2	<10	11	0.05	74	<10	5	195	3
GS04S10	<0.2	2.36	7	264	0.7	<5	0.10	<1	6	5	21	4.11	0.09	0.56	583	<2	0.02	6	819	80	5	2	<10	15	0.04	63	<10	4	150	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: 



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-1014-RG1

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle**
Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following geochemical analysis of 15 rock samples submitted Sep-27-04

Sample Name	Au PPB
204790	313
204791	4
204792	2
204793	1
204794	1
204736	24
204737	1
204738	1
204739	100
204740	34
148962	2
148963	3
148964	1
148932	2120
148933	33

Certified by _____

Stealth Minerals Ltd.

Attention: Bill McWilliam/ Dave Kuran

Project: Griz-Sickle

Sample: rock

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V1014 RJ

Date : Oct-15-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
204790	33.9	0.51	21	2225	<0.5	<5	3.10	<1	9	25	>10000	3.13	0.14	0.22	832	<2	0.04	4	1185	37	<5	5	<10	279	0.03	61	<10	15	38	6
204791	0.5	0.18	6	3316	<0.5	6	>15.00	2	3	68	44	0.49	0.10	0.11	4424	<2	0.03	1	115	16	<5	<1	<10	411	<0.01	5	<10	18	6	2
204792	0.7	1.44	<5	1874	<0.5	<5	>15.00	<1	<1	19	36	1.44	0.02	2.32	3886	<2	0.03	3	208	3	<5	2	<10	300	<0.01	18	<10	7	27	4
204793	0.8	0.49	<5	301	<0.5	<5	>15.00	2	<1	3	12	0.56	<0.01	1.53	3928	<2	0.02	<1	78	12	<5	2	<10	575	<0.01	7	<10	6	3	1
204794	<0.2	0.22	<5	56	<0.5	<5	3.54	<1	<1	101	10	0.37	<0.01	0.37	380	<2	0.02	4	14	<2	<5	<1	<10	43	<0.01	4	<10	<1	4	<1
204736	<0.2	0.69	<5	132	<0.5	<5	0.14	<1	<1	35	21	3.21	0.20	0.42	71	<2	0.15	2	1190	14	<5	2	<10	53	<0.01	29	<10	7	19	10
204737	0.3	0.39	<5	2611	<0.5	<5	0.95	4	2	74	45	0.85	0.20	0.11	867	<2	0.03	3	242	4550	<5	<1	<10	87	<0.01	6	<10	6	278	10
204738	<0.2	0.41	<5	1272	<0.5	<5	0.26	<1	9	155	8	1.13	0.05	0.19	147	3	0.01	6	727	22	<5	1	<10	28	<0.01	16	<10	3	35	7
204739	0.7	0.17	9	1229	<0.5	6	0.01	<1	<1	62	46	0.58	<0.01	<0.01	25	4	0.01	3	79	33	5	<1	<10	31	<0.01	10	<10	<1	9	3
204740	0.9	0.23	25	165	<0.5	6	<0.01	<1	<1	64	6	0.29	0.09	<0.01	12	5	0.02	2	21	41	67	<1	<10	21	<0.01	7	<10	<1	<1	4
148962	0.2	0.53	<5	3136	<0.5	<5	>15.00	3	6	35	8	1.90	0.10	0.49	3621	<2	0.03	4	384	20	<5	6	<10	574	<0.01	34	<10	18	55	6
148963	<0.2	2.04	<5	881	0.6	<5	0.35	<1	11	64	17	5.41	0.11	0.91	569	5	0.05	6	755	29	<5	7	<10	53	0.18	83	<10	13	124	9
148964	0.7	0.68	<5	458	<0.5	<5	>15.00	<1	3	44	3	1.79	0.09	0.38	4204	<2	0.03	2	314	2	<5	2	<10	118	<0.01	14	<10	8	30	3
148932	12.3	1.61	<5	538	<0.5	220	0.70	<1	3	46	4435	5.34	0.21	0.62	1939	<2	0.02	2	803	124	<5	2	<10	263	<0.01	41	<10	8	186	7
148933	4.5	0.66	<5	132	<0.5	8	0.10	>100	1	65	122	2.83	0.12	0.45	743	22	0.03	2	600	>10000	<5	1	<10	286	<0.01	29	174	1	>10000	5

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0915-RA1

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle**
 Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 13 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193223	0.01	0.01	0.2	0.007	0.01	0.01
193224	0.01		0.2	0.008	0.01	0.01
193225	0.01		0.2	0.006	0.01	0.01
193226	0.01		0.4	0.005	0.01	0.01
193227	0.01		3.1	0.004	0.01	0.05
193228	0.02		0.5	0.017	0.01	0.03
193229	0.01		0.2	0.005	0.01	0.01
193230	0.01		0.3	0.008	0.01	0.01
193231	0.01		0.4	0.007	0.01	0.01
193232	0.01	0.02	1.2	0.005	0.01	0.01
193233	0.01		0.4	0.006	0.01	0.01
193234	0.01		1.3	0.004	0.01	0.01
193235	0.01		0.2	0.004	0.01	0.01
*DUP 193223			0.2	0.007	0.01	0.01
*DUP 193232			1.5	0.005	0.01	0.01
*97-45	1.51					
*CPb-1			625.0			4.40
*KC-1a				0.630	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA1

Page 1 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49587	0.01	0.01	0.8	0.003	0.01	0.01
49588	0.02		3.5	0.002	0.02	0.01
49589	0.01		4.1	0.001	0.01	0.01
49590	0.02		5.9	0.001	0.02	0.01
49591	0.02		2.5	0.002	0.01	0.01
49592	0.02		3.6	0.003	0.01	0.01
49593	0.02		2.2	0.003	0.01	0.01
49594	0.02		1.2	0.002	0.01	0.01
49595	0.02		0.9	0.004	0.01	0.01
49596	0.03		0.4	0.003	0.01	0.01
49597	0.03		1.8	0.002	0.01	0.01
49598	0.03		0.2	0.001	0.01	0.01
49599	0.04		1.3	0.001	0.01	0.01
49600	0.03		0.4	0.001	0.01	0.01
49601	0.01		0.2	0.001	0.01	0.01
49602	0.02		1.0	0.002	0.01	0.01
49603	0.03		2.9	0.002	0.01	0.01
49604	0.05		3.9	0.002	0.01	0.01
49605	0.04		1.8	0.001	0.01	0.01
49606	0.01	0.01	1.4	0.001	0.01	0.01
49607	0.03		2.8	0.001	0.01	0.01
49608	0.02		3.6	0.001	0.01	0.01
49609	0.03		7.3	0.001	0.01	0.01
49610	0.08	0.08	22.6	0.001	0.01	0.01
*DUP 49587			0.7	0.003	0.01	0.01
*DUP 49596			0.6	0.003	0.01	0.01
*DUP 49606			1.9	0.001	0.01	0.01
*97-45	1.38					
*CPb-1			624.0			4.41
*KC-1a				0.634	2.23	

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA1

Page 2 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA2

Page 1 of 2

Oct-05-04


Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49611	0.13	0.12	81.8	0.002	0.01	0.01
49612	0.09		13.9	0.002	0.01	0.01
49613	0.12		10.1	0.001	0.01	0.01
49614	0.05		0.4	0.001	0.01	0.01
49615	0.06		0.8	0.001	0.01	0.01
49616	0.04		1.3	0.003	0.01	0.01
49617	0.03		0.9	0.002	0.03	0.01
49618	0.04	0.03	0.2	0.007	0.01	0.01
49619	0.02		2.0	0.006	0.01	0.01
49620	0.01		1.4	0.005	0.02	0.01
49621	0.01		0.9	0.023	0.04	0.01
49622	0.01		0.5	0.029	0.01	0.03
49623	0.01		0.4	0.036	0.01	0.04
49624	0.01		0.3	0.002	0.01	0.02
49625	0.01		0.2	0.001	0.01	0.03
49626	0.01		0.2	0.007	0.01	0.05
49627	0.01		0.4	0.001	0.01	0.04
49628	0.01		1.1	0.003	0.01	0.06
49629	0.01		1.8	0.002	0.01	0.01
49630	0.01	0.01	1.3	0.002	0.01	0.02
49631	0.01		0.5	0.001	0.01	0.04
49632	0.01		0.2	0.002	0.01	0.05
49633	0.01		1.4	0.010	0.02	0.03
49634	0.01		0.2	0.014	0.03	0.03
*DUP 49611			83.9	0.001	0.01	0.01
*DUP 49620			1.4	0.005	0.02	0.01
*DUP 49630			1.0	0.002	0.01	0.02
*97-45	1.47					
*CPb-1			626.0			4.42
*KC-1a				0.631	2.24	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA2

Page 2 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____