




APPENDIX

IV



Diamond Drill Core Assay Certificates

to accompany

Geological, Geochemical, Diamond Drilling Report on the

**BRANCH
GEOLOGICAL SURVEY
ASSESSMENT REPORT**

Sickle - Bee Gee Claim Group

27,790
April 15, 2005

Appendix IV

Diamond Drill Core Assay Certificates

Quality Assaying for over 25 Years

Assay Certificate

4V-0739-RA1

Page 1 of 2

Aug-14-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE(DH-SG-04-01)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock samples submitted Aug-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
44901	0.15		4.5	0.005	0.01	0.01
44902	0.01		0.8	0.006	0.01	0.01
44903	0.01		0.6	0.004	0.01	0.01
44904	0.10		3.0	0.005	0.01	0.04
44905	2.12	1.98	18.5	0.004	0.01	0.01
44906	1.29		22.3	0.001	0.01	0.02
44907	1.35		11.5	0.002	0.01	0.01
44908	0.10		2.6	0.002	0.03	0.02
44909	0.47	0.49	4.4	0.001	0.03	0.09
44910	0.20		6.3	0.005	0.10	0.35
44911	0.92		5.5	0.001	0.01	0.01
44912	1.43		2.9	0.009	0.09	0.32
44913	0.03		1.1	0.003	0.05	0.18
44914	0.03		1.5	0.002	0.02	0.04
44915	0.10		0.6	0.001	0.03	0.07
44916	0.03		1.0	0.002	0.01	0.04
44917	0.16		1.4	0.001	0.01	0.01
44918	0.61		1.5	0.001	0.01	0.01
44919	0.31		0.3	0.001	0.01	0.01
44920	0.38		4.7	0.002	0.01	0.01
44921	0.75		8.0	0.001	0.01	0.01
44922	7.01	7.49	45.9	0.001	0.01	0.01
44923	2.52		23.4	0.001	0.01	0.01
44924	0.10		4.1	0.003	0.01	0.01
*DUP 44901			4.3	0.005	0.01	0.01
*DUP 44910			6.5	0.004	0.10	0.36
*DUP 44920			5.0	0.002	0.01	0.01
*97-45	1.34					
*kc-1a				0.627	2.24	
*CPb-1			624.0			4.39

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0739-RA1

Page 2 of 2

Aug-14-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE(DH-SG-04-01)**
Attn: **Bill McWilliam/Dave Kuran**

We *hereby certify* the following assay of 24 rock samples submitted Aug-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0739-RA2

Page 1 of 2

Aug-14-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE(DH-SG-04-01)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples submitted Aug-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
44925	0.10		4.7	0.001	0.01	0.01
44926	0.96	1.07	7.9	00.01	0.01	0.01
44927	0.04		5.4	0.002	0.01	0.01
44928	0.04		1.1	0.001	0.01	0.01
44929	0.02		1.4	0.001	0.01	0.02
44930	0.05		1.9	0.001	0.01	0.05
44931	0.01		1.7	0.001	0.01	0.02
44932	0.01		1.5	0.002	0.01	0.01
44933	0.01		1.9	0.001	0.01	0.03
44934	0.01		2.0	0.003	0.04	0.07
44935	0.16		2.1	0.001	0.01	0.02
44936	0.03		1.6	0.001	0.01	0.01
44937	0.02		0.5	0.001	0.01	0.04
44938	0.02		1.8	0.002	0.01	0.02
44939	0.02		2.0	0.001	0.02	0.07
44940	0.03		1.4	0.002	0.01	0.01
44941	0.02		2.5	0.002	0.01	0.02
44942	0.02		2.3	0.001	0.01	0.01
44943	1.33	1.45	3.8	0.001	0.01	0.01
44944	2.15		7.4	0.001	0.01	0.01
44945	0.15		3.5	0.003	0.01	0.01
44946	0.10		4.0	0.001	0.01	0.01
44947	2.26	2.26	20.4	0.002	0.01	0.04
44948	0.49		7.5	0.001	0.01	0.01
*DUP 44925			4.9	0.001	0.01	0.01
*DUP 44934			2.1	0.003	0.04	0.07
*DUP 44944			7.8	0.001	0.01	0.01
*97-45	1.37					
*KC-1a				0.630	2.23	
*cpb-1			625.0			4.42

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

4V-0739-RA2

Page 2 of 2

Aug-14-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE(DH-SG-04-01)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples
submitted Aug-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0745-RA1

Page 1 of 2

Aug-21-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE (GS-04-02)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples submitted Aug-10-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
44962	0.01		0.3	0.004	0.01	0.02
44963	0.01		0.7	0.006	0.01	0.01
44964	1.01		1.5	0.007	0.01	0.01
44965	4.39	4.63	13.6	0.003	0.01	0.01
44966	2.48		8.7	0.003	0.01	0.01
44967	1.77		4.3	0.004	0.01	0.01
44968	0.48		2.3	0.004	0.01	0.01
44969	0.90		2.9	0.004	0.01	0.01
44970	1.36	1.30	6.4	0.004	0.01	0.02
44971	1.12		4.2	0.006	0.01	0.01
44972	0.02		1.5	0.005	0.12	0.40
44973	0.02		2.0	0.005	0.14	0.57
44974	0.03		3.0	0.004	0.09	0.45
44975	0.02		2.9	0.005	0.09	0.66
44976	0.03		1.1	0.004	0.09	0.30
44977	0.50		1.8	0.002	0.04	0.13
44978	0.18		3.1	0.003	0.01	0.02
44979	0.33		1.3	0.002	0.01	0.02
44980	0.51		2.4	0.003	0.01	0.03
44981	0.29		0.6	0.003	0.03	0.04
44982	0.41		1.8	0.001	0.02	0.06
44983	1.02	0.87	10.7	0.002	0.05	0.06
44984	0.02		1.9	0.008	0.10	0.18
44985	0.02		4.8	0.007	0.06	0.16
*DUP 44962			0.5	0.003	0.01	0.02
*DUP 44971			4.0	0.006	0.01	0.01
*DUP 44981			0.9	0.003	0.03	0.04
*97-45	1.45					
*CPb-1			626.0			4.40
*KC-1a				0.630	2.24	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**4V-0745-RA2**

Page 2 of 2

Aug-21-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE (GS-04-02)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples
submitted Aug-10-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0745-RA3

Page 1 of 2

Aug-21-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE (GS-04-02)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples submitted Aug-10-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
48911	0.01		0.2	0.001	0.01	0.01
48912	0.01		0.1	0.001	0.01	0.01
48913	0.01		1.0	0.002	0.01	0.01
48914	0.01		0.2	0.003	0.01	0.01
48915	0.02		1.0	0.004	0.01	0.02
48916	0.02		0.2	0.003	0.01	0.01
48917	0.02		1.2	0.002	0.01	0.01
48918	0.01		0.1	0.001	0.01	0.01
48919	0.02		0.6	0.002	0.01	0.01
48920	0.04		1.3	0.001	0.01	0.01
48921	0.01		0.7	0.001	0.01	0.01
48922	0.01		0.5	0.001	0.01	0.01
48923	0.02		2.3	0.001	0.01	0.01
48924	0.11		1.6	0.001	0.01	0.01
48925	0.01		0.1	0.001	0.01	0.01
48926	2.83	2.83	76.5	0.002	0.01	0.01
48927	0.40		15.3	0.002	0.01	0.01
48928	9.44	8.86	356.0	0.009	0.03	0.06
48929	0.17	0.18	7.4	0.001	0.01	0.01
48930	0.03		2.1	0.001	0.01	0.01
48931	0.03		1.0	0.001	0.01	0.01
48932	0.04		0.1	0.001	0.01	0.01
48933	0.01		1.1	0.001	0.01	0.01
48934	0.01		0.8	0.002	0.01	0.01
*DUP 48911			0.3	0.002	0.01	0.01
*DUP 48920			1.1	0.001	0.01	0.01
*DUP 48930			2.0	0.001	0.01	0.01
*97-45	1.44					
*CPb-1			626.0			4.46
*KC-1a				0.632	2.23	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0745-RA3


Page 2 of 2

Aug-21-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ SICKLE (GS-04-02)**
Attn: **Bill McWilliam/Dave Kuran**

We hereby certify the following assay of 24 rock core samples submitted Aug-10-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____ 



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0745-RA4

Company: **Stealth Minerals Ltd.**
 Project: **GRIZ SICKLE (GS-04-02)**
 Attn: **Bill McWilliam/Dave Kuran**

Aug-21-04

We hereby certify the following assay of 13 rock core samples submitted Aug-10-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
48935	0.07	0.05	1.7	0.001	0.01	0.01
48936	0.01		0.2	0.001	0.01	0.01
48937	0.01		0.6	0.001	0.01	0.01
48938	0.02		0.7	0.002	0.01	0.01
48939	0.03		0.1	0.002	0.01	0.01
48940	0.01		1.5	0.003	0.01	0.01
48941	0.01		0.2	0.001	0.01	0.01
48942	0.02		1.6	0.001	0.01	0.01
48943	0.01		1.0	0.002	0.01	0.01
48944	0.01	0.01	0.2	0.001	0.01	0.01
48945	0.02		1.1	0.001	0.01	0.01
48946	0.02		2.9	0.004	0.01	0.01
48947	0.01		0.1	0.007	0.01	0.02
48901 Extra	0.09		2.2	0.002	0.01	0.02
*DUP 48935			1.9	0.002	0.01	0.01
*DUP 48944			0.3	0.001	0.01	0.01
*97-45	1.35					
*CPb-1			629.0			4.38
*KC-1a				0.633	2.24	
*BLANK	<0.01		<0.01	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate**4V-0826-RG1**


Company: **Stealth Minerals Ltd.**
Project: **Sickle (DH-SG-04-03)**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
48948	335
48949	31
48950	16
48951	53
48952	148
48953	43
48954	357
48955	2993
48956	8756
48957	745
48958	1218
48959	277
48960	852
48961	420
48962	124
48963	308
48964	88
48965	113
48966	22
48967	29
48968	27
48969	29
48970	20
48971	22

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0826-RG2

Company: **Stealth Minerals Ltd.**
Project: **Sickle (DH-SG-04-03)**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 24 rock samples submitted Aug-24-04

Sample Name	Au PPB
48972	24
48973	13
48974	26
48975	24
48976	19
48977	17
48978	48
48979	147
48980	82
48981	162
48982	11
48983	13
48984	13
48985	15
48986	46
48987	19
48988	13
48989	168
48990	713
48991	467
48992	261
48993	24
48994	73
48995	37

Certified by _____

**ASSAYERS
C A N A D A**



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0826-RG3

Company: **Stealth Minerals Ltd.**
Project: Sickle (DH-SG-04-03)
Attn: Dave Kuran, Bill McWilliam

Sep-21-04

We hereby certify the following geochemical analysis of 12 rock samples submitted Aug-24-04

Sample Name	Au PPB
48996	35
48997	11
48998	27
48999	19
49000	65
48601	18
48602	43
48603	34
48604	11
48605	13
48606	17
48607	17

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0821-RG2

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-04-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 19 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48632	23
48633	13
48634	6
48635	23
48636	4
48637	6
48638	2
48639	3
48640	3
48641	4
48642	4
48643	4
48644	3
48645	3
48646	3
48647	2
48648	4
48649	10
48650	9

Certified by _____ 

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-04-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0821 RJ

Date : Sep-21-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48608	1.4	2.86	<5	52	0.6	<5	3.75	<1	14	45	58	6.11	0.14	2.35	2149	<2	0.01	11	1392	12	<5	14	<10	27	0.10	162	<10	11	163	7
48609	6.1	0.20	<5	10	0.6	<5	>15.00	2	1	48	8	0.47	0.04	0.14	1160	<2	0.01	2	91	4	<5	<1	<10	315	<0.01	10	<10	1	27	<1
48610	<0.2	2.78	<5	38	0.7	<5	4.13	<1	13	49	46	5.71	0.14	2.49	1563	<2	0.02	11	1358	6	<5	13	<10	28	0.13	159	<10	12	109	10
48611	4.2	2.11	<5	36	0.6	<5	9.88	<1	4	34	39	3.98	0.12	1.86	1685	<2	0.02	6	814	12	<5	6	<10	116	<0.01	96	<10	9	139	3
48612	22.6	0.08	<5	<10	<0.5	<5	>15.00	3	1	55	4	0.20	0.03	0.09	1450	2	0.01	2	27	32	<5	<1	<10	461	<0.01	3	<10	<1	37	<1
48613	75.4	0.03	<5	<10	<0.5	<5	>15.00	2	1	36	5	0.14	<0.01	0.05	1125	<2	0.01	1	15	11	<5	<1	<10	459	<0.01	1	<10	<1	20	<1
48614	4.6	1.41	<5	31	0.7	<5	>15.00	<1	4	23	19	3.07	0.09	1.22	1357	<2	0.02	4	663	7	<5	6	<10	395	<0.01	82	<10	8	176	3
48615	3.4	1.44	<5	69	<0.5	<5	>15.00	<1	4	29	20	3.52	0.07	1.32	1551	<2	0.02	5	654	7	<5	5	<10	328	<0.01	77	<10	8	80	3
48616	12.8	0.17	<5	12	<0.5	<5	>15.00	2	1	19	2	0.46	0.02	0.17	1603	<2	0.01	1	85	17	<5	<1	<10	688	<0.01	7	<10	1	36	<1
48617	37.0	0.06	<5	<10	<0.5	<5	>15.00	2	<1	39	6	0.16	0.02	0.06	1294	<2	0.01	1	18	24	<5	<1	<10	349	<0.01	2	<10	<1	31	<1
48618	95.7	0.22	<5	<10	<0.5	<5	>15.00	2	<1	51	5	0.32	0.02	0.28	1222	<2	0.01	2	18	19	<5	<1	<10	269	<0.01	5	<10	<1	51	<1
48619	21.1	0.48	<5	23	<0.5	<5	9.23	<1	<1	58	9	1.35	0.07	0.52	1056	5	0.01	3	206	29	<5	<1	<10	131	<0.01	24	<10	2	73	3
48620	71.6	0.14	<5	<10	0.5	<5	>15.00	5	<1	49	6	0.34	0.03	0.13	1508	2	0.01	2	51	44	<5	<1	<10	257	<0.01	5	<10	<1	80	<1
48621	54.3	0.15	<5	11	<0.5	<5	>15.00	2	<1	43	4	0.36	0.02	0.16	1382	<2	0.01	1	58	17	<5	<1	<10	337	<0.01	5	<10	<1	36	<1
48622	37.4	0.65	<5	31	<0.5	<5	9.61	4	1	70	13	1.58	0.11	0.57	1222	7	0.01	3	283	143	<5	<1	<10	118	<0.01	24	<10	3	259	3
48623	12.9	0.26	<5	37	<0.5	<5	7.25	1	2	116	7	0.89	0.11	0.16	982	7	0.01	5	152	36	<5	<1	<10	92	<0.01	11	<10	2	109	3
48624	16.8	0.16	<5	<10	<0.5	<5	>15.00	2	<1	28	2	0.33	0.06	0.14	2187	3	0.01	<1	55	15	<5	<1	<10	342	<0.01	5	<10	2	29	<1
48625	2.2	1.25	<5	36	<0.5	<5	2.30	<1	<1	61	9	2.64	0.14	1.17	1154	<2	0.02	3	453	35	<5	2	<10	25	<0.01	41	<10	6	112	5
48626	4.5	0.97	<5	171	<0.5	<5	5.43	<1	<1	62	8	2.13	0.11	0.86	1283	3	0.02	4	371	77	<5	1	<10	102	<0.01	34	<10	4	139	4
48627	0.2	1.20	<5	255	<0.5	<5	2.03	1	<1	60	11	2.74	0.13	1.12	1238	<2	0.02	5	464	131	<5	1	<10	26	<0.01	43	<10	5	235	6
48628	1.4	0.77	<5	319	<0.5	<5	2.66	2	<1	99	6	1.70	0.17	0.59	1090	4	0.02	4	260	120	<5	<1	<10	40	<0.01	25	<10	4	263	6
48629	2.4	0.58	<5	700	<0.5	<5	4.81	52	<1	77	6	1.32	0.13	0.45	1169	2	0.01	4	231	645	<5	<1	<10	75	<0.01	17	24	3	2209	4
48630	0.6	0.79	7	348	<0.5	<5	1.94	52	<1	83	5	2.06	0.17	0.57	1419	<2	0.02	4	338	243	<5	<1	<10	41	<0.01	24	33	4	2862	6
48631	0.5	2.40	<5	131	0.8	<5	3.42	5	10	38	36	5.48	0.22	1.90	2101	<2	0.02	7	1101	818	<5	6	<10	39	<0.01	98	<10	12	615	6
48632	0.5	2.88	<5	125	0.5	<5	5.27	<1	24	15	471	6.93	0.14	2.39	2614	<2	0.02	9	1130	13	<5	6	<10	44	<0.01	138	15	14	284	6
48633	0.4	1.59	<5	82	<0.5	<5	5.88	<1	19	42	7	5.14	0.17	1.14	2266	<2	0.01	7	845	15	<5	3	<10	92	<0.01	61	<10	14	207	4
48634	<0.2	1.31	<5	235	<0.5	<5	3.04	<1	10	57	31	3.19	0.16	1.04	1754	<2	0.02	6	609	38	<5	3	<10	47	<0.01	51	<10	7	196	6
48635	0.4	0.51	<5	228	<0.5	<5	3.44	16	5	61	11	1.69	0.16	0.42	1322	<2	0.02	4	340	163	<5	<1	<10	83	<0.01	17	21	5	1247	5
48636	<0.2	0.89	<5	156	0.8	<5	2.63	2	4	56	2	1.48	0.23	0.78	1324	<2	0.01	4	362	77	<5	<1	<10	67	<0.01	13	<10	4	180	6
48637	<0.2	0.83	<5	48	<0.5	<5	1.56	1	4	44	6	1.45	0.15	0.78	1007	<2	0.01	4	319	82	<5	<1	<10	34	<0.01	20	<10	3	159	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-04-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0821 RJ

Date : Sep-21-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48638	0.2	1.21	<5	24	1.2	<5	0.82	<1	6	41	10	1.66	0.17	1.22	1230	<2	0.01	4	366	13	<5	<1	<10	25	<0.01	31	<10	3	91	6
48639	<0.2	1.25	5	30	1.2	<5	1.44	<1	5	36	2	1.77	0.16	1.34	1347	<2	0.01	4	365	16	<5	<1	<10	32	<0.01	14	<10	3	95	6
48640	<0.2	1.09	<5	83	0.6	<5	1.87	5	4	46	8	1.52	0.18	1.01	1620	<2	0.01	5	341	153	<5	<1	<10	34	<0.01	13	<10	4	393	5
48641	<0.2	1.18	<5	32	0.8	<5	0.88	1	5	45	7	1.77	0.16	1.12	1323	<2	0.02	4	384	61	<5	<1	<10	26	<0.01	15	<10	3	167	6
48642	<0.2	1.21	<5	158	1.0	<5	2.02	3	4	44	3	1.66	0.19	1.11	2043	<2	0.01	4	411	272	<5	<1	<10	47	<0.01	13	<10	4	341	7
48643	<0.2	1.31	<5	82	0.6	<5	1.80	6	5	54	7	1.81	0.15	1.35	1947	<2	0.02	4	345	191	<5	<1	<10	29	<0.01	17	13	4	516	6
48644	<0.2	1.43	<5	100	0.9	<5	1.44	<1	5	39	12	1.93	0.16	1.42	1708	<2	0.01	3	441	56	<5	<1	<10	32	<0.01	16	<10	5	111	7
48645	<0.2	1.26	<5	22	0.9	<5	1.16	<1	5	46	6	1.78	0.17	1.24	1447	<2	0.02	3	417	20	<5	<1	<10	30	<0.01	13	<10	4	97	7
48646	0.7	1.15	<5	39	0.7	<5	1.41	<1	5	55	12	1.68	0.17	1.07	1433	<2	0.01	3	387	44	<5	<1	<10	34	<0.01	13	<10	4	97	6
48647	<0.2	1.08	<5	38	<0.5	<5	2.00	<1	5	58	5	1.80	0.16	0.95	1593	<2	0.02	3	358	67	<5	<1	<10	35	<0.01	14	<10	5	89	6
48648	<0.2	1.14	<5	66	0.6	<5	0.88	<1	5	52	5	1.89	0.18	0.97	1241	<2	0.02	3	454	27	<5	<1	<10	24	<0.01	17	<10	4	95	6
48649	<0.2	1.20	5	40	0.5	<5	1.19	<1	5	42	5	2.07	0.17	1.03	1406	<2	0.02	4	461	52	<5	<1	<10	26	<0.01	24	<10	4	96	7
48650	<0.2	2.57	<5	14	<0.5	<5	4.88	<1	25	28	27	6.33	0.14	2.11	1624	<2	0.03	10	1025	6	<5	6	<10	45	0.07	123	12	10	106	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO₃
at 95c for 2 hours and diluted to 25ml with D.I.H₂O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0823-RG1


Company: **Stealth Minerals Ltd.**
Project: SICKLE-GRIZ SG-05-04
Attn: Dave Kuran, Bill McWilliam

Sep-28-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48801	19
48802	235
48803	43
48804	21
48805	44
48806	4
48807	5
48808	12
48809	47
48810	2491
48811	4872
48812	1798
48813	37
48814	34
48815	84
48816	272
48817	19
48818	11
48819	49
48820	50
48821	493
48822	619
48823	31
48824	19

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0823-RG2

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-05-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-28-04

We *hereby certify* the following geochemical analysis of 25 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48825	9
48826	8
48827	11
48828	12
48829	18
48830	194
48831	434
48832	270
48833	16
48834	9
48835	5
48836	7
48837	52
48838	12
48839	8
48840	13
48841	10
48842	29
48843	6
48844	8
48845	4
48846	8
48847	433
48848	7
48849	8

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-05-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0823 RJ

Date : Sep-28-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48801	0.6	0.64	<5	98	<0.5	<5	2.63	10	1	63	19	2.21	0.10	0.46	1281	2	0.02	3	356	640	<5	1	<10	34	<0.01	20	13	6	1512	6
48802	0.8	0.77	5	67	<0.5	<5	2.21	41	2	67	82	2.32	0.13	0.53	1621	<2	0.02	4	392	957	<5	1	<10	15	<0.01	24	40	8	3371	7
48803	0.7	0.86	<5	81	<0.5	<5	1.81	16	1	82	14	2.41	0.15	0.63	1578	3	0.02	4	380	659	6	1	<10	16	<0.01	32	13	7	1370	8
48804	0.5	0.88	10	92	<0.5	<5	0.91	28	2	67	38	2.55	0.13	0.64	1587	<2	0.02	5	414	1038	<5	2	<10	7	<0.01	29	34	7	2855	7
48805	0.7	0.67	<5	109	<0.5	<5	0.94	<1	1	83	7	2.18	0.14	0.55	815	3	0.03	4	350	60	<5	1	<10	10	<0.01	25	<10	6	212	8
48806	<0.2	0.51	<5	68	<0.5	<5	0.44	4	<1	78	11	1.89	0.11	0.46	750	<2	0.03	5	313	111	<5	<1	<10	4	<0.01	19	<10	6	371	8
48807	0.3	0.59	<5	47	<0.5	<5	0.94	4	<1	81	9	1.89	0.12	0.56	1055	2	0.03	4	320	119	<5	<1	<10	9	<0.01	23	<10	6	399	9
48808	1.3	0.80	<5	71	<0.5	<5	1.57	17	<1	84	9	2.35	0.12	0.79	1563	5	0.03	6	367	894	<5	<1	<10	12	<0.01	27	15	4	1666	7
48809	2.1	0.77	<5	91	<0.5	<5	1.19	4	<1	89	8	1.63	0.13	0.90	1122	4	0.02	4	301	263	<5	<1	<10	16	<0.01	25	<10	3	422	6
48810	75.9	0.40	<5	36	<0.5	<5	4.48	8	<1	104	11	0.91	0.07	0.40	1074	2	0.01	6	114	402	<5	<1	<10	62	<0.01	11	<10	2	572	3
48811	30.4	0.41	<5	21	<0.5	<5	11.01	25	1	60	13	1.15	0.06	0.36	1245	2	0.01	3	182	2447	<5	<1	<10	220	<0.01	13	17	2	1810	2
48812	13.7	0.34	<5	133	<0.5	<5	4.44	8	2	103	10	1.19	0.08	0.30	1001	2	0.01	6	173	719	<5	<1	<10	54	<0.01	11	<10	2	699	2
48813	0.9	0.48	<5	118	<0.5	<5	1.99	4	<1	91	7	1.68	0.16	0.51	839	3	0.02	4	294	218	<5	<1	<10	22	<0.01	16	<10	3	482	6
48814	0.8	0.49	<5	137	<0.5	<5	1.25	10	<1	68	15	2.09	0.15	0.58	1018	<2	0.02	4	349	420	<5	<1	<10	17	<0.01	21	<10	4	955	7
48815	1.2	0.52	<5	100	<0.5	<5	1.40	6	<1	96	10	1.93	0.16	0.50	833	3	0.02	4	311	217	<5	<1	<10	21	<0.01	21	<10	3	572	7
48816	2.2	0.54	<5	171	<0.5	<5	2.02	5	<1	55	13	2.03	0.12	0.48	941	<2	0.02	4	357	141	<5	<1	<10	39	<0.01	21	<10	4	506	6
48817	1.0	0.55	<5	137	<0.5	<5	2.58	15	1	71	24	1.79	0.13	0.39	1098	2	0.02	3	312	641	<5	<1	<10	45	<0.01	18	13	3	1467	5
48818	0.9	0.98	<5	77	<0.5	<5	1.18	9	<1	58	9	2.50	0.13	0.83	1276	<2	0.02	4	380	2118	<5	<1	<10	16	<0.01	30	<10	3	922	7
48819	2.0	0.60	<5	57	<0.5	<5	1.45	>100	2	69	13	1.74	0.15	0.44	1011	3	0.01	3	339	1617	<5	<1	<10	21	<0.01	14	179	3	>10000	6
48820	1.1	0.55	<5	93	<0.5	<5	2.60	42	1	77	22	1.58	0.14	0.40	1305	<2	0.01	4	307	1434	<5	<1	<10	30	<0.01	13	43	4	3624	5
48821	2.8	0.51	<5	153	<0.5	<5	2.41	12	1	81	7	1.62	0.14	0.36	1009	2	0.01	4	295	598	<5	<1	<10	39	<0.01	11	<10	3	1014	5
48822	3.5	0.15	<5	391	<0.5	<5	>15.00	19	2	46	9	0.42	0.08	0.08	3114	<2	0.01	4	78	3420	<5	<1	<10	349	<0.01	3	<10	6	1077	1
48823	1.7	0.37	<5	151	<0.5	<5	7.91	80	2	72	7	1.00	0.14	0.22	2258	10	0.01	3	192	2110	<5	<1	<10	68	<0.01	6	75	5	5983	3
48824	0.4	0.72	<5	135	<0.5	<5	0.91	6	1	57	8	2.03	0.13	0.53	975	<2	0.01	4	337	287	<5	<1	<10	13	<0.01	20	<10	3	674	6
48825	0.4	0.60	<5	161	<0.5	<5	1.02	7	2	82	11	1.87	0.16	0.39	704	2	0.02	5	330	237	<5	<1	<10	13	<0.01	16	<10	4	609	5
48826	0.6	0.54	<5	172	<0.5	<5	1.49	5	3	82	11	1.87	0.16	0.35	700	4	0.02	3	313	245	<5	<1	<10	18	<0.01	14	<10	4	568	5
48827	0.4	0.66	<5	215	<0.5	<5	1.02	4	1	65	7	1.94	0.14	0.47	816	2	0.02	3	316	268	<5	<1	<10	15	<0.01	18	<10	4	428	5
48828	1.2	0.48	<5	247	<0.5	<5	1.43	7	2	97	7	1.75	0.14	0.32	766	4	0.02	3	296	316	<5	<1	<10	24	<0.01	12	<10	4	666	5
48829	0.3	0.69	<5	105	<0.5	<5	1.78	4	1	63	13	1.86	0.16	0.43	913	<2	0.02	3	311	159	<5	<1	<10	23	<0.01	17	<10	4	415	6
48830	4.2	0.41	<5	80	<0.5	<5	>15.00	15	<1	45	3	0.92	0.08	0.33	2340	<2	0.01	2	148	386	<5	<1	<10	285	<0.01	9	<10	4	824	3

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-05-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0823 RJ

Date : Sep-28-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48831	7.8	0.05	<5	302	0.7	<5	13.59	<1	<1	77	1	0.22	0.02	0.04	1446	<2	0.01	3	<10	21	<5	<1	<10	224	<0.01	3	<10	<1	26	<1
48832	4.2	0.17	<5	101	<0.5	<5	6.01	<1	1	134	3	0.61	0.06	0.10	802	4	0.01	4	56	52	<5	<1	<10	96	<0.01	4	<10	<1	60	2
48833	0.7	0.59	<5	135	<0.5	<5	3.32	<1	2	94	15	1.74	0.17	0.36	900	<2	0.02	4	301	45	<5	<1	<10	49	<0.01	13	<10	4	130	6
48834	0.3	0.92	<5	86	<0.5	<5	1.67	4	1	63	21	2.25	0.21	0.59	998	<2	0.02	4	347	170	<5	1	<10	27	<0.01	19	<10	5	457	7
48835	0.5	0.31	<5	190	<0.5	<5	1.84	8	3	79	17	1.80	0.15	0.30	885	<2	0.03	3	339	320	<5	<1	<10	34	<0.01	7	<10	4	669	6
48836	0.3	0.82	<5	108	<0.5	<5	0.84	3	1	63	21	2.27	0.21	0.54	795	<2	0.02	3	372	106	<5	1	<10	21	<0.01	20	<10	4	363	6
48837	0.7	0.59	<5	183	<0.5	<5	2.74	8	2	78	9	2.07	0.15	0.40	902	<2	0.02	3	333	155	<5	<1	<10	44	<0.01	11	<10	4	723	6
48838	0.5	0.39	<5	103	<0.5	<5	8.31	3	2	92	5	1.29	0.16	0.22	1255	<2	0.02	4	223	111	<5	<1	<10	91	<0.01	9	<10	4	227	4
48839	0.3	0.71	<5	106	<0.5	<5	2.29	<1	2	94	8	2.07	0.19	0.46	947	2	0.02	3	341	30	<5	<1	<10	34	<0.01	19	<10	4	124	6
48840	0.4	0.57	<5	73	<0.5	<5	2.89	<1	2	58	10	1.86	0.14	0.43	895	<2	0.02	3	331	18	<5	<1	<10	43	<0.01	15	<10	4	88	6
48841	0.3	0.55	<5	125	<0.5	<5	1.61	<1	2	75	11	1.93	0.12	0.44	773	<2	0.03	3	330	53	<5	1	<10	26	<0.01	17	<10	5	160	6
48842	2.1	0.18	<5	26	<0.5	<5	>15.00	2	2	24	2	0.57	0.03	0.15	2164	<2	0.02	<1	94	22	<5	<1	<10	522	<0.01	6	<10	2	64	2
48843	0.5	0.60	<5	113	<0.5	<5	1.64	2	2	116	6	1.92	0.18	0.41	766	4	0.04	5	316	41	<5	1	<10	21	<0.01	17	<10	5	278	8
48844	0.4	0.70	6	54	<0.5	<5	1.43	1	2	64	7	2.26	0.14	0.58	911	<2	0.03	3	378	104	<5	<1	<10	17	<0.01	22	<10	4	221	8
48845	0.4	0.45	<5	170	<0.5	<5	3.70	1	3	69	5	1.72	0.11	0.37	1055	<2	0.03	3	292	25	<5	<1	<10	31	<0.01	14	<10	6	182	6
48846	0.7	0.52	<5	47	<0.5	<5	1.31	5	4	93	7	2.10	0.23	0.32	642	5	0.02	3	370	79	<5	<1	<10	18	<0.01	11	<10	4	406	7
48847	5.1	0.35	<5	93	0.6	<5	5.56	<1	3	113	8	1.49	0.20	0.15	982	3	0.02	5	243	71	<5	<1	<10	82	<0.01	8	<10	4	90	5
48848	0.4	0.67	<5	161	<0.5	<5	0.97	<1	1	90	5	2.05	0.14	0.63	868	3	0.03	4	316	31	<5	<1	<10	17	<0.01	21	<10	4	75	7
48849	0.2	0.49	<5	59	<0.5	<5	2.23	<1	2	73	7	1.88	0.12	0.39	885	<2	0.02	4	308	34	<5	<1	<10	18	<0.01	16	<10	6	73	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0822-RG1

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-06-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48850	7
48851	6
48852	12
48853	29
48854	6
48855	61
48856	17
48857	80
48858	15
48859	89
48860	43
48861	53
48862	132
48863	17
48864	63
48865	35
48866	45
48867	64
48868	50
48869	56
48870	17
48871	84
48872	23
48873	13

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0822-RG2

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-06-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48874	302
48875	4263
48876	5061
48877	2832
48878	267
48879	1713
48880	123
48881	209
48882	568
48883	291
48884	34
48885	38
48886	30
48887	16
48888	134
48889	25
48890	15
48891	19
48892	36
48893	108
48894	350
48895	46
48896	16
48897	20

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0822-RG3


Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-06-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
48898	249
48899	27
48900	17
193251	20
193252	23
193253	310
193254	72
193255	192
193256	1560
193257	1431
193258	1374
193259	673
193260	502
193261	7164
193262	171
193263	27
193264	9
193265	307
193266	11
193267	154
193268	9
193269	34
193270	13
193271	628

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0822-RG4

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ SG-06-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-21-04

We *hereby certify* the following geochemical analysis of 13 rock core samples submitted Aug-24-04

Sample Name	Au PPB
193272	9
193273	57
193274	4
193275	3
193276	9
193277	15
193278	338
193279	12
193280	219
193281	101
193282	285
193283	265
193284	104

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-06-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0822 RJ

Date : Sep-21-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48850	<0.2	0.86	<5	87	<0.5	<5	0.55	2	<1	54	6	1.91	0.13	0.76	1371	<2	0.02	3	309	308	<5	1	<10	4	<0.01	18	<10	7	586	6
48851	<0.2	0.70	<5	66	<0.5	<5	0.87	3	<1	62	8	1.85	0.13	0.67	942	<2	0.02	3	318	178	<5	1	<10	6	<0.01	13	<10	7	420	8
48852	<0.2	0.65	<5	48	<0.5	<5	0.96	5	<1	67	7	1.89	0.15	0.59	1036	2	0.01	3	322	242	<5	<1	<10	6	<0.01	13	<10	7	558	9
48853	0.5	0.65	<5	72	<0.5	<5	1.45	18	<1	80	7	1.82	0.16	0.54	1348	3	0.01	4	314	576	<5	<1	<10	9	<0.01	13	14	7	1461	10
48854	0.7	0.57	<5	46	<0.5	<5	1.15	12	<1	75	8	1.80	0.14	0.47	1225	3	0.01	4	307	634	<5	<1	<10	8	<0.01	11	11	6	1115	11
48855	0.6	0.52	<5	79	<0.5	<5	1.01	14	<1	90	16	1.75	0.17	0.43	907	2	0.01	4	286	369	<5	<1	<10	7	<0.01	10	13	6	1158	9
48856	0.3	0.48	13	128	<0.5	<5	1.51	<1	1	96	6	1.62	0.17	0.39	808	4	0.01	4	274	78	<5	<1	<10	13	<0.01	10	<10	6	178	10
48857	0.3	0.58	<5	76	<0.5	<5	0.72	3	<1	77	7	1.77	0.15	0.51	933	3	0.01	4	318	143	<5	<1	<10	7	<0.01	16	<10	5	392	11
48858	0.6	0.46	<5	84	<0.5	<5	0.75	4	<1	82	8	1.72	0.14	0.42	925	5	0.01	3	299	143	<5	<1	<10	5	<0.01	12	<10	5	438	9
48859	3.9	0.42	<5	73	<0.5	<5	1.98	18	<1	94	26	1.45	0.11	0.38	1079	13	0.01	4	246	298	<5	<1	<10	15	<0.01	10	15	4	1404	8
48860	0.9	0.43	5	91	<0.5	<5	1.01	4	<1	97	7	1.58	0.13	0.41	909	6	0.01	4	280	154	<5	<1	<10	11	<0.01	10	<10	4	418	8
48861	1.6	0.18	10	112	<0.5	<5	1.07	7	4	115	32	1.37	0.13	0.08	494	29	0.01	5	211	175	<5	<1	<10	13	<0.01	3	<10	3	432	7
48862	1.3	0.18	<5	118	<0.5	<5	1.57	4	1	121	17	1.18	0.10	0.12	707	31	0.01	5	156	98	<5	<1	<10	13	<0.01	4	<10	3	305	5
48863	0.6	0.27	<5	80	<0.5	<5	0.54	3	2	114	40	1.54	0.13	0.18	477	6	0.01	5	220	102	<5	<1	<10	4	<0.01	6	<10	3	344	7
48864	5.4	0.23	<5	93	<0.5	<5	4.61	86	3	96	48	1.24	0.10	0.14	1598	13	0.01	3	206	>10000	<5	<1	<10	43	<0.01	5	89	5	6898	5
48865	2.5	0.28	<5	92	<0.5	<5	4.25	54	2	98	36	1.30	0.11	0.19	2019	26	0.01	4	182	4169	<5	<1	<10	35	<0.01	5	48	4	3933	6
48866	1.4	0.21	<5	88	<0.5	<5	1.23	4	1	125	15	1.32	0.11	0.13	514	26	0.01	5	199	161	<5	<1	<10	14	<0.01	5	<10	2	340	6
48867	2.2	0.37	6	61	<0.5	<5	2.79	33	1	97	19	1.66	0.12	0.27	1066	29	0.01	5	255	2883	<5	<1	<10	27	<0.01	7	28	4	2400	6
48868	3.2	0.28	<5	135	<0.5	<5	5.56	52	1	106	25	1.15	0.11	0.17	1863	43	0.01	4	170	8601	<5	<1	<10	51	<0.01	4	46	5	3832	4
48869	2.9	0.39	15	261	<0.5	<5	2.38	33	3	79	26	1.36	0.18	0.20	982	35	0.01	3	292	1071	<5	<1	<10	44	<0.01	5	25	4	2103	4
48870	2.7	0.37	<5	144	<0.5	<5	1.59	19	2	104	54	1.65	0.16	0.20	846	6	0.01	4	291	386	<5	<1	<10	17	<0.01	10	<10	3	884	5
48871	1.5	0.52	<5	73	<0.5	<5	0.95	53	1	79	48	1.73	0.14	0.37	895	5	0.01	5	285	1296	<5	<1	<10	9	<0.01	11	50	4	3896	8
48872	2.3	0.30	<5	172	<0.5	<5	1.67	11	3	89	50	1.59	0.14	0.15	887	3	0.01	4	267	143	<5	<1	<10	21	<0.01	6	<10	4	490	6
48873	0.8	0.52	<5	128	<0.5	<5	1.65	8	1	79	13	1.63	0.15	0.35	1152	3	0.01	3	327	279	<5	<1	<10	17	<0.01	11	<10	4	640	6
48874	2.7	0.30	6	50	<0.5	<5	3.72	5	1	90	11	1.19	0.11	0.19	784	4	0.01	4	210	154	<5	<1	<10	58	<0.01	5	<10	3	459	5
48875	18.5	0.04	<5	14	0.8	<5	>15.00	19	1	33	74	0.12	0.03	0.02	2761	<2	0.01	<1	20	236	<5	<1	<10	415	<0.01	<1	<10	3	1139	<1
48876	36.5	0.08	<5	12	1.3	<5	>15.00	17	1	64	13	0.29	0.04	0.07	3069	5	0.01	3	38	558	<5	<1	<10	181	<0.01	1	<10	2	1122	1
48877	15.2	0.03	<5	<10	1.1	<5	>15.00	14	<1	31	7	0.09	0.02	0.03	2162	<2	0.01	2	<10	221	<5	<1	<10	412	<0.01	<1	<10	<1	902	<1
48878	2.8	0.04	<5	<10	0.5	<5	>15.00	5	<1	17	1	0.07	<0.01	0.06	1367	<2	0.01	<1	<10	23	<5	<1	<10	629	<0.01	<1	<10	<1	285	<1
48879	8.2	0.06	<5	10	1.1	<5	>15.00	30	<1	22	87	0.15	0.02	0.06	1911	<2	0.01	1	19	652	<5	<1	<10	617	<0.01	<1	20	<1	2121	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-06-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0822 RJ

Date : Sep-21-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
48880	1.7	0.69	<5	37	<0.5	<5	1.77	5	<1	73	9	1.73	0.11	0.76	1110	3	0.01	4	289	115	<5	<1	<10	18	<0.01	15	<10	3	533	5
48881	1.4	0.58	<5	63	0.9	<5	3.85	2	<1	85	9	1.39	0.10	0.57	1100	<2	0.01	3	241	91	<5	<1	<10	44	<0.01	12	<10	2	225	4
48882	2.1	0.57	9	72	<0.5	<5	2.17	6	<1	69	8	1.50	0.10	0.56	1096	<2	0.01	3	258	312	<5	<1	<10	25	<0.01	11	<10	3	710	4
48883	1.7	0.41	5	193	<0.5	<5	3.56	2	<1	94	7	1.28	0.11	0.34	1245	<2	0.01	5	220	93	<5	<1	<10	42	<0.01	6	<10	3	229	4
48884	1.1	0.36	11	142	<0.5	<5	2.44	6	2	99	10	1.40	0.12	0.28	959	3	0.01	5	260	298	<5	<1	<10	32	<0.01	5	<10	3	590	4
48885	0.8	0.47	12	76	<0.5	<5	1.88	1	<1	79	11	1.65	0.12	0.46	865	<2	0.02	5	291	70	<5	<1	<10	21	<0.01	10	<10	3	262	5
48886	0.7	0.56	8	48	<0.5	<5	1.33	<1	<1	80	8	1.67	0.10	0.59	906	<2	0.02	4	291	39	<5	<1	<10	15	<0.01	13	<10	3	74	5
48887	0.8	0.63	7	46	<0.5	<5	1.23	<1	<1	79	7	1.80	0.11	0.67	1065	3	0.02	4	302	40	<5	<1	<10	12	<0.01	15	<10	3	109	5
48888	2.6	0.40	5	92	<0.5	<5	1.14	<1	<1	92	6	1.34	0.10	0.40	630	<2	0.01	4	221	13	<5	<1	<10	16	<0.01	10	<10	2	68	4
48889	0.9	0.61	7	55	<0.5	<5	0.61	<1	<1	73	9	1.97	0.12	0.62	958	<2	0.02	4	326	25	<5	<1	<10	7	<0.01	17	<10	3	135	5
48890	1.6	0.49	6	45	<0.5	<5	0.90	<1	<1	75	7	1.86	0.13	0.45	802	3	0.01	5	308	33	<5	<1	<10	11	<0.01	12	<10	3	76	5
48891	0.5	0.45	10	72	<0.5	<5	0.84	<1	2	89	9	1.72	0.13	0.41	686	2	0.02	4	286	33	<5	<1	<10	9	<0.01	13	<10	3	130	5
48892	0.6	0.43	9	52	<0.5	<5	2.64	<1	1	62	8	1.66	0.10	0.39	791	<2	0.02	4	291	52	<5	<1	<10	34	<0.01	13	<10	3	198	5
48893	1.7	0.49	7	45	<0.5	<5	1.35	1	1	68	15	1.73	0.11	0.42	760	<2	0.02	3	309	46	<5	<1	<10	15	<0.01	15	<10	3	189	5
48894	4.3	0.50	8	97	0.5	<5	3.83	<1	<1	52	10	1.60	0.09	0.40	998	<2	0.02	3	295	21	<5	<1	<10	58	<0.01	17	<10	3	97	4
48895	1.0	0.55	11	43	<0.5	<5	0.73	<1	<1	66	9	1.93	0.12	0.48	773	<2	0.02	3	335	13	<5	<1	<10	8	<0.01	19	<10	3	82	5
48896	0.7	0.38	8	46	<0.5	<5	2.01	<1	2	54	6	1.91	0.10	0.34	809	<2	0.02	4	338	31	<5	<1	<10	26	<0.01	12	<10	4	83	5
48897	1.1	0.40	<5	56	<0.5	<5	1.27	<1	2	68	7	1.72	0.12	0.32	660	<2	0.02	4	301	20	<5	<1	<10	15	<0.01	10	<10	3	105	5
48898	6.5	0.37	21	45	0.9	<5	0.95	7	4	68	19	2.01	0.18	0.22	494	6	0.01	4	398	118	<5	<1	<10	12	<0.01	8	<10	3	609	6
48899	0.8	0.49	23	44	<0.5	<5	0.71	1	1	88	9	1.68	0.10	0.46	623	<2	0.02	5	272	51	<5	<1	<10	9	<0.01	12	<10	3	295	5
48900	0.7	0.42	12	37	<0.5	<5	0.76	<1	<1	107	9	1.54	0.09	0.43	533	3	0.02	5	246	72	<5	<1	<10	11	<0.01	10	<10	2	189	4
193251	1.0	0.45	9	89	<0.5	<5	0.59	<1	1	105	8	1.56	0.10	0.45	547	2	0.02	5	254	39	<5	<1	<10	8	<0.01	12	<10	3	128	5
193252	1.0	0.49	8	42	<0.5	<5	0.61	<1	<1	94	5	1.69	0.11	0.48	633	<2	0.02	4	272	17	<5	<1	<10	7	<0.01	15	<10	3	52	5
193253	5.7	0.46	8	37	<0.5	<5	0.78	<1	<1	86	7	1.65	0.12	0.41	600	<2	0.01	4	265	38	<5	<1	<10	10	<0.01	14	<10	3	53	5
193254	1.9	0.52	5	38	<0.5	<5	0.46	1	<1	92	7	1.73	0.09	0.56	563	<2	0.02	4	276	61	<5	<1	<10	5	<0.01	16	<10	3	234	5
193255	3.3	0.45	<5	26	<0.5	<5	2.76	<1	<1	85	6	1.44	0.08	0.48	637	<2	0.02	3	229	51	<5	<1	<10	45	<0.01	11	<10	2	133	4
193256	17.2	0.52	6	52	<0.5	<5	1.73	4	2	96	11	1.49	0.10	0.50	820	4	0.02	4	234	230	<5	<1	<10	18	<0.01	12	<10	2	397	4
193257	25.6	0.33	13	47	<0.5	<5	2.32	6	1	89	14	1.36	0.10	0.26	771	7	0.01	3	205	216	<5	<1	<10	21	<0.01	10	<10	2	498	4
193258	24.7	0.25	13	41	<0.5	<5	2.50	2	1	97	17	1.11	0.11	0.19	532	8	<0.01	3	192	68	<5	<1	<10	29	<0.01	6	<10	2	187	4
193259	8.2	0.22	<5	13	<0.5	<5	11.86	3	<1	55	6	0.68	0.06	0.21	907	4	0.01	2	117	41	<5	<1	<10	214	<0.01	6	<10	1	101	2

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ SG-06-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0822 RJ

Date : Sep-21-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
193260	11.2	0.26	<5	12	<0.5	<5	>15.00	2	<1	36	5	0.67	0.03	0.28	1234	<2	0.01	<1	116	47	6	<1	<10	485	<0.01	9	<10	1	109	2
193261	73.8	0.08	<5	<10	0.8	<5	>15.00	1	<1	33	4	0.16	<0.01	0.15	1409	<2	0.01	1	16	23	<5	<1	<10	467	<0.01	2	<10	<1	34	<1
193262	1.7	0.33	<5	36	<0.5	<5	4.01	<1	<1	87	8	1.07	0.07	0.42	940	2	0.01	3	168	93	<5	<1	<10	46	<0.01	12	<10	2	165	3
193263	0.6	0.60	9	68	<0.5	<5	0.83	5	<1	56	10	2.01	0.11	0.73	1235	2	0.02	3	328	255	6	1	<10	7	<0.01	30	<10	5	683	8
193264	0.8	0.55	<5	38	<0.5	<5	1.23	9	<1	56	11	1.85	0.11	0.63	1252	2	0.02	3	312	317	<5	1	<10	11	<0.01	26	11	4	1000	7
193265	1.6	0.38	<5	60	<0.5	<5	3.36	6	<1	62	11	1.74	0.09	0.67	1442	4	0.02	2	262	331	<5	1	<10	22	<0.01	23	<10	5	739	7
193266	0.7	0.46	5	32	<0.5	<5	0.99	3	<1	53	6	1.85	0.10	0.58	1111	3	0.02	2	304	191	5	<1	<10	8	<0.01	23	<10	4	393	7
193267	3.7	0.41	<5	34	<0.5	<5	5.79	28	1	50	12	1.61	0.09	0.35	1024	3	0.02	2	280	1607	<5	<1	<10	91	<0.01	15	21	4	2055	6
193268	0.3	0.56	<5	30	<0.5	<5	1.17	<1	1	75	6	2.02	0.11	0.37	860	2	0.02	4	336	39	<5	<1	<10	10	<0.01	21	<10	6	127	5
193269	0.7	0.52	<5	33	<0.5	<5	8.21	2	<1	54	20	1.49	0.09	0.33	1408	<2	0.02	3	270	83	<5	<1	<10	135	<0.01	18	<10	5	225	4
193270	0.6	0.66	<5	45	<0.5	<5	1.14	3	2	69	19	1.96	0.12	0.41	1091	<2	0.02	3	332	155	<5	1	<10	12	<0.01	27	<10	6	383	6
193271	1.4	0.56	<5	48	<0.5	<5	3.93	2	2	62	15	1.62	0.11	0.33	1281	<2	0.02	3	304	83	6	1	<10	55	<0.01	25	<10	5	289	6
193272	<0.2	0.74	<5	125	<0.5	<5	1.41	5	2	83	15	2.12	0.14	0.48	1484	<2	0.03	3	359	224	<5	2	<10	12	<0.01	38	<10	6	594	8
193273	0.2	0.78	<5	124	<0.5	<5	1.17	6	2	88	13	2.10	0.15	0.49	1388	<2	0.03	5	352	371	<5	2	<10	12	<0.01	38	<10	6	657	9
193274	<0.2	0.74	<5	66	<0.5	<5	0.99	6	1	94	18	1.99	0.15	0.48	1239	<2	0.02	3	340	259	<5	2	<10	10	<0.01	34	<10	6	665	9
193275	<0.2	0.72	<5	63	<0.5	<5	1.67	<1	2	78	17	2.00	0.13	0.47	1308	<2	0.02	4	345	62	<5	2	<10	22	<0.01	31	<10	6	163	9
193276	<0.2	0.85	<5	58	<0.5	<5	1.60	3	2	96	16	2.07	0.16	0.56	1291	<2	0.03	4	355	139	<5	2	<10	19	<0.01	28	<10	6	394	10
193277	<0.2	0.80	<5	76	<0.5	<5	1.01	6	2	87	21	2.12	0.16	0.54	1201	<2	0.02	5	351	242	<5	2	<10	10	<0.01	27	<10	6	608	8
193278	0.6	0.83	<5	58	<0.5	<5	0.85	2	1	98	18	2.13	0.16	0.54	1129	<2	0.03	4	356	86	<5	2	<10	9	<0.01	28	<10	6	257	9
193279	<0.2	0.82	<5	84	<0.5	<5	1.08	<1	1	86	6	2.08	0.13	0.52	1104	<2	0.03	4	354	13	<5	1	<10	12	<0.01	30	<10	5	131	8
193280	2.2	0.59	<5	33	<0.5	<5	6.28	<1	1	66	8	1.59	0.09	0.41	1080	<2	0.02	3	280	43	<5	<1	<10	105	<0.01	21	<10	4	162	6
193281	1.4	0.64	7	52	<0.5	<5	1.02	1	2	103	8	2.03	0.16	0.48	929	<2	0.03	6	332	105	<5	<1	<10	12	<0.01	23	<10	5	223	9
193282	2.3	0.59	<5	132	<0.5	<5	3.54	<1	2	99	9	1.70	0.15	0.41	888	2	0.03	4	292	42	<5	<1	<10	48	<0.01	20	<10	5	113	8
193283	1.1	0.53	<5	89	<0.5	<5	3.09	2	1	88	11	1.73	0.15	0.43	912	<2	0.02	5	306	126	<5	1	<10	45	<0.01	21	<10	5	303	8
193284	0.8	0.42	<5	77	<0.5	<5	1.65	4	3	93	9	1.80	0.16	0.35	885	3	0.02	4	328	166	<5	1	<10	22	<0.01	22	<10	5	403	8

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0820-RG1

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ-SG-07-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-22-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
193285	4
193286	15
193287	78
193288	36
193289	8
193290	12
193291	12
193292	10
193293	81
193294	90
193295	20
193296	35
193297	22
193298	131
193299	8
193300	21
193301	88
193302	23
193303	47
193304	207
193305	48
193306	135
193307	32
193308	257

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0820-RG2

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ-SG-07-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-22-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB	Ag g/tonne
193309	649	
193310	47	
193311	49	
193312	75	
193313	265	
193314	6	
193315	24	
193316	58	
193317	105	
193318	26	
193319	22	
193320	22	
193321	18	
193322	11	
193323	15	
193324	30	
193325	229	
193326	30	
193327	19	
193328	1491	
193329	3736	127.0
193330	808	
193331	1061	
193332	1974	
*CPb-1		623.0
*BLANK		<0.1

Certified by _____



Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0820-RG3

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ-SG-07-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-22-04

We hereby certify the following geochemical analysis of 24 rock core samples submitted Aug-24-04

Sample Name	Au PPB
193333	1782
193334	37
193335	56
193336	742
193337	86
193338	442
193339	75
193340	163
193341	109
193342	47
193343	315
193344	33
193345	501
193346	166
193347	883
193348	240
193349	227
193350	38
193351	101
193352	33
193353	18
193354	139
193355	705
193356	183

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0820-RG4

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ-SG-07-04**
Attn: **Dave Kuran, Bill McWilliam**

Sep-22-04

We hereby certify the following geochemical analysis of 11 rock core samples submitted Aug-24-04

Sample Name	Au PPB
193357	26
193358	10
193359	12
193360	8
193361	14
193362	10
193363	13
193364	10
193365	17
193366	8
193367	5

Certified by _____

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0820 RJ

Date : Sep-22-04

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ-SG-07-04

Sample: Rock Core

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
193285	<0.2	0.86	6	69	<0.5	<5	0.51	2	4	80	9	1.76	0.12	0.93	937	<2	0.04	4	305	61	<5	1	<10	9	<0.01	30	<10	4	279	9
193286	<0.2	0.82	5	59	<0.5	<5	0.64	3	4	80	9	1.79	0.13	0.91	1080	<2	0.03	5	302	181	<5	1	<10	7	<0.01	26	<10	4	396	8
193287	<0.2	0.69	5	53	<0.5	<5	0.37	3	3	88	6	1.53	0.12	0.67	827	<2	0.02	3	262	104	<5	1	<10	4	<0.01	22	<10	4	325	7
193288	0.9	0.78	5	33	<0.5	<5	2.18	1	3	80	5	1.33	0.10	0.94	983	<2	0.02	4	232	78	<5	1	<10	25	<0.01	20	<10	3	207	7
193289	0.4	0.79	5	34	<0.5	<5	1.40	3	4	88	6	1.44	0.12	0.92	873	3	0.02	4	254	69	<5	1	<10	18	0.01	21	11	4	277	10
193290	0.6	0.65	6	29	<0.5	<5	5.54	<1	4	78	7	1.50	0.11	0.73	1018	<2	0.03	4	272	18	<5	<1	<10	128	0.02	21	<10	4	103	12
193291	0.5	0.70	<5	35	<0.5	<5	2.15	<1	4	84	7	1.50	0.12	0.75	838	<2	0.03	4	263	15	<5	<1	<10	34	0.03	23	<10	4	72	12
193292	0.9	0.95	6	50	<0.5	<5	1.85	7	5	90	7	1.91	0.18	0.97	1405	<2	0.03	4	332	256	<5	1	<10	22	0.02	28	15	5	712	15
193293	1.4	0.69	6	44	<0.5	<5	3.42	4	4	106	6	1.43	0.12	0.74	1148	7	0.02	3	255	120	<5	<1	<10	39	<0.01	19	<10	5	447	8
193294	2.1	0.56	<5	34	<0.5	6	4.87	4	3	127	6	1.04	0.11	0.57	1349	9	0.02	6	164	113	<5	<1	<10	56	<0.01	14	<10	5	450	6
193295	0.9	0.95	6	57	<0.5	<5	1.61	13	4	116	8	1.67	0.15	1.09	1261	9	0.02	5	318	264	<5	<1	<10	17	<0.01	25	23	4	1332	10
193296	1.0	0.97	5	60	<0.5	<5	3.65	10	5	96	8	1.80	0.18	1.06	1499	<2	0.02	4	382	182	<5	1	<10	59	<0.01	28	15	5	834	15
193297	0.9	0.90	<5	47	<0.5	6	2.00	8	4	95	6	1.89	0.17	0.91	1491	8	0.02	3	319	307	<5	<1	<10	20	<0.01	23	14	4	676	13
193298	0.9	0.65	<5	37	<0.5	<5	4.61	4	3	68	7	1.30	0.13	0.65	1357	<2	0.01	3	254	136	<5	<1	<10	50	<0.01	17	<10	4	378	10
193299	0.7	0.75	<5	62	<0.5	<5	0.65	4	4	68	5	1.66	0.14	0.76	1110	7	0.02	2	299	144	<5	<1	<10	5	<0.01	21	<10	5	425	14
193300	0.8	0.61	<5	65	<0.5	<5	3.17	30	4	69	8	1.36	0.14	0.54	1521	12	0.01	2	230	176	<5	<1	<10	35	0.01	17	19	4	1266	12
193301	0.4	0.62	<5	31	<0.5	<5	4.59	1	4	70	4	1.36	0.16	0.50	1402	3	<0.01	2	232	51	<5	<1	<10	66	0.01	16	<10	4	174	11
193302	0.9	0.71	8	63	<0.5	<5	3.18	8	4	75	6	1.62	0.18	0.62	1359	2	0.01	4	280	158	<5	<1	<10	31	<0.01	19	11	4	586	10
193303	0.6	0.53	<5	66	<0.5	<5	7.89	5	4	57	5	1.42	0.15	0.49	1584	4	0.01	3	267	141	<5	<1	<10	149	0.01	14	<10	4	386	12
193304	<0.2	0.38	<5	21	<0.5	6	8.84	5	3	49	3	0.93	0.15	0.25	2101	4	<0.01	3	174	48	<5	<1	<10	103	<0.01	8	<10	4	169	8
193305	<0.2	0.57	<5	23	<0.5	<5	6.59	9	3	60	2	1.02	0.11	0.54	1571	10	0.01	2	162	238	<5	<1	<10	81	<0.01	10	<10	3	568	8
193306	1.8	0.84	<5	128	<0.5	<5	6.72	19	3	61	4	1.30	0.13	0.90	1963	7	0.01	3	202	294	<5	<1	<10	72	<0.01	17	30	4	1526	11
193307	1.0	0.74	<5	46	<0.5	<5	3.76	6	3	46	2	1.35	0.10	0.82	1335	3	0.01	2	250	259	<5	<1	<10	48	<0.01	20	<10	4	582	8
193308	1.1	0.79	<5	82	<0.5	<5	2.52	16	3	67	8	1.47	0.14	0.76	1415	5	0.01	3	261	410	<5	<1	<10	23	<0.01	16	23	3	1174	8
193309	2.0	0.17	<5	12	1.1	<5	>15.00	24	1	50	12	0.34	0.05	0.17	2391	9	0.01	3	49	279	<5	<1	<10	458	<0.01	3	24	3	1718	<1
193310	1.4	1.06	<5	47	<0.5	<5	2.04	42	5	115	11	2.37	0.18	1.03	2153	12	0.02	5	355	442	<5	<1	<10	15	<0.01	26	46	4	3261	9
193311	4.7	1.70	<5	196	<0.5	<5	2.83	2	13	90	74	3.15	0.31	1.00	649	<2	0.18	9	626	22	<5	2	<10	92	0.10	108	<10	4	178	3
193312	<0.2	0.07	<5	<10	<0.5	<5	>15.00	8	<1	43	3	0.22	0.04	0.07	2442	<2	0.01	3	28	64	<5	<1	<10	738	<0.01	1	<10	2	416	<1
193313	3.4	0.09	<5	10	0.5	<5	9.11	2	2	116	6	0.53	0.04	0.07	1945	24	0.02	4	32	53	<5	<1	<10	107	<0.01	4	<10	3	117	<1
193314	<0.2	0.18	<5	67	<0.5	<5	>15.00	<1	2	78	4	0.45	0.08	0.13	4798	6	0.02	4	73	13	<5	<1	<10	177	<0.01	5	<10	12	44	<1

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ-SG-07-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0820 RJ

Date : Sep-22-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
193315	0.5	1.20	<5	31	0.7	<5	3.50	3	6	60	16	2.27	0.23	0.94	2056	9	0.02	7	511	166	<5	1	<10	33	<0.01	23	<10	7	387	5
193316	1.0	0.72	13	202	<0.5	<5	3.08	3	4	94	15	1.85	0.20	0.53	1176	18	0.02	4	317	110	<5	<1	<10	43	<0.01	20	<10	5	408	5
193317	0.5	0.83	12	219	<0.5	<5	5.13	6	3	66	6	1.70	0.16	0.74	1493	17	0.02	2	289	112	<5	<1	<10	83	<0.01	27	11	4	496	5
193318	1.3	0.81	13	118	<0.5	<5	1.07	4	4	86	6	1.97	0.17	0.74	1249	15	0.01	4	347	94	<5	<1	<10	14	<0.01	33	12	5	552	6
193319	2.3	0.86	13	125	<0.5	<5	1.16	6	4	80	6	2.00	0.16	0.83	1450	99	0.02	4	346	168	<5	1	<10	14	<0.01	37	11	4	587	7
193320	0.8	1.09	12	87	<0.5	<5	0.83	3	4	100	8	2.21	0.18	1.07	1569	21	0.02	6	401	112	<5	1	<10	11	<0.01	49	11	5	404	12
193321	<0.2	0.99	12	63	<0.5	<5	0.85	1	5	92	8	2.22	0.18	0.88	1332	<2	0.02	5	386	58	<5	1	<10	9	0.01	42	<10	5	364	13
193322	<0.2	0.94	9	70	<0.5	<5	0.54	2	5	88	15	2.20	0.17	0.85	1288	<2	0.03	4	394	67	<5	1	<10	7	0.01	40	<10	5	357	13
193323	1.0	0.84	8	44	<0.5	<5	0.91	3	5	78	5	2.08	0.19	0.78	1291	3	0.02	5	375	70	<5	<1	<10	8	<0.01	31	<10	5	289	12
193324	0.6	0.90	8	43	<0.5	<5	1.48	<1	3	78	6	1.99	0.14	0.90	1377	<2	0.02	3	349	42	<5	<1	<10	17	<0.01	38	<10	4	184	11
193325	1.4	0.70	6	39	<0.5	<5	1.87	<1	3	101	8	1.63	0.18	0.65	1139	<2	0.02	5	276	39	<5	<1	<10	20	<0.01	29	<10	4	148	11
193326	0.5	1.02	9	54	<0.5	<5	1.59	<1	6	86	6	1.95	0.15	1.09	1637	<2	0.02	4	341	75	<5	1	<10	14	0.01	52	<10	4	209	9
193327	0.8	0.92	10	48	<0.5	<5	4.21	1	3	89	5	1.75	0.21	0.88	1460	<2	0.02	3	316	119	<5	1	<10	59	<0.01	41	<10	4	298	9
193328	17.9	0.09	<5	<10	<0.5	<5	>15.00	3	<1	47	5	0.22	0.04	0.09	2043	<2	0.01	2	23	142	<5	<1	<10	415	<0.01	2	<10	<1	206	<1
193329	162.7	0.05	<5	<10	0.7	<5	>15.00	5	<1	27	23	0.17	0.03	0.05	2262	3	0.01	1	<10	132	<5	<1	<10	705	<0.01	1	<10	<1	363	<1
193330	22.8	0.03	<5	<10	1.6	<5	14.95	<1	<1	76	4	0.15	0.02	0.04	2140	<2	0.01	3	<10	38	<5	<1	<10	267	<0.01	<1	<10	<1	40	<1
193331	8.4	0.04	<5	<10	1.7	<5	>15.00	<1	<1	9	2	0.07	0.02	0.07	2317	<2	0.01	<1	<10	21	<5	<1	<10	889	<0.01	<1	<10	<1	49	<1
193332	13.1	0.06	<5	10	1.5	<5	>15.00	<1	<1	13	1	0.06	0.02	0.09	1294	<2	0.01	<1	<10	27	<5	<1	<10	573	<0.01	<1	<10	<1	29	<1
193333	10.6	0.12	<5	21	1.1	7	>15.00	1	<1	27	3	0.20	0.03	0.14	1493	<2	0.01	<1	33	48	<5	<1	<10	338	<0.01	3	<10	<1	49	<1
193334	2.5	0.66	5	54	<0.5	<5	2.06	1	4	76	7	1.78	0.15	0.69	842	4	0.03	2	294	32	<5	<1	<10	26	<0.01	22	<10	4	154	7
193335	1.1	0.59	6	55	<0.5	7	1.71	<1	5	88	12	1.77	0.15	0.52	719	2	0.03	3	315	26	<5	<1	<10	22	<0.01	22	<10	4	76	7
193336	5.8	0.38	6	50	<0.5	8	7.91	2	3	59	21	1.08	0.11	0.35	765	2	0.02	1	210	503	<5	<1	<10	105	<0.01	12	<10	3	230	4
193337	1.2	0.39	<5	29	<0.5	<5	8.49	<1	3	58	13	1.23	0.13	0.31	837	<2	0.02	<1	234	104	<5	<1	<10	129	<0.01	13	<10	3	57	5
193338	4.7	0.44	7	36	<0.5	<5	8.92	<1	4	70	6	1.40	0.11	0.45	988	2	0.03	2	244	23	<5	<1	<10	118	<0.01	20	<10	3	56	5
193339	1.9	0.64	5	45	<0.5	<5	2.24	<1	4	91	5	1.76	0.15	0.62	786	4	0.04	4	296	16	<5	1	<10	30	<0.01	29	<10	4	58	8
193340	2.5	0.57	<5	33	<0.5	<5	1.46	<1	4	68	4	1.68	0.12	0.56	620	4	0.03	2	307	10	<5	1	<10	19	<0.01	29	<10	4	58	7
193341	2.4	0.69	<5	42	<0.5	<5	6.50	<1	4	91	7	1.84	0.16	0.61	985	3	0.04	3	312	12	<5	<1	<10	85	<0.01	25	<10	4	88	8
193342	1.2	0.71	9	47	<0.5	<5	1.34	<1	5	102	9	2.11	0.19	0.58	827	<2	0.04	4	373	24	<5	1	<10	22	<0.01	29	<10	5	130	12
193343	4.6	0.50	10	31	<0.5	<5	8.46	<1	4	76	9	1.67	0.12	0.43	903	<2	0.03	2	305	12	<5	<1	<10	135	<0.01	24	<10	4	59	9
193344	2.0	0.71	10	47	<0.5	<5	1.44	<1	5	108	11	2.10	0.17	0.56	807	<2	0.04	4	367	27	<5	<1	<10	21	<0.01	31	<10	5	97	11

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.



Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: SICKLE-GRIZ-SG-07-04

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0820 RJ

Date : Sep-22-04


MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
193345	5.2	0.33	<5	18	0.7	6	>15.00	<1	2	56	4	0.97	0.09	0.26	1069	2	0.02	<1	171	9	<5	<1	<10	262	<0.01	14	<10	2	43	4
193346	3.3	0.69	9	39	<0.5	8	3.65	<1	5	98	13	2.09	0.15	0.53	1017	<2	0.03	3	380	18	<5	<1	<10	46	<0.01	29	<10	5	118	9
193347	6.3	0.67	9	42	<0.5	<5	4.03	<1	5	80	13	2.04	0.13	0.56	906	<2	0.03	4	356	20	<5	<1	<10	66	<0.01	27	<10	5	137	9
193348	4.0	0.61	9	36	<0.5	<5	2.71	<1	5	76	9	1.93	0.12	0.48	820	<2	0.03	<1	344	23	<5	<1	<10	39	<0.01	25	<10	5	155	6
193349	4.2	0.48	8	31	<0.5	<5	3.87	<1	5	73	8	1.74	0.11	0.45	762	3	0.03	4	324	14	<5	<1	<10	44	<0.01	22	<10	4	68	6
193350	2.0	0.58	8	39	<0.5	<5	2.28	1	6	94	8	2.04	0.13	0.55	767	5	0.04	3	355	17	<5	<1	<10	32	<0.01	29	<10	4	177	8
193351	4.9	0.52	7	89	<0.5	<5	4.30	2	6	88	12	1.81	0.13	0.48	984	3	0.03	2	327	16	<5	<1	<10	54	<0.01	21	<10	4	219	6
193352	2.1	0.46	6	31	<0.5	7	1.74	<1	5	75	9	1.95	0.12	0.40	743	3	0.03	1	333	16	<5	<1	<10	24	<0.01	23	<10	5	155	7
193353	0.9	0.50	5	38	<0.5	5	1.74	<1	5	72	10	2.17	0.13	0.60	934	2	0.04	3	373	21	<5	1	<10	23	<0.01	28	<10	5	82	7
193354	1.5	0.38	5	40	<0.5	<5	2.75	<1	4	89	6	1.78	0.12	0.42	797	2	0.04	2	313	15	<5	1	<10	34	<0.01	22	<10	4	67	7
193355	3.3	0.25	<5	40	<0.5	<5	7.56	7	5	65	9	1.49	0.11	0.39	1161	<2	0.02	4	277	147	<5	<1	<10	117	<0.01	15	<10	3	410	4
193356	1.7	0.28	<5	34	<0.5	<5	13.59	3	3	54	6	1.22	0.10	0.37	1855	6	0.02	1	348	77	5	<1	<10	135	<0.01	11	<10	3	289	4
193357	1.3	0.29	<5	38	<0.5	<5	4.31	3	3	61	3	1.11	0.10	0.26	968	20	<0.01	2	203	177	<5	<1	<10	38	<0.01	9	<10	3	200	5
193358	0.7	0.37	<5	31	<0.5	<5	1.35	3	4	75	5	1.69	0.13	0.36	640	2	0.02	3	337	33	<5	<1	<10	13	0.01	18	<10	3	186	10
193359	0.5	0.60	<5	39	<0.5	<5	1.31	<1	4	98	4	1.81	0.13	0.69	809	4	0.02	4	354	15	<5	<1	<10	14	<0.01	23	<10	4	110	9
193360	1.1	0.41	<5	43	<0.5	<5	0.88	<1	5	77	5	1.89	0.13	0.40	601	4	0.02	3	370	13	<5	<1	<10	9	<0.01	20	<10	4	60	7
193361	0.7	0.28	<5	29	<0.5	<5	1.70	<1	4	80	3	1.60	0.13	0.24	532	7	0.02	3	331	15	<5	<1	<10	19	<0.01	15	<10	3	56	5
193362	0.7	0.44	<5	32	<0.5	<5	1.34	<1	4	62	6	1.59	0.13	0.35	640	5	0.02	2	307	67	<5	<1	<10	15	<0.01	16	<10	3	127	5
193363	0.6	0.39	<5	76	<0.5	<5	1.34	5	4	74	<1	1.31	0.15	0.26	806	30	0.01	3	285	631	<5	<1	<10	14	<0.01	14	<10	3	472	5
193364	0.5	0.46	<5	152	<0.5	<5	3.79	6	4	90	3	1.38	0.20	0.28	1332	12	0.01	3	282	115	<5	<1	<10	35	<0.01	14	<10	4	375	5
193365	<0.2	0.59	5	195	<0.5	<5	1.38	1	4	75	7	1.63	0.17	0.43	876	<2	0.01	3	325	57	<5	<1	<10	21	<0.01	17	<10	3	237	5
193366	<0.2	0.61	<5	97	<0.5	<5	1.57	2	4	70	2	1.73	0.17	0.48	965	<2	0.01	3	355	95	<5	<1	<10	16	<0.01	20	<10	4	282	6
193367	<0.2	0.62	<5	99	<0.5	<5	1.20	<1	5	112	7	1.78	0.21	0.39	763	2	0.03	5	357	29	<5	<1	<10	20	<0.01	21	<10	4	107	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____





Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA1

Page 1 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193368	0.23	0.23	8.7	0.001	0.01	0.02
193369	0.01		1.2	0.001	0.01	0.02
193370	0.01		1.3	0.001	0.01	0.01
193371	0.01		0.9	0.001	0.01	0.01
193372	0.01		2.6	0.001	0.01	0.01
193373	0.01		0.8	0.001	0.01	0.01
193374	0.03		0.2	0.001	0.01	0.01
193375	0.02		1.2	0.001	0.01	0.01
193376	0.02		1.3	0.001	0.01	0.01
193377	0.01		0.5	0.001	0.01	0.01
193378	0.04		1.1	0.001	0.01	0.01
193379	0.02		0.2	0.001	0.01	0.01
193380	0.07		0.7	0.001	0.01	0.02
193381	0.02		1.0	0.001	0.01	0.01
193382	0.02		2.1	0.001	0.02	0.05
193383	0.24		1.9	0.001	0.02	0.04
193384	0.03		0.2	0.001	0.03	0.09
193385	0.01		0.7	0.001	0.03	0.34
193386	0.04		0.4	0.001	0.01	0.01
193387	0.22	0.25	0.7	0.001	0.01	0.01
193388	0.08		2.2	0.001	0.01	0.01
193389	0.17	0.18	0.6	0.001	0.01	0.01
193390	0.03		0.9	0.001	0.01	0.02
193391	0.05		1.0	0.001	0.01	0.03
*DUP 193368			8.5	0.001	0.01	0.02
*DUP 193377			0.5	0.001	0.01	0.01
*DUP 193387			0.8	0.001	0.01	0.01
*97-45	1.43					
*CPb-1			627.0			4.38
*KC-1a				0.631	2.24	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA1

Page 2 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA2


Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

Page 1 of 2
Sep-29-04

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193392	0.02		0.5	0.001	0.06	0.13
193393	0.04		1.1	0.001	0.01	0.03
193394	0.06		1.0	0.001	0.02	0.05
193395	0.06		0.2	0.002	0.01	0.03
193396	0.05		0.2	0.001	0.01	0.02
193397	0.05		1.2	0.003	0.04	0.11
193398	0.16	0.12	0.5	0.001	0.01	0.03
193399	0.02		1.0	0.001	0.01	0.01
193400	0.02		0.4	0.001	0.01	0.01
193401	0.03		0.9	0.001	0.01	0.01
193402	0.23	0.23	2.1	0.001	0.02	0.05
193403	0.04		1.8	0.001	0.01	0.02
193404	0.29		3.6	0.001	0.01	0.02
193405	0.06		0.5	0.001	0.02	0.05
193406	0.03		1.5	0.001	0.01	0.05
193407	0.07		1.7	0.001	0.02	0.06
193408	0.19		0.3	0.002	0.02	0.03
193409	0.08		1.0	0.002	0.03	0.26
193410	0.05		2.9	0.002	0.05	0.33
193411	0.91		7.2	0.001	0.01	0.01
193412	0.04		2.1	0.001	0.02	0.08
193413	2.09	2.02	9.6	0.001	0.01	0.01
193414	0.35		1.7	0.001	0.01	0.01
193415	0.28		2.0	0.001	0.01	0.01
*DUP 193392			0.8	0.002	0.06	0.13
*DUP 193401			0.9	0.001	0.01	0.01
*DUP 193411			6.8	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			624.0			4.40
*KC-1a				0.628	2.25	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA2

Page 2 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA3

Page 1 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193416	0.47		1.8	0.001	0.01	0.02
193417	0.16		2.1	0.001	0.01	0.02
193418	0.61		8.0	0.001	0.01	0.01
193419	0.54		2.7	0.001	0.01	0.01
193420	0.99		3.2	0.001	0.01	0.01
193421	11.60	11.20	97.8	0.001	0.01	0.01
193422	0.62		3.6	0.001	0.01	0.02
193423	1.61		7.0	0.001	0.02	0.01
193424	1.01		3.2	0.001	0.05	0.04
193425	0.12		0.3	0.002	0.01	0.02
193426	0.03		0.2	0.002	0.01	0.01
193427	0.17	0.14	0.4	0.001	0.01	0.01
193428	0.07		1.0	0.001	0.01	0.02
193429	0.81		2.9	0.001	0.01	0.01
193430	0.22		1.5	0.001	0.01	0.03
193431	0.13		3.7	0.001	0.01	0.02
193432	1.04		6.9	0.001	0.01	0.01
193433	0.57		6.0	0.001	0.01	0.01
193434	0.10		3.2	0.001	0.01	0.02
193435	0.04		1.0	0.001	0.01	0.01
193436	0.10		1.4	0.001	0.01	0.01
193437	1.58	1.62	12.2	0.001	0.01	0.01
193438	0.02		0.3	0.001	0.01	0.01
193439	0.01		0.2	0.001	0.01	0.01
*DUP 193416			1.9	0.001	0.01	0.02
*DUP 193425			0.5	0.002	0.01	0.02
*DUP 193435			1.2	0.001	0.01	0.01
*97-45	1.45					
*CPb-1			628.0			4.38
*KC-1a				0.630	2.21	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA3

Page 2 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We *hereby certify* the following assay of 24 rock core samples
submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA4

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following assay of 16 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193440	0.06		0.2	0.001	0.01	0.01
193441	0.03		0.6	0.001	0.01	0.01
193442	0.02		0.2	0.001	0.01	0.01
193443	0.05		1.2	0.001	0.04	0.14
193444	0.08		1.7	0.001	0.02	0.08
193445	0.12	0.12	1.3	0.001	0.02	0.05
193446	0.28	0.29	2.0	0.001	0.02	0.06
193447	0.05		1.4	0.001	0.01	0.02
193448	0.01		0.3	0.001	0.01	0.01
193449	0.01		0.2	0.001	0.03	0.09
193450	0.01		0.2	0.001	0.05	0.09
193451	0.01		0.7	0.001	0.08	0.22
193452	0.01		1.0	0.001	0.01	0.04
193453	0.01		0.7	0.001	0.01	0.04
193454	0.02		1.0	0.001	0.01	0.02
193455	0.01		0.9	0.001	0.01	0.03
*DUP 193440			0.3	0.001	0.01	0.01
*DUP 193449			0.2	0.001	0.03	0.09
*97-45	1.45					
*CPb-1			625.0			4.41
*KC-1a				0.630	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA2

Page 1 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193392	0.02		0.5	0.001	0.06	0.13
193393	0.04		1.1	0.001	0.01	0.03
193394	0.06		1.0	0.001	0.02	0.05
193395	0.06		0.2	0.002	0.01	0.03
193396	0.05		0.2	0.001	0.01	0.02
193397	0.05		1.2	0.003	0.04	0.11
193398	0.16	0.12	0.5	0.001	0.01	0.03
193399	0.02		1.0	0.001	0.01	0.01
193400	0.02		0.4	0.001	0.01	0.01
193401	0.03		0.9	0.001	0.01	0.01
193402	0.23	0.23	2.1	0.001	0.02	0.05
193403	0.04		1.8	0.001	0.01	0.02
193404	0.29		3.6	0.001	0.01	0.02
193405	0.06		0.5	0.001	0.02	0.05
193406	0.03		1.5	0.001	0.01	0.05
193407	0.07		1.7	0.001	0.02	0.06
193408	0.19		0.3	0.002	0.02	0.03
193409	0.08		1.0	0.002	0.03	0.26
193410	0.05		2.9	0.002	0.05	0.33
193411	0.91		7.2	0.001	0.01	0.01
193412	0.04		2.1	0.001	0.02	0.08
193413	2.09	2.02	9.6	0.001	0.01	0.01
193414	0.35		1.7	0.001	0.01	0.01
193415	0.28		2.0	0.001	0.01	0.01
*DUP 193392			0.8	0.002	0.06	0.13
*DUP 193401			0.9	0.001	0.01	0.01
*DUP 193411			6.8	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			624.0			4.40
*KC-1a				0.628	2.25	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA2

Page 2 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA3

Page 1 of 2


Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193416	0.47		1.8	0.001	0.01	0.02
193417	0.16		2.1	0.001	0.01	0.02
193418	0.61		8.0	0.001	0.01	0.01
193419	0.54		2.7	0.001	0.01	0.01
193420	0.99		3.2	0.001	0.01	0.01
193421	11.60	11.20	97.8	0.001	0.01	0.01
193422	0.62		3.6	0.001	0.01	0.02
193423	1.61		7.0	0.001	0.02	0.01
193424	1.01		3.2	0.001	0.05	0.04
193425	0.12		0.3	0.002	0.01	0.02
193426	0.03		0.2	0.002	0.01	0.01
193427	0.17	0.14	0.4	0.001	0.01	0.01
193428	0.07		1.0	0.001	0.01	0.02
193429	0.81		2.9	0.001	0.01	0.01
193430	0.22		1.5	0.001	0.01	0.03
193431	0.13		3.7	0.001	0.01	0.02
193432	1.04		6.9	0.001	0.01	0.01
193433	0.57		6.0	0.001	0.01	0.01
193434	0.10		3.2	0.001	0.01	0.02
193435	0.04		1.0	0.001	0.01	0.01
193436	0.10		1.4	0.001	0.01	0.01
193437	1.58	1.62	12.2	0.001	0.01	0.01
193438	0.02		0.3	0.001	0.01	0.01
193439	0.01		0.2	0.001	0.01	0.01
*DUP 193416			1.9	0.001	0.01	0.02
*DUP 193425			0.5	0.002	0.01	0.02
*DUP 193435			1.2	0.001	0.01	0.01
*97-45	1.45					
*CPb-1			628.0			4.38
*KC-1a				0.630	2.21	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA3

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

Page 2 of 2
Sep-29-04

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA4


Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following assay of 16 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193440	0.06		0.2	0.001	0.01	0.01
193441	0.03		0.6	0.001	0.01	0.01
193442	0.02		0.2	0.001	0.01	0.01
193443	0.05		1.2	0.001	0.04	0.14
193444	0.08		1.7	0.001	0.02	0.08
193445	0.12	0.12	1.3	0.001	0.02	0.05
193446	0.28	0.29	2.0	0.001	0.02	0.06
193447	0.05		1.4	0.001	0.01	0.02
193448	0.01		0.3	0.001	0.01	0.01
193449	0.01		0.2	0.001	0.03	0.09
193450	0.01		0.2	0.001	0.05	0.09
193451	0.01		0.7	0.001	0.08	0.22
193452	0.01		1.0	0.001	0.01	0.04
193453	0.01		0.7	0.001	0.01	0.04
193454	0.02		1.0	0.001	0.01	0.02
193455	0.01		0.9	0.001	0.01	0.03
*DUP 193440			0.3	0.001	0.01	0.01
*DUP 193449			0.2	0.001	0.03	0.09
*97-45	1.45					
*CPb-1			625.0			4.41
*KC-1a				0.630	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA1

Page 1 of 2


Sep-28-04

Company: **Stealth Minerals Ltd.**
 Project: **GRIZ-SICKLE SG-04-09**
 Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193456	0.01		0.2	0.004	0.01	0.01
193457	0.03		0.2	0.001	0.01	0.01
193458	0.02		0.3	0.001	0.01	0.01
193459	0.01		0.2	0.001	0.01	0.02
193460	0.02		0.2	0.002	0.01	0.01
193461	0.01		0.2	0.001	0.01	0.01
193462	0.04		0.2	0.001	0.01	0.01
193463	0.01		1.0	0.001	0.01	0.01
193464	0.02		0.4	0.001	0.01	0.01
193465	0.08		0.7	0.001	0.01	0.01
193466	0.36	0.37	0.2	0.001	0.01	0.01
193467	0.09		0.2	0.001	0.01	0.01
193468	0.06		0.6	0.001	0.01	0.01
193469	0.01		0.4	0.001	0.01	0.01
193470	0.01		0.2	0.001	0.01	0.01
193471	0.02		0.2	0.001	0.01	0.01
193472	0.05		0.3	0.001	0.01	0.01
193473	0.01		0.2	0.001	0.01	0.01
193474	0.20	0.29	0.4	0.001	0.01	0.01
193475	0.02		0.7	0.001	0.01	0.01
193476	0.07		0.2	0.001	0.01	0.01
193477	0.06		0.3	0.001	0.01	0.01
193478	0.01		1.2	0.001	0.01	0.01
193479	0.49	0.48	0.2	0.001	0.01	0.01
*DUP 193456			0.3	0.003	0.01	0.01
*DUP 193465			0.6	0.001	0.01	0.01
*DUP 193475			0.6	0.001	0.01	0.01
*97-45	1.43					
*CPb-1			628.0			4.40
*KC-1a				0.630	2.27	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA1

Page 2 of 2


Sep-28-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We *hereby certify* the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA2

Company: **Stealth Minerals Ltd.**
 Project: **GRIZ-SICKLE SG-04-09**
 Attn: **Dave Kuran, Bill McWilliam**

Page 1 of 2
 Sep-28-04

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193480	0.11		0.2	0.001	0.01	0.01
193481	0.03		0.3	0.002	0.01	0.02
193482	0.03		0.2	0.001	0.02	0.04
193483	0.03		0.2	0.001	0.01	0.02
193484	0.04		0.4	0.001	0.01	0.03
193485	0.02		0.2	0.002	0.01	0.03
193486	0.02		0.2	0.001	0.03	0.05
193487	0.26	0.25	0.2	0.001	0.01	0.01
193488	0.02		0.2	0.002	0.01	0.01
193489	0.42		1.9	0.001	0.01	0.02
193490	0.46		0.2	0.002	0.01	0.03
193491	0.15		0.3	0.002	0.02	0.03
193492	0.06		0.2	0.002	0.03	0.09
193493	4.29	4.51	16.3	0.001	0.01	0.03
193494	0.31		0.5	0.001	0.02	0.03
193495	0.17		1.2	0.001	0.01	0.04
193496	0.06		1.3	0.001	0.01	0.04
193497	0.02		0.4	0.001	0.01	0.02
193498	0.06		0.3	0.001	0.01	0.02
193499	0.04		0.2	0.001	0.01	0.03
193500	0.15		1.9	0.001	0.01	0.04
193001	0.43		6.4	0.001	0.01	0.01
193002	0.33	0.27	1.3	0.001	0.01	0.04
193003	0.05		1.4	0.001	0.01	0.02
*DUP 193480			0.2	0.001	0.01	0.01
*DUP 193489			1.8	0.001	0.01	0.02
*DUP 193499			0.4	0.001	0.01	0.03
*97-45	1.41					
*CPb-1			625.0			4.38
*KC-1a				0.629	2.23	

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA2

Page 2 of 2

Sep-28-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA3

Page 1 of 2

Sep-28-04


Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193004	0.01		0.2	0.001	0.01	0.02
193005	0.10		0.2	0.001	0.01	0.02
193006	0.03		0.2	0.001	0.01	0.02
193007	0.03		0.5	0.001	0.01	0.02
193008	0.25		14.7	0.001	0.01	0.01
193009	0.45		3.9	0.001	0.01	0.02
193010	1.64		8.1	0.001	0.01	0.02
193011	0.77		0.2	0.001	0.02	0.04
193012	1.09	0.99	1.8	0.001	0.01	0.04
193013	0.22		1.2	0.001	0.01	0.03
193014	0.14		1.4	0.001	0.01	0.04
193015	0.13		5.4	0.001	0.01	0.01
193016	0.06		1.6	0.001	0.01	0.01
193017	0.71	0.70	21.7	0.002	0.01	0.01
193018	0.26		5.5	0.001	0.01	0.02
193019	0.01		0.2	0.002	0.01	0.03
193020	0.01		0.2	0.006	0.01	0.02
193021	0.01		0.2	0.005	0.01	0.02
193022	0.01		0.3	0.003	0.01	0.02
193023	0.01		0.6	0.003	0.01	0.02
193024	0.01		0.4	0.002	0.01	0.02
193025	0.02		0.4	0.003	0.01	0.02
193026	0.03		1.3	0.003	0.01	0.02
193027	2.04	2.18	24.6	0.001	0.01	0.01
*DUP 193004			0.2	0.001	0.01	0.02
*DUP 193013			1.3	0.001	0.01	0.03
*DUP 193023			0.5	0.003	0.01	0.02
*97-45	1.48					
*CPb-1			627.0			4.39
*KC-1a				0.634	2.25	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA3

Page 2 of 2

Sep-28-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<.1	<.001	<.01	<.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA4

Page 1 of 2

Sep-28-04


Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193028	0.51	0.52	2.6	0.004	0.01	0.03
193029	0.50		2.2	0.001	0.01	0.02
193030	0.05		1.0	0.001	0.01	0.06
193031	0.11		0.3	0.001	0.01	0.01
193032	0.30		2.3	0.001	0.02	0.04
193033	0.12		1.0	0.001	0.03	0.15
193034	0.34		2.9	0.001	0.01	0.03
193035	0.26		2.1	0.001	0.01	0.02
193036	0.32	0.32	0.7	0.001	0.01	0.01
193037	0.09		1.0	0.001	0.01	0.01
193038	0.05		0.3	0.001	0.01	0.01
193039	0.13		1.2	0.001	0.01	0.01
193040	0.17		1.0	0.001	0.01	0.01
193041	0.26		5.0	0.001	0.02	0.05
193042	0.06		0.3	0.001	0.01	0.01
193043	0.04		0.7	0.001	0.01	0.02
193044	0.02		0.2	0.001	0.01	0.02
193045	0.03		0.2	0.001	0.01	0.01
193046	0.07		0.2	0.001	0.01	0.01
193047	0.11	0.11	1.1	0.001	0.01	0.01
193048	0.04		0.5	0.001	0.01	0.07
193049	0.06		0.2	0.002	0.01	0.02
193050	0.07		0.3	0.001	0.01	0.02
193051	0.04		0.2	0.001	0.01	0.01
*DUP 193028			2.4	0.003	0.01	0.03
*DUP 193037			1.1	0.001	0.01	0.01
*DUP 193047			0.9	0.001	0.01	0.02
*97-45	1.45					
*CPb-1			624.0			4.42
*KC-1a				0.632	2.23	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA4

Page 2 of 2

Sep-28-04

Company: **Stealth Minerals Ltd.**
Project: GRIZ-SICKLE SG-04-09
Attn: Dave Kuran, Bill McWilliam

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.001

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA5

Page 1 of 2


Sep-28-04


Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193052	0.02		0.2	0.001	0.01	0.01
193053	0.04		0.2	0.001	0.01	0.01
193054	0.05		0.2	0.001	0.01	0.01
193055	0.04		0.6	0.001	0.01	0.02
193056	0.40	0.40	4.5	0.001	0.01	0.03
193057	0.22		1.0	0.001	0.01	0.02
193058	0.16		1.6	0.001	0.01	0.03
193059	0.10		0.3	0.001	0.01	0.04
193060	0.10		0.4	0.002	0.01	0.03
193061	0.07		1.4	0.001	0.01	0.01
193062	0.04		1.2	0.001	0.01	0.01
193063	0.07		0.9	0.001	0.01	0.01
193064	0.17		2.0	0.001	0.01	0.04
193065	0.02		0.8	0.001	0.01	0.03
193066	0.01		1.0	0.001	0.02	0.09
193067	0.33	0.29	1.2	0.001	0.02	0.06
193068	0.06		2.7	0.001	0.03	0.06
193069	0.02		1.0	0.001	0.03	0.07
193070	0.04		3.2	0.002	1.12	0.22
193071	0.06		2.0	0.001	0.05	0.32
193072	0.03		0.2	0.002	0.01	0.04
193073	0.07		0.2	0.002	0.01	0.02
193074	0.02		0.2	0.001	0.01	0.06
193075	0.17	0.23	2.0	0.001	0.01	0.01
*DUP 193052			0.2	0.001	0.01	0.01
*DUP 193061			1.2	0.001	0.01	0.01
*DUP 193071			1.9	0.001	0.05	0.32
*97-45	1.47					
*CPb-1			627.0			4.40
*KC-1a				0.629	2.24	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0870-RA5

Page 2 of 2

Sep-28-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE SG-04-09**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-31-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA1

Page 1 of 2

Oct-08-04


Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193101	0.05		0.8	0.003	0.01	0.01
193102	0.13	0.15	2.2	0.002	0.01	0.01
193103	0.05		1.8	0.002	0.01	0.02
193104	0.98	1.12	2.1	0.002	0.01	0.01
193105	0.10		0.3	0.003	0.01	0.01
193106	0.01		1.0	0.003	0.01	0.01
193107	0.01		0.2	0.003	0.01	0.01
193108	0.01		0.6	0.003	0.01	0.01
193109	0.01		1.1	0.003	0.01	0.01
193110	0.02		0.9	0.007	0.01	0.02
193111	0.01		1.0	0.002	0.01	0.01
193112	0.05		0.3	0.003	0.01	0.01
193113	0.04		1.3	0.003	0.01	0.01
193114	0.18		0.2	0.002	0.01	0.01
193115	0.03		0.8	0.002	0.01	0.01
193116	2.94	3.12	2.5	0.003	0.01	0.01
193117	0.05		0.4	0.002	0.01	0.01
193118	0.08		1.5	0.003	0.01	0.01
193119	0.22		4.2	0.001	0.01	0.01
193120	0.13		2.1	0.002	0.01	0.01
193121	0.88		10.8	0.002	0.01	0.01
193122	0.21		3.0	0.002	0.01	0.01
193123	2.76		8.9	0.005	0.01	0.03
193124	0.08		2.1	0.003	0.01	0.02
*DUP 193101			1.0	0.003	0.01	0.01
*DUP 193110			0.8	0.007	0.01	0.02
*DUP 193120			2.1	0.002	0.01	0.01
*97-45	1.45					
*cpb-1			630.0			4.41
*KC-1a				0.630	2.23	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA1

Page 2 of 2

Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0858-RA1

Page 1 of 2


Sep-29-04

Company: **Stealth Minerals Ltd.**
Project: **SICKLE-GRIZ GS-04-08**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193368	0.23	0.23	8.7	0.001	0.01	0.02
193369	0.01		1.2	0.001	0.01	0.02
193370	0.01		1.3	0.001	0.01	0.01
193371	0.01		0.9	0.001	0.01	0.01
193372	0.01		2.6	0.001	0.01	0.01
193373	0.01		0.8	0.001	0.01	0.01
193374	0.03		0.2	0.001	0.01	0.01
193375	0.02		1.2	0.001	0.01	0.01
193376	0.02		1.3	0.001	0.01	0.01
193377	0.01		0.5	0.001	0.01	0.01
193378	0.04		1.1	0.001	0.01	0.01
193379	0.02		0.2	0.001	0.01	0.01
193380	0.07		0.7	0.001	0.01	0.02
193381	0.02		1.0	0.001	0.01	0.01
193382	0.02		2.1	0.001	0.02	0.05
193383	0.24		1.9	0.001	0.02	0.04
193384	0.03		0.2	0.001	0.03	0.09
193385	0.01		0.7	0.001	0.03	0.34
193386	0.04		0.4	0.001	0.01	0.01
193387	0.22	0.25	0.7	0.001	0.01	0.01
193388	0.08		2.2	0.001	0.01	0.01
193389	0.17	0.18	0.6	0.001	0.01	0.01
193390	0.03		0.9	0.001	0.01	0.02
193391	0.05		1.0	0.001	0.01	0.03
*DUP 193368			8.5	0.001	0.01	0.02
*DUP 193377			0.5	0.001	0.01	0.01
*DUP 193387			0.8	0.001	0.01	0.01
*97-45	1.43					
*CPb-1			627.0			4.38
*KC-1a				0.631	2.24	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA1

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We *hereby certify* the following assay of 24 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA2

Page 1 of 2


Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193125	0.13		3.6	0.001	0.01	0.01
193126	0.09		4.8	0.002	0.01	0.04
193127	0.07		4.9	0.002	0.01	0.01
193128	0.06		3.0	0.001	0.01	0.01
193129	0.03		2.5	0.003	0.01	0.01
193130	0.65	0.61	4.3	0.003	0.01	0.01
193131	0.29		5.4	0.001	0.01	0.03
193132	0.24		4.7	0.001	0.02	0.03
193133	0.06		2.3	0.001	0.01	0.02
193134	0.02		2.9	0.001	0.01	0.01
193135	0.13		1.4	0.001	0.01	0.01
193136	0.29		4.3	0.002	0.01	0.01
193137	0.10		4.5	0.001	0.01	0.04
193138	0.05		6.7	0.001	0.04	0.08
193139	1.07	1.15	10.8	0.001	0.03	0.06
193140	0.61		536.0	0.164	3.19	8.90
193141	0.05		17.0	0.006	0.52	0.72
193142	0.01		0.2	0.004	0.01	0.03
193143	0.03		0.7	0.002	0.01	0.02
193144	0.09	0.10	0.9	0.001	0.01	0.02
193145	0.03		1.0	0.001	0.01	0.01
193146	0.02		0.2	0.001	0.01	0.01
193147	0.05		0.3	0.002	0.01	0.01
193148	0.01		1.1	0.002	0.01	0.01
*DUP 193125			4.1	0.001	0.01	0.01
*DUP 193134			2.2	0.001	0.01	0.01
*DUP 193144			0.9	0.001	0.01	0.02
*97-45	1.39					
*CPb-1			627.0			4.38
*KC-1a				0.629	2.24	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA2

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____ 

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA3

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193149	0.01		0.2	0.002	0.01	0.01
193150	0.01		0.2	0.003	0.01	0.01
193151	0.01		0.2	0.002	0.01	0.01
193152	0.01		0.2	0.004	0.01	0.02
193153	0.10		4.1	0.005	0.04	0.07
193154	2.50		14.7	0.001	0.02	0.09
193155	2.09		9.3	0.001	0.02	0.01
193156	0.43	0.40	6.5	0.002	0.05	0.09
193157	1.31		12.1	0.002	0.02	0.04
193158	0.19		3.9	0.003	0.01	0.02
193159	0.23		4.8	0.002	0.01	0.02
193160	0.47		4.5	0.001	0.01	0.01
193161	0.60		9.6	0.001	0.01	0.01
193162	2.04	2.16	26.3	0.001	0.01	0.01
193163	1.51		9.0	0.001	0.01	0.01
193164	1.27		5.8	0.001	0.01	0.01
193165	1.84		19.6	0.001	0.01	0.01
193166	1.09		17.0	0.001	0.01	0.01
193167	2.71	2.74	30.2	0.001	0.01	0.01
193168	0.63		3.8	0.001	0.01	0.01
193169	0.03		0.4	0.001	0.01	0.02
193170	0.05		0.9	0.001	0.01	0.01
193171	0.05		1.2	0.001	0.01	0.01
193172	0.04		0.8	0.001	0.01	0.01
*DUP 193149			0.2	0.002	0.01	0.01
*DUP 193158			3.7	0.001	0.01	0.02
*DUP 193168			4.0	0.001	0.01	0.01
*97-45	1.36					
*CPb-1			627.0			4.40
*KC-1a				0.630	2.26	

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA3

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA4

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193173	0.01		0.2	0.001	0.01	0.01
193174	0.02		0.2	0.001	0.01	0.01
193175	0.03		0.2	0.001	0.01	0.01
193176	0.02		0.2	0.001	0.01	0.01
193177	0.01		0.2	0.001	0.01	0.03
193178	0.02		0.2	0.001	0.03	0.09
193179	0.01		0.9	0.001	0.02	0.07
193180	0.17		0.7	0.001	0.02	0.06
193181	0.01		0.4	0.001	0.01	0.03
193182	0.02		1.0	0.001	0.03	0.05
193183	0.02		0.2	0.001	0.03	0.05
193184	1.31	1.38	4.7	0.003	0.16	0.34
193185	0.13		0.9	0.001	0.03	0.07
193186	0.05		0.6	0.001	0.04	0.09
193187	0.02		0.4	0.001	0.02	0.03
193188	3.28		23.9	0.001	0.01	0.02
193189	1.38	1.48	11.5	0.001	0.01	0.18
193190	0.20		0.2	0.001	0.03	0.49
193191	0.06		0.2	0.001	0.04	0.11
193192	0.03		0.8	0.001	0.03	0.05
193193	0.04		0.2	0.001	0.04	0.06
193194	0.05		3.5	0.002	0.07	0.36
193195	0.09		1.9	0.001	0.01	0.04
193196	1.43	1.47	22.5	0.001	0.01	0.01
*DUP 193173			0.4	0.001	0.01	0.01
*DUP 193182			0.9	0.001	0.02	0.05
*DUP 193192			1.1	0.001	0.03	0.05
*97-45	1.51					
*CPb-1			625.0			4.43
*KC-1a				0.632	2.24	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA4

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-10-04**
Attn: **Bill McWilliam, Dave Kuran**

We *hereby certify* the following assay of 24 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0914-RA5

Company: **Stealth Minerals Ltd.**
 Project: Griz-Sickle GS-10-04
 Attn: Bill McWilliam, Dave Kuran

Oct-08-04

We hereby certify the following assay of 10 core samples submitted Sep-08-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193197	2.19	2.29	16.0	0.001	0.02	0.01
193198	0.08		0.3	0.001	0.03	0.07
193199	0.30		0.7	0.001	0.02	0.04
193200	0.06		0.9	0.001	0.01	0.03
193201	0.03		0.2	0.001	0.02	0.04
193202	0.06		0.2	0.001	0.03	0.09
193203	0.08		1.4	0.002	0.03	0.07
193204	0.04		0.3	0.001	0.01	0.02
193205	0.03		0.5	0.001	0.01	0.03
193206	0.02	0.02	0.2	0.001	0.02	0.05
*DUP 193197			16.2	0.001	0.02	0.01
*DUP 193206			0.2	0.001	0.02	0.05
*97-45	1.50					
*CPb-1			626.0			4.40
*KC-1a				0.628	2.25	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0864-RA1

Page 1 of 2


Oct-01-04

Company: **Stealth Minerals Ltd.**
 Project: **GRIZ-SICKLE GS-04-11**
 Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 25 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193076	0.97		5.6	0.008	0.01	0.01
193077	0.01	0.01	0.2	0.004	0.01	0.01
193078	0.47		5.1	0.003	0.01	0.01
193079	1.06		2.5	0.004	0.01	0.01
193080	1.25		6.8	0.003	0.01	0.01
193081	0.61		3.5	0.003	0.01	0.01
193082	1.41	1.40	9.4	0.003	0.01	0.01
193083	0.30		4.6	0.005	0.07	0.05
193084	0.02		0.4	0.003	0.01	0.01
193085	0.10		1.8	0.003	0.01	0.01
193086	0.10		2.0	0.003	0.01	0.01
193087	0.02		0.3	0.003	0.01	0.01
193088	0.09		1.5	0.002	0.01	0.01
193089	1.04		5.4	0.002	0.03	0.21
193090	0.18		2.0	0.001	0.01	0.33
193091	3.99	4.14	6.1	0.001	0.04	0.16
193092	0.36		2.9	0.004	0.06	0.16
193093	0.52		3.6	0.002	0.02	0.07
193094	0.09		4.3	0.002	0.02	0.20
193095	0.02		1.2	0.001	0.01	0.02
193096	0.02		0.2	0.001	0.01	0.16
193097	0.11		0.2	0.001	0.01	0.17
193098	0.10		0.8	0.001	0.01	0.03
193099	0.01		0.3	0.001	0.02	0.07
193100	0.01		0.3	0.001	0.02	0.10
*DUP 193076			5.8	0.008	0.01	0.01
*DUP 193085			2.0	0.003	0.01	0.01
*DUP 193095			1.2	0.001	0.01	0.02
*97-45	1.45					
*CPb-1			624.0			4.40

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0864-RA1

Page 2 of 2


Oct-01-04

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE GS-04-11**
Attn: **Dave Kuran, Bill McWilliam**

We hereby certify the following assay of 25 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*KC-1a				0.634	2.24	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0860-RA1


Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE GS-04-12**
Attn: **Dave Kuran, Bill McWilliam**

Sep-29-04

We hereby certify the following assay of 6 rock core samples submitted Aug-30-04

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193207	0.01	0.4	0.008	0.01	0.01
193208	0.01	0.2	0.001	0.01	0.01
193209	0.01	0.9	0.006	0.01	0.01
193210	0.01	0.4	0.007	0.01	0.01
193211	0.01	0.2	0.007	0.01	0.01
193212	0.01	0.3	0.007	0.01	0.01
*DUP 193207	0.01	0.3	0.008	0.01	0.01
*97-45	1.50				
*CPb-1		625.0			4.40
*KC-1a			0.632	2.23	
*BLANK	<0.01	<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Geochemical Analysis Certificate

4V-0861-RG1

Company: **Stealth Minerals Ltd.**
Project: **GRIZ-SICKLE GS-04-13**
Attn: **Dave Kuran, Bill McWilliam**

Sep-27-04

We *hereby certify* the following geochemical analysis of 10 rock core samples submitted Aug-30-04

Sample Name	Au PPB
193213	1
193214	1
193215	8
193216	2
193217	1
193218	1
193219	1
193220	3
193221	1
193222	4

Certified by _____

Stealth Minerals Ltd.

Attention: Dave Kuran, Bill McWilliam

Project: GRIZ-SICKLE GS-04-13

Sample: Rock Core

Assayers Canada

8282 Sherbrooke St., Vancouver, B.C., V5X 4R6

Tel: (604) 327-3436 Fax: (604) 327-3423

Report No : 4V0861 RJ


Date : Sep-27-04

MULTI-ELEMENT ICP ANALYSIS

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
193213	<0.2	5.39	<5	163	0.7	<5	2.86	<1	48	37	87	7.67	0.08	2.80	1932	<2	0.17	28	1314	10	6	23	<10	128	0.11	296	<10	28	140	10
193214	<0.2	6.50	<5	365	0.9	<5	2.78	<1	49	50	101	7.64	0.09	2.78	1420	<2	0.21	31	1679	14	7	24	<10	257	0.20	299	<10	31	135	13
193215	3.1	1.74	<5	261	0.6	<5	0.36	<1	9	16	76	4.89	0.31	0.51	264	7	0.04	11	1148	37	<5	13	<10	143	0.03	62	<10	14	51	8
193216	<0.2	2.47	<5	444	0.8	<5	0.65	<1	13	26	98	6.18	0.28	1.13	246	<2	0.04	12	1304	23	<5	17	<10	63	<0.01	119	<10	16	60	6
193217	<0.2	1.39	<5	643	<0.5	<5	0.57	<1	4	22	51	5.19	0.50	0.47	84	<2	0.06	4	1132	26	<5	11	<10	120	<0.01	70	<10	7	25	5
193218	<0.2	1.06	7	642	<0.5	<5	0.50	<1	1	31	33	4.44	0.58	0.17	30	4	0.07	2	1191	44	<5	9	<10	243	<0.01	46	<10	6	11	4
193219	0.3	4.96	<5	140	<0.5	<5	0.77	<1	49	38	84	8.02	0.10	3.22	1432	<2	0.02	32	1405	13	<5	14	<10	6	<0.01	164	<10	35	112	8
193220	<0.2	1.80	<5	73	<0.5	<5	3.33	<1	16	30	50	4.53	0.15	0.69	331	<2	0.02	9	1102	12	<5	8	<10	59	<0.01	73	<10	15	20	8
193221	<0.2	1.87	<5	181	<0.5	<5	1.11	<1	10	98	71	3.34	0.30	0.90	458	3	0.19	8	619	5	<5	3	<10	70	0.12	106	<10	5	45	4
193222	<0.2	1.21	<5	482	0.6	<5	0.49	<1	14	17	65	5.36	0.38	0.34	131	<2	0.04	8	1212	26	<5	11	<10	58	<0.01	52	<10	11	30	6

A .5 gm sample is digested with 5 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed: _____ 

Quality Assaying for over 25 Years

Assay Certificate

4V-0923-RA1

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-15-04**
Attn: **Bill McWilliam, Rhiannon Foster**

We hereby certify the following assay of 24 core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
193236	0.01		1.1	0.025	0.05	0.01
193237	0.01		0.3	0.014	0.01	0.01
193238	0.01		0.2	0.014	0.01	0.01
193239	0.01		0.2	0.007	0.01	0.01
193240	0.01		0.2	0.008	0.01	0.01
193241	0.01		0.3	0.010	0.01	0.01
193242	0.01		0.5	0.016	0.01	0.01
193243	0.06		5.5	0.012	0.03	0.01
193244	0.05		6.8	0.014	0.02	0.01
193245	0.05		11.4	0.007	0.11	0.01
193246	0.19	0.21	8.7	0.018	0.09	0.01
193247	0.16		16.3	0.019	0.04	0.01
193248	0.02		0.9	0.002	0.01	0.01
193249	0.02		1.3	0.001	0.01	0.01
193250	0.05	0.05	2.5	0.001	0.01	0.01
49501	0.03		1.7	0.001	0.01	0.01
49502	0.01		1.4	0.001	0.01	0.01
49503	0.01		0.4	0.001	0.02	0.01
49504	0.01		0.2	0.002	0.04	0.01
49505	0.01		0.2	0.002	0.06	0.01
49506	0.03		8.6	0.002	0.03	0.01
49507	0.04	0.03	7.7	0.001	0.01	0.01
49508	0.03		6.1	0.001	0.03	0.01
49509	0.05		1.5	0.001	0.01	0.01
*DUP 193236			1.1	0.025	0.04	0.01
*DUP 193245			12.5	0.007	0.11	0.01
*DUP 49505			0.4	0.002	0.06	0.01
*97-45	1.36					
*CPb-1			627.0			4.38
*KC-1a				0.628	2.24	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0923-RA1

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-15-04**
Attn: **Bill McWilliam, Rhiannon Foster**

We *hereby certify* the following assay of 24 core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0923-RA2

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-15-04**
Attn: **Bill McWilliam, Rhiannon Foster**

We hereby certify the following assay of 24 core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49510	0.06	0.05	2.1	0.004	0.01	0.01
49511	0.07		2.2	0.010	0.02	0.01
49512	0.03		1.1	0.001	0.01	0.01
49513	0.01		0.2	0.001	0.01	0.01
49514	0.02		0.4	0.001	0.02	0.01
49515	0.02		0.2	0.001	0.03	0.01
49516	0.02		0.2	0.001	0.03	0.01
49517	0.04		0.3	0.001	0.02	0.01
49518	0.01		0.2	0.001	0.03	0.01
49519	0.03	0.03	1.0	0.001	0.04	0.01
49520	0.02		0.2	0.002	0.05	0.01
49521	0.01		0.2	0.006	0.03	0.01
49522	0.01		0.2	0.013	0.02	0.01
49523	0.01		0.2	0.011	0.02	0.01
49524	0.01		1.1	0.019	0.01	0.02
49525	0.01		1.6	0.032	0.01	0.02
49526	0.01		0.2	0.020	0.01	0.02
49527	0.01		2.3	0.010	0.01	0.02
49528	0.01		0.7	0.011	0.01	0.02
49529	0.01		0.3	0.002	0.01	0.02
49530	0.01		0.2	0.007	0.01	0.04
49531	0.01	0.01	0.7	0.018	0.01	0.05
49532	0.01		1.0	0.028	0.01	0.06
49533	0.01		0.2	0.033	0.01	0.04
*DUP 49510			2.5	0.004	0.01	0.01
*DUP 49519			1.3	0.001	0.04	0.01
*DUP 49529			0.2	0.002	0.01	0.02
*97-45	1.49					
*CPb-1			624.0			4.39
*KC-1a				0.627	2.22	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0923-RA2

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-15-04**
Attn: **Bill McWilliam, Rhiannon Foster**

We *hereby certify* the following assay of 24 core samples
submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0923-RA3

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-15-04**
Attn: **Bill McWilliam, Rhiannon Foster**

Oct-08-04

We hereby certify the following assay of 17 core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49534	0.01	0.01	0.2	0.011	0.02	0.02
49535	0.01		0.7	0.006	0.01	0.02
49536	0.01		0.3	0.007	0.01	0.05
49537	0.01		0.2	0.005	0.01	0.03
49538	0.01		2.0	0.014	0.01	0.04
49539	0.01		0.6	0.002	0.01	0.03
49540	0.01		0.2	0.008	0.01	0.02
49541	0.01		0.2	0.001	0.01	0.03
49542	0.02		1.3	0.002	0.01	0.04
49543	0.01	0.01	0.9	0.001	0.01	0.06
49544	0.01		1.6	0.034	0.01	0.03
49545	0.01		0.5	0.014	0.01	0.03
49546	0.01		0.2	0.022	0.01	0.03
49547	0.01		0.7	0.009	0.01	0.03
49548	0.01		0.2	0.007	0.01	0.03
49549	0.01		0.4	0.006	0.01	0.04
49550	0.02		1.5	0.012	0.01	0.01
*DUP 49534			0.3	0.012	0.02	0.01
*DUP 49543			1.1	0.001	0.01	0.06
*97-45	1.38					
*CPb-1			626.0			4.45
*KC-1a				0.630	2.22	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA1

Page 1 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle (GS-04-16,17)**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49551	0.01	0.01	0.2	0.001	0.01	0.01
49552	0.01		0.2	0.001	0.01	0.02
49553	0.02		0.2	0.001	0.01	0.01
49554	0.01		0.2	0.001	0.01	0.01
49555	0.01		0.2	0.001	0.01	0.01
49556	0.01		1.0	0.001	0.01	0.01
49557	0.01		0.3	0.001	0.01	0.01
49558	0.01		0.2	0.001	0.01	0.01
49559	0.01		0.3	0.010	0.01	0.01
49560	0.02	0.02	1.6	0.034	0.01	0.01
49561	0.01		0.3	0.001	0.01	0.01
49562	0.01		0.2	0.002	0.01	0.01
49563	0.01		0.2	0.001	0.01	0.01
49564	0.02		0.2	0.001	0.01	0.05
49565	0.01		0.2	0.001	0.01	0.01
49566	0.02		0.2	0.001	0.01	0.01
49567	0.01		0.5	0.007	0.01	0.01
49568	0.02		0.3	0.008	0.01	0.01
49569	0.01		0.2	0.001	0.01	0.01
49570	0.01	0.01	0.3	0.004	0.01	0.01
49571	0.01		0.2	0.001	0.01	0.01
49572	0.01		0.2	0.001	0.01	0.01
49573	0.02		0.3	0.001	0.01	0.01
49574	0.01		0.2	0.001	0.01	0.01
*DUP 49551			0.2	0.001	0.01	0.01
*DUP 49560			1.2	0.036	0.01	0.01
*DUP 49570			0.2	0.004	0.01	0.01
*97-45	1.50					
*CPb-1			625.0			4.41
*KC-1a				0.627	2.24	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA1

Page 2 of 2

Oct-08-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle (GS-04-16,17)**
Attn: **Bill McWilliam**

We *hereby certify* the following assay of 24 rock core samples
submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0916-RA2

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle (GS-04-16,17)**
Attn: **Bill McWilliam**

Oct-08-04

We hereby certify the following assay of 9 rock core samples submitted Sep-09-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49575	0.01	0.01	0.2	0.001	0.01	0.01
49576	0.08		0.2	0.003	0.01	0.01
49577	0.01		0.2	0.001	0.01	0.01
49578	0.02		0.3	0.002	0.01	0.01
49579	0.01		0.2	0.001	0.01	0.01
49580	0.01		0.2	0.003	0.01	0.01
49581	0.01		0.2	0.002	0.01	0.01
49582	0.01		0.2	0.003	0.01	0.01
49583	0.01		0.8	0.003	0.01	0.01
*DUP 49575			0.3	0.001	0.01	0.01
*97-45	1.53					
*CPb-1			627.0			4.39
*KC-1a				0.629	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**4V-0901-RA1**Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle GS-16-04**
Attn: **Dave Kuran, Bill McWilliam****Oct-08-04**

We hereby certify the following assay of 3 core samples
submitted Sep-08-04

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49584	0.01	1.0	0.001	0.01	0.01
49585	0.01	0.3	0.001	0.01	0.01
49586	0.01	0.4	0.001	0.01	0.01
*DUP 49584	0.01	1.3	0.001	0.01	0.01
*97-45	1.44				
*CPb-1		624.0			4.43
*KC-1a			0.630	2.24	
*BLANK	<0.01	<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA1

Page 1 of 2


Oct-05-04

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz (GS-04-16A)**
 Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49587	0.01	0.01	0.8	0.003	0.01	0.01
49588	0.02		3.5	0.002	0.02	0.01
49589	0.01		4.1	0.001	0.01	0.01
49590	0.02		5.9	0.001	0.02	0.01
49591	0.02		2.5	0.002	0.01	0.01
49592	0.02		3.6	0.003	0.01	0.01
49593	0.02		2.2	0.003	0.01	0.01
49594	0.02		1.2	0.002	0.01	0.01
49595	0.02		0.9	0.004	0.01	0.01
49596	0.03		0.4	0.003	0.01	0.01
49597	0.03		1.8	0.002	0.01	0.01
49598	0.03		0.2	0.001	0.01	0.01
49599	0.04		1.3	0.001	0.01	0.01
49600	0.03		0.4	0.001	0.01	0.01
49601	0.01		0.2	0.001	0.01	0.01
49602	0.02		1.0	0.002	0.01	0.01
49603	0.03		2.9	0.002	0.01	0.01
49604	0.05		3.9	0.002	0.01	0.01
49605	0.04		1.8	0.001	0.01	0.01
49606	0.01	0.01	1.4	0.001	0.01	0.01
49607	0.03		2.8	0.001	0.01	0.01
49608	0.02		3.6	0.001	0.01	0.01
49609	0.03		7.3	0.001	0.01	0.01
49610	0.08	0.08	22.6	0.001	0.01	0.01
*DUP 49587			0.7	0.003	0.01	0.01
*DUP 49596			0.6	0.003	0.01	0.01
*DUP 49606			1.9	0.001	0.01	0.01
*97-45	1.38					
*CPb-1			624.0			4.41
*KC-1a				0.634	2.23	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA1

Page 2 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-16A)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA2

Page 1 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-16A)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49611	0.13	0.12	81.8	0.002	0.01	0.01
49612	0.09		13.9	0.002	0.01	0.01
49613	0.12		10.1	0.001	0.01	0.01
49614	0.05		0.4	0.001	0.01	0.01
49615	0.06		0.8	0.001	0.01	0.01
49616	0.04		1.3	0.003	0.01	0.01
49617	0.03		0.9	0.002	0.03	0.01
49618	0.04	0.03	0.2	0.007	0.01	0.01
49619	0.02		2.0	0.006	0.01	0.01
49620	0.01		1.4	0.005	0.02	0.01
49621	0.01		0.9	0.023	0.04	0.01
49622	0.01		0.5	0.029	0.01	0.03
49623	0.01		0.4	0.036	0.01	0.04
49624	0.01		0.3	0.002	0.01	0.02
49625	0.01		0.2	0.001	0.01	0.03
49626	0.01		0.2	0.007	0.01	0.05
49627	0.01		0.4	0.001	0.01	0.04
49628	0.01		1.1	0.003	0.01	0.06
49629	0.01		1.8	0.002	0.01	0.01
49630	0.01	0.01	1.3	0.002	0.01	0.02
49631	0.01		0.5	0.001	0.01	0.04
49632	0.01		0.2	0.002	0.01	0.05
49633	0.01		1.4	0.010	0.02	0.03
49634	0.01		0.2	0.014	0.03	0.03
*DUP 49611			83.9	0.001	0.01	0.01
*DUP 49620			1.4	0.005	0.02	0.01
*DUP 49630			1.0	0.002	0.01	0.02
*97-45	1.47					
*CPb-1			626.0			4.42
*KC-1a				0.631	2.24	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0954-RA2

Page 2 of 2

Oct-05-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-16A)**
Attn: **Bill McWilliam/ Dave Kuran**

We *hereby certify* the following assay of 24 core samples
submitted Sep-13-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0990-RA1

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle DH-GS-18-04**
 Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49635	0.02		0.2	0.005	0.01	0.02
49636	0.02	0.03	1.4	0.009	0.01	0.01
49637	0.03		0.2	0.004	0.01	0.01
49638	0.01		0.2	0.001	0.01	0.01
49639	0.01		0.2	0.001	0.01	0.01
49640	0.03		0.8	0.005	0.01	0.01
49641	0.03		0.4	0.001	0.01	0.01
49642	0.05		1.1	0.001	0.01	0.01
49643	0.08		1.6	0.004	0.01	0.01
49644	0.04		0.2	0.002	0.01	0.01
49645	0.05	0.03	0.4	0.001	0.01	0.01
49646	0.03		0.2	0.003	0.01	0.01
49647	0.18		1.2	0.003	0.01	0.01
49648	0.22		5.0	0.002	0.01	0.01
49649	0.79		6.2	0.003	0.01	0.01
49650	0.34		2.3	0.002	0.01	0.01
49651	0.21		1.5	0.003	0.01	0.01
49652	0.21		4.8	0.002	0.01	0.01
49653	0.16		3.6	0.002	0.01	0.01
49654	0.07		1.0	0.001	0.01	0.01
49655	0.18	0.19	4.4	0.001	0.01	0.01
49656	0.02		0.3	0.001	0.01	0.01
49657	0.03		2.6	0.001	0.01	0.01
49658	0.02		3.0	0.001	0.01	0.01
*DUP 49635			0.3	0.006	0.01	0.01
*DUP 49644			0.2	0.001	0.01	0.01
*DUP 49654			1.5	0.001	0.01	0.01
*97-45	1.49					
*CPb-1			620.0			4.40
*KC-1a				0.635	2.26	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0990-RA1

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0990-RA2

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49659	0.03		1.8	0.001	0.01	0.01
49660	0.02		2.1	0.001	0.02	0.02
49661	0.02		2.0	0.001	0.02	0.02
49662	0.03		1.5	0.001	0.01	0.01
49663	0.03		1.0	0.001	0.01	0.01
49664	0.01		0.2	0.001	0.01	0.01
49665	0.02		0.2	0.001	0.01	0.01
49666	0.03		0.7	0.001	0.01	0.01
49667	0.02		0.3	0.001	0.01	0.01
49668	0.03		1.4	0.001	0.01	0.01
49669	0.05		2.7	0.001	0.01	0.01
49670	0.07		3.1	0.001	0.01	0.01
49671	0.10		4.6	0.001	0.01	0.01
49672	0.48	0.50	33.2	0.001	0.01	0.01
49673	0.27		18.8	0.001	0.01	0.01
49674	0.09		2.5	0.001	0.01	0.01
49675	0.02		0.4	0.001	0.01	0.01
49676	0.02		0.7	0.001	0.01	0.01
49677	0.05		1.9	0.001	0.01	0.01
49678	0.05		0.7	0.002	0.01	0.01
49679	0.08		2.4	0.001	0.01	0.01
49680	0.05		1.0	0.001	0.01	0.01
49681	0.32	0.32	8.5	0.001	0.01	0.01
49682	0.21	0.23	3.2	0.001	0.01	0.01
*DUP 49659			1.6	0.001	0.01	0.01
*DUP 49668			1.2	0.001	0.01	0.01
*DUP 49678			0.8	0.002	0.01	0.01
*97-45	1.43					
*CPb-1			628.0			4.41
*KC-1a				0.630	2.22	

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate**4V-0990-RA2**

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0990-RA3

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle DH-GS-18-04**
 Attn: **Bill McWilliam**

Oct-15-04

We hereby certify the following assay of 12 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49683	0.13	0.13	3.4	0.001	0.01	0.01
49684	0.10		0.7	0.001	0.01	0.01
49685	0.12		2.0	0.002	0.01	0.01
49686	0.05		1.5	0.001	0.01	0.01
49687	0.05		1.9	0.001	0.01	0.01
49688	0.06		2.4	0.001	0.01	0.01
49689	0.02		1.1	0.001	0.01	0.01
49690	0.06		3.3	0.001	0.01	0.01
49691	0.09		6.5	0.001	0.01	0.01
49692	0.01		1.0	0.001	0.01	0.01
49693	1.19	1.15	27.2	0.001	0.01	0.02
49694	0.82		36.4	0.002	0.01	0.02
*DUP 49683			3.9	0.001	0.01	0.01
*DUP 49692			1.0	0.001	0.01	0.01
*97-45	1.52					
*CPb-1			627.0			4.43
*KC-1a				0.630	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0992-RA1

Page 1 of 2

Oct-18-04


Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49755	0.01		0.4	0.003	0.01	0.02
49756	0.01		0.2	0.002	0.01	0.01
49757	0.01		0.2	0.001	0.01	0.01
49758	0.01		0.2	0.002	0.01	0.01
49759	0.02		0.3	0.001	0.01	0.01
49760	0.02		0.4	0.001	0.01	0.02
49761	0.02		0.2	0.001	0.01	0.01
49762	0.03		0.2	0.002	0.01	0.01
49763	0.02		0.2	0.001	0.01	0.01
49764	0.05		1.0	0.001	0.01	0.01
49765	0.04	0.03	1.6	0.001	0.01	0.01
49766	0.04		0.9	0.001	0.01	0.01
49767	0.02		1.8	0.003	0.01	0.01
49768	0.02		1.6	0.001	0.01	0.01
49769	0.02		2.4	0.002	0.01	0.02
49770	0.03	0.02	0.6	0.001	0.01	0.01
49771	0.01		0.9	0.001	0.01	0.01
49772	0.03		0.4	0.001	0.01	0.01
49773	0.02		0.7	0.001	0.01	0.01
49774	0.02	0.02	0.8	0.001	0.01	0.01
49775	0.03		0.6	0.001	0.01	0.01
49776	0.04		2.1	0.006	0.01	0.01
49777	0.02		1.0	0.001	0.01	0.01
49778	0.04		0.7	0.001	0.01	0.01
*DUP 49755			0.6	0.002	0.01	0.02
*DUP 49764			0.8	0.001	0.01	0.01
*DUP 49774			0.7	0.001	0.01	0.01
*97-45	1.56					
*CPb-1			627.0			4.40
*KC-1a				0.632	2.22	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0992-RA1

Page 2 of 2


Oct-18-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.01	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0992-RA2

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle DH-GS-18-04**
 Attn: **Bill McWilliam**

Oct-18-04

We hereby certify the following assay of 20 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49779	0.04	0.05	1.0	0.002	0.01	0.01
49780	0.05		0.8	0.001	0.01	0.01
49781	0.02		0.9	0.002	0.01	0.01
49782	0.01		0.8	0.001	0.01	0.01
49783	0.03		0.9	0.001	0.01	0.01
49784	0.06		1.0	0.001	0.01	0.01
49785	0.02		0.7	0.001	0.01	0.01
49786	0.03		0.4	0.001	0.01	0.01
49787	0.03		0.8	0.001	0.01	0.01
49788	0.04		1.2	0.002	0.01	0.01
49789	0.07	0.09	1.6	0.001	0.01	0.01
49790	0.03		1.3	0.001	0.01	0.01
49791	0.04		2.3	0.002	0.01	0.02
49792	0.01		1.9	0.005	0.01	0.01
49793	0.02		1.8	0.006	0.01	0.02
49794	0.02	0.02	1.7	0.006	0.01	0.02
49795	0.01		1.5	0.004	0.01	0.03
49796	0.01		1.9	0.004	0.01	0.02
49797	0.01		1.3	0.004	0.01	0.01
49798	0.01		1.4	0.007	0.01	0.02
*DUP 49779			0.9	0.002	0.01	0.01
*DUP 49788			1.2	0.002	0.01	0.01
*DUP 49798			1.5	0.007	0.01	0.02
*97-45	1.49					
*CPb-1			623.0			4.45
*KC-1a				0.628	2.23	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-0991-RA1

Page 1 of 2

Oct-15-04


Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49695	0.05		2.1	0.001	0.01	0.02
49696	0.04		1.0	0.001	0.01	0.01
49697	0.09	0.11	2.3	0.001	0.01	0.01
49698	0.13		3.0	0.001	0.01	0.01
49699	0.02		0.6	0.001	0.01	0.01
49700	0.05		0.3	0.001	0.01	0.01
49701	0.02		0.2	0.001	0.01	0.01
49702	0.02		0.2	0.001	0.01	0.01
49703	0.04		1.0	0.001	0.01	0.01
49704	0.54		4.9	0.001	0.01	0.01
49705	0.04		0.4	0.001	0.01	0.01
49706	0.02		0.2	0.001	0.01	0.01
49707	0.03		0.2	0.002	0.01	0.01
49708	0.03	0.03	0.2	0.002	0.01	0.01
49709	0.05		0.6	0.001	0.01	0.01
49710	0.53	0.50	7.6	0.001	0.01	0.01
49711	0.07		0.3	0.001	0.01	0.01
49712	0.02		0.2	0.001	0.01	0.01
49713	0.02		0.3	0.001	0.01	0.01
49714	0.04		1.1	0.001	0.01	0.01
49715	0.05		2.1	0.001	0.01	0.01
49716	0.05		0.7	0.001	0.01	0.01
49717	0.01		0.3	0.001	0.01	0.01
49718	0.05		0.2	0.001	0.01	0.01
*DUP 49695			1.8	0.001	0.01	0.02
*DUP 49704			4.6	0.001	0.01	0.01
*DUP 49714			0.9	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			623.0			4.40
*KC-1a				0.627	2.24	

Certified by _____





Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0991-RA1

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

Page 2 of 2
Oct-15-04

We *hereby certify* the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-0991-RA2

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49719	0.40	0.42	2.0	0.001	0.01	0.01
49720	0.02		1.3	0.001	0.01	0.01
49721	0.01		0.5	0.001	0.01	0.01
49722	0.01		1.6	0.001	0.01	0.01
49723	0.02		0.3	0.001	0.01	0.01
49724	0.13	0.13	3.2	0.001	0.01	0.01
49725	0.09		1.4	0.001	0.01	0.01
49726	0.01		0.2	0.001	0.01	0.01
49727	0.01		0.2	0.001	0.01	0.01
49728	0.02		0.6	0.001	0.01	0.01
49729	0.04		0.5	0.001	0.01	0.01
49730	0.05		0.7	0.001	0.01	0.01
49731	0.03		0.2	0.001	0.01	0.01
49732	0.07	0.06	0.4	0.001	0.01	0.01
49733	0.02		1.0	0.001	0.01	0.01
49734	0.04		1.1	0.001	0.01	0.01
49735	0.06		0.9	0.001	0.01	0.01
49736	0.06		0.7	0.001	0.01	0.01
49737	0.03		0.4	0.001	0.01	0.01
49738	0.06		0.4	0.001	0.01	0.01
49739	0.02		0.7	0.001	0.01	0.01
49740	0.01		0.2	0.001	0.01	0.01
49741	0.01		0.2	0.001	0.01	0.01
49742	0.01		0.2	0.001	0.01	0.01
*DUP 49719			1.8	0.001	0.01	0.01
*DUP 49728			0.5	0.001	0.01	0.01
*DUP 49738			0.6	0.001	0.01	0.01
*97-45	1.52					
*CPb-1			625.0			4.39
*KC-1a				0.630	2.24	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**4V-0991-RA2**

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-18-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples
submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-0991-RA3

Company: **Stealth Minerals Ltd.**
 Project: **Griz-Sickle DH-GS-18-04**
 Attn: **Bill McWilliam**

Oct-15-04

We hereby certify the following assay of 12 rock core samples submitted Sep-20-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49743	0.02		0.5	0.001	0.02	0.01
49744	0.03		0.2	0.001	0.01	0.01
49745	0.03		0.2	0.001	0.01	0.01
49746	0.03		0.2	0.001	0.01	0.01
49747	0.02		0.4	0.001	0.01	0.01
49748	0.10	0.09	1.9	0.001	0.01	0.01
49749	0.07		1.7	0.001	0.01	0.01
49750	0.05		1.0	0.001	0.01	0.01
49751	0.02		0.5	0.001	0.01	0.01
49752	0.05	0.05	2.6	0.002	0.01	0.01
49753	0.03		2.4	0.003	0.01	0.01
49754	0.01		0.2	0.001	0.01	0.01
*DUP 49743			0.3	0.001	0.01	0.01
*DUP 49752			2.5	0.002	0.01	0.01
*97-45	1.48					
*CPb-1			625.0			4.43
*KC-1a				0.631	2.22	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____ *[Signature]*



19

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA1

Page 1 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-19)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49799	0.02		0.2	0.008	0.04	0.13
49800	0.19	0.23	1.5	0.034	2.07	0.38
49801	0.02		0.2	0.003	0.05	0.04
49802	0.03		0.2	0.007	0.02	0.06
49803	0.06		0.4	0.005	0.01	0.06
49804	0.02		0.2	0.004	0.03	0.09
49805	0.02		0.6	0.003	0.02	0.08
49806	0.01		0.3	0.005	0.03	0.06
49807	0.01		0.2	0.002	0.02	0.10
49808	1.01	1.18	1.3	0.003	0.03	0.07
49809	0.02		0.7	0.005	0.04	0.17
49810	0.02		0.8	0.008	0.06	0.25
49811	0.03		0.3	0.004	0.02	0.09
49812	0.03		0.2	0.022	0.08	0.20
49813	0.05		0.2	0.003	0.04	0.05
49814	0.06		0.4	0.002	0.01	0.02
49815	0.12	0.09	1.5	0.002	0.01	0.02
49816	0.02		0.6	0.003	0.01	0.03
49817	0.01		0.2	0.002	0.01	0.04
49818	0.01		0.6	0.007	0.01	0.03
49819	0.01		0.3	0.001	0.01	0.02
49820	0.02		0.2	0.002	0.01	0.03
49821	0.01		0.2	0.005	0.01	0.02
49822	0.03		0.3	0.002	0.01	0.02
*DUP 49799			0.4	0.008	0.04	0.14
*DUP 49808			1.7	0.003	0.03	0.07
*DUP 49818			0.3	0.007	0.01	0.03
*97-45	1.43					
*CPb-1			629.0			4.41
*KC-1a				0.630	2.26	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA1
Page 2 of 2
Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-19)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA2

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-19)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49823	0.01		0.2	0.007	0.01	0.02
49824	0.02		0.2	0.003	0.06	0.08
49825	2.40	2.37	4.3	0.015	0.34	0.76
49826	0.06		1.3	0.003	0.06	0.09
49827	0.07		1.1	0.002	0.01	0.01
49828	0.08	0.07	0.9	0.001	0.01	0.03
49829	0.08		1.2	0.003	0.01	0.02
49830	0.06		0.3	0.001	0.03	0.15
49831	0.01		0.2	0.001	0.06	0.07
49832	0.01		0.2	0.001	0.03	0.09
49833	0.02		0.2	0.002	0.02	0.04
49834	0.01		0.9	0.005	0.02	0.06
49835	0.03		1.0	0.009	0.12	0.03
49836	0.07		1.6	0.018	0.36	1.44
49837	0.01		0.2	0.001	0.03	0.13
49838	0.22	0.22	1.4	0.004	0.01	0.02
49839	0.02		1.3	0.016	0.05	0.11
49840	0.01		0.2	0.013	0.02	0.02
49841	0.10		0.6	0.003	0.01	0.01
49842	0.18		1.5	0.004	0.02	0.03
49843	0.01		0.2	0.003	0.01	0.01
49844	0.02		0.2	0.002	0.01	0.01
49845	0.01		0.2	0.007	0.01	0.01
49846	0.03		0.2	0.004	0.01	0.01
*DUP 49823			0.2	0.007	0.01	0.02
*DUP 49832			0.2	0.001	0.03	0.09
*DUP 49842			1.3	0.004	0.02	0.03
*97-45	1.42					
*CPb-1			629.0			4.37
*KC-1a				0.623	2.23	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA2

Page 2 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-19)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1011-RA3

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz (GS-04-19)**
 Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 19 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49847	0.01		0.2	0.004	0.01	0.01
49848	0.01		0.4	0.005	0.01	0.01
49849	0.02		1.0	0.012	0.01	0.01
49850	0.01		0.5	0.004	0.01	0.01
49851	0.05		0.8	0.004	0.01	0.01
49852	0.03	0.03	0.2	0.010	0.01	0.01
49853	0.01		0.6	0.002	0.01	0.01
49854	0.01		0.2	0.005	0.01	0.01
49855	0.01		0.8	0.005	0.01	0.01
49856	0.02		0.4	0.003	0.01	0.02
49857	0.01		0.8	0.004	0.01	0.01
49858	0.01		0.3	0.002	0.01	0.02
49859	0.01		1.0	0.010	0.01	0.01
49860	0.03	0.02	0.6	0.004	0.01	0.01
49861	0.02		0.2	0.005	0.02	0.17
49862	0.02		0.7	0.016	0.01	0.02
49863	0.01		0.7	0.005	0.01	0.01
49864	0.01		0.2	0.008	0.01	0.01
49865	0.01		0.2	0.006	0.01	0.01
*DUP 49847			0.2	0.004	0.01	0.01
*DUP 49856			0.5	0.002	0.01	0.02
*97-45	1.45					
*CPb-1			628.0			4.40
*KC-1a				0.627	2.24	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA1

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-20)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49866	0.01		0.2	0.002	0.02	0.02
49867	0.01		0.2	0.001	0.01	0.03
49868	0.03	0.03	1.0	0.005	0.01	0.01
49869	0.01		0.2	0.001	0.01	0.01
49870	0.01		0.2	0.001	0.01	0.02
49871	0.01		0.2	0.007	0.01	0.01
49872	0.01		0.5	0.003	0.01	0.03
49873	0.01		3.4	0.022	0.04	0.11
49874	0.01		0.2	0.001	0.01	0.01
49875	0.01		0.4	0.004	0.01	0.02
49876	0.01		0.2	0.002	0.01	0.01
49877	0.01		0.2	0.001	0.01	0.02
49878	0.01		0.3	0.021	0.01	0.02
49879	0.01		0.7	0.007	0.01	0.04
49880	0.01		1.2	0.004	0.02	0.07
49881	0.02	0.02	3.5	0.004	0.01	0.02
49882	0.03		2.2	0.005	0.01	0.30
49883	0.02		2.0	0.003	0.01	0.06
49884	0.01		0.9	0.005	0.01	0.03
49885	0.02	0.01	0.3	0.001	0.01	0.01
49886	0.01		0.6	0.003	0.01	0.01
49887	0.01		1.3	0.006	0.01	0.05
49888	0.02		1.9	0.003	0.01	0.02
49889	0.01		1.2	0.006	0.01	0.01
*DUP 49866			0.2	0.002	0.02	0.02
*DUP 49875			0.3	0.004	0.01	0.02
*DUP 49885			0.3	0.001	0.01	0.01
*97-45	1.42					
*CPb-1			627.0			4.40
*KC-1a				0.633	2.21	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA1

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: Sickle-Griz (GS-04-20)
Attn: Bill McWilliam/ Dave Kuran

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Assayers Canada
 8282 Sherbrooke St.
 Vancouver, B.C.
 V5X 4R6
 Tel: (604) 327-3436
 Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1012-RA2

Company: **Stealth Minerals Ltd.**
 Project: **Sickle-Griz (GS-04-20)**
 Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 7 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49890	0.02		1.7	0.004	0.01	0.02
49891	0.02		1.9	0.026	0.01	0.01
49892	0.02		11.5	0.331	0.01	0.02
49893	0.03	0.02	1.2	0.004	0.01	0.01
49894	0.01		0.7	0.002	0.01	0.01
49895	0.03		2.9	0.004	0.01	0.01
49896	0.01		0.6	0.010	0.01	0.02
*DUP 49890			1.6	0.004	0.01	0.02
*97-45	1.47					
*CPb-1			625.0			4.39
*KC-1a				0.634	2.24	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA1

Page 1 of 2


Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-21)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49897	0.01	0.01	0.4	0.003	0.01	0.02
49898	0.01		0.2	0.002	0.01	0.01
49899	0.01		0.2	0.002	0.01	0.02
49900	0.01		0.2	0.004	0.01	0.01
49901	0.01		0.3	0.014	0.01	0.04
49902	0.01		0.4	0.002	0.01	0.03
49903	0.01		0.4	0.005	0.01	0.03
49904	0.01		0.2	0.002	0.01	0.03
49905	0.01		0.3	0.003	0.01	0.02
49906	0.01	0.01	1.3	0.003	0.01	0.02
49907	0.01		1.5	0.004	0.01	0.01
49908	0.01		1.1	0.014	0.01	0.02
49909	0.01		0.2	0.006	0.01	0.02
49910	0.01		1.3	0.008	0.01	0.01
49911	0.01		1.5	0.015	0.01	0.03
49912	0.01		1.8	0.010	0.01	0.03
49913	0.01		1.4	0.003	0.01	0.01
49914	0.01		1.5	0.002	0.01	0.02
49915	0.01		3.0	0.038	0.01	0.02
49916	0.01	0.01	1.2	0.022	0.01	0.03
49917	0.01		2.3	0.004	0.01	0.02
49918	0.01		0.9	0.117	0.01	0.04
49919	0.01		4.1	0.021	0.01	0.16
49920	0.04		2.6	0.209	0.01	0.01
*DUP 49897			0.5	0.003	0.01	0.02
*DUP 49906			1.2	0.003	0.01	0.02
*DUP 49916			1.0	0.021	0.01	0.03
*97-45	1.47					
*CPb-1			623.0			4.39
*KC-1a				0.630	2.23	

Certified by _____



Assayers Canada
8282 Sherbrooke St.
Vancouver, B.C.
V5X 4R6
Tel: (604) 327-3436
Fax: (604) 327-3423

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA1

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-21)**
Attn: **Bill McWilliam/ Dave Kuran**

We *hereby certify* the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA2

Page 1 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-21)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49921	0.01	0.01	1.3	0.010	0.01	0.06
49922	0.02		1.8	0.002	0.01	0.03
49923	0.02		1.4	0.001	0.01	0.01
49924	0.01		1.2	0.001	0.01	0.01
49925	0.01		0.5	0.003	0.01	0.01
49926	0.02		1.3	0.001	0.01	0.01
49927	0.02		1.5	0.001	0.01	0.01
49928	0.10		10.8	0.007	0.12	0.09
49929	0.02		1.3	0.001	0.01	0.01
49930	0.01	0.01	0.2	0.001	0.01	0.02
49931	0.01		0.5	0.001	0.01	0.02
49932	0.01		0.5	0.001	0.01	0.01
49933	0.01		0.2	0.001	0.01	0.02
49934	0.01		0.2	0.001	0.01	0.01
49935	0.01		0.4	0.001	0.01	0.01
49936	0.01		0.2	0.001	0.01	0.01
49937	0.01		0.3	0.001	0.01	0.01
49938	0.01		5.1	0.001	0.01	0.01
49939	0.01		0.6	0.001	0.01	0.01
49940	0.01	0.01	0.2	0.001	0.01	0.01
49941	0.01		1.0	0.001	0.01	0.02
49942	0.01		0.2	0.001	0.01	0.01
49943	0.01		0.2	0.001	0.01	0.01
49944	0.01		0.3	0.001	0.01	0.01
*DUP 49921			1.4	0.010	0.01	0.06
*DUP 49930			0.3	0.001	0.01	0.02
*DUP 49940			0.2	0.001	0.01	0.01
*97-45	1.44					
*CPb-1			628.0			4.40
*KC-1a				0.633	2.24	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA2

Page 2 of 2

Oct-15-04

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-21)**
Attn: **Bill McWilliam/ Dave Kuran**

We hereby certify the following assay of 24 core samples
submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1010-RA3

Company: **Stealth Minerals Ltd.**
Project: **Sickle-Griz (GS-04-21)**
Attn: **Bill McWilliam/ Dave Kuran**

Oct-15-04

We hereby certify the following assay of 9 core samples submitted Sep-27-04 by Dave Kuran.

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49945	0.01	0.01	0.2	0.001	0.01	0.01
49946	0.01		0.2	0.001	0.01	0.01
49947	0.01		0.2	0.001	0.01	0.01
49948	0.01		0.3	0.003	0.01	0.01
49949	0.01		0.2	0.005	0.01	0.01
49950	0.01		0.2	0.006	0.01	0.01
49951	0.01		0.2	0.007	0.01	0.01
49952	0.01		0.2	0.009	0.01	0.01
49953	0.01		0.4	0.004	0.01	0.01
*DUP 49945			0.2	0.001	0.01	0.01
*97-45	1.43					
*CPb-1			624.0			4.42
*KC-1a				0.629	2.25	
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1042-RA1

Page 1 of 2

Oct-19-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-22-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Oct-04-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49954	0.02	0.01	0.6	0.004	0.01	0.01
49955	0.01		0.5	0.009	0.01	0.02
49956	0.03		2.3	0.013	0.03	0.07
49957	0.10	0.11	0.8	0.006	0.01	0.04
49958	0.03		0.6	0.004	0.01	0.03
49959	0.02		0.3	0.003	0.01	0.04
49960	0.02		0.4	0.003	0.01	0.05
49961	0.02		1.0	0.004	0.02	0.17
49962	0.02		1.3	0.004	0.03	0.26
49963	0.01		0.5	0.003	0.01	0.07
49964	0.01		0.3	0.002	0.01	0.03
49965	0.03		0.3	0.006	0.01	0.04
49966	0.01		0.6	0.006	0.01	0.02
49967	0.01		0.3	0.004	0.01	0.02
49968	0.01		0.5	0.004	0.01	0.02
49969	0.01		0.7	0.004	0.02	0.06
49970	0.01		0.7	0.004	0.01	0.03
49971	0.01		0.3	0.004	0.01	0.03
49972	0.03		1.9	0.010	0.09	0.24
49973	0.03	0.03	3.5	0.002	0.03	0.15
49974	0.01		0.8	0.008	0.01	0.03
49975	0.01		1.1	0.003	0.01	0.02
49976	0.01		0.7	0.003	0.01	0.01
49977	0.09		1.6	0.005	0.01	0.01
*DUP 49954			0.4	0.003	0.01	0.01
*DUP 49963			0.6	0.003	0.01	0.07
*DUP 49973			3.2	0.002	0.02	0.14
*97-45	1.43					
*CPb-1			627.0			4.40
*KC-1a				0.634	2.25	

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate**4V-1042-RA1**

Page 2 of 2

Oct-19-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-22-04**
Attn: **Bill McWilliam**

We *hereby certify* the following assay of 24 rock core samples
submitted Oct-04-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____



Quality Assaying for over 25 Years

Assay Certificate

4V-1043-RA1

Page 1 of 2

Oct-19-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-23-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Oct-04-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
49978	0.06	0.06	6.7	0.003	0.03	0.06
49979	0.02		2.2	0.003	0.01	0.02
49980	0.06		0.7	0.002	0.01	0.01
49981	0.02		4.9	0.003	0.01	0.03
49982	0.02		2.6	0.002	0.01	0.02
49983	0.17		1.1	0.004	0.01	0.01
49984	0.01		0.5	0.002	0.01	0.01
49985	0.01		0.7	0.003	0.01	0.01
49986	0.01		0.3	0.004	0.01	0.02
49987	0.02		0.9	0.012	0.01	0.02
49988	0.01		2.2	0.005	0.02	0.02
49989	0.02		1.4	0.007	0.03	0.06
49990	0.07		2.9	0.009	0.09	0.20
49991	0.05		3.0	0.011	0.06	0.15
49992	0.10		4.9	0.018	0.05	0.13
49993	0.72	0.68	382.0	0.172	0.70	1.48
49994	0.14		59.8	0.016	0.06	0.09
49995	0.05		2.4	0.008	0.02	0.05
49996	0.05		1.6	0.002	0.01	0.03
49997	0.04		3.5	0.013	0.03	0.06
49998	0.02		0.5	0.001	0.01	0.02
49999	0.06		0.8	0.001	0.01	0.02
50000	0.03		0.2	0.001	0.01	0.03
48501	0.13	0.11	2.9	0.005	0.01	0.02
*DUP 49978			6.5	0.003	0.03	0.06
*DUP 49987			1.0	0.012	0.01	0.02
*DUP 49997			3.8	0.012	0.03	0.06
*97-45	1.43					
*CPb-1			624.0			4.41
*KC-1a				0.630	2.24	

Certified by _____

Quality Assaying for over 25 Years

Assay Certificate

4V-1043-RA1

Page 2 of 2

Oct-19-04

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-23-04**
Attn: **Bill McWilliam**

We hereby certify the following assay of 24 rock core samples submitted Oct-04-04

Sample Name	Au g/tonne	Au-check g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
*BLANK	<0.01		<0.1	<0.001	<0.01	<0.01

Certified by _____





Quality Assaying for over 25 Years

Assay Certificate

4V-1043-RA2

Company: **Stealth Minerals Ltd.**
Project: **Griz-Sickle DH-GS-23-04**
Attn: **Bill McWilliam**

Oct-19-04

We hereby certify the following assay of 6 rock core samples submitted Oct-04-04

Sample Name	Au g/tonne	Ag g/tonne	Cu %	Pb %	Zn %
48502	0.03	1.3	0.002	0.01	0.03
48503	0.02	1.4	0.020	0.18	0.19
48504	0.01	0.9	0.011	0.07	0.22
48505	0.01	1.0	0.013	0.07	0.18
48506	0.01	0.3	0.002	0.01	0.02
48507	0.02	1.2	0.003	0.01	0.04
*DUP 48502	0.05	1.4	0.002	0.01	0.03
*97-45	1.37				
*CPb-1		626.0			4.43
*KC-1a			0.632	2.24	
*BLANK	<0.01	<0.1	<0.001	<0.01	<0.01

Certified by _____