

GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area
Lillooet, B.C.

3D IP SURVEY

False Color Contour Maps

Cross Section
Line 0N-3200N

GEOLOGICAL SURVEY BRANCH
AGRICULTURE
SPORT

27.49

Vol. 2

27949

GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area
Lillooet, B.C.

3D IP SURVEY

False Color Contour Maps



Cross Section
Line 0N-3200N

GEOLOGICAL SURVEY BRANCH
ACTING ASSISTANT COMMISSIONER

27.1


RECEIVED
NOV 15 2005
Gold Commissioner's Office
VANCOUVER, B.C.

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property

Blusky Mountain Area

Lillooet, B.C.


GEOLOGICAL SURVEY
 ASSESSMENT REPORT

27.9.09
 3D IP SURVEY
 False Color Contour Map
 Cross Section
 Line 0N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
Station Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Geological Survey Branch
Assessment Branch
27, 9/19
Rand Property
Blustry Mountain Area
Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

Cross Section
Line 100N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510


- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property
BLUISH MOUNTAIN SURVEY BRANCH
Bluish Mountain Area
Lillooet, B.C.


27,949
3D IP SURVEY
False Color Contour Map

Cross Section
Line 200N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510


- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005


Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.
GEOLOGICAL SURVEY BRANCH
Rand Property
Blustry Mountain Area
Lillooet, B.C.
27,919
3D IP SURVEY
False Color Contour Map
Cross Section
Line 300N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200






Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)




Survey Information:
Array:
 Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:
RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II


Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend
 White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.
 27,949
 3D IP SURVEY
 False Color Contour Map
 Cross Section
 Line 400N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200






Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.

Rand Property

Blusty Mountain Area
 GEOL. BRANCH
 ASSESSMENT REPORT
 Lillooet, B.C.


27,949
 3D IP SURVEY
 False Color Contour Map
 Cross Section
 Line 500N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.


Rand Property
 Geological Survey Branch
 ASSESSMENT
 Blustry Mountain Area
 Lillooet, B.C.

27049
 3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 600N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200



Elevation (m)



Interpreted Resistivity (Ohm-m)


- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)



Interpreted Chargeability (ms)

Elevation (m)



INDEX MAP

Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



Meters

GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
 Lillooet, B.C.

27.02.05
3D IP SURVEY
False Color Contour Map

Cross Section
Line 700N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310

2210

2110

2010


1910

1810

1710

1610

1510



Interpreted Resistivity (Ohm-m)

Elevation (m)

2310

2210

2110

2010

1910

1810

1710

1610

1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310

2210

2110

2010


1910

1810


1710

1610

1510



Interpreted Chargeability (ms)



INDEX MAP

Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 Station Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.


27-949
3D IP SURVEY
 False Color Contour Map

Cross Section
Line 800N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section





27,249

GOLDERA RESOURCES INC.
Rand Property
Blustry Mountain Area
Lillooet, B.C.

3D IP SURVEY
False Color Contour Map


Cross Section
Line 1500N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T: Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property
 Blustry Mountain Area
 Lillooet, B.C.

27, 2019

3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 900N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310

2210

2110

2010


1910

1810

1710

1610

1510



Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310

2210

2110

2010


1910

1810


1710

1610

1510



Interpreted Chargeability (ms)



Survey Information:

Array:
 Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 Station: Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.
 27,949
3D IP SURVEY
 False Color Contour Map
 Cross Section
 Line 1000N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



INDEX MAP

Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:

RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005


Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



27,949

GOLDERA RESOURCES INC.
Rand Property
Blustry Mountain Area
Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

Cross Section
Line 1100N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section



27,949
GOLDERA RESOURCES INC.
Rand Property
Blustry Mountain Area
Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

Cross Section
Line 1200N

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



INDEX MAP

Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:

RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section

0 50 100 150 200 250
Meters

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,249
GOLDERA RESOURCES INC.
Land Property


Blustry Mountain Area
Lillooet, B.C.

3D IP SURVEY
False Color Contour Map

Cross Section
Line 1300N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)




Interpreted Resistivity (Ohm-m)

Elevation (m)




- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)



Interpreted Chargeability (ms)

Elevation (m)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section





GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT

GOLDERA RESOURCES INC.
 27,949
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.


3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 1400N



- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)



- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.


3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 1600N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T: Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property
Blustry Mountain Area
Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

Cross Section
Line 1700N

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T: Gridline Coordinate Projected to Section



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT

27,949

GOLDERA RESOURCES INC.
Rand Property
Blustry Mountain Area
Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

Cross Section
Line 1800N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200





Interpreted Resistivity (Ohm-m)



Interpreted Chargeability (ms)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T: Gridline Coordinate Projected to Section




GEOPHYSICAL SURVEY BRANCH
 ANNUAL REPORT
 27 9/19

GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.



3D IP SURVEY
 False Color Contour Map

Cross Section
Line 1900N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200



Interpreted Resistivity (Ohm-m)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.

Rand Property
 Blustry Mountain Area
 Lillooet, B.C.

3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 2000N

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20




Interpreted Chargeability (ms)



- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:
 Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12


Instrumentation:

RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend
 White Line: Estimated Depth of Investigation
 T: Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.


3D IP SURVEY
 False Color Contour Map

Cross Section
Line 2100N


- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200





Interpreted Resistivity (Ohm-m)



- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T: Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property
 Blustry Mountain Area
 Lillooet, B.C.

3D IP SURVEY
 False Color Contour Map

Cross Section
 Line 2200N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510




Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005


Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.
Rand Property
Blustry Mountain Area
Lillooet, B.C.
27,919
3D IP SURVEY
False Color Contour Map
Cross Section
Line 2300N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200





Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrect10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

**Geological Survey Branch
 Rand Property**

Blustry Mountain Area

Lillooet, B.C.

27,949

3D IP SURVEY


False Color Contour Map

**Cross Section
 Line 2400N**

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property



Blustry Mountain Area

Lillooet, B.C.


3D IP SURVEY
False Color Contour Map

27,949
Cross Section
Line 2500N


- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)



- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area

Lillooet, B.C.

3D IP SURVEY
 False Color Contour Map
 27,949

Cross Section
 Line 2600N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310

2210

2110

2010


1910

1810

1710

1610

1510



Interpreted Resistivity (Ohm-m)

Elevation (m)

2310

2210

2110

2010

1910

1810

1710

1610

1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)

2310

2210

2110

2010


1910

1810


1710

1610

1510



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section




GOLDERA RESOURCES INC.

Rand Property
 Geological Assessment
 Blustry Mountain Area
 Lillooet, B.C.

27949
 3D IP SURVEY
 False Color Contour Map


Cross Section
 Line 2700N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200





Interpreted Resistivity (Ohm-m)

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property

Blusty Mountain Area

Lillooet, B.C.

GEOLOGICAL SURVEY OF CANADA
 ASSESSMENT REPORT


3D IP SURVEY
 False Color Contour Map
 27.749

Cross Section
 Line 2800N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area


Lillooet, B.C.

27,949


3D IP SURVEY
False Color Contour Map

Cross Section
Line 2900N


- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200





Interpreted Resistivity (Ohm-m)



- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Rand Property

Blustry Mountain Area

Lillooet, B.C.

27-949

3D IP SURVEY


False Color Contour Map

Cross Section
 Line 3000N

- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Resistivity (Ohm-m)


Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510

- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20

Elevation (m)


2310
2210
2110
2010
1910
1810
1710
1610
1510



Interpreted Chargeability (ms)

Elevation (m)

2310
2210
2110
2010
1910
1810
1710
1610
1510



INDEX MAP

Survey Information:

Array:

Typical Dipole Arrays:
a = 50 to 100 m
Grid 2004: N = 10
Grid 2005: N = 12

Instrumentation:


RECEIVER:
Grid 2004: SJ Full Wave Form Digital IP Receiver
Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
3D Inversion by: S.J.V. Consultants Ltd.
Processing Date: Jul, 2005
Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
T Gridline Coordinate Projected to Section





GOLDERA RESOURCES INC.

BLUSTRY MOUNTAIN BRANCH
GEOLOGICAL AND GEOPHYSICAL
ASSESSMENT REPORT
Blustry Mountain Area
Lillooet, B.C.


27
3D IP SURVEY
False Color Contour Map

Cross Section
Line 3100N


- no data
- 80
- 118
- 174
- 244
- 342
- 479
- 671
- 939
- 1315
- 1940
- 2862
- 4221
- 6226
- 9200




Interpreted Resistivity (Ohm-m)



- no data
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 20



Interpreted Chargeability (ms)



Survey Information:

Array:

Typical Dipole Arrays:
 a = 50 to 100 m
 Grid 2004: N = 10
 Grid 2005: N = 12

Instrumentation:


RECEIVER:
 Grid 2004: SJ Full Wave Form Digital IP Receiver
 Grid 2005: Elrec10

TRANSMITTER: GDD Tx II

Survey by: SJ Geophysics Ltd.
 3D Inversion by: S.J.V. Consultants Ltd.
 Processing Date: Jul, 2005
 Mapping Date: Aug, 2005

Legend

White Line: Estimated Depth of Investigation
 T Gridline Coordinate Projected to Section



GOLDERA RESOURCES INC.

Geological Survey of Canada
 Rand Property
 Blustry Mountain Area
 Lillooet, B.C.

27,949
3D IP SURVEY
 False Color Contour Map

Cross Section
Line 3200N