

RECEIVED
DEC 13 2005
Gold Commissioner's Office
VANCOUVER, B.C.

**Prospecting &
Technical Report
&
Geochemical Assays**
ALS Chemex

**Victoria Mining Division
Vancouver Island, BC**

NTS: 092C069

**Le Baron # 8
Tenure # 509082**

November 26, 2005

**Report By:
Scott Phillips
Le Baron Prospecting**

TITLES DIVISION, MINERAL TITLES
VICTORIA, BC
DEC - 9 2005
FILE NO. _____
LOG IN NO. _____

GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT
27,971

Index

Tenure Summary and Location	#1
Expenditures Summary & Author	#2
2005 Prospecting Program	#3
The Tenure & Area Geology	#4
Area Tenure Map	#5
Area Tenures Map MTO [showing all tenures in area]	#6
Tenure Map [MTO cell system].....	#7
Copy of Areomagnetic Map	#8
Working Map A-1	#9
Working Map A-2	#10
Working Map A-3	#11
Minfile Report [Reko 10].....	Appendix #A
ALS Chemex Assay Results	Appendix #1
Copy of Tenure Ownership	#12
MTO Event Conformation Page	#13
Acknowledgments	#14

Tenure Summary & Location

This tenure, Le Baron # 8 [509082] converted tenure number, is located at the top portion of the main Granite Creek mountain within the middle of the Pearson Project, which is situated approximately 12 km north east of the community of Port Renfrew. The community is located on the south west coast of Vancouver Island, approximately 100 km west of Victoria. The town of Port Renfrew has a deep sea port and an industrial site which can be developed into a loading facility if the Pearson Project gets the proper approvals. The Pearson project is a large rectangular continuous block of mineral claims.

The region is mountainous with west coast rainforest vegetation, second growth forests and logging clear cuts. The area is accessible by a paved road from Victoria [hwy 14], and a well maintained logging roads from Lake Cowichan, [Harris Creek Main Line]. To access this tenure one must go on the Granite Creek Service Road, then turn at the 3.6 km junction onto the Granite 3000 spur road. This road is rough and over grown for 8 km, almost all the way to the tenure, but it gets nice on top of the mountain.

This mineral tenure is one of the few most sought after tenures within the whole entire area, [Pearson Project], which is under mineral exploration by Emerald Fields Resources Corp, of Kenora, Ontario. [Aero magnetic survey 2005, drilling], the just completed drilling program 2004 -2005 just saw several drill holes [4 in total], drilled immediately to the south west of this tenure on the "Galleon 53 [tenure # 370610] owned by Gary Pearson [prospector] of Port Renfrew. The drilling was up a short rebuilt spur road located approximately 8 km from the junction of Granite creek and the Harris Creek mainline. This tenure is currently under option by the owner to Emerald Fields Resources Corp. The Pearson Project is one of Vancouver Islands newest exploration projects. Several geologists are currently working with Emerald Fields to expose the size of the whole deposit which is estimated to be in the millions of tons.

A lot of exploration has been done over the years by various prospectors and companies such as Noranda Mining; Reko Explorations, and now Emerald Fields. All the companies have held various parts of the region over the years. This ground the tenure resides under was under dispute with the original tenure owner and as a result became open ground just for a brief period of time when I became aware of the situation and immediately staked the open ground.

Summary of Expenditures.

Field Personal;

Scott Phillips [prospector]

4 days @ \$350.00 / day..... \$1400.00

Bob Morris [prospector]

3 days @ \$350.00 / day.....\$ 1050.00

Shelly Phillips [prospector]

1 day @\$350.00 / day..... \$350.00

Transportation.

Truck 4x4...4 days @ \$50.00 / day\$200.00

Mileage: 750 km @ \$0.35 / km\$262.50

Field Supplies;

Miscellaneous\$100.00

Analysis

ALS Chemex

4 whole rock chip @ \$32.00 / Sample ~~4.5/4~~.....\$128.00

Data Compilation & Report Writing

1 day @ \$350.00 / day\$ 350.00

Total work 2005\$3840.50

Author.

- **Scott Phillips FMC # 145817**
- **Is the owner of Le Baron Prospecting of Port Renfrew**
- **Has over 12 years prospecting the Port Renfrew area.**
- **Have several mineral and placer tenures within the Port Renfrew area.**
- **Is presently studying volcanism and plate tectonics of Southern Vancouver Island.**


Dec. 6, 2005

2005 Prospecting Program

Dates tenure was prospected.

May 21 / 2005

August 21 – 22 / 2005

November 5, / 2005

Working Maps A-1, A-2, A-3 scaled [1-10,000]

- **Indicate Rock chip sample points**
ALS Report VA05100144 [sample locations marked on working map]
- **Show approximation of survey lines.**
- **Indicate where ALS Chemex Samples were taken**

Working Map Legend

- **X = Rock Chip Samples**
- **Y = Surveyors Line**
- **Z = Moss Matt Samples.**

ALS Chemex Sample Numbers.

- **# B314562**
- **# B314563**
- **# B314564**
- **# B314565**

Total Prospecting Work.

- **Rock Chip Samples = 30**
- **Survey line = 1500 meters**
- **Moss Matt Samples**

Tenure Summary and future considerations.

- **The continuation of mineral exploration within the tenure.**
- **Grid surveying of the tenure.**
- **Perimeter trail slashing.**
- **Promotion and future commitments to the Pearson Project.**

The Tenure;

This tenure is right in the middle of a proposed open pit mine which is being currently under the infancy stage of development. One of the owners of Emerald Fields, [Perry Hetherington] has spoken briefly about the optioning this tenure to his company to help promote the infancy of the Pearson Project within the mining community.

The staking of this tenure has been one of the best moves for me and my prospecting company to date. Le Baron Prospecting and its associates also have several mineral tenures within the Pearson Project.

Area Geology

This tenure resides on the Pacific Rim Complex which is underlain by massive gabbroic intrusions and massive amounts of sulfide minerals. According to many historical reports on the Minfile [Reko, Galleon,] and the recent Emerald Fields Resources Corp diamond drilling and geological assessment report, 2004 -2005

The top of this mountain is a white limestone / magnetite cap which is the tip of a very massive sulfide deposit estimated to be in the millions of tons. Emerald fields has just completed a drilling program [4 holes according to their report in the minfile], approximately 350 meters south/west of the lower portion of this tenure.

Assays of the drilling was conducted by ALS Chemex , and according the Emerald Fields Assessment Report, has indicated the 4 drill holes show a massive amount of sulfides.

The author and his associates have spent only 4 days prospecting this tenure this past season, but most of the past summer prospecting their other tenures within the Pearson Project.

Prospecting was done by taken several rock chip samples using the basic hammer chisel method of sampling. Only 4 of the 30 rock chip samples were submitted to ALS Chemex of Vancouver for assaying, the results of the white limestone assays are included in this report.

Also, basic surveying of the tenure was completed using a surveyor's line to traverse the tenure, to mark and see the size of the white limestone pendant.

As a result and the huge amount of pressure to promote and develop the Pearson Project the upcoming prospecting season will see a complete trail slashed and marked around the entire perimeter of this tenure for future considerations.

Tenure Maps.

There are several maps included as well,

- **A copy of the Aero Magnetic map provided by Tre Guys Mineral LTD.**
- **Mineral Titles Online
Area Map [1 – 250,000] [Showing the tenure within the Pearson Project].**

Working Maps [1-10,000]


- **There is several “working maps” included in this prospecting and assessment report. Each map shows where the field work and type of field work has taken place.**

Whole rock sampling and historic drilling information.

The author and his associates during the 2005 prospecting season took 30 hand grab / rock chip samples, 4 of which were submitted to ALS Chemex for assaying. The 4 samples represent an average of the white limestone mineralization of the area. Each sample is documented on the working maps and will correspond to the results of the assaying report. While the historic drilling by Noranda [1975] on the “Reko 10” tenure [now the Galleon 53] showed the iron deposit to be in the 4 million plus ton range, and recent drilling by Emerald Fields also has indicated the deposit to be in the millions of tons of high grade mineable ore.

Map created Sat Nov 26 16:10:35 PST 2005

Legend



- Indian Reserves
- National Parks
- Parks
- Mineral Tenures Reserves (Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Divisions
- BCGS Grid
- Annotation (1:250K)
- Transportation - Points (1:250K)
- Airfield
- Anchorage - Seaplane
- Ferry Route
- Helipoint
- Seaplane Base
- Air Field
- Airport
- Air Feature - Condition Unknown
- Airport - Abandoned
- Transportation - Lines (1:250K)
- Ferry Route
- Aerial Cableway
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 3 Lanes
- Road - Paved, lanes 2 or More, Divided
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road - Paved, lanes 3 or More, Undivided
- Road (Unimproved)
- Road - Loose access Dry Weather
- Road (Winter Road)
- Road - Paved, lanes 2, Undivided
- Road - Paved, lanes 2, Undivided, U/C
- Road - Paved, Divided, access, Non Standard
- Track - Car/Tractor
- Causeway (Railway)
- Cut (Roadway)
- Trail
- Tunnel
- Bridge
- Rail Line - Narrow Gauge - Single Track
- Rail Line (Multiple Track)
- Rail Line (Single Track)
- Rail Line - Abandoned Track
- Cable - Telephone


Scale: 1:250,000

DO NOT USE FOR NAVIGATION



Map created Sat Nov 26 16:00:59 PST 2005

Legend




- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid
- Mineral Tenures Reserves (Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Divisions
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index,Indefinite
- Contour - Index,Depression
- Contour - Index,Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate,Indefinite
- Contour - Intermediate,Depression
- Contour - Intermediate,Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport,Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2 Lanes
- Road (Paved Divided) - Not Elevated - 1 Lane Each Way
- Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
- Road (Paved Divided) - U/C - Not Elevated - 2 Lanes Each Way
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road (Paved Undivided) - Not Elevated - 4 Lanes
- Road (Paved Undivided) - U/C - Not Elevated - 4 Lanes
- Road (Unimproved)
- Cut (Roadway)
- Embankment(?) (Roadway)

0 0km

Map Center: 124° 17' 19.8" W, 48° 39' 36.7" N

Scale: 1:10,000

DO NOT USE FOR NAVIGATION



TRACY →
 ALL VISIBLE P.A.S.
 AUTONNEW
 OCCING ROAD
 & MINERALIZATION
 APPROX 600 M
 504.FE

R.N.R

RR UNO
 BR UNO 1
 TRACES -
 PGM.

SPRING 408
 AT. 034 4-6
 PD 1004 →

Le BARON #8
 TENURE #
 509082.

MAGNETIC
 DATA FOR
 1300 METERS
 WITH PLANE
 Elevations

NOTES FROM MINERAL LEGEND
 1. Staking is not permitted within Indian Reserves.
 2. Staking is not permitted over Geukon 23 Recreation Areas due to a N's Staking Reserve. (M.C. Reg. 87/67)

GOLD COMMISSIONER OFFICES
CARIBOO
 102 350 Barkley Street
 Courtenay BC V9J 2C1
COAST / LIARD
 302 865 Hamby Street
 Vancouver BC V6Z 2D3
EAST KOOTENAY
 100 Clunbrook Street North
 Cranbrook BC V1C 9P9

B	D	M	N	O	P	M	N	O	P
1	2	3	4	5	6	7	8	9	10
A	B	C	D	E	F	G	H	I	J

GUIDE TO THE NTS AND BCGS MAPPING
 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100



WORKING MAP A-1
MAY 21, 2005

#9


Map created Sat Nov 26 16:03:48 PST 2005

Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid
- Mineral Tenures Reserves (Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Divisions
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index, Indefinite
- Contour - Index, Depression
- Contour - Index, Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate, Indefinite
- Contour - Intermediate, Depression
- Contour - Intermediate, Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2 Lanes
- Road (Paved Divided) - Not Elevated - 1 Lane Each Way
- Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
- Road (Paved Divided) - U/C - Not Elevated - 2 Lanes Each Way
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road (Paved Undivided) - Not Elevated - 4 Lanes
- Road (Paved Undivided) - U/C - Not Elevated - 4 Lanes
- Road (Unimproved)
- Cut (Roadway)
- Embankment/Fill (Roadway)

X = ROCK CHIP SAMPLES

Y = SURVEYOR'S LINE



Map Center: 124° 17' 19.8" W, 48° 39' 36.7" N

Scale: 1:10,000

DO NOT USE FOR NAVIGATION

N ↑

WORKING MAP A-2
AUGUST 21, 22, 2005

#10

Map created Sat Nov 26 16:03:48 PST 2005


Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Grid
- Mineral Tenures
- Reserves (Sites)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Required Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Divisions
- Integrated Cadastral Fabric
- BCGS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index, Indefinite
- Contour - Index, Depression
- Contour - Index, Depression, Indefinite
- Contour - Intermediate
- Contour - Intermediate, Indefinite
- Contour - Intermediate, Depression
- Contour - Intermediate, Depression, Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport, Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2 Lanes
- Road (Paved Divided) - Not Elevated - 1 Lane Each Way
- Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
- Road (Paved Divided) - U/C - Not Elevated - 2 Lanes Each Way
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road (Paved Undivided) - Not Elevated - 4 Lanes
- Road (Paved Undivided) - U/C - Not Elevated - 4 Lanes
- Road (Unimproved)
- Cut (Roadway)
- Embankment/Fill (Roadway)

X = Rock CHIP SAMPLES

Y = SURVEYOR'S LINE

Z = MOSS MAT



Scale: 1:10,000

DO NOT USE FOR NAVIGATION


Map Center: 124° 17' 19.8" W, 48° 39' 36.7" N

Map created Sat Nov 26 16:03:48 PST 2005

Legend

- Indian Reserves
- National Parks
- Parks
- Mineral Titles Divd
- Mineral Features
- Reserves (State)
- Placer Claim Designation
- Placer Lease Designation
- No Staking Reserve
- Conditional Reserve
- Release Reserved Reserve
- Surface Restriction
- Recreation Area
- Others
- Mining Divisions
- Integrated Cadastral Fabric
- BCOS Grid
- Contours (TRIM)
- Contour - Index
- Contour - Index, Indefinite
- Contour - Index, Depression
- Contour - Index, Depression Indefinite
- Contour - Intermediate
- Contour - Intermediate, Indefinite
- Contour - Intermediate, Depression
- Contour - Intermediate, Depression Indefinite
- Area of Exclusion
- Area of Indefinite Contours
- Annotation (1:20K)
- Transportation - Points (TRIM)
- Helipad
- Transportation - Lines (TRIM)
- Airfield
- Airport
- Airstrip
- Airport Abandoned
- Ferry Route
- Road (Gravel Undivided) - 1 Lane
- Road (Gravel Undivided) - 2 Lanes
- Road (Gravel Undivided) - U/C - 1 Lane
- Road (Gravel Undivided) - U/C - 2 Lanes
- Road (Paved Divided) - Not Elevated - 1 Lane Each Way
- Road (Paved Divided) - Not Elevated - 2 Lanes Each Way
- Road (Paved Divided) - U/C - Not Elevated - 1 Lane Each Way
- Road (Paved Undivided) - Not Elevated - 1 Lane
- Road (Paved Undivided) - Not Elevated - 2 Lanes
- Road (Paved Undivided) - Not Elevated - 4 Lanes
- Road (Paved Undivided) - U/C - Not Elevated - 4 Lanes
- Road (Unimproved)
- Cut (Roadway)
- Embankment/Fill (Roadway)

B-314565
B-314564
B-314563
B-314562



Scale: 1:10,000
 DO NOT USE FOR NAVIGATION

Map Center: 124° 17' 19.8" W, 48° 39' 36.7" N

Location/Identification

MINFILE Number:	092C 091	National Mineral Inventory Number:	092C9 Fe2
Name(s):	<u>REKO 10</u>		
Status:	Developed Prospect	Mining Division:	Victoria
Mining Method		Electoral District:	
Regions:	British Columbia, Vancouver Island	Forest District:	
BCGS Map:			
NTS Map:	092C09W	UTM Zone:	10 (NAD 83)
Latitude:	48 38 35 N	Northing:	5388584
Longitude:	124 17 35 W	Easting:	404750
Elevation:	360 metres		
Location Accuracy:	Within 500M		
Comments:	Located on Zone 2, just east of Renfrew Creek (Geology and Exploration in B.C. 1975, page 38).		

Mineral Occurrence

Commodities: Iron, Copper, Gold

Minerals

Significant:	Magnetite, Chalcopyrite, Pyrrhotite, Pyrite
Alteration:	Garnet, Epidote, Pyroxene, Silica
Alteration Type:	Skarn, Silicific'n
Mineralization Age:	Unknown

Deposit

Character:	Massive, Disseminated
Classification:	Skarn, Replacement
Type:	K03: Fe skarn, K01: Cu skarn

Host Rock

Dominant Host Rock: Volcanic

Stratigraphic Age	Group	Formation	Igneous/Metamorphic/Other	Isotopic Age	Dating Method	Material Dated
Lower Jurassic	Bonanza	Undefined Formation				
Paleozoic-Mesozoic			Westcoast Complex			

Lithology: Limestone, Andesite, Diorite, Garnetite

Geological Setting

Tectonic Belt: Insular **Physiographic Area:** Vancouver Island Ranges

Terrane: Wrangell

Inventory

Ore Zone: REKO	Year: 1975
Category: Inferred	Report On: Y
Quantity: 4,500,000 tonnes	NI 43-101: N

Commodity	Grade
Iron	22.0000 per cent

Reference: George Cross News Letter No.207, (October), 1975.

Capsule Geology

The area of the Reko occurrences is mapped by Muller (Geological Survey of Canada Open File 821) as primarily diorite of the Mesozoic and/or Paleozoic Westcoast Complex. An east trending band of limestone is also mapped. Volcanics of the Lower Jurassic Bonanza Group lie to the north.

The north part of the Reko property is underlain by grey to white crystalline limestone, and the central and south part is underlain mainly by intrusive breccia. Several bodies of limestone also occur in the central and south part. The primary fragments of the breccia are fine grained and dark grayish green in colour, resembling andesite, and some contain amygdules. This andesitic rock was successively intruded by mafic-rich and mafic-poor diorite. The breccia grades to massive, mesocratic diorite to the south, and to massive andesite at about the 600 metre level on the west side of the east ridge. A set of long, narrow, fine-grained grey dykes strike 020 degrees and transects all other rocks. Most limestone bodies have been successively intruded by dykes of andesite and leucodiorite. It is thought that, prior to diorite intrusion, andesite underlay the limestone and also intruded it.

There are 4 zones included in the Reko 10 occurrence. Zone 1 (South Pit A) is exposed for 12 metres and a width of about 5 metres. Drilling has indicated that it is not much larger than the surface exposure. It consists of 35 per cent magnetite, 35 per cent garnet and 30 per cent pyrrhotite. Chalcopyrite occurs as small blebs, minute veinlets and fine disseminations. Rocks in the drill holes include limestone and andesite. An estimated 41,000 tonnes of ore occurs in Zone 1 (Geology and Exploration in B.C., 1974, page 170). No grade was given.

Zone 2 (South Pit B) is located about 200 metres southwest of Zone 1. A drill hole put down on the centre of the zone shows magnetite disseminated in epidote-pyroxene-garnet skarn from 2.4 to 25 metres. Pyrite and chalcopyrite occur locally. Rock types found include garnetite and andesite. An estimated 970,000 tonnes of ore were calculated for Zone 2 (Geology and Exploration in B.C., 1974, page 170). No grade was given.

Zone 3 (South Pit C) is located about 425 metres northwest of Zone 2. The zone is not exposed and is known only from the drilling of a magnetic anomaly. A hole put down on the centre of the zone shows, from 19 to 24 metres, magnetite, pyrrhotite and pyrite, both disseminated and as veins or veinlets. Below 24 metres the rock is predominantly diorite. Zone 3 has an estimated 32,000 tonnes of ore (Geology and Exploration in B.C., 1974, page 170). No grade was given.

In 1975, Reako Explorations Ltd. reported an ore reserve estimate on the Reko property (see Reko 3 -- 092C 090, Reko 38 -- 092C 110 and Reko North -- 092C 146) of 4,500,000 tonnes grading 22 per cent iron (George Cross News Letter No.207, 1975). The same reference also reported a 4.6 metre section of drill core (location not reported) that graded 1.5 per cent copper and 6.86 grams per tonne gold.

Bibliography

- EM EXPL 2002-29-40
EMPR ASS RPT 5029
EMPR FIELDWORK 1989, pp. 503-510
EMPR GEM 1972-242; 1973-226; *1974-166-170
EMPR GEOLOGY *1975 pp. 39-42
EMPR OF *1988-28, p. 56
EMPR OF RGS 24
EMPR PF (Reako Explorations Ltd., Prospectus, 1972; Reako Explorations Ltd., Statement of Material Facts, 1972; Various maps and sketches, 1970's; Grove, E.W. (1986): Geological Report and Work Proposal on the San Juan River Property, Pan Island Resource Corp.)
GSC MAP 1386A
GSC MEM 13
GSC OF 463; 821
GSC P 72-44; 76-1A; 79-30
GCNL #147,#157,#196,#235, 1972; #20,#21,#26,#43,#69,#117,#143,#212, 1973; #9, 1974; #207,#223, 1975
- | | | | | | |
|----------------------|------------|--------------------|-----|---------------------|---|
| Date Coded: | 1985/07/24 | Coded By: | GSB | Field Check: | N |
| Date Revised: | 1990/12/19 | Revised By: | GJP | Field Check: | N |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING

9298 CHESTNUT RD.

CHEMAINUS BC V0R 1K5

Page: 1

Finalized Date: 23-NOV-2005

This copy reported on 24-NOV-2005

Account: LEBPRO

CERTIFICATE VA05100144

Project: Tenure #509082

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 16-NOV-2005.

The following have access to data associated with this certificate:

SCOTT PHILLIPS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: LE BARON PROSPECTING
ATTN: SCOTT PHILLIPS
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING
9298 CHESTNUT RD.
CHEMAINUS BC V0R 1K5

Page: 2 - A
Total # Pages: 2 (A - B)
Finalized Date: 23-NOV-2005
Account: LEBPRO

Project: Tenure #509082

CERTIFICATE OF ANALYSIS VA05100144

Sample Description	Method Analyte Units LOR	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
B314562		0.46	<0.5	0.04	<5	10	<0.5	<2	35.7	<0.5	<1	18	12	0.09	0.01	2.29
B314563		0.56	<0.5	0.05	<5	10	<0.5	<2	34.8	<0.5	<1	9	93	0.16	0.01	1.15
B314564		0.42	<0.5	0.08	6	<10	<0.5	<2	34.8	<0.5	<1	7	6	0.09	0.01	1.94
B314565		0.36	<0.5	0.01	<5	<10	<0.5	<2	38.0	<0.5	<1	1	8	0.09	<0.01	0.16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: LE BARON PROSPECTING

9298 CHESTNUT RD.

CHEMAINUS BC V0R 1K5

Page: 2 - B

Total # Pages: 2 (A - B)

Finalized Date: 23-NOV-2005

Account: LEBPRO

Project: Tenure #509082

CERTIFICATE OF ANALYSIS VA05100144

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Hg
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.01
B314562		44	<1	0.01	<1	10	11	<0.01	<5	710	<0.01	1	<10	9	
B314563		223	<1	0.01	<1	20	9	<0.01	<5	1015	<0.01	2	<10	9	
B314564		23	1	0.01	3	100	4	<0.01	<5	848	0.01	6	<10	10	
B314565		361	<1	<0.01	<1	30	5	<0.01	<5	568	<0.01	1	<10	25	0.16

Mineral Titles Online Viewer

Public Access

Search criteria:

Criteria	Owner	Tenure Type	Tenure Status
	145817	M	GOOD


Click [here](#) to go back to the previous page
 Click [here](#) to go back to the tenure search page.

Search results: [Download to Excel \(all results\)](#)

1 -- 16 out of 16

<u>Tenure Number</u>	<u>Claim Name</u>	<u>Owner</u>	<u>Map Number</u>	<u>Good To Date</u>	<u>Status</u>	<u>Mining Division</u>	<u>Area</u>	<u>Tag Number</u>
409935	LEBARON #3	145817 100%	092C059	2006/APR/21	GOOD	VICTORIA	375.0	217380
411241	ALL THE MARBLES	145817 25%	092C070	2006/JUN/12	GOOD	VICTORIA	500.0	112006
504668		145817 100%	092C	2006/JUN/03	GOOD		255.921	
504670	Le Baron #10	145817 100%	092C	2006/JAN/23	GOOD		490.405	
509082		145817 100%	092C	2010/NOV/30	GOOD		42.67	
509083		145817 100%	092C	2005/DEC/15	GOOD		513.144	
509084		145817 100%	092C	2005/DEC/17	GOOD		534.694	
516184		145817 25%	092C	2006/JUN/13	GOOD		704.635	
517542	LE BARON #10	145817 100%	092C	2006/JUL/12	GOOD		21.339	
517543	LE BARON # 12	145817 100%	092C	2006/JUL/12	GOOD		42.683	
518578	LE BARON 53	145817 100%	092C	2006/JUL/31	GOOD		85.448	
519621	LE BARON # 13	145817 100%	092C	2006/SEP/01	GOOD		127.96	
519796	LE BARON 420	145817 25%	092C	2006/SEP/09	GOOD		341.149	
520826	LE BARON 420	145817 25%	092C	2006/OCT/05	GOOD		511.577	
520827	LE BARON 420	145817 25%	092C	2006/OCT/05	GOOD		447.858	
520828	LE BARON 420	145817 25%	092C	2006/OCT/05	GOOD		255.875	

Tenure Event Conformation Page.



<

MT.online@gov.bc.ca>

Sent : November 28, 2005 4:45:03 AM
To : scottphillips53@msn.com
Subject : Mineral Titles Online, Transaction event, Email confirmation, Event # 4056564, Work Type: B

Event Number: 4056564
Event Type: Exploration and Development Work / Expiry Date Change

Work Type Code: B

Required Work Amount: 1095.63

Total Work Amount: 3840.00

Total Amount Paid: 85.39

PAC Name: lebaron

PAC Debit: 0.00

Tenure Number: 509082
Tenure Type: M
Tenure Subtype: C
Claim Name:
Old Good To Date: 2005/NOV/30
New Good To Date: 2010/NOV/30
Tenure Required Work Amount: 1095.63
Tenure Submission Fee: 85.39

Server Name: PRODUCTION

Acknowledgments

Mineral Titles Online

**Tre Guis Minerals
Areomagnetic Map**

**Minfile Reports
Reko**

ALS Chemex