

RECEIVED
MAR - 8 2006
Gold Commissioner's Office
VANCOUVER, B.C.

REPORT ON THE 2005
DIAMOND DRILLING PROGRAM
ON THE
ISLAND MOUNTAIN GOLD PROPERTY

WELLS, BRITISH COLUMBIA

NTS: 093H/3, 4

Latitude: 53° 06' N Longitude: 121° 35' W

CARIBOO MINING DIVISION

for

Island Mountain Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2 Tel: 604-669-6463
Fax: 604-669-3041

Owner/Operator:
Island Mountain Gold Mines Ltd.
15th floor – 675 West Hastings St.
Vancouver, B.C.
V6B 1N2

Authors:
Charlie Moore, BSCh

BRITISH COLUMBIA SURVEY BRANCH
VICTORIA, B.C.

SUMMARY:

The 22,000 hectare Island Mountain Gold Project is located west of the community of Wells, British Columbia, approximately 120 km southeast of Prince George and 500 km north of Vancouver, on NTS 1:50000 scale map sheet 093H/4, in the Cariboo Mining Division. Good road access exists across the project area.

The project area is underlain by a northwest striking, moderately northeast dipping sequence of Late Proterozoic and Paleozoic continental shelf and slope deposits, including siliceous clastic sedimentary rocks with lesser amounts of volcanic rocks and carbonates, on the steep, overturned limb of a southwest-verging antiform, which, in turn, is on the northeast flank of the Island Mountain Anticlinorium. The sequence has been metamorphosed to lower greenschist facies.

The 2005 exploration program included surface rock sampling and prospecting, and 1888 metres of diamond drilling in 15 holes. Work was concentrated on the Island Mountain Group of crown-granted claims, 1.5 kilometres west of the town of Wells, with a focus on stratigraphy similar to that hosting the Bonanza Ledge Zone of International Wayside Gold Mines Ltd., and a section of the mine stratigraphy mined by former operators as the Island Mountain, Aurum, and Mosquito Creek Mines that has strong soil geochemical expression. The "Bonanza Ledge" stratigraphy occurs structurally below and southwest of the mine stratigraphy within the Rainbow unit, whereas mine stratigraphy is characterized as being the contact between the Baker and Rainbow units of the mine stratigraphy.

Prospecting in 2005 uncovered the locations of numerous old adits including the Walker, Wright, and both the Upper and Lower John's. Samples of pyritic quartz veins from the Walker and Upper John's tunnels contained 88 and 155 g/t gold respectively. Channel sampling along the main access road near the Kutney pit revealed a gold anomaly of 5.53 g/t gold across 15 metres in grey slightly weathered quartzitic argillites and small quartz veins.

The 2005 diamond drill program focused on the continuation of the 2004 Snapjack zone drilling, and on a northwest-southeast trending soil anomaly to the southwest of the Snapjack zone, detected by soil sampling in 2003. Significant gold bearing intercepts were encountered drill holes IGM05-01, 02, 05, 08, 10, 14, and 15.

Permitting was obtained in 2005 for a systematic placer gold test consisting of roughly 25 pits across the Snapjack Zone. This test will be completed in 2006.

Exploration planning for 2006 should include drilling further to the southwest of holes drilled in 2005 in order to step out further away from the mine section and into probable sheared "Bonanza" stratigraphy. In addition permitting for a systematic 25 pit placer test across the Snapjack Zone was obtained in 2005 and should be completed in 2006.

Finally, reconnaissance and surface rock sampling is planned in the Mount Tom and Sugar Creek areas to the northwest of the Island Mountain claim group.

The excellent access and existing infrastructure add to the potential of the property.

TABLE OF CONTENTS

| | Page |
|--|------|
| SUMMARY | ii |
| 1.0 INTRODUCTION..... | 1 |
| 2.0 LOCATION, ACCESS AND INFRASTRUCTURE..... | 1 |
| 3.0 LEGAL DESCRIPTION | 3 |
| 4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE | 7 |
| 5.0 HISTORY | 7 |
| 6.0 2004 WORK PROGRAM | 8 |
| 7.0 GEOLOGY | 8 |
| 7.1 Regional Geology..... | 8 |
| 7.2 Property Geology..... | 9 |
| 7.3 Structure | 12 |
| 7.4 Mineralization | 14 |
| 8.0 PROSPECTING and Channel Sampling..... | 15 |
| 9.0 DIAMOND DRILLING | 18 |
| 9.1 Procedure | 18 |
| 9.2 Results | 19 |
| 9.2.1 Southern Soil Anomaly..... | 19 |
| 9.2.2 Snapjack Zone..... | 20 |
| 9.2.3 Main Road Channel Sample Target..... | 21 |
| 10.0 CONCLUSIONS AND RECOMMENDATIONS | 23 |

LIST OF FIGURES

| | | Page |
|-----------|--|-------------|
| Figure 1 | Location Map..... | 2 |
| Figure 2 | Island Mountain Gold Mines Claim Map | 6 |
| Figure 3 | Regional Geology | 10 |
| Figure 4 | Wells Area Geology..... | 13 |
| Figure 5 | 2005 geology, sample locations, and DDH locations..... | back pocket |
| Figure 6 | Channel Sample Map..... | back pocket |
| Figure 7 | IGM 05-01 – Snapjack Zone | Appendix VI |
| Figure 8 | IGM 05-02 – Snapjack Zone..... | Appendix VI |
| Figure 9 | IGM 04-03 – Southern Soil Anomaly..... | Appendix VI |
| Figure 10 | IGM 05-04 – Snapjack Zone..... | Appendix VI |
| Figure 11 | IGM 05-05 – Snapjack Zone..... | Appendix VI |
| Figure 12 | IGM 05-06 – Southern Soil Anomaly..... | Appendix VI |
| Figure 13 | IGM 05-07 – Snapjack Zone..... | Appendix VI |
| Figure 14 | IGM 05-08 – Snapjack Zone..... | Appendix VI |
| Figure 15 | IGM 05-09 – Snapjack Zone..... | Appendix VI |
| Figure 16 | IGM 05-10 – Snapjack Zone..... | Appendix VI |
| Figure 17 | IGM 05-11 – Southern Soil Anomaly..... | Appendix VI |
| Figure 18 | IGM 05-12 – Southern Soil Anomaly..... | Appendix VI |
| Figure 19 | IGM 05-13 – Main Road Channel Sample..... | Appendix VI |
| Figure 20 | IGM 05-14 – Main Road Channel Sample..... | Appendix VI |
| Figure 21 | IGM 05-15 – Snapjack Zone..... | Appendix VI |
| Figure 22 | IGM 04-06, IGM 05-02, 05-05 – Snapjack Zone..... | Appendix VI |

LIST OF TABLES

| | | |
|---------|--|----|
| Table 1 | Summary of claim information..... | 3 |
| Table 2 | Island Mountain Group of Crown-granted mineral claims..... | 4 |
| Table 3 | Mosquito Creek Group of Crown-granted mineral claims..... | 5 |
| Table 4 | Channel Samples..... | 16 |
| Table 5 | Prospecting Samples | 18 |
| Table 6 | Drill hole specifications..... | 19 |
| Table 7 | Significant gold intersections in diamond drill holes..... | 22 |

APPENDICES

| | |
|--------------|---------------------------------------|
| Appendix I | References |
| Appendix II | Statement of Expenditures |
| Appendix III | Statements of Qualification |
| Appendix IV | Geochemical Procedures and Results |
| Appendix V | Statement of Work |
| Appendix VI | Drill Sections and Diamond Drill Logs |

1.0 INTRODUCTION


This report documents the results of the 2005 exploration program completed between July and October 2005 on the Island Mountain Gold Project, located in the Wells – Barkerville Gold Camp, Wells, British Columbia. The program involved access rehabilitation and establishment of exploration roads, surface rock sampling, and diamond drilling.

Work was concentrated on the Island Mountain and Mosquito Creek Group of crown-granted claims, 1.5 km west of the town of Wells. Focus on stratigraphy similar to that hosting the Bonanza Ledge Zone of International Wayside Gold Mines Ltd. This stratigraphic section is southwest of the “Mine Section”, the contact zone between the Baker and Rainbow units previously mined by former operators as the Island Mountain, Aurum and Mosquito Creek Mines. The Bonanza Ledge Zone discovered in March of 2000 approximately 3.5 km southeast of the current target area, lies structurally lower, well within the Rainbow unit.

2.0 LOCATION, ACCESS AND INFRASTRUCTURE

The Island Mountain Gold Project, NTS map sheet 093H/4, is located west of the community of Wells, British Columbia, approximately 120 kilometres southeast of Prince George and 500 kilometres north of Vancouver, in the Cariboo Mining Division. The 2005 exploration program was primarily concentrated on the Island Mountain and Mosquito Creek Group of crown-granted mineral claims about 1.5 km west of Wells on the eastern flank of Island Mountain at latitude 53° 06' N and longitude 121° 35' W (Figure 1).

The Island Mountain Gold Project is road accessible year-round. The property is accessible via Highway 26 that branches off from Provincial Highway 97 at Quesnel, 85 km to the west. Gravel roads, established during placer and lode mining activity in the area provide access to the property from Wells. Power is readily available by connecting to the provincial hydro grid at Wells. A hospital and airport are situated in Quesnel and basic supplies are available in Wells.



3.0 LEGAL DESCRIPTION

The approximately 22,000 hectare Island Mountain Gold Project consists of 21 mineral tenures and 63 contiguous crown grants in the Cariboo Mining Division (Figure 2). Island Mountain Gold Mines Limited has an option to earn a 50% interest in the crown-granted portion of the property from International Wayside Gold Mines Limited, subject further to an option to purchase agreement between Mosquito Consolidated Gold Mines Limited and International Wayside Gold Mines Limited. Details of this agreement are outlined in the News Release dated 8/25/2003 and can be viewed on the website of International Wayside Gold (www.wayside-gold.com). The remaining mineral claims are owned 100% by Island Mountain Gold Mines Limited. A detailed statement of claims is shown in Appendix II and summarized in Tables 1, 2 and 3.

Table 1 – Summary of Mineral Claim information - Island Mountain Gold

| Tenure Number | Claim Name | Map Number | Good To Date | Area |
|----------------------|-------------------|-------------------|---------------------|-------------|
| 376329 | ST 10 | 093H013 | 2005/NOV/30 | 25.00 |
| 506483 | Nelson | 093H | 2006/DEC/15 | 777.03 |
| 506486 | Stan | 093H | 2006/DEC/15 | 583.05 |
| 506489 | Nelson | 093H | 2006/DEC/15 | 388.47 |
| 506493 | Mustang | 093H | 2006/DEC/15 | 1549.54 |
| 506584 | DM | 093H | 2006/DEC/15 | 116.49 |
| 507247 | Nelson | 093H | 2006/DEC/15 | 698.82 |
| 507248 | Nelson | 093H | 2006/DEC/15 | 621.30 |
| 507261 | Jeff | 093H | 2006/DEC/15 | 620.63 |
| 507262 | Jeff | 093H | 2006/DEC/15 | 717.12 |
| 507263 | Jeff | 093H | 2006/DEC/15 | 309.98 |
| 507264 | Sugar Mtn. | 093H | 2006/DEC/15 | 1026.62 |
| 507265 | Mustang | 093H | 2006/DEC/15 | 542.59 |
| 507288 | Mustang | 093H | 2006/DEC/15 | 426.36 |
| 507308 | Stan | 093H | 2006/DEC/15 | 680.82 |
| 508778 | Café | 093H | 2006/DEC/15 | 775.28 |
| 508820 | DWM | 093H | 2006/DEC/15 | 135.73 |
| 508905 | Café | 093H | 2006/DEC/15 | 871.72 |
| 509015 | ST | 093H | 2006/DEC/15 | 193.86 |
| 509017 | ST | 093H | 2006/DEC/15 | 639.85 |
| 509179 | Café | 093H | 2006/DEC/15 | 833.23 |


Claims are 100% held by Island Mountain Gold Mines Ltd.

Table 2 - Island Mountain Group of Crown-granted Mineral Claims

| Grant name | No. | Date granted |
|--------------------|------------|---------------------|
| BROOKFORD NO.3 | 5900 | Feb 01, 1935 |
| BROOKFORD FRACTION | 5903 | Feb 01, 1936 |
| GOLDBRICK FRACTION | 7807 | May 29, 1935 |
| AUSTIN FRACTION | 9470 | Dec 09, 1937 |
| BROOKFORD NO. 8 | 10354 | Feb 01, 1936 |
| AURUM | 10517 | Apr 30, 1935 |
| AURUM N.E. | 10518 | Aug 20, 1935 |
| PAYSTREAK NO.5 | 10586 | Nov 02, 1935 |
| PAYSTREAK NO.6 | 10587 | Nov 02, 1935 |
| PAYSTREAK NO.7 | 10588 | Nov 02, 1935 |
| PAYSTREAK NO.8 | 10589 | Nov 02, 1935 |
| AURUM WEST | 11066 | Apr 30, 1935 |
| AURUM SOUTH | 11067 | Apr 30, 1935 |
| MOHAWK NO.1 | 11068 | Apr 30, 1935 |
| MOHAWK NO.2 | 11069 | Apr 30, 1935 |
| PAYSTREAK NO.1 | 11070 | Apr 30, 1935 |
| TRIANGLE FRACTION | 11071 | Apr 30, 1935 |
| MOHAWK NO.4 | 11073 | Apr 30, 1935 |
| V. FRACTION | 11074 | Apr 30, 1935 |
| OKAY FRACTION | 11081 | Apr 30, 1935 |
| MOHAWK NO.5 | 11082 | Nov 02, 1935 |
| MOHAWK NO.6 | 11083 | Nov 04, 1935 |
| NORTH STAR NO.1 | 11084 | Nov 02, 1935 |
| NORTH STAR NO.2 | 11085 | Nov 02, 1935 |
| NORTH STAR NO.3 | 11086 | Nov 02, 1935 |
| NORTH STAR NO.4 | 11087 | Nov 02, 1935 |
| NORTH STAR NO.9 | 11088 | Nov 02, 1935 |
| MOHAWK NO.8 | 11089 | Nov 02, 1935 |
| MOHAWK NO.7 | 11090 | Nov 02, 1935 |
| JIM FRACTION | 11091 | Nov 02, 1935 |
| ART FRACTION | 11092 | Nov 02, 1935 |
| IVAN FRACTION | 11093 | Nov 02, 1935 |
| N.M. NO.9 FRACTION | 11094 | Nov 02, 1935 |
| PAY FRACTION | 11095 | Nov 02, 1935 |

Table 3 – Mosquito Creek Group of Crown-granted Mineral Claims

| Grant name | Grant No. | Hectares | Date granted |
|---------------------|------------------|-----------------|---------------------|
| OLIVER | 20F | 9.52 | Sep 02, 1875 |
| ALABAMA CO. | 30F | 2.02 | May 16, 1875 |
| FARMER CO. | 38F | 1.21 | May 17, 1876 |
| NEVER SWEAT CO. | 39F | 1.21 | May 17, 1876 |
| BROOKFORD NO.4 | 5901 | 17.15 | Feb 01, 1936 |
| BROOKFORD NO.5 | 5902 | 16.72 | Feb 01, 1936 |
| RED FRACTION | 5924 | 3.85 | Oct 30, 1939 |
| BROOKFORD NO.6 | 10352 | 14.54 | Feb 01, 1936 |
| BROOKFORD NO.7 | 10353 | 17.79 | Feb 01, 1936 |
| MOSQUITO | 10355 | 12.82 | Feb 01, 1936 |
| VANCOUVER | 10356 | 20.90 | Feb 01, 1936 |
| PORT HOPE | 10357 | 20.90 | Feb 01, 1936 |
| SEATTLE | 10358 | 20.79 | Feb 01, 1936 |
| MOSQUITO FRACTION | 10359 | 15.74 | Jul 13, 1936 |
| RED GULCH NO.1 | 10360 | 16.55 | Oct 30, 1939 |
| RED GULCH NO.2 | 10361 | 20.90 | Oct 30, 1939 |
| RED GULCH NO.3 | 10362 | 20.90 | Oct 30, 1939 |
| RED GULCH NO.4 | 10363 | 10.54 | Nov 11, 1939 |
| RED GULCH NO.5 | 10364 | 20.90 | Oct 30, 1939 |
| RED GULCH NO.6 | 10365 | 17.06 | Oct 30, 1939 |
| RED GULCH NO.7 | 10366 | 12.95 | Oct 27, 1939 |
| RED GULCH EXT. NO.1 | 10368 | 17.57 | Oct 27, 1939 |
| RED GULCH EXT. NO.2 | 10369 | 10.25 | Oct 27, 1939 |
| WILLOW NO.7 | 10717 | 15.41 | Feb 19, 1951 |
| WILLOW NO.8 | 10718 | 19.07 | Feb 19, 1951 |
| WILLOW NO.9 | 10719 | 7.84 | Feb 19, 1951 |
| WILLOW NO.10 | 10720 | 13.61 | Feb 19, 1951 |
| DAWNE NO.4 FRACTION | 10722 | 10.96 | Feb 19, 1951 |
| MOHAWK NO.3 | 11072 | 14.22 | Apr 30, 1935 |



4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

4.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The Island Mountain Gold Project includes claims just north of and in a belt extending 10 kilometres west of Jack of Clubs Lake, situated within the Quesnel Highlands on the eastern edge of the Interior Plateau. The topography in the area is moderate, rising from about 1100 metres in the river valleys to a maximum of 1800 metres on mountain peaks. Summits are generally rounded, having been glaciated by continental ice sheets during the Pleistocene Epoch (Holland, 1976). Ice direction is generally to the northwest near Wells and glacial till is the most widespread surficial deposit in the area.

The Wells area is generally well forested. Hillside slopes are dominated by spruce and subalpine fir, accompanied by alder and other deciduous foliage on lower, wetter slopes flanking river valleys. Most of the crown-granted portion of the property, north of Jack of Clubs Lake, has been previously logged with a deciduous second growth cover of alder and willow.

The climate consists of cool summers and cold winters due to the moderately high altitude of the Wells area. The climate is wet throughout the year, with a mean annual precipitation of 100 cm that includes a significant amount of snow, especially at the higher elevations.

5.0 HISTORY

The Island Mountain Gold Project is situated within the Cariboo Gold Belt, a world-class producer of gold that has had a history of mining dating from the 1860's. The project includes three past producing gold mines, the Island Mountain, Aurum and Mosquito Creek Gold Mines, located on the crown-granted portion of the property, north of Jack of Clubs Lake. Placer production from the Mosquito Creek drainage on Island Mountain is estimated to be in excess of 100,000 ounces of gold (Eyles and Kocsis, 1989).

The Island Mountain/Aurum Mines (1934-1967) and the Mosquito Creek Gold Mine (1980-1983) produced 603,800 ounces of gold from approximately 1.35 million tons of ore (Hall, 1999c). Production was from quartz-type ore with an average grade of 0.35 ounces per ton (12.0 g/t) gold and pyrite-type ("replacement") ore with an average grade of 0.67 ounces per ton (23.0 g/t) gold.

Additional work on Island Mountain has included trenching, grid establishment, surface geophysics including magnetic, SP, VLF and IP surveys, soil geochemistry, and both surface and underground drilling.

Exploration work by Island Mountain Gold Mines Ltd. from 1999 to 2004 has included 6,133 meters of drilling in 49 diamond drill holes, trenching, and soil geochemical surveys.

6.0 2005 WORK PROGRAM

The 2005 exploration program on the Island Mountain Gold Project involved surface rock sampling, continuation of the 2004 Snapjack Zone drilling plan, as well as 3 holes to the southwest targeting a soil anomaly delineated in 2003. Permits were also obtained for a systematic placer gold test across the large soil anomaly over the Snapjack zone. In total 1,888 metres was drilled in 15 holes and 77 surface rock samples were collected. Work in 2005 was focused on the Island Mountain and Mosquito Creek Group of crown-granted claims, north of Jack of Clubs Lake.

7.0 GEOLOGY

7.1 Regional

The geology of the Cariboo gold mining district has been presented in reports and maps by Bowman (1889, 1895), Johnston and Uglow (1926), Hanson (1935), Sutherland Brown (1957), Struik (1988) and Levson and Giles (1993).

The Island Mountain Gold Project lies within the Kootenay (Barkerville) Terrane, part of the Omineca Belt of the Canadian Cordillera (Struik, 1988). The Barkerville Terrane consists of a Late Proterozoic and Paleozoic sequence of continental shelf and slope deposits developed adjacent to the craton of Ancestral North America and includes siliceous clastic sedimentary rocks along with lesser amounts of volcanic rocks and carbonates. It is structurally the lowest exposed stratigraphic sequence in the area and is more deformed and metamorphosed than adjacent terranes (Figure 3).

The property area is underlain by siliceous greywackes and grits, impure quartzite, black and green pelite, lesser limestone and volcanoclastic rocks that have been included in the Snowshoe Group in the Wells area and have been correlated with the Eagle Bay Formation near Adams Lake and the Lardeau Group near Kootenay Lake as well as with rocks of the Yukon-Tanana Terrane (Sutherland Brown, 1957; Struik, 1986; Hall, 1999a). Rocks of the Snowshoe Group in the Wells area have been metamorphosed to lower greenschist facies, generally of lower metamorphic grade than other sequences in the Barkerville Terrane.

Rocks of the Barkerville Terrane were subjected to an early period of ductile deformation that resulted in westward directed, asymmetrical folds plunging at shallow angles to the northwest. Post metamorphic open folds with upright cleavage are superimposed on earlier structures. During Late Cretaceous to Early Tertiary time, the terrane was disrupted by northwest trending dextral strike-slip faults such as the Willow Fault, a major strike slip fault of unknown displacement that has been mapped through Mount Tom, Island Mountain, Cow Mountain and Richfield Mountain in the Wells area (Struik, 1988). Northwest and north-trending faults with an important normal component and generally


apparent right-lateral displacements record extension probably associated with transtensional deformation.

7.2 Property Geology

The following local geology of the Island Mountain area has been abbreviated from Pickett, 2003 (Figure 4).

The Island Mountain Gold Project is underlain by a northwest striking, moderately northeast dipping sequence of rocks on the steep, overturned limb of a southwest-verging antiform, which, in turn, is on the northeast flank of the Island Mountain Anticlinorium of Sutherland Brown (1957). Symmetry in the stratigraphy at Island Mountain (Hall, 1991) and local variations in stratigraphic tops noted in drill core suggest that the rocks have been internally folded and are not a simple overturned monoclinial sequence. A prominent lineation, plunging 20-22 degrees to the northwest, is the most persistent fabric developed and corresponds to axes of asymmetrical fold structures and the intersections of cleavages (Hall, 1999a).

Stratigraphic nomenclature for the sequence of rocks at the Island Mountain, Aurum and Mosquito Creek Mines has been modified several times. Hanson (1935) included the sequence in two members, a structurally upper carbonate-dominated sequence of lighter coloured rocks comprising the "Baker Member" and a structurally lower sequence of darker coloured silicic metaturbiditic rocks he called the "Rainbow Member" or Rainbow quartzite. Sutherland Brown (1957) included the Baker Member and structurally upper portion of the Rainbow Member in the Snowshoe Formation, which, in turn, was subsequently included in the Downey Succession of Struik (1988). Structurally lower portions of the Rainbow Member were included in the Midas Formation of Sutherland Brown (1957) and subsequently in the Hardscrabble Mountain Succession of Struik (1988).



7.2 Property Geology (cont'd)

7.2 Property Geology (cont'd)

Rocks of the Downey Succession including portions of the Baker and Rainbow members underlie the northeastern portion of the crown-granted mineral claims (Figures 3, 6 and 8). These rocks are structurally underlain by thick sequences of graphitic argillite interlayered with lesser silicic greywackes of the Hardscrabble Mountain Succession. To the southwest of the Willow Fault, rocks of the Downey Succession are structurally overlain by the Island Mountain amphibolite, interpreted to be a klippe of Slide Mountain Terrane.

Local stratigraphy in which the Island Mountain, Aurum and Mosquito Creek Mines were developed has been called the "Mine Section" (Hall, 1991). This section is about 700 feet 210 metres thick, and consists of interlayered carbonate-rich rocks, mafic tuffs and dark grey silicic turbidites. The carbonate-rich rocks include white to grey sandy limestones, calcareous mudstones and dolomitic, micaceous siltstones. The calcareous rocks typically have graphitic partings and/or interlayered calcareous graphitic argillite. The volcanic rocks are medium to pale green and mostly consist of mafic tuff and epiclastic rocks with a major tuffaceous component. A few amygdaloidal volcanic flows are also present. The silicic turbidites comprise siliceous siltstone, silicic greywacke, quartz grit and silicic conglomerate interlayered with dark grey to black graphitic argillite.

The turbidites are rhythmically bedded and exhibit partial Bouma sequences locally. The units are variably altered and bleached. Dolomitization, as represented by 1-3 mm dolomite porphyroblasts and the presence of finer dolomite in the matrix, is widespread. Sericitization commonly accompanies dolomitization. Where intense, the combination of dolomitization and sericitization obscures the original lithology and results in a pale olive green to tan rock that may have been developed from alteration of dolomite-rich carbonate rocks, mafic tuff or finer grained turbidites. Less altered mafic tuffs typically contain abundant calcite veins and amygdules. Fine grained, partial to pervasive silicification is present locally. In places, silicified zones within the mafic tuffs contain 5 to 10 % pyrite accompanied by lesser arsenopyrite. These zones are locally auriferous. Where carbonate-rich rocks host semi-massive pyrite mineralization, they are locally bleached, dolomitized and silicified.

Stratigraphic position, host rock lithologies and proximity to north-striking fault zones are important guides to the three styles of gold mineralization recognized in the Wells area. The mineralization is stratabound in that each style is confined for the most part to a particular section of the local stratigraphy. Historical production has been from mesothermal pyrite-bearing quartz vein systems that cut siliceous turbiditic rocks and from semi-massive to massive pyrite bodies that occur in carbonate-rich rocks structurally higher but stratigraphically lower in the sequence.

A newly recognized and economically important type of mineralization was discovered in 2000 on the divide between Stout's Gulch and Lowhee Creek between Barkerville and Wells. This new orebody was discovered by International Wayside Gold Mines Ltd, and is called the Bonanza Ledge deposit. It consists of argillite, quartzite and minor carbonate

that are intensely altered to dolomite and sericite and are cut by rich veins and replacements in a bulk mineable zone. The host rocks are thought to be part of the Rainbow Member within a mylonitic shear zone that is bounded on the northeast and southwest by major quartz breccia veins. The orebody strikes northwest and the host rocks dip moderately to the northeast. An equivalent stratigraphic and structural setting is thought to be present on the Island Mountain ground in a northwest striking zone south of the old mine workings at the Mosquito Creek, Aurum and Island Mountain mines.

7.3 Structure

Rocks underlying the claim groups are variably strained. Areas of low strain preserve primary features such as graded bedding. Highly strained zones show disrupted and thinned bedding and the clasts in coarser units are strongly elongated and earlier veins have been boudinaged.

Robert and Taylor (1989) and Rhys and Ross (2000) report that three deformation events affect lithologies in the Wells area. At Island Mountain, the earliest deformation, D1 is associated with a bedding-parallel foliation (S1) that strikes northwest/southeast and dips moderately to the northeast. The second deformation (D2), the dominant deformation event in the area, is represented by a well-developed schistosity (S2), which strikes easterly and dips about 22 degrees to the north. It is axial planar to asymmetric, z-shaped F2 folds that plunge about 20 degrees to the northwest (average plunge 22 degrees toward 310 degrees) (Robert and Taylor, 1989). Bedding and the earlier foliation are commonly transposed into the later S2 foliation. A well-developed intersection lineation (L2) is parallel to the plunge of the F2 fold axes, and results from the intersection of the S1 and S2 foliations. The third deformation event (D3) developed a steeply dipping, northwest striking crenulation cleavage that can be observed locally. It is associated with open, upright folds that deform both S1 and S2 (Rhys and Ross, 2000). An associated shallow west-northwest plunging crenulation lineation (L3) is present locally on S2 surfaces and trends 5-40° anticlockwise to L2 (Rhys and Ross, 2000).

The Mine Section is offset by a series of northerly striking, moderately to steeply east-dipping fault zones that postdate the folding (Hall, 1991; Robert and Taylor, 1989). The faults have an important normal component and apparent dextral displacements that offset units of the Baker and Rainbow Members several hundred metres. The faults include from northwest to southeast the Mosquito, Burnett and Aurum faults (Hall, 1991). Minor apparent normal left lateral offsets of a few metres occur along a subsidiary network of shallow northwesterly dipping faults. The Willow Fault, a major strike-slip fault of unknown displacement passes through the southern portion of the property (Struik, 1988).

7.4 Mineralization

Gold mineralization on the Island Mountain Gold property includes replacement style carbonate-hosted semi-massive to massive pyrite replacements and mesothermal pyritic quartz veins.

The replacement type mineralization is developed within calcareous and dolomitic rocks of the "Baker Member" proximal to its contact with structurally underlying siliceous meta-turbiditic rocks of the "Rainbow Member" and occurs mainly as northwest-plunging pencil-like ore shoots parallel to L_2 in the F_2 fold hinges or as tabular bodies on the long limbs of the F_2 folds (Robert and Taylor, 1999; Hall, 1999b) with a remarkably persistent plunge of -21° , slightly oblique to the $300-310^\circ$ strike of the host unit (Hall, 1999b).

The pyrite-rich mineralization consists of fine grained semi-massive to massive isolated or stacked pyrite lenses, individually up to 50 cm thick, that carry gold grades locally in excess of 50 g/t. The margins of the lenses are marked by very coarse-grained pyrite and/or arsenopyrite, thin bands of disseminated pyrite, and thin bands of mottled dolomite and fuchsite (Hall, 1999a). Lower grade gold mineralization is associated with the coarse-grained pyrite, some or all of which is probably porphyroblastic (Robert and Taylor, 1989).

Mineralized quartz-pyrite veins occur as strike veins, striking parallel to bedding and dipping $45-70^\circ$ NE, generally more steeply than bedding (Richards, 1948; Robert and Taylor, 1989); northerly veins, occupying north-striking faults; diagonal veins, trending $N70-90^\circ$ E and subvertical; and orthogonal veins, with a $N30-40^\circ$ E strike and a dip of 70° SE. In the Island Mountain mine the diagonal veins are regularly spaced at intervals of approximately 30 meters (Hall, 1999b). The diagonal and orthogonal veins are the most important hosts for vein-hosted gold mineralization in the Wells area. Both orthogonal and diagonal veins were mined in the Cariboo Gold Quartz mine but only diagonal veins were mined at Island Mountain (Hall, 1991).

The gold-bearing quartz-pyrite veins typically occur in siliceous turbiditic rocks of the Rainbow Member generally within 100m of its contact with the structurally overlying Baker Member. Graphitic gouge typically occurs along the contacts of the larger veins. Proximity to north striking fault zones, density of quartz veining and pyrite content were important guides to ore within the Rainbow sequence (Hall, 1999a).

Higher grade veins (6.8-34.3 g/t Au) consist mainly of blocky-fractured white quartz containing 15-25% pyrite and variable amounts of dolomite, ankerite, sericite, clear crystalline quartz and minor mariposite (Hall, 1999a). Minor phases include arsenopyrite, galena, sphalerite and scheelite; accessory minerals include pyrrhotite, chalcopyrite, cosalite, bismuthinite and free gold (Hall, 1999a). Cosalite, $(2(\text{PbS}).\text{Bi}_2\text{S}_3)$, and bismuthinite (Bi_2S_3) are reliable indicators of visible gold and high grade mineralization (Hall, 1999a).

The Bonanza Ledge Zone, of International Wayside Gold Mines Ltd., discovered in March of 2000, is located about 3.5 km southeast of the crown-granted portion of the Island Mountain Gold Project. Gold mineralization occurs in discrete areas of massive, banded and stringer pyrite developed in strongly carbonate-muscovite-pyrite altered pelitic rocks structurally lower but stratigraphically higher than the siliceous turbiditic rocks hosting the mesothermal pyrite-bearing quartz veins and the pyrite-rich replacement mineralization that occur on the Island Mountain Gold property. According to Rhys (2001), mineralization style, timing and associated alteration at Bonanza Ledge is broadly comparable to pyritic replacement style mineralization that was historically mined in the district, although the host rock differs, and the Bonanza Ledge mineralized bodies are larger.

The Bonanza Ledge Zone, with grades reported to range from 1 to 80 g/t Au occurs in the footwall of the B.C. Vein, a strike vein from which several pyritic ore shoots were mined in the Cariboo Gold Quartz mine and other near-surface workings.

8.0 PROSPECTING and CHANNEL SAMPLING

Prospecting and channel samples were collected in and around the area known as the Snapjack zone believed to be underlain by the Rainbow member and extending generally from the highway along Jack of Clubs Lake to the Teapot Vein area to the northwest. Channel sampling was completed on the main access road approximately 75m southwest of the Kutney pit. An interval of 50' (9.84 m) with an average grade of 5.53 g/t gold was encountered as a result of the sampling (Figure 6). Sample descriptions and assay results are listed in Table 4.

During prospecting a number of old adits were uncovered, including the Walker tunnel, the Wright tunnel, and both the upper and lower John's adits, all of which were historic producers of auriferous pyritic quartz veins. Samples collected from these veins returned high grade gold values ranging from 88g/t in the Walker tunnel, to 155 g/t in the Upper John's adit. Sample locations, descriptions, and assay results are listed in Table 5.

Table 4: Channel Sample Descriptions

| Location | Sample Number | Au g/t | Au oz/t | Sample Length (feet) | Description |
|----------|---------------|--------|---------|----------------------|---|
| MR Tr. 1 | E31976 | 0.04 | 0.001 | | channel of QV and host rock |
| MR Tr. 1 | E31977 | 0.25 | 0.007 | 0-5 | dark brown weathered schist |
| MR Tr. 1 | E31978 | 0.98 | 0.029 | 5-10 | grey host rock and Quartz veinlets |
| MR Tr. 1 | E31979 | 1.07 | 0.031 | 10-15 | Black, white, brown, grey, may be fault...gold panned from sample |
| MR Tr. 1 | E31980 | 0.25 | 0.007 | 15-20 | mainly brown white or grey quartz vein |
| MR Tr. 1 | E31981 | 0.22 | 0.006 | 20-25 | Brown QV without any sulphide |
| MR Tr. 1 | E31982 | 0.1 | 0.003 | 25-30 | Brown QV without any sulphide |
| MR Tr. 1 | E31983 | 0.4 | 0.012 | 30-35 | Brown QV without any sulphide |
| MR Tr. 1 | E31984 | 1.09 | 0.032 | 35-40 | Brown QV without any sulphide |
| MR Tr. 1 | E31985 | 1.05 | 0.031 | 40-45 | 85% brown QV and 15% dark grey host |
| MR Tr. 1 | E31986 | 0.44 | 0.013 | 45-50 | >95% brown, orange, yellow QV...gold panned from sample |
| MR Tr. 1 | E31987 | 1.38 | 0.040 | 50-55 | >95% brown, orange, QV |
| MR Tr. 1 | E31988 | 0.51 | 0.015 | 55-65 | 65% host rock and 35% QV, grey, dark grey, brown |
| MR Tr. 1 | E31989 | 0.18 | 0.005 | 65-75 | host rock and QV |
| MR Tr. 1 | E31990 | 0.32 | 0.009 | 75-85 | >95% host with little QV fragments |
| MR Tr. 1 | E31991 | 0.09 | 0.003 | 85-95 | silicified grey argillite and minor QV (small QV) |
| MR Tr. 2 | E31992 | 4.75 | 0.139 | 0-5 | 65% brown/dark brown QV + Fe Pb hosts |
| MR Tr. 2 | E31993 | 0.08 | 0.002 | 5-15 | mainly argillite with big oxidized pyrite porphyroblasts + small QV |
| MR Tr. 2 | E31994 | 0.06 | 0.002 | 15-25 | same as 31993 + small QV with no sulphide |
| MR Tr. 2 | E31995 | 0.18 | 0.005 | 25-35 | mostly grey host rock |
| MR Tr. 2 | E31996 | 0.04 | 0.001 | 35-45 | grey - dark grey host rock |
| MR Tr. 2 | E31997 | <0.03 | <0.001 | 45-55 | host rock |
| MR Tr. 2 | E31998 | <0.03 | <0.001 | 55-65 | 70% host rock - 30% QV |
| MR Tr. 2 | E31999 | 0.20 | 0.006 | 65-75 | 55% host rock - 45% QV |
| MR Tr. 2 | E32000 | 0.05 | 0.001 | 75-85 | host rock |
| MR Tr. 2 | E31751 | 1.65 | 0.048 | 85-95 | 50% yellow/orange/brown QV + 50% host rock |
| MR Tr. 2 | E31752 | 0.08 | 0.002 | 95-105 | host rock with small QV |
| MR Tr. 2 | E31753 | <0.03 | <0.001 | 105-115 | 90% host rock - 10% QV |
| MR Tr. 2 | E31754 | 0.31 | 0.009 | 115-125 | 50% vein quartz + 50% host |
| MR Tr. 2 | E31755 | 0.25 | 0.007 | 125-135 | 70% host rock - 30% QV |
| MR Tr. 2 | E31756 | 0.09 | 0.003 | 135-145 | 95% orange light brown vein quartz + 5% host rock |
| MR Tr. 2 | E31757 | <0.03 | <0.001 | 145-155 | 70% vein quartz 30% host rock |
| MR Tr. 2 | E31758 | 0.05 | 0.001 | 155-165 | 60% vein quartz (light brown, orange) + 40% host rock |
| MR Tr. 2 | E31759 | 0.06 | 0.002 | 165-175 | 50% vein quartz fragments + 50% host rock fragments |

Table 4 - continued

| | | | | | |
|----------|--------|-------|--------|---------|---|
| MR Tr. 2 | E31760 | 0.23 | 0.007 | 175-185 | 55% host rock (grey, dark grey) + 45% brown/dark brown vein quartz fragments |
| MR Tr. 2 | E31761 | 0.09 | 0.003 | 185-195 | 90% host rock fragments + 10% vein quartz fragments |
| MR Tr. 2 | E31762 | 0.44 | 0.013 | 195-205 | 60% light orangish white vein quartz + 40% host rock |
| MR Tr. 2 | E31763 | 0.32 | 0.009 | 205-215 | 85% host rock + 15% brown or orange vein quartz fragments |
| MR Tr. 2 | E31764 | 0.08 | 0.002 | 215-225 | grey - dark grey host rock |
| MR Tr. 2 | E31765 | 0.07 | 0.002 | 225-235 | 50% vein quartz + 50% host |
| MR Tr. 2 | E31766 | <0.03 | <0.001 | 235-245 | 85% host rock + 15% vein quartz fragments |
| MR Tr. 2 | E31767 | <0.03 | <0.001 | 245-255 | 95% host rock + 5% vein quartz fragments |
| MR Tr. 2 | E31768 | 0.03 | 0.001 | 255-265 | >95% host rock + 5% vein quartz from a small quartz vein |
| MR Tr. 2 | E31769 | 0.03 | 0.001 | 265-275 | host rock |
| MR Tr. 2 | E31770 | 0.09 | 0.003 | 275-285 | 65% host rock + 35% vein quartz fragments |
| MR Tr. 2 | E31771 | 0.28 | 0.008 | 285-295 | 70% host rock - 30% QV |
| MR Tr. 2 | E31772 | 0.06 | 0.002 | 295-305 | 60% host rock + 40% vein quartz fragments |
| MR Tr. 2 | E31773 | <0.03 | <0.001 | 305-315 | >97% host rock + 3% brownish white vein quartz fragments |
| MR Tr. 2 | E31774 | 0.78 | 0.023 | 315-325 | 90% host rock, pyrite porphyroblastic argillite + 10% small brown QV cutting strata. Some dense arsenopyrite+pyrite in the vein |
| MR Tr. 2 | E31775 | 2.98 | 0.087 | 325-335 | 85% dark grey Quartzite (or silicified argillite) +15% brownish |
| MR Tr. 2 | E31776 | 3.4 | 0.099 | 335-345 | 80% brownish white vein quartz + 20% dark grey quartzite (or silicified argillite) |
| MR Tr. 2 | E31777 | 0.09 | 0.003 | 345-355 | 98% dark grey host (schist, phyllite, or argillite) + <2% quartz vein material |
| MR Tr. 2 | E31778 | 20.4 | 0.595 | 355-365 | 90% brownish quartz vein + 10% host rock |
| MR Tr. 2 | E31779 | <0.03 | <0.001 | 365-375 | >98% grey - dark grey phyllite or argillite with <2% QV material |
| MR Tr. 2 | E31780 | 0.06 | 0.002 | 375-385 | brown schist or phyllite |
| MR Tr. 2 | E31781 | 1.93 | 0.056 | 385-395 | brown schist or phyllite - very soft |
| MR Tr. 2 | E31782 | 0.59 | 0.017 | 395-405 | strongly weathered brown host (argillite ?) soft |
| MR Tr. 2 | E31783 | 1.33 | 0.039 | 405-415 | light brown argillite or phyllite, weathered and soft |
| MR Tr. 2 | E31784 | 0.28 | 0.008 | 415-425 | pale brown host rock |
| MR Tr. 2 | E31785 | 0.43 | 0.013 | 425-435 | pale brown host rock |

Table 5: Prospecting Rock Sample descriptions

| Sample # | Easting | Northing | Au g/t | Au oz/t | Sample Location/Description |
|----------|---------|----------|--------|---------|--|
| E31960 | 594707 | 5884220 | 0.03 | 0.001 | Lightning Zone - Brown/orange clay like material at contact between phyllite and dark grey massive limestone |
| E31961 | 594739 | 5884459 | 193 | 5.628 | Upper John's Adit - 65% pyrite, 35% QV, very heavy, pyrite fine grained |
| E31962 | 594739 | 5884459 | 2.98 | 0.087 | Upper John's Adit - Brown QV and host rocks, mostly QV, very little pyrite |
| E31963 | 594109 | 5884048 | 0.05 | 0.001 | Line 14+00 E, 20+00S - White QV 1.5 meters wide? Orientation unknown, NVS. Metal tag 38152 nearby |
| E31964 | 594710 | 5884457 | 0.06 | 0.002 | Lower John's adit - tunnel follows 2 quartz veins apparently oppositely dipping. NVS |
| E31965 | 594517 | 5884511 | 88.4 | 2.578 | Walker Adit - Quartz Pyrite vein - fine grained pyrite. |
| E31966 | 594499 | 5884531 | 57.9 | 1.689 | Wright Adit - Quartz Vein |
| E31967 | 594563 | 5884312 | 0.89 | 0.026 | Crystal Trench Area - Light orange white vuggy QV - NVS; 135/70 |
| E31968 | 594009 | 5884151 | 0.06 | 0.002 | Trench near Line 8+00E - Quartz Vein 360/30 |
| E31969 | 594442 | 5884505 | 0.12 | 0.003 | Chip sample - mainly quartzitic argillite (host rock) |
| E31970 | 594442 | 5884505 | 0.31 | 0.009 | Chip Sample - 50% host rock 50% QV (fault zone?) |
| E31971 | 594442 | 5884505 | 1.89 | 0.055 | Chip Sample - 80% host rock 20% QV (fault zone?) |
| E31972 | 594442 | 5884505 | 0.19 | 0.006 | Chip Sample - 50% host rock 50% QV |
| E31973 | 594442 | 5884505 | 14.2 | 0.414 | Chip Sample - >85% QV - NVS |
| E31974 | 594442 | 5884505 | 0.06 | 0.002 | Chip sample - Host rock of QV |
| E31975 | 594412 | 588383 | 21.08 | 0.615 | Between Line 14+00E and 12+00E - Arsenopyrite in QV - in ditch on main road between line |

9.0 DIAMOND DRILLING

9.1 Procedure

A total of 1888 metres of diamond drilling in 15 holes (IGM 05 - 01 to 15) (fig. 5, 7-22) was completed on the Island Mountain and Mosquito Creek Group of crown-granted claims, north of Jack of Clubs Lake during the 2005 exploration program. Drilling was carried out between July 1 and Sept 30, 2005 by Standard Drilling and Engineering Ltd. of Vancouver, B.C.

A total of 359 samples of core were split in half at the International Wayside Gold Mines Ltd. core storage compound in Wells. Samples were sent to Eco Tech Labs in Kamloops, British Columbia. Drill holes IGM05-01 to 05-05 and IGM05-07-05-10 were assayed for gold and analyzed by 28 element ICP, while drill holes IGM05-06 and IGM05-11 to 05-15 were assayed just for gold. Lab procedures and results are outlined in Appendix V. Drill hole specifications are summarized in Table 6 and drill hole locations are shown on Figure 5. Summary drill sections and drill logs are included in

Appendix VI. The core is stored at the International Wayside Gold Mines Ltd. core storage facility in Wells.

Table 6: Drill hole Specifications

| Hole No. | Easting* | Northing* | Azimuth (True) | Dip | Depth (feet) | Sample Numbers | # of Samples |
|----------------|----------|-----------|----------------|-----|--------------|---------------------------------------|--------------|
| IGM05-01 | 13252.18 | 16086.28 | 264 | -43 | 348 | 31734-31750 | 17 |
| IGM05-02 | 12992.00 | 16255.15 | 269 | -45 | 348 | 31001-31015 | 15 |
| IGM05-03 | 11991.96 | 15602.64 | 192 | -45 | 463 | 31016-31028, 31030-31032, 31046-31048 | 19 |
| IGM05-04 | 12885.49 | 16181.34 | 269 | -54 | 348 | 31033-31045 | 13 |
| IGM05-05 | 12843.38 | 16274.27 | 266 | -55 | 347 | 31049-31061 | 13 |
| IGM05-06 | 12556.75 | 15380.61 | 175 | -44 | 736 | 31801-31831 | 41 |
| IGM05-07 | 12934.44 | 16318.86 | 270 | -46 | 348 | 31062-31083 | 22 |
| IGM05-08 | 13416.92 | 15888.98 | 263 | -48 | 345 | 31084-31104 | 21 |
| IGM05-09 | 13207.71 | 15903.91 | 262 | -46 | 346 | 31105-31126 | 22 |
| IGM05-10 | 13705.90 | 15613.95 | 268 | -45 | 347 | 31127-23360 | 34 |
| IGM05-11 | 13079.66 | 15166.64 | 166 | -46 | 705 | 31164-31197 | 45 |
| IGM05-12 | 12575.76 | 16137.51 | 175 | -45 | 656 | 31198-31233 | 36 |
| IGM05-13 | 12754.75 | 15833.40 | 175 | -45 | 306 | 31234-31253 | 20 |
| IGM05-14 | 12754.85 | 15832.20 | 175 | -60 | 357 | 31254-31279 | 26 |
| IGM05-15 | 13508.45 | 15415.63 | 261 | -45 | 196 | 31280-31294 | 15 |
| TOTALS: | | | | | 6196 | (1888 meters) | 359 |

*Collar locations are reported on the Island Mtn Mine Grid

9.2 Results

See Table 6 for a summary of significant intersections.

9.2.1 SOUTHERN SOIL ANOMALY DRILLING

Drill holes **IGM 05-03, 06, 11, and 12** were drilled to test a strong northwest-southeast trending soil anomaly to the south of the Snapjack zone. Previous drilling slightly to the north of this anomaly, described sections of possible BC argillite, and it was thought that drilling from this location would intersect 'Bonanza' style stratigraphy under these anomalies. All the holes encountered large amounts of grey silicified quartzitic argillites, quite different from the rock structurally below the BC argillite unit seen at the Bonanza Ledge deposit. In addition numerous graphitic fault zones were encountered, possibly related to the aurum fault. The holes were drilled almost due south in order to cross the northeast dipping stratigraphy, and any major diagonal quartz veins in the area which were historic producers in the Island Mountain Gold Mine (Figures 9, 12, 17, and 18).

Drill holes IGM05-3, 6, and 11 did not contain any significant gold values.

Drill hole IGM05-12 intersected 60' (18.2 m) of argillitic quartzite containing 1% very fine grained disseminated pyrite at the top of the hole with an average grade of 0.57 g/t gold.

9.2.2 SNAPJACK AREA DRILLING

Drill holes **IGM 05-01, 02, 04, 05, 07-10, and 15** were drilled to continue the 2004 Snapjack program designed to test a strong gold anomaly that trends northwest-southeast within the 2003 Island Mountain soil grid and lies immediately southwest of the Island Mountain-Mosquito Creek mine workings. These holes encountered significant vein mineralization and local areas of replacement sulphide summarized in Table 6.

Drill hole IGM05-01 encountered a number of anomalous gold intervals. A quartz pyrite vein (108' to 109.5' (0.5 m)) with 1% galena contained 1.74 g/t gold and 3.4 g/t silver. A band of quartzitic argillite (219.8' to 221' (0.5 m)) with 7% disseminated pyrite contained 1.47 g/t gold. The interval 250' to 298' contained a sheared calcareous rock with igneous looking textures that could possibly be a dyke. A representative sample of this unit (278' to 288' (3.0 m)) contained 1.39 g/t of gold. Finally a fault zone (299.8' to 316' (5.1 m)) containing 3% very fine grained pyrite and crushed quartz vein fragments returned 1.00 g/t gold (Figure 7).

Drill holes IGM05-02, 04, 05, and 07 were drilled to step out on a 4' intercept of 21 g/t in DDH IGM04-06. Holes IGM05-02 and IGM05-05 were successful in extending the anomalous gold zone both up and down dip of the target intercept (Figure 22). IGM05-02 encountered a 15' (218 to 233 (4.5m)) quartz pyrite vein at roughly 60° to core axis containing 8.28 g/t gold. IGM05-05 encountered a significant fault zone of gouge and crushed core (126.5' to 146' (5.9 m)) followed by a quartz vein containing 20% pyrite (146' to 147.6' (0.4 m)). Coarse grained pyrite continued into the wall rock until 148'. The quartz vein and the following wall rock carried an average grade of 5.05 g/t over 2'. Another fault zone (187' to 196.3' (2.8 m)) containing a 1.3' band of massive pyrite carried 13.7 g/t gold. These two holes coupled with the high gold grade intercepts from IGM04-06 outline an anomalous gold interval 20' (6.0 m) thick with an average grade of approximately 6 g/t associated with high grade quartz veins and faults related to their intrusion (Figures 8, 10, 11, 13, and 22).

Drill holes IGM05-04 and 05-07 were unsuccessful in extending the aforementioned anomaly along strike suggesting that the anomaly is a small lens.

Drill hole IGM05-08 intersected a zone (341' to 345.4' (1.34 m)) of 2-3% pyrite related to two small 3" quartz veins. The pyrite mineralized in both the veins and the argillitic siltstone wall rock. This zone carried 2.66 g/t gold (Figure 14).

Drill hole IGM05-09 was successful in intersecting a number of large fault zones consisting of gouge and soft core; however no significant gold values were obtained (Figure 15).

Drill hole IGM05-10 intersected a number of gold bearing intervals. The first (109.3' to 125' (4.8 m)) was a zone of quartzite with lesser argillite and siltite layers mineralized with 5% disseminated and replacement pyrite. The average grade over 15.7' was 6.8 g/t. The remaining gold intercepts in the hole are related to pyritic quartz veins. The first of which (145.5' to 146.4') contained a mineral assemblage of pyrite, chalcopyrite and sphalerite, with a grade of 111 g/t gold. The interval 287.4' to 305.0' had a yellowish tan alteration similar to that seen at Bonanza Ledge and contained 3% disseminated pyrite and associated with a number of small quartz veins. Three more quartz veins were encountered at (318.6' to 319'; 328.3' to 328.6'; 329.6' to 330.1'). Mineralization was mainly encountered in the margins and wall rock of the veins. The last vein (320.6' to 330.1') displayed arsenopyrite and massive pyrite in the wall rocks. The interval 298.6' to 330.2' including the aforementioned veins and alteration zone had an average grade of 4.1 g/t gold over 31.6' (9.63m) (Figure 16).

Drill hole IGM05-15 was collared approximately 100' to the east of the Crystal Trench and drilled almost due west back under the trench. Significant intersections included two substantial pyritic quartz veins. The first (110.4' to 122.5' (3.69 m)) contained 5% pyrite and carried 9.65 g/t gold. Measured recovery of the vein was 4.5'. The second vein (132.6' to 138.5' (1.7 m)) had an average grade of 3.89 g/t. Interestingly the pyrite appeared to be mineralized as replacements in wall rock inclusions of quartzite with lesser siltite and argillite, and not directly in the quartz vein material (Figure 21).

9.2.3 MAIN ROAD CHANNEL SAMPLE TARGET DRILLING

Drill holes **IGM05-13** and **14** were drilled to test a strong gold anomaly uncovered by channel sampling in July 2005.

Drill hole IGM05-13 intersected two small sulphide bearing quartz veins near the top of the hole. The first vein (31' to 33.7' (0.8 m)) contained 2.85 g/t gold. The second vein contained galena and pyrrhotite in addition to the pyrite but did not contain any significant gold (Figure 19).

Drill hole IGM05-14 was drilled along the same azimuth as 05-13 but at a steeper angle. In addition to a number of small gouge sections, the hole intersected a 3.8' interval (133.2' to 137' (1.1 m)) of 3% replacement pyrite in a silty argillitic limestone. This interval contained 1.66 g/t gold and was the best intercept of the hole (Figure 20).

Table 7: Significant Gold Intersections in Diamond drill holes:

| | DDH | From (ft) | To (ft) | Width (ft) | Width (m) | g/t Au |
|-------------------------------|----------|------------------------|---------|------------|-----------|--------|
| Southern Soil Anomaly | IGM05-03 | No significant results | | | | |
| | IGM05-06 | No significant results | | | | |
| | IGM05-11 | No significant results | | | | |
| | IGM05-12 | 76.0 | 84.7 | 8.7 | 2.65 | 2.0 |
| Snap Jack Zone | IGM05-1 | 108 | 109.5 | 1.5 | 0.5 | 1.74 |
| | | 219.2 | 221 | 1.8 | 0.5 | 1.47 |
| | | 278 | 288 | 10 | 3.0 | 1.39 |
| | | 299.8 | 316.6 | 16.8 | 5.1 | 1.00 |
| | IGM05-02 | 218 | 238 | 20 | 6.1 | 6.95 |
| | | 228.0 | 233.0 | 5.0 | 1.5 | 16.0 |
| | IGM05-04 | 310.5 | 312.5 | 2 | 0.6 | 2.92 |
| | IGM05-05 | 137.0 | 148.0 | 11.0 | 3.3 | 3.7 |
| | | 187 | 207 | 20 | 6.1 | 6.79 |
| | | 187 | 196.3 | 9.3 | 2.8 | 13.7 |
| | IGM05-07 | No significant results | | | | |
| | IGM05-08 | 341.0 | 345.4 | 4.4 | 1.34 | 2.7 |
| | IGM05-09 | No significant results | | | | |
| | IGM05-10 | 109.3 | 125.0 | 15.7 | 4.8 | 6.8 |
| | | 137.0 | 197.0 | 50.0 | 15.2 | 2.7 |
| | | 145.5 | 146.4 | 0.9 | 0.27 | 111.3 |
| | | 298.6 | 330.2 | 31.6 | 9.63 | 4.1 |
| | IGM05-15 | 110.4 | 122.5 | 12.1 | 3.69 | 9.65 |
| 132.6 | | 146.0 | 13.4 | 4.08 | 1.8 | |
| Channel Sample Anomaly | IGM05-13 | 31 | 33.7 | 2.7 | 0.82 | 2.85 |
| | IGM05-14 | 133 | 137 | 4.0 | 1.22 | 1.66 |

10.0 CONCLUSIONS AND RECOMMENDATIONS

Fifteen diamond drill holes were drilled in and around the Snapjack Zone in 2005. Promising results were encountered in a number of them. The first zone of importance is the section encompassed by drill holes IGM05-02, IGM05-05, and IGM04-06. A 6 meter thick zone with grades of approximately 6 g/t gold was traced across the three holes and associated with two fairly small mineralized quartz veins and associated faults. In addition, drill hole IGM-05-10 intersected a 4.8 meter zone of 5% disseminated and replacement style pyrite relatively near surface that carried 6.8 g/t gold. These two zones of gold mineralization are the most promising encountered in the Snap Jack drilling and warrant further testing. Potential exists here for both underground and surface mineable targets.

Diamond of the northwest-southeast trending soil anomaly failed to intersect 'Bonanza' type stratigraphy despite being collared in what had previously been described as the BC argillite, the unit stratigraphically above the Bonanza Ledge. In order to intersect 'Bonanza' type stratigraphy it may be necessary to collar future drill holes further to the southwest of the existing soil anomalies.

A permit was obtained in 2005 to complete a 25 pit placer test across the Snapjack Zone. Given the large amount of gold in soils and near surface quartz veins it is recommended that this work be completed in 2006.

Review and compilation of past work and additional reconnaissance is recommended in the Mount Tom and Sugar Creek areas as high-grade float was found in 2004 in the Sugar Creek drainage and has not since been followed up on. An effort should be made in 2006 to find the source for this mineralization. Potential exists in the Sugar Creek area for both vein and sediment- or volcanic-hosted massive sulphide deposits.

APPENDIX I REFERENCES

- Bowman, A. (1889): Report on the geology of the mining district of Cariboo, British Columbia; *Geological Survey of Canada*, Annual Report for 1887- 1888, V. 3, pt. 1, pp. 1-49c.
- Bowman, A. (1895): Maps of the principal auriferous creeks in the Cariboo mining district, British Columbia; *Geological Survey of Canada*, Maps 364- 372.
- Campbell, K.V. (1982): Report on the Geology and Results of the Prospecting of the Mount Tom Property; Mineral Claims Upper (3834), Downer (3633) and Duck (3832), Mount Tom, Sugar and Hardscrabble Creeks Area, Cariboo Mining District, *B.C. Mineral Resources Branch Assessment Report 10496*.
- Campbell, K.V. (1987): Report on the Geology and Proposal for Exploration of the Sugar Creek Property; Cariboo Mining District, *B.C. Ministry of Energy, Mines and Petroleum Resources Assessment Report 16755*.
- Cochrane, D.R. (1971): Geophysical report on the Red Gulch No. 1, 2, 7, Willow No. 10, Port Hope, Seattle, Mosquito, Mosquito Fraction, Vancouver, and Brookford No.6 and No.7 mineral leases centered one mile east of Wells, Cariboo Mining Division, Central British Columbia. Unpublished report for Mosquito Creek Gold Mining Limited (N.P.L.)
- Cochrane, D.R. (1972): Geophysical report on the Red Gulch No. 1, 2, 7, Willow No. 10, Port Hope, Seattle, Mosquito, Mosquito Fraction, Vancouver, and Brookford No. 6 and No. 7 mineral leases centered one mile, east of Wells, Cariboo Mining Division, Central British Columbia. Unpublished report by Cochrane Consultants Limited for Mosquito Creek Gold Mining Limited (N.P.L.)
- Eyles, N. and Kocsis, S.P. (1989): Sedimentological controls on gold distribution in Pleistocene placer deposits of the Cariboo mining district, British Columbia; *British Columbia Ministry of Energy, Mines and Petroleum Resources*, Geological Fieldwork 1988, Paper 1989-1, pp. 377-385.
- Hall, R.D. (1991): Report on past operations and exploration proposal for the Cariboo, Island Mountain and Mosquito Creek properties at Wells, British Columbia. Unpublished report for Mosquito Consolidated Gold Mines Limited.
- Hall, R.D. (1999a): Cariboo Gold Project at Wells, British Columbia. Unpublished report prepared for International Wayside Gold Mines Ltd.
- Hall, R.D. (1999b): Summary of gold properties on Island Mountain at Wells, British Columbia. Unpublished memo to F. Callaghan, President, Island Mountain Gold Mines Ltd.

- Hall, R.D. (1999c): Gold potential on Island Mountain at Wells, British Columbia. Unpublished memo to F. Callaghan, President, Island Mountain Gold Mines Ltd.
- Hall, R.D. (2000): Review of Surface Diamond Drill hole Results IMG99-01 to 10. Unpublished memo to F. Callaghan, president, Island Mountain Gold Mines Ltd.
- Hanson, G. (1935): Barkerville Gold Belt, Cariboo District, British Columbia, *Geological Survey of Canada*, Memoir 181, 42 p.
- Johnston, W.A. and Uglow, W.L. (1926): Placer and vein gold deposits of Barkerville, Cariboo District, British Columbia; *Geological Survey of Canada*, Memoir 149.
- Kocsis, Stephen P. (1991): Investigating Pleistocene Placer Gold Deposits in the Cariboo Mining District, central British Columbia, report for Canada Tungsten Mining Corporation Limited, Vancouver, British Columbia.
- Levson, V.M., and Giles, T.R. (1993): Geology of Tertiary and Quaternary Gold-Bearing Placers in the Cariboo Region, British Columbia (93A, B, G, H); *British Columbia Ministry of Employment and Investment*, Bulletin 89.
- Pautler, Jean (2004): Report on the 2003 Diamond Drill and Trenching Program on the Island Mountain Gold Property, Wells, British Columbia, *British Columbia Ministry of Energy and Mines Assessment Report 27386*.
- Pickett, J.W. (2003): 2002 exploration program of Island Mountain Gold Mines Ltd. Wells area, British Columbia, Report for Island Mountain Gold Mines Ltd.
- Rhys, D.A. and Ross, K.V. (2000): Report on Petrography, check sampling and geological interpretation of drill core at the Bonanza Ledge Zone, Cariboo Gold Quartz Property, British Columbia. Unpublished report by Panterra Geoservices Inc. for International Wayside Gold Mines Ltd.
- Robert, R. and Taylor, B.E. (1989): Structure and mineralization at the Mosquito Creek Gold Mine, Cariboo District, B.C. Unpublished paper by the Geological Survey of Canada.
- Struik, L.C. (1988): Structural geology of the Cariboo Gold Mining District, East-Central British Columbia, *Geological Survey of Canada*, Memoir 421, 100 p.
- Sutherland Brown, A. (1957): Geology of the Antler Creek area, Cariboo District, British Columbia, *British Columbia Department of Mines Bulletin No. 38*, 105 pages

APPENDIX II
STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES

Geological Consulting Fees:

| | | |
|---------------|-----------------|---------------------|
| Charlie Moore | 55 days @ \$275 | \$ 15125.00 |
| Jim Yin | 12 days @ \$375 | \$ 4500.00 |
| Ed Gates | 25 days @ \$600 | \$ 15000.00 |
| | 92 person days | \$ 34625.00* |

Geochemical analyses:

| | |
|---|--------------------|
| Eco Tech Laboratory, Kamloops, B.C. 77 rocks, 359 core samples | |
| Total analyses and assays: | \$12465.19* |

Road rehab, trail and pad building: Standard Drilling and Engineering **\$ 61748.50***

Shipping: **\$1000.00#**

Diamond Drilling: Standard Drilling and Engineering Ltd., Vancouver, BC
6196 feet @ \$22/ft **\$154900.00***

Core cutting: 2834.6 feet @70 ft/day @\$120/day **\$ 4859.85#**

Equipment Rental: Trucks - 70 field days at \$50 **\$ 3500.00#**

Meals and Accommodation: 70 man-days @ \$85 **\$ 5950.00#**

Subtotal: **\$279048.54**

Administration and office costs: 10% of above **\$27904.85**

GRAND TOTAL **\$306,953.39**

*Expenditures marked with asterisks were verified by Moore by reviewing original invoices for work done in 2005 as described in this report. #Expenditures marked with number signs are my estimates based on reasonable 2005 rates for work in Ministry Information Letter No. 19 (Guide to Evaluation of Physical Work for Assessment Purposes) C. Moore BScH.

- **Total Work of Golden Cariboo Resources Ltd.**
\$1,040,178.04
- **Total Assessment Requirement for International Wayside Gold Mines Ltd.,
Island Mountain Gold Mines Ltd., and Golden Cariboo Resources Ltd.**
\$198,124.93
- **Total for PAC:**
\$842,053.11

**APPENDIX III
STATEMENTS OF QUALIFICATION**

Statement of Qualification

I, Charles Conor Moore, do hereby certify that:

I am a geologist with over 1 year of experience in the field of geology

I hold a BScH. in geology from the Acadia University, Wolfville, Nova Scotia (2004).

I logged core and lined up drill rigs for the 2005 Island Mountain Drill program under the supervision and direction of Senior Geologists at Wayside.

Parts 1, 2, 3, 4, 5 and 7 of this report were updated from Assessment Report 27386 by Jean Pautler. Parts 6, 8, 9 and 10 were written by Charlie Moore.

I do not own any interest in Island Mountain Gold Mines or International Wayside Gold Mines. I do not have any agreement to be or become an insider, associate or employee of International Wayside Gold or any of its sister companies.

Charlie Moore, BscH.

February 1, 2006

**APPENDIX IV
GEOCHEMICAL PROCEDURES AND RESULTS**

Geochemical procedures

Soil samples were collected from small pits dug with a pelican pick or small mattock at appropriate intervals along grid lines and miscellaneous sites while mapping and prospecting. The material collected was B horizon soil, lying below any leached layer, at depths of 30 to 60 centimetres. Samples were placed in labelled, high wet-strength Kraft envelopes. Grid sample sites were marked according to their grid location by wooden pickets with orange fluorescent paint, or plastic flagging tape. Reconnaissance samples were labelled with tag numbers from EcoTech Laboratory tag books, and tag chits were placed in the bag.

Silt samples were collected from the finest possible deposits away from the influence of sloughing banks in the active sections of streams. The samples were labelled and sampled as noted above for reconnaissance soils, and placed in Kraft bags.

Soil and silt samples were air-dried at the International Wayside Gold's Lowhee Creek compound.

Rock samples were collected, tagged in the field, and placed in heavy weight plastic sample bags.

Drill core was brought to International Wayside Gold's Lowhee Creek compound at the end of each drill shift for logging, sampling and cutting. Core samples were generally taken in ten-foot intervals; sample intervals were shorter where lithology or mineralization changes dictated.

All samples were shipped to EcoTech Laboratories in Kamloops, B.C. for analysis.

Soil, silt and most rock samples were submitted for multi-element ICP analysis. Some rock samples were assayed if ICP results showed sufficiently anomalous values for gold, silver, lead, zinc or copper. Other rock samples were submitted only for assay, depending on the preference of specific geologists. Drill core samples were submitted for gold assay only.

Multi element ICP analysis

At the lab, soil samples are screened to obtain a minus 80 mesh sample. Samples producing an insufficient amount of material are screened again at a coarser fraction. These samples are flagged with the relevant mesh. Rock samples are 2-stage crushed to minus 10 mesh and pulverized to minus 140 mesh, rolled and homogenized. A 0.5 gram sample is digested with 3ml of a 3:1:2 (HCl:HN03:H2O) for 90 minutes in a water bath at 95°C. The sample is then diluted to 10ml with water. The sample is analyzed on a Jarrell Ash ICP unit. Quality control samples (repeats and standards) are run, and results are included in the Certificate of Analysis.

Base metal assays (Ag, Cu, Pb, Zn)

Samples are 2-stage crushed, then a 250 gram subsample is pulverized. The subsample is rolled and homogenized. The sample is digested with aqua regia and allowed to cool, then analyzed by an atomic absorption instrument, to .01 % detection limit. Appropriate certified reference materials accompany the samples through the process providing accurate quality control. Standards and repeat values are included with the Certificate of Assay.

Gold assays

A sub-sample of the original is pulverized to 95% minus 140 mesh, and rolled to homogenize. A 10 to 30 gram sample is run in triplicate fire assays using appropriate fluxes. The concentrate is fused in a dedicated furnace to prevent cross contamination. The resultant bead is parted, digested with aqua regia then analysed by atomic absorption. Appropriate standards are included in the Certificates of Assay.

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 17
Project: IGM-05-01
Sample type: Core
Samples Submitted by: Ed Gates

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|------|----|----|------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31734 | <0.2 | 0.31 | 10 | 70 | <5 | 2.18 | <1 | 21 | 99 | 84 | 5.73 | <10 | 0.87 | 621 | 5 | 0.02 | 32 | 610 | 8 | <5 | <20 | 40 | <0.01 | <10 | 12 | <10 | <1 | 84 |
| 2 | E31735 | <0.2 | 0.13 | 15 | 55 | <5 | 0.18 | <1 | 14 | 71 | 23 | 4.31 | <10 | 0.68 | 490 | 4 | <0.01 | 32 | 240 | 4 | <5 | <20 | 4 | <0.01 | <10 | 1 | <10 | <1 | 110 |
| 3 | E31736 | <0.2 | 0.17 | 75 | 40 | 5 | 5.22 | <1 | 37 | 63 | 17 | 6.09 | <10 | 2.76 | 831 | 4 | 0.03 | 172 | 720 | <2 | <5 | <20 | 125 | <0.01 | <10 | 5 | <10 | <1 | 90 |
| 4 | E31737 | 3.4 | 0.13 | 1270 | 45 | 15 | 3.59 | <1 | 20 | 116 | 9 | 5.30 | <10 | 0.90 | 1290 | 6 | <0.01 | 45 | 560 | 666 | <5 | <20 | 53 | <0.01 | <10 | 3 | <10 | <1 | 20 |
| 5 | E31738 | <0.2 | 0.15 | 25 | 40 | <5 | 0.49 | <1 | 7 | 80 | 7 | 2.01 | <10 | 0.27 | 312 | 2 | <0.01 | 16 | 1170 | 8 | <5 | <20 | 16 | <0.01 | <10 | 1 | <10 | 3 | 29 |
| 6 | E31739 | <0.2 | 0.30 | <5 | 25 | <5 | 0.31 | <1 | 4 | 149 | 6 | 1.22 | <10 | 0.18 | 79 | 3 | <0.01 | 10 | 60 | 8 | <5 | <20 | 11 | <0.01 | <10 | <1 | <10 | <1 | 23 |
| 7 | E31740 | <0.2 | 0.07 | <5 | 10 | <5 | 0.90 | <1 | 3 | 114 | 5 | 1.09 | <10 | 0.18 | 207 | <1 | <0.01 | 6 | 70 | 26 | <5 | <20 | 37 | <0.01 | <10 | <1 | <10 | <1 | 16 |
| 8 | E31741 | <0.2 | 0.13 | 85 | 35 | <5 | 0.93 | <1 | 4 | 122 | 3 | 1.55 | <10 | 0.20 | 447 | 3 | <0.01 | 6 | 30 | 12 | <5 | <20 | 30 | <0.01 | <10 | <1 | <10 | <1 | 10 |
| 9 | E31742 | <0.2 | 0.15 | 25 | 25 | <5 | 0.94 | <1 | 4 | 115 | 4 | 1.20 | <10 | 0.24 | 510 | <1 | <0.01 | 9 | 50 | 10 | <5 | <20 | 34 | <0.01 | <10 | <1 | <10 | <1 | 13 |
| 10 | E31743 | <0.2 | 0.15 | 10 | 20 | <5 | 1.43 | <1 | 4 | 142 | 5 | 1.39 | <10 | 0.37 | 510 | 3 | <0.01 | 7 | 40 | 10 | <5 | <20 | 61 | <0.01 | <10 | <1 | <10 | <1 | 14 |
| 11 | E31744 | 0.2 | 0.37 | 815 | 80 | <5 | 2.47 | <1 | 33 | 32 | 206 | 7.23 | <10 | 0.80 | 1420 | 6 | <0.01 | 20 | 1420 | 12 | <5 | <20 | 106 | <0.01 | <10 | 11 | <10 | <1 | 69 |
| 12 | E31745 | 0.2 | 0.12 | 35 | 45 | <5 | 0.53 | <1 | 11 | 72 | 27 | 3.26 | <10 | 0.44 | 485 | 4 | <0.01 | 29 | 80 | 26 | <5 | <20 | 15 | <0.01 | <10 | <1 | <10 | <1 | 91 |
| 13 | E31746 | <0.2 | 0.70 | 95 | 40 | <5 | 5.00 | <1 | 28 | 93 | 12 | 4.36 | <10 | 1.82 | 745 | 3 | <0.01 | 196 | 740 | 10 | <5 | <20 | 183 | <0.01 | <10 | 5 | <10 | <1 | 74 |
| 14 | E31747 | 0.6 | 0.25 | 135 | 35 | <5 | >10 | <1 | 6 | 32 | 7 | 2.60 | <10 | 0.45 | 1681 | 2 | <0.01 | 6 | 330 | 138 | <5 | <20 | 568 | <0.01 | <10 | 3 | <10 | 9 | 13 |
| 15 | E31748 | <0.2 | 1.85 | 10 | 40 | <5 | 4.42 | <1 | 25 | 85 | 23 | 5.87 | <10 | 1.68 | 602 | 5 | 0.02 | 44 | 1370 | 8 | <5 | <20 | 205 | <0.01 | <10 | 77 | <10 | 4 | 102 |
| 16 | E31749 | 0.2 | 0.39 | 205 | 40 | <5 | 1.93 | <1 | 11 | 93 | 22 | 3.06 | <10 | 0.56 | 554 | 4 | <0.01 | 26 | 250 | 12 | <5 | <20 | 63 | <0.01 | <10 | 4 | <10 | <1 | 39 |
| 17 | E31750 | <0.2 | 0.10 | 30 | 30 | <5 | 0.18 | <1 | 8 | 90 | 11 | 1.78 | <10 | 0.22 | 207 | 2 | <0.01 | 15 | 80 | 6 | <5 | <20 | 4 | <0.01 | <10 | <1 | <10 | <1 | 22 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|---|----|----|------|----|----|-----|----|------|-----|------|-----|---|------|----|-----|---|----|-----|----|-------|-----|----|-----|----|----|
| 1 | E31734 | <0.2 | 0.31 | 5 | 70 | <5 | 2.22 | <1 | 22 | 101 | 84 | 5.85 | <10 | 0.87 | 627 | 5 | 0.02 | 33 | 630 | 6 | <5 | <20 | 38 | <0.01 | <10 | 12 | <10 | <1 | 85 |
|---|--------|------|------|---|----|----|------|----|----|-----|----|------|-----|------|-----|---|------|----|-----|---|----|-----|----|-------|-----|----|-----|----|----|

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|---|------|----|-----|---|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | E31734 | <0.2 | 0.34 | 10 | 65 | <5 | 2.30 | <1 | 23 | 104 | 82 | 5.90 | <10 | 0.88 | 626 | 5 | 0.02 | 35 | 650 | 8 | <5 | <20 | 38 | <0.01 | <10 | 13 | <10 | <1 | 103 |
|---|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|---|------|----|-----|---|----|-----|----|-------|-----|----|-----|----|-----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO '05 | | 1.5 | 1.41 | 60 | 150 | <5 | 1.38 | <1 | 19 | 58 | 84 | 3.90 | <10 | 0.64 | 580 | <1 | 0.02 | 29 | 640 | 22 | <5 | <20 | 54 | 0.11 | <10 | 65 | <10 | 11 | 76 |
|---------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

JJ/kk
dtrco
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealousie
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-961

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

01-Sep-05

No. of samples received: 17
Sample type: Core
Project #: IGM-05-01
Shipment #: n/a
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31734 | <0.03 | <0.001 |
| 2 | E31735 | <0.03 | <0.001 |
| 3 | E31736 | <0.03 | <0.001 |
| 4 | E31737 | 1.74 | 0.051 |
| 5 | E31738 | <0.03 | <0.001 |
| 6 | E31739 | <0.03 | <0.001 |
| 7 | E31740 | <0.03 | <0.001 |
| 8 | E31741 | 0.22 | 0.006 |
| 9 | E31742 | <0.03 | <0.001 |
| 10 | E31743 | <0.03 | <0.001 |
| 11 | E31744 | 1.47 | 0.043 |
| 12 | E31745 | <0.03 | <0.001 |
| 13 | E31746 | <0.03 | <0.001 |
| 14 | E31747 | 1.39 | 0.041 |
| 15 | E31748 | <0.03 | <0.001 |
| 16 | E31749 | 1.00 | 0.029 |
| 17 | E31750 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E31734 | <0.03 | <0.001 |
| 10 | E31743 | 0.03 | 0.001 |
| 11 | E31744 | 1.52 | 0.044 |
| 14 | E31747 | 1.34 | 0.039 |
| 16 | E31749 | 0.96 | 0.028 |

Resplit:

| | | | |
|---|--------|-------|--------|
| 1 | E31734 | <0.03 | <0.001 |
|---|--------|-------|--------|

Standard:

| | | | |
|-------|--|------|-------|
| OX140 | | 1.85 | 0.054 |
|-------|--|------|-------|

ECO TECH LABORATORY LTD.
Jutta Jealousie
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-01 DATE: 2-Aug-05 SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| 165957 | 0 | 18 | 0.34 | 165988 | 318 | 328 | 29.5 |
| 165958 | 18 | 28 | 0.26 | 165989 | 328 | 338 | 4.55 |
| 165959 | 28 | 38 | 0.08 | 165990 | 338 | 348 | 4.48 |
| 165960 | 38 | 48 | 0.24 | | | | |
| 165961 | 48 | 58 | 0.14 | | | | |
| 165962 | 58 | 68 | 0.14 | | | | |
| 165963 | 68 | 78 | 0.10 | | | | |
| 165964 | 78 | 88 | 0.35 | | | | |
| 165965 | 88 | 98 | 0.18 | | | | |
| 165966 | 98 | 108 | 0.18 | | | | |
| 165967 | 108 | 118 | 0.67 | | | | |
| 165968 | 118 | 128 | 0.40 | | | | |
| 165969 | 128 | 138 | 0.26 | | | | |
| 165970 | 138 | 148 | 0.31 | | | | |
| 165971 | 148 | 158 | 0.30 | | | | |
| 165972 | 158 | 168 | 0.27 | | | | |
| 165973 | 168 | 178 | 0.28 | | | | |
| 165974 | 178 | 188 | 0.26 | | | | |
| 165975 | 188 | 198 | 0.16 | | | | |
| 165976 | 198 | 208 | 0.26 | | | | |
| 165977 | 208 | 218 | 0.49 | | | | |
| 165978 | 218 | 228 | 0.33 | | | | |
| 165979 | 228 | 238 | 0.19 | | | | |
| 165980 | 238 | 248 | 0.09 | | | | |
| 165981 | 248 | 258 | <0.03 | | | | |
| 165982 | 258 | 268 | 0.18 | | | | |
| 165983 | 268 | 278 | 0.11 | | | | |
| 165984 | 278 | 288 | 0.13 | | | | |
| 165985 | 288 | 298 | 0.13 | | | | |
| 165986 | 298 | 308 | 0.73 | | | | |
| 165987 | 308 | 318 | 22.6 | | | | |

AK5-853a

AK5-853a

CERTIFICATE OF ASSAY AK 2005-853

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

19-Aug-05

No. of samples received: 34
Sample type: Sludge
Project #: 1GM-05-01
Shipment #: n/a
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | 165957 | 0.34 | 0.010 |
| 2 | 165958 | 0.28 | 0.008 |
| 3 | 165959 | 0.08 | 0.002 |
| 4 | 165960 | 0.24 | 0.007 |
| 5 | 165961 | 0.14 | 0.004 |
| 6 | 165962 | 0.14 | 0.004 |
| 7 | 165963 | 0.10 | 0.003 |
| 8 | 165964 | 0.35 | 0.010 |
| 9 | 165965 | 0.18 | 0.005 |
| 10 | 165966 | 0.18 | 0.005 |
| 11 | 165967 | 0.67 | 0.020 |
| 12 | 165968 | 0.40 | 0.012 |
| 13 | 165969 | 0.26 | 0.008 |
| 14 | 165970 | 0.31 | 0.009 |
| 15 | 165971 | 0.30 | 0.009 |
| 16 | 165972 | 0.27 | 0.008 |
| 17 | 165973 | 0.28 | 0.008 |
| 18 | 165974 | 0.26 | 0.008 |
| 19 | 165975 | 0.16 | 0.005 |
| 20 | 165976 | 0.26 | 0.008 |
| 21 | 165977 | 0.49 | 0.014 |
| 22 | 165978 | 0.33 | 0.010 |
| 23 | 165979 | 0.19 | 0.006 |
| 24 | 165980 | 0.09 | 0.003 |
| 25 | 165981 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold - AK5-853

19-Aug-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 26 | 165982 | 0.18 | 0.005 |
| 27 | 165983 | 0.11 | 0.003 |
| 28 | 165984 | 0.13 | 0.004 |
| 29 | 165985 | 0.13 | 0.004 |
| 30 | 165986 | 0.73 | 0.021 |
| 31 | 165987 | 22.6 | 0.659 |
| 32 | 165988 | 29.5 | 0.860 |
| 33 | 165989 | 4.55 | 0.133 |
| 34 | 165990 | 4.48 | 0.131 |

QC DATA:

Repeat:

| | | | |
|----|--------|------|-------|
| 1 | 165957 | 0.24 | 0.007 |
| 8 | 165964 | 0.35 | 0.010 |
| 11 | 165967 | 0.69 | 0.020 |
| 21 | 165977 | 0.54 | 0.016 |
| 31 | 165987 | 22.9 | 0.668 |
| 32 | 165988 | 30.2 | 0.881 |
| 33 | 165989 | 4.45 | 0.130 |
| 34 | 165990 | 4.36 | 0.127 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | 165957 | 0.29 | 0.008 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.78 | 0.052 |
| SH13 | 1.32 | 0.038 |

JJ/bs
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-879

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

18-Aug-05

No. of samples received: 15

Sample type: Core

Project #: IGM-05-02

Shipment #: n/a

Samples Submitted by: Ed Gates/C. Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31001 | <0.03 | <0.001 |
| 2 | E31002 | <0.03 | <0.001 |
| 3 | E31003 | <0.03 | <0.001 |
| 4 | E31004 | <0.03 | <0.001 |
| 5 | E31005 | 0.10 | 0.003 |
| 6 | E31006 | 0.07 | 0.002 |
| 7 | E31007 | <0.03 | <0.001 |
| 8 | E31008 | 4.42 | 0.129 |
| 9 | E31009 | 16.0 | 0.467 |
| 10 | E31010 | 2.97 | 0.087 |
| 11 | E31011 | 0.05 | 0.001 |
| 12 | E31012 | 0.05 | 0.001 |
| 13 | E31013 | 0.25 | 0.007 |
| 14 | E31014 | <0.03 | <0.001 |
| 15 | E31015 | 0.12 | 0.003 |

QC DATA:

| Repeat: | | | |
|---------|--------|-------|--------|
| 1 | E31001 | <0.03 | <0.001 |
| 8 | E31008 | 4.43 | 0.129 |
| 9 | E31009 | 15.6 | 0.455 |
| 10 | E31010 | 3.36 | 0.098 |

Island Mountain Gold - AK5-879

18-Aug-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| Repeat: | | | |
| 1 | E31001 | <0.03 | <0.001 |
| Standard: | | | |
| | SH13 | 1.35 | 0.039 |
| | SN16 | 8.34 | 0.243 |

JJ/bs
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ECO TECH LABORATORY LTD.
10041 Dallas Drive
KAMLOOPS, B.C.
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2005-879

ISLAND MOUNTAIN GOLD
PO Box 247
Wells, BC
V0K 2R0

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 15
Project #: IGM-05-02
Sample type: Core
Samples Submitted by: Ed Gates/C. Moore

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|-------|------|----|----|------|----|----|-----|----|------|-----|-------|------|----|-------|-----|-----|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31001 | <0.2 | 0.24 | 5 | 35 | <5 | 2.81 | <1 | 7 | 106 | 19 | 2.39 | <10 | 1.16 | 993 | 1 | 0.01 | 10 | 580 | 82 | 5 | <20 | 124 | <0.01 | <10 | 3 | <10 | 2 | 31 |
| 2 | E31002 | <0.2 | 1.47 | 90 | 25 | <5 | 5.98 | <1 | 39 | 139 | 23 | 6.02 | <10 | 3.19 | 851 | 4 | 0.02 | 170 | 690 | <2 | <5 | <20 | 227 | <0.01 | <10 | 17 | <10 | <1 | 89 |
| 3 | E31003 | <0.2 | 0.46 | 10 | 40 | <5 | 1.27 | <1 | 16 | 62 | 61 | 3.59 | <10 | 0.82 | 508 | 3 | 0.01 | 29 | 470 | 14 | <5 | <20 | 48 | <0.01 | <10 | 3 | <10 | <1 | 61 |
| 4 | E31004 | <0.2 | 0.84 | 15 | 30 | <5 | 4.80 | <1 | 25 | 35 | 23 | 5.26 | <10 | 2.08 | 1110 | 3 | 0.02 | 92 | 470 | <2 | <5 | <20 | 157 | <0.01 | <10 | 4 | <10 | <1 | 55 |
| 5 | E31005 | <0.2 | 0.17 | 315 | 30 | <5 | 1.68 | <1 | 14 | 80 | 41 | 3.11 | <10 | 0.77 | 783 | 2 | <0.01 | 18 | 40 | 24 | <5 | <20 | 58 | <0.01 | <10 | 2 | <10 | <1 | 32 |
| 6 | E31006 | <0.2 | 0.18 | 80 | 35 | <5 | 0.49 | <1 | 12 | 75 | 29 | 3.47 | <10 | 0.55 | 471 | 2 | <0.01 | 29 | 340 | 30 | <5 | <20 | 16 | <0.01 | <10 | 2 | <10 | <1 | 43 |
| 7 | E31007 | <0.2 | 0.34 | 20 | 30 | <5 | 0.60 | <1 | 12 | 64 | 23 | 2.41 | <10 | 0.44 | 284 | 2 | <0.01 | 20 | 210 | 8 | <5 | <20 | 23 | <0.01 | <10 | 2 | <10 | <1 | 43 |
| 8 | E31008 | 1.0 | <0.01 | 820 | 15 | 10 | 0.03 | <1 | 10 | 163 | 5 | 6.27 | <10 | <0.01 | 38 | 4 | <0.01 | 15 | <10 | 58 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 6 |
| 9 | E31009 | 3.4 | 0.07 | 1115 | 35 | 20 | 0.88 | <1 | 16 | 125 | 4 | >10 | <10 | 0.20 | 984 | 9 | <0.01 | 13 | <10 | 120 | <5 | <20 | 18 | <0.01 | <10 | 1 | <10 | <1 | 11 |
| 10 | E31010 | 0.5 | 0.16 | 3395 | 30 | <5 | 0.98 | <1 | 11 | 118 | 12 | 2.69 | <10 | 0.25 | 486 | 2 | <0.01 | 12 | 30 | 34 | <5 | <20 | 27 | <0.01 | <10 | 2 | <10 | <1 | 44 |
| 11 | E31011 | <0.2 | 0.16 | 60 | 20 | <5 | 1.14 | <1 | 3 | 137 | 3 | 1.37 | <10 | 0.31 | 592 | <1 | <0.01 | 6 | 30 | 8 | <5 | <20 | 39 | <0.01 | <10 | 2 | <10 | <1 | 9 |
| 12 | E31012 | 0.6 | 0.17 | 80 | 25 | <5 | 0.77 | <1 | 4 | 83 | 6 | 1.11 | <10 | 0.24 | 356 | <1 | <0.01 | 8 | 30 | 246 | <5 | <20 | 35 | <0.01 | <10 | 1 | <10 | <1 | 18 |
| 13 | E31013 | 0.2 | 0.33 | 80 | 30 | <5 | 1.60 | 2 | 6 | 90 | 16 | 2.14 | <10 | 0.47 | 592 | 2 | <0.01 | 17 | 130 | 18 | <5 | <20 | 77 | <0.01 | <10 | 3 | <10 | 2 | 176 |
| 14 | E31014 | 10.4 | 0.15 | 30 | 35 | <5 | 0.34 | <1 | 8 | 74 | 34 | 2.35 | <10 | 0.40 | 251 | 2 | <0.01 | 21 | 180 | <2 | <5 | <20 | 14 | <0.01 | <10 | 2 | <10 | <1 | 32 |
| 15 | E31015 | 0.2 | 0.13 | 75 | 20 | <5 | 0.67 | <1 | 5 | 127 | 10 | 1.17 | <10 | 0.23 | 372 | 10 | <0.01 | 9 | 60 | 8 | <5 | <20 | 38 | <0.01 | <10 | 1 | <10 | <1 | 11 |

QC DATA:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---------|------|------|----|-----|----|------|----|----|-----|----|------|-----|------|------|----|------|----|-----|----|----|-----|-----|-------|-----|----|-----|----|----|--|--|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31001 | <0.2 | 0.25 | 10 | 35 | <5 | 2.83 | <1 | 8 | 109 | 17 | 2.45 | <10 | 1.17 | 1001 | 2 | 0.01 | 11 | 590 | 82 | 5 | <20 | 125 | <0.01 | <10 | 2 | <10 | 3 | 31 | | |
| Resplit: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31001 | 0.2 | 0.23 | 5 | 30 | <5 | 2.78 | <1 | 5 | 94 | 15 | 2.22 | <10 | 1.15 | 969 | 2 | 0.01 | 8 | 580 | 94 | 10 | <20 | 122 | <0.01 | <10 | 2 | <10 | 3 | 33 | | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GEO '05 | 1.5 | 1.58 | 65 | 145 | <5 | 1.34 | <1 | 19 | 56 | 88 | 3.77 | <10 | 0.81 | 582 | <1 | 0.03 | 25 | 560 | 20 | <5 | <20 | 52 | 0.11 | <10 | 71 | <10 | 10 | 76 | | |

| ISLAND MOUNTAIN GOLD MINES LTD. | | | | | | | |
|---------------------------------|-----------|-------|------------|---------------------------|----------|-----|------------|
| SLUDGE SAMPLE RECORD | | | | 2005 CARIBOO GOLD PROJECT | | | |
| HOLE: | IGM 05-02 | DATE: | 4-Aug-05 | SHEET: | 1 | OF: | 1 |
| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
| | FROM | TO | | | FROM | TO | |
| 165991 | 0 | 38 | <0.03 | E37066 | 338 | 348 | 0.44 |
| 165992 | 38 | 48 | <0.03 | | | | |
| 165993 | 48 | 58 | <0.03 | | | | |
| 165994 | 58 | 68 | <0.03 | | | | |
| 165995 | 68 | 78 | <0.03 | | | | |
| 165996 | 78 | 88 | <0.03 | | | | |
| 165997 | 88 | 98 | <0.03 | | | | |
| 165998 | 98 | 108 | <0.03 | | | | |
| 165999 | 108 | 118 | <0.03 | | | | |
| 166000 | 118 | 128 | <0.03 | | | | |
| E37001 | 128 | 138 | <0.03 | | | | |
| E37002 | 138 | 148 | <0.03 | | | | |
| E37003 | 148 | 158 | 0.05 | | | | |
| E37004 | 158 | 168 | 0.04 | | | | |
| E37005 | 168 | 178 | 0.04 | | | | |
| E37006 | 178 | 188 | 0.05 | | | | |
| E37007 | 188 | 198 | 0.42 | | | | |
| E37008 | 198 | 208 | 4.79 | | | | |
| E37009 | 208 | 218 | 1.43 | | | | |
| E37010 | 218 | 228 | 1.74 | | | | |
| E37011 | 228 | 238 | 14.5 | | | | |
| E37012 | 238 | 248 | 4.93 | | | | |
| E37013 | 248 | 258 | 1.57 | | | | |
| E37014 | 258 | 268 | 0.51 | | | | |
| E37015 | 268 | 278 | 0.40 | | | | |
| E37016 | 278 | 288 | 0.47 | | | | |
| E37017 | 288 | 298 | 0.96 | | | | |
| E37018 | 298 | 308 | 0.41 | | | | |
| E37063 | 308 | 318 | 0.36 | | | | |
| E37064 | 318 | 328 | 0.29 | | | | |
| E37065 | 328 | 338 | 0.28 | | | | |

AK5-991a

AK5-991a

AK5-991a

CERTIFICATE OF ASSAY AK 2005-991

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

08-Sep-05

No. of samples received: 4
 Sample type: Sludge
 Project #: IGM-05-02
 Shipment #: n/a
 Samples Submitted by: Ed Gates/C. Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|----------|-----------|
| 1 | 37063 | 0.36 | 0.010 |
| 2 | 37064 | 0.29 | 0.008 |
| 3 | 37065 | 0.28 | 0.008 |
| 4 | 37066 | 0.44 | 0.013 |

QC DATA:

| | | | |
|------------------|-------|------|-------|
| <i>Resplit</i> | | | |
| 1 | 37063 | 0.39 | 0.011 |
| <i>Repeat:</i> | | | |
| 1 | 37063 | 0.41 | 0.012 |
| <i>Standard:</i> | | | |
| | OX140 | 1.87 | 0.055 |

JJ/ga
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-911

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

01-Sep-05

No. of samples received: 28
 Sample type: Sludge
 Project #: IGM-05-02
 Shipment #: n/a
 Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | 165991 | <0.03 | <0.001 |
| 2 | 165992 | <0.03 | <0.001 |
| 3 | 165993 | <0.03 | <0.001 |
| 4 | 165994 | <0.03 | <0.001 |
| 5 | 165995 | <0.03 | <0.001 |
| 6 | 165996 | <0.03 | <0.001 |
| 7 | 165997 | <0.03 | <0.001 |
| 8 | 165998 | <0.03 | <0.001 |
| 9 | 165999 | <0.03 | <0.001 |
| 10 | 166000 | <0.03 | <0.001 |
| 11 | E37001 | <0.03 | <0.001 |
| 12 | E37002 | <0.03 | <0.001 |
| 13 | E37003 | 0.05 | 0.001 |
| 14 | E37004 | 0.04 | 0.001 |
| 15 | E37005 | 0.04 | 0.001 |
| 16 | E37006 | 0.05 | 0.001 |
| 17 | E37007 | 0.42 | 0.012 |
| 18 | E37008 | 4.79 | 0.140 |
| 19 | E37009 | 1.43 | 0.042 |
| 20 | E37010 | 1.74 | 0.051 |
| 21 | E37011 | 14.5 | 0.423 |
| 22 | E37012 | 4.93 | 0.144 |
| 23 | E37013 | 1.57 | 0.046 |
| 24 | E37014 | 0.51 | 0.015 |
| 25 | E37015 | 0.40 | 0.012 |
| 26 | E37016 | 0.47 | 0.014 |
| 27 | E37017 | 0.96 | 0.028 |
| 28 | E37018 | 0.41 | 0.012 |

ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

Island Mountain Gold AK 2005-911

01-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | 165991 | <0.03 | <0.001 |
| 10 | 166000 | <0.03 | <0.001 |
| 17 | E37007 | 0.42 | 0.012 |
| 18 | E37008 | 4.71 | 0.137 |
| 19 | E37009 | 1.56 | 0.045 |
| 21 | E37011 | 13.4 | 0.391 |
| 22 | E37012 | 4.85 | 0.141 |
| 25 | E37015 | 0.49 | 0.014 |
| <i>Resplt:</i> | | | |
| 1 | 165991 | <0.03 | <0.001 |
| <i>Standard:</i> | | | |
| OX140 | | 1.87 | 0.055 |

JJ/bw
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1118

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

24-Sep-05

No. of samples received: 19
Sample type: Core
Project #: IGM-05-03
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31016 | <0.03 | <0.001 |
| 2 | E31017 | <0.03 | <0.001 |
| 3 | E31018 | <0.03 | <0.001 |
| 4 | E31019 | <0.03 | <0.001 |
| 5 | E31020 | <0.03 | <0.001 |
| 6 | E31021 | <0.03 | <0.001 |
| 7 | E31022 | <0.03 | <0.001 |
| 8 | E31023 | <0.03 | <0.001 |
| 9 | E31024 | <0.03 | <0.001 |
| 10 | E31025 | <0.03 | <0.001 |
| 11 | E31026 | <0.03 | <0.001 |
| 12 | E31027 | 0.06 | 0.002 |
| 13 | E31028 | <0.03 | <0.001 |
| 14 | E31030 | <0.03 | <0.001 |
| 15 | E31031 | <0.03 | <0.001 |
| 16 | E31032 | <0.03 | <0.001 |
| 17 | E31046 | <0.03 | <0.001 |
| 18 | E31047 | <0.03 | <0.001 |
| 19 | E31048 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E31016 | <0.03 | <0.001 |
| 10 | E31025 | <0.03 | <0.001 |

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-----------------|--------|-------------|--------------|
| <i>Resplit:</i> | | | |
| 1 | E31016 | <0.03 | <0.001 |

Standard:

| | | |
|------|------|-------|
| SH13 | 1.33 | 0.039 |
|------|------|-------|

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 19
Sample type: Core
Project: IGM- 05-03
Samples Submitted by: Charlie Moore

Values in ppm unless otherwise reported

| Et.# | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------|--------|------|------|----|-----|----|------|----|----|-----|----|------|-----|------|------|----|-------|-----|------|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31016 | 0.2 | 0.24 | 40 | 55 | <5 | 1.44 | <1 | 19 | 104 | 85 | 5.00 | <10 | 0.73 | 551 | 5 | <0.01 | 45 | 250 | 8 | <5 | <20 | 60 | <0.01 | <10 | 6 | <10 | <1 | 24 |
| 2 | E31017 | <0.2 | 0.10 | 5 | 80 | 15 | >10 | 1 | 10 | 24 | 12 | >10 | <10 | 4.24 | 4037 | 10 | <0.01 | 4 | 1030 | 10 | <5 | <20 | 744 | <0.01 | <10 | 4 | <10 | <1 | 89 |
| 3 | E31018 | <0.2 | 0.22 | 10 | 45 | <5 | 1.41 | <1 | 7 | 73 | 28 | 2.78 | <10 | 0.64 | 690 | 2 | <0.01 | 19 | 160 | 16 | <5 | <20 | 67 | <0.01 | <10 | 2 | <10 | <1 | 22 |
| 4 | E31019 | <0.2 | 0.31 | 25 | 60 | <5 | 0.92 | <1 | 13 | 66 | 29 | 3.71 | <10 | 0.68 | 628 | 3 | <0.01 | 34 | 500 | 14 | <5 | <20 | 51 | <0.01 | <10 | 6 | <10 | <1 | 42 |
| 5 | E31020 | 0.2 | 0.21 | 15 | 70 | <5 | 0.33 | <1 | 9 | 111 | 35 | 2.22 | <10 | 0.20 | 116 | 4 | <0.01 | 37 | 720 | 14 | <5 | <20 | 24 | <0.01 | <10 | 14 | <10 | <1 | 80 |
| 6 | E31021 | 0.4 | 0.17 | 35 | 85 | <5 | 0.75 | <1 | 10 | 79 | 83 | 6.17 | <10 | 1.04 | 312 | 5 | <0.01 | 39 | 360 | 100 | <5 | <20 | 49 | <0.01 | <10 | 9 | <10 | <1 | 146 |
| 7 | E31022 | <0.2 | 0.20 | 10 | 65 | <5 | 0.35 | <1 | 8 | 114 | 34 | 1.99 | <10 | 0.17 | 65 | 1 | <0.01 | 26 | 350 | 14 | <5 | <20 | 20 | <0.01 | <10 | 7 | <10 | <1 | 57 |
| 8 | E31023 | 0.8 | 0.23 | 60 | 55 | <5 | 0.46 | <1 | 26 | 64 | 71 | 5.54 | <10 | 0.85 | 645 | 4 | <0.01 | 52 | 520 | 74 | <5 | <20 | 24 | <0.01 | <10 | 3 | <10 | <1 | 63 |
| 9 | E31024 | 0.3 | 0.35 | 25 | 105 | <5 | 0.17 | <1 | 10 | 68 | 45 | 2.73 | <10 | 0.43 | 204 | 2 | <0.01 | 48 | 330 | 10 | <5 | <20 | 25 | <0.01 | <10 | 9 | <10 | <1 | 89 |
| 10 | E31025 | 0.4 | 0.54 | 10 | 95 | <5 | 0.25 | <1 | 8 | 68 | 46 | 2.81 | <10 | 0.42 | 233 | 2 | <0.01 | 44 | 420 | 10 | <5 | <20 | 38 | <0.01 | <10 | 8 | <10 | <1 | 71 |
| 11 | E31026 | 0.6 | 0.39 | 15 | 90 | <5 | 0.10 | <1 | 5 | 62 | 30 | 2.00 | <10 | 0.18 | 171 | 3 | <0.01 | 46 | 410 | 18 | <5 | <20 | 18 | <0.01 | <10 | 15 | <10 | <1 | 76 |
| 12 | E31027 | 0.9 | 0.22 | 15 | 255 | 10 | 0.20 | 3 | 23 | 83 | 48 | >10 | <10 | 0.03 | 3210 | 14 | <0.01 | 144 | 700 | 334 | <5 | <20 | 34 | <0.01 | <10 | 33 | <10 | <1 | 461 |
| 13 | E31028 | 1.2 | 0.22 | 10 | 125 | <5 | 0.12 | <1 | 14 | 89 | 40 | 5.56 | <10 | 0.08 | 1014 | 7 | <0.01 | 87 | 300 | 12 | <5 | <20 | 13 | <0.01 | <10 | 17 | <10 | <1 | 217 |
| 14 | E31030 | 0.4 | 0.25 | 25 | 110 | <5 | 0.23 | <1 | 8 | 115 | 42 | 2.38 | <10 | 0.18 | 190 | 3 | <0.01 | 45 | 300 | 40 | <5 | <20 | 38 | <0.01 | <10 | 15 | <10 | <1 | 160 |
| 15 | E31031 | 0.6 | 0.21 | 15 | 175 | <5 | 0.05 | <1 | 3 | 94 | 32 | 1.71 | <10 | 0.09 | 178 | 2 | <0.01 | 31 | 200 | 18 | <5 | <20 | 17 | <0.01 | <10 | 20 | <10 | <1 | 86 |
| 16 | E31032 | 0.5 | 0.23 | 30 | 80 | <5 | 0.23 | <1 | 4 | 100 | 33 | 2.25 | <10 | 0.14 | 133 | 5 | <0.01 | 52 | 500 | 30 | <5 | <20 | 38 | <0.01 | <10 | 22 | <10 | <1 | 90 |
| 17 | E31046 | 0.4 | 0.18 | 30 | 85 | <5 | 0.50 | <1 | 3 | 130 | 20 | 1.48 | <10 | 0.37 | 140 | 7 | <0.01 | 43 | 130 | 14 | <5 | <20 | 114 | <0.01 | <10 | 17 | <10 | <1 | 91 |
| 18 | E31047 | 0.4 | 0.32 | 10 | 140 | <5 | 0.29 | <1 | 7 | 81 | 55 | 2.24 | <10 | 0.34 | 117 | 4 | <0.01 | 38 | 640 | 14 | <5 | <20 | 49 | <0.01 | <10 | 19 | <10 | <1 | 120 |
| 19 | E31048 | 0.7 | 0.60 | 25 | 110 | <5 | 0.44 | <1 | 12 | 97 | 49 | 3.29 | <10 | 0.62 | 158 | 4 | <0.01 | 49 | 520 | 10 | <5 | <20 | 79 | <0.01 | <10 | 15 | <10 | <1 | 149 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|-----|------|----|-----|----|------|----|----|-----|----|------|-----|------|-----|---|-------|----|-----|----|----|-----|----|-------|-----|---|-----|----|----|
| 1 | E31016 | 0.2 | 0.25 | 35 | 55 | <5 | 1.45 | <1 | 19 | 106 | 86 | 5.04 | <10 | 0.73 | 554 | 5 | <0.01 | 44 | 250 | 10 | <5 | <20 | 62 | <0.01 | <10 | 5 | <10 | <1 | 25 |
| 10 | E31025 | 0.4 | 0.57 | 10 | 110 | <5 | 0.25 | <1 | 8 | 70 | 47 | 2.83 | <10 | 0.43 | 236 | 2 | <0.01 | 44 | 430 | 10 | <5 | <20 | 39 | <0.01 | <10 | 9 | <10 | <1 | 70 |

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|-----|------|----|----|----|------|----|----|----|----|------|-----|------|-----|---|-------|----|-----|---|----|-----|----|-------|-----|---|-----|----|----|
| 1 | E31016 | 0.4 | 0.25 | 35 | 50 | <5 | 1.41 | <1 | 18 | 97 | 79 | 4.62 | <10 | 0.69 | 528 | 5 | <0.01 | 40 | 280 | 8 | <5 | <20 | 57 | <0.01 | <10 | 5 | <10 | <1 | 24 |
|---|--------|-----|------|----|----|----|------|----|----|----|----|------|-----|------|-----|---|-------|----|-----|---|----|-----|----|-------|-----|---|-----|----|----|

Page 1

24-Sep-05

| Et.# | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------------------|-------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|---|----|
| <i>Standard:</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO 05 | | 1.5 | 1.53 | 60 | 165 | <5 | 1.26 | <1 | 15 | 57 | 84 | 3.57 | <10 | 0.80 | 554 | <1 | 0.02 | 25 | 590 | 22 | <5 | <20 | 54 | 0.11 | <10 | 72 | <10 | 9 | 74 |

JJ/ga
08/11/28
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealousie
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-03 DATE: 6-Aug-05

SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37019 | 35 | 45 | <0.03 | E37050 | 345 | 355 | <0.03 |
| E37020 | 45 | 55 | 0.07 | E37051 | 355 | 365 | <0.03 |
| E37021 | 55 | 65 | <0.03 | E37052 | 365 | 375 | <0.03 |
| E37022 | 65 | 75 | <0.03 | E37053 | 375 | 385 | <0.03 |
| E37023 | 75 | 85 | <0.03 | E37054 | 385 | 395 | <0.03 |
| E37024 | 85 | 95 | <0.03 | E37055 | 395 | 405 | <0.03 |
| E37025 | 95 | 105 | 0.03 | E37056 | 405 | 415 | <0.03 |
| E37026 | 105 | 115 | <0.03 | E37057 | 415 | 425 | <0.03 |
| E37027 | 115 | 125 | <0.03 | E37058 | 425 | 435 | <0.03 |
| E37028 | 125 | 135 | <0.03 | E37059 | 435 | 445 | <0.03 |
| E37029 | 135 | 145 | <0.03 | E37060 | 445 | 455 | <0.03 |
| E37030 | 145 | 155 | <0.03 | E37061 | 455 | 465 | 0.04 |
| E37031 | 155 | 165 | <0.03 | E37062 | 465 | 475 | <0.03 |
| E37032 | 165 | 175 | <0.03 | | | | |
| E37033 | 175 | 185 | 0.10 | | | | |
| E37034 | 185 | 195 | <0.03 | | | | |
| E37035 | 195 | 205 | <0.03 | | | | |
| E37036 | 205 | 215 | <0.03 | | | | |
| E37037 | 215 | 225 | <0.03 | | | | |
| E37038 | 225 | 235 | 0.03 | | | | |
| E37039 | 235 | 245 | <0.03 | | | | |
| E37040 | 245 | 255 | <0.03 | | | | |
| E37041 | 255 | 265 | 0.04 | | | | |
| E37042 | 265 | 275 | <0.03 | | | | |
| E37043 | 275 | 285 | 0.03 | | | | |
| E37044 | 285 | 295 | <0.03 | | | | |
| E37045 | 295 | 305 | <0.03 | | | | |
| E37046 | 305 | 315 | <0.03 | | | | |
| E37047 | 315 | 325 | <0.03 | | | | |
| E37048 | 325 | 335 | <0.03 | | | | |
| E37049 | 335 | 345 | <0.03 | | | | |

AK4-990a

AK5-990a

CERTIFICATE OF ASSAY AK 2005-990

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

09-Sep-05

No. of samples received: 44
Sample type: Sludge
Project #: IGM - 05 - 03
Shipment #: n/a
Samples Submitted by: Ed Gates

| ET # | Tag # | Au (g/t) | Au (oz/t) |
|------|--------|----------|-----------|
| 1 | E37019 | <0.03 | <0.001 |
| 2 | E37020 | 0.07 | 0.002 |
| 3 | E37021 | <0.03 | <0.001 |
| 4 | E37022 | <0.03 | <0.001 |
| 5 | E37023 | <0.03 | <0.001 |
| 6 | E37024 | <0.03 | <0.001 |
| 7 | E37025 | 0.03 | 0.001 |
| 8 | E37026 | <0.03 | <0.001 |
| 9 | E37027 | <0.03 | <0.001 |
| 10 | E37028 | <0.03 | <0.001 |
| 11 | E37029 | <0.03 | <0.001 |
| 12 | E37030 | <0.03 | <0.001 |
| 13 | E37031 | <0.03 | <0.001 |
| 14 | E37032 | <0.03 | <0.001 |
| 15 | E37033 | 0.10 | 0.003 |
| 16 | E37034 | <0.03 | <0.001 |
| 17 | E37035 | <0.03 | <0.001 |
| 18 | E37036 | <0.03 | <0.001 |
| 19 | E37037 | <0.03 | <0.001 |
| 20 | E37038 | 0.03 | 0.001 |
| 21 | E37039 | <0.03 | <0.001 |
| 22 | E37040 | <0.03 | <0.001 |
| 23 | E37041 | 0.04 | 0.001 |
| 24 | E37042 | <0.03 | <0.001 |
| 25 | E37043 | 0.03 | 0.001 |
| 26 | E37044 | <0.03 | <0.001 |
| 27 | E37045 | <0.03 | <0.001 |
| 28 | E37046 | <0.03 | <0.001 |
| 29 | E37047 | <0.03 | <0.001 |
| 30 | E37048 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Island Mountain Gold AK 2005-990

09-Sep-05

| ET # | Tag # | Au (g/t) | Au (oz/t) |
|------|--------|----------|-----------|
| 31 | E37049 | <0.03 | <0.001 |
| 32 | E37050 | <0.03 | <0.001 |
| 33 | E37051 | <0.03 | <0.001 |
| 34 | E37052 | <0.03 | <0.001 |
| 35 | E37053 | <0.03 | <0.001 |
| 36 | E37054 | <0.03 | <0.001 |
| 37 | E37055 | <0.03 | <0.001 |
| 38 | E37056 | <0.03 | <0.001 |
| 39 | E37057 | <0.03 | <0.001 |
| 40 | E37058 | <0.03 | <0.001 |
| 41 | E37059 | <0.03 | <0.001 |
| 42 | E37060 | <0.03 | <0.001 |
| 43 | E37061 | 0.04 | 0.001 |
| 44 | E37062 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E37019 | <0.03 | <0.001 |
| 10 | E37028 | <0.03 | <0.001 |
| 19 | E37037 | <0.03 | <0.001 |
| 36 | E37054 | <0.03 | <0.001 |

Resplit:

| | | | |
|----|--------|-------|--------|
| 1 | E37019 | <0.03 | <0.001 |
| 36 | E37054 | <0.03 | <0.001 |

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.89 | 0.055 |
| OX140 | 1.87 | 0.055 |

JJ/bw
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 13
Project: IGM-05-04
Sample type: Core
Samples Submitted by: Ed Gates

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|----|----|------|----|----|-----|-----|------|-----|-------|------|----|-------|----|------|-----|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | E31033 | <0.2 | 0.32 | 45 | 40 | <5 | 0.75 | <1 | 16 | 24 | 23 | 4.63 | <10 | 0.94 | 461 | 3 | <0.01 | 38 | 380 | 6 | <5 | <20 | 34 | <0.01 | <10 | 2 | <10 | <1 | 52 |
| 2 | E31034 | 0.2 | 1.29 | 10 | 45 | <5 | 2.35 | <1 | 11 | 45 | 69 | 4.38 | <10 | 1.32 | 932 | 4 | <0.01 | 26 | 310 | 44 | <5 | <20 | 118 | <0.01 | <10 | 2 | <10 | <1 | 37 |
| 3 | E31035 | <0.2 | 0.24 | 190 | 35 | <5 | 1.08 | <1 | 8 | 69 | 22 | 3.10 | <10 | 0.61 | 787 | 3 | <0.01 | 25 | 100 | 4 | <5 | <20 | 50 | <0.01 | <10 | 2 | <10 | <1 | 31 |
| 4 | E31036 | <0.2 | 0.24 | 60 | 35 | <5 | 2.03 | <1 | 11 | 69 | 17 | 2.90 | <10 | 0.73 | 1662 | 2 | <0.01 | 18 | 200 | 10 | <5 | <20 | 78 | <0.01 | <10 | 3 | <10 | 2 | 28 |
| 5 | E31037 | <0.2 | 0.18 | 520 | 30 | <5 | 1.36 | <1 | 9 | 95 | 19 | 2.63 | <10 | 0.53 | 1127 | 3 | <0.01 | 25 | 650 | 2 | <5 | <20 | 25 | <0.01 | <10 | 2 | <10 | 5 | 16 |
| 6 | E31038 | <0.2 | 0.19 | 125 | 35 | <5 | 0.78 | <1 | 9 | 57 | 21 | 3.07 | <10 | 0.58 | 434 | 2 | <0.01 | 19 | 200 | 14 | <5 | <20 | 34 | <0.01 | <10 | 2 | <10 | <1 | 43 |
| 7 | E31039 | <0.2 | 0.14 | 20 | 20 | <5 | 0.47 | <1 | 3 | 114 | 8 | 1.02 | <10 | 0.18 | 281 | 2 | <0.01 | 9 | 60 | 4 | <5 | <20 | 18 | <0.01 | <10 | 1 | <10 | <1 | 11 |
| 8 | E31040 | <0.2 | 0.18 | 10 | 25 | <5 | 0.82 | <1 | 6 | 91 | 17 | 1.67 | <10 | 0.32 | 438 | 1 | <0.01 | 15 | 70 | 58 | <5 | <20 | 31 | <0.01 | <10 | 2 | <10 | <1 | 15 |
| 9 | E31041 | <0.2 | 0.18 | 15 | 40 | <5 | 1.39 | <1 | 7 | 73 | 19 | 2.66 | <10 | 0.43 | 710 | 3 | <0.01 | 11 | 80 | 14 | <5 | <20 | 56 | <0.01 | <10 | 2 | <10 | <1 | 28 |
| 10 | E31042 | <0.2 | 0.39 | 105 | 80 | <5 | 5.35 | <1 | 20 | 16 | 106 | 8.19 | <10 | 0.99 | 2152 | 5 | 0.01 | 7 | 1390 | 6 | <5 | <20 | 63 | <0.01 | <10 | 10 | <10 | <1 | 45 |
| 11 | E31043 | 0.2 | 0.15 | 55 | 25 | <5 | 1.03 | <1 | 4 | 93 | 14 | 1.61 | <10 | -0.33 | 678 | 2 | <0.01 | 8 | 30 | 58 | <5 | <20 | 234 | <0.01 | <10 | 2 | <10 | <1 | 24 |
| 12 | E31044 | 2.9 | 0.05 | 320 | 25 | 35 | 1.71 | <1 | 20 | 93 | 11 | 5.10 | <10 | 0.40 | 1601 | 3 | <0.01 | 22 | <10 | 348 | <5 | <20 | 35 | <0.01 | <10 | 1 | <10 | <1 | 10 |
| 13 | E31045 | <0.2 | 0.15 | 25 | 35 | <5 | 0.59 | <1 | 8 | 64 | 19 | 2.01 | <10 | 0.31 | 404 | 2 | <0.01 | 18 | 110 | 10 | <5 | <20 | 22 | <0.01 | <10 | 1 | <10 | <1 | 23 |

QC DATA:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---------|--------|------|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|----|----|
| Repeat: | | 1 | E31033 | <0.2 | 0.31 | 55 | 40 | <5 | 0.75 | <1 | 18 | 23 | 25 | 4.64 | <10 | 0.93 | 458 | 3 | <0.01 | 41 | 370 | 4 | <5 | <20 | 33 | <0.01 | <10 | 2 | <10 | <1 | 50 |
| Resplit: | | 1 | E31033 | <0.2 | 0.41 | 40 | 55 | <5 | 0.77 | <1 | 15 | 26 | 26 | 4.47 | <10 | 0.92 | 434 | 3 | 0.01 | 38 | 370 | 4 | <5 | <20 | 35 | <0.01 | <10 | 3 | <10 | <1 | 47 |
| Standard: | | GEO '05 | | 1.5 | 1.28 | 55 | 140 | <5 | 1.20 | <1 | 19 | 60 | 84 | 3.41 | <10 | 0.65 | 518 | <1 | 0.02 | 29 | 550 | 20 | 5 | <20 | 52 | 0.11 | <10 | 72 | <10 | 10 | 76 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
0928
XLS/05

CERTIFICATE OF ASSAY AK 2005-962

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0
01-Sep-05

No. of samples received: 13
Project: IGM-05-04
Sample type: Core
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31033 | <0.03 | <0.001 |
| 2 | E31034 | <0.03 | <0.001 |
| 3 | E31035 | 0.37 | 0.011 |
| 4 | E31036 | 0.03 | 0.001 |
| 5 | E31037 | 0.04 | 0.001 |
| 6 | E31038 | 0.14 | 0.004 |
| 7 | E31039 | <0.03 | <0.001 |
| 8 | E31040 | <0.03 | <0.001 |
| 9 | E31041 | <0.03 | <0.001 |
| 10 | E31042 | 0.61 | 0.018 |
| 11 | E31043 | 0.13 | 0.004 |
| 12 | E31044 | 2.92 | 0.085 |
| 13 | E31045 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E31033 | <0.03 | <0.001 |
| 12 | E31044 | 2.83 | 0.083 |

Resplit:

| | | | |
|---|--------|-------|--------|
| 1 | E31033 | <0.03 | <0.001 |
|---|--------|-------|--------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.82 | 0.053 |
|-------|------|-------|

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
XLS/05

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-04 DATE: 10-Aug-05

SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37067 | 0 | 28 | 0.10 | E37098 | 328 | 338 | 0.82 |
| E37068 | 28 | 38 | 0.11 | | | | |
| E37069 | 38 | 48 | 0.47 | | | | |
| E37070 | 48 | 58 | 0.04 | | | | |
| E37071 | 58 | 68 | 0.92 | | | | |
| E37072 | 68 | 78 | 7.14 | | | | |
| E37073 | 78 | 88 | 1.83 | | | | |
| E37074 | 88 | 98 | 0.61 | | | | |
| E37075 | 98 | 108 | 0.15 | | | | |
| E37076 | 108 | 118 | 0.73 | | | | |
| E37077 | 118 | 128 | 0.16 | | | | |
| E37078 | 128 | 138 | 0.09 | | | | |
| E37079 | 138 | 148 | 0.24 | | | | |
| E37080 | 148 | 158 | 0.15 | | | | |
| E37081 | 158 | 168 | 0.04 | | | | |
| E37082 | 168 | 178 | 0.05 | | | | |
| E37083 | 178 | 188 | 1.06 | | | | |
| E37084 | 188 | 198 | 0.11 | | | | |
| E37085 | 198 | 208 | 0.31 | | | | |
| E37086 | 208 | 218 | 1.14 | | | | |
| E37087 | 218 | 228 | 0.07 | | | | |
| E37088 | 228 | 238 | 0.08 | | | | |
| E37089 | 238 | 248 | 0.04 | | | | |
| E37090 | 248 | 258 | 0.09 | | | | |
| E37091 | 258 | 268 | 0.07 | | | | |
| E37092 | 268 | 278 | 0.14 | | | | |
| E37093 | 278 | 288 | 0.50 | | | | |
| E37094 | 288 | 298 | 0.75 | | | | |
| E37095 | 298 | 308 | 4.15 | | | | |
| E37096 | 308 | 318 | 0.60 | | | | |
| E37097 | 318 | 328 | 0.16 | | | | |

AK5-992a

AK5-992a

CERTIFICATE OF ASSAY AK 2005-992

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

13-Sep-05

No. of samples received: 32
 Sample type: Sludge
 Project #: IGM-05-04
 Shipment #: n/a
 Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37067 | 0.10 | 0.003 |
| 2 | E37068 | 0.11 | 0.003 |
| 3 | E37069 | 0.47 | 0.014 |
| 4 | E37070 | 0.04 | 0.001 |
| 5 | E37071 | 0.92 | 0.027 |
| 6 | E37072 | 7.14 | 0.208 |
| 7 | E37073 | 1.83 | 0.053 |
| 8 | E37074 | 0.61 | 0.018 |
| 9 | E37075 | 0.15 | 0.004 |
| 10 | E37076 | 0.73 | 0.021 |
| 11 | E37077 | 0.16 | 0.005 |
| 12 | E37078 | 0.09 | 0.003 |
| 13 | E37079 | 0.24 | 0.007 |
| 14 | E37080 | 0.15 | 0.004 |
| 15 | E37081 | 0.04 | 0.001 |
| 16 | E37082 | 0.05 | 0.001 |
| 17 | E37083 | 1.06 | 0.031 |
| 18 | E37084 | 0.11 | 0.003 |
| 19 | E37085 | 0.31 | 0.009 |
| 20 | E37086 | 1.14 | 0.033 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold-AK5-992

13-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 21 | E37087 | 0.07 | 0.002 |
| 22 | E37088 | 0.08 | 0.002 |
| 23 | E37089 | 0.04 | 0.001 |
| 24 | E37090 | 0.09 | 0.003 |
| 25 | E37091 | 0.07 | 0.002 |
| 26 | E37092 | 0.14 | 0.004 |
| 27 | E37093 | 0.50 | 0.015 |
| 28 | E37094 | 0.75 | 0.022 |
| 29 | E37095 | 4.15 | 0.121 |
| 30 | E37096 | 0.60 | 0.017 |
| 31 | E37097 | 0.16 | 0.005 |
| 32 | E37098 | 0.82 | 0.024 |

QC DATA:

Repeat:

| | | | |
|----|-------|------|-------|
| 1 | 37067 | 0.08 | 0.002 |
| 6 | 37072 | 7.17 | 0.209 |
| 7 | 37073 | 1.87 | 0.055 |
| 10 | 37076 | 0.69 | 0.020 |
| 19 | 37085 | 0.29 | 0.008 |
| 28 | 37094 | 0.76 | 0.022 |
| 29 | 37095 | 4.35 | 0.127 |

Resplit:

| | | | |
|---|-------|------|-------|
| 1 | 37067 | 0.07 | 0.002 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.86 | 0.054 |
|-------|------|-------|

JJ/ga
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 13
Project: IGM-05-05
Sample type: Core
Samples Submitted by: Ed Gates

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|------|----|----|------|----|----|-----|-----|------|-----|------|------|----|-------|----|-----|-----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31049 | 0.2 | 0.93 | 50 | 60 | <5 | 6.45 | <1 | 26 | 14 | 167 | 7.45 | <10 | 1.50 | 1228 | 4 | 0.01 | 13 | 970 | 30 | <5 | <20 | 183 | <0.01 | <10 | 7 | <10 | <1 | 100 |
| 2 | E31050 | <0.2 | 0.53 | 20 | 35 | <5 | 2.06 | <1 | 17 | 54 | 109 | 4.33 | <10 | 0.77 | 657 | 4 | <0.01 | 21 | 400 | 4 | <5 | <20 | 60 | <0.01 | <10 | 7 | <10 | <1 | 66 |
| 3 | E31051 | 0.2 | 0.49 | 25 | 45 | <5 | 0.66 | <1 | 17 | 71 | 63 | 3.32 | <10 | 0.45 | 392 | 4 | <0.01 | 30 | 310 | 50 | <5 | <20 | 26 | <0.01 | <10 | 4 | <10 | <1 | 58 |
| 4 | E31052 | 0.9 | 0.25 | 310 | 30 | <5 | 0.74 | <1 | 6 | 102 | 13 | 3.60 | <10 | 0.27 | 440 | 2 | <0.01 | 15 | 70 | 68 | <5 | <20 | 24 | <0.01 | <10 | 3 | <10 | <1 | 19 |
| 5 | E31053 | 1.7 | 0.10 | 1480 | 75 | 20 | 2.23 | <1 | 14 | 54 | 3 | >10 | <10 | 0.67 | 1772 | 12 | <0.01 | 21 | 20 | 102 | <5 | <20 | 82 | <0.01 | <10 | 2 | <10 | <1 | 25 |
| 6 | E31054 | 0.2 | 0.14 | 80 | 30 | <5 | 1.69 | <1 | 6 | 57 | 21 | 2.78 | <10 | 0.61 | 1114 | 5 | <0.01 | 17 | 100 | 6 | <5 | <20 | 44 | <0.01 | <10 | 2 | <10 | <1 | 22 |
| 7 | E31055 | <0.2 | 0.18 | 55 | 35 | <5 | 0.38 | <1 | 11 | 80 | 17 | 3.16 | <10 | 0.51 | 499 | 3 | <0.01 | 30 | 130 | 6 | <5 | <20 | 12 | <0.01 | <10 | 2 | <10 | <1 | 32 |
| 8 | E31056 | 3.8 | 0.13 | 1205 | 75 | 25 | 0.95 | <1 | 21 | 42 | 11 | >10 | <10 | 0.31 | 823 | 9 | <0.01 | 38 | <10 | 348 | <5 | <20 | 30 | <0.01 | <10 | 2 | <10 | <1 | 18 |
| 9 | E31057 | 0.4 | 0.18 | 135 | 35 | <5 | 2.75 | <1 | 12 | 89 | 24 | 3.70 | <10 | 0.93 | 1441 | 7 | <0.01 | 23 | 170 | 36 | <5 | <20 | 102 | <0.01 | <10 | 4 | <10 | 2 | 27 |
| 10 | E31058 | 0.2 | 0.29 | 190 | 50 | <5 | 2.77 | <1 | 15 | 66 | 56 | 3.68 | <10 | 0.70 | 716 | 2 | <0.01 | 19 | 310 | 40 | <5 | <20 | 105 | <0.01 | <10 | 7 | <10 | <1 | 38 |
| 11 | E31059 | 0.3 | 0.31 | 770 | 30 | <5 | 2.08 | <1 | 7 | 65 | 17 | 2.20 | <10 | 0.51 | 820 | 3 | <0.01 | 10 | 150 | 32 | 5 | <20 | 67 | <0.01 | <10 | 6 | <10 | <1 | 24 |
| 12 | E31060 | <0.2 | 0.13 | 30 | 30 | <5 | 1.29 | <1 | 6 | 77 | 12 | 1.66 | <10 | 0.47 | 592 | <1 | <0.01 | 13 | 60 | 8 | <5 | <20 | 40 | <0.01 | <10 | 1 | <10 | <1 | 16 |
| 13 | E31061 | <0.2 | 0.27 | 5 | 25 | <5 | 0.72 | <1 | 4 | 81 | 8 | 1.23 | <10 | 0.34 | 312 | 2 | <0.01 | 8 | 50 | 8 | <5 | <20 | 35 | <0.01 | <10 | <1 | <10 | <1 | 15 |

QC DATA:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|---------|--------|-----|------|----|-----|----|------|----|----|----|-----|------|-----|------|------|----|------|----|-----|----|----|-----|-----|-------|-----|----|-----|----|----|
| Repeat: | | 1 | E31049 | 0.2 | 0.97 | 70 | 60 | <5 | 6.49 | <1 | 27 | 16 | 169 | 7.82 | <10 | 1.58 | 1288 | 6 | 0.01 | 12 | 980 | 26 | <5 | <20 | 190 | <0.01 | <10 | 8 | <10 | <1 | 99 |
| Resplit: | | 1 | E31049 | 0.2 | 0.93 | 55 | 60 | <5 | 6.61 | <1 | 26 | 14 | 171 | 7.80 | <10 | 1.56 | 1286 | 5 | 0.01 | 12 | 970 | 20 | <5 | <20 | 190 | <0.01 | <10 | 7 | <10 | <1 | 83 |
| Standard: | | GEO '05 | | 1.5 | 1.44 | 60 | 150 | <5 | 1.33 | <1 | 19 | 55 | 85 | 3.80 | <10 | 0.77 | 576 | <1 | 0.02 | 29 | 590 | 22 | 5 | <20 | 54 | 0.11 | <10 | 70 | <10 | 10 | 74 |

JJ/kk
01/928
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AX 2005-963

01-Sep-05

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

No. of samples received: 13
Project: IGM-05-05
Sample type: Core
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g) | Au (oz) |
|-------|--------|--------|---------|
| 1 | E31049 | 0.04 | 0.001 |
| 2 | E31050 | <0.03 | <0.001 |
| 3 | E31051 | <0.03 | <0.001 |
| 4 | E31052 | 3.61 | 0.105 |
| 5 | E31053 | 5.05 | 0.147 |
| 6 | E31054 | 0.04 | 0.001 |
| 7 | E31055 | <0.03 | <0.001 |
| 8 | E31056 | 13.7 | 0.400 |
| 9 | E31057 | 0.79 | 0.023 |
| 10 | E31058 | 0.19 | 0.006 |
| 11 | E31059 | 0.54 | 0.016 |
| 12 | E31060 | <0.03 | <0.001 |
| 13 | E31061 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|---|--------|-------|--------|
| 1 | E31049 | <0.03 | <0.001 |
| 5 | E31053 | 5.04 | 0.147 |
| 8 | E31056 | 13.1 | 0.362 |
| 8 | E31056 | 13.6 | 0.397 |

Resplit:

| | | | |
|---|--------|-------|--------|
| 1 | E31049 | <0.03 | <0.001 |
|---|--------|-------|--------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.85 | 0.054 |
|-------|------|-------|

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-05 DATE: 11-Aug-05 SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37132 | 0 | 37 | <0.03 | E37163 | 337 | 347 | 0.04 |
| E37133 | 37 | 47 | 0.04 | | | | |
| E37134 | 47 | 57 | <0.03 | | | | |
| E37135 | 57 | 67 | <0.03 | | | | |
| E37136 | 67 | 77 | 0.05 | | | | |
| E37137 | 77 | 87 | 0.08 | | | | |
| E37138 | 87 | 97 | <0.03 | | | | |
| E37139 | 97 | 107 | <0.03 | | | | |
| E37140 | 107 | 117 | 0.08 | | | | |
| E37141 | 117 | 127 | <0.03 | | | | |
| E37142 | 127 | 137 | <0.03 | | | | |
| E37143 | 137 | 147 | 0.69 | | | | |
| E37144 | 147 | 157 | 1.57 | | | | |
| E37145 | 157 | 167 | 1.91 | | | | |
| E37146 | 167 | 177 | 0.36 | | | | |
| E37147 | 177 | 187 | 0.56 | | | | |
| E37148 | 187 | 197 | 5.92 | | | | |
| E37149 | 197 | 207 | 1.47 | | | | |
| E37150 | 207 | 217 | 0.93 | | | | |
| E37151 | 217 | 227 | 1.30 | | | | |
| E37152 | 227 | 237 | 0.74 | | | | |
| E37153 | 237 | 247 | 0.32 | | | | |
| E37154 | 247 | 257 | 0.20 | | | | |
| E37155 | 257 | 267 | 0.55 | | | | |
| E37156 | 267 | 277 | 0.30 | | | | |
| E37157 | 277 | 287 | 0.25 | | | | |
| E37158 | 287 | 297 | 0.26 | | | | |
| E37159 | 297 | 307 | 0.25 | | | | |
| E37160 | 307 | 317 | 0.36 | | | | |
| E37161 | 317 | 327 | 0.34 | | | | |
| E37162 | 327 | 337 | 0.25 | | | | |

AK5-999a

AK5-999a

CERTIFICATE OF ASSAY AK 2005-999

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

09-Sep-05

No. of samples received: 32
 Sample type: Sludge
 Project #: IGM-05-05
 Shipment #: n/a
 Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E37132 | <0.03 | <0.001 |
| 2 | E37133 | 0.04 | 0.001 |
| 3 | E37134 | <0.03 | <0.001 |
| 4 | E37135 | <0.03 | <0.001 |
| 5 | E37136 | 0.05 | 0.001 |
| 6 | E37137 | 0.08 | 0.002 |
| 7 | E37138 | <0.03 | <0.001 |
| 8 | E37139 | <0.03 | <0.001 |
| 9 | E37140 | 0.08 | 0.002 |
| 10 | E37141 | <0.03 | <0.001 |
| 11 | E37142 | <0.03 | <0.001 |
| 12 | E37143 | 0.69 | 0.020 |
| 13 | E37144 | 1.57 | 0.046 |
| 14 | E37145 | 1.91 | 0.056 |
| 15 | E37146 | 0.36 | 0.010 |
| 16 | E37147 | 0.56 | 0.016 |
| 17 | E37148 | 5.92 | 0.173 |
| 18 | E37149 | 1.47 | 0.043 |
| 19 | E37150 | 0.93 | 0.027 |
| 20 | E37151 | 1.30 | 0.038 |
| 21 | E37152 | 0.74 | 0.022 |
| 22 | E37153 | 0.32 | 0.009 |
| 23 | E37154 | 0.20 | 0.006 |
| 24 | E37155 | 0.55 | 0.016 |
| 25 | E37156 | 0.30 | 0.009 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK2005-999

09-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 26 | E37157 | 0.25 | 0.007 |
| 27 | E37158 | 0.26 | 0.008 |
| 28 | E37159 | 0.25 | 0.007 |
| 29 | E37160 | 0.36 | 0.010 |
| 30 | E37161 | 0.34 | 0.010 |
| 31 | E37162 | 0.25 | 0.007 |
| 32 | E37163 | 0.04 | 0.001 |

QC DATA:

Repeat:

| | | | |
|----|-------|-------|--------|
| 1 | 37132 | <0.03 | <0.001 |
| 10 | 37141 | <0.03 | <0.001 |
| 12 | 37143 | 0.73 | 0.021 |
| 17 | 37148 | 5.55 | 0.162 |
| 19 | 37150 | 0.79 | 0.023 |
| 20 | 37151 | 1.22 | 0.036 |
| 28 | 37159 | 0.28 | 0.008 |

Rsplit:

| | | | |
|---|-------|------|-------|
| 1 | 37132 | 0.03 | 0.001 |
|---|-------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.85 | 0.054 |
|-------|------|-------|

JJ/cr/ga
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1200

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

06-Oct-05

No. of samples received: 21
Sample type: Core
Project #: IGM-05-06
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31821 | <0.03 | <0.001 |
| 2 | E31822 | <0.03 | <0.001 |
| 3 | E31823 | <0.03 | <0.001 |
| 4 | E31824 | <0.03 | <0.001 |
| 5 | E31825 | <0.03 | <0.001 |
| 6 | E31826 | <0.03 | <0.001 |
| 7 | E31827 | <0.03 | <0.001 |
| 8 | E31828 | <0.03 | <0.001 |
| 9 | E31829 | <0.03 | <0.001 |
| 10 | E31830 | <0.03 | <0.001 |
| 11 | E31831 | <0.03 | <0.001 |
| 12 | E31832 | <0.03 | <0.001 |
| 13 | E31833 | <0.03 | <0.001 |
| 14 | E31834 | <0.03 | <0.001 |
| 15 | E31835 | <0.03 | <0.001 |
| 16 | E31836 | <0.03 | <0.001 |
| 17 | E31837 | <0.03 | <0.001 |
| 18 | E31838 | <0.03 | <0.001 |
| 19 | E31839 | <0.03 | <0.001 |
| 20 | E31840 | <0.03 | <0.001 |
| 21 | E31841 | <0.03 | <0.001 |

QC DATA:

| Repeat: | ET # | Tag # | Au (g/t) | Au (oz/t) |
|---------|------|--------|----------|-----------|
| | 1 | E31821 | <0.03 | <0.001 |
| | 10 | E31830 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold AK5-1200

06-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| Resplit: | | | |
| 1 | E31821 | <0.03 | <0.001 |
| Standard: | | | |
| | SH13 | 1.31 | 0.038 |

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1178

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

05-Oct-05

No. of samples received: 20
Sample type: Core
Project #: IGM-05-06
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31801 | <0.03 | <0.001 |
| 2 | E31802 | <0.03 | <0.001 |
| 3 | E31803 | <0.03 | <0.001 |
| 4 | E31804 | <0.03 | <0.001 |
| 5 | E31805 | <0.03 | <0.001 |
| 6 | E31806 | <0.03 | <0.001 |
| 7 | E31807 | <0.03 | <0.001 |
| 8 | E31808 | <0.03 | <0.001 |
| 9 | E31809 | <0.03 | <0.001 |
| 10 | E31810 | <0.03 | <0.001 |
| 11 | E31811 | 0.28 | 0.008 |
| 12 | E31812 | <0.03 | <0.001 |
| 13 | E31813 | <0.03 | <0.001 |
| 14 | E31814 | <0.03 | <0.001 |
| 15 | E31815 | <0.03 | <0.001 |
| 16 | E31816 | 0.10 | 0.003 |
| 17 | E31817 | <0.03 | <0.001 |
| 18 | E31818 | 0.03 | 0.001 |
| 19 | E31819 | <0.03 | <0.001 |
| 20 | E31820 | <0.03 | <0.001 |

QC DATA:

Repeat:

1 E31801 <0.03 <0.001

Resplit:

1 E31801 <0.03 <0.001

Standard:

SH13 1.33 0.039

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1125

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

28-Sep-05

No. of samples received: 53
 Sample type: Sludge
 Project #: IGM-05-06
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37195 | <0.03 | <0.001 |
| 2 | E37196 | <0.03 | <0.001 |
| 3 | E37197 | <0.03 | <0.001 |
| 4 | E37198 | <0.03 | <0.001 |
| 5 | E37199 | <0.03 | <0.001 |
| 6 | E37200 | <0.03 | <0.001 |
| 7 | E37201 | <0.03 | <0.001 |
| 8 | E37202 | <0.03 | <0.001 |
| 9 | E37203 | 0.13 | 0.004 |
| 10 | E37204 | 0.06 | 0.002 |
| 11 | E37205 | 0.06 | 0.002 |
| 12 | E37206 | <0.03 | <0.001 |
| 13 | E37207 | <0.03 | <0.001 |
| 14 | E37208 | <0.03 | <0.001 |
| 15 | E37209 | 0.07 | 0.002 |
| 16 | E37210 | 0.11 | 0.003 |
| 17 | E37211 | 0.08 | 0.002 |
| 18 | E37212 | 0.03 | 0.001 |
| 19 | E37213 | 0.04 | 0.001 |
| 20 | E37214 | 0.04 | 0.001 |
| 21 | E37215 | <0.03 | <0.001 |
| 22 | E37216 | 0.04 | 0.001 |
| 23 | E37217 | 0.03 | 0.001 |
| 24 | E37218 | <0.03 | <0.001 |
| 25 | E37219 | <0.03 | <0.001 |
| 26 | E37220 | 0.03 | 0.001 |
| 27 | E37221 | <0.03 | <0.001 |
| 28 | E37222 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1125

28-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 29 | E37223 | 0.06 | 0.002 |
| 30 | E37224 | 0.04 | 0.001 |
| 31 | E37225 | 0.05 | 0.001 |
| 32 | E37226 | <0.03 | <0.001 |
| 33 | E37227 | <0.03 | <0.001 |
| 34 | E37228 | <0.03 | <0.001 |
| 35 | E37229 | <0.03 | <0.001 |
| 36 | E37230 | <0.03 | <0.001 |
| 37 | E37231 | <0.03 | <0.001 |
| 38 | E37232 | 0.03 | 0.001 |
| 39 | E37233 | <0.03 | <0.001 |
| 40 | E37234 | . | . |
| 41 | E37235 | 0.03 | 0.001 |
| 42 | E37236 | <0.03 | <0.001 |
| 43 | E37237 | <0.03 | <0.001 |
| 44 | E37238 | <0.03 | <0.001 |
| 45 | E37239 | <0.03 | <0.001 |
| 46 | E37240 | 0.08 | 0.002 |
| 47 | E37241 | 0.03 | 0.001 |
| 48 | E37242 | 0.10 | 0.003 |
| 49 | E37243 | <0.03 | <0.001 |
| 50 | E37244 | <0.03 | <0.001 |
| 51 | E37245 | 0.08 | 0.002 |
| 52 | E37246 | <0.03 | <0.001 |
| 53 | E37247 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|-------|-------|--------|
| 1 | 37195 | <0.03 | <0.001 |
| 10 | 37204 | 0.05 | 0.001 |
| 19 | 37213 | 0.03 | 0.001 |
| 28 | 37222 | <0.03 | <0.001 |
| 36 | 37230 | <0.03 | <0.001 |
| 45 | 37239 | <0.03 | <0.001 |

Standard:

| | | |
|------|------|-------|
| SH13 | 1.31 | 0.038 |
| SH13 | 1.35 | 0.039 |

*= No Sample

JJ/kk
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1120

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

27-Sep-05

No. of samples received: 17
Sample type: Sludge
Project #: IGM-05-06
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37315 | <0.03 | <0.001 |
| 2 | E37316 | <0.03 | <0.001 |
| 3 | E37317 | <0.03 | <0.001 |
| 4 | E37318 | <0.03 | <0.001 |
| 5 | E37319 | <0.03 | <0.001 |
| 6 | E37320 | <0.03 | <0.001 |
| 7 | E37321 | <0.03 | <0.001 |
| 8 | E37322 | <0.03 | <0.001 |
| 9 | E37323 | <0.03 | <0.001 |
| 10 | E37324 | <0.03 | <0.001 |
| 11 | E37325 | <0.03 | <0.001 |
| 12 | E37326 | <0.03 | <0.001 |
| 13 | E37327 | <0.03 | <0.001 |
| 14 | E37328 | <0.03 | <0.001 |
| 15 | E37329 | <0.03 | <0.001 |
| 16 | E37330 | 0.05 | 0.001 |
| 17 | E37331 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|-------|-------|--------|
| 1 | 37315 | <0.03 | <0.001 |
| 10 | 37324 | <0.03 | <0.001 |

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-----------------|-------|----------|-----------|
| Resplit: | | | |
| 1 | 37315 | <0.03 | <0.001 |

Standard:

| | | |
|------|------|-------|
| SH13 | 1.32 | 0.038 |
|------|------|-------|

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1121

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

28-Sep-05

No. of samples received: 22
Sample type: Core
Project #: IGM-05-07
Shipment #: n/a
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31062 | <0.03 | <0.001 |
| 2 | E31063 | <0.03 | <0.001 |
| 3 | E31064 | 0.23 | 0.007 |
| 4 | E31065 | <0.03 | <0.001 |
| 5 | E31066 | <0.03 | <0.001 |
| 6 | E31067 | <0.03 | <0.001 |
| 7 | E31068 | 0.05 | 0.001 |
| 8 | E31069 | <0.03 | <0.001 |
| 9 | E31070 | <0.03 | <0.001 |
| 10 | E31071 | <0.03 | <0.001 |
| 11 | E31072 | <0.03 | <0.001 |
| 12 | E31073 | 0.42 | 0.012 |
| 13 | E31074 | 0.06 | 0.002 |
| 14 | E31075 | 0.47 | 0.014 |
| 15 | E31076 | 0.06 | 0.002 |
| 16 | E31077 | <0.03 | <0.001 |
| 17 | E31078 | 0.11 | 0.003 |
| 18 | E31079 | <0.03 | <0.001 |
| 19 | E31080 | <0.03 | <0.001 |
| 20 | E31081 | 0.22 | 0.006 |
| 21 | E31082 | <0.03 | <0.001 |
| 22 | E31083 | 0.04 | 0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Island Mountain Gold AK5-1121

28-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | E31062 | <0.03 | <0.001 |
| 10 | E31071 | <0.03 | <0.001 |
| 12 | E31073 | 0.50 | 0.015 |
| 14 | E31075 | 0.44 | 0.013 |
| <i>Resplit:</i> | | | |
| 1 | E31062 | <0.03 | <0.001 |
| <i>Standard:</i> | | | |
| | SH13 | 1.32 | 0.038 |

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 22
Sample type: Core
Project: IGM-05-07
Samples Submitted by: Ed Gates

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|-----|----|----|------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|------|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31062 | 0.2 | 0.22 | 40 | 90 | <5 | 0.88 | 10 | 7 | 98 | 58 | 2.07 | <10 | 0.21 | 134 | 48 | <0.01 | 98 | 1770 | 56 | <5 | <20 | 48 | <0.01 | <10 | 85 | <10 | 5 | 532 |
| 2 | E31063 | 0.6 | 0.20 | 340 | 80 | <5 | 0.86 | 5 | 15 | 102 | 111 | 3.21 | <10 | 0.23 | 195 | 46 | <0.01 | 127 | 1180 | 128 | <5 | <20 | 43 | <0.01 | <10 | 38 | <10 | 1 | 393 |
| 3 | E31064 | <0.2 | 0.18 | 190 | 50 | <5 | 2.31 | <1 | 16 | 68 | 26 | 4.13 | <10 | 0.86 | 1591 | 2 | <0.01 | 46 | 320 | 40 | <5 | <20 | 65 | <0.01 | <10 | 3 | <10 | 2 | 32 |
| 4 | E31065 | <0.2 | 0.09 | 30 | 35 | <5 | 1.46 | <1 | 3 | 123 | 7 | 1.45 | <10 | 0.52 | 808 | <1 | <0.01 | 8 | 30 | 10 | <5 | <20 | 53 | <0.01 | <10 | 1 | <10 | 1 | 7 |
| 5 | E31066 | <0.2 | 1.40 | 85 | 40 | <5 | 6.20 | <1 | 34 | 127 | 43 | 5.69 | <10 | 3.34 | 974 | 3 | 0.02 | 175 | 680 | 18 | <5 | <20 | 297 | <0.01 | <10 | 13 | <10 | <1 | 85 |
| 6 | E31067 | <0.2 | 1.41 | 80 | 45 | <5 | 5.55 | <1 | 31 | 157 | 38 | 5.48 | <10 | 3.04 | 883 | 3 | 0.02 | 143 | 680 | 14 | <5 | <20 | 256 | <0.01 | <10 | 18 | <10 | <1 | 91 |
| 7 | E31068 | <0.2 | 0.26 | 605 | 50 | <5 | 0.78 | <1 | 10 | 101 | 34 | 2.47 | <10 | 0.56 | 393 | 2 | <0.01 | 20 | 90 | 16 | <5 | <20 | 35 | <0.01 | <10 | 2 | <10 | <1 | 67 |
| 8 | E31069 | <0.2 | 0.22 | 25 | 55 | <5 | 0.35 | <1 | 18 | 78 | 46 | 4.48 | <10 | 1.10 | 397 | 3 | <0.01 | 32 | 350 | 26 | <5 | <20 | 19 | <0.01 | <10 | 3 | <10 | <1 | 104 |
| 9 | E31070 | <0.2 | 0.22 | 445 | 60 | <5 | 1.07 | <1 | 16 | 65 | 44 | 4.17 | <10 | 1.12 | 792 | 3 | <0.01 | 34 | 750 | 16 | <5 | <20 | 37 | <0.01 | <10 | 3 | <10 | <1 | 81 |
| 10 | E31071 | <0.2 | 1.02 | <5 | 50 | 5 | 4.74 | <1 | 23 | 71 | 33 | 5.20 | <10 | 2.68 | 959 | 4 | 0.03 | 52 | 740 | 10 | <5 | <20 | 181 | <0.01 | <10 | 19 | <10 | <1 | 50 |
| 11 | E31072 | 0.2 | 0.30 | 90 | 45 | <5 | 1.49 | <1 | 9 | 68 | 31 | 2.78 | <10 | 0.68 | 532 | 2 | <0.01 | 20 | 50 | 24 | 5 | <20 | 69 | <0.01 | <10 | 3 | <10 | <1 | 25 |
| 12 | E31073 | 2.3 | 0.24 | 130 | 55 | 5 | 2.66 | 7 | 40 | 113 | 42 | 5.63 | <10 | 0.95 | 1047 | 6 | <0.01 | 22 | <10 | 1978 | <5 | <20 | 149 | <0.01 | <10 | 3 | <10 | <1 | 609 |
| 13 | E31074 | 0.2 | 1.23 | 85 | 55 | <5 | 2.28 | <1 | 12 | 45 | 111 | 5.02 | <10 | 1.19 | 488 | 3 | <0.01 | 29 | 80 | 54 | <5 | <20 | 133 | <0.01 | <10 | 4 | <10 | <1 | 49 |
| 14 | E31075 | 5.8 | 0.34 | 745 | 50 | 15 | 0.93 | <1 | 8 | 90 | 23 | 2.48 | <10 | 0.40 | 480 | 2 | <0.01 | 18 | 130 | 2432 | <5 | <20 | 66 | <0.01 | <10 | 6 | <10 | <1 | 61 |
| 15 | E31076 | <0.2 | 0.41 | 135 | 40 | <5 | 4.53 | <1 | 22 | 39 | 29 | 5.17 | <10 | 2.14 | 748 | 4 | 0.02 | 36 | 1130 | 16 | <5 | <20 | 278 | <0.01 | <10 | 10 | <10 | 1 | 73 |
| 16 | E31077 | <0.2 | 0.48 | 65 | 45 | <5 | 6.10 | <1 | 17 | 53 | 20 | 4.17 | <10 | 1.57 | 852 | 3 | 0.02 | 38 | 730 | 18 | <5 | <20 | 383 | <0.01 | <10 | 4 | <10 | 3 | 42 |
| 17 | E31078 | <0.2 | 1.07 | 100 | 45 | <5 | 6.53 | <1 | 19 | 36 | 34 | 4.13 | <10 | 2.46 | 796 | 2 | 0.01 | 32 | 740 | 26 | 5 | <20 | 421 | <0.01 | <10 | 13 | <10 | 8 | 52 |
| 18 | E31079 | 4.3 | 0.25 | 25 | 50 | <5 | 2.87 | 1 | 8 | 78 | 34 | 3.31 | <10 | 0.87 | 774 | 2 | <0.01 | 16 | 710 | 4604 | <5 | <20 | 108 | <0.01 | <10 | 3 | <10 | 2 | 23 |
| 19 | E31080 | <0.2 | 0.17 | 25 | 45 | <5 | 0.51 | <1 | 9 | 72 | 24 | 2.52 | <10 | 0.49 | 277 | 2 | <0.01 | 21 | 200 | 10 | <5 | <20 | 23 | <0.01 | <10 | 2 | <10 | <1 | 25 |
| 20 | E31081 | <0.2 | 0.17 | 105 | 40 | <5 | 0.72 | <1 | 7 | 87 | 18 | 2.08 | <10 | 0.30 | 509 | 1 | <0.01 | 18 | 190 | 20 | <5 | <20 | 33 | <0.01 | <10 | 2 | <10 | <1 | 11 |
| 21 | E31082 | <0.2 | 0.11 | 20 | 30 | <5 | 0.62 | <1 | 3 | 109 | 7 | 1.04 | <10 | 0.27 | 390 | <1 | <0.01 | 9 | 50 | 4 | <5 | <20 | 22 | <0.01 | <10 | <1 | <10 | <1 | 10 |
| 22 | E31083 | <0.2 | 0.21 | 70 | 40 | <5 | 1.12 | <1 | 8 | 100 | 17 | 1.88 | <10 | 0.47 | 701 | <1 | <0.01 | 16 | 290 | 8 | <5 | <20 | 46 | <0.01 | <10 | 2 | <10 | <1 | 15 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|----|-------|-----|------|----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31062 | 0.2 | 0.23 | 45 | 95 | <5 | 0.88 | 10 | 7 | 101 | 58 | 2.09 | <10 | 0.21 | 136 | 47 | <0.01 | 101 | 1780 | 56 | <5 | <20 | 47 | <0.01 | <10 | 68 | <10 | 5 | 542 |
| 10 | E31071 | <0.2 | 1.04 | <5 | 55 | <5 | 4.78 | <1 | 24 | 71 | 32 | 5.23 | <10 | 2.58 | 962 | 4 | 0.03 | 50 | 750 | 14 | <5 | <20 | 185 | <0.01 | <10 | 19 | <10 | <1 | 51 |

Page 1

25-Sep-05

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | | |
|------------------|--------|-----|------|----|-----|----|------|----|----|-----|----|------|-----|------|-----|----|-------|-----|------|----|----|-----|----|-------|-----|----|-----|----|-----|--|--|
| <i>Resplit:</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31062 | 0.2 | 0.25 | 45 | 105 | <5 | 0.85 | 10 | 9 | 116 | 61 | 2.23 | <10 | 0.21 | 142 | 50 | <0.01 | 100 | 1550 | 56 | <5 | <20 | 46 | <0.01 | <10 | 73 | <10 | 4 | 559 | | |
| <i>Standard:</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.58 | 55 | 175 | <5 | 1.29 | <1 | 16 | 59 | 85 | 3.68 | <10 | 0.82 | 569 | <1 | 0.02 | 29 | 610 | 24 | <5 | <20 | 54 | 0.11 | <10 | 70 | <10 | 10 | 76 | | |

J.I/ga
051129
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-07 DATE: 11-Aug-05 SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37131 | 15 | 27 | 0.03 | E37029 | 327 | 337 | 0.23 |
| E37099 | 27 | 37 | <0.03 | E37030 | 337 | 347 | 0.24 |
| E37100 | 37 | 47 | 0.04 | | | | |
| E37101 | 47 | 57 | <0.03 | | | | |
| E37102 | 57 | 67 | <0.03 | | | | |
| E37103 | 67 | 77 | <0.03 | | | | |
| E37104 | 77 | 87 | <0.03 | | | | |
| E37105 | 87 | 97 | <0.03 | | | | |
| E37106 | 97 | 107 | 0.15 | | | | |
| E37107 | 107 | 117 | 0.11 | | | | |
| E37108 | 117 | 127 | 0.05 | | | | |
| E37109 | 127 | 137 | 0.03 | | | | |
| E37110 | 137 | 147 | <0.03 | | | | |
| E37111 | 147 | 157 | <0.03 | | | | |
| E37112 | 157 | 167 | 0.11 | | | | |
| E37113 | 167 | 177 | 0.17 | | | | |
| E37114 | 177 | 187 | 0.08 | | | | |
| E37115 | 187 | 197 | 0.13 | | | | |
| E37116 | 197 | 207 | 0.03 | | | | |
| E37117 | 207 | 217 | <0.03 | | | | |
| E37118 | 217 | 227 | <0.03 | | | | |
| E37119 | 227 | 237 | <0.03 | | | | |
| E37120 | 237 | 247 | <0.03 | | | | |
| E37121 | 247 | 257 | 0.03 | | | | |
| E37122 | 257 | 267 | 0.25 | | | | |
| E37123 | 267 | 277 | 0.75 | | | | |
| E37124 | 277 | 287 | 0.51 | | | | |
| E37125 | 287 | 297 | 0.24 | | | | |
| E37126 | 297 | 307 | 0.51 | | | | |
| E37127 | 307 | 317 | 0.40 | | | | |
| E37128 | 317 | 327 | 0.36 | | | | |

AK5-998a

AK5-998a

CERTIFICATE OF ASSAY AK 2005-998

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

13-Sep-05

No. of samples received: 32
Sample type: Sludge
Project #: IGM-05-07
Shipment #: n/a
Samples Submitted by: Ed Gales

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37099 | <0.03 | <0.001 |
| 2 | E37100 | 0.04 | 0.001 |
| 3 | E37101 | <0.03 | <0.001 |
| 4 | E37102 | <0.03 | <0.001 |
| 5 | E37103 | <0.03 | <0.001 |
| 6 | E37104 | <0.03 | <0.001 |
| 7 | E37105 | <0.03 | <0.001 |
| 8 | E37106 | 0.15 | 0.004 |
| 9 | E37107 | 0.11 | 0.003 |
| 10 | E37108 | 0.05 | 0.001 |
| 11 | E37109 | 0.03 | 0.001 |
| 12 | E37110 | <0.03 | <0.001 |
| 13 | E37111 | <0.03 | <0.001 |
| 14 | E37112 | 0.11 | 0.003 |
| 15 | E37113 | 0.17 | 0.005 |
| 16 | E37114 | 0.08 | 0.002 |
| 17 | E37115 | 0.13 | 0.004 |
| 18 | E37116 | 0.03 | 0.001 |
| 19 | E37117 | <0.03 | <0.001 |
| 20 | E37118 | <0.03 | <0.001 |
| 21 | E37119 | <0.03 | <0.001 |
| 22 | E37120 | <0.03 | <0.001 |
| 23 | E37121 | 0.03 | 0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold AK 2005-998

13-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 24 | E37122 | 0.25 | 0.007 |
| 25 | E37123 | 0.75 | 0.022 |
| 26 | E37124 | 0.51 | 0.015 |
| 27 | E37125 | 0.24 | 0.007 |
| 28 | E37126 | 0.51 | 0.015 |
| 29 | E37127 | 0.40 | 0.012 |
| 30 | E37128 | 0.36 | 0.010 |
| 31 | E37129 | 0.23 | 0.007 |
| 32 | E37130 | 0.24 | 0.007 |
| 33 | E37131 | 0.03 | 0.001 |

QC DATA:

| | | | |
|------------------|-------|-------|--------|
| Repeat: | | | |
| 1 | 37099 | <0.03 | <0.001 |
| 10 | 37108 | 0.09 | 0.003 |
| 19 | 37117 | 0.03 | 0.001 |
| 25 | 37123 | 0.76 | 0.022 |
| 26 | 37124 | 0.85 | 0.025 |
| 28 | 37126 | 0.48 | 0.014 |
| 29 | 37127 | 0.40 | 0.012 |
| Resplit: | | | |
| 1 | 37099 | <0.03 | <0.001 |
| Standard: | | | |
| OX140 | | 1.87 | <0.001 |
| SN16 | | 8.43 | 0.246 |

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1122

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

27-Sep-05

No. of samples received: 21
Sample type: Core
Project #: IGM-05-08
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Ag (g/t) | Ag (oz/t) | Pb (%) |
|-------|--------|----------|-----------|----------|-----------|--------|
| 1 | E31084 | <0.03 | <0.001 | | | |
| 2 | E31085 | <0.03 | <0.001 | | | |
| 3 | E31086 | <0.03 | <0.001 | | | |
| 4 | E31087 | <0.03 | <0.001 | | | |
| 5 | E31088 | <0.03 | <0.001 | | | |
| 6 | E31089 | <0.03 | <0.001 | | | |
| 7 | E31090 | <0.03 | <0.001 | | | |
| 8 | E31091 | 0.08 | 0.002 | | | |
| 9 | E31092 | 0.19 | 0.006 | | | |
| 10 | E31093 | <0.03 | <0.001 | | | |
| 11 | E31094 | <0.03 | <0.001 | | | |
| 12 | E31095 | 0.36 | 0.010 | | | |
| 13 | E31096 | 0.22 | 0.006 | 90.8 | 2.65 | 1.08 |
| 14 | E31097 | <0.03 | <0.001 | | | |
| 15 | E31098 | <0.03 | <0.001 | | | |
| 16 | E31099 | <0.03 | <0.001 | | | |
| 17 | E31100 | <0.03 | <0.001 | | | |
| 18 | E31101 | <0.03 | <0.001 | | | |
| 19 | E31102 | <0.03 | <0.001 | | | |
| 20 | E31103 | 2.66 | 0.078 | | | |
| 21 | E31104 | <0.03 | <0.001 | | | |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold AK5-1122

27-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Ag (g/t) | Ag (oz/t) | Pb (%) |
|------------------|--------|----------|-----------|----------|-----------|--------|
| QC DATA: | | | | | | |
| <i>Repeat:</i> | | | | | | |
| 1 | E31084 | <0.03 | <0.001 | | | |
| 10 | E31093 | <0.03 | <0.001 | | | |
| 13 | E31096 | | | 90.8 | 2.65 | 1.08 |
| 20 | E31103 | 2.66 | 0.078 | | | |
| <i>Resplit:</i> | | | | | | |
| 1 | E31084 | <0.03 | <0.001 | | | |
| <i>Standard:</i> | | | | | | |
| | SH13 | 1.31 | 0.038 | | | |
| | Pb106 | | | 57.4 | 1.674 | 0.52 |

JJ/bw/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 21
Sample type: Core
Project: IGM-05-08
Samples Submitted by: Charlie Moore

Values in ppm unless otherwise reported

| Et # | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|------|--------|------|------|-----|----|-----|------|----|----|-----|----|------|-----|------|------|----|-------|----|------|--------|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | E31084 | <0.2 | 0.20 | 35 | 50 | <5 | 1.41 | <1 | 10 | 95 | 15 | 2.64 | <10 | 0.72 | 570 | 2 | <0.01 | 18 | 100 | 12 | <5 | <20 | 64 | <0.01 | <10 | 2 | <10 | <1 | 30 |
| 2 | E31085 | <0.2 | 0.12 | 35 | 35 | <5 | 0.51 | <1 | 3 | 120 | 8 | 0.89 | <10 | 0.14 | 369 | <1 | <0.01 | 11 | 70 | 14 | <5 | <20 | 16 | <0.01 | <10 | 1 | <10 | 1 | 9 |
| 3 | E31086 | <0.2 | 0.24 | 40 | 20 | <5 | 0.79 | <1 | 3 | 111 | 6 | 1.04 | <10 | 0.29 | 302 | <1 | <0.01 | 7 | 50 | 28 | <5 | <20 | 44 | <0.01 | <10 | <1 | <10 | <1 | 8 |
| 4 | E31087 | <0.2 | 0.30 | 10 | 40 | <5 | 0.91 | <1 | 5 | 97 | 7 | 1.39 | <10 | 0.41 | 302 | <1 | <0.01 | 9 | 50 | 14 | <5 | <20 | 57 | <0.01 | <10 | 1 | <10 | <1 | 14 |
| 5 | E31088 | <0.2 | 0.47 | 5 | 30 | <5 | 1.22 | <1 | 4 | 104 | 52 | 1.38 | <10 | 0.49 | 323 | <1 | <0.01 | 7 | 60 | 28 | <5 | <20 | 85 | <0.01 | <10 | 1 | <10 | <1 | 19 |
| 6 | E31089 | <0.2 | 0.50 | 15 | 35 | <5 | 0.79 | <1 | 4 | 108 | 10 | 1.34 | <10 | 0.41 | 210 | <1 | <0.01 | 9 | 50 | 24 | <5 | <20 | 52 | <0.01 | <10 | <1 | <10 | <1 | 15 |
| 7 | E31090 | <0.2 | 0.22 | 50 | 40 | <5 | 2.37 | <1 | 7 | 119 | 22 | 2.34 | <10 | 0.71 | 1172 | 1 | <0.01 | 8 | 250 | 12 | <5 | <20 | 122 | <0.01 | <10 | 5 | <10 | 1 | 14 |
| 8 | E31091 | <0.2 | 0.19 | 90 | 60 | <5 | 0.51 | <1 | 18 | 88 | 31 | 3.94 | <10 | 0.62 | 651 | 5 | <0.01 | 37 | 140 | 12 | <5 | <20 | 23 | <0.01 | <10 | 3 | <10 | <1 | 36 |
| 9 | E31092 | <0.2 | 0.16 | 95 | 35 | <5 | 0.83 | <1 | 6 | 106 | 9 | 1.86 | <10 | 0.29 | 687 | <1 | <0.01 | 20 | 140 | 28 | <5 | <20 | 26 | <0.01 | <10 | 2 | <10 | <1 | 16 |
| 10 | E31093 | <0.2 | 1.78 | 15 | 35 | <5 | >10 | <1 | 21 | 103 | 27 | 4.96 | <10 | 1.97 | 730 | 4 | <0.01 | 44 | 850 | 24 | 5 | <20 | 552 | <0.01 | <10 | 59 | <10 | 7 | 61 |
| 11 | E31094 | 0.7 | 0.81 | 560 | 40 | 10 | 5.65 | <1 | 26 | 56 | 28 | 6.30 | <10 | 1.98 | 1409 | 5 | <0.01 | 48 | 1180 | 98 | <5 | <20 | 225 | <0.01 | <10 | 12 | <10 | <1 | 55 |
| 12 | E31095 | <0.2 | 0.93 | 130 | 45 | <5 | 5.53 | <1 | 23 | 31 | 32 | 5.64 | <10 | 1.95 | 1043 | 4 | <0.01 | 50 | 1310 | 40 | <5 | <20 | 218 | <0.01 | <10 | 6 | <10 | 3 | 83 |
| 13 | E31096 | >30 | 0.18 | 145 | 55 | 210 | 4.18 | 3 | 15 | 64 | 15 | 3.85 | <10 | 1.52 | 1479 | 3 | <0.01 | 49 | 480 | >10000 | <5 | <20 | 148 | <0.01 | <10 | 3 | <10 | 2 | 27 |
| 14 | E31097 | 0.9 | 0.19 | 20 | 40 | <5 | 5.38 | <1 | 10 | 46 | 19 | 2.68 | <10 | 0.68 | 446 | 2 | <0.01 | 21 | 390 | 100 | <5 | <20 | 220 | <0.01 | <10 | 2 | <10 | 2 | 49 |
| 15 | E31098 | 0.2 | 0.15 | 40 | 40 | <5 | 0.73 | <1 | 10 | 94 | 16 | 2.17 | <10 | 0.46 | 418 | 1 | 0.02 | 17 | 130 | 24 | <5 | <20 | 26 | <0.01 | <10 | 2 | <10 | <1 | 32 |
| 16 | E31099 | <0.2 | 0.14 | 30 | 40 | <5 | 1.36 | <1 | 6 | 119 | 13 | 1.93 | <10 | 0.53 | 726 | <1 | 0.01 | 15 | 140 | 18 | <5 | <20 | 51 | <0.01 | <10 | 1 | <10 | <1 | 19 |
| 17 | E31100 | <0.2 | 0.15 | 30 | 40 | <5 | 0.52 | <1 | 7 | 98 | 12 | 2.05 | <10 | 0.37 | 445 | 2 | 0.01 | 17 | 130 | 14 | <5 | <20 | 21 | <0.01 | <10 | 2 | <10 | <1 | 21 |
| 18 | E31101 | <0.2 | 0.11 | 20 | 30 | <5 | 1.28 | <1 | 4 | 134 | 5 | 1.62 | <10 | 0.41 | 1026 | <1 | <0.01 | 9 | 60 | 12 | <5 | <20 | 39 | <0.01 | <10 | 1 | <10 | 1 | 11 |
| 19 | E31102 | <0.2 | 0.13 | 80 | 30 | <5 | 0.61 | <1 | 5 | 122 | 8 | 1.43 | <10 | 0.25 | 371 | <1 | <0.01 | 11 | 70 | 8 | <5 | <20 | 25 | <0.01 | <10 | 1 | <10 | <1 | 13 |
| 20 | E31103 | 0.4 | 0.12 | 460 | 50 | 10 | 1.35 | <1 | 5 | 101 | 4 | 4.91 | <10 | 0.35 | 1090 | 4 | <0.01 | 11 | 60 | 46 | <5 | <20 | 30 | <0.01 | <10 | 2 | <10 | <1 | 12 |
| 21 | E31104 | <0.2 | 0.14 | 35 | 30 | <5 | 1.21 | <1 | 5 | 117 | 7 | 1.49 | <10 | 0.35 | 646 | <1 | <0.01 | 11 | 80 | 8 | <5 | <20 | 43 | <0.01 | <10 | 2 | <10 | <1 | 27 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|---|-------|----|-----|----|----|-----|-----|-------|-----|----|-----|----|----|
| 1 | E31084 | <0.2 | 0.19 | 35 | 45 | <5 | 1.38 | <1 | 11 | 92 | 16 | 2.58 | <10 | 0.71 | 558 | 2 | <0.01 | 18 | 100 | 12 | <5 | <20 | 62 | <0.01 | <10 | 2 | <10 | <1 | 29 |
| 10 | E31093 | <0.2 | 1.91 | 15 | 25 | <5 | >10 | <1 | 22 | 110 | 30 | 5.02 | 10 | 2.09 | 769 | 3 | <0.01 | 44 | 890 | 28 | <5 | <20 | 563 | <0.01 | <10 | 63 | <10 | 6 | 65 |

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|---|-------|----|-----|----|----|-----|----|-------|-----|---|-----|----|----|
| 1 | E31084 | <0.2 | 0.21 | 35 | 50 | <5 | 1.39 | <1 | 11 | 115 | 16 | 2.50 | <10 | 0.67 | 557 | 1 | <0.01 | 18 | 110 | 12 | <5 | <20 | 62 | <0.01 | <10 | 2 | <10 | <1 | 30 |
|---|--------|------|------|----|----|----|------|----|----|-----|----|------|-----|------|-----|---|-------|----|-----|----|----|-----|----|-------|-----|---|-----|----|----|

27-Sep-05

| Et # | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-----------|-------|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO 05 | | 1.5 | 1.56 | 65 | 150 | <5 | 1.41 | <1 | 17 | 60 | 86 | 3.93 | <10 | 0.62 | 609 | <1 | 0.02 | 30 | 630 | 22 | <5 | <20 | 55 | 0.11 | <10 | 70 | <10 | 10 | 76 |

JJ/ga
dw/1149i
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-08 DATE: 16-Aug-05 SHEET: 1 OF: 1

AK5-1126a

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|----|------------|
| | FROM | TO | | | FROM | TO | |
| E37164 | 27 | 37 | 0.04 | | | | |
| E37165 | 37 | 47 | 0.07 | | | | |
| E37166 | 47 | 57 | 0.05 | | | | |
| E37167 | 57 | 67 | 0.27 | | | | |
| E37168 | 67 | 77 | 0.06 | | | | |
| E37169 | 77 | 97 | <0.03 | | | | |
| E37170 | 97 | 107 | <0.03 | | | | |
| E37171 | 107 | 117 | <0.03 | | | | |
| E37172 | 117 | 127 | <0.03 | | | | |
| E37173 | 127 | 137 | 0.08 | | | | |
| E37174 | 137 | 147 | 1.61 | | | | |
| E37175 | 147 | 157 | 0.47 | | | | |
| E37176 | 157 | 167 | 0.33 | | | | |
| E37177 | 167 | 177 | 0.33 | | | | |
| E37178 | 177 | 187 | 1.06 | | | | |
| E37179 | 187 | 197 | 0.20 | | | | |
| E37180 | 197 | 207 | 0.06 | | | | |
| E37181 | 207 | 217 | 0.63 | | | | |
| E37182 | 217 | 227 | 1.47 | | | | |
| E37183 | 227 | 237 | 0.57 | | | | |
| E37184 | 237 | 247 | 0.27 | | | | |
| E37185 | 247 | 257 | 0.13 | | | | |
| E37186 | 257 | 267 | 0.15 | | | | |
| E37187 | 267 | 277 | 0.24 | | | | |
| E37188 | 277 | 287 | 0.09 | | | | |
| E37189 | 287 | 297 | 0.17 | | | | |
| E37190 | 297 | 307 | 0.03 | | | | |
| E37191 | 307 | 317 | 0.34 | | | | |
| E37192 | 317 | 327 | 0.35 | | | | |
| E37193 | 327 | 337 | 0.13 | | | | |
| E37194 | 337 | 347 | 1.77 | | | | |

CERTIFICATE OF ASSAY AK 2005-1126

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

29-Sep-05

No. of samples received: 31
Sample type: Sludge
Project #: IGM-05-08
Shipment #: n/a
Samples Submitted by: Ed Gates

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37164 | 0.04 | 0.001 |
| 2 | E37165 | 0.07 | 0.002 |
| 3 | E37166 | 0.05 | 0.001 |
| 4 | E37167 | 0.27 | 0.008 |
| 5 | E37168 | 0.06 | 0.002 |
| 6 | E37169 | <0.03 | <0.001 |
| 7 | E37170 | <0.03 | <0.001 |
| 8 | E37171 | <0.03 | <0.001 |
| 9 | E37172 | <0.03 | <0.001 |
| 10 | E37173 | 0.08 | 0.002 |
| 11 | E37174 | 1.61 | 0.047 |
| 12 | E37175 | 0.47 | 0.014 |
| 13 | E37176 | 0.33 | 0.010 |
| 14 | E37177 | 0.33 | 0.010 |
| 15 | E37178 | 1.08 | 0.031 |
| 16 | E37179 | 0.20 | 0.006 |
| 17 | E37180 | 0.06 | 0.002 |
| 18 | E37181 | 0.63 | 0.018 |
| 19 | E37182 | 1.47 | 0.043 |
| 20 | E37183 | 0.57 | 0.017 |
| 21 | E37184 | 0.27 | 0.008 |
| 22 | E37185 | 0.13 | 0.004 |
| 23 | E37186 | 0.15 | 0.004 |
| 24 | E37187 | 0.24 | 0.007 |
| 25 | E37188 | 0.09 | 0.003 |
| 26 | E37189 | 0.17 | 0.005 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold AK5-1126

29-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 27 | E37190 | 0.03 | 0.001 |
| 28 | E37191 | 0.34 | 0.010 |
| 29 | E37192 | 0.35 | 0.010 |
| 30 | E37193 | 0.13 | 0.004 |
| 31 | E37194 | 1.77 | 0.052 |

QC DATA:

Repeat:

| | | | |
|----|-------|-------|--------|
| 1 | 37164 | <0.03 | <0.001 |
| 11 | 37174 | 1.83 | 0.053 |
| 19 | 37182 | 1.26 | 0.037 |

Resplit:

| | | | |
|---|-------|-------|--------|
| 1 | 37164 | <0.03 | <0.001 |
|---|-------|-------|--------|

Standard:

| | | |
|------|------|-------|
| SH13 | 1.34 | 0.039 |
|------|------|-------|

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1123

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

28-Sep-05

No. of samples received: 22
Sample type: Core
Project #: IGM-05-09
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31105 | <0.03 | <0.001 |
| 2 | E31106 | <0.03 | <0.001 |
| 3 | E31107 | <0.03 | <0.001 |
| 4 | E31108 | <0.03 | <0.001 |
| 5 | E31109 | <0.03 | <0.001 |
| 6 | E31110 | <0.03 | <0.001 |
| 7 | E31111 | <0.03 | <0.001 |
| 8 | E31112 | 0.32 | 0.009 |
| 9 | E31113 | <0.03 | <0.001 |
| 10 | E31114 | 0.16 | 0.005 |
| 11 | E31115 | 0.09 | 0.003 |
| 12 | E31116 | 0.04 | 0.001 |
| 13 | E31117 | 0.38 | 0.011 |
| 14 | E31118 | <0.03 | <0.001 |
| 15 | E31119 | <0.03 | <0.001 |
| 16 | E31120 | <0.03 | <0.001 |
| 17 | E31121 | <0.03 | <0.001 |
| 18 | E31122 | 0.05 | 0.001 |
| 19 | E31123 | 0.46 | 0.013 |
| 20 | E31124 | 0.06 | 0.002 |
| 21 | E31125 | 0.03 | 0.001 |
| 22 | E31126 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Island Mountain Gold AK5-1123

28-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | E31105 | <0.03 | <0.001 |
| 8 | E31112 | 0.33 | 0.010 |
| 10 | E31114 | 0.20 | 0.006 |
| 13 | E31117 | 0.40 | 0.012 |
| 19 | E31123 | 0.45 | 0.013 |
| <i>Resplit:</i> | | | |
| 1 | E31105 | <0.03 | <0.001 |
| <i>Standard:</i> | | | |
| SH13 | | 1.31 | 0.038 |
| SN16 | | 8.45 | 0.246 |

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 22
Sample type: Core
Project: KGM-05-09
Samples Submitted by: Charlie Moore

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|------|-----|----|------|----|----|-----|-----|------|-----|------|------|----|-------|-----|------|----|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31105 | <0.2 | 0.21 | 5 | 65 | <5 | 0.58 | <1 | 14 | 58 | 27 | 4.06 | <10 | 0.82 | 376 | 3 | <0.01 | 35 | 350 | 24 | <5 | <20 | 32 | <0.01 | <10 | 2 | <10 | <1 | 81 |
| 2 | E31106 | <0.2 | 0.30 | 15 | 80 | <5 | 2.26 | <1 | 19 | 46 | 84 | 5.08 | <10 | 0.94 | 783 | 4 | <0.01 | 22 | 700 | 12 | <5 | <20 | 123 | <0.01 | <10 | 4 | <10 | <1 | 79 |
| 3 | E31107 | 0.3 | 0.52 | 150 | 40 | <5 | 3.54 | <1 | 29 | 138 | 21 | 4.23 | <10 | 2.61 | 996 | 2 | <0.01 | 231 | 480 | 50 | <5 | <20 | 205 | <0.01 | <10 | 8 | <10 | <1 | 54 |
| 4 | E31108 | <0.2 | 1.03 | 10 | 55 | <5 | 5.27 | <1 | 24 | 88 | 24 | 5.23 | <10 | 2.07 | 826 | 5 | 0.01 | 54 | 1000 | 16 | <5 | <20 | 225 | <0.01 | <10 | 21 | <10 | <1 | 77 |
| 5 | E31109 | <0.2 | 0.12 | 30 | 5 | <5 | >10 | 1 | 5 | 51 | 9 | 1.65 | <10 | 0.73 | 627 | 1 | <0.01 | 12 | 220 | 34 | 5 | <20 | 835 | <0.01 | <10 | 2 | <10 | 5 | 64 |
| 6 | E31110 | <0.2 | 0.19 | 20 | 50 | <5 | 0.68 | <1 | 10 | 88 | 18 | 2.79 | <10 | 0.54 | 558 | 2 | 0.02 | 23 | 210 | 10 | <5 | <20 | 21 | <0.01 | <10 | 2 | <10 | <1 | 26 |
| 7 | E31111 | 2.1 | 0.17 | 45 | 55 | 30 | 1.66 | <1 | 17 | 120 | 140 | 5.05 | <10 | 0.58 | 1270 | 3 | 0.02 | 24 | 110 | 34 | <5 | <20 | 42 | <0.01 | <10 | 2 | <10 | <1 | 24 |
| 8 | E31112 | <0.2 | 0.23 | 145 | 50 | <5 | 0.48 | <1 | 10 | 111 | 21 | 2.88 | <10 | 0.39 | 405 | 2 | 0.02 | 23 | 130 | 12 | <5 | <20 | 23 | <0.01 | <10 | 2 | <10 | <1 | 29 |
| 9 | E31113 | <0.2 | 0.13 | 40 | 30 | <5 | 0.65 | <1 | 5 | 119 | 10 | 1.45 | <10 | 0.27 | 514 | <1 | 0.01 | 13 | 70 | 16 | <5 | <20 | 24 | <0.01 | <10 | 1 | <10 | <1 | 17 |
| 10 | E31114 | 0.4 | 0.15 | 875 | 40 | <5 | 1.10 | <1 | 9 | 113 | 12 | 2.61 | <10 | 0.36 | 841 | 2 | <0.01 | 15 | 200 | 80 | <5 | <20 | 34 | <0.01 | <10 | 2 | <10 | <1 | 65 |
| 11 | E31115 | <0.2 | 0.02 | 40 | 10 | <5 | 0.51 | <1 | 2 | 185 | 2 | 1.02 | <10 | 0.15 | 518 | <1 | <0.01 | 5 | <10 | 2 | <5 | <20 | 12 | <0.01 | <10 | <1 | <10 | <1 | 2 |
| 12 | E31116 | <0.2 | 0.27 | 65 | 50 | <5 | 0.90 | <1 | 8 | 91 | 36 | 2.70 | <10 | 0.46 | 704 | 2 | 0.02 | 22 | 180 | 20 | <5 | <20 | 34 | <0.01 | <10 | 4 | <10 | <1 | 22 |
| 13 | E31117 | 0.2 | 0.23 | 185 | 55 | <5 | 0.87 | <1 | 14 | 49 | 28 | 3.73 | <10 | 0.65 | 366 | 2 | 0.01 | 23 | 220 | 10 | <5 | <20 | 64 | <0.01 | <10 | 2 | <10 | <1 | 62 |
| 14 | E31118 | <0.2 | 0.21 | 25 | 75 | <5 | 0.67 | <1 | 10 | 82 | 23 | 2.77 | <10 | 0.49 | 267 | 2 | <0.01 | 25 | 400 | 6 | <5 | <20 | 25 | <0.01 | <10 | 2 | <10 | <1 | 30 |
| 15 | E31119 | <0.2 | 0.22 | 45 | 95 | <5 | 2.43 | <1 | 25 | 45 | 156 | 4.52 | <10 | 0.63 | 639 | 17 | 0.02 | 61 | 670 | 8 | <5 | <20 | 77 | <0.01 | <10 | 18 | <10 | <1 | 47 |
| 16 | E31120 | <0.2 | 0.30 | 35 | 125 | <5 | 4.32 | 1 | 31 | 43 | 161 | 5.32 | <10 | 1.14 | 967 | 9 | 0.02 | 36 | 1020 | 12 | <5 | <20 | 162 | <0.01 | <10 | 20 | <10 | <1 | 123 |
| 17 | E31121 | <0.2 | 0.50 | 30 | 45 | <5 | 1.14 | <1 | 11 | 70 | 20 | 3.08 | <10 | 0.61 | 482 | 2 | <0.01 | 22 | 230 | 32 | <5 | <20 | 56 | <0.01 | <10 | 3 | <10 | <1 | 46 |
| 18 | E31122 | <0.2 | 0.27 | 45 | 60 | <5 | 0.96 | <1 | 12 | 54 | 26 | 4.47 | <10 | 0.70 | 663 | 3 | <0.01 | 29 | 360 | 30 | <5 | <20 | 35 | <0.01 | <10 | 3 | <10 | <1 | 50 |
| 19 | E31123 | <0.2 | 0.19 | 115 | 50 | <5 | 0.80 | <1 | 10 | 84 | 48 | 3.25 | <10 | 0.44 | 427 | 3 | 0.01 | 29 | 610 | 12 | <5 | <20 | 35 | <0.01 | <10 | 2 | <10 | 1 | 22 |
| 20 | E31124 | <0.2 | 0.11 | 1725 | 30 | <5 | 5.92 | <1 | 9 | 102 | 9 | 4.34 | <10 | 2.03 | 3317 | 3 | <0.01 | 12 | 190 | 4 | 5 | <20 | 256 | <0.01 | <10 | 2 | <10 | 5 | 39 |
| 21 | E31125 | <0.2 | 0.16 | 110 | 45 | <5 | 1.03 | <1 | 8 | 115 | 26 | 2.44 | <10 | 0.45 | 469 | 2 | 0.01 | 22 | 310 | 10 | <5 | <20 | 50 | <0.01 | <10 | 2 | <10 | <1 | 20 |
| 22 | E31126 | <0.2 | 0.18 | 35 | 50 | <5 | 0.22 | <1 | 13 | 97 | 18 | 2.96 | <10 | 0.47 | 263 | 2 | 0.01 | 31 | 170 | 10 | <5 | <20 | 10 | <0.01 | <10 | 2 | <10 | <1 | 50 |

Page 1

25-Sep-05

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2006-1123

ISLAND MOUNTAIN GOLD

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | | |
|------------------|--------|------|------|-----|-----|----|------|----|----|-----|----|------|-----|------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|----|----|--|--|
| QC DATA: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31105 | <0.2 | 0.21 | 10 | 60 | <5 | 0.57 | <1 | 14 | 57 | 27 | 3.95 | <10 | 0.79 | 368 | 3 | <0.01 | 32 | 340 | 26 | <5 | <20 | 31 | <0.01 | <10 | 2 | <10 | <1 | 84 | | |
| 10 | E31114 | 0.4 | 0.16 | 855 | 40 | 5 | 1.10 | <1 | 8 | 116 | 13 | 2.62 | <10 | 0.37 | 846 | 2 | 0.01 | 15 | 210 | 80 | <5 | <20 | 37 | <0.01 | <10 | 2 | <10 | <1 | 61 | | |
| Resplit: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31105 | <0.2 | 0.26 | 5 | 70 | <5 | 0.57 | <1 | 13 | 88 | 27 | 4.34 | <10 | 0.88 | 385 | 3 | <0.01 | 33 | 350 | 22 | <5 | <20 | 33 | <0.01 | <10 | 2 | <10 | <1 | 92 | | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.58 | 65 | 180 | <5 | 1.41 | <1 | 17 | 60 | 86 | 3.91 | <10 | 0.82 | 600 | <1 | 0.02 | 29 | 640 | 24 | <5 | <20 | 58 | 0.11 | <10 | 67 | <10 | 11 | 76 | | |

JJ/ga
071149
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-09 DATE: 24-Aug-05

SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37282 | 16 | 26 | 0.08 | E37313 | 326 | 636 | 0.35 |
| E37283 | 26 | 36 | <0.03 | E37314 | 636 | 646 | 0.45 |
| E37284 | 36 | 46 | <0.03 | | | | |
| E37285 | 46 | 56 | <0.03 | | | | |
| E37286 | 56 | 66 | <0.03 | | | | |
| E37287 | 66 | 76 | <0.03 | | | | |
| E37288 | 76 | 86 | <0.03 | | | | |
| E37289 | 86 | 96 | <0.03 | | | | |
| E37290 | 96 | 106 | 0.31 | | | | |
| E37291 | 106 | 116 | 0.22 | | | | |
| E37292 | 116 | 126 | 0.04 | | | | |
| E37293 | 126 | 136 | <0.03 | | | | |
| E37294 | 136 | 146 | 0.07 | | | | |
| E37295 | 146 | 156 | 0.11 | | | | |
| E37296 | 156 | 166 | 0.44 | | | | |
| E37297 | 166 | 176 | 0.26 | | | | |
| E37298 | 176 | 186 | 1.98 | | | | |
| E37299 | 186 | 196 | 0.89 | | | | |
| E37300 | 196 | 206 | 0.40 | | | | |
| E37301 | 206 | 216 | 1.27 | | | | |
| E37302 | 216 | 226 | 0.66 | | | | |
| E37303 | 226 | 236 | 0.41 | | | | |
| E37304 | 236 | 246 | 0.24 | | | | |
| E37305 | 246 | 256 | 0.50 | | | | |
| E37306 | 256 | 266 | 0.18 | | | | |
| E37307 | 266 | 276 | 0.41 | | | | |
| E37308 | 276 | 286 | 0.25 | | | | |
| E37309 | 286 | 296 | 0.13 | | | | |
| E37310 | 296 | 306 | 0.56 | | | | |
| E37311 | 306 | 316 | 0.32 | | | | |
| E37312 | 316 | 326 | 0.53 | | | | |

AK5-1119a

AK5-1119:

CERTIFICATE OF ASSAY AK 2005-1119

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

27-Sep-05

No. of samples received: 33
 Sample type: Sludge
 Project #: IGM-05-09
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|----------|-----------|
| 1 | 37282 | 0.08 | 0.002 |
| 2 | 37283 | <0.03 | <0.001 |
| 3 | 37284 | <0.03 | <0.001 |
| 4 | 37285 | <0.03 | <0.001 |
| 5 | 37286 | <0.03 | <0.001 |
| 6 | 37287 | <0.03 | <0.001 |
| 7 | 37288 | <0.03 | <0.001 |
| 8 | 37289 | <0.03 | <0.001 |
| 9 | 37290 | 0.31 | 0.009 |
| 10 | 37291 | 0.22 | 0.006 |
| 11 | 37292 | 0.04 | 0.001 |
| 12 | 37293 | <0.03 | <0.001 |
| 13 | 37294 | 0.07 | 0.002 |
| 14 | 37295 | 0.11 | 0.003 |
| 15 | 37296 | 0.44 | 0.013 |
| 16 | 37297 | 0.26 | 0.008 |
| 17 | 37298 | 1.98 | 0.058 |
| 18 | 37299 | 0.89 | 0.026 |
| 19 | 37300 | 0.40 | 0.012 |
| 20 | 37301 | 1.27 | 0.037 |
| 21 | 37302 | 0.66 | 0.019 |
| 22 | 37303 | 0.41 | 0.012 |
| 23 | 37304 | 0.24 | 0.007 |
| 24 | 37305 | 0.50 | 0.015 |
| 25 | 37306 | 0.18 | 0.005 |
| 26 | 37307 | 0.41 | 0.012 |
| 27 | 37308 | 0.25 | 0.007 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1119

27-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|-------|----------|-----------|
| 28 | 37309 | 0.13 | 0.004 |
| 29 | 37310 | 0.56 | 0.016 |
| 30 | 37311 | 0.32 | 0.009 |
| 31 | 37312 | 0.53 | 0.015 |
| 32 | 37313 | 0.35 | 0.010 |
| 33 | 37314 | 0.45 | 0.013 |

QC DATA:

| Repeat: | | | |
|----------------|-------|------|-------|
| 1 | 37282 | 0.07 | 0.002 |
| 10 | 37291 | 0.19 | 0.006 |
| 17 | 37298 | 2.11 | 0.062 |
| 18 | 37299 | 0.79 | 0.023 |
| 19 | 37300 | 0.32 | 0.009 |
| 20 | 37301 | 1.31 | 0.038 |
| 21 | 37302 | 0.55 | 0.016 |
| 24 | 37305 | 0.50 | 0.015 |
| 29 | 37310 | 0.55 | 0.016 |
| 31 | 37312 | 0.54 | 0.016 |

Standard:

| | | |
|------|------|-------|
| SH13 | 1.29 | 0.038 |
| SN16 | 8.45 | 0.246 |

JJ/ga
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1257

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

27-Oct-05

No. of samples received: 34
 Sample type: Core
 Project #: IGM-05-10
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|-------|--------|----------|-----------|--------|
| 1 | E31127 | <0.03 | <0.001 | |
| 2 | E31128 | <0.03 | <0.001 | |
| 3 | E31129 | 0.18 | 0.005 | |
| 4 | E31130 | 0.05 | 0.001 | |
| 5 | E31131 | <0.03 | <0.001 | |
| 6 | E31132 | 0.05 | 0.001 | |
| 7 | E31133 | 4.43 | 0.129 | |
| 8 | E31134 | 0.07 | 0.002 | |
| 9 | E31135 | 8.85 | 0.258 | |
| 10 | E31136 | <0.03 | <0.001 | |
| 11 | E31137 | 0.04 | 0.001 | |
| 12 | E31138 | 0.52 | 0.015 | |
| 13 | E31139 | 111 | 3.246 | 2.07 |
| 14 | E31140 | 0.15 | 0.004 | |
| 15 | E31141 | 0.36 | 0.010 | |
| 16 | E31142 | 2.35 | 0.069 | |
| 17 | E31143 | 0.06 | 0.002 | |
| 18 | E31144 | 0.15 | 0.004 | |
| 19 | E31145 | 0.31 | 0.009 | |
| 20 | E31146 | <0.03 | <0.001 | |
| 21 | E31147 | 0.04 | 0.001 | |
| 22 | E31148 | <0.03 | <0.001 | |
| 23 | E31149 | <0.03 | <0.001 | |
| 24 | E31150 | 0.06 | 0.002 | |
| 25 | E31151 | 0.21 | 0.006 | |
| 26 | E31152 | 0.23 | 0.007 | |
| 27 | E31153 | 0.52 | 0.015 | |
| 28 | E31154 | 9.36 | 0.273 | |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1257

27-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Cu (%) |
|-------|--------|----------|-----------|--------|
| 29 | E31155 | 0.08 | 0.002 | |
| 30 | E31156 | 0.04 | 0.001 | |
| 31 | E31157 | 12.9 | 0.376 | |
| 32 | E31158 | 0.14 | 0.004 | |
| 33 | E31159 | 9.97 | 0.291 | |
| 34 | E31160 | 0.07 | 0.002 | |

QC DATA:

| Repeat: | | | | |
|---------|--------|-------|--------|------|
| 1 | E31127 | <0.03 | <0.001 | |
| 7 | E31133 | 4.38 | 0.128 | |
| 9 | E31135 | 8.85 | 0.252 | |
| 10 | E31136 | <0.03 | <0.001 | |
| 13 | E31139 | 106 | 3.103 | 2.07 |
| 19 | E31145 | 0.27 | 0.008 | |
| 26 | E31152 | 0.23 | 0.007 | |
| 27 | E31153 | 0.46 | 0.013 | |
| 28 | E31154 | 10.5 | 0.306 | |
| 31 | E31157 | 13.0 | 0.379 | |
| 33 | E31159 | 9.86 | 0.288 | |
| 33 | E31159 | 10.7 | 0.312 | |

| Resplit: | | | | |
|----------|--------|-------|--------|--|
| 1 | E31127 | <0.03 | <0.001 | |

| Standard: | | | | |
|-----------|--|------|-------|------|
| SH13 | | 1.31 | 0.038 | |
| CU106 | | | | 1.43 |

JJA/k
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 34
Sample type: Core
Project: IGM-05-10
Samples Submitted by: Charlie Moore

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|------|----|----|------|----|----|-----|--------|------|-----|------|------|----|-------|----|------|------|----|-----|-----|-------|-----|----|-----|----|------|
| 1 | E31127 | <0.2 | 0.83 | 75 | 65 | 5 | 2.17 | <1 | 28 | 75 | 26 | 5.78 | <10 | 1.30 | 558 | 5 | 0.01 | 63 | 1000 | 30 | <5 | <20 | 72 | <0.01 | <10 | 10 | <10 | <1 | 140 |
| 2 | E31128 | <0.2 | 0.38 | 25 | 90 | <5 | 0.45 | <1 | 15 | 82 | 64 | 3.33 | <10 | 0.51 | 514 | 2 | 0.01 | 19 | 520 | 14 | <5 | <20 | 17 | <0.01 | <10 | 11 | <10 | <1 | 47 |
| 3 | E31129 | <0.2 | 0.31 | 70 | 60 | <5 | 1.51 | <1 | 10 | 61 | 17 | 2.80 | <10 | 0.50 | 497 | 2 | 0.01 | 24 | 300 | 16 | <5 | <20 | 48 | <0.01 | <10 | 4 | <10 | <1 | 24 |
| 4 | E31130 | <0.2 | 0.33 | 55 | 40 | 5 | 1.54 | <1 | 5 | 174 | 10 | 2.14 | <10 | 0.48 | 1006 | <1 | <0.01 | 15 | 350 | 28 | <5 | <20 | 45 | <0.01 | <10 | 3 | <10 | 2 | 17 |
| 5 | E31131 | <0.2 | 0.32 | 35 | 45 | <5 | 1.18 | <1 | 15 | 97 | 19 | 3.40 | <10 | 0.76 | 590 | 2 | <0.01 | 25 | 270 | 38 | <5 | <20 | 41 | <0.01 | <10 | 2 | <10 | <1 | 55 |
| 6 | E31132 | <0.2 | 0.27 | 60 | 50 | 5 | 1.94 | <1 | 13 | 64 | 17 | 2.78 | <10 | 0.81 | 806 | 2 | 0.01 | 23 | 290 | 16 | <5 | <20 | 54 | <0.01 | <10 | 3 | <10 | 3 | 24 |
| 7 | E31133 | 0.5 | 0.16 | 275 | 35 | 15 | 4.78 | <1 | 11 | 127 | 4 | 5.32 | <10 | 2.08 | 4287 | 3 | <0.01 | 17 | 400 | 50 | <5 | <20 | 117 | <0.01 | <10 | 4 | <10 | 3 | 19 |
| 8 | E31134 | 0.2 | 0.22 | 40 | 20 | <5 | 8.27 | <1 | 7 | 100 | 1 | 3.41 | <10 | 3.75 | 3120 | 2 | <0.01 | 11 | 210 | 6 | 15 | <20 | 265 | <0.01 | <10 | 4 | <10 | 12 | 35 |
| 9 | E31135 | 0.9 | 0.15 | 715 | 65 | 15 | 3.93 | <1 | 18 | 75 | 8 | 9.93 | <10 | 2.36 | 5793 | 8 | <0.01 | 23 | 430 | 20 | <5 | <20 | 89 | <0.01 | <10 | 4 | <10 | <1 | 26 |
| 10 | E31136 | <0.2 | 0.12 | 15 | 20 | <5 | 0.99 | <1 | 4 | 205 | 17 | 1.41 | 20 | 0.31 | 333 | <1 | <0.01 | 13 | 140 | 4 | <5 | <20 | 26 | <0.01 | <10 | 1 | <10 | 2 | 7 |
| 11 | E31137 | <0.2 | 0.15 | 60 | 35 | <5 | 2.23 | <1 | 7 | 95 | 13 | 2.34 | <10 | 0.71 | 903 | 2 | <0.01 | 18 | 310 | 12 | <5 | <20 | 47 | <0.01 | <10 | 2 | <10 | <1 | 23 |
| 12 | E31138 | 1.0 | 0.16 | 70 | 35 | 65 | 2.03 | <1 | 7 | 144 | 13 | 2.39 | <10 | 0.58 | 674 | 1 | <0.01 | 17 | 170 | 90 | <5 | <20 | 42 | <0.01 | <10 | 2 | <10 | <1 | 22 |
| 13 | E31139 | 24.1 | 0.13 | 1435 | 85 | <5 | 0.31 | 43 | 17 | 82 | >10000 | >10 | <10 | 0.04 | 257 | 11 | <0.01 | 33 | <10 | 506 | <5 | <20 | 8 | 0.01 | <10 | 2 | <10 | <1 | 3004 |
| 14 | E31140 | 0.2 | 0.27 | 90 | 35 | <5 | 0.89 | <1 | 9 | 83 | 20 | 1.88 | <10 | 0.27 | 387 | 1 | <0.01 | 22 | 250 | 18 | <5 | <20 | 17 | <0.01 | <10 | 4 | <10 | <1 | 14 |
| 15 | E31141 | <0.2 | 0.07 | 75 | 10 | <5 | 1.78 | <1 | 4 | 135 | 12 | 1.78 | <10 | 0.62 | 1062 | 1 | <0.01 | 7 | 110 | 8 | 5 | <20 | 41 | <0.01 | <10 | 2 | <10 | <1 | 8 |
| 16 | E31142 | 0.2 | 0.21 | 240 | 40 | <5 | 1.81 | 1 | 6 | 76 | 12 | 3.89 | <10 | 0.55 | 1387 | 3 | <0.01 | 13 | 220 | 8 | <5 | <20 | 36 | <0.01 | <10 | 3 | <10 | <1 | 83 |
| 17 | E31143 | <0.2 | 0.18 | 150 | 30 | <5 | 0.84 | <1 | 7 | 94 | 15 | 1.59 | <10 | 0.26 | 288 | <1 | <0.01 | 16 | 150 | 6 | <5 | <20 | 23 | <0.01 | <10 | 2 | <10 | <1 | 16 |
| 18 | E31144 | <0.2 | 0.13 | 80 | 25 | <5 | 0.68 | <1 | 5 | 103 | 12 | 1.53 | <10 | 0.25 | 440 | <1 | <0.01 | 13 | 90 | 12 | <5 | <20 | 16 | <0.01 | <10 | 1 | <10 | <1 | 9 |
| 19 | E31145 | 15.0 | 0.21 | 110 | 40 | 20 | 0.39 | <1 | 9 | 60 | 29 | 2.19 | <10 | 0.34 | 296 | 2 | <0.01 | 25 | 250 | 4378 | <5 | <20 | 11 | <0.01 | <10 | 3 | <10 | <1 | 27 |
| 20 | E31146 | <0.2 | 0.16 | 60 | 25 | <5 | 0.54 | <1 | 6 | 93 | 17 | 1.58 | <10 | 0.27 | 322 | 1 | <0.01 | 14 | 190 | 18 | <5 | <20 | 16 | <0.01 | <10 | 2 | <10 | <1 | 14 |
| 21 | E31147 | <0.2 | 0.19 | 55 | 40 | <5 | 0.66 | <1 | 8 | 81 | 10 | 1.99 | <10 | 0.36 | 459 | 1 | <0.01 | 18 | 120 | 12 | <5 | <20 | 18 | <0.01 | <10 | 2 | <10 | <1 | 20 |
| 22 | E31148 | <0.2 | 0.22 | 20 | 15 | <5 | 0.91 | <1 | 3 | 109 | 4 | 1.23 | <10 | 0.36 | 447 | <1 | <0.01 | 8 | 60 | 12 | <5 | <20 | 38 | <0.01 | <10 | 1 | <10 | <1 | 11 |
| 23 | E31149 | <0.2 | 0.22 | 60 | 30 | <5 | 0.57 | <1 | 11 | 91 | 51 | 2.82 | <10 | 0.38 | 510 | 2 | <0.01 | 25 | 100 | 8 | <5 | <20 | 18 | <0.01 | <10 | 3 | <10 | <1 | 19 |
| 24 | E31150 | <0.2 | 0.22 | 50 | 45 | <5 | 1.09 | <1 | 8 | 65 | 9 | 2.07 | <10 | 0.39 | 779 | 2 | <0.01 | 19 | 890 | 10 | <5 | <20 | 26 | <0.01 | <10 | 3 | <10 | 2 | 18 |
| 25 | E31151 | 0.2 | 0.27 | 170 | 80 | <5 | 4.63 | <1 | 31 | 26 | 97 | 6.43 | <10 | 0.78 | 1541 | 5 | <0.01 | 8 | 1380 | 4 | <5 | <20 | 153 | <0.01 | <10 | 12 | <10 | <1 | 44 |
| 26 | E31152 | 0.3 | 0.33 | 300 | 85 | <5 | 4.11 | 2 | 23 | 30 | 96 | 5.41 | <10 | 0.89 | 2276 | 5 | 0.01 | 9 | 1430 | 18 | <5 | <20 | 133 | <0.01 | <10 | 13 | <10 | <1 | 50 |
| 27 | E31153 | 12.7 | 0.29 | 335 | 85 | <5 | 2.68 | <1 | 18 | 121 | 90 | 5.08 | <10 | 0.72 | 1421 | 14 | <0.01 | 25 | 950 | 18 | <5 | <20 | 98 | <0.01 | <10 | 9 | <10 | <1 | 43 |
| 28 | E31154 | 0.4 | 0.12 | 305 | 30 | 5 | 1.08 | <1 | 12 | 154 | 14 | 3.70 | <10 | 0.27 | 838 | 2 | <0.01 | 17 | 70 | 20 | <5 | <20 | 32 | <0.01 | <10 | 2 | <10 | <1 | 13 |
| 29 | E31155 | <0.2 | 0.12 | 50 | 25 | <5 | 2.06 | <1 | 3 | 140 | 27 | 1.78 | <10 | 0.38 | 1109 | <1 | <0.01 | 6 | 70 | 8 | <5 | <20 | 55 | <0.01 | <10 | 1 | <10 | 1 | 11 |
| 30 | E31156 | <0.2 | 0.17 | 35 | 35 | <5 | 1.21 | <1 | 4 | 218 | 6 | 1.50 | <10 | 0.24 | 591 | <1 | <0.01 | 11 | 160 | 30 | <5 | <20 | 43 | <0.01 | <10 | 2 | <10 | <1 | 10 |

Page 1

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|--------|----|----|------|----|----|-----|----|------|-----|------|-----|----|-------|----|-----|-----|----|-----|----|-------|-----|---|-----|----|----|
| 31 | E31157 | 1.8 | 0.16 | 335 | 25 | 10 | 1.07 | <1 | 5 | 168 | 10 | 3.64 | <10 | 0.21 | 604 | 2 | <0.01 | 10 | 290 | 102 | <5 | <20 | 33 | <0.01 | <10 | 2 | <10 | <1 | 8 |
| 32 | E31158 | 2.6 | 0.13 | 175 | 25 | 5 | 1.09 | <1 | 3 | 184 | 8 | 1.74 | <10 | 0.25 | 678 | <1 | <0.01 | 8 | 320 | 638 | <5 | <20 | 35 | <0.01 | <10 | 2 | <10 | <1 | 11 |
| 33 | E31159 | 1.8 | 0.11 | >10000 | 45 | 15 | 0.88 | 25 | 15 | 140 | 9 | 8.90 | <10 | 0.14 | 622 | 7 | <0.01 | 14 | 30 | 34 | <5 | <20 | 20 | <0.01 | <10 | 1 | <10 | <1 | 7 |
| 34 | E31160 | <0.2 | 0.23 | 240 | 55 | <5 | 1.12 | <1 | 6 | 248 | 7 | 1.84 | <10 | 0.38 | 651 | <1 | <0.01 | 14 | 70 | 12 | <5 | <20 | 40 | <0.01 | <10 | 3 | <10 | <1 | 9 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|------|------|-----|----|----|------|----|----|-----|----|------|-----|------|------|----|-------|----|------|------|----|-----|-----|-------|-----|----|-----|----|-----|
| 1 | E31127 | <0.2 | 0.86 | 90 | 60 | <5 | 2.19 | <1 | 28 | 78 | 25 | 5.84 | <10 | 1.32 | 564 | 5 | 0.01 | 65 | 980 | 30 | <5 | <20 | 72 | <0.01 | <10 | 10 | <10 | <1 | 141 |
| 10 | E31136 | <0.2 | 0.12 | 15 | 25 | <5 | 0.99 | <1 | 4 | 207 | 17 | 1.40 | 20 | 0.30 | 333 | <1 | <0.01 | 12 | 140 | 4 | <5 | <20 | 26 | <0.01 | <10 | 1 | <10 | <1 | 7 |
| 19 | E31145 | 15.0 | 0.23 | 120 | 40 | 20 | 0.40 | 1 | 9 | 63 | 31 | 2.27 | <10 | 0.36 | 314 | 2 | <0.01 | 25 | 240 | 4488 | <5 | <20 | 12 | <0.01 | <10 | 3 | <10 | <1 | 27 |
| 26 | E31152 | 0.3 | 0.33 | 275 | 75 | <5 | 4.12 | 2 | 23 | 30 | 97 | 5.40 | <10 | 0.90 | 2284 | 5 | 0.01 | 8 | 1430 | 20 | <5 | <20 | 131 | <0.01 | <10 | 13 | <10 | 2 | 51 |

Resplit:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------|------|------|----|----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | E31127 | <0.2 | 1.13 | 75 | 65 | <5 | 2.03 | <1 | 30 | 62 | 30 | 6.22 | <10 | 1.31 | 564 | 5 | 0.01 | 67 | 950 | 32 | <5 | <20 | 68 | <0.01 | <10 | 11 | <10 | <1 | 141 |
|---|--------|------|------|----|----|----|------|----|----|----|----|------|-----|------|-----|---|------|----|-----|----|----|-----|----|-------|-----|----|-----|----|-----|

Standard:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|
| GEO 05 | | 1.0 | 1.36 | 65 | 140 | <5 | 1.25 | <1 | 15 | 59 | 86 | 3.54 | <10 | 0.70 | 535 | <1 | 0.02 | 29 | 650 | 24 | <5 | <20 | 54 | 0.11 | <10 | 67 | <10 | 10 | 74 |
|--------|--|-----|------|----|-----|----|------|----|----|----|----|------|-----|------|-----|----|------|----|-----|----|----|-----|----|------|-----|----|-----|----|----|

JJ/kjga
dv12591387b
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealousa
B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-10 DATE: 18-Aug-05

SHEET: 1 OF: 1

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37248 | 0 | 17 | 0.05 | E37279 | 317 | 327 | 21.7 |
| E37249 | 17 | 27 | 0.18 | E37280 | 327 | 337 | 7.03 |
| E37250 | 27 | 37 | 0.09 | E37281 | 337 | 347 | 1.98 |
| E37251 | 37 | 47 | 0.05 | | | | |
| E37252 | 47 | 57 | 0.07 | | | | |
| E37253 | 57 | 67 | 1.23 | | | | |
| E37254 | 67 | 77 | 1.24 | | | | |
| E37255 | 77 | 87 | 0.19 | | | | |
| E37256 | 87 | 97 | 0.13 | | | | |
| E37257 | 97 | 107 | 0.13 | | | | |
| E37258 | 107 | 117 | 9.84 | | | | |
| E37259 | 117 | 127 | 9.95 | | | | |
| E37260 | 127 | 137 | 1.29 | | | | |
| E37261 | 137 | 147 | 2.54 | | | | |
| E37262 | 147 | 157 | 5.25 | | | | |
| E37263 | 157 | 167 | 5.13 | | | | |
| E37264 | 167 | 177 | 1.37 | | | | |
| E37265 | 177 | 187 | 1.10 | | | | |
| E37266 | 187 | 197 | 0.46 | | | | |
| E37267 | 197 | 207 | 1.27 | | | | |
| E37268 | 207 | 217 | 1.79 | | | | |
| E37269 | 217 | 227 | 0.59 | | | | |
| E37270 | 227 | 237 | 1.67 | | | | |
| E37271 | 237 | 247 | 0.57 | | | | |
| E37272 | 247 | 257 | 0.29 | | | | |
| E37273 | 257 | 267 | 0.68 | | | | |
| E37274 | 267 | 277 | 0.27 | | | | |
| E37275 | 277 | 287 | 0.40 | | | | |
| E37276 | 287 | 297 | 1.76 | | | | |
| E37277 | 297 | 307 | 2.58 | | | | |
| E37278 | 307 | 317 | 3.19 | | | | |

AK5-1127a

AK5-1127:

CERTIFICATE OF ASSAY AK 2005-1127

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

29-Sep-05

No. of samples received: 34
 Sample type: Sludge
 Project #: IGM-05-10
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37248 | 0.05 | 0.001 |
| 2 | E37249 | 0.18 | 0.005 |
| 3 | E37250 | 0.09 | 0.003 |
| 4 | E37251 | 0.05 | 0.001 |
| 5 | E37252 | 0.07 | 0.002 |
| 6 | E37253 | 1.23 | 0.036 |
| 7 | E37254 | 1.24 | 0.036 |
| 8 | E37255 | 0.19 | 0.006 |
| 9 | E37256 | 0.13 | 0.004 |
| 10 | E37257 | 0.13 | 0.004 |
| 11 | E37258 | 9.84 | 0.287 |
| 12 | E37259 | 9.95 | 0.290 |
| 13 | E37260 | 1.29 | 0.038 |
| 14 | E37261 | 2.54 | 0.074 |
| 15 | E37262 | 5.25 | 0.153 |
| 16 | E37263 | 5.13 | 0.150 |
| 17 | E37264 | 1.37 | 0.040 |
| 18 | E37265 | 1.10 | 0.032 |
| 19 | E37266 | 0.46 | 0.013 |
| 20 | E37267 | 1.27 | 0.037 |
| 21 | E37268 | 1.79 | 0.052 |
| 22 | E37269 | 0.59 | 0.017 |
| 23 | E37270 | 1.67 | 0.049 |
| 24 | E37271 | 0.57 | 0.017 |
| 25 | E37272 | 0.29 | 0.008 |
| 26 | E37273 | 0.68 | 0.020 |
| 27 | E37274 | 0.27 | 0.008 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1127

29-Sep-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 28 | E37275 | 0.40 | 0.012 |
| 29 | E37276 | 1.76 | 0.051 |
| 30 | E37277 | 2.58 | 0.075 |
| 31 | E37278 | 3.19 | 0.093 |
| 32 | E37279 | 21.7 | 0.633 |
| 33 | E37280 | 7.03 | 0.205 |
| 34 | E37281 | 1.98 | 0.058 |

QC DATA:

| <u>Repeat:</u> | | | |
|----------------|-------|------|-------|
| 1 | 37248 | 0.08 | 0.002 |
| 6 | 37253 | 1.15 | 0.034 |
| 10 | 37257 | 0.13 | 0.004 |
| 11 | 37258 | 10.2 | 0.297 |
| 12 | 37259 | 9.97 | 0.291 |
| 15 | 37262 | 5.55 | 0.162 |
| 16 | 37263 | 5.05 | 0.147 |
| 19 | 37266 | 0.53 | 0.015 |
| 30 | 37277 | 3.56 | 0.104 |
| 31 | 37278 | 2.60 | 0.076 |
| 32 | 37279 | 22.7 | 0.662 |
| 33 | 37280 | 7.08 | 0.206 |

| <u>Resplit:</u> | | | |
|-----------------|-------|------|-------|
| 1 | 37248 | 0.05 | 0.001 |

| <u>Standard:</u> | | | |
|------------------|--|------|-------|
| SH13 | | 1.33 | 0.039 |

JJ/kk
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1258

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

13-Oct-05

No. of samples received: 46
Sample type: Core
Project #: IGM-05-11
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31842 | <0.03 | <0.001 |
| 2 | E31843 | 0.04 | 0.001 |
| 3 | E31844 | <0.03 | <0.001 |
| 4 | E31845 | <0.03 | <0.001 |
| 5 | E31846 | <0.03 | <0.001 |
| 6 | E31847 | 0.28 | 0.008 |
| 7 | E31848 | 0.08 | 0.002 |
| 8 | E31849 | 0.15 | 0.004 |
| 9 | E31850 | <0.03 | <0.001 |
| 10 | E31161 | 0.03 | 0.001 |
| 11 | E31162 | <0.03 | <0.001 |
| 12 | E31163 | <0.03 | <0.001 |
| 13 | E31164 | <0.03 | <0.001 |
| 14 | E31165 | 0.04 | 0.001 |
| 15 | E31166 | 0.03 | 0.001 |
| 16 | E31167 | <0.03 | <0.001 |
| 17 | E31168 | <0.03 | <0.001 |
| 18 | E31169 | <0.03 | <0.001 |
| 19 | E31170 | 0.05 | 0.001 |
| 20 | E31171 | <0.03 | <0.001 |
| 21 | E31172 | 0.05 | 0.001 |
| 22 | E31173 | 0.05 | 0.001 |
| 23 | E31174 | 0.13 | 0.004 |
| 24 | E31175 | 0.03 | 0.001 |
| 25 | E31176 | 0.11 | 0.003 |
| 26 | E31177 | <0.03 | <0.001 |
| 27 | E31178 | <0.03 | <0.001 |
| 28 | E31179 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Island Mountain Gold AK5-1258

13-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 29 | E31180 | <0.03 | <0.001 |
| 30 | E31181 | <0.03 | <0.001 |
| 31 | E31182 | <0.03 | <0.001 |
| 32 | E31183 | <0.03 | <0.001 |
| 33 | E31184 | 0.03 | 0.001 |
| 34 | E31185 | <0.03 | <0.001 |
| 35 | E31186 | <0.03 | <0.001 |
| 36 | E31187 | <0.03 | <0.001 |
| 37 | E31188 | <0.03 | <0.001 |
| 38 | E31189 | <0.03 | <0.001 |
| 39 | E31190 | <0.03 | <0.001 |
| 40 | E31191 | 0.23 | 0.007 |
| 41 | E31192 | <0.03 | <0.001 |
| 42 | E31193 | <0.03 | <0.001 |
| 43 | E31194 | <0.03 | <0.001 |
| 44 | E31195 | <0.03 | <0.001 |
| 45 | E31196 | <0.03 | <0.001 |
| 46 | E31197 | <0.03 | <0.001 |

QC DATA:

| Repeat: | | | |
|-----------------|--------|-------|--------|
| 1 | E31842 | <0.03 | <0.001 |
| 10 | E31161 | 0.03 | 0.001 |
| 19 | E31170 | 0.04 | 0.001 |
| 36 | E31187 | <0.03 | <0.001 |
| Resplit: | | | |
| 1 | E31842 | <0.03 | <0.001 |
| 36 | E31187 | <0.03 | <0.001 |

| Standard: | | | |
|------------------|--|------|-------|
| SH13 | | 1.31 | 0.038 |
| SH13 | | 1.31 | 0.038 |

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1261

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

14-Oct-05

No. of samples received: 61
Sample type: Sludge
Project #: IGM-05-11
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37332 | <0.03 | <0.001 |
| 2 | E37333 | 0.04 | 0.001 |
| 3 | E37334 | 0.07 | 0.002 |
| 4 | E37335 | 0.06 | 0.002 |
| 5 | E37336 | 0.04 | 0.001 |
| 6 | E37337 | 0.04 | 0.001 |
| 7 | E37338 | 0.05 | 0.001 |
| 8 | E37339 | 0.25 | 0.007 |
| 9 | E37340 | 0.70 | 0.020 |
| 10 | E37341 | 1.08 | 0.031 |
| 11 | E37342 | 0.43 | 0.013 |
| 12 | E37343 | 0.34 | 0.010 |
| 13 | E37344 | 0.34 | 0.010 |
| 14 | E37345 | 0.36 | 0.010 |
| 15 | E37346 | 0.33 | 0.010 |
| 16 | E37347 | 0.23 | 0.007 |
| 17 | E37348 | 0.11 | 0.003 |
| 18 | E37349 | 0.11 | 0.003 |
| 19 | E37350 | 0.08 | 0.002 |
| 20 | E37351 | 0.27 | 0.008 |
| 21 | E37352 | 0.42 | 0.012 |
| 22 | E37353 | 0.12 | 0.003 |
| 23 | E37357 | 0.12 | 0.003 |
| 24 | E37358 | 0.15 | 0.004 |
| 25 | E37359 | 0.11 | 0.003 |
| 26 | E37360 | 0.05 | 0.001 |
| 27 | E37361 | 0.03 | 0.001 |
| 28 | E37362 | 0.05 | 0.001 |
| 29 | E37363 | 0.06 | 0.002 |
| 30 | E37364 | 0.05 | 0.001 |

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Island Mountain Gold AK5-1261

14-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 31 | E37365 | 0.06 | 0.002 |
| 32 | E37366 | 0.20 | 0.006 |
| 33 | E37367 | 0.09 | 0.003 |
| 34 | E37368 | 0.17 | 0.005 |
| 35 | E37369 | 0.06 | 0.002 |
| 36 | E37370 | 0.05 | 0.001 |
| 37 | E37371 | <0.03 | <0.001 |
| 38 | E37372 | <0.03 | <0.001 |
| 39 | E37373 | 0.17 | 0.005 |
| 40 | E37374 | 0.12 | 0.003 |
| 41 | E37375 | 0.05 | 0.001 |
| 42 | E37376 | 0.11 | 0.003 |
| 43 | E37377 | <0.03 | <0.001 |
| 44 | E37378 | 0.03 | 0.001 |
| 45 | E37379 | 0.06 | 0.002 |
| 46 | E37380 | 0.06 | 0.002 |
| 47 | E37381 | 0.06 | 0.002 |
| 48 | E37382 | 0.09 | 0.003 |
| 49 | E37383 | 0.05 | 0.001 |
| 50 | E37384 | 0.07 | 0.002 |
| 51 | E37385 | 0.06 | 0.002 |
| 52 | E37386 | 0.11 | 0.003 |
| 53 | E37387 | 0.13 | 0.004 |
| 54 | E37388 | 0.19 | 0.006 |
| 55 | E37389 | 0.07 | 0.002 |
| 56 | E37390 | 0.05 | 0.001 |
| 57 | E37391 | 0.09 | 0.003 |
| 58 | E37392 | 0.04 | 0.001 |
| 59 | E37393 | 0.03 | 0.001 |
| 60 | E37394 | 0.04 | 0.001 |
| 61 | E37395 | 0.04 | 0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E37332 | <0.03 | <0.001 |
| 10 | E37341 | 1.09 | 0.032 |
| 19 | E37350 | 0.08 | 0.002 |
| 36 | E37370 | 0.04 | 0.001 |
| 45 | E37379 | 0.05 | 0.001 |
| 54 | E37388 | 0.21 | 0.006 |

Resplit:

| | | | |
|----|--------|-------|--------|
| 1 | E37332 | <0.03 | <0.001 |
| 36 | E37370 | 0.04 | 0.001 |

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.83 | 0.053 |
| OX140 | 1.80 | 0.052 |

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1343

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

21-Oct-05

No. of samples received: 36
Sample type: Core
Project #: IGM-05-12
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31198 | <0.03 | <0.001 |
| 2 | E31199 | 0.12 | 0.003 |
| 3 | E31200 | 0.05 | 0.001 |
| 4 | E31201 | 0.41 | 0.012 |
| 5 | E31202 | 1.95 | 0.057 |
| 6 | E31203 | 0.20 | 0.006 |
| 7 | E31204 | 0.84 | 0.024 |
| 8 | E31205 | 0.29 | 0.008 |
| 9 | E31206 | <0.03 | <0.001 |
| 10 | E31207 | <0.03 | <0.001 |
| 11 | E31208 | <0.03 | <0.001 |
| 12 | E31209 | 0.08 | 0.002 |
| 13 | E31210 | 0.04 | 0.001 |
| 14 | E31211 | <0.03 | <0.001 |
| 15 | E31212 | 0.03 | 0.001 |
| 16 | E31213 | 0.04 | 0.001 |
| 17 | E31214 | 0.38 | 0.011 |
| 18 | E31215 | 0.03 | 0.001 |
| 19 | E31216 | <0.03 | <0.001 |
| 20 | E31217 | <0.03 | <0.001 |
| 21 | E31218 | 0.15 | 0.004 |
| 22 | E31219 | <0.03 | <0.001 |
| 23 | E31220 | <0.03 | <0.001 |
| 24 | E31221 | 0.04 | 0.001 |
| 25 | E31222 | 0.05 | 0.001 |

Island Mountain Gold AK5-1343

21-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 26 | E31223 | 0.09 | 0.003 |
| 27 | E31224 | <0.03 | <0.001 |
| 28 | E31225 | 0.03 | 0.001 |
| 29 | E31226 | 0.30 | 0.009 |
| 30 | E31227 | <0.03 | <0.001 |
| 31 | E31228 | <0.03 | <0.001 |
| 32 | E31229 | <0.03 | <0.001 |
| 33 | E31230 | <0.03 | <0.001 |
| 34 | E31231 | <0.03 | <0.001 |
| 35 | E31232 | <0.03 | <0.001 |
| 36 | E31233 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E31198 | 0.05 | 0.001 |
| 5 | E31202 | 1.88 | 0.055 |
| 7 | E31204 | 0.91 | 0.027 |
| 10 | E31207 | <0.03 | <0.001 |
| 19 | E31216 | <0.03 | <0.001 |
| 29 | E31226 | 0.32 | 0.009 |
| 36 | E31233 | <0.03 | <0.001 |

Resplit:

| | | | |
|----|--------|-------|--------|
| 1 | E31198 | <0.03 | <0.001 |
| 36 | E31233 | <0.03 | <0.001 |

Standard:

| | | |
|-------|------|-------|
| OXF40 | 1.86 | 0.054 |
| OXF40 | 1.84 | 0.054 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1282

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

20-Oct-05

No. of samples received: 63
 Sample type: Sludge
 Project #: IGM-05-12
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37396 | 0.05 | 0.001 |
| 2 | E37397 | 0.07 | 0.002 |
| 3 | E37398 | 0.21 | 0.006 |
| 4 | E37399 | 0.12 | 0.003 |
| 5 | E37400 | 0.07 | 0.002 |
| 6 | E37401 | 0.56 | 0.016 |
| 7 | E37402 | 1.38 | 0.040 |
| 8 | E37403 | 1.65 | 0.048 |
| 9 | E37404 | 0.35 | 0.010 |
| 10 | E37405 | 0.38 | 0.011 |
| 11 | E37406 | 0.15 | 0.004 |
| 12 | E37407 | 0.26 | 0.008 |
| 13 | E37408 | 0.25 | 0.007 |
| 14 | E37409 | 0.18 | 0.005 |
| 15 | E37410 | 0.95 | 0.028 |
| 16 | E37411 | 0.37 | 0.011 |
| 17 | E37412 | 0.13 | 0.004 |
| 18 | E37413 | 0.14 | 0.004 |
| 19 | E37414 | 0.09 | 0.003 |
| 20 | E37415 | 0.12 | 0.003 |
| 21 | E37416 | 0.23 | 0.007 |
| 22 | E37417 | 0.20 | 0.006 |
| 23 | E37418 | 0.10 | 0.003 |
| 24 | E37419 | 0.31 | 0.009 |
| 25 | E37420 | 0.33 | 0.010 |
| 26 | E37421 | 0.30 | 0.009 |
| 27 | E37422 | 0.13 | 0.004 |
| 28 | E37423 | 0.18 | 0.005 |
| 29 | E37424 | 0.65 | 0.019 |
| 30 | E37425 | 0.30 | 0.009 |
| 31 | E37426 | 0.15 | 0.004 |
| 32 | E37427 | 0.19 | 0.006 |
| 33 | E37428 | 0.07 | 0.002 |
| 34 | E37429 | 0.13 | 0.004 |
| 35 | E37430 | 0.42 | 0.012 |
| 36 | E37431 | 0.41 | 0.012 |
| 37 | E37432 | 0.26 | 0.008 |
| 38 | E37433 | 0.20 | 0.006 |

ECO TECH LABORATORY LTD.
 Jutta Jealousie
 B.C. Certified Assayer

Island Mountain Gold

20-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 39 | E37434 | 0.27 | 0.008 |
| 40 | E37435 | 0.24 | 0.007 |
| 41 | E37436 | 0.13 | 0.004 |
| 42 | E37437 | 0.12 | 0.003 |
| 43 | E37438 | 0.18 | 0.005 |
| 44 | E37439 | 0.06 | 0.002 |
| 45 | E37440 | 0.03 | 0.001 |
| 46 | E37441 | 0.05 | 0.001 |
| 47 | E37442 | 0.08 | 0.002 |
| 48 | E37443 | 0.42 | 0.012 |
| 49 | E37444 | 0.05 | 0.001 |
| 50 | E37445 | 0.67 | 0.020 |
| 51 | E37446 | 0.07 | 0.002 |
| 52 | E37447 | 0.04 | 0.001 |
| 53 | E37448 | 0.05 | 0.001 |
| 54 | E37449 | 0.05 | 0.001 |
| 55 | E37450 | 0.04 | 0.001 |
| 56 | E37451 | 1.12 | 0.033 |
| 57 | E37452 | 0.78 | 0.023 |
| 58 | E37453 | 0.98 | 0.029 |
| 59 | E37454 | 0.99 | 0.029 |
| 60 | E37455 | 0.66 | 0.019 |
| 61 | E37456 | 0.60 | 0.017 |
| 62 | E37457 | 1.05 | 0.031 |
| 63 | E37458 | 0.42 | 0.012 |

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-----------------|--------|----------|-----------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | E37396 | 0.03 | 0.001 |
| 7 | E37402 | 1.32 | 0.038 |
| 8 | E37403 | 1.72 | 0.050 |
| 10 | E37405 | 0.38 | 0.011 |
| 11 | E37406 | 0.15 | 0.004 |
| 15 | E37410 | 1.01 | 0.029 |
| 19 | E37414 | 0.07 | 0.002 |
| 29 | E37424 | 0.57 | 0.017 |
| 36 | E37431 | 0.41 | 0.012 |
| 45 | E37440 | 0.03 | 0.001 |
| 50 | E37445 | 0.71 | 0.021 |
| 54 | E37449 | 0.05 | 0.001 |
| 56 | E37451 | 1.20 | 0.035 |
| 57 | E37452 | 0.85 | 0.025 |
| 59 | E37454 | 1.07 | 0.031 |

| | | | |
|------------------|--------|------|-------|
| <i>Resplit:</i> | | | |
| 1 | E37396 | 0.04 | 0.001 |
| 36 | E37431 | 0.39 | 0.011 |
| <i>Standard:</i> | | | |
| OX140 | | 1.84 | 0.054 |
| OX140 | | 1.86 | 0.054 |
| SH13 | | 1.35 | 0.039 |

JJ/ga
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealousie
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1344

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

21-Oct-05

No. of samples received: 20
 Sample type: Core
 Project #: IGM-05-13
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31234 | <0.03 | <0.001 |
| 2 | E31235 | 0.04 | 0.001 |
| 3 | E31236 | 2.85 | 0.083 |
| 4 | E31237 | 0.10 | 0.003 |
| 5 | E31238 | 0.04 | 0.001 |
| 6 | E31239 | <0.03 | <0.001 |
| 7 | E31240 | 0.10 | 0.003 |
| 8 | E31241 | <0.03 | <0.001 |
| 9 | E31242 | 0.17 | 0.005 |
| 10 | E31243 | 0.10 | 0.003 |
| 11 | E31244 | 0.08 | 0.002 |
| 12 | E31245 | <0.03 | <0.001 |
| 13 | E31246 | <0.03 | <0.001 |
| 14 | E31247 | <0.03 | <0.001 |
| 15 | E31248 | <0.03 | <0.001 |
| 16 | E31249 | <0.03 | <0.001 |
| 17 | E31250 | 0.03 | 0.001 |
| 18 | E31251 | <0.03 | <0.001 |
| 19 | E31252 | <0.03 | <0.001 |
| 20 | E31253 | 0.22 | 0.006 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1344

21-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | E31234 | <0.03 | <0.001 |
| 3 | E31236 | 3.08 | 0.090 |
| 9 | E31242 | 0.12 | 0.003 |
| 10 | E31243 | 0.09 | 0.003 |
| 19 | E31252 | <0.03 | <0.001 |
| <i>Resplit:</i> | | | |
| 1 | E31234 | <0.03 | <0.001 |
| <i>Standard:</i> | | | |
| OX140 | | 1.86 | 0.054 |

JJ/kk
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-13 DATE: 29-Sep-05

SHEET: 1 OF: 1

AK5-1283a

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|----|------------|
| | FROM | TO | | | FROM | TO | |
| E37459 | 20 | 26 | 0.04 | | | | |
| E37460 | 26 | 36 | 5.63 | | | | |
| E37461 | 36 | 46 | 0.26 | | | | |
| E37462 | 46 | 56 | 0.37 | | | | |
| E37463 | 56 | 66 | 2.66 | | | | |
| E37464 | 66 | 76 | 6.96 | | | | |
| E37465 | 76 | 86 | 0.99 | | | | |
| E37466 | 86 | 96 | 0.24 | | | | |
| E37467 | 96 | 106 | 0.93 | | | | |
| E37468 | 106 | 116 | 0.27 | | | | |
| E37469 | 116 | 126 | 0.07 | | | | |
| E37470 | 126 | 136 | 0.04 | | | | |
| E37471 | 136 | 146 | 0.09 | | | | |
| E37472 | 146 | 156 | 0.11 | | | | |
| E37473 | 156 | 166 | 0.10 | | | | |
| E37474 | 166 | 176 | 0.06 | | | | |
| E37475 | 176 | 186 | 0.12 | | | | |
| E37476 | 186 | 196 | 0.09 | | | | |
| E37477 | 196 | 206 | 0.03 | | | | |
| E37478 | 206 | 216 | 0.23 | | | | |
| E37479 | 216 | 226 | 0.09 | | | | |
| E37480 | 226 | 236 | 0.07 | | | | |
| E37481 | 236 | 246 | 2.31 | | | | |
| E37482 | 246 | 256 | 0.15 | | | | |
| E37483 | 256 | 266 | 0.16 | | | | |
| E37484 | 266 | 276 | 0.19 | | | | |
| E37485 | 276 | 286 | 0.35 | | | | |
| E37486 | 286 | 296 | 1.03 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

CERTIFICATE OF ASSAY AK 2005-1283

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

26-Oct-05

No. of samples received: 28
 Sample type: Sludge
 Project #: IGM-05-13
 Shipment #: n/a
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37459 | 0.04 | 0.001 |
| 2 | E37460 | 5.63 | 0.164 |
| 3 | E37461 | 0.26 | 0.008 |
| 4 | E37462 | 0.37 | 0.011 |
| 5 | E37463 | 2.66 | 0.078 |
| 6 | E37464 | 6.96 | 0.203 |
| 7 | E37465 | 0.99 | 0.029 |
| 8 | E37466 | 0.24 | 0.007 |
| 9 | E37467 | 0.93 | 0.027 |
| 10 | E37468 | 0.27 | 0.008 |
| 11 | E37469 | 0.07 | 0.002 |
| 12 | E37470 | 0.04 | 0.001 |
| 13 | E37471 | 0.09 | 0.003 |
| 14 | E37472 | 0.11 | 0.003 |
| 15 | E37473 | 0.10 | 0.003 |
| 16 | E37474 | 0.06 | 0.002 |
| 17 | E37475 | 0.12 | 0.003 |
| 18 | E37476 | 0.09 | 0.003 |
| 19 | E37477 | 0.03 | 0.001 |
| 20 | E37478 | 0.23 | 0.007 |
| 21 | E37479 | 0.09 | 0.003 |
| 22 | E37480 | 0.07 | 0.002 |
| 23 | E37481 | 2.31 | 0.067 |
| 24 | E37482 | 0.15 | 0.004 |
| 25 | E37483 | 0.16 | 0.005 |
| 26 | E37484 | 0.19 | 0.006 |
| 27 | E37485 | 0.35 | 0.010 |
| 28 | E37486 | 1.03 | 0.030 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1283

26-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| QC DATA: | | | |
| Repeat: | | | |
| 1 | E37459 | 0.05 | 0.001 |
| 2 | E37460 | 5.65 | 0.165 |
| 6 | E37464 | 6.82 | 0.199 |
| 10 | E37468 | 0.27 | 0.008 |
| 19 | E37477 | <0.03 | <0.001 |
| Resplit: | | | |
| 1 | E37459 | 0.04 | 0.001 |
| Standard: | | | |
| OX140 | | 1.82 | 0.053 |

JJ/kk
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1352

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

28-Oct-05

No. of samples received: 26
 Sample type: Core
 Project #: IGM-05-14
 Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E31254 | <0.03 | <0.001 |
| 2 | E31255 | 0.03 | 0.001 |
| 3 | E31256 | 0.05 | 0.001 |
| 4 | E31257 | <0.03 | <0.001 |
| 5 | E31258 | <0.03 | <0.001 |
| 6 | E31259 | <0.03 | <0.001 |
| 7 | E31260 | 0.27 | 0.008 |
| 8 | E31261 | 1.66 | 0.048 |
| 9 | E31262 | 0.08 | 0.002 |
| 10 | E31263 | <0.03 | <0.001 |
| 11 | E31264 | <0.03 | <0.001 |
| 12 | E31265 | <0.03 | <0.001 |
| 13 | E31266 | <0.03 | <0.001 |
| 14 | E31267 | <0.03 | <0.001 |
| 15 | E31268 | <0.03 | <0.001 |
| 16 | E31269 | <0.03 | <0.001 |
| 17 | E31270 | <0.03 | <0.001 |
| 18 | E31271 | <0.03 | <0.001 |
| 19 | E31272 | <0.03 | <0.001 |
| 20 | E31273 | 0.04 | 0.001 |
| 21 | E31274 | <0.03 | <0.001 |
| 22 | E31275 | <0.03 | <0.001 |
| 23 | E31276 | <0.03 | <0.001 |
| 24 | E31277 | <0.03 | <0.001 |
| 25 | E31278 | <0.03 | <0.001 |
| 26 | E31279 | <0.03 | <0.001 |

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

Island Mountain Gold AK5-1352

28-Oct-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|----------|-----------|
| QC DATA: | | | |
| <i>Repeat:</i> | | | |
| 1 | E31254 | <0.03 | <0.001 |
| 7 | E31260 | 0.25 | 0.007 |
| 8 | E31261 | 1.65 | 0.048 |
| 10 | E31263 | <0.03 | <0.001 |
| 19 | E31272 | <0.03 | <0.001 |
| <i>Resplit:</i> | | | |
| 1 | E31254 | <0.03 | <0.001 |
| <i>Standard:</i> | | | |
| SH13 | | 1.32 | 0.038 |

JJ/kk
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealous
 B.C. Certified Assayer

ISLAND MOUNTAIN GOLD MINES LTD.

SLUDGE SAMPLE RECORD

2005 CARIBOO GOLD PROJECT

HOLE: IGM 05-14 DATE: 3-Oct-05

SHEET: 1 OF: 1

AK5-1377a

AK5-1377a

| SAMPLE NUMBER | INTERVAL | | Gold (PPM) | SAMPLE NUMBER | INTERVAL | | Gold (PPM) |
|---------------|----------|-----|------------|---------------|----------|-----|------------|
| | FROM | TO | | | FROM | TO | |
| E37487 | 0 | 17 | 0.03 | E37768 | 317 | 327 | <0.03 |
| E37488 | 17 | 27 | <0.03 | E37769 | 327 | 337 | <0.03 |
| E37489 | 27 | 37 | 0.08 | E37770 | 337 | 347 | <0.03 |
| E37490 | 37 | 47 | <0.03 | E37771 | 347 | 357 | <0.03 |
| E37491 | 47 | 57 | 0.04 | | | | |
| E37492 | 57 | 67 | <0.03 | | | | |
| E37493 | 67 | 77 | <0.03 | | | | |
| E37494 | 77 | 87 | <0.03 | | | | |
| E37495 | 87 | 97 | <0.03 | | | | |
| E37496 | 97 | 107 | 0.03 | | | | |
| E37497 | 107 | 117 | <0.03 | | | | |
| E37498 | 117 | 127 | 0.13 | | | | |
| E37499 | 127 | 137 | 0.63 | | | | |
| E37500 | 137 | 147 | 0.24 | | | | |
| E37751 | 147 | 157 | <0.03 | | | | |
| E37752 | 157 | 167 | <0.03 | | | | |
| E37753 | 167 | 177 | 0.03 | | | | |
| E37754 | 177 | 187 | <0.03 | | | | |
| E37755 | 187 | 197 | <0.03 | | | | |
| E37756 | 197 | 207 | <0.03 | | | | |
| E37757 | 207 | 217 | <0.03 | | | | |
| E37758 | 217 | 227 | <0.03 | | | | |
| E37759 | 227 | 237 | <0.03 | | | | |
| E37760 | 237 | 247 | <0.03 | | | | |
| E37761 | 247 | 257 | <0.03 | | | | |
| E37762 | 257 | 267 | <0.03 | | | | |
| E37763 | 267 | 277 | 0.05 | | | | |
| E37764 | 277 | 287 | <0.03 | | | | |
| E37765 | 287 | 297 | <0.03 | | | | |
| E37766 | 297 | 307 | 0.18 | | | | |
| E37767 | 307 | 317 | 0.03 | | | | |

CERTIFICATE OF ASSAY AK 2005-1377

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

02-Nov-05

No. of samples received: 35
Sample type: Sludge
Project #: IGM-05-14
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E37487 | 0.03 | 0.001 |
| 2 | E37488 | <0.03 | <0.001 |
| 3 | E37489 | 0.08 | 0.002 |
| 4 | E37490 | <0.03 | <0.001 |
| 5 | E37491 | 0.04 | 0.001 |
| 6 | E37492 | <0.03 | <0.001 |
| 7 | E37493 | <0.03 | <0.001 |
| 8 | E37494 | <0.03 | <0.001 |
| 9 | E37495 | <0.03 | <0.001 |
| 10 | E37496 | 0.03 | 0.001 |
| 11 | E37497 | <0.03 | <0.001 |
| 12 | E37498 | 0.13 | 0.004 |
| 13 | E37499 | 0.63 | 0.018 |
| 14 | E37500 | 0.24 | 0.007 |
| 15 | E37751 | <0.03 | <0.001 |
| 16 | E37752 | <0.03 | <0.001 |
| 17 | E37753 | 0.03 | 0.001 |
| 18 | E37754 | <0.03 | <0.001 |
| 19 | E37755 | <0.03 | <0.001 |
| 20 | E37756 | <0.03 | <0.001 |
| 21 | E37757 | <0.03 | <0.001 |
| 22 | E37758 | <0.03 | <0.001 |
| 23 | E37759 | <0.03 | <0.001 |
| 24 | E37760 | <0.03 | <0.001 |
| 25 | E37761 | <0.03 | <0.001 |
| 26 | E37762 | <0.03 | <0.001 |
| 27 | E37763 | 0.05 | 0.001 |

Island Mountain Gold AK5-1377

02-Nov-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 28 | E37764 | <0.03 | <0.001 |
| 29 | E37765 | <0.03 | <0.001 |
| 30 | E37766 | 0.18 | 0.005 |
| 31 | E37767 | 0.03 | 0.001 |
| 32 | E37768 | <0.03 | <0.001 |
| 33 | E37769 | <0.03 | <0.001 |
| 34 | E37770 | <0.03 | <0.001 |
| 35 | E37771 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|----|--------|-------|--------|
| 1 | E37487 | <0.03 | <0.001 |
| 10 | E37496 | 0.05 | 0.001 |
| 13 | E37499 | 0.61 | 0.018 |
| 14 | E37500 | 0.27 | 0.008 |
| 19 | E37755 | <0.03 | <0.001 |
| 30 | E37766 | 0.23 | 0.007 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E37487 | 0.03 | 0.001 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.84 | 0.054 |
| SH13 | 1.31 | 0.038 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/kk
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-1435

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

02-Nov-05

No. of samples received: 15
Sample type: Core
Project #: IGM-05-15
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31280 | <0.03 | <0.001 |
| 2 | E31281 | 0.26 | 0.008 |
| 3 | E31282 | <0.03 | <0.001 |
| 4 | E31283 | <0.03 | <0.001 |
| 5 | E31284 | 0.03 | 0.001 |
| 6 | E31285 | 9.65 | 0.281 |
| 7 | E31286 | <0.03 | <0.001 |
| 8 | E31287 | <0.03 | <0.001 |
| 9 | E31288 | 3.89 | 0.113 |
| 10 | E31289 | 0.13 | 0.004 |
| 11 | E31290 | 0.03 | 0.001 |
| 12 | E31291 | <0.03 | <0.001 |
| 13 | E31292 | <0.03 | <0.001 |
| 14 | E31293 | <0.03 | <0.001 |
| 15 | E31294 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|---|--------|-------|--------|
| 1 | E31280 | <0.03 | <0.001 |
| 6 | E31285 | 9.89 | 0.288 |
| 9 | E31288 | 3.88 | 0.113 |

Resplit:

| | | | |
|---|--------|------|-------|
| 1 | E31280 | 0.05 | 0.001 |
|---|--------|------|-------|

Standard:

| | | |
|-------|------|-------|
| OX140 | 1.84 | 0.054 |
|-------|------|-------|

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

JJ/kk
XLS/05

CERTIFICATE OF ASSAY AK 2005-371

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

20-May-05

No. of samples received: 2
Sample type: Rock
Project #: BRO/PIN
Shipment #: Not Indicated
Samples Submitted by: Jim Yin

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|--------------|--------------|---------------------|----------------------|
| 1 | JYE 31951 | <0.03 | <0.001 |
| 2 | JYE 31952 | <0.03 | <0.001 |

QC DATA:

Repeat:

| | | | |
|---|-----------|-------|--------|
| 1 | JYE 31951 | <0.03 | <0.001 |
|---|-----------|-------|--------|

Resplit:

| | | | |
|---|-----------|-------|--------|
| 1 | JYE 31951 | <0.03 | <0.001 |
|---|-----------|-------|--------|

Standard:

| | | | |
|-------|--|------|-------|
| OX123 | | 1.77 | 0.052 |
|-------|--|------|-------|

JJ/ga
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 4
Project Name: SnapJack
Sample type: Rock
Samples Submitted by: Charlie Moore

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|------|----|----|-------|----|----|-----|----|------|-----|-------|-----|----|-------|----|-----|-----|----|-----|----|-------|-----|---|-----|----|----|
| 1 | E43869 | 0.2 | 0.13 | 230 | 25 | <5 | 0.01 | <1 | 3 | 155 | 5 | 1.62 | <10 | <0.01 | 116 | 11 | <0.01 | 9 | 40 | 16 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 16 |
| 2 | E43870 | <0.2 | 0.17 | 35 | 30 | <5 | <0.01 | <1 | 4 | 115 | 6 | 1.27 | <10 | <0.01 | 154 | <1 | <0.01 | 8 | 60 | 12 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 24 |
| 3 | E43871 | 0.2 | 0.30 | 315 | 50 | <5 | 0.03 | <1 | 8 | 86 | 17 | 2.64 | 10 | 0.04 | 211 | 3 | <0.01 | 15 | 210 | 34 | <5 | <20 | 3 | <0.01 | <10 | 7 | <10 | <1 | 36 |
| 4 | E43872 | 1.4 | 0.27 | 1385 | 55 | 10 | 0.04 | <1 | 11 | 141 | 26 | 5.78 | <10 | <0.01 | 335 | 16 | <0.01 | 23 | 220 | 360 | <5 | <20 | 3 | <0.01 | <10 | 5 | <10 | <1 | 57 |

QC DATA:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|--------|-----|------|-----|-----|----|------|----|----|-----|----|------|-----|-------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|----|----|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E43869 | 0.2 | 0.13 | 235 | 15 | <5 | 0.01 | <1 | 4 | 156 | 5 | 1.62 | <10 | <0.01 | 118 | 11 | <0.01 | 9 | 40 | 16 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 15 |
| Resplit: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E43869 | 0.2 | 0.12 | 220 | 20 | <5 | 0.01 | <1 | 3 | 153 | 5 | 1.58 | <10 | <0.01 | 116 | 10 | <0.01 | 10 | 30 | 14 | <5 | <20 | <1 | <0.01 | <10 | 1 | <10 | <1 | 15 |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO '05 | | 1.5 | 1.62 | 55 | 155 | <5 | 1.47 | <1 | 18 | 60 | 85 | 4.07 | <10 | 0.82 | 604 | <1 | 0.03 | 27 | 700 | 20 | <5 | <20 | 53 | 0.10 | <10 | 69 | <10 | 10 | 78 |

JJ/ba
09/832
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-852

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0
17-Aug-05

No. of samples received: 4
Sample type: Rock
Project Name: SnapJack
Shipment #: n/a
Samples Submitted by: Charlie Moore

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|----------|-----------|
| 1 | E43869 | 0.29 | 0.008 |
| 2 | E43870 | <0.03 | <0.001 |
| 3 | E43871 | 0.69 | 0.020 |
| 4 | E43872 | 1.48 | 0.043 |

QC DATA:

| | | | |
|------------------|--------|------|-------|
| Repeat: | | | |
| 1 | E43869 | 0.37 | 0.011 |
| 4 | E43872 | 1.43 | 0.042 |
| Resplit: | | | |
| 1 | E43869 | 0.27 | 0.008 |
| Standard: | | | |
| SH13 | | 1.32 | 0.038 |

ECO TECH LABORATORY LTD.
Jutta Jealous
B.C. Certified Assayer

JJ/ba
XLS/05

CERTIFICATE OF ASSAY AK 2005-850

Island Mountain Gold
 Box 247, 12422 Barkerville Hwy.
 Wells, BC
 V0K 2R0

19-Aug-05

No. of samples received: 24
 Sample type: Rock
 Project #: SnapJack
 Shipment #: n/a
 Samples Submitted by: Ed Gates/Jim Yin

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|-------|--------|-------------|--------------|
| 1 | E31762 | 0.44 | 0.013 |
| 2 | E31763 | 0.32 | 0.009 |
| 3 | E31764 | 0.08 | 0.002 |
| 4 | E31765 | 0.07 | 0.002 |
| 5 | E31766 | <0.03 | <0.001 |
| 6 | E31767 | <0.03 | <0.001 |
| 7 | E31768 | 0.03 | 0.001 |
| 8 | E31769 | 0.03 | 0.001 |
| 9 | E31770 | 0.09 | 0.003 |
| 10 | E31771 | 0.28 | 0.008 |
| 11 | E31772 | 0.06 | 0.002 |
| 12 | E31773 | <0.03 | <0.001 |
| 13 | E31774 | 0.78 | 0.023 |
| 14 | E31775 | 2.98 | 0.087 |
| 15 | E31776 | 3.40 | 0.099 |
| 16 | E31777 | 0.09 | 0.003 |
| 17 | E31778 | 20.4 | 0.595 |
| 18 | E31779 | <0.03 | <0.001 |
| 19 | E31780 | 0.06 | 0.002 |
| 20 | E31781 | 1.93 | 0.056 |
| 21 | E31782 | 0.59 | 0.017 |
| 22 | E31783 | 1.33 | 0.039 |
| 23 | E31784 | 0.28 | 0.008 |
| 24 | E31785 | 0.43 | 0.013 |

ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

Island Mountain Gold- 850

19-Aug-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) |
|------------------|--------|-------------|--------------|
| QC DATA: | | | |
| <i>Repsat:</i> | | | |
| 1 | E31762 | 0.46 | 0.013 |
| 10 | E31771 | 0.27 | 0.008 |
| 13 | E31774 | 0.75 | 0.022 |
| 14 | E31775 | 2.99 | 0.087 |
| <i>Resplit:</i> | | | |
| 1 | E31762 | 0.41 | 0.012 |
| <i>Standard:</i> | | | |
| | SH13 | 1.34 | 0.039 |

JJ/bs
 XLS/05

ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 24
Project: SnapJack
Sample type: Rock
Samples Submitted by: Ed Gates/Jim Yin

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn |
|-------|--------|------|------|--------|-----|----|-------|----|----|-----|-----|------|-----|-------|------|----|-------|----|------|-----|----|-----|----|-------|-----|----|-----|----|-----|
| 1 | E31762 | 0.4 | 0.29 | 335 | 45 | <5 | 0.08 | <1 | 5 | 142 | 25 | 2.24 | 10 | 0.05 | 208 | 3 | <0.01 | 15 | 240 | 26 | <5 | <20 | 11 | <0.01 | <10 | 6 | <10 | 4 | 19 |
| 2 | E31763 | 0.2 | 0.25 | 290 | 45 | <5 | 0.03 | <1 | 9 | 85 | 45 | 3.08 | 20 | 0.01 | 137 | 5 | <0.01 | 20 | 200 | 36 | <5 | <20 | 8 | <0.01 | <10 | 4 | <10 | 5 | 31 |
| 3 | E31764 | <0.2 | 0.23 | 160 | 40 | <5 | <0.01 | <1 | 6 | 86 | 34 | 2.25 | 20 | <0.01 | 129 | 4 | <0.01 | 15 | 140 | 8 | <5 | <20 | 6 | <0.01 | <10 | 3 | <10 | 2 | 29 |
| 4 | E31765 | <0.2 | 0.23 | 130 | 35 | <5 | 0.03 | <1 | 6 | 138 | 14 | 2.62 | <10 | <0.01 | 545 | 2 | <0.01 | 18 | 220 | 8 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 3 | 27 |
| 5 | E31766 | <0.2 | 0.25 | 35 | 45 | <5 | 0.07 | <1 | 10 | 125 | 23 | 2.73 | 10 | <0.01 | 240 | 4 | <0.01 | 20 | 410 | 8 | <5 | <20 | 9 | <0.01 | <10 | 3 | <10 | 2 | 39 |
| 6 | E31767 | <0.2 | 0.25 | 35 | 50 | <5 | 0.02 | <1 | 14 | 80 | 29 | 3.03 | 10 | 0.01 | 405 | 3 | <0.01 | 24 | 150 | 8 | <5 | <20 | 6 | <0.01 | <10 | 3 | <10 | 1 | 49 |
| 7 | E31768 | 0.2 | 0.23 | 30 | 40 | <5 | <0.01 | <1 | 9 | 75 | 33 | 2.97 | 20 | <0.01 | 159 | 3 | <0.01 | 18 | 130 | 12 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | <1 | 49 |
| 8 | E31769 | 2.4 | 0.20 | 75 | 35 | <5 | <0.01 | <1 | 5 | 104 | 27 | 1.32 | <10 | <0.01 | 305 | <1 | <0.01 | 10 | 70 | 142 | 5 | <20 | 4 | <0.01 | <10 | 2 | <10 | 1 | 24 |
| 9 | E31770 | <0.2 | 0.18 | 340 | 35 | <5 | <0.01 | <1 | 6 | 121 | 9 | 1.59 | <10 | <0.01 | 310 | 3 | <0.01 | 11 | 70 | 14 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | <1 | 15 |
| 10 | E31771 | 0.4 | 0.20 | 480 | 45 | 10 | 0.01 | <1 | 5 | 98 | 9 | 1.87 | <10 | <0.01 | 476 | <1 | <0.01 | 10 | 80 | 32 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 2 | 23 |
| 11 | E31772 | <0.2 | 0.23 | 570 | 50 | <5 | 0.01 | <1 | 9 | 123 | 16 | 2.27 | <10 | 0.01 | 899 | 4 | <0.01 | 19 | 100 | 16 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | 3 | 38 |
| 12 | E31773 | <0.2 | 0.33 | 75 | 60 | <5 | 0.03 | <1 | 11 | 90 | 24 | 2.29 | 10 | 0.03 | 505 | 1 | <0.01 | 24 | 100 | 32 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | 5 | 54 |
| 13 | E31774 | 2.0 | 0.21 | >10000 | 45 | 50 | 0.04 | <1 | 30 | 94 | 24 | 8.16 | <10 | <0.01 | 633 | 8 | <0.01 | 22 | 60 | 36 | <5 | <20 | 19 | <0.01 | <10 | 3 | <10 | <1 | 29 |
| 14 | E31775 | 0.8 | 0.19 | 320 | 40 | 5 | <0.01 | <1 | 5 | 121 | 12 | 2.27 | <10 | <0.01 | 176 | 2 | <0.01 | 9 | 80 | 46 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | <1 | 24 |
| 15 | E31776 | 1.1 | 0.10 | 1010 | 30 | <5 | <0.01 | <1 | 2 | 149 | 5 | 1.39 | <10 | <0.01 | 94 | 3 | <0.01 | 5 | 30 | 88 | <5 | <20 | 6 | <0.01 | <10 | 1 | <10 | <1 | 18 |
| 16 | E31777 | <0.2 | 0.23 | 95 | 50 | <5 | 0.01 | <1 | 7 | 97 | 18 | 2.15 | 10 | <0.01 | 256 | 2 | <0.01 | 11 | 110 | 22 | <5 | <20 | 6 | <0.01 | <10 | 3 | <10 | <1 | 28 |
| 17 | E31778 | 10.6 | 0.17 | 2950 | 50 | 55 | 0.02 | <1 | 4 | 166 | 9 | 3.13 | <10 | 0.01 | 101 | 6 | <0.01 | 6 | 50 | 552 | <5 | <20 | 11 | <0.01 | <10 | 3 | <10 | <1 | 13 |
| 18 | E31779 | 0.2 | 0.19 | 150 | 65 | <5 | 0.01 | <1 | 5 | 108 | 11 | 1.78 | 10 | <0.01 | 208 | 1 | <0.01 | 9 | 60 | 16 | <5 | <20 | 6 | <0.01 | <10 | 2 | <10 | <1 | 17 |
| 19 | E31780 | <0.2 | 0.33 | 120 | 120 | <5 | 0.25 | <1 | 24 | 54 | 110 | 6.88 | <10 | 0.03 | 1471 | 8 | <0.01 | 22 | 940 | 4 | <5 | <20 | 18 | <0.01 | <10 | 12 | <10 | 3 | 39 |
| 20 | E31781 | 0.2 | 0.30 | 550 | 115 | <5 | 0.26 | <1 | 35 | 44 | 209 | 7.74 | <10 | 0.03 | 1296 | 10 | 0.01 | 26 | 870 | 6 | <5 | <20 | 20 | <0.01 | <10 | 12 | <10 | 3 | 44 |
| 21 | E31782 | 0.2 | 0.72 | 640 | 165 | <5 | 0.38 | <1 | 32 | 19 | 202 | 9.48 | <10 | 0.12 | 2017 | 10 | 0.02 | 17 | 1140 | 8 | <5 | <20 | 25 | <0.01 | <10 | 27 | <10 | 8 | 104 |
| 22 | E31783 | 0.3 | 1.25 | 390 | 150 | <5 | 0.38 | <1 | 47 | 19 | 355 | >10 | <10 | 0.28 | 1763 | 11 | 0.01 | 19 | 1100 | 18 | <5 | <20 | 24 | <0.01 | <10 | 36 | <10 | 9 | 92 |
| 23 | E31784 | 0.2 | 1.59 | 270 | 165 | <5 | 0.46 | <1 | 30 | 20 | 238 | 9.11 | 10 | 0.41 | 2002 | 8 | 0.02 | 10 | 1440 | 10 | <5 | <20 | 31 | <0.01 | <10 | 47 | <10 | 16 | 108 |
| 24 | E31785 | 0.2 | 1.71 | 400 | 150 | <5 | 0.46 | <1 | 27 | 17 | 223 | 9.41 | <10 | 0.44 | 1915 | 8 | 0.02 | 7 | 1510 | 10 | <5 | <20 | 29 | <0.01 | <10 | 51 | <10 | 15 | 120 |

QC DATA:

Repeat:

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|--------|-----|------|-----|----|----|------|----|---|-----|----|------|-----|------|-----|---|-------|----|-----|----|----|-----|---|-------|-----|---|-----|---|----|
| 1 | E31762 | 0.4 | 0.29 | 330 | 45 | <5 | 0.07 | <1 | 5 | 142 | 25 | 2.20 | 10 | 0.05 | 202 | 2 | <0.01 | 14 | 220 | 26 | <5 | <20 | 9 | <0.01 | <10 | 6 | <10 | 4 | 19 |
| 10 | E31771 | 0.5 | 0.20 | 475 | 45 | 10 | 0.01 | <1 | 5 | 95 | 9 | 1.86 | <10 | 0.01 | 473 | 1 | <0.01 | 11 | 80 | 32 | <5 | <20 | 6 | <0.01 | <10 | 2 | <10 | 2 | 23 |

16-Aug-05

| Et #. | Tag # | Ag | Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | Ti % | U | V | W | Y | Zn | |
|-----------|--------|-----|------|-----|-----|----|------|----|----|-----|----|------|-----|------|-----|----|-------|----|-----|----|----|-----|----|-------|-----|----|-----|----|----|--|
| Repeat: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | E31762 | 0.5 | 0.31 | 370 | 50 | <5 | 0.09 | <1 | 6 | 142 | 28 | 2.40 | 10 | 0.05 | 236 | 5 | <0.01 | 16 | 280 | 30 | <5 | <20 | 10 | <0.01 | <10 | 7 | <10 | 4 | 21 | |
| Standard: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO 05 | | 1.6 | 1.58 | 55 | 140 | <5 | 1.35 | <1 | 19 | 58 | 87 | 3.72 | <10 | 0.84 | 577 | <1 | 0.03 | 23 | 550 | 20 | <5 | <20 | 54 | 0.10 | <10 | 66 | <10 | 10 | 74 | |

JJ/b
0850
XLS/05

ECO TECH LABORATORY LTD.
Jutta Jealousa
B.C. Certified Assayer

CERTIFICATE OF ASSAY AK 2005-851

Island Mountain Gold
Box 247, 12422 Barkerville Hwy.
Wells, BC
V0K 2R0

19-Aug-05

No. of samples received: 52
Sample type: Rock
Project Name: IGM
Shipment #: n/a
Samples Submitted by: Jim Yin

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Ag (g/t) | Ag (oz/t) |
|-------|--------|----------|-----------|----------|-----------|
| 1 | E31960 | 0.03 | 0.001 | | |
| 2 | E31961 | 193 | 5.628 | 73.4 | 2.141 |
| 3 | E31962 | 2.98 | 0.087 | | |
| 4 | E31963 | 0.05 | 0.001 | | |
| 5 | E31964 | 0.06 | 0.002 | | |
| 6 | E31965 | 88.4 | 2.578 | | |
| 7 | E31966 | 57.9 | 1.689 | | |
| 8 | E31967 | 0.89 | 0.026 | | |
| 9 | E31968 | 0.06 | 0.002 | | |
| 10 | E31969 | 0.12 | 0.003 | | |
| 11 | E31970 | 0.31 | 0.009 | | |
| 12 | E31971 | 1.89 | 0.055 | | |
| 13 | E31972 | 0.19 | 0.006 | | |
| 14 | E31973 | 14.2 | 0.414 | | |
| 15 | E31974 | 0.06 | 0.002 | | |
| 16 | E31975 | 21.1 | 0.615 | 45.3 | 1.321 |
| 17 | E31976 | 0.04 | 0.001 | | |
| 18 | E31977 | 0.25 | 0.007 | | |
| 19 | E31978 | 0.98 | 0.029 | | |
| 20 | E31979 | 1.07 | 0.031 | | |
| 21 | E31980 | 0.25 | 0.007 | | |
| 22 | E31981 | 0.22 | 0.006 | | |
| 23 | E31982 | 0.10 | 0.003 | | |
| 24 | E31983 | 0.40 | 0.012 | | |
| 25 | E31984 | 1.09 | 0.032 | | |
| 26 | E31985 | 1.05 | 0.031 | | |
| 27 | E31986 | 0.44 | 0.013 | | |
| 28 | E31987 | 1.38 | 0.040 | | |
| 29 | E31988 | 0.51 | 0.015 | | |
| 30 | E31989 | 0.18 | 0.005 | | |
| 31 | E31990 | 0.32 | 0.009 | | |
| 32 | E31991 | 0.09 | 0.003 | | |
| 33 | E31992 | 4.75 | 0.139 | | |
| 34 | E31993 | 0.08 | 0.002 | | |
| 35 | E31994 | 0.06 | 0.002 | | |
| 36 | E31995 | 0.18 | 0.005 | | |

Island Mountain Gold - AK5-851

19-Aug-05

| ET #. | Tag # | Au (g/t) | Au (oz/t) | Ag (g/t) | Ag (oz/t) |
|-------|--------|----------|-----------|----------|-----------|
| 37 | E31996 | 0.04 | 0.001 | | |
| 38 | E31997 | <0.03 | <0.001 | | |
| 39 | E31998 | <0.03 | <0.001 | | |
| 40 | E31999 | 0.20 | 0.006 | | |
| 41 | E32000 | 0.05 | 0.001 | | |
| 42 | E31751 | 1.65 | 0.048 | | |
| 43 | E31752 | 0.08 | 0.002 | | |
| 44 | E31753 | <0.03 | <0.001 | | |
| 45 | E31754 | 0.31 | 0.009 | | |
| 46 | E31755 | 0.25 | 0.007 | | |
| 47 | E31756 | 0.09 | 0.003 | | |
| 48 | E31757 | <0.03 | <0.001 | | |
| 49 | E31758 | 0.05 | 0.001 | | |
| 50 | E31759 | 0.06 | 0.002 | | |
| 51 | E31760 | 0.23 | 0.007 | | |
| 52 | E31761 | 0.09 | 0.003 | | |

QC DATA:

Repeat:

| | | | | | |
|----|--------|------|-------|------|-------|
| 1 | E31960 | 0.03 | 0.001 | | |
| 2 | E31961 | 195 | 5.679 | 72.1 | 2.103 |
| 3 | E31962 | 2.97 | 0.087 | | |
| 6 | E31965 | 93.8 | 2.734 | | |
| 7 | E31966 | 55.5 | 1.619 | | |
| 10 | E31969 | 0.14 | 0.004 | | |
| 14 | E31973 | 13.9 | 0.405 | | |
| 19 | E31978 | 1.08 | 0.031 | | |
| 33 | E31992 | 4.68 | 0.136 | | |
| 36 | E31995 | 0.14 | 0.004 | | |
| 45 | E31754 | 0.32 | 0.009 | | |
| 46 | E31755 | 0.20 | 0.006 | | |

Resplit:

| | | | | | |
|----|--------|------|-------|--|--|
| 1 | E31960 | 0.03 | 0.001 | | |
| 36 | E31995 | 0.14 | 0.004 | | |

Standard:

| | | | | | |
|-------|------|-------|------|-------|--|
| SH13 | 1.36 | 0.040 | | | |
| SH13 | 1.37 | 0.040 | | | |
| Pb106 | | | 58.3 | 1.700 | |

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

JJ/bs
XLS/05

ECO TECH LABORATORY LTD.

Jutta Jealouse
B.C. Certified Assayer

Phone: 250-573-5700
Fax : 250-573-4557

No. of samples received: 52
Project Name: IGM
Sample type: Rock
Samples Submitted by: Jim Yin

Values in ppm unless otherwise reported

| Et #. | Tag # | Ag Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | TI % | U | V | W | Y | Zn |
|-------|--------|------------|--------|-----|-----|-------|----|----|-----|----|------|-----|-------|------|----|-------|----|-----|------|-----|-----|-----|-------|-----|----|-----|----|----|
| 1 | E31960 | 0.2 1.42 | 20 | 135 | <5 | 5.43 | <1 | 17 | 104 | 54 | 4.45 | 70 | 0.46 | 901 | 4 | 0.02 | 33 | 590 | 28 | <5 | <20 | 380 | <0.01 | <10 | 23 | <10 | 91 | 36 |
| 2 | E31961 | >30 0.03 | 1545 | 40 | 85 | 0.01 | <1 | 17 | 33 | 9 | >10 | <10 | <0.01 | 6 | 14 | <0.01 | 25 | <10 | 3310 | <5 | <20 | 1 | <0.01 | <10 | <1 | <10 | <1 | 6 |
| 3 | E31962 | 1.2 0.14 | 1065 | 25 | 30 | 0.02 | <1 | 6 | 175 | 11 | 5.66 | <10 | <0.01 | 546 | 11 | 0.01 | 10 | 60 | 74 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 11 |
| 4 | E31963 | <0.2 <0.01 | <5 | <5 | <5 | <0.01 | <1 | <1 | 155 | 3 | 0.26 | <10 | <0.01 | 19 | 2 | <0.01 | 4 | <10 | 8 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | <1 |
| 5 | E31964 | <0.2 0.06 | 105 | <5 | <5 | <0.01 | <1 | 1 | 204 | 4 | 0.68 | <10 | <0.01 | 138 | <1 | <0.01 | 5 | 10 | 10 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 1 |
| 6 | E31965 | 19.8 0.02 | 2270 | 40 | 55 | <0.01 | <1 | 30 | 109 | 7 | >10 | <10 | <0.01 | 7 | 17 | <0.01 | 41 | <10 | 100 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | 6 |
| 7 | E31966 | 15.0 0.07 | 120 | 5 | 10 | 0.03 | <1 | <1 | 213 | 2 | 0.84 | <10 | <0.01 | 28 | <1 | <0.01 | 4 | 30 | 262 | <5 | <20 | <1 | <0.01 | <10 | 1 | 80 | <1 | <1 |
| 8 | E31967 | 0.3 0.06 | 45 | 15 | 5 | <0.01 | <1 | <1 | 138 | 1 | 0.30 | <10 | <0.01 | 19 | <1 | <0.01 | 2 | 20 | 62 | <5 | <20 | <1 | <0.01 | <10 | <1 | <10 | <1 | <1 |
| 9 | E31968 | 0.4 0.11 | 80 | 310 | 5 | <0.01 | <1 | <1 | 195 | 23 | 3.50 | <10 | <0.01 | 28 | 11 | <0.01 | 5 | 110 | 64 | <5 | <20 | 5 | <0.01 | <10 | 63 | <10 | <1 | 20 |
| 10 | E31969 | <0.2 0.30 | 95 | 45 | <5 | 0.09 | <1 | 20 | 71 | 43 | 4.12 | 20 | 0.03 | 883 | 3 | 0.01 | 42 | 160 | 12 | <5 | <20 | 7 | <0.01 | <10 | 4 | <10 | 1 | 59 |
| 11 | E31970 | 0.2 0.19 | 545 | 35 | 10 | 0.06 | <1 | 9 | 156 | 17 | 2.84 | <10 | <0.01 | 873 | 5 | <0.01 | 17 | 130 | 14 | <5 | <20 | 6 | <0.01 | <10 | 2 | <10 | 4 | 11 |
| 12 | E31971 | 1.0 0.31 | 975 | 35 | 15 | 0.11 | <1 | 9 | 123 | 32 | 4.56 | <10 | 0.02 | 402 | 6 | <0.01 | 19 | 280 | 48 | <5 | <20 | 6 | <0.01 | <10 | 6 | <10 | <1 | 27 |
| 13 | E31972 | 0.4 0.21 | 285 | 35 | <5 | 0.13 | <1 | 11 | 110 | 44 | 3.77 | <10 | <0.01 | 1123 | 6 | <0.01 | 22 | 420 | 30 | <5 | <20 | 8 | <0.01 | <10 | 3 | <10 | 6 | 25 |
| 14 | E31973 | 2.3 0.13 | 975 | 20 | 10 | 0.05 | <1 | 5 | 122 | 22 | 2.63 | <10 | <0.01 | 321 | 9 | <0.01 | 11 | 110 | 24 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | <1 | 9 |
| 15 | E31974 | <0.2 0.17 | 85 | 30 | <5 | 0.04 | <1 | 11 | 100 | 52 | 3.17 | <10 | <0.01 | 967 | 4 | <0.01 | 25 | 50 | 14 | <5 | <20 | 3 | <0.01 | <10 | 2 | <10 | <1 | 32 |
| 16 | E31975 | >30 0.02 | >10000 | 65 | 875 | 0.05 | <1 | 39 | 38 | 25 | >10 | <10 | <0.01 | 16 | 17 | <0.01 | 27 | <10 | 404 | <5 | <20 | 3 | <0.01 | <10 | 1 | <10 | <1 | 10 |
| 17 | E31976 | <0.2 0.31 | 105 | 15 | <5 | 0.11 | <1 | 4 | 150 | 13 | 1.46 | <10 | 0.07 | 381 | 3 | <0.01 | 12 | 310 | 18 | <5 | <20 | 10 | <0.01 | <10 | 1 | <10 | 2 | 37 |
| 18 | E31977 | 0.2 0.32 | 430 | 30 | <5 | 0.09 | <1 | 6 | 113 | 13 | 1.52 | <10 | 0.06 | 729 | 2 | <0.01 | 15 | 70 | 16 | <5 | <20 | 8 | <0.01 | <10 | 5 | <10 | <1 | 29 |
| 19 | E31978 | 0.4 0.30 | 600 | 30 | 5 | 0.10 | <1 | 5 | 88 | 12 | 2.39 | <10 | 0.06 | 416 | 2 | <0.01 | 11 | 110 | 12 | <5 | <20 | 8 | <0.01 | <10 | 6 | <10 | <1 | 12 |
| 20 | E31979 | 0.3 0.34 | 875 | 30 | <5 | 0.12 | <1 | 3 | 148 | 11 | 1.40 | <10 | 0.05 | 186 | 3 | <0.01 | 9 | 70 | 14 | <5 | <20 | 14 | <0.01 | <10 | 6 | <10 | <1 | 14 |
| 21 | E31980 | <0.2 0.23 | 400 | 25 | <5 | 0.07 | <1 | 3 | 195 | 11 | 1.06 | <10 | 0.06 | 104 | <1 | <0.01 | 9 | 70 | 16 | <5 | <20 | 5 | <0.01 | <10 | 8 | <10 | 1 | 13 |
| 22 | E31981 | <0.2 0.17 | 390 | 15 | <5 | 0.06 | <1 | 3 | 135 | 16 | 0.92 | <10 | 0.04 | 80 | 3 | <0.01 | 8 | 60 | 32 | <5 | <20 | 3 | <0.01 | <10 | 6 | <10 | <1 | 15 |
| 23 | E31982 | <0.2 0.10 | 300 | 10 | <5 | 0.02 | <1 | 2 | 194 | 15 | 0.76 | <10 | <0.01 | 53 | <1 | <0.01 | 5 | 10 | 48 | 10 | <20 | 3 | <0.01 | <10 | 2 | <10 | <1 | 11 |
| 24 | E31983 | 0.2 0.12 | 765 | 15 | <5 | 0.03 | <1 | 3 | 123 | 25 | 1.16 | <10 | <0.01 | 65 | 3 | <0.01 | 7 | 20 | 38 | <5 | <20 | 5 | <0.01 | <10 | 2 | <10 | <1 | 28 |
| 25 | E31984 | 0.4 0.11 | 915 | 15 | <5 | 0.03 | <1 | 12 | 114 | 30 | 1.46 | <10 | <0.01 | 245 | <1 | <0.01 | 8 | 20 | 54 | 10 | <20 | 3 | <0.01 | <10 | 1 | <10 | <1 | 52 |
| 26 | E31985 | 2.3 0.15 | 1250 | 25 | <5 | 0.05 | <1 | 4 | 139 | 45 | 1.90 | <10 | <0.01 | 63 | 4 | <0.01 | 7 | 30 | 122 | 70 | <20 | 9 | <0.01 | <10 | 3 | <10 | <1 | 35 |
| 27 | E31986 | 3.7 0.12 | 710 | 15 | <5 | 0.03 | <1 | 3 | 127 | 79 | 1.73 | <10 | <0.01 | 58 | 5 | <0.01 | 6 | 30 | 392 | 140 | <20 | 6 | <0.01 | <10 | 1 | <10 | <1 | 46 |
| 28 | E31987 | 1.2 0.14 | 1280 | 25 | 5 | 0.05 | <1 | 2 | 118 | 24 | 2.25 | <10 | <0.01 | 24 | 4 | <0.01 | 6 | 40 | 308 | 25 | <20 | 16 | <0.01 | <10 | 3 | <10 | <1 | 9 |
| 29 | E31988 | 0.4 0.16 | 555 | 25 | <5 | 0.04 | <1 | 3 | 112 | 17 | 1.68 | <10 | <0.01 | 53 | 2 | <0.01 | 7 | 60 | 30 | <5 | <20 | 8 | <0.01 | <10 | 3 | <10 | <1 | 16 |
| 30 | E31989 | 0.2 0.13 | 220 | 15 | <5 | 0.03 | <1 | 2 | 117 | 11 | 0.99 | <10 | <0.01 | 103 | 3 | <0.01 | 7 | 60 | 10 | <5 | <20 | 4 | <0.01 | <10 | 2 | <10 | 1 | 11 |

Page 1

16-Aug-05

| Et #. | Tag # | Ag Al % | As | Ba | Bi | Ca % | Cd | Co | Cr | Cu | Fe % | La | Mg % | Mn | Mo | Na % | Ni | P | Pb | Sb | Sn | Sr | TI % | U | V | W | Y | Zn |
|-------|--------|-----------|------|----|----|-------|----|----|-----|----|------|-----|-------|-----|----|-------|----|-----|-----|----|-----|----|-------|-----|---|-----|----|----|
| 31 | E31990 | 0.2 0.25 | 590 | 60 | <5 | 0.20 | <1 | 14 | 105 | 65 | 3.92 | <10 | <0.01 | 986 | 4 | 0.01 | 18 | 690 | 8 | <5 | <20 | 17 | <0.01 | <10 | 6 | <10 | 5 | 53 |
| 32 | E31991 | <0.2 0.15 | 215 | 25 | <5 | 0.02 | <1 | 4 | 110 | 16 | 1.65 | <10 | <0.01 | 139 | 3 | <0.01 | 10 | 70 | 12 | <5 | <20 | 2 | <0.01 | <10 | 2 | <10 | <1 | 18 |
| 33 | E31992 | 1.5 0.16 | 4730 | 70 | 15 | 0.15 | <1 | 8 | 80 | 13 | 3.88 | <10 | 0.01 | 79 | 3 | <0.01 | 7 | 70 | 46 | <5 | <20 | 22 | <0.01 | <10 | 7 | <10 | <1 | 11 |
| 34 | E31993 | <0.2 0.23 | 135 | 45 | <5 | 0.08 | <1 | 12 | 118 | 37 | 2.69 | <10 | 0.01 | 482 | 4 | 0.01 | 25 | 320 | 12 | <5 | <20 | 5 | <0.01 | <10 | 5 | <10 | 2 | 43 |
| 35 | E31994 | <0.2 0.19 | 135 | 30 | <5 | 0.04 | <1 | 8 | 105 | 33 | 2.07 | <10 | 0.01 | 191 | 4 | <0.01 | 16 | 160 | 22 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | 2 | 22 |
| 36 | E31995 | <0.2 0.25 | 115 | 40 | <5 | 0.03 | <1 | 5 | 137 | 12 | 2.34 | 20 | 0.02 | 184 | 5 | <0.01 | 12 | 110 | 10 | <5 | <20 | <1 | <0.01 | <10 | 4 | <10 | 2 | 22 |
| 37 | E31996 | <0.2 0.29 | 65 | 45 | <5 | 0.06 | <1 | 7 | 107 | 26 | 2.68 | 20 | 0.03 | 143 | 5 | 0.01 | 15 | 190 | 24 | <5 | <20 | 6 | <0.01 | <10 | 6 | <10 | 2 | 44 |
| 38 | E31997 | <0.2 0.23 | 110 | 35 | <5 | 0.01 | <1 | 7 | 109 | 32 | 2.75 | <10 | <0.01 | 221 | 2 | <0.01 | 15 | 120 | 24 | <5 | <20 | 2 | <0.01 | <10 | 3 | <10 | 1 | 36 |
| 39 | E31998 | <0.2 0.12 | 90 | 15 | <5 | <0.01 | <1 | 3 | 158 | 11 | 1.11 | <10 | <0.01 | 247 | 5 | <0.01 | 9 | 40 | 8 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 12 |
| 40 | E31999 | 0.5 0.20 | 130 | 25 | <5 | 0.02 | <1 | 8 | 118 | 42 | 2.01 | <10 | <0.01 | 247 | 18 | <0.01 | 20 | 100 | 100 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | 2 | 29 |
| 41 | E32000 | 0.2 0.28 | 135 | 45 | <5 | 0.03 | <1 | 8 | 157 | 31 | 2.27 | 10 | 0.02 | 134 | 5 | 0.01 | 21 | 130 | 16 | <5 | <20 | 1 | <0.01 | <10 | 4 | <10 | 2 | 39 |
| 42 | E31751 | 0.3 0.11 | 225 | 15 | <5 | <0.01 | <1 | 2 | 158 | 14 | 1.23 | <10 | <0.01 | 44 | <1 | <0.01 | 7 | 40 | 10 | <5 | <20 | <1 | <0.01 | <10 | 2 | <10 | <1 | 8 |
| 43 | E31752 | <0.2 0.21 | 90 | 30 | <5 | 0.01 | <1 | 4 | 143 | 13 | 1.14 | <10 | 0.03 | 107 | 3 | <0.01 | 10 | 60 | 22 | <5 | <20 | <1 | <0.01 | <10 | 4 | <10 | 2 | 27 |
| 44 | E31753 | 0.4 0.18 | 415 | 25 | <5 | 0.01 | <1 | 5 | 133 | 45 | 2.05 | <10 | <0.01 | 128 | 2 | <0.01 | 13 | 90 | 102 | <5 | <20 | <1 | <0.01 | <10 | 3 | <10 | 2 | 21 |
| 45 | E31754 | 0.4 0.17 | 425 | 30 | 20 | 0.01 | <1 | 4 | 149 | 34 | 2.04 | <10 | <0.01 | 103 | 8 | <0.01 | 12 | 130 | 22 | <5 | <20 | 2 | <0.01 | <10 | 3 | <10 | 1 | 18 |
| 46 | E31755 | <0.2 0.22 | 185 | 35 | <5 | <0.01 | <1 | 7 | 145 | 31 | 2.01 | 10 | 0.02 | 179 | 5 | <0.01 | 16 | 120 | 12 | <5 | <20 | 2 | <0.01 | <10 | 4 | <10 | 1 | 19 |
| 47 | E31756 | <0.2 0.17 | | | | | | | | | | | | | | | | | | | | | | | | | | |

APPENDIX V
STATEMENT OF WORK



Contact Us

B.C. HOME

Mineral Titles

**Mineral Claim
Exploration and
Development
Work/Expiry Date
Change**

- Select Input Method
 Select/Input Tenures
 Input Lots
 Data Input Form
 Review Form Data
 Process Payment
 Confirmation

- [Main Menu](#)
[Search Tenures](#)
[View Mineral Tenures](#)
[View Placer Tenures](#)

Exit this e-service

Mineral Titles Online

**Mineral Claim Exploration and Development Work/Expiry Date
Change**
Recorder: DOUGLAS WARREN
MERRICK (118217)Submitter: DOUGLAS WARREN
MERRICK (118217)

Recorded: 2005/NOV/07

Effective: 2005/NOV/07

D/E Date: 2005/NOV/07

Event Number: 4054435

Work Start Date: 2005/SEP/01
Work Stop Date: 2005/NOV/06Total Value of Work: \$ 95391.74
Mine Permit No:Work Type: Technical Work
Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

Summary of the work value:

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area in Ha | W V: C |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|--------|
| 505905 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 972.78 | \$ |
| 505910 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 1265.76 | \$ |
| 505921 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 914.78 | \$ |
| 506154 | | 2005/FEB/07 | 2006/APR/30 | 2006/MAY/01 | 1 | 155.56 | |
| 506575 | | 2005/FEB/10 | 2006/APR/30 | 2006/MAY/01 | 1 | 19.43 | |
| 506630 | | 2005/FEB/10 | 2006/APR/30 | 2006/MAY/01 | 1 | 350.79 | |
| 506637 | | 2005/FEB/10 | 2006/APR/30 | 2006/MAY/01 | 1 | 1131.33 | \$ |
| 506640 | | 2005/FEB/10 | 2006/NOV/30 | 2006/NOV/30 | 1 | 546.44 | |
| 506642 | | 2005/FEB/10 | 2006/NOV/30 | 2006/NOV/30 | 1 | 584.32 | |
| 506658 | | 2005/FEB/10 | 2006/NOV/30 | 2006/NOV/30 | 1 | 506.36 | |
| 506721 | | 2005/FEB/10 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1070.04 | \$ |
| 506722 | | 2005/FEB/10 | 2006/NOV/30 | 2006/NOV/30 | 1 | 525.62 | |
| 506956 | | 2005/FEB/11 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1247.95 | \$ |
| 506959 | | 2005/FEB/11 | 2006/NOV/30 | 2006/NOV/30 | 1 | 311.47 | |
| 507069 | | 2005/FEB/14 | 2006/NOV/30 | 2006/NOV/30 | 1 | 116.65 | |
| 507121 | | 2005/FEB/14 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1518.25 | \$ |
| 507123 | | 2005/FEB/14 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1030.90 | \$ |
| 507257 | | 2005/FEB/15 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1321.85 | |
| 507258 | | 2005/FEB/15 | 2006/NOV/30 | 2006/NOV/30 | 1 | 116.68 | |
| 507290 | | 2005/FEB/16 | 2006/NOV/30 | 2006/NOV/30 | 1 | 156.11 | |
| 507309 | | 2005/FEB/16 | 2006/NOV/30 | 2006/NOV/30 | 1 | 1030.24 | \$ |
| 512174 | YANKS | 2005/MAY/06 | 2006/NOV/30 | 2006/NOV/30 | 1 | 97.55 | |
| 512175 | BURDETTE | 2005/MAY/06 | 2006/NOV/30 | 2006/NOV/30 | 1 | 77.86 | |

| | | | | | | | |
|----------|-----------|-------------|-------------|-------------|-----|---------|-------|
| 512734 | | 2005/MAY/16 | 2006/NOV/30 | 2006/NOV/30 | 1 | 409.83 | |
| 512739 | | 2005/MAY/16 | 2006/NOV/30 | 2006/NOV/30 | 1 | 877.72 | |
| 512742 | | 2005/MAY/16 | 2006/NOV/30 | 2006/NOV/30 | 1 | 738.29 | |
| 514442 | BURDETTE | 2005/JUN/13 | 2006/NOV/30 | 2006/NOV/30 | 1 | 155.75 | |
| 514446 | TIN | 2005/JUN/13 | 2006/NOV/30 | 2006/NOV/30 | 1 | 291.87 | |
| 517443 | ANTLER | 2005/JUL/12 | 2006/JUL/12 | 2006/JUL/12 | 142 | 19.46 | \$ |
| 517456 | BAR | 2005/JUL/12 | 2006/JUL/12 | 2006/JUL/12 | 142 | 19.48 | \$ |
| 519556 | WENDLE | 2005/AUG/31 | 2006/AUG/31 | 2006/AUG/31 | 92 | 485.01 | \$ |
| 519559 | WENDLE 1 | 2005/AUG/31 | 2006/AUG/31 | 2006/AUG/31 | 92 | 484.79 | \$ |
| 519563 | WENDLE2 | 2005/AUG/31 | 2006/AUG/31 | 2006/AUG/31 | 92 | 484.60 | \$ |
| 376962 | MONSTER 1 | 2000/MAY/10 | 2005/NOV/30 | 2006/DEC/01 | 366 | 500.00 | \$ 40 |
| 376963 | MONSTER 2 | 2000/MAY/05 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 376964 | MONSTER 3 | 2000/MAY/05 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 376965 | MONSTER 4 | 2000/MAY/05 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 376966 | MONSTER 5 | 2000/MAY/05 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 376967 | MONSTER 6 | 2000/MAY/05 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 376987 | MONSTER 7 | 2000/MAY/10 | 2005/NOV/30 | 2006/DEC/01 | 366 | 25.00 | \$ 2 |
| 505901 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 349.67 | |
| 505914 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 1399.53 | \$ |
| 505916 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 1164.10 | \$ |
| 505917 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 658.93 | |
| 505922 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 583.13 | |
| 505924 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 543.58 | |
| 505925 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 1066.31 | \$ |
| 505926 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 310.41 | |
| 505927 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 738.06 | |
| 505936 | | 2005/FEB/04 | 2006/APR/30 | 2006/MAY/01 | 1 | 426.62 | |
| 506236 | | 2005/FEB/07 | 2006/APR/30 | 2006/MAY/01 | 1 | 738.15 | |
| 506315 | | 2005/FEB/08 | 2006/APR/30 | 2006/MAY/01 | 1 | 894.11 | |
| → 506419 | | 2005/FEB/09 | 2006/APR/30 | 2006/MAY/01 | 1 | 932.75 | \$ |
| 506420 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 271.88 | \$ 6 |
| 506436 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 408.28 | \$ 9 |
| 506440 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 972.35 | \$ 22 |
| 506497 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 853.84 | \$ 20 |
| 506586 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 446.63 | \$ 10 |
| 506614 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 1167.70 | \$ 27 |
| 506618 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 622.63 | \$ 14 |
| 506620 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 933.89 | \$ 22 |
| 506628 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 642.97 | \$ 19 |
| 506720 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 1085.46 | \$ 29 |
| 506865 | | 2005/FEB/11 | 2006/APR/30 | 2006/DEC/01 | 215 | 77.95 | \$ 1 |
| 507008 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 116.62 | \$ 2 |
| 507131 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 562.74 | \$ 13 |
| 507132 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 931.38 | \$ 21 |
| 507133 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 1339.02 | \$ 31 |
| 507134 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 543.03 | \$ 12 |
| 507135 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 911.60 | \$ 21 |
| 507136 | | 2005/FEB/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 872.37 | \$ 20 |
| 507259 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 252.33 | \$ 5 |
| 507260 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 19.41 | \$ |
| 507304 | | 2005/FEB/16 | 2006/APR/30 | 2006/DEC/01 | 215 | 388.20 | \$ 9 |
| 508819 | | 2005/MAR/11 | 2006/APR/30 | 2006/DEC/01 | 215 | 911.32 | \$ 21 |
| 511035 | TOM | 2005/APR/19 | 2006/APR/30 | 2006/DEC/01 | 215 | 19.43 | \$ |
| 512571 | | 2005/MAY/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 484.93 | \$ 10 |
| 512795 | | 2005/MAY/17 | 2006/APR/30 | 2006/DEC/01 | 215 | 155.22 | \$ 3 |
| 513738 | | 2005/JUN/01 | 2006/APR/30 | 2006/DEC/01 | 215 | 252.14 | \$ 5 |
| 513739 | | 2005/JUN/01 | 2006/APR/30 | 2006/DEC/01 | 215 | 484.88 | \$ 9 |
| 513740 | | 2005/JUN/01 | 2006/APR/30 | 2006/DEC/01 | 215 | 174.96 | \$ 3 |

| | | | | | | | |
|--------|--------------------|-------------|-------------|-------------|-----|---------|----|
| 517416 | GEORGE | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/01 | 142 | 58.28 | \$ |
| 517423 | ISLAND | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/01 | 142 | 252.39 | \$ |
| 517429 | STANLEY | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/01 | 142 | 136.11 | \$ |
| 517433 | ISLAND TWO | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/01 | 142 | 19.41 | \$ |
| 517439 | MEL | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/01 | 142 | 38.86 | \$ |
| 506483 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 777.03 | \$ |
| 506486 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 583.05 | \$ |
| 506489 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 388.47 | \$ |
| 506493 | | 2005/FEB/09 | 2006/APR/30 | 2006/DEC/01 | 215 | 1549.54 | \$ |
| 506584 | | 2005/FEB/10 | 2006/APR/30 | 2006/DEC/01 | 215 | 116.49 | \$ |
| 507247 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 698.82 | \$ |
| 507248 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 621.30 | \$ |
| 507261 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 620.63 | \$ |
| 507262 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 717.12 | \$ |
| 507263 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 309.98 | \$ |
| 507264 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 1026.62 | \$ |
| 507265 | | 2005/FEB/15 | 2006/APR/30 | 2006/DEC/01 | 215 | 542.59 | \$ |
| 507288 | | 2005/FEB/16 | 2006/APR/30 | 2006/DEC/01 | 215 | 426.36 | \$ |
| 507308 | | 2005/FEB/16 | 2006/APR/30 | 2006/DEC/01 | 215 | 680.82 | \$ |
| 508778 | | 2005/MAR/11 | 2006/APR/30 | 2006/DEC/01 | 215 | 775.28 | \$ |
| 508820 | | 2005/MAR/11 | 2006/APR/30 | 2006/DEC/01 | 215 | 135.73 | \$ |
| 508905 | | 2005/MAR/14 | 2006/APR/30 | 2006/DEC/01 | 215 | 871.72 | \$ |
| 509015 | | 2005/MAR/16 | 2006/APR/30 | 2006/DEC/01 | 215 | 193.86 | \$ |
| 509017 | | 2005/MAR/16 | 2006/APR/30 | 2006/DEC/01 | 215 | 639.85 | \$ |
| 509179 | | 2005/MAR/17 | 2006/APR/30 | 2006/DEC/01 | 215 | 833.23 | \$ |
| 333038 | WHIP 1 | 1994/NOV/26 | 2005/NOV/30 | 2006/DEC/01 | 366 | 150.00 | \$ |
| 333039 | WHIP 2 | 1994/NOV/26 | 2005/NOV/30 | 2006/NOV/30 | 365 | 75.00 | \$ |
| 337601 | COULTER 1 | 1995/JUL/07 | 2005/NOV/30 | 2006/NOV/30 | 365 | 500.00 | \$ |
| 337602 | COULTER 2 | 1995/JUL/07 | 2005/NOV/30 | 2006/NOV/30 | 365 | 500.00 | \$ |
| 337603 | COULTER 3 | 1995/JUL/06 | 2005/NOV/30 | 2006/NOV/30 | 365 | 500.00 | \$ |
| 337604 | COULTER 4 | 1995/JUL/05 | 2005/NOV/30 | 2006/NOV/30 | 365 | 500.00 | \$ |
| 337605 | COULTER 5 | 1995/JUL/05 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 337606 | COULTER 6 | 1995/JUL/05 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 337607 | COULTER 7 | 1995/JUL/04 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 337608 | COULTER 8 | 1995/JUL/04 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342687 | PROMISE 1 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342688 | PROMISE 2 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342689 | PROMISE 3 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342690 | PROMISE 4 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342691 | PROMISE 5 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342692 | PROMISE 6 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342693 | PROMISE 7 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 342694 | PROMISE 8 | 1995/DEC/19 | 2005/NOV/30 | 2006/NOV/30 | 365 | 25.00 | \$ |
| 205247 | LOUISE | 1986/AUG/19 | 2006/NOV/21 | 2006/DEC/01 | 10 | 500.00 | \$ |
| 203991 | JIM | 1976/SEP/07 | 2006/NOV/21 | 2006/DEC/01 | 10 | 75.00 | \$ |
| 204176 | REFER TO LOT TABLE | 1979/AUG/14 | 2006/NOV/21 | 2006/DEC/01 | 10 | 25.00 | |
| 204177 | REFER TO LOT TABLE | 1979/AUG/14 | 2006/NOV/21 | 2006/DEC/01 | 10 | 25.00 | |
| 204753 | REFER TO LOT TABLE | 1983/JUL/11 | 2005/NOV/21 | 2006/NOV/21 | 365 | 25.00 | \$ |
| 204754 | REFER TO LOT TABLE | 1983/JUL/11 | 2005/NOV/21 | 2006/NOV/21 | 365 | 25.00 | \$ |
| 204755 | REFER TO LOT TABLE | 1983/JUL/11 | 2005/NOV/21 | 2006/NOV/21 | 365 | 25.00 | \$ |
| 205267 | DONNA | 1986/SEP/18 | 2006/NOV/21 | 2006/NOV/21 | 0 | 300.00 | |
| 375260 | PG 1 | 2000/APR/09 | 2005/NOV/21 | 2006/NOV/21 | 365 | 400.00 | \$ |
| 409936 | PG2 | 2004/APR/28 | 2006/APR/28 | 2006/NOV/21 | 207 | 225.00 | \$ |
| 322122 | WOLF 19 | 1993/OCT/30 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ |

| | | | | | | | |
|--------|---------|-------------|-------------|-------------|-----|-------|------|
| 322124 | WOLF 21 | 1993/OCT/30 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 322126 | WOLF 23 | 1993/OCT/30 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 322127 | WOLF 24 | 1993/OCT/30 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 322128 | WOLF 25 | 1993/OCT/30 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 385701 | WOLF 34 | 2001/APR/09 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 385702 | WOLF 35 | 2001/APR/09 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389644 | DWM 44 | 2001/SEP/04 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389633 | DWM 33 | 2001/SEP/01 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389635 | DWM 35 | 2001/SEP/01 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389637 | DWM 37 | 2001/SEP/01 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389639 | DWM 39 | 2001/SEP/04 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389641 | DWM 41 | 2001/SEP/04 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389642 | DWM 42 | 2001/SEP/04 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |
| 389643 | DWM 43 | 2001/SEP/04 | 2005/NOV/08 | 2006/NOV/08 | 365 | 25.00 | \$ 2 |

Total required work value: \$ 100330.41

PAC name: International Wayside
Debited PAC amount: \$ 4938.67
Credited PAC amount: \$ 0.00

Total Submission Fees: \$ 8457.63

Total Paid: \$ 8457.63

The event was successfully saved.

Please use **Back** button to go back to event confirmation index.





Contact Us > [Help ?](#)

B.C. HOME

Mineral Titles

Mineral Claim Exploration and Development Work/Expiry Date Change

- Select Input Method
- Select/Input Tenures
- Input Lots
- Data Input Form
- Review Form Data
- Process Payment
- Confirmation

- [Main Menu](#)
- [Search Tenures](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)

Exit this e-service

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: DOUGLAS WARREN MERRICK (118217)

Submitter: DOUGLAS WARREN MERRICK (118217)

Recorded: 2005/NOV/01

Effective: 2005/NOV/01

D/E Date: 2005/NOV/01

Event Number: 4053493

Work Start Date: 2005/JUNE/15

Total Value of Work: \$ 58725.80

Work Stop Date: 2005/OCT/31

Mine Permit No:

Work Type: Technical Work

Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

Summary of the work value:

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area in Ha | Work Value Due | Sub-mission Fee |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|----------------|-----------------|
| 506483 | | 2005/FEB/09 | 2005/NOV/30 | 2006/APR/30 | 151 | 777.03 | \$ 681.23 | \$ 128.58 |
| 506486 | | 2005/FEB/09 | 2005/NOV/30 | 2006/APR/30 | 151 | 583.05 | \$ 511.16 | \$ 96.48 |
| 506489 | | 2005/FEB/09 | 2005/NOV/30 | 2006/APR/30 | 151 | 388.47 | \$ 340.57 | \$ 64.28 |
| 506493 | | 2005/FEB/09 | 2005/NOV/30 | 2006/APR/30 | 151 | 1549.54 | \$ 1358.50 | \$ 256.42 |
| 506584 | | 2005/FEB/10 | 2005/NOV/30 | 2006/APR/30 | 151 | 116.49 | \$ 100.85 | \$ 19.28 |
| 507247 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 698.82 | \$ 566.71 | \$ 115.64 |
| 507248 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 621.30 | \$ 503.85 | \$ 102.81 |
| 507261 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 620.63 | \$ 503.31 | \$ 102.70 |

| | | | | | | | | |
|--------|--|-------------|-------------|-------------|-----|---------|------------|-----------|
| 507262 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 717.12 | \$ 581.56 | \$ 118.67 |
| 507263 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 309.98 | \$ 251.38 | \$ 51.30 |
| 507264 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 1026.62 | \$ 832.55 | \$ 169.89 |
| 507265 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 542.59 | \$ 440.02 | \$ 89.79 |
| 507288 | | 2005/FEB/16 | 2005/NOV/30 | 2006/APR/30 | 151 | 426.36 | \$ 341.09 | \$ 70.55 |
| 507308 | | 2005/FEB/16 | 2005/NOV/30 | 2006/APR/30 | 151 | 680.82 | \$ 544.66 | \$ 112.66 |
| 508778 | | 2005/MAR/11 | 2005/NOV/30 | 2006/APR/30 | 151 | 775.28 | \$ 424.81 | \$ 128.29 |
| 508820 | | 2005/MAR/11 | 2005/NOV/30 | 2006/APR/30 | 151 | 135.73 | \$ 74.37 | \$ 22.46 |
| 508905 | | 2005/MAR/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 871.72 | \$ 449.00 | \$ 144.25 |
| 509015 | | 2005/MAR/16 | 2005/NOV/30 | 2006/APR/30 | 151 | 193.86 | \$ 95.60 | \$ 32.08 |
| 509017 | | 2005/MAR/16 | 2005/NOV/30 | 2006/APR/30 | 151 | 639.85 | \$ 315.54 | \$ 105.88 |
| 509179 | | 2005/MAR/17 | 2005/NOV/30 | 2006/APR/30 | 151 | 833.23 | \$ 401.78 | \$ 137.88 |
| 505901 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 349.67 | \$ 325.72 | \$ 57.86 |
| 505914 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 1399.53 | \$ 1303.67 | \$ 231.59 |
| 505916 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 1164.10 | \$ 1084.37 | \$ 192.64 |
| 505917 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 658.93 | \$ 613.80 | \$ 109.04 |
| 505922 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 583.13 | \$ 543.19 | \$ 96.50 |
| 505924 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 543.58 | \$ 506.35 | \$ 89.95 |
| 505925 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 1066.31 | \$ 993.28 | \$ 176.45 |
| 505926 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 310.41 | \$ 289.15 | \$ 51.37 |
| 505927 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 738.06 | \$ 687.51 | \$ 122.13 |
| 505936 | | 2005/FEB/04 | 2005/NOV/30 | 2006/APR/30 | 151 | 426.62 | \$ 397.40 | \$ 70.60 |
| 506236 | | 2005/FEB/07 | 2005/DEC/31 | 2006/APR/30 | 120 | 738.15 | \$ 663.32 | \$ 97.07 |
| 506315 | | 2005/FEB/08 | 2005/DEC/31 | 2006/APR/30 | 120 | 894.11 | \$ 793.68 | \$ 117.58 |
| 506419 | | 2005/FEB/09 | 2005/DEC/31 | 2006/APR/30 | 120 | 932.75 | \$ 817.75 | \$ 122.66 |
| 506420 | | 2005/FEB/09 | 2005/DEC/31 | 2006/APR/30 | 120 | 271.88 | \$ 238.36 | \$ 35.75 |
| 506436 | | 2005/FEB/09 | 2005/DEC/31 | 2006/APR/30 | 120 | 408.28 | \$ 357.94 | \$ 53.69 |
| 506440 | | 2005/FEB/09 | 2005/DEC/31 | 2006/APR/30 | 120 | 972.35 | \$ 852.47 | \$ 127.87 |
| 506497 | | 2005/FEB/09 | 2005/NOV/30 | 2006/APR/30 | 151 | 853.84 | \$ 748.57 | \$ 141.29 |
| 506586 | | 2005/FEB/10 | 2005/NOV/30 | 2006/APR/30 | 151 | 446.63 | \$ 386.67 | \$ 73.91 |
| 506614 | | 2005/FEB/10 | 2005/DEC/31 | 2006/APR/30 | 120 | 1167.70 | \$ 1010.94 | \$ 153.56 |
| 506618 | | 2005/FEB/10 | 2005/DEC/31 | 2006/APR/30 | 120 | 622.63 | \$ 539.05 | \$ 81.88 |
| 506620 | | 2005/FEB/10 | 2005/DEC/31 | 2006/APR/30 | 120 | 933.89 | \$ 808.52 | \$ 122.81 |
| 506628 | | 2005/FEB/10 | 2005/NOV/08 | 2006/APR/30 | 173 | 642.97 | \$ 556.65 | \$ 121.90 |
| 506720 | | 2005/FEB/10 | 2005/NOV/30 | 2006/APR/30 | 151 | 1085.46 | \$ 939.74 | \$ 179.62 |
| 507008 | | 2005/FEB/14 | 2005/DEC/31 | 2006/APR/30 | 120 | 116.62 | \$ 95.85 | \$ 15.34 |
| 507131 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 562.74 | \$ 462.52 | \$ 93.12 |
| 507132 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 931.38 | \$ 765.52 | \$ 154.12 |
| 507133 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 1339.02 | \$ 1100.56 | \$ 221.58 |
| 507134 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 543.03 | \$ 446.32 | \$ 89.86 |
| 507135 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 911.60 | \$ 749.26 | \$ 150.85 |
| 507136 | | 2005/FEB/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 872.37 | \$ 717.01 | \$ 144.36 |
| 507259 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 252.33 | \$ 204.63 | \$ 41.76 |

| | | | | | | | | |
|--------|----------|-------------|-------------|-------------|-----|---------|------------|-----------|
| 507260 | | 2005/FEB/15 | 2005/NOV/30 | 2006/APR/30 | 151 | 19.41 | \$ 15.74 | \$ 3.21 |
| 507304 | | 2005/FEB/16 | 2005/NOV/30 | 2006/APR/30 | 151 | 388.20 | \$ 310.56 | \$ 64.24 |
| 508819 | | 2005/MAR/11 | 2005/NOV/30 | 2006/APR/30 | 151 | 911.32 | \$ 499.35 | \$ 150.80 |
| 511035 | TOM | 2005/APR/19 | 2006/APR/19 | 2006/APR/30 | 11 | 19.43 | \$ 2.34 | \$ 0.23 |
| 512571 | | 2005/MAY/14 | 2005/NOV/30 | 2006/APR/30 | 151 | 484.93 | \$ 0.00 | \$ 80.25 |
| 512795 | | 2005/MAY/17 | 2005/NOV/30 | 2006/APR/30 | 151 | 155.22 | \$ 0.00 | \$ 25.69 |
| 513738 | | 2005/JUN/01 | 2005/NOV/30 | 2006/APR/30 | 151 | 252.14 | \$ 0.00 | \$ 41.72 |
| 513739 | | 2005/JUN/01 | 2005/NOV/30 | 2006/APR/30 | 151 | 484.88 | \$ 0.00 | \$ 80.24 |
| 513740 | | 2005/JUN/01 | 2005/DEC/31 | 2006/APR/30 | 120 | 174.96 | \$ 0.00 | \$ 23.01 |
| 506865 | | 2005/FEB/11 | 2005/NOV/08 | 2006/APR/30 | 173 | 77.95 | \$ 66.63 | \$ 14.78 |
| 505905 | | 2005/FEB/04 | 2005/NOV/08 | 2006/APR/30 | 173 | 972.78 | \$ 906.15 | \$ 184.43 |
| 505910 | | 2005/FEB/04 | 2005/NOV/08 | 2006/APR/30 | 173 | 1265.76 | \$ 1179.06 | \$ 239.97 |
| 505921 | | 2005/FEB/04 | 2005/NOV/08 | 2006/APR/30 | 173 | 914.78 | \$ 852.12 | \$ 173.43 |
| 506154 | | 2005/FEB/07 | 2005/DEC/31 | 2006/APR/30 | 120 | 155.56 | \$ 139.79 | \$ 20.46 |
| 506575 | | 2005/FEB/10 | 2005/NOV/08 | 2006/APR/30 | 173 | 19.43 | \$ 16.82 | \$ 3.68 |
| 506630 | | 2005/FEB/10 | 2005/NOV/08 | 2006/APR/30 | 173 | 350.79 | \$ 303.70 | \$ 66.51 |
| 506637 | | 2005/FEB/10 | 2005/NOV/08 | 2006/APR/30 | 173 | 1131.33 | \$ 979.45 | \$ 214.49 |
| 506640 | | 2005/FEB/10 | 2005/NOV/08 | 2006/NOV/30 | 387 | 546.44 | \$ 1754.61 | \$ 231.75 |
| 506642 | | 2005/FEB/10 | 2005/NOV/08 | 2006/NOV/30 | 387 | 584.32 | \$ 1876.23 | \$ 247.82 |
| 506658 | | 2005/FEB/10 | 2005/NOV/08 | 2006/NOV/30 | 387 | 506.36 | \$ 1625.89 | \$ 214.75 |
| 506721 | | 2005/FEB/10 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1070.04 | \$ 3435.84 | \$ 453.81 |
| 506722 | | 2005/FEB/10 | 2005/NOV/08 | 2006/NOV/30 | 387 | 525.62 | \$ 1687.73 | \$ 222.92 |
| 506956 | | 2005/FEB/11 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1247.95 | \$ 3993.44 | \$ 529.27 |
| 506959 | | 2005/FEB/11 | 2005/NOV/08 | 2006/NOV/30 | 387 | 311.47 | \$ 996.72 | \$ 132.10 |
| 507069 | | 2005/FEB/14 | 2006/NOV/08 | 2006/NOV/30 | 22 | 116.65 | \$ 28.12 | \$ 2.81 |
| 507121 | | 2005/FEB/14 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1518.25 | \$ 4808.47 | \$ 643.90 |
| 507123 | | 2005/FEB/14 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1030.90 | \$ 3264.98 | \$ 437.21 |
| 507257 | | 2005/FEB/15 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1321.85 | \$ 4171.98 | \$ 560.61 |
| 507258 | | 2005/FEB/15 | 2005/DEC/28 | 2006/NOV/30 | 337 | 116.68 | \$ 368.25 | \$ 43.09 |
| 507290 | | 2005/FEB/16 | 2005/NOV/08 | 2006/NOV/30 | 387 | 156.11 | \$ 491.00 | \$ 66.21 |
| 507309 | | 2005/FEB/16 | 2005/NOV/08 | 2006/NOV/30 | 387 | 1030.24 | \$ 3240.32 | \$ 436.93 |
| 512174 | YANKS | 2005/MAY/06 | 2006/MAY/06 | 2006/NOV/30 | 208 | 97.55 | \$ 222.36 | \$ 22.24 |
| 512175 | BURDETTE | 2005/MAY/06 | 2006/MAY/06 | 2006/NOV/30 | 208 | 77.86 | \$ 177.49 | \$ 17.75 |
| 512734 | | 2005/MAY/16 | 2005/NOV/08 | 2006/NOV/30 | 387 | 409.83 | \$ 889.27 | \$ 173.81 |
| 512739 | | 2005/MAY/16 | 2005/NOV/08 | 2006/NOV/30 | 387 | 877.72 | \$ 1904.54 | \$ 372.25 |
| 512742 | | 2005/MAY/16 | 2005/NOV/08 | 2006/NOV/30 | 387 | 738.29 | \$ 1601.99 | \$ 313.12 |
| 514442 | BURDETTE | 2005/JUN/13 | 2006/JAN/12 | 2006/NOV/30 | 322 | 155.75 | \$ 290.17 | \$ 54.96 |
| 514446 | TIN | 2005/JUN/13 | 2005/NOV/08 | 2006/NOV/30 | 387 | 291.87 | \$ 543.76 | \$ 123.79 |


Total required work value: \$ 71963.18

PAC name: International Wayside
 Debited PAC amount: \$ 13237.38

| | | |
|-------------------------------|----|----------|
| Credited PAC amount: | \$ | 0.00 |
| Total Submission Fees: | \$ | 12296.86 |
| Total Paid: | \$ | 12296.86 |

The event was successfully saved.

Please use **Back** button to go back to event confirmation index.



[COPYRIGHT](#) | [DISCLAIMER](#) | [PRIVACY](#) | [ACCESSIBILITY](#)

B.C. HOME
Mineral Titles

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

- Select Input Method
- Select/Input Tenures
- Input Lots
- Data Input Form
- Review Form Data
- Process Payment
- Confirmation

Recorder: DOUGLAS WARREN
MERRICK (118217)

Submitter: DOUGLAS WARREN
MERRICK (118217)

Recorded: 2005/DEC/21

Effective: 2005/DEC/21

D/E Date: 2005/DEC/21

Event Number: 4060166

Work Start Date: 2005/NOV/15
Work Stop Date: 2005/DEC/20

Total Value of Work: \$ 1706.37
Mine Permit No:
Work Type: Technical Work

Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

- [Main Menu](#)
- [Search Tenures](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)

Summary of the work value:

→ [MTO Help Tips](#)
Exit this e-service ▶

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area in Ha | V |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|---|
| 505901 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 349.67 | |
| 505914 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1399.53 | |
| 505916 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1164.10 | |
| 505917 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 658.93 | |
| 505922 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 583.13 | |
| 505924 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 543.58 | |
| 505925 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1066.31 | |
| 505926 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 310.41 | |
| 505927 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 738.06 | |
| 505936 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 426.62 | |
| 506236 | | 2005/FEB/07 | 2006/DEC/15 | 2006/DEC/15 | 0 | 738.15 | |
| 506315 | | 2005/FEB/08 | 2006/DEC/15 | 2006/DEC/15 | 0 | 894.11 | |
| 506419 | | 2005/FEB/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 932.75 | |
| 506420 | | 2005/FEB/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 271.88 | |
| 506436 | | 2005/FEB/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 408.28 | |
| 506440 | | 2005/FEB/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 972.35 | |
| 506497 | | 2005/FEB/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 853.84 | |
| 506586 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 446.63 | |
| 506614 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1167.70 | |
| 506618 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 622.63 | |
| 506620 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 933.89 | |
| 506628 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 642.97 | |
| 506720 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1085.46 | |

| | | | | | | |
|--------|------------|-------------|-------------|-------------|-----|-----------|
| 506865 | | 2005/FEB/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 77.95 |
| 507008 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 116.62 |
| 507259 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 252.33 |
| 507260 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.41 |
| 507304 | | 2005/FEB/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 388.20 |
| 508819 | | 2005/MAR/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 911.32 |
| 511035 | TOM | 2005/APR/19 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.43 |
| 513738 | | 2005/JUN/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 252.14 |
| 513739 | | 2005/JUN/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 484.88 |
| 513740 | | 2005/JUN/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 174.96 |
| 517260 | 3 CREEKS | 2005/JUL/12 | 2006/JUL/12 | 2006/DEC/15 | 156 | 38.87 \$ |
| 517416 | GEORGE | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 58.28 |
| 517423 | ISLAND | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 252.39 |
| 517429 | STANLEY | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 136.11 |
| 517433 | ISLAND TWO | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.41 |
| 517439 | MEL | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 38.86 |
| 521829 | CARIBOO | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.14 \$ |
| 521839 | CARIBOO 2 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.20 \$ |
| 521844 | CARIBOO 3 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.43 \$ |
| 521852 | CARIBOO 4 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.19 \$ |
| 521872 | CARIBOO 5 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.16 \$ |
| 521877 | CARIBOO 6 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.45 \$ |
| 521880 | CARIBOO 7 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.32 \$ |
| 521881 | CARIBOO 8 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 488.65 \$ |
| 521883 | CARIBOO 9 | 2005/NOV/02 | 2006/NOV/02 | 2006/DEC/15 | 43 | 390.78 \$ |
| 522125 | | 2005/NOV/08 | 2006/DEC/01 | 2006/DEC/15 | 14 | 581.01 \$ |
| 521244 | PATCHETT 3 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.07 |
| 521247 | TIN 13 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 487.04 |
| 521249 | TIN 14 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 487.43 |
| 521250 | BARR | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 38.97 |
| 521271 | PATCHETT 4 | 2005/OCT/17 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.07 |
| 521272 | PATCHETT 6 | 2005/OCT/17 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.86 |
| 521694 | | 2005/OCT/31 | 2006/NOV/30 | 2006/DEC/15 | 15 | 506.71 \$ |
| 507309 | | 2005/FEB/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1030.24 |
| 512174 | YANKS | 2005/MAY/06 | 2006/DEC/15 | 2006/DEC/15 | 0 | 97.55 |
| 512175 | BURDETTE | 2005/MAY/06 | 2006/DEC/15 | 2006/DEC/15 | 0 | 77.86 |
| 512734 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 409.83 |
| 512739 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 877.72 |
| 512742 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 738.29 |
| 514442 | BURDETTE | 2005/JUN/13 | 2006/DEC/15 | 2006/DEC/15 | 0 | 155.75 |
| 514446 | TIN | 2005/JUN/13 | 2006/DEC/15 | 2006/DEC/15 | 0 | 291.87 |
| 517443 | ANTLER | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.46 |
| 517456 | BAR | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.48 |
| 519556 | WENDLE | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.01 |
| 519559 | WENDLE 1 | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 484.79 |
| 519563 | WENDLE 2 | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 484.60 |
| 521214 | TIN 8 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 466.78 |
| 521216 | TIN 9 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 466.88 |
| 521225 | TIN 10 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.72 |
| 521226 | TIN 11 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 467.64 |
| 521227 | TIN 12 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 468.08 |
| 521241 | PATCHETT | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.66 |
| 521242 | PATCHETT 2 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.17 |
| 505905 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 972.78 |
| 505910 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1265.76 |
| 505921 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 914.78 |
| 506154 | | 2005/FEB/07 | 2006/DEC/15 | 2006/DEC/15 | 0 | 155.56 |
| 506575 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.43 |

| | | | | | | |
|--------|---------|-------------|-------------|-------------|----|----------|
| 506630 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 350.79 |
| 506637 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1131.33 |
| 506640 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 546.44 |
| 506642 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 584.32 |
| 506658 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 506.36 |
| 506721 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1070.04 |
| 506722 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 525.62 |
| 506956 | | 2005/FEB/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1247.95 |
| 506959 | | 2005/FEB/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 311.47 |
| 507069 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 116.65 |
| 507121 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1518.25 |
| 507123 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1030.90 |
| 507257 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1321.85 |
| 507258 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 116.68 |
| 507290 | | 2005/FEB/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 156.11 |
| 322122 | WOLF 19 | 1993/OCT/30 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 322124 | WOLF 21 | 1993/OCT/30 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 322126 | WOLF 23 | 1993/OCT/30 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 322127 | WOLF 24 | 1993/OCT/30 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 322128 | WOLF 25 | 1993/OCT/30 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 385701 | WOLF 34 | 2001/APR/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 385702 | WOLF 35 | 2001/APR/09 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389633 | DWM 33 | 2001/SEP/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389635 | DWM 35 | 2001/SEP/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389637 | DWM 37 | 2001/SEP/01 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389639 | DWM 39 | 2001/SEP/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389641 | DWM 41 | 2001/SEP/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389642 | DWM 42 | 2001/SEP/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389643 | DWM 43 | 2001/SEP/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 389644 | DWM 44 | 2001/SEP/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 25.00 |
| 509241 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 77.91 \$ |
| 509242 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 38.96 \$ |
| 509244 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 77.91 \$ |
| 509247 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 58.43 \$ |
| 509249 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 58.43 \$ |
| 509251 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 58.43 \$ |
| 509252 | | 2005/MAR/18 | 2006/NOV/08 | 2006/DEC/15 | 37 | 58.43 \$ |

Total required work value: \$ 2437.67

PAC name: International Wayside
 Debited PAC amount: \$ 731.30
 Credited PAC amount: \$ 0.00

Total Submission Fees: \$ 243.77

Total Paid: \$ 243.77

The event was successfully saved.

Please use **BACK** button to go back to event confirmation index.



B.C. HOME

Mineral Titles

**Mineral Claim
Exploration and
Development
Work/Expiry Date
Change**

- Select Input Method
- Select/Input Tenures
- Input Lots
- Data Input Form
- Review Form Data
- Process Payment
- Confirmation

- [Main Menu](#)
- [Search Tenures](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)

[MTO Help Tips](#)

Exit this e-service

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: DOUGLAS WARREN
MERRICK (118217)

Submitter: DOUGLAS WARREN
MERRICK (118217)

Recorded: 2006/FEB/08

Effective: 2006/FEB/08

D/E Date: 2006/FEB/08

Event Number: 4068913

Work Start Date: 2005/OCT/10
Work Stop Date: 2005/DEC/20

Total Value of Work: \$ 2093.47
Mine Permit No:

Work Type: Technical Work
Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

Summary of the work value:

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area In Ha | Work Value Due | Sub- mission Fee |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|----------------|---------------------|
| 330785 | J.S. | 1994/SEP/17 | 2006/SEP/17 | 2006/DEC/15 | 89 | 25.00 | \$ 48.77 | \$ 2.44 |
| 330786 | J.S. | 1994/SEP/17 | 2006/SEP/17 | 2006/DEC/15 | 89 | 25.00 | \$ 48.77 | \$ 2.44 |
| 369917 | CHINA 1 | 1999/JUL/03 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 369918 | CHINA 2 | 1999/JUL/03 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370010 | DK #1 | 1999/JUL/07 | 2006/JUL/08 | 2006/DEC/15 | 160 | 500.00 | \$ 1753.42 | \$ 87.67 |
| 370011 | WC 1 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370012 | WC 2 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370013 | WC 3 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |

| | | | | | | | | |
|--------|----------|-------------|-------------|-------------|-----|---------|----------|---------|
| 370014 | WC 4 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370015 | WC 5 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370016 | WC 6 | 1999/JUL/08 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370028 | CHINA 3 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370029 | CHINA 4 | 1999/JUL/06 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370030 | CHINA 5 | 1999/JUL/07 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370230 | CHINA 6 | 1999/JUL/14 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 370234 | CHINA 10 | 1999/JUL/15 | 2006/JUL/08 | 2006/DEC/15 | 160 | 25.00 | \$ 87.67 | \$ 4.38 |
| 505905 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 972.78 | \$ 0.00 | \$ 0.00 |
| 505910 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1265.76 | \$ 0.00 | \$ 0.00 |
| 505921 | | 2005/FEB/04 | 2006/DEC/15 | 2006/DEC/15 | 0 | 914.78 | \$ 0.00 | \$ 0.00 |
| 506154 | | 2005/FEB/07 | 2006/DEC/15 | 2006/DEC/15 | 0 | 155.56 | \$ 0.00 | \$ 0.00 |
| 506575 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.43 | \$ 0.00 | \$ 0.00 |
| 506630 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 350.79 | \$ 0.00 | \$ 0.00 |
| 506637 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1131.33 | \$ 0.00 | \$ 0.00 |
| 506640 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 546.44 | \$ 0.00 | \$ 0.00 |
| 506642 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 584.32 | \$ 0.00 | \$ 0.00 |
| 506658 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 506.36 | \$ 0.00 | \$ 0.00 |
| 506721 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1070.04 | \$ 0.00 | \$ 0.00 |
| 506722 | | 2005/FEB/10 | 2006/DEC/15 | 2006/DEC/15 | 0 | 525.62 | \$ 0.00 | \$ 0.00 |
| 506956 | | 2005/FEB/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1247.95 | \$ 0.00 | \$ 0.00 |
| 506959 | | 2005/FEB/11 | 2006/DEC/15 | 2006/DEC/15 | 0 | 311.47 | \$ 0.00 | \$ 0.00 |
| 507069 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 116.65 | \$ 0.00 | \$ 0.00 |
| 507121 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1518.25 | \$ 0.00 | \$ 0.00 |
| 507123 | | 2005/FEB/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1030.90 | \$ 0.00 | \$ 0.00 |
| 507257 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1321.85 | \$ 0.00 | \$ 0.00 |
| 507258 | | 2005/FEB/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 116.68 | \$ 0.00 | \$ 0.00 |
| 507290 | | 2005/FEB/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 156.11 | \$ 0.00 | \$ 0.00 |
| 507309 | | 2005/FEB/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 1030.24 | \$ 0.00 | \$ 0.00 |
| 512174 | YANKS | 2005/MAY/06 | 2006/DEC/15 | 2006/DEC/15 | 0 | 97.55 | \$ 0.00 | \$ 0.00 |
| 512175 | BURDETTE | 2005/MAY/06 | 2006/DEC/15 | 2006/DEC/15 | 0 | 77.86 | \$ 0.00 | \$ 0.00 |
| 512734 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 409.83 | \$ 0.00 | \$ 0.00 |
| 512739 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 877.72 | \$ 0.00 | \$ 0.00 |
| 512742 | | 2005/MAY/16 | 2006/DEC/15 | 2006/DEC/15 | 0 | 738.29 | \$ 0.00 | \$ 0.00 |
| 514442 | BURDETTE | 2005/JUN/13 | 2006/DEC/15 | 2006/DEC/15 | 0 | 155.75 | \$ 0.00 | \$ 0.00 |
| 514446 | TIN | 2005/JUN/13 | 2006/DEC/15 | 2006/DEC/15 | 0 | 291.87 | \$ 0.00 | \$ 0.00 |
| 517443 | ANTLER | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.46 | \$ 0.00 | \$ 0.00 |
| 517456 | BAR | 2005/JUL/12 | 2006/DEC/15 | 2006/DEC/15 | 0 | 19.48 | \$ 0.00 | \$ 0.00 |
| 519556 | WENDLE | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.01 | \$ 0.00 | \$ 0.00 |
| 519559 | WENDLE 1 | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 484.79 | \$ 0.00 | \$ 0.00 |
| 519563 | WENDLE2 | 2005/AUG/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 484.60 | \$ 0.00 | \$ 0.00 |
| 521214 | TIN 8 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 466.78 | \$ 0.00 | \$ 0.00 |
| 521216 | TIN 9 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 466.88 | \$ 0.00 | \$ 0.00 |

| | | | | | | | | |
|--------|------------|-------------|-------------|-------------|---|--------|---------|---------|
| 521225 | TIN 10 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.72 | \$ 0.00 | \$ 0.00 |
| 521226 | TIN 11 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 467.64 | \$ 0.00 | \$ 0.00 |
| 521227 | TIN 12 | 2005/OCT/14 | 2006/DEC/15 | 2006/DEC/15 | 0 | 468.08 | \$ 0.00 | \$ 0.00 |
| 521241 | PATCHETT | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.66 | \$ 0.00 | \$ 0.00 |
| 521242 | PATCHETT 2 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.17 | \$ 0.00 | \$ 0.00 |
| 521244 | PATCHETT 3 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.07 | \$ 0.00 | \$ 0.00 |
| 521247 | TIN 13 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 487.04 | \$ 0.00 | \$ 0.00 |
| 521249 | TIN 14 | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 487.43 | \$ 0.00 | \$ 0.00 |
| 521250 | BARR | 2005/OCT/15 | 2006/DEC/15 | 2006/DEC/15 | 0 | 38.97 | \$ 0.00 | \$ 0.00 |
| 521271 | PATCHETT 4 | 2005/OCT/17 | 2006/DEC/15 | 2006/DEC/15 | 0 | 486.07 | \$ 0.00 | \$ 0.00 |
| 521272 | PATCHETT 6 | 2005/OCT/17 | 2006/DEC/15 | 2006/DEC/15 | 0 | 485.86 | \$ 0.00 | \$ 0.00 |
| 521694 | | 2005/OCT/31 | 2006/DEC/15 | 2006/DEC/15 | 0 | 506.71 | \$ 0.00 | \$ 0.00 |

Total required work value: \$ 2990.67

PAC name: International Wayside

Debited PAC amount: \$ 897.20

Credited PAC amount: \$ 0.00

Total Submission Fees: \$ 149.53

Total Paid: \$ 149.53

The event was successfully saved.

Please use **Back** button to go back to event confirmation index.



COPYRIGHT | DISCLAIMER | PRIVACY | ACCESSIBILITY



Contact Us ► Help ?

B.C. HOME

Mineral Titles

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

- Select Input Method
- Select/Input Tenures
- Input Lots
- Data Input Form
- Review Form Data
- Process Payment
- Confirmation

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: DOUGLAS WARREN MERRICK (118217)

Submitter: DOUGLAS WARREN MERRICK (118217)

Recorded: 2005/NOV/08

Effective: 2005/NOV/08

D/E Date: 2005/NOV/08

Event Number: 4054567

Work Start Date: 2005/OCT/19
Work Stop Date: 2005/NOV/07

Total Value of Work: \$ 14778.64
Mine Permit No:

Work Type: Technical Work
Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

- [Main Menu](#)
- [Search Tenures](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)

Summary of the work value:

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area in Ha | Work Value Due | Sub-mission Fee |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|----------------|-----------------|
| 505905 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 972.78 | \$ 149.25 | \$ 14.92 |
| 505910 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1265.76 | \$ 194.20 | \$ 19.42 |
| 505921 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 914.78 | \$ 140.35 | \$ 14.03 |
| 506154 | | 2005/FEB/07 | 2006/DEC/01 | 2006/DEC/15 | 14 | 155.56 | \$ 23.87 | \$ 2.39 |
| 506575 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.43 | \$ 2.98 | \$ 0.30 |
| 506630 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 350.79 | \$ 53.82 | \$ 5.38 |
| 506637 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1131.33 | \$ 173.57 | \$ 17.36 |
| 506640 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 546.44 | \$ 83.84 | \$ 8.38 |

Exit this e-service ►

| | | | | | | | | |
|--------|------------|-------------|-------------|-------------|----|---------|-----------|----------|
| 506642 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 584.32 | \$ 89.65 | \$ 8.96 |
| 506658 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 506.36 | \$ 77.69 | \$ 7.77 |
| 506721 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1070.04 | \$ 164.17 | \$ 16.42 |
| 506722 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 525.62 | \$ 80.64 | \$ 8.06 |
| 506956 | | 2005/FEB/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1247.95 | \$ 191.47 | \$ 19.15 |
| 506959 | | 2005/FEB/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 311.47 | \$ 47.79 | \$ 4.78 |
| 507069 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 116.65 | \$ 17.90 | \$ 1.79 |
| 507121 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1518.25 | \$ 232.94 | \$ 23.29 |
| 507123 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1030.90 | \$ 158.17 | \$ 15.82 |
| 507257 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1321.85 | \$ 202.80 | \$ 20.28 |
| 507258 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 116.68 | \$ 17.90 | \$ 1.79 |
| 507290 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 156.11 | \$ 23.95 | \$ 2.40 |
| 507309 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1030.24 | \$ 158.06 | \$ 15.81 |
| 512174 | YANKS | 2005/MAY/06 | 2006/DEC/01 | 2006/DEC/15 | 14 | 97.55 | \$ 14.97 | \$ 1.50 |
| 512175 | BURDETTE | 2005/MAY/06 | 2006/DEC/01 | 2006/DEC/15 | 14 | 77.86 | \$ 11.95 | \$ 1.19 |
| 512734 | | 2005/MAY/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 409.83 | \$ 62.88 | \$ 6.29 |
| 512739 | | 2005/MAY/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 877.72 | \$ 134.66 | \$ 13.47 |
| 512742 | | 2005/MAY/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 738.29 | \$ 113.27 | \$ 11.33 |
| 514442 | BURDETTE | 2005/JUN/13 | 2006/DEC/01 | 2006/DEC/15 | 14 | 155.75 | \$ 23.90 | \$ 2.39 |
| 514446 | TIN | 2005/JUN/13 | 2006/DEC/01 | 2006/DEC/15 | 14 | 291.87 | \$ 44.78 | \$ 4.48 |
| 517443 | ANTLER | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.46 | \$ 2.99 | \$ 0.30 |
| 517456 | BAR | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.48 | \$ 2.99 | \$ 0.30 |
| 519556 | WENDLE | 2005/AUG/31 | 2006/DEC/01 | 2006/DEC/15 | 14 | 485.01 | \$ 74.41 | \$ 7.44 |
| 519559 | WENDLE 1 | 2005/AUG/31 | 2006/DEC/01 | 2006/DEC/15 | 14 | 484.79 | \$ 74.38 | \$ 7.44 |
| 519563 | WENDLE2 | 2005/AUG/31 | 2006/DEC/01 | 2006/DEC/15 | 14 | 484.60 | \$ 74.35 | \$ 7.43 |
| 521214 | TIN 8 | 2005/OCT/14 | 2006/OCT/14 | 2006/DEC/15 | 62 | 466.78 | \$ 317.15 | \$ 31.72 |
| 521216 | TIN 9 | 2005/OCT/14 | 2006/OCT/14 | 2006/DEC/15 | 62 | 466.88 | \$ 317.22 | \$ 31.72 |
| 521225 | TIN 10 | 2005/OCT/14 | 2006/OCT/14 | 2006/DEC/15 | 62 | 486.72 | \$ 330.70 | \$ 33.07 |
| 521226 | TIN 11 | 2005/OCT/14 | 2006/OCT/14 | 2006/DEC/15 | 62 | 467.64 | \$ 317.74 | \$ 31.77 |
| 521227 | TIN 12 | 2005/OCT/14 | 2006/OCT/14 | 2006/DEC/15 | 62 | 468.08 | \$ 318.04 | \$ 31.80 |
| 521241 | PATCHETT | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 485.66 | \$ 324.66 | \$ 32.47 |
| 521242 | PATCHETT 2 | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 486.17 | \$ 325.00 | \$ 32.50 |
| 521244 | PATCHETT 3 | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 486.07 | \$ 324.93 | \$ 32.49 |
| 521247 | TIN 13 | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 487.04 | \$ 325.58 | \$ 32.56 |
| 521249 | TIN 14 | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 487.43 | \$ 325.84 | \$ 32.58 |
| 521250 | BARR | 2005/OCT/15 | 2006/OCT/15 | 2006/DEC/15 | 61 | 38.97 | \$ 26.05 | \$ 2.60 |
| 521271 | PATCHETT 4 | 2005/OCT/17 | 2006/OCT/17 | 2006/DEC/15 | 59 | 486.07 | \$ 314.28 | \$ 31.43 |
| 521272 | PATCHETT 6 | 2005/OCT/17 | 2006/OCT/17 | 2006/DEC/15 | 59 | 485.86 | \$ 314.14 | \$ 31.41 |
| 505901 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 349.67 | \$ 53.65 | \$ 5.36 |
| 505914 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1399.53 | \$ 214.72 | \$ 21.47 |
| 505916 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1164.10 | \$ 178.60 | \$ 17.86 |
| 505917 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 658.93 | \$ 101.10 | \$ 10.11 |
| 505922 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 583.13 | \$ 89.47 | \$ 8.95 |

| | | | | | | | | |
|--------|------------|-------------|-------------|-------------|----|---------|-----------|----------|
| 505924 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 543.58 | \$ 83.40 | \$ 8.34 |
| 505925 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1066.31 | \$ 163.60 | \$ 16.36 |
| 505926 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 310.41 | \$ 47.63 | \$ 4.76 |
| 505927 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 738.06 | \$ 113.24 | \$ 11.32 |
| 505936 | | 2005/FEB/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 426.62 | \$ 65.45 | \$ 6.55 |
| 506236 | | 2005/FEB/07 | 2006/DEC/01 | 2006/DEC/15 | 14 | 738.15 | \$ 113.25 | \$ 11.32 |
| 506315 | | 2005/FEB/08 | 2006/DEC/01 | 2006/DEC/15 | 14 | 894.11 | \$ 137.18 | \$ 13.72 |
| 506419 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 932.75 | \$ 143.11 | \$ 14.31 |
| 506420 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 271.88 | \$ 41.71 | \$ 4.17 |
| 506436 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 408.28 | \$ 62.64 | \$ 6.26 |
| 506440 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 972.35 | \$ 149.18 | \$ 14.92 |
| 506497 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 853.84 | \$ 131.00 | \$ 13.10 |
| 506586 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 446.63 | \$ 68.52 | \$ 6.85 |
| 506614 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1167.70 | \$ 179.15 | \$ 17.92 |
| 506618 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 622.63 | \$ 95.53 | \$ 9.55 |
| 506620 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 933.89 | \$ 143.28 | \$ 14.33 |
| 506628 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 642.97 | \$ 98.65 | \$ 9.86 |
| 506720 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1085.46 | \$ 166.54 | \$ 16.65 |
| 506865 | | 2005/FEB/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 77.95 | \$ 11.96 | \$ 1.20 |
| 507008 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 116.62 | \$ 17.89 | \$ 1.79 |
| 507131 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 562.74 | \$ 86.34 | \$ 8.63 |
| 507132 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 931.38 | \$ 142.90 | \$ 14.29 |
| 507133 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1339.02 | \$ 205.44 | \$ 20.54 |
| 507134 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 543.03 | \$ 83.31 | \$ 8.33 |
| 507135 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 911.60 | \$ 139.86 | \$ 13.99 |
| 507136 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 872.37 | \$ 133.84 | \$ 13.38 |
| 507259 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 252.33 | \$ 38.71 | \$ 3.87 |
| 507260 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.41 | \$ 2.98 | \$ 0.30 |
| 507304 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 388.20 | \$ 59.56 | \$ 5.96 |
| 508819 | | 2005/MAR/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 911.32 | \$ 139.82 | \$ 13.98 |
| 511035 | TOM | 2005/APR/19 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.43 | \$ 2.98 | \$ 0.30 |
| 512571 | | 2005/MAY/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 484.93 | \$ 74.40 | \$ 7.44 |
| 512795 | | 2005/MAY/17 | 2006/DEC/01 | 2006/DEC/15 | 14 | 155.22 | \$ 23.82 | \$ 2.38 |
| 513738 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 252.14 | \$ 38.68 | \$ 3.87 |
| 513739 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 484.88 | \$ 74.39 | \$ 7.44 |
| 513740 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 174.96 | \$ 26.84 | \$ 2.68 |
| 517416 | GEORGE | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 58.28 | \$ 8.94 | \$ 0.89 |
| 517423 | ISLAND | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 252.39 | \$ 38.72 | \$ 3.87 |
| 517429 | STANLEY | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 136.11 | \$ 20.88 | \$ 2.09 |
| 517433 | ISLAND TWO | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 19.41 | \$ 2.98 | \$ 0.30 |
| 517439 | MEL | 2005/JUL/12 | 2006/DEC/01 | 2006/DEC/15 | 14 | 38.86 | \$ 5.96 | \$ 0.60 |
| 521329 | BURDETTE | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.72 | \$ 304.04 | \$ 30.40 |
| 521330 | BURDETTE 1 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.84 | \$ 304.11 | \$ 30.41 |

| | | | | | | | | |
|--------|-------------|-------------|-------------|-------------|----|---------|-----------|----------|
| 521331 | BURDETTE 2 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.11 | \$ 304.28 | \$ 30.43 |
| 521332 | BURDETTE 3 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.40 | \$ 304.46 | \$ 30.45 |
| 521333 | BURDETTE 4 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.63 | \$ 304.60 | \$ 30.46 |
| 521336 | BURDETTE 5 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.79 | \$ 304.70 | \$ 30.47 |
| 521337 | BURDETTE 6 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.69 | \$ 304.01 | \$ 30.40 |
| 521338 | BURDETTE 7 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.69 | \$ 304.02 | \$ 30.40 |
| 521339 | BURDETTE 8 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 488.08 | \$ 304.88 | \$ 30.49 |
| 521340 | BURDETTE 9 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.96 | \$ 304.80 | \$ 30.48 |
| 521342 | BURDETTE 10 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.75 | \$ 304.05 | \$ 30.41 |
| 521346 | BURDETTE 11 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.06 | \$ 304.25 | \$ 30.42 |
| 521348 | BURDETTE 12 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.04 | \$ 304.24 | \$ 30.42 |
| 521349 | BURDETTE 13 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.93 | \$ 304.16 | \$ 30.42 |
| 521350 | BURDETTE 14 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 486.94 | \$ 304.17 | \$ 30.42 |
| 521351 | BURDETTE 15 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.17 | \$ 304.32 | \$ 30.43 |
| 521352 | BURDETTE 16 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.35 | \$ 304.43 | \$ 30.44 |
| 521353 | BURDETTE 17 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.35 | \$ 304.43 | \$ 30.44 |
| 521354 | BURDETTE 18 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.56 | \$ 304.56 | \$ 30.46 |
| 521355 | BURDETTE 19 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.63 | \$ 304.60 | \$ 30.46 |
| 521356 | BURDETTE 20 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.43 | \$ 304.47 | \$ 30.45 |
| 521357 | BURDETTE 21 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 487.19 | \$ 304.33 | \$ 30.43 |
| 521358 | BURDETTE 22 | 2005/OCT/19 | 2006/OCT/19 | 2006/DEC/15 | 57 | 428.52 | \$ 267.68 | \$ 26.77 |
| 506483 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 777.03 | \$ 119.22 | \$ 11.92 |
| 506486 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 583.05 | \$ 89.45 | \$ 8.95 |
| 506489 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 388.47 | \$ 59.60 | \$ 5.96 |
| 506493 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1549.54 | \$ 237.74 | \$ 23.77 |
| 506584 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/15 | 14 | 116.49 | \$ 17.87 | \$ 1.79 |
| 507247 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 698.82 | \$ 107.22 | \$ 10.72 |
| 507248 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 621.30 | \$ 95.32 | \$ 9.53 |
| 507261 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 620.63 | \$ 95.22 | \$ 9.52 |
| 507262 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 717.12 | \$ 110.02 | \$ 11.00 |
| 507263 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 309.98 | \$ 47.56 | \$ 4.76 |
| 507264 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 1026.62 | \$ 157.51 | \$ 15.75 |
| 507265 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/15 | 14 | 542.59 | \$ 83.25 | \$ 8.32 |
| 507288 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 426.36 | \$ 65.41 | \$ 6.54 |
| 507308 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 680.82 | \$ 104.45 | \$ 10.45 |
| 508778 | | 2005/MAR/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 775.28 | \$ 118.95 | \$ 11.89 |
| 508820 | | 2005/MAR/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 135.73 | \$ 20.82 | \$ 2.08 |
| 508905 | | 2005/MAR/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 871.72 | \$ 133.74 | \$ 13.37 |
| 509015 | | 2005/MAR/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 193.86 | \$ 29.74 | \$ 2.97 |
| 509017 | | 2005/MAR/16 | 2006/DEC/01 | 2006/DEC/15 | 14 | 639.85 | \$ 98.17 | \$ 9.82 |
| 509179 | | 2005/MAR/17 | 2006/DEC/01 | 2006/DEC/15 | 14 | 833.23 | \$ 127.84 | \$ 12.78 |
| 333038 | WHIP 1 | 1994/NOV/26 | 2006/DEC/01 | 2006/DEC/15 | 14 | 150.00 | \$ 46.03 | \$ 2.30 |
| 333039 | WHIP 2 | 1994/NOV/26 | 2006/NOV/30 | 2006/DEC/15 | 15 | 75.00 | \$ 24.66 | \$ 1.23 |

| | | | | | | | | |
|--------|--------------------|-------------|-------------|-------------|----|--------|-----------|---------|
| 337601 | COULTER 1 | 1995/JUL/07 | 2006/NOV/30 | 2006/DEC/15 | 15 | 500.00 | \$ 164.38 | \$ 8.22 |
| 337602 | COULTER 2 | 1995/JUL/07 | 2006/NOV/30 | 2006/DEC/15 | 15 | 500.00 | \$ 164.38 | \$ 8.22 |
| 337603 | COULTER 3 | 1995/JUL/06 | 2006/NOV/30 | 2006/DEC/15 | 15 | 500.00 | \$ 164.38 | \$ 8.22 |
| 337604 | COULTER 4 | 1995/JUL/05 | 2006/NOV/30 | 2006/DEC/15 | 15 | 500.00 | \$ 164.38 | \$ 8.22 |
| 337605 | COULTER 5 | 1995/JUL/05 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 337606 | COULTER 6 | 1995/JUL/05 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 337607 | COULTER 7 | 1995/JUL/04 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 337608 | COULTER 8 | 1995/JUL/04 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342687 | PROMISE 1 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342688 | PROMISE 2 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342689 | PROMISE 3 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342690 | PROMISE 4 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342691 | PROMISE 5 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342692 | PROMISE 6 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342693 | PROMISE 7 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 342694 | PROMISE 8 | 1995/DEC/19 | 2006/NOV/30 | 2006/DEC/15 | 15 | 25.00 | \$ 8.22 | \$ 0.41 |
| 205247 | LOUISE | 1986/AUG/19 | 2006/DEC/01 | 2006/DEC/15 | 14 | 500.00 | \$ 153.42 | \$ 7.67 |
| 203991 | JIM | 1976/SEP/07 | 2006/DEC/01 | 2006/DEC/15 | 14 | 75.00 | \$ 23.01 | \$ 1.15 |
| 204176 | REFER TO LOT TABLE | 1979/AUG/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 204177 | REFER TO LOT TABLE | 1979/AUG/14 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 204753 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 204754 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 204755 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 205267 | DONNA | 1986/SEP/18 | 2006/DEC/01 | 2006/DEC/15 | 14 | 300.00 | \$ 92.05 | \$ 4.60 |
| 375260 | PG 1 | 2000/APR/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 400.00 | \$ 122.74 | \$ 6.14 |
| 409936 | PG2 | 2004/APR/28 | 2006/DEC/01 | 2006/DEC/15 | 14 | 225.00 | \$ 34.52 | \$ 3.45 |
| 322122 | WOLF 19 | 1993/OCT/30 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 322124 | WOLF 21 | 1993/OCT/30 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 322126 | WOLF 23 | 1993/OCT/30 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 322127 | WOLF 24 | 1993/OCT/30 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 322128 | WOLF 25 | 1993/OCT/30 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 385701 | WOLF 34 | 2001/APR/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 385702 | WOLF 35 | 2001/APR/09 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389644 | DWM 44 | 2001/SEP/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389633 | DWM 33 | 2001/SEP/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389635 | DWM 35 | 2001/SEP/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389637 | DWM 37 | 2001/SEP/01 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389639 | DWM 39 | 2001/SEP/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |

| | | | | | | | | |
|--------|--------|-------------|-------------|-------------|----|-------|---------|---------|
| 389641 | DWM 41 | 2001/SEP/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389642 | DWM 42 | 2001/SEP/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |
| 389643 | DWM 43 | 2001/SEP/04 | 2006/DEC/01 | 2006/DEC/15 | 14 | 25.00 | \$ 7.67 | \$ 0.38 |

Total required work value: \$ 21112.35


PAC name: International Wayside
Debited PAC amount: \$ 6333.71
Credited PAC amount: \$ 0.00

Total Submission Fees: \$ 2042.66

Total Paid: \$ 2042.66

The event was successfully saved.

Please use **Back** button to go back to event confirmation index.



[COPYRIGHT](#) | [DISCLAIMER](#) | [PRIVACY](#) | [ACCESSIBILITY](#)



Contact Us > [Help](#)

B.C. HOME

Mineral Titles

Mineral Claim Exploration and Development Work/Expiry Date Change

- Select Input Method
- Select/Input Tenures
- Input Lots
- Data Input Form
- Review Form Data
- Process Payment
- Confirmation

- [Main Menu](#)
- [Search Tenures](#)
- [View Mineral Tenures](#)
- [View Placer Tenures](#)

Exit this e-service

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: DOUGLAS WARREN MERRICK (118217)

Submitter: DOUGLAS WARREN MERRICK (118217)

Recorded: 2005/NOV/07

Effective: 2005/NOV/07

D/E Date: 2005/NOV/07

Event Number: 4054441

Work Start Date: 2005/SEP/01
Work Stop Date: 2005/NOV/06

Total Value of Work: \$ 25428.91
Mine Permit No:

Work Type: Technical Work
Technical Items: Drilling, PAC Withdrawal (up to 30% of technical work performed)

Summary of the work value:

| Tenure # | Claim Name/Property | Issue Date | Good To Date | New Good To Date | # of Days Forward | Area in Ha | Work Value Due | Submission Fee |
|----------|---------------------|-------------|--------------|------------------|-------------------|------------|----------------|----------------|
| 505905 | | 2005/FEB/04 | 2006/MAY/01 | 2006/DEC/01 | 214 | 972.78 | \$ 2281.37 | \$ 228.14 |
| 505910 | | 2005/FEB/04 | 2006/MAY/01 | 2006/DEC/01 | 214 | 1265.76 | \$ 2968.46 | \$ 296.85 |
| 505921 | | 2005/FEB/04 | 2006/MAY/01 | 2006/DEC/01 | 214 | 914.78 | \$ 2145.34 | \$ 214.53 |
| 506154 | | 2005/FEB/07 | 2006/MAY/01 | 2006/DEC/01 | 214 | 155.56 | \$ 364.82 | \$ 36.48 |
| 506575 | | 2005/FEB/10 | 2006/MAY/01 | 2006/DEC/01 | 214 | 19.43 | \$ 45.56 | \$ 4.56 |
| 506630 | | 2005/FEB/10 | 2006/MAY/01 | 2006/DEC/01 | 214 | 350.79 | \$ 822.68 | \$ 82.27 |
| 506637 | | 2005/FEB/10 | 2006/MAY/01 | 2006/DEC/01 | 214 | 1131.33 | \$ 2653.19 | \$ 265.32 |
| 506640 | | 2005/FEB/10 | 2006/NOV/30 | 2006/DEC/01 | 1 | 546.44 | \$ 5.99 | \$ 0.60 |

| | | | | | | | | |
|--------|--------------------|-------------|-------------|-------------|-----|---------|------------|-----------|
| 506315 | | 2005/FEB/08 | 2006/MAY/01 | 2006/DEC/01 | 214 | 894.11 | \$ 2096.88 | \$ 209.69 |
| 506419 | | 2005/FEB/09 | 2006/MAY/01 | 2006/DEC/01 | 214 | 932.75 | \$ 2187.48 | \$ 218.75 |
| 506420 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/01 | 0 | 271.88 | \$ 0.00 | \$ 0.00 |
| 506436 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/01 | 0 | 408.28 | \$ 0.00 | \$ 0.00 |
| 506440 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/01 | 0 | 972.35 | \$ 0.00 | \$ 0.00 |
| 506497 | | 2005/FEB/09 | 2006/DEC/01 | 2006/DEC/01 | 0 | 853.84 | \$ 0.00 | \$ 0.00 |
| 506586 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 446.63 | \$ 0.00 | \$ 0.00 |
| 506614 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 1167.70 | \$ 0.00 | \$ 0.00 |
| 506618 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 622.63 | \$ 0.00 | \$ 0.00 |
| 506620 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 933.89 | \$ 0.00 | \$ 0.00 |
| 506628 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 642.97 | \$ 0.00 | \$ 0.00 |
| 506720 | | 2005/FEB/10 | 2006/DEC/01 | 2006/DEC/01 | 0 | 1085.46 | \$ 0.00 | \$ 0.00 |
| 506865 | | 2005/FEB/11 | 2006/DEC/01 | 2006/DEC/01 | 0 | 77.95 | \$ 0.00 | \$ 0.00 |
| 507008 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 116.62 | \$ 0.00 | \$ 0.00 |
| 507131 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 562.74 | \$ 0.00 | \$ 0.00 |
| 507132 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 931.38 | \$ 0.00 | \$ 0.00 |
| 507133 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 1339.02 | \$ 0.00 | \$ 0.00 |
| 507134 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 543.03 | \$ 0.00 | \$ 0.00 |
| 507135 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 911.60 | \$ 0.00 | \$ 0.00 |
| 507136 | | 2005/FEB/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 872.37 | \$ 0.00 | \$ 0.00 |
| 507259 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/01 | 0 | 252.33 | \$ 0.00 | \$ 0.00 |
| 507260 | | 2005/FEB/15 | 2006/DEC/01 | 2006/DEC/01 | 0 | 19.41 | \$ 0.00 | \$ 0.00 |
| 507304 | | 2005/FEB/16 | 2006/DEC/01 | 2006/DEC/01 | 0 | 388.20 | \$ 0.00 | \$ 0.00 |
| 508819 | | 2005/MAR/11 | 2006/DEC/01 | 2006/DEC/01 | 0 | 911.32 | \$ 0.00 | \$ 0.00 |
| 511035 | TOM | 2005/APR/19 | 2006/DEC/01 | 2006/DEC/01 | 0 | 19.43 | \$ 0.00 | \$ 0.00 |
| 512571 | | 2005/MAY/14 | 2006/DEC/01 | 2006/DEC/01 | 0 | 484.93 | \$ 0.00 | \$ 0.00 |
| 512795 | | 2005/MAY/17 | 2006/DEC/01 | 2006/DEC/01 | 0 | 155.22 | \$ 0.00 | \$ 0.00 |
| 513738 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/01 | 0 | 252.14 | \$ 0.00 | \$ 0.00 |
| 513739 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/01 | 0 | 484.88 | \$ 0.00 | \$ 0.00 |
| 513740 | | 2005/JUN/01 | 2006/DEC/01 | 2006/DEC/01 | 0 | 174.96 | \$ 0.00 | \$ 0.00 |
| 204753 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/NOV/21 | 2006/DEC/01 | 10 | 25.00 | \$ 5.48 | \$ 0.27 |
| 204754 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/NOV/21 | 2006/DEC/01 | 10 | 25.00 | \$ 5.48 | \$ 0.27 |
| 204755 | REFER TO LOT TABLE | 1983/JUL/11 | 2006/NOV/21 | 2006/DEC/01 | 10 | 25.00 | \$ 5.48 | \$ 0.27 |
| 205267 | DONNA | 1986/SEP/18 | 2006/NOV/21 | 2006/DEC/01 | 10 | 300.00 | \$ 65.75 | \$ 3.29 |
| 375260 | PG 1 | 2000/APR/09 | 2006/NOV/21 | 2006/DEC/01 | 10 | 400.00 | \$ 87.67 | \$ 4.38 |
| 409936 | PG2 | 2004/APR/28 | 2006/NOV/21 | 2006/DEC/01 | 10 | 225.00 | \$ 24.66 | \$ 2.47 |
| 322122 | WOLF 19 | 1993/OCT/30 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 322124 | WOLF 21 | 1993/OCT/30 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 322126 | WOLF 23 | 1993/OCT/30 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 322127 | WOLF 24 | 1993/OCT/30 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |

| | | | | | | | | |
|--------|---------|-------------|-------------|-------------|----|-------|----------|---------|
| 322128 | WOLF 25 | 1993/OCT/30 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 385701 | WOLF 34 | 2001/APR/09 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 385702 | WOLF 35 | 2001/APR/09 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389644 | DWM 44 | 2001/SEP/04 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389633 | DWM 33 | 2001/SEP/01 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389635 | DWM 35 | 2001/SEP/01 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389637 | DWM 37 | 2001/SEP/01 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389639 | DWM 39 | 2001/SEP/04 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389641 | DWM 41 | 2001/SEP/04 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389642 | DWM 42 | 2001/SEP/04 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |
| 389643 | DWM 43 | 2001/SEP/04 | 2006/NOV/08 | 2006/DEC/01 | 23 | 25.00 | \$ 12.60 | \$ 0.63 |

Total required work value: \$ 36327.02

PAC name: International Wayside
Debited PAC amount: \$ 10898.11
Credited PAC amount: \$ 0.00

Total Submission Fees: \$ 3614.76

Total Paid: \$ 3614.76

The event was successfully saved.

Please use **Back** button to go back to event confirmation Index.



COPYRIGHT | DISCLAIMER | PRIVACY | ACCESSIBILITY

APPENDIX VI
DRILL SECTIONS AND
DIAMOND DRILL LOGS

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: IGM05-01 | | Date Logged: July 25/26 2005 | | Project: SNAPSACK ZONE | | # of Boxes: 17 | | Date Started: JUL 18/05 | | Sheet 1 of 6 | | | | | | | | | | | | | | | | |
|-----------------------------|-------|------------------------------|-----|------------------------|--------|----------------|---------|-------------------------------|-------|---------------------------|-----|------------------------------|------------|------|------|-----|----------------|-------|-------|-------|-------------|------|--------------|---------|-----------|--|
| Azimuth: 264°14'52" | | COLLAR | | | | | | Drilling CO/Driller: Standard | | Date Completed: JUL 24/05 | | | | | | | | | | | | | | | | |
| Angle: -43°21'06" | | Northing: 16086.28 | | Easting: 13252.18 | | Elev: 4545.82 | | EOH: 348 | | Core Size: R2 | | Logged By: <i>Chad L. L.</i> | | | | | | | | | | | | | | |
| Footage | Graph | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | | Au |
| 0 | 15 | 0 | 15 | | CASING | | | | | | | | | | | | | | | | | | | | | 0-15 CASING |
| 15 | | 15 | 18 | 60 | 0 | Qtz(90) | Amg(10) | | | | | | Sf2 | | | Sr | | Li-1 | cp1 | | | 15 | 19 | E31734 | <0.03 | 15-35.6 Limonitic Qtz. ls. w/ minor argillite. Moderate silicification. |
| | | 18 | 28 | 27 | 4 | | | | | | | | | | | | | | | | | | | | | |
| | | 28 | 38 | 51 | 5 | | | | | | | | | | | | | | | | | | | | | 28.5-28.8 white Qtz vein lower contact @ 80' PEN. |
| | | 35.6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 35.6 | | | | | | Amg(55) | Qtz(20) | SH(15) | Dp Pb | 6% Fe | Qtz | | S-1 | Sf-1 | do-1 | | <1 | clts | | | | | | | | 35.6-71.4 Grey to Dark Grey Silly Qtz Argillite w/ 10% Fine grained dolomite porphyroblasts. |
| | | 38 | 48 | 62 | 27 | | | | | | 99 | | | | | | | | | | | | | | | |
| | | 48 | 58 | 95 | 50 | | | | | | | | | | | | | | | | | 48 | 58 | 31735 | <0.03 | Gauge @ 38.8-40 |
| | | 58 | 68 | 85 | 37 | | | | | | | | | | | | | | | | | | | | | |
| | | 68 | 78 | 90 | 40 | | | | | | | | | | | | | | | | | | | | | |
| 71.4 | | | | | | SH(70) | Qtz(10) | | | 6% Fe | | | do-1 | S-2 | Sf2 | F-1 | Tr | | | | | | | | | 71.4-119.9 Grey calcareous white Silly Qtz. w/ dolomite matrix |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: JGMS-01 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 2 of 6 | | | | | | | | | | | | | | | | | |
|----------------------------|-------|------------------|--------|-------------|--------|----------------------|--------|-----------------|------|-----------------|-------|------------|------|------|------|----------------|-------|-------|-------|-------------|------|--------------|---------|-----------|----|--|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| From | To | Interval | REC/QD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | | Au | | |
| | | | | S11(10) | Qz(10) | | | Sy | | | | ds2 | S-2 | SF-2 | F-1 | Tr | | | | | | | | | | cont'd from above | |
| | | 78 | 88 | 94 | 65 | | | | | | | | | | | | | | | | 78 | 88 | 31736 | <0.03 | | weak fuchsite present in interval. | |
| | | 88 | 98 | 87 | 83 | | | | | | | | | | | | | | | | | | | | | Fairly massive foliation orient'd not obvious | |
| | | 98 | 108 | 82 | 32 | | | | | | | | | | | | | | | | | | | | | | |
| | | 108 | 118 | 82 | 28 | | | | | | | | | | | Qz | S | vein | | | 108 | 109.5 | 31737 | 1.74 | | 1083-109.2 Qtz pyrite vein w/ minor galena (3-5% pyrite) | |
| | | | | | | | | | | | | | | | | F-1 | 1 | vs | | | | | | | | 1% galena (stringer) 60° RA abundant pyrite in 2" on either side of vein semi-massive. | |
| | 119.9 | 118 | 128 | 90 | 63 | | | | | | | | | | | | | | | | | | | | | 119.9-129 Porphyroblastic quartzite much like 35-71 | |
| | 119.9 | | | | | Am(SS) | Qz(30) | S11(15) | Po1b | Sy | Qz-70 | | S-1 | SF-1 | do-1 | Tr | | | | | | | | | | | |
| | | 128 | 138 | 79 | 31 | | | | | | | | | | | | | | | | 128 | 138 | 31738 | <0.03 | | | |
| | 129 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 129 | | | | | Qz(60) | | | | | | | SF-3 | Qz-7 | | | | | | | | | | | | | 129-219.2 Geo shaly silicified fine grained Qtz pebble conglomerate further like than 71.4-119.9 |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: <i>ILM05-01</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>3</i> of <i>6</i> | | | | | | | | | | | | | | | | |
|------------------------------------|-----|------------------|-----|---------------------------|-------|-------------|-------|----------------------|----------------------|----------------------------|---|-----------------|------------|-----------|----|----|----------------|-----------|-------|-------------|-------|--------------|--------------|--------------|-----------------|---|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| From | To | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au |
| 140 | 148 | 91 | 67 | <i>C_g(100)</i> | | | | | <i>G_y</i> | | | | <i>SF3</i> | <i>QV</i> | | | <i>Z1</i> | <i>ds</i> | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>130.7-131.1 QV @ 60° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>135.8-136.3 QV @ 70° TCA vug w/ euhedral Qtz crystals.</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>Between 137-152 1-2cm QV's @ 60-70° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | <i>155.5</i> | <i>159</i> | <i>31739</i> | <i><0.03</i> | <i>155.5-159 Fine grained black non magnetic porphyroblast</i> |
| | | | | | | | | | | | | | | | | | | | | | | <i>162</i> | <i>164.5</i> | <i>31740</i> | <i><0.03</i> | <i>hemable after magnetite?</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>159.3-159.8 QV @ 80° TCA.</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>161-164.5 Qtz carbonate vein @ 70° TCA greenish of black platy rock</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>176-177 QV @ 20° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>178-178.5 1" QV 5° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>179-218 Numerous 0.5-2cm QV's @ 60-75° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>192.5-193 vuggy QV @ 80° TCA</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>199.7-199.9 vuggy QV w/ chlorite inclusions elemental disseminated pyrite in wall rock margins</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | | <i>198-218 1-2% disseminated pyrite.</i> |
| | | | | | | | | | | | | | | | | | | | | | | <i>198</i> | <i>203</i> | <i>31741</i> | <i>0.22</i> | |

Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: <i>ILM05-01</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>5</i> of <i>6</i> | | | | | | | | | | | | | | | |
|------------------------------------|-----------------|------------------|--------------|----------------|----------------|----------------------|----------------|-----------------|--------------|----------------------------|------------|--------------|-------------|------------|----------------|------------|-------|-------|-------------|--------------|--------------|--------------|-----------------|---------|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage From To | Depth G to F | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au |
| | 265 | | | <i>Ag (10)</i> | <i>Am (10)</i> | <i>Alk (10)</i> | | <i>Gr</i> | <i>Cl-10</i> | | | <i>Ch-23</i> | <i>S-2</i> | <i>F-1</i> | | <i>Tr</i> | | | | | | | | | <i>cont'd from</i> |
| | 270 | <i>268</i> | <i>278</i> | <i>77</i> | <i>25</i> | | | | | | | | | | | | | | | | | | | | <i>2873-2676 OVE @ 80° TCM</i> |
| | 280 | <i>278</i> | <i>288</i> | <i>98</i> | <i>74</i> | | | | | | | | | | | | | | | <i>278</i> | <i>288</i> | <i>31747</i> | <i>1.39</i> | | |
| | 290 | <i>288</i> | <i>298</i> | <i>87</i> | <i>63</i> | | | | | | | | | | | | | | | | | | | | |
| | 300 | <i>298</i> | <i>308</i> | <i>26</i> | <i>5</i> | | | | | | | | | | | | | | | | | | | | |
| | 305 | <i>298</i> | <i>299.8</i> | | | <i>LS (100)</i> | | <i>W</i> | | | | <i>Ch-3</i> | | | <i>5</i> | <i>ep1</i> | | | | <i>298</i> | <i>299.8</i> | <i>31748</i> | <i><0.03</i> | | <i>298-299.8 white limestone</i> |
| | 310 | <i>299.8</i> | | | | <i>Am (95)</i> | <i>Alk (5)</i> | <i>Gr</i> | <i>FZ</i> | | | <i>S-2</i> | <i>Ch-1</i> | | <i>3</i> | <i>ep2</i> | | | | <i>299.8</i> | <i>316.6</i> | <i>31749</i> | <i>1.00</i> | | <i>w/ 5% rpt pyrite.</i> |
| | 315 | <i>308</i> | <i>318</i> | <i>27</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | <i>299.8-316.6 Fault zone</i> |
| | 320 | <i>316.6</i> | | | | | | | | | | | | | | | | | | | | | | | <i>Gauge grey-green w/ vfg dls</i> |
| | 325 | <i>316.6</i> | | | | <i>Sil (70)</i> | <i>Am (30)</i> | | <i>DK-14</i> | | | <i>SF-3</i> | <i>S-1</i> | | | <i>Tr</i> | | | | | | | | | <i>pyrite (3%) dominantly fine-grained w/ some crushed gte</i> |
| | 330 | <i>318</i> | <i>328</i> | <i>62</i> | <i>8</i> | | | | | | | | | | | | | | | <i>318</i> | <i>328</i> | <i>31750</i> | <i><0.03</i> | | <i>316.6-348 Strongly Silicified</i> |
| | 335 | | | | | | | | | | | | | | | | | | | | | | | | <i>Dark Grey Broken up Angular Silice.</i> |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

Drill Hole Number: 16W105-02 Date Logged: July 27 2005/28 Project: SNAPSACK ZONE # of Boxes: 12 Date Started: JUL 25/05 Sheet 1 of 6
 Azimuth: 269° 25' 44" COLLAR Drilling CO/Driller: Standard Date Completed: JUL 27/05
 Angle: -44° 47' 56" Northing: 16255.15 Easting: 12992.00 Elev: 4576.92 EOH: 348 Core Size: BQ Logged By: Chris White

| Footage | | Elev G | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
|---------|----|-----------|------------------|------|----|--------|-------------|---------|-----|--------|-----------------|----|------|------------|----|----|----|----------------|-------|-------|-------|-------------|------|--------------|---------|-----------|-----------|---|
| From | To | | Interval | RECR | QD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | | Au | |
| 0 | 28 | 30 | 0 | 28 | | CASING | | | | | | | | | | | | | | | | | | | | | | 0-28 casing |
| 28 | | 30 | 28 | 38 | 29 | 4 | Am(60) | 0% (40) | | Gy | Q48 | | SF-2 | S-1 | | | | TR | | | | | | | | | | 28-57 Grey Qtzitic Amillite |
| | | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 40 | 38 | 48 | 34 | 11 | | | | | | 99 | | | | | | | | | | | | | | | | Slightly gouged 38-40 |
| | | 45 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 50 | 48 | 58 | 44 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | 55 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 57 | | 55 | 57 | 68 | 2 | 0 | Qh(70) | Am(25) | | Gy | F2 | | S-3 | | | | | TP | | | | | | | | | | 57-76 Fault Zone? 68-76 pure mud Rocks were probably quartzitic atiles from first 1' of interval Poor Recovery. |
| | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 65 | 68 | 78 | 4 | 0 | mud | | | | | | | | | | | | | | | | | | | | | |
| | | 70 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 75 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 76 | | 75 | 76 | 88 | 29 | 0 | Am(60) | 0% (40) | | Qh(50) | F50 | | SF-2 | S-1 | | | | TR | | | | | | | | | | 76-99 Dark Grey Qtzitic Amillite much like 28-57 strongly silicified |
| | | 80 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 85 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 90 | 98 | 98 | 36 | 4 | | | | | | | | | | | | | | | | | 88 | 98 | E31001 | K0.03 | 98.3-98.8 | QV @ 50° TCA |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: JGM05-02 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 3 of 6 | | | | | | | | | | | | | | | |
|-----------------------------|----|------------------|--------|-------------|-------|----------------------|-----------------|-----------------|---|--------------|---|------------|------|----------------|----|-----|-------|-------------|-------|--------------|------|-----------|-------|---------|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| From | To | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au |
| | | 158 | 168 | 75 | 19 | | | | | | | SF1 | S-1 | | | | | | | | | | | | |
| 159 | | | | | | | | | | | | | | | | | | | | | 158 | 168 | 31004 | <0.03 | |
| 159 | | | | | | | | | | | | SF-2 | S-2 | ch-1 | | cl | ds | | | | | | | | 159-187 Greenish Grey Porphyroblastic siltst w/ lesser Anillite and Qtz. |
| | | 165 | 178 | 63 | 7 | | | | | | | | | | | | | | | | | | | | |
| | | 178 | 185 | 42 | 14 | | | | | | | | | | | | | | | | | | | | |
| 187 | | 187 | 198 | 43 | 0 | Qtz(20) | An(20) | | | | | SF3 | | | | cl | ds | | | | 187 | 198 | 31005 | 0.10 | 187-200 Strongly siliceous ch-iron ore with 187-198 some brecciated broken core |
| | | 198 | 208 | 62 | 9 | | | | | | | | | | | | | | | | | | | | |
| 200 | | | | | | | | | | | | S-1 | SF-1 | | | cl | ds | | | | 198 | 208 | 31006 | 0.07 | 200-218 dark grey porphyroblastic ch Anillite |
| | | 208 | 218 | 74 | 12 | | | | | | | | | | | | | | | | 208 | 218 | 31007 | <0.03 | |

Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: <u>I6m05-02</u> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <u>5</u> of <u>6</u> | | | | | | | | | | | | | | | |
|------------------------------------|-------|------------------|-----|-------------|---------|----------------------|-------|-----------------|------|----------------------------|------------|------------|------|------|----------------|----|-----|------|-------------|------|--------------|------|-----------|-------|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Styl | Other | Styl | Other | From | | To | Sample# |
| | 280 | 278-288 | 63 | 5 | Blk(15) | Am(15) | | Gg | F2 | | | SF3 | | | | cl | ds | | | | 278 | 288 | 31012 | 0.05 | 279.5-305 Fault zone of gauge and reconsolidated mass abundant qtz vein matrix p.p.m. + goags and curia |
| | 290 | 288-298 | 62 | 0 | ↓ | ↓ | | ↓ | ↓ | | | S-1 | SF-1 | ch-1 | cl | ds | | | | | 288 | 298 | 31013 | 0.25 | 290-348 Dark Green Oitic augillid. Slightly silicified. |
| | 300 | 298-308 | 27 | 0 | | | | | | | | | | | | | | | | | | | | | chloritic until 308' |
| | 310 | 308-318 | 72 | 0 | | | | | G.S. | | | | | | | | | | | | 308 | 318 | 31014 | <0.03 | 311.5-312.1 Oitic vein @ 5° TCA. 2" thick. |
| | 320 | 318-328 | 37 | 0 | | | | | | | | | | | | | | | | | | | | | 317.5-317.6 mud. |
| | 330 | 328-338 | 5 | 0 | | | | | | | | | | | | | | | | | | | | | Mistake @ 338' |
| | 340 | 338-348 | 16 | 0 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | 338 | 348 | 31015 | 0.12 | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

Drill Hole Number: IG-M05-02 Date Logged: _____ Project: _____ # of Boxes: _____ Date Started: _____ Sheet 6 of 6

Azimuth: _____ COLLAR Drilling CO/Driller: _____ Date Completed: _____

Angle: _____ Northing: _____ Easting: _____ Elev: _____ EOH: _____ Core Size: _____ Logged By: _____

| Footage | | Grade | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
|---------|----|-------|------------------|--------|-------------|--------|---------|-----|-----------------|------|---|------------|------|-------|----|----------------|-----|-------|-------------|-------|--------------|------|-----------|----|---------|-------------------|
| From | To | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au |
| | | 34% | | | And (S) | Sl (2) | SH (15) | | Rel | W-10 | | | S1-2 | SF1-2 | | | cl | ds | | | | | | | | cont'd from above |
| | | 34% | | | ↓ | ↓ | ↓ | | ↓ | ↓ | | | ↓ | ↓ | | | ↓ | ↓ | | | | | | | | |
| | | 34% | | | ↓ | ↓ | ↓ | | ↓ | ↓ | | | ↓ | ↓ | | | ↓ | ↓ | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 34% | | | | | | | | | | | | | | | | | | | | | | | | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>ICM05-03</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>2 of 7</i> | | | | | | | | | | | | | | | | | |
|------------------------------------|-------|------------------|-----|----------|--------|-------------|--------|----------------------|-----|---------------------|----|------------|------|------------|----|----|-----|----------------|-------|-------|-------|-------------|-------|--------------|-------|---|--|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | Au | | |
| | 75 | 95 | 75 | 5 | Qtz(S) | Am(40) | SH(S) | | by | 285 | 99 | 8F-3 | S-1 | | | TR | | | | | | | | | | cont'd from above 86.5-87 grey siliceous gouge | |
| | 80 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 85 | 95 | 44 | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 90 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 95 | 105 | 43 | 9 | | | | | | | | | | | | | | | | | 107.8 | 115 | 31018 | <0.03 | | 107.8-114.3 Greyish green siliceous gouge | |
| | 100 | | | | | | | | | | | | | | | | | | | | | | | | | 114.5-114.7 Grey gouge and crushed core | |
| | 105 | 115 | | | | | | | | 30 | | | | | | | | | | | | | | | | | |
| | 110 | 115 | 125 | 12 | 0 | Am(75) | SH(15) | Qtz(10) | 8F | 99 | | 8F-3 | 6F-2 | S-1 | | ds | | | | | 115 | 125 | 31019 | <0.03 | | 115-154.5 Dark Grey to black Argillite w/ lesser siliceous and feld. mod. to strong silicification. | |
| | 115 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 120 | 125 | 135 | 18 | 0 | | | | | 8F-3 | | | | | | | | | | | 125 | 135 | 31020 | <0.03 | | 115-125 black gouge and crushed core | |
| | 125 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 130 | 135 | 145 | 32 | 6 | | | | | | | | | | | 3 | | | | | 135 | 145 | 31021 | <0.03 | | 135-143 3% disseminated pyrite | |
| | 135 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 140 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 145 | 155 | 23 | 0 | | | | | | | | | | | | | | | | | | 148.3 | 150 | 31022 | <0.03 | | |

Changes

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: IG-M05-04 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 2 of 6 | | | | | | | | | | | | | | | | | |
|------------------------------|-------|------------------|-----|----------|---------|----------------------|-------|---------------|--------|-----------------|-----|------------|------|------------|----|----|-----|----------------|-------|-------|-------|-------------|-------|---------|---|--|-----------|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | | Sample Int. | | | Assays (PPM) | | COMMENTS: |
| | | Interval | REC | ROD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | Au | | |
| | | | | | Qtz(20) | Am(30) | | Ca | Cl-40 | | | Sf-1 | S-1 | Ch-1 | | Cl | ds | | | | | | | | 48-88.2 Qtz Vein | | |
| 88 | 98.2 | 88 | 98 | 49 | 14 | | | Ca | Cl-40 | | | Sf-1 | S-1 | Ch-1 | | Cl | ds | | | | | | | | | | |
| 98 | 99.2 | | | | | | | Ca | Cl-30 | | | Sf-3 | | | | TR | | | | | | | | | 88.2-110 Gray sand quartz etc pebble conglomerate w/ minor argillite | | |
| 98 | | 98 | 108 | 95 | 58 | | | | | | | | | | | | | | | | | | | | Shony silicification. 107.6-108.4 Qtz oblong vein 20° TRH | | |
| 108 | | 108 | 110 | 58 | 10 | | | | | | | | | | | | | | | | 108 | 118 | 31035 | 0.37 | 109-109.7 Qtz vein @ 70° 71A | | |
| 110 | | | | | | | | Am(45) | Sf(30) | Qtz(35) | WPs | Sf-1 | Sf-2 | | Cl | ds | | | | | | | | | 110-118 Dark gray intermixed Qtz's siltites and Argillites. small percentages of dolomite | | |
| 118 | | 118 | 128 | 32 | 0 | | | | | | | | | | | | | | | | | 118 | 128 | 31036 | 0.03 | perphenolite. Local spots of higher silicification. | |
| 128 | | 128 | 138 | 62 | 20 | | | | | | | | | | | | | | | | | | | | 116-117 soft siltite, gassy core. | | |
| 138 | | 138 | 148 | 85 | 8 | | | | | | | | | | | | | | | | | | | | 120-125.5 gauge and core washed even gauge contains some crushed etc | | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>IG-105-05</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>3</i> of <i>6</i> | | | | | | | | | | | | | | | | |
|-------------------------------------|-------|------------------|------------|-----------|----------------|---------------|-------|----------------------|-----------------|----------------------------|----------|------------|----|--------------|------------|----------------|-----------|-------|-------------|-------|--------------|--------------|--------------|-----------------|---|---------------------------------------|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au |
| | 155 | | | | <i>Qtz (6)</i> | <i>Am (4)</i> | | <i>Plg</i> | <i>L1-R1</i> | | | | | <i>Sf-23</i> | <i>S-1</i> | <i>21</i> | <i>ds</i> | | | | | | | | <i>cont'd run above</i> | |
| | 160 | <i>157</i> | <i>167</i> | <i>14</i> | <i>0</i> | | | | | <i>99</i> | | | | | | | | | | | | | | | <i>158.5-166.7 Gauge - only 2' of recovery.</i> | |
| | 165 | | | | | | | | | <i>↓</i> | | | | | | | | | | | | | | | | |
| | 170 | <i>167</i> | <i>177</i> | <i>8</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | | |
| | 175 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 180 | <i>177</i> | <i>187</i> | <i>35</i> | <i>0</i> | | | | | <i>F</i> | | | | | | | | | | | <i>177</i> | <i>187</i> | <i>31055</i> | <i><0.03</i> | <i>177-184 soft and broken core</i> | |
| | 185 | | | | | | | | | <i>↓</i> | | | | | | | | | | | | | | | | |
| | 190 | <i>187</i> | <i>197</i> | <i>25</i> | <i>0</i> | | | | | <i>F</i> | | | | | <i>60</i> | <i>pl</i> | | | | | <i>187</i> | <i>196.3</i> | <i>31056</i> | <i>13.7</i> | <i>187.3-188.6 Massive pyrite 60% pyrite 40% host rock - slightly gassy</i> | |
| | 195 | | | | | | | | | <i>↓</i> | | | | | | | | | | | | | | | | |
| | 200 | <i>197</i> | <i>207</i> | <i>26</i> | <i>0</i> | | | | | <i>F</i> | | | | | | | | | | | <i>196.3</i> | <i>207</i> | <i>31057</i> | <i>0.79</i> | <i>187.3-196.3 Faultzone Intermineral gauge and core.</i> | |
| | 205 | | | | | | | | | <i>↓</i> | | | | | | | | | | | | | | | | |
| | 210 | <i>207</i> | <i>217</i> | <i>29</i> | <i>0</i> | | | | | <i>F</i> | | | | | | | | | | | <i>207</i> | <i>217</i> | <i>31058</i> | <i>0.19</i> | <i>197-198.6 gauge and crushed/broken core.</i> | |
| | 215 | | | | | | | | | <i>↓</i> | <i>↓</i> | <i>↓</i> | | | | | | | | | | | | | | <i>207-208.5 gauge / crushed core</i> |
| | | | | | | | | | | <i>↓</i> | <i>↓</i> | | | | | | | | | | | | | | | <i>207-219.3 gauge / fault.</i> |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>IL1105-05</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>4</i> of <i>6</i> | | | | | | | | | | | | | | | |
|-------------------------------------|----|------------------|------------|----------------|----------------|-------------|-----|----------------------|-----------|----------------------------|------------|------------|------------|----|----------------|----------|-----------|-------|-------------|-------|--------------|--------------|--------------|-----------------|---|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| From | To | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au |
| | | | | <i>Qtz(60)</i> | <i>Aug(40)</i> | | | <i>Gr</i> | <i>Gr</i> | <i>F</i> | | <i>SF3</i> | <i>S-1</i> | | | <i>1</i> | <i>ds</i> | | | | <i>217</i> | <i>219.3</i> | <i>31059</i> | <i>0.54</i> | <i>Cont'd from above</i> |
| <i>219.3</i> | | <i>217</i> | <i>227</i> | <i>51</i> | <i>0</i> | | | <i>Gr</i> | <i>Gr</i> | <i>F</i> | | <i>SF3</i> | <i>S-1</i> | | | <i>1</i> | <i>ds</i> | | | | <i>219.3</i> | <i>227</i> | <i>31060</i> | <i><0.03</i> | <i>219.3 - 347 Grey Silty Quartz w/ lesser Pyrite Strongly silicified throughout.</i> |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>227</i> | <i>237</i> | <i>68</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>237</i> | <i>247</i> | <i>58</i> | <i>4</i> | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>247</i> | <i>257</i> | <i>21</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>257</i> | <i>267</i> | <i>31</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>267</i> | <i>277</i> | <i>91</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | <i>273-273.1 small Qtz carbonate vein @ 45° TCA.</i> |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>ICM05-06</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>2</i> of <i>12</i> | | | | | | | | | | | | | | | | | |
|------------------------------------|----|------------------|------------|-------------|----------|----------------------|----------------|-----------------|------------|-----------------------------|-------------|------------|----|------------|----------------|----|-----|----------|-------------|-------|--------------|------------|------------|--------------|-----------------|-----------------|---|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | | |
| From | To | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au | |
| | | | | | | <i>Am(S)</i> | <i>Qtz(30)</i> | <i>SlX(S)</i> | | <i>Gr</i> | <i>2-20</i> | | | <i>S-S</i> | <i>SF-1</i> | | | <i>1</i> | <i>clt</i> | | | | | | | | <i>Cont'd from above</i> |
| | | <i>76</i> | <i>86</i> | <i>12</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>86</i> | <i>96</i> | <i>63</i> | <i>8</i> | | | | <i>Rpb</i> | | | | | | | | | | | | | <i>86</i> | <i>96</i> | <i>31804</i> | <i><0.03</i> | | <i>@ 86 2-3% dolomite porphyroblasts begin</i> |
| | | <i>96</i> | <i>106</i> | <i>58</i> | <i>4</i> | | | | | | | <i>95</i> | | | | | | | | | | <i>96</i> | <i>106</i> | <i>31805</i> | <i><0.03</i> | | <i>94.9-95.3 pyrite-grg gangue</i> |
| | | <i>106</i> | <i>116</i> | <i>36</i> | <i>0</i> | | | | | | | | | | | | | | | | | <i>106</i> | <i>116</i> | <i>31806</i> | <i><0.03</i> | | <i>106.3-112.7 Qtz vein</i> |
| | | <i>116</i> | <i>126</i> | <i>13</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | | | <i>112.1-114 Qtz vein @ 65° TCA 114.4-116 Qtz vein @ 70° TCA .1% pyrite and abundant lithic fragments</i> |
| | | <i>126</i> | <i>136</i> | <i>13</i> | <i>0</i> | | | | | | | | | | | | | | | | | | <i>126</i> | <i>136</i> | <i>31808</i> | <i><0.03</i> | <i>125.3-126 Rnken QV 127-135.3 Qtz vein. w/arsite</i> |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

Drill Hole Number: *ICM05-07* Date Logged: Project: # of Boxes: Date Started: Sheet *2* of *6*

Azimuth: COLLAR Drilling CO/Driller: Date Completed:

Angle: Northing: Easting: Elev: EOH: Core Size: Logged By:

| Footage | Graph | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
|---------|-------|------------------|-----|-----|--------|-------------|---------|-------|-----|-----------------|---|---|------------|-----|----|----|----------------|-----|-------|-------|-------------|-------|--------------|-------|-----------|---------|--|
| | | Interval | REC | RQC | Q | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au |
| | 77 | 87 | 63 | 11 | Am(60) | Qtz(30) | Sil(10) | | Gy | G15 | | | SF-2 | S+2 | | | cl | clt | | | | | | | | | cont'd from above |
| | 87 | 97 | 47 | 0 | | | | | | | | | | | | | | | | | | | | | | | 88.5-108.5 shear zone well foliated @ 65° TCM |
| | 97 | 107 | 32 | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 107 | 117 | 24 | 0 | | | | | | | | | | | | | | | | | | 107 | 117 | 31064 | 0.23 | | |
| | 117 | 127 | 28 | 0 | | | | | | | | | | | | | | | | | | | | | | | 108.5-132 fairly broken core. |
| | 127 | 137 | 40 | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| 132 | | | | | | | | | | | | | | | | | | | | | | | | | | | 132-167 Greenish Gray Silty White w/ lesser chlorite matrix |
| | 137 | 147 | 91 | 11 | | | | | | | | | | | | | | | | | | | | | | | Occasional dolomitic porphyroblasts. |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>ICM05-07</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>3</i> of <i>6</i> | | | | | | | | | | | | | | | |
|------------------------------------|------------|------------------|------------|---------------|---------------|---------------|-----------------|----------------------|------------|----------------------------|-------------|-------------|-------------|----------------|----|-------------|-------|--------------|-------|-----------|------------|------------|--------------|-----------------|--|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | Structure (C/A) | | | Alteration | | | | Mineralization | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | | | |
| From | To | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | | Other | From | To | Sample# | Au |
| | | | | <i>Ch(45)</i> | <i>SH(70)</i> | <i>Ag(25)</i> | <i>Py</i> | <i>Sls</i> | | | | <i>Sf2</i> | <i>sh+2</i> | <i>S-1</i> | | <i>T2</i> | | | | | | | | | <i>cont'd from above</i> |
| | | <i>147</i> | <i>157</i> | <i>96</i> | <i>42</i> | | | | | | | | | | | | | | | | | | | | |
| | | <i>157</i> | <i>167</i> | <i>66</i> | <i>0</i> | | | | | | | | | | | | | | | | <i>157</i> | <i>167</i> | <i>31067</i> | <i><0.03</i> | |
| | | | | | | | | | | | | | | | | | | | | | | | | | <i>166-167 soft and gassy</i> |
| | <i>167</i> | <i>167</i> | <i>177</i> | <i>21</i> | <i>0</i> | | | | | | <i>39</i> | | | | | | | | | | <i>167</i> | <i>177</i> | <i>31068</i> | <i>0.05</i> | <i>167-210 Grey Amphibolic</i> |
| <i>167</i> | | | | | | <i>SH(45)</i> | <i>Ag(35)</i> | <i>Qtz(20)</i> | <i>DpB</i> | <i>Gy</i> | <i>Ch45</i> | <i>Sf-1</i> | <i>S-1</i> | | | <i>TR</i> | | | | | | | | | <i>Silicic w/ lesser quartz abundant 1-2mm dolomite porphyroblasts</i> |
| | | <i>177</i> | <i>187</i> | <i>81</i> | <i>4</i> | | | | | | | | | | | | | | | | <i>177</i> | <i>187</i> | <i>31069</i> | <i><0.03</i> | <i>177-187 gauge</i> |
| | | | | | | | | | | | <i>99</i> | | | | | | | | | | | | | | |
| | | <i>187</i> | <i>197</i> | <i>61</i> | <i>0</i> | | | | | | | | | | | | | | | | <i>187</i> | <i>197</i> | <i>31070</i> | <i><0.03</i> | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <i>197</i> | <i>207</i> | <i>76</i> | <i>31</i> | | | | | | <i>99</i> | | | | | | | | | | | | | | <i>198-199 gauge</i> |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>JG1005-07</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>4</i> of <i>6</i> | | | | | | | | | | | | | | | | |
|-------------------------------------|-------|------------------|------------|---------------|--------------|---------------|--------------|----------------------|------------|----------------------------|------------|------------|-----|-----|----------------|-----|-------|-------|-------------|-------|--------------|------------|--------------|-----------------|--|--|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | RECRQC | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A 1 | A 2 | A 3 | A 4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | 200 | | | <i>SiH(4)</i> | <i>Am(3)</i> | <i>Qtz(2)</i> | <i>Dp(1)</i> | <i>Gy</i> | <i>L-8</i> | | | | | | | | | | | | | | | | <i>cont'd from above</i> | |
| | 205 | <i>207</i> | <i>217</i> | <i>57</i> | <i>8</i> | | | | | | | | | | | | | | | | | | | | | |
| | 210 | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>210</i> | | | | | | | | | | | | | | | | | | | | | | | | | <i>210 - 277 Generally Greenish gray Qtzic argillite w/ minor silite. Girdly massive - Colli-form not well defined</i> | |
| | 215 | <i>217</i> | <i>227</i> | <i>48</i> | <i>4</i> | | | | | | | | | | | | | | | | <i>217</i> | <i>227</i> | <i>31071</i> | <i><0.03</i> | | |
| | 220 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 225 | <i>227</i> | <i>237</i> | <i>59</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | <i>225-227 Qtz-argillite breccia</i> | |
| | 230 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 235 | <i>237</i> | <i>247</i> | <i>62</i> | <i>4</i> | | | | | | | | | | | | | | | | | | | | | |
| | 240 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 245 | <i>247</i> | <i>257</i> | <i>44</i> | <i>4</i> | | | | | | | | | | | | | | | | | <i>247</i> | <i>257</i> | <i>31072</i> | <i><0.03</i> | <i>255-257 soft and gummy core</i> |
| | 250 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 255 | <i>257</i> | <i>267</i> | <i>15</i> | <i>0</i> | | | | | <i>ss</i> | | | | | | | | | | | | <i>257</i> | <i>258</i> | <i>31073</i> | <i>0.42</i> | <i>257.3-257.8 Qtz pyrite vein. pyrite and galena replacement in wall rock @ lower contact</i> |
| | 260 | | | | | | | | | | | | | | | | | | | | | <i>258</i> | <i>267</i> | <i>31074</i> | <i>0.06</i> | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: JCMOS-08 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 3 of 6 | | | | | | | | | | | | | | | | |
|-----------------------------|-------|------------------|-----|-------------|-------|-------------|----------|----------------------|------|-----------------|------------|------------|----|----|----------------|------|------|-------------|-------|--------------|-------|-----------|-------|-------|---|--|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage | Grade | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | | From | To | Sample# | Au |
| 147 | 150.5 | 147 | 157 | 82 | 35 | Ang (10) | slt (10) | | Dp/B | Gr/G | Qz | | | | S-2 | Ch-2 | | | | | | | | | | 147-150.5 Greenish gray Amphibole bed w/ 20% dolomite porphyroblasts. |
| 150.5 | | | | | | Ang (50) | slt (30) | Qtz (20) | Dp/B | Gr/G | Qz | | | | S-2 | Sl-2 | | Cl | ds | | | | | | | 150.5 - 194.5 Thickly interlayered Amphibole gneiss and siltstone General trend of foliation 60° TPA Dolomite Porphyroblasts in Amphibole Vg |
| | | 157 | 167 | 78 | 4 | | | | | | | | | | | | | | | | | | | | | |
| | | 167 | 177 | 55 | 9 | | | | | | | | | | | | OV | | | | 167 | 177 | 31091 | 0.08 | 163.2-163.5 Gray gouge. | |
| | | | | | | | | | | | | | | | | | OV | | | | | | | | | 169.1-169.6 Qtz carbonate vein @ 50° TPA. |
| | | 172 | 187 | 36 | 0 | | | | | | | | | | | | | | | | 177 | 187 | 31092 | 0.19 | 170.6-170.9 Broken Qtz 178.2-178.6 OV and gouge. | |
| | | 187 | 197 | 61 | 0 | | | | | | | | | | | | | | | | | | | | | |
| 194.5 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 194.5 | | | | | | Ang (50) | Qtz (30) | LS (20) | A Pb | Gr/G | Qz | | | | Ch-2 | S-2 | Ch-1 | | | | | | | | | 194.5 - 237.8 Light Greenish Gray Thinly layered Amphibole Gneiss and limestone. |
| | | 197 | 207 | 41 | 4 | | | | | | | | | | | | | | | | | | | | | 196.6-197 Broken and gouge |
| | | 207 | 217 | 96 | 62 | | | | | | | | | | | | | | | | 203.8 | 215 | 31093 | <0.03 | 203.8-210 White Limestone bed. | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <u>ILM05-07</u> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <u>5</u> of <u>6</u> | | | | | | | | | | | | | | | | |
|------------------------------------|-----------|------------------|--------|-------------|---------|----------------------|-----|-----------------|----|----------------------------|------------|------------|----|----|----------------|-----|-------|-------|-------------|-------|--------------|-------|-----------|---------|--|-----------------------|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage From To | Elev m | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | 275 | | | SH(50) | Qtz(30) | Am(10) | | Py | Si | | Sf3 | S-1 | | | 1 | ds | | | | | | | | | cont'd from above | |
| | 280 | 277 | 287 | 95 | 19 | | | | | | | | | | | | | | | | | | | | | |
| | 285 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 290 | 287 | 297 | 87 | 8 | | | | | | | | | | | | | | | 287 | 297 | 31098 | <0.03 | | | |
| | 295 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 300 | 297 | 307 | 58 | 4 | | | | | | | | | OV | | | | | | 297 | 307 | 31099 | <0.03 | | 299.8-300.1 Qtz siliceous vein parallel to foliation | |
| | 305 | | | | | | | | | | | | | OV | | | | | | | | | | | 305-307 Fine 2cm Qtz veins cutting foliation generally 75° TCA | |
| | 310 | 307 | 317 | 84 | 18 | | | | | | | | | | | | | | | | | | | | | |
| | 315 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 320 | 317 | 327 | 86 | 10 | | | | | | | | | OV | | | | | | 317 | 327 | 31100 | <0.03 | | | |
| | 325 | | | | | | | | | | | | | ↓ | | | | | | 327 | 327 | 31101 | <0.03 | | 322.7-324 Qtz carbonate vein @ 30° TCA occasional pyrite grains. | |
| | 330 | 327 | 337 | 90 | 8 | | | | | | | | | OV | | | | | | | | | | | | |
| | 335 | | | | | | | | | | | | | ↓ | | | | | | | | | | | | 334.5 vuggy Qtz vein. |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: IC-m05-10 | | Date Logged: Aug 13 2005 | | Project: JGM - SNAPSACK | | # of Boxes: 17 | | Date Started: 10-AUG/05 | | Sheet 1 of 6 | | | | | | | | | | | | | | | | |
|------------------------------|-------|--------------------------|-----|-------------------------|--------|----------------|--------|-------------------------------|-----------|---------------------------|------------|----------------------------|------|------|----------------|----|-----|------|-------------|------|--------------|------|-----------|-------|---|----------------------------|
| Azimuth: 268° 05' 09" | | COLLAR | | | | | | Drilling CO/Driller: STANDARD | | Date Completed: 17-AUG/05 | | | | | | | | | | | | | | | | |
| Angle: -45° 21' 29" | | Northing: 15613.95 | | Easting: 13705.90 | | Elev: 4556.36 | | EOH: 347 | | Core Size: BQ | | Logged By: <i>Chad Zme</i> | | | | | | | | | | | | | | |
| Footage | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Styl | Other | Styl | Other | From | | To | Sample# | Au |
| 0 | 10 | 0 | 10 | | CASING | | | | | | | | | | | | | | | | | | | | | 0-10 casing |
| 10 | | 10 | 17 | 5.5 | 13 | SH(20) | Am(20) | Qtz(14) | 2 or less | Q45 | | S-2 | SF-1 | ch-1 | | cl | ds | Li-1 | rat | | 10 | 17 | E31127 | <0.03 | 10-27.3 Limonitic greenish grey argillitic siltite w/ minor gtsils. Green colour due to minor chlorite? Weekly tilted roughly @ 45° | |
| | | 17 | 27 | 44 | 4 | | | | | | | | | | | | | | | | | | | | | |
| | | 27.3 | | | | ✓ | ↓ | ↓ | ↓ | ↓ | | ↓ | ↓ | ↓ | | ↓ | ↓ | ↓ | ↓ | | | | | | | |
| 27.3 | | 27 | 37 | 42 | 0 | SH(65) | SH(20) | Am(15) | Gy | Q50 | | SF-3 | S-1 | | | cl | ds | | | | | | | | 27.3-58.6 Grey silty gtsils w/ minor argillitic. Strong silicification | |
| | | 37 | 47 | 65 | 14 | | | | Dob | | | | | | | | | | | | 37 | 47 | 31128 | <0.03 | 37-40.3 soft interval of dolomite porphyroblastic argillite. | |
| | | 47 | 57 | 92 | 27 | | | | | | | | | | | | | | | | | | | | | |
| | | 58.6 | | | | ↓ | ↓ | ↓ | ↓ | ↓ | | ↓ | ↓ | ↓ | | ↓ | ↓ | | | | | | | | | |
| 58.6 | | 57 | 67 | 87 | 8 | Am(70) | SH(25) | Qtz(15) | Dob | Gy | Q40 | S-2 | SF-1 | ch-1 | | cl | ds | | | | 57 | 67 | 31129 | 0.18 | 58.6-86 Grey to dark grey silty argillite w/ minor gtsils. 5% dolomite porphyroblasts. weak carbonate | |
| | | | | | | ↓ | ↓ | ↓ | ↓ | ↓ | | ↓ | ↓ | ↓ | | cl | ds | | | | | | | | | |
| | | 67 | 77 | 86 | 33 | ↓ | ↓ | ↓ | ↓ | ↓ | | ↓ | ↓ | ↓ | | cl | ds | | | | | | | | | 66.1-66.2 (2) pyrite vein. |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: ILM0510 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 3 of 6 | | | | | | | | | | | | | | | | | |
|----------------------------|-------|------------------|-----|-------------|-------|----------------------|-------|-----------------|-----|-----------------|---|------------|----|----|----|----------------|-----|-------|-------|-------------|-------|--------------|-------|-----------|---------|--|---|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | 135 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 140 | 137 | 147 | 97 | 20 | | | | | | | | | | | | | | | | 137 | 145.5 | 31138 | 0.52 | | 137.4-137.6 Vuggy Gk vein w/ 1% pyrite @ 60° TCM cutting foliation | |
| | 145 | | | | | | | | | | | | | | | | | | | | 145.5 | 146.4 | 31139 | 111 | | 145.9-146.5 vein and | |
| | 150 | 147 | 157 | 90 | 26 | | | | | | | | | | | | | | | | 146.4 | 149 | 31140 | 0.15 | | replacement pyrite + chalcopite and sphalerite | |
| 1527 | 150 | | | | | | | | | | | | | | | | | | | | 149 | 151.6 | 31141 | 0.36 | | 149-149.7 QV w/ 1% pyrite | |
| 1527 | 155 | | | | | | | | | | | | | | | | | | | | | | | | | | @ 45° TCM |
| | 160 | 157 | 167 | 60 | 9 | | | | | | | | | | | | | | | | 151.6 | 157 | 31142 | 2.35 | | 150.3-151.2 Gk vein w/ 10% pyrite @ 70° TCM | |
| | 165 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 170 | 167 | 177 | 19 | 0 | | | | | | | | | | | | | | | | | | | | | | 152.7 - Gng Argillite Gk w/ minor silite. West foliation @ 65° TCM |
| | 175 | | | | | | | | | | | | | | | | | | | | | | | | | | 157.1-157.6 Gk vein and silification One vug filled w/ greenish brown borax mineral, some type of carbonate. |
| | 180 | 177 | 187 | 85 | 12 | | | | | | | | | | | | | | | | 177 | 187 | 31144 | 0.15 | | 178.6-178.8 vuggy Gk vein w/ 1% pyrite. | |
| | 185 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 190 | 187 | 197 | 90 | 10 | | | | | | | | | | | | | | | | | | | | | | Pyrite Gk veinlets @ 181.4, 181.7 Vuggy Gk vein @ 182.6-182.8, 181.4-181.7, 184.5-184.6 @ 75° TCM |
| | 195 | | | | | | | | | | | | | | | | | | | | | | | | | | 192 - 5mm Gk calc vein @ 90° TCM |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: JLM05-10 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 5 of 6 | | | | | | | | | | | | | | | | |
|-----------------------------|-----|------------------|--------|----------|-------------|-------------|---------|----------------------|-----------------|-----------------|-------|------------|----|----|----|----------------|-------|-------|-------|-------------|------|--------------|---------|-----------|-------|---|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| From | To | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | | Au | |
| | 260 | 257 | 267 | 62 | C | Qtz (70) | Am (25) | S (45) | | Gy | Silcs | | | | | | 41 | ds | | | | 257 | 267 | 31149 | <0.03 | cont'd from above |
| | 265 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 270 | 267 | 277 | 48 | 0 | | | | | | F | | | | | | | | | | | | | | | 265-266.3 Core cut entered at vein 2" apparent porphy immediately following |
| | 275 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 280 | 277 | 287 | 58 | 0 | | | | | | | | | | | | | | | | | | | | | 2cm vuggy 2V @ 276.4 @ 40° TCP |
| | 285 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 290 | 287 | 297 | 71 | 12 | | | | | | | | | | | | | | | | | | | | | 287.4-305.9 Yellowish tan colour/alteration overprint |
| | 295 | | | | | | | | | | | | | | | | | | | | | | | | | 287.9-289.1 Qtz Purple vein 290.4-296.5 Qtz purple vein |
| | 300 | 297 | 307 | 86 | 32 | | | | | | 33 | | | | | | | | | | | | | | | 287.4-3-5% purple 297.8-298.6 Sandy quartz seam |
| | 305 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 310 | 307 | 317 | 85 | 35 | | | | | | | | | | | | | | | | | | | | | Qtz veins @ 309.5-309.6, 310.1- 310.2, 313.8-314, all vuggy w/ ~1% purple in each |
| | 315 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 320 | 317 | 327 | 92 | 59 | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | ↓ | | | | | | | | | | | | 318.8-319 Qtz vein 45° TCP massive purple @ margins. |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

Drill Hole Number: *IGM05-11* Date Logged: *Sept 3-12* Project: *Southern Soil Anomaly* # of Boxes: *22* Date Started: Sheet *1* of *11*

Azimuth: COLLAR Drilling CO/Driller: *STANDARD* Date Completed:

Angle: Northing: Easting: Elev: EOH: *705* Core Size: *NO* Logged By: *Ch. L. Paine*

| Footage | | Graph | Geotechnical (%) | | Rock Type % | | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
|---------|----|-------|------------------|--------|-------------|-------|--------|---------|--------|-----------------|----|--------|------------|------|------|----|----------------|-------|-------|-------|-------------|------|--------------|---------|-----------|--|--|-------------|
| From | To | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | | Au | | |
| 0 | 30 | | | | CASING | | | | | | | | | | | | | | | | | | | | | | | 0-30 CASING |
| 30 | | | 30 | 35 | 84 | 10 | Am(60) | Sil(35) | Ch(5) | | | | S-2 | SF-1 | Ch-1 | | 1 | cht | PO | str | 30 | 35 | 31842 | <0.03 | | 30-35 Light greenish grey silty Anillite w/ minor glau. | | |
| | | | 35 | 45 | 54 | 10 | | | | | | | | | | | | | | | 35 | 45 | 31843 | 0.04 | | 35-45 Rocks have a gritty appearance c1% PO stringers weak dilation @ ~ 60° TRA. | | |
| | | | 45 | 55 | 37 | 0 | | | | | | | | | | | | | | | 45 | 55 | 31844 | <0.03 | | 45-55 green colour as a result of wearin chlorite. | | |
| | | | 55 | 65 | 12 | 0 | | | | | | | | | | | | | | | 55 | 65 | 31845 | <0.03 | | 55-65 soft and gassy. | | |
| | | | 65 | 75 | 43 | 0 | | | | | | | | | | | | | | | | | | | | | 65-75 Gauge @ 78.5-78.7, 80.3-80.5 81.5-81.6 | |
| | | | 75 | 85 | 76 | 14 | | | | | | | | | | | | | | | | | | | | | | |
| | | | 85 | 95 | 66 | 0 | Am(75) | Sil(20) | Qtz(5) | Dol(6) | Gm | Pl(75) | S-2 | SF-1 | | | | | | | | | | | | | 85-95 Grey Anillite w/ lesser silite and glau. 10% minor scale Do porphyroblasts | |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: IGM05-11 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 4 of 11 | | | | | | | | | | | | | | | | |
|-----------------------------|--------------|------------------|-----|-------------|--------|----------------------|--------|-----------------|----------------|-----------------|------------|------------|-----|-----|----------------|----|-----|-------|-------------|-------|--------------|------|-----------|-------|---------|-------------------|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage From To | Depth GCR | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au |
| | 215 | 225 | 39 | 4 | Am(20) | Qtz(20) | SH(10) | | M ₃ | F2 | | | S-2 | G-2 | SF-2 | | 1 | ds | | | | 215 | 225 | 31163 | <0.03 | cont'd from above |
| | 225 | 235 | 9 | 0 | | | | | | | | | | | | | | | | | | 225 | 235 | 31164 | <0.03 | |
| | 235 | 245 | 8 | 0 | | | | | | | | | | | | | | | | | | 235 | 245 | 31165 | 0.04 | |
| | 245 | 255 | 13 | 0 | | | | | | | | | | | | | | | | | | 245 | 255 | 31166 | 0.03 | |
| | 255 | 265 | 46 | 4 | | | | | | | | | | | | | | | | | | 255 | 265 | 31167 | <0.03 | |
| | 265 | 275 | 40 | 4 | | | | | | | | | | | | | | | | | | 265 | 275 | 31168 | <0.03 | |
| | 275 | 285 | 4 | 0 | | | | | | | | | | | | | | | | | | 275 | 285 | 31169 | <0.03 | |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

Drill Hole Number: ICM05-11 Date Logged: _____ Project: _____ # of Boxes: _____ Date Started: _____ Sheet 6 of 11

Azimuth: _____ COLLAR _____ Drilling CO/Driller: _____ Date Completed: _____

Angle: _____ Northing: _____ Easting: _____ Elev: _____ EOH: _____ Core Size: _____ Logged By: _____

| Footage | | Geotechnical (%) | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
|---------|----|------------------|------|----|--------------------|--------------------|--------------------|-----|-----------------|---|---|------------|-----|-----|-------|----------------|-----|-------|-------|-------------|-------|--------------|-----|-----------|---------|--|---|
| From | To | Interval | RECR | QD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | | | | | A ₁ (%) | A ₂ (%) | S ₁ (%) | | Col | | | | S-2 | S-2 | S-2 | | 1 | ds | | | | | | | | | cont'd from above |
| | | 345 | 355 | 12 | 0 | | | | Col | | | | S-2 | S-2 | S-1-2 | | 1 | ds | | | | | | | | | @ 345 strong graphite and <1% disseminated pyrite |
| | | 355 | 365 | 22 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | 365 | 375 | 14 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | 375 | 385 | 6 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | 385 | 395 | 18 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | | 395 | 405 | 38 | 4 | | | | | | | F | | | | | | | | | | 395 | 405 | 31173 | 0.05 | 395-396.3 cased graphite argillite and OU material | |

Island Mountain Gold Mines

Diamond Drill Log - Cariboo Gold Project - 2005

| Drill Hole Number: ICM05-11 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 9 of 11 | | | | | | | | | | | | | | | | |
|-----------------------------|-------|------------------|--------|-------------|--------|----------------------|---------|-----------------|------|-----------------|------------|------------|-----|-----|----------------|-----|-------|-------|-------------|-------|--------------|-----|-----------|---------|---|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | 530 | | | Agp(2) | Qtz(2) | Slk(4) | | Col 2 | 6-65 | | | | | | | | | | | | | | | | cont'd from above | |
| | 535 | | | | | | | | | | | | | | | | | | | | | | | | 534-537 - white | |
| | 540 | 535 | 545 | 64 | 6 | | | | | F | | | | | | | | | | | 535 | 545 | 31182 | <0.03 | 537-538 crushed and gougey core | |
| | 545 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 550 | 545 | 555 | 32 | 0 | | | | | | | | | | | | | | | | | | | | | |
| | 555 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 560 | 555 | 565 | 37 | 0 | Qtz(70) | Am(30) | | | | | SF3 | GF1 | S-1 | | L1 | ds | | | | | | | | 555.5-567.3 fairly massive Qtz- interbed. | |
| | 565 | | | | | | | | | | | | | | | | | | | | | | | | 565-565.5 Qtz vein lower contact @ 45° TCA. | |
| | 570 | 565 | 575 | 51 | 8 | Am(20) | Qtz(25) | Slk(5) | | | | | | | | | | | | | 565 | 575 | 31183 | <0.03 | 565.7-567.3 Qtz vein generally @ 45° TCA minor carbonate in vein. | |
| | 575 | | | | | | | | | | | | | | | | | | | | | | | | 573-onward 1% pyrite clots | |
| | 580 | 575 | 585 | 82 | 9 | | | | | cont | | | | | | | | | | | | 575 | 585 | 31184 | 0.03 | 575-579.4 zone of circulation and hydraulic fracturing |
| | 585 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 590 | 585 | 595 | 71 | 15 | | | | | | | | | | | | | | | | | 585 | 595 | 31185 | <0.03 | 588-588.8 Qtz vein w/ apatite inclusions ~ parallel to slicken |
| | 595 | | | | | | | | | | | | | | | | | | | | | | | | | 589.3-589.8 Qtz vein @ 2° TCA 1 clot of pyrite. |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: IGM05-11 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 10 of 11 | | | | | | | | | | | | | | | |
|-----------------------------|-------|------------------|--------|-------------|---------|----------------------|-----|-----------------|---|-----------------|------------|------------|----|----|----------------|-----|-------|-------|-------------|-------|--------------|-------|-----------|-------------------------------|-----------------------------------|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (CIA) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | |
| | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au |
| 589.8 | 595 | | | Qz(90) | And(15) | SH(5) | Gy | | | | SF3 | S-1 | | | cl | clt | | | | 589.8 | 595 | 31186 | <0.03 | 589.8-605.6 Generally massive | |
| | | | | | | | | | | | | | | | ↓ | ↓ | | | | | | | | | gently foliate w/ minor argillite |
| | | 595 | 605 | 64 | 14 | | | | | | | | | | ↓ | clt | | | | 595 | 605 | 31187 | <0.03 | and siltite. Grey colour | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 595-605 1% pyrite clol. |
| | | | | | | | | | | | | | | | | | | | | | | | | | 595-595.1 QV @ 90° TCA |
| | | | | | | | | | | | | | | | | | | | | | | | | | 596.4-596.6 QV @ 90° TCA |
| | | 605 | 615 | 91 | 66 | | | | | | | | | | cl | clt | | | | 605 | 615 | 31188 | <0.03 | 604.8-605 Qtz siltite vein | |
| | | | | | | | | | | | | | | | | | | | | | | | | | ~ 35° TCA. graphite @ |
| | | | | | | | | | | | | | | | | | | | | | | | | | margins. |
| | | | | | | | | | | | | | | | | | | | | | | | | | 604-610.3 QV upper contact |
| | | | | | | | | | | | | | | | | | | | | | | | | | 90° TCA thin to lower |
| | | | | | | | | | | | | | | | | | | | | | | | | | contact @ 10° TCA |
| | | | | | | | | | | | | | | | | | | | | | 623 | 627.5 | 31189 | <0.03 | 618.5-618.9 QV @ 10° TCA |
| | | | | | | | | | | | | | | | | | | | | | | | | | 622.3 - 627.5 Qtz carb |
| | | | | | | | | | | | | | | | | | | | | | | | | | vein. lower contact @ 90° |
| | | | | | | | | | | | | | | | | | | | | | | | | | TCA |
| | | | | | | | | | | | | | | | | | | | | | 631.8 | 637.7 | 31191 | 0.23 | 631.8 - 637.7 Qtz vein |
| | | | | | | | | | | | | | | | | | | | | | | | | | @ 5° TCA. Hard rock |
| | | | | | | | | | | | | | | | | | | | | | | | | | inclusion replaced by pyrite |
| | | | | | | | | | | | | | | | | | | | | | | | | | @ 632.4-632.9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 637.7-639.9 Qtz carb vein |
| | | | | | | | | | | | | | | | | | | | | | | | | | 30° TCA. |
| | | 645 | 655 | 46 | 0 | | | | | | | | | | | | | | | | 645 | 655 | 31194 | <0.03 | 639.8-640.6 1" QV @ 40° |
| | | | | | | | | | | | | | | | | | | | | | | | | | TCA |
| | | | | | | | | | | | | | | | | | | | | | | | | | 644-644.4 Qtz vein |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>IGMDS-12</i> | | Date Logged: <i>Sept 19</i> | | Project: <i>IGM SOUTH SIDE ADJACENT</i> | | # of Boxes: <i>28</i> | | Date Started: <i>SEPT 14/05</i> | | Sheet <i>1</i> of <i>11</i> | | | | | | | | | | | | | | | | |
|------------------------------------|-------|-----------------------------|--------|---|-------|-----------------------|----------------|--------------------------------------|---|-----------------------------------|------------|-------------------------|----|----|----------------|------------|------------|-------------|-------|--------------|------|-----------|--------------|-------------|--|---|
| Azimuth: <i>175° 16' 32"</i> | | COLLAR | | | | | | Drilling CO/Driller: <i>STANDARD</i> | | Date Completed: <i>SEPT 20/05</i> | | | | | | | | | | | | | | | | |
| Angle: <i>-45° 28' 11"</i> | | Northing: <i>16137.51</i> | | Easting: <i>12575.76</i> | | Elev: <i>4664.74</i> | | EOH: <i>646</i> | | Core Size: <i>NQ</i> | | Logged By: <i>Clark</i> | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | | |
| | | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | | To | Sample# | Au | |
| 0 | 20 | | | <i>CASING</i> | | | | | | | | | | | | | | | | | | | | | | <i>0-20 CASING</i> |
| 20 | | 20 | 26 | 8 | 0 | <i>Qz (74)</i> | <i>Am (26)</i> | | | | | | | | <i>Sf-2</i> | <i>S-1</i> | <i>S-1</i> | | | | | | | | | <i>20-26% Gray quartzite w/ lesser weakly calcitic matrix</i> |
| | | 26 | 36 | 43 | 0 | | | | | | | | | | | | | | | | 26 | 36 | <i>31198</i> | <i>0.03</i> | <i>Amib. matrix of quartz (20-26%) w/ calcite - Amib. is weakly calcitic</i> | |
| | | 36 | 46 | 31 | 0 | | | | | | | | | | | | | | | | 36 | 46 | <i>31199</i> | <i>0.12</i> | <i>1% of disseminated Ag. 35-36 low grade QV parallel TMA</i> | |
| | | 46 | 56 | 39 | 0 | | | | | | | | | | | | | | | | 46 | 56 | <i>31200</i> | <i>0.15</i> | <i>46-473 QV @ 30° TMA on lower contact</i> | |
| | | 56 | 66 | 8 | 0 | | | | | | | | | | | | | | | | | | | | | |
| | | 66 | 76 | 65 | 0 | | | | | | | | | | | | | | | | 66 | 76 | <i>31201</i> | <i>0.41</i> | | |
| | | 76 | 86 | 70 | 0 | | | | | | | | | | | | | | | | 76 | 86 | <i>31202</i> | <i>1.45</i> | | |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>ILM05-12</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>4</i> of <i>11</i> | | | | | | | | | | | | | | | | |
|------------------------------------|------------|------------------|------------|-----------|-----------|---------------|----------------|----------------------|-----------|-----------------------------|-----------|------------|------------|-------------|----|----|--------------|----------------|-------|-------|-------|-------------|--------------|--------------|-------------|---|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: |
| From | To | Interval | REC | RQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | Au | |
| <i>206</i> | | <i>206</i> | <i>216</i> | <i>56</i> | <i>5</i> | <i>And #1</i> | <i>Qz (20)</i> | | <i>lt</i> | | | | <i>S-2</i> | <i>ch-1</i> | | | <i><1</i> | <i>ds</i> | | | | <i>208</i> | <i>211</i> | <i>31209</i> | <i>0.08</i> | |
| | | | | | | | | | | | <i>99</i> | | | | | | | | | | | <i>211</i> | <i>216</i> | <i>31210</i> | <i>0.04</i> | <i>208-209 Gray sericite coarse 208.3-208.6 coarse 211-216 1% Pyrite</i> |
| | | <i>216</i> | <i>228</i> | <i>73</i> | <i>29</i> | | | | | | | | | | | | <i>4</i> | | | | | | | | | <i>209-209 Gray sericite coarse 208.3-208.6 coarse 211-216 1% Pyrite</i> |
| | | <i>226</i> | <i>236</i> | <i>25</i> | <i>0</i> | | | | | | <i>00</i> | | | | | | | | | | | <i>225</i> | <i>236</i> | <i>31211</i> | <i>0.03</i> | <i>207.5-236 solid calc. coarse calc.</i> |
| | <i>236</i> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>236</i> | | <i>238</i> | <i>246</i> | <i>39</i> | <i>0</i> | <i>Du (W)</i> | <i>Qz (40)</i> | | <i>ps</i> | <i>S-35</i> | | | <i>S-2</i> | <i>SE-1</i> | | | <i>TR</i> | <i>ds</i> | | | | | | | | <i>236-306 Dark Gray chloritic Amphibole. Thinly interlayered with talc @ 85-100 Trace disseminated Pyrite.</i> |
| | | <i>246</i> | <i>256</i> | <i>44</i> | <i>0</i> | | | | | | | | | | | | | | | | | | | | | <i>Boudin texture after 256.</i> |
| | | <i>258</i> | <i>266</i> | <i>61</i> | <i>4</i> | | | | | | | | | | | | | | | | | | | | | |
| | | <i>266</i> | <i>276</i> | <i>74</i> | <i>0</i> | | | | | | | | | | | | | | | | | <i>266</i> | <i>276.5</i> | <i>31212</i> | <i>0.03</i> | |

**Island Mountain Gold Mines
Diamond Drill Log - Carlboo Gold Project - 2005**

| Drill Hole Number: IGMCS-12 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 8 of 11 | | | | | | | | | | | | | | | |
|-----------------------------|-------|------------------|--------|----------|-------|-------------|---------|----------------------|-------------------------------|-----------------|-----------------|------------|------|------------|----|-----|-------|----------------|-------|-------|-------------|-------|--------------|-------|--|
| Azimuth: | | COLLAR | | | | | | Drilling CO/Driller: | | | Date Completed: | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: |
| From | To | Interval | RECRQD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | Au | |
| | 455 | 456 | 466 | 67 | 5 | Qtz(K) | SH(20) | Am(15) | | | | | | | | | | | | | | | | | |
| | 460 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 465 | 466 | 476 | 71 | 4 | | | | | | | | | | | | | | | | 466 | 476 | 31224 | <0.03 | 466-470 abundant gangue core. |
| | 470 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 473.5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 475 | 476 | 486 | 59 | 0 | Am(60) | Qtz(20) | SH(10) | P ₂ O ₅ | Gy | Al-PT | S-2 | SE-1 | | | TR | ds | | | | 476 | 485.1 | 31225 | 0.03 | 475.5-550 Grs. intercalated breccia (w/ do plists) and quartz grains. w/ brown sulfide |
| | 480 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 485 | 486 | 496 | 73 | 0 | | | | | | | | | uv | | 2 | uv | | | | 485.1 | 486.4 | 31226 | 0.30 | 485.1-486.4 Oh pyrite vein @ 50° TCA |
| | 490 | | | | | | | | | | | | | | | TR | ds | | | | 486.4 | 496 | 31227 | <0.03 | |
| | 495 | 496 | 506 | 80 | 4 | | | | | | | | | | | | | | | | | | | | |
| | 500 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 505 | 506 | 516 | 69 | 0 | | | | | | | | | | | | | | | | 506 | 516 | 31228 | <0.03 | |
| | 510 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 515 | 516 | 526 | 52 | 0 | | | | | | | | | | | | | | | | 516 | 526 | 31229 | <0.03 | @ SH Crusted Gls pyrite vein. slight gangue |

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: ICM05-12 | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet 9 of | | | | | | | | | | | | | | | | | |
|-----------------------------|-----|------------------|-----|-------------|---------------------|----------------------|----------------------|---------------|----------------|-------------------|----|------------|----|----------------|------|----|-------------|------|--------------|------|-----------|-------|------|----|---------|----|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | | | Date Completed: | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | |
| Footage | | Geotechnical (%) | | Rock Type % | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | | | | |
| From | To | Interval | REC | ROD | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Styl | Other | Styl | | Other | From | To | Sample# | Au | |
| | 530 | | | | A ₁ (10) | Q ₁ (2) | S ₁₁ (10) | | G ₁ | G ₁ HT | | | | S-2 | SF-1 | | | TR | ds | | | | | | | | |
| | 535 | 526 | 536 | 10 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | 540 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 545 | 536 | 546 | 26 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | 550 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 550 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 555 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 555 | 556 | 566 | 22 | 0 | | | | | | | | | | | | | | | | | | | | | | |
| | 560 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 570 | 566 | 576 | 66 | 0 | | | | | | F2 | | | | | | | | | | | | | | | | |
| | 575 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 580 | 576 | 586 | 64 | 4 | | | | | | | | | | | | | | | | | | | | | | |

550-618.5 Gray silite
interlayered w/ lesser
Qtz and graphitic inclusions

566-569 Mud gouge, Rock zone

**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

Drill Hole Number: ICM05-14 Date Logged: _____ Project: _____ # of Boxes: _____ Date Started: _____ Sheet 6 of 6

Azimuth: _____ COLLAR Drilling CO/Driller: _____ Date Completed: _____

Angle: _____ Northing: _____ Easting: _____ Elev: _____ EOH: _____ Core Size: _____ Logged By: _____

| Footage From | Footage To | Graph | Geotechnical (%) | | Rock Type % | | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | | Assays (PPM) | | COMMENTS: |
|-----------------|---------------|-------|------------------|--------|-------------|---------|-------|-----|------|-----------------|---|---|------------|-----|----|----|----------------|-------|-------|-------|-------------|-------|-------|--------------|--|-----------|
| | | | Interval | RECRQC | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | Sample# | Au | |
| | | | | | Qz (S) | Slt (S) | DoPs | Cy | SoFD | | | | S-2 | S-1 | | | TR | di | | | | | | | | |
| | | 327 | | | | | | | | | | | | | | | | | | | | | | | 325.6-337.6 Qz vein | |
| | | 330 | 327 | 337 | | | | | | | | | | | | | | | | | 727 | 335.6 | 31276 | <0.03 | lower corrd @ 60YR 334-335.6 gougey core. | |
| | | 335 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 340 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 345 | 337 | 347 | | | | | | | | | | | | | | | | | | | | | 339-339.2 corrd etc. | |
| | | 350 | | | | | | | | | | | | | | | | | | | | | | | Small gougey sections between 346-357 | |
| | | 355 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 360 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 365 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 370 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 375 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 380 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 385 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 390 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 395 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 400 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 405 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 410 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 415 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 420 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 425 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 430 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 435 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 440 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 445 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 450 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 455 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 460 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 465 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 470 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 475 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 480 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 485 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 490 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 495 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 500 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 505 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 510 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 515 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 520 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 525 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 530 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 535 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 540 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 545 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 550 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 555 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 560 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 565 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 570 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 575 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 580 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 585 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 590 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 595 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 600 | | | | | | | | | | | | | | | | | | | | | | | | |

357
Box


**Island Mountain Gold Mines
Diamond Drill Log - Cariboo Gold Project - 2005**

| Drill Hole Number: <i>ICMIX-15</i> | | Date Logged: | | Project: | | # of Boxes: | | Date Started: | | Sheet <i>3</i> of <i>3</i> | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------|------------------|------|----------|----|----------------------|--------|-----------------|-----|----------------------------|------|------------|------------|------|-----|----|----------------|-----|-------|-------|-------------|-------|--------------|-------|-----------|---------|--|--|
| Azimuth: | | COLLAR | | | | Drilling CO/Driller: | | Date Completed: | | | | | | | | | | | | | | | | | | | | |
| Angle: | | Northing: | | Easting: | | Elev: | | EOH: | | Core Size: | | Logged By: | | | | | | | | | | | | | | | | |
| Footage From To | Graph | Geotechnical (%) | | | | Rock Type % | | | | Structure (C/A) | | | Alteration | | | | Mineralization | | | | Sample Int. | | Assays (PPM) | | COMMENTS: | | | |
| | | Interval | RECR | QD | | Type1 | Type2 | Type3 | Mod | Col | 1 | 2 | 3 | A1 | A2 | A3 | A4 | Py% | Style | Other | Style | Other | From | To | | Sample# | Au | |
| | 145 | | | | | Qh(75) | Sf(15) | Am(10) | | by | 2-10 | | | Sf-3 | S-1 | | | 1 | ds | | | | | | | | cont'd from above | |
| | 150 | 146 | 156 | 85 | 55 | | | | | | | | | | | | | | | | | 146 | 156 | 31290 | 0.03 | | | |
| | 155 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 160 | 156 | 166 | 79 | 32 | | | | | | | | | | | | | | | | | 156 | 166 | 31291 | <0.03 | | @ 160 Elevation surface is coated in pyrite | |
| | 165 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 170 | 166 | 176 | 88 | 72 | | | | | | | | | | | | | | | | | 166 | 176 | 31292 | <0.03 | | | |
| | 175 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 175 | 176 | 186 | 81 | 46 | SfH(20) | Qh(10) | Am(20) | | by | 2-10 | | | Sf-3 | S-1 | | | 21 | ds | | | 176 | 186 | 31293 | <0.03 | | 175-186 Grey chloritic siltite w/ minor argillite weakly foliated @ 60° TPA. 21% disseminated pyrite | |
| | 180 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 185 | 186 | 196 | 73 | 47 | | | | | | | | | | | | | | | | | 186 | 196 | 31294 | <0.03 | | | |
| | 190 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 195 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 196 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

EOH - 196

GEOLOGICAL SURVEY BRANCH
 MINING DEPARTMENT REPORT

28,148



| | |
|---|------------------|
| | >50% Quartzite |
| | >50% Siltstone |
| | >50% Argillite |
| | >50% Limestone |
| | Quartz Vein |
| | Fault Zone/Gouge |


Island Mountain Gold Mines Ltd.

Figure 7 - Drillhole IGM05-01 - Snapjack Zone

0 10 20 30 40 50ft

SCALE 1"=20'

MINING SURVEY BRANCH
 REPORT
 28,148




| | |
|---|------------------|
| | >50% Quartzite |
| | >50% Siltstone |
| | >50% Argillite |
| | >50% Limestone |
| | Quartz Vein |
| | Fault Zone/Gouge |

Island Mountain Gold Mines Ltd.

Figure 8 - Drillhole IGM05-02 - Snapjack Zone

0 10 20 30 40 50ft

SCALE 1"=20'




SURVEY BRANCH
 REPORT
 28-148

- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 9 - Drillhole IGM05-03 - Southern Soil Anomaly

SCALE 1"=20'




28,148



Island Mountain Gold Mines Ltd.

Figure 10 - Drillhole IGM05-04 - Snapjack Zone

SCALE 1"=20'



201408



Island Mountain Gold Mines Ltd.

Figure 11 - Drillhole IGM05-05 - Snapjack Zone

SCALE 1"=20'



MINERAL SURVEY BRANCH
 REPORT
 28,148


- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 12 - Drillhole IGM05-06 - Southern Soil Anomaly

SCALE 1"=30'

LOGICAL SURVEY BRANCH
 28,148
 REPORT




- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 13 - Drillhole IGM05-07 - Snapjack Zone

SCALE 1"=20'

MINERALOGICAL SURVEY BRANCH
 ASSESSMENT REPORT
 28,148




- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 14 - Drillhole IGM05-08 - Snapjack Zone

SCALE 1"=20'

MINERALOGICAL SURVEY BRANCH
 DEPARTMENT REPORT
 28,148




- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 15 - Drillhole IGM05-09 - Snapjack Zone


SCALE 1"=20'


GEOLOGICAL SURVEY BRANCH
 PRESENT REPORT
 28,148



Island Mountain Gold Mines Ltd.

Figure 16 - Drillhole IGM05-10 - Snapjack Zone






GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT
 28,148

- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 17 - Drillhole IGM05-11 - Southern Soil Anomaly

SCALE 1"=30'



GEOTECHNICAL SURVEY BRANCH
 LABORATORY REPORT
 28,148




Island Mountain Gold Mines Ltd.

Figure 18 - Drillhole IGM05-12 - Southern Soil Anomaly

SCALE 1"=30'

GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT
 28,148




- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.

Figure 19 - Drillhole IGM05-13
 Main Road Channel Sample

0 10 20 30 40 50ft
 SCALE 1"=20'


GEOLOGICAL SURVEY BRANCH
 ASSESSMENT REPORT
 28,148



- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge

Island Mountain Gold Mines Ltd.
 Figure 20 - Drillhole IGM05-14
 Main Road Channel Sample
 0 10 20 30 40 50ft
 SCALE 1"=20'

MINING SURVEY BRANCH
 REPORT
 28,148



- >50% Quartzite
- >50% Siltstone
- >50% Argillite
- >50% Limestone
- Quartz Vein
- Fault Zone/Gouge


Island Mountain Gold Mines Ltd.

Figure 21 - Drillhole IGM05-15 - Snapjack Zone

SCALE 1"=20'

Distance between IGM05-05 and IGM05-06 ~ 100' (NTS)

Distance between IGM05-06 and IGM05-02 ~ 50' (NTS)



GEOLOGICAL SURVEY BRANCH
ASSESSMENT REPORT


28,148

| Legend For IGM04-06 | Legend For IGM05-02 & 05 |
|---|--|
| >80% Quartzite (quartzite) | >50% Quartzite |
| 20%-80% Quartzite (quartzite interbedded w argillite) | >50% Siltstone |
| >80% Argillite interbedded w <20% quartzite | >50% Argillite |
| Limestone or Dolomite | >50% Limestone |
| Quartz Vein | Quartz Vein |
| Fault Zone/Gouge | Fault Zone/Gouge |

Island Mountain Gold Mines Ltd.

Figure 22 - Drillholes IGM04-06, IGM05-02, 05-05
Snapjack Zone

SCALE 1"=30'



17000N

16000N

15000N

14000E

13000E

11000E


10000E

Legend

- E31960 Soil Sample Location
- IGM05-06 Drillhole
- 2003 Soil Anomaly
- Adit
- 2005 Channel Sample Location
- 2003 Gold in Soil
- 50 ppb Au
- 100 ppb Au
- 300 ppb Au
- 1000 ppb Au

Island Mountain Gold Mines Ltd.

Figure 5 - 2005 Geology, Sample Locations, and DDH Locations



2015

SOIL ANOMALY
BONANZA LEDGE-TYPE
REPLACEMENT
FARMS
up to 5.3 g/t Au

SNAPLACK ZONE
SOIL ANOMALY - up to 25.7 g/t Au
DIAMOND DRILL TARGET
PLACER TEST AREA

2005 CHANNEL SAMPLE LOCATION

Kutney Pit

WRIGHT ADIT
E31966

ATCHISON ADIT
E31965

WALKER TUNNEL

E31964

E31962

UPPER JOHN'S ADIT

LOWER JOHN'S ADIT

IGM05-03

IGM05-06

IGM05-13

IGM05-09

IGM05-08

IGM04-01

IGM05-10

IGM05-15

IGM05-11

E31969

E31968

E31963

115

14552 R2

74 Cu

14552 R2

16200N

16000N

15800N

12500E

12700E



SADOU ADIT



E31977 0.25 g/t 0'-5'
 E31978 0.98 g/t 5'-10'
 E31979 1.07 g/t 10'-15'
 E31980 0.25 g/t 15'-20'
 E31981 0.22 g/t 20'-25'
 E31982 0.10 g/t 25'-30'
 E31983 0.40 g/t 30'-35'
 E31984 1.09 g/t 35'-40'
 E31985 1.05 g/t 40'-45'
 E31986 0.44 g/t 45'-50'
 E31987 1.38 g/t 50'-55'
 E31988 0.51 g/t 55'-65'
 E31989 0.18 g/t 65'-75'
 E31990 0.32 g/t 75'-85'
 E31991 0.09 g/t 85'-95'

E31992 4.75 g/t 0'-5'
 E31993 0.08 g/t 5'-15'
 E31994 0.06 g/t 15'-25'
 E31995 0.18 g/t 25'-35'
 E31996 0.04 g/t 35'-45'
 E31999 0.20 g/t 65'-75'
 E32000 0.05 g/t 75'-85'

E31751 1.65 g/t 85'-95'
 E31752 0.08 g/t 95'-105'
 E31754 0.31 g/t 115'-125'
 E31755 0.25 g/t 125'-135'
 E31756 0.09 g/t 135'-145'
 E31758 0.05 g/t 155'-165'
 E31759 0.06 g/t 165'-175'

E31760 0.23 g/t 175'-185'
 E31761 0.09 g/t 185'-195'
 E31762 0.44 g/t 195'-205'
 E31763 0.32 g/t 205'-215'
 E31764 0.08 g/t 215'-225'
 E31765 0.07 g/t 225'-235'

E31770 0.09 g/t 275'-285'
 E31771 0.28 g/t 285'-295'
 E31772 0.06 g/t 295'-305'
 E31774 0.78 g/t 315'-325'
 E31775 2.98 g/t 325'-335'

E31776 3.40 g/t 335'-345'
 E31777 0.09 g/t 345'-355'
 E31778 20.4 g/t 355'-365'
 E31780 0.06 g/t 375'-385'
 E31781 1.93 g/t 385'-395'
 E31782 0.59 g/t 395'-405'
 E31783 1.33 g/t 405'-415'
 E31784 0.28 g/t 415'-425'
 E31785 0.43 g/t 425'-435'

5.53 g/t over 50 ft

28,148
 GEOLOGICAL SURVEY BRANCH
 METEOROLOGICAL REPORT

| Values Showing Above 0.03 g/t Au | |
|------------------------------------|--------------------------------|
| Footage Interval of Channel Sample | Sample Number and Value in g/t |
| 415'-425' | E31784 0.28 g/t |

Island Mountain Gold Mines Ltd.

Figure 6 - Channel Sample Map