NTS 94K/ 5, 6, 11, 12 Lat: 58° 23' N Long: 125° 24' W



ASSESSMENT REPORT

on the

LUCKY LADY, TALUS, CARMEN, GOAT, ED, ANNABELLE, He, and HD CLAIMS

Liard Mining Division British Columbia, Canada

for

ARIES RESOURCE CORP (OPERATOR)

1255 West Pender Street Vancouver, BC V6E 2V1

Tel: 604-681-0004 Fax: 604-681-0014

and

ACTION MINERALS INC

1255 West Pender Street Vancouver, BC V6E 2V1

Tel: 604-681-0004 Fax: 604-681-0014

by

Edward Harrington, B.Sc., P.Geo.

RELIANCE GEOLOGICAL SERVICES INC

3476 Dartmoor Place Vancouver, BC, V5S 4G2 Tel: 604-984-3663 Fax: 604-437-9531

5 April 2006



TABLE OF CONTENTS

1.0	INTR	ODUCT	TON	. 1
2.0	DESC	CRIPTIC	ONS, LOCATIONS and OWNERSHIP of CLAIMS	1
3.0	ACCE	ESSIBIL	ITY, CLIMATE, and PHYSIOGRAPHY	8
4.0	REGI	ONAL a	and PROPERTY GEOLOGY	9
	4.1	Region	nal Geology	9
	4.2	Proper	ty Geology	12
5.0	HIST	ORY		13
	5.1		listory	
	5.2	Previou	us Work	
		5.2.1	Lucky Lady TN: 504049	13
		5.2.2	Talus TN: 504054	14
		5.2.3	Goat TN: 509544	
		5.2.4	Ed and Annabelle TN: 509549 and 509553	16
		5.2.5	HD TN: 509567	
6.0	ECO	NOMIC	and GENERAL ASSESSMENT	18
7.0	OBJE	ECTIVE	S and SCOPE of WORK	19
	7.1	Rock (Chip Geochemical Sampling	19
		7.1.1	Lucky Lady TN: 504044	19
		7.1.2	Taius TN: 504054	
		7.1.3	Carmen TN: 504085	21
		7.1.4	Goat TN: 509544	21
		7.1.5	Ed TN: 509549	
		7.1.6	Annabelle TN: 509553	25
		7.1.7	He TN: 509563	28
		7.1.8	HD TN: 509567	
	7.2	Rock S	Sampling Re-assaying (2005)	31
8.0	SAM	PLE PF	REPARATION and ANALYSIS	.32
9.0	INTE	RPRET	ATIONS and CONCLUSIONS	34
	9.1	Interpr	retations	34
	9.2	Conclu	usions	. 37
10.0	STA	TEMEN	T of COSTS	. 38
11.0	REF	ERENC	ES	. 39
CERT	TFICA	TE of C	QUALIFICATIONS	. 40

LIST OF FIGURES

Figure 1 Figure 2 Figure 3 Figure 4 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9	Regional Location 2 Claim Locations 3 Regional and Property Geology 10 Lucky Lady Claim 20 Talus Claim 22 Carmen Claim 23 Goat Claim 24 Ed Claim 26 Annabelle Claim 27
Figure 10 Figure 11	He Claim 29 HD Claim 30
	<u>LIST OF TABLES</u>
Table 1	Common Stock Transfers to Doctors
Table 2	Payments to Aries6
Table 3	Geology Legend11
Table 4	Rock Sampling Talus (Meindel) Claim (1971)14
Table 5	Lucky Lady Rock Sampling (2005)
Table 6	Talus Sampling (2005)21
Table 7	Carmen Rock Sampling (2005)21
Table 8	Goat Rock Sampling (2005)25
Table 9	Ed Rock Sampling (2005)25
Table 10	Annabelle Sampling Re-assaying (2005)25
Table 11	He Rock Sampling (2005)28
Table 12	HD Rock Sampling (2005)
Table 13	Rock Sampling Re-assaying (2005)31
	LIST OF APPENDICES
APPENDIX	
APPENDIX APPENDIX	1 5 1
AFFENDIA	CO Assay Results (2000)

1.0 INTRODUCTION

This Assessment Report outlines work carried out in 2005 on the Lucky Lady, Talus, Carmen, Goat, Ed, Annabelle, He, and HD mineral claims (the "Claims") (Tenure Numbers 504049, 504054, 504085, 509544, 509549, 509553, 509563, and 509567 respectively), which are part of the group of thirty-three mineral claims comprising the Trident Copper Project.


At the request of Aries Resource Corp and Action Minerals Inc (the "Companies" or "Aries", or "Action"), the Technical Report on the Trident Copper Project properties (the "Property"), Fort Nelson Area, Liard Mining Division, British Columbia, Canada (Harrington, 2005), was prepared to summarize previous work, appraise the exploration potential of the Property, and make recommendations for future work. The Trident Copper Project comprises a group of thirty-three unsurveyed mineral claims totaling 10,255.731 hectares (ha).


2.0 DESCRIPTIONS, LOCATIONS, and OWNERSHIP of CLAIMS

The Claims are located in the Liard Mining Division as shown on Map Sheets NTS 94K/5, 6, 11 and 12. The Claims area is centered at latitude 58°23' North, longitude 125°24' West, and UTM 6476000 m North, and UTM 360000 m East. (Figures 1 and 2). Detailed claim information is provided in Appendix A.

The Claims are situated within the Muskwa Mountain Ranges 150 kilometers west-southwest of Fort Nelson, B.C. Fort Nelson is located at Mile 300 of the Alaska Highway.

There are three option and acquisition agreements affecting the subject group of claims.





Gilbert Santos, 2795 East 18th Avenue, Vancouver, B.C. (Santos), registered with the British Columbia Ministry of Energy and Mines, Mineral Titles branch, Free Miner #146887, holds title to the subject mineral claims with Tenure Numbers 504049, 504054, 504085, 509544, 509549, 509553, 509563, and 509567 (Santos Claims).

Gilbert Santos and Doctors Investment Group Ltd: NBC Copper Properties Acquisition Agreement

The acquisition agreement (Agreement) between Doctors and Santos includes the Santos Claims and is effectively dated January 5, 2005. The Agreement allows Doctors to acquire an undivided 100% interest, net of a 1% Net Smelter Return Royalty (NSR), in the Santos Claims for the following considerations:

- Upon confirmation of the value of any of the Santos Claims through the
 acceptance by any recognized stock exchange of any option agreement by a
 listed company to earn an interest in any of the claims, Doctors will pay to
 Santos \$1,000 for each claim so approved;
- If work is commenced on any of the Santos Claims, Santos is to be retained as operator, and if circumstances preclude Santos from being the operator, Doctors will retain Santos on a consulting basis; and
- If any claim is dropped by Doctors or any optionee, Santos will be notified within thirty (30) days, and Santos will be allowed first right of ownership of said claim or partial claim at no cost to Santos.

Doctors Investment Group Ltd and Aries Resource Corp: Liard Property Option Agreement

This option agreement (Agreement) effectively dated May 16, 2005, grants Aries an option to acquire up to an undivided 100% interest in twenty mineral claims which include the subject claims Lucky Lady (504049), Talus (504054), Carmen (504085), Goat (509544), Ed (509549), Annabelle (509553), He (509563), and HD (509567).

The Agreement gives Aries a yearly option to control 100% of the claims, net of a 2% Net Smelter Return Royalty (NSR). The following table details Aries' payments under the Agreement.

Table 1: Common Stock Transfers to Doctors

Timing	Payment	Work Requirement
To be issued within 10 business days of TSX Venture Exchange Agreement approval	2,000,000 shares (100,000/claim)	none
To be issued on the 1 st anniversary of the Agreement	2,000,000 shares	\$750,000 of NI 43-101 recommended work
To be issued on the 2 nd anniversary of the Agreement	2,500,000 shares	\$750,000 of NI 43-101 recommended work
To be issued on the 3 rd anniversary of the Agreement	5,000,000 shares	\$1,000,000 of NI 43-101 recommended work
To be issued on the 4 th anniversary of the Agreement	5,000,000 shares	\$1,000,000 of NI 43-101 recommended work
Total	16,500,000 shares	CAN\$3,500,000

Share issuance requirements are subject of additional regulatory and shareholder approvals, as might be required from time to time, in the event that the share issuances will result in the creation of new insiders or control positions.

Doctors' 2% NSR may be purchased by Aries at any time for CAN\$2,000,000, less any prepaid NSR amounts. At any time, Aries may accelerate the Option Payments, shortening the time period for exercising the Agreement. If Aries fails to make any of the payments, Aries will not be entitled to a partial interest in the claims. If a bankable feasibility study is prepared in favor of the claims, either before or after exercising the Agreement, Aries will issue an additional 5,000,000 common shares to Doctors within five (5) working days of receipt of share issuance regulatory approval.

Concurrently with each of the aforementioned Common Share issuances, Doctors will execute a Voting Trust document which will allow Aries' current management or their assigns to vote such Common Shares as they deem fit. The Voting Trust does not restrict Doctors from selling Common Shares to unrelated third parties from time to time as it sees fit.

Aries Resource Corp and Action Minerals Inc:

Neil Property Option Agreement

The non-arm's length option agreement (Agreement) between Aries and Action Minerals Inc, 1255 West Pender Street, Vancouver, B.C. (Action), effectively dated July 11, 2005 and amended August 10, 2005, involves three mineral claims including the Talus (504054) claim. The two other claims are not the subjects of this assessment report. The Agreement grants Action an exclusive and irrevocable option to acquire an undivided 50% interest in the three claims. The following table details Action's payments.

Table 2: Payments to Aries.

Timing	Payment	Action Work Requirements
To be issued within 10 business days of TSX Venture Exchange Agreement approval	500,000 common shares CAN\$50,000 cash payment	none
On or before 180 days of TSX Venture Exchange Agreement approval	CAN\$75,000 cash payment	none
To be issued before the 1 st anniversary of the Agreement	500,000 common shares	\$400,000 of NI 43-101 recommended work
To be issued on the 2 nd anniversary of the Agreement	500,000 common shares	\$1,100,000 of NI 43-101 recommended work
To be issued on the 3 rd anniversary of the Agreement	1,000,000 common shares	\$1,500,000 of NI 43-101 recommended work
Total	2,500,000 common shares CAN\$125,000	CAN\$3,000,000

Exploration and development work by Action may be carried out on the claims as well as on acquired properties having borders within thirty (30) kilometers of the nearest portion of the subject claims.

Share issuance requirements are subject of additional regulatory and shareholder approvals, as might be required from time to time, in the event that the share issuances will result in the creation of new insiders or control positions.

At any time, Action may accelerate the Option Payments, thereby shortening the time period for exercising the Agreement.

3.0 ACCESSIBILITY, CLIMATE, and PHYSIOGRAPHY

Access to the Claims area is by helicopter from Fort Nelson. Helicopter access can also be based from Toad River (Mile 422 Alaska Highway) or Muncho Lake (Mile 462 Alaska Highway) where hotel accommodations are available.

Ground access to the Claims area from the northeast is possible by two-track dirt road. The road extends thirty kilometers from a point approximately thirteen kilometers west of Summit Lake (Mile 401 Alaska Highway) to the Churchill mill site situated at the confluence of Delano Creek and the Racing River. The road is in good condition and well used. Access using the Summit Lake road entails fording MacDonald Creek, Wokkpash Creek, and Delano Creek/Racing River. Water levels are prime considerations and fording would probably not be possible until spring runoff has subsided. Once on the west side of Delano Creek, road access is available to the area of Magnum Creek and the Churchill mine site. The road is subject to periodic washouts.

The Claims are on moderate to very steep mountainous glaciated terrain with elevations ranging from 1,100 and 2,680 meters.

Except for creek and river valleys showing coniferous tree growth, most of the claims are above the tree-line where vegetation is restricted to shrubs and grasses, or is nonexistent. Moraine deposits of glacial outwash are common in low areas, and rock talus broken from surrounding cliffs generally covers sloping ground.

Climate is variable, with higher elevations receiving precipitation almost daily during the summer. Winters are cold, with snow that stays from September through May. The work season is mid- or late-June to mid-September.

4.0 REGIONAL and CLAIM GEOLOGY (Figure 3)

4.1 Regional Geology

The subject claims lie within the eastern edge of the Rocky Mountains in an area of rugged topography. Excellent exposures exist above timberline, revealing flat to locally contorted sedimentary rock formations dislocated by extensive regional faulting.

Proterozoic argillites, quartzites, and limestones contain all the known copper deposits, possess generally low dips, are intruded by post-ore diabase dikes of Proterozoic age, and are overlain by unmineralized Palaeozoic formations of Cambrian and later ages. Most of the known mineralized veins of the region have strikingly similar mineral composition and structural characteristics (Chapman et al, 1971). Middle Proterozoic sediments of the Muskwa Assemblage (Wheeler et al, 1991) include the Tetsa, George, Henry Creek, Tuchodi, Aida, and Gataga formations described by Taylor et al, 1973.

Quartz-carbonate veins, many of which contain chalcopyrite, occur mainly within the western portion of the Precambrian-age rock assembly, with a more or less similar distribution to the subsequent diabase dikes. Dikes cut the veins, and are themselves only weakly mineralized on fractures containing carbonates (principally calcite) and quartz.

The Muskwa Assemblage is cut by gabbroic dikes and is overlain unconformably by Cambrian (Atan Group) and Ordovician (Kechika Group) rocks. These Ordovician and older rocks, termed pseudo-basement by Taylor, were intensely and repeatedly deformed during pre-Laramide periods of tectonism, and also later during the Laramide Orogony, which occurred between 89 and 43 Ma. Laramide compression deformation created large asymmetrical northwest-trending folds, thrust faults, and anticlinal structures which form the Muskwa Anticlinorium.




Table 4: Geology Legend

Table	e 4: Geology	Legena
	Paleozoic	
!	Carbonifer	ous and Devonian
ļ	Db	- Besa River Formation: dark pyritic siliceous shale
	Devonian	Duradia Formation, dark grow limestons
	Dd	- Dunedin Formation: dark grey limestone
		Local Disconformity
	Ds	- Stone Formation: light grey dolomite; dolomite breccia
4.		Disconformity National Formation and the project of the second s
j.	Dw	- Wokkpash Formation: sandstone, minor dolomite, shale
20	Dm	- Muncho-McConnell Formation: dolomite
5	ļ <u>.</u>	Disconformity
Phanerozoic	Silurian	
ar	Sn	- Nonda Formation: dark grey dolomite, basal sandstones; minor limestone
74		Angular unconformity
-		n - Ketchica Group
	Ok	- argillaceous limestone
		Okg - graptolitic shale
		Okt - turbidites
		Okl - limestone, minor sandstone
!		Angular unconformity
	Cambrian -	- Atan Group
	Ca	- limestone, dolomite; minor sandstone and shale
	Cs	- conglomerate, sandstone, shale; minor limestone
L		Disconformity
	Hadrynian	
	Pv	 quartz-chlorite phyllite, meta-sandstone, quartz-pebble conglomerate
		Angular unconformity
	Helikian	
0		- gabbroic dykes
zoic	Pg	- Gataga Formation: mudstone, siltstone; minor
Ž		sandstone
Protero	Pa	 Aida Formation: mudstone, siltstone; minor chamositic and carbonaceous mudstone, dolomite, and limestone
ō		
7	Pt	- Tuchodi Formation: quartzite, dolomite, siltstone; minor red shale
_	Ph	- Henry Creek Formation: calcareous mudstone, siltstone; minor sandstone
	Pd	- George Formation: limestone, dolomite
	Ps	- Tetsa Formation: dark grey mudstone, sandstone; minor quartzite
		Disconformity
	Pc	- Chisma Formation: dolomite, quartzite; minor siltstone
<u> </u>		

Uplift in the Rocky Mountains resulted principally from generally northeast-southwest shortening and thrust faulting that penetrated basement rocks, bringing the basement and overriding younger strata to relatively high levels in the crust. The Laramide thrusts likely followed older zones of weakness.

A fracture zone of normal faults, later than Laramide deformation, extends southward from Muncho Lake into the Toad River valley. The normal faults have a vertical displacement of up to 2,000 feet (600 meters).

4.2 Property Geology

The subject claims show Proterozoic Helikian-age rocks including Gataga, Aida, and Tuchodi Formation meta-sediments.

The Aida Formation is composed of calcareous and dolomitic mudstone, siltstone, and minor sandstone, and ranges in thickness from 3,400 to 6,600 feet (1,030 to 2,000 meters). Upper and lower contacts are conformable.

The overlying Gataga Formation consists of mudstone, siltstone, and sandstone, and the underlying Tuchodi Formation consists of quartzite, dolomite, siltstone, and red shale.

5.0 HISTORY

5.1 Area History

During the 1940s, copper was discovered in the area while the Alaska Highway was being built. Exploration activity took place during the 1950s and early 1960s, but was most active during the late 1960s and early 1970s. The two main deposits identified were the Davis-Keays (the Eagle Vein located on the Key property), discovered in August, 1967, by prospectors Harris Davis and Robert Keays of Fort Nelson, BC, and the Churchill Copper deposit (the Magnum Vein located approximately 1.5 kilometers south of the Aries' Carmen claim).

5.2 Previous Work

5.2.1 Lucky Lady Claim TN: 504049

Churchill's work on the Lucky Lady claim was roughly concurrent with work on the Magnum vein located at the Churchill Mine approximately 3 kilometers to the north. In 1969 and 1970, underground development on the Lady vein consisted of approximately 300 meters of drifting and crosscuts, and a 78-meter raise (Figure 4). Copper mineralization was identified in a number of north-northeast-to north-northwest-striking quartz-carbonate veins ranging in width from a few centimeters to approximately 0.9 meters. Chalcopyrite mineralization was found to be discontinuous within the vein system, which was followed underground for approximately 200 meters before being truncated by branching dikes.

In 1971, Churchill carried out a work program consisting of geological mapping and rock sampling immediately south of the Magnum mine (Carr, 1971). Copper mineralization was identified in the northwest corner of the current Lucky Lady claim 2,400 meters south of the Magnum mine, roughly on the projected strike of the Magnum vein, and on the west side of Magnum Creek.

Carr's main showing occurs at the intersection of a north-striking quartz vein and a northeast-striking vein and dike structure, and consists of silicified quartz-veined breccia, 7.5 meters in diameter, mineralized with chalcopyrite and pyrite. Chip sample 5809, taken discontinuously over a length of 15 feet, returned 6.18% copper. Chip sample 5810, taken across 30 inches of vein (0.81 meters), returned 1.52% copper. Veining, ranging in width from 1-3 feet (0.31-0.91 meters), was followed for approximately 300 feet (91 meters).

5,2,2 Talus Claim TN: 504054

In 1971, Canadian Superior Exploration Ltd (Banninger et al, 1971) carried out a work program consisting of geological mapping and fifteen rock chip samples on the Meindl claims, the current Talus claim (Figure 5).

Copper mineralization occurs in quartz and quartz-carbonate veins closely associated with north- to north-northeast-trending, vertical to steeply dipping, basaltic dikes cutting Proterozoic Aida Formation sediments. Veining is discontinuous, occurring as lens-shaped pods ranging in width from 6 inches to 3 feet (0.15-0.91 meters), and lengths up to 80 feet (24 meters).

Table 4: Rock Sampling Talus (Meindl) Claim (1971)

Sample	W	'idth	Copper	Sample	W	Copper	
	feet	meters	%	<u> </u>	feet	meters	%
ME-1	4.4	1.34	4.10	ME-9	2.8	0.85	2.70
ME-2	3.8	1.16	2.40	ME-10	0.6	0.18	1.98
ME-3	0.5	0.15	13.80	ME-11	2.0	0.61	15.60
ME-4	1.4	0.43	7.40	ME-12	3.7	1.13	14.80
ME-5	1.0	0.31	4.80	ME-13	1.0	0.31	2.40
ME-6	3.3	1.00	8.20	ME-14	1.0	0.31	5.35
ME-7	2.0	0.61	1.07	ME-15	2.2	0.67	1.55
ME-8	1.8	0.54	5.45			Ţ	

Mineralization consists of chalcopyrite with minor amounts of pyrite, bornite, malachite, and erythrite (hydrated cobalt arsenide).

Copper mineralization occurs in areas of intense alteration associated with iron oxidation. Copper values from chip sampling ranged from 1.07% over 0.61 meters to 15.6% over 0.61 meters. Conclusions drawn from work program results include:

- Structurally controlled dikes are closely associated with faults and shears;
- Dikes were emplaced under "quiet" conditions, suggested by the general lack of contact alteration and low degree of wall rock deformation;
- Quartz veining is closely associated with dikes;
- Lens-shaped quartz veins suggest post-emplacement movement along dikes, faults, and shears; and
- Copper mineralization, believed to be erratic and non-economic, shows a preference for quartz veining containing assimilated inclusions of sedimentary, generally dolomitic, wall rock.

5.2.3 Goat Claim TN: 509544

In 1966, Geo Cal Limited carried out a helicopter-supported work program (Selmser, 1966) consisting of geological mapping, reconnaissance rock sampling, prospecting, and a geophysical EM survey (Selmser's report is not clear as to whether the EM survey was part of the 1996 program or had been completed previously).

A north-northwest-trending anticlinal axis was mapped cutting the northeastern corner of the Goat claim block (circa. 1966), approximately one kilometer northeast of Aries' current Goat claim. A northeast-trending dike and roughly coincident EM conductor bisect the Goat claims (Figure 7).

During the writer's property examination in 2005, a blast hole trench, approximately three meters long by one meter wide, was seen immediately northeast of the Goat claim's centrally located unnamed lake.

5.2.4 Ed Claim TN: 509549 and Annabelle Claim TN: 509553

As no assessment reports are listed for previous work on the Ed or Annabelle claims, historical information is limited to Minfile Master Report 094K 010 (Ed) and 094K 011 (Annabelle) of the Geological Survey Branch, Ministry of Energy & Mines.

The Ed and Annabelle claims are situated in a region known as the Muskwa Anticlinorium, a regional structure characterized by large folded thrust sheets which expose Middle Proterozoic (Helikian) rocks, as well as younger Paleozoic rocks. The Ed and Annabelle showings are in the Aida Formation, a 1200 to 1800-metre thick succession of dolomitic mudstone and siltstone, dolostone, and minor mudstone, sandstone and limestone (Figure 8 and 9).

Although no details are available, minor copper showings at Ed and Annabelle are typical of area quartz-carbonate vein-hosted copper showings. Quartz-carbonate veins fill fractures, generally spaced a few meters or tens of meters apart. Individual veins are about 50 centimeters wide, but most cannot be traced over long distances. In many cases, the quartz-carbonate veins lie along the contacts of basic dikes or near them, where the zone of fracturing may be about 6 meters wide. Such fracture zones associated with dikes can locally be traced intermittently for about 350 meters.

Copper mineralization in quartz-carbonate veins is sporadic and comprises chalcopyrite and malachite where weathered and oxidized. Minor secondary chalcocite and limonite are present. Given its association with fracture-filling veins, mineralization is structurally controlled. Veins consistently strike north-northeast and north-northwest, and dip sub vertically. If related to major area thrust faulting shown by Taylor et al (1973) to cross the Annabelle claim, mineralization would be late Mesozoic to Tertiary in age.

Alternatively, veining and mineralization could be contemporaneous with Precambrian basic dike intrusions.

5.2.5 HD Claim TN: 509567

In 1970, Blue Gulch Exploration carried out a work program immediately west of Aries' current HD claim (Storey et al, 1970).

The geologic plan provided with Storey's assessment report contained geological information on the area immediately to the east of the worked area, which is now covered by Aries' HD claim. No description is given for the eastern work and no indication is given as to which report would provide the information. Storey's geologic plan shows a swarm of roughly parallel north- to north-northwest-trending diabase dikes cutting Proterozoic shales and slates, and overlying Paleozoic conglomerate, quartzite, limestone, and argillic sediments (Figure 11).

The dike swarm covers an area approximately 6,000 feet by 16,000 feet (1.8 by 4.9 kilometers). Valley floors are buried with moraine deposits and snow; geological information is confined to ridge lines between valleys.

Quartz veins up to 6 inches wide (0.15 meters) occur in close proximity to a number of dikes, and are mineralized with chalcopyrite, bornite, pyrite, and malachite. A zone of quartz and limestone 5 feet wide by 20 feet long contained chalcopyrite and malachite. No assay results are given. Copper-bearing float occurs throughout the area.

6.0 ECONOMIC and GENERAL ASSESSMENT

The Trident Project area, including the subject claims, is interpreted to share some of the characteristics common to the Olympic Dam-type iron oxide-copper-gold-uranium-rare earth elements deposits (IOCG) characterized by iron-rich, low-titanium rocks formed in extensional tectonic environments. For details refer to the attached Technical Report.

IOCG deposits are formed in shallow crustal environments as expressions of deeper-seated, volatile-rich igneous-hydrothermal systems, tapped by deep crustal structures. Deposits occur as magnetite+/-hematite breccias, veins, and tabular bodies hosted by continental volcanics, sediments, and intrusive rocks (Lefebure, 1995). The geochemical signature for an IOCG-type deposit includes anomalously high values for copper, uranium, gold, silver, cerium, lanthanum, cobalt, +/- phosphorus, +/- fluorine, and +/- barium in associated rocks. The considerable potential size of Olympic Dam-type deposits, up to 2 billion tonnes, and the polymetallic ore assemblages make Olympic Dam-type deposits highly attractive targets for exploration.

Copper mineralization generally occurs as chalcopyrite in quartz-carbonate veins closely associated with mafic dikes. Chalcopyrite occurs as dissemination, fracture fillings, and masses within quartz-carbonate veins, and rarely extends into the surrounding sediments. Pyrite is secondary to chalcopyrite; bornite, chalcocite, and covellite are sometimes minor vein constituents. Often copper sulfide oxidation creates crusts of green malachite and/or blue azurite.

Minor occurrences of erythrite (hydrated cobalt arsenide) have been reported in historical assessment reports at the Talus claim. Gangue is principally quartz with lesser but variable amounts of carbonate in the form of calcite or siderite (iron carbonate).

7.0 OBJECTIVES and SCOPE of WORK

The objectives of reported assessment work on the subject claims were to confirm historically reported mineralization through rock sampling and to evaluate rock sample assay results for indications of IOCG-type mineralization.

7.1 Rock Chip Geochemical Sampling

During the 2005 property examinations of the subject claims, the writer took nineteen reconnaissance scale geochemical rock samples. Sample locations are shown in Figures 4 to 11. Appendix B contains individual sample information and Appendix C provides analyses results for all rock samples. Tables in the following sections provide selected rock sample and analyses information. Elements shown are commonly associated with an IOCG-type polymetallic deposit.


7.1.1 Lucky Lady (TN: 504049)

Two select rock samples of mineralized waste rock were taken from each of the two adit areas on the Lucky Lady claim (Figure 4). Rock samples contained massive chalcopyrite in quartz-carbonate veining hosted in black shale.

Table 5: Lucky Lady Rock Sampling (2005)

Sample	Туре	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu %	La ppm	P ppm
190086	select	-	0.029	0.13	30	0.64	1.5	6.71%	<.05	50
190087	select		0.038	2.43	10	3.98	21.4	18.8%	1.7	30

Both samples are strongly anomalous in copper and slightly elevated in gold. Sample 190087 is anomalous in silver and has an elevated tin value of 103.5 ppm.



7.1.2 Talus (TN: 504054)

Five select rock samples were taken from the Talus claim (Figure 5). Samples 190090 to 190092 were taken from quartz-carbonate veining in shale associated with dikes.

Table 6: Talus Rock Sampling (2005)

Sample	Туре	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu ppm	La ppm	P ppm
190090	select	-	<.001	0.02	40	14.1	15.5	64.7	7.0	330
190091	select	-	<.001	0.02	120	65.1	8.5	27.3	34.9	250
190092	select	-	0.007	0.03	40	13.1	20.8	89.9	6.7	220
190097	select		0.003	0.17	190	27.6	31	227	12.1	680
190098	select	-	<.001	0.14	70	43.2	22	435	18.7	760

Sample 190091 returned the highest values for the rare earth elements cerium and lanthanum of any sample taken during the 2005 examination of the Trident Copper Project area. Samples 190097 and 190098 returned slightly elevated silver and phosphorus values.

7.1.3 Carmen (TN: 504085)

One select rock sample was taken from irregular quartz-carbonate veining in black shale at the shale-mafic dike contact (Figure 6).


Table 7: Carmen Rock Sampling (2005)


Sample	Type	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu ppm	La ppm	P ppm
190099	select	-	0.001	0.04	90	42.8	7.1	32	20.6	250


Cerium is slightly elevated. Other values returned are not significant.

7.1.4 Goat (TN: 509544)

One select and one chip sample were taken from the Goat claim (Figure 7).







The chip sample was taken across a breccia exposed by historical trenching.

Table 8: Goat Rock Sampling (2005)

Sample	Type	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu ppm	La ppm	P ppm
335786	select	_	<.001	0.07	190	44.8	50.6	360	19.6	1 K
335787	chip	0.5	<.001	0.04	20	17.1	2.6	33.2	8.9	150

Sample 335786, taken from pyritic mafic dike rock, returned elevated phosphorus, weakly elevated cerium, anomalous titanium (1.155%), vanadium (388 ppm), and gallium (21.11 ppm).

7.1.5 Ed (TN: 509549)

One rock chip sample of massive quartz-carbonate veining in black shale was taken (Figure 8).

Table 9: Ed Rock Sampling (2005)

Tuble C.			9 1	Ψ,						
Sample	Туре	Width	Au	Ag	Ba	Се	Co	Cu	La	Р
		m	g/t	g/t	ppm	ppm	ppm	ppm	ppm	ppm
335788	chip	0.5	<.001	0.08	50	22.4	2.7	52.1	10.7	90


None of the returned values are significant.


7.1.6 Annabelle (TN: 509553)

Two rock chip samples of quartz-carbonate veining in black shale were taken from the Annabelle claim (Figure 9). Sample 335789 returned weakly elevated barium and cerium values. All remaining values are not significant.

Table 10: Annabelle Rock Sampling (2005)

Sample	Туре	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu ppm	La ppm	P ppm
335789	chip	0.75	<.001	0.05	270	36.2	1.8	24.4	17.2	90
335790	chip	0.5	<.001	0.05	40	18.1	1.4	21.3	9.5	90





7.1.7 He (TN: 509563)

Two select rock samples of quartz and quartz-carbonate veining in black shale were taken on the He claim (Figure 10). Mineralization consisted of malachite staining and disseminated chalcopyrite.

Table 11: He Rock Sampling (2005)

Sample	Type	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu ppm	La ppm	P ppm
190100	select	-	<.001	0.27	10	7.79	5.4	1055	3.4	60
335781	select	-	<.001	0.05	100	17.55	4.1	31.1	7.4	60

Sample 190100 is weakly anomalous in copper and has an elevated silver value.


7.1.8 HD (TN: 509567)


Four select rock samples were taken on the HD claim (Figure 11). Samples 335782 and 335785 were taken from altered and unaltered dike rock respectively; sample 335782 is strongly limonitic and hematitic; sample 335785 shows 5-10% disseminated pyrite. Samples 335783 and 335784 were taken from float consisting of black shale and quartz-carbonate veining containing chalcopyrite and malachite.

Table 12: HD Rock Sampling (2005)

IUDIO	Table 12: 115 flock camping (2000)									
Sample	Туре	Width m	Au g/t	Ag g/t	Ba ppm	Ce ppm	Co ppm	Cu %	La ppm	P ppm
335782	select	_	0.087	2.17	70	5.89	35.9	.027%	2.6	110
335783	select	-	<.001	1.01	20	9.96	4.7	1.83%	3.6	<10
335784	select	-	0.006	12.95	10	4.25	18.5	22.8%	1.6	<10
335785	select	-	<.001	0.09	340	28.8	46.3	.037%	11.8	940

Sample 335782 is anomalous in gold and silver; selenium (28 ppm) and lead (1830 ppm) are anomalous, and antimony (73.8 ppm) is elevated. Sample 335783 is anomalous in copper and weakly anomalous in silver. Sample 335784 is strongly anomalous in silver and copper; selenium (54 ppm) is anomalous.





Sample 335785, a sample of pyritic mafic dike rock, returned the highest barium value of any sample taken during the 2005 examination of the Trident Copper Project area. Phosphorus content was elevated as were titanium (1.285%), vanadium (323 ppm), and gallium (20.6 ppm).

12.2 Rock Sample Re-assaying (2005)

The following four "ore grade" rock samples were re-assayed using aqua regia digestion with atomic absorption finish. Gold was not re-assayed. Values were similar to values produced by the original sampling method.

Table 13: Rock Sample Re-assaving (2005)

Sample	Property	Silve	er g/t	Copper %		
•		Original	Re-assay	Original	Re-assay	
190086	Lucky Lady	0.13	1.2	6.71	6.93	
190087	Lucky Lady	2.43	2.3	18.8	18.8	
335783	HD	1.01	1.1	1.83	1.91	
335784	HD	12.95	11.3	22.8	23.3	

8.0 SAMPLE PREPARATION and ANALYSIS

Rock samples taken from the subject claims were shipped to ALS Chemex of North Vancouver, BC, for processing and analysis. Average sample weight was 1.47 kg. Each entire sample was passed through a primary crusher to yield a product where greater than 70% is less than 2 mm. A split is then taken using a stainless steel riffle splitter. The crushed sample split of 200 - 300 grams is ground using a ring mill pulverizer with a chrome steel ring set, with the specification for this procedure calling for greater than 85% of the ground material to pass through a 75 micron (Tyler 200 mesh) screen.

Gold was analyzed using the AU-ICP21 fire-assay technique on a 30 gm pulverized rock sample, with atomic absorption finish. A prepared sample is fused with a mixture of lead oxide, sodium carbonate, borax, silica and other reagents as required, inquarted with 6 mg of gold-free silver and then cupelled (precious metals separated from base metals using a porous cup) to yield a precious metal bead. The bead is digested in 0.5 ml dilute nitric acid in the microwave oven. 0.5 ml concentrated hydrochloric acid is then added and the bead is further digested in the microwave at a lower power setting. The digested solution is cooled, diluted to a total volume of 4 ml with de-mineralized water, and analyzed by inductively coupled plasma atomic emission spectrometry against matrix-matched standards.

For the remaining 47 elements, the ME-MS61 analytical procedure employing four acid (HClO₄-HNO₃-HF-HCl) "near total" digestions was used, followed by mass spectrographic finish. A prepared sample (0.250 g) is digested with perchloric, nitric, and hydrofluoric acids to near dryness. The sample is then further digested in a small amount of hydrochloric acid. The solution is made up to a final volume of 12.5 ml with 11 % hydrochloric acid, homogenized, and analyzed by inductively coupled plasma-atomic emission spectrometry.

Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum, silver and tungsten, and diluted accordingly. Samples meeting this criterion are then analyzed by inductively coupled plasmamass spectrometry. Results are corrected for spectral interelement interferences.

Samples returning copper values >10,000 ppm were re-analyzed by ore grade CU-AA62 process (a subset of the ME-AA62 process), where a prepared sample is subjected to four acid (HNO₃-HClO₄-HF-HCl) "near total" digestion, followed by atomic absorption. A prepared sample (0.4) g is digested with nitric, perchloric, and hydrofluoric acids, and then evaporated to dryness.

Hydrochloric acid is added for further digestion, and the sample is again taken to dryness. The residue is dissolved in nitric and hydrochloric acids and transferred to a volumetric flask (100 or 250) ml. The resulting solution is diluted to volume with de-mineralized water, mixed and then analyzed by atomic absorption spectrometry against matrix-matched standards.

ALS Chemex assay sheets were signed by Keith Rogers, a BC Certified Assayer.

9.0 INTERPRETATIONS and CONCLUSIONS

9.1 Interpretations

IOCG-type mineralization is closely related to deep-seated igneous activity and deposits can be found in a wide variety of rock types. Host rocks must be structurally and chemically prepared to create a well-developed fracture system suitable for permitting access of hydrothermal fluids sufficiently long to form an economic deposit. Favorable host rocks will be competent (brittle), which are more likely to form through-going upward-branching open fractures under faulting stresses. Less competent rocks under similar stresses tend to form stockworks. The introduction of silica, as host rock replacement and as quartz gangue in vein and breccia fillings, is an important ground preparation event enhancing the host rock's ability to fracture and maintain open fissures. Disseminated-style mineralization is more likely in rocks that are naturally porous or have been made porous by chemical means such as alteration and removal of primary minerals.

Some general observations can be made concerning IOCG-type mineralization:

- Polymetallic IOCG-type mineralization tends to occur in Proterozoic rocks (between 1.1 and 1.8 billion years old);
- Deposits are generally located in cratonic or continental margin environments associated with extensional tectonics and major structural zones;
- Mineralization is generally dominated by the iron oxides magnetite and/or hematite. Calcium carbonate is common. The IOCG geochemical signature can include copper, gold, silver, uranium, cerium, lanthanum, cobalt, phosphorus, fluorine, and barium; and
- Alteration type generally varies upward from sodic at depth, to potassic,
 then to sericitic alteration and silicification at very shallow levels.

The following statements are consistent with the above observations:

- Historical geological observations on the Magnum vein suggest dike formation has been episodic and the magmatic source was active for, or reactivated over, a period of time;
- Deep-seated hydrothermal systems responsible for quartz-vein deposits such as the Midas mine in Nevada (a low-sulfidation epithermal gold-silver deposit reportedly containing over 2 million ounces of gold) tend to contain selenium. Values greater than 10 ppm selenium are significant. Samples 335782 and 335784 on the HD claim returned significant selenium values of 28 ppm and 54 ppm respectively. Gold and silver values associated with the significant selenium values suggest that selenium, gold, and silver are linked hydrothermal components and, as results over a substantial distance are linked, the hydrothermal system is extensive.
- Assay values for the rare earth elements cerium and lanthanum were only slightly elevated, and uranium values were not significant;
- Rocks of the area have been subjected to extensional tectonics forming the northwest-trending Muskwa Anticlinorium;
- Middle Proterozoic age rocks comprising the area of the subject claims (between 1.1 – 1.6 Ga old) are shallow- to deep-deposited marine sediments formed along the cratonic margin;
- Interpreted geological cross-sections of the project area shows a regionalscale steeply dipping reactivated fault and numerous, generally parallel, thrust faults;
- Cobalt mineralization, a pathfinder element in IOCG-type deposits, has been historically reported on the Talus claim; and

■ Laramide Orogony thrusting in the Rocky Mountains, although very much younger than the rock assemblage which hosts mineralization within the subject area, is interpreted to follow older zones of structural weakness, suggesting that the area has been tectonically active, either continuously or sporadically, over a long period of time, and that a possible plumbing system for the transport of mineralized hydrothermal fluids may exist.

What work has been done indicates copper mineralization occurs in quartz-carbonate veins closely associated with mafic dikes both spatially and in time. IOCG-type signature elements, such as copper, gold, silver, phosphorus, and cobalt, are present in the hydrothermal system or systems affecting the area of the subject claims.

9.2 Conclusions

The objectives of work in this assessment report were to confirm historically indicated mineralization and to assess the potential high-grade vein-type copper mineralization and/or polymetallic mineralization associated with an IOCG-type deposit.

The subject claims are considered to have good potential to host an economic vein-type copper deposit and possibly an economic IOCG-type deposit because:

- Long-term possibly episodic tectonic activity is exhibited;
- Rock sampling indicates that copper, gold, silver, and rare earth elements were present in the area's hydrothermal mineralizing system;
- The past producing Churchill Copper mine demonstrates that the mineralizing system in the area carries economic grades and quantities of copper;
- Northwest trending faults that could be the plumbing source(s) of mineralizing fluids are interpreted to cut the area of the claims;
- High-grade copper is one of the signature elements in a IOCG-type deposit; and
- Regional geology consists of a suite of Proterozoic age rocks similar in age to the host rocks of the Olympic Dam type deposit.

10.0 STATEMENT of COSTS

			All C\$
1	Mobe/Demobe Ft. Nelson:		4.440
	includes: project prep, travel expenses for EH and JK		4,410
2	Field Costs:		
2	Crew: EH @ \$480/day x 7 days	3,360	
	Food and	0,000	
	Accommodation:		
	\$150/day x 21 days (EH, JK, and pilot)	3,150	
	Supplies and misc. rentals: \$79 x 7 days	552	
	Helicopter support: (Vancouver Island Helicopters)	20,088	27,150
_	Assays and		
3	Analyses:		
	rock samples, including ore-grade:		4.400
	\$37.50/sample x 39 samples		1,463
4	Report:		6,055
4	перии.		0,000
5	Administration:		
·	includes overheads and profit		3,908
	,		
6	GST: @ 7%		3,009
	Total invoiced by Reliance Geological Services Ltd.		45,995
7	Daily charge for John Kowaichuk (not invoiced through Reliance)		
	\$480 x 7 days		3,360

Total Program Cost:

\$49,355

Exploration Costs per Sample:

\$49,355 / 39 samples = \$1,265.51

Exploration Costs Apportioned per Claim:

Claim	Cost/Sample	Samples	Exploration Cost
Lucky Lady	1,265.51	2	\$2,531.02
Talus	1,265.51	5	\$6,327.55
Carmen	1,265.51	1	\$1,265.51
Goat	1,265.51	2	\$2,531.02
Ed	1,265.51	1	\$1,265.51
Annabelle	1,265.51	2	\$2,531.02
He	1,265.51	2	\$2,531.02
Hd	1,265.51	4	\$5,062.04
		38	AND THE TON TH

11.0 REFERENCES

Banninger, C., and Dujardin, R.A., (1971):

Geological Report on the Meindl Claims Nos. 9, 10, 11, and 12 (Record Numbers 39381 to 39384 Incl.), Canadian Superior Exploration Ltd for Windermere Exploration Ltd, Department of Mines and Petroleum Resources, Assessment Report 3216.

Carr, J.M. (1971):

Geological Report on Claim Group "B", Magnum Property, Delano Creek, Liard Mining District, for Churchill Copper Corporation Ltd, July 19-August 1, Department of Mines and Petroleum Resources, Assessment Report 3535.

- Chapman, Wood, and Griswold, (1971):
 - Evaluation Report on the Property of Davis-Keays Mining Co. Ltd., Liard M.D., BC.
- Harrington, E., (2005);

Technical Report on the Trident Copper Project, Liard Mining Division, British Columbia, Canada, for Aries Resource Corp and Action Minerals Inc, available at http://www.sedar.com.

- Selmser, C.B., (1966):
 - Geological Assessment Report on the Kid, Nanny, Gordon, Sam, Gert, Billy, Goat, Walter, Miller, Ram, Go, Nick, and Abe Groups, Tuchodi Lakes District, B.C., for Geo Cal Limited.
- Storey, L.L., and Stokes, R.B., (1971):

A Geological Report on the HD Group of Mineral Claims, Liard Mining Division, *for* Blue Gulch Exploration Ltd, Department of Mines and Petroleum Resources, Assessment Report 2924.

- Taylor, G.C., and Stott, D.F., (1973):
 - Tuchodi Lakes Map-Area, British Columbia, Geological Survey of Canada, Memoir 373.
- Wheeler, J.O., and McFeely, P., (1991):

Tectonic Assemblage Map of the Canadian Cordillera and adjacent parts of the USA: Geological Survey of Canada, Map 1712A, scale 1:2,000,000.


Edward Harrington, B.Sc., P.Geo.

3476 Dartmoor Place, Vancouver, BC, V5S 4G2 Tel: (604) 437-9538 Email: eh@eharringtongeo.com

CERTIFICATE OF AUTHOR

- I, Edward D. Harrington, do hereby certify that:
- I graduated with a B.Sc. degree in Geology from Acadia University,
 Wolfville, Nova Scotia in 1971.
- 2. I am a Member in good standing with the Association of Professional Engineers and Geoscientists of British Columbia, License #23328.
- 3. I have pursued my career as a geologist for over twenty years in Canada, the western United States, the Sultanate of Oman, Mexico, and Australia.
- I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association as defined in NI 43-101, and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.
- 5. I am responsible for the preparation of the assessment report titled "Assessment Report on the Lady Luck, Talus, Carmen, Goat, Ed, Annabelle, He, and HD Claims, Trident Copper Project, Liard Mining Division, British Columbia, Canada" and dated 5 April 2006 (the "Assessment Report")





Tenure	Claim	NW Claim	Corner UTM	sow	Good to	Area	Registered	Prospect	Date
Number	Name	Easting	Northing	Event No.	Date	Hectares.	Owner	Minfile ID	Visited
504049	Lucky Lady	358,523	6,485,050	4065008	17-Jan-07	406.228	G.Santos	094K 018	14-Jul-05
504054	Talus	344,935	6,482,775	4065232	17-Jan-07	423.475	G.Santos	094K 037	15-Jul-05
504085	Carmen	359,502	6,491,979	4065240	17-Sep-06	405.558	G.Santos		16-Jul-05
509544	Goat	371,501	6,491,567	4065241	23-Mar-07	422.436	G.Santos	094K 008	17-Jul-05
509549	Ed	374,339	6,466,405	4065243	23-Mar-06	425.068	G.Santos	094K 010	17-Jul-05
509553	Annabelle	380,478	6,463,430	4065245	23-Mar-07	408.329	G.Santos	094K 011	17-Jul-05
509563	He	358,504	6,464,149	4065248	23-Mar-07	425.386	G.Santos		16-Jul-05
509567	HD	359,882	6,461,780	4065249	23-Mar-07	425.613	G.Santos	094K 049	16-Jul - 05

APPENDIX B

Rock Sampling (2005)

Sample			Type	Width	Description		
•	Easting	Northing] "		·		
190086	359594	6483685	Select	-	Waste rock from Lady Luck Adit #1 and along road		
190087	359592	6483761	Select	-	Waste rock from Lady Luck Adit #2		
190090	345553	6480736	Select	-	Well fractured diabase dike with irregular qtz-carb veining.		
190091	345553	6480736	Select	-	Outcrop. Irregular qtz-carb veining in finely bedded black to gray argillite in contact with diabase dike. Strong local iron staining on surface.		
190092	345532	6480689	Select	~	Outcrop. Irregular qtz-carb veining in light-greenish gray diabase. Local strong iron staining on surface.		
190097	345908	6481030	Select	-	Float. Qtz-carb veining in black shale.		
190098	345132	6479989	Select	-	Quartz float with mafic dike.		
190099	360835	6489577	Select	-	Outcrop. Irregular qtz-carb veining in diabase and black shale. Dike striking @040°		
190100	360053	6461942	Select	-	Qtz-carb veining with malachite staining in black shale and grey diabase, qtz vuggy, boxworks, hematitic.		
335781	359510	6461725	Select	-	Qtz in qtzite and black shale, boxworks, disseminated sulfides <1%, pyrite and possibly chalcopyrite and galena.		
335782	361510	6461750	Select	-	Float, highly altered dike rock, orange limonite 20% and hematite 20-30%.		
335783	361207	6461484	Select	~	Float, massive qtz and qtz-carb veining in black shale. Pyrite, possible bornite, malachite staining, sulfides 1-2%. Massive qtz vein cut by qtz-carb stringers. Local massive pyrite.		
335784	361254	6461186	Select	-	High-grade float from old sample site. Qtz-carb vein with massive chalcopyrite and malachite staining, vuggy qtz.		
335785	361187	6461299	Select	-	Float. Fine- to medium-grained diabase dike with 5-10% disseminated pyrite, possible pyhrrotite. Diabase is not magnetic.		
335786	372161	6491207	Select	-	Diabase dike with trace disseminated pyrite, rusty surface, moderately to strongly magnetic.		
335787	372519	6491210	Chip	0.5	True width. Breccia and qtz veining in pink qtzite striking 345°/vert. Breccia matrix is limonitic, qtz stringers <1cm, breccia <50cm		
335788	375347	6464150	Chip	0.5	Massive qtz-carb vein in black shale, at nose of fold, limonite staining, striking 040° plunging 035°/SW, local bedding strikes 050°/65°SW.		
335789	380587	6462158	Chip	0.75	.75 Irregular qtz-carb veining in black shale.		
335790	380553	6462155	Chip	0.5	True width. Qtz-carb veining on nose of fold in black shale.		

APPENDIX C

Assay Results (2005)



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8

Page: 1 Finalized Date: 6-AUG-2005 This copy reported on 9-AUG-2005 Account: ILR

CERTIFICATE VA05060978

Project: Trident

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 21-JUL-2005.

The following have access to data associated with this certificate: ED HARRINGTON

	SAMPLE PREPARATION	
ALS CODE	DESCRIPTION	
WEI-21	Received Sample Weight	
LOG-22	Sample login - Rcd w/o BarCode	
CRU-31	Fine crushing - 70% <2mm	
SPL-21	Split sample - riffle splitter	
PUL-31	Pulverize split to 85% <75 um	

	ANALYTICAL PROCEDUR	RES
ALS CODE	DESCRIPTION	
ME-MS61	47 element four acid ICP-MS	
Cu-AA62	Ore grade Cu - four acid / AAS	AAS
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: RELIANCE GEOLOGICAL SERVICES INC. ATTN: ED HARRINGTON 3476 DARTMOOR PLACE **VANCOUVER BC V5S 4G2**

Signature:



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Lto

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8 Page: 2 - A Total # Pages: 2 (A - D) Finalized Date: 6-AUG-2005 Account: ILR

Project: Trident

CERTIFICATE OF ANALYSIS VA05060978

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 As ppm 5	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
•		2.06	0.005	0.11	1.78		14	50	0.71	0.60	10.50	0.03	15.00	5.8	84	1.83
190076		2.16	0.030	0.24	3.20	3.4		160	1.35	2.52	1.25	0.04	44.20	5.5	122	3.51
190077		2.64	0.066	2.96	1.03	376.0		90	0.37	2.26	3.17	0.10	8.08	146.5	156	0.44
190078		3.88	0.003	0.40	0.62	46.0		20	0.14	0.14	9.72	0.06	34.00	6.9	80	0.21
190079		3.36	0.023	0.13	1,32	15.8		40	0.55	0.70	1.96	<0.02	23.40	14.4	184	1.83
190080					0.85	5.3	,	30	0.32	0.91	3.11	<0.02	17.90	7.3	126	1.08
190081		2.96	0.003	0.09	0.83	2.7		10	0.13	0.52	1,33	< 0.02	9.74	2.7	217	0.32
190082		2.26	0.001	0.16	3.01	0.7		230	0.50	0.04	3.82	0.02	35.80	6.3	77	0.92
190083		1.92	<0.001	0.03 <0.01	5.45	3.8		310	1.16	0.17	0.08	< 0.02	51.80	7.0	136	1.90
190084		1.94	<0.001	0.10	0.80	4.0		160	0.21	0.06	9.61	0.02	25.80	2.8	61	0.45
190085		3.48	<0.001						<0.05	0.10	0.84	<0.02	0.64	1.5	223	<0.05
190086		1.78	0.029	0.13	0.45	2.3		30	0.12	2.41	0.49	0.16	3.98	21.4	84	0.31
190087		1.32	0.038	2.43	0.30	34.8		10	0.12	0.30	12.65	0.02	55.60	12.0	133	0.78
190088		1.54	<0.001	0.06	1.80		< 5	60	0.44	0.30	16.50	0.22	40.90	2.7	80	0.52
190089		1.80	< 0.001	0.05	1.34		<5	240	0.32	0.12	14.85	0.06	14.10	15.5	114	0.19
190090		1.12	<0.001	0.02	2.70		<5	40						8.5	86	1,74
190091		1.30	< 0.001	0.02	3.47		<5	120	0.78	80.0	14.40	0.02	65.10	8.5 20.8	102	0.27
190092		1.98	0.007	0.03	2.93		<5	40	0.25	0.03	15.15	0.06	13.10		192	0.61
190093		1.84	0.260	7.56	0.89	5410.0		30	0.27	22.10	4.66	0.78	25.90	2220.0 271.0	136	1.07
190093		1.84	0.021	9.07	1.08	237.0		40	0.35	11.20	4.74	0.52	10.45		272	0.42
190095		1.70	0.421	32.50	0.77	1085.0		20	0.15	32.10	1.36	0.43	9.65	514.0		
		1.64	0.146	12.50	0.62	318.0		20	0.16	19.90	1.55	0.25	10.65	138.0	169	0.40
190096		1.46	0.003	0.17	4.32	7.1		190	0.85	0.28	9.87	0.12	27.60	31.0	180	1.55
190097		1.50	<0.001	0.14	3.94	6.1		70	0.50	0.20	2.30	0.07	43.20	22.0	209	0.79
190098		1.44	0.001	0.04	2.57		<5	90	0.39	0.03	16.45	<0.02	42.80	7.1	99	0.62
190099 190100		1.70	<0.001	0.27	0.79	1.0		10	0.09	0.03	7.46	<0.02	7,79	5.4	173	0.32
					1.20	2.4		100	0.29	0.05	4.78	<0.02	17.55	4.1	190	0.95
335781		2.20	<0.001	0.05	0.24	298.0		70	0.10	0.32	0.38	< 0.02	5.89	35.9	55	0.16
335782		0.82	0.087	2.17	0.24	230.0	<5	20	0.11	0.02	18.55	0.26	9.96	4.7	66	0.23
335783		1.24	<0.001	1.01	0.27	40.0	~~	10	0.12	3.03	1.76	0.49	4.25	18.5	128	<0.05
335784		1.50	0.006	12.95 0.09	7,15	1.6		340	0.74	0.03	5.12	0.20	28.80	46.3	100	1.56
335785		1.28	<0.001						1.00	0.01	4.67	0.14	44.80	50.6	82	1,40
335786		1.26	<0.001	0.07	6.75	2.7		190	0.29	0.23	0.30	<0.02	17.10	2.6	149	0.42
335787		1.44	<0.001	0.04	1.39	1.8	-	20		0.23	16.15	0.02	22.40	2.7	55	0.66
335788		1.32	< 0.001	0.08	0.98		<5	50	0.28 0.29	0.07	14.95	0.02	36.20	1.8	96	0.36
335789		1.38	< 0.001	0.05	0.94		5	270		0.03	19.80	<0.02	18.10	1.4	22	0.36
335790		1.80	<0.001	0.05	0.56		<5	40	0.51							0.52
335791		1.78	<0.001	1.08	0.86	1.6		30	0.30	0.11	8.12	0.12	16.10	1.7	159 239	0.52
335792		2.56	0.012	0.35	0.49	53.3		20	0.23	0.80	9.61	0.05	16.80	24.9	239 156	0.33
335793		2.00	0.005	0.42	0.93	6.8		30	0.38	0.53	8.53	0.07	30.50	4.5	190	0.79
JUU 30		1,46	0.013	0.61	0.84	6.8		30	0.26	0.82	4.96	0.06	24.10	4.1	190	0.08

Comments: Interference: Ca>10% on ICP-MS As.ICP-AES results shown. REE's may not be totally soluble in MS61 method.



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue North Vancouver BC V7J 2C1

Phone: 504 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8 Page: 2 - B Total # Pages: 2 (A - D) Finalized Date: 6-AUG-2005

Account: ILR

Project: Trident

									(CERTIFI	CATE C	F ANA	LYSIS	VA050	60978	
Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS61	ME-M\$61								
	Analyte	Ca	Fe	Ga	Ge	Hf	In	K	La	L:	Mg	Mn	Ma	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	opm	%	ppm	ppm	%	ppm	ppm	%	ppin	ppm
	LOR	0.2	0.01	0.05	6.05	0,1	C.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
190076		1660.0	2.99	4.86	0.14	0.9	0.261	0.88	7.0	15.4	5.56	680	0.70	0.04	2.2	1.7
190077		>10000	2.58	9.97	0.16	2.1	0.120	1.58	20.6	30.4	0.60	246	1.96	0.05	5.2	9.2
190078		>10000	8.23	5.52	0.53	0.3	0.837	0.56	3.3	13.6	1.66	399	1.21	0.02	0.8	111.0
190079		7950.0	2.55	2.36	0.13	0.3	0.174	0.35	14.0	10.2	5.21	790	0.66	0.03	0.7	34.5
190080		170.5	1.10	4.22	0.09	0.8	0.060	0.72	10.8	15.4	1.07	188	13.15	0.02	1.9	10.2
190082		802.0	0.97	0.60	0.06	0.1	0.084	0.17	4.1	8.7	0.61	235	1.68	0.02	0.3	6.3
190083		20.3	1,80	6.78	0.12	1.4	0.077	2.00	15.8	17.1	2.58	531	0.54	0.03	2.8	10.8
190084		20.8	3.31	12.10	0.15	2.5	0.025	3.76	25.1	21.6	1.32	94	0.60	0.05	5.8	24.1
190085		36.0	0,78	2.45	0.09	0.6	0.011	0.47	13.7	6.5	3.61	329	0.57	0.02	1.9	1.9
190086		>10000	7,60	0.20	<0.05	<0.1	0.093	0.23	<0.5	2.4	0.32	93	0.12	0.02	0.1	3.6
190087		>10000	19,30	2.57	0.47	0.2	1.585	0.14	1.7	16.0	0.23	37	0.73	0.01	0.4	55.5
190088		671.0	2,69	5.77	0.09	1.6	0.124	0.41	26.0	28.4	2.19	738	1.89	0.24	5.2	10.7
190089		609.0	0,97	3.55	0.05	0.6	0.077	0.37	19.8	21.1	1.15	759	0.52	0.21	1.9	7.2
190090		64.7	3,53	9.22	0.05	0.7	0.061	0.10	7.0	20.0	1.71	1010	0.50	0.78	4.9	24.5
190091		27,3	2.49	10.00	9.07	2.2	0.132	1.01	34.9	35.0	2.27	736	0.47	0.16	5.7	14.9
190092		89.9	4.14	10.90	<0.05	0.5	0.061	0.11	6.7	35.5	2.34	763	0.52	0.42	3.9	23.9
190093		>10000	5.77	5.92	0.28	0.3	1.180	0.27	8.1	25.6	1.05	322	1.54	0.02	0.4	451.0
190094		>10000	8.70	4.07	0.17	0.7	0.720	0.44	4.5	17.2	1.93	873	1.59	0.02	1.7	136.5
190095		>10000	13.05	4.31	0.21	0.5	0.526	0.18	4.3	20.4	0.95	241	2.70	0.01	1.1	178.5
190096		>10000	8.40	3.36	0.14	0.3	0.564	0.12	4.7	14.6	1.08	479	2.39	0.02	0.8	44.6
190097		227.0	5.84	13.70	0.11	2.1	0.072	0.42	12.1	30.7	2.32	898	1.41	1,22	9.1	38.9
190098		435.0	5.31	14.65	0.16	1.4	0.073	0.38	18.7	51.5	2.57	785	1.15	0.67	10.6	37,3
190099		32.0	2.17	7.69	0.11	1.3	0.100	0.36	20.6	31.9	1.65	1220	0.65	0.59	4.1	2.2
190100		1055.0	1.50	2.67	0.06	0.2	0.062	0.06	3.4	8.3	0.58	354	0.98	0,12	1.0	6.8
335781		31.1	1.86	2.99	0.06	0.7	0.054	0.50	7.4	14.2	1.59	1680	1.54	0.09	1.7	7.6
335782		272.9	39.90	7.88	1.15	3.4	0.065	0.08	2.6	2.4	0.16	76	1.60	0.04	6.5	6.2
335783		>10000	2.88	0.91	0.11	0.1	0.789	0.09	3.6	3.4	3.09	1055	0.85	0.03	0.2	9.9
335784		>10000	21.90	1.16	0.60	0.1	6.880	0.03	1.6	8.2	0.07	192	1.34	0.01	0.2	48.2
335785		372.0	8.84	20.60	0.16	3.0	0.087	0.64	11.8	23.4	3.90	1330	0.96	3.12	12.2	72.7
335786		360.0	10.35	21.10	0.20	5.2	0.103	1.40	19.6	23.3	2.74	1305	0.93	1.50	16.2	36.4
335787		33.2	0.70	3.69	0.08	0.9	<0.005	0.67	8.9	4.0	0.32	100	0.89	0.02	1.8	6.6
335788		52.1	2.38	2.62	0.10	0.7	0.211	0.52	10.7	7.0	8.10	1555	0.60	0.03	1.4	6.6
335789		24.4	1.29	2.10	0.10	0.5	0.057	0.74	17.2	9.2	4.81	436	0.66	0.06	1.1	0.5
335790		21.3	1.32	1.54	0.07	0.3	0.015	0.34	9.5	6.9	10.45	1625	0.39	0.02	0.7	<0.2
335791		8550.0	2.04	2.24	0.08	0.4	0.188	0.47	7.4	6.7	4,14	449	1.01	0.02	0.8	3.6
335792		4800.0	2.38	1.50	0.06	9.3	0.155	0.24	6.7	7.5	5.15	530	1.43	0.03	0.5	24.2
335793		6150.0	3.00	3.01	0.11	9.6	0.226	0.49	12.9	18.4	4.69	616	1.17	0.02	1.1	7.5
335794		>10000	2.62	3.52	0.09	0.4	0.189	0.43	10.1	18.1	2.48	424	1.40	0.03	0.9	6.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue Nonh Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8 Page: 2 - C Total # Pages: 2 (A - D) Finalized Date: 6-AUG-2005 Account: ILR

Project: Trident

									(CERTIFI	CATE C	F ANA	LYSIS	VA050	60978	
Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS81	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-M\$61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	pnm	ppm	ppm	ppm	%	ppm	ppm
	LOR	10	0.5	0.1	0.002	0.01	0,05	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
190076		520	4.4	35.5	0.003	0.47	0.99	3	2.2	167.5	0.18	<0.05	2.8	0.053	0.17	1.1
190077		400	2.0	68.5	0.002	0.96	1.01	2	4.3	31.1	0.38	<0.05	6.0	0.105	0.34	3.1
190078		770	9.7	18.9	0.002	8.48	5.19	9	53.1	32.9	<0.05	0.06	0.8	0.015	<0.02	0.2
190079		790	13.5	9.2	<0.002	1.62	4.23	3	12.1	110.0	0.05	<0.05	1.0	0.017	0.20	0.4
190080		370	4.7	27.5	0.002	0.14	1.59	2	1.4	19.2	0.14	<0.05	2.2	0.042	0.26	0.9
190081 190082 190083 190084 190085		250 400 120 240 150	2.2 2.0 3.1 5.6 4.9	13.6 5.5 48.7 81.6 12.5	0.002 0.002 0.002 0.003 0.002	0.73 0.20 0.02 <0.01 0.10	1.08 0.60 0.32 1.10 0.38	2 2 2 1 2	1.0 1.8 1.1 2.0 0.6	22.5 15.9 31.7 23.2 110.0	<0.05 <0.24 0.51 0.14	<0.05 <0.05 <0.05 0.05 <0.05	1.3 0.2 4.2 8.5 1.7	<0.025 <0.005 0.113 0.220 0.050	0.04 0.15 0.25 0.09	0.1 0.9 1.8 0.9
190086		50	1.5	0.8	<0.002	7.56	0.30	<1	6.1	1.2	<0.05	<0.05	<0.2	0.012	<0.02	<0.1
190087		30	19.9	5.6	0.002	>10.0	3.12	9	103.5	5.8	<0.05	<0.05	0.3	0.007	0.10	<0.1
190088		300	12.1	19.5	<0.002	1.09	0.32	2	1.6	522.0	0.41	<0.05	3.8	0.222	0.18	1.0
190089		130	16.4	13.3	<0.002	0.08	0.15	1	0.9	565.0	0.13	<0.05	2.0	0.041	0.06	0.6
190090		330	0.6	2.6	<0.002	0.02	0.12	1	0.6	289.0	0.31	<0.05	0.4	0.375	<0.02	0.1
190091		250	2.0	50.0	<0.002	0.01	0.18	1	1.6	449.0	0.43	<0.05	5.3	0.144	0.18	1.3
190092		220	23.4	3.0	<0.002	0.03	0.15	1	0.5	332.0	0.25	<0.05	0.3	0.265	<0.02	0.2
190093		>10000	75.3	8.7	0.002	5.40	84.10	17	34.1	56.9	<0.05	0.60	0.4	0.009	0.07	1.4
190094		170	44.9	15.6	0.002	7.99	16.60	13	15.6	58.9	0.14	0.11	1.9	0.041	0.13	0.6
190095		170	439.0	6.4	0.003	>10.0	327.00	14	14.7	20.6	0.08	0.24	1.1	0.026	0.16	0.4
190096		460	169.5	4.4	0,003	6.50	138.50	6	12.5	16.2	0.05	0.08	0.9	0.017	0.10	0.5
190097		680	7.4	16.3	0,003	0.10	1.64	3	1.4	494.0	0.61	<0.05	1.5	0.775	0.13	0.4
190098		760	21.1	16.9	0,002	0.11	1.04	2	1.6	162.5	0.73	<0.05	3.3	0.640	0.08	0.5
190099		250	1.4	13.6	0,002	0.03	0.23	2	0.9	539.0	0.30	<0.05	3.4	0.173	0.07	0.9
190100		60	11.3	2.6	0,002	0.12	0.32	2	0.6	228.0	0.07	<0.05	0.4	0.063	<0.02	0.1
335781		60	17.4	22.6	0.002	0.16	0.55	2	0.8	363.0	0.13	<0.05	2.1	0.037	0.09	0.3
335782		110	1830.0	4.5	0.002	0.28	73.80	28	6.2	20.7	0.59	0.09	3.9	0.189	7.66	0.6
335783		<10	9.7	4.1	0.002	0.90	0.70	7	2.8	236.0	<0.05	<0.05	0.2	0.007	0.09	0.8
335784		<10	67.4	1.4	<0.002	>10.0	3.22	54	36.2	8.4	<0.05	0.11	<0.2	<0.005	<0.02	<0.1
335785		940	1.3	15.5	0.002	0.24	0.24	3	3.3	292.0	0.81	<0.05	0.9	1.285	0.10	0.3
335786		1000	4.5	40.7	0.002	0.17	0.44	3	2.5	204.0	1.15	<0.05	3.4	1.158	0.14	0.8
335787		150	1.7	21.6	0.004	0.01	0.29	2	0.6	4.6	0.12	<0.05	3.1	0.048	0.08	0.7
336788		90	4.7	21.2	0.003	0.12	0.41	3	0.7	147.0	0.11	<0.05	1.7	0.041	0.10	0.4
335789		90	3.8	19.8	0.004	0.04	0.28	3	0.8	789.0	0.08	<0.05	1.4	0.025	0.13	0.5
336790		90	5.7	12.0	<0.002	0.06	0.18	2	0.5	309.0	0.08	<0.05	0.3	0.015	0.06	0.6
335791		90	3.3	18.8	0.002	0.80	0.47	3	2.1	66.5	0.06	<0.05	1.1	0.017	0.10	0.5
335792		240	5.5	9.9	0.002	0.69	1.06	2	2.2	125.5	<0.05	<0.05	0.7	0.010	0.11	0.4
335793		210	7.4	19.2	0.002	1.35	1.94	2	4.9	59.3	0.08	<0.05	1.5	0.026	0.31	0.6
335794		320	5.6	15.9	0.002	1.83	1.20	2	16.4	38.5	0.07	<0.05	1.0	0.026	0.29	0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



ALS Canada Ltd.

212 Brooksbank Avenue North Vancouver BC V7J 2C1 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8

Page: 2 - D Total # Pages: 2 (A - D) Finalized Date: 6-AUG-2005

Account: ILR

Project: Trident

								CERTIFICATE OF ANALYSIS VA05060978
	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS6	ME-MS61	Cu-AA62	
	Analyte	V	W	٧	Zn	Zr	Cu	
	Units	ppm	ppm	ppm	ppm	ppm	26	
Sample Description	LOR	1	0.1	0.1	2	0.5	0.01	
190076		20	0.2	13.1	4	28.9		
190077		47	0.5	11.3	19	60.5	1.97	
190078		20	0.1	4.5	27	9.9	7.19	
190079		11	0.1	11.3	6	8.7		
190080		16	0.3	5.7	3	23.0		
190081		9	0.2	5.9	3	14.2		
190082		4	0.2	2.6	2	2.7		
190083	1	33	0.3	11.7	9	45.4		
190084 190085	- 1	61 15	0.7 0.2	13.1 4.4	9 2	73.0 26.1		
190086		2	<0.1	0.2	51	0.7	6.71	
190087	ſ	1	0.1	1.0	53	5.3	18.80	
190088	- 1	44	0.7	46.7	55 16	5.3 45.4	10.00	
190089	ĺ	20	0.3	22.3	32	19.9		
190090		98	Q.1	12.5	51	23.4		
190091		37	0.3	22.5	26	8.86		
190092	1	96	0.1	8.8	51	14.5		
190093	1	11	0.1	33.1	82	5.3	4.59	
190094	-	17	0.2	10.5	54	19,3	4.85	
190095	1	15	0.2	6.6	44	13.8	2.45	
190096		9	Q. 2	12.5	34	9.2	2.77	
190097	- 1	179	0.3	24.7	75	60.3		
190098	- 1	152	0.7	17.6	65	40.9		
190099		51	0.6	21.5	20	40.5		
190100		19	0.1	11.4	20	7.1		
335781	1	6	0.3	20.1	21	20.4		
335782		42	0.5	12.5	13	95:2	4.00	
335783 335784	İ	12	0.1	22.8 3.4	53 237	2.6 2.2	1.83 22.8	
335785		<1 323	<0.1 0.3	3.4 26.6	100	75.8	42.0	
335786		388	0.4	37.1	116	162.0		
335787	ļ	13	0.2	4, f	<2	24,2		
335788	-	12	0.2	22.9	4	18.9		
335789	ļ	7	0.2	13.0	11	13.2		
335790	- 1	4	0.1	8.4	7	8.2		
335791	———f	7	0.2	11.5	8	12.6	······································	
335792		11	0.2	11.7	4	7.3		
	í	14	0.2	12.2	7	16.8		
335793	l l	-4	∪.∠	1 -2 -2	,	10.0		

Comments; Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST **NORTH VANCOUVER BC V7L 2N8**

Page: 1 Finalized Date: 21-SEP-2005

Account: ILR

CERTIFICATE VA05076718

Project: Trident

P.O. No.:

This report is for 39 Pulp samples submitted to our lab in Vancouver, BC, Canada on

12-SEP-2005.

The following have access to data associated with this certificate:

ED HARRINGTON

	SAMPLE PREPARATION
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

	ANALYTICAL PROCEDUR	ES
ALS CODE	DESCRIPTION	INSTRUMENT
Ag-AA45	Trace Ag - aqua regia/AAS	AAS
Co-AA45	Trace Co-aqua regia digestion	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS

To: RELIANCE GEOLOGICAL SERVICES INC. ATTN: ED HARRINGTON 3476 DARTMOOR PLACE **VANCOUVER BC V5S 4G2**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.





EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8 Page: 2 - A Total # Pages: 2 (A - C) Finalized Date: 21-SEP-2005 Account: ILR

Project: Trident

									(CERTIFICATE OF ANALYSIS VA05076718						
Sample Description	Mathod Analyta Units LOR	ME-ICP41 Ag ppm 0.2	Al As B Ba n % ppm ppm ppm	ppm	Be Be ppm pp m	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICF41 Cd ppm 0.5	ME-ICP41 Go ppm 1	ME-ICP41 Cr ppm 1	ME-JCP41 Cu ppm 1	ME-ICP41 Fe % 9.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1		
190078		3.1	0.23	358	1D	50	<0.5	8	3.01	<0.5	131	55	>10000	8.09	<10	<1
190086	- 1	1.2	0.09	19	<10	10	<0.5	6	0.87	<0.5	14	118	>10000	7.89	<10	1
190087	- 1	2.3	0.03	37	<10	<10	<0.5	33	0.43	<0.5	18	<1	>10000	17.9	<10	2
335783	I	1.1	0.12	2	<10	10	<0.5	4	17.9	<0.5	2	17	>10000	2.82	<10	<1
335784	1	11.3	0.03	34	<10	10	<0.5	14	1.66	<0.5	13	<1	>10000	20.6	<10	2



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brocksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.aischemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST **NORTH VANCOUVER BC V7L 2N8**

Page: 2 - B

Total # Pages: 2 (A - C) Finalized Date: 21-SEP-2005

Account: ILR

Project: Trident

									(CERTIFI	CATE C)F ANA	LYSIS	VA050	76718	
Sample Description	Method Analyte Units LOR	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mri ppm 5	ME-ICP41 Мо ррт 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm t	ME-ICP41 P Ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sti ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 16
190078 190086 190087 335783 335784		0.14 0.06 0.03 0.02 0.01	<10 <10 <10 <10 <10	1.59 0.30 0.21 3,20 0.06	390 90 36 1040 175	1 1 <1 1	<0.01 <0.01 <0.01 <0.01 <0.01	101 35 47 17 38	770 80 60 20 30	10 11 10 8 48	6.03 5.52 5.93 0.90 3.82	6 6 2 <2 <6	17 2 3 1 3	39 10 6 235 18	<0.01 <0.01 <0.01 <0.01 <0.01	<10 <10 <10 <10 <10



EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: RELIANCE GEOLOGICAL SERVICES INC. 418 E 14TH ST NORTH VANCOUVER BC V7L 2N8

CERTIFICATE OF ANALYSIS VA05076718

Page: 2 - C Total # Pages: 2 (A - C) Finalized Date: 21-SEP-2005

Account: ILR

Project: Trident

	Method Analyte	ME-ICP41 U	ME-ICP41 V	ME-ICP41 W	ME-ICP41 Zn	Cu-AA46 Cu %	Ag-AA45 Ag	Co-AA45 Co	
mple Description	Units LOR	ppm 10	ppm t	ppm 10	ppm 2	0.01	99m 0.2	ppm 1	
90078		<10	6	10	24	7.58	3.1	148	
90086	ļ	<10	1	10	35	6.93	1.3	17	
90087	j	<10	1	30	47	18.80	2.0	21	
335783	l	<10	10	<10	45	1.91	1.0	5	
335784		<10	1	30	194	23.3	11.2	14	