

**REPORT ON CORE SAMPLING, CORE  
EXAMINATION, DRILL COLLAR LOCATING  
(GPS) AND BLOCK MODELING**

**SWIFT KATIE MINERAL PROPERTY  
SALMO, BC, CANADA**

**CLAIM TENURES: 321700, 507490, 508207, 510330, 510347,  
529412, 529421, 529422**

**NELSON MINING DIVISION  
NTS 082F/3  
LATITUDE 49D 09M, LONGITUDE 117D 20M**

**OWNERS: KGE MANAGEMENT LTD., JOHN A. CHAPMAN,  
DOUBLESTAR RESOURCES LTD., KEN  
MURRAY**

**OPERATOR: SAME**

**AUTHOR: JOHN A. CHAPMAN, P.ENG.**

**DATE: MAY 1, 2006**

## TABLE OF CONTENTS

<b>1.0 INTRODUCTION .....</b>	<b>4</b>
1.1 Location and Access .....	4
1.2 Physiography .....	4
1.3 Claims and Ownership .....	4
1.4 Previous Work .....	4
1.5 Work Performed .....	6
1.6 Personnel .....	6
<b>2.0 GEOLOGY .....</b>	<b>6</b>
2.1 Regional Geology .....	6
2.2 Property Geology .....	7
<b>3.0 KATIE DRILL HOLE COLLARS SURVEY &amp; CONVERSION .....</b>	<b>7</b>
<b>4.0 BLOCK MODEL OF KATIE DEPOSIT .....</b>	<b>8</b>
4.1 Mineral Deposit .....	8
4.2 Block Model.....	10
4.3 Classification of Resources .....	15
<b>5.0 SWIFT AREA CORE RECOVERY, LOGGING AND ANALYSES .....</b>	<b>20</b>
5.1 Core Recovery and Storage .....	20
5.2 Core Examination and Analysis .....	21
5.3 Thin Sections .....	21
5.4 Staining .....	22
5.5 Descriptions and Interpretations.....	22
<b>6.0 CONCLUSIONS .....</b>	<b>25</b>
<b>7.0 RECOMMENDATIONS .....</b>	<b>25</b>
<b>8.0 ITEMIZED COST STATEMENT .....</b>	<b>26</b>
<b>9.0 STATEMENT OF QUALIFICATIONS .....</b>	<b>27</b>
<b>10.0 REFERENCES .....</b>	<b>28</b>

**LIST OF FIGURES**

FIGURE 1: LOCATION MAP	after page 4
FIGURE 2: CLAIMS MAP	after page 4
FIGURE 3: INFRASTRUCTURE MAP	after page 4
FIGURE 4: REGIONAL GEOLOGY MAP	after page 6
FIGURE 5: KATIE DRILL COLLARS PLAN MAP	after page 7

**LIST OF TABLES**

TABLE 5.1: THIN SECTION SAMPLE DESCRIPTIONS AND ASSAYS.....	24
---	----

**LIST OF APPENDICES**

APPENDIX I:	CERTIFICATES OF ANALYSES
APPENDIX II:	KATIE DRILL HOLE COLLARS COORDINATE TRANSFORMATION & DRILL CORE SAMPLE ASSAYS
APPENDIX III:	PHOTOGRAPHS OF SWIFT DRILL CORE RECOVERY PROGRAM
APPENDIX IV:	THIN SECTION RESULTS

## **1.0 INTRODUCTION**

### **1.1 Location and Access**

The Swift Katie group of claims lies approximately 7.0 km southwest of the township of Salmo, B.C. (Figures 1, 2 & 3). The property is accessed from Salmo via 2 km of paved highway - Highway #3 south of the town, and from there along 6.75 km of gravel logging roads which parallel Hellroaring Creek and its northern tributary. There is good access to most areas of the claim group along logging roads which are generally in fair to good condition.

Most of the southeastern portion of the Swift Katie mineral property is on surface lands owned by Beaumont Timber Company Ltd. (forest plantation). Beaumont's northern boundary is at ~5443775Nm NAD83. North of that line it is Crown Land under timber license to Atco Lumber Ltd. Only the most northerly four holes of the Katie deposit drilling lie outside of Beaumont's surface lands.


### **1.2 Physiography**


The Swift Katie group of claims lies within the Omineca belt in the southern Selkirk Mountains.

The Katie area is composed of an oval shaped valley bottom surrounded by ridges to the north, west, south and southeast. The terrain consists of a valley bottom filled with large accumulations of glacial drift circumvallated by gently to moderately rising slopes. Elevations range from 1250m in the valley bottom to 1700m along the ridges. Approximately 50% of the claim group has been clear cut logged and replaced by second growth timber which is in various stages of maturation. Most of the timber in the western part of the Katie deposit area of the claim group has been subjected to a burn in the not too distant past, and there is a profusion of second growth particularly in the central and western portion of the grid.

The Swift area is on a south facing slope at ~1600m elevation at the headwaters of Swift Creek.

**SWIFT KATIE  
COPPER-GOLD  
PROPERTY  
SALMO, BC  
CANADA  
LOCATION MAP  
2006/04/03**





**SWIFT KATIE PROPERTY**  
 (5,415.12 HECTARES)  
**CLAIMS MAP (FIGURE 2)**  
 NELSON MINING DIVISION, BRITISH COLUMBIA, CANADA  
 DRAWN BY: J.A. CHAPMAN, 2006/04/03



**SWIFT KATIE PROPERTY**  
**SALMO, BC, CANADA**  
**INFRASTRUCTURE MAP**

**FIGURE 3**  
**DRAWN BY: J.A. CHAPMAN**  
**2006/04/03**

### 1.3 Claims and Ownership

The Swift Katie claim group is composed of the following claims:

<b>Tenure Number</b>	<b>Area (hectares)</b>	<b>Expiry Date</b>
321700	25.00	January 15, 2008
507490	1,669.33	January 15, 2008
508207	2,114.52	January 15, 2008
510330	253.84	January 15, 2008
510347	148.08	January 15, 2008
529412	422.41	March 4, 2007
529421	528.40	March 4, 2007
529422	253.55	March 4, 2007
<b>Total Area</b>	<b>5,415.13</b>	

The beneficial owners of the Swift Katie claim group as at the date of this report are: John A. Chapman (33.75%), KGE Management Ltd. (Gerald G. Carlson) (33.75%), Doublestar Resources Ltd. (22.50%) and Ken Murray (10.00%). The claims are registered showing a slightly different ownership as not all Bills of Sale have been activated. On March 30, 2006 the beneficial owners optioned the Swift Katie claim group to the Manex Resource Group of Vancouver, B.C. Figure 2 shows a map of the claims at the Swift Katie Property.

### 1.4 Previous Work

In 1977 a government RGS survey indicated anomalous copper values in silts from Hellroaring Creek. Amoco Canada Petroleum Company Limited followed up with a geochemical survey in 1980 and identified a large (1km by 0.5km) and intense (+100 ppm) copper-in-soils anomaly over what would become the Katie deposit.

From 1984 to 1987 Kidd Creek Mines and Falconbridge Limited conducted mapping, soil sampling and geophysical surveys over the Swift and Gus claims (Swift property) south of and adjacent to the Katie. The Swift property exploration was focused upon VMS Cu/Zn exploration which soon changed to trenching and drilling of gold-in-soils anomalies. The trenching (23 trenches) and core drilling (~892m) resulted in discovery of gold in quartz veins enclosed in a broad (100m wide) zone of carbonate alteration (see "Geology & Exploration of the Rossland Group in the Swift Creek Area", Kathryn Andrew & Trygve Hoy, Exploration in British Columbia 1989). Swift results included 4m grading 54gpmt gold in trench 21 and 10m grading 1.8gpmt gold in core hole 87-6.

In 1985 prospector Ken Murray staked the Katie copper-in-soils anomaly discovered by Amoco and conducted a successful geochemical survey for gold-in-soils, indicating partially coincident anomalous gold-in-soils values compared with Amoco's copper anomaly. In 1988 Balloil Lassiter Petroleum Limited optioned the Katie property and conducted geological and geophysical surveys and a four-hole, 305 meters core drilling program in 1989. In 1990 Yellowjacket Resources Limited acquired Balloil's option



interest in the property and formed a joint venture with Hemlo Gold Mines and Brenda Mines Limited (Noranda subsidiaries). Over the next two years the Katie joint venture conducted geological and geochemical surveys and drilled 34 core holes totaling 8,260 meters. Yellowjacket took over as Operator in 1992 and drilled 18 core holes totaling 4,477 meters. The Katie drilling identified three zones of mineralization referred to as the Main, West and 17. Highlights include 17m of .52% Cu and 1.13g Au (90-09), 133m of .22% Cu and .31 g Au (90-13) and 21 m of .25% Cu and .96 g Au (91-21B).

In 1988 Aerodat Limited flew a 2,660km airborne survey for International Corona Corporation south of the town of Salmo. The survey was conducted over and adjacent to the Swift Katie property and it identified some magnetic and EM anomalies that are significant, especially in the northern extremities of the present Property. No follow-up has been conducted on these anomalies since they were detected (refer to Assessment Report 18990).

The Katie property lapsed and John Chapman and KGE Management Ltd. acquired the property by staking in August 2001. In March 2005 the Swift and Katie properties were combined, for the first time, under common ownership - and became known as the Swift Katie property.

## **1.5 Work Performed**

The 2005 program included: (1) drill core sampling and drill core logging in the Swift area, and (2) drill collar locating (GPS), block modeling and resource determination in the Katie area. The Swift area drill core work was on core that was drilled in the 1980s and 1990s and not split, nor sampled, nor logged.

This Report was assembled and edited by John Chapman, PEng. Section 4 was written by David Makepeace, MSc., PEng. Section 5 was written by Paul Gray, PGeo and Gerald Carlson, PEng.


## **1.6 Personnel**

Field work was carried out on the Swift Katie claim group by John A. Chapman (BSc., PEng., Mining Engineer), Gerald G. Carlson (PhD., PEng., Geologist), Paul Gray (BSc., PGeo., Geologist) and Ken Murray (Prospector).

## **2.0 GEOLOGY**

### **2.1 Regional Geology**

The Salmo area is underlain by a series of volcanic and sedimentary rocks belonging to the Lower Jurassic Rossland Group intruded by stocks and plugs of Lower Cretaceous Nelson granodiorite (Figure 4). The Rossland Group is noteworthy as a host unit for a number of mineral occurrences especially in the Rossland Camp. The Rossland Group of rocks is represented by clastic rocks of the Archibald Formation, overlain by a volcanic



# SWIFT KATIE PROPERTY REGIONAL GEOLOGY

FROM: BC GSB GEOLOGICAL FIELDWORK 1989, PAPER 1990-1  
AFTER: HOY, ANDREW, FITZPATRICK AND LITTLE

**FIGURE 4**  
BY: J.A. CHAPMAN

sequence of the Elise Formation and finally by clastic rocks of the Hall Formation. The Archibald Formation is composed of argillite and thin intercalated beds of siltstone which grade upward into interbedded siltstone, argillite and minor conglomerate. A protuberant horizon composed of a plagioclase-rich lapilli and crystal tuff also occurs within the upper portion of this formation. The Elise Formation is composed of intermediate tuffs overlain by a sequence of mafic tephra, tuffites, which are composed of mixed pyroclastic and epiclastic fragments, and epiclastic rocks. The Upper Elise consists of heterolithic lapilli stone, lapilli tuff, and pyroclastic breccia (Hoy and Andrew, 1989) . Preponderant in the upper portion of this formation are mafic flows and tuffaceous rocks in sharp contact with the argillites and siltstones of the overlying Hall Formation. The Hall Formation is composed of a black, fissile locally graphitic argillite with minor intercalations of thin beds of siltstone.


## **2.2 Property Geology**

Host rocks for the Katie deposit are mafic volcanics and intrusives of the Elise Formation belonging to the Lower Jurassic Rossland Group. The volcanics range in composition from andesite to basalt and include flows, flow breccias and tuffs, as well as syn-volcanic gabbro to monzonite dikes and sills. Mineralization occurs within a classic alkaline copper-gold porphyry-style system, with a potassic core surrounded by a broad propylitic zone. The pervasive potassic alteration includes K-feldspar, plagioclase, quartz, biotite and chlorite and corresponds to the elevated copper and gold values. Sulphide minerals include pyrite and chalcopyrite with minor pyrrhotite, sphalerite, tetrahedrite, bornite and molybdenite. The propylitic zone is characterized by epidote, chlorite, sericite and calcite with pyrite. Two major mineralized zones have been identified, characterized by copper values in excess of 0.2% and gold values in excess of 0.25 gpt. The Main Zone is 70 to 135 meters thick and at least 500 meters long. The 17 Zone is 90 meters thick and at least 300 meters long. Both zones are open along strike and at depth. A second, later style of mineralization cuts the Main Zone and consists of quartz-carbonate-sericite mylonite containing up to 30% sulphides, including pyrite, chalcopyrite, tetrahedrite, molybdenite and arsenopyrite. Gold grades range up to 0.5 gpt with copper typically in the 0.1% to 0.2% range.

Host rocks for the Swift gold showings are foliated and sheared mafic volcanic rocks of the Lower Jurassic Elise Formation. Sheared zones are typified by intense carbonate-sericite-silica alteration exposed on surface and in a number of trenches at the headwaters of Swift Creek.

## **3.0 KATIE DRILL HOLE COLLARS SURVEY & CONVERSION TO NAD83**

The Noranda companies and Yellowjack Resources Ltd. surveyed the 58 core drill hole collars using chain and compass. Prior to commencing the Block Model work in 2005 the Operators conducted a field program to survey some of the drill hole collars using GPS. See Appendix II for survey and transformation details. Also included in Appendix II is a complete listing of all drill core sample assays from hole 1 to hole 58, assembled for the first time, and as used as input to the Block Model.



**FIGURE 5**

**SWIFT KATIE PROPERTY**

**Katie Drill Plan Map**

Geospectrum Engineering

Date : April, 2006

Drawn By : D. Makepeace

## 4.0 BLOCK MODEL OF KATIE DEPOSIT

### 4.1 Mineral Deposit

#### 4.1.1 Data Review, Editing and Digital Compilation

##### 4.1.1.1 Drill Hole Data

There were 57 drill holes within the Swift Katie deposit totalling of 13,974 meters drilled. The following table summarizes the drill collar information obtained from the drill logs.

*Swift-Katie Drill Collar Data*

Hole Id	UTM, NAD 83		Elevation (m)	Azimuth (°)	Dip (°)	Length (m)
	Northing	Easting				
KT-89-1	5443850	475416	1428	160	-45	82.35
KT-89-3	5443661	475159	1524	210	-65	45.75
KT-89-4	5443766	474923	1572	275	-45	121
NKT-90-10	5443524	475782	1437	300	-45	339.23
NKT-90-11	5443551	474295	1639	258	-48	214.26
NKT-90-5	5443525	475435	1509	300	-45	238.65
NKT-90-6	5443577	475107	1575	287	-45	150.26
NKT-90-7	5443725	474794	1669	279	-45	238.65
NKT-90-8	5443669	474871	1646	279	-45	202.07
NKT-90-9	5443503	474447	1676	258	-45	308.75
NKT-91-12	5443299	475283	1527	350	-45	271.26
NKT-91-13	5443387	475823	1415	314	-45	295.64
NKT-91-14	5443313	475616	1436	301	-45	246.88
NKT-91-15	5443860	475406	1463	132	-45	246.88
NKT-91-16	5443337	474340	1634	258	-45	265.16
NKT-91-17	5442763	476055	1502	270	-45	256.02
NKT-91-18	5442934	476141	1456	300	-45	229.81
NKT-91-19	5443037	475856	1433	300	-44	250.26
NKT-91-20	5442584	475243	1533	300	-45	222.8
NKT-91-21B	5443255	475985	1360	348	-52	265.16
NKT-91-22B	5443281	475992	1355	168	-60	176.78
NKT-91-23	5443440	475964	1385	348	-45	264.18
NKT-91-24	5443315	476173	1340	348	-45	295.64
NKT-91-25	5443381	476566	1310	120	-45	192.02
NKT-91-26	5443631	476336	1330	348	-52	210.31
NKT-91-27	5442659	475711	1515	120	-45	289.65
NKT-91-28	5442659	475711	1515	300	-45	301.75
NKT-91-29	5442963	475983	1430	120	-45	252.97
NKT-91-30	5443020	475199	1600	300	-45	231.64
NKT-91-31	5443213	475861	1370	348	-45	326.12
NKT-91-32	5443522	475430	1509	180	-65	255.42
NKT-91-33	5443877	475218	1480	356	-45	241.39
NKT-91-34	5443449	475949	1385	168	-65	304.8
NKT-91-35	5443579	475611	1440	342	-45	277.36
NKT-91-36	5443393	475699	1440	342	-45	256.03

Hole Id	UTM, NAD 83		Elevation (m)	Azimuth (°)	Dip (°)	Length (m)
	Northing	Easting				
NKT-91-37	5443540	475299	1520	340	-45	283.45
NKT-91-38	5443211	475715	1380	340	-45	240.78
YKT-92-39	5442834	475808	1472	000	-90	239.94
YKT-92-40	5443509	475795	1437	000	-90	337.41
YKT-92-41	5443468	475824	1427	000	-90	293.6
YKT-92-42	5443428	475854	1418	000	-90	288.04
YKT-92-43	5443315	475628	1437	000	-90	275.23
YKT-92-44	5443628	475705	1437	000	-90	245.97
YKT-92-45	5443439	475784	1437	000	-90	257.93
YKT-92-46	5443551	474295	1639	000	-90	277.74
YKT-92-47	5443838	474278	1650	000	-90	253.35
YKT-92-48	5443392	474250	1609	000	-90	197.26
YKT-92-49	5443698	474234	1660	000	-90	218.29
YKT-92-50	5442849	475987	1463	000	-90	176.83
YKT-92-51	5442754	475988	1496	000	-90	252.13
YKT-92-52	5442858	475872	1461	000	-90	142.38
YKT-92-53	5443494	475854	1415	000	-90	300.91
YKT-92-54	5443418	475904	1398	000	-90	294.82
YKT-92-55	5443403	475952	1379	232	-70	197.87
YKT-92-56	5443947	475207	1466	250	-45	226.52
YKT-94-57	5443470	475972	1380	240	-47	278.74
YKT-95-58	5443554	475917	1385	240	-46	327.66

The data was entered into Surpac Minex Group’s Vision V 5.1-C mining software package in a “csv” format. This software is a three dimensional graphical database used in the exploration and mining industry. The files included:

1. **Collar.csv** - collar location data (i.e. UTM NAD 83 coordinates, mean sea level elevation, total depth and path-type)
2. **Survey.csv** - down-the-hole survey data (i.e. survey depth, dip, azimuth)
3. **Assay1.csv** - assay data (i.e. sample interval with gold [g/t] and copper [%] values)

There were no down-the-hole surveys available, therefore the survey file contains collar surveys only. There are 5,629 gold and copper assays in the assay file.

#### 4.1.1.2 Other Data

Digital topography was acquired by obtaining the digital TRIM II data from the British Columbia government for the area (82F014). Elevation contours are 20 meters apart. The data was manipulated and cleaned-up in AutoCAD MAP-2005. Separate layers were extracted and exported in ‘dxf’ format. The files included:

- **SwiftKatieContour1.dxf** - 20-meter contour topography
- **SwiftKatieRoad1.dxf** – Highway and roads

- **SwiftKatieRiver1.dxf** – Rivers and creeks

The cleaned “dxf” files were imported into Surpac and converted to string files.

- **SwiftKatieContour1.dxf** – **swiftkatiecontour1.str**
- **SwiftKatieRoad1.dxf** – **swiftkatieroad1.str**
- **SwiftKatieRiver1.dxf** – **swiftkatieriver1.str**

A digital terrain model (DTM) was generated in Surpac (swiftkatiecontour1.dtm) from swiftkatiecontour1.str. The rivers and roads string files were overlaid on the DTM to generate a 3D image of these files with respect to the DTM.

The Swift-Katie claims were derived by extracting the UTM NAD 83 corners of each claim from the MTO layer on the BC MapPlace system. A separate AutoCAD file (**SwiftKatieClaim1.dxf**) was created and converted and overlaid in Surpac to a corresponding string file (**swiftkatieclaim1.str**).

## **4.2 Block Model**

### **4.2.1 Assumptions**

#### **4.2.1.1 Units**

- Grams gold per metric tonne (gpt), meters [m]
- Copper in percent (%)
- Significant decimal places: gold = 3, copper = 3, tonnage = 0
- Y = Northing, X = Easting, Z = Elevation

#### **4.2.1.2 Cut-off Parameters**

- High-grade cut-off: None
- Cut-off: variable cut-off with respect to gold and copper

#### 4.2.1.3 Drill Hole Raw Data

Collar: Collar.csv  
Survey: Survey.csv  
Assay: Assay1.csv

#### *Database Extent*

	<i>Hole Id</i>	<i>Northing</i>	<i>Easting</i>	<i>Elevation</i>	<i>Depth</i>
Minimum Northing	NKT-91-20	5442584	475243	1533	222.80
Maximum Northing	YKT-92-56	5443947	475207	1466	226.52
Minimum Easting	YKT-92-49	5443698	474234	1660	218.29
Maximum Easting	NKT-91-25	5443381	476566	1310	192.02
Minimum Elevation	NKT-91-25	5443381	476566	1310	192.02
Maximum Elevation	NKT-90-9	5443503	474447	1676	308.75
Minimum Depth	KT-89-3	5443661	475159	1524	45.75
Maximum Depth	NKT-90-10	5443524	475782	1437	339.23


#### 4.2.1.4 Composite

Length: Composited into 15 meter bench heights.

#### 4.2.1.5 Variables


**Gold:** Gold file: skcomp\_au\_15.str  
Number of samples: 848  
Minimum value: 0.009  
Maximum value: 0.918  
25<sup>th</sup> Percentile: 0.014  
50<sup>th</sup> Percentile: 0.033  
75<sup>th</sup> Percentile: 0.070  
Mean: 0.060  
Variance: 0.007  
Standard deviation: 0.086  
Coefficient of variation: 1.438  
Skewness: 4.838  
Kurtosis: 37.754





Swift-Katie Deposit  
Gold Histogram and Cumulative Frequency Curve  
100 classes

**Copper:** Copper file: skcomp\_cu\_15.str  
 Number of samples: 848  
 Minimum value: 0.001  
 Maximum value: 0.450  
 25<sup>th</sup> Percentile: 0.026  
 50<sup>th</sup> Percentile: 0.058  
 75<sup>th</sup> Percentile: 0.102  
 Mean: 0.078  
 Variance: 0.005  
 Standard deviation: 0.072  
 Coefficient of variation: 0.929  
 Skewness: 1.974  
 Kurtosis: 7.803



Swift-Katie Deposit  
Copper Histogram and Cumulative Frequency Curve  
100 classes

## 4.2.2 Block Model

Block size: Y = 15.0 m, X = 15.0 m, Z = 15.0 m  
 Minimum coordinates: Y = 5442400 mN, X = 474000 mE, Z = 990 mEl  
 Maximum coordinates: Y = 5444200 mN, X = 476805 mE, Z = 1710 mEl  
 Block rotation: Bearing = 0.0°, Dip = 0.0°, Plunge = 0.0°  
 Total number of blocks: 157,880

### 4.2.2.1 Block Model Interpretation

Search method: Inverse distance to the third power [ID<sup>3</sup>]  
 Search type: Ellipsoid  
 Minimum number of samples to select: 1  
 Maximum number of samples to select: 8

Maximum search distance:	Measured:	30 m
	Indicated:	60 m
	Inferred:	120 m
Maximum vertical search distance:	Measured:	30 m
	Indicated:	60 m
	Inferred:	120 m



Measured = Raw Measured Values

Indicated = Raw Indicated Values - Raw Measured Values

Inferred = Raw Inferred Values - Raw Indicated Values

### 4.3 Classification of Resources

A new classification of mineral resources has been enacted in Canada since the 1988 Mineral Resources were estimated. National Instrument 43-101 and its companion policy 43-101CP and technical report requirements 43-101F1 were put in-place as of February 1, 2001. The mineral resource definitions are based on the Canadian Institute of Mining, Metallurgy and Petroleum's (CIM) definitions which were adopted on August 20, 2000.

Under these definitions:

*A **Mineral Resource** is a concentration or occurrence of natural, solid, inorganic or fossilized organic material in or on the Earth's crust in such form and quantity and of such a grade or quality that it has reasonable prospects for economic extraction. The location, quantity, grade, geological characteristics and continuity of a **Mineral Resource** are known, estimated or interpreted from specific geological evidence and knowledge.*

*The term **Mineral Resource** covers mineralization and natural material of intrinsic economic interest which has been identified and estimated through exploration and sampling and within which Mineral Reserves may subsequently be defined by the consideration and application of technical, economic, legal, environmental, socio-economic and governmental factors. The phrase 'reasonable prospects for economic extraction' implies a judgment by the Qualified Person in respect of the technical and economic factors likely to influence the prospect of economic extraction. A **Mineral Resource** is an inventory of mineralization that under realistically assumed and justifiable technical and economic conditions, might become economically extractable. These assumptions must be presented explicitly in both public and technical reports. (43-101CP, CIM, 2001)*

There are three subdivisions within the mineral resource category which are based on decreasing geological confidence (Measured, Indicated and Inferred).

#### 4.3.1 Measured Mineral Resource

*A 'Measured Mineral Resource' is that part of a Mineral Resource for which quantity, grade or quality, densities, shape, physical characteristics are so well established that they can be estimated with confidence sufficient to allow the appropriate application of technical and economic parameters, to support production planning and evaluation of the economic viability of the deposit. The estimate is based on detailed and reliable exploration,*

*sampling and testing information gathered through appropriate techniques from locations such as outcrops, trenches, pits, workings and drill holes that are spaced closely enough to confirm both geological and grade continuity (43-101CP, CIM, 2001).*

The Measured Mineral Resources at the Swift-Katie Deposit have been estimated at a variable cut-off grade for gold and for copper. This was done to illustrate the deposit's characteristics as the cut-off is varied for both gold and copper. The measured resource of the Swift-Katie deposit with respect to a gold cut-off is shown in the following table:

***Measured Mineral Resource  
Gold Variable Cut-off***

<b><i>Cutoff</i></b> (g/mt Au)	<b><i>Tonnage</i></b> (mt)	<b><i>Gold</i></b> (g/mt Au)	<b><i>Copper</i></b> (%)
0.05	45,234,461	0.220	0.164
0.10	28,941,311	0.303	0.191
0.15	18,607,736	0.403	0.214
0.20	14,033,261	0.479	0.224
0.25	9,896,186	0.585	0.251
0.30	7,408,473	0.690	0.262
0.35	5,822,898	0.790	0.286
0.40	4,747,623	0.884	0.303
0.45	3,945,723	0.978	0.309
0.50	3,371,635	1.064	0.315
0.55	3,052,697	1.122	0.315
0.60	2,742,872	1.184	0.315
0.65	2,515,059	1.235	0.297
0.70	2,241,684	1.303	0.302
0.75	2,004,759	1.371	0.307
0.80	1,822,509	1.431	0.316
0.85	1,649,371	1.494	0.318
0.90	1,521,796	1.546	0.320
0.95	1,439,783	1.582	0.321
1.00	1,348,658	1.623	0.327

The copper cut-off is shown in the following table:

***Measured Mineral Resource  
Copper Variable Cut-off***

<b><i>Cutoff (% Cu)</i></b>	<b><i>Tonnage (mt)</i></b>	<b><i>Gold (g/mt Au)</i></b>	<b><i>Copper (%)</i></b>
0.05	57,381,419	0.156	0.155
0.10	35,092,244	0.209	0.205
0.15	21,961,131	0.263	0.255
0.20	12,110,518	0.342	0.324
0.25	7,891,430	0.408	0.379
0.30	5,230,580	0.485	0.434
0.35	3,289,617	0.585	0.500
0.40	2,159,667	0.720	0.569
0.45	1,585,579	0.819	0.621
0.50	1,139,066	0.933	0.680
0.55	801,903	1.116	0.750
0.60	683,440	1.147	0.781
0.65	528,527	1.152	0.828
0.70	437,402	0.972	0.858
0.75	273,377	1.183	0.935
0.80	191,364	0.830	1.010
0.85	182,251	0.851	1.019
0.90	164,026	0.892	1.032
0.95	91,126	0.579	1.103
1.00	82,013	0.588	1.116

#### **4.3.2 Indicated Mineral Resource**

*An 'Indicated Mineral Resource' is that part of a Mineral Resource for which quantity, grade or quality, densities, shape and physical characteristics, can be estimated with a level of confidence sufficient to allow the appropriate application of technical and economic parameters, to support mine planning and evaluation of the economic viability of the deposit. The estimate is based on detailed and reliable exploration and testing information gathered through appropriate techniques from locations such as outcrops, trenches, pits, workings and drill holes that are spaced closely enough for geological and grade continuity to be reasonably assumed (43-101CP, CIM, 2001).*

The indicated resource of the Swift Katie deposit with respect to a gold cut-off is shown in the following table:

**Indicated Mineral Resource  
Gold Variable Cut-off**

<b>Cutoff (g/mt Au)</b>	<b>Tonnage (mt)</b>	<b>Gold (g/mt Au)</b>	<b>Copper (%)</b>
0.05	126,800,439	0.183	0.135
0.10	83,670,976	0.239	0.154
0.15	50,583,488	0.317	0.173
0.20	35,857,688	0.376	0.183
0.25	23,382,675	0.456	0.193
0.30	17,149,725	0.523	0.195
0.35	12,739,275	0.593	0.199
0.40	9,595,462	0.664	0.189
0.45	8,028,112	0.712	0.184
0.50	6,989,287	0.747	0.175
0.55	5,904,900	0.788	0.162
0.60	4,938,975	0.830	0.150
0.65	4,064,175	0.874	0.136
0.70	3,562,987	0.903	0.137
0.75	3,061,799	0.932	0.127
0.80	2,615,286	0.959	0.116
0.85	2,232,561	0.982	0.118
0.90	1,940,961	0.998	0.125
0.95	1,567,349	1.015	0.134
1.00	1,221,074	1.025	0.144

The indicated resource of the Swift Katie deposit with respect to a copper cut-off is shown in the following table:

**Indicated Mineral Resource  
Copper Variable Cut-off**

<b>Cutoff (% Cu)</b>	<b>Tonnage (mt)</b>	<b>Gold (g/mt Au)</b>	<b>Copper (%)</b>
0.05	154,438,649	0.134	0.135
0.10	90,705,824	0.169	0.177
0.15	48,669,862	0.209	0.224
0.20	26,007,075	0.277	0.272
0.25	12,174,300	0.356	0.329
0.30	6,734,137	0.429	0.375
0.35	4,109,737	0.469	0.410
0.40	2,132,324	0.535	0.443
0.45	1,084,387	0.511	0.466
0.50	492,075	0.247	0.465
0.55	200,475	0.000	0.375
0.60	0	0.000	0.000
0.65	0	0.000	0.000
0.70	0	0.000	0.000
0.75	0	0.000	0.000
0.80	0	0.000	0.000
0.85	0	0.000	0.000
0.90	0	0.000	0.000
0.95	0	0.000	0.000
1.00	0	0.000	0.000

### 4.3.3 Inferred Mineral Resource

*An 'Inferred Mineral Resource' is that part of a Mineral Resource for which quantity and grade or quality can be estimated on the basis of geological evidence and limited sampling and reasonably assumed, but not verified, geological and grade continuity. The estimate is based on limited information and sampling gathered through appropriate techniques from locations such as outcrops, trenches, pits, workings and drill holes.*

*Due to the uncertainty which may attach to Inferred Mineral Resources, it cannot be assumed that all or any part of an Inferred Mineral Resource will be upgraded to an Indicated or Measured Mineral Resource as a result of continued exploration. Confidence in the estimate is insufficient to allow the meaningful application of technical and economic parameters or to enable an evaluation of economic viability worthy of public disclosure. Inferred Mineral Resources must be excluded from estimates forming the basis of feasibility or other economic studies (43-101CP, CIM, 2001).*

The inferred resource of the Swift Katie deposit with respect to a gold cut-off is shown in the following table:

***Inferred Mineral Resource  
Gold Variable Cut-off***

<b><i>Cutoff (g/mt Au)</i></b>	<b><i>Tonnage (mt)</i></b>	<b><i>Gold (g/mt Au)</i></b>	<b><i>Copper (%)</i></b>
0.05	376,264,236	0.174	0.107
0.10	222,472,574	0.244	0.122
0.15	135,931,162	0.322	0.123
0.20	91,042,987	0.396	0.117
0.25	60,060,487	0.485	0.100
0.30	43,940,475	0.563	0.081
0.35	33,287,962	0.639	0.064
0.40	28,139,400	0.687	0.055
0.45	24,321,262	0.728	0.051
0.50	19,646,550	0.789	0.051
0.55	17,505,112	0.822	0.048
0.60	16,202,024	0.842	0.048
0.65	15,482,137	0.852	0.050
0.70	14,333,962	0.866	0.048
0.75	13,395,375	0.876	0.047
0.80	11,982,938	0.887	0.047
0.85	9,139,838	0.905	0.042
0.90	3,954,825	0.950	0.018
0.95	2,524,162	0.965	0.000
1.00	1,704,037	0.963	0.000



The inferred resource of the Swift Katie deposit with respect to a copper cut-off is shown in the following table:

***Inferred Mineral Resource  
Copper Variable Cut-off***

<b><i>Cutoff</i></b> (% Cu)	<b><i>Tonnage</i></b> (mt)	<b><i>Gold</i></b> (g/mt Au)	<b><i>Copper</i></b> (%)
0.05	454,786,652	0.122	0.115
0.10	232,879,052	0.131	0.153
0.15	91,389,264	0.167	0.203
0.20	41,279,626	0.195	0.240
0.25	16,129,126	0.218	0.270
0.30	4,191,751	0.096	0.261
0.35	0	0.000	0.000
0.40	0	0.000	0.000
0.45	0	0.000	0.000
0.50	0	0.000	0.000
0.55	0	0.000	0.000
0.60	0	0.000	0.000
0.65	0	0.000	0.000
0.70	0	0.000	0.000
0.75	0	0.000	0.000
0.80	0	0.000	0.000
0.85	0	0.000	0.000
0.90	0	0.000	0.000
0.95	0	0.000	0.000
1.00	0	0.000	0.000

## **5.0 SWIFT AREA CORE RECOVERY, EXAMINATION AND ANALYSES**

### **5.1 Core Recovery and Storage**

The Swift core, from five of the eight drill holes, had been stored on site at the headwaters of Swift Creek since drilling in 1987 by Falconbridge Ltd. The steel core rack had suffered some damage over the years, because of heavy snow loads, resulting in minor spillage of some core. See Appendix III for photographs of the site and the core.

DDH 1-5 were re-boxed and re-tagged. DDH 1 and 2 were split and sampled. For details on the 1987 drilling, including a location map, see Assessment Report 17296, by S.G. Clemmer.

Once the program of re-boxing and re-labeling the core began it became apparent that almost (90%) of the core was in excellent condition and readily assignable to core boxes and intervals.

DDH 1 Boxes 1-11 Intact (Boxes 3, 4, and 5 required whole box composites) Total Depth: 92.66 meters  
 DDH 2 Boxes 1-21 Intact (Boxes 5 and 18 required whole box composites) Total Depth: 122.50 meters  
 DDH 3 Boxes 1-19 Intact (Boxes 18 required whole box composite) Total Depth: 107.90 meters  
 DDH 4 Boxes 1-7, 9-16 Intact (Box 8 missing) Total Depth: 92.60 meters

DDH 5 Boxes 1-21 Intact (Box 12 required whole box composite) Total Depth: 123.10 meters  
DDH 6 Not inspected, in good cross-piled condition at Huser's Salmo Storage, Total Depth: 124.36 meters  
DDH 7 Not inspected, good cross-piled condition at Huser's Salmo Storage, Total Depth: 137.20 meters  
DDH 8 Not inspected, good cross-piled condition at Huser's Salmo Storage, Total Depth: 91.40 meters

Only one Box was completely unrecoverable (missing/destroyed) - Box 8 of DDH 4.

All core from the rack (DDH 1-5) was moved to Jack Denny's core facility in Salmo B.C. where it was organized and sampled and stored. DDH 6-8 are stored at Henry Huser's Salmo core storage facility along with all of the Katie deposit core. Total length of all 1987 Swift core holes is 891.78 meters.

Where possible (e.g. in non-composited boxes), samples were taken at regular 2 meter intervals, for the entire length of the holes. Splitting was done with 1 core splitter supplied by Ken Murray and another supplied by Jack Denny. Sampling was completed on holes 1 and 2 only. DDH 1 – Sample #s 314501 – 314538 (38 samples) from 1.2 – 92.66 meters, Avg. 2.4 meters/sample. DDH 2 – Sample #s 314539 – 314598 (60 samples) from 3.05 – 122.3 meters, Avg. 1.98 meters/sample. All Core was Photographed in groups of 3 Boxes (see photos in Appendix III).

## **5.2 Core Examination and Analyses**

The sampling program allowed for detailed, albeit rapid, examinations of the 1987 drill core. Moderate to intense alteration and mineralization was seen throughout the core. Disseminated pyrite, at times very heavy was noted almost ubiquitously in the core (with the exception of the Dyke rock) as well as alkaline alteration. Magnetite (specularite?) and pyrite are the main metallic minerals present, while sections of chalcopyrite were noted. Quartz-carbonate veins and veinlets are common. Approximately 85% of the quartz veins were sampled in 1987 by Falconbridge.

The 98 samples from the current program were sent to Acme Analytical Laboratories Ltd. in Vancouver for Group 1DX analyses (see Appendix I).

## **5.3 Thin Sections**

Six of the ninety-eight rock chip samples collected were selected for petrographic analysis, including thin section preparation and detailed inspection, staining, and in three cases polished section work. The assay samples 314516, 314517, 314541, 314570, and 314573 were selected for their degree and type of alteration, lithology, and/or mineralization. The purpose of the petrographic investigations was to provide an assessment of the alteration and mineralization specifically of the Swift property drilling and more generally of the Swift Katie property as a whole. Specifically, the mineralogical investigation described below was designed to determine whether the Swift prospect might be associated with an alkaline porphyry hydrothermal system. Thin-sections were produced from representative chips of samples collected by Paul Gray, PGeo, for assay and multi-element geochemical analysis. Table 5-1 lists the samples collected as well as the analytical results. Petrographic work was completed by

Dr. Norman Gray, PhD., of the University of Connecticut. The sections produced have been digitally scanned at high resolution for reproduction and digital examination. Selected photo captures and Dr. Gray's comments are included in Appendix IV.

#### **5.4 Staining**

Each of the 6 samples selected for petrographic analysis was stained in order to identify carbonate minerals. An Alizarin red and potassium ferricyanide composite test stain was used. Although the results depend on the etching and staining time, as well as the crystallographic orientation of the carbonate section in general it can be stated:

Pink to red = Calcite  
Scarlet to Mauve = Ferro-calcite  
Light blue = Ferro-Dolomite  
Colorless (unstained) = Dolomite  
Blue = Ankerite

#### **5.5 Descriptions and Interpretations**

The samples selected represent a relatively small part of one mineralized system within a large property that exhibits several styles of mineralization. In general, the samples are fine grained, highly altered and possibly also strongly deformed, such that the original rock type cannot be absolutely ascertained. However, some of the samples, such as DDH2-8.6, DDH2-69.0 and DDH2-73.4 were identified as altered trachyandesite by the petrographer, including locally feldspar microlites and hornblende phenocrysts but predominantly with very fine-grained and highly altered groundmass. The samples examined appear to represent a shear zone style of mineralization that is hosted within Rossland Volcanics.

In sample DDH2-8.6, pyrophyllite is the principal alteration mineral in the sample and occurs commonly as patches within the groundmass. Other secondary minerals include sericite, chlorite, epidote (both well crystallized and as granular aggregates), hematite, pyrite and a carbonate (probably calcite). The mineral identified as pyrophyllite may rather be talc (unlikely) or possibly sericite, however sericite commonly flakes which is not seen in these samples. More thin sections would clarify this point.

Throughout the rest of the thin sections, the alteration assemblage is much more simple and includes only carbonate with sericite plus minor epidote.

In general, sericite alteration is pervasive, with associated stockwork veining and brecciation, indicating active hydrothermal alteration, caused by relatively high temperature fluids under pressure. It is possible that these samples represent a structural or shear zone peripheral to the main porphyry system. The extensive pyrite is consistent with a volcanic hosted shear zone with a lateral relationship to a nearby porphyry system.

The pervasive iron carbonate alteration noted is typical for many gold mineralized hydrothermal systems. Hematite appears to represent a late stage oxidation product, possibly from a late-stage oxidizing fluid.

Although a positive link has not been established, it is possible that the Swift mineralization represents a transitional, shear hosted gold deposit that is directly related to the Katie alkaline copper-gold porphyry system. The initial petrographic analysis indicates a reasonably high temperature hydrothermal assemblage that could be closely related to a porphyry centre.

ELEMENT SAMPLES	DDH #	From	To	Interval	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb
314516	1	39.1	40.85	1.75	153.3	5.2	49	0.4	16.9	23.6	1227	4.56	6.8	0.2	72.9
314517	1	40.85	42.85	2	233.1	5	64	0.4	11.6	23.2	1080	4.25	5.2	0.2	112.5
314541	2	7.05	8.75	1.7	131.7	1.9	63	0.2	20.5	22.3	1723	5.21	6.4	0.3	4.1
314570	2	67	69	2	81.7	3.5	63	0.1	13.7	24.4	1240	4.54	1.9	0.3	4.2
314573	2	72.8	74.8	2	146.6	3.7	47	0.3	12	24.7	1203	4.18	3	0.2	9.4

ELEMENT SAMPLES	DDH #	From	To	Interval	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %
314516	1	39.1	40.85	1.75	0.8	383	0.3	1.2	0.1	36	6.03	0.119	3	12.1	2.32
314517	1	40.85	42.85	2	1.3	299	0.2	1.3	<.1	33	4.34	0.145	5	18.4	2.03
314541	2	7.05	8.75	1.7	1	125	0.2	2	0.3	146	4.53	0.133	3	45.5	2.73
314570	2	67	69	2	1.4	339	0.2	1.8	<.1	34	4.19	0.127	5	8.1	2.72
314573	2	72.8	74.8	2	1.3	311	0.2	1.9	<.1	36	4.82	0.131	5	24.6	2.17

ELEMENT SAMPLES	DDH #	From	To	Interval	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %
314516	1	39.1	40.85	1.75	86	0.004	1	0.37	0.032	0.23	0.5	0.02	9.9	0.1	0.41
314517	1	40.85	42.85	2	108	0.008	3	0.9	0.024	0.35	0.5	0.02	5.8	0.1	0.37
314541	2	7.05	8.75	1.7	55	0.068	2	2.2	0.027	0.14	0.2	0.04	13.2	<.1	1.33
314570	2	67	69	2	285	0.005	2	0.31	0.031	0.24	0.1	0.03	10.8	<.1	0.28
314573	2	72.8	74.8	2	182	0.007	2	0.36	0.019	0.29	0.2	0.03	9.3	<.1	0.43

ELEMENT SAMPLES	DDH #	From	To	Interval	Ga ppm	Se ppm	Sample kg
314516	1	39.1	40.85	1.75	1	<.5	4.4
314517	1	40.85	42.85	2	2	<.5	4.25
314541	2	7.05	8.75	1.7	9	0.7	3.35
314570	2	67	69	2	1	<.5	4.22
314573	2	72.8	74.8	2	1	<.5	3.18

**Table 5-1: Thin Section Sample Descriptions and Assays**

## **6.0 CONCLUSIONS**

The drill hole collar survey using GPS was of a preliminary nature and showed that there were some significant differences between the original chain and compass survey and the 2005 GPS check survey. There is still some doubt as to the precision of location of many of the hole collars.

The Block Model showed that there is a significant copper-gold resource contained in the Katie deposit. Figure 5 shows that drilling on the Katie deposit in the past has been done in a very irregular “early stage” manner which is not conducive to efficient and effective resource development.

The Swift drill core recovery program is complete and the core is now safely stored in Salmo. The valuation was not able to determine if there is an association between the Swift gold showings and the nearby Katie porphyry copper-gold deposit.

In 1988 Aerodat Limited flew a 2,660km airborne survey for International Corona Corporation south of the town of Salmo. The survey was conducted over and adjacent to the Swift Katie property and it identified some magnetic and EM anomalies that are significant, especially in the northern extremities of the present Property. No follow-up has been conducted on these anomalies since they were detected (refer to Assessment Report 18990). They are now available for examination on well constructed new logging roads and in new clear-cuts created by Atco Timber Ltd. in recent years.

## **7.0 RECOMMENDATIONS**

A concerted effort should be made to locate all old Katie deposit drill hole collars so that they may be surveyed using high-precision differential GPS.

The Katie deposit is now ready for a regular grid drilling, both within and around the known deposit, in order to better define and expand the copper-gold resource. Some random target drilling is also warranted on geochemical and geophysical anomalies that lie outside the known deposit.

The 1988 Aerodat survey should be compiled and integrated with the Katie Swift database in order to better define trenching and drilling targets. Some of these targets may benefit from the use of Induced Polarization surveys prior to trenching and/or drilling.

## 8.0 ITEMIZED COST STATEMENT

<b>ACTIVITY</b>	<b>\$</b>
Core Boxes	400
Assays - 98 core samples	2,356
Preparation - 8 thin section samples	2,000
Maps (digital Trim II and hard copies for field)	550
Consumables (bags, tags, flagging, batteries, etc.)	250
Personnel Charges:	
Paul Gray, PGeo (6 x \$350)	2,100
Gerald Carlson, PhD, PEng (2 x \$550)	1,100
John Chapman, PEng (6 x \$350)	2,100
Ken Murray, Prospector Field Assistant (8 x \$275)	2,200
Block Modeling & Map Generation (David Makepeace, PEng)	6,500
Travel & Accommodation (several trips to site)	3,700
Assessment Report	850
<b>TOTAL</b>	<b>\$24,106</b>

## 9.0 STATEMENT OF QUALIFICATIONS

John Arthur Chapman, Principal  
J.A. Chapman Mining Services  
18 – 1480 Foster Street, White Rock, BC, Canada V4B 3X7  
Ph: 604.536.8356, Fx: 604.536.8351, E-mail: jacms1@telus.net

I, John Arthur Chapman of the City of Surrey, Province of British Columbia, Canada, do hereby certify as follows:

- (1) I am a mining engineer residing at 30 - 1725 Southmere Cr., Surrey, British Columbia, Canada V4A 7A7;
- (2) I graduated with honours in Mining Technology from the British Columbia Institute of Technology, June 1967;
- (3) I graduated with honours in Mining Engineering (B.Sc.) from the Colorado School of Mines, January 1971;
- (4) I am a Professional Engineer registered in the Province of British Columbia, Canada, since 1973;
- (5) I am a Fellow of the Canadian Institute of Mining and Metallurgy;
- (6) I have practised my profession continuously since 1973 in Canada and abroad;
- (7) Since 1983 I have provided services to the mining industry as the Principal of J.A. Chapman Mining Services;
- (8) I have personal knowledge of the Swift Katie property having visited the site more than four times since 2001, and as recent as 2005;
- (9) I am not independent of the Swift Katie property as I directly own a 33.75% interest;
- (10) I am a co-author of the Report entitled, "Core Sampling, Core Examination, Drill Collar Locating (GPS) and Deposit Block Modeling – Swift Katie Mineral Property", dated May 1, 2006.

Dated at White Rock, British Columbia this 3<sup>rd</sup> day of May 2006.



---

John Arthur Chapman, B.Sc., P.Eng., FCIM



## 10.0 REFERENCES

- Andrew, K., Hoy, T. and Simony, P. (1991): Geology of the Trail Map Area, Southeastern British Columbia, B.C., MEMPR., Open File 1981-16.
- Barr , D.A., Fox, P.E., Northcote, K.E. and Preto, V.A. (1976): The Alkaline Suite Porphyry Deposits - A Summary. Porphyry Deposits of the Canadian Cordillera, Sutherland-Brown, A. Editor, CIMM. Special Volume 15.
- Cathro, M.S., Dunne, K.P.E. and Naciuk, T.M. (1993): Katie - An Alkaline Porphyry Copper-Gold Deposit in the Rossland Group, Southeastern British Columbia. Geological Fieldwork 1992, B.C. MEMPR, Paper 1993-1.
- Dunne, K.P.E. and Hoy, T. (1992): Petrology of Pre to Syntectonic Early and Middle Jurassic Intrusions in the Rossland Group, Southeastern British Columbia (82F/SW), Geological Fieldwork 1991, B.C. MEMPR Paper 1992-1.
- Gaunt, J.D. (1989): Geochemical and Geophysical Report on the Salmo Claims for International Corona Corp., April 28, 1989.
- Hoy, T. and Andrew, K. (1989): Geology of the Rossland Group, Nelson Map Area, Southeastern British Columbia. B.C., MEMPR Open File 1989-1.
- Kathryn, P.E., Andrew, K. and Hoy, T. (1989): Geology and Exploration of the Rossland Group in the Swift Creek Area. Exploration in B.C. 1989, B.C. MEMPR pages 73-80.
- Kidd Creek Mines Limited and Falconbridge Limited (1984-1987): various internal reports, drill logs and assay sheets related to exploration on the Swift property.
- Little, H.W. (1965): Geology, Salmo, British Columbia. GSC Map 1145A.
- Murray, T.J. and Bradish, L. (1990): Geological and Geochemical Survey on the Katie Group of Claims for Noranda Exploration Company Limited, November 21, 1990.
- Naciuk, T.M. and Hawkins, T.G. (1995): The Katie copper-gold porphyry deposit, southeastern British Columbia, Porphyry Deposits of the Northwestern Cordillera of North America, CIM Special Volume 46, Schroeter, T. Editor, pages 666-673.
- Wells, R.C. (1994): Report on the Katie Property for Yellowjack Resources Ltd., October 4, 1994.
- Yellowjack Resources Ltd., and Noranda Exploration Company Limited (1989-1994): various internal reports, drill logs and assay sheets related to exploration on the Katie deposit and surrounding mineral lands.

# **APPENDIX I**

## **CERTIFICATES OF ANALYSES**

**ACME ANALYTICAL LABORATORIES LTD.**

852 East Hastings, Vancouver, B.C., CANADA V6A 1R6

Phone: (604) 253-3158 Fax: (604) 253-1716

Our GST # 100035377 RT

**DOUBLESTAR RESOURCES LTD.**350 - 885 Dunsmuir St.  
Vancouver, BC  
V6C 1N5Inv.#: **A507282**

Date: Dec 6 2005

QTY	ASSAY	PRICE	AMOUNT
98	GROUP 1DX (30 gm) @	14.66	1436.68
98	R150 - CORE @	4.59	449.82
	RXCR - 284.12 kg @ \$0.77/kg		1886.50
	RXS - 284.12 kg @ \$0.34/kg		218.77
			96.60
			2201.87
			154.13
			<b>2356.00</b>

GST Taxable  
7.00% GST  
CAD \$

Project: SWIFT-KATIE  
 Samples submitted by Paul D. Gary  
 UNIT PRICE REFLECTS 15% DISCOUNT

COPIES 1

Please pay last amount shown. Return one copy of this invoice with payment.  
 TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 2 ]



GEOCHEMICAL ANALYSIS CERTIFICATE




Doublestar Resources Ltd. PROJECT SWIFT-KATIE File # A507282 Page 1

350 - 885 Dunsuir St., Vancouver BC V6C 1N5 Submitted by: Paul D. Gary

Table with columns: SAMPLE#, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S, Ga, Se, Sample kg. Rows include samples G-1, RE 314504, RRE 314504, 314505, 314506, 314507, 314508, 314509, 314510, 314511, 314512, 314513, 314514, 314515, 314516, 314517, 314518, 314519, 314520, 314521, 314522, 314523, 314524, 314525, 314526, 314527, 314528, 314529, 314530, 314531, 314532, and STANDARD DS6.

GROUP 1DX - 30.0 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP-MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY  
- SAMPLE TYPE: DRILL CORE R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: NOV 8 2005 DATE REPORT MAILED: Dec 3/05



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.







SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Sample kg
314597	1.4	174.0	8.1	80	.2	19.0	35.3	1748	6.77	5.4	.3	3.6	1.0	278	.1	.8	<.1	170	6.35	.139	6	28.4	2.91	50	.009	3	3.13	.013	.15	<.1	.02	12.6	<.1	.28	11	<.5	3.37
314598	1.4	128.6	10.1	84	.1	36.5	31.2	1278	5.88	7.7	.2	4.4	1.0	172	.1	.7	<.1	132	4.16	.123	4	82.0	2.91	26	.006	1	2.90	.013	.14	<.1	.02	10.6	<.1	.23	9	<.5	4.98
STANDARD DS6	11.5	121.9	29.4	143	.3	25.0	10.9	705	2.82	20.9	6.6	45.6	3.0	39	6.0	3.5	5.0	55	.86	.078	13	183.0	.57	162	.080	16	1.91	.070	.15	3.4	.22	3.3	1.7	<.05	6	4.1	-

Sample type: DRILL CORE R150.

## **APPENDIX II**

### **KATIE DRILL HOLE COLLARS COORDINATE TRANSFORMATION & DRILL CORE SAMPLE ASSAYS**



<b>Coordinate Transformations</b>											
		Station	Elevation	Azimuth	Dip	Length	Old Grid Coordinates		UTM NAD83		Comments
<b>Inputs:</b>		(hole collar)	(m)	(degrees)	(degrees)	(m)	North (m)	East (m)	North (m)	East (m)	
Project Name	Swift-Katie										all Katie deposit drilling
Date	August 8, 2005	KT-89-1	1428	160	-45	82.35	10826	9295	5443850	475416	transformed to NAD83
Rotation Angle (old grid to new grid)	-30.233 deg	KT-89-3	1524	210	-65	45.75	10533	9168	5443661	475159	transformed to NAD83
Scaling Factor	1	KT-89-4	1572	275	-45	121.00	10505	8911	5443766	474923	transformed to NAD83
<b>Rotation Points:</b>		NKT-90-5	1509	300	-45	238.65	10555	9475	5443525	475435	GPS NAD83 rotation point
Rotation Point Identity	<b>NKT-90-11</b>	NKT-90-6	1575	287	-45	150.26	10435	9165	5443577	475107	transformed to NAD83
Rotation Point Northing (old grid)	9960	NKT-90-7	1669	279	-45	238.65	10405	8820	5443725	474794	transformed to NAD83
Rotation Point Easting (old grid)	8459	NKT-90-8	1646	279	-45	202.07	10395	8915	5443669	474871	transformed to NAD83
Rotation Point Northing (NAD83 grid)	5443551	NKT-90-9	1676	258	-45	308.75	9995	8615	5443503	474447	transformed to NAD83
Rotation Point Easting (NAD83 grid)	474295	NKT-90-10	1437	300	-45	339.23	10729	9775	5443524	475782	transformed to NAD83
Rotation Point Identity	<b>NKT-90-5</b>	NKT-90-11	1639	258	-48	214.26	9960	8459	5443551	474295	GPS NAD83 rotation point
Rotation Point Northing (old grid)	10555	NKT-91-12	1527	350	-45	271.26	10283	9458	5443299	475283	transformed to NAD83
Rotation Point Easting (old grid)	9475	NKT-91-13	1415	314	-45	295.64	10631	9880	5443387	475823	transformed to NAD83
Rotation Point Northing (NAD83 grid)	5443525	NKT-91-14	1436	301	-45	246.88	10463	9738	5443313	475616	transformed to NAD83
Rotation Point Easting (NAD83 grid)	475435	NKT-91-15	1463	132	-45	246.88	10830	9281	5443860	475406	transformed to NAD83
Rotation Point Identity	<b>NKT-91-17</b>	NKT-91-16	1634	258	-45	265.16	9841	8624	5443337	474340	transformed to NAD83
Rotation Point Northing (old grid)	10203	NKT-91-17	1502	270	-45	256.02	10203	10441	5442763	476055	GPS NAD83 rotation point
Rotation Point Easting (old grid)	10441	NKT-91-18	1456	300	-45	229.81	10400	10383	5442934	476141	transformed to NAD83
Rotation Point Northing (NAD83 grid)	5442763	NKT-91-19	1433	300	-44	250.26	10400	10234	5443037	475856	transformed to NAD83
Rotation Point Easting (NAD83 grid)	476055	NKT-91-20	1533	300	-45	222.80	9700	9933	5442584	475243	transformed to NAD83
		NKT-91-21B	1360	348	-52	265.16	10598	10086	5443255	475985	transformed to NAD83
<i>Transformations by: John Chapman</i>		NKT-91-22B	1355	168	-60	176.78	10625	10079	5443281	475992	transformed to NAD83
<i>Date: September 9, 2005</i>		NKT-91-23	1385	348	-45	264.18	10748	9975	5443440	475964	transformed to NAD83
		NKT-91-24	1340	348	-45	295.64	10745	10218	5443315	476173	transformed to NAD83
		NKT-91-25	1310	120	-45	192.02	11000	10525	5443381	476566	transformed to NAD83
		NKT-91-26	1330	348	-52	210.31	11100	10200	5443631	476336	transformed to NAD83
		NKT-91-27	1515	120	-45	289.65	10000	10300	5442659	475711	transformed to NAD83
		NKT-91-28	1515	300	-45	301.75	10000	10300	5442659	475711	transformed to NAD83
		NKT-91-29	1430	120	-45	252.97	10400	10382	5442963	475983	transformed to NAD83
		NKT-91-30	1600	300	-45	231.64	10000	9525	5443020	475199	transformed to NAD83
		NKT-91-31	1370	348	-45	326.12	10500	10000	5443213	475861	transformed to NAD83
		NKT-91-32	1509	180	-65	255.42	10550	9472	5443522	475430	transformed to NAD83
		NKT-91-33	1480	356	-45	241.39	10750	9110	5443877	475218	transformed to NAD83
		NKT-91-34	1385	168	-65	304.80	10748	9957	5443449	475949	transformed to NAD83
		NKT-91-35	1440	342	-45	277.36	10690	9600	5443579	475611	transformed to NAD83
		NKT-91-36	1440	342	-45	256.03	10574	9770	5443393	475699	transformed to NAD83
		NKT-91-37	1520	340	-45	283.45	10500	9350	5443540	475299	transformed to NAD83
		NKT-91-38	1380	340	-45	240.78	10425	9875	5443211	475715	transformed to NAD83
		YKT-92-39	1472	0	-90	239.94	10200	10295	5442834	475808	transformed to NAD83
		YKT-92-40	1437	0	-90	337.41	10722	9794	5443509	475795	transformed to NAD83
		YKT-92-41	1427	0	-90	293.60	10702	9840	5443468	475824	transformed to NAD83
		YKT-92-42	1418	0	-90	288.04	10682	9886	5443428	475854	transformed to NAD83
		YKT-92-43	1437	0	-90	275.23	10471	9747	5443315	475628	transformed to NAD83
		YKT-92-44	1437	0	-90	245.97	10780	9656	5443628	475705	transformed to NAD83
		YKT-92-45	1437	0	-90	257.93	10656	9820	5443439	475784	transformed to NAD83
		YKT-92-46	1639	0	-90	277.74	9960	8459	5443551	474295	transformed to NAD83
		YKT-92-47	1650	0	-90	253.35	10200	8300	5443838	474278	transformed to NAD83
		YKT-92-48	1609	0	-90	197.26	9800	8500	5443392	474250	transformed to NAD83
		YKT-92-49	1660	0	-90	218.29	10100	8350	5443698	474234	transformed to NAD83
		YKT-92-50	1463	0	-90	176.83	10249	10292	5442849	475987	transformed to NAD83
		YKT-92-51	1496	0	-90	252.13	10167	10341	5442754	475988	transformed to NAD83
		YKT-92-52	1461	0	-90	142.38	10199	10188	5442858	475872	transformed to NAD83
		YKT-92-53	1415	0	-90	300.91	10739	9853	5443494	475854	transformed to NAD83
		YKT-92-54	1398	0	-90	294.82	10699	9934	5443418	475904	transformed to NAD83
		YKT-92-55	1379	232	-70	197.87	10710	9983	5443403	475952	transformed to NAD83
		YKT-92-56	1466	250	-45	226.52	10805	9065	5443947	475207	transformed to NAD83
		YKT-94-57	1380	240	-47	278.74	10778	9967	5443470	475972	transformed to NAD83
		YKT-95-58	1385	240	-46	327.66	10823	9877	5443554	475917	transformed to NAD83

**Notes**

- (1) Old grid (Noranda) baseline azimuth: +30 degrees.
- (2) Rotation from Noranda grid to UTM NAD83: -30.233 degrees.
- (3) Transformation utilizes three rotation points (West zone NKT-90-11, Central zone NKT-90-5, 17 zone NKT-91-17). UTM NAD83 coordinates were determined in the field on August 22, 2005 by Ken Murray and John Chapman utilizing a Garmin eTREX Legend and a Garmin GPSmap60C. The instruments were never more than four meters in difference (northing and eastings) and readings were averaged. No elevations were recorded, so the elevations on this sheet are from the old grid.
- (4) Holes 2, 21 and 22 were abandoned in overburden.
- (5) It is recommended that more field GPS work be done as other hole collars are identified in order to improve the precision of the UTM NAD83 drill collar database.

**KATIE COPPER-GOLD DEPOSIT, SALMO, BC, CANADA**  
**DRILL CORE SAMPLE SUMMARY**  
**SORTED BY DRILL HOLE NUMBER**

2006/04/30 JAC

**LEGEND:** CU=>0.05 AND <0.10  
 CU=>0.10 AND <0.15  
 CU=>0.15  
 CU<0.05 AND AU=>0.1



HOLE NUMBER	SAMPLE NUMBER	FROM (meters)	TO (meters)	LENGTH (meters)	CU (ppm)	AU (ppb)	CU (%)	AU (g/mt)
KT-89-1	no sample	0.0	46.2	46.2				
KT-89-1	18501	46.2	47.8	1.6	726	62	0.07	0.06
KT-89-1	18502	47.8	49.3	1.5	434	12	0.04	0.01
KT-89-1	18503	49.3	50.8	1.5	376	1	0.04	0.01
KT-89-1	18504	50.8	52.3	1.5	1252	25	0.13	0.03
KT-89-1	18505	52.3	53.8	1.5	482	1	0.05	0.01
KT-89-1	18506	53.8	55.3	1.5	863	153	0.09	0.15
KT-89-1	18507	55.3	56.8	1.5	1525	56	0.15	0.06
KT-89-1	18508	56.8	58.3	1.5	1287	37	0.13	0.04
KT-89-1	18509	58.3	59.8	1.5	2726	144	0.27	0.14
KT-89-1	18510	59.8	61.3	1.5	498	20	0.05	0.02
KT-89-1	18511	61.3	62.8	1.5	574	1	0.06	0.01
KT-89-1	18512	62.8	64.3	1.5	917	98	0.09	0.10
KT-89-1	18513	64.3	65.8	1.5	586	2	0.06	0.01
KT-89-1	18514	65.8	67.3	1.5	793	32	0.08	0.03
KT-89-1	18515	67.3	68.8	1.5	714	52	0.07	0.05
KT-89-1	18516	68.8	70.3	1.5	731	92	0.07	0.09
KT-89-1	18517	70.3	71.8	1.5	512	27	0.05	0.03
KT-89-1	18518	71.8	73.3	1.5	554	1	0.06	0.01
KT-89-1	18519	73.3	74.8	1.5	427	16	0.04	0.02
KT-89-1	18520	74.8	76.3	1.5	591	22	0.06	0.02
KT-89-1	18521	76.3	77.8	1.5	239	18	0.02	0.02
KT-89-1	18522	77.8	79.3	1.5	355	32	0.04	0.03
KT-89-1	18523	79.3	80.8	1.5	555	230	0.06	0.23
KT-89-1	18524	80.8	82.3	1.5	1072	119	0.11	0.12
KT-89-1	no sample	82.3	82.4	0.1				
KT-89-3	no sample	0.0	24.5	24.5				
KT-89-3	18526	24.5	26.0	1.5	876	30	0.09	0.03
KT-89-3	18527	26.0	27.5	1.5	2371	52	0.24	0.05
KT-89-3	18528	27.5	29.0	1.5	1253	45	0.13	0.05
KT-89-3	18529	29.0	30.5	1.5	801	37	0.08	0.04
KT-89-3	18530	30.5	32.0	1.5	2210	230	0.22	0.23
KT-89-3	18531	32.0	33.5	1.5	2138	66	0.21	0.07
KT-89-3	18532	33.5	35.0	1.5	1156	38	0.12	0.04
KT-89-3	18533	35.0	36.5	1.5	380	22	0.04	0.02
KT-89-3	18534	36.5	38.0	1.5	1054	35	0.11	0.04
KT-89-3	18535	38.0	39.5	1.5	811	60	0.08	0.06
KT-89-3	18536	39.5	41.0	1.5	653	130	0.07	0.13
KT-89-3	18537	41.0	42.5	1.5	687	69	0.07	0.07
KT-89-3	18538	42.5	44.0	1.5	394	23	0.04	0.02
KT-89-3	18539	44.0	45.7	1.7	495	21	0.05	0.02
KT-89-3	no sample	45.7	45.8	0.1				
KT-89-4	no sample	0.0	6.1	6.1				
KT-89-4	18476	6.1	7.6	1.5	101	7	0.01	0.01
KT-89-4	18477	7.6	9.1	1.5	31	8	0.00	0.01

KT-89-4	18478	9.1	10.6	1.5	5	5	0.00	0.01
KT-89-4	no sample	10.6	30.2	19.6				
KT-89-4	18479	30.2	31.7	1.5	3182	125	0.32	0.13
KT-89-4	18480	31.7	33.2	1.5	1957	133	0.20	0.13
KT-89-4	18481	33.2	34.7	1.5	2297	380	0.23	0.38
KT-89-4	18482	34.7	36.2	1.5	2131	144	0.21	0.14
KT-89-4	18483	36.2	37.7	1.5	615	1	0.06	0.01
KT-89-4	18484	37.7	39.2	1.5	1496	121	0.15	0.12
KT-89-4	no sample	39.2	81.1	41.9				
KT-89-4	18485	81.1	82.6	1.5	427	1	0.04	0.01
KT-89-4	18486	82.6	84.1	1.5	312	2	0.03	0.01
KT-89-4	18487	84.1	85.6	1.5	205	1	0.02	0.01
KT-89-4	18488	85.6	87.1	1.5	345	9	0.03	0.01
KT-89-4	no sample	87.1	95.1	8.0				
KT-89-4	18489	95.1	96.6	1.5	249	1	0.02	0.01
KT-89-4	18490	96.6	98.1	1.5	696	1	0.07	0.01
KT-89-4	18491	98.1	99.7	1.6	563	4	0.06	0.01
KT-89-4	no sample	99.7	102.1	2.4				
KT-89-4	18492	102.1	103.6	1.5	386	1	0.04	0.01
KT-89-4	18493	103.6	105.1	1.5	604	1	0.06	0.01
KT-89-4	no sample	105.1	121.0	15.9				
NKT-90-5	no sample	0.0	15.2	15.2				
NKT-90-5	20251	15.2	16.3	1.1	1959	210	0.20	0.21
NKT-90-5	20252	16.3	17.8	1.5	1988	160	0.20	0.16
NKT-90-5	20253	17.8	19.3	1.5	356	61	0.04	0.06
NKT-90-5	no sample	19.3	21.8	2.5				
NKT-90-5	20254	21.8	23.3	1.5	211	31	0.02	0.03
NKT-90-5	20255	23.3	24.8	1.5	395	110	0.04	0.11
NKT-90-5	20256	24.8	26.3	1.5	1362	230	0.14	0.23
NKT-90-5	20257	26.3	28.8	2.5	1397	180	0.14	0.18
NKT-90-5	20258	28.8	30.3	1.5	1821	130	0.18	0.13
NKT-90-5	20259	30.3	31.8	1.5	511	430	0.05	0.43
NKT-90-5	20260	31.8	33.3	1.5	803	96	0.08	0.10
NKT-90-5	20261	33.3	34.8	1.5	1994	460	0.20	0.46
NKT-90-5	20262	34.8	36.3	1.5	780	90	0.08	0.09
NKT-90-5	20263	36.3	37.8	1.5	1212	200	0.12	0.20
NKT-90-5	20264	37.8	39.3	1.5	703	94	0.07	0.09
NKT-90-5	20265	39.3	40.8	1.5	523	72	0.05	0.07
NKT-90-5	20266	40.8	42.3	1.5	644	230	0.06	0.23
NKT-90-5	20267	42.3	43.8	1.5	443	210	0.04	0.21
NKT-90-5	20268	43.8	45.3	1.5	1066	280	0.11	0.28
NKT-90-5	20269	45.3	46.8	1.5	1885	240	0.19	0.24
NKT-90-5	20270	46.8	48.3	1.5	523	380	0.05	0.38
NKT-90-5	20271	48.3	49.8	1.5	594	150	0.06	0.15
NKT-90-5	20272	49.8	51.3	1.5	1201	78	0.12	0.08
NKT-90-5	20273	51.3	52.8	1.5	1859	71	0.19	0.07
NKT-90-5	20274	52.8	53.8	1.0	865	68	0.09	0.07
NKT-90-5	20275	53.8	54.3	0.5	705	310	0.07	0.31
NKT-90-5	20276	54.3	55.8	1.5	1285	200	0.13	0.20
NKT-90-5	20277	55.8	57.3	1.5	493	75	0.05	0.08
NKT-90-5	20278	57.3	58.8	1.5	560	86	0.06	0.09
NKT-90-5	20279	58.8	60.3	1.5	1264	240	0.13	0.24
NKT-90-5	20280	60.3	61.8	1.5	1138	210	0.11	0.21
NKT-90-5	20281	61.8	63.3	1.5	666	120	0.07	0.12

NKT-90-5	20282	63.3	64.8	1.5	1176	140	0.12	0.14
NKT-90-5	20283	64.8	65.8	1.0	989	110	0.10	0.11
NKT-90-5	20284	65.8	67.2	1.4	556	77	0.06	0.08
NKT-90-5	20285	67.2	68.1	0.9	36	11	0.00	0.01
NKT-90-5	20286	68.1	69.6	1.5	1052	77	0.11	0.08
NKT-90-5	20287	69.6	71.1	1.5	317	24	0.03	0.02
NKT-90-5	20288	71.1	72.6	1.5	3738	200	0.37	0.20
NKT-90-5	20289	72.6	74.1	1.5	1245	77	0.12	0.08
NKT-90-5	20290	74.1	75.6	1.5	268	26	0.03	0.03
NKT-90-5	20291	75.6	77.1	1.5	921	33	0.09	0.03
NKT-90-5	20292	77.1	78.6	1.5	828	50	0.08	0.05
NKT-90-5	20293	78.6	80.1	1.5	700	7	0.07	0.01
NKT-90-5	20294	80.1	81.7	1.6	1622	89	0.16	0.09
NKT-90-5	20295	81.7	83.3	1.6	6374	720	0.64	0.72
NKT-90-5	20296	83.3	84.4	1.1	123	21	0.01	0.02
NKT-90-5	20297	84.4	85.9	1.5	3321	110	0.33	0.11
NKT-90-5	20298	85.9	87.4	1.5	3337	170	0.33	0.17
NKT-90-5	20299	87.4	88.9	1.5	2657	170	0.27	0.17
NKT-90-5	20300	88.9	90.4	1.5	974	38	0.10	0.04
NKT-90-5	20326	90.4	91.9	1.5	416	63	0.04	0.06
NKT-90-5	20327	91.9	93.4	1.5	249	17	0.02	0.02
NKT-90-5	20328	93.4	94.9	1.5	3014	89	0.30	0.09
NKT-90-5	20329	94.9	96.0	1.1	1279	78	0.13	0.08
NKT-90-5	20330	96.0	97.0	1.0	431	15	0.04	0.02
NKT-90-5	20331	97.0	98.2	1.2	137	9	0.01	0.01
NKT-90-5	20332	98.2	99.7	1.5	1014	57	0.10	0.06
NKT-90-5	20333	99.7	101.2	1.5	1536	93	0.15	0.09
NKT-90-5	20334	101.2	102.6	1.4	622	33	0.06	0.03
NKT-90-5	20335	102.6	104.2	1.6	1290	47	0.13	0.05
NKT-90-5	20336	104.2	105.7	1.5	1142	47	0.11	0.05
NKT-90-5	20337	105.7	107.2	1.5	495	27	0.05	0.03
NKT-90-5	20338	107.2	108.7	1.5	250	42	0.03	0.04
NKT-90-5	20339	108.7	110.2	1.5	188	22	0.02	0.02
NKT-90-5	20340	110.2	111.7	1.5	144	23	0.01	0.02
NKT-90-5	20341	111.7	113.2	1.5	226	33	0.02	0.03
NKT-90-5	20342	113.2	114.7	1.5	260	49	0.03	0.05
NKT-90-5	20343	114.7	116.2	1.5	527	42	0.05	0.04
NKT-90-5	20344	116.2	117.3	1.1	981	51	0.10	0.05
NKT-90-5	20345	117.3	118.8	1.5	867	71	0.09	0.07
NKT-90-5	20346	118.8	120.3	1.5	1289	65	0.13	0.07
NKT-90-5	20347	120.3	121.8	1.5	1222	180	0.12	0.18
NKT-90-5	20348	121.8	123.3	1.5	64	38	0.01	0.04
NKT-90-5	20349	123.3	124.8	1.5	931	520	0.09	0.52
NKT-90-5	20350	124.8	126.3	1.5	478	34	0.05	0.03
NKT-90-5	20351	126.3	127.8	1.5	1008	58	0.10	0.06
NKT-90-5	20352	127.8	129.3	1.5	1225	81	0.12	0.08
NKT-90-5	20353	129.3	131.0	1.7	1010	91	0.10	0.09
NKT-90-5	20354	131.0	132.7	1.7	225	28	0.02	0.03
NKT-90-5	20355	132.7	133.2	0.5	291	23	0.03	0.02
NKT-90-5	20356	133.2	134.7	1.5	1044	73	0.10	0.07
NKT-90-5	20357	134.7	136.2	1.5	1011	57	0.10	0.06
NKT-90-5	20358	136.2	137.7	1.5	1255	96	0.13	0.10
NKT-90-5	20359	137.7	139.2	1.5	909	140	0.09	0.14
NKT-90-5	20360	139.2	140.3	1.1	3140	240	0.31	0.24

NKT-90-5	20361	140.3	141.8	1.5	2953	1190	0.30	1.19
NKT-90-5	20362	141.8	143.8	2.0	3322	1220	0.33	1.22
NKT-90-5	20363	143.8	145.3	1.5	817	300	0.08	0.30
NKT-90-5	20364	145.3	146.8	1.5	1510	260	0.15	0.26
NKT-90-5	20365	146.8	148.0	1.2	1079	190	0.11	0.19
NKT-90-5	20366	148.0	149.0	1.0	1898	160	0.19	0.16
NKT-90-5	20367	149.0	149.9	0.9	1468	93	0.15	0.09
NKT-90-5	20368	149.9	151.4	1.5	1256	100	0.13	0.10
NKT-90-5	20369	151.4	152.9	1.5	5874	270	0.59	0.27
NKT-90-5	20370	152.9	154.4	1.5	11541	320	1.15	0.32
NKT-90-5	20371	154.4	155.9	1.5	2881	74	0.29	0.07
NKT-90-5	20372	155.9	157.4	1.5	706	68	0.07	0.07
NKT-90-5	20373	157.4	158.9	1.5	3266	140	0.33	0.14
NKT-90-5	20374	158.9	160.4	1.5	1553	96	0.16	0.10
NKT-90-5	20375	160.4	161.9	1.5	766	140	0.08	0.14
NKT-90-5	20376	161.9	163.4	1.5	1558	97	0.16	0.10
NKT-90-5	20377	163.4	164.9	1.5	1517	77	0.15	0.08
NKT-90-5	20378	164.9	166.4	1.5	8579	390	0.86	0.39
NKT-90-5	20379	166.4	167.9	1.5	5254	260	0.53	0.26
NKT-90-5	20380	167.9	169.4	1.5	5294	280	0.53	0.28
NKT-90-5	20381	169.4	170.9	1.5	3042	250	0.30	0.25
NKT-90-5	20382	170.9	172.4	1.5	1159	110	0.12	0.11
NKT-90-5	20383	172.4	173.9	1.5	1911	23	0.19	0.02
NKT-90-5	20384	173.9	175.4	1.5	1601	150	0.16	0.15
NKT-90-5	20385	175.4	176.9	1.5	1921	150	0.19	0.15
NKT-90-5	20386	176.9	178.4	1.5	906	87	0.09	0.09
NKT-90-5	20387	178.4	179.6	1.2	61	17	0.01	0.02
NKT-90-5	20388	179.6	180.6	1.0	949	71	0.09	0.07
NKT-90-5	20389	180.6	182.1	1.5	36	4	0.00	0.01
NKT-90-5	20390	182.1	183.6	1.5	23	1	0.00	0.01
NKT-90-5	20391	183.6	185.2	1.6	2	1	0.00	0.01
NKT-90-5	20392	185.2	186.2	1.0	5	1	0.00	0.01
NKT-90-5	20393	186.2	187.7	1.5	900	94	0.09	0.09
NKT-90-5	20394	187.7	188.7	1.0	44	20	0.00	0.02
NKT-90-5	20395	188.7	189.7	1.0	1424	84	0.14	0.08
NKT-90-5	20396	189.7	190.9	1.2	3719	4	0.37	0.01
NKT-90-5	20397	190.9	192.5	1.6	29	4	0.00	0.01
NKT-90-5	20401	192.5	193.5	1.0	61	5	0.01	0.01
NKT-90-5	20402	193.5	194.5	1.0	193	11	0.02	0.01
NKT-90-5	20403	194.5	196.0	1.5	819	92	0.08	0.09
NKT-90-5	20404	196.0	197.5	1.5	2088	150	0.21	0.15
NKT-90-5	20405	197.5	199.0	1.5	1365	110	0.14	0.11
NKT-90-5	20406	199.0	199.7	0.7	677	80	0.07	0.08
NKT-90-5	20407	199.7	200.0	0.3	200	19	0.02	0.02
NKT-90-5	20408	200.0	201.5	1.5	871	72	0.09	0.07
NKT-90-5	20409	201.5	203.0	1.5	837	110	0.08	0.11
NKT-90-5	20410	203.0	204.5	1.5	517	35	0.05	0.04
NKT-90-5	20411	204.5	206.0	1.5	1614	84	0.16	0.08
NKT-90-5	20412	206.0	207.2	1.2	1789	11	0.18	0.01
NKT-90-5	20413	207.2	208.2	1.0	1026	72	0.10	0.07
NKT-90-5	20414	208.2	209.7	1.5	135	18	0.01	0.02
NKT-90-5	20415	209.7	211.2	1.5	371	58	0.04	0.06
NKT-90-5	20416	211.2	212.4	1.2	3958	320	0.40	0.32
NKT-90-5	20418	212.4	213.9	1.5	620	54	0.06	0.05

NKT-90-5	20419	213.9	214.6	0.7	1059	36	0.11	0.04
NKT-90-5	20420	214.6	215.6	1.0	24	1	0.00	0.01
NKT-90-5	20421	215.6	216.8	1.2	45	15	0.00	0.02
NKT-90-5	20422	216.8	218.3	1.5	702	87	0.07	0.09
NKT-90-5	20423	218.3	219.8	1.5	381	44	0.04	0.04
NKT-90-5	20424	219.8	221.3	1.5	247	42	0.02	0.04
NKT-90-5	20425	221.3	222.8	1.5	390	46	0.04	0.05
NKT-90-5	20426	222.8	224.3	1.5	363	35	0.04	0.04
NKT-90-5	20427	224.3	225.8	1.5	218	40	0.02	0.04
NKT-90-5	20428	225.8	227.0	1.2	334	180	0.03	0.18
NKT-90-5	20429	227.0	228.0	1.0	888	150	0.09	0.15
NKT-90-5	20430	228.0	229.7	1.7	17	10	0.00	0.01
NKT-90-5	20431	229.7	231.0	1.3	240	26	0.02	0.03
NKT-90-5	20432	231.0	232.4	1.4	274	40	0.03	0.04
NKT-90-5	20433	232.4	233.0	0.6	312	34	0.03	0.03
NKT-90-5	20434	233.0	235.5	2.5	624	40	0.06	0.04
NKT-90-5	20435	235.5	237.0	1.5	691	53	0.07	0.05
NKT-90-5	20436	237.0	238.6	1.6	474	51	0.05	0.05
NKT-90-5	no sample	238.6	238.7	0.1				
NKT-90-6	no sample	0.0	26.0	26.0				
NKT-90-6	20437	26.0	27.5	1.5	803	33	0.08	0.03
NKT-90-6	20438	27.5	29.0	1.5	761	34	0.08	0.03
NKT-90-6	20439	29.0	30.5	1.5	937	48	0.09	0.05
NKT-90-6	20440	30.5	32.0	1.5	1080	59	0.11	0.06
NKT-90-6	20441	32.0	33.2	1.2	688	25	0.07	0.03
NKT-90-6	20442	33.2	34.7	1.5	547	20	0.05	0.02
NKT-90-6	20443	34.7	36.0	1.3	846	5	0.08	0.01
NKT-90-6	20444	36.0	36.7	0.7	1527	44	0.15	0.04
NKT-90-6	20445	36.7	38.2	1.5	1263	44	0.13	0.04
NKT-90-6	20446	38.2	39.5	1.3	2797	26	0.28	0.03
NKT-90-6	20447	39.5	41.0	1.5	774	4	0.08	0.01
NKT-90-6	20448	41.0	42.5	1.5	575	25	0.06	0.03
NKT-90-6	20449	42.5	44.0	1.5	973	1	0.10	0.01
NKT-90-6	20450	44.0	45.5	1.5	1432	26	0.14	0.03
NKT-90-6	20451	45.5	47.0	1.5	3271	46	0.33	0.05
NKT-90-6	20452	47.0	48.5	1.5	421	14	0.04	0.01
NKT-90-6	20453	48.5	50.0	1.5	685	39	0.07	0.04
NKT-90-6	20454	50.0	51.5	1.5	1838	25	0.18	0.03
NKT-90-6	20455	51.5	53.0	1.5	758	100	0.08	0.10
NKT-90-6	20456	53.0	54.5	1.5	604	42	0.06	0.04
NKT-90-6	20457	54.5	56.0	1.5	504	74	0.05	0.07
NKT-90-6	20458	56.0	57.5	1.5	1301	37	0.13	0.04
NKT-90-6	20459	57.5	59.0	1.5	1891	11	0.19	0.01
NKT-90-6	20460	59.0	60.5	1.5	1645	56	0.16	0.06
NKT-90-6	20461	60.5	62.0	1.5	1378	65	0.14	0.07
NKT-90-6	20462	62.0	63.5	1.5	933	35	0.09	0.04
NKT-90-6	20463	63.5	65.0	1.5	431	7	0.04	0.01
NKT-90-6	20464	65.0	66.5	1.5	1096	46	0.11	0.05
NKT-90-6	20465	66.5	68.0	1.5	951	48	0.10	0.05
NKT-90-6	20466	68.0	69.5	1.5	293	10	0.03	0.01
NKT-90-6	20467	69.5	71.5	2.0	504	32	0.05	0.03
NKT-90-6	20468	71.5	73.0	1.5	512	15	0.05	0.02
NKT-90-6	20469	73.0	74.5	1.5	577	22	0.06	0.02
NKT-90-6	20470	74.5	76.0	1.5	954	25	0.10	0.03

NKT-90-6	20471	76.0	77.1	1.1	463	11	0.05	0.01
NKT-90-6	20472	77.1	78.5	1.4	51	1	0.01	0.01
NKT-90-6	20473	78.5	80.0	1.5	11	1	0.00	0.01
NKT-90-6	20474	80.0	81.5	1.5	28	1	0.00	0.01
NKT-90-6	20475	81.5	82.5	1.0	21	1	0.00	0.01
NKT-90-6	20476	82.5	83.5	1.0	21	1	0.00	0.01
NKT-90-6	20477	83.5	85.0	1.5	711	32	0.07	0.03
NKT-90-6	20478	85.0	86.5	1.5	1073	49	0.11	0.05
NKT-90-6	20479	86.5	88.0	1.5	934	25	0.09	0.03
NKT-90-6	20480	88.0	89.0	1.0	701	33	0.07	0.03
NKT-90-6	20481	89.0	89.1	0.1	80	2	0.01	0.01
NKT-90-6	20482	89.1	90.5	1.4	449	21	0.04	0.02
NKT-90-6	20483	90.5	92.0	1.5	698	33	0.07	0.03
NKT-90-6	20484	92.0	93.5	1.5	632	27	0.06	0.03
NKT-90-6	20485	93.5	95.0	1.5	897	35	0.09	0.04
NKT-90-6	20486	95.0	96.5	1.5	1956	97	0.20	0.10
NKT-90-6	20487	96.5	98.0	1.5	442	167	0.04	0.17
NKT-90-6	20488	98.0	99.5	1.5	417	14	0.04	0.01
NKT-90-6	20489	99.5	101.0	1.5	54	9	0.01	0.01
NKT-90-6	20490	101.0	102.5	1.5	5	20	0.00	0.02
NKT-90-6	20491	102.5	104.0	1.5	8	4	0.00	0.01
NKT-90-6	no sample	104.0	106.0	2.0				
NKT-90-6	20492	106.0	107.6	1.6	9	3	0.00	0.01
NKT-90-6	20493	107.6	108.0	0.4	54	2	0.01	0.01
NKT-90-6	20494	108.0	108.2	0.2	47	3	0.00	0.01
NKT-90-6	20495	108.2	109.5	1.3	65	1	0.01	0.01
NKT-90-6	20496	109.5	110.5	1.0	61	1	0.01	0.01
NKT-90-6	20497	110.5	110.8	0.3	29	2	0.00	0.01
NKT-90-6	20498	110.8	113.0	2.2	63	1	0.01	0.01
NKT-90-6	20499	113.0	114.5	1.5	53	1	0.01	0.01
NKT-90-6	20500	114.5	116.0	1.5	55	1	0.01	0.01
NKT-90-6	no sample	116.0	124.1	8.1				
NKT-90-6	20501	124.1	125.6	1.5	50	1	0.01	0.01
NKT-90-6	20502	125.6	127.1	1.5	46	1	0.00	0.01
NKT-90-6	20503	127.1	128.5	1.4	16	8	0.00	0.01
NKT-90-6	20504	128.5	129.5	1.0	5	6	0.00	0.01
NKT-90-6	20505	129.5	130.7	1.2	23	18	0.00	0.02
NKT-90-6	20506	130.7	132.0	1.3	632	50	0.06	0.05
NKT-90-6	20507	132.0	133.5	1.5	519	16	0.05	0.02
NKT-90-6	20508	133.5	135.0	1.5	1290	44	0.13	0.04
NKT-90-6	20509	135.0	136.5	1.5	850	44	0.09	0.04
NKT-90-6	20510	136.5	138.0	1.5	1081	38	0.11	0.04
NKT-90-6	20511	138.0	139.5	1.5	627	37	0.06	0.04
NKT-90-6	20512	139.5	141.0	1.5	491	20	0.05	0.02
NKT-90-6	20513	141.0	142.5	1.5	3169	57	0.32	0.06
NKT-90-6	20514	142.5	144.0	1.5	950	32	0.10	0.03
NKT-90-6	20515	144.0	145.5	1.5	768	22	0.08	0.02
NKT-90-6	20516	145.5	147.2	1.7	853	31	0.09	0.03
NKT-90-6	20517	147.2	148.5	1.3	25	1	0.00	0.01
NKT-90-6	20518	148.5	149.5	1.0	14	1	0.00	0.01
NKT-90-6	20519	149.5	150.3	0.8	731	31	0.07	0.03
NKT-90-7	no sample	0.0	11.0	11.0				
NKT-90-7	20521	11.0	12.5	1.5	397	2	0.04	0.01
NKT-90-7	20522	12.5	14.0	1.5	333	1	0.03	0.01

NKT-90-7	20523	14.0	15.5	1.5	284	2	0.03	0.01
NKT-90-7	20524	15.5	17.0	1.5	239	1	0.02	0.01
NKT-90-7	20525	17.0	18.5	1.5	337	10	0.03	0.01
NKT-90-7	20526	18.5	20.0	1.5	435	2	0.04	0.01
NKT-90-7	20527	20.0	21.5	1.5	875	9	0.09	0.01
NKT-90-7	20528	21.5	22.7	1.2	525	8	0.05	0.01
NKT-90-7	20529	22.7	23.6	0.9	200	1	0.02	0.01
NKT-90-7	20530	23.6	24.9	1.3	177	2	0.02	0.01
NKT-90-7	20531	24.9	26.0	1.1	1523	7	0.15	0.01
NKT-90-7	20532	26.0	27.2	1.2	646	5	0.06	0.01
NKT-90-7	20533	27.2	27.5	0.3	76	2	0.01	0.01
NKT-90-7	20534	27.5	28.5	1.0	460	6	0.05	0.01
NKT-90-7	20535	28.5	30.0	1.5	378	14	0.04	0.01
NKT-90-7	20536	30.0	31.5	1.5	484	9	0.05	0.01
NKT-90-7	20537	31.5	33.0	1.5	552	1	0.06	0.01
NKT-90-7	20538	33.0	34.3	1.3	579	2	0.06	0.01
NKT-90-7	20539	34.3	35.3	1.0	47	4	0.00	0.01
NKT-90-7	20540	35.3	36.4	1.1	37	1	0.00	0.01
NKT-90-7	20541	36.4	38.0	1.6	498	20	0.05	0.02
NKT-90-7	20542	38.0	39.5	1.5	476	16	0.05	0.02
NKT-90-7	20543	39.5	40.5	1.0	153	10	0.02	0.01
NKT-90-7	20544	40.5	41.7	1.2	215	33	0.02	0.03
NKT-90-7	20545	41.7	42.2	0.5	24	5	0.00	0.01
NKT-90-7	20546	42.2	44.0	1.8	281	21	0.03	0.02
NKT-90-7	20547	44.0	45.5	1.5	375	13	0.04	0.01
NKT-90-7	20548	45.5	47.0	1.5	505	9	0.05	0.01
NKT-90-7	20549	47.0	48.5	1.5	450	21	0.05	0.02
NKT-90-7	20550	48.5	50.0	1.5	291	9	0.03	0.01
NKT-90-7	20551	50.0	51.5	1.5	212	10	0.02	0.01
NKT-90-7	20552	51.5	53.0	1.5	662	12	0.07	0.01
NKT-90-7	20553	53.0	54.8	1.8	177	2	0.02	0.01
NKT-90-7	20554	54.8	55.2	0.4	96	1	0.01	0.01
NKT-90-7	20555	55.2	56.5	1.3	206	5	0.02	0.01
NKT-90-7	20556	56.5	58.0	1.5	202	7	0.02	0.01
NKT-90-7	20557	58.0	59.5	1.5	128	3	0.01	0.01
NKT-90-7	20558	59.5	61.0	1.5	301	4	0.03	0.01
NKT-90-7	20559	61.0	62.5	1.5	141	5	0.01	0.01
NKT-90-7	20560	62.5	64.0	1.5	430	5	0.04	0.01
NKT-90-7	20561	64.0	65.5	1.5	200	2	0.02	0.01
NKT-90-7	20562	65.5	67.0	1.5	114	5	0.01	0.01
NKT-90-7	20563	67.0	68.5	1.5	229	3	0.02	0.01
NKT-90-7	20564	68.5	70.0	1.5	196	3	0.02	0.01
NKT-90-7	20565	70.0	71.5	1.5	148	5	0.01	0.01
NKT-90-7	20566	71.5	73.0	1.5	98	9	0.01	0.01
NKT-90-7	20567	73.0	74.5	1.5	176	6	0.02	0.01
NKT-90-7	20568	74.5	76.0	1.5	234	5	0.02	0.01
NKT-90-7	20569	76.0	77.5	1.5	276	15	0.03	0.02
NKT-90-7	20570	77.5	79.0	1.5	359	17	0.04	0.02
NKT-90-7	20571	79.0	80.5	1.5	129	14	0.01	0.01
NKT-90-7	20572	80.5	82.0	1.5	209	2	0.02	0.01
NKT-90-7	20573	82.0	83.5	1.5	218	22	0.02	0.02
NKT-90-7	20574	83.5	85.0	1.5	176	5	0.02	0.01
NKT-90-7	20575	85.0	86.5	1.5	114	5	0.01	0.01
NKT-90-7	20576	86.5	88.0	1.5	201	2	0.02	0.01



NKT-90-7	20577	88.0	89.5	1.5	129	3	0.01	0.01
NKT-90-7	20578	89.5	91.0	1.5	129	14	0.01	0.01
NKT-90-7	20579	91.0	92.5	1.5	203	8	0.02	0.01
NKT-90-7	20580	92.5	94.0	1.5	452	5	0.05	0.01
NKT-90-7	20581	94.0	95.5	1.5	395	5	0.04	0.01
NKT-90-7	20582	95.5	97.0	1.5	521	12	0.05	0.01
NKT-90-7	20583	97.0	98.5	1.5	248	11	0.02	0.01
NKT-90-7	20584	98.5	100.0	1.5	445	17	0.04	0.02
NKT-90-7	20585	100.0	101.5	1.5	356	19	0.04	0.02
NKT-90-7	20586	101.5	103.0	1.5	318	16	0.03	0.02
NKT-90-7	20587	103.0	104.5	1.5	223	17	0.02	0.02
NKT-90-7	20588	104.5	106.0	1.5	211	4	0.02	0.01
NKT-90-7	20589	106.0	107.5	1.5	271	6	0.03	0.01
NKT-90-7	20590	107.5	109.0	1.5	130	5	0.01	0.01
NKT-90-7	20591	109.0	110.2	1.2	470	13	0.05	0.01
NKT-90-7	20592	110.2	111.5	1.3	230	6	0.02	0.01
NKT-90-7	20593	111.5	113.0	1.5	102	7	0.01	0.01
NKT-90-7	20594	113.0	114.5	1.5	51	2	0.01	0.01
NKT-90-7	20595	114.5	116.0	1.5	96	23	0.01	0.02
NKT-90-7	20596	116.0	117.7	1.7	20	2	0.00	0.01
NKT-90-7	20597	117.7	119.0	1.3	593	25	0.06	0.03
NKT-90-7	20598	119.0	120.0	1.0	211	5	0.02	0.01
NKT-90-7	20599	120.0	121.5	1.5	292	18	0.03	0.02
NKT-90-7	20600	121.5	123.3	1.8	5815	27	0.58	0.03
NKT-90-7	20601	123.3	124.5	1.2	2286	25	0.23	0.03
NKT-90-7	20602	124.5	126.0	1.5	196	25	0.02	0.03
NKT-90-7	20603	126.0	127.5	1.5	571	18	0.06	0.02
NKT-90-7	20604	127.5	128.5	1.0	572	45	0.06	0.05
NKT-90-7	20605	128.5	129.6	1.1	759	38	0.08	0.04
NKT-90-7	20606	129.6	131.0	1.4	4	130	0.00	0.13
NKT-90-7	20607	131.0	132.5	1.5	18	29	0.00	0.03
NKT-90-7	20608	132.5	134.0	1.5	17	11	0.00	0.01
NKT-90-7	20609	134.0	135.5	1.5	5	6	0.00	0.01
NKT-90-7	20610	135.5	136.1	0.6	7	2	0.00	0.01
NKT-90-7	20611	136.1	136.9	0.8	420	4	0.04	0.01
NKT-90-7	20612	136.9	138.0	1.1	978	27	0.10	0.03
NKT-90-7	20613	138.0	139.5	1.5	1113	23	0.11	0.02
NKT-90-7	20614	139.5	141.0	1.5	793	50	0.08	0.05
NKT-90-7	20615	141.0	142.5	1.5	429	15	0.04	0.02
NKT-90-7	20616	142.5	144.0	1.5	548	15	0.05	0.02
NKT-90-7	20617	144.0	145.5	1.5	351	10	0.04	0.01
NKT-90-7	20618	145.5	147.0	1.5	351	13	0.04	0.01
NKT-90-7	20619	147.0	148.5	1.5	1036	29	0.10	0.03
NKT-90-7	20620	148.5	150.0	1.5	1123	29	0.11	0.03
NKT-90-7	20621	150.0	151.5	1.5	683	26	0.07	0.03
NKT-90-7	20622	151.5	153.0	1.5	569	21	0.06	0.02
NKT-90-7	20623	153.0	154.5	1.5	367	21	0.04	0.02
NKT-90-7	20624	154.5	156.0	1.5	625	21	0.06	0.02
NKT-90-7	20625	156.0	157.5	1.5	1075	25	0.11	0.03
NKT-90-7	20626	157.5	158.5	1.0	1242	46	0.12	0.05
NKT-90-7	20627	158.5	159.4	0.9	2232	420	0.22	0.42
NKT-90-7	20628	159.4	160.4	1.0	1495	1500	0.15	1.50
NKT-90-7	20629	160.4	161.5	1.1	700	32	0.07	0.03
NKT-90-7	20630	161.5	163.0	1.5	645	44	0.06	0.04

NKT-90-7	20631	163.0	164.5	1.5	859	12	0.09	0.01
NKT-90-7	20632	164.5	166.0	1.5	735	12	0.07	0.01
NKT-90-7	20633	166.0	167.5	1.5	279	22	0.03	0.02
NKT-90-7	20634	167.5	169.0	1.5	597	12	0.06	0.01
NKT-90-7	20635	169.0	170.5	1.5	285	16	0.03	0.02
NKT-90-7	20636	170.5	172.2	1.7	492	17	0.05	0.02
NKT-90-7	20637	172.2	173.7	1.5	66	4	0.01	0.01
NKT-90-7	no sample	173.7	177.0	3.3				
NKT-90-7	20638	177.0	178.6	1.6	8	5	0.00	0.01
NKT-90-7	20639	178.6	179.5	0.9	846	31	0.08	0.03
NKT-90-7	20640	179.5	180.5	1.0	38	6	0.00	0.01
NKT-90-7	no sample	180.5	182.0	1.5				
NKT-90-7	20641	182.0	183.0	1.0	5	7	0.00	0.01
NKT-90-7	20642	183.0	184.5	1.5	646	43	0.06	0.04
NKT-90-7	20643	184.5	186.0	1.5	1284	43	0.13	0.04
NKT-90-7	20644	186.0	187.5	1.5	898	59	0.09	0.06
NKT-90-7	20645	187.5	189.0	1.5	613	46	0.06	0.05
NKT-90-7	20646	189.0	190.3	1.3	543	38	0.05	0.04
NKT-90-7	20647	190.3	191.1	0.8	63	7	0.01	0.01
NKT-90-7	20648	191.1	192.0	0.9	518	43	0.05	0.04
NKT-90-7	20649	192.0	193.5	1.5	538	46	0.05	0.05
NKT-90-7	20650	193.5	195.0	1.5	558	43	0.06	0.04
NKT-90-7	20651	195.0	196.5	1.5	432	35	0.04	0.04
NKT-90-7	20652	196.5	197.6	1.1	550	48	0.06	0.05
NKT-90-7	20653	197.6	199.0	1.4	540	50	0.05	0.05
NKT-90-7	20654	199.0	200.5	1.5	179	16	0.02	0.02
NKT-90-7	20655	200.5	202.0	1.5	358	33	0.04	0.03
NKT-90-7	20656	202.0	203.5	1.5	518	15	0.05	0.02
NKT-90-7	20657	203.5	205.0	1.5	293	12	0.03	0.01
NKT-90-7	20658	205.0	206.5	1.5	924	76	0.09	0.08
NKT-90-7	20659	206.5	207.5	1.0	387	32	0.04	0.03
NKT-90-7	20660	207.5	208.8	1.3	564	49	0.06	0.05
NKT-90-7	20661	208.8	209.3	0.5	2271	83	0.23	0.08
NKT-90-7	20662	209.3	210.5	1.2	1056	21	0.11	0.02
NKT-90-7	20663	210.5	212.0	1.5	1631	43	0.16	0.04
NKT-90-7	20664	212.0	213.7	1.7	529	17	0.05	0.02
NKT-90-7	20665	213.7	213.8	0.1	368	23	0.04	0.02
NKT-90-7	20666	213.8	215.0	1.2	563	29	0.06	0.03
NKT-90-7	20667	215.0	216.5	1.5	842	55	0.08	0.06
NKT-90-7	20668	216.5	218.0	1.5	667	26	0.07	0.03
NKT-90-7	20669	218.0	219.4	1.4	1099	79	0.11	0.08
NKT-90-7	20670	219.4	220.5	1.1	992	45	0.10	0.05
NKT-90-7	20671	220.5	222.0	1.5	1747	58	0.17	0.06
NKT-90-7	20672	222.0	223.5	1.5	876	25	0.09	0.03
NKT-90-7	20673	223.5	225.0	1.5	491	32	0.05	0.03
NKT-90-7	20674	225.0	226.5	1.5	1010	30	0.10	0.03
NKT-90-7	20675	226.5	228.0	1.5	1196	25	0.12	0.03
NKT-90-7	20676	228.0	229.5	1.5	344	17	0.03	0.02
NKT-90-7	20677	229.5	231.0	1.5	262	12	0.03	0.01
NKT-90-7	20678	231.0	232.5	1.5	306	11	0.03	0.01
NKT-90-7	20679	232.5	234.0	1.5	344	26	0.03	0.03
NKT-90-7	20680	234.0	235.5	1.5	238	45	0.02	0.05
NKT-90-7	20681	235.5	237.0	1.5	246	10	0.02	0.01
NKT-90-7	20682	237.0	238.6	1.6	289	9	0.03	0.01

NKT-90-7	no sample	238.6	238.7	0.1				
NKT-90-8	no sample	0.0	18.3	18.3				
NKT-90-8	20683	18.3	19.5	1.2	275	17	0.03	0.02
NKT-90-8	20684	19.5	21.0	1.5	431	13	0.04	0.01
NKT-90-8	20685	21.0	22.5	1.5	427	24	0.04	0.02
NKT-90-8	20686	22.5	23.5	1.0	474	20	0.05	0.02
NKT-90-8	20687	23.5	25.5	2.0	394	30	0.04	0.03
NKT-90-8	20688	25.5	26.5	1.0	5	10	0.00	0.01
NKT-90-8	20689	26.5	28.0	1.5	2456	65	0.25	0.07
NKT-90-8	20690	28.0	29.5	1.5	406	17	0.04	0.02
NKT-90-8	20691	29.5	31.0	1.5	495	35	0.05	0.04
NKT-90-8	20692	31.0	32.5	1.5	401	39	0.04	0.04
NKT-90-8	20693	32.5	34.0	1.5	1671	53	0.17	0.05
NKT-90-8	20694	34.0	35.5	1.5	484	19	0.05	0.02
NKT-90-8	20695	35.5	37.0	1.5	577	44	0.06	0.04
NKT-90-8	20696	37.0	38.5	1.5	796	45	0.08	0.05
NKT-90-8	20697	38.5	40.0	1.5	275	23	0.03	0.02
NKT-90-8	20698	40.0	41.5	1.5	542	22	0.05	0.02
NKT-90-8	20699	41.5	43.0	1.5	1064	56	0.11	0.06
NKT-90-8	20700	43.0	44.5	1.5	851	39	0.09	0.04
NKT-90-8	20701	44.5	46.0	1.5	421	15	0.04	0.02
NKT-90-8	20702	46.0	47.5	1.5	266	20	0.03	0.02
NKT-90-8	20703	47.5	49.0	1.5	273	63	0.03	0.06
NKT-90-8	20704	49.0	50.5	1.5	764	47	0.08	0.05
NKT-90-8	20705	50.5	52.0	1.5	412	14	0.04	0.01
NKT-90-8	20706	52.0	53.5	1.5	434	19	0.04	0.02
NKT-90-8	20707	53.5	55.0	1.5	969	40	0.10	0.04
NKT-90-8	20708	55.0	56.5	1.5	584	20	0.06	0.02
NKT-90-8	20709	56.5	58.0	1.5	846	46	0.08	0.05
NKT-90-8	20710	58.0	59.5	1.5	487	37	0.05	0.04
NKT-90-8	20711	59.5	61.0	1.5	156	13	0.02	0.01
NKT-90-8	20712	61.0	62.5	1.5	161	14	0.02	0.01
NKT-90-8	20713	62.5	64.0	1.5	426	40	0.04	0.04
NKT-90-8	20714	64.0	64.9	0.9	563	46	0.06	0.05
NKT-90-8	20715	64.9	65.6	0.7	106	32	0.01	0.03
NKT-90-8	20716	65.6	67.0	1.4	750	30	0.08	0.03
NKT-90-8	20717	67.0	68.5	1.5	331	19	0.03	0.02
NKT-90-8	20718	68.5	70.0	1.5	461	27	0.05	0.03
NKT-90-8	20719	70.0	71.5	1.5	575	21	0.06	0.02
NKT-90-8	20720	71.5	73.0	1.5	853	42	0.09	0.04
NKT-90-8	20721	73.0	74.5	1.5	848	40	0.08	0.04
NKT-90-8	20722	74.5	76.0	1.5	725	36	0.07	0.04
NKT-90-8	20723	76.0	77.5	1.5	332	17	0.03	0.02
NKT-90-8	20724	77.5	79.0	1.5	865	25	0.09	0.03
NKT-90-8	20725	79.0	80.5	1.5	1018	33	0.10	0.03
NKT-90-8	20726	80.5	82.0	1.5	375	13	0.04	0.01
NKT-90-8	20727	82.0	83.5	1.5	261	9	0.03	0.01
NKT-90-8	20728	83.5	85.0	1.5	320	18	0.03	0.02
NKT-90-8	20729	85.0	86.5	1.5	364	12	0.04	0.01
NKT-90-8	20730	86.5	88.0	1.5	601	23	0.06	0.02
NKT-90-8	20731	88.0	89.5	1.5	313	15	0.03	0.02
NKT-90-8	20732	89.5	91.0	1.5	445	17	0.04	0.02
NKT-90-8	20733	91.0	92.5	1.5	662	31	0.07	0.03
NKT-90-8	20734	92.5	94.0	1.5	168	46	0.02	0.05

NKT-90-8	20735	94.0	95.5	1.5	173	18	0.02	0.02
NKT-90-8	20736	95.5	97.0	1.5	207	23	0.02	0.02
NKT-90-8	20737	97.0	98.5	1.5	182	12	0.02	0.01
NKT-90-8	20738	98.5	100.0	1.5	278	26	0.03	0.03
NKT-90-8	20739	100.0	101.5	1.5	225	17	0.02	0.02
NKT-90-8	20740	101.5	103.0	1.5	676	16	0.07	0.02
NKT-90-8	20741	103.0	104.5	1.5	599	29	0.06	0.03
NKT-90-8	20742	104.5	106.0	1.5	180	20	0.02	0.02
NKT-90-8	20743	106.0	107.5	1.5	383	13	0.04	0.01
NKT-90-8	20744	107.5	109.0	1.5	423	15	0.04	0.02
NKT-90-8	20745	109.0	110.5	1.5	293	50	0.03	0.05
NKT-90-8	20746	110.5	112.0	1.5	492	11	0.05	0.01
NKT-90-8	20747	112.0	113.5	1.5	256	7	0.03	0.01
NKT-90-8	20748	113.5	115.0	1.5	241	12	0.02	0.01
NKT-90-8	20749	115.0	116.5	1.5	743	30	0.07	0.03
NKT-90-8	20750	116.5	118.0	1.5	508	13	0.05	0.01
NKT-90-8	20751	118.0	119.5	1.5	244	10	0.02	0.01
NKT-90-8	20752	119.5	121.0	1.5	278	8	0.03	0.01
NKT-90-8	20753	121.0	122.5	1.5	457	17	0.05	0.02
NKT-90-8	20754	122.5	124.3	1.8	533	17	0.05	0.02
NKT-90-8	20755	124.3	125.3	1.0	146	10	0.01	0.01
NKT-90-8	20756	125.3	126.5	1.2	1055	20	0.11	0.02
NKT-90-8	20757	126.5	128.0	1.5	493	10	0.05	0.01
NKT-90-8	20758	128.0	129.5	1.5	964	8	0.10	0.01
NKT-90-8	20759	129.5	131.0	1.5	787	11	0.08	0.01
NKT-90-8	20760	131.0	132.5	1.5	1830	34	0.18	0.03
NKT-90-8	20761	132.5	134.0	1.5	968	15	0.10	0.02
NKT-90-8	20762	134.0	135.5	1.5	451	14	0.05	0.01
NKT-90-8	20763	135.5	137.0	1.5	588	10	0.06	0.01
NKT-90-8	20764	137.0	138.5	1.5	304	10	0.03	0.01
NKT-90-8	20765	138.5	140.0	1.5	144	7	0.01	0.01
NKT-90-8	20766	140.0	141.5	1.5	496	36	0.05	0.04
NKT-90-8	20767	141.5	143.0	1.5	298	23	0.03	0.02
NKT-90-8	20768	143.0	144.5	1.5	669	54	0.07	0.05
NKT-90-8	20769	144.5	146.0	1.5	1033	92	0.10	0.09
NKT-90-8	20770	146.0	147.5	1.5	1261	64	0.13	0.06
NKT-90-8	20771	147.5	149.0	1.5	1265	51	0.13	0.05
NKT-90-8	20772	149.0	150.5	1.5	1720	63	0.17	0.06
NKT-90-8	20773	150.5	152.0	1.5	646	51	0.06	0.05
NKT-90-8	20774	152.0	153.5	1.5	930	110	0.09	0.11
NKT-90-8	20775	153.5	155.0	1.5	937	82	0.09	0.08
NKT-90-8	20776	155.0	156.4	1.4	389	21	0.04	0.02
NKT-90-8	20777	156.4	158.0	1.6	681	38	0.07	0.04
NKT-90-8	20778	158.0	159.5	1.5	866	80	0.09	0.08
NKT-90-8	20779	159.5	161.0	1.5	427	59	0.04	0.06
NKT-90-8	20780	161.0	162.5	1.5	1130	140	0.11	0.14
NKT-90-8	20781	162.5	164.0	1.5	1322	87	0.13	0.09
NKT-90-8	20782	164.0	165.5	1.5	728	68	0.07	0.07
NKT-90-8	20783	165.5	167.0	1.5	1294	18	0.13	0.02
NKT-90-8	20784	167.0	168.5	1.5	908	50	0.09	0.05
NKT-90-8	20785	168.5	170.0	1.5	1356	220	0.14	0.22
NKT-90-8	20786	170.0	171.5	1.5	385	10	0.04	0.01
NKT-90-8	20787	171.5	173.0	1.5	1198	52	0.12	0.05
NKT-90-8	20788	173.0	174.0	1.0	1693	70	0.17	0.07

NKT-90-8	20789	174.0	176.0	2.0	1748	76	0.17	0.08
NKT-90-8	20790	176.0	177.5	1.5	1066	12	0.11	0.01
NKT-90-8	20791	177.5	179.0	1.5	785	13	0.08	0.01
NKT-90-8	20792	179.0	180.5	1.5	723	18	0.07	0.02
NKT-90-8	20793	180.5	182.0	1.5	562	23	0.06	0.02
NKT-90-8	20794	182.0	183.1	1.1	585	56	0.06	0.06
NKT-90-8	20795	183.1	184.3	1.2	455	18	0.05	0.02
NKT-90-8	20796	184.3	186.0	1.7	6	2	0.00	0.01
NKT-90-8	20797	186.0	187.5	1.5	4	1	0.00	0.01
NKT-90-8	20798	187.5	188.6	1.1	164	1	0.02	0.01
NKT-90-8	20799	188.6	190.1	1.5	9	2	0.00	0.01
NKT-90-8	20800	190.1	191.1	1.0	1	2	0.00	0.01
NKT-90-8	20801	191.1	191.6	0.5	67	3	0.01	0.01
NKT-90-8	20802	191.6	193.0	1.4	3	7	0.00	0.01
NKT-90-8	20803	193.0	194.7	1.7	3	1	0.00	0.01
NKT-90-8	20804	194.7	195.9	1.2	181	15	0.02	0.02
NKT-90-8	20805	195.9	197.5	1.6	299	23	0.03	0.02
NKT-90-8	20806	197.5	199.0	1.5	552	12	0.06	0.01
NKT-90-8	20807	199.0	200.5	1.5	624	19	0.06	0.02
NKT-90-8	20808	200.5	202.1	1.6	360	13	0.04	0.01
NKT-90-9	no sample	0.0	16.5	16.5				
NKT-90-9	20809	16.5	18.0	1.5	151	5	0.02	0.01
NKT-90-9	20810	18.0	19.6	1.6	117	7	0.01	0.01
NKT-90-9	20811	19.6	21.0	1.4	441	9	0.04	0.01
NKT-90-9	20812	21.0	22.1	1.1	222	12	0.02	0.01
NKT-90-9	20813	22.1	23.5	1.4	175	12	0.02	0.01
NKT-90-9	20814	23.5	25.0	1.5	115	21	0.01	0.02
NKT-90-9	20815	25.0	26.6	1.6	91	6	0.01	0.01
NKT-90-9	20816	26.6	28.0	1.4	38	5	0.00	0.01
NKT-90-9	20817	28.0	29.5	1.5	29	6	0.00	0.01
NKT-90-9	20818	29.5	31.0	1.5	89	14	0.01	0.01
NKT-90-9	20819	31.0	31.9	0.9	161	6	0.02	0.01
NKT-90-9	20820	31.9	33.5	1.6	134	9	0.01	0.01
NKT-90-9	20821	33.5	35.0	1.5	152	4	0.02	0.01
NKT-90-9	20822	35.0	36.5	1.5	134	6	0.01	0.01
NKT-90-9	20823	36.5	38.0	1.5	152	7	0.02	0.01
NKT-90-9	20824	38.0	39.0	1.0	158	6	0.02	0.01
NKT-90-9	20825	39.0	40.3	1.3	150	3	0.02	0.01
NKT-90-9	20826	40.3	41.5	1.2	36	6	0.00	0.01
NKT-90-9	20827	41.5	43.0	1.5	28	8	0.00	0.01
NKT-90-9	20828	43.0	44.5	1.5	31	6	0.00	0.01
NKT-90-9	20829	44.5	46.0	1.5	13	2	0.00	0.01
NKT-90-9	20830	46.0	47.5	1.5	25	6	0.00	0.01
NKT-90-9	20831	47.5	49.0	1.5	31	7	0.00	0.01
NKT-90-9	20832	49.0	50.5	1.5	23	8	0.00	0.01
NKT-90-9	20833	50.5	52.0	1.5	32	10	0.00	0.01
NKT-90-9	20834	52.0	53.5	1.5	30	12	0.00	0.01
NKT-90-9	20835	53.5	55.0	1.5	22	21	0.00	0.02
NKT-90-9	20836	55.0	56.5	1.5	21	5	0.00	0.01
NKT-90-9	20837	56.5	58.0	1.5	36	15	0.00	0.02
NKT-90-9	20838	58.0	59.5	1.5	15	33	0.00	0.03
NKT-90-9	20839	59.5	61.0	1.5	9	10	0.00	0.01
NKT-90-9	20840	61.0	62.5	1.5	11	12	0.00	0.01
NKT-90-9	20841	62.5	64.0	1.5	53	10	0.01	0.01

NKT-90-9	20842	64.0	65.5	1.5	15	14	0.00	0.01
NKT-90-9	20843	65.5	67.0	1.5	153	11	0.02	0.01
NKT-90-9	20844	67.0	68.1	1.1	61	3	0.01	0.01
NKT-90-9	20845	68.1	69.6	1.5	79	23	0.01	0.02
NKT-90-9	20846	69.6	71.1	1.5	418	39	0.04	0.04
NKT-90-9	20847	71.1	71.4	0.3	501	33	0.05	0.03
NKT-90-9	20848	71.4	72.5	1.1	29	5	0.00	0.01
NKT-90-9	20849	72.5	73.9	1.4	5	7	0.00	0.01
NKT-90-9	20850	73.9	75.5	1.6	191	6	0.02	0.01
NKT-90-9	20851	75.5	77.0	1.5	509	37	0.05	0.04
NKT-90-9	20852	77.0	78.5	1.5	800	17	0.08	0.02
NKT-90-9	20853	78.5	80.0	1.5	1941	300	0.19	0.30
NKT-90-9	20854	80.0	81.5	1.5	731	60	0.07	0.06
NKT-90-9	20855	81.5	83.0	1.5	161	47	0.02	0.05
NKT-90-9	20856	83.0	84.5	1.5	673	28	0.07	0.03
NKT-90-9	20857	84.5	86.0	1.5	887	63	0.09	0.06
NKT-90-9	20858	86.0	86.8	0.8	480	18	0.05	0.02
NKT-90-9	20859	86.8	87.3	0.5	118	11	0.01	0.01
NKT-90-9	20860	87.3	88.5	1.2	11	8	0.00	0.01
NKT-90-9	20861	88.5	90.0	1.5	4	1	0.00	0.01
NKT-90-9	no sample	90.0	94.0	4.0				
NKT-90-9	20862	94.0	95.1	1.1	13	1	0.00	0.01
NKT-90-9	20863	95.1	96.5	1.4	198	14	0.02	0.01
NKT-90-9	20864	96.5	98.0	1.5	443	110	0.04	0.11
NKT-90-9	20865	98.0	99.8	1.8	934	63	0.09	0.06
NKT-90-9	20866	99.8	99.9	0.1	101	7	0.01	0.01
NKT-90-9	20867	99.9	101.5	1.6	2549	53	0.25	0.05
NKT-90-9	20868	101.5	102.5	1.0	1893	63	0.19	0.06
NKT-90-9	20869	102.5	103.4	0.9	1040	99	0.10	0.10
NKT-90-9	20870	103.4	105.0	1.6	283	41	0.03	0.04
NKT-90-9	20871	105.0	106.5	1.5	178	230	0.02	0.23
NKT-90-9	20872	106.5	108.0	1.5	280	26	0.03	0.03
NKT-90-9	20873	108.0	109.5	1.5	179	11	0.02	0.01
NKT-90-9	20874	109.5	111.0	1.5	15619	1980	1.56	1.98
NKT-90-9	20875	111.0	112.5	1.5	1547	81	0.15	0.08
NKT-90-9	20876	112.5	114.0	1.5	1887	66	0.19	0.07
NKT-90-9	20877	114.0	115.1	1.1	947	31	0.09	0.03
NKT-90-9	20878	115.1	116.5	1.4	43	5	0.00	0.01
NKT-90-9	no sample	116.5	118.2	1.7				
NKT-90-9	20879	118.2	119.7	1.5	9	3	0.00	0.01
NKT-90-9	20880	119.7	121.5	1.8	2214	130	0.22	0.13
NKT-90-9	20881	121.5	122.5	1.0	5815	170	0.58	0.17
NKT-90-9	20882	122.5	124.0	1.5	1541	88	0.15	0.09
NKT-90-9	20883	124.0	125.0	1.0	720	140	0.07	0.14
NKT-90-9	20884	125.0	126.5	1.5	2141	210	0.21	0.21
NKT-90-9	20885	126.5	128.0	1.5	2688	120	0.27	0.12
NKT-90-9	20886	128.0	129.2	1.2	1097	160	0.11	0.16
NKT-90-9	20887	129.2	131.0	1.8	98	26	0.01	0.03
NKT-90-9	20888	131.0	132.6	1.6	403	37	0.04	0.04
NKT-90-9	20889	132.6	134.0	1.4	2172	160	0.22	0.16
NKT-90-9	20890	134.0	135.5	1.5	859	96	0.09	0.10
NKT-90-9	20891	135.5	137.0	1.5	280	53	0.03	0.05
NKT-90-9	20892	137.0	138.5	1.5	994	36	0.10	0.04
NKT-90-9	20893	138.5	140.0	1.5	188	33	0.02	0.03

NKT-90-9	20894	140.0	141.5	1.5	1979	140	0.20	0.14
NKT-90-9	20895	141.5	143.0	1.5	732	140	0.07	0.14
NKT-90-9	20896	143.0	144.5	1.5	406	80	0.04	0.08
NKT-90-9	20897	144.5	146.0	1.5	2535	270	0.25	0.27
NKT-90-9	20898	146.0	147.5	1.5	3185	110	0.32	0.11
NKT-90-9	20899	147.5	149.0	1.5	862	110	0.09	0.11
NKT-90-9	20900	149.0	150.5	1.5	246	70	0.02	0.07
NKT-90-9	20901	150.5	152.0	1.5	131	93	0.01	0.09
NKT-90-9	20902	152.0	153.5	1.5	1037	28	0.10	0.03
NKT-90-9	20903	153.5	155.0	1.5	1677	42	0.17	0.04
NKT-90-9	20904	155.0	156.5	1.5	994	74	0.10	0.07
NKT-90-9	20905	156.5	158.0	1.5	4553	62	0.46	0.06
NKT-90-9	20906	158.0	158.7	0.7	437	11	0.04	0.01
NKT-90-9	20907	158.7	160.0	1.3	3430	160	0.34	0.16
NKT-90-9	20908	160.0	161.5	1.5	1585	65	0.16	0.07
NKT-90-9	20909	161.5	163.0	1.5	3030	35	0.30	0.04
NKT-90-9	20910	163.0	164.5	1.5	231	16	0.02	0.02
NKT-90-9	20911	164.5	166.0	1.5	2040	53	0.20	0.05
NKT-90-9	20912	166.0	167.5	1.5	923	50	0.09	0.05
NKT-90-9	20913	167.5	169.0	1.5	879	30	0.09	0.03
NKT-90-9	20914	169.0	170.5	1.5	780	33	0.08	0.03
NKT-90-9	20915	170.5	172.0	1.5	541	35	0.05	0.04
NKT-90-9	20916	172.0	173.5	1.5	1676	75	0.17	0.08
NKT-90-9	20917	173.5	175.0	1.5	2894	230	0.29	0.23
NKT-90-9	20918	175.0	176.5	1.5	2346	130	0.23	0.13
NKT-90-9	20919	176.5	178.0	1.5	130	43	0.01	0.04
NKT-90-9	20920	178.0	179.5	1.5	1614	48	0.16	0.05
NKT-90-9	20921	179.5	181.0	1.5	614	30	0.06	0.03
NKT-90-9	20922	181.0	182.5	1.5	901	38	0.09	0.04
NKT-90-9	20923	182.5	183.6	1.1	510	40	0.05	0.04
NKT-90-9	20924	183.6	184.6	1.0	260	16	0.03	0.02
NKT-90-9	20925	184.6	186.0	1.4	216	39	0.02	0.04
NKT-90-9	20926	186.0	187.5	1.5	507	45	0.05	0.05
NKT-90-9	20927	187.5	189.0	1.5	301	33	0.03	0.03
NKT-90-9	20928	189.0	190.5	1.5	5069	140	0.51	0.14
NKT-90-9	20929	190.5	192.0	1.5	1967	71	0.20	0.07
NKT-90-9	20930	192.0	193.5	1.5	1110	140	0.11	0.14
NKT-90-9	20931	193.5	195.0	1.5	2014	130	0.20	0.13
NKT-90-9	20932	195.0	196.5	1.5	1501	73	0.15	0.07
NKT-90-9	20933	196.5	197.6	1.1	123	14	0.01	0.01
NKT-90-9	20934	197.6	199.0	1.4	341	16	0.03	0.02
NKT-90-9	20935	199.0	200.5	1.5	1240	69	0.12	0.07
NKT-90-9	20936	200.5	202.0	1.5	2862	120	0.29	0.12
NKT-90-9	20937	202.0	202.8	0.8	566	30	0.06	0.03
NKT-90-9	20938	202.8	203.4	0.6	284	7	0.03	0.01
NKT-90-9	20939	203.4	204.5	1.1	2529	50	0.25	0.05
NKT-90-9	20940	204.5	206.0	1.5	1075	84	0.11	0.08
NKT-90-9	20941	206.0	207.5	1.5	140	13	0.01	0.01
NKT-90-9	20942	207.5	209.0	1.5	1737	69	0.17	0.07
NKT-90-9	20943	209.0	210.5	1.5	770	92	0.08	0.09
NKT-90-9	20944	210.5	212.0	1.5	283	16	0.03	0.02
NKT-90-9	20945	212.0	213.5	1.5	211	19	0.02	0.02
NKT-90-9	20946	213.5	215.0	1.5	453	21	0.05	0.02
NKT-90-9	20947	215.0	216.5	1.5	1229	12	0.12	0.01

NKT-90-9	20948	216.5	218.0	1.5	441	15	0.04	0.02
NKT-90-9	20949	218.0	219.5	1.5	1194	26	0.12	0.03
NKT-90-9	20950	219.5	221.0	1.5	894	32	0.09	0.03
NKT-90-9	20951	221.0	222.5	1.5	1219	9	0.12	0.01
NKT-90-9	20952	222.5	224.0	1.5	362	23	0.04	0.02
NKT-90-9	20953	224.0	225.5	1.5	1472	66	0.15	0.07
NKT-90-9	20954	225.5	227.0	1.5	668	47	0.07	0.05
NKT-90-9	20955	227.0	228.0	1.0	989	44	0.10	0.04
NKT-90-9	20956	228.0	229.1	1.1	1312	140	0.13	0.14
NKT-90-9	20957	229.1	230.5	1.4	993	88	0.10	0.09
NKT-90-9	20958	230.5	232.0	1.5	994	66	0.10	0.07
NKT-90-9	20959	232.0	233.4	1.4	1289	40	0.13	0.04
NKT-90-9	20960	233.4	234.5	1.1	418	10	0.04	0.01
NKT-90-9	20961	234.5	236.3	1.8	463	17	0.05	0.02
NKT-90-9	20962	236.3	237.8	1.5	1106	29	0.11	0.03
NKT-90-9	20963	237.8	239.3	1.5	1489	55	0.15	0.06
NKT-90-9	20964	239.3	241.2	1.9	75	6	0.01	0.01
NKT-90-9	20965	241.2	241.9	0.7	1743	71	0.17	0.07
NKT-90-9	20966	241.9	242.8	0.9	211	13	0.02	0.01
NKT-90-9	20967	242.8	244.0	1.2	3152	96	0.32	0.10
NKT-90-9	20968	244.0	245.0	1.0	921	27	0.09	0.03
NKT-90-9	20969	245.0	246.3	1.3	993	29	0.10	0.03
NKT-90-9	20970	246.3	247.8	1.5	442	22	0.04	0.02
NKT-90-9	20971	247.8	249.3	1.5	889	88	0.09	0.09
NKT-90-9	20972	249.3	250.3	1.0	3989	490	0.40	0.49
NKT-90-9	20973	250.3	251.5	1.2	13717	3100	1.37	3.10
NKT-90-9	20974	251.5	253.0	1.5	7635	1610	0.76	1.61
NKT-90-9	20975	253.0	254.5	1.5	12110	3810	1.21	3.81
NKT-90-9	20976	254.5	256.0	1.5	3634	1070	0.36	1.07
NKT-90-9	20977	256.0	257.5	1.5	2995	220	0.30	0.22
NKT-90-9	20978	257.5	259.0	1.5	8735	1220	0.87	1.22
NKT-90-9	20979	259.0	260.1	1.1	1943	110	0.19	0.11
NKT-90-9	20980	260.1	261.0	0.9	2193	180	0.22	0.18
NKT-90-9	20981	261.0	261.9	0.9	1479	190	0.15	0.19
NKT-90-9	20982	261.9	263.0	1.1	4047	230	0.40	0.23
NKT-90-9	20983	263.0	264.5	1.5	2701	160	0.27	0.16
NKT-90-9	20984	264.5	266.0	1.5	1528	140	0.15	0.14
NKT-90-9	20985	266.0	267.5	1.5	597	37	0.06	0.04
NKT-90-9	20986	267.5	269.0	1.5	240	78	0.02	0.08
NKT-90-9	20987	269.0	270.3	1.3	589	53	0.06	0.05
NKT-90-9	20988	270.3	271.8	1.5	1595	290	0.16	0.29
NKT-90-9	20989	271.8	273.0	1.2	2048	460	0.20	0.46
NKT-90-9	20990	273.0	274.5	1.5	567	43	0.06	0.04
NKT-90-9	20991	274.5	276.0	1.5	100	16	0.01	0.02
NKT-90-9	20992	276.0	277.5	1.5	288	11	0.03	0.01
NKT-90-9	20993	277.5	279.0	1.5	309	2	0.03	0.01
NKT-90-9	20994	279.0	280.5	1.5	532	27	0.05	0.03
NKT-90-9	20995	280.5	282.0	1.5	968	3	0.10	0.01
NKT-90-9	20996	282.0	283.0	1.0	398	27	0.04	0.03
NKT-90-9	no sample	283.0	284.2	1.2				
NKT-90-9	20997	284.2	285.5	1.3	624	42	0.06	0.04
NKT-90-9	20998	285.5	287.0	1.5	475	74	0.05	0.07
NKT-90-9	20999	287.0	288.5	1.5	334	19	0.03	0.02
NKT-90-9	21000	288.5	289.5	1.0	57	24	0.01	0.02



NKT-90-9	21001	289.5	290.4	0.9	291	31	0.03	0.03
NKT-90-9	21002	290.4	291.5	1.1	285	6	0.03	0.01
NKT-90-9	21003	291.5	293.0	1.5	678	22	0.07	0.02
NKT-90-9	21004	293.0	294.5	1.5	355	26	0.04	0.03
NKT-90-9	21005	294.5	296.0	1.5	165	19	0.02	0.02
NKT-90-9	21006	296.0	297.5	1.5	299	34	0.03	0.03
NKT-90-9	21007	297.5	299.0	1.5	220	6	0.02	0.01
NKT-90-9	21008	299.0	300.5	1.5	269	2	0.03	0.01
NKT-90-9	21009	300.5	302.0	1.5	146	1	0.01	0.01
NKT-90-9	21010	302.0	303.5	1.5	194	2	0.02	0.01
NKT-90-9	21011	303.5	305.0	1.5	435	37	0.04	0.04
NKT-90-9	21012	305.0	307.6	2.6	403	1	0.04	0.01
NKT-90-9	no sample	307.6	308.8	1.2				
NKT-90-10	no sample	0.0	3.0	3.0				
NKT-90-10	71410	3.0	5.0	2.0	804	4	0.08	0.01
NKT-90-10	71411	5.0	7.0	2.0	1098	5	0.11	0.01
NKT-90-10	71412	7.0	8.9	1.9	1050	5	0.11	0.01
NKT-90-10	21013	8.9	10.1	1.2	933	37	0.09	0.04
NKT-90-10	21014	10.1	11.5	1.4	566	35	0.06	0.04
NKT-90-10	21015	11.5	13.0	1.5	536	57	0.05	0.06
NKT-90-10	21016	13.0	14.5	1.5	1113	190	0.11	0.19
NKT-90-10	21017	14.5	16.0	1.5	1183	40	0.12	0.04
NKT-90-10	21018	16.0	16.9	0.9	854	38	0.09	0.04
NKT-90-10	21019	16.9	18.0	1.1	800	74	0.08	0.07
NKT-90-10	21020	18.0	19.0	1.0	1559	15	0.16	0.02
NKT-90-10	21021	19.0	20.5	1.5	1845	22	0.18	0.02
NKT-90-10	no sample	20.5	20.6	0.1				
NKT-90-10	71413	20.6	22.3	1.7	1034	5	0.10	0.01
NKT-90-10	71414	22.3	25.5	3.2	1021	5	0.10	0.01
NKT-90-10	21022	25.5	27.0	1.5	1811	55	0.18	0.06
NKT-90-10	21023	27.0	28.5	1.5	1708	21	0.17	0.02
NKT-90-10	21024	28.5	30.0	1.5	818	20	0.08	0.02
NKT-90-10	21025	30.0	31.5	1.5	857	21	0.09	0.02
NKT-90-10	21026	31.5	33.0	1.5	1471	11	0.15	0.01
NKT-90-10	21027	33.0	34.5	1.5	1722	28	0.17	0.03
NKT-90-10	21028	34.5	36.0	1.5	3884	50	0.39	0.05
NKT-90-10	21029	36.0	37.5	1.5	1482	17	0.15	0.02
NKT-90-10	21030	37.5	39.0	1.5	1021	21	0.10	0.02
NKT-90-10	21031	39.0	40.5	1.5	1360	49	0.14	0.05
NKT-90-10	21032	40.5	42.0	1.5	2192	30	0.22	0.03
NKT-90-10	21033	42.0	43.6	1.6	2634	85	0.26	0.09
NKT-90-10	21034	43.6	45.0	1.4	1932	38	0.19	0.04
NKT-90-10	21035	45.0	46.5	1.5	2209	65	0.22	0.07
NKT-90-10	21036	46.5	48.0	1.5	2767	240	0.28	0.24
NKT-90-10	21037	48.0	49.5	1.5	1196	34	0.12	0.03
NKT-90-10	21038	49.5	51.2	1.7	1157	16	0.12	0.02
NKT-90-10	21039	51.2	52.5	1.3	1849	30	0.18	0.03
NKT-90-10	21040	52.5	54.0	1.5	3737	130	0.37	0.13
NKT-90-10	21041	54.0	55.5	1.5	1148	59	0.11	0.06
NKT-90-10	21042	55.5	56.8	1.3	1956	75	0.20	0.08
NKT-90-10	21043	56.8	57.8	1.0	1452	6	0.15	0.01
NKT-90-10	21044	57.8	58.5	0.7	967	28	0.10	0.03
NKT-90-10	21045	58.5	59.6	1.1	1026	50	0.10	0.05
NKT-90-10	21046	59.6	61.0	1.4	893	38	0.09	0.04

NKT-90-10	21047	61.0	62.5	1.5	394	26	0.04	0.03
NKT-90-10	21048	62.5	64.0	1.5	800	57	0.08	0.06
NKT-90-10	21049	64.0	65.5	1.5	566	56	0.06	0.06
NKT-90-10	21050	65.5	67.0	1.5	888	45	0.09	0.05
NKT-90-10	21051	67.0	68.5	1.5	854	39	0.09	0.04
NKT-90-10	21052	68.5	70.0	1.5	787	46	0.08	0.05
NKT-90-10	21053	70.0	71.5	1.5	892	53	0.09	0.05
NKT-90-10	21054	71.5	73.0	1.5	592	70	0.06	0.07
NKT-90-10	21055	73.0	74.5	1.5	747	170	0.07	0.17
NKT-90-10	21056	74.5	76.0	1.5	2024	300	0.20	0.30
NKT-90-10	21057	76.0	77.5	1.5	1265	160	0.13	0.16
NKT-90-10	21058	77.5	79.0	1.5	425	52	0.04	0.05
NKT-90-10	21059	79.0	80.5	1.5	355	41	0.04	0.04
NKT-90-10	21060	80.5	82.0	1.5	1125	29	0.11	0.03
NKT-90-10	21061	82.0	83.5	1.5	880	57	0.09	0.06
NKT-90-10	21062	83.5	85.3	1.8	885	50	0.09	0.05
NKT-90-10	71415	85.3	86.1	0.8	1038	1	0.10	0.01
NKT-90-10	21063	86.1	87.5	1.4	1055	170	0.11	0.17
NKT-90-10	21064	87.5	89.0	1.5	649	130	0.06	0.13
NKT-90-10	21065	89.0	90.5	1.5	1171	700	0.12	0.70
NKT-90-10	21066	90.5	92.0	1.5	446	68	0.04	0.07
NKT-90-10	21067	92.0	93.5	1.5	4808	390	0.48	0.39
NKT-90-10	21068	93.5	95.0	1.5	1326	85	0.13	0.09
NKT-90-10	21069	95.0	96.5	1.5	4652	640	0.47	0.64
NKT-90-10	21070	96.5	98.0	1.5	379	43	0.04	0.04
NKT-90-10	21071	98.0	99.5	1.5	2657	110	0.27	0.11
NKT-90-10	21072	99.5	101.0	1.5	4039	570	0.40	0.57
NKT-90-10	21073	101.0	102.5	1.5	4347	470	0.43	0.47
NKT-90-10	21074	102.5	104.0	1.5	771	66	0.08	0.07
NKT-90-10	21075	104.0	105.5	1.5	1161	210	0.12	0.21
NKT-90-10	21076	105.5	107.0	1.5	525	180	0.05	0.18
NKT-90-10	21077	107.0	108.5	1.5	424	120	0.04	0.12
NKT-90-10	21078	108.5	109.5	1.0	634	130	0.06	0.13
NKT-90-10	21079	109.5	111.0	1.5	833	260	0.08	0.26
NKT-90-10	21080	111.0	112.5	1.5	668	280	0.07	0.28
NKT-90-10	21081	112.5	114.0	1.5	2188	350	0.22	0.35
NKT-90-10	21082	114.0	115.5	1.5	3659	330	0.37	0.33
NKT-90-10	21083	115.5	117.0	1.5	1254	420	0.13	0.42
NKT-90-10	21084	117.0	118.5	1.5	1178	130	0.12	0.13
NKT-90-10	21085	118.5	120.0	1.5	860	140	0.09	0.14
NKT-90-10	21086	120.0	121.5	1.5	467	43	0.05	0.04
NKT-90-10	21087	121.5	123.0	1.5	615	76	0.06	0.08
NKT-90-10	21088	123.0	124.5	1.5	323	220	0.03	0.22
NKT-90-10	21089	124.5	126.0	1.5	468	130	0.05	0.13
NKT-90-10	21090	126.0	127.5	1.5	511	96	0.05	0.10
NKT-90-10	21091	127.5	128.9	1.4	809	96	0.08	0.10
NKT-90-10	71417	128.9	129.1	0.2	50	2	0.01	0.01
NKT-90-10	21092	129.1	130.6	1.5	282	48	0.03	0.05
NKT-90-10	71418	130.6	132.0	1.4	211	10	0.02	0.01
NKT-90-10	71419	132.0	134.8	2.8	88	2	0.01	0.01
NKT-90-10	21093	134.8	136.5	1.7	797	94	0.08	0.09
NKT-90-10	21094	136.5	138.0	1.5	652	67	0.07	0.07
NKT-90-10	no sample	138.0	138.6	0.6				
NKT-90-10	21095	138.6	140.0	1.4	571	68	0.06	0.07

NKT-90-10	21096	140.0	141.5	1.5	645	47	0.06	0.05
NKT-90-10	21097	141.5	143.0	1.5	500	22	0.05	0.02
NKT-90-10	21098	143.0	144.5	1.5	890	49	0.09	0.05
NKT-90-10	21099	144.5	146.2	1.7	452	44	0.05	0.04
NKT-90-10	21100	146.2	147.5	1.3	1957	120	0.20	0.12
NKT-90-10	21101	147.5	149.0	1.5	1252	160	0.13	0.16
NKT-90-10	21102	149.0	150.5	1.5	2110	170	0.21	0.17
NKT-90-10	21103	150.5	151.9	1.4	2166	150	0.22	0.15
NKT-90-10	21104	151.9	153.5	1.6	2474	150	0.25	0.15
NKT-90-10	21105	153.5	155.0	1.5	6797	1030	0.68	1.03
NKT-90-10	21106	155.0	156.5	1.5	7777	620	0.78	0.62
NKT-90-10	21107	156.5	158.0	1.5	1351	83	0.14	0.08
NKT-90-10	21108	158.0	159.5	1.5	1285	56	0.13	0.06
NKT-90-10	21109	159.5	161.0	1.5	789	69	0.08	0.07
NKT-90-10	21110	161.0	162.5	1.5	1204	150	0.12	0.15
NKT-90-10	21111	162.5	164.0	1.5	1292	120	0.13	0.12
NKT-90-10	21112	164.0	165.5	1.5	1709	130	0.17	0.13
NKT-90-10	21113	165.5	167.0	1.5	1697	120	0.17	0.12
NKT-90-10	21114	167.0	168.5	1.5	1900	130	0.19	0.13
NKT-90-10	21115	168.5	170.0	1.5	1510	77	0.15	0.08
NKT-90-10	21116	170.0	171.5	1.5	1670	110	0.17	0.11
NKT-90-10	21117	171.5	173.0	1.5	2037	120	0.20	0.12
NKT-90-10	21118	173.0	174.5	1.5	3594	350	0.36	0.35
NKT-90-10	21119	174.5	176.0	1.5	1235	230	0.12	0.23
NKT-90-10	21120	176.0	177.5	1.5	675	58	0.07	0.06
NKT-90-10	21121	177.5	179.0	1.5	2328	410	0.23	0.41
NKT-90-10	21122	179.0	180.5	1.5	1101	57	0.11	0.06
NKT-90-10	21123	180.5	182.0	1.5	1240	29	0.12	0.03
NKT-90-10	21124	182.0	183.4	1.4	1999	370	0.20	0.37
NKT-90-10	71420	183.4	185.0	1.6	57	1	0.01	0.01
NKT-90-10	71421	185.0	187.0	2.0	128	170	0.01	0.17
NKT-90-10	71422	187.0	189.0	2.0	35	230	0.00	0.23
NKT-90-10	71423	189.0	191.0	2.0	28	35	0.00	0.04
NKT-90-10	71424	191.0	192.9	1.9	58	14	0.01	0.01
NKT-90-10	71425	192.9	194.6	1.7	335	7	0.03	0.01
NKT-90-10	21125	194.6	196.0	1.4	734	83	0.07	0.08
NKT-90-10	21126	196.0	197.5	1.5	3457	990	0.35	0.99
NKT-90-10	21127	197.5	199.0	1.5	2955	150	0.30	0.15
NKT-90-10	21128	199.0	200.5	1.5	743	6	0.07	0.01
NKT-90-10	21129	200.5	202.0	1.5	3037	150	0.30	0.15
NKT-90-10	21130	202.0	203.5	1.5	3000	110	0.30	0.11
NKT-90-10	21131	203.5	205.0	1.5	1534	50	0.15	0.05
NKT-90-10	21132	205.0	206.5	1.5	729	46	0.07	0.05
NKT-90-10	21133	206.5	208.0	1.5	577	18	0.06	0.02
NKT-90-10	21134	208.0	209.5	1.5	1313	83	0.13	0.08
NKT-90-10	21135	209.5	211.0	1.5	610	32	0.06	0.03
NKT-90-10	21136	211.0	212.5	1.5	742	80	0.07	0.08
NKT-90-10	21137	212.5	214.0	1.5	1475	200	0.15	0.20
NKT-90-10	21138	214.0	215.5	1.5	793	430	0.08	0.43
NKT-90-10	21139	215.5	217.0	1.5	2274	110	0.23	0.11
NKT-90-10	21140	217.0	218.5	1.5	1498	37	0.15	0.04
NKT-90-10	21141	218.5	219.4	0.9	503	46	0.05	0.05
NKT-90-10	21142	219.4	220.5	1.1	806	72	0.08	0.07
NKT-90-10	21143	220.5	221.6	1.1	995	47	0.10	0.05

NKT-90-10	21144	221.6	223.0	1.4	3856	260	0.39	0.26
NKT-90-10	21145	223.0	224.5	1.5	483	69	0.05	0.07
NKT-90-10	21146	224.5	226.0	1.5	1241	250	0.12	0.25
NKT-90-10	21147	226.0	227.5	1.5	1554	100	0.16	0.10
NKT-90-10	21148	227.5	229.0	1.5	647	44	0.06	0.04
NKT-90-10	21149	229.0	230.5	1.5	381	22	0.04	0.02
NKT-90-10	21150	230.5	232.0	1.5	1228	69	0.12	0.07
NKT-90-10	21151	232.0	233.0	1.0	1069	15	0.11	0.02
NKT-90-10	21152	233.0	234.6	1.6	1379	26	0.14	0.03
NKT-90-10	21153	234.6	235.9	1.3	574	20	0.06	0.02
NKT-90-10	21154	235.9	237.8	1.9	360	16	0.04	0.02
NKT-90-10	21155	237.8	238.8	1.0	1483	11	0.15	0.01
NKT-90-10	21156	238.8	239.9	1.1	857	13	0.09	0.01
NKT-90-10	21157	239.9	241.0	1.1	454	40	0.05	0.04
NKT-90-10	21158	241.0	242.5	1.5	1822	97	0.18	0.10
NKT-90-10	21159	242.5	244.0	1.5	1456	80	0.15	0.08
NKT-90-10	21160	244.0	245.7	1.7	689	32	0.07	0.03
NKT-90-10	21161	245.7	247.0	1.3	1123	160	0.11	0.16
NKT-90-10	21162	247.0	248.3	1.3	581	62	0.06	0.06
NKT-90-10	no sample	248.3	249.6	1.3				
NKT-90-10	21163	249.6	251.0	1.4	821	95	0.08	0.10
NKT-90-10	21164	251.0	252.5	1.5	659	72	0.07	0.07
NKT-90-10	21165	252.5	254.0	1.5	1179	61	0.12	0.06
NKT-90-10	21166	254.0	255.7	1.7	3473	250	0.35	0.25
NKT-90-10	21167	255.7	257.0	1.3	966	43	0.10	0.04
NKT-90-10	21168	257.0	258.5	1.5	1160	15	0.12	0.02
NKT-90-10	21169	258.5	260.0	1.5	976	39	0.10	0.04
NKT-90-10	21170	260.0	261.6	1.6	493	25	0.05	0.03
NKT-90-10	21171	261.6	263.4	1.8	2056	360	0.21	0.36
NKT-90-10	21172	263.4	264.5	1.1	5276	380	0.53	0.38
NKT-90-10	21173	264.5	266.0	1.5	3241	240	0.32	0.24
NKT-90-10	21174	266.0	267.5	1.5	1212	56	0.12	0.06
NKT-90-10	21175	267.5	268.8	1.3	703	36	0.07	0.04
NKT-90-10	21176	268.8	270.0	1.2	1497	57	0.15	0.06
NKT-90-10	21177	270.0	271.5	1.5	2371	150	0.24	0.15
NKT-90-10	21178	271.5	273.0	1.5	2009	130	0.20	0.13
NKT-90-10	21179	273.0	274.5	1.5	326	92	0.03	0.09
NKT-90-10	21180	274.5	276.0	1.5	966	160	0.10	0.16
NKT-90-10	21181	276.0	277.5	1.5	448	49	0.04	0.05
NKT-90-10	21182	277.5	279.0	1.5	707	40	0.07	0.04
NKT-90-10	21183	279.0	280.3	1.3	558	41	0.06	0.04
NKT-90-10	71426	280.3	280.9	0.6	88	1	0.01	0.01
NKT-90-10	21184	280.9	282.0	1.1	664	110	0.07	0.11
NKT-90-10	21185	282.0	283.5	1.5	2713	190	0.27	0.19
NKT-90-10	21186	283.5	285.0	1.5	403	40	0.04	0.04
NKT-90-10	21187	285.0	286.0	1.0	383	38	0.04	0.04
NKT-90-10	21188	286.0	287.1	1.1	210	21	0.02	0.02
NKT-90-10	21189	287.1	288.5	1.4	4969	430	0.50	0.43
NKT-90-10	21190	288.5	290.0	1.5	1714	160	0.17	0.16
NKT-90-10	21191	290.0	291.5	1.5	1590	120	0.16	0.12
NKT-90-10	21192	291.5	292.7	1.2	2230	150	0.22	0.15
NKT-90-10	71427	292.7	294.0	1.3	51	3	0.01	0.01
NKT-90-10	71428	294.0	296.0	2.0	55	1	0.01	0.01
NKT-90-10	71429	296.0	298.0	2.0	63	1	0.01	0.01

NKT-90-10	71430	298.0	300.0	2.0	55	1	0.01	0.01
NKT-90-10	71431	300.0	302.0	2.0	52	1	0.01	0.01
NKT-90-10	71432	302.0	304.0	2.0	59	2	0.01	0.01
NKT-90-10	71433	304.0	306.0	2.0	57	1	0.01	0.01
NKT-90-10	71434	306.0	308.0	2.0	54	1	0.01	0.01
NKT-90-10	71435	308.0	310.0	2.0	56	2	0.01	0.01
NKT-90-10	71436	310.0	312.0	2.0	50	1	0.01	0.01
NKT-90-10	71437	312.0	313.7	1.7	51	1	0.01	0.01
NKT-90-10	21193	313.7	315.0	1.3	747	37	0.07	0.04
NKT-90-10	21194	315.0	316.5	1.5	1833	120	0.18	0.12
NKT-90-10	21195	316.5	318.0	1.5	440	39	0.04	0.04
NKT-90-10	21196	318.0	319.5	1.5	1817	76	0.18	0.08
NKT-90-10	21197	319.5	321.0	1.5	1887	100	0.19	0.10
NKT-90-10	21198	321.0	322.5	1.5	2227	78	0.22	0.08
NKT-90-10	21199	322.5	324.0	1.5	1791	110	0.18	0.11
NKT-90-10	21200	324.0	325.5	1.5	1410	130	0.14	0.13
NKT-90-10	21201	325.5	326.8	1.3	2042	100	0.20	0.10
NKT-90-10	21202	326.8	328.0	1.2	616	46	0.06	0.05
NKT-90-10	21203	328.0	329.5	1.5	238	16	0.02	0.02
NKT-90-10	21204	329.5	331.0	1.5	395	20	0.04	0.02
NKT-90-10	21205	331.0	332.5	1.5	1261	75	0.13	0.08
NKT-90-10	21206	332.5	334.0	1.5	3874	260	0.39	0.26
NKT-90-10	21207	334.0	335.5	1.5	786	58	0.08	0.06
NKT-90-10	no sample	335.5	335.6	0.1				
NKT-90-10	21208	335.6	337.1	1.5	731	77	0.07	0.08
NKT-90-10	21209	337.1	339.2	2.1	1047	32	0.10	0.03
NKT-90-11	no sample	0.0	6.1	6.1				
NKT-90-11	21210	6.1	7.6	1.5	457	85	0.05	0.09
NKT-90-11	21211	7.6	9.1	1.5	1010	28	0.10	0.03
NKT-90-11	21212	9.1	10.2	1.1	707	37	0.07	0.04
NKT-90-11	no sample	10.2	13.7	3.5				
NKT-90-11	21213	13.7	15.0	1.3	343	19	0.03	0.02
NKT-90-11	21214	15.0	16.5	1.5	308	26	0.03	0.03
NKT-90-11	21215	16.5	18.0	1.5	790	97	0.08	0.10
NKT-90-11	21216	18.0	19.5	1.5	400	56	0.04	0.06
NKT-90-11	21217	19.5	21.0	1.5	546	47	0.05	0.05
NKT-90-11	21218	21.0	22.5	1.5	438	77	0.04	0.08
NKT-90-11	21219	22.5	24.0	1.5	493	17	0.05	0.02
NKT-90-11	21220	24.0	25.5	1.5	249	13	0.02	0.01
NKT-90-11	21221	25.5	27.0	1.5	659	30	0.07	0.03
NKT-90-11	21222	27.0	28.0	1.0	252	15	0.03	0.02
NKT-90-11	21223	28.0	28.6	0.6	1006	330	0.10	0.33
NKT-90-11	21224	28.6	30.0	1.4	203	31	0.02	0.03
NKT-90-11	21225	30.0	31.5	1.5	986	72	0.10	0.07
NKT-90-11	21226	31.5	33.0	1.5	854	25	0.09	0.03
NKT-90-11	21227	33.0	34.5	1.5	3398	68	0.34	0.07
NKT-90-11	21228	34.5	35.8	1.3	264	36	0.03	0.04
NKT-90-11	no sample	35.8	38.6	2.8				
NKT-90-11	21229	38.6	40.0	1.4	246	21	0.02	0.02
NKT-90-11	21230	40.0	41.0	1.0	222	10	0.02	0.01
NKT-90-11	no sample	41.0	41.5	0.5				
NKT-90-11	21231	41.5	43.0	1.5	144	16	0.01	0.02
NKT-90-11	21232	43.0	44.5	1.5	471	28	0.05	0.03
NKT-90-11	21233	44.5	46.0	1.5	220	12	0.02	0.01

NKT-90-11	21234	46.0	47.5	1.5	266	36	0.03	0.04
NKT-90-11	21235	47.5	49.0	1.5	218	130	0.02	0.13
NKT-90-11	21236	49.0	50.5	1.5	853	47	0.09	0.05
NKT-90-11	21237	50.5	52.0	1.5	1686	59	0.17	0.06
NKT-90-11	21238	52.0	53.5	1.5	5782	140	0.58	0.14
NKT-90-11	21239	53.5	55.0	1.5	464	28	0.05	0.03
NKT-90-11	21240	55.0	56.5	1.5	624	57	0.06	0.06
NKT-90-11	21241	56.5	58.0	1.5	351	78	0.04	0.08
NKT-90-11	21242	58.0	59.5	1.5	263	34	0.03	0.03
NKT-90-11	21243	59.5	61.0	1.5	209	19	0.02	0.02
NKT-90-11	21244	61.0	62.3	1.3	245	12	0.02	0.01
NKT-90-11	21245	62.3	63.5	1.2	491	170	0.05	0.17
NKT-90-11	21246	63.5	65.0	1.5	298	57	0.03	0.06
NKT-90-11	21247	65.0	66.3	1.3	1374	71	0.14	0.07
NKT-90-11	21248	66.3	67.5	1.2	238	35	0.02	0.04
NKT-90-11	21249	67.5	69.0	1.5	263	48	0.03	0.05
NKT-90-11	21250	69.0	70.2	1.2	1124	53	0.11	0.05
NKT-90-11	no sample	70.2	70.9	0.7				
NKT-90-11	21251	70.9	72.5	1.6	562	50	0.06	0.05
NKT-90-11	21252	72.5	74.0	1.5	978	74	0.10	0.07
NKT-90-11	21253	74.0	75.5	1.5	333	61	0.03	0.06
NKT-90-11	21254	75.5	77.0	1.5	465	45	0.05	0.05
NKT-90-11	21255	77.0	78.5	1.5	952	55	0.10	0.06
NKT-90-11	21256	78.5	80.0	1.5	284	35	0.03	0.04
NKT-90-11	21257	80.0	81.5	1.5	755	120	0.08	0.12
NKT-90-11	21258	81.5	83.0	1.5	1181	150	0.12	0.15
NKT-90-11	21259	83.0	84.0	1.0	713	96	0.07	0.10
NKT-90-11	no sample	84.0	84.1	0.1				
NKT-90-11	21260	84.1	85.5	1.4	974	99	0.10	0.10
NKT-90-11	21261	85.5	86.5	1.0	333	85	0.03	0.09
NKT-90-11	21262	86.5	88.0	1.5	320	43	0.03	0.04
NKT-90-11	21263	88.0	89.0	1.0	416	150	0.04	0.15
NKT-90-11	21264	89.0	90.2	1.2	213	30	0.02	0.03
NKT-90-11	21265	90.2	91.5	1.3	259	44	0.03	0.04
NKT-90-11	21266	91.5	93.0	1.5	77	24	0.01	0.02
NKT-90-11	21267	93.0	94.5	1.5	108	22	0.01	0.02
NKT-90-11	21268	94.5	96.0	1.5	125	34	0.01	0.03
NKT-90-11	21269	96.0	97.5	1.5	121	35	0.01	0.04
NKT-90-11	21270	97.5	99.0	1.5	1900	55	0.19	0.06
NKT-90-11	21271	99.0	100.5	1.5	143	20	0.01	0.02
NKT-90-11	21272	100.5	102.0	1.5	455	51	0.05	0.05
NKT-90-11	21273	102.0	103.5	1.5	367	23	0.04	0.02
NKT-90-11	21274	103.5	105.0	1.5	413	42	0.04	0.04
NKT-90-11	21275	105.0	106.7	1.7	269	62	0.03	0.06
NKT-90-11	no sample	106.7	107.0	0.3				
NKT-90-11	21276	107.0	108.5	1.5	873	38	0.09	0.04
NKT-90-11	21277	108.5	110.0	1.5	679	66	0.07	0.07
NKT-90-11	21278	110.0	111.0	1.0	1370	230	0.14	0.23
NKT-90-11	21279	111.0	112.2	1.2	540	510	0.05	0.51
NKT-90-11	21280	112.2	113.5	1.3	171	20	0.02	0.02
NKT-90-11	21281	113.5	114.5	1.0	237	14	0.02	0.01
NKT-90-11	21282	114.5	115.5	1.0	251	13	0.03	0.01
NKT-90-11	21283	115.5	116.8	1.3	277	16	0.03	0.02
NKT-90-11	21284	116.8	117.8	1.0	246	24	0.02	0.02

NKT-90-11	21285	117.8	119.0	1.2	112	15	0.01	0.02
NKT-90-11	21286	119.0	120.5	1.5	93	33	0.01	0.03
NKT-90-11	21287	120.5	122.0	1.5	328	20	0.03	0.02
NKT-90-11	21288	122.0	123.7	1.7	83	24	0.01	0.02
NKT-90-11	21289	123.7	124.5	0.8	71	43	0.01	0.04
NKT-90-11	no sample	124.5	124.6	0.1				
NKT-90-11	21290	124.6	126.0	1.4	95	5	0.01	0.01
NKT-90-11	21291	126.0	127.5	1.5	93	9	0.01	0.01
NKT-90-11	21292	127.5	129.0	1.5	92	20	0.01	0.02
NKT-90-11	21293	129.0	130.5	1.5	224	17	0.02	0.02
NKT-90-11	21294	130.5	131.4	0.9	211	11	0.02	0.01
NKT-90-11	no sample	131.4	133.3	1.9				
NKT-90-11	21295	133.3	134.8	1.5	158	11	0.02	0.01
NKT-90-11	21296	134.8	135.8	1.0	332	67	0.03	0.07
NKT-90-11	no sample	135.8	136.2	0.4				
NKT-90-11	21297	136.2	137.5	1.3	59	11	0.01	0.01
NKT-90-11	21298	137.5	139.0	1.5	113	13	0.01	0.01
NKT-90-11	21299	139.0	140.2	1.2	430	28	0.04	0.03
NKT-90-11	21300	140.2	141.5	1.3	115	13	0.01	0.01
NKT-90-11	21301	141.5	143.0	1.5	357	15	0.04	0.02
NKT-90-11	21302	143.0	144.5	1.5	435	16	0.04	0.02
NKT-90-11	21303	144.5	146.0	1.5	402	12	0.04	0.01
NKT-90-11	21304	146.0	147.5	1.5	542	11	0.05	0.01
NKT-90-11	21305	147.5	149.0	1.5	492	9	0.05	0.01
NKT-90-11	21306	149.0	150.0	1.0	71	7	0.01	0.01
NKT-90-11	21307	150.0	151.2	1.2	105	9	0.01	0.01
NKT-90-11	21308	151.2	152.5	1.3	206	12	0.02	0.01
NKT-90-11	21309	152.5	154.0	1.5	138	9	0.01	0.01
NKT-90-11	21310	154.0	155.5	1.5	154	9	0.02	0.01
NKT-90-11	21311	155.5	157.0	1.5	237	13	0.02	0.01
NKT-90-11	21312	157.0	158.5	1.5	163	21	0.02	0.02
NKT-90-11	21313	158.5	160.0	1.5	224	14	0.02	0.01
NKT-90-11	21314	160.0	161.5	1.5	136	48	0.01	0.05
NKT-90-11	21315	161.5	163.0	1.5	316	18	0.03	0.02
NKT-90-11	21316	163.0	164.5	1.5	138	23	0.01	0.02
NKT-90-11	21317	164.5	166.0	1.5	421	17	0.04	0.02
NKT-90-11	21318	166.0	167.5	1.5	359	27	0.04	0.03
NKT-90-11	21319	167.5	169.0	1.5	336	16	0.03	0.02
NKT-90-11	21320	169.0	170.5	1.5	477	13	0.05	0.01
NKT-90-11	21321	170.5	172.0	1.5	175	22	0.02	0.02
NKT-90-11	21322	172.0	173.5	1.5	485	140	0.05	0.14
NKT-90-11	21323	173.5	175.0	1.5	726	240	0.07	0.24
NKT-90-11	21324	175.0	176.5	1.5	535	53	0.05	0.05
NKT-90-11	21325	176.5	178.0	1.5	581	42	0.06	0.04
NKT-90-11	21326	178.0	179.5	1.5	476	33	0.05	0.03
NKT-90-11	21327	179.5	180.5	1.0	132	11	0.01	0.01
NKT-90-11	21328	180.5	181.3	0.8	250	15	0.03	0.02
NKT-90-11	21329	181.3	182.5	1.2	6	12	0.00	0.01
NKT-90-11	21330	182.5	184.0	1.5	404	25	0.04	0.03
NKT-90-11	21331	184.0	185.0	1.0	563	13	0.06	0.01
NKT-90-11	21332	185.0	186.3	1.3	477	24	0.05	0.02
NKT-90-11	21333	186.3	187.5	1.2	231	13	0.02	0.01
NKT-90-11	21334	187.5	189.0	1.5	373	24	0.04	0.02
NKT-90-11	21335	189.0	190.5	1.5	444	10	0.04	0.01

NKT-90-11	21336	190.5	192.0	1.5	634	27	0.06	0.03
NKT-90-11	21337	192.0	193.5	1.5	513	27	0.05	0.03
NKT-90-11	21338	193.5	194.8	1.3	321	14	0.03	0.01
NKT-90-11	21339	194.8	196.7	1.9	829	36	0.08	0.04
NKT-90-11	no sample	196.7	197.1	0.4				
NKT-90-11	21340	197.1	198.6	1.5	1658	31	0.17	0.03
NKT-90-11	21341	198.6	200.4	1.8	894	28	0.09	0.03
NKT-90-11	21342	200.4	202.0	1.6	1196	33	0.12	0.03
NKT-90-11	21343	202.0	203.5	1.5	544	19	0.05	0.02
NKT-90-11	21344	203.5	205.3	1.8	605	12	0.06	0.01
NKT-90-11	21345	205.3	206.5	1.2	137	7	0.01	0.01
NKT-90-11	21346	206.5	208.0	1.5	91	9	0.01	0.01
NKT-90-11	21347	208.0	209.3	1.3	94	5	0.01	0.01
NKT-90-11	21348	209.3	210.3	1.0	518	9	0.05	0.01
NKT-90-11	21349	210.3	211.3	1.0	568	37	0.06	0.04
NKT-90-11	21350	211.3	213.5	2.2	953	25	0.10	0.03
NKT-90-11	18076	213.5	214.3	0.8	823	46	0.08	0.05
NKT-91-12	no sample	0.0	60.0	60.0				
NKT-91-12	18551	60.0	61.5	1.5	149	17	0.01	0.02
NKT-91-12	18552	61.5	63.0	1.5	218	26	0.02	0.03
NKT-91-12	18553	63.0	64.5	1.5	244	11	0.02	0.01
NKT-91-12	18554	64.5	66.0	1.5	257	11	0.03	0.01
NKT-91-12	18555	66.0	67.5	1.5	198	9	0.02	0.01
NKT-91-12	18556	67.5	69.0	1.5	215	2	0.02	0.01
NKT-91-12	18557	69.0	70.5	1.5	230	1	0.02	0.01
NKT-91-12	18558	70.5	72.0	1.5	172	5	0.02	0.01
NKT-91-12	18559	72.0	73.5	1.5	146	1	0.01	0.01
NKT-91-12	18560	73.5	75.0	1.5	196	16	0.02	0.02
NKT-91-12	18561	75.0	76.5	1.5	136	9	0.01	0.01
NKT-91-12	18562	76.5	78.0	1.5	231	5	0.02	0.01
NKT-91-12	18563	78.0	79.5	1.5	243	21	0.02	0.02
NKT-91-12	18564	79.5	81.4	1.9	295	3	0.03	0.01
NKT-91-12	18565	81.4	83.0	1.6	188	4	0.02	0.01
NKT-91-12	18566	83.0	84.5	1.5	126	3	0.01	0.01
NKT-91-12	18567	84.5	86.0	1.5	179	6	0.02	0.01
NKT-91-12	18568	86.0	87.5	1.5	106	10	0.01	0.01
NKT-91-12	18569	87.5	89.0	1.5	103	3	0.01	0.01
NKT-91-12	no sample	89.0	96.0	7.0				
NKT-91-12	18570	96.0	97.5	1.5	243	3	0.02	0.01
NKT-91-12	18571	97.5	99.0	1.5	191	1	0.02	0.01
NKT-91-12	18572	99.0	100.5	1.5	90	1	0.01	0.01
NKT-91-12	18573	100.5	102.0	1.5	107	2	0.01	0.01
NKT-91-12	18574	102.0	103.6	1.6	195	4	0.02	0.01
NKT-91-12	no sample	103.6	106.9	3.3				
NKT-91-12	18575	106.9	108.5	1.6	135	2	0.01	0.01
NKT-91-12	18576	108.5	110.0	1.5	232	7	0.02	0.01
NKT-91-12	18577	110.0	111.5	1.5	153	3	0.02	0.01
NKT-91-12	18578	111.5	112.5	1.0	153	2	0.02	0.01
NKT-91-12	18579	112.5	113.7	1.2	120	2	0.01	0.01
NKT-91-12	18580	113.7	115.0	1.3	338	2	0.03	0.01
NKT-91-12	18581	115.0	116.3	1.3	211	1	0.02	0.01
NKT-91-12	18582	116.3	117.5	1.2	100	4	0.01	0.01
NKT-91-12	18583	117.5	119.0	1.5	161	1	0.02	0.01
NKT-91-12	18584	119.0	120.7	1.7	170	1	0.02	0.01



NKT-91-12	18585	120.7	122.0	1.3	348	2	0.03	0.01
NKT-91-12	18586	122.0	123.5	1.5	127	2	0.01	0.01
NKT-91-12	18587	123.5	124.9	1.4	138	4	0.01	0.01
NKT-91-12	18588	124.9	126.5	1.6	39	2	0.00	0.01
NKT-91-12	18589	126.5	128.4	1.9	22	4	0.00	0.01
NKT-91-12	18590	128.4	129.5	1.1	103	4	0.01	0.01
NKT-91-12	18591	129.5	131.0	1.5	58	4	0.01	0.01
NKT-91-12	18592	131.0	132.5	1.5	106	2	0.01	0.01
NKT-91-12	18593	132.5	134.4	1.9	86	2	0.01	0.01
NKT-91-12	18594	134.4	136.0	1.6	62	25	0.01	0.03
NKT-91-12	18595	136.0	137.5	1.5	69	20	0.01	0.02
NKT-91-12	18596	137.5	139.0	1.5	78	16	0.01	0.02
NKT-91-12	18597	139.0	140.7	1.7	85	21	0.01	0.02
NKT-91-12	18598	140.7	142.6	1.9	115	21	0.01	0.02
NKT-91-12	18599	142.6	144.0	1.4	120	20	0.01	0.02
NKT-91-12	18600	144.0	145.5	1.5	76	5	0.01	0.01
NKT-91-12	18601	145.5	147.0	1.5	50	1	0.01	0.01
NKT-91-12	18602	147.0	148.5	1.5	47	2	0.00	0.01
NKT-91-12	18603	148.5	150.0	1.5	51	2	0.01	0.01
NKT-91-12	18604	150.0	151.5	1.5	57	4	0.01	0.01
NKT-91-12	18605	151.5	153.0	1.5	108	1	0.01	0.01
NKT-91-12	18606	153.0	154.5	1.5	43	1	0.00	0.01
NKT-91-12	18607	154.5	156.0	1.5	185	1	0.02	0.01
NKT-91-12	18608	156.0	157.5	1.5	295	7	0.03	0.01
NKT-91-12	18609	157.5	159.0	1.5	205	2	0.02	0.01
NKT-91-12	18610	159.0	160.5	1.5	162	3	0.02	0.01
NKT-91-12	18611	160.5	162.0	1.5	190	8	0.02	0.01
NKT-91-12	18612	162.0	163.5	1.5	105	5	0.01	0.01
NKT-91-12	18613	163.5	165.0	1.5	50	2	0.01	0.01
NKT-91-12	18614	165.0	166.5	1.5	133	1	0.01	0.01
NKT-91-12	18615	166.5	168.0	1.5	82	3	0.01	0.01
NKT-91-12	18616	168.0	169.5	1.5	104	3	0.01	0.01
NKT-91-12	18617	169.5	171.0	1.5	57	1	0.01	0.01
NKT-91-12	18618	171.0	172.5	1.5	45	1	0.00	0.01
NKT-91-12	18619	172.5	174.0	1.5	66	4	0.01	0.01
NKT-91-12	18620	174.0	175.5	1.5	106	1	0.01	0.01
NKT-91-12	18621	175.5	177.0	1.5	154	2	0.02	0.01
NKT-91-12	18622	177.0	178.5	1.5	102	2	0.01	0.01
NKT-91-12	18623	178.5	180.0	1.5	169	3	0.02	0.01
NKT-91-12	18624	180.0	181.0	1.0	310	1	0.03	0.01
NKT-91-12	18625	181.0	181.5	0.5	56	1	0.01	0.01
NKT-91-12	18626	181.5	183.0	1.5	68	2	0.01	0.01
NKT-91-12	18627	183.0	184.5	1.5	53	1	0.01	0.01
NKT-91-12	18628	184.5	186.0	1.5	168	1	0.02	0.01
NKT-91-12	18629	186.0	187.5	1.5	201	4	0.02	0.01
NKT-91-12	18630	187.5	189.0	1.5	147	1	0.01	0.01
NKT-91-12	18631	189.0	190.5	1.5	151	1	0.02	0.01
NKT-91-12	18632	190.5	192.1	1.6	189	1	0.02	0.01
NKT-91-12	18633	192.1	194.2	2.1	149	3	0.01	0.01
NKT-91-12	18634	194.2	195.5	1.3	65	1	0.01	0.01
NKT-91-12	18635	195.5	197.0	1.5	100	9	0.01	0.01
NKT-91-12	18636	197.0	198.1	1.1	89	12	0.01	0.01
NKT-91-12	18637	198.1	199.5	1.4	178	4	0.02	0.01
NKT-91-12	18638	199.5	201.0	1.5	172	19	0.02	0.02

NKT-91-12	18639	201.0	202.5	1.5	276	11	0.03	0.01
NKT-91-12	18640	202.5	204.0	1.5	323	17	0.03	0.02
NKT-91-12	18641	204.0	205.5	1.5	322	6	0.03	0.01
NKT-91-12	18642	205.5	207.0	1.5	219	9	0.02	0.01
NKT-91-12	18643	207.0	208.3	1.3	199	8	0.02	0.01
NKT-91-12	no sample	208.3	215.6	7.3				
NKT-91-12	18644	215.6	217.0	1.4	82	16	0.01	0.02
NKT-91-12	18645	217.0	218.5	1.5	91	15	0.01	0.02
NKT-91-12	18646	218.5	220.0	1.5	129	10	0.01	0.01
NKT-91-12	18647	220.0	220.9	0.9	78	5	0.01	0.01
NKT-91-12	18648	220.9	222.4	1.5	101	6	0.01	0.01
NKT-91-12	18649	222.4	224.0	1.6	18	5	0.00	0.01
NKT-91-12	18650	224.0	225.5	1.5	14	6	0.00	0.01
NKT-91-12	18651	225.5	227.0	1.5	9	1	0.00	0.01
NKT-91-12	18652	227.0	227.7	0.7	15	6	0.00	0.01
NKT-91-12	18653	227.7	229.0	1.3	108	3	0.01	0.01
NKT-91-12	18654	229.0	230.5	1.5	133	7	0.01	0.01
NKT-91-12	18655	230.5	232.0	1.5	75	5	0.01	0.01
NKT-91-12	18656	232.0	233.5	1.5	105	6	0.01	0.01
NKT-91-12	18657	233.5	235.0	1.5	163	4	0.02	0.01
NKT-91-12	18658	235.0	236.5	1.5	98	7	0.01	0.01
NKT-91-12	18659	236.5	238.0	1.5	81	3	0.01	0.01
NKT-91-12	no sample	238.0	263.0	25.0				
NKT-91-12	18660	263.0	264.5	1.5	24	8	0.00	0.01
NKT-91-12	18661	264.5	266.0	1.5	8	11	0.00	0.01
NKT-91-12	18662	266.0	267.5	1.5	58	18	0.01	0.02
NKT-91-12	18663	267.5	269.1	1.6	42	8	0.00	0.01
NKT-91-12	18664	269.1	271.3	2.2	15	18	0.00	0.02
NKT-91-13	no sample	0.0	11.0	11.0				
NKT-91-13	18665	11.0	12.5	1.5	1231	54	0.12	0.05
NKT-91-13	18666	12.5	14.0	1.5	818	31	0.08	0.03
NKT-91-13	18667	14.0	15.3	1.3	1199	19	0.12	0.02
NKT-91-13	18668	15.3	17.0	1.7	553	32	0.06	0.03
NKT-91-13	18669	17.0	18.5	1.5	618	23	0.06	0.02
NKT-91-13	18670	18.5	20.4	1.9	578	28	0.06	0.03
NKT-91-13	18671	20.4	22.0	1.6	662	15	0.07	0.02
NKT-91-13	18672	22.0	23.5	1.5	899	58	0.09	0.06
NKT-91-13	18673	23.5	25.0	1.5	1033	62	0.10	0.06
NKT-91-13	18674	25.0	26.5	1.5	1484	30	0.15	0.03
NKT-91-13	18675	26.5	28.0	1.5	1620	72	0.16	0.07
NKT-91-13	18676	28.0	29.5	1.5	1555	75	0.16	0.08
NKT-91-13	18677	29.5	30.5	1.0	746	3	0.07	0.01
NKT-91-13	18678	30.5	31.7	1.2	410	6	0.04	0.01
NKT-91-13	18679	31.7	32.5	0.8	643	25	0.06	0.03
NKT-91-13	18680	32.5	34.0	1.5	1341	18	0.13	0.02
NKT-91-13	18681	34.0	35.5	1.5	1341	13	0.13	0.01
NKT-91-13	18682	35.5	36.7	1.2	1369	1	0.14	0.01
NKT-91-13	18683	36.7	38.0	1.3	1569	9	0.16	0.01
NKT-91-13	18684	38.0	39.5	1.5	2214	6	0.22	0.01
NKT-91-13	18685	39.5	41.0	1.5	1257	6	0.13	0.01
NKT-91-13	18686	41.0	42.5	1.5	714	3	0.07	0.01
NKT-91-13	18687	42.5	43.9	1.4	1091	14	0.11	0.01
NKT-91-13	18688	43.9	45.5	1.6	3174	220	0.32	0.22
NKT-91-13	18689	45.5	47.0	1.5	3115	140	0.31	0.14

NKT-91-13	18690	47.0	48.5	1.5	1727	140	0.17	0.14
NKT-91-13	18691	48.5	49.0	0.5	1388	43	0.14	0.04
NKT-91-13	18692	49.0	51.0	2.0	1726	200	0.17	0.20
NKT-91-13	18693	51.0	53.0	2.0	1938	53	0.19	0.05
NKT-91-13	18694	53.0	54.5	1.5	3366	130	0.34	0.13
NKT-91-13	18695	54.5	56.0	1.5	7527	560	0.75	0.56
NKT-91-13	18696	56.0	57.5	1.5	4566	170	0.46	0.17
NKT-91-13	18697	57.5	59.0	1.5	5268	1260	0.53	1.26
NKT-91-13	18698	59.0	60.5	1.5	1085	42	0.11	0.04
NKT-91-13	18699	60.5	62.0	1.5	4446	130	0.44	0.13
NKT-91-13	18700	62.0	63.5	1.5	933	24	0.09	0.02
NKT-91-13	18701	63.5	65.0	1.5	588	18	0.06	0.02
NKT-91-13	18702	65.0	66.5	1.5	1250	56	0.13	0.06
NKT-91-13	18703	66.5	68.0	1.5	554	18	0.06	0.02
NKT-91-13	18704	68.0	69.5	1.5	591	23	0.06	0.02
NKT-91-13	18705	69.5	71.0	1.5	502	11	0.05	0.01
NKT-91-13	18706	71.0	72.5	1.5	1544	73	0.15	0.07
NKT-91-13	18707	72.5	74.0	1.5	653	22	0.07	0.02
NKT-91-13	18708	74.0	76.0	2.0	734	29	0.07	0.03
NKT-91-13	18709	76.0	77.5	1.5	486	10	0.05	0.01
NKT-91-13	18710	77.5	79.0	1.5	465	5	0.05	0.01
NKT-91-13	18711	79.0	80.5	1.5	218	4	0.02	0.01
NKT-91-13	18712	80.5	82.0	1.5	233	2	0.02	0.01
NKT-91-13	18713	82.0	83.5	1.5	199	7	0.02	0.01
NKT-91-13	18714	83.5	84.5	1.0	259	20	0.03	0.02
NKT-91-13	18715	84.5	86.0	1.5	1219	34	0.12	0.03
NKT-91-13	18716	86.0	87.5	1.5	4623	260	0.46	0.26
NKT-91-13	18717	87.5	89.1	1.6	1185	110	0.12	0.11
NKT-91-13	18718	89.1	90.5	1.4	855	28	0.09	0.03
NKT-91-13	18719	90.5	92.0	1.5	576	76	0.06	0.08
NKT-91-13	18720	92.0	93.4	1.4	836	23	0.08	0.02
NKT-91-13	18721	93.4	95.0	1.6	1243	68	0.12	0.07
NKT-91-13	18722	95.0	96.5	1.5	1127	60	0.11	0.06
NKT-91-13	18723	96.5	98.0	1.5	4413	1330	0.44	1.33
NKT-91-13	18724	98.0	99.5	1.5	2973	940	0.30	0.94
NKT-91-13	18725	99.5	101.0	1.5	3410	890	0.34	0.89
NKT-91-13	70751	101.0	102.5	1.5	3352	920	0.34	0.92
NKT-91-13	70752	102.5	103.5	1.0	855	380	0.09	0.38
NKT-91-13	70753	103.5	104.5	1.0	3471	1250	0.35	1.25
NKT-91-13	70754	104.5	105.8	1.3	8692	2560	0.87	2.56
NKT-91-13	70755	105.8	107.0	1.2	5670	2040	0.57	2.04
NKT-91-13	70756	107.0	108.5	1.5	353	98	0.04	0.10
NKT-91-13	70757	108.5	110.0	1.5	2691	190	0.27	0.19
NKT-91-13	70758	110.0	111.5	1.5	6907	810	0.69	0.81
NKT-91-13	70759	111.5	112.5	1.0	2872	480	0.29	0.48
NKT-91-13	70760	112.5	114.0	1.5	446	32	0.04	0.03
NKT-91-13	70761	114.0	115.5	1.5	1833	170	0.18	0.17
NKT-91-13	70762	115.5	117.0	1.5	1180	89	0.12	0.09
NKT-91-13	70763	117.0	118.5	1.5	2428	55	0.24	0.06
NKT-91-13	70764	118.5	120.0	1.5	2827	100	0.28	0.10
NKT-91-13	70765	120.0	121.5	1.5	6870	830	0.69	0.83
NKT-91-13	70766	121.5	123.0	1.5	7324	450	0.73	0.45
NKT-91-13	70767	123.0	124.5	1.5	7177	310	0.72	0.31
NKT-91-13	70768	124.5	125.5	1.0	6932	200	0.69	0.20

NKT-91-13	70769	125.5	127.0	1.5	2649	250	0.26	0.25
NKT-91-13	70770	127.0	128.5	1.5	1592	450	0.16	0.45
NKT-91-13	70771	128.5	130.0	1.5	879	50	0.09	0.05
NKT-91-13	70772	130.0	131.5	1.5	225	20	0.02	0.02
NKT-91-13	70773	131.5	133.0	1.5	119	360	0.01	0.36
NKT-91-13	70774	133.0	134.5	1.5	72	22	0.01	0.02
NKT-91-13	70775	134.5	136.0	1.5	1475	85	0.15	0.09
NKT-91-13	70776	136.0	137.5	1.5	1375	71	0.14	0.07
NKT-91-13	70777	137.5	139.0	1.5	77	310	0.01	0.31
NKT-91-13	70778	139.0	140.5	1.5	680	440	0.07	0.44
NKT-91-13	70779	140.5	142.0	1.5	2607	220	0.26	0.22
NKT-91-13	70780	142.0	143.5	1.5	7448	430	0.74	0.43
NKT-91-13	70781	143.5	145.0	1.5	6499	310	0.65	0.31
NKT-91-13	70782	145.0	146.5	1.5	2909	210	0.29	0.21
NKT-91-13	70783	146.5	148.0	1.5	77	260	0.01	0.26
NKT-91-13	70784	148.0	149.5	1.5	270	62	0.03	0.06
NKT-91-13	70785	149.5	151.0	1.5	3403	58	0.34	0.06
NKT-91-13	70786	151.0	152.5	1.5	6497	440	0.65	0.44
NKT-91-13	70787	152.5	154.0	1.5	613	90	0.06	0.09
NKT-91-13	70788	154.0	155.5	1.5	5409	160	0.54	0.16
NKT-91-13	70789	155.5	157.0	1.5	4016	120	0.40	0.12
NKT-91-13	70790	157.0	158.5	1.5	2004	120	0.20	0.12
NKT-91-13	70791	158.5	159.8	1.3	1751	120	0.18	0.12
NKT-91-13	71438	159.8	161.4	1.6	153	4	0.02	0.01
NKT-91-13	70792	161.4	163.0	1.6	804	62	0.08	0.06
NKT-91-13	70793	163.0	164.5	1.5	2745	110	0.27	0.11
NKT-91-13	70794	164.5	166.0	1.5	2970	100	0.30	0.10
NKT-91-13	70795	166.0	167.5	1.5	4004	250	0.40	0.25
NKT-91-13	70796	167.5	169.0	1.5	1408	21	0.14	0.02
NKT-91-13	70797	169.0	170.5	1.5	386	30	0.04	0.03
NKT-91-13	70798	170.5	172.0	1.5	2465	59	0.25	0.06
NKT-91-13	70799	172.0	173.5	1.5	3306	180	0.33	0.18
NKT-91-13	70800	173.5	175.0	1.5	1300	40	0.13	0.04
NKT-91-13	70801	175.0	176.5	1.5	3363	80	0.34	0.08
NKT-91-13	70802	176.5	178.0	1.5	1178	31	0.12	0.03
NKT-91-13	70803	178.0	179.5	1.5	1292	29	0.13	0.03
NKT-91-13	70804	179.5	181.0	1.5	1744	1560	0.17	1.56
NKT-91-13	70805	181.0	182.5	1.5	1684	75	0.17	0.08
NKT-91-13	70806	182.5	184.0	1.5	373	17	0.04	0.02
NKT-91-13	70807	184.0	185.5	1.5	1562	47	0.16	0.05
NKT-91-13	70808	185.5	187.4	1.9	1010	65	0.10	0.07
NKT-91-13	70809	187.4	188.5	1.1	410	17	0.04	0.02
NKT-91-13	70810	188.5	189.4	0.9	804	26	0.08	0.03
NKT-91-13	no sample	189.4	189.7	0.3				
NKT-91-13	70811	189.7	191.0	1.3	1184	36	0.12	0.04
NKT-91-13	no sample	191.0	191.3	0.3				
NKT-91-13	70812	191.3	192.0	0.7	1923	54	0.19	0.05
NKT-91-13	71439	192.0	193.1	1.1	93	5	0.01	0.01
NKT-91-13	70813	193.1	193.8	0.7	1220	30	0.12	0.03
NKT-91-13	71440	193.8	195.1	1.3	75	9	0.01	0.01
NKT-91-13	70814	195.1	196.5	1.4	1311	59	0.13	0.06
NKT-91-13	70815	196.5	198.0	1.5	951	29	0.10	0.03
NKT-91-13	70816	198.0	199.5	1.5	1305	10	0.13	0.01
NKT-91-13	70817	199.5	201.0	1.5	898	8	0.09	0.01

NKT-91-13	70818	201.0	202.5	1.5	423	13	0.04	0.01
NKT-91-13	70819	202.5	204.0	1.5	559	2	0.06	0.01
NKT-91-13	70820	204.0	205.5	1.5	587	2	0.06	0.01
NKT-91-13	70821	205.5	207.0	1.5	1261	18	0.13	0.02
NKT-91-13	70822	207.0	208.5	1.5	226	6	0.02	0.01
NKT-91-13	70823	208.5	210.0	1.5	699	36	0.07	0.04
NKT-91-13	70824	210.0	211.5	1.5	4761	90	0.48	0.09
NKT-91-13	70825	211.5	213.0	1.5	6902	760	0.69	0.76
NKT-91-13	70826	213.0	214.5	1.5	2202	66	0.22	0.07
NKT-91-13	70827	214.5	216.0	1.5	1165	33	0.12	0.03
NKT-91-13	70828	216.0	217.5	1.5	2567	91	0.26	0.09
NKT-91-13	70829	217.5	219.0	1.5	1371	39	0.14	0.04
NKT-91-13	70830	219.0	220.5	1.5	766	34	0.08	0.03
NKT-91-13	70831	220.5	222.0	1.5	633	49	0.06	0.05
NKT-91-13	70832	222.0	223.5	1.5	656	13	0.07	0.01
NKT-91-13	70833	223.5	225.0	1.5	1393	12	0.14	0.01
NKT-91-13	70834	225.0	226.6	1.6	447	11	0.04	0.01
NKT-91-13	no sample	226.6	226.8	0.2				
NKT-91-13	71441	226.8	227.7	0.9	26	1	0.00	0.01
NKT-91-13	70835	227.7	229.0	1.3	193	1	0.02	0.01
NKT-91-13	70836	229.0	230.5	1.5	538	13	0.05	0.01
NKT-91-13	70837	230.5	232.0	1.5	1312	41	0.13	0.04
NKT-91-13	70838	232.0	233.5	1.5	771	1	0.08	0.01
NKT-91-13	70839	233.5	235.0	1.5	2038	52	0.20	0.05
NKT-91-13	70840	235.0	236.5	1.5	1448	56	0.14	0.06
NKT-91-13	70841	236.5	238.0	1.5	392	22	0.04	0.02
NKT-91-13	70842	238.0	239.5	1.5	396	5	0.04	0.01
NKT-91-13	70843	239.5	241.3	1.8	387	11	0.04	0.01
NKT-91-13	70844	241.3	242.5	1.2	342	17	0.03	0.02
NKT-91-13	70845	242.5	244.0	1.5	900	19	0.09	0.02
NKT-91-13	70846	244.0	245.5	1.5	1602	18	0.16	0.02
NKT-91-13	70847	245.5	247.0	1.5	442	3	0.04	0.01
NKT-91-13	70848	247.0	248.2	1.2	1368	280	0.14	0.28
NKT-91-13	70849	248.2	249.5	1.3	2899	210	0.29	0.21
NKT-91-13	70850	249.5	250.5	1.0	471	27	0.05	0.03
NKT-91-13	70851	250.5	251.8	1.3	1069	31	0.11	0.03
NKT-91-13	70852	251.8	253.0	1.2	310	29	0.03	0.03
NKT-91-13	70853	253.0	254.5	1.5	510	29	0.05	0.03
NKT-91-13	70854	254.5	256.0	1.5	534	30	0.05	0.03
NKT-91-13	70855	256.0	257.5	1.5	698	27	0.07	0.03
NKT-91-13	70856	257.5	258.6	1.1	1135	65	0.11	0.07
NKT-91-13	70857	258.6	260.3	1.7	805	22	0.08	0.02
NKT-91-13	70858	260.3	261.5	1.2	493	11	0.05	0.01
NKT-91-13	70859	261.5	263.0	1.5	1191	80	0.12	0.08
NKT-91-13	70860	263.0	264.5	1.5	1237	77	0.12	0.08
NKT-91-13	70861	264.5	266.6	2.1	966	48	0.10	0.05
NKT-91-13	71442	266.6	269.5	2.9	116	22	0.01	0.02
NKT-91-13	70862	269.5	271.0	1.5	333	18	0.03	0.02
NKT-91-13	70863	271.0	272.5	1.5	460	26	0.05	0.03
NKT-91-13	70864	272.5	274.0	1.5	422	4	0.04	0.01
NKT-91-13	70865	274.0	275.5	1.5	172	7	0.02	0.01
NKT-91-13	70866	275.5	277.0	1.5	283	8	0.03	0.01
NKT-91-13	70867	277.0	278.5	1.5	144	4	0.01	0.01
NKT-91-13	70868	278.5	280.0	1.5	118	10	0.01	0.01

NKT-91-13	70869	280.0	281.5	1.5	234	22	0.02	0.02
NKT-91-13	70870	281.5	283.0	1.5	329	11	0.03	0.01
NKT-91-13	70871	283.0	285.0	2.0	129	6	0.01	0.01
NKT-91-13	70872	285.0	286.0	1.0	140	2	0.01	0.01
NKT-91-13	70873	286.0	287.5	1.5	140	6	0.01	0.01
NKT-91-13	70874	287.5	288.5	1.0	157	11	0.02	0.01
NKT-91-13	70875	288.5	289.9	1.4	399	17	0.04	0.02
NKT-91-13	71443	289.9	291.1	1.2	9	9	0.00	0.01
NKT-91-13	70876	291.1	292.5	1.4	320	13	0.03	0.01
NKT-91-13	70877	292.5	294.0	1.5	294	6	0.03	0.01
NKT-91-13	70878	294.0	295.6	1.6	111	310	0.01	0.31
NKT-91-14	no sample	0.0	11.2	11.2				
NKT-91-14	71444	11.2	12.5	1.3	95	4	0.01	0.01
NKT-91-14	71445	12.5	14.0	1.5	73	2	0.01	0.01
NKT-91-14	71446	14.0	16.0	2.0	76	3	0.01	0.01
NKT-91-14	71447	16.0	18.0	2.0	89	1	0.01	0.01
NKT-91-14	71448	18.0	20.0	2.0	103	5	0.01	0.01
NKT-91-14	71449	20.0	22.0	2.0	125	6	0.01	0.01
NKT-91-14	71450	22.0	24.0	2.0	164	42	0.02	0.04
NKT-91-14	71451	24.0	26.0	2.0	135	23	0.01	0.02
NKT-91-14	71452	26.0	28.0	2.0	211	28	0.02	0.03
NKT-91-14	71453	28.0	30.0	2.0	278	30	0.03	0.03
NKT-91-14	71454	30.0	32.0	2.0	104	58	0.01	0.06
NKT-91-14	71455	32.0	34.0	2.0	108	14	0.01	0.01
NKT-91-14	71456	34.0	36.0	2.0	119	16	0.01	0.02
NKT-91-14	71457	36.0	38.0	2.0	134	14	0.01	0.01
NKT-91-14	71458	38.0	39.0	1.0	224	57	0.02	0.06
NKT-91-14	70879	39.0	39.8	0.8	312	55	0.03	0.06
NKT-91-14	70880	39.8	41.0	1.2	306	29	0.03	0.03
NKT-91-14	70881	41.0	42.5	1.5	250	5	0.03	0.01
NKT-91-14	70882	42.5	44.0	1.5	235	2	0.02	0.01
NKT-91-14	70883	44.0	45.0	1.0	211	1	0.02	0.01
NKT-91-14	70884	45.0	46.7	1.7	314	5	0.03	0.01
NKT-91-14	70885	46.7	47.5	0.8	399	1	0.04	0.01
NKT-91-14	70886	47.5	50.5	3.0	329	1	0.03	0.01
NKT-91-14	70887	50.5	52.0	1.5	134	11	0.01	0.01
NKT-91-14	70888	52.0	53.5	1.5	120	8	0.01	0.01
NKT-91-14	70889	53.5	54.5	1.0	418	13	0.04	0.01
NKT-91-14	70890	54.5	56.0	1.5	185	3	0.02	0.01
NKT-91-14	70891	56.0	57.5	1.5	811	51	0.08	0.05
NKT-91-14	70892	57.5	59.0	1.5	1227	17	0.12	0.02
NKT-91-14	70893	59.0	60.5	1.5	495	8	0.05	0.01
NKT-91-14	70894	60.5	62.0	1.5	269	7	0.03	0.01
NKT-91-14	70895	62.0	63.5	1.5	338	7	0.03	0.01
NKT-91-14	70896	63.5	65.0	1.5	217	4	0.02	0.01
NKT-91-14	70897	65.0	66.5	1.5	153	8	0.02	0.01
NKT-91-14	70898	66.5	68.0	1.5	199	1	0.02	0.01
NKT-91-14	70899	68.0	69.5	1.5	248	5	0.02	0.01
NKT-91-14	70900	69.5	71.0	1.5	322	1	0.03	0.01
NKT-91-14	70901	71.0	72.5	1.5	313	8	0.03	0.01
NKT-91-14	70902	72.5	74.0	1.5	243	8	0.02	0.01
NKT-91-14	70903	74.0	75.8	1.8	229	9	0.02	0.01
NKT-91-14	71459	75.8	76.2	0.4	41	10	0.00	0.01
NKT-91-14	70904	76.2	76.3	0.1	300	5	0.03	0.01

NKT-91-14	no sample	76.3	77.4	1.1				
NKT-91-14	70905	77.4	78.5	1.1	333	5	0.03	0.01
NKT-91-14	71460	78.5	79.0	0.5	36	15	0.00	0.02
NKT-91-14	70906	79.0	80.5	1.5	149	2	0.01	0.01
NKT-91-14	70907	80.5	82.0	1.5	216	4	0.02	0.01
NKT-91-14	70908	82.0	83.5	1.5	191	1	0.02	0.01
NKT-91-14	70909	83.5	85.0	1.5	142	2	0.01	0.01
NKT-91-14	70910	85.0	86.5	1.5	154	5	0.02	0.01
NKT-91-14	70911	86.5	87.5	1.0	213	4	0.02	0.01
NKT-91-14	70912	87.5	89.0	1.5	165	21	0.02	0.02
NKT-91-14	70913	89.0	90.5	1.5	179	5	0.02	0.01
NKT-91-14	70914	90.5	92.0	1.5	239	1	0.02	0.01
NKT-91-14	70915	92.0	93.2	1.2	88	3	0.01	0.01
NKT-91-14	70916	93.2	94.5	1.3	249	6	0.02	0.01
NKT-91-14	70917	94.5	96.0	1.5	168	2	0.02	0.01
NKT-91-14	70918	96.0	97.5	1.5	180	4	0.02	0.01
NKT-91-14	70919	97.5	99.0	1.5	132	11	0.01	0.01
NKT-91-14	70920	99.0	100.5	1.5	203	3	0.02	0.01
NKT-91-14	70921	100.5	102.3	1.8	103	1	0.01	0.01
NKT-91-14	70922	102.3	102.8	0.5	25	2	0.00	0.01
NKT-91-14	70923	102.8	104.0	1.2	110	2	0.01	0.01
NKT-91-14	70924	104.0	105.5	1.5	165	2	0.02	0.01
NKT-91-14	70925	105.5	107.0	1.5	160	4	0.02	0.01
NKT-91-14	70926	107.0	108.5	1.5	152	2	0.02	0.01
NKT-91-14	70927	108.5	110.0	1.5	138	1	0.01	0.01
NKT-91-14	70928	110.0	111.5	1.5	155	2	0.02	0.01
NKT-91-14	70929	111.5	113.0	1.5	158	1	0.02	0.01
NKT-91-14	70930	113.0	114.5	1.5	180	1	0.02	0.01
NKT-91-14	70931	114.5	116.0	1.5	140	3	0.01	0.01
NKT-91-14	70932	116.0	117.5	1.5	263	9	0.03	0.01
NKT-91-14	70933	117.5	119.0	1.5	225	2	0.02	0.01
NKT-91-14	70934	119.0	120.5	1.5	258	5	0.03	0.01
NKT-91-14	70935	120.5	122.3	1.8	198	1	0.02	0.01
NKT-91-14	70936	122.3	123.0	0.7	141	3	0.01	0.01
NKT-91-14	70937	123.0	124.3	1.3	156	1	0.02	0.01
NKT-91-14	70938	124.3	125.5	1.2	381	6	0.04	0.01
NKT-91-14	70939	125.5	127.0	1.5	190	11	0.02	0.01
NKT-91-14	70940	127.0	128.5	1.5	99	11	0.01	0.01
NKT-91-14	70941	128.5	130.0	1.5	309	21	0.03	0.02
NKT-91-14	70942	130.0	131.7	1.7	615	18	0.06	0.02
NKT-91-14	70943	131.7	133.0	1.3	415	2	0.04	0.01
NKT-91-14	70944	133.0	134.5	1.5	273	1	0.03	0.01
NKT-91-14	70945	134.5	136.0	1.5	355	13	0.04	0.01
NKT-91-14	70946	136.0	137.7	1.7	904	14	0.09	0.01
NKT-91-14	70947	137.7	139.0	1.3	297	21	0.03	0.02
NKT-91-14	70948	139.0	140.5	1.5	820	110	0.08	0.11
NKT-91-14	70949	140.5	142.0	1.5	1336	250	0.13	0.25
NKT-91-14	70950	142.0	143.0	1.0	2076	580	0.21	0.58
NKT-91-14	70951	143.0	144.0	1.0	612	90	0.06	0.09
NKT-91-14	70952	144.0	145.5	1.5	939	76	0.09	0.08
NKT-91-14	70953	145.5	147.0	1.5	496	20	0.05	0.02
NKT-91-14	70954	147.0	148.5	1.5	309	26	0.03	0.03
NKT-91-14	70955	148.5	150.0	1.5	366	17	0.04	0.02
NKT-91-14	70956	150.0	151.5	1.5	219	12	0.02	0.01

NKT-91-14	70957	151.5	152.6	1.1	190	8	0.02	0.01
NKT-91-14	70958	152.6	154.0	1.4	270	11	0.03	0.01
NKT-91-14	70959	154.0	155.5	1.5	189	7	0.02	0.01
NKT-91-14	70960	155.5	157.0	1.5	296	10	0.03	0.01
NKT-91-14	70961	157.0	158.5	1.5	199	9	0.02	0.01
NKT-91-14	70962	158.5	160.0	1.5	189	9	0.02	0.01
NKT-91-14	70963	160.0	161.5	1.5	145	10	0.01	0.01
NKT-91-14	70964	161.5	162.5	1.0	77	6	0.01	0.01
NKT-91-14	70965	162.5	163.5	1.0	55	5	0.01	0.01
NKT-91-14	71461	163.5	163.7	0.2	54	20	0.01	0.02
NKT-91-14	70966	163.7	164.7	1.0	56	5	0.01	0.01
NKT-91-14	71462	164.7	166.3	1.6	52	9	0.01	0.01
NKT-91-14	70967	166.3	167.5	1.2	142	11	0.01	0.01
NKT-91-14	70968	167.5	169.0	1.5	62	7	0.01	0.01
NKT-91-14	70969	169.0	170.5	1.5	59	6	0.01	0.01
NKT-91-14	70970	170.5	172.0	1.5	53	6	0.01	0.01
NKT-91-14	70971	172.0	173.5	1.5	156	5	0.02	0.01
NKT-91-14	70972	173.5	174.7	1.2	202	9	0.02	0.01
NKT-91-14	71463	174.7	175.6	0.9	43	16	0.00	0.02
NKT-91-14	70973	175.6	177.5	1.9	159	22	0.02	0.02
NKT-91-14	70974	177.5	179.0	1.5	150	3	0.02	0.01
NKT-91-14	70975	179.0	180.5	1.5	216	14	0.02	0.01
NKT-91-14	70976	180.5	182.0	1.5	121	8	0.01	0.01
NKT-91-14	70977	182.0	183.5	1.5	81	7	0.01	0.01
NKT-91-14	70978	183.5	185.0	1.5	104	8	0.01	0.01
NKT-91-14	70979	185.0	186.5	1.5	191	12	0.02	0.01
NKT-91-14	70980	186.5	188.0	1.5	153	12	0.02	0.01
NKT-91-14	70981	188.0	189.5	1.5	154	8	0.02	0.01
NKT-91-14	70982	189.5	191.0	1.5	135	9	0.01	0.01
NKT-91-14	70983	191.0	192.5	1.5	81	11	0.01	0.01
NKT-91-14	70984	192.5	194.0	1.5	152	1	0.02	0.01
NKT-91-14	70985	194.0	195.5	1.5	184	13	0.02	0.01
NKT-91-14	70986	195.5	197.0	1.5	187	11	0.02	0.01
NKT-91-14	70987	197.0	198.5	1.5	157	8	0.02	0.01
NKT-91-14	70988	198.5	200.0	1.5	264	8	0.03	0.01
NKT-91-14	70989	200.0	201.5	1.5	197	5	0.02	0.01
NKT-91-14	70990	201.5	203.0	1.5	209	12	0.02	0.01
NKT-91-14	70991	203.0	204.5	1.5	163	4	0.02	0.01
NKT-91-14	70992	204.5	206.0	1.5	162	6	0.02	0.01
NKT-91-14	70993	206.0	208.0	2.0	212	13	0.02	0.01
NKT-91-14	70994	208.0	209.0	1.0	187	7	0.02	0.01
NKT-91-14	70995	209.0	209.6	0.6	313	6	0.03	0.01
NKT-91-14	70996	209.6	211.0	1.4	187	5	0.02	0.01
NKT-91-14	70997	211.0	212.5	1.5	164	10	0.02	0.01
NKT-91-14	70998	212.5	213.9	1.4	350	9	0.04	0.01
NKT-91-14	70999	213.9	215.9	2.0	207	5	0.02	0.01
NKT-91-14	71464	215.9	217.0	1.1	49	10	0.00	0.01
NKT-91-14	71465	217.0	219.0	2.0	51	4	0.01	0.01
NKT-91-14	71466	219.0	222.3	3.3	49	2	0.00	0.01
NKT-91-14	71000	222.3	223.4	1.1	655	19	0.07	0.02
NKT-91-14	71001	223.4	224.0	0.6	234	9	0.02	0.01
NKT-91-14	71002	224.0	225.7	1.7	198	38	0.02	0.04
NKT-91-14	no sample	225.7	225.9	0.2				
NKT-91-14	71003	225.9	227.5	1.6	162	46	0.02	0.05



NKT-91-14	71004	227.5	229.0	1.5	135	10	0.01	0.01
NKT-91-14	71005	229.0	230.4	1.4	227	1	0.02	0.01
NKT-91-14	no sample	230.4	230.9	0.5				
NKT-91-14	71006	230.9	232.0	1.1	190	5	0.02	0.01
NKT-91-14	71007	232.0	233.5	1.5	187	1	0.02	0.01
NKT-91-14	71008	233.5	235.0	1.5	183	6	0.02	0.01
NKT-91-14	71009	235.0	236.2	1.2	391	11	0.04	0.01
NKT-91-14	71010	236.2	237.5	1.3	329	19	0.03	0.02
NKT-91-14	71011	237.5	239.0	1.5	164	9	0.02	0.01
NKT-91-14	71012	239.0	240.5	1.5	220	6	0.02	0.01
NKT-91-14	71013	240.5	242.0	1.5	232	4	0.02	0.01
NKT-91-14	71014	242.0	243.5	1.5	185	11	0.02	0.01
NKT-91-14	71015	243.5	245.0	1.5	309	4	0.03	0.01
NKT-91-14	71016	245.0	246.9	1.9	265	3	0.03	0.01
NKT-91-15	no sample	0.0	23.5	23.5				
NKT-91-15	71467	23.5	25.0	1.5	463	19	0.05	0.02
NKT-91-15	71468	25.0	27.0	2.0	1006	60	0.10	0.06
NKT-91-15	71469	27.0	29.0	2.0	540	15	0.05	0.02
NKT-91-15	71470	29.0	31.0	2.0	823	23	0.08	0.02
NKT-91-15	71471	31.0	33.0	2.0	698	29	0.07	0.03
NKT-91-15	71472	33.0	35.0	2.0	651	17	0.07	0.02
NKT-91-15	71473	35.0	37.0	2.0	655	97	0.07	0.10
NKT-91-15	71474	37.0	39.0	2.0	629	63	0.06	0.06
NKT-91-15	71475	39.0	41.0	2.0	486	25	0.05	0.03
NKT-91-15	71476	41.0	43.0	2.0	2227	65	0.22	0.07
NKT-91-15	71477	43.0	45.0	2.0	1368	49	0.14	0.05
NKT-91-15	71478	45.0	47.0	2.0	1065	42	0.11	0.04
NKT-91-15	71017	47.0	48.9	1.9	1708	69	0.17	0.07
NKT-91-15	71018	48.9	49.4	0.5	1296	52	0.13	0.05
NKT-91-15	71019	49.4	51.0	1.6	892	46	0.09	0.05
NKT-91-15	71020	51.0	52.5	1.5	579	47	0.06	0.05
NKT-91-15	71021	52.5	54.0	1.5	836	64	0.08	0.06
NKT-91-15	71022	54.0	55.5	1.5	531	46	0.05	0.05
NKT-91-15	71023	55.5	56.3	0.8	480	51	0.05	0.05
NKT-91-15	71024	56.3	57.5	1.2	1239	82	0.12	0.08
NKT-91-15	71025	57.5	59.0	1.5	913	74	0.09	0.07
NKT-91-15	71026	59.0	60.7	1.7	1128	75	0.11	0.08
NKT-91-15	71027	60.7	61.5	0.8	420	37	0.04	0.04
NKT-91-15	71028	61.5	63.0	1.5	402	41	0.04	0.04
NKT-91-15	71029	63.0	64.5	1.5	867	78	0.09	0.08
NKT-91-15	71030	64.5	66.0	1.5	725	71	0.07	0.07
NKT-91-15	71031	66.0	67.5	1.5	890	46	0.09	0.05
NKT-91-15	71032	67.5	69.0	1.5	1184	36	0.12	0.04
NKT-91-15	71033	69.0	70.7	1.7	1078	100	0.11	0.10
NKT-91-15	71034	70.7	72.0	1.3	1166	48	0.12	0.05
NKT-91-15	71035	72.0	73.5	1.5	2605	61	0.26	0.06
NKT-91-15	71036	73.5	74.8	1.3	590	24	0.06	0.02
NKT-91-15	71037	74.8	76.0	1.2	661	26	0.07	0.03
NKT-91-15	71038	76.0	77.5	1.5	1287	44	0.13	0.04
NKT-91-15	71039	77.5	79.0	1.5	794	35	0.08	0.04
NKT-91-15	71040	79.0	79.7	0.7	682	27	0.07	0.03
NKT-91-15	71041	79.7	81.0	1.3	1043	37	0.10	0.04
NKT-91-15	71042	81.0	82.5	1.5	873	40	0.09	0.04
NKT-91-15	71043	82.5	84.0	1.5	381	14	0.04	0.01

NKT-91-15	71044	84.0	85.5	1.5	739	37	0.07	0.04
NKT-91-15	71045	85.5	87.0	1.5	2670	420	0.27	0.42
NKT-91-15	71046	87.0	88.5	1.5	721	46	0.07	0.05
NKT-91-15	71047	88.5	90.0	1.5	537	13	0.05	0.01
NKT-91-15	71048	90.0	91.5	1.5	682	34	0.07	0.03
NKT-91-15	71049	91.5	93.0	1.5	506	29	0.05	0.03
NKT-91-15	71050	93.0	94.5	1.5	654	33	0.07	0.03
NKT-91-15	71051	94.5	96.0	1.5	379	15	0.04	0.02
NKT-91-15	71052	96.0	97.5	1.5	782	28	0.08	0.03
NKT-91-15	71053	97.5	99.0	1.5	447	36	0.04	0.04
NKT-91-15	71054	99.0	101.0	2.0	803	56	0.08	0.06
NKT-91-15	71055	101.0	102.3	1.3	503	23	0.05	0.02
NKT-91-15	71056	102.3	103.3	1.0	596	24	0.06	0.02
NKT-91-15	71057	103.3	104.2	0.9	449	18	0.04	0.02
NKT-91-15	71058	104.2	105.3	1.1	1691	5	0.17	0.01
NKT-91-15	71059	105.3	106.5	1.2	420	7	0.04	0.01
NKT-91-15	71060	106.5	108.0	1.5	552	31	0.06	0.03
NKT-91-15	71061	108.0	109.5	1.5	820	34	0.08	0.03
NKT-91-15	71062	109.5	111.0	1.5	1126	30	0.11	0.03
NKT-91-15	71063	111.0	112.5	1.5	485	8	0.05	0.01
NKT-91-15	71064	112.5	113.3	0.8	820	22	0.08	0.02
NKT-91-15	no sample	113.3	113.7	0.4				
NKT-91-15	71065	113.7	115.0	1.3	1925	86	0.19	0.09
NKT-91-15	71066	115.0	116.5	1.5	977	12	0.10	0.01
NKT-91-15	71067	116.5	117.7	1.2	1570	24	0.16	0.02
NKT-91-15	71068	117.7	118.4	0.7	2521	61	0.25	0.06
NKT-91-15	71069	118.4	119.8	1.4	554	19	0.06	0.02
NKT-91-15	71070	119.8	121.0	1.2	770	1	0.08	0.01
NKT-91-15	71071	121.0	122.5	1.5	1154	20	0.12	0.02
NKT-91-15	71072	122.5	124.0	1.5	585	29	0.06	0.03
NKT-91-15	71073	124.0	125.5	1.5	853	18	0.09	0.02
NKT-91-15	71074	125.5	127.0	1.5	2361	60	0.24	0.06
NKT-91-15	71075	127.0	128.5	1.5	1112	34	0.11	0.03
NKT-91-15	71076	128.5	130.0	1.5	985	16	0.10	0.02
NKT-91-15	71077	130.0	132.4	2.4	1608	26	0.16	0.03
NKT-91-15	71078	132.4	133.8	1.4	1004	22	0.10	0.02
NKT-91-15	71079	133.8	135.5	1.7	2388	116	0.24	0.12
NKT-91-15	71080	135.5	137.0	1.5	2018	29	0.20	0.03
NKT-91-15	71081	137.0	138.5	1.5	982	3	0.10	0.01
NKT-91-15	71082	138.5	140.0	1.5	1146	6	0.11	0.01
NKT-91-15	71083	140.0	141.5	1.5	1145	63	0.11	0.06
NKT-91-15	71084	141.5	143.0	1.5	1062	25	0.11	0.03
NKT-91-15	71085	143.0	144.9	1.9	2284	104	0.23	0.10
NKT-91-15	71086	144.9	146.5	1.6	2048	148	0.20	0.15
NKT-91-15	71087	146.5	148.0	1.5	1430	73	0.14	0.07
NKT-91-15	71088	148.0	149.5	1.5	396	70	0.04	0.07
NKT-91-15	71089	149.5	151.0	1.5	1324	66	0.13	0.07
NKT-91-15	71090	151.0	151.9	0.9	687	48	0.07	0.05
NKT-91-15	71091	151.9	153.0	1.1	2609	170	0.26	0.17
NKT-91-15	71092	153.0	154.1	1.1	2001	98	0.20	0.10
NKT-91-15	71093	154.1	155.5	1.4	3336	210	0.33	0.21
NKT-91-15	71094	155.5	157.0	1.5	2652	160	0.27	0.16
NKT-91-15	71095	157.0	158.5	1.5	1141	42	0.11	0.04
NKT-91-15	71096	158.5	160.0	1.5	2871	110	0.29	0.11

NKT-91-15	71097	160.0	161.5	1.5	1605	150	0.16	0.15
NKT-91-15	71098	161.5	163.0	1.5	3298	61	0.33	0.06
NKT-91-15	71099	163.0	164.5	1.5	935	33	0.09	0.03
NKT-91-15	71100	164.5	166.0	1.5	970	40	0.10	0.04
NKT-91-15	71101	166.0	167.5	1.5	489	8	0.05	0.01
NKT-91-15	71102	167.5	169.0	1.5	1077	140	0.11	0.14
NKT-91-15	71103	169.0	170.5	1.5	782	90	0.08	0.09
NKT-91-15	71104	170.5	172.0	1.5	409	23	0.04	0.02
NKT-91-15	71105	172.0	173.5	1.5	516	21	0.05	0.02
NKT-91-15	71106	173.5	175.5	2.0	413	14	0.04	0.01
NKT-91-15	71480	175.5	177.0	1.5	59	6	0.01	0.01
NKT-91-15	71107	177.0	178.5	1.5	31	5	0.00	0.01
NKT-91-15	no sample	178.5	179.4	0.9				
NKT-91-15	71108	179.4	181.0	1.6	1055	65	0.11	0.07
NKT-91-15	71109	181.0	182.5	1.5	536	11	0.05	0.01
NKT-91-15	71110	182.5	183.7	1.2	384	95	0.04	0.10
NKT-91-15	71111	183.7	185.3	1.6	276	12	0.03	0.01
NKT-91-15	71112	185.3	186.5	1.2	1911	230	0.19	0.23
NKT-91-15	71113	186.5	188.0	1.5	1619	260	0.16	0.26
NKT-91-15	71114	188.0	189.5	1.5	2351	87	0.24	0.09
NKT-91-15	71115	189.5	190.3	0.8	1239	67	0.12	0.07
NKT-91-15	71116	190.3	191.5	1.2	879	63	0.09	0.06
NKT-91-15	71117	191.5	193.0	1.5	837	33	0.08	0.03
NKT-91-15	71118	193.0	194.5	1.5	1111	52	0.11	0.05
NKT-91-15	71119	194.5	195.2	0.7	1681	67	0.17	0.07
NKT-91-15	71481	195.2	196.8	1.6	27	11	0.00	0.01
NKT-91-15	71120	196.8	198.0	1.2	954	48	0.10	0.05
NKT-91-15	71121	198.0	199.5	1.5	1201	47	0.12	0.05
NKT-91-15	71122	199.5	201.3	1.8	781	49	0.08	0.05
NKT-91-15	71123	201.3	202.5	1.2	679	69	0.07	0.07
NKT-91-15	71124	202.5	203.6	1.1	616	27	0.06	0.03
NKT-91-15	71482	203.6	204.0	0.4	52	4	0.01	0.01
NKT-91-15	71125	204.0	205.8	1.8	2291	75	0.23	0.08
NKT-91-15	71126	205.8	207.3	1.5	829	26	0.08	0.03
NKT-91-15	71483	207.3	208.3	1.0	127	14	0.01	0.01
NKT-91-15	71484	208.3	210.3	2.0	50	6	0.01	0.01
NKT-91-15	71485	210.3	212.0	1.7	49	6	0.00	0.01
NKT-91-15	71486	212.0	214.0	2.0	50	2	0.01	0.01
NKT-91-15	71487	214.0	216.0	2.0	47	8	0.00	0.01
NKT-91-15	71488	216.0	218.0	2.0	41	5	0.00	0.01
NKT-91-15	71489	218.0	220.0	2.0	43	4	0.00	0.01
NKT-91-15	71490	220.0	222.0	2.0	43	4	0.00	0.01
NKT-91-15	71491	222.0	224.0	2.0	41	2	0.00	0.01
NKT-91-15	71492	224.0	226.0	2.0	45	4	0.00	0.01
NKT-91-15	71493	226.0	228.0	2.0	42	3	0.00	0.01
NKT-91-15	71494	228.0	228.7	0.7	40	15	0.00	0.02
NKT-91-15	no sample	228.7	229.0	0.3				
NKT-91-15	71495	229.0	231.0	2.0	3	136	0.00	0.14
NKT-91-15	71496	231.0	233.0	2.0	8	14	0.00	0.01
NKT-91-15	71497	233.0	235.0	2.0	5	20	0.00	0.02
NKT-91-15	71498	235.0	237.0	2.0	8	17	0.00	0.02
NKT-91-15	71499	237.0	238.6	1.6	4	2	0.00	0.01
NKT-91-15	71128	238.6	240.0	1.4	2216	63	0.22	0.06
NKT-91-15	71129	240.0	241.5	1.5	1733	51	0.17	0.05

NKT-91-15	71130	241.5	243.0	1.5	636	17	0.06	0.02
NKT-91-15	71131	243.0	244.5	1.5	474	39	0.05	0.04
NKT-91-15	71132	244.5	246.9	2.4	1633	76	0.16	0.08
NKT-91-16	no sample	0.0	12.1	12.1				
NKT-91-16	71133	12.1	13.6	1.5	127	19	0.01	0.02
NKT-91-16	71134	13.6	15.7	2.1	76	7	0.01	0.01
NKT-91-16	71135	15.7	17.0	1.3	73	7	0.01	0.01
NKT-91-16	71136	17.0	18.6	1.6	61	5	0.01	0.01
NKT-91-16	71137	18.6	21.0	2.4	35	1	0.00	0.01
NKT-91-16	71138	21.0	22.6	1.6	57	3	0.01	0.01
NKT-91-16	no sample	22.6	43.0	20.4				
NKT-91-16	71139	43.0	44.5	1.5	257	1	0.03	0.01
NKT-91-16	71140	44.5	46.0	1.5	188	2	0.02	0.01
NKT-91-16	71141	46.0	47.5	1.5	321	7	0.03	0.01
NKT-91-16	71142	47.5	49.0	1.5	695	16	0.07	0.02
NKT-91-16	71143	49.0	50.5	1.5	264	4	0.03	0.01
NKT-91-16	71144	50.5	52.0	1.5	211	9	0.02	0.01
NKT-91-16	71145	52.0	53.5	1.5	179	84	0.02	0.08
NKT-91-16	71146	53.5	55.0	1.5	298	11	0.03	0.01
NKT-91-16	71147	55.0	56.5	1.5	257	6	0.03	0.01
NKT-91-16	71148	56.5	58.0	1.5	296	3	0.03	0.01
NKT-91-16	71149	58.0	60.1	2.1	465	1	0.05	0.01
NKT-91-16	no sample	60.1	61.4	1.3				
NKT-91-16	71150	61.4	63.0	1.6	318	3	0.03	0.01
NKT-91-16	71151	63.0	64.5	1.5	427	1	0.04	0.01
NKT-91-16	71152	64.5	66.0	1.5	109	2	0.01	0.01
NKT-91-16	71153	66.0	67.3	1.3	350	6	0.04	0.01
NKT-91-16	no sample	67.3	67.6	0.3				
NKT-91-16	71154	67.6	69.0	1.4	242	8	0.02	0.01
NKT-91-16	71155	69.0	70.5	1.5	248	1	0.02	0.01
NKT-91-16	71156	70.5	72.0	1.5	103	1	0.01	0.01
NKT-91-16	71157	72.0	73.5	1.5	234	5	0.02	0.01
NKT-91-16	71158	73.5	75.0	1.5	171	1	0.02	0.01
NKT-91-16	no sample	75.0	101.8	26.8				
NKT-91-16	71159	101.8	103.0	1.2	126	12	0.01	0.01
NKT-91-16	71160	103.0	104.5	1.5	371	58	0.04	0.06
NKT-91-16	71161	104.5	105.7	1.2	722	6	0.07	0.01
NKT-91-16	71162	105.7	107.0	1.3	466	7	0.05	0.01
NKT-91-16	71163	107.0	108.5	1.5	123	3	0.01	0.01
NKT-91-16	71164	108.5	110.0	1.5	325	19	0.03	0.02
NKT-91-16	71165	110.0	111.8	1.8	329	1	0.03	0.01
NKT-91-16	71166	111.8	113.0	1.2	106	1	0.01	0.01
NKT-91-16	71167	113.0	114.7	1.7	87	4	0.01	0.01
NKT-91-16	71168	114.7	116.0	1.3	321	13	0.03	0.01
NKT-91-16	71169	116.0	117.5	1.5	244	18	0.02	0.02
NKT-91-16	71170	117.5	119.0	1.5	284	39	0.03	0.04
NKT-91-16	71171	119.0	120.5	1.5	305	8	0.03	0.01
NKT-91-16	71172	120.5	122.0	1.5	449	4	0.04	0.01
NKT-91-16	71173	122.0	123.3	1.3	123	4	0.01	0.01
NKT-91-16	no sample	123.3	124.0	0.7				
NKT-91-16	71174	124.0	125.5	1.5	104	5	0.01	0.01
NKT-91-16	71175	125.5	127.0	1.5	359	5	0.04	0.01
NKT-91-16	71176	127.0	128.5	1.5	989	19	0.10	0.02
NKT-91-16	71177	128.5	130.0	1.5	126	6	0.01	0.01

NKT-91-16	71178	130.0	131.5	1.5	271	7	0.03	0.01
NKT-91-16	71179	131.5	133.5	2.0	221	11	0.02	0.01
NKT-91-16	no sample	133.5	134.8	1.3				
NKT-91-16	71180	134.8	136.0	1.2	275	11	0.03	0.01
NKT-91-16	71181	136.0	137.5	1.5	379	51	0.04	0.05
NKT-91-16	71182	137.5	139.0	1.5	163	11	0.02	0.01
NKT-91-16	71183	139.0	140.5	1.5	210	12	0.02	0.01
NKT-91-16	71184	140.5	142.0	1.5	738	31	0.07	0.03
NKT-91-16	71185	142.0	143.5	1.5	575	17	0.06	0.02
NKT-91-16	71186	143.5	145.0	1.5	116	6	0.01	0.01
NKT-91-16	71187	145.0	146.5	1.5	60	6	0.01	0.01
NKT-91-16	71188	146.5	148.0	1.5	90	6	0.01	0.01
NKT-91-16	71189	148.0	149.5	1.5	129	2	0.01	0.01
NKT-91-16	71190	149.5	151.0	1.5	141	3	0.01	0.01
NKT-91-16	71191	151.0	152.5	1.5	74	3	0.01	0.01
NKT-91-16	71192	152.5	154.0	1.5	75	2	0.01	0.01
NKT-91-16	71193	154.0	155.5	1.5	100	2	0.01	0.01
NKT-91-16	71194	155.5	157.0	1.5	146	6	0.01	0.01
NKT-91-16	71195	157.0	158.5	1.5	75	3	0.01	0.01
NKT-91-16	71196	158.5	160.0	1.5	155	4	0.02	0.01
NKT-91-16	71197	160.0	161.5	1.5	134	7	0.01	0.01
NKT-91-16	71198	161.5	163.0	1.5	75	7	0.01	0.01
NKT-91-16	71199	163.0	164.9	1.9	180	11	0.02	0.01
NKT-91-16	no sample	164.9	165.2	0.3				
NKT-91-16	71200	165.2	166.5	1.3	263	5	0.03	0.01
NKT-91-16	no sample	166.5	167.4	0.9				
NKT-91-16	71201	167.4	168.8	1.4	477	18	0.05	0.02
NKT-91-16	no sample	168.8	169.0	0.2				
NKT-91-16	71202	169.0	170.5	1.5	247	2	0.02	0.01
NKT-91-16	71203	170.5	172.0	1.5	330	11	0.03	0.01
NKT-91-16	71204	172.0	173.5	1.5	254	7	0.03	0.01
NKT-91-16	71205	173.5	175.0	1.5	73	34	0.01	0.03
NKT-91-16	71206	175.0	176.5	1.5	213	18	0.02	0.02
NKT-91-16	71207	176.5	178.0	1.5	159	17	0.02	0.02
NKT-91-16	71208	178.0	179.5	1.5	137	7	0.01	0.01
NKT-91-16	71209	179.5	181.0	1.5	153	22	0.02	0.02
NKT-91-16	71210	181.0	182.5	1.5	180	5	0.02	0.01
NKT-91-16	71211	182.5	184.5	2.0	406	24	0.04	0.02
NKT-91-16	no sample	184.5	186.5	2.0				
NKT-91-16	71212	186.5	188.0	1.5	168	9	0.02	0.01
NKT-91-16	71213	188.0	189.5	1.5	196	29	0.02	0.03
NKT-91-16	71214	189.5	191.0	1.5	404	6	0.04	0.01
NKT-91-16	71215	191.0	192.3	1.3	67	4	0.01	0.01
NKT-91-16	no sample	192.3	192.5	0.2				
NKT-91-16	71216	192.5	194.0	1.5	578	17	0.06	0.02
NKT-91-16	71217	194.0	195.5	1.5	248	11	0.02	0.01
NKT-91-16	71218	195.5	196.5	1.0	148	10	0.01	0.01
NKT-91-16	71219	196.5	197.8	1.3	176	150	0.02	0.15
NKT-91-16	no sample	197.8	204.0	6.2				
NKT-91-16	71220	204.0	205.5	1.5	338	15	0.03	0.02
NKT-91-16	71221	205.5	207.0	1.5	169	4	0.02	0.01
NKT-91-16	71222	207.0	208.7	1.7	151	4	0.02	0.01
NKT-91-16	71223	208.7	209.1	0.4	76	15	0.01	0.02
NKT-91-16	71224	209.1	210.5	1.4	282	28	0.03	0.03

NKT-91-16	71225	210.5	211.8	1.3	582	24	0.06	0.02
NKT-91-16	no sample	211.8	212.0	0.2				
NKT-91-16	71226	212.0	213.0	1.0	514	21	0.05	0.02
NKT-91-16	no sample	213.0	213.1	0.1				
NKT-91-16	71227	213.1	214.5	1.4	338	26	0.03	0.03
NKT-91-16	71228	214.5	216.0	1.5	146	10	0.01	0.01
NKT-91-16	no sample	216.0	226.0	10.0				
NKT-91-16	71229	226.0	227.3	1.3	170	18	0.02	0.02
NKT-91-16	71230	227.3	229.0	1.7	697	26	0.07	0.03
NKT-91-16	71231	229.0	230.4	1.4	302	20	0.03	0.02
NKT-91-16	71232	230.4	232.0	1.6	1923	50	0.19	0.05
NKT-91-16	71233	232.0	233.5	1.5	456	25	0.05	0.03
NKT-91-16	71234	233.5	234.6	1.1	268	12	0.03	0.01
NKT-91-16	71235	234.6	236.0	1.4	433	14	0.04	0.01
NKT-91-16	71236	236.0	237.5	1.5	417	76	0.04	0.08
NKT-91-16	71237	237.5	238.3	0.8	441	55	0.04	0.06
NKT-91-16	71238	238.3	239.5	1.2	341	50	0.03	0.05
NKT-91-16	71239	239.5	241.0	1.5	998	53	0.10	0.05
NKT-91-16	71240	241.0	242.5	1.5	1941	160	0.19	0.16
NKT-91-16	71241	242.5	244.0	1.5	1719	120	0.17	0.12
NKT-91-16	71242	244.0	245.5	1.5	1971	340	0.20	0.34
NKT-91-16	71243	245.5	247.0	1.5	1541	160	0.15	0.16
NKT-91-16	71244	247.0	248.7	1.7	1238	110	0.12	0.11
NKT-91-16	71500	248.7	249.1	0.4	73	20	0.01	0.02
NKT-91-16	71245	249.1	250.5	1.4	310	45	0.03	0.05
NKT-91-16	71246	250.5	252.0	1.5	213	16	0.02	0.02
NKT-91-16	71247	252.0	253.5	1.5	304	32	0.03	0.03
NKT-91-16	71248	253.5	255.0	1.5	893	43	0.09	0.04
NKT-91-16	71249	255.0	256.5	1.5	907	25	0.09	0.03
NKT-91-16	71250	256.5	258.0	1.5	1737	39	0.17	0.04
NKT-91-16	71251	258.0	259.5	1.5	1130	49	0.11	0.05
NKT-91-16	71252	259.5	261.0	1.5	236	10	0.02	0.01
NKT-91-16	71253	261.0	262.5	1.5	335	13	0.03	0.01
NKT-91-16	71254	262.5	264.0	1.5	1820	77	0.18	0.08
NKT-91-16	71255	264.0	265.2	1.2	763	34	0.08	0.03
NKT-91-17	no sample	0.0	20.2	20.2				
NKT-91-17	71256	20.2	23.0	2.8	123	29	0.01	0.03
NKT-91-17	71257	23.0	24.5	1.5	176	44	0.02	0.04
NKT-91-17	71258	24.5	26.0	1.5	113	35	0.01	0.04
NKT-91-17	71259	26.0	27.5	1.5	134	250	0.01	0.25
NKT-91-17	71260	27.5	29.0	1.5	273	22	0.03	0.02
NKT-91-17	71261	29.0	30.4	1.4	177	22	0.02	0.02
NKT-91-17	71262	30.4	30.6	0.2	121	11	0.01	0.01
NKT-91-17	71263	30.6	32.1	1.5	183	18	0.02	0.02
NKT-91-17	71264	32.1	33.5	1.4	183	26	0.02	0.03
NKT-91-17	71265	33.5	35.0	1.5	90	19	0.01	0.02
NKT-91-17	71266	35.0	36.5	1.5	511	43	0.05	0.04
NKT-91-17	71267	36.5	38.0	1.5	113	33	0.01	0.03
NKT-91-17	71268	38.0	39.5	1.5	101	5	0.01	0.01
NKT-91-17	71269	39.5	41.4	1.9	81	4	0.01	0.01
NKT-91-17	71270	41.4	42.5	1.1	122	26	0.01	0.03
NKT-91-17	71271	42.5	44.0	1.5	157	370	0.02	0.37
NKT-91-17	71272	44.0	45.5	1.5	164	23	0.02	0.02
NKT-91-17	71273	45.5	47.0	1.5	64	8	0.01	0.01

NKT-91-17	71274	47.0	48.5	1.5	93	5	0.01	0.01
NKT-91-17	71275	48.5	50.5	2.0	194	34	0.02	0.03
NKT-91-17	71276	50.5	52.0	1.5	185	22	0.02	0.02
NKT-91-17	71277	52.0	53.5	1.5	189	12	0.02	0.01
NKT-91-17	71278	53.5	55.0	1.5	290	8	0.03	0.01
NKT-91-17	71279	55.0	56.5	1.5	203	11	0.02	0.01
NKT-91-17	71280	56.5	58.0	1.5	244	27	0.02	0.03
NKT-91-17	71281	58.0	59.5	1.5	240	31	0.02	0.03
NKT-91-17	71282	59.5	61.0	1.5	209	6	0.02	0.01
NKT-91-17	71283	61.0	62.5	1.5	218	10	0.02	0.01
NKT-91-17	71284	62.5	64.0	1.5	130	1	0.01	0.01
NKT-91-17	71285	64.0	64.8	0.8	199	5	0.02	0.01
NKT-91-17	71286	64.8	66.0	1.2	235	7	0.02	0.01
NKT-91-17	71287	66.0	67.0	1.0	327	8	0.03	0.01
NKT-91-17	71288	67.0	68.3	1.3	226	3	0.02	0.01
NKT-91-17	71382	68.3	70.0	1.7	142	10	0.01	0.01
NKT-91-17	71383	70.0	71.8	1.8	131	3	0.01	0.01
NKT-91-17	71384	71.8	73.2	1.4	152	12	0.02	0.01
NKT-91-17	71385	73.2	75.8	2.6	166	8	0.02	0.01
NKT-91-17	71386	75.8	77.4	1.6	56	3	0.01	0.01
NKT-91-17	71387	77.4	79.0	1.6	192	9	0.02	0.01
NKT-91-17	71388	79.0	81.5	2.5	345	16	0.03	0.02
NKT-91-17	71389	81.5	83.0	1.5	150	11	0.02	0.01
NKT-91-17	71390	83.0	84.7	1.7	178	15	0.02	0.02
NKT-91-17	71391	84.7	85.8	1.1	105	8	0.01	0.01
NKT-91-17	71392	85.8	88.0	2.2	139	9	0.01	0.01
NKT-91-17	71393	88.0	90.0	2.0	162	9	0.02	0.01
NKT-91-17	71289	90.0	91.5	1.5	867	20	0.09	0.02
NKT-91-17	71290	91.5	93.0	1.5	155	52	0.02	0.05
NKT-91-17	71291	93.0	95.0	2.0	97	83	0.01	0.08
NKT-91-17	71292	95.0	96.5	1.5	155	93	0.02	0.09
NKT-91-17	71293	96.5	97.3	0.8	108	5	0.01	0.01
NKT-91-17	71294	97.3	98.5	1.2	128	55	0.01	0.06
NKT-91-17	71295	98.5	100.0	1.5	213	19	0.02	0.02
NKT-91-17	71394	100.0	101.3	1.3	111	9	0.01	0.01
NKT-91-17	71296	101.3	102.5	1.2	223	11	0.02	0.01
NKT-91-17	71297	102.5	104.0	1.5	346	12	0.03	0.01
NKT-91-17	71298	104.0	105.5	1.5	141	19	0.01	0.02
NKT-91-17	71299	105.5	107.0	1.5	181	19	0.02	0.02
NKT-91-17	71300	107.0	108.5	1.5	423	35	0.04	0.04
NKT-91-17	71301	108.5	110.0	1.5	258	320	0.03	0.32
NKT-91-17	71302	110.0	111.5	1.5	329	540	0.03	0.54
NKT-91-17	71303	111.5	113.0	1.5	218	13	0.02	0.01
NKT-91-17	71304	113.0	114.5	1.5	107	5	0.01	0.01
NKT-91-17	71305	114.5	116.0	1.5	86	13	0.01	0.01
NKT-91-17	71306	116.0	117.5	1.5	213	5	0.02	0.01
NKT-91-17	71307	117.5	119.0	1.5	109	4	0.01	0.01
NKT-91-17	71308	119.0	120.0	1.0	164	5	0.02	0.01
NKT-91-17	71309	120.0	121.4	1.4	174	1	0.02	0.01
NKT-91-17	71395	121.4	122.7	1.3	437	11	0.04	0.01
NKT-91-17	71396	122.7	125.0	2.3	203	4	0.02	0.01
NKT-91-17	71397	125.0	127.0	2.0	226	11	0.02	0.01
NKT-91-17	71398	127.0	129.0	2.0	199	4	0.02	0.01
NKT-91-17	71399	129.0	131.0	2.0	157	6	0.02	0.01

NKT-91-17	71400	131.0	133.2	2.2	387	14	0.04	0.01
NKT-91-17	71401	133.2	135.0	1.8	536	13	0.05	0.01
NKT-91-17	71402	135.0	137.0	2.0	55	6	0.01	0.01
NKT-91-17	71403	137.0	139.0	2.0	106	5	0.01	0.01
NKT-91-17	71404	139.0	141.0	2.0	62	3	0.01	0.01
NKT-91-17	71405	141.0	143.0	2.0	56	3	0.01	0.01
NKT-91-17	71406	143.0	144.0	1.0	77	2	0.01	0.01
NKT-91-17	71407	144.0	145.6	1.6	103	2	0.01	0.01
NKT-91-17	71408	145.6	147.0	1.4	26	1	0.00	0.01
NKT-91-17	71409	147.0	149.3	2.3	72	1	0.01	0.01
NKT-91-17	no sample	149.3	149.5	0.2				
NKT-91-17	71310	149.5	150.5	1.0	87	1	0.01	0.01
NKT-91-17	71311	150.5	152.0	1.5	176	7	0.02	0.01
NKT-91-17	71312	152.0	153.5	1.5	269	12	0.03	0.01
NKT-91-17	71313	153.5	155.0	1.5	574	15	0.06	0.02
NKT-91-17	71314	155.0	156.5	1.5	182	12	0.02	0.01
NKT-91-17	71315	156.5	158.0	1.5	134	160	0.01	0.16
NKT-91-17	71316	158.0	159.5	1.5	1128	150	0.11	0.15
NKT-91-17	71317	159.5	161.0	1.5	4183	140	0.42	0.14
NKT-91-17	71318	161.0	162.5	1.5	3333	120	0.33	0.12
NKT-91-17	71319	162.5	164.0	1.5	4202	130	0.42	0.13
NKT-91-17	71320	164.0	165.5	1.5	2323	320	0.23	0.32
NKT-91-17	71321	165.5	167.0	1.5	3248	330	0.32	0.33
NKT-91-17	71322	167.0	168.5	1.5	3023	140	0.30	0.14
NKT-91-17	71323	168.5	170.0	1.5	2245	220	0.22	0.22
NKT-91-17	71324	170.0	171.5	1.5	3151	240	0.32	0.24
NKT-91-17	71325	171.5	173.0	1.5	2313	270	0.23	0.27
NKT-91-17	71326	173.0	174.5	1.5	6031	350	0.60	0.35
NKT-91-17	71327	174.5	176.0	1.5	4145	190	0.41	0.19
NKT-91-17	71328	176.0	177.5	1.5	5434	310	0.54	0.31
NKT-91-17	71329	177.5	179.0	1.5	3037	230	0.30	0.23
NKT-91-17	71330	179.0	180.5	1.5	1760	330	0.18	0.33
NKT-91-17	71331	180.5	182.0	1.5	4337	180	0.43	0.18
NKT-91-17	71332	182.0	183.5	1.5	2303	210	0.23	0.21
NKT-91-17	71333	183.5	185.0	1.5	3832	300	0.38	0.30
NKT-91-17	71334	185.0	186.5	1.5	3707	410	0.37	0.41
NKT-91-17	71335	186.5	188.0	1.5	4122	350	0.41	0.35
NKT-91-17	71336	188.0	189.5	1.5	3890	860	0.39	0.86
NKT-91-17	71337	189.5	191.0	1.5	5859	310	0.59	0.31
NKT-91-17	71338	191.0	192.5	1.5	4073	290	0.41	0.29
NKT-91-17	71339	192.5	194.0	1.5	1936	230	0.19	0.23
NKT-91-17	71340	194.0	195.5	1.5	5612	310	0.56	0.31
NKT-91-17	71341	195.5	197.0	1.5	3062	440	0.31	0.44
NKT-91-17	71342	197.0	198.3	1.3	5211	590	0.52	0.59
NKT-91-17	71343	198.3	199.1	0.8	588	470	0.06	0.47
NKT-91-17	71344	199.1	200.5	1.4	4851	220	0.49	0.22
NKT-91-17	71345	200.5	202.0	1.5	4166	520	0.42	0.52
NKT-91-17	71346	202.0	203.5	1.5	5731	320	0.57	0.32
NKT-91-17	71347	203.5	205.0	1.5	4146	760	0.41	0.76
NKT-91-17	71348	205.0	206.5	1.5	7252	480	0.73	0.48
NKT-91-17	71349	206.5	208.0	1.5	2381	290	0.24	0.29
NKT-91-17	71350	208.0	209.3	1.3	3412	420	0.34	0.42
NKT-91-17	71351	209.3	211.0	1.7	75	9	0.01	0.01
NKT-91-17	71352	211.0	212.7	1.7	31	3	0.00	0.01



NKT-91-17	71353	212.7	214.0	1.3	3665	650	0.37	0.65
NKT-91-17	71354	214.0	215.5	1.5	2919	510	0.29	0.51
NKT-91-17	71355	215.5	217.0	1.5	3026	480	0.30	0.48
NKT-91-17	71356	217.0	218.2	1.2	2223	270	0.22	0.27
NKT-91-17	71357	218.2	219.5	1.3	751	220	0.08	0.22
NKT-91-17	71358	219.5	221.0	1.5	1858	240	0.19	0.24
NKT-91-17	71359	221.0	222.5	1.5	747	12	0.07	0.01
NKT-91-17	71360	222.5	224.0	1.5	1446	34	0.14	0.03
NKT-91-17	71361	224.0	225.5	1.5	1675	23	0.17	0.02
NKT-91-17	71362	225.5	227.0	1.5	909	250	0.09	0.25
NKT-91-17	71363	227.0	228.5	1.5	614	40	0.06	0.04
NKT-91-17	71364	228.5	230.0	1.5	190	3	0.02	0.01
NKT-91-17	71365	230.0	231.5	1.5	110	2	0.01	0.01
NKT-91-17	71366	231.5	233.0	1.5	184	10	0.02	0.01
NKT-91-17	71367	233.0	234.5	1.5	108	3	0.01	0.01
NKT-91-17	71368	234.5	236.0	1.5	65	2	0.01	0.01
NKT-91-17	71369	236.0	237.5	1.5	89	3	0.01	0.01
NKT-91-17	71370	237.5	239.0	1.5	67	3	0.01	0.01
NKT-91-17	71371	239.0	240.5	1.5	151	2	0.02	0.01
NKT-91-17	71372	240.5	242.0	1.5	231	2	0.02	0.01
NKT-91-17	71373	242.0	243.5	1.5	375	4	0.04	0.01
NKT-91-17	71374	243.5	245.0	1.5	508	12	0.05	0.01
NKT-91-17	71375	245.0	246.5	1.5	254	10	0.03	0.01
NKT-91-17	71376	246.5	248.0	1.5	144	3	0.01	0.01
NKT-91-17	71377	248.0	249.5	1.5	344	19	0.03	0.02
NKT-91-17	71378	249.5	251.0	1.5	2028	48	0.20	0.05
NKT-91-17	71379	251.0	252.7	1.7	200	11	0.02	0.01
NKT-91-17	71380	252.7	254.5	1.8	79	3	0.01	0.01
NKT-91-17	71381	254.5	256.0	1.5	853	16	0.09	0.02
NKT-91-18	no sample	0.0	80.0	80.0				
NKT-91-18	18101	80.0	82.0	2.0	395	0	0.04	0.01
NKT-91-18	18102	82.0	83.5	1.5	269	0	0.03	0.01
NKT-91-18	18103	83.5	85.0	1.5	652	0	0.07	0.01
NKT-91-18	18104	85.0	86.5	1.5	631	0	0.06	0.01
NKT-91-18	18105	86.5	88.0	1.5	879	0	0.09	0.01
NKT-91-18	18106	88.0	89.5	1.5	394	0	0.04	0.01
NKT-91-18	18107	89.5	91.0	1.5	698	0	0.07	0.01
NKT-91-18	no sample	91.0	102.0	11.0				
NKT-91-18	18108	102.0	103.6	1.6	79	0	0.01	0.01
NKT-91-18	18109	103.6	105.1	1.5	142	0	0.01	0.01
NKT-91-18	18110	105.1	105.9	0.8	468	0	0.05	0.01
NKT-91-18	18111	105.9	107.5	1.6	57	0	0.01	0.01
NKT-91-18	18112	107.5	108.2	0.7	102	0	0.01	0.01
NKT-91-18	18113	108.2	110.2	2.0	35	0	0.00	0.01
NKT-91-18	18114	110.2	111.4	1.2	1214	0	0.12	0.01
NKT-91-18	18115	111.4	112.3	0.9	335	0	0.03	0.01
NKT-91-18	18116	112.3	113.8	1.5	166	0	0.02	0.01
NKT-91-18	18117	113.8	115.3	1.5	163	0	0.02	0.01
NKT-91-18	18118	115.3	115.9	0.6	110	0	0.01	0.01
NKT-91-18	18119	115.9	117.0	1.1	80	0	0.01	0.01
NKT-91-18	18120	117.0	118.5	1.5	171	0	0.02	0.01
NKT-91-18	18121	118.5	120.0	1.5	414	0	0.04	0.01
NKT-91-18	18122	120.0	121.5	1.5	123	0	0.01	0.01
NKT-91-18	18123	121.5	123.0	1.5	377	0	0.04	0.01

NKT-91-18	18124	123.0	124.5	1.5	242	0	0.02	0.01
NKT-91-18	18125	124.5	126.0	1.5	476	0	0.05	0.01
NKT-91-18	18126	126.0	127.5	1.5	597	0	0.06	0.01
NKT-91-18	18127	127.5	129.8	2.3	497	0	0.05	0.01
NKT-91-18	no sample	129.8	133.7	3.9				
NKT-91-18	18128	133.7	136.1	2.4	232	0	0.02	0.01
NKT-91-18	18129	136.1	137.6	1.5	244	0	0.02	0.01
NKT-91-18	no sample	137.6	146.5	8.9				
NKT-91-18	18130	146.5	148.0	1.5	147	0	0.01	0.01
NKT-91-18	18131	148.0	149.5	1.5	319	0	0.03	0.01
NKT-91-18	18132	149.5	150.9	1.4	194	0	0.02	0.01
NKT-91-18	18133	150.9	152.5	1.6	562	0	0.06	0.01
NKT-91-18	18134	152.5	153.5	1.0	903	0	0.09	0.01
NKT-91-18	18135	153.5	155.0	1.5	512	0	0.05	0.01
NKT-91-18	18136	155.0	156.5	1.5	566	0	0.06	0.01
NKT-91-18	18137	156.5	158.0	1.5	234	0	0.02	0.01
NKT-91-18	18138	158.0	159.5	1.5	215	0	0.02	0.01
NKT-91-18	18139	159.5	160.8	1.3	227	0	0.02	0.01
NKT-91-18	18140	160.8	162.9	2.1	30	0	0.00	0.01
NKT-91-18	18141	162.9	164.2	1.3	351	0	0.04	0.01
NKT-91-18	18142	164.2	165.5	1.3	343	0	0.03	0.01
NKT-91-18	18143	165.5	167.0	1.5	414	0	0.04	0.01
NKT-91-18	18144	167.0	168.5	1.5	197	0	0.02	0.01
NKT-91-18	18145	168.5	170.0	1.5	179	0	0.02	0.01
NKT-91-18	18146	170.0	171.4	1.4	150	0	0.02	0.01
NKT-91-18	18147	171.4	173.0	1.6	203	0	0.02	0.01
NKT-91-18	18148	173.0	174.5	1.5	238	0	0.02	0.01
NKT-91-18	18149	174.5	176.3	1.8	401	0	0.04	0.01
NKT-91-18	no sample	176.3	190.0	13.7				
NKT-91-18	18150	190.0	191.5	1.5	192	0	0.02	0.01
NKT-91-18	18151	191.5	193.0	1.5	66	0	0.01	0.01
NKT-91-18	18152	193.0	194.5	1.5	198	0	0.02	0.01
NKT-91-18	18153	194.5	196.2	1.7	222	0	0.02	0.01
NKT-91-18	18154	196.2	197.4	1.2	342	0	0.03	0.01
NKT-91-18	18155	197.4	199.0	1.6	88	0	0.01	0.01
NKT-91-18	18156	199.0	200.5	1.5	102	0	0.01	0.01
NKT-91-18	18157	200.5	202.0	1.5	167	0	0.02	0.01
NKT-91-18	18158	202.0	203.5	1.5	206	0	0.02	0.01
NKT-91-18	18159	203.5	205.0	1.5	118	0	0.01	0.01
NKT-91-18	18160	205.0	206.5	1.5	201	0	0.02	0.01
NKT-91-18	18161	206.5	208.0	1.5	337	0	0.03	0.01
NKT-91-18	18162	208.0	209.5	1.5	442	0	0.04	0.01
NKT-91-18	18163	209.5	211.0	1.5	137	0	0.01	0.01
NKT-91-18	18164	211.0	212.5	1.5	97	0	0.01	0.01
NKT-91-18	18165	212.5	214.0	1.5	84	0	0.01	0.01
NKT-91-18	18166	214.0	215.5	1.5	172	0	0.02	0.01
NKT-91-18	18167	215.5	217.0	1.5	235	0	0.02	0.01
NKT-91-18	18168	217.0	218.5	1.5	229	0	0.02	0.01
NKT-91-18	18169	218.5	220.0	1.5	857	0	0.09	0.01
NKT-91-18	18170	220.0	221.5	1.5	365	0	0.04	0.01
NKT-91-18	18171	221.5	223.0	1.5	284	0	0.03	0.01
NKT-91-18	18172	223.0	224.5	1.5	354	0	0.04	0.01
NKT-91-18	18173	224.5	226.0	1.5	161	0	0.02	0.01
NKT-91-18	18174	226.0	227.5	1.5	232	0	0.02	0.01

NKT-91-18	18175	227.5	229.8	2.3	248	0	0.02	0.01
NKT-91-19	no sample	0.0	92.6	92.6				
NKT-91-19	18176	92.6	94.5	1.9	146	0	0.01	0.01
NKT-91-19	18177	94.5	96.0	1.5	177	0	0.02	0.01
NKT-91-19	18178	96.0	97.5	1.5	277	0	0.03	0.01
NKT-91-19	18179	97.5	99.0	1.5	155	0	0.02	0.01
NKT-91-19	18180	99.0	100.5	1.5	114	0	0.01	0.01
NKT-91-19	18181	100.5	102.0	1.5	98	0	0.01	0.01
NKT-91-19	18182	102.0	103.5	1.5	81	0	0.01	0.01
NKT-91-19	18183	103.5	105.0	1.5	299	0	0.03	0.01
NKT-91-19	18184	105.0	106.5	1.5	33	0	0.00	0.01
NKT-91-19	18185	106.5	108.0	1.5	79	0	0.01	0.01
NKT-91-19	18186	108.0	109.5	1.5	51	0	0.01	0.01
NKT-91-19	18187	109.5	111.8	2.3	70	0	0.01	0.01
NKT-91-19	18188	111.8	113.0	1.2	59	0	0.01	0.01
NKT-91-19	18189	113.0	114.5	1.5	25	0	0.00	0.01
NKT-91-19	18190	114.5	116.0	1.5	82	0	0.01	0.01
NKT-91-19	18191	116.0	117.5	1.5	85	0	0.01	0.01
NKT-91-19	18192	117.5	119.0	1.5	217	0	0.02	0.01
NKT-91-19	18193	119.0	120.5	1.5	206	0	0.02	0.01
NKT-91-19	18194	120.5	122.0	1.5	89	0	0.01	0.01
NKT-91-19	18195	122.0	123.5	1.5	224	0	0.02	0.01
NKT-91-19	18196	123.5	125.0	1.5	132	0	0.01	0.01
NKT-91-19	18197	125.0	126.5	1.5	138	0	0.01	0.01
NKT-91-19	18198	126.5	128.0	1.5	229	0	0.02	0.01
NKT-91-19	18199	128.0	129.5	1.5	93	0	0.01	0.01
NKT-91-19	18200	129.5	130.9	1.4	133	0	0.01	0.01
NKT-91-19	18201	130.9	132.5	1.6	34	0	0.00	0.01
NKT-91-19	18202	132.5	134.0	1.5	103	0	0.01	0.01
NKT-91-19	18203	134.0	135.5	1.5	68	0	0.01	0.01
NKT-91-19	18204	135.5	137.0	1.5	140	0	0.01	0.01
NKT-91-19	18205	137.0	138.5	1.5	192	0	0.02	0.01
NKT-91-19	18206	138.5	140.8	2.3	278	0	0.03	0.01
NKT-91-19	18207	140.8	142.4	1.6	172	0	0.02	0.01
NKT-91-19	18208	142.4	144.0	1.6	164	0	0.02	0.01
NKT-91-19	18209	144.0	145.5	1.5	219	0	0.02	0.01
NKT-91-19	18210	145.5	147.9	2.4	229	0	0.02	0.01
NKT-91-19	18211	147.9	149.5	1.6	84	0	0.01	0.01
NKT-91-19	18212	149.5	151.0	1.5	26	0	0.00	0.01
NKT-91-19	18213	151.0	152.6	1.6	292	0	0.03	0.01
NKT-91-19	18214	152.6	154.0	1.4	56	0	0.01	0.01
NKT-91-19	18215	154.0	155.5	1.5	129	0	0.01	0.01
NKT-91-19	18216	155.5	157.0	1.5	181	0	0.02	0.01
NKT-91-19	18217	157.0	158.5	1.5	142	0	0.01	0.01
NKT-91-19	18218	158.5	160.0	1.5	329	0	0.03	0.01
NKT-91-19	18219	160.0	161.5	1.5	207	0	0.02	0.01
NKT-91-19	18220	161.5	163.0	1.5	148	0	0.01	0.01
NKT-91-19	18221	163.0	164.5	1.5	496	0	0.05	0.01
NKT-91-19	18222	164.5	165.5	1.0	179	0	0.02	0.01
NKT-91-19	18223	165.5	167.0	1.5	59	0	0.01	0.01
NKT-91-19	18224	167.0	168.5	1.5	372	0	0.04	0.01
NKT-91-19	18225	168.5	170.0	1.5	230	0	0.02	0.01
NKT-91-19	18226	170.0	171.5	1.5	129	0	0.01	0.01
NKT-91-19	18227	171.5	173.0	1.5	121	0	0.01	0.01

NKT-91-19	18228	173.0	174.5	1.5	192	0	0.02	0.01
NKT-91-19	18229	174.5	176.0	1.5	157	0	0.02	0.01
NKT-91-19	18230	176.0	177.5	1.5	243	0	0.02	0.01
NKT-91-19	18231	177.5	179.1	1.6	601	0	0.06	0.01
NKT-91-19	18232	179.1	179.8	0.7	53	0	0.01	0.01
NKT-91-19	18233	179.8	181.5	1.7	343	0	0.03	0.01
NKT-91-19	18234	181.5	183.0	1.5	456	0	0.05	0.01
NKT-91-19	18235	183.0	184.5	1.5	428	0	0.04	0.01
NKT-91-19	18236	184.5	186.0	1.5	617	0	0.06	0.01
NKT-91-19	18237	186.0	187.1	1.1	203	0	0.02	0.01
NKT-91-19	18238	187.1	187.6	0.5	20	0	0.00	0.01
NKT-91-19	18239	187.6	189.0	1.4	414	0	0.04	0.01
NKT-91-19	18240	189.0	190.5	1.5	208	0	0.02	0.01
NKT-91-19	18241	190.5	192.0	1.5	251	0	0.03	0.01
NKT-91-19	18242	192.0	193.5	1.5	190	0	0.02	0.01
NKT-91-19	18243	193.5	195.0	1.5	223	0	0.02	0.01
NKT-91-19	18244	195.0	196.5	1.5	82	0	0.01	0.01
NKT-91-19	18245	196.5	198.0	1.5	121	0	0.01	0.01
NKT-91-19	18246	198.0	199.5	1.5	0	0	0.00	0.01
NKT-91-19	18247	199.5	201.0	1.5	0	0	0.00	0.01
NKT-91-19	18248	201.0	202.5	1.5	0	0	0.00	0.01
NKT-91-19	18249	202.5	204.0	1.5	0	0	0.00	0.01
NKT-91-19	18250	204.0	205.5	1.5	0	0	0.00	0.01
NKT-91-19	18251	205.5	207.0	1.5	0	0	0.00	0.01
NKT-91-19	18252	207.0	208.5	1.5	0	0	0.00	0.01
NKT-91-19	18253	208.5	210.0	1.5	0	0	0.00	0.01
NKT-91-19	18254	210.0	211.5	1.5	0	0	0.00	0.01
NKT-91-19	18255	211.5	213.0	1.5	0	0	0.00	0.01
NKT-91-19	18256	213.0	214.5	1.5	0	0	0.00	0.01
NKT-91-19	18257	214.5	216.0	1.5	0	0	0.00	0.01
NKT-91-19	18258	216.0	217.5	1.5	0	0	0.00	0.01
NKT-91-19	18259	217.5	219.0	1.5	0	0	0.00	0.01
NKT-91-19	18260	219.0	220.5	1.5	0	0	0.00	0.01
NKT-91-19	18261	220.5	222.0	1.5	0	0	0.00	0.01
NKT-91-19	18262	222.0	223.5	1.5	0	0	0.00	0.01
NKT-91-19	18263	223.5	225.0	1.5	0	0	0.00	0.01
NKT-91-19	18264	225.0	226.5	1.5	0	0	0.00	0.01
NKT-91-19	18265	226.5	228.0	1.5	0	0	0.00	0.01
NKT-91-19	18266	228.0	230.5	2.5	0	0	0.00	0.01
NKT-91-19	18267	230.5	232.0	1.5	0	0	0.00	0.01
NKT-91-19	18268	232.0	233.5	1.5	0	0	0.00	0.01
NKT-91-19	18269	233.5	235.0	1.5	0	0	0.00	0.01
NKT-91-19	18270	235.0	236.4	1.4	0	0	0.00	0.01
NKT-91-19	18271	236.4	238.0	1.6	0	0	0.00	0.01
NKT-91-19	18272	238.0	239.5	1.5	0	0	0.00	0.01
NKT-91-19	18273	239.5	241.0	1.5	0	0	0.00	0.01
NKT-91-19	18274	241.0	242.5	1.5	0	0	0.00	0.01
NKT-91-19	18275	242.5	244.0	1.5	0	0	0.00	0.01
NKT-91-19	18276	244.0	245.0	1.0	0	0	0.00	0.01
NKT-91-19	18277	245.0	245.5	0.5	0	0	0.00	0.01
NKT-91-19	18278	245.5	247.0	1.5	0	0	0.00	0.01
NKT-91-19	18279	247.0	248.5	1.5	0	0	0.00	0.01
NKT-91-19	18280	248.5	250.3	1.8	0	0	0.00	0.01
NKT-91-20	no sample	0.0	82.0	82.0				

NKT-91-20	18281	82.0	83.5	1.5	3	0	0.00	0.01
NKT-91-20	18282	83.5	85.0	1.5	6	0	0.00	0.01
NKT-91-20	18283	85.0	86.5	1.5	49	0	0.00	0.01
NKT-91-20	18284	86.5	88.0	1.5	18	0	0.00	0.01
NKT-91-20	18285	88.0	89.5	1.5	9	0	0.00	0.01
NKT-91-20	18286	89.5	90.9	1.4	14	0	0.00	0.01
NKT-91-20	18287	90.9	93.0	2.1	55	0	0.01	0.01
NKT-91-20	18288	93.0	94.5	1.5	31	0	0.00	0.01
NKT-91-20	18289	94.5	96.0	1.5	50	0	0.01	0.01
NKT-91-20	18290	96.0	97.5	1.5	55	0	0.01	0.01
NKT-91-20	18291	97.5	99.0	1.5	26	0	0.00	0.01
NKT-91-20	18292	99.0	100.5	1.5	15	0	0.00	0.01
NKT-91-20	18293	100.5	102.0	1.5	4	0	0.00	0.01
NKT-91-20	18294	102.0	103.5	1.5	3	0	0.00	0.01
NKT-91-20	18295	103.5	105.0	1.5	5	0	0.00	0.01
NKT-91-20	18296	105.0	106.5	1.5	3	0	0.00	0.01
NKT-91-20	18297	106.5	108.0	1.5	7	0	0.00	0.01
NKT-91-20	18298	108.0	109.5	1.5	39	0	0.00	0.01
NKT-91-20	18299	109.5	111.0	1.5	12	0	0.00	0.01
NKT-91-20	18300	111.0	112.5	1.5	14	0	0.00	0.01
NKT-91-20	18301	112.5	114.0	1.5	128	0	0.01	0.01
NKT-91-20	18302	114.0	115.5	1.5	118	0	0.01	0.01
NKT-91-20	18303	115.5	117.0	1.5	109	0	0.01	0.01
NKT-91-20	18304	117.0	118.5	1.5	120	0	0.01	0.01
NKT-91-20	18305	118.5	120.0	1.5	6	0	0.00	0.01
NKT-91-20	18306	120.0	121.5	1.5	3	0	0.00	0.01
NKT-91-20	18307	121.5	123.0	1.5	6	0	0.00	0.01
NKT-91-20	18308	123.0	124.5	1.5	10	0	0.00	0.01
NKT-91-20	18309	124.5	126.0	1.5	37	0	0.00	0.01
NKT-91-20	18310	126.0	127.5	1.5	67	0	0.01	0.01
NKT-91-20	18311	127.5	129.0	1.5	87	0	0.01	0.01
NKT-91-20	18312	129.0	130.5	1.5	159	0	0.02	0.01
NKT-91-20	18313	130.5	132.0	1.5	90	0	0.01	0.01
NKT-91-20	18314	132.0	133.5	1.5	338	0	0.03	0.01
NKT-91-20	18315	133.5	134.2	0.7	187	0	0.02	0.01
NKT-91-20	18316	134.2	136.0	1.8	139	0	0.01	0.01
NKT-91-20	18317	136.0	137.5	1.5	152	0	0.02	0.01
NKT-91-20	18318	137.5	139.0	1.5	124	0	0.01	0.01
NKT-91-20	18319	139.0	140.5	1.5	108	0	0.01	0.01
NKT-91-20	18320	140.5	142.0	1.5	95	0	0.01	0.01
NKT-91-20	18321	142.0	143.5	1.5	71	0	0.01	0.01
NKT-91-20	18322	143.5	145.0	1.5	103	0	0.01	0.01
NKT-91-20	18323	145.0	146.5	1.5	94	0	0.01	0.01
NKT-91-20	18324	146.5	148.0	1.5	95	0	0.01	0.01
NKT-91-20	18325	148.0	149.5	1.5	114	0	0.01	0.01
NKT-91-20	18326	149.5	151.0	1.5	94	0	0.01	0.01
NKT-91-20	18327	151.0	152.5	1.5	74	0	0.01	0.01
NKT-91-20	18328	152.5	154.3	1.8	120	0	0.01	0.01
NKT-91-20	18329	154.3	156.2	1.9	31	0	0.00	0.01
NKT-91-20	18330	156.2	158.2	2.0	36	0	0.00	0.01
NKT-91-20	18331	158.2	159.5	1.3	108	0	0.01	0.01
NKT-91-20	18332	159.5	161.0	1.5	111	0	0.01	0.01
NKT-91-20	18333	161.0	162.5	1.5	110	0	0.01	0.01
NKT-91-20	18334	162.5	164.0	1.5	69	0	0.01	0.01

NKT-91-20	18335	164.0	165.5	1.5	58	0	0.01	0.01
NKT-91-20	18336	165.5	167.0	1.5	27	0	0.00	0.01
NKT-91-20	18337	167.0	168.5	1.5	218	0	0.02	0.01
NKT-91-20	18338	168.5	170.0	1.5	259	0	0.03	0.01
NKT-91-20	18339	170.0	171.5	1.5	193	0	0.02	0.01
NKT-91-20	18340	171.5	173.0	1.5	97	0	0.01	0.01
NKT-91-20	18341	173.0	174.0	1.0	143	0	0.01	0.01
NKT-91-20	18342	174.0	176.0	2.0	86	0	0.01	0.01
NKT-91-20	18343	176.0	177.5	1.5	36	0	0.00	0.01
NKT-91-20	18344	177.5	179.0	1.5	238	0	0.02	0.01
NKT-91-20	18345	179.0	180.5	1.5	102	0	0.01	0.01
NKT-91-20	18346	180.5	182.0	1.5	235	0	0.02	0.01
NKT-91-20	18347	182.0	183.5	1.5	134	0	0.01	0.01
NKT-91-20	18348	183.5	185.0	1.5	347	0	0.03	0.01
NKT-91-20	18349	185.0	186.5	1.5	99	0	0.01	0.01
NKT-91-20	18350	186.5	188.0	1.5	97	0	0.01	0.01
NKT-91-20	18351	188.0	189.5	1.5	337	0	0.03	0.01
NKT-91-20	18352	189.5	191.0	1.5	84	0	0.01	0.01
NKT-91-20	18353	191.0	192.5	1.5	165	0	0.02	0.01
NKT-91-20	18354	192.5	194.0	1.5	145	0	0.01	0.01
NKT-91-20	18355	194.0	195.5	1.5	95	0	0.01	0.01
NKT-91-20	18356	195.5	197.0	1.5	85	0	0.01	0.01
NKT-91-20	18357	197.0	198.5	1.5	132	0	0.01	0.01
NKT-91-20	18358	198.5	200.0	1.5	83	0	0.01	0.01
NKT-91-20	18359	200.0	201.5	1.5	57	0	0.01	0.01
NKT-91-20	18360	201.5	203.0	1.5	180	0	0.02	0.01
NKT-91-20	18361	203.0	204.6	1.6	7	0	0.00	0.01
NKT-91-20	no sample	204.6	204.8	0.2				
NKT-91-20	18362	204.8	206.5	1.7	7	0	0.00	0.01
NKT-91-20	18363	206.5	208.0	1.5	9	0	0.00	0.01
NKT-91-20	18364	208.0	209.5	1.5	19	0	0.00	0.01
NKT-91-20	18365	209.5	211.5	2.0	23	0	0.00	0.01
NKT-91-20	18366	211.5	213.0	1.5	199	0	0.02	0.01
NKT-91-20	18367	213.0	214.5	1.5	136	0	0.01	0.01
NKT-91-20	18368	214.5	216.0	1.5	317	0	0.03	0.01
NKT-91-20	18369	216.0	217.5	1.5	162	0	0.02	0.01
NKT-91-20	18370	217.5	219.0	1.5	53	0	0.01	0.01
NKT-91-20	18371	219.0	220.5	1.5	59	0	0.01	0.01
NKT-91-20	18372	220.5	222.8	2.3	48	0	0.00	0.01
NKT-91-21B	no sample	0.0	63.1	63.1				
NKT-91-21B	18376	63.1	64.0	0.9	2891	178	0.29	0.18
NKT-91-21B	18377	64.0	65.8	1.8	1528	143	0.15	0.14
NKT-91-21B	18378	65.8	68.0	2.2	1390	97	0.14	0.10
NKT-91-21B	18379	68.0	70.0	2.0	1645	102	0.16	0.10
NKT-91-21B	18380	70.0	72.0	2.0	1040	62	0.10	0.06
NKT-91-21B	18381	72.0	74.0	2.0	2293	100	0.23	0.10
NKT-91-21B	18382	74.0	76.0	2.0	1145	76	0.11	0.08
NKT-91-21B	18383	76.0	78.0	2.0	1605	154	0.16	0.15
NKT-91-21B	18384	78.0	79.5	1.5	968	94	0.10	0.09
NKT-91-21B	18385	79.5	80.8	1.3	1575	111	0.16	0.11
NKT-91-21B	18386	80.8	83.0	2.2	553	47	0.06	0.05
NKT-91-21B	18387	83.0	85.0	2.0	823	90	0.08	0.09
NKT-91-21B	18388	85.0	87.0	2.0	827	60	0.08	0.06
NKT-91-21B	18389	87.0	89.0	2.0	3856	218	0.39	0.22

NKT-91-21B	18390	89.0	91.0	2.0	7144	450	0.71	0.45
NKT-91-21B	18391	91.0	93.0	2.0	3475	285	0.35	0.29
NKT-91-21B	18392	93.0	95.9	2.9	2020	104	0.20	0.10
NKT-91-21B	18393	95.9	96.0	0.1	81	8	0.01	0.01
NKT-91-21B	18394	96.0	98.0	2.0	1596	74	0.16	0.07
NKT-91-21B	18395	98.0	100.0	2.0	845	62	0.08	0.06
NKT-91-21B	18396	100.0	102.0	2.0	967	77	0.10	0.08
NKT-91-21B	18397	102.0	104.0	2.0	919	57	0.09	0.06
NKT-91-21B	18398	104.0	106.0	2.0	4205	186	0.42	0.19
NKT-91-21B	18399	106.0	108.0	2.0	1444	85	0.14	0.09
NKT-91-21B	18400	108.0	110.0	2.0	699	67	0.07	0.07
NKT-91-21B	18401	110.0	112.0	2.0	2339	123	0.23	0.12
NKT-91-21B	18402	112.0	114.0	2.0	1947	70	0.19	0.07
NKT-91-21B	18403	114.0	115.9	1.9	942	91	0.09	0.09
NKT-91-21B	18404	115.9	117.7	1.8	1271	82	0.13	0.08
NKT-91-21B	18405	117.7	119.5	1.8	27	15	0.00	0.02
NKT-91-21B	18406	119.5	120.3	0.8	1556	332	0.16	0.33
NKT-91-21B	18407	120.3	122.0	1.7	818	81	0.08	0.08
NKT-91-21B	18408	122.0	124.0	2.0	4677	163	0.47	0.16
NKT-91-21B	18409	124.0	126.0	2.0	1777	96	0.18	0.10
NKT-91-21B	18410	126.0	128.0	2.0	488	49	0.05	0.05
NKT-91-21B	18411	128.0	130.0	2.0	411	57	0.04	0.06
NKT-91-21B	18412	130.0	132.0	2.0	1116	64	0.11	0.06
NKT-91-21B	18413	132.0	134.0	2.0	981	42	0.10	0.04
NKT-91-21B	18414	134.0	136.0	2.0	230	4	0.02	0.01
NKT-91-21B	18415	136.0	138.0	2.0	783	13	0.08	0.01
NKT-91-21B	18416	138.0	140.0	2.0	236	9	0.02	0.01
NKT-91-21B	18417	140.0	142.0	2.0	576	64	0.06	0.06
NKT-91-21B	18418	142.0	144.0	2.0	427	74	0.04	0.07
NKT-91-21B	18419	144.0	146.0	2.0	1167	99	0.12	0.10
NKT-91-21B	18420	146.0	148.0	2.0	1648	159	0.16	0.16
NKT-91-21B	18421	148.0	150.0	2.0	975	49	0.10	0.05
NKT-91-21B	18422	150.0	152.0	2.0	1000	52	0.10	0.05
NKT-91-21B	18423	152.0	154.0	2.0	3191	82	0.32	0.08
NKT-91-21B	18424	154.0	156.0	2.0	2551	112	0.26	0.11
NKT-91-21B	18425	156.0	158.0	2.0	596	28	0.06	0.03
NKT-91-21B	18426	158.0	160.1	2.1	1254	97	0.13	0.10
NKT-91-21B	18427	160.1	162.3	2.2	812	60	0.08	0.06
NKT-91-21B	18428	162.3	164.2	1.9	512	43	0.05	0.04
NKT-91-21B	18429	164.2	165.2	1.0	1471	72	0.15	0.07
NKT-91-21B	18430	165.2	167.3	2.1	1330	138	0.13	0.14
NKT-91-21B	18431	167.3	167.6	0.3	265	22	0.03	0.02
NKT-91-21B	18432	167.6	168.8	1.2	299	35	0.03	0.04
NKT-91-21B	18433	168.8	171.0	2.2	2958	443	0.30	0.44
NKT-91-21B	18434	171.0	173.0	2.0	1475	180	0.15	0.18
NKT-91-21B	18435	173.0	175.5	2.5	243	31	0.02	0.03
NKT-91-21B	18436	175.5	177.0	1.5	767	68	0.08	0.07
NKT-91-21B	18437	177.0	179.0	2.0	922	89	0.09	0.09
NKT-91-21B	18438	179.0	181.0	2.0	807	67	0.08	0.07
NKT-91-21B	18439	181.0	183.0	2.0	892	137	0.09	0.14
NKT-91-21B	18440	183.0	185.0	2.0	1617	182	0.16	0.18
NKT-91-21B	18441	185.0	187.0	2.0	1561	106	0.16	0.11
NKT-91-21B	18442	187.0	189.0	2.0	454	58	0.05	0.06
NKT-91-21B	18443	189.0	191.0	2.0	316	38	0.03	0.04

NKT-91-21B	18444	191.0	193.0	2.0	389	62	0.04	0.06
NKT-91-21B	18445	193.0	196.0	3.0	309	24	0.03	0.02
NKT-91-21B	18446	196.0	198.0	2.0	339	72	0.03	0.07
NKT-91-21B	18447	198.0	200.0	2.0	164	25	0.02	0.03
NKT-91-21B	18448	200.0	202.0	2.0	332	40	0.03	0.04
NKT-91-21B	18449	202.0	204.0	2.0	1309	201	0.13	0.20
NKT-91-21B	18450	204.0	206.0	2.0	1062	106	0.11	0.11
NKT-91-21B	18451	206.0	208.0	2.0	900	111	0.09	0.11
NKT-91-21B	18452	208.0	210.0	2.0	403	98	0.04	0.10
NKT-91-21B	18453	210.0	212.0	2.0	1388	1300	0.14	1.30
NKT-91-21B	18454	212.0	214.0	2.0	1174	938	0.12	0.94
NKT-91-21B	18455	214.0	216.0	2.0	549	323	0.05	0.32
NKT-91-21B	18456	216.0	218.0	2.0	2097	743	0.21	0.74
NKT-91-21B	18457	218.0	220.0	2.0	5600	600	0.56	0.60
NKT-91-21B	18458	220.0	222.0	2.0	3649	1258	0.36	1.26
NKT-91-21B	18459	222.0	224.0	2.0	2995	1600	0.30	1.60
NKT-91-21B	18460	224.0	226.0	2.0	1261	248	0.13	0.25
NKT-91-21B	18461	226.0	228.0	2.0	503	134	0.05	0.13
NKT-91-21B	18462	228.0	230.0	2.0	784	458	0.08	0.46
NKT-91-21B	18463	230.0	232.0	2.0	1457	641	0.15	0.64
NKT-91-21B	18464	232.0	234.0	2.0	5661	1137	0.57	1.14
NKT-91-21B	18465	234.0	236.0	2.0	942	177	0.09	0.18
NKT-91-21B	18466	236.0	238.0	2.0	1119	158	0.11	0.16
NKT-91-21B	18467	238.0	240.0	2.0	185	25	0.02	0.03
NKT-91-21B	18468	240.0	242.0	2.0	364	47	0.04	0.05
NKT-91-21B	18469	242.0	244.0	2.0	463	51	0.05	0.05
NKT-91-21B	18470	244.0	246.0	2.0	1885	215	0.19	0.22
NKT-91-21B	18471	246.0	248.6	2.6	1072	346	0.11	0.35
NKT-91-21B	18472	248.6	250.0	1.4	179	22	0.02	0.02
NKT-91-21B	18473	250.0	252.0	2.0	368	46	0.04	0.05
NKT-91-21B	18474	252.0	254.0	2.0	1785	355	0.18	0.36
NKT-91-21B	18475	254.0	256.0	2.0	1055	78	0.11	0.08
NKT-91-21B	71501	256.0	258.0	2.0	344	38	0.03	0.04
NKT-91-21B	71502	258.0	260.0	2.0	777	45	0.08	0.05
NKT-91-21B	71503	260.0	262.2	2.2	718	65	0.07	0.07
NKT-91-21B	71504	262.2	263.5	1.3	1154	77	0.12	0.08
NKT-91-21B	71505	263.5	265.2	1.7	2472	96	0.25	0.10
NKT-91-22B	no sample	0.0	38.2	38.2				
NKT-91-22B	71506	38.2	39.9	1.7	650	40	0.07	0.04
NKT-91-22B	71507	39.9	41.0	1.1	360	19	0.04	0.02
NKT-91-22B	71508	41.0	42.4	1.4	2600	96	0.26	0.10
NKT-91-22B	71509	42.4	42.5	0.1	1120	18	0.11	0.02
NKT-91-22B	71510	42.5	44.0	1.5	320	19	0.03	0.02
NKT-91-22B	71511	44.0	46.0	2.0	520	27	0.05	0.03
NKT-91-22B	71512	46.0	48.0	2.0	390	21	0.04	0.02
NKT-91-22B	71513	48.0	48.8	0.8	510	22	0.05	0.02
NKT-91-22B	71514	48.8	51.0	2.2	790	48	0.08	0.05
NKT-91-22B	71515	51.0	53.0	2.0	550	9	0.06	0.01
NKT-91-22B	71516	53.0	55.0	2.0	230	10	0.02	0.01
NKT-91-22B	71517	55.0	57.0	2.0	570	35	0.06	0.04
NKT-91-22B	71518	57.0	59.0	2.0	940	26	0.09	0.03
NKT-91-22B	71519	59.0	60.7	1.7	610	27	0.06	0.03
NKT-91-22B	71520	60.7	61.4	0.7	120	14	0.01	0.01
NKT-91-22B	71521	61.4	63.0	1.6	230	6	0.02	0.01



NKT-91-22B	71522	63.0	65.0	2.0	340	6	0.03	0.01
NKT-91-22B	71523	65.0	67.1	2.1	360	10	0.04	0.01
NKT-91-22B	71524	67.1	67.8	0.7	10	2	0.00	0.01
NKT-91-22B	71525	67.8	70.0	2.2	300	10	0.03	0.01
NKT-91-22B	71526	70.0	72.0	2.0	490	15	0.05	0.02
NKT-91-22B	71527	72.0	74.0	2.0	430	25	0.04	0.03
NKT-91-22B	71528	74.0	76.0	2.0	590	15	0.06	0.02
NKT-91-22B	71529	76.0	78.4	2.4	350	12	0.04	0.01
NKT-91-22B	71530	78.4	80.0	1.6	570	18	0.06	0.02
NKT-91-22B	71531	80.0	82.0	2.0	490	13	0.05	0.01
NKT-91-22B	71532	82.0	83.6	1.6	860	21	0.09	0.02
NKT-91-22B	71533	83.6	85.0	1.4	1190	27	0.12	0.03
NKT-91-22B	71534	85.0	86.5	1.5	700	14	0.07	0.01
NKT-91-22B	71535	86.5	88.3	1.8	710	16	0.07	0.02
NKT-91-22B	71536	88.3	89.2	0.9	200	9	0.02	0.01
NKT-91-22B	71537	89.2	90.6	1.4	50	7	0.01	0.01
NKT-91-22B	71538	90.6	92.2	1.6	590	15	0.06	0.02
NKT-91-22B	71539	92.2	94.0	1.8	350	11	0.04	0.01
NKT-91-22B	71540	94.0	96.0	2.0	610	31	0.06	0.03
NKT-91-22B	71541	96.0	98.0	2.0	650	37	0.07	0.04
NKT-91-22B	71542	98.0	99.6	1.6	170	15	0.02	0.02
NKT-91-22B	71543	99.6	100.3	0.7	530	18	0.05	0.02
NKT-91-22B	71544	100.3	102.0	1.7	270	6	0.03	0.01
NKT-91-22B	no sample	102.0	176.8	74.8				
NKT-91-23	no sample	0.0	55.0	55.0				
NKT-91-23	71554	55.0	57.0	2.0	830	11	0.08	0.01
NKT-91-23	71555	57.0	59.0	2.0	580	10	0.06	0.01
NKT-91-23	71556	59.0	61.0	2.0	350	15	0.04	0.02
NKT-91-23	71557	61.0	63.0	2.0	330	6	0.03	0.01
NKT-91-23	71558	63.0	65.0	2.0	380	11	0.04	0.01
NKT-91-23	71559	65.0	67.0	2.0	350	9	0.04	0.01
NKT-91-23	71560	67.0	69.0	2.0	330	14	0.03	0.01
NKT-91-23	71561	69.0	71.0	2.0	330	10	0.03	0.01
NKT-91-23	71562	71.0	73.0	2.0	450	12	0.05	0.01
NKT-91-23	71563	73.0	75.0	2.0	650	17	0.07	0.02
NKT-91-23	71564	75.0	78.1	3.1	470	23	0.05	0.02
NKT-91-23	71565	78.1	80.0	1.9	330	13	0.03	0.01
NKT-91-23	71566	80.0	82.0	2.0	160	4	0.02	0.01
NKT-91-23	71567	82.0	84.0	2.0	220	7	0.02	0.01
NKT-91-23	71568	84.0	86.0	2.0	310	9	0.03	0.01
NKT-91-23	71569	86.0	88.0	2.0	200	15	0.02	0.02
NKT-91-23	71570	88.0	90.0	2.0	260	4	0.03	0.01
NKT-91-23	71571	90.0	92.0	2.0	190	3	0.02	0.01
NKT-91-23	71572	92.0	94.0	2.0	100	3	0.01	0.01
NKT-91-23	71573	94.0	96.0	2.0	230	5	0.02	0.01
NKT-91-23	71574	96.0	97.4	1.4	180	6	0.02	0.01
NKT-91-23	71575	97.4	98.7	1.3	140	3	0.01	0.01
NKT-91-23	71576	98.7	101.0	2.3	230	4	0.02	0.01
NKT-91-23	71577	101.0	103.0	2.0	310	10	0.03	0.01
NKT-91-23	71578	103.0	105.0	2.0	580	13	0.06	0.01
NKT-91-23	71579	105.0	107.0	2.0	350	11	0.04	0.01
NKT-91-23	no sample	107.0	125.9	18.9				
NKT-91-23	71580	125.9	128.0	2.1	360	19	0.04	0.02
NKT-91-23	71581	128.0	130.0	2.0	450	8	0.05	0.01

NKT-91-23	71582	130.0	132.0	2.0	270	28	0.03	0.03
NKT-91-23	71583	132.0	134.0	2.0	310	17	0.03	0.02
NKT-91-23	71584	134.0	136.0	2.0	130	42	0.01	0.04
NKT-91-23	71585	136.0	138.0	2.0	280	9	0.03	0.01
NKT-91-23	71586	138.0	140.0	2.0	290	15	0.03	0.02
NKT-91-23	71587	140.0	141.5	1.5	170	7	0.02	0.01
NKT-91-23	71588	141.5	143.1	1.6	180	13	0.02	0.01
NKT-91-23	71589	143.1	145.0	1.9	140	7	0.01	0.01
NKT-91-23	71590	145.0	147.0	2.0	120	4	0.01	0.01
NKT-91-23	71591	147.0	149.0	2.0	120	4	0.01	0.01
NKT-91-23	71592	149.0	151.0	2.0	170	5	0.02	0.01
NKT-91-23	no sample	151.0	192.0	41.0				
NKT-91-23	71593	192.0	194.0	2.0	320	2	0.03	0.01
NKT-91-23	71594	194.0	196.0	2.0	280	3	0.03	0.01
NKT-91-23	71595	196.0	198.0	2.0	480	2	0.05	0.01
NKT-91-23	71596	198.0	200.0	2.0	470	3	0.05	0.01
NKT-91-23	71597	200.0	202.0	2.0	220	2	0.02	0.01
NKT-91-23	71598	202.0	204.0	2.0	270	2	0.03	0.01
NKT-91-23	71599	204.0	206.0	2.0	270	3	0.03	0.01
NKT-91-23	71600	206.0	208.0	2.0	460	2	0.05	0.01
NKT-91-23	71601	208.0	210.0	2.0	440	4	0.04	0.01
NKT-91-23	71602	210.0	212.0	2.0	490	8	0.05	0.01
NKT-91-23	71603	212.0	214.5	2.5	290	2	0.03	0.01
NKT-91-23	71604	214.5	216.1	1.6	510	4	0.05	0.01
NKT-91-23	71605	216.1	218.8	2.7	70	2	0.01	0.01
NKT-91-23	71606	218.8	221.0	2.2	380	3	0.04	0.01
NKT-91-23	71607	221.0	223.0	2.0	350	1	0.04	0.01
NKT-91-23	71608	223.0	225.0	2.0	270	3	0.03	0.01
NKT-91-23	71609	225.0	226.9	1.9	330	2	0.03	0.01
NKT-91-23	71610	226.9	229.0	2.1	180	2	0.02	0.01
NKT-91-23	71611	229.0	231.0	2.0	680	84	0.07	0.08
NKT-91-23	no sample	231.0	236.7	5.7				
NKT-91-23	71612	236.7	239.0	2.3	440	24	0.04	0.02
NKT-91-23	71613	239.0	241.0	2.0	680	13	0.07	0.01
NKT-91-23	71614	241.0	243.0	2.0	700	89	0.07	0.09
NKT-91-23	71615	243.0	245.0	2.0	1070	12	0.11	0.01
NKT-91-23	71616	245.0	247.0	2.0	530	5	0.05	0.01
NKT-91-23	71617	247.0	248.3	1.3	630	19	0.06	0.02
NKT-91-23	71618	248.3	249.6	1.3	120	2	0.01	0.01
NKT-91-23	71619	249.6	250.6	1.0	1610	96	0.16	0.10
NKT-91-23	71620	250.6	252.6	2.0	710	13	0.07	0.01
NKT-91-23	71621	252.6	254.0	1.4	530	52	0.05	0.05
NKT-91-23	71622	254.0	255.2	1.2	790	50	0.08	0.05
NKT-91-23	71623	255.2	257.0	1.8	150	28	0.02	0.03
NKT-91-23	71624	257.0	258.6	1.6	140	16	0.01	0.02
NKT-91-23	71625	258.6	260.0	1.4	330	16	0.03	0.02
NKT-91-23	no sample	260.0	264.2	4.2				
NKT-91-24	no sample	0.0	85.8	85.8				
NKT-91-24	71626	85.8	87.0	1.2	530	32	0.05	0.03
NKT-91-24	71627	87.0	89.0	2.0	570	34	0.06	0.03
NKT-91-24	71628	89.0	91.0	2.0	380	20	0.04	0.02
NKT-91-24	71629	91.0	93.0	2.0	860	19	0.09	0.02
NKT-91-24	71630	93.0	95.0	2.0	640	35	0.06	0.04
NKT-91-24	71631	95.0	97.0	2.0	1660	101	0.17	0.10

NKT-91-24	71632	97.0	99.0	2.0	1040	57	0.10	0.06
NKT-91-24	71633	99.0	100.5	1.5	660	34	0.07	0.03
NKT-91-24	71634	100.5	102.0	1.5	820	16	0.08	0.02
NKT-91-24	71635	102.0	104.0	2.0	580	15	0.06	0.02
NKT-91-24	71636	104.0	106.0	2.0	460	14	0.05	0.01
NKT-91-24	71637	106.0	108.0	2.0	610	10	0.06	0.01
NKT-91-24	71638	108.0	110.0	2.0	410	7	0.04	0.01
NKT-91-24	no sample	110.0	122.0	12.0				
NKT-91-24	71639	122.0	124.0	2.0	230	3	0.02	0.01
NKT-91-24	71640	124.0	126.1	2.1	250	6	0.03	0.01
NKT-91-24	71641	126.1	127.6	1.5	100	1	0.01	0.01
NKT-91-24	71642	127.6	129.0	1.4	200	6	0.02	0.01
NKT-91-24	71643	129.0	131.0	2.0	320	9	0.03	0.01
NKT-91-24	71644	131.0	133.0	2.0	840	22	0.08	0.02
NKT-91-24	71645	133.0	134.4	1.4	480	10	0.05	0.01
NKT-91-24	71646	134.4	135.7	1.3	850	54	0.09	0.05
NKT-91-24	71647	135.7	136.4	0.7	190	5	0.02	0.01
NKT-91-24	71648	136.4	137.8	1.4	320	7	0.03	0.01
NKT-91-24	71649	137.8	139.8	2.0	500	11	0.05	0.01
NKT-91-24	71650	139.8	142.0	2.2	3700	54	0.37	0.05
NKT-91-24	71651	142.0	144.0	2.0	2310	50	0.23	0.05
NKT-91-24	71652	144.0	146.0	2.0	1440	5	0.14	0.01
NKT-91-24	71653	146.0	148.0	2.0	1800	34	0.18	0.03
NKT-91-24	71654	148.0	150.0	2.0	540	3	0.05	0.01
NKT-91-24	71655	150.0	152.0	2.0	750	25	0.08	0.03
NKT-91-24	71656	152.0	154.0	2.0	480	10	0.05	0.01
NKT-91-24	71657	154.0	156.0	2.0	240	2	0.02	0.01
NKT-91-24	71658	156.0	158.2	2.2	1400	4	0.14	0.01
NKT-91-24	71659	158.2	160.0	1.8	1910	8	0.19	0.01
NKT-91-24	71660	160.0	162.0	2.0	2140	16	0.21	0.02
NKT-91-24	71661	162.0	164.0	2.0	1340	14	0.13	0.01
NKT-91-24	71662	164.0	166.8	2.8	890	55	0.09	0.06
NKT-91-24	71663	166.8	168.0	1.2	2360	15	0.24	0.02
NKT-91-24	71664	168.0	169.6	1.6	1550	28	0.16	0.03
NKT-91-24	71665	169.6	172.0	2.4	770	8	0.08	0.01
NKT-91-24	71666	172.0	174.0	2.0	410	2	0.04	0.01
NKT-91-24	71667	174.0	176.8	2.8	440	2	0.04	0.01
NKT-91-24	71668	176.8	179.4	2.6	690	3	0.07	0.01
NKT-91-24	71669	179.4	181.0	1.6	240	2	0.02	0.01
NKT-91-24	71670	181.0	183.3	2.3	70	2	0.01	0.01
NKT-91-24	71671	183.3	184.6	1.3	800	3	0.08	0.01
NKT-91-24	71672	184.6	186.4	1.8	660	1	0.07	0.01
NKT-91-24	71673	186.4	188.6	2.2	920	55	0.09	0.06
NKT-91-24	71674	188.6	190.0	1.4	440	2	0.04	0.01
NKT-91-24	71675	190.0	192.0	2.0	1010	9	0.10	0.01
NKT-91-24	71676	192.0	194.0	2.0	280	7	0.03	0.01
NKT-91-24	71677	194.0	196.0	2.0	210	1	0.02	0.01
NKT-91-24	71678	196.0	198.0	2.0	290	1	0.03	0.01
NKT-91-24	71679	198.0	200.0	2.0	620	42	0.06	0.04
NKT-91-24	71680	200.0	202.0	2.0	340	2	0.03	0.01
NKT-91-24	71681	202.0	203.1	1.1	50	1	0.01	0.01
NKT-91-24	71682	203.1	205.0	1.9	150	1	0.02	0.01
NKT-91-24	71683	205.0	207.0	2.0	820	7	0.08	0.01
NKT-91-24	71684	207.0	209.0	2.0	880	3	0.09	0.01

NKT-91-24	71685	209.0	211.0	2.0	910	16	0.09	0.02
NKT-91-24	71686	211.0	213.0	2.0	350	10	0.04	0.01
NKT-91-24	71687	213.0	215.0	2.0	540	11	0.05	0.01
NKT-91-24	71688	215.0	217.0	2.0	700	13	0.07	0.01
NKT-91-24	71689	217.0	219.0	2.0	400	14	0.04	0.01
NKT-91-24	71690	219.0	221.0	2.0	720	16	0.07	0.02
NKT-91-24	71691	221.0	223.0	2.0	1000	30	0.10	0.03
NKT-91-24	71692	223.0	225.0	2.0	480	17	0.05	0.02
NKT-91-24	71693	225.0	227.0	2.0	670	37	0.07	0.04
NKT-91-24	71694	227.0	229.5	2.5	380	13	0.04	0.01
NKT-91-24	71695	229.5	230.3	0.8	190	11	0.02	0.01
NKT-91-24	71696	230.3	232.5	2.2	1270	35	0.13	0.04
NKT-91-24	71697	232.5	233.2	0.7	410	28	0.04	0.03
NKT-91-24	71698	233.2	235.0	1.8	690	24	0.07	0.02
NKT-91-24	71699	235.0	237.0	2.0	340	12	0.03	0.01
NKT-91-24	71700	237.0	239.0	2.0	690	15	0.07	0.02
NKT-91-24	71701	239.0	241.0	2.0	510	13	0.05	0.01
NKT-91-24	71702	241.0	242.0	1.0	310	9	0.03	0.01
NKT-91-24	71703	242.0	243.5	1.5	240	15	0.02	0.02
NKT-91-24	71704	243.5	245.0	1.5	360	9	0.04	0.01
NKT-91-24	71705	245.0	247.0	2.0	260	6	0.03	0.01
NKT-91-24	71706	247.0	249.0	2.0	420	10	0.04	0.01
NKT-91-24	71707	249.0	251.0	2.0	530	20	0.05	0.02
NKT-91-24	71708	251.0	253.0	2.0	880	42	0.09	0.04
NKT-91-24	71709	253.0	255.0	2.0	1170	38	0.12	0.04
NKT-91-24	71710	255.0	257.0	2.0	540	8	0.05	0.01
NKT-91-24	71711	257.0	259.0	2.0	330	10	0.03	0.01
NKT-91-24	71712	259.0	261.0	2.0	470	6	0.05	0.01
NKT-91-24	71713	261.0	263.0	2.0	330	10	0.03	0.01
NKT-91-24	71714	263.0	265.0	2.0	770	25	0.08	0.03
NKT-91-24	71715	265.0	267.0	2.0	1090	51	0.11	0.05
NKT-91-24	71716	267.0	269.0	2.0	740	29	0.07	0.03
NKT-91-24	71717	269.0	271.0	2.0	630	19	0.06	0.02
NKT-91-24	71718	271.0	273.0	2.0	670	26	0.07	0.03
NKT-91-24	71719	273.0	275.0	2.0	500	11	0.05	0.01
NKT-91-24	71720	275.0	277.0	2.0	440	13	0.04	0.01
NKT-91-24	71721	277.0	279.0	2.0	680	36	0.07	0.04
NKT-91-24	71722	279.0	281.0	2.0	460	19	0.05	0.02
NKT-91-24	71723	281.0	283.0	2.0	540	14	0.05	0.01
NKT-91-24	71724	283.0	285.0	2.0	790	31	0.08	0.03
NKT-91-24	71725	285.0	287.0	2.0	2300	62	0.23	0.06
NKT-91-24	71726	287.0	289.0	2.0	950	32	0.10	0.03
NKT-91-24	71727	289.0	291.0	2.0	1110	49	0.11	0.05
NKT-91-24	71728	291.0	293.4	2.4	590	16	0.06	0.02
NKT-91-24	71729	293.4	293.8	0.4	230	3	0.02	0.01
NKT-91-24	71730	293.8	295.6	1.8	370	12	0.04	0.01
NKT-91-25	no sample	0.0	15.2	15.2				
NKT-91-25	71731	15.2	18.0	2.8	270	50	0.03	0.05
NKT-91-25	71732	18.0	20.0	2.0	100	8	0.01	0.01
NKT-91-25	71733	20.0	22.0	2.0	110	14	0.01	0.01
NKT-91-25	71734	22.0	24.0	2.0	390	16	0.04	0.02
NKT-91-25	71735	24.0	26.0	2.0	180	13	0.02	0.01
NKT-91-25	71736	26.0	28.0	2.0	140	20	0.01	0.02
NKT-91-25	71737	28.0	30.0	2.0	220	635	0.02	0.64

NKT-91-25	71738	30.0	32.0	2.0	270	13	0.03	0.01
NKT-91-25	71739	32.0	34.0	2.0	460	43	0.05	0.04
NKT-91-25	71740	34.0	36.0	2.0	370	26	0.04	0.03
NKT-91-25	71741	36.0	37.6	1.6	160	21	0.02	0.02
NKT-91-25	71742	37.6	40.8	3.2	410	438	0.04	0.44
NKT-91-25	71743	40.8	43.0	2.2	300	92	0.03	0.09
NKT-91-25	71744	43.0	45.0	2.0	70	6	0.01	0.01
NKT-91-25	71745	45.0	47.0	2.0	50	3	0.01	0.01
NKT-91-25	no sample	47.0	56.0	9.0				
NKT-91-25	71746	56.0	58.2	2.2	90	58	0.01	0.06
NKT-91-25	71747	58.2	60.0	1.8	90	69	0.01	0.07
NKT-91-25	71748	60.0	62.0	2.0	70	17	0.01	0.02
NKT-91-25	71749	62.0	64.0	2.0	70	18	0.01	0.02
NKT-91-25	71750	64.0	66.0	2.0	90	23	0.01	0.02
NKT-91-25	71751	66.0	68.0	2.0	150	19	0.02	0.02
NKT-91-25	71752	68.0	70.0	2.0	150	18	0.02	0.02
NKT-91-25	71753	70.0	72.0	2.0	160	15	0.02	0.02
NKT-91-25	71754	72.0	74.0	2.0	180	9	0.02	0.01
NKT-91-25	no sample	74.0	122.0	48.0				
NKT-91-25	71755	122.0	124.0	2.0	190	2	0.02	0.01
NKT-91-25	71756	124.0	126.0	2.0	170	5	0.02	0.01
NKT-91-25	71757	126.0	128.0	2.0	160	18	0.02	0.02
NKT-91-25	71758	128.0	130.0	2.0	360	9	0.04	0.01
NKT-91-25	no sample	130.0	168.0	38.0				
NKT-91-25	71759	168.0	170.0	2.0	100	47	0.01	0.05
NKT-91-25	71760	170.0	172.0	2.0	120	20	0.01	0.02
NKT-91-25	71761	172.0	174.0	2.0	130	6	0.01	0.01
NKT-91-25	71762	174.0	176.0	2.0	110	11	0.01	0.01
NKT-91-25	71763	176.0	178.0	2.0	120	13	0.01	0.01
NKT-91-25	71764	178.0	180.0	2.0	90	18	0.01	0.02
NKT-91-25	71765	180.0	182.0	2.0	90	22	0.01	0.02
NKT-91-25	no sample	182.0	192.0	10.0				
NKT-91-26	no sample	0.0	141.7	141.7				
NKT-91-26	71766	141.7	143.7	2.0	1440	18	0.14	0.02
NKT-91-26	no sample	143.7	146.7	3.0				
NKT-91-26	71767	146.7	148.7	2.0	620	8	0.06	0.01
NKT-91-26	71768	148.7	150.7	2.0	250	7	0.03	0.01
NKT-91-26	no sample	150.7	155.7	5.0				
NKT-91-26	71769	155.7	157.7	2.0	290	8	0.03	0.01
NKT-91-26	71770	157.7	159.7	2.0	190	8	0.02	0.01
NKT-91-26	71771	159.7	161.7	2.0	300	7	0.03	0.01
NKT-91-26	71772	161.7	163.7	2.0	330	7	0.03	0.01
NKT-91-26	71773	163.7	165.5	1.8	170	4	0.02	0.01
NKT-91-26	71774	165.5	165.9	0.4	620	16	0.06	0.02
NKT-91-26	no sample	165.9	166.6	0.7				
NKT-91-26	71775	166.6	168.1	1.5	740	212	0.07	0.21
NKT-91-26	71776	168.1	170.1	2.0	360	20	0.04	0.02
NKT-91-26	71777	170.1	173.0	2.9	500	49	0.05	0.05
NKT-91-26	71778	173.0	173.6	0.6	580	3320	0.06	3.32
NKT-91-26	71779	173.6	175.0	1.4	340	52	0.03	0.05
NKT-91-26	71780	175.0	177.0	2.0	260	10	0.03	0.01
NKT-91-26	71781	177.0	179.0	2.0	270	11	0.03	0.01
NKT-91-26	71782	179.0	181.0	2.0	380	15	0.04	0.02
NKT-91-26	71783	181.0	183.0	2.0	190	7	0.02	0.01

NKT-91-26	71784	183.0	185.0	2.0	180	8	0.02	0.01
NKT-91-26	71785	185.0	187.0	2.0	260	12	0.03	0.01
NKT-91-26	71786	187.0	189.0	2.0	270	14	0.03	0.01
NKT-91-26	71787	189.0	191.0	2.0	150	11	0.02	0.01
NKT-91-26	71788	191.0	193.0	2.0	350	24	0.04	0.02
NKT-91-26	71789	193.0	195.0	2.0	350	15	0.04	0.02
NKT-91-26	71790	195.0	197.0	2.0	450	18	0.05	0.02
NKT-91-26	71791	197.0	199.0	2.0	320	19	0.03	0.02
NKT-91-26	71792	199.0	201.0	2.0	400	21	0.04	0.02
NKT-91-26	71793	201.0	203.0	2.0	190	20	0.02	0.02
NKT-91-26	71794	203.0	205.0	2.0	400	14	0.04	0.01
NKT-91-26	71795	205.0	207.0	2.0	950	21	0.10	0.02
NKT-91-26	71796	207.0	209.0	2.0	520	24	0.05	0.02
NKT-91-26	71797	209.0	210.3	1.3	720	51	0.07	0.05
NKT-91-27	no sample	0.0	36.0	36.0				
NKT-91-27	67676	36.0	38.0	2.0	80	1	0.01	0.01
NKT-91-27	67677	38.0	40.0	2.0	150	35	0.02	0.04
NKT-91-27	67678	40.0	42.0	2.0	80	36	0.01	0.04
NKT-91-27	67679	42.0	44.0	2.0	180	10	0.02	0.01
NKT-91-27	67680	44.0	46.0	2.0	410	38	0.04	0.04
NKT-91-27	67681	46.0	48.0	2.0	40	8	0.00	0.01
NKT-91-27	67682	48.0	50.0	2.0	140	19	0.01	0.02
NKT-91-27	67683	50.0	52.0	2.0	150	36	0.02	0.04
NKT-91-27	67684	52.0	54.0	2.0	160	104	0.02	0.10
NKT-91-27	67685	54.0	56.0	2.0	110	176	0.01	0.18
NKT-91-27	67686	56.0	58.0	2.0	50	45	0.01	0.05
NKT-91-27	67687	58.0	60.0	2.0	80	44	0.01	0.04
NKT-91-27	67688	60.0	62.0	2.0	170	45	0.02	0.05
NKT-91-27	67689	62.0	64.0	2.0	100	17	0.01	0.02
NKT-91-27	67690	64.0	66.0	2.0	170	44	0.02	0.04
NKT-91-27	67691	66.0	68.0	2.0	120	286	0.01	0.29
NKT-91-27	67692	68.0	70.0	2.0	110	16	0.01	0.02
NKT-91-27	67693	70.0	72.0	2.0	100	10	0.01	0.01
NKT-91-27	67694	72.0	74.0	2.0	180	14	0.02	0.01
NKT-91-27	67695	74.0	76.0	2.0	140	82	0.01	0.08
NKT-91-27	67696	76.0	78.0	2.0	130	35	0.01	0.04
NKT-91-27	67697	78.0	80.0	2.0	140	79	0.01	0.08
NKT-91-27	67698	80.0	82.0	2.0	80	34	0.01	0.03
NKT-91-27	67699	82.0	84.0	2.0	60	9	0.01	0.01
NKT-91-27	67700	84.0	86.0	2.0	60	8	0.01	0.01
NKT-91-27	67701	86.0	88.0	2.0	170	36	0.02	0.04
NKT-91-27	67702	88.0	90.0	2.0	20	13	0.00	0.01
NKT-91-27	67703	90.0	92.0	2.0	50	10	0.01	0.01
NKT-91-27	67704	92.0	94.0	2.0	160	23	0.02	0.02
NKT-91-27	67705	94.0	96.0	2.0	200	27	0.02	0.03
NKT-91-27	67706	96.0	98.0	2.0	110	5	0.01	0.01
NKT-91-27	67707	98.0	100.0	2.0	110	9	0.01	0.01
NKT-91-27	67708	100.0	102.0	2.0	180	4	0.02	0.01
NKT-91-27	67709	102.0	104.0	2.0	80	35	0.01	0.04
NKT-91-27	67710	104.0	106.0	2.0	240	12	0.02	0.01
NKT-91-27	67711	106.0	108.0	2.0	50	3	0.01	0.01
NKT-91-27	67712	108.0	110.0	2.0	20	5	0.00	0.01
NKT-91-27	67713	110.0	112.0	2.0	170	8	0.02	0.01
NKT-91-27	67714	112.0	114.0	2.0	160	7	0.02	0.01

NKT-91-27	67715	114.0	116.0	2.0	80	31	0.01	0.03
NKT-91-27	67716	116.0	118.0	2.0	90	32	0.01	0.03
NKT-91-27	67717	118.0	120.0	2.0	120	10	0.01	0.01
NKT-91-27	67718	120.0	122.0	2.0	80	11	0.01	0.01
NKT-91-27	67719	122.0	124.0	2.0	80	21	0.01	0.02
NKT-91-27	67720	124.0	126.0	2.0	370	79	0.04	0.08
NKT-91-27	67721	126.0	128.0	2.0	240	208	0.02	0.21
NKT-91-27	67722	128.0	130.0	2.0	70	57	0.01	0.06
NKT-91-27	67723	130.0	132.0	2.0	70	14	0.01	0.01
NKT-91-27	67724	132.0	134.0	2.0	200	15	0.02	0.02
NKT-91-27	67725	134.0	136.0	2.0	160	35	0.02	0.04
NKT-91-27	67726	136.0	138.0	2.0	130	16	0.01	0.02
NKT-91-27	67727	138.0	140.0	2.0	90	67	0.01	0.07
NKT-91-27	67728	140.0	142.0	2.0	130	47	0.01	0.05
NKT-91-27	67729	142.0	144.0	2.0	120	42	0.01	0.04
NKT-91-27	67730	144.0	146.0	2.0	30	13	0.00	0.01
NKT-91-27	67731	146.0	148.0	2.0	70	9	0.01	0.01
NKT-91-27	67732	148.0	150.0	2.0	60	9	0.01	0.01
NKT-91-27	67733	150.0	152.0	2.0	80	36	0.01	0.04
NKT-91-27	67734	152.0	154.0	2.0	50	5	0.01	0.01
NKT-91-27	67735	154.0	156.0	2.0	90	13	0.01	0.01
NKT-91-27	67736	156.0	158.0	2.0	120	118	0.01	0.12
NKT-91-27	67737	158.0	160.0	2.0	140	8	0.01	0.01
NKT-91-27	67738	160.0	162.0	2.0	150	10	0.02	0.01
NKT-91-27	67739	162.0	164.0	2.0	160	12	0.02	0.01
NKT-91-27	67740	164.0	166.0	2.0	160	4	0.02	0.01
NKT-91-27	67741	166.0	169.1	3.1	150	28	0.02	0.03
NKT-91-27	67742	169.1	170.1	1.0	70	7	0.01	0.01
NKT-91-27	67743	170.1	172.1	2.0	120	7	0.01	0.01
NKT-91-27	67744	172.1	174.6	2.5	70	56	0.01	0.06
NKT-91-27	67745	174.6	176.6	2.0	80	71	0.01	0.07
NKT-91-27	67746	176.6	178.6	2.0	100	324	0.01	0.32
NKT-91-27	67747	178.6	180.6	2.0	140	305	0.01	0.31
NKT-91-27	67748	180.6	182.6	2.0	100	402	0.01	0.40
NKT-91-27	67749	182.6	184.6	2.0	220	42	0.02	0.04
NKT-91-27	67750	184.6	186.6	2.0	50	296	0.01	0.30
NKT-91-27	no sample	186.6	188.6	2.0				
NKT-91-27	67752	188.6	190.6	2.0	250	89	0.03	0.09
NKT-91-27	67753	190.6	192.6	2.0	70	70	0.01	0.07
NKT-91-27	67754	192.6	194.6	2.0	160	39	0.02	0.04
NKT-91-27	67755	194.6	196.6	2.0	280	24	0.03	0.02
NKT-91-27	67756	196.6	198.6	2.0	450	21	0.05	0.02
NKT-91-27	67757	198.6	200.6	2.0	300	24	0.03	0.02
NKT-91-27	67758	200.6	202.6	2.0	110	13	0.01	0.01
NKT-91-27	67759	202.6	204.6	2.0	100	152	0.01	0.15
NKT-91-27	67760	204.6	206.6	2.0	140	22	0.01	0.02
NKT-91-27	67761	206.6	209.3	2.7	450	55	0.05	0.06
NKT-91-27	67762	209.3	210.2	0.9	500	496	0.05	0.50
NKT-91-27	67763	210.2	212.2	2.0	410	91	0.04	0.09
NKT-91-27	67764	212.2	214.2	2.0	410	26	0.04	0.03
NKT-91-27	67765	214.2	216.2	2.0	90	24	0.01	0.02
NKT-91-27	67766	216.2	218.2	2.0	110	11	0.01	0.01
NKT-91-27	67767	218.2	220.2	2.0	150	12	0.02	0.01
NKT-91-27	67768	220.2	222.2	2.0	290	21	0.03	0.02

NKT-91-27	67769	222.2	224.2	2.0	350	12	0.04	0.01
NKT-91-27	67770	224.2	226.2	2.0	230	13	0.02	0.01
NKT-91-27	67771	226.2	228.9	2.7	260	10	0.03	0.01
NKT-91-27	67772	228.9	230.9	2.0	150	120	0.02	0.12
NKT-91-27	67773	230.9	232.3	1.4	110	749	0.01	0.75
NKT-91-27	67774	232.3	233.1	0.8	140	1900	0.01	1.90
NKT-91-27	67775	233.1	236.9	3.8	130	154	0.01	0.15
NKT-91-27	no sample	236.9	239.8	2.9				
NKT-91-27	67776	239.8	241.8	2.0	180	293	0.02	0.29
NKT-91-27	67777	241.8	243.8	2.0	190	2690	0.02	2.69
NKT-91-27	67778	243.8	245.8	2.0	190	623	0.02	0.62
NKT-91-27	67779	245.8	247.8	2.0	150	132	0.02	0.13
NKT-91-27	67780	247.8	249.8	2.0	230	80	0.02	0.08
NKT-91-27	67781	249.8	251.8	2.0	130	259	0.01	0.26
NKT-91-27	67782	251.8	253.8	2.0	90	79	0.01	0.08
NKT-91-27	67783	253.8	255.8	2.0	90	120	0.01	0.12
NKT-91-27	67784	255.8	256.8	1.0	90	74	0.01	0.07
NKT-91-27	no sample	256.8	257.8	1.0				
NKT-91-27	67785	257.8	259.0	1.2	130	59	0.01	0.06
NKT-91-27	no sample	259.0	268.5	9.5				
NKT-91-27	67786	268.5	270.5	2.0	190	48	0.02	0.05
NKT-91-27	67787	270.5	272.5	2.0	250	32	0.03	0.03
NKT-91-27	67788	272.5	274.5	2.0	180	30	0.02	0.03
NKT-91-27	67789	274.5	276.5	2.0	170	27	0.02	0.03
NKT-91-27	67790	276.5	278.5	2.0	190	33	0.02	0.03
NKT-91-27	67791	278.5	280.5	2.0	190	20	0.02	0.02
NKT-91-27	67792	280.5	281.7	1.2	220	45	0.02	0.05
NKT-91-27	no sample	281.7	282.3	0.6				
NKT-91-27	67793	282.3	284.2	1.9	120	7	0.01	0.01
NKT-91-27	no sample	284.2	284.5	0.3				
NKT-91-27	67794	284.5	286.5	2.0	80	4	0.01	0.01
NKT-91-27	67795	286.5	288.5	2.0	90	7	0.01	0.01
NKT-91-27	67796	288.5	289.6	1.1	140	6	0.01	0.01
NKT-91-27	no sample	289.6	289.7	0.1				
NKT-91-28	no sample	0.0	30.5	30.5				
NKT-91-28	71798	30.5	32.0	1.5	50	3	0.01	0.01
NKT-91-28	71799	32.0	34.0	2.0	40	1	0.00	0.01
NKT-91-28	71800	34.0	36.0	2.0	50	7	0.01	0.01
NKT-91-28	71801	36.0	38.0	2.0	40	1	0.00	0.01
NKT-91-28	71802	38.0	40.0	2.0	50	3	0.01	0.01
NKT-91-28	71803	40.0	42.0	2.0	140	15	0.01	0.02
NKT-91-28	71804	42.0	44.0	2.0	160	11	0.02	0.01
NKT-91-28	71805	44.0	46.0	2.0	230	19	0.02	0.02
NKT-91-28	71806	46.0	48.0	2.0	200	12	0.02	0.01
NKT-91-28	71807	48.0	50.0	2.0	300	14	0.03	0.01
NKT-91-28	71808	50.0	52.0	2.0	120	8	0.01	0.01
NKT-91-28	71809	52.0	54.0	2.0	220	40	0.02	0.04
NKT-91-28	71810	54.0	56.0	2.0	150	7	0.02	0.01
NKT-91-28	71811	56.0	58.0	2.0	80	3	0.01	0.01
NKT-91-28	71812	58.0	60.0	2.0	120	8	0.01	0.01
NKT-91-28	71813	60.0	62.0	2.0	120	4	0.01	0.01
NKT-91-28	71814	62.0	64.0	2.0	50	3	0.01	0.01
NKT-91-28	71815	64.0	66.0	2.0	70	4	0.01	0.01
NKT-91-28	71816	66.0	68.0	2.0	180	12	0.02	0.01



NKT-91-28	71817	68.0	70.0	2.0	150	18	0.02	0.02
NKT-91-28	71818	70.0	72.0	2.0	70	6	0.01	0.01
NKT-91-28	71819	72.0	74.0	2.0	100	8	0.01	0.01
NKT-91-28	71820	74.0	76.0	2.0	70	7	0.01	0.01
NKT-91-28	no sample	76.0	168.0	92.0				
NKT-91-28	71867	168.0	170.0	2.0	200	8	0.02	0.01
NKT-91-28	71868	170.0	172.0	2.0	110	5	0.01	0.01
NKT-91-28	71869	172.0	174.0	2.0	10	4	0.00	0.01
NKT-91-28	71870	174.0	176.0	2.0	150	9	0.02	0.01
NKT-91-28	71871	176.0	178.0	2.0	290	9	0.03	0.01
NKT-91-28	71872	178.0	180.0	2.0	150	6	0.02	0.01
NKT-91-28	71873	180.0	182.0	2.0	60	4	0.01	0.01
NKT-91-28	71874	182.0	184.0	2.0	110	2	0.01	0.01
NKT-91-28	71875	184.0	186.0	2.0	60	1	0.01	0.01
NKT-91-28	71876	186.0	188.0	2.0	100	1	0.01	0.01
NKT-91-28	71877	188.0	190.0	2.0	70	1	0.01	0.01
NKT-91-28	71878	190.0	192.0	2.0	100	4	0.01	0.01
NKT-91-28	71879	192.0	194.0	2.0	360	3	0.04	0.01
NKT-91-28	71880	194.0	196.0	2.0	50	1	0.01	0.01
NKT-91-28	71881	196.0	198.0	2.0	50	135	0.01	0.14
NKT-91-28	71882	198.0	200.0	2.0	70	9	0.01	0.01
NKT-91-28	71883	200.0	202.0	2.0	160	4	0.02	0.01
NKT-91-28	71884	202.0	204.0	2.0	100	4	0.01	0.01
NKT-91-28	no sample	204.0	206.0	2.0				
NKT-91-28	71886	206.0	208.0	2.0	90	2	0.01	0.01
NKT-91-28	71887	208.0	210.0	2.0	70	2	0.01	0.01
NKT-91-28	71888	210.0	212.0	2.0	150	4	0.02	0.01
NKT-91-28	71889	212.0	214.0	2.0	180	5	0.02	0.01
NKT-91-28	71890	214.0	216.0	2.0	230	5	0.02	0.01
NKT-91-28	71891	216.0	218.0	2.0	210	8	0.02	0.01
NKT-91-28	71892	218.0	220.0	2.0	250	10	0.03	0.01
NKT-91-28	71893	220.0	222.0	2.0	230	8	0.02	0.01
NKT-91-28	71894	222.0	224.0	2.0	220	6	0.02	0.01
NKT-91-28	71895	224.0	226.0	2.0	510	31	0.05	0.03
NKT-91-28	71896	226.0	228.0	2.0	480	60	0.05	0.06
NKT-91-28	71897	228.0	230.0	2.0	470	23	0.05	0.02
NKT-91-28	71898	230.0	232.0	2.0	260	297	0.03	0.30
NKT-91-28	71899	232.0	234.0	2.0	140	28	0.01	0.03
NKT-91-28	71900	234.0	236.0	2.0	80	4	0.01	0.01
NKT-91-28	71901	236.0	238.0	2.0	290	5	0.03	0.01
NKT-91-28	71902	238.0	240.0	2.0	470	10	0.05	0.01
NKT-91-28	71903	240.0	242.0	2.0	120	2	0.01	0.01
NKT-91-28	71904	242.0	244.0	2.0	390	5	0.04	0.01
NKT-91-28	71905	244.0	246.0	2.0	500	9	0.05	0.01
NKT-91-28	71906	246.0	248.0	2.0	370	9	0.04	0.01
NKT-91-28	71907	248.0	250.0	2.0	350	5	0.04	0.01
NKT-91-28	71908	250.0	252.0	2.0	120	7	0.01	0.01
NKT-91-28	71909	252.0	254.0	2.0	50	5	0.01	0.01
NKT-91-28	71910	254.0	256.0	2.0	140	4	0.01	0.01
NKT-91-28	71911	256.0	258.0	2.0	150	4	0.02	0.01
NKT-91-28	71912	258.0	260.0	2.0	70	2	0.01	0.01
NKT-91-28	71913	260.0	262.0	2.0	50	2	0.01	0.01
NKT-91-28	71914	262.0	264.0	2.0	160	8	0.02	0.01
NKT-91-28	71915	264.0	266.0	2.0	130	4	0.01	0.01

NKT-91-28	71916	266.0	268.0	2.0	170	6	0.02	0.01
NKT-91-28	71917	268.0	270.0	2.0	180	5	0.02	0.01
NKT-91-28	71918	270.0	272.0	2.0	220	9	0.02	0.01
NKT-91-28	71919	272.0	274.0	2.0	110	5	0.01	0.01
NKT-91-28	71920	274.0	276.0	2.0	170	8	0.02	0.01
NKT-91-28	71921	276.0	278.0	2.0	220	10	0.02	0.01
NKT-91-28	71922	278.0	280.0	2.0	270	16	0.03	0.02
NKT-91-28	71923	280.0	282.0	2.0	90	8	0.01	0.01
NKT-91-28	71924	282.0	284.0	2.0	70	19	0.01	0.02
NKT-91-28	71925	284.0	286.0	2.0	70	6	0.01	0.01
NKT-91-28	71926	286.0	288.0	2.0	90	6	0.01	0.01
NKT-91-28	71927	288.0	290.0	2.0	120	9	0.01	0.01
NKT-91-28	71928	290.0	292.0	2.0	230	17	0.02	0.02
NKT-91-28	71929	292.0	294.0	2.0	90	13	0.01	0.01
NKT-91-28	71930	294.0	296.0	2.0	80	13	0.01	0.01
NKT-91-28	71931	296.0	298.0	2.0	130	15	0.01	0.02
NKT-91-28	71932	298.0	300.0	2.0	170	13	0.02	0.01
NKT-91-28	71933	300.0	301.8	1.8	150	16	0.02	0.02
NKT-91-29	no sample	0.0	23.2	23.2				
NKT-91-29	67797	23.2	25.0	1.8	300	13	0.03	0.01
NKT-91-29	67798	25.0	27.0	2.0	890	39	0.09	0.04
NKT-91-29	67799	27.0	29.0	2.0	650	25	0.07	0.03
NKT-91-29	67800	29.0	31.0	2.0	420	24	0.04	0.02
NKT-91-29	67801	31.0	33.0	2.0	290	10	0.03	0.01
NKT-91-29	67802	33.0	35.0	2.0	730	25	0.07	0.03
NKT-91-29	67803	35.0	37.0	2.0	1160	35	0.12	0.04
NKT-91-29	67804	37.0	39.0	2.0	770	42	0.08	0.04
NKT-91-29	67805	39.0	41.0	2.0	1150	53	0.12	0.05
NKT-91-29	67806	41.0	43.0	2.0	990	74	0.10	0.07
NKT-91-29	67807	43.0	45.0	2.0	710	19	0.07	0.02
NKT-91-29	67808	45.0	47.0	2.0	420	18	0.04	0.02
NKT-91-29	67809	47.0	49.0	2.0	440	22	0.04	0.02
NKT-91-29	67810	49.0	51.0	2.0	630	37	0.06	0.04
NKT-91-29	67811	51.0	53.0	2.0	350	20	0.04	0.02
NKT-91-29	67812	53.0	55.0	2.0	570	15	0.06	0.02
NKT-91-29	67813	55.0	57.0	2.0	520	18	0.05	0.02
NKT-91-29	67814	57.0	59.0	2.0	520	20	0.05	0.02
NKT-91-29	67815	59.0	61.0	2.0	1010	23	0.10	0.02
NKT-91-29	67816	61.0	63.0	2.0	380	43	0.04	0.04
NKT-91-29	67817	63.0	65.0	2.0	200	185	0.02	0.19
NKT-91-29	67818	65.0	67.0	2.0	200	101	0.02	0.10
NKT-91-29	67819	67.0	69.0	2.0	400	34	0.04	0.03
NKT-91-29	67820	69.0	71.0	2.0	660	35	0.07	0.04
NKT-91-29	67821	71.0	73.0	2.0	500	21	0.05	0.02
NKT-91-29	67822	73.0	75.0	2.0	550	15	0.06	0.02
NKT-91-29	67823	75.0	77.0	2.0	290	9	0.03	0.01
NKT-91-29	67824	77.0	79.0	2.0	540	22	0.05	0.02
NKT-91-29	67825	79.0	81.0	2.0	460	23	0.05	0.02
NKT-91-29	67826	81.0	83.0	2.0	370	15	0.04	0.02
NKT-91-29	67827	83.0	85.0	2.0	290	13	0.03	0.01
NKT-91-29	67828	85.0	87.0	2.0	230	17	0.02	0.02
NKT-91-29	67829	87.0	89.0	2.0	130	16	0.01	0.02
NKT-91-29	67830	89.0	91.0	2.0	200	17	0.02	0.02
NKT-91-29	no sample	91.0	137.0	46.0				

NKT-91-29	67854	137.0	139.0	2.0	220	111	0.02	0.11
NKT-91-29	67855	139.0	141.0	2.0	510	581	0.05	0.58
NKT-91-29	67856	141.0	143.0	2.0	480	58	0.05	0.06
NKT-91-29	67857	143.0	145.0	2.0	470	43	0.05	0.04
NKT-91-29	67858	145.0	147.0	2.0	260	10	0.03	0.01
NKT-91-29	67859	147.0	149.0	2.0	140	49	0.01	0.05
NKT-91-29	67860	149.0	151.0	2.0	80	57	0.01	0.06
NKT-91-29	67861	151.0	153.0	2.0	290	49	0.03	0.05
NKT-91-29	67862	153.0	155.0	2.0	470	36	0.05	0.04
NKT-91-29	67863	155.0	157.0	2.0	120	55	0.01	0.06
NKT-91-29	67864	157.0	159.0	2.0	390	47	0.04	0.05
NKT-91-29	67865	159.0	161.0	2.0	500	23	0.05	0.02
NKT-91-29	67866	161.0	163.0	2.0	370	29	0.04	0.03
NKT-91-29	67867	163.0	165.0	2.0	350	28	0.04	0.03
NKT-91-29	67868	165.0	167.0	2.0	120	46	0.01	0.05
NKT-91-29	67869	167.0	169.0	2.0	50	54	0.01	0.05
NKT-91-29	67870	169.0	171.0	2.0	140	119	0.01	0.12
NKT-91-29	67871	171.0	173.0	2.0	150	36	0.02	0.04
NKT-91-29	67872	173.0	175.0	2.0	70	59	0.01	0.06
NKT-91-29	67873	175.0	177.0	2.0	50	42	0.01	0.04
NKT-91-29	67874	177.0	179.0	2.0	160	44	0.02	0.04
NKT-91-29	67875	179.0	181.0	2.0	130	45	0.01	0.05
NKT-91-29	67876	181.0	183.0	2.0	170	48	0.02	0.05
NKT-91-29	67877	183.0	185.0	2.0	180	29	0.02	0.03
NKT-91-29	no sample	185.0	187.0	2.0				
NKT-91-29	67879	187.0	189.0	2.0	110	36	0.01	0.04
NKT-91-29	67880	189.0	191.0	2.0	170	49	0.02	0.05
NKT-91-29	67881	191.0	193.0	2.0	220	40	0.02	0.04
NKT-91-29	67882	193.0	195.0	2.0	1310	47	0.13	0.05
NKT-91-29	67883	195.0	197.0	2.0	1880	80	0.19	0.08
NKT-91-29	67884	197.0	199.0	2.0	750	43	0.08	0.04
NKT-91-29	67885	199.0	201.0	2.0	840	57	0.08	0.06
NKT-91-29	67886	201.0	203.0	2.0	800	73	0.08	0.07
NKT-91-29	67887	203.0	205.0	2.0	700	47	0.07	0.05
NKT-91-29	67888	205.0	207.0	2.0	500	32	0.05	0.03
NKT-91-29	67889	207.0	209.4	2.4	750	42	0.08	0.04
NKT-91-29	67890	209.4	211.3	1.9	30	7	0.00	0.01
NKT-91-29	67891	211.3	213.0	1.7	400	46	0.04	0.05
NKT-91-29	67892	213.0	215.0	2.0	370	13	0.04	0.01
NKT-91-29	67893	215.0	217.0	2.0	1270	52	0.13	0.05
NKT-91-29	67894	217.0	219.0	2.0	440	28	0.04	0.03
NKT-91-29	67895	219.0	221.0	2.0	570	30	0.06	0.03
NKT-91-29	67896	221.0	223.0	2.0	590	26	0.06	0.03
NKT-91-29	67897	223.0	225.0	2.0	260	10	0.03	0.01
NKT-91-29	67898	225.0	227.0	2.0	570	27	0.06	0.03
NKT-91-29	67899	227.0	229.0	2.0	500	22	0.05	0.02
NKT-91-29	67900	229.0	231.0	2.0	1250	57	0.13	0.06
NKT-91-29	67901	231.0	233.0	2.0	710	49	0.07	0.05
NKT-91-29	67902	233.0	235.0	2.0	810	43	0.08	0.04
NKT-91-29	67903	235.0	237.0	2.0	430	18	0.04	0.02
NKT-91-29	67904	237.0	239.0	2.0	570	20	0.06	0.02
NKT-91-29	67905	239.0	241.0	2.0	900	39	0.09	0.04
NKT-91-29	67906	241.0	243.0	2.0	820	38	0.08	0.04
NKT-91-29	67907	243.0	245.0	2.0	530	18	0.05	0.02

NKT-91-29	67908	245.0	247.0	2.0	480	20	0.05	0.02
NKT-91-29	67909	247.0	249.0	2.0	580	29	0.06	0.03
NKT-91-29	67910	249.0	251.0	2.0	980	55	0.10	0.06
NKT-91-29	67911	251.0	253.0	2.0	1410	56	0.14	0.06
NKT-91-30	no sample	0.0	30.0	30.0				
NKT-91-30	71935	30.0	32.0	2.0	80	12	0.01	0.01
NKT-91-30	71936	32.0	34.0	2.0	130	5	0.01	0.01
NKT-91-30	71937	34.0	36.0	2.0	100	2	0.01	0.01
NKT-91-30	71938	36.0	38.0	2.0	920	90	0.09	0.09
NKT-91-30	71939	38.0	40.0	2.0	160	7	0.02	0.01
NKT-91-30	71940	40.0	42.0	2.0	160	17	0.02	0.02
NKT-91-30	71941	42.0	44.0	2.0	150	31	0.02	0.03
NKT-91-30	71942	44.0	46.0	2.0	170	9	0.02	0.01
NKT-91-30	71943	46.0	48.0	2.0	190	4	0.02	0.01
NKT-91-30	no sample	48.0	68.0	20.0				
NKT-91-30	71944	68.0	70.0	2.0	250	7	0.03	0.01
NKT-91-30	71945	70.0	72.0	2.0	130	9	0.01	0.01
NKT-91-30	71946	72.0	74.0	2.0	190	6	0.02	0.01
NKT-91-30	71947	74.0	76.0	2.0	1500	1006	0.15	1.01
NKT-91-30	71948	76.0	78.0	2.0	480	128	0.05	0.13
NKT-91-30	71949	78.0	80.0	2.0	370	27	0.04	0.03
NKT-91-30	71950	80.0	82.0	2.0	250	8	0.03	0.01
NKT-91-30	71951	82.0	84.0	2.0	220	9	0.02	0.01
NKT-91-30	71952	84.0	86.0	2.0	180	8	0.02	0.01
NKT-91-30	71953	86.0	88.0	2.0	30	37	0.00	0.04
NKT-91-30	71954	88.0	90.0	2.0	120	11	0.01	0.01
NKT-91-30	71955	90.0	92.0	2.0	210	20	0.02	0.02
NKT-91-30	71956	92.0	94.0	2.0	240	7	0.02	0.01
NKT-91-30	71957	94.0	96.0	2.0	70	7	0.01	0.01
NKT-91-30	71958	96.0	98.0	2.0	90	9	0.01	0.01
NKT-91-30	71959	98.0	100.0	2.0	110	165	0.01	0.17
NKT-91-30	71960	100.0	102.0	2.0	80	7	0.01	0.01
NKT-91-30	71961	102.0	104.0	2.0	50	5	0.01	0.01
NKT-91-30	71962	104.0	106.0	2.0	30	5	0.00	0.01
NKT-91-30	71963	106.0	108.0	2.0	50	43	0.01	0.04
NKT-91-30	71964	108.0	110.0	2.0	130	190	0.01	0.19
NKT-91-30	71965	110.0	112.0	2.0	150	14	0.02	0.01
NKT-91-30	71966	112.0	114.0	2.0	170	12	0.02	0.01
NKT-91-30	71967	114.0	116.0	2.0	340	37	0.03	0.04
NKT-91-30	71968	116.0	118.0	2.0	430	25	0.04	0.03
NKT-91-30	71969	118.0	120.0	2.0	150	54	0.02	0.05
NKT-91-30	71970	120.0	122.0	2.0	330	106	0.03	0.11
NKT-91-30	71971	122.0	124.0	2.0	320	95	0.03	0.10
NKT-91-30	71972	124.0	126.0	2.0	330	63	0.03	0.06
NKT-91-30	71973	126.0	128.0	2.0	360	223	0.04	0.22
NKT-91-30	71974	128.0	130.0	2.0	610	182	0.06	0.18
NKT-91-30	71975	130.0	132.0	2.0	610	135	0.06	0.14
NKT-91-30	71976	132.0	134.0	2.0	600	106	0.06	0.11
NKT-91-30	71977	134.0	136.0	2.0	520	112	0.05	0.11
NKT-91-30	71978	136.0	138.0	2.0	690	81	0.07	0.08
NKT-91-30	71979	138.0	140.0	2.0	440	41	0.04	0.04
NKT-91-30	71980	140.0	142.0	2.0	650	42	0.07	0.04
NKT-91-30	71981	142.0	144.0	2.0	670	154	0.07	0.15
NKT-91-30	71982	144.0	146.0	2.0	500	48	0.05	0.05

NKT-91-30	71983	146.0	148.0	2.0	370	33	0.04	0.03
NKT-91-30	71984	148.0	150.0	2.0	540	47	0.05	0.05
NKT-91-30	71985	150.0	152.0	2.0	360	22	0.04	0.02
NKT-91-30	71986	152.0	154.0	2.0	450	38	0.05	0.04
NKT-91-30	71987	154.0	155.5	1.5	120	7	0.01	0.01
NKT-91-30	no sample	155.5	169.0	13.5				
NKT-91-30	71988	169.0	171.0	2.0	90	22	0.01	0.02
NKT-91-30	71989	171.0	173.0	2.0	190	19	0.02	0.02
NKT-91-30	71990	173.0	175.0	2.0	380	8	0.04	0.01
NKT-91-30	71991	175.0	177.0	2.0	430	8	0.04	0.01
NKT-91-30	71992	177.0	179.0	2.0	490	11	0.05	0.01
NKT-91-30	71993	179.0	181.0	2.0	430	31	0.04	0.03
NKT-91-30	71994	181.0	183.0	2.0	60	16	0.01	0.02
NKT-91-30	71995	183.0	185.0	2.0	10	5	0.00	0.01
NKT-91-30	71996	185.0	187.0	2.0	30	7	0.00	0.01
NKT-91-30	71997	187.0	189.0	2.0	300	10	0.03	0.01
NKT-91-30	71998	189.0	191.0	2.0	190	14	0.02	0.01
NKT-91-30	71999	191.0	193.0	2.0	110	12	0.01	0.01
NKT-91-30	72000	193.0	195.0	2.0	230	112	0.02	0.11
NKT-91-30	72001	195.0	197.0	2.0	10	13	0.00	0.01
NKT-91-30	72002	197.0	199.0	2.0	10	11	0.00	0.01
NKT-91-30	72003	199.0	201.0	2.0	10	5	0.00	0.01
NKT-91-30	72004	201.0	203.0	2.0	80	7	0.01	0.01
NKT-91-30	72005	203.0	205.0	2.0	170	13	0.02	0.01
NKT-91-30	72006	205.0	207.0	2.0	40	12	0.00	0.01
NKT-91-30	72007	207.0	209.0	2.0	280	10	0.03	0.01
NKT-91-30	72008	209.0	211.0	2.0	700	12	0.07	0.01
NKT-91-30	72009	211.0	213.0	2.0	260	11	0.03	0.01
NKT-91-30	72010	213.0	215.0	2.0	10	14	0.00	0.01
NKT-91-30	72011	215.0	217.0	2.0	530	22	0.05	0.02
NKT-91-30	72012	217.0	219.0	2.0	170	16	0.02	0.02
NKT-91-30	72013	219.0	221.0	2.0	60	23	0.01	0.02
NKT-91-30	72014	221.0	223.0	2.0	20	10	0.00	0.01
NKT-91-30	72015	223.0	225.0	2.0	160	17	0.02	0.02
NKT-91-30	72016	225.0	227.0	2.0	10	13	0.00	0.01
NKT-91-30	72017	227.0	229.0	2.0	10	13	0.00	0.01
NKT-91-30	72018	229.0	231.6	2.6	10	11	0.00	0.01
NKT-91-31	no sample	0.0	51.8	51.8				
NKT-91-31	67926	51.8	54.0	2.2	110	1	0.01	0.01
NKT-91-31	67927	54.0	56.0	2.0	240	6	0.02	0.01
NKT-91-31	67928	56.0	58.0	2.0	180	5	0.02	0.01
NKT-91-31	67929	58.0	60.0	2.0	440	17	0.04	0.02
NKT-91-31	67930	60.0	62.0	2.0	140	6	0.01	0.01
NKT-91-31	67931	62.0	64.0	2.0	150	9	0.02	0.01
NKT-91-31	67932	64.0	66.0	2.0	160	7	0.02	0.01
NKT-91-31	67933	66.0	68.0	2.0	140	8	0.01	0.01
NKT-91-31	67934	68.0	70.0	2.0	220	10	0.02	0.01
NKT-91-31	67935	70.0	72.0	2.0	650	21	0.07	0.02
NKT-91-31	67936	72.0	74.0	2.0	290	21	0.03	0.02
NKT-91-31	67937	74.0	76.0	2.0	740	20	0.07	0.02
NKT-91-31	67938	76.0	78.0	2.0	420	12	0.04	0.01
NKT-91-31	67939	78.0	80.6	2.6	410	18	0.04	0.02
NKT-91-31	67940	80.6	82.0	1.4	340	14	0.03	0.01
NKT-91-31	67941	82.0	84.0	2.0	610	16	0.06	0.02

NKT-91-31	67942	84.0	86.0	2.0	800	18	0.08	0.02
NKT-91-31	67943	86.0	88.0	2.0	590	14	0.06	0.01
NKT-91-31	67944	88.0	90.0	2.0	1330	45	0.13	0.05
NKT-91-31	67945	90.0	92.0	2.0	960	30	0.10	0.03
NKT-91-31	67946	92.0	94.0	2.0	580	21	0.06	0.02
NKT-91-31	67947	94.0	96.0	2.0	810	32	0.08	0.03
NKT-91-31	67948	96.0	98.0	2.0	600	28	0.06	0.03
NKT-91-31	67949	98.0	100.0	2.0	850	51	0.09	0.05
NKT-91-31	67950	100.0	102.0	2.0	940	57	0.09	0.06
NKT-91-31	67951	102.0	103.5	1.5	1760	59	0.18	0.06
NKT-91-31	67952	103.5	105.1	1.6	420	23	0.04	0.02
NKT-91-31	67953	105.1	106.7	1.6	80	3	0.01	0.01
NKT-91-31	67954	106.7	108.0	1.3	1130	98	0.11	0.10
NKT-91-31	67955	108.0	110.0	2.0	950	47	0.10	0.05
NKT-91-31	67956	110.0	112.0	2.0	1300	96	0.13	0.10
NKT-91-31	67957	112.0	114.0	2.0	440	26	0.04	0.03
NKT-91-31	67958	114.0	116.0	2.0	330	18	0.03	0.02
NKT-91-31	67959	116.0	118.0	2.0	590	28	0.06	0.03
NKT-91-31	67960	118.0	120.0	2.0	380	19	0.04	0.02
NKT-91-31	67961	120.0	122.0	2.0	660	64	0.07	0.06
NKT-91-31	67962	122.0	124.0	2.0	910	62	0.09	0.06
NKT-91-31	67963	124.0	126.0	2.0	640	70	0.06	0.07
NKT-91-31	67964	126.0	128.0	2.0	630	55	0.06	0.06
NKT-91-31	67965	128.0	130.0	2.0	670	46	0.07	0.05
NKT-91-31	67966	130.0	132.0	2.0	770	89	0.08	0.09
NKT-91-31	67967	132.0	134.0	2.0	360	21	0.04	0.02
NKT-91-31	67968	134.0	136.0	2.0	700	31	0.07	0.03
NKT-91-31	67969	136.0	138.0	2.0	480	28	0.05	0.03
NKT-91-31	67970	138.0	140.0	2.0	770	37	0.08	0.04
NKT-91-31	67971	140.0	142.0	2.0	1610	117	0.16	0.12
NKT-91-31	67972	142.0	144.0	2.0	1360	110	0.14	0.11
NKT-91-31	67973	144.0	146.0	2.0	1250	69	0.13	0.07
NKT-91-31	67974	146.0	148.0	2.0	4030	425	0.40	0.43
NKT-91-31	67975	148.0	150.0	2.0	2140	146	0.21	0.15
NKT-91-31	67976	150.0	152.0	2.0	560	31	0.06	0.03
NKT-91-31	67977	152.0	154.0	2.0	700	40	0.07	0.04
NKT-91-31	67978	154.0	156.0	2.0	390	26	0.04	0.03
NKT-91-31	67979	156.0	158.0	2.0	580	30	0.06	0.03
NKT-91-31	67980	158.0	160.0	2.0	440	24	0.04	0.02
NKT-91-31	67981	160.0	162.0	2.0	430	23	0.04	0.02
NKT-91-31	67982	162.0	164.0	2.0	600	27	0.06	0.03
NKT-91-31	67983	164.0	166.0	2.0	760	44	0.08	0.04
NKT-91-31	67984	166.0	168.0	2.0	820	62	0.08	0.06
NKT-91-31	67985	168.0	170.0	2.0	2740	135	0.27	0.14
NKT-91-31	67986	170.0	172.0	2.0	780	37	0.08	0.04
NKT-91-31	67987	172.0	174.0	2.0	360	21	0.04	0.02
NKT-91-31	67988	174.0	176.0	2.0	900	45	0.09	0.05
NKT-91-31	67989	176.0	178.0	2.0	1030	33	0.10	0.03
NKT-91-31	67990	178.0	180.0	2.0	710	28	0.07	0.03
NKT-91-31	67991	180.0	182.0	2.0	450	24	0.05	0.02
NKT-91-31	67992	182.0	184.0	2.0	360	21	0.04	0.02
NKT-91-31	67993	184.0	186.0	2.0	950	35	0.10	0.04
NKT-91-31	67994	186.0	188.0	2.0	720	42	0.07	0.04
NKT-91-31	67995	188.0	190.0	2.0	540	22	0.05	0.02

NKT-91-31	67996	190.0	192.0	2.0	980	41	0.10	0.04
NKT-91-31	67997	192.0	194.0	2.0	1050	35	0.11	0.04
NKT-91-31	67998	194.0	196.0	2.0	650	21	0.07	0.02
NKT-91-31	67999	196.0	198.0	2.0	640	23	0.06	0.02
NKT-91-31	68000	198.0	200.0	2.0	890	36	0.09	0.04
NKT-91-31	68001	200.0	202.0	2.0	500	15	0.05	0.02
NKT-91-31	68002	202.0	204.0	2.0	330	12	0.03	0.01
NKT-91-31	68003	204.0	206.0	2.0	810	21	0.08	0.02
NKT-91-31	68004	206.0	208.0	2.0	1200	38	0.12	0.04
NKT-91-31	68005	208.0	210.0	2.0	770	37	0.08	0.04
NKT-91-31	68006	210.0	212.0	2.0	750	51	0.08	0.05
NKT-91-31	68007	212.0	213.9	1.9	760	49	0.08	0.05
NKT-91-31	68008	213.9	216.0	2.1	780	62	0.08	0.06
NKT-91-31	68009	216.0	218.6	2.6	580	24	0.06	0.02
NKT-91-31	68010	218.6	220.0	1.4	1120	33	0.11	0.03
NKT-91-31	68011	220.0	221.8	1.8	430	17	0.04	0.02
NKT-91-31	68012	221.8	224.0	2.2	300	22	0.03	0.02
NKT-91-31	68013	224.0	226.1	2.1	350	23	0.04	0.02
NKT-91-31	68014	226.1	228.0	1.9	230	16	0.02	0.02
NKT-91-31	68015	228.0	230.1	2.1	40	8	0.00	0.01
NKT-91-31	68016	230.1	232.0	1.9	330	28	0.03	0.03
NKT-91-31	68017	232.0	233.0	1.0	830	36	0.08	0.04
NKT-91-31	68018	233.0	234.1	1.1	80	5	0.01	0.01
NKT-91-31	68019	234.1	236.0	1.9	150	13	0.02	0.01
NKT-91-31	68020	236.0	238.0	2.0	190	32	0.02	0.03
NKT-91-31	68021	238.0	240.8	2.8	420	19	0.04	0.02
NKT-91-31	68022	240.8	243.0	2.2	280	43	0.03	0.04
NKT-91-31	68023	243.0	245.0	2.0	180	9	0.02	0.01
NKT-91-31	68024	245.0	247.0	2.0	1600	36	0.16	0.04
NKT-91-31	68025	247.0	249.0	2.0	370	28	0.04	0.03
NKT-91-31	68026	249.0	251.0	2.0	800	27	0.08	0.03
NKT-91-31	68027	251.0	253.0	2.0	490	16	0.05	0.02
NKT-91-31	68028	253.0	255.0	2.0	830	60	0.08	0.06
NKT-91-31	68029	255.0	256.4	1.4	670	59	0.07	0.06
NKT-91-31	68030	256.4	258.0	1.6	1760	49	0.18	0.05
NKT-91-31	68031	258.0	260.0	2.0	1260	46	0.13	0.05
NKT-91-31	68032	260.0	262.0	2.0	1160	42	0.12	0.04
NKT-91-31	68033	262.0	264.0	2.0	740	75	0.07	0.08
NKT-91-31	68034	264.0	266.0	2.0	500	16	0.05	0.02
NKT-91-31	68035	266.0	267.4	1.4	460	15	0.05	0.02
NKT-91-31	68036	267.4	267.8	0.4	60	6	0.01	0.01
NKT-91-31	68037	267.8	270.0	2.2	370	18	0.04	0.02
NKT-91-31	68038	270.0	272.0	2.0	1090	34	0.11	0.03
NKT-91-31	68039	272.0	274.0	2.0	760	32	0.08	0.03
NKT-91-31	68040	274.0	276.0	2.0	3930	191	0.39	0.19
NKT-91-31	68041	276.0	278.8	2.8	600	24	0.06	0.02
NKT-91-31	68042	278.8	280.0	1.2	710	53	0.07	0.05
NKT-91-31	68043	280.0	282.0	2.0	900	37	0.09	0.04
NKT-91-31	no sample	282.0	326.1	44.1				
NKT-91-32	no sample	0.0	3.0	3.0				
NKT-91-32	72019	3.0	4.0	1.0	1520	109	0.15	0.11
NKT-91-32	72020	4.0	6.0	2.0	200	36	0.02	0.04
NKT-91-32	72021	6.0	8.0	2.0	410	40	0.04	0.04
NKT-91-32	72022	8.0	10.0	2.0	610	93	0.06	0.09

NKT-91-32	72023	10.0	12.0	2.0	310	42	0.03	0.04
NKT-91-32	72024	12.0	14.0	2.0	510	90	0.05	0.09
NKT-91-32	72025	14.0	16.0	2.0	140	21	0.01	0.02
NKT-91-32	72026	16.0	18.0	2.0	280	24	0.03	0.02
NKT-91-32	72027	18.0	20.0	2.0	310	30	0.03	0.03
NKT-91-32	72028	20.0	22.0	2.0	260	23	0.03	0.02
NKT-91-32	72029	22.0	24.0	2.0	380	35	0.04	0.04
NKT-91-32	72030	24.0	26.0	2.0	500	27	0.05	0.03
NKT-91-32	72031	26.0	28.0	2.0	510	71	0.05	0.07
NKT-91-32	72032	28.0	30.0	2.0	610	62	0.06	0.06
NKT-91-32	72033	30.0	32.0	2.0	270	15	0.03	0.02
NKT-91-32	72034	32.0	34.0	2.0	230	12	0.02	0.01
NKT-91-32	72035	34.0	36.0	2.0	170	18	0.02	0.02
NKT-91-32	72036	36.0	38.0	2.0	220	16	0.02	0.02
NKT-91-32	72037	38.0	40.0	2.0	350	13	0.04	0.01
NKT-91-32	72038	40.0	42.0	2.0	3220	575	0.32	0.58
NKT-91-32	72039	42.0	44.0	2.0	590	101	0.06	0.10
NKT-91-32	72040	44.0	46.0	2.0	760	73	0.08	0.07
NKT-91-32	72041	46.0	48.0	2.0	630	69	0.06	0.07
NKT-91-32	72042	48.0	50.0	2.0	410	87	0.04	0.09
NKT-91-32	72043	50.0	52.0	2.0	430	25	0.04	0.03
NKT-91-32	72044	52.0	54.0	2.0	310	10	0.03	0.01
NKT-91-32	72045	54.0	56.0	2.0	240	13	0.02	0.01
NKT-91-32	72046	56.0	58.0	2.0	200	43	0.02	0.04
NKT-91-32	72047	58.0	60.0	2.0	230	17	0.02	0.02
NKT-91-32	72048	60.0	62.0	2.0	390	57	0.04	0.06
NKT-91-32	72049	62.0	64.0	2.0	330	18	0.03	0.02
NKT-91-32	72050	64.0	66.0	2.0	390	24	0.04	0.02
NKT-91-32	72051	66.0	68.0	2.0	230	17	0.02	0.02
NKT-91-32	72052	68.0	70.0	2.0	330	30	0.03	0.03
NKT-91-32	72053	70.0	72.0	2.0	430	21	0.04	0.02
NKT-91-32	72054	72.0	74.0	2.0	180	14	0.02	0.01
NKT-91-32	72055	74.0	76.0	2.0	410	25	0.04	0.03
NKT-91-32	72056	76.0	78.0	2.0	610	25	0.06	0.03
NKT-91-32	72057	78.0	80.0	2.0	210	15	0.02	0.02
NKT-91-32	72058	80.0	82.0	2.0	170	10	0.02	0.01
NKT-91-32	72059	82.0	84.0	2.0	200	17	0.02	0.02
NKT-91-32	72060	84.0	86.0	2.0	370	30	0.04	0.03
NKT-91-32	72061	86.0	88.0	2.0	230	13	0.02	0.01
NKT-91-32	72062	88.0	90.0	2.0	210	16	0.02	0.02
NKT-91-32	72063	90.0	92.0	2.0	210	14	0.02	0.01
NKT-91-32	72064	92.0	94.0	2.0	580	37	0.06	0.04
NKT-91-32	72065	94.0	96.0	2.0	860	88	0.09	0.09
NKT-91-32	72066	96.0	98.0	2.0	780	34	0.08	0.03
NKT-91-32	72067	98.0	100.0	2.0	690	48	0.07	0.05
NKT-91-32	72068	100.0	102.0	2.0	370	38	0.04	0.04
NKT-91-32	72069	102.0	104.0	2.0	300	25	0.03	0.03
NKT-91-32	72070	104.0	106.0	2.0	170	27	0.02	0.03
NKT-91-32	no sample	106.0	108.0	2.0				
NKT-91-32	72072	108.0	110.0	2.0	110	8	0.01	0.01
NKT-91-32	72073	110.0	112.0	2.0	270	31	0.03	0.03
NKT-91-32	72074	112.0	114.0	2.0	100	20	0.01	0.02
NKT-91-32	72075	114.0	116.0	2.0	140	18	0.01	0.02
NKT-91-32	72076	116.0	118.0	2.0	230	24	0.02	0.02



NKT-91-32	72077	118.0	120.0	2.0	260	18	0.03	0.02
NKT-91-32	72078	120.0	122.0	2.0	160	13	0.02	0.01
NKT-91-32	72079	122.0	124.0	2.0	250	12	0.03	0.01
NKT-91-32	72080	124.0	126.0	2.0	310	18	0.03	0.02
NKT-91-32	72081	126.0	128.0	2.0	2660	12	0.27	0.01
NKT-91-32	72082	128.0	130.0	2.0	200	17	0.02	0.02
NKT-91-32	72083	130.0	132.0	2.0	180	10	0.02	0.01
NKT-91-32	72084	132.0	134.0	2.0	100	10	0.01	0.01
NKT-91-32	72085	134.0	136.0	2.0	200	17	0.02	0.02
NKT-91-32	72086	136.0	138.0	2.0	250	19	0.03	0.02
NKT-91-32	72087	138.0	140.2	2.2	170	28	0.02	0.03
NKT-91-32	72088	140.2	140.7	0.5	580	1135	0.06	1.14
NKT-91-32	no sample	140.7	142.0	1.3				
NKT-91-32	72090	142.0	144.0	2.0	30	18	0.00	0.02
NKT-91-32	72091	144.0	146.0	2.0	50	14	0.01	0.01
NKT-91-32	72092	146.0	148.0	2.0	170	13	0.02	0.01
NKT-91-32	72093	148.0	150.0	2.0	100	37	0.01	0.04
NKT-91-32	72094	150.0	152.0	2.0	90	38	0.01	0.04
NKT-91-32	72095	152.0	154.0	2.0	90	309	0.01	0.31
NKT-91-32	72096	154.0	156.0	2.0	120	9	0.01	0.01
NKT-91-32	72097	156.0	158.0	2.0	140	11	0.01	0.01
NKT-91-32	72098	158.0	160.0	2.0	150	12	0.02	0.01
NKT-91-32	72099	160.0	162.0	2.0	120	20	0.01	0.02
NKT-91-32	72100	162.0	164.0	2.0	160	16	0.02	0.02
NKT-91-32	72101	164.0	166.0	2.0	110	9	0.01	0.01
NKT-91-32	72102	166.0	168.0	2.0	30	8	0.00	0.01
NKT-91-32	72103	168.0	170.0	2.0	80	11	0.01	0.01
NKT-91-32	72104	170.0	172.0	2.0	60	7	0.01	0.01
NKT-91-32	72105	172.0	174.0	2.0	40	8	0.00	0.01
NKT-91-32	72106	174.0	176.0	2.0	80	7	0.01	0.01
NKT-91-32	72107	176.0	178.0	2.0	90	8	0.01	0.01
NKT-91-32	72108	178.0	180.0	2.0	40	8	0.00	0.01
NKT-91-32	72109	180.0	182.0	2.0	70	9	0.01	0.01
NKT-91-32	72110	182.0	184.0	2.0	30	4	0.00	0.01
NKT-91-32	no sample	184.0	186.0	2.0				
NKT-91-32	72112	186.0	188.0	2.0	80	8	0.01	0.01
NKT-91-32	72113	188.0	190.0	2.0	80	11	0.01	0.01
NKT-91-32	72114	190.0	192.0	2.0	70	10	0.01	0.01
NKT-91-32	72115	192.0	194.0	2.0	90	11	0.01	0.01
NKT-91-32	72116	194.0	196.0	2.0	70	10	0.01	0.01
NKT-91-32	72117	196.0	198.0	2.0	130	10	0.01	0.01
NKT-91-32	72118	198.0	200.0	2.0	100	11	0.01	0.01
NKT-91-32	72119	200.0	202.0	2.0	170	12	0.02	0.01
NKT-91-32	72120	202.0	204.0	2.0	170	13	0.02	0.01
NKT-91-32	72121	204.0	206.0	2.0	220	10	0.02	0.01
NKT-91-32	72122	206.0	208.0	2.0	250	12	0.03	0.01
NKT-91-32	72123	208.0	210.0	2.0	280	19	0.03	0.02
NKT-91-32	72124	210.0	212.0	2.0	140	11	0.01	0.01
NKT-91-32	72125	212.0	214.0	2.0	110	11	0.01	0.01
NKT-91-32	72126	214.0	216.0	2.0	210	12	0.02	0.01
NKT-91-32	72127	216.0	218.0	2.0	470	16	0.05	0.02
NKT-91-32	72128	218.0	220.0	2.0	380	13	0.04	0.01
NKT-91-32	72129	220.0	222.0	2.0	320	16	0.03	0.02
NKT-91-32	72130	222.0	224.0	2.0	330	33	0.03	0.03

NKT-91-32	72131	224.0	226.0	2.0	190	16	0.02	0.02
NKT-91-32	72132	226.0	228.0	2.0	280	13	0.03	0.01
NKT-91-32	72133	228.0	230.0	2.0	130	12	0.01	0.01
NKT-91-32	72134	230.0	232.0	2.0	250	14	0.03	0.01
NKT-91-32	72135	232.0	234.0	2.0	250	11	0.03	0.01
NKT-91-32	72136	234.0	236.0	2.0	270	12	0.03	0.01
NKT-91-32	72137	236.0	237.0	1.0	280	6	0.03	0.01
NKT-91-32	no sample	237.0	253.4	16.4				
NKT-91-32	72138	253.4	255.1	1.7	200	8	0.02	0.01
NKT-91-32	no sample	255.1	255.4	0.3				
NKT-91-33	no sample	0.0	6.1	6.1				
NKT-91-33	68067	6.1	8.0	1.9	390	40	0.04	0.04
NKT-91-33	68068	8.0	10.0	2.0	480	23	0.05	0.02
NKT-91-33	68069	10.0	12.0	2.0	850	411	0.09	0.41
NKT-91-33	68070	12.0	14.0	2.0	660	72	0.07	0.07
NKT-91-33	68071	14.0	16.0	2.0	700	197	0.07	0.20
NKT-91-33	68072	16.0	18.0	2.0	1600	159	0.16	0.16
NKT-91-33	68073	18.0	20.0	2.0	600	78	0.06	0.08
NKT-91-33	68074	20.0	22.0	2.0	700	126	0.07	0.13
NKT-91-33	68075	22.0	24.0	2.0	550	83	0.06	0.08
NKT-91-33	68076	24.0	26.0	2.0	650	72	0.07	0.07
NKT-91-33	68077	26.0	28.0	2.0	720	54	0.07	0.05
NKT-91-33	68078	28.0	30.0	2.0	790	30	0.08	0.03
NKT-91-33	68079	30.0	32.0	2.0	1460	96	0.15	0.10
NKT-91-33	68080	32.0	34.0	2.0	570	44	0.06	0.04
NKT-91-33	68081	34.0	36.0	2.0	660	60	0.07	0.06
NKT-91-33	68082	36.0	38.0	2.0	500	62	0.05	0.06
NKT-91-33	68083	38.0	40.0	2.0	920	51	0.09	0.05
NKT-91-33	68084	40.0	42.0	2.0	1620	91	0.16	0.09
NKT-91-33	68085	42.0	44.0	2.0	960	83	0.10	0.08
NKT-91-33	68086	44.0	46.3	2.3	620	32	0.06	0.03
NKT-91-33	68087	46.3	48.0	1.7	40	4	0.00	0.01
NKT-91-33	68088	48.0	50.0	2.0	40	4	0.00	0.01
NKT-91-33	68089	50.0	51.6	1.6	110	9	0.01	0.01
NKT-91-33	68090	51.6	54.0	2.4	450	38	0.05	0.04
NKT-91-33	68091	54.0	56.0	2.0	490	42	0.05	0.04
NKT-91-33	68092	56.0	58.0	2.0	390	34	0.04	0.03
NKT-91-33	68093	58.0	60.0	2.0	420	39	0.04	0.04
NKT-91-33	68094	60.0	62.0	2.0	880	32	0.09	0.03
NKT-91-33	68095	62.0	64.0	2.0	610	56	0.06	0.06
NKT-91-33	68096	64.0	66.0	2.0	210	42	0.02	0.04
NKT-91-33	68097	66.0	67.5	1.5	510	27	0.05	0.03
NKT-91-33	68098	67.5	69.0	1.5	180	18	0.02	0.02
NKT-91-33	68099	69.0	71.0	2.0	210	24	0.02	0.02
NKT-91-33	68100	71.0	73.0	2.0	2100	434	0.21	0.43
NKT-91-33	68101	73.0	75.0	2.0	1110	171	0.11	0.17
NKT-91-33	68102	75.0	77.0	2.0	430	34	0.04	0.03
NKT-91-33	68103	77.0	79.0	2.0	540	47	0.05	0.05
NKT-91-33	68104	79.0	81.0	2.0	670	68	0.07	0.07
NKT-91-33	68105	81.0	83.0	2.0	770	158	0.08	0.16
NKT-91-33	68106	83.0	85.0	2.0	630	45	0.06	0.05
NKT-91-33	68107	85.0	87.0	2.0	490	67	0.05	0.07
NKT-91-33	68108	87.0	89.0	2.0	360	53	0.04	0.05
NKT-91-33	68109	89.0	91.0	2.0	3620	730	0.36	0.73

NKT-91-33	68110	91.0	93.0	2.0	1620	160	0.16	0.16
NKT-91-33	68111	93.0	95.0	2.0	340	29	0.03	0.03
NKT-91-33	68112	95.0	97.0	2.0	1390	58	0.14	0.06
NKT-91-33	68113	97.0	97.9	0.9	510	52	0.05	0.05
NKT-91-33	68114	97.9	99.3	1.4	400	26	0.04	0.03
NKT-91-33	68115	99.3	101.0	1.7	590	65	0.06	0.07
NKT-91-33	68116	101.0	103.0	2.0	980	81	0.10	0.08
NKT-91-33	68117	103.0	104.8	1.8	510	40	0.05	0.04
NKT-91-33	no sample	104.8	105.1	0.3				
NKT-91-33	68118	105.1	107.0	1.9	310	21	0.03	0.02
NKT-91-33	68119	107.0	109.0	2.0	420	23	0.04	0.02
NKT-91-33	68120	109.0	111.0	2.0	530	24	0.05	0.02
NKT-91-33	68121	111.0	113.0	2.0	400	30	0.04	0.03
NKT-91-33	68122	113.0	115.0	2.0	480	31	0.05	0.03
NKT-91-33	68123	115.0	117.0	2.0	770	46	0.08	0.05
NKT-91-33	68124	117.0	119.0	2.0	410	31	0.04	0.03
NKT-91-33	68125	119.0	121.0	2.0	1060	36	0.11	0.04
NKT-91-33	68126	121.0	122.4	1.4	290	14	0.03	0.01
NKT-91-33	68127	122.4	124.3	1.9	190	4	0.02	0.01
NKT-91-33	68128	124.3	127.0	2.7	50	2	0.01	0.01
NKT-91-33	68129	127.0	129.0	2.0	40	1	0.00	0.01
NKT-91-33	68130	129.0	131.4	2.4	100	7	0.01	0.01
NKT-91-33	68131	131.4	133.0	1.6	450	12	0.05	0.01
NKT-91-33	68132	133.0	135.0	2.0	210	13	0.02	0.01
NKT-91-33	68133	135.0	137.0	2.0	220	8	0.02	0.01
NKT-91-33	68134	137.0	139.3	2.3	230	12	0.02	0.01
NKT-91-33	68135	139.3	142.0	2.7	200	6	0.02	0.01
NKT-91-33	68136	142.0	144.0	2.0	100	4	0.01	0.01
NKT-91-33	68137	144.0	146.1	2.1	170	7	0.02	0.01
NKT-91-33	68138	146.1	148.0	1.9	190	8	0.02	0.01
NKT-91-33	68139	148.0	149.5	1.5	90	6	0.01	0.01
NKT-91-33	68140	149.5	151.1	1.6	360	12	0.04	0.01
NKT-91-33	68141	151.1	153.0	1.9	70	5	0.01	0.01
NKT-91-33	68142	153.0	155.0	2.0	70	3	0.01	0.01
NKT-91-33	68143	155.0	157.0	2.0	100	5	0.01	0.01
NKT-91-33	68144	157.0	159.0	2.0	270	5	0.03	0.01
NKT-91-33	68145	159.0	161.0	2.0	40	3	0.00	0.01
NKT-91-33	68146	161.0	163.0	2.0	70	4	0.01	0.01
NKT-91-33	68147	163.0	165.0	2.0	40	1	0.00	0.01
NKT-91-33	68148	165.0	167.0	2.0	50	9	0.01	0.01
NKT-91-33	68149	167.0	169.0	2.0	70	3	0.01	0.01
NKT-91-33	68150	169.0	171.0	2.0	280	6	0.03	0.01
NKT-91-33	68176	171.0	173.0	2.0	280	8	0.03	0.01
NKT-91-33	68177	173.0	175.0	2.0	250	7	0.03	0.01
NKT-91-33	68178	175.0	177.0	2.0	230	6	0.02	0.01
NKT-91-33	68179	177.0	179.0	2.0	140	4	0.01	0.01
NKT-91-33	68180	179.0	181.0	2.0	280	7	0.03	0.01
NKT-91-33	68181	181.0	183.0	2.0	160	6	0.02	0.01
NKT-91-33	68182	183.0	185.0	2.0	160	8	0.02	0.01
NKT-91-33	68183	185.0	187.0	2.0	270	22	0.03	0.02
NKT-91-33	68184	187.0	189.0	2.0	390	11	0.04	0.01
NKT-91-33	68185	189.0	191.0	2.0	160	12	0.02	0.01
NKT-91-33	68186	191.0	193.1	2.1	100	8	0.01	0.01
NKT-91-33	68187	193.1	195.6	2.5	160	10	0.02	0.01

NKT-91-33	68188	195.6	198.0	2.4	120	5	0.01	0.01
NKT-91-33	68189	198.0	200.4	2.4	300	11	0.03	0.01
NKT-91-33	68190	200.4	202.0	1.6	30	6	0.00	0.01
NKT-91-33	68191	202.0	204.0	2.0	40	5	0.00	0.01
NKT-91-33	68192	204.0	206.9	2.9	30	10	0.00	0.01
NKT-91-33	68193	206.9	209.0	2.1	140	11	0.01	0.01
NKT-91-33	68194	209.0	211.0	2.0	130	8	0.01	0.01
NKT-91-33	68195	211.0	213.0	2.0	60	7	0.01	0.01
NKT-91-33	68196	213.0	215.0	2.0	70	8	0.01	0.01
NKT-91-33	68197	215.0	217.0	2.0	120	9	0.01	0.01
NKT-91-33	68198	217.0	219.0	2.0	110	10	0.01	0.01
NKT-91-33	68199	219.0	221.0	2.0	110	6	0.01	0.01
NKT-91-33	68200	221.0	223.0	2.0	110	7	0.01	0.01
NKT-91-33	68201	223.0	225.0	2.0	50	3	0.01	0.01
NKT-91-33	68202	225.0	227.0	2.0	70	7	0.01	0.01
NKT-91-33	68203	227.0	229.0	2.0	210	10	0.02	0.01
NKT-91-33	68204	229.0	231.0	2.0	90	8	0.01	0.01
NKT-91-33	68205	231.0	233.0	2.0	80	6	0.01	0.01
NKT-91-33	68206	233.0	235.0	2.0	50	8	0.01	0.01
NKT-91-33	68207	235.0	237.0	2.0	60	7	0.01	0.01
NKT-91-33	68208	237.0	239.0	2.0	50	10	0.01	0.01
NKT-91-33	68209	239.0	241.4	2.4	90	8	0.01	0.01
NKT-91-34	no sample	0.0	10.7	10.7				
NKT-91-34	72139	10.7	12.0	1.3	330	13	0.03	0.01
NKT-91-34	72140	12.0	14.0	2.0	540	21	0.05	0.02
NKT-91-34	72141	14.0	16.0	2.0	790	35	0.08	0.04
NKT-91-34	72142	16.0	18.0	2.0	940	74	0.09	0.07
NKT-91-34	72143	18.0	20.0	2.0	630	22	0.06	0.02
NKT-91-34	72144	20.0	22.0	2.0	750	32	0.08	0.03
NKT-91-34	72145	22.0	24.0	2.0	540	71	0.05	0.07
NKT-91-34	72146	24.0	26.0	2.0	490	12	0.05	0.01
NKT-91-34	72147	26.0	28.0	2.0	400	19	0.04	0.02
NKT-91-34	72148	28.0	30.0	2.0	700	49	0.07	0.05
NKT-91-34	72149	30.0	32.0	2.0	540	19	0.05	0.02
NKT-91-34	72150	32.0	34.0	2.0	240	8	0.02	0.01
NKT-91-34	72151	34.0	36.0	2.0	320	15	0.03	0.02
NKT-91-34	72152	36.0	38.0	2.0	390	12	0.04	0.01
NKT-91-34	72153	38.0	40.0	2.0	380	14	0.04	0.01
NKT-91-34	72154	40.0	42.0	2.0	210	8	0.02	0.01
NKT-91-34	72155	42.0	44.0	2.0	150	9	0.02	0.01
NKT-91-34	72156	44.0	46.0	2.0	450	10	0.05	0.01
NKT-91-34	72157	46.0	48.0	2.0	1260	31	0.13	0.03
NKT-91-34	72158	48.0	50.0	2.0	1440	23	0.14	0.02
NKT-91-34	no sample	50.0	52.0	2.0				
NKT-91-34	72160	52.0	54.0	2.0	500	9	0.05	0.01
NKT-91-34	72161	54.0	56.0	2.0	720	10	0.07	0.01
NKT-91-34	72162	56.0	58.0	2.0	500	10	0.05	0.01
NKT-91-34	72163	58.0	60.0	2.0	350	6	0.04	0.01
NKT-91-34	72164	60.0	62.0	2.0	320	10	0.03	0.01
NKT-91-34	72165	62.0	64.0	2.0	1610	38	0.16	0.04
NKT-91-34	72166	64.0	66.0	2.0	750	15	0.08	0.02
NKT-91-34	72167	66.0	68.0	2.0	720	26	0.07	0.03
NKT-91-34	72168	68.0	70.0	2.0	1150	44	0.12	0.04
NKT-91-34	72169	70.0	72.0	2.0	440	18	0.04	0.02

NKT-91-34	72170	72.0	74.0	2.0	810	25	0.08	0.03
NKT-91-34	72171	74.0	76.0	2.0	350	13	0.04	0.01
NKT-91-34	72172	76.0	78.0	2.0	450	21	0.05	0.02
NKT-91-34	72173	78.0	80.0	2.0	440	23	0.04	0.02
NKT-91-34	72174	80.0	82.0	2.0	390	9	0.04	0.01
NKT-91-34	72175	82.0	84.0	2.0	260	8	0.03	0.01
NKT-91-34	72176	84.0	86.0	2.0	450	19	0.05	0.02
NKT-91-34	72177	86.0	88.0	2.0	300	8	0.03	0.01
NKT-91-34	72178	88.0	90.0	2.0	210	5	0.02	0.01
NKT-91-34	72179	90.0	92.0	2.0	510	21	0.05	0.02
NKT-91-34	72180	92.0	94.0	2.0	1090	60	0.11	0.06
NKT-91-34	72181	94.0	96.0	2.0	1130	26	0.11	0.03
NKT-91-34	72182	96.0	98.0	2.0	440	24	0.04	0.02
NKT-91-34	72183	98.0	100.0	2.0	290	11	0.03	0.01
NKT-91-34	72184	100.0	102.0	2.0	730	35	0.07	0.04
NKT-91-34	72185	102.0	104.0	2.0	360	23	0.04	0.02
NKT-91-34	72186	104.0	106.0	2.0	340	19	0.03	0.02
NKT-91-34	72187	106.0	108.0	2.0	210	22	0.02	0.02
NKT-91-34	72188	108.0	110.0	2.0	240	23	0.02	0.02
NKT-91-34	72189	110.0	112.0	2.0	310	31	0.03	0.03
NKT-91-34	72190	112.0	114.0	2.0	420	59	0.04	0.06
NKT-91-34	72191	114.0	116.0	2.0	220	35	0.02	0.04
NKT-91-34	72192	116.0	118.0	2.0	500	55	0.05	0.06
NKT-91-34	72193	118.0	120.0	2.0	580	53	0.06	0.05
NKT-91-34	72194	120.0	122.0	2.0	420	46	0.04	0.05
NKT-91-34	72195	122.0	124.0	2.0	620	78	0.06	0.08
NKT-91-34	72196	124.0	126.0	2.0	490	45	0.05	0.05
NKT-91-34	72197	126.0	128.0	2.0	360	21	0.04	0.02
NKT-91-34	72198	128.0	130.0	2.0	380	13	0.04	0.01
NKT-91-34	72199	130.0	132.0	2.0	820	75	0.08	0.08
NKT-91-34	72200	132.0	134.0	2.0	190	15	0.02	0.02
NKT-91-34	72201	134.0	136.0	2.0	310	17	0.03	0.02
NKT-91-34	72202	136.0	138.0	2.0	500	33	0.05	0.03
NKT-91-34	72203	138.0	140.0	2.0	390	56	0.04	0.06
NKT-91-34	72204	140.0	142.0	2.0	70	21	0.01	0.02
NKT-91-34	72205	142.0	144.0	2.0	290	56	0.03	0.06
NKT-91-34	72206	144.0	146.0	2.0	460	45	0.05	0.05
NKT-91-34	72207	146.0	148.0	2.0	530	58	0.05	0.06
NKT-91-34	72208	148.0	150.0	2.0	210	23	0.02	0.02
NKT-91-34	72209	150.0	152.0	2.0	300	71	0.03	0.07
NKT-91-34	72210	152.0	154.0	2.0	880	163	0.09	0.16
NKT-91-34	72211	154.0	156.0	2.0	840	86	0.08	0.09
NKT-91-34	72212	156.0	158.0	2.0	2960	79	0.30	0.08
NKT-91-34	72213	158.0	160.0	2.0	2230	165	0.22	0.17
NKT-91-34	72214	160.0	162.0	2.0	1680	120	0.17	0.12
NKT-91-34	72215	162.0	164.0	2.0	680	66	0.07	0.07
NKT-91-34	72216	164.0	166.0	2.0	980	72	0.10	0.07
NKT-91-34	72217	166.0	168.0	2.0	830	64	0.08	0.06
NKT-91-34	72218	168.0	170.0	2.0	280	24	0.03	0.02
NKT-91-34	72219	170.0	172.0	2.0	190	31	0.02	0.03
NKT-91-34	72220	172.0	174.0	2.0	660	67	0.07	0.07
NKT-91-34	72221	174.0	176.0	2.0	650	61	0.07	0.06
NKT-91-34	72222	176.0	178.0	2.0	670	98	0.07	0.10
NKT-91-34	72223	178.0	180.0	2.0	350	47	0.04	0.05

NKT-91-34	72224	180.0	182.0	2.0	440	12	0.04	0.01
NKT-91-34	72225	182.0	184.0	2.0	760	74	0.08	0.07
NKT-91-34	72226	184.0	186.0	2.0	480	28	0.05	0.03
NKT-91-34	72227	186.0	188.0	2.0	1440	92	0.14	0.09
NKT-91-34	72228	188.0	190.0	2.0	1280	51	0.13	0.05
NKT-91-34	72229	190.0	192.0	2.0	1470	101	0.15	0.10
NKT-91-34	72230	192.0	194.0	2.0	2550	80	0.26	0.08
NKT-91-34	72231	194.0	196.0	2.0	3400	138	0.34	0.14
NKT-91-34	72232	196.0	198.0	2.0	960	37	0.10	0.04
NKT-91-34	72233	198.0	200.0	2.0	1560	42	0.16	0.04
NKT-91-34	72234	200.0	202.0	2.0	2490	138	0.25	0.14
NKT-91-34	72235	202.0	204.0	2.0	2770	186	0.28	0.19
NKT-91-34	72236	204.0	206.0	2.0	660	17	0.07	0.02
NKT-91-34	72237	206.0	208.0	2.0	2690	79	0.27	0.08
NKT-91-34	72238	208.0	210.0	2.0	5020	91	0.50	0.09
NKT-91-34	72239	210.0	212.0	2.0	4590	132	0.46	0.13
NKT-91-34	72240	212.0	214.0	2.0	2570	90	0.26	0.09
NKT-91-34	72241	214.0	216.0	2.0	7510	235	0.75	0.24
NKT-91-34	72242	216.0	218.0	2.0	4720	89	0.47	0.09
NKT-91-34	72243	218.0	220.0	2.0	1680	71	0.17	0.07
NKT-91-34	72244	220.0	222.0	2.0	1090	43	0.11	0.04
NKT-91-34	72245	222.0	224.0	2.0	1020	156	0.10	0.16
NKT-91-34	72246	224.0	226.0	2.0	1520	113	0.15	0.11
NKT-91-34	72247	226.0	228.0	2.0	1040	42	0.10	0.04
NKT-91-34	72248	228.0	230.0	2.0	1360	159	0.14	0.16
NKT-91-34	72249	230.0	232.0	2.0	1760	108	0.18	0.11
NKT-91-34	72250	232.0	234.0	2.0	3040	156	0.30	0.16
NKT-91-34	72251	234.0	236.0	2.0	750	71	0.08	0.07
NKT-91-34	72252	236.0	238.0	2.0	850	60	0.09	0.06
NKT-91-34	72253	238.0	240.0	2.0	800	70	0.08	0.07
NKT-91-34	72254	240.0	242.0	2.0	890	47	0.09	0.05
NKT-91-34	72255	242.0	244.0	2.0	160	13	0.02	0.01
NKT-91-34	72256	244.0	246.0	2.0	780	21	0.08	0.02
NKT-91-34	72257	246.0	248.0	2.0	610	25	0.06	0.03
NKT-91-34	72258	248.0	250.0	2.0	870	52	0.09	0.05
NKT-91-34	72259	250.0	252.0	2.0	210	10	0.02	0.01
NKT-91-34	72260	252.0	254.0	2.0	380	20	0.04	0.02
NKT-91-34	72261	254.0	256.0	2.0	310	15	0.03	0.02
NKT-91-34	72262	256.0	258.0	2.0	220	21	0.02	0.02
NKT-91-34	72263	258.0	260.0	2.0	1090	94	0.11	0.09
NKT-91-34	72264	260.0	262.0	2.0	500	27	0.05	0.03
NKT-91-34	72265	262.0	264.0	2.0	250	26	0.03	0.03
NKT-91-34	72266	264.0	266.0	2.0	610	35	0.06	0.04
NKT-91-34	72267	266.0	268.0	2.0	370	14	0.04	0.01
NKT-91-34	72268	268.0	270.0	2.0	330	15	0.03	0.02
NKT-91-34	72269	270.0	272.0	2.0	500	22	0.05	0.02
NKT-91-34	72270	272.0	274.0	2.0	360	35	0.04	0.04
NKT-91-34	72271	274.0	276.0	2.0	220	17	0.02	0.02
NKT-91-34	72272	276.0	278.0	2.0	230	11	0.02	0.01
NKT-91-34	72273	278.0	280.4	2.4	90	15	0.01	0.02
NKT-91-34	72274	280.4	281.5	1.1	50	3	0.01	0.01
NKT-91-34	72275	281.5	284.0	2.5	160	52	0.02	0.05
NKT-91-34	72276	284.0	286.0	2.0	190	9	0.02	0.01
NKT-91-34	72277	286.0	288.0	2.0	240	27	0.02	0.03

NKT-91-34	72278	288.0	290.0	2.0	160	11	0.02	0.01
NKT-91-34	72279	290.0	292.0	2.0	130	11	0.01	0.01
NKT-91-34	72280	292.0	294.0	2.0	240	21	0.02	0.02
NKT-91-34	72281	294.0	296.0	2.0	120	12	0.01	0.01
NKT-91-34	72282	296.0	298.0	2.0	760	30	0.08	0.03
NKT-91-34	72283	298.0	300.0	2.0	80	11	0.01	0.01
NKT-91-34	72284	300.0	302.0	2.0	310	21	0.03	0.02
NKT-91-34	72285	302.0	304.8	2.8	170	35	0.02	0.04
NKT-91-35	no sample	0.0	25.3	25.3				
NKT-91-35	68210	25.3	27.0	1.7	970	50	0.10	0.05
NKT-91-35	68211	27.0	28.0	1.0	440	15	0.04	0.02
NKT-91-35	68212	28.0	31.0	3.0	750	24	0.08	0.02
NKT-91-35	68213	31.0	33.0	2.0	730	59	0.07	0.06
NKT-91-35	68214	33.0	35.0	2.0	910	46	0.09	0.05
NKT-91-35	68215	35.0	37.0	2.0	1300	34	0.13	0.03
NKT-91-35	68216	37.0	39.0	2.0	950	37	0.10	0.04
NKT-91-35	68217	39.0	41.0	2.0	850	47	0.09	0.05
NKT-91-35	68218	41.0	43.0	2.0	710	185	0.07	0.19
NKT-91-35	68219	43.0	45.0	2.0	1010	57	0.10	0.06
NKT-91-35	68220	45.0	47.0	2.0	760	51	0.08	0.05
NKT-91-35	68221	47.0	48.3	1.3	1230	116	0.12	0.12
NKT-91-35	68222	48.3	49.0	0.7	1160	100	0.12	0.10
NKT-91-35	68223	49.0	51.0	2.0	530	14	0.05	0.01
NKT-91-35	68224	51.0	53.0	2.0	660	21	0.07	0.02
NKT-91-35	68225	53.0	55.0	2.0	630	15	0.06	0.02
NKT-91-35	68226	55.0	57.0	2.0	450	106	0.05	0.11
NKT-91-35	68227	57.0	59.0	2.0	1170	42	0.12	0.04
NKT-91-35	68228	59.0	61.0	2.0	1100	116	0.11	0.12
NKT-91-35	68229	61.0	63.0	2.0	2180	161	0.22	0.16
NKT-91-35	68230	63.0	65.0	2.0	5860	233	0.59	0.23
NKT-91-35	68231	65.0	67.0	2.0	1350	268	0.14	0.27
NKT-91-35	68232	67.0	69.0	2.0	1350	66	0.14	0.07
NKT-91-35	68233	69.0	71.0	2.0	1130	23	0.11	0.02
NKT-91-35	68234	71.0	73.0	2.0	2860	51	0.29	0.05
NKT-91-35	68235	73.0	75.0	2.0	930	29	0.09	0.03
NKT-91-35	68236	75.0	77.0	2.0	1290	44	0.13	0.04
NKT-91-35	68237	77.0	79.0	2.0	590	21	0.06	0.02
NKT-91-35	68238	79.0	81.0	2.0	1370	45	0.14	0.05
NKT-91-35	68239	81.0	83.0	2.0	1110	70	0.11	0.07
NKT-91-35	68240	83.0	85.0	2.0	850	150	0.09	0.15
NKT-91-35	68241	85.0	87.0	2.0	560	105	0.06	0.11
NKT-91-35	68242	87.0	89.0	2.0	430	895	0.04	0.90
NKT-91-35	68243	89.0	91.0	2.0	330	41	0.03	0.04
NKT-91-35	68244	91.0	93.0	2.0	4690	106	0.47	0.11
NKT-91-35	68245	93.0	95.0	2.0	2980	102	0.30	0.10
NKT-91-35	68246	95.0	97.0	2.0	970	60	0.10	0.06
NKT-91-35	68247	97.0	99.0	2.0	620	43	0.06	0.04
NKT-91-35	68248	99.0	101.0	2.0	570	35	0.06	0.04
NKT-91-35	68249	101.0	103.0	2.0	450	45	0.05	0.05
NKT-91-35	68250	103.0	105.0	2.0	750	44	0.08	0.04
NKT-91-35	68251	105.0	107.0	2.0	830	53	0.08	0.05
NKT-91-35	68252	107.0	109.0	2.0	820	37	0.08	0.04
NKT-91-35	68253	109.0	111.0	2.0	670	51	0.07	0.05
NKT-91-35	68254	111.0	113.0	2.0	730	154	0.07	0.15

NKT-91-35	68255	113.0	115.0	2.0	1710	129	0.17	0.13
NKT-91-35	68256	115.0	117.0	2.0	1080	44	0.11	0.04
NKT-91-35	68257	117.0	119.0	2.0	1300	62	0.13	0.06
NKT-91-35	68258	119.0	121.0	2.0	2890	166	0.29	0.17
NKT-91-35	68259	121.0	123.0	2.0	2350	242	0.24	0.24
NKT-91-35	68260	123.0	125.0	2.0	1320	99	0.13	0.10
NKT-91-35	68261	125.0	127.0	2.0	1570	78	0.16	0.08
NKT-91-35	68262	127.0	129.0	2.0	1300	249	0.13	0.25
NKT-91-35	68263	129.0	131.2	2.2	880	33	0.09	0.03
NKT-91-35	68264	131.2	131.6	0.4	70	5	0.01	0.01
NKT-91-35	68265	131.6	131.8	0.2	620	17	0.06	0.02
NKT-91-35	68266	131.8	133.1	1.3	70	7	0.01	0.01
NKT-91-35	68267	133.1	135.0	1.9	930	79	0.09	0.08
NKT-91-35	68268	135.0	137.0	2.0	770	89	0.08	0.09
NKT-91-35	68269	137.0	139.0	2.0	670	354	0.07	0.35
NKT-91-35	68270	139.0	141.0	2.0	1160	50	0.12	0.05
NKT-91-35	68271	141.0	143.0	2.0	980	43	0.10	0.04
NKT-91-35	68272	143.0	145.0	2.0	860	39	0.09	0.04
NKT-91-35	68273	145.0	147.0	2.0	1150	75	0.12	0.08
NKT-91-35	68274	147.0	149.0	2.0	450	24	0.05	0.02
NKT-91-35	68275	149.0	151.0	2.0	670	31	0.07	0.03
NKT-91-35	68276	151.0	153.0	2.0	300	14	0.03	0.01
NKT-91-35	68277	153.0	155.0	2.0	440	34	0.04	0.03
NKT-91-35	68278	155.0	157.0	2.0	940	64	0.09	0.06
NKT-91-35	68279	157.0	159.0	2.0	1650	76	0.17	0.08
NKT-91-35	68280	159.0	161.0	2.0	660	52	0.07	0.05
NKT-91-35	68281	161.0	163.0	2.0	1020	72	0.10	0.07
NKT-91-35	68282	163.0	165.0	2.0	760	47	0.08	0.05
NKT-91-35	68283	165.0	167.0	2.0	1170	103	0.12	0.10
NKT-91-35	68284	167.0	169.0	2.0	1080	65	0.11	0.07
NKT-91-35	68285	169.0	171.0	2.0	1100	99	0.11	0.10
NKT-91-35	68286	171.0	173.0	2.0	770	143	0.08	0.14
NKT-91-35	68287	173.0	175.0	2.0	820	102	0.08	0.10
NKT-91-35	68288	175.0	177.0	2.0	1110	45	0.11	0.05
NKT-91-35	68289	177.0	179.0	2.0	650	105	0.07	0.11
NKT-91-35	68290	179.0	181.0	2.0	640	117	0.06	0.12
NKT-91-35	68291	181.0	183.0	2.0	640	185	0.06	0.19
NKT-91-35	68292	183.0	185.0	2.0	390	29	0.04	0.03
NKT-91-35	68293	185.0	187.0	2.0	850	30	0.09	0.03
NKT-91-35	68294	187.0	189.0	2.0	800	42	0.08	0.04
NKT-91-35	68295	189.0	191.0	2.0	670	31	0.07	0.03
NKT-91-35	68296	191.0	193.0	2.0	650	28	0.07	0.03
NKT-91-35	68297	193.0	195.0	2.0	520	25	0.05	0.03
NKT-91-35	68298	195.0	197.0	2.0	800	24	0.08	0.02
NKT-91-35	68299	197.0	199.0	2.0	1290	34	0.13	0.03
NKT-91-35	68300	199.0	201.0	2.0	1140	47	0.11	0.05
NKT-91-35	68301	201.0	202.5	1.5	1410	76	0.14	0.08
NKT-91-35	68302	202.5	203.9	1.4	1040	76	0.10	0.08
NKT-91-35	68303	203.9	205.4	1.5	30	10	0.00	0.01
NKT-91-35	68304	205.4	207.0	1.6	1090	91	0.11	0.09
NKT-91-35	68305	207.0	209.0	2.0	1170	103	0.12	0.10
NKT-91-35	68306	209.0	211.0	2.0	1940	126	0.19	0.13
NKT-91-35	68307	211.0	213.0	2.0	1540	60	0.15	0.06
NKT-91-35	68308	213.0	215.0	2.0	5130	357	0.51	0.36



NKT-91-35	68309	215.0	217.4	2.4	3590	228	0.36	0.23
NKT-91-35	68310	217.4	219.0	1.6	5200	176	0.52	0.18
NKT-91-35	68311	219.0	221.0	2.0	1620	60	0.16	0.06
NKT-91-35	68312	221.0	223.0	2.0	1450	81	0.15	0.08
NKT-91-35	68313	223.0	225.0	2.0	2790	139	0.28	0.14
NKT-91-35	68314	225.0	226.2	1.2	25470	1370	2.55	1.37
NKT-91-35	68315	226.2	227.6	1.4	1310	93	0.13	0.09
NKT-91-35	68316	227.6	231.3	3.7	6160	149	0.62	0.15
NKT-91-35	68317	231.3	233.0	1.7	1330	69	0.13	0.07
NKT-91-35	68318	233.0	235.0	2.0	1320	32	0.13	0.03
NKT-91-35	68319	235.0	238.0	3.0	1090	31	0.11	0.03
NKT-91-35	68320	238.0	240.0	2.0	1980	58	0.20	0.06
NKT-91-35	68321	240.0	242.0	2.0	860	75	0.09	0.08
NKT-91-35	68322	242.0	244.0	2.0	770	101	0.08	0.10
NKT-91-35	68323	244.0	246.0	2.0	680	67	0.07	0.07
NKT-91-35	68324	246.0	248.0	2.0	290	18	0.03	0.02
NKT-91-35	68325	248.0	250.9	2.9	290	20	0.03	0.02
NKT-91-35	68326	250.9	253.0	2.1	310	19	0.03	0.02
NKT-91-35	68327	253.0	255.0	2.0	260	25	0.03	0.03
NKT-91-35	68328	255.0	257.0	2.0	510	26	0.05	0.03
NKT-91-35	68329	257.0	259.0	2.0	230	19	0.02	0.02
NKT-91-35	68330	259.0	261.0	2.0	1050	48	0.11	0.05
NKT-91-35	68331	261.0	263.0	2.0	550	32	0.06	0.03
NKT-91-35	68332	263.0	265.0	2.0	230	10	0.02	0.01
NKT-91-35	68333	265.0	267.0	2.0	320	13	0.03	0.01
NKT-91-35	68334	267.0	269.0	2.0	350	11	0.04	0.01
NKT-91-35	68335	269.0	271.0	2.0	1240	26	0.12	0.03
NKT-91-35	68336	271.0	273.0	2.0	450	20	0.05	0.02
NKT-91-35	68337	273.0	275.0	2.0	280	15	0.03	0.02
NKT-91-35	68338	275.0	277.6	2.6	1430	57	0.14	0.06
NKT-91-36	no sample	0.0	72.0	72.0				
NKT-91-36	72286	72.0	74.0	2.0	300	16	0.03	0.02
NKT-91-36	72287	74.0	76.0	2.0	990	19	0.10	0.02
NKT-91-36	72288	76.0	78.0	2.0	450	19	0.05	0.02
NKT-91-36	72289	78.0	80.0	2.0	450	17	0.05	0.02
NKT-91-36	72290	80.0	82.0	2.0	650	22	0.07	0.02
NKT-91-36	72291	82.0	84.0	2.0	590	17	0.06	0.02
NKT-91-36	72292	84.0	86.0	2.0	720	20	0.07	0.02
NKT-91-36	72293	86.0	88.0	2.0	1610	41	0.16	0.04
NKT-91-36	72294	88.0	90.0	2.0	370	19	0.04	0.02
NKT-91-36	72295	90.0	92.0	2.0	840	19	0.08	0.02
NKT-91-36	72296	92.0	94.0	2.0	910	18	0.09	0.02
NKT-91-36	72297	94.0	96.0	2.0	2060	89	0.21	0.09
NKT-91-36	72298	96.0	98.0	2.0	2500	129	0.25	0.13
NKT-91-36	72299	98.0	100.0	2.0	840	18	0.08	0.02
NKT-91-36	72300	100.0	102.0	2.0	1680	100	0.17	0.10
NKT-91-36	72301	102.0	104.0	2.0	1510	56	0.15	0.06
NKT-91-36	72302	104.0	106.0	2.0	3050	122	0.31	0.12
NKT-91-36	72303	106.0	108.0	2.0	960	19	0.10	0.02
NKT-91-36	72304	108.0	110.0	2.0	580	17	0.06	0.02
NKT-91-36	72305	110.0	112.0	2.0	330	17	0.03	0.02
NKT-91-36	72306	112.0	114.0	2.0	1360	21	0.14	0.02
NKT-91-36	72307	114.0	116.0	2.0	750	19	0.08	0.02
NKT-91-36	72308	116.0	118.0	2.0	2530	84	0.25	0.08

NKT-91-36	72309	118.0	120.0	2.0	590	18	0.06	0.02
NKT-91-36	72310	120.0	122.0	2.0	970	29	0.10	0.03
NKT-91-36	72311	122.0	124.0	2.0	1750	20	0.18	0.02
NKT-91-36	72312	124.0	126.1	2.1	1410	28	0.14	0.03
NKT-91-36	72313	126.1	128.0	1.9	70	6	0.01	0.01
NKT-91-36	72314	128.0	131.1	3.1	1270	13	0.13	0.01
NKT-91-36	72315	131.1	131.9	0.8	50	5	0.01	0.01
NKT-91-36	72316	131.9	134.0	2.1	1370	14	0.14	0.01
NKT-91-36	72317	134.0	136.0	2.0	780	13	0.08	0.01
NKT-91-36	72318	136.0	138.0	2.0	730	12	0.07	0.01
NKT-91-36	72319	138.0	140.0	2.0	780	13	0.08	0.01
NKT-91-36	72320	140.0	142.0	2.0	1150	14	0.12	0.01
NKT-91-36	72321	142.0	144.0	2.0	790	13	0.08	0.01
NKT-91-36	72322	144.0	146.0	2.0	1800	97	0.18	0.10
NKT-91-36	72323	146.0	148.0	2.0	1870	82	0.19	0.08
NKT-91-36	72324	148.0	150.0	2.0	1970	75	0.20	0.08
NKT-91-36	72325	150.0	152.0	2.0	1150	12	0.12	0.01
NKT-91-36	72326	152.0	154.0	2.0	2330	89	0.23	0.09
NKT-91-36	72327	154.0	156.0	2.0	1000	49	0.10	0.05
NKT-91-36	72328	156.0	158.0	2.0	1260	47	0.13	0.05
NKT-91-36	72329	158.0	160.0	2.0	630	12	0.06	0.01
NKT-91-36	72330	160.0	162.0	2.0	920	30	0.09	0.03
NKT-91-36	72331	162.0	164.0	2.0	210	12	0.02	0.01
NKT-91-36	72332	164.0	166.0	2.0	670	13	0.07	0.01
NKT-91-36	72333	166.0	168.0	2.0	280	11	0.03	0.01
NKT-91-36	72334	168.0	170.0	2.0	1020	14	0.10	0.01
NKT-91-36	72335	170.0	172.0	2.0	350	11	0.04	0.01
NKT-91-36	72336	172.0	174.0	2.0	1240	16	0.12	0.02
NKT-91-36	72337	174.0	176.0	2.0	280	10	0.03	0.01
NKT-91-36	72338	176.0	178.0	2.0	210	9	0.02	0.01
NKT-91-36	72339	178.0	180.0	2.0	300	11	0.03	0.01
NKT-91-36	72340	180.0	182.0	2.0	450	70	0.05	0.07
NKT-91-36	72341	182.0	184.0	2.0	270	11	0.03	0.01
NKT-91-36	72342	184.0	186.0	2.0	1040	19	0.10	0.02
NKT-91-36	72343	186.0	188.0	2.0	1350	59	0.14	0.06
NKT-91-36	72344	188.0	190.0	2.0	270	11	0.03	0.01
NKT-91-36	72345	190.0	192.2	2.2	850	13	0.09	0.01
NKT-91-36	72346	192.2	193.3	1.1	90	7	0.01	0.01
NKT-91-36	72347	193.3	196.0	2.7	120	11	0.01	0.01
NKT-91-36	72348	196.0	198.0	2.0	150	9	0.02	0.01
NKT-91-36	72349	198.0	200.0	2.0	200	10	0.02	0.01
NKT-91-36	72350	200.0	202.0	2.0	360	9	0.04	0.01
NKT-91-36	72351	202.0	204.0	2.0	2690	70	0.27	0.07
NKT-91-36	72352	204.0	206.0	2.0	180	9	0.02	0.01
NKT-91-36	72353	206.0	208.0	2.0	60	11	0.01	0.01
NKT-91-36	72354	208.0	210.0	2.0	80	12	0.01	0.01
NKT-91-36	72355	210.0	212.0	2.0	190	21	0.02	0.02
NKT-91-36	72356	212.0	214.0	2.0	10420	280	1.04	0.28
NKT-91-36	72357	214.0	216.0	2.0	340	24	0.03	0.02
NKT-91-36	72358	216.0	218.0	2.0	260	26	0.03	0.03
NKT-91-36	72359	218.0	220.0	2.0	320	41	0.03	0.04
NKT-91-36	72360	220.0	222.0	2.0	370	107	0.04	0.11
NKT-91-36	72361	222.0	224.0	2.0	540	32	0.05	0.03
NKT-91-36	72362	224.0	226.0	2.0	450	17	0.05	0.02

NKT-91-36	72363	226.0	228.0	2.0	480	38	0.05	0.04
NKT-91-36	72364	228.0	230.0	2.0	580	31	0.06	0.03
NKT-91-36	72365	230.0	232.0	2.0	480	36	0.05	0.04
NKT-91-36	72366	232.0	234.0	2.0	450	26	0.05	0.03
NKT-91-36	72367	234.0	236.0	2.0	290	17	0.03	0.02
NKT-91-36	72368	236.0	238.0	2.0	790	39	0.08	0.04
NKT-91-36	72369	238.0	240.0	2.0	410	31	0.04	0.03
NKT-91-36	72370	240.0	242.0	2.0	200	16	0.02	0.02
NKT-91-36	72371	242.0	244.0	2.0	190	16	0.02	0.02
NKT-91-36	72372	244.0	246.0	2.0	410	27	0.04	0.03
NKT-91-36	72373	246.0	248.0	2.0	450	22	0.05	0.02
NKT-91-36	72374	248.0	250.0	2.0	500	36	0.05	0.04
NKT-91-36	72375	250.0	252.0	2.0	130	17	0.01	0.02
NKT-91-36	72376	252.0	254.0	2.0	560	23	0.06	0.02
NKT-91-36	72377	254.0	256.0	2.0	150	10	0.02	0.01
NKT-91-37	no sample	0.0	17.0	17.0				
NKT-91-37	68339	17.0	19.0	2.0	540	63	0.05	0.06
NKT-91-37	68340	19.0	21.0	2.0	920	88	0.09	0.09
NKT-91-37	68341	21.0	23.0	2.0	1100	35	0.11	0.04
NKT-91-37	68342	23.0	25.0	2.0	580	25	0.06	0.03
NKT-91-37	68343	25.0	27.0	2.0	840	108	0.08	0.11
NKT-91-37	68344	27.0	29.0	2.0	990	120	0.10	0.12
NKT-91-37	68345	29.0	31.0	2.0	2130	142	0.21	0.14
NKT-91-37	68346	31.0	33.0	2.0	1300	57	0.13	0.06
NKT-91-37	68347	33.0	35.0	2.0	1040	48	0.10	0.05
NKT-91-37	68348	35.0	37.0	2.0	3170	143	0.32	0.14
NKT-91-37	68349	37.0	39.0	2.0	1710	26	0.17	0.03
NKT-91-37	68350	39.0	41.0	2.0	1600	78	0.16	0.08
NKT-91-37	68351	41.0	43.0	2.0	1870	84	0.19	0.08
NKT-91-37	68352	43.0	45.0	2.0	2320	2480	0.23	2.48
NKT-91-37	68353	45.0	47.0	2.0	1020	83	0.10	0.08
NKT-91-37	68354	47.0	49.0	2.0	640	33	0.06	0.03
NKT-91-37	68355	49.0	51.0	2.0	610	25	0.06	0.03
NKT-91-37	68356	51.0	53.0	2.0	620	25	0.06	0.03
NKT-91-37	68357	53.0	55.0	2.0	950	78	0.10	0.08
NKT-91-37	68358	55.0	57.0	2.0	700	23	0.07	0.02
NKT-91-37	68359	57.0	59.0	2.0	740	68	0.07	0.07
NKT-91-37	68360	59.0	61.0	2.0	980	102	0.10	0.10
NKT-91-37	68361	61.0	63.0	2.0	460	34	0.05	0.03
NKT-91-37	68362	63.0	65.0	2.0	680	23	0.07	0.02
NKT-91-37	68363	65.0	67.8	2.8	950	52	0.10	0.05
NKT-91-37	68364	67.8	69.0	1.2	340	22	0.03	0.02
NKT-91-37	68365	69.0	69.9	0.9	640	33	0.06	0.03
NKT-91-37	68366	69.9	71.3	1.4	40	10	0.00	0.01
NKT-91-37	68367	71.3	74.0	2.7	990	95	0.10	0.10
NKT-91-37	68368	74.0	76.0	2.0	440	71	0.04	0.07
NKT-91-37	68369	76.0	78.4	2.4	50	6	0.01	0.01
NKT-91-37	68370	78.4	79.1	0.7	790	17	0.08	0.02
NKT-91-37	68371	79.1	79.5	0.4	70	7	0.01	0.01
NKT-91-37	68372	79.5	80.4	0.9	470	18	0.05	0.02
NKT-91-37	68373	80.4	81.1	0.7	520	36	0.05	0.04
NKT-91-37	68374	81.1	82.9	1.8	40	1	0.00	0.01
NKT-91-37	68375	82.9	85.0	2.1	750	43	0.08	0.04
NKT-91-37	68376	85.0	87.0	2.0	1380	128	0.14	0.13

NKT-91-37	68377	87.0	89.0	2.0	930	106	0.09	0.11
NKT-91-37	68378	89.0	91.0	2.0	370	29	0.04	0.03
NKT-91-37	68379	91.0	93.0	2.0	950	77	0.10	0.08
NKT-91-37	68380	93.0	95.0	2.0	520	33	0.05	0.03
NKT-91-37	68381	95.0	97.0	2.0	1000	93	0.10	0.09
NKT-91-37	68382	97.0	99.0	2.0	880	59	0.09	0.06
NKT-91-37	68383	99.0	101.0	2.0	1190	73	0.12	0.07
NKT-91-37	68384	101.0	103.0	2.0	580	57	0.06	0.06
NKT-91-37	68385	103.0	105.0	2.0	1760	140	0.18	0.14
NKT-91-37	68386	105.0	107.0	2.0	790	111	0.08	0.11
NKT-91-37	68387	107.0	109.0	2.0	910	85	0.09	0.09
NKT-91-37	68388	109.0	111.0	2.0	430	50	0.04	0.05
NKT-91-37	68389	111.0	112.3	1.3	280	42	0.03	0.04
NKT-91-37	68390	112.3	113.9	1.6	330	46	0.03	0.05
NKT-91-37	68391	113.9	116.0	2.1	510	46	0.05	0.05
NKT-91-37	68392	116.0	118.0	2.0	910	83	0.09	0.08
NKT-91-37	68393	118.0	120.0	2.0	1290	78	0.13	0.08
NKT-91-37	68394	120.0	122.0	2.0	260	184	0.03	0.18
NKT-91-37	68395	122.0	124.0	2.0	1090	67	0.11	0.07
NKT-91-37	68396	124.0	126.0	2.0	620	174	0.06	0.17
NKT-91-37	68397	126.0	128.0	2.0	70	17	0.01	0.02
NKT-91-37	68398	128.0	130.0	2.0	60	24	0.01	0.02
NKT-91-37	68399	130.0	132.0	2.0	350	378	0.04	0.38
NKT-91-37	68400	132.0	134.0	2.0	70	251	0.01	0.25
NKT-91-37	68401	134.0	136.0	2.0	60	54	0.01	0.05
NKT-91-37	68402	136.0	138.0	2.0	70	124	0.01	0.12
NKT-91-37	68403	138.0	140.0	2.0	60	143	0.01	0.14
NKT-91-37	68404	140.0	142.0	2.0	40	478	0.00	0.48
NKT-91-37	68405	142.0	144.0	2.0	100	579	0.01	0.58
NKT-91-37	68406	144.0	146.0	2.0	120	275	0.01	0.28
NKT-91-37	68407	146.0	148.0	2.0	70	634	0.01	0.63
NKT-91-37	68408	148.0	150.0	2.0	40	207	0.00	0.21
NKT-91-37	68409	150.0	152.0	2.0	60	86	0.01	0.09
NKT-91-37	68410	152.0	154.0	2.0	100	43	0.01	0.04
NKT-91-37	68411	154.0	156.0	2.0	90	24	0.01	0.02
NKT-91-37	68412	156.0	158.0	2.0	40	43	0.00	0.04
NKT-91-37	68413	158.0	160.0	2.0	40	41	0.00	0.04
NKT-91-37	68414	160.0	162.0	2.0	1330	249	0.13	0.25
NKT-91-37	68415	162.0	164.0	2.0	780	94	0.08	0.09
NKT-91-37	68416	164.0	166.0	2.0	890	64	0.09	0.06
NKT-91-37	68417	166.0	168.0	2.0	820	92	0.08	0.09
NKT-91-37	68418	168.0	170.0	2.0	970	88	0.10	0.09
NKT-91-37	68419	170.0	172.0	2.0	1630	83	0.16	0.08
NKT-91-37	68420	172.0	174.0	2.0	680	43	0.07	0.04
NKT-91-37	68421	174.0	176.0	2.0	280	30	0.03	0.03
NKT-91-37	68422	176.0	178.0	2.0	340	23	0.03	0.02
NKT-91-37	68423	178.0	180.0	2.0	260	20	0.03	0.02
NKT-91-37	68424	180.0	182.0	2.0	280	23	0.03	0.02
NKT-91-37	68425	182.0	184.0	2.0	330	21	0.03	0.02
NKT-91-37	68426	184.0	186.0	2.0	330	80	0.03	0.08
NKT-91-37	68427	186.0	188.0	2.0	1140	48	0.11	0.05
NKT-91-37	68428	188.0	190.0	2.0	2090	241	0.21	0.24
NKT-91-37	68429	190.0	192.0	2.0	1350	103	0.14	0.10
NKT-91-37	68430	192.0	194.0	2.0	1390	138	0.14	0.14

NKT-91-37	68431	194.0	196.7	2.7	2690	160	0.27	0.16
NKT-91-37	68432	196.7	197.6	0.9	70	9	0.01	0.01
NKT-91-37	68433	197.6	199.0	1.4	2240	654	0.22	0.65
NKT-91-37	68434	199.0	201.2	2.2	1070	162	0.11	0.16
NKT-91-37	68435	201.2	202.2	1.0	50	7	0.01	0.01
NKT-91-37	68436	202.2	204.0	1.8	400	51	0.04	0.05
NKT-91-37	68437	204.0	206.0	2.0	1890	145	0.19	0.15
NKT-91-37	68438	206.0	208.0	2.0	1480	159	0.15	0.16
NKT-91-37	68439	208.0	210.4	2.4	2960	291	0.30	0.29
NKT-91-37	68440	210.4	212.0	1.6	1730	127	0.17	0.13
NKT-91-37	68441	212.0	214.0	2.0	910	82	0.09	0.08
NKT-91-37	68442	214.0	216.0	2.0	1550	101	0.16	0.10
NKT-91-37	68443	216.0	218.0	2.0	780	40	0.08	0.04
NKT-91-37	68444	218.0	220.0	2.0	2060	67	0.21	0.07
NKT-91-37	68445	220.0	222.0	2.0	870	246	0.09	0.25
NKT-91-37	68446	222.0	224.0	2.0	1640	71	0.16	0.07
NKT-91-37	68447	224.0	226.0	2.0	1020	70	0.10	0.07
NKT-91-37	68448	226.0	228.0	2.0	1310	52	0.13	0.05
NKT-91-37	68449	228.0	230.0	2.0	780	47	0.08	0.05
NKT-91-37	68450	230.0	232.0	2.0	870	65	0.09	0.07
NKT-91-37	68451	232.0	234.0	2.0	1190	72	0.12	0.07
NKT-91-37	68452	234.0	236.0	2.0	2020	102	0.20	0.10
NKT-91-37	68453	236.0	237.6	1.6	590	25	0.06	0.03
NKT-91-37	68454	237.6	239.0	1.4	650	22	0.07	0.02
NKT-91-37	68455	239.0	241.3	2.3	2650	97	0.27	0.10
NKT-91-37	68456	241.3	243.7	2.4	50	6	0.01	0.01
NKT-91-37	68457	243.7	245.6	1.9	1020	41	0.10	0.04
NKT-91-37	68458	245.6	247.0	1.4	1640	50	0.16	0.05
NKT-91-37	68459	247.0	249.0	2.0	700	30	0.07	0.03
NKT-91-37	68460	249.0	251.0	2.0	530	26	0.05	0.03
NKT-91-37	68461	251.0	253.0	2.0	40	110	0.00	0.11
NKT-91-37	68462	253.0	254.8	1.8	120	274	0.01	0.27
NKT-91-37	68463	254.8	257.0	2.2	50	3	0.01	0.01
NKT-91-37	68464	257.0	259.0	2.0	50	2	0.01	0.01
NKT-91-37	68465	259.0	261.0	2.0	50	1	0.01	0.01
NKT-91-37	no sample	261.0	268.0	7.0				
NKT-91-37	68466	268.0	270.0	2.0	40	3	0.00	0.01
NKT-91-37	68467	270.0	271.9	1.9	40	6	0.00	0.01
NKT-91-37	68468	271.9	274.0	2.1	10	102	0.00	0.10
NKT-91-37	68469	274.0	276.0	2.0	10	59	0.00	0.06
NKT-91-37	68470	276.0	278.0	2.0	20	15	0.00	0.02
NKT-91-37	68471	278.0	280.0	2.0	10	23	0.00	0.02
NKT-91-37	68472	280.0	282.5	2.5	60	11	0.01	0.01
NKT-91-37	68473	282.5	283.5	1.0	70	5	0.01	0.01
NKT-91-38	no sample	0.0	33.5	33.5				
NKT-91-38	68474	33.5	35.0	1.5	110	7	0.01	0.01
NKT-91-38	68475	35.0	37.0	2.0	180	9	0.02	0.01
NKT-91-38	68476	37.0	39.0	2.0	180	11	0.02	0.01
NKT-91-38	68477	39.0	41.0	2.0	200	13	0.02	0.01
NKT-91-38	68478	41.0	42.6	1.6	130	10	0.01	0.01
NKT-91-38	68479	42.6	45.1	2.5	530	55	0.05	0.06
NKT-91-38	68480	45.1	47.0	1.9	70	12	0.01	0.01
NKT-91-38	68481	47.0	49.0	2.0	110	17	0.01	0.02
NKT-91-38	68482	49.0	51.0	2.0	60	10	0.01	0.01

NKT-91-38	68483	51.0	52.6	1.6	60	15	0.01	0.02
NKT-91-38	68484	52.6	54.6	2.0	50	22	0.01	0.02
NKT-91-38	68485	54.6	56.0	1.4	60	10	0.01	0.01
NKT-91-38	68486	56.0	58.3	2.3	90	10	0.01	0.01
NKT-91-38	68487	58.3	61.0	2.7	210	25	0.02	0.03
NKT-91-38	68488	61.0	63.0	2.0	50	11	0.01	0.01
NKT-91-38	68489	63.0	65.0	2.0	160	14	0.02	0.01
NKT-91-38	68490	65.0	67.0	2.0	70	6	0.01	0.01
NKT-91-38	68491	67.0	69.0	2.0	50	7	0.01	0.01
NKT-91-38	68492	69.0	71.0	2.0	70	4	0.01	0.01
NKT-91-38	68493	71.0	73.0	2.0	100	11	0.01	0.01
NKT-91-38	68494	73.0	75.0	2.0	80	8	0.01	0.01
NKT-91-38	no sample	75.0	88.0	13.0				
NKT-91-38	68495	88.0	90.0	2.0	170	16	0.02	0.02
NKT-91-38	68496	90.0	92.0	2.0	160	14	0.02	0.01
NKT-91-38	68497	92.0	94.0	2.0	170	10	0.02	0.01
NKT-91-38	68498	94.0	96.0	2.0	260	19	0.03	0.02
NKT-91-38	68499	96.0	98.0	2.0	230	29	0.02	0.03
NKT-91-38	68500	98.0	100.0	2.0	190	11	0.02	0.01
NKT-91-38	68501	100.0	102.0	2.0	280	11	0.03	0.01
NKT-91-38	no sample	102.0	115.0	13.0				
NKT-91-38	68502	115.0	117.0	2.0	170	8	0.02	0.01
NKT-91-38	68503	117.0	119.0	2.0	210	7	0.02	0.01
NKT-91-38	68504	119.0	121.0	2.0	160	14	0.02	0.01
NKT-91-38	68505	121.0	123.3	2.3	180	8	0.02	0.01
NKT-91-38	no sample	123.3	177.0	53.7				
NKT-91-38	68506	177.0	179.0	2.0	160	12	0.02	0.01
NKT-91-38	68507	179.0	181.0	2.0	280	15	0.03	0.02
NKT-91-38	68508	181.0	183.0	2.0	100	12	0.01	0.01
NKT-91-38	68509	183.0	184.5	1.5	290	14	0.03	0.01
NKT-91-38	68510	184.5	186.0	1.5	690	28	0.07	0.03
NKT-91-38	68511	186.0	188.0	2.0	650	21	0.07	0.02
NKT-91-38	no sample	188.0	192.0	4.0				
NKT-91-38	68512	192.0	194.6	2.6	460	18	0.05	0.02
NKT-91-38	68513	194.6	195.8	1.2	60	6	0.01	0.01
NKT-91-38	68514	195.8	198.4	2.6	140	10	0.01	0.01
NKT-91-38	68515	198.4	200.0	1.6	170	11	0.02	0.01
NKT-91-38	68516	200.0	202.0	2.0	160	13	0.02	0.01
NKT-91-38	no sample	202.0	213.0	11.0				
NKT-91-38	68517	213.0	215.0	2.0	490	40	0.05	0.04
NKT-91-38	68518	215.0	217.0	2.0	590	33	0.06	0.03
NKT-91-38	68519	217.0	219.0	2.0	550	28	0.06	0.03
NKT-91-38	68520	219.0	221.0	2.0	360	18	0.04	0.02
NKT-91-38	68521	221.0	223.0	2.0	210	17	0.02	0.02
NKT-91-38	no sample	223.0	240.8	17.8				
YKT-92-39	no sample	0.0	12.8	12.8				
YKT-92-39	21851	12.8	15.0	2.2	375	0	0.04	0.01
YKT-92-39	21852	15.0	18.0	3.0	230	0	0.02	0.01
YKT-92-39	21853	18.0	21.0	3.0	215	0	0.02	0.01
YKT-92-39	21854	21.0	24.0	3.0	190	0	0.02	0.01
YKT-92-39	21855	24.0	27.0	3.0	112	0	0.01	0.01
YKT-92-39	21856	27.0	30.0	3.0	161	0	0.02	0.01
YKT-92-39	21857	30.0	33.0	3.0	240	0	0.02	0.01
YKT-92-39	21858	33.0	36.0	3.0	314	0	0.03	0.01

YKT-92-39	21859	36.0	39.0	3.0	490	0	0.05	0.01
YKT-92-39	21860	39.0	42.0	3.0	448	0	0.04	0.01
YKT-92-39	21861	42.0	45.0	3.0	458	0	0.05	0.01
YKT-92-39	21862	45.0	48.0	3.0	1103	0	0.11	0.01
YKT-92-39	21863	48.0	51.0	3.0	960	0	0.10	0.01
YKT-92-39	21864	51.0	54.0	3.0	1796	0	0.18	0.01
YKT-92-39	21865	54.0	57.0	3.0	556	0	0.06	0.01
YKT-92-39	21866	57.0	60.0	3.0	2306	0	0.23	0.01
YKT-92-39	21867	60.0	63.0	3.0	1359	0	0.14	0.01
YKT-92-39	21868	63.0	66.0	3.0	1779	0	0.18	0.01
YKT-92-39	21869	66.0	69.0	3.0	1855	0	0.19	0.01
YKT-92-39	21870	69.0	72.0	3.0	2259	0	0.23	0.01
YKT-92-39	21871	72.0	75.0	3.0	2103	0	0.21	0.01
YKT-92-39	21872	75.0	78.0	3.0	2436	0	0.24	0.01
YKT-92-39	21873	78.0	81.0	3.0	4078	0	0.41	0.01
YKT-92-39	21874	81.0	84.0	3.0	3927	0	0.39	0.01
YKT-92-39	21875	84.0	87.0	3.0	2913	0	0.29	0.01
YKT-92-39	21876	87.0	90.0	3.0	3543	0	0.35	0.01
YKT-92-39	21877	90.0	93.0	3.0	3700	0	0.37	0.01
YKT-92-39	21878	93.0	96.0	3.0	4321	0	0.43	0.01
YKT-92-39	21879	96.0	99.0	3.0	3380	0	0.34	0.01
YKT-92-39	21880	99.0	102.0	3.0	3145	0	0.31	0.01
YKT-92-39	21881	102.0	105.0	3.0	3427	0	0.34	0.01
YKT-92-39	21882	105.0	108.0	3.0	3400	0	0.34	0.01
YKT-92-39	21883	108.0	111.0	3.0	3395	0	0.34	0.01
YKT-92-39	21884	111.0	114.0	3.0	4368	0	0.44	0.01
YKT-92-39	21885	114.0	117.0	3.0	2716	0	0.27	0.01
YKT-92-39	21886	117.0	120.0	3.0	1459	0	0.15	0.01
YKT-92-39	21887	120.0	123.0	3.0	1738	0	0.17	0.01
YKT-92-39	21888	123.0	126.0	3.0	1774	0	0.18	0.01
YKT-92-39	21889	126.0	129.0	3.0	272	0	0.03	0.01
YKT-92-39	21890	129.0	132.0	3.0	216	0	0.02	0.01
YKT-92-39	21891	132.0	135.0	3.0	170	0	0.02	0.01
YKT-92-39	21892	135.0	138.0	3.0	400	0	0.04	0.01
YKT-92-39	21893	138.0	141.0	3.0	189	0	0.02	0.01
YKT-92-39	21894	141.0	144.0	3.0	331	0	0.03	0.01
YKT-92-39	21895	144.0	147.0	3.0	112	0	0.01	0.01
YKT-92-39	21896	147.0	150.0	3.0	184	0	0.02	0.01
YKT-92-39	21897	150.0	153.0	3.0	81	0	0.01	0.01
YKT-92-39	21898	153.0	156.0	3.0	202	0	0.02	0.01
YKT-92-39	21899	156.0	159.0	3.0	473	0	0.05	0.01
YKT-92-39	21900	159.0	162.0	3.0	88	0	0.01	0.01
YKT-92-39	21901	162.0	165.0	3.0	175	0	0.02	0.01
YKT-92-39	21902	165.0	168.0	3.0	211	0	0.02	0.01
YKT-92-39	21903	168.0	171.0	3.0	185	0	0.02	0.01
YKT-92-39	21904	171.0	174.0	3.0	2663	0	0.27	0.01
YKT-92-39	21905	174.0	177.0	3.0	398	0	0.04	0.01
YKT-92-39	21906	177.0	180.0	3.0	698	0	0.07	0.01
YKT-92-39	21907	180.0	183.0	3.0	158	0	0.02	0.01
YKT-92-39	21908	183.0	186.0	3.0	303	0	0.03	0.01
YKT-92-39	21909	186.0	189.0	3.0	207	0	0.02	0.01
YKT-92-39	21910	189.0	192.0	3.0	146	0	0.01	0.01
YKT-92-39	21911	192.0	195.0	3.0	44	0	0.00	0.01
YKT-92-39	21912	195.0	198.0	3.0	100	0	0.01	0.01

YKT-92-39	21913	198.0	201.0	3.0	602	0	0.06	0.01
YKT-92-39	21914	201.0	204.0	3.0	719	0	0.07	0.01
YKT-92-39	21915	204.0	207.0	3.0	362	0	0.04	0.01
YKT-92-39	21916	207.0	210.0	3.0	612	0	0.06	0.01
YKT-92-39	21917	210.0	213.0	3.0	74	0	0.01	0.01
YKT-92-39	21918	213.0	216.0	3.0	0	0	0.00	0.01
YKT-92-39	21919	216.0	219.0	3.0	0	0	0.00	0.01
YKT-92-39	21920	219.0	222.0	3.0	0	0	0.00	0.01
YKT-92-39	21921	222.0	225.0	3.0	0	0	0.00	0.01
YKT-92-39	21922	225.0	228.0	3.0	0	0	0.00	0.01
YKT-92-39	21923	228.0	231.0	3.0	0	0	0.00	0.01
YKT-92-39	21924	231.0	234.0	3.0	0	0	0.00	0.01
YKT-92-39	21925	234.0	237.0	3.0	0	0	0.00	0.01
YKT-92-39	21926	237.0	239.9	2.9	0	0	0.00	0.01
YKT-91-40	no sample	0.0	4.3	4.3				
YKT-91-40	21927	4.3	7.0	2.7	1130	10	0.11	0.01
YKT-91-40	21928	7.0	10.0	3.0	1132	20	0.11	0.02
YKT-91-40	21929	10.0	13.0	3.0	757	25	0.08	0.03
YKT-91-40	21930	13.0	16.0	3.0	809	40	0.08	0.04
YKT-91-40	21931	16.0	19.0	3.0	1170	120	0.12	0.12
YKT-91-40	21932	19.0	22.0	3.0	764	10	0.08	0.01
YKT-91-40	21933	22.0	25.0	3.0	626	10	0.06	0.01
YKT-91-40	21934	25.0	28.0	3.0	520	10	0.05	0.01
YKT-91-40	21935	28.0	31.0	3.0	547	25	0.05	0.03
YKT-91-40	21936	31.0	34.0	3.0	1036	40	0.10	0.04
YKT-91-40	21937	34.0	37.0	3.0	525	50	0.05	0.05
YKT-91-40	21938	37.0	40.0	3.0	997	5	0.10	0.01
YKT-91-40	21939	40.0	43.0	3.0	1371	5	0.14	0.01
YKT-91-40	21940	43.0	46.0	3.0	916	180	0.09	0.18
YKT-91-40	21941	46.0	49.0	3.0	1501	5	0.15	0.01
YKT-91-40	21942	49.0	52.0	3.0	948	5	0.09	0.01
YKT-91-40	21943	52.0	55.0	3.0	2498	5	0.25	0.01
YKT-91-40	21944	55.0	58.0	3.0	2347	10	0.23	0.01
YKT-91-40	21945	58.0	61.0	3.0	1600	120	0.16	0.12
YKT-91-40	21946	61.0	63.5	2.5	1155	20	0.12	0.02
YKT-91-40	21947	63.5	65.0	1.5	672	30	0.07	0.03
YKT-91-40	21948	65.0	68.0	3.0	691	120	0.07	0.12
YKT-91-40	21949	68.0	71.0	3.0	2667	120	0.27	0.12
YKT-91-40	21950	71.0	74.0	3.0	964	40	0.10	0.04
YKT-91-40	21951	74.0	77.0	3.0	2102	230	0.21	0.23
YKT-91-40	21952	77.0	80.0	3.0	1266	70	0.13	0.07
YKT-91-40	21953	80.0	83.0	3.0	1306	100	0.13	0.10
YKT-91-40	21954	83.0	86.0	3.0	1589	170	0.16	0.17
YKT-91-40	21955	86.0	89.0	3.0	3150	140	0.32	0.14
YKT-91-40	21956	89.0	92.0	3.0	1926	110	0.19	0.11
YKT-91-40	21957	92.0	95.0	3.0	2399	200	0.24	0.20
YKT-91-40	21958	95.0	98.0	3.0	1137	100	0.11	0.10
YKT-91-40	21959	98.0	101.0	3.0	2134	130	0.21	0.13
YKT-91-40	21960	101.0	104.0	3.0	1927	340	0.19	0.34
YKT-91-40	21961	104.0	107.0	3.0	812	70	0.08	0.07
YKT-91-40	21962	107.0	110.0	3.0	659	110	0.07	0.11
YKT-91-40	21963	110.0	113.0	3.0	128	380	0.01	0.38
YKT-91-40	21964	113.0	116.0	3.0	1236	100	0.12	0.10
YKT-91-40	21965	116.0	119.0	3.0	1728	180	0.17	0.18



YKT-91-40	21966	119.0	122.0	3.0	2054	140	0.21	0.14
YKT-91-40	21967	122.0	125.0	3.0	2440	150	0.24	0.15
YKT-91-40	21968	125.0	128.0	3.0	5924	530	0.59	0.53
YKT-91-40	21969	128.0	131.0	3.0	3051	400	0.31	0.40
YKT-91-40	21970	131.0	134.0	3.0	4901	230	0.49	0.23
YKT-91-40	21971	134.0	136.6	2.6	7518	280	0.75	0.28
YKT-91-40	21972	136.6	138.4	1.8	809	150	0.08	0.15
YKT-91-40	21973	138.4	141.0	2.6	2184	400	0.22	0.40
YKT-91-40	21974	141.0	144.0	3.0	4699	200	0.47	0.20
YKT-91-40	21975	144.0	147.0	3.0	2160	130	0.22	0.13
YKT-91-40	21976	147.0	150.0	3.0	2295	80	0.23	0.08
YKT-91-40	21977	150.0	153.0	3.0	917	70	0.09	0.07
YKT-91-40	21978	153.0	156.0	3.0	1446	80	0.14	0.08
YKT-91-40	21979	156.0	159.0	3.0	4128	170	0.41	0.17
YKT-91-40	21980	159.0	162.0	3.0	2274	160	0.23	0.16
YKT-91-40	21981	162.0	165.0	3.0	2711	150	0.27	0.15
YKT-91-40	21982	165.0	168.0	3.0	414	20	0.04	0.02
YKT-91-40	21983	168.0	171.0	3.0	71	30	0.01	0.03
YKT-91-40	21984	171.0	174.0	3.0	199	20	0.02	0.02
YKT-91-40	21985	174.0	177.0	3.0	113	10	0.01	0.01
YKT-91-40	21986	177.0	180.0	3.0	32	5	0.00	0.01
YKT-91-40	21987	180.0	183.0	3.0	98	5	0.01	0.01
YKT-91-40	21988	183.0	186.0	3.0	1890	140	0.19	0.14
YKT-91-40	21989	186.0	189.0	3.0	1471	120	0.15	0.12
YKT-91-40	21990	189.0	192.0	3.0	516	30	0.05	0.03
YKT-91-40	21991	192.0	195.0	3.0	740	5	0.07	0.01
YKT-91-40	21992	195.0	197.7	2.7	865	50	0.09	0.05
YKT-91-40	21993	197.7	199.1	1.4	507	50	0.05	0.05
YKT-91-40	21994	199.1	202.0	2.9	1504	70	0.15	0.07
YKT-91-40	21995	202.0	204.9	2.9	160	20	0.02	0.02
YKT-91-40	21996	204.9	208.3	3.4	139	100	0.01	0.10
YKT-91-40	21997	208.3	211.0	2.7	563	100	0.06	0.10
YKT-91-40	21998	211.0	214.0	3.0	1432	110	0.14	0.11
YKT-91-40	21999	214.0	217.0	3.0	493	30	0.05	0.03
YKT-91-40	22000	217.0	220.0	3.0	494	20	0.05	0.02
YKT-91-40	22001	220.0	223.0	3.0	759	40	0.08	0.04
YKT-91-40	22002	223.0	226.0	3.0	633	90	0.06	0.09
YKT-91-40	22003	226.0	229.0	3.0	745	30	0.07	0.03
YKT-91-40	22004	229.0	232.0	3.0	1412	60	0.14	0.06
YKT-91-40	22005	232.0	235.0	3.0	213	10	0.02	0.01
YKT-91-40	22006	235.0	238.0	3.0	1283	50	0.13	0.05
YKT-91-40	22007	238.0	241.0	3.0	374	10	0.04	0.01
YKT-91-40	22008	241.0	244.0	3.0	444	10	0.04	0.01
YKT-91-40	22009	244.0	247.0	3.0	1688	110	0.17	0.11
YKT-91-40	22010	247.0	250.0	3.0	1471	40	0.15	0.04
YKT-91-40	22011	250.0	253.0	3.0	1026	20	0.10	0.02
YKT-91-40	22012	253.0	256.0	3.0	576	10	0.06	0.01
YKT-91-40	22013	256.0	259.0	3.0	683	30	0.07	0.03
YKT-91-40	22014	259.0	262.0	3.0	516	20	0.05	0.02
YKT-91-40	22015	262.0	265.0	3.0	948	50	0.09	0.05
YKT-91-40	22016	265.0	268.0	3.0	729	60	0.07	0.06
YKT-91-40	22017	268.0	271.0	3.0	750	80	0.08	0.08
YKT-91-40	22018	271.0	274.0	3.0	581	60	0.06	0.06
YKT-91-40	22019	274.0	277.0	3.0	1144	80	0.11	0.08

YKT-91-40	no sample	277.0	292.0	15.0				
YKT-91-40	22020	292.0	295.0	3.0	2286	110	0.23	0.11
YKT-91-40	22021	295.0	298.0	3.0	1534	100	0.15	0.10
YKT-91-40	22022	298.0	301.0	3.0	2141	150	0.21	0.15
YKT-91-40	22023	301.0	304.0	3.0	644	40	0.06	0.04
YKT-91-40	22024	304.0	307.0	3.0	1553	50	0.16	0.05
YKT-91-40	22025	307.0	310.0	3.0	1174	60	0.12	0.06
YKT-91-40	22026	310.0	313.0	3.0	900	40	0.09	0.04
YKT-91-40	22027	313.0	316.0	3.0	866	40	0.09	0.04
YKT-91-40	22028	316.0	319.0	3.0	987	30	0.10	0.03
YKT-91-40	22029	319.0	322.0	3.0	775	30	0.08	0.03
YKT-91-40	22030	322.0	325.0	3.0	1017	40	0.10	0.04
YKT-91-40	22031	325.0	329.0	4.0	1410	400	0.14	0.40
YKT-91-40	no sample	329.0	330.9	1.9				
YKT-91-40	22032	330.9	334.0	3.1	1028	50	0.10	0.05
YKT-91-40	22033	334.0	337.4	3.4	540	10	0.05	0.01
YKT-92-41	no sample	0.0	3.0	3.0				
YKT-92-41	22051	3.0	6.0	3.0	752	30	0.08	0.03
YKT-92-41	22052	6.0	9.0	3.0	599	20	0.06	0.02
YKT-92-41	22053	9.0	12.0	3.0	589	20	0.06	0.02
YKT-92-41	22054	12.0	15.0	3.0	514	20	0.05	0.02
YKT-92-41	22055	15.0	18.0	3.0	814	20	0.08	0.02
YKT-92-41	22056	18.0	21.0	3.0	1376	50	0.14	0.05
YKT-92-41	22057	21.0	24.0	3.0	833	10	0.08	0.01
YKT-92-41	22058	24.0	27.0	3.0	1083	10	0.11	0.01
YKT-92-41	22059	27.0	30.0	3.0	1346	40	0.13	0.04
YKT-92-41	22060	30.0	33.0	3.0	375	20	0.04	0.02
YKT-92-41	22061	33.0	36.0	3.0	629	20	0.06	0.02
YKT-92-41	22062	36.0	39.0	3.0	1355	20	0.14	0.02
YKT-92-41	22063	39.0	42.0	3.0	941	40	0.09	0.04
YKT-92-41	22064	42.0	45.0	3.0	616	30	0.06	0.03
YKT-92-41	22065	45.0	48.0	3.0	1235	100	0.12	0.10
YKT-92-41	22066	48.0	51.0	3.0	510	20	0.05	0.02
YKT-92-41	22067	51.0	54.0	3.0	1400	70	0.14	0.07
YKT-92-41	22068	54.0	57.0	3.0	1611	20	0.16	0.02
YKT-92-41	22069	57.0	60.0	3.0	601	30	0.06	0.03
YKT-92-41	22070	60.0	63.0	3.0	471	20	0.05	0.02
YKT-92-41	22071	63.0	66.0	3.0	349	10	0.03	0.01
YKT-92-41	22072	66.0	69.0	3.0	598	60	0.06	0.06
YKT-92-41	22073	69.0	72.0	3.0	1469	310	0.15	0.31
YKT-92-41	22074	72.0	75.0	3.0	920	50	0.09	0.05
YKT-92-41	22075	75.0	78.0	3.0	1946	50	0.19	0.05
YKT-92-41	22076	78.0	81.0	3.0	1663	80	0.17	0.08
YKT-92-41	22077	81.0	84.0	3.0	958	40	0.10	0.04
YKT-92-41	22078	84.0	87.0	3.0	1062	50	0.11	0.05
YKT-92-41	22079	87.0	90.0	3.0	607	20	0.06	0.02
YKT-92-41	22080	90.0	93.0	3.0	1074	80	0.11	0.08
YKT-92-41	22081	93.0	96.0	3.0	1022	10	0.10	0.01
YKT-92-41	22082	96.0	99.0	3.0	895	10	0.09	0.01
YKT-92-41	22083	99.0	102.0	3.0	864	10	0.09	0.01
YKT-92-41	22084	102.0	105.0	3.0	562	10	0.06	0.01
YKT-92-41	22085	105.0	108.0	3.0	1550	110	0.16	0.11
YKT-92-41	22086	108.0	111.0	3.0	2176	170	0.22	0.17
YKT-92-41	22087	111.0	114.0	3.0	2109	150	0.21	0.15

YKT-92-41	22088	114.0	117.0	3.0	1140	110	0.11	0.11
YKT-92-41	22089	117.0	120.0	3.0	980	80	0.10	0.08
YKT-92-41	22090	120.0	123.0	3.0	676	310	0.07	0.31
YKT-92-41	22091	123.0	126.0	3.0	5627	550	0.56	0.55
YKT-92-41	22092	126.0	129.0	3.0	3413	250	0.34	0.25
YKT-92-41	22093	129.0	132.0	3.0	1099	190	0.11	0.19
YKT-92-41	22094	132.0	135.0	3.0	2483	320	0.25	0.32
YKT-92-41	22095	135.0	138.0	3.0	719	410	0.07	0.41
YKT-92-41	22096	138.0	141.0	3.0	3594	300	0.36	0.30
YKT-92-41	22097	141.0	144.0	3.0	1374	110	0.14	0.11
YKT-92-41	22098	144.0	147.0	3.0	3951	230	0.40	0.23
YKT-92-41	22099	147.0	150.0	3.0	2377	270	0.24	0.27
YKT-92-41	22100	150.0	153.0	3.0	2306	250	0.23	0.25
YKT-92-41	22101	153.0	156.0	3.0	5352	540	0.54	0.54
YKT-92-41	22102	156.0	159.0	3.0	3261	220	0.33	0.22
YKT-92-41	22103	159.0	162.0	3.0	1111	70	0.11	0.07
YKT-92-41	22104	162.0	165.0	3.0	701	30	0.07	0.03
YKT-92-41	22105	165.0	168.0	3.0	1085	540	0.11	0.54
YKT-92-41	22106	168.0	171.0	3.0	4106	580	0.41	0.58
YKT-92-41	22107	171.0	174.0	3.0	8092	3060	0.81	3.06
YKT-92-41	22108	174.0	177.0	3.0	885	100	0.09	0.10
YKT-92-41	22109	177.0	180.0	3.0	529	60	0.05	0.06
YKT-92-41	22110	180.0	183.0	3.0	561	30	0.06	0.03
YKT-92-41	22111	183.0	186.0	3.0	400	20	0.04	0.02
YKT-92-41	22112	186.0	189.0	3.0	268	5	0.03	0.01
YKT-92-41	22113	189.0	192.0	3.0	546	20	0.05	0.02
YKT-92-41	22114	192.0	195.0	3.0	1067	50	0.11	0.05
YKT-92-41	22115	195.0	198.0	3.0	1205	80	0.12	0.08
YKT-92-41	22116	198.0	201.0	3.0	1439	5	0.14	0.01
YKT-92-41	22117	201.0	204.0	3.0	255	5	0.03	0.01
YKT-92-41	22118	204.0	207.0	3.0	338	5	0.03	0.01
YKT-92-41	22119	207.0	210.0	3.0	281	5	0.03	0.01
YKT-92-41	22120	210.0	213.0	3.0	489	5	0.05	0.01
YKT-92-41	22121	213.0	216.0	3.0	746	5	0.07	0.01
YKT-92-41	22122	216.0	219.0	3.0	877	5	0.09	0.01
YKT-92-41	22123	219.0	222.0	3.0	650	5	0.07	0.01
YKT-92-41	22124	222.0	225.0	3.0	740	30	0.07	0.03
YKT-92-41	22125	225.0	228.0	3.0	1178	80	0.12	0.08
YKT-92-41	22126	228.0	231.0	3.0	365	30	0.04	0.03
YKT-92-41	22127	231.0	234.0	3.0	485	20	0.05	0.02
YKT-92-41	22128	234.0	237.0	3.0	614	40	0.06	0.04
YKT-92-41	22129	237.0	240.0	3.0	590	40	0.06	0.04
YKT-92-41	22130	240.0	243.0	3.0	471	10	0.05	0.01
YKT-92-41	22131	243.0	246.0	3.0	547	120	0.05	0.12
YKT-92-41	22132	246.0	249.0	3.0	640	40	0.06	0.04
YKT-92-41	22133	249.0	252.0	3.0	417	30	0.04	0.03
YKT-92-41	22134	252.0	255.0	3.0	818	70	0.08	0.07
YKT-92-41	22135	255.0	258.0	3.0	1436	100	0.14	0.10
YKT-92-41	22136	258.0	261.0	3.0	1959	60	0.20	0.06
YKT-92-41	22137	261.0	264.0	3.0	563	20	0.06	0.02
YKT-92-41	22138	264.0	267.0	3.0	761	60	0.08	0.06
YKT-92-41	22139	267.0	270.0	3.0	1117	60	0.11	0.06
YKT-92-41	22140	270.0	273.0	3.0	418	20	0.04	0.02
YKT-92-41	22141	273.0	276.0	3.0	290	10	0.03	0.01

YKT-92-41	22142	276.0	279.0	3.0	472	20	0.05	0.02
YKT-92-41	22143	279.0	282.0	3.0	669	30	0.07	0.03
YKT-92-41	22144	282.0	285.0	3.0	567	50	0.06	0.05
YKT-92-41	22145	285.0	288.0	3.0	637	230	0.06	0.23
YKT-92-41	22146	288.0	291.0	3.0	68	20	0.01	0.02
YKT-91-42	no sample	0.0	1.0	1.0				
YKT-91-42	22147	1.0	4.0	3.0	424	0	0.04	0.01
YKT-91-42	22148	4.0	7.0	3.0	769	30	0.08	0.03
YKT-91-42	22149	7.0	10.0	3.0	569	40	0.06	0.04
YKT-91-42	22150	10.0	13.0	3.0	2020	100	0.20	0.10
YKT-91-42	22151	13.0	16.0	3.0	905	30	0.09	0.03
YKT-91-42	22152	16.0	19.0	3.0	954	40	0.10	0.04
YKT-91-42	22153	19.0	22.0	3.0	1258	80	0.13	0.08
YKT-91-42	22154	22.0	25.0	3.0	599	30	0.06	0.03
YKT-91-42	22155	25.0	28.0	3.0	1009	80	0.10	0.08
YKT-91-42	22156	28.0	31.0	3.0	895	50	0.09	0.05
YKT-91-42	22157	31.0	34.0	3.0	1037	50	0.10	0.05
YKT-91-42	22158	34.0	37.0	3.0	665	80	0.07	0.08
YKT-91-42	22159	37.0	40.0	3.0	1326	50	0.13	0.05
YKT-91-42	22160	40.0	43.0	3.0	452	10	0.05	0.01
YKT-91-42	22161	43.0	46.0	3.0	565	5	0.06	0.01
YKT-91-42	22162	46.0	49.0	3.0	1028	20	0.10	0.02
YKT-91-42	22163	49.0	52.0	3.0	995	40	0.10	0.04
YKT-91-42	22164	52.0	55.0	3.0	2150	100	0.22	0.10
YKT-91-42	22165	55.0	58.0	3.0	590	30	0.06	0.03
YKT-91-42	22166	58.0	61.0	3.0	872	40	0.09	0.04
YKT-91-42	22167	61.0	64.0	3.0	1007	30	0.10	0.03
YKT-91-42	22168	64.0	67.0	3.0	808	20	0.08	0.02
YKT-91-42	22169	67.0	70.0	3.0	920	20	0.09	0.02
YKT-91-42	22170	70.0	73.0	3.0	438	25	0.04	0.03
YKT-91-42	22171	73.0	76.0	3.0	332	5	0.03	0.01
YKT-91-42	22172	76.0	79.0	3.0	129	10	0.01	0.01
YKT-91-42	22173	79.0	82.0	3.0	70	5	0.01	0.01
YKT-91-42	22174	82.0	85.0	3.0	667	20	0.07	0.02
YKT-91-42	22175	85.0	88.0	3.0	1028	20	0.10	0.02
YKT-91-42	22176	88.0	91.0	3.0	523	30	0.05	0.03
YKT-91-42	22177	91.0	94.0	3.0	776	35	0.08	0.04
YKT-91-42	22178	94.0	97.0	3.0	421	20	0.04	0.02
YKT-91-42	22179	97.0	100.0	3.0	623	10	0.06	0.01
YKT-91-42	22180	100.0	103.0	3.0	1720	130	0.17	0.13
YKT-91-42	22181	103.0	106.0	3.0	1091	60	0.11	0.06
YKT-91-42	22182	106.0	109.0	3.0	1181	90	0.12	0.09
YKT-91-42	22183	109.0	112.0	3.0	436	20	0.04	0.02
YKT-91-42	22184	112.0	115.0	3.0	363	20	0.04	0.02
YKT-91-42	22185	115.0	118.0	3.0	577	60	0.06	0.06
YKT-91-42	22186	118.0	121.0	3.0	467	60	0.05	0.06
YKT-91-42	22187	121.0	124.0	3.0	423	80	0.04	0.08
YKT-91-42	22188	124.0	127.0	3.0	489	100	0.05	0.10
YKT-91-42	22189	127.0	130.0	3.0	891	140	0.09	0.14
YKT-91-42	22190	130.0	133.0	3.0	1595	420	0.16	0.42
YKT-91-42	22191	133.0	136.0	3.0	2236	340	0.22	0.34
YKT-91-42	22192	136.0	139.0	3.0	563	80	0.06	0.08
YKT-91-42	22193	139.0	142.0	3.0	550	60	0.06	0.06
YKT-91-42	22194	142.0	145.0	3.0	813	70	0.08	0.07

YKT-91-42	22195	145.0	148.0	3.0	1548	210	0.15	0.21
YKT-91-42	22196	148.0	151.0	3.0	792	50	0.08	0.05
YKT-91-42	22197	151.0	154.0	3.0	1160	160	0.12	0.16
YKT-91-42	22198	154.0	157.0	3.0	918	120	0.09	0.12
YKT-91-42	22199	157.0	160.0	3.0	853	80	0.09	0.08
YKT-91-42	22200	160.0	163.0	3.0	811	60	0.08	0.06
YKT-91-42	22201	163.0	166.0	3.0	4039	520	0.40	0.52
YKT-91-42	22202	166.0	169.0	3.0	1188	190	0.12	0.19
YKT-91-42	22203	169.0	172.0	3.0	2051	480	0.21	0.48
YKT-91-42	22204	172.0	175.0	3.0	464	110	0.05	0.11
YKT-91-42	22205	175.0	178.0	3.0	1190	110	0.12	0.11
YKT-91-42	22206	178.0	181.0	3.0	2351	120	0.24	0.12
YKT-91-42	22207	181.0	184.0	3.0	676	60	0.07	0.06
YKT-91-42	22208	184.0	187.0	3.0	324	40	0.03	0.04
YKT-91-42	22209	187.0	190.0	3.0	550	70	0.06	0.07
YKT-91-42	22210	190.0	193.0	3.0	1311	60	0.13	0.06
YKT-91-42	22211	193.0	196.0	3.0	2403	180	0.24	0.18
YKT-91-42	22212	196.0	199.0	3.0	1051	80	0.11	0.08
YKT-91-42	22213	199.0	202.0	3.0	676	40	0.07	0.04
YKT-91-42	22214	202.0	205.0	3.0	196	20	0.02	0.02
YKT-91-42	22215	205.0	208.0	3.0	632	50	0.06	0.05
YKT-91-42	22216	208.0	211.0	3.0	1488	60	0.15	0.06
YKT-91-42	22217	211.0	214.0	3.0	4288	220	0.43	0.22
YKT-91-42	22218	214.0	217.0	3.0	1285	60	0.13	0.06
YKT-91-42	22219	217.0	220.0	3.0	1466	100	0.15	0.10
YKT-91-42	22220	220.0	223.0	3.0	1861	100	0.19	0.10
YKT-91-42	22221	223.0	226.0	3.0	591	60	0.06	0.06
YKT-91-42	22222	226.0	229.0	3.0	1089	60	0.11	0.06
YKT-91-42	22223	229.0	232.0	3.0	976	80	0.10	0.08
YKT-91-42	22224	232.0	235.0	3.0	1995	120	0.20	0.12
YKT-91-42	22225	235.0	238.0	3.0	1416	50	0.14	0.05
YKT-91-42	22226	238.0	241.0	3.0	1698	80	0.17	0.08
YKT-91-42	22227	241.0	244.0	3.0	301	50	0.03	0.05
YKT-91-42	22228	244.0	247.0	3.0	2646	120	0.26	0.12
YKT-91-42	22229	247.0	250.0	3.0	815	60	0.08	0.06
YKT-91-42	22230	250.0	253.0	3.0	441	30	0.04	0.03
YKT-91-42	22231	253.0	256.0	3.0	269	10	0.03	0.01
YKT-91-42	22232	256.0	259.0	3.0	1680	70	0.17	0.07
YKT-91-42	22233	259.0	262.0	3.0	678	30	0.07	0.03
YKT-91-42	22234	262.0	265.0	3.0	481	60	0.05	0.06
YKT-91-42	22235	265.0	268.0	3.0	1648	620	0.16	0.62
YKT-91-42	22236	268.0	271.0	3.0	2677	120	0.27	0.12
YKT-91-42	22237	271.0	274.0	3.0	2079	90	0.21	0.09
YKT-91-42	22238	274.0	277.0	3.0	674	30	0.07	0.03
YKT-91-42	22239	277.0	280.0	3.0	955	130	0.10	0.13
YKT-91-42	22240	280.0	283.0	3.0	510	30	0.05	0.03
YKT-91-42	22241	283.0	286.0	3.0	916	90	0.09	0.09
YKT-91-42	22242	286.0	288.0	2.0	300	20	0.03	0.02
YKT-92-43	no sample	0.0	7.6	7.6				
YKT-92-43	22243	7.6	10.0	2.4	1034	10	0.10	0.01
YKT-92-43	22244	10.0	13.0	3.0	1842	60	0.18	0.06
YKT-92-43	22245	13.0	16.0	3.0	1532	110	0.15	0.11
YKT-92-43	22246	16.0	19.0	3.0	1969	100	0.20	0.10
YKT-92-43	22247	19.0	22.0	3.0	2966	360	0.30	0.36

YKT-92-43	22248	22.0	25.0	3.0	2674	240	0.27	0.24
YKT-92-43	22249	25.0	28.0	3.0	1676	80	0.17	0.08
YKT-92-43	22250	28.0	31.0	3.0	895	20	0.09	0.02
YKT-92-43	22251	31.0	34.0	3.0	980	10	0.10	0.01
YKT-92-43	22252	34.0	37.0	3.0	1221	70	0.12	0.07
YKT-92-43	22253	37.0	40.0	3.0	1551	70	0.16	0.07
YKT-92-43	22254	40.0	43.0	3.0	2196	40	0.22	0.04
YKT-92-43	22255	43.0	46.0	3.0	1097	40	0.11	0.04
YKT-92-43	22256	46.0	49.0	3.0	918	20	0.09	0.02
YKT-92-43	22257	49.0	52.0	3.0	632	50	0.06	0.05
YKT-92-43	22258	52.0	55.0	3.0	466	30	0.05	0.03
YKT-92-43	22259	55.0	58.0	3.0	665	30	0.07	0.03
YKT-92-43	22260	58.0	61.0	3.0	2011	230	0.20	0.23
YKT-92-43	22261	61.0	64.0	3.0	933	90	0.09	0.09
YKT-92-43	22262	64.0	67.0	3.0	1707	180	0.17	0.18
YKT-92-43	22263	67.0	70.0	3.0	1472	180	0.15	0.18
YKT-92-43	22264	70.0	73.0	3.0	1262	150	0.13	0.15
YKT-92-43	22265	73.0	76.0	3.0	562	120	0.06	0.12
YKT-92-43	22266	76.0	79.0	3.0	1199	160	0.12	0.16
YKT-92-43	22267	79.0	82.0	3.0	1509	170	0.15	0.17
YKT-92-43	22268	82.0	85.0	3.0	2186	160	0.22	0.16
YKT-92-43	22269	85.0	88.0	3.0	917	70	0.09	0.07
YKT-92-43	22270	88.0	91.0	3.0	762	30	0.08	0.03
YKT-92-43	22271	91.0	94.0	3.0	1848	160	0.18	0.16
YKT-92-43	22272	94.0	97.0	3.0	2052	100	0.21	0.10
YKT-92-43	22273	97.0	100.0	3.0	1388	70	0.14	0.07
YKT-92-43	22274	100.0	103.0	3.0	1676	80	0.17	0.08
YKT-92-43	22275	103.0	106.0	3.0	4548	420	0.45	0.42
YKT-92-43	22276	106.0	109.0	3.0	1693	100	0.17	0.10
YKT-92-43	22277	109.0	112.0	3.0	1124	110	0.11	0.11
YKT-92-43	22278	112.0	115.0	3.0	1663	70	0.17	0.07
YKT-92-43	22279	115.0	118.0	3.0	5462	340	0.55	0.34
YKT-92-43	22280	118.0	121.0	3.0	3692	170	0.37	0.17
YKT-92-43	22281	121.0	124.0	3.0	2795	210	0.28	0.21
YKT-92-43	22282	124.0	127.0	3.0	1943	100	0.19	0.10
YKT-92-43	22283	127.0	130.0	3.0	2412	110	0.24	0.11
YKT-92-43	22284	130.0	133.0	3.0	2209	90	0.22	0.09
YKT-92-43	22285	133.0	136.0	3.0	2940	170	0.29	0.17
YKT-92-43	22286	136.0	139.0	3.0	493	300	0.05	0.30
YKT-92-43	22287	139.0	142.0	3.0	1467	60	0.15	0.06
YKT-92-43	22288	142.0	145.0	3.0	1354	110	0.14	0.11
YKT-92-43	22289	145.0	148.0	3.0	1448	90	0.14	0.09
YKT-92-43	22290	148.0	151.0	3.0	3725	280	0.37	0.28
YKT-92-43	22291	151.0	154.0	3.0	6265	340	0.63	0.34
YKT-92-43	22292	154.0	157.0	3.0	6099	280	0.61	0.28
YKT-92-43	22293	157.0	160.0	3.0	2171	70	0.22	0.07
YKT-92-43	22294	160.0	163.0	3.0	782	210	0.08	0.21
YKT-92-43	22295	163.0	166.0	3.0	1151	80	0.12	0.08
YKT-92-43	22296	166.0	169.0	3.0	279	1	0.03	0.00
YKT-92-43	22297	169.0	172.0	3.0	639	10	0.06	0.01
YKT-92-43	22298	172.0	175.0	3.0	898	80	0.09	0.08
YKT-92-43	22299	175.0	178.0	3.0	232	60	0.02	0.06
YKT-92-43	22300	178.0	181.0	3.0	324	10	0.03	0.01
YKT-92-43	22301	181.0	184.0	3.0	733	30	0.07	0.03

YKT-92-43	22302	184.0	187.0	3.0	1340	30	0.13	0.03
YKT-92-43	22303	187.0	190.0	3.0	328	120	0.03	0.12
YKT-92-43	22304	190.0	193.0	3.0	851	20	0.09	0.02
YKT-92-43	22305	193.0	196.0	3.0	330	20	0.03	0.02
YKT-92-43	22306	196.0	199.0	3.0	186	10	0.02	0.01
YKT-92-43	22307	199.0	202.0	3.0	804	10	0.08	0.01
YKT-92-43	22308	202.0	205.0	3.0	996	30	0.10	0.03
YKT-92-43	22309	205.0	208.0	3.0	881	60	0.09	0.06
YKT-92-43	22310	208.0	211.0	3.0	745	40	0.07	0.04
YKT-92-43	22311	211.0	214.0	3.0	993	40	0.10	0.04
YKT-92-43	22312	214.0	217.0	3.0	703	150	0.07	0.15
YKT-92-43	22313	217.0	220.0	3.0	1198	60	0.12	0.06
YKT-92-43	22314	220.0	223.0	3.0	1909	100	0.19	0.10
YKT-92-43	22315	223.0	226.0	3.0	2258	130	0.23	0.13
YKT-92-43	22316	226.0	229.0	3.0	752	30	0.08	0.03
YKT-92-43	22317	229.0	232.0	3.0	3741	230	0.37	0.23
YKT-92-43	22318	232.0	235.0	3.0	3885	250	0.39	0.25
YKT-92-43	22319	235.0	238.0	3.0	922	70	0.09	0.07
YKT-92-43	22320	238.0	241.0	3.0	223	20	0.02	0.02
YKT-92-43	22321	241.0	244.0	3.0	369	5	0.04	0.01
YKT-92-43	22322	244.0	247.0	3.0	348	50	0.03	0.05
YKT-92-43	22323	247.0	251.7	4.7	519	50	0.05	0.05
YKT-92-43	no sample	251.7	269.5	17.8				
YKT-92-43	22324	269.5	273.0	3.5	411	130	0.04	0.13
YKT-92-43	22325	273.0	275.3	2.3	532	90	0.05	0.09
YKT-92-44	no sample	0.0	7.1	7.1				
YKT-92-44	22326	7.1	10.0	2.9	352	5	0.04	0.01
YKT-92-44	22327	10.0	13.0	3.0	649	10	0.06	0.01
YKT-92-44	22328	13.0	16.0	3.0	218	10	0.02	0.01
YKT-92-44	22329	16.0	19.0	3.0	356	5	0.04	0.01
YKT-92-44	22330	19.0	22.0	3.0	804	340	0.08	0.34
YKT-92-44	22331	22.0	25.0	3.0	516	30	0.05	0.03
YKT-92-44	22332	25.0	28.0	3.0	501	5	0.05	0.01
YKT-92-44	22333	28.0	31.0	3.0	864	20	0.09	0.02
YKT-92-44	22334	31.0	34.0	3.0	1095	70	0.11	0.07
YKT-92-44	22335	34.0	37.0	3.0	1521	30	0.15	0.03
YKT-92-44	22336	37.0	40.0	3.0	1106	40	0.11	0.04
YKT-92-44	22337	40.0	43.0	3.0	1330	20	0.13	0.02
YKT-92-44	22338	43.0	46.0	3.0	1130	50	0.11	0.05
YKT-92-44	22339	46.0	49.0	3.0	731	50	0.07	0.05
YKT-92-44	22340	49.0	52.0	3.0	243	20	0.02	0.02
YKT-92-44	22341	52.0	55.0	3.0	511	10	0.05	0.01
YKT-92-44	22342	55.0	58.0	3.0	298	40	0.03	0.04
YKT-92-44	22343	58.0	61.0	3.0	562	60	0.06	0.06
YKT-92-44	22344	61.0	64.0	3.0	508	30	0.05	0.03
YKT-92-44	22345	64.0	67.0	3.0	390	10	0.04	0.01
YKT-92-44	22346	67.0	70.0	3.0	735	20	0.07	0.02
YKT-92-44	22347	70.0	73.0	3.0	474	30	0.05	0.03
YKT-92-44	22348	73.0	76.0	3.0	909	80	0.09	0.08
YKT-92-44	22349	76.0	79.0	3.0	1608	180	0.16	0.18
YKT-92-44	22350	79.0	82.0	3.0	514	30	0.05	0.03
YKT-92-44	22351	82.0	85.0	3.0	607	30	0.06	0.03
YKT-92-44	22352	85.0	88.0	3.0	453	30	0.05	0.03
YKT-92-44	22353	88.0	91.0	3.0	1817	220	0.18	0.22

YKT-92-44	22354	91.0	94.0	3.0	886	230	0.09	0.23
YKT-92-44	22355	94.0	97.0	3.0	43	240	0.00	0.24
YKT-92-44	22356	97.0	100.0	3.0	188	100	0.02	0.10
YKT-92-44	22357	100.0	103.0	3.0	1400	230	0.14	0.23
YKT-92-44	22358	103.0	106.0	3.0	978	120	0.10	0.12
YKT-92-44	22359	106.0	109.0	3.0	2692	130	0.27	0.13
YKT-92-44	22360	109.0	112.0	3.0	874	300	0.09	0.30
YKT-92-44	22361	112.0	115.0	3.0	938	200	0.09	0.20
YKT-92-44	22362	115.0	118.0	3.0	1186	40	0.12	0.04
YKT-92-44	22363	118.0	121.0	3.0	1515	40	0.15	0.04
YKT-92-44	22364	121.0	124.0	3.0	826	10	0.08	0.01
YKT-92-44	22365	124.0	127.0	3.0	693	5	0.07	0.01
YKT-92-44	22366	127.0	130.0	3.0	1063	60	0.11	0.06
YKT-92-44	22367	130.0	133.0	3.0	2665	100	0.27	0.10
YKT-92-44	22368	133.0	136.0	3.0	518	5	0.05	0.01
YKT-92-44	22369	136.0	139.0	3.0	515	5	0.05	0.01
YKT-92-44	22370	139.0	142.0	3.0	502	20	0.05	0.02
YKT-92-44	22371	142.0	145.0	3.0	693	40	0.07	0.04
YKT-92-44	22372	145.0	148.0	3.0	4682	250	0.47	0.25
YKT-92-44	22373	148.0	151.0	3.0	1953	70	0.20	0.07
YKT-92-44	22374	151.0	154.0	3.0	979	60	0.10	0.06
YKT-92-44	22375	154.0	157.0	3.0	812	50	0.08	0.05
YKT-92-44	22376	157.0	160.0	3.0	908	80	0.09	0.08
YKT-92-44	22377	160.0	163.0	3.0	1295	90	0.13	0.09
YKT-92-44	22378	163.0	166.0	3.0	1018	40	0.10	0.04
YKT-92-44	22379	166.0	169.0	3.0	574	60	0.06	0.06
YKT-92-44	22380	169.0	172.0	3.0	368	10	0.04	0.01
YKT-92-44	22381	172.0	175.0	3.0	2694	100	0.27	0.10
YKT-92-44	22382	175.0	178.0	3.0	2406	90	0.24	0.09
YKT-92-44	22383	178.0	181.0	3.0	872	50	0.09	0.05
YKT-92-44	22384	181.0	184.0	3.0	605	10	0.06	0.01
YKT-92-44	22385	184.0	187.0	3.0	624	40	0.06	0.04
YKT-92-44	22386	187.0	190.0	3.0	1070	70	0.11	0.07
YKT-92-44	22387	190.0	193.0	3.0	371	20	0.04	0.02
YKT-92-44	22388	193.0	196.0	3.0	619	30	0.06	0.03
YKT-92-44	22389	196.0	199.0	3.0	1159	90	0.12	0.09
YKT-92-44	22390	199.0	202.0	3.0	1337	80	0.13	0.08
YKT-92-44	22391	202.0	205.0	3.0	2012	50	0.20	0.05
YKT-92-44	22392	205.0	208.0	3.0	561	50	0.06	0.05
YKT-92-44	22393	208.0	211.0	3.0	632	40	0.06	0.04
YKT-92-44	22394	211.0	214.0	3.0	704	30	0.07	0.03
YKT-92-44	22395	214.0	217.0	3.0	722	20	0.07	0.02
YKT-92-44	22396	217.0	218.5	1.5	500	20	0.05	0.02
YKT-92-44	no sample	218.5	233.9	15.3				
YKT-92-44	22397	233.9	236.0	2.1	1392	80	0.14	0.08
YKT-92-44	22398	236.0	239.0	3.0	1922	100	0.19	0.10
YKT-92-44	22399	239.0	242.0	3.0	856	30	0.09	0.03
YKT-92-44	22400	242.0	246.0	4.0	289	5	0.03	0.01
YKT-92-45	no sample	0.0	4.0	4.0				
YKT-92-45	22401	4.0	6.0	2.0	1440	30	0.14	0.03
YKT-92-45	22402	6.0	9.0	3.0	845	50	0.08	0.05
YKT-92-45	22403	9.0	12.0	3.0	2687	130	0.27	0.13
YKT-92-45	22404	12.0	15.0	3.0	1886	140	0.19	0.14
YKT-92-45	22405	15.0	18.0	3.0	713	140	0.07	0.14



YKT-92-45	22406	18.0	21.0	3.0	1528	40	0.15	0.04
YKT-92-45	22407	21.0	24.0	3.0	2685	80	0.27	0.08
YKT-92-45	22408	24.0	27.0	3.0	2039	50	0.20	0.05
YKT-92-45	22409	27.0	30.0	3.0	1334	140	0.13	0.14
YKT-92-45	22410	30.0	33.0	3.0	1695	70	0.17	0.07
YKT-92-45	22411	33.0	36.0	3.0	2092	210	0.21	0.21
YKT-92-45	22412	36.0	39.0	3.0	2324	220	0.23	0.22
YKT-92-45	22413	39.0	42.0	3.0	4768	110	0.48	0.11
YKT-92-45	22414	42.0	45.0	3.0	7504	80	0.75	0.08
YKT-92-45	22415	45.0	48.0	3.0	4617	110	0.46	0.11
YKT-92-45	22416	48.0	51.0	3.0	2114	70	0.21	0.07
YKT-92-45	22417	51.0	54.0	3.0	4327	210	0.43	0.21
YKT-92-45	22418	54.0	57.0	3.0	3753	330	0.38	0.33
YKT-92-45	22419	57.0	60.0	3.0	1354	140	0.14	0.14
YKT-92-45	22420	60.0	63.0	3.0	3205	60	0.32	0.06
YKT-92-45	22421	63.0	66.0	3.0	1429	70	0.14	0.07
YKT-92-45	22422	66.0	69.0	3.0	966	70	0.10	0.07
YKT-92-45	22423	69.0	72.0	3.0	671	70	0.07	0.07
YKT-92-45	22424	72.0	75.0	3.0	2198	130	0.22	0.13
YKT-92-45	22425	75.0	78.0	3.0	1205	90	0.12	0.09
YKT-92-45	22426	78.0	81.0	3.0	1454	80	0.15	0.08
YKT-92-45	22427	81.0	84.0	3.0	1269	110	0.13	0.11
YKT-92-45	22428	84.0	87.0	3.0	823	340	0.08	0.34
YKT-92-45	22429	87.0	90.0	3.0	1394	1560	0.14	1.56
YKT-92-45	22430	90.0	93.0	3.0	1178	900	0.12	0.90
YKT-92-45	22431	93.0	96.0	3.0	766	570	0.08	0.57
YKT-92-45	22432	96.0	99.0	3.0	774	320	0.08	0.32
YKT-92-45	22433	99.0	102.0	3.0	657	30	0.07	0.03
YKT-92-45	22434	102.0	105.0	3.0	346	10	0.03	0.01
YKT-92-45	22435	105.0	108.0	3.0	847	20	0.08	0.02
YKT-92-45	22436	108.0	111.0	3.0	1050	40	0.11	0.04
YKT-92-45	22437	111.0	114.0	3.0	3671	110	0.37	0.11
YKT-92-45	22438	114.0	117.0	3.0	1511	70	0.15	0.07
YKT-92-45	22439	117.0	120.0	3.0	1121	50	0.11	0.05
YKT-92-45	22440	120.0	123.0	3.0	1104	60	0.11	0.06
YKT-92-45	22441	123.0	126.0	3.0	1062	40	0.11	0.04
YKT-92-45	22442	126.0	129.0	3.0	821	20	0.08	0.02
YKT-92-45	22443	129.0	132.0	3.0	1928	50	0.19	0.05
YKT-92-45	22444	132.0	135.0	3.0	1201	60	0.12	0.06
YKT-92-45	22445	135.0	138.0	3.0	4452	140	0.45	0.14
YKT-92-45	22446	138.0	141.0	3.0	1600	70	0.16	0.07
YKT-92-45	22447	141.0	144.0	3.0	1278	60	0.13	0.06
YKT-92-45	22448	144.0	147.0	3.0	929	20	0.09	0.02
YKT-92-45	22449	147.0	150.0	3.0	711	20	0.07	0.02
YKT-92-45	22450	150.0	153.0	3.0	524	20	0.05	0.02
YKT-92-45	22451	153.0	156.0	3.0	515	30	0.05	0.03
YKT-92-45	22452	156.0	159.0	3.0	511	10	0.05	0.01
YKT-92-45	22453	159.0	162.0	3.0	477	10	0.05	0.01
YKT-92-45	22454	162.0	165.0	3.0	981	30	0.10	0.03
YKT-92-45	22455	165.0	168.0	3.0	2510	60	0.25	0.06
YKT-92-45	22456	168.0	171.0	3.0	1299	40	0.13	0.04
YKT-92-45	22457	171.0	174.0	3.0	1507	40	0.15	0.04
YKT-92-45	22458	174.0	177.0	3.0	1298	50	0.13	0.05
YKT-92-45	22459	177.0	180.0	3.0	696	20	0.07	0.02

YKT-92-45	22460	180.0	183.0	3.0	805	30	0.08	0.03
YKT-92-45	22461	183.0	186.0	3.0	905	40	0.09	0.04
YKT-92-45	22462	186.0	189.0	3.0	862	40	0.09	0.04
YKT-92-45	22463	189.0	192.0	3.0	915	10	0.09	0.01
YKT-92-45	22464	192.0	195.0	3.0	1029	20	0.10	0.02
YKT-92-45	22465	195.0	198.0	3.0	697	30	0.07	0.03
YKT-92-45	22466	198.0	201.0	3.0	1054	30	0.11	0.03
YKT-92-45	22467	201.0	204.0	3.0	2358	100	0.24	0.10
YKT-92-45	22468	204.0	207.0	3.0	369	10	0.04	0.01
YKT-92-45	22469	207.0	210.0	3.0	149	5	0.01	0.01
YKT-92-45	22470	210.0	213.0	3.0	499	10	0.05	0.01
YKT-92-45	22471	213.0	216.0	3.0	138	5	0.01	0.01
YKT-92-45	22472	216.0	219.0	3.0	378	10	0.04	0.01
YKT-92-45	22473	219.0	222.0	3.0	182	5	0.02	0.01
YKT-92-45	22474	222.0	225.0	3.0	575	10	0.06	0.01
YKT-92-45	22475	225.0	228.0	3.0	1655	50	0.17	0.05
YKT-92-45	22476	228.0	231.0	3.0	7041	910	0.70	0.91
YKT-92-45	22477	231.0	234.0	3.0	6284	190	0.63	0.19
YKT-92-45	22478	234.0	237.0	3.0	4004	210	0.40	0.21
YKT-92-45	22479	237.0	240.0	3.0	1267	60	0.13	0.06
YKT-92-45	22480	240.0	243.0	3.0	1741	40	0.17	0.04
YKT-92-45	22481	243.0	246.0	3.0	396	10	0.04	0.01
YKT-92-45	22482	246.0	249.0	3.0	534	130	0.05	0.13
YKT-92-45	22483	249.0	252.0	3.0	458	10	0.05	0.01
YKT-92-45	22484	252.0	255.0	3.0	591	5	0.06	0.01
YKT-92-45	22485	255.0	257.9	2.9	327	10	0.03	0.01
YKT-92-46	no sample	0.0	1.0	1.0				
YKT-92-46	22501	1.0	3.0	2.0	484	30	0.05	0.03
YKT-92-46	22502	3.0	6.0	3.0	913	30	0.09	0.03
YKT-92-46	22503	6.0	9.0	3.0	660	20	0.07	0.02
YKT-92-46	22504	9.0	12.0	3.0	2112	50	0.21	0.05
YKT-92-46	22505	12.0	15.0	3.0	26	5	0.00	0.01
YKT-92-46	22506	15.0	18.0	3.0	341	5	0.03	0.01
YKT-92-46	22507	18.0	21.0	3.0	513	10	0.05	0.01
YKT-92-46	22508	21.0	24.0	3.0	704	20	0.07	0.02
YKT-92-46	22509	24.0	27.0	3.0	381	40	0.04	0.04
YKT-92-46	22510	27.0	30.0	3.0	792	50	0.08	0.05
YKT-92-46	22511	30.0	33.0	3.0	660	40	0.07	0.04
YKT-92-46	22512	33.0	36.0	3.0	550	20	0.06	0.02
YKT-92-46	22513	36.0	39.0	3.0	682	10	0.07	0.01
YKT-92-46	22514	39.0	42.0	3.0	682	5	0.07	0.01
YKT-92-46	22515	42.0	45.0	3.0	1540	60	0.15	0.06
YKT-92-46	22516	45.0	48.0	3.0	1144	30	0.11	0.03
YKT-92-46	22517	48.0	51.0	3.0	535	90	0.05	0.09
YKT-92-46	22518	51.0	54.0	3.0	748	30	0.07	0.03
YKT-92-46	22519	54.0	57.0	3.0	946	50	0.09	0.05
YKT-92-46	22520	57.0	60.0	3.0	365	30	0.04	0.03
YKT-92-46	22521	60.0	63.0	3.0	550	60	0.06	0.06
YKT-92-46	22522	63.0	66.0	3.0	552	30	0.06	0.03
YKT-92-46	22523	66.0	69.0	3.0	1980	170	0.20	0.17
YKT-92-46	22524	69.0	72.0	3.0	2640	160	0.26	0.16
YKT-92-46	22525	72.0	75.0	3.0	2134	940	0.21	0.94
YKT-92-46	22526	75.0	78.0	3.0	347	50	0.03	0.05
YKT-92-46	22527	78.0	81.0	3.0	671	60	0.07	0.06

YKT-92-46	22528	81.0	84.0	3.0	1056	40	0.11	0.04
YKT-92-46	22529	84.0	87.0	3.0	466	20	0.05	0.02
YKT-92-46	22530	87.0	90.0	3.0	400	20	0.04	0.02
YKT-92-46	22531	90.0	93.0	3.0	429	30	0.04	0.03
YKT-92-46	22532	93.0	96.0	3.0	605	40	0.06	0.04
YKT-92-46	22533	96.0	99.0	3.0	803	40	0.08	0.04
YKT-92-46	22534	99.0	102.0	3.0	1364	220	0.14	0.22
YKT-92-46	22535	102.0	105.0	3.0	2156	80	0.22	0.08
YKT-92-46	22536	105.0	108.0	3.0	1276	60	0.13	0.06
YKT-92-46	22537	108.0	111.0	3.0	1210	50	0.12	0.05
YKT-92-46	22538	111.0	114.0	3.0	471	20	0.05	0.02
YKT-92-46	22539	114.0	117.0	3.0	462	70	0.05	0.07
YKT-92-46	22540	117.0	120.0	3.0	1144	50	0.11	0.05
YKT-92-46	22541	120.0	123.0	3.0	1122	60	0.11	0.06
YKT-92-46	22542	123.0	126.0	3.0	858	30	0.09	0.03
YKT-92-46	22543	126.0	129.0	3.0	286	20	0.03	0.02
YKT-92-46	22544	129.0	132.0	3.0	2134	80	0.21	0.08
YKT-92-46	22545	132.0	135.0	3.0	2046	50	0.20	0.05
YKT-92-46	22546	135.0	138.0	3.0	693	20	0.07	0.02
YKT-92-46	22547	138.0	141.0	3.0	561	30	0.06	0.03
YKT-92-46	22548	141.0	144.0	3.0	1628	40	0.16	0.04
YKT-92-46	22549	144.0	147.0	3.0	902	50	0.09	0.05
YKT-92-46	22550	147.0	150.0	3.0	1276	30	0.13	0.03
YKT-92-46	22551	150.0	153.0	3.0	2706	60	0.27	0.06
YKT-92-46	22552	153.0	156.0	3.0	5720	80	0.57	0.08
YKT-92-46	22553	156.0	159.0	3.0	561	20	0.06	0.02
YKT-92-46	22554	159.0	162.0	3.0	1452	20	0.15	0.02
YKT-92-46	22555	162.0	165.0	3.0	1122	50	0.11	0.05
YKT-92-46	22556	165.0	168.0	3.0	803	30	0.08	0.03
YKT-92-46	22557	168.0	171.0	3.0	2475	80	0.25	0.08
YKT-92-46	22558	171.0	174.0	3.0	286	10	0.03	0.01
YKT-92-46	22559	174.0	177.0	3.0	220	20	0.02	0.02
YKT-92-46	22560	177.0	180.0	3.0	316	30	0.03	0.03
YKT-92-46	22561	180.0	183.0	3.0	1276	310	0.13	0.31
YKT-92-46	22562	183.0	187.2	4.2	1045	50	0.10	0.05
YKT-92-46	22563	187.2	189.0	1.8	671	10	0.07	0.01
YKT-92-46	22564	189.0	192.0	3.0	290	5	0.03	0.01
YKT-92-46	22565	192.0	195.0	3.0	1100	20	0.11	0.02
YKT-92-46	22566	195.0	198.0	3.0	691	5	0.07	0.01
YKT-92-46	22567	198.0	201.0	3.0	121	5	0.01	0.01
YKT-92-46	22568	201.0	204.0	3.0	418	5	0.04	0.01
YKT-92-46	22569	204.0	207.0	3.0	150	10	0.02	0.01
YKT-92-46	22570	207.0	210.0	3.0	924	30	0.09	0.03
YKT-92-46	22571	210.0	213.0	3.0	935	30	0.09	0.03
YKT-92-46	22572	213.0	216.0	3.0	990	40	0.10	0.04
YKT-92-46	22573	216.0	219.0	3.0	106	5	0.01	0.01
YKT-92-46	22574	219.0	222.0	3.0	517	30	0.05	0.03
YKT-92-46	22575	222.0	225.0	3.0	649	10	0.06	0.01
YKT-92-46	22576	225.0	228.0	3.0	682	20	0.07	0.02
YKT-92-46	22577	228.0	231.0	3.0	529	10	0.05	0.01
YKT-92-46	22578	231.0	234.0	3.0	1172	30	0.12	0.03
YKT-92-46	22579	234.0	237.0	3.0	531	50	0.05	0.05
YKT-92-46	22580	237.0	240.0	3.0	954	30	0.10	0.03
YKT-92-46	22581	240.0	243.0	3.0	384	20	0.04	0.02

YKT-92-46	22582	243.0	246.0	3.0	1778	60	0.18	0.06
YKT-92-46	22583	246.0	249.0	3.0	1125	60	0.11	0.06
YKT-92-46	22584	249.0	252.0	3.0	547	20	0.05	0.02
YKT-92-46	22585	252.0	255.0	3.0	1346	30	0.13	0.03
YKT-92-46	22586	255.0	258.0	3.0	2478	60	0.25	0.06
YKT-92-46	22587	258.0	261.0	3.0	728	40	0.07	0.04
YKT-92-46	22588	261.0	264.0	3.0	85	10	0.01	0.01
YKT-92-46	22589	264.0	267.0	3.0	201	5	0.02	0.01
YKT-92-46	22590	267.0	270.0	3.0	1153	30	0.12	0.03
YKT-92-46	22591	270.0	273.0	3.0	538	40	0.05	0.04
YKT-92-46	22592	273.0	276.0	3.0	533	20	0.05	0.02
YKT-92-46	22593	276.0	277.7	1.7	169	5	0.02	0.01
YKT-92-47	no sample	0.0	2.4	2.4				
YKT-92-47	22601	2.4	6.0	3.6	248	10	0.02	0.01
YKT-92-47	22602	6.0	9.0	3.0	401	10	0.04	0.01
YKT-92-47	22603	9.0	12.0	3.0	649	5	0.06	0.01
YKT-92-47	22604	12.0	15.0	3.0	409	20	0.04	0.02
YKT-92-47	22605	15.0	18.0	3.0	478	20	0.05	0.02
YKT-92-47	22606	18.0	21.0	3.0	300	10	0.03	0.01
YKT-92-47	22607	21.0	24.0	3.0	1727	20	0.17	0.02
YKT-92-47	22608	24.0	27.0	3.0	413	5	0.04	0.01
YKT-92-47	22609	27.0	30.0	3.0	172	5	0.02	0.01
YKT-92-47	22610	30.0	33.0	3.0	150	10	0.02	0.01
YKT-92-47	22611	33.0	36.0	3.0	124	10	0.01	0.01
YKT-92-47	22612	36.0	39.0	3.0	109	10	0.01	0.01
YKT-92-47	22613	39.0	42.0	3.0	136	20	0.01	0.02
YKT-92-47	22614	42.0	45.0	3.0	191	10	0.02	0.01
YKT-92-47	22615	45.0	48.0	3.0	113	10	0.01	0.01
YKT-92-47	22616	48.0	51.0	3.0	178	30	0.02	0.03
YKT-92-47	22617	51.0	54.0	3.0	135	10	0.01	0.01
YKT-92-47	22618	54.0	57.0	3.0	223	20	0.02	0.02
YKT-92-47	22619	57.0	60.0	3.0	251	20	0.03	0.02
YKT-92-47	22620	60.0	63.0	3.0	288	20	0.03	0.02
YKT-92-47	22621	63.0	66.0	3.0	237	10	0.02	0.01
YKT-92-47	22622	66.0	69.0	3.0	172	10	0.02	0.01
YKT-92-47	22623	69.0	72.0	3.0	229	10	0.02	0.01
YKT-92-47	22624	72.0	75.0	3.0	191	10	0.02	0.01
YKT-92-47	22625	75.0	78.0	3.0	144	10	0.01	0.01
YKT-92-47	22626	78.0	81.0	3.0	120	5	0.01	0.01
YKT-92-47	22627	81.0	84.0	3.0	182	10	0.02	0.01
YKT-92-47	22628	84.0	87.0	3.0	153	20	0.02	0.02
YKT-92-47	22629	87.0	90.0	3.0	233	10	0.02	0.01
YKT-92-47	22630	90.0	93.0	3.0	277	10	0.03	0.01
YKT-92-47	22631	93.0	96.0	3.0	249	30	0.02	0.03
YKT-92-47	22632	96.0	99.0	3.0	170	30	0.02	0.03
YKT-92-47	22633	99.0	102.0	3.0	90	10	0.01	0.01
YKT-92-47	22634	102.0	105.0	3.0	153	10	0.02	0.01
YKT-92-47	22635	105.0	108.0	3.0	139	10	0.01	0.01
YKT-92-47	22636	108.0	111.0	3.0	68	10	0.01	0.01
YKT-92-47	22637	111.0	115.0	4.0	52	10	0.01	0.01
YKT-92-47	22638	115.0	117.0	2.0	119	20	0.01	0.02
YKT-92-47	22639	117.0	120.0	3.0	128	20	0.01	0.02
YKT-92-47	22640	120.0	123.0	3.0	110	10	0.01	0.01
YKT-92-47	22641	123.0	126.0	3.0	136	10	0.01	0.01

YKT-92-47	22642	126.0	129.0	3.0	125	10	0.01	0.01
YKT-92-47	22643	129.0	132.0	3.0	141	10	0.01	0.01
YKT-92-47	22644	132.0	135.0	3.0	145	5	0.01	0.01
YKT-92-47	22645	135.0	138.0	3.0	216	50	0.02	0.05
YKT-92-47	22646	138.0	141.0	3.0	339	20	0.03	0.02
YKT-92-47	22647	141.0	144.0	3.0	232	20	0.02	0.02
YKT-92-47	22648	144.0	147.0	3.0	257	10	0.03	0.01
YKT-92-47	22649	147.0	150.0	3.0	270	10	0.03	0.01
YKT-92-47	22650	150.0	153.0	3.0	123	5	0.01	0.01
YKT-92-47	22651	153.0	156.0	3.0	67	5	0.01	0.01
YKT-92-47	22652	156.0	159.0	3.0	210	5	0.02	0.01
YKT-92-47	22653	159.0	162.0	3.0	119	10	0.01	0.01
YKT-92-47	22654	162.0	165.0	3.0	249	10	0.02	0.01
YKT-92-47	22655	165.0	168.0	3.0	189	20	0.02	0.02
YKT-92-47	22656	168.0	171.0	3.0	48	10	0.00	0.01
YKT-92-47	22657	171.0	174.0	3.0	504	20	0.05	0.02
YKT-92-47	22658	174.0	177.0	3.0	1022	30	0.10	0.03
YKT-92-47	22659	177.0	180.0	3.0	671	20	0.07	0.02
YKT-92-47	22660	180.0	183.0	3.0	126	10	0.01	0.01
YKT-92-47	22661	183.0	186.0	3.0	202	10	0.02	0.01
YKT-92-47	22662	186.0	189.0	3.0	139	20	0.01	0.02
YKT-92-47	22663	189.0	192.0	3.0	125	10	0.01	0.01
YKT-92-47	22664	192.0	195.0	3.0	281	10	0.03	0.01
YKT-92-47	22665	195.0	198.0	3.0	333	10	0.03	0.01
YKT-92-47	22666	198.0	201.0	3.0	376	10	0.04	0.01
YKT-92-47	22667	201.0	204.0	3.0	216	10	0.02	0.01
YKT-92-47	22668	204.0	207.0	3.0	350	10	0.04	0.01
YKT-92-47	22669	207.0	210.0	3.0	380	5	0.04	0.01
YKT-92-47	22670	210.0	213.0	3.0	230	5	0.02	0.01
YKT-92-47	22671	213.0	216.0	3.0	343	10	0.03	0.01
YKT-92-47	22672	216.0	219.0	3.0	109	10	0.01	0.01
YKT-92-47	22673	219.0	222.0	3.0	279	40	0.03	0.04
YKT-92-47	22674	222.0	225.0	3.0	159	10	0.02	0.01
YKT-92-47	22675	225.0	228.0	3.0	224	10	0.02	0.01
YKT-92-47	22676	228.0	231.0	3.0	226	20	0.02	0.02
YKT-92-47	22677	231.0	234.0	3.0	210	10	0.02	0.01
YKT-92-47	22678	234.0	237.0	3.0	184	10	0.02	0.01
YKT-92-47	22679	237.0	240.0	3.0	101	5	0.01	0.01
YKT-92-47	22680	240.0	243.0	3.0	101	5	0.01	0.01
YKT-92-47	22681	243.0	246.0	3.0	166	5	0.02	0.01
YKT-92-47	22682	246.0	249.0	3.0	239	10	0.02	0.01
YKT-92-47	22683	249.0	253.4	4.4	222	10	0.02	0.01
YKT-92-48	no sample	0.0	3.1	3.1				
YKT-92-48	22701	3.1	6.0	3.0	125	5	0.01	0.01
YKT-92-48	22702	6.0	9.0	3.0	333	20	0.03	0.02
YKT-92-48	22703	9.0	12.0	3.0	384	30	0.04	0.03
YKT-92-48	22704	12.0	15.0	3.0	205	10	0.02	0.01
YKT-92-48	22705	15.0	18.0	3.0	118	10	0.01	0.01
YKT-92-48	22706	18.0	21.0	3.0	144	10	0.01	0.01
YKT-92-48	22707	21.0	24.0	3.0	374	20	0.04	0.02
YKT-92-48	22708	24.0	27.0	3.0	396	40	0.04	0.04
YKT-92-48	22709	27.0	30.0	3.0	88	10	0.01	0.01
YKT-92-48	22710	30.0	33.0	3.0	151	10	0.02	0.01
YKT-92-48	22711	33.0	36.0	3.0	116	5	0.01	0.01

YKT-92-48	22712	36.0	39.0	3.0	64	5	0.01	0.01
YKT-92-48	22713	39.0	42.0	3.0	74	10	0.01	0.01
YKT-92-48	22714	42.0	45.0	3.0	87	10	0.01	0.01
YKT-92-48	22715	45.0	48.0	3.0	152	5	0.02	0.01
YKT-92-48	22716	48.0	51.0	3.0	291	10	0.03	0.01
YKT-92-48	22717	51.0	54.0	3.0	131	5	0.01	0.01
YKT-92-48	22718	54.0	57.0	3.0	317	5	0.03	0.01
YKT-92-48	22719	57.0	60.0	3.0	210	10	0.02	0.01
YKT-92-48	22720	60.0	63.0	3.0	745	10	0.07	0.01
YKT-92-48	22721	63.0	66.0	3.0	127	5	0.01	0.01
YKT-92-48	22722	66.0	69.0	3.0	242	5	0.02	0.01
YKT-92-48	22723	69.0	72.0	3.0	162	5	0.02	0.01
YKT-92-48	22724	72.0	75.0	3.0	268	5	0.03	0.01
YKT-92-48	22725	75.0	78.0	3.0	123	5	0.01	0.01
YKT-92-48	22726	78.0	81.0	3.0	140	5	0.01	0.01
YKT-92-48	22727	81.0	84.0	3.0	448	10	0.04	0.01
YKT-92-48	22728	84.0	87.0	3.0	342	10	0.03	0.01
YKT-92-48	22729	87.0	90.0	3.0	242	20	0.02	0.02
YKT-92-48	22730	90.0	93.0	3.0	289	10	0.03	0.01
YKT-92-48	22731	93.0	96.0	3.0	213	5	0.02	0.01
YKT-92-48	22732	96.0	99.0	3.0	172	10	0.02	0.01
YKT-92-48	22733	99.0	102.0	3.0	364	20	0.04	0.02
YKT-92-48	22734	102.0	105.0	3.0	208	10	0.02	0.01
YKT-92-48	22735	105.0	108.0	3.0	370	20	0.04	0.02
YKT-92-48	22736	108.0	111.0	3.0	545	30	0.05	0.03
YKT-92-48	22737	111.0	114.0	3.0	235	10	0.02	0.01
YKT-92-48	22738	114.0	117.0	3.0	229	5	0.02	0.01
YKT-92-48	22739	117.0	120.0	3.0	201	5	0.02	0.01
YKT-92-48	22740	120.0	123.0	3.0	296	10	0.03	0.01
YKT-92-48	22741	123.0	126.0	3.0	139	10	0.01	0.01
YKT-92-48	22742	126.0	129.0	3.0	302	5	0.03	0.01
YKT-92-48	22743	129.0	132.0	3.0	313	5	0.03	0.01
YKT-92-48	22744	132.0	135.0	3.0	208	10	0.02	0.01
YKT-92-48	22745	135.0	138.0	3.0	385	5	0.04	0.01
YKT-92-48	22746	138.0	141.0	3.0	1778	50	0.18	0.05
YKT-92-48	22747	141.0	144.0	3.0	827	30	0.08	0.03
YKT-92-48	22748	144.0	147.0	3.0	440	20	0.04	0.02
YKT-92-48	22749	147.0	150.0	3.0	558	20	0.06	0.02
YKT-92-48	22750	150.0	153.0	3.0	362	20	0.04	0.02
YKT-92-48	22751	153.0	156.0	3.0	417	20	0.04	0.02
YKT-92-48	22752	156.0	159.0	3.0	598	20	0.06	0.02
YKT-92-48	22753	159.0	162.0	3.0	804	30	0.08	0.03
YKT-92-48	22754	162.0	165.0	3.0	481	20	0.05	0.02
YKT-92-48	22755	165.0	168.0	3.0	444	10	0.04	0.01
YKT-92-48	22756	168.0	171.0	3.0	1423	130	0.14	0.13
YKT-92-48	22757	171.0	174.0	3.0	864	30	0.09	0.03
YKT-92-48	22758	174.0	177.0	3.0	470	20	0.05	0.02
YKT-92-48	22759	177.0	180.0	3.0	688	40	0.07	0.04
YKT-92-48	22760	180.0	183.0	3.0	705	30	0.07	0.03
YKT-92-48	22761	183.0	186.0	3.0	408	70	0.04	0.07
YKT-92-48	22762	186.0	189.0	3.0	599	30	0.06	0.03
YKT-92-48	22763	189.0	192.0	3.0	795	40	0.08	0.04
YKT-92-48	22764	192.0	195.0	3.0	544	20	0.05	0.02
YKT-92-48	22765	195.0	197.3	2.3	655	20	0.07	0.02

YKT-92-49	no sample	0.0	6.4	6.4				
YKT-92-49	22801	6.4	12.0	5.6	255	40	0.03	0.04
YKT-92-49	22802	12.0	21.0	9.0	548	30	0.05	0.03
YKT-92-49	22803	21.0	27.0	6.0	601	40	0.06	0.04
YKT-92-49	22804	27.0	30.0	3.0	605	40	0.06	0.04
YKT-92-49	22805	30.0	33.0	3.0	358	10	0.04	0.01
YKT-92-49	22806	33.0	36.0	3.0	304	40	0.03	0.04
YKT-92-49	22807	36.0	39.0	3.0	155	10	0.02	0.01
YKT-92-49	22808	39.0	42.0	3.0	247	30	0.02	0.03
YKT-92-49	22809	42.0	45.0	3.0	865	60	0.09	0.06
YKT-92-49	22810	45.0	48.0	3.0	1555	130	0.16	0.13
YKT-92-49	22811	48.0	51.0	3.0	761	30	0.08	0.03
YKT-92-49	22812	51.0	54.0	3.0	1774	60	0.18	0.06
YKT-92-49	22813	54.0	57.0	3.0	97	5	0.01	0.01
YKT-92-49	22814	57.0	60.0	3.0	640	10	0.06	0.01
YKT-92-49	22815	60.0	63.0	3.0	500	80	0.05	0.08
YKT-92-49	22816	63.0	66.0	3.0	318	5	0.03	0.01
YKT-92-49	22817	66.0	69.0	3.0	258	5	0.03	0.01
YKT-92-49	22818	69.0	72.0	3.0	1839	20	0.18	0.02
YKT-92-49	22819	72.0	75.0	3.0	1277	30	0.13	0.03
YKT-92-49	22820	75.0	78.0	3.0	251	10	0.03	0.01
YKT-92-49	22821	78.0	81.0	3.0	132	5	0.01	0.01
YKT-92-49	22822	81.0	84.0	3.0	143	5	0.01	0.01
YKT-92-49	22823	84.0	87.0	3.0	200	5	0.02	0.01
YKT-92-49	22824	87.0	90.0	3.0	140	5	0.01	0.01
YKT-92-49	22825	90.0	93.0	3.0	120	5	0.01	0.01
YKT-92-49	22826	93.0	96.0	3.0	130	5	0.01	0.01
YKT-92-49	22827	96.0	99.0	3.0	909	30	0.09	0.03
YKT-92-49	22828	99.0	102.0	3.0	342	20	0.03	0.02
YKT-92-49	22829	102.0	105.0	3.0	154	10	0.02	0.01
YKT-92-49	22830	105.0	108.0	3.0	202	10	0.02	0.01
YKT-92-49	22831	108.0	111.0	3.0	253	10	0.03	0.01
YKT-92-49	22832	111.0	114.0	3.0	82	20	0.01	0.02
YKT-92-49	22833	114.0	117.0	3.0	127	10	0.01	0.01
YKT-92-49	22834	117.0	120.0	3.0	163	20	0.02	0.02
YKT-92-49	22835	120.0	123.0	3.0	270	10	0.03	0.01
YKT-92-49	22836	123.0	126.0	3.0	199	5	0.02	0.01
YKT-92-49	22837	126.0	129.0	3.0	214	5	0.02	0.01
YKT-92-49	22838	129.0	132.0	3.0	280	5	0.03	0.01
YKT-92-49	22839	132.0	135.0	3.0	308	5	0.03	0.01
YKT-92-49	22840	135.0	138.0	3.0	267	5	0.03	0.01
YKT-92-49	22841	138.0	141.0	3.0	118	5	0.01	0.01
YKT-92-49	22842	141.0	144.0	3.0	83	20	0.01	0.02
YKT-92-49	22843	144.0	147.0	3.0	51	10	0.01	0.01
YKT-92-49	22844	147.0	150.0	3.0	92	40	0.01	0.04
YKT-92-49	22845	150.0	153.0	3.0	137	70	0.01	0.07
YKT-92-49	22846	153.0	156.0	3.0	108	600	0.01	0.60
YKT-92-49	22847	156.0	159.0	3.0	106	10	0.01	0.01
YKT-92-49	22848	159.0	162.0	3.0	28	5	0.00	0.01
YKT-92-49	22849	162.0	165.0	3.0	46	30	0.00	0.03
YKT-92-49	22850	165.0	168.0	3.0	245	5	0.02	0.01
YKT-92-49	23001	168.0	171.0	3.0	210	20	0.02	0.02
YKT-92-49	23002	171.0	174.0	3.0	139	5	0.01	0.01
YKT-92-49	23003	174.0	177.0	3.0	114	5	0.01	0.01

YKT-92-49	23004	177.0	180.0	3.0	99	5	0.01	0.01
YKT-92-49	23005	180.0	183.0	3.0	87	5	0.01	0.01
YKT-92-49	23006	183.0	186.0	3.0	462	30	0.05	0.03
YKT-92-49	23007	186.0	189.0	3.0	1629	90	0.16	0.09
YKT-92-49	23008	189.0	192.0	3.0	524	5	0.05	0.01
YKT-92-49	23009	192.0	195.0	3.0	1712	70	0.17	0.07
YKT-92-49	23010	195.0	198.0	3.0	510	30	0.05	0.03
YKT-92-49	23011	198.0	201.0	3.0	297	10	0.03	0.01
YKT-92-49	23012	201.0	204.0	3.0	288	5	0.03	0.01
YKT-92-49	23013	204.0	207.0	3.0	362	5	0.04	0.01
YKT-92-49	23014	207.0	210.0	3.0	2808	40	0.28	0.04
YKT-92-49	23015	210.0	213.0	3.0	581	5	0.06	0.01
YKT-92-49	23016	213.0	216.0	3.0	294	5	0.03	0.01
YKT-92-49	23017	216.0	218.3	2.3	224	50	0.02	0.05
YKT-92-50	no sample	0.0	31.4	31.4				
YKT-92-50	23020	31.4	36.0	4.6	567	20	0.06	0.02
YKT-92-50	23021	36.0	42.0	6.0	725	100	0.07	0.10
YKT-92-50	23022	42.0	45.0	3.0	333	5	0.03	0.01
YKT-92-50	23023	45.0	48.0	3.0	260	5	0.03	0.01
YKT-92-50	23024	48.0	51.0	3.0	396	5	0.04	0.01
YKT-92-50	23025	51.0	54.0	3.0	405	20	0.04	0.02
YKT-92-50	23026	54.0	57.0	3.0	679	30	0.07	0.03
YKT-92-50	23027	57.0	60.0	3.0	840	60	0.08	0.06
YKT-92-50	23028	60.0	63.0	3.0	1284	80	0.13	0.08
YKT-92-50	23029	63.0	66.0	3.0	1171	110	0.12	0.11
YKT-92-50	23030	66.0	69.0	3.0	1189	90	0.12	0.09
YKT-92-50	23031	69.0	72.0	3.0	1135	50	0.11	0.05
YKT-92-50	23032	72.0	75.0	3.0	608	20	0.06	0.02
YKT-92-50	23033	75.0	78.0	3.0	407	50	0.04	0.05
YKT-92-50	23034	78.0	81.0	3.0	975	70	0.10	0.07
YKT-92-50	23035	81.0	84.0	3.0	891	120	0.09	0.12
YKT-92-50	23036	84.0	87.0	3.0	1567	100	0.16	0.10
YKT-92-50	23037	87.0	90.0	3.0	556	110	0.06	0.11
YKT-92-50	23038	90.0	93.0	3.0	1388	140	0.14	0.14
YKT-92-50	23039	93.0	96.0	3.0	2680	80	0.27	0.08
YKT-92-50	23040	96.0	99.0	3.0	2102	90	0.21	0.09
YKT-92-50	23041	99.0	102.0	3.0	2157	50	0.22	0.05
YKT-92-50	23042	102.0	105.0	3.0	1734	40	0.17	0.04
YKT-92-50	23043	105.0	108.0	3.0	1034	170	0.10	0.17
YKT-92-50	23044	108.0	111.0	3.0	208	5	0.02	0.01
YKT-92-50	23045	111.0	114.0	3.0	33	5	0.00	0.01
YKT-92-50	23046	114.0	117.0	3.0	24	5	0.00	0.01
YKT-92-50	23047	117.0	120.0	3.0	114	5	0.01	0.01
YKT-92-50	23048	120.0	123.0	3.0	93	10	0.01	0.01
YKT-92-50	23049	123.0	126.0	3.0	121	5	0.01	0.01
YKT-92-50	23050	126.0	129.0	3.0	105	5	0.01	0.01
YKT-92-50	23051	129.0	132.0	3.0	145	20	0.01	0.02
YKT-92-50	23052	132.0	135.0	3.0	123	5	0.01	0.01
YKT-92-50	23053	135.0	138.0	3.0	110	10	0.01	0.01
YKT-92-50	23054	138.0	141.0	3.0	833	40	0.08	0.04
YKT-92-50	23055	141.0	144.0	3.0	84	5	0.01	0.01
YKT-92-50	23056	144.0	147.0	3.0	406	5	0.04	0.01
YKT-92-50	23057	147.0	150.0	3.0	135	5	0.01	0.01
YKT-92-50	23058	150.0	153.0	3.0	184	10	0.02	0.01



YKT-92-50	23059	153.0	156.0	3.0	151	10	0.02	0.01
YKT-92-50	23060	156.0	159.0	3.0	164	5	0.02	0.01
YKT-92-50	23061	159.0	162.0	3.0	84	5	0.01	0.01
YKT-92-50	23062	162.0	165.0	3.0	237	10	0.02	0.01
YKT-92-50	23063	165.0	168.0	3.0	84	5	0.01	0.01
YKT-92-50	23064	168.0	171.0	3.0	173	5	0.02	0.01
YKT-92-50	23065	171.0	174.0	3.0	92	5	0.01	0.01
YKT-92-50	23066	174.0	176.8	2.8	93	5	0.01	0.01
YKT-92-51	no sample	0.0	3.1					
YKT-92-51	23070	3.1	6.0	3.0			0.02	0.01
YKT-92-51	23071	6.0	9.0	3.0			0.01	0.01
YKT-92-51	23072	9.0	12.0	3.0			0.01	0.01
YKT-92-51	23073	12.0	15.0	3.0			0.02	0.01
YKT-92-51	23074	15.0	18.0	3.0			0.04	0.03
YKT-92-51	23075	18.0	21.0	3.0			0.05	0.01
YKT-92-51	23076	21.0	24.0	3.0			0.01	0.02
YKT-92-51	23077	24.0	27.0	3.0			0.02	0.01
YKT-92-51	23078	27.0	30.0	3.0			0.01	0.01
YKT-92-51	23079	30.0	33.0	3.0			0.03	0.01
YKT-92-51	23080	33.0	36.0	3.0			0.01	0.01
YKT-92-51	23081	36.0	39.0	3.0			0.02	0.01
YKT-92-51	23082	39.0	42.0	3.0			0.02	0.01
YKT-92-51	23083	42.0	45.0	3.0			0.01	0.01
YKT-92-51	23084	45.0	48.0	3.0			0.01	0.01
YKT-92-51	23085	48.0	51.0	3.0			0.03	0.02
YKT-92-51	23086	51.0	54.0	3.0			0.04	0.07
YKT-92-51	23087	54.0	57.0	3.0			0.04	0.02
YKT-92-51	23088	57.0	60.0	3.0			0.03	0.02
YKT-92-51	23089	60.0	63.0	3.0			0.04	0.05
YKT-92-51	23090	63.0	66.0	3.0			0.01	0.01
YKT-92-51	23091	66.0	69.0	3.0			0.02	0.01
YKT-92-51	23092	69.0	72.0	3.0			0.05	0.02
YKT-92-51	23093	72.0	75.0	3.0			0.04	0.01
YKT-92-51	23094	75.0	78.0	3.0			0.16	0.03
YKT-92-51	23095	78.0	81.0	3.0			0.03	0.01
YKT-92-51	23096	81.0	84.0	3.0			0.09	0.03
YKT-92-51	23097	84.0	87.0	3.0			0.02	0.01
YKT-92-51	23098	87.0	90.0	3.0			0.02	0.02
YKT-92-51	23099	90.0	93.0	3.0			0.07	0.01
YKT-92-51	23100	93.0	96.0	3.0			0.03	0.01
YKT-92-51	23101	96.0	99.0	3.0			0.02	0.01
YKT-92-51	23102	99.0	102.0	3.0			0.05	0.05
YKT-92-51	23103	102.0	105.0	3.0			0.05	0.02
YKT-92-51	23104	105.0	108.0	3.0			0.01	0.01
YKT-92-51	23105	108.0	111.0	3.0			0.02	0.02
YKT-92-51	23106	111.0	114.0	3.0			0.03	0.01
YKT-92-51	23107	114.0	117.0	3.0			0.04	0.07
YKT-92-51	23108	117.0	120.0	3.0			0.02	0.03
YKT-92-51	23109	120.0	123.0	3.0			0.03	0.03
YKT-92-51	23110	123.0	126.0	3.0			0.04	0.01
YKT-92-51	23111	126.0	129.0	3.0			0.03	0.02
YKT-92-51	23112	129.0	132.0	3.0			0.02	0.01
YKT-92-51	23113	132.0	135.0	3.0			0.02	0.03
YKT-92-51	23114	135.0	138.0	3.0			0.03	0.01

YKT-92-51	23115	138.0	141.0	3.0	0.04	0.04
YKT-92-51	23116	141.0	144.0	3.0	0.03	0.02
YKT-92-51	23117	144.0	147.0	3.0	0.03	0.01
YKT-92-51	23118	147.0	150.0	3.0	0.01	0.01
YKT-92-51	23119	150.0	153.0	3.0	0.01	0.01
YKT-92-51	23120	153.0	156.0	3.0	0.03	0.01
YKT-92-51	23121	156.0	159.0	3.0	0.02	0.01
YKT-92-51	23122	159.0	162.0	3.0	0.03	0.01
YKT-92-51	23123	162.0	165.0	3.0	0.08	0.01
YKT-92-51	23124	165.0	168.0	3.0	0.02	0.01
YKT-92-51	23125	168.0	171.0	3.0	0.10	0.01
YKT-92-51	23126	171.0	174.0	3.0	0.04	0.01
YKT-92-51	23127	174.0	177.0	3.0	0.07	0.03
YKT-92-51	23128	177.0	180.0	3.0	0.06	0.01
YKT-92-51	23129	180.0	183.0	3.0	0.02	0.01
YKT-92-51	23130	183.0	186.0	3.0	0.03	0.01
YKT-92-51	23131	186.0	189.0	3.0	0.04	0.01
YKT-92-51	23132	189.0	192.0	3.0	0.03	0.01
YKT-92-51	23133	192.0	195.0	3.0	0.01	0.01
YKT-92-51	23134	195.0	198.0	3.0	0.01	0.01
YKT-92-51	23135	198.0	201.0	3.0	0.00	0.01
YKT-92-51	23136	201.0	204.0	3.0	0.01	0.01
YKT-92-51	23137	204.0	207.0	3.0	0.01	0.01
YKT-92-51	23138	207.0	210.0	3.0	0.01	0.01
YKT-92-51	23139	210.0	213.0	3.0	0.01	0.01
YKT-92-51	23140	213.0	216.0	3.0	0.01	0.01
YKT-92-51	23141	216.0	219.0	3.0	0.01	0.01
YKT-92-51	23142	219.0	222.0	3.0	0.01	0.01
YKT-92-51	23143	222.0	225.0	3.0	0.01	0.01
YKT-92-51	23144	225.0	228.0	3.0	0.01	0.01
YKT-92-51	23145	228.0	231.0	3.0	0.01	0.01
YKT-92-51	23146	231.0	234.0	3.0	0.02	0.01
YKT-92-51	23147	234.0	237.0	3.0	0.01	0.01
YKT-92-51	23148	237.0	240.0	3.0	0.01	0.01
YKT-92-51	23149	240.0	243.0	3.0	0.01	0.01
YKT-92-51	23150	243.0	246.0	3.0	0.01	0.01
YKT-92-51	23151	246.0	249.0	3.0	0.01	0.01
YKT-92-51	23152	249.0	252.1	3.1	0.02	0.01
YKT-92-52	no sample	0.0	3.7			
YKT-92-52	23155	3.7	9.0	5.3	0.10	0.06
YKT-92-52	23156	9.0	12.0	3.0	0.13	0.11
YKT-92-52	23157	12.0	15.0	3.0	0.19	0.09
YKT-92-52	23158	15.0	18.0	3.0	0.03	0.05
YKT-92-52	23159	18.0	21.0	3.0	0.03	0.03
YKT-92-52	23160	21.0	24.0	3.0	0.03	0.02
YKT-92-52	23161	24.0	27.0	3.0	0.07	0.02
YKT-92-52	23162	27.0	30.0	3.0	0.02	0.02
YKT-92-52	23163	30.0	33.0	3.0	0.02	0.05
YKT-92-52	23164	33.0	36.0	3.0	0.04	0.05
YKT-92-52	23165	36.0	39.0	3.0	0.03	0.07
YKT-92-52	23166	39.0	42.0	3.0	0.36	0.10
YKT-92-52	23167	42.0	45.0	3.0	0.08	0.13
YKT-92-52	23168	45.0	48.0	3.0	0.04	0.04
YKT-92-52	23169	48.0	51.0	3.0	0.02	0.05

YKT-92-52	23170	51.0	54.0	3.0	0.02	0.06
YKT-92-52	23171	54.0	57.0	3.0	0.02	0.13
YKT-92-52	23172	57.0	60.0	3.0	0.06	0.14
YKT-92-52	23173	60.0	63.0	3.0	0.08	0.07
YKT-92-52	23174	63.0	66.0	3.0	0.11	0.17
YKT-92-52	23175	66.0	69.0	3.0	0.13	0.07
YKT-92-52	23176	69.0	72.0	3.0	0.24	0.18
YKT-92-52	23177	72.0	75.0	3.0	0.32	0.46
YKT-92-52	23178	75.0	78.0	3.0	0.17	0.29
YKT-92-52	23179	78.0	81.0	3.0	0.02	0.01
YKT-92-52	23180	81.0	84.0	3.0	0.05	0.01
YKT-92-52	23181	84.0	87.0	3.0	0.04	0.01
YKT-92-52	23182	87.0	90.0	3.0	0.06	0.05
YKT-92-52	23183	90.0	93.0	3.0	0.05	0.02
YKT-92-52	23184	93.0	96.0	3.0	0.02	0.01
YKT-92-52	23185	96.0	99.0	3.0	0.04	0.01
YKT-92-52	23186	99.0	102.0	3.0	0.01	0.01
YKT-92-52	23187	102.0	105.0	3.0	0.01	0.01
YKT-92-52	23188	105.0	108.0	3.0	0.02	0.01
YKT-92-52	23189	108.0	111.0	3.0	0.03	0.01
YKT-92-52	23190	111.0	114.0	3.0	0.05	0.01
YKT-92-52	23191	114.0	117.0	3.0	0.04	0.01
YKT-92-52	23192	117.0	120.0	3.0	0.03	0.02
YKT-92-52	23193	120.0	123.0	3.0	0.03	0.01
YKT-92-52	23194	123.0	126.0	3.0	0.03	0.01
YKT-92-52	23195	126.0	129.0	3.0	0.02	0.01
YKT-92-52	23196	129.0	132.0	3.0	0.03	0.01
YKT-92-52	23197	132.0	135.0	3.0	0.07	0.02
YKT-92-52	23198	135.0	138.0	3.0	0.05	0.03
YKT-92-52	23199	138.0	142.4	4.4	0.04	0.02
YKT-92-53	no sample	0.0	5.5			
YKT-92-53	23201	5.5	9.0	3.5	0.12	0.07
YKT-92-53	23202	9.0	12.0	3.0	0.14	0.12
YKT-92-53	23203	12.0	15.0	3.0	0.12	0.05
YKT-92-53	23204	15.0	18.0	3.0	0.47	0.32
YKT-92-53	23205	18.0	21.0	3.0	0.30	0.18
YKT-92-53	23206	21.0	24.0	3.0	0.07	0.02
YKT-92-53	23207	24.0	27.0	3.0	0.05	0.02
YKT-92-53	23208	27.0	30.0	3.0	0.02	0.03
YKT-92-53	23209	30.0	33.0	3.0	0.04	0.02
YKT-92-53	23210	33.0	36.0	3.0	0.03	0.02
YKT-92-53	23211	36.0	39.0	3.0	0.07	0.02
YKT-92-53	23212	39.0	42.0	3.0	0.06	0.02
YKT-92-53	23213	42.0	45.0	3.0	0.08	0.03
YKT-92-53	23214	45.0	48.0	3.0	0.05	0.02
YKT-92-53	23215	48.0	51.0	3.0	0.05	0.02
YKT-92-53	23216	51.0	54.0	3.0	0.05	0.02
YKT-92-53	23217	54.0	57.0	3.0	0.04	0.01
YKT-92-53	23218	57.0	60.0	3.0	0.06	0.02
YKT-92-53	23219	60.0	63.0	3.0	0.12	0.03
YKT-92-53	23220	63.0	66.0	3.0	0.07	0.01
YKT-92-53	23221	66.0	69.0	3.0	0.04	0.01
YKT-92-53	23222	69.0	72.0	3.0	0.04	0.01
YKT-92-53	23223	72.0	75.0	3.0	0.04	0.01

YKT-92-53	23224	75.0	78.0	3.0	0.05	0.01
YKT-92-53	23225	78.0	81.0	3.0	0.05	0.01
YKT-92-53	23226	81.0	84.0	3.0	0.06	0.01
YKT-92-53	23227	84.0	87.0	3.0	0.06	0.02
YKT-92-53	23228	87.0	90.0	3.0	0.17	0.03
YKT-92-53	23229	90.0	93.0	3.0	0.19	0.04
YKT-92-53	23230	93.0	96.0	3.0	0.09	0.02
YKT-92-53	23231	96.0	99.0	3.0	0.05	0.01
YKT-92-53	23232	99.0	102.0	3.0	0.10	0.02
YKT-92-53	23233	102.0	105.0	3.0	0.11	0.03
YKT-92-53	23234	105.0	108.0	3.0	0.13	0.02
YKT-92-53	23235	108.0	111.0	3.0	0.22	0.10
YKT-92-53	23236	111.0	114.0	3.0	0.11	0.06
YKT-92-53	23237	114.0	117.0	3.0	0.09	0.03
YKT-92-53	23238	117.0	120.0	3.0	0.18	0.06
YKT-92-53	23239	120.0	123.0	3.0	0.16	0.08
YKT-92-53	23240	123.0	126.0	3.0	0.12	0.04
YKT-92-53	23241	126.0	129.0	3.0	0.08	0.03
YKT-92-53	23242	129.0	132.0	3.0	0.08	0.04
YKT-92-53	23243	132.0	135.0	3.0	0.06	0.03
YKT-92-53	23244	135.0	138.0	3.0	0.08	0.05
YKT-92-53	23245	138.0	141.0	3.0	0.07	0.03
YKT-92-53	23246	141.0	144.0	3.0	0.05	0.03
YKT-92-53	23247	144.0	147.0	3.0	0.06	0.05
YKT-92-53	23248	147.0	150.0	3.0	0.10	0.04
YKT-92-53	23249	150.0	153.0	3.0	0.13	0.03
YKT-92-53	23250	153.0	156.0	3.0	0.10	0.04
YKT-92-53	23251	156.0	159.0	3.0	0.09	0.04
YKT-92-53	23252	159.0	162.0	3.0	0.12	0.07
YKT-92-53	23253	162.0	165.0	3.0	0.06	0.02
YKT-92-53	23254	165.0	168.0	3.0	0.02	0.02
YKT-92-53	23255	168.0	171.0	3.0	0.03	0.02
YKT-92-53	23256	171.0	174.0	3.0	0.02	0.02
YKT-92-53	23257	174.0	177.0	3.0	0.01	0.02
YKT-92-53	23258	177.0	180.0	3.0	0.12	0.10
YKT-92-53	23259	180.0	183.0	3.0	0.11	0.06
YKT-92-53	23260	183.0	186.0	3.0	0.02	0.02
YKT-92-53	23261	186.0	189.0	3.0	0.02	0.01
YKT-92-53	23262	189.0	192.0	3.0	0.03	0.03
YKT-92-53	23263	192.0	195.0	3.0	0.08	0.06
YKT-92-53	23264	195.0	198.0	3.0	0.02	0.02
YKT-92-53	23265	198.0	201.0	3.0	0.01	0.03
YKT-92-53	23266	201.0	204.0	3.0	0.10	0.23
YKT-92-53	23267	204.0	207.0	3.0	0.10	0.06
YKT-92-53	23268	207.0	210.0	3.0	0.24	0.16
YKT-92-53	23269	210.0	213.0	3.0	0.13	0.03
YKT-92-53	23270	213.0	216.0	3.0	0.03	0.01
YKT-92-53	23271	216.0	219.0	3.0	0.13	0.06
YKT-92-53	23272	219.0	222.0	3.0	0.06	0.02
YKT-92-53	23273	222.0	225.0	3.0	0.19	0.12
YKT-92-53	23274	225.0	228.0	3.0	0.08	0.08
YKT-92-53	23275	228.0	231.0	3.0	0.16	0.10
YKT-92-53	23276	231.0	234.0	3.0	0.24	0.13
YKT-92-53	23277	234.0	237.0	3.0	0.15	0.08

YKT-92-53	23278	237.0	240.0	3.0	0.06	0.07
YKT-92-53	23279	240.0	243.0	3.0	0.02	0.01
YKT-92-53	23280	243.0	246.0	3.0	0.03	0.04
YKT-92-53	23281	246.0	249.0	3.0	0.05	0.09
YKT-92-53	23282	249.0	252.0	3.0	0.27	0.19
YKT-92-53	23283	252.0	255.0	3.0	0.15	0.08
YKT-92-53	23284	255.0	258.0	3.0	0.16	0.16
YKT-92-53	23285	258.0	261.0	3.0	0.44	0.50
YKT-92-53	23286	261.0	264.0	3.0	0.29	0.20
YKT-92-53	23287	264.0	267.0	3.0	0.18	0.26
YKT-92-53	23288	267.0	270.0	3.0	0.32	0.32
YKT-92-53	23289	270.0	273.0	3.0	0.07	0.05
YKT-92-53	23290	273.0	276.0	3.0	0.12	0.08
YKT-92-53	23291	276.0	279.0	3.0	0.05	0.06
YKT-92-53	23292	279.0	282.0	3.0	0.04	0.24
YKT-92-53	23293	282.0	285.0	3.0	0.19	0.12
YKT-92-53	23294	285.0	288.0	3.0	0.07	0.10
YKT-92-53	23295	288.0	291.0	3.0	0.23	0.44
YKT-92-53	23296	291.0	294.0	3.0	0.28	0.22
YKT-92-53	23297	294.0	297.0	3.0	0.48	0.26
YKT-92-53	23298	297.0	300.9	3.9	0.28	0.14
YKT-92-54	no sample	0.0	3.1			
YKT-92-54	23301	3.1	6.0	3.0	0.10	0.03
YKT-92-54	23302	6.0	9.0	3.0	0.09	0.03
YKT-92-54	23303	9.0	12.0	3.0	0.04	0.02
YKT-92-54	23304	12.0	15.0	3.0	0.06	0.02
YKT-92-54	23305	15.0	18.0	3.0	0.09	0.02
YKT-92-54	23306	18.0	21.0	3.0	0.17	0.05
YKT-92-54	23307	21.0	24.0	3.0	0.10	0.13
YKT-92-54	23308	24.0	27.0	3.0	0.19	0.11
YKT-92-54	23309	27.0	30.0	3.0	0.14	0.05
YKT-92-54	23310	30.0	33.0	3.0	0.09	0.04
YKT-92-54	23311	33.0	36.0	3.0	0.09	0.02
YKT-92-54	23312	36.0	39.0	3.0	0.09	0.03
YKT-92-54	23313	39.0	42.0	3.0	0.06	0.08
YKT-92-54	23314	42.0	45.0	3.0	0.05	0.19
YKT-92-54	23315	45.0	48.0	3.0	0.07	0.02
YKT-92-54	23316	48.0	51.0	3.0	0.07	0.03
YKT-92-54	23317	51.0	54.0	3.0	0.08	0.47
YKT-92-54	23318	54.0	57.0	3.0	0.05	0.01
YKT-92-54	23319	57.0	60.0	3.0	0.00	0.01
YKT-92-54	23320	60.0	63.0	3.0	0.01	0.01
YKT-92-54	23321	63.0	66.0	3.0	0.00	0.01
YKT-92-54	23322	66.0	69.0	3.0	0.00	0.01
YKT-92-54	23323	69.0	72.0	3.0	0.05	0.01
YKT-92-54	23324	72.0	75.0	3.0	0.05	0.01
YKT-92-54	23325	75.0	78.0	3.0	0.03	0.04
YKT-92-54	23326	78.0	81.0	3.0	0.07	0.02
YKT-92-54	23327	81.0	84.0	3.0	0.03	0.01
YKT-92-54	23328	84.0	87.0	3.0	0.04	0.01
YKT-92-54	23329	87.0	90.0	3.0	0.07	0.01
YKT-92-54	23330	90.0	93.0	3.0	0.05	0.01
YKT-92-54	23331	93.0	96.0	3.0	0.03	0.01
YKT-92-54	23332	96.0	99.0	3.0	0.01	0.01

YKT-92-54	23333	99.0	102.0	3.0	0.00	0.01
YKT-92-54	23334	102.0	105.0	3.0	0.01	0.01
YKT-92-54	23335	105.0	108.0	3.0	0.05	0.01
YKT-92-54	23336	108.0	111.0	3.0	0.08	0.08
YKT-92-54	23337	111.0	114.0	3.0	0.07	0.07
YKT-92-54	23338	114.0	117.0	3.0	0.02	0.04
YKT-92-54	23339	117.0	120.0	3.0	0.08	0.04
YKT-92-54	23340	120.0	123.0	3.0	0.07	0.03
YKT-92-54	23341	123.0	126.0	3.0	0.09	0.02
YKT-92-54	23342	126.0	129.0	3.0	0.42	0.22
YKT-92-54	23343	129.0	132.0	3.0	0.16	0.67
YKT-92-54	23344	132.0	135.0	3.0	0.09	0.07
YKT-92-54	23345	135.0	138.0	3.0	0.11	0.12
YKT-92-54	23346	138.0	141.0	3.0	0.09	0.07
YKT-92-54	23347	141.0	144.0	3.0	0.07	0.06
YKT-92-54	23348	144.0	147.0	3.0	0.06	0.10
YKT-92-54	23349	147.0	150.0	3.0	0.05	0.06
YKT-92-54	23350	150.0	153.0	3.0	0.06	0.03
YKT-92-54	23351	153.0	156.0	3.0	0.06	0.08
YKT-92-54	23352	156.0	159.0	3.0	0.03	0.04
YKT-92-54	23353	159.0	162.0	3.0	0.37	0.19
YKT-92-54	23354	162.0	165.0	3.0	0.08	0.04
YKT-92-54	23355	165.0	168.0	3.0	0.20	0.23
YKT-92-54	23356	168.0	171.0	3.0	0.10	0.09
YKT-92-54	23357	171.0	174.0	3.0	0.31	0.50
YKT-92-54	23358	174.0	177.0	3.0	0.10	0.08
YKT-92-54	23359	177.0	180.0	3.0	0.06	0.06
YKT-92-54	23360	180.0	183.0	3.0	0.13	0.15
YKT-92-54	23361	183.0	186.0	3.0	0.05	0.02
YKT-92-54	23362	186.0	189.0	3.0	0.05	0.04
YKT-92-54	23363	189.0	192.0	3.0	0.09	0.10
YKT-92-54	23364	192.0	195.0	3.0	0.06	0.35
YKT-92-54	23365	195.0	198.0	3.0	0.05	0.23
YKT-92-54	23366	198.0	201.0	3.0	0.16	0.10
YKT-92-54	23367	201.0	204.0	3.0	0.29	0.24
YKT-92-54	23368	204.0	207.0	3.0	0.40	0.29
YKT-92-54	23369	207.0	210.0	3.0	0.31	0.19
YKT-92-54	23370	210.0	213.0	3.0	0.33	0.14
YKT-92-54	23371	213.0	216.0	3.0	0.15	0.04
YKT-92-54	23372	216.0	219.0	3.0	0.06	0.02
YKT-92-54	23373	219.0	222.0	3.0	0.16	0.05
YKT-92-54	23374	222.0	225.0	3.0	0.23	0.10
YKT-92-54	23375	225.0	228.0	3.0	0.04	0.03
YKT-92-54	23376	228.0	231.0	3.0	0.12	0.04
YKT-92-54	23377	231.0	234.0	3.0	0.14	0.10
YKT-92-54	23378	234.0	237.0	3.0	0.23	0.18
YKT-92-54	23379	237.0	240.0	3.0	0.16	0.06
YKT-92-54	23380	240.0	243.0	3.0	0.13	0.06
YKT-92-54	23381	243.0	246.0	3.0	0.19	0.06
YKT-92-54	23382	246.0	249.0	3.0	0.10	0.08
YKT-92-54	23383	249.0	252.0	3.0	0.13	0.05
YKT-92-54	23384	252.0	255.0	3.0	0.12	0.03
YKT-92-54	23385	255.0	258.0	3.0	0.24	0.10
YKT-92-54	23386	258.0	261.0	3.0	0.25	0.18

YKT-92-54	23387	261.0	264.0	3.0	0.14	0.08
YKT-92-54	23388	264.0	267.0	3.0	0.06	0.08
YKT-92-54	23389	267.0	270.0	3.0	0.17	0.10
YKT-92-54	23390	270.0	273.0	3.0	0.07	0.04
YKT-92-54	23391	273.0	276.0	3.0	0.11	0.05
YKT-92-54	23392	276.0	279.0	3.0	0.03	0.01
YKT-92-54	23393	279.0	282.0	3.0	0.04	0.03
YKT-92-54	23394	282.0	285.0	3.0	0.10	0.02
YKT-92-54	23395	285.0	288.0	3.0	0.21	0.06
YKT-92-54	23396	288.0	291.0	3.0	0.11	0.01
YKT-92-54	23397	291.0	294.8	3.8	0.05	0.02
YKT-92-55	no sample	0.0	5.3			
YKT-92-55	23401	5.3	9.0	3.7	0.02	0.01
YKT-92-55	23402	9.0	12.0	3.0	0.04	0.01
YKT-92-55	23403	12.0	15.0	3.0	0.05	0.01
YKT-92-55	23404	15.0	18.0	3.0	0.06	0.01
YKT-92-55	23405	18.0	21.0	3.0	0.04	0.01
YKT-92-55	23406	21.0	24.0	3.0	0.04	0.02
YKT-92-55	23407	24.0	27.0	3.0	0.04	0.03
YKT-92-55	23408	27.0	30.0	3.0	0.05	0.02
YKT-92-55	23409	30.0	33.0	3.0	0.04	0.01
YKT-92-55	23410	33.0	36.0	3.0	0.03	0.01
YKT-92-55	23411	36.0	39.0	3.0	0.19	0.01
YKT-92-55	23412	39.0	42.0	3.0	0.06	0.01
YKT-92-55	23413	42.0	45.0	3.0	0.05	0.01
YKT-92-55	23414	45.0	48.0	3.0	0.03	0.01
YKT-92-55	23415	48.0	51.0	3.0	0.04	0.01
YKT-92-55	23416	51.0	54.0	3.0	0.03	0.01
YKT-92-55	23417	54.0	57.0	3.0	0.04	0.01
YKT-92-55	23418	57.0	60.0	3.0	0.04	0.01
YKT-92-55	23419	60.0	63.0	3.0	0.03	0.01
YKT-92-55	23420	63.0	66.0	3.0	0.04	0.01
YKT-92-55	23421	66.0	69.0	3.0	0.04	0.01
YKT-92-55	23422	69.0	72.0	3.0	0.04	0.01
YKT-92-55	23423	72.0	75.0	3.0	0.03	0.01
YKT-92-55	23424	75.0	78.0	3.0	0.03	0.01
YKT-92-55	23425	78.0	81.0	3.0	0.07	0.01
YKT-92-55	23426	81.0	84.0	3.0	0.06	0.01
YKT-92-55	23427	84.0	87.0	3.0	0.03	0.01
YKT-92-55	23428	87.0	90.0	3.0	0.03	0.01
YKT-92-55	23429	90.0	93.0	3.0	0.05	0.03
YKT-92-55	23430	93.0	96.0	3.0	0.07	0.03
YKT-92-55	23431	96.0	99.0	3.0	0.02	0.02
YKT-92-55	23432	99.0	102.0	3.0	0.04	0.09
YKT-92-55	23433	102.0	105.0	3.0	0.04	0.02
YKT-92-55	23434	105.0	108.0	3.0	0.03	0.03
YKT-92-55	23435	108.0	111.0	3.0	0.27	0.10
YKT-92-55	23436	111.0	114.0	3.0	0.12	0.07
YKT-92-55	23437	114.0	117.0	3.0	0.36	0.15
YKT-92-55	23438	117.0	120.0	3.0	0.08	0.06
YKT-92-55	23439	120.0	123.0	3.0	0.15	0.03
YKT-92-55	23440	123.0	126.0	3.0	0.14	0.04
YKT-92-55	23441	126.0	129.0	3.0	0.12	0.13
YKT-92-55	23442	129.0	132.0	3.0	0.05	0.06

YKT-92-55	23443	132.0	135.0	3.0	0.12	0.09
YKT-92-55	23444	135.0	138.0	3.0	0.17	0.09
YKT-92-55	23445	138.0	141.0	3.0	0.27	0.12
YKT-92-55	23446	141.0	144.0	3.0	0.12	0.05
YKT-92-55	23447	144.0	147.0	3.0	0.13	0.08
YKT-92-55	23448	147.0	150.0	3.0	0.26	0.12
YKT-92-55	23449	150.0	153.0	3.0	0.41	0.12
YKT-92-55	23450	153.0	156.0	3.0	0.28	0.16
YKT-92-55	23451	156.0	159.0	3.0	0.21	0.07
YKT-92-55	23452	159.0	162.0	3.0	0.68	0.16
YKT-92-55	23453	162.0	165.0	3.0	0.36	0.09
YKT-92-55	23454	165.0	168.0	3.0	0.28	0.18
YKT-92-55	23455	168.0	171.0	3.0	0.13	0.08
YKT-92-55	23456	171.0	174.0	3.0	0.11	0.05
YKT-92-55	23457	174.0	177.0	3.0	0.04	0.05
YKT-92-55	23458	177.0	180.0	3.0	0.06	0.01
YKT-92-55	23459	180.0	183.0	3.0	0.05	0.02
YKT-92-55	23460	183.0	186.0	3.0	0.05	0.01
YKT-92-55	23461	186.0	189.0	3.0	0.07	0.03
YKT-92-55	23462	189.0	192.0	3.0	0.07	0.02
YKT-92-55	23463	192.0	195.0	3.0	0.05	0.01
YKT-92-55	23464	195.0	197.9	2.9	0.03	0.01
YKT-92-56	no sample	0.0	15.0			
YKT-92-56	24301	15.0	21.0	6.0	0.01	0.01
YKT-92-56	24302	21.0	27.0	6.0	0.07	0.07
YKT-92-56	24303	27.0	30.0	3.0	0.05	0.03
YKT-92-56	24304	30.0	33.0	3.0	0.01	0.01
YKT-92-56	24305	33.0	36.0	3.0	0.01	0.01
YKT-92-56	24306	36.0	39.0	3.0	0.08	0.06
YKT-92-56	24307	39.0	42.0	3.0	0.08	0.09
YKT-92-56	24308	42.0	45.0	3.0	0.11	0.18
YKT-92-56	24309	45.0	48.0	3.0	0.03	0.03
YKT-92-56	24310	48.0	51.0	3.0	0.01	0.01
YKT-92-56	24311	51.0	54.0	3.0	0.07	0.04
YKT-92-56	24312	54.0	57.0	3.0	0.01	0.01
YKT-92-56	24313	57.0	60.0	3.0	0.01	0.01
YKT-92-56	24314	60.0	63.0	3.0	0.01	0.01
YKT-92-56	24315	63.0	66.0	3.0	0.01	0.01
YKT-92-56	24316	66.0	69.0	3.0	0.01	0.01
YKT-92-56	24317	69.0	72.0	3.0	0.01	0.01
YKT-92-56	24318	72.0	75.0	3.0	0.01	0.01
YKT-92-56	24319	75.0	78.0	3.0	0.02	0.01
YKT-92-56	24320	78.0	81.0	3.0	0.09	0.01
YKT-92-56	24321	81.0	84.0	3.0	0.03	0.01
YKT-92-56	24322	84.0	87.0	3.0	0.02	0.01
YKT-92-56	24323	87.0	90.0	3.0	0.06	0.02
YKT-92-56	24324	90.0	93.0	3.0	0.05	0.01
YKT-92-56	24325	93.0	96.0	3.0	0.04	0.01
YKT-92-56	24326	96.0	99.0	3.0	0.11	0.01
YKT-92-56	24327	99.0	102.0	3.0	0.09	0.02
YKT-92-56	24328	102.0	105.0	3.0	0.03	0.01
YKT-92-56	24329	105.0	108.0	3.0	0.04	0.02
YKT-92-56	24330	108.0	111.0	3.0	0.06	0.01
YKT-92-56	24331	111.0	114.0	3.0	0.05	0.01



YKT-92-56	24332	114.0	117.0	3.0			0.10	0.05
YKT-92-56	24333	117.0	120.0	3.0			0.12	0.08
YKT-92-56	24334	120.0	123.0	3.0			0.06	0.03
YKT-92-56	24335	123.0	126.0	3.0			0.03	0.01
YKT-92-56	24336	126.0	129.0	3.0			0.04	0.01
YKT-92-56	24337	129.0	132.0	3.0			0.03	0.01
YKT-92-56	24338	132.0	135.0	3.0			0.03	0.01
YKT-92-56	24339	135.0	138.0	3.0			0.04	0.02
YKT-92-56	24340	138.0	141.0	3.0			0.04	0.01
YKT-92-56	24341	141.0	144.0	3.0			0.09	0.02
YKT-92-56	24342	144.0	147.0	3.0			0.05	0.01
YKT-92-56	24343	147.0	150.0	3.0			0.07	0.01
YKT-92-56	24344	150.0	153.0	3.0			0.03	0.01
YKT-92-56	24345	153.0	156.0	3.0			0.02	0.01
YKT-92-56	24346	156.0	159.0	3.0			0.03	0.04
YKT-92-56	24347	159.0	162.0	3.0			0.04	0.03
YKT-92-56	24348	162.0	165.0	3.0			0.06	0.08
YKT-92-56	24349	165.0	168.0	3.0			0.01	0.01
YKT-92-56	24350	168.0	171.0	3.0			0.01	0.01
YKT-92-56	24351	171.0	174.0	3.0			0.01	0.01
YKT-92-56	24352	174.0	177.0	3.0			0.01	0.01
YKT-92-56	24353	177.0	180.0	3.0			0.03	0.02
YKT-92-56	24354	180.0	183.0	3.0			0.04	0.04
YKT-92-56	24355	183.0	186.0	3.0			0.11	0.08
YKT-92-56	24356	186.0	189.0	3.0			0.03	0.01
YKT-92-56	24357	189.0	192.0	3.0			0.03	0.01
YKT-92-56	24358	192.0	195.0	3.0			0.07	0.06
YKT-92-56	24359	195.0	198.0	3.0			0.08	0.04
YKT-92-56	24360	198.0	201.0	3.0			0.06	0.02
YKT-92-56	24361	201.0	204.0	3.0			0.07	0.04
YKT-92-56	24362	204.0	207.0	3.0			0.06	0.02
YKT-92-56	24363	207.0	210.0	3.0			0.04	0.02
YKT-92-56	24364	210.0	213.0	3.0			0.06	0.04
YKT-92-56	24365	213.0	216.0	3.0			0.01	0.01
YKT-92-56	24366	216.0	219.0	3.0			0.02	0.02
YKT-92-56	24367	219.0	222.0	3.0			0.04	0.01
YKT-92-56	24368	222.0	226.5	4.5			0.10	0.05
YKT-94-57	no sample	0.0	21.8	21.8				
YKT-94-57	22766	21.8	24.0	2.2	243.0	14.0	0.02	0.01
YKT-94-57	22767	24.0	25.5	1.5	267.0	15.0	0.03	0.02
YKT-94-57	no sample	25.5	38.5	13.0				
YKT-94-57	22768	38.5	40.0	1.5	1078.0	25.0	0.11	0.03
YKT-94-57	22769	40.0	42.0	2.0	762.0	23.0	0.08	0.02
YKT-94-57	22770	42.0	44.0	2.0	640.0	13.0	0.06	0.01
YKT-94-57	22771	44.0	45.0	1.0	371.0	22.0	0.04	0.02
YKT-94-57	no sample	45.0	61.4	16.4				
YKT-94-57	22772	61.4	63.0	1.6	296.0	4.0	0.03	0.00
YKT-94-57	22773	63.0	65.0	2.0	425.0	6.0	0.04	0.01
YKT-94-57	22774	65.0	67.0	2.0	492.0	6.0	0.05	0.01
YKT-94-57	22775	67.0	68.0	1.0	239.0	5.0	0.02	0.01
YKT-94-57	no sample	68.0	71.9	3.9				
YKT-94-57	22776	71.9	74.0	2.1	402.0	7.0	0.04	0.01
YKT-94-57	22777	74.0	76.0	2.0	455.0	10.0	0.05	0.01
YKT-94-57	22778	76.0	78.0	2.0	247.0	9.0	0.02	0.01

YKT-94-57	22779	78.0	80.0	2.0	271.0	8.0	0.03	0.01
YKT-94-57	22780	80.0	81.1	1.1	358.0	13.0	0.04	0.01
YKT-94-57	22781	81.1	83.4	2.3	240.0	6.0	0.02	0.01
YKT-94-57	22782	83.4	86.0	2.6	1748.0	52.0	0.17	0.05
YKT-94-57	22783	86.0	88.0	2.0	1982.0	57.0	0.20	0.06
YKT-94-57	22784	88.0	90.0	2.0	2558.0	74.0	0.26	0.07
YKT-94-57	22785	90.0	92.0	2.0	3080.0	63.0	0.31	0.06
YKT-94-57	22786	92.0	94.0	2.0	3507.0	110.0	0.35	0.11
YKT-94-57	22787	94.0	96.0	2.0	2233.0	52.0	0.22	0.05
YKT-94-57	22788	96.0	98.0	2.0	964.0	45.0	0.10	0.05
YKT-94-57	22789	98.0	100.0	2.0	1717.0	87.0	0.17	0.09
YKT-94-57	22790	100.0	102.0	2.0	3507.0	71.0	0.35	0.07
YKT-94-57	22791	102.0	104.0	2.0	778.0	22.0	0.08	0.02
YKT-94-57	22792	104.0	106.0	2.0	1162.0	24.0	0.12	0.02
YKT-94-57	22793	106.0	108.0	2.0	795.0	17.0	0.08	0.02
YKT-94-57	22794	108.0	110.0	2.0	401.0	13.0	0.04	0.01
YKT-94-57	22795	110.0	112.0	2.0	419.0	12.0	0.04	0.01
YKT-94-57	22796	112.0	114.0	2.0	734.0	22.0	0.07	0.02
YKT-94-57	22797	114.0	116.0	2.0	380.0	24.0	0.04	0.02
YKT-94-57	22798	116.0	118.0	2.0	415.0	20.0	0.04	0.02
YKT-94-57	22799	118.0	120.2	2.2	452.0	32.0	0.05	0.03
YKT-94-57	no sample	120.2	133.1	12.9				
YKT-94-57	22800	133.1	135.0	1.9	450.0	12.0	0.05	0.01
YKT-94-57	22851	135.0	137.0	2.0	275.0	31.0	0.03	0.03
YKT-94-57	22852	137.0	139.0	2.0	1003.0	58.0	0.10	0.06
YKT-94-57	22853	139.0	140.0	1.0	849.0	81.0	0.08	0.08
YKT-94-57	22854	140.0	142.0	2.0	1034.0	82.0	0.10	0.08
YKT-94-57	22855	142.0	144.0	2.0	581.0	23.0	0.06	0.02
YKT-94-57	22856	144.0	146.0	2.0	269.0	18.0	0.03	0.02
YKT-94-57	22857	146.0	148.0	2.0	618.0	140.0	0.06	0.14
YKT-94-57	22858	148.0	150.0	2.0	1696.0	140.0	0.17	0.14
YKT-94-57	22859	150.0	152.0	2.0	1445.0	63.0	0.14	0.06
YKT-94-57	22860	152.0	154.0	2.0	1029.0	44.0	0.10	0.04
YKT-94-57	22861	154.0	156.0	2.0	2542.0	330.0	0.25	0.33
YKT-94-57	22862	156.0	158.0	2.0	1675.0	390.0	0.17	0.39
YKT-94-57	22863	158.0	160.0	2.0	1270.0	72.0	0.13	0.07
YKT-94-57	22864	160.0	162.0	2.0	1349.0	140.0	0.13	0.14
YKT-94-57	22865	162.0	164.0	2.0	2061.0	270.0	0.21	0.27
YKT-94-57	22866	164.0	166.0	2.0	2009.0	130.0	0.20	0.13
YKT-94-57	22867	166.0	168.0	2.0	873.0	54.0	0.09	0.05
YKT-94-57	22868	168.0	170.0	2.0	2175.0	120.0	0.22	0.12
YKT-94-57	22869	170.0	172.0	2.0	432.0	52.0	0.04	0.05
YKT-94-57	22870	172.0	174.0	2.0	802.0	71.0	0.08	0.07
YKT-94-57	22871	174.0	176.0	2.0	1578.0	82.0	0.16	0.08
YKT-94-57	22872	176.0	178.0	2.0	2275.0	180.0	0.23	0.18
YKT-94-57	22873	178.0	180.0	2.0	1566.0	140.0	0.16	0.14
YKT-94-57	22874	180.0	182.0	2.0	367.0	50.0	0.04	0.05
YKT-94-57	22875	182.0	184.0	2.0	763.0	34.0	0.08	0.03
YKT-94-57	22876	184.0	186.0	2.0	881.0	50.0	0.09	0.05
YKT-94-57	22877	186.0	188.0	2.0	2005.0	92.0	0.20	0.09
YKT-94-57	22878	188.0	190.2	2.2	2394.0	110.0	0.24	0.11
YKT-94-57	22879	190.2	192.0	1.8	495.0	28.0	0.05	0.03
YKT-94-57	22880	192.0	194.0	2.0	575.0	26.0	0.06	0.03
YKT-94-57	22881	194.0	195.9	1.9	1084.0	44.0	0.11	0.04

YKT-94-57	22882	195.9	198.0	2.1	844.0	30.0	0.08	0.03
YKT-94-57	22883	198.0	198.9	0.9	3157.0	130.0	0.32	0.13
YKT-94-57	22884	198.9	201.0	2.1	1236.0	43.0	0.12	0.04
YKT-94-57	22885	201.0	203.0	2.0	1101.0	48.0	0.11	0.05
YKT-94-57	22886	203.0	205.0	2.0	739.0	29.0	0.07	0.03
YKT-94-57	22887	205.0	206.8	1.8	1209.0	73.0	0.12	0.07
YKT-94-57	22888	213.0	215.0	2.0	2974.0	280.0	0.30	0.28
YKT-94-57	22889	215.0	217.0	2.0	1327.0	64.0	0.13	0.06
YKT-94-57	22890	217.0	219.0	2.0	747.0	36.0	0.07	0.04
YKT-94-57	22891	219.0	221.0	2.0	627.0	36.0	0.06	0.04
YKT-94-57	22892	221.0	223.0	2.0	480.0	35.0	0.05	0.04
YKT-94-57	22893	223.0	225.0	2.0	251.0	52.0	0.03	0.05
YKT-94-57	22894	225.0	227.0	2.0	485.0	33.0	0.05	0.03
YKT-94-57	22895	227.0	228.3	1.3	876.0	17.0	0.09	0.02
YKT-94-57	22896	228.3	230.0	1.7	1190.0	270.0	0.12	0.27
YKT-94-57	22897	230.0	232.0	2.0	1603.0	76.0	0.16	0.08
YKT-94-57	22898	232.0	234.0	2.0	797.0	65.0	0.08	0.07
YKT-94-57	22899	234.0	236.0	2.0	593.0	30.0	0.06	0.03
YKT-94-57	22900	236.0	238.0	2.0	1076.0	38.0	0.11	0.04
YKT-94-57	22901	238.0	240.0	2.0	652.0	33.0	0.07	0.03
YKT-94-57	22902	240.0	242.0	2.0	1814.0	97.0	0.18	0.10
YKT-94-57	22903	242.0	244.1	2.1	915.0	45.0	0.09	0.05
YKT-94-57	22904	244.1	246.0	1.9	616.0	35.0	0.06	0.04
YKT-94-57	22905	246.0	247.6	1.6	701.0	33.0	0.07	0.03
YKT-94-57	22906	247.6	249.0	1.4	167.0	13.0	0.02	0.01
YKT-94-57	22907	249.0	251.0	2.0	253.0	17.0	0.03	0.02
YKT-94-57	22908	251.0	253.0	2.0	824.0	43.0	0.08	0.04
YKT-94-57	22909	253.0	255.0	2.0	875.0	15.0	0.09	0.02
YKT-94-57	no sample	255.0	278.7	23.7				
YKT-95-58	no sample	0.0	60.4	60.4				
YKT-95-58	22910	60.4	61.9	1.5	919.0	29.0	0.09	0.03
YKT-95-58	no sample	61.9	78.0	16.1				
YKT-95-58	22911	78.0	80.0	2.0	547.0	15.0	0.05	0.02
YKT-95-58	22912	80.0	82.0	2.0	442.0	23.0	0.04	0.02
YKT-95-58	22913	82.0	84.0	2.0	559.0	19.0	0.06	0.02
YKT-95-58	22914	84.0	86.0	2.0	305.0	12.0	0.03	0.01
YKT-95-58	22915	86.0	88.0	2.0	539.0	15.0	0.05	0.02
YKT-95-58	no sample	88.0	90.2	2.2				
YKT-95-58	22916	90.2	91.2	1.0	2555.0	60.0	0.26	0.06
YKT-95-58	22917	91.2	93.0	1.8	386.0	490.0	0.04	0.49
YKT-95-58	22918	93.0	95.0	2.0	741.0	71.0	0.07	0.07
YKT-95-58	22919	95.0	97.0	2.0	754.0	31.0	0.08	0.03
YKT-95-58	22920	97.0	99.4	2.4	377.0	120.0	0.04	0.12
YKT-95-58	no sample	99.4	109.3	9.9				
YKT-95-58	22921	109.3	111.1	1.8	1416.0	79.0	0.14	0.08
YKT-95-58	22922	111.1	113.0	1.9	821.0	42.0	0.08	0.04
YKT-95-58	22923	113.0	115.0	2.0	559.0	39.0	0.06	0.04
YKT-95-58	22924	115.0	117.0	2.0	697.0	60.0	0.07	0.06
YKT-95-58	22925	117.0	119.0	2.0	634.0	49.0	0.06	0.05
YKT-95-58	22926	119.0	121.0	2.0	817.0	61.0	0.08	0.06
YKT-95-58	22927	121.0	123.0	2.0	346.0	21.0	0.03	0.02
YKT-95-58	22928	123.0	125.0	2.0	436.0	32.0	0.04	0.03
YKT-95-58	22929	125.0	127.0	2.0	407.0	18.0	0.04	0.02
YKT-95-58	22930	127.0	129.0	2.0	376.0	110.0	0.04	0.11

YKT-95-58	22931	129.0	131.0	2.0	392.0	29.0	0.04	0.03
YKT-95-58	22932	131.0	133.0	2.0	123.0	41.0	0.01	0.04
YKT-95-58	22933	133.0	135.0	2.0	1915.0	97.0	0.19	0.10
YKT-95-58	22934	135.0	137.4	2.4	2959.0	460.0	0.30	0.46
YKT-95-58	22935	137.4	138.7	1.3	2604.0	140.0	0.26	0.14
YKT-95-58	22936	138.7	140.4	1.7	56.0	7.0	0.01	0.01
YKT-95-58	22937	140.4	142.7	2.3	2999.0	390.0	0.30	0.39
YKT-95-58	22938	142.7	144.3	1.6	81.0	140.0	0.01	0.14
YKT-95-58	22939	144.3	146.0	1.7	2397.0	380.0	0.24	0.38
YKT-95-58	22940	146.0	148.0	2.0	2940.0	150.0	0.29	0.15
YKT-95-58	22941	148.0	150.3	2.3	1648.0	89.0	0.16	0.09
YKT-95-58	22942	150.3	151.5	1.2	439.0	150.0	0.04	0.15
YKT-95-58	22943	151.5	153.5	2.0	89.0	9.0	0.01	0.01
YKT-95-58	22944	153.5	155.5	2.0	88.0	4.0	0.01	0.00
YKT-95-58	22945	155.5	157.0	1.5	1868.0	100.0	0.19	0.10
YKT-95-58	22946	157.0	159.0	2.0	1874.0	100.0	0.19	0.10
YKT-95-58	22947	159.0	161.0	2.0	4458.0	180.0	0.45	0.18
YKT-95-58	22948	161.0	163.0	2.0	845.0	48.0	0.08	0.05
YKT-95-58	22949	163.0	165.0	2.0	1522.0	140.0	0.15	0.14
YKT-95-58	22950	165.0	167.0	2.0	297.0	22.0	0.03	0.02
YKT-95-58	22951	167.0	169.0	2.0	560.0	130.0	0.06	0.13
YKT-95-58	22952	169.0	171.0	2.0	1129.0	56.0	0.11	0.06
YKT-95-58	22953	171.0	173.0	2.0	540.0	35.0	0.05	0.04
YKT-95-58	22954	173.0	175.0	2.0	2135.0	170.0	0.21	0.17
YKT-95-58	22955	175.0	177.0	2.0	879.0	55.0	0.09	0.06
YKT-95-58	22956	177.0	178.2	1.2	3134.0	150.0	0.31	0.15
YKT-95-58	22957	178.2	180.2	2.0	54.0	18.0	0.01	0.02
YKT-95-58	22958	180.2	182.0	1.8	2319.0	220.0	0.23	0.22
YKT-95-58	22959	182.0	184.0	2.0	2436.0	120.0	0.24	0.12
YKT-95-58	22960	184.0	185.0	1.0	2372.0	3630.0	0.24	3.63
YKT-95-58	22961	185.0	186.7	1.7	987.0	120.0	0.10	0.12
YKT-95-58	22962	186.7	189.0	2.3	3173.0	110.0	0.32	0.11
YKT-95-58	22963	189.0	191.0	2.0	2038.0	80.0	0.20	0.08
YKT-95-58	22964	191.0	193.3	2.3	372.0	34.0	0.04	0.03
YKT-95-58	22965	193.3	194.6	1.3	708.0	44.0	0.07	0.04
YKT-95-58	22966	194.6	196.0	1.4	1254.0	120.0	0.13	0.12
YKT-95-58	22967	196.0	198.0	2.0	857.0	64.0	0.09	0.06
YKT-95-58	22968	198.0	200.0	2.0	432.0	36.0	0.04	0.04
YKT-95-58	22969	200.0	201.9	1.9	1001.0	46.0	0.10	0.05
YKT-95-58	22970	201.9	204.0	2.1	597.0	97.0	0.06	0.10
YKT-95-58	22971	204.0	206.0	2.0	730.0	68.0	0.07	0.07
YKT-95-58	22972	206.0	207.9	1.9	354.0	49.0	0.04	0.05
YKT-95-58	22973	207.9	208.8	0.9	127.0	9.0	0.01	0.01
YKT-95-58	22974	208.8	211.0	2.2	674.0	49.0	0.07	0.05
YKT-95-58	22975	211.0	213.0	2.0	485.0	47.0	0.05	0.05
YKT-95-58	22976	213.0	215.0	2.0	491.0	38.0	0.05	0.04
YKT-95-58	22977	215.0	217.0	2.0	375.0	41.0	0.04	0.04
YKT-95-58	22978	217.0	218.9	1.9	463.0	39.0	0.05	0.04
YKT-95-58	22979	218.9	221.0	2.1	2008.0	120.0	0.20	0.12
YKT-95-58	22980	221.0	223.0	2.0	781.0	61.0	0.08	0.06
YKT-95-58	22981	223.0	225.0	2.0	763.0	110.0	0.08	0.11
YKT-95-58	22982	225.0	227.0	2.0	648.0	82.0	0.06	0.08
YKT-95-58	22983	227.0	229.0	2.0	768.0	76.0	0.08	0.08
YKT-95-58	22984	229.0	231.0	2.0	964.0	52.0	0.10	0.05

YKT-95-58	22985	231.0	233.0	2.0	581.0	67.0	0.06	0.07
YKT-95-58	22986	233.0	235.0	2.0	389.0	28.0	0.04	0.03
YKT-95-58	22987	235.0	237.0	2.0	470.0	49.0	0.05	0.05
YKT-95-58	22988	237.0	239.2	2.2	360.0	37.0	0.04	0.04
YKT-95-58	22989	239.2	241.3	2.1	167.0	18.0	0.02	0.02
YKT-95-58	22990	241.3	243.0	1.7	444.0	38.0	0.04	0.04
YKT-95-58	22991	243.0	245.0	2.0	948.0	40.0	0.09	0.04
YKT-95-58	22992	245.0	247.0	2.0	524.0	53.0	0.05	0.05
YKT-95-58	22993	247.0	249.0	2.0	1129.0	73.0	0.11	0.07
YKT-95-58	22994	249.0	251.0	2.0	376.0	52.0	0.04	0.05
YKT-95-58	22995	251.0	253.0	2.0	2367.0	150.0	0.24	0.15
YKT-95-58	22996	253.0	254.3	1.3	1101.0	89.0	0.11	0.09
YKT-95-58	22997	254.3	256.1	1.8	527.0	33.0	0.05	0.03
YKT-95-58	no sample	256.1	269.8	13.7				
YKT-95-58	22998	269.8	272.0	2.2	659.0	44.0	0.07	0.04
YKT-95-58	22999	272.0	274.0	2.0	820.0	68.0	0.08	0.07
YKT-95-58	23000	274.0	276.0	2.0	880.0	89.0	0.09	0.09
YKT-95-58	23451	276.0	278.0	2.0	293.0	28.0	0.03	0.03
YKT-95-58	23452	278.0	280.0	2.0	329.0	29.0	0.03	0.03
YKT-95-58	23453	280.0	282.0	2.0	745.0	84.0	0.07	0.08
YKT-95-58	23454	282.0	284.0	2.0	445.0	29.0	0.04	0.03
YKT-95-58	23455	284.0	286.0	2.0	848.0	34.0	0.08	0.03
YKT-95-58	23456	286.0	288.0	2.0	758.0	53.0	0.08	0.05
YKT-95-58	23457	288.0	290.0	2.0	452.0	41.0	0.05	0.04
YKT-95-58	23458	290.0	292.0	2.0	175.0	25.0	0.02	0.03
YKT-95-58	23459	292.0	294.0	2.0	476.0	46.0	0.05	0.05
YKT-95-58	23460	294.0	296.0	2.0	164.0	25.0	0.02	0.03
YKT-95-58	23461	296.0	298.0	2.0	160.0	11.0	0.02	0.01
YKT-95-58	23462	298.0	300.0	2.0	259.0	16.0	0.03	0.02
YKT-95-58	23463	300.0	302.0	2.0	463.0	16.0	0.05	0.02
YKT-95-58	23464	302.0	304.0	2.0	471.0	38.0	0.05	0.04
YKT-95-58	23465	304.0	306.0	2.0	955.0	42.0	0.10	0.04
YKT-95-58	23466	306.0	308.0	2.0	281.0	15.0	0.03	0.02
YKT-95-58	23467	308.0	310.0	2.0	677.0	12.0	0.07	0.01
YKT-95-58	23468	310.0	312.0	2.0	808.0	41.0	0.08	0.04
YKT-95-58	23469	312.0	314.0	2.0	942.0	29.0	0.09	0.03
YKT-95-58	23470	314.0	316.0	2.0	293.0	11.0	0.03	0.01
YKT-95-58	no sample	316.0	327.7					

## **APPENDIX III**

# **PHOTOGRAPHS OF SWIFT DRILL CORE RECOVERY PROGRAM**

**SWIFT KATIE PROPERTY, SALMO, BC  
2005 SWIFT CORE RECOVERY PROGRAM  
RECOVERY OF SWIFT CORE**



DDH 2, Boxes 1-3



DDH 2, Boxes 4-6



DDH 2, Boxes 7-9



DDH 2, Boxes 10-12



DDH 2, Boxes 13-15



DDH 2, Boxes 16-18



DDH 2, Boxes 19-21



DDH 1, Box 16



DDH 1, Boxes 1-3



DDH 1, Boxes 4-6






DDH 1, Boxes 7-9



DDH 1, Boxes 10-12



DDH 1, Boxes 13-15


**SWIFT KATIE PROPERTY, SALMO, BC  
SWIFT CORE RECOVERY PROGRAM 2005**



**APPENDIX IV**  
**THIN SECTION RESULTS**

# DDH1-39.5

The dark dikelet which traverses the section is a cataclastic breccia injected forcefully into dilational fracture. Note the variety and size range of the clasts. The fine-grained character of breccia groundmass is intensely mineralized by pyrite and other unidentified sulphides.




A mixture of quartz, calcite and sericite comprise the fine grained matrix. Where the quartz is coarser and clearly visible it is ribboned, shows

X-Polarized



Although intensely mineralized by pyrite and other sulphides the black colour of the cataclastic dikelets is due to these finely disseminated hematite platelets.

The magnified images of areas shown in red are taken from a second thinner parallel section. As a result the correspondence is not exact



1 cm




Quartz-sericite-calcite matrix

Massive carbonate clasts

Green sericite veins (Fuchsite ?)  
Although green it is **not** chlorite

Py



Massive carbonate clasts

Green sericite veins (Fuchsite ?)

# DDH1-40.0

## Hornblende Porphyry


Highly altered chloritized hornblende phenocrysts set in a fine-grained groundmass consisting of biotite, secondary calcite and a nearly isotropic glass-like mesostasis containing abundant actinolite/amphibole microlites.

Chlorite (after hornblende?)	50%
Biotite	25%
Calcite	20%
Quartz	5%


## Sericite-Calcite-Quartz Gneiss

Highly altered and sheared volcanic. Sericite and calcite are the most abundant minerals but quartz, and pyrite are recognizable in the fine-grained groundmass. Some of the polysynthetically twinned felspar may be primary but the original mineralogy of the rock is masked by the pervasive alteration.




Sericite	45%
Calcite	25%
Groundmass	



These fine-grained angular clasts consist of euhedral altered feldspar microlites set in fine matrix heavily dusted with hematite and replaced by euhedral carbonate crystals. They may originally have formed a thin little dikelet of either an igneous or cataclastic rock



Pyrite with quartz fiber fringe implying some deformation post mineralization




Resorbed quartz phenocryst

Biotite

Chloritized Hornblende Phenocryst

Fine-grained altered groundmass with actinolite needles


# DDH1-40.85



# DDH2-8.6


## Hydrothermally altered trachyandesite

The identifiable primary minerals include oligoclase microlites and quartz. Alteration minerals include sericite, pyrophyllite, chlorite, carbonate and epidote. A dense stockwork of brecciated pyrite veins cemented by quartz and carbonate traverses the sample.



The highly birefringent alteration is a mixture of pyrophyllite, carbonate and fine sericite flakes.

## ***DDH2-8.6 Polished Chip***



Altered  
Quartz Monzonite/Trachyandesite


Pyrite Stockwork




# DDH2-69.0

## Glomeroporphyritic Quartz-Monzonite/Trachy-andesite

The primary texture is difficult to make out. The fine-grained areas, which may have been originally either glassy or cataclastic zones, seem to have been preferentially altered to a mix of carbonate and sericite. Disseminated fine-grained hematite is responsible for the dark color of some patches and black hematite-goethite veinlets.




# *DDH2-69.0 Polished Chip*





# DDH2-73.4

Quartz-Calcite Vein





Oligoclase



From Thin-Section DDH2-73.4b

Glomeroporphyritic clasts in fine grained matrix



## Glomeroporphyritic Quartz-Monzonite/Trachy-andesite

The original texture is difficult to make out. The fine-grained 'glassy?' areas seem to have been preferentially altered to a mix of carbonate and sericite. Disseminated fine-grained hematite is responsible for the dark color of some patches and black hematite- goethite stringers criss-cross the sample.

# DDH2-73.4 Polished Chip

