

**Addendum
to
Report on
Trenching, Drilling and Metallurgical Testing
on the
Congress Property
Lillooet Mining Division
British Columbia
Canada**

N.T.S.: 092 J/15W

**UTM co-ord.: 514,000 m E, 5,638,000 m N
UTM Zone 10**

**Owner/Operator:
Levon Resources Ltd.
Suite 400 – 455 Granville Street
Vancouver, B.C. V6C 1T1**

**Author:
David St. Clair Dunn, P.Geo.
1154 Marine Drive
Gibsons, B.C. V0N 1V1**



April 30, 2007

GEOLOGICAL SURVEY BRANCH
MINING REPORTS

28-316

Table of Contents

	Page
Introduction	1
Comments on Costs	1

List of Appendices

- Appendix A: Ammended Statement of Costs**
- Appendix B: Assay Results and Assay Procedure**

Introduction

This Addendum was prepared to clarify some parts of "Report on Trenching, Drilling and Metallurgical Testing on the Congress Property", Dunn, D.S.C., 2006 (AR 28346) [the report].

The MMI survey is described on pages 9 and 10 of the report. Anomalous zones are shown on Map 1. The samples were taken at approximately 20 centimetres depth regardless of material. The bulk of the material sampled was Mt. Meager Quarternary rhyolite ash. SGS Canada Inc., one of the franchise holders for the proprietary MMI system, was contacted to verify if this sampling medium would work. The authour was told that this medium would work as was amply demonstrated in the orientation survey described in paragraph 5 of page 9 of the report.

Assay certificates from SGS, Eco-Tech and Acme Analytical were inadvertently not included in the report. These assay certificates are included in Appendix B of this Addendum.


The request for a different compilation of the report to conform with Schedule A of the Regulations is believed to refer to a more specific breakdown of time spent on the property by the various workers. This information has been added to the Statement of Costs and is shown in Appendix A.


Comments on Costs

The authour was requested to justify the costs of a trailer rental for six months and excavator lease for four months on a 50 day program. The 50 days of the program were carried out over a six month period, as shown in Appendix A. The cost of accommodations at the Gold Bridge Hotel, the only reasonable alternative, for this amount of time would have been 50 days @ \$80/day or \$4,000 + tax. The cost of the trailer was six months @ \$375/month or \$2,250. Aside from the lower base cost, the trailer also provided a semi-permanent base for the project plus allowed project personnel to prepare some meals. The overall saving in the longer term rental versus hotel accomadation was in the order of \$2,500.

Likewise the excavator was leased on a monthly basis and used intermittently on the project. The cost of the lease, fuel and operator was \$70,232.55. Renting a similar machine on a casual basis would have cost 50 days @ 10 hours/day @ \$168/hour or \$84,000 + tax. Leasing the excavator saved the project over \$14,000. If further details are required, please contact the authour directly.

Respectfully submitted,


David St. Clair Dunn, P. Geo.



Appendix A

Amended Statement of Costs

Appendix A
Ammended Statement of Costs

Personnel:

D. Dunn: 50 days @ \$400/day:	\$20,000.00
3,4,5(.75),6,7,8,14(.25)/1/05; 1(.25),4,7,8(.25),9(.25),10(.75)11, 14(.75),15,16(.25),17(.5),23(.25),25(.25)/2/05; 1(.25),2(.5),3(.5) 11(.5),18(.25),20(.25),23(.25),24(.5),28(.5),29(.25),31(.25)/3/05; 25(.25),26-29,30(.75)/4/05; 1(.5),2,3,5(.5),6(.5),12(.25),13(.25), 18(.25),20,21(.5),22,23,24,25(.5),27(.5),30(.25),31(.25)/5/05; 2(.25), 8(.25),10(.25),13(.5),14(.25),15(.25),16(.25),17(.25)/6/05 11(.75),12,13,14/7/05; 2(.5),10(.25),24(.25)/8/05; 9(.25),27(.5)/8/05 9(.25),27(.5)/9/05; 4(.5),6(.5),26,27(.5),28(.75),29,30,31/10/05 23(.5),24(.25),25(.75),27(.25),28(.75),29(.5)/11/05	
A. Pettipas: 50 days @ \$215/day: As Above	10,750.00
C. Sampson: 2.0 days @ \$500/day: 15,16/8/05	1,000.00
R. Reid: 5.5 days @ \$400/day: 4,5,6,7,8,11(.5)/7/05	2,200.00

Transportation:

Truck Rental-Oniva	4,125.00
Fuel	935.00

Lodging:

House rental Goldbridge: V. Ross: 6 months @ \$375/month:	1,650.00
D. Dunn: Room, board, fuel and truck rental:	3,807.49

Assays:

SGS	211.88
Bralorne Gold Mines	3,649.10
Acme Analytical	3,769.27

Drafting and Claim verification:

Terracad	10,397.80
Terracognita	3,360.81
Accurate Mining Services	1,000.00

Excavator:

Volvo Ex 210 BLC for 4 months @ 12,656.25/month:	50,625.00
Operator: Veritas (G. Polischuk) Wages, fuel, and p/u rental:	19,607.55

Drilling:

ABC Drilling: 1,060.68 metres @ \$38/m	40,348.50
--	-----------

Mob-Demob Drill and Excavator


Buster's and Associates Hauling	4,079.00
---------------------------------	----------

Metallurgical Test Work

F. Forgeron: 2 days @ \$500/day	1,000.00
New Brunswick Research and Productivity Council	2,600.00

Project Total

\$185,116.40



Appendix B

Assay Results and Assay Procedures



Certificate of Analysis

Work Order: 084723

To: **Levon Resources Ltd.**
Attn: D.Wolfin
Suite 400
455 Granville St.
VANCOUVER
BC V6C 1T1

Date: Mar 29, 2007

P.O. No. :
Project No. : LVN-CONGRESS
No. Of Samples : 96
Date Submitted : Jul 20, 2005
Report Comprises : Pages 1 to 13
(Inclusive of Cover Sheet)

• **Distribution of unused material:**

96 Soils

Certified By : _____

Stuart Lam
Operations Manager

ISO 17025 Accredited for Specific Tests. SCC No. 456

Report Footer: L.N.R. = Listed not received I.S. = Insufficient Sample
n.a. = Not applicable — = No result
*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion
Methods marked with an asterisk (e.g. *NAA08V) were subcontracted

Subject to SGS General Terms and Conditions

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

SGS Canada Inc. Mineral Services 1885 Leslie Street Toronto ON M3B 2M3 t(416) 445-5755 f(416) 445-4152 www.sgs.ca

Member of the SGS Group (Société Générale de Surveillance)



Element Method Det.Lim. Units	Ag MMI-M5 1 PPB	As MMI-M5 10 PPB	Au MMI-M5 0.1 PPB	Ba MMI-M5 10 PPB	Bi MMI-M5 1 PPB	Ca MMI-M5 10 PPM	Cd MMI-M5 10 PPB	Ce MMI-M5 5 PPB	Co MMI-M5 5 PPB	Cu MMI-M5 10 PPB
L650N 0+00W	8	160	0.6	690	<1	70	<10	174	33	140
L650N 0+10W	8	130	0.6	430	<1	50	<10	220	36	140
L650N 0+20W	9	70	0.6	430	<1	90	<10	189	11	90
L650N 0+30W	5	80	0.6	480	<1	70	<10	134	14	120
L650N 0+40W	5	180	0.6	650	<1	70	<10	124	43	90
L650N 0+50W	3	90	0.3	570	<1	100	<10	376	41	150
L650N 0+60W	14	90	2.3	570	<1	230	<10	160	59	300
L650N 0+70W	7	50	1.1	530	<1	240	<10	98	17	130
L650N 0+80W	8	40	0.7	410	<1	300	<10	59	10	150
L650N 0+90W	7	30	0.5	520	<1	150	<10	127	18	130
L650N 1+00W	10	70	0.4	570	<1	80	<10	147	37	110
L650N 1+10W	8	110	0.3	430	1	40	<10	235	33	90
L650N 1+20W	10	60	0.3	580	<1	60	<10	271	24	130
L650N 1+30W	7	130	0.3	620	<1	70	<10	82	35	80
L650N 1+40W	12	110	0.2	470	<1	190	<10	45	15	90
L650N 1+50W	13	80	0.3	580	<1	160	<10	95	28	100
L750N 0+00W	8	160	0.5	530	<1	60	<10	183	29	100
L750N 0+10W	9	80	0.5	600	<1	130	<10	87	20	180
L750N 0+20W	7	140	0.6	380	<1	130	<10	119	24	170
L750N 0+30W	5	80	0.2	510	<1	120	30	91	37	180
L750N 0+40W	9	100	0.6	600	<1	180	10	54	24	130
L750N 0+50W	15	90	0.6	830	<1	80	<10	142	39	150
L750N 0+60W	8	90	0.5	610	<1	120	<10	86	35	130
L750N 0+70W	7	100	0.4	650	<1	90	<10	112	25	90
L750N 0+80W	10	100	0.4	520	<1	100	<10	139	24	90
L750N 0+90W	14	110	0.7	500	<1	50	<10	319	34	130
L750N 1+00W	4	160	0.4	350	<1	40	<10	118	24	80
L750N 1+10W	4	80	0.2	670	<1	80	10	90	38	160
L750N 1+20W	9	150	0.5	340	<1	90	<10	92	24	110
L750N 1+30W	10	140	0.7	460	<1	90	<10	143	26	130
L750N 1+40W	7	130	0.6	650	<1	80	<10	193	36	140
L750N 1+50W	10	230	0.8	630	<1	50	10	157	42	140
L850N 0+00W	42	400	15.4	950	<1	120	<10	300	47	300
L850N 0+10W	23	180	9.3	640	<1	140	<10	346	33	300
L850N 0+20W	12	430	1.9	780	<1	70	<10	137	30	180
L850N 0+30W	8	200	1.1	1100	<1	100	20	129	38	180
L850N 0+40W	8	190	1.5	1240	<1	120	<10	151	25	160
L850N 0+50W	5	300	1.2	670	<1	70	<10	193	28	130
L850N 0+60W	14	140	1.9	430	<1	270	<10	72	19	180
L850N 0+80W	3	190	0.9	1250	<1	60	<10	206	25	150
L850N 0+90W	8	190	1.7	510	<1	80	<10	173	23	150
L850N 1+00W	6	250	1.5	850	<1	110	<10	209	28	170
L850N 1+10W	12	250	3.0	830	<1	80	<10	289	27	160
L850N 1+20W	7	230	5.1	470	<1	100	<10	165	37	180
L850N 1+30W	8	290	3.3	670	<1	80	<10	207	31	160
L850N 1+40W	3	320	1.6	2600	<1	100	10	176	86	250
L850N 1+50W	6	220	2.5	4320	<1	110	<10	463	32	380
H7880GN 0+00W	9	10	0.4	570	<1	140	<10	152	11	230

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.



Element Method Det.Lim. Units	Ag MMI-M5 1 PPB	As MMI-M5 10 PPB	Au MMI-M5 0.1 PPB	Ba MMI-M5 10 PPB	Bi MMI-M5 1 PPB	Ca MMI-M5 10 PPM	Cd MMI-M5 10 PPB	Ce MMI-M5 5 PPB	Co MMI-M5 5 PPB	Cu MMI-M5 10 PPB
H78800N 0+10W	12	<10	0.4	1730	<1	300	<10	128	78	710
H78800N 0+20W	17	<10	0.6	2230	<1	320	<10	75	53	1150
H78800N 0+30W	11	<10	0.7	2050	<1	310	<10	118	54	1060
H78800N 0+40W	17	<10	1.0	2070	<1	290	10	190	178	2160
H78800N 0+50W	16	<10	0.6	2400	<1	240	<10	183	135	1530
H78800N 0+60W	11	10	0.3	1020	<1	220	<10	89	26	390
H78800N 0+70W	9	<10	0.5	3790	<1	250	<10	108	104	2190
H78800N 0+80W	17	<10	0.6	3580	<1	320	<10	100	92	1720
H78800N 0+90W	13	<10	0.3	2950	<1	280	<10	67	107	1240
H78800N 1+00W	12	<10	0.3	2800	<1	270	<10	65	108	1320
H78800N 1+10W	13	<10	0.3	3440	<1	240	<10	61	106	1570
H78800N 1+20W	14	<10	0.3	4140	<1	200	<10	126	53	1360
H78800N 1+30W	18	<10	0.3	2800	<1	240	<10	118	91	990
H78800N 1+40W	26	10	0.1	820	<1	120	<10	225	26	480
H78800N 1+50W	29	10	0.2	1630	<1	200	<10	369	95	930
H8100N 0+00W	10	<10	0.3	1290	<1	280	<10	96	40	540
H8100N 0+10W	3	20	<0.1	990	<1	170	40	135	19	280
H8100N 0+20W	3	10	0.1	1020	<1	190	<10	127	15	200
H8100N 0+30W	19	10	0.1	570	<1	190	<10	196	26	370
H8100N 0+40W	4	20	<0.1	440	<1	360	<10	28	12	60
H8100N 0+50W	4	20	<0.1	850	<1	170	<10	87	14	170
H8100N 0+60W	10	20	<0.1	360	<1	160	<10	104	25	130
H8100N 0+70W	2	40	0.1	960	<1	210	30	48	29	150
H8100N 0+80W	3	20	<0.1	660	<1	270	<10	52	16	90
H8100N 0+90W	8	10	<0.1	1230	<1	220	10	77	14	170
H8100N 1+00W	4	10	0.1	600	<1	250	<10	43	9	110
H8100N 1+10W	4	20	<0.1	1370	<1	120	<10	129	20	110
H8100N 1+20W	4	50	0.1	860	1	140	<10	157	31	90
H8100N 1+30W	9	10	<0.1	980	<1	210	20	92	25	160
H8100N 1+40W	6	10	0.1	240	<1	220	10	73	9	140
H8100N 1+50W	<1	<10	<0.1	1470	<1	180	20	45	71	200
H8300N 0+00W	15	<10	0.2	1060	<1	220	<10	87	48	740
H8300N 0+10W	3	40	0.1	2590	<1	140	40	87	63	170
H8300N 0+20W	7	10	<0.1	530	<1	140	<10	70	25	130
H8300N 0+30W	3	20	0.2	960	<1	150	20	103	20	180
H8300N 0+40W	7	30	<0.1	690	1	140	<10	162	28	100
H8300N 0+50W	7	20	0.1	640	<1	180	30	81	12	100
H8300N 0+60W	6	<10	0.1	1450	<1	180	<10	231	26	170
H8300N 0+70W	11	30	0.1	900	<1	130	<10	123	27	130
H8300N 0+80W	4	20	0.1	770	<1	140	10	115	22	100
H8300N 0+90W	6	10	<0.1	600	<1	90	<10	162	28	130
H8300N 1+00W	2	30	0.1	1600	<1	60	<10	234	27	150
H8300N 1+10W	2	20	<0.1	1220	<1	80	30	200	16	230
H8300N 1+20W	3	<10	0.2	700	<1	200	<10	139	18	220
H8300N 1+30W	4	10	0.5	690	<1	210	<10	268	46	750
H8300N 1+40W	8	10	0.4	810	<1	140	<10	226	15	400
H8300N 1+50W	7	20	0.4	1180	<1	310	<10	66	76	950
H850N 0+60W-A	5	370	1.1	530	<1	70	<10	193	42	120

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.



Element	Ag	As	Au	Ba	Bi	Ca	Cd	Ce	Co	Cu
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
Det.Lim.	1	10	0.1	10	1	10	10	5	5	10
Units	PPB	PPB	PPB	PPB	PPB	PPM	PPB	PPB	PPB	PPB
*Dup L650N 0+00W	8	140	0.6	680	<1	70	<10	179	27	130
*Dup L650N 1+20W	10	70	0.4	700	<1	60	<10	274	28	130
*Dup L750N 0+80W	11	120	0.4	630	<1	130	<10	153	25	100
*Dup L850N 0+40W	11	250	1.5	1220	<1	120	<10	159	22	160
*Dup H78800N 0+10W	10	<10	0.4	1620	<1	290	<10	108	68	670
*Dup H78800N 1+30W	16	<10	0.3	2250	<1	220	<10	137	79	940
*Dup H8100N 0+90W	10	10	0.1	1320	<1	220	10	87	12	170
*Dup H8300N 0+50W	5	20	0.1	670	<1	210	40	58	19	100

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Dy	Er	Eu	Gd	La	Mg	Mo	Nb	Nd	Ni
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
Det.Lim.	1	0.5	0.5	1	1	1	5	0.5	1	5
Units	PPB	PPB	PPB	PPB	PPB	PPM	PPB	PPB	PPB	PPB
L650N 0+00W	15	6.8	3.9	21	82	10	6	5.5	98	181
L650N 0+10W	17	8.1	4.6	25	82	8	10	5.1	111	197
L650N 0+20W	16	7.4	4.2	24	89	6	6	3.1	116	156
L650N 0+30W	13	6.6	3.4	18	57	4	<5	3.3	80	339
L650N 0+40W	10	4.9	2.7	14	49	8	6	6.5	61	147
L650N 0+50W	26	13.2	7.1	38	141	11	6	7.6	177	259
L650N 0+60W	15	7.8	3.8	21	62	29	11	4.2	87	230
L650N 0+70W	18	8.9	4.8	23	40	24	6	2.0	72	274
L650N 0+80W	5	2.5	1.2	8	19	32	5	1.3	31	102
L650N 0+90W	11	5.3	3.0	16	53	13	<5	1.9	73	86
L650N 1+00W	12	6.1	3.1	16	56	8	8	5.6	67	165
L650N 1+10W	16	7.3	3.8	22	91	5	9	9.0	105	128
L650N 1+20W	24	11.6	5.2	32	82	6	10	3.6	135	297
L650N 1+30W	6	2.8	1.6	8	30	5	9	7.5	36	90
L650N 1+40W	4	2.2	1.1	6	14	21	7	3.0	22	171
L650N 1+50W	8	4.1	1.8	11	37	13	10	6.7	46	128
L750N 0+00W	12	5.7	3.2	18	75	12	<5	8.1	89	213
L750N 0+10W	8	3.8	2.3	11	33	11	<5	4.4	46	281
L750N 0+20W	9	4.7	2.4	13	47	12	<5	5.0	59	241
L750N 0+30W	11	5.7	2.6	14	26	15	<5	4.7	53	571
L750N 0+40W	6	3.2	1.6	8	19	24	8	3.2	30	234
L750N 0+50W	12	6.0	3.1	16	53	11	9	6.4	69	374
L750N 0+60W	8	4.0	1.9	10	27	20	8	4.6	40	222
L750N 0+70W	8	3.9	2.1	12	47	19	7	7.0	57	201
L750N 0+80W	10	4.9	2.7	15	61	34	8	4.7	75	220
L750N 0+90W	24	10.8	6.0	35	140	17	10	5.6	168	396
L750N 1+00W	8	3.8	2.2	12	47	8	8	7.3	54	163
L750N 1+10W	12	6.2	2.9	14	30	33	12	4.6	51	505
L750N 1+20W	9	4.8	2.4	13	39	7	6	5.9	52	312
L750N 1+30W	11	5.2	2.9	15	60	17	10	5.9	69	289
L750N 1+40W	13	6.0	3.4	18	72	9	<5	5.8	85	205
L750N 1+50W	13	6.4	3.4	18	57	12	7	5.5	80	293
L850N 0+00W	30	14.5	8.0	41	124	32	6	4.1	163	228
L850N 0+10W	34	15.1	8.7	49	140	15	6	2.2	201	247
L850N 0+20W	12	5.7	3.6	18	65	11	6	6.6	78	235
L850N 0+30W	15	6.8	4.3	22	64	15	6	6.2	87	681
L850N 0+40W	20	9.8	5.4	27	63	13	7	3.6	95	405
L850N 0+50W	15	7.3	4.3	22	76	9	6	7.0	96	221
L850N 0+60W	9	4.5	2.3	13	32	33	<5	2.0	49	125
L850N 0+80W	18	8.8	5.1	26	93	10	9	6.4	117	201
L850N 0+90W	14	6.8	3.9	21	70	11	6	4.1	93	180
L850N 1+00W	20	9.4	5.3	28	68	15	13	2.7	111	468
L850N 1+10W	19	8.6	4.5	25	69	12	12	2.4	101	321
L850N 1+20W	16	7.6	4.4	21	57	12	9	2.4	81	557
L850N 1+30W	18	8.5	5.1	25	73	9	7	3.8	104	416
L850N 1+40W	11	4.5	2.8	13	51	22	8	6.2	54	305
L850N 1+50W	24	11.0	5.9	34	127	31	7	4.3	155	231
H78800N 0+00W	14	6.8	3.4	21	65	15	13	3.5	92	108

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Dy	Er	Eu	Gd	La	Mg	Mo	Nb	Nd	Ni
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
Det.Lim.	1	0.5	0.5	1	1	1	5	0.5	1	5
Units	PPB	PPB	PPB	PPB	PPB	PPM	PPB	PPB	PPB	PPB
H78800N 0+10W	32	16.8	8.8	45	72	66	12	<0.5	141	85
H78800N 0+20W	27	13.7	8.2	37	46	98	6	<0.5	100	241
H78800N 0+30W	33	17.2	11.0	46	72	88	5	<0.5	135	584
H78800N 0+40W	34	18.6	10.2	45	58	127	<5	<0.5	118	1600
H78800N 0+50W	27	14.0	9.2	39	61	82	9	<0.5	120	618
H78800N 0+60W	13	6.3	4.0	19	42	40	9	1.7	71	162
H78800N 0+70W	30	15.1	9.5	40	59	95	6	<0.5	115	155
H78800N 0+80W	32	16.1	9.8	45	61	76	<5	<0.5	119	159
H78800N 0+90W	16	7.6	5.5	24	38	83	5	<0.5	74	129
H78800N 1+00W	19	8.9	6.0	28	38	60	7	<0.5	76	93
H78800N 1+10W	22	10.6	7.3	33	40	62	10	<0.5	88	78
H78800N 1+20W	33	16.1	10.8	50	76	59	7	<0.5	145	121
H78800N 1+30W	31	15.6	8.2	47	91	54	9	<0.5	167	192
H78800N 1+40W	30	14.0	7.8	46	127	24	10	1.7	201	84
H78800N 1+50W	60	27.4	19.4	88	228	51	<5	<0.5	326	221
H8100N 0+00W	20	10.0	5.8	30	42	30	7	<0.5	90	231
H8100N 0+10W	18	10.0	3.9	22	41	11	10	3.1	77	534
H8100N 0+20W	14	7.6	3.0	17	51	11	20	5.2	71	292
H8100N 0+30W	18	9.0	4.0	25	78	12	5	4.3	111	197
H8100N 0+40W	4	2.2	0.8	4	10	34	10	1.6	15	122
H8100N 0+50W	9	5.1	1.9	11	32	9	18	5.9	47	187
H8100N 0+60W	10	5.3	2.0	12	33	13	22	6.4	49	164
H8100N 0+70W	8	5.4	1.3	8	14	27	10	2.9	24	310
H8100N 0+80W	5	3.0	1.1	6	15	19	19	2.7	22	320
H8100N 0+90W	8	4.5	1.5	9	24	18	15	3.9	34	360
H8100N 1+00W	5	2.9	1.2	7	16	19	22	1.8	24	364
H8100N 1+10W	11	5.9	2.5	14	40	7	12	6.1	57	267
H8100N 1+20W	16	8.2	3.3	21	57	15	10	7.2	91	178
H8100N 1+30W	9	5.3	1.7	11	26	21	12	4.1	39	348
H8100N 1+40W	8	4.4	1.8	11	30	23	7	3.6	43	366
H8100N 1+50W	11	8.4	1.4	9	15	46	11	2.4	26	630
H8300N 0+00W	25	12.3	7.0	33	59	59	6	0.8	109	513
H8300N 0+10W	10	6.1	2.1	12	30	28	18	5.4	41	603
H8300N 0+20W	13	7.8	2.3	14	23	14	8	3.6	44	314
H8300N 0+30W	10	5.7	2.3	13	33	9	14	5.0	53	314
H8300N 0+40W	13	6.2	2.7	17	57	11	14	7.9	80	134
H8300N 0+50W	10	5.3	2.0	12	25	16	7	3.9	44	297
H8300N 0+60W	15	7.5	3.5	21	76	19	17	6.5	90	717
H8300N 0+70W	14	7.6	3.0	18	49	15	15	6.0	72	237
H8300N 0+80W	13	6.9	2.9	17	42	9	8	6.2	68	204
H8300N 0+90W	16	8.2	3.4	21	57	5	13	7.3	87	260
H8300N 1+00W	17	6.7	4.0	23	77	7	8	8.0	104	195
H8300N 1+10W	19	10.1	4.4	25	70	8	6	6.4	102	251
H8300N 1+20W	16	9.1	3.8	21	47	17	6	2.6	75	129
H8300N 1+30W	35	18.4	9.7	52	125	30	9	2.3	196	126
H8300N 1+40W	25	11.9	6.7	37	110	13	7	2.3	167	62
H8300N 1+50W	10	5.3	3.4	16	30	49	<5	<0.5	54	117
H850N 0+60W-A	14	6.9	3.8	20	81	9	6	9.0	93	163

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Dy	Er	Eu	Gd	La	Mg	Mo	Nb	Nd	Ni
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
Det.Lim.	1	0.5	0.5	1	1	1	5	0.5	1	5
Units	PPB	PPB	PPB	PPB	PPB	PPM	PPB	PPB	PPB	PPB
*Dup L650N 0+00W	15	7.1	3.9	22	86	9	<5	4.5	104	150
*Dup L650N 1+20W	22	11.0	5.0	30	82	6	11	4.4	132	260
*Dup L750N 0+80W	12	5.8	2.9	17	67	39	10	5.4	82	226
*Dup L850N 0+40W	20	9.4	5.4	27	67	11	8	4.6	98	358
*Dup H7800N 0+10W	30	15.3	8.4	43	65	62	13	<0.5	136	74
*Dup H7800N 1+30W	31	16.5	8.5	48	95	46	9	<0.5	176	181
*Dup H8100N 0+90W	8	4.3	1.6	10	27	17	14	4.2	38	320
*Dup H8300N 0+50W	8	4.9	1.5	9	18	23	7	2.9	31	370

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Pb	Pd	Pr	Rb	Sb	Sm	Sn	Sr	Te	Th
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
DetLim.	10	1	1	5	1	1	1	10	10	0.5
Units	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
L650N 0+00W	220	<1	26	64	2	20	<1	200	<10	13.9
L650N 0+10W	150	<1	29	51	2	23	<1	120	<10	16.4
L650N 0+20W	130	<1	30	53	2	23	<1	230	<10	9.4
L650N 0+30W	180	<1	20	68	2	17	<1	150	<10	9.4
L650N 0+40W	130	<1	16	111	2	13	<1	160	<10	15.5
L650N 0+50W	230	<1	46	91	3	36	<1	300	<10	23.0
L650N 0+60W	160	<1	21	120	3	19	<1	520	<10	11.9
L650N 0+70W	120	<1	16	87	2	18	<1	520	<10	7.0
L650N 0+80W	30	<1	8	114	1	7	<1	760	<10	4.9
L650N 0+90W	50	<1	18	133	1	15	<1	300	<10	10.1
L650N 1+00W	140	<1	18	103	2	14	<1	190	<10	18.0
L650N 1+10W	220	<1	29	52	2	22	<1	140	<10	17.6
L650N 1+20W	120	<1	33	110	1	29	<1	130	<10	13.8
L650N 1+30W	140	<1	10	60	1	7	<1	110	<10	11.9
L650N 1+40W	80	<1	5	125	<1	5	<1	320	<10	5.6
L650N 1+50W	160	<1	12	85	2	10	<1	280	<10	11.9
L750N 0+00W	140	<1	24	56	2	18	<1	300	<10	13.0
L750N 0+10W	100	<1	11	94	2	10	<1	270	<10	8.5
L750N 0+20W	110	<1	15	75	2	13	<1	290	<10	9.4
L750N 0+30W	150	<1	12	65	2	13	<1	400	<10	11.1
L750N 0+40W	90	<1	7	120	2	7	<1	410	<10	5.8
L750N 0+50W	180	<1	18	90	2	15	<1	290	<10	14.4
L750N 0+60W	130	<1	10	98	2	9	<1	240	<10	8.9
L750N 0+70W	120	<1	15	57	2	12	<1	240	<10	10.4
L750N 0+80W	110	<1	19	55	2	15	<1	300	<10	9.6
L750N 0+90W	210	<1	44	89	3	33	<1	200	<10	16.8
L750N 1+00W	150	<1	14	46	3	11	<1	90	<10	12.2
L750N 1+10W	120	<1	12	71	2	12	<1	270	<10	10.8
L750N 1+20W	170	<1	13	49	3	11	<1	210	<10	12.7
L750N 1+30W	190	<1	18	69	3	15	<1	240	<10	13.0
L750N 1+40W	110	<1	23	74	3	18	<1	210	<10	13.1
L750N 1+50W	130	<1	20	97	3	17	<1	100	<10	14.4
L850N 0+00W	130	1	40	115	6	36	<1	350	<10	24.4
L850N 0+10W	140	<1	49	90	4	44	<1	300	<10	13.4
L850N 0+20W	180	<1	20	49	4	17	<1	230	<10	12.4
L850N 0+30W	170	<1	22	33	3	19	<1	360	<10	10.9
L850N 0+40W	100	<1	23	122	3	23	<1	390	<10	12.8
L850N 0+50W	130	<1	25	104	5	20	<1	190	<10	14.0
L850N 0+60W	90	<1	12	99	3	11	<1	570	<10	4.9
L850N 0+80W	100	<1	29	89	6	24	<1	280	<10	15.0
L850N 0+90W	160	<1	23	99	5	19	<1	230	<10	12.9
L850N 1+00W	90	<1	27	121	6	26	<1	250	<10	15.5
L850N 1+10W	90	<1	25	138	5	23	<1	190	<10	17.6
L850N 1+20W	150	<1	20	138	4	19	<1	190	<10	15.0
L850N 1+30W	110	<1	26	164	5	23	<1	160	<10	18.6
L850N 1+40W	180	<1	14	135	6	12	<1	320	<10	23.6
L850N 1+50W	130	<1	40	79	6	32	<1	1000	<10	20.6
H76800N 0+00W	130	<1	23	58	<1	19	<1	300	<10	9.8

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element Method	Pb	Pd	Pr	Rb	Sb	Sm	Sn	Sr	Te	Th
Det.Lim.	10	1	1	5	1	1	1	10	10	0.5
Units	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
H78800N 0+10W	20	<1	29	57	<1	34	<1	1720	<10	9.0
H78800N 0+20W	30	<1	19	19	<1	27	<1	2270	<10	6.3
H78800N 0+30W	40	<1	27	13	<1	35	<1	1860	<10	11.9
H78800N 0+40W	50	<1	23	12	1	32	<1	1630	<10	11.0
H78800N 0+50W	30	<1	24	21	<1	30	<1	1780	<10	13.1
H78800N 0+60W	60	<1	16	29	<1	16	<1	850	<10	8.7
H78800N 0+70W	60	<1	23	25	<1	30	<1	3560	<10	11.6
H78800N 0+80W	60	<1	23	22	<1	32	<1	3290	<10	10.7
H78800N 0+90W	450	<1	14	<5	2	19	<1	2420	<10	9.1
H78800N 1+00W	30	<1	14	17	<1	20	<1	2220	<10	7.1
H78800N 1+10W	30	<1	16	36	<1	24	<1	2680	<10	5.6
H78800N 1+20W	50	<1	29	55	<1	37	<1	2010	<10	9.3
H78800N 1+30W	40	<1	34	76	<1	38	1	1650	<10	8.2
H78800N 1+40W	80	<1	47	114	<1	42	<1	410	<10	10.1
H78800N 1+50W	50	<1	75	109	<1	72	<1	1370	<10	11.0
H8100N 0+00W	40	<1	18	34	<1	24	<1	940	<10	10.2
H8100N 0+10W	130	<1	18	59	<1	19	<1	340	<10	14.8
H8100N 0+20W	160	<1	18	47	<1	16	<1	380	<10	16.3
H8100N 0+30W	240	<1	28	32	<1	24	<1	350	<10	14.2
H8100N 0+40W	90	<1	3	107	<1	4	<1	600	<10	4.0
H8100N 0+50W	170	<1	12	67	<1	10	<1	330	<10	10.8
H8100N 0+60W	260	<1	12	55	<1	11	<1	270	<10	13.1
H8100N 0+70W	230	<1	6	67	1	6	<1	560	<10	9.7
H8100N 0+80W	130	<1	5	52	<1	5	<1	590	<10	8.6
H8100N 0+90W	130	<1	8	71	<1	8	<1	570	<10	8.9
H8100N 1+00W	90	<1	6	47	<1	6	<1	550	<10	5.5
H8100N 1+10W	170	<1	14	68	<1	13	<1	220	<10	15.5
H8100N 1+20W	400	<1	22	50	<1	20	<1	260	<10	14.9
H8100N 1+30W	230	<1	10	78	<1	9	<1	590	<10	8.0
H8100N 1+40W	220	<1	11	48	<1	10	<1	430	<10	7.1
H8100N 1+50W	340	<1	6	76	<1	7	<1	850	<10	9.5
H8300N 0+00W	60	<1	24	42	<1	28	<1	900	<10	9.0
H8300N 0+10W	240	<1	10	140	<1	10	<1	500	<10	15.4
H8300N 0+20W	220	<1	10	78	<1	11	<1	440	<10	7.7
H8300N 0+30W	150	<1	13	86	<1	12	<1	400	<10	8.8
H8300N 0+40W	390	<1	20	52	<1	17	<1	330	<10	14.1
H8300N 0+50W	160	<1	10	77	<1	10	<1	370	<10	6.9
H8300N 0+60W	160	<1	23	100	<1	18	<1	480	<10	17.5
H8300N 0+70W	330	<1	18	60	<1	16	<1	270	<10	12.6
H8300N 0+80W	220	<1	16	62	<1	15	<1	320	<10	10.0
H8300N 0+90W	250	<1	22	54	<1	19	<1	250	<10	12.3
H8300N 1+00W	240	<1	27	67	<1	22	<1	150	<10	21.9
H8300N 1+10W	160	<1	25	94	<1	22	<1	170	<10	15.0
H8300N 1+20W	100	<1	18	84	<1	17	<1	480	<10	10.5
H8300N 1+30W	70	<1	44	91	<1	41	<1	640	<10	11.2
H8300N 1+40W	130	<1	40	72	<1	34	<1	400	<10	10.6
H8300N 1+50W	20	<1	11	51	<1	13	<1	1310	<10	4.0
H850N 0+60W-A	140	<1	24	44	5	19	<1	190	<10	20.7

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Pb	Pd	Pt	Rb	Sb	Sm	Sn	Sr	Te	Th
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
Det.Lim.	10	1	1	5	1	1	1	10	10	0.5
Units	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
*Dup L650N 0+00W	210	<1	26	63	2	21	<1	200	<10	12.5
*Dup L650N 1+20W	120	<1	32	110	1	28	<1	140	<10	15.7
*Dup L750N 0+80W	120	<1	21	58	2	17	<1	360	<10	11.8
*Dup L850N 0+40W	100	<1	24	129	4	23	<1	300	<10	15.4
*Dup H78800N 0+10W	20	<1	27	55	<1	33	<1	1690	<10	9.8
*Dup H78800N 1+30W	40	<1	37	73	<1	40	<1	1380	<10	8.8
*Dup H8100N 0+90W	130	<1	9	73	<1	9	<1	540	<10	9.3
*Dup H8300N 0+50W	170	<1	7	79	<1	8	<1	550	<10	5.8

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element Method Det.Lim. Units	Ti	Ti	U	W	Y	Yb	Zn	Zr
	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
	3	0.5	1	1	5	1	20	5
	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
L650N 0+00W	1060	<0.5	7	2	70	6	200	131
L650N 0+10W	1020	<0.5	6	1	80	7	180	135
L650N 0+20W	506	<0.5	7	<1	76	6	70	92
L650N 0+30W	433	<0.5	8	<1	89	5	40	96
L650N 0+40W	1010	<0.5	7	1	46	4	190	148
L650N 0+50W	1220	<0.5	6	<1	127	11	60	157
L650N 0+60W	450	<0.5	14	<1	71	7	170	110
L650N 0+70W	225	<0.5	6	<1	88	6	260	47
L650N 0+80W	101	<0.5	6	<1	24	2	100	32
L650N 0+90W	337	<0.5	14	<1	51	5	60	87
L650N 1+00W	967	<0.5	9	<1	56	5	120	160
L650N 1+10W	1730	<0.5	9	1	64	6	90	169
L650N 1+20W	596	<0.5	8	1	117	9	220	106
L650N 1+30W	1640	<0.5	5	1	26	2	140	112
L650N 1+40W	534	<0.5	3	<1	21	2	490	49
L650N 1+50W	1300	<0.5	8	<1	36	4	240	121
L750N 0+00W	1770	<0.5	7	<1	53	5	80	123
L750N 0+10W	696	<0.5	5	<1	36	3	110	81
L750N 0+20W	749	<0.5	8	<1	42	4	90	89
L750N 0+30W	785	<0.5	4	<1	53	5	1170	92
L750N 0+40W	443	<0.5	5	1	31	3	180	56
L750N 0+50W	1100	<0.5	8	1	56	5	140	136
L750N 0+60W	713	<0.5	7	1	37	3	170	84
L750N 0+70W	1480	<0.5	6	1	36	3	120	102
L750N 0+80W	761	<0.5	7	<1	44	4	110	85
L750N 0+90W	973	<0.5	10	1	104	9	150	151
L750N 1+00W	1680	<0.5	7	1	33	3	160	114
L750N 1+10W	964	<0.5	3	1	62	5	230	73
L750N 1+20W	999	<0.5	7	1	48	4	140	128
L750N 1+30W	1030	<0.5	8	1	49	5	140	123
L750N 1+40W	1100	<0.5	7	1	58	5	140	130
L750N 1+50W	1020	<0.5	8	1	56	5	460	133
L850N 0+00W	523	<0.5	16	1	129	12	170	204
L850N 0+10W	317	<0.5	12	<1	151	12	260	112
L850N 0+20W	1310	<0.5	7	1	54	5	60	110
L850N 0+30W	1420	<0.5	6	1	70	5	1130	94
L850N 0+40W	611	<0.5	7	1	97	8	200	107
L850N 0+50W	1210	<0.5	7	1	72	6	100	131
L850N 0+60W	199	<0.5	7	<1	43	4	110	40
L850N 0+80W	1150	<0.5	8	2	84	7	130	134
L850N 0+90W	612	<0.5	8	1	66	6	90	113
L850N 1+00W	570	<0.5	7	1	90	8	390	111
L850N 1+10W	484	0.5	11	1	73	7	80	139
L850N 1+20W	365	<0.5	11	<1	73	6	170	124
L850N 1+30W	665	<0.5	9	1	79	7	190	150
L850N 1+40W	1050	<0.5	8	2	41	4	900	182
L850N 1+50W	612	<0.5	12	2	104	9	150	143
H78800N 0+00W	462	<0.5	10	<1	67	6	190	100

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

Element	Ti	Ti	U	W	Y	Yb	Zn	Zr
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
DetLim.	3	0.5	1	1	5	1	20	5
Units	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
H78800N 0+10W	5	<0.5	22	<1	170	12	100	18
H78800N 0+20W	6	<0.5	22	<1	145	10	180	12
H78800N 0+30W	18	<0.5	32	<1	187	13	100	15
H78800N 0+40W	6	<0.5	45	<1	189	14	200	11
H78800N 0+50W	13	<0.5	36	<1	145	11	150	14
H78800N 0+60W	184	<0.5	14	<1	68	5	340	48
H78800N 0+70W	7	<0.5	32	<1	146	11	270	12
H78800N 0+80W	8	<0.5	30	<1	171	12	210	11
H78800N 0+90W	13	<0.5	20	<1	83	5	200	10
H78800N 1+00W	5	<0.5	18	<1	101	6	270	8
H78800N 1+10W	<3	<0.5	17	<1	119	7	150	6
H78800N 1+20W	18	<0.5	17	<1	177	12	130	13
H78800N 1+30W	22	<0.5	15	<1	174	12	140	16
H78800N 1+40W	291	<0.5	12	<1	153	11	110	74
H78800N 1+50W	145	<0.5	22	<1	323	19	150	28
H8100N 0+00W	45	<0.5	13	<1	99	8	50	32
H8100N 0+10W	467	<0.5	5	<1	90	9	910	90
H8100N 0+20W	677	<0.5	8	<1	66	7	220	135
H8100N 0+30W	565	<0.5	12	<1	83	8	180	128
H8100N 0+40W	159	<0.5	5	<1	17	2	110	28
H8100N 0+50W	957	<0.5	10	1	42	5	120	112
H8100N 0+60W	911	<0.5	11	<1	44	5	160	125
H8100N 0+70W	377	<0.5	6	<1	41	5	2140	68
H8100N 0+80W	387	<0.5	3	<1	24	3	230	54
H8100N 0+90W	614	<0.5	6	<1	38	4	250	71
H8100N 1+00W	236	<0.5	4	<1	25	3	140	38
H8100N 1+10W	1040	<0.5	6	<1	52	5	330	127
H8100N 1+20W	1130	<0.5	10	<1	69	7	520	137
H8100N 1+30W	653	<0.5	10	<1	44	5	690	82
H8100N 1+40W	350	<0.5	10	<1	38	4	210	74
H8100N 1+50W	402	<0.5	9	<1	59	8	230	44
H8300N 0+00W	98	<0.5	19	<1	123	9	60	33
H8300N 0+10W	1240	<0.5	8	<1	51	6	2000	106
H8300N 0+20W	472	<0.5	10	<1	67	7	320	72
H8300N 0+30W	875	<0.5	8	<1	50	5	610	96
H8300N 0+40W	1740	<0.5	9	<1	52	5	260	129
H8300N 0+50W	570	<0.5	8	<1	49	5	440	74
H8300N 0+60W	1110	<0.5	7	1	72	6	130	130
H8300N 0+70W	868	<0.5	13	<1	65	7	200	138
H8300N 0+80W	994	<0.5	10	<1	63	6	350	116
H8300N 0+90W	1230	<0.5	12	<1	74	7	170	139
H8300N 1+00W	1580	<0.5	9	1	78	8	580	184
H8300N 1+10W	1110	<0.5	8	1	88	9	760	142
H8300N 1+20W	306	<0.5	8	<1	80	8	210	91
H8300N 1+30W	462	<0.5	11	1	195	13	150	84
H8300N 1+40W	352	<0.5	13	<1	121	9	160	84
H8300N 1+50W	35	<0.5	12	<1	54	4	200	15
H850N 0+60W-A	1690	<0.5	8	1	61	6	130	198

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.



17.01.2017 12:03:50

Element	Ti	Tl	U	W	Y	Yb	Zn	Zr
Method	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5	MMI-M5
DetLim.	3	0.5	1	1	5	11	20	5
Units	PPB	PPB	PPB	PPB	PPB	PPB	PPB	PPB
*Dup L650N 0+00W	886	<0.5	7	<1	71	6	180	117
*Dup L650N 1+20W	788	<0.5	8	1	106	9	240	123
*Dup L750N 0+80W	897	<0.5	8	<1	49	5	110	100
*Dup L850N 0+40W	830	<0.5	7	1	91	8	150	132
*Dup H78800N 0+10W	6	<0.5	22	<1	153	11	90	18
*Dup H78800N 1+30W	37	<0.5	16	<1	175	12	140	21
*Dup H8100N 0+90W	684	<0.5	6	<1	38	4	200	76
*Dup H8300N 0+50W	345	<0.5	8	<1	42	4	520	59

The data reported on this certificate of analysis represents the sample submitted to SGS Minerals Services. Reproduction of this analytical report, in full or in part, is prohibited without prior written approval.

SGS Canada Inc. Mineral Services 1885 Leslie Street Toronto ON M3B 2M3 t(416) 445-5755 f(416) 445-4152 www.sgs.ca

Member of the SGS Group (Société Générale de Surveillance)



Table with columns for ELEMENT and concentrations for various metals (Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sn, Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Tl, Al, Na, K, W, Zr, Ce, Sn, Y, Nb, Ta, Bi, Sc, Li, S, Rb, Hf) in ppm and ppb.

Sample type: ROCK PULP. Samples beginning 'RE' are Reruns and 'RRR' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	Al	Nb	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf			
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
068282	42.0	893.9	4.0	44	.8	90.0	35	566	5.48	24	.9	<1	2.2	136	.2	2.1	2.0	100	2.67	0.48	7.5	197.1	.61	135	.514	6.89	.708	.76	11.7	15.4	18	5.0	15.7	3.7	.4	1	21	47.4	<1	12.7	.8			
068283	16.8	567.8	3.2	58	.7	136.8	35	688	6.11	14	.8	<1	1.6	325	.1	1.8	1.8	218	4.37	0.60	10.9	379.1	2.13	306	.563	7.38	1.948	.95	9.9	18.2	28	6.4	18.2	4.6	.4	1	22	27.8	.2	46.3	1.0			
068284	16.3	481.9	4.1	34	.6	62.7	21	398	4.68	9	1.1	<1	2.1	387	.1	1.2	1.3	172	2.40	0.67	9.2	119.5	.82	250	.492	7.67	2.726	.67	2.7	18.7	22	4.8	14.7	4.8	.4	1	14	18.1	.1	26.6	1.0			
068285	23.4	226.4	7.7	41	.4	200.3	18	356	3.10	395	1.4	<1	4.4	154	.1	64.4	.4	136	3.78	0.49	16.6	225.9	1.32	477	.298	5.21	0.660	1.33	2.1	16.6	33	1.0	9.9	5.3	.5	1	12	30.2	<1	48.0	.6			
068286	22.5	186.3	7.4	32	.4	112.5	12	444	2.61	644	1.2	.4	3.4	181	.2	137.6	.2	100	5.09	0.97	12.3	138.7	1.17	1189	.188	3.39	.027	.79	2.7	11.7	24	.6	11.6	3.3	.3	<1	8	24.9	.1	30.7	.5			
068287	25.4	124.0	11.7	44	.3	94.2	11	646	2.42	340	.8	.2	2.1	123	.1	168.1	.2	76	7.12	0.44	9.1	109.2	1.27	680	.201	4.06	.022	.96	5.0	7.1	18	.7	10.3	3.6	.4	<1	8	29.1	.1	38.6	.3			
068288	22.7	143.2	13.9	49	.9	261.3	22	1100	3.80	3136	.7	3.6	1.6	149	.4	99.4	.1	96	8.72	0.63	7.7	316.4	3.91	462	.235	3.68	.018	1.00	12.2	9.9	16	1.2	11.3	3.7	.4	1	11	24.0	.2	40.6	.4			
068289	8.5	142.7	4.3	57	.4	387.2	37	1261	4.28	2214	.5	1.1	2.1	210	.2	70.5	.1	90	8.09	0.56	12.5	339.9	5.52	534	.269	4.11	.182	1.02	3.8	9.0	24	.9	12.9	3.8	.4	1	14	28.9	.5	39.6	.3			
068290	10.3	363.1	2.3	120	.3	125.4	32	2392	6.55	25	4.8	<1	2.5	185	.3	4.7	.2	318	10.52	1.10	33.3	52.2	2.92	211	1.252	7.73	.813	1.11	2.1	76.7	43	4.7	27.6	27.0	2.2	1	21	12.6	.1	42.9	2.8			
RE 068290	10.9	359.6	2.2	125	.3	123.5	31	2384	6.51	24	4.9	<1	2.5	190	.4	4.4	.2	325	10.56	1.11	22.5	51.8	2.95	215	1.259	7.67	.789	1.11	2.0	75.0	43	4.7	28.8	27.1	2.2	1	21	12.5	.1	43.0	2.9			
068291	19.0	443.9	32.4	87	.4	55.5	19	1344	6.86	34	5.2	<1	2.7	200	.4	10.7	.4	372	7.89	1.59	26.2	48.8	2.72	346	1.354	7.74	1.651	1.52	1.8	75.9	49	10.9	30.4	31.6	2.4	1	21	11.4	.1	48.8	2.4			
068292	10.3	679.4	2.9	79	.5	45.8	27	948	7.25	41	1.4	<1	2.9	246	.2	8.8	.6	391	6.57	1.85	32.0	47.3	2.07	239	2.144	7.67	2.458	.79	2.4	37.5	62	5.3	36.9	37.7	3.0	1	25	8.3	.2	25.8	2.0			
068293	10.2	570.5	2.9	93	.4	53.7	26	1695	7.52	31	2.4	<1	2.4	229	.2	5.8	.5	320	9.17	1.19	23.5	47.1	2.66	369	1.423	7.56	1.292	1.19	1.8	68.6	45	5.8	27.2	29.7	2.2	1	22	11.2	.1	39.0	2.2			
068294	28.6	792.9	3.3	93	.5	89.3	36	1288	7.05	37	6.5	<1	3.1	209	.4	6.7	.6	451	7.95	1.94	28.2	25.8	2.77	144	1.945	7.16	1.995	.66	2.2	77.8	55	4.4	58.5	37.4	2.8	2	23	8.5	.2	23.2	2.8			
068295	3.6	119.6	11.0	42	.3	42.9	8	276	2.83	42	.9	<1	2.4	350	.3	47.3	.4	91	1.72	0.54	11.8	120.7	1.39	417	.324	7.04	2.620	1.12	3.1	10.3	24	1.0	8.4	5.1	.4	1	8	14.4	.1	32.5	.6			
068296	5.8	204.1	501.1	88	3.4	34.0	9	351	2.57	845	1.1	.5	1.2	58	.8	>4000	1.0	58	4.51	0.33	<1	127.1	.55	148	.146	3.62	.538	1.58	3.3	6.3	17	1.2	9.5	1.1	<1	1	8	11.0	6.4	52.1	.2			
068297	8.6	214.7	25.8	44	.6	110.1	18	314	3.97	40	.8	<1	2.5	120	.1	339.4	.3	142	1.62	0.69	10.0	215.7	1.85	412	.443	6.22	2.010	1.40	2.0	13.6	21	1.4	11.2	6.7	.6	1	16	17.9	.4	53.2	.6			
STANDARD DS16	12.6	128.0	35.1	175	.4	30.8	13	981	4.07	25	7.5	.1	7.1	293	5.8	5.5	4.7	114	2.22	0.95	26.2	245.0	1.07	582	.406	6.87	1.641	1.47	7.5	63.6	54	6.3	15.5	8.7	.7	3	11	24.6	<1	57.4	1.8			

Sample type: ROCK PULP. Samples beginning 'RE' are Returns and 'RRE' are Reject Returns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Levon Resources Ltd. PROJECT Olympic/Congress File # A502168

400 - 455 Granville St., Vancouver BC V6S 1T1 Submitted by: David Dunn

Table with columns: SAMPLE#, Mo, Cu, Pb, Zn, Ag, Hg, Co, Ni, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, Y, Ca, P, La, Cr, Mg, Ba, Ti, Al, Mn, K, W, Zr, Ce, Sn, Y, Nb, Ta, Be, Sc, Li, S, Rb, HF, Au**, and units. Rows include sample numbers like G-1, 68215, 68216, 69967, 166436, 166439, 166440, 166441, 166442, 166443, 166444, 166445, 166446, 166447, 166448, 166449, 166450, 172963, RE 166447, 172964, 172965, 172966, 172967, 172968, 172969, 172970, and STANDARD OSTE/AU-S.

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.

- SAMPLE TYPE: SOIL SS80 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA

DATE RECEIVED: MAY 26 2005

DATE REPORT MAILED: Jun 16/2005



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



GEOCHEMICAL ANALYSTS CERTIFICATE



Devon Resources Ltd. PROJECT Wayside/Congress File # A503514

400 - 435 Granville St., Vancouver BC V6C 1T7 Submitted by: David Dunn

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppb
Way1	<1	44	3	56	<.3	108	20	693	3.79	4	<8	<2	<2	24	<.5	4	<3	64	.65	.090	13	120	1.80	106	.17	14	1.64	.03	.22	<2	1.7
Way2	<1	35	<3	130	<.3	98	23	1125	6.09	6	9	<2	<2	195	<.5	<3	<3	117	4.43	.150	14	71	2.54	217	.04	9	2.66	.02	.18	<2	11.4
Way3	8	80	28	104	<.3	45	12	274	2.56	5	<8	<2	4	32	<.5	7	<3	32	.36	.044	7	26	.26	100	.08	12	.67	.01	.28	2	15.1
STANDARD DS6/AU-R	11	119	30	142	<.3	24	10	689	2.79	22	<8	<2	4	36	5.3	4	5	57	.83	.073	15	185	.57	164	.08	16	1.85	.07	.15	4	449.8

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.
 (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
 ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB
 - SAMPLE TYPE: ROCK R150 60C AU* IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)

Data FA _____

DATE RECEIVED: JUL 18 2005 DATE REPORT MAILED: July 30/05...





GEOCHEMICAL ANALYSIS CERTIFICATE



Levon Resources Ltd. PROJECT Wayside/Congress File # A504314

400 - 455 Granville St., Vancouver BC V6C 1T1 submitted by: David Dunn

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	Rb	Hf	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
23587	7.3	30.4	16.7	136	1.1	21.0	140	1602	15.23	322	.3	.3	.1	66	.3	3.0	1.5	245	84	.024	1.7	63.3	2.90	43	496	6.16	2.804	.19	.3	12.4	5	.6	11.5	.5	<.1	<.1	28	10.9	>10	3.0	.6	
23588	4.1	23.2	6.7	294	.4	23.7	42	2653	7.76	52	.5	<.1	.1	60	.4	.8	.2	369	1.00	.033	2.7	96.0	4.32	103	663	6.99	2.509	.10	1	23.0	8	.5	15.0	.9	.1	<.1	32	9.8	.5	1.8	1.3	
23589	1.8	724.2	34.6	262	1.9	10.9	33	2479	8.31	97	.1	.2	.2	99	.4	5.8	.1	434	1.54	.046	2.5	49.3	3.78	58	818	7.64	3.625	.09	1	25.7	7	5.7	20.6	1.3	.1	<.1	35	7.6	.5	1.9	1.3	
23590	1.2	430.5	4.1	310	.8	13.1	38	3265	9.05	29	.1	<.1	.2	81	.4	.7	.1	412	1.40	.045	2.3	49.6	3.78	52	798	7.65	3.207	.09	1	37.6	7	.9	19.8	1.1	.1	<.1	34	7.1	1.7	1.6	1.6	
23591	1.3	169.0	2.8	276	.3	19.5	64	3089	10.21	32	.3	<.1	.1	60	.3	.4	.2	390	1.25	.038	1.9	50.9	4.51	41	711	7.59	2.841	.05	1	34.0	6	.6	18.8	.9	.1	<.1	37	8.9	2.6	.8	1.5	
23592	4.7	56.9	5.8	215	.4	28.0	59	2209	8.48	13	.4	<.1	.1	76	.2	.4	.5	313	1.42	.035	1.9	101.5	4.07	68	663	7.65	3.232	.12	.1	24.7	5	.8	16.6	1.1	.1	<.1	33	12.4	1.7	1.8	1.2	
23593	.8	911.2	1.8	143	.8	86.5	42	2338	8.08	17	.1	<.1	.1	48	.1	.3	.1	305	2.31	.037	2.3	188.8	5.64	45	646	7.65	2.983	.02	1.3	19.9	7	1.6	17.6	.9	.1	1	34	9.0	.9	.4	1.1	
23594	1.0	17.6	2.9	183	.1	13.5	34	3234	8.05	26	.1	<.1	.1	55	.1	.4	.1	321	1.65	.033	1.6	66.0	4.27	39	651	7.36	2.834	.10	1.7	24.7	5	1.9	20.4	.5	<.1	<.1	33	9.5	1.7	1.5	1.1	
23595	.7	19.7	4.8	201	.1	23.1	42	3922	10.40	6	.2	<.1	.1	59	.1	.3	.2	332	1.09	.031	2.4	53.0	5.65	62	637	7.68	2.323	.17	1.3	23.6	7	1.7	19.2	.8	.1	1	35	13.5	5.0	3.1	1.3	
RE 23595	.6	18.8	4.5	209	.1	20.3	42	4106	10.80	7	.1	<.1	.1	58	.1	.2	.2	336	1.14	.031	2.4	51.6	5.89	59	645	8.00	2.328	.17	1.6	24.7	7	2.0	19.7	.9	.1	1	36	15.0	5.1	3.1	1.2	
23596	.5	10.4	2.9	251	.1	37.9	26	4350	8.71	12	.1	<.1	.1	42	.1	.4	.1	340	.85	.032	.8	58.7	7.85	71	700	8.10	1.695	.17	4.4	21.7	4	4.5	19.9	.9	.1	<.1	37	19.1	1.5	3.1	1.2	
23597	.3	68.1	2.0	139	.1	55.5	35	2251	6.50	10	.1	<.1	.1	115	<.1	.3	<.1	293	2.74	.026	2.6	108.9	4.90	86	479	8.52	3.663	.19	.2	20.9	6	.5	13.4	.6	<.1	<.1	39	7.9	<.1	2.6	1.1	
23598	1.1	10.4	4.9	120	.3	18.6	29	1929	14.56	15	.2	<.1	.1	64	.1	.4	.4	214	.78	.026	.7	40.2	3.32	18	520	6.53	2.773	.31	1.1	21.7	2	1.7	13.0	.8	<.1	<.1	28	8.7	>10	5.6	1.0	
STANDARD	13.3	128.0	37.7	181	.4	29.9	13	991	4.08	27	7.7	<.1	7.0	297	5.8	5.5	4.9	122	2.33	.100	25.6	263.4	1.04	703	428	6.92	1.713	1.36	7.6	53.8	53	6.4	15.6	8.2	.6	3	12	24.3	<.1	58.6	1.9	

Standard is STANDARD DST6.

GROUP 1EX - 0.25 GM SAMPLE DIGESTED WITH HClO4-HNO3-HCl-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. FOR SOME MINERALS & MAY VOLATIZE SOME ELEMENTS, ANALYSIS BY ICP-MS.
- SAMPLE TYPE: ROCK PULP - Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA _____ DATE RECEIVED: AUG 10 2005 DATE REPORT MAILED: Aug 22/05

