

**THE SKOONKA GOLD PROJECT**  
**Kamloops Mining Division**  
**Lytton-Spences Bridge Area, British Columbia**  
**NTS 92I/5-6 07/08**

**SKOONKA CLAIMS**

**Technical PROGRAM**  
**2006**

Assessment Report  
52° 23'08" N and 121° 28'56"W  
by

James A. Turner, P.Geo  
14149 17 A Avenue  
Surrey, B.C. V4A 6R8  
604-531-9713

**Prepared for**  
**Anglo-Canadian Uranium Corp.**  
**Suite 1150-555 Burrard Street**  
**Vancouver, B.C. CANADA**  
**V6C 2B3**

AUGUST 15, 2006

---

## TABLE OF CONTENTS

Title Page	1
Table of Contents	2
<b>1.0 EXECUTIVE SUMMARY</b>	<b>4</b>
<b>2.0 INTRODUCTION AND TERMS OF REFERENCE</b>	<b>5</b>
2.1 Qualified Person and Participating Personnel	
2.2 Terms, Definitions and Units	
2.3 Source Documents	
2.4 Limitations, Restrictions and Assumptions	
2.5 Scope of Review	
<b>3.0 PROPERTY DESCRIPTION AND LOCATION</b>	<b>6</b>
3.1 Location	
3.2 Property Description	
<b>4.0 CLIMATE AND PHYSIOGRAPHY</b>	<b>7</b>
<b>5.0 HISTORY</b>	<b>7</b>
<b>6.0 GEOLOGIC SETTING</b>	<b>8</b>
6.1 Regional Geological Setting	
6.2 Property Geology	
<b>7.0 DEPOSIT TYPES</b>	<b>10</b>
<b>8.0 MINERALIZATION AND ALTERATION AND EXPLORATION</b>	<b>10</b>
8.1 Exploration Work 2006	
8.2 Geochemistry	
<b>9.0 SAMPLING METHOD AND APPROACH</b>	<b>11</b>
<b>10.0 SAMPLE PREPARATION, ANALYSES AND SECURITY</b>	<b>11</b>
<b>11.0 RESULTS</b>	<b>11</b>
<b>12.0 DATA VERIFICATION</b>	<b>11</b>
<b>13.0 INTERPRETATION AND CONCLUSIONS</b>	<b>12</b>
<b>14.0 RECOMMENDATIONS</b>	<b>12</b>
<b>15.0 PERSONELL AND CONTRACTORS</b>	<b>12</b>
<b>16.0 COST STATEMENT 2006</b>	<b>13</b>

<b>17.0 DATE</b>	13
<b>18.0 REFERENCES</b>	14
<b>19.0 CERTIFICATE OF THE WRITER</b>	15
<b>20.0 ILLUSTRATIONS</b>	after 16
<b>21.0 APPENDICES</b>	16

### **List of Figures**

Figure 1: Location Map-BC	Fig 1.pdf
Figure 2: Claim Map SKOONKA	Fig 2.pdf
Figure 3: Regional Geology	Fig 3.pdf
Figure 4: Rock Sample Locations	Fig 4.pdf
Figure 4a: Rock Sample Locations Detail	Fig 4a.pdf
Figure 5: Gold in Rocks	Fig 5.pdf
Figure 5a: Gold in Rocks Detail	Fig 5a.pdf
Figure 6: Copper in Rocks	Fig 6.pdf
Figure 6a: Copper in Rocks Detail	Fig 6a.pdf
Figure 7: Lead in Rocks	Fig 7.pdf
Figure 7a: Lead in Rocks Detail	Fig 7a.pdf
Figure 6: Zinc in Rocks	Fig 8.pdf
Figure 6a: Zinc in Rocks Detail	Fig 8a.pdf

### **List of Tables**

Table 1 SKOONKA Claims Summary	6
Table 2: Rock units of the Area	9
Table 3: Cost Statement-SKOONKA Property 2006	13

### **APPENDICES**

Appendix I:	Assay Certificates
Appendix II:	Rock Sample Descriptions

## 1.0 EXECUTIVE SUMMARY

The SKOONKA Property covers a Clay-Sericite-Silica-Pyrite altered volcanic unit in the Kamloops Mining Division of southern British Columbia, Trim Sheet 921033. This prospect is readily accessible by road, 25 kilometers northeast from the village of Lytton on the Trans-Canada Highway. It is situated just 35 kilometers west-southwest of the world-class porphyry copper producing Highland Valley district. The claims comprising 69 units (926.716 hectares) were acquired by using the BC MTO system in 2006. Work on this claim group and its periphery is the subject of this assessment report. All of the claims are 100% owned by either James Albert Turner or Francis LaRoche or Daniel Harvey.

Physiography in the property area is dominantly forested moderate to locally rugged upland terrain of the Scarp Range between the Fraser Plateau and northern Cascade Mountains. The claims are located on upper Skoonka Creek, a tributary to the Thompson River. The area is underlain by a northwest-southeast trending porphyritic quartz monzonite and sediments of the Mount Lytton Complex. The ages and relationships of these rocks are unknown.

Exploration work during 2006 consisted of prospecting and reconnaissance geochemical sampling (54 rocks). This work was done in response to a discovery by Allmaden Minerals Ltd. of a significant new epithermal gold vein, located 1 km directly to the south. The Discovery Showing represents a large but low grade vein breccia zone having an approximate 4m true width over which the 2004 channel sampling returned a weighted average gold analysis of 380 ppb (0.38 g/t Au), with negligible silver. All of the samples collected by Anglo-Canadian Gold (The Operators) have been tested for 36 elements and or Au.

The current sampling results have not outlined any significant gold, silver or copper mineralization. The limited 2006 exploration program conducted on the Skoonka claims has generated negative results, particularly areas of several percent disseminated pyrite mineralization. The writer recommends if further assays (not reported here) do not contain significant results the property should be put on a hold basis.

The above program cost: CAD \$ **\$21,819.75**

## **2.0 INTRODUCTION AND TERMS OF REFERENCE**

### **2.1 Qualified Person and Participating Personnel**

The following report was commissioned by Anglo-Canadian Uranium Corp. (formerly Interactive Explorations Ltd.) to summarize the prospecting and sampling program on the Skoonka property near Lytton in southwest British Columbia. In July 2006 Anglo. commissioned James A. Turner to conduct a program of prospecting and sampling the Skoonka Property controlled by Anglo-Canadian Uranium Corp. of Canada. Anglo-Canadian Uranium Corp. will be referred to as “Anglo”.

### **2.2 Terms, Definitions and Units**

All costs contained in this report are denominated in Canadian dollars. The term “ppm” refers to parts per million or grams per metric tonne and “ppb” refers to parts per billion or milligrams per metric tonne. The symbol “%” refers to weight percent unless stated otherwise. All other units are imperial except where noted.

### **2.3 Source Documents**

This report incorporates data from Anglo’s own fieldwork and historical work described in the assessment work reports filed with government agencies. Limited previous data was also reviewed, and incorporated as noted.

### **2.4 Limitations, Restrictions and Assumptions**

James A. Turner did not fully audit or test the accuracy or completeness of data collected by prospectors hired for this purpose. In addition, Anglo-Canadian Uranium corp. management has informed the author that, to the best of its knowledge, no events have occurred, other than those taken into account in the report, which might, in their opinion, cause us to change our views.

### **2.5 Scope of Review**

To accomplish this review, James A. Turner, was asked to conduct an exploration program which included prospecting and geochemical sampling of Claims optioned in 2006 from two prospectors Alan Harvey and Francis LaRouche, and to comment on the Gold potential of the Skoonka Property controlled by Anglo of Canada. James A. Turner is a Director of Anglo and has 100,000 options in the company. Only the claims making up the **Skoonka** property are the subject of this report.

James A. Turner along with contract prospector LaRouche and Len Harris examined the property in May and July 2006, LaRouche completed prospecting and geochemical sampling in late July.

No metallurgical testing was conducted. James A. Turner has done a brief review of legal documentation and ownership and has assumed that the presented facts are correct.

### **A site visit was conducted on the Skoonka Property in May and July, 2006**

In arriving at our conclusions, we reviewed and relied to some extent upon the documents listed in the reference section of this report.

This report describes the results of the 2006 exploration work conducted on the Skoonka claim group and documents the related expenditures applied for assessment credits

## **3.0 PROPERTY LOCATION AND DESCRIPTION**

### **3.1 Location**

The SKOONKA property is centered between the communities of Lytton and Spences Bridge in south central British Columbia, at latitude 50°23'08"N and longitude 121°28'56" W (UTM Zone 10: 607900E/5582600N) near the northern boundary of Trim map sheet 092I033. Good ground access is afforded via the partly hard-surfaced Botanie Lake Road from Lytton, 20 km northerly, thence three to five kilometers westerly via a forestry gravel road system which passes through the southeast corner of Skoonka Indian Reserve #15, Skoonka Creek valley. From the main trunk of the Botanie lake Road, an old but partly serviceable logging road occurs on the property. The road is reached through the Indian Reserve.

### **3.2 Property Description**

The property consists of 4 contiguous mineral claims totaling 926.716 hectares in the Kamloops Mining Division, BCGS map area 092I033. The claims were acquired electronically in 2006 using the BC Mineral Titles Online (MTO) system. The Skoonka property comprises a total 69 grid cells. However, any further discussion of these new cell tenures is beyond the scope of this report. The property has not been legally surveyed.

Locations of the Property claims are shown on Figure 2 and respective claim data are summarized in Table 1. The expiry dates listed for the claims are subject to filing and approval of this report.

Table 1: SKOONKA PROPERTY Claims Summary

<u>Name</u>	<u>Tenure No.</u>	<u>Units</u>	<u>Acquired</u>	<u>Good Till</u>	<u>Hectares</u>	<u>Owner/s</u>
B 6	506343	6	9-Feb-05	9-Feb-07	123.622	1,2
B 4	506341	18	9-Feb-05	9-Feb-07	370.865	1,2
	527184	25	7-Feb-05	7-Feb-07	515.033	1
B 5	506342	20	9-Feb-05	9-Jun-07	247.196	2
		<b>69</b>		<b>Total</b>	<b>926.716</b>	

1- Allen Daniel Harvey ID 111258

#### 4.0 CLIMATE AND PHYSIOGRAPHY

The SKOONKA claims are situated on the Scarped Range between the Fraser Plateau and the northern Cascade Mountains, within the western margin of the Intermontane physiographic region consisting of rolling upland to rugged mountainous terrain. Topography is moderate to locally steep, with elevations ranging from a low point of 700 meters on the eastern property boundary to over 1260 meters on the northern boundary of the property. The principal drainage is northward along a major branch of Skoonka Creek, which in turn flows eastward into the Thompson River. This branch is called Gold Creek (Fig. 2).

Soil and glacial till cover is extensive and generally shallow, but includes local deep mounds (to >5m thickness) particularly at the lower elevations in the northern property area. Overall bedrock exposure is moderate to locally abundant in road cuts and in some of the stream gullies, as well as on steep upper slopes and ridge tops. The local ice-flow direction, determined from glacial striae in outcrop along the West Spur Road, is to the east-southeast (azimuth  $110^{\circ} \pm 50$ ) Balon 2004. The climate is semi-arid, with hot dry summers having temperatures commonly in the  $30^{\circ}\text{C}$  to above  $40^{\circ}\text{C}$  range at Lytton.

All areas of the property are generally free of snow from late May or early June through October. Vegetation consists mainly of Spruce along creek valleys. Dense brush consisting of alder and willow is common along most of the stream gullies and road cuts. Approximately 20% of the claim area has been clear-cut logged during the 1980s to mid-1990s.

#### 6.0 HISTORY

There are no published records of any prior mineral exploration work in the area covered by the Skoonka claims, and there are no documented mineral occurrences for this locality in the BC Minfile database. No old claim posts, nor any other ground evidence of previous exploration activity, have been found to date on the property. During the Gold Rush era of the mid - 19<sup>th</sup> to early 20<sup>th</sup> centuries, placer gold was mined from gravel bars on the Fraser and Thompson Rivers and on most of their major tributary streams in the Ashcroft-Lytton-Lillooet district. Production records from this time period and region are not detailed, and there is no mention of Skoonka Claim area in the published literature.

*“Coarse placer gold was discovered in 1857 on the Thompson, near Nicoamen River, which initiated the Gold Rush into interior British Columbia. This Nicoamen River site is only 12 km downstream from the mouth of Skoonka Creek. In 1981 a federal-provincial government Regional Geochemical Survey was carried out over the entire Ashcroft (NTS 921) map area. The initial results of this survey were published in 1982 as BC RGS 8/GSC Open File 866. Years later, in 1994, the sample pulps were re-analyzed by improved techniques and for additional elements including gold. The new data were published as BC RGS 40/GSC Open*

*File 2666 which identified a number of strong gold-in-silt anomalies including two located in the Skoonka Creek drainage, represented by Sample Numbers 815058 (21ppb Au/rerun 23ppb Au) and 815059 (19ppb Au).*

*During a 2003 regional gold exploration program, Almaden Minerals Ltd. conducted two brief stages of prospecting and reconnaissance geochemical sampling in the upper part of Skoonka Creek drainage above the RGS sample site 815058. Results of the initial examination (by Balon, Harwood) in August confirmed and enhanced the gold silt anomaly in this tributary, later named the headwaters of a creek with strongly anomalous silt sediment geochemical response in lead zinc and copper. (BC Assessment Report 27,672).*

## **6.0 GEOLOGIC SETTING**

### **6.1 Regional Geologic Setting after Balon 2004**

The subject region lies within the Southern Intermontane (tectonic) Belt of the Canadian Cordillera. Regional bedrock geology is shown on Figure 3, which has been compiled from The Map Place.

Lithologies within the Figure 3 map-area include successions of Mesozoic to Tertiary volcanic and sedimentary rocks which have been intruded by plutons of various compositions and ages from Late Triassic and/or Jurassic to Miocene (?). Locally thick deposits of Pleistocene and Recent glacial drift and alluvium are prevalent in all of the major creek or river valleys. Much of the region was overridden during the last Pleistocene glaciation by ice moving southeastward across the Fraser Plateau; Ryder, 1975).

The dominant rock assemblage underlying the Skoonka property and adjacent areas is the Cretaceous Spences Bridge Group (IKSBPva) comprising a broad northwest-southeast trending thick sequence of gently folded volcanics with lesser sediments, dipping generally shallowly in various directions. These rocks include intermediate, locally felsic and mafic flows and pyroclastics with some sandstone, shale and conglomerate (KSB), as well as a younger basaltic unit differentiated as the Spius Creek Formation (KSBS). This quite homogeneous conformable upper division was formerly called Kingsvale Group by early government geologists (Rice - 1947, Duffell and McTaggart - 1952, and others prior to Thorkelson - 1985).

The Spences Bridge Group is in fault contact with older plutonic and related metamorphic rocks of the Triassic-Jurassic Mount Lytton Complex (PTrJgd, PTrJm) to the south and west of the property area. This underlying Mount Lytton assemblage is host to a number of old known copper showings within a 10-15 km radius of the Skoonka claims (BC Minfile 0921SW030, 035, 039, 040, 057-062).



To the northwest (20-25 km) and southeast (25-40 km) of the property, the Spences Bridge Group is overlain by Tertiary (Eocene) mafic to felsic volcanics of the Kamloops and Princeton Groups (EKav, Epr). These younger volcanic units are cut by small (Miocene?) intrusions of intermediate composition (Egd), which may be part of a feeder system to them.

The major structural features in the region are steeply dipping normal faults, parallel and sub-parallel with those of its western bounding Fraser (River) fault system. The faults have two dominant trends, one at 140° - 150° azimuth and the other due north-south. Two parallel north-south faults occur on east side of the property, along Botanie Creek and the Thompson River. Rocks of the Spences Bridge Group are believed to have formed as a chain of strata volcanoes associated with subsiding, fault-bounded basins (Souther, 1991 and Thorkelson, 1985).

Table 2 Major Rock Units in the Area

	<b>EOCENE</b>
Egd	granodiorite
EPr	Princeton Group - undivided sediments
	<b>Late CRETACEOUS TO PALEOCENE</b>
LKTgd	granodiorite
LKTqm	quartz monzonite
	<b>CRETACEOUS</b>
IK	Jackass Mountain Group - undivided sediments
IKSBPva	Spences Bridge Group Pimainus Formation – andesite
Ks	undivided sedimentary rocks
LTrJGBo	Guichon Creek Batholith - quartz diorites
	<b>PERMIAN TO Upper TRIASSIC</b>
PTrMdr	Mount Lytton Diorites
PTrMgd	Mount Lytton Complex – granodiorite
PTrMml	Mount Lytton Complex – metamorphic rocks

## 6.2 Property Geology

No systematic property scale geological mapping has been conducted on the Skoonka claims, however local outcrop data have been noted during the course of other work. Very limited detailed bedrock mapping was carried during the examination by the writer.

Although most of the property has not been mapped in detail, government geology maps suggest most of the property is underlain by Volcanics of the Spences Bridge Group. All rocks sampled during prospecting are this type of rock.

## **7.0 DEPOSIT TYPES**

Clay and sericite-silica alteration and pyrite mineralization of the volcanic outcrops suggest there is potential for epithermal gold type deposits. Much more work is needed to further define this deposit type.

## **8.0 MINERALIZATION, ALTERATION AND EXPLORATION**

The 2006 exploration program on the Skoonka claims was designed to prospect and sample for gold potential. The results are plotted on Figures 4-8.

Most samples were taken from gossanous rock exposures on rock bluffs and talus and showed various levels of disseminated pyrite in a silicified altered rock. Quartz occurs as micro fracture fillings, some chalcedonic quartz was noted. Pyrite is fine to very fine grained. The rock is hard and slightly brownish in colour. Coxcomb textures occur but are not common.

### **8.1 2006 Exploration Work**

Field work in 2006 consisted of prospecting with reconnaissance rock sampling with some related bedrock mapping/sampling. Totals of 54 rock samples were collected and delivered to Acme Analytical Laboratories Ltd. of Vancouver, BC, for 36 element geochemical analysis plus a few selected assays. Work was conducted on the Skoonka 1&2 claims and immediate periphery during five days in August, by one Francis LaRoche and two contract field assistants. The crew was based at the Totem Motel in Lytton. All UTM grid locations were recorded in NAD 83 using Garmin 12XL handheld GPS receiver units. The work types and distributions are shown on Figure 2. James A. Turner also conducted a linear interpretation of satellite data.

### **8.2 Geochemistry**

Thirty-one samples were chip samples over a minimum width of 1.5 metres, but most were from selected grab samples.

Thirty-one rock samples were analyzed for 36 elements. Complete results for the samples are listed on the Acme Analytical Laboratories Ltd. Geochemical Analysis Certificates contained in Appendix A. Tables in these Appendices also give the UTM grid locations, brief descriptions and selected analytical results for all but the trench rock samples which are described in Section 6.2.

### **8.3 Satellite Interpretation**

In June 2006 Anglo purchased some QuickBird satellite data from Digital Globe in the USA, for use in mapping. A 10 km<sup>2</sup> area was purchased. This data has a resolution of 63 cm, the data contains four spectral bands. For this study only three bands (visible) were used. ERMapper software was used for the display and interpretation of the data.

The data was corrected to the 1:20,000 trim sheet with a horizontal error of 2 metres and a vertical error of 5 metres.

The brief linear study shows several NS linears intersect with EW linears. Colour anomalies occur over areas of silicified and pyritic volcanics. Linear intersections and colour anomalies also occur on the upper areas i.e. to the north of the property. These areas were not visited during the 2006 field season. Figure 4&5 shows the extent of the data.

## **9.0 SAMPLING METHOD AND APPROACH**

Sample locations were marked in the field with labeled orange flagging. Rock samples were placed in plastic sample bags and sealed with twist ties. A UTM grid location was recorded for every site by handheld GPS unit using the NAD 83 datum. Samples were shipped to Acme Analytical Laboratories Ltd. in Vancouver, BC, for 36element analysis by Inductively Coupled Plasma - Mass Spectrometry (ICP-MS) and or Gold by assay. Stream sediment samples were collected from the finest silt/sand material available in the active channel, with little or no organic matter. Individual soil and stream sediment sample weights were approximately 0.5 kilogram. Both types of samples were shipped to the laboratory in labeled standard 4"x6" Kraft paper bags.

## **10.0 SAMPLE PREPARATION, ANALYSES AND SECURITY**

Sample preparation there involved drying at up to 60°C and sieving (up to) 100 grams from each to -80 mesh. Contingent upon the amount of -80 mesh material available, a 7.5, 15 - or 30- gram sub-sample was cut and then leached with 180 ml of 22-2 HCL-HNO<sub>3</sub>-H<sub>2</sub>O at 95°C for one hour, followed by dilution to 600ml and ICP-MS analysis. Rock sample individual weights ranged from <1-3 kilograms for float samples and 2.5-10 kilograms for bedrock (continuous chip or channel) samples. At the laboratory, rock sample preparation consisted of crushing each to - 10 mesh (70%) followed by pulverizing a 250-gram split to 95% passing 150 mesh. A 30-gram sub-sample was then subjected to the same acid digestion and analytical procedure as that employed for the soil and silt samples.

## **11.0 RESULTS**

Results from the limited sampling program showed low or no gold or copper. Results ranged from <1 -10 ppb Au and 10-30 ppm Cu.

## **12.0 DATA VERIFICATION**

No sample data verification other than those provided by ACME (blanks, standards, duplicates) was included in the 2006-work program.

The samples were collected with hammer and cold chisel and the two chip samples were taken perpendicular to the apparent dip of the mineralized zone disseminated throughout.

### **13.0 INTERPRETATION AND CONCLUSIONS**

Disseminated pyrite occurs in a highly siliceous volcanic unit. In some areas the volcanic is brecciated suggesting an epithermal Au environment. A linear study of satellite data shows several intersecting linears are consistent with colour anomalies. These colour anomalies are thought to represent the highly siliceous unit described above. The geochemical values found to date, however are disappointing and further work is needed to support this model.

### **14.0 RECOMMENDATIONS**

The 2006 program is disappointing for the search for gold or copper. The property could use more work as the pyrite-silica alteration is quite extensive. This property is well located as the mineralization is located 1.1 km north of the Allmaden-Stongbow gold vein. The Skoonka property is at least 200 metres below the gold vein. It is recommended that any future work should include mapping and prospecting of areas not covered in this report.

### **15.0 PERSONELL AND CONTRACTORS**

#### **Company Personnel**

<u>Company Personnel</u>	<u>Position</u>	<u>Days</u>	<u>Dates</u>
Len Harris	President		

#### **Contract Personnel**

James A. Turner Surrey, BC	Consultant, Director
-------------------------------	----------------------

Francis LaRoche Kamloops, BC	Prospector
---------------------------------	------------

Rick Unruth Penticton, BC	Prospector
------------------------------	------------

Dale LaRoche	Field Assistant
--------------	-----------------

## 16.0 COST STATEMENT 2006

Table 3: Cost Statement-SKOONKA Property-2006

<u>Field Costs</u>	Days	Rate	Total
Franciscis LaRoche	5	260	\$1,300.00
Rick Unruth	1	200	\$200.00
Gerry Diakow	5	260	\$1,300.00
Truck	10	90	\$900.00
Motel			\$285.00
Fuel			\$207.31
Food			\$122.59
Maps	QuickBird Image+processing		\$3,950.00
Supplies			\$15.00
ATV	4	90	\$360.00
<b>Helicopter</b>	1.9	950	
	1.9	115	\$2,023.00
<b>Fees</b>			
Len Harris	4	450	\$1,800.00
Project Geologist(Jim Turner,P.Geo)	3	400	\$1,200.00
24-May	4	400	\$1,600.00
19-Jun	4	500	\$2,000.00
18-Jul			
For LH & JT	Motel&Food	200	\$200.00
	Truck Rental	4	90
			\$360.00
<b>Assays-Analysis</b>			
	3	18.6	\$55.80
	42	19.52	\$819.84
	8	11.49	\$95.20
Shipping			\$150.00
		<b>Total</b>	\$18973.74
Administration @15%			\$2,846.01
		<b>Grand Total</b>	<b>\$21,819.75</b>

## 17.0 DATE

The effective date of this report is August 15, 2005.

## 18.0 REFERENCES

- BALON, E.A. 2005 : 2004 Geochemical, Prospecting and Physical Work Report Sam property (Sam 1-10 Claim Group)., Kamloops Mining Division, BC. (BCGS AR 27642).
- DUFFELL, S. AND MCTAGGART, K. C. 1952: Ashcroft Map-Area, British Columbia (BC); Geological Survey of Canada (GSC) Memoir 262, p. 52-58, (Spences Bridge Group and Kingsvale Group), 1951: GSC map 1010A: Ashcroft, BC; scale 1:253,440.
- HOLLAND, S.L.; 1950: Placer Gold Production of British Columbia; BCMEMPR Bulletin 28, reprinted 1980.
- JACKAMAN, W. AND MATYSEK, P. F.: 1994: British Columbia Regional Geochemical Survey, NTS 921 - Ashcroft, (BC RGS 40/GSC OF 2666), Stream Sediment and Water Geochemical Maps & Data.
- MONGER, J. W. H. AND MCMILLAN, W. J.: 1989: Geology, Ashcroft BC; GSC Map 42-1989, sheet 1, scale 1:250,000.
- MONGER, J. W. H.: 1989: Geology, Hope, BC; GSC Map 41-1989, sheet 1, scale 1:250,000., 1985: Structural Evolution of the Southwestern Intermontane Belt, Ashcroft and Hope Map Areas, BC, in Current Research, Part A, GSC Paper 85-1 A, p. 349-358.: 1981: Geology of Parts of Western Ashcroft Map Area, southwestern BC; in Current Research, Part A, GSC Paper 81 -1 A, p.185-189.
- RICE, H. M. A.: 1947: Geology and Mineral Deposits of the Princeton Map-Area, BC; GSC Memoir 43.
- RYDER, J. M.: 1975: Quaternary Geology - Terrain Inventory, Lytton Map-Area, BC (921/SW); in Current Research, Part A, GSC Paper 75-1 A.
- SCHROETER, T. G. AND PINSENT, R. H.: 2001: Gold Production and Resources in British Columbia (1858-1998); unedited updated "Information Package" on BCMEM Open File 2000-2.
- SOUTHER, J. G.; GABRIELSE, H. AND YORATH, C.J (ed).: 1991: Volcanic Regimes, Chapter 14 in Geology of the Cordilleran Orogen in Canada, Geology of Canada, no.4, p. 457-490 (also Geological Society of America, The Geology of North America, v. G-2).
- THORKEKELSON, D. J. 1985: Geology of the Mid-Cretaceous Volcanic Units near Kingsvale, southwestern BC; in Current Research, Part B, GSC Paper 85-1 B, p. 333-339.

## 19.0 CERTIFICATE OF THE WRITER


### CERTIFICATE OF James A. Turner, P.Ge

I, James A. Turner, P.Ge., am a Professional Geoscientist of South Surrey, British Columbia, hereby certify that:

1. I am a geologist residing at 14149-17A Avenue, Surrey, British Columbia.
2. I am a graduate of the University of British Columbia with a Bachelor of Science Degree in Physics, Math and Geology in 1973 and 1976 and have practiced my profession since 1976 and continuously since 1980.
3. From 1998 to June 2001 I was a consultant to Pacific Geomatics Inc., a private remote sensing company specializing in data acquisition, processing and interpretation.
4. From March 1995 to April 1998 I was a principal of TerraSat Geomatics Inc., a private company, specialising in satellite imaging and its application to mining exploration.
5. From 1990 to March 1995, I subcontracted my services as an image analyst to MineQuest Exploration Associates Inc.
6. I am a registered member of the Professional Engineers and Geoscientists of British Columbia, (Registration #19843).
7. I am a fellow of the Geological Association of Canada.
8. I am the sole author of this report and my compensation is strictly on a professional fee basis. I am also responsible for this entire report.
9. I am presently a Consulting Geologist and have been so since March 1989. As a result of my experience and qualifications I am a qualified person as defined in National Instrument 43-101.
10. Since 1976 I have been involved in mineral exploration (with major mining companies such as Cominco, Noranda and Newmont) for Emerald, lead, zinc, gold, silver, tungsten, tin and diamonds. I have been involved in remote sensing and Geomatics since 1984. Since 1990 I have been involved in remote sensing and satellite interpretation for diamond deposits in the Lac de Gras area of the NWT. I have also conducted remote sensing work for companies working in Ghana, Guyana, Mali, Alberta, British Columbia, Mexico, Vietnam, China, Ireland, Arizona, Utah, Nevada, Bolivia, Chile, Peru, Nunavut, Quebec, Central America, Brazil, India and Indonesia.

11. I have read several reports and historic documents, and am familiar with the subject matter of the report.
12. In the disclosure of information relating to the SKOONKA property. I have relied on information provided to me by Anglo-Canadian Uranium Corp.
13. I am not aware of any material fact or material change with respect to the subject matter of this technical report, which is not reflected in this report, the omission to disclose which would make this report misleading.
14. **I, in the company of Len Harris, of Anglo, examined the SKOONKA Property in August of 2006 and verified certain exposures of rock on the present location of the claims. I verified the location of the claims and the locations of the targets and certain rock exposures discussed in the technical report. I supervised the program and am responsible for the entire project. This includes work conducted, in my absence.**
15. I have no interest, direct or indirect, in the SKOONKA Property or the property ownerships, nor do I expect to receive such interest. I am a Director of Anglo-Canadian Uranium Corp. and have 100,000 options in the company.

**James A. Turner, P.Ge.**

James A. Turner, P. Ge.  
 Signed   
 James A. Turner, P. Ge.  
 14149-17A Avenue  
 Surrey B.C.  
 V4A 6R8  
 Signed and sealed at Vancouver  
 James A. Turner, P. Ge.

Dated at Surrey, B.C. this 15<sup>th</sup> day of  
August 2006.


Reg. No. 19843 Association of  
Professional Engineers and Geoscientists of  
British Columbia.

**20.0 ILLUSTRATIONS**

**21.0 APPENDICIES**

**I Assays  
II Rock sample descriptions**





ANGLO-CANADIAN URANIUM CORP.

Kamloops Mining Division  
British Columbia

**SKOONKA PROJECT**

LOCATION MAP  
SKOONKA PROPERTY

Universal Transverse Mercator  
Zone 10  
NAD 83 Datum

**Figure 1**

James A Turner, P.Geo

# Exploration Assistant

## First Nations Layers

- Aboriginal Communities
- Indian Reserves

## Parks Layers


- BC Parks (July 2004) outline (<1M)

## Mineral Titles Layers

- MTO Mineral Titles Online Labels <200K
  - Placer
  - Mineral

## Topographic Layers

- Roads 1:20K (<100K)
  - Gravel Road 1 Lane
  - Gravel Road 1 Lane U/C
  - Gravel Road 2 Lane
  - Gravel Road 2 Lane U/C
  - Paved Road
  - Paved Road 1 Lane U/C
  - Paved Road 2 Lane
  - Paved Road 2 Lane U/C
  - Paved Road 2 or more Lanes
  - Paved Road 3 Lane Elevated
  - Paved Road 4 Lane Divided
  - Paved Road 4 Lane Divided U/C
  - Paved Road 4 Lane U/C
  - Paved Road 6 Lane
  - Paved Road 6 Lane Divided
  - Paved Road Elevated
  - Rough Road
- Contour labels 1:20K (<50K)
- Contours east 1:20K (<100K)





SCALE 1 : 52,998



from: The Map Place  
Skoonka Property



Figure 2 Claim Location



SCALE 1 : 253,370



from: The Map Place  
**SKOONKA PROPERTY**  
 Figure 3 Regional Geology



606,000

121°30'0"W

608,000

610,000


612,000

5,584,000

5,582,000

5,580,000

50°24'0"N



**ANGLO-CANADIAN URANIUM CORP.**  
**SKOOKONKA GOLD PROPERTY**  
**LYTTON, BC, AREA**  
**SAMPLE NUMBERS**  
**APRIL 2007**  
 (NAD83 / Zone 10)  
 April 15th, 2007

607,040

607,060

607,080

607,100


607,120

121°29'35"W


607,140



5,582,720  
5,582,700  
5,582,680  
5,582,660  
5,582,640



**Legend**  
**SAMPLE NUMBERS**  
 ● SAMPLE NUMBERS



**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA PROPERTY**  
**LYTTON AREA, BC,**  
**(DETAILED AREA)**  
**SAMPLE NUMBERS**  
**APRIL 2007**

NAD83 / Zone 10

121°29'38"W

121°29'35"W

606,000

121°30'0"W

608,000

610,000

612,000

5,584,000


50°24'0"N

5,582,000

5,580,000

121°30'0"W

121°27'0"W



**ANGLO-CANADIAN URANIUM CORP.**

**SKOONKA GOLD PROPERTY**  
**LYTTON, BC, AREA**

**GOLD (Au) IN ROCK**  
**APRIL 2007**  
 (NAC63 / Zone 10)

April 15th, 2007

607,040

607,060

607,080

607,100

607,120

121°29'35"W

607,140



5,582,720  
5,582,700  
5,582,680  
5,582,660  
5,582,640

121°29'38"W

NAD83 / Zone 10


121°29'35"W

**Legend**


**GOLD IN ROCKS (PPM)**

CU

- 100.1 - 332.0
- 60.1 - 100.0
- 25.1 - 60.0
- 5.1 - 25.0
- < 5.0



**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA PROPERTY**  
**LYTTON AREA, BC,**  
**(DETAILED AREA)**  
**GOLD (Au) IN ROCK**  
**APRIL 2007**




606,000

121°30'0"W

608,000

610,000

612,000



5,584,000.00 N

5,582,000

5,580,000

50°24'0"N

121°30'0"W

121°27'0"W

**Legend**

COPPER IN ROCK (PPM)
100.1 - 332.0
40.1 - 100.0
25.1 - 40.0
5.1 - 25.0
$\le 5.0$

**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA GOLD PROPERTY**  
**LYTTON, BC, AREA**  
**COPPER (Cu) IN ROCK**  
**APRIL 2007**  
 (NAD83 / Zone 10)

April 15th, 2007



607,040

607,060

607,080

607,100

607,120

121°29'35"W

607,140



5,582,720  
5,582,700  
5,582,680  
5,582,660  
5,582,640

121°29'38"W


NAD83 / Zone 10

121°29'35"W


**Legend**

**COPPER IN ROCKS (PPM)**

- 100.1 - 332.0
- 60.1 - 100.0
- 25.1 - 60.0
- 5.1 - 25.0
- < 5.0



**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA PROPERTY**  
**LYTTON AREA, BC,**  
**(DETAILED AREA)**  
**COPPER (CU) IN ROCKS**  
**APRIL 2007**




606,000

121°30'0"W

608,000

610,000

612,000



5,584,000.00°N

5,582,000

5,580,000

50°24'0"N

121°30'0"W

121°27'0"W

**Legend**

**LEAD IN ROCK (PPM)**

PB

<span style="color: red;">●</span>	11.1-39.8
<span style="color: orange;">●</span>	3.1-11.0
<span style="color: yellow;">●</span>	1.1-3.0
<span style="color: green;">●</span>	0.8-1.0
<span style="color: black;">●</span>	0.1-0.7



**ANGLO-CANADIAN URANIUM CORP.**

**SKOONKA GOLD PROPERTY**  
**LYTTON, BC, AREA**

**LEAD (Pb) IN ROCK**  
**APRIL 2007**  
 (NAD83 / Zone 10)

April 15th, 2007

607,040

607,060

607,080

607,100

607,120

121°29'35"W

607,140



5,582,720  
5,582,700  
5,582,680  
5,582,660  
5,582,640


121°29'38"W

NAD83 / Zone 10


121°29'35"W

**Legend**  
**LEAD IN ROCKS (PPM)**

- PB
- 15.1 - 30.0
  - 9.1 - 15.0
  - 5.3 - 9.0
  - 2.8 - 5.2
  - 0.3 - 2.7



**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA PROPERTY**  
**LYTTON AREA, BC,**  
**(DETAILED AREA)**  
**LEAD (Pb) IN ROCKS**  
**APRIL 2007**



606,000

121°30'0"W

608,000

610,000


612,000

5,584,000

5,582,000

5,580,000

50°24'0"N



Detailed Area

506342

527184

506341

506343

56

71

**Legend**

**ZINC IN ROCK (PPM)**

<span style="color: red;">●</span>	75 - 117
<span style="color: orange;">●</span>	54 - 74
<span style="color: yellow;">●</span>	39 - 53
<span style="color: green;">●</span>	20 - 38
<span style="color: black;">●</span>	3 - 19



**ANGLO-CANADIAN URANIUM CORP.**

**SKOONKA GOLD PROPERTY**  
**LYTTON, BC, AREA**

**ZINC (ZN) IN ROCK**  
**APRIL 2007**  
 (NAD83 / Zone 10)

April 15th, 2007

121°30'0"W

121°27'0"W

607,040

607,060

607,080

607,100

607,120

121°29'35"W

607,140




5,582,720  
5,582,700  
5,582,680  
5,582,660  
5,582,640

121°29'38"W


NAD83 / Zone 10

121°29'35"W

- Legend**  
**ZINC IN ROCKS (PPM)**  
 ZN
- 75 - 147
  - 54 - 74
  - 39 - 53
  - 20 - 38
  - 3 - 19




**ANGLO-CANADIAN URANIUM CORP.**  
**SKOONKA PROPERTY**  
**LYTTON AREA, BC,**  
**(DETAILED AREA)**  
**ZINC (ZN) IN ROCKS**  
**APRIL 2007**



From:ECO TECH LAB

2505734557

05/24/2006 05:13 #045 P.001/001



ASSAYING  
GEOCHEMISTRY  
ANALYTICAL CHEMISTRY  
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 8T4  
Phone (250) 873-6700 Fax (250) 873-4857  
E-mail: info@ecotechlab.com  
www.ecotechlab.com

Anglo Canadian Uranium  
2589 Thompson drive  
Kamloops, BC  
V2C 4L5

22-May-06

Attention: Frank LaRoche

## 2006 INVOICE

INVOICE #:AK 06-381

DESCRIPTION	PRICE / SAMPLE	AMOUNT
4 SAMPLE PREP. (ROCK)	6.50	26.00
4 MULTI-ELEMENT ICP (28)	7.00	28.00
3 AU ASSAY (30g)	12.50	37.50
1 AU/PD/PT ASSAY	30.00	30.00
	<b>SUBTOTAL:</b>	<b>121.50</b>
	<b>&amp; 7% G.S.T:</b>	<b>8.51</b>
	<b>TOTAL DUE &amp; PAYABLE UPON RECEIPT:</b>	<b>130.01</b>

**THANK YOU!!**

G.S.T. REGISTRATION NUMBER R99289 8212

**TERMS: NET 30 DAYS. INTEREST AT RATE OF 2 PER MONTH (24% PER ANNUM)  
WILL BE CHARGED ON OVERDUE ACCOUNTS.**



**ACME ANALYTICAL LABORATORIES LTD.**  
852 East Hastings,, Vancouver, B.C., CANADA V6A 1R6  
Phone: (604) 253-3158 Fax: (604) 253-1716  
Our GST # 100035377 RT



**ANGLO-CANADIAN URANIUM CORP.**  
1150 - 355 Burrard St.  
Vancouver, BC  
V6C 2G8


Inv.#: **A602232**  
Date: May 26 2006

QTY	ASSAY	PRICE	AMOUNT
9	GROUP 3B - AU @	10.71	96.39
5	R150 - ROCK @	5.10	25.50
2	SS80 - SOIL @	1.58	3.16
1	SS80 - SILT @	1.58	1.58
		GST Taxable	126.63
		7.00% GST	8.86
		CAD \$	<b>135.49</b>

Samples submitted by Len Harris  
FILE # A602232, A602233 & A602234

*Flora  
S. Koochka*

COPIES 1



Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 2 ]

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716



GEOCHEM PRECIOUS METALS ANALYSIS



Anglo-Canadian Uranium Corp.  
1150 - 355 Burrard St., Vancouver BC V6C 2G8


File # A602234  
Submitted by: Len Harris

SAMPLE#	Au** ppb
G-1	<2
19557	<2
STANDARD OxF41	795

GROUP 3B - FIRE GEOCHEM AU - 7.5 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.  
- SAMPLE TYPE: Silt SS80 60C

05-25-2006 P04:22

Data 1 PA \_\_\_\_\_ DATE RECEIVED: MAY 19 2006 DATE REPORT MAILED:.....



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE(604)253-3158 FAX(604)253-1716



GEOCHEM PRECIOUS METALS ANALYSIS



Anglo-Canadian Uranium Corp.  
1150 - 355 Burrard St., Vancouver BC V6C 2B8

File # A602232  
Submitted by: Len Harris

SAMPLE#	Au** ppb
G-1	2
19551	4
19553	2
19554	2
19555	<2
19556	36
19558	5
STANDARD OxF41	796

GROUP 38 - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.  
- SAMPLE TYPE: Rock R150

05-26-2006 A11:56

Data *LyFA* \_\_\_\_\_ DATE RECEIVED: MAY 19 2006 DATE REPORT MAILED:.....



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm
G-1	<1	<1	<3	35	<.3	4	5	519	1.80	<2	8	<2	3	70	.5	<3	<3	31	.54	.068	8	10	.52	207	.13	<3	.97	.09	.50	<2
B184794	7	1	3	19	.5	1	3	241	1.57	8	<8	<2	<2	26	.7	<3	<3	16	.19	.081	7	6	.21	37	.05	<3	.53	.03	.11	<2
B184795	4	<1	<3	2	.3	1	1	128	.82	<2	<8	<2	<2	11	<.5	<3	<3	1	.19	.110	5	16	.02	15	.01	<3	.09	.01	.02	<2
B184796	21	<1	7	79	1.3	1	3	353	1.69	85	<8	<2	<2	11	<.5	<3	<3	14	.09	.065	14	7	.64	38	<.01	<3	.77	.02	.13	<2
B184797	32	3	3	18	2.8	1	2	121	1.35	89	<8	<2	<2	44	<.5	<3	<3	13	.09	.059	14	7	.30	62	<.01	<3	.55	.03	.16	<2
B184798	14	19	4	14	35.4	2	2	168	.90	38	9	<2	<2	9	.5	<3	<3	6	.23	.026	4	13	.35	21	<.01	<3	.41	.01	.09	<2
B184799	47	2	9	21	1.8	<1	2	184	1.60	88	<8	<2	<2	12	<.5	<3	<3	16	.08	.066	11	6	.50	31	<.01	<3	.63	.03	.18	<2
B184800	6	3	10	40	1.2	<1	3	300	1.82	76	<8	<2	<2	17	<.5	<3	<3	15	.13	.079	10	5	.48	44	<.01	<3	.76	.03	.20	<2
B184844	8	1	9	40	.8	<1	2	355	1.88	106	<8	<2	<2	43	<.5	<3	<3	31	.20	.082	14	4	.63	51	.15	<3	.89	.04	.16	<2
B184845	8	2	7	40	.7	1	1	299	1.77	79	<8	<2	<2	21	.5	<3	<3	23	.28	.075	8	5	.50	34	.19	<3	.83	.04	.14	<2
B184846	12	3	11	47	.9	<1	2	349	2.11	95	8	<2	<2	19	.6	<3	<3	30	.29	.092	12	5	.57	38	.20	<3	.95	.05	.14	2
B184847	6	18	3	40	1.0	2	2	430	2.06	65	<8	<2	<2	20	<.5	<3	<3	24	.34	.084	12	6	.71	42	.18	<3	.99	.05	.17	<2
B184848	30	<1	8	18	.8	1	1	177	1.35	60	<8	<2	<2	28	<.5	<3	<3	16	.16	.055	11	5	.30	46	.13	<3	.54	.04	.16	<2
RE B184848	31	<1	11	18	.8	<1	1	179	1.37	64	<8	<2	<2	29	<.5	<3	<3	18	.16	.057	11	4	.30	47	.13	<3	.55	.04	.17	<2
STANDARD DS6	12	121	29	140	.4	25	13	703	2.83	21	<8	<2	3	41	6.4	3	5	57	.86	.080	14	188	.58	168	.08	16	1.93	.07	.15	5

Sample type: ROCK R150. Samples beginning 'RE' are Returns and 'RRE' are Reject Returns.

GEOCHEMICAL ANALYSIS CERTIFICATE


Anglo-Canadian Uranium Corp. File # A602705 Page 1  
1150 - 355 Burrard St., Vancouver BC V6C 2G8 Submitted by: Len Harris



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	
G-1	1	3	6	48	.3	4	4	562	1.94	5	<8	<2	4	68	.8	<3	<3	36	.57	.073	9	12	.56	216	.13	<3	1.00	.09	.49	2
B184761	4	5	8	34	.9	2	3	285	1.78	35	<8	<2	<2	14	.6	<3	<3	4	.45	.072	18	3	.02	100	<.01	3	.34	.03	.21	2
B184762	3	13	10	42	.4	2	3	305	2.30	10	<8	<2	<2	32	.5	<3	<3	31	.30	.098	15	2	.36	58	.17	<3	.96	.06	.16	2
B184763	5	12	15	35	.5	1	3	219	2.40	15	<8	<2	<2	31	<.5	<3	<3	26	.26	.104	8	2	.27	70	.14	<3	.90	.04	.19	<2
B184764	2	11	6	43	.3	3	3	340	2.38	13	<8	<2	<2	33	<.5	<3	<3	33	.35	.097	10	2	.38	55	.17	<3	1.06	.06	.15	2
B184765	4	7	8	35	.6	1	2	234	2.60	17	<8	<2	<2	35	<.5	<3	<3	36	.25	.101	9	2	.33	61	.19	<3	.89	.06	.15	<2
B184766	3	12	7	41	.3	1	2	293	2.21	15	<8	<2	<2	45	<.5	<3	3	39	.29	.095	13	2	.42	77	.21	<3	1.09	.06	.16	2
B184767	8	6	8	29	.3	1	3	220	1.95	13	<8	<2	<2	32	<.5	<3	<3	25	.31	.108	10	3	.23	57	.17	<3	.92	.05	.15	<2
B184768	5	6	9	26	.4	1	2	186	1.72	8	<8	<2	<2	31	<.5	<3	<3	24	.18	.079	10	6	.23	57	.14	<3	.73	.05	.13	2
B184769	3	12	7	53	.3	4	5	398	2.45	12	<8	<2	<2	41	.8	<3	3	38	.51	.110	11	4	.37	66	.18	3	1.25	.05	.12	2
B184770	3	13	8	54	.3	2	5	458	2.58	12	12	<2	<2	32	<.5	<3	<3	38	.36	.110	12	3	.46	74	.19	<3	1.09	.05	.14	2
B184771	1	12	8	64	.3	2	4	352	2.39	9	<8	<2	<2	33	<.5	<3	<3	37	.34	.102	18	2	.36	68	.20	<3	1.21	.05	.16	2
B184772	2	9	9	58	<.3	2	4	359	2.20	12	<8	<2	<2	33	.5	<3	<3	35	.35	.099	16	2	.30	70	.19	<3	1.16	.05	.16	3
B184773	4	9	6	38	.5	2	4	298	2.44	10	<8	<2	<2	39	<.5	<3	<3	29	.26	.111	9	3	.23	80	.18	<3	1.09	.04	.17	<2
B184774	3	7	7	30	.5	1	3	206	2.17	16	<8	<2	<2	31	<.5	<3	<3	29	.24	.098	7	2	.17	65	.20	<3	.82	.05	.15	2
B184775	1	13	8	52	.3	2	3	394	2.41	12	<8	<2	<2	31	<.5	<3	<3	44	.32	.104	10	2	.38	67	.20	<3	1.07	.06	.09	<2
B184776	1	9	7	56	<.3	2	4	436	2.41	7	<8	<2	<2	41	<.5	<3	<3	43	.47	.112	17	3	.47	53	.22	<3	1.17	.06	.10	2
RE B184776	1	9	6	56	.3	2	3	425	2.35	10	<8	<2	<2	40	<.5	<3	<3	44	.47	.109	17	3	.46	52	.22	<3	1.12	.05	.10	2
B184777	2	14	10	74	<.3	2	6	633	2.31	16	<8	<2	<2	38	<.5	<3	<3	40	.51	.112	11	3	.54	63	.22	3	1.38	.05	.07	<2
B184778	<1	24	12	60	.3	2	3	426	2.32	13	<8	<2	<2	40	<.5	<3	<3	44	.43	.101	13	2	.51	58	.22	<3	1.23	.06	.10	<2
B184779	1	12	10	44	<.3	2	2	321	2.19	24	<8	<2	<2	40	<.5	<3	<3	39	.35	.094	10	3	.39	61	.20	<3	1.15	.05	.09	<2
B184780	3	9	10	38	<.3	3	2	306	2.32	13	<8	<2	<2	52	<.5	<3	<3	41	.40	.116	10	2	.35	74	.20	<3	1.19	.05	.11	<2
B184781	2	8	10	36	.3	1	2	268	2.28	13	<8	<2	<2	41	<.5	<3	<3	43	.37	.101	11	3	.30	74	.22	<3	1.07	.05	.13	2
B184782	3	18	6	62	.4	2	4	409	2.63	16	<8	<2	<2	32	.5	<3	<3	47	.31	.119	11	2	.38	73	.23	<3	1.28	.05	.15	<2
B184783	3	16	4	48	<.3	2	2	422	2.27	19	<8	<2	<2	34	.5	<3	<3	42	.41	.104	9	2	.47	64	.24	<3	1.28	.06	.11	2
B184784	3	10	8	59	<.3	2	3	419	2.26	20	<8	<2	<2	29	<.5	<3	<3	40	.35	.105	10	2	.45	81	.22	<3	1.10	.05	.12	<2
B184785	5	8	5	40	.3	1	2	277	2.24	18	<8	<2	<2	32	<.5	<3	<3	30	.31	.107	10	1	.31	73	.22	<3	.95	.05	.14	<2
B184786	8	7	10	19	.4	1	1	119	1.90	20	<8	<2	<2	26	.5	<3	<3	21	.25	.099	7	2	1.10	88	.19	<3	.79	.04	.20	<2
B184787	6	8	8	27	.6	1	2	258	2.50	15	<8	<2	<2	44	<.5	<3	<3	27	.31	.112	9	1	.24	80	.21	8	.85	.05	.18	<2
B184788	6	8	6	27	.6	1	2	244	2.85	18	<8	<2	<2	42	<.5	<3	<3	30	.35	.129	9	1	.20	83	.20	3	1.04	.05	.17	<2
B184789	14	5	6	12	.7	1	2	77	1.91	14	<8	<2	<2	31	<.5	<3	<3	16	.15	.081	5	2	.05	93	.15	4	.57	.02	.21	<2
B184790	13	6	3	11	.8	2	1	43	2.11	18	<8	<2	<2	26	<.5	<3	<3	16	.15	.092	6	4	.04	85	.17	<3	.55	.03	.20	<2
B184791	14	5	7	13	.8	1	2	119	2.32	19	<8	<2	<2	29	<.5	<3	<3	20	.18	.092	6	2	1.0	98	.15	4	.70	.03	.22	2
B184792	7	10	9	17	.7	1	1	115	2.56	14	<8	<2	<2	23	<.5	<3	<3	8	.10	.088	5	<1	.11	93	.19	<3	.82	.03	.21	2
B184793	2	9	13	18	.3	1	2	145	2.75	14	<8	<2	<2	77	<.5	<3	<3	17	.53	.114	6	<1	.11	138	.18	3	1.22	.06	.19	<2
STANDARD DS6	11	125	27	145	<.3	25	11	691	2.79	21	8	<2	3	41	6.0	4	6	55	.85	.078	14	186	.56	165	.08	17	1.78	.05	4	

GROUP 10 - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY  
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Retruns and 'RRE' are Reject Retruns.

Data FA \_\_\_\_\_ DATE RECEIVED: JUN 12 2006 DATE REPORT MAILED: 06-21-2006 P01:21



All Results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



**ACME ANALYTICAL LABORATORIES LTD.**

852 East Hastings, Vancouver, B.C., CANADA V6A 1R6  
Phone: (604) 253-3158 Fax: (604) 253-1716  
Our GST # 100035377 RT



**ANGLO-CANADIAN URANIUM CORP.**  
1150 - 355 Burrard St.  
Vancouver, BC  
V6C 2G8

Inv.#: **A602705**  
Date: Jun 22 2006

QTY	ASSAY	PRICE	AMOUNT
45	GROUP 1D @	6.39	287.55
45	R150 - ROCK @	5.10	229.50
	GST Taxable		517.05
	7.00% GST		36.19
	CAD \$		<b>553.24</b>

Samples submitted by Len Harris

*32 for Skoovker  
see fig 5.Pdf*

COPIES 1

Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 2 ]

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716



GEOCHEM PRECIOUS METALS ANALYSIS



Anglo-Canadian Uranium Corp. File # A602705R Page 1

1150 - 355 Burrard St., Vancouver BC V6C 2G8 Submitted by: Len Harris


SAMPLE#	Au ppb
B184761	21
B184762	4
B184763	3
B184764	2
B184765	2
B184766	2
B184767	2
B184768	1
B184769	1
B184770	2
B184771	1
B184772	2
B184773	2
B184774	3
B184775	1
B184776	<1
B184777	1
B184778	1
B184779	3
B184780	2
B184781	2
B184782	NNN
B184783	NNN
B184784	NNN
B184785	3
B184786	4
B184787	3
B184788	4
RE B184788	4
B184789	4
B184790	5
B184791	5
B184792	NNN
B184793	NNN
STANDARD OxF41	815

GROUP 38-MS - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN ACID, ANALYZED BY ICP-MS. SEMI-QUANTITATIVE FOR RH.  
- SAMPLE TYPE: Rock Pulp Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA

DATE RECEIVED: JUN 26 2006 DATE REPORT MAILED:.....

07-04-2006 A11:42



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



SAMPLE#	Au ppb
B184794	1
B184795	<1
B184796	20
B184797	23
B184798	75
B184799	25
B184800	10
B184844	28
B184845	10
B184846	19
B184847	11
B184848	14
RE B184848	14
STANDARD OxF41	817

Sample type: Rock Pulp. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

**ACME ANALYTICAL LABORATORIES LTD.**

852 East Hastings,, Vancouver, B.C., CANADA V6A 1R6

Phone: (604) 253-3158 Fax: (604) 253-1716

Our GST # 100035377 RT

**ANGLO-CANADIAN URANIUM CORP.**

1150 - 355 Burrard St.

Vancouver, BC

V6C 2G8

Inv.#: **A602705R**

Date: Jul 5 2006

QTY	ASSAY	PRICE	AMOUNT
45	GROUP 3B-MS - AU @	15.62	702.90
	GST Taxable		702.90
	6.00% GST		42.17
	CAD \$		<b>745.07</b>

Samples submitted by Len Harris  
 UNIT PRICE REFLECTS 10% DISCOUNT

COPIES 1 E-DATA 1

Please pay last amount shown. Return one copy of this invoice with payment.  
 TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 2 ]

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Anglo-Canadian Uranium Corp. File # A603551  
1150 - 355 Burrard St., Vancouver BC V6C 2G8



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Sample										
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	kg											
G-1	4	20.6	3.1	50	<.1	23.4	8.0	548	1.97	<.5	3.0	9	4.4	66	<.1	<.1	1	36	54	.073	9	8	.59	219	136	1	1.01	.087	.52	2	<.01	2.0	4	<.05	5	<.5	-										
SK-1	9	98.7	2.7	56	<.1	98.4	26.3	503	3.72	2.1	8	1.4	1.5	133	1	4	1	92	1.65	125	10	65	2.17	19	383	2	3.09	.222	.03	3	02	4.5	<.1	.45	9	<.5	3.4										
SK-2	2	45.1	5.2	71	<.1	26.1	18.8	770	4.29	10.6	3	1.3	7	42	<.1	4	<.1	113	2.24	165	12	31	1.88	46	233	2	3.15	.034	.05	3	.01	5.7	<.1	.31	12	<.5	1.0										
SK-3	3	105.0	1.9	3	<.1	12.2	2.0	88	.30	2.0	1.5	1.4	2.9	4	<.1	<.1	<.1	3	.09	.005	3	4	.04	19	.003	1	.25	.073	.12	1	<.01	1.1	<.1	<.05	1	<.5	1.8										
SK-4	3	2	13.6	.8	15	<.1	5.6	2.5	187	.96	<.5	2	1.2	4	16	<.1	<.1	19	10	.014	3	7	.25	119	.013	2	.62	.082	.10	1	<.01	1.5	<.1	.14	3	<.5	2.0										
SK-5	5	27.7	1.3	26	<.1	10.0	2.6	340	1.72	1.6	4	5	1.3	45	<.1	1	1	25	24	.048	3	4	.39	49	.060	1	1.00	.114	.19	2	.05	1.8	<.1	.38	5	6	1.6										
SK-6	6	47.6	1.3	31	<.1	4.0	2.9	444	1.85	1.7	5	1.1	1.3	54	<.1	1	1	32	29	.048	4	5	.45	63	.076	1	1.07	.148	.27	1	.04	1.9	1	.75	6	1	4.1										
SK-7	4	27.6	1.2	34	<.1	5.7	2.9	405	1.97	1.4	3	5	1.3	55	<.1	1	1	28	29	.052	3	4	.47	54	.074	1	1.00	.119	.24	1	.05	1.7	1	.85	5	9	2.0										
SK-8	6	29.9	1.8	32	<.1	2.9	2.2	368	1.81	1.8	4	7	1.3	46	<.1	1	1	25	23	.047	5	4	.43	52	.068	1	.88	.125	.19	1	.06	1.9	<.1	.55	6	5	3.5										
SK-9	3	57.0	.9	32	<.1	3.6	3.3	538	2.22	1.8	6	3.6	1.5	62	<.1	<.1	1	47	35	.065	5	5	.55	57	.090	1	1.16	.142	.30	1	.05	2.1	1	1.27	6	1	2.7										
SK-10	4	7.1	2.0	14	<.1	2.1	1.4	186	1.55	2.0	5	1.3	1.1	43	<.1	1	2	24	12	.044	3	4	.33	35	.029	1	.75	.101	.11	1	.07	1.5	<.1	.29	4	<.5	3.5										
SK-11	4	12.5	1.6	87	<.1	2.2	8.4	750	3.88	1.3	4	5	9	104	1	1	83	47	.097	4	2	1.29	68	.071	2	2.34	.124	.42	1	.16	6.5	1	.75	10	5	3.4											
SK-12	3	80.2	.3	147	<.1	26.8	44.3	1681	8.07	6	1	8	1	167	<.1	<.1	1	270	1.38	.045	1	31	3.85	125	.078	1	3.34	.123	.09	<.1	.01	16.8	<.1	.42	12	<.5	4.2										
SK-13	2	4.9	2.1	9	<.1	2.5	2.1	249	1.05	1.9	2	5	1.5	4	<.1	1	1	13	.05	.008	4	3	.04	61	.003	2	.39	.040	.06	1	.01	2.2	<.1	<.05	2	<.5	2.6										
SK-14	8	4.6	1.5	13	<.1	1.7	2.3	316	1.80	8	5	<.5	8	23	<.1	<.1	4	11	.06	.022	4	5	.30	42	.010	1	.62	.067	.22	1	.03	1.0	1	1.56	3	<.5	3.4										
SK-15	2	2.9	4.7	4.7	9	<.1	1.6	3.5	83	2.23	1.6	3	2.3	4	13	<.1	1	4	.06	.014	1	4	.10	103	.015	1	.46	.062	.12	2	.01	5	<.1	.25	2	7	2.3										
SK-16	3	0	13.0	1.5	19	<.1	1.6	1.9	256	1.63	8	3	<.5	8	63	<.1	1	22	18	.042	3	4	.37	42	.035	1	.83	.092	.14	1	.05	1.4	<.1	.57	4	9	2.5										
SK-17	6	4.9	3.9	13	<.1	1.2	5	147	1.39	2.2	4	<.5	7	76	<.1	1	2	16	.53	.035	3	2	.28	26	.025	1	1.26	.062	.13	1	.05	9	<.1	1.0	6	6	1.9										
RE SK-17	5	5.1	3.8	11	<.1	1.5	6	149	1.41	2.2	4	<.5	7	78	<.1	1	2	16	.54	.035	4	2	.28	27	.027	1	1.31	.063	.14	2	.05	1.0	<.1	1.0	6	7	-										
SK-18	5	4.2	3.6	10	<.1	.7	5	124	1.26	3.5	6	<.5	8	326	<.1	1	1	18	3.65	.021	3	1	.24	22	.036	<.1	5.98	.021	.25	1	1.15	1.3	<.1	.13	20	9	2.8										
SK-19	4	13.8	1.4	105	<.1	2.2	9.9	893	3.94	2.5	2	5	8	134	<.1	2	<.1	95	.79	.099	4	2	1.30	82	.161	3	2.37	.182	.26	1	.13	7.0	1	1.75	10	6	2.8										
19582	8	4.9	2.1	12	<.1	1.8	1.1	153	1.22	1.3	2	<.5	5	44	<.1	<.1	1	13	10	.028	2	2	.28	38	.017	1	.64	.077	.10	2	.05	1.1	<.1	.22	3	<.5	1.3										
19583	7	3.9	2.3	11	<.1	1.5	2.5	138	1.47	6	3	5	5	56	<.1	<.1	2	12	10	.028	2	4	.24	39	.020	1	.58	.089	.13	2	.05	9	1	.77	3	7	1.0										
19584	16	9	1.4	95	<.1	1.4	9.5	825	3.91	2.2	3	1.9	8	122	<.1	2	<.1	92	.78	.099	4	2	1.29	80	.161	2	2.25	.176	.23	1	.12	7.3	1	1.78	9	<.5	1.1										
19585	6	1.7	1.6	107	<.1	1.8	7.5	604	3.28	79.0	1	9	5	112	4	2	3	61	.95	.082	3	3	.91	57	.077	3	1.88	.223	.29	1	.01	3.8	1	2.30	7	<.5	1.5										
STANDARD D57	20	8	107	6	70	2	414	.9	55.9	9.6	631	2.41	49	2	4.9	67	9	4.5	72	6	4	6	0	4	7	84	94	.079	13	162	1.06	378	127	40	.98	.075	.44	3	8	20	2.5	4	2	.23	5	3	7

*Boo technique*

*Boo technique*


GROUP 10X - 15 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: Rock R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

07-29-2006 A11:35

Data f FA \_\_\_\_\_

DATE RECEIVED: JUL 12 2006 DATE REPORT MAILED:.....

*20 Boo Boo technique  
chains*



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.



**ACME ANALYTICAL LABORATORIES LTD.**

852 East Hastings., Vancouver, B.C., CANADA V6A 1R6  
Phone: (604) 253-3158 Fax: (604) 253-1716  
Our GST # 100035377 RT



**ANGLO-CANADIAN URANIUM CORP.**  
1150 - 355 Burrard St.  
Vancouver, BC  
V6C 2G8

Inv.#: **A603551**  
Date: Aug 5 2006

QTY	ASSAY	PRICE	AMOUNT
23	GROUP 1DX (15 gm) @	13.50	310.50
23	R150 - ROCK @	5.10	117.30
			<hr/>
			427.80
			25.67
			<hr/>
			453.47
			<hr/>
			CAD \$

COPIES 1

Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 1 ]

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716

AA

GEOCHEMICAL ANALYSIS CERTIFICATE

Anglo-Canadian Uranium Corp. File # A604037  
1150 - 355 Burrard St., Vancouver BC V6C 2G8 Submitted by: Len Harris

AA


SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Sample
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	%	kg
G-1	<1	2	5	44	<.3	4	4	547	1.93	<2	<8	<2	4	56	<.5	<3	3	38	.51	.074	7	46	.61	234	.14	<3	.95	.07	.52	2	-
BCRC-12	<1	9	13	46	<.3	5	4	208	2.11	<2	<8	<2	2	20	<.5	<3	4	19	.50	.087	18	3	.37	131	.04	<3	.97	.05	.19	<2	2.89
BCRS-13	<1	11	8	62	<.3	10	6	587	2.37	2	<8	2	<2	33	<.5	<3	<3	17	1.21	.091	21	5	.40	108	<.01	3	1.10	.05	.23	<2	1.31
BCRS-15	1	14	8	65	<.3	12	8	534	2.71	<2	<8	<2	<2	34	<.5	<3	4	39	.73	.092	10	8	.80	51	.16	3	1.62	.05	.16	<2	2.32
BCRS-17	19	2	7	7	<.3	2	<1	255	.79	4	<8	<2	<2	39	<.5	<3	<3	7	3.40	.053	2	8	.04	18	.01	<3	.45	.02	.05	<2	1.55
BCRS-18	<1	20	6	60	<.3	33	8	616	3.52	6	<8	<2	2	29	<.5	<3	4	75	.70	.101	8	40	1.72	21	.32	<3	1.96	.20	.08	2	3.62
RE BCRS-18	1	19	6	60	<.3	32	8	615	3.45	8	<8	<2	2	29	<.5	7	10	74	.69	.102	8	40	1.74	21	.31	<3	1.95	.20	.08	<2	3.62
BCRS-19	100	5	9	23	.4	1	1	187	2.18	12	<8	<2	<2	13	<.5	<3	5	16	.10	.093	7	5	.21	37	.01	<3	.46	.07	.09	<2	1.39
BCRS-21	17	42	<3	51	.7	25	7	473	3.87	93	<8	2	2	120	<.5	3	9	75	2.04	.157	8	40	1.05	17	.20	<3	5.25	.80	.08	<2	2.93
BCRS-23	1	10	9	58	<.3	1	3	733	2.45	5	<8	<2	2	22	<.5	<3	10	38	.37	.095	15	2	.80	29	.09	<3	1.18	.06	.08	<2	2.19
BCRS-25	8	3	6	16	<.3	2	<1	109	1.27	5	<8	<2	<2	24	<.5	<3	<3	16	.16	.066	5	6	.17	33	.09	<3	.31	.04	.10	<2	2.52
502224N 1213405W	<1	56	9	46	<.3	31	16	611	4.68	<2	<8	<2	4	24	<.5	7	13	72	.31	.009	14	16	1.18	33	.08	4	2.51	.04	.10	<2	1.26
607951E 5582705N	1	8	6	33	<.3	2	1	210	1.71	18	<8	<2	3	47	<.5	<3	4	18	.14	.082	17	4	.21	108	<.01	<3	.62	.04	.28	<2	1.00
DD SHOWING	<1	22	8	113	<.3	5	6	740	1.88	19	<8	<2	2	23	<.5	4	4	36	2.19	.053	7	10	.55	14	.12	<3	.91	.02	.08	<2	2.90
DD SHOWING FLOAT	<1	10	<3	11	.7	4	2	300	.68	2	<8	<2	2	4	<.5	<3	9	74	.08	.017	2	10	.23	21	<.01	<3	.39	<.01	.11	<2	1.81
JJ SHOWING	<1	36	7	58	<.3	27	14	680	3.65	7	<8	<2	4	107	<.5	6	9	110	1.35	.109	14	28	1.46	66	.35	4	2.30	.12	.10	<2	2.10
JJ SHOWING FLOAT	<1	39	7	48	<.3	15	10	524	2.85	11	<8	<2	2	43	<.5	5	<3	72	.60	.089	8	21	1.06	71	.28	<3	1.45	.08	.36	<2	1.42
STANDARD DS7	20	95	63	393	.8	48	8	594	2.27	48	<8	2	5	68	5.6	10	9	74	.89	.071	11	149	1.03	374	.12	34	.95	.07	.43	6	-

GROUP 1D - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-ES.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
ASSAY RECOMMENDED FOR ROCK AND CORE SAMPLES IF CU PB ZN AS > 1%, AG > 30 PPM & AU > 1000 PPB  
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Retuns and 'RRE' are Reject Retuns.

08-07-2006 P12:11

Data l FA \_\_\_\_\_

DATE RECEIVED: JUL 21 2006 DATE REPORT MAILED:.....



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9001 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-4110



GEOCHEMICAL ANALYSIS CERTIFICATE



Anglo-Canadian Uranium Corp.  
1150 - 355 Burrard St., Vancouver BC V6C 2G8


File # A604037  
Submitted by: Len Harris

SAMPLE#	Au* ppb
G-1	.8
BCRC-12	.9
BCRS-13	<.5
BCRS-15	1.1
BCRS-17	1.9
BCRS-18	4.8
RE BCRS-18	4.2
BCRS-19	4.4
BCRS-21	23.4
BCRS-23	1.8
BCRS-25	1.4
502224N 1213405W	1.5
607951E 5582705N	4.6
DD SHOWING	299.8
DD SHOWING FLOAT	810.8
JJ SHOWING	3.8
JJ SHOWING FLOAT	746.4
STANDARD AU-R	482.4

AU\* GROUP 3A - IGNITED, ACID LEACHED, ANALYZED BY ICP-MS. (15 gm)  
- SAMPLE TYPE: ROCK R150  
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data <sup>t</sup> FA \_\_\_\_\_

DATE RECEIVED: JUL 21 2006 DATE REPORT MAILED: 2006-08-17 A 1:00



All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

**ACME ANALYTICAL LABORATORIES LTD.**852 East Hastings, Vancouver, B.C., CANADA V6A 1R6  
Phone: (604) 253-3158 Fax: (604) 253-1716  
Our GST # 100035377 RT**ANGLO-CANADIAN URANIUM CORP.**1150 - 355 Burrard St.  
Vancouver, BC  
V6C 2G8Inv.#: **A604037**

Date: Aug 25 2006

QTY	ASSAY	PRICE	AMOUNT
15	GEO1 @	12.96	194.40
15	R150 - ROCK @	5.10	76.50
	RXCR - 16.21 kg @ \$0.95/kg		270.90
	RXS - 16.21 kg @ \$0.40/kg		15.40
			6.48
			292.78
			17.57
			<b>310.35</b>

GST Taxable  
6.00% GST  
CAD \$

Samples submitted by Len Harris

COPIES 1

Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 1 ]



ASSAYING  
GEOCHEMISTRY  
ANALYTICAL CHEMISTRY  
ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4  
Phone (250) 873-8700 Fax (250) 873-4567  
E-mail: info@ecotechlab.com  
www.ecotechlab.com

### CERTIFICATE OF ASSAY AK 2006-381

Anglo Canadian Uranium  
2589 Thompson drive  
Kamloops, BC  
V2C 4L5

22-May-06

Attention: Frank LaRoche

No. of samples received: 4  
Sample Type: Rock  
Submitted by: Frank LaRoche

ET #.	Tag #	Au (g/t)	Au (oz/t)	Pt (g/t)	Pt (oz/t)	Pd (g/t)	Pd (oz/t)
1	SA-1	<0.03	<0.001				
2	SA-2	<0.03	<0.001				
3	SA-3	<0.03	<0.001				
4	SA-4	<0.03	<0.001	<0.03	<0.001	<0.03	<0.001

**QC DATA:**

**Reps/1:**

1 SA-1 <0.03 <0.001


**Repeat:**

1 SA-1 <0.03 <0.001

**Standard:**

PG113 0.48 0.014 1.44 0.042 0.40 0.012

JJ/qa  
XLS/05

  
ECO TECH LABORATORY LTD.  
Jimmie Jeanes  
B.C. Certified Assayer

05/23/2006 15:41 #044 P.003/003

2505794557

From: EGO TECH LAB

EGO TECH LABORATORY LTD.  
10041 Dallas Drive  
KAMLOOPS, B.C.  
V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2004-351

Anglo Canadian Uranium  
2509 Thompson drive  
Kamloops, BC  
V2C 4L5

Attention: Frank LaRoche

Phone: 250-573-5700  
Fax : 250-573-4557

No. of samples received: 4  
Sample Type: Rock  
Submitted by: Frank LaRoche

Values in ppm unless otherwise reported

El. #	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Pb %	La	Mg %	Ni	Mo	Na %	Ni	P	Pb	Sb	Se	Sr	Ti %	U	V	W	Y	Zn
1	SA-1	<0.2	0.35	35	130	<5	>10	<1	18	99	100	0.25	<10	1.03	2058	2	0.04	14	220	4	<5	<20	351	0.02	<10	104	<10	14	86
2	SA-2	<0.2	0.41	<5	130	5	>10	<1	28	84	29	0.67	<10	0.19	1272	5	0.02	14	300	<2	<5	<20	140	<0.01	<10	400	<10	3	52
3	SA-3	<0.2	0.62	15	40	<5	0.98	<1	11	6	90	1.40	<10	0.43	303	<1	0.05	3	140	10	<5	<20	40	0.08	<10	19	<10	2	44
4	SA-4	<0.2	5.00	15	80	<5	5.12	<1	26	45	332	0.41	<10	0.58	229	<1	0.38	7	180	30	<5	<20	200	0.09	<10	200	<10	<1	27

QC DATA:

Repack:

1	SA-1	<0.2	0.44	40	138	<5	>10	<1	18	90	95	5.91	<10	0.99	1934	2	0.04	13	280	8	<5	<20	351	0.03	<10	91	<10	13	86
---	------	------	------	----	-----	----	-----	----	----	----	----	------	-----	------	------	---	------	----	-----	---	----	-----	-----	------	-----	----	-----	----	----

Standard:

GED08

		1.4	1.57	85	145	<5	1.72	<1	18	82	86	4.64	<10	0.74	738	<1	0.03	20	620	24	<5	<20	58	0.11	<10	70	<10	10	72
--	--	-----	------	----	-----	----	------	----	----	----	----	------	-----	------	-----	----	------	----	-----	----	----	-----	----	------	-----	----	-----	----	----

JLg  
aweb  
XL808

*Julia Jeppesen*  
EGO TECH LABORATORY LTD.  
Julia Jeppesen  
B.C. Certified Assayer

Sample N°	Easting	Northing	Lab No.	Description	ELEMENT	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au**	Pt	Pd							
601149	5582320.0	SA1	SA1	rock grab, silicified and pyritic volcanic		2	106	4	36	1	14	19	2038	6.25	35	10	0.03					361	1	5	5	184	>10	229	10	59	1.03	130	0.02	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Au**	Pt	Pd				
600992	5582051.0	SA2	SA2	rock grab, silicified and pyritic volcanic		5	29	2	52	1	14	23	1272	9.67	5	10	0.03					149	1	5	5	146	0.1	100	10	84	0.19	130	0.01			0.41	0.02														
601092	5581996.0	SA3	SA3	rock grab, silicified and pyritic volcanic		1	6	10	44	1	3	6	303	1.4	15	10	0.03					49	1	5	5	19	0.96	140	10	90	0.49	40	0.08			0.82	0.05	0.08													
601433	5582164.0	SA4	SA4	rock grab, silicified and pyritic volcanic		1	332	30	27	1	7	26	229	5.41	15	10	0.03					200	1	5	5	250	5.72	190	10	40	0.58	30	0.09			5.8	0.39														
609199	5582516.0	SK1	SK1	Rock - Bedrock outcrop, pyritic granite, gossanous		0.9	98.7	2.7	56	<1	98.4	26.3	503	3.72	2.1	0.8	1.4	1.5	133	0.1	0.4	0.1	92	1.65	0.125	10	65	2.17	19	0.383	2	3.09	0.222	0.03	0.3	0.02	4.5	<1	0.45	9	<5					0.03	0.001				
609822	5582332.0	SK2	SK2	Rock-float		2.7	45.1	5.2	71	<1	26.1	18.8	770	4.29	10.6	0.3	1.3	0.7	42	<1	0.4	<1	113	2.24	0.165	12	31	1.88	46	0.233	2	3.15	0.034	0.05	0.3	0.01	5.7	<1	0.31	12	<5										
601238	5583903.0	SK3	SK3	Rock - float quartz vein, minor pyrite		0.3	105	1.9	3	<1	12.2	2	88	0.3	2	1.5	1.4	2.9	4	<1	<1	<1	3	0.09	0.005	3	4	0.04	19	0.003	1	0.25	0.073	0.12	0.1	<0.1	1.1	<1	<0.5	1	<5										
601178	5583492.0	SK4	SK4	Rock - float, pyritic granite or grandiorite		3.2	13.6	0.8	15	<1	5.6	2.5	187	0.96	<5	0.2	1.2	0.4	18	<1	<1	<1	19	0.1	0.014	3	7	0.25	119	0.013	2	0.62	0.082	0.1	0.1	<0.1	1.5	<1	0.14	3	<5										
601030	5583029.0	SK5	SK5	Rock - float		0.5	27.7	1.3	26	<1	10	2.6	340	1.72	1.6	0.4	<5	1.3	45	<1	0.1	0.1	25	0.24	0.048	3	4	0.39	49	0.06	1	1	0.114	0.19	0.2	0.05	1.8	<1	0.38	5	0.6										
600812	5582956.0	SK 10	SK 10	Rock - Bedrock outcrop, pyritic granite, gossanous		0.4	7.1	2	14	<1	2.1	1.4	186	1.55	2	0.5	1.3	1.1	43	<1	0.1	0.2	24	0.12	0.044	3	4	0.33	35	0.029	1	0.75	0.101	0.11	0.1	0.07	1.5	<1	0.29	4	<5										
600584	5582982.0	SK 11	SK 11	Rock - Float, granite		0.4	12.5	1.6	87	<1	2.2	8.4	760	3.88	1.3	0.4	<5	0.9	104	0.1	0.1	0.1	83	0.47	0.097	4	2	1.29	68	0.071	2	2.34	0.124	0.42	<1	0.16	6.5	0.1	1.96	10	0.5										
600324	5582174.0	SK 12	SK 12	Rock- Bedrock outcrop		0.3	80.2	0.3	147	<1	26.8	44.3	1681	8.07	0.6	0.1	0.8	1.1	167	<1	<1	0.1	270	1.38	0.045	1	31	3.85	125	0.078	1	3.34	0.123	0.09	<1	0.01	16.8	<1	0.42	12	<5										
600391	5581711.0	SK 13	SK 13	Rock- Bedrock outcrop		0.2	4.9	2.1	9	<1	2.5	2.1	249	1.05	1.9	0.2	<5	1.5	4	<1	0.1	<1	13	0.05	0.008	4	3	0.04	61	0.003	2	0.39	0.04	0.06	0.1	0.01	2.2	<1	<0.5	2	<5										
600986	5582619.0	SK 14	SK 14	Rock- Bedrock		0.8	4.6	1.5	13	<1	1.7	2.3	316	1.8	0.8	0.5	<5	0.8	23	<1	<1	0.4	11	0.06	0.022	4	5	0.3	42	0.01	1	0.62	0.067	0.22	0.1	0.03	1	0.1	1.56	3	<5										
600456	5583443.0	SK 15	SK 15	Rock - Bedrock outcrop		2.9	4.7	4.7	9	<1	1.6	3.5	83	2.23	1.6	0.3	2.3	0.4	13	<1	0.1	<1	4	0.06	0.014	1	4	0.1	103	0.015	1	0.46	0.062	0.12	0.2	0.01	0.5	<1	0.25	2	0.7										
601018	5583021.0	SK16	SK16	Rock- Float		3	13	1.5	19	<1	1.6	1.9	256	1.63	8.8	0.3	<5	0.8	63	<1	0.1	0.1	22	0.18	0.042	3	4	0.37	42	0.035	1	0.83	0.092	0.14	0.1	0.05	1.4	<1	0.57	4	0.9										
600821	5582956.0	SK17	SK17	Chip sample - over 2.5 m - horiz, rusty granite		0.6	4.9	3.9	13	<1	1.2	0.5	147	1.39	2.2	0.4	<5	0.7	76	<1	0.1	0.2	16	0.53	0.035	3	2	0.28	26	0.025	1	1.26	0.062	0.13	0.1	0.05	0.9	<1	0.1	0.6	1.9										
600821	5582956.0	SK18	SK18	Rock- Bedrock outcrop		0.5	4.2	3.6	10	<1	0.7	0.5	124	1.26	3.5	0.6	<5	0.8	326	<1	0.1	0.1	18	3.65	0.021	3	1	0.24	22	0.036	<1	5.98	0.021	0.25	0.1	0.15	1.3	<1	0.13	20	0.9	2.8									
600523	5583073.0	SK19	SK19	Rock - Bedrock outcrop		0.4	13.8	1.4	105	<1	2.2	9.9	893	3.94	2.5	0.2	0.5	0.8	134	<1	0.2	<1	95	0.79	0.099	4	2	1.3	82	0.161	3	2.37	0.182	0.26	0.1	0.13	7	0.1	1.75	10	0.6	2.8									
607103	5582680.0	BCRC-12	BCRC-12	Rocks beginning with BCRC are very near the same, they were		<1	9	13	46	<3	5	4	208	2.11	<2	<8	<2	2	20	<5	<3	4	19	0.5	0.087	18	3	0.37	131	0.04	<3	0.97	0.05	0.19	<2																
607054	5582654.0	BCRC-13	BCRC-13	collected in the area of most intense altered area. This alteration		<1	11	8	62	<3	10	6	587	2.37	2	<8	2	<2	33	<5	<3	<3	17	1.21	0.091	21	5	0.4	108	<0.1	3	1.1	0.05	0.23	<2																
607093	5582681.0	BCRC-14	BCRC-14	consisted of hematization, pyritization and silicification																																															
607083	5582682.0	BCRC-15	BCRC-15	micro fractures containing calcite,quartz and pyrite are common		1	14	8	65	<3	12	8	534	2.71	<2	<8	<2	<2	34	<5	<3	4	39	0.73	0.092	10	8	0.8	51	0.16	3	1.62	0.05	0.16	<2																
607055	5582564.0	BCRC-16	BCRC-16	the rocks are rusty and hard.																																															
607079	5582643.0	BCRC-17	BCRC-17	*		19	2	7	7	<3	2	<1	255	0.79	4	<8	<2	<2	39	<5	<3	<3	7	3.4	0.033	2	8	0.04	18	0.01	<3	0.45	0.02	0.05	<2																
607160	5582617.0	BCRC-18	BCRC-18	*		<1	20	6	60	<3	33	8	616	3.52	6	<8	<2	2	29	<5	<3	4	75	0.7	0.101	8	40	1.72	21	0.32	<3	1.96	0.2	0.08	2																
607123	5582630.0	BCRC-19	BCRC-19	*		100	5	9	23	0.4	1	1	187	2.18	12	<8	<2	<2	13	<5	<3	5	16	0.1	0.093	7	5	0.21	37	0.01	<3	0.46	0.07	0.09	<2																
607052	5582672.0	BCRC-20	BCRC-20	*																																															
607042	5582633.0	BCRC-21	BCRC-21	*		17	42	<3	51	<7	25	7	473	3.87	93	<8	2	2	120	<5	3	9	75	2.04	0.157	8	40	1.05	17	0.2	<3	5.25	0.8	0.08	<2																
607084	5582666.0	BCRC-22	BCRC-22	*																																															
607163	5582594.0	BCRC-23	BCRC-23	*		1	10	9	58	<3																																									





