Report on

Geology and Geochemistry

of the

Tide North Property Tide North 1,2,4,5,6,8 Tenure #s: 517633, 517634, 524181, 524183, 524186, 537229

> Skeena Mining Division British Columbia Canada


BCTM: 104B040 UTM: 432,000 m E 6,241,000 m N NAD 83, Zone 9

for:

Anramex Resource Corp. 750 Grand Boulevard North Vancouver, B.C. Canada V7L 3W4

author:

David St. Clair Dunn, P.Geo. 1154 Marine Drive Gibsons, B.C. Canada V0N 1V1



November 30, 2006

Table of Contents

	Page
Introduction	1
2006 Geological and Geochemical Program	3
Interpretation and Conclusions	3
Recommendations	4
References	4

List of Figures

Following Page

In Pocket

Page

1

D....

Figure 1: General Location Map	1
Figure 2: Claim Location Map	1
Figure 3: Regional Geology	2

List of Maps

Map 1: Sample Location Map

List of Tables

Table 1: Table of Mineral Claims

_

List of Appendices

Appendix A: Statement of Costs Appendix B: List of Sample Locations and Descriptions Appendix C: Sample Results and Analytical Methods Appendix D: Author's Statements of Qualifications

Introduction

The author was commissioned by the Board of Directors of Auramex Resource Corp. (the company) to carry out a mineral exploration program on the Tide North Property (the property) to determine if there are ore bodies present on the property. A first phase of property scale stream sediment sampling and prospecting was carried out on the property on July 4th and 5th, 2006 under the direct supervision of the author. Anomalous gold values were returned from stream sediment samples and a second phase of prospecting and sampling was carried out on the 28th of September and 2nd of November, 2006. This report documents the second phase of work.

The property straddles the Bowser River south of and east across the river from the toe of the Frank Mackie Glacier, approximately 40 kilometres north of the town of Stewart (Figs. 1 & 2). The property can be accessed by helicopter from Stewart, a 20 minute trip in good weather. A drill road has been constructed to within 1.5 kilometres from the southern boundary of the property and could be easily extended onto the property across the flats that formed the bed of Tide Lake. The drill road connects in two kilometers to the Granduc road, an all weather summer maintained municipal road, and thus, in 50 kilometres, to Stewart, through Hyder, Alaska. There is a bulk loading facility on year round ice free tidewater at Stewart. Stewart also has a paved air strip and all the facilities necessary to carry out mineral exploration and mine development. Paved road access to the rest of the province is possible via Highway 37A to Meziadin Junction, then Highway 37 to Kitwanga and Highway 16, which connects Prince George and Prince Rupert.


The 2006 geological and geochemical program on the property was carried out on a property scale and involved the collection of 15 pan concentrate samples, 14 silt samples and 19 rock samples taken by a four person helicopter supported crew on the 4th and 5th of July, 2006 (Fig. 4). Significant gold anomalies were returned in three pan concentrate samples. Follow-up work to identify the source of these anomalies was carried out on the 28th of September and 2nd of October, 2006 by a three person helicopter supported crew. Nine silt samples, nine pan concentrate samples and 17 rock samples were taken.


The property consists of six mineral tenures, Tenure #s 517633, 517634, 524181, 524183, 524186 and 537229, covering 93 cells totaling 1,668.321 hectares. See Table 1 below for claim details and expiry dates:

Tenure Number	Claim Name	Owner	Good to Date	Area (hectares)
517633	Tide North 1	200071(100%)	13/7/07	89.759
517634	Tide North 2	200071(100%)	13/7/07	125.606
524181	Tide North 4	200071(100%)	21/12/07	448.665
524183	Tide North 5	200071(100%)	21/12/07	448.464
524186	Tide North 6	200071(100%)	21/12/07	448.279
537229	Tide North 8	200071(100%)	14/7/07	107.548

Table 1: Table of Mineral Claims

The mineral claims are owned by R. V. Kirkham. The company holds an option to purchase 100% interest in the claims for cash (paid) and shares (payable over the three year term of option) with Kirkham retaining a 1% NSR with a \$2,000,000 buyout. The company was the operator of the 2006 programs.





The property is located immediately south of the toe of the Frank Mackie glacier on the western slope of the Bowser River valley, on the east edge of the toe of the glacier, east across the Bowser river valley and up the eastern slope of the valley (Fig. 2). Elevations range from 520 metres asl in the northern part of the claims to 1,400 metres asl on the southwest corner of the property. Terrain is rugged with steep valley walls rising from the relatively flat valley bottom.

Regional geology is shown on Figure 3. The Stewart area is on the eastern margin of the Coast Plutonic Complex, Mesozoic volcanic and sedimentary rocks are intruded by Coast granitic rocks. ranging in age from early Jurassic to Tertiary, in the form of stocks and dyke swarms. There are several styles of mineralization in the region, including structurally controlled quartz carbonate veins and stockworks, like the Silbak-Premier located 27 kilometres south of the property, which has produced 24.814 tonnes lead, 7,961 tonnes zinc, 1,853 tonnes copper, 1,333 tonnes silver, 81 tonnes cadmium and 62 tonnes gold from 5,876,992 million tonnes milled. Volcanogenic massive sulphide deposits are also present, both Besshi and Kuroko style, as exemplified by the Granduc and Eskay Creek deposits respectively. Granduc mine is a copper rich Besshi style volcanogenic massive sulphide deposit, located 20 kilometres west southwest of the property which has produced 190,144 tonnes copper, 124 tonnes silver and two tonnes gold from 15,559,369 tonnes milled. Eskay Creek is a gold rich, shallow sub-aqueous Kuroko style volcanogenic massive sulphide deposit located 40 kilometres northwest of the property which has produced 4,293 tonnes of silver, 91 tonnes gold, one tonne zinc and 0.4 tonnes lead from 1,769,470 tonnes milled. Copper gold alkalic porphyry deposits, calc-alkalic copper molybdenum porphyry deposits and molybdenum porphyry deposits also are present in the area as exemplified by Galore Creek, Schaft Creek and Kitsault, respectively. Galore Creek is located 100 kilometres northwest of the property and contains greater than one billion tonnes grading greater than one percent copper equivalent. Schaft Creek is located 120 kilometres north northwest of the property and contains greater than 3.5 billion tones of 0.35 % copper and 0.03 % molybdenum. Kitsault is located 100 kilometres southeast of the property and contains 104 million tonnes containing 0.11 % molybdenum.

Recorded exploration in the immediate area of the property began around 1926 when free gold was discovered on the East Gold Property, located 1.2 kilometres south of the property. In the early 1930's trenching uncovered a series of auriferous quartz sulphide veins and shear zone cross-cutting stratigraphy on the Haida claim, located 240 metres south of the property boundary. In the 1980's activity on the property was documented. Part of the property was staked as the Catspaw claim by Elan Exploration Ltd. in 1980 and optioned to E & B Exploration. E & B undertook minor prospecting, sampling and geological mapping from 1980 to 1982 and returned the property to Elan. Teaton Resources Corp. optioned the property in 1983 staked more ground and sub-optioned to Billikin Resources who discovered a stratiform lead-zinc-antimony occurrence and a boulder train of argentiferous quartz sulphide mineralization on the eastern boundary of the property. In 1984 Canadian United Minerals Inc. optioned the property and carried out airborne EM and Mag surveys. Two EM anomalies were outlined west of the property under ice cover. In 1985 Noranda Exploration Company optioned the property and carried out prospecting, sampling and geophysical surveys. A number of different types of mineralization were identified. In 1987 and 1988 Wedgewood Resources optioned the property and carried out prospecting, trenching and geochemical surveys. In 1989 Maple Resource Corporation Exploration optioned the property and carried out a grid based geochemical program immediately west of the property. In 1990 Maple drilled 334,06 metres in two holes 1.0 kilometre west of the property. Anomalous gold values were returned. In 1992, 93 and 94 Teuton carried out small programs of sampling on and immediately west of the property. No records of work on the property have been found from 1994 to 2005.



2006 Geological and Geochemical Program

The 2006 program was designed to test the whole of the property using a program of paired pan concentrate and silt stream sediment sampling. A standard silt sample, consisting of a gusseted kraft bag filled half full of the finest material available from active stream channels was taken. A pan concentrate sample consisting of one pan of -10 mesh material from the active stream channel panned to a black sand concentrate and one pan of moss from the active stream channel screened and panned to a black sand concentrate was taken at the same site as the silt sample. A ten to 20 gram concentrate was produced. The pan concentrate procedure produces a semi-quantitative result, very effective in detecting gold in the Canadian Cordillera. Analytical procedures are described and results shown in Appendix C. Fifteen pan concentrate samples and 14 silt samples were taken. A further nine pan concentrate samples and nine silt samples were taken at approximately 200 metre intervals up two creeks above sample sites that returned anomalous gold values in Phase 1. Sample locations are shown on Map 1.

Prospecting of the areas traversed was also carried out and samples of any mineralized rocks encountered were taken. Nineteen rock samples were taken. All samples were located using GPS receivers and plotted on BCTM 1:20,000 scale maps.

Interpretations and Conclusions

Three highly anomalous values were returned from pan concentrate samples: 132258 - 385 ppb gold, 132271 - >1,000 ppb gold. The strength of these anomalies led to the conclusion that they probably did not emanate from the Four-J's showing, located 1.5 kilometres to the west. The amount of glacial till between the sample sites and the known Four-J's showings would highly dilute any anomalous signature from these showings. Further detailed sampling and prospecting was carried out in an attempt to locate the source of the gold anomalies returned in the Phase 1-2006 program. Four pan concentrate were anomalous in gold; 54349-545 ppb Au, 1702-24.2 g/t Au, 1706-180 ppb Au and 1709-100 ppb Au. The first three samples came from the same drainage. Gold colours were noted in 1702. It was also noted that the creek crossed and followed for about 20 metres a very strong structure, at least two metres wide, striking 17°, dipping 90°, immediately above this sample site. This structure is probably the source of the gold in sample 1702. The sample above this, 1706, is still anomalous but much lower, indicating a relative cut-off. The gold in 1706 probably emanates from the 4-J's prospect further up the hill.

Large colour anomalies were also noted on the property down slope from the stream sediment sample sites and opposite the toe of the Frank Mackie on the east side of the Bowser River. The area below the stream sediments was geologically mapped, prospected and sampled in more detail in the Phase 2 program. Seventeen rock samples were taken in this area. One sample, 188135, was anomalous in silver, 3.9 ppm Ag.

Recommendations

Further prospecting, sampling and trenching should be carried out above the sites of the highly anomalous stream sediment sample, 1702. The structure mentioned above should be mapped, trenched and sampled. This work should take a four person helicopter supported crew four days to complete.

Detailed geological mapping, prospecting and sampling of the large colour anomalies on the east bank of the Bowser River should be carried out. This should take a four person helicopter supported crew three days to complete.

The recommended program is estimated to cost \$20,000 and take one week to complete.

Respectfully Submitted, David St. Chair Dings, P.Geo. November 30. 2006

References

- Alldrick, D.E., (1993) Geology and Metallogeny of the Stewart mining Camp, Northwestern British Columbia. BC Survey Branch, Bulletin 85.
- B.C. Minfile: Assessment Reports 8768, 8780, 11,716, 13,403, 14,607, 14,660, 19,800, 23,263, 23,778, 28,381 plus cited property reports.
- Greig, C J; Anderson, R G; Daubeny, P H; Bull, K F. (1994) Geology of the Cambria Icefield: Stewart (103P/13), Bear River (104A/4), and parts of Meziadin Lake (104A/3). Geological Survey of Canada, Open File 2931.

E.W. Grove, (1986) Geology and Mineral Deposits of the Unuk River-Salmon River-Anyox River. BC Survey Branch, Bulletin 63.

McLeod Ian (2004) Prospectors Promoters and Hard Rock Miners, Tales from the Stewart, BC and Hyder, Alaska Camps. Published by SH Co. Ltd. 134 609 Truswell Road Kelowna BC Copyright by Ian McLeod Appendix A

ľ

.

-

~

•

Statement of Costs

Statement of Costs

Wages: Consulting Geologist; R. Kirkham; 2 day @ \$600/day	\$1,200.00
Geologists: D. Dunn: 2 days @ \$500/day	1,000.00
Helpers; P. Bilka: 2 days @ \$300/day	600.00
Mob/demob: 40% of \$4,000	1,600.00
Room and Board: 4 days @ \$100/day	800.00
Truck Rental: 2 days @ \$40/day	80.00
Fuel	40.00
Helicopter: Prism: 2.4 hours @ \$1,100/hour:	2,640.00
Assays: Eco Tech: Pan Concentrates: 9 samples @ \$27.75/sample	249.75
Silt Samples: 9 samples @ \$20.55/sample	184.95
Rock Samples: 17 samples @ \$25.25/sample	429,25
Communications:	76.05
Expendables and small tools:	100.00
Project Total	\$9,080.00



Appendix B

.

-

List of Sample Locations and Descriptions

Sample	Easting	Northing	Description
Number		-	Tide North
			grabs from 4 spots over 20 m (i.e. a very representative sample)-pale grey, highly altered (silicified),
168136	431876	6241667	well-bedded mudstone (sitistone?) with ~ 1-2% v.f.g. diss and stringer py
			W bank of a small N-flowing stream-same pale grey highly altered rock (bedded mudstone??- o/c too
168137			small to be certain) with 1-2 % py
188138			10 m S of stream-same pale grey altered elititone with ~ 5% py
168139	432024	6241925	3 x 5 m o/c of same pale altered sitistone with ~ 1-2 % py 10 x 5 m rock face N bank of staam-same pale altered rock with~ 5 % py cut by ~ 30-50 % irregular
188140	431003	8241870	gz vns with millior py
1001-60	401000	0241070	> 30 x 30 m glaciated very rusty o/c(photo)- grab from 3 spots over 3 m NS-intensely altered, very
188141	432514	8242010	pale quartz-sericita-pyrite (~ 5%) rock
			top of very steep large glaciated o/c covered by moreine-pele highly altered, silicified mudstone with \sim $-$
188142	432595	8241872	5 % dise and fracure py (tr cp??); berren late white gash calcits the in the area
			NE end of moraine ridge top of N-facing o/c and slope-30 cm chip sample- same pale, highly altered
188143	432631	6241997	silicified mudstone with > 5% py
			NE base of same large glaciated, very rusty ofc(photos)-same very pale (white), intensely altered, silicified mudstone? (see bedding seen only at a distance) with about 7 to 10 % py- some vuggy silica
188144	400850	6040042	emented industrier (wee becoming seen bing at a data itse) with about 7 to 10 ve py- some voyagy sition
100 (44	452602	0242012	~70 m glaciated o/c in moraine- very pale, silicified, sercitized, pyritic (5-7 %) intensely altered rock
188145	432912	6242130	cut by ~ 5% deformed cherty (chalcedonic?) narrow quertz stringers (photo)
			E base by 10 x 20 m large, very rusty o/c in moraine(photos)- schistose, very pale, strongly deformed
188146	432891	6242559	quartz, sericite, pyrite (~10 %) intensely altered rock-small diamembered quartz veinlete
			NW top corner of same large o/c-same pale intensely altered rock but with about 50 to 70 % irregular
			quartz veine(1-50 cm wide) over about 3 m-mostly limonite after leached py but a few epecks of ep
188147			and gn(autifetous?)
54346			: Sik, 2m x 10cm, Sistn. 30%, And. 50%, Porph. Int. 20%.
54347 54348			: Pan Concentrate, As above. : Sitt, 2m x 10cm, Stata, 30%, And. 20%, Arg. 40%, Xistal tuff 10%.
54349			Pan Concentrate, As above.
54350			Grab, Arg. With 10% diss. Py.
1701			Sitt, Arg, Bohk, And /Dac, Float
1702			Pan Concentrate, As above. *** VISIBLE GOLD*** 5 colours.
1703		6241388	Grab. Arg. With 10% dise. Pyrr.
1704	431740	6241347	1.2 metre Chip. Qtz stringer zone. S17" D90", Pyrr., cypy.
1705			Sit, 1m x 5cm., Sistn. 50%, Arg. 30%, And. 20%.
1706			Pan Concentrate. As above.
1708			Silt. 2m x 15cm. And, 60%, int. 20%, Sistn. 20%.
1709			i Pan Concentrate. As above.
1710			SHL Cf. 1708.
1711 1712			Pan Concentrate, As above. Sit: Cf. 1708.
1713			: Pan Concentrate, As above.
1714			Grab. Qtz. Stringer zone in Arg. 1.0 m wide. S0' D90'
1715			Sit. Cf. 1708.
1716			Pan Concentrate. As above.
1717	431338	6240688	1.0 m chip. 20% py in Arg.
1718	431223		Silt, 3m x 5 cm, 90% Arg. 10% And.
1719	431223	6240676	Pan Concentrate. As above.

'

.

.

Appendix C

,

Sample Results and Analytical Methods

. Эй•үс

ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4 ICP CERTIFICATE OF ANALYSIS AS 2006- 5384

•

. .

.

.

Tide North

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

٠

1

,

-

Attention: J. Whitby/D. Duna

Phone: 250-573-5700 Fax 250-573-4557

No. of samples received: 4 Sample Type: Silt Project: Stewart Shipment #: 18 Submitted by: David Dunn

۰.


Values in ppm unless otherwise reported

E 1.4	T *	۵۰ ۵۱ ۹	. A a	Ba	Bì Ca	w Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	<u>v</u>	W	Y	Zn
3	Tag # 54346 54348 1701 1705	0.6 1.5 0.7 1.4	3 110 3 65	105	<5 0 <5 0	.84 5 .38 3 .39 2	25 21 18	22 28 28	111 94 80	4.72 4.56 4.31	<10 <10 <10	0.97 1.12 1.19	1104 811 767	9 0.02 8 0.01 7 0.01 7 0.01	49 44 42	1100 1080 1030	64 66 56	20 15 15	<20 <20 <20	55 16 17	0.02	<10 <10 <10	75 81	<10 <10	8	146 129

<u>QC DATA;</u> <i>Repeat:</i> 1 54346	0.4 1.62 110	90 <5	0.79	4	24	24	103	4.69	<10	1.05 102	74	3 0.02	48 1080	58	15	<20	46	0.02	<10	61	<10	13	202
Standard: Till 3	1,4 1,05 90	50 <5	0.51	1	12	59	21	1.87	10	0.56 30)9 <	1 0.03	29 440	34	10	<20	11	0.04	<10	37	<10	10	34

CHLABORATORY LTD. ECØ TE utta Jealouse B.C. Contilied Assayer

JJ/dc d/n5392 XL\$/06



ASSAYING GEOCHEMISTRY ANALYTICAL CHEMISTRY ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4 Phone (250) 573-5700 Fax (250) 573-4557 E-mail: info@ecotechlab.com www.ecotechlab.com

CERTIFICATE OF ANALYSIS AS 2006 - 5384

10-Nov-06

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

Attention: J. Whitby/D. Dunn

No. of samples received: 4 Sample Type: Silt **Project: Stewart** Shipment #: 18 Submitted by: D. Dunn

		Au	Pt	Pd
ET #.	Tag #	(ppb)	(ppb)	(ppb)
1	54346	45	<5	<5
2	54348	40	<5	<5
3	1701	30	<5	<5
4	1705	30	<5	<5

OC DATA:

Repe at: 2	54348	30	<5	<5
<i>Standard:</i> PG115		530	1239	125

ZABORATORY LTD. ECO TECH Jutta Jealøuse B.C. Certified Aseayer

JJ/bp XLS/06 ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4 ICP CERTIFICATE OF ANALYSIS AS 2006- 5385

. .

1

٦.

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

٩

٦

Attention: J. Whitby/D. Dunn

Phone: 250-573-5700 Fax : 250-573-4557

No. of samples received: 4 Sample Type: Pan Concentrate Project: Stewart Shipment #: 18 Submitted by: David Dunn

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Μα	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	٧	W	Y	Zn
1	54347	0.8	1.63	145	60	10	0.38	3	24	26		6.36			620		0.01	47	860	62	15	<20	17	0.03	<10	74	<10	<1	150
2	54349	0.7	1.52	55	95	10	0.40	Э	28	29	117	6.92	<10	1.25	593	11	0.01	59	1130	56			17	0.03		88			122
3	1702	6.8	1.47	70	105	10	0.41	5	34	25	144	8.83					0.01		1090	76		<20				•	•	_	125
4	1706	0.9	1.50	50	90	<5	0.40	з	24	27	107	6.25	<10	1.25	608	11	0.01	53	1060	74	20	<20	19	0.03	<10	86	<10	3	119
<u>OC DA</u> Repeat 1		0.7	1.65	125	70	<5	0.39	3	25	28	111	6.45	<10	1.31	626	9	0.01	46	890	60	20	<20	17	0.03	<10	78	<10	1	154

1,4 1.05 80 50 <5 0,49 1 12 60 21 1.90 10 0.56 310 <1 0.03 29 430 31 10 <20 11 0.04 <10 39 <10 10 35

Drue /per


ECOTECH LABORATORY LTD. Jutta Jealouse B.C. Certified Assayer

JJ/dc dl/n5392 XLS/06

Standard:

Till 3

.



ASSAYING GEOCHEMISTRY ANALYTICAL CHEMISTRY ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 6T4 Phone (250) 573-5700 Pax (250) 573-4557 E-mail: info@ecotechlab.com www.ecotechlab.com

CERTIFICATE OF ANALYSIS AS 2006 - 5385

10-Nov-06

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

Attention: J. Whitby/D. Dunn

No. of samples received: 4 Sample Type: Pan Concentrate **Project: Stewart Shipment #: 18** Submitted by: D. Dunn


		Au	Pt	Pđ
ET #.	<u>Tag #</u>	(ppb)	(ppb)	(ppb)
1	54347	40	<5	<5
2	5434 9	545	<5	<5
3	1702	>1000	<5	<5
4	1706	180	<5	<5

OC DATA:

Repeat: 3	1702	>1000	<5	<5
<i>Standard:</i> PG115		530	1250	120

ECO/TECH LABORATORY LTD. Jutta Jealouse B.C. Certified Assayer

JJ/bp XLS/06



ASSAYING GEOCHEMISTRY ANALYTICAL CHEMISTRY ENVIRONMENTAL TESTING

10041 Dallas Drive, Kamloops, BC V2C 674 Phone (250) 573-5700 Fax (250) 573-4557 E-mail: info@ecotechlab.com www.ecotechlab.com

CERTIFICATE OF ASSAY AS 2006- 5385

23-Nov-06

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

Attention: J. Whitby/D. Dunn

No. of samples received: 4 Sample Type: Pan Concentrate Project: Stewart Shipment #: 18 Submitted by: D. Dunn

		Au	Au	
ET #.	Tag #	(g/t)	(oz/t)	
3	1702	24.2	0.71	

OC DATA:

Standard: OXH37 1.29 0.04

Andre Brate / 1007

ECØ TECH LABORATORY L Jutta Jealouse B.C. Certified Assayer

JJ/dc XLS/06 - e

ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4

Phone: 250-573-5700 Fax : 250-573-4557 ICP CERTIFICATE OF ANALYSIS AS 2006- 5356

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

___.

Attention: J. Whitby/D. Dunn

No. of samples received: 19 Sample Type: Rock Project: Stawart Shipment II: 18 Submitted by: D. Dunn

Values in ppm unless otherwise reported

	Et #.	Teg #	An ALZ	6 A1	Be	81	Ca %	Cđ	Co	Cr	Cu	Fe %	Ļ	Mg %	Mn	Mo	Na %	NI	ę	РЪ	8b	8n	8r	TI %	U	V	W	<u>Y</u>
	1	54339	6.8 0.5	<u> </u>	60	<5	0.38	2	321	42	>10000	>10	<10	0.39	74	16	0.05	82	<10	<2	<5	<20	5	0.05	<10	70	<10	না
	2	54340	18.2 0.3	5 <5	65	<5	0.36	- 5	424	41	>10000	>10	<10	0.13	52	23	0.04	79	>10000	<2	-	<20	5	<0.01	<10	32	<10	<1
	3	54341	6.6 0.6	3 5	55	<5	0.49	2	547	60	>10000	>10	<10	0.50	- 92	- 38	0.05	108	<10	<2	<5	<20	2	0.04	<10	47	<10	<1
	4	54342	10.7 0.8	6 5	65	<5	0.21	Э	274	82	>10000	>10	<10	0.55	73	16	0.83	87	<10	<2	<5	<20	18	0.08	<10	73	<10	<1
	5	54343	<0.2 0.8	B 10	25	<5	0.60	<1	32	53	968	4.57	<10	0.62	146	2	0.08	18	1120	28	<5	<20	<1	0.08	<10	180	<10	10
	8	54344	1.3 1.4	9 10	30	<5	0.57	2	148	69	>10000	7.85	<10	1.01	283	10	0.07	41	590	32	<5	<20	9	0.08	<10	174	<10	<1
	7	54345	16.2 0.8	7 10	25	<	0.87	- 3	- 33	68	>10000	2.77	<10	0.78	227	41	0.08	37	580	10	- 5	<20	3	0.05	<10	43	<10	3
	- 8	54350	<0.2 0.9	0 20	50	<5	0.20	<1	12	65	80	2.88	<10	0.53	283	2	0.01	15	850	48	5	<20	3	0.04	<10	- 34	<10	<1
	9	1703	0.2 1.0	1 30	55	<5	0.99	<1	16	29	102	2.98	<10	0.71	263	3	0.02	35	1790	50	<5	<20	22	0.09	<10	45	<10	15
11.	10	1704	<0.2 1.4	6 25	i 40	<5	1.48	1	17	75	84	3.64	<10	1.01	497	3	0.03	- 33	690	66	5	<20	26	0.05	<10	77	<10	- 4
																											Eh	176
	11	1707	>30_0.6	0 285	70	<	0,10	15	175	50	>10000	>10	<10	0.16	230	21	<0.01	26	60	2162	<5	<20	7	<0.01	<10	- 14	<10	<1
	12	188134	0.5 1.7	8 X	15	< 5	1.38	<1	23	- 65	259	2.21	<10	1.54	293	1	0.18	156	760	66	15	<20	27	0.06	<10	41	<10	3
	13	168135	3.9 1.3	0 20	15	<5	1.49	2	129	115	2260	3.67	<10	1.19	254	2	0.18	21	410	44	20	<20	10	0.05	<10	59	<10	<1
	14	166136	0.2 1.8	2 20	50	<5	1.12	<1	17	- 59	121	4.07	<10	1.28	524	- 4	0.05	16	1600	72	10	<20	19	0.09	<10	101	<10	6
61	15	168137	0.3 1.9	1 15	55	5	0.60	<1	17	70	96	4.72	<10	1.47	697	3	0.04	25	1180	84	15	<20	14	0.09	<10	110	<10	3
ih	16	188138	<0.2 1.3	2 40	40	10	0.64	2	19	62	37	3.40	<10		253		0.03	29	1590	54	10		13	0.06			<10	6
	17	168139	<0.2 1.6	7 20	155	15	0.62	<1	15	53	76	3,40	<10	1.20	449		0.03	28	1130	68	10	<20	19	0.10	<10	91	<10	8
	18	158140	<0.2 2.9	4 25	15	10	3.29	<1	10	80	49	3.42	<10	0.80	442	3	<0.01	6	970	100	15	<20	3	0.06	<10	73	<10	<1
	_19	188141	<0.2 0.2	5 60	40	<5	6.66	<1	8	58	18	1.53	<10	0.02	1601	26	0.03	18	610	10	5	<20	152	0.02	<10	9	<10	14

.

. +=

--

_

_

ECO TEO	O TECH LABORATORY LTD. ICP CERTIFICATE OF ANALYSIS AS 2006- 5385													Aurai	mex R	lesour	'ces	Согр.	•							
Et #. QC DAT	Tag #	Ag Al %	As	Ba	BI Ca %	Cd	Co	Cr	Cu	Fe %	<u>ما _</u>	Mg %	Мл	Мо	Na %	NI	Р	РЬ	8b	8n	8r	11 %	U	V.	w	Y
<u>QC DAT</u> Repeat: 1	54 339	7.0 0.51	10	55	<5 0.39	2	307	43	≻1 0000	>10		0.40	78	17	0.05	59	<10	<2	<5	<20	7	0.05	<10	70	<10	<1
Respilt: 1	54339	7.1 0.51	10	60	<5 0.42	3	328	47	>10000	>10	<10	0.39	76	18	0.05	65	<10	<2	<5	<20	5	0.05	<10	69	<10	<1
Standen Pb106	d:	>30 0.52	270	85	<5 1.76	33	3	43	6247	1.43	<10	0.27	585	34	0.02	6	280 (5294	60	<20	157	⊲0.01	<10	10	10	<1

ECO TECH LABORATORY LTD. Jutta Jealouse B.C. Certified Assayer - ---

.

JJ**/e**a dl/1618jobn1 XLS/06

- -

Page 2

<u>2n</u>			
49			
52			

.

6337

.

. -

. ____

CERTIFICATE OF ASSAY AS 2006-5386

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC 10-Nov-06

Attention: J. Whitby/D. Dunn

No. of samples received: 19 Sample Type: Rock **Project: Stewart Shipment #: 18** Submitted by: D. Dunn

		Au	Au	Ag	Ag	Cu	Pt	Pt	Pđ	Pd	
ET #.	Tag #	(g/t)	(oz/t)	(g/t)	(02/t)	(%)	(g/t)	(oz/t)	(g/t)	(02/t)	
1	54339	0.21	0.006			4.45	<0.03	<0.001	<0.03	<0.001	
2	54340	2.81	0.082			9.24	<0.03	<0.001	<0.03	<0.001	
3	54341	0.45	0.013			5.48	<0.03	<0.001	<0.03	<0.001	
4	54342	0.55	0.016			6.76	<0.03	<0.001	<0.03	<0.001	
5	54343	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
6	54344	0.07	0.002			1.16	<0.03	<0.001	<0.03	<0.001	
7	54345	<0.03	<0.001			1.13	< 0.03	<0.001	<0.03	<0.001	
8	54350	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
9	1703	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
10	1704	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
11	1707	35.5	1.035	494	14.41	1.09	<0.03	<0.001	<0.03	<0.001	
12	188134	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
13	188135	0.03	0.001				<0.03	<0.001	<0.03	<0.001	
14	188136	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
15	188137	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
16	188138	<0.03	<0.001				<0.03	<0.001	< 0.03	< 0.001	
17	188139	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
18	188140	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001	
19	188141	0.03	0.001				<0.03	<0.001	<0.03	<0.001	

Ì

.

10-Nov-06

ET #.	. Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Сы (%)	Pt (g/t)	Pt (oz/t)	Pd (g/t)	Pd (oz/t)
QC D		134-5	1020		100.9	<u></u>		14444	19-7	
	=									
Repe	at:									
1	54339	0.29	0.008			4.45	<0.03	<0.001	<0.03	<0.001
2	54340	2.73	0.080							
3	54341	0.46	0.013							
10	1704	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001
11	1707	37.5	1.094							
Resp	lits:									
1	54339	0.26	0.008				<0.03	<0.001	<0.03	<0.001
Stand	iard:									
PG11	5	0.54	0.016				0.13	0.004	1.24	0.036
OXJ4	7	2.40	0.070							
Pb106	3			58.2	1.70	0.63				
Cu120	0			33.9	0.99	1.53				

JJ/bp XLS/06

Ĺ

Auramex Resources	Согр	. AK6-5386
-------------------	------	------------

1

;

.

.

.

10-Nov-06

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Cu (%)	Pt (g/t)	Pt (oz/t)	Pd (g/t)	Pd (oz/t)
QC D										
Repe	at:									
1	54339	0.29	0.008			4.45	<0.03	<0.001	<0.03	<0.001
2	54340	2.73	0.080							
3	54341	0.46	0.013							
10	1704	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001
11	1707	37.5	1.094							
Resp	its:									
1	54339	0.26	0.008				<0.03	<0.001	<0.03	<0.001
Stand	lard:									
PG11	5	0.54	0.016				0.13	0.004	1.24	0.036
OXJ4	7	2.40	0.070							
Pb106	3			58.2	1.70	0.63				
Cu120	}			33.9	0.99	1.53				

JJ/bp XLS/06

:

_

.

Auramex Resources Corp. AK6-5386

1 ¹ 7

-

10-Nov-06

		Au	Au	Ag	Ag	Cu	Pt	Pt	Pd	Pd
<u>ET #.</u>	Tag #	(g/t)	(oz/t)	(g/t)	(02/t)	(%)	(g/t)	(oz/t)	<u>(g/t)</u>	(oz/t)
QC D	ATA:									
Repe	at:									
1	54339	0.29	0.008			4.45	<0.03	<0.001	<0.03	<0.001
2	54340	2.73	0.080							
3	54341	0.46	0.013							
10	1704	<0.03	<0.001				<0.03	<0.001	<0.03	<0.001
11	1707	37.5	1.094							
Resp	lits:									
1	54339	0.26	0.008				<0.03	<0.001	<0.03	<0.001
Stand	lard:									
PG11	5	0.54	0.016				0.13	0.004	1.24	0.036
OXJ4	7	2.40	0.070							
Pb106	3			58.2	1.70	0,63				
Cu120	3			33.9	0.99	1.53				

JJ/bp XLS/06

.

:

_

10-Nov-06

. ...

1

ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4 ICP CERTIFICATE OF ANALYSIS AS 2006- 5387

TN

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

. .

Attention: J. Whitby/D. Dunn

No. of samples received: 5 Sample Type: Silt Project: Stewart Shipment Ik: 19 Submitted by: D. Dunn

Phone: 250-573-5700 Fax : 250-573-4557

Values in ppm unless otherwise reported

Et #.	Teg #		AI %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	- La	Mg %	Mn	Мо	Na %	NI P	РЬ	8b	8n	8r	TI %	ย	V	W	Y	Zn
1	1708		1.55	95	125	<5	0.45	3	18	20	91	4.47	<10	1.28	695	6	0.01	29 1210	44	15	<20	19	0.02		90	<10	6	
2	1710	0.5	1.49	65	130	- 5	0.41	2	16	22	76	4.15	<10	1.25	788	6	0.01	28 1130	48	15	<20	24	0.02	<10	85	<10	9	
3	1712	0.5	1.50	95	130	<5	0.46	2	18	21	87	4.45	<10	1,26	682	6	0.01	30 1210	48	10	<20	18	0.03	<10	90		-	130
4	1715	0.6	1.49	105	130	<5	0.47	3	19	20	90	4.72	<10	1.26	902	7	0.01	28 1230	52	15	<20	19	0.03	<10	94	<10	-	141
5	1718	1.2	1.52	110	125	<5	0.47	3	19	10	118	4.88	<10	1.32	1012	8	0.01	28 1320	50	20	<20	18	0.02	<10	105	<10	7	152
<u>QC DAT</u> Repeat: 1		0.7	1.53	105	140	\$	0.48	2	18	21	86	4.50	<10	1.27	907	8	0.01	29 1240	54	10	<20	20	0.03	<10	90	<10	8	136
Stender Till 3	nd:	1.4	1.09	80	50	<5	0.56	<1	13	58	21	1.97	10	0.57	307	<1	0.03	29 450	31	<5	<20	12	0.04	<10	40	<10	10	36

ECO TECH LABORATORY LTD. Jutta Jeslouse B.C. Certified Assayer

JJ/**se/** dl/n5392 XLS/06

CERTIFICATE OF ANALYSIS AK 2006 - 5387

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

I .

10-Nov-06

Attention: J. Whitby/D. Dunn

No. of samples received: 5 Sample Type: Silt Project: Stewart Shipment #: 19 Submitted by: D. Dunn

ET #.	Tag #	Au (ppb)	Pt (ppb)	Pd (ppb)
1	1708	70	<5	<5
2	1710	40	<5	<5
3	1712	55	<5	<5
4	1715	55	<5	<5
5	1718	65	<5	<5

QC.DATA:

Repeat: 1 1708	45	<5	<5
Standard: PG115	540	1240	130

JJ/bp XLS/06

.

14-Nov-06

.

ECO TECH LABORATORY LTD. 10041 Dallas Drive KAMLOOPS, B.C. V2C 6T4 ICP CERTIFICATE OF ANALYSIS AS 2008- 5388

٠

.

.

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

.

.

:

Attention: J. Whitby/D. Dunn

Phone: 250-573-5700 Fax : 250-573-4557

> No. of samples received; 5 Sample Type: Pan Concentrate Project: Stawert Shipment II: 19 Submitted by: D. Dunn

Values in ppm unless otherwise reported

Et #.	Tag #	Ag Al %	As.	Ba	81	Ca %	Cd	Co	Cr	Cų	Fe %	<u>La</u>	Mg %	Mn	Мо	Na %	NI P	Pb	8b	8n	8r	TI %_	<u>u</u>	<u>v</u>	W	Y	Ζn
1	1709	1.9 1.53	90	110	<5	0,47	2	19	22	98	5.39	<10	1.29	710	7	0.01	30 1240	48	15	2 0	19	0.03	<10	S 3	<10	4	137
2	1711	9.2 1.53	75	120	10	0.49	11	19	20	- 95	5.19	<10	1.29	731	7	0.01	29 1310	- 54	20	<20	24	0.03	<10	96	<10	7	777
3	1713	0,7 1.61	85	100	<5	0.45	2	19	23	82	4.98	<10	1.38	777	6	0.01	30 1170	48	15	<20	12	0.03	<10	101	<10	- 4	129
4	1716	1.5 1.56	- 95	90	<5	0.50	4	22	21	108	5.96	<10	1.32	788	12	0.01	35 1280	50	30	<20	15	0.03	<10	100	<10	3	142
5	1719	0.9 1.58	100	85	<5	0.47	3	23	19	101	6,19	<10	1.37	826	9	0.01	28 1210	52	10	<20	14	0.03	<10	107	<10	4	154
<u>OC DA1</u> Repet: 1		2.2 1.63	70	115	5	0.45	3	18	22	84	5.1 0	<10	1.37	730	7	0.01	32 1180	48	20	<20	16	0.03	<10	96	<10	5	127
Stander Till 3	rd:	1.4 0.95	80	40	<5	0.56	<1	12	61	2 1	1.97	10	0.56	299	<1	0.03	29 450	34	10	<20	11	0.07	<10	38	<10	10	38

ECO TECH LABORATORY LTD. Jutta Jealouse B.C. Certified Assayer

JJ/**aa** df/n5392 XLS/06

CERTIFICATE OF ANALYSIS AK 2006 - 5388

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

ł

ì

10-Nov-06

Attention: J. Whitby/D. Ounn

No. of samples received: 5 Sample Type: Pan Concentrate Project: Stewart Shipment #: 19 Submitted by: D. Dunn

		Au	Pt	Pd
<u>ET #.</u>	Tag #	(ррь)	(ppb)	<u>(666)</u>
1	1709	100	<5	<5
2	1711	45	<5	<5
3	1713	50	<5	<5
4	1716	10	<5	<5
5	1719	50	<5	<5

QC DATA;

Standard: PG115	530	1250	120

JJ/bp XLS/**06**

i

_

....

:

ECO TECH LABORATORY LTD. 10041 Dailas Drive KAMLOOPS, S.C. V2C 6T4 ICP CERTIFICATE OF ANALYSIS AS 2006- 5389

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC

.

Attention: J. Whitby/D. Dunn

Phone: 250-573-5700 Fax : 250-573-4557

No. of samples received: 8 Semple Type: Rock Project: Stewart Shipment II: 18 Submitted by: D. Dunn

Values in ppm unless otherwise reported

Et #.	Teg #	Ag	AI %	. Aş	Ba	91	Ca %	Cđ	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	<u>N</u> a X	N	P	Ръ	<u>8</u> b	8n	81	71 %	Ų	V	W	Y	Zn
1	1714	0.3	1.73	15	50	10	0.95	2	19	87	68	4.02	<10	1.40	814	<1	0.07	19	1620	58	5	<20	20	0.09	<10	163	<10	7	203
2	1717	1.3	0.75	115	30	5	2.03	1	10	22	15	5.99	<10	0.25	500	11	<0.01	11	650	- 38	15	<20	71	<0.01	<10	10	<10	<1	52
3	188142	<0.2	1.41	35	30	10	3.41	<1	20	61	- 92	4.13	<10	2.04	927	9	0.03	- 92	1410	46	15	<20	137	<0.01	<10	59	<10	<1	25
4	168143	<0.2	0.76	70	40	15	2.25	<1	33	35	29	4.99	<10	0.82	804	- 6	0.01	167	1100	26	<5	<20	- 91	0.04	<10	20	<10	<1	80
5	168144	<0.2	0.19	140	45	5	4.35	<1	22	30	26	4.51	<10	0.02	1181	11	<0.01	82	890	10	15	<20	193	0.04	<10	12	<10	9	54
6	188145	<0.2	1.98	50	35	<\$	4.15	<1	14	91	51	3.89	<10	2.18	1044	4	0.02	76	1070	56	30	<20	92	0.04	<10	45	<10	3	36
7	168146	<0.2	0.30	1215	35	15	1.87	6	24	33	31	4.62	<10	0.16	329	6	0.01	49	1750	26	35	<20	- 44	<0.01	<10	7	<10	<1	60
8	188147	4.3	0.40	295	40	<5	3.90	7	11	94	83	3.43	<10	1.11	1313	4	0.02	38	7 0 0	26	45	<20	238	<0.01	<10	16	<10	6	445
<u>GC DAI</u> Repeat																													
1	1714	0.3	1.70	15	35	10	0,99	1	19	89	64	4.11	<10	1.48	835	<1	0.07	19	1650	54	5	<20	14	0.11	<10	190	<10	4	200
Respitt	:																												
1	1714	0.3	1.73	10	45	5	1.16	1	17	79	71	4.03	<10	1.50	846	<1	0.08	18	1590	54	10	<20	19	0.09	<10	189	<10	з	223
8	188147	4.4	0.54	305	40	<\$	4.05	6	11	92	83	3.41	<10	1.21	1302	3	0.02	39	720	38	60	<20	256	<0.01	<10	20	<10	8	427
Standar Pb106	nd:	<30	0.52	270	75	<5	1.79	44	3	33	6233	1.41	<10	0.28	567	36	0.02	6	270	5271	55	<20	159	<0.01	<10	11	10	<1	8345

CERTIFICATE OF ASSAY AS 2006-5389

Auramex Resources Corp. 750 Grant Boulevard North Vancouver, BC 10-Nov-08

Attention: J. Whitby/D. Dunn

No. of samples received: 8 Sample Type: Rock Project: Stewart Shipment #: 18 Submitted by: D. Dunn

ET #.	Tag #	Au (g/t)	Au (oz/t)	Pt (g/t)	Pt (oz/t)	Pd (g/t)	Pd (oz/t)	
1	1714	< 0.03	<0.001	<0.03	<0.001	< 0.03	<0.001	
2	1717	<0.03	<0.001	<0,03	<0.001	<0.03	<0.001	
3	188142	<0.03	<0.001	<0,03	<0.001	<0.03	<0.001	
4	188143	<0.03	<0.001	<0.03	<0.001	<0.03	<0.001	
5	188144	0.07	0.002	<0.03	<0.001	<0.03	<0.001	
8	188145	<0.03	<0.001	<0.03	<0.001	<0.03	<0.001	
7	188146	0.07	0.002	<0.03	<0.001	<0.03	<0.001	
8	188147	0.04	0.001	<0.03	<0.001	<0.03	<0.001	
QC DA1	<u>A:</u>							
Repeat: 1	1714	<0.03	<0.001	<0.03	<0.001	<0.03	<0.001	
Resplits 1	1714	<0.03	<0.001	<0.03	<0.001	<0.03	<0.001	
Standar PG115		0.53	0.015	0.12	0.003	1.23	0.036	

JJ/bp XLS/06

Appendix D

Author's Statement of Qualifications

.

-

Author's Statement of Qualifications

I, David St. Clair Dunn, Professional Geoscientist, with a business address at 1154 Marine Drive, Gibsons, British Columbia, Canada certify that:

- 1. I am a graduate of the University of British Columbia and hold a degree of Bachelor of Science in Geology.
- 2. I have practised my profession as a prospector and geologist for 37 years.
- 3. I am registered as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (Reg. # 18479). I am a Fellow of the Geological Association of Canada and a member of the Association of Applied Geochemist's, the Canadian Institute of Mining, Metallurgy and Petroleum, the Education Committee of the Association for Mineral Exploration of B.C., the Society of Economic Geologists and the Mining Exploration Group.
- 4. I have based my conclusions and recommendations in this report on a review of all available reports and direct supervision of the Phase 2-2006 geological and geochemical program on the Tide North property.
- 5. I am the sole author of this report.
- 6. I am not aware of any material fact or material change from the information in this report that would make the report misleading.
- 7. I consent to the use of this report for the purpose of private or public financing.

November 30, 2006 D. S. Zordon O. S. Zordon

